

CONSTITUTIONAL HISTORY

PERMANENT SERIES

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—1953-54 EDITION (No. 8)

LIST OF BENEFITS (Pages 13-56)

(Effective from 1st May, 1954.)

Item No.	Item Name	Amendment
46	Digitalis	$\frac{1}{2}$ gr. tab.—Add RT 1 gr. tab.—Add RT
66	Ergometrine Maleate	0.5 mg. tab.—Add BT
108	Mersalyl, Injection of	1 cc. amp.—Delete WD 2 cc. amp.—Delete WD
120	Morphine with Atropine (G)	1 cc. amp.—Add AH
122	Morphine with Atropine (J)	1 amp.—Add AH
135	Papaverine Hydro- chloride	$\frac{3}{4}$ gr. tab.—Add RT $1\frac{1}{2}$ gr. tab.—Add RT
143	Pernaemon Crudum	Amend "10 cc. amp." to "10 cc. vial"
144	Pernaemon Fort	Amend "5 cc. amp." to "5 cc. vial"

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES (Pages 57-65)

Add the following:—

Item No. "203" against "Viules"

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS

1953-54 EDITION (No. 7)

(Effective from 1st April, 1954)

Special attention is drawn to the following changes effective from 1st April, 1954:—

1. The addition of the following new items:—Items No. 57A—Diphtheria, Pertussis and Tetanus Antigen; 59A—Diphtheria Toxoid Purified (diluted for skin test only); 80A—Hartmann's Solution; 80B—Hartmann's Solution with Dextrose; 91A—Insulin, Isophane, Injection of; 136A—Paramethadione; 152A—Phenylindanedione; 160A—Primidone; 161A—Procyclidine Hydrochloride; 193A—Sulphapyridine.

2. The addition of the following new items, prescriptions for which must be endorsed "Written in accordance with Regulation 14A":—Items No. 42A—Dienoestrol; 133A—Pancreatin; 201A—Terramycin, Oral Suspension; 201B—Testosterone; 202A—Testosterone Oenanthate, Injection of; 202B—Testosterone Phenyl Propionate, Injection of.

3. The addition of new forms of unit of the following items:—140—Penicillin, Procaine, Aqueous Suspension of; 162—Progesterone, Injection of; 184—Stilboestrol; 189—Sulphadimidine; 203—Testosterone Propionate, Injection of; 215—Vitamin B 12, Injection of; 218—Vitamin K (Oral).

4. The variation in Maximum Quantities or No. of Repeats for the following items:—Items No. 80—Glyceryl Trinitrate; 94—Isoniazid; 107—Mercuramide with Theophylline, Injection of.

On page 6 under Item No. 30—Chloramphenicol, add "and 30A Chloramphenicol Palmitate". Both these drugs are restricted to use in the treatment of those diseases already shown in Column 3 in relation to Chloramphenicol.

Remove pages 7 and 8 and delete all reference to the items shown on page nine and insert in their stead the new pages 7, 8, and 9 herewith. Details of the new items, restricted under Regulation 14A, are included in these pages.

Item No.	Item Name	Amendment
2	Adrenalin Hydrochloride, Solution of	Delete all reference to the following form of unit— 1 in 1000, 20 cc. vial
14	Benzhexol Hydrochloride	Delete "BW" shown in column 3 against 5 mg. tab. (This product is now listed under Item No. 161A.)
16	Bismuth Oxychloride, Aqueous Injection of	Add "BT" in column 3 against 1 cc. amp.
25-66	Remove leaves 19-26 and insert the new leaves 19-26A herewith. The new leaves include the following new items:—Items No. 30A—CHLORAMPHENICOL PALMITATE; 42A—DIENOESTROL; 57A—DIPHThERIA, PERTUSSIS AND TETANUS ANTIGEN; and 59A—DIPHThERIA TOXOID PURIFIED (diluted for skin test only).	
67	Ergot (Prepared)	Delete all reference to the following form of unit— 0.6 cc. amp.
79-80	Delete all reference to Items No. 79—GAS GANGRENE ANTI-TOXIN (SEPTIQUE) and 80—GLYCERYL TRINITRATE from page 29 and insert page 28A herewith. The new page includes the following new items:—Items No. 80A—HARTMANN'S SOLUTION and 80B—HARTMANN'S SOLUTION WITH DEXTROSE	
90-100	Replace the current leaf 31-32 with the new leaf 31-32 herewith. The new leaf includes the following new item:—Item No. 91A—INSULIN, ISOPHANE, INJECTION OF.	
107	Mercuramide with Theophylline, Injection of	Amend maximum quantity (Column 4) from "12" to "10" for all forms of unit listed.
133-141	Remove the current leaf 39-40, delete all reference to Item No. 141—(continued) on page 41, and insert the new pages 39-40 and 40A herewith. The new pages include the following new items:—Items No. 133A—PANCREATIN, and 136A—PARAMETHADIONE.	

Item No.	Item Name	Amendment
146	Pertussis Vaccine (Phase 1)	Delete all reference:— 20,000 M. per cc., 5 cc. vial Add the following:— 20,000 M. per cc., 1 cc. amp., GL, 3, 1 20,000 M. per cc., 10 cc. vial, GL, 1, Change the following:— 60,000 M. per cc., 1.5 cc. vial, to 60,000 M. per 1.5 cc., 1.5 cc. vial
151-163	Remove current leaf 43-44 and insert new pages 43 and 44 herewith. The new pages include the following new items:—Items No. 152A—PHENYLIN-DANEDIONE; 160A—PRIMIDONE; and 161A—PRO-CYCLIDINE HYDROCHLORIDE.	
184-203	Remove current leaves 49-52 and insert new pages 49-52A herewith. The new pages include the following new items:—Item No. 193A—SULPHAPYRIDINE; 201A—TERRAMYCIN ORAL SUSPENSION; 201B—TESTOSTERONE; 202A—TESTOSTERONE OENANTHATE, INJECTION OF; and 202B—TESTOSTERONE PHENYL PROPIONATE, INJECTION OF.	
212-219	Replace the current leaf 55-56 with the new leaf 55-56 herewith.	

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

Remove the existing pages 57-65 and insert the new pages 57-65 herewith.

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS 1953-54 EDITION (No. 6)

RESTRICTED DRUGS (Regulation 14A)

Items No. 202 Testosterone Methyl, and 203 Testosterone Propionate, Injection of, may now be prescribed for the treatment of "Castration". The word "Castration" should therefore be added in Column 3 on page 9 against each of these Items.

LIST OF BENEFITS

(Effective from 1st March, 1954)

Item No.	Item Name	Amendment
101	Liver Extract, injection of	15 U.S.P.U. per cc. 5 cc. vial—Add AN
134	Papaveretum	1/6 gr. tab.—Add FA
154	Phthalylsulphacetamide	0.5 G. tab.—Add CM
189	Sulphadimidine	7½ gr. tab.—Add AN
191	Sulphaguanidine	7½ gr. tab.—Add CM

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES (Pages 57-65)

Add the following:—

Cetasilph		154	CM
Guanaflex		191	CM

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS

1953-54 EDITION (No. 5)

Manufacturers and Codes

Page 11—Delete Fassett and Johnson Ltd. FJ.

LIST OF BENEFITS (Pages 13-56)

(Effective from 1st February, 1954.)

Item No.	Item Name	Amendment
14	Benzhexol Hydro-chloride	2 mg. tab.—Add ST
101	Liver Extract, injection of	10 U.S.P.U. per cc. 10 cc. vial— Add AB
122	Morphine with Atropine (I)	1 amp.—Add DH
124	Neocarsphenamine, injection of	Delete BT against each strength and form listed
147	Pethidine Hydro-chloride	50 mg. per cc., 1 cc. amp.—Add AH 50 mg. per cc., 2 cc. amp.—Add AH
203	Testosterone Propionate, injection of	25 mg. per 1 cc. amp.—Add AH 50 mg. per 1 cc. amp.—Add AH
216	Vitamin K, Aqueous injection of	5 mg. per 1 cc. amp.—Add AB

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES (Pages 57-65)

Add the following :—

Item No. "216" against "Hykinone" Pipanol 14 ST

Delete all reference to :—

Novostab

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS

1953-54 EDITION (No. 4)

LIST OF BENEFITS (Pages 13-56)

(Effective from 1st January, 1954.)

Item No.	Item Name	Amendment
26	Carbachol	0.25 mg. per 1 cc. amp.—Delete EV 2 mg. tab.—Delete EV
44	Diethylcarbama- zine	50 mg. tab.—Add BD
64	Ephedrine Hydro- chloride	$\frac{1}{2}$ gr. tab.—Add KL
94	Isoniazid	50 mg. tab.—Delete GL
102	Mepacrine Hydro- chloride	Delete all reference to 0.05 G. tab.
154	Phthalylsulpha- cetamide	0.5 G. tab.—Add AN
167	Pyridoxine Hydro- chloride, injec- tion of	50 mg. per 2 cc., 2 cc. amp.— Delete FJ and substitute VM
197	Sulphonamides mixed (B) three Sulphonamides	0.5 G. tab.—Add FA
202	Testosterone Methyl	50 mg. tab.—Add AN
203	Testosterone Pro- pionate, injec- tion of	50 mg. per 1 cc. amp.—Add FM
210	Thyroid BP	1 gr. tab.—Add DH

**PROPRIETARY NAMES OF LISTED DRUGS AND
MANUFACTURERS' CODES (Pages 57-65)**

Add the following:—

Ethodryl	44	BD
Pro-Stabillin Oily	142	BT
Triple Sulphonamides	197	FA
Viules	11, 147	BT
Viules Cobastab	215	BT
Viules Pro-Stabillin Oily	142	BT

Amend the following:—

" Bistabillin " to " Bi-Stabillin "

" Prostabillin " to " Pro-Stabillin "

Delete " FJ " against " Pyrivel " and substitute " VM "

Delete all reference to:—

Atebrin

Cobastab

Pelazid

AMENDMENT TO PRESCRIBERS' LIST

Page ix—Amend " GUTTAE ARGENTI PROTEINATIS 10 % "
to " GUTTAE ARGENTI PROTEINATIS MITIS 10% "

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS (No. 3)—1953-54 EDITION

LIST OF BENEFITS (Pages 13-56)

(Effective from 1st December, 1953.)

Item No.	Item Name	Amendment
40	Dextrose, Aqueous injection of	Delete all reference to 50%, 2 fl. oz. bottle
120	Morphine with Atropine (G)	1 cc. amp.—Delete B W
139	Penicillin	100,000 U. amp.—Delete BW
140	Penicillin, Procaine, Aqueous suspension of	3,000,000 U. vial—Add GL
146	Pertussis Vaccine (Phase I)	Delete all reference to 10,000 M. per cc., 5 cc. vial Set of 3 amps. containing 50,000 M. per set—Amend CS to SC
156	Physostigmine Salicylate	Delete all reference to this Item
162	Progesterone, injection of	5 mg. amp.—Delete BW
207	Thiacetazone	50 mg. tab.—Add FM
215	Vitamin B 12, injection of	100 γ per 1 cc. amp.—Add CK

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES (Pages 57-65)

Add the following:—

Conteben	207	FM
Mylipen	140	GL

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS (No. 2)—1953-54 EDITION

LIST OF BENEFITS (Pages 13-56)

(Effective from 1st November, 1953)

Item No.	Item Name	Amendment
26	Carbachol	0.25 mg. per 1 cc. amp.—Delete BW
46	Digitalis	2 mg. tab.—Delete BW Delete all reference to 1½ gr. tab.
51	Dihydrostreptomycin	1 G. vial—Delete BW
61	Emetine Hydrochloride	20 mg. per 1 cc. amp.—Delete BW
66	Ergometrine Maleate	Delete all reference to 0.5 mg. hypo. tab.
69	Ergotoxine Ethanesulphonate	Delete all reference to 1/100 gr. hypo. tab.
101	Liver Extract, Injection of	Delete all reference to 2 cc. amp.
113	Morphine Sulphate	1/12 gr. hypo. tab.—Delete BW
140	Penicillin, Procaine, Aqueous Suspension of	3,000,000 U. vial—Add IC
141	Penicillin, Procaine, (Crystalline)	1,200,000 U. amp.—Add DH
153	Phenytoin Sodium	0.1 G. tab.—Delete BW
170	Quinine Dihydrochloride	15½ gr. per 2 cc. amp.—Delete BW
184	Stilboestrol	1 mg. tab.—Delete BT 5 mg. tab.—Delete BT
185	Streptomycin	1 G. vial—Add IC
187	Sulphacetamide	7½ gr. tab.—Delete BW
203	Testosterone Propionate, Injection of	100 mg. implant.—Add OR
215	Vitamin B12, Injection of	20 γ per 1 cc. amp.—Add IC
218	Vitamin K (Oral)	Delete all reference to 2 mg. tab.

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—1953-54 Edition

RESTRICTED DRUGS (Regulation 14A) (Pages 6-9)

The following drug has been deleted from the list of drugs subject to the provisions of Regulation 14A of the Pharmaceutical Benefits Regulations.

Item No.	Item Name
210	Thyroid B.P.

All reference to this Item on page 9 should therefore be deleted.

MANUFACTURERS AND CODES (Pages 10-12)

Products previously listed under the name "British Pharmaceuticals Pty. Ltd. BP" will in future be listed under the name "Organon Laboratories OR". The appropriate alterations in the Lists of Benefits and Proprietary Names of Listed Drugs and Manufacturers' Codes are notified below. The List of Manufacturers and Codes should be amended by deleting "British Pharmaceuticals Pty. Ltd. BP" under sub-heading "B" and substituting "Organon Laboratories OR" under sub-heading "O".

LIST OF BENEFITS (Pages 13-56)

(Effective from 1st October, 1953.)

Page 13—Add "57" against "Proprietary titles and synonyms—see page".

Item No.	Item Name	Amendment
11	Atropine Sulphate	1/150 gr. per cc., 1 cc. amp. —Add BL; delete BT 1/100 gr. per cc., 1 cc. amp. —Add BL 1/50 gr. per cc., 1 cc. amp. —Add BL; delete BT Delete all reference:— 1/50 gr. hypo. tab.
37	Deoxycortone Acetate, Oily Injection of	Delete BP against each strength and form listed and substitute OR

Item No.	Item Name	Amendment
42	Dicoumarol	100 mg. amp. and 50 mg. tab.—Delete BP and substitute OR
64	Ephedrine Hydrochloride	$\frac{1}{2}$ gr. tab.—Delete KL
113	Morphine Sulphate	$\frac{1}{4}$ gr. hypo. tab.—Add FA $\frac{1}{2}$ gr. hypo. tab.—Add FA
119	Morphine with Atropine (F)	No repeats allowable— Amend No. of Repeats (Column 5) from "1" to "...."
143	Pernaemon Crudum	Delete BP and substitute OR
144	Pernaemon Fort	Delete BP and substitute OR
147	Pethidine Hydrochloride	50 mg. per cc., 1 cc. amp.— Add FM
149	Phemitone	$\frac{1}{2}$ gr. tab.—Add SI 1 gr. tab.—Add SI 3 gr. tab.—Add SI
155	Phthalylsulphathiazole	$7\frac{1}{2}$ gr. tab.—Add AN
162	Progesterone, Injection of	5 mg. amp. and 10 mg. amp.—Delete BP and substitute OR
184	Stilboestrol	1 mg. amp.—Delete BT 5 mg. amp.—Delete BT
191	Sulphaguanidine	$7\frac{1}{2}$ gr. tab.—Add FM
201	Terramycin	In column 2 add "Intramuscular" after "100 mg. vial" and "Intravenous" after "250 mg. per 10 cc. vial"
202	Testosterone, Methyl	25 mg. tab. and 50 mg. tab.—Delete BP and substitute OR
203	Testosterone Propionate, Injection of	Delete BP and substitute OR against first three strengths and forms listed
206	Theophylline with Ethylenediamine	$1\frac{1}{2}$ gr. tab.—Add BT

Item No.	Item Name	Amendment
210	Thyroid B.P.	Removed from list of drugs subject to provisions of Regulation 14A. Delete "*" and footnote "Restricted Drug.—see page 6"
		1 gr. tab.—Delete DH
218	Vitamin K (Oral)	10 mg. tab.—Add SI

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES (Pages 57-65)

Add the following:—

Dicoumarin	42	OR
Infatab	188	PD
Shigatox	191	FM

Amend the following:—

1. Amend code shown against "D.O.C.A." (page 59) "Pernaemon Crudum" and "Pernaemon Fort." (page 62) from "BP" to "OR".

2. Delete Item No. "202" shown against "Neo-Hom-breol" (page 62) and amend code from "BP" to "OR".

Section A

NOTES

ON THE

PHARMACEUTICAL BENEFITS

REGULATIONS



FOR MEDICAL PRACTITIONERS ONLY



All previous editions cancelled

ONLY THE PRODUCTS OF THOSE FIRMS
INDICATED IN COLUMN 3 OF THE LIST
SHOULD BE PRESCRIBED AS BENEFITS. (SEE
NOTES UNDER "LIST OF BENEFITS", PAGE
13.)

HOBART :

L. G. SHEA, Government Printer,

September, 1953

Notes on the Pharmaceutical Benefits Regulations.

Before writing a prescription for the supply of a benefit under the Act, please bear in mind the following provisions of the Regulations:—

- (1) Write prescriptions in duplicate (a carbon copy is suitable), and ensure that they are signed and dated, and the copy only is marked "duplicate."
- (2) Write the patient's name and address clearly.
- (3) If you use your own prescription form write at the top of the form "Pharmaceutical Benefits." The absence of these words will result in the patient having to pay for his prescription.
- (4) Don't write a benefit by its Item Number. Its chemical name should be used, although a proprietary title will be accepted. If you desire that the product of a particular maker be supplied, his name (or his brand) should be written after the chemical name.
- (5) Don't write the names of more than two benefits on the same prescription form. However, if it is desired to prescribe two benefits, one of which is a dangerous drug, each must be written on a separate prescription form.
- (6) Don't write on the same prescription the name of a benefit and the name of something which is not a benefit.
- (7) Don't write more than one prescription for the same benefit for the same person on the same day.

The word "benefit" applies separately to each form or strength of a drug. Consequently, where there are two or more forms or strengths of the same drug only two of those forms or strengths may be written on the one prescription form.

However, in the case of the undermentioned drugs as many strengths of the same form of a drug may be ordered, on the one prescription form for the same person, as may be desired. When so written they will be deemed to comprise one benefit only—

Aurothioglucose, Oily Injection of.

Calcium Aurothiomalate, Injection of.

Pertussis Vaccine.

Sodium Aurothiomalate, Aqueous Injection of.

Sodium Aurothiomalate, Oily Injection of.

- (8) Don't write prescriptions on the same form for different persons.
- (9) The maximum number of a benefit which may be supplied at one time is set out in Column 4 of the list of benefits and, except as set out in paragraphs 11 and 12, this number may not be exceeded.

It should be noted particularly that the maximum number shown in Column 4 is not to be considered as the number that must be ordered to comply with the Act. The maximum number indicates only that this is (subject to paragraphs 11 and 12) the greatest number that may be ordered at one time. Doctors, therefore, are requested not to order a greater number of a benefit than the treatment of the case calls for.

- (10) You may order any benefit, which is repeatable in accordance with Column 5 of the list of benefits to be repeated. Note that some forms of the same benefit may be repeated, whilst others may not. Whenever a prescription is ordered to be repeated, the maximum number of the benefit shown in Column 4 (but see the next two paragraphs) must be ordered. Please write the words "repeat once", "repeat twice", &c., as the case may be.
- (11) If a patient is suffering from a chronic disease and it is desired to prescribe a quantity in excess of the maximum, the medical practitioner may, in such cases, and in such cases only, prescribe double the maximum quantity of a benefit.

If you wish the benefit to be repeated (provided that it may be repeated in accordance with Column 5 of the list) double the maximum quantity shown in Column 4 of the list of benefits must be ordered. In such cases a number of repeats not exceeding the number shown in Column 5 may be directed by you to be supplied, and double the maximum quantity supplied on each repeat.

The only certification necessary to comply with this provision of the Regulations is the endorsement of the prescription with the words "Special Supply".

Note.—The provisions of this paragraph do not apply to INSULIN products. Where Insulin is ordered, the maximum number and the number of repeats must not in any case exceed those set out, in respect of the Insulin product concerned, in Columns 4 and 5 respectively of the list of benefits.

- (12) You may also order the supply of double the maximum quantity shown in Column 4 of the list of benefits of any benefit, if you consider that the patient, because of living in an outlying district, would experience difficulty in obtaining supplies. In such cases endorse the prescription "Double Supply" (do not employ the endorsement applicable to the case of a prescription for a "chronic"). Such a prescription, however, may not be ordered to be repeated, whatever the circumstances.
- (13) Whenever a prescription for a restricted drug is written, it must bear an endorsement in accordance with the Regulations. The restricted drugs are set out in the next pages.
- (14) The drugs in the forms, strengths and brands available under the Act are set out in the accompanying list of benefits.

Department of Health,
Canberra, A.C.T.

September, 1953.

RESTRICTED DRUGS—(Regulation 14A).

The drugs set out in Column 2 of the following table may be ordered only for the treatment of a disease specified in relation to each of those drugs.

These drugs are indicated in the list of pharmaceutical benefits by means of an *.

Prescriptions for restricted drugs must be endorsed "Written in accordance with Regulation 14A."

Col. 1 Item No.	Col. 2. Pharmaceutical Benefit	Col. 3 Disease
12	Aureomycin	Acute Amoebic Dysentery; Acute and sub-acute Bacterial Endocarditis—Str. Faecalis; Staphylococcal infections which do not respond to Penicillin; Pneumonia which has not re- sponded to Penicillin or to sulphonamides; Psittacosis; Urinary tract infections due to Str. Faecalis.
20	Calcium Para- Aminosalicy- late	Tuberculosis.
25	Caramiphen Hydro- chloride	Parkinsonism.
30	Chloram- phenicol	Typhoid Fever; Brucellosis; Typhus and other Rickettsial Diseases; Influenzal Meningitis; Granuloma Inguinale; Lymphogranuloma Venereum; Whooping Cough (Haemophilus Pertussis);

Col. 1 Item No.	Col. 2. Pharmaceutical Benefit	Col. 3 Disease
30 & 30 A Contd.		Infections due to Haemophilus Influenzae; Acute Laryngo-Tracheo-Bronchitis; Salmonella infections; Severe gastro-enteritis in children; Staphylococcal infections which do not respond to either Penicillin or Aureomycin; Urinary tract infections due to gram negative bacilli which do not respond to sulphonamides; Meningitis due to Bacterium Coli if other forms of treatment are unsuccessful.
35	Deoxycortone Acetate, Aqueous Injection of	Addison's Disease.
36	Deoxycortone Acetate, Aqueous Suspension of	Addison's Disease.
37	Deoxycortone Acetate, Oily Injection of	Addison's Disease.
42 A	Dienoestrol	Carcinoma of the Prostate. Mammary Carcinoma.
51	Dihydro- Streptomycin	Any disease specified in Column 3 of this notice in relation to Streptomycin, but only if the person being treated for that disease is allergic to Streptomycin.

Col. 1 Item No.	Col. 2 Pharmaceutical Benefit	Col. 3 Disease
75	Folic Acid	Sprue or the sprue-like syndrome.
94	Isoniazid	Tuberculosis.
133 A	Pancreatin	Fibrocystic diseases of the Pan- creas.
136	Para-Amino- salicylic Acid	Tuberculosis.
151	Phenindamine Tartrate	Parkinsonism.
162	Progesterone, Injection of	Threatened abortion.
169	Quinine Bisulphate	Malaria.
170	Quinine Di- hydrochloride	Malaria.
171	Quinine Hydro- chloride	Malaria.
172	Quinine Sulphate	Malaria.
181	Sodium Para- Aminosalicy- late	Tuberculosis.
184	Stilboestrol	Carcinoma of the Prostate; Mam- mary Carcinoma.

Col. 1 Item No.	Col. 2. Pharmaceutical Benefit	Col. 3 Disease
185	Streptomycin	Infections due to Haemophilus Influenzae; Chancroid; Pneumonia due to B. Friedlander; Acute Tuberculosis; Acute exacerbations in Chronic Tuberculosis; Salmonella infections; Bacillary Dysentery not responding to sulphonamides; Surgical conditions of the bowel and of the thoracic organs; Tularaemia; Infections due to Ps. Pyocyaneus.
201 and 201 A	Terramycin Terramycin Oral Suspension	Acute Amoebic Dysentery; Acute and sub-acute Bacterial Endocarditis—Str. Faecalis; Staphylococcal infections which do not respond to Penicillin; Pneumonia which has not responded to Penicillin nor to sulphonamides; Psittacosis; Urinary tract infections due to Str. Faecalis.
201 B 202 202 A 202 B 203	Testosterone Testosterone Methyl Testosterone Oenanthate, Injection of Testosterone Phenyl Propionate, In- jection of Testosterone Propionate, Injection of	Mammary Carcinoma. Castration.
215	Vitamin B 12	Established Megalocytic Anaemias

MANUFACTURERS AND CODES

Manufacturer	Code
A	
Abbott Laboratories Pty. Ltd.	AB
Allen and Hanburys Limited	AH
Andrew's Laboratories	AN
Anglo Swiss	AS
Associated Drug Co.	AD
B	
Bayer Pharma Pty. Ltd.	BA
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT
British Drug Houses (Australia) Pty. Ltd.	BD
British Pharmaceuticals Pty. Ltd.	BP
British Schering	BS
Bull Laboratory, David G.	BL
Burroughs Wellcome & Co. (Aust.) Ltd.	BW
C	
Charles McDonald Pty. Ltd.	CM
Ciba Limited	CB
Commonwealth Serum Laboratories	CS
Crookes	CK
Colonial Sugar Refining Co.	CO
D	
Deutsche Novocillin Gesellschaft	DN
Drug Houses of Australia Ltd.	DH
E	
Evans Medical Supplies Ltd.	EV

Manufacturer	Code
F	
Faulding and Co. Ltd., F. H.	FA
Fawns and McAllan	FM
Fassett & Johnson Ltd.	FJ
Fisons Chemicals (Pty.) Ltd.	FC
G	
Gamma Laboratories	GA
Geigy (A'sia) Pty. Ltd.	GE
Glandular Products Pty. Ltd.	GP
Glaxo Laboratories (Aust.) Pty. Ltd.	GL
H	
Hamilton Laboratories Ltd.	HA
Harvey Pty. Ltd., H. F.	HY
Herts Pharmaceuticals Ltd.	HT
I	
Imperial Chemical Indust. of Aust. & N.Z. Ltd.	IC
K	
Knoll Laboratories	KL
Knoll	KN
L	
Lederle	LE
Lilly and Co.	LI
M	
May and Baker (Aust.) Pty. Ltd.	MB
Medical Research	MR
Menley and James (Col. Ltd.)	MJ
Martindale	MT

Manufacturer	Code
N	
Nativelle Laboratories	NA
Nicholas Pty. Ltd.	NI
O	
Oxoid	OX
Oppenheimer & Son	OP
P	
Parke, Davis and Co. Ltd.	PD
Pfizer Overseas Inc.	PF
R	
Roche Products Ltd.	RO
Rocke Tompsitt	RT
S	
Sandoz Ltd.	SZ
Savory and Moore	SY
Schering Pty. Ltd.	SC
Sharpe & Dohme Inc.	SD
Sigma Co. Ltd.	SI
Simanite Ltd.	SM
Societe Parisienne d'Expansion Chimique	SP
Stearns and Co., Frederick	ST
T	
Toppin and Sons Pty. Ltd., R. D.	TO
V	
Virax Ethicals Pty. Ltd.	VP
Vitamins Limited	VM
W	
Wander Limited, A.	WA
Wyeth Inc.	WY
Wholesale Drug Co.	WD
Ward Blenkinsop and Co. Ltd.	WB
Warner & Co. Pty. Ltd., Wm. R.	WW

PHARMACEUTICAL BENEFITS REGULATIONS

LIST OF BENEFITS

Note : This list is effective from 1st September, 1953.

Where a medical practitioner desires to prescribe a pharmaceutical benefit by a particular make or brand, he may do so, only if the name of the manufacturer (in code) of that make or brand, appears in column 3 of the list of benefits in relation to the relevant strength and form of the benefit.

For convenience of printing, proprietary names have not been included in the list itself. However, the manufacturer's name (in code) has been shown, and reference to the Proprietary Index and the Manufacturers' Code will enable the medical practitioner to identify a benefit under its proprietary title or by the name of the manufacturer.

The list shows :—

- In Column 1. the item number ;
2. the title of the drug, and the form and strength of unit which may be prescribed ;
 3. the manufacturer whose product is available as a benefit ;
 4. the maximum number of units which may be prescribed at any one time ; and
 5. the number of repeats which may be ordered. When a repeat is ordered the maximum number must be prescribed on the original prescription.

Proprietary titles and synonyms—see page

Manufacturers' codes—see page 10.

γ	means	Microgrammes.
U.	„	Units.
I.U.	„	International Units.
M	„	Millions of organisms.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
1	ACETARSOL SOLUBLE, INJECTION OF			
2	cc. amp.	MB	10	1
3	cc. amp.	MB	10	1
2	ADRENALIN HYDRO- CHLORIDE, SOLUTION OF			
1	in 1000, 0.5 cc. amp.	DH, PD	6	1
1	in 1000, 1 cc. amp.	DH, KL, PD	6	1
1	in 1000, 10 cc. vial	FA, PD	1	1
1	in 1000, 20 cc. vial	CB	1	1
1	in 1000, 1 fl. oz. vial	DH, RT	1	
1	in 1000, 1 fl. oz. bottle ..	DH, FA, KL, PD, RT	1	
1	in 100, 6 cc. vial	PD	1	1
1	in 100, 10 cc. vial	DH, FA	1	
3	ADRENALIN IN OIL, INJECTION OF			
2	mg. per 1 cc. amp.	AH, DH, PD	6	1
4	ADRENALIN TARTRATE, SOLUTION OF			
1	in 1000, 1 cc. amp.	AH, BL, BW, DH	6	1
1	in 1000, 10 cc. amp.	BW	1	1
1	in 1000, 25 cc. bottle ..	BW	1	
1	in 1000, 30 cc. vial	BT	1	
1	in 1000, 1 fl. oz. bottle	AH	1	
1	in 100, 7 cc. vial	BW	1	1
5	ALOXIDONE			
	0.3 G. cap.	BS	100	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
6	AMIDONE			
5	mg. per cc., 2 cc. amp.	BA	6	
5	mg. per cc., 10 cc. vial	BA	1	
10	mg. per cc., 1 cc. amp.	BW, CM	6	
10	mg. per cc., 10 cc. vial	CM	1	
10	mg. per cc., 20 cc. vial	BA	1	
2.5	mg. tab.	BA	25	
5	mg. tab.	BA, BW, CM, ST	25	
7.5	mg. tab.	BA	25	
10	mg. tab.	BA	25	
7	AMYL NITRITE			
2	min. cap.	DH	12	1
4	min. cap.	AH, DH	12	1
8	ANAHAEMIN			
2	cc. amp.	BD	12	1
9	ANAHEPOL			
2	cc. amp.	AH	12	1
10	ANTAZOLINE, INJECTION OF			
0.1	G. per 2 cc. amp.	BT, CB	10	

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
11	ATROPINE SULPHATE			
	1/150 gr. per cc., 1 cc. amp.	AH, BT, DH, KL	6	1
	1/100 gr. per cc., 1 cc. amp.	AH, BT, DH, KL	6	1
	1/100 gr. per cc., 10 cc. vial	FA	1	
	1/50 gr. per cc., 1 cc. amp.	BT, DH, KL	6	1
	1/200 gr. hypo. tab.	BW, HY, PD	20	1
	1/150 gr. hypo. tab.	BT, BW, DH, FA, HY, PD	20	1
	1/100 gr. hypo. tab.	BT, BW, DH, FA, HY, PD	20	1
	1/50 gr. hypo. tab.	BT	20	1
12	* AUREOMYCIN			
	50 mg. cap.	LE	25	
	100 mg. cap.	LE	25	
	250 mg. cap.	LE	16	
	100 mg. vial	LE	6	
13	AUROTHIOGLUCOSE, OILY INJECTION OF			
	0.01 G. amp.	SC	1	3
	0.025 G. amp.	SC	1	3
	0.05 G. amp.	SC	6	
	0.1 G. amp.	SC	6	
	0.01 G. per cc., 10 cc. vial	SC	1	
	0.1 G. per cc., 10 cc. vial	SC	1	
14	BENZHEXOL HYDRO- CHLORIDE			
	2 mg. tab.	LE	100	1
	5 mg. tab.	BW, LE	100	1

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
15	BISMUTH, AQUEOUS INJECTION OF			
5 cc. amp.		BT	2	
10 cc. amp.		BT	1	
25 cc. bottle		BW, MB	1	
1 fl. oz. bottle		BT	1	
16	BISMUTH OXYCHLORIDE, AQUEOUS INJECTION OF			
1 cc. amp.		BD	12	
2 cc. amp.		BD	12	
3 cc. amp.		BD	12	
25 cc. bottle		BW	1	
30 cc. bottle		BD, EV	1	
17	BISMUTH OXYCHLORIDE, OILY INJECTION OF			
2 cc. amp.		DH	12	
3 cc. amp.		DH	12	
18	BISMUTH SALICYLATE, OILY INJECTION OF			
1 cc. amp.		AH, DH, KL	12	
10 cc. amp.		DH, KL	6	
25 cc. bottle		EV, KL	1	
50 cc. bottle		MB	1	
60 cc. bottle		DH, KL	1	
2 oz. bottle		PD	1	

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
19	CALCIUM AUROTHIO- MALATE, INJECTION OF			
	10 mg. amp.	CK	1	3
	25 mg. amp.	CK	1	3
	50 mg. amp.	CK	6	...
	100 mg. amp.	CK	6	...
20	* CALCIUM PARA- AMINOSALICYLATE			
	1.5 G. cachet	KL, WA	200	1
	2.0 G. cachet	WA	200	1
	5 gr. tab.	WA	200	1
	7½ gr. tab.	KL, WA	200	1
	100 G. tin.	WA	1	1
	400 G. tin.	WA	1	1
21	CALF LYMPH			
	Capillary tube	CS	1	...
22	CAMOQUIN HYDRO- CHLORIDE			
	0.2 G. tab.	PD	25	...
23	CAMPOLON			
	2 cc. amp.	BA	5	1
	5 cc. amp.	BA	6	1
	10 cc. amp.	BA	1	1
24	CAMPOLON FORTE			
	1 cc. amp.	BA	6	1
	5 cc. vial	BA	1	1
	10 cc. vial	BA	1	1

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
25	* CARAMIPHEN HYDROCHLORIDE 0.05 G. tab.	GE	100	1
26	CARBACHOL 0.25 mg. per 1 cc. amp 2 mg. tab.	AH, MB, SY BD, HY, MB, SY	6 25	 3
27	CARBASONE 0.25 G. cap. 0.25 G. tab.	LI BW, HY, MB	20 20	1 1
28	CASYDROL 2½%, 500 cc. bottle 5%, 500 cc. bottle	FC FC	1 1	
29	CHINIOFON 0.25 G. pill. 0.25 G. tab. 0.5 G. tab.	BA HY, IC IC	25 25 25	1 1 1
30	*CHLORAMPHENICOL 0.125 G. cap. 0.25 G. cap.	PD PD	12 12	
30 A	*CHLORAMPHENICOL PALMITATE 0.125 G. per 4 cc., 60 cc. bottle	PD	1	
31	CHLOROQUINE 0.2 G. tab. 250 mg. tab.	MB AN, BA	100 100	1 1

* RESTRICTED DRUG. See page 6.

Item No.	1	2	3	4	5
		Name, Strength and Form	Manufacturer whose product is available as a benefit (See page 10)	Maximum No.	Repeats
32		CHOLERA VACCINE			
		4000 M. per cc., 1 cc. amp.	CS	3	
		4000 M. per cc., 10 cc. vial	CS	1	
		8000 M. per cc., 1 cc. amp.	CS	2	
		8000 M. per cc., 10 cc. vial	CS	1	
33		DAPSONE			
		50 mg. tab.	AN	100	
		100 mg. tab.	IC	100	
34		DARROW'S SOLUTION			
		1 litre bottle	DH	2	1
35		*DEOXYCORTONE ACETATE, AQUEOUS INJECTION OF			
		5 mg. amp.	CB, SC	4	
		50 mg. amp.	CB, SC	1	..
36		*DEOXYCORTONE ACETATE, AQUEOUS SUSPENSION OF			
		25 mg. amp.	CB	1	
		50 mg. amp.	CB	1	
37		*DEOXYCORTONE ACETATE, OILY INJECTION OF			
		2 mg. amp.	OR	4	
		5 mg. amp.	BD, CB, OR, SC	4	
		10 mg. amp.	BD, CB, OR, SC	4	
		50 mg. implant	BD, OR	1	
		100 mg. implant	BD, CB, OR, SC	1	
		5 mg. per cc., 5 cc. vial	OR	1	
		10 mg. per cc., 10 cc. vial	CB, OR	1	

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
38	DEXTROSE IN 1/5 NORMAL SALINE FOR INJECTION 4%, 1 litre bottle	DH	6	1
39	DEXTROSE IN RINGER'S SOLUTION FOR INJECTION 5%, 1 litre bottle 10%, 1 litre bottle	DH DH	6 3	1 1
40	DEXTROSE, AQUEOUS INJECTION OF 5%, 1 litre bottle 10%, 1 litre bottle 20%, 1 litre bottle 25%, 1 litre bottle 50%, 25 cc. amp. 50%, 50 cc. amp.	DH DH DH DH DH DH, PD	6 2 2 2 6 6	1 1 1 1 1 1
41	DIASONE 0.33 G. tab.	PD	200	1
42	DICOUMAROL 100 mg. amp. 50 mg. cap. 100 mg. cap. 50 mg. tab.	OR AB, LI AB, LI OR	3 50 50 50	 1 1 1
42 A	*DIENOESTROL 5 mg. tab. 10 mg. tab.	AN, BD, DH, KL KL	100 100	1 1

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
43	DIETHAZINE HYDRO- CHLORIDE			
	0.05 G. tab.	MB	100	1
	0.25 G. tab.	MB	100	1
44	DIETHYLCARBAMAZINE			
	50 mg. tab.	BD, BW, LE	20	1
45	DIGIFORTIS			
	1/2 gr. tab.	PD	50	1
	1 gr. tab.	PD	50	1
46	DIGITALIS			
	1/4 gr. tab.	BW, DH, FA, HY, SI	100	1
	1 gr. tab.	BW, DH, FA, HY, SI	100	1
47	DIGITOXIN			
	1/100 gr. hypo. tab.	BW	20	1
	0.1 mg. tab.	BW, CM, KL, NA, SI, ST, WY	100	1
	0.2 mg. tab.	CM, LI, ST, WY	100	1
	0.25 mg. tab.	KL	100	1
48	DIGOXIN			
	0.5 mg. per 1 cc. amp.	BW	12	1
	0.5 mg. per cc., 30 cc. bottle	BW	1	1
	0.25 mg. tab.	BW	100	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
49	DIHYDROERGOTAMINE, INJECTION OF 1 mg. per cc., 1 cc. amp.	SZ	6	
50	DIHYDROMORPHINONE 1·1 cc. amp. 1/32 gr. hypo. tab. 1/20 gr. hypo. tab. 1/25 gr. tab.	KN KN KN KN	4 20 20 20	
51	*DIHYDROSTREPTOMYCIN 1 G. vial	AN, BD, DN, GL, SI, SP, ST	5	3
52	DIODOHYDROXY- QUINOLINE 0·21 G. tab. 0·3 G. tab.	SY MB	100 100	1 1
53	DIMERCAPROL, INJECTION OF 2 cc. amp.	BT	12	
54	DIPHENHYDRAMINE HYDROCHLORIDE, INJECTION OF 10 mg. per cc., 10 cc. vial	PD	1	1
55	DIPHTHERIA AND TETANUS TOXOIDS COMBINED 1 cc. amp. 5 cc. amp.	CS CS	3 1	

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
56	DIPHThERIA ANTITOXIN			
	1,000 U. amp.	CS	2	1
	2,000 U. amp.	BW, CS	2	1
	4,000 U. amp.	BW, CS	2	1
	6,000 U. amp.	CS	2	1
	8,000 U. amp.	BW, CS	2	1
	10,000 U. amp.	BW, CS	2	1
	20,000 U. amp.	BW, CS	2	1
57	DIPHThERIA PERTUSSIS ANTIGEN			
	1 cc. amp.	CS, GL	3	
	5 cc. amp.	CS	1	
	5 cc. vial	GL	1	
	7.5 cc. vial	PD	1	
57 A	DIPHThERIA, PERTUSSIS AN TETANUS ANTIGEN			
	1 cc. amp.	BW, CS, GL	3	
	5 cc. amp.	CS	1	
	10 cc. vial	BW, GL	1	
58	DIPHThERIA PROPHY- LACTIC (Formalinised Toxoid)			
	Set containing 3 amps. each 1 cc. Toxoid undiluted and 1 amp. of 1 cc. Toxoid diluted	CS	1	1
	Set containing 9 amps. each 1 cc. Toxoid undiluted and 3 amps of 1 cc. Toxoid diluted	CS	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
59	DIPHTHERIA PROPHY- LACTIC (Purified Toxoid Aluminium Phosphate)			
	1 cc. amp.	CS	2	1
	3 cc. vial	GL	1	1
	5 cc. vial	CS, GL	1	
	10 cc. vial	PD	1	
	Set containing 2 amps. each 1 cc. Diphtheria Prophy- lactic (Purified Toxoid Aluminium Phosphate) (diluted) FOR IMMUN- ISATION OF ADULTS ONLY, and 1 amp of 1 cc. Purified Diphtheric Toxoid (diluted) for the skin test only.	CS	1	
59 A	DIPHTHERIA TOXOID PURIFIED (Diluted for skin test only)			
	1 cc. amp.	CS	1	
60	DISTILLED WATER			
	2 cc. amp.	AH, BL, BT, DH, EV, KL	6	1
	5 cc. amp.	AH, BL, BT, DH, EV, KL	12	1
	10 cc. amp.	AH, AN, BL, BT, CS, DH, EV, KL	12	1
61	EMETINE HYDROCHLORIDE			
	20 mg. per 1 cc. amp.	DH, KL	12	
	30 mg. per 1 cc. amp.	BW, DH, KL ..	12	
	65 mg. per 1 cc. amp.	BW, DH, KL ..	6	
	½ gr. tab.	BW	12	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
62	EMETINE BISMUTH IODIDE			
	1 gr. tab.	DH	25	1
	2 gr. tab.	DH	25	1
63	ENTERO-VIOFORM			
	0.25 G. tab.	CB	100	1
64	EPHEDRINE HYDRO- CHLORIDE			
	$\frac{1}{2}$ gr. per 1 cc. amp.	AH, BD, BL, BW, DH, KL	6	1
	$\frac{3}{4}$ gr. per 1 cc. amp.	AH, BL, DH, KL, MB	6	1
	$\frac{1}{2}$ gr. hypo. tab.	FA	20	1
	$\frac{1}{4}$ gr. tab.	AB, BW, DH, HY, KL, RT, SI	100	1
	$\frac{1}{2}$ gr. tab.	AB, BT, BW, DH, FA, HY, KL, PD, RT, SI	100	1
	1 gr. tab.	BT, HY, KL	100	1
65	EPHEDRINE SULPHATE			
	$\frac{1}{2}$ gr. per 1 cc. amp.	AH	6	1
	5%, 1 cc. amp.	LI	6	1
	$\frac{1}{2}$ gr. hypo. tab.	FA	20	1
	$\frac{3}{8}$ gr. cap.	LI	40	1
	$\frac{1}{4}$ gr. cap.	LI	40	1
	$\frac{1}{4}$ gr. tab.	HY, PD, RT	100	1
	$\frac{1}{2}$ gr. tab.	FA, HY, PD, RT	100	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
67	ERGOT (PREPARED)			
	0.6 cc. amp.	BW	6	...
	1 cc. amp.	PD	6	...
	2½ gr. cap.	OP	25	1
	2½ gr. tab.	DH	25	1
	4 gr. tab.	DH, HY	25	1
68	ERGOTAMINE TARTRATE			
	0.5 cc. amp.	SZ	6	...
	1 cc. amp.	SZ	6	...
	1 mg. tab.	SZ	15	1
69	ERGOTOXINE ETHANE- SULPHONATE			
	1/100 gr. hypo. tab.	BW	12	...
	0.5 mg. tab.	BW	25	...
70	ETHOPROPAZINE HYDROCHLORIDE			
	50 mg. tab.	MB	100	1
71	ETHYL BISCOUM- ACETATE			
	300 mg. tab.	GE	100	...
72	ETHYLIDENE DICOUMARIN			
	100 mg. tab.	NI	50	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
73	EXAMEN			
	1 cc. amp.	GL	12	1
	5 cc. amp.	GL	1	1
74	EXATROPE			
	2 cc. amp.	GL	12	1
	12 cc. amp.	GL	1	1
75	*FOLIC ACID			
	15 mg. per cc., 1 cc. amp. ...	AN, KL, LE ..	12	...
	5 mg. tab.	AN, CM, HY, KL, PD, SI	100	1
76	GAS GANGRENE ANTI- TOXIN (OEDEMATIENS)			
	10,000 U. amp.	CS	3	1
77	GAS GANGRENE ANTI- TOXIN (PERFRINGENS)			
	4,000 U. amp.	CS	3	1
	10,000 U. amp.	BW, CS	10	1
78	GAS GANGRENE ANTI- TOXIN (POLYVALENT)			
	amp. containing—			
	3,000 U. perfringens			
	1,500 U. septique			
	1,000 U. oedematiens	CS	2	1
	amp. containing—			
	7,500 U. perfringens			
	3,750 U. septique			
	2,500 U. oedematiens	CS	2	1

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
79	GAS GANGRENE ANTI- TOXIN (SEPTIQUE) 5,000 U. amp.	CS	2	1
80	GLYCERYL TRINITRATE 1/100 gr. hypo. tab. 1/200 gr. tab. 1/150 gr. tab. 1/130 gr. tab. 1/100 gr. tab. 1/65 gr. tab. 1/50 gr. tab.	PD DH, FA, HY, SI HY DH, SI BW, DH, FA, HY, ST DH, SI HY	50 50 50 50 50 50 50 50	1 1 1 1 1 1 1 1
80 A	HARTMANN'S SOLUTION 1 litre bottle	DH	2	1
80 B	HARTMANN'S SOLUTION WITH DEXTROSE 5%, 1 litre bottle 10%, 1 litre bottle	DH DH	2 2	1 1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
79	GAS GANGRENE ANTI- TOXIN (SEPTIQUE) 5,000 U. amp	CS	2	1
80	GLYCERYL TRINITRATE 1/100 gr. hypo. tab. 1/200 gr. tab. 1/150 gr. tab. 1/130 gr. tab. 1/100 gr. tab. 1/65 gr. tab. 1/50 gr. tab.	PD DH, FA, HY, SI HY DH, SI BW, DH, FA, HY, ST DH, SI HY	50 50 50 50 50 50 50 50	
81	HEPARIN, INJECTION OF 1,000 U. per cc., 5 cc. vial 5,000 U. per cc., 5 cc. vial 25,000 U. per cc., 5 cc. vial	BD, BT, EV, RO BD, BT, EV, RO BT, EV	5 1 1	
82	HEPARIN RETARD, INJECTION OF 20,000 U. per 2 mil. amp.	BT	6	
83	HEPASTAB 2 cc. amp. 10 cc. vial	BT BT	6 1	1 1
84	HEPASTAB FORTE 1 cc. amp. 10 cc. vial	BT BT	6 1	1 1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
85	HEPATEX—T			
	2 cc. amp.	EV	12	1
	10 cc. vial	EV	1	1
86	HEPOLON			
	2 cc. amp.	AH	12	1
	10 cc. vial	AH	1	1
87	HYALASE			
	1 mg. amp.	FC	5	1
88	HYOSCINE HYDRO- BROMIDE			
	1/150 gr. amp.	AH, BL, DH, KL	6	...
	1/100 gr. amp.	AH, BL, DH, KL	6	...
	1/75 gr. amp.	BL, KL	6	...
	1/200 gr. hypo. tab.	BT, BW, HY, PD	100	1
	1/150 gr. hypo. tab.	BW, DH, FA, HY, PD	100	1
	1/100 gr. hypo. tab.	BT, BW, DH, FA, HY, PD	100	1
	1/50 gr. hypo. tab.	HY	100	1
	1/100 gr. per cc., 10 cc. vial	FA	1	...
89	INSULIN, INJECTION OF			
	20 U. per cc., 5 cc. vial ...	AH-BD, BT, BW	3	12
	20 U. per cc., 10 cc. vial ...	AH-BD, BT, BW, CS	3	12
	40 U. per cc., 5 cc. vial ...	AH-BD, BT, BW	3	12
	40 U. per cc., 10 cc. vial ...	AH-BD, BT, BW, CS	3	12
	60 U. per cc., 5 cc. vial ...	CS	3	12

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
89	(Contd.)			
	80 U. per cc., 5 cc. vial	AH-BD, BT, BW, CS	3	12
	80 U. per cc., 10 cc. vial	AH-BD, BT, BW	3	12
	100 U. per cc., 5 cc. vial	CS	3	12
90	INSULIN (CRYSTALLINE) INJECTION OF			
	40 U. per cc., 10 cc. vial	BT, CS	3	12
91	INSULIN GLOBIN ZINC, INJECTION OF			
	40 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
	80 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
91 A	INSULIN, ISOPHANE, INJECTION OF			
	40 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS	3	12
	80 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS	3	12
92	INSULIN (SPECIAL P), INJECTION OF			
	20 U. per cc., 10 cc. vial	CS	3	12
	40 U. per cc., 10 cc. vial	CS	3	12
	60 U. per cc., 5 cc. vial	CS	3	12
93	INSULIN PROTAMINE ZINC, INJECTION OF			
	40 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
	40 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS	3	12
	80 U. per cc., 5 cc. vial	AH-BD, BT, BW, CS	3	12

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
95	ISOPRENALINE HYDRO- CHLORIDE 1 in 200, $\frac{1}{2}$ fl. oz. bottle 10 mg. tab.	ST ST	1 25	1 3
96	ISOPRENALINE SULPHATE 20 mg. tab. 10 mg. per cc., 7 cc. vial 10 cc. vial	BW BW AH, BT	25 1 1	3 1 ...
97	KINADEN Set containing 3 amps. each of 10 units and 3 amps. of solvent	SC	1	1
98	LANATOSIDE C 0.2 mg. per cc., 2 cc. amp 0.25 mg. tab.	SZ SZ	6 40	1 1
99	LEPTAZOL, INJECTION OF 1 cc. amp. 1.1 cc. amp. 3 cc. amp. 5 cc. amp.	BT FM, KN BT, FM, KN BT, FM, KN	6 6 2 1	
100	LIVADEx 2 cc. amp.	BD	12	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
101	LIVER EXTRACT, INJECTION OF			
	2 U.S.P. U. per cc., 1 cc. amp.	PD	6	1
	2 U.S.P. U. per cc., 10 cc. vial	PD	6	1
	5 U.S.P. U. per cc., 2 cc. vial	OX	6	1
	5 U.S.P. U. per cc., 10 cc. vial	OX	1	1
	5 U.S.P. U. per cc., 20 cc. vial	OX	1	1
	10 U.S.P. U. per cc., 10 cc. vial	AN	1	1
	15 U.S.P. U. per cc., 5 cc. vial	PD	1	1
	2 cc. amp.	BW	6	1
102	MEPACRINE HYDRO- CHLORIDE			
	0.05 G. tab.	BA	100	1
	0.1 G. tab.	BT, IC	100	1
103	MEPACRINE METHANE- SULPHONATE			
	0.12 G. amp.	IC	6	1
	0.36 G. amp.	IC	6	1
104	MEPROCHOL, INJECTION OF			
	3 mg. per 1 cc. amp.	BW	6	
105	MEPYRAMINE MALEATE, INJECTION OF			
	2.5%, 2 cc. amp.	MB	10	
106	MERCAPTOMERIN SODIUM			
	1.4 G. vial	WY	3	

Item No. 1	2	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
107	MERCURAMIDE WITH THEOPHYLLINE, INJECTION OF			
	1 cc. amp.	MB	12	...
	2 cc. amp.	MB	12	...
108	MERSALYL INJECTION OF			
	1 cc. amp.	AH, BA, BD, BL, BT, BW, DH, EV, WD....	12	...
	2 cc. amp.	AH, BA, BD, BL, BT, DH, EV, PD, WD	12	...
109	METHIONINE			
	50 G. bottle	MR, WY	1	...
110	METHOIN			
	0.1 G. tab.	SZ	100	1
111	METHYL ATROPINE NITRATE			
	1/200 gr. per 1 cc. amp.	BL	6	...
	1/100 gr. per 1 cc. amp.	BL	6	...
	0.6%, $\frac{1}{2}$ oz. bottle	BA	1	...
	0.001 G. tab.	BA	20	1
112	MORPHINE HYDRO- CHLORIDE			
	1/4 gr. hypo tab.	PD	20	...

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
113	MORPHINE SULPHATE			
	1/6 gr. amp.	AH, BL, DH, KL	6	
	1/4 gr. amp.	AH, BL, DH, KL	6	
	1/3 gr. amp.	BL, DH, KL	6	
	1/2 gr. amp.	AH, BL, DH, KL	6	
	1/12 gr. hypo. tab.	BW, DH, HY, PD	20	
	1/8 gr. hypo. tab.	DH, FA, HY, PD	20	
	1/6 gr. hypo. tab.	BT, BW, DH, FA, HY, PD	20	
	1/4 gr. hypo. tab.	BW, DH, HY, PD	20	
	1/3 gr. hypo. tab.	BT, DH, HY, PD	20	
	1/2 gr. hypo. tab.	BW, DH, HY, PD	20	
	1 gr. hypo. tab.	BW	12	
	1/4 gr. per cc., 10 cc. vial	PD	1	
	1/2 gr. per cc., 10 cc. vial	FA	1	
114	MORPHINE WITH ATROPINE (A)			
	Morphine Sulphate 1/12 gr. Atropine Sulphate 1/150 gr., 1 hypo tab.	DH	20	
115	MORPHINE WITH ATROPINE (B)			
	Morphine Sulphate 1/8 gr., Atropine Sulphate 1/150 gr., 1 hypo tab.	DH, PD	20	
116	MORPHINE WITH ATROPINE (C)			
	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/200 gr., 1 amp.	BL, DH	6	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
117	MORPHINE WITH ATROPINE (D) Morphine Sulphate 1/6 gr., Atropine Sulphate 1/180 gr., 1 hypo. tab.	DH	20	
118	MORPHINE WITH ATROPINE (E) Morphine Sulphate 1/6 gr., Atropine Sulphate 1/150 gr., 1 amp. per cc., 10 cc. vial 1 hypo. tab.	BL, DH PD DH, FA, PD	6 1 20	
119	MORPHINE WITH ATROPINE (F) Morphine Sulphate 1/6 gr., Atropine Sulphate 1/120 gr., 1 amp.	BL, DH	6	1
120	MORPHINE WITH ATROPINE (G) Morphine Sulphate 1/4 gr., Atropine Sulphate 1/150 gr., 1 cc. amp. 1 hypo. tab. per cc., 10 cc. vial	BL, BW, DH BT, BW, DH, FA, PD FA, PD	6 20 1	
121	MORPHINE WITH ATROPINE (H) Morphine Sulphate 1/4 gr., Atropine Sulphate 1/120 gr., 1 hypo. tab.	DH	20	

Item No. 1	Name, Strength and Form 2	Manufacturer whose product is available as a benefit (See page 10) 3	Maximum No. 4	Repeats 5
122	MORPHINE WITH ATROPINE (J) Morphine Sulphate 1/4 gr., Atropine Sulphate 1/100 gr., 1 amp. 1 hypo. tab.	BL DH, FA, PD	6 20	
123	MORPHINE WITH HYOSCINE Morphine Sulphate 1/4 gr., Hyoscine Hydrobromide 1/100 gr., 1 cc. amp.	BL, DH	6	
124	NEOARSPHENAMINE, INJECTION OF 0.15 G. amp. 0.3 G. amp. 0.45 G. amp. 0.6 G. amp. 0.75 G. amp. 0.9 G. amp.	BT, EV, GA, MB BT, EV, GA, MB BT, EV, GA, MB BT, EV, GA, MB BT, GA, MB BT, GA, MB	2 2 2 2 2 2	1 1 1 1 1 1
125	NEO-HEPATEX 2 cc. amp. 10 cc. bottle 25 cc. bottle	EV EV EV	12 1 1	1 1 1
126	NEOSTIGMINE BROMIDE 15 mg. tab.	RO	100	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
127	NEOSTIGMINE METHYL- SULPHATE, INJECTION OF 0.5 mg. per cc., 1 cc. amp. 2.5 mg. per cc., 5 cc. vial	RO RO	6 1	3 1
128	NIKETHAMIDE, INJECTION OF 1.7 cc. amp. 2 cc. amp. 5 cc. amp. 5.5 cc. amp.	CB AH, BD, BT, FM BD, BW CB	5 6 3 3	
129	NUCLEOTIDES, INJECTION OF 10 cc. amp.	AH, EV, MJ	12	
130	OUABAIN, INJECTION OF 0.25 mg. amp. 0.5 mg. amp.	NA NA	3 3	
131	OXOPHENARSINE HYDRO- CHLORIDE, INJECTION OF 0.04 G. amp. 0.06 G. amp.	PD PD	2 2	1 1
132	OXYTOCIN, INJECTION OF 0.5 cc. amp. 1 cc. amp.	PD PD	6 6	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
133	PAMAQUIN			
	0.01 G. tab.	BA	45	...
	0.018 G. tab.	IC	45	...
	0.036 G. tab.	IC	45	...
133 A	*PANCREATIN			
	5 gr. tab.	OP, PD	100	...
134	PAPAVERTUM			
	1/6 gr. per 1 cc. amp.	BL	6	...
	1/3 gr. per 1 cc. amp.	BL, DH, RO	6	...
	1/3 gr. hypo. tab.	RO	25	...
	1/6 gr. tab.	DH, FA, RO	20	...
135	PAPAVERINE HYDRO- CHLORIDE			
	1/3 gr. per 1 cc. amp.	KL	6	...
	1½ gr. per 5 cc. amp.	AN	6	...
	2 gr. per 10 cc. amp.	DH, HA, KL	6	...
	3/4 gr. tab.	AN, KL	25	1
	1½ gr. tab.	AN, DH, FA, HA, KL	25	1
136	*PARA-AMINOSALICYLIC ACID			
	0.3 G. tab.	CO, DH, HY, KL, SI	200	1
	0.5 G. tab.	AN, DH, HA, HY, KL, SI	200	1
136 A	PARAMETHADIONE			
	0.3 G. cap.	AB	100	2

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
137	PARENAMINE 1,000 cc. bottle	ST	1	
138	PENETHAMATE HYDRIODIDE 100,000 U. vial	GL	6	
	500,000 U. vial	GL	6	
139	PENICILLIN, INJECTION OF 5,000 U. amp.	CS	6	
	15,000 U. amp.	CS	6	
	100,000 U. amp.	AH, BD, BT, CS, EV, GL, IC, SI	6	
	200,000 U. amp.	AH, BD, BT, BW, CS, EV, GL, IC, SI	6	
	500,000 U. amp.	AH, BD, BT, CS, EV, GL, IC, SI	6	
	1,000,000 U. amp.	AH, BD, BT, CS, EV, GL, IC, SI	6	
	2,000,000 U. amp.	AH, BT, CS, GL, SI	6	
140	PENICILLIN, PROCAINE, AQUEOUS SUSPENSION OF 400,000 U. vial	FA	6	
	600,000 U. vial	BT	6	
	900,000 U. vial	DH, SI	6	
	1,000,000 U. vial	FA	6	
	3,000,000 U. vial	DH, EV, GL, IC, SI	6	
	400,000 U. per cc., 10 cc. vial	FA	6	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
141	PENICILLIN, PROCAINE, (CRYSTALLINE) INJECTION OF			
	300,000 U. amp.	AH, BD, BT, BW, CS, DH, EV, IC, MB, SI	6	
	400,000 U. amp.	AH, BD, BT, BW, CS, EV, GL, IC, MB, SI	6	
	500,000 U. amp.	CS	6	
	600,000 U. amp.	DH	6	
	667,000 U. amp.	CS	6	
	900,000 U. amp.	AH, BD, BT, BW, CS, EV, IC, MB, SI	6	
	1,200,000 U. amp.	AH, BD, BT, BW, CS, EV, IC, MB, SI, DH	6	
	1,500,000 U. amp.	CS	6	
	2,000,000 U. amp.	CS, GL, SI	6	
	3,000,000 U. amp.	BD, BT, BW, CS, EV, IC, MB, SI	6	
	4,000,000 U. amp.	GL	6	

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
141	Continued.			
	1,500,000 U. amp.	CS	6	...
	2,000,000 U. amp.	CS GL, SI	6	...
	3,000,000 U. amp.	BD, BT, BW, CS, EV, IC, MB, SI	6	...
142	PENICILLIN, PROCAINE, OILY INJECTION OF			
	300,000 U. per cc., 1 cc. amp.	CS, DH, FA, SI	6	...
	300,000 U. per cc., 10 cc. amp.	AH, BT, CS, FA, GL, IC, SI	1	...
	400,000 U. per cc., 10 cc. amp.	GL	1	...
	600,000 U. amp.	BT, DH, FA	6	...
	1,000,000 U. amp.	DH	6	...
143	PERNAEMON CRUDUM			
	2 cc. amp.	BP	12	1
	10 cc. amp.	BP	1	1
144	PERNAEMON FORT			
	1 cc. amp.	BP	12	1
	5 cc. amp.	BP	1	1
145	PERNEXIN			
	2 cc. amp.	SC	6	1
146	PERTUSSIS VACCINE (Phase 1)			
	1,000 M. per cc.	CS	3	1
	5,000 M. per cc.	CS	3	1
	5,000 M. per cc., 10 cc. vial	CS	1	...
	10,000 M. per cc.	CS	3	1
	10,000 M. per cc., 5 cc. vial	GL	1	...
	10,000 M. per cc., 10 cc. vial	CS	1	...
	20,000 M. per cc., 5 cc. vial	GL	1	...
	60,000 M. per cc., 1.5 cc. vial	PD	1	...
	Set of 3 amps. containing 50,000 M. per set	CS	1	...

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

Item No. 1	2	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
147	PETHIDINE HYDRO- CHLORIDE			
	50 mg. per cc., 1 cc. amp. ..	BL, BT, BW, DH, IC, KL, RO	6	
	50 mg. per cc., 2 cc. amp. ..	BA, BL, BT, BW, CM, DH, FM, IC, KL, RO	6	
	50 mg. per cc., 10 cc. vial ..	CM	1	
	50 mg. per cc., 25 cc. bottle	IC	1	
	50 mg. per cc., 50 cc. bottle	RO	1	
	25 mg. tab.	BT, BW, CM, DH, IC, KL, RO, SI	25	
	50 mg. tab.	BA, BT, BW, CM, DH, FM, IC, KL, RO, SI	25	
148	PETHIDINE SCOPOLAMINE Pethidine Hydrochloride 100 mg., Scopolamine 0.43 mg., 2 cc. amp.	BW, KL, RO	6	
149	PHEMITONE			
	$\frac{1}{2}$ gr. tab.	AS, BA, BT, FA, IC	100	1
	1 gr. tab.	AS, BA, IC	100	1
	3 gr. tab.	AS, BA, BT, FA, IC	100	1
150	PHENADOXONE HYDRO- CHLORIDE			
	10 mg. per 1 cc. amp.	GL	6	
	10 mg. tab.	GL	25	

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
151	*PHENINDAMINE TARTRATE 25 mg. tab.	RO	100	1
152	PHENOBARBITONE SODIUM, INJECTION OF 3 gr. per 1 cc. amp. 3 gr. per 1.5 cc. amp. 3.1 gr. per 5 cc. amp.	BL, DH, FM, MB EV DH	6 6 6	
152 A	PHENYLINDANEDIONE 50 mg. tab.	EV	50	
153	PHENYTOIN SODIUM 0.03 G. cap. 0.1 G. cap. 0.1 G. tab.	PD PD BT, DH, FM	100 100 100	1 1 1
154	PTHALYLSULPHA- CETAMIDE 0.5 G. tab.	BS, SC, AN, CM	100	1
155	PTHALYLSULPHA- THIAZOLE 7½ gr. tab.	MB, SI, AN	100	1
157	PHYSOSTIGMINE SULPHATE 1/100 gr. hypo. tab.	PD	20	
158	PICROTOXIN, INJECTION OF 3 mg. amp. 5 mg. amp. 0.3%, 20 cc. bottle	AH AH, DH, MT .. AB	6 6 1	

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
159	PITRESSIN TANNATE IN OIL, INJECTION OF 1 cc. amp.	PD	12	1
160	PITUITARY (POSTERIOR LOBE), INJECTION OF 0.5 cc. amp. 1 cc. amp.	BW, CS, PD BW, CS, PD	6 6	
160 A	PRIMIDONE 0.25 G. tab.	IC	100	2
161	PROCAINE HYDRO- CHLORIDE IN NORMAL SALINE FOR INJECTION 0.1%, 1 litre bottle	DH	2	1
161 A	PROCYCLIDINE HYDRO- CHLORIDE 5 mg. tab.	BW	100	1
162	*PROGESTERONE, INJECTION OF 5 mg. amp. 10 mg. amp. 20 mg. I.V. amp.	BD, BT, CB, FM, KL, OR, SC BD, CB, FM, KL, OR, SC SC	6 6 3	
163	PROGUANIL HYDRO- CHLORIDE 0.1 G. tab.	IC	100	1

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
164	PROMETHAZINE HYDRO- CHLORIDE 2.5%, 2 cc. amp.	MB	10	
165	PROTAMINE SULPHATE 1%, 5 mil. amp.	EV	6	
166	PROTOLEX 2 cc. amp. 10 cc. amp.	CM CM	12 1	1 1
167	PYRIDOXINE HYDRO- CHLORIDE, INJECTION OF 50 mg. per cc., 1 cc. amp. 50 mg. per cc., 5 cc. vial .. 50 mg. per cc., 10 cc. vial .. 50 mg. per 2 cc., 2 cc. amp.	BL, CM, DH, FM, KL, PD, RO LI KL BD, FJ, RO	6 1 1 6	1 1 1
168	QUINIDINE SULPHATE 3 gr. tab.	BW, DH	100	1
169	* QUININE BISULPHATE 5 gr. tab.	BW, DH, FA, HY, PD	100	1
170	* QUININE DIHYDRO- CHLORIDE 3 gr. per cc., 1 cc. amp. 6½ gr. per cc., 1 cc. amp. 9¼ gr. per 2 cc. amp.	DH DH DH	6 6 6	1 1 1

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
170	(Contd.)			
	15½ gr. per 2 cc. amp.	BW, DH	6	1
	5 gr. cap.	PD	100	1
	5 gr. tab.	DH	100	1
171	* QUININE HYDRO- CHLORIDE			
	5 gr. tab.	BW, DH	100	1
172	* QUININE SULPHATE			
	5 gr. tab.	DH, HY, SI	100	1
173	RETICULOGEN			
	0.5 cc. amp.	LI	6	1
	5 cc. amp.	LI	1	1
174	RINGER'S SOLUTION FOR INJECTION			
	1 litre bottle	DH	4	1
175	RONDASE			
	3 mg. amp.	EV	6	1
176	SODIUM AUROTHIO- MALATE, AQUEOUS INJECTION OF			
	0.001 G. amp.	MB	1	3
	0.002 G. amp.	MB	1	3
	0.005 G. amp.	MB	1	3
	0.01 G. amp.	MB	1	3

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
176	(Contd.)			
	0.02 G. amp.	MB	1	3
	0.05 G. amp.	MB	6	1
	0.1 G. amp.	MB	6	1
	0.2 G. amp.	MB	1	3
177	SODIUM AUROTHIO- MALATE, OILY INJECTION OF			
	0.01 G. amp.	MB	1	3
	0.02 G. amp.	MB	1	3
	0.05 G. amp.	MB	6	1
	0.1 G. amp.	MB	6	1
	0.2 G. amp.	MB	1	3
178	SODIUM CHLORIDE HYPERTONIC SOLUTION FOR INJECTION			
	3%, 1 litre bottle	DH	2	1
	5%, 1 litre bottle	DH	2	1
179	SODIUM CHLORIDE PHYSIOLOGICAL SOLUTION FOR INJECTION			
	2 cc. amp.	AH, BL, DH, KL	6	1
	5 cc. amp.	AH, BL, BT, DH, KL	6	1
	10 cc. amp.	AH, BL, BT, CS, DH, KL, PD	6	1
	20 cc. amp.	BL, DH	6	1
	50 cc. amp.	DH	3	1
	1 litre bottle	DH	2	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
180	SODIUM CHLORIDE PHYSIOLOGICAL SOLUTION (WITH DEXTROSE) FOR INJECTION			
	5%, 1 litre bottle	DH	2	1
	10%, 1 litre bottle	DH	2	1
	20%, 1 litre bottle	DH	2	1
	25%, 1 litre bottle	DH	2	1
181	* SODIUM PARA-AMINOSALICYLATE			
	1.5 G. cachet	AN, BT, HT, KL, WA, WB	200	1
	2.0 G. cachet	WA	200	1
	0.5 G. cap.	HA	200	1
	5 gr. tab.	CB, CM, DH, HY, KL, SI, WA	200	1
	7½ gr. tab.	AN, BT, CB, CM, DH, HA, HT, HY, KL, SI, WA	200	1
	20%, 10 cc. vial	AN, HT, KL, WA	6	
182	SODIUM SULPHATE SOLUTION FOR INJECTION			
	4.28%, 1 litre bottle	DH	2	1
183	SOLAPSONE			
	7½ gr. tab.	BW	200	

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
184	*STILBOESTROL			
	1 mg. amp.	AH, BD, DH	6	
	5 mg. amp.	AH, BD, BW, DH, KL	6	
	1 mg. tab.	AN, BD, BW, DH, FA, HA, HY, RT, SI	100	1
	5 mg. tab.	AN, BD, BW, DH, FA, HA, HY, KL, RT, SI	100	1
	10 mg. tab.	CM, KL	100	1
185	*STREPTOMYCIN			
	1 G. vial	AH, AN, BD, BW, DN, EV, GL, IC, MB, ST	5	3
186	SUCCINYLSULPHA- THIAZOLE			
	7½ gr. tab.	AN, MB, SD	100	1
187	SULPHACETAMIDE			
	7½ gr. tab.	AN, BS, BT, DH, FA, FM, SC, SI	50	
188	SULPHADIAZINE			
	5 gr. tab.	AB, KL, PD, TO	50	
	7½ gr. tab.	AB, AN, BT, BW, CM, DH, FA, FM, HY, KL, MB, MR, PD, RT, SC, SI	50	

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
189	SULPHADIMIDINE			
	0.25 G. tab.	IC	50	
	0.5 G. tab.	AN, IC	50	
190	SULPHAFURAZOLE			
	0.5 G. tab.	RO	100	
191	SULPHAGUANIDINE			
	7½ gr. tab.	AB, AN, BT, BW, CM, DH, FM, HY, IC, KL, MB, NI, RT, SI	100	1
192	SULPHAMERAZINE			
	7½ gr. tab.	AB, AN, BW, DH, FA, FM, HY, KL, RT, SI	50	
193	SULPHAMETHIZOLE			
	0.1 G. tab.	WW	30	
193 A	SULPHAPYRIDINE			
	0.5 G. tab.	MB	50	
194	SULPHARSPHENAMINE, INJECTION OF			
	0.1 G. amp.	BT	2	1
	0.15 G. amp.	BT, EV	2	1
	0.3 G. amp.	BT, EV	2	1
	0.45 G. amp.	BT, EV	2	1
	0.6 G. amp.	BT, EV	2	1
	0.75 G. amp.	BT	2	1
	0.9 G. amp.	BT	2	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
195	SULPHATHIAZOLE			
	5 gr. cap.	LI	50	
	7½ gr. tab.	BT, BW, CB, FM, HY, KL, MB	50	
196	SULPHONAMIDES MIXED			
	(A) TWO SULPHONAMIDES			
	0.25 G. tab.	DH	50	
	0.3 G. tab.	AB, HY, KL	50	
	0.5 G. tab.	AB, DH, HY, KL, TO, VP	50	
197	SULPHONAMIDES MIXED			
	(B) THREE SULPHONAMIDES			
	0.25 G. tab.	CM	50	
	0.3 G. tab.	AB, KL, TO	50	
	0.33 G. tab.	AN	50	
	0.5 G. tab.	AD, AN, CM, FA, FM, HY, KL, MB, SI, TO	50	
198	SULPHONAMIDES MIXED			
	(C) FOUR SULPHONAMIDES			
	0.3 G. tab.	KL	50	
	0.5 G. tab.	KL	50	
199	SUPRARENAL CORTEX			
	EXTRACT			
	200 γ per cc., 10 cc. bottle	PD	3	1
	10 cc. vial	AH	3	1

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum N ^o .	5 Repeats
200	T.A.B. VACCINE (Anti-Typhoid-Paratyphoid) 1 cc. containing— 1,000 M. Typhosus 500 M. Paratyphosus A 500 M. Paratyphosus B 1 cc. amp. 10 cc. vial	CS CS	3 1	
201	*TERRAMYCIN 50 mg. cap. 100 mg. cap. 250 mg. cap. 50 mg. tab. 100 mg. tab. 250 mg. tab. 100 mg. vial, intramuscular 250 mg. per 10 cc. vial, intra- venous	PF PF PF PF PF PF PF PF	25 25 16 25 25 16 6 6	
201 A	*TERRAMYCIN ORAL SUSPENSION 0.25 G. per 5 cc., 1 fl. oz. bottle	PF	1	
201 B	*TESTOSTERONE 100 mg. implant 150 mg. implant 200 mg. implant	BD, CB, OR, SC OR OR	1 1 1	

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
202	*TESTOSTERONE METHYL			
	25 mg. tab.	AN, BD, BS, BT, CB, HY, KL, OR, SC	25	1
	50 mg. tab.	AN, BD, BS, BT, HY, KL, OR, SC	25	1
202 A	*TESTOSTERONE OENAN- THATE, INJECTION OF			
	250 mg. per cc., 1 cc. amp. ..	SC	1	
202 B	*TESTOSTERONE PHENYL PROPIONATE, INJEC- TION OF			
	50 mg. per cc., 1 cc. amp.	OR	3	
	50 mg. per cc., 5 cc. vial	OR	1	
203	*TESTOSTERONE PRO- PIONATE, INJECTION OF			
	25 mg. per 1 cc. amp.	AH, AN, BD, BS, BT, BW, CB, FM, KL, OR, SC	12	
	50 mg. per cc., 1 cc. amp.	AH, BD, BS, CB, FM, OR, SC	12	
	50 mg. per cc., 10 cc. vial	CB, KL, OR, SC	1	
	100 mg. implant	BD	1	
	100 mg. per 2 mil., 2 mil. amp.	BD, FM, OR, SC	1	

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
204	TETANUS ANTI-TOXIN 500 I.U. (1950) amp. 1,000 I.U. (1950) amp. 1,500 I.U. (1950) amp. 5,000 I.U. (1950) amp. 10,000 I.U. (1950) amp.	CS CS BW, CS CS BW, CS	6 6 6 6 6	1 1 1 1 1
205	TETANUS TOXOID (FORMALINISED) 1 cc. amp.	CS	3	...
206	THEOPHYLLINE WITH ETHYLENEDIAMINE 0.366 G. per 10 mil. amp. 0.732 G. per 2 mil. amp. 0.48 G. per 2 mil. I.M. amp. 0.5 G. per 2 mil. I.M. amp. 0.24 G. per 10 mil. I.V. amp. 0.25 G. per 10 mil. I.V. amp. 1½ gr. tab. 2.34 gr. tab.	AB AB DH, HA AH, BW, CM DH, HA AH, BW, CM BW, CM, DH, FA, HA, HY, KL, RT, SI, SM AB	6 6 6 6 6 6 100 100	 1 1
207	THIACETAZONE 25 mg. tab. 50 mg. tab.	BT AH, AN, HT	100 50	

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
208	THIOURACIL, METHYL			
	0.05 G. tab.	AN, BW	100	1
	0.1 G. tab.	AN, BD, BW, IC	100	1
	0.2 G. tab.	AN, BD, BW, IC, MB	100	1
209	THIOURACIL, PROPYL			
	25 mg. tab.	AN	100	1
	50 mg. tab.	AN	100	1
210	* THYROID B.P.			
	1/32 gr. tab.	BW, CS, DH	100	3
	1/16 gr. tab.	BW, CS, DH	100	3
	1/10 gr. tab.	BW, CS	100	3
	1/8 gr. tab.	BW, CS, DH	100	3
	1/4 gr. tab.	AS, BW, CS, DH, FA, PD, SI	100	3
	1/2 gr. tab.	AS, BW, CS, DH, FA, GP, PD, SI	100	3
	1 gr. tab.	AS, BW, CS, DH, FA, GP, PD, SI	100	3
	1½ gr. tab.	BW, CS, DH, GP, SI	100	3
	2 gr. tab.	BW, DH, FA, GP, PD, SI	100	3
	2½ gr. tab.	BW, CS, DH, GP, SI	100	3
	5 gr. tab.	GP	100	3
211	TIGER SNAKE ANTI- VENENE			
	1,500 U. per amp.	CS	4	1

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
212	TRIETHANOLAMINE TRINITRATE 1 mg. tab.	SC	50	1
213	TROXIDONE 0.3 G. cap. 0.15 G. tab.	AB AB	100 100	1 1
214	VASOPRESSIN, INJECTION OF 0.5 cc. amp. 1 cc. amp.	CS, PD CS, PD	6 6	
215	*VITAMIN B 12, INJECTION OF 10 γ per 1 cc. amp. 15 γ per 1 cc. amp. 20 γ per 1 cc. amp. 50 γ per 1 cc. amp. 100 γ per 1 cc. amp. 1,000 γ per cc., 1 cc. amp. 1,000 γ per cc., 10 cc. vial	BD, DH PD AH, AN, BD, BL, BT, BW, CK, CM, DH, EV, GL, IC, KL, NI, SI, ST, VM AH, BD, BL, BT, BW, CK, DH, EV, GL, IC, NI, VM AH, AN, BD, BL, BT, BW, CK, CM, EV, GL, IC, KL, SI, VM, PD AN, CM, GL CM	12 12 12 6 1 1 1	1 1 1 1

* RESTRICTED DRUG. See page 6.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 10)	4 Maximum No.	5 Repeats
216	VITAMIN K, AQUEOUS INJECTION OF			
	5 mg. per 1 cc. amp.	AB, BL, FM	6	1
	10 mg. per 1 cc. amp.	BL, BT, DH, GL, KL, RO	6	1
	75 mg. per 1 cc. amp.	BL, OR	6	1
217	VITAMIN K, OILY INJECTION OF			
	5 mg. per 1 cc. amp.	BD, BW, CK, VM	6	1
	10 mg. per 1 cc. amp.	DH, KL	6	1
218	VITAMIN K (ORAL)			
	1 mg. tab.	LI	100	1
	4-8 mg. tab.	AB	100	1
	5 mg. tab.	BD, DH, FM, KL, RT, SI	100	1
	10 mg. tab.	BD, CK, CM, DH, GL, HY, KL, RO, RT, SI, VM	100	1
	1 mg. cap.	BA	100	1
	4 mg. cap.	PD	100	1
219	WYDASE			
	150 U. per amp.	WY	5	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required—see paragraph 9 of page 4.

Proprietary Names of Listed Drugs

and

Manufacturers' Codes

Preparation	Item No.	Code
A		
Acetocid	187	BS
Acetylarsan	1	MB
Adanon	6	BA
Albucid	187	SC
Aminacyl	20, 181	WA
Aminacyl Granulate	20	WA
Aminophylline	206	
Anacardone	128	BD
Anacobin	215	BD
Anahaemin	8	BD
Anahepol	9	AH
Androzide	94	AN
Anginine	80	BW
Anthisan	105	MB
Antistine	10	CB
Aquacillin	140	FA
Aralen	31	BA
Artane	14	LE
Aureomycin	12	LE
Auro-Calcium	19	CK
Aurothiomalate Calcium	19	
Aurothiomalate Sodium	176, 177	
Avlon	Various	IC
Avloprocil	142	IC
Avloprocil N.A.	141	IC
Avlosulfon	33	IC

Preparation	Item No.	Code
B		
B A.L.	53	BT
Banocide	44	BW
Benadon	167	RO
Benadryl	54	PD
Benol	215	KL
Benol Forte	215	KL
Bisalevan	18	EV
Bisantol	18	MB
Bisglucol	15	MB
Bismol	17	DH
Bismostab	15	BT
Bisoxyl	16	BD
Bistabillin	141	BT
Bisvene	16	EV
Bitevan	215	EV

C		
Calcipas	20	KL
Campolon	23	BA
Campolon Forte	24	BA
Cardiazol	99	KN
Cardophyllin	206	HA
Carine	206	KL
Casydrol	28	FC
Cedilanid	98	SZ
Cetasulph	154	CM
Chloromycetin	30	PD
Chloromycetin Palmitate	30A	PD
Cibazol	195	CB
Cilicaine Fortified	141	SI
Cilicaine Simplex	141	SI
Cilicaine Suspension	140	SI
Compropen	142	GL
Contenben	207	FM
Coramine	128	CB
Corvotone	128	BT
Crystodigin	47	LI
Cytamen, 20, 50, 100, 1000	215	GL
Cytobex	215	PD

Preparation	Item No.	Code
D		
D.A.D.P.S.	33	AN
Darrow's Solution	34	DH
Davitamon K	216	OR
Demerol	147	BA
D.H.E. 45	49	SZ
Diamidin	41	PD
Dicoumarin	42	OR
Digicristin	47	CM
Digifortis	45	PD
Digisidin	47	ST
Dilantin	153	PD
Dilaudid	50	KN
Dimerazole	196	VP
Dimerzine	196	DH
Dindevan	152	EV
Diparcol	43	MB
Distaquaine	141	...
Distaquaine Forte	141	MB
Distaquaine Fortified	141	...
Distaquaine G.	141	EV
Distaquaine Suspension	140	EV
Distivit	215	...
Disulpha	196	TO
Disulphettes	196	HY
Diurophylin	206	CM
D.O.C.A.	37	OR
Duozone	196	AB

E		
E.D.C.	72	NI
Embequin	52	MB
Enterocid	154	BS
Entero-Vioform	63	CB
Eptoin	153	BT
Ergotrate	66	LI
Ertuban	94	SC
Eschatin	199	PD
Estopen	138	GL
Ethodryl	44	BD

Preparation	Item No.	Code
Eucortone	199	AH
Euhaemon	215	AH
Eumydrin	111	BA
Evarsan	124	EV
Examen	73	GL
Exatropo	74	GL

F

Folvite	75	LE
Forticil	142	FA

G

Gantrisin	190	RO
Gardenal Sodium	152	MB
Glucophylline	206	AB
Guanaflex	191	CM
Gynergen	68	SZ

H

Heparin Retard	82	BT
Hepastab	83	BT
Hepastab Forte	84	BT
Hepatex-T	85	EV
Hepolon	86	AH
Heptalgin	150	GL
Heptamin	215	SI
Hetrazan	44	LE
Hexa-Betalin	167	LI
Hexavibex	167	PD
Histostab	10	BT
Hyalase	87	FC
Hykinone	216, 218	AB

I

Infatab	188	PD
Infundin Pituitary	160	BW
Intraviron	203	BS
Intravite B12	215	NI
Isotinyl	94	KL
Isozide	94	NI
Isuprel	95	ST

Preparation	Item No.	Code
K		
Kapilin	216, 218	GL
Kappaxan	218	BA
Kavitine	216, 217, 218	KL
Kayvite	218	SI
Kemadrin	14	BW
Kinaden	97	SC
K-Thrombin	218	FM
K-Thrombin Aqueous	216	FM

L		
Leucarsone	27	MB
Liquemin	81	RO
Livadex	100	BD
Liver Injections—		
Anahaemin	8	
Anahepol	9	
Campolon	23	
Campolon Forte	24	
Examen	73	
Exatrope	74	
Hepastab	83	
Hepastab Forte	84	
Hepatex—T	85	
Hepolon	86	
Livadex	100	
Liver Extract	101	
Neo-Hepatex	125	
Pernaemon Crudum	143	
Pernaemon Fort	144	
Pernexin	145	
Protolex	166	
Reticulogen	173	
Lucodan	50	KN
Lutocyclin	162	CB
Lysivane	70	MB

M		
Malidone	5	BS
Mapharsen	131	PD
M. & B. 693	193A	MB

Preparation	Item No.	Code
Megacillin	140	FA
Megalovel	215	VM
Menaphthone	217	
Meonine	109	WY
Meradiazine	196	HY
Mesantoin	110	SZ
Methadon	6	ST
Methnine	109	MR
Mezatox	192	FM
Moryl	26	SY
Multisulpha	198	KL
Multisulphettes	198	KL
Mylopen	140	GL
Myocrisin	176, 177	MB
Mysoline	160A	IC

N

Neo-Epinine	96	BW
Neo-Hepatex	125	EV
Neo Hombreol	203	OR
Neoici	124	GA
Neptal	107	MB
Neustab	207	BT
Nicamide	128	BW
Nivaquine	31	MB
Normal Saline	178	
Novarsenobillon	124	MB

O

Omnopon	134	RO
Oraviron	202	BS
Osacyl	181	CB

P

Palatinoid	67, 133A	OP
Paludrine	163	IC
Panteric Tabs.	133A	PD
Paradione	136A	AB
Para-Aminosalicylate Calcium	20	
Para-Aminosalicylate Sodium	181	
Paramisan Sodium	181	HT
Parasal Sodium	181	CM
Parenamine	137	ST

Preparation	Item No.	Code
Parentosal B12	215	CM
Parpanit	25	GE
Pasan	181	KL
Pasing	51, 185	DN
Penaquacaine G.	141	CS
Penaquacaine G. Fortified	141	CS
Pentide	129	AH
Pentnucleotide	129	MJ
Perandren	201B, 202, 203	CB
Percorten	35, 36, 37	CB
Pernaemon Crudum	143	OR
Pernaemon Fort	144	OR
Pernexin	145	SC
Pethanal	147	CM
Petein	146	SC
Phenergan	164	MB
Phrenazol	99	BT
Physeptone	6	BW
Pitocin	132	PD
Pitressin	214	PD
Pituitary Obstetrical	160	CS
Pituitary Surgical	214	CS
Pituitrin Obstetrical	160	PD
Pituitrin Surgical	214	PD
Pipanol	14	ST
Plasmoquine	133	BA
Pneumotox	188	FM
Praenitron	212	SC
Primocort	35, 37	SC
Primoteston	202A	SC
Procillin	142	DH
Procillin A.S.	140	DH
Procillin Dry	141	DH
Procillin Dry Fort.	141	DH
Procillin One Million	142	DH
Progestin	162	
Prokayvit	217, 218	BD
Proluton	162	SC
Prominal	149	BA
Prostabillin	141	BT
Pro-Stabillin oily	142	BT
Prostigmin	126, 127	RO
Protolex	166	CM
Purodigin	47	WY

Preparation	Item No.	Code
Pycazide	94	HT
Pyridermin	167	CM
Pyrivel	167	VM

R

Reticulogen	173	LI
Rimifon	94	RO
Ringer's Solution	174	DH
Rondase	175	EV

S

Salyrgan	108	BA
Savorquin	52	SY
Seclophen	141	GL
Seclophen Dry	141	GL
Seroden	207	AH
Shigatox	191	FM
Solganal—B Oleosum	13	SC
Solutox	187	FM
Specia Didromycine	51	SP
S.P.N.	129	EV
Staphtox	195	FM
Streptomycin	185	
Streptomycin Dihydro	51	
Sulazine	188	SC
Sulfasuxidine	186	SD
Sulfathalidine	155	SD
Sulphaco	197	CM
Sulphaco Mitis	197	CM
Sulphacompound Tres	197	KL
Sulphadiazinettes	188	KL
Sulphadital	197	FM
Sulphaduo	196	KL
Sulphamezathine	189	IC
Sulpharsan	194	EV
Sulphatriad	197	MB
Sulphetrone	183	BW
Sulphonamix	197	SI
Sulphostab	194	BT
Synkamine	218	PD
Synkavit	216, 218	RO
Synthanal	6	CM

Preparation	Item No.	Code
T		
Tabloid	Various	BW
Talecid	154	SC
Tebos	94	HY
Terramycin	201	PF
Terramycin Oral Suspension	201A	PF
Testine	203	KL
Testogenine	203	FM
Testoviron	201B, 202, 203	SC
Tetrazol 136	99	FM
Thalazole	155	MB
Thephorin	151	RO
Thiazamide	195	MB
Thiomerin Sodium	106	WY
Thioparamizone	207	HT
Three Sulphas	197	AD
Tibizone	207	AN
Triantigen	57A	GL
Triazol	197	AB
Tridione	213	AB
Triple Antigen	57A	CS
Triple Sulpha	197	TO
Triple Sulphonamides	197	FA
Trisulia	197	AN
Trisulfettes	197	AN
Trizettes	197	TO
Trombolytan	71	GE
U		
Urolucosil	193	WW
V		
Vibion	215	AN
Vibion Forte	215	AN
Vitavel K	217, 218	VM
Viules	11, 16, 147	BT
Viules Cobastab	215	BT
Viules Pro-Stabillin oily	142	BT
W		
Wydase	219	WY
Y		
Yatren	29	BA

Proprietary Names of Listed Drugs

and

Manufacturers' Codes

Preparation	Item No.	Code
A		
Acetocid	187	BS
Acetylarsan	1	MB
Adanon	6	BA
Albucid	187	SC
Aminacyl	20, 181	WA
Aminacyl Granulate	20	WA
Aminophylline	206	
Anacardone	128	BD
Anacobin	215	BD
Anahaemin	8	BD
Anahapol	9	AH
Andrazide	94	AN
Anginine	80	BW
Anthisan	105	MB
Antistine	10	CB
Aquacillin	140	FA
Aralen	31	BA
Artane	14	LE
Atebrin	102	BA
Aureomycin	12	LE
Auro-Calcium	19	CK
Aurothiomalate Calcium	19	
Aurothiomalate Sodium	176, 177	
Avlon	Various	IC
Avloprocil	142	IC
Avloprocil N.A.	141	IC
Avlosulfon	33	IC

Preparation

Item No.

Code

B

B.A.L.	53	BT
Banocide	44	BW
Benadon	167	RO
Benadryl	54	PD
Benol	215	KL
Benol Forte	215	KL
Biscalevan	18	EV
Bisantol	18	MB
Bisglucol	15	MB
Bismol	17	DH
Bismostab	15	BT
Bisoxyl	16	BD
Bistabillin	141	BT
Bisvene	16	EV
Bitevan	215	EV

C

Calcipas	20	KL
Campolon	23	BA
Campolon Forte	24	BA
Cardiazol	99	KN
Cardophyllin	206	HA
Carine	206	KL
Casydrol	28	FC
Cedilanid	98	SZ
Chloromycetin	30	PD
Cibazol	195	CB
Cilicaine Fortified	141	SI
Cilicaine Simplex	141	SI
Cilicaine Suspension	140	SI
Cobastob	215	BT
Compropen	142	GL
Coramine	128	CB
Corvotone	128	BT
Crystodigin	47	LI
Cytamen, 20, 50, 100	215	GL
Cytobex	215	PD

D

D.A.D.P.S.	33	AN
Darrow's Solution	34	DH
Davitamon K	216	BP

Preparation	Item No.	Code
Demerol	147	BA
D.H.E. 45	49	SZ
Diamidin	41	PD
Digicristin	47	CM
Digifortis	45	PD
Digisidin	47	ST
Dilantin	153	PD
Dilaudid	50	KN
Dimerazole	196	VP
Dimerzine	196	DH
Diparcol	43	MB
Distaquaine	141	
Distaquaine Forte	141	MB
Distaquaine Fortified	141	
Distaquaine G.	141	EV
Distaquaine Suspension	140	EV
Distivit	215	
Disulpha	196	TO
Disulphettes	196	HY
Diurophylin	206	CM
D.O.C.A.	37	BP
Duozone	196	AB

E

E.D.C.	72	NI
Embequin	52	MB
Enterocid	154	BS
Entero-Vioform	63	CB
Eptoin	153	BT
Ergotrate	66	LI
Ernutin	67	BW
Ertuban	94	SC
Eschatin	199	PD
Estopen	138	GL
Eucortone	199	AH
Euhaemon	215	AH
Eumydrin	111	BA
Evarsan	124	EV
Examen	73	GL
Exatropé	74	GL

Preparation	Item No.	Code
F		
Folvite	75	LE
Forticil	142	FA
G		
Gantrisin	190	RO
Gardenal Sodium	152	MB
Glucophylline	206	AB
Gynergen	68	SZ
H		
Heparin Retard	82	BT
Hepastab	83	BT
Hepastab Forte	84	BT
Hepatex-T	85	EV
Hepolon	86	AH
Heptalgin	150	GL
Heptamin	215	SI
Hetrazan	44	LE
Hexa-Betalin	167	LI
Hexavibex	167	PD
Histostab	10	BT
Hyalase	87	FC
Hykinone	218	AB
I		
Infundin Pituitary	160	BW
Intraviron	203	BS
Intravite B12	215	NI
Isotinyt	94	KL
Isozide	94	NI
Isuprel	95	ST
K		
Kapilin	216, 218	GL
Kavitine	216, 217, 218	KL
Kayvite	218	SI
Kemadrin	14	BW
Kinaden	97	SC
K-Thrombin	218	FM
K-Thrombin Aqueous	216	FM

Preparation	Item No.	Code
L		
Leucarsone	27	MB
Liquemin	81	RO
Livadex	100	BD
Liver Injections—		
Anahaemin	8	
Anahepol	9	
Campolon	23	
Campolon Forte	24	
Examen	73	
Exatropé	74	
Hepastab	83	
Hepastab Forte	84	
Hepatex—T	85	
Hepolon	86	
Livadex	100	
Liver Extract	101	
Neo-Hepatex	125	
Pernaemon Crudum	143	
Pernaemon Fort	144	
Pernexin	145	
Protolex	166	
Reticulogen	173	
Lucodan	50	KN
Lutocyclin	162	CB
Lysivane	70	MB

M		
Malidone	5	BS
Mapharsen	131	PD
Megacillin	140	FA
Megalovel	215	VM
Menaphthone	217	
Meonine	109	WY
Meradiazine	196	HY
Mesantoin	110	SZ
Methadon	6	ST
Methnine	109	MR
Mezatox	192	FM
Moryl	26	BP
Multisulpha	198	KL
Multisulphettes	198	KL
Myocrisin	176, 177	MB

Preparation

Item No.

Code

N

Neo-Epinine	96	BW
Neo-Hepatex	125	EV
Neo Hombreol	202, 203	BP
Neoici	124	GA
Neptal	107	MB
Neustab	207	BT
Nicamide	128	BW
Nivaquine	31	MB
Normal Saline	178	
Novarsenobillon	124	MB
Novostab	124	BT

O

Omnopon	134	RO
Oraviron	202	BS
Osacyl	181	CB

P

Palatinoid	67	OP
Paludrine	163	IC
Para-Aminosalicylate Calcium	20	
Para-Aminosalicylate Sodium	181	
Paramisan Sodium	181	HT
Parasal Sodium	181	CM
Parenamine	137	ST
Parentosal B12	215	CM
Parpanit	25	GE
Pasan	181	KL
Pasing	51, 185	DN
Pelazid	94	GL
Penacquacaine G.	141	CS
Penacquacaine G. Fortified	141	CS
Pentide	129	AH
Pentnucleotide	129	MJ
Perandren	202, 203	CB
Percorten	35, 36, 37	CB
Pernaemon Crudum	143	BP
Pernaemon Fort	144	BP
Pernexin	145	SC
Pethanal	147	CM
Petein	146	SC
Phenergan	164	MB

Preparation	Item No.	Code
Phrenazol	99	BT
Physeptone	6	BW
Pitocin	132	PD
Pitressin	214	PD
Pituitary Obstetrical	160	CS
Pituitary Surgical	214	CS
Pituitrin Obstetrical	160	PD
Pituitrin Surgical	214	PD
Plasmoquine	133	BA
Pneumotox	188	FM
Praenitron	212	SC
Primocort	35, 37	SC
Procillin	142	DH
Procillin A.S.	140	DH
Procillin Dry	141	DH
Procillin Dry Fort.	141	DH
Procillin One Million	142	DH
Progestin	162	
Prokayvit	217, 218	BD
Proluton	162	SC
Prominal	149	BA
Prostabillin	141	BT
Prostigmin	126, 127	RO
Protolex	166	CM
Purodigin	47	WY
Pycazide	94	HT
Pyridermín	167	CM
Pyrirel	167	FJ

R

Reticulogen	173	LI
Rimifon	94	RO
Ringer's Solution	174	DH
Rondase	175	EV

S

Salyrgan	108	BA
Savorquin	52	SY
Seclophen	141	GL
Seroden	207	AH
Solganal—B Oleosum	13	SC
Solutox	187	FM

Preparation	Item No.	Code
Specia Didromycine	51	SP
S.P.N.	129	EV
Staphtox	195	FM
Streptomycin	185	
Streptomycin Dihydro	51	
Sulazine	188	SC
Sulfasuxidine	186	SD
Sulfathalidine	155	SD
Sulphaco	197	CM
Sulphaco Mitis	197	CM
Sulphacompound Tres	197	KL
Sulphadiazinettes	188	KL
Sulphadital	197	FM
Sulphaduo	196	KL
Sulphamezathine	189	IC
Sulpharsan	194	EV
Sulphatriad	197	MB
Sulphetrone	183	BW
Sulphonamix	197	SI
Sulphostab	194	BT
Synkavit	216, 218	RO
Synthanal	6	CM

T

Tabloid	Various	BW
Talecid	154	SC
Tebos	94	HY
Terramycin	201	PF
Testine	203	KL
Testogenine	203	FM
Testoviron	202, 203	SC
Tetrazol 136	99	FM
Thalazole	155	MB
Thephorin	151	RO
Thiazamide	195	MB
Thiomerin Sodium	106	WY
Thioparamizone	207	HT
Three Sulphas	197	AD
Tibizone	207	AN
Triazyl	197	AB
Tridione	213	AB

Preparation	Item No.	Code
Triple Sulpha	197	TO
Trisulfa	197	AN
Trisulfettes	197	AN
Trizettes	197	TO
Trombolysan	71	GE
U		
Urolucosil	193	WW
Vibion	215	AN
Vibion Forte	215	AN
Vitavel K	217, 218	VM
W		
Wydase	219	WY
Y		
Yatren	29	BA

Section B

Notes on the National Health (Medicines for Pensioners) Regulations



For Medical Practitioners Only



SEPTEMBER, 1953

NOTES FOR THE GUIDANCE OF MEDICAL PRACTITIONERS

Foreword.

The Pharmaceutical Benefits Scheme and the Pensioners' Benefit Scheme are two distinct schemes provided for by two different Acts. It is important, therefore, that prescriptions issued under these Schemes should be separate and distinct.

Scope of Benefits.

1. The scope of pharmaceutical benefits available to Pensioners comprises:—

- (a) The limited list of life-saving and disease preventing drugs already provided under the Pharmaceutical Benefits Act;

N.B.—These benefits must NOT be prescribed as pensioner benefits but must be treated as benefits under the Pharmaceutical Benefits Act.

- (b) any drug (but not medicinal or industrial gases) or preparation covered by monograph in the British Pharmacopoeia;

Note that methylated spirit, ether, alcohol and chloroform may be prescribed only when combined with some other permitted drug.

- (c) any item contained in the Prescribers' List;

- (d) any item which is NOT covered by monograph in the British Pharmacopoeia but is contained in the list of drugs appearing on page XXIV of the Prescribers' List. The drugs referred to in this paragraph may be prescribed only in combination with drugs referred to in paragraph (b); and

- (e) any combination, in any form, of the drugs and preparations contained in:—

- (i) paragraph (b);
- (ii) paragraph (b) plus paragraph (c); or
- (iii) paragraph (b) plus paragraph (d).

For your convenience in prescribing, a representative list of medicaments, approved by a special committee of the British Medical Association, has been compiled and is included with these notes. It is requested that this list be used wherever practicable.

Prescriptions.

2. Pensioners' benefits may be prescribed by any medical practitioner.

3. The prescription form should approximate as nearly as possible 6 in. x 4½ in. in size.

4. Write prescriptions in duplicate (a carbon copy is suitable), and ensure that they are signed and dated, and bear the name and address of the medical practitioner. Endorse the duplicate copy "Duplicate".

5. Write the patient's name and address clearly.

6. Write on the top of the prescription form the initials "P.M.S." (Pensioner Medical Service) and the Pension Number shown directly under the name and address on the Entitlement Card. The absence of these particulars may result in the patient having to pay for the prescription.

7. If it is desired to alter a formula by—
(a) increasing or decreasing the dose of a drug;
(b) deleting a drug; or
(c) altering the dose to which the whole formula is made up,
then the formula must be written out in full.

In these cases the title of the formula should NOT be used.

The only case in which a formula in the Prescribers' List may be varied whilst retaining the name of the formula, is where it is desired to add one or more drugs to that formula. In such cases the name and dose of the drug or drugs to be added should be written first and then the title of the formula. For Example—

R_x Pot. Bromid. gr. x
Mist. Gent. Alk ad ½ fl. oz.
Mitte 8 fl. oz. Sig. ½ fl. oz. t.d.s.

8. It should be noted particularly that proprietary titles, trade marks, brands or makers' names or initials should not be used in prescribing a pensioner benefit. Unless this provision is adhered to, the prescription will not be accepted for dispensing as a pensioner benefit by the chemist. In all cases the chemical name of the drug or preparation should be used.

9. If a prescription is written for the supply of a single drug (e.g., Cod Liver Oil), the prescription must indicate the mode in which that drug is to be supplied: e.g., as a mixture, application, liniment, &c.

10. Do not prescribe more than two benefits on the same prescription form.

11. Do not write on the same prescription a pensioner benefit and something which is not a pensioner benefit.

12. Do not write a prescription for more than one person on the one prescription form.

13. Do not order the same benefit twice on the same prescription form.

14. Do not write a prescription for the supply of a pensioner benefit more than once on the one day for the same benefit for the same person.

Prescriptions Containing "Dangerous Drugs".

15. In order to comply with State requirements it is necessary that not more than one prescription, containing a drug controlled by Dangerous Drug legislation, should be written on one prescription form.

Maximum Quantities.

16. The maximum quantity of a benefit that may be supplied at one time is set out in the Prescribers' List, and where the benefit is not included in the List, in the Table appearing on page V. Subject to the provisions of paragraphs 17, 18 and 19, a medical practitioner may order any quantity as long as it does not exceed the maximum quantity.

Where a single drug is ordered which is not included under the heading "Single Drugs" in the Prescribers' List, the maximum quantity which may be ordered will depend upon the mode (whether as a mixture, lotion, &c.), in which the drug is to be supplied. The maximum quantity in such cases will be the maximum quantity for the relevant class of prescription as set out in the Table on page V. For example, Cod

Liver Oil for inunction would be ordered as a liniment (maximum quantity 4 fl. oz.) and for internal use, as a mixture (maximum quantity 16 doses).

Repeats.

17. The number of times any benefit may be repeated is shown in the Prescribers' List, and where the benefit is not included, The Table should be referred to.

Whenever a prescription is ordered to be repeated, the maximum quantity of the benefit as shown in the Prescribers' List or The Table, as the case may be, must be ordered. Please write in words the number of times it is desired that the prescription be repeated, e.g., "Repeat once".

Where a single drug is ordered which is not included under the heading "Single Drugs" in the Prescribers' List, the number of repeats allowable in the case of that single drug will be ascertained in the same way as that set out in the last sub-paragraph of paragraph 16. For example, when Cod Liver Oil is ordered as a liniment, one repeat may be ordered, but when it is to be used internally, two repeats are allowable.

18. If a patient is suffering from a chronic, malignant or recurrent disease, more than the maximum quantity may be ordered, provided the prescription is endorsed "Special supply". In such cases the prescription must order double the maximum quantity ordinarily applicable to the benefit; and if it is desired that the prescription be repeated, then likewise double the maximum quantity must be ordered and supplied on each repeat.

19. You may also order the supply of double the maximum quantity of any benefit, if you consider that the patient, because of living in an out-lying district, would experience difficulty in obtaining supplies. In such cases the prescription should be endorsed "double supply". Such a prescription may not be ordered to be repeated.

Other Aspects.

20. In other aspects the supply of pensioner benefits will be made on similar statutory conditions to those applicable under the Pharmaceutical Benefits Regulations.

21. It should be noted that in this list, 1 oz. = 480 grains and 1 fl. oz. = 480 minims.

THE TABLE

To be used when prescribing a Pensioner Benefit not specified in the Prescribers' List.

NOTE.—It should be noted that unless a repeat of the prescription is ordered, it is not compulsory to order the maximum quantity or number of the benefit. In the case of repeats it is only necessary to order the maximum quantity or number of the benefit on the first occasion.

Class of Prescription.	Maximum Quantity or Number of Doses.	Number of Repeats (in addition to first supply).
Applications	4 fl. oz.	1
Capsules	12 capsules	1
Collodions	120 min.	1
Creams	4 oz.	2
Draughts	4 doses	..
Dusting Powders	4 oz.	1
Ear Drops	1 fl. oz.	..
Elixirs	32 doses	1
Emulsions	32 doses	1
Enemas	4 fl. oz.	1
Eye Drops	120 min.	..
Eye Lotions	6 fl. oz.	1
Eye Ointments	¼ oz.	..
Gargles and Mouth Washes	8 fl. oz.	..
Gelatins	4 oz.	3
Glycanths	½ oz.	1
Inhalations	2 fl. oz.	..
Injections—		
Ampoules	6 amps.	1
Vials	1 vial	1
Irrigations	8 fl. oz.	2
Insufflations	1 oz.	..
Linctuses	24 doses	2
Liniements	4 fl. oz.	1
Lotions	8 fl. oz.	2
Mixtures	16 doses	2
Nasal Drops	½ fl. oz.	2
Ointments	2 oz.	1
Paints	1 fl. oz.	1
Pastes	2 oz.	1
Pessaries	6 pessaries	2
Pills	50 pills	2
Poultices	1 lb.	1
Powder for internal use (bulk)	32 doses	2
Powders—individually wrapped	12 powders	..
Soaps	4 fl. oz.	1
Solutions for internal use	1 fl. oz.	2
Solutions for external use	4 fl. oz.	1
Sprays	2 fl. oz.	1
Suppositories	12 suppositories . .	1
Syrups	32 doses	1
Tablets	25 tablets	2
Tinctures	1 fl. oz.	1

NATIONAL HEALTH (MEDICINES FOR PENSIONERS)
REGULATIONS.

PRESCRIBERS' LIST

Re- peats.	Prescription.	Maximum Quantity.
	APPLICATIONES (APPLICATIONS)	
1	APPLICATIO BENZYLIS BENZOATIS, B.P.C. (Application of Benzyl Benzoate)	4 fl. oz.
1	APPLICATIO DICOPHANI, B.P.C. (Application of Dicophane: D.D.T. Application)	4 fl. oz.
	AURISTILLAE (EAR DROPS)	
....	AURISTILLAE ACIDI BORICI (Aurist. Acid. Boric)	1 fl. oz.
	Boric Acid gr. 10 Glycerin m. 60 Rectified Spirit 60%.....to..... m. 240	
....	AURISTILLAE ACIDI SALICYLICI (Aurist. Acid. Salicyl.)	1 fl. oz.
	Salicylic Acid gr. 4 Rectified Spirit m. 90 Distilled Waterto..... m. 240	
....	AURISTILLAE HYDROGENII PEROXIDI (Aurist. Hydrogen. Perox.)	1 fl. oz.
	Solution of Hydrogen Peroxide 10 vols.	
....	AURISTILLAE PHENOLIS (Aurist. Phenol.)	240 m.
	Glycerin of Phenol m. 60 Glycerinto..... m. 240	
....	AURISTILLAE STREPTOMYCIN (Aurist. Streptomycin)	240 m.
	Streptomycin gr. 12 Normal salineto..... m. 240	
....	AURISTILLAE VIOLAE CRYSTALLINAE (Aurist. Viol. Cryst.)	240 m.
	Crystal Violet gr. 2 Rectified Spirit m. 120 Distilled Waterto..... m. 240	

Re- peats.	Prescription.	Maximum Quantity
.....	AURISTILLAE ARGENTI PROTEINATIS (Aurist. Argentoprot.) Mild Silver Proteinate..... gr. 22 Rectified Spirit m. 120 Distilled Water to..... m. 240	240 m. (
2	COLLYRIA (EYE LOTIONS) COLLYRIUM ACIDI BORICI (Collyr. Acid. Boric) Boric Acid gr. 90 Distilled Water to..... fl. oz. 6	6 fl. oz.
.....	COLLYRIUM HYDRARGYRI PERCHLORIDI (Collyr. Hydrarg. Perchlor.) Solution of Mercuric Chloride fl. oz. 1 Distilled water to..... fl. oz. 6 When diluted with an equal quantity of water this eye lotion has a strength of 1 in 12,000.	6 fl. oz.
2	CREMORES (CREAMS) CREMOR GLYCERINI (Crem. Glycerin) Olive Oil m. 90 Glycerine m. 90 Solution of Calcium Hydroxide m. 150 Wool Fat to..... 1 oz.	4 oz.
.....	CREMOR PENICILLINI, B.P. (Crem. Penicil.) Contains 1000 units per gram	½ oz.
2	CREMOR ZINCI (Crem. Zinc.) Wool Fat gr. 180 Arachis Oil, by weight gr. 180 Zinc Oxide gr. 240 Solution of Calcium Hydroxide m. 240	4 oz.
2	EMULSIONES (EMULSIONS) EMULSIO OLEI MORRHUAE, B.P. (Emuls. Ol. Morr.)	8 fl. oz.
2	EMULSIO PARAFFINI LIQUIDI CUM PHENOLPHTHALEINO B.P.C. (Emuls. Paraff. Liq. c Phenolphthal.)	8 fl. oz.

Re- peats.	Prescription.	Maximum Quantity
	GARGARISMATA	
	(GARGLES)	
....	GARGARISMA BORACIS COMPOSITA (Garg. Boracis. Co.)	8 fl. oz.
	Borax gr. 60 Sodium Bicarbonate gr. 60 Liquefied Phenol m. 10 Glycerin m. 120 Water to fl. oz. 4	
	Use one tablespoonful diluted with an equal quantity of warm water.	
....	GARGARISMA POTASSII CHLORATIS (Garg. Pot. Chlorat.)	8 fl. oz.
	Potassium Chlorate gr. 40 Glycerin m. 240 Water to fl. oz. 4	
	Use one tablespoonful diluted with an equal quantity of warm water.	
	GUTTAE OPHTHALMICAE	
	(EYE DROPS)	
....	GUTTAE ARGENTI PROTEINATIS 10% (Gutt. Argentoprot. 10%)	120 m.
	Mild Silver Proteinate B.P.C. gr. 10 Distilled water to m. 120	
....	GUTTAE ATROPINAE SULPHATIS ½% (Gutt. Atrop. Sulph. ½%)	120 m.
	Atropine Sulphate gr. ½ Chlorbutol Water A.P.F. to m. 120	
....	GUTTAE ATROPINAE SULPHATIS 1% (Gutt. Atrop. Sulph. 1%)	120 m.
	Atropine Sulphate gr. 1 Chlorbutol Water A.P.F. to m. 120	
....	GUTTAE ATROPINAE SULPHATIS 2% (Gutt. Atrop. Sulph. 2%)	120 m.
	Atropine Sulphate gr. 2 Chlorbutol Water A.P.F. to m. 120	
....	GUTTAE PENICILLINI (Gutt. Penicil.)	120 m.
	Crystalline Penicillin 2,000 Sterile Distilled Water to m. 15 units	

Re- peats.	Prescription.	Maximum Quantity
.....	GUTTAE PHYSOSTIGMINAE (ESERINAE) $\frac{1}{4}$ % (Gutt. Physostigmin. $\frac{1}{4}$ %) Physostigmine Salicylate gr. $\frac{1}{4}$ Chlorbutol Water A.P.F.to..... m. 120	120 m.
.....	GUTTAE PHYSOSTIGMINAE (ESERINAE) 1 % (Gutt. Physostigmin. 1%) Physostigmine Salicylate gr. 1 Chlorbutol Water A.P.F.to..... m. 120	120 m.
.....	GUTTAE PILOCARPINAE $\frac{1}{2}$ % (Gutt. Pilocarpin. $\frac{1}{2}$ %) Pilocarpine Nitrate gr. $\frac{1}{2}$ Chlorbutol Water A.P.F.to..... m. 120	120 m.
.....	GUTTAE PILOCARPINAE 1 % (Gutt. Pilocarpin. 1%) Pilocarpine Nitrate gr. 1 Chlorbutol Water A.P.F.to..... m. 120	120 m.
.....	GUTTAE SULPHACETAMIDI SOLUBILIS 25 % (Gutt. Sulphacetamid. Solub. 25%) Soluble Sulphacetamide gr. 30 Distilled Waterto..... m. 120	120 m.
.....	GUTTAE ZINCI SULPHATIS $\frac{1}{2}$ % (Gutt. Zinc. Sulph. $\frac{1}{2}$ %) Zinc Sulphate gr. $\frac{1}{2}$ Chlorbutol Water A.P.F.to..... m. 120	120 m.
	N.B.—Where Guttæ are prescribed without specification of the strength, e.g., GUTTÆ ATROP. SULPH, the weakest strength will be supplied.)	
	HAUSTUS (DRAUGHTS) HAUSTUS PARALDEHYDI (Haust. Paraldehyd.)	4 fl. oz.
.....	Paraldehyde m. 90 Rectified Spirit m. 60 Syrup of Orange m. 60 Glycerin m. 60 Waterto..... m. 480	

Re- peats.	Prescription.	Maximum Quantity
	HAUSTUS POTASSII BROMIDI ET CHLORALIS HYDRAS (Haust. Pot. Brom. et Chloral.)	4 fl. oz.
	Chloral Hydrate gr. 10 Potassium Bromide gr. 20 Tincture of Cudbear m. 2 Syrup of Orange m. 60 Chloroform Water to m. 480	
	INHALATIONES (INHALATIONS)	
	INHALATIO BENZOINI COMPOSITA (Inhal. Benz. Co.)	2 fl. oz.
	Menthol gr. 24 Oil of Eucalyptus m. 24 Oil of Pine m. 12 Compound Tincture of Benzoin m. 240 Rectified Spirit to m. 480	
	INHALATIO MENTHOLIS (Inhal. Menthol.)	2 fl. oz.
	Menthol gr. 60 Oil of Pine m. 60 Rectified Spirit to m. 480	
	INHALATIO MENTHOLIS EVAPORANS (Inhal. Menthol. Evap.)	2 fl. oz.
	Menthol gr. 60 Eucalyptol m. 90 Camphor gr. 90 Oil of Lavender m. 7½ Spirit of Chloroform to m. 480	
	INSUFFLATIONES (INSUFFLATIONS)	
	INSUFFFLATIO IODI (Insuff. Iodi)	1 oz.
	Iodine gr. 3 Potassium Iodide gr. 3 Ether m. 30 Boric Acid to 1 oz.	
	LINCTUS (COUGH SYRUPS)	
2	LINCTUS CODEINAE (Linct. Codein.)	3 fl. oz.
	Codein Phosphate gr. ¼ Water m. 5 Glycerin m. 15 Oxymer of Squill to m. 60	

Re- peats.	Prescription.	Maximum Quantity
....	LINCTUS MORPHINAE (Linctus. Morphin.) Solution of Morphine Hydrochloride m. 5 Red Syrup, A.P.F. m. 15 Syrupto..... m. 60	3 fl. oz.
2	LINCTUS SCILLAE COMPOSITUS (Linct. Scillae. Co.) Camphorated Tincture of Opium m. 20 Oxymel of Squill m. 15 Spirit of Chloroform m. 5 Syrup of Toluto..... m. 60	3 fl. oz.
....	LINIMENTA (LINIMENTS) LINIMENTUM ACONITI COMPOSITUM (Lin. Aconit. Co.—Lin. A.B.C.) Liniment of Aconite m. 160 Liniment of Belladonna m. 160 Camphor gr. 13 Chloroform m. 80 Oleic Acidto..... m. 480	2 fl. oz.
....	LINIMENTUM METHYLIS SALICYLATIS (Lin. Methyl. Sal.) Methyl Salicylate m. 120 Arachis Oilto..... fl. oz. 1	2 fl. oz.
....	LINIMENTUM TEREBINTHINAE (Lin. Terebinth.) Camphor gr. 22 Oil of Turpentine m. 312 Triethanolamine m. 10 Oleic Acid m. 20 Distilled Waterto..... fl. oz. 1	2 fl. oz.

Re- peats	Prescription.	Maximum Quantity
1	LINIMENTUM CALAMINAE COMPOSITUM (Lin. Calamin. Co.: Pusey's Lin.) Phenol gr. 7½ Camphor gr. 7½ Liquid Paraffin oz. 1 Lanette Wax SX gr. 45 Talc gr. 120 Calamine gr. 120 Water to fl. oz. 4 To which may be added 1% to 2% Ichthyol or Precipitated Sulphur or Solution of Coal Tar.	4 fl. oz.
1	LOTIONES (LOTIONS) LOTIO ACIDI BORICI (Lot. Acid. Boric.) Boric Acid gr. 360 Water to fl. oz. 20	8 fl. oz.
1	LOTIO CALAMINAE (Lot. Calamin.) Prepared Calamine gr. 240 Zinc Oxide gr. 240 Talc gr. 120 Glycerine m. 240 Solution of Calcium Hydroxide fl. oz. 2 Water to fl. oz. 8 (May add to this lotion— Liquified Penol 1%; Strong Solution of Lead Subacetate 1% to 3%.)	8 fl. oz.
1	LOTIO ALUMINII ACETATIS (Lot. Alum.nii. Acet.—Burrow's Solution) Solution of Aluminium Acetate. B.P.C.	8 fl. oz.
1	MISTURAE (MIXTURES) MISTURA ACIDI ACETYLSALICYLICI (Mist. Acid. Acetylsal.) Acetylsalicylic Acid gr. 10 Compound Powder of Tragacanth gr. 5 Syrup of Orange m. 30 Water to m. 240	8 fl. oz.
4	MISTURA ACIDI ACETYLSALICYLICI COMPOSITA (Mist. Acid. Acetylsal. Co.) Acetylsalicylic Acid gr. 6 Phenacetin gr. 5 Caffeine gr. 1 Compound Powder of Tragacanth gr. 5 Syrup of Orange m. 30 Chloroform Water to m. 240	8 fl. oz.

Re- peats	Prescription.	Maximum Quantity
1	MISTURA ACIDI ACETYLSALICYLICI ET MORPHINAE (Mist. Acid. Acetylsal. et Morphin.) Solution of Morphine Hydrochloride m. 15 Red Syrup, A.P.F. m. 80 Acetylsalicylic Acid gr. 10 Compound Powder of Tragacanth gr. 5 Water to m. 240 (This mixture contains 1/8 grain Morphine Hydrochloride in 1/2 fl. oz.)	8 fl. oz.
1	MISTURA ACIDI ACETYLSALICYLICI ET PHENOBARBITONI (Mist. Acid. Acetylsal. et Phenobarb.) Phenobarbitone gr. 1/2 Acetylsalicylic Acid gr. 10 Compound Powder of Tragacanth gr. 5 Syrup m. 20 Cinnamon Water to m. 240	8 fl. oz.
1	MISTURA ACIDI ACETYLSALICYLICI SOLUBILIS (Mist. Acid. Acetylsal. Solub.) Acetylsalicylic Acid gr. 10 Potassium Citrate gr. 80 Neutral Syrup of Lemon A.P.F. m. 30 Water to m. 240	8 fl. oz.
2	MISTURA ALKALINA (Mist. Alkalin.) Sodium Citrate gr. 30 Sodium Bicarbonate gr. 30 Chloroform Water to m. 240	8 fl. oz.
2	MISTURA ALUMINII HYDROXIDI A.P.F. (Mist. Alumin. Hydrox.)	8 fl. oz.
1	MISTURA AMMONII ACETATIS (Mist. Ammon. Acet.) Strong Solution of Ammonium Acetate..... m. 15 Potassium Citrate gr. 25 Tincture of Ipecacuanha m. 10 Camphorated Tincture of Opium m. 30 Syrup of Tolu m. 80 Water to m. 240	8 fl. oz.
1	MISTURA ALBA (Mist. Alba.) Magnesium Sulphate gr. 60 Light Magnesium Carbonate gr. 10 Peppermint Water to m. 240	8 fl. oz.

Re- peats.	Prescription.	Maximum Quantity
6	MISTURA BISMUTHI ALKALINA (Mist. Bism. Alk.) Bismuth Carbonate gr. 10 Light Magnesium Carbonate gr. 10 Sodium Bicarbonate gr. 10 Peppermint Water to m. 240	8 fl. oz.
.....	MISTURA BISMUTHI ET OPII (Mist. Bism. et Opii) Bismuth Carbonate gr. 10 Tincture of Opium m. 10 Chloroform Water to m. 240	8 fl. oz.
1	MISTURA BISMUTHI SEDATIVA (Mist. Bism. Sedativ.) Bismuth Carbonate gr. 20 Solution of Morphine Hydrochloride m. 5 Sodium Bicarbonate gr. 10 Dilute Hydrocyanic Acid m. 3 Peppermint Water to m. 240	8 fl. oz.
2	MISTURA COLCHICI ET SODII SALICYLATIS (Mist. Colch. et Sod. Salicyl.) Sodium Salicylate gr. 15 Sodium Bicarbonate gr. 15 Light Magnesium Carbonate gr. 15 Liquid Extract of Colchicum m. 3 Liquid Extract of Liquorice m. 10 Water to m. 240	8 fl. oz.
.....	MISTURA CRETAE ET KAOLINI (Mist. Cret. et Kaolin.) Prepared Chalk gr. 30 Light Kaolin gr. 60 Light Magnesium Carbonate gr. 5 Chloroform Water to m. 240	8 fl. oz.
4	MISTURA FERRI ET NUCIS VOMICAE (Mist. Ferri et Nux. Vom.) Iron and Ammonium Citrate gr. 15 Tincture of Nux Vomica m. 10 Chloroform Water to m. 240	8 fl. oz.
2	MISTURA GENTIANAE ACIDA (Mist. Gent. Acid.) Dilute Hydrochloric Acid m. 20 Tincture of Nux Vomica m. 10 Spirit of Chloroform m. 15 Compound Infusion of Gentian to m. 240	8 fl. oz.

Re- peats.	Prescription.	Maximum Quantity
2	MISTURA GENTIANAE ALKALINA (Mist. Gent. Alk.) Sodium Bicarbonate gr. 20 Tincture of Nux Vomica m. 10 Spirit of Chloroform m. 15 Compound Infusion of Gentian to m. 240.	8 fl. oz. (
4	MISTURA LOBELIAE COMPOSITA (Mist. Lobelia. Co.) Potassium Iodide gr. 5 Ammonium Bicarbonate gr. 5 Tincture of Belladonna m. 5 Tincture of Stramonium m. 10 Ethereal Tincture of Lobelia m. 10 Camphorated Tincture of Opium m. 20 Infusion of Senega to m. 240	8 fl. oz.
2	MISTURA OPII CAMPHORATA (Mist. Opii Camph.) Camphorated Tincture of Opium m. 30 Tincture of Belladonna m. 5 Oxymel of Squill m. 15 Water to m. 240	8 fl. oz.
1	MISTURA PHENAZONII (Mist. Phenazon.) Potassium Bromide gr. 15 Phenazone gr. 10 Tincture of Gelsemium m. 10 Syrup of Orange m. 15 Chloroform Water to m. 240	8 fl. oz.
2	MISTURA PHENOBARBITONI ET BROMIDI (Mist. Phenobarb. et Brom.) Soluble Phenobarbitone gr. $\frac{1}{4}$ Sodium Bromide gr. 10 Syrup of Orange m. 30 Water to m. 240	8 fl. oz.
2	MISTURA POTASSII CITRATIS ET HYOSCYAMI (Mist. Pot. Cit. et Hyoscyam.) Potassium Citrate gr. 30 Sodium Bicarbonate gr. 15 Liquid Extract of Hyoscyamus m. 3 Spirit of Chloroform m. 10 Infusion of Buchu to m. 240	8 fl. oz.

Re- peats.	Prescription.	Maximum Quantity
4	MISTURA POTASSII IODIDI (Mist. Pot. Iodid.) Potassium Iodide gr. 5 Aromatic Solution of Ammonia m. 15 Liquid Extract of Liquorice m. 10 Chloroform Water to m. 240	8 fl. oz.
2	MISTURA SENEGAE ET AMMONIAE (Mist. Seneg. et Ammon.) Ammonium Bicarbonate gr. 5 Tincture of Squill m. 10 Camphorated Tincture of Opium m. 30 Liquid Extract of Liquorice m. 10 Concentrated Infusion of Senega m. 30 Water to m. 240	8 fl. oz.
2	MISTURA SODII CITRATIS (Mist. Sod. Cit.) Sodium Citrate gr. 45 Syrup of Lemon m. 60 Water to m. 240	8 fl. oz.
6	MISTURA SODII SALICYLATIS (Mist. Sod. Salicyl.) Sodium Salicylate gr. 20 Sodium Bicarbonate gr. 20 Liquid Extract of Liquorice m. 10 Water to m. 240	8 fl. oz.
1	MISTURA TRIBROMIDI COMPOSITA (Mist. Tribrom. Co.) Ammonium Bromide gr. 6 Potassium Bromide gr. 6 Sodium Bromide gr. 6 Tincture of Nux Vomica m. 7½ Syrup of Orange m. 30 Chloroform Water to m. 240	8 fl. oz.
2	MISTURA AD TUSSEM (Mist. ad Tuss.) Tincture of Ipecacuanha m. 5 Camphorated Tincture of Opium m. 20 Syrup of Tolu m. 20 Oxymel of Squill m. 15 Spirit of Chloroform m. 5 Anise Water to m. 240	8 fl. oz.

Re- peats.	Prescription.	Maximum Quantity
	NEBULAE (SPRAYS)	
1	NEBULA ADRENALINAE (Neb. Adrenalin.) Solution of Adrenaline Hydrochloride 1 in 1,000 m. 48 Sodium Chloride gr. 2 Distilled Water to m. 240	½ fl. oz
2	NEBULA ADRENALINAE ET EPHEDRINAE (Neb. Adrenalin. et Ephedrin.) Solution of Adrenaline Hydrochloride 1 in 1,000 m. 48 Ephedrine Hydrochloride gr. 2 Dextrose gr. 11 Distilled Water to m. 240	½ fl. oz
1	NEBULA EPHEDRINAE (Neb. Ephedrin.) Ephedrine Hydrochloride gr. 2 Sodium Chloride gr. 2 Dextrose gr. 7½ Chlorbutol Water, A.P.F. to m. 240	½ fl. oz.
1	NEBULA EPHEDRINAE OLEOSA (Neb. Ephedrin. Oleos.) Ephedrine gr. 2 Menthol gr. 1 Oil of Eucalyptus m. 2 Light Liquid Paraffin to m. 240	½ fl. oz.
1	NEBULA EPHEDRINAE ET AMINACRINAE (Neb. Ephedrin. Aminacrin.) Ephedrine Hydrochloride gr. 1 Aminacrin gr. ¼ Distilled Water to m. 240	½ fl. oz.
	OCULENTA (EYE OINTMENTS)	
....	OCULENTUM ACIDI BORICI B.P.C. (Oculent. Acid. Boric.)	¼ oz.
....	OCULENTUM HYDRARGYRUM AMMONIATUM 1% (Oculent. Hydrarg. Ammon. 1%) Ammoniated Mercury gr. 1 Ocumentum Base, B.P. to gr. 120	¼ oz.
....	OCULENTUM HYDRARGYRI OXIDI B.P. ½% AND 1% (Oculent. Hydrarg. Oxid. ½% and 1%)	¼ oz.

Re- peats.	Prescription.	Maximum Quantity
....	OCULENTUM ICHTHAMMOLIS ET ZINCI OXIDI (Oculent. Ichthammol. et Zinc. Oxid.) Ichthammol gr. 1 Zinc Oxide gr. 1 Oculentum Base, B.P.to..... gr. 120	¼ oz.
....	OCULENTUM PENICILLINI B.P. (PENICILLIN, 2000 UNITS PER GRAM). (Oculent. Penicil.)	60 gr.
....	OCULENTUM SULPHACETAMEDI 10% (Oculent. Sulphacetamid. 10%) Suphacetamide Sodium gr. 11 Distilled Water q.s. Oculentum Base, B.P.to..... gr. 120	¼ oz.
	PASTAE	
	(PASTES)	
1	PASTA ZINCI ET ACIDI SALICYLICI (Past. Zinc. et Acid. Salicyl.: Lassar's Paste) Salicylic Acid gr. 18 Compound Paste of Zinc Oxide B.P....to..... oz. 2	2 oz.
	PIGMENTA	
	(PAINTS)	
1	PIGMENTUM ACIDI SALICYLICI VIRIDE (Pigm. Acid. Salicyl. Virid.) Salicylic Acid gr. 10 Benzoic Acid gr. 30 Brilliant Green gr. 2 Rectified Spiritto..... fl. oz. 1	1 fl. oz.
....	PIGMENTUM ACIDI TANNICI (Pigm. Acid. Tannic.) Glycerine of Acid Tannic	1 fl. oz.
....	PIGMENTUM IODI COMPOSITUM (Pigm. Iodl. Co.—Mandl's Paint) Iodine gr. 5 Potassium Iodide gr. 5 Water m. 5 Oil of Peppermint m. 3 Glycerineto..... fl. oz. 1	1 fl. oz.
....	PIGMENTUM MAGENTA ET RESORCINOLIS (Pigm. Magent. et Resorcin.—Castellani's Paint) Magenta B.P.C. gr. 2 Phenol gr. 20 Boric Acid gr. 4 Resorcinol gr. 40 Acetone m. 20 Rectified Spirit m. 40 Waterto..... fl. oz. 1	1 fl. oz.

Re- peats.	Prescription.	Maximum Quantity
1	PIGMENTUM VIOLAE (Pig. Gent. Violet) Crystal Violet gr. 10 Water to fl. oz. 1	1 fl. oz.
1	PIGMENTUM VIOLAE COMPOSITUM (Pig. Violae Co.—Triple Dye Solution) Crystal Violet gr. 1 Brilliant Green gr. 1 Proflavine Sulphate gr. $\frac{1}{2}$ Distilled Water to fl. oz. 1	1 fl. oz.
	PILULAE (PILLS)	
2	PILULA ALOES ET NUCIS VOMICAE (Pil. Aloes et Nux. Vom.) Aloes gr. 2 Dry Extract of Nux Vomica gr. $\frac{1}{4}$ Dry Extract of Belladonna gr. $\frac{1}{6}$ Rectified Spirit q.s.	50
2	PILULA COLOCYNTHIDIS ET HYOSCYAMI B.P. (Pil. Colocynth. et Hyosecy.)	50
2	PILULA DIGITALIS COMPOSITA B.P.C. (Pil. Digit. Co.: Guy's Pill.)	50
2	PILULA FERRI CARBONATIS B.P. (Pil. Ferri. Carb.—Blaud's Pill)	50
2	PILULA PHENOLPHTHALEINI COMPOSITA (Pil. Phenolphthal. Co.) Phenolphthalein gr. $\frac{1}{2}$ Aloin gr. $\frac{1}{4}$ Dry Extract of Belladonna gr. $\frac{1}{12}$ Strychnine gr. $\frac{1}{240}$ Ipecacuanha gr. $\frac{1}{15}$	50
2	PILULA SODII OLEATIS COMPOSITA (Pil. Sod. Oleat. Co.) Acid Sodium Oleate gr. $1\frac{1}{2}$ Sodium Salicylate gr. $1\frac{1}{2}$ Phenolphthalein gr. $\frac{1}{4}$ Menthol gr. $\frac{1}{8}$ Liquorice, in powder gr. $\frac{1}{2}$ Excipient to gr. 4	50
	PULVERES (POWDERS—FOR INTERNAL USE)	
4	PULVIS ANTACIDUS (Pulv. Antacid.) Calcium Carbonate gr. 15 Heavy Magnesium Carbonate gr. 15 Sodium Bicarbonate gr. 30 Oil of Peppermint m. $\frac{1}{4}$	4 oz.

Re- peats.	Prescription.	Maximum Quantity
4	PULVIS CALCH ET MAGNESII PHOSPHATUM (Pulv. Calc. et Magnes. Phosph.) Tribasic Magnesium Phosphate gr. 30 Tribasic Calcium Phosphate gr. 30	4 oz.
4	PULVIS BISMUTHII ET CALCH COMPOSITUS (Pulv. Bism. et Calc. Co.) Bismuth Carbonate gr. 10 Calcium Carbonate gr. 20 Heavy Magnesium Carbonate gr. 20 Sodium Bicarbonate gr. 10	4 oz.
4	PULVIS KAOLINI COMPOSITUS (Pulv. Kaolin. Co.) Light Kaolin gr. 30 Heavy Magnesium Carbonate gr. 20 Sodium Bicarbonate gr. 10 Oil of Peppermint m. $\frac{1}{8}$	4 oz.
4	PULVIS MAGNESII TRISILICATIS ET BELLADONNAE (Pulv. Mag. Trisil. et Belladon.) Dry Extract of Belladonna gr. $\frac{1}{4}$ Magnesium Trisilicate to gr. 30	4 oz.
2	PULVIS SODII SALICYLATIS ET BICARBONATIS (Pulv. Sod. Salicyl. et Bicarb.) Sodium Salicylate gr. 10 Sodium Bicarbonate gr. 20	4 oz.
TABELLAE (TABLETS) (Not including those available under The Pharmaceutical Benefits Act)		
If a strength of a tablet is ordered and that strength is not specified in the following list, where only one strength is specified in the list the same maximum quantity and number of repeats will also apply in the case of all other strengths. Where two or more strengths are specified in the list, the same maximum quantity and number of repeats applicable to the strength first specified in the list will also apply to all lower strengths; and the same maximum quantity and number of repeats of the strength last specified in the list will also apply to all greater strengths.		
....	Tabellae Acidi Acetylsalicylici 5 gr.	25
....	Tabellae Acidi Acetylsalicylici Cum Ipecacuanha et Opio 5 gr.	10
....	Tabellae Acidi Acetylsalicylici et Phenacetini 6 gr.	10
1	Tabellae Acidi Ascorbici 50 mg.	25
2	Tabellae Acidi Ascorbici 250 mg.	25
1	Tabellae Acidi Nicotinici 50 mg.	25

Re- peats.	Prescription.	Maximum Quantity
2	Tabellae Acidi Nicotinici 250 mg.	25
....	Tabellae Aethisteroni 5 mg.	25
1	Tabellae Aneurinae Hydrochloridi 1 mg.	25
1	Tabellae Aneurinae Hydrochloridi 25 mg.	25
....	Tabellae Barbitoni 5 gr.	10
....	Tabellae Barbitoni Sodii 5 gr.	10
1	Tabellae Calcii Lactatis 5 gr.	25
....	Tabellae Codeinae { Acid. Acetylsal. 4 gr.	25
....	Compositae { Phenacetin 4 gr.	
....	Codein 1/8 gr.	
....	Tabellae Codeinae Phosphatis 1/2 gr.	10
2	Tabellae Dienoestrolis 1 mg.	25
2	Tabellae Hexoestrolis 1 mg.	25
2	Tabellae Hydrargyri cum Creta 1 gr.	20
....	Tabellae Hydrargyri Subchloridi 1 gr.	10
....	Tabellae Ipecacuanhae et opii 5 gr.	10
....	Tabellae Nicotinamidi 15 mg.	25
....	Tabellae Nicotinamidi 50 mg.	25
....	Tabellae Oestroni 1 mg.	25
....	Tabellae Phenacetini 5 gr.	10
....	Tabellae Phenazoni 5 gr.	10
1	Tabellae Phenobarbitoni 1/4 gr.	100
1	Tabellae Phenobarbitoni 1/2 gr.	100
1	Tabellae Phenobarbitoni 1 gr.	25
1	Tabellae Phenobarbitoni Sodii 1/2 gr.	100
1	Tabellae Phenobarbitoni Sodii 1 gr.	25
....	Tabellae Phenolphthaleini 2 gr.	6
....	Tabellae Potassii Bromidi 5 gr.	25
....	Tabellae Potassii Chloratis 5 gr.	20
2	Tabellae Sodii Bicarbonatis Compositae 5 gr.	25
2	Tabellae Sodii Citratis 2 gr.	25
2	Tabellae Sodii Salicylatis 5 gr.	25

UNGUENTA

(OINTMENTS)

1 UNGUENTUM ACIDI BENZOICI COMPOSITUM 2 oz.
(Ung. Ac. Benz. Co.: Whitfield's Ointment)

Benzoic Acid gr. 20
Salicylic Acid gr. 15
White Soft Paraffin gr. 120
Hard Paraffin gr. 30
Coconut Oil to oz. 1

UNGUENTUM PENICILLINI B.P.

(Ung. Penicillin.)

Contains 1000 units per gram.

1 UNGUENTUM EMULSIFICANS AQUOSUM B.P. 2 oz.
(Ung. Emuls. Aquos.)

Re- peats.	Prescription	Maximum Quantity.
1	UNGUENTUM ZINCI OXID B.P. (Ung. Zinci) To either of Ung. Emulsificans or Ung. Zinc Ox. may be added 1% of any of the following:— Menthol Carbolic Acid Crude Coal Tar Ichthyol Ammoniated Mercury Precipitated Sulphur Salicylic Acid SINGLE DRUGS COMMONLY PRESCRIBED UNCOMPOUNDED (Not including those available under The Pharmaceutical Benefits Act)	2 oz.
6	Acid Hydrochlor. dil.	8 fl. oz.
...	Tinct. Benz. Co.	2 fl. oz.
6	Tinct. Belladonnae	1 fl. oz.
1	Tinct. Digitalis	1 fl. oz.
...	Spts. Ammon. Aromat.	1 fl. oz.
1	Syr. Ferri. Phos. Co.	8 fl. oz.
6	Liq. Paraffin	8 fl. oz.
2	Ol. Olivae	8 fl. oz.
1	Ext. Casc. Sag. Liq.	2 fl. oz.
3	Ext. Malt	1 lb.
...	Ext. Ergotae. Liq.	1 fl. oz.
...	Acid Lactic	2 fl. oz.
...	Acid Acetic Glacial	½ fl. oz.

DRUGS AND PREPARATIONS NOT INCLUDED IN THE B.P. 1953 WHICH MAY ALSO BE PRESCRIBED.

Acetonum	Pilula Ferri Carbonatis B.P., 1948
Acidum Hydrocyanicum Dilutum	Phenazonum B.P., 1948
Acidum Sulphuricum Dilutum	Pix Carbonis
Aluminii Sulphas	Potassii Chloras B.P., 1948
Ammonii Bromidum	Sodium Oleatis, Acidum
Aqua (Potable Water)	Spiritus Chloroformi, Duplex
Aqua Anisi	Strychnina
Aqua Chlorbutolis	Syrupus Ferri Phosphatis
Argentoproteinum Mite	Compositus BP., 1948
Caffeina Citrata	Syrupus Glycerophosphatum
Ephedrinae Sulphas	Compositus A.P.F.
Extractum Ergotae Liquidum B.P., 1948	Syrupus Limonis Neutralis
Infusum Buchu	Syrupus Ruber
Infusum Senegae (Simple or Concentrated) B.P., 1948	Tabellae Hexoestrolis B.P., 1948
Lanette Wax SX	Tabellae Hydrargyri Cum Creta B.P., 1948
Linimentum Aconiti BP., 1948	Tabellae Oestroni B.P., 1948
Linimentum Belladonnae B.P., 1948	Tabellae Phenazoni B.P., 1948
Liquor Ammoniae Aromaticus	Tabellae Sodii Salicylatis B.P., 1948
Liquor Glycerylis Trinitratis	Tabellae Theobrominae Compositae
Magenta	Talcum Purificatum
Magnesium Phosphate, Tribasic	Tinctura Gelsemii
Oleum Citronellae	Tinctura Lobelliae Aetherae
Oleum Coccois	Tinctura Persionis
Oleum Pini	Tinctura Scillae B.P., 1948
Oxymel Scillae B.P., 1948	Triethanolamina
Pilula Colocynthis et Hyoscyami B.P., 1948	Unguentum Gallae cum Opio
Pilula Digitalis Co., B.P.C.	Xylenum

COMMONWEALTH OF AUSTRALIA.

DEPARTMENT OF HEALTH.

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

ANTIBIOTICS, ETC.

C.S.L. ANTIBIOTICS

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
60	Distilled Water ..	10 cc. ampoule	12	1
139	Penicillin (Calcium Salt)	5,000 U. ampoule 15,000 U. ampoule 100,000 U. bottle 200,000 U. " 500,000 U. " 1,000,000 U. "	6 6 6 6 6 6	— — — — — —
	Penicillin G. (Crystalline)	100,000 U. bottle 200,000 U. " 500,000 U. " 1,000,000 U. " 2,000,000 U. "	6 6 6 6 6	— — — — —
141	Procaine Penicillin G (Crystalline)	300,000 U. bottle 500,000 U. "	6 6	— —
	"Penaquacaine G"	900,000 U. " 1,500,000 U. " 3,000,000 U. "	6 6 6	— — —
	"Penaquacaine G" Fortified	400,000 U. bottle 667,000 U. " 1,200,000 U. " 2,000,000 U. "	6 6 6 6	— — — —
142	Procaine Penicillin G (Oily Injection)	300,000 U. per cc., 1 cc. amp. 300,000 U. per cc., 10 cc. bot.	6 1	— —
179	Sterile Saline ..	10 cc. ampoule	6	1

COMMONWEALTH OF AUSTRALIA

DEPARTMENT OF HEALTH

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

ENDOCRINE PREPARATIONS

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
89	Insulin ..	20 U. per cc., 10 cc. vial.. 40 U. per cc., 10 cc. vial.. 60 U. per cc., 5 cc. vial .. 80 U. per cc., 5 cc. vial .. 100 U. per cc., 5 cc. vial ..	3 3 3 3 3	12 12 12 12 12
90	Insulin (Crystal- line)	40 U. per cc., 10 cc. vial..	3	12
92	Insulin (Special P.)	20 U. per cc., 10 cc. vial.. 40 U. per cc., 10 cc. vial.. 60 U. per cc., 5 cc. vial ..	3 3 3	12 12 12
93	Insulin Protamine Zinc.	40 U. per cc., 10 cc. vial.. 80 U. per cc., 5 cc. vial ..	3 3	12 12
160	Pituitary (Posterior Lobe). Ob- stetrical	0.5 cc. ampoule 1.0 cc. "	6 6	— —
214	Pituitary (Posterior Lobe) Surgi- cal	0.5 cc. ampoule 1.0 cc. "	6 6	— —
210	Thyroid B.P. ..	1/32 gr. tab. 1/16 gr. tab. 1/10 gr. tab. 1/8 gr. tab. 1/4 gr. tab. 1/2 gr. tab. 1 gr. tab. 1½ gr. tab. 2½ gr. tab.	100 100 100 100 100 100 100 100 100	3 3 3 3 3 3 3 3 3

C.S.L. ENDOCRINES

COMMONWEALTH OF AUSTRALIA

DEPARTMENT OF HEALTH

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

SERA, VACCINES, AND OTHER PROPHYLACTIC AGENTS

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
21	Vaccine Lymph (Calf Lymph)	Capillary tube	1	—
32	Cholera Vaccine	4,000 M. per cc., 1 cc. amp.	3	—
		4,000 M. per cc., 10 cc. vial	1	—
		8,000 M. per cc., 1 cc. amp.	2	—
		8,000 M. per cc., 10 cc. vial	1	—
55	Diphtheria and Tetanus Toxoids Combined	1 cc. ampoule	3	—
		5 cc. „	1	—
56	Diphtheria Anti-toxin	1,000 U. ampoule	2	1
		2,000 U. „	2	1
		4,000 U. „	2	1
		6,000 U. „	2	1
		8,000 U. „	2	1
		10,000 U. „	2	1
		20,000 U. „	2	1
57	Diphtheria and Pertussis Anti-gen (Mixed)	1 cc. ampoule	3	—
		5 cc. „	1	—
58	Diphtheria Prophylactic (Formalinized Toxoid)	Set containing 3 ampoules each 1 cc. Toxoid undiluted and 1 ampoule of 1 cc. Toxoid diluted	1	1
		Set containing 9 ampoules each 1 cc. Toxoid undiluted and 3 ampoules of 1 cc. Toxoid diluted	1	—
59	Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate)	1 cc. ampoule	2	1
		5 cc. „	1	—

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
	Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) Diluted for immunisation of Adults only.	Set containing 2 amps. each 1 cc. Diphtheria Prophylactic (P.T.A.P.) diluted for immunisation of Adults only and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for Skin Test only.	1	—
76	Gas Gangrene Anti-toxin (Oedematiens)	10,000 U. ampoule ..	3	1
77	Gas Gangrene Anti-toxin (Perfringens)	4,000 U. ampoule .. 10,000 U. " ..	3 10	1 1
78	Gas Gangrene Anti-toxin (Polyvalent)	ampoule containing— 3,000 U. perfringens 1,500 U. septique 1,000 U. oedematiens ampoule containing— 7,500 U. perfringens 3,750 U. septique 2,500 U. oedematiens	2 2	1 1
79	Gas Gangrene Anti-toxin (Septique)	5,000 U. ampoule	2	1
146	Pertussis Vaccine (Phase 1)	1,000 M. per cc., 1 cc. amp. 5,000 M. per cc., 1 cc. amp. 5,000 M. per cc., 10 cc. vial 10,000 M. per cc., 1 cc. amp. 10,000 M. per cc., 10 cc. vial	3 3 1 3 1	1 1 — 1 —
200	T.A.B. Vaccine (Anti-Typhoid-Paratyphoid)	1 cc. ampoule containing— 1,000 M. B.Typhosus 500 M. B.Paratyphosus A. 500 M. B.Paratyphosus B. 10 cc. vial	3 1	— —
204	Tetanus Anti-toxin	500 I.U. (1950) ampoule 1,000 I.U. (1950) " 1,500 I.U. (1950) " 5,000 I.U. (1950) " 10,000 I.U. (1950) "	6 6 6 6 6	1 1 1 1 1
205	Tetanus Toxoid (Formalinized)	1 cc. ampoule	3	—
211	Tiger Snake Anti-Venene	1,500 U. per ampoule ..	4	1

