

CONFIDENTIAL



CONFIDENTIAL

NATIONAL HEALTH ACT 1953.
PENSIONER PHARMACEUTICAL BENEFITS.
List of Tablets and Pills which may
be prescribed as Pensioner Pharma-
ceutical Benefits.

Effective from 1st Jan. 1955.
All Previous Lists cancelled.

Item	Strength	Max. Qty.	No. of Repeat
Tab. Ac. Acetylsalicylic	5gr.	25	2
" Ac. Acetylsalicylic			
c̄ Ipecac & Opii	5gr.	25	2
" Ac. Acetylsalicylic			
& Phenacetin	6gr.	25	2
" Ac. Ascorbic	25mg.	25	2
	50mg.	25	2
	100mg.	25	2
	200mg.	25	2
	250mg.	25	2
" Ac. Nicotinic	50mg.	25	2
	100mg.	25	2
	250mg.	25	2
" Aethisterone	5mg.	25	2
	10mg.	25	2
	25mg.	25	2
" Aminophyllin)	1 $\frac{1}{2}$ gr.)	100	1
c̄ Phenobarb)	$\frac{1}{2}$ gr.)		
" Ammon. Chloride	7 $\frac{1}{2}$ gr.	25	2
	10gr.	25	2
Amphetamine Sulph.	5mg.	25	2
" Aneurine Hcl.	1mg.	25	2
	3mg.	25	2
	5mg.	25	2
	10mg.	25	2

Item	Strength	Max. Qty.	No. of Repeats
Tab. Aneurine Hcl.	15mg.	25	2
	20mg.	25	2
	25mg.	25	2
	50mg.	25	2
" A.P.C.		25	2
" Barbitone	5gr.	25	2
" Barbitone Sodium	5gr.	25	2
	7 $\frac{1}{2}$ gr.	25	2
" Calciferol	1.25mg.	25	2
" Calc. Gluconate	10gr.	100	1
" Calc. Lactate	5gr.	25	2
" Cascara Sagrada	3gr.	25	2
	5gr.	25	2
" Codein Co.		25	2
" Codein Phosphate	$\frac{1}{2}$ gr.	25	2
" Codein Phosphate	$\frac{1}{4}$ gr.	25	2
Sodii Pentobarb	$\frac{1}{2}$ gr.		
Phenacetin	5gr.		
" Ephedrine $\bar{c}$)	$\frac{1}{2}$ gr.	25	2
Phenobarb)	$\frac{1}{4}$ gr.		
" Ethinyl Oestradiol	0.01mg.	25	2
	0.02mg.	25	2
	0.05mg.	25	2
	1.0 mg.	25	2
" Ferrous Sulphate	3gr.	25	2
	5gr.	25	2
Hexoestrol	0.5 mg.	25	2
	1.0 mg.	25	2
	5.0 mg.	25	2
" Hydrarg. Subchlor	$\frac{1}{2}$ gr.	25	2
	1gr.	25	2

Item	Strength	Max. Qty.	No. of Repeats
Ta Ipecac ̄ Opii	5gr.	25	2
" Mepyramine Maleate	50mg.	25	2
	100mg.	25	2
" Nicotinamide	50mg.	25	2
" Oestrone	0.1mg.	25	2
	0.5mg.	25	2
	1.0mg.	25	2
" Pentobarbitone Sod.	$\frac{1}{2}$ gr.	25	2
	$1\frac{1}{2}$ gr.	25	2
" Phenacetin	5gr.	25	2
" Phenazone	5gr.	25	2
" Phenobarbitone	$\frac{1}{4}$ gr.	100	2
	$\frac{1}{2}$ gr.	100	2
	1gr.	100	2
	$1\frac{1}{2}$ gr.	100	2
	2gr.	100	2
" Phenobarbitone Sod.	$\frac{1}{4}$ gr.	100	2
	$\frac{1}{2}$ gr.	100	2
	1gr.	100	2
" Potassium Bromide	5gr.	25	2
" Potassium Chlorate	5gr.	25	2
" Promethazine Hcl.	100mg.	25	2
	250mg.	25	2
" Riboflavine	1mg.	25	2
	3mg.	25	2
	5mg.	25	2
" Saccharin	$\frac{1}{4}$ gr.	200	1
	$\frac{1}{2}$ gr.	200	1
" Sodium Bicarb Co.	5gr.	25	2
" Sodium Citrate	2gr.	25	2
	5gr.	25	2

Item	Strength	Max. Qty.	No. of Repeats
Taf Sodium Salicylate	5gr.	25	2
" Sodium Salicylate (Enteric Coated)	5gr. 7 $\frac{1}{2}$ gr.	25 25	2 2
" Theobrom & Phenobarb	5gr.	100	1
" Theobrom & Sod. Sal.	7 $\frac{1}{2}$ gr.	100	1
" Thiouracil	50mg.	25	2
	200mg.	25	2
Troch. Penicillin	1000IU	25	-
	5000IU	25	-
Pil. Aloes et Nux Vom.		50	2
Pil. Bland	5gr.	50	2
	10gr.	50	2
" Colocynth et Hyoscyamus		50	2
" Digitalis Co.		50	2
" Hydrarg		50	2
" Phenolphthalein Co.		50	2
" Rhei Co.		50	2
" Sodium Oleat Co.		50	2
Cap. Pentobarbitone Sod.	$\frac{1}{2}$ gr.	12	1
	1 $\frac{1}{2}$ gr.	12	1

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS

1954-55 EDITION—(No. 8)

(Effective from 1st February, 1955)

SECTION A

MANUFACTURERS AND CODES

Page 1—Delete the following:—

Colonial Sugar Refining Co.

CO

LIST A

Item No.	Item Name	Amendment
11	Atropine Sulphate	1/150 gr. hypo. tab.—Delete BT 1/100 gr. hypo. tab.—Delete BT
40	Digitoxin	0.1 mg. tab.—Add PR 0.2 mg. tab.—Add PR
82	Hyoscine Hydro- bromide	1/200 gr. hypo. tab.—Delete BT 1/100 gr. hypo. tab.—Delete BT
93	Leptazol, Injection of	1.1 cc. amp.—Delete FM 3 cc. amp.—Delete FM 5 cc. amp.—Delete FM
107	Morphine Sulphate	1/6 gr. hypo. tab.—Delete BT 1/3 gr. hypo. tab.—Delete BT
108G	Morphine Sulphate ¼ gr., Atropine Sulphate 1/150 gr.	1 hypo. tab.—Delete BT
161	Sodium Chloride Physiological Solution for Injection	5 cc. amp.—Delete BT 10 cc. amp.—Delete BT
167	Sulphadiazine	0.5 G. tab.—Delete FM
170	Sulphaguanidine	0.5 G. tab.—Delete FM
171	Sulphamerazine	0.5 G. tab.—Delete FM
175	Sulphathiazole	0.5 G. tab.—Delete CB, FM, RY
176	Sulphonamides Mixed, (A); Two Sulphonamides	0.25 G. tab.—Add PR 0.5 G. tab.—Add PR
183	Theophylline with Ethylenediamine	1½ gr. tab.—Delete BT
184	Thiacetazone	50 mg. tab.—Delete FM
194	Vitamin K (Oral)	5 mg. tab.—Add PR 10 mg. tab.—Add PR

LIST B (Part 2)

Item No.	Item Name	Amendment
6	Cortisone Acetate	25 mg. tab.—Add AD
8	Deoxycortone Acetate, Aqueous Suspension of	Delete all reference to the fol- lowing form of unit:— 50 mg. amp.
10	Dienoestrol	5 mg. tab.—Add PR 10 mg. tab.—Add PR
13	Isoniazid	50 mg. tab.—Delete HA
15	Para-Aminosalicylic Acid	0.3 G. tab.—Delete CO 0.5 G. tab.—Delete HA
34	Vitamin B 12, Injection of	Delete all reference to the fol- lowing form of unit:— 15 γ per 1 cc. amp.

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

FIRST SCHEDULE

Page 57—Delete the following:—

Cibazol	175	CB
Conteben	184	FM

Page 60—Delete the following:—

Mezatox	171	FM
---------	-----	----

Page 61—Delete the following:—

Pneumotox	167	FM
-----------	-----	----

Page 62—Delete the following:—

Shigatox	170	FM
Staphtox	175	FM

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

SECOND SCHEDULE—RESTRICTED DRUGS

Page 64—Add the following:—

Cortic	6	AD
--------	---	----

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS 1954-55 EDITION (No. 7)

(Effective from 1st January, 1955)

Special attention is drawn to the following changes effective from 1st January, 1955.

1. Water for Injection—The provision restricting the prescribing of this item to cases where it is to be used with certain specified benefits only has been withdrawn.
2. Sub-paragraph (b) of paragraph 3 on page A of Section A beginning "Water for Injection" and ending "Hypodermic tablets", should therefore be deleted.

Variation in maximum quantities and/or number of repeats:—

Item No.	Item Name	Amendment
38	Digifortis	Maximum quantity for both forms of unit increased to 100
72	Glyceryl Trinitrate	Maximum quantity for all forms of unit increased to 100
135	Phemitone	Maximum quantity for all forms of unit increased to 200
139	Phenytoin Sodium	Maximum quantity for all forms of unit increased to 200
189	Triethanolamine Trinitrate	Maximum quantity increased to 100
195	Water for Injection	Maximum quantity and no. of repeats for all forms of unit changed to 6 and 3 respectively

3. The addition of a 10 cc. vial (maximum quantity 2; no. of repeats 1) to Item No. 161, Sodium Chloride Physiological Solution for Injection.

4. Attention is also drawn to the amendments to the List of Pensioner Pharmaceutical Benefits set out below under the heading "Section B".

SECTION A

Page 3—Add the following Manufacturer's Name and Code—
Union International Co. Ltd.—UI

LIST A

Item No.	Item Name	Amendment
11	Atropine Sulphate	1/150 gr. per cc., 1 cc. amp.— Add SJ 1/100 gr. per cc., 1 cc. amp.— Add SJ

Item No.	Item Name	Amendment
38	Digifortis	Amend maximum quantity in column 4 from "50" as shown to "100" for all forms of unit
57	Ephedrine Hydrochloride	$\frac{1}{4}$ gr. tab.—Add PR $\frac{1}{2}$ gr. tab.—Add PR
72	Glyceryl Trinitrate	Delete all reference to 1/100 gr. hypo. tab. Amend maximum quantity in column 4 from "50" as shown to "100" for all forms of units
83	Insulin, Injection of	Delete all reference to 60 U. per cc., 5 cc. vial 20 U. per cc., 5 cc. vial—Delete BW 40 U. per cc., 5 cc. vial—Add BS-UI 40 U. per cc., 10 cc. vial—Add BS-UI 80 U. per cc., 5 cc. vial—Delete CS
88	Insulin Protamine Zinc, Injection of	80 U. per cc., 5 cc. vial—Delete CS
93	Leptazol, Injection of	Delete all reference to 1 cc. amp. 3 cc. amp.—Delete BT
103	Methionine	50 G. bottle—Add AS
121	Papaverine Hydrochloride	$\frac{3}{4}$ gr. tab.—Add PR $1\frac{1}{2}$ gr. tab.—Add PR
125	Penicillin, Injection of	100,000 U. amp.—Delete BT
133	Pethidine Hydrochloride	50 mg. tab.—Add PR
135	Phemitone	Amend maximum quantity in column 4 from "100" as shown to "200" for all forms of unit
138	Phenylindanedione	50 mg. tab.—Add IC
139	Phenytoin Sodium	Amend maximum quantity in column 4 from "100" as shown to "200" for all forms of unit
161	Sodium Chloride Physiological Solution for Injection	10 cc. amp.—Delete PD Add 10 cc. vial; PD; 2; 1
167	Sulphadiazine	0.5 G. tab.—Add PR
168	Sulphadimidine	0.5 G. tab.—Add PR
170	Sulphaguanidine	0.5 G. tab.—Add PR
171	Sulphamerazine	0.5 G. tab.—Add PR

Item No.	Item Name	Amendment
174	Sulpharsphenamine, Injection of	Delete all reference to 0.1 G. amp; 0.75 G. amp. & 0.9 G. amp. Delete BT against 0.15 G. amp.; 0.3 G. amp.; 0.45 G. amp. and 0.6 G. amp.
175	Sulphathiazole	0.5 G. tab.—Add PR
177	Sulphonamides, Mixed (B): Three	0.3 G. tab.—Add PR
	Sulphonamides	0.5 G. tab.—Add PR
183	Theophylline with Ethylenediamine	1½ gr. tab.—Add PR
187	Thyroid, B.P.	¼ gr. tab.—Add PR ½ gr. tab.—Add PR 1 gr. tab.—Add PR 2 gr. tab.—Add PR
189	Triethanolamine Trinitrate	Amend maximum quantity in column 4 from "50" as shown to "100" for all forms of unit
195	Water for Injection	2 cc. amp.—Delete BT 5 cc. amp.—Delete BT 10 cc. amp.—Delete BT Amend maximum quantity in column 4 against 5 cc. amp. and 10 cc. amp. from "12" as shown to "6" Amend no. of repeats in column 5 from "1" as shown to "3" for all forms of unit

LIST B (PART II)

6	Cortisone Acetate	25 mg. tab.—Add PR
11	Dihydrostreptomycin	1 G. vial—Delete SI
12	Folic Acid	5 mg. tab.—Add PR
13	Isoniazid	50 mg. tab.—Add PR 100 mg. tab.—Add PR
15	Para-Aminosalicylic Acid	0.5 G. tab.—Add PR
21	Quinine Sulphate	5 gr. tab.—Add PR
22	Sodium Para- Aminosalicylate	7½ gr. tab.—Add PR
23	Stilboestrol	1 mg. tab.—Add PR 5 mg. tab.—Add PR
24	Streptomycin	1 G. vial—Add SI
29	Testosterone Methyl	25 mg. tab.—Add PR 50 mg. tab.—Add PR

Item No.	Item Name	Amendment
34	Vitamin B 12, Injection of	20 γ per 1 cc. amp.—Delete BL 50 γ per 1 cc. amp.—Delete BL 100 γ per 1 cc. amp.—Delete BL

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES—FIRST SCHEDULE

Page		
56	Amend the name "Anginine" to read "Anginine stabilised"	
	Delete the following:—	
	Bisantol 17	MB
59	Add the following:—	
	Indema 138	IC
62	Delete all reference:—	
	Sulphostab 174	BT
63	Add 114 under Item No. against Viules	

SECTION B

PENSIONER PHARMACEUTICAL BENEFITS

Table of Maximum Quantities and Number of Repeats

D	Add the following:—	
	Tablets, Theobromine Sodium Salicylate;	100; 1
	Tablets, Saccharin	200; 1

PRESCRIBERS' LIST

Page	
XII	Delete "1%" from the Prescription Name "OCULENTUM HYDRARGYRUM AMMONIATUM 1% (Oculent. Hydrarg. Ammon. 1%)"
	Delete "10%" from the Prescription Name "OCULENTUM SULPHACETAMIDI 10% (Oculent. Sulphacetamid. 10%)"

LIST A

Pensioner Benefits Additional to Those Covered by Monograph in the British Pharmacopoeia, 1953

Page	
XVIII	Add the following:— Tabellae Amphetamine Sulphatis B.P.C.
XIX	Add the following:— Tabellae Saccharini B.P.C. Tabellae Sodii Salicylatis (Enteric Coated)

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—1954-55 EDITION (No. 6)

(Effective from 1st December, 1954)

SECTION A

Page 3—Add the following Manufacturer's Name and Code:—

St. Just Laboratory SJ

LIST A

Item No.	Item Name	Amendment
11	Atropine Sulphate	1/150 gr. per cc., 1 cc. amp.—Add BT
17	Bismuth Salicylate, Oily Injection of	Delete all reference to 50 cc. bottle
26	Chiniofon	0.25 G. tab.—Delete IC Delete all reference to 0.5 G. tab.
40	Digitoxin	Delete all reference to 1/100 gr. hypo. tab. 0.1 mg. tab.—Delete BW, ST 0.2 mg. tab.—Delete ST
82	Hyoscine Hydrobromide	Delete all reference to 1/50 gr. hypo. tab. 1/100 gr. amp.—Add BT
97	Mepacrine Methane- sulphonate, Injection of	Delete all reference to this item
119	Pamaquin	Delete all reference to 0.018 G. and 0.036 G. tabs.
126	Penicillin, Procaine, Aqueous Suspension of	900,000 U. vial—Add BT 1,500,000 U. vial—Add AH, BT
137	Phenobarbitone Sodium, Injection of	3 gr. per 2 cc. amp.—Add BT
181	Tetanus Anti-Toxin	Delete all reference to 5,000 I.U. (1950) amp.

Item No.	Item Name	Amendment
185	Thiouracil, Methyl	0.1 G. tab.—Delete IC 0.2 G. tab.—Delete IC
195	Water for Injection	2 cc. amp.—Add SJ 5 cc. amp.—Add SJ

LIST B (Part 2)

11	Dihydrostreptomycin	1 G. vial—Delete ST
24	Streptomycin	1 G. vial—Delete ST
34	Vitamin B 12, Injection of	20 γ per 1 cc. amp.— Delete ST 1000 γ per cc., 1 cc. amp. —Add BT

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES—FIRST SCHEDULE

Page 56—Delete all reference:—

Bisantol	17	MB
---------------	----	----

Page 57—Delete all reference:—

Digisidin	40	ST
----------------	----	----

Page 61—Delete Item No. "126" against "Pro-Stabillin"

Add the following:—

Pro-Stabillin AS	126	BT
-----------------------	-----	----

Page 63—Add Item No. "82" against "Viules"

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—1954-55 EDITION (No. 5)

(Effective from 1st November, 1954)

SECTION A

LIST A

Item No.	Item Name	Amendment
39	Digitalis	$\frac{1}{2}$ gr. tab.—Delete SI 1 gr. tab.—Delete SI
88A	Insulin Zinc Suspension	Add "Lente" after Item Name
88B	Insulin Zinc Suspension (Amorphous)	Add "Semilente" after Item Name
88C	Insulin Zinc Suspension (Crystalline)	Add "Ultralente" after Item Name
126	Penicillin, Procaine, Aqueous Suspension of	1,500,000 U. vial—Add EV
140	Phthalylsulphacetamide	0.5 G. tab.—Add VR
168	Sulphadimidine	0.5 G. tab.—Add VR

LIST B (Part 2)

10	Dienoestrol	10 mg. tab.—Add DH
23	Stilboestrol	10 mg. tab.—Add DH
24	Streptomycin	1 G. vial—Add PF
25	Streptomycin Sulphate, Solution for Injection	250,000 U. per mil., 4 mil. vial—Add AH Add 500,000 U. per mil; 2 mil. vial; GL; 5; 3

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES—FIRST SCHEDULE

Page 57—Delete all reference:—

Bisglucol 14

Page 58—Add the following:—

Dimidi-Sulph 140 VR

Distaquaine Suspension 126

Page 62—Add the following:—

Thalacet 168 VR

SPECIAL NOTICE

Arrangements are being made to reintroduce official prescription forms and it is anticipated that supplies will become available during January next. Books of these forms will then be obtainable as before from the Deputy-Director of Health in your State.

The use of the official form will be entirely voluntary. The form has been designed to facilitate compliance with the law relating to the supply of pharmaceutical benefits.

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—1954-55 EDITION (No. 4)

(Effective from 1st October, 1954)

SECTION A MANUFACTURERS AND CODES

Page 3—Add the following Manufacturer's Name and Code—
Prosana Laboratories PR

LIST A

Item No.	Item Name	Amendment
40	Digitoxin	0.2 mg. tab.—Add PD 0.25 mg. tab.—Add TO
72	Glyceryl Trinitrate	1/200 gr. tab.—Delete SI 1/130 gr. tab.—Delete SI 1/100 gr. tab.—Delete SI 1/65 gr. tab.—Delete SI
88B	Insulin Zinc Suspension (Amorphous)	80 U. per mil., 10 mil. vial —Add A.H.-B.D.
88C	Insulin Zinc Suspension (Crystalline)	80 U. per mil., 10 mil. vial —Add A.H.-B.D.
95	Liver Extract, Injection of	5 U.S.P.U. per cc., 10 cc. vial—Add PR
135	Phemitone	$\frac{1}{2}$ gr. tab.—Add DH, PR 1 gr. tab.—Add DH, PR 3 gr. tab.—Add DH, PR
165	Succinylsulphathiazole	0.5 G. tab.—Delete AN
166	Sulphacetamide	0.5 G. tab.—Add MG

LIST B (PART 2)

2	Calcium Para-Aminosalicylate	2.0 G. cachet—Add KL
10	Dienoestrol	5 mg. tab.—Add TO 10 mg. tab.—Add TO
15	Para-Aminosalicylic Acid	0.3 G. tab.—Delete SI
17	Progesterone, Injection of	10 mg. amp.—Add BT
22	Sodium Para-Aminosalicylate	2.0 G. cachet—Add KL
32	Testosterone Propionate, Injection of	50 mg. per 1 cc. amp.—Add KL

Item No.	Item Name	Amendment
33	Tetracycline	50 mg. cap.—Add PF 100 mg. cap.—Add PF 250 mg. cap.—Add PF 100 mg. vial—Add PF
34	Vitamin B12, Injection of	50 γ per 1 cc. amp.—Add AN

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

Page 57—Add the following:—

Cardigen	40	PD
----------	----	----

Page 59—Add the following:—

Hepa-B-plex "5"	95	PR
-----------------	----	----

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

SECOND SCHEDULE—RESTRICTED DRUGS

Page 66—Add 17 under Item No. against Viules.

SECTION B

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS

Attention is drawn to the fact that the number of repeats allowable for Powder Antacid; Powder Calc. et Mag. Phosph. and Powder Bism. et Calc. Co. has been increased from 2 to 3. The following alterations should therefore be made to the Table—

Page D—

Delete the following:—

Powder for internal use; 4 oz.; 2

Add the following:—

Powder Antacid; 4 oz.; 3

Powder Calc. et Mag. Phosph.; 4 oz.; 3

Powder Bism. et Calc. Co; 4 oz.; 3

All other Powders for internal use; 4 oz.; 2

PRESCRIBERS' LIST

Page XIII—Amend the formulæ for Pigmentum Violæ to the following:—

Crystal Violet	1 gr.
Water	to 1 fl. oz.

CORRIGENDA TO AMENDMENT No. 3 SECOND SCHEDULE

13A	Methorphan	The maximum quantity against 1.5 mg. tab. should read "25" in lieu of "6", as shown.
-----	------------	--

**AMENDMENTS TO NOTES ON THE
PHARMACEUTICAL BENEFITS
REGULATIONS—1954-55 EDITION (No. 3)**

(Effective from 1st September, 1954)

Special attention is drawn to the following changes effective from 1st September, 1954:—

FIRST SCHEDULE

(1) The addition of the following new items:—

- Item No. 80A—Hexamethonium Bromide;
- 80B—Hexamethonium Bromide Retard;
- 88A—Insulin Zinc Suspension;
- 88B—Insulin Zinc Suspension (Amorphous);
- 88C—Insulin Zinc Suspension (Crystalline);
- 122A—Parathyroid Extract;
- 128A—Pentolinium Tartrate;
- 128B—Pentolinium Tartrate Retard; and
- 162A—Sodium Lactate Solution.

(2) The deletion of Item No. 84 Insulin (Crystalline), Injection of. This item is identical with Item No. 83.

(3) The increase in the maximum quantity, where applicable, of 1 million and 1.2 million unit strengths of the Penicillin Items No. 125, 126, 127 and 128.

(4) The addition of a 1.5 cc. vial to Item No. 50, Diphtheria, Pertussis and Tetanus Antigen.

SECOND SCHEDULE (RESTRICTED DRUGS)

(1) The addition of the following new items:—Item No. 1A—Aureomycin Granules; 1B—Aureomycin Oral Suspension; 13A—Methorphan, and 24A—Streptomycin Sulphate, Intrathecal Injection of.

(2) The addition of new forms of unit of the following items—Items No. 14—Pancreatin, and 34—Vitamin B 12, Injection of.

GENERAL NOTES

Page 2, Clause 9, para. 4, beginning "The Director General may", add the following sentence:—

Applications for authority should be submitted to the Deputy Director of Health in your State.

SECTION A

LIST A

Item No.	Item Name	Amendment
4	Adrenalin Tartrate, Solution of	1 in 1000, 1 cc. amp.—Add KL
14	Bismuth, Aqueous Injection of	25 cc. bottle—Delete MB
39	Digitalis	$\frac{1}{2}$ gr. tab.—Add TO 1 gr. tab.—Add TO
40	Digitoxin	0.1 mg. tab.—Add TO 0.2 mg. tab.—Add TO
50	Diphtheria, Pertussis and Tetanus Antigen	Add the following:— 1.5 cc. vial; SD; 1; ...
57	Ephedrine Hydrochloride	$\frac{1}{4}$ gr. tab.—Add TO $\frac{1}{2}$ gr. tab.—Add TO
58	Ephedrine Sulphate	$\frac{1}{2}$ gr. tab.—Add. KL
60	Ergot (Prepared)	2 $\frac{1}{2}$ gr. tab.—Add TO
72	Glyceryl Trinitrate	1/200 gr. tab.—Add TO 1/100 gr. tab.—Add TO
81-82	Delete all reference to items No. 81 and 82 on page 20 and insert new page 20A herewith. The new page includes new items 80A Hexamethonium Bromide and 80B Hexamethonium Bromide Retard.	
84	Insulin (Crystal-line), Injection of	Delete all reference to this item
89-93	Delete all reference to items No. 89, 90, 91, 92 and 93 from page 22 and insert new pages 22A and 22B herewith. The new pages include new items 88A Insulin Zinc Suspension, 88B Insulin Zinc Suspension (Amorphous) and 88C Insulin Zinc Suspension (Crystalline).	
107	Morphine Sulphate	1/12 gr. hypo. tab.—Delete HY $\frac{1}{8}$ gr. hypo. tab.—Delete HY 1/6 gr. hypo. tab.—Delete HY 1/4 gr. hypo. tab.—Delete HY 1/3 gr. hypo. tab.—Delete HY 1/2 gr. hypo. tab.—Delete HY
121	Papaverine Hydrochloride	$\frac{3}{4}$ gr. tab.—Add TO 1 $\frac{1}{2}$ gr. tab.—Add TO

Item No.	Item Name	Amendment
Add the following new Item No., Name and Form of Unit:—		
122A	Parathyroid Extract	100 U. per cc., 5 cc. bottle; PD; 1;
125	Penicillin, Injection of	Amend maximum quantity in column 4 against 1 mil. unit amp. from "1" to "2"
126	Penicillin, Procaine, Aqueous Suspension of	Amend maximum quantity in column 4 against 1 mil. unit vial from "1" to "2"
127-128	Delete all reference to items No. 127 and 128 shown on page 31 and insert page 30A herewith. The new page includes new items 128A Pentolinium Tartrate and 128B Pentolinium Tartrate Retard.	
133	Pethidine Hydrochloride	50 mg. per cc., 10 cc. vial— Add KL 25 mg. tab.—Add TO 50 mg. tab.—Add TO
135	Phemitome	$\frac{1}{2}$ gr. tab.—Add KL, TO 1 gr. tab.—Add KL, TO 3 gr. tab.—Add KL, TO
139	Phenytoin Sodium	0.1 G. tab.—Add KL, TO
140	Phthalylsulphacetamide	0.5 G. tab.—Add KL, TO
154	Quinidine Sulphate	3 gr. tab.—Add TO
161	Sodium Chloride, Physiological Solution for Injection	20 cc. amp.—Add KL 50 cc. amp.—Add KL
Add the following new Item No., Name and Form of Unit:—		
162A	Sodium Lactate Solution	1/6 molar, 1 litre bottle; DH; 2; 1
166	Sulphacetamide	0.5 G. tab.—Add TO
167	Sulphadiazine	0.5 G. tab.—Add TO
168	Sulphadimidine	0.5 G. tab.—Add TO
170	Sulphaguanidine	0.5 G. tab.—Add TO
171	Sulphamerazine	0.5 G. tab.—Add TO
175	Sulphathiazole	0.5 G. tab.—Add TO

Item No.	Item Name	Amendment
183	Theophylline with Ethylenediamine	1½ gr. tab.—Add TO
185	Thiouracil Methyl	0.05 G. tab.—Add TO 0.1 G. tab.—Add TO 0.2 G. tab.—Add TO
186	Thiouracil Propyl	25 mg. tab.—Add TO 50 mg. tab.—Add TO
187	Thyroid B.P.	1/32 gr. tab.—Delete BW 1/16 gr. tab.—Delete BW 1/10 gr. tab.—Delete BW ¼ gr. tab.—Add TO ½ gr. tab.—Add TO 1 gr. tab.—Add TO
194	Vitamin K (Oral)	5 mg. tab.—Add TO 10 mg. tab.—Add TO

LIST B (Part 1)

SECOND SCHEDULE (RESTRICTED DRUGS)

Page 44—Add the following:—

Col. 1	Col. 2	Col. 3
1A	Aureomycin Granules	Any disease or purpose specified in this column in relation to Aureomycin.
1B	Aureomycin Oral Suspension	Any disease or purpose specified in this column in relation to Aureomycin.

Page 46—Add the following:—

13A	Methorphan	Inoperable cancer.
24A	Streptomycin Sulphate, Intrathecal Injection of	Tuberculous meningitis.

LIST B (Part 2)

Add the following new Item No., Name, and Form of Unit:—

1A	Aureomycin Granules	75 G. bottle; LE; 1; ...
----	---------------------	--------------------------

Add the following new Item No., Name, and Form of Unit:—

1B	Aureomycin Oral Suspension	100 mg. per cc., 10 cc. vial; LE; 1; ...
----	----------------------------	--

Item No.	Item Name	Amendment
10	Dienoestrol	5 mg. tab.—Add SI
12	Folic Acid	5 mg. tab.—Add SI
13	Isoniazid	50 mg. tab.—Add TO 100 mg. tab.—Add AN, KL
Add the following new Item No., Name, and Form of Unit:—		
13A	Methorphan	2.2 mg. per 1.1 cc. amp; RO; 6; 1.5 mg. tab; RO; 6;
14	Pancreatin	Add the following new Form of Unit:— 1 oz. vial; PD; 1; 2
15	Para-Aminosalicylic Acid	0.5 G. tab.—Add TO
18	Quinine Bisulphate	5 gr. tab.—Add TO
21	Quinine Sulphate	5 gr. tab.—Add TO
22	Sodium Para-Aminosalicylate	7½ gr. tab.—Add TO
23	Stilboestrol	1 mg. tab.—Add TO 5 mg. tab.—Add TO 10 mg. tab.—Add TO
Add the following new Item No., Name, and Form of Unit:—		
24A	Streptomycin Sulphate, Intrathecal Injection of	100,000 U. amp.; EV; 10; 3
25	Streptomycin Sulphate, Solution for Injection	250,000 U. mil., 4 mil. vial— Add EV
34	Vitamin B 12, Injection of	Add the following new Form of Unit:— 50 γ per cc., 10 cc. vial; GL; PD; 1; 100 γ per cc., 10 cc. vial—Add GL, KL; Delete EV 1000 γ per cc., 10 cc. vial— Add GL, KL 20 γ per 1 cc. amp.—Delete EV

LIST C

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Page 55—Delete entries in columns 3 and 4 against item No. 126 Penicillin, Procaine, Aqueous Suspension of, and substitute "ampoule or vial" in column 3 and "12" in column 4. Either or both forms may be ordered up to a total maximum quantity of 12.

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

FIRST SCHEDULE

Page 56—Add the following:—

Ansolysen	128A	MB
Ansolysen Retard	128B	MB

Page 57—Add the following:—

Detoin	139	KL
--------	-----	----

Page 60—Add the following:—

1/6 Molar Lactate	162A	DH
-------------------	------	----

Page 61—Add the following:—

Paroidin	122A	PD
Promiton	135	KL

Page 63—Add the following:—

Vasitrin	72	DH
Vegolysen	80A	MB
Vegolysen Retard	80B	MB

SECOND SCHEDULE

Page 64—Add the following:—

Aureomycin Spersoids	1A	LE
Aureomycin Suspension	1B	LE
Dromoran	13A	RO

Delete the following:—

Bitevan	34	EV
---------	----	----

Page 65—Add the following:—

Pancreatin Powder	14	PD
-------------------	----	----

Page 66—Add the following:—

Streptomycin Intrathecal	24A	EV
--------------------------	-----	----

Delete "BW" as shown against Streptaquinine.

SECTION B

LIST A

PENSIONER BENEFITS ADDITIONAL TO THOSE COVERED BY MONOGRAPH IN THE BRITISH PHARMACOPOEIA, 1953

Page XVI—Delete the following:—

Dicoumarol

Page XVII—Delete the following:—

Injectio Bismuthi Salicylatus

Page XVIII—Add "or A.P.F." after "Tabellae Acidi Acetylsalici Co. B.P.C."

Add the following:—

Tabellae Codeinae Phosphatis gr. $\frac{1}{4}$ Sodii Pentobarbitoni gr. $\frac{1}{2}$ et Phenacetini gr. 5

CORRIGENDA TO AMENDMENT No. 2

The entry relating to Item No. 10, Dienoestrol, in List B, Second Schedule (Restricted Drugs), should read "5 mg. tab.—Add AD, MG, SL".

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
80A	HEXAMETHONIUM BROMIDE			
	10%, 1 cc. amp.	MB	10	1
	10%, 25 cc. bottle	MB	1	1
	30%, 25 cc. bottle	MB	1	
80B	HEXAMETHONIUM BROMIDE RETARD			
	20%, 25 cc. bottle	MB	1	
81	HYALASE			
	1 mg. amp.	FC	5	1
82	HYOSCINE HYDRO- BROMIDE			
	1/150 gr. amp.	AH, BL, DH, KL	6	
	1/100 gr. amp.	AH, BL, DH, KL	6	
	1/75 gr. amp.	BL, KL	6	
	1/200 gr. hypo. tab.	BT, BW, HY, PD	100	1
	1/150 gr. hypo. tab.	BW, DH, FA, HY, PD	100	1
	1/100 gr. hypo. tab.	BT, BW, DH, FA, HY, PD	100	1
	1/50 gr. hypo. tab.	HY	100	1
	1/100 gr. per cc., 10 cc. vial	FA	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
88A	INSULIN ZINC SUSPENSION			
	40 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
	80 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
88B	INSULIN ZINC SUSPEN- SION (Amorphous)			
	40 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
	80 U. per mil., 10 mil. vial	BT, BW, EV	3	12
88C	INSULIN ZINC SUSPEN- SION (Crystalline)			
	40 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
	80 U. per mil., 10 mil. vial	BT, EV	3	12
89	ISOPRENALINE HYDRO- CHLORIDE			
	1 in 200, $\frac{1}{2}$ fl. oz. bottle	ST	1	1
	10 mg. tab.	ST	25	3
90	ISOPRENALINE SULPHATE			
	20 mg. tab.	BW	25	3
	10 mg. per cc., 7 cc. vial	BW	1	1
	10 cc. vial	AH	1	...

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
91	KINADEN			
·	Set containing 3 amps. each of 10 units and 3 amps of solvent	SC	1	1
92	LANATOSIDE C			
	0.2 mg. per cc., 2 cc. amp.	SZ	6	1
	0.25 mg. tab.	SZ	40	1
93	LEPTAZOL, INJECTION OF			
	1 cc. amp.	BT	6	...
	1.1 cc. amp.	FM, KN	6	...
	3 cc. amp.	BT, FM, KN,	2	...
	5 cc. amp.	BT, FM, KN	1	...

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
127	(Contd.)			
	1,200,000 U. amp.	AH, BD, BT, BW,		
		CS, DH, EV, IC,		
		MB, SI	2	
	1,500,000 U. amp.	CS, DH, GL, SI	1	
128	PENICILLIN, PROCAINE OILY, INJECTION OF			
	300,000 U. per cc., 1 cc. amp.	CS, DH, FA, SI	3	
	600,000 U. amp.	BT, DH, FA	2	
	1,000,000 U. amp.	DH	2	
128A	PENTOLINIUM TARTRATE			
	5 mg. per cc., 10 cc. vial	MB	1	1
	25 mg. per cc., 25 cc. vial	MB	1	1
128B	PENTOLINIUM TARTRATE RETARD			
	25 mg. per cc., 25 cc. vial	MB	1	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—1954-55 EDITION (No. 2)

SECTION A

Page B.—Water for Injection may now be prescribed for supply with the following additional drugs. These drugs should therefore be added to those already listed in paragraph 2(B) on page B.—Aureomycin; Hyalase; Injection of Neoarsphenamine; Injection of Phenobarbitone Sodium; Penethamate Hydriodide; Rondase; Terramycin; Tetracycline; Wydase.

MANUFACTURERS AND CODES

Add the following:—

Page 1	Edward Caminer Pty. Ltd.	EC
Page 2	McGloin Pty. Ltd., J.	MG
	Merck & Co. Inc.	MK
	Nordisk Insulin Laboratorium	NO
Page 3	Rotary Tableting Corp. Pty. Ltd.	RY
	Soul Pattinson (Laboratories) Pt. Ltd.	SL
	Upjohn Company, The	UP

Delete the following:—

Page 1	Deutsche Novocillin Gesellschaft	DN
	(Now listed as Edward Caminer Pty. Ltd.)	

Amend the following:—

Evans Medical Supplies Ltd. to Evans Medical
Australia (Pty.) Ltd.

LIST OF BENEFITS (Pages 5-54)

(Effective from 1st August, 1954)

FIRST SCHEDULE

Item No.	Item Name	Amendment
3	Adrenalin in Oil, Injection of	2 mg. per 1 cc. amp.—Add AD
4	Adrenalin Tartrate, Solution of	1 in 1000, 1 cc. amp.—Add AD
21	Campolon	Amend maximum quantity in column 4 against 2 cc. amp. from "5" to "6"

Item No.	Item Name	Amendment
31	Dextrose, Aqueous	50%, 25 cc. amp.—Add AD
	Injection of	50%, 50 cc. amp.—Add AD
40	Digitoxin	0.1 mg. tab.—Add AD
49	Diphtheria Pertussis Antigen	1 cc. amp.—Add BW
56-59	Delete page 16 and insert new page 16 herewith. The new page includes the following new manufacturers and forms of unit:—	
57	Ephedrine Hydrochloride	$\frac{1}{4}$ gr. tab.; AD, MG, RY $\frac{1}{2}$ gr. tab.; AD, MG, RY, SL
59	Ergometrine Maleate	0.5 mg. per 1 cc. I.M. amp.; AD 0.125 mg. per 1 cc. I.V. amp.; AD

Item No.	Item Name	Amendment
86	Insulin Isophane, Injection of	40 U. per cc., 10 cc. vial—Add NO 80 U. per cc., 10 cc. vial—Add NO Add the following:— 40 U. per cc., 5 cc. vial; NO; 3; 12
102	Mersalyl, Injection of	1 cc. amp.—Add AD 2 cc. amp.—Add AD
107	Morphine Sulphate	$\frac{1}{6}$ gr. amp.—Add AD $\frac{1}{4}$ gr. amp.—Add AD
108 F	Morphine Sulphate, $\frac{1}{6}$ gr.	1 amp.—Add AD
	Atropine Sulphate, $\frac{1}{120}$ gr.	
G	Morphine Sulphate, $\frac{1}{4}$ gr.	1 cc. amp.—Add AD
	Atropine Sulphate, $\frac{1}{150}$ gr.	
109	Morphine with Hyoscine	1 cc. amp.—Add AD
121	Papaverine Hydrochloride	$\frac{1}{3}$ gr. per 1 cc. amp.—Add AD $\frac{3}{4}$ gr. tab.—Add MG $1\frac{1}{2}$ gr. tab.—Add MG
133	Pethidine Hydrochloride	50 mg. per cc., 1 cc. amp.—Add AD 50 mg. per cc., 2 cc. amp.—Add AD 50 mg. per cc., 25 cc. bottle.—Add AD 25 mg. tab.—Add AD, MG 50 mg. tab.—Add AD, MG, RY

Item No.	Item Name	Amendment
135	Phemitone	1/2 gr. tab.—Add AD, MG 1 gr. tab.—Add AD, MG 3 gr. tab.—Add AD, MG
137	Phenobarbitone Sodium, Injection of	3 gr. per 1 cc. amp.—Add CM
161	Sodium Chloride Physiological Solution for Injection	2 cc. amp.—Add AD 5 cc. amp.—Add AD 10 cc. amp.—Add AD
166	Sulphacetamide	0.5 G. tab.—Add AD, RY
167	Sulphadiazine	0.5 G. tab.—Add AD, MG, RY, SL
168	Sulphadimidine	0.5 G. tab.—Add MG
170	Sulphaguanidine	Delete "1" shown in column 5, no repeats are allowable for this item 0.5 G. tab.—Add AD, MG, RY, SL
171	Sulphamerazine	0.5 G. tab.—Add AD, MG, RY
175	Sulphathiazole	0.5 G. tab.—Add RY
176	Sulphonamides, Mixed, (A), Two Sulphonamides	0.5 G. tab.—Add MG
177	Sulphonamides, Mixed, (B), Three Sulphonamides	0.5 G. tab.—Add MG, RY, SL
183	Theophylline with Ethylenediamine	0.48 G. per 2 mil. I.M. amp.— Add AD 0.25 G. per 10 mil. I.V. amp.— Add AD 1½ gr. tab.—Add AD, MG, RY, SL
187	Thyroid B. P.	¼ gr. tab.—Add AD, SL ½ gr. tab.—Add AD, SL 1 gr. tab.—Add AD, SL 1½ gr. tab.—Add AD 2 gr. tab.—Add AD, SL 2½ gr. tab.—Add AD
192	Vitamin K, Aqueous Injection of	5 mg. per 1 cc. amp.—Add AD 10 mg. per 1 cc. amp.—Add AD
193	Vitamin K, Oily Injection of	5 mg. per 1 cc. amp.—Add AD 10 mg. per 1 cc. amp.—Add AD
194	Vitamin K (Oral)	5 mg. tab.—Add AD 10 mg. tab.—Add AD

Item No.	Item Name	Amendment
195	Water for Injection	2 cc. amp.—Add AD 5 cc. amp.—Add AD 10 cc. amp.—Add AD

LIST B

SECOND SCHEDULE (RESTRICTED DRUGS)

The use of Item No. 6, Cortisone Acetate, may now be permitted for the treatment of "Status Asthmaticus". The words "Status Asthmaticus" should therefore be added in column 3 against this item on page 45.

Page 47—Add the following:—

Col. 1	Col. 2	Col. 3
25	Streptomycin Sulphate, Solution for Injection	Any disease or purpose specified in this column in relation to Streptomycin.

Re-number current items No. 25-33 as 26-34 respectively.

Item No.	Item Name	Amendment
4	Chloramphenicol	Amend maximum quantity in column 4 from "12" to "16" for both forms of unit
6	Cortisone Acetate	Amend code letters "DH" where shown to "MK" 25 mg. tab.—Add KL, UP 25 mg. per cc., 20 cc. vial—Add AN
10	Dienoestrol	0.5 G. tab.—Add AD, MG, SL
11	Dihydrostreptomycin	Amend code letters "DN" to "EC"
12	Folic Acid	5 mg. tab.—Add AD, MG
13	Isoniazid	50 mg. tab.—Add AD 100 mg. tab.—Add QE
15	Para-Aminosalicylic Acid	0.5 G. tab.—Add AD
18	Quinine Bisulphate	5 gr. tab.—Add SL
21	Quinine Sulphate	5 gr. tab.—Add AD
22	Sodium Para-Aminosalicylate	5 gr. tab.—Add AD 7½ gr. tab.—Add AD, MG, RY
23	Stilboestrol	1 mg. tab.—Add AD, MG, RY, SL 5 mg. tab.—Add AD, MG, RY, SL
24	Streptomycin	1 G. vial—Add BT, SC, SP

Re-number current Items No. 25-33 as Items No. 26-34 respectively and add the following new Item No. 25:—

- | | | |
|------------------------|---|---|
| 25 | Streptomycin Sulphate, Solution for Injection | 250,000 U. per mil., 4 mil. vial;
BW; 5; 3 |
| 34
(amended
No.) | Vitamin B12,
Injection of | 1000 γ per 1 cc. amp.—Add BD |

LIST C

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Page 55—Against Item No. 126 add "vial" in column 3 and "12" in column 4.

NOTE.—Special attention is drawn to the fact that Emergency Drug (Doctor's Bag) Supplies may be obtained once a month only.

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

FIRST SCHEDULE

Add the following:—

Page 57—Cemalonal; 137; CM

Page 59—Leo; 86; NO

Page 60—Mylipen; 126; GL

Page 61—Procillin Injecs; 128; DH

Procillin Injecs AS; 126; DH

SECOND SCHEDULE

Page 64—Amend code letters shown against Cortone from "DH" to "MK"

Add the following:—

Page 66—Streptaquine; 24; BW

Streptomycin Sulphate, Solution for Injection 24

Page 65—Amend code letters shown against Pasing from "DN" to "EC"

Page 66—Specia; 24; SP

Following the re-numbering of Items No. 25-33 as Items No. 26-34 respectively, item numbers between 25-33 currently shown against the various proprietary names should be appropriately amended, e.g.—

Preparation

Achromycin—Amend item number from "32" to "33"

Perandren—Amend item numbers from "27, 28, 31" to "28, 29, 32"

SECTION B

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS

Page D—Add the following:—

Class of Prescription	Maximum Quantity	No. of Repeats
Tablets, Aminophylline with Phenobarbitone	100	1
Tablets, Calcium Gluconate	100	1
Tablets, Theobromine with Phenobarbitone	100	1

LIST "A"

PENSIONER BENEFITS ADDITIONAL TO THOSE COVERED BY MONOGRAPH IN THE BRITISH PHARMACOPOEIA, 1953

Page XVIII—Add the following:—

Pilulae Aloes et Nux Vomicae B.P.C.
 Pilulae Phenolphthalein Co. B.P.C.
 Syrupus Theriacae Aureae A.P.F.
 Tabellae Ammonii Chloridi B.P.C.
 Tabellae Calcii Gluconatis B.P.C.
 Tabellae Theobrominae et Phenobarbitoni B.P.C.
 Tabellae Theobrominae et Sodii Salicylatis B.P.C.

Page XIX—Delete the following:—

Tabellae Theobrominae Compositae B.P.C.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
56	ENTERO-VIOFORM 0.25 G. tab.	CB	100	1
57	EPHEDRINE HYDRO- CHLORIDE $\frac{1}{2}$ gr. per 1 cc. amp. .. $\frac{3}{4}$ gr. per 1 cc. amp. .. $\frac{1}{2}$ gr. hypo. tab. $\frac{1}{4}$ gr. tab. $\frac{1}{2}$ gr. tab. 1 gr. tab.	AH, BD, BL, BW, DH, KL AH, BL, DH, KL FA AB, AD, BW, DH, HY, KL, MG, RT, RY, SI AB, AD, BT, BW, DH, FA, HY, KL, MG, PD, RT, RY, SI, SL BT, HY, KL	6 6 20 100 100 100	1 1 1 1 1 1
58	EPHEDRINE SULPHATE $\frac{1}{2}$ gr. per 1 cc. amp. .. 5%, 1 cc. amp. $\frac{3}{8}$ gr. cap. $\frac{3}{4}$ gr. cap. $\frac{1}{2}$ gr. hypo. tab. $\frac{1}{4}$ gr. tab. $\frac{1}{2}$ gr. tab.	AH LY LY LY FA HY, PD, RT FA, HY, PD, RT	6 6 40 40 20 100 100	1 1 1 1 1 1 1
59	ERGOMETRINE MALEATE 0.2 mg. per 1 cc. amp 0.5 mg. per 1 cc. I.M. amp. 0.125 mg. per 1 cc. I.V. amp. 0.2 mg. tab. 0.5 mg. tab.	LY AD, AH, BD, BL, BW, FM AD, BD, BW LY BD, BT, BW	6 6 6 25 25	

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—1954-55 EDITION (No. 1)

MANUFACTURERS AND CODES

Page 3—Add the following:—

Q. Queensland Ethicals—QE

LIST OF BENEFITS (Pages 5-54)

(Effective from 1st July, 1954)

FIRST SCHEDULE

Item No.	Item Name	Amendment
13	Benzhexol Hydrochloride	5 mg. tab.—Add ST
83	Insulin, Injection of	80 U. per cc., 10 cc vial— Add CS
88	Insulin, Protamine Zinc, Injection of	Add the following:— 80 U. per cc., 10 cc. vial; CS; 3: 12
121	Papaverine Hydrochloride	$\frac{3}{4}$ gr. tab.—Add QE $1\frac{1}{2}$ gr. tab.—Add QE
125	Penicillin, Injection of	500,000 U. amp.—Add DH 1,000,000 U. amp.—Add DH
126	Penicillin, Procaine, Aqueous Suspension of	400,000 U. vial—Add DH 600,000 U. vial—Add DH 1,000,000 U. vial—Add DH 1,500,000 U. vial Add DH, FA
127	Penicillin, Procaine (Cry- stalline), Injection of	1,500,000 U. amp.—Add DH
135	Phemitone	$\frac{1}{2}$ gr. tab.—Add QE 1 gr. tab.—Add QE 3 gr. tab.—Add QE
183	Theophylline with Ethylendiamine	$1\frac{1}{2}$ gr. tab.—Add QE

SECOND SCHEDULE

Item No.	Item Name	Amendment
13	Isoniazid	50 mg. tab.—Add QE
33	Vitamin B 12, Injection of	100 γ per cc., 1 cc amp. —Add DH 1000 γ per cc., 1 cc. amp. —Add DH, KL

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

FIRST SCHEDULE

Page 60—Amend Item No. against NORMAL SALINE to 161.

Page 63—Delete Item No. 151 shown against VIULES.

SECOND SCHEDULE—RESTRICTED DRUGS

Page 64—Add the following:—
Benol 1000, 33, KL.

LIST "A"

PENSIONER BENEFITS ADDITIONAL TO THOSE COVERED BY MONOGRAPH IN THE BRITISH PHARMACOPOEIA, 1953

Pages XVI-XIX—Add the following:—

Capsulae Sodii Pentobarbitoni

Tabellae Acidi Acetylsalicylici Co. B.P.C.

Tabellae Aminophyllinae gr. $1\frac{1}{2}$ cum Phenobarbitoni gr $\frac{1}{2}$

Tabellae Ephedrinae gr. $\frac{1}{2}$ cum phenobarbitoni gr. $\frac{1}{4}$

Tabellae Sodii Pentobarbitoni

All Previous Editions Cancelled



SECTION A—GENERAL PHARMACEUTICAL BENEFITS
SECTION B—PENSIONER PHARMACEUTICAL BENEFITS

NOTES

FOR

MEDICAL PRACTITIONERS

Operative from 1st June, 1954

**DEPARTMENT OF HEALTH,
CANBERRA, A.C.T.**

JUNE, 1954

By Authority :
L. G. SHEA, Government Printer, Hobart, Tasmania
1954.

NATIONAL HEALTH (PHARMACEUTICAL BENEFITS) REGULATIONS

GENERAL NOTES

These notes apply equally to the prescribing of benefits for pensioners and non-pensioners.

The term "pharmaceutical benefits" covers all benefits whether they be benefits for administration to all classes of persons or pensioners only. The term "general pharmaceutical benefits" is used to distinguish these benefits from "pensioner pharmaceutical benefits", the latter being available to pensioners only.

Points which are not common to both classes of benefits are dealt with in the appropriate sections hereafter.

Benefits are available to all persons receiving medical treatment, except passengers and crew on a foreign-going ship.

In writing a prescription for the supply of a pharmaceutical benefit the following points should be borne in mind:—

1. Write prescriptions in your own handwriting in duplicate (a carbon copy is suitable). Ensure that they are signed and dated and that the copy is marked "duplicate".
2. Write the patient's name and address clearly. Prescriptions for different persons must not be written on the same form.
3. Write at the top of the prescription the letters "N.H.S.". If the prescription is written for a pensioner pharmaceutical benefit write, in addition, the words "Pensioner Benefit".
4. Prescription forms should approximate $5\frac{1}{2}$ inches x $3\frac{1}{2}$ inches in size.
5. Do not write the names of more than two benefits on the same form. See paragraph 3(a) of Section A also.
6. Do not write on the same form prescriptions for general and pensioner pharmaceutical benefits or two prescriptions for the same pharmaceutical benefit. See paragraph 1 of Section A also.

7. Do not write more than one prescription for the same benefit for the same person on the one day.
8. The maximum quantity or number of units of a benefit which may be prescribed at one time is referred to in the appropriate sections of these notes.
9. It should be noted particularly that "Special and Double Supply" provisions no longer apply. The number of times a prescription may be repeated is set out in the appropriate sections. If a repeat be ordered, the maximum quantity or number of units must be ordered to be supplied on the first occasion of supply. The doctor may order less than the maximum to be supplied on the last occasion if completion of the treatment of a patient requires less than the maximum.

The prescription must not order a number of repeats in excess of the number specified in relation to a benefit or form of benefit as set out in these notes.

Do not write repeat directions on a form containing two benefits if either is a dangerous drug.

The Director-General may, in special circumstances, authorise the prescribing of a number of repeats greater than the number normally allowable.

10. In a case of urgency you may by telephone or other means communicate a prescription to a chemist, but in such a case a written prescription for the benefit must be supplied to the chemist within 24 hours.

This provision does not apply in the case of Cortisone Acetate or any drug which State law requires to be prescribed in writing only.

Section A

NOTES ON GENERAL PHARMACEUTICAL BENEFITS

1. The drugs and medicinal preparations specified in Lists A and B of these Notes are the only ones which may be prescribed as General Pharmaceutical Benefits. Each strength of each form of a benefit is a separate benefit, but in the case of the undermentioned drugs as many strengths of the same form of drug as are required may be written on the one prescription for the same person and will be deemed to comprise one benefit only:—

Oily Injection of Aurothioglucose
Injection of Calcium Aurothiomalate
Pertussis Vaccine (Phase 1)
Aqueous Injection of Sodium Aurothiomalate
Oily Injection of Sodium Aurothiomalate

2. Do not write a general pharmaceutical benefit by its item number. Its chemical name should be used, but a proprietary title will be accepted. If you desire a particular brand of a benefit to be supplied, that brand (provided it is a brand specified in a list in these Notes) or the name of the maker should be written after the chemical name.

3. The following classes of general pharmaceutical benefits may only be prescribed for supply as indicated hereafter:—

- (a) The drugs which appear in List B may be prescribed only for the treatment of a disease specified in relation to the drug in the list of benefits and diseases appearing in pages 44-47.

A prescription for the supply of one of these drugs must be endorsed with the words "Restricted Drug".

In the case of any of the Quinine salts specified in List B, prescriptions may be written for a pensioner for the treatment of any disease what-

soever; the prescription must nevertheless be endorsed "Restricted Drug".

In the case of Cortisone Acetate, this may only be prescribed if, in addition to compliance with the above requirement, application for permission to supply this drug has been made on official Form E to the Deputy-Director in your State and he has issued to you in duplicate a numbered authority to prescribe the drug. The duplicate of the authority must be attached to the prescription. If a continuance of supply is necessary, further application must be made to the Deputy-Director.

A prescription for Cortisone Acetate must not contain any other benefit.

- (b) Water for Injection may be prescribed for supply only if it is ordered in conjunction with, and for administration with another benefit required for the treatment of the person for whom that other benefit is prescribed. The only benefits with which Water for Injection may be prescribed are—

Injection of Penicillin;
Injection of Crystalline Procaine Penicillin;
Dihydrostreptomycin;
Streptomycin; and
Hypodermic tablets.

4. Drugs for emergency supply are set out in List C in these Notes. For convenience, these drugs will be referred to as "Doctor's Bag Supplies".

These drugs may be obtained once a month from any approved chemist by lodging with him in duplicate an order form supplied by the Commonwealth. If you desire a supply of these order forms they may be obtained from the Deputy-Director in your State.

Order forms must be signed by the doctor himself but any person authorised by him may accept delivery of the goods on his behalf.

The maximum number of units of each listed form of benefit as set out in column 4 of List C may be obtained at one time.

If more than one strength of a form of benefit is specified in List A a doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a standard package and that the sum total of all the strengths required does not exceed the maximum set out in column 4 of List C; e.g., if there were five strengths of a form of tablet, each packed in bottles of 20, and the maximum of the form allowable were 40, then two strengths only could be ordered. (The quantity in a standard pack agrees with the number specified in column 4 of List A, except in the case of Sulphonamides, the standard pack of which is 100.)

If a particular brand (specified in List A) is required and that brand is not available, a chemist may not supply any other brand unless with your permission. In such a case the chemist will return the form to you for alteration and initialling.

Emergency drug supplies may not be obtained by ships' doctors or approved medical practitioners.

MANUFACTURERS AND CODES

Manufacturer	Code
A	
Abbott Laboratories Pty. Ltd.	AB
Allen and Hanburys (A'asia) Limited	AH
Andrew's Laboratories	AN
Anglo Swiss Drug Co. Pty. Ltd.	AS
Associated Drug Co.	AD
B	
Bayer Pharma Pty. Ltd.	BA
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT
British Drug Houses (Australia) Pty. Ltd.	BD
British Schering Ltd.	BS
Bull Laboratory, David G.	BL
Burroughs Wellcome & Co. (Aust.) Ltd.	BW
C	
Charles McDonald Pty. Ltd.	CM
Ciba Limited	CB
Commonwealth Serum Laboratories	CS
Crookes Laboratories Ltd., The	CK
Colonial Sugar Refining Co.	CO
D	
Deutsche Novocillin Gesellschaft	DN
Drug Houses of Australia Ltd.	DH
E	
Evans Medical Supplies Ltd.	EV
F	
Faulding and Co. Ltd., F.H.	FA
Fawns and McAllan Pty. Ltd.	FM
Fisons Chemicals (Pty.) Ltd.	FC

Manufacturer	Code
G	
Gamma Laboratories	GA
Geigy (A'sia) Pty. Ltd.	GE
Glandular Products Pty. Ltd.	GP
Glaxo Laboratories (Aust.) Pty. Ltd.	GL
H	
Hamilton Laboratories Ltd., The	HA
Harvey Pty. Ltd., H. F.	HY
Herts Pharmaceuticals Ltd.	HT
I	
Imperial Chemical Indust. of Aust. & N.Z. Ltd.	IC
K	
Knoll Laboratories	KL
Knoll	KN
L	
Lederle Laboratories	LE
Lilly and Co., Eli	LY
M	
Martindale, W.	MT
May and Baker (Aust.) Pty. Ltd.	MB
Medical Research Pty. Ltd.	MR
Menley and James (Col. Ltd.)	MJ
N	
Nativelle Laboratories	NA
Nicholas Pty. Ltd.	NS

Manufacturer	Code
O	
Oxo Limited	OX
Oppenheimer, Sons & Co. Ltd.	OP
Organon Laboratories Ltd.	OR
P	
Parke, Davis and Co. Ltd.	PD
Pfizer Overseas Inc., Chas.	PF
R	
Roche Products Ltd.	RO
Rocke Tompsitt & Co. Ltd.	RT
Roussel Laboratories Ltd.	RL
S	
Sandoz Ltd.	SZ
Savory and Moore Ltd.	SY
Schering Pty. Ltd.	SC
Sharpe & Dohme Inc.	SD
Sigma Co. Ltd.	SI
Simanite (A'asia) Pty. Ltd.	SM
Societe Parisienne d'Expansion Chimique, S.A.	SP
Stearns and Co., Frederick	ST
T	
Toppin and Sons Pty. Ltd., R. D.	TO
V	
Virax Ethicals Pty. Ltd.	VR
Vitamins Limited	VM
W	
Wander Limited, A.	WA
Wyeth International Limited	WY
Wholesale Drug Co. Ltd.	WD
Ward Blenkinsop and Co. Ltd.	WB
Warner & Co. Pty. Ltd., Wm. R.	WW

GENERAL PHARMACEUTICAL BENEFITS

Lists of Benefits

FIRST AND SECOND SCHEDULES

Details of the items available as General Pharmaceutical Benefits are set out on LIST A, pages 5-43, and LIST B (RESTRICTED DRUGS), pages 44-54.

The Lists show:—

In Column 1—the item number;

2—the title of the drug and the form and strength of unit which may be prescribed;

3—the manufacturer whose product is available as a benefit. No other manufacturers' product may be prescribed;

4—the maximum number of units which may be prescribed at any one time; and

5—the number of repeats which may be ordered.

For convenience of printing, proprietary names have not been included in the Lists. However, the manufacturer's name (in code) has been shown and reference to the Proprietary Index—First Schedule (see page 56) or Second Schedule (see page 64) and the Manufacturers' Code (see page 1)—will enable the medical practitioner to identify a benefit under its proprietary title or by the name of the manufacturer.

γ	means Microgrammes
U.	means Units
I.U.	means International Units
M.	means Millions of organisms

LIST A

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
1	ACETARSOL SOLUBLE, INJECTION OF			
2	cc. amp.	MB	10	1
3	cc. amp.	MB	10	1
2	ADRENALIN HYDRO- CHLORIDE, SOLUTION OF			
1	in 1000, 0.5 cc. amp.	DH, PD	6	1
1	in 1000, 1 cc. amp.	DH, KL, PD	6	1
1	in 1000, 10 cc. vial	FA, PD	1	1
1	in 1000, 1 fl. oz. vial	DH, RT	1	
1	in 1000, 1 fl. oz. bottle ..	DH, FA, KL, PD, RT	1	
1	in 100, 6 cc. vial	PD	1	1
1	in 100, 10 cc. vial	DH, FA	1	
3	ADRENALIN IN OIL, INJECTION OF			
2	mg. per 1 cc. amp.	AH, DH, PD	6	1
4	ADRENALIN TARTRATE, SOLUTION OF			
1	in 1000, 1 cc. amp.	AH, BL, BW, DH	6	1
1	in 1000, 10 cc. amp.	BW	1	1
1	in 1000, 25 cc. bottle ..	BW	1	
1	in 1000, 30 cc. vial	BT	1	
1	in 1000, 1 fl. oz. bottle	AH	1	
1	in 100, 7 cc. vial	BW	1	1
5	ALOXIDONE			
	0.3 G. cap.	BS	100	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
6	AMIDONE			
5	mg. per cc., 2 cc. amp.	BA	6	...
5	mg. per cc., 10 cc. vial	BA	1	...
10	mg. per cc., 1 cc. amp.	BW, CM	6	...
10	mg. per cc., 10 cc. vial	CM	1	...
10	mg. per cc., 20 cc. vial	BA	1	...
2.5	mg. tab.	BA	25	...
5	mg. tab.	BA, BW, CM, ST	25	...
7.5	mg. tab.	BA	25	...
10	mg. tab.	BA	25	...
7	AMYL NITRITE			
2	min. cap.	DH	12	1
3	min. cap.	AH, DH	12	1
4	min. cap.	AH, DH	12	1
5	min. cap.	AH, DH	12	1
8	ANAHAEMIN			
2	cc. amp.	BD	12	1
9	ANAHEPOL			
2	cc. amp.	AH	12	1
10	ANTAZOLINE, INJECTION OF			
0.1	G. per 2 cc. amp.	BT, CB	10	...

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
11	ATROPINE SULPHATE			
	1/150 gr. per cc., 1 cc. amp.	AH, BL, DH, KL	6	1
	1/100 gr. per cc., 1 cc. amp.	AH, BL, BT, DH, KL	6	1
	1/100 gr. per cc., 10 cc. vial	FA	1	...
	1/50 gr. per cc., 1 cc. amp.	BL, DH, KL	6	1
	1/200 gr. hypo. tab.	BW, HY, PD	20	1
	1/150 gr. hypo. tab.	BT, BW, DH, FA, HY, PD	20	1
	1/100 gr. hypo. tab.	BT, BW, DH, FA, HY, PD	20	1
12	AUROTHIOGLUCOSE, OILY INJECTION OF			
	0.01 G. amp.	SC	1	3
	0.025 G. amp.	SC	1	3
	0.05 G. amp.	SC	6	...
	0.1 G. amp.	SC	6	...
	0.01 G. per cc., 10 cc. vial	SC	1	...
	0.1 G. per cc., 10 cc. vial	SC	1	...
13	BENZHEXOL HYDRO- CHLORIDE			
	2 mg. tab.	LE, ST	100	1
	5 mg. tab.	LE	100	1
14	BISMUTH, AQUEOUS INJECTION OF			
	5 cc. amp.	BT	2	...
	10 cc. amp.	BT	1	...
	25 cc. bottle	BW, MB	1	...
	1 fl. oz. bottle	BT	1	...

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
15	BISMUTH OXYCHLORIDE, AQUEOUS INJECTION OF			
1 cc. amp.	BD, BT	12		
2 cc. amp.	BD	12		
3 cc. amp.	BD	12		
25 cc. bottle	BW	1		
30 cc. bottle	BD, EV	1		
16	BISMUTH OXYCHLORIDE, OILY INJECTION OF			
2 cc. amp.	DH	12		
3 cc. amp.	DH	12		
17	BISMUTH SALICYLATE, OILY INJECTION OF			
1 cc. amp.	AH, DH, KL	12		
10 cc. amp.	DH, KL	6		
25 cc. bottle	EV, KL	1		
50 cc. bottle	MB	1		
60 cc. bottle	DH, KL	1		
2 fl. oz. bottle	PD	1		
18	CALCIUM AUROTHIO- MALATE, INJECTION OF			
10 mg. amp.	CK	1	3	
25 mg. amp.	CK	1	3	
50 mg. amp.	CK	6		
100 mg. amp.	CK	6		

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
19	CALF LYPH Capillary tube	CS	1	...
20	CAMOQUIN HYDRO- CHLORIDE 0.2 G. tab.	PD	25	...
21	CAMPOLON 2 cc. amp. 5 cc. amp. 10 cc. amp.	BA BA BA	5 6 1	1 1 1
22	CAMPOLON FORTE 1 cc. amp. 5 cc. vial 10 cc. vial	BA BA BA	6 1 1	1 1 1
23	CARBACHOL 0.25 mg. per 1 cc. amp 2 mg. tab.	AH, SY BD, HY, MB, SY	6 25	 3
24	CARBASONE 0.25 G. cap. 0.25 G. tab.	LY BW, HY, MB	20 20	1 1
25	CASYDROL 2½%, 500 cc. bottle 5%, 500 cc. bottle	FC FC	1 1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
26	CHINIOFON			
	0.25 G. pill.	BA	25	1
	0.25 G. tab.	HY, IC	25	1
	0.5 G. tab.	IC	25	1
27	CHLOROQUINE			
	0.2 G. tab.	MB	100	1
	250 mg. tab.	AN, BA	100	1
28	CHOLERA VACCINE			
	4000 M. per cc., 1 cc. amp.	CS	3	...
	4000 M. per cc., 10 cc. vial	CS	1	...
	8000 M. per cc., 1 cc. amp.	CS	2	...
	8000 M. per cc., 10 cc. vial	CS	1	...
29	DAPSONE			
	50 mg. tab.	AN	100	...
	100 mg. tab.	IC	100	...
30	DARROW'S SOLUTION			
	1 litre bottle	DH	2	1
31	DEXTROSE, AQUEOUS INJECTION OF			
	5%, 1 litre bottle	DH	6	1
	10%, 1 litre bottle	DH	2	1
	20%, 1 litre bottle	DH	2	1
	25%, 1 litre bottle	DH	2	1
	50%, 25 cc. amp.	DH	6	1
	50%, 50 cc. amp.	DH, PD	6	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
32	DEXTROSE IN 1/5 NORMAL SALINE FOR INJECTION 4%, 1 litre bottle	DH	6	1
33	DEXTROSE IN RINGER'S SOLUTION FOR INJECTION 5%, 1 litre bottle	DH	6	1
	10%, 1 litre bottle	DH	3	1
34	DIASONE 0.33 G. tab.	PD	200	1
35	DICOUMAROL 100 mg. cap.	OR	3	...
	50 mg. cap.	AB, LY	50	1
	100 mg. cap.	AB, LY	50	1
	50 mg. tab.	OR	50	1
36	DIETHAZINE HYDRO- CHLORIDE 0.05 G. tab.	MB	100	1
	0.25 G. tab.	MB	100	1
37	DIETHYLCARBAMAZINE 50 mg. tab.	BD, BW, LE	20	1
38	DIGIFORTIS 1/2 gr. tab.	PD	50	1
	1 gr. tab.	PD	50	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
39	DIGITALIS			
	‡ gr. tab.	BW, DH, FA, HY, RT, SI	100	1
	1 gr. tab.	BW, DH, FA, HY, RT, SI	100	1
40	DIGITOXIN			
	1/100 gr. hypo. tab.	BW	20	1
	0.1 mg. tab.	BW, CM, KL, NA, SI, ST, WY	100	1
	0.2 mg. tab.	CM, LY, ST, WY	100	1
	0.25 mg. tab.	KL	100	1
41	DIGOXIN			
	0.5 mg. per 1 cc. amp.	BW	12	1
	0.5 mg. per cc., 30 cc. bottle	BW	1	1
	0.25 mg. tab.	BW	100	1
42	DIHYDROERGOTAMINE, INJECTION OF			
	1 mg. per cc., 1 cc. amp.	SZ	6	
43	DIHYDROMORPHINONE			
	1.1 cc. amp.	KN	4	
	1/32 gr. hypo. tab.	KN	20	
	1/20 gr. hypo. tab.	KN	20	
	1/25 gr. tab.	KN	20	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
44	DIODOHYDROXY- QUINOLINE			
	0.21 G. tab.	SY	100	1
	0.3 G. tab.	MB	100	1
45	DIMERCAPROL, INJECTION OF			
	2 cc. amp.	BT	12	...
46	DIPHENHYDRAMINE HYDROCHLORIDE, INJECTION OF			
	10 mg. per cc., 10 cc. vial	PD	1	1
47	DIPHTHERIA AND TETANUS TOXOIDS COMBINED			
	1 cc. amp.	CS	3	...
	5 cc. amp.	CS	1	...
48	DIPHTHERIA ANTITOXIN			
	1,000 U. amp.	CS	2	1
	2,000 U. amp.	BW, CS	2	1
	4,000 U. amp.	BW, CS	2	1
	6,000 U. amp.	CS	2	1
	8,000 U. amp.	BW, CS	2	1
	10,000 U. amp.	BW, CS	2	1
	20,000 U. amp.	BW, CS	2	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
49	DIPHTHERIA PERTUSSIS ANTIGEN			
	1 cc. amp.	CS, GL	3	...
	5 cc. amp.	CS	1	...
	5 cc. vial	GL	1	...
	7.5 cc. vial	PD	1	...
	10 cc. vial	GL	1	...
50	DIPHTHERIA, PERTUSSIS AND TETANUS ANTIGEN			
	1 cc. amp.	BW, CS, GL	3	...
	5 cc. amp.	CS	1	...
	7.5 cc. vial	PD, SD	1	...
	10 cc. vial	BW, GL	1	...
51	DIPHTHERIA PROPHY- LACTIC (Formalinised Toxoid)			
	Set containing 3 amps. each 1 cc. Toxoid undiluted and 1 amp. of 1 cc. Toxoid diluted	CS	1	1
	Set containing 9 amps. each 1 cc. Toxoid undiluted and 3 amps of 1 cc. Toxoid diluted	CS	1	...

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No	5 Repeats
52	DIPHTHERIA PROPHY- LACTIC (Purified Toxoid Aluminium Phosphate) 1 cc. amp. 5 cc. vial 10 cc. vial Set containing 2 amps. each 1 cc. Diphtheria Propy- lactic (Purified Toxoid Aluminium Phosphate) (diluted) FOR IMMUN- ISATION OF ADULTS ONLY, and 1 amp. of 1 cc. Purified Diphtheric Toxoid (diluted) for the skin test only.	CS CS, GL PD CS	2 1 1 1	1
53	DIPHTHERIA TOXOID PURIFIED (Diluted for skin test only) 1 cc. amp.	CS	1	...
54	EMETINE HYDROCHLORIDE 20 mg. per 1 cc. amp. 30 mg. per 1 cc. amp. 65 mg. per 1 cc. amp. ½ gr. tab.	DH, KL BW, DH, KL .. BW, DH, KL BW	12 12 6 12	
55	EMETINE BISMUTH IODIDE 1 gr. tab. 2 gr. tab.	DH DH	25 25	1 1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
56	ENTERO-VIOFORM 0.25 G. tab.	CB	100	1
57	EPHEDRINE HYDRO- CHLORIDE $\frac{1}{2}$ gr. per 1 cc. amp. $\frac{3}{4}$ gr. per 1 cc. amp. $\frac{1}{2}$ gr. hypo. tab. $\frac{1}{4}$ gr. tab. $\frac{1}{2}$ gr. tab. 1 gr. tab.	AH, BD, BL, BW, DH, KL AH, BL, DH, KL FA AB, BW, DH, HY, KL, RT, SI AB, BT, BW, DH, FA, HY, KL, PD, RT, SI BT, HY, KL	 6 6 20 100 100 100	 1 1 1 1 1 1
58	EPHEDRINE SULPHATE $\frac{1}{2}$ gr. per 1 cc. amp. 5%, 1 cc. amp. $\frac{3}{8}$ gr. cap. $\frac{3}{4}$ gr. cap. $\frac{1}{2}$ gr. hypo. tab. $\frac{1}{4}$ gr. tab. $\frac{1}{2}$ gr. tab.	AH LY LY LY FA HY, PD, RT FA, HY, PD, RT	6 6 40 40 20 100 100	1 1 1 1 1 1 1
59	ERGOMETRINE MALEATE 0.2 mg. per 1 cc. amp. 0.5 mg. per 1 cc. I.M. amp. 0.125 mg. per 1 cc. I.V. amp. 0.2 mg. tab. 0.5 mg. tab.	LY AH, BD, BL, BW, FM BD, BW LY BD, BT, BW	6 6 6 25 25	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
60	ERGOT (PREPARED)			
1	cc. amp.	PD	6	
2½	gr. cap.	OP	25	1
2½	gr. tab.	DH	25	1
4	gr. tab.	DH, HY	25	1
61	ERGOTAMINE TARTRATE			
0.5	cc. amp.	SZ	6	
1	cc. amp.	SZ	6	
1	mg. tab.	SZ	15	1
62	ERGOTOXINE ETHANE-SULPHONATE			
0.5	mg. tab.	BW	25	
63	ETHOPROPAZINE HYDROCHLORIDE			
50	mg. tab.	MB	100	1
64	ETHYL BISCOUM-ACETATE			
300	mg. tab.	GE	100	
65	ETHYLIDENE DICOUMARIN			
100	mg. tab.	NS	50	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
66	EXAMEN			
	1 cc. amp.	GL	12	1
	5 cc. amp.	GL	1	1
67	EXATROPE			
	2 cc. amp.	GL	12	1
	12 cc. amp.	GL	1	1
68	GAS GANGRENE ANTI- TOXIN (OEDEMATIENS)			
	10,000 U. amp.	CS	3	1
69	GAS GANGRENE ANTI- TOXIN (PERFRINGENS)			
	4,000 U. amp.	CS	3	1
	10,000 U. amp.	BW, CS	10	1
70	GAS GANGRENE ANTI- TOXIN (POLYVALENT)			
	amp. containing—			
	3,000 U pertringens			
	1,500 U. septique			
	1,000 U. oedematiens	CS	2	1
	amp. containing—			
	7,500 U. pertringens			
	3,750 U. septique			
	2,500 U. oedematiens	CS	2	1
71	GAS GANGRENE ANTI- TOXIN (SEPTIQUE)			
	5,000 U. amp.	CS	2	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
72	GLYCERYL TRINITRATE			
	1/100 gr. hypo. tab.	PD	50	1
	1/200 gr. tab.	DH, FA, HY, SI	50	1
	1/150 gr. tab.	HY	50	1
	1/130 gr. tab.	DH, SI	50	1
	1/100 gr. tab.	BW, DH, FA, HY, SI	50	1
	1/65 gr. tab.	DH, SI	50	1
	1/50 gr. tab.	HY	50	1
73	HARTMANN'S SOLUTION			
	1 litre bottle	DH	2	1
74	HARTMANN'S SOLUTION WITH DEXTROSE			
	5%, 1 litre bottle	DH	2	1
	10%, 1 litre bottle	DH	2	1
75	HEPARIN, INJECTION OF			
	1,000 U. per cc., 5 cc. vial	BD, BT, EV, RO	5	
	1,000 U. per cc., 10 cc. vial ..	AB	1	
	5,000 U. per cc., 5 cc. vial	BD, BT, EV, RO	1	
	25,000 U. per cc., 5 cc. vial	BT, EV	1	
76	HEPARIN RETARD, INJECTION OF			
	20,000 U. per 2 mil. amp. ..	BT	6	

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
77	HEPASTAB			
	2 cc. amp.	BT	6	1
	10 cc. vial	BT	1	1
78	HEPASTAB FORTE			
	1 cc. amp.	BT	6	1
	2 cc. amp.	BT	3	1
	10 cc. vial	BT	1	1
79	HEPATEX-T			
	2 cc. amp.	EV	12	1
	10 cc. vial	EV	1	1
80	HEPOLON			
	2 cc. amp.	AH	12	1
	10 cc. vial	AH	1	1
81	HYALASE			
	1 mg. amp.	FC	5	1
82	HYOSCINE HYDRO- BROMIDE			
	1/150 gr. amp.	AH, BL, DH, KL	6	
	1/100 gr. amp.	AH, BL, DH, KL	6	
	1/75 gr. amp.	BL, KL	6	
	1/200 gr. hypo. tab.	BT, BW, HY, PD	100	1
	1/150 gr. hypo. tab.	BW, DH, FA, HY, PD	100	1
	1/100 gr. hypo. tab.	BT, BW, DH, FA, HY, PD	100	1
	1/50 gr. hypo. tab.	HY	100	1
	1/100 gr. per cc., 10 cc. vial	FA	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
83	INSULIN, INJECTION OF			
	20 U. per cc., 5 cc. vial	AH-BD, BW	3	12
	20 U. per cc., 10 cc. vial	AH-BD, BW, CS	3	12
	40 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
	40 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS	3	12
	60 U. per cc., 5 cc. vial	CS	3	12
	80 U. per cc., 5 cc. vial	AH-BD, BT, BW, CS	3	12
	80 U. per cc., 10 cc. vial	AH-BD, BT, BW	3	12
	100 U. per cc., 5 cc. vial	CS	3	12
84	INSULIN (CRYSTALLINE), INJECTION OF			
	40 U. per cc., 10 cc. vial	BT, CS	3	12
85	INSULIN GLOBIN ZINC, INJECTION OF			
	40 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
	80 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
86	INSULIN, ISOPHANE, INJECTION OF			
	40 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS	3	12
	80 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS	3	12
87	INSULIN (SPECIAL P), INJECTION OF			
	20 U. per cc., 10 cc. vial	CS	3	12
	40 U. per cc., 10 cc. vial	CS	3	12
	60 U. per cc., 5 cc. vial	CS	3	12

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No	5 Repeats
88	INSULIN PROTAMINE ZINC, INJECTION OF			
	40 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
	40 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS	3	12
	80 U. per cc., 5 cc. vial	AH-BD, BT, BW, CS	3	12
89	ISOPRENALINE HYDRO- CHLORIDE			
	1 in 200, $\frac{1}{2}$ fl. oz. bottle	ST	1	1
	10 mg. tab.	ST	25	3
90	ISOPRENALINE SULPHATE			
	20 mg. tab.	BW	25	3
	10 mg. per cc., 7 cc. vial	BW	1	1
	10 cc. vial	AH	1	
91	KINADEN			
	Set containing 3 amps. each of 10 units and 3 amps of solvent	SC	1	1
92	LANATOSIDE C			
	0.2 mg. per cc., 2 cc. amp.	SZ	6	1
	0.25 mg. tab.	SZ	40	1
93	LEPTAZOL, INJECTION OF			
	1 cc. amp.	BT	6	
	1.1 cc. amp.	FM, KN	6	
	3 cc. amp.	BT, FM, KN,	2	
	5 cc. amp.	BT, FM, KN	1	

Item No.	Name, Strength and Form	Manufacturer whose product is available as a benefit (See page 1)	Maximum No.	Repeats
94	LIVADEX 2 cc. amp.	BD	12	1
95	LIVER EXTRACT, INJECTION OF 2 U.S.P.U. per cc., 1 cc. amp. 2 U.S.P.U. per cc., 10 cc. vial 5 U.S.P.U. per cc., 2 cc. vial 5 U.S.P.U. per cc., 10 cc. vial 5 U.S.P.U. per cc., 20 cc. vial 10 U.S.P.U. per cc., 10 cc. vial 15 U.S.P.U. per cc., 5 cc. vial	PD PD OX OX OX AB, AN AN, PD	6 6 6 1 1 1 1	1 1 1 1 1 1 1
96	MEPACRINE HYDRO- CHLORIDE 0.1 G. tab.	BT, IC	100	1
97	MEPACRINE METHANE- SULPHONATE, INJECTION OF 0.12 G. amp. 0.36 G. amp.	IC IC	6 6	1 1
98	MEPROCHOL, INJECTION OF 3 mg. per 1 cc. amp.	BW	6	
99	MEPYRAMINE MALEATE, INJECTION OF 2.5%, 2 cc. amp.	MB	10	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
100	MERCAPTOMERIN SODIUM Set containing 1·4 G. vial and 10 cc. Water for Injection	WY	3	
101	MERCURAMIDE WITH THEOPHYLLINE, INJECTION OF 1 cc. amp. 2 cc. amp.	MB MB	10 10	
102	MERSALYL, INJECTION OF 1 cc. amp. 2 cc. amp.	AH, BA, BD, BL, BT, BW, DH, EV AH, BA, BD, BL, BT, DH, EV, PD	12 12	
103	METHIONINE 50 G. bottle	MR, WY	1	
104	METHOIN 0·1 G. tab.	SZ	100	1
105	METHYL ATROPINE NITRATE 1/200 gr. per 1 cc. amp. 1/100 gr. per 1 cc. amp. 0·6%, $\frac{1}{2}$ oz. bottle 0·001 G. tab.	BL BL BA BA	6 6 1 20	 1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
D.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/180 gr., 1 hypo. tab.	DH	20	
E.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/150 gr., 1 amp. 1 hypo. tab. per cc., 10 cc. vial	BL, DH DH, FA, PD .. PD	6 20 1	
F.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/120 gr., 1 amp.	BL, DH	6	
G.	Morphine Sulphate 1/4 gr., Atropine Sulphate 1/150 gr., 1 cc. amp. 1 hypo. tab. per cc., 10 cc. vial	AH, BL, DH BT, BW, DH, FA, PD FA, PD	6 20 1	
H.	Morphine Sulphate, 1/4 gr., Atropine Sulphate 1/120 gr., 1 hypo. tab.	DH	20	
I.	Morphine Sulphate 1/4 gr., Atropine Sulphate 1/100 gr., 1 amp. 1 hypo. tab.	AH, BL, DH DH, FA, PD	6 20	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
109	MORPHINE WITH HYOSCINE Morphine Sulphate 1/4 gr., Hyoscine Hydrobromide 1/100 gr., 1 cc. amp.	BL, DH	6	...
110	NEOARSPHENAMINE, INJECTION OF 0.15 G. amp. 0.3 G. amp. 0.45 G. amp. 0.6 G. amp. 0.75 G. amp. 0.9 G. amp.	EV, GA, MB EV, GA, MB EV, GA, MB EV, GA, MB GA, MB GA, MB	2 2 2 2 2 2	1 1 1 1 1 1
111	NEO-HEPATEX 2 cc. amp. 10 cc. bottle 25 cc. bottle	EV EV EV	12 1 1	1 1 1
112	NEOSTIGMINE BROMIDE 15 mg. tab.	RO	100	1
113	NEOSTIGMINE METHYL- SULPHATE, INJECTION OF 0.5 mg. per cc., 1 cc. amp. 2.5 mg. per cc., 5 cc. vial	RO RO	6 1	3 1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
114	NIKETHAMIDE, INJECTION OF			
	1-7 cc. amp.	CB	5	
	2 cc. amp.	AH, BD, BT, FM	6	
	5 cc. amp.	BD, BW	3	
	5-5 cc. amp.	CB	3	
115	NUCLEOTIDES, INJECTION OF			
	10 cc. amp.	AH, EV, MJ	12	
116	OUABAIN, INJECTION OF			
	0-25 mg. amp.	NA	3	
	0-5 mg. amp.	NA	3	
117	OXOPHENARSINE HYDRO- CHLORIDE, INJECTION OF			
	0-04 G. amp.	PD	2	1
	0-06 G. amp.	PD	2	1
118	OXYTOCIN, INJECTION OF			
	0-5 cc. amp.	PD	6	
	1 cc. amp.	PD	6	
119	PAMAQUIN			
	0-01 G. tab.	BA	45	
	0-018 G. tab.	IC	45	
	0-036 G. tab.	IC	45	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
120	PAPAVERETUM			
	1/6 gr. per 1 cc. amp.	BL	6	
	1/3 gr. per 1 cc. amp.	BL, DH, RO	6	
	1/3 gr. hypo. tab.	RO	25	
	1/6 gr. tab.	DH, RO	20	
121	PAPAVERINE HYDRO- CHLORIDE			
	1/3 gr. per 1 cc. amp.	KL	6	
	1½ gr. per 5 cc. amp.	AN	6	
	2 gr. per 10 cc. amp.	DH, HA, KL	6	
	3/4 gr. tab.	AN, KL, RT ..	25	1
	1½ gr. tab.	AN, DH, FA, HA, KL, RT	25	1
122	PARAMETHADIONE			
	0.3 G. cap.	AB	100	2
123	PARENAMINE			
	1,000 cc. bottle	ST	1	
124	PENETHAMATE HYDRIODIDE			
	100,000 U. vial	GL	6	
	500,000 U. vial	GL	3	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
125	PENICILLIN, INJECTION OF			
	5,000 U. amp.	CS	6	
	15,000 U. amp.	CS	6	
	100,000 U. amp.	AH, BD, BT, CS, EV, GL, IC, SI	6	
	200,000 U. amp.	AH, BD, BT, CS, EV, GL, IC, SI	6	
	500,000 U. amp.	AH, BD, BT, CS, EV, GL, IC, SI	3	
	1,000,000 U. amp.	AH, BD, BT, CS, EV, GL, IC, SI	1	
	1,500,000 U. amp.	GL	1	
126	PENICILLIN, PROCAINE AQUEOUS SUSPENSION OF			
	300,000 U. amp.	BT	3	
	400,000 U. vial	FA	3	
	600,000 U. vial	BT	2	
	900,000 U. vial	CS, DH, SI	2	
	1,000,000 U. vial	FA	1	
	1,500,000 U. vial	CS, GL, SI ..	1	
127	PENICILLIN, PROCAINE, (CRYSTALLINE) INJECTION OF			
	300,000 U. amp.	AH, BD, BT, BW, CS, DH, EV, IC, MB, SI	3	
	400,000 U. amp.	AH, BD, BT, BW, CS, EV, GL, IC, MB, SI	3	
	500,000 U. amp.	CS	3	
	600,000 U. amp.	DH	2	
	667,000 U. amp.	CS	2	
	900,000 U. amp.	AH, BD, BT, BW, CS, EV, IC, MB, SI	2	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
127	(Contd.)			
	1,200,000 U. amp.	AH, BD, BT, BW, CS, DH, EV, IC, MB, SI ..	1	...
	1,500,000 U. amp.	CS, GL, SI ..	1	...
128	PENICILLIN, PROCAINE OILY, INJECTION OF			
	300,000 U. per cc., 1 cc. amp.	CS, DH, FA, SI	3	...
	600,000 U. amp.	BT, DH, FA ..	2	...
	1,000,000 U. amp.	DH ..	1	...
129	PERNAEMON CRUDUM			
	2 cc. amp.	OR ..	12	1
	10 cc. vial ..	OR ..	1	1
130	PERNAEMON FORT			
	1 cc. amp.	OR ..	12	1
	5 cc. vial ..	OR ..	1	1
131	PERNEXIN			
	2 cc. amp.	SC ..	6	1
132	PERTUSSIS VACCINE (Phase 1)			
	1,000 M. per cc.	CS ..	3	1
	5,000 M. per cc.	CS ..	3	1
	5,000 M. per cc., 10 cc. vial	CS ..	1	...
	10,000 M. per cc.	CS ..	3	1
	10,000 M. per cc., 10 cc. vial	CS ..	1	...
	20,000 M. per cc., 1 cc. amp.	GL ..	3	1
	20,000 M. per cc., 5 cc. vial	GL ..	1	...
	20,000 M. per cc., 10 cc. vial	GL ..	1	...
	60,000 M. per 1.5 cc., 1.5 cc. vial ..	PD ..	1	...
	Set of 3 amps. containing 50,000 M. per set ..	SC ..	1	...

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
133	PETHIDINE HYDRO- CHLORIDE			
	50 mg. per cc., 1 cc. amp. ..	AH, BL, BT, BW, DH, FM, IC, KL, RO	6	
	50 mg. per cc., 2 cc. amp. ..	AH, BA, BL, BT, BW, CM, DH, FM, IC, KL, RO	6	
	50 mg. per cc., 10 cc. vial ..	CM	1	
	50 mg. per cc., 25 cc. bottle	IC	1	
	50 mg. per cc., 50 cc. bottle	RO	1	
	25 mg. tab.	BT, BW, CM, DH, IC, KL, RO, SI	25	
	50 mg. tab.	BA, BT, BW, CM, DH, FM, IC, KL, RO, SI	25	
134	PETHIDINE SCOPOLAMINE			
	Pethidine Hydrochloride			
	100 mg., Scopolamine			
	0.43 mg., 2 cc. amp.	BW, KL, RO	6	
135	PHEMITONE			
	$\frac{1}{2}$ gr. tab.	AS, BA, BT, FA, IC, SI	100	1
	1 gr. tab.	AS, BA, IC, SI ..	100	1
	3 gr. tab.	AS, BA, BT, FA, IC, SI	100	1
136	PHENADOXONE HYDRO- CHLORIDE			
	10 mg. per 1 cc. amp.	GL	6	
	10 mg. tab.	GL	25	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
137	PHENOBARBITONE SODIUM, INJECTION OF			
	1½ gr. per 1 cc. amp.	BT	6	
	3 gr. per 1 cc. amp.	BL, DH, FM, MB	6	
	3 gr. per 1.5 cc. amp.	EV	6	
	3 gr. per 2 cc. amp.	AH	6	
	3.1 gr. per 5 cc. amp.	DH	6	
138	PHENYLINDANEDIONE			
	50 mg. tab.	EV	50	
139	PHENYTOIN SODIUM			
	0.03 G. cap.	PD	100	1
	0.1 G. cap.	PD	100	1
	0.1 G. tab.	BT, DH, FM	100	1
140	PHTHALYLSULPHA- CETAMIDE			
	0.5 G. tab.	AN, BS, CM, SC	100	
141	PHTHALYLSULPHA- THIAZOLE			
	0.5 G. tab.	MB, SD	100	
142	PHYSOSTIGMINE SULPHATE			
	1/100 gr. hypo. tab.	PD	20	
143	PICROTOXIN, INJECTION OF			
	3 mg. amp.	AH	6	
	5 mg. amp.	AH, DH, MT ..	6	
	0.3%, 20 cc. bottle	AB	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
144	PITRESSIN TANNATE IN OIL, INJECTION OF 1 cc. amp.	PD	12	1
145	PITUITARY (POSTERIOR LOBE), INJECTION OF 0.5 cc. amp. 1 cc. amp.	BW, CS, PD BW, CS, PD	6 6	
146	PRIMIDONE 0.25 G. tab.	IC	100	2
147	PROCAINE HYDRO- CHLORIDE IN NORMAL SALINE FOR INJECTION 0.1%, 1 litre bottle	DH	2	1
148	PROCYCLIDINE HYDRO- CHLORIDE 5 mg. tab.	BW	100	1
149	PROGUANIL HYDRO- CHLORIDE 0.1 G. tab.	IC	100	1
150	PROMETHAZINE HYDRO- CHLORIDE, INJECTION OF 2.5%, 2 cc. amp.	MB	10	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
151	PROTAMINE SULPHATE			
	1%, 5 mil. amp.	EV	6	...
	1%, 10 cc. amp.	BT	3	...
152	PROTOLEX			
	2 cc. amp.	CM	12	1
	10 cc. amp.	CM	1	1
153	PYRIDOXINE HYDRO- CHLORIDE, INJECTION OF			
	50 mg. per cc., 1 cc. amp.	AN, BL, CM, DH, FM, KL, PD, RO	6	1
	50 mg. per 2 cc., 2 cc. amp.	BD, RO, VM	6	1
	50 mg. per cc., 5 cc. vial ..	LY	1	1
	50 mg. per cc., 10 cc. vial ..	KL	1	...
154	QUINIDINE SULPHATE			
	3 gr. tab.	BW, DH	100	1
155	RETICULOGEN			
	0.5 cc. amp.	LY	6	1
	5 cc. amp.	LY	1	1
156	RINGER'S SOLUTION FOR INJECTION			
	1 litre bottle	DH	4	1
157	RONDASE			
	3 mg. amp.	EV	6	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
158	SODIUM AUROTHIO- MALATE, AQUEOUS INJECTION OF			
	0.001 G. amp.	MB	1	3
	0.002 G. amp.	MB	1	3
	0.005 G. amp.	MB	1	3
	0.01 G. amp.	MB	1	3
	0.02 G. amp.	MB	1	3
	0.05 G. amp.	MB	6	1
	0.1 G. amp.	MB	6	1
	0.2 G. amp.	MB	1	3
159	SODIUM AUROTHIO- MALATE, OILY INJECTION OF			
	0.01 G. amp.	MB	1	3
	0.02 G. amp.	MB	1	3
	0.05 G. amp.	MB	6	1
160	SODIUM CHLORIDE HYPERTONIC SOLUTION FOR INJECTION			
	3%, 1 litre bottle	DH	2	1
	5%, 1 litre bottle	DH	2	1
161	SODIUM CHLORIDE PHYSIOLOGICAL SOLUTION FOR INJECTION			
	2 cc. amp.	AH, BL, DH, KL	6	1
	5 cc. amp.	AH, BL, BT, DH, KL	6	1
	10 cc. amp.	AH, BL, BT, CS, DH, KL, PD	6	1
	20 cc. amp.	BL, DH	6	1
	50 cc. amp.	DH	3	1
	1 litre bottle	DH	2	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No	5 Repeats
162	SODIUM CHLORIDE, PHYSIOLOGICAL SOLU- TION (WITH DEXTROSE) FOR INJECTION			
	5%, 1 litre bottle	DH	2	1
	10%, 1 litre bottle	DH	2	1
	20%, 1 litre bottle	DH	2	1
	25%, 1 litre bottle	DH	2	1
163	SODIUM SULPHATE SOLUTION FOR INJECTION			
	4.28%, 1 litre bottle	DH	2	1
164	SOLAPSONE			
	7½ gr. tab.	BW	200	
165	SUCCINYLSULPHA- THIAZOLE			
	0.5 G. tab.	AN, MB, SD	100	
166	SULPHACETAMIDE			
	0.5 G. tab.	AN, BS, BT, DH, FA, FM, SC, SI	50	
167	SULPHADIAZINE			
	0.3 G. tab.	AB, KL, PD, TO	50	
	0.5 G. tab.	AB, AN, BT, BW, CM, DH, FA, FM, HY, KL, MB, MR, PD, RT, SC, SI	50	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
168	SULPHADIMIDINE			
	0.25 G. tab.	IC	50	
	0.5 G. tab.	AN, IC	50	
169	SULPHAFURAZOLE			
	0.5 G. tab.	RO	50	
170	SULPHAGUANIDINE			
	0.5 G. tab.	AB, AN, BT, BW, CM, DH, FM, HY, IC KL, NS, RT, SI	100	1
171	SULPHAMERAZINE			
	0.5 G. tab.	AB, AN, BW, DH, FA, FM, HY, KL, RT, SI	50	
172	SULPHAMETHIZOLE			
	0.1 G. tab.	WW	30	
173	SULPHAPYRIDINE			
	0.5 G. tab	MB	50	
174	SULPHARSPHENAMINE, INJECTION OF			
	0.1 G. amp.	BT	2	1
	0.15 G. amp.	BT, EV	2	1
	0.3 G. amp.	BT, EV	2	1
	0.45 G. amp.	BT, EV	2	1
	0.6 G. amp.	BT, EV	2	1
	0.75 G. amp.	BT	2	1
	0.9 G. amp.	BT	2	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No	5 Repeats
175	SULPHATHIAZOLE			
	0.3 G. cap.	LY	50	
	0.5 G. tab.	BT, BW, CB, FM, HY, KL, MB	50	
176	SULPHONAMIDES, MIXED, (A)—TWO SULPHONA- MIDES			
	0.25 G. tab.	DH	50	
	0.3 G. tab.	AB, HY, KL	50	
	0.5 G. tab.	AB, DH, HY, KL, TO, VR	50	
177	SULPHONAMIDES, MIXED, (B)—THREE SULPHONA- MIDES			
	0.25 G. tab.	CM, MB	50	
	0.3 G. tab.	AB, KL, TO	50	
	0.33 G. tab.	AN	50	
	0.5 G. tab.	AD, AN, CM, FA, FM, HY, KL, MB, SI, TO	50	
178	SULPHONAMIDES, MIXED, (C)—FOUR SULPHONA- MIDES			
	0.3 G. tab.	KL	50	
	0.5 G. tab.	KL	50	
179	SUPRARENAL CORTEX EXTRACT, INJECTION OF			
	200 γ per cc., 10 cc. bottle	PD	3	1
	10 cc. vial	AH	3	1

Item No.	1	2	3	4	5
		Name, Strength and Form	Manufacturer whose product is available as a benefit (See page 1)	Maximum No.	Repeats
180		T.A.B. VACCINE (Anti-Typhoid-Paratyphoid) 1 cc. containing— 1,000 M. Typhosus 500 M. Paratyphosus A 500 M. Paratyphosus B 1 cc. amp. 10 cc. vial	CS CS	3 1	
181		TETANUS ANTI-TOXIN 500 I.U. (1950) amp. 1,000 I.U. (1950) amp. 1,500 I.U. (1950) amp. 5,000 I.U. (1950) amp. 10,000 I.U. (1950) amp.	CS CS BW, CS CS BW, CS	6 6 6 6 6	1 1 1 1 1
182		TETANUS TOXOID (FORMALINISED) 1 cc. amp.	CS	3	
183		THEOPHYLLINE WITH ETHYLENEDIAMINE 0.366 G. per 10 mil. amp. 0.732 G. per 2 mil. amp. 0.48 G. per 2 mil. I.M. amp. 0.5 G. per 2 mil. I.M. amp. 0.24 G. per 10 mil. I.V. amp. 0.25 G. per 10 mil. I.V. amp. 1½ gr. tab. 2.34 gr. tab.	AB AB DH, HA AH, BW, CM DH, HA AH, BW, CM BT, BW, CM, DH, FA, HA, HY, KL, RT, SI, SM AB	6 6 6 6 6 6 100 100	 1 1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No	5 Repeats
184	THIACETAZONE			
	25 mg. tab.	BT	100	...
	50 mg. tab.	AH, AN, FM, HT	50	...
185	THIOURACIL, METHYL			
	0.05 G. tab.	AN, BW	100	1
	0.1 G. tab.	AN, BD, BW, IC	100	1
	0.2 G. tab.	AN, BD, BW, IC, MB	100	1
186	THIOURACIL, PROPYL			
	25 mg. tab.	AN	100	1
	50 mg. tab.	AN	100	1
187	THYROID B.P.			
	1/32 gr. tab.	BW, CS, DH	100	3
	1/16 gr. tab.	BW, CS, DH	100	3
	1/10 gr. tab.	BW, CS	100	3
	1/8 gr. tab.	BW, CS, DH	100	3
	1/4 gr. tab.	AS, BW, CS, DH, FA, GP, PD, SI	100	3
	1/2 gr. tab.	AS, BW, CS, DH, FA, GP, PD, SI	100	3
	1 gr. tab.	AS, BW, CS, DH, FA, GP, PD, SI	100	3
	1½ gr. tab.	BW, CS, DH, GP, SI	100	3
	2 gr. tab.	BW, DH, FA, GP, PD, SI	100	3
	2½ gr. tab.	BW, CS, DH, GP, SI	100	3
	5 gr. tab.	GP	100	3

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
188	TIGER SNAKE ANTI- VENENE 1,500 U. per amp.	CS	4	1
189	TRIETHANOLAMINE TRINITRATE 1 mg. tab.	SC	50	1
190	TROXIDONE 0.3 G. cap. 0.15 G. tab.	AB AB	100 100	1 1
191	VASOPRESSIN. INJECTION OF 0.5 cc. amp. 1 cc. amp.	CS, PD CS, PD	6 6	
192	VITAMIN K, AQUEOUS INJECTION OF 2.5 mg. per 0.5 cc. amp. 5 mg. per 1 cc. amp. 10 mg. per 1 cc. amp. 75 mg. per 1 cc. amp.	AB AB, BL, FM BL, BT, DH, GL, KL, RO BL, OR	6 6 6 6	1 1 1 1
193	VITAMIN K, OILY INJECTION OF 5 mg. per 1 cc. amp. 10 mg. per 1 cc. amp.	BD, BW, CK, VM DH, KL	6 6	1 1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No	5 Repeats
194	VITAMIN K (ORAL)			
1	mg. cap.	BA	100	1
4	mg. cap.	PD	100	1
1	mg. tab.	LY	100	1
4-8	mg. tab.	AB	100	1
5	mg. tab.	BD, DH, FM, KL, RT, SI	100	1
10	mg. tab.	BD, CK, CM, DH, GL, HY, KL, RO, RT, SI, VM	100	1
195	WATER FOR INJECTION			
2	cc. amp.	AH, BL, BT, DH, EV, KL	6	1
5	cc. amp.	AH, BL, BT, DH, EV, KL	12	1
10	cc. amp.	AH, AN, BL, BT, CS, DH, EV, KL	12	1
196	WYDASE			
	150 U. per amp.	WY	5	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

LIST B (Part 1)

SECOND SCHEDULE (RESTRICTED DRUGS)

The drugs set out in Column 2 of the following table may be ordered only for the treatment of a disease or purpose specified in relation to each of those drugs.

Details regarding these drugs are set out in the List of Benefits at the end of the table.

Prescriptions for Restricted Drugs must be endorsed "Restricted Drug". See paragraph 3 of the Notes on General Pharmaceutical Benefits for further information.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
1	Aureomycin	Acute amoebic dysentery; Acute and sub-acute bacterial en- docarditis-streptococcus faecalis; Staphylococcal infections which do not respond to penicillin; Pneumonia which has not re- sponded to penicillin nor to sulphonamides; Psittacosis; Urinary tract infections due to streptococcus faecalis.
2	Calcium Para- Aminosalicy- late	Tuberculosis.
3	Caramiphen Hydrochloride	Parkinsonism.
4	Chlorampheni- col	Typhoid Fever; Brucellosis; Typhus and other rickettsial diseases;

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
4	(Contd.)	Influenzal meningitis; Granuloma inguinale; Lymphogranuloma venereum; Whooping cough (haemophilus pertussis); Infections due to haemophilus influenza; Acute Laryngo-tracheo-bronchitis; Salmonella infections; Severe gastro-enteritis in children; Staphylococcal infections that do not respond to either penicillin or aureomycin; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Meningitis due to bacterium coli if other forms of treatment are unsuccessful.
5	Chloramphenicol Palmitate	Any disease or purpose specified in this column in relation to chloramphenicol.
6	Cortisone Acetate	Acute rheumatic carditis; Addison's disease; Total adrenalectomy.
7	Deoxycortone Acetate, Aqueous Injection of	Addison's disease.
8	Deoxycortone Acetate, Aqueous Suspension of	Addison's disease.
9	Deoxycortone Acetate, Oily Injection of	Addison's disease.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
10	Dienoestrol	Carcinoma of the prostate; Mammary carcinoma.
11	Dihydrostrep- tomycin	Any disease or purpose specified in this column in relation to streptomycin, but only if the per- son being treated for that disease or purpose is allergic to strep- tomycin.
12	Folic Acid	Sprue or the sprue-like syndrome.
13	Isoniazid	Tuberculosis.
14	Pancreatin	Fibrocystic disease of the pancreas.
15	Para-Amino- salicylic Acid	Tuberculosis.
16	Phenindamine Tartrate	Parkinsonism.
17	Progesterone, Injection of	Threatened abortion.
18	Quinine Bisulphate	Malaria.
19	Quinine Dihy- drochloride	Malaria.
20	Quinine Hydro- chloride	Malaria.
21	Quinine Sulphate	Malaria.
22	Sodium Para- Aminosalicy- late	Tuberculosis.
23	Stilboestrol	Carcinoma of the prostate; Mammary carcinoma.
24	Streptomycin	Infections due to haemophilus influenza; Chancroid; Pneumonia due to Bacillus Fried- lander; Acute tuberculosis; Acute exacerbations in chronic tuberculosis; Salmonella infections;

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
24	(Contd.)	Bacillary dysentery not responding to sulphonamides; Surgical conditions of the bowel and of the thoracic organs; Tularaemia; Infections due to pseudomonas pyocyaneus.
25	Terramycin	Any disease or purpose specified in this column in relation to aureomycin.
26	Terramycin, Oral Suspension	Any disease or purpose specified in this column in relation to aureomycin.
27	Testosterone	Mammary carcinoma; Castration.
28	Testosterone, Methyl	Mammary carcinoma; Castration.
29	Testosterone Oenanthate, Injection of	Mammary carcinoma; Castration.
30	Testosterone Phenyl Propionate, Injection of	Mammary carcinoma; Castration.
31	Testosterone Propionate, Injection of	Mammary carcinoma; Castration.
32	Tetracycline	Any disease or purpose specified in this column in relation to aureomycin.
33	Vitamin B12, Injection of	Established megalocytic anaemias.

LIST B (Part 2)

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
1	AUREOMYCIN			
	50 mg. cap.	LE	25	...
	100 mg. cap.	LE	25	...
	250 mg. cap.	LE	16	...
	100 mg. vial	LE	6	...
2	CALCIUM PARA-AMINOSALICYLATE			
	1.5 G. cachet	KL, WA	200	1
	2.0 G. cachet	WA	200	1
	5 gr. tab.	WA	200	1
	7½ gr. tab.	KL, WA	200	1
	100 G. tin.	WA	1	1
	400 G. tin.	WA	1	1
3	CARAMIPHEN HYDROCHLORIDE			
	0.05 G. tab.	GE	100	1
4	CHLORAMPHENICOL			
	0.125 G. cap.	PD	12	...
	0.25 G. cap.	PD	12	...
5	CHLORAMPHENICOL PALMITATE			
	0.125 G. per 4 cc., 60 cc. bottle	PD	1	...
6	CORTISONE ACETATE			
	25 mg. tab.	AN, BD, BT, DH, RL, SC	40	1
	25 mg. per cc., 20 cc. vial	DH, SC	1	...
	50 mg. per cc., 10 cc. vial	SC	1	...

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
7	DEOXYCORTONE ACETATE, AQUEOUS INJECTION OF			
	5 mg. amp.	CB, SC	4	
	50 mg. amp.	CB, SC	1	
8	DEOXYCORTONE ACETATE, AQUEOUS SUSPENSION OF			
	25 mg. amp.	CB	1	
	50 mg. amp.	CB	1	
9	DEOXYCORTONE ACETATE, OILY INJECTION OF			
	2 mg. amp.	OR	4	
	5 mg. amp.	BD, CB, OR, SC	4	
	10 mg. amp.	BD, CB, OR, SC	4	
	50 mg. implant	BD, OR	1	
	100 mg. implant	BD, CB, OR, SC	1	
	5 mg. per cc., 5 cc. vial	OR	1	
	10 mg. per cc., 10 cc. vial	CB, OR	1	
10	DIENOESTROL			
	5 mg. tab.	AN, BD, DH, KL	100	1
	10 mg. tab.	KL	100	1
11	DIHYDROSTREPTOMYCIN			
	1 G. vial	AN, BD, DN, GL, SI, SP, ST	5	3
12	FOLIC ACID			
	15 mg. per cc., 1 cc. amp.	AN, KL, LE ..	12	
	5 mg. tab.	AN, CM, HY, KL, PD, SI	100	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
13	ISONIAZID			
	50 mg. tab.	AN, DH, HA, HT, HY, KL, MB, NS, RO, SC, SI	100	1
	100 mg. tab.	MB, RO	100	1
14	PANCREATIN			
	5 gr. tab.	OP, PD	100	
15	PARA-AMINOSALICYLIC ACID			
	0.3 G. tab.	CO, DH, HY, KL, SI	200	1
	0.5 G. tab.	AN, DH, HA, HY, KL, SI	200	1
16	PHENINDAMINE TARTRATE			
	25 mg. tab.	RO	100	1
17	PROGESTERONE, INJECTION OF			
	5 mg. amp.	BD, BT, CB, FM, KL, OR, SC	6	
	10 mg. amp.	BD, CB, FM, KL, OR, SC	6	
	20 mg. I.V. amp.	SC	3	
18	QUININE BISULPHATE			
	5 gr. tab.	BW, DH, FA, HY, PD	100	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
19	QUININE DIHYDRO- CHLORIDE			
	3 gr. per cc., 1 cc. amp.	DH	6	1
	6½ gr. per cc., 1 cc. amp.	DH	6	1
	9½ gr. per 2 cc. amp.	DH	6	1
	15½ gr. per 2 cc. amp.	DH	6	1
	5 gr. cap.	PD	100	1
	5 gr. tab.	DH	100	1
20	QUININE HYDRO- CHLORIDE			
	5 gr. tab.	BW, DH	100	1
21	QUININE SULPHATE			
	5 gr. tab.	DH, HY, SI	100	1
22	SODIUM PARA- AMINOSALICYLATE			
	1.5 G. cachet	AN, BT, HT, KL, WA, WB	200	1
	2.0 G. cachet	WA	200	1
	0.5 G. cap.	HA	200	1
	5 gr. tab.	CB, CM, DH, HY, KL, SI, WA	200	1
	7½ gr. tab.	AN, BT, CB, CM, DH, HA, HT, HY, KL, SI, WA	200	1
	20%, 10 cc. vial	AN, HT, KL, WA	6	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
23	STILBOESTROL			
	1 mg. amp.	AH, BD, DH	6	
	5 mg. amp.	AH, BD, BW, DH, KL	6	
	1 mg. tab.	AN, BD, BW, DH, FA, HA, HY, RT, SI	100	1
	5 mg. tab.	AN, BD, BW, DH, FA, HA, HY, KL, RT, SI	100	1
	10 mg. tab.	CM, KL	100	1
24	STREPTOMYCIN			
	1 G. vial	AH, AN, BD, BW, DN, EV, GL, IC, MB, ST	5	3
25	TERRAMYCIN			
	50 mg. cap.	PF	25	
	100 mg. cap.	PF	25	
	250 mg. cap.	PF	16	
	50 mg. tab.	PF	25	
	100 mg. tab.	PF	25	
	250 mg. tab.	PF	16	
	100 mg. vial, intramuscular	PF	6	
	250 mg. per 10 cc. vial, intra- venous	PF	6	
26	TERRAMYCIN ORAL SUSPENSION			
	0.25 G. per 5 cc., 1 fl. oz. bottle	PF	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
27	TESTOSTERONE 100 mg. implant 150 mg. implant 200 mg. implant	BD, CB, OR, SC OR OR	1 1 1	
28	TESTOSTERONE METHYL 25 mg. tab. 50 mg. tab.	AN, BD, BS, BT, CB, HY, KL, OR, SC AN, BD, BS, BT, HY, KL, OR, SC	25 25	1 1
29	TESTOSTERONE OENAN- THATE, INJECTION OF 250 mg. per cc., 1 cc. amp. ..	SC	1	...
30	TESTOSTERONE PHENYL PROPIONATE, INJEC- TION OF 50 mg. per cc., 1 cc. amp. 50 mg. per cc., 5 cc. vial	OR OR	3 1	
31	TESTOSTERONE PRO- PIONATE, INJECTION OF 25 mg. per 1 cc. amp. 50 mg. per 1 cc. amp. .. 50 mg. per cc., 10 cc. vial 100 mg. per 2 mil., 2 mil. amp. 100 mg. implant	AH, AN, BD, BS, BT, BW, CB, FM, KL, OR, SC AH, BD, BS, CB, FM, OR, SC CB, KL, OR, SC BD, FM, OR, SC BD	12 12 1 1 1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
32	TETRACYCLINE			
	50 mg. cap.	LE	25	
	100 mg. cap.	LE	25	
	250 mg. cap.	LE	16	
	50 mg. tab.	PF	25	
	100 mg. tab.	PF	25	
	250 mg. tab.	PF	16	
	100 mg. vial	LE	6	
33	VITAMIN B 12, INJECTION OF			
	10 γ per 1 cc. amp.	BD, DH	12	1
	15 γ per 1 cc. amp.	PD	12	1
	20 γ per 1 cc. amp.	AH, AN, BD, BL, BT, BW, CK, CM, DH, EV, GL, IC, KL, NS, SI, ST, VM	12	1
	50 γ per 1 cc. amp	AH, BD, BL, BT, BW, CK, DH, EV, GL, IC, NS, VM	6	1
	100 γ per 1 cc. amp.	AH, AN, BD, BL, BT, BW, CK, CM, EV, GL, IC, KL, PD, SI, VM	1	1
	100 γ per cc., 10 cc. vial	CM	1	
	200 γ per cc., 1 cc. amp.	BT	1	
	1,000 γ per cc., 1 cc. amp.	AN, CM, GL	1	
	1,000 γ per cc., 10 cc. vial	CM	1	

LIST C

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item No.	Column 2 Pharmaceutical Benefit	Column 3 Form	Column 4 Maximum Quantity
2	Adrenalin Hydrochloride, Solution of	Ampoule	6
41	Digoxin	Bottle	1
		Ampoule	12
		Bottle	1
43	Dihydromorphinone	Tablet	100
		Ampoule	4
		Hypodermic	20
		Tablet	20
48	Diphtheria Antitoxin	Ampoule	6
107	Morphine Sulphate	Ampoule	6
		Hypodermic	40
		Tablet	
108	Morphine with Atropine	Ampoule	6
		Hypodermic	40
		Tablet	
126	Penicillin, Procaine, Aqueous Suspension of	Ampoule	12
133	Pethidine Hydrochloride	Ampoule	6
		Tablet	25
145	Pituitary (Posterior Lobe), Injection of	Ampoule	12
177	Sulphonamides, Mixed, (B)—Three Sulphonamides	Tablet	100

Proprietary Names of Listed Drugs and

Manufacturers' Codes

FIRST SCHEDULE

Preparation	Item No.	Code
A		
Acetocid	166	BS
Acetylarsan	1	MB
Adanon	6	BA
Albucid	166	SC
Aminophylline	183	
Anacardone	114	BD
Anahaemin	8	BD
Anahepol	9	AH
Anginine	72	BW
Anthisan	99	MB
Antistine	10	CB
Aquacillin	126	FA
Aralen	27	BA
Artane	13	LE
Auro-Calcium	18	CK
Aurothiomalate Calcium	18	
Aurothiomalate Sodium	158, 159	
Avlon	Various	IC
Avloprocil N.A.	127	IC
Avlosulfon	29	IC
B		
B.A.L.	45	BT
Banocide	37	BW
Benadon	153	RO
Benadryl	46	PD
Bisalevan	17	EV
Bisantol	17	MB

Preparation	Item No.	Code
Bisglucol	14	MB
Bismol	16	DH
Bismostab	14	BT
Bisoxyl	15	BD
Bi-Stabillin	127	BT
Bisvene	15	EV

C

Campolon	21	BA
Campolon Forte	22	BA
Cardiazol	93	KN
Cardophyllin	183	HA
Carine	183	KL
Casydrol	25	FC
Cedilanid	92	SZ
Cetasulph	140	CM
Cibazol	175	CB
Cilicaine Fortified	127	SI
Cilicaine Simplex	127	SI
Cilicaine Suspension	126	SI
Conteben	184	FM
Coramine	114	CB
Corvotone	114	BT
Crystodigin	40	LY

D

D.A.D.P.S.	29	AN
Darrow's Solution	30	DH
Davitamon K	192	OR
Demerol	133	BA
D.H.E. 45	42	SZ
Diamidin	34	PD
Dicoumarin	35	OR
Digicristin	40	CM
Digifortis	38	PD
Digisidin	40	ST
Dilantin	139	PD
Dilaudid	43	KN
Dimerazole	176	VR
Dimerzine	176	DH

Preparation	Item No.	Code
Dindevan	138	EV
Diparcol	36	MB
Distaquaine	127	
Distaquaine Forte	127	MB
Distaquaine Fortified	127	
Distaquaine G.	127	EV
Disulpha	176	TO
Disulphettes	176	HY
Diurophylin	183	CM
Duozone	176	AB

E

E.D.C.	65	NS
Embequin	44	MB
Enterocid	140	BS
Entero-Vioform	56	CB
Eptoin	139	BT
Ergotrate	59	LY
Eschatin	179	PD
Estopen	124	GL
Ethodryl	37	BD
Eucortone	179	AH
Eumydrin	105	BA
Evarsan	110	EV
Examen	66	GL
Exatropé	67	GL

F

Forticil	128	FA
---------------	-----	----

G

Gantrisin	169	RO
Gardenal Sodium	137	MB
Glucophylline	183	AB
Gynergen	61	SZ
Guanaflex	170	CM

Preparation	Item No.	Code
H		
Heparin Retard	76	BT
Hepastab	77	BT
Hepastab Forte	78	BT
Hepatex-T	79	EV
Hepolon	80	AH
Heptalgin	136	GL
Hetrazan	37	LE
Hexa-Betalin	153	LY
Hexavibex	153	PD
Histostab	10	BT
Hyalase	81	FC
Hypkinone	192, 194	AB

I		
Infatab	167	PD
Infundin Pituitary	145	BW
Isuprel	89	ST

K		
Kapilin	192, 194	GL
Kappaxan	194	BA
Kavitine	192, 193, 194	KL
Kayvite	194	SI
Kemadrin	148	BW
Kinaden	91	SC
K-Thrombin	194	FM
K-Thrombin Aqueous	192	FM

L		
Leucarsone	24	MB
Liquemin	75	RO
Livadex	100	BD
Liver Injections—		
Anaheamin	8	
Anahepol	9	
Campolon	21	
Campolon Forte	22	
Examen	66	
Exatrope	67	
Hepastab	77	

Preparation	Item No.	Code
Hepastab Forte	78	
Hepatex—T	79	
Hepolon	80	
Livadex	94	
Liver Extract	95	
Neo-Hepatex	111	
Pernaemon Crudum	129	
Pernaemon Fort	130	
Pernexin	131	
Protolex	152	
Reticulogen	155	
Lucodan	43	KN
Lysivane	63	MB

M

Malidone	5	BS
Mapharsen	117	PD
M. & B. 693	173	MB
Megacillin	126	FA
Menaphthone	193	
Meonine	103	WY
Meradiazine	176	HY
Mesantoin	104	SZ
Methadon	6	ST
Methnine	103	MR
Mezatox	171	FM
Moryl	23	SY
Multisulpha	178	KL
Multisulphettes	178	KL
Myocrisin	158, 159	MB
Mysoline	146	IC

N

Neo-Epinine	90	BW
Neo-Hepatex	111	EV
Neoici	110	GA
Neptal	101	MB
Neustab	184	BT
Nicamide	114	BW
Nivaquine	27	MB
Normal Saline	160	
Novarsenobillon	110	MB

O

Omnopon	120	RO
--------------	-----	----

P

Palatinoid	60	OP
Paludrine	149	IC
Paradione	122	AB
Parenamine	123	ST
Penaquacaine G.	127	CS
Penaquacaine G. Fortified	127	CS
Pentide	115	AH
Pentnucleotide	115	MJ
Pernaemon Crudum	129	OR
Pernaemon Fort	130	OR
Pernexin	131	SC
Pethanal	133	CM
Petein	132	SC
Phenergan	150	MB
Phrenazol	93	BT
Physeptone	6	BW
Pipanol	13	ST
Pitocin	118	PD
Pitressin	191	PD
Pituitary Obstetrical	145	CS
Pituitary Surgical	191	CS
Pituitrin Obstetrical	145	PD
Pituitrin Surgical	191	PD
Plasmoquine	119	BA
Pneumotox	167	FM
Praenitron	189	SC
Procillin	128	DH
Procillin A.S.	126	DH
Procillin Dry	127	DH
Procillin Dry Fort.	127	DH
Procillin One Million	128	DH
Prokayvit	193, 194	BD
Prominal	135	BA
Pro-Stabillin	126, 127	BT
Prostigmin	112, 113	RO
Protolex	152	CM
Purodigin	40	WY

Preparation	Item No.	Code
Pyridermin	153	CM
Pyriovel	153	VM
R		
Reticulogen	155	LY
Ringer's Solution	156	DH
Rondase	157	EV
S		
Salyrgan	102	BA
Savorquin	44	SY
Seclophen	127	GL
Seroden	184	AH
Shigatox	170	FM
Solganal—B Oleosum	12	SC
Solutox	166	FM
S.P.N.	115	EV
Staphtox	175	FM
Sulazine	167	SC
Sulfasuxidine	165	SD
Sulfathalidine	141	SD
Sulphaco	177	CM
Sulphaco Mitis	177	CM
Sulphacompound Tres	177	KL
Sulphadiazinettes	167	KL
Sulphadital	177	FM
Sulphaduo	176	KL
Sulphamezathine	168	IC
Sulpharsan	174	EV
Sulphatriad	177	MB
Sulphetrone	164	BW
Sulphonamix	177	SI
Sulphostab	174	BT
Synkamine	194	PD
Synkavit	192, 194	RO
Synthanal	6	CM
T		
Tabloid	Various	BW
Talecid	140	SC
Tetrazol 136	93	FM
Thalazole	141	MB

Preparation	Item No.	Code
Thiazamide	175	MB
Thiomerein Sodium	100	WY
Thioparamizone	184	HT
Three Sulphas	177	AD
Tibizone	184	AN
Triazyl	177	AB
Tridione	190	AB
Trinavac	50	SD
Triogen	50	PD
Triple Antigen	50	CS
Triple Sulpha	177	TO
Triple Sulphonamides	177	FA
Trisulfa	177	AN
Trisulfettes	177	AN
Trizettes	177	TO
Trombolysan	64	GE

U

Urolucosil	172	WW
-----------------	-----	----

V

Vitavel K	193, 194	VM
Viules	11, 15, 133, 137, 151	BT
Viules Pro-Stabillin A.S.	126	BT
Viules Pro-Stabillin Oily	128	BT

W

Wydase	196	WY
-------------	-----	----

Y

Yatren	26	BA
-------------	----	----

Proprietary Names of Listed Drugs

and

Manufacturers' Codes

SECOND SCHEDULE—RESTRICTED DRUGS

Preparation	Item No.	Code
A		
Achromycin	32	LE
Aminacyl	2, 22	WA
Aminacyl Granulate	2	WA
Anacobin	33	BD
Andrazide	13	AN
Aureomycin	1	LE
B		
Benol	33	KL
Benol Forte	33	KL
Bitevan	33	EV
C		
Calcipas	2	KL
Chloromycetin	4	PD
Chloromycetin Palmitate	5	PD
Cortadren	6	SC
Cortone	6	DH
Cytamen 20, 50, 100, 1000	33	GL
Cytobex	33	PD
D		
Distivit	33	
D.O.C.A.	9	OR
E		
Ertuban	13	SC
Euhaemon	33	AH

Preparation	Item No.	Code
F		
Folvite	12	LE
H		
Heptamin	33	SI
I		
Intraviron	31	BS
Intravite B 12	33	NS
Isotinyt	13	KL
Isozide	13	NS
L		
Lutocyclin	17	CB
M		
Megalovel	33	VM
N		
Neo-Hombreol	31	OR
O		
Oraviron	28	BS
Osacyl	22	CB
P		
Palatinoid	14	OP
Panteric Tabs.	14	PD
Para-Aminosalicylate Calcium	2	
Para-Aminosalicylate Sodium	22	
Paramisan Sodium	22	HT
Parasal Sodium	22	CM
Parentosal B 12	33	CM
Parpanit	3	GE
Pasan	22	KL
Pasing	11, 24	DN
Perandren	27, 28, 31	CB
Percorten	7, 8, 9	CB
Primocort	7, 9	SC
Primoteston Depot	29	SC
Progestin	17	
Proluton	17	SC
Pycazide	13	HT

Preparation

Item No.

Code

R

Rimifon	13	RO
---------	----	----

S

Scheroson	6	SC
Specia Didromycine	11	SP
Streptomycin	24	
Streptomycin Dihydro	11	

T

Tabloid	Various	BW
Tebos	13	HY
Terramycin	25	PF
Terramycin Oral Suspension	26	PF
Testine	31	KL
Testogenine	31	FM
Testoviron	27, 28, 31	SC
Tetracyn	32	PF
Thephorin	16	RO

V

Vibion	33	AN
Vibion Forte	33	AN
Viules	31	BT
Viules Cobastab	33	BT
Viules Cobastab 200	33	BT

Section B

PENSIONER PHARMACEUTICAL BENEFITS

1. Prescriptions for these benefits must be endorsed "N.H.S." and bear the words "Pensioner Benefit" and the pension number of the patient.

2. In addition to other requirements set out in the General Notes, a prescription for a pensioner pharmaceutical benefit must—

- (a) indicate the form of benefit if it is a single drug, e.g., in the case of olive oil the prescription must indicate whether it is to be supplied as a mixture, application, liniment, &c.;
- (b) must not prescribe a general as well as a pensioner pharmaceutical benefit;
- (c) must not prescribe more than two pensioner pharmaceutical benefits;
- (d) must not prescribe the benefit by reference to a brand or in any other manner that would indicate a brand.

Unless these and other requirements set out in these Notes are complied with the prescription will not be accepted for dispensing by the chemist as a pensioner pharmaceutical benefit.

3. Pensioner pharmaceutical benefits comprise—

- (a) any drug or medicinal preparation which is the subject of a monograph in the 1953 B.P., except medicinal gases and general pharmaceutical benefits;
- (b) drugs and medicinal preparations set out in List A at the end of this section;
- (c) medicinal compounds composed of two or more of the drugs or medicinal preparations referred to in (a) and (b) of this sub-paragraph;

(d) any item in the Prescribers' List herewith. This list contains for your convenience a representative selection of medicaments approved by a special committee of the British Medical Association. It is requested that this list be used whenever practicable.

If it is desired to alter a formula in the Prescribers' List by adding one or more drugs to the formula, the name of the formula as it appears in the List may be used, e.g.,

R Pot. Bromid. gr. x

Mist. Gent. Alk ad $\frac{1}{2}$ fl. oz.

In all other cases where a formula is departed from, the formula title must not be used; the prescription should be written out in full.

4. The following may not be prescribed alone; they must be compounded with another pensioner pharmaceutical benefit.—Alcohol, ether, chloroform, industrial methylated spirit, and any drug or medicinal preparation set out in List A other than the following (which may be prescribed alone)—cachets, capsules, creams, extracts, eye ointments, glycerines, injections, liniments, liquors, mixtures, ointments, pills, syrups, suppositories and tablets.

5. It should be noted particularly that if a pensioner pharmaceutical benefit is desired to be supplied in the form of a cachet, capsule, pill or tablet, that form may be prescribed only if it is specified in List A as a benefit in that particular form or is the subject, in that form, of a monograph in the B.P. 1953.

6. Maximum quantities and numbers of repeats are set out in the table appearing in pages C and D. It should be noted that in a few cases of single drugs or preparations specific maxima have been set out, but otherwise maxima have been standardised.

Where a single drug is ordered the maxima will be governed by the form in which the benefit is directed to be supplied, e.g., as a lotion, liniment, &c.

PENSIONER PHARMACEUTICAL BENEFITS

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS

Class of Prescription	Maximum Quantity	No. of Repeats (in addition to first supply)
Applications	4 fl. oz.	1
Capsules	12 capsules . . .	1
Collodions	120 min.	1
Cream of Penicillin	$\frac{1}{2}$ oz.	
All other Creams	4 oz.	2
Draughts	4 fl. oz.	
Dusting Powders	4 oz.	1
Ear Drops	1 fl. oz.	
Elixirs	4 fl. oz.	1
Emulsions	16 fl. oz.	1
Enemas	4 fl. oz.	1
Extracts, Fluid	4 fl. oz.	
Extracts of Malt	1 lb.	3
Extracts of Malt with Cod Liver Oil	1 lb.	3
Eye Drops	120 min.	
Eye Lotions	6 fl. oz.	1
Eye Ointment of Penicillin	60 gr.	
All other Eye Ointments	$\frac{1}{4}$ oz.	
Gargles and Mouth Washes	8 fl. oz.	
Gelatins	4 oz.	3
Glycanths	$\frac{1}{2}$ oz.	1
Glycerines	2 fl. oz.	1
Inhalations	2 fl. oz.	
Injectons—		
Ampoules	6 amps.	1
Vials	1 vial	1
Irrigations	8 fl. oz.	2
Insufflations	1 oz.	
Linctuses	3 fl. oz.	2
Liniments	4 fl. oz.	1
Lotions	8 fl. oz.	2
Lozenges	25	
Mixtures	8 fl. oz.	2
Nasal Drops	$\frac{1}{2}$ fl. oz.	2
Ointment of Penicillin	1 oz.	
All other Ointments	2 oz.	1
Paints	1 fl. oz.	1
Pastes	2 oz.	1
Pessaries	6 pessaries . . .	2
Pills	50 pills	2

Class of Prescription	Maximum Quantity	No. of Repeats (in addition to first supply)
Poultices	1 lb.	1
Powder for internal use	4 oz.	2
Powders—individually wrapped	12 powders	1
Soaps	4 fl. oz.	1
Solutions for internal use	1 fl. oz.	2
Solutions for external use	4 fl. oz.	1
Sprays	$\frac{1}{2}$ fl. oz.	1
Suppositories	12 suppositories	1
Syrups	8 fl. oz.	1
Tablets, Phenobarb	100	2
Tablets, Phenobarb Sodium	100	2
All other Tablets	25	2
Tinctures	1 fl. oz.	1

PRESCRIBERS' LIST

Prescription.

APPLICATIONES

(APPLICATIONS)

APPLICATIO BENZYLIS BENZOATIS, B.P.C.
(Application of Benzyl Benzoate)

APPLICATIO DICOPHANI, B.P.C.
(Application of Dicophane: D.D.T. Application)

AURISTILLAE

(EAR DROPS)

AURISTILLAE ACIDI BORICI
(Aurist. Acid. Boric)

Boric Acid	gr. 10
Glycerin	m. 60
Rectified Spirit 60%.....to.....	m. 240

AURISTILLAE ACIDI SALICYLICI
(Aurist. Acid. Salicyl.)

Salicylic Acid	gr. 4
Rectified Spirit	m. 90
Distilled Water	m. 240

AURISTILLAE HYDROGENII PEROXIDI
(Aurist. Hydrogen. Perox.)

Solution of Hydrogen Peroxide 10 vols.

AURISTILLAE PHENOLIS
(Aurist. Phenol.)

Glycerin of Phenol	m. 60
Glycerin	m. 240

AURISTILLAE STREPTOMYCIN
(Aurist. Streptomycin)

Streptomycin	gr. 12
Normal Saline	m. 240

AURISTILLAE VIOLAE CRYSTALLINAE
(Aurist. Viol. Cryst.)

Crystal Violet	gr. 2
Rectified Spirit	m. 120
Distilled Water	m. 240

AURISTILLAE ARGENTI PROTEINATIS
(Aurist. Argentoprot.)

Mild Silver Proteinate.....	gr. 22
Rectified Spirit	m. 120
Distilled Water	m. 240

Prescription.

COLLYRIA

(EYE LOTIONS)

COLLYRIUM ACIDI BORICI

(Collyr. Acid. Boric)

Boric Acid	gr. 90
Distilled Water	to fl. oz. 6

COLLYRIUM HYDRARGYRI PERCHLORIDI

(Collyr. Hydrarg. Perchlor.)

Solution of Mercuric Chloride	fl. oz. 1
Distilled Water	to fl. oz. 6

When diluted with an equal quantity of water this eye lotion has a strength of 1 in 12,000.

CREMORES

(CREAMS)

CREMOR GLYCERINI

(Crem. Glycerin)

Olive Oil	m. 90
Glycerine	m. 90
Solution of Calcium Hydroxide	m. 150
Wool Fat	to 1 oz.

CREMOR PENICILLINI, B.P.

(Crem. Penicil.)

Contains 1000 units per gram

CREMOR ZINCI

(Crem. Zinc.)

Wool Fat	gr. 180
Arachis Oil, by weight	gr. 180
Zinc Oxide	gr. 240
Solution of Calcium Hydroxide	m. 240

EMULSIONES

(EMULSIONS)

EMULSIO OLEI MORRHUAE, B.P.

(Emuls. Ol. Morr.)

EMULSIO PARAFFINI LIQUIDI CUM

PHENOLPHTHALEINO B.P.C.

(Emuls. Paraff. Liq. c Phenolphthal.)

Prescription.

GARGARISMATA

(GARGLES)

GARGARISMA BORACIS COMPOSITA

(Garg. Boracis. Co.)

Borax	gr. 60
Sodium Bicarbonate	gr. 60
Liquefied Phenol	m. 10
Glycerin	m. 120
Water	to..... fl. oz. 4

Use one tablespoonful diluted with an equal quantity of warm water.

GARGARISMA POTASSII CHLORATIS

(Garg. Pot. Chlorat.)

Potassium Chlorate	gr. 40
Glycerin	m. 240
Water	to..... fl. oz. 4

Use one tablespoonful diluted with an equal quantity of warm water.

GUTTAE OPHTHALMICAE

(EYE DROPS)

GUTTAE ARGENTI PROTEINATIS MITIS 10%

(Gutt. Argentoprot. 10%)

Mild Silver Proteinate B.P.C.	gr. 10
Distilled Water	to..... m. 120

GUTTAE ATROPINAE SULPHATIS ½%

(Gutt. Atrop. Sulph. ½%)

Atropine Sulphate	gr. ½
Chlorbutol Water A.P.F.	to..... m. 120

GUTTAE ATROPINAE SULPHATIS 1%

(Gutt. Atrop. Sulph. 1%)

Atropine Sulphate	gr. 1
Chlorbutol Water A.P.F.	to..... m. 120

GUTTAE ATROPINAE SULPHATIS 2%

(Gutt. Atrop. Sulph. 2%)

Atropine Sulphate	gr. 2
Chlorbutol Water A.P.F.	to..... m. 120

GUTTAE PENICILLINI

(Gutt. Penicill.)

Crystalline Penicillin	2,000
	units
Sterile Distilled Water	to..... m. 15

Prescription.

GUTTAE PHYSOSTIGMINAE (ESERINAE) $\frac{1}{4}$ %

(Gutt. Physostigmin. $\frac{1}{4}$ %)

Physostigmine Salicylate	gr. $\frac{1}{4}$
Chlorbutol Water A.P.F.to.....	m. 120

GUTTAE PHYSOSTIGMINAE (ESERINAE) 1 %

(Gutt. Physostigmin. 1 %)

Physostigmine Salicylate	gr. 1
Chlorbutol Water A.P.F.to.....	m. 120

GUTTAE PILOCARPINAE $\frac{1}{2}$ %

(Gutt. Pilocarpin. $\frac{1}{2}$ %)

Pilocarpine Nitrate	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.to.....	m. 120

GUTTAE PILOCARPINAE 1 %

(Gutt. Pilocarpin. 1 %)

Pilocarpine Nitrate	gr. 1
Chlorbutol Water A.P.F.to.....	m. 120

GUTTAE SULPHACETAMIDI SOLUBILIS 25 %

(Gutt. Sulphacetamid. Solub. 25 %)

Soluble Sulphacetamide	gr. 30
Distilled Waterto.....	m. 120

GUTTAE ZINCI SULPHATIS $\frac{1}{2}$ %

(Gutt. Zinc. Sulph. $\frac{1}{2}$ %)

Zinc Sulphate	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.to.....	m. 120

N.B.—Where Guttæ are prescribed without specification of the strength, e.g., GUTTÆ ATROP. SULPH, the weakest strength will be supplied.

HAUSTUS

(DRAUGHTS)

HAUSTUS PARALDEHYDI

(Haust. Paraldehyd.)

Paraldehyde	m. 90
Rectified Spirit	m. 60
Syrup of Orange	m. 60
Glycerin	m. 60
Waterto.....	m. 480

Prescription.

**HAUSTUS POTASSII BROMIDI ET CHLORALIS
HYDRAS**

(Haust. Pot. Brom. et Chloral.)

Chloral Hydrate	gr. 10
Potassium Bromide	gr. 20
Tincture of Cudbear	m. 2
Syrup of Orange	m. 60
Chloroform Water	to..... m. 480

INHALATIONES

(INHALATIONS)

INHALATIO BENZOINI COMPOSITA

(Inhal. Benz. Co.)

Menthol	gr. 24
Oil of Eucalyptus	m. 24
Oil of Pine	m. 12
Compound Tincture of Benzoin	m. 240
Rectified Spirit	to..... m. 480

INHALATIO MENTHOLIS

(Inhal. Menthol.)

Menthol	gr. 60
Oil of Pine	m. 60
Rectified Spirit	to..... m. 480

INHALATIO MENTHOLIS EVAPORANS

(Inhal. Menthol. Evap.)

Menthol	gr. 60
Eucalyptol	m. 90
Camphor	gr. 90
Oil of Lavender	m. 7 $\frac{1}{2}$
Spirit of Chloroform	to..... m. 480

INSUFFLATIONES

(INSUFFLATIONS)

INSUFFLATIO IODI

(Insuff. Iodl)

Iodine	gr. 3
Potassium Iodide	gr. 3
Ether	m. 30
Boric Acid	to..... 1 oz.

LINCTUS

(COUGH SYRUPS)

LINCTUS CODEINAE

(Linct. Codein.)

Codein Phosphate	gr. $\frac{1}{4}$
Water	m. 5
Glycerin	m. 15
Oxymel of Squill	to..... m. 60

Prescription.

LINCTUS MORPHINAE

(Linctus. Morphin.)

Solution of Morphine Hydrochloride	m. 5
Red Syrup, A.P.F.	m. 15
Syrup	to..... m. 60

LINCTUS SCILLAE COMPOSITUS

(Linct. Scillae. Co.)

Camphorated Tincture of Opium	m. 20
Oxymel of Squill	m. 15
Spirit of Chloroform	m. 5
Syrup of Tolu	to..... m. 60

LINIMENTA

(LINIMENTS)

LINIMENTUM ACONITI COMPOSITUM

(Lin. Aconit. Co.—Lin. A.B.C.)

Liniment of Aconite	m. 160
Liniment of Belladonna	m. 160
Camphor	gr. 13
Chloroform	m. 80
Oleic Acid	to..... m. 480

LINIMENTUM METHYLIS SALICYLATIS

(Lin. Methyl. Sal.)

Methyl Salicylate	m. 120
Arachis Oil	to..... fl. oz. 1

LINIMENTUM TEREBINTHINAE, B.P.

(Lin. Terebinth., B.P.)

LINIMENTUM CALAMINAE COMPOSITUM

(Lin. Calamin. Co.: Pusey's Lin.)

Phenol	gr. 7 ½
Camphor	gr. 7 ½
Liquid Paraffin	oz. 1
Lanette Wax SX	gr. 45
Talc	gr. 120
Calamine	gr. 120
Water	to..... fl. oz. 4

To which may be added 1% to 2% Ichthyol
or Precipitated Sulphur or Solution of Coal
Tar.

LOTIONES

(LOTIONS)

LOTIO ACIDI BORICI

(Lot. Acid. Boric.)

Boric Acid	gr. 860
Water	to..... fl. oz. 20

Prescription.

LOTIO CALAMINAE, A.P.F.

(Lot. Calamin., A.P.F.)

(May add to this lotion—

Liquified Penol 1%;

Strong Solution of Lead Subacetate 1%
to 8%.)

LOTIO ALUMINII ACETATIS

(Lot. Aluminii. Acet.—Burrow's Solution)

Solution of Aluminum Acetate. B.P.C.

MISTURAE

(MIXTURES)

MISTURA ACIDI ACETYLSALICYLICI

(Mist. Acid. Acetylsal.)

Acetylsalicylic Acid	gr. 10
Compound Powder of Tragacanth	gr. 5
Syrup of Orange	m. 80
Water	to m. 240

MISTURA ACIDI ACETYLSALICYLICI COMPOSITA

(Mist. Acid. Acetylsal. Co.)

Acetylsalicylic Acid	gr. 6
Phenacetin	gr. 5
Caffeine	gr. 1
Compound Powder of Tragacanth	gr. 5
Syrup of Orange	m. 80
Chloroform Water	to m. 240

MISTURA ACIDI ACETYLSALICYLICI ET

MORPHINAE

(Mist. Acid. Acetylsal. et Morphin.)

Solution of Morphine Hydrochloride	m. 15
Red Syrup, A.P.F.	m. 30
Acetylsalicylic Acid	gr. 10
Compound Powder of Tragacanth	gr. 5
Water	to m. 240

(This mixture contains $\frac{1}{8}$ grain Morphine
Hydrochloride in $\frac{1}{2}$ fl. oz.)

MISTURA ACIDI ACETYLSALICYLICI ET

PHENOBARBITONI

(Mist. Acid. Acetylsal. et Phenobarb.)

Phenobarbitone	gr. $\frac{1}{2}$
Acetylsalicylic Acid	gr. 10
Compound Powder of Tragacanth	gr. 5
Syrup	m. 20
Cinnamon Water	to m. 240

Prescription.

MISTURA ACIDI ACETYLSALICYLICI SOLUBILIS

(Mist. Acid. Acetylsal. Solub.)

Acetylsalicylic Acid	gr. 10
Potassium Citrate	gr. 80
Neutral Syrup of Lemon A.P.F.	m. 30
Water	to m. 240

MISTURA ALKALINA

(Mist. Alkaline.)

Sodium Citrate	gr. 30
Sodium Bicarbonate	gr. 80
Chloroform Water	to m. 240

MISTURA ALUMINII HYDROXIDI A.P.F.

(Mist. Alumin. Hydrox.)

MISTURA AMMONII ACETATIS

(Mist. Ammon. Acet.)

Strong Solution of Ammonium Acetate.....	m. 15
Potassium Citrate	gr. 25
Tincture of Ipecacuanha	m. 10
Camphorated Tincture of Opium	m. 30
Syrup of Tolu	m. 80
Water	to m. 240

MISTURA ALBA

(Mist. Alba.)

Magnesium Sulphate	gr. 60
Light Magnesium Carbonate	gr. 10
Peppermint Water	to m. 240

MISTURA BISMUTHI ALKALINA

(Mist. Bism. Alk.)

Bismuth Carbonate	gr. 10
Light Magnesium Carbonate	gr. 10
Sodium Bicarbonate	gr. 10
Peppermint Water	to m. 240

MISTURA BISMUTHI ET OPII

(Mist. Bism. et Opii)

Bismuth Carbonate	gr. 10
Tincture of Opium	m. 10
Chloroform Water	to m. 240

MISTURA BISMUTHI SEDATIVA

(Mist. Bism. Sedativ.)

Bismuth Carbonate	gr. 20
Solution of Morphine Hydrochloride	m. 5
Sodium Bicarbonate	gr. 10
Dilute Hydrocyanic Acid	m. 8
Peppermint Water	to m. 240

Prescription.

MISTURA COLCHICI ET SODII SALICYLATIS

(Mist. Colch. et Sod. Salicyl.)

Sodium Salicylate	gr. 15
Sodium Bicarbonate	gr. 15
Light Magnesium Carbonate	gr. 15
Liquid Extract of Colchicum	m. 3
Liquid Extract of Liquorice	m. 10
Water	to..... m. 240

MISTURA CRETAE ET KAOLINI

(Mist. Cret. et Kaolin.)

Prepared Chalk	gr. 30
Light Kaolin	gr. 60
Light Magnesium Carbonate	gr. 5
Chloroform Water	to..... m. 240

MISTURA FERRI ET NUCIS VOMICAE

(Mist. Ferri et Nux. Vom.)

Iron and Ammonium Citrate	gr. 15
Tincture of Nux Vomica	m. 10
Chloroform Water	to..... m. 240

MISTURA GENTIANAE ACIDA

(Mist. Gent. Acid.)

Dilute Hydrochloric Acid	m. 20
Tincture of Nux Vomica	m. 10
Spirit of Chloroform	m. 15
Compound Infusion of Gentian	to..... m. 240

MISTURA GENTIANAE ALKALINA

(Mist. Gent. Alk.)

Sodium Bicarbonate	gr. 20
Tincture of Nux Vomica	m. 10
Spirit of Chloroform	m. 15
Compound Infusion of Gentian	to..... m. 240

MISTURA LOBELIAE COMPOSITA

(Mist. Lobelia. Co.)

Potassium Iodide	gr. 5
Ammonium Bicarbonate	gr. 5
Tincture of Belladonna	m. 5
Tincture of Stramonium	m. 10
Ethereal Tincture of Lobelia	m. 10
Camphorated Tincture of Opium	m. 20
Infusion of Senega	to..... m. 240

MISTURA OPII CAMPHORATA

(Mist. Opi Camph.)

Camphorated Tincture of Opium	m. 30
Tincture of Belladonna	m. 5
Oxymel of Squill	m. 15
Water	to..... m. 240

Prescription.

MISTURA PHENAZONII

(Mist. Phenazon.)

Potassium Bromide	gr. 15
Phenazone	gr. 10
Tincture of Gelsemium	m. 10
Syrup of Orange	m. 15
Chloroform Water	to m. 240

MISTURA PHENOBARBITONI ET BROMIDI

(Mist. Phenobarb. et Brom.)

Soluble Phenobarbitone	gr. $\frac{1}{4}$
Sodium Bromide	gr. 10
Syrup of Orange	m. 30
Water	to m. 240

MISTURA POTASSII CITRATIS ET HYOSCYAMI

(Mist. Pot. Cit. et Hyoscyam.)

Potassium Citrate	gr. 30
Sodium Bicarbonate	gr. 15
Liquid Extract of Hyoscyamus	m. 3
Spirit of Chloroform	m. 10
Infusion of Buchu	to m. 240

MISTURA POTASSII IODIDI

(Mist. Pot. Iodid.)

Potassium Iodide	gr. 5
Aromatic Solution of Ammonia	m. 15
Liquid Extract of Liquorice	m. 10
Chloroform Water	to m. 240

MISTURA SENEGAE ET AMMONIAE

(Mist. Seneg. et Ammon.)

Ammonium Bicarbonate	gr. 5
Tincture of Squill	m. 10
Camphorated Tincture of Opium	m. 30
Liquid Extract of Liquorice	m. 10
Concentrated Infusion of Senega	m. 30
Water	to m. 240

MISTURA SODII CITRATIS

(Mist. Sod. Cit.)

Sodium Citrate	gr. 45
Syrup of Lemon	m. 60
Water	to m. 240

MISTURA SODII SALICYLATIS

(Mist. Sod. Salicyl.)

Sodium Salicylate	gr. 20
Sodium Bicarbonate	gr. 20
Liquid Extract of Liquorice	m. 10
Water	to m. 240

Prescription.

MISTURA TRIBROMIDI COMPOSITA

(Mist. Tribrom. Co.)

Ammonium Bromide	gr. 6
Potassium Bromide	gr. 6
Sodium Bromide	gr. 6
Tincture of Nux Vomica	m. 7½
Syrup of Orange	m. 30
Chloroform Water	to m. 240

MISTURA AD TUSSEM

(Mist. ad Tuss.)

Tincture of Ipecacuanha	m. 5
Camphorated Tincture of Opium	m. 20
Syrup of Tolu	m. 20
Oxymel of Squill	m. 15
Spirit of Chloroform	m. 5
Anise Water	to m. 240

NEBULAE

(SPRAYS)

NEBULA ADRENALINAE

(Neb. Adrenalin.)

Solution of Adrenaline Hydrochloride 1 in	
1,000	m. 48
Sodium Chloride	gr. 2
Distilled Water	to m. 240

NEBULA ADRENALINAE ET EPHEDRINAE

(Neb. Adrenalin. et Ephedrin.)

Solution of Adrenaline Hydrochloride 1 in	
1,000	m. 48
Ephedrine Hydrochloride	gr. 2
Dextrose	gr. 11
Distilled Water	to m. 240

NEBULA EPHEDRINAE

(Neb. Ephedrin.)

Ephedrine Hydrochloride	gr. 2
Sodium Chloride	gr. 2
Dextrose	gr. 7½
Chlorbutol Water, A.P.F.	to m. 240

NEBULA EPHEDRINAE OLEOSA

(Neb. Ephedrin. Oleos.)

Ephedrine	gr. 2
Menthol	gr. 1
Oil of Eucalyptus	m. 2
Light Liquid Paraffin	to m. 240

Prescription.

NEBULA EPHEDRINAE ET AMINACRINAE

(Neb. Ephedrin. Aminacrin.)

Ephedrine Hydrochloride	gr. 1
Aminacrin	gr. $\frac{1}{4}$
Distilled Water	to..... m. 240

OCULENTA

(EYE OINTMENTS)

OCULENTUM ACIDI BORICI B.P.C.

(Oculent. Acid. Boric.)

OCULENTUM HYDRARGYRUM AMMONIATUM 1%

(Oculent. Hydrarg. Ammon. 1%)

Ammoniated Mercury	gr. 1
Oculentum Base, B.P.	to..... gr. 120

OCULENTUM HYDRARGYRI OXIDI B.P. $\frac{1}{2}$ %

AND 1%

(Oculent. Hydrarg. Oxid. $\frac{1}{2}$ % and 1%)

OCULENTUM ICHTHAMMOLIS ET ZINCI OXIDI

(Oculent. Ichthammol. et Zinc. Oxid.)

Ichthammol	gr. 1
Zinc Oxide	gr. 1
Oculentum Base, B.P.	to..... gr. 120

OCULENTUM PENICILLINI B.P.

(PENICILLIN, 2000 UNITS PER GRAM)

(Oculent. Penicil.)

OCULENTUM SULPHACETAMEDI 10%

(Oculent. Sulphacetamid. 10%)

Suphacetamide Sodium	gr. 11
Distilled Water	q.s.
Oculentum Base, B.P.	to..... gr. 120

PASTAE

(PASTES)

PASTA ZINCI ET ACIDI SALICYLICI

(Past. Zinc. et Acid. Salicyl. : Lassar's Paste)

Salicylic Acid	gr. 18
Compound Paste of Zinc Oxide B.P.	to..... oz. 2

Prescription.

PIGMENTA

(PAINTS)

PIGMENTUM ACIDI SALICYLICI VIRIDE
(Pigm. Acid. Salicyl. Virid.)

Salicylic Acid	gr. 10
Benzole Acid	gr. 80
Brilliant Green	gr. 2
Rectified Spirit	to..... fl. oz. 1

PIGMENTUM ACIDI TANNICI
(Pigm. Acid. Tannic.)

Glycerine of Acid Tannic

PIGMENTUM IODI COMPOSITUM
(Pigm. Iodi. Co.—Mandl's Paint)

Iodine	gr. 5
Potassium Iodide	gr. 5
Water	ml. 5
Oil of Peppermint	m. 8
Glycerine	to..... fl. oz. 1

PIGMENTUM MAGENTA ET RESORCINOLIS
(Pigm. Magent. et Resorcin.—Castellani's Paint)

Magenta B.P.C.	gr. 2
Phenol	gr. 20
Boric Acid	gr. 4
Resorcinol	gr. 40
Acetone	m. 20
Rectified Spirit	m. 40
Water	to..... fl. oz. 1

PIGMENTUM VIOLAE
(Pig. Gent. Violet)

Crystal Violet	gr. 10
Water	to..... fl. oz. 1

PIGMENTUM VIOLAE COMPOSITUM
(Pig. Violae Co.—Triple Dye Solution)

Crystal Violet	gr. 1
Brilliant Green	gr. 1
Proflavine Sulphate	gr. $\frac{1}{2}$
Distilled Water	to..... fl. oz. 1

PILULAE
(PILLS)

PILULA ALOES ET NUCIS VOMICAE
(Pil. Aloes et Nux. Vom.)

Aloes	gr. 2
Dry Extract of Nux Vomica	gr. $\frac{1}{4}$
Dry Extract of Belladonna	gr. $\frac{1}{6}$
Rectified Spirit	q.s.

Prescription.

PILULA COLOCYNTHIDIS ET HYOSCYAMI B.P.
(Pil. Colocynth. et Hyosecy.)

PILULA DIGITALIS COMPOSITA B.P.C.
(Pil. Digit. Co.: Guy's Pill.)

PILULA FERRI CARBONATIS B.P.
(Pil. Ferri. Carb.—Blaud's Pill)

PILULA PHENOLPHTHALEINI COMPOSITA
(Pil. Phenolphthal. Co.)

Phenolphthalein	gr. $\frac{1}{2}$
Aloin	gr. $\frac{1}{4}$
Dry Extract of Belladonna	gr. $\frac{1}{12}$
Strychnine	gr. $\frac{1}{240}$
Ipecacuanha	gr. $\frac{1}{15}$

PILULA SODII OLEATIS COMPOSITA
(Pil. Sod. Oleat. Co.)

Acid Sodium Oleate	gr. $1\frac{1}{2}$
Sodium Salicylate	gr. $1\frac{1}{2}$
Phenolphthalein	gr. $\frac{1}{4}$
Menthol	gr. $\frac{1}{8}$
Liquorice, in powder.....	gr. $\frac{1}{2}$
Excipient	to..... gr. 4

PULVERES

(POWDERS—FOR INTERNAL USE)

PULVIS ANTACIDUS

(Pulv. Antacid.)

Calcium Carbonate	gr. 15
Heavy Magnesium Carbonate	gr. 15
Sodium Bicarbonate	gr. 30
Oil of Peppermint	m. $\frac{1}{4}$

PULVIS CALCII ET MAGNESII PHOSPHATUM

(Pulv. Calc. et Magnes. Phosph.)

Tribasic Magnesium Phosphate	gr. 30
Tribasic Calcium Phosphate	gr. 30

PULVIS BISMUTHI ET CALCII COMPOSITUS

(Pulv. Bism. et Calc. Co.)

Bismuth Carbonate	gr. 10
Calcium Carbonate	gr. 20
Heavy Magnesium Carbonate	gr. 20
Sodium Bicarbonate	gr. 10

PULVIS KAOLINI COMPOSITUS

(Pulv. Kaolin. Co.)

Light Kaolin	gr. 30
Heavy Magnesium Carbonate	gr. 20
Sodium Bicarbonate	gr. 10
Oil of Peppermint	m. $\frac{1}{4}$

**PULVIS MAGNESII TRISILICATIS ET
BELLADONNAE**

(Pulv. Mag. Trisil. et Belladon.)

Dry Extract of Belladonna gr. $\frac{1}{4}$
Magnesium Trisilicate to gr. 30

**PULVIS SODII SALICYLATIS ET
BICARBONATIS**

(Pulv. Sod. Salicyl. et Bicarb.)

Sodium Salicylate gr. 10
Sodium Bicarbonate gr. 20

UNGUENTA

(OINTMENTS)

UNGUENTUM ACIDI BENZOICI COMPOSITUM

(Ung. Ac. Benz. Co.: Whitfield's Ointment)

Benzoic Acid gr. 20
Salicylic Acid gr. 15
White Soft Paraffin gr. 120
Hard Paraffin gr. 30
Coconut Oil to oz. 1

UNGUENTUM PENICILLINI B.P.

(Ung. Penicillin.)

Contains 1000 units per gram.

UNGUENTUM EMULSIFICANS AQUOSUM B.P.

(Ung. Emuls. Aquos.)

UNGUENTUM ZINCI OXID B.P.

(Ung. Zinci)

To either of Ung. Emulsificans or Ung. Zinc Ox.
may be added 1% of any of the following:—

Menthol
Carbolic Acid
Crude Coal Tar
Ichthyol
Ammoniated Mercury
Precipitated Sulphur
Salicylic Acid

LIST A

PENSIONER BENEFITS ADDITIONAL TO THOSE COVERED BY MONOGRAPH IN THE BRITISH PHARMACOPOEIA, 1953.

Acetonum B.P.C.
Acetum Scillae
Acid Hydrocyanicum Dilutum B.P.C.
Acid Sulphuricum Dilutum B.P.C.
Acidum Hypophosphorosum Dilutum
Acriflavina
Adeps
Adeps Benzoinatus
Aethylenum
Agar
Amidopyrina
Ammonii Bromidum B.P.C.
Aqua (Potable Water)
Aqua Anisi B.P.C.
Aqua Chlorbutolis A.P.F.
Argentoproteinum Mite B.P.C.
Balsamum Peruvianum
Betanaphthol
Caffeina Citrata B.P.C.
Caffeina et Sodii Benzoas
Calcii Mandelas
Cera Flava
Chiniofonum
Chromii Trioxidum
Codeina
Cremor Penicillini Sterilisatus
Dicoumarol
Ephedrinae Sulphas B.P.C.
Extractum Colchici Siccum
Extractum Colocynthis Compositum
Extractum Ergotae Liquidum
Extractum Fellis Bovini
Extractum Glycyrrhizae
Extractum Hepatis Liquidum
Extractum Krameriae Siccum
Extractum Senegae Liquidum
Ferri Carbonas Saccharatus
Glycerinum Acidi Borici
Glycerinum Boracis

Hexoestrol
 Hydrargyrum cum Creta
 Infusum Aurantii
 Infusum Aurantii Concentratum
 Infusum Buchu B.P.C.
 Infusum Calumbae
 Infusum Calumbae Concentratum
 Infusum Calumbae Recens
 Infusum Caryophylli
 Infusum Caryophylli Concentratum
 Infusum Senegae
 Infusum Senegae Concentratum
 Infusum Sennae
 Infusum Sennae Concentratum
 Injectio Bismuthi Salicylatis
 Injectio Caffaeinae et Sodii Benzoatis
 Injectio Oestradiolis Dipropionatis
 Injectio Penicillini Oleosa
 Injectio physostigminae Salicylatis
 Injectio Pituitarii Posterioris
 Injectio Procainae et Adrenalinæ Mitis
 Injectio Sodii Citratis Anticoagulans
 Injectio Sodii Citratis cum Dextroso
 Injectio Strychninae Hydrochloridi
 Injectio Sulphadiazinae Sodii
 Iodoformum
 Ipomoeae Resina
 Laevulosum
 Linimentum Aconiti
 Linimentum Belladonnae
 Liquor Ammoniae Aromaticus B.P.C.
 Liquor Glycerylis Trinitratis B.P.C.
 Liquor Magnesii Bicarbonatis
 Magenta B.P.C.
 Magnesii Phosphas B.P.C.
 Mistura Aluminii Hydroxidi A.P.F.
 Mel Depuratum
 Mistura Sennae Composita
 Oestradiolis Dipropionas
 Oestronum
 Oculentum Cocainae
 Oculentum Physostigminae
 Oleum Cajuputi
 Oleum Cari
 Oleum Citronellae B.P.C.
 Oleum Coccois B.P.C.
 Oleum Pini B.P.C.

Quininae et Aethylis Carbonas
 Oxymel Scillae
 Pelletierinae Tannas
 Phenazonum
 Pilula Aloes
 Pilula Colocynthis et Hyoscyami
 Pilula Digitalis Co. B.P.C.
 Pilula Ferri Carbonatis
 Pilula Hydrargyri
 Pilula Rhei Composita
 Pilula Sodii Oleatis Co. A.P.F.
 Pix Carbonis B.P.C.
 Potassii Acetas
 Potassii Chloras
 Sapo Animalis
 Sapo Durus
 Sodii Carbonas Exsiccatus
 Sodii Nitris
 Sodii Phosphas Exsiccatus
 Sodii Sulphas Exsiccatus
 Spiritus Aetheris Nitrosi
 Spiritus Cajuputi
 Spiritus Camphorae
 Strychnina B.P.C.
 Sulphacetamidum
 Sulphadiazina Sodium
 Sulphonol
 Suppositoria Acidi Tannici
 Suppositoria Belladonnae
 Suppositoria Bismuthi Subgallatis
 Suppositoria Cocainae
 Suppositoria Hamamelidis et Zinci Oxidi
 Suppositoria Iodoformi
 Suppositoria Morphinae
 Suppositoria Phenolis
 Syrupus Ferri Phosphatis Compositus
 Syrupus Glucosi Liquidi
 Syrupus Glycerophosphatum Compositus
 A.P.F.
 Syrupus Limonis Neutralis A.P.F.
 Syrupus Pruni Serotinae
 Syrupus Ruber A.P.F.
 Syrupus Scillae
 Tabellae Hexoestrolis
 Tabellae Hydrargyri cum Creta
 Tabellae Oestroni
 Tabellae Phenazoni

Tabellae Potassii Chloratis
 Tabellae Sodii Salicylatis
 Tabellae Theobrominae Compositae B.P.C.
 Tabellae Thiouracili
 Theophyllina et Sodii Acetas
 Talcum Purificatum B.P.C.
 Thiouracilum
 Tinctura Calumbae
 Tinctura Capsici
 Tinctura Catechu
 Tinctura Cocci
 Tinctura Gelsemii B.P.C.
 Tinctura Lobelae Aethera
 Tinctura Myrrhae
 Tinctura Persionis A.P.F.
 Tinctura Quassiae
 Tinctura Scillae
 Tinctura Senegae
 Tinctura Strophanthi
 Tinctura Tolutana
 Tinctura Valerianae Ammoniata
 Triethanolamina B.P.C.
 Unguentum Capsici
 Unguentum Gallae cum Opio B.P.C.
 Unguentum Hydrargyri Compositum
 Unguentum Hydrargyri Subchloridi
 Unguentum Phenolis
 Unguentum Zinci Oleatis
 Unguentum Zinci Oxidi Aquosum
 Xylenum B.P.C.

Pages XVI-XIX—Add the following:—

Capsulae Sodii Pentobarbitoni
 Tabellae Acidi Acetylsalicylici Co. B.P.C.
 Tabellae Aminophyllinae gr. $1\frac{1}{2}$ cum Phenobarbitoni gr. $\frac{1}{2}$
 Tabellae Ephedrinae gr. $\frac{1}{2}$ cum Phenobarbitoni gr. $\frac{1}{4}$
 Tabellae Sodii Pentobarbitoni

COMMONWEALTH OF AUSTRALIA.

DEPARTMENT OF HEALTH.

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

ANTIBIOTICS, ETC.

C.S.L. ANTIBIOTICS

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
60	Distilled Water ..	10 cc. ampoule	12	1
139	Penicillin (Calcium Salt)	5,000 U. ampoule 15,000 U. ampoule 100,000 U. bottle 200,000 U. " 500,000 U. " 1,000,000 U. "	6 6 6 6 6 6	
	Penicillin G. (Crystalline)	100,000 U. bottle 200,000 U. " 500,000 U. " 1,000,000 U. " 2,000,000 U. "	6 6 6 6 6	
141	Procaine Penicillin G (Crystalline)	300,000 U. bottle 500,000 U. "	6 6	
	"Penaquacaine G"	900,000 U. " 1,500,000 U. " 3,000,000 U. "	6 6 6	
	"Penaquacaine G" Fortified	400,000 U. bottle 667,000 U. " 1,200,000 U. " 2,000,000 U. "	6 6 6 6	
142	Procaine Penicillin G (Oily Injection)	300,000 U. per cc., 1 cc. amp. 300,000 U. per cc., 10 cc. bot.	6 1	
179	Sterile Saline ..	10 cc. ampoule	6	1

COMMONWEALTH OF AUSTRALIA

DEPARTMENT OF HEALTH

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

ENDOCRINE PREPARATIONS

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
89	Insulin ..	20 U. per cc., 10 cc. vial.. 40 U. per cc., 10 cc. vial.. 60 U. per cc., 5 cc. vial .. 80 U. per cc., 5 cc. vial .. 100 U. per cc., 5 cc. vial ..	3 3 3 3 3	12 12 12 12 12
90	Insulin (Crystal-line)	40 U. per cc., 10 cc. vial..	3	12
92	Insulin (Special P.)	20 U. per cc., 10 cc. vial.. 40 U. per cc., 10 cc. vial.. 60 U. per cc., 5 cc. vial ..	3 3 3	12 12 12
93	Insulin Protamine Zinc.	40 U. per cc., 10 cc. vial.. 80 U. per cc., 5 cc. vial ..	3 3	12 12
160	Pituitary (Posterior Lobe). Obstetrical	0.5 cc. ampoule 1.0 cc. "	6 6	— —
214	Pituitary (Posterior Lobe) Surgical	0.5 cc. ampoule 1.0 cc. "	6 6	— —
210	Thyroid B.P. ..	1/32 gr. tab. 1/16 gr. tab. 1/10 gr. tab. 1/8 gr. tab. 1/4 gr. tab. 1/2 gr. tab. 1 gr. tab. 1½ gr. tab. 2½ gr. tab.	100 100 100 100 100 100 100 100 100	3 3 3 3 3 3 3 3 3

C.S.L. ENDOCRINES

COMMONWEALTH OF AUSTRALIA

DEPARTMENT OF HEALTH

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

SERA, VACCINES, AND OTHER PROPHYLACTIC AGENTS

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
21	Vaccine Lymph (Calf Lymph)	Capillary tube	1	—
32	Cholera Vaccine	4,000 M. per cc., 1 cc. amp.	3	—
		4,000 M. per cc., 10 cc. vial	1	—
		8,000 M. per cc., 1 cc. amp.	2	—
		8,000 M. per cc., 10 cc. vial	1	—
55	Diphtheria and Tetanus Toxoids Combined	1 cc. ampoule	3	—
		5 cc. "	1	—
56	Diphtheria Anti-toxin	1,000 U. ampoule ..	2	1
		2,000 U. " ..	2	1
		4,000 U. " ..	2	1
		6,000 U. " ..	2	1
		8,000 U. " ..	2	1
		10,000 U. " ..	2	1
		20,000 U. " ..	2	1
57	Diphtheria and Pertussis Antigen (Mixed)	1 cc. ampoule	3	—
		5 cc. "	1	—
58	Diphtheria Prophylactic (Formalinized Toxoid)	Set containing 3 ampoules each 1 cc. Toxoid undiluted and 1 ampoule of 1 cc. Toxoid diluted	1	1
		Set containing 9 ampoules each 1 cc. Toxoid undiluted and 3 ampoules of 1 cc. Toxoid diluted	1	—
59	Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate)	1 cc. ampoule	2	1
		5 cc. "	1	—

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
	Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) Diluted for immunisation of Adults only.	Set containing 2 amps. each 1 cc. Diphtheria Prophylactic (P.T.A.P.) diluted for immunisation of Adults only and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for Skin Test only.	1	—
76	Gas Gangrene Anti-toxin (Oedematiens)	10,000 U. ampoule ..	3	1
77	Gas Gangrene Anti-toxin (Perfringens)	4,000 U. ampoule .. 10,000 U. „ ..	3 10	1 1
78	Gas Gangrene Anti-toxin (Polyvalent)	ampoule containing— 3,000 U. perfringens 1,500 U. septique 1,000 U. oedematiens ampoule containing— 7,500 U. perfringens 3,750 U. septique 2,500 U. oedematiens	2 2	1 1
79	Gas Gangrene Anti-toxin (Septique)	5,000 U. ampoule	2	1
146	Pertussis Vaccine (Phase I)	1,000 M. per cc., 1 cc. amp. 5,000 M. per cc., 1 cc. amp. 5,000 M. per cc., 10 cc. vial 10,000 M. per cc., 1 cc. amp. 10,000 M. per cc., 10 cc. vial	3 3 1 3 1	1 1 — 1 —
200	T.A.B. Vaccine (Anti-Typhoid-Paratyphoid)	1 cc. ampoule containing— 1,000 M. B.Typhosus 500 M. B.Paratyphosus A. 500 M. B.Paratyphosus B. 10 cc. vial	3 1	— —
204	Tetanus Anti-toxin	500 I.U. (1950) ampoule 1,000 I.U. (1950) „ 1,500 I.U. (1950) „ 5,000 I.U. (1950) „ 10,000 I.U. (1950) „	6 6 6 6 6	1 1 1 1 1
205	Tetanus Toxoid (Formalinized)	1 cc. ampoule	3	—
211	Tiger Snake Anti-Venene	1,500 U. per ampoule ..	4	1

