

CONSTITUTIONAL HISTORY



UNIVERSITY OF TORONTO LIBRARY

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—(No. 11) 1954-55 EDITION

(Effective from 1st May, 1955)

SECTION A MANUFACTURERS AND CODES

Page 1—Add the following:—

Chemco Co-operative Society Ltd. CC

Page 3—Add the following:—

Pharmedica Pty. Ltd. PH

Sera Pty. Ltd. SE

LIST A

Item No.	Item Name	Amendment
39	Digitalis	$\frac{1}{2}$ gr. tab.—Add CC 1 gr. tab.—Add CC
83	Insulin, Injection of	40 U. per cc., 10 cc. vial—Add SE 80 U. per cc., 10 cc. vial—Add SE
88	Insulin Protamine Zinc, Injection of	40 U. per cc., 5 cc. vial—Add SE 40 U. per cc., 10 cc. vial—Add SE 80 U. per cc., 5 cc. vial—Add SE 80 U. per cc., 10 cc. vial—Add SE
135	Phemitone	$\frac{1}{2}$ gr. tab.—Add CC 1 gr. tab.—Add CC 3 gr. tab.—Add CC
167	Sulphadiazine	0.5 G. tab.—Add PH
170	Sulphaguanidine	0.5 G. tab.—Add CC
177	Sulphonamides, Mixed, (B); Three Sulphonamides	0.5 G. tab.—Add CC
187	Thyroid B.P.	$\frac{1}{4}$ gr. tab.—Add CC $\frac{1}{2}$ gr. tab.—Add CC 1 gr. tab.—Add CC

LIST B (Part 2)

6	Cortisone Acetate	50 mg. per cc., 10 cc. vial—Add MK
13	Isoniazid	50 mg. tab.—Add PH

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

FIRST SCHEDULE

Page 56—Add the following:—

Berna 83, 88 SE

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS (No. 10)—1954-55 EDITION

(Effective from 1st April, 1955)

SECTION A

MANUFACTURERS AND CODES

Page 1—Amend name "Associated Drug Co." as shown to read "Associated Drug Companies of Australia Pty. Ltd."

LIST A

Item No.	Item Name	Amendment
57	Ephedrine Hydrochloride	$\frac{1}{2}$ gr. per 1 cc. amp.—Delete AH, BD. $\frac{3}{4}$ gr. per 1 cc. amp.—Delete AH $\frac{1}{4}$ gr. tab.—Delete AB $\frac{1}{2}$ gr. tab.—Delete AB, PD
120	Papaveretum	$\frac{1}{3}$ gr. per 1 cc. amp.—Add BT
128	Penicillin, Procaine, Oily Injection of	300,000 U. per 1 cc., 1 cc. amp.—Add BT Add the following:— 900,000 U. vial; BT; 2;
167	Sulphadiazine	0.5 G. tab.—Delete AB, BW, PD
170	Sulphaguanidine	0.5 G. tab.—Delete IC
171	Sulphamerazine	0.5 G. tab.—Delete AB, BW
175	Sulphathiazole	0.5 G. tab.—Delete BW
185	Thiouracil, Methyl	0.1 G. tab.—Delete BD
194	Vitamin K (Oral)	10 mg. tab.—Delete VM

LIST B (Part 2)

34	Vitamin B 12, Injection of	20 γ per 1 cc. amp.—Delete AH
----	----------------------------	--------------------------------------

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

FIRST SCHEDULE

Page 63—Under Item No. against "Viules" add "120"
Delete Item No. "194" as shown against "Vitavel K"

AMENDMENTS TO NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—(No. 9) 1954-55 EDITION

(Effective from 1st March, 1955)

SECTION A

MANUFACTURERS AND CODES

Page 3—Add the following:—

Squibb & Sons, E. R. SQ

LIST A

Item No.	Item Name	Amendment
126	Penicillin, Procaine, Aqueous Suspension of	1,500,000 U. vial—Add BW
133	Pethidine Hydrochloride	50 mg. per cc., 50 cc. bottle— Add BA
176	Sulphonamides, Mixed, (A), Two Sulphonamides	0.5 G. tab.—Add MR
177	Sulphonamides, Mixed, (B), Three Sulphonamides	0.5 G. tab.—Add MR

LIST B (Part 2)

25	Streptomycin Sulphate Solution for Injection	500,000 U. per mil., 2 mil. vial— Add BT
33	Tetracycline	50 mg. tab.—Add SQ 100 mg. tab.—Add SQ 250 mg. tab.—Add SQ

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

FIRST SCHEDULE

Page 63—Add the following:—

Two Sulphas 176 MR

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

SECOND SCHEDULE—RESTRICTED DRUGS

Page 66—

Under Item No. against "Viules" add "25"
Add the following:—

Steclin 33 SQ



SECTION A—GENERAL PHARMACEUTICAL BENEFITS
SECTION B—PENSIONER PHARMACEUTICAL BENEFITS

NOTES

FOR

MEDICAL PRACTITIONERS

Operative from 1st February, 1955

(Original edition operative from 1st June, 1954.)

DEPARTMENT OF HEALTH,
CANBERRA, A.C.T.

FEBRUARY, 1955

By Authority :

L. G. SHEA, Government Printer, Hobart, Tasmania
1955.

NATIONAL HEALTH (PHARMACEUTICAL BENEFITS) REGULATIONS

GENERAL NOTES

These notes apply equally to the prescribing of benefits for pensioners and non-pensioners.

The term "pharmaceutical benefits" covers all benefits whether they be benefits for administration to all classes of persons or pensioners only. The term "general pharmaceutical benefits" is used to distinguish these benefits from "pensioner pharmaceutical benefits", the latter being available to pensioners only.

Points which are not common to both classes of benefits are dealt with in the appropriate sections hereafter.

Benefits are available to all persons receiving medical treatment, except passengers and crew on a foreign-going ship.

In writing a prescription for the supply of a pharmaceutical benefit the following points should be borne in mind:—

1. Write prescriptions in your own handwriting in duplicate (a carbon copy is suitable). Ensure that they are signed and dated and that the copy is marked "duplicate".
2. Write the patient's name and address clearly. Prescriptions for different persons must not be written on the same form.
3. Write at the top of the prescription the letters "N.H.S.". If the prescription is written for a pensioner pharmaceutical benefit write, in addition, the words "Pensioner Benefit".
4. Prescription forms should approximate $5\frac{1}{2}$ inches x $3\frac{1}{2}$ inches in size.
5. Do not write the names of more than two benefits on the same form. See paragraph 3(a) of Section A also.
6. Do not write on the same form prescriptions for general and pensioner pharmaceutical benefits or two prescriptions for the same pharmaceutical benefit. See paragraph 1 of Section A also.

7. Do not write more than one prescription for the same benefit for the same person on the one day.
8. The maximum quantity or number of units of a benefit which may be prescribed at one time is referred to in the appropriate sections of these notes.
9. It should be noted particularly that "Special and Double Supply" provisions no longer apply. The number of times a prescription may be repeated is set out in the appropriate sections. If a repeat be ordered, the maximum quantity or number of units must be ordered to be supplied on the first occasion of supply. The doctor may order less than the maximum to be supplied on the last occasion if completion of the treatment of a patient requires less than the maximum.

The prescription must not order a number of repeats in excess of the number specified in relation to a benefit or form of benefit as set out in these notes.

Do not write repeat directions on a form containing two benefits if either is a dangerous drug.

The Director-General may, in special circumstances, authorise the prescribing of a number of repeats greater than the number normally allowable. Applications for authority should be submitted to the Deputy-Director of Health in your State.

10. In a case of urgency you may by telephone or other means communicate a prescription to a chemist, but in such a case a written prescription for the benefit must be supplied to the chemist within 24 hours.

This provision does not apply in the case of Cortisone Acetate or any drug which State law requires to be prescribed in writing only.

Section A

NOTES ON GENERAL PHARMACEUTICAL BENEFITS

1. The drugs and medicinal preparations specified in Lists A and B of these Notes are the only ones which may be prescribed as General Pharmaceutical Benefits. Each strength of each form of a benefit is a separate benefit, but in the case of the undermentioned drugs as many strengths of the same form of drug as are required may be written on the one prescription for the same person and will be deemed to comprise one benefit only:—

Oily Injection of Aurothioglucose
Injection of Calcium Aurothiomalate
Pertussis Vaccine (Phase 1)
Aqueous Injection of Sodium Aurothiomalate
Oily Injection of Sodium Aurothiomalate

2. Do not write a general pharmaceutical benefit by its item number. Its chemical name should be used, but a proprietary title will be accepted. If you desire a particular brand of a benefit to be supplied, that brand (provided it is a brand specified in a list in these Notes) or the name of the maker should be written after the chemical name.

3. The following classes of general pharmaceutical benefits may only be prescribed for supply as indicated hereafter:—

(a) The drugs which appear in List B may be prescribed only for the treatment of a disease specified in relation to the drug in the list of benefits and diseases appearing in pages 44-47.

A prescription for the supply of one of these drugs must be endorsed with the words "Restricted Drug".

In the case of any of the Quinine salts specified in List B, prescriptions may be written for a pensioner for the treatment of any disease what-

soever; the prescription must nevertheless be endorsed "Restricted Drug".

In the case of Cortisone Acetate, this may only be prescribed if, in addition to compliance with the above requirement, application for permission to supply this drug has been made on official Form E to the Deputy-Director in your State and he has issued to you in duplicate a numbered authority to prescribe the drug. The duplicate of the authority must be attached to the prescription. If a continuance of supply is necessary, further application must be made to the Deputy-Director.

A prescription for Cortisone Acetate must not contain any other benefit.

4. Drugs for emergency supply are set out in List C in these Notes. For convenience, these drugs will be referred to as "Doctor's Bag Supplies".

These drugs may be obtained once a month from any approved chemist by lodging with him in duplicate an order form supplied by the Commonwealth. If you desire a supply of these order forms they may be obtained from the Deputy-Director in your State.

Order forms must be signed by the doctor himself but any person authorised by him may accept delivery of the goods on his behalf.

The maximum number of units of each listed form of benefit as set out in column 4 of List C may be obtained at one time.

If more than one strength of a form of benefit is specified in List A a doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a standard package and that the sum total of all the strengths required does not exceed the maximum set out in column 4 of List C; e.g., if there were five strengths of a form of tablet, each packed in bottles of 20, and the maximum of the form allowable were 40, then two strengths only could be ordered. (The quantity in a standard pack agrees with the number specified in column 4 of List A, except in the case of Sulphonamides, the standard pack of which is 100.)

If a particular brand (specified in List A) is required and that brand is not available, a chemist may not supply any other brand unless with your permission. In such a case the chemist will return the form to you for alteration and initialling.

Emergency drug supplies may not be obtained by ships' doctors or approved medical practitioners.

MANUFACTURERS AND CODES

Manufacturer	Code
A	
Abbott Laboratories Pty. Ltd.	AB
Allen and Hanburys (A'asia) Limited	AH
Andrew's Laboratories	AN
Anglo Swiss Drug Co. Pty. Ltd.	AS
Associated Drug Co.	AD
B	
Bayer Pharma Pty. Ltd.	BA
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT
British Drug Houses (Australia) Pty. Ltd.	BD
British Schering Ltd.	BS
Bull Laboratory, David G.	BL
Burroughs Wellcome & Co. (Aust.) Ltd.	BW
C	
Charles McDonald Pty. Ltd.	CM
Ciba Limited	CB
Commonwealth Serum Laboratories	CS
Crookes Laboratories Ltd., The	CK
D	
Drug Houses of Australia Ltd.	DH
E	
Edward Caminer Pty. Ltd.	EC
Evans Medical Australia (Pty.) Ltd.	EV
F	
Faulding and Co. Ltd., F.H.	FA
Fawns and McAllan Pty. Ltd.	FM
Fisons Chemicals (Pty.) Ltd.	FC

Manufacturer	Code
G	
Gamma Laboratories	GA
Geigy (A'sia) Pty. Ltd.	GE
Glandular Products Pty. Ltd.	GP
Glaxo Laboratories (Aust.) Pty. Ltd.	GL
H	
Hamilton Laboratories Ltd., The	HA
Harvey Pty. Ltd., H. F.	HY
Herts Pharmaceuticals Ltd.	HT
I	
Imperial Chemical Indust. of Aust. & N.Z. Ltd.	IC
K	
Knoll Laboratories	KL
Knoll	KN
L	
Lederle Laboratories	LE
Lilly and Co., Eli	LY
M	
Martindale, W.	MT
May and Baker (Aust.) Pty. Ltd.	MB
McGloin Pty. Ltd., J.	MG
Medical Research Pty. Ltd.	MR
Menley and James (Col. Ltd.)	MJ
Merck & Co. Inc.	MK
N	
Nativelle Laboratories	NA
Nicholas Pty. Ltd.	NS
Nordisk Insulin Laboratorium	NO
O	
Oxo Limited	OX
Oppenheimer, Sons & Co. Ltd.	OP
Organon Laboratories Ltd.	OR

Manufacturer	Code
P	
Parke, Davis and Co. Ltd.	PD
Pfizer Overseas Inc., Chas.	PF
Prosana Laboratories	PR
Q	
Queensland Ethicals	QE
R	
Roche Products Ltd.	RO
Rocke Tompsitt & Co. Ltd.	RT
Rotary Tableting Corp. Pty. Ltd.	RY
Roussel Laboratories Ltd.	RL
S	
Sandoz Ltd.	SZ
Savory and Moore Ltd.	SY
Schering Pty. Ltd.	SC
Sharpe & Dohme Inc.	SD
Sigma Co. Ltd.	SI
Simanite (A'asia) Pty. Ltd.	SM
Societe Parisienne d'Expansion Chimique, S.A.	SP
Soul Pattinson (Laboratories) Pty. Ltd.	SL
St. Just Laboratories	SJ
Stearns and Co., Frederick	ST
T	
Toppin and Sons Pty. Ltd., R. D.	TO
U	
Union International Co. Ltd.	UI
Upjohn Company, The	UP
V	
Virax Ethicals Pty. Ltd.	VR
Vitamins Limited	VM
W	
Wander Limited, A.	WA
Wyeth International Limited	WY
Wholesale Drug Co. Ltd.	WD
Ward Blenkinsop and Co. Ltd.	WB
Warner & Co. Pty. Ltd., Wm. R.	WW

GENERAL PHARMACEUTICAL BENEFITS

Lists of Benefits

FIRST AND SECOND SCHEDULES

Details of the items available as General Pharmaceutical Benefits are set out on LIST A, pages 5-43, and LIST B (RESTRICTED DRUGS), pages 44-54.

The Lists show:—

- In Column 1—the item number;
- 2—the title of the drug and the form and strength of unit which may be prescribed;
- 3—the manufacturer whose product is available as a benefit. No other manufacturers' product may be prescribed;
- 4—the maximum number of units which may be prescribed at any one time; and
- 5—the number of repeats which may be ordered.

For convenience of printing, proprietary names have not been included in the Lists. However, the manufacturer's name (in code) has been shown and reference to the Proprietary Index—First Schedule (see page 56) or Second Schedule (see page 64) and the Manufacturers' Code (see page 1)—will enable the medical practitioner to identify a benefit under its proprietary title or by the name of the manufacturer.

γ	means Microgrammes
U.	means Units
I.U.	means International Units
M.	means Millions of organisms

LIST A

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
1	ACETARSOL SOLUBLE, INJECTION OF			
2	cc. amp.	MB	10	1
3	cc. amp.	MB	10	1
2	ADRENALIN HYDRO- CHLORIDE, SOLUTION OF			
1	in 1000, 0.5 cc. amp.	DH, PD	6	1
1	in 1000, 1 cc. amp.	DH, KL, PD	6	1
1	in 1000, 10 cc. vial	FA, PD	1	1
1	in 1000, 1 fl. oz. vial	DH, RT	1	
1	in 1000, 1 fl. oz. bottle ..	DH, FA, KL, PD, RT	1	
1	in 100, 6 cc. vial	PD	1	1
1	in 100, 10 cc. vial	DH, FA	1	
3	ADRENALIN IN OIL, INJECTION OF			
2	mg. per 1 cc. amp.	AD, AH, DH, PD	6	1
4	ADRENALIN TARTRATE, SOLUTION OF			
1	in 1000, 1 cc. amp.	AD, AH, BL, BW, DH, KL	6	1
1	in 1000, 10 cc. amp.	BW	1	1
1	in 1000, 25 cc. bottle ..	BW	1	
1	in 1000, 30 cc. vial	BT	1	
1	in 1000, 1 fl. oz. bottle	AH	1	
1	in 100, 7 cc. vial	BW	1	1
5	ALOXIDONE			
	0.3 G. cap.	BS	100	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
6	AMIDONE			
5	mg. per cc., 2 cc. amp.	BA	6	
5	mg. per cc., 10 cc. vial	BA	1	
10	mg. per cc., 1 cc. amp.	BW, CM	6	
10	mg. per cc., 10 cc. vial	CM	1	
10	mg. per cc., 20 cc. vial	BA	1	
2.5	mg. tab.	BA	25	
5	mg. tab.	BA, BW, CM, ST	25	
7.5	mg. tab.	BA	25	
10	mg. tab.	BA	25	
7	AMYL NITRITE			
2	min. cap.	DH	12	1
3	min. cap.	AH, DH	12	1
4	min. cap.	AH, DH	12	1
5	min. cap.	AH, DH	12	1
8	ANAHAEMIN			
2	cc. amp.	BD	12	1
9	ANAHEPOL			
2	cc. amp.	AH	12	1
10	ANTAZOLINE, INJECTION OF			
0.1	G. per 2 cc. amp.	BT, CB	10	

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
11	ATROPINE SULPHATE			
	1/150 gr. per cc., 1 cc. amp.	AH, BL, BT, DH, KL, SJ	6	1
	1/100 gr. per cc., 1 cc. amp.	AH, BL, BT, DH, KL, SJ	6	1
	1/100 gr. per cc., 10 cc. vial	FA	1	
	1/50 gr. per cc., 1 cc. amp.	BL, DH, KL	6	1
	1/200 gr. hypo. tab.	BW, HY, PD	20	1
	1/150 gr. hypo. tab.	BW, DH, FA, HY, PD	20	1
	1/100 gr. hypo. tab.	BW, DH, FA, HY, PD	20	1
12	AUROTHIOGLUCOSE, OILY INJECTION OF			
	0-01 G. amp.	SC	1	3
	0-025 G. amp.	SC	1	3
	0-05 G. amp.	SC	6	
	0-1 G. amp.	SC	6	
	0-01 G. per cc., 10 cc. vial	SC	1	
	0-1 G. per cc., 10 cc. vial	SC	1	
13	BENZHEXOL HYDRO- CHLORIDE			
	2 mg. tab.	LE, ST	100	1
	5 mg. tab.	LE, ST	100	1
14	BISMUTH, AQUEOUS INJECTION OF			
	5 cc. amp.	BT	2	
	10 cc. amp.	BT	1	
	25 cc. bottle	BW	1	
	1 fl. oz. bottle	BT	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
15	BISMUTH OXYCHLORIDE, AQUEOUS INJECTION OF			
1 cc. amp.	BD, BT		12	
2 cc. amp.	BD		12	
3 cc. amp.	BD		12	
25 cc. bottle	BW		1	
30 cc. bottle	BD, EV		1	
16	BISMUTH OXYCHLORIDE, OILY INJECTION OF			
2 cc. amp.	DH		12	
3 cc. amp.	DH		12	
17	BISMUTH SALICYLATE, OILY INJECTION OF			
1 cc. amp.	AH, DH, KL		12	
10 cc. amp.	DH, KL		6	
25 cc. bottle	EV, KL		1	
60 cc. bottle	DH, KL		1	
2 fl. oz. bottle	PD		1	
18	CALCIUM AUROTHIO- MALATE, INJECTION OF			
10 mg. amp.	CK		1	3
25 mg. amp.	CK		1	3
50 mg. amp.	CK		6	
100 mg. amp.	CK		6	

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
19	CALF LYMPH Capillary tube	CS	1	...
20	CAMOQUIN HYDRO- CHLORIDE 0.2 G. tab.	PD	25	...
21	CAMPOLON 2 cc. amp. 5 cc. amp. 10 cc. vial	BA BA BA	6 6 1	1 1 1
22	CAMPOLON FORTE 1 cc. amp. 5 cc. vial 10 cc. vial	BA BA BA	6 1 1	1 1 1
23	CARBACHOL 0.25 mg. per 1 cc. amp 2 mg. tab.	AH, SY BD, HY, MB, SY	6 25	... 3
24	CARBASONE 0.25 G. cap. 0.25 G. tab.	LY BW, HY, MB	20 20	1 1
25	CASYDROL 2½%, 500 cc. bottle 5%, 500 cc. bottle	FC FC	1 1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
26	CHINIOFON 0-25 G. pill. 0-25 G. tab.	BA HY	25 25	1 1
27	CHLOROQUINE 0-2 G. tab. 250 mg. tab.	MB AN, BA	100 100	1 1
28	CHOLERA VACCINE 4000 M. per cc., 1 cc. amp. 4000 M. per cc., 10 cc. vial 8000 M. per cc., 1 cc. amp. 8000 M. per cc., 10 cc. vial	CS CS CS CS	3 1 2 1	
29	DAPSONE 50 mg. tab. 100 mg. tab.	AN IC	100 100	
30	DARROW'S SOLUTION 1 litre bottle	DH	2	1
31	DEXTROSE, AQUEOUS INJECTION OF 5%, 1 litre bottle 10%, 1 litre bottle 20%, 1 litre bottle 25%, 1 litre bottle 50%, 25 cc. amp. 50%, 50 cc. amp.	DH DH DH DH AD, DH AD, DH, PD	6 2 2 2 6 6	1 1 1 1 1 1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
32	DEXTROSE IN 1/5 NORMAL SALINE FOR INJECTION 4%, 1 litre bottle	DH	6	1
33	DEXTROSE IN RINGER'S SOLUTION FOR INJECTION 5%, 1 litre bottle 10%, 1 litre bottle	DH DH	6 3	1 1
34	DIASONE 0-33 G. tab.	PD	200	1
35	DICOUMAROL 100 mg. cap. 50 mg. cap. 100 mg. cap. 50 mg. tab.	OR AB, LY AB, LY OR	3 50 50 50	 1 1 1
36	DIETHAZINE HYDRO- CHLORIDE 0-05 G. tab. 0-25 G. tab.	MB MB	100 100	1 1
37	DIETHYLCARBAMAZINE 50 mg. tab.	BD, BW, LE	20	1
38	DIGIFORTIS 1/2 gr. tab. 1 gr. tab.	PD PD	100 100	1 1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
39	DIGITALIS			
	1/4 gr. tab.	BW, DH, FA, HY, RT, TO	100	1
	1 gr. tab.	BW, DH, FA, HY, RT, TO	100	1
40	DIGITOXIN			
	0.1 mg. tab.	AD, CM, KL, NA, PR, SI, TO, WY	100	1
	0.2 mg. tab.	CM, LY, PD, PR, TO, WY	100	1
	0.25 mg. tab.	KL, TO	100	1
41	DIGOXIN			
	0.5 mg. per 1 cc. amp.	BW	12	1
	0.5 mg. per cc., 30 cc. bottle	BW	1	1
	0.25 mg. tab.	BW	100	1
42	DIHYDROERGOTAMINE, INJECTION OF			
	1 mg. per cc., 1 cc. amp.	SZ	6	
43	DIHYDROMORPHINONE			
	1.1 cc. amp.	KN	4	
	1/32 gr. hypo. tab.	KN	20	
	1/20 gr. hypo. tab.	KN	20	
	1/25 gr. tab.	KN	20	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
44	DIODOHYDROXY- QUINOLINE			
	0.21 G. tab.	SY	100	1
	0.3 G. tab.	MB	100	1
45	DIMERCAPROL, INJECTION OF			
	2 cc. amp.	BT	12	...
46	DIPHENHYDRAMINE HYDROCHLORIDE, INJECTION OF			
	10 mg. per cc., 10 cc. vial	PD	1	1
47	DIPHTHERIA AND TETANUS TOXOIDS COMBINED			
	1 cc. amp.	CS	3	...
	5 cc. amp.	CS	1	...
48	DIPHTHERIA ANTITOXIN			
	1,000 U. amp.	CS	2	1
	2,000 U. amp.	BW, CS	2	1
	4,000 U. amp.	BW, CS	2	1
	6,000 U. amp.	CS	2	1
	8,000 U. amp.	BW, CS	2	1
	10,000 U. amp.	BW, CS	2	1
	20,000 U. amp.	BW, CS	2	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
49	DIPHTHERIA PERTUSSIS ANTIGEN			
	1 cc. amp.	BW, CS, GL	3	
	5 cc. amp.	CS	1	
	5 cc. vial	GL	1	
	7.5 cc. vial	PD	1	
	10 cc. vial	GL	1	
50	DIPHTHERIA, PERTUSSIS AND TETANUS ANTIGEN			
	1 cc. amp.	BW, CS, GL	3	
	5 cc. amp.	CS	1	
	1.5 cc. vial	SD	1	
	7.5 cc. vial	PD, SD	1	
	10 cc. vial	BW, GL	1	
51	DIPHTHERIA PROPHY- LACTIC (Formalinised Toxoid)			
	Set containing 3 amps. each 1 cc. Toxoid undiluted and 1 amp. of 1 cc. Toxoid diluted	CS	1	1
	Set containing 9 amps. each 1 cc. Toxoid undiluted and 3 amps of 1 cc. Toxoid diluted	CS	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
52	DIPHTHERIA PROPHY- LACTIC (Purified Toxoid Aluminium Phosphate)			
	1 cc. amp.	CS	2	1
	5 cc. vial	CS, GL	1	...
	10 cc. vial	PD	1	...
	Set containing 2 amps. each			
	1 cc. Diphtheria Propy- lactic (Purified Toxoid Aluminium Phosphate) (diluted) FOR IMMUN- ISATION OF ADULTS ONLY, and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for the skin test only.	CS	1	...
53	DIPHTHERIA TOXOID PURIFIED (Diluted for skin test only)			
	1 cc. amp.	CS	1	...
54	EMETINE HYDROCHLORIDE			
	20 mg. per 1 cc. amp.	DH, KL	12	...
	30 mg. per 1 cc. amp.	BW, DH, KL ..	12	...
	65 mg. per 1 cc. amp.	BW, DH, KL	6	...
	$\frac{1}{2}$ gr. tab.	BW	12	...
55	EMETINE BISMUTH IODIDE			
	1 gr. tab.	DH	25	1
	2 gr. tab.	DH	25	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
56	ENTERO-VIOFORM 0.25 G. tab.	CB	100	1
57	EPHEDRINE HYDRO- CHLORIDE $\frac{1}{2}$ gr. per 1 cc. amp. $\frac{3}{4}$ gr. per 1 cc. amp. $\frac{1}{2}$ gr. hypo. tab. $\frac{1}{4}$ gr. tab. $\frac{1}{2}$ gr. tab. 1 gr. tab.	AH, BD, BL, BW, DH, KL AH, BL, DH, KL FA AB, AD, BW, DH, HY, KL, MG, PR, RT, RY, SI, TO AB, AD, BT, BW, DH, FA, HY, KL, MG, PD, PR, RT, RY, SI, SL, TO BT, HY, KL	6 6 20 100 100 100	1 1 1 1 1 1
58	EPHEDRINE SULPHATE $\frac{1}{2}$ gr. per 1 cc. amp. 5%, 1 cc. amp. $\frac{1}{2}$ gr. cap. $\frac{3}{4}$ gr. cap. $\frac{1}{2}$ gr. hypo. tab. $\frac{1}{4}$ gr. tab. $\frac{1}{2}$ gr. tab.	AH LY LY LY FA HY, PD, RT FA, HY, KL, PD, RT	6 6 40 40 20 100 100	1 1 1 1 1 1 1
59	ERGOMETRINE MALEATE 0.2 mg. per 1 cc. amp. 0.5 mg. per 1 cc. I.M. amp. 0.125 mg. per 1 cc. I.V. amp. 0.2 mg. tab. 0.5 mg. tab.	LY AD, AH, BD, BL, BW, FM AD, BD, BW LY BD, BT, BW	6 6 6 25 25	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
60	ERGOT (PREPARED)			
1	cc. amp.	PD	6	
2½	gr. cap.	OP	25	1
2½	gr. tab.	DH, TO	25	1
4	gr. tab.	DH, HY	25	1
61	ERGOTAMINE TARTRATE			
0.5	cc. amp.	SZ	6	
1	cc. amp.	SZ	6	
1	mg. tab.	SZ	15	1
62	ERGOTOXINE ETHANE-SULPHONATE			
0.5	mg. tab.	BW	25	
63	ETHOPROPAZINE HYDROCHLORIDE			
50	mg. tab.	MB	100	1
64	ETHYL BISCOUM-ACETATE			
300	mg. tab.	GE	100	
65	ETHYLIDENE DICOUMARIN			
100	mg. tab.	NS	50	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
66	EXAMEN			
	1 cc. amp.	GL	12	1
	5 cc. amp.	GL	1	1
67	EXATROPE			
	2 cc. amp.	GL	12	1
	12 cc. amp.	GL	1	1
68	GAS GANGRENE ANTI- TOXIN (OEDEMATIENS)			
	10,000 U. amp.	CS	3	1
69	GAS GANGRENE ANTI- TOXIN (PERFRINGENS)			
	4,000 U. amp.	CS	3	1
	10,000 U. amp.	BW, CS	10	1
70	GAS GANGRENE ANTI- TOXIN (POLYVALENT)			
	amp. containing—			
	3,000 U perfringens			
	1,500 U. septique			
	1,000 U. oedematiens	CS	2	1
	amp containing—			
	7,500 U. perfringens			
	3,750 U. septique			
	2,500 U. oedematiens	CS	2	1
71	GAS GANGRENE ANTI- TOXIN (SEPTIQUE)			
	5,000 U. amp.	CS	2	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
72	GLYCERYL TRINITRATE			
	1/200 gr. tab.	DH, FA, HY, TO	100	1
	1/150 gr. tab.	HY	100	1
	1/130 gr. tab.	DH	100	1
	1/100 gr. tab.	BW, DH, FA, HY, TO	100	1
	1/65 gr. tab.	DH	100	1
	1/50 gr. tab.	HY	100	1
73	HARTMANN'S SOLUTION			
	1 litre bottle	DH	2	1
74	HARTMANN'S SOLUTION WITH DEXTROSE			
	5%, 1 litre bottle	DH	2	1
	10%, 1 litre bottle	DH	2	1
75	HEPARIN, INJECTION OF			
	1,000 U. per cc., 5 cc. vial	BD, BT, EV, RO	5	
	1,000 U. per cc., 10 cc. vial ..	AB	1	
	5,000 U. per cc., 5 cc. vial	BD, BT, EV, RO	1	
	25,000 U. per cc., 5 cc. vial	BT, EV	1	
76	HEPARIN RETARD, INJECTION OF			
	20,000 U. per 2 mil. amp. ..	BT	6	

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
77	HEPASTAB			
	2 cc. amp.	BT	6	1
	10 cc. vial	BT	1	1
78	HEPASTAB FORTE			
	1 cc. amp.	BT	6	1
	2 cc. amp.	BT	3	1
	10 cc. vial	BT	1	1
79	HEPATEX-T			
	2 cc. amp.	EV	12	1
	10 cc. vial	EV	1	1
80	HEPOLON			
	2 cc. amp.	AH	12	1
	10 cc. vial	AH	1	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
80A	HEXAMETHONIUM BROMIDE			
	10%, 1 cc. amp.	MB	10	1
	10%, 25 cc. bottle	MB	1	1
	30%, 25 cc. bottle	MB	1	...
80B	HEXAMETHONIUM BROMIDE RETARD			
	20%, 25 cc. bottle	MB	1	...
81	HYALASE			
	1 mg. amp.	FC	5	1
82	HYOSCINE HYDRO- BROMIDE			
	1/150 gr. amp.	AH, BL, DH, KL	6	...
	1/100 gr. amp.	AH, BL, BT, DH, KL	6	...
	1/75 gr. amp.	BL, KL	6	...
	1/200 gr. hypo. tab.	BW, HY, PD	100	1
	1/150 gr. hypo. tab.	BW, DH, FA, HY, PD	100	1
	1/100 gr. hypo. tab.	BW, DH, FA, HY, PD	100	1
	1/100 gr. per cc., 10 cc. vial	FA	1	...

Item No. 1	2	3	4	5
	Name, Strength and Form	Manufacturer whose product is available as a benefit (See page 1)	Maximum No.	Repeats
83	INSULIN, INJECTION OF			
20 U. per cc., 5 cc. vial	AH-BD	3	12	
20 U. per cc., 10 cc. vial	AH-BD, BW, CS	3	12	
40 U. per cc., 5 cc. vial	AH-BD, BT, BW, BS-UI	3	12	
40 U. per cc., 10 cc. vial	AH-BD, BT, BW, BS-UI, CS	3	12	
80 U. per cc., 5 cc. vial	AH-BD, BT, BW, CS	3	12	
80 U. per cc., 10 cc. vial	AH-BD, BT, BW	3	12	
100 U. per cc., 5 cc. vial	CS	3	12	
85	INSULIN GLOBIN ZINC, INJECTION OF			
40 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12	
80 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12	
86	INSULIN, ISOPHANE, INJECTION OF			
40 U. per cc., 5 cc. vial	NO	3	12	
40 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS, NO	3	12	
80 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS, NO	3	12	
87	INSULIN (SPECIAL P), INJECTION OF			
20 U. per cc., 10 cc. vial	CS	3	12	
40 U. per cc., 10 cc. vial	CS	3	12	
60 U. per cc., 5 cc. vial	CS	3	12	

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
88	INSULIN PROTAMINE ZINC, INJECTION OF			
	40 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
	40 U. per cc., 10 cc. vial	AH-BD, BT, BW, CS	3	12
	80 U. per cc., 5 cc. vial	AH-BD, BT, BW	3	12
	80 U. per cc., 10 cc. vial	CS	3	12

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
88A	INSULIN ZINC SUSPENSION (Lente)			
	40 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
	80 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
88B	INSULIN ZINC SUSPENSION (Amorphous) (Semilente)			
	40 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
	80 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
88C	INSULIN ZINC SUSPENSION (Crystalline) (Ultralente)			
	40 U. per mil., 10 mil. vial	AH-BD, BT, BW, EV	3	12
	80 U. per mil., 10 mil. vial	AH-BD, BT, EV	3	12
89	ISOPRENALINE HYDRO-CHLORIDE			
	1 in 200, $\frac{1}{2}$ fl. oz. bottle	ST	1	1
	10 mg. tab.	ST	25	3
90	ISOPRENALINE SULPHATE			
	20 mg. tab.	BW	25	3
	10 mg. per cc., 7 cc. vial	BW	1	1
	10 cc. vial	AH	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
91	KINADEN Set containing 3 amps. each of 10 units and 3 amps of solvent	SC	1	1
92	LANATOSIDE C 0.2 mg. per cc., 2 cc. amp. 0.25 mg. tab.	SZ SZ	6 40	1 1
93	LEPTAZOL, INJECTION OF 1.1 cc. amp. 3 cc. amp. 5 cc. amp.	KN KN BT, KN	6 2 1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
94	LIVADEX 2 cc. amp.	BD	12	1
95	LIVER EXTRACT, INJECTION OF 2 U.S.P.U. per cc., 1 cc. amp. 2 U.S.P.U. per cc., 10 cc. vial 5 U.S.P.U. per cc., 2 cc. vial 5 U.S.P.U. per cc., 10 cc. vial 5 U.S.P.U. per cc., 20 cc. vial 10 U.S.P.U. per cc., 10 cc. vial 15 U.S.P.U. per cc., 5 cc. vial	PD PD OX OX, PR OX AB, AN AN, PD	6 6 6 1 1 1 1	1 1 1 1 1 1 1
96	MEPACRINE HYDRO- CHLORIDE 0.1 G. tab.	BT, IC	100	1
98	MEPROCHOL, INJECTION OF 3 mg. per 1 cc. amp.	BW	6	...
99	MEPYRAMINE MALEATE, INJECTION OF 2.5%, 2 cc. amp.	MB	10	...

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
100	MERCAPTOMERIN SODIUM Set containing 1.4 G. vial and 10 cc. Water for Injection	WY	3	...
101	MERCURAMIDE WITH THEOPHYLLINE, INJECTION OF 1 cc. amp. 2 cc. amp.	MB MB	10 10	...
102	MERSALYL, INJECTION OF 1 cc. amp. 2 cc. amp.	AD, AH, BA, BD, BL, BT, BW, DH, EV AD, AH, BA, BD, BL, BT, DH, EV, PD	12 12	...
103	METHIONINE 50 G. bottle	AS, MR, WY	1	...
104	METHOIN 0.1 G. tab.	SZ	100	1
105	METHYL ATROPINE NITRATE 1/200 gr. per 1 cc. amp. 1/100 gr. per 1 cc. amp. 0.6%, $\frac{1}{2}$ oz. bottle 0.001 G. tab.	BL BL BA BA	6 6 1 20	...

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
106	MORPHINE HYDRO- CHLORIDE 1/4 gr. hypo tab.	PD	20	
107	MORPHINE SULPHATE 1/6 gr. amp.	AD, AH, BL, DH, KL	6	
	1/4 gr. amp.	AD, AH, BL, DH, KL	6	
	1/3 gr. amp.	BL, DH, KL	6	
	1/2 gr. amp.	AH, BL, DH, KL	6	
	1/12 gr. hypo. tab.	DH, PD	20	
	1/8 gr. hypo. tab.	DH, FA, PD	20	
	1/6 gr. hypo. tab.	BW, DH, FA, PD	20	
	1/4 gr. hypo. tab.	BW, DH, FA, PD	20	
	1/3 gr. hypo. tab.	DH, PD	20	
	1/2 gr. hypo. tab.	BW, DH, FA, PD	20	
	1 gr. hypo. tab.	BW	12	
	1/4 gr. per cc., 10 cc. vial	PD	1	
	1/2 gr. per cc., 10 cc. vial	FA	1	
108	MORPHINE WITH ATROPINE			
A.	Morphine Sulphate 1/12 gr., Atropine Sulphate 1/150 gr., 1 hypo tab.	DH	20	
B.	Morphine Sulphate 1/8 gr., Atropine Sulphate 1/150 gr., 1 hypo tab.	DH, PD	20	
C.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/200 gr., 1 amp.	BL, DH	6	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
D.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/180 gr., 1 hypo. tab.	DH	20	
E.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/150 gr., 1 amp. 1 hypo. tab. per cc., 10 cc. vial	BL, DH DH, FA, PD .. PD	6 20 1	
F.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/120 gr., 1 amp.	AD, BL, DH	6	
G.	Morphine Sulphate 1/4 gr., Atropine Sulphate 1/150 gr., 1 cc. amp. 1 hypo. tab. per cc., 10 cc. vial	AD, AH, BL, DH BW, DH, FA, PD FA, PD	6 20 1	
H.	Morphine Sulphate, 1/4 gr., Atropine Sulphate 1/120 gr., 1 hypo. tab.	DH	20	
I.	Morphine Sulphate 1/4 gr., Atropine Sulphate 1/100 gr., 1 amp. 1 hypo. tab.	AH, BL, DH DH, FA, PD	6 20	

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
109	MORPHINE WITH HYOSCINE Morphine Sulphate 1/4 gr., Hyoscine Hydrobromide 1/100 gr., 1 cc. amp.	AD, BL, DH	6	
110	NEOARSPHENAMINE, INJECTION OF 0.15 G. amp. 0.3 G. amp. 0.45 G. amp. 0.6 G. amp. 0.75 G. amp. 0.9 G. amp.	EV, GA, MB EV, GA, MB EV, GA, MB EV, GA, MB GA, MB GA, MB	2 2 2 2 2 2	1 1 1 1 1 1
111	NEO-HEPATEX 2 cc. amp. 10 cc. bottle 25 cc. bottle	EV EV EV	12 1 1	1 1 1
112	NEOSTIGMINE BROMIDE 15 mg. tab.	RO	100	1
113	NEOSTIGMINE METHYL- SULPHATE, INJECTION OF 0.5 mg. per cc., 1 cc. amp. 2.5 mg. per cc., 5 cc. vial	RO RO	6 1	3 1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
114	NIKETHAMIDE, INJECTION OF			
	1·7 cc. amp.	CB	5	...
	2 cc. amp.	AH, BD, BT, FM	6	...
	5 cc. amp.	BD, BW	3	...
	5·5 cc. amp.	CB	3	...
115	NUCLEOTIDES, INJECTION OF			
	10 cc. amp.	AH, EV, MJ	12	...
116	OUABAIN, INJECTION OF			
	0·25 mg. amp.	NA	3	...
	0·5 mg. amp.	NA	3	...
117	OXOPHENARSINE HYDRO- CHLORIDE, INJECTION OF			
	0·04 G. amp.	PD	2	1
	0·06 G. amp.	PD	2	1
118	OXYTOCIN, INJECTION OF			
	0·5 cc. amp.	PD	6	...
	1 cc. amp.	PD	6	...
119	PAMAQUIN			
	0·01 G. tab.	BA	45	...

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
120	PAPAVERETUM			
	1/6 gr. per 1 cc. amp.	BL	6	
	1/3 gr. per 1 cc. amp.	BL, DH, RO	6	
	1/3 gr. hypo. tab.	RO	25	
	1/6 gr. tab.	DH, RO	20	
121	PAPAVERINE HYDRO- CHLORIDE			
	1/3 gr. per 1 cc. amp.	AD, KL	6	
	1½ gr. per 5 cc. amp.	AN	6	
	2 gr. per 10 cc. amp.	DH, HA, KL	6	
	3/4 gr. tab.	AN, KL, MG, PR, QE, RT, TO	25	1
	1½ gr. tab.	AN, DH, FA, HA, KL, MG, PR, QE, RT, TO	25	1
122	PARAMETHADIONE			
	0.3 G. cap.	AB	100	2
122A	PARATHYROID EXTRACT			
	100 U. per cc., 5 cc. bottle	PD	1	
123	PARENAMINE			
	1,000 cc. bottle	ST	1	
124	PENETHAMATE HYDRIODIDE			
	100,000 U. vial	GL	6	
	500,000 U. vial	GL	3	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
125	PENICILLIN, INJECTION OF			
	5,000 U. amp.	CS	6	
	15,000 U. amp.	CS	6	
	100,000 U. amp.	AH, BD, CS, EV, GL, IC, SI	6	
	200,000 U. amp.	AH, BD, BT, CS, EV, GL, IC, SI	6	
	500,000 U. amp.	AH, BD, BT, CS, DH, EV, GL, IC, SI	3	
	1,000,000 U. amp.	AH, BD, BT, CS, DH, EV, GL, IC, SI	2	
	1,500,000 U. amp.	GL	1	
126	PENICILLIN, PROCAINE, AQUEOUS SUSPENSION OF			
	300,000 U. amp.	BT	3	
	400,000 U. vial	DH, FA	3	
	600,000 U. vial	BT, DH	2	
	900,000 U. vial	BT, CS, DH, SI	2	
	1,000,000 U. vial	DH, FA	2	
	1,500,000 U. vial	AH, BT, CS, DH, EV, FA, GL, SI	1	
127	PENICILLIN, PROCAINE, (CRYSTALLINE) INJEC- TION OF			
	300,000 U. amp.	AH, BD, BT, BW, CS, DH, EV, IC, MB, SI	3	
	400,000 U. amp.	AH, BD, BT, BW, CS, EV, GL, IC, MB, SI	3	
	500,000 U. amp.	CS	3	
	600,000 U. amp.	DH	2	
	667,000 U. amp.	CS	2	
	900,000 U. amp.	AH, BD, BT, BW, CS, EV, IC, MB, SI	2	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
127	(Contd.)			
	1,200,000 U. amp.	AH, BD, BT, BW, CS, DH, EV, IC, MB, SI	2	
	1,500,000 U. amp.	CS, DH, GL, SI	1	
128	PENICILLIN, PROCAINE, OILY, INJECTION OF			
	300,000 U. per cc., 1 cc. amp.	CS, DH, FA, SI	3	
	600,000 U. amp.	BT, DH, FA	2	
	1,000,000 U. amp.	DH	2	
128A	PENTOLINIUM TARTRATE			
	5 mg. per cc., 10 cc. vial	MB	1	1
	25 mg. per cc., 25 cc. vial	MB	1	1
128B	PENTOLINIUM TARTRATE RETARD			
	25 mg. per cc., 25 cc. vial	MB	1	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
129	PERNAEMON CRUDUM			
	2 cc. amp.	OR	12	1
	10 cc. vial	OR	1	1
130	PERNAEMON FORT			
	1 cc. amp.	OR	12	1
	5 cc. vial	OR	1	1
131	PERNEXIN			
	2 cc. amp.	SC	6	1
132	PERTUSSIS VACCINE (Phase 1)			
	1,000 M. per cc.	CS	3	1
	5,000 M. per cc.	CS	3	1
	5,000 M. per cc., 10 cc. vial	CS	1	...
	10,000 M. per cc.	CS	3	1
	10,000 M. per cc., 10 cc. vial	CS	1	...
	20,000 M. per cc., 1 cc. amp.	GL	3	1
	20,000 M. per cc., 5 cc. vial	GL	1	...
	20,000 M. per cc., 10 cc. vial	GL	1	...
	60,000 M. per 1.5 cc., 1.5 cc. vial	PD	1	...
	Set of 3 amps. containing 50,000 M. per set	SC	1	...

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
133	PETHIDINE HYDRO- CHLORIDE			
	50 mg. per cc., 1 cc. amp. ..	AD, AH, BL, BT, BW, DH, FM, IC, KL, RO	6	...
	50 mg. per cc., 2 cc. amp. ..	AD, AH, BA, BL, BT, BW, CM, DH, FM, IC, KL, RO	6	...
	50 mg. per cc., 10 cc. vial ..	CM, KL	1	...
	50 mg. per cc., 25 cc. bottle	AD, IC	1	...
	50 mg. per cc., 50 cc. bottle	RO	1	...
	25 mg. tab.	AD, BT, BW, CM, DH, IC, KL, MG, RO, SI, TO	25	...
	50 mg. tab.	AD, BA, BT, BW, CM, DH, FM, IC, KL, MG, PR, RO, RY, SI, TO	25	...
134	PETHIDINE SCOPOLAMINE			
	Pethidine Hydrochloride 100 mg., Scopolamine 0.43 mg., 2 cc. amp.	BW, KL, RO	6	...
135	PHEMITONE			
	$\frac{1}{2}$ gr. tab.	AD, AS, BA, BT, DH, FA, IC, KL, MG, PR, QE, SI, TO	200	1
	1 gr. tab.	AD, AS, BA, DH, IC, KL, MG, PR, QE, SI, TO	200	1
	3 gr. tab.	AD, AS, BA, BT, DH, FA, IC, KL, MG, PR, QE, SI, TO	200	1
136	PHENADOXONE HYDRO- CHLORIDE			
	10 mg. per 1 cc. amp.	GL	6	...
	10 mg. tab.	GL	25	...

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
137	PHENOBARBITONE SODIUM, INJECTION OF			
	1½ gr. per 1 cc. amp.	BT	6	
	3 gr. per 1 cc. amp.	BL, CM, DH, FM, MB	6	
	3 gr. per 1.5 cc. amp.	EV	6	
	3 gr. per 2 cc. amp.	AH, BT	6	
	3.1 gr. per 5 cc. amp.	DH	6	
138	PHENYLINDANEDIONE			
	50 mg. tab.	EV, IC	50	
139	PHENYTOIN SODIUM			
	0.03 G. cap.	PD	200	1
	0.1 G. cap.	KL, PD, TO	200	1
	0.1 G. tab.	BT, DH, FM	200	1
140	PTHALYLSULPHA- CETAMIDE			
	0.5 G. tab.	AN, BS, CM, KL, SC, TO, VR	100	
141	PTHALYLSULPHA- THIAZOLE			
	0.5 G. tab.	MB, SD	100	
142	PHYSOSTIGMINE SULPHATE			
	1/100 gr. hypo. tab.	PD	20	
143	PICROTOXIN, INJECTION OF			
	3 mg. amp.	AH	6	
	5 mg. amp.	AH, DH, MT	6	
	0.3%, 20 cc. bottle	AB	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
144	PITRESSIN TANNATE IN OIL, INJECTION OF			
	1 cc. amp.	PD	12	1
145	PITUITARY (POSTERIOR LOBE), INJECTION OF			
	0.5 cc. amp.	BW, CS, PD	6	
	1 cc. amp.	BW, CS, PD	6	
146	PRIMIDONE			
	0.25 G. tab.	IC	100	2
147	PROCAINE HYDRO- CHLORIDE IN NORMAL SALINE FOR INJECTION			
	0.1%, 1 litre bottle	DH	2	1
148	PROCYCLIDINE HYDRO- CHLORIDE			
	5 mg. tab.	BW	100	1
149	PROGUANIL HYDRO- CHLORIDE			
	0.1 G. tab.	IC	100	1
150	PROMETHAZINE HYDRO- CHLORIDE, INJECTION OF			
	2.5%, 2 cc. amp.	MB	10	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
151	PROTAMINE SULPHATE 1%, 5 mil. amp. 1%, 10 cc. amp.	EV BT	6 3	
152	PROTOLEX 2 cc. amp. 10 cc. amp.	CM CM	12 1	1 1
153	PYRIDOXINE HYDRO- CHLORIDE, INJECTION OF 50 mg. per cc., 1 cc. amp. 50 mg. per 2 cc., 2 cc. amp. 50 mg. per cc., 5 cc. vial .. 50 mg. per cc., 10 cc. vial ..	AN, BL, CM, DH, FM, KL, PD, RO BD, RO, VM LY KL	6 6 1 1	1 1 1
154	QUINIDINE SULPHATE 3 gr. tab.	BW, DH, TO	100	1
155	RETICULOGEN 0.5 cc. amp. 5 cc. amp.	LY LY	6 1	1 1
156	RINGER'S SOLUTION FOR INJECTION 1 litre bottle	DH	4	1
157	RONDASE 3 mg. amp.	EV	6	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
158	SODIUM AUROTHIO- MALATE, AQUEOUS INJECTION OF			
	0-001 G. amp.	MB	1	3
	0-002 G. amp.	MB	1	3
	0-005 G. amp.	MB	1	3
	0-01 G. amp.	MB	1	3
	0-02 G. amp.	MB	1	3
	0-05 G. amp.	MB	6	1
	0-1 G. amp.	MB	6	1
	0-2 G. amp.	MB	1	3
159	SODIUM AUROTHIO- MALATE, OILY INJECTION OF			
	0-01 G. amp.	MB	1	3
	0-02 G. amp.	MB	1	3
	0-05 G. amp.	MB	6	1
160	SODIUM CHLORIDE HYPERTONIC SOLUTION FOR INJECTION			
	3%, 1 litre bottle	DH	2	1
	5%, 1 litre bottle	DH	2	1
161	SODIUM CHLORIDE PHYSIOLOGICAL SOLUTION FOR INJECTION			
	2 cc. amp.	AD, AH, BL, DH, KL	6	1
	5 cc. amp.	AD, AH, BL, DH, KL	6	1
	10 cc. amp.	AD, AH, BL, CS, DH, KL	6	1
	20 cc. amp.	BL, DH, KL	6	1
	50 cc. amp.	DH, KL	3	1
	1 litre bottle	DH	2	1
	10 cc. vial	PD	2	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
162	SODIUM CHLORIDE, PHYSIOLOGICAL SOLUTION (WITH DEXTROSE) FOR INJECTION			
	5%, 1 litre bottle	DH	2	1
	10%, 1 litre bottle	DH	2	1
	20%, 1 litre bottle	DH	2	1
	25%, 1 litre bottle	DH	2	1
162A	SODIUM LACTATE SOLUTION			
	1/6 Molar, 1 litre bottle	DH	2	1
163	SODIUM SULPHATE SOLUTION FOR INJECTION			
	4.28%, 1 litre bottle	DH	2	1
164	SOLAPSONE			
	7½ gr. tab.	BW	200	
165	SUCCINYLSULPHA- THIAZOLE			
	0.5 G. tab.	MB, SD	100	
166	SULPHACETAMIDE			
	0.5 G. tab.	AD, AN, BS, BT, DH, FA, FM, MG, RY, SC, SI, TO	50	
167	SULPHADIAZINE			
	0.3 G. tab.	AB, KL, PD, TO	50	
	0.5 G. tab.	AB, AD, AN, BT, BW, CM, DH, FA, HY, KL, MB, MG, MR, PD, PR, RT, RY, SC, SI, SL, TO	50	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
168	SULPHADIMIDINE			
	0.25 G. tab.	IC	50	
	0.5 G. tab.	AN, IC, MG, PR, TO, VR	50	
169	SULPHAFURAZOLE			
	0.5 G. tab.	RO	50	
170	SULPHAGUANIDINE			
	0.5 G. tab.	AB, AD, AN, BT, BW, CM, DH, HY, IC, KL, MG, NS, PR, RT, RY, SI, SL, TO	100	
171	SULPHAMERAZINE			
	0.5 G. tab.	AB, AD, AN, BW, DH, FA, HY, KL, MG, PR, RT, RY, SI, TO	50	
172	SULPHAMETHIZOLE			
	0.1 G. tab.	WW	30	
173	SULPHAPYRIDINE			
	0.5 G. tab.	MB	50	
174	SULPHARSPHENAMINE, INJECTION OF			
	0.15 G. amp.	EV	2	1
	0.3 G. amp.	EV	2	1
	0.45 G. amp.	EV	2	1
	0.6 G. amp.	EV	2	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
175	SULPHATHIAZOLE			
	0.3 G. cap.	LY	50	
	0.5 G. tab.	BT, BW, HY, KL, MB, PR, TO	50	
176	SULPHONAMIDES, MIXED, (A)—TWO SULPHONA- MIDES			
	0.25 G. tab.	DH, PR	50	
	0.3 G. tab.	AB, HY, KL	50	
	0.5 G. tab.	AB, DH, HY, KL, MG, PR, TO, VR	50	
177	SULPHONAMIDES, MIXED, (B)—THREE SULPHONA- MIDES			
	0.25 G. tab.	CM, MB	50	
	0.3 G. tab.	AB, KL, PR, TO	50	
	0.33 G. tab.	AN	50	
	0.5 G. tab.	AD, AN, CM, FA, FM, HY, KL, MB, MG, PR, RY, SI, SL, TO	50	
178	SULPHONAMIDES, MIXED, (C)—FOUR SULPHONA- MIDES			
	0.3 G. tab.	KL	50	
	0.5 G. tab.	KL	50	
179	SUPRARENAL CORTEX EXTRACT, INJECTION OF			
	200 γ per cc., 10 cc. bottle	PD	3	1
	10 cc. vial	AH	3	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
180	T.A.B. VACCINE (Anti-Typhoid-Paratyphoid) 1 cc. containing— 1,000 M. Typhosus 500 M. Paratyphosus A 500 M. Paratyphosus B 1 cc. amp. 10 cc. vial	CS CS	3 1	
181	TETANUS ANTI-TOXIN 500 I.U. (1950) amp. 1,000 I.U. (1950) amp. 1,500 I.U. (1950) amp. 10,000 I.U. (1950) amp.	CS CS BW, CS BW, CS	6 6 6 6	1 1 1 1
182	TETANUS TOXOID (FORMALINISED) 1 cc. amp.	CS	3	...
183	THEOPHYLLINE WITH ETHYLENEDIAMINE 0.366 G. per 10 mil. amp. 0.732 G. per 2 mil. amp. 0.48 G. per 2 mil. I.M. amp. 0.5 G. per 2 mil. I.M. amp. 0.24 G. per 10 mil. I.V. amp. 0.25 G. per 10 mil. I.V. amp. 1½ gr. tab. 2.34 gr. tab.	AB AB AD, DH, HA, AH, BW, CM DH, HA AD, AH, BW, CM AD, BW, CM, DH, FA, HA, HY, KL, MG, PR, QE, RT, RY, SL, SI, SM, TO AB	6 6 6 6 6 6 100 100	 1 1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
184	THIACETAZONE			
	25 mg. tab.	BT	100	...
	50 mg. tab.	AH, AN, HT	50	...
185	THIOURACIL, METHYL			
	0.05 G. tab.	AN, BW, TO	100	1
	0.1 G. tab.	AN, BD, BW, TO	100	1
	0.2 G. tab.	AN, BD, BW, MB, TO	100	1
186	THIOURACIL, PROPYL			
	25 mg. tab.	AN, TO	100	1
	50 mg. tab.	AN, TO	100	1
187	THYROID B.P.			
	1/32 gr. tab.	CS, DH	100	3
	1/16 gr. tab.	CS, DH	100	3
	1/10 gr. tab.	CS	100	3
	1/8 gr. tab.	BW, CS, DH	100	3
	1/4 gr. tab.	AD, AS, BW, CS, DH, FA, GP, PD, PR, SI, SL, TO	100	3
	1/2 gr. tab.	AD, AS, BW, CS, DH, FA, GP, PD, PR, SI, SL, TO	100	3
	1 gr. tab.	AD, AS, BW, CS, DH, FA, GP, PD, PR, SI, SL, TO	100	3
	1½ gr. tab.	AD, BW, CS, DH, GP, SI	100	3
	2 gr. tab.	AD, BW, DH, FA, GP, PD, PR, SI, SL	100	3
	2½ gr. tab.	AD, BW, CS, DH, GP, SI	100	3
	5 gr. tab.	GP	100	3

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
188	TIGER SNAKE ANTI- VENENE			
	1,500 U. per amp.	CS	4	1
189	TRIETHANOLAMINE TRINITRATE			
	1 mg. tab.	SC	100	1
190	TROXIDONE			
	0.3 G. cap.	AB	100	1
	0.15 G. tab.	AB	100	1
191	VASOPRESSIN, INJECTION OF			
	0.5 cc. amp.	CS, PD	6	
	1 cc. amp.	CS, PD	6	
192	VITAMIN K, AQUEOUS INJECTION OF			
	2.5 mg. per 0.5 cc. amp.	AB	6	1
	5 mg. per 1 cc. amp.	AB, AD, BL, FM	6	1
	10 mg. per 1 cc. amp.	AD, BL, BT, DH, GL, KL, RO	6	1
	75 mg. per 1 cc. amp.	BL, OR	6	1
193	VITAMIN K, OILY INJECTION OF			
	5 mg. per 1 cc. amp.	AD, BD, BW, CK, VM	6	1
	10 mg. per 1 cc. amp.	AD, DH, KL	6	1

Item No. 1	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
194	VITAMIN K (ORAL)			
	1 mg. cap.	BA	100	1
	4 mg. cap.	PD	100	1
	1 mg. tab.	LY	100	1
	4-8 mg. tab.	AB	100	1
	5 mg. tab.	AD, BD, DH, FM, KL, PR, RT, SI, TO	100	1
	10 mg. tab.	AD, BD, CK, CM, DH, GL, HY, KL, PR, RO, RT, SI, TO, VM	100	1
195	WATER FOR INJECTION			
	2 cc. amp.	AD, AH, BL, DH, EV, KL, SJ	6	3
	5 cc. amp.	AD, AH, BL, DH, EV, KL, SJ	6	3
	10 cc. amp.	AD, AH, AN, BL, CS, DH, EV, KL	6	3
196	WYDASE			
	150 U. per amp.	WY	5	1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

LIST B (Part 1)

SECOND SCHEDULE (RESTRICTED DRUGS)

The drugs set out in Column 2 of the following table may be ordered only for the treatment of a disease or purpose specified in relation to each of those drugs.

Details regarding these drugs are set out in the List of Benefits at the end of the table.

Prescriptions for Restricted Drugs must be endorsed "Restricted Drug". See paragraph 3 of the Notes on General Pharmaceutical Benefits for further information.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
1	Aureomycin	Acute amoebic dysentery; Acute and sub-acute bacterial endocarditis-streptococcus faecalis; Staphylococcal infections which do not respond to penicillin; Pneumonia which has not responded to penicillin nor to sulphonamides; Psittacosis; Urinary tract infections due to streptococcus faecalis.
1A	Aureomycin Granules	
1B	Aureomycin Oral Suspension	
2	Calcium Para-Aminosalicylate	
3	Caramiphen Hydrochloride	Parkinsonism.
4	Chloramphenicol	Typhoid Fever; Brucellosis; Typhus and other rickettsial diseases;

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
4	(Contd.)	Influenzal meningitis; Granuloma inguinale; Lymphogranuloma venereum; Whooping cough (haemophilus pertussis); Infections due to haemophilus influenza; Acute Laryngo-tracheo-bronchitis; Salmonella infections; Severe gastro-enteritis in children; Staphylococcal infections that do not respond to either penicillin or aureomycin; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Meningitis due to bacterium coli if other forms of treatment are unsuccessful.
5	Chloramphenicol Palmitate	Any disease or purpose specified in this column in relation to chloramphenicol.
6	Cortisone Acetate	Acute rheumatic carditis; Addison's disease; Status Asthmaticus. Total adrenalectomy.
7	Deoxycortone Acetate, Aqueous Injection of	Addison's disease.
8	Deoxycortone Acetate, Aqueous Suspension of	Addison's disease.
9	Deoxycortone Acetate, Oily Injection of	Addison's disease.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
10	Dienoestrol	Carcinoma of the prostate; Mammary carcinoma.
11	Dihydrostrep- tomycin	Any disease or purpose specified in this column in relation to streptomycin, but only if the per- son being treated for that disease or purpose is allergic to strep- tomycin.
12	Folic Acid	Sprue or the sprue-like syndrome.
13	Isoniazid	Tuberculosis.
13A	Methorphan	Inoperable cancer.
14	Pancreatin	Fibrocystic disease of the pancreas.
15	Para-Amino- salicylic Acid	Tuberculosis.
16	Phenindamine Tartrate	Parkinsonism.
17	Progesterone, Injection of	Threatened abortion.
18	Quinine Bisulphate	Malaria.
19	Quinine Dihy- drochloride	Malaria.
20	Quinine Hydro- chloride	Malaria.
21	Quinine Sulphate	Malaria.
22	Sodium Para- Aminosalicy- late	Tuberculosis.
23	Stilboestrol	Carcinoma of the prostate; Mammary carcinoma.
24	Streptomycin	Infections due to haemophilus influenza; Chancroid; Pneumonia due to Bacillus Fried- lander; Acute tuberculosis; Acute exacerbations in chronic tuberculosis; Salmonella infections;

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
24	(Contd.)	Bacillary dysentery not responding to sulphonamides; Surgical conditions of the bowel and of the thoracic organs; Tularaemia; Infections due to pseudomonas pyocyaneus.
24A	Streptomycin Sulphate, Intrathecal Injection of	Tuberculous meningitis.
25	Streptomycin Sulphate, Solution for Injection	Any disease or purpose specified in this column in relation to streptomycin.
26	Terramycin	Any disease or purpose specified in this column in relation to aureomycin.
27	Terramycin, Oral Suspension	Any disease or purpose specified in this column in relation to aureomycin.
28	Testosterone	Mammary carcinoma; Castration.
29	Testosterone, Methyl	Mammary carcinoma; Castration.
30	Testosterone Oenanthate, Injection of	Mammary carcinoma; Castration.
31	Testosterone Phenyl Propionate, Injection of	Mammary carcinoma; Castration.
32	Testosterone Propionate, Injection of	Mammary carcinoma; Castration.
33	Tetracycline	Any disease or purpose specified in this column in relation to aureomycin.
34	Vitamin B12, Injection of	Established megalocytic anaemias.

LIST B (Part 2)

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
1	AUREOMYCIN			
	50 mg. cap.	LE	25	...
	100 mg. cap.	LE	25	...
	250 mg. cap.	LE	16	...
	100 mg. vial	LE	6	...
1A	AUREOMYCIN GRANULES			
	75 G. bottle	LE	1	...
1B	AUREOMYCIN ORAL SUSPENSION			
	100 mg. per cc., 10 cc. vial	LE	1	...
2	CALCIUM PARA- AMINOSALICYLATE			
	1.5 G. cachet	KL, WA	200	1
	2.0 G. cachet	KL, WA	200	1
	5 gr. tab.	WA	200	1
	7½ gr. tab.	KL, WA	200	1
	100 G. tin.	WA	1	1
	400 G. tin.	WA	1	1
3	CARAMIPHEN HYDROCHLORIDE			
	0.05 G. tab.	GE	100	1
4	CHLORAMPHENICOL			
	0.125 G. cap.	PD	16	...
	0.25 G. cap.	PD	16	...
5	CHLORAMPHENICOL PALMITATE			
	0.125 G. per 4 cc., 60 cc. bottle	PD	1	...
6	CORTISONE ACETATE			
	25 mg. tab.	AD, AN, BD, BT, KL, MK, PR, RL, SC, UP	40	1
	25 mg. per cc., 20 cc. vial	AN, MK, SC	1	...
	50 mg. per cc., 10 cc. vial	SC	1	...

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
7	DEOXYCORTONE ACETATE, AQUEOUS INJECTION OF			
	5 mg. amp.	CB, SC	4	
	50 mg. amp.	CB, SC	1	
8	DEOXYCORTONE ACETATE, AQUEOUS SUSPENSION OF			
	25 mg. amp.	CB	1	
9	DEOXYCORTONE ACETATE, OILY INJECTION OF			
	2 mg. amp.	OR	4	
	5 mg. amp.	BD, CB, OR, SC	4	
	10 mg. amp.	BD, CB, OR, SC	4	
	50 mg. implant	BD, OR	1	
	100 mg. implant	BD, CB, OR, SC	1	
	5 mg. per cc., 5 cc. vial	OR	1	
	10 mg. per cc., 10 cc. vial	CB, OR	1	
10	DIENOESTROL			
	5 mg. tab.	AD, AN, BD, DH, KL, MG, PR, SI, SL, TO	100	1
	10 mg. tab.	DH, KL, PR, TO	100	1
11	DIHYDROSTREPTOMYCIN			
	1 G. vial	AN, BD, DN, GL, SP	5	3
12	FOLIC ACID			
	15 mg. per cc., 1 cc. amp.	AN, KL, LE ..	12	
	5 mg. tab.	AN, CM, HY, KL, PD, PR, SI	100	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
13	ISONIAZID			
	50 mg. tab.	AD, AN, DH, HT, HY, KL, MB, NS, PR, QE, RO, SC, SI, TO	100	1
	100 mg. tab.	AN, KL, MB, PR, QE, RO	100	1
13A	METHORPHINAN			
	2.2 mg. per 1.1 cc. amp.	RO	6	
	1.5 mg. tab.	RO	25	
14	PANCREATIN			
	5 gr. tab.	OP, PD	100	
	1 oz. vial	PD	1	2
15	PARA-AMINOSALICYLIC ACID			
	0.3 G. tab.	DH, HY, KL	200	1
	0.5 G. tab.	AD, AN, DH, HY, KL, PR, SI, TO	200	1
16	PHENINDAMINE TARTRATE			
	25 mg. tab.	RO	100	1
17	PROGESTERONE, INJECTION OF			
	5 mg. amp.	BD, BT, CB, FM, KL, OR, SC	6	
	10 mg. amp.	BD, BT, CB, FM, KL, OR, SC	6	
	20 mg. I.V. amp.	SC	3	
18	QUININE BISULPHATE			
	5 gr. tab.	BW, DH, FA, HY, PD, SL, TO	100	1

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
19	QUININE DIHYDRO- CHLORIDE			
	3 gr. per cc., 1 cc. amp.	DH	6	1
	6½ gr. per cc., 1 cc. amp.	DH	6	1
	9½ gr. per 2 cc. amp.	DH	6	1
	15½ gr. per 2 cc. amp.	DH	6	1
	5 gr. cap.	PD	100	1
	5 gr. tab.	DH	100	1
20	QUININE HYDRO- CHLORIDE			
	5 gr. tab.	BW, DH	100	1
21	QUININE SULPHATE			
	5 gr. tab.	AD, DH, HY, PR, SI, TO,	100	1
22	SODIUM PARA- AMINOSALICYLATE			
	1.5 G. cachet	AN, BT, HT, KL, WA, WB	200	1
	2.0 G. cachet	KL, WA	200	1
	0.5 G. cap.	HA	200	1
	5 gr. tab.	AD, CB, CM, DH, HY, KL, SI, WA	200	1
	7½ gr. tab.	AD, AN, BT, CB, CM, DH, HA, HT, HY, MG, KL, PR, RY, SI, TO, WA	200	1
	20%, 10 cc. vial	AN, HT, KL, WA	6	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
23	STILBOESTROL			
	1 mg. amp.	AH, BD, DH, TO	6	
	5 mg. amp.	AH, BD, BW, DH, KL	6	
	1 mg. tab.	AD, AN, BD, BW, DH, FA, HA, HY, MG, PR, RT, RY, SI, SL	100	1
	5 mg. tab.	AD, AN, BD, BW, DH, FA, HA, HY, KL, MG, PR, RT, RY, SI, SL, TO	100	1
	10 mg. tab.	CM, DH, KL, TO	100	1
24	STREPTOMYCIN			
	1 G. vial	AH, AN, BD, BT, BW, DN, EV, GL, IC, MB, PF, SC, SI, SP	5	3
24A	STREPTOMYCIN SUL- PHATE, INTRATHECAL INJECTION OF			
	100,000 U. amp.	EV	10	3
25	STREPTOMYCIN SUL- PHATE, SOLUTION FOR INJECTION			
	500,000 U. per mil., 2 mil. vial	GL	5	3
	250,000 U. per mil., 4 mil. vial	AH, BW, EV	5	3
26	TERRAMYCIN			
	50 mg. cap.	PF	25	
	100 mg. cap.	PF	25	
	250 mg. cap.	PF	16	
	50 mg. tab.	PF	25	
	100 mg. tab.	PF	25	
	250 mg. tab.	PF	16	
	100 mg. vial, intramuscular	PF	6	
	250 mg. per 10 cc. vial, intra- venous	PF	6	
27	TERRAMYCIN ORAL SUSPENSION			
	0.25 G. per 5 cc., 1 fl. oz. bottle	PF	1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
28	TESTOSTERONE 100 mg. implant 150 mg. implant 200 mg. implant	BD, CB, OR, SC OR OR	1 1 1	
29	TESTOSTERONE METHYL 25 mg. tab. 50 mg. tab.	AN, BD, BS, BT, CB, HY, KL, OR, PR, SC AN, BD, BS, BT, HY, KL, OR, PR, SC	25 25	1 1
30	TESTOSTERONE OENAN- THATE, INJECTION OF 250 mg. per cc., 1 cc. amp. ..	SC	1	
31	TESTOSTERONE PHENYL PROPIONATE, INJEC- TION OF 50 mg. per cc., 1 cc. amp. 50 mg. per cc., 5 cc. vial	OR OR	3 1	
32	TESTOSTERONE PRO- PIONATE, INJECTION OF 25 mg. per 1 cc. amp. 50 mg. per 1 cc. amp. .. 50 mg. per cc., 10 cc. vial 100 mg. per 2 mil., 2 mil. amp. 100 mg. implant	AH, AN, BD, BS, BT, BW, CB, FM, KL, OR, SC AH, BD, BS, CB, FM, KL, OR, SC CB, KL, OR, SC BD, FM, OR, SC BD	12 12 1 1 1	

1 Item No.	2 Name, Strength and Form	3 Manufacturer whose product is available as a benefit (See page 1)	4 Maximum No.	5 Repeats
33	TETRACYCLINE			
	50 mg. cap.	LE, PF	25	...
	100 mg. cap.	LE, PF	25	...
	250 mg. cap.	LE, PF	16	...
	50 mg. tab.	PF	25	...
	100 mg. tab.	PF	25	...
	250 mg. tab.	PF	16	...
	100 mg. vial	LE, PF	6	...
34	VITAMIN B 12, INJECTION OF			
	10 γ per 1 cc. amp.	BD, DH	12	1
	20 γ per 1 cc. amp.	AH, AN, BD, BT, BW, CK, CM, DH, GL, IC, KL, NS, SI, VM	12	1
	50 γ per 1 cc. amp.	AH, AN, BD, BT, BW, CK, DH, EV, GL, IC, NS, VM	6	1
	50 γ per cc., 10 cc. vial	GL, PD	1	...
	100 γ per 1 cc. amp.	AH, AN, BD, BT, BW, CK, CM, DH, EV, GL, IC, KL, PD, SI, VM	1	1
	100 γ per cc., 10 cc. vial	CM, GL, KL	1	...
	200 γ per cc., 1 cc. amp.	BT	1	...
	1,000 γ per cc., 1 cc. amp.	AN, BD, BT, CM, DH, GL, KL	1	...
	1,000 γ per cc., 10 cc. vial	CM, GL, KL	1	...

LIST C

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item No.	Column 2 Pharmaceutical Benefit	Column 3 Form	Column 4 Maximum Quantity
2	Adrenalin Hydrochloride, Solution of	Ampoule	6
41	Digoxin	Bottle	1
		Ampoule	12
		Bottle	1
43	Dihydromorphinone	Tablet	100
		Ampoule	4
		Hypodermic Tablet	20
48	Diphtheria Antitoxin	Tablet	20
107	Morphine Sulphate	Ampoule	6
		Ampoule	6
		Hypodermic Tablet	40
108	Morphine with Atropine	Ampoule	6
		Hypodermic Tablet	40
126	Penicillin, Procaine, Aqueous Suspension of	Ampoule or Vial	12
133	Pethidine Hydrochloride	Ampoule	6
		Tablet	25
145	Pituitary (Posterior Lobe), Injection of	Ampoule	12
177	Sulphonamides, Mixed, (B)—Three Sulphona- mides	Tablet	100

Proprietary Names of Listed Drugs

and

Manufacturers' Codes

FIRST SCHEDULE

Preparation	Item No.	Code
A		
Acetocid	166	BS
Acetylarsan	1	MB
Adanon	6	BA
Albucid	166	SC
Aminophylline	183	
Anacardone	114	BD
Anahaemin	8	BD
Anahepol	9	AH
Anginine Stabilised	72	BW
Ansolsen	128A	MB
Ansolsen Retard	128B	MB
Anthisan	99	MB
Antistine	10	CB
Aquacillin	126	FA
Aralen	27	BA
Artane	13	LE
Auro-Calcium	18	CK
Aurothiomalate Calcium	18	
Aurothiomalate Sodium	158, 159	
Avlon	Various	IC
Avloprocil N.A.	127	IC
Avlosulfon	29	IC
B		
B.A.L.	45	BT
Banocide	37	BW
Benadon	153	RO
Benadryl	46	PD
Bisalevan	17	EV

Preparation	Item No.	Code
Bismol	16	DH
Bismostab	14	BT
Bisoxyl	15	BD
Bi-Stabillin	127	BT
Bisvene	15	EV

C

Campolon	21	BA
Campolon Forte	22	BA
Cardiazol	93	KN
Cardigen	40	PD
Cardophyllin	183	HA
Carine	183	KL
Casydrol	25	FC
Cedilanid	92	SZ
Cemalonal	137	CM
Cetasulph	140	CM
Cilicaine Fortified	127	SI
Cilicaine Simplex	127	SI
Cilicaine Suspension	126	SI
Coramine	114	CB
Corvotone	114	BT
Crystodigin	40	LY

D

D.A.D.P.S.	29	AN
Darrow's Solution	30	DH
Davitamon K	192	OR
Demerol	133	BA
Detoin	139	KL
D.H.E. 45	42	SZ
Diamidin	34	PD
Dicoumarin	35	OR
Digicristin	40	CM
Digifortis	38	PD
Dilantin	139	PD
Dilaudid	43	KN
Dimerazole	176	VR
Dimerzine	176	DH
Dimidi-Sulph	140	VR

Preparation	Item No.	Code
Dindevan	138	EV
Diparcol	36	MB
Distaquaine	127	
Distaquaine Forte	127	MB
Distaquaine Fortified	127	
Distaquaine G.	127	EV
Distaquaine Suspension	126	
Disulpha	176	TO
Disulphettes	176	HY
Diurophylin	183	CM
Duozone	176	AB

E

E.D.C.	65	NS
Embequin	44	MB
Enterocid	140	BS
Entero-Vioform	56	CB
Eptoin	139	BT
Ergotrate	59	LY
Eschatin	179	PD
Estopen	124	GL
Ethodryl	37	BD
Eucortone	179	AH
Eumydrin	105	BA
Evarsan	110	EV
Examen	66	GL
Exatrope	67	GL

F

Forticil	128	FA
---------------	-----	----

G

Gantrisin	169	RO
Gardenal Sodium	137	MB
Glucophylline	183	AB
Gynergen	61	SZ
Guanaflex	170	CM

Preparation	Item No.	Code
H		
Hepa-B-plex "5"	95	PR
Heparin Retard	76	BT
Hepastab	77	BT
Hepastab Forte	78	BT
Hepatex-T	79	EV
Hepolon	80	AH
Heptalgin	136	GL
Hetrazan	37	LE
Hexa-Betalin	153	LY
Hexavibex	153	PD
Histostab	10	BT
Hyalase	81	FC
Hykinone	192, 194	AB
I		
Indema	138	IC
Infatab	167	PD
Infundin Pituitary	145	BW
Isuprel	89	ST
K		
Kapilin	192, 194	GL
Kappaxan	194	BA
Kavitine	192, 193, 194	KL
Kayvite	194	SI
Kemadrin	148	BW
Kinaden	91	SC
K-Thrombin	194	FM
K-Thrombin Aqueous	192	FM
L		
Leo	86	NO
Leucarsone	24	MB
Liquemin	75	RO
Livadex	100	BD
Liver Injections—		
Anahaemin	8	
Anahepol	9	
Campolon	21	
Campolon Forte	22	
Examen	66	
Exatrope	67	
Hepastab	77	

Preparation	Item No.	Code
Hepastab Forte	78	
Hepatex—T	79	
Hepolon	80	
Livadex	94	
Liver Extract	95	
Neo-Hepatex	111	
Pernaemon Crudum	129	
Pernaemon Fort	130	
Pernexin	131	
Protolex	152	
Reticulogen	155	
Lucodan	43	KN
Lysivane	63	MB

M

Malidone	5	BS
Mapharsen	117	PD
M. & B. 693	173	MB
Megacillin	126	FA
Menaphthone	193	
Meonine	103	WY
Meradiazine	176	HY
Mesantoin	104	SZ
Methadon	6	ST
Methnine	103	MR
1/6 Molar Lactate	162A	DH
Moryl	23	SY
Multisulpha	178	KL
Multisulphettes	178	KL
Mylopen	126	GL
Myocrisin	158, 159	MB
Mysoline	146	IC

N

Neo-Epinine	90	BW
Neo-Hepatex	111	EV
Neoici	110	GA
Neptal	101	MB
Neustab	184	BT
Nicamide	114	BW
Nivaquine	27	MB
Normal Saline	161	
Novarsenobillon	110	MB

Preparation	Item No.	Code
O		
Omnopon	120	RO
P		
Palatinoid	60	OP
Paludrine	149	IC
Paradione	122	AB
Parenamine	123	ST
Paroidin	122A	PD
Penaquacaine G.	127	CS
Penaquacaine G. Fortified	127	CS
Pentide	115	AH
Pentnucleotide	115	MJ
Pernaemon Crudum	129	OR
Pernaemon Fort	130	OR
Pernexin	131	SC
Pethanal	133	CM
Petein	132	SC
Phenergan	150	MB
Phrenazol	93	BT
Physeptone	6	BW
Pipanol	13	ST
Pitocin	118	PD
Pitressin	191	PD
Pituitary Obstetrical	145	CS
Pituitary Surgical	191	CS
Pituitrin Obstetrical	145	PD
Pituitrin Surgical	191	PD
Plasmoquine	119	BA
Praenitron	189	SC
Procillin	128	DH
Procillin A.S.	126	DH
Procillin Dry	127	DH
Procillin Dry Fort.	127	DH
Procillin Injecs	128	DH
Procillin Injecs A.S.	126	DH
Procillin One Million	128	DH
Prokayvit	193, 194	BD
Prominal	135	BA
Promiton	135	KL
Pro-Stabillin	127	BT
Pro-Stabillin A.S.	126	BT
Prostigmin	112, 113	RO
Protolex	152	CM
Purodigin	40	WY

Preparation	Item No.	Code
Pyridermin	153	CM
Pyrivel	153	VM

R

Reticulogen	155	LY
Ringer's Solution	156	DH
Rondase	157	EV

S

Salyrgan	102	BA
Savorquin	44	SY
Seclophen	127	GL
Seroden	184	AH
Solganal—B Oleosum	12	SC
Solutox	166	FM
S.P.N.	115	EV
Sulazine	167	SC
Sulfasuxidine	165	SD
Sulfathalidine	141	SD
Sulphaco	177	CM
Sulphaco Mitis	177	CM
Sulphacompound Tres	177	KL
Sulphadiazinettes	167	KL
Sulphadital	177	FM
Sulphaduo	176	KL
Sulphamezathine	168	IC
Sulpharsan	174	EV
Sulphatriad	177	MB
Sulphetrone	164	BW
Sulphonamix	177	SI
Synkamine	194	PD
Synkavit	192, 194	RO
Synthanal	6	CM

T

Tabloid	Various	BW
Talecid	140	SC
Tetrazol 136	93	FM
Thalacet	168	VR
Thalazole	141	MB

Preparation	Item No.	Code
Thiazamide	175	MB
Thiomerein Sodium	100	WY
Thioparamizone	184	HT
Three Sulphas	177	AD
Ti-bi-zone	184	AN
Triazol	177	AB
Tridione	190	AB
Trinavac	50	SD
Triogen	50	PD
Triple Antigen	50	CS
Triple Sulpha	177	TO
Triple Sulphonamides	177	FA
Trisulfa	177	AN
Trisulfettes	177	AN
Trizettes	177	TO
Trombolysan	64	GE

U

Urolucosil	172	WW
-----------------	-----	----

V

Vasitrin	72	DH
Vegolysen	80A	MB
Vegolysen Retard	80B	MB
Vitavel K	193, 194	VM
Viules	11, 15, 82, 114, 133, 137	BT
Viules Pro-Stabillin A.S.	126	BT
Viules Pro-Stabillin Oily	128	BT

W

Wydase	196	WY
-------------	-----	----

Y

Yatren	26	BA
-------------	----	----

Proprietary Names of Listed Drugs and Manufacturers' Codes

SECOND SCHEDULE—RESTRICTED DRUGS

Preparation	Item No.	Code
A		
Achromycin	33	LE
Aminacyl	2, 22	WA
Aminacyl Granulate	2	WA
Anacobin	34	BD
Andrazide	13	AN
Aureomycin	1	LE
Aureomycin Spersoids	1A	LE
Aureomycin Suspension	1B	LE
B		
Benol	34	KL
Benol Forte	34	KL
Benol 1000	34	KL
C		
Calcipas	2	KL
Chloromycetin	4	PD
Chloromycetin Palmitate	5	PD
Cortadren	6	SC
Cortic	6	AD
Cortone	6	MK
Cytamen 20, 50, 100, 1000	34	GL
Cytobex	34	PD
D		
Distivit	34	
D.O.C.A.	9	OR
Dromoran	13A	FO
E		
Ertuban	13	SC
Euhaemon	34	AH

Preparation	Item No.	Code
F		
Folvite	12	LE
H		
Heptamin	34	SI
I		
Intraviron	32	BS
Intravite B 12	34	NS
Isotinyt	13	KL
Isozide	13	NS
L		
Lutocyclin	17	CB
M		
Megalovel	34	VM
N		
Neo-Hombreol	32	OR
O		
Oraviron	29	BS
Osacyl	22	CB
P		
Palatinoid	14	OP
Pancreatin Powder	14	PD
Pantheric Tabs.	14	PD
Para-Aminosalicylate Calcium	2	
Para-Aminosalicylate Sodium	22	
Paramisan Sodium	22	HT
Parasal Sodium	22	CM
Parentosal B 12	34	CM
Parpanit	3	GE
Pasan	22	KL
Pasing	11, 24	EC
Perandren	28, 29, 32	CB
Percorten	7, 8, 9	CB
Primocort	7, 9	SC
Primoteston Depot	30	SC
Progestin	17	
Proluton	17	SC
Pycazide	13	HT

Preparation	Item No.	Code
R		
Rimifon	13	RO
S		
Scheroson	6	SC
Specia	24	SP
Specia Didromycine	11	SP
Streptaquaine	25	
Streptomycin	24	
Streptomycin Dihydro	11	
Streptomycin Intrathecal	24A	EV
Streptomycin Sulphate, Solution for Injection	25	BW
T		
Tabloid	Various	BW
Tebos	13	HY
Terramycin	26	PF
Terramycin Oral Suspension	27	PF
Testine	32	KL
Testogenine	32	FM
Testoviron	28, 29, 32	SC
Tetracyn	33	PF
Thephorin	16	RO
V		
Vibion	34	AN
Vibion Forte	34	AN
Viules	17, 32	BT
Viules Cobastab	34	BT
Viules Cobastab 200	34	BT

Section B

PENSIONER PHARMACEUTICAL BENEFITS

1. Prescriptions for these benefits must be endorsed "N.H.S." and bear the words "Pensioner Benefit" and the pension number of the patient.

2. In addition to other requirements set out in the General Notes, a prescription for a pensioner pharmaceutical benefit must—

- (a) indicate the form of benefit if it is a single drug, e.g., in the case of olive oil the prescription must indicate whether it is to be supplied as a mixture, application, liniment, &c.;
- (b) must not prescribe a general as well as a pensioner pharmaceutical benefit;
- (c) must not prescribe more than two pensioner pharmaceutical benefits;
- (d) must not prescribe the benefit by reference to a brand or in any other manner that would indicate a brand.

Unless these and other requirements set out in these Notes are complied with the prescription will not be accepted for dispensing by the chemist as a pensioner pharmaceutical benefit.

3. Pensioner pharmaceutical benefits comprise—

- (a) any drug or medicinal preparation which is the subject of a monograph in the 1953 B.P., except medicinal gases and general pharmaceutical benefits;
- (b) drugs and medicinal preparations set out in List A at the end of this section;
- (c) medicinal compounds composed of two or more of the drugs or medicinal preparations referred to in (a) and (b) of this sub-paragraph;

(d) any item in the Prescribers' List herewith. This list contains for your convenience a representative selection of medicaments approved by a special committee of the British Medical Association. It is requested that this list be used whenever practicable.

If it is desired to alter a formula in the Prescribers' List by adding one or more drugs to the formula, the name of the formula as it appears in the List may be used, e.g.,

R Pot. Bromid. gr. x
Mist. Gent. Alk ad $\frac{1}{2}$ fl. oz.

In all other cases where a formula is departed from, the formula title must not be used; the prescription should be written out in full.

4. The following may not be prescribed alone; they must be compounded with another pensioner pharmaceutical benefit.—Alcohol, ether, chloroform, industrial methylated spirit, and any drug or medicinal preparation set out in List A other than the following (which may be prescribed alone)—cachets, capsules, creams, extracts, eye ointments, glycerines, injections, liniments, liquors, mixtures, ointments, pills, syrups, suppositories and tablets.

5. It should be noted particularly that if a pensioner pharmaceutical benefit is desired to be supplied in the form of a cachet, capsule, pill or tablet, that form may be prescribed only if it is specified in List A as a benefit in that particular form or is the subject, in that form, of a monograph in the B.P. 1953.

6. Maximum quantities and numbers of repeats are set out in the table appearing in pages C and D. It should be noted that in a few cases of single drugs or preparations specific maxima have been set out, but otherwise maxima have been standardised.

Where a single drug is ordered the maxima will be governed by the form in which the benefit is directed to be supplied, e.g., as a lotion, liniment, &c.

PENSIONER PHARMACEUTICAL BENEFITS

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS

Class of Prescription	Maximum Quantity	No. of Repeats (in addition to first supply)
Applications	4 fl. oz.	1
Capsules	12 capsules	1
Collodions	120 min.	1
Cream of Penicillin	$\frac{1}{2}$ oz.	...
All other Creams	4 oz.	2
Draughts	4 fl. oz.	...
Dusting Powders	4 oz.	1
Ear Drops	1 fl. oz.	...
Elixirs	4 fl. oz.	1
Emulsions	16 fl. oz.	1
Enemas	4 fl. oz.	1
Extracts, Fluid	4 fl. oz.	...
Extracts of Malt	1 lb.	3
Extracts of Malt with Cod Liver Oil	1 lb.	3
Eye Drops	120 min.	...
Eye Lotions	6 fl. oz.	1
Eye Ointment of Penicillin	60 gr.	...
All other Eye Ointments	$\frac{1}{4}$ oz.	...
Gargles and Mouth Washes	8 fl. oz.	...
Gelatins	4 oz.	3
Glycanthis	$\frac{1}{2}$ oz.	1
Glycerines	2 fl. oz.	1
Inhalations	2 fl. oz.	...
Injecti ^o ns—		
Ampoules	6 amps.	1
Vials	1 vial	1
Irrigations	8 fl. oz.	2
Insufflations	1 oz.	...
Linctuses	3 fl. oz.	2
Liniments	4 fl. oz.	1
Lotions	8 fl. oz.	2
Lozenges	25	...
Mixtures	8 fl. oz.	2
Nasal Drops	$\frac{1}{2}$ fl. oz.	2
Ointment of Penicillin	1 oz.	...
All other Ointments	2 oz.	1
Paints	1 fl. oz.	1
Pastes	2 oz.	1
Pessaries	6 pessaries	2
Pills	50 pills	2

Class of Prescription	Maximum Quantity	No. of Repeats (in addition to first supply)
Poultices	1 lb.	1
Powder Antacid	4 oz.	3
Powder Bism. et Calc. Co.	4 oz.	3
Powder Calc. et Mag. Phosph.	4 oz.	3
All other Powder for internal use	4 oz.	2
Powders—individually wrapped	12 powders	1
Soaps	4 fl. oz.	1
Solutions for internal use	1 fl. oz.	2
Solutions for external use	4 fl. oz.	1
Sprays	$\frac{1}{2}$ fl. oz.	1
Suppositories	12 suppositories	1
Syrups	8 fl. oz.	1
Tablets, Aminophylline with Phenobarbitone	100	1
Tablets, Calcium Gluconate	100	1
Tablets, Phenobarb	100	2
Tablets, Phenobarb Sodium	100	2
Tablets, Saccharin	200	1
Tablets, Theobromine Sodium Salicylate	100	1
Tablets, Theobromine with Phenobarbitone	100	1
All other Tablets	25	2
Tinctures	1 fl. oz.	1

PRESCRIBERS' LIST

Prescription.

APPLICATIONES

(APPLICATIONS)

APPLICATIO BENZYLIS BENZOATIS, B.P.C.
(Application of Benzyl Benzoate)

APPLICATIO DICOPHANI, B.P.C.
(Application of Dicophane: D.D.T. Application)

AURISTILLAE

(EAR DROPS)

AURISTILLAE ACIDI BORICI
(Aurist. Acid. Boric)

Boric Acid	gr. 10
Glycerin	m. 60
Rectified Spirit 60%	to m. 240

AURISTILLAE ACIDI SALICYLICI
(Aurist. Acid. Salicyl.)

Salicylic Acid	gr. 4
Rectified Spirit	m. 90
Distilled Water	to m. 240

AURISTILLAE HYDROGENII PEROXIDI
(Aurist. Hydrogen. Perox.)

Solution of Hydrogen Peroxide 10 vols.

AURISTILLAE PHENOLIS

(Aurist. Phenol.)

Glycerin of Phenol	m. 60
Glycerin	to m. 240

AURISTILLAE STREPTOMYCIN

(Aurist. Streptomycin)

Streptomycin	gr. 12
Normal Saline	to m. 240

AURISTILLAE VIOLAE CRYSTALLINAE

(Aurist. Viol. Cryst.)

Crystal Violet	gr. 2
Rectified Spirit	m. 120
Distilled Water	to m. 240

AURISTILLAE ARGENTI PROTEINATIS

(Aurist. Argentoprot.)

Mild Silver Proteinat	gr. 22
Rectified Spirit	m. 120
Distilled Water	to m. 240

Prescription.

COLLYRIA

(EYE LOTIONS)

COLLYRIUM ACIDI BORICI

(Collyr. Acid. Boric)

Boric Acid	gr. 90
Distilled Water	to..... fl. oz. 6

COLLYRIUM HYDRARGYRI PERCHLORIDI

(Collyr. Hydrarg. Perchlor.)

Solution of Mercuric Chloride	fl. oz. 1
Distilled Water	to..... fl. oz. 6

When diluted with an equal quantity of water this eye lotion has a strength of 1 in 12,000.

CREMORES

(CREAMS)

CREMOR GLYCERINI

(Crem. Glycerin)

Olive Oil	m. 90
Glycerine	m. 90
Solution of Calcium Hydroxide	m. 150
Wool Fat	to..... 1 oz.

CREMOR PENICILLINI, B.P.

(Crem. Penicill.)

Contains 1000 units per gram

CREMOR ZINCI

(Crem. Zinc.)

Wool Fat	gr. 180
Arachis Oil, by weight	gr. 180
Zinc Oxide	gr. 240
Solution of Calcium Hydroxide	m. 240

EMULSIONES

(EMULSIONS)

EMULSIO OLEI MORRHUAE, B.P.

(Emuls. Ol. Morrhu.)

EMULSIO PARAFFINI LIQUIDI CUM

PHENOLPHTHALEINO B.P.C.

(Emuls. Paraff. Liq c Phenolphthal.)

Prescription.

GARGARISMATA

(GARGLES)

GARGARISMA BORACIS COMPOSITA

(Garg. Boracis. Co.)

Borax	gr. 60
Sodium Bicarbonate	gr. 60
Liquefied Phenol	m. 10
Glycerin	m. 120
Water	to fl. oz. 4

Use one tablespoonful diluted with an equal quantity of warm water

GARGARISMA POTASSII CHLORATIS

(Garg. Pot. Chlorat.)

Potassium Chlorate	gr. 40
Glycerin	m. 240
Water	to fl. oz. 4

Use one tablespoonful diluted with an equal quantity of warm water.

GUTTAE OPHTHALMICAE

(EYE DROPS)

GUTTAE ARGENTI PROTEINATIS MITIS 10%

(Gutt. Argentoprot. 10%)

Mild Silver Proteinat B.P.C.	gr. 10
Distilled Water	to m. 120

GUTTAE ATROPINAE SULPHATIS ½%

(Gutt. Atrop. Sulph. ½%)

Atropine Sulphate	gr. ½
Chlorbutol Water A.P.F.	to m. 120

GUTTAE ATROPINAE SULPHATIS 1%

(Gutt. Atrop. Sulph. 1%)

Atropine Sulphate	gr. 1
Chlorbutol Water A.P.F.	to m. 120

GUTTAE ATROPINAE SULPHATIS 2%

(Gutt. Atrop. Sulph. 2%)

Atropine Sulphate	gr. 2
Chlorbutol Water A.P.F.	to m. 120

GUTTAE PENICILLINI

(Gutt. Penicell.)

Crystalline Penicillin	2,000 units
Sterile Distilled Water	to m. 15

Prescription.

GUTTAE PHYSOSTIGMINAE (ESERINAE) $\frac{1}{4}$ %

(Gutt. Physostigmin. $\frac{1}{4}$ %)

Physostigmine Salicylate gr. $\frac{1}{4}$
Chlorbutol Water A.P.F. to m. 120

GUTTAE PHYSOSTIGMINAE (ESERINAE) 1 %

(Gutt. Physostigmin. 1 %)

Physostigmine Salicylate gr. 1
Chlorbutol Water A.P.F. to m. 120

GUTTAE PILOCARPINAE $\frac{1}{2}$ %

(Gutt. Pilocarpin. $\frac{1}{2}$ %)

Pilocarpine Nitrate gr. $\frac{1}{2}$
Chlorbutol Water A.P.F. to m. 120

GUTTAE PILOCARPINAE 1 %

(Gutt. Pilocarpin. 1 %)

Pilocarpine Nitrate gr. 1
Chlorbutol Water A.P.F. to m. 120

GUTTAE SULPHACETAMIDI SOLUBILIS 25 %

(Gutt. Sulphacetamid. Solub. 25 %)

Soluble Sulphacetamide gr. 30
Distilled Water to m. 120

GUTTAE ZINCI SULPHATIS $\frac{1}{2}$ %

(Gutt. Zinc. Sulph. $\frac{1}{2}$ %)

Zinc Sulphate gr. $\frac{1}{2}$
Chlorbutol Water A.P.F. to m. 120

N.B.—Where Guttæ are prescribed without specification of the strength, e.g., GUTTÆ ATROP. SULPH, the weakest strength will be supplied.

HAUSTUS

(DRAUGHTS)

HAUSTUS PARALDEHYDI

(Haust. Paraldehyd.)

Paraldehyde m. 90
Rectified Spirit m. 60
Syrup of Orange m. 60
Glycerin m. 60
Water to m. 480

Prescription.

HAUSTUS POTASSII BROMIDI ET CHLORALIS
HYDRAS

(Haust. Pot. Brom. et Chloral.)

Chloral Hydrate	gr. 10
Potassium Bromide	gr. 20
Tincture of Cudbear	m. 2
Syrup of Orange	m. 60
Chloroform Water	to m. 480

INHALATIONES

(INHALATIONS)

INHALATIO BENZOINI COMPOSITA

(Inhal. Benz. Co.)

Menthol	gr. 24
Oil of Eucalyptus	m. 24
Oil of Pine	m. 12
Compound Tincture of Benzoin	m. 240
Rectified Spirit	to m. 480

INHALATIO MENTHOLIS

(Inhal. Menthol.)

Menthol	gr. 60
Oil of Pine	m. 60
Rectified Spirit	to m. 480

INHALATIO MENTHOLIS EVAPORANS

(Inhal. Menthol. Evap.)

Menthol	gr. 60
Eucalyptol	m. 90
Camphor	gr. 90
Oil of Lavender	m. 7½
Spirit of Chloroform	to m. 480

INSUFFLATIONES

(INSUFFLATIONS)

INSUFFLATIO IODI

(Insuff. Iodi)

Iodine	gr. 3
Potassium Iodide	gr. 3
Ether	m. 80
Boric Acid	to 1 oz.

LINCTUS

((COUGH SYRUPS))

LINCTUS CODEINAE

(Linct. Codein.)

Codein Phosphate	gr. 14
Water	m. 5
Glycerin	m. 15
Oxymel of Squill	to m. 60

Prescription.

LINCTUS MORPHINAE

(Linctus. Morphin.)

Solution of Morphine Hydrochloride	m. 5
Red Syrup, A.P.F.	m. 15
Syrup	to..... m. 60

LINCTUS SCILLAE COMPOSITUS

(Linct. Scillae. Co.)

Camphorated Tincture of Opium	m. 20
Oxymel of Squill	m. 15
Spirit of Chloroform	m. 5
Syrup of Tolu	to..... m. 60

LINIMENTIA

(LINIMENTS)

LINIMENTUM ACONITI COMPOSITUM

(Lin. Aconit. Co.—Lin. A.B.C.)

Liniment of Aconite	m. 160
Liniment of Belladonna	m. 160
Camphor	gr. 13
Chloroform	m. 80
Oleic Acid	to..... m. 480

LINIMENTUM METHYLIS SALICYLATIS

(Lin. Methyl. Sal.)

Methyl Salicylate	m. 120
Arachis Oil	to..... fl. oz. 1

LINIMENTUM TEREBINTHINAE, B.P.

(Lin. Terebinth., B.P.)

LINIMENTUM CALAMINAE COMPOSITUM

(Lin. Calamin. Co.: Pusey's Lin.)

Phenol	gr. 7½
Camphor	gr. 7½
Liquid Paraffin	oz. 1
Lanette Wax SX	gr. 45
Talc	gr. 120
Calamine	gr. 120
Water	to..... fl. oz. 4

To which may be added 1% to 2% Ichthyol
or Precipitated Sulphur or Solution of Coal
Tar.

LOTIONES

(LOTIONS)

LOTIO ACIDI BORICI

(Lot. Acid. Boric.)

Boric Acid	gr. 360
Water	to..... fl. oz. 20

Prescription.

LOTIO CALAMINAE, A.P.F.

(Lot. Calamin., A.P.F.)

(May add to this lotion—

Liquified Penol 1% ;

Strong Solution of Lead Subacetate 1%
to 3%.)

LOTIO ALUMINII ACETATIS

(Lot. Aluminii. Acet.—Burrow's Solution)

Solution of Aluminium Acetate. B.P.C.

MISTURAE

(MIXTURES)

MISTURA ACIDI ACETYLSALICYLICI

(Mist. Acid. Acetylsal.)

Acetylsalicylic Acid	gr. 10
Compound Powder of Tragacanth	gr. 5
Syrup of Orange	m. 30
Water	to m. 240

MISTURA ACIDI ACETYLSALICYLICI COMPOSITA

(Mist. Acid. Acetylsal. Co.)

Acetylsalicylic Acid	gr. 6
Phenacetin	gr. 5
Caffeine	gr. 1
Compound Powder of Tragacanth	gr. 5
Syrup of Orange	m. 30
Chloroform Water	to m. 240

**MISTURA ACIDI ACETYLSALICYLICI ET
MORPHINAE**

(Mist. Acid. Acetylsal. et Morphin.)

Solution of Morphine Hydrochloride	m. 15
Red Syrup, A.P.F.	m. 30
Acetylsalicylic Acid	gr. 10
Compound Powder of Tragacanth	gr. 5
Water	to m. 240

(This mixture contains 1/8 grain Morphine
Hydrochloride in 1/2 fl. oz.)

**MISTURA ACIDI ACETYLSALICYLICI ET
PHENOBARBITONI**

(Mist. Acid. Acetylsal. et Phenobarb.)

Phenobarbitone	gr. 12
Acetylsalicylic Acid	gr. 10
Compound Powder of Tragacanth	gr. 5
Syrup	m. 20
Cinnamon Water	to m. 240

Prescription.

MISTURA ACIDI ACETYLSALICYLICI SOLUBILIS
(Mist. Acid. Acetylsal. Solub.)

Acetylsalicylic Acid	gr. 10
Potassium Citrate	gr. 30
Neutral Syrup of Lemon A.P.F.	m. 30
Water	to m. 240

MISTURA ALKALINA
(Mist. Alkalin.)

Sodium Citrate	gr. 30
Sodium Bicarbonate	gr. 30
Chloroform Water	to m. 240

MISTURA ALUMINII HYDROXIDI A.P.F.
(Mist. Alumin. Hydrox.)

MISTURA AMMONII ACETATIS
(Mist. Ammon. Acet.)

Strong Solution of Ammonium Acetate.....	m. 15
Potassium Citrate	gr. 25
Tincture of Ipecacuanha	m. 10
Camphorated Tincture of Opium	m. 30
Syrup of Tolu	m. 30
Water	to m. 240

MISTURA ALBA
(Mist. Alba.)

Magnesium Sulphate	gr. 60
Light Magnesium Carbonate	gr. 10
Peppermint Water	to m. 240

MISTURA BISMUTHI ALKALINA
(Mist. Bism. Alk.)

Bismuth Carbonate	gr. 10
Light Magnesium Carbonate	gr. 10
Sodium Bicarbonate	gr. 10
Peppermint Water	to m. 240

MISTURA BISMUTHI ET OPII
(Mist. Bism. et Opii)

Bismuth Carbonate	gr. 10
Tincture of Opium	m. 10
Chloroform Water	to m. 240

MISTURA BISMUTHI SEDATIVA
(Mist. Bism. Sedativ.)

Bismuth Carbonate	gr. 20
Solution of Morphine Hydrochloride	m. 5
Sodium Bicarbonate	gr. 10
Dilute Hydrocyanic Acid	m. 3
Peppermint Water	to m. 240

Prescription.

MISTURA COLCHICI ET SODII SALICYLATIS

(Mist. Colch. et Sod. Salicyl.)

Sodium Salicylate	gr. 15
Sodium Bicarbonate	gr. 15
Light Magnesium Carbonate	gr. 15
Liquid Extract of Colchicum	gr. 3
Liquid Extract of Liquorice	m. 10
Water	to m. 240

MISTURA CRETAE ET KAOLINI

(Mist. Cret. et Kaolin.)

Prepared Chalk	gr. 30
Light Kaolin	gr. 60
Light Magnesium Carbonate	gr. 5
Chloroform Water	to m. 240

MISTURA FERRI ET NUCIS VOMICAE

(Mist. Ferri et Nux. Vom.)

Iron and Ammonium Citrate	gr. 15
Tincture of Nux Vomica	m. 10
Chloroform Water	to m. 240

MISTURA GENTIANAE ACIDA

(Mist. Gent. Acid.)

Dilute Hydrochloric Acid	m. 20
Tincture of Nux Vomica	m. 10
Spirit of Chloroform	m. 15
Compound Infusion of Gentian	to m. 240

MISTURA GENTIANAE ALKALINA

(Mist. Gent. Alk.)

Sodium Bicarbonate	gr. 20
Tincture of Nux Vomica	m. 10
Spirit of Chloroform	m. 15
Compound Infusion of Gentian	to m. 240

MISTURA LOBELIAE COMPOSITA

(Mist. Lobelia. Co.)

Potassium Iodide	gr. 5
Ammonium Bicarbonate	gr. 5
Tincture of Belladonna	m. 5
Tincture of Stramonium	m. 10
Ethereal Tincture of Lobelia	m. 10
Camphorated Tincture of Opium	m. 20
Infusion of Senega	to m. 240

MISTURA OPII CAMPHORATA

(Mist. Opii Camph.)

Camphorated Tincture of Opium	m. 30
Tincture of Belladonna	m. 5
Oxymel of Squill	m. 15
Water	to m. 240

Prescription.

MISTURA PHENAZONI
(Mist. Phenazon.)

Potassium Bromide	gr. 15
Phenazone	gr. 10
Tincture of Gelsemium	m. 10
Syrup of Orange	m. 15
Chloroform Water	to..... m. 240

MISTURA PHENOBARBITONI ET BROMIDI
(Mist. Phenobarb. et Brom.)

Soluble Phenobarbitone	gr. $\frac{1}{4}$
Sodium Bromide	gr. 10
Syrup of Orange	m. 30
Water	to..... m. 240

MISTURA POTASSII CITRATIS ET HYOSCYAMI
(Mist. Pot. Cit. et Hyoscyam.)

Potassium Citrate	gr. 30
Sodium Bicarbonate	gr. 15
Liquid Extract of Hyoscyamus	m. 3
Spirit of Chloroform	m. 10
Infusion of Buchu	to..... m. 240

MISTURA POTASSII IODIDI
(Mist. Pot. Iodid.)

Potassium Iodide	gr. 5
Aromatic Solution of Ammonia	m. 15
Liquid Extract of Liquorice	m. 10
Chloroform Water	to..... m. 240

MISTURA SENEGAE ET AMMONIAE
(Mist. Seneg. et Ammon.)

Ammonium Bicarbonate	gr. 5
Tincture of Squill	m. 10
Camphorated Tincture of Opium	m. 30
Liquid Extract of Liquorice	m. 10
Concentrated Infusion of Senega	m. 30
Water	to..... m. 240

MISTURA SODII CITRATIS
(Mist. Sod. Cit.)

Sodium Citrate	gr. 45
Syrup of Lemon	m. 60
Water	to..... m. 240

MISTURA SODII SALICYLATIS
(Mist. Sod. Salicyl.)

Sodium Salicylate	gr. 20
Sodium Bicarbonate	gr. 20
Liquid Extract of Liquorice	m. 10
Water	to..... m. 240

Prescription.

MISTURA TRIBROMIDI COMPOSITA

(Mist. Tribrom. Co.)

Ammonium Bromide	gr. 6
Potassium Bromide	gr. 6
Sodium Bromide	gr. 6
Tincture of Nux Vomica	m. 7½
Syrup of Orange	m. 80
Chloroform Water	to m. 240

MISTURA AD TUSSEM

(Mist. ad. Tuss.)

Tincture of Ipecacuanha	m. 5
Camphorated Tincture of Opium	m. 20
Syrup of Tolu	m. 20
Oxymel of Squill	m. 15
Spirit of Chloroform	m. 5
Anise Water	to m. 240

NEBULAE

(SPRAYS)

NEBULA ADRENALINAE

(Neb. Adrenalin.)

Solution of Adrenaline Hydrochloride 1 in 1,000	m. 48
Sodium Chloride	gr. 2
Distilled Water	to m. 240

NEBULA ADRENALINAE ET EPHEDRINAE

(Neb. Adrenalin. et Ephedrin.)

Solution of Adrenaline Hydrochloride 1 in 1,000	m. 48
Ephedrine Hydrochloride	gr. 2
Dextrose	gr. 11
Distilled Water	to m. 240

NEBULA EPHEDRINAE

(Neb. Ephedrin.)

Ephedrine Hydrochloride	gr. 2
Sodium Chloride	gr. 2
Dextrose	gr. 7½
Chlorbutol Water, A.P.F.	to m. 240

NEBULA EPHEDRINAE OLEOSA

(Neb. Ephedrin. Oleos.)

Ephedrine	gr. 2
Menthol	gr. 1
Oil of Eucalyptus	m. 2
Light Liquid Paraffin	to m. 240

Prescription.

NEBULA EPHEDRINAE ET AMINACRINAE

(Neb. Ephedrin. Aminacrin.)

Ephedrine Hydrochloride	gr. 1
Aminacrin	gr. $\frac{1}{4}$
Distilled Water	to..... m℥ 240

OCULENTA

(EYE OINTMENTS)

OCULENTUM ACIDI BORICI B.P.C.

(Oculent. Acid. Boric.)

OCULENTUM HYDRARGYRUM AMMONIATUM

(Oculent. Hydrarg. Ammon.)

Ammoniated Mercury	gr. 1
Oculentum Base, B.P.	to..... gr. 120

OCULENTUM HYDRARGYRI OXIDI B.P. $\frac{1}{2}\%$

AND 1%

(Oculent. Hydrarg. Oxid. $\frac{1}{2}\%$ and 1%)

OCULENTUM ICHTHAMMOLIS ET ZINCI OXIDI

(Oculent. Ichthammol. et Zinc. Oxid.)

Ichthammol	gr. 1
Zinc Oxide	gr. 1
Oculentum Base, B.P.	to..... gr. 120

OCULENTUM PENICILLINI B.P.

(PENICILLIN, 2000 UNITS PER GRAM)

(Oculent. Penicil.)

OCULENTUM SULPHACETAMIDI

(Oculent. Sulphacetamid.)

Sulphacetamide Sodium	gr. 11
Distilled Water	q.s.
Oculentum Base, B.P.	to..... gr. 120

PASTAE

(PASTES)

PASTA ZINCI ET ACIDI SALICYLICI

(Past. Zinc. et Acid. Salicyl.: Lassar's Paste)

Salicylic Acid	gr. 18
Compound Paste of Zinc Oxide B.P.	to..... oz. 2

Prescription.

PIGMENTA

(PAINTS)

PIGMENTUM ACIDI SALICYLICI VIRIDE

(Plgm. Acid. Salicyl. Virid.)

Salicylic Acid	gr. 10
Benzoic Acid	gr. 80
Brilliant Green	gr. 2
Rectified Spirit	to..... fl. oz. 1

PIGMENTUM ACIDI TANNICI

(Pigm. Acid. Tannic.)

Glycerine of Acid Tannic

PIGMENTUM IODI COMPOSITUM

(Pigm. Iodi. Co.—Mandl's Paint)

Iodine	gr. 5
Potassium Iodide	gr. 5
Water	m. 5
Oil of Peppermint	m. 3
Glycerine	to..... fl. oz. 1

PIGMENTUM MAGENTA ET RESORCINOLIS

(Pigm. Magent. et Resorcin.—Castellani's Paint)

Magenta B.P.C.	gr. 2
Phenol	gr. 20
Boric Acid	gr. 4
Resorcinol	gr. 40
Acetone	m. 20
Rectified Spirit	m. 40
Water	to..... fl. oz. 1

PIGMENTUM VIOLAE

(Pig. Gent. Violet)

Crystal Violet	gr. 1
Water	to..... fl. oz. 1

PIGMENTUM VIOLAE COMPOSITUM

(Pig. Violae Co.—Triple Dye Solution)

Crystal Violet	gr. 1
Brilliant Green	gr. 1
Proflavine Sulphate	gr. $\frac{1}{2}$
Distilled Water	to..... fl. oz. 1

PILULAE

(PILLS)

PILULA ALOES ET NUCIS VOMICAE

(Pil. Aloes et Nux. Vom.)

Aloes	gr. 2
Dry Extract of Nux Vomica	gr. $\frac{1}{4}$
Dry Extract of Belladonna	gr. $\frac{1}{6}$
Rectified Spirit	q.s.

Prescription.

PILULA COLOCYNTHIDIS ET HYOSCYAMI BP.
(Pil. Colocynth. et Hyosey.)

PILULA DIGITALIS COMPOSITA B.P.C.
(Pil. Digit. Co.: Guy's Pill.)

PILULA FERRI CARBONATIS B.P.
(Pil. Ferri. Carb.—Blaud's Pill)

PILULA PHENOLPHTHALEINI COMPOSITA
(Pil. Phenolphthal. Co.)

Phenolphthalein	gr. $\frac{1}{2}$
Aloin	gr. $\frac{1}{4}$
Dry Extract of Belladonna	gr. $\frac{1}{12}$
Strychnine	gr. $\frac{1}{240}$
Ipecacuanha	gr. $\frac{1}{16}$

PILULA SODII OLEATIS COMPOSITA
(Pil. Sod. Oleat. Co.)

Acid Sodium Oleate	gr. $1\frac{1}{2}$
Sodium Salicylate	gr. $1\frac{1}{2}$
Phenolphthalein	gr. $\frac{1}{4}$
Menthol	gr. $\frac{1}{8}$
Liquorice, in powder	gr. $\frac{1}{2}$
Excipient	to gr. 4

PULVERES

(POWDERS—FOR INTERNAL USE)

PULVIS ANTACIDUS

(Pulv. Antacid.)

Calcium Carbonate	gr. 15
Heavy Magnesium Carbonate	gr. 15
Sodium Bicarbonate	gr. 30
Oil of Peppermint	m. $\frac{1}{4}$

PULVIS CALCI ET MAGNESII PHOSPHATUM

(Pulv. Calc. et Magnes. Phosph.)

Tribasic Magnesium Phosphate	gr. 30
Tribasic Calcium Phosphate	gr. 30

PULVIS BISMUTHI ET CALCI COMPOSITUS

(Pulv. Bism. et Calc. Co.)

Bismuth Carbonate	gr. 10
Calcium Carbonate	gr. 20
Heavy Magnesium Carbonate	gr. 20
Sodium Bicarbonate	gr. 10

PULVIS KAOLINI COMPOSITUS

(Pulv. Kaolin. Co.)

Light Kaolin	gr. 30
Heavy Magnesium Carbonate	gr. 20
Sodium Bicarbonate	gr. 10
Oil of Peppermint	m. $\frac{1}{4}$

Prescription.

**PULVIS MAGNESII TRISILICATIS ET
BELLADONNAE**

(Pulv. Mag. Trisil. et Belladon.)

Dry Extract of Belladonna	gr. ¼
Magnesium Trisilicate	to gr. 30

**PULVIS SODII SALICYLATIS ET
BICARBONATIS**

(Pulv. Sod. Salicyl. et Bicarb.)

Sodium Salicylate	gr. 10
Sodium Bicarbonate	gr. 20

UNGUENTA

(OINTMENTS)

UNGUENTUM ACIDI BENZOICI COMPOSITUM

(Ung. Ac. Benz. Co.: Whitfield's Ointment)

Benzoic Acid	gr. 20
Salicylic Acid	gr. 15
White Soft Paraffin	gr. 120
Hard Paraffin	gr. 30
Coconut Oil	to oz. 1

UNGUENTUM PENICILLINI B.P.

(Ung. Penicillin.)

Contains 1000 units per gram.

UNGUENTUM EMULSIFICANS AQUOSUM B.P.

(Ung. Emuls. Aquos.)

UNGUENTUM ZINCI OXID B.P.

(Ung. Zinci)

To either of the Ung. Emulsificans or Ung. Zinc Ox.
may be added 1% of any of the following:—

Menthol
Carbolic Acid
Crude Coal Tar
Ichthyol
Ammoniated Mercury
Precipitated Sulphur
Salicylic Acid

LIST A

PENSIONER BENEFITS ADDITIONAL TO THOSE COVERED BY MONOGRAPH IN THE BRITISH PHARMACOPOEIA, 1953.

Acetonum B.P.C.
Acetum Scillae
Acid Hydrocyanicum Dilutum B.P.C.
Acid Sulphuricum Dilutum B.P.C.
Acidum Hypophosphorosum Dilutum
Acriflavina
Adeps
Adeps Benzoinatus
Aethylenum
Agar
Amidopyrina
Ammonii Bromidum B.P.C.
Aqua (Potable Water)
Aqua Anisi B.P.C.
Aqua Chlorbutolis A.P.F.
Argentoproteinum Mite B.P.C.
Balsamum Peruvianum
Betanaphthol
Caffeina Citrata B.P.C.
Caffeina et Sodii Benzoas
Calcii Mandelas
Capsulae Sodii Pentobarbitoni
Cera Flava
Chiniofonum
Chromii Trioxidum
Codeina
Cremor Penicillini Sterilisatus
Ephedrinae Sulphas B.P.C.
Extractum Colchici Siccum
Extractum Colocynthis Compositum
Extractum Ergotae Liquidum
Extractum Fellis Bovini
Extractum Glycyrrhizae
Extractum Hepatis Liquidum
Extractum Krameriae Siccum
Extractum Senegae Liquidum
Ferri Carbonas Saccharatus
Glycerinum Acidi Borici
Glycerinum Boracis

Hexoestrol
 Hydrargyrum cum Creta
 Infusum Aurantii
 Infusum Aurantii Concentratum
 Infusum Buchu B.P.C.
 Infusum Calumbæ
 Infusum Calumbæ Concentratum
 Infusum Calumbæ Recens
 Infusum Caryophylli
 Infusum Caryophylli Concentratum
 Infusum Senegæ
 Infusum Senegæ Concentratum
 Infusum Sennæ
 Infusum Sennæ Concentratum
 Injectio Caffeinæ et Sodii Benzoatis
 Injectio Oestradiolis Dipropionatis
 Injectio Penicillini Oleosa
 Injectio physostigminæ Salicylatis
 Injectio Pituitarii Posterioris
 Injectio Procainæ et Adrenalinæ Mitis
 Injectio Sodii Citratis Anticoagulans
 Injectio Sodii Citratis cum Dextroso
 Injectio Strychninæ Hydrochloridi
 Injectio Sulphadiazinæ Sodii
 Iodoformum
 Ipomoeæ Resina
 Laevulosum
 Linimentum Aconiti
 Linimentum Belladonnæ
 Liquor Ammoniac Aromaticus B.P.C.
 Liquor Glycerylis Trinitratis B.P.C.
 Liquor Magnesii Bicarbonatis
 Magenta B.P.C.
 Magnesii Phosphas B.P.C.
 Mel Depuratum
 Mistura Aluminii Hydroxidi A.P.F.
 Mistura Sennæ Composita
 Oestradiolis Dipropionas
 Oestronum
 Oculentum Cocainæ
 Oculentum Physostigminæ
 Oleum Cajuputi
 Oleum Cari
 Oleum Citronellæ B.P.C.
 Oleum Coccois B.P.C.
 Oleum Pini B.P.C.
 Oxymel Scillæ

Pelletierinae Tannas
 Phenazonum
 Pilula Aloes
 Pilula Aloes et Nux Vomicae B.P.C.
 Pilula Colocynthis et Hyoscyami
 Pilula Digitalis Co. B.P.C.
 Pilula Ferri Carbonatis
 Pilula Hydrargyri
 Pilula Phenolphthalein Co. B.P.C.
 Pilula Rhei Composita
 Pilula Sodii Oleatis Co. A.P.F.
 Pix Carbonis B.P.C.
 Potassii Acetas
 Potassii Chloras
 Quininae et Aethylis Carbonas
 Sapo Animalis
 Sapo Durus
 Sodii Carbonas Exsiccatus
 Sodii Nitris
 Sodii Phosphas Exsiccatus
 Sodii Sulphas Exsiccatus
 Spiritus Aetheris Nitrosi
 Spiritus Cajuputi
 Spiritus Camphorae
 Strychnina B.P.C.
 Sulphacetamidum
 Sulphadiazina Sodium
 Sulphonol
 Suppositoria Acidi Tannici
 Suppositoria Belladonnae
 Suppositoria Bismuthi Subgallatis
 Suppositoria Cocainae
 Suppositoria Hamamelidis et Zinci Oxidi
 Suppositoria Iodoformi
 Suppositoria Morphinae
 Suppositoria Phenolis
 Syrupus Ferri Phosphatis Compositus
 Syrupus Glucosi Liquidi
 Syrupus Glycerophosphatum Compositus
 A.P.F.
 Syrupus Limonis Neutralis A.P.F.
 Syrupus Pruni Serotinae
 Syrupus Ruber A.P.F.
 Syrupus Scillae
 Syrupus Theriacae Aureae A.P.F.
 Tabellae Acidi Acetylsalici Co. B.P.C. or
 A.P.F.

Tabellae Aminophyllinae gr. $1\frac{1}{2}$ cum
 Phenobarbitoni gr. $\frac{1}{2}$
 Tabellae Ammonii Chloridi B.P.C.
 Tabellae Amphetamine Sulphatis B.P.C.
 Tabellae Calcii Gluconatis B.P.C.
 Tabellae Codeinae Phosphatis gr. $\frac{1}{4}$ Sodii
 Pentobarbitoni gr. $\frac{1}{4}$ et Phenacetin gr. 5
 Tabellae Ephedrinae gr. $\frac{1}{2}$ cum Phenobar-
 bitoni gr. $\frac{1}{4}$
 Tabellae Hexoestrolis
 Tabellae Hydrargyri cum Creta
 Tabellae Oestroni
 Tabellae Phenazoni
 Tabellae Potassii Chloratis
 Tabellae Saccharini B.P.C.
 Tabellae Sodii Pentobarbitoni
 Tabellae Sodii Salicylatis
 Tabellae Sodii Salicylatis (Enteric Coated)
 Tabellae Theobrominae et Phenobarbitoni
 B.P.C.
 Tabellae Theobrominae et Sodii Salicylatis
 B.P.C.
 Tabellae Thiouracili
 Theophyllina et Sodii Acetas
 Talcum Purificatum B.P.C.
 Thiouracilum
 Tinctura Calumbae
 Tinctura Capsici
 Tinctura Catechu
 Tinctura Cocci
 Tinctura Gelsemii B.P.C.
 Tinctura Lobelae Aethera
 Tinctura Myrrhae
 Tinctura Persionis A.P.F.
 Tinctura Quassiae
 Tinctura Scillae
 Tinctura Senegae
 Tinctura Strophanthi
 Tinctura Tolutana
 Tincture Valerianae Ammoniata
 Triethanolamina B.P.C.
 Unguentum Capsici
 Unguentum Gallae cum Opio B.P.C.
 Unguentum Hydrargyri Compositum
 Unguentum Hydrargyri Subchloridi
 Unguentum Phenolis
 Unguentum Zinci Oleatis
 Unguentum Zinci Oxidi Aquosum
 Xylenum B.P.C.

