

COMMONWEALTH OF AUSTRALIA



PARLIAMENTARY PAPERS

**AMENDMENTS TO NOTES FOR MEDICAL
PRACTITIONERS—No. 12**

(1955-56 Edition)

(Effective from 1st June, 1956)

SECTION A

LIST A

Item No.	Item Name	Amendment
41	Digoxin	0.25 mg. tab.—Add TO
58	Ephedrine Sulphate	Delete all reference to the following forms of unit:— 5%, 1 cc. amp. $\frac{3}{4}$ gr. cap.
125	Penicillin, Injection of	1,500,000 U. amp.—Add BT
155	Reticulogen	Delete all reference to the following form of unit:— 0.5 cc. amp.
187	Thyroid B.P.	$1\frac{1}{2}$ gr. tab.; 100 for $\frac{3}{8}$ —Add TO 2 gr. tab.; 100 for $\frac{4}{5}$ —Add TO $2\frac{1}{2}$ gr. tab.; 100 for $\frac{5}{4}$ —Add TO

SECOND SCHEDULE (RESTRICTED DRUGS)

6	Cortisone Acetate	25 mg. tab.; 40 for 120/0—Add DH
---	-------------------	-------------------------------------

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS—No. 11

(1955-56 Edition)

(Effective from 1st May, 1956)

SECTION A

MANUFACTURERS AND CODES

Page 2—Add the following:—

Farmer Hill Pty. Ltd.

FH

LIST A

Item No.	Item Name	Amendment
4	Adrenalin Tartrate	1 in 1000, 1 cc. amp.; 6 for 4/0— Add FH 1 in 1000, 25 cc. bottle—Add FH; 1 for 3/9
11	Atropine Sulphate	1/150 gr. per cc., 1 cc. amp.; 6 for 3/8—Add FH 1/100 gr. per cc., 1 cc. amp.; 6 for 3/8—Add FH
14	Bismuth, Aqueous Injection of	Delete all reference to the fol- lowing forms of unit:— 5 cc. amp. 10 cc. amp. 1 fl. oz. bottle
31	Dextrose, Aqueous Injection of	50%, 25 cc. amp.—Add FH 50%, 50 cc. amp.—Add FH
40	Digitoxin	0.1 mg. tab.—Delete TO 0.2 mg. tab.—Delete TO 0.25 mg. tab.—Delete TO
48	Diphtheria Anti- toxin	2,000 U. amp.—Delete BW 4,000 U. amp.—Delete BW 8,000 U. amp.—Delete BW 10,000 U. amp.—Delete BW 20,000 U. amp.—Delete BW
57	Ephedrine Hydro- chloride	$\frac{1}{2}$ gr. tab.—Delete BT 1 gr. tab.—Delete BT
59	Ergometrine Maleate	0.5 mg. per 1 cc. I.M. amp.— Add FH 0.125 mg. per 1 cc. I.V. amp.— Add FH 0.5 mg. tab.—Delete BT

Item No.	Item Name	Amendment
69	Gas Gangrene Antitoxin (Perfringens)	10,000 U. amp.—Delete BW
75	Heparin, Injection of	Delete all reference to 1,000 U. per cc., 10 cc. vial
82	Hyoscine Hydro- bromide	1/150 gr. amp.—Add FH 1/100 gr. amp.—Add FH
93	Leptazol, Injection of	5 cc. amp.—Delete BT; 6 for 14/4
95	Liver Extract, Injec- tion of	10 U.S.P.U. per cc., 10 cc. vial— Delete AB
102	Mersalyl, Injection of	1 cc. amp.; 6 for 5/0—Add FH 2 cc. amp.; 6 for 5/7—Add FH
107	Morphine Sulphate	1/6 gr. amp.—Add FH 1/4 gr. amp.—Add FH 1/3 gr. amp.—Add FH 1/2 gr. amp.—Add FH Delete all reference to 1 gr. hypo. tab.
108	Morphine with Atropine E G	1 amp.—Add FH 1 cc. amp.—Add FH
109	Morphine with Hyoscine	1 cc. amp.—Add FH
115	Nucleotides, Injection of	10 cc. amp.—Delete AH, MJ, 1 for 8/11
125	Penicillin, Injection of	Delete all reference to 5,000 U. amp.
126	Penicillin, Procaine, Aqueous Injection of	600,000 U. vial—Add FA
128	Penicillin, Procaine, Oily Injection of	300,000 U. per cc., 1 cc. amp.— Delete SI
133	Pethidine Hydro- chloride	50 mg. per cc., 1 cc. amp.; 6 for 4/0—Add FH 50 mg. per cc., 2 cc. amp.; 6 for 5/8—Add FH
145	Pituitary (Posterior Lobe), Injection of	0.5 cc. amp.—Delete BW

Item No.	Item Name	Amendment
161	Sodium Chloride, Physiological Solution for Injection	2 cc. amp.—Add FH 5 cc. amp.—Add FH 10 cc. amp.—Add FH 20 cc. amp.—Add FH 50 cc. amp.—Add FH
170	Sulphaguanidine	0.5 G. tab.—Delete NS
181	Tetanus Antitoxin	10,000 I.U. (1950) amp.—Delete BW
183	Theophylline with Ethylenediamine	Delete all reference to 0.366 G. per 10 mil. amp. 0.5 G. per 2 mil. I.M. amp.; 6 for 8/8—Add FH 0.25 G. per 10 mil. I.V. amp.— Add FH
187	Thyroid B.P.	1/4 gr. tab.; 100 for 1/9—Delete AS 1/2 gr. tab.; 100 for 2/4—Delete AS 1 gr. tab.; 100 for 3/7—Delete AS
192	Vitamin K, Aqueous Injection of	Delete all reference to 2.5 mg. per 0.5 cc. amp. 5 mg. per 1 cc. amp.—Add FH 10 mg. per 1 cc. amp.—Add FH
193	Vitamin K, Oily Injection of	5 mg. per 1 cc. amp.; 6 for 5/11 —Delete CK
194	Vitamin K (Oral)	10 mg. tab.—Delete CK
195	Water for Injection	2 cc. amp.—Add FH 5 cc. amp.—Add FH 10 cc. amp.—Add FH

LIST B (Part 2)

6A	Cyanocobalamin	20 γ per 1 cc. amp.; 6 for 7/0— Add FH 50 γ per 1 cc. amp.; 6 for 8/0—Add FH 5 for 6/1—Delete BW 100 γ per 1 cc. amp.; 6 for 10/8 —Add FH
11	Dihydrostreptomycin	1 G. vial—Add LP
22	Sodium Para- Aminosalicylate	20%, 10 cc. vial; 6 for 18/3— Delete AN

PROPRIETARY INDEX

FIRST SCHEDULE

Page 87—Delete the following:—		
Bismostab	14	BT
Page 92—Delete the following:—		
Pentide	115	AH
Pentnucleotide	115	MJ
Phrenazol ..	93	BT

SECOND SCHEDULE (RESTRICTED DRUGS)

Page 96—Add the following:—		
Leo	11	LP
Page 97—Delete the following:—		
Rimifon	13	RO

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS—No. 10

(1955-56 Edition)

(Effective from 1st April, 1956)

SECTION A

LIST A

Item No.	Item Name	Amendment
3	Adrenalin in Oil, Injection of	2 mg. per 1 cc. amp.—Delete AH
61	Ergotamine Tartrate	1 mg. tab.—Add BD; 25 for 19/7
95	Liver Extract, Injection of	10 U.S.P.U. per cc., 10 cc. vial— Delete AB
125	Penicillin, Injection of	1,500,000 U. amp.— Add SI
159	Sodium Aurothio- malate, Oily Injection of	Delete all reference to this item
192	Vitamin K, Aqueous Injection of	75 mg. per 1 cc. amp.—Delete OR

PROPRIETARY INDEX

FIRST SCHEDULE

Page 88—Delete the following:—

Davitamon K 192 OR

Page 91—Against "Myocrisin" under Item No. delete "159"

SPECIAL NOTICE

Item No. 30A Desacetyl-Lanatoside C is remaining on the
List of Benefits.

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS (1955-56 Edition)

No. 9

(Effective from 1st March, 1956)

SECTION A

LIST A

Item No.	Item Name	Amendment
11	Atropine Sulphate	1/150 gr. hypo. tab.—Delete BW 1/100 gr. hypo. tab.—Delete BW
39	Digitalis	$\frac{1}{2}$ gr. tab.; 100 for 2/—Add AD, SI 1 gr. tab.—Add AD, SI
72	Glyceryl Trinitrate	1/200 gr. tab.; 100 for 1/7—Delete DH 1/130 gr. tab.—Delete DH; 100 for 1/7 1/100 gr. tab.; 100 for 1/7—Delete DH 1/65 gr. tab.—Delete DH; 100 for 1/7
82	Hyoscine Hydrobromide	1/200 gr. hypo. tab.—Delete BW 1/150 gr. hypo. tab.—Delete BW
90	Isoprenaline Sulphate	Delete all reference to 10 cc. vial
106	Morphine Hydrochloride	Delete all reference to this item
107	Morphine Sulphate	1/6 gr. hypo. tab.—Delete BW 1/4 gr. hypo. tab.—Delete BW
108 G	Morphine with Atropine	1 hypo. tab.—Delete BW
114	Nikethamide, Injection of	2 cc. amp.—Delete FM
125	Penicillin, Injection of	200,000 U. amp.—Add LP 500,000 U. amp.—Add LP
140	Phthalylsulphacetamide	0.5 G. tab.—Delete TO

LIST B (Part 2)

Item No.	Item Name	Amendment
6	Cortisone Acetate	25 mg. per cc., 10 cc. vial—Add UP
13	Isoniazid	100 mg. tab.—Add AD, SI

PROPRIETARY INDEX

FIRST SCHEDULE

Page 90—Add the following:—

Leo	75, 125	LP
-----	---------	----

Page 93—Against Tabloid under Item No. delete "108".

**AMENDMENTS TO NOTES FOR MEDICAL
PRACTITIONERS (1955-56 Edition)**

No. 8

(Effective from 1st February, 1956)

SECTION A

LIST A

Item No.	Item Name	Amendment
135	Phemitone	1 gr. tab.—Add FA; 100 for 5/4
170	Sulphaguanidine	0.5 G. tab.—Delete AB

LIST B (Part 2)

6	Cortisone Acetate	25 mg. tab.—Add PD against 40 for 120/-
13	Isoniazid	50 mg. tab.—Delete RO 100 mg. tab.—Delete RO; add DH against 100 for 16/-

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS—No. 7 (1955-56 Edition)

(Effective from 1st January, 1956)

SECTION A

LIST A

Item No.	Item Name	Amendment
75	Heparin, Injection of	5,000 U. per cc., 5 cc. vial—Add OR
135	Phemitone	1 gr. tab.—Add BT
184	Thiacetazone	Delete all reference to 25 mg. tab.

LIST B (Part 2)

6	Cortisone Acetate	25 mg. tab.; 40 for 120/0—Add GL 25 mg. per cc., 10 cc. vial—Add GL
6A	Cyanocobalamin	100 γ per cc., 10 cc. vial—Add HA 1000 γ per cc., 10 cc. vial—Add HA

PROPRIETARY INDEX

FIRST SCHEDULE

Page 91—Delete the following:—

Neustab	184	BT
---------	-----	----

Page 94—Add the following:—

Thromboliquine	75	OR
----------------	----	----

PROPRIETARY INDEX

SECOND SCHEDULE—RESTRICTED DRUGS

Page 95—Add the following:—

Cortelan	6	GL
----------	---	----

ADVANCE NOTICE

The following items will be deleted from the List of Benefits at a later date. Details of the necessary amendments will be advised later.

Item No.	Item Name
2	Adrenalin Hydrochloride, Solution of
8	Anahaemin
9	Anahepol
14	Bismuth, Aqueous Injection of
15	Bismuth, Oxychloride, Aqueous Injection of
16	Bismuth, Oxychloride, Oily Injection of
17	Bismuth, Salicylate, Oily Injection of
21	Campolon
22	Campolon Forte
25	Casydrol
30A	Desacetyl-Lanatoside C
35	Dicoumarol
38	Digifortis
60	Ergot (Prepared)
62	Ergotoxine Ethanesulphonate
66	Examen
67	Exatrope
77	Hepastab
78	Hepastab Forte
79	Hepatex—T
94	Livadex
95	Liver Extract, Injection of
103	Methionine
111	Neo-Hepatex
124	Penethamate Hydriodide
128	Penicillin, Procaine, Oily Injection of
129	Pernaemon Crudum
130	Pernaemon Fort
131	Pernexin
136	Phenadoxone Hydrochloride
145	Pituitary (Posterior Lobe), Injection of
152	Protolex
155	Reticulogen
166	Sulphacetamide

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS—No. 6 (1955-56 Edition)

(Effective from 1st December, 1955)

SECTION A

LIST A

Item No.	Item Name	Amendment
11	Atropine Sulphate	1/200 gr. hypo. tab.—Delete HY 1/150 gr. hypo. tab.—delete HY 1/100 gr. hypo. tab.—Delete HY
39	Digitalis	$\frac{1}{2}$ gr. tab.—Add RY; 100 for 1/8 1 gr. tab.; 100 for 2/3—Add RY
58	Ephedrine Sulphate	$\frac{1}{2}$ gr. tab.—Add TO
61	Ergotamine Tartrate	1 mg. tab.—Add TO
122A	Parathyroid Extract	Delete all reference to this item
135	Phemitone	$\frac{1}{2}$ gr. tab.—Add RY 1 gr. tab.—Add RY 3 gr. tab.—Add RY
168	Sulphadimidine	0.5 G. tab.—Add RY
183	Theophylline with Ethylenediamine	Delete all reference to the following form of unit:— 0.732 G. per 2 mil. amp.
187	Thyroid, B.P.	$\frac{1}{4}$ gr. tab.; 100 for 1/4—Add RY $\frac{1}{2}$ gr. tab.; 100 for 1/9—Add RY 1 gr. tab.; 100 for 3/0—Add RY 2 gr. tab.; 100 for 4/5—Add RY
192	Vitamin K, Aqueous Injection of	75 mg. per 1 cc. amp.—Add DH
194	Vitamin K (Oral)	10 mg. tab.—Add FM

LIST B (Part 2)

6	Cortisone Acetate	25 mg. tab.; 20 for 60/0—Add PH
12	Folic Acid	5 mg. tab.—Add RY
13	Isoniazid	50 mg. tab.—Delete MB; 500 for 28/11 100 mg. tab.—Delete MB; 500 for 42/8
22	Sodium Para- Aminosalicylate	5 gr. tab.; 100 for 10/0—Delete CB $7\frac{1}{2}$ gr. tab.; 100 for 10/8—Delete CB 20%, 10 cc. vial—Delete WA; 6 for 48/0

PROPRIETARY INDEX

FIRST SCHEDULE

Page 92—Delete the following:—

Paroidin 122A

PD

SECOND SCHEDULE (RESTRICTED DRUGS)

Page 95—Add the following:—

Cortadren 6

PH

Page 96—Delete the following:—

Osacyl 22

CB

**AMENDMENTS TO NOTES FOR MEDICAL
PRACTITIONERS—No. 5
(1955-56 Edition)**

(Effective from 1st November, 1955)

SECTION A

LIST A

Item No.	Item Name	Amendment
57	Ephedrine Hydrochloride	$\frac{1}{2}$ gr. per 1 cc. amp.—Delete BW; 12 for 7/9
120A	Papaveretum with Hyoscine Hydrobromide	Papaveretum $\frac{1}{3}$ gr. Hyoscine Hydrobromide $\frac{1}{150}$ gr.; 1 cc. amp.—Add BT

LIST B (Part 2)

33	Tetracycline	250 mg. vial—Add LE
----	--------------	---------------------

PROPRIETARY INDEX

FIRST SCHEDULE

Page 94—Against "Viules" under Item No. add "120A"

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS

(1955-56 Edition)—No. 4

(Effective from 1st October, 1955)

SECTION A

LIST A

Item No.	Item Name	Amendment
43	Dihydromorphinone	Delete all reference to the following forms of unit:— 1/32 gr. hypo. tab. 1/20 gr. hypo. tab.
54	Emetine Hydrochloride	65 mg. per cc., 1 cc. amp.— Delete BW
77	Hepastab	Delete all reference to 2 cc. amp.
80	Hepolon	Delete all reference to this item
83	Insulin, Injection of	40 U. per cc., 10 cc. vial—Add NO
88	Insulin Protamine Zinc, Injection of	40 U. per cc., 10 cc. vial—Add NO 80 U. per cc., 10 cc. vial—Add BW
110	Neocarsphenamine, Injection of	0.15 G. amp.—Delete EV 0.3 G. amp.—Delete EV 0.45 G. amp.—Delete EV 0.6 G. amp.—Delete EV, 1 for 3/1
127	Penicillin, Procaine (Crystalline), Injection of	300,000 U. amp.—Delete MB 400,000 U. amp.—Delete MB 1,200,000 U. amp.—Delete MB
187	Thyroid B.P.	½ gr. tab.; 100 for 2/4—Add WW 1 gr. tab.; 100 for 3/7—Add WW

LIST B (Part 2)

Item No.	Item Name	Amendment
11	Dihydrostreptomycin	1 G. vial—Add EV; 1 for 3/4
23	Stilboestrol	5 mg. amp.—Delete BW
24	Streptomycin	1 G. vial—Delete MB
32	Testosterone Pro- pionate, Injection of	25 mg. per 1 cc. amp.—Delete BW; 12 for 91/4

PROPRIETARY INDEX

FIRST SCHEDULE

Page 88—Delete the following:—

Dilaudid	43	KN
Distaquine Forte	127	MB

Page 89—Delete the following:—

Evarsan	110	EV
Hepolon	80	AH

Page 90—Against Leo under Item No. add 83 and 88

Delete the following:—

Hepolon	80	(under sub-heading Liver Injections)
---------	----	---

Page 92—Add the following:—

Proloid	187	WW
---------	-----	----

SECTION B

PENSIONER PHARMACEUTICAL BENEFITS

The number of repeats which may be prescribed for mixtures has now been increased from 2 to 4. Accordingly, the number shown in the No. of Repeats column against mixtures on page C should be increased from 2 to 4.

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS

No. 3

(Effective from 1st September, 1955)

SECTION A MANUFACTURERS AND CODES

Page 2—Add the following:—

Kabi, A.B.; KA

LIST A

Item No.	Item Name	Amendment
103	Ephedrine Sulphate	Delete all reference to the following form of unit— $\frac{3}{8}$ gr. cap.
033	Insulin Zinc Suspension (Amorphous) (Semilente) 80 U. per mil., 10 mil. vial	Add BW
120	Papaveretum 1/6 gr. tab.	Add HY
121	Papaverine Hydrochloride $\frac{3}{4}$ gr. tab. 1½ gr. tab.	Add HY Add HY

LIST B (Part 2)

2	Calcium Para-Aminosalicylate	Delete all reference to the following form of unit— 5 gr. tab.
6	Cortisone Acetate 25 mg. tab.	Add SC
6A	Cyanocobalamin 20 γ per 1 cc. amp. 50 γ per 1 cc. amp. 100 γ per 1 cc. amp.	Delete VM Delete VM Delete VM
10	Dienoestrol 5 mg. tab. 10 mg. tab.	Add HY Add HY
22	Sodium Para-Aminosalicylate 5 gr. tab.	Delete WA; 250 for 41/8
24	Streptomycin 1 G. vial	Add KA

PROPRIETARY INDEX

SECOND SCHEDULE—RESTRICTED DRUGS

Page 96—Delete the following:—

Megalovel 6A VM

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS—No. 2

(Effective from 1st August, 1955)

SECTION A

MANUFACTURERS AND CODES

Page 2—Add the following:—

Leo Pharmaceutical Products; LP

LIST A

Item No.	Item Name	Amendment
27	Chloroquine	250 mg. tab.—Add IC : 100 for 33/5
75	Heparin, Injection of	5,000 U. per cc., 5 cc. vial— Add LP
108	Morphine with Atropine G	1 cc. amp.—Add BT
126	Penicillin Procaine, Aqueous Suspension of	1,500,000 U.—Add IC
168	Sulphadimidine	0.5 G. tab.—Add KL

LIST B (Part 2)

6	Cortisone Acetate	25 mg. tab.—Delete SC 50 mg. per cc., 10 cc. vial— Delete SC
35	Tetracycline Paediatric Drops	Delete the following:— SQ : 1 for 20/- and add the following note:— "Manufacturer unable to supply"

PROPRIETARY INDEX

FIRST SCHEDULE

Page 87—Add the following:—

Avlochlor 27 IC

SECOND SCHEDULE—RESTRICTED DRUGS

Page 95—Delete the following:—

Cortadren 6 SC

AMENDMENTS TO NOTES FOR MEDICAL PRACTITIONERS—No. 1

(Effective from 1st July, 1955)

SECTION A

LIST A

Item No.	Item Name	Amendment
8	Amend Item Name to read "ANAHAE MIN"	
75	Heparin, Injection of	25,000 U. per cc., 5 cc. vial—Add BD
107	Morphine Sulphate	1/6 gr. amp.—Add BT 1/4 gr. amp.—Add BT 1/3 gr. amp.—Add BT 1/2 gr. amp.—Add BT
108	Morphine with Atropine	
	E.	1 amp.—Add BT
	I.	1 amp.—Add BT
120A	Amend Item Name to read "PAPAVERETUM WITH HYOSCINE HYDROBROMIDE"	
139	Phenytoin Sodium	Amend the form of unit "0.1 G. cap.", second appearing, to read "0.1 G. tab."
143	Picrotoxin, Injection of	0.3%, 20 cc. bottle—Add MT, 1 for 16/8
145	Pituitary (Posterior Lobe), Injection of	1 cc. amp.—Add BT
150A	Amend Item Name to read "PROPHE NPYRIDAMINE PARA-AMINOSALICYLATE, INJECTION OF"	
154	Amend Item Name to read "QUINIDINE SULPHATE"	
167	Sulphadiazine	0.5 G. tab.—Delete RT
170	Sulphaguanidine	0.5 G. tab.—Delete KL, RT

LIST B (Part 2)

33	Tetracycline	50 mg. tab.—Add LE 100 mg. tab.—Add LE 250 mg. tab.—Add LE 100 mg. vial—Delete PF 100 mg. vial, intramuscular—Add PF
----	--------------	--

PROPRIETARY INDEX

FIRST SCHEDULE

Page 87—Add the following:—

Avil	150A	FM
------	------	----

Page 94—Against "Viules" under Item No. add "107, 108, and 145"

PROPRIETARY INDEX

SECOND SCHEDULE—RESTRICTED DRUGS

Page 95—Delete all reference to the following:—

Avil	17A	FM
------	-----	----

Page 97—Add the following:—

Terramycin	13B	PF
Terramycin Oral Suspension	13C	PF

SECTION B

PRESCRIBERS' LIST

Page 1—Under Auristillae amend Prescription Name shown as "AURISTILLAE ACIDI BO" to read "AURISTILLAE ACIDI BORICI"

The following changes effective from 1st June, 1955 should be incorporated in your 1955/56 Issue of Notes for Medical Practitioners.

Item No. 59 Ergometrine Maleate amend prices as follows:-

0.2 mg. per 1 cc. amp	6 for 14/11
0.2 mg. tab.	25 for 13/9

Add the following new First Schedule Item -

Item No.	Name	Maxi- mum Quan- tity	No. of Re- peats	Manu- fac- turer	Rate
145A	Prima- quine 15 mg. tab.	14	...	ST	14 for 5/9

Pharmaceutical Benefits

EXPLANATORY CIRCULAR REGARDING "NOTES FOR MEDICAL PRACTITIONERS", 1955-56 ISSUE

Several changes regarding the supply of pharmaceutical benefits effective from 1st June, 1955, have been incorporated in the 1955-56 issue of "Notes for Medical Practitioners". The main changes are briefly summarized below. It is emphasised, however, that this summary is intended for your guidance only and reference should be made to the appropriate sections of the Notes.

A. GENERAL INSTRUCTIONS.

(1) Provision has been made so that, in special cases, a benefit and repeats may be ordered to be supplied at the one time. See paragraph 10 of General Notes.

(2) A medical practitioner, if he so desires, may order any **one** of the following five sulphonamide items for his Emergency Drug (Doctor's Bag) Supplies in lieu of Sulphonamides, Mixed, (B): Three Sulphonamides:—

Sulphadiazine; Sulphadimidine; Sulphamerazine;
Sulphonamides, Mixed, (A): Two Sulphonamides; or
Sulphonamides, Mixed, (C): Four Sulphonamides.

The list of drugs currently shown on the inside cover of your Doctor's Bag Order Book is accordingly no longer appropriate. Please refer to List C on page 85 of "Notes for Medical Practitioners" for a current list of drugs available.

(3) Dienoestrol and Stilboestrol, although restricted in their uses as General Pharmaceutical Benefits, may now be prescribed for pensioners for the treatment of any disease whatsoever as is already the case with the Quinine salts. It is not necessary to endorse such prescriptions "Restricted Drug".

B. GENERAL PHARMACEUTICAL BENEFITS.

(1) FIRST SCHEDULE—

(a) New Items—

Items No. 24A—Carbimazole; 80C—Hexamethonium Tartrate, Injection of; 105A—Methylethylergometrine Tartrate; 114A—Noradrenaline; 120A—Papaveretum with Hyoscine

Hydrobromide; 128AA—Pentaerythritol Tetranitrate, and 105A—Prophenpyridamine Para-Aminosalicylate, Injection of.

(b) Change in Item Number and Name—

From	To
20 Camoquin Hydrochloride	6A Amodiaquine 30A Desacetyl-
92 Lanatoside C	Lanatoside C

(c) Variation in Maximum Quantities—

Items No. 104—Methoin; 125—Penicillin, Injection of; 126—Penicillin, Procaine, Aqueous Suspension of; 127—Penicillin, Procaine (Crystalline), Injection of; and 128—Penicillin, Procaine, Oily Injection of.

Attention is drawn to the fact that there are no items in the List of Benefits bearing the numbers 20; 84; 92 or 97.

(2) SECOND SCHEDULE (RESTRICTED DRUGS)

(a) New Items—

Items No. 34—Tetracycline Granules, and 35—Tetracycline Paediatric Drops. The use of both items is restricted to the same diseases as for Aureomycin.

(b) New Forms of Unit—

Items No. 6—Cortisone Acetate, and 33—Tetracycline.

(c) Change in Item No. and Name—

From	To
26 Terramycin	13B Oxytetracycline
27 Terramycin Oral Suspension	13C Oxytetracycline Oral Suspension
34 Vitamin B 12, Injection of	6A Cyanocobalamin

(d) Variation in Maximum Quantities—

Items No. 6A—Cyanocobalamin (formerly Vitamin B 12, Injection of), and 7—Deoxycortone Acetate, Aqueous Suspension of.

(e) Additional Diseases for which Drugs may be prescribed—

Drug	Additional Diseases
Aureomycin; Aureomycin Granules; Aureomycin Oral Suspension; Oxytetracycline (formerly Terramycin) and Oxytetracycline Oral Suspension (formerly Terramycin Oral Suspension).	Leptospirosis Scrub Typhus
Chloramphenicol; Chloramphenicol Palmitate.	

Attention is drawn to the fact that there are no items in the List of Benefits bearing the numbers 26 or 27.

C. PENSIONER PHARMACEUTICAL BENEFITS.

List of Pensioner Benefits Additional to those covered by Monograph in the B.P. 1953.

Addition—Tabellae Gentian Violet.

Deletion—Extractum Hepatis Liquidum.

NOTES ON THE PHARMACEUTICAL BENEFITS REGULATIONS—1955-56 EDITION

ADDENDUM

Page 57—Item 167 Sulphadiazine:—

0.5 G. tab.—Add "BW" in column 5.

PROPRIETARY NAMES OF LISTED DRUGS AND MANUFACTURERS' CODES

FIRST SCHEDULE

Page 91—Add Novo-Evans 88A, 88B, 88C, EV

Page 93—Add "167" against Tabloid.



SECTION A—GENERAL PHARMACEUTICAL BENEFITS
SECTION B—PENSIONER PHARMACEUTICAL BENEFITS

NOTES

FOR

MEDICAL PRACTITIONERS

Operative from 1st June, 1955

The rates shown in column 6 of List A and List B are those applicable at 1st June, 1955, unless otherwise indicated.

DEPARTMENT OF HEALTH,
CANBERRA, A.C.T.

JUNE, 1955

By Authority,
D. E. WILKINSON, Acting Government Printer,
Hobart, Tasmania, 1955.

NATIONAL HEALTH (PHARMACEUTICAL BENEFITS) REGULATIONS

GENERAL NOTES

These notes apply equally to the prescribing of benefits for pensioners and non-pensioners.

The term "pharmaceutical benefits" covers all benefits whether they be benefits for administration to all classes of persons or pensioners only. The term "general pharmaceutical benefits" is used to distinguish these benefits from "pensioner pharmaceutical benefits", the latter being available to pensioners only.

Points which are not common to both classes of benefits are dealt with in the appropriate sections hereafter.

Benefits are available to all persons receiving medical treatment in the Commonwealth.

In writing a prescription for the supply of a pharmaceutical benefit the following points should be borne in mind:—

1. Write prescriptions in your own handwriting in duplicate (a carbon copy is suitable). Ensure that they are signed and dated and that the copy is marked "duplicate".
2. Write the patient's name and address clearly. Prescriptions for different persons must not be written on the same form.
3. Write at the top of the prescription the letters "N.H.S.". If the prescription is written for a pensioner pharmaceutical benefit write, in addition, the words "Pensioner Benefit".
4. Prescription forms should approximate $5\frac{1}{2}$ inches x $3\frac{1}{2}$ inches in size.
5. Do not write the names of more than two benefits on the same form. See paragraph 3(a) of Section A also.
6. Do not write on the same form prescriptions for general and pensioner pharmaceutical benefits or two prescriptions for the same pharmaceutical benefit. See paragraph 1 of Section A also.

7. Do not write more than one prescription for the same benefit for the same person on the one day.
8. The maximum quantity or number of units of a benefit which may be prescribed at one time is referred to in the appropriate sections of these notes.
9. The number of times a prescription may be repeated is set out in the appropriate sections. If a repeat be ordered, the maximum quantity or number of units must be ordered to be supplied on the first occasion of supply. The doctor may order less than the maximum to be supplied on the last occasion if completion of the treatment of a patient requires less than the maximum.

The prescription must not order a number of repeats in excess of the number specified in relation to a benefit or form of benefit as set out in these notes.

Do not write repeat directions on a form containing two benefits if either is a dangerous drug.

The Director-General may, in special circumstances, authorise the prescribing of a number of repeats greater than the number normally allowable. Applications for authority should be submitted to the Deputy-Director of Health in your State.

10. Supply of Benefit and Repeats on the same day.

Where a doctor requires a patient to maintain a continuous course of treatment, he may direct that a pharmaceutical benefit be supplied more than once on the same day, if that patient is—

- (a) a chronic case and no help whatsoever is available to obtain medical supplies; or
- (b) the person is residing during treatment in a place remote from an approved chemist.

In such cases, in addition to directing that the total supply be made at one time, you must certify in the prescription as follows, "I certify that the above direction is made in accordance with regulation 26A."

11. In a case of urgency you may by telephone or other means communicate a prescription to a chemist, but in such a case a written prescription for the benefit must be supplied to the chemist within 24 hours.

This provision does not apply in the case of Cortisone Acetate or any drug which State law requires to be prescribed in writing only.

Section A

NOTES ON GENERAL PHARMACEUTICAL BENEFITS

1. The drugs and medicinal preparations specified in Lists A and B of these Notes are the only ones which may be prescribed as General Pharmaceutical Benefits. Each strength of each form of a benefit is a separate benefit, but in the case of the undermentioned drugs as many strengths of the same form of drug as are required may be written on the one prescription for the same person and will be deemed to comprise one benefit only:—

Oily Injection of Aurothioglucose
Injection of Calcium Aurothiomalate
Pertussis Vaccine (Phase 1)
Aqueous Injection of Sodium Aurothiomalate
Oily Injection of Sodium Aurothiomalate

2. Do not write a general pharmaceutical benefit by its item number. The name as it appears in List A or B should be used, but a proprietary title will be accepted. If you desire a particular brand of a benefit to be supplied, that brand (provided it is a brand specified in a list in these Notes) or the name of the maker should be written after the item name.

3. The following classes of general pharmaceutical benefits may only be prescribed for supply as indicated hereafter:—

- (a) The drugs which appear in List B may be prescribed only for the treatment of a disease specified in relation to the drug in the list of benefits and diseases appearing in pages 67-70.

A prescription for the supply of one of these drugs must be endorsed with the words "Restricted Drug".

In the case of any of the Quinine salts and of Dienoestrol and Stilboestrol specified in List B, prescriptions may be written for a pensioner for the treatment of any disease whatsoever; the prescription, in such cases, is not required to be endorsed "Restricted Drug".

In the case of Cortisone Acetate, this may only be prescribed if, in addition to compliance with the above requirement, application for permission to supply this drug has been made on official Form E to the Deputy-Director in your State and he has issued to you in duplicate a numbered authority to prescribe the drug. The duplicate of the authority must be attached to the prescription. If a continuance of supply is necessary, further application must be made to the Deputy-Director.

In cases of urgency, application may be made by telephone or other convenient means.

A prescription for Cortisone Acetate must not contain any other benefit.

4. Drugs for emergency supply are set out in List C in these Notes. For convenience, these drugs will be referred to as "Doctor's Bag Supplies".

These drugs may be obtained once a month from any approved chemist by lodging with him in duplicate an order form supplied by the Commonwealth. If you desire a supply of these order forms they may be obtained from the Deputy-Director in your State.

Order forms must be signed by the doctor himself but any person authorised by him may accept delivery of the goods on his behalf.

The maximum number of units of each listed form of benefit as set out in column 4 of List C may be obtained at one time.

If more than one strength of a form of benefit is specified in List A a doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a standard package and that the sum total of all the strengths required does not exceed the maximum set out in column 4 of List C. The quantity in a standard pack is shown in column 6 of List A. The following examples clarify the foregoing:—

Suppose Aqueous Suspension of Procaine Penicillin is required. List C shows that 12 ampoules or vials are obtainable. Reference to List A shows that of this form there are 6 different strengths. Since the standard pack is 1, you could obtain 1 unit of any one strength or you could obtain a multiplicity of the available strengths as long as the total did not exceed 12.

Again, there are 2 strengths of Posterior Lobe Pituitary. List C shows that you may obtain 12 ampoules. Since the standard pack is 6 you could order 12 ampoules of one strength or 6 ampoules each of the two strengths, but you must not order less than 6 (the standard package in either case).

You are not entitled to obtain further supplies of a drug in List C if the number of units on hand is equal to or greater than the number of units obtainable in accordance with column 4 of List C. For example, if you have on hand 100 or more than 100 sulphonamide tablets you may not obtain further supplies until the number on hand falls below 100.

With regard to Sulphonamides, Mixed, B: Three Sulphonamide tablets shown in List C, you may order in lieu thereof not more than one of the following items:—Sulphadiazine, Sulphadimidine, Sulphamerazine, Sulphonamides, Mixed, A: Two Sulphonamides, or Sulphonamides, Mixed, C: Four Sulphonamides.

If a particular brand (specified in List A) is required and that brand is not available, a chemist may not supply any other brand unless with your permission. In such a case the chemist will return the form to you for alteration and initialling.

Emergency drug supplies may not be obtained by ships' doctors or approved medical practitioners.

MANUFACTURERS AND CODES

Manufacturer	Code
A	
Abbott Laboratories Pty. Ltd.	AB
Allen and Hanburys (A'asia) Limited	AH
Andrew's Laboratories	AN
Anglo Swiss Drug Co. Pty. Ltd.	AS
Associated Drug Company of Australia Pty. Ltd.	AD
B	
Bayer Pharma Pty. Ltd.	BA
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT
British Drug Houses (Australia) Pty. Ltd.	BD
British Schering Ltd.	BS
Bull Laboratory, David G.	BL
Burroughs Wellcome & Co. (Aust.) Ltd.	BW
C	
Charles McDonald Pty. Ltd.	CM
Chemco Co-operative Society Ltd.	CC
Ciba Limited	CB
Commonwealth Serum Laboratories	CS
Crookes Laboratories Ltd., The	CK
D	
Drug Houses of Australia Ltd.	DH
E	
Edward Caminer Pty. Ltd.	EC
Evans Medical Australia (Pty.) Ltd.	EV

Manufacturer	Code
F	
Faulding and Co. Ltd., F. H.	FA
Fawns and McAllan Pty. Ltd.	FM
Fisons Chemicals (Pty.) Ltd.	FC
G	
Gamma Laboratories	GA
Geigy (A'sia) Pty. Ltd.	GE
Glandular Products Pty. Ltd.	GP
Glaxo Laboratories (Aust.) Pty. Ltd.	GL
H	
Hamilton Laboratories Ltd., The	HA
Harvey Pty. Ltd., H. F.	HY
Herts Pharmaceuticals Ltd.	HT
I	
Imperial Chemical Indus. of Aust. & N. Z. Ltd.	IC
K	
Knoll Laboratories	KL
Knoll	KN
L	
Lederle Laboratories	LE
Lilly and Co., Eli	LY
M	
Martindale, W.	MT
May and Baker (Aust.) Pty. Ltd.	MB
McGloin Pty. Ltd., J.	MG
Medical Research Pty. Limited	MR
Menley and James (Col. Ltd.)	MJ
Merck and Co. Inc.	MK

Manufacturer	Code
N	
Nativelle Laboratories	NA
Nicholas Pty. Ltd.	NS
Nordisk Insulin Laboratorium	NO
O	
Oxo Limited	OX
Oppenheimer, Sons & Co. Ltd.	OP
Organon Laboratories Ltd.	OR
P	
Parke, Davis and Co. Ltd.	PD
Pfizer Overseas Inc., Chas.	PF
Pharmedica Pty. Ltd.	PH
Prosana Laboratories	PR
Q	
Queensland Ethicals	QE
R	
Roche Products Ltd.	RO
Rocke Tompsitt & Co. Ltd.	RT
Rotary Tableting Corp. Pty. Ltd.	RY
Roussel Laboratories Ltd.	RL
S	
Sandoz Ltd.	SZ
Savory and Moore Ltd.	SY
Schering Pty. Ltd.	SC
Sera Pty. Ltd.	SE
Sharpe & Dohme Inc.	SD

Manufacturer	Code
Sigma Co. Ltd.	SI
Simanite (A'asia) Pty. Ltd.	SM
Societe Parisienne d'Expansion Chimique, S.A.	SP
Soul Pattinson (Laboratories) Pty. Ltd.	SL
Squibb and Sons, E. R.	SQ
Stearns and Co., Frederick	ST
St. Just Laboratory	SJ
T	
Toppin and Sons Pty. Ltd., R. D.	TO
U	
Union International Co. Ltd.	UI
Upjohn Company, The	UP
V	
Virax Ethicals Pty. Ltd.	VR
Vitamins Limited	VM
W	
Wander Limited, A.	WA
Wyeth International Limited	WY
Wholesale Drug Co. Ltd.	WD
Ward Blenkinsop and Co. Ltd.	WB
Warner & Co. Pty. Ltd., Wm. R.	WW

GENERAL PHARMACEUTICAL BENEFITS

List of Benefits

FIRST AND SECOND SCHEDULES

Details of the items available as General Pharmaceutical Benefits are set out in LIST A, pages 6-66, and LIST B (RESTRICTED DRUGS) pages 71-84.

The Lists show:—

In Column 1—the item number;

2—the title of the drug and the form and strength of unit which may be prescribed;

3—the maximum number of units which may be prescribed at any one time;

4—the number of repeats which may be ordered;

5—the manufacturer whose product is available as a benefit. No other manufacturers' product may be prescribed; and

6—the rate at which chemists are paid for the particular manufacturer's product. This column is included for information purposes only and the rates, unless otherwise indicated, are those payable at 1st June, 1955.

For convenience of printing, proprietary names have not been included in the Lists. However, the manufacturer's name (in code) has been shown and reference to the Proprietary Index—First Schedule (see page 87) or Second Schedule (see page 95) and the Manufacturer's Code (see page one)—will enable the medical practitioner to identify a benefit under its proprietary title or by the name of the manufacturer.

γ	means Microgrammes
U.	means Units
I.U.	means International Units
M.	means Millions of organisms

LIST A

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
1	ACETARSOL SOLUBLE, INJECTION OF				
	2 cc. amp.	10	1	MB	10 for 11 1
	3 cc. amp.	10	1	MB	10 " 16 0
2	ADRENALIN HYDRO- CHLORIDE, SOLUTION OF				
	1 in 1000, 0.5 cc. amp.	6	1	DH, PD	6 " 4 0
	1 in 1000, 1 cc. amp.	6	1	DH, KL, PD	6 " 5 0
	1 in 1000, 10 cc. vial	1	1	FA, PD	1 " 2 8
	1 in 1000, 1 fl. oz. vial ..	1		DH, RT	1 " 4 0
	1 in 1000, 1 fl. oz. bottle	1		DH, FA, KL, PD, RT ..	1 " 3 4
	1 in 100, 6 cc. vial	1	1	PD	1 " 5 4
	1 in 100, 10 cc. vial	1		DH, FA ..	1 " 5 4
3	ADRENALIN IN OIL INJECTION OF				
	2 mg. per 1 cc. amp.	6	1	AD, AH, DH, PD	6 " 7 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
4	ADRENALIN, TARTRATE, SOLUTION OF				s. d.
	1 in 1000, 1 cc. amp.	6	1	AD, AH, BL, DH, KL	6 for 4 0
	1 in 1000, 10 cc. amp.	1	1	BW	12 " 8 7
	1 in 1000, 25 cc. bottle ..	1		BW	1 " 2 8
	1 in 1000, 30 cc. vial	1		BT ..	1 " 3 11
	1 in 1000, 1 fl. oz. bottle	1		AH	1 " 5 4
	1 in 100, 7 cc. vial	1	1	BW	1 " 6 0
					1 " 3 11
5	ALOXIDONE				
	0.3 G. cap.	100	1	BS	100 " 32 0
6	AMIDONE				
	5 mg. per cc., 2 cc. amp	6		BA ..	10 for 20 0
	5 mg. per cc., 10 cc. vial	1		BA ..	1 " 8 7
	10 mg. per cc., 1 cc. amp.	6		CM ..	6 " 6 8
				BW ..	12 " 11 8
	10 mg. per cc., 10 cc. vial	1		CM	1 " 8 11
	10 mg. per cc., 20 cc. vial	1		BA ..	1 " 16 8
	2.5 mg. tab.	25		BA ..	25 " 3 4
	5 mg. tab.	25		BA, BW, CM, ST ..	25 " 4 0
	7.5 mg. tab.	25		BA	25 " 4 8
	10 mg. tab.	25		BA	25 " 5 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
6A	AMODIAQUINE				s. d.
	0.2 G. tab.	25		PD	25 for 10 5
7	AMYL NITRITE				
	2 min. cap.	12	1	DH	12 " 8 7
	3 min. cap.	12	1	AH, DH	12 " 8 7
	4 min. cap.	12	1	AH, DH	12 " 8 7
	5 min. cap.	12	1	AH, DH	12 " 8 7
8	ANAHEMIN				
	2 cc. amp.	12	1	BD	6 " 31 4
9	ANAHEPOL				
	2 cc. amp.	12	1	AH	3 " 14 0
10	ANTAZOLINE, INJECTION OF				
	0.1 G. per 2 cc. amp.	10		CB	5 " 9 3
				BT	6 " 10 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
11	ATROPINE SULPHATE				
	1/150 gr. per cc., 1 cc. amp.	6	1	KL, SJ AH, BL, BT, DH	6 for 3 8 6 ,, 4 0
	1/100 gr. per cc., 1 cc. amp.	6	1	KL, SJ AH, BL, BT, DH	6 ,, 3 8 6 ,, 4 0
	1/100 gr. per cc., 10 cc. vial	1		FA	1 ,, 4 0
	1/50 gr. per cc., 1 cc. amp.	6	1	KL BL, DH	6 ,, 3 8 6 ,, 4 0
	1/200 gr. hypo. tab.	20	1	BW, HY, PD	20 ,, 2 0
	1/150 gr. hypo. tab.	20	1	BW, DH, FA, HY, PD ..	20 ,, 2 0
	1/100 gr. hypo. tab.	20	1	BW, DH, FA, HY, PD ..	20 ,, 2 4
12	AUROTHIOGLUCOSE, OILY INJECTION OF				
	0.01 G. amp.	1	3	SC	1 ,, 3 3
	0.025 G. amp.	1	3	SC	1 ,, 4 7
	0.05 G. amp.	6		SC	1 ,, 5 1
	0.1 G. amp.	6		SC	1 ,, 6 7
	0.01 G. per cc., 10 cc. vial	1		SC	1 , 17 0
	0.1 G. per cc., 10 cc. vial	1		SC	1 ,, 50 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
13	BENZHEXOL HYDRO-CHLORIDE				s. d.
	2 mg. tab.	100	1	LE, ST	100 for 18 4
	5 mg. tab.	100	1	LE, ST	100 " 38 4
14	BISMUTH, AQUEOUS INJECTION OF				
	5 cc. amp.	2		BT	1 " 3 0
	10 cc. amp.	1		BT	1 " 3 8
	25 cc. bottle	1		BW	1 " 8 3
	1 fl. oz. bottle	1		BT	1 " 7 8
15	BISMUTH OXYCHLORIDE, AQUEOUS INJECTION OF				
	1 cc. amp.	12		BD	12 " 12 8
				BT	6 " 6 4
	2 cc. amp.	12		BD	12 " 13 4
	3 cc. amp.	12		BD	12 " 14 0
	25 cc. bottle	1		BW	1 " 6 4
	30 cc. bottle	1		BD, EV	1 " 7 4
16	BISMUTH OXYCHLORIDE, OILY INJECTION OF				
	2 cc. amp.	12		DH	12 " 13 4
	3 cc. amp.	12		DH	12 " 14 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
17	BISMUTH SALICYLATE, OILY INJECTION OF				s. d.
1 cc. amp.	12		AH, DH, KL	12 for 10 8	
10 cc. amp.	6		DH, KL	6 " 46 8	
25 cc. bottle	1		EV, KL	1 " 7 4	
60 cc. bottle	1		DH, KL	1 " 11 4	
2 fl. oz. bottle	1		PD	1 " 11 4	
18	CALCIUM AUROTHIO-MALATE, INJECTION OF				
10 mg. amp.	1	3	CK	1 " 4 9	
25 mg. amp.	1	3	CK	1 " 5 4	
50 mg. amp.	6		CK	1 " 5 11	
100 mg. amp.	6		CK	1 " 7 5	
19	CALF LYMPH				
Capillary Tube	1		CS	1 " 2 5	
21	CAMPOLON				
2 cc. amp.	6	1	BA	6 " 17 0	
5 cc. amp.	6	1	BA	6 " 31 7	
10 cc. amp.	1	1	BA	1 " 11 4	

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
22	CAMPOLON FORTE				s. d.
	1 cc. amp.	6	1	BA	6 for 33 4
	5 cc. vial	1	1	BA	1 " 29 4
	10 cc. vial	1	1	BA	1 " 52 9
23	CARBACHOL				
	0.25 mg. per 1 cc. amp.	6	...	AH	6 " 3 8
				SY	10 " 6 0
	2 mg. tab.	25	3	HY	25 " 1 5
				BD, MB	25 " 1 9
				SY	20 " 1 8
24	CARBARSONE				
	0.25 G. cap.	20	1	LY	20 " 11 7
	0.25 G. tab.	20	1	HY, MB	20 " 3 9
24A	CARBIMAZOLE				
	5 mg. tab.	100	1	BS	100 " 29 4
25	CASYDROL				
	2½%, 500 cc. bottle	1	...	FC	1 " 45 0
	5 %, 500 cc. bottle	1	...	FC	1 " 45 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
26	CHINIOFON				s. d.
	0.25 G. pill	25	1	BA	25 for 5 7
	0.25 G. tab.	25	1	HY	25 " 4 11
27	CHLOROQUINE				
	0.2 G. tab.	100	1	MB	100 " 28 8
	250 mg. tab.	100	1	AN	100 " 36 0
				BA	100 " 57 7
28	CHOLERA VACCINE				
	4000 M. per cc., 1 cc. amp.	3		CS	1 " 3 7
	4000 M. per cc., 10 cc. vial	1		CS	1 " 25 3
	8000 M. per cc., 1 cc. amp.	2		CS	1 " 3 7
	8000 M. per cc., 10 cc. vial	1		CS	1 " 25 3
29	DAPSONE				
	50 mg. tab.	100		AN	100 " 4 0
	100 mg. tab.	100		IC	100 " 5 3
30	DARROW'S SOLUTION				
	1 litre bottle	2	1	DH	1 " 12 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
30A	DESACETYL-LANA TOSIDE C				s. d.
	0.2 mg. per cc., 2 cc. amp.	6	1	SZ	6 for 9 3
	0.25 mg. tab.	40	1	SZ	40 " 12 8
31	DEXTROSE, AQUEOUS INJECTION OF				
	5%, 1 litre bottle	6	1	DH	1 " 12 8
	10%, 1 litre bottle	2	1	DH	1 " 12 8
	20%, 1 litre bottle	2	1	DH	1 " 12 8
	25%, 1 litre bottle	2	1	DH	1 " 12 8
	50%, 25 cc. amp.	6	1	AD, DH	1 " 4 0
	50%, 50 cc. amp.	6	1	AD, DH, PD	1 " 6 0
32	DEXTROSE IN 1/5 NORMAL SALINE FOR INJECTION				
	4%, 1 litre bottle	6	1	DH	1 " 12 8
33	DEXTROSE IN RINGER'S SOLUTION FOR INJECTION				
	5%, 1 litre bottle	6	1	DH	1 " 12 8
	10%, 1 litre bottle	3	1	DH	1 " 12 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
34	DIASONE				s. d.
	0.33 G. tab.	200	1	PD	500 for 93 4
35	DICOUMAROL				
	100 mg. amp.	3		OR	3 " 18 0
	50 mg. cap.	50	1	LY	100 " 29 0
				AB	100 " 29 4
	100 mg. cap.	50	1	AB, LY	100 " 45 4
	50 mg. tab.	50	1	OR	100 " 23 4
36	DIETHAZINE HYDRO-CHLORIDE				
	0.05 G. tab.	100	1	MB	100 " 7 9
	0.25 G. tab.	100	1	MB	50 " 14 0
37	DIETHYLCARBA-MAZINE				
	50 mg. tab.	20	1	BD, BW, LE	20 " 11 8
38	DIGIFORTIS				
	$\frac{1}{2}$ gr. tab.	100	1	PD	50 " 3 4
	1 gr. tab.	100	1	PD	50 " 4 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
39	DIGITALIS				
	½ gr. tab.	100	1	BW, CC, DH, FA, HY, RT, TO ..	100 for 2 0
	1 gr. tab.	100	1	BW, CC, DH, FA, HY, RT, TO ..	100 „ 2 3
40	DIGITOXIN				
	0.1 mg. tab.	100	1	AD, CM, KL, NA, PR, SI, TO, WY	100 „ 7 3
	0.2 mg. tab.	100	1	CM, LY, PD, PR, TO, WY	100 „ 14 8
	0.25 mg. tab.	100	1	KL, TO	100 „ 16 5
41	DIGOXIN				
	0.5 mg. per 1 cc. amp.	12	1	BW	12 „ 10 8
	0.5 mg. per cc., 30 cc. bottle	1	1	BW	1 „ 9 8
	0.25 mg. tab.	100	1	BW	100 „ 11 0
42	DIHYDROERGOTAMINE, INJECTION OF				
	1 mg. per cc., 1 cc. amp.	6		SZ	6 „ 15 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
43	DIHYDROMORPHINONE				s. d.
	1.1 cc. amp.	4		KN	5 for 6 1
	1/32 gr. hypo. tab.	20		KN	20 " 6 0
	1/20 gr. hypo. tab.	20		KN	20 " 7 4
	1/25 gr. tab.	20		KN	10 " 2 5
44	DIIODOHYDROXY- QUINOLINE				
	0.21 G. tab.	100	1	SY	100 " 24 8
	0.3 G. tab.	100	1	MB	100 " 17 4
45	DIMERCAPROL, INJECTION OF				
	2 cc. amp.	12		BT	12 " 32 0
46	DIPHENHYDRAMINE HYDROCHLORIDE, INJECTION OF				
	10 mg. per cc., 10 cc. vial	1	1	PD	1 " 11 4
47	DIPHTHERIA AND TETANUS TOXOIDS COMBINED				
	1 cc. amp.	3		CS	1 " 4 0
	5 cc. amp.	1		CS	1 " 9 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
48	DIPHTHERIA ANTITOXIN				s. d.
	1,000 U. amp.	2	1	CS	1 for 4 1
	2,000 U. amp.	2	1	BW, CS	1 " 4 5
	4,000 U. amp.	2	1	BW, CS	1 " 8 5
	6,000 U. amp.	2	1	CS	1 " 12 7
	8,000 U. amp.	2	1	BW, CS	1 " 13 4
	10,000 U. amp.	2	1	BW, CS	1 " 16 1
	20,000 U. amp.	2	1	BW, CS	1 " 29 5
49	DIPHTHERIA PERTUSSIS ANTIGEN				
	1 cc. amp.	3		BW, CS, GL	3 " 9 4
	5 cc. amp.	1		CS	1 " 10 0
	5 cc. vial	1		GL	1 " 16 8
	7.5 cc. vial	1		PD	1 " 30 0
	10 cc. vial	1		GL	1 " 26 0
50	DIPHTHERIA, PERTUSSIS AND TETANUS ANTIGEN				
	1 cc. amp.	3		BW, CS, GL	3 " 10 0
	1.5 cc. vial	1		SD	1 " 10 0
	5 cc. amp.	1		CS	1 " 10 0
	7.5 cc. vial	1		PD, SD	1 " 34 0
	10 cc. vial	1		BW, GL	1 " 26 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
51	DIPHTHERIA PROPHYLACTIC (Formalinised Toxoid)				s. d.
	Set containing 3 amps. each, 1 cc. Toxoid undiluted & 1 amp. of 1 cc. Toxoid diluted	1	1	CS	1 for 6 7
	Set containing 9 amps. each 1 cc. Toxoid undiluted & 3 amps. of 1 cc. Toxoid diluted	1		CS	1 " 16 9
52	DIPHTHERIA PROPHYLACTIC (Purified Toxoid Aluminium Phosphate)				
	1 cc. amp.	2	1	CS	1 " 3 8
	5 cc. vial	1		CS, GL	1 " 9 0
	10 cc. vial	1		PD	1 " 19 4
	Set containing 2 amps each 1 cc. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) (diluted) for IMMUNISATION OF ADULTS ONLY and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for the skin test only.	1		CS	1 " 9 4

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d
53	DIPHTHERIA TOXOID PURIFIED (Diluted for skin test only) 1 cc. amp.	1		CS	1 for 3 4
54	EMETINE HYDRO- CHLORIDE 20 mg. per 1 cc. amp. 30 mg. per 1 cc. amp. 65 mg. per 1 cc. amp. $\frac{1}{2}$ gr. tab.	12 12 6 12		KL DH KL DH BW, DH, KL BW	12 " 9 4 12 " 10 0 12 " 12 0 12 " 15 4 6 " 15 0 12 " 11 9
55	EMETINE BISMUTH IODIDE 1 gr. tab. 2 gr. tab.	25 25	1 1	DH DH	25 " 26 8 25 " 36 0
56	ENTERO-VIOFORM 0.25 G. tab.	100	1	CB	100 " 26 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
57	EPHEDRINE HYDRO-CHLORIDE				s. d.
	½ gr. per 1 cc. amp.	6	1	BL, DH, KL	6 for 4 0
				BW	12 " 7 9
	¾ gr. per 1 cc. amp.	6	1	BL, DH, KL	6 " 4 4
	½ gr. hypo. tab.	20	1	FA	20 " 2 4
	¼ gr. tab.	100	1	AD, BW, CC, DH, HY, KL, MG, PR, RT, RY, SI, TO	100 " 3 0
	½ gr. tab.	100	1	AD, BT, BW, CC, DH, FA, HY, KL, MG, PR, RT, RY, SI, SL, TO	100 " 4 0
	1 gr. tab.	100	1	BT, HY, KL	100 " 7 0
58	EPHEDRINE SULPHATE				
	½ gr. per 1 cc. amp.	6	1	AH	6 " 3 4
	5%, 1 cc. amp.	6	1	LY	6 " 11 8
	3/8 gr. cap.	40	1	LY	40 " 7 7
	¾ gr. cap.	40	1	LY	40 " 17 8
	½ gr. hypo. tab.	20	1	FA	20 " 2 4
	¼ gr. tab.	100	1	HY, PD, RT	100 " 4 8
	½ gr. tab.	100	1	FA, HY, KL, PD, RT	100 " 6 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
59	ERGOMETRINE MALEATE				s. d.
	0.2 mg. per 1 cc. amp.	6		LY	6 for 17 7
	0.5 mg. per 1 cc. I.M. amp.	6		AD, AH, BD, BL, BW, FM	6 " 16 8
	0.125 mg. per 1 cc. I.V. amp.	6		AD, BD, BW	6 " 6 8
	0.2 mg. tab.	25		LY	25 " 32 8
	0.5 mg. tab.	25		BD, BT, BW	25 " 48 0
60	ERGOT (Prepared)				
	1 cc. amp.	6		PD	6 " 14 0
	2½ gr. cap.	25	1	OP	100 " 12 0
	2½ gr. tab.	25	1	DH, TO	25 " 5 8
	4 gr. tab.	25	1	DH, HY	25 " 7 4
61	ERGOTAMINE TARTRATE				
	0.5 cc. amp.	6		SZ	6 " 11 0
	1 cc. amp.	6		SZ	6 " 15 3
	1 mg. tab.	15	1	SZ	15 " 13 8
62	ERGOTOXINE ETHANESULPHONATE				
	0.5 mg. tab.	25		BW	25 " 5 5

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
63	ETHOPROPAZINE HYDROCHLORIDE 50 mg. tab.	100	1	MB	s. d. 50 for 14 8
64	ETHYL BISCOUMACETATE 300 mg. tab.	100		GE	100 ,, 274 0
65	ETHYLIDENE DICOURMARIN 100 mg. tab.	50	1	NS	50 ,, 35 0
66	EXAMEN 1 cc. amp. 5 cc. amp.	12 1	1 1	GL GL	6 ,, 30 0 1 ,, 23 4
67	EXATROPE 2 cc. amp. 12 cc. amp.	12 1	1 1	GL GL	6 ,, 10 5 1 ,, 8 5

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
68	GAS GANGRENE ANTITOXIN (Oedematiens)				s. d.
	10,000 U. amp.	3	1	CS	1 for 12 0
69	GAS GANGRENE ANTITOXIN (Perfringens)				
	4,000 U. amp.	3	1	CS	1 " 15 7
	10,000 U. amp.	10	1	BW, CS	1 " 21 0
70	GAS GANGRENE ANTITOXIN (Polyvalent)				
	Amp. containing 3,000 U. Perfringens, 1,500 U. Septique, 1,000 U. Oedematiens	2	1	CS	1 " 19 3
	Amp containing 7,500 U. Perfringens, 3,750 U. Septique 2,500 U. Oedematiens	2	1	CS	1 " 43 3
71	GAS GANGRENE ANTITOXIN (Septique)				
	5,000 U. amp.	2	1	CS	1 " 19 3

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
72	GLYCERYL TRINITRATE				s. d.
	1/200 gr. tab.	100	1	DH, FA, HY, TO	100 for 1 7
				DH (Vasitrin) ..	100 ,, 2 0
	1/150 gr. tab.	100	1	HY	100 ,, 1 7
	1/130 gr. tab.	100	1	DH	100 ,, 1 7
				DH (Vasitrin)	100 ,, 2 0
	1/100 gr. tab.	100	1	DH, FA, HY, TO	100 ,, 1 7
				BW, DH (Vasitrin)	100 ,, 2 0
	1/65 gr. tab.	100	1	DH	100 ,, 1 7
				DH (Vasitrin)	100 ,, 2 8
	1/50 gr. tab.	100	1	HY	100 ,, 2 4
73	HARTMANN'S SOLUTION				
	1 litre bottle	2	1	DH	1 ,, 12 8
74	HARTMANN'S SOLUTION WITH DEXTROSE				
	5%, 1 litre bottle	2	1	DH	1 ,, 12 8
	10%, 1 litre bottle	2	1	DH	1 ,, 12 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
75	HEPARIN, INJECTION OF				
	1,000 U. per cc., 5 cc.				
	vial	5		BD, BT, EV, RO	1 for 11 8
	1,000 U. per cc., 10 cc.				
	vial	1		AB	1 " 21 0
	5,000 U. per cc., 5 cc.				
	vial	1		BD, BT, EV, RO	1 " 50 0
	25,000 U. per cc., 5 cc.				
	vial	1		BT, EV	1 " 241 8
76	HEPARIN RETARD, INJECTION OF				
	20,000 U. per 2 mil. amp. ..	6		BT	6 " 213 4
77	HEPASTAB				
	2 cc. amp.	6	1	BT	3 " 10 0
	10 cc. vial	1	1	BT	1 " 13 4
78	HEPASTAB FORTE				
	1 cc. amp.	6	1	BT	6 " 25 0
	2 cc. amp.	3	1	BT	6 " 45 0
	10 cc. vial	1	1	BT	1 " 27 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
79	HEPATEX-T				s. d.
	2 cc. amp.	12	1	EV	6 for 20 8
	10 cc. vial	1	1	EV	1 " 14 8
80	HEPOLON				
	2 cc. amp.	12	1	AH	6 " 11 1
	10 cc. vial	1	1	AH	1 " 6 8
80A	HEXAMETHONIUM BROMIDE				
	10%, 1 cc. amp.	10	1	MB	10 " 11 8
	10%, 25 cc. bottle	1	1	MB	1 " 14 8
	30%, 25 cc. bottle	1		MB	1 " 25 4
80B	HEXAMETHONIUM BROMIDE RETARD				
	20%, 25 cc. bottle	1		MB	1 " 21 0
80C	HEXAMETHONIUM TARTRATE, INJECTION OF				
	13.8%, 1 cc. amp.	10	1	MB	10 " 14 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
81	HYALASE				s. d.
	1 mg. amp.	5	1	FC	5 for 32 4
82	HYOSCINE HYDRO-BROMIDE				
	1/150 gr. amp.	6		AH, BL, DH, KL	6 " 4 0
	1/100 gr. amp.	6		AH, BL, BT, DH, KL	6 " 4 0
	1/75 gr. amp.	6		BL, KL	6 " 4 0
	1/200 gr. hypo. tab.	100	1	BW, PD	20 " 2 0
	1/150 gr. hypo. tab.	100	1	BW, DH, FA, PD	20 " 2 0
	1/100 gr. hypo. tab.	100	1	BW, DH, FA, PD	20 " 2 4
	1/100 gr. per cc., 10 cc. vial	1		FA	1 " 3 0
83	INSULIN, INJECTION OF				
	20 U. per cc., 5 cc. vial	3	12	AH-BD	1 " 1 11
	20 U. per cc., 10 cc. vial	3	12	AH-BD, BW, CS ..	1 " 3 4
	40 U. per cc., 5 cc. vial	3	12	AH-BD, BS-UI, BT, BW ..	1 " 3 4
	40 U. per cc., 10 cc. vial	3	12	AH-BD, BS-UI, BT, BW, CS, SE	1 " 6 2

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
83—(Contd.)					s. d
	80 U. per cc., 5 cc. vial	3	12	AH-BD, BT, BW ..	1 for 6 2
	80 U. per cc., 10 cc. vial	3	12	AH-BD, BT, BW, CS, SE ..	1 „ 12 0
	100 U. per cc., 5 cc. vial	3	12	CS	1 „ 7 0
					•
85	INSULIN GLOBIN ZINC, INJECTION OF				
	40 U. per cc., 5 cc. vial	3	12	AH-BD, BT, BW ..	1 „ 3 10
	80 U. per cc., 5 cc. vial	3	12	AH-BD, BT, BW ..	1 „ 6 8
86	INSULIN ISOPHANE, INJECTION OF				
	40 U. per cc., 5 cc. vial	3	12	NO	1 „ 5 0
	40 U. per cc., 10 cc. vial	3	12	AH-BD, BT, BW, CS, NO ..	1 „ 9 0
	80 U. per cc., 10 cc. vial	3	12	AH-BD, BT, BW, CS, NO ..	1 „ 17 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
87	INSULIN (SPECIAL P), INJECTION OF				
	20 U. per cc., 10 cc. vial	3	12	CS	1 for 3 0
	40 U. per cc., 10 cc. vial	3	12	CS	1 " 5 8
	60 U. per cc., 5 cc. vial	3	12	CS	1 " 4 3
88	INSULIN PROTAMINE ZINC, INJECTION OF				
	40 U. per cc., 5 cc. vial	3	12	AH-BD, BT, BW, SE	1 " 3 10
	40 U. per cc., 10 cc. vial	3	12	AH-BD, BT, BW, CS, SE	1 " 6 8
	80 U. per cc., 5 cc. vial	3	12	AH-BD, BT, BW, SE	1 " 6 8
	80 U. per cc., 10 cc. vial	3	12	CS, SE	1 " 13 4
88A	INSULIN ZINC SUSPEN- SION (Lente)				
	40 U. per mil., 10 mil. vial	3	12	AH-BD, BT, BW, EV	1 " 9 0
	80 U. per mil., 10 mil. vial	3	12	AH-BD, BT, BW, EV ..	1 " 17 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
88B	INSULIN ZINC SUSPENSION (Amorphous) (Semi-lente)				
	40 U. per mil., 10 mil. vial	3	12	AH-BD BT, BW, EV	1 for 9 0
	80 U. per. mil., 10 mil. vial	3	12	AH-BD, BT, EV ..	1 ,, 17 0
88C	INSULIN ZINC SUSPENSION (Crystalline) (Ultralente)				
	40 U. per mil., 10 mil. vial	3	12	AH-BD, BT, BW, EV	1 ,, 9 0
	80 U. per mil., 10 mil. vial	3	12	AH-BD, BT, EV ..	1 ,, 17 0
89	ISOPRENALINE HYDROCHLORIDE				
	1 in 200, ½ fl. oz. bottle	1	1	ST	1 ,, 3 4
	10 mg. tab.	25	3	ST	25 ,, 3 4
90	ISOPRENALINE SULPHATE				
	20 mg. tab.	25	3	BW	25 ,, 4 0
	10 mg. per cc., 7 cc. vial	1	1	BW	1 ,, 4 4
	10 cc. vial	1		AH	1 ,, 5 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
91	KINADEN set containing 3 amps each of 10 U. and 3 amps. of solvent	1	1	SC	s. d. 1 for 21 4
93	LEPTAZOL, INJECTION OF 1.1 cc. amp. 3 cc. amp. 5 cc. amp.	6 2 1		KN KN KN BT	6 " 5 8 2 " 4 8 2 " 8 8 6 " 14 4
94	LIVADEX 2 cc. amp.	12	1	BD	6 " 13 4
95	LIVER EXTRACT, INJECTION OF 2 U.S.P.U. per cc., 1 cc. amp. 2 U.S.P.U. per cc., 10 cc. vial 5 U.S.P.U. per cc., 2 cc. vial 5 U.S.P.U. per cc., 10 cc. vial 5 U.S.P.U. per cc., 20 cc. vial	6 6 6 1 1	1 1 1 1 1	PD PD OX OX, PR OX	6 " 11 4 1 " 7 4 6 " 11 0 1 " 7 0 1 " 10 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
95—(Contd.)					s. d.
10 U.S.P.U. per cc., 10 cc.					
vial		1	1	AB, AN	1 for 14 0
15 U.S.P.U. per cc., 5 cc.					
vial		1	1	AN	1 " 12 0
				PD	1 " 24 8
96	MEPACRINE HYDRO- CHLORIDE				
0.1 G. tab.		100	1	BT, IC,	100 " 5 7
98	MEPROCHOL, INJECTION OF				
3 mg. per 1 cc. amp.		6		BW	6 " 6 11
99	MEPYRAMINE MALEATE, INJECTION OF				
2.5%, 2 cc. amp.		10		MB	10 " 10 7
100	MERCAPTOMERIN SODIUM				
Set containing 1.4 G. vial and 10 cc. water for injection		3		WY	1 " 18 3

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
101	MERCURAMIDE WITH THEOPHYLLINE, INJECTION OF				
	1 cc. amp.	10		MB	10 for 10 0
	2 cc. amp.	10		MB	10 " 13 4
102	MERSALYL, INJECTION OF				
	1 cc. amp.	12		AD, AH, BD, BL, DH, EV	6 " 5 0
				BW	12 " 11 3
				BT	6 " 5 8
				BA	5 " 5 0
	2 cc. amp.	12		AD, AH, BL, DH, EV	6 " 5 7
				BD	6 " 6 0
				BA, BT, PD	6 " 7 8
103	METHIONINE				
	50 G. bottle	1		AS, MR	1 " 32 0
				WY	1 " 44 0
104	METHOIN				
	0.1 G. tab.	200	1	SZ	100 " 26 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
105	METHYL ATROPINE NITRATE				s. d.
	1/200 gr. per 1 cc. amp.	6		BL	6 for 6 0
	1/100 gr. per 1 cc. amp.	6		BL	6 " 6 0
	0.6%, 1/2 fl. oz. bottle	1		BA	1 " 6 8
	0.001 G. tab.	20	1	BA	20 " 6 0
105A	METHYLERGOMETRINE TARTRATE				
	0.2 mg. per mil., 0.5 mil. amp.	6		SZ	6 " 8 11
	0.2 mg. per mil., 1.0 mil. amp.	6		SZ	6 " 12 3
	0.125 mg. tab.	25		SZ	25 " 19 7
106	MORPHINE HYDRO-CHLORIDE				
	1/4 gr. hypo. tab.	20		PD	20 " 3 3
107	MORPHINE SULPHATE				
	1/6 gr. amp.	6		AD, AH, BL, DH, KL ..	6 " 5 8
	1/4 gr. amp.	6		AD, AH, BL, DH, KL ..	6 " 5 8
	1/3 gr. amp.	6		BL, DH, KL	6 " 5 8
	1/2 gr. amp.	6		AH, BL, DH, KL	6 " 5 8
	1/12 gr. hypo. tab.	20		DH, PD	20 " 2 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
107—(Contd.)					s. d.
	1/8 gr. hypo. tab.	20		DH, FA, PD	20 for 2 4
	1/6 gr. hypo. tab.	20		BW, DH, FA, PD	20 " 2 8
	1/4 gr. hypo. tab.	20		BW, DH, FA, PD	20 " 3 0
	1/3 gr. hypo. tab.	20		DH, PD	20 " 3 4
	1/2 gr. hypo. tab.	20		BW, DH, FA, PD	20 " 4 0
	1 gr. hypo. tab.	12		BW	12 " 4 0
	1/4 gr. per cc., 10 cc. vial	1		PD	1 " 3 4
	1/2 gr. per cc., 10 cc. vial	1		FA	1 " 4 8
108 MORPHINE WITH ATROPINE					
A.	Morphine Sulphate 1/12 gr., Atropine Sulphate 1/150 gr. 1 hypo. tab.	20		DH	20 " 1 9
B.	Morphine Suphate 1/8 gr., Atropine Sulphate 1/150 gr. 1 hypo. tab.	20		DH, PD	20 " 2 4
C.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/200 gr. 1 amp.	6		BL, DH	6 " 5 8
D.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/180 gr. 1 hypo. tab.	20		DH	20 " 2 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
108—(Contd.)					s. d.
E.	Morphine Sulphate 1/6 gr. Atropine Sulphate 1/150 gr., 1 amp.	6		BL, DH,	6 for 5 8
	per cc., 10 cc. vial	1		PD	1 ,, 3 4
	1 hypo. tab.	20		DH, FA, PD	20 ,, 2 8
F.	Morphine Sulphate 1/6 gr., Atropine Sulphate 1/120 gr., 1 amp.	6		AD, BL, DH	6 ,, 5 8
G.	Morphine Sulphate 1/4 gr., Atropine Sulphate 1/150 gr., 1 cc. amp.	6		AD, AH, BL, DH	6 ,, 5 8
	1 hypo. tab.	20		BW, DH, FA, PD	20 ,, 3 0
	per cc., 10 cc. vial	1		FA, PD	1 ,, 3 3
H.	Morphine Sulphate 1/4 gr., Atropine Sulphate 1/120 gr., 1 hypo. tab.	20		DH	20 ,, 3 0
J.	Morphine Sulphate 1/4 gr., Atropine Sulphate 1/100 gr., 1 amp.	6		AH, BL, DH	6 ,, 5 8
	1 hypo. tab.	20		DH, FA, PD	20 ,, 3 0

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
109	MORPHINE WITH HYOSCINE Morphine Sulphate 1 gr., Hyoscine Hydrobromide, 1/100 gr., 1 cc. amp. ..	6		AD, BL, DH	s. d. 6 for 5 8
110	NEOARSPHENAMINE, INJECTION OF				
	0.15 G. amp.	2	1	MB	1 " 1 8
				EV, GA	1 " 2 0
	0.3 G. amp.	2	1	MB	1 " 2 0
				EV, GA	1 " 2 3
	0.45 G. amp.	2	1	MB	1 " 2 5
				EV, GA	1 " 2 8
	0.6 G. amp.	2	1	MB	1 " 2 11
				GA	1 " 3 0
				EV	1 " 3 1
	0.75 G. amp.	2	1	MB	1 " 3 3
				GA	1 " 4 11
	0.9 G. amp.	2	1	MB	1 " 3 7
				GA	1 " 5 7
111	NEO-HEPATEX				
	2 cc. amp.	12	1	EV	3 " 23 4
	10 cc. bottle	1	1	EV	1 " 33 4
	25 cc. bottle	1	1	EV	1 " 73 4

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
112	NEOSTIGMINE BROMIDE 15 mg. tab.	100	1	RO	s. d. 100 for 22 0
113	NEOSTIGMINE METHYLSULPHATE, INJECTION OF 0.5 mg. per cc., 1 cc. amp. 2.5 mg. per cc., 5 cc. vial	6 1	3 1	RO RO	6 " 5 9 1 " 6 8
114	NIKETHAMIDE, INJECTION OF 1.7 cc. amp. 2 cc. amp. 5 cc. amp. 5.5 cc. amp.	5 6 3 3		CB AH, BT, FM BD BD BW CB	5 " 6 8 6 " 4 0 6 " 5 8 3 " 5 1 6 " 10 9 3 " 7 1
114A	NOR-ADRENALINE 1 in 1000, 2 mil. amp.	6		ST	6 " 34 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
115	NUCLEOTIDES, INJECTION OF				
	10 cc. amp.	12		AH, MJ	1 for 8 11
				EV	6 " 53 4
116	OUBAIN, INJECTION OF				
	0.25 mg. amp.	3		NA	6 " 22 1
	0.5 mg. amp.	3		NA	6 " 23 11
117	OXOPHENARSINE HYDROCHLORIDE, INJECTION OF				
	0.04 G. amp.	2	1	PD	1 " 2 0
	0.06 G. amp.	2	1	PD	1 " 2 1
118	OXYTOCIN, INJECTION OF				
	0.5 cc. amp.	6		PD	6 " 10 0
	1 cc. amp.	6		PD	6 " 15 4
119	PAMAQUIN				
	0.01 G. tab.	45		BA	25 " 6 0

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
120	PAPAVERTUM				s. d.
	1/6 gr. per 1 cc. amp.	6		BL	6 for 5 0
	1/3 gr. per 1 cc. amp.	6		BT, DH, RO	6 " 4 0
				BL	6 " 5 0
	1/3 gr. hypo. tab.	25		RO	25 " 5 4
	1/6 gr. tab.	20		DH	25 " 3 4
				RO	20 " 4 0
120A	PAPAVERTUM WITH HYOSCINE HYDROBROMIDE, INJECTION OF				
	Papaveretum 1/3 gr., Hyoscine Hydrobromide, 1/300 gr., 1 cc. amp.	6		RO	6 " 4 5
	Papaveretum 1/3 gr., Hyoscine Hydrobromide, 1/150 gr., 1 cc. amp.	6		RO	6 " 4 5
	Papaveretum 2/3 gr., Hyoscine Hydrobromide, 1/150 gr., 1 cc. amp.	6		RO	6 " 4 5
121	PAPAVERINE HYDROCHLORIDE				
	1/3 gr. per 1 cc. amp.	6		AD, KL	6 " 4 8
	1 1/2 gr. per 5 cc. amp.	6		AN	6 " 10 8
	2 gr. per 10 cc. amp.	6		DH, KL	6 " 10 8
				HA	3 " 5 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
121—(Contd.)					s. d.
	$\frac{3}{4}$ gr. tab.	25	1	AN, KL, MG, PR, QE, RT, TO	25 for 4 8
	$1\frac{1}{2}$ gr. tab.	25	1	AN, DH, FA, HA, KL, MG. PR, QE, RT, TO	25 „ 8 0
122	PARAMETHADIONE				
	0.3 G. cap.	100	2	AB	100 „ 65 11
122A	PARATHYROID EXTRACT				
	100 U. per cc., 5 cc. bottle	1		PD	1 „ 40 0
123	PARENAMINE				
	1000 cc. bottle	1		ST	1 „ 64 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
124	PENETHAMATE HYDRIODIDE				
	100,000 U. vial	6		GL	1 for 3 4
	500,000 U. vial	3		GL	1 " 8 8
125	PENICILLIN, INJECTION OF				
	5,000 U. amp.	6		CS	1 " 1 9
	15,000 U. amp.	6		CS	1 " 1 11
	100,000 U. amp.	6		AH, BD, CS, EV, GL, IC, SI	1 " 2 0
	200,000 U. amp.	6		AH, BD, BT, CS, EV, GL, IC, SI,	1 " 2 1
	500,000 U. amp.	6		AH, BD, BT, CS, DH, EV, GL, IC, SI	1 " 3 8
	1,000,000 U. amp.	6		AH, BD, BT, CS, DH, EV, GL, IC, SI	1 " 5 0
	1,500,000 U. amp.	6		GL	1 " 7 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
126	PENICILLIN, PROCAINE, AQUEOUS SUSPENSION OF				
	300,000 U. amp.	6		BT	1 for 3 11
	400,000 U. vial	6		DH, FA	1 " 4 0
	600,000 U. vial	6		BT, DH	1 " 5 5
	900,000 U. vial	6		BT, CS, DH, SI	1 " 6 11
	1,000,000 U. vial	6		DH, FA	1 " 7 4
	1,500,000 U. vial	6		AH, BT, BW, CS, DH, EV, FA, GL, SI	1 " 9 11
127	PENICILLIN, PROCAINE (CRYSTALLINE), INJECTION OF				
	300,000 U. amp.	6		AH, BD, BT, BW, CS, DH, EV, IC, MB, SI	1 " 3 3
	400,000 U. amp.	6		AH, BD, BT, BW, CS, EV, GL, IC, MB, SI	1 " 3 4
	500,000 U. amp.	6		CS	1 " 3 8
	600,000 U. amp.	6		DH	1 " 4 9
	667,000 U. amp.	6		CS	1 " 4 9
	900,000 U. amp.	6		AH, BD, BT, BW, CS, EV, IC, MB, SI ..	1 " 6 1

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
127—(Contd.)					
	1,200,000 U. amp.	6		AH, BD, BT, BW, CS, DH, EV, IC, MB, SI	1 for 8 0
	1,500,000 U. amp.	6		CS, DH, GL, SI	1 " 9 3
128	PENICILLIN, PROCAINE, OILY INJECTION OF 300,000 U. per cc., 1 cc. amp.	6		BT, CS, DH, FA, SI	1 " 3 8
	600,000 U. amp.	6		BT, DH, FA	1 " 5 3
	900,000 U. vial	6		BT	1 " 6 8
	1,000,000 U. amp.	6		DH	1 " 7 1
128AA	PENTAERYTHRITOL TETRANITRATE				
	10 mg. tab.	100	1	WW	100 " 5 4
	20 mg. tab.	100	1	WW	100 " 6 8
	30 mg. tab.	100	1	ST	100 " 8 5
128A	PENTOLINIUM TARTRATE				
	5 mg. per cc., 10 cc. vial	1	1	MB	1 " 7 0
	25 mg. per cc., 25 cc. vial	1	1	MB	1 " 24 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
128B	PENTOLINIUM TARTRATE RETARD 25 mg. per cc., 25 cc. vial	1	1	MB	s. d. 1 for 29 4
129	PERNAEMON CRUDUM 2 cc. amp. 10 cc. vial	12 1	1 1	OR OR	6 " 13 4 1 " 10 4
130	PERNAEMON FORT 1 cc. amp. 5 cc. vial	12 1	1 1	OR OR	6 " 38 0 1 " 26 8
131	PERNEXIN 2 cc. amp.	6	1	SC	3 " 22 8
132	PERTUSSIS VACCINE (Phase 1) 1,000 M. per cc. 5,000 M. per cc. 5,000 M. per cc., 10 cc. vial 10,000 M. per cc. 10,000 M. per cc., 10 cc. vial	3 3 1 3 1	1 1 1	CS CS CS CS CS	1 " 3 0 1 " 4 0 1 " 20 0 1 " 5 0 1 " 26 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
132—(Contd.)					
	20,000 M. per cc., 1 cc. amp.	3	1	GL	3 for 10 0
	20,000 M. per cc., 5 cc. vial	1		GL	1 " 14 3
	20,000 M. per cc., 10 cc. vial	1		GL	1 " 26 0
	60,000 M. per 1.5 cc., 1.5 cc. vial	1		PD	1 " 21 4
	Set of 3 amps, containing 50,000 M. per set	1		SC	1 " 12 4
133	PETHIDINE HYDRO-CHLORIDE				
	50 mg. per cc., 1 cc. amp.	6		AD, AH, BL, BT, DH, FM, KL ..	6 " 4 0
				IC	10 " 5 9
				BW, RO	12 " 8 0
	50 mg. per cc., 2 cc. amp.	6		AD, AH, BL, CM, DH, FM, KL ..	6 " 5 8
				IC	10 " 8 1
				BW, RO	12 " 11 3
				BA, BT	6 " 7 0
	50 mg. per cc., 10 cc. vial	1		CM, KL	1 " 4 8
	50 mg. per cc., 25 cc. bottle	1		AD, IC	1 " 11 4
	50 mg. per cc., 50 cc. bottle	1		BA, DH, RO	1 " 17 11

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
133—(Contd.)					s. d.
	25 mg. tab.	25		AD, BT, BW, CM, DH, IC, KL, MG, RO, SI, TO	25 for 3 4
	50 mg. tab.	25		AD, BW, CM, DH, FM, IC, KL, MG, PR, RO, RY, SI, TO BT BA	25 " 5 4 25 " 6 3 25 " 8 0
134	PETHIDINE SCOPOLAMINE Pethidine Hydrochloride 100 mg., Scopolamine 0.43 mg., 2 cc. amp. ...	6		BT BW, KL, RO	6 " 7 9 12 " 12 7
135	PHEMITONE $\frac{1}{2}$ gr. tab.	200	1	AD, AS, BA, BT, CC, DH, FA, IC, KL, MG, PR, QE, SI, TO	100 " 4 11

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
135—(Contd.)					s. d.
	1 gr. tab.	200	1	AD, AS, BA, CC, DH, IC, KL, MG, PR, QE, SI, TO	100 for 6 0
	3 gr. tab.	200	1	AD, AS, BA, BT, CC, DH, FA IC, KL, MG, PR QE, SI, TO	100 ,, 12 8
136	PHENADOXONE HYDROCHLORIDE				
	10 mg. per 1 cc. amp.	6	...	GL	6 ,, 6 8
	10 mg. tab.	25	...	GL	25 ,, 4 5
137	PHENOBARBITONE SODIUM, INJECTION OF				
	1½ gr. per cc. amp.	6	...	BT	6 ,, 3 9
	3 gr. per 1 cc. amp.	6	...	BL, CM, DH, FM 12.	6 ,, 5 11
				MB	10 ,, 9 0
	3 gr. per 1.5 cc. amp.	6	...	EV	6 ,, 7 9
	3 gr. per 2 cc. amp.	6	...	AH, BT	6 ,, 6 0
	3.1 gr. per 5 cc. amp.	6	...	DH	6 ,, 10 8

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
138	PHENYLINDANEDIONE 50 mg. tab.	50		EV, IC	25 for 20 0
139	PHENYTOIN SODIUM 0.03 G. cap. 0.1 G. cap. 0.1 G. cap.	200 200 200	1 1 1	PD PD BT, DH, FM, KL, TO ..	100 " 7 8 100 " 12 8 100 " 6 8
140	PHTHALYLSULPHA- CETAMIDE 0.5 G. tab.	100		AN, BS, CM, KL, SC, TO, VR ..	100 " 28 0
141	PHTHALYLSULPHA- THIAZOLE 0.5 G. tab.	100		MB, SD	100 " 20 4
142	PHYSOSTIGMINE SULPHATE 1/100 gr. hypo. tab.	20		PD	20 " 1 11

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
143	PICROTOXIN, INJECTION OF				s. d.
	3 mg. amp.	6		AH	6 for 6 0
	5 mg. amp.	6		AH, DH, MT	6 " 8 8
	0.3%, 20 cc. bottle	1		AB	1 " 21 4
144	PITRESSIN TANNATE IN OIL, INJECTION OF				
	1 cc. amp.	12	1	PD	6 " 16 0
145	PITUITARY (POSTERIOR LOBE), INJECTION OF				
	0.5 cc. amp.	6		BW, CS, PD	6 " 5 3
	1 cc. amp.	6		BW, CS, PD	6 " 8 7
146	PRIMIDONE				
	0.25 G. tab.	100	2	IC ..	100 " 43 4
147	PROCAINE HYDRO- CHLORIDE IN NORMAL SALINE FOR INJECTION				
	0.1%, 1 litre bottle	2	1	DH	1 " 12 8

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
148	PROCYLIDINE HYDRO-CHLORIDE 5 mg. tab.	100	1	BW	s. d. 100 for 40 0
149	PROGUANIL HYDRO-CHLORIDE 0.1 G. tab.	100	1	IC	100 " 8 5
150	PROMETHAZINE HYDRO-CHLORIDE, INJECTION OF 2.5%, 2 cc. amp.	10		MB	10 " 17 7
150A	PROPHEPYRIDIAMINE PARA-AMINOSALICY- LATE, INJECTION OF 25 mg. per cc., 2 cc. amp.	5		FM	5 " 11 1
151	PROTAMINE SULPHATE 1%, 5 mil. amp.	6		EV	6 " 16 0
	1%, 10 cc. amp.	3		BT	6 " 16 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
152	PROTOLEX				
	2 cc. amp.	12	1	CM	6 for 20 0
	10 cc. amp.	1	1	CM	1 " 14 5
153	PYRIDOXINE HYDRO-CHLORIDE, INJECTION OF				
	50 mg. per cc., 1 cc. amp.	6	1	AN, BL, CM, DH, FM, KL, PD, RO	6 " 17 4
	50 mg. per 2 cc., 2 cc. amp.	6	1	RO, VM	6 " 18 8
	50 mg. per cc., 5 cc. vial	1	1	BD	3 " 9 4
	50 mg. per cc., 10 cc. vial	1	...	LY	1 " 27 0
				KL	1 " 30 0
154	QUININE SULPHATE				
	3 gr. tab.	100	1	BW, DH, TO	100 " 21 4
155	RETICULOGEN				
	0.5 cc. amp.	6	1	LY	3 " 26 8
	5 cc. amp.	1	1	LY	1 " 69 1
156	RINGER'S SOLUTION FOR INJECTION				
	1 litre bottle	4	1	DH	1 " 12 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
157	RONDASE 3 mg. amp.	6	1	EV	s. d. 6 for 41 8
158	SODIUM AUROTHIO- MALATE, AQUEOUS INJECTION OF 0.001 G. amp. 0.002 G. amp. 0.005 G. amp. 0.01 G. amp. 0.02 G. amp. 0.05 G. amp. 0.1 G. amp. 0.2 G. amp.	1 1 1 1 1 6 6 1	3 3 3 3 3 1 1 3	MB MB MB MB MB MB MB MB	1 " 2 1 1 " 2 4 1 " 2 5 1 " 2 11 1 " 3 1 1 " 4 3 1 " 6 0 1 " 9 4
159	SODIUM AUROTHIO- MALATE, OILY INJECTION OF 0.01 G. amp. 0.02 G. amp. 0.05 G. amp.	1 1 6	3 3 1	MB MB MB	1 " 2 11 1 " 3 1 1 " 4 3

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
160	SODIUM CHLORIDE HYPERTONIC SOLUTION FOR INJECTION				
	3%, 1 litre bottle	2	1	DH	1 for 12 8
	5%, 1 litre bottle	2	1	DH	1 " 12 8
161	SODIUM CHLORIDE PHYSIOLOGICAL SOLUTION FOR INJECTION				
	2 cc. amp.	6	1	AD, AH, BL, DH, KL ..	6 " 3 4
	5 cc. amp.	6	1	AD, AH, BL, DH, KL ..	6 " 4 8
	10 cc. amp.	6	1	AD, AH, BL, CS, DH, KL	6 " 6 0
	20 cc. amp.	6	1	BL, DH, KL	6 " 10 0
	50 cc. amp.	3	1	DH, KL	1 " 4 0
	1 litre bottle	2	1	DH	1 " 12 8
	10 cc. vial	2	1	PD	1 " 2 3
162	SODIUM CHLORIDE PHYSIOLOGICAL SOLUTION (WITH DEX- TROSE) FOR INJECTION				
	5%, 1 litre bottle	2	1	DH	1 " 12 8
	10%, 1 litre bottle	2	1	DH	1 " 12 8
	20%, 1 litre bottle	2	1	DH	1 " 12 8
	25%, 1 litre bottle	2	1	DH	1 " 12 8

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
162A	SODIUM LACTATE SOLUTION 1/6 molar, 1 litre bottle ..	2	1	DH	1 for 12 8
163	SODIUM SULPHATE SOLUTION FOR INJECTION 4.28%, 1 litre bottle	2	1	DH	1 „ 12 8
164	SOLAPSONE 7½ gr. tab.	200		BW	500 „ 131 8
165	SUCCINYLSULPHATHIAZOLE 0.5 G. tab.	100		MB, SD	100 „ 26 0
166	SULPHACETAMIDE 0.5 G. tab.	50		FM AD, AN, BS, BT, DH, FA, MG, RY, SC, SI, TO	50 for 7 4 100 „ 14 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
167	SULPHADIAZINE				s. d.
	0.3 G. tab.	50		AB, KL, PD, TO	100 for 18 0
	0.5 G. tab.	50		AD, AN, BT, BYCM, DH, FA, HY, KL, MB, MG, MR, PH, PR, RT , RY, SC, SI, SL, TO ..	100 " 20 0
168	SULPHADIMIDINE				
	0.25 G. tab.	50		IC ..	25 " 4 0
	0.5 G. tab.	50		AN, IC, MG, PR, TO, VR ^{KL} _{RY}	100 " 20 0
169	SULPHAFURAZOLE				
	0.5 G. tab.	50		RO	100 " 43 9

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
170	SULPHAGUANIDINE 0.5 G. tab.	100		AB, AD, AN, BT, BW, CC, CM, DH, HY, KL, MG, NS, PR, RT, RY, SI, SL, TO	s. d. 100 for 8 4
171	SULPHAMERAZINE 0.5 G. tab.	50		AD, AN, DH, FA, HY, KL, MG, PR, RT, RY, SI, TO	100 ,, 20 0
172	SULPHAMETHIZOLE 0.1 G. tab.	30		WW	30 ,, 5 4
173	SULPHAPYRIDINE 0.5 G. tab.	50		MB	100 ,, 16 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
174	SULPHARSPHENAMINE, INJECTION OF				
	0.15 G. amp.	2	1	EV	1 for 2 0
	0.3 G. amp.	2	1	EV	1 " 2 3
	0.45 G. amp.	2	1	EV	1 " 2 8
	0.6 G. amp.	2	1	EV	1 " 3 1
175	SULPHATHIAZOLE				
	0.3 G. cap.	50		LY	100 " 9 3
	0.5 G. tab.	50		MB	100 " 7 1
	0.5 G. tab.	50		BT, HY, KL, PR, TO	100 " 9 4
176	SULPHONAMIDES, MIXED, (A): TWO SULPHONAMIDES				
	0.25 G. tab.	50		DH, PR	100 " 16 0
	0.3 G. tab.	50		AB, HY, KL	100 " 16 0
	0.5 G. tab.	50		HY, KL, MG, MR, PR, TO	100 " 21 9
				AB	100 " 24 8
				DH, VR	100 " 25 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
177	SULPHONAMIDES, MIXED, (B): THREE SULPHONAMIDES				
	0.25 G. tab.	50		CM, MB	100 for 18 8
	0.3 G. tab.	50		AB, KL, PR, TO	100 " 17 4
	0.33 G. tab.	50		AN	100 " 18 8
	0.5 G. tab.	50		AD, AN, CC, CM, FA, FM, HY, KL, MB, MG, MR, PR, RY, SI, SL, TO	100 " 19 4
178	SULPHONAMIDES, MIXED, (C): FOUR SULPHONAMIDES				
	0.3 G. tab.	50		KL	100 " 13 4
	0.5 G. tab.	50		KL	100 " 18 0
179	SUPRARENAL CORTEX EXTRACT, INJECTION OF				
	200 γ per cc., 10 cc. bottle	3	1	PD	1 " 62 8
	10 cc. vial	3	1	AH	1 " 46 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
180	T.A.B. VACCINE (Anti-Typhoid Paratyphoid)				s. d.
	1 cc. amp.	3		CS	1 for 3 7
	10 cc. vial	1		CS	1 " 14 5
181	TETANUS ANTITOXIN				
	500 I.U. (1950) amp.	6	1	CS	1 " 3 9
	1,000 I.U. (1950) amp.	6	1	CS .. .	1 " 5 4
	1,500 I.U. (1950) amp.	6	1	BW, CS ...	1 " 5 7
	10,000 I.U. (1950) amp.	6	1	BW, CS ...	1 " 28 0
182	TETANUS TOXOID (FORMALINISED)				
	1 cc. amp.	3		GL	3 " 10 8
				CS	1 " 3 7
183	THEOPHYLLINE WITH ETHYLENEDIAMINE				
	0.366 G. per 10 mil. amp.	6		AB	6 " 15 8
	0.732 G. per 2 mil. amp.	6		AB	6 " 12 11
	0.48 G. per 2 mil. I.M. amp.	6		AD, DH, HA	6 " 8 8
	0.5 G. per 2 mil. I.M. amp.	6		AH, CM	6 " 8 0
				BW	6 " 8 8
	0.24 G. per 10 mil. I.V. amp.	6		DH, HA	6 " 14 8
	0.25 G. per 10 mil. I.V. amp.	6		AD, AH, BW, CM ..	6 " 14 8

1 Item No.	Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
183—(Contd.)					s. d.
	1½ gr. tab.	100	1	AD, BW, CC, CM, DH, FA, HA, HY, KL, MG, PR, QE, RT, RY, SI, SL, SM, TO	100 for 4 5
	2.34 gr. tab.	100	1	AB	100 „ 16 0
184	THIACETAZONE				
	25 mg. tab.	100		BT	250 „ 26 8
	50 mg. tab.	50		AH, AN	100 „ 13 4
				HT	100 „ 14 0
185	THIOURACIL, METHYL				
	0.05 G. tab.	100	1	AN, BW, TO	100 „ 3 4
	0.1 G. tab.	100	1	AN, BW, TO	100 „ 4 11
	0.2 G. tab.	100	1	AN, BD, BW, MB, TO	100 „ 8 11
186	THIOURACIL, PROPYL				
	25 mg. tab.	100	1	AN, TO	50 „ 5 4
	50 mg. tab.	100	1	AN, TO	50 „ 9 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
187	THYROID, B.P.				s. d.
	1/32 gr. tab.	100	3	CS, DH	100 for 1 4
	1/16 gr. tab.	100	3	CS, DH	100 " 1 4
	1/10 gr. tab.	100	3	CS	100 " 1 4
	1/8 gr. tab.	100	3	CS, DH	100 " 1 4
				BW	100 " 1 7
	1/4 gr. tab.	100	3	AD, CC, CS, DH, FA, PR, SI, SL, TO ..	100 " 1 4
				GP, PD	100 " 1 7
				AS, BW	100 " 1 9
	1/2 gr. tab.	100	3	AD, CC, CS, DH, FA, PR, SI, SL, TO ..	100 " 1 9
				BW	100 " 2 1
				GP, PD	100 " 2 3
				AS	100 " 2 4
	1 gr. tab.	100	3	AD, CC, CS, DH, FA, PR, SI, SL, TO ..	100 " 3 0
				BW	100 " 3 5
				AS, GP, PD	100 " 3 7
	1 1/2 gr. tab.	100	3	AD, CS, DH, SI	100 " 3 8
				GP	100 " 4 3
				BW	100 " 4 5
	2 gr. tab.	100	3	AD, DH, FA, PR, SI, SL	100 " 4 5
				GP	100 " 4 11
				BW	100 " 5 4
				PD	100 " 5 9

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
187—(Contd.)					s. d.
	2½ gr. tab.	100	3	AD, CS, DH, SI	100 for 5 4
				GP	100 " 5 7
				BW	100 " 6 8
	5 gr. tab.	100	3	GP	100 " 8 0
188	TIGER SNAKE ANTI- VENENE				
	1,500 U. amp.	4	1	CS	1 " 60 0
189	TRIETHANOLAMINE TRINITRATE				
	1 mg. tab.	100	1	SC	100 " 8 11
190	TROXIDONE				
	0.3 G. cap.	100	1	AB	100 " 40 0
	0.15 G. tab.	100	1	AB	100 " 23 5
191	VASOPRESSIN, INJEC- TION OF				
	0.5 cc. amp.	6	...	CS, PD	6 " 9 4
	1 cc. amp.	6	...	CS, PD	6 " 16 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
192	VITAMIN K, AQUEOUS INJECTION OF				s. d.
	2.5 mg. per 0.5 cc. amp.	6	1	AB	6 for 6 8
	5 mg. per 1 cc. amp.	6	1	AB, AD, BL, FM	6 " 6 8
	10 mg. per 1 cc. amp.	6	1	AD, BL, DH, GL, KL, RO	6 " 6 8
				BT	12 " 13 4
	75 mg. per 1 cc. amp.	6	1	BL, OR	6 " 18 0
193	VITAMIN K, OILY INJECTION OF				
	5 mg. per 1 cc. amp.	6	1	AD, CK	6 " 5 11
				BD, BW, VM	6 " 10 0
	10 mg. per 1 cc. amp.	6	1	AD, DH, KL	6 " 10 0
194	VITAMIN K (Oral)				
	1 mg. cap.	100	1	BA	25 " 1 8
	4 mg. cap.	100	1	PD	100 " 18 8
	1 mg. tab.	100	1	LY	500 " 15 1
	4.8 mg. tab.	100	1	AB	100 " 6 0
	5 mg. tab.	100	1	AD, BD, DH, FM, KL, PR, RT, SI, TO	100 " 5 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Strength and Form	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is available as a Benefit	6 Rate
					s. d.
194—(Contd.)					
10 mg. tab.	100	1	AD, BD, CM, CK, DH, GL, HY, KL, PR, RO, RT, SI, TO	100 for 8 0	
195 WATER FOR INJECTION					
2 cc. amp.	6	3	AD, AH, BL, DH, EV, KL, SJ ..	6 ,, 3 4	
5 cc. amp.	6	3	AD, AH, BL, DH, EV, KL, SJ ..	6 ,, 4 0	
10 cc. amp.	6	3	AD, AH, AN, BL, CS, DH, EV, KL	6 ,, 5 4	
196 WYDASE					
150 U. amp.	5	1	WY	1 ,, 7 7	

LIST B (Part 1)

SECOND SCHEDULE (RESTRICTED DRUGS)

The drugs set out in Column 2 of the following table may be ordered only for the treatment of a disease or purpose specified in relation to each of those drugs.

Details regarding these drugs are set out in the List of Benefits at the end of the table.

Prescriptions for Restricted Drugs must be endorsed "Restricted Drug". See paragraph 3 of the Notes on General Pharmaceutical Benefits for further information.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
1	Aureomycin	Acute amoebic dysentery; Acute and sub-acute bacterial endocarditis-streptococcus faecalis; Staphylococcal infections which do not respond to penicillin; Pneumonia which has not responded to penicillin nor to sulphonamides; Psittacosis; Urinary tract infections due to streptococcus faecalis; Leptospirosis; Scrub Typhus.
1A	Aureomycin Granules	
1B	Aureomycin Oral Suspension	
2	Calcium Para-Aminosalicylate	
3	Caramiphen Hydrochloride	Parkinsonism.
4	Chloramphenicol	Typhoid Fever; Brucellosis; Typhus and other rickettsial diseases; Influenzal meningitis; Granuloma inguinale;

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
4	(Contd.)	Lymphogranuloma venereum; Whooping cough (haemophilus pertussis); Infections due to haemophilus influenza; Acute Laryngo-tracheo-bronchitis; Salmonella infections; Severe gastro-enteritis in children; Staphylococcal infections that do not respond to either penicillin or aureomycin; Urinary tract infections due to gram negative bacilli that do not re- spond to sulphonamides; Meningitis due to bacterium coli if other forms of treatment are un- successful; Scrub Typhus.
5	Chlorampheni- col Palmitate	Any disease or purpose specified in this column in relation to chloram- phenicol.
6	Cortisone Acetate	Acute rheumatic carditis; Addison's disease; Status Asthmaticus; Total adrenalectomy.
6A	Cyanocobala- min	Established megalocytic anaemias.
7	Deoxycortone Acetate, Aqueous Injection of	Addison's disease.
8	Deoxycortone Acetate, Aqueous Suspension of	Addison's disease.
9	Deoxycortone Acetate, Oily Injection of	Addison's disease.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
10	Dienoestrol	Carcinoma of the prostate; Mammary carcinoma.
11	Dihydrostrep- tomycin	Any disease or purpose specified in this column in relation to strep- tomycin, but only if the person being treated for that disease or purpose is allergic to streptomycin.
12	Folic Acid	Sprue or the sprue-like syndrome.
13	Isoniazid	Tuberculosis.
13A	Methorphan	Inoperable cancer.
13B	Oxytetra- cycline	Any disease or purpose specified in this column in relation to aureo- mycin.
13C	Oxytetra- cycline, Oral Suspension	Any disease or purpose specified in this column in relation to aureo- mycin.
14	Pancreatin	Fibrocystic disease of the pancreas.
15	Para-Amino- salicylic Acid	Tuberculosis.
16	Phenindamine Tartrate	Parkinsonism.
17	Progesterone, Injection of	Threatened abortion.
18	Quinine Bisulphate	Malaria.
19	Quinine Dihy- drochloride	Malaria.
20	Quinine Hydro- chloride	Malaria.
21	Quinine Sulphate	Malaria.
22	Sodium Para- Aminosalicy- late	Tuberculosis.
23	Stilboestrol	Carcinoma of the prostate; Mammary carcinoma.
24	Streptomycin	Infections due to haemophilus influenza; Chancroid; Pneumonia due to Bacillus Fried- lander;

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
24	(Contd.)	Acute tuberculosis; Acute exacerbations in chronic tuberculosis; Salmonella infections; Bacillary dysentery not responding to sulphonamides; Surgical conditions of the bowel and of the thoracic organs; Tularaemia; Infections due to pseudomonas pyocyaneus.
24A	Streptomycin Sulphate, Intrathecal Injection of	Tuberculous meningitis.
25	Streptomycin Sulphate, Solution for Injection	Any disease or purpose specified in this column in relation to strep- tomycin.
28	Testosterone	Mammary carcinoma; Castration.
29	Testosterone, Methyl	Mammary carcinoma; Castration.
30	Testosterone Oenanthalate, Injection of	Mammary carcinoma; Castration.
31	Testosterone Phenyl Propionate, Injection of	Mammary carcinoma; Castration.
32	Testosterone Propionate, Injection of	Mammary carcinoma; Castration.
33	Tetracycline	Any disease or purpose specified in this column in relation to aureo- mycin.
34	Tetracycline Granules	
35	Tetracycline Paediatric Drops	

LIST B (Part 2)

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
1	AUREOMYCIN				
	50 mg. cap.	25		LE	25 for 28 8
	100 mg. cap.	25		LE	25 " 52 0
	250 mg. cap.	16		LE	16 " 76 0
	100 mg. vial	6		LE	1 " 16 0
	1A AUREOMYCIN GRANULES				
	75 G. bottle	1		LE	1 " 45 0
	1B AUREOMYCIN ORAL SUSPENSION				
	100 mg. per cc., 10 cc. vial	1		LE	1 " 21 4
2	CALCIUM PARA-AMINOSALICYLATE				
	1.5 G. cachet	200	1	KL, WA	200 " 62 8
	2.0 G. cachet	200	1	KL, WA	200 " 82 8
	5 gr. tab.	200	1	WA	250 " 41 8
	7½ gr. tab.	200	1	WA	200 " 17 8
				KL	200 " 18 0
	100 G. tin	1	1	WA	1 " 33 8
	400 G. tin	1	1	WA	1 " 116 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
3	CARAMIPHEN HYDROCHLORIDE 0.05 G. tab.	100	1	GE	s. d. 50 for 21 0
4	CHLORAMPHENICOL 0.125 G. cap. 0.25 G. cap.	16 16		PD PD	16 " 26 8 16 " 48 8
5	CHLORAMPHENICOL PALMITATE 0.125 G. per 4 cc., 60 cc. bottle	1		PD	1 " 27 4
6	CORTISONE ACETATE 25 mg. tab. 25 mg. per cc., 10 cc. vial 25 mg. per cc., 20 cc. vial 50 mg. per cc., 10 cc. vial	40 1 1 1	1 1	AD, AN, BD, BT, KL, MK, PR, UP RL, SC BT, RL AN, MK, SC MK, SC	40 " 120 0 20 " 60 0 1 " 44 0 1 " 88 0 1 " 88 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
6A	CYANOCOBALAMIN				s. d.
10	γ per 1 cc. amp.	12	1	BD, DH	6 for 6 0
20	γ per 1 cc. amp.	12	1	AN, BD, CK, CM, DH, GL, KL, SI	6 " 7 0
				BW, EV, IC	5 " 5 4
				NS	6 " 10 5
				VM	6 " 10 8
				BT	6 " 11 0
50	γ per 1 cc. amp.	6	1	AH, AN, BD, CK, DH, GL	6 " 8 0
				BW, EV, IC	5 " 6 1
				NS	6 " 12 11
				BT, VM	6 " 13 9
50	γ per cc., 10 cc. vial	1		GL, PD	1 " 9 4
100	γ per 1 cc. amp.	6	1	AH, AN, BD, CK, CM, DH, GL, KL, PD, SI	6 " 10 8
				BW, EV, IC	5 " 8 1
				BT	6 " 16 0
				VM	6 " 20 0
100	γ per cc., 10 cc. vial	1		CM, GL, KL	1 " 14 8
200	γ per 1 cc. amp.	1		BT	6 " 26 8
1000	γ per 1 cc. amp.	1		AN, CM, KL	1 " 16 8
				BD	3 " 46 8
				BT, DH, GL	6 " 93 4
1000	γ per cc., 10 cc. vial	1		CM, GL, KL	1 " 120 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
7	DEOXYCORTONE ACETATE, AQUEOUS INJECTION OF				s. d.
	5 mg. amp.	5		SC	3 for 20 0
				CB	5 " 42 1
	50 mg. amp.	1		CB	1 " 70 1
				SC	5 " 200 0
8	DEOXYCORTONE ACETATE, AQUEOUS SUSPENSION OF				
	25 mg. amp.	1		CB	1 " 38 9
9	DEOXYCORTONE ACETATE, OILY INJECTION OF				
	2 mg. amp.	4		OR	4 " 13 4
	5 mg. amp.	4		CB, OR, SC	4 " 26 8
				BD	3 " 20 0
	10 mg. amp.	4		CB, OR, SC	4 " 46 8
				BD	3 " 35 0
	50 mg. implant	1		BD, OR	1 " 46 8
	100 mg. implant	1		BD, CB, OR, SC	1 " 86 8
	5 mg. per cc., 5 cc. vial	1		OR	1 " 33 4
	10 mg. per cc., 10 cc. vial	1		CB, OR	1 " 111 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
10	DIENOESTROL				s. d.
	5 mg. tab.	100	1	AD, AN, BD, DH, KL, MG, PR, SI, SL, TO	100 for 6 8
	10 mg. tab.	100	1	DH, KL, PR, TO	100 ,, 12 8
11	DIHYDROSTREPTOMYCIN				
	1 G. vial	5	3	AN, BD, EC, GL, SC, SP	1 ,, 5 1
12	FOLIC ACID				
	15 mg. per cc., 1 cc. amp.	12		AN KL, LE	6 ,, 16 0 12 ,, 33 4
	5 mg. tab.	100	1	AD, AN, CM, HY, KL, MG, PD, PR, SI, TO	100 ,, 24 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
13	ISONIAZED				
	50 mg. tab.	100	1	PH	100 for 5 4
				AD, DH, NS,	
				QE, SI,	
				TO	100 " 6 0
				AN, HT,	
				HY, KL,	
				PR, RO	
				SC	100 " 9 4
				MB	500 " 28 11
	100 mg. tab.	100	1	AN, KL, PR,	
				QE, RO ..	100 " 16 0
				MB	500 " 42 8
13A	METHORPHINAN				
	2.2 mg. per 1.1 cc. amp.	6		RO	6 " 8 0
	1.5 mg. tab.	25		RO	20 " 6 8
13B	OXYTETRACYCLINE				
	50 mg. cap.	25		PF	25 " 28 8
	100 mg. cap.	25		PF	25 " 52 0
	250 mg. cap.	16		PF	16 " 76 0
	50 mg. tab.	25		PF	25 " 28 8
	100 mg. tab.	25		PF	25 " 52 0
	250 mg. tab.	16		PF	16 " 76 0
	100 mg. vial, Intramuscular	6		PF	1 " 28 0
	250 mg. per 10 cc. vial,				
	intravenous ..	6		PF	1 " 28 0

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
13C	OXYTETRACYCLINE ORAL SUSPENSION 0.25 G. per 5 cc., 1 fl. oz. bottle	1		PF	s. d. 1 for 43 8
14	PANCREATIN 5 gr. tab.	100		PD	100 " 14 0
	1 oz. vial	1	2	OP	100 " 18 0
				PD	1 " 6 8
15	PARA-AMINOSALICYLIC ACID 0.3 G. tab.	200	1	KL	200 " 18 0
				DH	100 " 10 0
				HY	200 " 33 4
	0.5 G. tab.	200	1	AN, HY, KL, PR	200 " 20 0
				TO	100 " 10 0
				DH	100 " 10 8
				AD, SI	400 " 35 4
16	PHENINDAMINE TARTRATE 25 mg. tab.	100	1	RO	250 " 38 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
17	PROGESTERONE, INJECTION OF				s. d.
	5 mg. amp.	6		BD, BT, FM, KL, OR ..	6 for 16 0
				SC	3 " 8 0
				CB	3 " 8 8
	10 mg. amp.	6		BD, FM, KL, OR	6 " 22 0
				SC	3 " 11 0
				CB	3 " 11 3
				BT	6 " 23 8
	20 mg. IV. amp.	3		SC	3 " 43 4
18	QUININE BISULPHATE				
	5 gr. tab.	100	1	BW, DH, FA, HY, PD, SL, TO	100 " 13 4
19	QUININE DIHYDRO-CHLORIDE				
	3 gr. per cc., 1 cc. amp.	6	1	DH	6 " 5 4
	6½ gr. per cc., 1 cc. amp.	6	1	DH	6 " 6 8
	9½ gr. per 2 cc. amp.	6	1	DH	6 " 7 4
	15½ gr. per 2 cc. amp.	6	1	DH	6 " 14 8
	5 gr. cap.	100	1	PD	100 " 25 8
	5 gr. tab.	100	1	DH	100 " 18 11

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
20	QUININE HYDRO-CHLORIDE				s. d.
	5 gr. tab.	100	1	DH	100 for 18 11
21	QUININE SULPHATE				
	5 gr. tab.	100	1	AD, DH, HY, PR, SI, TO	100 „ 16 8
22	SODIUM PARA-AMINO-SALICYLATE				
	1.5 G. cachet	200	1	WA	200 „ 60 0
				AN, KL, WB	200 „ 66 8
				BT	100 „ 40 0
				HT	500 „ 126 0
	2.0 G. cachet	200	1	WA	200 „ 80 0
				KL	200 „ 88 0
	0.5 G. cap.	200	1	HA	500 „ 106 8
	5 gr. tab.	200	1	CM, HY, KL	200 „ 18 8
				CB, DH	100 „ 10 0
				AD, SI	400 „ 32 0
				WA	250 „ 41 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
22—(Contd.)					s. d
7½ gr. tab.	200	1	WA	200 for 17	0
			AN, CM,		
			HY, KL,		
			MG, PR		
			RY	200	" 20 0
			TO	100	" 10 0
			CB, DH	100	" 10 8
			AD, SI	400	" 35 4
			BT, HT	500	" 44 4
			HA	500	" 103 4
20%, 10 cc. vial	6		AN, HT, KL	6	" 18 3
			WA	6	" 48 0
23	STILBOESTROL				
1 mg. amp.	6		AH, BD, DH	6	" 3 9
5 mg. amp.	6		AH, BD,		
			BW, DH,		
			KL	6	" 4 3
1 mg. tab.	100	1	AD, AN, BD,		
			BW, DH,		
			FA, HA,		
			HY, MG,		
			PR, RT,		
			RY, SI,		
			SL, TO	100	" 2 8
5 mg. tab.	100	1	AD, AN, BD,		
			BW, DH,		
			FA, HA,		
			HY, KL,		
			MG, PR,		
			RT, RY,		
			SI, SL, TO	100	" 5 4

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
23—(Contd.)					s. d.
	10 mg. tab.	100	1	CM, DH, KL, TO	100 for 9 4
24.	STREPTOMYCIN 1 G. vial	5	3	AH, AN, BD, BT, BW, EC, EV, GL, IC, MB, PF, SC, SI, SP	1 „ 5 1
24A	STREPTOMYCIN SULPHATE, INTRA- THECAL INJECTION OF 100,000 U. amp.	10	3	EV	10 „ 19 5
25	STREPTOMYCIN SULPHATE SOLUTION FOR INJECTION 250,000 U. per mil., 4 mil. vial	5	3	AH, BW, EV	1 „ 5 7
	500,000 U. per mil., 2 mil. vial	5	3	BT, GL	1 „ 5 7

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
28	TESTOSTERONE				s. d.
	100 mg. implant	1		BD, CB, OR, SC	1 for 46 8
	150 mg. implant	1		OR	1 " 64 8
	200 mg. implant	1		OR	1 " 82 8
29	TESTOSTERONE METHYL				
	25 mg. tab.	25	1	HY, KL, PR AN BD, OR CB SC BT BS	25 " 21 4 25 " 33 8 25 " 43 0 10 " 17 4 20 " 34 8 25 " 51 4 25 " 61 0
	50 mg. tab.	25	1	HY, KL, PR AN BD, OR SC BT BS	25 " 42 8 25 " 62 8 25 " 82 0 20 " 65 8 25 " 97 8 25 " 115 8
30	TESTOSTERONE OENANTHATE, INJECTION OF				
	250 mg. per cc., 1 cc. amp.	1		SC	1 " 54 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose product is available as a Benefit	Rate
31	TESTOSTERONE PHENYL PROPIONATE, INJECTION OF				s. d.
	50 mg. per cc., 1 cc. amp.	3		OR	3 for 33 4
	50 mg. per cc., 5 cc. vial	1		OR	1 " 54 8
32	TESTOSTERONE PROPIONATE, INJECTION OF				
	25 mg. per 1 cc. amp.	12		AH, AN, FM, KL ..	6 " 24 0
				OR	12 " 56 8
				BD	6 " 30 0
				CB	10 " 47 4
				SC	3 " 16 0
				BS	10 " 56 8
				BT	6 " 41 0
				BW	12 " 91 4
	50 mg. per 1 cc. amp.	12		AH, FM, KL	6 " 42 8
				CB, OR	12 " 102 0
				BD	6 " 53 4
				SC	3 " 28 4
				BS	25 " 246 8
	50 mg. per cc., 10 cc. vial	1		KL	1 " 71 0
				CB, OR, SC	1 " 82 8
	100 mg. per 2 mil., 2 mil. amp.	1		BD, OR, SC	3 " 52 0
				FM	6 " 85 4
	100 mg. implant	1		BD	1 " 46 8

1	2	3	4	5	6
Item No.	Name, Strength and Form	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
33	TETRACYCLINE				s. d.
	50 mg. cap.	25		LE, PF	25 for 28 8
	100 mg. cap.	25		LE, PF	25 " 52 0
	250 mg. cap.	16		LE, PF	16 " 76 0
	50 mg. tab.	25		PF, SQ	25 " 28 8
	100 mg. tab.	25		PF, SQ	25 " 52 0
	250 mg. tab.	16		PF, SQ	16 " 76 0
	100 mg. vial	6		LE, PF	1 " 16 0
	100 mg. vial, Intramuscular	6		LE	1 " 16 0
	250 mg. vial	6		PF	1 " 28 0
34	TETRACYCLINE GRANULES				
	75 G. bottle	1		LE	1 " 45 0
35	TETRACYCLINE PAEDIATRIC DROPS				
	100 mg. per cc., 10 cc. vial	1		SQ	1 " 20 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

LIST C

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item No.	Column 2 Pharmaceutical Benefit	Column 3 Form	Column 4 Maximum Quantity
2	Adrenalin Hydrochloride, Solution of	Ampoule Bottle	6 1
41	Digoxin	Ampoule Bottle Tablet	12 1 100
43	Dihydromorphinone	Ampoule Hypodermic Tablet Tablet	4 20 20
48	Diphtheria Antitoxin	Ampoule	6
107	Morphine Sulphate	Ampoule Hypodermic Tablet	6 40
108	Morphine with Atropine	Ampoule Hypodermic Tablet	6 40
126	Penicillin Procaine, Aqueous Suspension of	Ampoule or Vial	12
133	Pethidine Hydrochloride	Ampoule Tablet	6 25

Column 1 Item No.	Column 2 Pharmaceutical Benefit	Column 3 Form	Column 4 Maximum Quantity
145	Pituitary (Posterior Lobe), Injection of	Ampoule	12
167	Sulphadiazine		
168	or Sulphadimidine		
171	or Sulphamerazine	Tablet	100
176	or Sulphonamides, Mixed, (A): Two Sulphonamides		
177	or Sulphonamides, Mixed, (B): Three Sulphonamides		
178	or Sulphonamides, Mixed, (C): Four Sulphonamides		

Special attention is drawn to the fact that only one of the above Sulpha drugs may be ordered in any one month. (See paragraph 4, Page B, Section A.)

PROPRIETARY INDEX

FIRST SCHEDULE

Preparation	Item No.	Code
A		
Acetocid	166	BS
Acetylarsan	1	MB
Adanon	6	BA
Albucid	166	SC
Aminophylline	183	
Anacardone	114	BD
Anahaemin	8	BD
Anahepol	9	AH
Anginine Stabilised	72	BW
Ansolysen	128A	MB
Ansolysen Retard	128B	MB
Anthisan	99	MB
Antistine	10	CB
Aquacillin	126	FA
Aralen	27	BA
Artane	13	LE
Auro-Calcium	18	CK
Aurothiomalate Calcium	18	
Aurothiomalate Sodium	158, 159	
Aylon	96, 125, 133, 135	IC
Avloprocil N.A.	127	IC
Avlosulfon	29	IC
B		
B.A.L.	45	BT
Banocide	37	BW
Benadon	153	RO
Benadryl	46	PD
Berna	83, 88	SE
Bisalevan	17	EV
Bismol	16	DH
Bismostab	14	BT
Bisoxyl	15	BD
Bi-Stabillin	127	BT
Bisvene	15	EV

C

Campolon	21	BA
Campolon Forte	22	BA
Cardiazol	93	KN
Cardigen	40	PD
Cardophyllin	183	HA
Carine	183	KL
Casydrol	25	FC
Cedilanid	30A	SZ
Cemalonal	137	CM
Cetasulph	140	CM
Cilicaine Fortified	127	SI
Cilicaine Simplex	127	SI
Cilicaine Suspension	126	SI
Coramine	114	CB
Corvotone	114	BT
Crystodigin	40	LY

D

D.A.D.P.S.	29	AN
Darrow's Solution	30	DH
Davitamon K	192	OR
Demerol	133	BA
Detoin	139	KL
D.H.E. 45	42	SZ
Diamidin	34	PD
Dicoumarin	35	OR
Digicristin	40	CM
Digifortis	38	PD
Dilantin	139	PD
Dilaudid	43	KN
Dimerazole	176	VR
Dimerzine	176	DH
Dimidi-Sulph	168	VR
Dindevan	138	EV
Diparcol	36	MB
Distaquaine	127	
Distaquaine Forte	127	MB
Distaquaine Fortified	127	
Distaquaine G.	127	EV
Distaquaine Suspension	126	
Disulpha	176	TO

Preparation	Item No.	Code
Disulphettes	176	HY
Diurophylin	183	CM
Duozone	176	AB

E

E.D.C.	65	NS
Embequin	44	MB
Enterocid	140	BS
Entero-Vioform	56	CB
Eptoin	139	BT
Ergotrate	59	LY
Eschatin	179	PD
Estopen	124	GL
Ethodryl	37	BD
Eucortone	179	AH
Eumydrin	105	BA
Evarsan	110	EV
Examen	66	GL
Exatrope	67	GL

F

Forticil	128	FA
----------------	-----	----

G

Gantrisin	169	RO
Gardenal Sodium	137	MB
Glucophylline	183	AB
Gynergen	61	SZ
Guanaflex	170	CM

H

Hepa-B-plex "5"	95	PR
Heparin Retard	76	BT
Hepastab	77	BT
Hepastab Forte	78	BT
Hepatex-T	79	EV
Hepolon	80	AH
Heptalgin	136	GL
Hetrazan	37	LE
Hexa-Betalin	153	LY
Hexavibex	153	PD
Histostab	10	BT
Hyalase	81	FC
Hykinone	192, 194	AB

Preparation

Item No.

Code

I

Indemex	138	IC
Infatab	167	PD
Infundin Pituitary	145	BW
Isuprel	89	ST

K

Kapilin	192, 194	GL
Kappaxan	194	BA
Kavitine	192, 193, 194	KL
Kayvite	194	SI
Kemadrin	148	BW
Kinaden	91	SC
K-Thrombin	194	FM
K-Thrombin Aqueous	192	FM

L

Leo	86	NO
Leucarsone	24	MB
Levophed	114A	ST
Liquemin	75	RO
Livadex	100	BD

Liver Injections—

Anahaemin	8	
Anahepol	9	
Campolon	21	
Campolon Forte	22	
Examen	66	
Exatrope	67	
Hepastab	77	
Hepastab Forte	78	
Hepatex-T	79	
Hepolon	80	
Livadex	94	
Liver Extract	95	
Neo-Hepatex	111	
Pernaemon Crudum	129	
Pernaemon Fort	130	
Pernexin	131	
Protolex	152	
Reticulogen	155	

Lucodan	43	KN
Lysivane	63	MB

Preparation	Item No.	Code
M		
Malidone	5	BS
Mapharsen	117	PD
M. & B. 693	173	MB
Megacillin	126	FA
Menaphthone	193	
Meonine	103	WY
Meradiazine	176	HY
Mesantoin	104	SZ
Methadon	6	ST
Methergin	105A	SZ
Methnine	103	MR
1/6 Molar Lactate	162A	DH
Moryl	23	SY
Multisulpha	178	KL
Multisulphettes	178	KL
Mycardol	128AA	ST
Mylipen	126	GL
Myocrisin	158, 159	MB
Mysoline	146	IC

N		
Neo-Epineine	90	BW
Neo-Hepatex	111	EV
Neoici	110	GA
Neo-Mercazole	24A	BS
Neptal	101	MB
Neustab	184	BT
Nicamide	114	BW
Nivaquine	27	MB
Normal Saline	161	
Novarsenobillon	110	MB

O		
Omnopon	120	RO
Omnopon-Scopolamine	120A	RO

Preparation

Item No.

Code

P

Palatinoid	60	OP
Paludrine	149	IC
Paradione	122	AB
Parenamine	123	ST
Paroidin	122A	PD
Penaquacaine G.	127	CS
Penaquacaine G. Fortified	127	CS
Pentide	115	AH
Pentnucleotide	115	MJ
Peritrate	128AA	WW
Pernaemon Crudum	129	OR
Pernaemon Forte	130	OR
Pernexin	131	SC
Pethanal	133	CM
Petein	132	SC
Phenergan	150	MB
Phrenazol	93	BT
Physeptone	6	BW
Pipanol	13	ST
Pitocin	118	PD
Pitressin	191	PD
Pituitary Obstetrical	145	CS
Pituitary Surgical	191	CS
Pituitrin Obstetrical	145	PD
Pituitrin Surgical	191	PD
Plasmoquine	119	BA
Praenitron	189	SC
Procillin	128	DH
Procillin A.S.	126	DH
Procillin Dry	127	DH
Procillin Dry Fort.	127	DH
Procillin Injecs	128	DH
Procillin Injecs A.S.	126	DH
Procillin One Million	128	DH
Prokayvit	193, 194	BD
Prominal	135	BA
Promiton	135	KL
Pro-Stabillin	127	BT
Pro-Stabillin A.S.	126	BT
Prostigmin	112, 113	RO
Protolex	152	CM
Purodigin	40	WY
Pyridermine	153	CM
Pyrivel	153	VM

Preparation	Item No.	Code
R		
Reticulogen	155	LY
Ringer's Solution	156	DH
Rondase	157	EV
S		
Salyrgan	102	BA
Savorquin	44	SY
Seclophen	127	GL
Seroden	184	AH
Solganal—B Oleosum	12	SC
Solutox	166	FM
S.P.N.	115	EV
Sulazine	167	SC
Sulfasuxidine	165	SD
Sulfathalidine	141	SD
Sulphaco	177	CM
Sulphaco Mitis	177	CM
Sulphacompound Tres	177	KL
Sulphadiazinettes	167	KL
Sulphadital	177	FM
Sulphaduo	176	KL
Sulphamezathine	168	IC
Sulpharsan	174	EV
Sulphatriad	177	MB
Sulphetrone	164	BW
Sulphonamix	177	SI
Synkamine	194	PD
Synkavit	192, 194	RO
Synthanal	6	CM
T		
Tabloid	11, 39, 41, 54, 57, 59, 62, 82, 107, 108C, 133, 154, 170, 185, 187	BW
Talecid	140	SC
Thalacet	140	VR
Thalazole	141	MB
Thiazamide	175	MB

Preparation	Item No.	Code
Thiomerin Sodium	100	WY
Thioparamizone	184	HT
Three Sulphas	177	AD
Ti-bi-zone	184	AN
Triazol	177	AB
Tridione	190	AB
Trinavac	50	SD
Triogen	50	PD
Triple Antigen	50	CS
Triple Sulpha	177	TO
Triple Sulphonamides	177	FA
Trisulfa	177	AN
Trisulfettes	177	AN
Trizettes	177	TO
Trombolysan	64	GE
Two Sulphas	176	MR

U

Urolucosil	172	WW
------------------	-----	----

V

Vasitrin	72	DH
Vegolysen	80A	MB
Vegolysen Retard	80B	MB
Vegolysen-T	80C	MB
Vitavel K	193	VM
Viules	11, 15, 82, 114, 120, 133, 134, 137	BT
Viules Pro-Stabillin A.S.	126	BT
Viules Pro-Stabillin Oily	128	BT

W

Wydase	196	WY
--------------	-----	----

Y

Yatren	26	BA
--------------	----	----

PROPRIETARY INDEX

SECOND SCHEDULE—RESTRICTED DRUGS

Preparation	Item No.	Code
A		
Achromycin	33	LE
Achromycin Spersoids	34	LE
Aminacyl	2, 22	WA
Aminacyl Granulate	2	WA
Anacobin	6A	BD
Andrazide	13	AN
Aureomycin	1	LE
Aureomycin Spersoids	1A	LE
Aureomycin Suspension	1B	LE
Avil	17A	FM
B		
Benol	6A	KL
Benol Forte	6A	KL
Benol 1000	6A	KL
C		
Calcipas	2	KL
Chloromycetin	4	PD
Chloromycetin Palmitate	5	PD
Cortadren	6	SC
Cortic	6	AD
Cortone	6	MK
Cytamen 20, 50, 100, 1000	6A	GL
Cytobex	6A	PD
D		
Distivit	6A	
D.O.C.A.	9	OR
Dromoran	13A	RO
E		
Ertuban	13	SC
Euhaemon	6A	AH
F		
Folvite	12	LE

Preparation	Item No.	Code
H		
Heptamin	6A	SI
I		
Intraviron	32	BS
Intravite B 12	6A	NS
Isotinyll	13	KL
Isozide	13	NS
L		
Lutocyclin	17	CB
M		
Megalovel	6A	VM
N		
Neo-Hombreol	32	OR
O		
Oraviron	29	BS
Osacyl	22	CB
Oxytetracycline	13B	PF
Oxytetracycline Oral Suspension	13C	PF
P		
Palatinoid	14	OP
Pancreatin Powder	14	PD
Panteric Tabs.	14	PD
Para-Aminosalicylate Calcium	2	
Para-Aminosalicylate Sodium	22	
Paramisan Sodium	22	HT
Parasol Sodium	22	CM
Parentosal B 12	6A	CM
Parpanit	3	GE
Pasan	22	KL
Pasing	11, 24	EC
Perandren	28, 29, 32	CB
Percorten	7, 8, 9	CB
Primocort	7, 9	SC
Primoteston Depot	30	SC
Progestin	17	
Proluton	17	SC
Pycazide	13	HT

Preparation	Item No.	Code
R		
Rimifon	13	RO
S		
Scheroson	6	SC
Specia	24	SP
Specia Didromycine	11	SP
Steclin	33, 35	SQ
Streptaquine	25	
Streptomycin	24	
Streptomycin Dihydro	11	
Streptomycin Intrathecal	24A	EV
Streptomycin Sulphate, Solution for Injection	25	
T		
Tabloid	18, 23	BW
Tebos	13	HY
Testine	32	KL
Testogenine	32	FM
Testoviron	28, 29, 32	SC
Tetracyn	33	PF
Thephorin	16	RO
V		
Vibion	6A	AN
Vibion Forte	6A	AN
Viules	17, 25, 32	BT
Viules Cobastab	6A	BT
Viules Cobastab 200	6A	BT

Section B

PENSIONER PHARMACEUTICAL BENEFITS

1. Prescriptions for these benefits must be endorsed "N.H.S." and bear the words "Pensioner Benefit". On no account must the pension number of the patient be omitted: such omission will result in the prescription being refused.

2. In addition to other requirements set out in the General Notes, a prescription for a pensioner pharmaceutical benefit must—

- (a) indicate the form of benefit if it is a single drug, e.g., in the case of olive oil the prescription must indicate whether it is to be supplied as a mixture, application, liniment, &c.;
- (b) must not prescribe a general as well as a pensioner pharmaceutical benefit;
- (c) must not prescribe more than two pensioner pharmaceutical benefits;
- (d) must not prescribe the benefit by reference to a brand or in any other manner that would indicate a brand.

Unless these and other requirements set out in these Notes are complied with the prescription will not be accepted for dispensing by the chemist as a pensioner pharmaceutical benefit.

3. Pensioner pharmaceutical benefits comprise—

- (a) any drug or medicinal preparation which is the subject of a monograph in the 1953 B.P., except medicinal gases and general pharmaceutical benefits;
- (b) drugs and medicinal preparations set out in List A at the end of this section;
- (c) medicinal compounds composed of two or more of the drugs or medicinal preparations referred to in (a) and (b) of this sub-paragraph;
- (d) any item in the Prescribers' List herewith. This list contains for your convenience a representative selection of medicaments approved by a special committee of the British Medical Association. It is requested that this list be used whenever practicable.

If it is desired to alter a formula in the Prescribers' List by adding one or more drugs to the formula, the name of the formula as it appears in the List may be used, e.g.,

R Pot. Bromid. gr. x
Mist. Gent. Alk ad $\frac{1}{2}$ fl. oz.

In all other cases where a formula is departed from, the formula title must not be used; the prescription should be written out in full.

If the formula of a hospital or other institution is used please append the initials of the particular formula; e.g.,

R Mist. Pot. Bromid. R.M.H.

4. The following may not be prescribed alone; they must be compounded with another pensioner pharmaceutical benefit.—Alcohol, ether, chloroform, industrial methylated spirit, and any drug or medicinal preparation set out in List A other than the following (which may be prescribed alone)—cachets, capsules, creams, extracts, eye ointments, glycerines, injections, liniments, liquors, mixtures, ointments, pills, syrups, suppositories and tablets.

5. It should be noted particularly that if a pensioner pharmaceutical benefit is desired to be supplied in the form of a cachet, capsule, pill or tablet, that form may be prescribed only if it is specified in List A as a benefit in that particular form or is the subject, in that form, of a monograph in the B.P. 1953. Some drugs of a particular nauseous character may be prescribed in capsule form. In such cases, please ascertain from the Deputy-Director in your State if they are allowable.

6. Maximum quantities and numbers of repeats are set out in the table appearing in pages C and D. It should be noted that in a few cases of single drugs or preparations specific maxima have been set out, but otherwise maxima have been standardised.

Where a single drug is ordered the maxima will be governed by the form in which the benefit is directed to be supplied, e.g., as a lotion, liniment, &c.

PENSIONER PHARMACEUTICAL BENEFITS

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS

Class of Prescription	Maximum Quantity	No. of Repeats (in addition to first supply)
Applications	4 fl. oz.	1
Capsules	12 capsules	1
Collodions	120 min.	1
Cream of Penicillin	240 gr.	—
All other Creams	1920 gr.	2
Draughts	4 fl. oz.	—
Dusting Powders	1920 gr.	1
Ear Drops	1 fl. oz.	—
Elixirs	4 fl. oz.	1
Emulsions	16 fl. oz.	1
Enemas	4 fl. oz.	1
Extracts, Fluid	4 fl. oz.	—
Extracts of Malt	1 lb.	3
Extracts of Malt with Cod Liver Oil	1 lb.	3
Eye Drops	120 min.	—
Eye Lotions	6 fl. oz.	1
Eye Ointment of Penicillin	60 gr.	—
All other Eye Ointments	120 gr.	—
Gargles and Mouth Washes	8 fl. oz.	—
Gelatins	1920 gr.	3
Glycanths	240 gr.	1
Glycerines	2 fl. oz.	1
Inhalations	2 fl. oz.	—
Injections		
Ampoules	6 amps.	1
Vials	1 vial	1
Irrigations	8 fl. oz.	2
Insufflations	480 gr.	—
Linctuses	3 fl. oz.	2
Liniments	4 fl. oz.	1
Lotions	8 fl. oz.	2
Lozenges	25	—
Mixtures	8 fl. oz.	2
Nasal Drops	$\frac{1}{2}$ fl. oz.	2
Ointment of Penicillin	480 gr.	—
All other Ointments	960 gr.	1
Paints	1 fl. oz.	1
Pastes	960 gr.	1
Pessaries	6 pessaries	2
Pills	50 pills	2

Class of Prescription	Maximum Quantity	No. of Repeats (in addition to first supply)
Poultices	1 lb.	1
Powder Antacid	1920 gr.	3
Powder Bism. et Calc. Co.	1920 gr.	3
Powder Calc. et Mag. Phosph.	1920 gr.	3
All other Powder for internal use	1920 gr.	2
Powders—individually wrapped	12 powders	-
Soaps	4 fl. oz.	1
Solutions for internal use	1 fl. oz.	2
Solutions for external use	4 fl. oz.	1
Sprays	$\frac{1}{2}$ fl. oz.	1
Suppositories	12 suppositories	1
Syrups	8 fl. oz.	1
Tablets, Aminophylline with Phenobarbi- tone	100	1
Tablets, Calcium Gluconate	100	1
Tablets, Phenobarb	100	2
Tablets, Phenobarb Sodium	100	2
Tablets, Saccharin	200	1
Tablets, Theobromine Sodium Salicylate	100	1
Tablets, Theobromine with Phenobarbi- tone	100	1
All other Tablets	25	2
Tinctures	1 fl. oz.	1

PRESCRIBERS' LIST

Prescription

APPLICATIONES

(APPLICATIONS)

APPLICATIO BENZYLIS BENZOATIS, B.P.C.
(Application of Benzyl Benzoate)

APPLICATIO DICOPHANI, B.P.C.
(Application of Dicophane: D.D.T. ication)

AURISTILLAE

(EAR DROPS)

AURISTILLAE ACIDI BORICI

(Aurist. Acid. Boric)

Boric Acid	..	..	..	..	..	gr. 10
Glycerin	..	..	..	..	..	m. 60
Rectified Spirit 60 %	..	..	to	..	..	m. 240

AURISTILLAE ACIDI SALICYLICI

(Aurist. Acid. Salicyl.)

Salicylic Acid	..	..	..	..	..	gr. 4
Rectified Spirit	..	..	..	..	..	m. 90
Distilled Water	..	..	to	..	..	m. 240

AURISTILLAE HYDROGENII PEROXIDI

(Aurist. Hydrogen. Perox.)

Solution of Hydrogen Peroxide	..	..	..	..	..	10 vols.
-------------------------------	----	----	----	----	----	----------

AURISTILLAE PHENOLIS

(Aurist. Phenol.)

Glycerin of Phenol	..	..	..	..	..	m. 60
Glycerin	..	..	..	to	..	m. 240

AURISTILLAE STREPTOMYCIN

(Aurist. Streptomycin)

Streptomycin	..	..	..	..	..	gr. 12
Normal Saline	..	..	to	..	..	m. 240

AURISTILLAE VIOLAE CRYSTALLINAE

(Aurist. Viol. Cryst.)

Crystal Violet	..	..	..	..	..	gr. 2
Rectified Spirit	..	..	..	..	..	m. 120
Distilled Water	..	..	to	..	..	m. 240

AURISTILLAE ARGENTI PROTEINATIS

(Aurist. Argentoprot.)

Mild Silver Proteinat	..	..	..	..	..	gr. 22
Rectified Spirit	..	..	..	..	..	m. 120
Distilled Water	..	..	to	..	..	m. 240

Prescription

COLLYRIA

(EYE LOTIONS)

COLLYBIUM ACIDI BORICI

(Collyr. Acid. Boric)

Boric Acid	..	..	..	..	..	gr. 90
Distilled Water	..	..	..	to	..	fl. oz. 6

COLLYRIUM HYDRARGYRI PERCHLORIDI

(Collyr. Hydrarg. Perchlor.)

Solution of Mercuric Chloride	..	..	..	..	..	fl. oz. 1
Distilled Water	..	..	..	to	..	fl. oz. 6

When diluted with an equal quantity of water this eye lotion has a strength of 1 in 12,000.

CREMORES

(CREAMS)

CREMOR GLYCERINI

(Crem. Glycerin)

Olive Oil	..	..	..	..	..	m. 90
Glycerine	..	..	..	..	..	m. 90
Solution of Calcium Hydroxide	..	..	..	..	..	m. 150
Wool Fat	..	..	..	to	..	gr. 480

CREMOR PENCILLINI, B.P.

(Crem. Penicil.)

Contains 1,000 units per gram.

CREMOR ZINCI

(Crem. Zinc.)

Wool Fat	..	..	..	..	..	gr. 180
Arachis Oil, by weight	..	..	..	..	..	gr. 180
Zinc Oxide	..	..	..	..	..	gr. 240
Solution of Calcium Hydroxide	..	..	..	..	..	m. 240

EMULSIONES

(EMULSIONS)

EMULSIO OLEI MORRHUAE, B.P.

(Emuls. Ol. Morr.)

EMULSIO PARAFFINI LIQUIDI CUM

PHENOLPHTHALEINO

(Emuls. Paraff. Liq c. Phenolphthal.)

Prescription

GARGARISMATA

(GARGLES)

GARGARISMA BORACIS COMPOSITA

(Garg. Boracis. Co.)

Borax	..	..	..	..	gr. 60
Sodium Bicarbonate	..	..	..	..	gr. 60
Liquefied Phenol	..	..	..	..	m. 10
Glycerin	..	..	..	..	m. 120
Water..	..	..	..	to	fl. oz. 4

Use one tablespoonful diluted with an equal quantity of warm water.

GARGARISMA POTASII CHLORATIS

(Garg. Pot. Chlorat.)

Potassium Chlorate	..	..	..	..	gr. 40
Glycerin	..	..	..	..	m. 240
Water..	..	..	..	to	fl. oz. 4

Use one tablespoonful diluted with an equal quantity of warm water.

GUTTAE OPHTHALMICAE

(EYE DROPS)

GUTTAE ARGENTI PROTEINATIS MITIS 10%

(Gutt. Argentoprot. 10%)

Mild Silver Proteinat B.P.C.	..	..	..	gr. 10
Distilled Water	..	..	to	m. 120

GUTTAE ATROPINAE SULPHATIS $\frac{1}{2}$ %

(Gutt. Atrop. Sulph. $\frac{1}{2}$ %)

Atropine Sulphate	..	..	..	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE ATROPINAE SULPHATIS 1%

(Gutt. Atrop. Sulph. 1%)

Atropine Sulphate	..	..	..	gr. 1
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE ATROPINAE SULPHATIS 2%

(Gutt. Atrop. Sulph. 2%)

Atropine Sulphate	..	..	..	gr. 2
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE PENICILLINI

(Gutt. Penicil.)

Crystalline Penicillin	..	..	..	2,000 units
Sterile Distilled Water	..	..	to	m. 15

GUTTAE PHYSOSTIGMINAE (ESERINAE) $\frac{1}{2}$ %

(Gutt. Physostigmin. $\frac{1}{2}$ %)

Physostigmine Salicylate	..	..	..	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.	..	..	to	m. 120

Prescription

GUTTAE PHYSOSTIGMINAE (ESERINAE) 1%

(Gutt. Physostigmin. 1%)

Physostigmine Salicylate	..	..	..	..	gr. 1
Chlorbutol Water A.P.F.	..	..	to	..	m. 120

GUTTAE PILOCARPINAE $\frac{1}{2}$ %

(Gutt. Pilocarpin. $\frac{1}{2}$ %)

Pilocarpine Nitrate	..	..	..	..	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.	..	..	to	..	m. 120

GUTTAE PILOCARPINAE 1%

(Gutt. Pilocarpin. 1%)

Pilocarpine Nitrate	..	..	..	..	gr. 1
Chlorbutol Water A.P.F.	..	..	to	..	m. 120

GUTTAE SULPHACETAMIDI SOLUBILIS 25%

(Gutt. Sulphacetamid. Solub. 25%)

Soluble Sulphacetamide	..	..	..	..	gr. 30
Distilled Water	..	..	to	..	m. 120

GUTTAE ZINCI SULPHATIS $\frac{1}{2}$ %

(Gutt. Zinc. Sulph. $\frac{1}{2}$ %)

Zinc Sulphate	..	..	..	..	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.	..	..	to	..	m. 120

N.B.—Where Guttæ are prescribed without specification of the strength e.g., GUTTAE ATROP. SULPH, the weakest strength will be supplied.

HAUSTUS

(DRAUGHTS)

HAUSTUS PARALDEHYDI

(Haust. Paraldehyd.)

Paraldehyde	..	..	..	..	m. 90
Rectified Spirit	..	..	..	..	m. 60
Syrup of Orange	..	..	..	..	m. 60
Glycerin	..	..	..	..	m. 60
Water..	..	..	..	to	m. 480

HAUSTUS POTASSII BROMIDI ET CHLORALIS

HYDRAS

(Haust. Pot. Brom. et Chloral.)

Chloral Hydrate	..	..	..	..	gr. 10
Potassium Bromide	..	..	..	..	gr. 20
Tincture of Cudbear	..	..	..	..	m. 2
Syrup of Orange	..	..	..	..	m. 60
Chloroform Water	..	..	..	to	m. 480

Prescription

INHALATIONES

(INHALATIONS)

INHALATIO BENZOINI COMPOSITA

(Inhal. Benz. Co.)

Menthol	..	..	..	..	..	gr. 24
Oil of Eucalyptus	..	..	..	..	..	m. 24
Oil of Pine	..	..	..	..	..	m. 12
Compound Tincture of Benzoin	..	..	..	..	..	m. 240
Rectified Spirit	..	..	..	to	..	m. 480

INHALATIO MENTHOLIS

(Inhal. Menthol.)

Menthol	..	..	..	..	..	gr. 60
Oil of Pine	..	..	..	..	..	m. 60
Rectified Spirit	..	..	..	to	..	m. 480

INHALATIO MENTHOLIS EVAPORANS

(Inhal. Menthol. Evap.)

Menthol	..	..	..	..	..	gr. 60
Eucalyptol	..	..	..	..	..	m. 90
Camphor	..	..	..	..	..	gr. 90
Oil of Lavender	..	..	..	..	..	m. 7½
Spirit of Chloroform	..	..	..	to	..	m. 480

INSUFFLATIONES

(INSUFFLATIONS)

INSUFFLATIO IODI

(Insuff. Iodi)

Iodine	..	..	..	..	..	gr. 3
Potassium Iodide	..	..	..	..	..	gr. 3
Ether	..	..	..	..	..	m. 30
Boric Acid	..	..	..	to	..	gr. 480

LINCTUS

(COUGH SYRUPS)

LINCTUS CODEINAE

(Linct. Codein.)

Codein Phosphate	..	..	..	..	..	gr. ½
Water	..	..	..	..	..	m. 5
Glycerin	..	..	..	..	..	m. 15
Oxymel of Squill	..	..	..	to	..	m. 60

LINCTUS MORPHINAE

(Linctus Morphin.)

Solution of Morphine Hydrochloride	..	..	..	..	..	m. 5
Red Syrup, A.P.F.	..	..	..	..	..	m. 15
Syrup	..	..	..	to	..	m. 60

Prescription

LINCTUS SCILLAE COMPOSITUS

(Linct. Scillae. Co.)

Camphorated Tincture of Opium	..	..	..	m. 20
Oxymel of Squill	..	..	..	m. 15
Spirit of Chloroform	..	..	..	m. 5
Syrup of Tolu	..	..	to	m. 60

LINIMENTIA

(LINIMENTS)

LINIMENTUM ACONITI COMPOSITUM

(Lin. Aconit. Co.—Lin. A.B.C.)

Liniment of Aconite	..	..	..	m. 160
Liniment of Belladonna	..	..	..	m. 160
Camphor	..	..	..	gr. 13
Chloroform	..	..	..	m. 80
Oleic Acid	..	..	to	m. 480

LINIMENTUM METHYLIS SALICYLATIS

(Lin. Methyl. Sal.)

Methyl Salicylate	..	..	..	m. 120
Arachis Oil	..	..	to	fl. oz. 1

LINIMENTUM TEREBINTHINAE, B.P.

(Lin. Terebinth., B.P.)

LINIMENTUM CALAMINAE COMPOSITUM

(Lin. Calamin. Co.: Pusey's Lin.)

Phenol	..	..	..	gr. 7½
Camphor	..	..	..	gr. 7½
Liquid Paraffin	..	..	..	gr. 480
Lanette Wax SX	..	..	..	gr. 45
Talc	..	..	..	gr. 120
Calamine	..	..	..	gr. 120
Water..	..	..	to	fl. oz. 4

To which may be added 1% to 2% Ichthyol or Precipitated Sulphur or Solution of Coal Tar.

LOTIONES

(LOTIONS)

LOTIO ACIDI BORICI

(Lot. Acid. Boric.)

Boric Acid	..	..	..	gr. 360
Water..	..	..	to	fl. oz. 20

LOTIO CALAMINAE, A.P.F.

(Lot. Calamin., A.P.F.)

May add to this lotion—

Liquified Phenol 1%;

Strong Solution of Lead Subacetate 1% to 3%).

Prescription

LOTIO ALUMINII ACETATIS (Lot Aluminii, Acet.—Burrow's Solution) Solution of Aluminium Acetate, B.P.C.

MISTURÆ (MIXTURES)

MISTURA ACIDI ACETYLSALICYLICI (Mist. Acid. Acetylsal.)

Acetylsalicylic Acid	..	..	..	gr. 10
Compound Powder of Tragacanth	..	..	..	gr. 5
Syrup of Orange	..	..	..	m. 30
Water..	..	..	to	m. 240

MISTURA ACIDI ACETYLSALICYLICI COMPOSITA (Mist. Acid. Acetylsal. Co.)

Acetylsalicylic Acid	..	..	..	gr. 6
Phenacetin	..	..	..	gr. 5
Caffeine	..	..	..	gr. 1
Compound Powder of Tragacanth	..	..	..	gr. 5
Syrup of Orange	..	..	..	m. 30
Chloroform Water	..	..	to	m. 240

MISTURA ACIDI ACETYLSALICYLICI ET MORPHINÆ

(Mist. Acid. Acetylsal. et Morphin.)

Solution of Morphine Hydrochloride	..	..	m. 15
Red Syrup, A.P.F.	..	..	m. 30
Acetylsalicylic Acid	..	..	gr. 10
Compound Powder of Tragacanth	..	..	gr. 5
Water..	..	to	m. 240

(This mixture contains $\frac{1}{2}$ grain Morphine Hydrochloride in $\frac{1}{2}$ fl. oz.).

MISTURA ACIDI ACETYLSALICYLICI ET PHENOBARBITONI

(Mist. Acid. Acetylsal. et Phenobarb.)

Phenobarbitone	..	..	gr. $\frac{1}{2}$
Acetylsalicylic Acid	..	..	gr. 10
Compound Powder of Tragacanth	..	..	gr. 5
Syrup	..	..	m. 20
Cinnamon Water	..	to	m. 240

MISTURA ACIDI ACETYLSALICYLICI SOLUBILIS (Mist. Acid. Acetylsal. Solub.)

Acetylsalicylic Acid	..	..	gr. 10
Potassium Citrate	..	..	gr. 30
Neutral Syrup of Lemon A.P.F.	..	..	m. 30
Water..	..	to	m. 240

Prescription

MISTURA ALKALINA

(Mist. Alkal.)

Sodium Citrate	..	..	..	..	gr. 30
Sodium Bicarbonate	..	..	..	..	gr. 30
Chloroform Water	..	..	to	..	m. 240

MISTURA ALUMINII HYDROXIDI A.P.F.

(Mist. Alumin. Hydrox.)

MISTURA AMMONII ACETATIS

(Mist. Ammon. Acet.)

Strong Solution of Ammonium Acetate	..	..	..	m. 15
Potassium Citrate	..	..	..	gr. 25
Tincture of Ipecacuanha	..	..	..	m. 10
Camphorated Tincture of Opium	..	..	..	m. 30
Syrup of Tolu	..	..	..	m. 30
Water..	..	..	to	m. 240

MISTURA ALBA

(Mist. Alba)

Magnesium Sulphate	..	..	..	gr. 60
Light Magnesium Carbonate	..	..	..	gr. 10
Peppermint Water	..	..	to	m. 240

MISTURA BISMUTHI ALKALINA

(Mist. Bism. Alk.)

Bismuth Carbonate	..	..	..	gr. 10
Light Magnesium Carbonate	..	..	..	gr. 10
Sodium Bicarbonate	..	..	..	gr. 10
Peppermint Water	..	..	to	m. 240

MISTURA BISMUTHI ET OPII

(Mist. Bism. et Opii)

Bismuth Carbonate	..	..	..	gr. 10
Tincture of Opium	..	..	..	m. 10
Chloroform Water	..	..	to	m. 240

MISTURA BISMUTHI SEDATIVA

(Mist. Bism. Sedativ.)

Bismuth Carbonate	..	..	..	gr. 20
Solution of Morphine Hydrochloride	..	..	..	m. 5
Sodium Bicarbonate	..	..	..	gr. 10
Dilute Hydrocyanic Acid	..	..	..	m. 3
Peppermint Water	..	..	to	m. 240

MISTURA COLCHICI ET SODII SALICYLATIS

(Mist. Colch. et Sod. Salicyl.)

Sodium Salicylate	..	..	..	gr. 15
Sodium Bicarbonate	..	..	..	gr. 15
Light Magnesium Carbonate	..	..	..	gr. 15
Liquid Extract of Colchicum	..	..	..	m. 3
Liquid Extract of Liquorice	..	..	..	m. 10
Water..	..	..	to	m. 240

Prescription

MISTURA CRETAE ET KAOLINI

(Mist. Cret. et Kaolin.)

Prepared Chalk	..	..	..	..	gr. 30
Light Kaolin	..	..	..	..	gr. 60
Light Magnesium Carbonate	..	..	..	..	gr. 5
Chloroform Water	..	..	to	..	m. 240

MISTURA FERRI ET NUCIS VOMICAE

(Mist. Ferri et Nux. Vom.)

Iron and Ammonium Citrate	..	..	..	..	gr. 15
Tincture of Nux Vomica	..	..	..	..	m. 10
Chloroform Water	..	..	to	..	m. 240

MISTURA GENTIANAE ACIDA

(Mist. Gent. Acid.)

Dilute Hydrochloric Acid	..	..	..	..	m. 20
Tincture of Nux Vomica	..	..	..	..	m. 10
Spirit of Chloroform	..	..	..	..	m. 15
Compound Infusion of Gentian	..	to	..	..	m. 240

MISTURA GENTIANAE ALKALINA

(Mist. Gent. Alk.)

Sodium Bicarbonate	..	..	..	..	gr. 20
Tincture of Nux Vomica	..	..	..	..	m. 10
Spirit of Chloroform	..	..	..	..	m. 15
Compound Infusion of Gentian	..	to	..	..	m. 240

MISTURA LOBELIAE COMPOSITA

(Mist. Lobelia. Co.)

Potassium Iodide	..	..	..	..	gr. 5
Ammonium Bicarbonate	..	..	..	..	gr. 5
Tincture of Belladonna	..	..	..	..	m. 5
Tincture of Stramonium	..	..	..	..	m. 10
Ethereal Tincture of Lobelia	..	..	..	..	m. 10
Camphorated Tincture of Opium	..	..	..	..	m. 20
Infusion of Senega	..	..	to	..	m. 240

MISTURA OPII CAMPHORATA

(Mist. Opii Camph.)

Camphorated Tincture of Opium	..	..	..	..	m. 30
Tincture of Belladonna	..	..	..	..	m. 5
Oxymel of Squill	..	..	..	..	m. 15
Water..	..	..	to	..	m. 240

MISTURA PHENAZONII

(Mist. Phenazon.)

Potassium Bromide	..	..	..	..	gr. 15
Phenazone	..	..	..	..	gr. 10
Tincture of Gelsemium	..	..	..	..	m. 10
Syrup of Orange	..	..	..	..	m. 15
Chloroform Water	..	..	to	..	m. 240

Prescription

MISTURA PHENOBARBITONI ET BROMIDI

(Mist. Phenobarb. et Brom.)

Soluble Phenobarbitone	..	..	..	gr. $\frac{1}{2}$
Sodium Bromide	..	..	..	gr. 10
Syrup of Orange	..	..	..	m. 30
Water..	..	..	to	m. 240

MISTURA POTASSII CITRATIS ET HYOSCYAMI

(Mist. Pot. Cit. et Hyoscyam.)

Potassium Citrate	..	..	..	gr. 30
Sodium Bicarbonate	..	..	..	gr. 15
Liquid Extract of Hyoscyamus	..	..	..	m. 3
Spirit of Chloroform	..	..	..	m. 10
Infusion of Buchu	..	..	to	m. 240

MISTURA POTASSII IODIDI

(Mist. Pot. Iodid.)

Potassium Iodide	..	..	..	gr. 5
Aromatic Solution of Ammonia	..	..	..	m. 15
Liquid Extract of Liquorice	..	..	..	m. 10
Chloroform Water	..	..	to	m. 240

MISTURA SENEGAE ET AMMONIAE

(Mist. Seneg. et Ammon.)

Ammonium Bicarbonate	..	..	..	gr. 5
Tincture of Squill	..	..	..	m. 10
Camphorated Tincture of Opium	..	..	..	m. 30
Liquid Extract of Liquorice	..	..	..	m. 10
Concentrated Infusion of Senega	..	..	..	m. 30
Water..	..	..	to	m. 240

MISTURA SODII CITRATIS

(Mist. Sod. Cit.)

Sodium Citrate	..	..	..	gr. 45
Syrup of Lemon	..	..	..	m. 60
Water..	..	..	to	m. 240

MISTURA SODII SALICYLATIS

(Mist. Sod. Salicyl.)

Sodium Salicylate	..	..	..	gr. 20
Sodium Bicarbonate	..	..	..	gr. 20
Liquid Extract of Liquorice	..	..	..	m. 10
Water..	..	..	to	m. 240

MISTURA TRIBROMIDI COMPOSITA

(Mist. Tribrom. Co.)

Ammonium Bromide	..	..	..	gr. 6
Potassium Bromide	..	..	..	gr. 6
Sodium Bromide	..	..	..	gr. 6
Tincture of Nux Vomica	..	..	..	m. $7\frac{1}{2}$
Syrup of Orange	..	..	..	m. 30
Chloroform Water	..	..	to	m. 240

Prescription

MISTURA AD TUSSEM

(Mist. ad. Tuss.)

Tincture of Ipecacuanha	..	..	..	m. 5
Camphorated Tincture of Opium	..	..	..	m. 20
Syrup of Tolu	..	..	..	m. 20
Oxymel of Squill	..	..	..	m. 15
Spirit of Chloroform	..	..	..	m. 5
Anise Water	..	..	to	m. 240

NEBULAE

(SPRAYS)

NEBULA ADRENALINAE

(Neb. Adrenalin.)

Solution of Adrenaline Hydrochloride	1 in 1,000	m. 48
Sodium Chloride		gr. 2
Distilled Water	 to	m. 240

NEBULA ADRENALINAE ET EPHEDRINAE

(Neb. Adrenalin. et Ephedrin.)

Solution of Adrenaline Hydrochloride	1 in 1,000	m. 48
Ephedrine Hydrochloride		gr. 2
Dextrose		gr. 11
Distilled Water	 to	m. 240

NEBULA EPHEDRINAE

(Neb. Ephedrin.)

Ephedrine Hydrochloride		gr. 2
Sodium Chloride		gr. 2
Dextrose		gr. 7½
Chlorbutol Water, A.P.F.	 to	m. 240

NEBULA EPHEDRINAE OLEOSA

(Neb. Ephedrin. Oleos.)

Ephedrine		gr. 2
Menthol		gr. 1
Oil of Eucalyptus		m. 2
Light Liquid Paraffin	 to	m. 240

NEBULA EPHEDRINAE ET AMINACRINAE

(Neb. Ephedrin. Aminacrin.)

Ephedrine Hydrochloride		gr. 1
Aminacrin		gr. ½
Distilled Water	 to	m. 240

OCULENTA

(EYE OINTMENTS)

OCULENTUM ACIDI BORICI B.P.C.

(Oculent. Acid. Boric.)

Prescription

OCULENTUM HYDRARGYRUM AMMONIATUM

(Oculent. Hydrarg. Ammon.)

Ammoniated Mercury	..	..	..	..	gr. 1
Ocumentum Base, B.P.	..	..	to	..	gr. 120

OCULENTUM HYDRARGYRI OXIDI B.P. $\frac{1}{2}\%$

AND 1%

(Oculent. Hydrarg. Oxid. $\frac{1}{2}\%$ and 1%)

OCULENTUM ICHTHAMMOLIS ET ZINCI OXIDI

(Oculent. Ichthammol. et Zinc. Oxid.)

Ichthammol	..	..	..	..	gr. 1
Zinc Oxide	..	..	..	..	gr. 1
Ocumentum Base, B.P.	..	..	to	..	gr. 120

OCULENTUM PENICILLINI B.P.

(PENICILLIN, 2,000 UNITS PER GRAM)

(Oculent. Penicil.)

OCULENTUM SULPHACETAMEDI

(Oculent. Sulphacetamid.)

Suphacetamide Sodium	..	..	..	..	gr. 11
Distilled Water	..	..	..	..	q.s.
Ocumentum Base, B.P.	..	..	to	..	gr. 120

PASTAE

(PASTES)

PASTA ZINCI ET ACIDI SALICYLICI

(Past. Zinc. et Acid. Salicyl.: Lassar's Paste)

Salicylic Acid	..	..	..	..	gr. 18
Compound Paste of Zinc Oxide B.P.	..	..	to	..	gr. 960

PIGMENTA

(PAINTS)

PIGMENTUM ACIDI SALICYLICI VIRIDE

(Pigm. Acid. Salicyl. Virid.)

Salicylic Acid	..	..	..	..	gr. 10
Benzoic Acid..	..	..	..	..	gr. 30
Brilliant Green	..	..	..	..	gr. 2
Rectified Spirit	..	..	to	..	fl. oz. 1

PIGMENTUM ACIDI TANNICI

(Pigm. Acid. Tannic.)

Glycerine of Acid Tannic

Prescription

PIGMENTUM IODI COMPOSITUM

(Pigm. Iodi. Co.—Mandl's Paint)

Iodine	..	..	..	..	gr. 5
Potassium Iodide	..	..	..	..	gr. 5
Water..	..	..	..	..	m. 5
Oil of Peppermint	..	..	..	..	m. 3
Glycerine	..	..	..	to	fl. oz. 1

PIGMENTUM MAGENTA ET RESORCINOLIS

(Pigm. Magent. et Resorein.—Castellani's Paint)

Magenta B.P.C.	..	..	..	..	gr. 2
Phenol	..	..	..	..	gr. 20
Boric Acid	..	..	..	..	gr. 4
Resorcinol	..	..	..	..	gr. 40
Acetone	..	..	..	..	m. 20
Rectified Spirit	..	..	..	..	m. 40
Water..	..	..	..	to	fl. oz. 1

PIGMENTUM VIOLAE

(Pig. Gent. Violet)

Crystal Violet	..	..	..	..	gr. 1
Water..	..	..	..	to	fl. oz. 1

PIGMENTUM VIOLAE COMPOSITUM

(Pig. Violae Co.—Triple Dye Solution)

Crystal Violet	..	..	..	..	gr. 1
Brilliant Green	..	..	..	..	gr. 1
Proflavine Sulphate	..	..	..	..	gr. $\frac{1}{2}$
Distilled Water	..	..	..	to	fl. oz. 1

PILULAE

(PILLS)

PILULA ALOES ET NUCIS VOMICAE

(Pil. Aloes et Nux. Vom.)

Aloes	..	..	..	..	gr. 2
Dry Extract of Nux Vomica	..	..	..	..	gr. $\frac{1}{2}$
Dry Extract of Belladonna	..	..	..	..	gr. 1/6
Rectified Spirit	..	..	..	..	q.s.

PILULA COLOCYNTHIDIS ET HYOSCYAMI

(Pil. Colocynth. et Hyoscy.)

PILULA DIGITALIS COMPOSITA B.P.C.

(Pil. Digit. Co.: Guy's Pill.)

PILULA FERRI CARBONATIS

(Pil. Ferri. Carb.—Blaud's Pill)

PILULA PHENOLPHTHALEINI COMPOSITA

(Pil. Phenolphthal. Co.)

Phenolphthalein	..	..	..	..	gr. $\frac{1}{2}$
Aloin	..	..	..	..	gr. $\frac{1}{4}$
Dry Extract of Belladonna	..	..	..	..	gr. 1/12
Strychnine	..	..	..	..	gr. 1/240
Ipecacuanha	..	..	..	..	gr. 1/15

Prescription

PILULA SODII OLEATIS COMPOSITA

(Pil. Sod. Oleat. Co.)

Acid Sodium Oleate..	..	..	..	..	gr. 1½
Sodium Salicylate ..	..	..	..	..	gr. 1½
Phenolphthalein ..	..	..	..	..	gr. ¼
Menthol ..	..	..	..	..	gr. ⅛
Liquorice, in powder	..	..	..	..	gr. ½
Excipient ..	..	..	to	..	gr. 4

PULVERES

(POWDERS—FOR INTERNAL USE)

PULVIS ANTACIDUS

(Pulv. Antacid.)

Calcium Carbonate ..	..	..	..	gr. 15
Heavy Magnesium Carbonate	..	..	..	gr. 15
Sodium Bicarbonate ..	..	..	..	gr. 30
Oil of Peppermint ..	..	..	..	m. ½

PULVIS CALCHII ET MAGNESII PHOSPHATUM

(Pulv. Calc. et Magnes. Phosph.)

Tribasic Magnesium Phosphate	..	..	..	gr. 30
Tribasic Calcium Phosphate	..	..	..	gr. 30

PULVIS BISMUTHII ET CALCHII COMPOSITUS

(Pulv. Bism. et Calc. Co.)

Bismuth Carbonate ..	..	..	..	gr. 10
Calcium Carbonate ..	..	..	..	gr. 20
Heavy Magnesium Carbonate	..	..	..	gr. 20
Sodium Bicarbonate ..	..	..	..	gr. 10

PULVIS KAOLINI COMPOSITUS

(Pulv. Kaolin. Co.)

Light Kaolin ..	..	..	..	gr. 30
Heavy Magnesium Carbonate	..	..	..	gr. 20
Sodium Bicarbonate ..	..	..	..	gr. 10
Oil of Peppermint ..	..	..	..	m. ½

PULVIS MAGNESII TRISILICATIS ET

BELLADONNAE

(Pulv. Mag. Trisil. et Belladon.)

Dry Extract of Belladonna	..	..	..	gr. ½
Magnesium Trisilicate ..	..	to	..	gr. 30

PULVIS SODII SALICYLATIS ET

BICARBONATIS

(Pulv. Sod. Salicyl. et Bicarb.)

Sodium Salicylate ..	..	..	..	gr. 10
Sodium Bicarbonate ..	..	..	..	gr. 20

Prescription

UNGUENTA
(OINTMENTS)

UNGUENTUM ACIDI BENZOICI COMPOSITUM

(Ung. Ac. Benz. Co.: Whitfield's Ointment)

Benzoic Acid..	..	..	..	..	..	gr. 20
Salicylic Acid	..	..	..	..	..	gr. 15
White Soft Paraffin	..	..	..	..	..	gr. 120
Hard Paraffin	..	..	..	..	..	gr. 30
Coconut Oil ..	..	..	..	to	..	gr. 480

UNGUENTUM PENICILLINI B.P.

(Ung. Penicillin.)

Contains 1,000 units per gram.

UNGUENTUM EMULSIFICANS AQUOSUM B.P.

(Ung. Emuls. Aquos.)

UNGUENTUM ZINCI OXID B.P.

(Ung. Zinci)

To either of the Ung. Emulsificans or Ung. Zinc Ox.
may be added 1% of any of the following :

Menthol
Carbolic Acid
Crude Coal Tar
Ichthyol
Ammoniated Mercury
Precipitated Sulphur
Salicylic Acid

LIST A

PENSIONER BENEFITS ADDITIONAL TO THOSE COVERED BY MONOGRAPH IN THE BRITISH PHARMACOPOEIA, 1953.

Acetonum B.P.C.
Acetum Scillae
Acidum Hydrocyanicum Dilutum B.P.C.
Acidum Hypophosphorosum Dilutum
Acidum Sulphuricum Dilutum B.P.C.
Acriflavina
Adeps
Adeps Benzoinatus
Aethylenum
Agar
Amidopyrina
Ammonii Bromidum B.P.C.
Aqua (Potable Water)
Aqua Anisi B.P.C.
Aqua Chlorbutolis A.P.F.
Argentoproteinum Mite B.P.C.
Balsamum Peruvianum
Betanaphthol
Caffeina Citrata B.P.C.
Caffeina et Sodii Benzoas
Calcii Mandelas
Capsulae Sodii Pentobarbitoni
Cera Flava
Chiniofonum
Chromii Trioxidum
Codeina
Cremor Penicillini Sterilisatus
Ephedrinae Sulphas B.P.C.
Extractum Colchici Siccum
Extractum Colocynthis Compositum
Extractum Ergotae Liquidum
Extractum Fellis Bovini
Extractum Glycyrrhizae
Extractum Krameriae Siccum
Extractum Senegae Liquidum
Ferri Carbonas Saccharatus
Glycerinum Acidi Borici

Glycerinum Boracis
 Hexoestrol
 Hydrargyrum cum Creta
 Infusum Aurantii
 Infusum Aurantii Concentratum
 Infusum Buchu B.P.C.
 Infusum Calumbae
 Infusum Calumbae Concentratum
 Infusum Calumbae Recens
 Infusum Caryophylli
 Infusum Caryophylli Concentratum
 Infusum Senegae
 Infusum Senegae Concentratum
 Infusum Sennae
 Infusum Sennae Concentratum
 Injectio Caffeinae et Sodii Benzoatis
 Injectio Oestradiolis Dipropionatis
 Injectio Penicillini Oleosa
 Injectio Physostigminae Salicylatis
 Injectio Pituitarii Posterioris
 Injectio Procainae et Adrenalinæ Mitis
 Injectio Sodii Citratis Anticoagulans
 Injectio Sodii Citratis cum Dextroso
 Injectio Strychninae Hydrochloridi
 Injectio Sulphadiazinae Sodii
 Iodoformum
 Ipomoeae Resina
 Laevulosum
 Linimentum Aconiti
 Linimentum Belladonnae
 Liquor Ammoniae Aromaticus B.P.C.
 Liquor Glycerylis Trinitratis B.P.C.
 Liquor Magnesii Bicarbonatis
 Magenta B.P.C.
 Magnesii Phosphas B.P.C.
 Mel Depuratum
 Mistura Aluminium Hydroxidi A.P.F.
 Mistura Sennae Composita
 Oestradiolis Dipropionas
 Oestronum
 Oculentum Cocainae
 Oculentum Physostigminae
 Oleum Cajuputi
 Oleum Cari
 Oleum Citronellae B.P.C.
 Oleum Coccois B.P.C.

Oleum Pini B.P.C.
 Oxymel Scillae
 Pelletierinae Tannas
 Phenazonum
 Pilula Aloes
 Pilula Aloes et Nux Vomicae B.P.C.
 Pilula Colocynthis et Hyoscyami
 Pilula Digitalis Co. B.P.C.
 Pilula Ferri Carbonatis
 Pilula Hydrargyri
 Pilula Phenolphthalein Co. B.P.C.
 Pilula Rhei Composita
 Pilula Sodii Oleatis Co. A.P.F.
 Pix Carbonis B.P.C.
 Potassii Acetas
 Potassii Chloras
 Quininae et Aethylis Carbonas
 Sapo Animalis
 Sapo Durus
 Sodii Carbonas Exsiccatus
 Sodii Nitris
 Sodii Phosphas Exsiccatus
 Sodii Sulphas Exsiccatus
 Spiritus Aetheris Nitrosi
 Spiritus Cajuputi
 Spiritus Camphorae
 Strychnina B.P.C.
 Sulphacetamidum
 Sulphadiazina Sodium
 Sulphonal
 Suppositoria Acidi Tannici
 Suppositoria Belladonnae
 Suppositoria Bismuthi Subgallatis
 Suppositoria Cocainae
 Suppositoria Hamamelidis et Zinci Oxidi
 Suppositoria Iodoformi
 Suppositoria Morphinæ
 Suppositoria Phenolis
 Syrupus Ferri Phosphatis Compositus
 Syrupus Glucosi Liquidi
 Syrupus Glycerophosphatum Compositus A.P.F.
 Syrupus Limonis Neutralis A.P.F.
 Syrupus Pruni Serotinae
 Syrupus Ruber A.P.F.
 Syrupus Scillae
 Syrupus Theriacae Aureae A.P.F.

Tabellae Acidi Acetylsalici Co. B.P.C. or A.P.F.
 Tabellae Aminophyllinae gr. $1\frac{1}{2}$ cum Phenobarbitoni gr. $\frac{1}{2}$
 Tabellae Ammonii Chloridi B.P.C.
 Tabellae Amphetamine Sulphatis B.P.C.
 Tabellae Calcii Gluconatis B.P.C.
 Tabellae Codeinae Phosphatis gr. $\frac{1}{4}$ Sodii
 Pentobarbitoni gr. $\frac{1}{2}$ et Phenacetin gr. 5
 Tabellae Ephedrinae gr. $\frac{1}{2}$ cum Phenobarbitoni gr. $\frac{1}{2}$
 Tabellae Gentian Violet
 Tabellae Hexoestrolis
 Tabellae Hydrargyri cum Creta
 Tabellae Oestroni
 Tabellae Phenazoni
 Tabellae Potassii Chloratis
 Tabellae Saccharini B.P.C.
 Tabellae Sodii Pentobarbitoni
 Tabellae Sodii Salicylatis
 Tabellae Sodii Salicylatis (Enteric Coated)
 Tabellae Theobrominae et Phenobarbitoni B.P.C.
 Tabellae Theobrominae et Sodii Salicylatis B.P.C.
 Tabellae Thiouracili
 Theophyllina et Sodii Acetas
 Talcum Purificatum B.P.C.
 Thiouracilum
 Tinctura Calumbae
 Tinctura Capsici
 Tinctura Catechu
 Tinctura Cocci
 Tinctura Gelsemii B.P.C.
 Tinctura Lobelae Aethera
 Tinctura Myrrhae
 Tinctura Persionis A.P.F.
 Tinctura Quassiae
 Tinctura Scillae
 Tinctura Senegae
 Tinctura Strophanthi
 Tinctura Tolutana
 Tinctura Valerianae Ammoniata
 Triethanolamina B.P.C.
 Unguentum Capsici
 Unguentum Gallae cum Opio B.P.C.
 Unguentum Hydrargyri Compositum
 Unguentum Hydrargyri Subchloridi
 Unguentum Phenolis
 Unguentum Zinci Oleatis
 Unguentum Zinci Oxidi Aquosum
 Xylenum B.P.C.

COMMONWEALTH OF AUSTRALIA.

DEPARTMENT OF HEALTH.

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

ANTIBIOTICS, ETC.

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
60	Distilled Water ..	10 cc. ampoule	12	1
139	Penicillin (Calcium Salt)	5,000 U. ampoule 15,000 U. ampoule 100,000 U. bottle 200,000 U. " 500,000 U. " 1,000,000 U. "	6 6 6 6 6 6	— — — — — —
	Penicillin G. (Crystalline)	100,000 U. bottle 200,000 U. " 500,000 U. " 1,000,000 U. " 2,000,000 U. "	6 6 6 6 6	— — — — —
141	Procaine Penicillin G (Crystalline)	300,000 U. bottle 500,000 U. "	6 6	— —
	"Penaquacaine G"	900,000 U. " 1,500,000 U. " 3,000,000 U. "	6 6 6	— — —
	"Penaquacaine G" Fortified	400,000 U. bottle 667,000 U. " 1,200,000 U. " 2,000,000 U. "	6 6 6 6	— — — —
142	Procaine Penicillin G (Oily Injection)	300,000 U. per cc., 1 cc. amp. 300,000 U. per cc., 10 cc. bot.	6 1	— —
179	Sterile Saline ..	10 cc. ampoule	6	1

COMMONWEALTH OF AUSTRALIA

DEPARTMENT OF HEALTH

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

ENDOCRINE PREPARATIONS

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
89	Insulin ..	20 U. per cc., 10 cc. vial.. 40 U. per cc., 10 cc. vial.. 60 U. per cc., 5 cc. vial .. 80 U. per cc., 5 cc. vial .. 100 U. per cc., 5 cc. vial ..	3 3 3 3 3	12 12 12 12 12
90	Insulin (Crystalline)	40 U. per cc., 10 cc. vial..	3	12
92	Insulin (Special P.)	20 U. per cc., 10 cc. vial.. 40 U. per cc., 10 cc. vial.. 60 U. per cc., 5 cc. vial ..	3 3 3	12 12 12
93	Insulin Protamine Zinc.	40 U. per cc., 10 cc. vial.. 80 U. per cc., 5 cc. vial ..	3 3	12 12
160	Pituitary (Posterior Lobe). Obstetrical	0.5 cc. ampoule 1.0 cc. "	6 6	— —
214	Pituitary (Posterior Lobe) Surgical	0.5 cc. ampoule 1.0 cc. "	6 6	— —
210	Thyroid B.P. ..	1/32 gr. tab. 1/16 gr. tab. 1/10 gr. tab. 1/8 gr. tab. 1/4 gr. tab. 1/2 gr. tab. 1 gr. tab. 1½ gr. tab. 2½ gr. tab.	100 100 100 100 100 100 100 100 100	3 3 3 3 3 3 3 3 3

C.S.L. ENDOCRINES

COMMONWEALTH OF AUSTRALIA

DEPARTMENT OF HEALTH

The following products of the Commonwealth Serum Laboratories are available free under the terms of the Pharmaceutical Benefits Regulations.

When prescribing these items, be sure to specify a "C.S.L." Product.

SERA, VACCINES, AND OTHER PROPHYLACTIC AGENTS

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
21	Vaccine Lymph (Calf Lymph)	Capillary tube	1	—
32	Cholera Vaccine	4,000 M. per cc., 1 cc. amp.	3	—
		4,000 M. per cc., 10 cc. vial	1	—
		8,000 M. per cc., 1 cc. amp.	2	—
		8,000 M. per cc., 10 cc. vial	1	—
55	Diphtheria and Tetanus Toxoids Combined	1 cc. ampoule	3	—
		5 cc. „	1	—
56	Diphtheria Anti-toxin	1,000 U. ampoule	2	1
		2,000 U. „	2	1
		4,000 U. „	2	1
		6,000 U. „	2	1
		8,000 U. „	2	1
		10,000 U. „	2	1
		20,000 U. „	2	1
57	Diphtheria and Pertussis Anti-gen (Mixed)	1 cc. ampoule	3	—
		5 cc. „	1	—
58	Diphtheria Prophylactic (Formalinized Toxoid)	Set containing 3 ampoules each 1 cc. Toxoid undiluted and 1 ampoule of 1 cc. Toxoid diluted	1	1
		Set containing 9 ampoules each 1 cc. Toxoid undiluted and 3 ampoules of 1 cc. Toxoid diluted	1	—
59	Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate)	1 cc. ampoule	2	1
		5 cc. „	1	—

1 Item No.	2 Name	3 Strength and Form	4 Maximum No.	5 Repeats
	Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) Diluted for immunisation of Adults only.	Set containing 2 amps. each 1 cc. Diphtheria Prophylactic (P.T.A.P.) diluted for immunisation of Adults only and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for Skin Test only.	1	—
76	Gas Gangrene Anti-toxin (Oedematiens)	10,000 U. ampoule ..	3	1
77	Gas Gangrene Anti-toxin (Perfringens)	4,000 U. ampoule .. 10,000 U. „ ..	3 10	1 1
78	Gas Gangrene Anti-toxin (Polyvalent)	ampoule containing— 3,000 U. perfringens 1,500 U. septique 1,000 U. oedematiens ampoule containing— 7,500 U. perfringens 3,750 U. septique 2,500 U. oedematiens	2 2	1 1
79	Gas Gangrene Anti-toxin (Septique)	5,000 U. ampoule	2	1
146	Pertussis Vaccine (Phase 1)	1,000 M. per cc., 1 cc. amp. 5,000 M. per cc., 1 cc. amp. 5,000 M. per cc., 10 cc. vial 10,000 M. per cc., 1 cc. amp. 10,000 M. per cc., 10 cc. vial	3 3 1 3 1	1 1 — 1 —
200	T.A.B. Vaccine (Anti-Typhoid-Paratyphoid)	1 cc. ampoule containing— 1,000 M. B.Typhosus 500 M. B.Paratyphosus A. 500 M. B.Paratyphosus B. 10 cc. vial	3 1	— —
204	Tetanus Anti-toxin	500 I.U. (1950) ampoule 1,000 I.U. (1950) „ 1,500 I.U. (1950) „ 5,000 I.U. (1950) „ 10,000 I.U. (1950) „	6 6 6 6 6	1 1 1 1 1
205	Tetanus Toxoid (Formalinized)	1 cc. ampoule	3	—
211	Tiger Snake Anti-Venene	1,500 U. per ampoule ..	4	1

