

PHARMACEUTICALS



COMMONWEALTH OF MASSACHUSETTS

Pharmaceutical Benefits

EXPLANATORY CIRCULAR REGARDING 1957/58 ISSUE OF "NOTES FOR MEDICAL PRACTITIONERS".

The 1957/58 Issue of the Notes for Medical Practitioners will take effect from 1st July, 1957.

Full instructions regarding the General and Pensioner Pharmaceutical Benefit Schemes are contained in this publication.

Several changes regarding the supply of pharmaceutical benefits have been incorporated in the publication and the main ones are briefly summarized below. It is emphasised, however, that this summary is intended for your guidance only and reference should be made to the appropriate sections of the Notes.

A. GENERAL PHARMACEUTICAL BENEFITS—

1. General—

- (a) Cholera Vaccine has been added to the list of drugs for which as many strengths of the same form as are required may be written on the one prescription.—See paragraph 1 on page A of Section A.
- (b) Products previously listed for Frederick Stearnes & Co. with the code letters "ST" are now listed for Winthrop Laboratories with the code letters "WL".

2. First Schedule—

- (a) New items—
Items No. 19A—Chlormerodrin and 120A—Phensuximide.
- (b) New Strengths and Sizes—
Item No. 70—Insulin;
- (c) Variations in Maximum Quantities and/or Number of Repeats—
Items No. 113—Pentolinium Tartrate; 130—Procaine Amide Hydrochloride.
- (d) Deletions—
Penicillin, 15,000 U.amp.; Penicillin (Procaine) Crystalline, 500,000 U. amp. and 667,000 U. amp.; Pethidine Hydrochloride, 25 mg. tab. and 50 mg. tab.;

(e) Emergency Drug (Doctor's Bag Supplies)—Pethidine Hydrochloride tablets have been deleted.*

(f) Attention is drawn to the fact that there are no Items in the List of Benefits bearing the numbers 83;100; 102;125;155; or 160.

3. Second Schedule—

The Second Schedule Items have been renumbered and all item numbers have therefore changed.

(a) New Items—

Items No. 7—Chloramphenicol Intramuscular; 20—Erythromycin; 26—Nitrofurantoin; 33—Phenoxymethyl Penicillin; 38—Progesterone Depot; 58—Tetracycline with Oleandomycin; 59—Tetracycline with Sodium Metaphosphate; and 60—Trimetaphan Camphorsulphonate.

(b) New Strengths and Sizes—

Item No. 61—Vitamin K₁.

(c) Change in Item Name—

From—	To—
Aureomycin	Chlortetracycline
Aureomycin Granules	Chlortetracycline Granules
Aureomycin Suspension	Chlortetracycline Suspension
Mestinson	Pyridostigmine Bromide
Myleran	Busulphan

(d) Variations in Maximum Quantities and/or Number of Repeats—

Items Nos. 3—Calcium Para-Aminosalicylate; 12—Cortisone Acetate; 22—Hydrocortisone; 23—Isoniazid; 35—Prednisolone; 36—Prednisone; 37—Progesterone; 44—Sodium Para-Aminosalicylate;

(e) Variations in List of Diseases for which Drugs may be Supplied—

Particular attention is drawn to the fact that the list of allowable diseases or purposes for a number of items has been increased or amended. The list on pages 62-68 should therefore be read carefully.

(f) Deletions—

Vitamin K₁, 10 mg. cap.

* The entries regarding this form in Columns 3 and 4 of the List of Items on the inside front cover of your Doctor's Bag Order Book should therefore be deleted.

B. PENSIONER PHARMACEUTICAL BENEFITS—

- (a) Tablets of Pethidine Hydrochloride have been added to the list of drugs which may not be prescribed as Pensioner Pharmaceutical Benefits under any circumstances.
- (b) Maximum Quantities and/or Repeats for the following classes of prescriptions have been added or amended—
Eye Drops of Physostigmine; Eye Drops of Pilocarpine; Implants and Tablets of Phenylbutazone 100 mg.
- (c) In the List of Additional Pensioner Benefits the specifications of a particular strength for Tabellae Aminophyllinae cum Phenobarbitoni has been omitted and Tabellae Phenylbutazoni 100 mg. has been added.

C. AMENDMENTS TO TABLE OF PRICES AND PROPRIETARY INDEX—

The following amendments effective from 1st July, 1957, should be incorporated in the List of Benefits and Proprietary Index—

SECTION A.

List A.

Item No.	Item Name and Form	Amendment
6	AMIDONE -injection	10 mg. per cc., 1 cc. amp. Add BT
52	ERGOTAMINE TARTRATE -oral	1 mg. tab.—Add DH

List B (Part 2).

33	PHENOXYMETHYL PENICILLIN	-oral 130 mg. tab.—Add FA
59	TETRACYCLINE WITH SODIUM METAPHOSPHATE	-oral 1 cap. containing 250 mg. Tetracycline 380 mg. Sodium Metaphosphate—Add PF

PROPRIETARY INDEX—FIRST SCHEDULE.

(Part 1—Alphabetical)

Page 91—Add the following—

Ergane; 52; DH.

Page 95—Against Viules under Item No. add 6.

(Part 2—Numerical)

Page 96—Under Item No. 6 AMIDONE—Add; Viules; BT.

Page 98—Under Item No. 52 ERGOTAMINE TARTRATE—Add
Ergane; DH.

SECOND SCHEDULE.

(Part 1—Alphabetical)

Page 111—Add the following—

Penicillin-V; 33

Tetracyc-V; 59; PF.

(Part 2—Numerical)

Page 116—Under Item No. 33 PHENOXYMETHYL PENICIL-
LIN—

Add Penicillin-V.

Page 118—Under Item No. 59 TETRACYCLINE WITH SODIUM
METAPHOSPHATE—Add: Tetracyc-V; PF



SECTION A—GENERAL PHARMACEUTICAL BENEFITS
SECTION B—PENSIONER PHARMACEUTICAL BENEFITS

NOTES

FOR

MEDICAL PRACTITIONERS

Operative from 1st July, 1957

The rates shown in column 6 of List A and List B are those applicable at 1st July, 1957, unless otherwise indicated.

DEPARTMENT OF HEALTH,
CANBERRA, A.C.T.

JULY, 1957

By Authority,
L. G. SHEA, Government Printer,
Hobart, Tasmania, 1957.

PHARMACEUTICAL BENEFITS

GENERAL NOTES

Foreword. These notes are based on the Pharmaceutical Benefits Regulations and Determinations by the Minister under the National Health Act and apply equally to the prescribing of benefits for pensioners and non-pensioners.

The term "pharmaceutical benefits" covers all benefits whether they be benefits for administration to all classes of persons or pensioners only. The term "general pharmaceutical benefits" is used to distinguish these benefits from "pensioner pharmaceutical benefits", the latter being available to pensioners only.

Points which are not common to both classes of benefits are dealt with in the appropriate sections hereafter.

1. Entitlement to Benefits. Benefits are available to all persons receiving medical treatment in the Commonwealth.

2. Prescriptions. In writing a prescription for the supply of a pharmaceutical benefit the following points should be borne in mind:—

1. Write prescriptions in your own handwriting in ink in duplicate (a carbon copy is suitable). Ensure that they are signed and dated and that the copy is marked "duplicate".
2. Write the patient's name and address clearly. Prescriptions for different persons must not be written on the same form.
3. Write at the top of the prescription the letters "N.H.S.". If the prescription is written for a pensioner pharmaceutical benefit write, in addition, the words "Pensioner Benefit".
4. Prescription forms should approximate 5½ inches x 3½ inches in size.
5. Do not write the names of more than two benefits on the same form. See paragraph 2 of Section A also.
6. Do not write on the same form prescriptions for general and pensioner pharmaceutical benefits or two prescriptions for the same pharmaceutical benefit. See paragraph 1 of Section A also.

7. Do not write more than one prescription for the same benefit for the same person on the one day.
8. A prescription must not be written for a narcotic drug for the purpose of self administration by the prescriber.
9. It is the patient's responsibility to obtain the benefits and, wherever practicable, the prescription should be given to him or his agent for this purpose.
10. The maximum quantity or number of units of a benefit which may be prescribed at one time is referred to in the appropriate sections of these notes.

3. Repeats. The number of times a prescription may be repeated is set out in the appropriate sections. If a repeat be ordered, the maximum quantity or number of units must be ordered to be supplied on the first occasion of supply. The doctor may order less than the maximum to be supplied on the last occasion if completion of the treatment of a patient requires less than the maximum.

The prescription must not order a number of repeats in excess of the number specified in relation to a benefit or form of benefit as set out in these notes.

Do not write repeat directions on a form containing two benefits if either is a dangerous drug.

The Director-General may, in special circumstances, authorise the prescribing of a number of repeats greater than the number normally allowable. Applications for authority should be submitted to the Commonwealth Director of Health in your State. Prescriptions should be endorsed "Authorised by the Director of Health".

4. Supply of Benefit and Repeats on the same day. Where a doctor requires a patient to maintain a continuous course of treatment, he may direct that the total quantity authorised be supplied at the one time, if that patient is—

- (a) a chronic case and no help whatsoever is available to obtain medical supplies; or
- (b) the person is residing during treatment in a place remote from an approved chemist.

In such cases, in addition to directing that the total supply be made at one time, you must certify in the prescription as follows :—" Prescribed in accordance with Clause 10 of the Determination".

5. Prescribing Benefit in Urgent Cases. In a case of urgency you may by telephone or other means communicate a prescription to a chemist, but in such a case a written prescription for the benefit must be supplied to the chemist within 24 hours.

This provision does not apply in the case of any drug which State law requires to be prescribed in writing only. In the case of Cortisone Acetate, Hydrocortisone, Prednisolone and Prednisone, see last sub-paragraph of paragraph 2 on page B.

Section A

NOTES ON GENERAL PHARMACEUTICAL BENEFITS

1. General Pharmaceutical Benefits. The drugs and medicinal preparations specified in Lists A and B of these Notes are the only ones which may be prescribed as General Pharmaceutical Benefits. Each strength of each form of a benefit is a separate benefit, but in the case of the undermentioned drugs as many strengths as are required may be written on the one prescription for the same person and will be deemed to comprise one benefit only:—

Aurothioglucose Oily
Calcium Aurothiomalate
Cholera Vaccine
Pertussis Vaccine (Phase 1)
Sodium Aurothiomalate Aqueous

Do not write a general pharmaceutical benefit by its item number. The name as it appears in List A or B should be used, but a proprietary title will be accepted. If you desire a particular brand of a benefit to be supplied, that brand (provided it is a brand specified in a list in these Notes) or the name of the maker should be written after the item name.

2. Drugs having limited supply. The following classes of general pharmaceutical benefits may only be prescribed for supply as indicated hereafter:—

The drugs which appear in List B may be prescribed only for the treatment of a disease specified in relation to the drug in the list of benefits and diseases appearing in pages 62-68.

A prescription for the supply of one of these drugs must be endorsed with the words "For a specified disease".

In the case of Dienoestrol, Penicillin Tablets, Quinine Salts and Stilboestrol specified in List B, prescriptions may be written for a pensioner for the treatment of any disease whatsoever; the prescription, in such cases, is not required to be endorsed "For a specified disease".

Cortisone Acetate, Hydrocortisone, Prednisolone and Prednisone may only be prescribed if, in addition to compliance with the above requirement, application for permission to supply the drug has been made on official Form D to the Commonwealth Director of Health in your State and he has issued to you in duplicate a numbered authority to prescribe the drug. The duplicate of the authority must be attached to the prescription. If a continuance of supply is necessary, further application must be made to the Commonwealth Director of Health.

In cases of urgency, application may be made by telephone or other convenient means.

A prescription for Cortisone Acetate, Hydrocortisone, Prednisolone or Prednisone must not contain any other benefit.

In a case of extreme urgency, you may prescribe Cortisone Acetate, Hydrocortisone, Prednisolone or Prednisone by telephone or other means of communication provided that you have first obtained the authority of the Commonwealth Director of Health. In such a case a written prescription for the benefit must be supplied to the chemist within 24 hours and the written authority which will subsequently be issued to you by the Director of Health, must be furnished to the chemist within 24 hours of its receipt.

3. Doctor's Bag Supplies. Drugs for emergency supply are set out in List C in these Notes. For convenience, these drugs will be referred to as "Doctor's Bag Supplies".

These drugs may be obtained once a month from any approved chemist by lodging with him in duplicate an order form supplied by the Commonwealth. If you desire a supply of these order forms they may be obtained from the Commonwealth Director of Health in your State.

Order forms must be signed by the doctor himself but any person authorised by him may accept delivery of the goods on his behalf.

The maximum number of units of each listed form of benefit as set out in column 4 of List C may be obtained at one time.

If more than one strength of a type, e.g., ampoule, bottle, tablet, of benefit is specified in List A, all or any of those strengths may be ordered, but the total quantity ordered must not exceed the maximum quantity allowed for the particular form specified in Column 4 of List C on pages 87

and 88. If advantage is taken of this provision, it must be borne in mind that only standard packs of each required strength may be ordered. The quantity in a standard pack is shown in Column 6 of List A.

The following are examples of the foregoing :—

Suppose Aqueous Suspension of Procaine Penicillin is required. List C shows that 12 ampoules or vials are obtainable. Reference to List A shows that there are six different strengths. Since the standard pack is 1, you could obtain 1 unit of any one strength or you could obtain a multiplicity of the available strengths as long as the total did not exceed 12.

Again, there are two strengths of Oxytocin. List C shows that you may obtain 12 ampoules. Since the standard pack is 6 you could order 12 ampoules of one strength or 6 ampoules each of the two strengths, but you must not order less than 6 (the standard package in either case).

You are not entitled to obtain further supplies of a drug in List C if the number of units on hand is equal to or greater than the number of units obtainable in accordance with Column 4 of List C. For example, if you have on hand 100 or more than 100 Sulphonamide Tablets you may not obtain further supplies until the number on hand falls below 100.

With regard to Sulphonamides, you may order any **one** of the Sulpha drugs specified in List C.

If a particular brand (specified in List A) is required and that brand is not available, a chemist may not supply any other brand unless with your permission. In such a case the chemist will return the form to you for alteration and initialling.

Emergency drug supplies may not be obtained by ships' doctors or approved medical practitioners.

MANUFACTURERS AND CODES

Manufacturer	Code
A	
Abbott Laboratories Pty. Ltd.	AB
Allen and Hanburys (A'asia) Limited	AH
Andrew's Laboratories	AN
Anglo Swiss Drug Co. Pty. Ltd.	AS
Associated Drug Company of Australia Pty. Ltd.	AD
B	
Bayer Pharma Pty. Ltd.	BA
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT
British Drug Houses (Australia) Pty. Ltd.	BD
British Schering Ltd.	BS
Bull Laboratory, David G.	BL
Burroughs Wellcome & Co. (Aust.) Ltd.	BW
C	
Charles McDonald Pty. Ltd.	CM
Chemco Co-operative Society Ltd.	CC
Ciba Limited	CB
Commonwealth Serum Laboratories	CS
Crookes Laboratories Ltd., The	CK
D	
Drug Houses of Australia Ltd.	DH
E	
Edward Caminer Pty. Ltd.	EC
Evans Medical Australia (Pty.) Ltd.	EV

Manufacturer	Code
F	
Farmer Hill Pty. Ltd.	FH
Faulding and Co. Ltd., F. H.	FA
Fawns and McAllan Pty. Ltd.	FM
Fisons Chemicals (Pty.) Ltd.	FC
G	
Gamma Laboratories	GA
Geigy (A'sia) Pty. Ltd.	GE
Glandular Products Pty. Ltd.	GP
Glaxo Laboratories (Aust.) Pty. Ltd.	GL
H	
Hamilton Laboratories Ltd., The	HA
Harvey Pty. Ltd., H. F.	HY
Heris Pharmaceuticals Ltd.	HT
I	
Imperial Chemical Indust. of Aust. & N.Z. Ltd	IC
K	
Kabi, A. B.	KA
Knoll Laboratories	KL
Knoll	KN
L	
Lederle Laboratories	LE
Leo Pharmaceutical Products	LP
Lilly and Co., Eli	LY
M	
Martindale, W.	MT
May and Baker (Aust.) Pty. Ltd.	MB
McGloin Pty. Ltd., J.	MG
Medical Research Pty. Limited	MR
Menley and James (Col. Ltd.)	MJ
Merck and Co. Inc.	MK

Manufacturer	Code
N	
Nativelle Laboratories	NA
Nicholas Pty. Ltd.	NS
Nordisk Insulin Laboratorium	NO
O	
Oppenheimer, Son & Co. Ltd.	OP
Organon Laboratories Ltd.	OR
Oxo Limited	OX
P	
Parke, Davis and Co. Ltd.	PD
Pfizer Overseas Inc., Chas.	PF
Pharmedica Pty. Ltd.	PH
Prosana Laboratories	PR
Q	
Queensland Ethicals	QE
R	
Roche Products Ltd.	RO
Rocke Tompsitt & Co. Ltd.	RT
Rotary Tableting Corp. Pty. Ltd.	RY
Roussel Laboratories Ltd.	RL
S	
Sandoz Ltd.	SZ
Savory and Moore Ltd.	SY
Schering Corporation, U.S.A.	SH
Schering Pty. Ltd.	SC
Sera Pty. Ltd.	SE
Sharpe & Dohme Inc.	SD

Manufacturer	Code
Sigma Co. Ltd.	SI
Simanite (Asia) Pty. Ltd.	SM
Societe Parisienne d'Expansion Chimique, S.A.	SP
Soul Pattinson (Laboratories) Pty. Ltd.	SL
Squibb and Sons, E. R.	SQ
St. Just Laboratory	SJ
T	
Toppin and Sons Pty. Ltd., R. D.	TO
U	
Union International Co. Ltd.	UI
Upjohn Company, The	UP
V	
Virax Ethicals Pty. Ltd.	VR
Vitamins Limited	VM
W	
Wander Limited, A.	WA
Winthrop Laboratories	WL
Wyeth International Limited	WY
Wholesale Drug Co. Ltd.	WD
Ward Blenkinsop and Co. Ltd.	WB
Warner & Co. Pty. Ltd., Wm. R.	WW

GENERAL PHARMACEUTICAL BENEFITS

List of Benefits

FIRST AND SECOND SCHEDULES

Details of the items available as General Pharmaceutical Benefits are set out in LIST A, pages 6-61, and LIST B, pages 69-86.

The Lists show:—

In Column 1—the item number;

2—the name of the drug, the form and strength and size which may be prescribed;

3—the maximum number of units which may be prescribed at any one time;

4—the number of repeats which may be ordered;

5—the manufacturer whose product is available as a benefit. No other manufacturers' product may be prescribed; and

6—the rate at which chemists are paid for the particular manufacturer's product. This column is included for information purposes only and the rates, unless otherwise indicated, are those payable at 1st July, 1957.

For convenience of printing, proprietary names have not been included in the Lists. However, the manufacturer's name (in code) has been shown and reference to the Proprietary Index—First Schedule (see page 89) or Second Schedule (see page 108) and the Manufacturer's Code (see page one)—will enable the medical practitioner to identify a benefit under its proprietary title or by the name of the manufacturer.

γ	means Microgrammes
U.	means Units
I.U.	means International Units
M.	means Millions of organisms

LIST A

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
1	ACETARSOL SOLUBLE— Injection				
2 cc. amp.		10	1	MB	10 for 11 1
3 cc. amp.		10	1	MB	10 „ 16 0
2	ACETAZOLEAMIDE— Oral				
250 mg. tab.		25		LE, VR	25 „ 36 0
3	ADRENALIN IN OIL— Injection				
2 mg. per cc., 1 cc. amp.		6	1	AD, DH, PD	6 „ 7 4
4	ADRENALIN TARTRATE— Injection				
1 in 1000, 1 cc. amp.		6	1	AD, AH, BL, BT BW, DH, FH, KL, PD, SJ	6 „ 4 0
1 in 1000, 10 cc. amp.		1	1	BW, PD ..	1 „ 2 8
	Solution				
1 in 1000, 25 cc. bottle		1		FH	1 „ 3 9
				BW	1 „ 3 11
1 in 1000, 1 fl. oz. bottle		1		AH, PD	1 „ 6 0
1 in 100, 7 cc. vial		1	1	BW, PD	1 „ 3 11

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
5	ALOXIDONE— Oral				s. d.
	0.3 G. cap.	100	1	BS	100 for 38 3
6	AMIDONE— Injection				
	5 mg. per cc., 2 cc. amp	6		BA	10 " 20 0
	5 mg. per cc., 10 cc. vial	1		BA	1 " 8 7
	10 mg. per cc., 1 cc. amp.	6		BW, CM	6 " 6 8
	10 mg. per cc., 10 cc. vial	1		CM	1 " 8 11
	Oral				
	5 mg. tab.	25		BA, BW, CM, DH, WL	25 " 4 0
	10 mg. tab.	25		BA	25 " 5 4
7	AMODIAQUINE— Oral				
	0.2 G. tab.	25		PD	25 " 10 5
8	AMYL NITRITE— Inhalation				
	2 min. cap.	12	1	DH	12 " 8 7
	3 min. cap.	12	1	AH, DH	12 " 8 7
	4 min. cap.	12	1	AH, DH	12 " 8 7
	5 min. cap.	12	1	AH, DH	12 " 8 7

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
9	ANTAZOLINE— Injection				
	0.1 G. per 2 cc. amp.	10		CB	5 for 9 3
				BT	6 " 10 8
10	ATROPINE SULPHATE— Hypo. Tab.				
	1/200 gr. hypo. tab.	20	1	PD	20 " 2 0
	1/150 gr. hypo. tab.	20	1	DH, FA, PD	20 " 2 0
	1/100 gr. hypo. tab.	20	1	DH, FA, PD	20 " 2 4
	Injection				
	1/150 gr. per cc., 1 cc. amp.	6	1	FH, KL AH, BL, BT, DH, SJ	6 " 3 8 6 " 4 0
	1/100 gr. per cc., 1 cc. amp.	6	1	FH, KL AH, BL, BT, DH, SJ	6 " 3 8 6 " 4 0
	1/100 gr. per cc., 10 cc. vial	1		FA	1 " 4 0
	1/50 gr. per cc., 1 cc. amp.	6	1	KL BL, DH	6 " 3 8 6 " 4 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a "genent	6 Rate
11	AUROTHIOGLUCOSE OILY— Injection				s. d.
	0.01 G. amp.	1	3	SC	1 for 3 3
	0.025 G. amp.	1	3	SC	1 " 4 7
	0.05 G. amp.	6		SC	1 " 5 1
	0.1 G. amp.	6		SC	1 " 6 7
	0.01 G. per cc., 10 cc. vial	1		SC	1 " 17 0
	0.1 G. per cc., 10 cc. vial	1		SC	1 " 50 0
12	BENZATHINE PENICILLIN WITH PROCAINE PENI- CILLIN AND POTAS- SIUM PENICILLIN— Injection				
	Vial containing :— 600,000 U. Benzathine penicillin 300,000 U. Procaine penicillin 300,000 U. Potassium penicillin	1		WY	1 " 8 11
13	BENZHEXOL HYDROCHLORIDE— Oral				
	2 mg. tab.	100	1	LE, WL	100 " 18 4
	5 mg. tab.	100	1	LE, WL	100 " 38 4

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
14	CALCIUM AUROTHIO- MALATE— Injection				
	10 mg. amp.	1	3	CK	1 for 4 9
	25 mg. amp.	1	3	CK	1 " 5 4
	50 mg. amp.	6		CK	1 " 5 11
	100 mg. amp.	6		CK	1 " 7 5
15	CALF LYMPH— Injection				
	Capillary Tube	1		CS	1 " 2 5
16	CARBACHOL— Injection				
	0.25 mg. per 1 cc. amp.	6		AH SY	6 " 3 8 10 " 6 0
	Oral				
	2 mg. tab.	25	3	HY BD, MB SY	25 " 1 5 25 " 1 9 20 " 1 8
17	CARBARSONE— Oral				
	0.25 G. cap.	20	1	LY	20 " 11* 7
	0.25 G. tab.	20	1	HY, MB	20 " 3 9

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
18	CARBIMAZOLE— Oral				
	5 mg. tab.	100	1	BS	100 for 29 4
19	CHINIOFON— Oral				
	0.25 G. pill	25	1	BA	25 " 5 7
	0.25 G. tab.	25	1	HY	25 " 4 11
19A	CHLORMERODRIN— Oral				
	18.3 mg. tab.	25	2	PD	25 " 6 8
	20 mg. tab.	25	2	AN	25 " 6 8
20	CHLOROQUINE— Oral				
	0.2 G. tab.	100	1	MB	100 " 28 8
	250 mg. tab.	100	1	AN	100 " 28 8
				BA, IC ..	100 " 33 5
21	CHOLERA VACCINE— Injection				
	4,000 M. per cc., 1 cc. amp.	3		CS	1 " 3 7
	4,000 M. per cc., 10 cc. vial	1		CS	1 " 25 3
	8,000 M. per cc., 1 cc. amp.	2		CS	1 " 3 7
	8,000 M. per cc., 10 cc. vial	1		CS	1 " 25 3

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
22	DAPSONE— Oral				s. d.
	50 mg. tab.	100	...	AN	100 for 4 0
	100 mg. tab.	100	...	IC	100 " 5 3
23	DARROW'S SOLUTION— Injection				
	1 litre bottle	2	1	DH	1 " 14 4
24	DESACETYL- LANATOSIDE C— Injection				
	0.2 mg. per cc., 2 cc. amp.	6	1	SZ	6 " 9 3
	Oral				
	0.25 mg. tab.	100	1	SZ	100 " 25 8
25	DEXTROSE AQUEOUS— Injection				
	5%, 1 litre bottle	6	1	DH	1 " 14 4
	10%, 1 litre bottle	2	1	DH	1 " 14 4
	20%, 1 litre bottle	2	1	DH	1 " 14 4
	25%, 1 litre bottle	2	1	DH	1 " 14 4
	50%, 25 cc. amp.	6	1	AD, DH, FH	1 " 4 0
	50%, 50 cc. amp.	6	1	AD, DH, FH, PD	1 " 6 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
26	DEXTROSE IN 1/5 NORMAL SALINE— Injection 4%, 1 litre bottle	6	1	DH	s. d. 1 for 14 4
27	DEXTROSE IN RINGER'S SOLUTION— Injection 5%, 1 litre bottle 10%, 1 litre bottle	6 3	1 1	DH DH	1 " 14 4 1 " 14 4
28	DIAZONE— Oral 0.33 G. tab.	200	1	PD	500 " 93 4
29	DIETHAZINE HYDRO- CHLORIDE— Oral 0.05 G. tab. 0.25 G. tab.	100 100	1 1	MB MB	100 " 7 9 50 " 14 0
30	DIETHYLCARBAMAZINE Oral 50 mg. tab.	20	1	BD, BW, LE	20 " 11 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
31	DIGITALIS— Oral				
	½ gr. tab.	100	1	AD, BW, CC, DH, FA, HY, RT, RY, SI, TO	100 for 2 0
	1 gr. tab.	100	1	AD, BW, CC, DH, FA, HY, RT, RY, SI, TO	100 „ 2 3
32	DIGITOXIN— Oral				
	0.1 mg. tab.	100	1	AD, CM, KL, NA, PR, SI, WY	100 „ 7 3
	0.2 mg. tab.	100	1	CM, LY, PD, PR, WY	100 „ 14 8
	0.25 mg. tab.	100	1	KL	100 „ 16 5
33	DIGOXIN— Injection				
	0.5 mg. per 2 cc. amp. Solution	12	1	BW	6 „ 9 4
	0.5 mg. per cc., 30 cc. bottle	1	1	BW	1 „ 9 8
	Oral				
	0.25 mg. tab.	100	1	BW, FA, KL, MG, TO	100 „ 11 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
34	DIHYDROERGOTAMINE— Injection 1 mg. per cc., 1 cc. amp.	6		SZ	6 for 15 4
35	DIHYDROMORPHINONE— Injection 1.1 cc. amp.	5		KN ..	5 " 7 4
	Oral 1/25 gr. tab.	20		KN ..	10 " 3 4
36	DIIODOHYDROXY- QUINOLINE— Oral 0.21 G. tab. 0.3 G. tab.	100 100	1 1	SY MB	100 " 17 4 100 " 15 7
37	DIMERCAPROL— Injection 2 cc. amp.	12		BT	12 " 32 0
38	DIPHENHYDRAMINE HYDROCHLORIDE— Injection 10 mg. per cc., 10 cc. vial	1	1	PD	1 " 11 4

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
39	DIPHTHERIA AND TETANUS TOXOIDS COMBINED— Injection				
	1 cc. amp.	3		CS	1 for 4 0
	5 cc. amp.	1		CS	1 " 9 4
40	DIPHTHERIA ANTITOXIN— Injection				
	1,000 U. amp.	2	1	CS	1 " 4 1
	2,000 U. amp.	2	1	CS	1 " 4 5
	4,000 U. amp.	2	1	CS	1 " 8 5
	6,000 U. amp.	2	1	CS	1 " 12 7
	8,000 U. amp.	2	1	CS	1 " 13 4
	10,000 U. amp.	2	1	CS	1 " 16 1
	20,000 U. amp.	2	1	CS	1 " 29 5
41	DIPHTHERIA PERTUSSIS ANTIGEN— Injection				
	1 cc. amp.	3		BW, CS, GL	3 " 9 4
	5 cc. amp.	1		CS	1 " 10 0
	5 cc. vial	1		GL	1 " 16 8
	10 cc. vial	1		GL	1 " 26 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Beneit	6 Rate
					s. d.
42	DIPHTHERIA PERTUSSIS AND TETANUS ANTIGEN— Injection				
	1 cc. amp.	3		BW, CS, GL, PD	3 for 10 0
	5 cc. amp.	1		CS	1 " 10 0
	7.5 cc. vial	1		PD	1 " 34 0
	10 cc. vial	1		BW, GL	1 " 26 0
43	DIPHTHERIA PROPHYLACTIC— (Formalinised Toxoid)— Injection				
	Set containing 3 amps. each 1 cc. Toxoid undil- uted & 1 amp. of 1 cc. Toxoid diluted	1	1	CS	1 " 6 7
	Set containing 9 amps. each 1 cc. Toxoid undiluted & 3 amps. of 1 cc. Toxoid diluted	1		CS	1 " 16 9
44	DIPHTHERIA PROPHYLACTIC (Purified Toxoid Aluminium Phosphate)— Injection				
	1 cc. amp.	2	1	CS	1 " 3 8
	5 cc. vial	1		CS, GL	1 " 9 0
	10 cc. vial	1		PD	1 " 19 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
44—(Contd.)					
	Set containing 2 amps each 1 cc. Diphtheria Propy- lactic (Purified Toxoid Aluminium Phosphate) (diluted) for IMMUNI- SATION OF ADULTS ONLY and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for the skin test only.	1		CS	1 for 9 4
45	DIPHTHERIA TOXOID PURIFIED— (Diluted for Skin Test Only) Injection				
	1 cc. amp.	1		CS	1 " 3 4
46	EMETINE HYDRO- CHLORIDE— Injection				
	20 mg. per 1 cc. amp.	12		KL	12 " 9 4
				DH	12 " 10 0
	30 mg. per 1 cc. amp.	12		KL	12 " 12 0
				DH	12 " 15 4
	65 mg. per 1 cc. amp.	6		DH, KL	6 " 15 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a benefit	Rate
47	EMETINE BISMUTH IODIDE— Oral				s. d
	1 gr. tab.	25	1	DH	25 for 26 8
	2 gr. tab.	25	1	DH	25 " 36 0
48	ENTERO-VIOFORM— Oral				
	0.25 G. tab.	100	1	CB	100 " 26 8
49	EPHEDRINE HYDRO-CHLORIDE— Hypo. Tab.				
	$\frac{1}{2}$ gr. hypo. tab.	20	1	FA	20 " 2 4
	Injection				
	$\frac{1}{2}$ gr. per 1 cc. amp.	6	1	BL, DH, KL	6 " 4 0
	$\frac{3}{4}$ gr. per 1 cc. amp.	6	1	BL, DH, KL	6 " 4 4
	Oral				
	$\frac{1}{4}$ gr. tab.	100	1	AD, BW, CC, DH, HY, KL, MG, PR, RT, RY, SI, TO	100 " 3 0
	$\frac{1}{2}$ gr. tab.	100	1	AD, BW, CC, DH, FA, HY, KL, MG, PR, RT, RY, SI, SL, TO	100 " 4 0
	1 gr. tab.	100	1	HY, KL	100 " 7 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
50	EPHEDRINE SULPHATE— Hypo. Tab.				
	$\frac{1}{2}$ gr. hypo. tab.	20	1	FA	20 for 2 4
	Injection				
	$\frac{1}{2}$ gr. per 1 cc. amp.	6	1	AH	6 " 3 4
	Oral				
	$\frac{1}{4}$ gr. tab.	100	1	HY, PD, RT	100 " 4 8
	$\frac{1}{2}$ gr. tab.	100	1	FA, HY, KL, PD, RT, TO	100 " 6 8
51	ERGOMETRINE MALEATE— Injection				
	0.2 mg. per 1 cc. amp.	6		LY	6 " 14 11
	0.5 mg. per 1 cc. I.M. amp.	6		AD, AH, BD, BL, BW, FH, FM ..	6 " 16 8
	0.125 mg. per 1 cc. I.V. amp.	6		AD, BD, BW, FH ..	6 " 6 8
	Oral				
	0.2 mg. tab.	25		LY	25 " 13 9
	0.5 mg. tab.	25		BD, BW	25 " 48 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
52	ERGOTAMINE TARTRATE— Injection				s. d.
	0.5 cc. amp.	6		SZ	6 for 11 0
	1 cc. amp.	6		SZ	6 " 15 3
	1 mg. tab.	25	1	BD, SZ, TO	25 " 19 7
53	ETHOPROPAZINE HYDROCHLORIDE— Oral				
	50 mg. tab.	100	1	MB	50 " 14 8
54	ETHYL BISCOUMACE- TATE— Oral				
	300 mg. tab.	100		GE	100 " 274 0
55	ETHYLIDENE DICOUMARIN— Oral				
	100 mg. tab.	50	1	NS	50 " 35 0
56	GAS GANGRENE ANTITOXIN (Oedematiens)— Injection				
	10,000 U. amp.	3	1	CS	1 " 12 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
57	GAS GANGRENE ANTITOXIN (Perfringens)— Injection				
	4,000 U. amp.	3	1	CS	1 for 15 7
	10,000 U. amp.	10	1	CS	1 " 21 0
58	GAS GANGRENE ANTITOXIN (Polyvalent)— Injection				
	1 amp. containing 3,000 U. Perfringens, 1,500 U. Septique, 1,000 U. Oedematiens	2	1	CS	1 " 19 3
	1 amp. containing 7,500 U. Perfringens 3,750 U. Septique, 2,500 U. Oedematiens	2	1	CS	1 " 43 3
59	GAS GANGRENE ANTITOXIN (Septique)— Injection				
	5,000 U. amp.	2	1	CS	1 " 19 3

1	2	3	4	5	6
Item No.	Name. Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
60	GLYCERYL TRINITRATE— Oral				s. d.
	1/200 gr. tab.	100	1	FA, HY, TO	100 for 1 7
				DH	100 " 2 0
	1/150 gr. tab.	100	1	HY	100 " 1 7
	1/130 gr. tab.	100	1	DH	100 " 2 0
	1/100 gr. tab.	100	1	FA, HY, TO	100 " 1 7
				BW, DH ..	100 " 2 0
	1/65 gr. tab.	100	1	DH	100 " 2 8
	1/50 gr. tab.	100	1	HY	100 " 2 4
61	HARTMANN'S SOLUTION— Injection				
	1 litre bottle	2	1	DH	1 ,, 14 4
62	HARTMANN'S SOLUTION WITH DEXTROSE— Injection				
	5%, 1 litre bottle	2	1	DH	1 ,, 14 4
	10%, 1 litre bottle	2	1	DH	1 ,, 14 4
63	HEPARIN— Injection				
	1,000 U. per cc., 5 cc. vial	5		BD, BT, EV, RO	1 ,, 11 8
	5,000 U. per cc., 5 cc. vial	1		BD, BT, EV, LP, OR, RO	1 ,, 50 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
64	HEPARIN RETARD— Injection 20,000 U. per 2 mil. amp.	6		BT	6 for 213 4
65	HEXAMETHONIUM BROMIDE— Injection 10%, 1 cc. amp. 10%, 25 cc. bottle 30%, 25 cc. bottle	10 1 1	1 1	MB MB MB	10 „ 11 8 1 „ 14 8 1 „ 25 4
66	HEXAMETHONIUM BROMIDE WITH EPHEDRINE— Injection 20%, 25 cc. bottle	1		MB	1 „ 21 0
67	HEXAMETHONIUM TARTRATE— Injection 13.8%, 1 cc. amp.	10	1	MB	10 „ 14 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
68	HYALURONIDASE— Injection				s. d.
	1 mg. amp.	5	1	FC	5 for 32 4
	3 mg. amp.	6	1	EV ..	6 " 41 8
	150 U. amp.	5	1	WY ..	1 " 7 7
	Set containing 3 amps. each of 10 U. and 3 amps. of solvent ..	1	1	SC ..	1 " 21 4
	Set containing 3 amps. each of 150 U. and 3 amps. of solvent ..	1	1	OR ..	1 " 20 0
69	HYOSCINE HYDRO- BROMIDE— Injection				
	1/150 gr. amp.	6		AH, BL, DH, FH, KL, SJ	6 " 4 0
	1/100 gr. amp.	6		AH, BL, BT, DH, FH, KL, SJ	6 " 4 0
	1/75 gr. amp.	6		BL, KL	6 " 4 0
	1/100 gr. per cc., 10 cc. vial	1		FA ..	1 " 3 0
	Hypo. Tab.				
	1/200 gr. hypo. tab.	100	1	PD ..	20 " 2 0
	1/150 gr. hypo. tab.	100	1	DH, FA, PD	20 " 2 0
	1/100 gr. hypo. tab.	100	1	DH, FA, PD	20 " 2 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
70	INSULIN— Injection				
	20 U. per cc., 10 cc. vial	3	12	BW, CS	1 for 3 8
	40 U. per cc., 5 cc. vial	3	12	AH-BD, BS-UI, BT, BW ..	1 " 3 8
	40 U. per cc., 10 cc. vial	3	12	AH-BD, BS- UI, BT, BW, CS, EV, LP, SE	1 " 6 11
	80 U. per cc., 5 cc. vial	3	12	AH-BD, BT, BW ..	1 " 6 11
	80 U. per cc., 10 cc. vial	3	12	AH-BD, BT, BW, CS, SE ..	1 " 12 0
	100 U. per cc., 5 cc. vial	3	12	CS	1 " 7 9
	300 U. per cc., 5 cc. vial	3	12	CS	1 " 23 3
71	INSULIN GLOBIN ZINC— Injection				
	40 U. per cc., 5 cc. vial	3	12	BT, BW	1 " 4 2
	80 U. per cc., 5 cc. vial ...	3	12	BT, BW	1 " 7 6

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
72	INSULIN ISOPHANE (N.P.H.)— Injection				s. d
	40 U. per cc., 5 cc. vial	3	12	LP	1 for 5 0
	40 U. per cc., 10 cc. vial	3	12	AH-BD, BT, BW, CS, LP	1 „ 9 0
	80 U. per cc., 10 cc. vial	3	12	AH-BD, BT, BW, CS, LP	1 „ 17 0
73	INSULIN (SPECIAL P)— Injection				
	40 U. per cc., 10 cc. vial	3	12	CS	1 „ 7 6
74	INSULIN PROTAMINE ZINC— Injection				
	40 U. per cc., 5 cc. vial	3	12	AH-BD, BS- UI, BT, BW, SE ..	1 „ 4 2
	40 U. per cc., 10 cc. vial	3	12	AH-BD, BS- UI, BT, BW, CS, EV, LP, SE	1 „ 7 6
	80 U. per cc., 5 cc. vial	3	12	AH-BD, BT, BW, SE	1 „ 7 6
	80 U. per cc., 10 cc. vial	3	12	BW, CS, SE	1 „ 13 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is avail- able as a Benefit	6 Rate
					s. d.
75	INSULIN ZINC SUSPENSION— Injection				
	40 U. per mil., 10 mil. vial	3	12	AH-BD, BT, BW, EV	1 for 9 0
	80 U. per mil., 10 mil. vial	3	12	AH-BD, BT, BW, EV ..	1 „ 17 0
76	INSULIN ZINC SUSPEN- SION (Amorphous)— Injection				
	40 U. per mil., 10 mil. vial	3	12	AH-BD BT, BW, EV	1 „ 9 0
	80 U. per mil., 10 mil. vial	3	12	AH-BD, BT, BW, EV ..	1 „ 17 0
77	INSULIN ZINC SUSPEN- SION (Crystalline)— Injection				
	40 U. per mil., 10 mil. vial	3	12	AH-BD, BT, BW, EV	1 „ 9 0
	80 U. per mil., 10 mil. vial	3	12	AH-BD, BT, BW, EV ..	1 „ 17 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
78	ISOPRENALINE HYDRO- CHLORIDE— Solution				s. d.
	1 in 200, $\frac{1}{2}$ fl. oz. bottle	1	1	WL	1 for 3 4
	Oral				
	10 mg. tab.	25	3	WL	25 „ 3 4
79	ISOPRENALINE SULPHATE— Solution				
	10 mg. per cc., 7 cc. vial	1	1	BW	1 „ 4 4
	Oral				
	20 mg. tab.	25	3	BW	25 „ 4 0
80	LEPTAZOL— Injection				
	1.1 cc. amp.	6		KN	6 „ 5 8
	3 cc. amp.	2		KN	2 „ 4 8
	5 cc. amp.	1		KN	2 „ 8 8
81	MECHOLYL CHLORIDE— Injection				
	25 mg. amp.	6		SY	6 „ 23 4
				SD	6 „ 63 4

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
82	MEPACRINE HYDRO- CHLORIDE— Oral 0.1 G. tab.	100	1	IC ..	s. d. 100 for 7 5
84	MEPYRAMINE MALEATE— Injection 2.5%, 2 cc. amp.	10		MB	10 " 10 7
85	MERCAPTOMERIN SODIUM— Injection Set containing 1.4 G. vial and 10 cc. water for injection	3		WY	1 " 18 3
86	MERCURAMIDE WITH THEOPHYLLINE— Injection 1 cc. amp. 2 cc. amp.	10 10		MB MB	10 " 10 0 10 " 13 4

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
87	MERSALYL— Injection				s. d.
	1 cc. amp.	12		AD, AH, BD, BL, DH, EV, FH	6 for 5 0
				BT, SJ	6 " 5 8
				BA	5 " 5 0
	2 cc. amp.	12		AD, AH, BL, DH, EV, FH, VR ..	6 " 5 7
				SJ	6 " 5 8
				BD	6 " 6 0
				BA, BT, PD	6 " 7 8
88	METHOIN— Oral				
	0.1 G. tab.	200	1	SZ	100 " 26 8
89	METHYL ATROPINE NITRATE— Injection				
	1/200 gr. per 1 cc. amp.	6		BL	6 " 6 0
	1/100 gr. per 1 cc. amp.	6		BL	6 " 6 0
	Solution				
	0.6%, ½ fl. oz. bottle	1		BA	1 " 6 8
	Oral				
	0.001 G. tab.	20	1	BA	20 " 6 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
90	METHYLERGOMETRINE TARTRATE— Injection 0.2 mg. per mil., 0.5 mil. amp.	6		SZ	6 for 8 11
	0.2 mg. per mil., 1.0 mil. amp.	6		SZ	6 " 12 3
	Oral 0.125 mg. tab.	25		SZ ..	25 " 19 7
91	MORPHINE SULPHATE— Hypo. Tab. 1/12 gr. hypo. tab.	20		DH, PD	20 " 2 0
	1/8 gr. hypo. tab.	20		DH, FA, PD	20 " 2 4
	1/6 gr. hypo. tab.	20		DH, FA, PD	20 " 2 8
	1/4 gr. hypo. tab.	20		DH, FA, PD	20 " 3 0
	1/3 gr. hypo. tab.	20		DH	20 " 3 4
	1/2 gr. hypo. tab.	20		DH, FA, PD	20 " 4 0
	Injection 1/6 gr. amp.	6		AD, AH, BL, BT, DH, FH, KL, SJ	6 " 5 8
	1/4 gr. amp.	6		AD, AH, BL, BT, DH, FH, KL, SJ	6 " 5 8
	1/3 gr. amp.	6		BL, BT, DH, FH, KL, SJ	6 " 5 8
	1/2 gr. amp.	6		AH, BL, BT, DH, FH, KL, SJ	6 " 5 8
	1/4 gr. per cc., 10 cc. vial	1		PD ..	1 " 3 4
	1/2 gr. per cc., 10 cc. vial	1		FA ..	1 " 4 8

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benent	Rate
92	MORPHINE WITH ATROPINE—				s. d.
A. {	Morphine Sulphate 1/12 gr				
	Atropine Sulphate 1/150 gr				
	Hypo. Tab.				
	1 hypo. tab.	20		DH	20 for 1 9
B. {	Morphine Sulphate 1/8 gr.				
	Atropine Sulphate 1/150 gr.				
	Hypo. Tab.				
	1 hypo. tab.	20		DH	20 „ 2 4
C. {	Morphine Sulphate 1/6 gr.				
	Atropine Sulphate 1/200 gr.				
	Injection				
	1 amp.	6		BL, DH	6 „ 5 8
D. {	Morphine Sulphate 1/6 gr.				
	Atropine Sulphate 1/180 gr.				
	Hypo. Tab.				
	1 hypo. tab.	20		DH	20 „ 2 8
E. {	Morphine Sulphate 1/6 gr.				
	Atropine Sulphate 1/150 gr.				
	Hypo. Tab.				
	1 hypo. tab.	20		DH, FA, PD	20 „ 2 8
	Injection				
	1 amp.	6		BL, BT, DH,	
				FH	6 „ 5 8
	per cc., 10 cc. vial	1		PD	1 „ 3 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
F. {	Morphine Sulphate 1/6 gr. Atropine Sulphate 1/120 gr. Injection				
	1 amp.	6		AD, BL, DH	6 for 5 8
G. {	Morphine Sulphate 1/4 gr. Atropine Sulphate 1/150 gr. Hypo. Tab.				
	1 hypo. tab.	20		DH, FA, PD	20 „ 3 0
	Injection				
	1 cc. amp.	6		AD, AH, BL, BT, DH,	
				FH	6 „ 5 8
	per cc., 10 cc. vial	1		FA, PD	1 „ 3 3
H. {	Morphine Sulphate 1/4 gr. Atropine Sulphate 1/120 gr. Hypo. Tab.				
	1 hypo. tab.	20		DH	20 „ 3 0
J. {	Morphine Sulphate 1/4 gr. Atropine Sulphate 1/100 gr. Hypo. Tab.				
	1 hypo. tab.	20		DH, FA, PD	20 „ 3 0
	Injection				
	1 amp.	6		AH, BL, BT, DH	6 „ 5 8

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benent	Rate
93	MORPHINE WITH HYOSCINE— Morphine Sulphate 1/4 gr. Hyoscine Hydrobromide 1/100 gr. Injection 1 cc. amp.	6		AD, BL, DH, FH	s. d. 6 for 5 8
94	NALORPHINE HYDRO- BROMIDE— Injection 10 mg. amp. 1 mg. per mil., 5 mil. vial	6 1	1	AN, BW BW	6 " 16 8 1 " 8 0
95	NEOARSPHENAMINE— Injection 0.15 G. amp. 0.3 G. amp. 0.45 G. amp. 0.6 G. amp. 0.75 G. amp. 0.9 G. amp.	2 2 2 2 2 2	1 1 1 1 1 1	GA, MB GA, MB GA, MB GA, MB GA, MB GA, MB	1 " 1 8 1 " 2 0 1 " 2 5 1 " 2 11 1 " 3 3 1 " 3 7
96	NEOSTIGMINE BROMIDE— Oral 15 mg. tab.	100	1	RO	100 " 22 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
97	NEOSTIGMINE METHYL SULPHATE— Injection				
	0.5 mg. per cc., 1 cc. amp.	6	3	RO	6 for 5 9
	2.5 mg. per cc., 5 cc. vial	1	1	RO	1 " 6 8
98	NIKETHAMIDE— Injection				
	1.7 cc. amp.	5		CB	5 " 6 8
	2 cc. amp.	6		AH, BT	6 " 4 0
				BD	6 " 5 8
	5 cc. amp.	3		BD	3 " 5 1
	5.5 cc. amp.	3		CB	3 " 7 1
99	NORADRENALINE— Injection				
	1 in 1,000, 2 mil. amp.	6		WL	6 " 34 0
101	OUABAIN— Injection				
	0.25 mg. amp.	3		NA	6 " 22 1
	0.5 mg. amp.	3		NA	6 " 23 11

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
103	OXYTOCIN— Injection				s. d.
	0.5 cc. amp.	6		PD	6 for 10 0
	1 cc. amp.	6		PD	6 " 15 4
104	PAMAQUIN Oral				
	0.01 G. tab.	45		BA	25 " 6 0
105	PAPAVERETUM— Hypo. Tab.				
	1/3 gr. hypo. tab.	25		RO	25 " 5 4
	Injection				
	1/6 gr. per 1 cc. amp.	6		BL	6 " 5 0
	1/3 gr. per 1 cc. amp.	6		BT, DH, RO	6 " 4 0
				BL	6 " 5 0
	Oral				
	1/6 gr. tab.	20		DH, HY	25 " 3 4
				RO	20 " 4 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
106	PAPAVERTUM WITH HYOSCINE HYDRO- BROMIDE— Injection Papaveretum 1/3 gr. Hyoscine Hydrobromide 1/300 gr., 1 cc. amp. Papaveretum 1/3 gr. Hyoscine Hydrobromide 1/150 gr., 1 cc. amp. Papaveretum 2/3 gr. Hyoscine Hydrobromide 1/150 gr., 1 cc. amp.	6 6 6		RO BT, RO RO	6 for 4 5 6 „ 4 5 6 „ 4 5
107	PAPAVERINE HYDRO- CHLORIDE— Injection 1/3 gr. per 1 cc. amp. ... 1½ gr. per 5 cc. amp. ... 2 gr. per 10 cc. amp. ... Oral ¾ gr. tab. 1½ gr. tab.	6 6 6 25 25	 1 1	AD, KL AN DH, KL HA ... AN, HY, KL, MG, PR, QE, RT, TO AN, DH, FA, HA, HY, KL, MG, PR, QE, RT, TO ..	6 „ 4 8 6 „ 10 8 6 „ 10 8 3 „ 5 4 25 „ 4 8 25 „ 8 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
108	PARAMETHADIONE— Oral				s. d.
	0.3 G. cap.	100	2	AB	100 for 65 11
109	PENICILLIN, INJECTION OF— Injection				
	100,000 U. amp.	6		AH, BD, CS, EV, GL, IC, SI	1 " 2 0
	200,000 U. amp.	6		AH, BD, BT, CS, EV, GL, IC, LP, SI	1 " 2 1
	500,000 U. amp.	6		AH, BD, BT, CS, DH, EV, GL, IC, LP, SI	1 " 3 4
	1,000,000 U. amp.	6		AH, BD, BT, CS, DH, EV, GL, IC, SI	1 " 4 4
	1,500,000 U. amp.	6		BT, GL, SI	1 " 6 5

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufactur- er whose Product is avail- able as a Benefit	6 Rate
					s. d.
110	PENICILLIN, PROCAINE, AQUEOUS SUSPENSION— Injection				
	300,000 U. amp.	6		BT	1 for 3 11
	400,000 U. vial	6		DH, FA	1 " 4 0
	600,000 U. vial	6		BT, DH, FA	1 " 5 1
	900,000 U. vial	6		BT, CS, DH GL, SI, VR	1 " 6 3
	1,000,000 U. vial	6		DH, FA	1 " 6 8
	1,500,000 U. vial	6		AH, BD, BT, CS, DH, EV, FA, GL, IC, SI, VR	1 " 8 8
111	PENICILLIN, PROCAINE (Crystalline)— Injection				
	300,000 U. amp.	6		AH, BD, BT, CS, DH, EV, IC, SI	1 " 3 3
	400,000 U. amp.	6		AH, BD, BT, BW, CS, GL, IC, SI	1 " 3 4
	600,000 U. amp.	6		DH	1 " 4 5
	900,000 U. amp.	6		AH, BD, BT CS, EV, IC, MB, SI	1 " 5 7

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
111	(Contd.)				
	1,200,000 U. amp.	6		AH, BD, BT, BW, CS, DH, IC, SI	1 for 7 0
	1,500,000 U. amp.	6		CS, DH, GL, SI	1 " 8 0
112	PENTAERYTHRITOL TETRANITRATE— Oral				
	10 mg. tab.	100	1	WW	100 " 5 4
	20 mg. tab.	100	1	WW	100 " 6 8
	30 mg. tab.	100	1	WL	100 " 8 5
113	PENTOLINIUM TARTRATE— Injection				
	3 mg. per cc., 10 cc. via'	1	1	MB	1 " 7 0
	25 mg. per cc., 25 cc. via'	1	1	MB	1 " 24 8
	Oral				
	40 mg. tab.	100	1	MB ..	50 " 7 8
	200 mg. tab.	100	1	MB ..	50 " 24 8
114	PENTOLINIUM TARTRATE WITH EPHEDRINE— Injection				
	25 mg. per cc., 25 cc. via	1	1	MB	1 " 29 4

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
115	PERTUSSIS PROPHYLACTIC— (Haemagglutinin Aluminium Phosphate Adsorbed)— Injection				
	½ cc. amp.	2		CS	1 for 4 0
	5 cc. amp.	1		CS	1 " 14 8
116	PERTUSSIS VACCINE (Phase 1)— Injection				
	1,000 M. per cc.	3	1	CS	1 " 3 0
	5,000 M. per cc., 10 cc. vial	1		CS	1 " 20 0
	10,000 M. per cc.	3	1	CS	1 " 5 0
	10,000 M. per cc., 10 cc. vial	1		CS	1 " 26 0
	20,000 M. per cc., 1 cc. amp.	3	1	CS, GL	3 " 10 0
	20,000 M. per cc., 5 cc. vial	1		CS	1 " 10 0
				GL	1 " 14 3
	20,000 M. per cc., 10 cc. vial	1		GL	1 " 26 0
	Set of 3 amps, containing 50,000 M. per set	1		SC	1 " 12 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
117	PETHIDINE HYDRO- CHLORIDE— Injection				s. d.
	50 mg. per cc., 1 cc. amp.	6		AD, AH, BL, BT, BW, DH, FH, FM, KL, SJ IC RO	6 for 4 0 10 " 5 9 12 " 8 0
	50 mg. per cc., 2 cc. amp	6		AD, AH, BL, BW, CM, DH, FH, FM, KL, SJ IC RO BA, BT	6 " 5 8 10 " 8 1 12 " 11 3 6 " 7 0
	50 mg. per cc., 10 cc. via'	1		CM, KL	1 " 4 8
	50 mg. per cc., 25 cc. bottle	1		AD, IC	1 " 11 4
	50 mg. per cc., 50 cc. bottle	1		BA, DH, RO	1 " 17 11

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose product is avail- able as a Benefit	6 Rate
					s. d.
118	PETHIDINE SCOPOLA- MINE— Injection (Pethidine Hydrochloride 100 mg., Scopolamine 0.43 mg.) 2 cc. amp.	6		BW BT KL, RO	6 for 7 0 6 " 7 9 12 " 12 7
119	PHEMITONE— Oral ½ gr. tab.	200	1	AD, DH, MG, PR QE, RY, SI, TO	100 " 3 7
	1 gr. tab.	200	1	AS, BA, BT, CC, FA IC, KL	100 " 4 11
	3 gr. tab.	200	1	AD, DH, MG, PR QE, RY, SI, TO	100 " 5 4
				AS, BA, BT, CC, FA IC, KL	100 " 6 0
				AD, AS, BA, BT, CC, DH, FA, IC, KL, MG, PR, QE, RY, SI, TO	100 " 12 8

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
120	PHENOBARBITONE SODIUM— Injection				
	1½ gr. per 1 cc. amp.	6		BT	6 for 3 9
	3 gr. per 1 cc. amp.	6		BL, CM, DH, FM	6 ,, 5 11
	3 gr. per 1.5 cc. amp.	6		MB	10 ,, 9 0
	3 gr. per 2 cc. amp.	6		EV	6 ,, 7 9
	3.1 gr. per 5 cc. amp.	6		AH, BT	6 ,, 6 0
				DH	6 ,, 10 8
120A	PHENSUXIMIDE— Oral				
	0.5 G. cap.	200	1	PD ..	100 ,, 40 0
121	PHENYLINDANEDIONE— Oral				
	50 mg. tab.	50		EV, IC	25 ,, 20 0
122	PHENYTOIN SODIUM— Oral				
	0.03 G. cap.	200	1	PD	100 ,, 7 8
	0.1 G. cap.	200	1	PD	100 ,, 12 8
	0.1 G. tab.	200	1	BT, DH, FM, KL, TO ..	100 ,, 6 8

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
123	PHTHALYLSULPHACE- TAMIDE— Oral 0.5 G. tab.	100		AN, BS, CM, KL, SC, VR	100 for 28 0
124	PHTHALYLSULPHA- THIAZOLE— Oral 0.5 G. tab.	100		MB, SD	100 " 13 4
126	PICROTOXIN— Injection 3 mg. amp. 5 mg. amp. 0.3%, 20 cc. bottle	6 6 1		AH AH, DH, MT MT .. AB ..	6 " 6 0 6 " 8 8 1 " 16 8 1 " 21 4
127	PITRESSIN TANNATE IN OIL— Injection 1 cc. amp.	12	1	PD	6 " 16 0
128	PRIMAQUINE DIPHOSPHATE— Oral 7.5 mg. tab. 15 mg. tab.	14 14		IC .. WL	30 " 7 8 14 " 3 9

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
129	PRIMIDONE— Oral 0.25 G. tab.	100	2	IC	100 for 43 4
130	PROCAINE AMIDE HYDROCHLORIDE— Injection 100 mg. per cc., 10 cc. vial	1		SQ MB	1 " 12 8 1 " 14 0
	Oral 0.25 G. tab.	25	1	SQ	25 " 17 8
131	PROCAINE HYDRO- CHLORIDE IN NORMAL SALINE— Injection 0.1%, 1 litre bottle	2	1	DH	1 " 14 4
132	PROCYCLIDINE HYDRO- CHLORIDE— Oral 5 mg. tab.	100	1	BW	100 " 40 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
133	PROGUANIL HYDRO- CHLORIDE— Oral 0.1 G. tab.	100	1	IC	s. d. 100 for 8 5
134	PROMETHAZINE HYDROCHLORIDE— Injection 2.5%, 2 cc. amp.	10		MB	10 „ 14 0
135	PROPHEPYRIDAMINE PARA-AMINOSALICY- LATE— Injection 25 mg. per cc., 2 cc. amp.	5		FM	5 „ 11 1
136	PROTAMINE SULPHATE— Injection 1%, 5 mil. amp. 1%, 10 cc. amp.	6 3		EV BT	6 „ 16 0 6 „ 16 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
137	PYRIDOXINE HYDRO-CHLORIDE— Injection				
	50 mg. per cc., 1 cc. amp	6	1	AN, BL, CM, DH, FM, KL, PD, RO, SJ	6 for 17 4
	50 mg. per 2 cc., 2 cc. amp.	6	1	RO, VM	6 " 18 8
	50 mg. per cc., 5 cc. via	1	1	BD	3 " 9 4
	50 mg. per cc., 10 cc. via	1		LY	1 " 27 0
				KL	1 " 30 0
138	QUINIDINE SULPHATE— Oral				
	3 gr. tab.	100	1	BW, DH, TO	100 " 21 4
139	RINGER'S SOLUTION— Injection				
	1 litre bottle	4	1	DH	1 " 14 4
140	SODIUM AUROTHIOMATE, AQUEOUS— Injection				
	0.001 G. amp.	1	3	MB	1 " 2 1
	0.002 G. amp.	1	3	MB	1 " 2 4
	0.005 G. amp.	1	3	MB	1 " 2 5
	0.01 G. amp.	1	3	MB	1 " 2 11
	0.02 G. amp.	1	3	MB	1 " 3 1
	0.05 G. amp.	6	1	MB	1 " 4 3
	0.1 G. amp.	6	1	MB	1 " 6 0
	0.2 G. amp.	1	3	MB	1 " 9 4

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
141	SODIUM CHLORIDE HYPERTONIC SOLUTION— Injection				
	3%, 1 litre bottle	2	1	DH	1 for 14 4
	5%, 1 litre bottle	2	1	DH	1 „ 14 4
142	SODIUM CHLORIDE PHYSIOLOGICAL SOLUTION— Injection				
	2 cc. amp.	6	1	AD, AH, BL, DH, FH, KL	6 „ 3 4
	5 cc. amp.	6	1	AD, AH, BL, DH, FH, KL, SJ	6 „ 4 8
	10 cc. amp.	6	1	AD, AH, BL, CS, DH, FH, KL, SJ	6 „ 6 0
	10 cc. vial	2	1	PD	1 „ 2 3
	20 cc. amp.	6	1	BL, DH, FH, KL	6 „ 10 0
	50 cc. amp.	3	1	DH, FH, KL	1 „ 4 0
	1 litre bottle	2	1	DH	1 „ 14 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
143	SODIUM CHLORIDE PHYSIOLOGICAL SOLUTION (WITH DEXTROSE)— Injection				s. d.
	5%, 1 litre bottle	2	1	DH	1 for 14 4
	10%, 1 litre bottle	2	1	DH	1 " 14 4
	20%, 1 litre bottle	2	1	DH	1 " 14 4
	25%, 1 litre bottle	2	1	DH	1 " 14 4
144	SODIUM LACTATE SOLUTION— Injection				
	1/6 molar, 1 litre bottle ..	2	1	DH	1 " 14 4
145	SODIUM SULPHATE SOLUTION— Injection				
	4.28%, 1 litre bottle	2	1	DH	1 " 14 4
146	SOLAPSONE— Oral				
	7½ gr. tab.	200		BW	500 " 131 8

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
147	SUCCINYLSULPHA- THIAZOLE— Oral 0.5 G. tab.	100		MB, SD	100 for 20 8
148	SULPHADIAZINE— Oral 0.3 G. tab. 0.5 G. tab.	50 50		AB, KL, PD, TO AD, AN, BT, BW, CC, CM, DH, FA, HY, KL, MB, MG, MR, PD, PH, PR, RY, SC, SI, SL, TO ..	100 „ 18 0 100 „ 20 0
149	SULPHADIMIDINE— Oral 0.25 G. tab. 0.5 G. tab.	50 50		VR AN, IC, KL, MG, PR, RY, TO, VR	50 „ 6 8 100 „ 15 0
150	SULPHAFURAZOLE— Oral 0.5 G. tab.	50		RO	100 „ 43 9

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
151	SULPHAGUANIDINE— Oral 0.5 G. tab.	100		AD, AN, BT, BW, CC, CM, DH, HY, MG, PR, RY, SI, SL, TO	s. d. 100 for 8 4
152	SULPHAMERAZINE— Oral 0.5 G. tab.	50		AD, AN, DH, FA, HY, KL, MG, PR, RT, RY, SI, TO	100 ,, 20 0
153	SULPHAMETHIZOLE— Oral 0.1 G. tab.	30	1	WW	30 ,, 5 4
154	SULPHAPYRIDINE— Oral 0.5 G. tab.	50		MB	100 ,, 16 0
156	SULPHATHIAZOLE— Oral 0.3 G. cap. 0.5 G. tab.	50 50		LY HY, KL, MB, TO ..	100 ,, 9 3 100 ,, 7 1

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
157	SULPHONAMIDES, MIXED (A): TWO SULPHONAMIDES— Oral				
	0.25 G. tab.	50		DH, PR	100 for 16 0
	0.3 G. tab.	50		AB, HY, KL	100 " 16 0
	0.5 G. tab.	50		HY, KL, MG, MR, PR, TO	100 " 21 9
				AB	100 " 24 8
				DH, VR	100 " 25 4
158	SULPHONAMIDES, MIXED (B): THREE SULPHONAMIDES— Oral				
	0.25 G. tab.	50		CM, MB	100 " 18 8
	0.3 G. tab.	50		AB, KL, PR, TO	100 " 17 4
	0.33 G. tab.	50		AN	100 " 18 8
	0.5 G. tab.	50		AD, AN, CC, CM, FA, FM, HY, KL, MB, MG, MR, PR, RY, SI, SL, TO	100 " 19 4

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
159	SULPHONAMIDES, MIXED (C): FOUR SULPHONAMIDES— Oral				s. d.
	0.3 G. tab.	50		KL	100 for 13 4
	0.5 G. tab.	50		KL	100 " 18 0
161	T.A.B. VACCINE (Anti-Typhoid-Para- Typhoid)— Injection				
	1 cc. amp.	3		CS	1 " 3 7
	10 cc. vial	1		CS	1 " 14 5
162	TETANUS ANTITOXIN— Injection				
	1,500 I.U. (1950) amp	6	1	BW, CS ...	1 " 5 7
	10,000 I.U. (1950) amp.	6	1	CS	1 " 28 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
163	TETANUS TOXOID (Formalinised)— Injection				
	1 cc. amp.	3		GL	3 for 10 8
				CS	1 " 3 7
164	TETANUS TOXOID (Purified Aluminium Phos- phate Adsorbed)— Injection				
	1 cc. amp.	3		CS	1 " 3 4
	5 cc. amp.	1		CS	1 " 6 0
165	THEOPHYLLINE WITH ETHYLENEDIAMINE— Injection				
	0.48 G. per 2 mil. I.M. amp.	6		AD, DH, HA, SJ	6 " 8 8
	0.5 G. per 2 mil. I.M. amp.	6		AH, CM	6 " 8 0
				BW, FH	6 " 8 8
	0.24 G. per 10 mil. I.V. amp.	6		DH, HA	6 " 14 8
	0.25 G. per 10 mil. I.V. amp.	6		AD, AH, BW, CM, FH, SJ	6 " 14 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
165	(Contd.) Oral				s. d
	1½ gr. tab.	100	1	AD, BW, CC, CM, DH, FA, HA, HY, KL, MG, PR, QE, RT, RY, SI, SL, SM, TO	100 for 4 5 100 " 16 0
	2.34 gr. tab.	100	1	AB	100 " 16 0
166	THIACETAZONE— Oral				
	50 mg. tab.	50		AH, AN HT	100 " 13 4 100 " 14 0
167	THIOURACIL, METHYL— Oral				
	0.05 G. tab.	100	1	AN, BW	100 " 3 4
	0.1 G. tab.	100	1	AN, BW	100 " 4 11
	0.2 G. tab.	100	1	AN, BD, BW, MB ..	100 " 8 11
168	THIOURACIL PROPYL— Oral				
	25 mg. tab.	100	1	AN	50 " 5 4
	50 mg. tab.	100	1	AN	50 " 9 4

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate		
						s.	d.
169	THYROID— Oral						
	1/32 gr. tab.	100	3	CS, DH	100 for	1	4
	1/16 gr. tab.	100	3	CS, DH	100 "	1	4
	1/10 gr. tab.	100	3	CS	100 "	1	4
	1/8 gr. tab.	100	3	CS, DH	100 "	1	4
	1/4 gr. tab.	100	3	AD, CC, CS, DH, FA, PR, RY, SI, SL, TO	100 "	1	4
				GP	100 "	1	7
				BW, PD	100 "	1	9
	1/2 gr. tab.	100	3	AD, CC, CS, DH, FA, PR, RY, SI, SL, TO	100 "	1	9
				BW, GP, PD, WW	100 "	2	1
	1 gr. tab.	100	3	AD, CC, CS, DH, FA, PR, RY, SI, SL, TO	100 "	3	0
				BW, GP, PD, WW	100 "	3	5
	1 1/2 gr. tab.	100	3	AD, CS, DH, SI, TO	100 "	3	8
				GP	100 "	4	3
				BW	100 "	4	5
	2 gr. tab.	100	3	AD, DH, FA, PR, RY, SI, SL, TO	100 "	4	5
				GP	100 "	4	11
				BW, PD	100 "	5	4

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
169	(Contd.)				s. d.
	2½ gr. tab.	100	3	AD, CS, DH, SI, TO	100 for 5 4
				GP	100 " 5 7
				BW	100 " 6 8
	5 gr. tab.	100	3	GP	100 " 8 0
170	TIGER SNAKE ANTI- VENENE— Injection				
	1,500 U. amp.	4	1	CS	1 " 60 0
171	TRIETHANOLAMINE TRINITRATE— Oral				
	1 mg. tab.	100	1	SC	100 " 8 11
172	TROXIDONE— Oral				
	0.3 G. cap.	100	1	AB	100 " 40 0
	0.15 G. tab.	100	1	AB	100 " 23 5
173	VASOPRESSIN— Injection				
	0.5 cc. amp.	6		CS, PD	6 " 9 4
	1 cc. amp.	6		CS, PD	6 " 16 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
174	VITAMIN K, AQUEOUS— Injection				
	5 mg. per 1 cc. amp.	6	1	AB, AD, BL, FH, FM ..	6 for 6 8
	10 mg. per 1 cc. amp.	6	1	AD, BL, DH, FH, GL, KL, RO	6 " 6 8
	75 mg. per 1 cc. amp.	6	1	BL, DH	6 " 18 0
175	VITAMIN K, OILY— Injection				
	5 mg. per 1 cc. amp.	6	1	AD	6 " 5 11
				BD, BW, VM	6 " 10 0
	10 mg. per 1 cc. amp.	6	1	AD DH, KL	6 " 10 0
176	VITAMIN K (ORAL)— Oral				
	1 mg. cap.	100	1	BA	25 " 1 8
	4 mg. cap.	100	1	PD	100 " 18 8
	4.8 mg. tab.	100	1	AB	100 " 6 0
	5 mg. tab.	100	1	AD, BD, DH, FM, KL, PR, RT, SI, TO	100 " 5 4
	10 mg. tab.	100	1	AD, BD, CM, DH, FM, GL, HY, KL, PR, RO, RT, SI, TO	100 " 8 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
177	WATER FOR INJECTION— Injection				s. d.
	2 cc. amp.	6	3	AD, AH, BL, DH, EV, FH, KL, SJ	6 for 3 4
	5 cc. amp.	6	3	AD, AH, BL, DH, EV, FH, KL, SJ	6 „ 4 0
	10 cc. amp.	6	3	AD, AH, AN, BL, CS, DH, EV, FH, KL, SJ	6 „ 5 4

LIST B (Part 1)

SECOND SCHEDULE

The drugs set out in Column 2 of the following table may be ordered only for the treatment of a disease or purpose specified in relation to each of those drugs.

Details regarding these drugs are set out in the List of Benefits at the end of the table.

Prescriptions for these drugs must be endorsed "For a specified disease". See paragraph 2 of the Notes on General Pharmaceutical Benefits for further information.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
1	Bemegride with Amiphenazole Hydrochlor- ide A.P.F.	Antidote for barbiturate and other hypnotic poisons.
2	Busulphan	The leukaemias.
3	Calcium Para- Aminosalicy- late	Tuberculosis.
4	Calcium Para- Aminosalicy- late Granules	Tuberculosis.
5	Caramiphen Hydrochlor- ide	Parkinsonism.
6	Chloram- phenicol	Acute Laryngo-tracheo-bronchitis; As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensi- tivity has been established; Bacillary dysentery that is resis- tant both to sulphonamides and streptomycin; Bacterium coli meningitis if other forms of treatment are unsuccess- ful; Brucellosis; Granuloma inguinale;

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
		Infections due to Friedlander bacillus; Infections due to Haemophilus influenza; Lymphogranuloma venereum; Salmonella infections; Severe gastro-enteritis in children; Staphylococcal infections; Surgical conditions of the bowel pre-operative and post-operative); Typhoid Fever; Typhus and other rickettsial diseases; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Whooping cough (Haemophilus pertussis);
7	Chloramphenicol Intra-muscular	Any disease or purpose specified in this column in relation to chloramphenicol.
8	Chloramphenicol Palmitate	Any disease or purpose specified in this column in relation to chloramphenicol.
9	Chlortetracycline	Actinomycosis; Acute and sub-acute bacterial endocarditis-Streptococcus faecalis; Amoebiasis; As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensitivity has been established; Bacillary dysentery that is resistant both to sulphonamides and streptomycin; Brucellosis; Chancroid; Granuloma inguinale; Infections due to Friedlander bacillus; Leptospirosis; Lymphogranuloma venereum;

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
		Pneumonia that does not respond to penicillin or sulphonamides; Primary atypical pneumonia; Psittacosis; Puerperal infections; Rat-bite fever—Spirillum minus; Staphylococcal infections; Trachoma that does not respond to sulphonamides; Typhus and other rickettsial diseases; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Whooping cough (Haemophilus pertussis).
10	Chlortetracycline Granules	Any disease or purpose specified in this column in relation to chlortetracycline.
11	Chlortetracycline Suspension	Any disease or purpose specified in this column in relation to chlortetracycline.
12	Cortisone Acetate	Acquired Haemolytic anaemia; Acute exfoliative dermatitis associated with drug therapy; Acute rheumatic carditis; Addison's disease and other forms of Adrenocortical hypoplasia; Adrenogenital syndrome; Dermatomyositis; Panhypopituitarism; Pemphigus; Periarteritis nodosa; Pseudohermaphroditism; Sarcoidosis; Scleroderma; Status asthmaticus; Systemic lupus erythematosus; The leukaemias; Thrombocytopenic purpura; Total adrenalectomy.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
13	Cyanocobala- min	Established megalocytic anaemias.
14	Deoxycortone Acetate Aqueous	Addison's disease.
15	Deoxycortone Acetate Aqueous Suspension	Addison's disease.
16	Deoxycortone Acetate Oily	Addison's disease.
17	Dienoestrol	Carcinoma of the prostate; Mammary carcinoma.
18	Dihydrostrep- tomycin	Any disease or purpose specified in this column in relation to strep- tomycin, but only if the person being treated for that disease or purpose is allergic to streptomycin.
19	Dihydro- tachysterol	Parathyroid deficiency.
20	Erythromycin	Staphylococcal infections that are resistant both to the tetracyclines and to penicillin.
21	Folic Acid	Sprue or the sprue-like syndrome; Macrocytic anaemia;
22	Hydrocortisone	Any disease or purpose specified in this column in relation to cortisone acetate.
23	Isoniazid	Leprosy; Tubercu'osis.
24	Mercaptopurine	The leukaemias.
25	Methorphan	Inoperable cancer.
26	Nitrofurantoin	Urinary tract infections.
27	Oxytetracycline Dihydrate	Any disease or purpose specified in this column in relation to chlor- tetracycline.
28	Oxytetracycline Hydrochloride	Any disease or purpose specified in this column in relation to chlor- tetracycline.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit.	Col. 3. Disease or Purpose.
29	Oxytetracycline Suspension	Any disease or purpose specified in this column in relation to chlor-tetracycline.
30	Pancreatin	Fibrocystic disease of the pancreas; Pancreatico-duodenectomy.
31	Para-Amino- salicylic Acid	Tuberculosis.
32	Penicillin Tablets	For the penicillin treatment of haemophiliacs; Nephritis in children under the age of 16 years; Prophylactic use in rheumatic fever or chorea in children under the age of 16 years.
33	Phenoxymethyl Penicillin	Any disease or purpose specified in this column in relation to penicillin tablets.
34	Phenindamine Tartrate	Parkinsonism.
35	Prednisolone	Any disease or purpose specified in this column in relation to cortisone acetate.
36	Prednisone	Any disease or purpose specified in this column in relation to cortisone acetate.
37	Progesterone	Habitual abortion.
38	Progesterone Depot	Habitual abortion.
39	Pyridostigmine Bromide	Myasthenia gravis.
40	Quinine Bisulphate	Malaria.
41	Quinine Dihy- drochloride	Malaria.
42	Quinine Hydro- chloride	Malaria.
43	Quinine Sulphate	Malaria.
44	Sodium Para- Aminosalicy- late	Tuberculosis.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose
45	Stiboestrol	Carcinoma of the prostate; Mammary carcinoma.
46	Streptomycin	Bacillary dysentery not responding to sulphonamides; Brucellosis; Chancroid; Endocarditis due to Streptococcus faecalis; Endocarditis due to Streptococcus viridans; Infections due to Friedlander bacillus; Infections due to Haemophilus influenzae; Infections due to Pseudomonas pyocyaneus; Plague; Rat-bite fever-Streptobacillus moni- liformis; Salmonella infections; Surgical conditions of the bowel (pre-operative and post-operative); Surgical conditions of the thoracic organs; Tuberculosis; Tularaemia; Urinary tract infections which do not respond to sulphonamides.
47	Streptomycin Sulphate Intrathecal	Any disease or purpose specified in this column in relation to strep- tomycin.
48	Streptomycin Sulphate Solution	Any disease or purpose specified in this column in relation to strep- tomycin.
49	Suprarenal Cortex Extract	Adrenal failure.
50	Testosterone	Mammary carcinoma; Castration.
51	Testosterone Methyl	Mammary carcinoma; Castration.

Col. 1. Item No.	Col. 2. General Pharma- ceutical Benefit	Col. 3. Disease or Purpose.
52	Testosterone Oenanthate	Mammary carcinoma; Castration.
53	Testosterone Phenyl Propionate	Mammary carcinoma; Castration.
54	Testosterone Propionate	Mammary carcinoma; Castration.
55	Tetracycline	Any disease or purpose specified in this column in relation to chlor- tetracycline.
56	Tetracycline Granules	Any disease or purpose specified in this column in relation to chlor- tetracycline.
57	Tetracycline Paediatric Drops	Any disease or purpose specified in this column in relation to chlor- tetracycline.
58	Tetracycline with Oleandomycin	Any disease or purpose specified in this column in relation to chlor- tetracycline.
59	Tetracycline with Sodium Metaphos- phate	Any disease or purpose specified in this column in relation to chlor- tetracycline.
60	Trimetaphan Camphor- sulphonate	Hypotensive for anaesthesia.
61	Vitamin K ₁	Antidote to anticoagulants.

LIST B (Part 2)

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
1	BEMEGRIDE WITH AMIPHENAZOLE HYDROCHLORIDE A.P.F.— Injection Set containing 2 bottles each 100 cc. Bemegrade and 1 vial 300 mg. Amiphenazole Hydro- chloride	1		NS ..	1 for 51 0
2	BUSULPHAN— Oral 2 mg. tab.	100		BW	100 ,, 21 4
3	CALCIUM PARA- AMINOSALICYLATE— Oral 1.5 G. cachet 2.0 G. cachet 7½ gr. tab.	200 200 200	1 1 2	KL, WA KL, WA KL, WA	200 ,, 62 8 200 ,, 82 8 200 ,, 17 8
4	CALCIUM PARA- AMINOSALICYLATE GRANULES— Oral 100 G. tin 400 G. tin	1 1	1 1	WA WA	1 ,, 33 8 1 ,, 116 8

s. d.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
5	CARAMIPHEN HYDRO- CHLORIDE— Oral 0.05 G. tab.	100	1	GE	50 for 21 0
6	CHLORAMPHENICOL— Oral 0.125 G. cap. 0.25 G. cap.	16 16		PD PD	16 " 26 8 16 " 48 8
7	CHLORAMPHENICOL INTRAMUSCULAR— Injection 1 G. vial	3		PD	1 " 20 0
8	CHLORAMPHENICOL PALMITATE— Oral 0.125 G. per 4 cc., 60 cc. bottle	1		PD	1 " 27 4
9	CHLORTETRACYCLINE— Oral 50 mg. cap. 100 mg. cap. 250 mg. cap. Injection 100 mg. vial	25 25 16 6		LE LE LE LE	25 " 28 8 25 " 52 0 16 " 76 0 1 " 16 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s. d.
10	CHLORTETRACYCLINE GRANULES— Oral 75 G. bottle	1		LE	1 for 45 0
11	CHLORTETRACYCLINE SUSPENSION— Oral 100 mg. per cc., 10 cc. vial	1		LE	1 „ 21 4
12	CORTISONE ACETATE— Oral 25 mg. tab.	40	8	AD, AN, BD, BT, DH, GL, KL, MK, PD, PR, UP .. OR, RL, SC	40 „ 104 0 20 „ 52 0
	Injection 25 mg. per cc., 10 cc. vial	1	8	BT, GL, OR, RL, UP ..	1 „ 40 0
	25 mg. per cc., 20 cc. vial	1		AN, MK, SC	1 „ 80 0
	50 mg. per cc., 10 cc. vial	1		MK, SH	1 „ 80 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
13	CYANOCOBALAMIN— Injection				s. d.
	10 γ per 1 cc. amp.	12	1	BD, DH	6 for 6 0
	20 γ per 1 cc. amp.	12	1	AN, BD, BT, CK, CM, DH, FH, GL, KL, NS, SI, SJ	6 " 7 0
				IC ..	5 " 5 4
	50 γ per 1 cc. amp.	6	1	AH, AN, BD, BT, CK, DH, FH, GL, NS, SJ IC ..	6 " 8 0 5 " 6 1
	50 γ per cc., 10 cc. vial	1		GL, PD	1 " 9 4
	100 γ per 1 cc. amp.	6	1	AH, AN, BD, BT, CK, CM, DH, FH, GL, KL, PD, SI, SJ	6 " 10 8
				IC ..	5 " 8 1
	100 γ per cc., 10 cc. vial	1		CM, GL, HA, KL ..	1 " 14 8
	200 γ per 1 cc. amp.	1		CM BT, OR	6 " 20 0 6 " 26 8
14	DEOXYCORTONE ACETATE AQUEOUS— Injection				
	5 mg. amp.	5		SC	3 " 20 0
				CB	5 " 42 1
	50 mg. amp.	1		CB	1 " 70 1
				SC	5 " 200 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
					s d.
15	DEOXYCORTONE ACETATE AQUEOUS SUSPENSION— Injection				
	25 mg. amp.	4		OR	1 for 38 9
16	DEOXYCORTONE ACETATE OILY— Injection				
	2 mg. amp.	1		CB	4 " 13 4
	5 mg. amp.	4		CB, OR, SC	4 " 26 8
				BD	3 " 20 0
	10 mg. amp.	4		CB, OR, SC	4 " 46 8
				BD	3 " 35 0
	50 mg. implant	1		BD, OR	1 " 46 8
	100 mg. implant	1		BD, CB, OR,	
				SC	1 " 86 8
	5 mg. per cc., 5 cc. vial	1		OR	1 " 33 4
	10 mg. per cc., 10 cc. vial	1		CB, OR	1 " 111 4
17	DIENOESTROL— Oral				
	5 mg. tab.	100	1	AD, AN, BD, DH, HY, KL, MG, PR, SI, SL, TO ..	100 " 6 8
	10 mg. tab.	100	1	DH, HY, KL, PR, TO ..	100 " 12 8

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
18	DIHYDROSTREPTO- MYCIN— Injection				
	1 G. vial	5	3	AH, AN, BD, EC, EV, GL, LP, SP	1 for 3 4
19	DIHYDROTACHYSTEROL— Oral				
	0.625 mg. cap.	50	...	BA	50 ,, 57 4
	15 cc. bottle	1	...	BA	1 ,, 33 11
20	ERYTHROMYCIN— Oral				
	100 mg. tab.	25	...	LY	24 ,, 55 0
				AB, UP	25 ,, 80 0
	250 mg. tab.	25	...	LY	12 ,, 62 0
				AB, UP	25 ,, 156 11
21	FOLIC ACID— Injection				
	15 mg. per cc., 1 cc. amp.	12	...	AN	6 ,, 16 0
				KL, LE	12 ,, 33 4
	Oral				
	5 mg. tab.	100	1	AD, AN, CM, HY, KL, MG, PD, PR, RY, SI, TO	100 ,, 20 0

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
22	HYDROCORTISONE— Oral				
	10 mg. tab.	25	8	AN, KL, MK, PF, PR, RL, UP ..	25 for 50 0
	20 mg. tab.	40	8	GL, KL PF BT AN, BD MK, OR PR, RL, SC	40 " 153 4 20 " 76 8 20 " 80 0 25 " 100 0
	Injection				
	5 mg. per cc., 20 cc. I.V. amp.	1		OR BT, GL, MK, RL, UP ..	1 " 72 8 1 " 74 8
23	ISONIAZID Oral				
	50 mg. tab.	200	2	AD, AN, HT, HY, KL, PH, PR, SI	100 " 5 4 100 " 6 0
	100 mg. tab.	100	2	DH, NS AD, AN, DH KL, PR, SI	100 " 10 0
24	MERCAPTOPURINE— Oral				
	50 mg. tab.	25		BW ..	25 " 106 8

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose product is available as a Benefit	Rate
					s. d.
25	METHORPHINAN— Injection				
	2.2 mg. per 1.1 cc. amp.	6		RO	6 for 8 0
	Oral				
	1.5 mg. tab.	25		RO	20 " 6 8
26	NITROFURANTOIN Oral				
	50 mg. tab.	50		MJ	25 " 38 0
27	OXYTETRACYCLINE DIHYDRATE Oral				
	50 mg. tab.	25		PF	25 " 28 8
	100 mg. tab.	25		PF	25 " 52 0
	250 mg. tab.	16		PF	16 " 76 0
28	OXYTETRACYCLINE HYDROCHLORIDE— Injection				
	100 mg. vial, Intramuscular	6		PF	1 " 28 0
	250 mg. per cc., 10 cc. vial, intravenous ..	6		PF	1 " 28 0
	Oral				
	50 mg. cap.	25		PF	25 " 28 8
	100 mg. cap.	25		PF	25 " 52 0
	250 mg. cap.	16		PF	16 " 76 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Beneit	6 Rate
					s. d.
29	OXYTETRACYCLINE SUSPENSION— Oral 0.25 G. per 5 cc., 1 fl. oz. bottle	1		PF	1 for 43 8
30	PANCREATIN— Oral 5 gr. tab. 1 oz. vial	100 1	 2	PD OP PD	100 " 14 8 100 " 18 0 1 " 8 0
31	PARA-AMINOSALI- CYLIC ACID Oral 0.3 G. tab. 0.5 G. tab.	200 200	1 1	KL DH HY AN, HY, KL, PR TO DH AD, SI	200 " 18 0 100 " 10 0 200 " 33 4 200 " 20 0 100 " 10 0 100 " 10 8 400 " 35 4
32	PENICILLIN TABLETS— Oral 200,000 U. tab.	100		BT, BW, CS, EV GL, SI ..	100 " 73 4

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose product is avail- able as a Benefit	6 Rate
33	PHENOXYMETHYL PENICILLIN— Oral				s. d.
	60 mg. tab.	100		BD, BT, CS	100 for 57 4
	120 mg. tab.	100		BD, BT	100 „ 113 4
	130 mg. tab.	100		CS, GL	100 „ 113 4
34	PHENINDAMINE TARTRATE— Oral				
	25 mg. tab.	100	1	RO	50 „ 8 3
35	PREDNISOLONE— Oral				
	5 mg. tab.	30	8	AN, BT, KL, MK, PF, RL, SC, SH, UP ..	30 „ 106 8
				OR	20 „ 71 1
36	PREDNISONE— Oral				
	5 mg. tab.	30	8	AN, BT, GL, KL, MK, RL, SC, SH FM, OR	30 „ 106 8 20 „ 71 1

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d
37	PROGESTERONE— Injection				
	20 mg. I.V. amp.	3		OR, SC	3 for 43 4
	25 mg. amp.	3		BD, CB, OR, SC ..	3 " 24 0
	25 mg. implant	1		BD, OR	1 " 18 0
38	PROGESTERONE DEPOT Injection				
	125 mg. amp.	3		SC	3 " 53 4
39	PYRIDOSTIGMINE BROMIDE— Oral				
	60 mg. tab.	150		RO	150 " 104 11
40	QUININE BISULPHATE— Oral				
	5 gr. tab.	100	1	BW, DH, FA, HY, PD, SL, TO	100 " 13 4
41	QUININE DIHYDRO- CHLORIDE— Injection				
	3 gr. per cc., 1 cc. amp.	6	1	DH	6 " 5 4
	6½ gr. per cc., 1 cc. amp.	6	1	DH	6 " 6 8
	9½ gr. per 2 cc. amp.	6	1	DH	6 " 7 4
	15½ gr. per 2 cc. amp.	6	1	DH	6 " 14 8

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufacturer whose Product is avail- able as a Benefit	6 Rate
41 (Contd.)					s. d.
	Oral				
	5 gr. cap.	100	1	PD	100 for 28 0
	5 gr. tab.	100	1	DH	100 " 18 11
42	QUININE HYDRO- CHLORIDE— Oral				
	5 gr. tab.	100	1	DH	100 " 18 11
43	QUININE SULPHATE— Oral				
	5 gr. tab.	100	1	AD, DH, HY, PR, SI, TO	100 " 16 8
44	SODIUM PARA- AMINOSALICYLATE— Injection				
	20%, 10 cc. vial	6		HT, KL	6 " 18 3
	Oral				
	1.5 G. cachet	200	1	AN, KL, WA ..	200 " 60 0
				WB	200 " 66 8
				BT	100 " 40 0
				HT	500 " 126 0

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
44	(Contd.)				s. d.
	2.0 G. cachet	200	1	KL, WA	200 for 80 0
	0.5 G. cap.	200	1	HA	500 „ 106 8
	5 gr. tab.	200	1	CM, HY, KL	200 „ 18 8
				DH	100 „ 10 0
				AD, SI	400 „ 32 0
	7½ gr. tab.	500	2	CM, HT, RY	500 „ 44 4
				AN, KL,	
				MG, WA..	200 „ 17 0
				HY, PR	200 „ 20 0
				AD, SI	400 „ 35 4
				TO	100 „ 10 0
				DH	100 „ 10 8
				HA	500 „ 103 4
45	STILBOESTROL— Injection				
	1 mg. amp.	6	...	AH, BD, DH	6 „ 3 9
	5 mg. amp.	6	...	AH, BD, DH, KL	6 „ 4 3
	Oral				
	1 mg. tab.	100	1	AD, AN, BD, BW, DH, FA, HA, HY, MG, PR, RT, RY, SI, SL, TO ..	100 „ 2 8

You can help to avoid shortages and undue costs by prescribing a quantity not greater than is required.

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
45 (Contd.)					
	5 mg. tab.	100	1	AD, AN, BD BW, DH, FA, HA, HY, KL MG, PR RT, RY SI, SL, TO	100 for 5 0
	10 mg. tab.	100	1	AN, CM, DH, KL, TO ..	100 ,, 9 4
46	STREPTOMYCIN— Injection				
	1 G. vial	5	3	AH, AN, BD, BT, BW, EC, EV, GL, KA, PF, SI, SP	1 ,, 3 4
47	STREPTOMYCIN SULPHATE INTRA- THECAL— Injection				
	100,000 U. amp.	10	3	EV	10 ,, 19 5
48	STREPTOMYCIN SUL- PHATE SOLUTION— Injection				
	250,000 U. per mil., 4 mil vial	5	3	AH, BD	1 ,, 3 9

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
48 (Contd.)					s. d.
	500,000 U. per mil., 2 mil. vial	5	3	BT, GL	1 for 3 9
	1,000,000 U. per 3 mil. vial	5	3	BW	1 „ 3 9
49	SUPRARENAL CORTEX EXTRACT— Injection				
	200 γ per cc., 10 cc. bottle	3	1	PD	1 „ 62 8
	10 cc. vial	3	1	AH	1 „ 46 8
50	TESTOSTERONE— Injection				
	100 mg. implant	1		BD, CB, OR. SC	1 „ 46 8
	150 mg. implant	1		OR	1 „ 64 8
	200 mg. implant	1		OR	1 „ 82 8
51	TESTOSTERONE METHYL Oral				
	25 mg. tab.	25	1	AN, BT, HY, KL, MG, PR	25 „ 21 4
				BD, OR, RL	25 „ 43 0
				CB	10 „ 17 4
				SC	20 „ 34 8
				BS	25 „ 50 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
51	(Contd.)				
	50 mg. tab.	25	1	AN, BT, HY, KL, PR ...	25 for 42 8
				BD, OR, RL	25 " 82 0
				SC	20 " 65 8
				BS	25 " 96 0
52	TESTOSTERONE OENANTHATE— Injection				
	250 mg. per cc., 1 cc. amp.	1		SC	1 " 54 8
53	TESTOSTERONE PHENYL PROPIONATE— Injection				
	50 mg. per cc., 1 cc. amp.	6		OR	3 " 33 4
	50 mg. per cc., 5 cc. vial	1		OR	1 " 54 8
54	TESTOSTERONE PROPIONATE Injection				
	25 mg. per 1 cc. amp.	12		AH, AN, BD, BT, FM, KL	6 " 24 0
				OR	12 " 48 0
				CB	10 " 40 0
				SC	3 " 13 4
				BS	10 " 56 8

1	2	3	4	5	6
Item No.	Name, Form, Strength and Size	Maximum Quantity	No. of Repeats	Manufacturer whose Product is available as a Benefit	Rate
54	(Contd.)				S. d.
	50 mg. per 1 cc. amp.	12		AH, FM, KL	6 for 42 8
				CB, OR	12 " 92 0
				BD	6 " 46 8
				RL, SC	3 " 24 0
				BS	25 " 246 8
	50 mg. per cc., 10 cc. vial	1		CB, KL, OR, SC	1 " 71 0
	100 mg. per 2 mil., 2 mil. amp.	3		BD, OR, SC	3 " 45 0
				FM ..	6 " 85 4
				RL ..	4 " 60 0
	100 mg. Implant	1		BD	1 " 46 8
55	TETRACYCLINE— Oral				
	50 mg. cap.	25		LE, PF	25 " 28 8
	100 mg. cap.	25		LE, PF	25 " 52 0
	250 mg. cap.	16		LE, PF	16 " 76 0
	50 mg. tab.	25		LE, PF, SQ	25 " 28 8
	100 mg. tab.	25		LE, PF, SQ	25 " 52 0
	250 mg. tab.	16		LE, PF, SQ	16 " 76 0
	Injection				
	100 mg. vial, Intravenous ..	6		LE ..	1 " 16 0
	100 mg. vial, Intramuscular	6		LE, PF	1 " 16 0
	250 mg. vial, Intravenous ..	6		LE, PF	1 " 28 0
56	TETRACYCLINE GRANULES— Oral				
	75 G. bottle	1		LE	1 " 45 0

1 Item No.	2 Name, Form, Strength and Size	3 Maximum Quantity	4 No. of Repeats	5 Manufac- turer whose Product is avail- able as a Benefit	6 Rate
					s. d.
57	TETRACYCLINE PAEDIATRIC DROPS— Oral 100 mg. per cc., 10 cc. vial	1		LE, SQ	1 for 20 0
58	TETRACYCLINE WITH OLEANDOMYCIN— Oral 250 mg. cap.	16		PF	16 „ 76 0
59	TETRACYCLINE WITH SODIUM META- PHOSPHATE— Oral 1 cap. containing 250 mg. Tetracycline 380 mg. Sodium Metaphosphate	16		LE	16 „ 76 0
60	TRIMETAPHAN CAM- PHORSULPHONATE— Injection Set containing 250 mg. vial and 5 cc. water for injection	3		RO	3 „ 123 7
61	VITAMIN K ₁ — Injection 10 mg. amp.	3		RO	3 „ 17 4

LIST C

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item No.	Column 2 Pharmaceutical Benefit	Column 3 Form	Column 4 Maximum Quantity
4	Adrenalin Tartrate	Ampoule Bottle	6 1
33	Digoxin	Ampoule Bottle Tablet	12 1 100
35	Dihydromorphinone	Ampoule Tablet	5 20
40	Diphtheria Antitoxin	Ampoule	6
91	Morphine Sulphate	Ampoule Hypodermic Tablet	6 40
92	Morphine with Atropine	Ampoule Hypodermic Tablet	6 40
103	Oxytocin	Ampoule	12
110	Penicillin, Procaine, Aqueous Suspension of	Ampoule or Vial	12
117	Pethidine Hydrochloride	Ampoule	6

Column 1 Item No.	Column 2 Pharmaceutical Benefit	Column 3 Form	Column 4 Maximum Quantity
148	Sulphadiazine	Tablet	100
149	or Sulphadimidine		
152	or Sulphamerazine		
157	or Sulphonamides, Mixed, (A): Two Sulphonamides		
158	or Sulphonamides, Mixed, (B): Three Sulphonamides		
159	or Sulphonamides, Mixed, (C): Four Sulphonamides		

Special attention is drawn to the fact that only one of the above Sulpha drugs may be ordered in any one month. (See paragraph 3, Page B, Section A.)

PROPRIETARY INDEX

FIRST SCHEDULE

(Part 1—Aphabetical)

Preparation	Item. No.	Code
A		
Acetylarsan	1	MB
Adanon	6	BA
Amechol	81	SY
Aminophylline	165	
Anacardone	98	BD
Anginine Stabilised	60	BW
Ansolysen	113	MB
Ansolysen with Ephedrine	114	MB
Anthisan	84	MB
Antistine	9	CB
Aquacillin	110	FA
Aralen	20	BA
Artane	13	LE
Auro-Calcium	14	CK
Aurothiomalate Calcium	14	
Aurothiomalate Sodium	140	
Avil	135	FM
Avlon	82, 109, 117, 119, 128	IC
Avlochlor	20	IC
Avloprocil	111	IC
Avlosulfon	22	IC
B		
B.A.L.	37	BT
Banocide	30	BW
Benadon	137	RO
Benadryl	38	PD
Berna	70, 74	SE
Bicillin	12	WY
Bi-Stabillin	111	BT
C		
Camoquin	7	PD
Cardiazol	80	KN
Cardigen	32	PD

Preparation	Item. No.	Code
Cardophyllin	165	HA
Carine	165	KL
Cedilanid	24	SZ
Cemalonol	120	CM
Cetasulph	123	CM
Cilicaine Fortified	111	SI
Cilicaine Simplex	111	SI
Cilicaine Suspension	110	SI
Coramine	98	CB
Corvotone	98	BT
Crystodigin	32	LY

D

D.A.D.P.S.	22	AN
Darrow's Solution	23	DH
Demerol	117	BA
Detoin	122	KL
D.H.E. 45	34	SZ
Diamidin	28	PD
Diamox	2	LE
Digicristin	32	CM
Digolan	33	KL
Dilantin	122	PD
Dilaudid	35	KN
Dimerazole	157	VR
Dimerzine	157	DH
Dimidettes	149	VR
Dimidi-Sulph	149	VR
Dindevan	121	EV
Diparcol	29	MB
Distaquaine	111	
Distaquaine Fortified	111	
Distaquaine G.	111	EV
Distaquaine Suspension	110	
Disulpha	157	TO
Disulphettes	157	HY
Diuracet	2	VR
Diurophylin	165	CM
Duozone	157	AB

E

E.D.C.	55	NS
Embequin	36	MB
Enterocid	123	BS

Preparation	Item. No.	Code
Entero-Vioform	48	CB
Eptoin	122	BT
Ergotrate	51	LY
Ethodryl	30	BD
Eumydrin	89	BA
Evacilin	110	EV

G

Gantrisin	150	RO
Gardenal Sodium	120	MB
Glucophylline	165	AB
Gynergen	52	SZ
Guanaflex	151	CM

H

Heparin Retard	64	BT
Hetrazan	30	LE
Hexa-Betalin	137	LY
Hexavibex	137	PD
Histostab	9	BT
Hya'lase	68	FC
Hydrid	87	VR
Hykinone	174, 176	AB

I

Indema	121	IC
Infatab	148	PD
Insulin		
Lente	75	
Semilente	76	
Ultra'lente	77	
Isuprel	78	WL

K

Kapilin	174, 176	GL
Kappaxan	176	BA
Kavitine	174, 175, 176	KL
Kayvite	176	SI
Kemadrin	132	BW
Kinaden	68	SC
K-Thrombin	176	FM
K-Thrombin Aqueous	174	FM

L

Lanoxin	33	BW
Leo	63, 109	FM
Leo	70, 72, 74	LP
Lethidrone	94	BW
Lethidrone Neonatal	94	BW
Leucarsone	17	MB
Levophed	99	WL
Liquemin	63	RO
Lysivane	53	MB

M

Malidone	5	BS
M. & B. 693	154	MB
Mecholyl	81	MK
Megacillin	110	FA
Menaphthone	174	
Meradiazine	157	HY
Mercloran	19A	PD
Mesantoin	88	SZ
Methadon	6	WL
Methergin	90	SZ
Mil'ontin	120A	PD
1/6 Molar Lactate	144	DH
Moryl	16	SY
Multisulpha	159	KL
Multisulphettes	159	KL
Mycardol	112	WL
Mylipen	110	GL
Myocrisin	140	MB
Mysoline	129	IC

N

Nellylnormorphinone	94	AN
Neo-Epinine	79	BW
Neoici	95	GA
Neo-Mercazole	18	BS
Neptal	86	MB
Nivaquine	20	MB
Normal Saline	143	
Novarsenobillon	95	MB

Preparation

Item. No. Code

O

Omnopon	105	RO
Omnopon-Scopolamine	106	RO
Oricur	19A	AN

P

Paludrine	133	IC
Paradione	108	AB
Penaquaccaine G.	111	CS
Penaquaccaine G. Fortified	111	CS
Penidural All-Purpose Injection ..	12	WY
Peritrate	112	WW
Pethanal	117	CM
Petein	116	SC
Phenergan	134	MB
Physeptone	6	BW
Pipanol	13	WL
Pitocin	103	PD
Pitressin	173	PD
Pituitary Surgical	173	CS
Pituitrin Surgical	173	PD
Plasmoquine	104	BA
Praenitron	171	SC
Procardyl	130	MB
Procillin A.S.	110	DH
Procillin Dry	111	DH
Procillin Dry Fort.	111	DH
Procillin Injecs A.S.	110	DH
Prokayvit	175, 176	BD
Proloid	169	WW
Prominal	119	BA
Promiton	119	KL
Pronestyl	130	SQ
Pro-Stabillin	111	BT
Pro-Stabillin A.S.	110	BT
Prostigmin	96, 97	RO
Pularin	63	EV
Purodigin	32	WY
Pyridermin	137	CM
Pyrivel	137	VM

R

Ringer's Solution	139	DH
Rondase	68	EV

S

Salyrgan	87	BA
Savorquin	36	SY
Seclophen	111	GL
Seroden	166	AH
Solganal—B Oleosum	11	SC
S-Mez	149	IC
Sulazine	148	SC
Sulfasuxidine	147	SD
Sulfathalidine	124	SD
Sulphaco	158	CM
Sulphaco Mitis	158	CM
Sulphacompound Tres	158	KL
Sulphadiazinettes	148	KL
Sulphadital	158	FM
Sulphaduo	157	KL
Sulphatriad	158	MB
Sulphetrone	146	BW
Sulphonamix	158	SI
Synkamine	176	PD
Synkavit	174, 176	RO
Synthanal	6	CM

T

Tabloid	31, 49, 51, 117, 138, 148, 151, 167, 169	BW
Talecid	123	SC
Thalacet	123	VR
Thalazole	124	MB
Thiazamide	156	MB
Thiomerein Sodium	85	WY
Thioparamizone	166	HT
Three Sulphas	158	AD
Thromboliquine	63	OR
Ti-bi-zone	166	AN
Triazolyl	158	AB
Tridione	172	AB
Triogen	42	PD
Triple Antigen	42	CS
Triple Sulpha	158	TO
Triple Sulphonamides	158	FA
Trisulfa	158	AN

Preparation	Item. No.	Code
Trisulfettes	158	AN
Trizettes	158	TO
Trombolysan	54	GE
Two Sulphas	157	MR

U

Urolucosil	153	WW
-----------------	-----	----

V

Vasitrin	60	DH
Vegolysen	65	MB
Vegolysen with Ephedrine	66	MB
Vegolysen-T	67	MB
Viraxacillin	110	VR
Vitavel K	175	VM
Viules	4, 10, 69, 91, 92, 98, 105, 106, 117, 118, 120	BT
Viules Pro-Stabillin A.S.	110	BT

W

Wydase	68	WY
-------------	----	----

Y

Yatren	19	BA
-------------	----	----

PROPRIETARY INDEX

FIRST SCHEDULE

(Part 2—Numerical)

Item No.	Name	Code
1	ACETARSOL SOLUBLE Acetylarsan	MB
2	ACETAZOLEAMIDE Diamox Diuracet	LE VR
4	ADRENALIN TARTRATE Viules	BT
5	ALOXIDONE Malidone	BS
6	AMIDONE Adanon Methadon Physeptone Synthanal	BA WL BW CM
7	AMODIAQUINE Camoquin	PD
9	ANTAZOLINE Antistine Histostab	CB BT
10	ATROPINE SULPHATE Viules	BT
11	AUROTHIOGLUCOSE OILY Solganal B Oleosum	SC
12	BENZATHINE PENICILLIN Bicillin All-purpose Injection Penidural All-purpose Injection	WY WY
13	BENZHEXOL HYDROCHLORIDE Artane Pipanol	LE WL
14	CALCIUM AUROTHIOMALATE Auro-Calcium	CK

Item No.	Name	Code
16	CARBACHOL	
	Moryl	SY
17	CARBASONE	
	Leucarsone	MB
18	CARBIMAZOLE	
	Neo-Mercazole	BS
19	CHINIOFON	
	Yatren	BA
19A	CHLORMERODRIN	
	Mercloran	PD
	Oricur	AN
20	CHLOROQUINE	
	Aralen	BA
	Nivaquine	MB
	Avlochlor	IC
22	DAPSONE	
	Avlosulphone	IC
	D.A.D.P.S.	AN
24	DESACETYL-LANATOSIDE C	
	Cedilanid	SZ
28	DIASONE	
	Diamidin	PD
29	DIETHAZINE HYDROCHLORIDE	
	Diparcol	MB
30	DIETHYLCARBAMAZINE	
	Banocide	BW
	Hetrazan	LE
	Ethodryl	BD
31	DIGITALIS	
	Tabloid	BW
32	DIGITOXIN	
	Cardigen	PD
	Crystodigin	LY
	Digicristin	CM
	Purodigin	WY
33	DIGOXIN	
	Digolan	KL
	Lanoxin	BW

Item No.	Name	Code
34	DIHYDROERGOTAMINE D.H.E. 45	SZ
35	DIHYDROMORPHINONE Dilaudid	KN
36	DIODOHYDROXYQUINOLINE Embequin Savorquin	MB SY
37	DIMERCAPROL B.A.L.	BT
38	DIPHENHYDRAMINE HYDROCHLORIDE Benadryl	PD
42	DIPHThERIA PERTUSSIS AND TETANUS ANTIGEN Triogen Triple Antigen	PD CS
49	EPHEDRINE HYDROCHLORIDE Tabloid	BW
51	ERGOMETRINE MALEATE Ergotrate Tabloid	LY BW
52	ERGOTAMINE TARTRATE Gynergen	SZ
53	ETHOPROPAZINE HYDROCHLORIDE Lysivane	MB
54	ETHYL BISCOUMACETATE Trombolysan	GE
55	ETHYLIDENE DICOUMARIN E.D.C.	NS
60	GLYCERYL TRINITRATE Anginine Stabilised Vasitrin	BW DH

Item No.	Name	Code
63	HEPARIN	
	Leo	LP
	Liquemin	RO
	Pularin	EV
	Thromboliquine	OR
65	HEXAMETHONIUM BROMIDE	
	Vegolysen	MB
66	HEXAMETHONIUM BROMIDE WITH EPHEDRINE	
	Vegolysen with Ephedrine	MB
67	HEXAMETHONIUM TARTRATE	
	Vegolysen-T	MB
68	HYALURONIDASE	
	Hyalase	FC
	Kinaden	SC
	Rondase	EV
	Wydase	WY
69	HYOSCINE HYDROBROMIDE	
	Viules	BT
70	INSULIN	
	Berna	SE
	Leo	LP
72	INSULIN ISOPHANE	
	Leo	LP
74	INSULIN PROTAMINE ZINC	
	Berna	SE
	Leo	LP
75	INSULIN ZINC SUSPENSION	
	Lente	
	Novo-Evans	EV
76	INSULIN ZINC SUSPENSION (AMORPHOUS)	
	Novo-Evans	EV
	Semilente	
77	INSULIN ZINC SUSPENSION (CRYSTAL- LINE)	
	Novo-Evans	EV
	Ultralente	

Item No.	Name	Code
78	ISOPRENALINE HYDROCHLORIDE	
	Isuprel	WL
79	ISOPRENALINE SULPHATE	
	Neo-Epinine	BW
80	LEPTAZOL	
	Cardiazole	KN
81	MECHOLYL CHLORIDE	
	Amechol	SY
	Mecholyl	MK
82	MEPRACRINE HYDROCHLORIDE	
	Avlon	IC
84	MEPYRAMINE MALEATE	
	Anthisan	MB
85	MERCAPTOMERIN SODIUM	
	Thiomerin Sodium	WY
86	MERCURAMIDE WITH THEOPHYLLINE	
	Neptal	MB
87	MERSALYL	
	Hydrid	VR
	Salyrgan	BA
88	METHOIN	
	Mesantoin	SZ
89	METHYL ATROPINE NITRATE	
	Eumydrin	BA
90	METHYLERGOMETRINE TARTRATE	
	Methergin	SZ
91	MORPHINE SULPHATE	
	Tabloid	BW
	Viules	BT
92	MORPHINE WITH ATROPINE	
	E. Viules	BT
	G. Viules	BT
	J. Viules	BT

Item No.	Name	Code
94	NALORPHINE HYDROBROMIDE	
	Lethidrone	BW
	Lethidrone Neonatal	BW
	Nellylnormorphinone	AN
95	NEOARSPHENAMINE	
	Neolci	GA
	Novarsenobillon	MB
96	NEOSTIGMINE BROMIDE	
	Prostigmin	RO
97	NEOSTIGMINE METHYSULPHATE	
	Prostigmin	RO
98	NIKETHAMIDE	
	Anacardone	BD
	Coramine	CB
	Corvotone	BT
99	NORADRENALIN	
	Levophed	WL
103	OXYTOCIN	
	Pitocin	PD
104	PAMAQUIN	
	Plasmoquine	BA
105	PAPAVERTUM	
	Omnopon	RO
	Viules	BT
106	PAPAVERTUM WITH HYOSCINE HYDROBROMIDE	
	Omnopon-Scopolamine	RO
	Viules	BT
108	PARAMETHADIONE	
	Paradione	AB
109	PENICILLIN INJECTION OF	
	Avlon	IC
	Leo	LP

Item No.	Name	Code
110	PENICILLIN PROCAINE, AQUEOUS SUSPENSION OF	
	Aquacillin	FA
	Cilicaine Suspension	SI
	Distaquaine Suspension	AH
	Distaquaine Suspension	BD
	Distaquaine Suspension	IC
	Evacilin	EV
	Megacillin	FA
	Mylipen	GL
	Procillin A.S.	DH
	Procillin Injects A.S.	DH
	Prostabillin A.S.	BT
	Viraxacillin	VR
	Viules Pro-Stabillin A.S.	BT
111	PENICILLIN PROCAINE (CRYSTALLINE)	
	Avloprocil NA	IC
	Bi-Stabillin	BT
	Cilicaine Fortified	SI
	Cilicaine Simplex	SI
	Distaquaine	BD
	Distaquaine	IC
	Distaquaine	MB
	Distaquaine Fortified	BD
	Distaquaine Fortified	BW
	Distaquaine Fortified	IC
	Distaquaine G	EV
	Distaquaine G	CS
	Penaquacaine G Fortified	CS
	Procillin Dry	DH
	Procillin Dry Fortified	DH
	Pro-Stabillin	BT
	Seclopen	GL
112	PENTAERYTHRITOL TETRANITRATE	
	Peritrate	WW
	Mycardol	WL
113	PENTOLINIUM TARTRATE	
	Ansolysen	MB
114	PENTOLINIUM TARTRATE WITH EPHEDRINE	
	Ansolysen with Ephedrine	MB

Item No.	Name	Code
116	PERTUSSIS VACCINE (PHASE 1)	
	Petein	SC
117	PETHIDINE HYDROCHLORIDE	
	Avlon	IC
	Demerol	BA
	Pethanal	CM
	Tabloid	BW
	Viules	BT
119	PHEMITONE	
	Avlon	IC
	Prominal	BA
	Promiton	KL
120	PHENOBARBITONE SODIUM	
	Cemalonal	CM
	Gardenal Sodium	MB
	Viules	BT
120A	PHENSUXIMIDE	
	Milontin	PD
121	PHENYLINDANEDIONE	
	Dindevan	EV
	Indema	IC
122	PHENYTOIN SODIUM	
	Detoin	KL
	Dilantin	PD
	Eptoin	BT
123	PTHALYLSULPHACETAMIDE	
	Cetasulph	CM
	Enterocid	BS
	Sulphalyl	KL
	Talecid	SC
	Thalacet	VR
124	PTHALYLSULPHATHIAZOLE	
	Sulphathalidine	SD
	Thalazole	MB
128	PRIMIQUEINE DIPHOSPHATE	
	Avlon	IC

Item No.	Name	Code
129	PRIMIDONE Mysoline	IC
130	PROCAINE AMIDE HYDROCHLORIDE Pronestyl Procardyl	SQ MB
132	PROCYCLIDINE HYDROCHLORIDE Kemadrin	BW
133	PROGUANIL HYDROCHLORIDE Paludrine	IC
134	PROMETHAZINE HYDROCHLORIDE Phenergan	MB
135	PROPHENPYRIDAMINE PARA-AMINOSALICYLATE Avil	FM
137	PYRIDOXINE HYDROCHLORIDE Benadon Hexa-Betalin Hexavibex Pyridermine Pyrivel	RO LY PD CM VM
138	QUINIDINE SULPHATE Tabloid	BW
140	SODIUM AUROTHIOMALATE AQUEOUS Myocrisin	MB
146	SOLAPSONE Sulphetrone	BW
147	SUCCINYLSULPHATHIAZOLE Sulphasuxidine	SD
148	SULPHADIAZINE Infatab Sulazine Sulphadiazinettes Tabloid	PD SC KL BW

Item No.	Name	Code
149	SULPHADIMIDINE	
	Dimidettes	VR
	Dimidi-Sulph	VR
	S-Mez	IC
150	SULPHAFURAZOLE	
	Gantrisin	RO
151	SULPHAGUANIDINE	
	Guanaflex	CM
	Tabloid	BW
153	SULPHAMETHIZOLE	
	Urolucosil	WW
154	SULPHAPYRIDINE	
	M. & B. 693	MB
156	SULPHATHIAZOLE	
	Thiazamide	MB
157	SULPHONAMIDES, MIXED (A):	
	TWO SULPHONAMIDES	
	Dimerazole	VR
	Dimerzine	DH
	Disulpha	TO
	Disulphettes	HY
	Duozone	AB
	Meradiazine	HY
	Sulphaduo	KL
	Two Sulphas	MR
158	SULPHONAMIDES, MIXED (B):	
	THREE SULPHONAMIDES	
	Sulphaco	CM
	Sulphaco Mitis	CM
	Sulphadital	FM
	Sulphatriad	MB
	Sulphacompound Tres	KL
	Sulphonamix	SI
	Three Sulphas	AD
	Triazol	AB
	Triple Sulpha	TO
	Triple Sulphonamides	FA
	Trisulfa	AN
	Trisulfettes	AN
	Trizettes	TO

Item No.	Name	Code
159	SULPHONAMIDES, MIXED (C): FOUR SULPHONAMIDES	
	Multisulpha	KL
	Multisulphettes	KL
165	THEOPHYLLINE WITH ETHYLENEDIAMINE	
	Aminophylline	AH
	Aminophylline	BW
	Aminophylline	DH
	Aminophylline	FA
	Aminophylline	HY
	Aminophylline	RT
	Aminophylline	SI
	Aminophylline	SM
	Aminophylline	MG
	Aminophylline	QE
	Aminophylline	RY
	Aminophylline	SL
	Cardophyllin	HA
	Carine	KL
	Diurophylin	CM
	Glucophylline	AB
166	THIACETAZONE	
	Seroden	AH
	Thioparamizone	HT
	Ti-bi-zone	AN
167	THIOURACIL, METHYL	
	Tabloid	BW
169	THYROID B.P.	
	Tabloid	BW
	Proloid	WW
171	TRIETHANOLAMINE TRINITRATE	
	Praenitron	SC
172	TROXIDONE	
	Tridione	AB
173	VASOPRESSIN	
	Pitressin	PD
	Pituitary Surgical	CS
	Pituitrin Surgical	PD

Item No.	Name	Code
174	VITAMIN K, AQUEOUS	
	Hykinone	AB
	Kapilin	GL
	K-Thrombin (Aqueous)	FM
	Kavitine	KL
	Synkavit	RO
175	VITAMIN K, OILY	
	Kavitine	KL
	Menapthone	BW
	Menapthone	DH
	Prokayvit	BD
	Vitavel K	VM
176	VITAMIN K (ORAL)	
	Hykinone	AB
	Kapilin	GL
	Kappaxan	BA
	Kavitine	KL
	Kayvite	SI
	K-Thrombin	FM
	Prokayvit	BD
	Synkamine	PD
	Synkavit	RO

PROPRIETARY INDEX

SECOND SCHEDULE

(Part 1—Alphabetical)

Preparation	Item No.	Code
A		
Achromycin	55, 57	LE
Achromycin Spersoids	56	LE
Achromycin-V	59	LE
Adreson	12	OR
Aminacyl	3, 44	WA
Aminacyl Granulate	4	WA
Anacobin	13	BD
Andrazide	23	AN
Arfonad	60	RO
A.T.10	19	BA
Aureomycin	9	LE
Aureomycin Spersoids	10	LE
Aureomycin Calcium Oral Drops	11	LE
B		
Benol	13	KL
Benol Forte	13	KL
C		
Calcipas	3	KL
Chloramycetin	6, 7	PD
Chloramycetin Palmitate	8	PD
Codelcortone	35	MK
Cortadren	12	SH
Cortef	22	UP
Cortelan	12	GL
Cortic	12	AD
Cortisyl	12	RL
Cortone	12	MK
Cortril	22	PF
Crystapen	32	GL
Crystapen-V	33	GL
Cytamen 20, 50, 100	13	GL
Cytobex	13	PD

Preparation	Item No.	Code
D		
Davitamon B12	13	OR
Decortisyl	36	RL
Deltacortef	35	UP
Delta-Cortelan	36	GL
Delta-Scheroson	36	SC
Deltacortisone	36	AN
Deltacortone	36	MK
Deltacortril	35	PF
Deltahydrocortisone	35	AN
Deltasolone	35	KL
Deltasone	36	KL
Deltastab	35	BT
Di-Adreson	36	OR
Di-Adreson-F	35	OR
Distaquaine-V	33	BD
Distivit	13	
D.O.C.A.	16	OR
Dromoran	25	RO
E		
Efcortelan	22	GL
Erythrocyne	20	AB
Eschatin	49	PD
Eucortone	49	AH
Euhaemon	13	AH
F		
Folvite	21	LE
Furadantin	26	MJ
G		
Glosso-Sterandryl	51	RL
H		
Heptamin	13	SI
Hostacortine	36	FM
Hydro-Adreson	22	OR
Hydrocortistab	22	BT
Hydrocortisyl	22	RL
Hydrocortone	22	MK

Preparation	Item No.	Code
I		
Ilotycin	20	LY
Intraviron ..	54	BS
Intravite B12	13	NS
Isotinyll	23	KL
Isozide	23	NS
K		
Konaktion	61	RO
L		
Leo	18	LP
Lutocyclin	37	CB
M		
Megimide and Daptazole Com- bination Pack	1	NS
Mestinon ...	39	RO
Meticortelone	35	SH
Meticorten	36	SH
Myleran	2	BW
N		
Neo-Hombreol	54	OR
O		
Oraviron	51	BS
Orocillin Fort	32	SI
Oxytetracycline	28	PF
Oxytetracycline Oral Suspension	29	PF
P		
Palatinoid	30	OP
Pancreatin Powder	30	PD
Panteric Tabs.	30	PD
Para-Aminosalicylate Calcium	3	
Para-Aminosalicylate Sodium	44	
Paramisan Sodium	44	HT
Parasal Sodium	44	CM

Preparation	Item No.	Code
Parentosal B12	13	CM
Parpanit	5	GE
Pasan	44	KL
Pasing	18, 46	EC
Perandren	50, 51, 54	CB
Percorten	14, 15, 16	CB
Praducil	32	EV
Primocort	14, 16	SC
Primoteston Depot	52	SC
Progestin	37	
Proluton	37	SC
Proluton Depot	38	SC
Purinethol	24	BW
Pycazide	23	HT

S

Scherisolone	35	SC
Scheroson	12	SC
Specia	46	SP
Specia Didromycin	18	SP
Stabillin-V	33	BT
Stec'in	55, 57	SQ
Sterandryl	54	RL
Streptaquine	48	
Streptomycin	46	
Streptomycin Dihydro	18	
Streptomycin Intrathecal	47	EV
Streptomycin Sulphate Solution ..	48	
Synermycin	58	PF

T

Tabillin	32	BT
Tabloid	32, 40, 45	BW
Tebos	23	HY
Terramycin	28	PF
Terramycin Oral Suspension	29	PF
Testine	54	KL
Testogenine	54	FM
Testoviron	50, 51, 54	SC
Tetracyn	55	PF
Thephorin	34	RO

Preparation

Item No. Code

V

Vibion	13	AN
Vibion Forte	13	AN
Vitamin B12	13	
Viules	37, 48, 54	BT
Viules Cobastab	13	BT
Viules Cobastab, 200	13	BT

PROPRIETARY INDEX

SECOND SCHEDULE

(Part 2—Numerical)

Item No.	Name	Code
1	BEMEGRIDE WITH AMIPHENAZOLE HYDROCHLORIDE A.P.F. Megimide and Daptazole Combination Pack	NS
2	BUSULPHAN Myleran	BW
3	CALCIUM PARA-AMINOSALICYLATE Aminacyl	WA
	Calcipas	KL
4	CALCIUM PARA-AMINOSALICYLATE GRANULES Aminacyl Granulate	WA
5	CARAMIPHEN HYDROCHLORIDE Parpanit	GE
6	CHLORAMPHENICOL Chloromycetin	PD
7	CHLORAMPHENICOL INTRAMUSCULAR Chloromycetin	PD
8	CHLORAMPHENICOL PALMITATE Chloromycetin Palmitate	PD
9	CHLORTETRACYCLINE Aureomycin	LE
10	CHLORTETRACYCLINE GRANULES Aureomycin Spersoids	LE
11	CHLORTETRACYCLINE SUSPENSION Aureomycin Calcium Oral Drops	LE

Item No.	Name	Code
12	CORTISONE ACETATE	
	Adreson	OR
	Cortadren	SH
	Cortelan	GL
	Cortic	AD
	Cortisyl	RL
	Cortone	MK
	Scheroson	SC
13	CYANOCOBALAMIN	
	Anacobin	BD
	Benol	KL
	Benol Forte	KL
	Cytamen 20	GL
	Cytamen 50	GL
	Cytamen 100 ..	GL
	Cytobex	PD
	Davitamon B12	OR
	Distivit	
	Euhaemon	AH
	Heptamin	SI
	Intravite B12	NS
	Parentosal B12	CM
	Vibion	AN
	Vibion Forte	AN
	Viules Cobastab	BT
	Viules Cobastab 200	BT
14	DEOXYCORTONE ACETATE AQUEOUS	
	Percorten	CB
	Primocort	SC
15	DEOXYCORTONE ACETATE AQUEOUS SUSPENSION	
	Percorten	CB
16	DEOXYCORTONE ACETATE OILY	
	D.O.C.A.	OR
	Percorten	CB
	Primocort	SC
18	DIHYDROSTREPTOMYCIN	
	Ieo	IP
	Pasing	EC
	Specia Didromycin	SP

Item No.	Name	Code
19	DIHYDROTACHYSTEROL	
	A.T.10	BA
20	ERYTHROMYCIN	
	Erythrocin	AB
	Ilotycin	LY
21	FOLIC ACID	
	Folvite	LE
22	HYDROCORTISONE	
	Cortef	UP
	Cortril	PF
	Efcortelan	GL
	Hydro-Adreson	OR
	Hydrocortistab	BT
	Hydrocortisyl	RL
	Hydrocortone	MK
23	ISONIAZID	
	Andrazide	AN
	Isotinyt	KL
	Isozide	NS
	Pycazide	HT
	Tebos	HY
24	MERCAPTOPURINE	
	Purinethol	BW
25	METHORPHINAN	
	Dromoran	RO
26	NITROFURANTOIN	
	Furadantin	MJ
28	OXYTETRACYCLINE HYDROCHLORIDE	
	Oxytetracycline	PF
	Terramycin	PF
29	OXYTETRACYCLINE SUSPENSION	
	Oxytetracycline Oral Suspension	PF
	Terramycin Oral Suspension	PF

Item No.	Name	Code
30	PANCREATIN	
	Palatinoid	OP
	Pancreatin Powder	PD
	Panteric Tabs.	PD
32	PENICILLIN TABLETS	
	Crystapen	GL
	Tabillin	BT
	Tabloid	BW
	Orocillin Fort	SI
	Praducil	EV
33	PHENOXYMETHYL PENICILLIN	
	Crystapen-V	GL
	Distaquaine-V	BD
	Stabillin-V	BT
34	PHENINDAMINE TARTRATE	
	Thephorin	RO
35	PREDNISOLONE	
	Codelcortone	MK
	Deltacortef	UP
	Deltacortril	PF
	Deltahydrocortisone	AN
	Deltasolone	KL
	Delta-Stab	BT
	Di-Adreson-F	OR
	Meticortelone	SH
	Scherisolone	SC
36	PREDNISONE	
	Decortisyl	RL
	Delta-Cortelan	GL
	Delta-Scheroson	SC
	Deltacortisone	AN
	Deltacortone	MK
	Deltasone	KL
	Di-Adreson	OR
	Hostacortine	FM
	Meticorten	SH
37	PROGESTERONE	
	Lutocyclin	CB
	Progestin	BD
	Progestin	OR
	Proluton	SC
	Viules	BT

Item No.	Name	Code
38	PROGESTERONE DEPOT Proluton Depot	SC
39	PYRIDOSTIGMINE BROMIDE Mestinon	RO
40	QUININE BISULPHATE Tabloid	BW
44	SODIUM PARA-AMINOSALICYLATE Aminacyl Paramisan Sodium Parasal Sodium Pasan	WA HT CM KL
45	STILBOESTROL Tabloid	BW
46	STREPTOMYCIN Pasing Specia	EC SP
47	STREPTOMYCIN SULPHATE INTRATHECAL Streptomycin Intrathecal	EV
48	STREPTOMYCIN SULPHATE SOLUTION Streptaquaine Viules	BT
49	SUPRARENAL CORTEX EXTRACT Eschatin Eucortone	PD AH
50	TESTOSTERONE Perandren Testoviron	CB SC
51	TESTOSTERONE METHYL Glosso-Sterandryl Oraviron Perandren Testoviron	RL BS CB SC
52	TESTOSTERONE OENANTHATE Primoteston Depot	SC

Item No.	Name	Code
54	TESTOSTERONE PROPIONATE	
	Intraviron	BS
	Neo-Hombreol	OR
	Perandren	CB
	Sterandryl	RL
	Testine	KL
	Testogenine	FM
	Testoviron	SC
	Viules	BT
55	TETRACYCLINE	
	Achromycin	LE
	Steclin	SQ
	Tetracyn	PF
56	TETRACYCLINE GRANULES	
	Achromycin Spersoids	LE
57	TETRACYCLINE PAEDIATRIC DROPS	
	Achromycin	LE
	Steclin	SQ
58	TETRACYCLINE WITH OLEANDOMYCIN	
	Synermycin	PF
59	TETRACYCLINE WITH SODIUM META- PHOSPHATE	
	Achromycin-V	LE
60	TRIMETAPHAN CAMPHORSULPHONATE	
	Arfonad	RO
61	VITAMIN K ₁	
	Konaktion	RO

Section B

PENSIONER PHARMACEUTICAL BENEFITS

1. Prescriptions. Prescriptions for these benefits must be endorsed "N.H.S." and bear the words "Pensioner Benefit" and the pension number of the patient. On no account must the pension number of the patient be omitted: such omission will result in the prescription being refused.

In addition to other requirements set out in the General Notes, a prescription for a pensioner pharmaceutical benefit—

- (a) must indicate the form of benefit if it is a single drug, e.g., in the case of olive oil the prescription must indicate whether it is to be supplied as a mixture, application, liniment, &c.;
- (b) must not prescribe a general as well as a pensioner pharmaceutical benefit;
- (c) must not prescribe more than two pensioner pharmaceutical benefits;
- (d) must not prescribe the benefit by reference to a brand or in any other manner that would indicate a brand.

Unless these and other requirements set out in these Notes are complied with, the prescription will not be accepted for dispensing by the chemist as a pensioner pharmaceutical benefit.

2. Scope of Benefits. Pensioner pharmaceutical benefits comprise—

- (a) any drug or medicinal preparation which is the subject of a monograph in the 1953 B.P., EXCEPT—

1. medicinal gases
2. general pharmaceutical benefits, and
3. the following drugs which may not be prescribed under any circumstances:—

Aureomycin Hydrochloride

(Chlortetracycline)

Chloramphenicol

Corticotrophin

Cortisone Acetate

Cyanocobalamin

Deoxycortone Acetate

Dextran Sulphate

Dihydrostreptomycin

Gallamine Triethiodide

Injection of Corticotrophin

Injection of Cortisone Acetate

Injection of Dextran Sulphate

Injection of Gallamine Triethiodide

Injection of Lignocaine and Adrenaline
 Injection of Lignocaine Hydrochloride
 Injection of Suxamethonium Chloride
 Iopanoic Acid
 Lignocaine Hydrochloride
 Oxytetracycline
 Phenylbutazone
 Progesterone
 Suxamethonium Chloride
 Tablets of Cortisone Acetate
 Tablets of Hexamethonium Tartrate
 Tablets of Iopanoic Acid
 Tablets of Pethidine Hydrochloride

Further, the following drugs may be prescribed and supplied as Pensioner Pharmaceutical Benefits only in the forms indicated against the drug:—

Drug	Allowable Forms
Amorphous Penicillin	Cream; Eye Ointment; Injection; Lozenge; Ointment; Sterilized Cream.
Aneurine Hydrochloride	Injection; Tablet; Tablet Vitaminorum (see under Vitamin A).
Ascorbic Acid	Tablet; Tablet Vitaminorum (see under Vitamin A).
Benzyl Penicillin	Cream; Eye Drops A.P.F.; Eye Ointment; Injection; Injection of Procaine Benzyl Penicillin with Benzyl Penicillin; Lozenge; Ointment; Tablet.
Calciferol	Solution; Tablet.
Dienoestrol	Tablet.
Ethinylloestradiol	Tablet.
Ethisterone	Tablet.
Methyltestosterone	Tablet.
Nicotinamide	Injection; Tablet; Tablet Vitaminorum (see under Vitamin A).
Nicotinic Acid	Tablet.
Oestradiol Monobenzoate	Injection.
Procaine Benzyl Penicillin	Injection; Injection of Procaine Benzyl Penicillin with Benzyl Penicillin.
Riboflavine	Tablet; Tablet Vitaminorum (see under Vitamin A).
Saccharin	Tablet.
Saccharin Sodium	Tablet.
Stilboestrol	Tablet.
Streptomycin Calcium Chloride	Injection; Ear Drops.
Streptomycin Hydrochloride	Injection; Ear Drops.
Streptomycin Sulphate	Injection; Ear Drops.
Testosterone	Implant.
Testosterone Propionate	Injection.
Vitamin A	Concentrated Solution; Concentrated Solution of Vitamins A and D; Tablet Vitaminorum— Vitamin A Activity 2,500 U. Aneurine Hcl. 0.5 mg. Riboflavine 0.5 mg. Nicotinamide 7.5 mg. Ascorbic Acid 15 mg. Antirachitic Activity (Vitamin D) 300 U.
Vitamin D	Concentrated Solution; Concentrated Solution of Vitamins A and D; Tablet Vitaminorum (see under Vitamin A).

- (b) drugs and medicinal preparations set out in List A at the end of this section;
- (c) medicinal compounds composed of two or more of the allowable drugs or medicinal preparations referred to in (a) and (b) of this sub-paragraph;
- (d) any item in the Prescribers' List herewith. This List contains for your convenience a representative selection of medicaments approved by a special committee of the British Medical Association. It is requested that this list be used whenever practicable.

3. Formulae.

If it is desired to alter a formula in the Prescribers' List by adding one or more drugs to the formula, the name of the formula as it appears in the List may be used, e.g.,

R Pot. Bromid. gr. x
Mist. Gent. Alk. ad $\frac{1}{2}$ fl. oz.

In all other cases where a formula is departed from, the formula title must not be used; the prescription should be written out in full.

If the formula of a hospital or other institution is used please append the initials of the particular formula; e.g.,

R Mist. Pot. Bromid. R.M.H.

4. Limitations on Supply. The following may not be prescribed alone; they must be compounded with another pensioner pharmaceutical benefit:—Alcohol, ether, chloroform, industrial methylated spirit, and any drug or medicinal preparation set out in List A other than the following (which may be prescribed alone)—cachets, capsules, creams, extracts, eye ointments, glycerines, injections, liniments, liquors, mixtures, ointments, pills, syrups, suppositories and tablets.

5. Cachets, Capsules, Pills and Tablets. It should be noted particularly that if a pensioner pharmaceutical benefit is desired to be supplied in the form of a cachet, capsule, pill or tablet, that form may be prescribed only if it is specified in List A as a benefit in that particular form or is the subject, in that form, of a monograph in the B.P. 1953. Some drugs of a particular nauseous character may be prescribed in capsule form. In such cases, please ascertain from the Commonwealth Director of Health in your State if they are allowable.

6. Maximum Quantities and Repeats. Maximum quantities and numbers of repeats are set out in the table appearing in pages E and F. It should be noted that in a few cases of single drugs or preparations specific maxima have been set out, but otherwise maxima have been standardised.

Where a single drug is ordered the maxima will be governed by the form in which the benefit is directed to be supplied, e.g., as a lotion, liniment, &c.

PENSIONER PHARMACEUTICAL BENEFITS

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS

Class of Prescription	Maximum Quantity	No. of Repeats (in addition to first supply)
Applications	8 fl. oz.	2
Capsules of Vitamins	100 capsules	1
Other Capsules	12 capsules	1
Collodions	120 min.	1
Cream of Mepyramine Maleate	480 gr.	-
Cream of Penicillin	240 gr.	-
Cream of Promethazine Hydrochloride	480 gr.	-
Other Creams	1920 gr.	2
Draughts	4 fl. oz.	-
Dusting Powders—		
Penicillin, Calcium, in Lactose	10 G.	-
Penicillin, in Sterile Talc	480 gr.	-
Penicillin, Procaine, in Calcium Gluconate and Lactose	120 gr.	-
Penicillin Sulphanilamide 2,000 U. per G.	120 gr.	-
Penicillin Sulphanilamide 5,000 U. per G.	10 G.	-
Penicillin Sulphanilamide 2,000 U. per G. with Aminacrine 0.5%	120 gr.	-
Other Dusting Powders	1920 gr.	1
Ear Drops	1 fl. oz.	-
Elixirs	8 fl. oz.	1
Emulsions for internal use	16 fl. oz.	1
Enemas	4 fl. oz.	1
Extracts, Fluid	4 fl. oz.	-
Extracts of Malt	1 lb.	3
Extracts of Malt with Cod Liver Oil	1 lb.	3
Eye Drops of Physostigmine	240 min.	6
Eye Drops of Pilocarpine	240 min.	6
Other Eye Drops	120 min.	-
Eye Lotions	6 fl. oz.	1
Eye Ointment of Penicillin	60 gr.	-
Other Eye Ointments	120 gr.	-
Gargles and Mouth Washes	8 fl. oz.	-
Gelatins	1920 gr.	3
Glycanths	240 gr.	1
Glycerine and Ichthyol	4 fl. oz.	1
Other Glycerines	2 fl. oz.	1
Implants	1 Implant	-

Class of Prescription	Maximum Quantity	No. of Repeats (in addition to first supply)
Inhalations	2 fl. oz.	-
Injectations—		
Ampoules	6 amps.	1
Vials	1 vial	1
Irrigations	8 fl. oz.	2
Insufflations	480 gr.	-
Linctuses	8 fl. oz.	1
Liniments	4 fl. oz.	1
Lotions	8 fl. oz.	2
Lozenges	25	-
Mixtures	8 fl. oz.	4
Nasal Drops	$\frac{1}{2}$ fl. oz.	2
Ointment of Penicillin	480 gr.	-
Other Ointments	1920 gr.	2
Paints	1 fl. oz.	1
Pastes	1920 gr.	2
Pessaries	6 pessaries	2
Pills	50 pills	2
Poultices	1 lb.	1
Powder Antacid	1920 gr.	3
Powder Bism. et Calc. Co.	1920 gr.	3
Powder Calc. et Mag. Phosph.	1920 gr.	3
Other Powder for internal use	1920 gr.	2
Powders—individually wrapped	12 powders	1
Soaps	4 fl. oz.	1
Solutions for internal use	1 fl. oz.	2
Solutions for external use	4 fl. oz.	1
Sprays	$\frac{1}{2}$ fl. oz.	1
Suppositories	12 suppositories	1
Syrups	8 fl. oz.	1
Tablets of Aminophylline with Phenobarbitone	100	1
Tablets of Calcium Gluconate	100	1
Tablets of Charcoal	100	2
Tablets of Codein Compound B.P.	100	1
Tablets of Colchicine 1/120 gr.	25	-
Tablets of Phenobarbitone	100	2
Tablets of Phenobarbitone Sodium	100	2
Tablets of Phenylbutazone 100 m.g.	50	1
Tablets of Saccharin	200	1
Tablets of Theobromine and Sodium Salicylate	100	1
Tablets of Theobromine and Phenobarbitone	100	1
Tablets of Vitamins	100	1
Other Tablets including Eye Tablets	25	2
Tinctures	1 fl. oz.	1

LIST A

PENSIONER BENEFITS ADDITIONAL TO THOSE COVERED BY MONOGRAPH IN THE BRITISH PHARMACOPOEIA, 1953.

Acetum Scillae
Acidum Hydrocyanicum Dilutum B.P.C.
Acidum Hypophosphorosum Dilutum
Acidum Mandelicum
Acidum Stearicum B.P.C.
Acidum Sulphuricum Dilutum B.P.C.
Acriflavina
Adeps
Adeps Benzoinatus
Agar
Amidopyrina
Ammonii Bromidum B.P.C.
 Applicatio Dicophani, B.P.C.
Aqua (Potable Water)
Aqua Anisi B.P.C.
Aqua Chlorbutolis A.P.F.
Argentoproteinum Mite B.P.C.
Auristillae Streptomycin A.P.F.
Balsamum Peruvianum
Betanaphthol
Caffeina Citrata B.P.C.
Caffeina et Sodii Benzoas
Calcii Mandelas
Capsulae Sodii Pentobarbitoni
Capsulae Vitaminorum B.P.C.
Cera Flava
Cetomacrogol Emulsifying Wax, B.P.C.
Chiniofonum
Chromii Trioxidum
Codeina
Cremor Penicillini Sterilisatus
Ephedrinae Sulphas B.P.C.
Extractum Colchici Siccum
Extractum Colocynthis Compositum
Extractum Ergotae Liquidum
Extractum Fellis Bovini
Extractum Glycyrrhizae
Extractum Krameriae Siccum
Extractum Senegae Liquidum

Ferri Carbonas Saccharatus
 Glycerinum Acidi Borici
 Glycerinum Boracis
 Guttæ Penicillini A.P.F.
 Hydrargyrum cum Creta
 Infusum Aurantii
 Infusum Aurantii Concentratum
 Infusum Buchu B.P.C.
 Infusum Calumbæ
 Infusum Calumbæ Concentratum
 Infusum Calumbæ Recens
 Infusum Caryophylli
 Infusum Caryophylli Concentratum
 Infusum Senegæ
 Infusum Senegæ Concentratum
 Infusum Sennæ
 Infusum Sennæ Concentratum
 Injectio Caffeinæ et Sodii Benzoatis
 Injectio Hexoestrolis
 Injectio Oestradiolis Dipropionatis
 Injectio Oestroni
 Injectio Penicillini Oleosa
 Injectio Physostigminæ Salicylatis
 Injectio Pituitarii Posterioris
 Injectio Procainæ et Adrenalinæ Mitis
 Injectio Sodii Citratis Anticoagulans
 Injectio Sodii Citratis cum Dextroso
 Injectio Strychninæ Hydrochloridi
 Injectio Sulphadiazinæ Sodii
 Iodoformum
 Ipomoeæ Resina
 Laevulosum
 Linimentum Aconiti
 Linimentum Belladonnæ
 Liquor Ammoniacæ Aromaticus B.P.C.
 Liquor Glycerylis Trinitratis B.P.C.
 Liquor Magnesii Bicarbonatis
 Magenta B.P.C.
 Magnesii Phosphas B.P.C.
 Mel Depuratum
 Methylcellulosum, A.P.F.
 Mistura Aluminii Hydroxidi A.P.F.
 Mistura Sennæ Composita
 Oculentum Cocainæ
 Oculentum Physostigminæ
 Oleum Abietis B.P.C.
 Oleum Cajuputi

Oleum Cari
 Oleum Coccois B.P.C.
 Oxymel Scillae
 Pelletierinae Tannas
 Penicillin, Calcium, in Lactose
 Penicillin in Sterile Talc
 Penicillin, Procaine, in Calcium Gluconate and Lactose
 Penicillin Sulphanilamide 2,000 U. per G.
 Penicillin Sulphanilamide 5,000 U. per G.
 Penicillin Sulphanilamide 2,000 U. per G. with Amina-
 crine 0.5%
 Phenazonum
 Pigmentum Magenta et Resorcinol, A.P.F.
 Pilula Aloes
 Pilula Aloes et Nux Vomicae B.P.C.
 Pilula Colocynthis et Hyoscyami
 Pilula Digitalis Co. B.P.C.
 Pilula Ferri Carbonatis
 Pilula Hydrargyri
 Pilula Phenolphthalein Co. B.P.C.
 Pilula Rhei Composita
 Pix Carbonis B.P.C.
 Potassii Acetas
 Potassii Chloras
 Quininae et Aethylis Carbonas
 Sapo Animalis
 Sapo Durus
 Sodii Carbonas Exsiccatus
 Sodii Nitris
 Sodii Phosphas Exsiccatus
 Sodii Sulphas Exsiccatus
 Spiritus Aetheris Nitrosi
 Spiritus Cajuputi
 Spiritus Camphorae
 Strychnina B.P.C.
 Sulphacetamidum
 Sulphadiazina Sodium
 Sulphonals
 Suppositoria Acidi Tannici
 Suppositoria Belladonnae
 Suppositoria Bismuthi Subgallatis
 Suppositoria Cocainae
 Suppositoria Hamamelidis et Zinci Oxidi
 Suppositoria Iodoformi
 Suppositoria Morphinæ
 Suppositoria Oestroni
 Suppositoria Phenolis

Syrupus Ferri Phosphatis Compositus
 Syrupus Glucosi Liquidi
 Syrupus Glycerophosphatum Compositus A.P.F.
 Syrupus Limonis Neutralis A.P.F.
 Syrupus Pruni Serotinae
 Syrupus Ruber A.P.F.
 Syrupus Scillae
 Syrupus Theriacae Aureae A.P.F.
 Tabellae Acetarsol
 Tabellae Acidi Acetylsalici Co. B.P.C. or A.P.F.
 Tabellae Aminophyllinae cum Phenobarbitoni
 Tabellae Ammonii Chloridi B.P.C.
 Tabellae Calcii Gluconatis B.P.C.
 Tabellae Carbonis
 Tabellae Codeinae Phosphatis gr. $\frac{1}{4}$ Sodii
 Pentobarbitoni gr. $\frac{1}{4}$ et Phenacetin gr. 5
 Tabellae Colchicinae gr. 1/120 B.P.C.
 Tabellae Dextro Amphetamine Sulphatis
 Tabellae Ephedrinae et Phenobarbitoni A.P.F.
 Tabellae Gentian Violet
 Tabellae Hexoestrolis
 Tabellae Hydrargyri cum Creta
 Tabellae Oestroni
 Tabellae Phenazoni
 Tabellae Phenylbutazoni 100 mg.
 Tabellae Potassii Chloratis
 Tabellae Saccharini B.P.C.
 Tabellae Sodii Salicylatis
 Tabellae Sodii Salicylatis (Enteric Coated)
 Tabellae Theobrominae et Phenobarbitoni A.P.F.
 Tabellae Theobrominae et Sodii Salicylatis B.P.C.
 Tabellae Thiouracili
 Tabellae Vitaminorum—
 Vitamin A Activity 2,500 U.
 Aneurine Hcl. 0.5 mg.
 Riboflavine 0.5 mg.
 Nicotinamide 7.5 mg.
 Ascorbic Acid 15 mg.
 Antirachitic Activity
 (Vitamin D) 300 U.
 Theophyllina et Sodii Acetas
 Talcum Purificatum B.P.C.
 Thiouracilum
 Tinctura Calumbae
 Tinctura Capsici
 Tinctura Catechu

Tinctura Cocci
Tinctura Gelsemii B.P.C.
Tinctura Lobelae Aethera
Tinctura Myrrhae
Tinctura Persionis A.P.F.
Tinctura Quassiae
Tinctura Scillae
Tinctura Senegae
Tinctura Strophanthi
Tinctura Tolutana
Tinctura Valerianae Ammoniata
Triethanolamina B.P.C.
Unguentum Capsici
Unguentum Gallae cum Opio B.P.C.
Unguentum Hydrargyri Compositum
Unguentum Hydrargyri Subchloridi
Unguentum Phenolis
Unguentum Zinci Oleatis
Unguentum Zinci Oxidi Aquosum

PRESCRIBERS' LIST

Prescription

APPLICATIONES

(APPLICATIONS)

APPLICATIO BENZYLIS BENZOATIS, B.P.C.
(Application of Benzyl Benzoate)

APPLICATIO DICOPHANI, B.P.C.
(Application of Dicophane: D.D.T. Application)

AURISTILLAE

(EAR DROPS)

AURISTILLAE ACIDI BORICI (Aurist. Acid. Boric)

Boric Acid	..	..	..	..	..	gr. 10
Glycerin	..	..	..	..	..	m. 60
Rectified Spirit 60 %	..	..	..	to	..	m. 240

AURISTILLAE ACIDI SALICYLICI (Aurist. Acid. Salicyl.)

Salicylic Acid	..	..	..	..	..	gr. 4
Rectified Spirit	..	..	..	..	..	m. 90
Distilled Water	..	..	..	to	..	m. 240

AURISTILLAE HYDROGENII PEROXIDI (Aurist. Hydrogen. Perox.)

Solution of Hydrogen Peroxide	..	..	..	..	10 vols.
-------------------------------	----	----	----	----	----------

AURISTILLAE PHENOLIS (Aurist. Phenol.)

Glycerin of Phenol	..	..	..	..	m. 60
Glycerin	..	..	..	to	m. 240

AURISTILLAE STREPTOMYCIN, A.P.F. (Aurist. Streptomyc., A.P.F.)

AURISTILLAE VIOLAE CRYSTALLINAE (Aurist. Viol. Cryst.)

Crystal Violet	..	..	..	..	gr. 2
Rectified Spirit	..	..	..	..	m. 120
Distilled Water	..	..	..	to	m. 240

AURISTILLAE ARGENTI PROTEINATIS (Aurist. Argentoprot.)

Mild Silver Proteinat	..	..	..	..	gr. 22
Rectified Spirit	..	..	..	..	m. 120
Distilled Water	..	..	..	to	m. 240

Prescription

COLLYRIA

(EYE LOTIONS)

COLLYRIUM ACIDI BORICI

(Collyr. Acid. Boric)

Boric Acid	..	..	..	..	..	gr. 90
Distilled Water	..	..	..	to	..	fl. oz. 6

COLLYRIUM HYDRARGYRI PERCHLORIDI

(Collyr. Hydrarg. Perchlor.)

Solution of Mercuric Chloride	..	..	..	..	..	fl. oz. 1
Distilled Water	..	..	..	to	..	fl. oz. 6

When diluted with an equal quantity of water this eye lotion has a strength of 1 in 12,000.

CREMORES

(CREAMS)

CREMOR GLYCERINI

(Crem. Glycerin)

Olive Oil	..	..	..	..	..	m. 90
Glycerine	..	..	..	..	..	m. 90
Solution of Calcium Hydroxide	..	..	..	..	..	m. 150
Wool Fat	..	..	..	to	..	gr. 480

CREMOR PENCILLINI, B.P.

(Crem. Penicil.)

Contains 1,000 units per gram.

CREMOR ZINCI

(Crem. Zinc.)

Wool Fat	..	..	..	..	..	gr. 180
Arachis Oil, by weight	..	..	..	..	..	gr. 180
Zinc Oxide	..	..	..	..	..	gr. 240
Solution of Calcium Hydroxide	..	..	..	..	..	m. 240

EMULSIONES

(EMULSIONS)

EMULSIO OLEI MORRHUAE, B.P.

(Emuls. Ol. Morrh.)

EMULSIO PARAFFINI LIQUIDI CUM

PHENOLPHTHALEINO

(Emuls. Paraff. Liq. c. Phenolphthal.)

Prescription

GARGARISMATA

(GARGLES)

GARGARISMA BORACIS COMPOSITA

(Garg. Boracis. Co.)

Borax	..	..	..	..	gr. 60
Sodium Bicarbonate	..	..	..	..	gr. 60
Liquefied Phenol	..	..	..	..	m. 10
Glycerin	..	..	..	..	m. 120
Water..	..	..	to	..	fl. oz. 4

Use one tablespoonful diluted with an equal quantity of warm water.

GARGARISMA POTASII CHLORATIS

(Garg. Pot. Chlorat.)

Potassium Chlorate	..	..	..	..	gr. 40
Glycerin	..	..	..	..	m. 240
Water..	..	..	to	..	fl. oz. 4

Use one tablespoonful diluted with an equal quantity of warm water.

GUTTAE OPHTHALMICAE

(EYE DROPS)

GUTTAE ARGENTI PROTEINATIS MITIS 10%

(Gutt. Argentoprot. 10%)

Mild Silver Proteinat B.P.C.	..	..	..	gr. 10
Distilled Water	..	..	to	m. 120

GUTTAE ATROPINAE SULPHATIS $\frac{1}{2}$ %

(Gutt. Atrop. Sulph. $\frac{1}{2}$ %)

Atropine Sulphate	..	..	..	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE ATROPINAE SULPHATIS 1%

(Gutt. Atrop. Sulph. 1%)

Atropine Sulphate	..	..	..	gr. 1
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE ATROPINAE SULPHATIS 2%

(Gutt. Atrop. Sulph. 2%)

Atropine Sulphate	..	..	..	gr. 2
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE PENICILLINI A.P.F.

(Gutt. Penicil., A.P.F.)

GUTTAE PHYSOSTIGMINAE (ESERINAE) $\frac{1}{2}$ %

(Gutt. Physostigmin. $\frac{1}{2}$ %)

Physostigmine Salicylate	..	..	..	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.	..	..	to	m. 120

Prescription

GUTTAE PHYSOSTIGMINAE (ESERINAE) 1%

(Gutt. Physostigmin. 1%)

Physostigmine Salicylate	..	..	..	gr. 1
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE PILOCARPINAE $\frac{1}{2}$ %

(Gutt. Pilocarpin. $\frac{1}{2}$ %)

Pilocarpine Nitrate	..	..	..	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE PILOCARPINAE 1%

(Gutt. Pilocarpin. 1%)

Pilocarpine Nitrate	..	..	..	gr. 1
Chlorbutol Water A.P.F.	..	..	to	m. 120

GUTTAE SULPHACETAMIDI SOLUBILIS 25%

(Gutt. Sulphacetamid. Solub. 25%)

Soluble Sulphacetamide	..	..	..	gr. 30
Distilled Water	..	..	to	m. 120

GUTTAE ZINCI SULPHATIS $\frac{1}{2}$ %

(Gutt. Zinc. Sulph. $\frac{1}{2}$ %)

Zinc Sulphate	..	..	..	gr. $\frac{1}{2}$
Chlorbutol Water A.P.F.	..	..	to	m. 120

N.B.—Where Guttæ are prescribed without specification of the strength e.g., GUTTAE ATROP. SULPH, the weakest strength will be supplied.

HAUSTUS

(DRAUGHTS)

HAUSTUS PARALDEHYDI

(Haust. Paraldehyd.)

Paraldehyde	..	..	..	m. 90
Rectified Spirit	..	..	..	m. 60
Syrup of Orange	..	..	..	m. 60
Glycerin	..	..	..	m. 60
Water..	..	..	to	m. 480

HAUSTUS POTASSII BROMIDI ET CHLORALIS

HYDRAS

(Haust. Pot. Brom. et Chloral.)

Chloral Hydrate	..	..	..	gr. 10
Potassium Bromide	..	..	..	gr. 20
Tincture of Cudbear	..	..	..	m. 2
Syrup of Orange	..	..	..	m. 60
Chloroform Water	..	..	to	m. 480

Prescription

INHALATIONES

(INHALATIONS)

INHALATIO BENZOINI COMPOSITA

(Inhal. Benz. Co.)

Menthol	..	..	..	..	..	gr. 24
Oil of Eucalyptus	..	..	..	..	..	m. 24
Oil of Pine	..	..	..	..	..	m. 12
Compound Tincture of Benzoin	..	..	..	..	..	m. 240
Rectified Spirit	..	..	..	to	..	m. 480

INHALATIO MENTHOLIS

(Inhal. Menthol.)

Menthol	..	..	..	..	..	gr. 60
Oil of Pine	..	..	..	..	..	m. 60
Rectified Spirit	..	..	..	to	..	m. 480

INHALATIO MENTHOLIS EVAPORANS

(Inhal. Menthol. Evap.)

Menthol	..	..	..	..	..	gr. 60
Eucalyptol	..	..	..	..	..	m. 90
Camphor	..	..	..	..	..	gr. 90
Oil of Lavender	..	..	..	..	..	m. 7½
Spirit of Chloroform	..	..	..	to	..	m. 480

INSUFFLATIONES

(INSUFFLATIONS)

INSUFFLATIO IODI

(Insuff. Iodi)

Iodine	..	..	..	..	..	gr. 3
Potassium Iodide	..	..	..	..	..	gr. 3
Ether	..	..	..	..	..	m. 30
Boric Acid	..	..	..	to	..	r. 480

LINCTUS

(COUGH SYRUPS)

LINCTUS CODEINAE

(Linct. Codein.)

Codein Phosphate	..	..	..	..	..	gr. 1
Water	..	..	..	..	..	m. 5
Glycerin	..	..	..	..	..	m. 15
Oxymel of Squill	..	..	..	to	..	m. 60

LINCTUS MORPHINAE

(Linctus Morphin.)

Solution of Morphine Hydrochloride	..	..	..	..	..	m. 5
Red Syrup, A.P.F.	..	..	..	..	..	m. 15
Syrup	..	..	..	to	..	m. 60

Prescription

LINCTUS SCILLAE COMPOSITUS

(Linct. Scillae. Co.)

Camphorated Tincture of Opium	..	..	m. 20
Oxymel of Squill	..	..	m. 15
Spirit of Chloroform	..	..	m. 5
Syrup of Tolu	..	to	m. 60

LINIMENTIA

(LINIMENTS)

LINIMENTUM ACONITI COMPOSITUM

(Lin. Aconit. Co.—Lin. A.B.C.)

Liniment of Aconite	..	..	m. 160
Liniment of Belladonna	..	..	m. 160
Camphor	..	..	gr. 13
Chloroform	..	..	m. 80
Oleic Acid	..	to	m. 480

LINIMENTUM METHYLIS SALICYLATIS

(Lin. Methyl. Sal.)

Methyl Salicylate	..	..	m. 120
Arachis Oil	..	to	fl. oz. 1

LINIMENTUM TEREBINTHINAE, B.P.

(Lin. Terebinth., B.P.)

LINIMENTUM CALAMINAE COMPOSITUM

(Lin. Calamin. Co.: Pusey's Lin.)

Phenol	..	..	gr. 7½
Camphor	..	..	gr. 7½
Liquid Paraffin	..	..	gr. 480
Lanette Wax SX	..	..	gr. 45
Talc	..	..	gr. 120
Calamine	..	..	gr. 120
Water..	..	to	fl. oz. 4

To which may be added 1% to 2% Ichthyol or Precipitated Sulphur or Solution of Coal Tar.

LOTIONES

(LOTIONS)

LOTIO ACIDI BORICI

(Lot. Acid. Boric.)

Boric Acid	..	..	gr. 360
Water..	..	to	fl. oz. 20

LOTIO CALAMINAE, A.P.F. 1947

(Lot. Calamin., A.P.F.) 1947

(May add to this lotion—

Liquefied Phenol 1%;

Strong Solution of Lead Subacetate 1% to 3%).

Prescription

LOTIO ALUMINII ACETATIS
(Lot Aluminii. Acet.—Burow's Solution)
Solution of Aluminium Acetate, B.P.C.

MISTURAE
(MIXTURES)

MISTURA ACIDI ACETYLSALICYLICI
(Mist. Acid. Acetylsal.)

Acetylsalicylic Acid	..	..	..	gr. 10
Compound Powder of Tragacanth	..	..	..	gr. 5
Syrup of Orange	..	..	..	m. 30
Water..	..	..	to	m. 240

MISTURA ACIDI ACETYLSALICYLICI COMPOSITA
(Mist. Acid. Acetylsal. Co.)

Acetylsalicylic Acid	..	..	..	gr. 6
Phenacetin	..	..	..	gr. 5
Caffeine	..	..	..	gr. 1
Compound Powder of Tragacanth	..	..	..	gr. 5
Syrup of Orange	..	..	..	m. 30
Chloroform Water	..	..	to	m. 240

MISTURA ACIDI ACETYLSALICYLICI ET MORPHINAE

(Mist. Acid. Acetylsal. et Morphin.)

Solution of Morphine Hydrochloride	..	..	..	m. 15
Red Syrup, A.P.F.	..	..	..	m. 30
Acetylsalicylic Acid	..	..	..	gr. 10
Compound Powder of Tragacanth	..	..	..	gr. 5
Water..	..	..	to	m. 240

(This mixture contains $\frac{1}{2}$ grain Morphine Hydrochloride in $\frac{1}{2}$ fl. oz.).

MISTURA ACIDI ACETYLSALICYLICI ET PHENOBARBITONI

(Mist. Acid. Acetylsal. et Phenobarb.)

Phenobarbitone	..	..	..	gr. $\frac{1}{2}$
Acetylsalicylic Acid	..	..	..	gr. 10
Compound Powder of Tragacanth	..	..	..	gr. 5
Syrup	..	..	..	m. 20
Cinnamon Water	..	..	to	m. 240

MISTURA ACIDI ACETYLSALICYLICI SOLUBILIS
(Mist. Acid. Acetylsal. Solub.)

Acetylsalicylic Acid	..	..	..	gr. 10
Potassium Citrate	..	..	..	gr. 30
Neutral Syrup of Lemon A.P.F.	..	..	..	m. 30
Water..	..	..	to	m. 240

Pre:cription

MISTURA ALKALINA

(Mist. Alkal.)

Sodium Citrate	..	..	..	..	gr. 30
Sodium Bicarbonate	..	..	..	..	gr. 30
Chloroform Water	..	..	to	..	m. 240

MISTURA ALUMINII HYDROXIDI A.P.F.

(Mist. Alumin. Hydrox.)

MISTURA AMMONII ACETATIS

(Mist. Ammon. Acet.)

Strong Solution of Ammonium Acetate	..	..	..	m. 15
Potassium Citrate	..	..	..	gr. 25
Tincture of Ipecacuanha	..	..	..	m. 10
Camphorated Tincture of Opium	..	..	..	m. 30
Syrup of Tolu	..	..	..	m. 30
Water..	..	..	to	m. 240

MISTURA ALBA

(Mist. Alba)

Magnesium Sulphate	..	..	..	gr. 60
Light Magnesium Carbonate	..	..	..	gr. 10
Peppermint Water	..	..	to	m. 240

MISTURA BISMUTHI ALKALINA

(Mist. Bism. Alk.)

Bismuth Carbonate	..	..	..	gr. 10
Light Magnesium Carbonate	..	..	..	gr. 10
Sodium Bicarbonate	..	..	..	gr. 10
Peppermint Water	..	..	to	m. 240

MISTURA BISMUTHI ET OPII

(Mist. Bism. et Opii)

Bismuth Carbonate	..	..	..	gr. 10
Tincture of Opium	..	..	..	m. 10
Chloroform Water	..	..	to	m. 240

MISTURA BISMUTHI SEDATIVA

(Mist. Bism. Sedativ.)

Bismuth Carbonate	..	..	..	gr. 20
Solution of Morphine Hydrochloride	..	..	..	m. 5
Sodium Bicarbonate	..	..	..	gr. 10
Dilute Hydrocyanic Acid	..	..	..	m. 3
Peppermint Water	..	..	to	m. 240

MISTURA COLCHICI ET SODII SALICYLATIS

(Mist. Colch. et Sod. Salicyl.)

Sodium Salicylate	..	..	..	gr. 15
Sodium Bicarbonate	..	..	..	gr. 15
Light Magnesium Carbonate	..	..	..	gr. 15
Liquid Extract of Colchicum	..	..	..	m. 3
Liquid Extract of Liquorice	..	..	..	m. 10
Water..	..	..	to	m. 240

Prescription

MISTURA CRETAE ET KAOLINI

(Mist. Cret. et Kaolin.)

Prepared Chalk	..	..	..	..	gr. 30
Light Kaolin	..	..	..	..	gr. 60
Light Magnesium Carbonate	..	..	..	..	gr. 5
Chloroform Water	..	..	to	..	m. 240

MISTURA FERRI ET NUCIS VOMICAE

(Mist. Ferri et Nux. Vom.)

Iron and Ammonium Citrate	..	..	..	gr. 15
Tincture of Nux Vomica	..	..	..	m. 10
Chloroform Water	..	..	to	m. 240

MISTURA GENTIANAE ACIDA

(Mist. Gent. Acid.)

Dilute Hydrochloric Acid	..	..	..	m. 20
Tincture of Nux Vomica	..	..	..	m. 10
Spirit of Chloroform	..	..	..	m. 15
Compound Infusion of Gentian	..	to	..	m. 240

MISTURA GENTIANAE ALKALINA

(Mist. Gent. Alk.)

Sodium Bicarbonate	..	..	..	gr. 20
Tincture of Nux Vomica	..	..	..	m. 10
Spirit of Chloroform	..	..	..	m. 15
Compound Infusion of Gentian	..	to	..	m. 240

MISTURA LOBELIAE COMPOSITA

(Mist. Lobelia. Co.)

Potassium Iodide	..	..	..	gr. 5
Ammonium Bicarbonate	..	..	..	gr. 5
Tincture of Belladonna	..	..	..	m. 5
Tincture of Stramonium	..	..	..	m. 10
Ethereal Tincture of Lobelia	..	..	..	m. 10
Camphorated Tincture of Opium	..	..	..	m. 20
Infusion of Senega	..	..	to	m. 240

MISTURA OPII CAMPHORATA

(Mist. Opii Camph.)

Camphorated Tincture of Opium	..	..	..	m. 30
Tincture of Belladonna	..	..	..	m. 5
Oxymel of Squill	..	..	..	m. 15
Water..	..	..	to	m. 240

MISTURA PHENAZONII

(Mist. Phenazon.)

Potassium Bromide	..	..	..	gr. 15
Phenazone	..	..	..	gr. 10
Tincture of Gelsemium	..	..	..	m. 10
Syrup of Orange	..	..	..	m. 15
Chloroform Water	..	..	to	m. 240

Prescription

MISTURA PHENOBARBITONI ET BROMIDI

(Mist. Phenobarb. et Brom.)

Soluble Phenobarbitone	..	..	..	gr. 4
Sodium Bromide	..	..	..	gr. 10
Syrup of Orange	..	..	..	m. 30
Water..	..	..	to	m. 240

MISTURA POTASSII CITRATIS ET HYOSCYAMI

(Mist. Pot. Cit. et Hyoscyam.)

Potassium Citrate	..	..	..	gr. 30
Sodium Bicarbonate	..	..	..	gr. 15
Liquid Extract of Hyoscyamus	..	..	..	m. 3
Spirit of Chloroform	..	..	..	m. 10
Infusion of Buchu	..	..	to	m. 240

MISTURA POTASSII IODIDI

(Mist. Pot. Iodid.)

Potassium Iodide	..	..	..	gr. 5
Aromatic Solution of Ammonia	..	..	..	m. 15
Liquid Extract of Liquorice	..	..	..	m. 10
Chloroform Water	..	..	to	m. 240

MISTURA SENEGAE ET AMMONIAE

(Mist. Seneg. et Ammon.)

Ammonium Bicarbonate	..	..	..	gr. 5
Tincture of Squill	..	..	..	m. 10
Camphorated Tincture of Opium	..	..	..	m. 30
Liquid Extract of Liquorice	..	..	..	m. 10
Concentrated Infusion of Senega	..	..	..	m. 30
Water..	..	..	to	m. 240

MISTURA SODII CITRATIS

(Mist. Sod. Cit.)

Sodium Citrate	..	..	..	gr. 45
Syrup of Lemon	..	..	..	m. 60
Water..	..	..	to	m. 240

MISTURA SODII SALICYLATIS

(Mist. Sod. Salicyl.)

Sodium Salicylate	..	..	..	gr. 20
Sodium Bicarbonate	..	..	..	gr. 20
Liquid Extract of Liquorice	..	..	..	m. 10
Water..	..	..	to	m. 240

MISTURA TRIBROMIDI COMPOSITA

(Mist. Tribrom. Co.)

Ammonium Bromide	..	..	..	gr. 6
Potassium Bromide	..	..	..	gr. 6
Sodium Bromide	..	..	..	gr. 6
Tincture of Nux Vomica	..	..	..	m. 7½
Syrup of Orange	..	..	..	m. 30
Chloroform Water	..	..	to	m. 240

Prescription

MISTURA AD TUSSEM

(Mist. ad. Tuss.)

Tincture of Ipecacuanha	..	..	..	m. 5
Camphorated Tincture of Opium	..	..	..	m. 20
Syrup of Tolu	..	..	..	m. 20
Oxymel of Squill	..	..	..	m. 15
Spirit of Chloroform	..	..	..	m. 5
Anise Water	..	..	to	m. 240

NEBULAE

(SPRAYS)

NEBULA ADRENALINAE

(Neb. Adrenalin.)

Solution of Adrenaline Hydrochloride 1 in 1,000	..	..	..	m. 48
Sodium Chloride	..	..	..	gr. 2
Distilled Water	..	..	to	m. 240

NEBULA ADRENALINAE ET EPHEDRINAE

(Neb. Adrenalin. et Ephedrin.)

Solution of Adrenaline Hydrochloride 1 in 1,000	..	..	..	m. 48
Ephedrine Hydrochloride	..	..	..	gr. 2
Dextrose	..	..	..	gr. 11
Distilled Water	..	..	to	m. 240

NEBULA EPHEDRINAE

(Neb. Ephedrin.)

Ephedrine Hydrochloride	..	..	..	gr. 2
Sodium Chloride	..	..	..	gr. 2
Dextrose	..	..	..	gr. 7½
Chlorbutol Water, A.P.F.	..	..	to	m. 240

NEBULA EPHEDRINAE OLEOSA

(Neb. Ephedrin. Oleos.)

Ephedrine	..	..	..	gr. 2
Menthol	..	..	..	gr. 1
Oil of Eucalyptus	..	..	..	m. 2
Light Liquid Paraffin	..	..	to	m. 240

NEBULA EPHEDRINAE ET AMINACRINAE

(Neb. Ephedrin. Aminacrin.)

Ephedrine Hydrochloride	..	..	..	gr. 1
Aminacrin	..	..	..	gr. 1
Distilled Water	..	..	to	m. 240

OCULENTA

(EYE OINTMENTS)

OCULENTUM ACIDI BORICI B.P.C.

(Oculent. Acid. Boric.)

Prescription

OCULENTUM HYDRARGYRUM AMMONIATUM

(Oculent. Hydrarg. Ammon.)

Ammoniated Mercury	..	..	..	gr. 1
Oculentum Base, B.P.	..	..	to	gr. 120

OCULENTUM HYDRARGYRI OXIDI B.P. $\frac{1}{2}\%$

AND 1%

(Oculent. Hydrarg. Oxid. $\frac{1}{2}\%$ and 1%)

OCULENTUM ICHTHAMMOLIS ET ZINCI OXIDI

(Oculent. Ichthammol. et Zinc. Oxid.)

Ichthammol	..	..	..	gr. 1
Zinc Oxide	..	..	..	gr. 1
Oculentum Base, B.P.	..	..	to	gr. 120

OCULENTUM PENICILLINI B.P.

(PENICILLIN, 2,000 UNITS PER GRAM)

(Oculent. Penicil.)

OCULENTUM SULPHACETAMEDI

(Oculent. Sulphacetamid.)

Suphacetamide Sodium	..	..	..	gr. 11
Distilled Water	..	..	..	q.s.
Oculentum Base, B.P.	..	..	to	gr. 120

PASTAE

(PASTES)

PASTA ZINCI ET ACIDI SALICYLICI

(Past. Zinc. et Acid. Salicyl.: Lassar's Paste)

Salicylic Acid	..	..	..	gr. 18
Compound Paste of Zinc Oxide B.P.	..	..	to	gr. 960

PIGMENTA

(PAINTS)

PIGMENTUM ACIDI SALICYLICI VIRIDE

(Pigm. Acid. Salicyl. Virid.)

Salicylic Acid	..	..	..	gr. 10
Benzoic Acid..	..	..	..	gr. 30
Brilliant Green	..	..	..	gr. 2
Rectified Spirit	..	..	to	fl. oz. 1

PIGMENTUM ACIDI TANNICI

(Pigm. Acid. Tannic.)

Glycerine of Acid Tannic

Prescription

PIGMENTUM IODI COMPOSITUM

(Pigm. Iodi. Co.—Mandl's Paint)

Iodine	..	..	..	..	gr. 5
Potassium Iodide	..	..	..	..	gr. 5
Water..	..	..	..	..	m. 5
Oil of Peppermint	..	..	..	..	m. 3
Glycerine	..	..	..	to	fl. oz. 1

PIGMENTUM MAGENTA ET RESORCINOLIS

(Pigm. Magent. et Resorcin.—Castellani's Paint)

Magenta B.P.C.	..	..	..	..	gr. 2
Phenol	..	..	..	..	gr. 20
Boric Acid	..	..	..	..	gr. 4
Resorcinol	..	..	..	..	gr. 40
Acetone	..	..	..	..	m. 20
Industrial Methylated Spirits	..	..	..	..	m. 40
Water..	..	..	..	to	fl. oz. 1

PIGMENTUM VIOLAE

(Fig. Gent. Violet)

Crystal Violet	..	..	..	..	gr. 1
Water..	..	..	..	to	fl. oz. 1

PIGMENTUM VIOLAE COMPOSITUM

(Pig. Violae Co.—Triple Dye Solution)

Crystal Violet	..	..	..	..	gr. 1
Brilliant Green	..	..	..	..	gr. 1
Proflavine Sulphate	..	..	..	..	gr. 1
Distilled Water	..	..	..	to	fl. oz. 1

PILULAE

(PILLS)

PILULA ALOES ET NUCIS VOMICAE

(Pil. Aloes et Nux. Vom.)

Aloes	..	..	..	..	gr. 2
Dry Extract of Nux Vomica	..	..	..	..	gr. 1
Dry Extract of Belladonna	..	..	..	..	gr. 1/6
Rectified Spirit	..	..	..	..	q.s.

PILULA COLOCYNTHIDIS ET HYOSCYAMI

(Pil. Colocynth. et Hyoscy.)

PILULA DIGITALIS COMPOSITA B.P.C.

(Pil. Digit. Co.: Guy's Pill.)

PILULA FERRI CARBONATIS

(Pil. Ferri. Carb.—Bland's Pill)

PILULA PHENOLPHTHALEINI COMPOSITA

(Pil. Phenolphthal. Co.)

Phenolphthalein	..	..	..	..	gr. 1
Alcin	..	..	..	..	gr. 1
Dry Extract of Belladonna	..	..	..	..	gr. 1/12
Strychnine	..	..	..	..	gr. 1/240
Ipecacuanha	..	..	..	..	gr. 1/15

Prescription

PILULA SODII OLEATIS COMPOSITA

(Pil. Sod. Oleat. Co.)

Acid Sodium Oleate	..	..	..	..	gr. 1½
Sodium Salicylate	..	..	..	..	gr. 1½
Phenolphthalein	..	..	..	..	gr. ½
Menthol	..	..	..	..	gr. ½
Liquorice, in powder	..	..	..	..	gr. ½
Excipient	..	..	to	..	gr. 4

PULVERES

(POWDERS—FOR INTERNAL USE)

PULVIS ANTACIDUS

(Pulv. Antacid.)

Calcium Carbonate	..	..	..	gr. 15
Heavy Magnesium Carbonate	..	..	..	gr. 15
Sodium Bicarbonate	..	..	..	gr. 30
Oil of Peppermint	..	..	..	m. ½

PULVIS CALCII ET MAGNESII PHOSPHATUM

(Pulv. Calc. et Magnes. Phosph.)

Tribasic Magnesium Phosphate	..	..	..	gr. 30
Tribasic Calcium Phosphate	..	..	..	gr. 30

PULVIS BISMUTHII ET CALCII COMPOSITUS

(Pulv. Bism. et Calc. Co.)

Bismuth Carbonate	..	..	..	gr. 10
Calcium Carbonate	..	..	..	gr. 20
Heavy Magnesium Carbonate	..	..	..	gr. 20
Sodium Bicarbonate	..	..	..	gr. 10

PULVIS KAOLINI COMPOSITUS

(Pulv. Kaolin. Co.)

Light Kaolin	..	..	..	gr. 30
Heavy Magnesium Carbonate	..	..	..	gr. 20
Sodium Bicarbonate	..	..	..	gr. 10
Oil of Peppermint	..	..	..	m. ½

PULVIS MAGNESII TRISILICATIS ET

BELLADONNAE

(Pulv. Mag. Trisil. et Belladon.)

Dry Extract of Belladonna	..	..	..	gr. ½
Magnesium Trisilicate	..	..	to	gr. 30

PULVIS SODII SALICYLATIS ET

BICARBONATIS

(Pulv. Sod. Salicyl. et Bicarb.)

Sodium Salicylate	..	..	..	gr. 10
Sodium Bicarbonate	..	..	..	gr. 20

Prescription

UNGUENTA
(OINTMENTS)

UNGUENTUM ACIDI BENZOICI COMPOSITUM
(Ung. Ac. Benz. Co.: Whitfield's Ointment)

Benzoic Acid	gr. 20
Salicylic Acid	gr. 15
White Soft Paraffin	gr. 120
Hard Paraffin	gr. 30
Coconut Oil to . .	gr. 480

UNGUENTUM PENICILLINI B.P.
(Ung. Penicillin.)

Contains 1,000 units per gram.

UNGUENTUM EMULSIFICANS AQUOSUM B.P.
(Ung. Emuls. Aquos.)

UNGUENTUM ZINCI OXID B.P.
(Ung. Zinci)

To either of the Ung. Emulsificans or Ung. Zinc Ox.
may be added 1% of any of the following :

Menthol
Carbolic Acid
Crude Coal Tar
Ichthyol
Ammoniated Mercury
Precipitated Sulphur
Salicylic Acid

