

COMMONWEALTH OF MASSACHUSETTS



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS

PHARMACEUTICAL BENEFITS

EXPLANATORY CIRCULAR REGARDING NOVEMBER, 1960 ISSUE OF "NOTES FOR MEDICAL PRACTITIONERS."

This issue of Notes will take effect from 1st November, 1960.

Full instructions regarding the Pharmaceutical Benefits Scheme are contained in the publication and they should be read carefully.

Particular attention is drawn to revised paragraphs 10 and 11 of the Notes relating to the writing of prescriptions.

The main changes are briefly summarized below. It is emphasised, however, that this summary is intended for your guidance only and reference should be made to the appropriate sections of the Notes.

1. NEW ITEMS

Item No.	Generic Name	Item No.	Generic Name	Item No.	Generic Name
42	Acetazolamide Sodium Parenteral	175	Chlorpheniramine Maleate	323	Erythromycin Stearate
43	Adrenalin Mucate	179	Chlorpromazine Hydrochloride	324	Extract of Ox Bile
44	Aluminium Hydroxide Gel.	180	Clemizole	344	Fludrocortisone Acetate
45	Aluminium Powder	197	Cycrimine Hydrochloride	394	Hydrocortisone Acetate (for local use)
46	Amiphenazole Hydrobromide	267	Demethylchlortetracycline Hydrochloride	395	Hydroflumethiazide
47	Androstanolone	269	Dextrochlorpheniramine Maleate	396	Hydroxychloroquine
86	Belladonna	270	Diethazine Iodide	426	Iron Oxide Saccharated
102	Benzalkonium Chloride	272	Disodium Dihydrogen Versenate	428	Iodochlorhydroxyquinoline
103	Bephenium Hydroxynaphthoate	321	Erythromycin Glucoheptonate	496	Methylandrostenediol
104	Bismuth Sodium Tartrate	322	Erythromycin Propionate	507	Methenamine Mandelate
105	Bretylium Tosylate			551	Nicoumalone

Item No.	Generic Name	Item No.	Generic Name	Item No.	Generic Name
553	Neomycin Sulphate	661	Pyrrolidino-Methyltetracycline	807	Sulphamethoxypyridazine N-Acetyl
651	Penicillinase	656	Prednisolone Disodium Phosphate	808	Sulphaphenazole
652	Penicillin Benethamine	657	Prednisolone Methyl	880	Thenalidine Tartrate
653	Phenylalinine Low Content Formula	746	Reserpine	882	Thyroxine
654	Piperazine Citrate	803	Salicylazosulphapyridine	885	Tripelennamine Hydrochloride
655	Prednisolone Acetate	804	Sodium Folate	886	Tropolidine Hydrochloride
659	Probenecid	805	Soya Formula		
660	Propantheline Bromide	806	Spiramycin		

2. NEW FORMS AND STRENGTHS OF EXISTING ITEMS

4	Acetylsalicylic Acid	242	Dienoestrol	618	Phenytoin Sodium
5	Acetylsalicylic Acid Compound	247	Digoxin	621	Phthalylsulphathiazole
19	Aluminium Hydroxide	253	Diiodohydroxyquinoline	629	Polymyxin B. Sulphate
22	Aminophylline	307	Ergotamine Tartrate	634	Prednisolone
34	Antazoline Hydrochloride	379	Heparin	636	Primaquine Base
90	Benzocaine	387	Hydrocortisone	645	Propenpyridamine Para-Aminosalicylate
121	Calciferol	484	Menaphthone	767	Sodium Calciumedetate
145	Chloramphenicol	542	Neostigmine Bromide	773	Sodium Para-Aminosalicylate
146	Chlorazanyl	546	Nikethamide	776	Sodium Tauroglycocholate
154	Chlortetracycline Hydrochloride	548	Nitromin	790	Sulphafurazole
160	Codeine Phosphate	567	Oxytetracycline Hydrochloride	860	Tetracycline Hydrochloride
168	Corticotrophin	592	Penicillin Benzyl	863	Tetracycline with Oleandomycin
169	Cortisone Acetate	596	Penicillin with Streptomycin		

3. DELETIONS

Item No.	Generic Name	Item No.	Generic Name	Item No.	Generic Name
96	Bismuth Oxychloride 2 cc. amp.	154	Chlortetracycline Hydrochloride Oral Suspension	305	Ephedrine Sulphate Injection
124	Calcium Para-Aminosalicylate	159	Cocaine Hydrochloride	388	Hydrocortisone with Neomycin
142	Chiniofon Sodium 250 mg. tab.	265	Dusting Powder		

4. ITEMS NO LONGER RESTRICTED

27	Amodiaquine Base	150	Chloroquine Base	591	Penicillin, Benzathine
----	------------------	-----	------------------	-----	------------------------

5. VARIATIONS IN MAXIMUM QUANTITIES AND/OR NUMBER OF REPEATS

1	Acetarsol	32	Aneurine Hydrochloride	144	Chlorambucil
2	Acetazolomide	34	Antazoline Hydrochloride	146	Chlorazanal
3	Acetomenaphthone	37	Ascorbic Acid	148	Chlorcyclizine Hydrochloride
4	Acetylsalicylic Acid	39	Atropine Methonitrate	150	Chloroquine Base
5	Acetylsalicylic Acid Compound	85	Barbitone Sodium	151	Chlorothiazide
9	Acetylsalicylic Acid with Ipec- acuanha and Opium	95	Bismuth Glycollylarsanilate	153	Chlorpropamide
16	Aloes	99	Busulphan	160	Codeine Phosphate
17	Aloxidone	100	Butobarbitone	161	Cod Liver Oil
22	Aminophylline	121	Calciferol	166	Colocynth, B.P.C.
27	Amodiaquine Base	126	Calcium Gluconate	174	Cyclobarbitone
28	Amphetamine Sulphate	127	Calcium Lactate	230	Dapsone
30	Amylobarbitone	134	Carbimazole	233	Desacetyl-Lanatoside-C
31	Amylobarbitone Sodium	138	Castor Oil	235	Dexamphetamine Sulphate
		142	Chiniofon Sodium	242	Dienoestrol

Item No.	Generic Name	Item No.	Generic Name	Item No.	Generic Name
243	Diethazine Hydrochloride	425	Isoprenaline Sulphate	609	Phenindione
245	Digitalis	476	Magnesium Bicarbonate Solution	614	Phenolphthalein
246	Digitoxin, B.P.C.	478	Magnesium Hydroxide Mixture	615	Phensuximide
247	Digoxin	479	Magnesium Sulphate	618	Phenytoin Sodium
252	Dihydrotachysterol	482	Mecamylamine	625	Piperazine Adipate
253	Diiodohydroxyquinoline	484	Menaphthone	626	Piperazine Phosphate
255	Diphenhydramine Hydrochloride	486	Mepacrine Hydrochloride	631	Potassium Chloride
263	Disodium Diethylstilboestrol Diphosphate	487	Mepyramine Maleate	636	Primaquine Base
300	Emetine and Bismuth Iodide	492	Methoin	637	Primidone
304	Ephedrine Hydrochloride	494	Methylamphetamine Hydro- chloride	638	Procainamide Hydrochloride
305	Ephedrine Sulphate, B.P.C.	495	Methyl Androstanolone	643	Proguanil Hydrochloride
306	Ergometrine Maleate	498	Methylethergometrine Maleate	644	Promethazine Hydrochloride
307	Ergotamine Tartrate	542	Neostigmine Bromide	645	Propenpyridamine Para- Aminosalicylate
309	Erythrityltetranitrate	544	Nicotinamide	648	Pyridostigmine Bromide
314	Ethoxzolamide	545	Nicotinic Acid	650	Phenacetin
315	Ethyl Biscouacetate	548	Nitromin	721	Quinalbarbitone Sodium
316	Ethylidene Dicumarin	583	Papaveretum, B.P.C.	722	Quinidine Sulphate
340	Ferrous Gluconate	585	Papaverine Hydrochloride	723	Quinine Bisulphate
341	Ferrous Sulphate	588	Paraffin Liquid	724	Quinine Dihydrochloride
342	Fluoxymesterone	590	Paramethadione	725	Quinine Hydrochloride
343	Folic Acid	597	Pentaerythritol Tetranitrate	726	Quinine Sulphate
362	Glycerin	598	Pentobarbitone Sodium	742	Rhubarb
363	Glyceryl Trinitrate	599	Pentobarbitone Sodium Compound	743	Riboflavine
391	Hyoscine Hydrobromide	600	Pentolinium Tartrate	761	Silver Picrate, B.P.C. 1949
392	Hydrochlorothiazide	606	Phemitone, B.P. 1953	768	Sodium Chloride
410	Ichthammol	607	Phenazone	770	Sodium Citrate
420	Ipecacuanha	608	Phenindamine Tartrate	772	Sodium Oleate Compound
424	Isoprenaline Hydrochloride			774	Sodium Salicylate

Item No.	Generic Name	Item No.	Generic Name	Item No.	Generic Name
776	Sodium Tauroglycocholate	794	Sulphamethoxypyridazine	867	Thiouracil Propyl
780	Stilboestrol	796	Sulphonamides, Mixed (B): Three	868	Thyroid
785	Sulphadiazine		Sulphonamides	870	Tolazoline Hydrochloride
787	Sulphadimethoxine	853	Testosterone Methyl	871	Tolbutamide
788	Sulphadimidine	859	Tetrachloroethylene	873	Triethanolamine Trinitrate
790	Sulphafurazole	865	Theobromine, B.P.C.	875	Troxidone
792	Sulphamerazine	866	Thiacetazone, B.P.C.		

PHARMACEUTICAL BENEFITS

NOTES FOR MEDICAL PRACTITIONERS

CORRIGENDUM

SECTION 2 — PART I

Item No.	Name	Form
46	Amiphenazole Hydrobromide	20 mg. vial
548	Nitromin	50 mg. amp.
596	Penicillin with Streptomycin	Vial containing Sodium Benzyl Penicillin 500,000 U. and Streptomycin Sulphate 0.5 G.

Add "with required solvent" against each of the above three forms.

SECTION 1

EXPLANATORY NOTES

LIST OF MANUFACTURERS AND CODES

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



NOTES
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1st NOVEMBER, 1960.

**Department of Health,
CANBERRA, A.C.T.**

NOVEMBER, 1960

CONTENTS

EXPLANATORY NOTES

Prescribing of Benefits—Procedure by Doctors—	Paragraphs
Schedules of Benefits	1-8
Prescriptions	9-11
Restrictions	12
Maximum Quantities and Repeats	13-18
Urgent Cases	19-20
Doctor's Bag Emergency Supplies (Table page 15)	21-24
Supply of Benefits—Procedure by Chemists—	
Prescriptions	25-28
Procedure when an Authority Presented	29
Repeat Authorizations	30-31
Receipts	32-33
Charges to Patients—	
First 5/-	34-39
After Hours	40
Delivery	41
Responsibility for	42-43
Miscellaneous	44-57

SCHEDULES

List of Manufacturers and Codes	end of lemon pages
Schedule of Benefits (Ready Prepared and Prescriber's List Items) ..	white pages
Drug Tariff (Drugs which may be Prescribed Extemporaneously) ..	green pages
Table of Maximum Quantities and Repeats for Extemporaneously	
Prepared Preparations	green pages
Prescriber's List	yellow pages
Restriction on Pharmaceutical Benefits	pink pages

SECTION 1 — EXPLANATORY NOTES

PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS

Schedules of Benefits

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescriber's List items are listed in the Schedule of Benefits, Part I—(White pages).
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous items is listed in the Schedule of Benefits, Part II— (Green pages).
4. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "with required solvent" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, i.e., "Penicillin Benzyl, Injection 500,000 U. amp. with 2 cc. water for injection."

5. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13–18.

6. In some cases a code letter indicates a restriction on the purpose for which the drug may be prescribed. An explanation regarding restrictions may be found in these notes—paragraphs 10*d* and 12.

7. The proprietary Index is available in a separate booklet which is issued to all medical practitioners and approved chemists.

8. The asterisk (*) against the price of a Benefit in Part I indicates that the manufacturer's pack does not coincide with the maximum quantity. The pricing pack and rate is shown in Section 4 of the Chemists Book.

Pre- scriptions

9. A prescription may be written for any person who is receiving medical treatment. A prescription is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

- (a) write the prescription in some indelible form, e.g., ink or ball point on paper as near as convenient to 6" x 4". The name and address of the medical practitioner should be shown.

- (b) write the prescription in duplicate, marking the duplicate with the word "Duplicate."
- (c) set out the name and address of the patient and, where the patient is a pensioner who holds an entitlement card, write the *pension* number. Where the pension number is shown it is not essential to write the patient's address. Please note that the *pension* number is required and *not* the entitlement card number.
- (d) in the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose." Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, i.e., the letters P, CP, or DG appear in the handbook against the drug, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose."
- (e) if the benefit is a single drug, indicate the manner of administration.
- (f) when directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in his own handwriting with the words "Regulation 24."
- (g) mark the prescription "N.H.S.", sign it and write the date.

No objection will be raised to doctors writing more than one prescription on a single sheet of paper provided each prescription is legible.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

The provisions of State Law are not affected by the foregoing.

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted.)
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

(If a prescription form prescribes both pharmaceutical benefit items and non-pharmaceutical benefit items, the prescription may be accepted, but the non-benefit items should be supplied as private prescriptions and cancelled from the form.)

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, with the written authority of the Commonwealth Director of Health, in specific combinations or as additives. Such items are identified in the Schedule of Benefits, by the insertion of the appropriate code letters as listed hereunder—

Code Letters

Restriction

- | | |
|----|--|
| A | Items which require an <i>authority</i> from the Commonwealth Director of Health, before prescribing as a pharmaceutical benefit. |
| C | Items limited in use to <i>children</i> . |
| D | Items limited in use for <i>specified purposes</i> , including the treatment of a prescribed disease or condition. |
| E | Items which may only be used as <i>additives</i> . |
| H | Items which may only be supplied from <i>approved public hospital drug supplies</i> to patients receiving treatment at that hospital. |
| K | Items limited in use to <i>specific combinations</i> . |
| P | Items limited in use to <i>pensioners</i> . |
| DG | Items limited in use to <i>specified purposes</i> for the <i>general public</i> but which may be prescribed for the treatment of pensioners for any purpose. |

Where more than one restriction applies to a benefit, each appropriate restriction code is shown in the restriction column, e.g. "AD." With the exception of categories "E", "K", "H" and prescriptions for pensioners in categories "P" and "DG." Prescriptions for items identified by the above code letters must be endorsed "Specified Purpose" or some suitable abbreviation such as "Spec. Purp." or "S.P." It is not necessary for the particular restriction to be identified. Where a particular manner of administration is indicated in the Schedule of Benefits against a ready prepared item, no other manner of administration may be directed in a prescription for that benefit.

Maximum Quantities and Repeats

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits, Part I—white pages. For extemporaneously prepared preparations, details are set out in the Table of Maximum Quantities and Repeats—green pages. If a doctor requires a prescription to be repeated, he must order the maximum quantity of the benefit and specify the number of repeats required. However, if the doctor considers that the maximum quantity is not necessary for the final repeated supply, he may also direct in the prescription the lesser quantity required for that final supply.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15–16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint, a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17. The authorities referred to in paragraphs 15-16 must be attached to the prescription.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

19. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing, within 24 hours of such communication, and forward it to the chemist who made the supply.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

**Urgent
Cases**

**Doctor's
Bag
Emergency
Supplies**

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors or to doctors approved to dispense pharmaceutical benefits. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form, in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity, e.g., if the doctor had 100 or more sulphonamide tablets on hand as portion of his Doctor's Bag Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than a sulphonamide), e.g. different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, Part I, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity, e.g., if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

SUPPLY OF BENEFITS — PROCEDURE BY CHEMISTS

**Pre-
scriptions**

25. An approved chemist is authorized to supply a pharmaceutical benefit only upon the surrender of—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a repeat authorization presented with a duplicate prescription within six months of the date of the prescription.

26. When a benefit is supplied on presentation of a prescription, the chemist is required to—

- (a) write his name and approval number on the back of the prescription form and duplicate;
- (b) allot a number which will identify the prescription and write that number on the form and duplicate;
and
- (c) if more than one prescription has been written on the one form, allot a separate number to each prescription.

27. When a benefit is supplied on presentation of a repeat authorization, the chemist shall write his name on the back of the repeat authorization.

28. When a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply, or on a repeat authorization requiring further repeats, the chemist shall prepare a repeat authorization form in duplicate, showing—

- (a) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (b) on the first occasion of supply of the benefit, his approval number, together with the serial number allotted by him to the prescription;
- (c) on subsequent occasions of supply of the benefit (excepting on the final occasion of supply), the numbers marked on the repeat authorization presented to him in accordance with (b) above;
- (d) if the repeat authorization or prescription is for a pensioner, the pension number appearing on the prescription.

The completed repeat authorization should then be attached to the duplicate of the prescription and issued to the person to whom the benefit has been supplied. Where a special authority is involved action as per paragraph 29 is also necessary. Chemists should note that a separate repeat authorization must be issued in respect of each benefit.

Procedure when an Authority Presented

29. Written authorities issued by the Commonwealth Director of Health should accompany the prescription submitted for payment if no repeats are involved. Where an authority is issued for the supply of a benefit which is to be repeated, the following procedure should be followed by the chemist—

- (a) when dispensing the original prescription, or any repeat except the last repeat, the chemist must ensure that the number of the authority involved is clearly shown on the prescription or repeat authorization which he has retained to claim payment from the Commonwealth;
- (b) the authority, together with a new repeat authorization and the duplicate prescription, is to be returned to the patient, except when dispensing the last repeat;
- (c) the chemist dispensing the last repeat must submit the authority form with the repeat authorization when claiming payment.

Repeat Authoriza- tions

30. A benefit may be supplied on a repeat authorization only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

31. Where a chemist supplies a benefit and repeats at the one time, he should not complete a repeat authorization form. Only one professional fee is payable for the total supply.

Receipts

32. Upon the supply to a person of a benefit by a chemist, that person shall sign and date a receipt for that benefit on the back of the prescription form or repeat authorization, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the back of the prescription form, or repeat authorization, with his address and a statement that he is obtaining the benefit for and on behalf of the person for whose treatment the prescription was written. In no circumstances must a person give, nor a chemist demand, a receipt, until supply of the benefit has actually been made.

33. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the chemist must certify on the back of the prescription or repeat authorization, as the case may be, that he has supplied the pharmaceutical benefit, the date on which supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19-20) or to a person who cannot read or write, or who is unable to write, the chemist should sign and date a statement on the back of the prescription or repeat authorization, indicating the circumstances of supply.

CHARGES TO PATIENTS

First 5/-

34. An approved chemist may in respect of each supply by him, whether on a prescription or repeat authorization, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding five shillings, except that a charge is not to be made for the supply of a pharmaceutical benefit on a prescription which states the pension number as appearing on the P.M.S. Entitlement Card of the pensioner, or a repeat authorization on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one five shilling charge may be made for each supply of the benefit.

35. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than five shillings for each supply;
- (b) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge that is less than five shillings for each supply.

36. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15), and that authority accompanies the prescription, only 5s. should be charged for each supply of the increased maximum quantity.

37. Where a doctor endorses a prescription "Regulation 24" (see paragraphs 18 and 31), the chemist should make a charge of five shillings for the original prescription and five shillings for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of fifteen shillings (15s.) should be made on the patient.

38. Where a prescription is written for a benefit for which the dispensed price is less than five shillings at the time of supply, the prescription should be dispensed as a private prescription, unless it has been written for a pensioner. This also applies to prescriptions endorsed "Regulation 24" (see paragraphs 18 and 31) and for which the price of the maximum quantity of the benefit is less than five shillings.

39. Where a doctor has obtained an authority to prescribe an increased maximum quantity (see paragraph 15) and the increase in quantity takes the dispensed price to more than five shillings, the prescription should be dispensed as a pharmaceutical benefit regardless of the price of the normal maximum quantity. In such cases the normal five shillings charge may be made in respect of each supply.

**After
Hours**

40. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged to each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Commonwealth. Allowable late fees are—

(a) after trading hours but before 11 p.m. — 2s. 6d.;

(b) between 11 p.m. and the commencement of trading hours on the next day — 5s.

Delivery

41. A charge equal to the cost of delivery may be made if supply by delivery is made at or to a place other than the chemist's pharmacy.

**Responsi-
bility**

42. It is the patients' responsibility to meet any charge lawfully demanded and a chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

43. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Commonwealth) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

MISCELLANEOUS

Premises

44. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

**Approved
Doctors,
Friendly
Societies
Standards**

45. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly society dispensaries should follow the procedures subject to additional instructions made available to them.

46. A chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

(a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Substances Act;

(b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

47. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescriber's List are identified in this book by the letters B.P., B.P. 1953, B.P. 1948, B.P.C., A.P.F. or P.L. as appropriate.

Measures

48. Unless otherwise stated, weights and measures represented or expressed in these Notes, or in a prescription, shall be deemed to be apothecaries weights and measures. However, metric equivalents will be accepted.

Hours of Supply

49. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charges applicable. When the prescription is marked "urgent" and initialled by the doctor, it is obligatory for the chemist to make supply at his pharmacy at any hour.

50. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

51. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

52. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

53. Without affecting the requirements of the law of a State in regard to dangerous drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorizations;
- (c) in the case of a chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

**Suspected
Forgery**

54. If a chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Doctor's Bag order forms, particular requirements are set out in paragraph 22.

Sale Copies

55. Copies of the National Health Act and Regulations are available from the Commonwealth Sub-Treasury in each capital city.

56. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

57. Inquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

MANUFACTURERS AND CODE

Manufacturer	Code	Manufacturer	Code
A		D	
Abbott Laboratories Pty. Ltd.	AB	Distillers Company Biochemicals (Aust. Pty.) Ltd.	DL
Alfred Lawrence & Co. Ltd.	AL	Drug Houses of Australia Ltd.	DH
Ames Company	AM	E	
Andrew's Laboratories Pty. Ltd.	AN	Easterbrook, R. W., Pty. Ltd.	EB
Anglo Swiss Drug Co. Pty. Ltd.	AS	Edward Caminer Pty. Ltd.	EC
Associated Drug Companies of Australia Pty. Ltd.	AD	Essex Laboratories Pty. Ltd.	ES
Astra Pharmaceuticals (Australia) Pty. Ltd. ..	AP	Evans Medical Australia (Pty.) Ltd.	EV
Ayerst Laboratories Pty. Ltd.	AY	F	
B		Farmer Hill Pty. Ltd.	FH
Bakra Laboratories	BK	Faulding and Co. Ltd., F. H.	FA
Bayer Pharma Pty. Ltd.	BA	Fawns and McAllan Pty. Ltd.	FM
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	Fisons Chemicals (Pty.) Ltd.	FC
British Drug Houses (Australia) Pty. Ltd.	BD	G	
British Pharmaceuticals Pty. Ltd.	BP	Gamma Laboratories	GA
British Schering Ltd.	BS	Geigy (A'asia) Pty. Ltd.	GE
Bull Laboratory, David G.	BL	Glandular Products Pty. Ltd.	GP
Burroughs Wellcome & Co. (Aust.) Ltd.	BW	Glaxo-Allenburys (Australia) Pty. Ltd.	GL
C		H	
Calmic Ltd.	CA	Hamilton Laboratories Ltd., The	HA
Charles McDonald Pty. Ltd.	CM	Harvey Pty. Ltd., H. F.	HY
Chemco (Wholesale Drug Co. (Supplies) Limited)..	CC	I	
Chemos Pty. Ltd.	CH	Imperial Chemical Indust. of Aust. & N.Z. Ltd. ..	IC
Ciba Limited	CB	Irving, F. H., Pty. Ltd.	IR
Commonwealth Serum Laboratories	CS		
Crookes Laboratories Ltd., The	CK		

Manufacturer							Code	Manufacturer							Code
K								P							
Kabi, A. B.							KA	Parke, Davis and Co. Ltd.							PD
Knoll Laboratories							KL	Pearce, William, & Co. Pty. Ltd.							PE
Knoll							KN	Pfizer Overseas Inc., Chas.							PF
L								Pharmedica Pty. Ltd.							PH
Lederle Laboratories							LE	Potter & Birks Pty. Ltd.							PB
Leo Pharmaceutical Products							LP	Prosana Laboratories							PR
Lepetit (Pharmaceuticals) Pty. Ltd.							LT	Q							
Lilly (Australia) Pty. Ltd., Eli							LY	Queensland Ethicals							QE
M								R							
Martindale, Ltd., W.							MT	Reckitt and Colman (Aust.) Ltd.							RC
May and Baker (Aust.) Pty. Ltd.							MB	Richard Laboratory Pty. Ltd.							RD
McGloin Pty. Ltd., J.							MG	Riker Laboratories Australia Pty. Ltd.							RK
Medical Research Pty. Limited							MR	Roche Products Ltd.							RO
Merck, Sharp and Dohme (Aust.) Pty. Ltd.							MK	Rooke Tompsitt and Co. Ltd.							RT
Merrell							ML	Rotary Tableting Corp. Pty. Ltd.							RY
Muir & Neil Pty. Ltd.							MN	Roussel Laboratories Ltd.							RL
N								S							
Nativelle Laboratories							NA	Sandoz Ltd.							SZ
Nicholas Pty. Ltd.							NS	Savory and Moore Ltd.							SY
Noel Bramble Laboratories							NB	Schaffer and Co. (Vic.) Pty. Ltd.							SF
Nordisk Insulin Laboratorium							NO	Schering Corporation, U.S.A.							SH
Nyal Company							NY	Schering Pty. Ltd.							SC
O								Searle & Co. Ltd., G. D.							SR
Oppenheimer, Son and Co. Ltd.							OP	Sera Pty. Ltd.							SE
Organon Laboratories Ltd.							OR	Sigma Co. Ltd.							SI
Ortho Pharmaceutical Co.							OO	Simanite (A'asia) Pty. Ltd.							SM
								Smith and Nephew (Aust.) Pty. Ltd.							SN

Manufacturer	Code	Manufacturer	Code
Smith, Kline & French Laboratories (Aust.) Ltd.	SK	V	
Soul Pattinson (Laboratories) Pty. Ltd.	SL	Victoria Drug Company Pty. Ltd.	VA
Squibb and Sons, E. R.	SQ	Virax Ethicals Pty. Ltd.	VR
Stansen and Co. Pty. Ltd., A. E.	ST	Vitamins Limited	VM
St. Just Laboratory Pty. Ltd.	SJ	W	
		Wander Limited, A.	WA
		Ward Blenkinsop and Co. Ltd.	WB
		Warner & Co. Pty. Ltd., Wm. R.	WW
		Weddel Pharmaceuticals	WP
		Wholesale Drug Co. Ltd.	WD
		Winthrop Laboratories	WL
		World Agencies Pty. Ltd.	WO
		Wyeth Pharmaceuticals Pty. Ltd.	WY
T			
Toppin and Sons Pty. Ltd., R. D.	TO		
U			
Union International Co. Ltd.	UI		
Upjohn Company, The	UP		

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1	Column 2	Col. 3	Column 1	Column 2	Col. 3
Item	Form	Max. Qty.	Item	Form	Max. Qty.
Adrenaline Tartrate	Ampoule Bottle	6 1	Oxytocin	Ampoule	12
Digoxin	Ampoule Bottle Tablet	12 1 100	Penicillin, Procaine, (Aqueous Suspension)	Ampoule or Vial	12
Dihydromorphinone	Ampoule Tablet	5 20	Pethidine Hydrochloride	Ampoule	6
Diphtheria Antitoxin	Ampoule	6	Sulphadiazine	} Tablet	100
Morphine Sulphate	Ampoule Hypodermic Tablet	6 40	or Sulphadimidine		
			or Sulphamerazine		
			or Sulphonamides, Mixed, (B): Three Sulphonamides		
Morphine with Atropine	Ampoule Hypodermic Tablet	6 40			
Special attention is drawn to the fact that only one of the above Sulpha drugs may be ordered in any one month.					

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SECTION 2 — PART 1

SCHEDULE OF BENEFITS

SECTION 2—SCHEDULE OF BENEFITS (PART 1)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
1	ACETARSOL					
	Injection 2 cc. amp.		10	1	0 13 1	MB
	3 cc. amp.		10	1	0 17 5	MB
	Oral Tablet, B.P.C. 4 gr. tab.		25	2	* 0 9 0	MB
	Pessaries 4 gr.		25	1	0 8 1	MB
					0 12 1	BA-WL
2	ACETAZOLAMIDE					
	Oral Tablet, B.P. 250 mg. tab.		50	2	2 19 1	LE
					(ex 500)	
					3 4 1	LE
					(ex S.P.)	
42	ACETAZOLAMIDE SODIUM PARENTERAL					
	Injection 500 mg. vial.. .. .		1	..	1 18 9	LE
3	ACETOMENAPHTHONE					
	Oral Tablet, B.P. 5 mg. tab... .. .		100	2	0 8 1	AD, BD, DH, KL, PR, SI, TO
	10 mg. tab... .. .		100	2	0 10 9	AD, BD, CM, GL, HY, PR, RO, SI, TO
4	ACETYLSALICYLIC ACID					
	Mixture, P.L.		8 fl. oz.	4	0 7 10	Extemp.
	Mixture for Infants, P.L.		4 fl. oz.	4	0 6 8	Extemp.

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
4—continued					£ s. d.	
	Oral Tablet, B.P. 5 gr. tab.		100	2	0 4 11 (ex 500)	AD, AN, DH, FA, HY, KL, PB, PR, RT, RY, SI, SL, TO, VA, WD
					0 5 2 (ex S.P.)	AD, AN, DH, FA, HY, KL, PB, PR, RT, RY, SI, SL, TO, VA, WD
	Oral Tablet Soluble, B.P. 5 gr. tab. ..		100	2	0 8 2	AB, BT, DH, HA, HY, MG, PR, RY, TO, VA, VR
					0 8 7	RC
					0 8 9	BW
					(ex 500)	
					0 10 5 (ex S.P.)	AB, BT, BW, DH, HA, HY, MG, PR, RC, RY, TO, VA, VR
	Oral Tablets for Infants 2½ gr. tab. ..		100	2	0 6 1	WO
					0 6 9	MG
					0 8 1	KL
	Oral Tablets Soluble for Infants 2½ gr. tab.		100	2	0 9 5	NB
5 ACETYSALICYLIC ACID COMPOUND						
	Mixture, P.L.		8 fl. oz.	4	0 8 8	Extemp.
	Mixture for Infants, P.L.		4 fl. oz.	4	0 7 4	Extemp.
	Oral Tablet, A.P.F.		100	2	0 5 10	AD, AN, DH, HY, KL, RT, RY, SI, SL, VA, WD
					0 6 2	AB
					(ex 500)	
					0 6 4 (ex S.P.)	AD, AB, AN, DH, HY, KL, RT, RY, SI, SL, VA, WD

5—continued

5—continued

Oral Tablet, B.P.C.	100	2	0 5 10	DH, HY, RY
			0 6 0	FA, KL
			0 6 2	TO
			(ex 500)	
			0 6 5	DH, FA, HY, KL, RY, TO
			(ex S.P.)	
Oral Tablet Soluble	100	2	0 10 9	MG
			0 12 1	RC
Oral Tablet with Phenacetin, Caffeine and Phenobarbitone 4 gr.—4 gr.— $\frac{3}{8}$ gr.— $\frac{3}{8}$ gr. tab.	100	2	0 13 5	NS
Oral Tablet with Phenacetin, Caffeine and Quinalbarbitone $3\frac{1}{2}$ gr.— $2\frac{1}{2}$ gr.— $\frac{3}{8}$ gr.— $\frac{3}{8}$ gr. tab.	100	2	0 16 1	RD
6 ACETYLSALICYLIC ACID AND CODEINE COMPOUND				
Mixture, P.L.	8 fl. oz.	4	0 10 4	Extemp.
7 ACETYLSALICYLIC ACID AND MORPHINE				
Mixture, P.L.	8 fl. oz.	4	0 8 5	Extemp.
8 ACETYLSALICYLIC ACID AND PHENOBARBITONE				
Mixture, P.L.	8 fl. oz.	4	0 8 2	Extemp.
9 ACETYLSALICYLIC ACID WITH IPECACUANHA AND OPIUM				
Oral Tablet, B.P. 1953	100	2	0 11 1	DH, FA
10 ACETYLSALICYLIC ACID WITH BROMIDE				
Mixture for Infants, P.L.	4 fl. oz.	4	0 6 11	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
11	AD PERTUSSEM Mixture for Infants, P.L.		4 fl. oz.	4	0 8 5	Extemp.
12	ADRENALINE Spray with Atropine Methonitrate, P.L. ..		$\frac{1}{2}$ fl. oz.	2	0 11 9	Extemp.
13	ADRENALINE HYDROCHLORIDE SOLUTION, B.P. 1953 Nasal Instillations, P.L. Nasal Instillations with Ephedrine Hydrochloride, P.L.		$\frac{1}{2}$ fl. oz. $\frac{1}{2}$ fl. oz.	2 2	0 6 2 0 6 6	Extemp. Extemp.
14	ADRENALINE ACID TARTRATE Injection, B.P. 1 in 1,000, 1 cc. amp. .. Solution, B.P. 1 in 1,000, 10 cc. amp. .. 1 in 1,000, 25 cc. bottle .. 1 in 1,000, 1 fl. oz. bottle .. 1 in 100, 7 cc. vial ..		6 1 1 1 1	1 1 1	0 6 9 0 5 5 0 6 6 0 6 8 0 6 8 0 8 9 0 6 8	AD, BL, BT, BW, DH, FH, KL, PD, SJ BW, PD FH BW DH, RT PD BW, PD
15	ADRENALINE IN OIL Injection 2 mg. per cc., 1 cc. amp.		6	1	0 10 1	AD, DH, PD
43	ADRENALINE MUCATE Injection 1 cc. amp.		6	1	0 11 5	GL

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
21	AMINACRINE HYDROCHLORIDE					
	Cream, P.L.		1920 gr.	1	0 16 10	Extemp.
	Ear Drops, P.L.		$\frac{1}{2}$ fl. oz.	2	0 6 1	Extemp.
	Eye Drops, P.L.		$\frac{1}{2}$ fl. oz.	2	0 6 11	Extemp.
	Lotion, P.L.		8 fl. oz.	4	0 9 3	Extemp.
22	AMINOPHYLLINE					
	Injection, B.P. 0.48 G. per 2 mil., I.M. amp.		6	..	0 11 5	AD, DH, HA, SJ
	0.5 G. per 2 mil., I.M. amp.		6	..	0 10 9	CM, FH
					0 11 5	BW
	0.24 G. per 10 mil., I.V. amp.		6	..	0 17 5	DH, HA
	0.25 G. per 10 mil., I.V. amp.		6	..	0 17 5	AD, BW, CM, FH, SJ
	Oral Tablet, B.P. $1\frac{1}{2}$ gr. tab.		100	2	0 5 3	AB, AN, DH, FA, HA, HY, KL, PR, RT, RY, SI, SL, TO, VA, WD
					0 5 4	MG
					0 6 0	BW
					(ex 1,000)	
					0 7 2	AB, AN, BW, DH, FA, HA, HY, KL,
					(ex S.P.)	MG, PR, RT, RY, SI, SL, TO, VA,
						WD
	2.34 gr. tab.		100	2	0 18 9	AB
	Oral Tablet with Ephedrine Hydrochloride and Amylobarbitone					
	130 mg.-25 mg.-25 mg. tab.		100	2	1 13 5	LY
	Oral Capsule with Ephedrine Hydrochloride and Amylobarbitone					
	130 mg.-25 mg.-25 mg. cap.		100	2	1 13 5	LY

22—continued

Oral Tablet with Phenobarbitone									
	1½ gr.—½ gr. tab.	..			100	2	0 6 0 (ex 1,000)	AB, AD, AN, CM, DH, FA, HA, HY, MG, PR, RT, RY, SI, SL, TO, VA, WD	
							0 7 5 (ex S.P.)	AB, AD, AN, CM, DH, FA, HA, HY, MG, PR, RT, RY, SI, SL, TO, VA, WD	
	1½ gr.—¼ gr. tab.	..			100	2	0 5 8 (ex 1,000)	AB, AD, AN, CM, DH, FA, HA, HY, MG, PR, RT, RY, SI, SL, TO, VA, WD	
							0 7 1 (ex S.P.)	AB, AD, AN, CM, DH, FA, HA, HY, MG, PR, RT, RY, SI, SL, TO, VA, WD	
Suppository	2¾ gr.	..	..	..	12	1	0 8 9	DH, HA	
	4 gr.	..	..	..	12	1	0 11 9	AN, DH, HA, KL	
	6 gr.	..	..	..	12	1	0 11 9	DH, HA	
Compound Mixture, P.L.		..	..	..	8 fl. oz.	4	0 9 1	Extemp.	
Compound Mixture with Acetylsalicylic Acid, P.L.	..	..	..	..	8 fl. oz.	4	0 9 7	Extemp.	
46 AMIPHENAZOLE HYDROBROMIDE, A.P.F.									
Injection	20 mg. vial	..	..	..	D	12	1 8 1	DH	
23 AMIPHENAZOLE HYDROCHLORIDE, A.P.F. 1955									
Injection	30 mg. vial (with required solvent)				D	12	2 11 5	NS	
24 AMMONIATED MERCURY									
Ointment, B.P.	..	..	..	..	1920 gr.	1	0 11 10	Extemp.	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
25	AMMONIUM ACETATE STRONG SOLUTION, B.P. 1953 Mixture, P.L.		8 fl. oz.	4	0 10 1	Extemp.
26	AMMONIUM CHLORIDE Oral Tablet, B.P.C. 7½ gr. tab.		25	3	0 5 0 0 6 4	AN, HY, QE, TO, VA MB
27	AMODIAQUINE BASE Oral Tablet, B.P. 0.2 G. tab.		100	2	1 18 9	PD
28	AMPHETAMINE SULPHATE Oral Tablet, B.P. 5 mg. tab... ..		100	2	0 5 2 0 5 6 0 6 4 (ex 500) 0 7 2 (ex S.P.)	AN, RY DH, FA, HY, KL, MG, PR, VA BT, PB, TO AN, BT, DH, FA, HY, KL, MG, PB, PR, RY, TO, VA
29	AMPHOTERICIN B Injection 50 mg. vial	D	1	..	1 19 5	SQ
30	AMYLOBARBITONE Oral Tablet, B.P. 1½ gr. tab.		50	2	0 10 1 0 11 5 0 12 1 0 12 9 0 13	MG PR, RT TO, VR AD, AN, DH, GP, RY, SI, SL FA, LY

31 AMYLOBARBITONE SODIUM, B.P.C.

Oral Capsule 3 gr.

50

1

0 14 1

AN

0 16 9

FA

1 3 9

LY

47 ANDROSTANOLONE

Oral Tablet 25 mg. tab.

100

2

12 6 9

MN

32 ANEURINE HYDROCHLORIDE

Injection, B.P. 25 mg. per cc., 1 mil. amp. . .

6

1

0 11 5

AB, BD, FH

30 mg. per cc., 1 mil. amp. . .

6

1

0 14 1

AB, DH, FH

50 mg. per cc., 1 mil. amp. . .

6

1

0 16 9

AB, DH, FH, FM, KL

100 mg. per cc., 1 mil. amp. . .

6

1

0 18 9

AB, BD, DH, FH, KL

50 mg. per cc., 10 mil. vial . .

1

1

0 12 1

AB, DH, FA, FH, FM, GL, KL, PD

100 mg. per cc., 10 mil. vial . .

1

1

0 14 9

AB, CM, DH, FA, FH, FM, GL, KL,

PD, VR

Oral Tablet, B.P. 20 mg. tab. P

100

2

0 9 5

AB, AN, CM, FM, HY, KL, MG, PR,

RT, RY, SL, TO, VA

25 mg. tab... P

100

2

0 10 9

AB, AD, AN, DH, FA, FM, HY, KL,

PR, MG, RT, RY, SI, SL, TO, VA,

WD

50 mg. tab. P

100

2

0 13 5

AB, AD, AN, DH, FA, FM, HY, KL,

PR, MG, RT, RY, SI, SL, TO, VA,

WD

(mg. tab. P

100

2

0 18 9

AB, AN, DH, FM, HY, KL, MG, PR,

RT, RY, SL, TO, VA

120 mg. tab. P

100

2

1 1 5

AB, HY, KL, MG, PR, SL

33 ANTACID POWDER

Powder, P.L.

1920 gr.

1

0 7 7

Extemp.

34 ANTAZOLINE HYDROCHLORIDE

Injection 0.1 G. per 2 cc. amp.

10

..

* 1 1 3

CB

* 1 2 4

BT

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
34	<i>continued</i>					
	Oral Tablet, B.P. 100 mg. tab.		50	1	0 13 5	CB
	Eye Drops with Naphazoline		½ fl. oz.	2	0 6 9	TO
			10 mil.	2	0 8 1	CB
35	ANTIMONY POTASSIUM TARTRATE					
	Injection, B.P. 1%, 5 cc. ampoule		6	1	0 13 5	DH
36	AQUEOUS CREAM					
	Cream, B.P.		1920 gr.	1	0 14 4	Extemp.
37	ASCORBIC ACID					
	Oral Tablet, B.P. 10 mg. tab.	P	100	2	0 5 4	AB, HY, VA
	25 mg. tab.	P	100	2	0 5 5	AB, AD, AN, DH, FA, FM, HY, KL, MG, PR, RT, RY, SI, TO, WD
	50 mg. tab.	P	100	2	0 7 1	AB, AD, AN, DH, FA, FM, GL, HY, KL, MG, NY, PR, RT, RY, SI, SL, TO, VA, WD
	100 mg. tab.	P	100	2	0 9 9	AB, AN, DH, HY, KL, MG, PR, QE, RT, RY, TO, VA
	250 mg. tab.	P	100	2	0 14 9	AB, AD, AN, DH, FA, FM, HY, KL, MG, NY, RY, SI, SL, TO
	500 mg. tab.	P	100	2	0 15 5 1 4 9	GL, PR, RT, VA, WD AB, HY, KL, MG, TO
38	ATROPINE					
	Eye Drops, Oily 1%, P.L.		½ fl. oz.	2	0 9 2	Extemp.

39 ATROPINE METHONITRATE

Mixture for Infants, P.L.	..	..	..	..
Solution	0.6%, $\frac{1}{2}$ fl. oz. bottle	..	..	..
Injection	1/200 gr. per 1 cc. amp.	..	..	..
	1/100 gr. per 1 cc. amp.	..	..	..
Oral Tablet	1 mg. tab.	..	..	..

$\frac{1}{2}$ fl. oz.	4	0	11	5	Extemp.
1	..	0	9	5	BA
6	..	0	8	9	BL
6	..	0	8	9	BL
50	2	0	14	1	BA

40 ATROPINE SULPHATE

Hypo. Tablet, B.P.				
1/200 gr. hypo. tab. (with required solvent)	20	1	0	4
1/150 gr. hypo. tab. (with required solvent)	20	1	0	4
1/100 gr. hypo. tab. (with required solvent)	20	1	0	5
Injection, B.P. 1/150 gr. per cc., 1 cc. amp. . .	6	1	0	6
			0	6
1/100 gr. per cc., 1 cc. amp. . .	6	1	0	6
			0	6
1/100 gr. per cc., 10 cc. vial . .	1	..	0	6
1/50 gr. per cc., 1 cc. amp. . .	6	1	0	6
			0	6
Eye Drops, $\frac{1}{2}$ %, P.L.	$\frac{1}{2}$ fl. oz.	2	0	7
1%, P.L.	$\frac{1}{2}$ fl. oz.	2	0	8
Eye Ointment, B.P.	60 gr.	..	0	6

41 AUROTHIOGLUCOSE

Injection, Oily	10 mg. amp...	..	..	..
	25 mg. amp...	..	..	..
	50 mg. amp...	..	..	..
	100 mg. amp...	..	..	..
	10 mg. per cc., 10 cc. vial ..	..	..	..
	100 mg. per cc., 10 cc. vial ..	..	..	..

1	3	0	6	0	SC
1	3	0	7	4	SC
6	..	* 1	13	3	SC
6	..	* 2	2	3	SC
1	..	0	19	9	SC
1	..	2	12	9	SC

83 BACITRACIN

Eye Drops, P.L.	..	..	..	..
-----------------	----	----	----	----

$\frac{1}{2}$ fl. oz.	2	0	16	9	Extemp.
-----------------------	---	---	----	---	---------

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
84	BARBITONE COMPOUND, A.P.F. 1955 Oral Capsule, A.P.F. 1955		50	1	£ s. d. 1 13 5 1 18 1 1 19 8	AN AB KL
85	BARBITONE SODIUM Oral Tablet, B.P. 5 gr. tab. 7½ gr. tab.		50 50	2 2	0 9 1 0 10 1 0 9 9 0 10 9 0 11 1 0 12 9 0 13 2	MG AN, DH, KL, SL FA TO MG AN DH, KL
86	BELLADONNA Compound Suppository		12	1	0 7 10	WY
87	BEMEGRIDE, A.P.F. 1955 Injection 30 mil. vial	D	6	..	5 15 9	NS
88	BENEDICT'S QUALITATIVE SOLUTION Solution, P.L.		4 fl. oz.	1	0 8 7	Extemp.
102	BENZALKONIUM CHLORIDE Cream, 0.01%		960 gr.	1	0 7 2	CA
89	BENZHEXOL HYDROCHLORIDE Oral Tablet, B.P. 2 mg. tab... .. 5 mg. tab... ..		100 100	2 2	1 1 1 2 1 1	LE, WL LE, WL

90	BENZOCAINE								
	Dusting Powder, P.L.	..	..	..	1920 gr.	1	0	12	10 Extemp.
	Compound Ointment with Hamamelis and Zinc, P.L.	..	..	..	1920 gr.	1	0	19	7 Extemp.
	Compound Ointment with Adrenaline	..	..	..	960 gr.	1	0	12	9 GP
	Compound Suppository with Adrenaline	..	..	..	12	1	0	10	4 GP
	Suppository with Adrenaline, A.P.F. 1955	..	..	..	12	1	0	12	9 AN, DH, KL
91	BENZOIC ACID								
	Compound Ointment, A.P.F. 1955	..	..	..	1920 gr.	1	0	12	9 Extemp.
92	BENZOIN COMPOUND TINCTURE								
	Inhalation, P.L.	..	..	..	2 fl. oz.	1	0	13	11 Extemp.
93	BENZYL BENZOATE								
	Application, P.L.	..	..	..	4 fl. oz.	1	0	10	7 Extemp.
	Application with Dicophane, P.L.	..	..	..	4 fl. oz.	1	0	10	11 Extemp.
103	BEPHENIUM HYDROXYNAPHTHOATE								
	Oral Sachet	5 G. sachet	..	..	1	..	0	7	2 BW
94	BISMUTH CARBONATE, B.P. 1953								
	Compound Mixture for Infants, P.L.	..	..	..	4 fl. oz.	4	0	9	5 Extemp.
95	BISMUTH GLYCOLLYLARSANILATE								
	Oral Tablet	0.5 G. tab.	..	..	25	2	0	18	9 WL
96	BISMUTH OXYCHLORIDE								
	Injection, B.P.	1 cc. amp.	..	..	6	1	0	11	1 BD
		3 cc. amp.	..	..	6	1	0	13	1 BD
		30 cc. vial	..	..	1	1	0	11	1 BD
104	BISMUTH SODIUM TARTRATE								
	Injection, B.P.	60 mg. per cc., 10 cc. vial	..	..	1	..	1	2	9 FA

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
97	BISMUTH SUBGALLATE, B.P. 1953 Suppository, B.P.C. 5 gr. Compound Suppository, B.P.C.		12 12	1 1	£ s. d. 0 7 10 0 8 0 0 13 5	AN, DH WW AN, DH, KL
98	BORIC ACID Ear Drops, P.L. Powder, B.P.		$\frac{1}{2}$ fl. oz. 4 oz.	2 ..	0 5 9 0 1 3 0 1 7 0 2 3	Extemp. WD FA DH
105	BRETYLIUM TOSYLATE Oral Tablet 200 mg. tab.		100	2	4 6 1	BW
99	BUSULPHAN Oral Tablet 2 mg. tab.	D	100	2	1 4 1	BW
100	BUTOBARBITONE Oral Tablet, B.P. $1\frac{1}{2}$ gr. tab.		50	2	0 6 8 0 7 0 0 7 1 0 7 5 * 0 7 8	MG AD, DH, KL, SI, SL RY GP MB
101	BUTYL AMINO BENZOATE, B.P. 1953 Cream with Trinitrophenol, P.L.		1920 gr.	1	1 2 2	Extemp.

120	CALAMINE										
	Cream, P.L.	..	..	..	..	1920 gr.	1	0	8	10	Extemp.
	Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0	8	4	Extemp.
	Compound Liniment, P.L.	..	..	..	..	4 fl. oz.	1	0	7	2	Extemp.
121	CALCIFEROL										
	Oral Tablet, B.P.	50,000 U. tab.	..	..	P	100	2	1	3	9	GL, RL
	Solution	3,000 U., 25 cc. bottle	..	..	CP	1	..	0	5	10	BD
		3,000 U., 100 cc. bottle	..	..	CP	1	..	0	9	5	BD
122	CALCIUM ACETYLSALICYLATE										
	Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	7	9	Extemp.
123	CALCIUM AUROTHIOMALATE										
	Injection										
	10 mg. amp. (with required solvent)	..	..	..	..	1	3	0	7	6	CK
	25 mg. amp. (with required solvent)	..	..	..	..	1	3	0	8	1	CK
	50 mg. amp. (with required solvent)	..	..	..	..	6	..	* 1	18	3	CK
	100 mg. amp. (with required solvent)	..	..	..	..	6	..	* 2	7	3	CK
125	CALCIUM CARBONATE										
	Powder with Kaolin, P.L.	..	..	..	..	1920 gr.	1	0	8	1	Extemp.
126	CALCIUM GLUCONATE										
	Injection, B.P.	10% Solution, 10 mil. amp.	..	..	..	6	1	0	10	9	AB, AN, DH, FH, PE
	Oral Tablet, B.P.C.	10 gr. tab.	..	..	..	100	2	0	7	5	PR
								0	8	1	AD, AN, DH, FA, HY, MG, RT, RY, SI, SL, TO, VA, WD
127	CALCIUM LACTATE										
	Oral Tablet, B.P.	5 gr. tab.	..	..	..	100	2	0	6	1	AD, AN, DH, FA, HY, KL, RT, RY, SI, SL, TO

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
128	CALCIUM PARA-AMINOSALICYLATE, B.P.C.									
	Cachet	1.5 G.	cachet	..	..	D	200	2	3 5 5	KL, WA
		2.0 G.	cachet	..	..	D	200	2	4 5 5	KL, WA
	Oral Tablet	7½ gr.	tab.	..	..	D	200	2	1 0 5	AN, KL, RY, WA
	Granules	100 G.	tin	..	..	D	1	1	1 16 5	WA
		400 G.	tin	..	..	D	1	1	5 19 5	WA
129	CAMPHOR									
	Liniment, B.P. for Infants	..	..	..	..		4 fl. oz.	1	0 9 10	Extemp.
130	CAMPHORATED TINCTURE OF OPIUM									
	Mixture, P.L.	..	..	..	..		8 fl. oz.	4	0 8 1	Extemp.
	Linctus, P.L.	..	..	..	..		8 fl. oz.	4	0 14 8	Extemp.
	Linctus for Infants, P.L.	..	..	..	..		4 fl. oz.	4	0 11 8	Extemp.
131	CARAMIPHEN HYDROCHLORIDE									
	Oral Tablet	50 mg.	tab.	..	..	D	100	2	* 2 4 9	GE
132	CARBACHOL									
	Injection, B.P.	0.25 mg.	per 1 cc.	amp.	..		6	..	0 7 1	BD
									* 0 7 6	SY
133	CARBARSONE									
	Oral Capsule	250 mg.	cap.	..	..		20	1	0 14 4	LY
	Oral Tablet, B.P.	250 mg.	tab.	..	..		20	1	0 6 6	HY, MB

134	CARBIMAZOLE	Oral Tablet, B.P.	5 mg. tab...	..	..	100	2	1 12 1	BS
135	CARBROMAL	Oral Tablet, B.P.	5 gr. tab.	..	..	25	3	0 6 5	BA-WL, DH, GP, KL, MG
136	CARMINATIVE MIXTURE	Mixture for Infants, P.L.	..	..	..	4 fl. oz.	4	0 6 7	Extemp.
137	CASCARA	Oral Tablet, B.P.	3 gr. tab.	..	..	25	3	0 4 9	AD, DH, FA, HY, PD, RT, SI, SL, TO, WD
			5 gr. tab.	..	..	25	3	0 5 2	AD, DH, FA, HY, PD, RT, SI, SL, TO, WD
		Liquid Extract, B.P.	2 fl. oz. bottle	..	..	1	1	0 3 0	DH, WD
			1 fl. oz. bottle	..	..	1	1	0 1 11	DH, RT, WD
138	CASTOR OIL	5 oz. bottle	..	..	..	1	..	0 3 6	FA
139	CETRIMIDE	Cream, P.L.	..	..	..	1920 gr.	1	0 7 11	Extemp.
		Solution, P.L.	..	..	..	4 fl. oz.	1	0 7 0	Extemp.
140	CHALK	Mixture with Kaolin, P.L.	..	..	..	8 fl. oz.	4	0 8 0	Extemp.
141	CHARCOAL	Oral Tablet	5 gr. tab.	..	..	100	2	0 8 1 0 9 5	HY AD, AN, QE, RT, SI, TO
142	CHINIOFON SODIUM	Oral Pill	250 mg. pill	..	..	25	2	0 8 4	BA

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
143	CHLORAL HYDRATE				£ s. d.	
	Mixture, P.L.		8 fl. oz.	4	0 8 4	Extemp.
	Mixture with Potassium Bromide, P.L. . .		8 fl. oz.	4	0 8 10	Extemp.
	Mixture with Potassium Bromide for Infants, P.L.		4 fl. oz.	4	0 7 11	Extemp.
144	CHLORAMBUCIL					
	Oral Tablet 2 mg. tab.	D	100	2	3 9 5	BW
	5 mg. tab.	D	100	2	6 9 5	BW
145	CHLORAMPHENICOL					
	Oral Suspension 125 mg. per 4 cc., 60 cc. bottle	CD	1	..	1 7 9	PD
	Injection 250 mg. per cc., 2 cc. amp. . .	D	4	..	* 1 16 7	PD
	1 G. vial (with required solvent) . .	D	3	..	* 3 2 9	PD
	Ear Drops		6 mil.	2	0 16 9	PD
	Eye Drops 25 mg.		1	2	1 3 6	PD
	Eye Ointment, 1%		60 gr.	..	0 7 5	PD
	Oral Capsule, B.P. 125 mg. cap.	D	16	..	1 7 1	PD
	250 mg. cap.	D	16	..	2 5 5	PD
					(ex 100)	
					2 6 9	PD
					(ex S.P.)	
146	CHLORAZANIL					
	Oral Tablet 25 mg. tab.		50	2	0 14 9	RK, SI
	150 mg. tab.		50	2	1 13 9	RK, SI

147	CHLORBUTOL Nasal Instillations, P.L.		1/2 fl. oz.	2	0 5 11	Extemp.
148	CHLORCYCLIZINE HYDROCHLORIDE Oral Tablet, B.P. 50 mg. tab.		50	1	0 16 9	AB, BW
149	CHLORMERODRIN Oral Tablet 18.3 mg. tab.		25	2	0 8 10 (ex 100)	PD
					0 9 5 (ex S.P.)	PD
	20 mg. tab.		25	2	0 8 10 (ex 100)	AN
					0 9 5 (ex S.P.)	AN
150	CHLOROQUINE BASE Oral Tablet, B.P. 150 mg. tab.		100	2	1 10 0	AN, BA, DH, EV, MB, IC
	Injection, B.P. 1 mil. amp.		6	1	0 9 5	AN, DH, FH
	2 mil. amp.		6	1	0 10 9	AN
					* 0 12 2	MB
	5 mil. amp.		6	1	1 0 1	AN, DH, FH
					* 0 19 8	MB
151	CHLOROTHIAZIDE Oral Tablet 0.5 G. tab.		50	2	2 11 6 (ex 500)	MK
					2 13 5 (ex S.P.)	MK
152	CHLOROXYLENOL Solution, B.P. 4 fl. oz. bottle..		1	1	0 3 6 0 3 11	FA RC

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
175	CHLORPHENIRAMINE MALEATE					
	Oral Tablet 4 mg. tab.		50	1	0 17 1	ES
					0 17 5	GL
	8 mg. tab.		50	1	1 1 5	GL
					1 7 1	ES
179	CHLORPROMAZINE HCL.					
	Injection 1%, 5 cc. amp.		10	..	1 1 5	MB
	2.5%, 1 cc. amp.		10	..	0 13 5	MB
	2.5% per cc., 2 cc. amp.		10	..	0 18 1	MB
	Oral Tablet 10 mg. tab.		100	2	0 14 9	MB
	25 mg. tab.		100	2	1 2 9	MB
	50 mg. tab.		100	2	2 1 5	MB
	Suppositories 100 mg.		5	1	0 13 5	MB
	Syrup for Infants		4 fl. oz.	4	0 12 1	MB
153	CHLORPROPAMIDE					
	Oral Tablet 250 mg. tab.		100	2	2 2 9	PF
154	CHLORTETRACYCLINE HYDRO- CHLORIDE					
	Injection, B.P. 100 mg. vial (with required sol- vent)	D	6	..	* 4 18 9	LE
	Oral Capsule, B.P. 50 mg. cap.	D	25	..	1 8 1	LE
	100 mg. cap.	D	25	..	2 8 9	LE
	250 mg. cap.	D	16	..	3 9 5	LE
	Oral Granules 75 G. bottle	CD	1	..	1 19 5	LE
	Eye Ointment, 1%		60 gr.	..	0 6 9	LE

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
160	<i>continued</i>				£ s. d.	
	Oral Tablet Compound Soluble		100	2	0 14 9	AB, BW, MG, RC, TO
	Oral Tablet with Acetylsalicylic Acid, Phenacetin and Caffeine 1/2 gr.-3 1/2 gr.-2 1/2 gr.-1/2 gr. tab.		100	2	1 3 1	BW
161	COD LIVER OIL					
	Cod Liver Oil, B.P.	CP	8 fl. oz.	4	0 4 0	DH
					0 4 3	FA
	Emulsion, 50%, 16 fl. oz. bottle	CP	1	4	0 5 8	DH, SL, WD
	Ointment with Acriflavine, P.L.		1920 gr.	1	0 10 11	Extemp.
162	COLCHICINE					
	Oral Tablet, B.P. 1/120 gr. tab.		50	1	0 8 1	DH, KL, MR, RD
163	COLCHICINE SALICYLATE					
	Oral Tablet 1/32 gr. tab.		50	1	0 18 9	BW, DH, VR
164	COLCHICUM TINCTURE					
	Mixture with Acetylsalicylic Acid, P.L. ..		8 fl. oz.	4	0 8 7	Extemp.
	Mixture with Sodium Salicylate, P.L. ..		8 fl. oz.	4	0 9 1	Extemp.
165	COLD CREAM					
	Cream, P.L.		1920 gr.	1	0 9 4	Extemp.
166	COLOCYNTH, B.P.C.					
	Oral Pill Compound, B.P.C.		50	1	* 0 6 0	DH

716	COPPER SULPHATE									
	Lotion with Zinc Sulphate, B.P.C.	..	..	..	8 fl. oz.	4	0	6	9	Extemp.
	Diagnostic Tablet Compound	..	..	..	36	2	0	6	9	AM
168	CORTICOTROPHIN									
	Injection, B.P.	20 I.U. amp. I.M.	..	AD	6	..	2	18	9	AN
		50 I.U. amp. I.M.	..	AD	6	..	* 7	12	2	CK
							11	9	5	CS, OR
		100 I.U. amp. I.M.	..	AD	6	..	22	2	9	CK, CS, OR
		100 I.U. vial. I.M.	..	AD	6	..	* 22	2	9	CK, SC
	Injection	10 I.U. amp. I.V.	..	AD	6	..	* 2	5	6	OR
							2	12	9	CS
							* 2	17	11	CK
		20 I.U. amp. I.V.	..	AD	6	..	4	16	1	CS
169	CORTISONE ACETATE									
	Injection, B.P.	25 mg. per cc., 10 cc. vial	..	AD	1	..	1	3	5	GL, OR, RL
		25 mg. per cc., 20 cc. vial	..	AD	1	..	2	4	1	AN, MK, SC
		50 mg. per cc., 10 cc. vial	..	AD	1	..	2	4	1	AN, MK
	Oral Tablet, B.P.	5 mg. tab.	..	AD	50	..	1	3	5	AN, MK
		25 mg. tab.	..	AD	40	..	4	6	1	AD, AN, BD, BT, DH, GL, KL, MK, PD, PR, RL, UP
							* 4	6	1	OR, SC
	Eye Drops	0.5% ..	..	..	3 mil.	2	0	10	5	ES
							0	13	5	DH
					5 mil.	2	0	15	5	ES, MK
					10 mil.	2	0	18	9	AN
		1% ..	..	..	3 mil.	2	0	15	5	AN, GL, PH, RL, UP
					2.5 mil.	2	0	13	5	CB
		2.5% ..	..	..	5 mil.	2	2	8	1	DH, MK
					10 mil.	2	2	10	9	AN
170	CRESOL AND SOAP SOLUTION									
	Solution, B.P.	4 fl. oz. bottle	..	..	1	1	0	2	3	AL
							0	2	8	DH, WD

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
171	CRYSTAL VIOLET					
	Ear Drops, P.L.		½ fl. oz.	2	0 5 9	Extemp.
	Paint Compound, P.L.		1 fl. oz.	1	0 6 4	Extemp.
172	CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH					
	Injection, B.P. 10γ per 1 cc. amp. ..	D	12	1	* 0 14 9	DH
	20γ per 1 cc. amp. ..	D	12	1	* 0 16 9	AN, BT, CM, DH, FH, GL, KL, SJ
	50γ per 1 cc. amp. ..	D	6	1	0 10 9	AN, BT, CM, DH, DL, FH, GL, SJ
	50γ per cc., 10 cc. vial ..	D	1	..	0 12 1	CM, GL
	100γ per 1 cc. amp. ..	D	6	1	0 13 5	AN, BT, CM, DH, DL, FH, GL, KL, PD, SJ
	100γ per cc., 10 cc. vial ..	D	1	..	0 17 5	AN, CM, DH, FH, GL, KL, SQ
	200γ per 1 cc. amp. ..	D	1	..	* 0 9 9	CM
					* 0 11 10	BT, OR
173	CYANOCOBALAMIN 1,000 MICROGRAMME STRENGTH					
	Injection 1,000γ per 1 cc. amp. ..	D	1	..	0 19 5	AN, BT, CM, DH, DL, FH, GL, HY, KL
174	CYCLOBARBITONE					
	Oral Tablet, B.P. 3 gr. tab. ..		50	2	0 13 5	MG
					0 16 1	BA-WL, BW, GP, KL, SL
176	CYCLOPHOSPHAMIDE	H	..	..	..	
178	CYCLOSERINE	H	..	..	..	

CYCRIMINE HYDROCHLORIDE									
Oral Tablet	1.25 mg. tab.	..	..	..	100	2	1 14 9	LY	
	2.5 mg. tab.	..	..	..	100	2	2 14 1	LY	
230 DAPSONE									
Oral Tablet, B.P.	50 mg. tab.	..	..	..	100	2	0 6 9	AN	
	100 mg. tab.	..	..	..	100	2	0 8 0	IC	
231 DARROW'S SOLUTION									
Injection	1 litre bottle..	..	..	..	2	..	* 1 11 5	DH, FH	
266 D—CYCLOSERINE					H	..	..		
267 DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE									
Oral Capsule	150 mg. cap.	..	..	..	D	14	3 1 1	LE	
Oral Paediatric Drops	60 mg. per cc., 10 cc. vial	..	..	..	CD	1	1 2 9	LE	
Oral Suspension	75 mg. per 5 cc., 2 fl. oz. bottle	..	..	..	CD	1	1 16 9	LE	
232 DEOXYCORTONE ACETATE									
Aqueous Injection	5 mg. amp.	..	..	..	D	5	..	* 1 18 11 SC	
							2 4 9	CB	
	50 mg. amp.	..	..	..	D	1	..	* 3 7 4 SC	
							3 12 9	CB	
Aqueous Suspension Injection	25 mg. amp...	..	..	..	D	1	..	2 1 5 CB	
Injection, B.P.	2 mg. amp.	..	..	..	D	4	..	0 16 1 OR	
	5 mg. amp.	..	..	..	D	4	..	1 9 5 CB, OR, SC	
	10 mg. amp.	..	..	..	D	4	..	2 9 5 CB, OR, SC	
	5 mg. per cc., 5 cc. vial	..	..	..	D	1	..	1 16 1 OR	
	10 mg. per cc., 10 cc. vial	..	..	..	D	1	..	5 14 1 CB, OR	
Implant	50 mg. implant	..	..	..	D	1	..	2 9 5 OR	
	100 mg. implant	..	..	..	D	1	..	4 9 5 CB, OR, SC	

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
										£ s. d.
232— <i>continued</i>										
	Oral Tablet	1 mg. tab.	..	..	..	D	40	..	1 14 9	CB, OR
		5 mg. tab.	..	..	..	D	20	..	* 1 15 1	SC
									3 6 0	CB
233	DESACETYL-LANATOSIDE-C									
	Injection	0.2 mg. per cc., 2 cc. amp.	..				6	1	0 12 0	SZ
	Oral Tablet	0.25 mg. tab.	..	..	..		100	2	1 8 5	SZ
234	DEXAMETHASONE									
	Oral Tablet	0.5 mg. tab.	..	..	..	AD	30	..	2 12 1	GL, MK, OR, RL, SH
235	DEXAMPHETAMINE SULPHATE									
	Oral Tablet, B.P.	5 mg. tab...	..	..	..		100	2	0 5 8	AD, DH, FA, HY, KL, PR, RT, RY, SI, SL, VA, WD
									0 5 11	MG
									0 6 0	BT, CM, GP, QE, TO
									(ex 500)	
									0 6 5	KL, RY, VA
									0 6 9	AD, BT, CM, DH, FA, GP, HY, MG, PR, QE, RT, SI, SL, TO, WD
									(ex S.P.)	
236	DEXTRAN IRON									
	Injection	2 cc. amp. I.M.	..	..	..	D	5	..	* 2 1 9	FC
		5 cc. amp. I.M.	..	..	..	D	5	..	3 4 9	FC
237	DEXTRIN IRON 2% INTRAVENOUS									
	Injection	5 cc. amp. I.V.	..	..	..	D	5	..	1 16 1	AP

269 DEXTROCHLORPHENIRAMINE MALE-ATE									
Oral Tablet		2 mg. tab.	..	..	..	50	1	* 1 1 3	SH
		6 mg. tab.	..	..	..	50	1	* 2 8 7	SH
238 DEXTROSE AQUEOUS									
Injection, B.P.		5%, 1 litre bottle	..	..	..	6	1	* 4 8 9	AB, BT, DH, EV, FH, GL
		10%, 1 litre bottle	..	..	..	2	1	* 1 11 5	AB, BT, DH, EV, FH
		20%, 1 litre bottle	..	..	..	2	1	* 1 11 5	DH, FH
		25%, 1 litre bottle	..	..	..	2	1	* 1 11 5	AB, DH, FH
		50%, 25 cc. amp.	..	..	..	6	1	* 1 6 9	AD, DH, FH
		50%, 50 cc. amp.	..	..	..	6	1	* 1 18 9	AD, DH, FH, PD
239 DEXTROSE IN 1/5 NORMAL SALINE									
Injection		4%, 1 litre bottle	..	..	..	6	1	* 4 8 9	AB, BT, DH, EV, FH
		4.3%, 1 litre disposable infusor	..	..	..	6	1	* 4 8 9	GL
240 DEXTROSE IN RINGER'S SOLUTION									
Injection		5%, 1 litre bottle	..	..	..	6	1	* 4 8 9	DH, FH
		10%, 1 litre bottle	..	..	..	3	1	* 2 5 9	DH, FH
241 DICOPHANE									
Application, P.L.		..	..	..	..	4 fl. oz.	1	0 8 5	Extemp.
242 DIENOESTROL									
Oral Tablet, B.P.		0.3 mg. tab.	..	..	DG	100	2	0 5 9	AD, AN, BD, DH, FM, HA, HY, KL, MG, PR, RT, RY, SI, SL, TO, VA, WD
		1.0 mg. tab.	..	..	DG	100	2	0 6 6	AD, BD, DH, FM, HA, HY, KL, MG, PR, RT, RY, SI, SL, TO, VA, WD
		5 mg. tab...	..	..	DG	100	2	0 9 5	AD, AN, BD, CC, DH, HY, KL, MG, PR, RT, SI, SL, TO
		10 mg. tab...	..	..	DG	100	2	0 15 5	DH, HY, KL, PR, TO
Cream, 0.01%		2 oz. tube	..	..	P	1	1	0 10 4	OO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
243	DIETHAZINE HYDROCHLORIDE					
	Oral Tablet 50 mg. tab.		100	2	0 10 1	MB
	250 mg. tab.		50	2	0 16 1	MB
270	DIETHAZINE IODIDE					
	Oral Tablet 50 mg. tab.		15	..	* 0 16 3	LY
	100 mg. tab.		15	..	1 1 7	LY
244	DIETHYLCARBAMAZINE CITRATE					
	Oral Tablet, B.P. 50 mg. tab.		20	1	0 14 5	BD, LE
245	DIGITALIS					
	Oral Tablet, B.P. ½ gr. tab.		100	2	0 4 9	AD, BW, CC, DH, FA, HY, RT, RY, SI, TO
	1 gr. tab.		100	2	0 5 0	AD, BW, CC, DH, FA, HY, RT, RY, SI, TO
246	DIGITOXIN, B.P.C.					
	Oral Tablet 0.1 mg. tab.		100	2	0 10 0	AD, CM, DH, KL, NA, PR, SI, WY
	0.2 mg. tab.		100	2	0 17 5	CM, DH, LY, PD, PR, WY
	0.25 mg. tab.		100	2	0 19 2	KL
247	DIGOXIN					
	Solution 0.5 mg. per cc., 30 cc. bottle		1	..	0 12 5	BW
	Solution for Infants 0.05 mg. per mil. ..		2 fl. oz.	..	0 13 5	BW
	Injection, B.P. 0.5 mg. per 2 cc. amp...		12	1	* 1 1 5	BW, DH

247—continued

Oral Tablet, B.P. 0.25 mg. tab.				100	2	0 8 9	HY, TO
						0 9 4	MG, PR
						0 10 9	AB, AN, FA, KL, RD, SL
						0 11 5	BW
						0 12 3	VR
						(ex 1,000)	
						0 10 9	RD
						0 13 9	AB, AN, BW, FA, HY, KL, MG, PR,
						(ex S.P.)	SL, TO, VR
249 DIHYDROERGOTAMINE							
Injection 1 mg. per cc., 1 cc. amp.				6	..	0 18 1	SZ
250 DIHYDROMORPHINONE HYDRO- CHLORIDE, B.P.C. 1949							
Injection 1.1 cc. amp.				5	..	0 10 1	KN
Oral Tablet 1/25 gr. tab.				20	..	* 0 9 5	KN
251 DIHYDROSTREPTOMYCIN SULPHATE							
Injection, B.P. 1 G. vial				D 5	3	* 0 19 5	AN, DL, GL, LP
252 DIHYDROTACHYSTEROL							
Oral Solution 1.25 mg. per cc., 15 cc. bottle.				D 1	..	1 16 8	BA
Oral Capsule 0.625 mg. cap.				D 100	1	5 3 5	BA
253 DIIDOHYDROXYQUINOLINE							
Oral Tablet, B.P. 0.3 G. tab.				100	2	0 17 5	MB
0.65 G. tab.				100	2	* 4 14 6	SR
254 DIMERCAPROL							
Injection, B.P. 2 cc. amp.				12	..	2 2 9	BT

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
255	DIPHENHYDRAMINE HYDROCHLORIDE					
	Injection 10 mg. per cc., 10 cc. vial ..		1	1	0 14 1	PD
	Oral Capsule 50 mg. cap.		50	1	0 12 4	PD
256	DIPHThERIA AND TETANUS TOXOIDS COMBINED					
	Injection 1 cc. amp... ..		3	..	* 0 14 9	CS
257	DIPHThERIA ANTITOXIN					
	Injection 1,000 U. amp.		2	1	* 0 13 5	CS
	4,000 U. amp.		2	1	* 1 5 5	CS
	10,000 U. amp.		2	1	* 2 5 5	CS
	20,000 U. amp.		2	1	* 4 2 9	CS
258	DIPHThERIA PERTUSSIS ANTIGEN					
	Injection 1 cc. amp... ..		3	..	0 12 1	CS
259	DIPHThERIA PERTUSSIS AND TETANUS ANTIGEN					
	Injection 0.5 cc. amp.		3	..	0 12 9	BW, GL, PD
	1 cc. amp.		3	..	0 12 9	CS, GL
260	DIPHThERIA PROPHYLACTIC (FORMALINISED TOXOID)					
	Injection Set containing 3 amps. each 1 cc. Toxoid undiluted and 1 amp. of 1 cc. Toxoid diluted		1	1	0 9 5	CS

260—continued

Set containing 9 amps. each 1 cc.
Toxoid undiluted and 3 amps. of
1 cc. Toxoid diluted

261 DIPHTHERIA PROPHYLACTIC (PURIFIED TOXOID ALUMINIUM PHOSPHATE)

Injection 1 cc. amp.
Set containing 2 amps. each 1 cc.
Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) (diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for the skin test only

262 DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)

Injection 1 cc. amp... ..

263 DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE

Injection 250 mg. per 5 cc. amp.
Oral Tablet 100 mg. tab.

272 DISODIUM DIHYDROGEN VERSENATE

Injection 0.2 G. per cc., 5.3 cc. amp. ..

264 DITHRANOL

Ointment, B.P.
Ointment, Strong, B.P.

1	..	1	0	1	CS
2	1	*	0	10	1 CS
1	..	0	12	1	CS
1	..	0	6	1	CS
D 10	..	4	7	2	CM
D 100	2	8	1	5	CM
6	1	3	9	5	RK
1920 gr.	1	0	8	7	Extemp.
1920 gr.	1	0	14	1	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
300	EMETINE AND BISMUTH IODIDE					
	Oral Tablet, B.P. 1 gr. tab.		25	2	1 9 5	DH
	2 gr. tab.		25	2	1 18 9	DH
301	EMETINE HYDROCHLORIDE					
	Injection, B.P. 20 mg. per 1 cc. amp. ..		12	..	0 12 1	KL
					0 12 9	DH
	30 mg. per 1 cc. amp. ..		12	..	0 14 9	KL
					0 18 1	DH
	65 mg. per 1 cc. amp. ..		6	..	0 17 9	DH, KL
302	EMULSIFYING WAX					
	Cream (Buffered), P.L.		1920 gr.	1	0 9 1	Extemp.
	Ointment, B.P.		1920 gr.	1	0 13 1	Extemp.
303	EPHEDRINE					
	Nasal Instillations (Oily), P.L.		$\frac{1}{2}$ fl. oz.	2	0 6 2	Extemp.
304	EPHEDRINE HYDROCHLORIDE					
	Hypo. Tablet, B.P.					
	$\frac{1}{2}$ gr. hypo. tab. (with required solvent) ..		20	1	0 5 1	FA
	Injection $\frac{1}{2}$ gr. per 1 cc. amp. ..		6	1	0 6 9	BL, DH, FH, KL
	$\frac{3}{4}$ gr. per 1 cc. amp. ..		6	1	0 7 1	BL, DH, FH, KL
	Oral Tablet, B.P. $\frac{1}{4}$ gr. tab.		100	2	0 5 9	AD, BW, CC, DH, HY, KL, MG, PR, RT, RY, SI, TO
	$\frac{1}{2}$ gr. tab.		100	2	0 6 9	AD, BW, CC, DH, FA, HY, KL, MG, PR, RT, RY, SI, SL, TO
	1 gr. tab.		100	2	0 9 9	HY, KL, TO

304—continued

Oral Tablet, B.P. for Infants $\frac{1}{4}$ gr. tab.	..	100	2	0 5 5	DH, KL, TO
Oral Tablet with Phenobarbitone	..	100	2	0 6 8	RT
$\frac{1}{4}$ gr.— $\frac{1}{4}$ gr. tab.	..			0 7 0	AB, CM, HY, KL, MG, PB, QE, TO
				(ex 500)	VA
				0 6 9	KL, RT
				0 8 1	AB, CM, HY, MG, PB, QE, TO, VA
				(ex S.P.)	
$\frac{1}{2}$ gr.— $\frac{1}{4}$ gr. tab.	..	100	2	0 7 0	AB, AD, CM, DH, HY, KL, MG, PB,
					PR, QE, RT, SI, SL, TO, VA, WD
				0 8 4	AN
				(ex 500)	
				0 6 9	KL, RT
				0 8 1	AB, AD, AN, CM, DH, HY, MG, PB,
				(ex S.P.)	PR, QE, SI, SL, TO, VA, WD
$\frac{1}{2}$ gr.— $\frac{1}{4}$ gr. tab.	..	100	2	0 7 8	AB, AN, CM, HY, KL, MG, PB, PR,
				(ex 500)	QE, SL, TO, VA
				0 7 5	KL
				0 8 9	AB, AN, CM, HY, MG, PB, PR, QE,
					SL, TO, VA
				(ex S.P.)	
Nasal Instillations, P.L.		$\frac{1}{2}$ fl. oz.	2	0 5 10	Extemp.

305 EPHEDRINE SULPHATE, B.P.C.

Hypo. Tablet					
$\frac{1}{2}$ gr. hypo. tab. (with required solvent)	..	20	1	0 5 1	FA
Oral Tablet $\frac{1}{4}$ gr. tab.		100	2	0 7 5	HY, MG, PD, RT
$\frac{1}{2}$ gr. tab.		100	2	0 9 5	FA, HY, KL, MG, PD, RT, TO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
£ s. d.						
305— <i>continued</i>						
	Oral Tablet with Phenobarbitone ½ gr.—¼ gr. tab.		100	2	0 8 1 0 8 4 (ex 500) 0 10 5 0 10 9 (ex S.P.)	MG FM MG FM
306	ERGOMETRINE MALEATE					
	Injection, B.P. 0.2 mg. per 1 cc. amp. ..		6	..	0 17 8	FH, LY
	0.5 mg. per 1 cc. I.M. amp.		6	..	0 19 5	AD, BD, BL, BW, CM, DH, FH, FM, VR
	0.125 mg. per 1 cc. I.V. amp.		6	..	0 9 5	AD, BD, BW, FH
	Oral Tablet, B.P. 0.2 mg. tab.		25	3	0 16 6	LY
	0.5 mg. tab.		25	3	2 10 9	BD, BW, CM, VR
307	ERGOTAMINE TARTRATE					
	Injection, B.P. 0.5 cc. amp.		6	..	0 13 9	DH, SZ
	1 cc. amp... ..		6	..	0 18 0	DH, SZ
	Oral Tablet, B.P. 1 mg. tab... ..		50	2	1 12 9 1 15 11 (ex 100) 1 12 9 1 14 9 1 15 5 1 16 1	AN, DH, HY, KL, QE, TO AB, BD, RD, SZ, VR HY, QE, TO RD SZ VR

307—continued

Oral Tablet with Caffeine 1 mg.-100 mg. tab.				50	2	* 1 16 1 2 1 2 (ex S.P.) 1 19 10	BD AB, AN, DH, KL SZ
308 ERYTHROMYCIN							
Oral Suspension	200 mg. per 5 cc., 60 cc. bot.	CD	1	..	..	2 14 6	AB
Injection	100 mg. per 2 cc. I.M. amp.	D	4	..	..	* 3 1 5	AB
	300 mg. per 10 cc. vial ..	D	4	..	..	* 8 2 9	AB
Oral Tablet, B.P.	100 mg. tab... ..	D	32	..	..	3 16 1	AB, LY, UP
	250 mg. tab... ..	D	32	..	..	8 4 10	AB, LY, UP
Oral Capsule	125 mg. cap. ..	D	32	..	..	3 16 1	LY
	250 mg. cap. ..	D	32	..	..	8 4 10	LY
321 ERYTHROMYCIN GLUCOHEPTONATE							
Injection	250 mg., 20 cc. I.V. amp. ..	D	1	..	..	1 9 5	LY
322 ERYTHROMYCIN PROPIONATE							
Oral Capsule	125 mg. cap. ..	D	32	..	..	4 14 5	LY
	250 mg. cap. ..	D	32	..	..	8 4 10	LY
323 ERYTHROMYCIN STEARATE							
Oral Suspension	100 mg. per 5 cc., 75 cc. bot.	CD	1	..	..	2 14 6	AB
309 ERYTHRITYLTETRANITRATE							
Oral Tablet, B.P.C. 1949	5 mg. tab... ..		100	2		0 10 9	BW
	15 mg. tab... ..		100	2		1 2 5	BW
310 ETHANOLAMINE OLEATE							
Injection, B.P.	5% Solution, 2 mil. ..		6	1		0 8 9	DH, FH, GL

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
								£	s.	d.	
311	ETHINYLOESTRADIOL										
	Oral Tablet, B.P.	0.01 mg. tab.	..	..	DG	50	..	0	6	9	HY
								*	0	7	BD, OR
		0.02 mg. tab.	..	..	DG	50	..	*	0	9	BD, HY, KL, OR
		0.05 mg. tab.	..	..	DG	50	..	*	0	10	BD, HA, HY, KL, OR
		1 mg. tab...	..	..	DG	50	..	2	2	9	KL
								*	2	4	BD, HY, OR
312	ETHISTERONE										
	Oral Tablet, B.P.	5 mg. tab.	..	..	DG	50	..	*	1	12	BD, CB, KL, OR, PH, RT, SC, VE
		10 mg. tab.	..	..	DG	50	..	*	2	16	BD, KL, OR, PH, RT, SC, VE
		25 mg. tab.	..	..	DG	50	..	*	5	9	BD, CB, KL, OR, PH, RT, SC, VE
313	ETHOPROPAZINE HYDROCHLORIDE										
	Oral Tablet, B.P.	50 mg. tab.	..	..		100	2	1	9	5	MB
314	ETHOXZOLAMIDE										
	Oral Tablet	125 mg. tab.	..	..		50	2	3	0	7	UP
								(ex 100)			
								3	4	1	UP
								(ex S.P.)			
315	ETHYL BISCOUMACETATE										
	Oral Tablet, B.P.	300 mg. tab.	..	..		100	2	13	16	9	GE
316	ETHYLIDENE DICOUMARIN										
	Oral Tablet	100 mg. tab.	..	..		100	2	3	5	5	NS

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
342	FLUOXYMESTERONE Oral Tablet 5 mg. tab.	D	100	2	10 0 1 10 0 9	CB UP
343	FOLIC ACID Injection 15 mg. per cc., 1 cc. amp. Oral Tablet, B.P. 5 mg. tab.	D D	12 100	.. 2	* 1 14 9 1 16 1 0 17 2 0 19 5 1 2 9	AN KL TO AD, AN, CM, HY, KL, MG, RT, RY, SI PD, PR
345	FORMYL TETRAHYDROPTEROYL GLUTAMIC ACID.. .. .	H	..	..	..	
355	GAMMA BENZENE HEXACHLORIDE Application, P.L. Cream, P.L.		4 fl. oz. 1920 gr.	1 1	0 7 4 0 9 3	Extemp. Extemp.
356	GAS GANGRENE ANTITOXIN (OEDEMATIENS) Injection 10,000 U. amp.		3	1	* 1 18 9	CS
357	GAS GANGRENE ANTITOXIN (POLYVALENT) Injection 1 amp. containing 3,000 U. Welchii, 1,500 U. Septique, 1,000 U. Oedematiens		2	1	* 2 1 3	CS

357—continued

1 amp. containing 7,500 U. Welchii, 3,750 U. Septique, 2,500 U. Oedematiens				2	1	* 4 9 3	CS
358 GAS GANGRENE ANTITOXIN (SEPTIQUE)							
Injection 5,000 U. amp.				2	1	* 2 1 3	CS
359 GAS GANGRENE ANTITOXIN (WELCHII)							
Injection 4,000 U. amp.				3	1	* 2 9 6	CS
10,000 U. amp.				10	1	*10 12 9	CS
360 GENTIAN							
Mixture Acid, P.L.				8 fl. oz.	4	0 7 8	Extemp.
Mixture Alkaline, P.L.				8 fl. oz.	4	0 7 6	Extemp.
361 GLUCOSE, LIQUID, B.P. 1953							
1 lb.				1	..	0 4 0	WD
						0 5 0	DH, FA
362 GLYCERIN							
Glycerin, B.P. 4 oz. bottle				1	..	0 3 9	DH
Cream, P.L.				1920 gr.	1	0 9 2	Extemp.
Suppositories, B.P.				12	1	0 3 6	FH
						0 3 9	AN, DH, FA, SL
Suppositories for Infants 15 gr. Glycerin ..				12	1	0 3 6	FH
						0 3 9	AN, DH, FA, SL
363 GLYCERYL TRINITRATE							
Oral Tablet, B.P. 1/100 gr. tab.				100	2	0 4 4	FA, TO
						0 4 9	BW, DH, HY
375 HALIBUT LIVER OIL							
Capsule, B.P. 4,500 U. cap.				P 100	1	0 18 9	BT, CK, KL, MG, SL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
376	HAMAMELIS Suppository with Zinc Oxide, B.P.C. Ointment, B.P.		12 1920 gr.	1 1	0 13 5 0 19 11	AN Extemp.
377	HARTMANN'S SOLUTION Injection, B.P. 1 litre bottle... ..		2	1	* 1 11 5	DH, EV
378	HARTMANN'S SOLUTION WITH DEXTROSE Injection 5%, 1 litre bottle 10%, 1 litre bottle		2 2	1 1	* 1 11 5 * 1 11 5	DH DH
379	HEPARIN Injection, B.P. 1,000 U. per cc., 5 cc. vial.. 5,000 U. per cc., 5 cc. vial.. 12,500 U. per cc., 1 cc. amp. .		5 2 2		* 2 9 5 * 3 1 1 * 4 2 9 4 9 5 * 5 2 9 * 3 0 7	BT, EV, LP AB, WP BT, EV, LP, OR AB WP AB, EV
380	HEPARIN RETARD Injection 20,000 U. per 2 mil. amp. ..		6	..	8 13 5	BT
393	HEXACHLOROPHENE, 3% WITH ENT-SUFON	H	..	..	..	

381 HEXAMETHONIUM TARTRATE									
Injection, B.P.	1 cc. amp...	..	..	..	6	1	0 10 8	MB	
Oral Tablet, B.P.	350 mg. tab.	..	..	..	25	3	0 6 3	MB	
382 HEXOESTROL									
Injection	1 mg. per 1 cc. amp.	..	..	..	6	1	0 8 9	AN, FM	
	5 mg. per 1 cc. amp.	..	..	..	6	1	0 10 1	AN, FM	
383 HEXYLRESORCINOL									
Oral Pill	0.1 G. pill	..	..	..	5	..	0 12 9	MK	
	0.2 G. pill	..	..	..	5	..	0 14 1	MK	
384 HISTAMINE ACID PHOSPHATE									
Injection, B.P.	0.5 mg. per 0.5 cc. amp.	..	..	..	6	1	0 8 1	BD	
	1 mg. per 1 cc. amp.	..	..	..	6	1	0 8 5	BD	
	10 mg. per 10 cc. vial	..	..	..	1	1	0 8 9	BD	
385 HYALURONIDASE									
Injection	1 mg. amp. containing 1,500 I.U. (with required solvent)	..	..	..	5	1	1 15 1	FO	
	3 mg. amp. containing 1,500 I.U. (with required solvent)	..	..	..	6	1	2 4 5	EV	
	500 I.U. amp. (with required solvent)	..	..	..	5	1	* 2 0 8	WY	
	Set containing 3 amps. each of 350 I.U. and 3 amps. of solvent	..	..	..	1	1	1 4 1	SC	
	Set containing 3 amps. each of 500 I.U. and 3 amps. of solvent	..	..	..	1	1	1 2 9	OR	
386 HYDROCHLORIC ACID DILUTE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0 11 11	Extemp.	

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
392	HYDROCHLOROTHIAZIDE									
	Oral Tablet	25 mg. tab.	..	..	..		50	2	1 11 5	CB, GA, MK
									1 14 9	DL
		50 mg. tab.	..	..	..		50	2	2 13 5	CB, GA, MK
									2 19 5	DL
387	HYDROCORTISONE									
	Injection, B.P. (or Rectal Drip)					AD	1	..	2 0 1	BT, MK, OR, RL
	5 mg. per cc., 20 cc. I.V. amp.						5 mil.	2	0 19 5	DH, MK
	Eye Drops 0.5%						10 mil.	2	0 18 9	AN
	1% ..						3 mil.	2	0 19 5	AN, GL, RL, SI
	2.5%						3 mil.	2	2 0 9	SI
							5 mil.	2	2 10 0	DH
									2 12 9	MK
							10 mil.	2	2 10 9	AN
	Eye Ointment 0.5%						3 G.	..	0 9 5	GL, RL
							4 G.	..	0 10 9	KL
									0 11 8	UP
									0 13 5	DH, PF
							5 G.	..	0 10 9	SI
394	HYDROCORTISONE ACETATE									
	(For Local Use)									
	Injection	25 mg. per cc. vial	..	..	..		5	..	2 7 4	AN, MK, RL

389 HYDROCORTISONE SODIUM SUCCINATE

Injection 100 mg. of base in 2 cc. amp. ..

D

1

..

3 17 5

GL, UP

395 HYDROFLUMETHIAZIDE

Oral Tablet 50 mg. tab.

50

2

2 0 1

BT, GL, LP, SQ

390 HYDROGEN PEROXIDE SOLUTION

10 vol. 4 oz. bottle

1

..

0 1 8

RT, WD

0 2 0

DH, FA

8 oz. bottle

1

..

0 2 8

DH, FA

20 vol., B.P. 4 oz. bottle

1

..

0 2 0

RT, WD

0 2 6

DH

Ear Drops, P.L.

½ fl. oz.

2

0 5 8

Extemp.

396 HYDROXYCHLOROQUINE SULPHATE

Oral Tablet 20 mg. tab.

100

2

2 4 1

WL

391 HYOSCINE HYDROBROMIDE

Injection, B.P. 1/150 gr. amp.

6

..

0 6 9

BL, DH, FH, KL, SJ

1/100 gr. amp.

6

..

0 6 9

BL, BT, DH, FH, KL, SJ

1/75 gr. amp.

6

..

0 6 9

BL, KL

1/100 gr. per cc., 10 cc. vial

1

..

0 5 9

FA

Hypo. Tablet, B.P.

1/200 gr. hypo. tab. (with required solvent)

20

1

0 4 9

PD

1/150 gr. hypo. tab. (with required solvent)

20

1

0 4 9

DH, FA, PD

1/100 gr. hypo. tab. (with required solvent)

20

1

0 5 1

DH, FA, PD

Oral Tablet, B.P. 1/100 gr. tab.

100

2

0 8 1

DH, HY

410 ICHTHAMMOL

Ear Drops, P.L.

½ fl. oz.

2

0 6 1

Extemp.

Paint, P.L.

1 fl. oz.

1

0 6 11

Extemp.

Pessary, 5%

12

1

0 10 9

AN

Eye Ointment with Zinc Oxide, P.L. ..

60 gr.

..

0 6 1

Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
411	INDIGO CARMINE					
	Injection 0.4%, 4 cc. amp.		6	..	0 10 9	DH, FH
	0.4%, 10 cc. amp.		6	..	0 17 5	DH
412	INSULIN					
	Injection, B.P. 20 U. per cc., 10 cc. vial ..		10	2	* 1 16 8	BW, CS
	40 U. per cc., 5 cc. vial ..		10	2	* 1 16 8	GL-BD, BT, BW, WP
	40 U. per cc., 10 cc. vial ..		10	2	* 3 9 2	GL-BD, BT, BW, CS, DH, EV, LP, WP
	80 U. per cc., 5 cc. vial ..		10	2	* 3 9 2	GL-BD, BT, BW
	80 U. per cc., 10 cc. vial ..		10	2	* 6 0 0	GL-BD, BT, BW, CS, DH, EV
	100 U. per cc., 5 cc. vial ..		10	2	* 3 17 6	CS
	300 U. per cc., 5 cc. vial ..		10	2	* 11 12 6	CS
413	INSULIN GLOBIN ZINC					
	Injection, B.P. 40 U. per cc., 5 cc. vial ..		10	2	* 2 1 8	BT, BW, WP
	80 U. per cc., 5 cc. vial ..		10	2	* 3 15 0	BT, BW, WP
414	INSULIN ISOPHANE (N.P.H.)					
	Injection 40 U. per cc., 10 cc. vial ..		10	2	* 4 10 0	GL-BD, BT, BW, CS, DH, LP
	80 U. per cc., 10 cc. vial ..		10	2	* 8 10 0	GL-BD, BT, BW, CS, DH, LP
415	INSULIN PROTAMINE ZINC					
	Injection, B.P. 40 U. per cc., 5 cc. vial ..		10	2	* 2 1 8	GL-BD, BT, BW, WP
	40 U. per cc., 10 cc. vial ..		10	2	* 3 15 0	GL-BD, BT, BW, CS, DH, EV, LP, WP
	80 U. per cc., 5 cc. vial ..		10	2	* 3 15 0	GL-BD, BT, BW
	80 U. per cc., 10 cc. vial ..		10	2	* 6 13 4	BW, CS, DH, EV

416 INSULIN SPECIAL P (PIG)									
Injection	40 U. per cc., 10 cc. vial ..	10	2	* 3 15 0	CS				
417 INSULIN ZINC									
Suspension, B.P.—Injection									
40 U. per mil., 10 mil. vial	10	2	* 4 10 0	GL-BD, BT, BW, CS, EV					
80 U. per mil., 10 mil. vial	10	2	* 8 10 0	GL-BD, BT, BW, CS, EV					
Suspension (Amorphous), B.P.—Injection									
40 U. per mil., 10 mil. vial	10	2	* 4 10 0	GL-BD, BT, BW, CS, EV					
80 U. per mil., 10 mil. vial	10	2	* 8 10 0	GL-BD, BT, BW, CS, EV					
Suspension (Crystalline), B.P.—Injection									
40 U. per mil., 10 mil. vial	10	2	* 4 10 0	GL-BD, BT, BW, CS, EV					
80 U. per mil., 10 mil. vial	10	2	* 8 10 0	GL-BD, BT, BW, CS, EV					
418 IODINE									
Non-staining Ointment, B.P.C.	1920 gr.	1	0 12 5	Extemp.					
Solution Aqueous, B.P. (Lugol's)	4 fl. oz.	1	0 10 10	Extemp.					
Solution, Weak, B.P.	4 fl. oz.	1	0 11 2	Extemp.					
Paint, Compound	1 fl. oz.	1	0 7 0	Extemp.					
428 IODOCHLORHYDROXYQUINOLINE									
Oral Tablet 250 mg. tab.	100	2	1 2 1	CB					
419 IODOXYL									
Injection, B.P. 10 cc. vial	1	1	0 11 9	DH, GL, MB					
20 cc. vial	1	1	1 0 4	DH, FH, GL, MB, SO					
420 IPECACUANHA									
Oral Tablet with Opium, B.P.	100	2	0 8 9	DH, HY, TO					
421 IPECACUANHA TINCTURE									
Mixture with Squill for Infants, P.L. ..	4 fl. oz.	4	0 8 0	Extemp.					

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
								£	s.	d.	
422	IRON AND AMMONIUM CITRATE										
	Mixture for Infants, P.L.	..	..	..		4 fl. oz.	4	0	7	8	Extemp.
	Mixture with Nux Vomica, P.L.	..	..	..		8 fl. oz.	4	0	7	5	Extemp.
426	IRON OXIDE SACCHARATED										
	Injection	100 mg. per	5 cc. I.V. amp.	..	D	6	..	1	2	9	CK
		200 mg. per	10 cc. I.V. amp.	..	D	6	..	1	14	9	CK
423	ISONIAZID										
	Oral Tablet, B.P.	50 mg. tab.	..	..	D	200	2	0	10	9	DH, HY, RY
								0	12	9	AN
								* 0	13	5	AD, CC, CM, HA, KL, PR, SI, SN
								* 0	17	5	RO
		100 mg. tab.	..	..	D	100	2	0	12	9	AD, AN, CC, CM, DH, HY, KL, PR, RY, SI
								0	16	1	RO
424	ISOPRENALINE HYDROCHLORIDE										
	Inhalation	1 in 200, ½ fl. oz.	bottle	..		1	1	0	6	1	WL
	Oral Tablet	10 mg. tab.	..	..		100	2	0	14	1	WL
425	ISOPRENALINE SULPHATE										
	Inhalation	10 mg. per cc.,	7 cc. vial	..		1	1	0	7	1	BW
	Oral Tablet, B.P.	20 mg. tab.	..	..		100	2	0	18	9	BW
								0	19	5	CM
	Spray, B.P.C.	..	..	..		½ fl. oz.	2	0	7	6	Extemp.

450	KAOLIN, LIGHT										
	Mixture for Infants, P.L.	..	..	..	..	4 fl. oz.	4	0	6	8	Extemp.
	Mixture, Alkaline, P.L.	..	..	..	..	8 fl. oz.	4	0	7	0	Extemp.
	Mixture with Opium, P.L.	..	..	..	..	8 fl. oz.	4	0	8	8	Extemp.
	Internal Powder, Compound, P.L.	..	..	..	..	1920 gr.	1	0	8	5	Extemp.
	Dusting Powder, Compound, P.L.	..	..	..	..	1920 gr.	1	0	7	7	Extemp.
451	KAOLIN, HEAVY										
	Poultice, B.P.	½ lb.	..	..	..	1	1	0	5	5	AL
								0	5	8	FA
		1 lb.	..	..	..	1	1	0	8	11	FA
460	LEPTAZOL										
	Injection, B.P.	1.1 cc.	amp.	..	..	6	1	0	8	5	BL
								* 0	9	6	KN
		5 cc.	amp.	..	..	6	1	* 1	8	9	KN
461	LOBELIA AND STRAMONIUM										
	Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	9	4	Extemp.
462	LUCANTHONE HYDROCHLORIDE										
	Oral Tablet, B.P.	200 mg.	tab.	..	..	30	..	1	8	1	BW
		500 mg.	tab.	..	..	100	..	8	10	9	BW
475	MAGENTA, B.P.C.										
	Paint with Resorcinol, P.L.	..	..	..	..	1 fl. oz.	1	0	7	5	Extemp.
476	MAGNESIUM BICARBONATE SOLUTION										
	Solution, B.P. 1948	8 fl. oz.	bottle	..	..	1	4	0	2	6	FA
477	MAGNESIUM CARBONATE, LIGHT										
	Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	7	5	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
478	MAGNESIUM HYDROXIDE MIXTURE Mixture, B.P. 6 fl. oz. bottle		1	4	0 2 6 0 3 0	FA DH
479	MAGNESIUM SULPHATE Paste, A.P.F. Mixture, P.L.		1920 gr. 8 fl. oz.	1 4	0 7 2 0 6 11	DH, FA Extemp.
480	MAGNESIUM TRISILICATE Mixture, P.L. Internal Powder with Belladonna, P.L. ..		8 fl. oz. 1920 gr.	4 1	0 7 0 0 9 11	Extemp. Extemp.
481	MALT EXTRACT Extract, B.P. Extract with Cod Liver Oil, B.P.	CP CP	1 lb. 1 lb.	3 3	0 5 0 0 5 6	FA, WD WD
482	MECAMYLAMINE Oral Tablet 2.5 mg. tab. 10 mg. tab.		100 100	2 2	1 2 9 3 17 9 (ex 500) 3 18 9 (ex S.P.)	MK MK MK
483	MECHOLYL CHLORIDE Injection 25 mg. amp.		6	..	1 6 1 3 6 1	SY MK

484	MENAPHTHONE								
	Aqueous Injection	1 mg. per 1 cc. amp.	..	6	1	0 9 1	RO		
						0 11 5	PD		
		5 mg. per 1 cc. amp.	..	6	1	0 9 5	AB, AD, BL, FH, FM		
		10 mg. per 1 cc. amp.	..	6	1	0 9 5	AD, BL, DH, FH, GL, RO		
		75 mg. per 1 cc. amp.	..	6	1	1 0 9	BL, DH, FH		
	Oily Injection	5 mg. per 1 cc. amp.	..	6	1	0 8 8	AD		
						0 12 9	BD, FH, VM		
		10 mg. per 1 cc. amp.	..	6	1	0 12 9	AD, DH, FH,		
	Oral Capsule	4 mg. cap.		100	2	1 1 5	PD		
	Oral Tablet	4.8 mg. tab.		100	2	0 8 9	AB		
		5 mg. tab.		100	2	0 8 1	FM, HY, RT		
		10 mg. tab.		100	2	0 10 9	CM, FM, RT		
485	MENTHOL								
	Inhalation Compound, P.L.		..	2 fl. oz.	1	0 10 1	Extemp.		
486	MEPACRINE HYDROCHLORIDE								
	Oral Tablet, B.P.	100 mg. tab.		100	2	0 10 2	IO		
487	MEPYRAMINE MALEATE								
	Injection	2.5%, 2 cc. amp.	..	10	..	0 12 9	MB		
	Oral Tablet, B.P.	50 mg. tab.		50	1	* 0 8 1	MB		
		100 mg. tab.		50	1	* 0 10 9	MB		
488	MERCAPTOMERIN SODIUM								
	Injection	Set containing 1.4 G. vial and 10 cc. water for injection	..	3	..	* 2 17 6	WY		
489	MERCAPTOPURINE								
	Oral Tablet	50 mg. tab.		D 25	..	5 9 5	BW		
490	MERCURIC OXIDE								
	Eye Ointment, B.P.		..	60 gr.	..	0 4 1	AN, FH		
						0 4 6	DH		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
491	MERSALYL ACID Injection, B.P. 1 cc. amp.		12	..	* 0 12 9 * 0 14 1 * 0 15 5	AD, BD, BL, DH, EV, FH SJ BA
	2 cc. amp.		12	..	* 0 13 11 * 0 14 1 * 0 14 9 * 0 18 1	AD, BL, DH, EV, FH, VR SJ BD BA, BT
507	METHENAMINE MANDELATE Oral Tablet 0.25 G. tab.		100	2	* 0 14 1	WW
492	METHOIN Oral Tablet, B.P. 100 mg. tab.		200	1	1 7 1	SZ
493	METHORPHINAN, B.P.C. Injection 2.2 mg. per 1.1 cc. amp.	D	6	..	0 10 9	RO
	Oral Tablet 1.5 mg. tab.	D	50	..	1 0 6	RO
508	METHOTREXATE	H	..	..	..	
494	METHYLAMPHETAMINE HYDRO-CHLORIDE Injection, B.P. 30 mg. per 1.5 cc. amp.		6	1	0 10 9	BT, BW
	Oral Tablet, B.P. 5 mg. tab... .. .		100	2	0 14 9	AB, BW, KL, MG, PH, QE, SL, VR

495	METHYL ANDROSTANOLONE								
	Oral Tablet	25 mg. tab.	..	..	D	100	2	8 2 9	RL
496	METHYLANDROSTENEDIOL								
	Oral Tablet	5 mg. tab.	..	..	D	100	2	1 12 1	MB
		10 mg. tab.	..	..	D	100	2	2 17 5	MR
497	METHYLCELLULOSE, A.P.F.								
	Eye Drops, P.L.		..	..		$\frac{1}{2}$ fl. oz.	2	0 6 5	Extemp.
498	METHYLERGOMETRINE MALEATE								
	Injection, B.P.	0.2 mg. per mil., 0.5 mil. amp.				6	..	0 11 8	SZ
		0.2 mg. per mil., 1.0 mil. amp.				6	..	0 15 0	SZ
	Oral Tablet	0.125 mg. tab.	..	..		100	2	3 14 5	SZ
499	METHYL SALICYLATE								
	Liniment, P.L.		..	..		4 fl. oz.	1	0 9 4	Extemp.
500	MORPHINE HYDROCHLORIDE SOLUTION								
	Linetus, P.L.		..	..		8 fl. oz.	4	0 15 2	Extemp.
501	MORPHINE SULPHATE								
	Hypo. Tablet, B.P.								
	$\frac{1}{12}$ gr. hypo. tab. (with required solvent)		..			20	..	0 4 9	DH
	$\frac{1}{8}$ gr. hypo. tab. (with required solvent)		..			20	..	0 5 1	DH, FA, PD
	$\frac{1}{6}$ gr. hypo. tab. (with required solvent)		..			20	..	0 5 5	DH, FA, PD
	$\frac{1}{4}$ gr. hypo. tab. (with required solvent)		..			20	..	0 5 9	DH, FA, PD
	$\frac{1}{3}$ gr. hypo. tab. (with required solvent)		..			20	..	0 6 1	DH
	$\frac{1}{2}$ gr. hypo. tab. (with required solvent)		..			20	..	0 6 9	DH, FA, PD

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
501—continued						
	Injection, B.P.				£ s. d.	
	$\frac{1}{4}$ gr. amp.		6	..	0 8 5	AD, BL, BT, DH, FH, KL, SJ
	$\frac{1}{4}$ gr. amp.		6	..	0 8 5	AD, BL, BT, DH, FH, KL, SJ
	$\frac{1}{4}$ gr. amp.		6	..	0 8 5	BL, DH, FH, KL, SJ
	$\frac{1}{2}$ gr. amp.		6	..	0 8 5	BL, BT, DH, FH, KL, SJ
	$\frac{1}{4}$ gr. per cc., 10 cc. vial		1	..	0 6 1	FH, PD
	$\frac{1}{2}$ gr. per cc., 10 cc. vial		1	..	0 7 5	FA, FH
502 MORPHINE WITH ATROPINE						
	Morphine Sulphate $\frac{1}{12}$ gr.; Atropine Sulphate $\frac{1}{150}$ gr.—Hypo. Tab. 1 hypo. tab. .. (with required solvent)		20	..	0 4 6	DH
	Morphine Sulphate $\frac{1}{8}$ gr.; Atropine Sulphate $\frac{1}{150}$ gr.—Hypo. Tab. 1 hypo. tab. .. (with required solvent)		20	..	0 5 1	DH
	Morphine Sulphate $\frac{1}{8}$ gr.; Atropine Sulphate $\frac{1}{200}$ gr.—Injection 1 amp.		6	..	0 8 5	BL, DH
	Morphine Sulphate $\frac{1}{8}$ gr.; Atropine Sulphate $\frac{1}{180}$ gr.—Hypo. Tab. 1 hypo. tab. .. (with required solvent)		20	..	0 5 5	DH
	Morphine Sulphate $\frac{1}{8}$ gr.; Atropine Sulphate $\frac{1}{150}$ gr.—Hypo. Tab. 1 hypo. tab. .. (with required solvent)		20	..	0 5 5	DH, FA
	Injection 1 amp.		6	..	0 8 5	BL, BT, DH, FH
	Morphine Sulphate $\frac{1}{8}$ gr.; Atropine Sulphate $\frac{1}{120}$ gr.—Injection 1 amp.		6	..	0 8 5	AD, BL, DH
	Morphine Sulphate $\frac{1}{8}$ gr.; Atropine Sulphate $\frac{1}{150}$ gr.—Hypo. Tab. 1 hypo. tab. .. (with required solvent)		20	..	0 5 9	DH, FA, PD

502—continued

Injection	1 cc. amp...	6	..	0 8 5	AD, BL, BT, DH, FH, KL
	per cc., 10 cc. vial	1	..	0 6 0	FA, PD
Morphine Sulphate $\frac{1}{2}$ gr.; Atropine Sulphate	..				
1/120 gr.—Hypo. Tab. 1 hypo. tab.	..	20	..	0 5 9	DH
(with required solvent)					
Morphine Sulphate $\frac{1}{2}$ gr.; Atropine Sulphate	..				
1/100 gr.—Hypo. Tab. 1 hypo. tab.	..	20	..	0 5 9	DH, FA
(with required solvent)					
Injection	1 amp. ..	6	..	0 8 5	BL, BT, DH, FH
503 MORPHINE WITH HYOSCINE					
Morphine Sulphate $\frac{1}{2}$ gr.; Hyoscine Hydro-					
bromide 1/100 gr.—Injection 1 cc. amp...		6	..	0 8 5	AD, BL, DH, FH
504 MUSTINE HYDROCHLORIDE					
Injection, B.P.					
10 mg. amp. (with required solvent)	.. D	1	..	0 19 5	BT
541 NALORPHINE HYDROBROMIDE					
Injection, B.P. 10 mg. amp.	..	6	1	1 2 9	AN, BW
1 mg. per mil., 5 mil. vial	..	1	..	0 11 9	BW
553 NEOMYCIN SULPHATE					
Eye Drops, 3.5%		10 mil.	2	0 9 5	DH, SI
542 NEOSTIGMINE BROMIDE					
Oral Tablet, B.P. 15 mg. tab.		100	2	1 4 9	RO
Eye Drops		7.5 mil.	2	0 13 10	RO
543 NEOSTIGMINE METHYLSULPHATE					
Injection, B.P. 0.5 mg. per cc., 1 cc. amp.	..	6	3	0 8 6	RO
2.5 mg. per cc., 5 cc. vial	..	1	1	0 9 5	RO

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
544	NICOTINAMIDE							£ s. d.	
	Injection, B.P.	50 mg. per cc.,	1 mil. amp.			6	1	0 8 5	BD, DH, FH
	Oral Tablet, B.P.	50 mg. tab.		P	100		2	0 8 1	AB, AN, BD, DH, KL, MG, PR, RT, SL, TO
		100 mg. tab.		P	100		2	0 13 5	AB, AN, DH, KL, MG, RT, SL, TO
545	NICOTINIC ACID								
	Oral Tablet, B.P.	25 mg. tab.		P	100		2	0 4 9	AB, HY, KL, RT, RY, TO
		50 mg. tab.		P	100		2	0 6 1	AB, AD, AN, DH, HY, KL, MG, PR, RT, RY, SI, TO, VA, WD
		100 mg. tab.		P	100		2	0 6 9	AB, AN, DH, HY, KL, MG, RT, RY, TO, VA
		250 mg. tab.		P	100		2	0 9 5 0 10 9	KL, RT, RY, VA, WD AB, AD, HY, MG, SI, TO
551	NICOUMALONE								
	Oral Tablet	4 mg. tab.			50		..	1 13 5	GE
546	NIKETHAMIDE								
	Injection, B.P.	1.5 cc. amp.			6		1	0 8 1	CB
		2 cc. amp.			6		1	0 6 9	BT, FH
		5 cc. amp.			6		1	0 13 5 * 0 15 5	BD CB
547	NITROFURANTOIN								
	Oral Tablet	50 mg. tab.		D	25		1	2 0 9	SK

548 NITROMIN									
Injection	50 mg. amp.	..	..	..	D	5	1	4 6 1	SI
Oral Tablet	5 mg. tab.	..	..	..	D	100.	2	5 16 1	SI
549 NORADRENALINE ACID TARTRATE									
Injection	1 in 1,000, 2 mil. amp.	..	..	..		6	..	1 16 9	WL
552 NORETHANDROLONE									
		..	..	..	H	..	..	..	
550 NYSTATIN									
Oral Tablet	500,000 U. tab.	..	..	..	D	50	..	3 7 5	SQ
Vaginal Tablet	100,000 U. vaginal tab.	..	..	..	D	15	..	1 1 1	SQ
561 OESTRADIOL DIPROPIONATE									
Injection	1 mg. per 1 cc. amp.	..	..	..		6	1	* 1 0 1	CB
	5 mg. per 1 cc. amp.	..	..	..		6	1	* 2 7 4	CB
562 OESTRADIOL MONOBENZOATE									
Injection, B.P.	2 mg. per cc., 1 mil. amp.	..	..	..		6	1	1 10 9	BD, FH, OR
563 OESTRONE									
Injection	1,000 U. amp. aqueous	..	..	..		6	1	0 10 9	OR
	10,000 U. amp. oily	..	..	..		6	1	0 17 5	OR
Suppository	1,000 U.	..	..	..		12	1	0 18 7	OR
	10,000 U.	..	..	..		12	1	1 10 5	OR
564 OLIVE OIL, B.P.									
2 oz. bottle	..	..	..	..		1	..	0 1 9	WD
4 oz. bottle	..	..	..	..		1	..	0 2 9	WD
								0 3 3	DH
8 oz. bottle	..	..	..	..		1	4	0 4 9	WD

Item No.	Name, Manner of Administration and Form				Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
565	OUABAIN							£ s. d.	
	Injection, B.P. 0.25 mg. amp.					3	..	* 0 17 0	NA
	0.5 mg. amp.					3	..	* 0 18 2	NA
566	OXYTETRACYCLINE DIHYDRATE								
	Oral Tablet, B.P. 100 mg. tab.				D	25	..	2 8 9	PF
	250 mg. tab.				D	16	..	3 9 5	PF
567	OXYTETRACYCLINE HYDROCHLORIDE								
	Oral Suspension 0.125 G. per 5 cc., 2 fl. oz. bottle				CD	1	..	1 16 9	PF
	Injection, B.P.								
	100 mg. vial I.M. (with required solvent) ..				D	6	..	* 4 18 9	PF
	250 mg. per cc., 10 cc. vial, I.V. (with required solvent)				D	6	..	* 8 10 9	PF
	Oral Capsule 50 mg. cap.				D	25	..	1 8 1	PF
	100 mg. cap.				D	25	..	2 8 9	PF
	250 mg. cap.				D	16	..	3 3 11	PF
								(ex 100)	
								3 9 5	PF
570								(ex S.P.)	
	Eye Ointment, 0.5%					60 gr.	...	0 6 9	PF
570	OXYTETRACYCLINE I.M.								
	Solution, Preconstituted				H	..	..	..	

568 OXYTETRACYCLINE OPHTHALMIC SUSPENSION									
Suspension, 1%					6 mil.	2	0 12 0	PF	
569. OXYTOCIN									
Injection, B.P. 0.5 cc. amp.					6	..	0 12 9	PD	
1 cc. amp.					6	..	0 18 1	PD	
581 PANCREATIN									
Oral Powder 1 oz. vial	D			1	2		0 17 1	PD	
Oral Tablet 5 gr. tab.	D			100	2		1 0 9	OF	
							1 1 1	PD	
582 PANCREX 5									
Oral Tablet 1 gr. tab.	D			100	2		0 14 1	ST	
583 PAPAVERETUM, B.P.C.									
Hypo. Tablet, B.P.C.									
$\frac{1}{2}$ gr. hypo. tab. (with required solvent) ..				20	..	*	0 7 7	RO	
Injection, B.P.C. $\frac{1}{2}$ gr. per 1 cc. amp. ..				6	..		0 7 9	BL	
20 mg. per 1 cc. amp. ..				6	..		0 6 9	BT, FH, RO	
							0 7 9	BL	
Oral Tablet, B.P.C. $\frac{1}{2}$ gr. tab.				20	..	*	0 5 10	HY	
							0 6 9	RO	
584 PAPAVERETUM WITH HYOSCINE HYDROBROMIDE									
Injection—									
Papaveretum 20 mg.; Hyoscine Hydrobromide 0.43 mg. 1 cc. amp.				6	..		0 7 2	BT, FH, RO	
Papaveretum $\frac{2}{3}$ gr.; Hyoscine Hydrobromide 1/150 gr. 1 cc. amp.				6	..		0 7 2	RO	

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.
585	PAPAVERINE HYDROCHLORIDE								
	Injection	$\frac{1}{2}$ gr. per 1 cc. amp.	..	..		6	..	0 7 5	AD, FH, KL
		$1\frac{1}{2}$ gr. per 5 cc. amp.	..	..		6	..	0 13 5	AN
		2 gr. per 10 cc. amp.	..	..		6	..	0 13 5	DH, KL
								* 0 13 5	FH, HA
	Oral Tablet	$\frac{3}{4}$ gr. tab.	..	..		100	2	0 18 9	AN
								1 1 5	CC, HY, KL, MG, PR, QE, RT
		$1\frac{1}{2}$ gr. tab.	..	..		100	2	1 10 9	AN, DH, FA
								1 14 9	CC, HA, HY, KL, MG, PR, QE, RT
586	PARA-AMINOSALICYLIC ACID								
	Oral Tablet	0.3 G. tab.	..	..	D	200	1	* 1 2 9	DH
								1 16 1	HY
		0.5 G. tab.	..	..	D	200	1	1 2 9	AN, HY, KL, PR
								* 1 2 9	TO
								* 1 4 1	DH
								* 1 5 3	AD, SI
587	PARAFFIN, HARD								
	Ointment, B.P.	..	..	..		1920 gr.	1	0 10 7	Extemp.
588	PARAFFIN LIQUID								
	Liquid Paraffin	8 oz. bottle	..			1	4	0 2 3	FA, RT, WD
								0 2 6	DH
	Emulsion, Paraffin 33%	16 fl. oz. bottle	..			1	4	0 6 6	MG
								0 7 3	DH, FA, SI, SL, WW, WY

589	PARALDEHYDE								
	Injection	5 cc. amp...	..	..	..	6	1	0 12 9	DH, FH, FM
		10 cc. amp...	..	..	..	6	1	0 12 9	FH, FM
	Mixture, P.L.	..	..	..	..			0 14 5	DH
						8 fl. oz.	4	0 11 11	Extemp.
590	PARAMETHADIONE								
	Oral Capsule, B.P.	0.3 G. cap.	..	..	..	200	1	6 14 4	AB
651	PENICILLINASE								
	Injection	800,000 U. amp.	..	..	..	1	..	5 12 9	SI
652	PENICILLIN BENETHAMINE								
	Injection with Penicillin Procaine and Penicillin Sodium—								
	vial containing:								
	500,000 U. Penicillin, Benethamine;								
	250,000 U. Penicillin, Procaine;								
		500,000 U. Penicillin, Sodium	..	..	..	1	..	0 10 9	GL
591	PENICILLIN, BENZATHINE								
	Oral Tablet, B.P.	200,000 U. tab.	..	..	..	100	1	2 12 9	WY
	Injection with Penicillin, Procaine and Penicillin, Potassium—								
	vial containing:								
	600,000 U. Penicillin, Benzathine;								
		300,000 U. Penicillin, Procaine;							
		300,000 U. Penicillin, Potassium	..	..	..	1	..	0 11 8	WY
	(with required solvent)								
592	PENICILLIN, BENZYL								
	Oral Tablet, B.P.	200,000 U. tab.	..	..	..	25	3	0 16 1	GL, SI
		400,000 U. tab.	..	..	..	25	3	1 6 9	GL

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
592— <i>continued</i>						
	Injection, B.P.					
	100,000 U. amp. (with required solvent) ..		6	..	* 0 14 9	BD, GL, SI
	200,000 U. amp. (with required solvent) ..		6	..	* 0 15 3	BD, BT, GL, LP, SI
	500,000 U. amp. (with required solvent) ..		6	..	* 1 2 9	BT, DL, GL, LP, SI
	Set containing 1 vial Peni- cillin G. 500,000 U. and 1 vial Double Distilled Water 2 cc.		6	..	* 1 6 3	BT, CS, DH
	1,000,000 U. amp. (with required solvent)		6	..	* 1 8 9	BT, DH, DL, EV, GL, SI
	Set containing 1 vial Peni- cillin G. 1,000,000 U. and 1 vial Double Distilled Water 2 cc.		6	..	* 1 12 3	BT, CS, DH
	1,500,000 U. amp. (with required solvent)		6	..	* 2 1 3	DH, GL, SI
	Set containing 1 vial Peni- cillin G. 1,500,000 U. and 1 vial Double Distilled Water		6	..	* 2 4 9	DH
	Eye Drops 30,000 U. per ½ fl. oz.		240 min.	2	0 10 4	SI
	Eye Ointment 2,000 U. per G.		4 G.	..	0 5 1	SI
					0 5 5	DH
593	PENICILLIN BENZYL PROCAINE (Aqueous Suspension) Injection, B.P.— 300,000 U. amp.		6	..	* 1 6 3	BT

593—continued

400,000 U. vial	..	..	..	..	6	..	* 1 6 9	DH
600,000 U. vial	..	..	..	..	6	..	* 1 13 3	BT, DH, FA
900,000 U. vial	..	..	..	..	6	..	* 2 0 3	BT, CS, DH, EV, GL, SI, VR
1,000,000 U. vial	..	..	..	..	6	..	* 2 2 9	AB, DH, EV, FA, SI
1,500,000 U. vial	..	..	..	..	6	..	* 2 14 9	BT, CS, DH, EV, FA, GL, SI, VR
(Crystalline) Injection—								
300,000 U. amp. (with required solvent)	..				6	..	* 1 2 3	BT, DL, GL, SI
Set containing 1 vial Penicillin 300,000 U. and 1 vial Water for Injection	..				6	..	* 1 6 3	CS
900,000 U. amp. (with required solvent)	..				6	..	* 1 16 3	BT, DL, GL, MB, SI
Set containing 1 vial Penicillin 900,000 U. and 1 vial Water for Injection	..				6	..	* 2 0 3	CS
1,500,000 U. amp. (with required solvent)	..				6	..	* 2 10 9	SI
Set containing 1 vial Penicillin 1,500,000 U. and 1 vial Water for Injection	..				6	..	* 2 14 9	CS

594 PENICILLIN BENZYL, PROCAINE FORTIFIED

Injection, B.P.—

400,000 U. amp. (with required solvent)	..				6	..	* 1 2 9	BT, DL, GL, SI
Set containing 1 vial Penicillin 400,000 U. and 1 vial Water for Injection	..				6	..	* 1 6 9	CS
600,000 U. amp. (with required solvent)	..				6	..	* 1 9 3	DH
1,200,000 U. amp. (with required solvent)	..				6	..	* 2 4 9	DH, DL, GL, SI
Set containing 1 vial Penicillin 1,200,000 U. and 1 vial Water for Injection	..				6	..	* 2 8 9	CS
1,500,000 U. amp. (with required solvent)	..				6	..	* 2 10 9	DH, GL

595 PENICILLIN, PHENOXYMETHYL (BENZATHINE, CALCIUM, HYDRABAMINE OR POTASSIUM SALT OR FREE ACID)

(Suspension) Oral 125 mg. per dram, 2 fl. oz.
bottle

C

1

..

1 6 9

AB, AN, BT, CM, CS, DH, DL, GL, SI

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
595—continued								£ s. d.	
Oral Tablet	60 mg. tab.	..	..		24	..	0 15 1	AB, BT, CM, CS, DH, DL, GL, LP, LY, SI	
	125 mg. tab.	..	..		24	..	1 4 1	AB, AN, BT, CM, CS, DH, DL, FA, GL, IC, LP, LY, SI	
	250 mg. tab.	..	..		12	..	1 1 3 (ex 100)	AB, AN, BT, CM, CS, DH, DL, FA, GL, IC, LP, LY, SI	
							1 2 9 (ex S.P.)	AB, AN, BT, CM, CS, DH, DL, FA, GL, IC, LP, LY, SI	
	Oral Capsule	125 mg. cap.	..	..	24	..	1 4 1	AB, FA	
	250 mg. cap.	..	..	12	..	1 1 3 (ex 100)	AB, FA		
							1 2 9 (ex S.P.)	AB, FA	
596	PENICILLIN WITH STREPTOMYCIN								
Injection	Amp. containing Penicillin, Crystalline 100,000 U. Penicillin, Procaine 300,000 U. Streptomycin 0.5 G. (with required solvent)				D	6	..	* 1 12 9	GL, SI
	Vial containing Sodium Benzyl Penicillin 500,000 U. and Streptomycin Sulphate 0.5 G.				D	6	..	* 1 12 9	GL
597	PENTAERYTHRITOL TETRANITRATE								
Oral Tablet	10 mg. tab.	..	..	..	100	2	0 8 1	HY, WW	
	20 mg. tab.	..	..	..	100	2	0 9 5	HY, RK, WW	
	30 mg. tab.	..	..	..	100	2	0 10 9	HY	
							0 11 2	WL	
	80 mg. tab. (Sustained Action)				100	2	0 14 9	HY, WW	

598 PENTOBARBITONE SODIUM

Oral Tablet, B.P. ½ gr. tab.

50

2

0 6 5 AB
0 6 6 HY, KL, QE
0 6 9 AN, DH, GP, RY, TO, VA
0 7 1 MG

1½ gr. tab.

50

2

0 5 8 AD, DH, FA, HY, KL, MG, RT, RY,
SI, SL, VA, WD
0 5 11 AN
0 6 5 CM, PR, QE, RD, TO
0 6 9 AB, GP

(ex 1,000)

0 5 8 FA
0 7 5 RD
0 7 9 CM
0 8 1 AB, MG, PR, QE, RT, TO
0 8 5 RY, VA
0 8 9 HY
0 9 5 DH, GP
0 9 8 AD, KL, SI, WD
0 9 9 SL
0 9 10 AN

(ex S.P.)

Oral Capsule ½ gr. cap.

50

2

0 8 1 AN
0 9 5 AB, PR
0 12 9 AB
0 13 5 AN

¾ gr. cap.

50

2

0 9 11 FA, HY, KL, MG, PD, VA
0 10 7 PR
0 11 3 AN
0 11 11 AB, MB

(ex 500)

0 12 9 HY, MG, PR
0 13 5 VA
0 14 1 PD

1½ gr. cap.

50

2

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
598—continued					£ s. d.	
					0 16 9	KL
					0 16 11	MB
					0 17 5	FA
					0 18 1	AB, AN
					(ex S.P.)	
599	PENTOBARBITONE SODIUM COMPOUND					
	Oral Capsule, A.P.F. 1955		50	2	0 15 5	AB, MG
					0 15 9	AN
					0 18 5	PD
600	PENTOLINIUM TARTRATE					
	Injection, B.P. 5 mg. per cc., 10 cc. vial		1	1	0 9 5	MB
	25 mg. per cc., 25 cc. vial		1	1	1 5 5	MB
	Oral Tablet, B.P. 40 mg. tab.		50	2	* 0 12 2	MB
	200 mg. tab.		50	2	1 5 5	MB
601	PENTOLINIUM TARTRATE WITH EPHEDRINE					
	Injection 25 mg. per cc., 25 cc. vial ..		1	1	1 9 5	MB
602	PERTUSSIS PROPHYLACTIC					
	(Haemagglutinin Aluminium Phosphate Adsorbed)					
	Injection ½ cc. amp... .. .		2	..	* 0 10 9	CS

603	PERTUSSIS VACCINE (PHASE 1) Injection 20,000 M. per cc., 1 cc. amp. ..	3	1	* 0 14 9	CS
604	PETHIDINE HYDROCHLORIDE Injection, B.P. 50 mg. per cc., 1 cc. amp. ..	6	..	0 6 9	AD, BL, BT, BW, CM, DH, FH, KL, SJ
	50 mg. per cc., 2 cc. amp. ..	6	..	* 0 8 4	RO
	50 mg. per cc., 10 cc. vial ..	1	..	0 8 5	AD, BL, BW, CM, DH, FH, KL, SJ
	50 mg. per cc., 25 cc. bottle	1	..	0 9 9	BA, BT
	50 mg. per cc., 50 cc. bottle	1	..	* 0 10 4	RO
				0 7 5	CM, DH, FH, KL
				0 14 1	AD, IC
				1 0 8	BA, DH, KL, RO
605	PETHIDINE SCOPOLAMINE Injection (Pethidine Hydrochloride 100 mg.; Scopolamine 0.43 mg.) 2 cc. amp.	6	..	0 9 1	KL
				0 9 9	BW
				0 10 6	BT
				* 0 11 2	RO
606	PHEMITONE, B.P. 1953 Oral Tablet, B.P.C. ½ gr. tab.	200	1	0 8 9	MG
				0 9 2	AD, DH, SI
				0 9 5	RY, TO, VA
				* 0 9 11	PR, QE
				0 11 10	BA, KL
				* 0 12 7	AS, CC, FA
	1 gr. tab.	200	1	0 11 9	MG
				0 12 9	AD, DH, RY, SI, VA
				0 13 5	TO
				* 0 13 5	PR, QE
				0 14 1	BA, KL
				* 0 14 9	AS, BT, CC, FA

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
606— <i>continued</i>	3 gr. tab.		200	1	£ s. d. 1 3 9 1 5 5 1 6 9 1 7 5 1 8 1 * 1 8 1	MG TO RY, VA AD, BA, DH, SI KL AS, BT, CC, FA, PR, QE
650 PHENACETIN	Oral Tablet with Codeine Phosphate and Sodium Pentobarbitone 5 gr.— $\frac{1}{4}$ gr.— $\frac{1}{2}$ gr. tab. .		100	2	0 16 5 0 16 9 0 17 9 1 2 1 (ex 100)	AD, DH, EB, FA, HY, KL, RY, SI, SL, VA RD AN, CM, MG, PR, TO AB, GP
607 PHENAZONE	Oral Tablet, B.P. 1948 5 gr. tab.		100	2	0 16 1	TO
608 PHENINDAMINE TARTRATE	Oral Tablet, B.P. 25 mg. tab.		50	2	0 11 0	RO
609 PHENINDIONE	Oral Tablet, B.P. 50 mg. tab.		100	2	3 12 9	EV
610 PHENOBARBITONE	Oral Tablet, B.P. $\frac{1}{4}$ gr. tab.		100	2	0 4 5	AB, AD, AN, BW, DH, FA, HY, KL, PR, RT, RY, SI, SL, TO, VA, WD

610—continued

$\frac{1}{4}$ gr. tab.	100	2	0 4 2	AD, DH, FA, HY, KL, PR, RT, RY, SI, SL, VA, WD
			0 4 3	AN
			0 4 4	AB, TO
			0 4 6	BK, BW, MB, PB
			(ex 1,000)	
			0 5 0	AB, AD, AN, DH, FA, HY, KL, PB, PR, RT, RY, SI, SL, TO, VA, WD
			0 5 5	BK, BW, MB
			(ex S.P.)	
1 gr. tab.	100	2	0 4 6	AD, DH, FA, HY, KL, PB, RT, RY, SI, SL, VA, WD
			0 4 11	AB, AN, MG, PR, TO
			0 5 3	BW, GP, MB
			(ex 1,000)	
			0 5 1	AD, DH, FA, KL, RY, SI, VA, WD
			0 5 5	AB, AN, HY, MG, PB, PR, RT, SL, TO
			0 6 1	BW, GP, MB
			(ex S.P.)	
$1\frac{1}{2}$ gr. tab.	100	2	0 5 4	AD, DH, FA, HY, KL, RT, RY, SI, SL, VA, WD
			0 5 7	AN, MG
			0 6 1	AB, TO
			(ex 1,000)	
			0 6 1	AD, AN, DH, FA, HY, KL, MG, RT, RY, SI, SL, VA, WD
			0 6 3	AB, TO
			(ex S.P.)	
611 PHENOBARBITONE SODIUM Injection, B.P. $1\frac{1}{2}$ gr. per 1 cc. amp. (with required solvent)	6	..	0 6 5	BT

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
611—continued					£ s. d.	
	3 gr. per 1 cc. amp. (with required solvent)		6	..	0 8 8	BL, CM, DH, FH, FM
					* 0 9 5	MB
	3 gr. per 1.5 cc. amp. (with required solvent)		6	..	0 10 6	EV
	3 gr. per 2 cc. amp. (with required solvent)		6	..	0 8 9	BT
	3.1 gr. per 2 cc. amp. with 2 mil. amp. Water for Injection		6	..	0 18 1	DH
Oral Tablet, B.P.	$\frac{1}{4}$ gr. tab. $\frac{1}{2}$ gr. tab. 1 gr. tab. 1 $\frac{1}{2}$ gr. tab.		100	2	0 4 5	AB, AN, DH, FA, KL, RT, SL, TO
					0 4 2	DH, HY, KL, RT, RY, SL, VA
			100	2	0 4 5	PR
					0 4 6	FA
			100	2	0 4 7	AB, AN, TO
					(ex 1,000)	
					0 5 0	AB, AN, DH, FA, HY, KL, PR, RT,
					(ex S.P.)	RY, SL, TO, VA
					0 4 6	HY, KL, RT, RY, SL, VA
					0 5 0	AN, TO
					0 5 2	AB, FA, MG
					(ex 1,000)	
					0 5 1	KL, RT, RY
					0 5 5	AB, AN, FA, HY, MG, SL, TO, VA
					(ex S.P.)	
					0 5 4	HY, KL, RY, VA
					0 5 8	AN
					0 6 0	AB, FA, MG
					(ex 1,000)	
					0 6 1	AB, AN, FA, HY, KL, MG, RY, VA
					(ex S.P.)	

612	PHENOBARBITONE SODIUM AND SODIUM BROMIDE Mixture, P.L.		8 fl. oz.	4	0 7 7	Extemp.
613	PHENOL Lotion, P.L. Ear Drops, P.L.		8 fl. oz. ½ fl. oz.	4 2	0 7 9 0 6 3	Extemp. Extemp.
614	PHENOLPHTHALEIN Oral Pill, Compound		50	1	* 0 4 9 * 0 5 0 * 0 5 7	MG TO DH, HY
615	PHENSUXIMIDE Oral Capsule 0.5 G. cap.		200	1	4 2 1	PD
653	PHENYLALANINE LOW CONTENT FORMULA Powder 2½ lb. tin	AD	1	..	5 6 8	CM
616	PHENYLBUTAZONE Oral Tablet 100 mg. tab.	P	50	1	1 1 9	GE
617	PHENYLEPHRINE HYDROCHLORIDE Compound Suppository with Benzocaine		12	1	0 10 4	WL
618	PHENYTOIN SODIUM Injection 250 mg. vial with 5 cc. water for injection Oral Tablet, B.P. 100 mg. tab. Oral Capsule 30 mg. cap. 100 mg. cap.		1 200 200 200	.. 1 1 1	1 18 9 0 14 9 0 15 5 0 17 5 1 6 9	PD TO DH, FM, KL PD PD

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
619	PHOLCODINE CITRATE SYRUP, B.P.C. Linctus, P ₂ L.		8 fl. oz.	4	£ s. d. 0 14 1	Extemp.
620	PTHALYLSULPHACETAMIDE Oral Tablet 0.5 G. tab.		100	..	1 10 9	AN, BS, CM, KL, SC, VR
621	PTHALYLSULPHATHIAZOLE Oral Tablet, B.P. 0.5 G. tab.		100	..	0 14 1 (ex 500) 0 14 1 (ex S.P.)	MB, MK MB, MK
	Mixture for Infants, P.L.		4 fl. oz.	4	0 11 8	Extemp.
622	PHYSOSTIGMINE SALICYLATE Eye Drops ½%, P.L.		240 min.	6	0 12 10	Extemp.
623	PICROTOXIN Injection, B.P. 5 mg. per 2 cc. amp. 0.4 gr. per 1 cc. amp.		6 6	1 1	0 11 5 0 11 5	DH, FH MT
624	PILOCARPINE NITRATE Eye Drops ½%, P.L. 1%, P.L.		240 min. 240 min.	6 6	0 6 9 0 7 7	Extemp. Extemp.
625	PIPERAZINE ADIPATE Oral Tablet, B.P. 300 mg. tab.		25	2	0 9 9	BD, MG, TO

654	PIPERAZINE CITRATE								
	Oral Tablet 500 mg. tab.	30	..	0	12	4	BW		
626	PIPERAZINE PHOSPHATE								
	Oral Tablet, B.P. 260 mg. tab.	25	2	*	0	8	11	GL	
627	PITUITARY, POSTERIOR LOBE								
	Injection 1 cc. amp.	6	1	0	11	4	CS		
				0	14	1	PD		
628	PLAGUE VACCINE								
	Injection 4,000 million per cc., 1 cc. amp. . .	2	..	0	16	1	CS		
629	POLYMYXIN B. SULPHATE								
	Ear Drops	$\frac{1}{2}$ fl. oz.	2	1	14	9	AN, BW, SI		
	Ear Drops with Acetic Acid and Propylene Glycol	10 mil.	2	0	12	9	BW		
	Eye Drops	5 mil.	2	1	6	9	AN, BW, SI		
	Eye Drops with Bacitracin and Neomycin Sulphate	10 mil.	2	0	12	9	DH		
	Eye Ointment with Bacitracin and Neomycin . .	60 gr.	..	0	6	9	AN, BW		
630	POTASSIUM BROMIDE								
	Mixture, P.L.	8 fl. oz.	4	0	7	6	Extemp.		
	Mixture with Nux Vomica, P.L.	8 fl. oz.	4	0	7	3	Extemp.		
	Mixture with Phenobarbitone and Belladonna, P.L.	8 fl. oz.	4	0	7	1	Extemp.		
631	POTASSIUM CHLORIDE								
	Oral Tablet, B.P. 0.5 G. tab.	100	2	0	6	9	AN, DH, HY, KL, RT, RY		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
632	POTASSIUM CITRATE					
	Mixture, P.L.		8 fl. oz.	4	0 8 0	Extemp.
	Mixture for Infants, P.L.		4 fl. oz.	4	0 7 8	Extemp.
	Mixture Acid, P.L.		8 fl. oz.	4	0 9 6	Extemp.
	Mixture with Hyoscyamus, P.L.		8 fl. oz.	4	0 7 6	Extemp.
633	POTASSIUM IODIDE					
	Mixture, P.L.		8 fl. oz.	4	0 8 3	Extemp.
	Mixture for Infants, P.L.		4 fl. oz.	4	0 7 10	Extemp.
	Mixture with Stramonium for Infants, P.L.		4 fl. oz.	4	0 7 8	Extemp.
634	PREDNISOLONE					
	Oral Tablet, B.P. 5 mg. tab.	AD	30	..	3 14 9	AN, BT, GL, KL, MK, OR, PD, PR, RD, RL, RY, SH, UP
					4 6 9	HY
					4 8 1	PF, SC
	Oral Tablet with Magnesium Trisilicate and Aluminium Hydroxide:					
	Prednisolone 5 mg.; Magnesium Trisilicate 50 mg.; Dried Aluminium Hydroxide					
	Gel. 300 mg.	AD	30	..	3 14 9	MK
	Eye Ointment 0.5%		4 G.	..	1 2 9	AN, KL
					1 6 1	UP
655	PREDNISOLONE ACETATE					
	Injection 10 mg. per 1 cc. amp.	AD	3	2	1 9 5	DH

656	PREDNISOLONE DISODIUM PHOSPHATE								
	Eye-Ear Drops, 0.5%	3 mil.	2	1	2	9	GL		
	Eye-Ear Ointment	3 G.	..	1	2	9	GL		
657	PREDNISOLONE METHYL								
	Oral Tablet 4 mg. tab.	AD	30	..	4	5	5	UP	
	Oral Capsule 4 mg. cap.	AD	30	..	4	5	5	UP	
	Eye Drops, 0.1%		5 mil.	2	1	6	1	UP	
658	PREDNISOLONE SODIUM HEMISUC- CINATE	H	..	..	..				
635	PREDNISONE								
	Oral Tablet, B.P. 5 mg. tab... .. .	AD	30	..	3	14	9	AN, BT, GL, KL, MK, OR, PD, PR, RD, RL, RY, SH, UP	
	Oral Tablet with Magnesium Trisilicate and Aluminium Hydroxide:					4	8	1	SC
	Prednisone 5 mg.; Magnesium Trisili- cate 50 mg.; Dried Aluminium Hy- droxide Gel. 300 mg.	AD	30	..	3	14	9	MK	
636	PRIMAQUINE BASE								
	Oral Tablet, B.P. 7.5 mg. tab.		30	1	0	10	5	IC	
	15 mg. tab.		14	1	0	6	6	WL	
637	PRIMIDONE								
	Oral Tablet, B.P. 250 mg. tab.		200	1	4	2	10	IC	
					(ex 1,000)				
					4	9	5	IC	
					(ex S.P.)				

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
659	PROBENECID Oral Tablet 0.5 G. tab.		100	2	£ s. d. 5 19 5	MK
638	PROCAINAMIDE HYDROCHLORIDE Injection, B.P. 100 mg. per cc., 10 cc. vial .. Oral Tablet 0.25 G. tab.		1 100	.. 2	0 15 5 3 2 9	SQ SQ
639	PROCAINE HYDROCHLORIDE IN NORMAL SALINE Injection 0.1%, 1 litre bottle		2	1	* 1 11 5	AB
640	PROCYCLIDINE HYDROCHLORIDE Oral Tablet, B.P. 5 mg. tab... ..		100	2	2 2 9	BW
641	PROGESTERONE Injection, B.P. 20 mg. I.V. amp. 25 mg. amp... .. Implant 25 mg. implant	D D D	3 3 1		2 6 1 1 6 9 1 0 9	OR, SC BD, CB, FH, OR, SC BD, OR
642	PROGESTERONE DEPOT Injection 125 mg. amp.	D	3	..	2 16 1	SC
643	PROGUANIL HYDROCHLORIDE Oral Tablet, B.P. 100 mg. tab.		100	2	0 11 2	IC

644 PROMETHAZINE HYDROCHLORIDE

Injection	2.5%, 2 cc. amp.	..	10	..	0 14 9	MB
Oral Tablet, B.P.	0.01 G. tab.	..	50	1	0 8 7	MB
					(ex 500)	
					*0 9 5	MB
					(ex S.P.)	
	0.025 G. tab.	..	50	1	0 11 7	MB
					(ex 500)	
					*0 13 5	MB
					(ex S.P.)	

660 PROPANTHELINE BROMIDE

Injection	30 mg. per 1 cc. vial	..	6	..	3 9 5	SR
Oral Tablet	15 mg. tab.	..	100	2	2 16 1	SR

645 PROPENPYRIDAMINE PARA-AMINOSALICYLATE

Injection	25 mg. per cc., 2 cc. amp.	..	5	1	0 13 10	FM
Oral Tablet	10 mg. tab.	..	50	1	0 9 0	FM
	50 mg. tab.	..	50	1	0 15 5	FM

646 PROTAMINE SULPHATE

Injection	1%, 5 mil. amp.	..	6	..	1 3 4	EV
	1%, 10 cc. amp.	..	3	..	* 0 17 5	BT

647 PROTOVERATRINE (A)

Injection	1 mil. amp.	..	D	6	..	0 16 5	SZ
-----------	-------------	----	---	---	----	--------	----

648 PYRIDOSTIGMINE BROMIDE

Oral Tablet	60 mg. tab.	..	D	100	2	* 4 5 2	RO
-------------	-------------	----	---	-----	---	---------	----

649 PYRIDOXINE HYDROCHLORIDE, B.P.C.

Injection	50 mg. per cc., 1 cc. amp.	..	6	1	1 0 1	AN, BL, CM, DH, FM, KL, PD, RO, SJ
	50 mg. per 2 cc., 2 cc. amp.	..	6	1	1 1 5	RO, VM

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
649—continued					£ s. d.	
	50 mg. per cc., 5 cc. vial ..		1	1	* 1 1 5	BD
					1 1 5	KL
					1 3 9	LY
	50 mg. per cc., 10 cc. vial ..		1	..	1 2 9	FH
					1 6 9	CM, DH, KL
661	PYRROLIDINO-METHYL-TETRACYCLINE					
	Injection 100 mg. amp.	D	5	..	* 4 10 8	FM
	250 mg. amp.	D	5	..	* 7 16 6	FM
721	QUINALBARBITONE SODIUM					
	Oral Tablet, B.P. 1½ gr. tab.		50	2	0 9 11	AD, DH, HY, KL, MG, RY, SI, SL, VA
					0 13 3	CM, GP, RD
					(ex 100)	
					0 11 5	AD, HY, KL, MG, RY, SI, VA
					0 13 1	RD
					0 15 5	CM, DH, GP, SL
					(ex S.P.)	
	Oral Capsule 1½ gr. cap.		50	2	0 15 8	LY
					(ex 100)	
					0 18 1	LY
					(ex S.P.)	
722	QUINIDINE SULPHATE					
	Oral Tablet, B.P. 3 gr. tab.		100	2	1 4 1	DH, KL, TO
					1 5 5	BW

723	QUININE BISULPHATE									
	Oral Tablet, B.P.	5 gr. tab.	..	..	100	2	0 17 5	BW		
							0 17 9	FA		
							0 16 1	AN, DH, HY, PD, SL, TO		
724	QUININE DIHYDROCHLORIDE									
	Injection, B.P.	3 gr. per cc., 1 cc. amp.	..	DG	6	1	0 10 1	DH		
		6½ gr. per cc., 1 cc. amp.	..	DG	6	1	0 10 9	DH		
		9½ gr. per 2 cc. amp.	..	DG	6	1	0 11 5	DH		
		15½ gr. per 2 cc. amp.	..	DG	6	1	0 17 5	DH		
	Oral Tablet	5 gr. tab.	..	DG	100	2	1 1 9	DH		
	Oral Capsule	5 gr. cap.	..	DG	100	2	1 10 9	PD		
725	QUININE HYDROCHLORIDE									
	Oral Tablet, B.P.	5 gr. tab.	..	..	100	2	1 1 9	DH		
726	QUININE SULPHATE									
	Oral Tablet, B.P.	5 gr. tab.	..	..	100	2	0 16 1	HY, PR		
							0 19 5	AD, DH, SI, TO		
							1 2 1	AN		
746	RESERPINE									
	Injection	1 mg. amp.	..	..	5	1	0 9 10	CB		
		2.5 mg. amp.	..	..	5	1	0 16 1	CB		
	Oral Tablet	0.25 mg. tab.	..	..	100	2	0 8 1	AN, RK		
							0 9 5	CB		
		0.5 mg. tab.	..	..	100	2	0 10 1	AN, RK		
							0 12 1	CB		
		1 mg. tab.	..	..	100	2	0 16 1	AN, RK		
							1 0 1	CB		
		4 mg. tab.	..	..	100	2	2 14 1	AN, RK		
							3 9 5	CB		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
£ s. d.						
741	RESORCINOL					
	Lotion, Compound, P.L.		8 fl. oz.	4	0 9 10	Extemp.
	Ointment, Compound, P.L.		1920 gr.	1	0 19 4	Extemp.
742	RHUBARB					
	Pill, Compound, B.P.C.		50	1	0 6 0	DH
	Mixture with Soda, P.L.		8 fl. oz.	4	0 8 1	Extemp.
	Mixture with Soda for Infants, P.L.		4 fl. oz.	4	0 6 8	Extemp.
743	RIBOFLAVINE					
	Oral Tablet, B.P. 2 mg. tab... ..	P	100	2	0 5 5	AN, HY, MG
	3 mg. tab... ..	P	100	2	0 6 1	HY, MG
	5 mg. tab... ..	P	100	2	0 6 9	AN, DH, FM, HY, KL, MG, PR, RT, RY, TO. VA
744	RINGER'S SOLUTION					
	Injection 1 litre bottle.. ..		4	1	* 3 0 1	DH, EV, FH
745	RISTOCETIN	H	..	..	..	
755	SACCHARIN OR SACCHARIN SODIUM					
	Oral Tablet ½ gr. tab.		200	1	0 2 0	AD, AN, DH, FA, HY, KL, RT, RY, SI, SL, WD
803	SALICYLAZOSULPHAPYRIDINE					
	Oral Tablet 0.5 G. tab.	D	100	..	1 17 5	MB

756	SALICYLIC ACID											
	Paint, P.L.	..	..	..	..	..	1 fl. oz.	1	0	6	1	Extemp.
	Ear Drops, P.L.	..	..	..	..	..	$\frac{1}{2}$ fl. oz.	2	0	5	9	Extemp.
	Ointment, B.P.	..	..	..	..	..	1920 gr.	1	0	13	8	Extemp.
	Lotion, Compound, P.L.	..	..	..	..	..	8 fl. oz.	4	0	8	8	Extemp.
757	SEIDLITZ POWDER											
	Compound Effervescent Powder, B.P. 1953	..					12	1	0	5	0	DH, WD
758	SENNA FRUIT, B.P.											
	3 oz.	..	..	..	..	..	1	..	0	2	6	SI
759	SENEGA AND AMMONIA											
	Mixture, P.L.	..	..	..	..	..	8 fl. oz.	4	0	9	4	Extemp.
760	SCHICK TEST TOXIN											
	Injection	1 cc.	vial	..	..	..	1	1	0	8	1	CS
761	SILVER PICRATE, B.P.C. 1949											
	Insufflation, 1%	..	..	..	..	..	5G.	1	0	8	1	AB
762	SILVER PROTEIN, MILD, B.P.C.											
	Eye Drops, 10%, P.L.	..	..	..	..	..	240 min.	2	0	6	9	Extemp.
763	SIMPLE OINTMENT											
	Ointment	..	..	..	..	..	1920 gr.	1	0	11	2	Extemp.
764	SMALLPOX VACCINE											
	Injection	Capillary Tube	..	..	..	..	1	..	0	5	2	CS
765	SODIUM AUROTHIOMALATE											
	Injection, B.P.											
	1 mg. amp. (with required solvent)	..				..	1	3	0	4	8	MB
	2 mg. amp. (with required solvent)	..				..	1	3	0	4	10	MB

Item No.	Name, Manner of Administration and Form	Re-strictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
765—continued						
					£ s. d.	
	5 mg. amp. (with required solvent)		1	3	0 5 0	MB
	10 mg. amp. (with required solvent)		1	3	0 5 4	MB
	20 mg. amp. (with required solvent)		1	3	0 5 6	MB
	50 mg. amp. (with required solvent)		6	1	* 1 6 9	MB
	100 mg. amp. (with required solvent)		6	1	* 1 14 9	MB
	200 mg. amp. (with required solvent)		1	3	0 11 5	MB
766 SODIUM BICARBONATE						
	Ear Drops, P.L.		½ fl. oz.	2	0 6 0	Extemp.
	Mixture, P.L.		8 fl. oz.	4	0 6 8	Extemp.
	Oral Tablet, Compound, B.P. 5 gr. tab. ..		100	2	0 4 5	FA, SL, TO
767 SODIUM CALCIUMEDETATE						
	Injection 0.2 G. per 5 cc. amp.		6	..	3 1 5	RK
	Oral Tablet 0.5 G. tab.		100	2	2 1 8	RK
768 SODIUM CHLORIDE						
	(Hypertonic Solution)—					
	Injection 3%, 1 litre bottle		2	1	* 1 11 5	DH, FH
	5%, 1 litre bottle		2	1	* 1 11 5	DH, FH
	(Physiological Solution)—					
	Injection 2 cc. amp.		6	1	0 6 1	AD, BL, DH, FH, KL
	5 cc. amp.		6	1	0 7 5	AD, BL, DH, FH, KL, SJ
	10 cc. amp.		6	1	0 8 9	AD, BL, CS, DH, FH, KL, SJ
	10 cc. vial		2	1	* 0 7 3	DH, FH, PD
	20 cc. amp.		6	1	0 12 9	BL, DH, FH, KL

768—continued

	50 cc. amp.	..	..	..	3	1	* 0 14 9	DH, FH, KL
	1 litre bottle	..	..	..	2	1	* 1 11 5	AB, BT, DH, EV, FH, GL
	Oral Tablet, B.P.	5 gr. tab.	..	..	100	2	0 4 5	DH, FA, HY, RT, VA
769	SODIUM CHLORIDE WITH DEXTROSE							
	Injection, B.P.	5%, 1 litre bottle	..	..	2	1	* 1 11 5	AB, DH, EV, FH, GL
		10%, 1 litre bottle	..	..	2	1	* 1 11 5	AB, DH, FH
		20%, 1 litre bottle	..	..	2	1	* 1 11 5	DH, FH
		25%, 1 litre bottle	..	..	2	1	* 1 11 5	AB, DH, FH
770	SODIUM CITRATE							
	Oral Tablet for Infants	2 gr. tab.	..	..	100	2	0 5 0	AD, DH, SI
							0 6 9	BW, RT
	Oral Tablet, B.P.	5 gr. tab.	..	..	100	2	0 6 1	DH, HY, TO
							0 8 6	BW
804	SODIUM FOLATE							
	Injection	15 mg. per cc., 10 cc. vial	..	D	1	..	1 5 5	LE
771	SODIUM LACTATE							
	(Solution $\frac{1}{2}$ Molar)—							
	Injection	1 litre bottle	..	..	2	1	* 1 11 5	AB, DH, FH
772	SODIUM OLEATE COMPOUND							
	Oral Pill	..	..	..	50	1	* 0 8 8	DH
							* 0 8 9	FA, PD
773	SODIUM PARA-AMINOSALICYLATE							
	Injection	20%, 10 cc. vial	..	D	6	..	1 0 6	KL, SN
	Oral Cachet	1.5 G. cachet	..	D	200	2	3 2 9	AN, KL, WA
							3 9 5	WB
							* 3 11 4	SN
	2.0 G. cachet	..	..	D	200	2	4 2 9	KL, WA

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer	
											£ s. d.	
773—continued												
	Oral Tablet, B.P.	5 gr. tab.	..	..	D	200	1	1	1	5	CM, HY, KL	
								*	1	2	DH	
								*	1	3	AD, SI	
		7½ gr. tab.	..	..	D	500	2	2	7	1	CM, EV, RY, SN	
								*	2	7	AN, KL, WA	
								*	2	15	HY, PR	
								*	2	11	AD, SI	
								*	2	12	TO	
								*	2	16	DH	
									5	6	HA	
	Granules	350 G. tin	..	..	D	1	1	2	6	1	RL	
774 SODIUM SALICYLATE												
	Mixture, P.L.	..	..	..		8 fl. oz.	4	0	7	8	Extemp.	
	Mixture for Infants, P.L.	..	..	..		4 fl. oz.	4	0	6	7	Extemp.	
	Oral Tablet, B.P.C.	5 gr. tab.	..	..		100	2	0	7	5	DH, FA, PR	
									0	9	AD, AN, HY, KL, RT, SI, SL, TO, VA	
	Oral Tablet (Enteric Coated)	5 gr. tab.	..	..		100	2	0	10	9	AB, AN, DH, HY, KL, LY, PR, RY, TO, VA	
		7½ gr. tab.	..	..		100	2	0	12	1	AB, KL, PR, QE, RD, TO, VA	
		10 gr. tab.	..	..		100	2	0	13	5	AB, AN, DH, KL, LY, PR, QE, RY, TO, VA	
775 SODIUM SULPHATE												
(Solution 4.28%)—												
	Injection	1 litre bottle	..	..		2	1	*	1	11	5	DH

776 SODIUM TAUROGLYCOCHOLATE									
Oral Pill	..	..	..	..	..	50	1	* 0 7 2	DH
								0 7 5	WW
Oral Tablet	..	..	..	..	..	50	1	* 0 7 2	DH
777 SORBOLENE, A.P.F., 1955									
Cream, P.L.	..	..	..	..	..	1920 gr.	1	0 8 6	Extemp.
805 SOYA FORMULA									
Liquid	1 tin	..	..	..	..	AD 6	..	0 6 3	CM
Powder	1 tin	..	..	..	..	AD 6	..	0 17 9	CM
806 SPIRAMYCIN									
Oral Capsule	250 mg. cap.	..	..	..	..	D 20	..	1 18 1	MB
Oral Tablet	250 mg. tab.	..	..	..	..	D 20	..	1 18 1	MB
778 SPIRIT, INDUSTRIAL METHYLATED									
Soap, A.P.F. 1955	..	..	..	..	..	4 fl. oz.	1	0 9 2	Extemp.
Ear Drops, P.L.	..	..	..	..	..	½ fl. oz.	2	0 5 8	Extemp.
779 STAPHYLOCOCCUS TOXOID									
Injection, B.P.	5 cc. bottle	..	..	..	..	1	..	1 1 5	CS
780 STILBOESTROL									
Injection	1 mg. amp.	..	..	..	..	DG 6	..	0 6 6	BD, DH
	5 mg. amp.	..	..	..	..	DG 6	..	0 7 0	BD, DH, KL
	0.1 mg. tab.	..	..	..	..	DG 100	2	0 4 10	AN, HY, KL
	0.5 mg. tab.	..	..	..	..	DG 100	2	0 5 0	AD, AN, BD, DH, FA, HA, HY, KL, MG, RT, RY, SI, SL, TO, VA, WD
Oral Tablet, B.P.	1 mg. tab.	..	..	..	..	DG 100	2	0 5 2	KL
								0 5 5	AD, AN, BD, CC, DH, FA, HA, HY, MG, PR, RT, RY, SI, SL, TO

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
780—continued					£ s. d.	
	5 mg. tab.	DG	100	2	0 7 9	AD, AN, BD, BW, CC, DH, FA, HA, HY, KL, MG, PR, RT, RY, SI, SL, TO
	10 mg. tab.	DG	100	2	0 12 1	AN, CM, DH, KL, TO
781	STREPTOMYCIN SULPHATE					
	Injection, B.P.					
	1 G. vial (with required solvent)	D	5	3	0 13 10	GA
	Intrathecal Injection				* 0 19 5	AN, BT, DH, DL, EV, GL, SI
	100,000 U. amp. (with required solvent) ..	D	10	3	1 2 2	DL
	Solution Injection 250,000 U. per mil., 4 mil. vial	D	5	3	* 1 1 6	DL, GL
	500,000 U. per mil., 2 mil. vial	D	5	3	* 1 1 6	BT, EV, GL
	1,000,000 U. per 3 mil vial	D	5	3	* 1 1 6	EV, GL, SI
	Ear Drops, P.L.		½ fl. oz.	2	0 10 6	Extemp.
782	STRYCHNINE HYDROCHLORIDE SOLUTION					
	Mixture, P.L.		8 fl. oz.	4	0 7 2	Extemp.
783	SUCCINYLSULPHATHIAZOLE					
	Oral Tablet, B.P. 0.5 G. tab.		100	..	1 2 9	MB
					1 3 5	MK
	Mixture with Kaolin, P.L.		8 fl. oz.	4	1 2 4	Extemp.

784 SULPHACETAMIDE SODIUM

Ear Drops, P.L.	..	..	..	1/2 fl. oz.	2	0 6 6	Extemp.
Eye Drops, Strong, P.L.	..	..	..	1/2 fl. oz.	2	0 8 3	Extemp.
Eye Drops, Weak, P.L.	..	..	..	1/2 fl. oz.	2	0 7 0	Extemp.
Eye Ointment, B.P.	..	..	..	60 gr.	..	0 4 9	AN, FH, MG, SO

785 SULPHADIAZINE

Oral Tablet, B.P. 0.3 G. tab.	..	..	..	40	1	0 9 7	CM, HY, KL, MG, PD, TO
						0 10 1	AB
						(ex 500)	
						0 10 6	AB, CM, HY, KL, MG, PD, TO
						(ex S.P.)	
0.5 G. tab.	..	..	..	40	1	0 8 2	AD, DH, HY, KL, RT, RY, SI, SL, VA, WD
						0 9 10	AN, CM, FA, MG, PD, PR, TO
						0 10 0	AB
						0 10 11	BW, MB
						(ex 500)	
						0 11 4	AB, AD, AN, BW, CM, DH, FA, HY, KL, MB, MG, PD, PR, RY, RT, SI, SL, TO, VA, WD
						(ex S.P.)	
Nasal Instillation, Compound, P.L.	..	..	..	1/2 fl. oz.	2	0 7 5	Extemp.

786 SULPHADIAZINE SODIUM

Injection, B.P.C. 4 cc. amp.	..	..	..	5	..	* 0 15 6	MB
--------------------------------------	----	----	----	---	----	----------	----

787 SULPHADIMETHOXINE

Oral Tablet 0.5 G. tab.	..	..	..	12	2	0 12 9	RO
---------------------------------	----	----	----	----	---	--------	----

788 SULPHADIMIDINE

Mixture for Infants, P.L.	..	..	..	4 fl. oz.	4	0 15 6	Extemp.
Oral Tablet, B.P. 0.25 G. tab.	..	..	..	40	1	0 6 3	HY, KL, MG
						(ex 500)	

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
788—continued										
									£ s. d.	
							40	1	0 8 2 (ex S.P.) 0 6 9 (ex 500) 0 9 1 (ex S.P.)	HY, KL, MG AN, DH, HY, IC, KL, MG, PR, RY, SI, SL, TO, VA, VR, WD AN, DH, HY, IC, KL, MG, PR, RY, SI, SL, TO, VA, VR, WD
789	SULPHADIMIDINE SODIUM Injection, B.P. 1 G. per 3 cc. amp.					..	5	..	0 11 5	AN, IC
790	SULPHAFURAZOLE Oral Tablet 0.3 G. tab.						40	1	0 15 6 (ex 500) 0 16 9 (ex S.P.)	RO RO
							40	1	1 0 2 (ex 500) 1 2 9 (ex S.P.)	RO RO
	Eye Drops	4%	..	..	..	..	10 mil.	2	0 9 5	RO
	Eye Ointment	..	..	..	..	..	5 G.	..	0 5 10	RO
791	SULPHAGUANIDINE Oral Tablet, B.P. 0.5 G. tab.						100	..	0 11 1	AD, AN, BT, BW, CC, CM, DH, HY, KL, MG, PR, RT, RY, SI, SL, TO

792	SULPHAMERAZINE								
	Oral Tablet, B.P. 0.5 G. tab.	..	..	40	1	0 11 4	AN		
						* 0 13 11	AD, DH, FA, HY, KL, MG, PR, RT,		
							RY, SI, TO		
793	SULPHAMETHIZOLE								
	Oral Tablet 100 mg. tab.	..	..	30	1	0 8 1	AY, WW		
	250 mg. tab.	..	..	30	1	0 12 9	AY		
794	SULPHAMETHOXYPYRIDAZINE								
	Oral Tablet 0.5 G. tab.	..	..	12	2	1 0 6	LE, PD		
						(ex 100)			
						1 1 5	LE, PD		
						(ex S.P.)			
807	SULPHAMETHOXYPYRIDAZINE								
	N-ACETYL								
	Oral Suspension 250 mg. per 5 cc.	..	..	C	1 fl. oz.	0 14 1	PD, LE		
808	SULPHAPHENAZOLE								
	Oral Tablet 0.5 G. tab.	..	..	20	..	0 11 8	CB		
795	SULPHAPYRIDINE, B.P.C.								
	Oral Tablet, B.P.C. 0.5 G. tab.	..	..	100	..	0 18 9	MB		
796	SULPHONAMIDES, MIXED (B):								
	THREE SULPHONAMIDES								
	Oral Tablet 0.25 G. tab.	..	..	40	1	0 9 4	MG		
						0 10 2	CM, MB		
						(ex 500)			
						0 10 9	CM, MB, MG		
						(ex S.P.)			

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
796—continued	0.3 G. tab. 		40	1	£ s. d.	
					0 7 11	KL
					0 8 5	PR, TO
					0 10 1	MG
					0 10 5	AB
					(ex 500)	
	0.33 G. tab. 		40	1	0 8 8	KL
					0 10 9	AB, MG, PR, TO
					(ex S.P.)	
					0 7 11	AN
					0 10 5	MG
					(ex 500)	
	0.5 G. tab. 		40	1	0 10 9	AN, MG
					(ex S.P.)	
					0 9 7	AN, DH, FA, HY, PR, RY
					0 9 10	KL, MG
					0 10 1	AD, FM, SI, SL, TO, VA, VR, WD
					0 10 8	CM
			0 10 10	AB, MB		
			(ex 500)			
			0 10 6	KL, RY		
			0 11 1	AB, AD, AN, CM, DH, FA, FM, HY,		
			(ex S.P.)	MB, MG, PR, SI, SL, TO, VA, VR,		
			WD			
797	SULPHUR					
	Ointment, B.P. 		1920 gr.	1	0 10 6	Extemp.

798	SULPHURATED POTASH Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0	9	5	Extemp.
799	SURAMIN Injection, B.P. 1 G. amp. (with required solvent)	..	..	..	..	5	1	3	12	5	BA
800	SUSTANON Injection 250 mg. amp.	..	..	..	D	1	..	2	17	5	OR
801	SUXAMETHONIUM BROMIDE Injection, B.P. 67 mg. amp.	..	..	..	..	6	1	* 0	14	1	MB
802	SYNTOCINON Injection 2 U. per 2 mil. amp. 5 U. per 0.5 mil. amp. 10 U. per 1 mil. amp.	..	..	..	..	6 6 6		0 0 0	10 12 18	1 9 1	SZ SZ SZ
851	T.A.B. VACCINE (Anti-Typhoid-Paratyphoid) Injection 1 cc. amp... 10 cc. vial ..	..	..	..	..	3 1		* 0 1	13 12	9 9	CS CS
852	TESTOSTERONE Implant, B.P. 100 mg. implant 150 mg. implant 200 mg. implant	..	..	..	D D D	1 1 1		2 3 4	9 7 5	5 5 5	BD, CB, OR, SO OR OR
853	TESTOSTERONE METHYL Oral Tablet, B.P. 25 mg. tab.	..	..	..	D	100	2	2 2 3 4 8	10 18 2 0 10	9 9 9 1 9	MG HY AN, FM, KL, PR RD BD, CB, OR, RL, SO

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
853—continued					£ s. d.	
	50 mg. tab.	D	100	2	5 12 1	AN
					5 14 9	HY
					6 2 9	FM, PR
					6 5 5	KL
					7 9 5	RD
					16 2 9	BD, OR, RL, SC
854	TESTOSTERONE OENANTHATE Injection 250 mg. per cc., 1 cc. amp. ..	D	1	..	2 17 5	SC
855	TESTOSTERONE PROPIONATE Injection, B.P. 25 mg. per 1 cc. amp. ..	D	12	..	* 2 10 9	AN, BD, BT, FH, FM, KL
					2 10 9	OR
					* 2 15 10	CB
					* 2 16 1	SC
	50 mg. per 1 cc. amp. ..	D	12	..	* 4 8 1	AN, FH, FM, GL, KL
					4 14 9	CB, OR
					* 4 16 1	BD
					* 4 18 9	SC
	50 mg. per cc., 10 cc. vial	D	1	..	3 13 9	CB, KL, OR, SC
	100 mg. per 2 mil., 2 mil.					
	amp.	D	3	..	2 7 9	AN, BD, OR, SC
					* 2 15 8	FM
Implant	100 mg. implant	D	1	..	2 9 5	BD

856	TETANUS ANTITOXIN								
	Injection	1,500 I.U. (1950) amp.	..	..	6	1	* 2 2 9	BW, CS	
		10,000 I.U. (1950) amp.	..	..	6	1	*11 6 9	CS	
857	TETANUS TOXOID (Formalinised)								
	Injection	1 cc. amp...	..	..	3	..	0 13 5	CS, GL	
							* 0 13 9	CS	
858	TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed)								
	Injection	0.5 cc. amp.	..	..	3	..	* 0 12 9	CS	
		5 cc. amp.	..	..	1	..	1 5 5	CS	
859	TETRACHLOROETHYLENE								
	Oral Capsule, B.P.	0.5 cc. cap.	..	..	12	..	* 0 7 8	PD	
860	TETRACYCLINE HYDROCHLORIDE								
	Injection, B.P.								
		100 mg. vial, I.V. (with required solvent)	..	D	6	..	* 4 18 9	LE	
		250 mg. vial, I.V. (with required solvent)	..	D	6	..	* 8 10 9	AN, LE, PF	
	Injection								
		100 mg. vial, I.M. (with required solvent)	..	D	6	..	* 4 18 9	AN, LE, PF	
	Oral Capsule, B.P.	50 mg. cap.	..	D	25	..	1 8 1	AN, LE, PF	
		100 mg. cap.	..	D	25	..	2 8 9	LE, LT, PF	
		250 mg. cap.	..	D	16	..	3 3 11	AN, LE, LT, PF, UP	
							(ex 100)		
							3 9 5	AN, LE, LT, PF, UP	
							(ex S.P.)		
	Oral Tablet, B.P.	50 mg. tab.	..	D	25	..	1 8 1	LE, PF, SQ	
		100 mg. tab.	..	D	25	..	2 8 9	LE, PF, SQ	
		250 mg. tab.	..	D	16	..	3 3 11	LE, PF, SQ	
							(ex 100)		
							3 9 5	LE, PF, SQ	
							(ex S.P.)		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
860— <i>continued</i>					£ s. d.	
	Oral Granules 75 G. bottle	CD	1	..	1 19 5	LE
	Oral Paediatric Drops 100 mg. per cc., 10 cc. vial	CD	1	..	1 2 9	AN, LE, SQ, UP
	Oral Suspension 125 mg. per 5 cc., 60 cc. bottle	CD	1	..	1 16 9	LE, LT, PF
	Eye Ointment, 1%		4 G.	..	0 6 9	PF, UP
			60 gr.	..	0 6 9	LE
861	TETRACYCLINE OPHTHALMIC SUSPENSION 1% Eye Drops		6 mil.	2	0 12 1	LE
862	TETRACYCLINE WITH NYSTATIN Oral Capsule containing 250 mg. Tetracycline Hydrochloride and 250,000 U. Nystatin ..	D	12	..	2 17 9	SQ
863	TETRACYCLINE WITH OLEANDOMYCIN Oral Capsule 250 mg. cap.	D	16	..	3 3 11 (ex 100)	PF
					3 9 5 (ex S.P.)	PF
	Oral Suspension 100 mg. cap.	D	25	..	2 8 9	PF
	Oral Suspension 125 mg. per 5 cc., 2 fl. oz. bottle	CD	1	..	1 16 9	PF

864	TETRACYCLINE (BUFFERED)						
	Oral Capsule	100 mg. Tetracycline cap. 250 mg. Tetracycline cap.	D D	25 16	 (ex 100) 3 9 5 (ex S.P.)	2 8 9 3 3 11 3 9 5 (ex S.P.)	LE, LT, PF, SQ AN, LE, LT, PF, SQ, UP AN, LE, LT, PF, SQ, UP
	Oral Suspension	125 mg. per 5 cc., 2 fl. oz. bottle	CD	1	..	1 16 9	LE, LT, PF, SQ, UP
	Oral Paediatric Drops	100 mg. per cc., 10 cc. vial	CD	1	..	1 2 9	LE, LT, SQ
880	THENALIDINE TARTRATE						
	Oral Tablet, Compound (effervescent)	..		12	3	0 10 9	SZ
865	THEOBROMINE, B.P.C.						
	Oral Tablet with Phenobarbitone, A.P.F.— 5 gr.—½ gr. tab.			100	2	0 8 1 0 8 6 0 9 1 (ex 1,000) 0 10 9 (ex S.P.)	AD, DH, FA, HY, KL, RT, RY, SI, SL, VA, WD AN AB, HA, MG, PR, TO AB, AD, AN, DH, FA, HA, HY, KL, MG, PR, RT, RY, SI, SL, TO, VA, WD
	Oral Tablet with Sodium Salicylate, B.P.C. 7½ gr. tab.			100	2	0 18 9	AN, DH, KL
866	THIACETAZONE, B.P.C.						
	Oral Tablet, B.P.C.	50 mg. tab.		100	2	* 0 16 1	AN
867	THIOURACIL PROPYL						
	Oral Tablet, B.P.	25 mg. tab.		100	2	* 0 10 9 0 12 9	TO AN
		50 mg. tab.. .. .		100	2	* 0 18 9 1 0 1	TO AN

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer		
868	THYROID							£ s. d.			
	Oral Tablet, B.P.	$\frac{1}{8}$ gr. tab.	..	..				100	2	0 4 1	CS
		$\frac{1}{4}$ gr. tab.	..	..				100	2	0 4 1	AD, CC, DH, FA, PR, RT, RY, SI, SL, TO
										0 4 4	GP
										0 4 6	BW, CS
	$\frac{1}{2}$ gr. tab.	..	..	100				2	0 4 6	AD, CC, DH, FA, PR, RT, RY, SI, SL, TO	
										0 4 10	BW, CS, GP, PD, WW
	1 gr. tab.	..	..	100				2	0 5 9	AD, CC, DH, FA, PR, RT, RY, SI, SL, TO	
										0 6 2	BW, CS, GP, PD, WW
	$1\frac{1}{2}$ gr. tab.	..	..	100				2	0 6 5	AD, DH, SI	
										0 7 0	GP
										0 7 2	BW, CS
		2 gr. tab.	..	..				100	2	0 7 2	AD, DH, FA, PR, RT, RY, SI, SL
						0 7 8	GP				
						0 8 1	BW				
	$2\frac{1}{2}$ gr. tab.	..	..	100	2	0 8 1	AD, RT, SI				
						0 8 4	GP				
						0 9 5	BW, CS				
	5 gr. tab.	..	..	100	2	0 10 9	GP, RT				
881	THYROTROPIN				H	..	..	..			
882	THYROXINE										
	Oral Tablet	0.05 mg. tab.	..	..					100	2	0 5 10
		0.1 mg. tab.	..	..	100	2	0 7 8	BW, GL			

869	TIGER SNAKE ANTI-VENENE								
	Injection	3,000 U. amp.	..	..	..	2	1	* 7 2 9	CS
870	TOLAZOLINE HYDROCHLORIDE								
	Oral Tablet, B.P.	25 mg. tab.	..	..	..	100	2	* 0 14 9	CB, KL
871	TOLBUTAMIDE								
	Oral Tablet	0.5 G. tab.	..	..	..	100	2	2 2 9	FM, PH
872	TRETAMINE								
	Oral Tablet	2.5 mg. tab.	..	..	..	D 5	..	* 0 15 2	IC
873	TRIETHANOLAMINE TRINITRATE								
	Oral Tablet	1 mg. tab.	..	..	..	100	2	0 11 8	SC
		2 mg. tab.	..	..	..	100	2	0 17 5	SC
		7 mg. tab.	..	..	..	100	2	1 8 1	AN, SC
884	TRIETHYLENE THIOPHOSPHORAMIDE					H ..	..	..	
874	TRIMETAPHAN CAMPHORSULPHON- ATE, B.P.C.								
	Injection	Set containing 250 mg. vial and 5 cc. water for injection..	..	..	..	D 3	..	6 6 4	RO
885	TRIPLENNAMINE HYDROCHLORIDE								
	Oral Tablet	50 mg. tab.	..	..	..	50	1	0 18 1	CB
886	TRIPROLIDINE HYDROCHLORIDE								
	Oral Tablet	2.5 mg. tab.	..	..	..	50	1	0 17 5	BW
875	TROXIDONE								
	Oral Tablet	150 mg. tab.	..	..	..	200	1	2 8 9	AB
	Oral Capsule, B.P.	300 mg. cap.	..	..	..	200	1	4 2 1	AB, GA

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
876	TURPENTINE OIL Liniment, P.L.		4 fl. oz.	1	0 12 3	Extemp.
878	TYPHUS VACCINE Injection, B.P. 1 cc. amp.		2	..	1 2 9	CS
911	UNDECENOIC ACID Dusting Powder, P.L.		1920 gr.	1	0 12 9	Extemp.
912	UREA Mixture, P.L.		8 fl. oz.	4	0 19 11	Extemp.
921	VASOPRESSIN Injection, B.P. 1 cc. amp.		6	..	0 18 9	PD
922	VASOPRESSIN TANNATE IN OIL Injection 1 cc. amp... .. .		12	1	* 1 14 9	PD
923	VERILOID I.V. Injection 0.4 mg. per cc., 5.3 cc. amp.	D	6	..	3 6 9	RK
924	VITAMIN A Concentrated Solution, B.P.	PC	1 fl. oz.	..	0 13 5	DH
925	VITAMIN D Concentrated Solution, B.P.	PC	1 fl. oz.	..	0 10 9	DH

926	VITAMINS A and D				PC	1 fl. oz.	..	0 11 1	AN. DH				
	Concentrated Solution, B.P.							0 12 5	GL				
927	VITAMIN K ₁				D	3	..	1 0 1	RO				
	Injection 10 mg. amp.												
928	VITAMINS COMPOUND				P	100	1	0 7 5	AD, DH, HY, KL, MG, RT, RY, SI,				
	Oral Tablet, B.P.C. Capsule Formula ..							0 7 9	EB				
								0 8 6	AN, CM, GL, PR, QE, TO, VR				
								0 9 1	AB, BD, RD				
								(ex 1,000)					
								0 10 1	AB, AD, AN, BD, CM, DH, EB, GL,				
								(ex S.P.)	HY, KL, MG, PR, QE, RD, RT, RY,				
									SI, SL, TO, VA, VR, WD				
	Oral Capsule, B.P.C.							0 9 1	FA				
								(ex 1,000)					
								0 10 9	FA				
								(ex S.P.)					
	Oral Pill Capsule Formula				0 8 6	PD							
					(ex 1,000)								
					0 10 9	PD							
					(ex S.P.)								
941	WATER FOR INJECTION												
	Injection, B.P. 2 cc. amp... .. .									6	3	0 6 1	AD, BL, DH, EV, FH, KL, SJ
	5 cc. amp... .. .									6	3	0 6 9	AD, AN, BL, DH, EV, FH, KL, SJ
	10 cc. amp... .. .									6	3	0 8 1	AD, AN, BL, CS, DH, EV, FH, KL
									SJ				

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
942	WOOL ALCOHOLS Ointment, B.P.		1920 gr.	1	0 11 10	Extemp.
943	WOOL FAT HYDROUS 2 oz. tube or jar		1	..	0 2 3	DH, WD
961	ZINC GELATIN Paste, B.P. (Unna's)		3840 gr.	..	0 17 3	Extemp.
962	ZINC OXIDE Ointment, B.P. Cream, B.P. Cream, Soft, P.L. Ointment with Castor Oil, B.P. Paste with Coal Tar, P.L. Paste with Salicylic Acid, B.P.		1920 gr. 1920 gr. 1920 gr. 1920 gr. 1920 gr. 1920 gr.	1 1 1 1 1 1	0 9 11 0 9 11 0 9 10 0 14 11 0 7 10 0 12 1	Extemp. Extemp. Extemp. Extemp. Extemp. Extemp.
963	ZINC SULPHATE Lotion, P.L.		8 fl. oz.	4	0 6 4	Extemp.
964	ZINC UNDECENOATE Ointment, B.P.		1920 gr.	1	1 7 9	Extemp.

SECTION 2 — PART II

SCHEDULE OF BENEFITS

SECTION 2—SCHEDULE OF BENEFITS (PART II)

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Acacia, B.P.		0 2	1 2	Amidopyrin, B.P.C.		2 6	17 5
Acetic Acid, B.P.		0 1	0 7	Aminacrine Hydrochloride, B.P. . .		22 9	..
Acetic Acid, Dilute, B.P.		0 1	0 6	Aminophylline, B.P.		1 6	10 6
Acetic Acid, Glacial, B.P.		0 2	0 11	Ammonia Liniment, B.P.C. 1949..		0 1	0 6
Acetone, B.P.C.	K	0 2	0 10	Ammonia Solution, Dilute, B.P. . .		0 2	0 8
Acetylsalicylic Acid, B.P.		0 2	1 2	Ammonia Solution, Strong, B.P. . .		0 1	0 7
Aconite (Meth.) Liniment, B.P.C. .		0 4	2 0	Ammoniated Mercury Ointment, B.P.		0 3	1 7
Acriflavine, B.P. 1948		6 6	..	Ammonium Acetate Strong Sol., B.P. 1953.. .. .		0 2	0 11
Adrenaline, B.P.		64 7	..	Ammonium Bicarbonate, B.P. 1953		0 2	0 8
Adrenaline Hcl. Solution, B.P. 1953		0 7	4 0	Ammonium Bromide, B.P.C. ..		0 2	0 10
Agar, B.P.C.		1 6	10 6	Ammonium Chloride, B.P. ..		0 1	0 7
Alcohol 90%, B.P.	E	0 2	1 0	Anise Oil, B.P.	E	1 0	7 0
Alcohol 95%, B.P.	E	0 2	1 2	Aniseed Spirit, B.P.C. 1949 ..	E	0 4	2 1
Alcoholic Soap, A.P.F.		0 2	1 2	Aniseed Water, Conc., B.P.C. ..	E	0 3	1 5
Almond Oil, B.P.		0 10	5 10	Antimony Sodium Tartrate Injec- tion, B.P.		..	..
Almond Oil, Vol. Bitter, B.P. 1953	E	1 8	11 3	Apomorphine Hydrochloride Injec- tion, B.P.		..	..
Aloes, B.P.		0 4	2 3	Aqueous Cream, B.P.		0 4	2 1
Aloin, B.P. 1953		1 10	12 4	Aqueous Ointment, B.P.		0 3	1 5
Alum, B.P.		0 1	0 6	Aromatic Ammonia, B.P.C., Sol. . .		..	..
Aluminium Acetate Sol., B.P.C. . .		0 3	1 3				
Aluminium Hydroxide Mixture, A.P.F.		0 2	0 11				
Amaranth Solution, B.P.C.	E	0 2	0 11				
Amethocaine Hydrochloride, B.P. .	K	44 5	..				

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Aromatic Ammonia Spirit, B.P. 1953	K	0 3	1 4	Benzoinated Lard, B.P.C... ..	E	0 3	1 6
Atropine, B.P.		68 11	..	Benzyl Alcohol, B.P.		0 4	2 2
Atropine Methonitrate, B.P. ..		(4/6 for 1 grain)		Benzyl Benzoate, B.P.		0 7	4 0
Atropine Sulphate, B.P.		53 10	..	Benzyl Benzoate Application, B.P.		0 4	2 1
Bacitracin		(2/4 for 1 grain)		Bismuth Carbonate, B.P. 1953 ..		0 9	4 11
Barbitone Sodium, B.P.		1 8	11 6	Bismuth Subgallate, B.P. 1953 ..		1 0	6 8
Barium Sulphate, B.P.		0 2	1 1	Borate Buffer		..	..
Beeswax, White, B.P.		0 5	2 5	Borax, B.P., Powder		0 1	0 3
Beeswax, Yellow, B.P.C.		0 4	1 11	Boric Acid, B.P., Flake		0 1	0 6
Belladonna, Dry Extract, B.P. ..		1 5	9 10	Boric Acid, B.P., Powder		0 1	0 4
Belladonna Herb, B.P. (Powdered)		0 10	5 9	Boric Acid and Starch Dusting			
Belladonna Herb, Prepared, B.P. .		0 10	5 6	Powder, B.P.C.		0 2	0 10
Belladonna Suppository, B.P. 1948		..	..	Boroglycerin, B.P.C. 1949 ..		0 5	2 11
Belladonna Tincture, B.P.		0 3	1 5	Boroglycerin Ointment, A.P.F. ..		0 3	1 8
Bentonite, B.P.		0 1	0 6	Brilliant Green, B.P.		1 2	8 1
Benzocaine, B.P.		1 10	12 6	Buchu, Conc., Infusion, B.P.C. ..		0 4	2 4
Benzocaine and Adrenaline Oint- ment, A.P.F.		0 6	3 4	Butyl Aminobenzoate, B.P. 1953 .		29 3	..
Benzoic Acid, B.P... .. .		0 4	1 10	Cade Oil, B.P.		0 7	3 11
Benzoic Acid Compound Ointment, A.P.F.		0 4	1 10	Caffeine, B.P.		1 0	6 11
Benzoic Acid Solution, B.P.C. ..		1 4	8 11	Caffeine Citrate, B.P.C.		0 10	5 4
Benzoin, B.P.		0 5	2 9	Caffeine and Sodium Benzoate, B.P.C.		1 6	10 5
Benzoin Tincture, B.P.C.		0 4	2 0	Cajuput Spirit, B.P. 1948	E	0 3	1 8
Benzoin Tincture Compound, B.P.		0 6	3 0	Cajuput Tincture, B.P.C.		..	..
				Calamine, B.P.		0 2	0 10
				Calamine Cream, A.P.F.		0 3	1 9

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Calamine Lotion, B.P.		0 2	0 8	Cascara Elixir, B.P.		0 4	2 4
Calcium Carbonate, B.P.		0 1	0 3	Cascara, Liquid Extract, B.P. ..		0 4	1 10
Calcium Chloride, B.P.		0 2	1 0	Castor Oil, B.P.		0 1	0 7
Calcium Gluconate, B.P.		0 4	2 2	Catechu Tincture, B.P.C.		0 4	2 3
Calcium Hydroxide, B.P.		0 1	0 4	Cetostearyl Alcohol, B.P.		0 5	2 5
Calcium Hydroxide Solution, B.P.		0 1	0 6	Cetrimide, B.P.		1 5	9 10
Calcium Lactate, B.P.		0 3	1 6	Cetrimide Aqueous Cream, A.P.F.		0 5	2 8
Calcium Phosphate, B.P. 1953 ..		0 2	0 9	Cetrimide Ophthalmic Phosphate			
Calumba, Conc. Infusion, B.P. 1948		0 4	2 0	Buffer, A.P.F.		0 4	2 2
Calumba Tincture, B.P. 1948 ..		0 4	1 10	Cetrimide Ophthalmic Vehicle,			
Camphor, B.P., Powder		0 5	2 9	A.P.F.		0 4	1 10
Camphor Liniment, B.P.		0 2	1 1	Chalk, B.P.		0 1	0 4
Camphor Spirit, B.P.C.		0 3	1 8	Chiniofon, B.P. 1948			
Camphor Water, B.P.	E	..	..	Chloral Hydrate, B.P.		0 4	1 10
Camphor Water, Conc., B.P.C. 1949	E	0 3	1 5	Chloral Syrup, B.P.C.		0 2	0 8
Capsicum Ointment, B.P.C.		0 5	2 7	Chlorbutol, B.P.		0 11	6 2
Capsicum Tincture, B.P.C.		0 4	2 3	Chlorbutol Ophthalmic Phosphate			
Carmine Solution, A.P.F.	E	0 9	5 3	Buffer, A.P.F.		0 4	2 3
Caraway Oil, B.P.C.	E	2 2	14 9	Chlorbutol Ophthalmic Vehicle,			
Cardamom Aromatic Tincture,				A.P.F.		0 4	1 10
B.P.C.		0 5	2 7	Chlorbutol Water, A.P.F.		0 1	0 7
Cardamom Compound Tincture,				Chlorinated Lime, B.P.		0 2	0 8
B.P.		0 3	1 6	Chlorinated Soda Solution, Surgi-			
Cascara, B.P.		0 4	2 2	cal, B.P.		0 2	1 0
Cascara Aromatic Syrup, B.P.C.				Chlorocresol, B.P.		0 10	5 8
1949		0 2	0 10	Chloroform, B.P.	E	0 3	1 5
Cascara, Dry Extract, B.P.		1 1	7 6	Chloroform Spirit, B.P.	E	0 3	1 5

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Chloroform Water, B.P.	E	..	..	Colocynth, B.P.C.		0 10	5 6
Chloroform Water, Conc., B.P.C. . .	E	0 3	1 6	Colocynth, Comp. Powder Ext., B.P.C.		0 10	5 9
Cholesterol Oily Cream, A.P.F. . .		0 6	3 4	Colophony, B.P.		0 1	0 6
Cinnamon Oil, B.P.	E	2 9	..	Copper Sulphate, B.P.		0 2	0 9
Cinnamon Spirit, B.P.C. 1949 . .	E	0 4	2 3	Coriander Oil, B.P.	E	9 4	..
Cinnamon Water, Conc., B.P. . .	E	0 4	1 10	Cotton Seed Oil, B.P.		0 2	0 8
Citric Acid, B.P., Cryst. or Powd.		0 2	1 1	Creosote, B.P. 1953		0 11	6 0
Citronella Oil, B.P.C. 1949 . .	K	0 5	2 11	Crystal Violet, B.P.		1 10	12 10
Clove Oil, B.P.		1 2	8 1	Cudbear Tincture, A.P.F. 1947 . .	E	0 6	3 5
Cloves, Concentrated Infusion, B.P.C.		0 5	2 5	Curd Soap		0 1	0 7
Cocaine, B.P.		69 0	..	Dextrose, B.P.		0 2	0 8
Cocaine Hydrochloride, B.P. . .		48 0	..	Dextrose Monohydrate, B.P. . .		0 2	0 10
Cochineal Tincture, B.P. 1948 . .	E	0 3	1 8	Dibutyl Phthalate, B.P.		0 8	4 2
Coconut Oil, B.P.C. 1949	E	0 2	0 10	Dick Test Toxin, B.P.		..	..
Cod Liver Oil, B.P.	CP	0 1	0 6	Dick Control, B.P.		..	..
Codeine, B.P.C.		36 1	..	Dicophane, B.P.		0 5	2 7
Codeine Phosphate, B.P.		20 3	..	Digitalis Leaf, B.P.		0 10	5 6
Codeine Phosphate Syrup, B.P.C.		0 3	1 4	Digitalis, Prepared, B.P.		0 9	4 10
Colchicum Corm, B.P.		0 10	5 6	Digitalis Tincture, B.P. 1953 . .		0 4	1 10
Colchicum, Liquid Extract, B.P. . .		1 0	6 10	Dill Oil, B.P.	E	3 1	21 5
Colchicum Tincture, B.P.		0 3	1 8	Dill Water, Concentrated, B.P. . .	E	0 3	1 9
Colchicum, Dried Extract, B.P. 1948		3 11	27 2	Dimethyl Phthalate, B.P.		0 4	1 11
Collodion Acid Salicylic, A.P.F. 1955		0 2	0 11	Dusting Powder, Absorbable, B.P.		..	..
Collodion, Flexible, B.P.		0 3	1 4	Elixir Simple, B.P.C. 1949 . . .		0 2	0 11
				Emulsifying Ointment, B.P. . . .		0 4	1 11
				Emulsifying Wax, B.P.		0 4	2 1

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Ephedrine, B.P.		7 2	..	Gamma Benzene Hexachloride, B.P.		0 10	5 9
Ephedrine Elixir, A.P.F.		0 4	2 2	Gelatin, B.P., Powder		0 3	1 6
Ephedrine Hydrochloride, B.P.		4 2	..	Gelsemium Tincture, B.P.C.		0 4	2 2
Ephedrine Sulphate, B.P.C.		4 4	..	Gentian Violet		1 10	12 10
Ergot, Liquid Extract, B.P.C.		1 8	11 5	Gentian Compound Infusion		0 4	1 10
Ethanolamine, B.P.		0 3	1 5	Gentian Compound Infusion, Conc., B.P.		0 2	1 1
Ether Anaesthetic, B.P.	E	0 2	0 10	Gentian Compound Tincture, B.P.		0 4	1 10
Ether Solvent, B.P.	E	0 1	0 6	Ginger Syrup, B.P.	E	0 2	0 9
Ether Nitrous Spirit, B.P.C.		0 4	2 4	Ginger Tincture, Strong, B.P.		0 5	2 5
Ethereal Soap, A.P.F.		0 2	1 1	Ginger Tincture, Weak, B.P.		0 3	1 5
Ethyl Oleate, B.P.		..	..	Glucose, Liquid, B.P. 1953		0 1	0 6
Eucalyptol, B.P.		0 7	4 0	Glucose, Liquid, Syrup, B.P.C.		0 2	0 8
Eucalyptus Oil, B.P.		0 3	1 3	Glycerin, B.P.		0 3	1 3
Eye Base, B.P.		..	..	Glycerin Acid Boric, B.P. 1948		0 6	3 0
Ferric Chloride, Sol., B.P.C.		0 5	2 11	Glycerin Ichthammol, B.P.C.		0 4	2 1
Ferrous Gluconate, B.P.		0 10	5 6	Glycerin of Borax, B.P.C.		0 3	1 8
Ferrous Phosphate Comp. Syrup, B.P.C.		0 2	0 8	Glycerin Tragacanth, B.P.C. 1949		0 5	2 6
Ferrous Phosphate with Quinine and Strychnine Syrup, B.P.C.		0 2	0 8	Glycerophosphates Compound Syrup, A.P.F.		0 1	0 7
Ferrous Sulphate, B.P.		0 2	0 8	Golden Syrup, Acidified, A.P.F.		0 2	1 0
Ferrous Sulphate, Dry, B.P.		0 2	0 11	Halibut Liver Oil, B.P.		..	..
Fluorescein Sodium, B.P.		1 10	12 8	Hamamelis, Liquid Extract, B.P.		1 0	6 6
Formalin, B.P.		0 1	0 7	Hamamelis Ointment, B.P.		0 7	3 9
Fructose, B.P. 1948		..	..	Homatropine Hydrobromide, B.P.		(1/6d. for 1 gr.)	
Gall with Opium Ointment, B.P.C.		0 7	4 1				

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Honey, Purified, B.P.C.	E	0 1	0 5	Ipecacuanha Tincture, B.P.		0 6	3 4
Hydrochloric Acid, B.P.		0 2	1 2	Ipomoea Resin		0 10	5 6
Hydrochloric Acid, Dilute, B.P. ..		0 2	0 10	Iron and Ammonium Citrate, B.P.		0 3	1 4
Hydrocyanic Acid, Dilute, B.P.C..		1 5	9 5	Iron Carbonate, Saccharated,			
Hydrogen Peroxide Solution, B.P.		0 1	0 5	B.P.C.		0 3	1 7
Hyoscine Hydrobromide, B.P. ..	106 11	..	..	Isoprenaline Sulphate, B.P. ..		28 10	..
Hyoseyamus, Dry Extract, B.P. ..	1 8	11 3	..	Kaolin, Heavy, B.P.		0 1	0 4
Hyoseyamus, Liquid Extract, B.P.	0 5	2 10	..	Kaolin, Light, B.P.		0 1	0 7
Hyoseyamus Tincture, B.P. ..	0 2	1 2	..	Lactic Acid, B.P.		0 5	2 9
Hypophosphorous Acid, Dilute,				Lactose, B.P.		0 1	0 5
B.P.C.		0 3	1 6	Lavender Oil, B.P. 1953	E	2 5	16 6
Ichthammol, B.P.		0 4	2 4	Lavender Oil Spike, B.P.C. ..	E	0 10	5 9
Indigo Carmine, B.P.	..	..	..	Lead Subacetate Sol., Dilute, B.P.		0 1	0 7
Iodine, B.P.	1 0	6 11	..	Lead Subacetate Sol., Strong, B.P.		0 2	1 2
Iodine Compound Liniment, A.P.F.	0 4	2 3	..	Lead with Opium Lotion, B.P.C. ..		0 2	1 1
Iodine Simple Solution, B.P.C. ..	0 3	1 4	..	Lemon Neutral Syrup, A.P.F. ..	E	0 2	0 8
Iodine Solution, Aqueous, B.P. ..	0 3	1 8	..	Lemon Syrup, B.P.	E	0 2	0 8
Iodine Solution, Strong, B.P. ..	0 4	2 0	..	Lemon Tincture, B.P.	E	0 4	2 0
Iodine Solution Strong, B.P. Meth.	0 3	1 9	..	Linseed Oil, B.P.		0 1	0 7
Iodine Solution, Weak, B.P. ..	0 3	1 5	..	Liquorice, B.P.		0 3	1 4
Iodine Solution Weak, B.P. Meth.	0 3	1 5	..	Liquorice, Liquid Extract, B.P. ..	E	0 3	1 5
Iodine Stainless Ointment, B.P.C.	0 3	1 9	..	Lobelia, Ethereal Tincture, B.P.C.		0 5	2 7
Iodoform Powder, B.P.C. ..	1 7	10 10	..	Magenta, B.P.C.		1 4	..
Iodoform Suppository, B.P. 1948..	..	..	..	Magnesium Carbonate, Heavy, B.P.		0 2	0 8
Ipecacuanha and Opium Powder,				Magnesium Carbonate, Light, B.P.		0 1	0 7
B.P.		0 10	5 9	Magnesium Carbonate Solution,		..	..
Ipecacuanha, Liquid Extract, B.P.		3 3	22 7	B.P. 1948.. ..			

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
Magnesium Hydroxide Mixture, B.P.		s. d.	s. d.	Myrrh, B.P.C.		s. d.	s. d.
Magnesium Oxide, Heavy, B.P. ..		0 2	0 8	Myrrh Tincture, B.P.C.		0 9	5 2
Magnesium Oxide, Light, B.P. ..		0 4	1 11	Nasal Drops, Conc. Sol., A.P.F. ..		0 4	2 1
Magnesium Sulphate, B.P. ..		0 4	2 1	Normal Saline		0 5	2 8
Magnesium Sulphate, Dried, B.P. ..		0 1	0 2	Nux Vomica Extract, Dried, B.P.		0 1	0 1
Magnesium Trisilicate, B.P. ..		0 1	0 6	1953		1 3	8 5
Male Fern Extract, B.P.	K	0 2	0 11	Nux Vomica Liquid Extract, B.P.		0 6	3 6
Malt Extract, B.P.	CP	1 5	9 10	Nux Vomica Tincture, B.P. ..		0 3	1 3
Menthol, B.P.		0 1	0 7	Oily Cream, B.P.		0 3	1 9
Menthol Comp. Ointment, A.P.F.		2 1	14 3	Oily Ophthalmic Vehicle, A.P.F.			
Mercuric Chloride, B.P. 1953 ..		0 5	2 5	(No Preservative)		0 4	2 2
Mercuric Ox. Yellow Oint., B.P.C.		1 5	9 8	Oleic Acid, B.P.		0 2	0 8
1934		0 5	2 9	Olive Oil, B.P.		0 2	0 8
Mercurous Chlor. Oint., B.P. 1948		0 7	3 7	Opium Tincture, B.P.		0 6	3 1
Mercury Ammoniated, B.P. ..		1 6	10 0	Opium Tincture, Camphorated, B.P.		0 3	1 4
Mercury Comp. Oint., B.P.C. ..		0 7	3 9	Orange Peel Infusion, Conc., B.P.			
Methylated Spirit, Industrial, B.P.	E	0 1	0 3	1948		0 3	1 8
Methylcellulose, A.P.F.	E	0 11	6 4	Orange Peel Infusion, Conc. Comp.,			
Methylcellulose Mucilage, A.P.F. ..	E	0 2	1 0	B.P.C.		0 3	1 5
Methylene, Blue, B.P.		1 8	11 5	Orange Syrup, B.P.	E	0 2	0 9
Methylsalicylate, B.P.		0 3	1 9	Orange Tincture, B.P.	E	0 3	1 9
Methylsalicylate Comp. Liniment,				Ox-Bile Extract, B.P. 1948 ..			
A.P.F.		0 4	2 1	Oxymel, B.P.C.		0 3	1 3
Methylsalicylate Oint., B.P.C. ..		0 6	3 1	Oxymel of Squill, B.P.C.		0 2	0 11
Morphine Hydrochloride, B.P. ..		27 6	..	Papaverine Hydrochloride, B.P. ...		8 7	60 0
Morphine Hydrochloride Sol., B.P.		0 5	2 10	Paraben Ophthalmic Phosphate			
Morphine Sulphate, B.P.		33 4	..	Buffer, A.P.F.		0 4	2 2

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Paraben Ophthalmic Vehicle, A.P.F.		0 4	1 10	Phenolphthalein, B.P.		1 1	7 6
Paraffin, Hard, B.P.		0 1	0 6	Phenylephrine Hydrochloride	K	..	..
Paraffin, Light, Liquid, B.P.		0 1	0 6	Phenylmercuric Nitrate, B.P.		7 8	..
Paraffin, Liquid, B.P.		0 1	0 5	Pholcodine, B.P.C.		48 1	..
Paraffin Liquid Emulsion, B.P.		0 2	1 0	Pholcodine Citrate Syrup, B.P.C.		0 3	1 9
Paraffin, Liquid Emulsion, A.P.F.		0 2	0 9	Phosphoric Acid, B.P.		0 3	0 5
Paraffin, White Ointment		0 3	1 3	Phosphoric Acid, Dilute, B.P.		0 2	0 10
Paraffin, White, Soft, B.P.		0 1	0 6	Phthalylsulphathiazole, B.P.		1 6	10 5
Paraffin, Yellow Ointment		0 2	1 1	Physostigmine Salicylate, B.P.		(6/5d. f	or 1 gr.)
Paraffin, Yellow, Soft, B.P.		0 1	0 6	Pilocarpine Nitrate, B.P.		44 4	..
Paraldehyde, B.P.		0 4	2 0	Piperazine Adipate, B.P.		..	..
Peanut Oil, B.P.		0 1	0 7	Piperazine Phosphate, B.P.		..	..
Penicillin, Oily Injection		..	..	Podophyllum Resin, B.P.		2 10	..
Pentobarbitone Sodium, B.P.		3 10	..	Potassium Acid Tartrate, B.P.		0 2	0 9
Peppermint Oil, B.P.	E	1 5	9 5	Potassium Bicarbonate, B.P., Powder		0 2	0 8
Peppermint Spirit, B.P.	E	0 4	0 11	Potassium Bromide, B.P.		0 2	0 10
Peppermint Water, Conc., B.P.	E	0 3	1 6	Potassium Chlorate, B.P.C.		0 3	1 4
Peru Balsam, B.P.C.		1 4	9 1	Potassium Chloride, B.P.		0 3	1 4
Phenacetin, B.P.		0 4	2 1	Potassium Citrate, B.P.		0 2	1 1
Phenazone, B.P.C.		0 9	5 2	Potassium Hydroxide, B.P.		0 5	2 5
Phenobarbitone, B.P.		1 2	8 0	Potassium Hydroxide Sol., B.P.		0 2	0 9
Phenobarbitone Sodium, B.P.		1 2	8 0	Potassium Iodide, B.P.		0 6	3 4
Phenol, B.P.		0 4	1 11	Potassium Nitrate, B.P., Powder		0 1	0 6
Phenol, Liquefied, B.P.		0 3	1 5	Potassium Permanganate, B.P.		0 2	0 10
Phenol, Glycerin, B.P.		0 4	2 3	Potash, Sulphurated, B.P.C.		0 5	2 6
Phenol Ointment, B.P. 1948		0 4	1 10	Procaine Hcl., B.P.		4 0	..

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Proflavine Hemisulphate, B.P. ..		12 3	..	Sesame Oil, B.P.		..	..
Propylene Glycol, B.P. ..	E	0 6	3 0	Siberian Fir Oil, B.P.C. 1949 ..		1 1	8 0
Pyroxylin, B.P.		1 4	9 4	Silver Nitrate, B.P.		3 3	22 6
Quassia Tincture, B.P. 1948 ..		0 3	1 5	Silver Nitrate, Toughened, B.P. ..		6 0	41 6
Quillaia Tincture, B.P.C. ..	E	0 4	2 1	Silver Protein, B.P.		2 11	19 11
Quinalbarbitone Sodium, B.P. ..		2 11	20 0	Silver Protein, Mild, B.P.C. ..		3 7	24 7
Quinidine Sulphate, B.P. ..		5 8	39 8	Simple Oint., B.P., White or Yellow		0 3	1 5
Quinine Ammon. Sol., B.P.C. ..		0 3	1 6	Soap Liniment, B.P.		0 2	1 2
Quinine Bisulphate, B.P. ..		2 6	17 6	Soap, Soft, B.P.		0 2	1 0
Quinine Dihydrochloride, B.P. ..		2 9	19 3	Sodium Acid Citrate, B.P. ..		..	..
Quinine Hydrochloride, B.P. ..		2 3	15 4	Sodium Acid Phosphate, B.P. ..		0 3	1 4
Quinine Sulphate, B.P. ..		1 9	11 9	Sodium Benzoate, B.P.		0 5	2 6
Red Syrup, A.P.F.	E	0 2	0 11	Sodium Bicarbonate, B.P. ..		0 1	0 3
Resorcinol, B.P.		1 1	7 6	Sodium Bicarbonate Injection, B.P.		..	..
Resorcinol Comp. Oint., B.P.C. ..		0 7	3 7	Sodium Bromide, B.P.		0 2	0 10
Rhubarb, Powdered, B.P. ..		0 6	3 6	Sodium Carbonate, B.P.		0 2	0 10
Rhubarb Compound Tincture, B.P.		0 3	1 5	Sodium Carbonate, Exsiccated,			
Rosemary Oil, B.P.	E	0 10	5 9	B.P.C.		0 1	0 7
Salicylic Acid, B.P.		0 4	1 10	Sodium Chloride, B.P.		0 1	0 5
Salicylic Acid Oint., B.P. ..		0 4	2 1	Sodium Citrate, B.P.		0 2	0 11
Santonin, B.P.		23 4	..	Sodium Hydroxide, B.P.		0 4	2 2
Scarlet Fever Antitoxin, B.P. ..		..	..	Sodium Iodide, B.P.		0 10	5 10
Scarlet Fever Prophylactic, B.P. ..		..	..	Sodium Metabisulphite, B.P. ..		0 3	1 8
Schick Control, B.P.		..	..	Sodium Nitrite, B.P.C.		0 8	4 2
Senega Conc. Infusion, B.P.C. ..		0 6	3 4	Sodium Phosphate, B.P.		0 2	0 11
Senna Comp. Mixture, B.P.C. ..		0 3	1 6	Sodium Salicylate, B.P.		0 3	1 3
Senna Leaf, Conc. Infusion, B.P.C.		0 5	2 8	Sodium Sulphate, B.P.		0 1	0 2

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Sorbolene, A.P.F.		0 7	3 7	Sulphur, Precipitated, B.P. . .		0 2	0 9
Squill Syrup, B.P.C.	E	0 2	0 9	Sulphur, Sublimed, B.P. . . .		0 1	0 4
Squill Tincture		0 3	1 5	Sulphuric Acid, Dilute, B.P.C. .	E	0 2	0 10
Squill, Vinegar of, B.P. 1948 .		0 2	0 10	Syrup, B.P.		0 1	0 5
Starch, B.P.		0 1	0 4	Talc, Purified, B.P.C.		0 1	0 3
Starch Glycerin, B.P.		0 4	2 4	Tannic Acid, B.P.		0 9	5 2
Stearic Acid, B.P.C.	E	0 2	0 8	Tannic Acid Glycerin, B.P. . .		0 5	2 6
Stibophen Injection, B.P. . . .		..	..	Tar, B.P.		0 2	0 9
Storax, Prepared, B.P.		1 11	13 5	Tar, Coal, Crude		0 1	0 7
Stramonium, B.P.		0 5	2 6	Tar, Coal, Solution, B.P. . . .		0 3	1 9
Stramonium, Dry Extract, B.P. .		0 10	5 9	Tar, Ointment, B.P.C.		0 4	2 3
Stramonium, Liquid Extract, B.P.		0 9	4 11	Tar, Prepared Coal, B.P. . . .		0 2	0 11
Stramonium, Powdered, B.P. . .		0 5	2 6	Tartaric Acid, B.P.		0 3	1 3
Stramonium Tincture, B.P. . . .		0 3	1 4	Theobroma Oil, B.P.		0 6	3 3
Streptomycin	K	18 3	..	Theophylline, B.P.		2 7	17 8
Strophanthus Tincture, B.P. 1948		1 0	6 11	Thickened Ophthalmic Vehicle,			
Strychnine, B.P.C.		6 10	47 7	A.P.F.		0 4	1 10
Strychnine Hydrochloride, B.P. .		6 7	45 7	Thiouracil, B.P. 1948		..	..
Strychnine Hydrochloride Solution,				Thymol, B.P.		1 3	8 5
B.P.		0 3	1 4	Thymol Comp. Sol., A.P.F. . .		0 2	1 1
Succinylsulphathiazole, B.P. . .		1 11	13 2	Tolu Balsam, B.P.	E	1 4	9 3
Sucrose, B.P.	E	0 1	0 3	Tolu Syrup, B.P.		0 2	0 11
Sulphacetamide Sodium, B.P. . .		1 11	13 3	Tolu Tincture, B.P.C.		0 6	3 3
Sulphadiazine, B.P.		2 8	18 4	Tragacanth, B.P., Powdered . .		1 4	8 11
Sulphadimidine		2 6	17 1	Tragacanth Powder, Compound,			
Sulphaguanidine, B.P.		1 2	7 8	B.P.		0 3	1 5
Sulphur Ointment, B.P.		0 3	1 3	Tragacanth Mucilage, B.P. . .		0 2	0 11

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Trichloroacetic Acid, B.P. ..	E	2 0	14 0	Water, Purified, B.P. ..	K	..	..
Triethanolamine, B.P.C. ..		0 4	2 2	Wool Alcohols, B.P. ..		0 8	4 3
Trinitrophenol, B.P.C. ..		0 11	6 4	Wool Alcohols Ointment, B.P. ..		0 3	1 7
Tryparsamide Injection, B.P. ..		..	..	Wool Fat, B.P. ..		0 2	1 0
Turpentine Meth. Liniment, B.P. ..		0 2	0 9	Wool Fat, Hydrous, B.P. ..		0 2	1 2
Turpentine Oil, B.P. ..	E	0 4	1 11	Xylene, B.P.C. 1949 ..		0 6	3 0
Typhoid Para-Typhoid A, B and C Vaccine, B.P. ..		..	..	Zinc and Castor Oil Oint., B.P. ..		0 5	2 5
Tyrothrycin (Buffered) Eye Drops ..		..	..	Zinc and Salicylic Acid Paste, B.P. ..		0 3	1 5
Undecenoic Acid, B.P. ..		1 6	10 4	Zinc Cream, B.P. ..		0 2	1 1
Urea, B.P. ..		0 6	3 6	Zinc Gelatin, B.P. ..		0 3	1 6
Urethane, B.P. ..		1 7	10 8	Zinc Ointment, B.P. ..		0 2	1 1
Valerian Ammoniated Tincture, B.P.C. ..		0 4	2 3	Zinc Oxide, B.P. ..		0 1	0 6
Vanillin, B.P. ..		3 4	..	Zinc Paste Compound, B.P. ..		0 3	1 7
Water, Distilled ..		0 1	0 2	Zinc Stearate, B.P. ..		0 4	1 10
Water, Potable ..		..	..	Zinc Sulphate, B.P. ..		0 2	1 0
		..	..	Zinc Undecenoate, B.P. ..		1 9	12 1
		..	..	Zinc Undecenoate Oint., B.P. ..		0 10	5 10

E = May only be prescribed as an additive

The following items have been identified above by the restriction code "K" and are restricted to the combinations shown:

Acetone, B.P.C. ..	Sulphurated Lotion, P.L.
	Magenta and Resorcinol Paint, P.L.
Amethocaine Hydrochloride, B.P. ..	Ear and Eye Drops
Bacitracin ..	Ophthalmic Phosphate Buffer Solution
Citronella Oil, B.P.C. 1949 ..	Dicophane Application, P.L.
Male Fern Extract ..	Capsules and Emulsion
Phenylephrine Hydrochloride ..	Eye Drops.
Streptomycin ..	Ear Drops
Xylene, B.P.C. 1949 ..	Dicophane Application, P.L.

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR EXTEMPORANEOUSLY PREPARED PREPARATIONS

Preparations			Maximum Qty. or No. of Units	Number of Repeats	Preparations			Maximum Qty. or No. of Units	Number of Repeats
Applications	..	..	4 fl. oz.	1	Irrigations	..	..	8 fl. oz.	4
Capsules	..	..	50	1	Insufflations	..	..	480 gr.	1
Collodions	..	..	240 min.	2	Linctuses	..	..	8 fl. oz.	4
Creams	..	..	1920 gr.	1	Liniments	..	..	4 fl. oz.	1
Draughts	..	..	8 fl. oz.	4	Lotions	..	..	8 fl. oz.	4
Dusting Powders	..	..	1920 gr.	1	Lozenges	..	..	25	..
Ear Drops	..	..	$\frac{1}{2}$ fl. oz.	2	Mixtures	..	..	8 fl. oz.	4
Elixirs	..	..	8 fl. oz.	4	Mixtures for Infants	..	..	4 fl. oz.	4
Emulsions	..	..	16 fl. oz.	4	Nasal Instillations	..	..	$\frac{1}{2}$ fl. oz.	2
Enemas	..	..	4 fl. oz.	1	Ointments	..	..	1920 gr.	1
Extracts, Fluid	..	..	4 fl. oz.	1	Paints	..	..	1 fl. oz.	1
Eye Drops of Physostigmine	..	..	240 min.	6	Pastes	..	..	1920 gr.	1
Eye Drops of Pilocarpine	..	..	240 min.	6	Pessaries	..	..	12	1
Other Eye Drops	..	..	240 min.	2	Pills	..	..	50	1
Eye Lotions	..	..	8 fl. oz.	4	Poultices	..	..	1 lb.	1
Eye Ointments	..	..	60 gr.	..	Powders for internal use	..	..	1920 gr.	1
Gargles and Mouthwashes	..	..	8 fl. oz.	4	Powders individually wrapped	..	..	12	1
Gelatins	..	..	1920 gr.	1	Soaps	..	..	4 fl. oz.	1
Gelatin Zinc (Unna's Paste)	..	..	3840 gr.	..	Solutions	..	..	4 fl. oz.	1
Glycanths	..	..	1920 gr.	1	Sprays	..	..	$\frac{1}{2}$ fl. oz.	2
Glycerins	..	..	4 fl. oz.	1	Suppositories	..	..	12	1
Implants	..	..	1 Implant	..	Syrups	..	..	8 fl. oz.	4
Inhalations	..	..	2 fl. oz.	1	Tinctures	..	..	1 fl. oz.	1
Injections—									
Ampoules	..	..	6 amps	1					
Vials	..	..	1 vial	1					

SECTION 3

PRESCRIBER'S LIST

PRESCRIBER'S LIST — CHILDREN'S SECTION

P
R
E
S
C
R
I
B
E
R
S

L
I
S
T

SECTION 3 — PRESCRIBER'S LIST

PRESCRIPTION

APPLICATIONS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

93. BENZYL BENZOATE

Benzyl Benzoate B.P.	..	..	1 oz.
Triethanolamine B.P.C.	..	..	12 min.
Stearic Acid B.P.C.	..	..	40 gr.
Distilled Water to	..	..	4 fl. oz.

93. BENZYL BENZOATE WITH DICOPHANE

Dicophane B.P.	..	..	40 gr.
Benzyl Benzoate B.P.	..	..	1 oz.
Triethanolamine B.P.C.	..	..	12 min.
Stearic Acid B.P.C.	..	..	40 gr.
Distilled Water to	..	..	4 fl. oz.

241. DICOPHANE

Dicophane B.P.	..	..	34 gr.
Emulsifying Wax B.P.	..	..	70 gr.
Xylene B.P.C. 1949	..	..	290 min.
Oil of Citronella B.P.C. 1949	..	..	10 min.
Water to	..	..	4 fl. oz.

355. GAMMA BENZENE HEXACHLORIDE

Gamma Benzene Hexachloride, B.P.	..	..	3.5 gr.
Castor Oil B.P.	..	..	192 min.
Spike Lavender Oil B.P.C.	..	..	10 min.
Industrial Methylated Spirit B.P. to	..	..	4 fl. oz.

PRESCRIPTION

CREAMS

(Maximum Quantity, 1920 gr. 1 Repeat)

21. AMINACRINE

Aminacrine Hydrochloride B.P.	..	..	1 gr.
Cream Cetrimide Aqueous, A.P.F. to	..	..	960 gr.

101. BUTYL AMINOBENZOATE AND TRINITROPHENOL

Butyl Aminobenzoate, B.P. 1953	..	..	5 gr.
Trinitrophenol, B.P.C.	..	..	5 gr.
Zinc Oxide, B.P.	..	..	96 gr.
Oily Cream of Cholesterol, A.P.F. to	..	..	960 gr.

120. CALAMINE

Oleic Acid, B.P.	..	..	4 gr.
Peanut Oil, B.P.	..	..	212 gr.
Wool Fat, B.P.	..	..	212 gr.
Calamine, B.P.	..	..	288 gr.
Solution of Calcium Hydroxide, B.P.	..	..	280 min

139. CETRIMIDE

Cetrimide, B.P.	..	..	5 gr.
Cetostearyl Alcohol, B.P.	..	..	96 gr.
Liquid Paraffin, B.P.	..	..	96 gr.
Distilled Water to	..	..	960 gr.

CREAMS—*contd.*

165. COLD

Borax, B.P. Powder	..	..	..	12 gr.
Distilled Water	..	..	..	218 min.
White Beeswax, B.P.	..	..	..	178 gr.
Peanut Oil, B.P.	..	..	..	576 gr.

302. EMULSIFYING WAX (BUFFERED)

Sodium Phosphate, B.P.	..	..	..	25 gr.
Citric Acid, B.P.	..	..	..	5 gr.
Chlorocresol, B.P.	..	..	..	1 gr.
Emulsifying Ointment, B.P.	..	..	..	300 gr.
Distilled Water to	..	..	..	960 gr.

355. GAMMA BENZENE HEXACHLORIDE

Gamma Benzene Hexachloride, B.P.	..	..	..	9 gr.
Stearic Acid, B.P.C.	..	..	..	19 gr.
Cetostearyl Alcohol, B.P.	..	..	..	192 gr.
Triethanolamine, B.P.C.	..	..	..	15 gr.
Glycerin, B.P.	..	..	..	77 gr.
Distilled Water to	..	..	..	960 gr.

362. GLYCERIN

Glycerin, B.P.	..	..	..	192 gr.
Solution of Calcium Hydroxide, B.P.	..	..	..	338 min.
Peanut Oil, B.P.	..	..	..	212 min.
Wool Fat, B.P.	..	..	..	250 gr.

962. SOFT ZINC

Light Liquid Paraffin, B.P.	..	..	..	346 gr.
Zinc Cream, B.P. to	..	..	..	1,920 gr.

777. SORBOLENE

Sorbolene, A.P.F.	..	..	..	96 gr.
Hard Paraffin, B.P.	..	..	..	57 gr.
Liquid Paraffin, B.P.	..	..	..	260 gr.
Chlorocresol, B.P.	..	..	..	1 gr.
Distilled Water	..	..	..	546 min.

DUSTING POWDERS

(Maximum Quantity, 1920 gr. 1 Repeat)

90. BENZOCAINE

Benzocaine, B.P.	..	..	..	48 gr.
Compound Dusting Powder of Kaolin, A.P.F. to	..	..	..	480 gr.

450. KAOLIN COMPOUND

Light Kaolin, B.P.	..	..	..	480 gr.
Zinc Oxide, B.P.	..	..	..	480 gr.
Talc, Purified, B.P.C. to	..	..	..	1,920 gr.

911. UNDECENOIC ACID

Undecenoic Acid, B.P.	..	..	..	10 gr.
Zinc Undecenoate, B.P.	..	..	..	100 gr.
Light Kaolin, B.P.	..	..	..	10 gr.
Talc, Purified, B.P.C. to	..	..	..	480 gr.

PREScription

EAR DROPS

(Except where shown, Maximum Quantity $\frac{1}{2}$ fl. oz.
2 Repeats)

98. ACID BORIC

Boric Acid, B.P.	..	..	.. 4 gr.
Industrial Methylated Spirit, B.P.	..	..	.. 120 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

756. ACID SALICYLIC

Salicylic Acid, B.P.	..	..	.. 4 gr.
Industrial Methylated Spirit, B.P.	..	..	.. 120 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

21. AMINACRINE

Aminacrine Hydrochloride, B.P.	..	..	.. 0.25 gr.
Cetrimide, B.P.	..	..	.. 0.125 gr.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

171. CRYSTAL VIOLET

Crystal Violet, B.P.	..	..	.. 2 gr.
Industrial Methylated Spirit, B.P.	..	..	.. 120 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

PREScription

390. HYDROGEN PEROXIDE

Solution of Hydrogen Peroxide, B.P.	..	..	.. 120 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

410. ICHTHAMMOL

Ichthammol, B.P.	..	..	.. 24 min.
Glycerin, B.P. to	..	..	.. $\frac{1}{2}$ fl. oz.

613. PHENOL

Glycerin of Phenol, B.P.	..	..	.. 90 min.
Glycerin, B.P. to	..	..	.. $\frac{1}{2}$ fl. oz.

766. SODIUM BICARBONATE

Sodium Bicarbonate, B.P.	..	..	.. 8 gr.
Glycerin, B.P.	..	..	.. 180 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

778. SPIRIT

Industrial Methylated Spirit, B.P.	..	..	.. 170 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

781. STREPTOMYCIN

(Maximum Quantity 15 ml. 2 Repeats)

Streptomycin	..	..	.. 1 G.
Normal Saline to	..	..	.. 15 ml.

EAR DROPS—*contd.*

784. SULPHACETAMIDE SODIUM

Sulphacetamide Sodium, B.P. . .	22 gr.
Boric Acid, B.P. . .	4 gr.
Industrial Methylated Spirit, B.P. . .	120 min.
Distilled Water to . . .	$\frac{1}{2}$ fl. oz.

EYE DROPS

(Except where shown, Maximum Quantity, 240 min.
2 Repeats)

21. AMINACRINE

Aminacrine Hydrochloride, B.P. . .	0.05 gr.
Sodium Chloride, B.P. . .	2 gr.
Cetrimide Ophthalmic Vehicle, A.P.F. to . . .	$\frac{1}{2}$ fl. oz.

40. ATROPINE $\frac{1}{2}$ % (Approx.)

Atropine Sulphate, B.P. . .	1 gr.
Sodium Chloride, B.P. . .	2 gr.
Ophthalmic Buffer Solution, A.P.F. to	$\frac{1}{2}$ fl. oz.

40. ATROPINE 1% (Approx.)

Atropine Sulphate, B.P. . .	2 gr.
Sodium Chloride, B.P. . .	2 gr.
Ophthalmic Buffer Solution, A.P.F. to	$\frac{1}{2}$ fl. oz.

38. ATROPINE (OILY) 1% (Approx.)

Atropine, B.P. . .	2 gr.
Oily Ophthalmic Vehicle, A.P.F. to	$\frac{1}{2}$ fl. oz.

83. BACITRACIN

(Maximum Quantity, 5 ml. 2 Repeats)

Bacitracin . . .	5,000 U.
Ophthalmic Phosphate Buffer Solu- tion to . . .	5 ml.

158. COCAINE (OILY) 2% (Approx.)

Cocaine, B.P. . .	2 gr.
Oily Ophthalmic Vehicle, A.P.F. to	120 min.

497. METHYLCELLULOSE

Methylcellulose, A.P.F. . .	1 gr.
Sodium Chloride, B.P. . .	2 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F. to . . .	$\frac{1}{2}$ fl. oz.

622. PHYSOSTIGMINE $\frac{1}{2}$ % (Approx.)

(Maximum Quantity 240 min. 6 Repeats)

Physostigmine Salicylate, B.P. . .	1 gr.
Sodium Chloride, B.P. . .	2 gr.
Sodium Metabisulphite, B.P. . .	0.1 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F. to . . .	$\frac{1}{2}$ fl. oz.

PREScription

EYE DROPS—*contd.*

624. PILOCARPINE $\frac{1}{2}$ % (Approx.)

(Maximum Quantity, 240 min. 6 Repeats)

Pilocarpine Nitrate, B.P.	..	..	1 gr.
Chlorbutol Water, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

624. PILOCARPINE 1% (Approx.)

(Maximum Quantity, 240 min. 6 Repeats)

Pilocarpine Nitrate, B.P.	..	..	2 gr.
Chlorbutol Water, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

762. SILVER PROTEIN 10% (Approx.)

Mild Silver Protein, B.P.C.	..	..	22 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

784. SULPHACETAMIDE (STRONG)

Sulphacetamide Sodium, B.P.	..	..	60 gr.
Boric Acid, B.P.	..	..	4 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F.	..	..	..
to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

784. SULPHACETAMIDE (WEAK)

Sulphacetamide Sodium, B.P.	..	..	20 gr.
Boric Acid, B.P.	..	..	4 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F.	..	..	..
to	..	..	$\frac{1}{2}$ fl. oz.

EYE OINTMENTS

(Maximum Quantity, 60 gr. No repeats)

410. ICHTHAMMOL AND ZINC OXIDE

Ichthammol, B.P.	..	..	0.5 gr.
Zinc Oxide, B.P.	..	..	0.5 gr.
Eye Base, B.P. to	..	..	60 gr.

INHALATIONS

(Maximum Quantity, 2 fl. oz. 1 Repeat)

92. BENZOIN COMPOUND

Menthol, B.P.	..	..	24 gr.
Oil of Siberian Fir, B.P.C. 1949	..	..	24 min.
Compound Tincture of Benzoin, B.P. to	..	..	1 fl. oz.

485. MENTHOL COMPOUND

Menthol, B.P.	..	..	15 gr.
Creosote, B.P. 1953	..	..	15 gr.
Oil of Siberian Fir, B.P.C. 1949	..	..	30 min.
Alcohol 90%, B.P. to	..	..	1 fl. oz.

LINCTUSES

(Maximum Quantity, 8 fl. oz. 4 Repeats)

130. CAMPHOR COMPOUND

Camphorated Tincture of Opium, B.P.	20 min.
Oxymel of Squill, B.P.C.	.. 15 min.
Acidified Golden Syrup, A.P.F. to	.. 60 min.

160. CODEINE

Codeine Phosphate, B.P.	.. 0.5 gr.
Distilled Water	.. 5 min.
Glycerin, B.P.	.. 15 min.
Oxymel of Squill, B.P.C. to	.. 60 min.

500. MORPHINE

Solution of Morphine Hydrochloride, B.P.	.. 10 min.
Red Syrup, A.P.F.	.. 15 min.
Syrup, B.P.	.. 60 min.

619. PHOLCODINE

Syrup of Pholcodine Citrate, B.P.C.	.. 30 min.
Syrup, B.P. to	.. 60 min.

LINIMENTS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

120. CALAMINE COMPOUND

Phenol, B.P.	.. 7.5 gr.
Camphor, B.P.	.. 7.5 gr.
Liquid Paraffin, B.P.	.. 480 gr.
Emulsifying Wax, B.P.	.. 45 gr.
Talc, B.P.	.. 120 gr.
Calamine, B.P.	.. 120 gr.
Water to	.. 4 fl. oz.

LINIMENTS—contd.

317. EUCALYPTUS COMPOUND

Camphor, B.P. Powder	.. 60 gr.
Eucalyptus Oil, B.P.	.. 384 min.
Turpentine Oil, B.P.	.. 288 min.
Oleic Acid, B.P.	.. 72 min.
Peanut Oil, B.P.	.. 480 min.
Dilute Solution of Ammonia, B.P.	.. 384 min.
Distilled Water to	.. 4 fl. oz.

499. METHYL SALICYLATE

Methyl Salicylate, B.P.	.. 240 min.
Peanut Oil, B.P. to	.. 2 fl. oz.

876. TURPENTINE

Camphor, B.P. Powder	.. 44 gr.
Turpentine Oil, B.P.	.. 624 min.
Triethanolamine, B.P.C.	.. 20 min.
Oleic Acid, B.P.	.. 40 min.
Distilled Water to	.. 2 fl. oz.

LOTIONS

(Maximum Quantity, 8 fl. oz. 4 Repeats)

756. ACID SALICYLIC COMPOUND

Mercuric Chloride, B.P. 1953	.. 4 gr.
Salicylic Acid, B.P.	.. 80 gr.
Castor Oil, B.P.	.. 40 min.
Spike Lavender Oil, B.P.C.	.. 4 min.
Industrial Methylated Spirit, B.P. to	8 fl. oz.

PREScription

LOTIONS—*contd.*

21. AMINACRINE

Aminacrine Hydrochloride, B.P.	..	4 gr.
Cetrimide, B.P.	..	2 gr.
Distilled Water to	..	8 fl. oz.

120. CALAMINE

Calamine, B.P.	..	240 gr.
Zinc Oxide, B.P.	..	240 gr.
Glycerin, B.P.	..	240 min.
Solution of Calcium Hydroxide, B.P.	..	2 fl. oz.
Water to	..	8 fl. oz.

(Liquefied Phenol 1% may be added to this Lotion)

157. COAL TAR

Solution of Coal Tar, B.P.	..	80 min.
Sodium Bicarbonate, B.P.	..	44 gr.
Water to	..	8 fl. oz.

319. EVAPORATING

Industrial Methylated Spirit, B.P.	..	1 fl. oz.
Ammonium Chloride, B.P.	..	120 gr.
Water to	..	8 fl. oz.

613. PHENOL

Liquefied Phenol, B.P.	..	120 min.
Distilled Water to	..	8 fl. oz.

PREScription

741. RESORCINOL COMPOUND

Resorcinol, B.P.	..	80 gr.
Solvent Ether, B.P.	..	80 min.
Castor Oil, B.P.	..	80 min.
Spike Lavender Oil, B.P.C.	..	8 min.
Industrial Methylated Spirit, B.P. to	..	8 fl. oz.

798. SULPHURATED

Zinc Sulphate, B.P.	..	160 gr.
Sulphurated Potash, B.P.C.	..	160 gr.
Acetone, B.P.C.	..	240 min.
Glycerin, B.P.	..	240 min.
Distilled Water to	..	8 fl. oz.

963. ZINC SULPHATE

Zinc Sulphate, B.P.	..	35 gr.
Solution of Amaranth, B.P.C.	..	40 min.
Water to	..	8 fl. oz.

MIXTURES

(Maximum Quantity, 8 fl. oz. 4 Repeats)

4. ACID ACETYLSALICYLIC

Acetylsalicylic Acid, B.P.	..	10 gr.
Compound Powder of Tragacanth, B.P.	..	5 gr.
Syrup of Orange, B.P.	..	30 min.
Chloroform Water, B.P. to	..	½ fl. oz.

MIXTURES—*contd.*

5. ACID ACETYSALICYLIC COMPOUND

Acetylsalicylic Acid, B.P.	..	..	10 gr.
Phenacetin, B.P.	..	..	5 gr.
Caffeine, B.P.	..	..	1 gr.
Compound Powder of Tragacanth, B.P.	5 gr.		
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

6. ACID ACETYSALICYLIC AND CODEINE COMPOUND

Codeine Phosphate, B.P.	..	..	0.25 gr.
Acid Acetylsalicylic, B.P.	..	..	8 gr.
Phenacetin, B.P.	..	..	8 gr.
Compound Powder of Tragacanth, B.P.	5 gr.		
Syrup of Orange, B.P.	..	..	30 min.
Spirit of Peppermint, B.P.	..	..	1 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

7. ACID ACETYSALICYLIC AND MORPHINE

Solution of Morphine Hydrochloride, B.P.	..	..	15 min.
Solution of Amaranth, B.P.C.	..	..	1 min.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	5 gr.		
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

8. ACID ACETYSALICYLIC AND PHENOBARBITONE

Phenobarbitone, B.P.	..	..	0.25 gr.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	5 gr.		
Syrup of Orange, B.P.	..	..	30 min.
Spirit of Cinnamon, B.P.C. 1949	..	..	1 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

386. ACID HYDROCHLORIC DILUTE

Dilute Hydrochloric Acid, B.P.	..	..	120 min.
Syrup of Orange, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE WITH BELLADONNA

Tincture of Belladonna, B.P.	..	..	7.5 min.
Mixture of Aluminium Hydroxide, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE AND KAOLIN

Light Kaolin, B.P.	..	..	45 gr.
Mixture of Aluminium Hydroxide, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE AND KAOLIN WITH OPIUM

Tincture of Opium, B.P.	..	..	5 min.
Mixture of Aluminium Hydroxide and Kaolin, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

19. ALUMINIUM HYDROXIDE WITH PROCAINE
 Procaine Hydrochloride, B.P. 2 gr.
 Mixture of Aluminium Hydroxide,
 A.P.F. to $\frac{1}{2}$ fl. oz.

22. AMINOPHYLLINE COMPOUND
 Phenobarbitone Sodium, B.P. $\frac{1}{2}$ gr.
 Ephedrine Hydrochloride, B.P. 0.25 gr.
 Potassium Iodide, B.P. 7.5 gr.
 Aminophylline, B.P. 1.5 gr.
 Liquid Extract of Liquorice, B.P. 7.5 min
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz

22. AMINOPHYLLINE COMPOUND WITH
 ACETYLSALICYLIC ACID
 Acetylsalicylic Acid, B.P. 10 gr.
 Aminophylline, B.P. 3 gr.
 Ephedrine Hydrochloride, B.P. 0.25 gr
 Phenobarbitone B.P. $\frac{1}{6}$ gr.
 Compound Powder of Tragacanth, B.P. 5 gr.
 Syrup of Orange, B.P. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

25. AMMONIUM ACETATE
 Strong Solution of Ammonium Acetate,
 B.P. 1953 30 min.
 Potassium Citrate, B.P. 20 gr.
 Camphorated Tincture of Opium, B.P. 30 min.
 Syrup of Tolu, B.P. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

PREScription

122. CALCIUM ACETYLSALICYLATE
 Acetylsalicylic Acid, B.P. 9 gr.
 Calcium Hydroxide, B.P. 2.5 gr.
 Neutral Syrup of Lemon, A.P.F. 30 min.
 Solution of Carmine, A.P.F. 1 min.
 Water to $\frac{1}{2}$ fl. oz.

130. CAMPHORATED OPIUM
 Camphorated Tincture of Opium, B.P. 30 min.
 Tincture of Belladonna, B.P. 5 min.
 Oxymel of Squill, B.P.C. 15 min.
 Water to $\frac{1}{2}$ fl. oz.

140. CHALK AND KAOLIN
 Chalk, B.P. 30 gr.
 Light Kaolin, B.P. 60 gr.
 Light Magnesium Carbonate, B.P. 5 gr.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

143. CHLORAL HYDRATE
 Chloral Hydrate, B.P. 20 gr.
 Syrup of Orange, B.P. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

143. CHLORAL AND BROMIDE
 Chloral Hydrate, B.P. 20 gr.
 Potassium Bromide, B.P. 20 gr.
 Red Syrup, A.P.F. 20 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

MIXTURES—*contd.*

164. COLCHICUM AND ACID ACETYSALICYLIC

Tincture of Colchicum, B.P.	..	..	15 min.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	5 gr.		
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

164. COLCHICUM AND SODIUM SALICYLATE

Sodium Salicylate, B.P.	..	..	15 gr.
Potassium Bicarbonate, B.P.	..	..	15 gr.
Light Magnesium Carbonate, B.P.	..	..	15 gr.
Tincture of Colchicum, B.P.	..	..	15 min.
Liquid Extract of Liquorice, B.P.	..	..	10 min.
Dilute Solution of Ammonia, B.P.	..	..	0.5 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

320. EXPECTORANT

Ammonium Chloride, B.P.	..	..	15 gr.
Tincture of Ipecacuanha, B.P.	..	..	5 min.
Aromatic Spirits of Ammonia, B.P.			
1953	..	..	10 min.
Liquid Extract of Liquorice, B.P.	..	..	15 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

360. GENTIAN ACID

Dilute Hydrochloric Acid, B.P.	..	10 min.
Concentrated Compound Infusion of		
Gentian, B.P.	..	30 min.
Chloroform Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

360. GENTIAN ALKALINE

Sodium Bicarbonate, B.P.	..	10 gr.
Concentrated Compound Infusion of		
Gentian, B.P.	..	30 min.
Chloroform Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

422. IRON AND NUX VOMICA

Iron and Ammonium Citrate, B.P.	..	15 gr.
Tincture of Nux Vomica, B.P.	..	10 min.
Chloroform Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

450. KAOLIN ALKALINE

Light Kaolin, B.P.	..	15 gr.
Sodium Bicarbonate, B.P.	..	10 gr.
Light Magnesium Carbonate, B.P.	..	10 gr.
Peppermint Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

450. KAOLIN AND OPIUM

Light Kaolin, B.P.	..	60 gr.
Light Magnesium Carbonate, B.P.	..	5 gr.
Tincture of Opium, B.P.	..	7.5 min.
Chloroform Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

461. LOBELIA AND STRAMONIUM

Potassium Iodide, B.P.	..	..	5 gr.
Tincture of Stramonium, B.P.	..	..	10 min.
Ethereal Tincture of Lobelia, B.P.C.	..	..	10 min.
Aromatic Spirit of Ammonia, B.P. 1953	..	..	10 min.
Liquid Extract of Liquorice, B.P.	..	..	10 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

477. MAGNESIUM CARBONATE

Light Magnesium Carbonate, B.P.	..	..	10 gr.
Sodium Bicarbonate, B.P.	..	..	15 gr.
Ammonium Bicarbonate, B.P. 1953	..	..	2 gr.
Aromatic Tincture of Cardamom, B.P.C.	..	..	5 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

479. MAGNESIUM SULPHATE

Magnesium Sulphate, B.P.	..	..	60 gr.
Light Magnesium Carbonate, B.P.	..	..	10 gr.
Peppermint Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

480. MAGNESIUM TRISILICATE

Magnesium Trisilicate, B.P.	..	..	10 gr.
Sodium Bicarbonate, B.P.	..	..	10 gr.
Light Magnesium Carbonate, B.P.	..	..	10 gr.
Peppermint Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

589. PARALDEHYDE

Paraldehyde, B.P.	..	..	..	60 min.
Liquid Extract of Liquorice, B.P.	..	..	..	15 min.
Tincture of Quillaia, B.P.C.	..	..	..	5 min.
Mucilage of Tragacanth, B.P.	..	..	..	30 min.
Water to	..	..	..	$\frac{1}{2}$ fl. oz.

612. PHENOBARBITONE AND BROMIDE

Phenobarbitone Sodium, B.P.	..	..	..	0.25 gr.
Sodium Bromide, B.P.	..	..	..	10 gr.
Syrup of Orange, B.P.	..	..	..	30 min.
Chloroform Water, B.P. to	..	..	..	$\frac{1}{2}$ fl. oz.

630. POTASSIUM BROMIDE

Potassium Bromide, B.P.	..	..	..	10 gr.
Ammonium Bicarbonate, B.P. 1953	..	..	..	1 gr.
Spirit of Aniseed, B.P.C. 1949	..	..	..	2.5 min.
Liquid Extract of Liquorice, B.P.	..	..	..	10 min.
Chloroform Water, B.P. to	..	..	..	$\frac{1}{2}$ fl. oz.

630. POTASSIUM BROMIDE, PHENOBARBITONE
WITH BELLADONNA

Potassium Bromide, B.P.	..	..	..	10 gr.
Sodium Phenobarbitone, B.P.	..	..	..	1 gr.
Tincture of Belladonna, B.P.	..	..	..	10 min.
Water to	..	..	..	$\frac{1}{2}$ fl. oz.

MIXTURES—*contd.*

630. POTASSIUM BROMIDE AND NUX VOMICA
 Potassium Bromide, B.P. 10 gr.
 Tincture of Nux Vomica, B.P. .. 10 min.
 Solution of Amaranth, B.P.C. 2.5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE
 Potassium Citrate, B.P. 30 gr.
 Sodium Bicarbonate, B.P. 30 gr.
 Syrup of Orange, B.P. 30 min.
 Water to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE ACID
 Potassium Citrate, B.P. 45 gr.
 Citric Acid, B.P. 10 gr.
 Neutral Syrup of Lemon, A.P.F. .. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE WITH HYOSCYAMUS
 Potassium Citrate, B.P. 15 gr.
 Sodium Bicarbonate, B.P. 15 gr.
 Liquid Extract of Hyoscyamus, B.P. 3 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
633. POTASSIUM IODIDE
 Potassium Iodide, B.P. 10 gr.
 Aromatic Spirit of Ammonia, B.P. 1953 3 min.
 Liquid Extract of Liquorice, B.P. .. 10 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

742. RHUBARB AND SODA

- Rhubarb, Powdered, B.P. 5 gr.
 Light Magnesium Carbonate, B.P. .. 10 gr.
 Sodium Bicarbonate, B.P. 10 gr.
 Syrup of Ginger, B.P. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

759. SENEGA AND AMMONIA

- Ammonium Bicarbonate, B.P. 1953 .. 5 gr.
 Camphorated Tincture of Opium, B.P. 30 min.
 Liquid Extract of Liquorice, B.P. .. 10 min.
 Concentrated Infusion of Senega, B.P.C. 7.5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

766. SODIUM BICARBONATE

- Sodium Bicarbonate, B.P. 15 gr.
 Sodium Chloride, B.P. 3 gr.
 Spirits of Chloroform, B.P. 10 min.
 Water to $\frac{1}{2}$ fl. oz.

774. SODIUM SALICYLATE

- Sodium Salicylate, B.P. 20 gr.
 Sodium Bicarbonate, B.P. 20 gr.
 Liquid Extract of Liquorice, B.P. .. 5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

782. STRYCHNINE

- Solution of Strychnine Hydrochloride,
 B.P. 5 min.
 Dilute Hydrochloric Acid, B.P. 10 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

783. SUCCINYLSULPHATHIAZOLE AND KAOLIN

Succinylsulphathiazole, B.P.	..	..	60 gr.
Kaolin, B.P.	..	..	45 gr.
Mucilage of Tragacanth, B.P.	..	..	30 min.
Syrup, B.P.	..	..	60 min.
Solution of Benzoic Acid, B.P.C.	..	..	10 min.
Water to	..	..	1 fl. oz.

912. UREA

Urea, B.P.	..	..	120 gr.
Liquid Extract of Liquorice, B.P.	..	..	5 min.
Syrup of Orange, B.P.	..	..	20 min.
Water to	..	..	$\frac{1}{2}$ fl. oz.

NASAL INSTILLATIONS

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 2 Repeats)

13. ADRENALINE

Solution of Adrenaline Hydrochloride, B.P. 1953	..	..	48 min.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Sodium Chloride, B.P.	..	..	2 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

NASAL INSTILLATIONS—*contd.*

13. ADRENALINE AND EPHEDRINE

Solution of Adrenaline Hydrochloride, B.P. 1953	..	..	48 min.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Ephedrine Hydrochloride, B.P.	..	..	2 gr.
Dextrose, B.P.	..	..	8 gr.
Concentrated Solution for Nasal Drops, A.P.F.	..	..	5 min.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

147. CHLORBUTOL

Chlorbutol, B.P.	..	..	2 gr.
Menthol, B.P.	..	..	1 gr.
Eucalyptus Oil, B.P.	..	..	2 min.
Peanut Oil, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

304. EPHEDRINE

Ephedrine Hydrochloride, B.P.	..	..	2 gr.
Sodium Chloride, B.P.	..	..	2 gr.
Concentrated Solution for Nasal Drops, A.P.F.	..	..	5 min.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

303. EPHEDRINE (OILY)

Ephedrine, B.P.	..	..	2 gr.
Menthol, B.P.	..	..	1 gr.
Eucalyptus Oil, B.P.	..	..	2 min.
Peanut Oil, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

NASAL INSTILLATIONS—*contd.*

785. SULPHADIAZINE COMPOUND

Solution of Adrenaline Hydrochloride,			
B.P. 1953	..	..	48 min.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Ephedrine Hydrochloride, B.P.	..	..	2 gr.
Sulphadiazine, B.P.	..	..	11 gr.
Dextrose, B.P.	..	..	4 gr.
Mucilage of Methylcellulose, A.P.F.	..	..	120 min.
Concentrated Solution for Nasal Drops,			
A.P.F.	..	..	5 min.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

OINTMENTS

(Maximum Quantity, 1920 gr. 1 Repeat)

90. BENZOCAINE COMPOUND

Benzocaine, B.P.	..	..	96 gr.
Ointment of Hamamelis, B.P.	..	..	432 gr.
Ointment of Zinc, B.P.	..	..	432 gr.

161. COD LIVER OIL AND ACRIFLAVINE

Acriflavine, B.P. 1948	..	..	1.75 gr.
Cod Liver Oil, B.P.	..	..	480 min.
Yellow Simple Ointment, B.P. to	..	..	1,920 gr.

741. RESORCINOL COMPOUND

Resorcinol, B.P.	..	..	80 gr.
Zinc Oxide, B.P...	..	..	80 gr.
Cade Oil, B.P., By Weight	..	..	80 gr.
Glycerin, B.P.	..	..	10 min.
Distilled Water	..	..	80 min.
Yellow Soft Paraffin, B.P.	..	..	250 gr.
Wool Fat, B.P. to	..	..	960 gr.

PAINTS

(Maximum Quantity, 1 fl. oz. 1 Repeat)

756. ACID SALICYLIC

Salicylic Acid, B.P.	..	..	10 gr.
Benzoic Acid, B.P.	..	..	30 gr.
Brilliant Green, B.P.	..	..	2 gr.
Distilled Water	..	..	24 min.
Industrial Methylated Spirit, B.P. to	..	..	1 fl. oz.

171. CRYSTAL VIOLET COMPOUND

Crystal Violet, B.P.	..	..	1 gr.
Brilliant Green, B.P.	..	..	1 gr.
Aminacrine Hydrochloride, B.P.	..	..	0.5 gr.
Distilled Water to	..	..	1 fl. oz.

PREScription

PAINTS—*contd.*

410. ICHTHAMMOL

(Maximum Quantity, 1 fl. oz. 1 Repeat)

Ichthammol, B.P.	..	..	..	44 gr.
Glycerin, B.P. to	..	..	..	1 fl. oz.

418. IODINE COMPOUND

Iodine, B.P.	..	..	..	5 gr.
Potassium Iodide, B.P.	..	..	..	5 gr.
Spirit of Peppermint, B.P.	..	..	..	20 min.
Glycerin, B.P. to	..	..	..	1 fl. oz.

475. MAGENTA AND RESORCINOL

Magenta, B.P.C.	..	..	..	2 gr.
Boric Acid, B.P.	..	..	..	4 gr.
Phenol, B.P.	..	..	..	20 gr.
Resorcinol, B.P.	..	..	..	40 gr.
Acetone, B.P.C.	..	..	..	20 min.
Industrial Methylated Spirit, B.P.	..	..	..	40 min.
Water to	..	..	..	1 fl. oz.

PASTES

(Maximum Quantity, 1,920 gr. 1 Repeat)

962. ZINC OXIDE WITH COAL TAR

Prepared Coal Tar, B.P.	..	..	..	120 gr.
Zinc Oxide, B.P...	..	..	..	120 gr.
Starch, B.P.	..	..	..	720 gr.
Yellow Soft Paraffin, B.P.	..	..	..	960 gr.

PREScription

POWDERS

(Maximum Quantity, 1,920 gr. 1 Repeat)

33. ANTACID

Calcium Carbonate, B.P.	..	..	..	480 gr.
Heavy Magnesium Carbonate, B.P.	..	..	..	480 gr.
Sodium Bicarbonate, B.P.	..	..	..	960 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

125. CALCIUM AND KAOLIN

Calcium Carbonate, B.P.	..	..	..	640 gr.
Light Kaolin, B.P.	..	..	..	1,280 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

450. KAOLIN COMPOUND

Light Kaolin, B.P.	..	..	..	960 gr.
Heavy Magnesium Carbonate, B.P.	..	..	..	640 gr.
Sodium Bicarbonate, B.P.	..	..	..	320 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

480. MAGNESIUM TRISILICATE WITH
BELLADONNA

Dry Extract of Belladonna, B.P.	..	..	..	16 gr.
Magnesium Trisilicate, B.P. to..	..	..	..	1,920 gr.

SOLUTIONS

(Maximum Quantity, 4. fl.oz. 1 Repeat)

88. BENEDICT'S QUALITATIVE

Copper Sulphate, B.P.	..	..	30 gr.
Sodium Carbonate, B.P.	..	..	820 gr.
Citric Acid, B.P.	..	..	210 gr.
Distilled Water to	..	..	4 fl. oz.

139. CETRIMIDE

Cetrimide, B.P.	..	..	17.5 gr.
Distilled Water to	..	..	4 fl. oz.

SPRAYS

 (Maximum Quantity, $\frac{1}{2}$ fl. oz. 2 Repeats)

12. ADRENALINE AND ATROPINE

Adrenaline, B.P.	..	..	1 gr.
Atropine Methonitrate, B.P.	..	..	0.25 gr.
Chlorbutol, B.P.	..	..	1 gr.
Tartaric Acid, B.P.	..	..	0.8 gr.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

SECTION 3 — PRESCRIBER'S LIST — INFANT'S SECTION

PRESCRIPTION

LINCTUSES

(Maximum Quantity, 4 fl. oz. 4 Repeats)

130. CAMPHOR COMPOUND

Camphorated Tincture of Opium, B.P. 10 min.
Dilute Hydrochloric Acid, B.P. .. 4 min.
Spirit of Chloroform, B.P. .. 2 min.
Acidified Golden Syrup, A.P.F. to .. 60 min.

160. CODEINE

Codeine Phosphate, B.P. .. 1/12 gr.
Dilute Hydrochloric Acid, B.P. .. 2 min.
Distilled Water .. 5 min.
Acidified Golden Syrup, A.P.F. to .. 60 min.

LINIMENTS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

129. CAMPHOR

Liniment of Camphor, B.P. .. 960 min.

MIXTURES

(Maximum Quantity, 4 fl. oz. 4 Repeats)

4. ACETYLSALICYLIC ACID

Acetylsalicylic Acid, B.P. .. 2.5 gr.
Compound Powder of Tragacanth, B.P. 1.25 gr.
Syrup of Orange, B.P. .. 10 min.
Water to .. 60 min.

PRESCRIPTION

5. ACETYLSALICYLIC ACID COMPOUND

Acetylsalicylic Acid, B.P. .. 2.5 gr.
Phenacetin, B.P. .. 1.25 gr.
Caffeine, B.P. .. 0.25 gr.
Compound Powder of Tragacanth, B.P. 1.25 gr.
Syrup of Orange, B.P. .. 10 min.
Chloroform Water to .. 60 min.

10. ACETYLSALICYLIC ACID WITH BROMIDE

Acetylsalicylic Acid, B.P. .. 2.5 gr.
Potassium Bromide, B.P. .. 2.5 gr.
Compound Powder of Tragacanth, B.P. 1.25 gr.
Syrup, B.P. .. 10 min.
Anise Water to .. 60 min.

11. AD PERTUSSEM

Potassium Bromide, B.P. .. 2 gr.
Chloral Hydrate, B.P. .. 2 gr.
Tincture of Belladonna, B.P. .. 3 min.
Liquid Extract of Liquorice, B.P. .. 2 min.
Syrup of Tolu, B.P. .. 20 min.
Water to .. 60 min.

39. ATROPINE METHONITRATE

Atropine Methonitrate, B.P. .. 0.5 mgm.
Chlorbutol Water, A.P.F. .. 30 min.
Water to .. 60 min.

MIXTURES—*contd.*

94. BISMUTH COMPOUND

Bismuth Carbonate, B.P. 1953	..	7.5 gr.
Light Kaolin, B.P.		15 gr.
Light Magnesium Carbonate, B.P.	..	1.25 gr.
Spirit of Chloroform, B.P.	..	1 min.
Cinnamon Water to		60 min.

136. CARMINATIVE

Aromatic Spirit of Ammonia, B.P. 1953	1 min.
Sodium Bicarbonate, B.P.	.. 2 gr.
Syrup of Ginger, B.P.	.. 10 min.
Water to	60 min.

143. CHLORAL AND BROMIDE

Chloral Hydrate, B.P.	..	..	2 gr.
Potassium Bromide, B.P.	..	..	2.5 gr.
Liquid Extract of Liquorice, B.P.	..	..	2.5 min.
Glycerin, B.P.	..	..	10 min.
Syrup, B.P.	..	..	10 min.
Water to	..	..	60 min.

422. FERRIC AMMONIUM CITRATE

Iron and Ammonium Citrate, B.P.	..	10 gr.
Syrup, B.P.		30 min.
Chloroform Water to		60 min.

341. FERROUS SULPHATE

Ferrous Sulphate, B.P.		1.5 gr.
Dilute Hypophosphorous Acid, B.P.C.	..	0.25 min.
Syrup, B.P.		20 min.
Chloroform Water to		60 min.

421. IPECACUANHA AND SQUILL

Tincture of Ipecacuanha, B.P.	..	3 min.
Camphorated Tincture of Opium, B.P.	5 min.	
Oxymel of Squill, B.P.C.	..	15 min.
Water to ..	..	60 min.

450. KAOLIN

Light Kaolin, B.P.		15 gr.
Light Magnesium Carbonate, B.P.	..	1.25 gr.
Chloroform Water to		60 min.

621. PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole, B.P.	..	7.5 gr.
Mucilage of Tragacanth, B.P.	..	7.5 min.
Syrup, B.P.		10 min.
Chloroform Water to		60 min.

632. POTASSIUM CITRATE

Potassium Citrate, B.P.	..	11.25 gr.
Citric Acid, B.P.		2.25 gr.
Neutral Syrup of Lemon, A.P.F.	..	7.5 min.
Chloroform Water to		60 min.

633. POTASSIUM IODIDE

Potassium Iodide, B.P.	..	..	5 gr.
Liquid Extract of Liquorice, B.P.	..		5 min.
Aromatic Spirit of Ammonia, B.P. 1953			1 min.
Chloroform Water to	..	..	60 min.
(Ephedrine or Phenobarbitone may be added)			

PREScription

MIXTURES—contd.

633. POTASSIUM IODIDE AND STRAMONIUM

Potassium Iodide, B.P.	..	..	2 gr.
Tincture of Stramonium, B.P.	..	..	3 min.
Aromatic Spirit of Ammonia, B.P. 1953	..	..	2.5 min.
Liquid Extract of Liquorice, B.P.	..	..	2.5 min.
Chloroform Water to	..	..	60 min.
(Ephedrine may be added)			

742. RHUBARB AND SODA

Rhubarb, B.P.	..	..	1.25 gr.
Light Magnesium Carbonate, B.P.	..	..	2.5 gr.
Sodium Bicarbonate, B.P.	..	..	2.5 gr.
Syrup of Ginger, B.P.	..	..	5 min.
Water to	..	..	60 min.

PREScription

774. SODIUM SALICYLATE

Sodium Salicylate, B.P.	..	..	5 gr.
Sodium Bicarbonate, B.P.	..	..	5 gr.
Liquid Extract of Liquorice, B.P.	..	..	2.5 min.
Water to	..	..	60 min.

788. SULPHADIMIDINE

Sulphadimidine, B.P.	..	..	7.5 gr.
Mucilage of Tragacanth, B.P.	..	..	7.5 min.
Syrup of Orange, B.P.	..	..	10 min.
Chloroform Water to	..	..	60 min.

SECTION 4

LIST OF RESTRICTED PHARMACEUTICAL BENEFITS

SECTION 4—LIST OF RESTRICTED PHARMACEUTICAL BENEFITS

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Acetone, B.P.C.	Sulphurated Lotion, P.L.
Alcohol, B.P.	Magenta and Resorcinol Paint, P.L.
Almond Oil, Volatile, Bitter, B.P. 1953	Use as an additive.
Amethocaine Hydrochloride, B.P.	Use as an additive.
Amaranth Solution, B.P.C.	Ear and Eye Drops.
Amiphenazole Hydrobromide	Use as an additive.
Amiphenazole Hydrochloride	Antidote for barbiturate and other hypnotic poisons.
Amphotericin, B.	Antidote for barbiturate and other hypnotic poisons.
Aneurine Hydrochloride Tablet, B.P.	Systemic fungal infection
Anise Oil, B.P.	For the treatment of pensioners only.
Aniseed Spirit, B.P.C. 1949	Use as an additive.
Aniseed Water, Concentrated, B.P.C.	Use as an additive.
Ascorbic Acid Tablet, B.P.	Use as an additive.
Bacitracin	For the treatment of pensioners only.
Bemegride	Ophthalmic Phosphate Buffer Solution.
Borate Buffer	Antidote for barbiturate and other hypnotic poisons.
Busulphan	Use as an additive.
Cajuput Spirit, B.P. 1948	The Leukaemias.
Calciferol Tablet	Use as an additive.
Calciferol Solution	For the treatment of pensioners only.
Calcium Para-Aminosalicylate	For the treatment of pensioners and for children under the age of twelve years.
Camphor Water, B.P.	Tuberculosis.
Caramiphen Hydrochloride	Use as an additive.
Caraway Oil, B.P.C.	Parkinsonism.
Carmine Solution, A.P.F.	Use as an additive.
Chlorambucil	Use as an additive.
	Malignant Lymphoma and related conditions.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Chloramphenicol, Injection: Oral Capsule ..	Acute Laryngo-tracheo-bronchitis; As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensitivity has been established; Bacillary dysentery that is resistant both to sulphonamides and Streptomycin; Bacterium coli meningitis, if other forms of treatment are unsuccessful; Brucellosis; Granuloma inguinale; Infections due to Friedlander bacillus; Infections due to Haemophilus influenzae; Lymphogranuloma venereum; Salmonella infections; Severe gastro-enteritis in children; Staphylococcal infections; Surgical conditions of the bowel (pre-operative and post-operative); Typhoid Fever; Typhus and other rickettsial diseases; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Whooping cough (Haemophilus pertussis).
Chloramphenicol Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chloramphenicol.
Chloroform, B.P.	Use as an additive.
Chloroform Spirit, B.P.	Use as an additive.
Chloroform Water, B.P.	Use as an additive.
Chloroform Water, Concentrated, B.P.C. ..	Use as an additive.
Chlortetracycline; Injection, B.P.; Capsule, B.P.	Actinomycosis; Acute and sub-acute bacterial endocarditis-Streptococcus faecalis; Amoebiasis; As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensitivity has been established;

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
	Bacillary dysentery that is resistant both to sulphonamides and streptomycin; Brucellosis; Chancroid; Granuloma inguinale; Bronchiectasis; Fibrocystic disease of the pancreas; Infections due to Friedlander bacillus; Leptospirosis; Lymphogranuloma venereum; Mucoviscidosis; Pneumonia that does not respond to penicillin or sulphonamides; Primary atypical pneumonia; Psittacosis; Puerperal infections; Rat-bite fever—Spirillum minus; Staphylococcal infections; Trachoma that does not respond to sulphonamides; Typhus and other rickettsial diseases; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Whooping cough (Haemophilus pertussis).
Chlortetracycline Granules	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Cinnamon Oil, B.P.	Use as an additive.
Cinnamon Spirit, B.P.C. 1949	Use as an additive.
Cinnamon Water, Concentrated, B.P.	Use as an additive.
Citronella Oil, B.P.C. 1949	Dicophane Application, P.L.
Cochineal Tincture, B.P. 1948	Use as an additive.
Coconut Oil, B.P.C., 1948.	Use as an additive.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Cod Liver Oil, B.P. 	For the treatment of pensioners and for children under the age of twelve years.
Cod Liver Oil Emulsion 	For the treatment of pensioners and for children under the age of twelve years.
Coriander Oil, B.P. 	Use as an additive.
Corticotrophin (Authority necessary to prescribe—see Notes) 	For the prevention of side effects of cortico steroid therapy; Any disease or purpose specified in this column in relation to cortisone acetate.
Cortisone Acetate (Authority necessary to prescribe—see Notes) 	Acquired Haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis associated with drug therapy; Acute rheumatic carditis; Addison's disease and other forms of Adrenocortical hypoplasia; Adrenogenital syndrome; Cushing's syndrome including hyper-adrenocorticalism; Dermatomyositis; Encephalomyelitis; Hamman-Rich syndrome difuse interstitial pulmonary fibrosis (proven by lung biopsy); Henoch's purpura; Nephrotic syndrome; Neuro-myelitis optica; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis nodosa; Posterior uveitis;

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Cudbear Tincture, A.P.F. 1947 Cyanocobalamin, excluding 1,000 microgramme strength Cyanocobalamin, 1,000 microgramme strength Demethylchlortetracycline Hydrochloride .. Demethylchlortetracycline Hydrochloride, Paediatric Drops and Oral Suspension .. Deoxycortone Acetate; Injection, B.P.; Tablet . Dexamethasone (Authority necessary to prescribe—see Notes) Dextran Iron Dextrin Iron 2%, Intravenous	Progressive or continuing hepatitis proven by biopsy or biochemistry; Pseudohermaphroditism; Sarcoidosis; Scleroderma; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; The Leukaemias; Thrombocytopenic purpura; Total adrenalectomy; Type II Nephritis; Ulcerative colitis proven by sigmoidoscopy and radiological report. Use as an additive. Established megalocytic anaemias. Neuroblastoma. Any disease or purpose specified in this column in relation to chlortetracycline. For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline. Addison's disease; Total adrenalectomy. Any disease or purpose specified in this column in relation to cortisone acetate. The treatment of those patients unable to take oral iron. For treatment of those patients unable to take oral iron.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Dienoestrol	Carcinoma of the prostate; Mammary carcinoma; For the treatment of pensioners for any disease or purpose.
Dienoestrol Cream	For the treatment of pensioners only.
Dihydrostreptomycin	Any disease or purpose specified in this column in relation to streptomycin, but only if the person being treated for that disease or purpose is allergic to streptomycin.
Dihydrotachysterol	Parathyroid deficiency.
Dill Oil, B.P.	Use as an additive.
Dill Water, concentrated, B.P.	Use as an additive.
Disodium Diethylstilboestrol Diphosphate	Carcinoma of the prostate.
Erythromycin Capsule; Tablet, B.P.; Injection.	Staphylococcal infections that are resistant both to the tetracyclines and to penicillin.
Erythromycin Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to erythromycin.
Ether Anaesthetic, B.P.	Use as an additive.
Ether Solvent, B.P.	Use as an additive,
Ethinylloestradiol	Pre-menopausal castration; Turner's syndrome.
Ethisterone	For the treatment of pensioners for any disease or purpose. Turner's syndrome;
Fludrocortisone	For the treatment of pensioners for any disease or purpose.
Fluoxymesterone	Addison's disease.
Folic Acid	Mammary Carcinoma. Sprue or the Sprue-like syndrome; Macrocytic anaemia.
Ginger Syrup, B.P.	Use as an additive.
Halibut Liver Oil Capsule	For the treatment of pensioners only.
Honey, Purified, B.P.C.	Use as an additive.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Hydrocortisone (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Hydrocortisone Sodium Succinate	Acute adrenal failure due to medical or surgical crises. Stevens Johnson syndrome
Industrial Methylated Spirit, B.P.	Use as an additive.
Iron Oxide Saccharated	For the treatment of those patients unable to take oral iron.
Isoniazid	Leprosy; Tuberculosis.
Lavender Oil, B.P. 1953	Use as an additive.
Lavender Oil Spike, B.P.C.	Use as an additive.
Lemon Tincture, B.P.	Use as an additive.
Lemon Syrup, B.P.	Use as an additive.
Lemon Neutral Syrup, A.P.F.	Use as an additive.
Liquorice Liquid Extract, B.P.	Use as an additive.
Male Fern Extract	Capsules and Emulsion
Malt Extract	For the treatment of pensioners and for children under the age of twelve years.
Malt Extract with Cod Liver Oil	For the treatment of pensioners and for children under the age of twelve years.
Mercaptopurine	The Leukaemias.
Methorphan	Inoperable cancer.
Methyl Androstanolone	Mammary carcinoma.
Methylandrostenediol	Senile osteoporosis proven by radiological report.
Methylcellulose, A.P.F.	Use as an additive.
Mustine Hydrochloride	Malignant lymphoma and related conditions.
Nicotinamide Tablets	For the treatment of pensioners only.
Nicotinic Acid Tablets	For the treatment of pensioners only.
Nitrofurantoin	Urinary tract infections.
Nitromin	Malignant lymphoma and related conditions.
Nystatin	Proven monilia infections.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Orange Tincture, B.P.	Use as an additive.
Orange Syrup, B.P.	Use as an additive.
Oxytetracycline Dihydrate	Any disease or purpose specified in this column in relation to chlortetracycline.
Oxytetracycline Hydrochloride Injection, B.P.;	
Oral Capsule	Any disease or purpose specified in this column in relation to chlortetracycline.
Oxytetracycline Hydrochloride Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Pancreatin	Fibrocystic disease of the pancreas; Pancreatico-duodenectomy.
Pancrex 5	Any disease or purpose specified in this column in relation to pancreatin.
Para-Aminosalicylic Acid	Tuberculosis.
Penicillin Phenoxymethyl Oral Suspension ..	For the treatment of children under the age of twelve years.
Penicillin with Streptomycin	Endocarditis due to <i>Streptococcus faecalis</i> ; Endocarditis due to <i>Streptococcus viridans</i> .
Peppermint Oil, B.P.	Use as an additive.
Peppermint Spirit, B.P.	Use as an additive.
Peppermint Water, Concentrated, B.P. ..	Use as an additive.
Phenylalanine (Authority necessary to prescribe— see Notes)	Phenylketonuria.
Phenylbutazone	For the treatment of pensioners only.
Prednisolone (Authority necessary to prescribe— see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisolone Acetate (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisolone Methyl (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Prednisolone with Magnesium Trisilicate and Aluminium Hydroxide (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisone (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisone with Magnesium Trisilicate and Aluminium Hydroxide (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Progesterone	Habitual abortion.
Progesterone Depot	Habitual abortion.
Propylene Glycol, B.P.	Use as an additive.
Protoveritrines A	Hypertensive crises.
Pyridostigmine Bromide	Myasthenia gravis.
Pyrrolidino-Methyl-Tetracycline	Any disease or purpose specified in this column in relation to chlortetracycline.
Quillaia Tincture, B.P.C.	Use as an additive.
Quinine Dihydrochloride	Malaria;
Red Syrup, A.P.F... .. .	For the treatment of pensioners for any disease or purpose.
Riboflavine Tablet, B.P.	Use as an additive.
Rosemary Oil, B.P.	For the treatment of pensioners only.
Salicylazosulphapyridine	Use as an additive.
Sodium Folate	Ulcerative colitis.
Sodium Para-Aminosalicylate	Any disease or purpose specified in this column in relation to folic acid.
Soya Formula (Authority necessary to prescribe—see Notes)	Tuberculosis.
Spiramycin	Galactosaemia.
	Staphylococcal infections that are resistant both to the tetracyclines and to penicillin.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Squill Syrup, B.P.C.	Use as an additive.
Stearic Acid, B.P.C.	Use as an additive.
Stilboestrol	Carcinoma of the prostate; Mammary carcinoma; For the treatment of pensioners for any disease or purpose.
Streptomycin Sulphate	Bacillary dysentery not responding to sulphonamides; Brucellosis; Chancroid; Ear Drops; Endocarditis due to <i>Streptococcus faecalis</i> ; Endocarditis due to <i>Streptococcus viridans</i> ; Infections due to <i>Friedlander bacillus</i> ; Infections due to <i>Haemophilus influenzae</i> ; Infections due to <i>Pseudomonas pyocyaneus</i> ; Plague; Rat-bite fever— <i>Streptobacillus moniliformis</i> ; Salmonella infections; Surgical conditions of the bowel (pre-operative and post-operative); Surgical conditions of the thoracic organs; Tuberculosis; Tularaemia; Urinary tract infections which do not respond to sulphonamides.
Sucrose, B.P.	Use as an additive.
Sulphamethoxypyridazine N-Acetyl	For the treatment of children under the age of twelve years.
Sustanon	Mammary carcinoma; Castration.
Syrup, B.P.	Use as an additive.
Testosterone, B.P.	Mammary carcinoma; Castration.
Testosterone Methyl, B.P.	Mammary carcinoma; Castration.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Testosterone Oenanthate	Mammary carcinoma; Castration.
Testosterone Propionate	Kline Felter Reifenstein Albright syndrome; Mammary carcinoma; Castration.
Tetracycline Capsule, B.P.; Tablet, B.P.; In- jection, B.P.	Any disease or purpose specified in this column in relation to chlortetra- cycline.
Tetracycline, Oral Granules and Paediatric Drops	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline (Buffered)	Any disease or purpose specified in this column in relation to chlortetra- cycline.
Tetracycline (Buffered)—Oral Suspension ..	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline with Nystatin	Broad spectrum antibiotic therapy of premature infants; Broad spectrum antibiotic treatment of patients under steroid therapy; Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis; A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for a disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline with Oleandomycin	Any disease or purpose specified in this column in relation to chlortetra- cycline.
Tetracycline with Oleandomycin — Oral Suspen- sion	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Tolu Syrup, B.P.	Use as an additive.
Tretamine	Malignant lymphoma and related conditions.
Triethanolamine, B.P.C.	Use as an additive.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Trimetaphan Camphorsulphonate	Hypertensive for anaesthesia.
Vanillin, B.P.	Use as an additive.
Veriloid	Hypertensive crises.
Vitamins, Compound, Capsules and Tablets ..	For the treatment of pensioners only.
Vitamin A, Concentrated Solution, B.P. ..	For the treatment of pensioners and for children under the age of twelve years.
Vitamin A and D, Concentrated Solution, B.P.	For the treatment of pensioners and for children under the age of twelve years.
Vitamin D, Concentrated Solution, B.P. ..	For the treatment of pensioners and for children under the age of twelve years.
Vitamin K ₁	Antidote to Anticoagulants.
Xylene, B.P.C. 1949	Dicophane Application, P.L.



DEPARTMENT OF HEALTH

Pharmaceutical Benefits

PROPRIETARY INDEX

NOVEMBER 1960



DEPARTMENT OF HEALTH

Pharmaceutical Benefits

PROPRIETARY INDEX

NOVEMBER, 1960

PROPRIETARY INDEX

PART 1—NUMERICAL

Item No.	Name	Code
1	ACETARSOL	
	Acetylarsan	MB
	Devegan	BA-WL
	Stovarsol	MB
	S.V.C.	MB
2	ACETAZOLAMIDE	
	Diamox	LE
3	ACETOMENAPHTHONE	
	Kapilin	GL
	Kavitine	KL
	Kayvite	SI
	Prokayvit	BD
	Synkavit	RO
4	ACETYLSALICYLIC ACID	
	Asptab-Sol.	AB
	Neutrasol	PR
	Novosprin	VR
	Prodol	NB
	Provoprin	DH
	Regasprin	BT
	Solprin	RC
	Tabloid	BW
	Tynees	WO
5	ACETYLSALICYLIC ACID COMPOUND	
	N.P.443	NS
	Pacitone	RD
	Phenasco	AB
	Solasco	MG
	Tridis	RC
9	ACETYLSALICYLIC ACID WITH IPEACACUANHA AND OPIUM	
	Dovirin	FA
14	ADRENALINE ACID TARTRATE	
	Viules	BT
17	ALOXIDONE	
	Malidone	BS
19	ALUMINIUM HYDROXIDE	
	Adrox	RD
	A.H.T.	WY
	Alox	KL
	Amphotabs	WY
	Gelox	PR
20	AMIDONE HYDROCHLORIDE	
	Adanon	BA
	Methadon	WL
	Physeptone	BW
	Synthanal	CM
	Viules	BT

Item No.	Name	Code
22	AMINOPHYLLINE	
	Amesec	LY
	Aminab	AB
	Aminobarb	AB
	Androphyllin	AN
	Cardophyllin	HA
	Cardophyllin c. Phenobarb	HA
	Carine	KL
	Diurophylin	CM
	Glucophylline	AB
	Phyllobarb	AN
23	AMIPHENAZOLE HYDROCHLORIDE	
	Daptazole	NS
27	AMODIAQUINE BASE	
	Camoquin	PD
28	AMPHETAMINE SULPHATE	
	Actedrin	AN
29	AMPHOTERICIN B	
	Fungizone	SQ
30	AMYLOBARBITONE	
	Amitone	PR
	Amytal	LY
	Mylodorm	GP
	Mylosed	VR
	Sedal	FA
31	AMYLOBARBITONE SODIUM, B.P.C.	
	Amytal Sodium Pulvules	LY
	Sodium Sedal	FA
32	ANEURINE HYDROCHLORIDE	
	Berin '50'	GL
	Berin '100'	GL
	Betamin	KL
	Betamin Forte	KL
	Beta-Sol.	FM
	Beta-Tabs	FM
	Hypette B ₁ 50	FA
	Hypette B ₁ 100	FA
	Thiacaine	VR
	Thiamitab	AB
	Thiamital	AB
	Vibafort	CM
	Vibafort Parentosol	CM
	Vibex-Steri-Vial	PD
	Vitamin	AN
34	ANTAZOLINE HYDROCHLORIDE	
	Antistine	CB
	Antistine Privine Drops	CB
	Histostab	BT
37	ASCORBIC ACID	
	Cecon	AB
	Celin '50'	GL
	Celin '250'	GL

Item No.	Name	Code
37—contd.		
	Cetamin	KL
	Scorbettes	PR
	Vitacin	AN
39	ATROPINE METHONITRATE	
	Eumydrin	BA
40	ATROPINE SULPHATE	
	Viules	BT
41	AUROTHIOGLUCOSE	
	Solganal-B Oleosum	SC
42	ACETAZOLAMIDE SODIUM PARENTERAL	
	Diamox Sodium Parenteral	LE
43	ADRENALINE MUCATE	
	Adrenaline Hyperduric	GL
44	ALUMINIUM HYDROXIDE GEL.	
	Aludrox Suspension	WY
	Alusorb	DH
	Amphojel	WY
	Metem	CH
45	ALUMINIUM POWDER, B.P.C.	
	Aluminium Paste	BT
46	AMIPHENAZOLE HYDROBROMIDE	
	D.H.A.245	DH
47	ANDROSTANALONE	
	Anabolex	MN
84	BARBITONE COMPOUND, A.P.F.1955	
	Barbico	AB
86	BELLADONNA	
	Proctoids	WY
87	BEMEGRIDE, A.P.F.1955	
	Megimide	NS
89	BENZHEXOL HYDROCHLORIDE	
	Artane	LE
	Pipanol	WL
90	BENZOCAINE	
	Adaben	KL
	Rectinol	GP
95	BISMUTH GLYCOLLYLARSANILATE	
	Milibis	WL
96	BISMUTH OXYCHLORIDE	
	Bisoxyl	BD
97	BISMUTH SUBGALLATE, B.P. 1953	
	Anagal	KL
	Anusol	WW
99	BUSULPHAN	
	Myleran	BW

Item No.	Name						Code
100	BUTOBARBITONE						
	Bubal	..	..	..	..	..	KL
	Budorm	..	..	..	..	..	GP
	Soneryl	..	..	..	..	..	MB
102	BENZALKONIUM CHLORIDE						
	Drapolex	..	..	..	..	..	CA
103	BEPHENIUM HYDROXYNAPHTHOATE						
	Alcopar	..	..	..	..	..	BW
104	BISMUTH SODIUM TARTRATE						
	Nabita	..	..	..	..	..	FA
105	BRETYLIUM TOSYLATE						
	Darenthin	..	..	..	..	..	BW
121	CALCIFEROL						
	High Potency Ostelin	..	..	..	..	..	GL
	Radiostol	..	..	..	..	..	BD
	Sterogyl	..	..	..	..	..	RL
123	CALCIUM AUROTHIOMALATE						
	Auro-Calcium	..	..	..	..	..	CK
126	CALCIUM GLUCONATE						
	Calcium Thilo	..	..	..	..	..	PE
128	CALCIUM PARA-AMINOSALICYLATE, B.P.C.						
	Aminacyl	..	..	..	..	..	WA
	Aminacyl Granulate	..	..	..	..	..	WA
	Calcipas	..	..	..	..	..	KL
131	CARAMIPHEN HYDROCHLORIDE						
	Parpanit	..	..	..	..	..	GE
132	CARBACHOL						
	Moryl	..	..	..	..	..	SY
133	CARBARSONE						
	Leucarsone	..	..	..	..	..	MB
134	CARBIMAZOLE						
	Neo-Mercazole	..	..	..	..	..	BS
135	CARBROMAL						
	Adelin	..	..	..	..	..	BA-WL
	Caral	..	..	..	..	..	KL
	Carbrodorm	..	..	..	..	..	GP
141	CHARCOAL						
	Carbo-Medicinalis	..	..	..	..	..	AN
142	CHINIOFON SODIUM						
	Yatren	..	..	..	..	..	BA
144	CHLORAMBUCIL						
	Leukeran	..	..	..	..	..	BW
145	CHLORAMPHENICOL						
	Chloromycetin	..	..	..	..	..	PD
	Chloromycetin Palmitate	..	..	..	..	..	PD
	Chloromycetin Succinate	..	..	..	..	..	PD

Item No.	Name	Code
146	CHLORAZANIL	
	Daquin	RK
	Orpidan	SI
148	CHLORCYCLIZINE HYDROCHLORIDE	
	Di-Paralene	AB
	Perazil	BW
149	CHLORMERODRIN	
	Mercloran	PD
	Oricur	AN
150	CHLOROQUINE BASE	
	Aralen	BA
	Avlochlor	IC
	Niviquine	MB
151	CHLOROTHIAZIDE	
	Chlotride	MK
152	CHLOROXYLENOL	
	Dettol	RC
	Novosol	FA
153	CHLORPROPAMIDE	
	Diabinese	PF
154	CHLORTETRACYCLINE HYDROCHLORIDE	
	Aureomycin	LE
	Aureomycin Spersoids	LE
156	CHORIONIC GONADOTROPHIN	
	Physex Leo	AN
	Pregnyl	OR
	Primogonyl	SC
160	CODEINE PHOSPHATE	
	Angesil	DH
	Co-Com	VR
	Codab	AB
	Codab-Sol	AB
	Codral Forte	BW
	Nollipyrin	KL
	Phenacodeine	MR
	Solcode	RC
	Sol-Codein	MG
	Spirol	WD
	Tabloid	BW
161	COD LIVER OIL	
	Elliott's Clinic Emulsion	DH
162	COLCHICINE	
	Colcin	KL
163	COLCHICINE SALICYLATE	
	Tabloid	BW
	Viraxatab	VR
167	COPPER SULPHATE	
	Clinitest	AM

Item No.	Name	Code
168	CORTICOTROPHIN	
	A.C.T.H. Depot	SC
	Androcort	AN
	Cortico-Gel	CK
	Cortrophin-ZN	OR
169	CORTISONE ACETATE	
	Adreson	OR
	Cortelan	GL
	Cortie	AD
	Cortisyl	RL
	Cortone	MK
	Scheroson	SC
172	CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH	
	Anacobin	BD
	Benol	KL
	Benol Forte	KL
	Cobastab	BT
	Cytamen 20	GL
	Cytamen 50	GL
	Cytamen 100	GL
	Cytobex	PD
	Davitamon B ₁₂	OR
	Distivit B ₁₂	DL
	Euhaemon	GL
	Parentosol B ₁₂	CM
	Rubramin Parenteral Solution	SQ
	Vibion	AN
	Vibion Forte	AN
173	CYANOCOBALAMIN 1,000 MICRO- GRAMME STRENGTH	
	Benol 1,000	KL
	Cobastab 1,000	BT
	Cytamen 1,000	GL
	Distivit B ₁₂	DL
	Parentosol B ₁₂	CM
	Vibion 1,000	AN
174	CYCLOBARBITONE	
	Amnosed	BW
	Cybal	KL
	Cydorm	GP
	Phanodorm	BA-WL
175	CHLORPHENIRAMINE MALEATE	
	Chlor Trimeton	ES
	Chlor Trimeton Repetabs	ES
	Piriton	GL
	Piriton Duolets	GL
177	CYCRIMINE HYDROCHLORIDE	
	Pagitane	LY
179	CHLORPROMAZINE HYDROCHLORIDE	
	Largactil	MB
180	CLEMIZOLE	
	Allercur	SC

Item No.	Name	Code
230	DAPSONE	
	Avlosulphon	IC
	D.A.D.P.S.	AN
231	DARROW'S SOLUTION	
	I.V. Fluid	FH
	Solvac	DH
232	DEOXYCORTONE ACETATE	
	D.O.C.A.	OR
	Percorten	CB
	Primocort	SC
233	DESACETYL-LANATOSIDE-C	
	Cedilanid	SZ
234	DEXAMETHASONE	
	Decadron	MK
	Deronil	SH
	Dexacortisyl	RL
	Dextelan	GL
	Oradexon	OR
235	DEXAMPHETAMINE SULPHATE	
	Dexamine	KL
	Dexamphate	DH
	Dex-M	GP
236	DEXTRAN IRON	
	Imferon	FC
237	DEXTRAN IRON 2% INTRAVENOUS	
	Astrafer	AP
238	DEXTROSE AQUEOUS	
	Abbo-Litre	AB
	Braun's Plastic Infusor	BT
	I.V. Fluid	FH
	Solvac	DH
	Steriflex No. 6	GL
239	DEXTROSE IN 1/5 NORMAL SALINE	
	Abbo-Litre	AB
	Braun's Plastic Infusor	BT
	I.V. Fluid	FH
	Solvac	DH
240	DEXTROSE IN RINGER'S SOLUTION	
	I.V. Fluid	FH
	Solvac	DH
243	DIETHAZINE HYDROCHLORIDE	
	Diparcol.. .. .	MB
244	DIETHYLCARBAMIZINE CITRATE	
	Ethodryl	BD
	Hetrazan	LE
245	DIGITALIS	
	Tabloid	BW

Item No.	Name	Code
246	DIGITOXIN, B.P.C.	
	Cardigen	PD
	Crystodigin	LY
	Digicristin	CM
	Digitaline	NA
	Dixin	KL
	Purodigin	WY
247	DIGOXIN	
	Digitab	AB
	Digolan	KL
	Fibroxin	VR
	Lanoxin	BW
	Lanoxin Paediatric Elixir	BW
249	DIHYDROERGOTAMINE	
	Dihydergot	SZ
250	DIHYDROMORPHINONE HYDRO- CHLORIDE, B.P.C. 1949	
	Dilaudid	KN
251	DIHYDROSTREPTOMYCIN SULPHATE	
	Leo	LP
	Streptomycin Dihydro	DL
252	DIHYDROTACHYSTEROL	
	A.T. 10	BA
253	DIODOHYDROXYQUINOLINE	
	Diodoquin	SR
	Embequin	MB
254	DIMERCAPROL	
	B.A.L.	BT
255	DIPHENHYDRAMINE HYDROCHLORIDE	
	Benadryl	PD
259	DIPHThERIA PERTUSSIS AND TETANUS ANTIGEN	
	Triple Antigen	CS, GL
263	DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE	
	Honvan	CM
267	DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE	
	Ledermycin	LE
	Ledermycin Drops	LE
	Ledermycin Syrup	LE
269	DEXTROCHLORPHENIRAMINE MALEATE	
	Polarmine	SH
	Polarmine Repetabs	SH
270	DIETHAZINE IODIDE	
	Telmid	LY
272	DISODIUM DIHYDROGEN VERSENATE	
	Sodium Versenate	RK

Item No.	Name	Code
304	EPHEDRINE HYDROCHLORIDE	
	Barbeph	KL
	Barbeph Forte	KL
	Ephetal	AB
	Ephobarb	AN
	Phenodren	DH
	Tabloid	BW
305	EPHEDRINE SULPHATE, B.P.C	
	Ephophen	MG
306	ERGOMETRINE MALEATE	
	Ergomal	CM
	Ergotrate	LY
	Hysterg	VR
	Tabloid	BW
307	ERGOTAMINE TARTRATE	
	Cafergot or Cafergot Q	SZ
	Ergane	DH
	Ergominate	AN
	Ergotab	AB
	Gynergen	SZ
	Tartamin	VR
308	ERYTHROMYCIN	
	Erythrocin	AB
	Erythrocin Abboject	AB
	Ilosone	LY
	Ilotycin	LY
309	ERYTHRITYL TETRANITRATE	
	Cardilate	BW
310	ETHANOLAMINE OLEATE	
	Ethamoln	GL
311	ETHINYLOESTRADIOL	
	Estigyn	BD
	Estrasal	HY
	Lynoral	OR
312	ETHISTERONE	
	Lutocyclin	CB
	Lutoral	VR
	Progestoral	OR
	Proluton C	SC
313	ETHOPROPAZINE HYDROCHLORIDE	
	Lysivane	MB
314	ETHOXZOLAMIDE	
	Cardrase	UP
315	ETHYL BISCOUMACETATE	
	Trombolytan	GE
316	ETHYLIDENE DICOUMARIN	
	E.D.C.	NS
321	ERYTHROMYCIN GLUCOHEPTONATE	
	Ilotycin	LY
322	ERYTHROMYCIN PROPIONATE	
	Ilosone	LY

Item No.	Name	Code
323	ERYTHROMYCIN STEARATE	
	Erythrocin	AB
324	EXTRACT OF OX BILE	
	Desicol	PD
340	FERROUS GLUCONATE	
	Fergon	BA-WL
	Ferrin 55	FA
	Ferrose	DH
	Gliron	GP
	Gluciron.. ..	MG
	Glucohaem	VR
	Glucomax	WY
	Ironate	KL
341	FERROUS SULPHATE	
	Emplet Ferrous Sulphate	PD
	Feromax Plain	WY
	Ferri-Vita	HY
	Haemofort	CM
	Polyhaemen	GP
342	FLUOXYMESTERONE	
	Halotestin	UP
	Ultandren	CB
344	FLUDROCORTISONE ACETATE	
	Florinef	SQ
363	GLYCERYL TRINITRATE	
	Anginine Stabilised	BW
	Vasitrin	DH
377	HARTMANN'S SOLUTION	
	Solvac	DH
378	HARTMANN'S SOLUTION WITH DEXTROSE	
	Solvac	DH
379	HEPARIN	
	Heparin Leo	LP
	Panheprin Abboject	AB
	Pularin	EV
	Thromboliquine	OR
382	HEXOESTROL	
	Oestrogenine	FM
383	HEXYLRESORCINOL	
	Crystoids	MK
384	HISTAMINE ACID PHOSPHATE	
	Histamine (B.D.H.)	BD
385	HYALURONIDASE	
	Hyalase	FC
	Hyason	OR
	Kinaden.. ..	SC
	Rondase.. ..	EV
	Wydase	WY

Item No.	Name						Code
387	HYDROCORTISONE						
	Cortef	..	..	..	..	..	UP
	Cortril	..	..	..	..	..	PF
	Efcortelan	..	..	..	..	..	GL
	Hydro-Adreson	..	..	..	..	..	OR
	Hydrocortistab	..	..	..	..	..	BT
	Hydrocortisyl	..	..	..	..	..	RL
	Hydrocortone	..	..	..	..	..	MK
	Hydrocortone Ophthalmic Suspension	..	..	..	..	..	MK
	Hydrosone	..	..	..	..	..	KL
	Siguent Hycor	..	..	..	..	..	SI
389	HYDROCORTISONE SODIUM SUCCINATE						
	Intravenous Efcortelan	..	..	..	..	..	GL
	Solu-Cortef	..	..	..	..	..	UP
391	HYOSCINE HYDROBROMIDE						
	Viules	..	..	..	..	..	BT
392	HYDROCHLOROTHIAZIDE						
	Dichlotride	..	..	..	..	..	MK
	Direma	..	..	..	..	..	DL
	Esidrex	..	..	..	..	..	CB
	Neo Flumen	..	..	..	..	..	GA
394	HYDROCORTISONE ACETATE (For Local Use)						
	Hydrocortisyl	..	..	..	..	..	RL
	Hydrocortone	..	..	..	..	..	MK
395	HYDROFLUMETHIAZIDE						
	Di-Ademil	..	..	..	..	..	SQ
	Hydrenox	..	..	..	..	..	BT
	Na-Clex	..	..	..	..	..	GL
	Rontyl-Leo	..	..	..	..	..	LP
396	HYDROXYCHLOROQUINE SULPHATE						
	Plaquenil	..	..	..	..	..	WL
412	INSULIN						
	Leo	..	..	..	..	..	LP
	Novo-Evans	..	..	..	..	..	EV
414	INSULIN ISOPHANE (N.P.H.)						
	Leo	..	..	..	..	..	LP
415	INSULIN PROTAMINE ZINC						
	Leo	..	..	..	..	..	LP
	Novo-Evans	..	..	..	..	..	EV
417	INSULIN ZINC						
	Novo-Evans	..	..	..	..	..	EV
419	IODOXYL						
	Pyelectan	..	..	..	..	..	GL
	Pyelectan Retrograde	..	..	..	..	..	GL
	Uropac	..	..	..	..	..	MB
	Uroselectan-B75%	..	..	..	..	..	SC

Item No.	Name	Code
423	ISONIAZID	
	Andrazide	AN
	Isotinyt	KL
	Pycazide	SN
	Rimifon	RO
	Tebos	HY
424	ISOPRENALINE HYDROCHLORIDE	
	Isuprel	WL
425	ISOPRENALINE SULPHATE	
	Neo-Epinine	BW
	Nephenal (Plain)	CM
426	IRON OXIDE SACCHARATED	
	Neo-Ferrum	CK
428	IDOCHLORHYDROXYQUINOLINE	
	Entero-Vioform	CB
451	KAOLIN, HEAVY	
	Kaloplasm	FA
	Poulticine	AL
460	LEPTAZOL	
	Cardiazol	KN
476	MAGNESIUM BICARBONATE SOLUTION	
	Magnos	FA
479	MAGNESIUM SULPHATE	
	Magnoplasm	FA
	Pastamag	DH
482	MECAMYLAMINE	
	Mevasine	MK
483	MECHOLYL CHLORIDE	
	Amechol	SY
	Mecholyl	MK
484	MENAPHTHONE	
	(Aqueous)	
	Hykinone	AB
	Kapilin	GL
	K-Thrombin	FM
	Synkamine	PD
	Synkavit	RO
	(Oily)	
	Prokayvit	BD
	Vitavel K	VM
	(Oral)	
	Hykinone	AB
	K-Thrombin	FM
486	MEPACRINE HYDROCHLORIDE	
	Avlon	IC
487	MEPYRAMINE MALEATE	
	Anthisan	MB
488	MERCAPTOMERIN SODIUM	
	Thiomerin Sodium	WY

Item No.	Name	Code
489	MERCAPTOPURINE	
	Purinethol	BW
491	MERSALYL ACID	
	Hydrid	VR
	Salyrigan	BA
	Viules	BT
492	METHOIN	
	Mesantoin	SZ
493	METHORPHINAN, B.P.C.	
	Dromoran	RO
494	METHYLAMPHETAMINE HYDROCHLORIDE	
	Desoxyn	AB
	Doxephryn	PH
	Emphet	VR
	Methamine	KL
	Methedrine	BW
495	METHYL ANDROSTANOLONE	
	Androstalone	RL
496	METHYLANDROSTENEDIOL	
	Methyl Diol	MR
498	METHYLERGOMETRINE MALEATE	
	Methergin	SZ
501	MORPHINE SULPHATE	
	Viules	BT
502	MORPHINE WITH ATROPINE	
	Viules	BT
507	METHENAMINE MANDELATE	
	Mandelamine	WW
541	NALORPHINE HYDROBROMIDE	
	Lethidrone	BW
	Lethidrone Neonatal	BW
	Nellylnormorpinone	AN
542	NEOSTIGMINE BROMIDE	
	Prostigmin	RO
543	NEOSTIGMINE METHYLSULPHATE	
	Prostigmin	RO
546	NIKETHAMIDE	
	Anacardone	BD
	Coramine	CB
547	NITROFURANTOIN	
	Furadantin	SK
549	NORADRENALINE ACID TARTRATE	
	Levophed	WL
550	NYSTATIN	
	Mycostatin	SQ
551	NICOUMALONE	
	Sintrom	GE

Item No.	Name	Code
553	NEOMYCIN SULPHATE	
	Neopt	SI
561	OESTRADIOL DIPROPIONATE	
	Ovocyclin	CB
562	OESTRADIOL MONOBENZOATE	
	Dimenformon	OR
	Oestroform (B.D.H.)	BD
566	OXYTETRACYCLINE DIHYDRATE	
	Terramycin	PF
567	OXYTETRACYCLINE HYDROCHLORIDE	
	Terramycin	PF
	(Suspension)	
	Terramycin Oral Suspension	PF
568	OXYTETRACYCLINE OPHTHALMIC SUSPENSION	
	Terramycin	PF
569	OXYTOCIN	
	Pitocin	PD
581	PANCREATIN	
	Palatinoid	OP
	Pancreatin Powder	PD
	Panteric Tablets	PD
583	PAPAVERETUM, B.P.C.	
	Omnopon	RO
	Viules	BT
584	PAPAVERETUM WITH HYOSCINE HYDROBROMIDE	
	Omnopon-Scopolamine	RO
	Viules	BT
588	PARAFFIN, LIQUID	
	Agarol	WW
	Lubarol Red (D.H.A.)	DH
	Paragel	SI
	Paramul	MG
	Petrolagar	WY
590	PARAMETHADIONE	
	Paradione	AB
591	PENICILLIN, BENZATHINE	
	Bicillin	WY
	Bicillin All Purpose Injection	WY
592	PENICILLIN, BENZYL	
	Crystapen G. '200'	GL
	Crystapen G. '400'	GL
	Leo	LP
	Orocillin Forte	SI
	Penicillin Crystalline	DH
	Solupen	DL
	Sol-Viules	BT

Item No.	Name	Code
593	PENICILLIN BENZYL PROCAINE (Aqueous Suspension)	
	Abbocillin G. Abboject	AB
	Aquacaine G. Suspension	CS
	Aquacillin	FA
	Cilicaine Suspension	SI
	Evacilin	EV
	Evanules	EV
	Megacillin	FA
	Mylipen	GL
	Novoject	EV
	Procillin A.S.	DH
	Pro-Stabillin A.S. Viules	BT
	Viraxacillin	VR
	(Crystalline)	
	Aquacaine G.	CS
	Cilicaine Simplex	SI
	Distaquaine G.	DL
	Pro-Stabillin	BT
594	PENICILLIN BENZYL, PROCAINE FORTIFIED	
	Aquacaine G. Fortified	CS
	Bi-Stabillin	BT
	Cilicaine Fortified	SI
	Distaquaine Fortified	DL
	Procillin Dry Fortified	DH
	Seclopen	GL
595	PENICILLIN, PHENOXYMETHYL	
	Abbocillin-V Film Tabs	AB
	Abbocillin-V.K.	AB
	Calcipen	LP
	Cilicaine-VK	SI
	Crystapen-V	GL
	Distaquaine-V	DL
	Distaquaine V-K	DL
	Falcopen-V	FA
	Icipen-V	IC
	Peni-Vee-K	DH
	Potaspen	AN
	PVK	LY
	Stabillin-V	BT
	Tabpen VK	BT
	Veecillin	CM
	(Suspension)—Oral	
	Abbocillin-V Suspension	AB
	Cilicaine-V Suspension	SI
	C.V.L. (Pediatric) "125"	GL
	Distaquaine V-K Suspension	DL
	L.P.V. Suspension	CS
	Peni-Vee-K Suspension	DH
	Potaspen Paediatric Drops	AN
	Sus-Pen-V	BT
	Veecillin Suspension	CM

(The symbol "K" in association with any of the above proprietary names indicates the potassium salt of this item).

Item No.	Name	Code
596	PENICILLIN WITH STREPTOMYCIN	
	Cilamycin	SI
	Seclomycin	GL
597	PENTAERYTHRITOL TETRANITRATE	
	Mycardol	WL
	Pentarit	RK
	Peritrate	WW
598	PENTOBARBITONE SODIUM	
	Nembutal	AB
	Pendorm	GL
	Pentone	FA
	Pentosol.	AB
	Petab	KL
	Sodepent	MG
	Somnital	PR
599	PENTOBARBITONE SODIUM COMPOUND	
	Bromobarb	AN
	Carbital	PD
	Nembutal Compound	AB
	Pentacarb	MG
600	PENTOLINIUM TARTRATE	
	Ansolysen	MB
601	PENTOLINIUM TARTRATE WITH EPHEDRINE	
	Ansolysen with Ephedrine	MB
604	PETHIDINE HYDROCHLORIDE	
	Avlon	IC
	Demerol	BA
	Pethanal	CM
	Viules	BT
605	PETHIDINE SCOPOLAMINE	
	Petiscol	KL
	Viules	BT
606	PHEMITONE, B.P. 1953	
	Mephobarbital	AS
	Prominal	BA
	Promitone	KL
608	PHENINDAMINE TARTRATE	
	Thephorin	RO
609	PHENINDIONE	
	Dindevan	EV
610	PHENOBARBITONE	
	Bakramil	BK
	Bardorm	GP
	Ensobarb	HY
	P.B.	AB
	Tabloid	BW

Item No.	Name						Code
611	PHENOBARBITONE SODIUM						
	Cernalonol Injection	..	..	..	..	..	CM
	Gardenal Sodium	..	..	..	..	..	MB
	P.B. Tabs.-Sol.	..	..	..	..	..	AB
	Viules	..	..	..	..	..	BT
614	PHENOLPHTHALEIN						
	Fenallo	..	..	..	..	..	DH
615	PHENSUXIMIDE						
	Milontin	..	..	..	..	..	PD
616	PHENYLBUTAZONE						
	Butazolidin	..	..	..	..	..	GE
617	PHENYLEPHRINE HYDROCHLORIDE						
	Hemorex	..	..	..	..	..	WL
618	PHENYTOIN SODIUM						
	Dilantin	..	..	..	..	..	PD
	Dilantin Sodium Steri-Vial	..	..	..	..	..	PD
	Ditoin	..	..	..	..	..	KL
620	PHTHALYLSULPHACETAMIDE						
	Cetasulph	..	..	..	..	..	CM
	Enterocid	..	..	..	..	..	BS
	Sulphalyl	..	..	..	..	..	KL
	Talecid	..	..	..	..	..	SC
	Thalacet	..	..	..	..	..	VR
621	PHTHALYLSULPHATHIAZOLE						
	Sulphathalidine	..	..	..	..	..	MK
	Thalazole	..	..	..	..	..	MB
625	PIPERAZINE ADIPATE						
	Entacyl	..	..	..	..	..	BD
	Parid Worm Tablets	..	..	..	..	..	MG
626	PIPERAZINE PHOSPHATE						
	Helmezine	..	..	..	..	..	GL
627	PITUITARY, POSTERIOR LOBE						
	Pituitrin O	..	..	..	..	..	PD
629	POLYMYXIN B. SULPHATE						
	Aerosporin Otic Solution	..	..	..	..	..	BW
	N.B.P. Eye Drops	..	..	..	..	..	DH
	Neosporin	..	..	..	..	..	BW
	Neotracin	..	..	..	..	..	AN
	Wellcome	..	..	..	..	..	BW
634	PREDNISOLONE						
	Codelcortone	..	..	..	..	..	MK
	Co-Hydeltra	..	..	..	..	..	MK
	Deltacortef	..	..	..	..	..	UP
	Deltacortril	..	..	..	..	..	PF
	Delta-Efcortelan	..	..	..	..	..	GL
	Delta Hydrocortisone	..	..	..	..	..	AN
	Deltasolone	..	..	..	..	..	KL
	Deltastab	..	..	..	..	..	BT

Item No.	Name					Code
634— <i>contd.</i>						
	Di-Adreson-F	..	..	..	..	OR
	Meticortelone	..	..	..	..	SH
	Paracortol	..	..	..	..	PD
	Precortisyl	..	..	..	..	RL
	Scherisolone	..	..	..	..	SC
635	PREDNISONE					
	Codeltra	..	..	..	..	MK
	Decortisyl	..	..	..	..	RL
	Delta-Cortelan	..	..	..	..	GL
	Delta Cortisone	..	..	..	..	AN
	Deltacortone	..	..	..	..	MK
	Delta-Scheroson	..	..	..	..	SC
	Deltasone	..	..	..	..	KL
	Di-Adreson	..	..	..	..	OR
	Meticorten	..	..	..	..	SH
636	PRIMAQUINE BASE					
	Avlon	..	..	..	..	IC
637	PRIMIDONE					
	Mysoline	..	..	..	..	IC
638	PROCAINAMIDE HYDROCHLORIDE					
	Pronestyl	..	..	..	..	SQ
639	PROCAINE HYDROCHLORIDE IN NORMAL SALINE					
	Abbo-Litre	..	..	..	..	AB
640	PROCYCLIDINE HYDROCHLORIDE					
	Kemadrin	..	..	..	..	BW
641	PROGESTERONE					
	Lutocyclin	..	..	..	..	CB
	Progestin (B.D.H.)	..	..	..	..	BD
	Progestin (Organon)	..	..	..	..	OR
	Progestin I.V. (Organon)	..	..	..	..	OR
	Proluton	..	..	..	..	SC
642	PROGESTERONE DEPOT					
	Proluton Depot	..	..	..	..	SC
643	PROGUANIL HYDROCHLORIDE					
	Paludrine	..	..	..	..	IC
644	PROMETHAZINE HYDROCHLORIDE					
	Phenergan	..	..	..	..	MB
645	PROPHEMPYRIDAMINE PARA- AMINOSALICYLATE					
	Avil	..	..	..	..	FM
647	PROTOVERATRINE A					
	Puroverine	..	..	..	..	SZ
648	PYRIDOSTIGMINE BROMIDE					
	Mestinon	..	..	..	..	RO

Item No.	Name						Code
649	PYRIDOXINE HYDROCHLORIDE B.P.C.						
	Benadon	..	..	..	..	..	RO
	Hexa-Betalin	..	..	..	..	..	LY
	Hexavibex	..	..	..	..	..	PD
	Pyridermin	..	..	..	..	..	CM
	Pyrivel	..	..	..	..	..	VM
	Pyroxin	..	..	..	..	..	KL
650	PHENACETIN						
	Barbidein	..	..	..	..	..	DH
	Cobarb	..	..	..	..	..	SI
	Codabarb	..	..	..	..	..	AN
	Compodorm	..	..	..	..	..	GP
	Nembudeine	..	..	..	..	..	AB
	P.B.C.	..	..	..	..	..	PR
	Pentacode	..	..	..	..	..	MG
	Pentonal Co.	..	..	..	..	..	KL
	Phen-O-Phos	..	..	..	..	..	HY
651	PENICILLINASE						
	Neutrapen	..	..	..	..	..	SI
652	PENICILLIN BENETHAMINE						
	Triplopen	..	..	..	..	..	GL
653	PHENYLALANINE LOW CONTENT FORMULA						
	Lofenalac	..	..	..	..	..	CM
654	PIPERAZINE CITRATE						
	Antepar	..	..	..	..	..	BW
656	PREDNISOLONE DISODIUM PHOSPHATE						
	Predsol	..	..	..	..	..	GL
657	PREDNISOLONE METHYL						
	Medrol	..	..	..	..	..	UP
659	PROBENECID						
	Benemid	..	..	..	..	..	MK
660	PROPANTHELINE BROMIDE						
	Probanthine	..	..	..	..	..	SR
661	PYRROLIDINO-METHYL-TETRACYCLINE						
	Reverin	..	..	..	..	..	FM
721	QUINALBARBITONE SODIUM						
	Baqual	..	..	..	..	..	KL
	Q.B.Tabs.	..	..	..	..	..	DH
	Quillatone	..	..	..	..	..	RD
	Quinbarbium	..	..	..	..	..	MG
	Quindorm	..	..	..	..	..	GP
	Quintone	..	..	..	..	..	FA
	Seconal Sodium Pulvules	..	..	..	..	..	LY
722	QUINIDINE SULPHATE						
	Tabloid	..	..	..	..	..	BW
723	QUININE BISULPHATE						
	Tabloid	..	..	..	..	..	BW
724	QUININE DIHYDROCHLORIDE						
	Bihydroquin	..	..	..	..	..	PD

Item No.	Name						Code
744	RINGER'S SOLUTION						
	I.V. Fluid	..	..	..	..	..	FH
	Solvac ..	..	..	..	..	..	DH
746	RESERPINE						
	Reserpin	..	..	..	..	..	AN
	Serpasil ..	..	..	..	..	..	CB
	Serpiloid	..	..	..	..	..	RK
765	SODIUM AUROTHIOMALATE						
	Myocrisin	..	..	..	..	..	MB
767	SODIUM CALCIUMEDATE						
	Calcium Disodium Versenate	..	..	..	..	..	RK
768	SODIUM CHLORIDE (Hypertonic Solution)						
	I.V. Fluid	..	..	..	..	..	FH
	Solvac ..	..	..	..	..	..	DH
	(Physiological Solution)						
	Abbo-Litre	..	..	..	..	..	AB
	Braun's Plastic Infusor	..	..	..	..	..	BT
	I.V. Fluid	..	..	..	..	..	FH
	Solvac ..	..	..	..	..	..	DH
	Steriflox No. 1 ..	..	..	..	..	..	GL
769	SODIUM CHLORIDE WITH DEXTROSE						
	(Physiological Solution)						
	Abbo-Litre	..	..	..	..	..	AB
	I.V. Fluid	..	..	..	..	..	FH
	Solvac ..	..	..	..	..	..	DH
	Steriflox No. 3 ..	..	..	..	..	..	GL
771	SODIUM LACTATE (Solution $\frac{1}{2}$ Molar)						
	Abbo-Litre	..	..	..	..	..	AB
	I.V. Fluid	..	..	..	..	..	FH
	Solvac ..	..	..	..	..	..	DH
772	SODIUM OLEATE COMPOUND						
	Cholelith	..	..	..	..	..	PD
773	SODIUM PARA-AMINOSALICYLATE						
	Aminacyl	..	..	..	..	..	WA
	Bactylan	..	..	..	..	..	RJ
	Paramisan Sodium	..	..	..	..	..	SN
	Parasal Sodium	..	..	..	..	..	CM
	Pasan ..	..	..	..	..	..	KL
774	SODIUM SALICYLATE						
	Ensalate	..	..	..	..	..	HY
	Nuseals	..	..	..	..	..	LY
	Salitab ..	..	..	..	..	..	AB
775	SODIUM SULPHATE						
	Solvac ..	..	..	..	..	..	DH
776	SODIUM TAUROGLYCOCHOLATE						
	Tauroglate	..	..	..	..	..	DH
	Veracolate	..	..	..	..	..	WW
780	STILBOESTROL						
	Tabloid	..	..	..	..	..	BW

Item No.	Name						Code
781	STREPTOMYCIN SULPHATE						
	Diamant	..	..	..	..	..	GA
	Strepolin 25%	..	..	..	..	..	GL
	Strepolin 33 $\frac{1}{2}$ %	..	..	..	..	..	GL
	Strepolin 50%	..	..	..	..	..	GL
	Streptaquaine	..	..	..	..	..	DL
	Streptevan	..	..	..	..	..	EV
	Strept-Evanules	..	..	..	..	..	EV
	Streptomycin Intrathecal	..	..	..	..	..	BD
	Viules	..	..	..	..	..	BT
783	SUCCINYLSULPHATHIAZOLE						
	Sulphasuxidine	..	..	..	..	..	MK
784	SULPHACETAMIDE SODIUM						
	Albucid	..	..	..	..	..	SC
785	SULPHADIAZINE						
	Diazyl	..	..	..	..	..	AB
	Infatabs	..	..	..	..	..	PD
	Sulphadiazinettes	..	..	..	..	..	KL
	Tabloid	..	..	..	..	..	BW
787	SULPHADIMETHOXINE						
	Madribon	..	..	..	..	..	RO
788	SULPHADIMIDINE						
	Dimidi-Sulph.	..	..	..	..	..	VR
	Diminsuls	..	..	..	..	..	MG
	S-Mez	..	..	..	..	..	IC
789	SULPHADIMIDINE SODIUM						
	S-Mez	..	..	..	..	..	IC
790	SULPHAFURAZOLE						
	Gantrisin	..	..	..	..	..	RO
791	SULPHAGUANIDINE						
	Guanaflex	..	..	..	..	..	CM
	Tabloid	..	..	..	..	..	BW
793	SULPHAMETHIZOLE						
	Thiosulfil	..	..	..	..	..	AY
	Urolucosil	..	..	..	..	..	WW
794	SULPHAMETHOXYPYRIDAZINE						
	Lederkyn	..	..	..	..	..	LE
	Midicel	..	..	..	..	..	PD
795	SULPHAPYRIDINE B.P.C.						
	M. & B 693	..	..	..	..	..	MB
796	SULPHONAMIDES MIXED (B): THREE SULPHONAMIDES						
	Multisulpha	..	..	..	..	..	KL
	Multisulphettes	..	..	..	..	..	KL
	Sulphaco	..	..	..	..	..	CM
	Sulphaco-Mitis	..	..	..	..	..	CM
	Sulpha-Dimerazole	..	..	..	..	..	VR
	Sulphadital	..	..	..	..	..	FM
	Sulphatriad	..	..	..	..	..	MB

Item No.	Name	Code
796—contd.		
	Sulphatriad (flavoured)	MB
	Sulphonamix	SI
	Three Sulphas	AD
	Triazyl	AB
	Triazyl Dulcets	AB
	Triple Sulpha	TO
	Triple Sulphonamides	FA
	Triposulph	DH
	Trisulpha	AN
	Trisulfettes	AN
800	SUSTANON	
	Sustanon '250'	OR
801	SUXAMETHONIUM BROMIDE	
	Brevidil-M	MB
802	SYNTOCINON	
	Syntocinon	SZ
803	SALICYLAZOSULPHAPYRIDINE	
	Salazopyrin	MR
804	SODIUM FOLATE	
	Folvite	LE
805	SOYA FORMULA	
	Sobee Instant Powder	CM
	Sobee Liquid	CM
806	SPIRAMYCIN	
	Rovamycin	MB
807	SULPHAMETHOXYPYRIDAZINE	
	N-ACETYL	
	Lederkyn Suspension	LE
	Midicel Acetyl Suspension	PD
808	SULPHAPHENAZOLE	
	Orisul	CB
852	TESTOSTERONE	
	Neo-Hombreol	OR
	Perandren	CB
	Testoviron	SC
853	TESTOSTERONE METHYL	
	Glosso-Sterandryl	RL
	Metestine	KL
	Perandren	CB
	Sublings	OR
	Testogenine	FM
	Testoviron	SC
854	TESTOSTERONE OENANTHATE	
	Primoteston Depot	SC

Item No.	Name	Code
855	TESTOSTERONE PROPIONATE	
	Neo-Hombreol	OR
	Perandren	CB
	Testine	KL
	Testogenine	FM
	Testoviron	SC
	Viules	BT
860	TETRACYCLINE HYDROCHLORIDE	
	Achromycin	LE
	Ambramycin	LT
	Fabacycline	AN
	Panmycin	UP
	Steclin	SQ
	Tetracyn	PF
	(Granules)	
	Achromycin Spersoids	LE
	(Paediatric Drops)	
	Achromycin Paediatric Drops	LE
	Fabacycline Paediatric Drops	AN
	Panmycin Aquadrops	UP
	Steclin Paediatric Drops	SQ
	(Oral Suspensions)	
	Achromycin Syrup	LE
	Ambramycin Suspension	LT
	Tetracyn Oral Suspension	PF
	(Ophthalmic Ointments)	
	Achromycin Ointment Ophthalmic	LE
	Panmycin Eye Ointment	UP
	Tetracyn Ointment Ophthalmic	PF
861	TETRACYCLINE OPHTHALMIC SUSPENSION 1%	
	Achromycin Oil	LE
862	TETRACYCLINE WITH NYSTATIN	
	Mysteclin V	SQ
863	TETRACYCLINE WITH OLEANDOMYCIN	
	Synermycin	PF
	(Oral Suspension)	
	Synermycin Oral Suspension	PF
864	TETRACYCLINE (BUFFERED)	
	Achromycin-V	LE
	Ambramycin-V	LT
	Fabacycline-V	AN
	Panmycin M (Buffered)	UP
	Steclin-V	SQ
	Tetracyn-V	PF
	(Paediatric Drops)	
	Achromycin-V Paediatric Drops	LE
	Ambramycin-V Paediatric Drops	LT
	Steclin-V Paediatric Drops	SQ

Item No.	Name	Code
864— <i>contd.</i>		
	(Oral Suspensions)	
	Achromycin-V Suspension	LE
	Ambramycin-V Suspension	LT
	Panmycin KM Suspension	UP
	Steclin-V Syrup	SQ
	Tetracycn V Suspension	PF
865	THEOBROMINE B.P.C.	
	Durone	KL
	Theobarb	AB
866	THIACETAZONE B.P.C.	
	Ti-Bi-Zone	AN
868	THRYOID	
	Proloid	WW
	Tabloid	BW
870	TOLAZOLINE HYDROCHLORIDE	
	Priscol	CB
	Toline	KL
871	TOLBUTAMIDE	
	Artosin	PH
	Rastinon	FM
873	TRIETHANOLAMINE TRINITRATE	
	Duronitrin	AN
	Praenitron	SC
874	TRIMETHAN CAMPHORSULPHONATE B.P.C.	
	Arfonad	RO
875	TROXIDONE	
	Epidione	GA
	Tridione	AB
880	THENALIDINE TARTRATE	
	Sandosten	SZ
882	THROXINE	
	Tabloid	BW
885	TRIPELENNAMINE HYDROCHLORIDE	
	Pyribenzamine	CB
886	TRIPROLIDINE HYDROCHLORIDE	
	Actidil	BW
921	VASOPRESSIN	
	Pitressin	PD
922	VASOPRESSIN TANNATE	
	Pitressin Tannate in Oil	PD
923	VERILOID	
	Veriloid	RK

Item No.	Name	Code
926	VITAMINS A and D	
	Adevit	AN
	Adexolin	GL
	Viadol	DH
927	VITAMIN K ₁	
	Konakion	RO
928	VITAMINS COMPOUND	
	Citradex	GL
	Gerovit	FA
	Hexaplex	PR
	Max-A-Vit	HY
	Multivite-Six	BD
	Orum-Vite	VR
	Polivitab	AB
	Sixavite	KL
	Vitaminorum	DH, PD
	Vitasix	AN

PROPRIETARY INDEX

PART 2—ALPHABETICAL

Preparation	Item No.	Code
A		
Abbecillin G. Abboject (Penicillin Benzyl Procaine)	593	AB
Abbecillin-V Film Tabs (Penicillin, Phenoxy-methyl Benzathine, Calcium, Hydrabamine, or Potassium Salt or Free Acid)	595	AB
Abbecillin-VK (Penicillin, Phenoxy-methyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	AB
Abbecillin-V-Oral Suspension (Penicillin, Phenoxy-methyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	AB
Abbo-Litre (Dextrose Aqueous)	238	AB
Abbo-Litre (Dextrose in 1/5 Normal Saline)	239	AB
Abbo-Litre (Procaine Hydrochloride in Normal Saline)	639	AB
Abbo-Litre (Sodium Chloride)	768	AB
Abbo-Litre (Sodium Chloride with Dextrose)	769	AB
Abbo-Litre (Sodium Lactate)	771	AB
Actedrin (Amphetamine Sulphate)	28	AN
Acetylarsan (Acetarsol)	1	MB
Achromycin (Tetracycline Hydrochloride)	860	LE
Achromycin Oil (Tetracycline Ophthalmic Suspension 1%)	861	LE
Achromycin Ointment Ophthalmic (Tetracycline Hydrochloride)	860	LE
Achromycin Pediatric Drops (Tetracycline Hydrochloride)	860	LE
Achromycin Spersoids (Tetracycline Hydrochloride)	860	LE
Achromycin Syrup (Tetracycline Hydrochloride)	860	LE
Achromycin-V (Tetracycline (Buffered))	864	LE
Achromycin-V Pediatric Drops (Tetracycline (Buffered))	864	LE
Achromycin-V Suspension (Tetracycline (Buffered))	864	LE
A.C.T.H.-Depot (Corticotrophin)	168	SC
Actidil (Tripolidine Hydrochloride)	886	BW
Adaben (Benzocaine)	90	KL
Adalin (Carbromal)	135	BA-WL
Adanon (Amidone Hydrochloride)	20	BA
Adevit (Vitamins A and D)	926	AN
Adexolin (Vitamins A and D)	926	GL
Adrenaline Hyperduric (Adrenaline Mucate)	43	GL
Adreson (Cortisone Acetate)	169	OR
Adrox (Aluminium Hydroxide)	19	RD
Aerosporin Otic Solution (Polymyxin B. Sulphate)	629	BW
Agarol (Paraffin Liquid)	588	WW
A.H.T. (Aluminium Hydroxide)	19	WY
Albucid (Sulphacetamide Sodium)	784	SC

Preparation	Item No.	Code
Alcopar (Bephenium Hydroxynaphthoate) ..	103	BW
Allercur (Clemizole)	180	SC
Alox (Aluminium Hydroxide)	19	KL
Aludrox Suspension (Aluminium Hydroxide Gel)	44	WY
Aluminium Paste (Aluminium Powder, B.P.C.)..	45	BT
Alusorb (Aluminium Hydroxide Gel)	44	DH
Ambramycin (Tetracycline Hydrochloride) ..	860	LT
Ambramycin Suspension (Tetracycline Hydrochloride)	860	LT
Ambramycin V (Tetracycline (Buffered)) ..	864	LT
Ambramycin V Paediatric Drops (Tetracycline (Buffered))	864	LT
Ambramycin V Suspension (Tetracycline (Buffered))	864	LT
Amechol (Mechloyl Chloride)	483	SY
Amesec (Aminophylline)	22	LY
Aminab (Aminophylline)	22	AB
Aminacyl (Calcium Para-Aminosalicylate, B.P.C.)	128	WA
Aminacyl (Sodium Para-Aminosalicylate) ..	773	WA
Aminacyl Granulate (Calcium Para-Aminosalicylate, B.P.C.)	128	WA
Aminobarb (Aminophylline)	22	AB
Amitone (Amylobarbitone)	30	PR
Amnosed (Cyclobarbitone)	174	BW
Amphojel (Aluminium Hydroxide Gel.)	44	WY
Amphotabs (Aluminium Hydroxide)	19	WY
Amytal (Amylobarbitone)	30	LY
Amytal Sodium Pulvules (Amylobarbitone Sodium, B.P.C.)	31	LY
Anabolex (Androstanalone)	47	MN
Anacardone (Nikethamide)	546	BD
Anacobin (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	BD
Anagal (Bismuth Subgallate, B.P. 1953) ..	97	KL
Andrazide (Isoniazid)	423	AN
Androcort (Corticotrophin)	168	AN
Androphyllin (Ammophylline)	22	AN
Androstanalone (Methyl Androstanolone) ..	495	RL
Angesil (Codeine Phosphate)	160	DH
Anginine Stabilised (Glyceryl Trinitrate)..	363	BW
Ansolsen (Pentolinium Tartrate)	600	MB
Ansolsen with Ephedrine (Pentolinium Tartrate with Ephedrine)	601	MB
Antepar (Piperazine Citrate)	654	BW
Anthisan (Mepyramine Maleate)	487	MB
Antistine (Antazoline Hydrochloride)	34	CB
Antistine-Privine Drops (Antazoline Hydrochloride)	34	CB
Anusol (Bismuth Subgallate, B.P. 1953) ..	97	WW
Aquacaine G. (Penicillin Benzyl Procaine) ..	593	CS
Aquacaine G. Fortified (Penicillin Benzyl, Procaine Fortified)	594	CS
Aquacaine G. Suspension (Penicillin, Benzyl, Procaine)	593	CS

Preparation	Item No.	Code
Aquacillin (Penicillin, Benzyl, Procaine) ..	593	FA
Aralen (Chloroquine Base) ..	150	BA
Arfonad (Trimetaphan Camphorsulphonate, B.P.C.) ..	874	RO
Artane (Benzhexol Hydrochloride) ..	89	LE
Artosin (Tolbutamide) ..	871	PH
Asptab-Sol. (Acetylsalicylic Acid) ..	4	AB
Astrafer (Dextrin Iron 2% Intravenous) ..	237	AP
A.T.10 (Dihydrotachysterol) ..	252	BA
Aureomycin (Chlortetracycline Hydrochloride) ..	154	LE
Aureomycin Spersoids (Chlortetracycline Hydrochloride) ..	154	LE
Auro-Calcium (Calcium Aurothiomalate) ..	123	CK
Avil (Propenpyridamine Para-Aminosalicylate) ..	645	FM
Avlochlor (Chloroquine Base) ..	150	IC
Avlon (Mepacrine Hydrochloride) ..	486	IC
Avlon (Pethidine Hydrochloride) ..	604	IC
Avlon (Primaquine Base) ..	636	IC
Avlosulphon (Dapsone) ..	230	IC

B

Bactylan (Sodium Para-Aminosalicylate) ..	773	RL
Bakramil (Phenobarbitone) ..	610	BK
B.A.L. (Dimercaprol) ..	254	BT
Baqual (Quinalbarbitone Sodium) ..	721	KL
Barbeph (Ephedrine Hydrochloride) ..	304	KL
Barbeph Forte (Ephedrine Hydrochloride) ..	304	KL
Barbico (Barbitone Compound, A.P.F. 1955) ..	84	AB
Barbidein (Phenacetin) ..	650	DH
Bardorm (Phenobarbitone) ..	610	GP
Benadon (Pyridoxine Hydrochloride, B.P.C.) ..	649	RO
Benadryl (Diphenhydramine Hydrochloride) ..	255	PD
Benemid (Probenecid) ..	659	MK
Benol (Cyanocobalamin excluding 1,000 Microgramme Strength) ..	172	KL
Benol Forte (Cyanocobalamin excluding 1,000 Microgramme Strength) ..	172	KL
Benol 1,000 (Cyanocobalamin 1,000 Microgramme Strength) ..	173	KL
Berin 50 (Aneurine Hydrochloride) ..	32	GL
Berin 100 (Aneurine Hydrochloride) ..	32	GL
Betamin (Aneurine Hydrochloride) ..	32	KL
Betamin Forte (Aneurine Hydrochloride) ..	32	KL
Beta-Sol. (Aneurine Hydrochloride) ..	32	FM
Beta-Tabs (Aneurine Hydrochloride) ..	32	FM
Bicillin (Penicillin Benzathine) ..	591	WY
Bicillin All-purpose Injection (Penicillin Benzathine) ..	591	WY
Bihydroquin (Quinine Dihydrochloride) ..	724	PD
Bisoxyl (Bismuth Oxychloride) ..	96	BD
Bi-Stabillin (Penicillin Benzyl, Procaine Fortified) ..	594	BT
Braun's Plastic Infusor (Dextrose Aqueous) ..	238	BT

Preparation	Item No.	Code
Braun's Plastic Infusor (Dextrose in 1/5 Normal Saline)	239	BT
Braun's Plastic Infusor (Sodium Chloride)	768	BT
Breviril M Suxamethonium Bromide)	801	MB
Bromobarb (Pentobarbitone Sodium Compound)	599	AN
Bubal (Butobarbitone)	100	KL
Budorm (Butobarbitone)	100	GP
Butazolidin (Phenylbutazone)	616	GE

C

Cafergot (Ergotamine Tartrate)	307	SZ
Cafergot Q (Ergotamine Tartrate)	307	SZ
Caleipas (Calcium Para-Aminosalicylate, B.P.C.)	128	KL
Calcipen (Penicillin, Phenoxymethyl, (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	LP
Calcium Disodium Versenate (Sodium Calcium- edetate)	767	RK
Calcium Thilo (Calcium Gluconate)	126	PE
Carnoquin (Amodiaquine Base)	27	PD
Caral (Carbromal)	135	KL
Carbo Medicinalis (Charcoal)	141	AN
Carbital (Pentobarbitone Sodium Compound) ..	599	PD
Carbrodorm (Carbromal)	135	GP
Cardiazol (Leptazol)	460	KN
Cardigen (Digitoxin, B.P.C.)	246	PD
Cardilate (Erythrityltetranitrate)	309	BW
Cardophyllin (Aminophylline)	22	HA
Cardophyllin with Phenobarb (Aminophylline)	22	HA
Cardrase (Ethoxzolamide)	314	UP
Carine (Aminophylline)	22	KL
Cecon (Ascorbic Acid)	37	AB
Cedilanid (Desacetyl-Lanatoside-C)	233	SZ
Celin '50' (Ascorbic Acid)	37	GL
Celin '250' (Ascorbic Acid)	37	GL
Cemalonal Injection (Phenobarbitone Sodium) ..	611	CM
Cetamin (Ascorbic Acid)	37	KL
Cetasulph (Phthalylsulphacetamide)	620	CM
Cholelith (Sodium Oleate Compound)	772	PD
Chloromycetin (Chloramphenicol)	145	PD
Chloromycetin Palmitate (Chloramphenicol) ..	145	PD
Chloromycetin Succinate (Chloramphenicol) ..	145	PD
Chlor Trimeton (Chlorpheniramine Maleate) ..	175	ES
Chlor Trimeton Repetabs (Chlorpheniramine Maleate)	175	ES
Chlotride (Chlorothiazide)	151	MK
Cilameycin (Penicillin with Streptomycin) ..	596	SI
Cilicaine Fortified (Penicillin Benzyl, Procaine Fortified)	594	SI
Cilicaine Simplex (Penicillin Benzyl, Procaine) ..	593	SI
Cilicaine Suspension (Penicillin Benzyl, Procaine)	593	SI
Cilicaine-V.K. (Penicillin, Phenoxymethyl, (Benza- thine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	SI

Preparation	Item No.	Code
Cilicaine-V Oral (Suspension)(Penicillin, Phenoxy-methyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	SI
Citradex (Vitamins Compound)	928	GL
Clinitest (Copper-Sulphate)	167	AM
Cobarb (Phenacetin)	650	SI
Cobastab (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	BT
Cobastab 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	BT
Co-Corn (Codeine Phosphate)	160	VR
Codab (Codeine Phosphate)	160	AB
Codabarb (Phenacetin)	650	AN
Codab-Sol. (Codeine Phosphate)	160	AB
Codelcortone (Prednisolone)	634	MK
Codeltra (Prednisone)	635	MK
Codral Forte (Codeine Phosphate)	160	BW
Co-Hydeltra (Prednisolone)	634	MK
Colein (Colchicine)	162	KL
Compodorm (Phenacetin)	650	GP
Coramine (Nikethamide)	546	CB
Cortef (Hydrocortisone)	387	UP
Cortelan (Cortisone Acetate)	169	GL
Cortic (Cortisone Acetate)	169	AD
Cortico-Gel. (Corticotrophin)	168	CK
Cortril (Hydrocortisone)	387	PF
Cortisyl (Cortisone Acetate)	169	RL
Cortone (Cortisone Acetate)	169	MK
Cortrophin ZN (Corticotrophin)	168	OR
Crystapen G. '200' (Penicillin, Benzyl)	592	GL
Crystapen G. '400' (Penicillin, Benzyl)	592	GL
Crystapen-V (Penicillin, Phenoxy-methyl, (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	GL
Crystodigin (Digitoxin, B.P.C.)	246	LY
Crystoids (Hexylresorcinol)	383	MK
C.V.L.(Pediatric) '125' (Penicillin, Phenoxy-methyl (Benzathine, Calcium, Hydrabamine, Potassium Salt or Free Acid))	595	GL
Cybal (Cyclobarbitone)	174	KL
Cydorm (Cyclobarbitone)	174	GP
Cytamen 20, 50, 100 (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	GL
Cytamen 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	GL
Cytobex (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	PD

D

D.A.D.P.S. (Dapsone)	230	AN
Daptazole (Amiphenazole Hydrochloride, A.P.F. 1955)	23	NS
Daquin (Chlorazani)	146	RK

Preparation	Item No.	Code
Darenthin (Bretylum Tosylate)	105	BW
Davitamon B ₁₂ (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	OR
Decadron (Dexamethasone)	234	MK
Decortisyl (Prednisone)	635	RL
Deltacortef (Prednisolone)	634	UP
Delta-Cortelan (Prednisone)	635	GL
Deltacortisone (Prednisone)	635	AN
Deltacortone (Prednisone)	635	MK
Deltacortril (Prednisolone)	634	PF
Delta-Efcortelan (Prednisolone)	634	GL
Deltahydrocortisone (Prednisolone)	634	AN
Delta-Schereson (Prednisone)	635	SC
Deltasolone (Prednisolone)	634	KL
Deltasone (Prednisone)	635	KL
Deltastab (Prednisolone)	634	BT
Demerol (Pethidine Hydrochloride)	604	BA
Deronil (Dexamethasone)	234	SH
Desicol (Extract of Ox Bile)	324	PD
Desoxyn (Methylamphetamine Hydrochloride)	494	AB
Dettol (Chloroxylenol)	152	RC
Devegan (Acetarsol)	1	BA-WL
Dexacortisyl (Dexamethasone)	234	RL
Dexamine (Dexamphetamine Sulphate)	235	KL
Dexamphate (Dexamphetamine Sulphate)	235	DH
Dex-M (Dexamphetamine Sulphate)	235	GP
Dextelan (Dexamethasone)	234	GL
D.H.A.245 (Amiphenazole Hydrobromide)	46	DH
Diabinese (Chlorpropamide)	153	PF
Di-Ademil (Hydroflumethiazide)	395	SQ
Di-Adreson (Prednisone)	635	OR
Di-Adreson-F (Prednisolone)	634	OR
Diamant (Streptomycin Sulphate)	781	GA
Diamox (Acetazolamide)	2	LE
Diamox Sodium Parenteral (Acetazolamide Sodium Parenteral)	42	LE
Diazyl (Sulphadiazine)	785	AB
Dichlotride (Hydrochlorothiazide)	392	MK
Digicristin (Digitoxin, B.P.C.)	246	CM
Digitab (Digoxin)	247	AB
Digitaline (Digitoxin, B.P.C.)	246	NA
Digolan (Digoxin)	247	KL
Dihydergot (Dihydroergotamine)	249	SZ
Dilantin (Phenytoin Sodium)	618	PD
Dilantin Sodium Steri-Vial (Phenytoin Sodium)	618	PD
Dilaudid (Dihydromorphinone Hydrochloride)	250	KN
Dimenformon (Oestradiol Monobenzoate)	562	OR
Dimidi-Sulph (Sulphadimidine)	788	VR
Diminsuls (Sulphadimidine)	788	MG
Dindevan (Phenindione)	609	EV
Diodoquin (Diodohydroxyquinoline)	253	SR
Di-Paralene (Chloreyclizine Hydrochloride)	148	AB
Diparcol (Diethazine Hydrochloride)	243	MB
Direma (Hydrochlorothiazide)	392	DL

Preparation	Item No.	Code
Distaquaine Fortified (Penicillin Benzyl, Procaine Fortified)	594	DL
Distaquaine G. (Penicillin Benzyl, Procaine)	593	DL
Distaquaine V (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	DL
Distaquaine V-K (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	DL
Distaquaine V-K Suspension (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	DL
Distivit B ₁₂ (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	DL
Distivit B ₁₂ (Cyanocobalamin 1,000 Microgramme Strength)	173	DL
Ditoin (Phenytol Sodium)	618	KL
Diurophylin (Aminophylline)	22	CM
Dixin (Digitoxin B.P.C.)	246	KL
D.O.C.A. (Deoxycortone Acetate)	232	OR
Dovirin (Acetylsalicylic Acid with Ipecacuanha and Opium)	9	FA
Doxephlin (Methylamphetamine Hydrochloride)	494	PH
Drapox (Benzalkonium Chloride)	102	CA
Dromoran (Methorphan, B.P.C.)	493	RO
Durone (Theobromine, B.P.C.)	865	KL
Duronitrin (Triethanolamine Trinitrate)	873	AN

E

E.D.C. (Ethylidene Dicoumarin)	316	NS
Efcortelan (Hydrocortisone)	387	GL
Elliotts Clinic Emulsion (Cod Liver Oil)	161	DH
Embequin (Diodohydroxyquinoline)	253	MB
Emphet (Methylamphetamine Hydrochloride)	494	VR
Emplet Ferrous Sulphate (Ferrous Sulphate)	341	PD
Ensalate (Sodium Salicylate)	774	HY
Ensobarb (Phenobarbitone)	610	HY
Entacyl (Piperazine Adipate)	625	BD
Enterocid (Phthalylsulphacetamide)	620	BS
Entero-Vioform (Iodochlorhydroxyquinoline)	428	CB
Ephetal (Ephedrine Hydrochloride)	304	AB
Ephobarb (Ephedrine Hydrochloride)	304	AN
Ephophen (Ephedrine Sulphate)	305	MG
Epidione (Troxidone)	875	GA
Ergane (Ergotamine Tartrate)	307	DH
Ergomal (Ergometrine Maleate)	306	CM
Ergominate (Ergotamine Tartrate)	307	AN
Ergotab (Ergotamine Tartrate)	307	AB
Ergotrate (Ergometrine Maleate)	306	LY
Erythrocin (Erythromycin)	308	AB
Erythrocin (Erythromycin Stearate)	323	AB
Erythrocin Abboject (Erythromycin)	308	AB
Esidrex (Hydrochlorothiazide)	392	CB

Preparation	Item No.	Code
Estigyn (Ethinyloestradiol)	311	BD
Estrasal (Ethinyloestradiol)	311	HY
Ethamolin (Ethanalamine Oleate)	310	GL
Ethodryl (Diethylcarbamazine Citrate)	244	BD
Euhaemon (Cyanocobalamin excluding Microgramme Strength) 1,000	172	GL
Eumydrin (Atropine Methonitrate)	39	BA
Evacillin (Penicillin Benzyl, Procaine)	593	EV
Evanules (Penicillin Benzyl, Procaine)	593	EV

F

Fabacycline (Tetracycline Hydrochloride) ..	860	AN
Fabacycline Paediatric Drops (Tetracycline Hydrochloride)	860	AN
Fabacycline V (Tetracycline (Buffered)) ..	863	AN
Falcopen V (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	FA
Fenallo (Phenolphthalein)	614	DH
Fergon (Ferrous Gluconate)	340	BA-WL
Feromax Plain (Ferrous Sulphate)	341	WY
Ferrin 55 (Ferrous Gluconate)	340	FA
Ferri-Vita (Ferrous Sulphate)	341	HY
Ferrose (Ferrous Gluconate)	340	DH
Fibroxin (Digoxin)	247	VR
Florinef (Fludrocortisone Acetate)	344	SQ
Folvite (Sodium Folate)	804	LE
Fungizone (Amphotericin B)	29	SQ
Furadantin (Nitrofurantoin)	547	SK

G

Gantrisin (Sulphafurazole)	790	RO
Gardenal Sodium (Phenobarbitone Sodium) ..	611	MB
Gelox (Aluminium Hydroxide)	19	PR
Gerovit (Vitamins Compound)	928	FA
Gliron (Ferrous Gluconate)	340	GP
Glosso-Sterandryl (Testosterone Methyl) ..	853	RL
Gluciron (Ferrous Gluconate)	340	MG
Glucohaem (Ferrous Gluconate)	340	VR
Glucomax (Ferrous Gluconate)	340	WY
Glucophylline (Aminophylline)	22	AB
Guanaflex (Sulphaguanidine)	791	CM
Gynorgen (Ergotamine Tartrate)	307	SZ

H

Haemofort (Ferrous Sulphate)	341	CM
Halotestin (Fluoxymesterone)	342	UP
Helmezine (Piperazine Phosphate)	626	GL
Hemorex (Phenylephrine Hydrochloride) ..	617	WL
Heparin-Leo (Heparin)	379	AN
Hetrazan (Diethylcarbamazine Citrate) ..	244	LE

Preparation	Item No.	Code
Hexa-Betalin (Pyridoxine Hydrochloride, B.P.C.)	649	LY
Hexaplex (Vitamins Compound)	928	PR
Hexavibex (Pyridoxine Hydrochloride, B.P.C.) ..	649	PD
High Potency Ostelin (Calciferol)	121	GL
Histamine B.D.H. (Histamine Acid Phosphate) ..	384	BD
Histostab (Antazoline Hydrochloride)	34	BT
Honvan (Disodium Diethylstilboestrol Diphosphate)	263	CM
Hyalase (Hyaluronidase)	385	FC
Hyason (Hyaluronidase)	385	OR
Hydrenox (Hydroflumethiazide)	395	BT
Hydrid (Mersalyl Acid)	491	VR
Hydro-Adreson (Hydrocortisone)	387	OR
Hydrocortistab (Hydrocortisone)	387	BT
Hydrocortisyl (Hydrocortisone)	387	RL
Hydrocortisyl (Hydrocortisone Acetate)	394	RL
Hydrocortone (Hydrocortisone)	387	MK
Hydrocortone (Hydrocortisone Acetate)	394	MK
Hydrocortone Ophthalmic Suspension (Hydrocortisone)	387	MK
Hydrosone (Hydrocortisone)	387	KL
Hykinone (Menaphthone)	484	AB
Hypette B ₁ 50 (Aneurine Hydrochloride)	32	FA
Hypette B ₁ 100 (Aneurine Hydrochloride)	32	FA
Hysterg (Ergometrine Maleate)	306	VR

I

Icipen-V (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	IC
Ilosone (Erythromycin)	308	LY
Ilosone (Erythromycin Propionate)	322	LY
Ilotycin (Erythromycin)	308	LY
Ilotycin (Erythromycin Glucoheptonate)	321	LY
Imferon (Dextran Iron)	236	FC
Infatab (Sulphadiazine)	785	PD
Intravenous Efcortelan (Hydrocortisone Sodium Succinate)	389	GL
Ironate (Ferrous Gluconate)	340	KL
Isotinyl (Isoniazid)	423	KL
Isuprel (Isoprenaline Hydrochloride)	424	WL
I.V. Fluid (Darrow's Solution)	231	FH
I.V. Fluid (Dextrose Aqueous)	238	FH
I.V. Fluid (Dextrose in 1/5 Normal Saline)	239	FH
I.V. Fluid (Dextrose in Ringer's Solution)	240	FH
I.V. Fluid (Ringer's Solution)	744	FH
I.V. Fluid (Sodium Chloride)	768	FH
I.V. Fluid (Sodium Chloride with Dextrose)	769	FH
I.V. Fluid (Sodium Lactate)	771	FH

K

Kaloplasm (Kaolin, Heavy)	451	FA
Kapilin (Acetomenaphthone)	3	GL
Kapilin (Menaphthone)	484	GL

Preparation	Item No.	Code
Kavitine (Acetomenaphthone)	3	KL
Kayvite (Acetomenaphthone)	3	SI
Kemadrin (Procyclidine Hydrochloride)	640	BW
Kinaden (Hyaluronidase)	385	SC
Konaktion (Vitamin K ₁)	927	RO
K-Thrombin (Menaphthone)	484	FM
K-Thrombin (Aqueous) (Menaphthone)	484	FM

L

Lanoxin (Digoxin)	247	BW
Lanoxin Paediatric Elixir (Digoxin)	247	BW
Largactil (Chlorpromazine Hydrochloride)	179	MB
Ledermycin (Demethylchlortetracycline Hydrochloride)	267	LE
Ledermycin Drops (Demethylchlortetracycline Hydrochloride)	267	LE
Ledermycin Syrup (Demethylchlortetracycline Hydrochloride)	267	LE
Lederkyn (Sulphamethoxypyridazine)	794	LE
Lederkyn Suspension (Sulphamethoxypyridazine N-Acetyl)	807	LE
Leo (Dihydrostreptomycin Sulphate)	251	LP
Leo (Insulin)	412	LP
Leo (Insulin Isophane (N.P.H.))	414	LP
Leo (Insulin Protamine Zinc)	415	LP
Leo (Pencillin, Benzyl)	592	LP
Lethidrone (Nalorphine Hydrobromide)	541	BW
Lethidrone Neonatal (Nalorphine Hydrobromide)	541	BW
Leucarsone (Carbarsone)	133	MB
Leukeran (Chlorambucil)	144	BW
Levophed (Noradrenaline Acid Tartrate)	549	WL
Lofenalac (Phenylalanine Low Content Formula)	653	CM
L.P.V. Oral Suspension (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	CS
Lubarol Red D.H.A. (Paraffin Liquid)	588	DH
Lutocyclin (Ethisterone)	312	CB
Lutocyclin (Progesterone)	641	CB
Lutoral (Ethisterone)	312	VR
Lynoral (Ethinylloestradiol)	311	OR
Lysivane (Ethiopropazine Hydrochloride)	313	MB

M

Madribon (Sulphadimethoxine)	787	RO
Magnoplasm (Magnesium Sulphate)	479	FA
Magnos (Magnesium Bicarbonate Solution)	476	FA
Malidone (Aloxidone)	17	BS
M. & B. 693 (Sulphapyridine, B.P.C.)	795	MB
Mandelamine (Methenamine Mandelate)	507	WW
Max-A-Vit (Vitamins Compound)	928	HY
Mecholyl (Mecholyl Chloride)	483	MK
Medrol (Prednisolone Methyl)	657	UP
Megacillin (Pencillin Benzyl, Procaine)	593	FA

Preparation	Item No.	Code
Megimide (Bemegride, A.P.F. 1955)	87	NS
Mephobarbital (Phemitone, B.P. 1953)	606	AS
Merclozan (Chlormerodrin)	149	PD
Mesantoin (Methoin)	492	SZ
Metem (Alumium Hydroxide Gel.)	44	CH
Metestine (Testosterone Methyl)	853	KL
Mestinon (Pyridostigmine Bromide)	648	RO
Methadon (Amidone Hydrochloride)	20	WL
Methamine (Methylamphetamine Hydrochloride)	494	KL
Methedrine (Methylamphetamine Hydrochloride)	494	BW
Methergin (Methylergometrine Maleate)	498	SZ
Methyl Diol (Methylandrostenediol)	496	MR
Meticortelone (Prednisolone)	634	SH
Meticorten (Prednisone)	635	SH
Mevasine (Mecamylamine)	482	MK
Midicel (Sulphamethoxypyridazine)	794	PD
Midicel Acetyl Suspension (Sulphamethoxypyridazine N-Acetyl)	807	PD
Milibis (Bismuth Glycolylarsanilate)	95	WL
Milontin (Phensuximide)	615	PD
Moryl (Carbachol)	132	SY
Multisulpha (Sulphonamides, Mixed (B); Three Sulphonamides)	796	KL
Multisulphettes (Sulphonamides, Mixed (B); Three Sulphonamides)	796	KL
Multivite-Six (Vitamins Compound)	928	BD
Mycardol (Pentaerythritol Tetranitrate)	597	WL
Mycostatin (Nystatin)	550	SQ
Myleran (Busulphan)	99	BW
Mylipen (Penicillin Benzyl, Procaine)	593	GL
Mylodorm (Phenobarbitone)	610	GP
Mylosed (Amylobarbitone)	30	VR
Myocrisin (Sodium Aurothiomalate)	765	MB
Mysoline (Primidone)	637	IC
Mysteclin-V. (Tetracycline with Nystatin)	862	SQ

N

Nabita (Bismuth Sodium Tartrate)	104	FA
Na-Clex (Hydroflumethiazide)	395	GL
N.B.P. Eye Drops (Polymyxin B. Sulphate)	629	DH
Nembudeine (Phenacetin)	650	AB
Nembutal (Pentobarbitone Sodium)	598	AB
Nembutal Compound (Pentobarbitone Sodium Compound)	599	AB
Nellynormorphinone (Nalorphine Hydrobromide)	541	AN
Neo-Epinine (Isoprenaline Sulphate)	425	BW
Neo-Ferrum (Iron Oxide Saccharated)	426	CK
Neo-Flumen (Hydrochlorothiazide)	392	GA
Neo-Hombreol (Testosterone)	852	OR
Neo-Hombreol (Testosterone Propionate)	855	OR
Neo-Mercazole (Carbimazole)	134	BS
Neopt (Neomycin Sulphate)	553	SI

Preparation	Item No.	Code
Neosporin (Polmyxin B. Sulphate)	629	BW
Neotracin (Polmyxin B. Sulphate)	629	AN
Nephenal (Plain) (Isoprenaline Sulphate)	425	CM
Neutrapen (Penicillinase)	651	SI
Neutrasol (Acetylsalicylic Acid)	4	PR
Nivaquine (Chloroquine Base)	150	MB
Nollipyrin (Codeine Phosphate)	160	KL
Novo-Evans (Insulin)	412	EV
Novo-Evans (Insulin Protamine Zinc)	415	EV
Novo-Evans (Insulin Zinc)	417	EV
Novoject (Penicillin Benzyl, Procaine)	593	EV
Novosol (Chloroxylenol)	152	FA
Novosprin (Acetylsalicylic Acid)	4	VR
N.P.443 (Acetylsalicylic Acid Compound)	5	NS
Nuseals (Sodium Salicylate)	774	LY

O

Oestroform B.D.H. (Oestradiol Monobenzoate)	562	BD
Oestrogenine (Hexoestrol)	382	FM
Omnopon (Papaveretum, B.P.C.)	583	RO
Omnopon-Scopalamine (Papaveretum with Hyoscine Hydrobromide)	584	RO
Oradexon (Dexamethasone)	234	OR
Oricur (Chlormerodrin)	149	AN
Orisul (Sulphaphenazole)	808	CB
Oroccillin Fort (Penicillin, Benzyl)	592	SI
Orpidan (Chlorazanyl)	146	SI
Orum-Vite (Vitamins Compound)	928	VR
Ovocyclin (Oestradiol Dipropionate)	561	CB

P

Pacitone (Acetylsalicylic Acid Compound)	5	RD
Pagitane (Cycrimine Hydrochloride)	177	LY
Palatinoid (Pancreatin)	581	OP
Paludrine (Proguanil Hydrochloride)	643	IC
Pancreatin Powder (Pancreatin)	581	PD
Panheprin Abboject (Heparin)	379	AB
Panmycin (Tetracycline Hydrochloride)	860	UP
Panmycin Aquadrops (Tetracycline Hydrochloride)	860	UP
Panmycin Eye Ointment (Tetracycline Hydrochloride)	860	UP
Panmycin KM Suspension (Tetracycline (Buffered))	864	UP
Panmycin M (Buffered) (Tetracycline (Buffered))	864	UP
Panteric Tablets (Pancreatin)	581	PD
Paracortol (Prednisolone)	634	PD
Paradione (Paramethadione)	590	AB
Paragel (Paraffin Liquid)	588	SI
Paramisan Sodium (Sodium Para-Aminosalicylate)	773	SN
Paramul (Paraffin Liquid)	588	MG
Parasal Sodium (Sodium Para-Aminosalicylate)	773	CM
Parentosol B12 (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	CM

Preparation	Item No.	Code
Parentosol B12 (Cyanocobalamin 1,000 Micro-gramme Strength)	173	CM
Parid Worm Tablets (Piperazine Adipate)	625	MG
Parpanit (Caramiphen Hydrochloride)	131	GE
Pasan (Sodium Para-Aminosalicylate)	773	KL
Pastamag (Magnesium Sulphate)	479	DH
P.B. (Phenobarbitone)	610	AB
P.B.C. (Phenacetin)	650	PR
P.B. Tabs.-Sol (Phenobarbitone Sodium)	611	AB
Pendorm (Pentobarbitone Sodium)	598	GP
Penicillin Crystalline (Penicillin, Benzyl)	592	DH
Peni-Vee-K (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	DH
Peni-Vee-K Suspension (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	DH
Pentacarb (Pentobarbitone Sodium Compound)	599	MG
Pentacode (Phenacetin)	650	MG
Pentarit (Pentaerythritol Tetranitrate)	597	RK
Pentonal Co. (Phenacetin)	650	KL
Pentone (Pentobarbitone Sodium)	598	FA
Pentosol (Pentobarbitone Sodium)	598	AB
Perandren (Testosterone)	852	CB
Perandren (Testosterone Methyl)	853	CB
Perandren (Testosterone Propionate)	855	CB
Perazil (Chlorcyclizine Hydrochloride)	148	BW
Percorten (Deoxycortone Acetate)	232	CB
Peritrate (Pentaerythritol Tetranitrate)	597	WW
Petab (Pentobarbitone Sodium)	598	KL
Pethanal (Pethidine Hydrochloride)	604	CM
Petisco (Pethidine Scopolamine)	605	KL
Petrolagar (Paraffin Liquid)	588	WY
Phanodorm (Cyclobarbitone)	174	BA-WL
Phenacoedine (Codeine Phosphate)	160	MR
Phenasco (Acetylsalicylic Acid Compound)	5	AB
Phenergan (Promethazine Hydrochloride)	644	MB
Phenodren Ephedrine Hydrochloride)	304	DH
Phen-o-Phos (Phenacetin)	650	HY
Phyllobarb (Aminophylline)	22	AN
Physeptone (Amidone Hydrochloride)	20	BW
Physex Leo (Chorionic Gonadotrophin)	156	AN
Pipanol (Benzhexol Hydrochloride)	89	WL
Piriton (Chlorpheniramine Maleate)	175	GL
Piriton Duolets (Chlorpheniramine Maleate)	175	GL
Pitocin (Oxytocin)	569	PD
Pitressin (Vasopressin)	921	PD
Pitressin Tannate in Oil (Vasopressin Tannate in Oil)	922	PD
Pituitrin O (Pituitary Posterior Lobe)	627	PD
Plaquenil (Hydroxychloroquine Sulphate)	396	WL
Polaramine (Dextrochlorpheniramine Maleate)	269	SH
Polaramine Repetabs (Dextrochlorpheniramine Maleate)	269	SH

Preparation	Item No.	Code
Polivitab (Vitamins Compound)	928	AB
Polyhaemen (Ferrous Sulphate)	341	GP
Potaspen (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid)	595	AN
Potaspen Paediatric Drops (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid)	595	AN
Poulticine (Kaolin, Heavy)	451	AL
Praenitron (Triethanolamine Trinitrate)	873	SC
Precortisyl (Prednisolone)	634	RL
Predsol (Prednisolone Disodium Phosphate)	656	GL
Pregnyl (Chorionic Gonadotrophin)	156	OR
Primocort (Deoxycortone Acetate)	232	SC
Primogonyl (Chorionic Gonadotrophin)	156	SC
Primoteston Depot (Testosterone Oenanthate)	854	SC
Prisco (Tolazoline Hydrochloride)	870	CB
Pro-Banthine (Propantheline Bromide)	660	SR
Procillin A.S. (Penicillin Benzyl, Procaine)	593	DH
Procillin Dry Fort. (Penicillin Benzyl, Procaine Fortified)	594	DH
Proctoids (Belladonna)	86	WY
Prodol (Acetylsalicylic Acid)	4	NB
Progestin (B.D.H.) (Progesterone)	641	BD
Progestin (Organon) (Progesterone)	641	OR
Progestin I.V. (Organon) (Progesterone)	641	OR
Progestoral (Ethisterone)	312	OR
Prokayvit (Acetomenaphthone)	3	BD
Prokayvit (Menaphthone)	484	BD
Proloid (Thyroid)	868	WW
Proluton (Progesterone)	641	SC
Proluton C (Ethisterone)	312	SC
Proluton (Progesterone Depot)	642	SC
Prominal (Phemitone, B.P. 1953)	606	BA
Promitone (Phemitone, B.P. 1953)	606	KL
Pronestyl (Procainamide Hydrochloride)	638	SQ
Pro-Stabillin (Penicillin Benzyl Procaine)	593	BT
Pro-Stabillin A.S. (Penicillin Benzyl, Procaine)	593	BT
Prostigmin (Neostigmine Bromide)	542	RO
Prostigmin (Neostigmine Methylsulphate)	543	RO
Provoprin (Acetylsalicylic Acid)	4	DH
Pularin (Heparin)	379	EV
Purinethol (Mercaptopurine)	489	BW
Purodigin (Digitoxin, B.P.C.)	246	WY
Puroverine (Protoveratrine (A))	647	SZ
PVK (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid)	595	LY
Pycazide (Isoniazid)	423	SN
Pyelectan (Iodoxy)	419	GL
Pyelectan Retrograde (Iodoxy)	419	GL
Pyribenzamine (Tripeleennamine Hydrochloride)	885	CB
Pyriderm (Pyridoxine Hydrochloride, B.P.C.)	649	CM
Pyrirel (Pyridoxine Hydrochloride, B.P.C.)	649	VM
Pyroxin (Pyridoxine Hydrochloride, B.P.C.)	649	KL

Preparation	Item No.	Code
Q		
Q.B. Tabs (Quinalbarbitone Sodium)	721	DH
Quillatone (Quinalbarbitone Sodium)	721	RD
Quinbarbium (Quinalbarbitone Sodium)	721	MG
Quindorm (Quinalbarbitone Sodium)	721	GP
Quintone (Quinalbarbitone Sodium)	721	FA

R		
Radiostol (Calciferol)	121	BD
Rastinon (Tolbutamide)	871	FM
Rectinol (Benzocaine)	90	GP
Regasprin (Acetylsalicylic Acid)	4	BT
Reserpin (Reserpine)	746	AN
Reverin (Pyrrolidino-Methyl-Tetracycline)	661	FM
Rimifon (Isoniazid)	423	RO
Rondase (Hyaluronidase)	385	EV
Rontyl-Leo (Hydroflumethiazide)	395	LP
Rovamycin (Spiramycin)	806	MB
Rubramin Parenteral Solution (Cyanocobalamin excluding 1,000 Microgramme Strength) ..	172	SQ

S		
Salazopyrin (Salicylazosulphapyridine)	803	MR
Salitab (Sodium Salicylate)	774	AB
Salyrgan (Mersalyl Acid)	491	BA
Sandosten (Thenalidine Tartrate)	880	SZ
Scherisolone (Prednisolone)	634	SC
Scheroson (Cortisone Acetate)	169	SC
Scorbettes (Ascorbic Acid)	37	PR
Seclomycin (Penicillin with Streptomycin)	596	GL
Seclopen (Penicillin Benzyl, Procaine Fortified) ..	594	GL
Seconal Sodium Pulvules (Quinalbarbitone Sodium)	721	LY
Sedal (Amylobarbitone)	30	FA
Serpasil (Reserpine)	746	CB
Serpiloid (Reserpine)	746	RK
Siguent Hycor (Hydrocortisone)	387	SI
Sintrom (Nicoumalone)	551	GE
Sixavite (Vitamins Compound)	928	KL
Sobee Instant Powder (Soya Formula)	805	CM
Sobee Liquid (Soya Formula)	805	CM
Sodepent (Pentobarbitone Sodium)	598	MG
Sodium Sedal (Amylobarbitone Sodium, B.P.C.)	31	FA
Sodium Versenate (Disodium Dihydrogen Versen- ate)	272	RK
Solasco (Acetylsalicylic Acid Compound)	5	MG
Solcode (Codeine Phosphate)	160	RC
Sol-Codein (Codeine Phosphate)	160	MG
Solganal-B-Oleosome (Aurothioglucose)	41	SC
Solprin (Acetylsalicylic Acid)	4	RC
Solupen (Penicillin, Benzyl)	592	DL

Preparation	Item No.	Code
Solu-Cortef (Hydrocortisone Sodium Succinate) ..	389	UP
Soluvac (Darrow's Solution)	231	DH
Soluvac (Dextrose Aqueous)	238	DH
Soluvac (Dextrose in 1/5 Normal Saline) ..	239	DH
Soluvac (Dextrose in Ringer's Solution) ..	240	DH
Soluvac (Hartmann's Solution)	377	DH
Soluvac (Hartmann's Solution with Dextrose) ..	378	DH
Soluvac (Ringer's Solution)	744	DH
Soluvac (Sodium Chloride)	768	DH
Soluvac (Sodium Chloride with Dextrose) ..	769	DH
Soluvac (Sodium Lactate)	771	DH
Soluvac (Sodium Sulphate)	775	DH
Sol-Viules (Penicillin, Benzyl)	592	BT
Somnital (Pentobarbitone Sodium)	598	PR
Soneryl (Butobarbitone)	100	MB
S-Mez (Sulphadimidine)	788	IC
S-Mez (Sulphadimidine Sodium)	789	IC
Spirol (Codeine Phosphate)	160	WD
Steclin (Tetracycline Hydrochloride)	860	SQ
Steclin Pediatric Drops (Tetracycline Hydrochloride)	860	SQ
Steclin-V (Tetracycline (Buffered))	864	SQ
Steclin-V Pediatric Drops (Tetracycline (Buffered))	864	SQ
Steclin-V Syrup (Tetracycline (Buffered)) ..	864	SQ
Stabillin-V (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	BT
Steriflex No. 1 (Sodium Chloride)	768	GL
Steriflex No. 3 (Sodium Chloride with Dextrose) ..	769	GL
Steriflex No. 6 (Dextrose Aqueous)	238	GL
Sterogyl (Calciferol)	121	RL
Stovarsol (Acetarsol)	1	MB
Streptol 25% (Streptomycin Sulphate)	781	GL
Streptol 33 1/3% (Streptomycin Sulphate)	781	GL
Streptol 50% (Streptomycin Sulphate)	781	GL
Streptaquine (Streptomycin Sulphate)	781	DL
Streptevan (Streptomycin Sulphate)	781	EV
Strept-Evanules (Streptomycin Sulphate)	781	EV
Streptomycin Dihydro (Dihydrostreptomycin Sulphate)	251	DL
Streptomycin Intrathecal (Streptomycin Sulphate)	781	BD
Sublings (Testosterone Methyl)	853	OR
Sulphaco (Sulphonamides, Mixed (B): Three Sulphonamides)	796	CM
Sulphaco-Mitis (Sulphonamides, Mixed (B): Three Sulphonamides)	796	CM
Sulphadiazinettes (Sulphadiazine)	785	KL
Sulpha-Dimerazole (Sulphonamides, Mixed (B): Three Sulphonamides)	796	VR
Sulphadital (Sulphonamides, Mixed (B): Three Sulphonamides)	796	FM
Sulphalyl (Phthalylsulphacetamide)	620	KL
Sulphasuxidine (Succinylsulphathiazole)	783	MK

Preparation	Item No.	Code
Sulphathalidine (Phthalylsulphathiazole) ..	621	MK
Sulphatriad (Sulphonamides, Mixed (B): Three Sulphonamides)	796	MB
Sulphatriad (flavoured) (Sulphonamides, Mixed (B): Three Sulphonamides)	796	MB
Sulphonamix (Sulphonamides, Mixed (B): Three Sulphonamides)	796	SI
Sus-Pen-V (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	BT
Sustanon '250' (Sustanon)	800	OR
S.V.C. (Acetarsol)	1	MB
Synermycin (Tetracycline with Oleandomycin) ..	863	PF
Synermycin Oral Suspension (Tetracycline with Oleandomycin)	863	PF
Synkamine (Menaphthone)	484	PD
Synkavit (Acetomenaphthone)	3	RO
Synkavit (Menaphthone)	484	RO
Synthanal (Amidone Hydrochloride)	20	CM
Syntocinon (Syntocinon)	802	SZ

T

Tabloid (Acetylsalicylic Acid)	4	BW
Tabloid (Codeine Phosphate)	160	BW
Tabloid (Colchicine Salicylate)	163	BW
Tabloid (Digitalis)	245	BW
Tabloid (Ephedrine Hydrochloride)	304	BW
Tabloid (Ergometrine Maleate)	306	BW
Tabloid (Phenobarbitone)	610	BW
Tabloid (Quinidine Sulphate)	722	BW
Tabloid (Quinine Bisulphate)	723	BW
Tabloid (Stilboestrol)	780	BW
Tabloid (Sulphadiazine)	785	BW
Tabloid (Sulphaguanidine)	791	BW
Tabloid (Thyroid)	868	BW
Tabloid (Thyroxine)	882	BW
Tabpen-VK (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	BT
Talecid (Phthalylsulphacetamide)	620	SC
Tartamin (Ergotamine Tartrate)	307	VR
Taurogate (Sodium Tauroglycocholate)	776	DH
Tebos (Isoniazid)	423	HY
Telmid (Diethazine Iodide)	270	LY
Terramycin (Oxytetracycline Dihydrate)	566	PF
Terramycin (Oxytetracycline Hydrochloride) ..	567	PF
Terramycin (Oxytetracycline Ophthalmic Suspension)	568	PF
Terramycin Oral Suspension (Oxytetracycline Hydrochloride)	567	PF
Testine (Testosterone Propionate)	855	KL
Testogenine (Testosterone Methyl)	853	FM
Testogenine (Testosterone Propionate)	855	FM

Preparation	Item No.	Code
Testoviron (Testosterone)	852	SC
Testoviron (Testosterone Methyl)	853	SC
Testoviron (Testosterone Propionate)	855	SC
Tetracyn (Tetracycline Hydrochloride)	860	PF
Tetracyn Ointment Ophthalmic (Tetracycline Hydrochloride)	860	PF
Tetracyn Oral Suspension (Tetracycline Hydrochloride)	860	PF
Tetracyn-V (Tetracycline (Buffered))	864	PF
Tetracyn-V Oral Suspension (Tetracycline Buffered))	864	PF
Thalacet (Phthalylsulphacetamide)	620	VR
Thalazole (Phthalylsulphathiazole)	621	MB
Theobarb (Theobromine, B.P.C.)	865	AB
Thephorin (Phenindamine Tartrate)	608	RO
Thiacaine (Aneurine Hydrochloride)	32	VR
Thiamitab (Aneurine Hydrochloride)	32	AB
Thiamital (Aneurine Hydrochloride)	32	AB
Thiomerin Sodium (Mercaptomerin Sodium)	488	WY
Thiosulfil (Sulphamethizole)	793	AY
Three Sulphas. (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AD
Thromboliquine (Heparin)	379	OR
Ti-Bi-Zone (Thiacetazone, B.P.C.)	866	AN
Toline (Tolazoline Hydrochloride)	870	KL
Triazyl (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AB
Triazyl Dulcets (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AB
Tridione (Troxidone)	875	AB
Tridis (Acetylsalicylic Acid Compound)	5	RC
Triple Antigen (Diphtheria Pertussis and Tetanus Antigen)	259	CS, GL
Triple Sulpha (Sulphonamides, Mixed (B): Three Sulphonamides)	796	TO
Triple Sulphonamides (Sulphonamides, Mixed (B): Three Sulphonamides)	796	FA
Triplopen (Penicillin Benethamine)	652	GL
Triposulph (Sulphonamides, Mixed (B): Three Sulphonamides)	796	DH
Trisulpha (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AN
Trisulfettes (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AN
Trombolytan (Ethyl Biscoumacetate)	315	GE
Tynees (Acetylsalicylic Acid)	4	WO

U

Ultandren (Fluoxymesterone)	342	CB
Urolucosil (Sulphamethizole)	793	WW
Uropac (Iodoxy)	419	MB
Uroselectan-B 75% (Iodoxy)	419	SC

Preparation	Item No.	Code
V		
Vasitrin (Glyceryl Trinitrate)	363	DH
Veecillin (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	CM
Veecillin Oral Suspension (Penicillin, Phenoxymethyl (Benzathine, Calcium, Hydrabamine or Potassium Salt or Free Acid))	595	CM
Veracolate (Sodium Tauroglycocholate)	776	WW
Veriloid (Veriloid)	923	RK
Viadol (Vitamins A and D)	926	DH
Vibafort (Aneurine Hydrochloride)	32	CM
Vibafort Parentosol (Aneurine Hydrochloride)	32	CM
Vibex Steri-Vial (Aneurine Hydrochloride)	32	PD
Vibion (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	AN
Vibion Forte (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	AN
Vibion 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	AN
Viraxacillin (Penicillin Benzyl, Procaine)	593	VR
Viraxatab (Colchicine Salicylate)	163	VR
Vitabin (Aneurine Hydrochloride)	32	AN
Vitacin (Ascorbic Acid)	37	AN
Vitaminorum (Vitamins Compound)	928	DH, PD
Vitasix (Vitamins Compound)	928	AN
Vitavel K (Menaphthone)	484	VM
Viules (Adrenaline Acid Tartrate)	14	BT
Viules (Amidone Hydrochloride)	20	BT
Viules (Atropine Sulphate)	40	BT
Viules (Hyoscine Hydrobromide)	391	BT
Viules (Mersalyl Acid)	491	BT
Viules (Morphine Sulphate)	501	BT
Viules (Morphine with Atropine)	502	BT
Viules (Papaveretum, B.P.C.)	583	BT
Viules Papaveretum with Hyoscine Hydrobromide)	584	BT
Viules (Pethidine Hydrochloride)	604	BT
Viules (Pethidine Scopolamine)	605	BT
Viules (Phenobarbitone Sodium)	611	BT
Viules (Streptomycin Sulphate)	781	BT
Viules (Testosterone Propionate)	855	BT

W

Wellcome (Polymyxin B. Sulphate)	629	BW
Wydase (Hyaluronidase)	385	WY

Y

Yatren (Chiniofon Sodium)	142	BA
-----------------------------------	-----	----

