



DEPARTMENT OF HEALTH

PHARMACEUTICAL ENGINEER

PHARMACEUTICAL BENEFITS

EXPLANATORY CIRCULAR REGARDING MAY, 1961 ISSUE OF "NOTES FOR APPROVED CHEMISTS"

This issue of Notes will take effect from 1st May, 1961.

Full instructions regarding the Pharmaceutical Benefits Scheme are contained in the publication and they should be read carefully.

The main changes are briefly summarized below. It is emphasised, however, that this summary is intended for your guidance only and reference should be made to the appropriate section of the Notes.

1. NEW ITEMS

Item No.	Generic Name	Item No.	Generic Name	Item No.	Generic Name
48	Analysis Paper (Diabetic)	347	Ferrous Succinate	663	Pyrimido-Pyrimidine
106	Bendrofluazide	398	Hexocyclium Methyl Sulphate	747	Rauwolfia Alkaloids
107	Butabarbital Sodium	429	Isopropamide Iodide	887	Triamcinolone
273	Dexamethasone Sodium Phosphate	509	Methscopolamine Bromide	888	Tricyclamol Chloride
274	Dicyclomine Hydrochloride	571	Oxyphenonium Bromide	889	Trifluoperazine
346	Ferrous Aminoacetosulphate	572	Oxyphenicylimine Hydrochloride		

2. NEW ITEMS FOR USE IN APPROVED HOSPITALS

275	Diethyl Dithiolisophthalate	347	Haemophilus Influenza Bacteria Serum	662	Pyridine Aldoxime Methiodide
276	Diphenylthiourea				

3. NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Item No.	Generic Name	Item No.	Generic Name	Item No.	Generic Name
23	Amiphenazole Hydrochloride, 20 mg. tab	269	Dextrochlorpheniramine Maleate Injection	394	Hydrocortisone Acetate (For Local Use), 5 cc. Injection
102	Benzalkonium Chloride Comp. Suppositories	253	Diiodohydroxyquinoline Comp. Vag. Tab.	564	Olive Oil, 5 oz.
93	Benzyl Benzoate 25% Application	307	Ergotamine Tartrate Comp. Suppos.	661	Pyrrolidino-Methyl-Tetracycline, Injections I.M.
99	Busulphan, 0.5 mg. tab.	361	Glucose—Injections	787	Sulphadimethoxine, Suspension
				863	Tetracycline with Oleandomycin, Injection

4. DELETIONS

20	Amidone Hydrochloride, Injections, 5 mg. per cc.	172	Cyanocobalamin, 10γ per 1 cc. amp.	584	Papaveretum with Hyoscine Hydrobromide, Injection: Papaveretum 2/3 gr.; Hyoscine Hydrobromide 1/150 gr. 1 cc. amp.
39	Atropine Methonitrate, Injections	391	Hyoscine Hydrobromide, Injection, 10 cc. vial	657	Prednisolone Methyl, Eye Drops
41	Aurothioglucose, 10 mg. per cc. vial	484	Menaphthone, 4.8 mg. tab.	646	Protamine Sulphate, 1%, 10 cc. amp.
93	Benzylbenzoate, Application, P.L.	561	Oestradiol Dipropionate, 1 mg. per 1 cc. amp. Injection	746	Reserpine, 1 mg. and 4 mg. tabs.
142	Chiniofon Sodium			799	Suramin
154	Chlortetracycline Hydrochloride, Injection				

5. ITEMS NO LONGER RESTRICTED

236	Dextran Iron	616	Phenylbutazone	724	Quinine Dihydrochloride
237	Dextrin Iron 2% Intravenous				

6. ALTERATIONS IN MAXIMUM QUANTITIES AND/OR NUMBER OF REPEATS

362	Glycerin, B.P.	595	Penicillin, Phenoxymethyl	808	Sulphaphenazole
586	Para-Aminosalicylic Acid	616	Phenylbutazone		

A polythene bottle with nozzle and cap is now available for EXTEMPORANEOUSLY PREPARED prescriptions for eye drops. The price for all such listed preparations includes the price of a polythene bottle.

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



NOTES
for
APPROVED CHEMISTS

OPERATIVE FROM 1st MAY, 1961.

**Department of Health,
CANBERRA, A.C.T.**

MAY, 1961.

CONTENTS

EXPLANATORY NOTES

Prescribing of Benefits—Procedure by Doctors—	Paragraphs
Schedule of Benefits	1-8
Prescriptions	9-11
Restrictions	12
Maximum Quantities and Repeats	13-18
Urgent Cases	19-20
Doctor's Bag Emergency Supplies (Table page 15)	21-24
Supply of Benefits—Procedure by Chemists—	
Prescriptions	25-28
Procedure when an Authority Presented	29
Repeat Authorizations	30-31
Receipts	32-33
Charges to Patients—	
First 5/-	34-39
After Hours	40
Delivery	41
Responsibility for	42-43
Miscellaneous	44-57

SCHEDULES

List of Manufacturers and Codes	.. end of lemon pages
Schedule of Benefits (Ready Prepared and Prescriber's List Items) ..	.. white pages
Drug Tariff (Drugs which may be Prescribed Extemporaneously) ..	.. green pages
Table of Maximum Quantities and Repeats for Extemporaneously	
Prepared Preparations	.. green pages
Prescriber's List	.. yellow pages

PRICING AND CLAIMING PROCEDURE

Instructions on Pricing and Lodgment of Claims	.. blue pages

SECTION 1 — EXPLANATORY NOTES

PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS

Schedules of Benefits

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescriber's List items are listed in the Schedule of Benefits, Part I—(White pages).
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous items is listed in the Schedule of Benefits, Part II— (Green pages).
4. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "with required solvent" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, i.e., "Penicillin Benzyl, Injection 500,000 U. amp. with 2 cc. water for injection."
5. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13-18.
6. In some cases a code letter indicates a restriction on the purpose for which the drug may be prescribed. An explanation regarding restrictions may be found in these notes—paragraphs 10d and 12.

Pre- scriptions

7. The proprietary Index is available in a separate booklet which is issued to all medical practitioners and approved chemists.
8. The asterisk (*) against the price of a Benefit in Part I indicates that the manufacturer's pack does not coincide with the maximum quantity. The pricing pack and rate is shown in Section 4 of the Chemists Book.
9. A prescription may be written for any person who is receiving medical treatment. A prescription is valid only when it is written by a registered medical practitioner.
10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—
 - (a) write the prescription in some indelible form, e.g., ink or ball point on paper as near as convenient to 6" x 4". The name and address of the medical practitioner should be shown.

- (b) write the prescription in duplicate, marking the duplicate with the word "Duplicate,"
- (c) set out the name and address of the patient and, where the patient is a pensioner who holds an entitlement card, write the *pension* number. Where the pension number is shown it is not essential to write the patient's address. Please note that the *pension* number is required and *not* the entitlement card number.
- (d) in the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose." Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, i.e., the letters P, CP, or DG appear in the handbook against the drug, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose."
- (e) if the benefit is a single drug, indicate the manner of administration.
- (f) when directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in his own handwriting with the words "Regulation 24."
- (g) mark the prescription "N.H.S.", sign it and write the date.

No objection will be raised to doctors writing more than one prescription on a single sheet of paper provided each prescription is legible.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

State Law

The provisions of State Law are not affected by the foregoing.

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
 - (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted.)
 - (c) prescribes a narcotic drug for the medical practitioner writing the prescription.
- (If a prescription form prescribes both pharmaceutical benefit items and non-pharmaceutical benefit items, the prescription may be accepted, but the non-benefit items should be supplied as private prescriptions and cancelled from the form.)

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, with the written authority of the Commonwealth Director of Health, in specific combinations or as additives. Such items are identified in the Schedule of Benefits, by the insertion of the appropriate code letters as listed hereunder—

Code Letters

Restriction

A	Items which require an <i>authority</i> from the Commonwealth Director of Health, before prescribing as a pharmaceutical benefit.
C	Items limited in use to <i>children</i> .
D	Items limited in use for <i>specified purposes</i> , including the treatment of a prescribed disease or condition.
E	Items which may only be used as <i>additives</i> .
H	Items which may only be supplied from <i>approved hospital drug supplies</i> to patients receiving treatment at that hospital.
K	Items limited in use to <i>specific combinations</i> .
P	Items limited in use to <i>pensioners</i> in possession of a Pensioner Medical Service Entitlement Card.
DG	Items limited in use to <i>specified purposes</i> for the <i>general public</i> but which may be prescribed for the treatment of pensioners in possession of a Pensioner Medical Service Entitlement Card for any purpose.

Where more than one restriction applies to a benefit, each appropriate restriction code is shown in the restriction column, e.g. "AD." With the exception of categories "E", "K", "H" and prescriptions for pensioners in categories "P" and "DG." Prescriptions for items identified by the above code letters must be endorsed "Specified Purpose" or some suitable abbreviation such as "Spec. Purp." or "S.P." It is not necessary for the particular restriction to be identified. Where a particular manner of administration is indicated in the Schedule of Benefits against a ready prepared item, no other manner of administration may be directed in a prescription for that benefit.

Maximum Quantities and Repeats

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits, Part I—white pages. For extemporaneously prepared preparations, details are set out in the Table of Maximum Quantities and Repeats—green pages. If a doctor requires a prescription to be repeated, he must order the maximum quantity of the benefit and specify the number of repeats required. However, if the doctor considers that the maximum quantity is not necessary for the final repeated supply, he may also direct in the prescription the lesser quantity required for that final supply.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15-16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint, a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17. The authorities referred to in paragraphs 15-16 must be attached to the prescription.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

Urgent Cases

19. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing, within 24 hours of such communication, and forward it to the chemist who made the supply.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

**Doctor's
Bag
Emergency
Supplies**

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors or to doctors approved to dispense pharmaceutical benefits. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form, in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity, e.g., if the doctor had 100 or more sulphonamide tablets on hand as portion of his Doctor's Bag Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than a sulphonamide), e.g. different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, Part I, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity, e.g., if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

SUPPLY OF BENEFITS — PROCEDURE BY CHEMISTS

**Pre-
scriptions**

25. An approved chemist is authorized to supply a pharmaceutical benefit only upon the surrender of—
- (a) a valid prescription, dated within six months before the date of its presentation; or
 - (b) a repeat authorization presented with a duplicate prescription within six months of the date of the prescription.

26. When a benefit is supplied on presentation of a prescription, the chemist is required to—

- (a) write his name and approval number on the back of the prescription form and duplicate;
- (b) allot a number which will identify the prescription and write that number on the form and duplicate;
and
- (c) if more than one prescription has been written on the one form, allot a separate number to each prescription.

27. When a benefit is supplied on presentation of a repeat authorization, the chemist shall write his name on the back of the repeat authorization.

28. When a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply, or on a repeat authorization requiring further repeats, the chemist shall prepare a repeat authorization form in duplicate, showing—

- (a) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (b) on the first occasion of supply of the benefit, his approval number, together with the serial number allotted by him to the prescription;
- (c) on subsequent occasions of supply of the benefit (excepting on the final occasion of supply), the numbers marked on the repeat authorization presented to him in accordance with (b) above;
- (d) if the repeat authorization or prescription is for a pensioner, the pension number appearing on the prescription.

The completed repeat authorization should then be attached to the duplicate of the prescription and issued to the person to whom the benefit has been supplied. Where a special authority is involved action as per paragraph 29 is also necessary. Chemists should note that a separate repeat authorization must be issued in respect of each benefit.

Procedure when an Authority Presented

29. Written authorities issued by the Commonwealth Director of Health should accompany the prescription submitted for payment if no repeats are involved. Where an authority is issued for the supply of a benefit which is to be repeated, the following procedure should be followed by the chemist—

- (a) when dispensing the original prescription, or any repeat except the last repeat, the chemist must ensure that the number of the authority involved is clearly shown on the prescription or repeat authorization which he has retained to claim payment from the Commonwealth;
- (b) the authority, together with a new repeat authorization and the duplicate prescription, is to be returned to the patient, except when dispensing the last repeat;
- (c) the chemist dispensing the last repeat must submit the authority form with the repeat authorization when claiming payment.

Repeat Authoriza- tions

30. A benefit may be supplied on a repeat authorization only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

31. Where a chemist supplies a benefit and repeats at the one time, he should not complete a repeat authorization form. Only one professional fee is payable for the total supply.

Receipts

32. Upon the supply to a person of a benefit by a chemist, that person shall sign and date a receipt for that benefit on the back of the prescription form or repeat authorization, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the back of the prescription form, or repeat authorization, with his address and a statement that he is obtaining the benefit for and on behalf of the person for whose treatment the prescription was written. In no circumstances must a person give, nor a chemist demand, a receipt, until supply of the benefit has actually been made.

33. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the chemist must certify on the back of the prescription or repeat authorization, as the case may be, that he has supplied the pharmaceutical benefit, the date on which supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19-20) or to a person who cannot read or write, or who is unable to write, the chemist should sign and date a statement on the back of the prescription or repeat authorization, indicating the circumstances of supply.

First 5/-

34. An approved chemist may in respect of each supply by him, whether on a prescription or repeat authorization, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding five shillings, except that a charge is not to be made for the supply of a pharmaceutical benefit on a prescription which states the pension number as appearing on the P.M.S. Entitlement Card of the pensioner, or a repeat authorization on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one five shilling charge may be made for each supply of the benefit.

35. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than five shillings for each supply;
- (b) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners in possession of a Pensioner Medical Service Entitlement Card) without charge or for a charge that is less than five shillings for each supply.

36. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15), and that authority accompanies the prescription, only 5s. should be charged for each supply of the increased maximum quantity.

37. Where a doctor endorses a prescription "Regulation 24" (see paragraphs 18 and 31), the chemist should make a charge of five shillings for the original prescription and five shillings for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of fifteen shillings (15s.) should be made on the patient.

38. Where a prescription is written for a benefit for which the dispensed price is less than five shillings at the time of supply, the prescription should be dispensed as a private prescription, unless it has been written for a pensioner. This also applies to prescriptions endorsed "Regulation 24" (see paragraphs 18 and 31) and for which the price of the maximum quantity of the benefit is less than five shillings.

39. Where a doctor has obtained an authority to prescribe an increased maximum quantity (see paragraph 15) and the increase in quantity takes the dispensed price to more than five shillings, the prescription should be dispensed as a pharmaceutical benefit regardless of the price of the normal maximum quantity. In such cases the normal five shillings charge may be made in respect of each supply.

**After
Hours**

40. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged to each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Commonwealth. Allowable late fees are—

(a) after trading hours but before 11 p.m. — 2s. 6d.;

(b) between 11 p.m. and the commencement of trading hours on the next day — 5s.

Delivery

41. A charge equal to the cost of delivery may be made if supply by delivery is made at or to a place other than the chemist's pharmacy.

**Responsi-
bility**

42. It is the patients' responsibility to meet any charge lawfully demanded and a chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

43. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Commonwealth) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

MISCELLANEOUS

Premises

44. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

**Approved
Doctors,
Friendly
Societies
Standards**

45. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly society dispensaries should follow the procedures subject to additional instructions made available to them.

46. A chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

(a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Substances Act;

(b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

47. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescriber's List are identified in this book by the letters B.P., B.P. 1953, B.P. 1948, B.P.C., A.P.F. or P.L. as appropriate.

Measures

48. Unless otherwise stated, weights and measures represented or expressed in these Notes, or in a prescription, shall be deemed to be apothecary's weights and measures. However, metric equivalents will be accepted.

Hours of Supply

49. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charges applicable. When the prescription is marked "urgent" and initialled by the doctor, it is obligatory for the chemist to make supply at his pharmacy at any hour.

50. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

51. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

52. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

53. Without affecting the requirements of the law of a State in regard to dangerous drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorizations;
- (c) in the case of a chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

**Suspected
Forgery**

54. If a chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Doctor's Bag order forms, particular requirements are set out in paragraph 22.

Sale Copies

55. Copies of the National Health Act and Regulations are available from the Commonwealth Sub-Treasury in each capital city.

56. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

57. Inquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

MANUFACTURERS AND CODE

Manufacturer	Code	Manufacturer	Code
A		D	
Abbott Laboratories Pty. Ltd.	AB	Diabetic Aids Pty. Ltd.	DA
Alfred Lawrence & Co. Ltd.	AL	Distillers Company Biochemicals (Aust. Pty.) Ltd.	DL
Ames Company	AM	Drug Houses of Australia Ltd.	DH
Andrew's Laboratories Pty. Ltd.	AN	E	
Anglo Swiss Drug Co. Pty. Ltd.	AS	Easterbrook, R. W., Pty. Ltd.	EB
Associated Drug Companies of Australia Pty. Ltd.	AD	Edward Caminer Pty. Ltd.	EC
Astra Pharmaceuticals (Australia) Pty. Ltd. ..	AP	Essex Laboratories Pty. Ltd.	ES
Ayerst Laboratories Pty. Ltd.	AY	Evans Medical Australia (Pty.) Ltd.	EV
B		F	
Bakra Laboratories	BK	Farmer Hill Pty. Ltd.	FH
Bayer Pharma Pty. Ltd.	BA	Faulding and Co. Ltd., F. H.	FA
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	Fawns and McAllan Pty. Ltd.	FM
British Drug Houses (Australia) Pty. Ltd.	BD	Fisons Chemicals (Pty.) Ltd.	FC
British Pharmaceuticals Pty. Ltd.	BP	G	
British Schering Ltd.	BS	Gamma Laboratories	GA
Bull Laboratory, David G.	BL	Geigy (A'asia) Pty. Ltd.	GE
Burroughs Wellcome & Co. (Aust.) Ltd.	BW	G. P. Pty. Ltd.	GP
C		Glaxo-Allenburys (Australia) Pty. Ltd.	GL
Calmie Ltd.	CA	H	
Charles McDonald Pty. Ltd.	CM	Hamilton Laboratories Ltd., The	HA
Chemos Pty. Ltd.	CH	Harvey Pty. Ltd., H. F.	HY
Ciba Limited	CB	I	
Commonwealth Serum Laboratories	CS	Imperial Chemical Indust. of Aust. & N.Z. Ltd. ...	IC
Cox, Findlayson & Co. Ltd.	CO	Irving, F. H., Pty. Ltd.	IR
Crookes Laboratories Ltd., The	CK		

Manufacturer						Code	Manufacturer						Code
K							P						
Kabi, A. B.	..	..	..	..	..	KA	Parke, Davis and Co. Ltd.	..	..	..	..	..	PD
Knoll Laboratories	..	..	..	..	..	KL	Pearce, William, & Co. Pty. Ltd.	..	..	..	..	..	PE
Knoll, A. G.	..	..	..	..	..	KN	Pfizer Overseas Inc., Chas.	..	..	..	..	..	PF
L							Pharmedica Pty. Ltd.	..	..	..	..	..	PH
Lederle Laboratories	..	..	..	..	..	LE	Potter & Birks Pty. Ltd.	..	..	..	..	..	PB
Leo Pharmaceutical Products	..	..	..	..	..	LP	Prosana Laboratories	..	..	..	..	..	PR
Lepetit (Pharmaceuticals) Pty. Ltd.	..	..	..	..	..	LT	Q						
Lilly (Australia) Pty. Ltd., Eli	..	..	..	..	..	LY	Queensland Ethicals	..	..	..	..	..	QE
M							R						
Martindale, Ltd., W.	..	..	..	..	..	MT	Reckitt and Colman (Aust.) Ltd.	..	..	..	..	..	RC
May and Baker (Aust.) Pty. Ltd.	..	..	..	..	..	MB	Richards Laboratory Pty. Ltd.	..	..	..	..	..	RD
McGloin Pty. Ltd., J.	..	..	..	..	..	MG	Riker Laboratories Australia Pty. Ltd.	..	..	..	..	..	RK
Medical Research Pty. Limited	..	..	..	..	..	MR	Roche Products Ltd.	..	..	..	..	..	RO
Merck, Sharp and Dohme (Aust.) Pty. Ltd.	..	..	..	..	..	MK	Rocke Tomsitt and Co. Ltd.	..	..	..	..	..	RT
Merrell	..	..	..	..	..	ML	Rotary Tableting Corp. Pty. Ltd.	..	..	..	..	..	RY
Muir & Neil Pty. Ltd.	..	..	..	..	..	MN	Roussel Laboratories Ltd.	..	..	..	..	..	RL
N							S						
Nativelle Laboratories	..	..	..	..	..	NA	Sandoz Ltd.	..	..	..	..	..	SZ
Nicholas Pty. Ltd.	..	..	..	..	..	NS	Savory and Moore Ltd.	..	..	..	..	..	SY
Noel Bramble Laboratories	..	..	..	..	..	NB	Schaffer and Co. (Vic.) Pty. Ltd.	..	..	..	..	..	SF
Nordisk Insulin Laboratorium	..	..	..	..	..	NO	Schering Corporation, U.S.A.	..	..	..	..	..	SH
Nyal Company	..	..	..	..	..	NY	Schering, A. G., Pty. Ltd., Berlin	..	..	..	..	..	SC
O							Searle & Co. Ltd., G. D.	..	..	..	..	..	SR
Oppenheimer, Son and Co. Ltd.	..	..	..	..	..	OP	Sera Pty. Ltd.	..	..	..	..	..	SE
Organon Laboratories Ltd.	..	..	..	..	..	OR	Sigma Co. Ltd.	..	..	..	..	..	SI
Ortho Pharmaceutical Co.	..	..	..	..	..	OO	Simanite (A'asia) Pty. Ltd.	..	..	..	..	..	SM
							Smith and Nephew (Aust.) Pty. Ltd.	..	..	..	..	..	SN

Manufacturer	Code	Manufacturer	Code
Smith, Kline & French Laboratories (Aust.) Ltd.	SK	V	
Soul Pattinson (Laboratories) Pty. Ltd.	SL	Victoria Drug Company Pty. Ltd.	VA
Squibb and Sons, E. R.	SQ	Virax Ethicals Pty. Ltd.	VR
Stansen and Co. Pty. Ltd., A. E.	ST	Vitamins Limited	VM
St. Just Laboratory Pty. Ltd.	SJ	W	
T		Wander Limited, A.	WA
Toppin and Sons Pty. Ltd., R. D.	TO	Ward Blenkinsop and Co. Ltd.	WB
U		Warner & Co. Pty. Ltd., Wm. R.	WW
Union International Co. Ltd.	UI	Weddel Pharmaceuticals	WP
Upjohn Company, The	UP	Wholesale Drug Co. Ltd.	WD
		Winthrop Laboratories	WL
		World Agencies Pty. Ltd.	WO
		Wyeth Pharmaceuticals Pty. Ltd.	WY
		Y	
		York, H. H., Pty. Ltd.	YO

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline in Oil	Ampoule	6	Oxytocin	Ampoule	12
Adrenaline Tartrate	Ampoule Bottle	6 1	Penicillin, Procaine, (Aqueous Suspension)	Ampoule or Vial	12
Digoxin	Ampoule Bottle Tablet	12 1 100	Pethidine Hydrochloride	Ampoule	6
Heparin	Ampoule	1	Sulphadiazine	Tablet	100
			or		
			Sulphadimidine		
			or		
			Sulphamerazine		
Morphine Sulphate	Ampoule Hypodermic Tablet	6 40	or		
			Sulphonamides, Mixed, (B): Three Sulphonamides		
			or		
Morphine with Atropine	Ampoule Hypodermic Tablet	6 40	Sulphamethoxypyridazine	Tablet	12
			Tetanus Antitoxin	Ampoule	6
			Tetanus Toxoid (Formalinised) ..	Ampoule	6

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SECTION 2—SCHEDULE OF BENEFITS (PART 1)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
1	ACETARSOL					
	Injection 2 cc. amp.		10	1	0 13 1	MB
	3 cc. amp.		10	1	0 17 5	MB
	Oral Tablet, B.P.C. 4 gr. tab.		25	2	* 0 9 0	MB
	Pessaries 4 gr.		25	1	0 8 1	MB
					0 12 1	BA
2	ACETAZOLAMIDE					
	Oral Tablet, B.P. 250 mg. tab.		50	2	2 19 1	LE
					(ex 500)	
					3 4 1	LE
					(ex S.P.)	
42	ACETAZOLAMIDE SODIUM PARENTERAL					
	Injection 500 mg. vial.. .. .		1	..	1 18 9	LE
3	ACETOMENAPHTHONE					
	Oral Tablet, B.P. 5 mg. tab.		100	2	0 8 1	AD, BD, DH, KL, PR, RT, SI, TO
	10 mg. tab.		100	2	0 10 9	AD, BD, CM, GL, HY, PR, RO, RT, SI, TO

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
4 ACETYSALICYLIC ACID						
	Mixture, P.L.		8 fl. oz.	4	£ 0 7 10	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 6 9	Extemp.
	Oral Tablet B.P. 5 gr. tab.		100	2	0 4 11 (ex 500)	AD, AN, DH, HY, KL, PB, PR, RT, RY, SI, SL, TO, VA, WD
					0 5 2 (ex S.P.)	AD, AN, DH, HY, KL, PB, PR, RT, RY, SI, SL, TO, VA, WD
	Oral Tablet Soluble, B.P. 5 gr. tab.		100	2	0 8 2	BT, DH, HY, MG, PR, RY, TO, VA, VR
					0 8 7	RC
					0 8 9	BW
					0 8 10 (ex 500)	HA
					0 10 5 (ex S.P.)	BT, BW, DH, HA, HY, MG, PR, RC, RY, TO, VA, VR
	Oral Tablets for Children 2.5 gr. tab.		100	2	0 6 1	WO
					0 6 9	MG
					0 8 1	KL
	Oral Tablets Soluble for Children 2.5 gr. tab.		100	2	0 9 5	NB
5 ACETYSALICYLIC ACID COMPOUND						
	Mixture, P.L.		8 fl. oz.	4	0 8 8	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 5	Extemp.
	Oral Tablet, A.P.F.		100	2	0 5 10	AD, AN, DH, KL, RT, RY, SI, SL, VA, WD

5—continued

—continued								0 6 2	PR
								(ex 500)	
								0 6 4	AD, AN, DH, KL, PR, RT, RY, SL,
								(ex S.P.)	SL, VA, WD
Oral Tablet, B.P.C.	..	..	..	..	100	2		0 5 10	DH, FA, KL, RY
								0 6 2	TO
								(ex 500)	
								0 6 5	DH, FA, KL, RY, TO
Oral Tablet Soluble	..	..	..	..	100	2		(ex S.P.)	
								0 10 9	MG
								0 12 1	RC
Oral Tablet with Phenacetin, Caffeine and Phenobarbitone	4 gr.—4 gr.—3/8 gr.—3/8 gr. tab.	..	..	..	100	2		0 12 1	CO
								0 13 5	KL, NS
Oral Tablet with Phenacetin, Caffeine and Quinalbarbitone	3.5 gr.—2.5 gr.—3/8 gr.—3/8 gr. tab.	..	..	..	100	2		0 16 1	KL, RD
6 ACETYLSALICYLIC ACID AND CODEINE COMPOUND									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4		0 10 4	Extemp.
7 ACETYLSALICYLIC ACID AND MORPHINE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4		0 9 3	Extemp.
8 ACETYLSALICYLIC ACID AND PHENOBARBITONE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4		0 8 2	Extemp.
9 ACETYLSALICYLIC ACID WITH IPECACUANHA AND OPIUM									
Oral Tablet, B.P. 1953	..	..	..	..	100	2		0 11 1	DH, FA

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
10	ACETYLSALICYLIC ACID WITH BROMIDE Mixture for Children, P.L.		4 fl. oz.	4	0 7 0	Extemp.
11	AD PERTUSSEM Mixture for Children, P.L.		4 fl. oz.	4	0 8 6	Extemp.
12	ADRENALINE Spray with Atropine Methonitrate, P.L. ..		1/2 fl. oz.	2	0 11 10	Extemp.
13	ADRENALINE HYDROCHLORIDE SOLUTION, B.P. 1953 Nasal Instillations, P.L.		1/2 fl. oz.	2	0 6 3	Extemp.
	Nasal Instillations with Ephedrine Hydrochloride, P.L.		1/2 fl. oz.	2	0 6 6	Extemp.
14	ADRENALINE ACID TARTRATE Injection, B.P. 1 in 1,000, 1 cc. amp. ..		6	1	0 6 9	AD, BL, BT, BW, DH, FH, KL, PD
	1 in 1,000, 10 cc. amp. ..		1	1	0 5 5	BW, PD
	Solution, B.P. 1 in 1,000, 25 cc. bottle ..		1	..	0 6 6	FH
					0 6 8	BW
	1 in 1,000, 1 fl. oz. bottle ..		1	..	0 6 8	DH, RT
					0 8 9	PD
	1 in 100, 7 cc. vial ..		1	1	0 6 8	BW, PD
15	ADRENALINE IN OIL Injection 2 mg. per cc., 1 cc. amp.		6	1	0 10 1	DH, PD

43	ADRENALINE MUCATE Injection 1 cc. amp.	6	1	0 11 5	GL
16	ALOES Pill Aloes and Nux Vomica, B.P.C.	50	1	* 0 5 0 * 0 5 7	TO DH
17	ALOXIDONE Capsules 300 mg. cap.	200	1	* 3 19 3	BS
18	ALUMINIUM ACETATE Lotion (Solution, B.P.C.)	8 fl. oz.	4	0 15 5	Extemp.
19	ALUMINIUM HYDROXIDE Oral Tablet, B.P. 5 gr. tab. 10 gr. tab. Mixture, A.P.F. Mixture with Belladonna, P.L. Mixture with Kaolin, P.L. Mixture with Kaolin and Opium, P.L. Mixture with Procaine, P.L.	50 50 8 fl. oz. 8 fl. oz. 8 fl. oz. 8 fl. oz. 8 fl. oz.	1 1 4 4 4 4 4	0 8 1 0 9 2 0 10 1 0 12 10 0 13 1 0 13 9 0 14 4 0 15 0	AN, HA, HY, KL, PR, RD, RT, SL, WY CO AN, HA, KL, WY Extemp. Extemp. Extemp. Extemp. Extemp.
44	ALUMINIUM HYDROXIDE GEL. Mixture Mixture with Light Magnesia	8 fl. oz. 8 fl. oz.	4 4	0 7 6 0 8 0 0 8 0	CH, WD DH, WY DH, WY
45	ALUMINIUM POWDER, B.P.C. Compound Paste, B.P.C.	1920 gr.	1	1 1 5	BT

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
20	AMIDONE HYDROCHLORIDE					
	Injection, B.P. 10 mg. per cc., 1 cc. amp. ..		6	..	0 9 5	BT, BW, CM
	10 mg. per cc., 10 cc. vial ..		1	..	0 11 8	CM
	Oral Tablet, B.P. 5 mg. tab.		25	..	0 6 9	BW, CM, DH, WL
	10 mg. tab.		25	..	0 8 1	BA, BW, CM
21	AMINACRINE HYDROCHLORIDE					
	Cream, P.L.		1920 gr.	1	0 16 9	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 6 2	Extemp.
	Eye Drops, P.L.		1/2 fl. oz.	2	0 8 1	Extemp.
	Lotion, P.L.		8 fl. oz.	4	0 9 7	Extemp.
22	AMINOPHYLLINE					
	Injection, B.P. 480 mg. per 2 mil., I.M. amp.		6	..	0 11 5	AD, DH, HA
	500 mg. per 2 mil., I.M. amp.		6	..	0 10 9	CM, FH
					0 11 5	BW
	240 mg. per 10 mil., I.V. amp.		6	..	0 17 5	DH, HA
	250 mg. per 10 mil., I.V. amp.		6	..	0 17 5	AD, BW, CM, FH
	Oral Tablet, B.P. 1.5 gr. tab.		100	2	0 5 3	AN, DH, FA, HA, HY, KL, PR, RT, RY, SI, SL, TO, VA, WD
					0 5 4	MG
					0 6 0	BW
					(ex 1,000)	
					0 7 2	AN, BW, DH, FA, HA, HY, KL, MG, PR, RT, RY, SI, SL, TO, VA, WD
					(ex S.P.)	
	2.34 gr. tab.		100	2	0 18 9	AB

22—continued

Oral Tablet with Ephedrine Hydrochloride
and Amylobarbitone

130 mg.-25 mg.-25 mg. tab.

100

2

1 2 9

CO

1 13 5

HA, KL, LY

Oral Capsule with Ephedrine Hydrochloride
and Amylobarbitone

130 mg.-25 mg.-25 mg. cap.

100

2

1 13 5

LY

Oral Tablet with Phenobarbitone

1.5 gr.-1/2 gr. tab.

100

2

0 6 0

(ex 1,000)

AD, AN, CM, CO, DH, FA, HA, HY,
KL, MG, PR, RT, RY, SI, SL, TO,
VA, WD

0 6 10

CO

0 7 5

(ex S.P.)

AD, AN, CM, DH, FA, HA, HY, KL,
MG, PR, RT, RY, SI, SL, TO, VA,
WD

1.5 gr.-1/4 gr. tab.

100

2

0 5 8

(ex 1,000)

AD, AN, CM, DH, FA, HA, HY, KL,
MG, PR, RT, RY, SI, SL, TO, VA,
WD

0 7 1

(ex S.P.)

AD, AN, CM, DH, FA, HA, HY, KL,
MG, PR, RT, RY, SI, SL, TO, VA,
WD

Suppository 2.75 gr.

12

1

0 8 9

HA

4 gr.

12

1

0 11 9

AN, DH, HA, KL

6 gr.

12

1

0 11 9

HA

Compound Mixture, P.L.

8 fl. oz.

4

0 9 1

Extemp.

Compound Mixture with Acetylsalicylic Acid,

P.L.

8 fl. oz.

4

0 9 7

Extemp.

46 AMIPHENAZOLE HYDROBROMIDE, A.P.F.

Injection 20 mg. vial (with required solvent)

D

12

..

*1 8 1

DH

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
23	AMIPHENAZOLE HYDROCHLORIDE, A.P.F. 1955					
	Injection 30 mg. vial (with required solvent)	D	12	..	2 11 5	NS
	Oral Tablet 20 mg. tab.	D	100	..	0 11 8	NS
24	AMMONIATED MERCURY					
	Ointment, B.P.		1920 gr.	1	0 15 3	Extemp.
25	AMMONIUM ACETATE STRONG SOLUTION, B.P. 1953					
	Mixture, P.L.		8 fl. oz.	4	0 10 1	Extemp.
26	AMMONIUM CHLORIDE					
	Oral Tablet, B.P.C. 7.5 gr. tab.		25	3	* 0 5 0 0 6 4	AN, HY, QE, TO, VA MB
27	AMODIAQUINE BASE					
	Oral Tablet, B.P. 200 mg. tab.		100	2	1 18 9	PD
28	AMPHETAMINE SULPHATE					
	Oral Tablet, B.P. 5 mg. tab... ..		100	2	0 5 2 0 5 4 0 5 6 0 5 9 0 6 4 (ex 500) 0 7 2 (ex S.P.)	AN, DH, FA, RY KL HY, MG, PR, VA QE BT, TO AN, BT, DH, FA, HY, KL, MG, PR, QE, RY, TO, VA

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
											£ s. d.	
32—continued												
	25 mg. tab...	..	..		P	100	2		0	10	9	AB, AD, AN, DH, FA, FM, HY, KL, PR, MG, RT, RY, SI, SL, TO, VA, WD
	50 mg. tab.	..	..		P	100	2		0	13	5	AB, AD, AN, DH, FA, FM, HY, KL, PR, MG, RT, RY, SI, SL, TO, VA, WD
	100 mg. tab.	..	..		P	100	2		0	18	9	AB, AN, DH, FM, HY, KL, MG, PR, RT, RY, SL, TO, VA
	120 mg. tab.	..	..		P	100	2		1	1	5	AB, HY, KL, MG, PR, SL
33 ANTACID POWDER												
	Powder, P.L.	..	..	..	..	1920 gr.	1		0	7	7	Extemp.
34 ANTAZOLINE HYDROCHLORIDE												
	Injection 100 mg. per 2 cc. amp.	..	..			10	..		*	1	1 5	CB
	Oral Tablet, B.P. 100 mg. tab.	..	..			50	1		*	1	2 4	BT
	Eye Drops with Naphazoline	..	..	..		1/2 fl. oz.	2		0	13	5	CB
						10 mil.	2		0	6	9	TO
									0	8	1	CB
35 ANTIMONY POTASSIUM TARTRATE												
	Injection, B.P. 1%, 5 cc. amp.	..	..			6	1		0	13	5	DH
36 AQUEOUS CREAM												
	Cream, B.P.	..	..	..	..	1920 gr.	1		0	13	8	Extemp.

37 ASCORBIC ACID

Oral Tablet, B.P.	10 mg. tab.	..	..	P	100	2	0	5	4	AB, HY, VA
	25 mg. tab.	..	..	P	100	2	0	5	5	AB, AD, AN, DH, FA, FM, HY, KL, MG, PR, RT, RY, SI, TO, WD
	50 mg. tab.	..	..	P	100	2	0	7	1	AB, AD, AN, DH, FA, FM, GL, HY, KL, MG, NY, PR, RT, RY, SI, SL, TO, VA, WD
	100 mg. tab.	..	..	P	100	2	0	9	9	AB, AN, DH, HY, KL, MG, PR, QE, RT, RY, TO, VA
	250 mg. tab.	..	..	P	100	2	0	14	9	AB, AD, AN, DH, FA, FM, HY, KL, MG, NY, RT, RY, SI, SL, TO, WD
	500 mg. tab.	..	..	P	100	2	0	15	5	GL, PR, VA
							1	4	9	AB, HY, KL, MG

38 ATROPINE

Eye Drops, Oily 1%, P.L.	..	..	..		1/2 fl. oz.	2	0	10	6	Extemp.

39 ATROPINE METHONITRATE

Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0	11	5	Extemp.
Solution 0.6%, 1/2 fl. oz. bottle	..	..	..		1	..	0	9	5	BA
Oral Tablet 1 mg. tab.	..	..	..		50	2	0	14	1	BA

40 ATROPINE SULPHATE

Hypo. Tablet, B.P.										
1/200 gr. hypo. tab. (with required solvent)					20	1	0	4	9	PD
1/150 gr. hypo. tab. (with required solvent)					20	1	0	4	9	DH, FA, PD
1/100 gr. hypo. tab. (with required solvent)					20	1	0	5	1	DH, FA, PD
Injection, B.P. 1/150 gr. per cc., 1 cc. amp. ..					6	1	0	6	5	DH, FH, KL
							0	6	9	BL, BT
1/100 gr. per cc., 1 cc. amp. ..					6	1	0	6	5	AN, DH, FH, KL
							0	6	9	BL, BT, GL
1/100 gr. per cc., 10 cc. vial ..					1	..	0	6	9	DH, FA, FH
1/50 gr. per cc., 1 cc. amp. ..					6	1	0	6	5	DH, FH, KL
							0	6	9	BL

Item No.	Name, Manner of Administration and Form	Re-strictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
40—continued					£ s. d.	
	Eye Drops, 1/2%, P.L.		1/2 fl. oz.	2	0 9 0	Extemp.
	1%, P.L.		1/2 fl. oz.	2	0 10 0	Extemp.
	Eye Ointment, B.P.		60 gr.	..	0 6 1	BW, PD
41	AUROTHIOGLUCOSE					
	Injection, Oily 10 mg. amp... ..		1	3	0 6 0	SC
	25 mg. amp... ..		1	3	0 7 4	SC
	50 mg. amp... ..		6	..	* 1 13 3	SC
	100 mg. amp... ..		6	..	* 2 2 3	SC
	100 mg. per cc., 10 cc. vial ..		1	..	2 12 9	SC
83	BACITRACIN					
	Eye Drops, P.L.		1/2 fl. oz.	2	0 17 4	Extemp.
84	BARBITONE COMPOUND, A.P.F. 1955					
	Oral Capsule, A.P.F. 1955		50	1	1 13 5	AN, KL
					1 18 1	AB
85	BARBITONE SODIUM					
	Oral Tablet, B.P. 5 gr. tab.		50	2	0 9 1	DH, KL, MG
					0 10 1	AN, SL
	7.5 gr. tab.		50	2	0 9 9	DH, FA, KL
					0 10 9	TO
					0 11 1	MG
					0 12 9	AN
86	BELLADONNA					
	Compound Suppository		12	1	0 7 10	WY

87	BEMEGRIDE, A.P.F. 1955	Injection 30 mil. vial	..	..	..	D	6	..	5 15 9	NS
106	BENDROFLUAZIDE	Oral Tablet 2.5 mg. tab.	..	..	..		50	2	1 2 5	AN, BT, GL
		5 mg. tab.	..	..	..		50	2	1 13 1	AN, BT, GL
88	BENEDICT'S QUALITATIVE SOLUTION	Solution, P.L.	..	..	..		4 fl. oz.	1	0 8 3	Extemp.
102	BENZALKONIUM CHLORIDE	Cream, 0.01%	..	..	..		960 gr.	1	0 7 2	CA
		Compound Suppository	..	..	..		12	1	0 11 5	FA
89	BENZHEXOL HYDROCHLORIDE	Oral Tablet, B.P. 2 mg. tab...	..	..	..		100	2	1 1 1	LE, WL
		5 mg. tab...	..	..	..		100	2	2 1 1	LE, WL
90	BENZOCAINE	Dusting Powder, P.L.	..	..	..		1920 gr.	1	0 14 4	Extemp.
		Compound Ointment with Hamamelis and Zinc, P.L.	..	..	..		1920 gr.	1	0 18 10	Extemp.
		Compound Ointment with Adrenaline	..	..	..		960 gr.	1	0 12 9	GP
		Compound Suppository with Adrenaline	..	..	..		12	1	0 10 4	GP
		Suppository with Adrenaline, A.P.F. 1955	..	..	..		12	1	0 12 9	AN, DH, KL
91	BENZOIC ACID	Compound Ointment, A.P.F. 1955	..	..	..		1920 gr.	1	0 12 9	Extemp.
92	BENZOIN COMPOUND TINCTURE	Inhalation, P.L.	..	..	..		2 fl. oz.	1	0 13 11	Extemp.
93	BENZYL BENZOATE	Application, 25% 4 fl. oz. bottle	..	..	..		1	1	0 9 5	EV
		Application with Dicophane, P.L.	..	..	..		4 fl. oz.	1	0 10 8	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
103	BEPHENIUM HYDROXYNAPHTHOATE Oral Sachet 5 G. sachet		1	..	0 7 2	BW
94	BISMUTH CARBONATE, B.P. 1953 Compound Mixture for Children, P.L. ..		4 fl. oz.	4	0 9 6	Extemp.
95	BISMUTH GLYCOLLYLARSANILATE Oral Tablet 500 mg. tab.		25	2	0 18 9	WL
96	BISMUTH OXYCHLORIDE Injection, B.P. 1 cc. amp.		6	1	0 11 1	BD
	3 cc. amp.		6	1	0 13 1	BD
	30 cc. vial		1	1	0 11 1	BD
104	BISMUTH SODIUM TARTRATE Injection, B.P. 60 mg. per cc., 10 cc. vial ..		1	..	1 2 9	FA
97	BISMUTH SUBGALLATE, B.P. 1953 Suppository, B.P.C. 5 gr.		12	1	0 7 10	AN, DH
	Compound Suppository, B.P.C.		12	1	0 8 0	DH, WW
					0 13 5	AN, KL
98	BORIC ACID Ear Drops, P.L.		1/2 fl. oz.	2	0 5 10	Extemp.
	Powder, B.P.		4 oz.	..	0 1 3	WD
					0 1 8	FA
					0 2 3	DH
105	BRETYLIUM TOSYLATE Oral Tablet 200 mg. tab.		100	2	4 6 1	BW

99	BUSULPHAN											
	Oral Tablet	0.5 mg. tab.	..	..	..	D	100	2	0	19	5	BW
		2 mg. tab.	..	..	..	D	100	2	1	4	1	BW
107	BUTABARBITAL SODIUM											
	Oral Tablet	15 mg. tab.	..	..	..		50	2	*	0	9	3 AN
		30 mg. tab.	..	..	..		50	2	*	0	11	4 AN
		100 mg. tab.	..	..	..		50	2	*	0	16	4 AN
100	BUTOBARBITONE											
	Oral Tablet, B.P.	1.5 gr. tab.	..	..	..		50	2	0	6	8	AD, DH, KL, MG, SI
									0	6	9	MB
									0	7	0	SL
									0	7	1	RY
									0	7	5	GP
101	BUTYL AMINO BENZOATE, B.P. 1953											
	Cream with Trinitrophenol, P.L.	..	..	..	..		1920 gr.	1	0	15	5	Extemp.
120	CALAMINE											
	Cream, P.L.	..	..	..	..		1920 gr.	1	0	9	2	Extemp.
	Lotion, P.L.	..	..	..	..		8 fl. oz.	4	0	8	2	Extemp.
	Compound Liniment, P.L.	..	..	..	..		4 fl. oz.	1	0	7	3	Extemp.
121	CALCIFEROL											
	Oral Tablet, B.P.	50,000 U. tab.	..	..	..	P	100	2	1	3	9	GL, RL
	Solution	3,000 U., 25 cc. bottle	..	..	..	CP	1	..	0	5	10	BD
		3,000 U., 100 cc. bottle	..	..	..	CP	1	..	0	9	5	BD
122	CALCIUM ACETYSALICYLATE											
	Mixture, P.L.	..	..	..	..		8 fl. oz.	4	0	8	3	Extemp.

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
123	CALCIUM AUROTHIOMALATE									
	Injection									
	10 mg. amp. (with required solvent)	..					1	3	0 7 6	CK
	25 mg. amp. (with required solvent)	..					1	3	0 8 1	CK
	50 mg. amp. (with required solvent)	..					6	..	1 12 1	CK
	100 mg. amp. (with required solvent)	..					6	..	2 3 10	CK
125	CALCIUM CARBONATE									
	Powder with Kaolin, P.L.	..	..	..	..		1920 gr.	1	0 8 1	Extemp.
126	CALCIUM GLUCONATE									
	Injection, B.P. 10% Solution, 10 mil. amp.						6	1	0 10 9	AN, DH, FH, FE
	Oral Tablet, B.P.C. 10 gr. tab.						100	2	0 7 5	AD, DH, FA, PR, RT, SI
									0 8 1	AN, HY, MG, RY, SL, TO, VA, WD
127	CALCIUM LACTATE									
	Oral Tablet, B.P. 5 gr. tab.						100	2	0 6 1	AD, AN, DH, FA, HY, KL, RT, RY, SI, SL, TO
128	CALCIUM PARA-AMINOSALICYLATE, B.P.C.									
	Cachet	1.5 G. cachet	..	..	..	D	200	2	3 5 5	AN, KL, WA
		2.0 G. cachet	..	..	..	D	200	2	4 5 5	KL, WA
	Oral Tablet	7.5 gr. tab.	..	..	..	D	200	2	1 0 5	AN, KL, RY, WA
	Granules	100 G. tin	..	..	..	D	1	1	1 16 5	WA
		400 G. tin	..	..	..	D	1	1	5 19 5	WA

129	CAMPHOR Liniment, B.P. for Children	4 fl. oz.	1	0 9 11	Extemp.
130	CAMPHORATED TINCTURE OF OPIUM Mixture, P.L. Linctus, P.L. Linctus for Children, P.L.	8 fl. oz. 8 fl. oz. 4 fl. oz.	4 4 4	0 8 1 0 14 5 0 10 3	Extemp. Extemp. Extemp.
131	CARAMIPHEN HYDROCHLORIDE Oral Tablet 50 mg. tab.	D 100	2	* 2 4 9	GE
132	CARBACHOL Injection, B.P. 0.25 mg. per 1 cc. amp. ..	6	..	0 7 1	BD
133	CARBASONE Oral Tablet, B.P. 250 mg. tab.	20	1	0 6 6	MB
134	CARBIMAZOLE Oral Tablet, B.P. 5 mg. tab... ..	100	2	1 12 1	BS
135	CARBROMAL Oral Tablet, B.P. 5 gr. tab.	50	2	0 8 5 0 9 5	KL, MG BA, DH, GP
136	CARMINATIVE MIXTURE Mixture for Children, P.L.	4 fl. oz.	4	0 6 8	Extemp.
137	CASCARA Oral Tablet, B.P. 3 gr. tab. 5 gr. tab. Liquid Extract, B.P. 1 fl. oz. bottle .. 2 fl. oz. bottle ..	25 25 1 1	3 3 1 1	0 4 9 0 5 2 0 1 11 0 3 0	AD, DH, FA, HY, PD, RT, SI, SL, WD AD, DH, FA, HY, PD, RT, SI, SL TO, WD DH, RT, WD DH, WD

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
138	CASTOR OIL									
	5 oz. bottle	..	..	..	..		1	..	0 3 3	DH
									0 3 6	FA
139	CETRIMIDE									
	Cream, P.L.	..	..	..	..		1920 gr.	1	0 7 9	Extemp.
	Solution, P.L.	..	..	..	..		4 fl. oz.	1	0 6 7	Extemp.
140	CHALK									
	Mixture with Kaolin, P.L.	..	..	..	..		8 fl. oz.	4	0 8 0	Extemp.
141	CHARCOAL									
	Oral Tablet	5 gr. tab.	..	..	..		100	2	0 8 1	HY, RT
									0 9 5	AD, AN, BW, QE, SI, TO
143	CHLORAL HYDRATE									
	Mixture, P.L.	..	..	..	..		8 fl. oz.	4	0 8 4	Extemp.
	Mixture with Potassium Bromide, P.L.	..	..	..	..		8 fl. oz.	4	0 8 10	Extemp.
	Mixture with Potassium Bromide for Children, P.L.	..	..	..	..		4 fl. oz.	4	0 8 2	Extemp.
144	CHLORAMBUCIL									
	Oral Tablet	2 mg. tab.	..	..	..	D	100	2	3 9 5	BW
		5 mg. tab.	..	..	..	D	100	2	6 9 5	BW
145	CHLORAMPHENICOL									
	Oral Suspension	125 mg. per 4 cc., 60 cc. bottle	..	..	..	CD	1	..	1 7 9	PD

145—continued

Injection	250 mg. per cc., 2 cc. amp.	..	D	4	..	* 1 16 7	PD
	1 G. vial (with required solvent)	..	D	3	..	* 3 2 9	PD
Ear Drops		..		6 mil.	2	0 16 9	PD
Eye Drops	25 mg.			1	2	0 18 4	PD
Eye Ointment, 1%		..		60 gr.	..	0 6 9	PD
Oral Capsule, B.P.	125 mg. cap.		D	16	..	1 7 1	PD
	250 mg. cap.		D	16	..	2 5 5	PD
						(ex 100)	
						2 6 9	PD
						(ex S.P.)	
146 CHLORAZANIL							
Oral Tablet	25 mg. tab.			50	2	0 14 9	RK, SI
	150 mg. tab.			50	2	1 13 9	RK, SI
147 CHLORBUTOL							
Nasal Instillations, P.L.				1/2 fl. oz.	2	0 6 0	Extemp.
148 CHLORCYCLIZINE HYDROCHLORIDE							
Oral Tablet, B.P.	50 mg. tab.			50	1	0 16 9	AB, BW
149 CHLORMERODRIN							
Oral Tablet	18.3 mg. tab.			25	2	0 9 0	PD
						(ex 100)	
						0 9 5	PD
						(ex S.P.)	
	20 mg. tab.			25	2	0 9 0	AN
						(ex 100)	
						0 9 5	AN
						(ex S.P.)	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
150	CHLOROQUINE BASE				£ s. d.	
	Oral Tablet, B.P. 150 mg. tab.		100	2	1 10 0	AN, BA, DH, EV, MB, IC, YO
	Injection, B.P. 1 mil. amp.		6	1	0 9 5	AN, DH, FH
	2 mil. amp.		6	1	0 10 9	AN
	5 mil. amp.		6	1	* 0 12 2 * 0 19 8 1 0 1	MB MB AN, DH, FH
151	CHLOROTHIAZIDE					
	Oral Tablet 500 mg. tab.		50	2	2 11 6 (ex 500)	MK
					2 13 5 (ex S.P.)	MK
152	CHLOROXYLENOL					
	Solution, B.P. 4 fl. oz. bottle.. ..		1	1	0 3 6 0 4 2	FA RC
175	CHLORPHENIRAMINE MALEATE					
	Oral Tablet 4 mg. tab.		50	1	0 17 1 0 17 5	SH GL
	8 mg. tab.		50	1	1 1 5 1 7 1	GL SH
179	CHLORPROMAZINE HYDROCHLORIDE					
	Injection 1%, 5 cc. amp.		10	..	1 1 5	MB
	2.5%, 1 cc. amp.		10	..	0 13 5	MB
	2.5% per cc.. 2 cc. amp.		10	..	0 18 1	MB

179—continued

179	Oral Tablet	10 mg. tab.	..	..	..	100	2	0	14	9	MB	
		25 mg. tab.	..	..	..	100	2	1	2	9	MB	
		50 mg. tab.	..	..	..	100	2	2	1	5	MB	
		Suppositories	100 mg.	..	..	..	5	1	0	13	5	MB
		Syrup	..	..	..	..	4 fl. oz.	4	0	12	1	MB
153	CHLORPROPAMIDE											
	Oral Tablet	250 mg. tab.	..	..	..	100	2	2	2	9	PF	
154	CHLORTETRACYCLINE HYDRO- CHLORIDE											
	Oral Capsule, B.P.	50 mg. cap.	..	..	D	25	..	1	8	1	LE	
		100 mg. cap.	..	..	D	25	..	2	8	9	LE	
		250 mg. cap.	..	..	D	16	..	3	9	5	LE	
	Oral Granules	75 G. bottle	..	..	CD	1	..	1	19	5	LE	
	Eye Ointment, 1%	..	..	..	..	60 gr.	..	0	6	9	LE	
155	CHOLERA VACCINE											
	Injection	8,000 M. per cc., 1 cc. amp	..	..	..	2	..	*	0	10	1 CS	
156	CHORIONIC GONADOTROPHIN											
	Injection, B.P.	1,000 I U. amp.	..	..	..	6	1	3	17	9	SC	
		1,500 I U. amp.	..	..	..	6	1	*	3	9	5 LP	
	5,000 I.U. amp.		..	..	..			*	4	8	1 OR	
			..	..	..	6	1	13	2	9	OR	
			..	..	..			*13	2	9	SC	
180	CLEMIZOLE HYDROCHLORIDE											
	Oral Tablet	20 mg. tab.	..	..	..	50	1	0	15	5	GP	
								*	0	15	6 SC	
157	COAL TAR SOLUTION											
	Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0	6	5	Extemp.	

Item No.	Name, Manner of Administration and Form	Re-strictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
158	COCAINE Eye Drops, Oily, 2%, P.L.		1/2 fl. oz.	2	£ s. d. 0 13 5	Extemp.
160	CODEINE PHOSPHATE Linctus, P.L. Linctus for Children, P.L. Oral Tablet, B.P. 1/2 gr. tab. Oral Tablet Compound, B.P.		8 fl. oz. 4 fl. oz. 25 100	4 4 3 2	1 4 2 0 10 9 0 8 1 0 8 2 0 8 3	Extemp. Extemp. DH, HY, KL, MG, RT, RY, TO, VA CO AD, DH, FA, HY, KL, RT, RY, SI, SL, VA, WD 0 8 5 0 8 8 0 8 9 AN, CM, HA, PR, TO, VR MG BW, WW
	Oral Tablet Compound Soluble Oral Tablet with Acetylsalicylic Acid, Phen- acetin and Caffeine 1/2 gr.-3.5 gr.-2.5 gr.-1/2 gr. tab... ..		100 100	2 2	(ex 1,000) 0 8 9 0 9 5 0 10 1 0 10 9 (ex S.P.) 0 14 9	CO AD, FA, RT, RY, SI HY AN, BW, CM, DH, HA, KL, MG, PR TO, VA, VR, WD, WW BW, HA, MG, RC, TO
161	COD LIVER OIL Cod Liver Oil, B.P. Emulsion, 50%, 16 fl. oz. bottle Ointment with Acriflavine, P.L.	CP CP	8 fl. oz. 1 1920 gr.	4 4 1	0 3 3 0 4 0 0 5 8 0 10 10	WD DH, FA DH, SL, WD Extemp.

162	COLCHICINE	Oral Tablet, B.P.	1/120 gr. tab.	..	..	50	1	0	8	1	DH, HY, KL, MR, RD	
163	COLCHICINE SALICYLATE	Oral Tablet	1/32 gr. tab.	..	..	50	1	0	18	9	BW, VR	
164	COLCHICUM TINCTURE	Mixture with Acetylsalicylic Acid, P.L.		..	..	8 fl. oz.	4	0	8	7	Extemp.	
		Mixture with Sodium Salicylate, P.L.		..	..	8 fl. oz.	4	0	9	1	Extemp.	
165	COLD CREAM	Cream, P.L.	..	..	..	1920 gr.	1	0	9	8	Extemp.	
166	COLOCYNTH, B.P.C.	Oral Pill Compound, B.P.C.	..	..	..	50	1	* 0	6	0	DH	
167	COPPER SULPHATE	Lotion with Zinc Sulphate, B.P.C.	..	..	..	8 fl. oz.	4	0	6	9	Extemp.	
		Diagnostic Tablet Compound	..	..	..	36	2	0	6	9	AM	
168	CORTICOTROPHIN	Injection, B.P.	20 I.U. amp. I.M.	..	..	AD	6	..	2	18	9	AN
			50 I.U. amp. I.M.	..	..	AD	6	..	11	9	5	CS, OR
			vial I.M.	..	..	AD	6	..	* 7	12	2	CK
			100 I.U. amp. I.M.	..	..	AD	6	..	22	2	9	CS, OR
			vial I.M.	..	..	AD	6	..	22	2	9	CK
								..	* 22	2	9	SC
		Injection	10 I.U. amp. I.V.	..	..	AD	6	..	* 2	5	6	OR
								..	2	12	9	CS
			vial I.V.	..	..	AD	6	..	1	16	9	CK
			20 I.U. amp. I.V.	..	..	AD	6	..	4	16	1	CS

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
£ s. d. 169 CORTISONE ACETATE						
	Injection, B.P. 25 mg. per cc., 10 cc. vial ..	AD	1	..	1 3 5	GL, OR, RL
	25 mg. per cc., 20 cc. vial ..	AD	1	..	2 4 1	AN, MK, SO
	50 mg. per cc., 10 cc. vial ..	AD	1	..	2 4 1	AN, MK
	Oral Tablet, B.P. 5 mg. tab.	AD	50	..	* 0 17 7	SC
					1 3 5	AN, MK
	25 mg. tab.	AD	40	..	4 6 1	AD, AN, BD, BT, DH, GL, KL, MK, PD, PR, SC, RL
					* 4 6 1	OR
	Eye Drops 0.5%		3 mil.	2	0 13 5	DH
			5 mil.	2	0 15 5	MK, SH
			10 mil.	2	0 18 9	AN
	1%		2.5 mil.	2	0 13 5	CB
			3 mil.	2	0 15 5	AN, OR, RL
	2.5%		5 mil.	2	2 8 1	DH, MK
			10 mil.	2	2 10 9	AN
0 2 3 170 CRESOL AND SOAP SOLUTION						
	Solution, B.P. 4 fl. oz. bottle		1	1	0 2 3	AL
					0 2 8	DH, WD
0 5 10 171 CRYSTAL VIOLET						
	Ear Drops, P.L.		1/2 fl. oz.	2	0 5 10	Extemp.
	Paint Compound, P.L.		1 fl. oz.	1	0 6 2	Extemp.
0 16 9 172 CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH						
	Injection, B.P. 20 γ per 1 cc. amp.	D	12	1	* 0 16 9	AN, BD, CM, DH, FH, GL, KL
	50 γ per 1 cc. amp.	D	6	1	0 10 9	AN, BD, BT, CM, DH, DL, FH, GL

172—continued

	50 γ per cc., 10 cc. vial	..	D	1	..	0 12 1	CM, GL
	100 γ per 1 cc. amp. ..	..	D	6	1	0 13 5	AN, BD, BT, CM, DH, DL, FH, GL, KL
	100 γ per cc., 10 cc. vial	..	D	1	..	0 17 5	AN, CM, DH, FH, GL, KL, SQ
	200 γ per 1 cc. amp. ..	..	D	1	..	* 0 9 9	CM
						* 0 11 10	BT, OR
173	CYANOCOBALAMIN 1,000 MICRO-GRAMME STRENGTH						
	Injection 1,000 γ per 1 cc. amp. ..	..	D	1	..	0 19 5	AN, BT, CM, DH, DL, FH, GL, HY, KL
174	CYCLOBARBITONE						
	Oral Tablet, B.P. 3 gr. tab. ..	..		50	2	0 13 5	KL, MG
						0 16 1	BA, BW, GP, SL
						* 0 16 4	HA
176	CYCLOPHOSPHAMIDE	..	H	..	..	..	
178	CYCLOSERINE	..	H	..	..	..	
177	CYCRIMINE HYDROCHLORIDE						
	Oral Tablet 1.25 mg. tab. ..	..		100	2	1 14 9	LY
	2.5 mg. tab. ..	..		100	2	2 14 1	LY
230	DAPSONE						
	Oral Tablet, B.P. 50 mg. tab. ..	..		100	2	0 6 9	AN
	100 mg. tab. ..	..		100	2	0 8 0	IC
231	DARROW'S SOLUTION						
	Injection 1 litre bottle..	..		2	..	* 1 11 5	BT, DH, FH
266	D—CYCLOSERINE	..	H	..	..	..	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
267	DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE					
	Oral Capsule 150 mg. cap.	D	14	..	3 1 1	LE
	Oral Paediatric Drops					
	60 mg. per cc., 10 cc. vial	CD	1	..	1 2 9	LE
	Oral Suspension 75 mg. per 5 cc., 2 fl. oz. bottle	CD	1	..	1 16 9	LE
232	DEOXYCORTONE ACETATE					
	Aqueous Injection 5 mg. amp.	D	5	..	* 1 18 11	SC
					2 4 9	CB
	50 mg. amp.	D	1	..	* 3 7 4	SC
					3 12 9	CB
	Aqueous Suspension Injection 25 mg. amp. . .	D	1	..	2 1 5	CB
	Injection, B.P. 2 mg. amp.	D	4	..	0 16 1	OR
	5 mg. amp.	D	4	..	1 9 5	CB, OR, SC
	10 mg. amp.	D	4	..	2 9 5	CB, OR, SC
	5 mg. per cc., 5 cc. vial	D	1	..	1 16 1	OR
	10 mg. per cc., 10 cc. vial	D	1	..	5 14 1	CB, OR
	Implant 50 mg. implant	D	1	..	2 9 5	OR
	100 mg. implant	D	1	..	4 9 5	CB, OR
	Oral Tablet 1 mg. tab.	D	40	..	1 14 9	CB, OR
					* 1 15 1	SC
	5 mg. tab.	D	20	..	3 6 9	CB
233	DESACETYL-LANATOSIDE-C					
	Injection 0.2 mg. per cc., 2 cc. amp. ..		6	1	0 12 1	SZ
	Oral Tablet 0.25 mg. tab.		100	2	1 8 5	SZ

234	DEXAMETHASONE	Oral Tablet	0.5 mg. tab.	..	..	AD	30	..	2 12 1	GL, MK, OR, RL, SC, SH
273	DEXAMETHASONE SODIUM PHOSPHATE	Injection	5 mg. per 1 cc. vial	..	..	AD	5	..	* 4 6 1	OR
235	DEXAMPHETAMINE SULPHATE	Oral Tablet, B.P.	5 mg. tab...	..	..		100	2	0 5 8	AD, DH, FA, HY, KL, PR, RT, RY, SI, SL, VA, WD
									0 5 11	MG
									0 6 0	BT, CM, CO, GP, TO
									(ex 500)	
									0 6 1	CO
									0 6 5	AD, DH, FA, KL, RT, RY, SI, VA
									0 6 9	BT, CM, GP, HY, MG, PR, SL, TO,
									(ex S.P.)	WD
236	DEXTRAN IRON	Injection	2 cc. amp. I.M.	..	..		5	..	* 2 1 9	FC
			5 cc. amp. I.M.	..	..		5	..	3 4 9	FC
237	DEXTRIN IRON 2% INTRAVENOUS	Injection	5 cc. amp. I.V.	..	..		5	..	1 16 1	AP
269	DEXTROCHLORPHENIRAMINE MALE-ATE	Injection	5 mg. per cc., 1 cc. amp.	..	..		6	..	0 13 5	SH
		Oral Tablet	2 mg. tab.	..	..		50	1	0 18 1	SH
			6 mg. tab.	..	..		50	1	2 0 1	SH
238	DEXTROSE AQUEOUS	Injection, B.P.	5%, 1 litre bottle	..	..		6	1	* 4 8 9	AB, BT, DH, EV, FH, GL
			10%, 1 litre bottle	..	..		2	1	* 1 11 5	AB, BT, DH, EV, FH

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
238— <i>continued</i>						
	20%, 1 litre bottle		2	1	* 1 11 5	BT, DH, FH
	25%, 1 litre bottle		2	1	* 1 11 5	AB, DH, FH
	50%, 25 cc. amp.		6	1	* 1 6 9	DH, FH
	50%, 50 cc. amp.		6	1	* 1 18 9	DH, FH, PD
239	DEXTROSE IN 1/5 NORMAL SALINE					
	Injection 4%, 1 litre bottle		6	1	* 4 8 9	AB, BT, DH, EV, FH
	4.3%, 1 litre disposable infusor .		6	1	* 4 8 9	GL
240	DEXTROSE IN RINGER'S SOLUTION					
	Injection 5%, 1 litre bottle		6	1	* 4 8 9	BT, DH, FH
	10%, 1 litre bottle		3	1	* 2 5 9	BT, DH, FH
241	DICOPHANE					
	Application, P.L.		4 fl. oz.	1	0 8 0	Extemp.
274	DICYCLOMINE HYDROCHLORIDE					
	Oral Tablet 10 mg. tab.		100	2	1 15 9	ML
242	DIENOESTROL					
	Oral Tablet, B.P. 0.3 mg. tab.	DG	100	2	0 5 9	AD, AN, BD, DH, FM, HA, HY, KL, MG, RT, RY, SI, SL, TO, VA, WD
	1.0 mg. tab.	DG	100	2	0 6 6	AD, BD, DH, HA, HY, KL, MG, RT, RY, SI, SL, TO, VA, WD
	5 mg. tab... ..	DG	100	2	0 9 5	AD, AN, BD, DH, HA, HY, KL, MG, RT, SI, SL, TO
	10 mg. tab... ..	DG	100	2	0 15 5	DH, HA, HY, KL, TO
	Cream, 0.01% 3 oz. tube	P	1	1	0 10 4	OO

243	DIETHAZINE HYDROCHLORIDE								
	Oral Tablet	50 mg. tab.	..	..	100	2	0 10 1	MB	
		250 mg. tab.	..	..	50	2	0 16 1	MB	
244	DIETHYLCARBAMAZINE CITRATE								
	Oral Tablet, B.P.	50 mg. tab.	..	..	20	1	0 14 5	BD, LE	
275	DIETHYL DITHIOLISOPHTHALATE	..		H					
245	DIGITALIS								
	Oral Tablet, B.P.	1/2 gr. tab.	..	..	100	2	0 4 9	BW, DH, FA, HY, RT, RY, TO	
		1 gr. tab.	..	..	100	2	0 5 0	BW, DH, FA, HY, RT, RY, TO	
246	DIGITOXIN, B.P.C.								
	Oral Tablet	0.1 mg. tab.	..	..	100	2	0 10 0	AD, CM, KL, NA, SI, WY	
		0.2 mg. tab.	..	..	100	2	0 17 5	CM, PD, WY	
		0.25 mg. tab.	..	..	100	2	0 19 2	KL	
247	DIGOXIN								
	Solution	0.5 mg. per cc., 30 cc.							
		bottle ..	..	..	1	..	0 12 5	BW	
	Solution for Children	0.05 mg. per mil.	..	..	2 fl. oz.	..	0 13 5	BW	
	Injection, B.P.	0.5 mg. per 2 cc. amp...			12	1	* 1 1 5	BW, DH	
	Oral Tablet, B.P.	0.25 mg. tab.	..	..	100	2	0 8 9	CO, FA, HY, KL, TO	
							0 9 3	RY	
							0 9 4	MG, PR	
							0 10 9	AB, AN, RD, SL	
							0 11 5	BW	
							0 12 3	VR	
							(ex 1,000)		
							0 9 10	CO	
							0 10 9	FA, KL	
							0 11 0	RY	
							0 13 5	RD	
							0 13 9	AB, AN, BW, HY, MG, PR, SL, TO,	
							(ex S.P.)	VR	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
249	DIHYDROERGOTAMINE Injection 1 mg. per cc., 1 cc. amp. ..		6	..	0 18 1	SZ
250	DIHYDROMORPHINONE HYDRO-CHLORIDE, B.P.C. 1949 Injection 1.1 cc. amp. Oral Tablet 1/25 gr. tab.		5 20		0 10 1 * 0 9 5	KN KN
251	DIHYDROSTREPTOMYCIN SULPHATE Injection, B.P. 1 G. vial	D	5	3	* 0 19 5	AN, DL, GL, LP
252	DIHYDROTACHYSTEROL Oral Solution 1.25 mg. per cc., 15 cc. bottle. Oral Capsule 0.625 mg. cap.	D D	1 100	.. 1	1 16 8 5 3 5	BA BA
253	DIODOHYDROXYQUINOLINE Oral Tablet, B.P. 300 mg. tab. 650 mg. tab. Compound Vaginal Tablet		100 100 25	2 2 ..	0 17 5 4 2 1 0 16 1	MB SR SR
254	DIMERCAPROL Injection, B.P. 2 cc. amp.		12	..	2 2 9	BT
255	DIPHENHYDRAMINE HYDROCHLORIDE Injection 10 mg. per cc., 10 cc. vial .. Oral Capsule 50 mg. cap.		1 50	1 1	0 14 1 0 12 4	PD PD
276	DIPHENYLTHIOUREA	H				

256	DIPHTHERIA AND TETANUS TOXOIDS COMBINED								
	Injection	1 cc. amp...	..	..	..	3	..	* 0 14 9	CS
257	DIPHTHERIA ANTITOXIN								
	Injection	1,000 U. amp.	..	..	..	2	1	* 0 13 5	CS
		4,000 U. amp.	..	..	..	2	1	* 1 5 5	CS
		10,000 U. amp.	..	..	..	2	1	* 2 5 5	CS
		20,000 U. amp.	..	..	..	2	1	* 4 2 9	CS
258	DIPHTHERIA PERTUSSIS ANTIGEN								
	Injection	1 cc. amp...	..	..	..	3	..	0 12 1	CS
259	DIPHTHERIA PERTUSSIS AND TETANUS ANTIGEN								
	Injection	0.5 cc. amp.	..	..	..	3	..	0 12 9	BW, GL, PD
		1 cc. amp.	..	..	..	3	..	0 12 9	CS, GL
260	DIPHTHERIA PROPHYLACTIC (FORMOL TOXOID)								
	Injection	Set containing 3 amps. each 0.5 mil. Toxoid undiluted and 1 amp. of 1 mil. Toxoid diluted			1	1	0 14 2	CS	
261	DIPHTHERIA PROPHYLACTIC (PURI- FIED TOXOID ALUMINIUM PHOS- PHATE)								
	Injection	1 cc. amp.	..	..	..	2	1	* 0 10 1	CS
		Set containing 2 amps. each 1 cc. Diphtheria Prophylactic (Puri- fied Toxoid Aluminium Phos- phate) (diluted) FOR IMMUN- ISATION OF ADULTS ONLY							

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
261— <i>continued</i>					£ s. d.	
	and 1 amp. of 1 cc. Purified Diph- theria Toxoid (diluted) for the skin test only		1	..	0 12 1	CS
262	DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)					
	Injection 1 cc. amp... .. .		1	..	0 6 1	CS
263	DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE					
	Injection 250 mg. per 5 cc. amp.	D	10	..	4 7 2	CM
	Oral Tablet 100 mg. tab.	D	100	2	9 1 5	CM
272	DISODIUM DIHYDROGEN VERSENATE					
	Injection 200 mg. per cc., 5.3 cc. amp. ..		6	1	3 9 5	RK
270	DITHIAZANINE IODIDE					
	Oral Tablet 50 mg. tab.		15	..	* 0 16 3	LY
	100 mg. tab.		15	..	1 1 5	LY
264	DITHRANOL					
	Ointment, B.P.		1920 gr.	1	0 8 8	Extemp.
	Ointment, Strong, B.P.		1920 gr.	1	0 14 2	Extemp.
300	EMETINE AND BISMUTH IODIDE					
	Oral Tablet, B.P. 1 gr. tab.		25	2	1 9 5	DH
	2 gr. tab.		25	2	1 18 9	DH

301 EMETINE HYDROCHLORIDE

Injection, B.P.	20 mg. per 1 cc. amp.	..
	30 mg. per 1 cc. amp.	..
	65 mg. per 1 cc. amp.	..

12	..	1 9 5	DH, KL
12	..	1 16 1	DH, KL
6	..	1 16 1	DH, KL

302 EMULSIFYING WAX

Cream (Buffered), P.L.	..	..	..
Ointment, B.P.	..	..	..

1920 gr.	1	0 8 9	Extemp.
1920 gr.	1	0 13 1	Extemp.

303 EPHEDRINE

Nasal Instillations (Oily), P.L.	..	..

1/2 fl. oz.	2	0 6 3	Extemp.

304 EPHEDRINE HYDROCHLORIDE

Hypo. Tablet, B.P.		

1/2 gr. hypo. tab. (with required solvent)	..	..

Injection	1/2 gr. per 1 cc. amp.	..

	3/4 gr. per 1 cc. amp.	..

Oral Tablet, B.P.	1/4 gr. tab.	..

1/2 gr. tab.	..	..

1 gr. tab.	..	..

Oral Tablet, B.P. for Children	1/8 gr. tab.	..

Oral Tablet with Phenobarbitone		

1/4 gr.-1/4 gr. tab.	..	..

1/2 gr.-1/4 gr. tab.	..	..

20	1	0 5 1	FA
6	1	0 6 9	BL, DH, FH, KL
6	1	0 7 1	BL, DH, FH, KL
100	2	0 5 9	AD, BW, DH, HY, KL, MG, PR, RT, RY, SI, TO
100	2	0 6 9	AD, BW, DH, FA, HY, KL, MG, PR, RT, RY, SI, SL, TO
100	2	0 9 9	HY, TO
100	2	0 9 10	KL
100	2	0 5 5	DH, KL, TO
100	2	0 6 7	RT
		0 7 0	KL
		0 7 1	AB, CM, HY, MG, PB, QE, TO, VA
		(ex 500)	
		0 6 9	KL, RT
		0 8 1	AB, CM, HY, MG, PB, QE, TO, VA
		(ex S.P.)	
100	2	0 7 1	AB, AD, CM, DH, HY, KL, MG, PB, PR, QE, RT, SI, SL, TO, VA, WD

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
304—continued					£ s. d.	
					0 8 2 (ex 500)	AN
					0 6 9	AD, KL, RT, SI
					0 8 1 (ex S.P.)	AB, AN, CM, DH, HY, MG, PB, PR, QE, SL, TO, VA, WD
	1/2 gr.—1/2 gr. tab. ..		100	2	0 7 8 (ex 500)	AB, AN, CM, HY, KL, MG, PB, PR, QE, SL, TO, VA
					0 7 5	KL
					0 8 9 (ex S.P.)	AB, AN, CM, HY, MG, PB, PR, QE, SL, TO, VA
	Nasal Instillations, P.L.		1/2 fl. oz.	2	0 5 11	Extemp.
305 EPHEDRINE SULPHATE, B.P.C.						
	Hypo. Tablet					
	1/2 gr. hypo. tab. (with required solvent) ..		20	1	0 5 1	FA
	Oral Tablet 1/4 gr. tab.		100	2	0 7 5	MG, PD, RT
					0 8 9	KL
	1/2 gr. tab.		100	2	0 9 5	FA, KL, MG, PD, RT, TO
	Oral Tablet with Phenobarbitone					
	1/2 gr.—1/4 gr. tab.		100	2	0 8 1	MG
					0 9 10	FM
					(ex 500)	
					0 10 5	MG
					0 10 9	FM
					(ex S.P.)	

306	ERGOMETRINE MALEATE								
	Injection, B.P.	0.2 mg. per 1 cc. amp.	..	6	..	0 17 8	FH, LY		
		0.5 mg. per 1 cc. I.M. amp.	..	6	..	0 19 5	AD, BD, BL, BW, CM, DH, FH, FM, VR		
		0.125 mg. per 1 cc. I.V. amp.	..	6	..	0 9 5	AD, BD, BW, FH		
	Oral Tablet, B.P.	0.2 mg. tab.	..	25	3	0 16 6	LY		
		0.5 mg. tab.	..	25	3	2 10 9	BD, BW, CM, VR		
307	ERGOTAMINE TARTRATE								
	Injection, B.P.	0.5 cc. amp.	..	6	..	0 13 9	DH, SZ		
		1 cc. amp...	..	6	..	0 18 0	DH		
						0 18 1	SZ		
	Oral Tablet, B.P.	1 mg. tab...	..	50	2	1 10 2	KL		
						1 12 9	AN, DH, HY, QE, TO		
						1 15 11	BD, RD, SZ, VR		
						(ex 100)			
						1 12 9	HY, KL, QE, TO		
						1 14 9	RD		
						1 15 5	DH, SZ		
						1 16 1	VR		
						* 1 16 1	BD		
						2 1 2	AN		
						(ex S.P.)			
	Oral Tablet with Caffeine	1 mg.-100 mg. tab.	..	50	2	1 19 9	KL		
						1 19 10	SZ		
	Compound Suppository	..	..	6	1	0 14 9	SZ		
308	ERYTHROMYCIN								
	Oral Suspension	100 mg. per 5 cc., 75 cc. bot.	CD	1	..	2 14 6	AB		
		200 mg. per 5 cc., 60 cc. bot.	CD	1	..	2 14 6	AB		
	Injection	100 mg. per 2 cc., I.M. amp.	D	4	..	* 3 1 5	AB		
		250 mg., 20 cc. I.V. amp.	D	1	..	1 9 5	LY		
		300 mg. per 10 cc. vial	D	4	..	* 8 2 9	AB		

Item No.	Name, Manner of Administration and Form			Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
							£	s.	d.	
308—continued										
	Oral Tablet, B.P.	100 mg. tab...		D	32	..	3	16	1	AB, LY, UP
		250 mg. tab...		D	32	..	8	4	10	AB, LY, UP
	Oral Capsule	125 mg. cap.		D	32	..	3	16	1	AB, LY
		250 mg. cap.		D	32	..	8	4	10	AB, LY
309 ERYTHRITYLTETRANITRATE										
	Oral Tablet, B.P.C. 1949	5 mg. tab...	..		100	2	0	10	9	BW
		15 mg. tab...	..		100	2	1	2	5	BW
310 ETHANOLAMINE OLEATE										
	Injection, B.P.	5% Solution, 2 mil.	..		6	1	0	8	9	DH, FH, GL
311 ETHINYLOESTRADIOL										
	Oral Tablet, B.P.	0.01 mg. tab.		DG	50	..	0	6	9	HY
							0	6	10	KL
							* 0	7	3	BD, OR
							* 0	8	1	HA
	0.02 mg. tab.		DG	50	..		* 0	8	8	HA
							0	9	2	KL
							* 0	9	5	BD, HY, OR
							* 0	9	10	SC
	0.05 mg. tab.		DG	50	..		0	10	9	KL
							* 0	10	9	BD, HA, HY, OR
							* 0	11	1	SC
	1 mg. tab...		DG	50	..		2	2	9	KL
							* 2	4	1	BD, HY, OR
							* 2	12	8	HA

312	ETHISTERONE	Oral Tablet, B.P.	5 mg. tab.	..	..	DG	50	..	1 10 9	CB
			10 mg. tab.	..	..	DG	50	..	* 1 12 1	BD, KL, OR, PH, RT, SC, VR
			25 mg. tab.	..	..	DG	50	..	* 2 16 1	BD, KL, OR, PH, RT, SC, VR
									* 5 9 5	BD, CB, KL, OR, PH, RT, SC, VR
313	ETHOPROPAZINE HYDROCHLORIDE	Oral Tablet, B.P.	50 mg. tab.	..	..		100	2	* 1 9 5	MB
314	ETHOXZOLAMIDE	Oral Tablet	125 mg. tab.	..	..		50	2	3 0 7 (ex 100) 3 4 1 (ex S.P.)	UP UP
315	ETHYL BISCOUMACETATE	Oral Tablet, B.P.	300 mg. tab.	..	..		100	2	13 16 9	GE
316	ETHYLIDENE DICOUMARIN	Oral Tablet	100 mg. tab.	..	..		100	2	3 5 5	NS
317	EUCALYPTUS OIL	Liniment Compound, P.L.	..	..	..		4 fl. oz.	1	0 9 4	Extemp.
318	EUSOL, A.P.F.	Lotion, P.L.	..	..	..		8 fl. oz.	4	0 7 3	Extemp.
319	EVAPORATING LOTION	Lotion, P.L.	..	..	..		8 fl. oz.	4	0 6 5	Extemp.
320	EXPECTORANT MIXTURE	Mixture, P.L.	..	..	..		8 fl. oz.	4	0 8 7	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
324	EXTRACT OF OX BILE Oral Capsule 5 gr. cap.		50	1	0 10 9	PD
346	FERROUS AMINOACETOSULPHATE Oral Tablet Syrup	C	100 4 fl. oz.	2 4	0 9 5 0 9 5	BP, CO CO
340	FERROUS GLUCONATE Oral Tablet, B.P. 5 gr. tab.		100	2	0 7 6 0 8 1 (ex 500) 0 8 1 0 8 6 (ex S.P.)	AN, DH, FA, GP, HY, KL, MG, QE, RY, VA, WY HA, PR, RT, TO, SZ, VR, WL DH, FA, HA, QE, RY, VA, VR AN, GP, HY, KL, MG, PR, RT, SZ, TO, WL, WY
347	FERROUS SUCCINATE Oral Capsule 150 mg. cap. Elixir 150 mg. per dram, 4 fl. oz. bottle ..	C	100 1	2 4	0 12 6 0 10 9	CA CA
341	FERROUS SULPHATE Mixture for Children, P.L. Oral Tablet, B.P. 3 gr. tab. 5 gr. tab.		4 fl. oz. 100 100	4 2 2	0 6 10 0 6 1 0 7 9 0 8 1	Extemp. HY GP, TO CM, DH, GP, HY, PD, RD, TO, WY
344	FLUDROCORTISONE ACETATE Oral Tablet 1 mg. tab.	D	30	..	5 5 1	SQ

342	FLUOXYMESTERONE	Oral Tablet 5 mg. tab.	D	100	2	10 0 9	CB, UP
343	FOLIC ACID	Injection 15 mg. per cc., 1 cc. amp...	D	12	..	1 14 9	KL
		Oral Tablet, B.P. 5 mg. tab... ..	D	100	2	* 1 14 9	AN
						0 17 2	AD, KL, SI, TO
						0 19 5	AN, CM, HY, MG, RT, RY
						1 2 9	PD, PR
345	FORMYL TETRAHYDROPTEROYL GLUTAMIC ACID.. ..		H	..	..	..	
355	GAMMA BENZENE HEXACHLORIDE	Application, P.L.		4 fl. oz.	1	0 7 4	Extemp.
		Cream, P.L.		1920 gr.	1	0 9 2	Extemp.
356	GAS GANGRENE ANTITOXIN (OEDEMATIENS)	Injection 10,000 U. amp.		3	1	* 1 18 9	CS
357	GAS GANGRENE ANTITOXIN (POLYVALENT)	Injection 1 amp. containing 3,000 U. Welchii, 1,500 U. Septique, 1,000 U. Oedematiens		2	1	* 2 1 3	CS
		1 amp. containing 7,500 U. Welchii, 3,750 U. Septique, 2,500 U. Oedematiens		2	1	* 4 9 3	CS
358	GAS GANGRENE ANTITOXIN (SEPTIQUE)	Injection 5,000 U. amp.		2	1	* 2 1 3	CS

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
359	GAS GANGRENE ANTITOXIN (WELCHII)					
	Injection 4,000 U. amp.		3	1	* 2 9 6	CS
	10,000 U. amp.		10	1	*10 12 9	CS
360	GENTIAN					
	Mixture Acid, P.L.		8 fl. oz.	4	0 8 6	Extemp.
	Mixture Alkaline, P.L.		8 fl. oz.	4	0 9 2	Extemp.
361	GLUCOSE					
	Injection, 2.5% in 1/2 strength normal saline 1/2 litre		2	1	* 1 7 5	DH
	Injection, 3.75% in 1/4 strength normal saline 1/2 litre		2	1	* 1 7 5	DH
	Liquid, B.P. 1953 1 lb.		1	..	0 4 0	WD
					0 5 0	DH, FA
362	GLYCERIN					
	Glycerin, B.P. 4 oz. bottle		1	1	0 3 6	WD
					0 4 3	DH
	Cream, P.L.		1920 gr.	1	0 9 2	Extemp.
	Suppositories, B.P.		12	1	0 3 6	DH, FA, FH
					0 3 9	AN
	Suppositories for Children 15 gr. Glycerin ..		12	1	0 3 6	DH, FA, FH
					0 3 9	AN
363	GLYCERYL TRINITRATE					
	Oral Tablet, B.P. 1/100 gr. tab.		100	2	0 4 4	FA, TO
					0 4 9	BW, DH, HY

364	GUANETHIDINE SULPHATE									
	Oral Tablet	10 mg. tab.	..	..						
		25 mg. tab.	..	..						
					100	2	1	14	9	CB
					100	2	3	18	9	CB
397	HAEMOPHILUS INFLUENZA BACTERIAL SERUM				H					
			..	..						
375	HALIBUT LIVER OIL				P					
	Capsule, B.P.	4,500 U. cap.	..	..						
					100	1	0	18	9	CK, KL, MG, SL
376	HAMAMELIS									
	Suppository with Zinc Oxide, B.P.C.	..	..	..						
	Ointment, B.P.	..	..	..	12	1	0	13	5	AN
					1920 gr.	1	0	18	4	Extemp.
377	HARTMANN'S SOLUTION									
	Injection, B.P.	1 litre bottle..	..	..						
					2	1	*	1	11	5
										BT, DH, EV, FH
378	HARTMANN'S SOLUTION WITH DEXTROSE									
	Injection	5%, 1 litre bottle	..	..						
		10%, 1 litre bottle	..	..	2	1	*	1	11	5
					2	1	*	1	11	5
										BT, DH, FH
										BT, DH, FH
379	HEPARIN									
	Injection, B.P.	1,000 U. per cc., 5 cc. vial..								
					5	..	*	2	9	5
										BT, EV, LP, WP
							*	3	1	1
										AB
		5,000 U. per cc., 5 cc. vial..			2	..	*	4	2	9
										BT, EV, LP, OR, RK, WF
										AB
										AB
		12,500 U. per cc., 1 cc. amp.			2	..	*	3	0	7
										AB, EV
380	HEPARIN RETARD									
	Injection	20,000 U. per 2 mil. amp.	..							
					6	..		8	13	5
										BT

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
393	HEXACHLOROPHENE, 3% WITH ENT-SUFON	H	..	..	£ s. d. ..	
381	HEXAMETHONIUM TARTRATE					
	Injection, B.P. 1 cc. amp.		6	1	* 0 12 2	MB
	Oral Tablet, B.P. 350 mg. tab.		25	3	* 0 8 0	MB
398	HEXOCYCLIMUM METHYL SULPHATE					
	Oral Tablet 25 mg. tab.		100	2	* 3 2 3	AB
382	HEXOESTROL					
	Injection 1 mg. per 1 cc. amp.		6	1	0 8 9	AN, FM
	5 mg. per 1 cc. amp.		6	1	0 10 1	AN, FM
383	HEXYLRESORCINOL					
	Oral Pill 100 mg. pill		5	..	0 12 9	MK
	200 mg. pill		5	..	0 14 1	MK
384	HISTAMINE ACID PHOSPHATE					
	Injection, B.P. 0.5 mg. per 0.5 cc. amp.		6	1	0 8 1	BD
	1 mg. per 1 cc. amp.		6	1	0 8 5	BD
	10 mg. per 10 cc. vial		1	1	0 8 9	BD

385 HYALURONIDASE

Injection 1 mg. amp. containing 1,500 I.U.
(with required solvent)
3 mg. amp. containing 1,500 I.U.
(with required solvent)
500 I.U. amp.
(with required solvent)
Set containing 3 amps. each of 350
I.U. and 3 amps. of solvent ..
Set containing 3 amps. each of 500
I.U. and 3 amps. of solvent ..

5	1	1 15 1	FO
6	1	2 4 5	EV
5	1	* 2 0 8	WY
1	1	1 4 1	SC
1	1	1 2 9	OR

386 HYDROCHLORIC ACID DILUTE

Mixture, P.L.

8 fl. oz.	4	0 11 11	Extemp.

392 HYDROCHLOROTHIAZIDE

Oral Tablet 25 mg. tab.
50 mg. tab.

50	2	1 11 5	CB, DL, GA, GP, HY, MK
50	2	2 13 5	CB, DL, GA, GP, HY, MK

387 HYDROCORTISONE

Injection, B.P. (or Rectal Drip)
5 mg. per cc., 20 cc. I.V. amp.
Eye Drops 0.5%

AD

1	..	2 0 1	BT, MK, OR, RL
2 mil.	2	0 12 1	SC
5 mil.	2	0 17 5	KL
		0 19 5	DH, HA, MK
10 mil.	2	0 18 9	AN, KL
3 mil.	2	0 19 5	AN, GL, HA, RL, SI
5 mil.	2	0 19 5	KL
10 mil.	2	1 6 9	KL
3 mil.	2	2 0 9	HA
5 mil.	2	2 0 9	KL
		2 12 9	DH, MK, SI
10 mil.	2	2 10 9	AN, KL

1%
2.5%

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
						£ s. d.
387— <i>continued</i>						
	Eye Ointment 0.5%		3 G.	..	0 9 5	GL, HA, RL
			4 G.	..	0 10 9	DH, KL
					0 11 8	AN, UP
					0 13 5	PF
			5 G.	..	0 10 9	SI
394	HYDROCORTISONE ACETATE (For Local Use)					
	Injection 25 mg. per cc., 1 cc. vial		5	..	2 7 2	DH, MK, RL
					2 7 4	AB, AN
					* 2 7 4	BT, SC
					* 2 11 4	GL
	5 cc. vial		1	..	2 8 1	AN, GL, MK, RL
389	HYDROCORTISONE SODIUM SUCCINATE					
	Injection 100 mg. of base in 2 cc. amp. ..	D	1	..	3 17 5	GL, UP
395	HYDROFLUMETHIAZIDE					
	Oral Tablet 50 mg. tab.		50	2	2 0 1	BT, GL, LP SQ

390 HYDROGEN PEROXIDE SOLUTION

10 vol. 4 oz. bottle

8 oz. bottle

20 vol., B.P. 4 oz. bottle

Ear Drops, P.L.

396 HYDROXYCHLOROQUINE SULPHATE

Oral Tablet 200 mg. tab.

391 HYOSCINE HYDROBROMIDE

Injection, B.P. 1/150 gr. amp.

1/100 gr. amp.

1/75 gr. amp.

Hypo. Tablet, B.P.

1/200 gr. hypo. tab. (with required solvent)

1/150 gr. hypo. tab. (with required solvent)

1/100 gr. hypo. tab. (with required solvent)

Oral Tablet, B.P. 1/100 gr. tab.

410 ICHTHAMMOL

Ear Drops, P.L.

Paint, P.L.

Pessary, 5%

Eye Ointment with Zinc Oxide, P.L.

411 INDIGO CARMINE

Injection 0.4%, 4 cc. amp.

0.4%, 10 cc. amp.

1	..	0	1	8	WD
		0	2	0	DH, FA
1	..	0	2	3	WD
		0	2	8	DH, FA
1	..	0	2	2	WD
		0	2	6	DH
1/2 fl. oz.	2	0	5	9	Extemp.
100	2	2	4	1	WL
6	..	0	6	9	BL, DH, FH, KL
6	..	0	6	9	BL, BT, DH, FH, KL
6	..	0	6	9	BL, KL
20	1	0	4	9	PD
20	1	0	4	9	DH, FA, PD
20	1	0	5	1	DH, FA, PD
100	2	0	8	1	DH, HY
1/2 fl. oz.	2	0	6	3	Extemp.
1 fl. oz.	1	0	7	1	Extemp.
12	1	0	10	9	AN
60 gr.	..	0	6	1	Extemp.
6	..	0	10	9	DH, FH
6	..	0	17	5	DH

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
412 INSULIN						
	Injection, B.P. 20 U. per cc., 10 cc. vial ..		10	2	* 1 16 8	BW, CS, SE
	40 U. per cc., 5 cc. vial ..		10	2	* 1 16 8	BW, GL-BD, SE, WP
	40 U. per cc., 10 cc. vial ..		10	2	* 3 9 2	BT, BW, CS, DH, EV, GL-BD, SE, WP
	80 U. per cc., 5 cc. vial ..		10	2	* 3 9 2	BT, BW, GL-BD
	80 U. per cc., 10 cc. vial ..		10	2	* 6 0 0	BT, BW, CS, DH, EV, GL-BD, SE
	100 U. per cc., 5 cc. vial ..		10	2	* 3 17 6	CS
	300 U. per cc., 5 cc. vial ..		10	2	* 11 12 6	CS
413 INSULIN GLOBIN ZINC						
	Injection, B.P. 40 U. per cc., 5 cc. vial ..		10	2	* 2 1 8	BT, BW, WP
	80 U. per cc., 5 cc. vial ..		10	2	* 3 15 0	BT, BW, WP
414 INSULIN ISOPHANE (N.P.H.)						
	Injection 40 U. per cc., 10 cc. vial ..		10	2	* 4 10 0	BT, BW, CS, DH, GL-BD
	80 U. per cc., 10 cc. vial ..		10	2	* 8 10 0	BT, BW, CS, DH, GL-BD
415 INSULIN PROTAMINE ZINC						
	Injection, B.P. 40 U. per cc., 5 cc. vial ..		10	2	* 2 1 8	BT, BW, GL-BD, SE, WP
	40 U. per cc., 10 cc. vial ..		10	2	* 3 15 0	BT, BW, CS, DH, EV, GL-BD, SE, WP
	80 U. per cc., 5 cc. vial ..		10	2	* 3 15 0	BT, BW, GL-BD
	80 U. per cc., 10 cc. vial ..		10	2	* 6 13 4	BW, CS, DH, EV, SE
416 INSULIN SPECIAL P (PIG)						
	Injection 40 U. per cc., 10 cc. vial ..		10	2	* 3 15 0	CS

417 INSULIN ZINC

Suspension, B.P.—Injection

40 U. per mil., 10 mil. vial

80 U. per mil., 10 mil. vial

Suspension (Amorphous), B.P.—Injection

40 U. per mil., 10 mil. vial

80 U. per mil., 10 mil. vial

Suspension (Crystalline), B.P.—Injection

40 U. per mil., 10 mil. vial

80 U. per mil., 10 mil. vial

418 IODINE

Non-staining Ointment, B.P.C.

Solution Aqueous, B.P. (Lugol's)

Solution, Weak, B.P.

Paint, Compound

428 IODOCHLORHYDROXYQUINOLINE

Oral Tablet 250 mg. tab.

419 IODOXYL

Injection, B.P. 10 cc. vial

20 cc. vial

420 IPECACUANHA

Oral Tablet with Opium, B.P.

421 IPECACUANHA TINCTURE

Mixture with Squill for Children, P.L. ..

10

2

* 4 10 0

BT, BW, CS, EV, GL-BD

10

2

* 8 10 0

BT, BW, CS, EV, GL-BD

10

2

* 4 10 0

BT, BW, CS, EV, GL-BD

10

2

* 8 10 0

BT, BW, CS, EV, GL-BD

10

2

* 4 10 0

BT, BW, CS, EV, GL-BD

10

2

* 8 10 0

BT, BW, CS, EV, GL-BD

1920 gr.

1

0 12 5

Extemp.

4 fl. oz.

1

0 12 1

Extemp.

4 fl. oz.

1

0 11 2

Extemp.

1 fl. oz.

1

0 7 3

Extemp.

100

2

1 2 1

CB

1

1

0 11 9

DH, GL, MB

1

1

1 0 4

DH, FH, GL, MB, SC

100

2

0 8 9

DH, HY, TO

4 fl. oz.

4

0 8 1

Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
422	IRON AND AMMONIUM CITRATE				£ s. d.	
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 11	Extemp.
	Mixture with Nux Vomica, P.L.		8 fl. oz.	4	0 7 5	Extemp.
426	IRON OXIDE SACCHARATED					
	Injection 100 mg. per 5 cc. I.V. amp. ..	D	6	..	1 2 9	CK, FC
					* 1 6 5	EV
	200 mg. per 10 cc. I.V. amp. ..	D	6	..	1 14 9	CK
423	ISONIAZID					
	Oral Tablet, B.P. 50 mg. tab.	D	200	2	0 10 9	DH, HY, KL, RY
					0 12 9	AN
					* 0 13 5	AD, CM, HA, PR, SI
					* 0 17 5	RO
	100 mg. tab.	D	100	2	0 12 9	AD, AN, CM, DH, HY, KL, PR, RY, SI
					0 16 1	RO
424	ISOPRENALINE HYDROCHLORIDE					
	Inhalation 1 in 200, 1/2 fl. oz. bottle ..		1	1	0 6 1	WL
	Oral Tablet 10 mg. tab.		100	2	0 14 1	WL
425	ISOPRENALINE SULPHATE					
	Inhalation 10 mg. per cc., 7 cc. vial ..		1	1	0 7 1	BW
	Oral Tablet, B.P. 20 mg. tab.		100	2	0 18 9	AB, BW
					0 19 5	CM
	Spray, B.P.C.		1/2 fl. oz.	2	0 7 7	Extemp.

429 ISOPROPAMIDE IODIDE									
Oral Tablet	5 mg. tab.	..	..	..	100	2	2 18 9	SK	
450 KAOLIN, LIGHT									
Mixture for Children, P.L.		..	..	..	4 fl. oz.	4	0 6 9	Extemp.	
Mixture, Alkaline, P.L.		..	..	..	8 fl. oz.	4	0 7 0	Extemp.	
Mixture with Opium, P.L.		..	..	..	8 fl. oz.	4	0 8 6	Extemp.	
Internal Powder, Compound, P.L.		..	..	..	1920 gr.	1	0 8 5	Extemp.	
Dusting Powder, Compound, P.L.		..	..	..	1920 gr.	1	0 7 7	Extemp.	
451 KAOLIN, HEAVY									
Poultice, B.P.	1/2 lb.	..	..	..	1	1	0 5 5	AL	
							0 5 6	FA	
	1 lb.	..	..	..	1	1	0 8 11	AL, FA	
460 LEPTAZOL									
Injection, B.P.	1.1 cc. amp.	..	..	..	6	1	* 0 9 6	KN	
	5 cc. amp.	..	..	..	6	1	* 1 8 9	KN	
461 LOBELIA AND STRAMONIUM									
Mixture, P.L.		..	..	..	8 fl. oz.	4	0 9 4	Extemp.	
462 LUCANTHONE HYDROCHLORIDE									
Oral Tablet, B.P.	200 mg. tab.	..	..	..	30	..	1 8 1	BW	
	500 mg. tab.	..	..	..	100	..	8 10 9	BW	
475 MAGENTA, B.P.C.									
Paint with Resoreinol, P.L.		..	..	..	1 fl. oz.	1	0 6 8	Extemp.	
476 MAGNESIUM BICARBONATE SOLUTION									
Solution, B.P. 1948	8 fl. oz. bottle	..			1	4	0 2 6	FA	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
477	MAGNESIUM CARBONATE, LIGHT Mixture, P.L.		8 fl. oz.	4	£ s. d. 0 7 6	Extemp.
478	MAGNESIUM HYDROXIDE MIXTURE Mixture, B.P. 6 fl. oz. bottle		1	4	0 2 6 0 3 0	FA DH
479	MAGNESIUM SULPHATE Paste, A.P.F. Mixture, P.L.		1920 gr. 8 fl. oz.	1 4	0 7 2 0 6 11	DH, FA Extemp.
480	MAGNESIUM TRISILICATE Mixture, P.L. Internal Powder with Belladonna, P.L. . .		8 fl. oz. 1920 gr.	4 1	0 7 0 0 9 11	Extemp. Extemp.
481	MALT EXTRACT Extract, B.P. Extract with Cod Liver Oil, B.P. . . .	CP CP	1 lb. 1 lb.	3 3	0 5 0 0 5 6	FA, WD WD
482	MECAMYLAMINE Oral Tablet 2.5 mg. tab. 10 mg. tab.		100 100	2 2	1 2 9 3 17 4 (ex 500) 3 18 9 (ex S.P.)	MK MK MK
483	MECHOLYL CHLORIDE Injection 25 mg. amp.		6	..	1 6 1	SY

84	MENAPHTHONE									
	Aqueous Injection	1 mg. per 1 cc. amp.	..		6	1	0 9 1	RO		
							0 11 5	PD		
		5 mg. per 1 cc. amp.	..		6	1	0 9 5	AD, BL, FH, FM		
		10 mg. per 1 cc. amp.	..		6	1	0 9 5	AD, BL, DH, FH, GL, RO		
		75 mg. per 1 cc. amp.	..		6	1	1 0 9	BL, DH, FH		
	Oily Injection	5 mg. per 1 cc. amp.	..		6	1	0 8 9	AD		
							0 12 9	BD, FH, VM		
		10 mg. per 1 cc. amp.	..		6	1	0 12 9	AD, DH, FH,		
	Oral Capsule	4 mg. cap.			100	2	1 1 5	PD		
	Oral Tablet	5 mg. tab.			100	2	0 8 1	FM, HY		
		10 mg. tab.			100	2	0 10 9	FM		
485	MENTHOL									
	Inhalation Compound, P.L.		..		2 fl. oz.	1	0 10 1	Extemp.		
486	MEPACRINE HYDROCHLORIDE									
	Oral Tablet, B.P.	100 mg. tab.			100	2	0 10 2	IC		
487	MEPYRAMINE MALEATE									
	Injection	2.5%, 2 cc. amp.	..		10	..	0 12 9	MB		
	Oral Tablet, B.P.	50 mg. tab.			50	1	0 8 1	MB		
		100 mg. tab.			50	1	0 10 9	MB		
488	MERCAPTOMERIN SODIUM									
	Injection	Set containing 1.4 G. per 10 cc. vial and 10 cc. water for injection		..	3	..	* 2 17 6	WY		
489	MERCAPTOPURINE									
	Oral Tablet	50 mg. tab.		D	25	..	5 9 5	BW		
490	MERCURIC OXIDE									
	Eye Ointment, B.P.		..		60 gr.	..	0 4 1	AN, FH		
							0 4 6	DH		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
491	MERSALYL ACID					
	Injection, B.P. 1 cc. amp.		12	..	* 0 12 9	AD, BD, DH, EV, FH
					* 0 15 5	BA
	2 cc. amp.		12	..	* 0 13 11	AD, BL, DH, EV, FH, VR
					* 0 14 9	BD
					* 0 18 1	BA, BT
507	METHENAMINE MANDELATE					
	Oral Tablet 250 mg. tab.		100	2	0 14 1	WW
492	METHOIN					
	Oral Tablet, B.P. 100 mg. tab.		200	1	1 7 1	SZ
493	METHORPHINAN, B.P.C.					
	Injection 2.2 mg. per 1.1 cc. amp. ..	D	6	..	0 10 9	RO
	Oral Tablet 1.5 mg. tab.	D	50	..	1 0 6	RO
508	METHOTREXATE	H	..	..	..	
509	METHSCOPOLAMINE BROMIDE					
	Oral Tablet 2.5 mg. tab.		100	2	2 11 9	AN
					3 4 1	UP

94 METHYLAMPHETAMINE HYDRO-CHLORIDE										
Injection, B.P. 30 mg. per 1.5 cc. amp. ..						6	1	0 10 9	BT, BW	
Oral Tablet, B.P. 5 mg. tab... ..						100	2	0 13 5	CO	
								0 14 9	AB, BW, KL, MG, PH, QE VR	
495 METHYL ANDROSTANOLONE										
Oral Tablet 25 mg. tab.						D 100	2	8 2 9	RL	
496 METHYLANDROSTENEDIOL										
Oral Tablet 5 mg. tab.						D 100	2	1 12 1	MR	
10 mg. tab.						D 100	2	2 17 5	MR, OR	
497 METHYLCELLULOSE, A.P.F.										
Eye Drops, P.L.						1/2 fl. oz.	2	0 7 7	Extemp.	
498 METHYLERGOMETRINE MALEATE										
Injection, B.P. 0.2 mg. per mil., 0.5 mil. amp.						6	..	0 11 9	SZ	
0.2 mg. per mil., 1.0 mil. amp.						6	..	0 15 1	SZ	
Oral Tablet 0.125 mg. tab.						100	2	3 14 5	SZ	
499 METHYL SALICYLATE										
Liniment, P.L.						4 fl. oz.	1	0 9 4	Extemp.	
500 MORPHINE HYDROCHLORIDE SOLUTION										
Linctus, P.L.						8 fl. oz.	4	0 13 10	Extemp	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
						£ s. d.
501	MORPHINE SULPHATE					
	Hypo. Tablet, B.P.					
	1/12 gr. hypo. tab. (with required solvent) .		20	..	0 4 9	DH
	1/8 gr. hypo. tab. (with required solvent) ..		20	..	0 5 1	DH, FA, PD
	1/6 gr. hypo. tab. (with required solvent) ..		20	..	0 5 5	DH, FA, PD
	1/4 gr. hypo. tab. (with required solvent) ..		20	..	0 5 9	DH, FA, PD
	1/3 gr. hypo. tab. (with required solvent) ..		20	..	0 6 1	DH
	1/2 gr. hypo. tab. (with required solvent) ..		20	..	0 6 9	DH, FA, PD
	Injection, B.P. 1/6 gr. amp.		6	..	0 8 5	AD, BL, BT, DH, FH, KL
	1/4 gr. amp.		6	..	0 8 5	AD, BL, BT, DH, FH, KL
	1/3 gr. amp.		6	..	0 8 5	BL, DH, FH, KL
	1/2 gr. amp.		6	..	0 8 5	BL, BT, DH, FH, KL
	1/4 gr. per cc., 10 cc. vial ..		1	..	0 6 1	FH, PD
	1/2 gr. per cc., 10 cc. vial ..		1	..	0 7 5	DH, FA, FH
502	MORPHINE WITH ATROPINE					
	Morphine Sulphate 1/12 gr.; Atropine Sulphate					
	1/150 gr.—Hypo. Tab.		20	..	0 4 6	DH
	(with required solvent)					
	Morphine Sulphate 1/8 gr.; Atropine Sulphate					
	1/150 gr.—Hypo. Tab.		20	..	0 5 1	DH
	(with required solvent)					
	Morphine Sulphate 1/6 gr.; Atropine Sulphate					
	1/200 gr.—Injection amp.		6	..	0 8 5	DH
	Morphine Sulphate 1/6 gr.; Atropine Sulphate					
	1/180 gr.—Hypo. Tab.		20	..	0 5 5	DH
	(with required solvent)					

502—continued

Morphine Sulphate 1/6 gr.; Atropine Sulphate 1/150 gr.—Hypo. Tab.	20	..	0	5	5	DH, FA	
(with required solvent)							
Injection amp.	6	..	0	8	5	BL, BT, DH, FH	
Morphine Sulphate 1/6 gr.; Atropine Sulphate 1/120 gr.—Injection amp.	6	..	0	8	5	DH	
Morphine Sulphate 1/4 gr.; Atropine Sulphate 1/150 gr.—Hypo. Tab.	20	..	0	5	9	DH, FA, PD	
(with required solvent)							
Injection 1 cc. amp...	6	..	0	8	5	AD, BL, BT, DH, FH, KL	
per cc., 10 cc. vial	1	..	0	6	0	FA, PD	
Morphine Sulphate 1/4 gr.; Atropine Sulphate 1/120 gr.—Hypo. Tab.	20	..	0	5	9	DH	
(with required solvent)							
Morphine Sulphate 1/4 gr.; Atropine Sulphate 1/100 gr.—Hypo. Tab.	20	..	0	5	9	DH, FA	
(with required solvent)							
Injection amp.	6	..	0	8	5	BL, BT, DH, FH	
503 MORPHINE WITH HYOSCINE							
Morphine Sulphate 1/4 gr.; Hyoscine Hydrobromide 1/100 gr.—Injection 1 cc. amp...	6	..	0	8	5	AD, BL, DH, FH	
504 MUSTINE HYDROCHLORIDE							
Injection, B.P.							
10 mg. amp. (with required solvent)	D	1	..	0	19	5	BT
541 NALORPHINE HYDROBROMIDE							
Injection, B.P. 10 mg. amp.	6	1	1	2	9	AN, BW	
1 mg. per mil., 5 mil. vial .	1	..	0	11	9	BW	
553 NEOMYCIN SULPHATE							
Eye Drops, 0.35%	10 mil.	2	0	9	5	DH, HA, SI	

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
542	NEOSTIGMINE BROMIDE							£ s. d.	
	Oral Tablet, B.P.	15 mg. tab.	..	..		100	2	1 4 9	RO
	Eye Drops	..	..	..		7.5 mil.	2	0 13 10	RO
543	NEOSTIGMINE METHYLSULPHATE								
	Injection, B.P.	0.5 mg. per cc., 1 cc. amp.				6	3	0 8 6	RO
		2.5 mg. per cc., 5 cc. vial	..			1	1	0 9 5	RO
544	NICOTINAMIDE								
	Injection, B.P.	50 mg. per cc., 1 mil. amp.				6	1	0 8 5	BD, DH, FH
	Oral Tablet, B.P.	50 mg. tab.	..	..	P	100	2	0 8 1	AB, AN, BD, DH, KL, MG, PR, RT, SL, TO
		100 mg. tab.	..	..	P	100	2	0 13 5	AB, AN, DH, KL, MG, RT,
545	NICOTINIC ACID								
	Oral Tablet, B.P.	25 mg. tab.	..	..	P	100	2	0 4 9	AB, HY, KL, RY, TO
		50 mg. tab.	..	..	P	100	2	0 6 1	AB, AD, AN, DH, HY, KL, MG, PR, RT, RY, SI, TO, VA, WD
		100 mg. tab.	..	..	P	100	2	0 6 9	AB, AN, DH, HY, KL, MG, RT, RY TO, VA
		250 mg. tab.	..	..	P	100	2	0 9 5 0 10 9	AD, KL, RT, RY, SI, VA AB, HY, MG, TO, WD
551	NICOUMALONE								
	Oral Tablet	4 mg. tab.	..	..		50	..	1 13 5	GE

546	NIKETHAMIDE									
	Injection, B.P.	1.5 cc. amp.	..	..	..	6	1	0 8 1	CB	
		2 cc. amp.	..	..	..	6	1	0 6 9	BT, FH	
		5 cc. amp.	..	..	..	6	1	0 13 5	BD	
								* 0 15 5	CB	
547	NITROFURANTOIN									
	Oral Tablet	50 mg. tab.	..	..	..	D	25	1	1 18 1	SK
548	NITROMIN									
	Injection	50 mg. amp.	..	..	..	D	5	1	4 6 1	SI
	(with required solvent)									
	Oral Tablet	5 mg. tab.	..	..	..	D	100	2	5 16 1	SI
549	NORADRENALINE ACID TARTRATE									
	Injection	1 in 1,000, 2 mil. amp.	..	..	..	6	..	1 16 9	WL	
552	NORETHANDROLONE				..	..	..	..		
550	NYSTATIN									
	Oral Tablet	500,000 U. tab.	..	..	..	D	50	..	3 7 5	SQ
	Vaginal Tablet	100,000 U. vaginal tab.	..	..	..	D	15	..	1 1 1	SQ
561	OESTRADIOL DIPROPIONATE									
	Injection	5 mg. per 1 cc. amp.	..	..	..	6	1	* 2 7 4	CB	
562	OESTRADIOL MONOBENZOATE									
	Injection, B.P.	2 mg. per cc., 1 mil. amp.	..	..	..	6	1	1 10 9	BD, FH, OR	
563	OESTRONE									
	Injection	1,000 U. amp. aqueous	..	..	..	6	1	0 10 9	OR	
		10,000 U. amp. oily	..	..	..	6	1	0 17 5	OR	
	Suppository	1,000 U.	..	..	..	12	1	0 18 6	OR	
								0 18 9	BD	
		10,000 U.	..	..	..	12	1	1 10 5	OR	

Item No.	Name, Manner of Administration and Form						Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
564	OLIVE OIL, B.P.									£ s. d.	
	2 oz. bottle	..	..	..	..	..		1	..	0 1 9	WD
	4 oz. bottle	..	..	..	..	..		1	..	0 2 9	WD
	5 oz. bottle	..	..	..	..	..		1	..	0 3 3	DH
	8 oz. bottle	..	..	..	..	..		1	4	0 4 9	WD
565	OUABAIN										
	Injection, B.P.	0.25 mg. amp.	..	..	..	..		3	..	* 0 17 0	NA
		0.5 mg. amp.	..	..	..	..		3	..	* 0 18 2	NA
571	OXYPHENCYCLIMINE HYDRO- CHLORIDE										
	Oral Tablet	10 mg. tab.	..	..	..	..		100	2	3 9 5	PF
572	OXYPHENONIUM BROMIDE										
	Oral Tablet	10 mg. tab.	..	..	..	..		100	2	1 4 1	CB
566	OXYTETRACYCLINE DIHYDRATE										
	Oral Tablet, B.P.	100 mg. tab.	..	..	..	..	D	25	..	2 8 9	PF
		250 mg. tab.	..	..	..	..	D	16	..	3 9 5	PF
567	OXYTETRACYCLINE HYDROCHLORIDE										
	Oral Suspension	125 mg. per 5 cc., 2 fl. oz. bottle	..	..	..	..	CD	1	..	1 11 5	PF
	Injection, B.P.	100 mg. vial I.M.	..	..	..	..	D	6	..	* 4 18 9	PF

567—continued

250 mg. per cc., 10 cc. vial, I.V. (with required solvent)	D	6	..	* 8 10 9	PF
Oral Capsule 50 mg. cap.	D	25	..	1 8 1	PF
100 mg. cap.	D	25	..	2 8 9	PF
250 mg. cap.	D	16	..	3 3 11	PF
				(ex 100)	
				3 9 5	PF
				(ex S.P.)	
Eye Ointment, 0.5%		60 gr.	..	0 6 9	PF
570 OXYTETRACYCLINE I.M. Solution, Preconstituted	H	..	..	..	
568 OXYTETRACYCLINE OPHTHALMIC SUSPENSION Suspension, 1%		6 mil.	2	0 12 0	PF
569 OXYTOCIN Injection, B.P. 0.5 cc. amp. 1 cc. amp.		6 6		0 12 9 0 18 1	PD PD
581 PANCREATIN Oral Powder 1 oz. vial Oral Tablet 5 gr. tab.	D D	1 100	2 2	0 17 1 1 1 1	PD OP, PD
582 PANCREX 5 Oral Tablet 1 gr. tab.	D	100	2	0 14 1	ST

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
583	PAPAVRETUM, B.P.C.					
	Hypo. Tablet, B.P.C.					
	1/3 gr. hypo. tab. (with required solvent) ..		20	..	* 0 7 7	RO
	Injection, B.P.C. 1/6 gr. per 1 cc. amp...		6	..	0 7 9	BL
	20 mg. per 1 cc. amp...		6	..	0 6 9	BT, FH, RO
					0 7 9	BL
	Oral Tablet, B.P.C. 1/6 gr. tab.		20	..	* 0 5 10	HY
					0 6 9	RO
584	PAPAVRETUM WITH HYOSCINE HYDROBROMIDE					
	Injection—					
	Papaveretum 20 mg.; Hyoscine Hydrobromide 0.43 mg. 1 cc. amp.		6	..	0 7 2	BT, FH, RO
585	PAPAVERINE HYDROCHLORIDE					
	Injection 1/3 gr. per 1 cc. amp.		6	..	0 7 5	FH, KL
	1.5 gr. per 5 cc. amp.		6	..	0 13 5	AN
	2 gr. per 10 cc. amp.		6	..	0 13 5	DE, KL
					* 0 13 5	FH, FA
	Oral Tablet 3/4 gr. tab.		100	2	0 18 9	AN, KL, QE, RT
					1 1 5	HY, MG,
	1.5 gr. tab.		100	2	1 10 9	AN, DE, FA, KL, QE, RT
					1 14 9	HA, HY, MG, PR

586	PARA-AMINOSALICYLIC ACID					D D	200 200	2 2	* 1	1	5	DH						
	Oral Tablet	300 mg. tab.	..	..	..				1	1	2	KL						
		500 mg. tab.	..	..	..					1	2	9	AN					
										*	1	2	9	DH				
										*	1	5	3	AD, SI				
587	PARAFFIN, HARD						1920 gr.	1	0	10	7	Extemp.						
	Ointment, B.P.	..	..	..	..													
588	PARAFFIN LIQUID																	
	Liquid Paraffin	8 oz. bottle	..										1	4	0	2	3	FA, WD
															0	2	6	DH, RT
	Emulsion, Paraffin, 33%	16 fl. oz. bottle	..			1	4	0	6	6	FA, MG, SI							
								0	7	3	DH, SL, WW, WY							
589	PARALDEHYDE						6 6 8 fl. oz.	1 1 4	0	12	9	DH, FH, FM DH, FH, FM Extemp.						
	Injection	5 cc. amp...	..	..	..													
		10 cc. amp...	..	..	..													
	Mixture, P.L.	..	..	..	..													
590	PARAMETHADIONE						200	1	6	14	4	AB						
	Oral Capsule, B.P.	300 mg. cap.	..	..	..													
651	PENICILLINASE																	
	Injection	800,000 U. amp.	..	..	..								1	..	5	2	9	CS
															5	12	9	SI
652	PENICILLIN BENETHAMINE						1	..	0	10	9	GL						
	Injection with Penicillin Procaine and Penicillin Sodium—																	
	vial containing:																	
	500,000 U. Penicillin, Benethamine;																	
	250,000 U. Penicillin, Procaine;																	
	500,000 U. Penicillin, Sodium ..																	
	(with required solvent)																	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
591	PENICILLIN, BENZATHINE				£ s. d.	
	Oral Tablet, B.P. 200,000 U. tab.		100	1	2 12 9	WY
	Injection with Penicillin, Procaine and Penicillin, Potassium— vial containing: 600,000 U. Penicillin, Benzathine; 300,000 U. Penicillin, Procaine; 300,000 U. Penicillin, Potassium .. (with required solvent)		1	..	0 11 8	WY
592	PENICILLIN, BENZYL					
	Oral Tablet, B.P. 200,000 U. tab.		25	3	0 16 1	GL, SI
	400,000 U. tab.		25	3	1 6 9	GL
	Injection, B.P.					
	100,000 U. amp. (with required solvent) ..		6	..	* 0 14 9	BD, GL, SI
	200,000 U. amp. (with required solvent) ..		6	..	* 0 15 3	BD, BT, GL, SI
	500,000 U. amp. (with required solvent) ..		6	..	* 1 2 9	BT, CS, DL, GL, LP, SI
	Set containing 1 vial Penicillin G. 500,000 U. and 1 vial Double Distilled Water 2 cc.		6	..	* 1 6 3	BT, CS, DH
	1,000,000 U. amp. (with required solvent)		6	..	* 1 8 9	BT, CS, DH, DL, EV, GL, SI
	Set containing 1 vial Penicillin G. 1,000,000 U. and 1 vial Double Distilled Water 2 cc.		6	..	* 1 12 3	BT, CS, DH

592—continued

1,500,000 U. amp. (with required solvent) ..	
Set containing 1 vial Peni- cillin G. 1,500,000 U. and 1 vial Double Distilled Water	
Eye Drops 30,000 U. per 1/2 fl. oz. ..	
Eye Ointment 2,000 U. per G. ..	

6	..	* 2 1 3	BT, DH, GL, SI
6	..	* 2 4 9	DH
1/2 fl. oz.	2	0 10 4	SI
4 G.	..	0 5 1	SI
		0 5 5	DH

593 PENICILLIN BENZYL PROCAINE

(Aqueous Suspension) Injection, B.P.—

300,000 U. amp.	
400,000 U. vial	
600,000 U. vial	
900,000 U. vial	
1,000,000 U. vial	
1,500,000 U. vial	

6	..	* 1 6 3	BT
6	..	* 1 6 9	DH
6	..	* 1 13 3	BT, DH, FA
6	..	* 2 0 3	BT, CS, DH, EV, SI, VR
6	..	* 2 2 9	AB, DH, EV, FA, SI
6	..	* 2 14 9	CS, DH, EV, FA, GL, SI, VR

(Crystalline) Injection—

300,000 U. amp. (with required solvent) ..	
Set containing 1 vial Penicillin 300,000 U. and 1 vial Water for Injection ..	
900,000 U. amp. (with required solvent) ..	
Set containing 1 vial Penicillin 900,000 U. and 1 vial Water for Injection ..	
1,500,000 U. amp. (with required solvent) ..	
Set containing 1 vial Penicillin 1,500,000 U. and 1 vial Water for Injection ..	

6	..	* 1 2 3	CS, DL, GL, SI
6	..	* 1 6 3	CS
6	..	* 1 16 3	CS, DL, GL, SI
6	..	* 2 0 3	CS
6	..	* 2 10 9	CS, SI
6	..	* 2 14 9	CS

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
594	PENICILLIN BENZYL, PROCAINE FORTIFIED Injection, B.P.— 400,000 U. amp. (with required solvent) .. Set containing 1 vial Penicillin 400,000 U. and 1 vial Water for Injection .. 600,000 U. amp. (with required solvent) .. 1,200,000 U. amp. (with required solvent) .. Set containing 1 vial Penicillin 1,200,000 U. and 1 vial Water for Injection .. 1,500,000 U. amp. (with required solvent) ..		6 6 6 6 6 6		£ s. d. * 1 2 9 * 1 6 9 * 1 9 3 * 2 4 9 * 2 8 9 * 2 10 9	CS, DL, SI CS DH BT, CS, DH, DL, CS DH
595	PENICILLIN, PHENOXYMETHYL (BENZATHINE, CALCIUM, HYDRABAMINE OR POTASSIUM SALT OR FREE ACID) (Suspension) Oral 125 mg. per dram, 2 fl. oz. bottle Oral Tablet 60 mg. tab. 125 mg. tab. 250 mg. tab. Oral Capsule 125 mg. cap. 250 mg. cap.	C	1 24 24 12 24 12	 1 . 1	1 5 1 0 15 1 1 4 1 1 1 3 (ex 100) 1 2 9 (ex S.P.) 1 4 1 1 1 3 (ex 100) 1 2 9 (ex S.P.)	AB, BT, CM, CS, DH, DL, FA, GL, IC, SI AB, BT, CM, CS, DH, DL, GL, LY, SI AB, AN, BT, CM, CS, DH, DL, FA, GL, IC, LP, LY, SI AB, AN, BT, CM, CS, DH, DL, FA, GL, IC, LP, LY, SI AB, AN, BT, CM, CS, DH, DL, FA GL, IC, LP, LY, SI AB, FA AB, FA AB, FA

596 PENICILLIN WITH STREPTOMYCIN

Injection Amp. containing Penicillin, Crystalline 100,000 U. Penicillin, Procaine 300,000 U. Streptomycin 500 mg. (with required solvent)
 Vial containing Sodium Benzyl Penicillin 500,000 U. and Streptomycin Sulphate 500 mg. ..
 (with required solvent)

D

6

..

* 1 12 9

GL, SI

D

6

..

* 1 12 9

GL

597 PENTAERYTHRITOL TETRANITRATE

Oral Tablet 10 mg. tab.
 20 mg. tab.
 30 mg. tab.
 80 mg. tab. (Sustained Action)

100

2

0 8 1

HY, WW

100

2

0 9 5

HY, RK, WW

100

2

0 10 9

HY

0 11 2

WL

0 14 9

HY, WW

598 PENTOBARBITONE SODIUM

Oral Tablet, B.P. 1/2 gr. tab.
 1.5 gr. tab.

50

2

0 6 5

AB, DH, KL

0 6 6

HY, QE

0 6 9

AN, GP, RY, TO, VA

0 7 1

MG

0 5 5

TO

0 5 9

AD, DH, FA, HY, KL, MG, QE, RT, RY, SI, SL, VA, WD

0 5 11

AN

0 6 6

CM, CO, PR, RD

0 6 9

AB, GP

(ex 1,000)

0 5 8

RT

0 7 5

DH, FA, KL, RD

0 7 9

CM

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
598—continued									
								£ s. d.	
								0 8 1	AB, MG, PR, QE, TO
								0 8 5	RY, VA
								0 8 9	HY
								0 9 5	GP
								0 9 8	AD, SI, WD
								0 9 9	SL
								0 9 10	AN
								* 0 10 1	CO
								(ex S.P.)	
Oral Capsule	1/2 gr. cap.	..	..		50	2		0 8 1	AN
								0 9 5	AB, PR
	3/4 gr. cap.	..	..		50	2		0 13 5	AN
								0 18 1	AB
	1.5 gr. cap	..	..		50	2		0 9 11	FA, HY, KL, MG, PD, VA
								0 10 7	PR
								0 11 3	AN
								0 11 11	AB, MB
								(ex 500)	
								0 11 10	FA, KL
								0 12 9	AB, HY, MG, PR
								0 13 5	VA
								0 14 1	PD
								* 0 14 10	MB
								0 18 1	AN
								(ex S.P.)	

599 PENTOBARBITONE SODIUM COMPOUND							
Oral Capsule, A.P.F. 1955				50	2	0 15 5	AB, MG
						0 15 9	AN
						0 18 5	PD
Oral Tablet, A.P.F. Capsule Formula. . . .				50	2	0 18 9	CO
600 PENTOLINIUM TARTRATE							
Injection, B.P. 5 mg. per cc., 10 cc. vial				1	1	0 9 5	MB
25 mg. per cc., 25 cc. vial				1	1	1 5 5	MB
Oral Tablet, B.P. 40 mg. tab.				100	2	0 16 9	MB
200 mg. tab.				100	2	2 7 1	MB
601 PENTOLINIUM TARTRATE WITH EPHEDRINE							
Injection 25 mg. per cc., 25 cc. vial ..				1	1	1 9 5	MB
602 PERTUSSIS PROPHYLACTIC (Haemagglutinin Aluminium Phosphate Adsorbed)							
Injection 1/2 cc. amp.				2	..	* 0 10 9	CS
603 PERTUSSIS VACCINE (PHASE 1)							
Injection 20,000 M. per cc., 1 cc. amp. ..				3	1	* 0 14 9	CS
604 PETHIDINE HYDROCHLORIDE							
Injection, B.P. 50 mg. per cc., 1 cc. amp. . .				6	..	0 6 9	AD, BL, BW, CM, DH, FH, KL
						0 8 1	BT
						* 0 8 4	RO
50 mg. per cc., 2 cc. amp. . .				6	..	0 8 5	AD, BL, BW, CM, DH, FH, KL
						0 9 1	BT
						* 0 10 4	RO
50 mg. per cc., 10 cc. vial . .				1	..	0 7 5	CM, DH, FH, KL
50 mg. per cc. 25 cc. bottle				1	..	0 14 1	IC
50 mg. per cc., 50 cc. bottle				1	..	1 0 8	BA, DH, KL, RO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
605	PETHIDINE SCOPOLAMINE Injection (Pethidine Hydrochloride 100 mg.; Scopolamine 0.43 mg.) 2 cc. amp.		6	..	£ s. d.	
					0 9 1	KL
					0 9 9	BW
					0 10 6	BT
					* 0 11 2	RO
606	PHEMITONE, B.P. 1953 Oral Tablet, B.P.C. 1/2 gr. tab.		200	1	0 8 9	AD, DH, KL, MG, SI
					* 0 8 9	FA
					0 9 2	VA
					0 9 5	RY, TO
					* 0 9 11	PR, QE
			200	1	0 11 10	BA
					* 0 12 7	PH
					0 11 9	AD, DH, KL, MG, SI
					* 0 11 11	FA
					0 12 9	RY, VA
					0 13 5	TO
					* 0 13 5	PR
					0 14 1	BA
					* 0 14 9	PH
					1 3 9	AD, DH, KL, MG, SI
					* 1 3 11	FA
					1 5 5	TO
					1 6 9	RY, VA
					1 7 5	BA
					* 1 8 1	PH, PR, QE
	3 gr. tab.		200	1		

650	PHENACETIN Oral Tablet with Codeine Phosphate and Sodium Pentobarbitone 5 gr.-1/4 gr.-1/2 gr. tab.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
610—continued						£ s. d.
					0 4 11	AB, AN, MG, PR, TO
					0 5 3	BW, GP, MB
					(ex 1,000)	
					0 5 1	AD, DH, FA, KL, RT, RY, SI, VA, WD
					0 5 5	AB, AN, HY, MG, PB, PR, SL, TO
					0 6 1	BW, GP, MB
					(ex S.P.)	
	1.5 gr. tab.		100	2	0 5 4	AD, DH, FA, HY, KL, RT, RY, SI, SL, VA, WD
					0 5 7	AN, MG
					0 6 1	AB, GP, TO
					(ex 1,000)	
					0 6 1	AD, AN, DH, FA, GP, HY, KL, MG, RT, RY, SI, SL, VA, WD
					0 6 3	AB, TO
					(ex S.P.)	
611 PHENOBARBITONE SODIUM						
	Injection, B.P.					
	3 gr. per 1 cc. amp. (with required solvent)		6	..	0 8 8	BL, CM, DH, FH, FM
					* 0 9 5	MB
	3 gr. per 1.5 cc. amp. (with required solvent)		6	..	0 10 6	EV
	3 gr. per 2 cc. amp. (with required solvent)		6	..	0 8 9	BT
	3.1 gr. per 2 cc. amp. with 2 mil. amp. Water for Injection		6	..	0 18 1	DH
	Oral Tablet, B.P. 1/4 gr. tab.		100	2	0 4 5	AN, DH, FA, KL, RT, SL, TO
	1/2 gr. tab.		100	2	0 4 0	KL

611—continued

						0 4 2	DH, HY, RT, RY, SL, VA
						0 4 3	FA
						0 4 5	PR
						0 4 7	AN, TO
						(ex 1,000)	
						0 5 0	AN, DH, FA, HY, KL, PR, RT,
						(ex S.P.)	RY, SL, TO, VA
1 gr. tab.	..	..	100	2		0 4 6	FA, HY, RT, RY, SL, VA
						0 5 0	AN, KL, TO
						0 5 2	MG
						(ex 1,000)	
						0 5 1	KL, RT, RY
						0 5 5	AN, FA, HY, MG, SL, TO, VA
						(ex S.P.)	
1.5 gr. tab.	..	..	100	2		0 5 4	HY, RY, VA
						0 5 8	AN
						0 6 0	FA, KL, MG
						(ex 1,000)	
						0 6 1	AN, FA, HY, KL, MG, RY, VA
						(ex S.P.)	
612 PHENOBARBITONE SODIUM AND SODIUM BROMIDE							
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0 7 7 Extemp.
613 PHENOL							
Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0 7 2 Extemp.
Ear Drops, P.L.	..	..	..	..	1/2 fl. oz.	2	0 6 5 Extemp.
614 PHENOLPHTHALEIN							
Oral Pill, Compound ..	..	..	..	..	50	1	* 0 4 6 MG
							* 0 5 0 TO
							* 0 5 7 DH, HY

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
615	PHENSUXIMIDE Oral Capsule 500 mg. cap.		200	1	£ s. d. 4 2 1	PD
653	PHENYLALANINE LOW CONTENT FORMULA Powder 2.5 lb. tin	AD	1	..	5 6 8	CM
616	PHENYLBUTAZONE Oral Tablet 100 mg. tab.		50	..	1 1 9	GE
617	PHENYLEPHRINE HYDROCHLORIDE Compound Suppository with Benzocaine ..		12	1	0 10 4	WL
618	PHENYTOIN SODIUM Injection 250 mg. vial with 5 cc. water for injection		1	..	1 18 9	PD
	Oral Tablet, B.P. 100 mg. tab.		200	1	0 14 9	DH, KL, QE, TO
	Oral Capsule 30 mg. cap.		200	1	0 17 5	PD
	100 mg. cap.		200	1	1 7 5	PD
619	PHOLCODINE CITRATE, B.P.C. Linctus, P.L.		8 fl. oz.	4	0 14 5	Extemp.
620	PTHALYLSULPHACETAMIDE Oral Tablet 500 mg. tab.		100	..	1 10 9	AN, BS, CM, KL, SC, VR

621 PHTHALYLSULPHATHIAZOLE									
Oral Tablet, B.P. 500 mg. tab.	100	..	0 14 1	MB, MK					
			(ex 500)						
			0 14 1	MB, MK					
			(ex S.P.)						
Mixture for Children, P.L.	4 fl. oz.	4	0 12 0	Extemp.					
622 PHYSOSTIGMINE SALICYLATE									
Eye Drops, 1/2%, P.L.	1/2 fl. oz.	6	0 14 0	Extemp.					
623 PICROTOXIN									
Injection, B.P. 5 mg. per 2 cc. amp. ..	6	1	0 11 5	DH, FH					
0.4 gr. per 1 cc. amp. ..	6	1	0 11 5	MT					
624 PILOCARPINE NITRATE									
Eye Drops 1/2%, P.L.	1/2 fl. oz.	6	0 7 10	Extemp.					
1%, P.L.	1/2 fl. oz.	6	0 8 8	Extemp.					
625 PIPERAZINE ADIPATE									
Oral Tablet, B.P. 300 mg. tab.	25	2	0 9 9	BD, TO					
654 PIPERAZINE CITRATE									
Oral Tablet 500 mg. tab.	30	..	0 12 4	BW					
626 PIPERAZINE PHOSPHATE									
Oral Tablet, B.P. 260 mg. tab.	25	2	* 0 8 11	GL					
627 PITUITARY, POSTERIOR LOBE									
Injection 1 cc. amp.	6	1	0 14 1	PD					
628 PLAGUE VACCINE									
Injection 4,000 million per cc., 1 cc. amp. ..	2	..	0 16 1	CS					

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
629	POLYMYXIN B. SULPHATE				£ s. d.	
	Ear Drops		1/2 fl. oz.	2	1 14 9	AN, BW, HA, KL, SI
	Ear Drops with Acetic Acid and Propylene Glycol		10 mil.	2	0 12 9	BW
	Eye Drops		5 mil.	2	1 6 9	AN, BW, HA, KL, SI
	Eye Drops with Bacitracin and Neomycin Sulphate		10 mil.	2	0 15 0	HA
					1 9 0	AN, DH
	Eye Ointment with Bacitracin and Neomycin		4 G.	..	0 6 9	AN, BW, HA, UP
630	POTASSIUM BROMIDE					
	Mixture, P.L.		8 fl. oz.	4	0 7 6	Extemp.
	Mixture with Nux Vomica, P.L.		8 fl. oz.	4	0 7 3	Extemp.
	Mixture with Phenobarbitone and Belladonna, P.L.		8 fl. oz.	4	0 7 1	Extemp.
631	POTASSIUM CHLORIDE					
	Oral Tablet, B.P. 500 mg. tab.		100	2	0 6 9	AN, DH, HY, KL, RT, RY
632	POTASSIUM CITRATE					
	Mixture, P.L.		8 fl. oz.	4	0 8 0	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 8 0	Extemp.
	Mixture Acid, P.L.		8 fl. oz.	4	0 10 0	Extemp.
	Mixture with Hyoscyamus, P.L.		8 fl. oz.	4	0 7 6	Extemp.

633	POTASSIUM IODIDE										
	Mixture, P.L.	..	..	..	8 fl. oz.	4	0	8	3	Extemp.	
	Mixture for Children, P.L.	..	..	..	4 fl. oz.	4	0	7	11	Extemp.	
	Mixture with Stramonium for Children, P.L.				4 fl. oz.	4	0	7	9	Extemp.	
634	PREDNISOLONE										
	Oral Tablet, B.P.	5 mg. tab...	..	..	AD	30	..	2	16	9	AN, BT, GL, KL, MK, OR, PD, PR, RL, RY, SC, SH, UP
	Oral Tablet with Magnesium Trisilicate and Aluminium Hydroxide:										
	Prednisolone 5 mg.; Magnesium Trisilicate 50 mg.; Dried Aluminium Hydroxide Gel. 300 mg.				AD	30	..	2	16	9	MK
	Eye Ointment	0.5%	..	..	4 G.	..	1	2	9	AN, KL	
							1	6	1	UP	
655	PREDNISOLONE ACETATE										
	Injection	10 mg. per 1 cc. amp.	..	..	AD	3	2	1	9	5	DH, SC
656	PREDNISOLONE DISODIUM PHOS- PHATE										
	Eye-Ear Drops, 0.5%	..	..	..	2.5 mil.	2	1	1	5	MK	
					3 mil.	2	1	2	9	GL	
	Eye-Ear Ointment	..	..	..	3 G.	..	1	2	9	GL	
657	PREDNISOLONE METHYL										
	Oral Tablet	4 mg. tab.	..	..	AD	30	..	4	5	5	UP
	Oral Capsule	4 mg. cap.	..	..	AD	30	..	4	5	5	UP
658	PREDNISOLONE SODIUM HEMISUC- CINATE				H	..	..	..			

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
635	PREDNISONE Oral Tablet, B.P. 5 mg. tab.	AD	30	..	£ s. d. 2 16 9 3 14 9	AN, BT, GL, KL, MK, OR, PD, PR, RL, RY, SC, SH, UP HY, RD
	Oral Tablet with Magnesium Trisilicate and Aluminium Hydroxide: Prednisone 5 mg.; Magnesium Trisilicate 50 mg.; Dried Aluminium Hydroxide Gel. 300 mg.	AD	30	..	2 16 9	MK
636	PRIMAQUINE BASE Oral Tablet, B.P. 7.5 mg. tab. 15 mg. tab.		30 14	1 1	0 10 5 0 6 6	IC WL
637	PRIMIDONE Oral Tablet, B.P. 250 mg. tab.		200	1	4 2 10 (ex 1,000) 4 9 5 (ex S.P.)	IC IC
659	PROBENECID Oral Tablet 500 mg. tab.		100	2	5 19 5	MK
638	PROCAINAMIDE HYDROCHLORIDE Injection, B.P. 100 mg. per cc., 10 cc. vial . . . Oral Tablet 250 mg. tab.		1 100	.. 2	0 15 5 3 2 9	SQ SQ

639 PROCAINE HYDROCHLORIDE IN NORMAL SALINE									
Injection	0.1%, 1 litre bottle	..	..		2	1	* 1 11 5	AB, BT	
640 PROCYCLIDINE HYDROCHLORIDE									
Oral Tablet, B.P.	5 mg. tab...	..	..		100	2	2 2 9	BW	
641 PROGESTERONE									
Injection, B.P.	20 mg. I.V. amp.	..	..	D	3	..	2 6 1	OR, SC	
	25 mg. amp...	..	..	D	3	..	1 6 9	BD, CB, FH, OR, SC	
Implant	25 mg. implant	..	..	D	1	..	1 0 9	BD, OR	
642 PROGESTERONE DEPOT									
Injection	125 mg. amp.	..	..	D	3	..	2 16 1	SC	
643 PROGUANIL HYDROCHLORIDE									
Oral Tablet, B.P.	100 mg. tab.	..	..		100	2	0 11 2	IC	
644 PROMETHAZINE HYDROCHLORIDE									
Injection	2.5%, 2 cc. amp.	..	..		10	..	0 14 9	MB	
Oral Tablet, B.P.	10 mg. tab.	..	..		50	1	0 8 7	MB	
							(ex 500)		
							0 9 5	MB	
							(ex S.P.)		
	25 mg. tab.	..	..		50	1	0 11 7	MB	
							(ex 500)		
							0 13 5	MB	
							(ex S.P.)		
660 PROPANTHELINE BROMIDE									
Injection	30 mg. per 1 cc. vial (with required solvent)	..	..		6	..	3 9 5	SR	
Oral Tablet	15 mg. tab.	..	..		100	2	2 16 1	SR	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
645	PROPHEPYRIDAMINE PARA-AMINOSALICYLATE					
	Injection 25 mg. per cc., 2 cc. amp. ..		5	1	0 13 10	FM
	Oral Tablet 10 mg. tab.		50	1	0 9 0	FM
	50 mg. tab.		50	1	0 15 5	FM
646	PROTAMINE SULPHATE					
	Injection 1%, 5 mil. amp.		6	..	1 3 4	EV
647	PROTOVERATRINE					
	Injection 1 mil. amp.	D	6	..	0 16 5	SZ
662	PYRIDINE ALDOXIME METHIODIDE					
	Injection 2.5%, 20 cc. vial	H				
648	PYRIDOSTIGMINE BROMIDE					
	Oral Tablet 60 mg. tab.	D	100	2	* 4 5 2	RO
649	PYRIDOXINE HYDROCHLORIDE, B.P.C.					
	Injection 50 mg. per cc., 1 cc. amp. ..		6	1	0 18 1	KL
					1 0 1	AN, BL, CM, DH, FM, PD, RO
	50 mg. per 2 cc., 2 cc. amp. ..		6	1	1 1 5	BD, RO, VM
	50 mg. per cc., 5 cc. vial ..		1	1	1 1 5	KL
					1 3 9	LY
	50 mg. per cc. 10 cc. vial ..		1	..	1 2 9	DH, FH, KL
					1 6 9	CM

663	PYRIMIDO-PYRIMIDINE								
	Oral Tablet	12.5 mg. tab.	..	..	100	1	2 11 8	FA	
661	PYRROLIDINO-METHYL-TETRACYCLINE								
	Injection	110 mg. Tetracycline amp. I.V.	D		5	..	* 4 10 8	FM	
		275 mg. Tetracycline amp. I.V.	D		5	..	* 7 16 6	FM	
		150 mg. Tetracycline amp. I.M.	D		5	..	* 4 10 8	SQ	
		350 mg. Tetracycline amp. I.M.	D		5	..	* 7 16 6	SQ	
721	QUINALBARBITONE SODIUM								
	Oral Tablet, B.P.	1.5 gr. tab.	..	..	50	2	0 9 11	AD, DH, HY, KL, MG, RY, SI, SL, VA	
							0 13 3	CM, GP, RD	
							(ex 100)		
							0 11 5	AD, DH, HY, KL, MG, RY, SI, VA	
							0 13 1	RD	
							0 15 5	CM, GP, SL	
							(ex S.P.)		
	Oral Capsule	1.5 gr. cap.	..	..	50	2	0 15 8	LY	
							(ex 100)		
							0 18 1	LY	
							(ex S.P.)		
722	QUINIDINE SULPHATE								
	Oral Tablet, B.P.	3 gr. tab.	..	..	100	2	1 4 1	DH, HA, KL, TO	
							1 5 5	BW	
723	QUININE BISULPHATE								
	Oral Tablet, B.P.	5 gr. tab.	..	..	100	2	0 16 1	AN, DH, HY, PD, TO	
							0 17 5	BW, FA	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
724	QUININE DIHYDROCHLORIDE					
	Injection, B.P. 3 gr. per cc., 1 cc. amp. ..		6	1	0 10 1	DH
	6.25 gr. per cc. 1 cc. amp. ..		6	1	0 10 9	DH
	9.25 gr. per 2 cc. amp. ..		6	1	0 11 5	DH
	15.5 gr. per 2 cc. amp. ..		6	1	0 17 5	DH
	Oral Tablet 5 gr. tab.		100	2	1 1 9	DH
	Oral Capsule 5 gr. cap.		100	2	1 10 9	PD
725	QUININE HYDROCHLORIDE					
	Oral Tablet, B.P. 5 gr. tab.		100	2	1 1 9	DH
726	QUININE SULPHATE					
	Oral Tablet, B.P. 5 gr. tab.		100	2	0 16 1	AD, DH, HY, PR, SI
					0 19 5	TO
					1 2 1	AN
747	RAUWOLFIA ALKALOIDS					
	Oral Tablet 0.25 mg. tab.		100	2	0 13 5	KL
	2 mg. tab.		60	1	1 1 5	RK
	50 mg. tab.		100	2	1 19 1	SQ
746	RESERPINE					
	Injection 1 mg. amp.		5	1	0 9 10	CB
	2.5 mg. amp.		5	1	0 16 1	CB
	Oral Tablet 0.25 mg. tab.		100	2	0 8 1	AN, HA, KL, RK, RY
					0 9 1	MG
					0 9 5	CB
	0.5 mg. tab.		100	2	0 10 1	AN, HA, KL, RK
					0 12 1	CB

741	RESORCINOL									
	Lotion, Compound, P.L.	..	..	..		8 fl. oz.	4	0 9 10	Extemp.	
	Ointment, Compound, P.L.	..	..	..		1920 gr.	1	0 12 3	Extemp.	
742	RHUBARB									
	Pill, Compound, B.P.C.	..	..	..		50	1	0 6 0	DH	
	Mixture with Soda, P.L.	..	..	..		8 fl. oz.	4	0 8 1	Extemp.	
	Mixture with Soda for Children, P.L.	..				4 fl. oz.	4	0 6 9	Extemp.	
743	RIBOFLAVINE									
	Oral Tablet, B.P.	2 mg. tab...	..	..	P	100	2	0 5 5	AN, HY	
		3 mg. tab...	..	..	P	100	2	0 6 1	HY	
		5 mg. tab...	..	..	P	100	2	0 6 9	AN, DH, FM, HY, KL, MG, PR, RT, RY, TO, VA	
744	RINGER'S SOLUTION									
	Injection	1 litre bottle..	..	..		4	1	* 3 0 1	BT, DH, EV, FH	
745	RISTOCETIN	..	..	..	H	..	..	..		
755	SACCHARIN OR SACCHARIN SODIUM									
	Oral Tablet	1/2 gr. tab.	..	..		200	1	0 2 0	AD, AN, DH, FA, HY, KL, RT, RY, SI, SL, WD	
803	SALICYLAZOSULPHAPYRIDINE									
	Oral Tablet	500 mg. tab.	..	..	D	100	..	1 17 5	MR	
756	SALICYLIC ACID									
	Paint, P.L.	..	..	..		1 fl. oz.	1	0 6 1	Extemp.	
	Ear Drops, P.L.	..	..	..		1/2 fl. oz.	2	0 5 10	Extemp.	
	Ointment, B.P.	..	..	..		1920 gr.	1	0 13 8	Extemp.	
	Lotion, Compound, P.L.	..	..	..		8 fl. oz.	4	0 8 6	Extemp.	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
757	SEIDLITZ POWDER Compound Effervescent Powder, B.P. 1953 ..		12	1	£ s. d. 0 5 0	DH, WD
758	SENNA FRUIT, B.P. 3 oz.		1	..	0 2 0 0 2 6	DH SI
759	SENEGA AND AMMONIA Mixture, P.L.		8 fl. oz.	4	0 9 4	Extemp.
760	SCHICK TEST TOXIN Injection 1 cc. vial		1	1	0 8 1	CS
761	SILVER PICRATE, B.P.C. 1949 Insufflation, 1%		5G.	1	0 8 1	AB
762	SILVER PROTEIN, MILD, B.P.C. Eye Drops, 10%, P.L.		1/2 fl. oz.	2	0 7 11	Extemp.
763	SIMPLE OINTMENT Ointment		1920 gr.	1	0 11 2	Extemp.
764	SMALLPOX VACCINE Injection Capillary Tube		1	..	0 5 2	CS

765 SODIUM AUROTHIOMALATE

Injection, B.P.

1 mg. amp. (with required solvent)..	..	1	3	0	4	8	MB
2 mg. amp. (with required solvent)..	..	1	3	0	4	10	MB
5 mg. amp. (with required solvent)..	..	1	3	0	5	0	MB
10 mg. amp. (with required solvent)..	..	1	3	0	5	4	MB
20 mg. amp. (with required solvent)..	..	1	3	0	5	6	MB
50 mg. amp. (with required solvent)..	..	6	1	*	1	6	9 MB
100 mg. amp. (with required solvent)..	..	6	1	*	1	14	9 MB
200 mg. amp. (with required solvent)..	..	1	3	0	11	5	MB

766 SODIUM BICARBONATE

Ear Drops, P.L.	..	..	..	1/2 fl. oz.	2	0	6	2	Extemp.
Mixture, P.L.	..	..	..	8 fl. oz.	4	0	6	8	Extemp.
Oral Tablet, Compound, B.P.	5 gr. tab.	..	..	100	2	0	4	5	FA, SL, TO

767 SODIUM CALCIUMEDETATE

Injection	200 mg. per 5 cc. amp.	..	..	6	..	3	1	5	RK
Oral Tablet	500 mg. tab.	..	..	100	2	2	1	8	RK

768 SODIUM CHLORIDE

(Hypertonic Solution)—

Injection	3%, 1 litre bottle	..	..	2	1	*	1	11	5	BT, DH, FH
	5%, 1 litre bottle	..	..	2	1	*	1	11	5	BT, DH, FH

(Physiological Solution)—

Injection	2 cc. amp.	..	..	..	6	1	0	6	1	AD, BL, DH, FH, KL	
	5 cc. amp.	..	..	..	6	1	0	7	5	AD, BL, DH, FH, KL	
	10 cc. amp.	..	..	..	6	1	0	8	9	AD, BL, CS, DH, FH, KL	
	10 cc. vial	..	..	..	2	1	*	0	7	3	DH, FH, PD
	20 cc. amp.	..	..	..	6	1	0	12	9	BL, DH, FH, KL	
	50 cc. amp.	..	..	..	3	1	*	0	14	9	DH, FH, KL
	1 litre bottle	..	..	..	2	1	*	1	11	5	AB, BT, DH, EV, FH, GL
Oral Tablet, B.P.	5 gr. tab.	..	..	..	100	2	0	4	5	DH, FA, HY, RT	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
769	SODIUM CHLORIDE WITH DEXTROSE					
	Injection, B.P. 5%, 1 litre bottle		2	1	* 1 11 5	AB, BT, DH, EV, FH, GL
	10%, 1 litre bottle		2	1	* 1 11 5	AB, BT, DH, FH
	20%, 1 litre bottle		2	1	* 1 11 5	BT, DH, FH
	25%, 1 litre bottle		2	1	* 1 11 5	AB, BT, DH, FH
770	SODIUM CITRATE					
	Oral Tablet for Children 2 gr. tab.		100	2	0 5 0	AD, DH, RT, SI
					0 6 9	BW
	Oral Tablet, B.P. 5 gr. tab.		100	2	0 6 1	DH, HY, TO
					0 8 6	BW
804	SODIUM FOLATE					
	Injection 15 mg. per cc., 10 cc. vial ..	D	1	..	1 5 5	LE
771	SODIUM LACTATE					
	(Solution 1/6 Molar)—					
	Injection 1 litre bottle		2	1	* 1 11 5	AB, DH, FH
772	SODIUM OLEATE COMPOUND					
	Oral Pill		50	1	* 0 6 10	FA
					* 0 8 8	DH
					* 0 8 9	PD
773	SODIUM PARA-AMINOSALICYLATE					
	Injection 20%, 10 cc. vial ..	D	6	..	1 0 6	SN
					1 1 0	KL
	Oral Cachet 1.5 G. cachet	D	200	2	3 2 9	AN, KL, WA
					3 9 5	WB

773—continued

Oral Tablet, B.P.	2.0 G. cachet	D	200	2	* 3 11 4	SN
	5 gr. tab.	D	200	1	4 2 9	KL, WA
					0 18 5	KL
					1 1 5	HY
					* 1 1 5	DH
					* 1 3 2	AD, SI
	7.5 gr. tab.	D	500	2	2 2 9	KL
					2 7 1	CM, EV, RY, SN
					* 2 7 3	AN, WA
					2 11 6	AD, SI
					* 2 12 9	TO
					* 2 15 2	HY
					* 2 16 1	DH
Granules	350 G. tin	D	1	1	2 6 1	RL
774 SODIUM SALICYLATE						
Mixture, P.L.			8 fl. oz.	4	0 7 8	Extemp.
Mixture for Children, P.L.			4 fl. oz.	4	0 6 8	Extemp.
Oral Tablet, B.P.C.	5 gr. tab.		100	2	0 7 5	AD, DH, FA, KL, PR, RT, SI, TO,
					0 9 5	AN, HY, SL, VA
Oral Tablet (Enteric Coated)	5 gr. tab.		100	2	0 10 9	AN, DH, HY, KL, LY, PR, RY, TO,
						VA
	7.5 gr. tab.		100	2	0 12 1	KL, PR, QE, RD, TO, VA
	10 gr. tab.		100	2	0 13 5	AN, DH, KL, LY, PR, QE, RY, TO, VA
775 SODIUM SULPHATE						
(Solution 4.28%)—						
Injection	1 litre bottle		2	1	* 1 11 5	BT, DH, FH
776 SODIUM TAUROGLYCOCHOLATE						
Oral Pill			50	1	* 0 7 2	DH
					0 7 5	WW
Oral Tablet			50	1	* 0 7 2	DH

Item No.	Name, Manner of Administration and Form						Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
										£ s. d.	
777	SORBOLENE, A.P.F., 1955										
	Cream, P.L.	..	..	..	..	..		1920 gr.	1	0 8 4	Extemp.
805	SOYA FORMULA										
	Liquid	1 tin	..	..	..	..	AD	6	..	*1 17 6	CM
	Powder	1 tin	..	..	..	..	AD	6	..	*5 6 6	CM
806	SPIRAMYCIN										
	Oral Capsule	250 mg. cap.	..	..	..	..	D	20	..	1 18 1	MB
	Oral Tablet	250 mg. tab.	..	..	..	..	D	20	..	1 18 1	MB
778	SPIRIT, INDUSTRIAL METHYLATED										
	Soap, A.P.F. 1955	..	..	..	..	..		4 fl. oz.	1	0 9 3	Extemp.
	Ear Drops, P.L.	..	..	..	..	..		1/2 fl. oz.	2	0 5 9	Extemp.
779	STAPHYLOCOCCUS TOXOID										
	Injection, B.P.	5 cc. bottle	..	..	..	..		1	..	1 1 5	CS
780	STILBOESTROL										
	Injection	1 mg. amp.	..	..	..	..	DG	6	..	0 6 6	BD, DH
		5 mg. amp.	..	..	..	..	DG	6	..	0 7 0	BD, DH, KL
		Oral Tablet, B.P.	0.1 mg. tab.	..	..	..	DG	100	2	0 4 10	AN, HY, KL
			0.5 mg. tab.	..	..	..	DG	100	2	0 5 0	AD, AN, BD, DH, FA, HA, HY, KL, MG, RT, RY, SI, SL, TO, VA, WD
		1 mg. tab.	..	..	..	..	DG	100	2	0 5 2	AD, DH, FA, KL, RT, SI

780—continued

	5 mg. tab.	..	..	DG	100	2	0 5 5	AN, BD, HA, HY, MG, RY, SL, TO
							0 7 9	AD, AN, BD, BW, DH, FA, HA, HY,
	10 mg. tab.	..	..	DG	100	2	0 12 1	KL, MG, RT, RY, SI, SL, TO
								AN, CM, DH, KL, TO
781	STREPTOMYCIN SULPHATE							
	Injection, B.P.							
	1 G. vial (with required solvent)	..	..	D	5	3	0 13 10	GA
							* 0 19 5	AN, BT, DH, DE, EV, GL, SI
	Intrathecal Injection							
	100,000 U. amp. (with required solvent)	..		D	10	3	1 2 2	DL
	Solution Injection	250,000 U. per mil., 4						
		mil. vial		D	5	3	* 1 1 6	DL, GL
		500,000 U. per mil., 2						
		mil. vial		D	5	3	* 1 1 6	BT, EV, GL
		1,000,000 U. per 3 mil						
		vial		D	5	3	* 1 1 6	EV, GL, SI
	Ear Drops, P.L.	..	..		1/2 fl. oz.	2	0 11 5	Extemp.
782	STRYCHNINE HYDROCHLORIDE							
	SOLUTION							
	Mixture, P.L.	..	..		8 fl. oz.	4	0 7 0	Extemp.
783	SUCCINYLSULPHATHIAZOLE							
	Oral Tablet, B.P.	500 mg. tab.	..		100	..	1 2 9	MB, MK
	Mixture with Kaolin, P.L.	..	..		8 fl. oz.	4	1 1 0	Extemp.
784	SULPHACETAMIDE SODIUM							
	Ear Drops, P.L.	..	..		1/2 fl. oz.	2	0 6 7	Extemp.
	Eye Drops, Strong, P.L.	..	..		1/2 fl. oz.	2	0 9 5	Extemp.
	Eye Drops, Weak, P.L.	..	..		1/2 fl. oz.	2	0 8 2	Extemp.
	Eye Ointment, B.P.	..	..		60 gr.	..	0 4 9	AN, FH, MG, SC

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
								£ s. d.	
785	SULPHADIAZINE								
	Oral Tablet, B.P.	300 mg. tab.	..	..		40	1	0 9 7 0 10 1 (ex 500) 0 10 6 (ex S.P.)	CM, HY, KL, PD, TO AB AB, CM, HY, KL, PD, TO
		500 mg. tab.	..	..		40	1	0 8 2 0 9 10 0 10 11 (ex 500) 0 10 5 0 11 4 (ex S.P.)	AD, CO, DH, FA, HY, KL, RT, RY, SI, SL, VA, WD AN, CM, MG, PD, PR, TO BW, MB CO AD, AN, BW, CM, DH, FA, HY, KL, MB, MG, PD, PR, RY, RT, SI, SL, TO, VA, WD
	Nasal Instillation, Compound, P.L.	..	..			1/2 fl. oz.	2	0 7 4	Extemp.
786	SULPHADIAZINE SODIUM								
	Injection, B.P.C.	4 cc. amp...	..	..		5	..	* 0 15 6	MB
787	SULPHADIMETHOXINE								
	Oral Tablet	500 mg. tab...	..	..		12	2	0 12 9	RO
	Suspension	200 mg. per cc., 10 cc. vial	..	..	C	1	..	0 11 2	RO
788	SULPHADIMIDINE								
	Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0 15 6	Extemp.
	Oral Tablet, B.P.	250 mg. tab.	..	..		40	1	0 6 3 (ex 500)	HY, KL, MG

788—continued

						0 8 2	HY, KL, MG
						(ex S.P.)	
	500 mg. tab.	..	..	40	1	0 6 9	AN, DH, HY, IC, KL, MG, PR, RY,
						(ex 500)	SI, SL, TO, VA, VR, WD
						0 9 1	AN, DH, HY, IC, KL, MG, PR, RY,
						(ex S.P.)	SI, SL, TO, VA, VR, WD
789	SULPHADIMIDINE SODIUM						
	Injection, B.P. 1 G. per 3 cc. amp.	..	..	5	..	0 11 5	AN, IC
790	SULPHAFURAZOLE						
	Oral Tablet 300 mg. tab.	..	..	40	1	0 13 7	RO
						(ex 500)	
						0 14 8	RO
						(ex S.P.)	
	500 mg. tab.	..	..	40	1	0 17 9	RO
						(ex 500)	
						0 19 9	RO
						(ex S.P.)	
	Eye Drops 4%	..	..	10 mil.	2	0 9 5	RO
	Eye Ointment	..	..	5 G.	..	0 5 10	RO
791	SULPHAGUANIDINE						
	Oral Tablet, B.P. 500 mg. tab.	..	..	100	..	0 11 1	AD, AN, BW, DH, HY, KL, MG, PR,
							RT, RY, SI, SL, TO
792	SULPHAMERAZINE						
	Oral Tablet, B.P. 500 mg. tab.	..	..	40	1	0 11 4	AN, DH
						0 12 5	KL
						* 0 13 11	AD, FA, HY, RT, SI, TO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
793	SULPHAMETHIZOLE				£ s. d.	
	Oral Tablet 100 mg. tab.				0 8 1	
	250 mg. tab.				0 12 9	
794	SULPHAMETHOXYPYRIDAZINE					
	Oral Tablet 500 mg. tab.				1 0 6	
					(ex 100)	
807	SULPHAMETHOXYPYRIDAZINE				1 1 5	
	N-ACETYL				(ex S.P.)	
	Oral Suspension 250 mg. per 5 cc.				0 14 1	
808	SULPHAPHENAZOLE					
	Oral Tablet 500 mg. tab.				0 11 8	
795	SULPHAPYRIDINE, B.P.C.					
	Oral Tablet, B.P.C. 500 mg. tab.				0 18 9	
796	SULPHONAMIDES, MIXED (B):					
	THREE SULPHONAMIDES				0 10 2	
	Oral Tablet 250 mg. tab.				(ex 500)	
					0 10 9	
					(ex S.P.)	

796—continued

300 mg. tab.

40

1

0 7 11

KL

0 8 5

TO

0 10 5

AB

(ex 500)

0 8 8

KL

0 10 9

AB, TO

(ex S.P.)

330 mg. tab.

40

1

0 7 11

AN

(ex 500)

0 10 9

AN

(ex S.P.)

500 mg. tab.

40

1

0 8 5

KL

0 9 7

AN, DH, FA, HY, FR, RY

0 9 10

MG

0 10 1

AD, FM, SI, SL, TO, VA, VR, WD

0 10 8

CM

0 10 10

MB

(ex 500)

0 10 6

AD, DH, KL, RY, SI

0 11 1

AN, CM, FA, FM, HY, MB, MG, SL,

(ex S.P.)

TO, VA, VR, WD

797 SULPHUR

Ointment, B.P.

1920 gr.

1

0 10 7

Extemp.

798 SULPHURATED POTASH

Lotion, P.L.

8 fl. oz.

4

0 8 8

Extemp.

800 SUSTANON

Injection 250 mg. amp.

D

1

..

2 17 5

OR

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
801	SUXAMETHONIUM BROMIDE Injection, B.P. 67 mg. amp.		6	1	£ s. d. * 0 14 1	MB
802	SYNTOCINON Injection 2 U. per 2 mil. amp. 5 U. per 0.5 mil. amp. 10 U. per 1 mil. amp.		6 6 6		0 10 1 0 12 9 0 18 1	SZ SZ SZ
851	T.A.B. VACCINE (Anti-Typhoid- Paratyphoid) Injection 1 cc. amp... .. 10 cc. vial		3 1		* 0 13 9 1 12 9	CS CS
852	TESTOSTERONE Implant, B.P. 100 mg. implant 150 mg. implant 200 mg. implant	D D D	1 1 1		2 9 5 3 7 5 4 5 5	BD, CB, OR, SC OR OR
853	TESTOSTERONE METHYL Oral Tablet, B.P. 25 mg. tab. 50 mg. tab.	D D	100 100	2 2	2 10 9 2 18 9 3 2 9 4 0 1 8 10 9 5 12 1 5 14 9 6 2 9 7 9 5 16 2 9	KL, MG HY AN, FM, PR RD BD, CB, OR, RL, SC AN, KL HY FM, PR RD BD, OR, RL, SC

854	TESTOSTERONE OENANTHATE								
	Injection	250 mg. per cc., 1 cc. amp.	..	D	1	..	2 17 5	SC	
855	TESTOSTERONE PROPIONATE								
	Injection, B.P.	25 mg. per 1 cc. amp.	..	D	12	..	2 2 9	KL	
							* 2 10 9	AN, BD, FH, FM	
							2 10 9	OR	
							* 2 15 10	CB	
							* 2 16 1	SC	
	50 mg. per 1 cc. amp.	..	D	12	..		4 2 9	KL	
							* 4 8 1	AN, FH, FM, GL	
							4 14 9	CB	
							* 4 16 1	BD, OR	
							* 4 18 9	SC	
	50 mg. per cc., 10 cc. vial		D	1	..		3 13 9	CB, KL, OR, SC	
	100 mg. per 2 mil., 2 mil.								
	amp.	..	D	3	..		2 7 9	AN, BD, OR, SC	
							* 2 15 8	FM	
	Implant	100 mg. implant	D	1	..		2 9 5	BD	
856	TETANUS ANTITOXIN								
	Injection	1,500 I.U. (1950) amp.	..		6	1	* 2 2 9	BW, CS, SE	
		10,000 I.U. (1950) amp.	..		6	1	* 11 6 9	CS	
857	TETANUS TOXOID (Formalinised)								
	Injection	1 cc. amp... ..	..		3	..	0 13 5	CS, GL	
							* 0 13 9	CS, SE	
858	TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed)								
	Injection	0.5 cc. amp.	..		3	..	* 0 12 9	CS	
		5 cc. amp.	..		1	..	1 5 5	CS	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
859	TETRACHLOROETHYLENE Oral Capsule, B.P. 0.5 cc. cap.		12	..	£ s. d. * 0 7 8	PD
860	TETRACYCLINE HYDROCHLORIDE Injection, B.P. 100 mg. vial, I.V. (with required solvent) .. 250 mg. vial, I.V. (with required solvent) .. Injection 100 mg. vial, I.M. (with required solvent) .. Oral Capsule, B.P. 50 mg. cap. 100 mg. cap. 250 mg. cap. Oral Tablet, B.P. 50 mg. tab. 100 mg. tab. 250 mg. tab. Oral Granules 75 G. bottle Oral Paediatric Drops 100 mg. per cc., 10 cc. vial Oral Suspension 125 mg. per 5 cc., 60 cc. bottle Eye Ointment, 1%	D D D D D D D D D CD CD CD	6 6 6 25 25 16 25 25 16 1 1 1		* 4 18 9 * 8 10 9 * 4 18 9 1 8 1 2 8 9 3 3 11 (ex 100) 3 9 5 (ex S.P.) 1 8 1 2 8 9 3 3 11 (ex 100) 3 9 5 (ex S.P.) 1 19 5 1 0 1 1 2 9 1 11 5 1 16 9 0 6 9 0 6 9	AN, LE AN, LE, PF AN, LE, PF AN, LE, PF LE, LT, PF AN, LE, LT, PF, UP AN, LE, LT, PF, UP LE, PF, SQ LE, PF LE, PF, SQ LE LE, UP AN LE, PF LT PF LE

861	TETRACYCLINE OPHTHALMIC SUSPENSION 1% Eye Drops		6 mil.	2	0 12 1	LE
862	TETRACYCLINE WITH NYSTATIN Oral Capsule containing 250 mg. Tetracycline Hydrochloride and 250,000 U. Nystatin ..	D	12	..	2 17 9	SQ
863	TETRACYCLINE WITH OLEANDOMYCIN Injection 100 mg. amp. I.M. Oral Capsule 100 mg. cap. 250 mg. cap.	D D D	1 25 16		0 18 9 2 8 9 3 3 11 (ex 100) 3 9 5 (ex S.P.)	PF PF PF PF
	Oral Suspension 125 mg. per 5 cc., 2 fl. oz. bottle	CD	1	..	1 11 5	PF
864	TETRACYCLINE (BUFFERED) Oral Capsule 100 mg. Tetracycline cap. 250 mg. Tetracycline cap.	D D	25 16		2 8 9 3 3 11 (ex 100) 3 9 5 (ex S.P.)	LE, LT, PF, SQ AN, LE, LT, PF, SQ, U AN, LE, LT, PF, SQ, UP
	Oral Suspension 125 mg. per 5 cc., 2 fl. oz. bottle	CD	1	..	1 11 5 1 16 9	LE, PF, UP LT, SQ
	Oral Paediatric 100 mg. per cc., 10 cc. vial Drops	CD	1	..	1 0 1 1 2 9	LE LT, SQ
880	THENALIDINE TARTRATE Oral Tablet, Compound (effervescent) ..		12	3	0 10 9	SZ

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
865	THEOBROMINE, B.P.C. Oral Tablet with Phenobarbitone, A.P.F.— 5 gr.—1/2 gr. tab. 		100	2	£ s. d. 0 8 1 0 8 6 0 8 9 0 9 1 0 10 1 (ex 1,000) 0 9 9 0 10 9 (ex S.P.)	AD, CO, DH, FA, HY, RT, RY, SI, SL, VA AN WD AB, HA, MG, PR, TO KL CO AB, AD, AN, DH, FA, HA, HY, KL, MG, PR, RT, RY, SI, SL, TO, VA, WD
	Oral Tablet with Sodium Salicylate, B.P.C. 7.5 gr. tab. 		100	2	0 18 9	AN, DH, KL
866	THIACETAZONE, B.P.C. Oral Tablet, B.P.C. 50 mg. tab. 		100	2	0 16 1	AN
867	THIOURACIL PROPYL Oral Tablet, B.P. 25 mg. tab. 50 mg. tab.. 		100 100	2 2	0 12 9 * 0 18 9 1 0 1	AN TO AN
868	THYROID Oral Tablet, B.P. 1/8 gr. tab. 1/4 gr. tab. 1/2 gr. tab. 		100 100 100	2 2 2	0 4 1 0 4 1 0 4 4 0 4 6 0 4 6 0 4 10	CS AD, DH, FA, PR, RT, RY, SI, SL, TO GP BW, CS AD, DH, FA, PR, RT, RY, SI, SL, TO BW, CS, GP, WW

868—continued

	1 gr. tab.	..	..		100	2	0 5 9	AD, DH, FA, PR, RT, RY, SI, SL, TO
	1.5 gr. tab.	..	..		100	2	0 6 2	BW, CS, GP, WW
							0 7 0	AD, DH, SI
							0 7 2	GP
	2 gr. tab.	..	..		100	2	0 7 2	BW, CS
							0 7 8	AD, DH, FA, PR, RT, RY, SI
							0 7 8	GP
							0 8 1	BW
	2.5 gr. tab.	..	..		100	2	0 8 1	AD, RT, SI
							0 8 4	GP
							0 9 5	BW, CS
	5 gr. tab.	..	..		100	2	0 10 9	GP, RT
881	THYROTROPIN	..	..	..	H	..	..	
882	<i>l</i> -THYROXINE SODIUM							
	Oral Tablet 0.05 mg. tab.	..	..	..	100	2	0 5 10	BW, GL
	0.1 mg. tab.	..	..	..	100	2	0 7 8	BW, GL
869	TIGER SNAKE ANTI-VENENE							
	Injection 3,000 U. amp.	..	..	..	2	1	* 7 2 9	CS
870	TOLAZOLINE HYDROCHLORIDE							
	Oral Tablet, B.P. 25 mg. tab.	..	..	..	100	2	0 13 5	CB, KL
871	TOLBUTAMIDE							
	Oral Tablet 500 mg. tab.	..	..	..	100	2	2 2 9	FM, PH
872	TRETAMINE							
	Oral Tablet 2.5 mg. tab.	..	..	..	D	5	* 0 15 2	IC
887	TRIAMCINOLONE							
	Oral Tablet 4 mg. tab.	..	..	..	AD	30	4 5 5	LE, SQ

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
888	TRICYCLAMOL CHLORIDE									
	Oral Tablet	50 mg. tab.	..	..	..		100	2	2 16 1	BW
873	TRIETHANOLAMINE TRINITRATE									
	Oral Tablet	1 mg. tab.	..	..	..		100	2	0 11 8	SC
		2 mg. tab.	..	..	..		100	2	0 17 5	SC
		7 mg. tab.	..	..	..		100	2	1 8 1	AN, SC
884	TRIETHYLENE THIOPHOSPHORAMIDE					H	..	..	..	
889	TRIFLUOPERAZINE									
	Oral Tablet	1 mg. tab.	..	..	..	P	50	..	1 6 1	SK
874	TRIMETAPHAN CAMPHORSULPHON- ATE, B.P.C.									
	Injection	Set containing 250 mg. vial and 5 cc. water for injection..			..	D	3	..	6 6 4	RO
885	TRIPLENNAMINE HYDROCHLORIDE									
	Oral Tablet	50 mg. tab.	..	..	..		50	1	0 18 1	CB
886	TRIPROLIDINE HYDROCHLORIDE									
	Oral Tablet	2.5 mg. tab.	..	..	..		50	1	0 17 5	BW
875	TROXIDONE									
	Oral Tablet	150 mg. tab.	..	..	..		200	1	2 8 9	AB
	Oral Capsule, B.P.	300 mg. cap.	..	..	..		200	1	4 2 1	AB, GA

876	TURPENTINE OIL Liniment, P.L.	..	..	..	..	..	4 fl. oz.	1	0	9	9	Extemp
878	TYPHUS VACCINE Injection, B.P.	1 cc. amp.	..	..	..	..	2	..	1	2	9	CS
911	UNDECENOIC ACID Dusting Powder, P.L.	..	..	..	..	..	1920 gr.	1	0	17	11	Extemp.
912	UREA Mixture, P.L.	..	..	..	..	..	8 fl. oz.	4	0	19	11	Extemp.
921	VASOPRESSIN Injection, B.P.	1 cc. amp.	..	..	..	..	6	..	0	18	9	PD
922	VASOPRESSIN TANNATE IN OIL Injection	1 cc. amp...	..	..	..	..	12	1	* 1	14	9	PD
923	VERILOID I.V. Injection	0.4 mg. per cc., 5.3 cc. amp.	D	..	..	..	6	..	3	6	9	RK
924	VITAMIN A Concentrated Solution, B.P.	..	..	..	..	PC	1 fl. oz.	..	0	13	5	DH
925	VITAMIN D Concentrated Solution, B.P.	..	..	..	..	PC	1 fl. oz.	..	0	10	9	DH
926	VITAMINS A and D Concentrated Solution, B.P.	..	..	..	..	PC	1 fl. oz.	..	0	11	1	AN, DH
									0	12	5	GL
927	VITAMIN K₁ Injection	10 mg. amp.	..	..	..	D	3	..	1	0	1	RO

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
928	VITAMINS COMPOUND							<i>£ s. d.</i>	
	Oral Tablet, B.P.C.	Capsule Formula	..		P	100	1	0 7 0 0 7 5	TO AD, DH, HY, KL, MG, QE, RT, RY , SI, SL, VA, WD
								0 8 6 0 9 1	AN, CM, GL, PR, VB AB, BD, MK, RD
								(ex 1,000) 0 10 1	AB, AD, AN, BD, CM, DH, GL, HY , KL, MG, MK , PR, QE, RD, RT, RY , SI, SL, TO, VA, VR, WD
	Oral Capsule, B.P.C.	..	..	..	P	100	1	(ex S.P.) 0 9 1 (ex 1,000) 0 10 9	FA, KL FA, KL
	Oral Pill	Capsule Formula	..	..	P	100	1	(ex S.P.) 0 8 6 (ex 1,000) 0 10 1 (ex S.P.)	PD PD
941	WATER FOR INJECTION								
	Injection, B.P.	2 cc. amp...	..	..		6	3	0 6 1	AD, BL, DH, EV, FH, KL
		5 cc. amp...	..	..		6	3	0 6 9	AD, AN, BL, DH, EV, FH, KL
		10 cc. amp...	..	..		6	3	* 0 6 9 0 8 1	CS AD, AN, BL , CS, DH, EV, FH, KL
942	WOOL ALCOHOLS								
	Ointment, B.P.	..	..	..		1920 gr.	1	0 11 10	Extemp.

943	WOOL FAT HYDROUS												
	2 oz. tube or jar	..	..	..	..		1	..	0	2	3		DH, WD
961	ZINC GELATIN												
	Paste, B.P. (Unna's)	..	..	..	..		3840 gr.	..	0	18	6		Extemp.
962	ZINC OXIDE												
	Ointment, B.P.	..	..	..	..		1920 gr.	1	0	9	11		Extemp.
	Cream, B.P.	..	..	..	..		1920 gr.	1	0	9	11		Extemp.
	Cream, Soft, P.L.	..	..	..	..		1920 gr.	1	0	9	11		Extemp.
	Ointment with Castor Oil, B.P.	..	..	..	..		1920 gr.	1	0	14	11		Extemp.
	Paste with Coal Tar, P.L.	..	..	..	..		1920 gr.	1	0	7	10		Extemp.
	Paste with Salicylic Acid B.P.	..	..	..	..		1920 gr.	1	0	11	2		Extemp.
963	ZINC SULPHATE												
	Lotion, P.L.	..	..	..	..		8 fl. oz.	4	0	6	4		Extemp.
964	ZINC UNDECENOATE												
	Ointment, B.P.	..	..	..	..		1920 gr.	1	1	7	9		Extemp.

SECTION 2—SCHEDULE OF BENEFITS (PART II)

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Acacia, B.P.		0 2	1 2	Amidopyrin, B.P.C.		2 8	18 3
Acetic Acid, B.P.		0 1	0 7	Aminacrine Hydrochloride, B.P. ..		21 2	..
Acetic Acid, Dilute, B.P.		0 1	0 6	Aminophylline, B.P.		1 6	10 6
Acetic Acid, Glacial, B.P.		0 2	1 0	Anumonia Liniment, B.P.C. 1949 ..		0 1	0 6
Acetone, B.P.C.	K	0 2	0 10	Ammonia Solution, Dilute, B.P. ...		0 2	0 8
Acetylsalicylic Acid, B.P.		0 2	1 2	Ammonia Solution, Strong, B.P. ...		0 2	0 9
Acriflavine, B.P. 1948		5 7	..	Ammoniated Mercury Ointment, B.P.		0 3	1 7
Adrenaline, B.P.		62 10	..	Ammonium Acetate Strong Sol., B.P. 1953		0 2	0 11
Adrenaline Hcl. Solution, B.P. 1953		0 7	4 0	Ammonium Bicarbonate, B.P. 1953		0 2	0 8
Agar, B.P.C.		1 6	10 6	Ammonium Bromide, B.P.C. ..		0 2	0 10
Alcohol 90%, B.P.	E	0 2	1 0	Ammonium Chloride, B.P. ..		0 1	0 7
Alcohol 95%, B.P.	E	0 3	1 4	Anise Oil, B.P.	E	1 0	7 0
Alcoholic Soap, A.P.F.		0 3	1 3	Aniseed Spirit, B.P.C. 1949 ..	E	0 4	2 1
Almond Oil, B.P.		0 10	5 10	Aniseed Water, Conc., B.P.C. ..	E	0 3	1 5
Almond Oil, Vol. Bitter, B.P. 1953	E	1 8	11 3	Antimony Sodium Tartrate Injec- tion, B.P.		..	..
Aloes, B.P.		0 5	2 7	Apomorphine Hydrochloride Injec- tion, B.P.		..	..
Aloin, B.P. 1953		1 10	12 4	Aqueous Cream, B.P.		0 4	2 1
Alum, B.P.		0 1	0 5	Aromatic Ammonia, B.P.C., Sol. ...		..	..
Aluminium Acetate Sol., B.P.C. ..		0 3	1 3				
Aluminium Hydroxide Mixture, A.P.F.		0 2	0 11				
Amaranth Solution, B.P.C.	E	0 2	0 11				
Amethocaine Hydrochloride, B.P. ..	K	44 5	..				

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Aromatic Ammonia Spirit, B.P. 1953	K	0 3	1 4	Benzoinated Lard, B.P.C. . .	E	0 3	1 6
Atropine, B.P.		68 11	..	Benzyl Alcohol, B.P.		0 4	2 2
Atropine Methonitrate, B.P. ..		(4/7 for 1 grain)	..	Benzyl Benzoate, B.P.		0 7	4 0
Atropine Sulphate, B.P.		53 10	..	Benzyl Benzoate Application, B.P.		0 3	1 5
Bacitracin		(2/2 for 1 grain)	..	Bismuth Carbonate, B.P. 1953 ..		0 9	4 11
Barbitene Sodium, B.P.		1 8	11 6	Bismuth Subgallate, B.P. 1953 ..		1 0	6 8
Barium Sulphate, B.P.		0 2	1 1	Borate Buffer		..	..
Beeswax, White, B.P.		0 5	2 5	Borax, B.P., Powder		0 1	0 3
Beeswax, Yellow, B.P.C.		0 4	1 11	Boric Acid, B.P., Flake		0 1	0 6
Belladonna, Dry Extract, B.P. ..		1 5	9 10	Boric Acid, B.P., Powder		0 1	0 4
Belladonna Herb, B.P. (Powdered)		0 10	5 9	Boric Acid and Starch Dusting Powder, B.P.C.		0 2	0 10
Belladonna Herb, Prepared, B.P. .		0 10	5 6	Boroglycerin, B.P.C. 1949		0 5	2 11
Belladonna Suppository, B.P. 1948		..	..	Boroglycerin Ointment, A.P.F. ..		0 3	1 8
Belladonna Tincture, B.P.		0 3	1 5	Brilliant Green, B.P.		1 2	8 1
Bentonite, B.P.		0 1	0 6	Buchu, Conc., Infusion, B.P.C. ..		0 4	2 4
Benzocaine, B.P.		1 10	12 6	Butyl Aminobenzoate, B.P. 1953 .	E	18 2	..
Benzocaine and Adrenaline Oint- ment, A.P.F.		0 5	3 0	Cade Oil, B.P.		0 7	3 11
Benzoic Acid, B.P.		0 4	1 10	Caffeine, B.P.		1 0	6 11
Benzoic Acid Compound Ointment, A.P.F.		0 4	1 10	Caffeine Citrate, B.P.C.		0 10	5 4
Benzoic Acid Solution, B.P.C. ..		0 4	2 3	Caffeine and Sodium Benzoate, B.P.C.		1 6	10 5
Benzoin, B.P.		0 5	2 8	Cajuput Spirit, B.P. 1948		0 3	1 8
Benzoin Tincture, B.P.C.		0 4	2 0	Cajuput Tincture, B.P.C.		..	..
Benzoin Tincture Compound, B.P.		0 6	3 0	Calamine, B.P.		0 2	0 11
				Calamine Cream, A.P.F.		0 3	1 9

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Calamine Lotion, B.P.		0 2	0 8	Cascara Elixir, B.P.		0 4	2 3
Calcium Carbonate, B.P.		0 1	0 3	Cascara, Liquid Extract, B.P. ..		0 4	1 10
Calcium Chloride, B.P.		0 3	1 6	Castor Oil, B.P.		0 1	0 7
Calcium Gluconate, B.P.		0 5	2 10	Catechu Tincture, B.P.C.		0 4	2 3
Calcium Hydroxide, B.P. ...		0 1	0 3	Cetostearyl Alcohol, B.P.		0 5	2 5
Calcium Hydroxide Solution, B.P.		0 1	0 4	Cetrimide, B.P.		1 4	9 0
Calcium Lactate, B.P.		0 3	1 6	Cetrimide Aqueous Cream, A.P.F.		0 5	2 8
Calcium Phosphate, B.P. 1953 ..		0 2	0 11	Cetrimide Ophthalmic Phosphate			
Calumba, Conc. Infusion, B.P. 1948		0 4	2 0	Buffer, A.P.F.		0 4	2 2
Calumba Tincture, B.P. 1948 ..		0 4	1 10	Cetrimide Ophthalmic Vehicle,			
Camphor, B.P., Powder		0 5	2 9	A.P.F.		0 4	1 10
Camphor Liniment, B.P.		0 2	1 1	Cetyl Alcohol Compound		..	..
Camphor Spirit, B.P.C.		0 3	1 8	Chalk, B.P.		0 1	0 4
Camphor Water, B.P.	E	..	..	Chiniofon, B.P. 1948		..	..
Camphor Water, Conc., B.P.C. 1949	E	0 3	1 5	Chloral Hydrate, B.P.		0 4	1 10
Capsicum Ointment, B.P.C. ..		0 5	2 9	Chloral Syrup, B.P.C.		0 2	0 8
Capsicum Tincture, B.P.C. ..		0 4	2 3	Chlorbutol, B.P.		0 11	6 2
Carmine Solution, A.P.F. ...	E	0 9	5 3	Chlorbutol Ophthalmic Phosphate			
Caraway Oil, B.P.C.	E	2 2	14 9	Buffer, A.P.F.		0 4	2 3
Cardamom Aromatic Tincture,				Chlorbutol Ophthalmic Vehicle,			
B.P.C.		0 5	2 7	A.P.F.		0 4	1 10
Cardamom Compound Tincture,				Chlorbutol Water, A.P.F. ..		0 1	0 6
B.P.		0 3	1 6	Chlorinated Lime, B.P.		0 2	0 8
Cascara, B.P.		0 4	2 2	Chlorinated Soda Solution, Surgi-			
Cascara Aromatic Syrup, B.P.C.				cal, B.P.		0 2	1 0
1949		0 2	0 10	Chlorocresol, B.P.		0 10	5 8
Cascara, Dry Extract, B.P. ..		1 1	7 6	Chloroform, B.P.	E	0 3	1 6

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Chloroform Spirit, B.P.	E	0 3	1 5	Collodion, Flexible, B.P.		0 3	1 4
Chloroform Water, B.P.	E	..	..	Colocynth, B.P.C.		0 10	5 6
Chloroform Water, Conc., B.P.C. ..	E	0 3	1 6	Colocynth, Comp. Powder Ext.,			
Cholesterol Oily Cream, A.P.F. ..		0 3	1 3	B.P.C.		0 10	5 9
Cinnamon Oil, B.P.	E	2 9	..	Colophony, B.P.		0 1	0 7
Cinnamon Spirit, B.P.C. 1949 ..	E	0 4	2 2	Copper Sulphate, B.P.		0 2	0 9
Cinnamon Water, Conc., B.P. ..	E	0 4	1 10	Coriander Oil, B.P.	E	9 4	..
Citric Acid, B.P., Cryst. or Powd.		0 2	1 1	Cotton Seed Oil, B.P.		0 2	0 8
Citronella Oil, B.P.C. 1949 ..	K	0 5	2 11	Creosote, B.P. 1953		0 11	6 0
Clove Oil, B.P.		1 2	8 1	Crystal Violet, B.P.		1 10	12 10
Cloves, Concentrated Infusion,				Cudbear Tincture, A.P.F. 1947 ..	E	0 6	3 5
B.P.C.		0 5	2 5	Curd Soap		0 1	0 7
Cocaine, B.P.		69 0	..	Dextrose, B.P.		0 2	0 8
Cocaine Hydrochloride, B.P. ..		48 0	..	Dextrose Monohydrate, B.P. ..		0 2	0 10
Cochineal Tincture, B.P. 1948 ..	E	0 3	1 8	Dibutyl Phthalate, B.P.		0 7	3 11
Coconut Oil, B.P.C. 1949	E	0 2	0 10	Dick Test Toxin, B.P.		..	..
Cod Liver Oil, B.P.	CP	0 1	0 6	Dick Control, B.P.		..	..
Codeine, B.P.C.		36 1	..	Dicophane, B.P.		0 5	2 7
Codeine Phosphate, B.P.		20 3	..	Digitalis Leaf, B.P.		0 10	5 6
Codeine Phosphate Syrup, B.P.C.		0 3	1 4	Digitalis, Prepared, B.P.		0 9	4 10
Colchicum Corm, B.P.		0 10	5 6	Digitalis Tincture, B.P. 1953 ..		0 4	1 10
Colchicum, Liquid Extract, B.P. ..		1 0	6 10	Dill Oil, B.P.	E	3 1	21 5
Colchicum Tincture, B.P.		0 3	1 8	Dill Water, Concentrated, B.P. ..	E	0 3	1 9
Colchicum, Dried Extract, B.P.				Dimethyl Phthalate, B.P. ...		0 4	1 11
1948		3 11	27 2	Dusting Powder, Absorbable, B.P.		..	..
Collodion Acid Salicylic, A.P.F.				Elixir Simple, B.P.C. 1949 ..		0 2	0 11
1955		0 2	0 11	Emulsifying Ointment, B.P. ..		0 4	1 11

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Emulsifying Wax, B.P.		0 5	2 8	Gamma Benzene Hexachloride, B.P.		0 10	5 9
Ephedrine, B.P.		7 2	..	Gelatin, B.P., Powder		0 3	1 6
Ephedrine Elixir, A.P.F.		0 4	2 2	Gelsemium Tincture, B.P.C. ..		0 4	2 2
Ephedrine Hydrochloride, B.P. ..		4 2	..	Gentian Violet		1 10	12 10
Ephedrine Sulphate, B.P.C.		4 4	..	Gentian Compound Infusion ..		0 4	1 10
Ergot, Liquid Extract, B.P.C. ..		1 8	11 5	Gentian Compound Infusion, Conc., B.P.		0 4	1 11
Ethanolamine, B.P.		..	..	Gentian Compound Tincture, B.P.	E	0 4	1 10
Ether Anaesthetic, B.P.	E	0 2	0 10	Ginger Syrup, B.P.		0 2	0 9
Ether Solvent, B.P.	E	0 1	0 6	Ginger Tincture, Strong, B.P. ..		0 4	2 4
Ether Nitrous Spirit, B.P.C. ..		0 4	2 4	Ginger Tincture, Weak, B.P. ..		0 3	1 5
Ethereal Soap, A.P.F.		0 2	1 1	Glucose, Liquid, B.P. 1953 ..		0 2	0 10
Ethyl Oleate, B.P.		..	..	Glucose, Liquid, Syrup, B.P.C. ..		0 2	0 8
Eucalyptol, B.P.		0 7	4 0	Glycerin, B.P.		0 3	1 5
Eucalyptus Oil, B.P.		0 3	1 3	Glycerin Acid Boric, B.P. 1948 ..		0 6	3 0
Eye Base, B.P.		0 6	3 6	Glycerin Ichthammol, B.P.C. ..		0 4	2 1
Ferric Chloride, Sol., B.P.C. ..		0 4	2 4	Glycerin of Borax, B.P.C. ...		0 3	1 8
Ferrous Gluconate, B.P.		0 10	5 6	Glycerin Tragacanth, B.P.C. 1949		0 5	2 6
Ferrous Phosphate Comp. Syrup, B.P.C.		0 2	0 8	Glycerophosphates Compound Syrup, A.P.F.		0 1	0 7
Ferrous Phosphate with Quinine and Strychnine Syrup, B.P.C. ..		0 2	0 8	Golden Syrup, Acidified, A.P.F. ..		0 2	0 11
Ferrous Sulphate, B.P.		0 2	0 8	Halibut Liver Oil, B.P.		..	..
Ferrous Sulphate, Dry, B.P. ..		0 2	0 11	Hamamelis, Liquid Extract, B.P. ..		1 0	6 6
Fluorescein Sodium, B.P.		2 1	14 4	Hamamelis Ointment, B.P. ..		0 6	3 4
Formalin, B.P.		0 1	0 7	Homatropine Hydrobromide, B.P.		(1/4d. for 1 gr.)	
Fructose, B.P. 1948		..	..				
Gall with Opium Ointment, B.P.C.		0 7	4 1				

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Honey, Purified, B.P.C.	E	0 1	0 5	Ipecacuanha Tincture, B.P. ..		0 6	3 4
Hydrochloric Acid, B.P.		0 2	1 0	Ipomoea Resin		0 10	5 6
Hydrochloric Acid, Dilute, B.P. ..		0 2	0 10	Iron and Ammonium Citrate, B.P.		0 3	1 4
Hydrocyanic Acid, Dilute, B.P.C..		1 5	9 5	Iron Carbonate, Saccharated,			
Hydrogen Peroxide Solution, B.P.		0 1	0 5	B.P.C.		0 3	1 7
Hyoscine Hydrobromide, B.P. ..	106 11	..	..	Isoprenaline Sulphate, B.P. ..	28 10	..	..
Hyoseyamus, Dry Extract, B.P. ...	1 8	11 3		Kaolin, Heavy, B.P.	0 1	0 5	
Hyoseyamus, Liquid Extract, B.P.	0 5	2 10		Kaolin, Light, B.P.	0 1	0 7	
Hyoseyamus Tincture, B.P. ..	0 2	1 2		Lactic Acid, B.P.	0 5	2 10	
Hypophosphorous Acid, Dilute,				Lactose, B.P.	0 1	0 5	
B.P.C.	0 3	1 7		Lavender Oil, B.P. 1953	E	2 5	16 6
Ichthammol, B.P.	0 4	2 4		Lavender Oil Spike, B.P.C. ..	E	0 10	5 9
Indigo Carmine, B.P.	..	..		Lead Subacetate Sol., Dilute, B.P.		0 1	0 7
Iodine, B.P.	1 0	6 11		Lead Subacetate Sol., Strong, B.P.		0 2	1 2
Iodine Compound Liniment, A.P.F.	0 4	2 4		Lead with Opium Lotion, B.P.C. ...		0 2	1 1
Iodine Simple Solution, B.P.C. ..	0 3	1 4		Lemon Neutral Syrup, A.P.F. ..	E	0 3	1 7
Iodine Solution, Aqueous, B.P. ..	0 3	1 8		Lemon Syrup, B.P.	E	0 2	0 8
Iodine Solution, Strong, B.P. ..	0 4	2 0		Lemon Tincture, B.P.	E	0 4	2 0
Iodine Solution Strong, B.P. Meth.	0 3	1 9		Linseed Oil, B.P.		0 1	0 7
Iodine Solution, Weak, B.P. ..	0 3	1 5		Liquorice, B.P.		0 3	1 3
Iodine Solution Weak, B.P. Meth.	0 3	1 5		Liquorice, Liquid Extract, B.P. ..	E	0 3	1 5
Iodine Stainless Ointment, B.P.C.	0 3	1 9		Lobelia, Ethereal Tincture, B.P.C.		0 5	2 7
Iodoform Powder, B.P.C. ..	1 7	10 10		Magenta, B.P.C.		1 4	..
Iodoform Suppository, B.P. 1948..	..	..		Magnesium Carbonate, Heavy, B.P.		0 2	0 8
Ipecacuanha and Opium Powder,				Magnesium Carbonate, Light, B.P.		0 1	0 7
B.P.	0 10	5 9		Magnesium Carbonate Solution,		..	..
Ipecacuanha, Liquid Extract, B.P.	3 3	22 7		B.P. 1948..			

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
Magnesium Hydroxide Mixture, B.P.		s. d.	s. d.	Myrrh, B.P.C.		s. d.	s. d.
Magnesium Oxide, Heavy, B.P. . .		0 2	0 8	Myrrh Tincture, B.P.C.		0 8	4 8
Magnesium Oxide, Light, B.P. . .		0 4	1 11	Nasal Drops, Conc. Sol., A.P.F. . .		0 4	2 1
Magnesium Sulphate, B.P.		0 4	2 1	Normal Saline		0 5	2 9
Magnesium Sulphate, Dried, B.P. .		0 1	0 2	Nux Vomica Extract, Dried, B.P.		0 1	0 6
Magnesium Trisilicate, B.P. . . .		0 1	0 6	1953		1 3	8 5
Male Fern Extract, B.P.	K	0 2	0 11	Nux Vomica Liquid Extract, B.P.		0 6	3 6
Malt Extract, B.P.	CP	1 5	9 10	Nux Vomica Tincture, B.P.		0 3	1 3
Menthol, B.P.		0 1	0 7	Oily Cream, B.P.		0 3	1 9
Menthol Comp. Ointment, A.P.F.		2 1	14 3	Oily Ophthalmic Vehicle, A.P.F.			
Mercuric Chloride, B.P. 1953 . . .		0 5	2 5	(No Preservative)		0 4	2 2
Mercuric Ox. Yellow Oint., B.P.C.		1 6	10 0	Oleic Acid, B.P.		0 2	0 8
1934		0 5	2 10	Olive Oil, B.P.		0 2	0 9
Mercurous Chlor. Oint., B.P. 1948		0 9	4 10	Opium Tincture, B.P.		0 6	3 1
Mercury Ammoniated, B.P.		1 6	10 0	Opium Tincture, Camphorated, B.P.		0 3	1 4
Mercury Comp. Oint., B.P.C. . . .		0 7	3 9	Orange Peel Infusion, Conc., B.P.			
Methylated Spirit, Industrial, B.P.	E	0 1	0 3	1948		0 3	1 8
Methylcellulose, A.P.F.	E	0 11	6 4	Orange Peel Infusion, Conc. Comp.,			
Methylcellulose Mucilage, A.P.F. .	E	0 2	1 0	B.P.C.		0 3	1 5
Methylene, Blue, B.P.		1 8	11 5	Orange Syrup, B.P.	E	0 2	0 9
Methylsalicylate, B.P.		0 3	1 9	Orange Tincture, B.P.	E	0 3	1 9
Methylsalicylate Comp. Liniment,				Ox-Bile Extract, B.P. 1948			
A.P.F.		0 4	2 1	Oxymel, B.P.C.		0 3	1 3
Methylsalicylate Oint., B.P.C. . .		0 6	3 1	Oxymel of Squill, B.P.C.		0 2	0 11
Morphine Hydrochloride, B.P. . . .		27 6	..	Papaverine Hydrochloride, B.P. . .		8 5	58 9
Morphine Hydrochloride Sol., B.P.		0 5	2 10	Paraben Ophthalmic Phosphate			
Morphine Sulphate, B.P.		33 4	..	Buffer, A.P.F.		0 4	2 2

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Paraben Ophthalmic Vehicle, A.P.F.		0 4	1 10	Phenolphthalein, B.P.		1 1	7 6
Paraffin, Hard, B.P.		0 1	0 6	Phenylephrine Hydrochloride	K	..	..
Paraffin, Light, Liquid, B.P.		0 1	0 6	Phenylmercuric Nitrate, B.P.		7 8	..
Paraffin, Liquid, B.P.		0 1	0 5	Pholcodine, B.P.C.		48 1	..
Paraffin Liquid Emulsion, B.P.		0 2	1 0	Pholcodine Citrate Syrup, B.P.C.		0 3	1 9
Paraffin, Liquid Emulsion, A.P.F.		0 2	0 9	Phosphoric Acid, B.P.		0 3	1 6
Paraffin, White Ointment		0 3	1 3	Phosphoric Acid, Dilute, B.P.		0 2	0 10
Paraffin, White, Soft, B.P.		0 1	0 6	Phthalylsulphathiazole, B.P.		1 6	10 5
Paraffin, Yellow Ointment		0 2	1 1	Physostigmine Salicylate, B.P.		(6/5d. f or 1 gr.)	
Paraffin, Yellow, Soft, B.P.		0 1	0 6	Pilocarpine Nitrate, B.P.		44 4	..
Paraldehyde, B.P.		0 4	2 0	Piperazine Adipate, B.P.		..	..
Peanut Oil, B.P.		0 1	0 7	Piperazine Phosphate, B.P.		..	..
Penicillin, Oily Injection		..	..	Podophyllum Resin, B.P.		3 5	..
Pentobarbitone Sodium, B.P.		3 11	..	Potassium Acid Tartrate, B.P.		0 2	0 9
Peppermint Oil, B.P.	E	1 5	9 5	Potassium Bicarbonate, B.P., Powder		0 2	0 8
Peppermint Spirit, B.P.	E	0 4	1 11	Potassium Bromide, B.P.		0 2	0 10
Peppermint Water, Conc., B.P.	E	0 3	1 6	Potassium Chlorate, B.P.C.		0 3	1 4
Peru Balsam, B.P.C.		1 4	9 1	Potassium Chloride, B.P.		0 3	1 4
Phenacetin, B.P.		0 4	2 1	Potassium Citrate, B.P.		0 2	1 1
Phenazone, B.P.C.		0 9	5 2	Potassium Hydroxide, B.P.		0 5	2 6
Phenobarbitone, B.P.		1 2	8 0	Potassium Hydroxide Sol., B.P.		0 2	0 9
Phenobarbitone Sodium, B.P.		1 2	8 0	Potassium Iodide, B.P.		0 6	3 4
Phenol, B.P.		0 3	1 3	Potassium Nitrate, B.P., Powder		0 1	0 6
Phenol, Liquefied, B.P.		0 3	1 5	Potassium Permanganate, B.P.		0 2	0 10
Phenol, Glycerin, B.P.		0 4	2 3	Potash, Sulphurated, B.P.C.		0 5	2 8
Phenol Ointment, B.P. 1948		0 4	1 10	Procaine Hcl., B.P.		4 0	..

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Proflavine Hemisulphate, B.P. ..		12 3	..	Sesame Oil, B.P.		..	..
Propylene Glycol, B.P.	E	0 6	3 0	Siberian Fir Oil, B.P.C. 1949 ..		1 2	8 0
Pyroxylin, B.P.		1 4	9 4	Silver Nitrate, B.P.		3 3	22 6
Quassia Tincture, B.P. 1948 ..		0 3	1 5	Silver Nitrate, Toughened, B.P. ..		6 0	41 6
Quillaia Tincture, B.P.C.	E	0 4	2 1	Silver Protein, B.P.		2 11	19 11
Quinalbarbitone Sodium, B.P. ..		2 11	20 0	Silver Protein, Mild, B.P.C. ..		3 7	24 7
Quinidine Sulphate, B.P.		5 8	39 8	Simple Oint., B.P., White or Yellow		0 3	1 5
Quinine Ammon. Sol., B.P.C. ..		0 3	1 6	Soap Liniment, B.P.		0 2	1 2
Quinine Bisulphate, B.P.		2 6	17 6	Soap, Soft, B.P.		0 2	1 0
Quinine Dihydrochloride, B.P. ..		2 9	19 3	Sodium Acid Citrate, B.P. ..		..	..
Quinine Hydrochloride, B.P. ..		2 3	15 4	Sodium Acid Phosphate, B.P. ..		0 3	1 4
Quinine Sulphate, B.P.		1 9	11 9	Sodium Benzoate, B.P.		0 5	2 6
Red Syrup, A.P.F.	E	0 2	0 11	Sodium Bicarbonate, B.P. ..		0 1	0 3
Resorcinol, B.P.		1 1	7 6	Sodium Bicarbonate Injection, B.P.		..	..
Resorcinol Comp. Oint., B.P.C. ..		0 7	3 7	Sodium Bromide, B.P.		0 2	0 11
Rhubarb, Powdered, B.P.		0 6	3 6	Sodium Carbonate, B.P.		0 2	0 10
Rhubarb Compound Tincture, B.P.		0 3	1 5	Sodium Carbonate, Exsiccated,			
Rosemary Oil, B.P.	E	0 10	5 9	B.P.C.		0 1	0 7
Salicylic Acid, B.P.		0 3	1 8	Sodium Chloride, B.P.		0 1	0 6
Salicylic Acid Oint., B.P.		0 4	2 1	Sodium Citrate, B.P.		0 2	1 0
Santonin, B.P.		23 4	..	Sodium Hydroxide, B.P.		0 4	2 3
Scarlet Fever Antitoxin, B.P. ..		..	..	Sodium Iodide, B.P.		0 10	5 10
Scarlet Fever Prophylactic, B.P...		..	..	Sodium Metabisulphite, B.P. ..		0 3	1 8
Schick Control, B.P.		..	..	Sodium Nitrite, B.P.C.		0 8	4 2
Senega Conc. Infusion, B.P.C. ..		0 6	3 4	Sodium Phosphate, B.P.		0 2	0 11
Senna Comp. Mixture, B.P.C. ..		0 3	1 6	Sodium Salicylate, B.P.		0 3	1 3
Senna Leaf, Conc. Infusion, B.P.C.		0 5	2 8	Sodium Sulphate, B.P.		0 1	0 2

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Sorbolene, A.P.F.		0 7	3 7	Sulphur, Precipitated, B.P. ..		0 2	0 9
Squill Syrup, B.P.C.	E	0 2	0 9	Sulphur, Sublimed, B.P.		0 1	0 4
Squill Tincture		0 3	1 5	Sulphuric Acid, Dilute, B.P.C. ..	E	0 2	0 10
Squill, Vinegar of, B.P. 1948 ..		0 2	0 10	Syrup, B.P.		0 1	0 6
Starch, B.P.		0 1	0 4	Talc, Purified, B.P.C.		0 1	0 3
Starch Glycerin, B.P.		0 3	1 7	Tannic Acid, B.P.		0 9	5 2
Stearic Acid, B.P.C.	E	0 2	0 8	Tannic Acid Glycerin, B.P. ..		0 5	2 6
Stibophen Injection, B.P. ..		..	..	Tar, B.P.		0 2	0 9
Storax, Prepared, B.P.		2 4	15 10	Tar, Coal, Crude		0 1	0 7
Stramonium, B.P.		0 5	2 6	Tar, Coal, Solution, B.P.		0 3	1 9
Stramonium, Dry Extract, B.P. ..		0 10	5 9	Tar, Ointment, B.P.C.		0 4	2 3
Stramonium, Liquid Extract, B.P.		0 9	4 11	Tar, Prepared Coal, B.P.		0 2	0 11
Stramonium, Powdered, B.P. ..		0 5	2 6	Tartaric Acid, B.P.		0 3	1 3
Stramonium Tincture, B.P. ..		0 3	1 4	Theobroma Oil, B.P.		0 6	3 3
Streptomycin	K	18 3	..	Theophylline, B.P.		2 7	17 8
Strophanthus Tincture, B.P. 1948		1 0	6 11	Thickened Ophthalmic Vehicle, A.P.F.		0 4	1 10
Strychnine, B.P.C.		6 10	47 7	Thiouracil, B.P. 1948		..	..
Strychnine Hydrochloride, B.P. ..		6 7	45 7	Thymol, B.P.		1 3	8 5
Strychnine Hydrochloride Solution, B.P.		0 3	1 4	Thymol Comp. Sol., A.P.F. ..		0 2	1 1
Succinylsulphathiazole, B.P. ..		1 11	13 2	Tolu Balsam, B.P.	E	1 4	9 3
Sucrose, B.P.	E	0 1	0 3	Tolu Syrup, B.P.		0 2	0 11
Sulphacetamide Sodium, B.P. ..		1 11	13 3	Tolu Tincture, B.P.C.		0 6	3 3
Sulphadiazine, B.P.		2 2	14 8	Tragacanth, B.P., Powdered ..		1 4	8 11
Sulphadimidine		2 6	17 1	Tragacanth Powder, Compound, B.P.		0 3	1 5
Sulphaguanidine, B.P.		1 2	7 8	Tragacanth Mucilage, B.P. ..		0 2	0 9
Sulphur Ointment, B.P.		0 3	1 3				

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Trichloroacetic Acid, B.P. ..	E	2 0	14 0	Water, Purified, B.P. ..	K	..	..
Triethanolamine, B.P.C. ..		0 4	2 2	Wool Alcohols, B.P. ..		0 8	4 3
Trinitrophenol, B.P.C. ..		1 1	7 4	Wool Alcohols Ointment, B.P. ..		0 3	1 7
Tryparsamide Injection, B.P. ..		..	..	Wool Fat, B.P. ..		0 2	1 0
Turpentine Meth. Liniment, B.P. ..		0 2	0 9	Wool Fat. Hydrous, B.P. ..		0 2	1 2
Turpentine Oil, B.P. ..	E	0 2	1 0	Xylene, B.P.C. 1949 ..		0 4	2 2
Typhoid Para-Typhoid A, B and C Vaccine, B.P. ..		..	..	Zinc and Castor Oil Oint., B.P. ..		0 3	1 5
Tyrothrycin (Buffered) Eye Drops ..		..	..	Zinc and Salicylic Acid Paste, B.P. ..		0 3	1 5
Undecenoic Acid, B.P. ..		1 6	10 4	Zinc Cream, B.P. ..		0 2	1 1
Urea, B.P. ..		0 6	3 6	Zinc Gelatin, B.P. ..		0 3	1 8
Urethane, B.P. ..		1 9	12 0	Zinc Ointment, B.P. ..		0 2	1 1
Valerian Ammoniated Tincture, B.P.C. ..		0 4	2 3	Zinc Oxide, B.P. ..		0 1	0 6
Vanillin, B.P. ..		3 4	..	Zinc Paste Compound, B.P. ..		0 3	1 7
Water, Distilled ..		0 1	0 1	Zinc Stearate, B.P. ..		0 4	1 10
Water, Potable ..		..	..	Zinc Sulphate, B.P. ..		0 2	1 0
				Zinc Undecenoate, B.P. ..		1 9	12 1
				Zinc Undecenoate Oint., B.P. ..		0 10	5 10

E = May only be prescribed as an additive

The following items have been identified above by the restriction code "K" and are restricted to the combinations shown:

Acetone, B.P.C. ..	..	Sulphurated Lotion, P.L.
Amethocaine Hydrochloride, B.P. ..	..	Magenta and Resorcinol Paint, P.L.
Bacitracin ..	..	.. Ear and Eye Drops
Citronella Oil, B.P.C. 1949 ..	..	.. Ophthalmic Phosphate Buffer Solution
Male Fern Extract ..	..	.. Dicophane Application, P.L.
Phenylephrine Hydrochloride ..	..	.. Capsules and Emulsion
Streptomycin ..	..	.. Eye Drops.
Xylene, B.P.C. 1949 ..	..	.. Ear Drops
	..	.. Dicophane Application, P.L.

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR EXTEMPORANEOUSLY PREPARED PREPARATIONS

Preparations	Maximum Qty. or No. of Units	Number of Repeats	Preparations	Maximum Qty. or No. of Units	Number of Repeats
Applications	4 fl. oz.	1	Irrigations	8 fl. oz.	4
Capsules	50	1	Insufflations	480 gr.	1
Collodions	240 min.	2	Linectuses	8 fl. oz.	4
Creams	1920 gr.	1	Liniments	4 fl. oz.	1
Draughts	8 fl. oz.	4	Lotions	8 fl. oz.	4
Dusting Powders	1920 gr.	1	Lozenges	25	..
Ear Drops	$\frac{1}{2}$ fl. oz.	2	Mixtures	8 fl. oz.	4
Elixirs	8 fl. oz.	4	Mixtures for Infants	4 fl. oz.	4
Emulsions	16 fl. oz.	4	Nasal Instillations	$\frac{1}{2}$ fl. oz.	2
Enemas	4 fl. oz.	1	Ointments	1920 gr.	1
Extracts, Fluid	4 fl. oz.	1	Paints	1 fl. oz.	1
Eye Drops of Physostigmine	240 min.	6	Pastes	1920 gr.	1
Eye Drops of Pilocarpine ..	240 min.	6	Pessaries	12	1
Other Eye Drops	240 min.	2	Pills	50	1
Eye Lotions	8 fl. oz.	4	Poultices	1 lb.	1
Eye Ointments	60 gr.	..	Powders for internal use ..	1920 gr.	1
Gargles and Mouthwashes ..	8 fl. oz.	4	Powders individually		
Gelatins	1920 gr.	1	wrapped	12	1
Gelatin Zinc (Unna's Paste)	3840 gr.	..	Soaps	4 fl. oz.	1
Glycanths	1920 gr.	1	Solutions	4 fl. oz.	1
Glycerins	4 fl. oz.	1	Sprays	$\frac{1}{2}$ fl. oz.	2
Implants	1 Implant	..	Suppositories	12	1
Inhalations	2 fl. oz.	1	Syrups	8 fl. oz.	4
Injections—			Tinctures	1 fl. oz.	1
Ampoules	6 amps	1			
Vials	1 vial	1			

SECTION 3 — PRESCRIBER'S LIST

PRESCRIPTION

APPLICATIONS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

93. BENZYL BENZOATE WITH DICOPHANE

Dicophane B.P.	..	..	..	40 gr.
Benzyl Benzoate B.P.	..	..	..	1 oz.
Triethanolamine B.P.C...	..	..	..	12 min.
Stearic Acid B.P.C.	..	..	..	40 gr.
Distilled Water to	..	..	..	4 fl. oz.

241. DICOPHANE

Dicophane B.P.	..	..	..	34 gr.
Emulsifying Wax B.P.	..	..	..	70 gr.
Xylene B.P.C. 1949	..	..	..	290 min.
Oil of Citronella B.P.C. 1949	..	..	..	10 min.
Water to	..	..	..	4 fl. oz.

355. GAMMA BENZENE HEXACHLORIDE

Gamma Benzene Hexachloride, B.P.	..	..	..	3.5 gr.
Castor Oil B.P.	..	..	..	192 min.
Spike Lavender Oil B.P.C.	..	..	..	10 min.
Industrial Methylated Spirit B.P. to	..	..	..	4 fl. oz.

PRESCRIPTION

CREAMS

(Maximum Quantity, 1920 gr. 1 Repeat)

21. AMINACRINE

Aminacrine Hydrochloride B.P.	..	..	..	1 gr.
Cream Cetrimide Aqueous, A.P.F. to	..	..	..	960 gr.

101. BUTYL AMINO BENZOATE AND TRINITROPHENOL

Butyl Aminobenzoate, B.P. 1953	..	..	..	5 gr.
Trinitrophenol, B.P.C.	..	..	..	5 gr.
Zinc Oxide, B.P...	..	..	..	96 gr.
Oily Cream of Cholesterol, A.P.F. to	..	..	..	960 gr.

120. CALAMINE

Oleic Acid, B.P.	..	..	..	4 gr.
Peanut Oil, B.P.	..	..	..	212 gr.
Wool Fat, B.P.	..	..	..	212 gr.
Calamine, B.P.	..	..	..	288 gr.
Solution of Calcium Hydroxide, B.P.	..	..	..	280 min

139. CETRIMIDE

Cetrimide, B.P.	..	..	..	5 gr.
Cetostearyl Alcohol, B.P.	..	..	..	96 gr.
Liquid Paraffin, B.P.	..	..	..	96 gr.
Distilled Water to	..	..	..	960 gr.

CREAMS—*contd.*

165. COLD

Borax, B.P. Powder	..	..	..	12 gr.
Distilled Water	..	..	..	218 min.
White Beeswax, B.P.	..	..	..	178 gr.
Peanut Oil, B.P.	..	..	..	576 gr.

302. EMULSIFYING WAX (BUFFERED)

Sodium Phosphate, B.P.	..	..	..	25 gr.
Citric Acid, B.P.	..	..	..	5 gr.
Chlorocresol, B.P.	..	..	..	1 gr.
Emulsifying Ointment, B.P.	..	..	..	300 gr.
Distilled Water to	..	..	..	960 gr.

355. GAMMA BENZENE HEXACHLORIDE

Gamma Benzene Hexachloride, B.P.	..	..	..	9 gr.
Stearic Acid, B.P.C.	..	..	..	19 gr.
Cetostearyl Alcohol, B.P.	..	..	..	192 gr.
Triethanolamine, B.P.C.	..	..	..	15 gr.
Glycerin, B.P.	..	..	..	77 gr.
Distilled Water to	..	..	..	960 gr.

362. GLYCERIN

Glycerin, B.P.	..	..	..	192 gr.
Solution of Calcium Hydroxide, B.P.	..	..	..	338 min.
Peanut Oil, B.P.	..	..	..	212 min.
Wool Fat, B.P.	..	..	..	250 gr.

962. SOFT ZINC

Light Liquid Paraffin, B.P.	..	..	..	346 gr.
Zinc Cream, B.P. to	..	..	..	1,920 gr.

777. SORBOLENE

Sorbolene, A.P.F.	..	..	..	96 gr.
Hard Paraffin, B.P.	..	..	..	57 gr.
Liquid Paraffin, B.P.	..	..	..	260 gr.
Chlorocresol, B.P.	..	..	..	1 gr.
Distilled Water	..	..	..	546 min.

DUSTING POWDERS

(Maximum Quantity, 1920 gr. 1 Repeat)

90. BENZOCAINE

Benzocaine, B.P.	..	..	..	48 gr.
Compound Dusting Powder of Kaolin, A.P.F. to	..	..	..	480 gr.

450. KAOLIN COMPOUND

Light Kaolin, B.P.	..	..	..	480 gr.
Zinc Oxide, B.P...	..	..	..	480 gr.
Talc, Purified, B.P.C. to	..	..	..	1,920 gr.

911. UNDECENOIC ACID

Undecenoic Acid, B.P.	..	..	..	10 gr.
Zinc Undecenoate, B.P.	..	..	..	100 gr.
Light Kaolin, B.P.	..	..	..	10 gr.
Talc, Purified, B.P.C. to	..	..	..	480 gr.

PREScription

EAR DROPS

(Maximum Quantity $\frac{1}{2}$ fl. oz. 2 Repeats)

98. ACID BORIC

Boric Acid, B.P.	..	..	..	4 gr.
Industrial Methylated Spirit, B.P.	..	..	..	120 min.
Distilled Water to	..	..	..	$\frac{1}{2}$ fl. oz.

756. ACID SALICYLIC

Salicylic Acid, B.P.	..	..	..	4 gr.
Industrial Methylated Spirit, B.P.	..	..	..	120 min.
Distilled Water to	..	..	..	$\frac{1}{2}$ fl. oz.

21. AMINACRINE

Aminacrine Hydrochloride, B.P.	..	..	..	0.25 gr.
Cetrinide, B.P.	..	..	..	0.125 gr.
Distilled Water to	..	..	..	$\frac{1}{2}$ fl. oz.

171. CRYSTAL VIOLET

Crystal Violet, B.P.	..	..	..	2 gr.
Industrial Methylated Spirit, B.P.	..	..	..	120 min.
Distilled Water to	..	..	..	$\frac{1}{2}$ fl. oz.

PREScription

390. HYDROGEN PEROXIDE

Solution of Hydrogen Peroxide, B.P.	..	..	..	120 min.
Distilled Water to	..	..	..	$\frac{1}{2}$ fl. oz.

410. ICHTHAMMOL

Ichthammol, B.P.	..	..	..	24 min.
Glycerin, B.P. to	..	..	..	$\frac{1}{2}$ fl. oz.

613. PHENOL

Glycerin of Phenol, B.P.	..	..	..	90 min.
Glycerin, B.P. to	..	..	..	$\frac{1}{2}$ fl. oz.

766. SODIUM BICARBONATE

Sodium Bicarbonate, B.P.	..	..	..	8 gr.
Glycerin, B.P.	..	..	..	180 min.
Distilled Water to	..	..	..	$\frac{1}{2}$ fl. oz.

778. SPIRIT

Industrial Methylated Spirit, B.P.	..	..	..	170 min.
Distilled Water to	..	..	..	$\frac{1}{2}$ fl. oz.

781. STREPTOMYCIN

Streptomycin	..	..	..	1 G.
Normal Saline to	..	..	..	$\frac{1}{2}$ fl. oz.

EAR DROPS—*contd.*

784. SULPHACETAMIDE SODIUM

Sulphacetamide Sodium, B.P. . .	22 gr.
Boric Acid, B.P. . .	4 gr.
Industrial Methylated Spirit, B.P. . .	120 min.
Distilled Water to	$\frac{1}{2}$ fl. oz.

EYE DROPS

(Except where shown, Maximum Quantity, $\frac{1}{2}$ fl. oz.
2 Repeats)

21. AMINACRINE

Aminacrine Hydrochloride, B.P. . .	0.05 gr.
Sodium Chloride, B.P.	2 gr.
Cetrimide Ophthalmic Vehicle, A.P.F. to	$\frac{1}{2}$ fl. oz.

40. ATROPINE $\frac{1}{2}$ % (Approx.)

Atropine Sulphate, B.P.	1 gr.
Sodium Chloride, B.P.	2 gr.
Ophthalmic Buffer Solution, A.P.F. to	$\frac{1}{2}$ fl. oz.

40. ATROPINE 1% (Approx.)

Atropine Sulphate, B.P.	2 gr.
Sodium Chloride, B.P.	2 gr.
Ophthalmic Buffer Solution, A.P.F. to	$\frac{1}{2}$ fl. oz.

38. ATROPINE (OILY) 1% (Approx.)

Atropine, B.P.	2 gr.
Oily Ophthalmic Vehicle, A.P.F. to	$\frac{1}{2}$ fl. oz.

83. BACITRACIN

Bacitracin	5,000 U.
Ophthalmic Phosphate Buffer Solu- tion to	$\frac{1}{2}$ fl. oz.

158. COCAINE (OILY) 2% (Approx.)

Cocaine, B.P.	2 gr.
Oily Ophthalmic Vehicle, A.P.F. to	$\frac{1}{2}$ fl. oz.

497. METHYLCELLULOSE

Methylcellulose, A.P.F.	1 gr.
Sodium Chloride, B.P.	2 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F. to	$\frac{1}{2}$ fl. oz.

622. PHYSOSTIGMINE $\frac{1}{2}$ % (Approx.)

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 6 Repeats)

Physostigmine Salicylate, B.P. . .	1 gr.
Sodium Chloride, B.P.	2 gr.
Sodium Metabisulphite, B.P. . . .	0.1 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F. to	$\frac{1}{2}$ fl. oz.

PRESCRIPTION

EYE DROPS—contd.

624. PILOCARPINE $\frac{1}{2}$ % (Approx.)

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 6 Repeats)

Pilocarpine Nitrate, B.P.	..	..	1 gr.
Chlorbutol Water, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

624. PILOCARPINE 1% (Approx.)

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 6 Repeats)

Pilocarpine Nitrate, B.P.	..	..	2 gr.
Chlorbutol Water, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

762. SILVER PROTEIN 10% (Approx.)

Mild Silver Protein, B.P.C.	..	..	22 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

784. SULPHACETAMIDE (STRONG)

Sulphacetamide Sodium, B.P.	..	..	60 gr.
Boric Acid, B.P.	..	..	4 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F.			
to	..	..	$\frac{1}{2}$ fl. oz.

PRESCRIPTION

784. SULPHACETAMIDE (WEAK)

Sulphacetamide Sodium, B.P.	..	..	20 gr.
Boric Acid, B.P.	..	..	4 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F.			
to	..	..	$\frac{1}{2}$ fl. oz.

EYE OINTMENTS

(Maximum Quantity, 60 gr. No repeats)

410. ICHTHAMMOL AND ZINC OXIDE

Ichthammol, B.P.	..	..	0.5 gr.
Zinc Oxide, B.P.	..	..	0.5 gr.
Eye Base, B.P. to	..	..	60 gr.

INHALATIONS

(Maximum Quantity, 2 fl. oz. 1 Repeat)

92. BENZOIN COMPOUND

Menthol, B.P.	..	..	24 gr.
Oil of Siberian Fir, B.P.C. 1949	..	..	24 min.
Compound Tincture of Benzoin, B.P. to			1 fl. oz.

485. MENTHOL COMPOUND

Menthol, B.P.	..	..	15 gr.
Creosote, B.P. 1953	..	..	15 gr.
Oil of Siberian Fir, B.P.C. 1949	..	..	30 min.
Alcohol 90%, B.P. to	..	..	1 fl. oz.

LINCTUSES

(Maximum Quantity, 8 fl. oz. 4 Repeats)

130. CAMPHOR COMPOUND

Camphorated Tincture of Opium, B.P.	20 min.
Oxymel of Squill, B.P.C.	.. 15 min.
Acidified Golden Syrup, A.P.F. to	.. 60 min.

160. CODEINE

Codeine Phosphate, B.P.	.. 0.5 gr.
Distilled Water	.. 5 min.
Glycerin, B.P.	.. 15 min.
Oxymel of Squill, B.P.C. to	.. 60 min.

500. MORPHINE

Solution of Morphine Hydrochloride,	
B.P.	.. 10 min.
Red Syrup, A.P.F.	.. 15 min.
Syrup, B.P.	.. 60 min.

619. PHOLCODINE

Syrup of Pholcodine Citrate, B.P.C.	.. 30 min.
Syrup, B.P. to	.. 60 min.

LINIMENTS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

120. CALAMINE COMPOUND

Phenol, B.P.	.. 7.5 gr.
Camphor, B.P.	.. 7.5 gr.
Liquid Paraffin, B.P.	.. 480 gr.
Emulsifying Wax, B.P.	.. 45 gr.
Talc, B.P.	.. 120 gr.
Calamine, B.P.	.. 120 gr.
Water to	.. 4 fl. oz.

LINIMENTS—contd.

317. EUCALYPTUS COMPOUND

Camphor, B.P. Powder	.. 60 gr.
Eucalyptus Oil, B.P.	.. 384 min.
Turpentine Oil, B.P.	.. 288 min.
Oleic Acid, B.P.	.. 72 min.
Peanut Oil, B.P.	.. 480 min.
Dilute Solution of Ammonia, B.P.	.. 384 min.
Distilled Water to	.. 4 fl. oz.

499. METHYL SALICYLATE

Methyl Salicylate, B.P.	.. 240 min.
Peanut Oil, B.P. to	.. 2 fl. oz.

876. TURPENTINE

Camphor, B.P. Powder	.. 44 gr.
Turpentine Oil, B.P.	.. 624 min.
Triethanolamine, B.P.C.	.. 20 min.
Oleic Acid, B.P.	.. 40 min.
Distilled Water to	.. 2 fl. oz.

LOTIONS

(Maximum Quantity, 8 fl. oz. 4 Repeats)

756. ACID SALICYLIC COMPOUND

Mercuric Chloride, B.P. 1953 ..	.. 4 gr.
Salicylic Acid, B.P.	.. 80 gr.
Castor Oil, B.P.	.. 40 min.
Spike Lavender Oil, B.P.C. ..	.. 4 min.
Industrial Methylated Spirit, B.P. to	8 fl. oz.

PREScription

LOTIONS—*contd.*

21. AMINACRINE

Aminacrine Hydrochloride, B.P.	..	4 gr.
Cetrimide, B.P.		2 gr.
Distilled Water to		8 fl. oz.

120. CALAMINE

Calamine, B.P.		240 gr.
Zinc Oxide, B.P.		240 gr.
Glycerin, B.P.		240 min.
Solution of Calcium Hydroxide, B.P.	..	2 fl. oz.
Water to		8 fl. oz.

(Liquefied Phenol 1% may be added to this Lotion)

157. COAL TAR

Solution of Coal Tar, B.P.		80 min.
Sodium Bicarbonate, B.P.		44 gr.
Water to		8 fl. oz.

319. EVAPORATING

Industrial Methylated Spirit, B.P.		1 fl. oz.
Ammonium Chloride, B.P.		120 gr.
Water to		8 fl. oz.

613. PHENOL

Liquefied Phenol, B.P.		120 min.
Distilled Water to		8 fl. oz.

PREScription

741. RESORCINOL COMPOUND

Resorcinol, B.P.		80 gr.
Solvent Ether, B.P.		80 min.
Castor Oil, B.P.		80 min.
Spike Lavender Oil, B.P.C.		8 min.
Industrial Methylated Spirit, B.P. to		8 fl. oz.

798. SULPHURATED

Zinc Sulphate, B.P.		160 gr.
Sulphurated Potash, B.P.C.		160 gr.
Acetone, B.P.C.		240 min.
Glycerin, B.P.		240 min.
Distilled Water to		8 fl. oz.

963. ZINC SULPHATE

Zinc Sulphate, B.P.		35 gr.
Solution of Amaranth, B.P.C.		40 min.
Water to		8 fl. oz.

MIXTURES

(Maximum Quantity, 8 fl. oz. 4 Repeats)

4. ACID ACETYLSALICYLIC

Acetylsalicylic Acid, B.P.		10 gr.
Compound Powder of Tragacanth, B.P.		5 gr.
Syrup of Orange, B.P.		30 min.
Chloroform Water, B.P. to		$\frac{1}{2}$ fl. oz.

MIXTURES—*contd.*

5. ACID ACETYLSALICYLIC COMPOUND

Acetylsalicylic Acid, B.P.	..	..	10 gr.
Phenacetin, B.P.	..	..	5 gr.
Caffeine, B.P.	..	..	1 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

6. ACID ACETYLSALICYLIC AND CODEINE COMPOUND

Codeine Phosphate, B.P.	..	..	0.25 gr.
Acid Acetylsalicylic, B.P.	..	..	8 gr.
Phenacetin, B.P.	..	..	8 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Spirit of Peppermint, B.P.	..	..	1 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

7. ACID ACETYLSALICYLIC AND MORPHINE

Solution of Morphine Hydrochloride, B.P.	..	..	15 min.
Solution of Amaranth, B.P.C.	..	..	1 min.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

8. ACID ACETYLSALICYLIC AND PHENOBARBITONE

Phenobarbitone, B.P.	..	..	0.25 gr.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Spirit of Cinnamon, B.P.C. 1949	..	..	1 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

386. ACID HYDROCHLORIC DILUTE

Dilute Hydrochloric Acid, B.P.	..	..	120 min.
Syrup of Orange, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE WITH BELLADONNA

Tincture of Belladonna, B.P.	..	..	7.5 min.
Mixture of Aluminium Hydroxide, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE AND KAOLIN

Light Kaolin, B.P.	..	..	45 gr.
Mixture of Aluminium Hydroxide, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE AND KAOLIN WITH OPIUM

Tincture of Opium, B.P.	..	..	5 min.
Mixture of Aluminium Hydroxide and Kaolin, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

PRESCRIPTION

MIXTURES—contd.

19. ALUMINIUM HYDROXIDE WITH PROCAINE

Procaine Hydrochloride, B.P.	2 gr.
Mixture of Aluminium Hydroxide, A.P.F. to	½ fl. oz.

22. AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium, B.P.	½ gr.
Ephedrine Hydrochloride, B.P.	0.25 gr.
Potassium Iodide, B.P.	7.5 gr.
Aminophylline, B.P.	1.5 gr.
Liquid Extract of Liquorice, B.P.	7.5 min
Chloroform Water, B.P. to	½ fl. oz

**22. AMINOPHYLLINE COMPOUND WITH
ACETYSALICYLIC ACID**

Acetylsalicylic Acid, B.P.	10 gr.
Aminophylline, B.P.	3 gr.
Ephedrine Hydrochloride, B.P.	0.25 gr
Phenobarbitone B.P.	1/6 gr.
Compound Powder of Tragacanth, B.P.	5 gr.
Syrup of Orange, B.P.	30 min.
Chloroform Water, B.P. to	½ fl. oz.

25. AMMONIUM ACETATE

Strong Solution of Ammonium Acetate, B.P. 1953	30 min.
Potassium Citrate, B.P.	20 gr.
Camphorated Tincture of Opium, B.P.	30 min.
Syrup of Tolu, B.P.	30 min.
Chloroform Water, B.P. to	½ fl. oz.

PRESCRIPTION

122. CALCIUM ACETYSALICYLATE

Acetylsalicylic Acid, B.P.	9 gr.
Calcium Hydroxide, B.P.	2.5 gr.
Neutral Syrup of Lemon, A.P.F.	30 min.
Solution of Carmine, A.P.F.	1 min.
Water to	½ fl. oz.

130. CAMPHORATED OPIUM

Camphorated Tincture of Opium, B.P.	30 min.
Tincture of Belladonna, B.P.	5 min.
Oxymel of Squill, B.P.C.	15 min.
Water to	½ fl. oz.

140. CHALK AND KAOLIN

Chalk, B.P.	30 gr.
Light Kaolin, B.P.	60 gr.
Light Magnesium Carbonate, B.P.	5 gr.
Chloroform Water, B.P. to	½ fl. oz.

143. CHLORAL HYDRATE

Chloral Hydrate, B.P.	20 gr.
Syrup of Orange, B.P.	30 min.
Chloroform Water, B.P. to	½ fl. oz.

143. CHLORAL AND BROMIDE

Chloral Hydrate, B.P.	20 gr.
Potassium Bromide, B.P.	20 gr.
Red Syrup, A.P.F.	20 min.
Chloroform Water, B.P. to	½ fl. oz.

MIXTURES—contd.

164. COLCHICUM AND ACID ACETYLSALICYLIC

Tincture of Colchicum, B.P.	..	..	15 min.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	5 gr.		
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

164. COLCHICUM AND SODIUM SALICYLATE

Sodium Salicylate, B.P.	..	..	15 gr.
Potassium Bicarbonate, B.P.	..	..	15 gr.
Light Magnesium Carbonate, B.P.	..	..	15 gr.
Tincture of Colchicum, B.P.	..	..	15 min.
Liquid Extract of Liquorice, B.P.	..	..	10 min.
Dilute Solution of Ammonia, B.P.	..	..	0.5 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

320. EXPECTORANT

Ammonium Chloride, B.P.	..	..	15 gr.
Tincture of Ipecacuanha, B.P.	..	..	5 min.
Aromatic Spirits of Ammonia, B.P.			
1953	..	..	10 min.
Liquid Extract of Liquorice, B.P.	..	..	15 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

360. GENTIAN ACID

Dilute Hydrochloric Acid, B.P.	..	..	10 min.
Concentrated Compound Infusion of			
Gentian, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

360. GENTIAN ALKALINE

Sodium Bicarbonate, B.P.	..	..	10 gr.
Concentrated Compound Infusion of			
Gentian, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

422. IRON AND NUX VOMICA

Iron and Ammonium Citrate, B.P.	..	..	15 gr.
Tincture of Nux Vomica, B.P.	..	..	10 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

450. KAOLIN ALKALINE

Light Kaolin, B.P.	..	..	15 gr.
Sodium Bicarbonate, B.P.	..	..	10 gr.
Light Magnesium Carbonate, B.P.	..	..	10 gr.
Peppermint Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

450. KAOLIN AND OPIUM

Light Kaolin, B.P.	..	..	60 gr.
Light Magnesium Carbonate, B.P.	..	..	5 gr.
Tincture of Opium, B.P.	..	..	7.5 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

461. LOBELIA AND STRAMONIUM

Potassium Iodide, B.P.	..	5 gr.
Tincture of Stramonium, B.P.	..	10 min.
Ethereal Tincture of Lobelia, B.P.C.	..	10 min.
Aromatic Spirit of Ammonia, B.P. 1953	..	10 min.
Liquid Extract of Liquorice, B.P.	..	10 min.
Chloroform Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

477. MAGNESIUM CARBONATE

Light Magnesium Carbonate, B.P.	..	10 gr.
Sodium Bicarbonate, B.P.	..	15 gr.
Ammonium Bicarbonate, B.P. 1953	..	2 gr.
Aromatic Tincture of Cardamom, B.P.C.	..	5 min.
Chloroform Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

479. MAGNESIUM SULPHATE

Magnesium Sulphate, B.P.	..	60 gr.
Light Magnesium Carbonate, B.P.	..	10 gr.
Peppermint Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

480. MAGNESIUM TRISILICATE

Magnesium Trisilicate, B.P.	..	10 gr.
Sodium Bicarbonate, B.P.	..	10 gr.
Light Magnesium Carbonate, B.P.	..	10 gr.
Peppermint Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

PREScription

589. PARALDEHYDE

Paraldehyde, B.P.	..	60 min.
Liquid Extract of Liquorice, B.P.	..	15 min.
Tincture of Quillaia, B.P.C.	..	5 min.
Mucilage of Tragacanth, B.P.	..	30 min.
Water to	..	$\frac{1}{2}$ fl. oz.

612. PHENOBARBITONE AND BROMIDE

Phenobarbitone Sodium, B.P.	..	0.25 gr.
Sodium Bromide, B.P.	..	10 gr.
Syrup of Orange, B.P. 1949	..	30 min.
Chloroform Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

630. POTASSIUM BROMIDE

Potassium Bromide, B.P.	..	10 gr.
Ammonium Bicarbonate, B.P. 1953	..	1 gr.
Spirit of Aniseed, B.P.C. 1949	..	2.5 min.
Liquid Extract of Liquorice, B.P.	..	10 min.
Chloroform Water, B.P. to	..	$\frac{1}{2}$ fl. oz.

630. POTASSIUM BROMIDE, PHENOBARBITONE WITH BELLADONNA

Potassium Bromide, B.P.	..	10 gr.
Sodium Phenobarbitone, B.P.	..	1 gr.
Tincture of Belladonna, B.P.	..	10 min.
Water to	..	$\frac{1}{2}$ fl. oz.

MIXTURES—*contd.*

630. POTASSIUM BROMIDE AND NUX VOMICA
 Potassium Bromide, B.P. 10 gr.
 Tincture of Nux Vomica, B.P. 10 min.
 Solution of Amaranth, B.P.C. 2.5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE
 Potassium Citrate, B.P. 30 gr.
 Sodium Bicarbonate, B.P. 30 gr.
 Syrup of Orange, B.P. 30 min.
 Water to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE ACID
 Potassium Citrate, B.P. 45 gr.
 Citric Acid, B.P. 10 gr.
 Neutral Syrup of Lemon, A.P.F. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE WITH HYOSCYAMUS
 Potassium Citrate, B.P. 15 gr.
 Sodium Bicarbonate, B.P. 15 gr.
 Liquid Extract of Hyoscyamus, B.P. 3 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
633. POTASSIUM IODIDE
 Potassium Iodide, B.P. 10 gr.
 Aromatic Spirit of Ammonia, B.P. 1953 3 min.
 Liquid Extract of Liquorice, B.P. .. 10 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

742. RHUBARB AND SODA

- Rhubarb, Powdered, B.P. 5 gr.
 Light Magnesium Carbonate, B.P. .. 10 gr.
 Sodium Bicarbonate, B.P. 10 gr.
 Syrup of Ginger, B.P. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

759. SENECA AND AMMONIA

- Ammonium Bicarbonate, B.P. 1953 .. 5 gr.
 Camphorated Tincture of Opium, B.P. 30 min.
 Liquid Extract of Liquorice, B.P. .. 10 min.
 Concentrated Infusion of Senega, B.P.C. 7.5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

766. SODIUM BICARBONATE

- Sodium Bicarbonate, B.P. 15 gr.
 Sodium Chloride, B.P. 3 gr.
 Spirits of Chloroform, B.P. 10 min.
 Water to $\frac{1}{2}$ fl. oz.

774. SODIUM SALICYLATE

- Sodium Salicylate, B.P. 20 gr.
 Sodium Bicarbonate, B.P. 20 gr.
 Liquid Extract of Liquorice, B.P. .. 5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

782. STRYCHNINE

- Solution of Strychnine Hydrochloride,
 B.P. 5 min.
 Dilute Hydrochloric Acid, B.P. 10 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

783. SUCCINYLSULPHATHIAZOLE AND KAOLIN

Succinylsulphathiazole, B.P.	..	..	60 gr.
Kaolin, B.P.	..	..	45 gr.
Mucilage of Tragacanth, B.P.	..	..	30 min.
Syrup, B.P.	..	..	60 min.
Solution of Benzoic Acid, B.P.C.	..	..	10 min.
Water to	..	..	1 fl. oz.

912. UREA

Urea, B.P.	..	..	120 gr.
Liquid Extract of Liquorice, B.P.	..	..	5 min.
Syrup of Orange, B.P.	..	..	20 min.
Water to	..	..	$\frac{1}{2}$ fl. oz.

NASAL INSTILLATIONS

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 2 Repeats)

13. ADRENALINE

Solution of Adrenaline Hydrochloride,			
B.P. 1953	..	..	48 min.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Sodium Chloride, B.P.	..	..	2 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

NASAL INSTILLATIONS—*contd.*

13. ADRENALINE AND EPHEDRINE

Solution of Adrenaline Hydrochloride,			
B.P. 1953	..	..	48 min.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Ephedrine Hydrochloride, B.P.	..	..	2 gr.
Dextrose, B.P.	..	..	8 gr.
Concentrated Solution for Nasal Drops,			
A.P.F.	..	..	5 min.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

147. CHLORBUTOL

Chlorbutol, B.P.	..	..	2 gr.
Menthol, B.P.	..	..	1 gr.
Eucalyptus Oil, B.P.	..	..	2 min.
Peanut Oil, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

304. EPHEDRINE

Ephedrine Hydrochloride, B.P.	..	..	2 gr.
Sodium Chloride, B.P.	..	..	2 gr.
Concentrated Solution for Nasal Drops,			
A.P.F.	..	..	5 min.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

303. EPHEDRINE (OILY)

Ephedrine, B.P.	..	..	2 gr.
Menthol, B.P.	..	..	1 gr.
Eucalyptus Oil, B.P.	..	..	2 min.
Peanut Oil, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

NASAL INSTILLATIONS—*contd.*

785. SULPHADIAZINE COMPOUND

Solution of Adrenaline Hydrochloride,			
B.P. 1953	..	..	48 min.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Ephedrine Hydrochloride, B.P.	..	..	2 gr.
Sulphadiazine, B.P.	..	..	11 gr.
Dextrose, B.P.	..	..	4 gr.
Mucilage of Methylcellulose, A.P.F.	..	..	120 min.
Concentrated Solution for Nasal Drops,			
A.P.F.	..	..	5 min.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

OINTMENTS

(Maximum Quantity, 1920 gr. 1 Repeat)

90. BENZOCAINE COMPOUND

Benzocaine, B.P.	..	..	96 gr.
Ointment of Hamamelis, B.P.	..	..	432 gr.
Ointment of Zinc, B.P.	..	..	432 gr.

161. COD LIVER OIL AND ACRIFLAVINE

Acridine, B.P. 1948	..	..	1.75 gr.
Cod Liver Oil, B.P.	..	..	480 min.
Yellow Simple Ointment, B.P. to	..	..	1,920 gr.

741. RESORCINOL COMPOUND

Resorcinol, B.P.	..	..	80 gr.
Zinc Oxide, B.P...	..	..	80 gr.
Cade Oil, B.P., By Weight	..	..	80 gr.
Glycerin, B.P.	..	..	10 min.
Distilled Water	..	..	80 min.
Yellow Soft Paraffin, B.P.	..	..	250 gr.
Wool Fat, B.P. to	..	..	960 gr.

PAINTS

(Maximum Quantity, 1 fl. oz. 1 Repeat)

756. ACID SALICYLIC

Salicylic Acid, B.P.	..	..	10 gr.
Benzoic Acid, B.P.	..	..	30 gr.
Brilliant Green, B.P.	..	..	2 gr.
Distilled Water	..	..	24 min.
Industrial Methylated Spirit, B.P. to	..	..	1 fl. oz.

171. CRYSTAL VIOLET COMPOUND

Crystal Violet, B.P.	..	..	1 gr.
Brilliant Green, B.P.	..	..	1 gr.
Aminacrine Hydrochloride, B.P.	..	..	0.5 gr.
Distilled Water to	..	..	1 fl. oz.

PREScription

PAINTS—*contd.*

410. ICHTHAMMOL

(Maximum Quantity, 1 fl. oz. 1 Repeat)

Ichthammol, B.P.	..	..	..	44 gr.
Glycerin, B.P. to	..	..	..	1 fl. oz.

418. IODINE COMPOUND

Iodine, B.P.	..	..	..	5 gr.
Potassium Iodide, B.P.	..	..	..	5 gr.
Spirit of Peppermint, B.P.	..	..	..	20 min.
Glycerin, B.P. to	..	..	..	1 fl. oz.

475. MAGENTA AND RESORCINOL

Magenta, B.P.C.	..	..	..	2 gr.
Boric Acid, B.P.	..	..	..	4 gr.
Phenol, B.P.	..	..	..	20 gr.
Resorcinol, B.P.	..	..	..	40 gr.
Acetone, B.P.C.	..	..	..	20 min.
Industrial Methylated Spirit, B.P.	..	..	..	40 min.
Water to	..	..	..	1 fl. oz.

PASTES

(Maximum Quantity, 1,920 gr. 1 Repeat)

962. ZINC OXIDE WITH COAL TAR

Prepared Coal Tar, B.P.	..	..	..	120 gr.
Zinc Oxide, B.P...	..	..	..	120 gr.
Starch, B.P.	..	..	..	720 gr.
Yellow Soft Paraffin, B.P.	..	..	..	960 gr.

PREScription

POWDERS

(Maximum Quantity, 1,920 gr. 1 Repeat)

33. ANTACID

Calcium Carbonate, B.P.	..	..	..	480 gr.
Heavy Magnesium Carbonate, B.P.	..	..	..	480 gr.
Sodium Bicarbonate, B.P.	..	..	..	960 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

125. CALCIUM AND KAOLIN

Calcium Carbonate, B.P.	..	..	..	640 gr.
Light Kaolin, B.P.	..	..	..	1,280 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

450. KAOLIN COMPOUND

Light Kaolin, B.P.	..	..	..	960 gr.
Heavy Magnesium Carbonate, B.P.	..	..	..	640 gr.
Sodium Bicarbonate, B.P.	..	..	..	320 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

480. MAGNESIUM TRISILICATE WITH BELLADONNA

Dry Extract of Belladonna, B.P.	..	..	..	16 gr.
Magnesium Trisilicate, B.P. to..	..	..	..	1,920 gr.

SOLUTIONS

(Maximum Quantity, 4. fl.oz. 1 Repeat)

88. BENEDICT'S QUALITATIVE

Copper Sulphate, B.P.	..	..	30 gr.
Sodium Carbonate, B.P.	..	..	820gr.
Citric Acid, B.P.	..	..	210 gr.
Distilled Water to	..	..	4 fl. oz.

139. CETRIMIDE

Cetrimide, B.P.	..	..	17.5 gr.
Distilled Water to	..	..	4 fl. oz.

SPRAYS

 (Maximum Quantity, $\frac{1}{2}$ fl. oz. 2 Repeats)

12. ADRENALINE AND ATROPINE

Adrenaline, B.P.	..	..	1 gr.
Atropine Methonitrate, B.P.	..	..	0.25 gr.
Chlorbutol, B.P.	..	..	1 gr.
Tartaric Acid, B.P.	..	..	0.8 gr.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

SECTION 3 — PRESCRIBER'S LIST — CHILDREN'S SECTION

Subject to the individual requirements and unless otherwise stated, the mixtures in this section may be administered three or four times a day in the following doses:

Children 1 to 2 years	..	..	..	30 minims
2 to 4 years	..	..	..	1 fluid drachm
4 to 8 years	..	..	..	2 fluid drachms
8 to 12 years	..	..	..	3 fluid drachms

PRESCRIPTION

LINCTUSES

(Maximum Quantity, 4 fl. oz. 4 Repeats)

130. CAMPHOR COMPOUND

Camphorated Tincture of Opium, B.P.	10 min.
Dilute Hydrochloric Acid, B.P.	.. 4 min.
Spirit of Chloroform, B.P.	.. 2 min.
Acidified Golden Syrup, A.P.F. to	.. 60 min.

160. CODEINE

Codeine Phosphate, B.P.	..	.. 1/12 gr.
Dilute Hydrochloric Acid, B.P.	..	2 min.
Distilled Water	..	5 min.
Acidified Golden Syrup, A.P.F. to	..	60 min.

LINIMENTS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

129. CAMPHOR

Liniment of Camphor, B.P.	..	.. 960 min.

PRESCRIPTION

MIXTURES

(Maximum Quantity, 4 fl. oz. 4 Repeats)

4. ACETYLSALICYLIC ACID

Acetylsalicylic Acid, B.P.	..	.. 2.5 gr.
Compound Powder of Tragacanth, B.P.	1.25 gr.	
Syrup of Orange, B.P.	..	.. 10 min.
Water to	..	.. 60 min.

5. ACETYLSALICYLIC ACID COMPOUND

Acetylsalicylic Acid, B.P.	..	.. 2.5 gr.
Phenacetin, B.P.	..	.. 1.25 gr.
Caffeine, B.P.	..	.. 0.25 gr.
Compound Powder of Tragacanth, B.P.	1.25 gr.	
Syrup of Orange, B.P.	..	.. 10 min.
Chloroform Water to	..	.. 60 min.

10. ACETYLSALICYLIC ACID WITH BROMIDE

Acetylsalicylic Acid, B.P.	..	.. 2.5 gr.
Potassium Bromide, B.P.	..	.. 2.5 gr.
Compound Powder of Tragacanth, B.P.	1.25 gr.	
Syrup, B.P.	..	.. 10 min.
Anise Water to	..	.. 60 min.

MIXTURES—*contd.*

11. AD PERTUSSEM

Potassium Bromide, B.P.	..	..	2 gr.
Chloral Hydrate, B.P.	..	..	2 gr.
Tincture of Belladonna, B.P.	..	..	3 min.
Liquid Extract of Liquorice, B.P.	..	..	2 min.
Syrup of Tolu, B.P.	..	..	20 min.
Water to	..	..	60 min.

39. ATROPINE METHONITRATE

Atropine Methonitrate, B.P.	..	..	0.5 mgm.
Chlorbutol Water, A.P.F.	..	..	30 min.
Water to	..	..	60 min.

94 BISMUTH COMPOUND

Bismuth Carbonate, B.P. 1953	..	..	7.5 gr.
Light Kaolin, B.P.	..	..	15 gr.
Light Magnesium Carbonate, B.P.	..	..	1.25 gr.
Spirit of Chloroform, B.P.	..	..	1 min.
Cinnamon Water to	..	..	60 min.

136. CARMINATIVE

Aromatic Spirit of Ammonia, B.P. 1953	1 min.
Sodium Bicarbonate, B.P.	 2 gr.
Syrup of Ginger, B.P.	 10 min.
Water to	 60 min.

143. CHLORAL AND BROMIDE

Chloral Hydrate, B.P.	 2 gr.
Potassium Bromide, B.P.	 2.5 gr.

Liquid Extract of Liquorice, B.P.	..	2.5 min.
Glycerin, B.P.		10 min.
Syrup, B.P.		10 min.
Water to ..		60 min.

422. FERRIC AMMONIUM CITRATE

Iron and Ammonium Citrate, B.P.	..	10 gr.
Syrup, B.P.		30 min.
Chloroform Water to		60 min.

341. FERROUS SULPHATE

Ferrous Sulphate, B.P.	 1.5 gr.
Dilute Hypophosphorous Acid, B.P.C.	.. 0.25 min.
Syrup, B.P.	 20 min.
Chloroform Water to	 60 min.

421. IPECACUANHA AND SQUILL

Tincture of Ipecacuanha, B.P.	..	3 min.
Camphorated Tincture of Opium, B.P.	..	5 min.
Oxymel of Squill, B.P.C.	..	15 min.
Water to	..	60 min.

450. KAOLIN

Light Kaolin, B.P.	 15 gr.
Light Magnesium Carbonate, B.P.	.. 1.25 gr.
Chloroform Water to	 60 min.

621. PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole, B.P.	..	7.5 gr.
Mucilage of Tragacanth, B.P.	..	7.5 min.
Syrup, B.P.	..	10 min.
Chloroform Water to	..	60 min.

PREScription

MIXTURES—*contd.*

632. POTASSIUM CITRATE

Potassium Citrate, B.P.	..	..	11.25 gr.
Citric Acid, B.P.	..	..	2.25 gr.
Neutral Syrup of Lemon, A.P.F.	..	..	7.5 min.
Chloroform Water to	..	..	60 min.

633. POTASSIUM IODIDE

Potassium Iodide, B.P.	..	..	5 gr.
Liquid Extract of Liquorice, B.P.	..	..	5 min.
Aromatic Spirit of Ammonia, B.P. 1953	..	..	1 min.
Chloroform Water to	..	..	60 min.
(Ephedrine or Phenobarbitone may be added)			

633. POTASSIUM IODIDE AND STRAMONIUM

Potassium Iodide, B.P.	..	..	2 gr.
Tincture of Stramonium, B.P.	..	..	3 min.
Aromatic Spirit of Ammonia, B.P. 1953	..	..	2.5 min.
Liquid Extract of Liquorice, B.P.	..	..	2.5 min.
Chloroform Water to	..	..	60 min.
(Ephedrine may be added)			

PREScription

742. RHUBARB AND SODA

Rhubarb, B.P.	..	..	..	1.25 gr.
Light Magnesium Carbonate, B.P.	..	..	..	2.5 gr.
Sodium Bicarbonate, B.P.	..	..	..	2.5 gr.
Syrup of Ginger, B.P.	..	..	..	5 min.
Water to	..	..	..	60 min.

774. SODIUM SALICYLATE

Sodium Salicylate, B.P.	..	..	..	5 gr.
Sodium Bicarbonate, B.P.	..	..	..	5 gr.
Liquid Extract of Liquorice, B.P.	..	..	..	2.5 min.
Water to	..	..	..	60 min.

788. SULPHADIMIDINE

Sulphadimidine, B.P.	..	..	..	7.5 gr.
Mucilage of Tragacanth, B.P.	..	..	..	7.5 min.
Syrup of Orange, B.P.	..	..	..	10 min.
Chloroform Water to	..	..	..	60 min.

SECTION 4—RATES OF PAYMENT FOR PHARMACEUTICAL BENEFITS

General

1. The pricing principles are identical for prescriptions written for the general public and pensioners. However, where, on the Commonwealth pricing basis, the dispensed price for a prescription for a person other than a pensioner is five shillings or less, the prescription should be dispensed as a private prescription.

PRICING OF PART I BENEFITS

Price for Maximum Quantity (R.P. and P.L. Items)

2. The price to be claimed on the Tally Sheet for a benefit appearing in Part I is the amount shown in column 5 against that benefit. Where the item is a "large pack" item the price to be claimed is the price ex the large pack (for exceptions, see paragraph 12). In the case of benefits which consist of a ready prepared item with an allowable solvent, i.e., those where the words "with required solvent" are included after the form, the price to be claimed is the sum of the listed prices for the item and the solvent, less 2s. 9d. (i.e., only one professional fee is payable).

3. Where a prescription for the supply of a benefit does not specify a brand, the basic rate, i.e. the lowest price shown in column 5 in relation to that benefit, is to be claimed. Where the item is a large pack item the price to be claimed is the lowest large pack price shown in column 5 that is applicable to the particular chemist.

Price for Broken Quantities of R.P. Items (Other than "Large Pack" Items)

4. Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—

- (a) Deduct 2s. 9d. from the price shown in column 5 in relation to the benefit.
- (b) Apply to the resultant amount, the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 9.
- (c) Add to the amount ascertained under (b) a professional fee of 2s. 9d. and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 in relation to the maximum quantity of the benefit.

**Broken
Quantities
where
Asterisk
Shown
Against
Price**

5. In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 beside the price shown for the benefit concerned. In such cases the standard pack rate may be ascertained from the Table shown on page 13 to 21. The price payable for the quantity supplied may then be ascertained as follows—

(a) Apply to the standard pack rate, the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 9.

(b) Add to the amount so ascertained a professional fee of 2s. 9d. and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the sum of the standard pack rate and 2s. 9d.

**Packed
Lines:
Pricing
arrange-
ments**

6. The undermentioned packed lines are expected to be supplied under the original label when prescribed in the maximum quantities shown in the Schedule of Benefits, Part I, and therefore do not attract a professional fee. However, where the prescription bears *specific* instructions for use then the item is to be labelled. The chemist will claim on the Tally Sheet the price shown in column 5 of the Schedule of Benefits, Part I, multiplied by eight-ninths (8/9ths) plus 2s. 9d. professional fee. The maximum quantity of a packed line should always be claimed for, even when the prescription orders a lesser quantity.

Boric Acid
Castor Oil
Cascara Liquid Extract
Chloroxylenol Solution
Copper Sulphate Diagnostic Tablets Compound
Cod Liver Oil
Cod Liver Oil Emulsion
Cresol and Soap Solution
Dusting Powder, Zinc Oxide with Starch
Dusting Powder, Boric Acid with Starch
Glucose Liquid
Glycerin
Glycerin Suppositories

Hydrogen Peroxide
Kaolin Heavy Poultice
Magnesium Hydroxide Mixture (Milk of Magnesia)
Magnesium Bicarbonate Solution
Malt Extract
Malt Extract with Cod Liver Oil
Olive Oil
Paraffin, Liquid
Paraffin, Emulsion, 33%
Senna Fruit
Saccharin Tablets
Seidlitz Powders
Wool Fat, Hydrous (Lanolin)

Unbroken
packs to be
supplied

7. Because certain pharmaceutical benefits such as Chloramphenicol Palmitate, Polymyxin Eye Drops, &c. are required to be packed by manufacturers under aseptic conditions, the maximum quantity of these items corresponds to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack the maximum quantity should be dispensed and claimed for from the Commonwealth.

Wastage
Table Per-
centage for
Ready
Prepared
Prepara-
tions

8. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraphs 4 and 5 above.)

9. The appropriate wastage table percentage is ascertained as follows—

- (a) Determine the percentage that the quantity supplied bears to the number contained in the standard pack;
- (b) Reading off in column A of the Wastage Factor Table, the percentage obtained under sub-paragraph (a) (if the percentage is not shown in column A, the next higher percentage is used), and reading off the percentage appearing in column B immediately beneath the selected percentage in column A;
- (c) The percentage ascertained from column B is the wastage table percentage to be used.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in column A the next higher (i.e. 25%) is used. Reading down from 25% to column B, the wastage table percentage is found to be 38%.

WASTAGE FACTOR TABLE

Column A	..	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
Column B	..	10	18	26	32	38	44	50	54	58	62	66	70	74	78	82	86	90	94	98	100

Large Pack Provisions

10. Special pricing arrangements apply to certain high velocity items. For each of these items, two sets of prices are shown—one ex Large Pack and one ex Standard Pack.

11. *The Large Pack price is the rule* (see paragraph 2) i.e., the Large Pack rate shown in relation to specific items in the Schedule of Benefits, Part I, is assumed to apply to all chemists. Each chemist will therefore automatically claim for and be reimbursed for the supply of these items at the Large Pack rate.

Reimbursement at Standard Pack rate for items for which a Large Pack rate is shown

12. The Standard Pack price is the exception—A chemist may only claim reimbursement at the Standard Pack rate for the supply of any such items where—

- (i) the chemist's turnover in the previous month in the brand and/or strength of the drug is less than 70% of the quantity contained in an unbroken Large Pack, he has supplied the prescription from a pack which is not larger in size than a Standard Pack and has endorsed the prescription "Ex S.P.";
- (ii) the chemist supplies ex a Standard Pack because he is temporarily unable to obtain the Large Pack and endorses the prescription accordingly; or
- (iii) the chemist has been specially authorised by the Commonwealth Director of Health in accordance with paragraph 33, and endorses the prescription "S.A."

Prices for broken quantities of R.P. items, for which a Large Pack rate is shown

13. The principle to be used in ascertaining the price of a quantity other than a maximum quantity is the same as that which has been used in arriving at the price of a maximum quantity from a large pack. However, as the price shown in column 5 of the Schedule of Benefits, Part I, for the maximum quantity already incorporates a breakage allowance the action necessary to ascertain the price of a quantity other than the maximum quantity is as follows—

- (i) deduct 2s. 9d. and the container fee for the maximum quantity of that drug from the amount shown in relation to the item in column 5 of the Schedule of Benefits, Part I,
- (ii) multiply the amount ascertained in (i) by the quantity dispensed over the maximum quantity,
- (iii) add to the amount ascertained in (ii) the appropriate container fee and the professional fee of 2s. 9d.

**Pre-
scriber's
List Items**

14. The price shown in column 5 of the Schedule of Benefits, Part I, for the maximum quantity incorporates a breakage allowance.

15. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescriber's List is set out in Part I of the Schedule of Benefits. The amounts payable for other quantities commonly used are set out on pages 22 to 25.

**PART II BENEFITS (RATES OF PAYMENT FOR EXTEMPORANEOUSLY
PREPARED PRESCRIPTIONS)**

**Pricing of
Prescrip-
tions not
Pre-priced**

16. A prescription for the supply of a quantity for which no price is shown in either Part I or on pages 22 to 25, or for any quantity of a formula which is not included in the Prescriber's List, should be priced in the manner outlined in the following paragraph.

17. The amount payable in respect of an extemporaneously prepared prescription is ascertained as the sum of—

- (i) the recovery price of each ingredient as shown in the Schedule of Benefits, Part II (Drug Tariff);
- (ii) the price of the appropriate container as shown on page 12;
- (iii) a professional fee of 5s.

**Recovery
Price for
quantities
not
specified**

18. Where the quantity of ingredient required in a prescription is not specified in the Schedule of Benefits, Part II, the recovery price of that quantity may be ascertained as follows—

- (i) Determine the basic pricing unit relative to the quantity of ingredient required by reference to the following table—

Quantity Required	Basic Pricing Unit
Up to and including 1 grain	.. 1 grain price
Over 1 grain and up to and including 5 grains ..	.. 5 grain price
Over 5 grains and up to and including 10 grains ..	.. 10 grain price
Over 10 grains and up to and including 137 grains ..	.. 1 dram price
138 grains and up to and including 3.74 ounces ..	.. 1 ounce price
3.75 ounces and up to and including 8 ounces ..	.. 4 ounce price
Over 8 ounces	.. 1 pound or 16 fluid ounce price

- (ii) Ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery prices shown for the dram and ounce quantities of the ingredient in the Schedule of Benefits, Part II.
1. Ounce price is pound price divided by 14.
 2. Four ounce price is ounce price multiplied by 3.75.
 3. Dram price is ounce price divided by 7.
 4. 10 grain price is dram price divided by 5.
 5. 5 grain price is dram price divided by 9.5.
 6. 1 grain price is 5 grain price divided by 4.5.
- (iii) Ascertain the recovery price of the quantity of ingredient required by multiplying the price of the basic pricing unit as ascertained in (ii) by the fraction that the quantity required bears to the quantity contained in the basic pricing unit (i.e. except for the quantities from 120 grains to 137 grains inclusive which are priced at twice the dram price).

19. The Grain Price Calculator has been prepared for the convenience of chemists in ascertaining the recovery price of quantities up to 1 dram (60 grains or minims). Where a fraction of a grain occurs, the quantity is to be taken up to the next whole grain (i.e. 2.4 grains is taken as 3 grains). Where a fraction of a minim occurs the quantity is to be taken up to the next whole minim.

Minimum Price

20. The minimum recovery price for any ingredient is one penny. Where a fraction of a penny occurs in any price, that price is to be taken up to the next penny.

Individual Powders, &c.

21. For individual powders, five per cent of the quantity supplied on a prescription is to be claimed for as an additional amount; (i.e. 105% of the quantity supplied will be paid for).

22. For suppositories and pessaries where eleven or less are supplied on a prescription, the chemist will receive payment for an additional one. If twelve or more are supplied, the chemist will receive payment for an additional two.

Professional Fees, Containers

23. The amounts payable by way of professional fees and container charges for both ready prepared and extemporaneously prepared preparations are set out on page 12.

**Pricing
Dates**

24. For pricing purposes the operative dates are—

- (a) for extemporaneously prepared benefits—the first day of the month preceding the half yearly period during which the benefits are dispensed.
- (b) For ready prepared benefits—the first day of the month preceding the month during which the benefits are dispensed.
- (c) For containers—
 - (i) For extemporaneously prepared benefits—the first day of the month preceding the half year during which the benefit is dispensed:
 - (ii) For ready prepared benefits—the first day of January each year.

**Zone
Allowances**

25. An additional amount is payable in respect of each pharmaceutical benefit supplied in specific zones throughout the Commonwealth. The zone allowance is ascertained by multiplying the number of prescriptions dispensed by an amount in pence per prescription.

26. Each chemist is notified of the zone allowance, if any, which applies to the prescriptions he dispenses

SPECIAL PROVISIONS RELATING TO LARGE PACKS

**Loss on
Large
Packs**

27. The Commonwealth, subject to the provisions set out in this section, will indemnify the chemist against loss on accepted "Large Pack" items directly due to—

- (i) the removal of the item from the list of items to which Large Pack prices apply;
- (ii) out of date stock:
- (iii) reductions in individual demand sufficient to no longer warrant the stocking of Large Packs.

28. Commonwealth payments to chemists to cover any such loss shall be based on the following formula—

Quantity held by chemist

Quantity in unbroken Large Pack

× Actual cost to chemist of Large Pack

These provisions apply to Large Packs purchased as from 1st February, 1960.

**Conditions
subject to
which Loss
Payments
will be
made**

29. Payment of any amount for loss is subject to the following provisions—

- (i) The chemist must buy the drug in the Large Pack;
- (ii) The chemist must ensure, where possible, that all stocks of the Large Packs which he might purchase have expiry dates at least 6 months ahead of the date of purchase;
- (iii) The Commonwealth's liability is limited in relation to each Pharmacy to the purchase, at cost, of one Large Pack of each of the drugs in respect of which loss has occurred;
- (iv) The Commonwealth will not, under any circumstances, be liable for payment in respect of loss on stock for causes other than those shown in paragraph 27 above;
- (v) The Commonwealth shall take possession of any stock before a payment for loss is made in respect thereto;
- (vi) A chemist who has been reimbursed on the basis of the Standard Pack rate shall not be entitled to payment for loss.

**Purchase
pack size**

30. A chemist may buy in any pack size he chooses, but reimbursement for the supply of the specified drugs with high velocity turnover is subject to the Large Pack pricing provisions.

31. If a chemist desires to supply a Standard Pack and avail himself of the higher "Ex S.P." price wherever possible, he is responsible to ensure that he only claims "Ex S.P." price where his turnover in the previous month was less than 70% of the quantity contained in an unbroken Large Pack.

**Application
to brands**

32. The Large Pack provisions take into account the different usages a chemist may have for different brands of an item to which the Large Pack provisions apply. Accordingly, a chemist may be reimbursed at the Standard Pack rate for one brand of a drug and at the Large Pack rate for another brand of the same drug.

Claims for loss

33. Where after one month from the date of first supply from a Large Pack a chemist wishes to claim for loss on the remaining portion of that Large Pack, he should apply in writing to the Commonwealth Director of Health, setting out details of the item number, name and strength or size, size of pack and quantity remaining, date of purchase of Large Pack and date of first dispensing therefrom. Upon receipt of such application, the Commonwealth Director of Health will advise the chemist—

- (a) to complete Form P.B.12 and forward it, together with the remaining contents of the Large Pack, to the Department. The chemist's next claim will be credited with an amount representing the value of the remaining contents of that Large Pack; or
- (b) to retain the Large Pack and continue to dispense prescriptions for that item therefrom, but to claim for such prescriptions at the Standard Pack rate and endorse the prescriptions "S.A." (representing special authority of the Commonwealth Director of Health)

LODGMET OF CLAIMS FOR PAYMENT

34. A claim for payment for pharmaceutical benefits consists of—

- (a) Claim Form P.B. 1 (Treasury Form 12);
- (b) the originals of prescriptions and repeat authorizations;
- (c) separate tally sheets for prescriptions in respect of benefits dispensed to—
 - (i) the general public (Form P.B. 2);
 - (ii) pensioners (Form P.B. 3);
- (d) the originals of orders for Emergency Drug (Doctor's Bag) Supplies;
- (e) where applicable—
 - (i) the duplicates of authorities issued for the supply of those drugs identified in the Schedule of Benefits with the code letter "A";
 - (ii) authorities issued for the supply of increased maximum quantities;
 - (iii) authorities issued for the supply of extra repeats.

N.B.—Prescriptions for pharmaceutical benefits dispensed to the general public, to pensioners and order forms for Doctor's Bag supplies should be kept in three separate lots.

35. The two Tally Sheets, Forms P.B. 2 and P.B. 3, are of similar design, and should be prepared as follows—

- (a) in the first column of the sheet, insert consecutive numbers, commencing at 1, using one number for each benefit. The number or numbers applicable should be shown on each prescription form;

- (b) in the second column of the sheet, insert, where applicable, the item number shown in Part I of the Schedule of Benefits; Part II benefits do not bear an item number;
- (c) in the appropriate money column, i.e. "Ready Prepared" or "Extemp. Prepared", insert the amount payable for the benefit. The amount should also be entered on the prescription. Where more than one item appears on a prescription form, the amount payable for each should be entered separately on the sheet against the appropriate consecutive number (see sub-paragraph (a) above). (N.B.—Full price for the benefit is to be shown—the amount payable by the patient, where applicable, is deducted on the Claim Form.)

Tally Sheet Entry where Maximum Quantity and Repeats Supplied at one Time

36. Where, in accordance with paragraph 18 of Section 1, a benefit and number of repeats have been supplied at the one time, the prescription should be entered on the Tally Sheet by allocating a number of lines and numbers equal to the number of supplies that would have been made under normal circumstances. For example, if the prescription directed that the maximum quantity and three repeats be supplied at once and the next number on the Tally Sheet was 82, the numbers 82, 83, 84 and 85 should be shown on consecutive lines of the Tally Sheet, the numbers bracketed together and the total amount payable for the total supply shown in the money column thus—

No.	Amount
82	£1 : 15 : 3
83	
84	
85	

Only one professional fee is payable on such prescriptions and if the total quantity supplied is not equal to the quantity contained in the manufacturer's pack used for pricing the benefit in Part I, one container cost is allowable.

Total Payable by Patients

37. To calculate the total amount payable by patients in respect of each month's claim, count each of the lines used on the General Tally Sheet, excepting those used for Doctor's Bag Order Forms, and multiply the number so ascertained by five shillings.

Payment for Doctor's Bag Supplies

38. Payment for Emergency Drug (Doctor's Bag) Supplies is on the same basis as for ready prepared pharmaceutical benefits except that no professional fee is payable. After supply of the benefits, the original form should be forwarded to the Department of Health with the monthly claim for payment. Details of the Doctor's Bag order forms are to be shown on the pharmaceutical benefits General Tally Sheet (P.B. 2) as set out hereunder—

- (a) immediately beneath the distinguishing number for the last prescription entered on the last General Tally Sheet of the claim, enter an additional distinguishing number for each order form included in the claim and write that number on that order form;
- (b) against the relevant distinguishing number insert in the "Ready Prepared" amount column the total amount claimed for each order form;
- (c) count the order forms included and enter that number under the last order form number. Against that "total" number, enter in the amount column the total amount claimed for Doctor's Bag order forms.

Completion of Claim Form

39. The relevant details to prepare the Claim Form (P.B. 1) should be obtained from the appropriate Tally Sheets for each Section of the claim thus—

- (a) Section A—General: Enter the details from the Tally Sheet for benefits dispensed to the general public (Form P.B. 2). Provision is included for adjustment of the amount of five shillings per prescription payable by the patient;
- (b) Section B—Pensioner: Enter the details from the Tally Sheet for benefits dispensed to pensioners (Form P.B. 3).

In both sections, the amount ascertained by multiplying the number of prescriptions by the zone factor, where applicable, is taken to the nearest penny. The declaration on the claim form must be signed by the approved person unless an authority for another person to do so has been sent by the approved person to the Commonwealth Director of Health in the State concerned.

40. A claim must be lodged within 30 days of the end of each month with the Commonwealth Department of Health in the particular State, in respect of benefits dispensed during that calendar month. One claim form is to be used each month for claiming payment for all pharmaceutical benefits dispensed.

41. Supplies of stationery—Claim Forms, Tally Sheets, Repeat Authorizations, &c., are available from the Commonwealth Director of Health in each State.

PHARMACEUTICAL BENEFITS

Container Prices and Professional Fees

(Operative from 1st May, 1961)

EXTEMPORANEOUSLY PREPARED PREPARATIONS

DISPENSING FLATS				s.	d.	POISON BOTTLES				s.	d.	SCREW CAP JARS				s.	d.
1 oz.	..	..	..	0	5	1/8 oz.	..	..	..	0	4	1/2 oz.	..	..	..	0	5
2 oz.	..	..	..	0	7	1/4 oz.	..	..	..	0	4	1 oz.	..	..	..	0	6
3 oz.	..	..	..	0	9	1/2 oz.	..	..	..	0	5	2 oz.	..	..	..	0	8
4 oz.	..	..	..	0	10	1 oz.	..	..	..	0	5	3 oz.	..	..	..	0	10
6 oz.	..	..	..	0	11	2 oz.	..	..	..	0	7	4 oz.	..	..	..	0	10
8 oz.	..	..	..	0	11	3 oz.	..	..	..	0	9	6 oz.	..	..	..	0	11
10 oz.	..	..	..	1	3	4 oz.	..	..	..	0	10	8 oz.	..	..	..	1	0
12 oz.	..	..	..	1	4	6 oz.	..	..	..	1	0	16 oz.	..	..	..	1	1
16 oz.	..	..	..	1	6	8 oz.	..	..	..	1	0	Eye Drop Container					
						12 oz.	..	..	..	1	2	(Polythene bottle with					
						16 oz.	..	..	..	1	6	nozzle and cap.) 1/2 oz.					

READY PREPARED PREPARATIONS

Class of Benefit	Container	Amount	s.	d.
When supplied in—				
Ampoules or Vials	 Powder Slide—			
	Size 6 ..	..	0	7
	Size 12 ..	..	0	7
	Size 24 ..	..	0	8
Hypodermic Tablets	 Vial ..	..	0	4
Other Tablets and Pills	 Tablet Bottle—			
	Size 25 ..	..	0	3
	Size 50 ..	..	0	4
	Size 100 ..	..	0	7

PROFESSIONAL FEES

Extemporaneously Prepared Preparations — 5s.

Ready Prepared Preparations — 2s. 9d.

Prices for tablet bottles are based on products available from Australian Consolidated Industries Ltd. and Modern Mouldings, Pty. Ltd.

**STANDARD PACKS AND PRICES (INCLUDING MARK-UP, BUT NO PROFESSIONAL FEE) FOR ITEMS
AGAINST THE PRICE OF WHICH AN ASTERISK IS SHOWN IN THE LIST OF BENEFITS — PART I**

(Apply wastage factor in calculating broken quantity prices)

Item No.	Name	Form	Price and Pack	Brand
			<i>s. d.</i>	
1	Acetarsol	4 gr. tab.	30 @ 6 8	MB
16	Aloes and Nux Vomica	Pill	100 " 3 1	TO
			144 " 5 0	DH
17	Aloxadone	300 mg. cap.	100 " 38 3	BS
46	Amiphenzole Hydrobromide, A.P.F.	20 mg. vial	6 " 12 8	DH
26	Ammonium Chloride	7.5 gr. tab.	100 " 5 4	AN, HY, QE, TO, VA
30	Amylobarbitone	1.5 gr. tab.	100 " 14 8	HA
34	Antazoline Hydrochloride	100 mg./2 cc. amp.	5 " 9 4	CB
			6 " 10 8	BT
41	Aurothioglucose	50 mg. amp.	1 " 5 1	SO
		100 mg. amp.	1 " 6 7	SC
107	Butabarbital Sodium	15 mg. tab.	100 " 10 0	AN
		30 mg. tab.	100 " 13 4	AN
		100 mg. tab.	100 " 21 4	AN
131	Caramiphen Hydrochloride	50 mg. tab.	50 " 21 0	GE
145	Chloramphenicol	1 M., 1 G. vial	1 " 20 0	PD
		I.V. 250 mg./cc./2cc.	6 " 42 8	PD
150	Chloroquine Base	2 mil. amp.	10 " 12 8	MB
		5 mil. amp.	10 " 23 4	MB
155	Cholera Vaccine	8,000 M. per cc. amp.	1 " 3 8	CS
156	Chorionic Gonadotrophin.. .. .	1,500 I.U. amp.	3 " 33 4	LP
			3 " 42 8	OR
		5,000 I.U. amp.	2 " 86 8	SC
180	Clemizole Hydrochloride	20 mg. tab.	100 " 20 0	SC
166	Colocynth	Pill, B.P.C.	144 " 6 0	DH

Item No.	Name	Form	Price and Pack	Brand
168	Corticotrophin	I.M. 50 I.U. vial I.M. 100 I.U. vial I.V. 10 I.U. amp.	12 @ 240 0 1 " 73 4 12 " 68 0	CK SC OR
169	Cortisone Acetate	5 mg. tab. 25 mg. tab.	30 " 8 4 20 " 41 8	SC OR
172	Cyanocobalamin excluding 1,000 Microgramme strength	20 γ/cc. amp. 200 γ/cc. amp.	6 " 7 0 6 " 20 0 6 " 26 8	AN, BD, CM, DH, FH, GL, KL CM BT, OR
174	Cyclobarbitone	3 gr. tab.	100 " 21 4	HA
231	Darrow's Solution	1 litre bottle	1 " 14 4	BT, DH, FH
232	Deoxycortone Acetate	5 mg. amp. 50 mg. amp. 1 mg. tab.	3 " 20 0 5 " 200 0 30 " 21 4	SC SC SC
273	Dexamethasone Sodium Phosphate	5 mg./1 cc. vial	1 " 16 8	OR
236	Dextran Iron	I.M. 2 cc. amp.	10 " 62 0	FC
238	Dextrose Aqueous	5%, 1 litre bottle 10%, 1 litre bottle 20%, 1 litre bottle 25%, 1 litre bottle 50%, 25 cc. amp. 50%, 50 cc. amp.	1 " 14 4 1 " 14 4 1 " 14 4 1 " 14 4 1 " 4 0 1 " 6 0	AB, BT, DH, EV, FH, GL AB, BT, DH, EV, FH BT, DH, FH AB, DH, FH DH, FH DH, FH, PD
239	Dextrose in 1/5 Normal Saline	4%, 1 litre bottle 4.3%, 1 litre infusor	1 " 14 4 1 " 14 4	AB, BT, DH, EV, FH GL
240	Dextrose in Ringer's Solution	5%, 1 litre bottle 10%, 1 litre bottle	1 " 14 4 1 " 14 4	BT, DH, FH BT, DH, FH

Item No.	Name	Form	Price and Pack	Brand
247	Digoxin	0.5 mg./2 cc. amp.	6 @ 9 4	BW, DH
250	Dihydromorphinone Hydrochloride	1/25 gr. tab.	10 ,, 3 4	KN
251	Dihydrostreptomycin Sulphate	1 G. vial	1 ,, 3 4	AN, DL, GL, LP
256	Diphtheria and Tetanus Toxoids Combined	1 cc. amp.	1 ,, 4 0	CS
257	Diphtheria Antitoxin	1,000 U. amp.	1 ,, 5 4	CS
		4,000 U. amp.	1 ,, 11 4	CS
		10,000 U. amp.	1 ,, 21 4	CS
		20,000 U. amp.	1 ,, 40 0	CS
261	Diphtheria Prophylactic (P.T.A.P.)	1 cc. amp.	1 ,, 3 8	CS
270	Dithiazanine Iodide	50 mg. tab.	30 ,, 21 4	LY
307	Ergotamine Tartrate	1 mg. tab.	25 ,, 16 8	BD
308	Erythromycin	I.M. 100 mg./2 cc.	1 ,, 14 8	AB
		I.M. 300 mg./10 cc.	1 ,, 40 0	AB
311	Ethinylloestradiol	0.01 mg. tab.	100 ,, 6 8	BD, OR
			100 ,, 8 1	HA
		0.02 mg. tab.	25 ,, 3 4	BD, HY, OR
			30 ,, 4 0	SC
			100 ,, 9 0	HA
		0.05 mg. tab.	25 ,, 4 0	BD, HA, HY, OR
			30 ,, 4 8	SC
		1 mg. tab.	25 ,, 20 8	BD, HY, OR
			100 ,, 80 0	HA
312	Ethisterone	5 mg. tab.	25 ,, 14 8	BD, KL, OR, PH, RT, SC, VR
		10 mg. tab.	25 ,, 26 8	BD, KL, OR, PH, RT, SC, VR
		25 mg. tab.	10 ,, 21 4	CB
			25 ,, 53 4	BD, KL, OR, PH, RT, SC, VR
313	Ethopropazine Hydrochloride	50 mg. tab.	50 ,, 13 4	MB

Item No.	Name	Form	Price and Pack	Brand
			s. d.	
343	Folic Acid	15 mg./cc. amp.	6 @ 16 0	AN
356	Gas Gangrene Antitoxin (Oedematiens)	10,000 U. amp.	1 „ 12 0	CS
357	Gas Gangrene Antitoxin (Polyvalent)	1 amp. 3,000 U.W.	1 „ 19 3	CS
		1 amp. 7,500 U.W.	1 „ 43 3	CS
358	Gas Gangrene Antitoxin (Septique)	5,000 U. amp.	1 „ 19 3	CS
359	Gas Gangrene Antitoxin (Welchii)	4,000 U. amp.	1 „ 15 7	CS
		10,000 U. amp.	1 „ 21 0	CS
361	Glucose	2.5%, 1/2 litre bottle	1 „ 12 4	DH
		3.75%, 1/2 litre bottle	1 „ 12 4	DH
377	Hartmann's Solution	1 litre bottle	1 „ 14 4	BT, DH, EV, FH
378	Hartmann's Solution with Dextrose	5%, 1 litre bottle	1 „ 14 4	BT, DH, FH
		10%, 1 litre bottle	1 „ 14 4	BT, DH, FH
379	Heparin	1,000 U. cc./5 cc.	1 „ 9 4	BT, EV, LP, WP
			1 „ 11 8	AB
		5,000 U. cc./5 cc.	1 „ 40 0	BT, EV, LP, OR, RK, WP
		12,500 U./cc. amp.	1 „ 28 11	AB, EV
381	Hexamethonium Tartrate	1 cc. amp.	10 „ 12 8	MB
		350 mg. tab.	50 „ 8 0	MB
398	Hexocyclium Methyl Sulphate	25 mg. tab.	50 „ 29 9	AB
385	Hyaluronidase	500 I.U. amp.	1 „ 7 7	WY
394	Hydrocortisone Acetate (For Local Use)	25 mg./cc. vial	1 „ 8 11	BT, SC
			6 „ 53 4	GL
412 } to } 417 }	All Insulins.	Col. 5 price x Qty. dispensed Maximum Quantity		
426	Iron Oxide Saccharated	100 mg./5cc.I.V.amp.	5 @ 17 9	EV
423	Isoniazid	50 mg. tab.	100 „ 5 4	AD, CM, HA, PR, SI
			100 „ 7 4	RO
460	Leptazol	1.1 cc. amp.	5 „ 4 8	KN
		5 cc. amp.	2 „ 8 8	KN

Item No.	Name	Form	Price and Pack	Brand
488	Mercaptomerin Sodium	Set cont. 1.4 G. vial	1 @ 18 3	WY
491	Mersalyl Acid	1 cc. amp.	6 " 5 0	AD, BD, DH, EV, FH
			5 " 5 0	BA
		2 cc. amp.	6 " 5 7	AD, BL, DH, EV, FH,
				VR
			6 " 6 0	BD
			6 " 7 8	BA, BT
546	Nikethamide	5 cc. amp.	3 " 6 4	CB
561	Oestradiol Dipropionate	5 mg./cc. amp.	5 " 33 4	CB
565	Ouabain	0.25 mg. amp.	6 " 22 1	NA
		0.5 mg. amp.	6 " 23 11	NA
567	Oxytetracycline Hydrochloride	100 mg. vial	1 " 16 0	PF
		250 mg. cc. /10 cc.	1 " 28 0	PF
583	Papaveretum	1/3 gr. tab.	25 " 5 4	RO
		1/6 gr. tab.	25 " 3 4	HY
585	Papaverine Hydrochloride	2 gr./10 cc. amp.	3 " 5 4	FH, HA
586	Para-Aminosalicylic Acid	300 mg. tab.	100 " 9 4	DH
		500 mg. tab.	100 " 10 0	DH
			400 " 35 4	AD, SI
592-594, 596	Penicillins	$\left(\frac{\text{Col. 5 price less 2s. 9d.}}{1} \times \frac{\text{Qty. dispensed}}{\text{Maximum Qty.}} \right) + 2s. 9d.$		
598	Pentobarbitone Sodium	1.5 gr. tab.	25 @ 3 8	CO
		1.5 gr. cap.	100 " 18 11	MB
602	Pertussis Prophylactic	1/2 cc. amp.	1 " 4 0	CS
603	Pertussis Vaccine (Phase 1)	20,000 M./cc. amp.	1 " 4 0	CS
604	Pethidine Hydrochloride	50 mg./cc. amp.	12 " 8 0	RO
		50 mg./cc./2 cc. amp.	12 " 11 3	RO
605	Pethidine Scopolamine	2 cc. amp.	12 " 12 7	RO

Item No.	Name	Form	Price and Pack	Brand
			<i>s. d.</i>	
606	Phemitone, B.P. 1953	1/2 gr. tab.	100 @ 3 0	FA
			100 „ 3 7	PR, QE
			100 „ 4 11	PH
		1 gr. tab.	100 „ 4 7	FA
			100 „ 5 4	PR
			100 „ 6 0	PH
		3 gr. tab.	100 „ 10 7	FA
			100 „ 12 8	PH, PR, QE
611	Phenobarbitone Sodium	3 gr./cc. amp.	10 „ 8 8	MB
614	Phenolphthalein	Compound Pill	100 „ 2 3	MG
			100 „ 3 1	TO
			100 „ 4 0	DH, HY
626	Piperazine Phosphate	260 mg. tab.	42 „ 8 5	GL
639	Procaine Hydrochloride in Normal Salin	0.1%, 1 litre bottle	1 „ 14 4	AB, BT
648	Pyridostigmine Bromide	60 mg. tab.	150 „ 104 11	RO
661	Pyrrolidino-Methyl-Tetracycline	110 mg. amp. I.V.	1 „ 17 7	FM
		275 mg. amp. I.V.	1 „ 30 9	FM
		150 mg. I.M.	1 „ 17 7	SQ
		350 mg. I.M.	1 „ 30 9	SQ
744	Ringer's Solution	1 litre bottle	1 „ 14 4	BT, DH, EV, FH
765	Sodium Aurothiomalate	50 mg. amp.	1 „ 4 0	MB
		100 mg. amp.	1 „ 5 4	MB
768	Sodium Chloride Hypertonic Solution	3%, 1 litre bottle	1 „ 14 4	BT, DH, FH
		5%, 1 litre bottle	1 „ 14 4	BT, DH, FH
	Physiological Solution	10 cc. vial	1 „ 2 3	DH, FH, PD
		50 cc amp.	1 „ 4 0	DH, FH, KL
		1 litre bottle	1 „ 14 4	AB, BT, DH, EV, FH, GL

Item No.	Name	Form	Price and Pack	Brand
769	Sodium Chloride with Dextrose	5%, 1 litre bottle	1 @ 14 4	AB, BT, DH, EV, FH, GL
		10%, 1 litre bottle	1 ,, 14 4	AB, BT, DH, FH
		20%, 1 litre bottle	1 ,, 14 4	BT, DH, FH
		25%, 1 litre bottle	1 ,, 14 4	AB, BT, DH, FH
771	Sodium Lactate	1 litre bottle	1 ,, 14 4	AB, DH, FH
772	Sodium Oleate Compound	Pill	100 ,, 6 0	FA
			100 ,, 9 4	PD
			144 ,, 11 4	DH
773	Sodium Para-Aminosalicylate	1.5 G. cachet	500 ,, 126 0	SN
		5 gr. tab.	100 ,, 9 4	DH
			400 ,, 32 0	AD, SI
		7.5 gr. tab.	200 ,, 17 0	AN, WA
			200 ,, 20 0	HY
			400 ,, 35 4	AD, SI
			100 ,, 10 0	TO
			100 ,, 10 8	DH
775	Sodium Sulphate	1 litre bottle	1 ,, 14 4	BT, DH, FH
776	Sodium Tauroglycocholate	Pill	100 ,, 6 8	DH
		Tab.	100 ,, 6 8	DH
805	Soya Formula .. Liquid	1 tin	Col. 5 price x	Qty. dispensed
	Powder	1 tin		
781	Streptomycin Sulphate	1 G. vial	1 @ 3 4	AN, BT, DH, DL, EV, GL, SI
		250,000U.ml./4 ml.	1 ,, 3 9	DL, GL
		500,000U.ml./2 ml.	1 ,, 3 9	BT, EV, GL
		1,000,000U.ml./3 ml.	1 ,, 3 9	EV, GL, SI
786	Sulphadiazine Sodium	4 cc. amp.	10 ,, 19 7	MB

Maximum Qty.

Item No.	Name	Form	Price and Pack	Brand
792	Sulphamerazine	500 mg. tab.	100 @ 20 0	AD, FA, HY, RT, SI, TO
801	Suxamethonium Bromide	67 mg. amp.	10 „ 15 4	MB
851	T.A.B. Vaccine	1 cc. amp.	1 „ 3 8	CS
855	Testosterone Propionate	25 mg./cc. amp.	6 „ 24 0	AN, BD, FH, FM
			10 „ 40 0	CB
			3 „ 13 4	SC
		50 mg./cc. amp.	6 „ 42 8	AN, FH, FM, GL
			6 „ 46 8	BD, OR
			3 „ 24 0	SC
		100 mg./2 ml. amp.	6 „ 85 4	FM
856	Tetanus Antitoxin	1,500 I.U. amp.	1 „ 6 8	BW, CS, SE
		10,000 I.U. amp.	1 „ 37 4	CS
857	Tetanus Toxoid (Formalinised)	1 cc. amp.	1 „ 3 8	CS, SE
858	Tetanus Toxoid (P.A.P.A.)	0.5 cc. amp.	1 „ 3 4	CS
859	Tetrachloroethylene	0.5 cc. amp.	100 „ 18 0	PD
860	Tetracycline Hydrochloride	I.M. 100 mg. vial	1 „ 16 0	AN, LE, PF
		I.V. 100 mg. vial	1 „ 16 0	AN, LE
		I.V. 250 mg. vial	1 „ 28 0	AN, LE, PF
867	Thiouracil Propyl	50 mg. tab.	50 „ 8 0	TO
869	Tiger Snake Anti-Venene	3,000 U./amp.	1 „ 70 0	CS
872	Tretamine	2.5 mg. tab.	25 „ 38 0	IC
922	Vasopressin Tannate in Oil	1 cc. amp.	6 „ 16 0	PD
941	Water for Injection	5 cc. amp.	1 „ 0 8	CS

PRE-PRICED EXTEMPORANEOUS PREPARATIONS

Dispensed Price for Common Quantities Other than Maximum

PRESCRIPTION NAME		PRICE PAYABLE BY COMMONWEALTH		PRESCRIPTION NAME		PRICE PAYABLE BY COMMONWEALTH	
		2 fl. oz.				1 oz.	2 oz.
Applications		<i>s.</i> <i>d.</i>		Dusting Powders		<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>
Benzyl Benz. with Dic.	..	8	1	Benzocaine	8	0	10 6
Dicophane	..	6	11	Kaolin Compound	6	2	6 8
Gamma Benzene Hex.	..	6	7	Undecenoic Acid	9	3	11 11
		1 oz.	2 oz.			1/8 fl. oz.	1/4 fl. oz.
Creams		<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>	Eye Drops		<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>
Aminacrine	8 9	11 7	Aminacrine	7 6	7 10		
Aqueous, B.P.	7 7	9 10	Atropine 1/2%	8 3	8 7		
Butyl Aminobenz. and Trinit.	8 10	9 1	Atropine 1%	8 3	8 7		
Calamine	6 7	7 5	Atropine (Oily)	8 6	8 10		
Cetrimide	6 3	6 10	Cocaine (Oily)	8 6	10 5		
Cold	6 10	7 8	Methylcellulose	7 0	7 4		
Emulsifying Wax (Buffered)	6 6	7 3	Physostigmine	13 5	13 9		
Gamma Benzene Hexachloride	6 9	7 6	Pilocarpine 1/2%	7 8	7 9		
Glycerin	6 7	7 5	Pilocarpine 1%	7 8	7 9		
Soft Zinc	6 7	7 9	Silver Protein	7 1	7 4		
Sorbolene	6 5	6 5	Sulphacetamide (Strong) ..	7 5	8 3		
Zinc	6 7	7 10	Sulphacetamide (Weak) ..	7 2	7 8		

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH		
	2 fl. oz.	4 fl. oz.	6 fl. oz.
Linctuses	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Camphor Comp.	7 10	10 1	12 4
Codeine	10 11	15 1	19 8
Morphine	7 8	9 10	11 11
Pholcodine	7 10	10 4	12 8

	1 fl. oz.	2 fl. oz.	3 fl. oz.
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Liniments ..			
Calamine Comp.	6 0	6 5	6 11
Eucalyptus Comp.	7 0	7 6	8 5
Methyl Salicylate	6 5	7 5	8 5
Turpentine	6 6	7 8	8 8

	2 fl. oz.	4 fl. oz.	6 fl. oz.
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Lotions			
Acid Salicylic Comp. ..	6 5	7 3	7 11
Aluminium Acetate ..	8 1	10 7	13 1
Aminacrine	6 5	7 2	8 1
Calamine	6 3	7 2	7 9
Coal Tar	5 9	6 1	6 4
Copper and Zinc Sulph. ..	5 11	6 3	6 7
Eusol	5 11	6 6	7 0
Evaporating	5 10	6 1	6 5

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH		
	2 fl. oz.	4 fl. oz.	6 fl. oz.
Lotions—contd.	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Phenol	5 11	6 5	6 9
Resorcin Compound ..	6 9	7 9	8 10
Sulphurated	6 8	7 10	8 6
Zinc Sulphate	5 9	6 0	6 2

	4 fl. oz.	6 fl. oz.	16 fl. oz.
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Mixtures			
Acid Acetylsal.	6 11	7 5	9 11
Acid Acetylsal. Co. ..	7 4	8 0	10 10
Acid Acetyl. and Codeine Co.	8 4	9 5	14 4
Acid Acetyl. and Morph. ..	7 9	8 6	12 10
Acid Acetyl and Phenobarb.	7 1	7 7	10 5
Acid Hydrochloric Dilute ..	9 0	10 8	18 5
Aluminium Hydroxide ..	9 4	11 1	19 4
Aluminium Hydrox. with Bellad.	9 5	11 4	19 9
Aluminium Hydrox. with Kaolin	9 10	11 9	21 1
Aluminium Hydrox. and Kaolin with Opium ..	10 1	12 2	21 11
Alum. Hyd. with Procaine .	10 5	12 9	23 8
Aminophylline Comp. ..	7 6	8 5	11 8
Aminophylline Comp. with Acetylsal. . . .	7 11	8 9	13 2
Ammonium Acet.	8 1	9 3	14 10

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH			PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH		
	4 fl. oz.	6 fl. oz.	16 fl. oz.		4 fl. oz.	6 fl. oz.	16 fl. oz.
Mixtures—contd.	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	Mixtures—contd.	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Calcium Acetylsal. ..	7 2	7 9	11 0	Potassium Cit. Acid ..	8 0	9 1	14 3
Camphorated Opium ..	7 0	7 7	10 7	Potassium Cit. with			
Chalk and Kaolin ..	6 11	7 6	10 4	Hyoseyam. ..	6 9	7 1	9 1
Chloral Hydrate ..	7 2	7 9	11 1	Potassium Iodide ..	7 3	7 11	10 9
Chloral and Bromide ..	7 5	8 1	12 0	Rhubarb and Soda..	7 2	7 8	10 4
Colchicum and Acid				Senega and Ammonia ..	7 8	8 7	12 7
Acetylsal.	7 4	8 0	11 9	Sodium Bicarb. ..	6 5	6 8	7 11
Colchicum and Sodium Sal.	8 0	8 6	12 4	Sodium Salicylate ..	6 9	7 4	9 8
Expectorant ..	7 4	8 0	11 2	Succinylsulph and Kaolin..	13 6	17 3	36 1
Gentian Acid ..	7 3	8 0	11 5	Strychnine ..	6 6	6 10	8 2
Gentian Alk. ..	7 3	7 11	11 1	Urea ..	13 3	17 1	34 3
Iron and Nux Vomica ..	6 11	7 3	9 3			1/4 fl. oz.	
Kaolin Alkaline ..	6 7	6 10	8 4			<i>s. d.</i>	
Kaolin and Opium ..	7 3	8 0	11 2	Nasal Instillations			
Lobelia and Stramon. ..	7 11	9 0	12 0	Adrenaline ..		5 11	
Magnesium Carb. ..	6 10	7 1	9 0	Adrenaline and Ephed. ..		6 2	
Magnesium Sulph. ..	6 5	6 8	8 3	Chlorbutol ..		5 9	
Magnesium Trisil. ..	6 8	6 11	8 5	Ephedrine ..		5 10	
Paraldehyde ..	9 0	10 5	17 8	Ephedrine (Oily) ..		5 11	
Phenobarb. and Brom. ..	6 10	7 3	9 6	Sulphadiazine Comp. ..		6 7	
Potassium Brom. ..	6 11	7 4	9 4		1 oz.	2 oz.	3 oz.
Pot. Brom. Phenobarb. with					<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Belladon. ..	6 8	7 0	8 9	Ointments			
Potassium Brom. and Nux				Acid Benzoic Compound ..	7 4	9 4	11 4
Vomica ..	6 9	7 2	8 9	Acid Salicylic ..	7 7	9 10	12 1
Potassium Cit. ..	7 0	7 7	10 8	Ammoniated Mercury, B.P.	8 0	10 8	13 4

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH			PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH		
	1 oz.	2 oz.	3 oz.		1 oz.	2 oz.	3 oz.
Ointments—contd.	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	Pastes	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Benzocaine Compound ..	9 0	12 8	15 7	Gelatin (Unna's)	7 2	9 0	10 10
Cod Liver Oil and Acriflavine	6 11	8 3	9 11				12/1 4oz.
Dithranol, B.P.	6 6	7 2	8 3	Zinc Ox. and Acid Sal. ..	6 11	8 6	10 1
Dithranol Strong, B.P. ..	8 2	10 9	12 5	Zinc Ox. and Coal Tar ..	6 1	6 8	7 5
Emulsifying, B.P.	7 5	9 6	11 7				
Hamamelis, B.P.	8 10	12 4	15 10			2 oz.	3 oz.
Iodine, Non-staining, B.P.C.	7 3	9 2	11 1	Powders	<i>s. d.</i>		<i>s. d.</i>
Paraffin, B.P.	6 9	8 2	9 7	Antacid	6 8		7 3
Resorcinol Compound ..	7 6	9 6	11 11	Calcium and Kaolin ..	6 11		7 6
Simple	6 11	8 6	10 1	Kaolin Compound	7 1		7 10
Sulphur, B.P.	6 9	8 2	9 7	Mag. Trisil. with Bellad. ..	7 11		9 0
Wool Alcohols, B.P. ..	7 1	8 10	10 7			2 fl. oz.	3 fl. oz.
Zinc, B.P.	6 7	7 10	9 1	Soap	<i>s. d.</i>		<i>s. d.</i>
Zinc Ox. and Castor Oil, B.P.	7 11	10 6	13 1	Spirit	7 4		8 4
Zinc Undecenoate, B.P. ..	11 4	17 4	23 4	Solutions			
		1/2 fl. oz.		Benedict's Qualitative ..	6 11		7 7
Paints		<i>s. d.</i>		Cetrimide	6 1		6 4
Acid Salicylic		5 11					
Crystal Violet Compound ..		6 2					
Ichthammol		6 4					
Iodine Compound		6 5					
Magenta and Resorcinol ..		6 3					

**AMENDMENT TO THE PHARMACEUTICAL BENEFITS BOOK
MAY 1961 EDITION FOR APPROVED CHEMISTS**

No. 1

(Effective 1st May, 1961)

SECTION 2

SCHEDULE OF BENEFITS (PART I)

Page No.	Item No.	Item Name and Form	Amendment
5	43	ADRENALINE MUCATE Injection 1 cc. amp.	Delete 0 11 5 GL—add *0 14 2 GL
9	30	AMYLOBARBITONE Oral Tablet, B.P. 1.5 gr. tab. ...	Delete 0 11 5 PR—0 10 1 add PR
9	32	ANEURINE HYDROCHLORIDE Injection, B.P. 100 mg. per cc., 1 mil. amp. .. Oral Tablet, B.P. 100 mg. tab.	0 18 9 delete QE 0 18 9 add QE
17	135	CARBROMAL Oral Tablet, B.P. 5 gr. tab.	0 9 5 delete DH—0 8 5 add DH
22	160	CODEINE PHOSPHATE Oral Tablet Compound, B.P.	0 10 9 delete PR— 0 9 5 add PR (ex S.P.) (ex S.P.)
25	230	DAPSONE Oral Tablet 100 mg. tab.	Delete 0 8 0 IC — add 0 8 1 IC
27	235	DEXAMPHETAMINE SULPHATE Oral Tablet, B.P. 5 mg. tab.	0 6 9 delete PR — 0 6 5 add PR (ex S.P.) (ex S.P.)
34	304	EPHEDRINE HYDROCHLORIDE Oral Tablet with Phenobarbitone $\frac{1}{2}$ gr.— $\frac{1}{4}$ gr. tab. ..	0 8 1 delete PR — 0 6 9 add PR (ex S.P.) (ex S.P.)
39	343	FOLIC ACID Oral Tablet, B.P. 5 mg. tab.	1 2 9 delete PR — 0 17 2 add PR

Page No.	Item No.	Item Name and Form	Amendment
38	346	FERROUS AMINOACETOSULPHATE Syrup	0 9 5 add BP
42	383	HEXYLRESORCINOL Oral Pill 100 mg. pill	Delete 0 12 9 MK — add *0 12 0 MK
47	419	IODOXYL Injection, B.P. 10 cc. vial 20 cc. vial	0 11 9 delete DH, MB 1 0 4 delete DH
48	426	IRON OXIDE SACCHARATED Injection 100 mg. per 5 cc., I.V. amp.	1 2 9 delete FC — add *1 8 3 FC
65	598	PENTOBARBITONE SODIUM Oral Tablet, B.P. 15 gr. tab.	0 6 6 delete co — add 0 6 0 co (ex 1,000) (ex 1,000) Delete *0 10 1 co — 0 8 1 add co (ex S.P.) (ex S.P.)
67	599	PENTOBARBITONE SODIUM COMPOUND Oral Tablet, A.P.F. Capsule Formula	Delete 0 18 9 co — add 0 15 5 co
68	606	PHEMITONE, B.P. 1953 Oral Tablet, B.P.C. $\frac{1}{2}$ gr. tab. 1 gr. tab. 3 gr. tab.	*0 9 11 delete PR — 0 8 9 add PR Delete *0 13 5 PR — 0 11 9 add PR *1 8 1 delete PR — 1 3 9 add PR
94	860	TETRACYCLINE HYDROCHLORIDE Oral Suspension 125 mg. per 5 cc., 60 cc. bottle	Delete 1 16 9 LT — 1 11 5 add LT
95	864	TETRACYCLINE (BUFFERED) Oral Suspension 125 mg. per 5 cc., 2 fl. oz. bottle Oral Paediatric Drops 100 mg. per cc., 10 cc. vial	Delete 1 16 9 LT, sq — 1 11 5 add LT, sq Delete 1 2 9 LT, sq — 1 0 1 add LT, sq
100	928	VITAMINS COMPOUND Oral Capsule, B.P.C.	0 9 1 add PR (ex 1,000) 0 10 9 add PR (ex S.P.)

SECTION 4

Item Name and Form								Amendment
On page 13, after Item 1 add—								
43	Adrenaline Mucate	1 cc. amp.	..	..	..	..	5 @ 8	8 GL
On page 16, after Item 398 add—								
383	Hexylresorcinol	100 mg. pill	..	..	..	..	6 @ 10	0 MK
Page 16, Item 426	Iton Oxide Saccharated							
	100 mg./5 cc. I.V. amp.		..	..	..	..	add 5 @ 19	4 FC
Page 17, Item 598	Pentobarbitone Sodium							
	1.5 gr. tab.	..	..	..	..	..	Delete all reference to this item	
Page 18, Item 606	Phemitone, B.P. 1953							
	$\frac{1}{2}$ gr. tab.	..	..	..	..	..	100 @ 3	7 delete PR
	1 gr. tab.	..	..	..	..	..	Delete 100 @ 5	4 PR
	3 gr. tab.	..	..	..	..	..	100 @ 12	8 delete PR

CORRIGENDUM

SECTION 2

SCHEDULE OF BENEFITS (PART I)

Page No.	Item No.	Item Name and Form					Amendment
6	21	AMINACRINE HYDROCHLORIDE					
		Lotion, P.L.	..	..	..	..	Price to read 0 8 7 in lieu of 0 9 7
7	22	AMINOPHYLLINE					
		Oral Tablet with Ephedrine Hydrochloride and Amylobarbitone 130 mg.-25 mg. tab.	..	..	..	1 13 5	delete LY
		Add—Oral Tablet enteric coated with Ephedrine Hydrochloride and Amylobarbitone 130 mg.-25 mg.-25 mg. tab.	..	..	..	100 2	1 6 1 CG 1 13 5 LY

Page No.	Item No.	Item Name and Form	Amendment
22	160	CODEINE PHOSPHATE Oral Tablet Compound, B.P.	0 10 9 add SL (ex S.P.)
91	796	SULPHONAMIDES, MIXED (B): THREE SULPHONAMIDES Oral Tablet 500 mg. tab.	0 9 7 delete PR (ex 500)
95	864	TETRACYCLINE (BUFFERED) 250 mg. Tetracycline cap.	3 3 11 add UP (ex 100)

On page 51, Item 84 should read Item 484

SECTION 4 CONTAINER PRICES

Eye Dropper Container (Polythene bottle with nozzle and cap.) $\frac{1}{2}$ oz.—Amend price to read 1 6, in lieu of 1 3 .

Page No.	Item No.	Item Name and Form	Amendment
58	572	OXYPHENONIUM BROMIDE	
		Oral Tablet	Add 5 mg. tab. .. 100 2 1 6 9 CB
		10 mg. tab.	Delete 1 4 1 CB—add 2 5 5 CB
44	394	HYDROCORTISONE ACETATE (For Local Use)	
		Injection 5 cc. vial	2 8 1 add UP

SECTION 3—PRESCRIBERS' LIST

BACITRACIN EYE DROPS Formula to read: Bacitracin 15,000U.

PHARMACEUTICAL BENEFITS

NOTES FOR APPROVED CHEMISTS

Following consultations with the Federated Pharmaceutical Service Guild of Australia, the Minister for Health has now determined that the professional fees payable, with effect from 1st March, 1961, will be as follows:—

Ready Prepared Items, 3s.

Extemporaneously Prepared Items, 5s. 6d.

Adjustments for March, April and May dispensing will be made by the Department as soon as possible. The amount due will be added to the next claim to be paid to you after the necessary computations have been completed. No further action is required by you in connection with these claims.

The new professional fees will be incorporated in the "Dispensed Price for Maximum Quantity" in the reprint of Section 2 (White Pages) of the Handbook to be issued on 1st August, 1961. The pricing amendments to be issued on 1st June and 1st July will not include the new professional fees in the prices shown.

It will facilitate the payment of your claim if the increased professional fees are not incorporated in the prices shown on the prescription form and the tally sheet until such time as the new professional fee is included in the prices shown in the white pages of your Handbook.

THEREFORE ALL PRESCRIPTIONS DISPENSED PRIOR TO 1st AUGUST, 1961 SHOULD BE PRICED ON THE PRICES APPEARING IN THE CURRENT HANDBOOK. You should claim for the increased professional fees for prescriptions which attract a professional fee dispensed during June and July by adding to each section of the claim form the number of prescriptions multiplied by 3d. for Ready Prepared Items dispensed, and by 6d. for the number of Extemporaneously Prepared Items dispensed.

For example, both the General Benefits section and the Pensioner Benefits section of the claim form will show:—

No. of R. P. prescriptions dispensed @ 3d. =

No. of E. P. prescriptions dispensed @ 6d. =

As you are aware a professional fee is not payable for Insulin products, Lofenalac, Sobee nor packed lines listed in paragraph 6 of section 4 of the Notes, unless specific directions are included in the prescription.

AMENDMENT TO THE PHARMACEUTICAL BENEFITS BOOK MAY 1961 EDITION FOR APPROVED CHEMISTS

(Effective 1st June, 1961)

SECTION 1

MANUFACTURERS AND CODES

Add—Hoechst Pharmaceuticals Pty. Ltd.—Code HP.

SECTION 2

SCHEDULE OF BENEFITS (PART I)

Page No.	Item No.	Item Name and Form	Amendment
16	126	CALCIUM GLUCONATE Oral Tablet, B.P.C. 10 gr. tab.	0 8 1 delete HY 0 7 5 add HY
22	160	CODEINE PHOSPHATE Oral Tablet with Acetylsalicylic Acid, Phenacetin and Caffeine $\frac{1}{2}$ gr.-3.5 gr.-2.5 gr.- $\frac{1}{2}$ gr. tab.	delete 1 4 5 BW—add 1 3 1 BW
34	304	EPHEDRINE HYDROCHLORIDE Oral Tablet with Phenobarbitone $\frac{1}{2}$ gr.- $\frac{1}{4}$ gr. tab.	0 8 1 delete HY (ex S.P.) 0 6 9 add HY (ex S.P.)
35	308	ERYTHROMYCIN Oral Suspension 100 mg. per 5 cc., 75 cc. bottle 200 mg. per 5 cc., 60 cc. bottle Oral Tablet, B.P. 100 mg. tab. 250 mg. tab. Oral Capsule 125 mg. cap. 250 mg. cap.	delete 2 14 6 AB—add 2 0 9 AB delete 2 14 6 AB—add 2 0 9 AB delete 3 16 1 AB, LY, UP—add 3 5 1 AB, LY, UP delete 8 4 10 AB, LY, UP—add 7 0 9 AB, LY, UP delete 3 16 1 AB, LY—add 3 5 1 AB, LY delete 8 4 10 AB, LY—add 7 0 9 AB, LY

Page No.	Item No.	Item Name and Form	Amendment
39	343	FOLIC ACID Oral Tablet, B.P. 5 mg. tab.	0 19 5 delete HY 0 16 1 add HY
52	509	METHSCOPOLAMINE BROMIDE Oral Tablet 2.5 mg. tab.	delete 2 11 9 AN add 2 19 9 AN
56	545	NICOTINIC ACID Oral Tablet, B.P. 250 mg. tab.	0 10 9 delete HY 0 9 5 add HY
68	606	PHEMITONE, B.P. 1953 Oral Tablet, B.P.C. 3 gr. tab.	delete 1 7 5 BA—add 1 8 1 BA
74	629	POLYMYXIN B. SULPHATE Eye Drops with Bacitracin and Neomycin Sulphate..	delete 0 15 0 HA 1 9 0 add HA
75	634	PREDNISOLONE Oral Tablet, B.P. 5 mg. tab.	delete 4 6 9 HY—2 16 9 add HY
76	635	PREDNISONE Oral Tablet, B.P. 5 mg. tab.	3 14 9 delete HY—2 16 9 add HY
76	637	PRIMIDONE Oral Tablet, B.P. 250 mg. tab.	delete 4 9 5 IC—add *4 9 5 IC (ex S.P.) (ex S.P.)
79	661	PYRROLIDINO-METHYL-TETRACYCLINE Injection 150 mg. Tetracycline amp. I.M. 350 mg. Tetracycline amp. I.M.	*4 10 8 add HF *7 16 6 add HF
79	663	PYRIMIDO-PYRIMIDINE Oral Tablet 12.5 mg. tab.	delete 2 11 8 FA—add 2 4 6 FA
86	780	STILBOESTROL Oral Tablet, B.P. 1 mg. tab.	0 5 5 delete HY—0 5 2 add HY

Page No.	Item No.	Item Name and Form	Amendment
94	860	TETRACYCLINE HYDROCHLORIDE Oral Paediatric Drops 100 mg. per 5 cc., 10 cc. vial	delete 1 2 9 AN—1 0 1 add AN
100	928	VITAMINS COMPOUND Oral Tablet, B.P.C. Capsule Formula	delete 0 7 0 TO—add 0 7 3 TO (ex 1,000) (ex 1,000) 0 10 1 delete HY—add 0 7 5 HY (ex S.P.) (ex S.P.)

SECTION 4

	Item Name and Form	Amendment
On page 18, after Item 626, add—		
637	Primidone 250 mg. tab.	100 @ 43 4 IC
Page 18, Item 661—Pyrrilidino-Methyl-Tetracycline	150 mg. I.M.	1 @ 17 7 add HP
	350 mg. I.M.	1 @ 30 9 add HP

CORRIGENDUM

SCHEDULE 2

SCHEDULE OF BENEFITS (PART I)

Page No.	Item No.	Item Name and Form	Amendment
48	426	IRON OXIDE SACCHARATED Injection 100 mg. per 5 cc. I. V. amp.	Amend *1 6 5 EV, to read *1 6 2 EV

AMENDMENT TO THE PHARMACEUTICAL BENEFITS BOOK
MAY 1961 EDITION FOR APPROVED CHEMISTS

No. 3

(Effective 1st July, 1961)

SECTION I

MANUFACTURERS AND CODES

Delete—

Reckitt and Colman (Aust.) Ltd. — Code **RC**

Add—

Ioquin Company, The	—	Code IQ
Reckitt's Pty. Limited	—	Code RC
Thilo, Dr. and Co.	—	Code TH

SECTION 2

SCHEDULE OF BENEFITS (PART I)

Page No.	Item No.	Item Name and Form	Amendment
3	5	ACETYLSALICYLIC ACID COMPOUND Oral Tablet, B.P.C.	0 5 10 delete FA—add 0 5 9 FA (ex 500) (ex 500)
8	24	AMMONIATED MERCURY Ointment, B.P.	Amend price to read 0 11 10
10	34	ANTAZOLINE HYDROCHLORIDE Injection, B.P. 100 mg. per 2 cc. amp.	Delete *1 2 4 BT—add *1 1 9 BT
12	86	BELLADONNA Compound Suppository	Delete 0 7 10 WY—add 0 7 8 WY

Page No.	Item No.	Item Name and Form					Amendment				
15	107	BUTABARBITAL SODIUM									
		Oral Tablet	15 mg. tab.	..	..	..	..	Delete	*0 9 3	AN—add	0 9 2 AN
			30 mg. tab.	..	..	..	..	Delete	*0 11 4	AN—add	0 11 4 AN
			100 mg. tab.	..	..	..	..	Delete	*0 16 4	AN—add	0 16 4 AN
18	141	CHARCOAL									
		Oral Tablet	5 gr. tab.	..	..	..	..	0 9 5	delete	QE—0 8 1	add QE
23	166	COLOCYNTH, B.P.C.									
		Oral Pill Compound,	B.P.C.	..	..	..	..	Delete	*0 6 0	DH—add	* 0 6 1 DH
24	169	CORTISONE ACETATE									
		Oral Tablet, B.P.	5 mg. tab.	..	..	..	..	Delete	*0 17 7	SC—add	*1 4 7 SC
26	232	DEOXYCORTONE ACETATE									
		Aqueous Injection	5 mg. amp.	..	..	..	..	Delete	*1 18 11	SC—add	*1 18 4 SC
35	307	ERGOTAMINE TARTRATE									
		Oral Tablet, B.P.	1 mg. tab.	..	..	..	..	Delete	1 12 9	AN, DH, HY, QE, TO	
								(ex 100)			
							..	Add	1 12 10	AN, DH, HY, QE, TO	
								(ex 100)			
37	312	ETHISTERONE									
		Oral Tablet, B.P.	5 mg. tab.	..	..	..	..	*1 12 1	delete	RT—1 10 9	add RT
38	340	FERROUS GLUCONATE									
		Oral Tablet, B.P.	5 gr. tab.	..	..	..	..	0 8 6	delete	RT—add	0 7 5 RT
								(ex S.P.)			(ex S.P.)
39	343	FOLIC ACID									
		Oral Tablet, B.P.	5 mg. tab.	..	..	..	..	0 19 5	delete	RT—0 17 2	add RT
40	360	GENTIAN									
		Mixture Alkaline, P.L.	..	..	..	..	..	Amend price to read	0 8 4		
44	387	HYDROCORTISONE									
		Eye Ointment	0.5%	..	..	..	..	0 11 8	delete	UP—0 10 9	add UP

Page No.	Item No.	Item Name and Form	Amendment
47	418	IODINE Solution Aqueous, B.P. (Lugol's)	 Amend price to read 0 11 8
49	460	LEPTAZOL Injection, B.P. 1.1 cc. amp.	 Delete *0 9 6 KN—add *0 8 11 KN
53	494	METHYLAMPHETAMINE HYDROCHLORIDE Oral Tablet, B.P. 5 mg. tab.	 0 14 9 delete QE—0 13 5 add QE
52	509	METHSCOPOLAMINE BROMIDE Oral Tablet 2.5 mg. tab.	 Delete 3 4 1 UP—add 2 16 1 UP
57	561	OESTRADIOL DIPROPIONATE Injection 5 mg. per 1 cc. amp...	 Delete *2 7 4 CB—add *2 6 9 CB
61	590	PARAMETHADIONE Oral Capsule, B.P. 300 mg. cap.	 Delete 6 14 4 AB—add 6 14 1 AB
65	598	PENTOBARBITONE SODIUM Oral Tablet, B.P. $\frac{1}{2}$ gr. tab... 1.5 gr. tab...	 0 6 6 delete QE— 0 6 5 add QE 0 5 9 delete QE— 0 5 5 add QE (ex 1,000) (ex 1,000) Delete 0 5 8 RT— 0 7 5 add RT 0 8 1 delete QE—add 0 6 9 QE (ex S.P.) (ex S.P.)
68	606	PHEMITONE, B.P. 1953 Oral Tablet, B.P.C. $\frac{1}{2}$ gr. tab.	 Delete *0 9 11 QE—0 8 9 add QE
70	610	PHENOBARBITONE Oral Tablet, B.P. 1.5 gr. tab.	 Delete 0 6 3 AB, TO—add 0 6 2 AB, TO (ex S.P.) (ex S.P.)
71	614	PHENOLPHTHALEIN Oral Pill, Compound	 Delete *0 4 6 MG—add 0 4 11 MG

Page No.	Item No.	Item Name and Form	Amendment
72	616	PHENYLBUTAZONE Oral Tablet 100 mg. tab.	Delete 1 1 9 GE—add 1 0 5 GE
75	634	PREDNISOLONE Eye Ointment 0.5%	Delete 1 6 1 UP—1 2 9 add UP
69	650	PHENACETIN Oral Tablet with Codeine Phosphate and Sodium Pentobarbitone 5 gr.— $\frac{1}{2}$ gr.— $\frac{1}{2}$ gr. tab.	0 16 5 delete DH—0 16 1 add DH
80	747	RAUWOLFIA ALKALOIDS Oral Tablet 2 mg. tab... .. . 50 mg. tab... .. .	Delete 1 1 5 RK—add 0 18 9 RK Delete 1 19 1 sq—add 1 12 9 sq
93	855	TESTOSTERONE PROPIONATE Injection, B.P. 25 mg. per 1 cc. amp... .. .	Delete *2 15 10 CB—add *2 15 7 CB
101	962	ZINC OXIDE Ointment with Castor Oil, B.P.	Amend price to read 0 11 2

SECTION 4

Page 13, Item 107	Butabarbital Sodium	Delete all reference to this item.
Page 14, Item 169	Cortisone Acetate 5 mg. tab.	Delete 30 @ 8 4 sc—add 20 @ 8 4 sc
Page 15, Item 312	Ethisterone 5 mg. tab.	25 @ 14 8 delete RT
Page 18, Item 614	Phenolphthalein Compound Pill.. .. .	Delete 100 @ 2 3 MG
Page 18, Item 606	Phemitone, B.P. 1953 $\frac{1}{2}$ gr. tab.	Delete 100 @ 3 7 GE
Page 23	Ointments—Ammoniated Mercury, B.P.	Amend 1 oz., 2 oz., and 3 oz. prices to read: 7 1, 8 10, and 10 7
Page 24	Zinc Ox. and Castor Oil, B.P.	Amend 1 oz., 2 oz., and 3 oz. prices to read: 6 11, 8 6, and 10 1

CORRIGENDUM

SECTION 2

SCHEDULE OF BENEFITS (PART I)

Page 51, Item 488 MERCAPTOMERIN SODIUM Delete—Set containing 1.4 G. per 10 cc. vial and 10 cc. water for injection.
Add— 1.4 G. per 10 cc. vial.

ADVANCE NOTICE

The following items or strengths and sizes may be deleted from the lists of benefits at a later date. Details of the necessary amendments will be advised later.

Page No.	Item No.	Item Name and Form			
58	565	OUABAIN			
		Injection, B.P.	0.5 mg. amp. ..	..	..
81	743	RIBOFLAVINE			
		Oral Tablet, B.P.	2 mg. tab. ..	..	..
			3 mg. tab. ..	..	..
96	866	THIACETAZONE, B.P.C.			
		Oral Tablet, B.P.C.	50 mg. tab.	..	..

The following size packs for items or strengths and sizes shown will be deleted from the list of benefits as from 1st August, 1961.

Page No.	Item No.	Item Name and Form			
2	5	ACETYSALICYLIC ACID COMPOUND			
		Oral Tablet, A.P.F.		..	Pack of 500
		Oral Tablet, B.P.C.		..	Pack of 500
8	28	AMPHETAMINE SULPHATE			
		Oral Tablet, B.P.	5 mg. tab.	..	Pack of 500

Page No.	Item No.	Item Name and Form					
19	149	CHLORMERODRIN					
		Oral Tablet	18.3 mg. tab.	..	..	..	.. Pack of 100
			20 mg. tab.	..	..	..	.. Pack of 100
27	235	DEXAMPHETAMINE SULPHATE					
		Oral Tablet, B.P.	5 mg. tab.	..	..	..	.. Pack of 500
33	304	EPHEDRINE HYDROCHLORIDE					
		Oral Tablet with Phenobarbitone					
		$\frac{1}{4}$ gr.- $\frac{1}{4}$ gr. tab.	..	..	..	..	.. Pack of 500
		$\frac{1}{2}$ gr.- $\frac{1}{4}$ gr. tab.	..	..	..	..	.. Pack of 500
		$\frac{1}{2}$ gr.- $\frac{1}{2}$ gr. tab.	..	..	..	..	.. Pack of 500
37	314	ETHOXZOLAMIDE					
		Oral Tablet	125 mg. tab.	..	..	..	.. Pack of 100
50	482	MECAMYLAMINE					
		Oral Tablet	10 mg. tab.	..	..	..	.. Pack of 500
70	610	PHENOBARBITONE					
		Oral Tablet, B.P.	1.5 gr. tab.	..	..	..	.. Pack of 1,000
71	611	PHENOBARBITONE SODIUM					
		Oral Tablet, B.P.	$\frac{1}{2}$ gr. tab.	..	..	..	.. Pack of 1,000
			1 gr. tab.	..	..	..	.. Pack of 1,000
			1.5 gr. tab.	..	..	..	.. Pack of 1,000
96	865	THEOBROMINE, B.P.C.					
		Oral Tablet with Phenobarbitone, A.P.F.					
			5 gr.- $\frac{1}{2}$ gr. tab.	..	..	..	.. Pack of 1,000



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS

PHARMACEUTICAL BENEFITS

EXPLANATORY CIRCULAR REGARDING AUGUST, 1961 ISSUE OF "NOTES FOR MEDICAL PRACTITIONERS"

Effective 1st August, 1961

This issue is not a complete reprint of the Notes. It is a complete reprint of Section 2—Schedule of Benefits (Part 1). Changes to the Schedule are not extensive. The principle changes are summarised as follows—

- (i) Injections of Glucose—Item 361 are now shown under Item 239—Dextrose in Saline.
- (ii) Forms of Corticotrophin—Item 168 have been rewritten.
- (iii) Item 866—Thiacetazone, B.P.C. has been removed from the list.
- (iv) Additional manufacturers have been added to some items.

**NO
FOR SALE**

All previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



NOTES
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1st MAY, 1961.

Department of Health,
CANBERRA, A.C.T.

MAY, 1961.

EXPLANATORY NOTES

Prescribing of Benefits—Procedure by Doctors—								Paragraphs
Schedule of Benefits	..	..	..	..	..	..	1-8	
Prescriptions	..	..	..	..	..	..	9-11	
Restrictions	..	..	..	..	..	..	12	
Maximum Quantities and Repeats	..	..	..	..	..	..	13-18	
Urgent Cases	..	..	..	..	..	..	19-20	
Doctor's Bag	Emergency Supplies (Table page 15)					..	21-24	
Supply of Benefits—Procedure by Chemists—								
Prescriptions	..	..	..	..	..	..	25-28	
Procedure when an Authority Presented	..	..	..	..	..	..	29	
Repeat Authorizations	..	..	..	..	..	..	30-31	
Receipts	..	..	..	..	..	..	32-33	
Charges to Patients—								
First 5/-	..	..	..	..	..	..	34-39	
After Hours	..	..	..	..	..	..	40	
Delivery	..	..	..	..	..	..	41	
Responsibility for	..	..	..	..	..	..	42-43	
Miscellaneous	..	..	..	..	..	..	44-57	

SCHEDULES

List of Manufacturers and Codes	end of lemon pages
Schedule of Benefits (Ready Prepared and Prescriber's List Items) ..	white pages
Drug Tariff (Drugs which may be Prescribed Extemporaneously) ..	green pages
Table of Maximum Quantities and Repeats for Extemporaneously Prepared Preparations	green pages
Prescriber's List	yellow pages
Restriction on Pharmaceutical Benefits	pink pages

SECTION 1 — EXPLANATORY NOTES

PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS

Schedules of Benefits

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescriber's List items are listed in the Schedule of Benefits, Part I—(White pages).
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous items is listed in the Schedule of Benefits, Part II— (Green pages).

4. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "with required solvent" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, i.e., "Penicillin Benzyl, Injection 500,000 U. amp. with 2 cc. water for injection."

5. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13–18.

6. In some cases a code letter indicates a restriction on the purpose for which the drug may be prescribed. An explanation regarding restrictions may be found in these notes—paragraphs 10*d* and 12.

7. The proprietary Index is available in a separate booklet which is issued to all medical practitioners and approved chemists.

8. The asterisk (*) against the price of a Benefit in Part I indicates that the manufacturer's pack does not coincide with the maximum quantity. The pricing pack and rate is shown in Section 4 of the Chemists Book.

Pre- scriptions

9. A prescription may be written for any person who is receiving medical treatment. A prescription is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

- (a) write the prescription in some indelible form, e.g., ink or ball point on paper as near as convenient to 6" x 4". The name and address of the medical practitioner should be shown.

- (b) write the prescription in duplicate, marking the duplicate with the word "Duplicate."
- (c) set out the name and address of the patient and, where the patient is a pensioner who holds an entitlement card, write the *pension* number. Where the pension number is shown it is not essential to write the patient's address. Please note that the *pension* number is required and *not* the entitlement card number.
- (d) in the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose." Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, i.e., the letters P, CP, or DG appear in the handbook against the drug, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose."
- (e) if the benefit is a single drug, indicate the manner of administration.
- (f) when directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in his own handwriting with the words "Regulation 24."
- (g) mark the prescription "N.H.S.", sign it and write the date.

No objection will be raised to doctors writing more than one prescription on a single sheet of paper provided each prescription is legible.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

State Law

The provisions of State Law are not affected by the foregoing.

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
 - (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted.)
 - (c) prescribes a narcotic drug for the medical practitioner writing the prescription.
- (If a prescription form prescribes both pharmaceutical benefit items and non-pharmaceutical benefit items, the prescription may be accepted, but the non-benefit items should be supplied as private prescriptions and cancelled from the form.)

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, with the written authority of the Commonwealth Director of Health, in specific combinations or as additives. Such items are identified in the Schedule of Benefits, by the insertion of the appropriate code letters as listed hereunder—

Code Letters

Restriction

A	Items which require an <i>authority</i> from the Commonwealth Director of Health, before prescribing as a pharmaceutical benefit.
C	Items limited in use to <i>children</i> .
D	Items limited in use for <i>specified purposes</i> , including the treatment of a prescribed disease or condition.
E	Items which may only be used as <i>additives</i> .
H	Items which may only be supplied from <i>approved hospital drug supplies</i> to patients receiving treatment at that hospital.
K	Items limited in use to <i>specific combinations</i> .
P	Items limited in use to <i>pensioners</i> in possession of a Pensioner Medical Service Entitlement Card.
DG	Items limited in use to <i>specified purposes</i> for the <i>general public</i> but which may be prescribed for the treatment of pensioners in possession of a Pensioner Medical Service Entitlement Card for any purpose.

Where more than one restriction applies to a benefit, each appropriate restriction code is shown in the restriction column, e.g. "AD." With the exception of categories "E", "K", "H" and prescriptions for pensioners in categories "P" and "DG." Prescriptions for items identified by the above code letters must be endorsed "Specified Purpose" or some suitable abbreviation such as "Spec. Purp." or "S.P." It is not necessary for the particular restriction to be identified. Where a particular manner of administration is indicated in the Schedule of Benefits against a ready prepared item, no other manner of administration may be directed in a prescription for that benefit.

Maximum Quantities and Repeats

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits, Part I—white pages. For extemporaneously prepared preparations, details are set out in the Table of Maximum Quantities and Repeats—green pages. If a doctor requires a prescription to be repeated, he must order the maximum quantity of the benefit and specify the number of repeats required. However, if the doctor considers that the maximum quantity is not necessary for the final repeated supply, he may also direct in the prescription the lesser quantity required for that final supply.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15–16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint, a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17. The authorities referred to in paragraphs 15-16 must be attached to the prescription.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

Urgent Cases

19. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing, within 24 hours of such communication, and forward it to the chemist who made the supply.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

**Doctor's
Bag
Emergency
Supplies**

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors or to doctors approved to dispense pharmaceutical benefits. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form, in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity, e.g., if the doctor had 100 or more sulphonamide tablets on hand as portion of his Doctor's Bag Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than a sulphonamide), e.g. different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, Part I, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity, e.g., if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

SUPPLY OF BENEFITS — PROCEDURE BY CHEMISTS

**Pre-
scriptions**

25. An approved chemist is authorized to supply a pharmaceutical benefit only upon the surrender of—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a repeat authorization presented with a duplicate prescription within six months of the date of the prescription.

26. When a benefit is supplied on presentation of a prescription, the chemist is required to—

- (a) write his name and approval number on the back of the prescription form and duplicate;
- (b) allot a number which will identify the prescription and write that number on the form and duplicate;
and
- (c) if more than one prescription has been written on the one form, allot a separate number to each prescription.

27. When a benefit is supplied on presentation of a repeat authorization, the chemist shall write his name on the back of the repeat authorization.

28. When a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply, or on a repeat authorization requiring further repeats, the chemist shall prepare a repeat authorization form in duplicate, showing—

- (a) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (b) on the first occasion of supply of the benefit, his approval number, together with the serial number allotted by him to the prescription;
- (c) on subsequent occasions of supply of the benefit (excepting on the final occasion of supply), the numbers marked on the repeat authorization presented to him in accordance with (b) above;
- (d) if the repeat authorization or prescription is for a pensioner, the pension number appearing on the prescription.

The completed repeat authorization should then be attached to the duplicate of the prescription and issued to the person to whom the benefit has been supplied. Where a special authority is involved action as per paragraph 29 is also necessary. Chemists should note that a separate repeat authorization must be issued in respect of each benefit.

**Procedure
when an
Authority
Presented**

29. Written authorities issued by the Commonwealth Director of Health should accompany the prescription submitted for payment if no repeats are involved. Where an authority is issued for the supply of a benefit which is to be repeated, the following procedure should be followed by the chemist—

- (a) when dispensing the original prescription, or any repeat except the last repeat, the chemist must ensure that the number of the authority involved is clearly shown on the prescription or repeat authorization which he has retained to claim payment from the Commonwealth;
- (b) the authority, together with a new repeat authorization and the duplicate prescription, is to be returned to the patient, except when dispensing the last repeat;
- (c) the chemist dispensing the last repeat must submit the authority form with the repeat authorization when claiming payment.

**Repeat
Authoriza-
tions**

30. A benefit may be supplied on a repeat authorization only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

31. Where a chemist supplies a benefit and repeats at the one time, he should not complete a repeat authorization form. Only one professional fee is payable for the total supply.

Receipts

32. Upon the supply to a person of a benefit by a chemist, that person shall sign and date a receipt for that benefit on the back of the prescription form or repeat authorization, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the back of the prescription form, or repeat authorization, with his address and a statement that he is obtaining the benefit for and on behalf of the person for whose treatment the prescription was written. In no circumstances must a person give, nor a chemist demand, a receipt, until supply of the benefit has actually been made.

33. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the chemist must certify on the back of the prescription or repeat authorization, as the case may be, that he has supplied the pharmaceutical benefit, the date on which supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19-20) or to a person who cannot read or write, or who is unable to write, the chemist should sign and date a statement on the back of the prescription or repeat authorization, indicating the circumstances of supply.

CHARGES TO PATIENTS

First 5/-

34. An approved chemist may in respect of each supply by him, whether on a prescription or repeat authorization, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding five shillings, except that a charge is not to be made for the supply of a pharmaceutical benefit on a prescription which states the pension number as appearing on the P.M.S. Entitlement Card of the pensioner, or a repeat authorization on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one five shilling charge may be made for each supply of the benefit.

35. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than five shillings for each supply;
- (b) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners in possession of a Pensioner Medical Service Entitlement Card) without charge or for a charge that is less than five shillings for each supply.

36. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15), and that authority accompanies the prescription, only 5s. should be charged for each supply of the increased maximum quantity.

37. Where a doctor endorses a prescription "Regulation 24" (see paragraphs 18 and 31), the chemist should make a charge of five shillings for the original prescription and five shillings for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of fifteen shillings (15s.) should be made on the patient.

38. Where a prescription is written for a benefit for which the dispensed price is less than five shillings at the time of supply, the prescription should be dispensed as a private prescription, unless it has been written for a pensioner. This also applies to prescriptions endorsed "Regulation 24" (see paragraphs 18 and 31) and for which the price of the maximum quantity of the benefit is less than five shillings.

39. Where a doctor has obtained an authority to prescribe an increased maximum quantity (see paragraph 15) and the increase in quantity takes the dispensed price to more than five shillings, the prescription should be dispensed as a pharmaceutical benefit regardless of the price of the normal maximum quantity. In such cases the normal five shillings charge may be made in respect of each supply.

**After
Hours**

40. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged to each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Commonwealth. Allowable late fees are—

- (a) after trading hours but before 11 p.m. — 2s. 6d.;
- (b) between 11 p.m. and the commencement of trading hours on the next day — 5s.

Delivery

41. A charge equal to the cost of delivery may be made if supply by delivery is made at or to a place other than the chemist's pharmacy.

**Responsi-
bility**

42. It is the patients' responsibility to meet any charge lawfully demanded and a chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

43. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Commonwealth) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

MISCELLANEOUS

Premises

44. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

**Approved
Doctors,
Friendly
Societies
Standards**

45. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly society dispensaries should follow the procedures subject to additional instructions made available to them.

46. A chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

- (a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Substances Act;
- (b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

47. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescriber's List are identified in this book by the letters B.P., B.P. 1953, B.P. 1948, B.P.C., A.P.F. or P.L. as appropriate.

Measures

48. Unless otherwise stated, weights and measures represented or expressed in these Notes, or in a prescription, shall be deemed to be apothecary's weights and measures. However, metric equivalents will be accepted.

Hours of Supply

49. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charges applicable. When the prescription is marked "urgent" and initialled by the doctor, it is obligatory for the chemist to make supply at his pharmacy at any hour.

50. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

51. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

52. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

53. Without affecting the requirements of the law of a State in regard to dangerous drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorizations;
- (c) in the case of a chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

**Suspected
Forgery**

54. If a chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Doctor's Bag order forms, particular requirements are set out in paragraph 22.

Sale Copies

55. Copies of the National Health Act and Regulations are available from the Commonwealth Sub-Treasury in each capital city.

56. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

57. Inquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

MANUFACTURERS AND CODE

Manufacturer	Code	Manufacturer	Code
A		D	
Abbott Laboratories Pty. Ltd.	AB	Diabetic Aids Pty. Ltd.	DA
Alfred Lawrence & Co. Ltd.	AL	Distillers Company Biochemicals (Aust. Pty.) Ltd.	DL
Ames Company	AM	Drug Houses of Australia Ltd.	DH
Andrew's Laboratories Pty. Ltd.	AN	E	
Anglo Swiss Drug Co. Pty. Ltd.	AS	Easterbrook, R. W., Pty. Ltd.	EB
Associated Drug Companies of Australia Pty. Ltd.	AD	Edward Caminer Pty. Ltd.	EC
Astra Pharmaceuticals (Australia) Pty. Ltd. ..	AP	Essex Laboratories Pty. Ltd.	ES
Ayerst Laboratories Pty. Ltd.	AY	Evans Medical Australia (Pty.) Ltd.	EV
B		F	
Bakra Laboratories	BK	Farmer Hill Pty. Ltd.	FH
Bayer Pharma Pty. Ltd.	BA	Faulding and Co. Ltd., F. H.	FA
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	Fawns and McAllan Pty. Ltd.	FM
British Drug Houses (Australia) Pty. Ltd.	BD	Fisons Chemicals (Pty.) Ltd.	FC
British Pharmaceuticals Pty. Ltd.	BP	G	
British Schering Ltd.	BS	Gamma Laboratories	GA
Bull Laboratory, David G.	BL	Geigy (A'asia) Pty. Ltd.	GE
Burroughs Wellcome & Co. (Aust.) Ltd.	BW	G. P. Pty. Ltd.	GP
C		Glaxo-Allenburys (Australia) Pty. Ltd.	GL
Calmic Ltd.	CA	H	
Charles McDonald Pty. Ltd.	CM	Hamilton Laboratories Ltd., The	HA
Chemos Pty. Ltd.	CH	Harvey Pty. Ltd., H. F.	HY
Ciba Limited	CB	I	
Commonwealth Serum Laboratories	CS	Imperial Chemical Indust. of Aust. & N.Z. Ltd. ...	IC
Cox, Findlayson & Co. Ltd.	CO	Irving, F. H., Pty. Ltd.	IR
Crookes Laboratories Ltd., The	CK		

Manufacturer							Code	Manufacturer							Code
K								P							
Kabi, A. B.	..	..	..	..	..	..	KA	Parke, Davis and Co. Ltd.	..	..	..	..	..	..	PD
Knoll Laboratories	..	..	..	..	..	..	KL	Pearce, William, & Co. Pty. Ltd.	..	..	..	..	..	..	PE
Knoll, A. G.	..	..	..	..	..	..	KN	Pfizer Overseas Inc., Chas.	..	..	..	..	..	..	PF
L								Pharmedica Pty. Ltd.	..	..	..	..	..	..	PH
Lederle Laboratories	..	..	..	..	..	..	LE	Potter & Birks Pty. Ltd.	..	..	..	..	..	..	PB
Leo Pharmaceutical Products	..	..	..	..	..	..	LP	Prosana Laboratories	..	..	..	..	..	..	PR
Lepetit (Pharmaceuticals) Pty. Ltd.	..	..	..	..	..	..	LT	Q							
Lilly (Australia) Pty. Ltd., Eli	..	..	..	..	..	..	LY	Queensland Ethicals	..	..	..	..	..	..	QE
M								R							
Martindale, Ltd., W.	..	..	..	..	..	..	MT	Reckitt and Colman (Aust.) Ltd.	..	..	..	..	..	..	RC
May and Baker (Aust.) Pty. Ltd.	..	..	..	..	..	..	MB	Richards Laboratory Pty. Ltd.	..	..	..	..	..	..	RD
McGloin Pty. Ltd., J.	..	..	..	..	..	..	MG	Riker Laboratories Australia Pty. Ltd.	..	..	..	..	..	..	RK
Medical Research Pty. Limited	..	..	..	..	..	..	MR	Roche Products Ltd.	..	..	..	..	..	..	RO
Merck, Sharp and Dohme (Aust.) Pty. Ltd.	..	..	..	..	..	..	MK	Roche Tompsitt and Co. Ltd.	..	..	..	..	..	..	RT
Merrell	..	..	..	..	..	..	ML	Rotary Tableting Corp. Pty. Ltd.	..	..	..	..	..	..	RY
Muir & Neil Pty. Ltd.	..	..	..	..	..	..	MN	Roussel Laboratories Ltd.	..	..	..	..	..	..	RL
N								S							
Nativelle Laboratories	..	..	..	..	..	..	NA	Sandoz Ltd.	..	..	..	..	..	..	SZ
Nicholas Pty. Ltd.	..	..	..	..	..	..	NS	Savory and Moore Ltd.	..	..	..	..	..	..	SY
Noel Bramble Laboratories	..	..	..	..	..	..	NB	Schaffer and Co. (Vic.) Pty. Ltd.	..	..	..	..	..	..	SF
Nordisk Insulin Laboratorium	..	..	..	..	..	..	NO	Schering Corporation, U.S.A.	..	..	..	..	..	..	SH
Nyal Company	..	..	..	..	..	..	NY	Schering, A. G., Pty. Ltd., Berlin	..	..	..	..	..	..	SC
O								Searle & Co. Ltd., G. D.	..	..	..	..	..	..	SR
Oppenheimer, Son and Co. Ltd.	..	..	..	..	..	..	OP	Sera Pty. Ltd.	..	..	..	..	..	..	SE
Organon Laboratories Ltd.	..	..	..	..	..	..	OR	Sigma Co. Ltd.	..	..	..	..	..	..	SI
Ortho Pharmaceutical Co.	..	..	..	..	..	..	OO	Simanite (A'asia) Pty. Ltd.	..	..	..	..	..	..	SM
								Smith and Nephew (Aust.) Pty. Ltd.	..	..	..	..	..	..	SN

Manufacturer	Code	Manufacturer	Code
Smith, Kline & French Laboratories (Aust.) Ltd.	SK	V	
Soul Pattinson (Laboratories) Pty. Ltd.	SL	Victoria Drug Company Pty. Ltd.	VA
Squibb and Sons, E. R.	SQ	Virax Ethicals Pty. Ltd.	VR
Stansen and Co. Pty. Ltd., A. E.	ST	Vitamins Limited	VM
St. Just Laboratory Pty. Ltd.	SJ	W	
		Wander Limited, A.	WA
		Ward Blenkinsop and Co. Ltd.	WB
		Warner & Co. Pty. Ltd., Wm. R.	WW
T		Weddel Pharmaceuticals	WP
Toppin and Sons Pty. Ltd., R. D.	TO	Wholesale Drug Co. Ltd.	WD
		Winthrop Laboratories	WL
		World Agencies Pty. Ltd.	WO
U		Wyeth Pharmaceuticals Pty. Ltd... ..	WY
Union International Co. Ltd.	UI	Y	
Upjohn Company, The	UP	York, H. H., Pty. Ltd.	YO

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1	Column 2	Col. 3	Column 1	Column 2	Col. 3
Item	Form	Max. Qty.	Item	Form	Max. Qty.
Adrenaline in Oil	Ampoule	6	Oxytocin	Ampoule	12
Adrenaline Tartrate	Ampoule Bottle	6 1	Penicillin, Procaine, (Aqueous Suspension)	Ampoule or Vial	12
Digoxin	Ampoule Bottle Tablet	12 1 100	Pethidine Hydrochloride	Ampoule	6
Heparin	Ampoule	1	Sulphadiazine	Tablet	100
			or		
			Sulphadimidine		
			or		
			Sulphamerazine		
Morphine Sulphate	Ampoule Hypodermic Tablet	6 40	Sulphonamides, Mixed, (B): Three Sulphonamides		
			or		
Morphine with Atropine	Ampoule Hypodermic Tablet	6 40	Sulphamethoxypyridazine	Tablet	12
			Tetanus Antitoxin	Ampoule	6
			Tetanus Toxoid (Formalinised)	Ampoule	6

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SECTION 2—SCHEDULE OF BENEFITS (PART 1)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
1	ACETARSOL					
	Injection 2 cc. amp.		10	1	0 13 4	MB
	3 cc. amp.		10	1	0 17 8	MB
	Oral Tablet, B.P.C. 4 gr. tab.		25	2	* 0 9 3	MB
	Pessaries 4 gr.		25	1	0 8 4	MB
					0 12 4	BA
2	ACETAZOLAMIDE					
	Oral Tablet, B.P. 250 mg. tab.		50	2	3 0 5	LE
					(ex 250)	
					3 4 4	LE
					(ex M.P.)	
42	ACETAZOLAMIDE SODIUM PARENTERAL					
	Injection 500 mg. vial.		1	..	1 19 0	LE
3	ACETOMENAPHTHONE					
	Oral Tablet, B.P. 5 mg. tab.		100	2	0 8 4	AD, BD, DH, KL, PR, RT, SI, TO
	10 mg. tab.		100	2	0 11 0	AD, BD, CM, GL, HY, PR, RO, RT, SI, TO

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
4 ACETYLSALICYLIC ACID					£ s. d.	
	Mixture, P.L.		8 fl. oz.	4	0 8 4	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 3	Extemp.
	Oral Tablet, B.P. 5 gr. tab.		100	2	0 5 2 (ex 500)	AD, DH, HY, KL, PR, RT, RY, SI, SL, TO, VA, WD
					0 5 5 (ex M.P.)	AD, DH, HY, KL, PR, RT, RY, SI, SL, TO, VA, WD
	Oral Tablet Soluble, B.P. 5 gr. tab.		100	2	0 8 5	BT, CO, DH, HY, IQ, MG, PR, RY, TO, VA, VR
					0 8 10	RC
					0 9 0	BW
					0 9 1	HA
					(ex 500)	
					0 10 8 (ex M.P.)	BT, BW, CO, DH, HA, HY, IQ, MG, PR, RC, RY, TO, VA, VR
	Oral Tablet for Children 2.5 gr. tab.		100	2	0 6 4	WO
					0 7 0	KL, MG
	Oral Tablet Soluble for Children 2.5 gr. tab.		100	2	0 9 8	NB
5 ACETYLSALICYLIC ACID COMPOUND						
	Mixture, P.L.		8 fl. oz.	4	0 9 2	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 11	Extemp.
	Oral Tablet, A.P.F.		100	2	0 6 7	AD, DH, KL, PR, RT, RY, SI, SL, VA, WD
	Oral Tablet, B.P.C.		100	2	0 6 8	DH, FA, KL, RY, TO

5—continued

5—continued									
Oral Tablet Soluble	..	..	..	..	100	2	0 9 0	RC	
							0 9 3	MG	
							0 10 4	CO	
							(ex 500)		
							0 10 8	RC	
							0 11 0	CO, MG	
Oral Tablet with Phenacetin, Caffeine and Phenobarbitone	4 gr.—4 gr.—3/8 gr.—3/8 gr.	tab.	..	..	100	2	0 12 4	CO	
							0 13 8	KL, NS	
Oral Tablet with Phenacetin, Caffeine and Quinalbarbitone	3.5 gr.—2.5 gr.—3/8 gr.—3/8 gr.	gr. tab.	..	..	100	2	0 16 4	KL, RD	
6 ACETYLSALICYLIC ACID AND CODEINE COMPOUND									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0 10 10	Extemp.	
7 ACETYLSALICYLIC ACID AND MORPHINE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0 9 9	Extemp.	
8 ACETYLSALICYLIC ACID AND PHENOBARBITONE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0 8 8	Extemp.	
9 ACETYLSALICYLIC ACID WITH IPECACUANHA AND OPIUM									
Oral Tablet, B.P. 1953	..	..	..	..	100	2	0 11 4	DH, FA	
10 ACETYLSALICYLIC ACID WITH BROMIDE									
Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0 7 6	Extemp.	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
11	AD PERTUSSEM Mixture for Children, P.L.		4 fl. oz.	4	0 9 0	Extemp.
12	ADRENALINE Spray with Atropine Methonitrate, P.L. . .		1/2 fl. oz.	2	0 12 4	Extemp.
13	ADRENALINE HYDROCHLORIDE SOLUTION, B.P. 1953 Nasal Instillation, P.L.		1/2 fl. oz.	2	0 6 9	Extemp.
	Nasal Instillation with Ephedrine Hydrochloride, P.L.		1/2 fl. oz.	2	0 7 0	Extemp.
14	ADRENALINE ACID TARTRATE Injection, B.P. 1 in 1,000, 1 cc. amp. . .		6	1	0 7 0	AD, BL, BT, BW, DH, FH, KL PD
	1 in 1,000, 10 cc. amp. . .		1	1	0 5 8	BW, PD
	Solution, B.P. 1 in 1,000, 25 cc. bottle . .		1	..	0 6 9	FH
					0 6 11	BW
	1 in 1,000, 1 fl. oz. bottle . .		1	..	0 6 11	DH, RT
					0 9 0	PD
	1 in 100, 7 cc. vial . .		1	1	0 6 11	BW, PD
15	ADRENALINE IN OIL Injection 2 mg. per cc., 1 cc. amp.		6	1	0 10 4	DH, PD
43	ADRENALINE MUCATE Injection 1 cc. amp.		6	1	0 14 5	GL

16 ALOES	Pill Aloes and Nux Vomica, B.P.C.	50	1	* 0 5 3 * 0 5 10	TO DH
17 ALOXIDONE	Capsule 300 mg. cap.	200	1	* 3 19 6	BS
18 ALUMINIUM ACETATE	Lotion (Solution, B.P.C.)	8 fl. oz.	4	0 15 11	Extemp.
19 ALUMINIUM HYDROXIDE	Oral Tablet, B.P. 5 gr. tab.	50	1	0 8 4	AN, HA, HY, KL, PR, RD, RT, SL, WY
	10 gr. tab.	50	1	0 9 5	CO
	Mixture, A.P.F.	8 fl. oz.	4	0 10 4	AN, HA, KL, WY
	Mixture with Belladonna, P.L.	8 fl. oz.	4	0 13 4	Extemp.
	Mixture with Kaolin, P.L.	8 fl. oz.	4	0 13 7	Extemp.
	Mixture with Kaolin and Opium, P.L.	8 fl. oz.	4	0 14 3	Extemp.
	Mixture with Procaine, P.L.	8 fl. oz.	4	0 14 10	Extemp.
		8 fl. oz.	4	0 15 6	Extemp.
44 ALUMINIUM HYDROXIDE GEL.	Mixture	8 fl. oz.	4	0 7 9	CH, WD
	Mixture with Light Magnesia	8 fl. oz.	4	0 8 3	DH, WY
				0 8 3	DH, WY
45 ALUMINIUM POWDER, B.P.C.	Compound Paste, B.P.C.	1920 gr.	1	1 1 8	BT
20 AMIDONE HYDROCHLORIDE	Injection, B.P. 10 mg. per cc., 1 cc. amp. ..	6	..	0 9 8	BT, BW, CM
	10 mg. per cc., 10 cc. vial ..	1	..	0 11 11	CM

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
20—continued						
	Oral Tablet, B.P. 5 mg. tab.		25	..	0 7 0	BW, CM, DH, WL
	10 mg. tab.		25	..	0 8 4	BA, BW, CM
21	AMINACRINE HYDROCHLORIDE					
	Cream, P.L.		1920 gr.	1	0 17 3	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 6 8	Extemp.
	Eye Drops, P.L.		1/2 fl. oz.	2	0 8 7	Extemp.
	Lotion, P.L.		8 fl. oz.	4	0 9 1	Extemp.
22	AMINOPHYLLINE					
	Injection, B.P. 480 mg. per 2 mil., I.M. amp.		6	..	0 11 8	AD, DH, HA
	500 mg. per 2 mil., I.M. amp.		6	..	0 11 0	CM, FH
					0 11 8	BW
	240 mg. per 10 mil., I.V. amp.		6	..	0 17 8	DH, HA
	250 mg. per 10 mil., I.V. amp.		6	.	0 17 8	AD, BW, CM, FH
	Oral Tablet, B.P. 1.5 gr. tab.		100	2	0 5 6	AD, DH, FA, HA, HY, KL, PR, RT, RY, SI, SL, TO, VA, WD
					0 5 7	MG
					0 6 3	BW
					(ex 1000)	
					0 7 5	AD, BW, DH, FA, HA, HY, KL, MG, PR, RT, RY, SI, SL, TO, VA, WD
					(ex M.P.)	
	2.34 gr. tab.		100	2	0 19 0	AB
	Oral Tablet with Ephedrine Hydrochloride and Amylobarbitone					
	£30 mg.—25 mg.—25 mg. tab.		100	2	1 3 0	CO, VR
					1 13 8	HA, KL

22—continued

Oral Tablet enteric coated with Ephedrine Hydrochloride and Amylobarbitone				100	2	1 6 4	CO
130 mg.-25 mg.-25 mg. tab.						1 13 8	LY
Oral Capsule with Ephedrine Hydrochloride and Amylobarbitone				100	2	1 13 8	LY
130 mg.-25 mg.-25 mg. cap.							
Oral Tablet with Phenobarbitone				100	2	0 6 3	AD, CM, CO, DH, FA, HA, HY, KL,
1.5 gr.-1/2 gr. tab.						(ex 1,000)	MG, PR, RT, RY, SI, SL, TO, VA, WD
						0 7 8	AD, CM, CO, DH, FA, HA, HY, KL,
						(ex M.P.)	MG, PR, RT, RY, SI, SL, TO, VA, WD
1.5 gr.-1/4 gr. tab.				100	2	0 5 11	AD, CM, DH, FA, HA, HY, KL, MG,
						(ex 1000)	PR, RT, RY, SI, SL, TO, VA, WD
						0 7 4	AD, CM, DH, FA, HA, HY, KL, MG,
						(ex M.P.)	PR, RT, RY, SI, SL, TO, VA, WD
Suppository 2.75 gr.				12	1	0 9 0	HA, KL
4 gr.				12	1	0 12 0	AN, DH, HA, KL
6 gr.				12	1	0 12 0	HA, KL
Compound Mixture, P.L.				8 fl. oz.	4	0 9 7	Extemp.
Compound Mixture with Acetylsalicylic Acid, P.L.				8 fl. oz.	4	0 10 1	Extemp.
46 AMIPHENAZOLE HYDROBROMIDE,							
A.P.F.							
Injection 20 mg. vial (with required solvent)				D	12	..	* 1 8 4 DH
23 AMIPHENAZOLE HYDROCHLORIDE,							
A.P.F. 1955							
Injection 30 mg. vial (with required solvent)				D	12	..	2 11 8 NS
Oral Tablet 20 mg. tab.				D	100	..	0 11 11 NS

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
24	AMMONIATED MERCURY Ointment, B.P.		1920 gr.	1	£ s. d. 0 12 4	Extemp.
25	AMMONIUM ACETATE STRONG SOLUTION, B.P. 1953 Mixture, P.L.		8 fl. oz.	4	0 10 7	Extemp.
26	AMMONIUM CHLORIDE Oral Tablet, B.P.C. 7.5 gr. tab.		25	3	* 0 5 3 0 6 7	HY, QE, TO, VA MB
27	AMODIAQUINE BASE Oral Tablet, B.P. 200 mg. tab.		100	2	1 19 0	PD
28	AMPHETAMINE SULPHATE Oral Tablet, B.P. 5 mg. tab... ..		100	2	0 7 0 0 7 5	MG BT, DH, FA, HY, KL, PR, QE, RY, VA
29	AMPHOTERICIN B Injection 50 mg. vial	D	1	..	1 19 8	SQ
30	AMYLOBARBITONE Oral Tablet, B.P. 1.5 gr. tab.		50	2	0 10 4 0 12 4 * 0 12 5 0 13 0 0 13 8	AD, DH, FA, KL, MG, PR, QE, RT, SI TO, VR HA AN, GP, RY, SL, VA LY

31 AMYLOBARBITONE SODIUM, B.P.C.

Oral Capsule 3 gr. cap.

50

1

0 14 4

AN, FA

1 4 0

LY

48 ANALYSIS PAPER (DIABETIC)

120 Test Dispenser

1

..

0 12 0

DA

240 Test Dispenser

1

..

1 4 0

LY

47 ANDROSTANOLONE

Oral Tablet 25 mg. tab.

D

100

2

12 7 0

MN

32 ANEURINE HYDROCHLORIDE

Injection, B.P. 25 mg. per cc., 1 mil. amp. ..

6

1

0 11 8

AB, BD, FH

30 mg. per cc., 1 mil. amp. ..

6

1

0 14 4

AB, DH, FH

50 mg. per cc., 1 mil. amp. ..

6

1

0 17 0

AB, DH, FH, FM, KL

100 mg. per cc., 1 mil. amp. ..

6

1

0 19 0

AB, BD, DH, FH, KL

50 mg. per cc., 10 mil. vial ..

1

1

0 12 4

AB, DH, FA, FH, FM, GL, KL, PD

100 mg. per cc., 10 mil. vial ..

1

1

0 15 0

AB, CM, DH, FA, FH, FM, GL, KL,

PD, VR

Oral Tablet, B.P. 20 mg. tab. ..

P

100

2

0 9 8

AB, AN, CM, HY, KL, MG, PR, RT,

RY, SL, TO, VA

25 mg. tab... ..

P

100

2

0 11 0

AB, AD, AN, DH, FA, FM, HY, KL,

PR, MG, RT, RY, SI, SL, TO, VA,

WD

50 mg. tab.

P

100

2

0 13 8

AB, AD, AN, DH, FA, FM, HY, KL,

PR, MG, RT, RY, SI, SL, TO, VA.

WD

100 mg. tab.

P

100

2

0 19 0

AB, AN, DH, FM, HY, KL, MG, QE,

PR, RT, RY, SL, TO, VA

120 mg. tab.

P

100

2

1 1 8

AB, HY, KL, MG, PR, SL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
33	ANTACID POWDER Powder, P.L.		1920 gr.	1	0 8 1	Extemp.
34	ANTAZOLINE HYDROCHLORIDE Injection 100 mg. per 2 cc. amp.		10	..	* 1 1 8 * 1 2 0	CB ST
	Oral Tablet, B.P. 100 mg. tab.		50	1	0 13 8	CB
	Eye Drops with Naphazoline 1/2 fl. oz.		1	2	0 7 0	TO
	10 mil.		1	2	0 8 4	CB
35	ANTIMONY POTASSIUM TARTRATE Injection, B.P. 1%, 5 cc. amp.		6	1	0 13 8	DB
36	AQUEOUS CREAM Cream, B.P.		1920 gr.	1	0 14 2	Extemp.
37	ASCORBIC ACID Oral Tablet, B.P. 10 mg. tab.	P	100	2	0 5 7	AB, HY
	25 mg. tab.	P	100	2	0 5 8	AB, AD, AN, DH, FA, FM, HY, KL, MG, PR, RT, RY, SI, TO, WD
	50 mg. tab.	P	100	2	0 7 4	AB, AD, AN, DH, FA, FM, GL, HY, KL, MG, NY, PR, RT, RY, SI, SL, TO, VA, WD
	100 mg. tab.	P	100	2	0 10 0	AB, AN, DH, HY, KL, MG, PR, QE, RT, RY, TO, VA
	250 mg. tab.	P	100	2	0 15 0	AB, AD, AN, DH, FA, FM, HY, KL, MG, NY, RT, RY, SI, SL, TO, WD

37—continued

500 mg. tab.	P	100	2	0 15 8 1 5 0	GI., PR, VA AB, HY, KI., MG
38 ATROPINE					
Eye Drops, Oily 1%, P.L.		1/2 fl. oz.	2	0 11 0	Extemp.
39 ATROPINE METHONITRATE					
Mixture for Children, P.L.		4 fl. oz.	4	0 11 11	Extemp.
Solution 0.6%, 1/2 fl. oz. bottle		1	..	0 9 8	BA
Oral Tablet 1 mg. tab.		50	2	0 14 4	BA
40 ATROPINE SULPHATE					
Hypo. Tablet, B.P.					
1/200 gr. hypo. tab. (with required solvent)		20	1	0 5 0	PD
1/150 gr. hypo. tab. (with required solvent)		20	1	0 5 0	DH, FA, PD
1/100 gr. hypo. tab. (with required solvent)		20	1	0 5 4	DH, FA, PD
Injection, B.P. 1/150 gr. per cc., 1 cc. amp.		6	1	0 6 8	DH, FH, KI.
				0 7 0	BL, BT
1/100 gr. per cc., 1 cc. amp.		6	1	0 6 8	DH, FH, KI.
				0 7 0	BL, BT, GL
1/100 gr. per cc., 10 cc. vial		1	..	0 7 0	DH, FA, FH
1/50 gr. per cc., 1 cc. amp.		6	1	0 6 8	DH, FH, KI.
				0 7 0	BL
Eye Drops, 1/2%, P.L.		1/2 fl. oz.	2	0 9 6	Extemp.
1%, P.L.		1/2 fl. oz.	2	0 10 6	Extemp.
Eye Ointment, B.P. 60 gr.		1	..	0 6 4	BW, PD
41 AUROTHIOGLUCOSE					
Injection, Oily 10 mg. amp...		1	3	0 6 3	SC
25 mg. amp...		1	3	0 7 7	SC
50 mg. amp...		6	..	* 1 13 6	SC
100 mg. amp...		6	..	* 2 2 6	SC
100 mg. per cc., 10 cc. vial		1	..	2 13 0	SC

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
83	BACITRACIN Eye Drops, P.L.		1/2 fl. oz.	2	0 17 10	Extemp.
84	BARBITONE COMPOUND, A.P.F. 1955 Oral Capsule, A.P.F. 1955		50	1	1 13 8 1 18 4	AN, KL AB
85	BARBITONE SODIUM Oral Tablet, B.P. 5 gr. tab.		50	2	0 9 4 0 10 4	DH, KL, MG SL
	7.5 gr. tab.		50	2	0 10 0 0 11 0 0 11 4	DH, FA, KL TO MG
86	BELLADONNA Compound Suppository		12	1	0 7 11	WY
87	BEMEGRIDE, A.P.F. 1955 Injection 30 mil. vial	D	6	..	5 16 0	NS
106	BENDROFLUAZIDE Oral Tablet 2.5 mg. tab.		50	2	1 2 8	AN, BT, GL
	5 mg. tab.		50	2	1 13 4	AN, BT, GL
88	BENEDICT'S QUALITATIVE SOLUTION Solution, P.L.		4 fl. oz.	1	0 8 9	Extemp.

102	BENZALKONIUM CHLORIDE									
	Cream, 0.01%	960 gr.	1	0	7	5	CA			
	Compound Suppository	12	1	0	11	8	FA			
89	BENZHEXOL HYDROCHLORIDE									
	Oral Tablet, B.P. 2 mg. tab... ..	100	2	1	1	4	LE, WL			
	5 mg. tab... ..	100	2	2	1	4	LE, WL			
90	BENZOCAINE									
	Dusting Powder, P.L.	1920 gr.	1	0	14	10	Extemp.			
	Compound Ointment with Hamamelis and Zinc, P.L.	1920 gr.	1	0	19	4	Extemp.			
	Compound Ointment with Adrenaline ..	960 gr.	1	0	13	0	GP			
	Compound Suppository with Adrenaline ..	12	1	0	10	7	GP			
	Suppository with Adrenaline, A.P.F. 1955 ..	12	1	0	13	0	AN, DH, KL			
91	BENZOIC ACID									
	Compound Ointment, A.P.F. 1955	1920 gr.	1	0	13	3	Extemp.			
92	BENZOIN COMPOUND TINCTURE									
	Inhalation, P.L.	2 fl. oz.	1	0	14	5	Extemp.			
93	BENZYL BENZOATE									
	Application, 25% 4 fl. oz. bottle	1	1	0	9	8	EV			
	Application with Dicophane, P.L.	4 fl. oz.	1	0	11	2	Extemp.			
103	BEPHENIUM HYDROXYNAPHTHOATE									
	Oral Sachet 5 G. sachet	1	..	0	7	5	BW			
94	BISMUTH CARBONATE, B.P. 1953									
	Compound Mixture for Children, P.L. ..	4 fl. oz.	4	0	10	0	Extemp.			
95	BISMUTH GLYCOLLYLARSANILATE									
	Oral Tablet 500 mg. tab.	25	2	0	19	0	WL			

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
96	BISMUTH OXYCHLORIDE					
	Injection, B.P. 1 cc. amp.		6	1	0 11 4	BD
	3 cc. amp.		6	1	0 13 4	BD
	30 cc. vial		1	1	0 11 4	BD
104	BISMUTH SODIUM TARTRATE					
	Injection, B.P. 60 mg. per cc., 10 cc. vial . .		1	..	1 3 0	FA
97	BISMUTH SUBGALLATE, B.P. 1953					
	Suppository, B.P.C. 5 gr.		12	1	0 8 1	AN, DH
	Compound Suppository, B.P.C.		12	1	0 8 3	DH, WW
					0 13 8	AN, KL
98	BORIC ACID					
	Ear Drops, P.L.		1/2 fl. oz.	2	0 6 4	Extemp.
	Powder, B.P.		4 oz.	..	0 1 3	WD
					0 1 8	FA
					0 2 3	DH
105	BRETYLIUM TOSYLATE					
	Oral Tablet 200 mg. tab.		100	2	4 6 4	BW
99	BUSULPHAN					
	Oral Tablet 0.5 mg. tab.	D	100	2	0 19 8	BW
	2 mg. tab.	D	100	2	1 4 4	BW
107	BUTABARBITAL SODIUM					
	Oral Tablet 15 mg. tab.		50	2	0 9 5	AN
	30 mg. tab.		50	2	0 11 7	AN
	100 mg. tab.		50	2	0 16 7	AN

100	BUTOBARBITONE	Oral Tablet, B.P.	1.5 gr. tab.	..	..	50	2	0 6 11	AD, DH, KL, MG, RT, SI
								0 7 0	MB
								0 7 3	SL
								0 7 4	RV
								0 7 8	GP
101	BUTYL AMINO BENZOATE, B.P. 1953	Cream with Trinitrophenol, P.L.	..	..	1920 gr.	1	0 15 11	Extemp.	
120	CALAMINE	Cream, P.L.	..	..	1920 gr.	1	0 9 8	Extemp.	
		Lotion, P.L.	..	..	8 fl. oz.	4	0 8 8	Extemp.	
		Compound Liniment, P.L.	..	..	4 fl. oz.	1	0 7 9	Extemp.	
121	CALCIFEROL	Oral Tablet, B.P.	50,000 U. tab.	..	..	P	100	1 4 0	GL, RL
		Solution	3,000 U., 25 cc. bottle	..	..	CP	1	0 6 1	BD
			3,000 U., 100 cc. bottle	..	..	CP	1	0 9 8	BD
122	CALCIUM ACETYSALICYLATE	Mixture, P.L.	..	..	..	8 fl. oz.	4	0 8 9	Extemp.
123	CALCIUM AUROTHIOMALATE	Injection							
		10 mg. amp. (with required solvent)	..	..	..	1	3	0 7 9	CK
		25 mg. amp. (with required solvent)	..	..	..	1	3	0 8 4	CK
		50 mg. amp. (with required solvent)	..	..	..	6	..	1 12 4	CK
		100 mg. amp. (with required solvent)	..	..	..	6	..	2 4 1	CK
125	CALCIUM CARBONATE	Powder with Kaolin, P.L.	..	..	..	1920 gr.	1	0 8 7	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
126	CALCIUM GLUCONATE Injection, B.P. 10% Solution, 10 mil. amp. Oral Tablet, B.P.C. 10 gr. tab.		6 100	1 2	£ s. d. 0 11 0 0 7 8 0 8 4	DH, TH AD, DH, FA, HY, PR, RT, SI MG, RY, SL, TO, VA, WD
127	CALCIUM LACTATE Oral Tablet, B.P. 5 gr. tab.		100	2	0 6 4	AD, DH, FA, HY, KL, RT, RY, SI, SL, TO
128	CALCIUM PARA-AMINOSALICYLATE, B.P.C. Cachet 1.5 G. cachet 2.0 G. cachet Oral Tablet 7.5 gr. tab. Granules 100 G. tin 400 G. tin	D D D D D	200 200 200 1 1	2 2 2 1 1	3 5 8 4 5 8 1 0 8 1 16 8 5 19 8	AN, KL, WA KL, WA AN, KL, RY, WA WA WA
129	CAMPBOR Liniment, B.P. for Children		4 fl. oz.	1	0 10 5	Extemp.
130	CAMPHORATED TINCTURE OF OPIUM Mixture, P.L. Linctus, P.L. Linctus for Children, P.L.		8 fl. oz. 8 fl. oz. 4 fl. oz.	4 4 4	0 8 7 0 14 11 0 10 9	Extemp. Extemp. Extemp.
131	CARAMIPHEN HYDROCHLORIDE Oral Tablet 50 mg. tab.	D	100	2	* 2 5	GE

132	CARBACHOL Injection, B.P. 0.25 mg. per 1 cc. amp. ..	6	..	0 7 4	BD
133	CARBASONE Oral Tablet, B.P. 250 mg. tab.	20	1	0 6 9	MB
134	CARBIMAZOLE Oral Tablet, B.P. 5 mg. tab... ..	100	2	1 12 4	BS
135	CARBROMAL Oral Tablet, B.P. 5 gr. tab.	50	2	0 8 8 0 9 8	DH, KL, MG BA, GP
136	CARMINATIVE MIXTURE Mixture for Children, P.L.	4 fl. oz.	4	0 7 2	Extemp.
137	CASCARA Oral Tablet, B.P. 3 gr. tab.	25	3	0 5 0	AD, DH, FA, HY, PD, RT, SI, SL, WD
	5 gr. tab.	25	3	0 5 5	AD, DH, FA, HY, PD, RT, SI, SL TO, WD
	Liquid Extract, B.P. 1 fl. oz. bottle ..	1	1	0 1 11	DH, RT, WD
	2 fl. oz. bottle ..	1	1	0 3 0	DH, WD
138	CASTOR OIL 5 oz. bottle	1	..	0 3 3 0 3 6	DH FA
139	CETRIMIDE Cream, P.L.	1920 gr.	1	0 8 3	Extemp.
	Solution, P.L.	4 fl. oz.	1	0 7 1	Extemp.
140	CHALK Mixture with Kaolin, P.L.	8 fl. oz.	4	0 8 3	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
141	CHARCOAL Oral Tablet 5 gr. tab.		100	2	0 8 4 0 9 8	HY, QE, BT AD, AN, BW, SI, TO
143	CHLORAL HYDRATE Mixture, P.L. Mixture with Potassium Bromide, P.L. Mixture with Potassium Bromide for Children, P.L.		8 fl. oz. 8 fl. oz. 4 fl. oz.	4 4 4	0 8 10 0 9 4 0 8 8	Extemp. Extemp. Extemp.
144	CHLORAMBUCIL Oral Tablet 2 mg. tab. 5 mg. tab.	D D	100 100	2 2	3 9 8 6 9 8	BW BW
145	CHLORAMPHENICOL Oral Suspension 125 mg. per 4 cc., 60 cc. bottle Injection 250 mg. per cc., 2 cc. amp. 1 G. vial (with required solvent) Ear Drops 6 mil. Eye Drops 25 mg. Eye Ointment, 1% 60 gr. Oral Capsule, B.P. 125 mg. cap. 250 mg. cap.	CD D D D D	1 4 3 1 1 1 16 16	 2 2	1 8 0 * 1 16 10 * 3 3 0 0 17 0 0 16 4 0 7 0 1 7 4 2 5 8 (ex 100) 2 7 0 (ex M.P.)	PD PD PD PD PD PD PD PD

146	CHLORAZANIL								
	Oral Tablet	25 mg. tab.	..	..	50	2	0 15 0	RE, SI	
		150 mg. tab.	..	..	50	2	1 14 0	RE, SI	
147	CHLORBUTOL								
	Nasal Instillation, P.L.		..	..	1/2 fl. oz.	2	0 6 6	Extemp.	
148	CHLORCYCLIZINE HYDROCHLORIDE								
	Oral Tablet, B.P.	50 mg. tab.	..	..	50	1	0 17 0	AB, BW	
149	CHLORMERODRIN								
	Oral Tablet	18.3 mg. tab.	..	..	25	2	0 9 8	PD	
		20 mg. tab.	..	..	25	2	0 9 8	AN	
150	CHLOROQUINE BASE								
	Oral Tablet, B.P.	150 mg. tab.	..	..	100	2	1 10 3	AN, BA, DH, EV, MB, IC, YO	
	Injection, B.P.	1 mil. amp.	..	..	6	1	0 9 8	DH, FH	
		2 mil. amp.	..	..	6	1	* 0 12 5	MB	
		5 mil. amp.	..	..	6	1	* 0 19 11	MB	
							1 0 4	DH, FH	
151	CHLOROTHIAZIDE								
	Oral Tablet	500 mg. tab.	..	..	50	2	2 11 9	MK	
							(ex 500)		
							2 13 8	MK	
							(ex M.P.)		
152	CHLOROXYLENOL								
	Solution, B.P.	4 fl. oz. bottle..	..	..	1	1	0 3 6	FA	
							0 4 2	RC	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
175	CHLORPHENIRAMINE MALEATE					
	Oral Tablet 4 mg. tab.		50	1	0 17 4	SH
	8 mg. tab.		50	1	0 17 8	GL
					1 1 8	GL
					1 7 4	SH
179	CHLORPROMAZINE HYDROCHLORIDE					
	Injection 1%, 5 cc. amp.		10	..	1 1 8	MB
	2.5%, 1 cc. amp.		10	..	0 13 8	MB
	2.5% per cc.. 2 cc. amp.		10	..	0 18 4	MB
	Oral Tablet 10 mg. tab.		100	2	0 15 0	MB
	25 mg. tab.		100	2	1 3 0	MB
	50 mg. tab.		100	2	2 1 8	MB
	Suppositories 100 mg.		5	1	0 13 8	MB
	Syrup 4 fl. oz. bottle		1	4	0 12 4	MB
153	CHLORPROPAMIDE					
	Oral Tablet 250 mg. tab.		100	2	2 3 0	PF
154	CHLORTETRACYCLINE HYDRO- CHLORIDE					
	Oral Capsule, B.P. 50 mg. cap.	D	25	..	1 8 4	LE
	100 mg. cap.	D	25	..	2 9 0	LE
	250 mg. cap.	D	16	..	3 9 8	LE
	Oral Granules 75 G. bottle	CD	1	..	1 19 8	LE
	Eye Ointment, 1% 60 gr.		1	..	0 7 0	LE
155	CHOLERA VACCINE					
	Injection 8,000 M. per cc., 1 cc. amp ..		2	..	* 0 10 4	CS

156 CHORIONIC GONADOTROPHIN

Injection, B.P. 1,000 I.U. amp.
 1,500 I.U. amp.
 5,000 I.U. amp.

6	1	3 18 0	SC
6	1	* 3 9 8	LP
		* 4 8 4	OR
6	1	*12 7 6	AY
		13 3 0	OR
		.13 3 0	RM, SC

180 CLEMIZOLE HYDROCHLORIDE

Oral Tablet 20 mg. tab.

50	1	0 15 8	GP
		* 0 15 9	SC

157 COAL TAR SOLUTION

Lotion, P.L.

8 fl. oz.	4	0 6 11	Extemp.

158 COCAINE

Eye Drops, Oily, 2%, P.L.

1/2 fl. oz.	2	0 13 11	Extemp.

160 CODEINE PHOSPHATE

Linctus, P.L.

Linctus for Children, P.L.

Oral Tablet, B.P. 1/2 gr. tab.

Oral Tablet Compound, B.P.

8 fl. oz.	4	1 4 8	Extemp.
4 fl. oz.	4	0 11 3	Extemp.
25	3	0 8 4	DH, HY, KL, MG, RT, RY, TO, VA
100	2	0 8 6	AD, DH, FA, HY, KL, RT, RY, SI, SL, VA, WD
		0 8 8	AN, CM, HA, PR, TO, VR
		0 8 11	MG
		0 9 0	BW, CO
		(ex 1000)	
		0 9 8	AD, FA, HY, PR, RT, RY, SI, TO, WD
		0 10 4	HY
		0 11 0	AN, BW, CM, CO, DH, HA, KL, MG,
		(ex M.P.)	SL, VA, VR
100	2	0 15 0	BW, HA, IQ, MG, RC, TO

Oral Tablet Compound Soluble

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
160—continued					£ s. d.	
	Oral Tablet with Acetylsalicylic Acid, Phenacetin and Caffeine 1/2 gr.—3.5 gr.—2.5 gr.—1/2 gr. tab. ..		100	2	1 2 6 (ex 500) 1 3 4 (ex M.P.)	BW BW
161	COD LIVER OIL Cod Liver Oil, B.P.	CP	8 fl. oz.	4	0 3 3 0 4 0	WD DH, FA
	Emulsion, 50%, 16 fl. oz. bottle	CP	1	4	0 5 8	DH, SL, WD
	Ointment with Acriflavine, P.L.		1920 gr.	1	0 11 4	Extemp.
162	COLCHICINE Oral Tablet, B.P. 1/120 gr. tab.		50	1	0 8 4	DH, HY, IQ, KL, MR, RD
163	COLCHICINE SALICYLATE Oral Tablet 1/32 gr. tab.		50	1	0 19 0	BW, VR
164	COLCHICUM TINCTURE Mixture with Acetylsalicylic Acid, P.L. ..		8 fl. oz.	4	0 9 1	Extemp.
	Mixture with Sodium Salicylate, P.L. ..		8 fl. oz.	4	0 9 7	Extemp.
165	COLD CREAM Cream, P.L.		1920 gr.	1	0 10 2	Extemp.
166	COLOCYNTH, B.P.C. Oral Pill Compound, B.P.C.		50	1	* 0 6 4	DH

167 COPPER SULPHATE											
Lotion with Zinc Sulphate, B.P.C.	..	..	..	..	..	8 fl. oz.	4	0	7	3	Extemp.
Diagnostic Tablet Compound	..	..	..	..	..	36	2	0	6	9	AM
168 CORTICOTROPHIN											
Injection 10 I.U. amp.	..	..	..	..	AD	6	..	1	17	0	CK
								* 2	5	9	OR
								2	13	0	CS
20 I.U. amp.	..	..	..	..	AD	6	..	4	16	4	CS
50 I.U. vial	..	..	..	..	AD	6	..	* 7	12	5	CK
Gelatin Injection 20 I.U. amp.	..	..	..	..	AD	6	..	* 4	11	0	PH
50 I.U. amp.	..	..	..	..	AD	6	..	11	9	8	CS
100 I.U. vial	..	..	..	..	AD	6	..	* 22	3	0	SC
								22	3	0	CK, CS
Zinc Hydroxide Injection 50 I.U. vial	..	..	..	..	AD	6	..	11	9	8	OR
100 I.U. vial	..	..	..	..	AD	6	..	22	3	0	OR
Corticotrophin with Carboxy Methylcellulose Injection 20 I.U. amp.	..	..	..	..	AD	6	..	2	19	0	AN
169 CORTISONE ACETATE											
Injection, B.P. 25 mg. per cc., 10 cc. vial	..	..	..	..	AD	1	..	1	3	8	GL, OR, RL
25 mg. per cc., 20 cc. vial	..	..	..	..	AD	1	..	2	4	4	AN, MK, SC
50 mg. per cc., 10 cc. vial	..	..	..	..	AD	1	..	2	4	4	AN, MK
Oral Tablet, B.P. 5 mg. tab.	..	..	..	..	AD	50	..	1	3	8	AN, MK
								* 1	4	10	SC
25 mg. tab.	..	..	..	..	AD	40	..	4	6	4	AD, AN, BD, BT, OR, GL, KL, MK, PD, PR, SC, RL
								* 4	6	4	OR
Eye Drops 0.5% 3 mil.	..	..	..	..	1	2	0	13	8		DH
5 mil.	..	..	..	..	1	2	0	15	8		MK, SH
10 mil.	..	..	..	..	1	2	0	19	0		AN
1% 2.5 mil.	..	..	..	..	1	2	0	13	8		CB
3 mil.	..	..	..	..	1	2	0	15	8		AN, OR, RL

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
169—continued						£ s. d.
	2.5% 5 mil.		1	2	2 8 4	DH, MK
	10 mil.		1	2	2 11 0	AN
170	CRESOL AND SOAP SOLUTION Solution, B.P. 4 fl. oz. bottle		1	1	0 2 3 0 2 8	AL DH, WD
171	CRYSTAL VIOLET Ear Drops, P.L.		1/2 fl. oz.	2	0 6 4	Extemp.
	Paint Compound, P.L.		1 fl. oz.	1	0 6 8	Extemp.
172	CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH					
	Injection, B.P. 20 γ per 1 cc. amp.	D	12	1	* 0 17 0	BD, CM, DH, FH, GL, KL
	50 γ per 1 cc. amp.	D	6	1	0 11 0	BD, BT, CM, DH, DL, FH, GL
	50 γ per cc., 10 cc. vial	D	1	..	0 12 4	CM, GL
	100 γ per 1 cc. amp.	D	6	1	0 13 8	AN, BD, BT, CM, DH, DL, FH, GL, KL
	100 γ per cc., 10 cc. vial	D	1	..	0 17 8	AN, CM, DH, FH, GL, KL, SQ, TH
	200 γ per 1 cc. amp.	D	1	..	* 0 10 0	CM
					* 0 12 1	BT, GL, OR
173	CYANOCOBALAMIN 1,000 MICRO- GRAMME STRENGTH Injection 1,000 γ per 1 cc. amp.	D	1	..	0 19 8	AN, BT, CM, DH, DL, FH, GL, HY, KL, TH

174	CYCLOBARBITONE	Oral Tablet, B.P.	3 gr. tab.	..	..	50	2	0 13 8 0 16 4 * 0 16 7	KL, MG BA, BW, GP, SL HA
176	CYCLOPHOSPHAMIDE	..	..	..	H	..	..		
178	CYCLOSERINE	..	..	..	H	..	..		
177	CYCRIMINE HYDROCHLORIDE	Oral Tablet	1.25 mg. tab.	..	..	100	2	1 15 0	LY
			2.5 mg. tab.	..	..	100	2	2 14 4	LY
230	DAPSONE	Oral Tablet, B.P.	50 mg. tab.	..	..	100	2	0 7 0	AN
			100 mg. tab.	..	..	100	2	0 8 4	IC
231	DARROW'S SOLUTION	Injection	1 litre bottle..	..	..	2	..	* 1 11 8	BT, DH, FH
266	D—CYCLOSERINE	..	..	..	H	..	..		
267	DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE	Oral Capsule	150 mg. cap.	..	..	D	14	2 16 7 (ex 100) 3 1 4 (ex M.P.)	LE LE
		Oral Paediatric Drops	60 mg. per cc., 10 cc. vial	..	..	CD	1	1 3 0	LE
		Oral Suspension	75 mg. per 5 cc., 2 fl. oz. bottle			CD	1	1 17 0	LE

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
232	DEOXYCORTONE ACETATE					
	Aqueous Injection 5 mg. amp.	D	5	..	* 1 18 7	SC
					2 5 0	CB
	50 mg. amp.	D	1	..	* 3 7 7	SC
					3 13 0	CB
	Aqueous Suspension Injection 25 mg. amp. . .	D	1	..	2 1 8	CB
	Injection, B.P. 2 mg. amp.	D	4	..	0 16 4	OR
	5 mg. amp.	D	4	..	1 9 8	CB, OR, SC
	10 mg. amp.	D	4	..	2 9 8	CB, OR, SC
	5 mg. per cc., 5 cc. vial	D	1	..	1 16 4	OR
	10 mg. per cc., 10 cc. vial	D	1	..	5 14 4	CB, OR
	Implant 50 mg. implant	D	1	..	2 9 8	OR
	100 mg. implant	D	1	..	4 9 8	CB, OR
	Oral Tablet 1 mg. tab.	D	40	..	1 15 0	CB, OR
					* 1 15 4	SC
	5 mg. tab.	D	20	..	3 7 0	CB
233	DESACETYL-LANATOSIDE-C					
	Injection 0.2 mg. per cc., 2 cc. amp. . . .		6	1	0 12 4	SZ
	Oral Tablet 0.25 mg. tab.		100	2	1 8 8	SZ
234	DEXAMETHASONE					
	Oral Tablet 0.5 mg. tab.	AD	30	..	2 12 4	GL, LT, MK, OR, RL, SC, SH
273	DEXAMETHASONE SODIUM PHOSPHATE					
	Injection 5 mg. per 1 cc. vial	AD	5	..	* 4 6 4	OR

235	DEXAMPHETAMINE SULPHATE				100	2	0 6 8	AD, CO, DH, FA, KL, PR, RT, RY, SI, TO, VA
	Oral Tablet, B.P. 5 mg. tab... ..							
							0 7 0	BT, CM, GP, HY, MG, SL, WD
236	DEXTRAN IRON				5	..	* 2 2 0	FC
	Injection 2 cc. amp. I.M.							
					5	..	3 5 0	FC
237	DEXTRIN IRON 2% INTRAVENOUS				5	..	1 16 4	AP
	Injection 5 cc. amp. I.V.							
269	DEXTROCHLORPHENIRAMINE MALE- ATE				6	..	0 13 8	SH
	Injection 5 mg. per cc., 1 cc. amp.							
	Oral Tablet 2 mg. tab.				50	1	0 18 4	SH
					50	1	2 0 4	SH
238	DEXTROSE AQUEOUS				6	1	* 4 9 0	AB, BT, DH, EV, FH, GL
	Injection, B.P. 5%, 1 litre bottle							
					2	1	* 1 11 8	AB, BT, DH, EV, FH
					2	1	* 1 11 8	BT, DH, FH
					2	1	* 1 11 8	AB, DH, FH
					6	1	* 1 7 0	DH, FH
					6	1	* 1 19 0	DH, FH, PD
239	DEXTROSE IN SALINE				2	1	* 1 7 8	DH, FH
	Injection 2.5% in 1/2 strength normal saline 1/2 litre							
					2	1	* 1 7 8	DH, FH
					6	1	* 4 8 9	AB, BT, DH, EV, FH
					6	1	* 4 8 9	GL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
240	DEXTROSE IN RINGER'S SOLUTION					
	Injection 5%, 1 litre bottle		6	1	* 4 9 0	BT, DH, FH
	10%, 1 litre bottle		3	1	* 2 6 0	BT, DH, FH
241	DICOPHANE					
	Application, P.L.		4 fl. oz.	1	0 8 6	Extemp.
274	DICYCLOMINE HYDROCHLORIDE					
	Oral Tablet 10 mg. tab.		100	2	1 16 0	ML
242	DIENOESTROL					
	Oral Tablet, B.P. 0.3 mg. tab.	DG	100	2	0 6 0	AD, BD, DH, FM, HA, HY, KL, MG, RT, RY, SI, SL, TO, VA, WD
	1.0 mg. tab.	DG	100	2	0 6 9	AD, BD, DH, HA, HY, KL, MG, RT, RY, SI, SL, TO, VA, WD
	5 mg. tab... ..	DG	100	2	0 9 8	AD, BD, DH, HA, HY, KL, MG, RT, SI, SL, TO
	10 mg. tab... ..	DG	100	2	0 15 8	DH, HA, HY, KL, TO
	Cream, 0.01% 3 oz. tube	P	1	1	0 10 7	OO
243	DIETHAZINE HYDROCHLORIDE					
	Oral Tablet 50 mg. tab.		100	2	0 10 4	MB
	250 mg. tab.		50	2	0 16 4	MB
244	DIETHYLCARBAMAZINE CITRATE					
	Oral Tablet, B.P. 50 mg. tab.		20	1	0 14 8	BD, LE
275	DIETHYL DITHIOLISOPHTHALATE ..	H				

245	DIGITALIS	Oral Tablet, B.P.	1/2 gr. tab.	..	..	100	2	0 5 0	BW, DH, FA, HY, RT, RY, TO
			1 gr. tab.	..	..	100	2	0 5 3	BW, DH, FA, HY, RT, RY, TO
246	DIGITOXIN, B.P.C.	Oral Tablet	0.1 mg. tab.	..	..	100	2	0 10 3	AD, CM, KL, NA, SI, WY
			0.2 mg. tab.	..	..	100	2	0 17 8	CM, PD, WY
			0.25 mg. tab.	..	..	100	2	0 19 5	KL
247	DIGOXIN	Solution	0.5 mg. per cc., 30 cc.			1	..	0 12 8	BW
			bottle ..	..	..	2 fl. oz.	..	0 13 8	BW
		Solution for Children	0.05 mg. per mil.	..	..	12	1	* 1 1 8	BW, DH
		Injection, B.P.	0.5 mg. per 2 cc. amp...	..	..	100	2	0 9 0	FA, HY, KL, TO
		Oral Tablet, B.P.	0.25 mg. tab.	..	..			0 9 6	RY
								0 9 7	MG, PR
								0 10 4	CO
								0 11 0	AB, AN, RD, SL
								0 11 8	BW
								0 12 6	VR
249	DIHYDROERGOTAMINE							(ex 1000)	
								0 11 0	FA, HY, KL, RY, TO
								0 13 0	MG
								0 13 8	RD
								0 14 0	AB, AN, BW, CO, PR, SL, VR
								(ex M.P.)	
		Injection	1 mg. per cc., 1 cc. amp.	..	..	6	..	0 18 4	SZ
250	DIHYDROMORPHINONE HYDRO-CHLORIDE, B.P.C. 1949	Injection	1.1 cc. amp.	..	..	5	..	0 10 4	KN
		Oral Tablet	1/25 gr. tab.	..	..	20	..	* 0 9 8	KN

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
251	DIHYDROSTREPTOMYCIN SULPHATE Injection, B.P. 1 G. vial	D	5	3	* 0 19 8	AN, DL, GL, LP
252	DIHYDROTACHYSTEROL Oral Solution 1.25 mg. per cc., 15 cc. bottle. Oral Capsule 0.625 mg. cap.	D D	1 100	.. 1	1 16 11 5 3 8	BA BA
253	DIODOHYDROXYQUINOLINE Oral Tablet, B.P. 300 mg. tab. 650 mg. tab. Compound Vaginal Tablet	 D	 100 100 25	 2 2 ..	 0 17 8 4 2 4 0 15 0 0 16 4	MB SR VR SR
254	DIMERCAPROL Injection, B.P. 2 cc. amp.		12	.. 1	2 3 0	BT
255	DIPHENHYDRAMINE HYDROCHLORIDE Injection 10 mg. per cc., 10 cc. vial .. Oral Capsule 50 mg. cap.		1 50	1 1	0 14 4 0 12 7	PD PD
276	DIPHENYLTHIOUREA	H				
256	DIPHThERIA AND TETANUS TOXOIDS COMBINED Injection 1 cc. amp... .. .		3	.. 1	* 0 15 0	CS
257	DIPHThERIA ANTITOXIN Injection 1,000 U. amp. 4,000 U. amp.		2 2	1 1	* 0 13 8 * 1 5 8	CS CS

257—continued

10,000 U. amp.
20,000 U. amp.

258 **DIPHTHERIA PERTUSSIS ANTIGEN**

Injection 1 cc. amp.

259 **DIPHTHERIA PERTUSSIS AND
TETANUS ANTIGEN**

Injection 0.5 cc. amp.

1 cc. amp.

260 **DIPHTHERIA PROPHYLACTIC
(FORMOL TOXOID)**

Injection Set containing 3 amps. each 0.5 mil.
Toxoid undiluted and 1 amp. of
1 mil. Toxoid diluted

261 **DIPHTHERIA PROPHYLACTIC (PURI-
FIED TOXOID ALUMINIUM PHOS-
PHATE)**

Injection 1 cc. amp.
Set containing 2 amps. each 1 cc.
Diphtheria Prophylactic (Puri-
fied Toxoid Aluminium Phos-
phate) (diluted) FOR IMMUN-
ISATION OF ADULTS ONLY
and 1 amp. of 1 cc. Purified Diph-
theria Toxoid (diluted) for the
skin test only

262 **DIPHTHERIA TOXOID PURIFIED
(DILUTED FOR SKIN TEST ONLY)**

Injection 1 cc. amp.

2	1	* 2 5 8	CS
2	1	* 4 3 0	CS
3	..	* 0 15 0	CS
3	..	0 13 0	BW, GL, PD
3	..	* 0 15 0	CS
1	1	0 14 5	CS
2	1	* 0 10 4	CS
1	..	0 12 4	CS
1	..	0 6 4	CS

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
263	DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE					
	Injection 250 mg. per 5 cc. amp.	D	10	..	4 7 5	CM
	Oral Tablet 100 mg. tab.	D	100	2	9 1 8	CM
272	DISODIUM DIHYDROGEN VERSENATE					
	Injection 200 mg. per cc., 5.3 cc. amp. ..		6	1	3 9 8	RK
270	DITHIAZANINE IODIDE					
	Oral Tablet 50 mg. tab.		15	..	* 0 16 6	LY
	100 mg. tab.		15	..	1 1 8	LY
264	DITHRANOL					
	Ointment, B.P.		1920 gr.	1	0 9 2	Extemp.
	Ointment, Strong, B.P.		1920 gr.	1	0 14 8	Extemp
300	EMETINE AND BISMUTH IODIDE					
	Oral Tablet, B.P. 1 gr. tab.		25	2	1 9 8	DH
	2 gr. tab.		25	2	1 19 0	DH
301	EMETINE HYDROCHLORIDE					
	Injection, B.P. 20 mg. per 1 cc. amp. ..		12	..	1 9 8	DH, KL
	30 mg. per 1 cc. amp. ..		12	..	1 16 4	DH, KL
	65 mg. per 1 cc. amp. ..		6	..	1 16 4	DH, KL
362	EMULSIFYING WAX					
	Cream (Buffered), P.L.		1920 gr.	1	0 9 3	Extemp
	Ointment, B.P.		1920 gr.	1	0 13 7	Extemp.

303 EPHEDRINE									
Nasal Instillation (Oily), P.L.	..	..	..	1/2 fl. oz.	2	0	6	9	Extemp.
304 EPHEDRINE HYDROCHLORIDE									
Hypo. Tablet, B.P.									
1/2 gr. hypo. tab. (with required solvent) ..				20	1	0	5	4	FA
Injection 1/2 gr. per 1 cc. amp. ..				6	1	0	7	0	BL, DH, FH, KL
3/4 gr. per 1 cc. amp. ..				6	1	0	7	4	BL, DH, FH, KL
Oral Tablet, B.P. 1/4 gr. tab. ..				100	2	0	6	0	AD, BW, DH, HY, KL, MG, PR, RT, RY, SI, TO
1/2 gr. tab. ..				100	2	0	7	0	AD, BW, DH, FA, HY, KL, MG, PR, RT, RY, SI, SL, TO
1 gr. tab. ..				100	2	0	10	0	HY, TO
						0	10	1	KL
Oral Tablet, B.P. for Children 1/8 gr. tab. ..				100	2	0	5	8	DH, KL, TO
Oral Tablet with Phenobarbitone									
1/4 gr.-1/4 gr. tab. ..				100	2	0	7	0	KL, RT
						0	8	4	AB, CM, HY, MG, PB, QE, TO, VA
1/2 gr.-1/4 gr. tab. ..				100	2	0	7	0	AD, HY, KL, PR, RT, SI
						0	8	4	AB, CM, DH, MG, PB, QE, SL, TO, VA, WD
1/2 gr.-1/2 gr. tab. ..				100	2	0	7	8	KL
						0	9	0	AB, AN, CM, HY, MG, PB, PR, QE, SL, TO, VA
Nasal Instillation, P.L.	..	..	..	1/2 fl. oz.	2	0	6	2	Extemp.
305 EPHEDRINE SULPHATE, B.P.C.									
Hypo. Tablet									
1/2 gr. hypo. tab. (with required solvent) ..				20	1	0	5	4	FA
Oral Tablet 1/4 gr. tab. ..				100	2	0	7	8	MG, PD, RT
1/2 gr. tab. ..				100	2	0	9	8	FA, KL, MG, PD, RT, TO

Item No.	Name, Manner of Administration and Form	Re-strictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
305— <i>continued</i>					£ s. d.	
	Oral Tablet with Phenobarbitone		100	2	0 8 4	MG
	1/2 gr.—1/4 gr. tab.				0 10 1	FM
					(ex 500)	
					0 10 8	MG
					0 11 0	FM
					(ex M.P.)	
306	ERGOMETRINE MALEATE					
	Injection, B.P. 0.2 mg. per 1 cc. amp. . .		6	..	0 17 11	FH, LY
	0.5 mg. per 1 cc. I.M. amp.		6	..	0 19 8	AD, BD, BL, BW, CM, DH, FH, FM, VR
	0.125 mg. per 1 cc. I.V. amp.		6	..	0 9 8	AD, BD, BW, FH
	Oral Tablet, B.P. 0.2 mg. tab.		25	3	0 16 9	LY
	0.5 mg. tab.		25	3	2 11 0	BD, BW, CM, VR
307	ERGOTAMINE TARTRATE					
	Injection, B.P. 0.5 cc. amp.		6	..	0 14 0	DH, SZ
	1 cc. amp...		6	..	0 18 3	DH
					0 18 4	SZ
	Oral Tablet, B.P. 1 mg. tab...		50	2	1 5 0	MG
					1 10 5	KL
					1 13 1	AN, HY, QE, TO
					1 16 2	BD, DH, RD, SZ, VR
					(ex 100)	
					1 5 0	MG
					1 13 0	KL, QE
					1 15 0	RD

307—continued

						1 15 8	DH, HY, SZ, TO
						1 16 4	VR
						* 1 16 4	BD
						2 1 5	AN
						(ex M.P.)	
Oral Tablet with Caffeine	1 mg. -100 mg. tab.	50	2			2 0 0	BD, KI.
Compound Suppository		6	1			2 0 1	SZ
						0 15 0	SZ
308 ERYTHROMYCIN							
Oral Suspension	100 mg. per 5 cc., 75 cc. bot.	CD	1	..		2 1 0	AB
	200 mg. per 5 cc., 60 cc. bot.	CD	1	..		2 1 0	AB
Injection	100 mg. per 2 cc., I.M. amp.	D	4	..	*	3 1 8	AB
	250 mg., 20 cc. I.V. amp. ..	D	1	..		1 9 8	LY
	300 mg. per 10 cc. vial ..	D	4	..	*	8 3 0	AB
Oral Tablet, B.P.	100 mg. tab... ..	D	32	..		3 5 4	AB, LY, UP
	250 mg. tab... ..	D	32	..		7 1 0	AB, LY, UP
Oral Capsule	125 mg. cap.	D	32	..		3 5 4	AB, LY
	250 mg. cap.	D	32	..		7 1 0	AB, LY
309 ERYTHRITYLTETRANITRATE							
Oral Tablet, B.P.C. 1949	5 mg. tab... ..		100	2		0 11 0	BW
	15 mg. tab... ..		100	2		1 2 8	BW
310 ETHANOLAMINE OLEATE							
Injection, B.P.	5% Solution, 2 mil. ..		6	1		0 9 0	DH, FH, GL
311 ETHINYLOESTRADIOL							
Oral Tablet, B.P.	0.01 mg. tab.	DG	50	..		0 7 0	HY, VR
						0 7 1	KL
						* 0 7 6	BD, OR
						* 0 8 4	HA

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer		
												£ s. d.	
311—continued													
	0.02 mg. tab.	..	..	DG	50	..		* 0	8	11	HA		
								0	9	5	KL, VR		
								* 0	9	8	BD, HY, OR		
								* 0	10	1	SC		
	0.05 mg. tab.	..	..	DG	50	..		0	11	0	KL, VR		
								* 0	11	0	BD, HA, HY, OR		
								* 0	11	4	SC		
	1 mg. tab...	..	..	DG	50	..		2	3	0	KL		
								* 2	4	4	BD, HY, OR		
								* 2	12	11	HA		
312 ETHISTERONE													
	Oral Tablet, B.P.	5 mg. tab.	..	..	DG	50	..	1	11	0	CB, RT		
								* 1	12	4	BD, KL, OR, PH, SC, VR		
		10 mg. tab.	..	..	DG	50	..	* 2	16	4	BD, KL, OR, PH, RT, SC, VR		
		25 mg. tab.	..	..	DG	50	..	* 5	9	8	BD, CB, KL, OR, PH, RT, SC, VR		
313 ETHOPROPAZINE HYDROCHLORIDE													
	Oral Tablet, B.P.	50 mg. tab.	..	..		100	2	* 1	9	8	MB		
314 ETHOXZOLAMIDE													
	Oral Tablet	125 mg. tab.	..	..		50	2	3	4	4	UP		
315 ETHYL BISCOUMACETATE													
	Oral Tablet, B.P.	300 mg. tab.	..	..		100	2	13	17	0	GE		
316 ETHYLIDENE DICOUMARIN													
	Oral Tablet	100 mg. tab.	..	..		100	2	3	5	8	NS		

317	EUCALYPTUS OIL Liniment Compound, P.L.		4 fl. oz.	1	0 9 10	Extemp.
318	EUSOL, A.P.F. Lotion, P.L.		8 fl. oz.	4	0 7 9	Extemp.
319	EVAPORATING LOTION Lotion, P.L.		8 fl. oz.	4	0 6 11	Extemp.
320	EXPECTORANT MIXTURE Mixture, P.L.		8 fl. oz.	4	0 9 1	Extemp.
324	EXTRACT OF OX BILE Oral Capsule 5 gr. cap.		50	1	0 11 0	PD
346	FERROUS AMINOACETOSULPHATE Oral Tablet Syrup		100 4 fl. oz.	2 4	0 9 8 0 9 8	BP, CO BP, CO
340	FERROUS GLUCONATE Oral Tablet, B.P. 5 gr. tab.		100	2	0 7 9 0 8 4 (ex 500) 0 8 4 0 8 9 (ex M.P.)	DH, FA, GP, HY, KL, MG, QE, RT, RY, VA, WY HA, PR, TO, SZ, VR, WL DH, FA, HA, QE, RT, RY, VA, VR GP, HY, KL, MG, PR, SZ, TO, WL, WY
347	FERROUS SUCCINATE Oral Capsule 150 mg. cap. Elixir 150 mg. per dram, 4 fl. oz. bottle		100 1	2 4	0 12 9 0 11 0	CA CA

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
341	FERROUS SULPHATE					
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 4	Extemp.
	Oral Tablet, B.P. 3 gr. tab.		100	2	0 6 4	HY
					0 8 0	GP, TO
	5 gr. tab.		100	2	0 8 4	CM, DH, GP, HY, PD, RD, TO, WY
344	FLUDROCORTISONE ACETATE					
	Oral Tablet 1 mg. tab.	D	30	..	5 5 4	SQ
342	FLUOXYMESTERONE					
	Oral Tablet 5 mg. tab.	D	100	2	10 1 0	CB, UP
343	FOLIC ACID					
	Injection 15 mg. per cc., 1 cc. amp...	D	12	..	1 15 0	HY, KL
					* 1 15 0	AN
	Oral Tablet, B.P. 5 mg. tab	D	100	2	0 16 4	HY
					0 17 5	AD, AN, KL, PR, RT, SI, TO
					0 19 8	CM, MG, RY
					1 3 0	PD
345	FORMYL TETRAHYDROPTEROYL GLUTAMIC ACID.. .. .	H	..	..	..	
355	GAMMA BENZENE HEXACHLORIDE					
	Application, P.L.		4 fl. oz.	1	0 7 10	Extemp.
	Cream, P.L.		1920 gr.	1	0 9 8	Extemp.
356	GAS GANGRENE ANTITOXIN (OEDEMATIENS)					
	Injection 10,000 U. amp.		3	1	* 1 19 0	CS

357 GAS GANGRENE ANTITOXIN (POLYVALENT)									
Injection 1 amp. containing 3,000 U. Welchii, 1,500 U. Septique, 1,000 U. Oedematiens				2	1	* 2	1	6	CS
1 amp. containing 7,500 U. Welchii, 3,750 U. Septique, 2,500 U. Oedematiens				2	1	* 4	9	6	CS
358 GAS GANGRENE ANTITOXIN (SEPTIQUE)									
Injection 5,000 U. amp.				2	1	* 2	1	6	CS
359 GAS GANGRENE ANTITOXIN (WELCHII)									
Injection 4,000 U. amp.				3	1	* 2	9	9	CS
10,000 U. amp.				10	1	*10	13	0	CS
360 GENTIAN									
Mixture Acid, P.L.				8 fl. oz.	4	0	9	0	Extemp.
Mixture Alkaline, P.L.				8 fl. oz.	4	0	8	10	Extemp.
361 GLUCOSE									
Liquid, B.P. 1953 1 lb.				1	..	0	4	0	WD
						0	5	0	DH, FA
362 GLYCERIN									
Glycerin, B.P. 4 oz. bottle				1	1	0	3	6	WD
						0	4	3	DH
Cream, P.L.				1920 gr.	1	0	9	8	Extemp.
Suppositories, B.P.				12	1	0	3	6	DH, FA, FH
Suppositories for Children 15 gr. Glycerin ..				12	1	0	3	6	DH, FA, FH
363 GLYCERYL TRINITRATE									
Oral Tablet, B.P. 1/100 gr. tab.				100	2	0	4	7	FA, TO
						0	5	0	BW, DH, HY

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
364	GUANETHIDINE SULPHATE					
	Oral Tablet 10 mg. tab.		100	2	1 15 0	CB
	25 mg. tab.		100	2	3 19 0	CB
397	HAEMOPHILUS INFLUENZA BAC- TERIAL SERUM	H			..	
375	HALIBUT LIVER OIL					
	Capsule, B.P. 4,500 U. cap.	P	100	1	0 19 0	KL, MG, SL
	Capsule 6,000 U. cap.	P	100	1	0 19 0	CK
376	HAMAMELIS					
	Suppository with Zinc Oxide, B.P.C.		12	1	0 13 8	AN
	Ointment, B.P.		1920 gr.	1	0 18 10	Extemp.
377	HARTMANN'S SOLUTION					
	Injection, B.P. 1 litre bottle.		2	1	* 1 11 8	BT, DH, EV, FH
378	HARTMANN'S SOLUTION WITH DEXTROSE					
	Injection 5%, 1 litre bottle		2	1	* 1 11 8	BT, DH, FH
	10%, 1 litre bottle		2	1	* 1 11 8	BT, DH, FH
379	HEPARIN					
	Injection, B.P. 1,000 U. per cc., 5 cc. vial. .		5	..	* 2 9 8	BT, EV, LP, WP
					* 3 1 4	AB
	5,000 U. per cc., 5 cc. vial ..		2	..	* 4 3 0	BT, DH, EV, LP, OR, RK, WP
					4 9 8	AB
	12,500 U. per cc., 1 cc. amp.		2	..	* 3 0 10	AB, EV

380 HEPARIN RETARD									
Injection 20,000 U. per 2 mil. amp. ..		6	..	8 13 8	BT				
393 HEXACHLOROPHENE, 3% WITH ENT-SUFON	H	..	..	..					
381 HEXAMETHONIUM TARTRATE									
Injection, B.P. 1 cc. amp.		6	1	* 0 12 5	MB				
Oral Tablet, B.P. 350 mg. tab.		25	3	* 0 8 3	MB				
398 HEXOCYCLIUM METHYL SULPHATE									
Oral Tablet 25 mg. tab.		100	2	* 3 2 6	AB				
382 HEXOESTROL									
Injection 1 mg. per 1 cc. amp.		6	1	0 9 0	FM				
5 mg. per 1 cc. amp.		6	1	0 10 4	FM				
383 HEXYLRESORCINOL									
Oral Pill 100 mg. pill		5	..	* 0 12 3	MK				
200 mg. pill		5	..	0 14 4	MK				
384 HISTAMINE ACID PHOSPHATE									
Injection, B.P. 0.5 mg. per 0.5 cc. amp. . .		6	1	0 8 4	BD				
1 mg. per 1 cc. amp.		6	1	0 8 8	BD				
10 mg. per 10 cc. vial		1	1	0 9 0	BD				
385 HYALURONIDASE									
Injection 1 mg. amp. containing 1,500 I.U. (with required solvent)		5	1	1 15 4	FC				

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
385—continued						
	3 mg. amp. containing 1,500 I.U. (with required solvent)		6	1	2 4 8	EV
	500 I.U. amp. (with required solvent)		5	1	* 2 0 11	WY
	Set containing 3 amps. each of 350 I.U. and 3 amps. of solvent . .		1	1	1 4 4	SC
	Set containing 3 amps. each of 500 I.U. and 3 amps. of solvent . .		1	1	1 3 0	OR
386	HYDROCHLORIC ACID DILUTE Mixture, P.L.		8 fl. oz.	4	0 12 5	Extemp.
392	HYDROCHLOROTHIAZIDE Oral Tablet 25 mg. tab. 50 mg. tab.		50 50	2 2	1 11 8 2 13 8	CB, DL, GA, GP, HY, MK CB, DL, GA, GP, HY, MK
387	HYDROCORTISONE Injection, B.P. (or Rectal Drip) 5 mg. per cc., 20 cc. I.V. amp. Eye Drops 0.5% 2 mil. 5 mil. 10 mil. 1% 3 mil. 5 mil. 10 mil.	AD	1 1 1 1 1 1 1	. . 2 2 2 2 2 2	2 0 4 0 12 4 0 17 8 0 19 8 0 19 0 0 19 8 0 19 8 1 7 0	BT, MK, OR, RL SC KL DH, HA, MK AN, KL AN, GL, HA, RL, SI KL KL

7—continued

	2.5%	3 mil.	..	..	..	1	2	2 1 0	HA
		5 mil.	..	..	..	1	2	2 1 0	KL
		10 mil.	..	..	..	1	2	2 13 0	DH, MK, SI
Eye Ointment	0.5%	3 G.	..	..	..	1	..	2 11 0	AN, KL
		4 G.	..	..	..	1	..	0 9 8	GL, HA, RL
								0 11 0	CO, DH, KL, UP
								0 11 11	AN
		5 G.	..	..	..	1	..	0 13 8	PF
								0 11 0	SI
394	HYDROCORTISONE ACETATE (For Local Use)								
	Injection	25 mg. per cc.,	1 cc. vial	..	..	5	..	2 7 5	DH, MK, RL
								2 7 7	AB, AN
								* 2 7 7	BT, SC
								* 2 11 7	GL
	5 cc. vial	..	..	..	..	1	..	2 8 4	AN, BP, GL, MK, PF, RL, UP
389	HYDROCORTISONE SODIUM SUCCIN- ATE								
	Injection	100 mg. of base in	2 cc. amp.	..	D	1	..	3 17 8	GL, RM, UP
395	HYDROFLUMETHIAZIDE								
	Oral Tablet	50 mg. tab.	..	..	..	50	2	2 0 4	BT, GL, LP SQ
390	HYDROGEN PEROXIDE SOLUTION								
	10 vol.	4 oz. bottle	..	..	..	1	..	0 1 8	WD
								0 2 0	DH, FA
		8 oz. bottle	..	..	..	1	..	0 2 3	WD
								0 2 8	DH, FA
	20 vol., B.P.	4 oz. bottle	..	..	..	1	..	0 2 2	WD
								0 2 6	DH
	Ear Drops, P.L.	..	..	..	..	1/2 fl. oz.	2	0 6 3	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
396	HYDROXYCHLOROQUINE SULPHATE Oral Tablet 200 mg. tab.		100	2	2 4 4	WL
391	HYOSCINE HYDROBROMIDE Injection, B.P. 1/150 gr. amp. 1/100 gr. amp. 1/75 gr. amp. Hypo. Tablet, B.P. 1/200 gr. hypo. tab. (with required solvent) 1/150 gr. hypo. tab. (with required solvent) 1/100 gr. hypo. tab. (with required solvent) Oral Tablet, B.P. 1/100 gr. tab.		6 6 6 20 20 20 100	 1 1 1 2	0 7 0 0 7 0 0 7 0 0 5 0 0 5 0 0 5 4 0 8 4	BL, DH, FH, KL BL, BT, DH, FH, KL BL, KL PD DH, FA, PD DH, FA, PD DH, HY
410	ICHTHAMMOL Ear Drops, P.L. Paint, P.L. Pessary, 5% Eye Ointment with Zinc Oxide, P.L. ..		1/2 fl. oz. 1 fl. oz. 12 60 gr.	2 1 1 ..	0 6 9 0 7 7 0 11 0 0 6 7	Extemp. Extemp. AN Extemp.
411	INDIGO CARMINE Injection 0.4%, 4 cc. amp. 0.4%, 10 cc. amp.		6 6		0 11 0 0 17 8	DH, FH DH
412	INSULIN Injection, B.P. 20 U. per cc., 10 cc. vial .. 40 U. per cc., 5 cc. vial .. 40 U. per cc., 10 cc. vial ..		10 10 10	2 2 2	* 1 16 8 * 1 16 8 * 3 9 2	BW, CS, SE BW, GL-BD, SE, WF BT, BW, CS, DH, EV, GL-BD, SE, WF

412—continued

80 U. per cc., 5 cc. vial ..	10	2	* 3 9 2	BT, BW, GL-BD
80 U. per cc., 10 cc. vial ..	10	2	* 6 0 0	BT, BW, CS, DH, EV, GL-BD, SE
100 U. per cc., 5 cc. vial ..	10	2	* 3 17 6	CS
300 U. per cc., 5 cc. vial ..	10	2	* 11 12 6	CS

413 INSULIN GLOBIN ZINC

Injection, B.P. 40 U. per cc., 5 cc. vial ..	10	2	* 2 1 8	BT, BW, WP
80 U. per cc., 5 cc. vial ..	10	2	* 3 15 0	BT, BW, WP

414 INSULIN ISOPHANE (N.P.H.)

Injection 40 U. per cc., 10 cc. vial ..	10	2	* 4 10 0	BT, BW, CS, DH, GL-BD
80 U. per cc., 10 cc. vial ..	10	2	* 8 10 0	BT, BW, CS, DH, GL-BD

415 INSULIN PROTAMINE ZINC

Injection, B.P. 40 U. per cc., 5 cc. vial ..	10	2	* 2 1 8	BT, BW, GL-BD, SE, WP
40 U. per cc., 10 cc. vial ..	10	2	* 3 15 0	BT, BW, CS, DH, EV, GL-BD, SE WP
80 U. per cc., 5 cc. vial ..	10	2	* 3 15 0	BT, BW, GL-BD
80 U. per cc., 10 cc. vial ..	10	2	* 6 13 4	BW, CS, DH, EV, SE

416 INSULIN SPECIAL P (PIG)

Injection 40 U. per cc., 10 cc. vial ..	10	2	* 3 15 0	CS

417 INSULIN ZINC

Suspension, B.P.—Injection				
40 U. per mil., 10 mil. vial	10	2	* 4 10 0	BT, BW, CS, EV, GL-BD
80 U. per mil., 10 mil. vial	10	2	* 8 10 0	BT, BW, CS, EV, GL-BD
Suspension (Amorphous), B.P.—Injection				
40 U. per mil., 10 mil. vial	10	2	* 4 10 0	BT, BW, CS, EV, GL-BD
80 U. per mil., 10 mil. vial	10	2	* 8 10 0	BT, BW, CS, EV, GL-BD
Suspension (Crystalline), B.P.—Injection				
40 U. per mil., 10 mil. vial	10	2	* 4 10 0	BT, BW, CS, EV, GL-BD
80 U. per mil., 10 mil. vial	10	2	* 8 10 0	BT, BW, CS, EV, GL-BD

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
								£	s.	d.	
418	IODINE										
	Non-staining Ointment, B.P.C.	..	..	..		1920 gr.	1	0	12	11	Extemp.
	Solution Aqueous, B.P. (Lugol's)	..	..	..		4 fl. oz.	1	0	12	2	Extemp.
	Solution, Weak, B.P.	..	..	..		4 fl. oz.	1	0	11	8	Extemp.
	Paint, Compound	..	..	..		1 fl. oz.	1	0	7	9	Extemp.
428	ODOCHLORHYDROXYQUINOLINE										
	Oral Tablet	250 mg. tab.	..	..		100	2	1	2	4	CB
419	ODOXYL										
	Injection, B.P.	10 cc. vial	..	..	..	1	1	0	12	0	GL
		20 cc. vial	..	..	..	1	1	1	0	7	GL, MB, SC
420	IPECACUANHA										
	Oral Tablet with Opium, B.P.	..	..	..		100	2	0	9	0	DH, HY, TO
421	IPECACUANHA TINCTURE										
	Mixture with Squill for Children, P.L.	..	..	..		4 fl. oz.	4	0	8	7	Extemp.
422	IRON AND AMMONIUM CITRATE										
	Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0	8	5	Extemp.
	Mixture with Nux Vomica, P.L.	..	..	..		8 fl. oz.	4	0	7	11	Extemp.

IRON OXIDE SACCHARATED									
Injection	100 mg. per 5 cc. I.V. amp.	..	D	6	..	1	3	0	CK
						*1	6	5	EV
						*1	8	6	FC
	200 mg. per 10 cc. I.V. amp.	..	D	6	..	1	15	0	CK
423 ISONIAZID									
Oral Tablet, B.P.	50 mg. tab.		D	200	2	0	11	0	DH, HY, KL, RY
						0	13	0	AN
						* 0	13	8	AD, CM, HA, PR, SI
						* 0	17	8	RO
	100 mg. tab.		D	100	2	0	13	0	AD, AN, CM, DH, HY, KL, PR, RY,
									SI
						0	16	4	RO
424 ISOPRENALINE HYDROCHLORIDE									
Inhalation	1 in 200, 1/2 fl. oz. bottle	..		1	1	0	6	4	WL
Oral Tablet	10 mg. tab.			100	2	0	14	4	WL
425 ISOPRENALINE SULPHATE									
Inhalation	10 mg. per cc., 7 cc. vial	..		1	1	0	7	4	BW
Oral Tablet, B.P.	20 mg. tab.			100	2	0	19	0	AB, BW
						0	19	8	CM
Spray, B.P.C.				1/2 fl. oz.	2	0	8	1	Extemp.
429 ISOPROPAMIDE IODIDE									
Oral Tablet	5 mg. tab.			100	2	2	19	0	SK
450 KAOLIN, LIGHT									
Mixture for Children, P.L.		..		4 fl. oz.	4	0	7	3	Extemp.
Mixture, Alkaline, P.L.		..		8 fl. oz.	4	0	7	6	Extemp.
Mixture with Opium, P.L.		..		8 fl. oz.	4	0	9	0	Extemp.
Internal Powder, Compound, P.L.		..		1920 gr.	1	0	8	11	Extemp.
Dusting Powder, Compound, P.L.		..		1920 gr.	1	0	8	1	Extemp.

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
451	KAOLIN, HEAVY Poultice, B.P. 1/2 lb.		1	1	0 5 5	AL
	1 lb.		1	1	0 5 6	FA
					0 8 11	AL, FA
460	LEPTAZOL Injection, B.P. 1.1 cc. amp.		6	1	* 0 9 2	KN
	5 cc. amp.		6	1	* 1 9 0	KN
461	LOBELIA AND STRAMONIUM Mixture, P.L.		8 fl. oz.	4	0 9 10	Extemp.
462	LUCANTHONE HYDROCHLORIDE Oral Tablet, B.P. 200 mg. tab.		30	..	1 8 4	BW
	500 mg. tab.		100	..	8 11 0	BW
475	MAGENTA, B.P.C. Paint with Resoreinol, P.L.		1 fl. oz.	1	0 7 2	Extemp.
476	MAGNESIUM BICARBONATE SOLUTION Solution, B.P. 1948 8 fl. oz. bottle ..		1	4	0 2 6	FA
477	MAGNESIUM CARBONATE, LIGHT Mixture, P.L.		8 fl. oz.	4	0 8 0	Extemp.
478	MAGNESIUM HYDROXIDE MIXTURE Mixture, B.P. 6 fl. oz. bottle		1	4	0 2 6	FA
					0 3 0	DH

479 MAGNESIUM SULPHATE												
Paste, A.P.F.	..	..	..	..	..	1920 gr.	1	0	7	5	DH, FA	
Mixture, P.L.	..	..	..	..	..	8 fl. oz.	4	0	7	5	Extemp.	
480 MAGNESIUM TRISILICATE												
Mixture, P.L.	..	..	..	..	..	8 fl. oz.	4	0	7	6	Extemp.	
Internal Powder with Belladonna, P.L.	..				..	1920 gr.	1	0	10	5	Extemp.	
481 MALT EXTRACT												
Extract, B.P.	..	..	..	..	..	CP	1 lb.	3	0	5	0	FA, WD
Extract with Cod Liver Oil, B.P.	..	..			..	CP	1 lb.	3	0	5	6	WD
482 MECAMYLAMINE												
Oral Tablet	2.5 mg. tab.	..	..	..	..	100	2	1	2	6	MK	
								(ex 500)				
								1	3	0	MK	
								(ex M.P.)				
	10 mg. tab.	..	..	..	..	100	2	3	19	0	MK	
483 MECHOLYL CHLORIDE												
Injection	25 mg. amp.	..	..	..	..	6	..	1	6	4	SY	
484 MENAPHTHONE												
Aqueous Injection	1 mg. per 1 cc. amp.	..			..	6	1	0	9	4	RO	
								0	11	8	PD	
	5 mg. per 1 cc. amp.	..			..	6	1	0	9	8	AD, BL, FH, FM	
	10 mg. per 1 cc. amp.	..			..	6	1	0	9	8	AD, BL, DH, FH, GL, RO	
	75 mg. per 1 cc. amp.	..			..	6	1	1	1	0	BL, DH, FH	
Oily Injection	5 mg. per 1 cc. amp.	..			..	6	1	0	9	0	AD	
								0	13	0	BD, FH, VM	
	10 mg. per 1 cc. amp.	..			..	6	1	0	13	0	AD, DH, FH,	
Oral Capsule	4 mg. cap.	..	..		..	100	2	1	1	8	PD	
Oral Tablet	5 mg. tab.	..	..		..	100	2	0	8	4	FM, HY	
	10 mg. tab.	..	..		..	100	2	0	11	0	FM	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
485	MENTHOL Inhalation Compound, P.L.		2 fl. oz.	1	0 10 7	Extemp.
486	MEPACRINE HYDROCHLORIDE Oral Tablet, B.P. 100 mg. tab.		100	2	0 10 5	IC
487	MEPYRAMINE MALEATE Injection 2.5%, 2 cc. amp.		10	..	0 13 0	MB
	Oral Tablet, B.P. 50 mg. tab.		50	1	0 8 4	MB
	100 mg. tab.		50	1	0 11 0	MB
488	MERCAPTOMERIN SODIUM Injection 1.4 G. per 10cc. vial		3	..	* 2 17 9	WY
489	MERCAPTOPURINE Oral Tablet 50 mg. tab.	D	25	..	5 9 8	BW
490	MERCURIC OXIDE Eye Ointment, B.P. 60 gr.		1	..	0 4 4 0 4 9	FH DH
491	MERSALYL ACID Injection, B.P. 1 cc. amp.		12	..	* 0 13 0 * 0 15 8	AD, BD, DH, EV, FH BA
	2 cc. amp.		12	..	* 0 14 2 * 0 14 10 * 0 15 0 * 0 18 4	AD, BL, DH, EV, FH, VR TH BD BA, BT

507	METHENAMINE MANDELATE									
	Oral Tablet	250 mg. tab.	..	..	..	100	2	0 14 4	WW	
492	METHOIN									
	Oral Tablet, B.P.	100 mg. tab.	..	..	..	200	1	1 7 4	SZ	
493	METHORPHINAN, B.P.C.									
	Injection	2.2 mg. per 1.1 cc. amp.	..	..	D	6	..	0 11 0	RO	
	Oral Tablet	1.5 mg. tab.	..	..	D	50	..	1 0 9	RO	
508	METHOTREXATE	..	..	..	..	H	..	..		
509	METHSCOPOLAMINE BROMIDE									
	Oral Tablet	2.5 mg. tab.	..	..	..	100	2	2 16 4	UP	
								3 0 0	AN	
494	METHYLAMPHETAMINE HYDRO-CHLORIDE									
	Injection, B.P.	30 mg. per 1.5 cc. amp.	..	..	..	6	1	0 11 0	BT, BW	
	Oral Tablet, B.P.	5 mg. tab...	..	..	..	100	2	0 13 8	QE	
								0 15 0	AB, BW, KL, MG, PH, VR	
495	METHYL ANDROSTANOLONE									
	Oral Tablet	25 mg. tab.	..	..	..	D	100	2	8 3 0	RL
496	METHYLANDROSTENEDIOL									
	Oral Tablet	5 mg. tab.	..	..	..	D	100	2	1 12 4	MR
		10 mg. tab.	..	..	..	D	100	2	2 17 8	MR, OR
497	METHYLCELLULOSE, A.P.F.									
	Eye Drops, P.L.	..	..	..	..	1/2 fl. oz.	2	0 8 1	Extemp.	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
498	METHYLERGOMETRINE MALEATE				£ s. d.	
	Injection, B.P. 0.2 mg. per mil., 0.5 mil. amp.		6	..	0 12 0	SZ
	0.2 mg. per mil., 1.0 mil. amp.		6	..	0 15 4	SZ
	Oral Tablet 0.125 mg. tab.		100	2	3 14 8	SZ
499	METHYL SALICYLATE					
	Liniment, P.L.		4 fl. oz.	1	0 9 10	Extemp.
500	MORPHINE HYDROCHLORIDE SOLUTION					
	Linctus, P.L.		8 fl. oz.	4	0 14 4	Extemp
501	MORPHINE SULPHATE					
	Hypo. Tablet, B.P.					
	1/12 gr. hypo. tab. (with required solvent) .		20	..	0 5 0	DH
	1/8 gr. hypo. tab. (with required solvent) ..		20	..	0 5 4	DH, FA, PD
	1/6 gr. hypo. tab. (with required solvent) ..		20	..	0 5 8	DH, FA, PD
	1/4 gr. hypo. tab. (with required solvent) ..		20	..	0 6 0	DH, FA, PD
	1/3 gr. hypo. tab. (with required solvent) ..		20	..	0 6 4	DH
	1/2 gr. hypo. tab. (with required solvent) ..		20	..	0 7 0	DH, FA, PD
	Injection, B.P. 1/6 gr. amp.		6	..	0 8 8	AD, BL, BT, DH, FH, KL
	1/4 gr. amp.		6	..	0 8 8	AD, BL, BT, DH, FH, KL
	1/3 gr. amp.		6	..	0 8 8	BL, DH, FH, KL
	1/2 gr. amp.		6	..	0 8 8	BL, BT, DH, FH, KL
	1/4 gr. per cc., 10 cc. vial ..		1	..	0 6 4	FH, PD
	1/2 gr. per cc., 10 cc. vial ..		1	..	0 7 8	DH, FA, FH

502 MORPHINE WITH ATROPINE

Morphine Sulphate 1/12 gr.; Atropine Sulphate 1/150 gr.—Hypo. Tab.	20	..	0	4	9	DH
(with required solvent)						
Morphine Sulphate 1/8 gr.; Atropine Sulphate 1/150 gr.—Hypo. Tab.	20	..	0	5	4	DH
(with required solvent)						
Morphine Sulphate 1/6 gr.; Atropine Sulphate 1/200 gr.—Injection amp.	6	..	0	8	8	DH
Morphine Sulphate 1/6 gr.; Atropine Sulphate 1/180 gr.—Hypo. Tab.	20	..	0	5	8	DH
(with required solvent)						
Morphine Sulphate 1/6 gr.; Atropine Sulphate 1/150 gr.—Hypo. Tab.	20	..	0	5	8	DH, FA
(with required solvent)						
Injection amp.	6	..	0	8	8	BL, BT, DH, FH
Morphine Sulphate 1/6 gr.; Atropine Sulphate 1/120 gr.—Injection amp.	6	..	0	8	8	DH
Morphine Sulphate 1/4 gr.; Atropine Sulphate 1/150 gr.—Hypo. Tab.	20	..	0	6	0	DH, FA, PD
(with required solvent)						
Injection 1 cc. amp...	6	..	0	8	8	AD, BL, BT, DH, FH, KL
per cc., 10 cc. vial	1	..	0	6	3	FA, PD
Morphine Sulphate 1/4 gr.; Atropine Sulphate 1/120 gr.—Hypo. Tab.	20	..	0	6	0	DH
(with required solvent)						
Morphine Sulphate 1/4 gr.; Atropine Sulphate 1/100 gr.—Hypo. Tab.	20	..	0	6	0	DH, FA
(with required solvent)						
Injection amp.	6	..	0	8	8	BL, BT, DH, FH

503 MORPHINE WITH HYOSCINE

Morphine Sulphate 1/4 gr.; Hyoscine Hydrobromide 1/100 gr.—Injection 1 cc. amp... .	6	..	0	8	8	AD, BL, DH, FH

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
504	MUSTINE HYDROCHLORIDE Injection, B.P. 10 mg. amp. (with required solvent) ..	D	1	..	0 19 8	BT
541	NALORPHINE HYDROBROMIDE Injection, B.P. 10 mg. amp. 1 mg. per mil., 5 mil. vial .		6 1	1 ..	1 3 0 0 12 0	BW BW
553	NEOMYCIN SULPHATE Eye Drops, 0.35% 10 mil.		1	2	0 9 8	DH, HA, SI
542	NEOSTIGMINE BROMIDE Oral Tablet, B.P. 15 mg. tab. Eye Drops 7.5 mil.		100 1	2 2	1 5 0 0 14 1	RO RO
543	NEOSTIGMINE METHYLSULPHATE Injection, B.P. 0.5 mg. per cc., 1 cc. amp. 2.5 mg. per cc., 5 cc. vial ..		6 1	3 1	0 8 9 0 9 8	RO RO
544	NICOTINAMIDE Injection, B.P. 50 mg. per cc., 1 mil. amp. Oral Tablet, B.P. 50 mg. tab. 100 mg. tab.	P P	6 100 100	1 2 2	0 8 8 0 8 4 0 13 8	BD, DH, FH AB, AN, BD, DH, KL, MG, PR, RT. SL, TO AB, AN, DH, KL, MG, RT,
545	NICOTINIC ACID Oral Tablet, B.P. 25 mg. tab. 50 mg. tab.	P P	100 100	2 2	0 5 0 0 6 4	AB, HY, KL, RY, TO AB, AD, AN, DH, HY, KL, MG, PR, RT, RY, SI, TO, VA, WD

545—continued

	100 mg. tab.			P	100	2	0 7 0	AB, AN, DH, HY, KL, MG, RT, RY TO, VA
	250 mg. tab.		..	P	100	2	0 9 8 0 11 0	AD, HY, KL, RT, SI, YR, VA AB, MG, TO, WD
551	NICOUMALNOE							
	Oral Tablet	mg. tab.			50	..	1 13 8	AB, GE
546	NIKETHAMIDE							
	Injection, B.P.	1.5 cc. amp.			6	1	0 8 4	CB
		2 cc. amp.			6	1	0 7 0	BT, FH
		5 cc. amp.			6	1	0 13 8	BD
							* 0 15 8	CB
547	NITROFURANTOIN							
	Oral Tablet	50 mg. tab.		D	25	1	1 18 4	SK
548	NITROMIN							
	Injection	50 mg. amp.		D	5	1	4 6 4	SI
		(with required solvent)						
	Oral Tablet	5 mg. tab.		D	100	2	5 16 4	SI
549	NORADRENALINE ACID TARTRATE							
	Injection	1 in 1,000, 2 mil. amp.			6	..	1 17 0	FH, WL
552	NORETHANDROLONE			H	..	..	..	
550	NYSTATIN							
	Oral Tablet	500,000 U. tab.		D	50	..	3 7 8	SQ
	Vaginal Tablet	100,000 U. vaginal tab.		D	15	..	1 1 4	SQ
561	OESTRADIOL DIPROPIONATE							
	Injection	5 mg. per 1 cc. amp.			6	1	* 2 7 0	CB

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
562	OESTRADIOL MONOBENZOATE Injection, B.P. 2 mg. per cc., 1 mil. amp. . .		6	1	1 11 0	BD, FH, OR
563	OESTRONE Injection 1,000 U. amp. aqueous		6	1	0 11 0	OR
	10,000 U. amp. oily		6	1	0 17 8	OR
	Suppository 1,000 U.		12	1	0 18 9	OR
	10,000 U.		12	1	0 19 0	BD
					1 10 8	OR
564	OLIVE OIL, B.P. 2 oz. bottle		1	..	0 1 9	WD
	4 oz. bottle		1	..	0 2 9	WD
	5 oz. bottle		1	..	0 3 3	DH
	8 oz. bottle		1	4	0 4 9	WD
565	OUABAIN Injection, B.P. 0.25 mg. amp.		3	..	* 0 17 3	NA
571	OXYPHENCYCLIMINE HYDRO- CHLORIDE Oral Tablet 10 mg. tab.		100	2	3 9 8	PF
572	OXYPHENONIUM BROMIDE Oral Tablet 5 mg. tab.		100	2	1 7 0	CB
	10 mg. tab.		100	2	2 5 8	CB

566	OXYTETRACYCLINE DIHYDRATE				D	25	..	2	9	0	PF
	Oral Tablet, B.P.	100 mg. tab.	..	..	D	25	..	2	9	0	PF
		250 mg. tab.	..	..	D	16	..	3	9	8	PF
567	OXYTETRACYCLINE HYDROCHLORIDE				CD	1	..	1	11	8	PF
	Oral Suspension	125 mg. per 5 cc., 2 fl. oz.	..	..	D	6	..	* 4	19	0	PF
		bottle	..	..							
	Injection, B.P.				D	6	..	* 8	11	0	PF
	100 mg. vial I.M.	..	..	..							
	250 mg. per cc., 10 cc. vial, I.V. (with				D	25	..	1	8	4	PF
	required solvent)	..	..	..							
	Oral Capsule	50 mg. cap.	..	..	D	25	..	2	9	0	PF
		100 mg. cap.	..	..	D	25	..	3	4	2	PF
		250 mg. cap.	..	..	D	16	..	(ex 100)			
								3	9	8	PF
								(ex M.P.)			
	Eye Ointment, 0.5%	60 gr.	..	..		1	..	0	7	0	PF
570	OXYTETRACYCLINE I.M.				H	..	..	..			
	Solution, Preconstituted	..	..	..							
568	OXYTETRACYCLINE OPHTHALMIC					1	2	0	12	3	PF
	SUSPENSION										
	Suspension, 1%	6 mil...	..	..							
569	OXYTOCIN					6	..	0	13	0	PD
	Injection, B.P.	0.5 cc. amp.	..	..		6	..	0	18	4	PD
		1 cc. amp.	..	..		6	..				

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
581	PANCREATIN					
	Oral Powder 1 oz. vial	D	1	2	0 17 4	PD
	Oral Tablet 5 gr. tab.	D	100	2	1 1 4	OP, PD
582	PANCREX 5					
	Oral Tablet 1 gr. tab.	D	100	2	0 14 4	ST
583	PAPAVERETUM, B.P.C.					
	Hypo. Tablet, B.P.C.					
	1/3 gr. hypo. tab. (with required solvent) ..		20	..	* 0 7 10	RO
	Injection, B.P.C. 1/6 gr. per 1 cc. amp. . .		6	..	0 8 0	BL
	20 mg. per 1 cc. amp. . .		6	..	0 7 0	BT, FH, RO
					0 8 0	BL
	Oral Tablet, B.P.C. 1/6 gr. tab.		20	..	* 0 6 1	HY
					0 7 0	RO
584	PAPAVERETUM WITH HYOSCINE HYDROBROMIDE					
	Injection—					
	Papaveretum 20 mg.; Hyoscine Hydrobromide 0.43 mg. 1 cc. amp.		6	..	0 7 5	BT, FH, RO
585	PAPAVERINE HYDROCHLORIDE					
	Injection 1/3 gr. per 1 cc. amp.		6	..	0 7 8	FH, KL
	2 gr. per 10 cc. amp.		6	..	0 13 8	DH, KL
					* 0 13 8	FH, HA
	Oral Tablet 3/4 gr. tab.		100	2	0 19 0	AN, KL, QE, RT
					1 1 8	HY, MG,

585—continued

	1.5 gr. tab.	..	..	..		100	2	1 11 0 1 15 0	AN, DH, FA, KL, QE, RT, TO HA, HY, MG, PR
586	PARA-AMINOSALICYLIC ACID								
	Oral Tablet	300 mg. tab.	..	..	D	200	2	* 1 1 8	DH
		500 mg. tab.	..	..	D	200	2	1 1 5 1 3 0 * 1 3 0 * 1 5 6	KL AN DH AD, SI
587	PARAFFIN, HARD								
	Ointment, B.P.	..	..	..	..	1920 gr.	1	0 11 1	Extemp.
588	PARAFFIN LIQUID								
	Liquid Paraffin	8 oz. bottle	..			1	4	0 2 3 0 2 6	FA, WD DH, RT
	Emulsion, Paraffin, 33%	16 fl.oz. bottle	..			1	4	0 6 6 0 7 3	FA, MG, SI DH, SL, WW, WY
589	PARALDEHYDE								
	Injection	5 cc. amp...	..	..	..	6	1	0 13 0	DH, FH, FM
		10 cc. amp...	..	..	..	6	1	0 13 0	DH, FH, FM
	Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0 12 5	Extemp.
590	PARAMETHADIONE								
	Oral Capsule, B.P.	300 mg. cap.	..	..	..	200	1	6 14 4	AB
651	PENICILLINASE								
	Injection	800,000 U. amp.	..	..	..	1	..	5 3 0 5 13 0	CS RK
652	PENICILLIN BENETHAMINE								
	Injection	500,000 U. Penicillin, Benethamine;							

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
652—continued						
	250,000 U. Penicillin, Procaine;					
	500,000 U. Penicillin, Sodium					
	vial (with required solvent)		1	..	0 11 0	GL
	Set containing vial and 2 mil. amp. water					
	for injection		1	..	0 11 8	GL
591	PENICILLIN, BENZATHINE					
	Oral Tablet, B.P. 200,000 U. tab.		100	1	2 13 0	WY
	Injection with Penicillin, Procaine and Peni- cillin, Potassium—					
	vial containing:					
	600,000 U. Penicillin, Benzathine;					
	300,000 U. Penicillin, Procaine;					
	300,000 U. Penicillin, Potassium		1	..	0 11 11	WY
	(with required solvent)					
592	PENICILLIN, BENZYL					
	Oral Tablet, B.P. 200,000 U. tab.		25	3	0 16 4	GL, SI
	400,000 U. tab.		25	3	1 7 0	GL
	Injection, B.P.					
	100,000 U. amp. (with required solvent) ..		6	..	* 0 15 0	BD, GL, SI
	200,000 U. amp. (with required solvent) ..		6	..	* 0 15 6	BD, BT, GL, SI
	500,000 U. amp. (with required solvent) ..		6	..	* 1 3 0	BT, CS, DL, GL,
	Set containing 1 vial Peni- cillin G. 500,000 U. and					
	2 mil. amp. water for in- jection		6	..	* 1 6 6	BT, CS, DH, GL

592—continued

1,000,000 U. amp. (with
required solvent)
Set containing 1 vial Peni-
cillin G. 1,000,000 U. and
2 mil. amp. water for in-
jection
1,500,000 U. amp. (with
required solvent)
Set containing 1 vial Peni-
cillin G. 1,500,000 U. and
2 mil. amp. water for in-
jection
Eye Drops 30,000 U. per 1/2 fl. oz. 1/2 fl. oz.
Eye Ointment 2,000 U. per G. 4 G. ..

593 PENICILLIN BENZYL PROCAINE

(Aqueous Suspension) Injection, B.P.—

300,000 U. amp.
400,000 U. vial
600,000 U. vial
900,000 U. vial
1,000,000 U. vial
1,500,000 U. vial

(Crystalline) Injection—

300,000 U. amp. (with required solvent) ..
Set containing 1 vial Penicillin 300,000
U. and 1 vial Water for Injection ..
900,000 U. amp. (with required solvent) ..
Set containing 1 vial Penicillin 900,000
U. and 1 vial Water for Injection ..
1,500,000 U. amp. (with required solvent) ..
Set containing 1 vial Penicillin 1,500,000
U. and 1 vial Water for Injection ..

6	..	* 1 9 0	BT, CS, DH, DL, EV, GL, SI
6	..	* 1 12 6	BT, CS, DH, GL
6	..	* 2 1 6	BT, DH, GL, SI
6	..	* 2 5 0	DH, GL
1	2	0 10 7	SI
1	..	0 5 4	SI
		0 5 8	DH
6	..	* 1 6 6	BT
6	..	* 1 7 0	DH
6	..	* 1 13 6	BT, DH, FA
6	..	* 2 0 6	BT, CS, DH, EV, SI, VR
6	..	* 2 3 0	AB, DH, EV, FA, SI
6	..	* 2 15 0	CS, DH, EV, FA, GL, SI, VR
6	..	* 1 2 6	CS, DL, GL, SI
6	..	* 1 6 6	CS
6	..	* 1 16 6	CS, DL, GL, SI
6	..	* 2 0 6	CS
6	..	* 2 11 0	CS, SI
6	..	* 2 15 0	CS

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
594	PENICILLIN BENZYL, PROCAINE FORTIFIED Injection, B.P.— 400,000 U. amp. (with required solvent) .. Set containing 1 vial Penicillin 400,000 U. and 1 vial Water for Injection .. 600,000 U. amp. (with required solvent) .. 1,200,000 U. amp. (with required solvent) .. Set containing 1 vial Penicillin 1,200,000 U. and 1 vial Water for Injection .. 1,500,000 U. amp. (with required solvent) ..		6 6 6 6 6 6		* 1 3 0 * 1 7 0 * 1 9 6 * 2 5 0 * 2 9 0 * 2 11 0	CS, DL, SI CS DH BT, CS, DH, DL, CS DH
595	PENICILLIN, PHENOXYMETHYL (BENZATHINE, CALCIUM, HYDRABAMINE OR POTASSIUM SALT OR FREE ACID) (Suspension) Oral 125 mg. per dram, 2 fl. oz. bottle Oral Sachet 125 mg. sachet Oral Tablet 60 mg. tab. 125 mg. tab. 250 mg. tab. .. .	C	1 16 24 24 12	 1	1 5 4 1 5 4 0 15 4 1 2 9 (ex 100) 1 4 4 (ex M.P.) 1 1 6 (ex 100) 1 3 0 (ex M.P.)	AB, BT, CM, CS, DH, DL, FA, GL, IC, SI LY AB, BT, CM, CS, DH, DL, GL, LY, SI AB, AN, BT, CM, CS, DH, DL, FA, GL, IC, LP, LY, SI AB, AN, BT, CM, CS, DH, DL, FA, GL, IC, LP, LY, SI AB, AN, BT, CM, CS, DH, DL, FA, GL, IC, LP, LY, SI AB, AN, BT, CM, CS, DH, DL, FA GL, IC, LP, LY, SI

595—continued

Oral Capsule	125 mg. cap.	..	..	24	..	1 2 9 (ex 100)	AB, CS, FA
						1 4 4 (ex M.P.)	AB, CS, FA
	250 mg. cap.	..	..	12	1	1 1 6 (ex 100)	AB, CS, FA
						1 3 0 (ex M.P.)	AB, CS, FA
596 PENICILLIN WITH STREPTOMYCIN							
Injection 100,000 U. Penicillin Crystalline;							
300,000 U. Penicillin, Procaine;							
500 mg. Streptomycin							
	1 amp. (with required solvent)	D		6	..	*1 13 0	GL, SI
Set containing 1 vial and 2 mil.							
	amp. water for injection..	D		6	..	*1 16 6	GL
Injection 500,000 U. Sodium Benzyl, Peni-							
cillin; 500 mg. Streptomycin							
Sulphate							
	1 vial (with required solvent)	D		6	..	*1 13 0	GL
Set containing 1 vial and 2 mil.							
	amp. water for injection	D		6	..	*1 16 6	GL
597 PENTAERYTHRITOL TETRANITRATE							
Oral Tablet	10 mg. tab.	..	..	100	2	0 8 4	HY, WW
	20 mg. tab.	..	..	100	2	0 9 8	HY, RK, WW
	30 mg. tab.	..	..	100	2	0 11 0	HY
						0 11 5	WL
	80 mg. tab. (Sustained Action)			100	2	0 15 0	HY, WW
598 PENTOBARBITONE SODIUM							
Oral Tablet, B.P. 1/2 gr. tab.							
		..	..	50	2	0 6 8	AB, DH, KL, QE
						0 6 9	HY

Item No.	Name, Manner of Administration and Form			Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
598—continued								
							£ s. d.	
							0 7 0	GP, RY, TO, VA
							0 7 4	MG
	1.5 gr. tab.	..	..		50	2	0 5 8	QE, TO
							0 6 0	AD, DH, FA, HY, KL, MG, RT, RY, SI, SL, VA, WD
							0 6 2	AN
							0 6 3	CO
							0 6 9	CM, PR, RD
							0 7 0	AB, GP
							ex 1,000)	
							0 7 0	QE
							0 7 8	AD, DH, FA, HY, KL, RD, RT, RY, SI, TO, WD
							0 8 0	CM
							0 8 4	AB, CO, MG, PR
							0 8 8	VA
							0 9 8	GP
							0 10 0	SL
							0 10 1	AN
							(ex M.P.)	
Oral Capsule	1/2 gr. cap.	..	..		50	2	0 8 4	AN
							0 9 8	AB
	3/4 gr. cap.	..	..		50	2	0 13 8	AN
							0 18 4	AB
	1.5 gr. cap.	..	..		50	2	0 10 2	FA, KL, MG, PD, VA

						0 10 10	PR
						0 11 6	AN
						0 12 2	AB, MB
						(ex 500)	
						0 12 1	FA, KL
						0 13 0	AB, MG, PR
						0 13 8	VA
						0 14 4	PD
					*	0 15 1	MB
						0 18 4	AN
						(ex M.P.)	
599	PENTOBARBITONE SODIUM COMPOUND						
	Oral Capsule, A.P.F. 1955	50	2			0 15 8	AB, MG
						0 16 0	AN
						0 18 8	PD
	Oral Tablet, A.P.F. Capsule Formula.. ..	50	2			0 15 8	CO
600	PENTOLINIUM TARTRATE						
	Injection, B.P. 5 mg. per cc., 10 cc. vial	1	1			0 9 8	MB
	25 mg. per cc., 25 cc. vial	1	1			1 5 8	MB
	Oral Tablet, B.P. 40 mg. tab.	100	2			0 17 0	MB
	200 mg. tab.	100	2			2 7 4	MB
601	PENTOLINIUM TARTRATE WITH EPHEDRINE						
	Injection 25 mg. per cc., 25 cc. vial ..	1	1			1 9 8	MB
602	PERTUSSIS PROPHYLACTIC (Haemagglutinin Aluminium Phosphate Adsorbed)						
	Injection 1/2 cc. amp.	2	..		*	0 11 0	CS

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
603	PERTUSSIS VACCINE (PHASE 1) Injection 20,000 M. per cc., 1 cc. amp. ..		3	1	* 0 15 0	CS
604	PETHIDINE HYDROCHLORIDE Injection, B.P. 50 mg. per cc., 1 cc. amp. ..		6	..	0 7 0 0 8 4 * 0 8 7	AD, BL, BW, CM, DH, FH, KL BT RO
	50 mg. per cc., 2 cc. amp. ..		6	..	0 8 8 0 10 7 * 0 10 7	AD, BL, BW, CM, DH, FH, KL BT RO
	50 mg. per cc., 10 cc. vial ..		1	..	0 7 8	CM, DH, FH, KL
	50 mg. per cc. 25 cc. bottle		1	..	0 14 4	IC
	50 mg. per cc., 50 cc. bottle		1	..	1 0 11	BA, DH, KL, RO
605	PETHIDINE SCOPOLAMINE Injection (Pethidine Hydrochloride 100 mg.; Scopolamine 0.43 mg.) 2 cc. amp.		6	..	0 9 4 0 10 0 0 10 9 * 0 11 5	KL BW BT RO
606	PHEMITONE, B.P. 1953 Oral Tablet, B.P.C. 1/2 gr. tab.		200	1	0 9 0 * 0 9 0 0 9 5 0 9 8 0 12 1 * 0 12 10	AD, CO, DH, KL, MG, PR, QE, SI FA VA RY, TO BA PH

606—continued

606—continued	1 gr. tab.	..	..	200	1	0 12 0	AD, CO, DH, KL, MG, PR, SI
						* 0 12 2	FA
						0 13 0	RY, VA
						0 13 8	TO
						0 14 4	BA
						* 0 15 0	PH
	3 gr. tab.	..	..	200	1	1 4 0	AD, CO, DH, KL, MG, PR, SI
						* 1 4 2	FA
						1 5 8	TO
						1 7 0	RY, VA
						* 1 8 4	PH, QE
						1 8 4	BA
650 PHENACETIN	Oral Tablet with Codeine Phosphate and Sodium Pentobarbitone 5 gr.-1/4 gr.-1/2 gr. tab.			100	2	0 16 4	AD, DH, FH, HY, KL, QE, SI, SL, TO
						0 17 0	RD
						0 18 0	CM, MG, PR
						1 2 0	AB, FM, GP
607 PHENAZONE	Oral Tablet, B.P. 1948 5 gr. tab.			100	2	0 16 4	TO
608 PHENINDAMINE TARTRATE	Oral Tablet, B.P. 25 mg. tab.			50	2	0 11 3	RO
609 PHENINDIONE	Oral Tablet, B.P. 50 mg. tab.			100	2	3 13 0	EV
610 PHENOBARBITONE	Oral Tablet, B.P. 1/4 gr. tab.			100	2	0 4 8	AB, AD, BW, DH, FA, HY, KL, PR, RT, RY, SI, SL, TO, VA, WD,
	1/2 gr. tab.			100	2	0 4 5	AD, DH, FA, HY, KL, PR, RT, RY SI, SL, VA, WD

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
610—continued					£ s. d.	
					0 4 7	AB, TO
					0 4 9	BK, BW, GP, MB, MG, PB
					(ex 1000)	
					0 5 3	AB, AD, DH, FA, HY, KL, PB, PR, RT, RY, SI, SL, TO, VA, WD
					0 5 4	MG
					0 5 8	BK, BW, GP, MB
					(ex M.P.)	
	1 gr. tab.		100	2	0 4 9	AD, DH, FA, HY, KL, PB, RT, RY, SI, SL, VA, WD
					0 5 2	AB, MG, PR, TO
					0 5 6	BW, GP, MB
					(ex 1,000)	
					0 5 4	AD, DH, FA, HY, KL, RT, RY, SI, TO, VA, WD
					0 5 8	AB, MG, PB, PR, SL
					0 6 4	BW, GP, MB
					(ex M.P.)	
	1.5 gr. tab.		100	2	0 6 4	AD, DH, FA, GP, HY, KL, MG, RT, RY, SI, SL, VA, WD
					0 6 5	AB, TO
611	PHENOBARBITONE SODIUM Injection, B.P. 3 gr. per 1 cc. amp. (with required solvent)		6	..	0 8 11 * 0 9 8	BL, CM, DH, FH, FM MB

611—continued

3 gr. per 1.5 cc. amp. (with required solvent)	6	..	0	10	9	EV
3 gr. per 2 cc. amp. (with required solvent)	6	..	0	9	0	BT
3.1 gr. per 2 cc. amp. with 2 mil. amp. Water for Injection	6	..	0	18	4	DH
Oral Tablet, B.P. 1/4 gr. tab.	100	2	0	4	8	DH, FA, KL, RT, SL, TO
1/2 gr. tab.	100	2	0	5	3	DH, FA, HY, KL, PR, RT, RY, SL, TO, VA
1 gr. tab.	100	2	0	5	4	KL, RT, RY
			0	5	8	FA, HY, MG, SL, TO, VA
1.5 gr. tab.	100	2	0	6	4	FA, HY, KL, MG, RY, VA
612 PHENOBARBITONE SODIUM AND SODIUM BROMIDE						
Mixture, P.L.	8 fl. oz.	4	0	8	1	Extemp.
613 PHENOL						
Lotion, P.L.	8 fl. oz.	4	0	7	8	Extemp.
Ear Drops, P.L.	1/2 fl. oz.	2	0	6	11	Extemp.
614 PHENOLPHTHALEIN						
Oral Pill, Compound	50	1	* 0	5	2	MG
			* 0	5	3	TO
			* 0	5	10	DH, HY
615 PHENSUXIMIDE						
Oral Capsule 500 mg. cap.	200	1	4	2	4	PD
653 PHENYLALANINE LOW CONTENT FORMULA						
Powder 2.5 lb. tin	AD 1	..	5	6	8	CM

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
616	PHENYLBUTAZONE Oral Tablet 100 mg. tab.		50	..	£ s. d. 0 19 7 (ex 250) 1 0 8 (ex M.P.)	GE GE
617	PHENYLEPHRINE HYDROCHLORIDE Compound Suppository with Benzocaine ..		12	1	0 10 7	WL
618	PHENYTOIN SODIUM Injection 250 mg. vial with 5 cc. water for injection Oral Tablet, B.P. 100 mg. tab. Oral Capsule 30 mg. cap. 100 mg. cap.		1 200 200 200	.. 1 1 1	1 19 0 0 15 0 0 17 8 1 7 8	PD DH, KL, TO PD PD
619	PHOLCODINE CITRATE, B.P.C. Linctus		8 fl. oz.	4	0 12 4	GL
620	PTHALYLSULPHACETAMIDE Oral Tablet, B.P. 500 mg. tab.		100	..	1 11 0	BS, CM, KL, SC, VR
621	PTHALYLSULPHATHIAZOLE Oral Tablet, B.P. 500 mg. tab. Mixture for Children, P.L.		100 4 fl. oz.	.. 4	0 14 4 (ex 500) 0 14 4 (ex M.P.) 0 12 6	MB, MK MB, MK Extemp.

622	PHYSOSTIGMINE SALICYLATE									
	Eye Drops, 1/2%, P.L.	..	..	..	1/2 fl. oz.	6	0	14	6	Extemp.
623	PICROTOXIN									
	Injection, B.P. 5 mg. per 2 cc. amp.	..			6	1	0	11	8	DH, FH
	0.4 gr. per 1 cc. amp.	..			6	1	0	11	8	MT
624	PILOCARPINE NITRATE									
	Eye Drops 1/2%, P.L.	..	..	..	1/2 fl. oz.	6	0	8	4	Extemp.
	1%, P.L.	..	..	..	1/2 fl. oz.	6	0	9	2	Extemp.
625	PIPERAZINE ADIPATE									
	Oral Tablet, B.P. 300 mg. tab.	..	..		25	2	0	10	0	BD, TO
654	PIPERAZINE CITRATE									
	Oral Tablet 500 mg. tab.	..	..	..	30	..	0	12	7	BW
626	PIPERAZINE PHOSPHATE									
	Oral Tablet, B.P. 260 mg. tab.	..	..		25	2	* 0	9	2	GL
627	PITUITARY, POSTERIOR LOBE									
	Injection 1 cc. amp.	..	..	..	6	1	0	14	4	PD
628	PLAGUE VACCINE									
	Injection 4,000 million per cc., 1 cc. amp.	..			2	..	* 0	16	4	CS
629	POLYMYXIN B. SULPHATE									
	Ear Drops 1/2 fl. oz.	..	..	..	1	2	1	15	0	AN, BW, HA, KL, SI
	Ear Drops with Acetic Acid and Propylene Glycol 10 mil.	..	..	..	1	2	0	13	0	BW
	Eye Drops 5 mil.	..	..	..	1	2	1	7	0	AN, BW, HA, KL, SI

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
629—	<i>continued</i>					
	Eye Drops with Bacitracin and Neomycin Sulphate 10 mil. (with required solvent)		1	2	1 3 0	GL
	Eye Drops, Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate 10 mil. and 10 cc. amp. of solvent ..		1	2	1 7 0 1 9 3	AN, DH HA
	Eye Ointment with Bacitracin and Neomycin 4 G. ..		1	..	0 7 0	AN, BW, GL, HA, SI, UP
630	POTASSIUM BROMIDE					
	Mixture, P.L.		8 fl. oz.	4	0 8 0	Extemp.
	Mixture with Nux Vomica, P.L.		8 fl. oz.	4	0 7 9	Extemp.
	Mixture with Phenobarbitone and Belladonna, P.L.		8 fl. oz.	4	0 7 7	Extemp.
631	POTASSIUM CHLORIDE					
	Oral Tablet, B.P. 500 mg. tab.		100	2	0 7 0	AN, DH, HY, KL, RT, RY
632	POTASSIUM CITRATE					
	Mixture, P.L.		8 fl. oz.	4	0 8 6	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 8 6	Extemp.
	Mixture Acid, P.L.		8 fl. oz.	4	0 10 6	Extemp.
	Mixture with Hyoscyamus, P.L.		8 fl. oz.	4	0 8 0	Extemp.

633 POTASSIUM IODIDE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	8	6 Extemp.
Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0	8	5 Extemp.
Mixture with Stramonium for Children, P.L.					4 fl. oz.	4	0	8	3 Extemp.
634 PREDNISOLONE									
Oral Tablet, B.P.	5 mg. tab...	..	..	AD	30	..	2	17	0 AN, BT, GL, HY, MK, OR, PD, PR, RL, BY, SC, SH, UP
Oral Tablet with Magnesium Trisilicate and Aluminium Hydroxide:									
Prednisolone 5 mg.; Magnesium Trisilicate 50 mg.; Dried Aluminium Hydroxide Gel, 300 mg.				AD	30	..	2	17	0 MK
Eye Ointment	0.5% 4 G.	..	..	..	1	..	1	3	0 AN, CO, KL, UP
655 PREDNISOLONE ACETATE									
Injection	10 mg. per 1 cc. amp.	..	..	AD	3	2	1	9	8 DH, SC
656 PREDNISOLONE DISODIUM PHOSPHATE									
Eye-Ear Drops, 0.5%	2.5 mil.	..	..		1	2	1	1	8 MK
	3 mil.	..	..		1	2	1	3	0 GL
Eye-Ear Ointment	3 G.	..	..		1	..	1	3	0 GL
657 PREDNISOLONE METHYL									
Oral Tablet	4 mg. tab.	..	..	AD	30	..	4	5	8 UP
Oral Capsule	4 mg. cap.	..	..	AD	30	..	4	5	8 UP
658 PREDNISOLONE SODIUM HEMISUC- CINATE				H	..	..	..	..	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
635	PREDNISONE				£ s. d.	
	Oral Tablet, B.P. 5 mg. tab.	AD	30	..	2 17 0	AN, BT, GL, HY, KL, MK, OR, PD, PR, RL, RY, SC, SH, UP
					3 15 0	RD
	Oral Tablet with Magnesium Trisilicate and Aluminium Hydroxide:					
	Prednisone 5 mg.; Magnesium Trisilicate 50 mg.; Dried Aluminium Hydroxide Gel. 300 mg.	AD	30	..	2 17 0	MK
636	PRIMAQUINE BASE					
	Oral Tablet, B.P. 7.5 mg. tab.		30	1	0 10 8	IC
	15 mg. tab.		14	1	0 6 9	WL
637	PRIMIDONE					
	Oral Tablet, B.P. 250 mg. tab.		200	1	4 3 1	IC
					(ex 1,000)	
					* 4 9 8	IC
					(ex M.P.)	
659	PROBENECID					
	Oral Tablet 500 mg. tab.		100	2	5 19 8	MK
638	PROCAINAMIDE HYDROCHLORIDE					
	Injection, B.P. 100 mg. per cc., 10 cc. vial . .		1	..	0 15 8	SQ
	Oral Tablet 250 mg. tab.		100	2	3 3 0	SQ

639	PROCAINE HYDROCHLORIDE IN NORMAL SALINE									
	Injection	0.1%, 1 litre bottle	..	..		2	1	* 1 11 8	AB, BT	
640	PROCYCLIDINE HYDROCHLORIDE									
	Oral Tablet, B.P.	5 mg. tab...	..	..		100	2	2 3 0	BW	
641	PROGESTERONE									
	Injection	20 mg. I.V. amp.	..	..	D	3	..	2 6 4	OR, SC	
		25 mg. amp...	..	..	D	3	..	1 7 0	BD, CB, OR, SC	
	Implant	25 mg. implant	..	..	D	1	..	1 1 0	BD, OR	
642	PROGESTERONE DEPOT									
	Injection	125 mg. amp.	..	..	D	3	..	2 16 4	EB, SC	
643	PROGUANIL HYDROCHLORIDE									
	Oral Tablet, B.P.	100 mg. tab.	..	..		100	2	0 11 5	IC	
644	PROMETHAZINE HYDROCHLORIDE									
	Injection	2.5%, 2 cc. amp.	..	..		10	..	0 15 0	MB	
	Oral Tablet, B.P.	10 mg. tab.	..	..		50	1	0 8 10	MB	
								(ex 500)		
								0 9 8	MB	
								(ex M.P.)		
		25 mg. tab.	..	..		50	1	0 11 10	MB	
								(ex 500)		
								0 13 8	MB	
								(ex M.P.)		
660	PROPANTHELINE BROMIDE									
	Injection	30 mg. per 1 cc. vial (with required solvent)	..	..		6	..	3 9 8	SR	
	Oral Tablet	15 mg. tab.	..	..		100	2	2 16 4	SR	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
645	PROPHEPYRIDAMINE PARA-AMINOSALICYLATE					
	Injection 25 mg. per cc., 2 cc. amp. ..		5	1	0 14 1	FM
	Oral Tablet 10 mg. tab.		50	1	0 9 3	FM
	50 mg. tab.		50	1	0 15 8	FM
646	PROTAMINE SULPHATE					
	Injection 1%, 5 mil. amp.		6	..	1 3 7	EV
647	PROTOVERATRINE A.					
	Injection 1 mil. amp.	D	6	..	0 16 8	SZ
662	PYRIDINE ALDOXIMEMETHIODIDE	H				
648	PYRIDOSTIGMINE BROMIDE					
	Oral Tablet 60 mg. tab.	D	100	2	* 4 5 5	RO
649	PYRIDOXINE HYDROCHLORIDE, B.P.C.					
	Injection 50 mg. per cc., 1 cc. amp. ..		6	1	0 18 4	KL
	50 mg. per 2 cc., 2 cc. amp. ..		6	1	1 0 4	AN, BL, CM, DH, FM, PD, RO
	50 mg. per cc., 5 cc. vial ..		1	1	1 1 8	BD, RO, VM
					1 1 8	KL
					1 4 0	LY
	50 mg. per cc. 10 cc. vial ..		1	..	1 3 0	DH, FH, KL
					1 7 0	CM

663	PYRIMIDO-PYRIMIDINE									
	Oral Tablet	12.5 mg. tab.	..	..	100	1	2 4 9	FA		
661	PYRROLIDINO-METHYL-TETRACYCLINE									
	Injection	110 mg. Tetracycline amp. I.V.	D		5	..	* 4 10 11	FM		
		275 mg. Tetracycline amp. I.V.	D		5	..	* 7 16 9	FM		
		150 mg. Tetracycline amp. I.M.	D		5	..	* 4 10 11	HP, SQ		
		350 mg. Tetracycline amp. I.M.	D		5	..	* 7 16 9	HP, SQ		
721	QUINALBARBITONE SODIUM									
	Oral Tablet, B.P.	1.5 gr. tab.	..	..	50	2	0 10 2	AD, DH, HY, KL, MG, RY, SI, SL, VA		
							0 13 6	CM, GP, RD		
							(ex 100)			
							0 11 8	AD, DH, HY, KL, MG, RY, SI, VA		
							0 13 4	RD		
							0 15 8	CM, GP, SL		
							(ex M.P.)			
	Oral Capsule	1.5 gr. cap.	..	..	50	2	0 15 11	LY		
							(ex 100)			
							0 18 4	LY		
							(ex M.P.)			
722	QUINIDINE SULPHATE									
	Oral Tablet, B.P.	3 gr. tab.	..	..	100	2	1 4 4	DH, HA, KL, TO		
							1 5 8	BW		
723	QUININE BISULPHATE									
	Oral Tablet, B.P.	5 gr. tab.	..	..	100	2	0 16 4	AN, CO, DH, HY, PD, TO		
							0 17 8	BW, FA		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
724	QUININE DIHYDROCHLORIDE					
	Injection, B.P. 3 gr. per cc., 1 cc. amp. ..		6	1	0 10 4	DH
	6.25 gr. per cc. 1 cc. amp.		6	1	0 11 0	DH
	9.25 gr. per 2 cc. amp. ..		6	1	0 11 8	DH
	15.5 gr. per 2 cc. amp. ..		6	1	0 17 8	DH
	Oral Tablet 5 gr. tab.		100	2	1 2 0	DH
	Oral Capsule 5 gr. cap.		100	2	1 11 0	PD
725	QUININE HYDROCHLORIDE					
	Oral Tablet, B.P. 5 gr. tab.		100	2	1 2 0	DH
726	QUININE SULPHATE					
	Oral Tablet, B.P. 5 gr. tab.		100	2	0 16 4	AD, DH, HY, PR, SI
					0 19 8	TO
					1 2 4	AN
747	RAUWOLFIA ALKALOIDS					
	Oral Tablet 0.25 mg. tab.		100	2	0 13 8	KL
	2 mg. tab.		60	1	0 19 0	RK
	50 mg. tab.		100	2	1 13 0	IQ, SQ
746	RESERPINE					
	Injection 1 mg. amp.		5	1	0 10 1	CB
	2.5 mg. amp.		5	1	0 16 4	CB
	Oral Tablet 0.25 mg. tab.		100	2	0 8 4	AN, HA, KL, RK, RY
					0 9 4	MG
					0 9 8	CB, VR
	0.5 mg. tab.		100	2	0 10 4	AN, HA, KL, RK
					0 12 4	CB

741	RESORCINOL									
	Lotion, Compound, P.L.	..	..	..		8 fl. oz.	4	0 10 4	Extemp.	
	Ointment, Compound, P.L.	..	..	..		1920 gr.	1	0 12 9	Extemp.	
742	RHUBARB									
	Pill, Compound, B.P.C.	..	..	..		50	1	0 6 3	DH	
	Mixture with Soda, P.L.	..	..	..		8 fl. oz.	4	0 8 7	Extemp.	
	Mixture with Soda for Children, P.L.	..	..	..		4 fl. oz.	4	0 7 3	Extemp.	
743	RIBOFLAVINE									
	Oral Tablet, B.P.	5 mg. tab...	..	..	P	100	2	0 7 0	DH, FM, KL, MG, PR, RT, RY, TO, VA	
744	RINGER'S SOLUTION									
	Injection	1 litre bottle..	..	..		4	1	* 3 0 4	BT, DH, EV, FH	
745	RISTOCETIN				H	..	..	..		
755	SACCHARIN OR SACCHARIN SODIUM									
	Oral Tablet	1/2 gr. tab.	..	..		200	1	0 2 0	AD, DH, FA, HY, KL, RT, RY, SI, SL, WD	
803	SALICYLAZOSULPHAPYRIDINE									
	Oral Tablet	500 mg. tab.	..	..	D	100	..	1 17 8	MR	
756	SALICYLIC ACID									
	Paint, P.L.	..	..	..		1 fl. oz.	1	0 6 7	Extemp.	
	Ear Drops, P.L.	..	..	..		1/2 fl. oz.	2	0 6 4	Extemp.	
	Ointment, B.P.	..	..	..		1920 gr.	1	0 14 2	Extemp.	
	Lotion, Compound, P.L.	..	..	..		8 fl. oz.	4	0 9 2	Extemp.	
757	SEIDLITZ POWDER									
	Compound Effervescent Powder, B.P.	1953 ..				12	1	0 5 0	DH, WD	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
758	SENNA FRUIT, B.P. 3 oz.		1	..	0 2 0 0 2 6	DH SI
759	SENEGA AND AMMONIA Mixture, P.L.		8 fl. oz.	4	0 9 10	Extemp.
760	SCHICK TEST TOXIN Injection 1 cc. vial		1	1	0 8 4	CS
761	SILVER PICRATE, B.P.C. 1949 Insufflation, 1%		5G.	1	0 8 4	AB
762	SILVER PROTEIN, MILD, B.P.C. Eye Drops, 10%, P.L.		1/2 fl. oz.	2	0 8 5	Extemp.
763	SIMPLE OINTMENT Ointment		1920 gr.	1	0 11 8	Extemp.
764	SMALLPOX VACCINE Injection Capillary Tube		1	..	0 5 5	CS
765	SODIUM AUROTHIOMALATE Injection, B.P. 1 mg. amp. (with required solvent).. .. 2 mg. amp. (with required solvent).. .. 5 mg. amp. (with required solvent).. ..		1 1 1	3 3 3	0 4 11 0 5 1 0 5 3	MB MB MB

765—continued

10 mg. amp. (with required solvent) ..	1	3	0	5	7	MB
20 mg. amp. (with required solvent) ..	1	3	0	5	9	MB
50 mg. amp. (with required solvent) ..	6	1	* 1	7	0	MB
100 mg. amp. (with required solvent) ..	6	1	* 1	15	0	MB
200 mg. amp. (with required solvent) ..	1	3	0	11	8	MB
766 SODIUM BICARBONATE						
Ear Drops, P.L.	1/2 fl. oz.	2	0	6	8	Extemp.
Mixture, P.L.	8 fl. oz.	4	0	7	2	Extemp.
Oral Tablet, Compound, B.P. 5 gr. tab. ..	100	2	0	4	8	FA, SL, TO
767 SODIUM CALCIUMEDETATE						
Injection 200 mg. per 5 cc. amp. ..	6	..	3	1	8	RK
Oral Tablet 500 mg. tab.	100	2	2	1	11	RK
768 SODIUM CHLORIDE						
(Hypertonic Solution)—						
Injection 3%, 1 litre bottle	2	1	* 1	11	8	BT, DH, FH
5%, 1 litre bottle	2	1	* 1	11	8	BT, DH, FH
(Physiological Solution)—						
Injection 2 cc. amp.	6	1	0	6	4	AD, BL, DH, FH, KL
5 cc. amp.	6	1	0	7	8	AD, BL, DH, FH, KL
10 cc. amp.	6	1	0	9	0	AD, BL, CS, DH, FH, KL
10 cc. vial	2	1	* 0	7	6	DH, FH, PD
20 cc. amp.	6	1	0	13	0	BL, DH, FH, KL
50 cc. amp.	3	1	* 0	15	0	DH, FH, KL
1 litre bottle	2	1	* 1	11	8	AB, BT, DH, EV, FH, GL
Oral Tablet, B.P. 5 gr. tab.	100	2	0	4	8	DH, FA, HY, RT
769 SODIUM CHLORIDE WITH DEXTROSE						
Injection, B.P. 5%, 1 litre bottle	2	1	* 1	11	8	AB, BT, DH, EV, FH, GL
10%, 1 litre bottle	2	1	* 1	11	8	AB, BT, DH, FH

Item No.	Name, Manner of Administration and Form			Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
769—continued								
	20%, 1 litre bottle ..	..			2	1	* £ 1 11 8	BT, DH, FH
	25%, 1 litre bottle ..	..			2	1	* £ 1 11 8	AB, BT, DH, FH
770	SODIUM CITRATE							
	Oral Tablet for Children	2 gr. tab. ..	..		100	2	0 5 3	AD, DH, RT, SI
							0 7 0	BW
	Oral Tablet, B.P.	5 gr. tab. ..	..		100	2	0 6 4	DH, HY
							0 8 9	BW
804	SODIUM FOLATE							
	Injection	15 mg. per cc., 10 cc. vial	..	D	1	..	1 5 8	LE
771	SODIUM LACTATE							
	(Solution 1/6 Molar)—							
	Injection	1 litre bottle ..	..		2	1	* £ 1 11 8	AB, BT, DH, FH
772	SODIUM OLEATE COMPOUND							
	Oral Pill ..	..	..		50	1	* 0 7 1	FA
							* 0 8 11	DH
							* 0 9 0	PD
773	SODIUM PARA-AMINOSALICYLATE							
	Injection	20%, 10 cc. vial	..	D	6	..	1 1 3	KL
	Oral Cachet	1.5 G. cachet ..	..	D	200	2	3 3 0	AN, KL, WA
							3 9 8	WB
							* 3 11 7	SN
		2.0 G. cachet ..	..	D	200	2	4 3 0	KL, WA
	Oral Tablet, B.P.	5 gr. tab. ..	..	D	200	1	0 18 8	KL
							* 1 1 8	DH
							* 1 3 5	AD, SI

773—continued

773—continued											
	7.5 gr. tab.	..	..	D	500	2	2	3	0	KL	
							2	7	4	CM, RY, SN	
							* 2	7	6	AN, WA	
							2	11	9	AD, SI	
							* 2	13	0	TO	
							* 2	16	4	DH	
Granules	350 G. tin	..	..	D	1	1	2	6	4	RL	
774 SODIUM SALICYLATE											
Mixture, P.L.	..	..	..		8 fl. oz.	4	0	8	2	Extemp.	
Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0	7	2	Extemp.	
Oral Tablet, B.P.C.	5 gr. tab.	..	..		100	2	0	7	8	AD, DH, FA, KL, PR, RT, SI, TO,	
							0	9	8	HY, SL	
Oral Tablet (Enteric Coated)	5 gr. tab.	..	..		100	2	0	11	0	AN, DH, HY, KL, LY, PR, RY, TO	
	7.5 gr. tab.	..	..		100	2	0	12	4	KL, PR, QE, RD, TO	
	10 gr. tab.	..	..		100	2	0	13	8	AN, DH, KL, LY, PR, QE, RY, TO	
775 SODIUM SULPHATE											
(Solution 4.28%)—											
Injection	1 litre bottle	..	..		2	1	* 1	11	8	BT, DH, FH	
776 SODIUM TAUROGLYCOCHOLATE											
Oral Pill	..	..	..		50	1	* 0	7	5	DH	
							0	7	8	WW	
Oral Tablet	..	..	..		50	1	* 0	7	5	DH	
777 SORBOLENE, A.P.F., 1955											
Cream, P.L.	..	..	..		1920 gr.	1	0	8	10	Extemp.	
805 SOYA FORMULA											
Liquid	1 tin	..	..	AD	6	..	* 1	17	6	CM	
Powder	1 tin	..	..	AD	6	..	* 5	6	6	CM	

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
806	SPIRAMYCIN									
	Oral Capsule	250 mg. cap.	..	..	..	D	20	..	1 18 4	MB
	Oral Tablet	250 mg. tab.	..	..	..	D	20	..	1 18 4	MB
778	SPIRIT, INDUSTRIAL METHYLATED									
	Soap, A.P.F. 1955	..	..	..	..		4 fl. oz.	1	0 9 9	Extemp.
	Ear Drops, P.L.	..	..	..	..		1/2 fl. oz.	2	0 6 3	Extemp.
779	STAPHYLOCOCCUS TOXOID									
	Injection, B.P.	5 cc. bottle	..	..	..		1	..	1 1 8	CS
780	STILBOESTROL									
	Injection	1 mg. amp.	..	..	..	DG	6	..	0 6 9	BD, DH
		5 mg. amp.	..	..	..	DG	6	..	0 7 3	BD, DH, KL
	Oral Tablet, B.P.	0.1 mg. tab.	..	..	..	DG	100	2	0 5 1	AN, HY, KL
		0.5 mg. tab.	..	..	..	DG	100	2	0 5 3	AD, BD, DH, FA, HA, HY, KL, MG, RT, RY, SI, SL, TO, VA, WD
		1 mg. tab.	..	..	..	DG	100	2	0 5 5	AD, DH, FA, HY, KL, RT, SI
									0 5 8	BD, HA, MG, RY, SL, TO
		5 mg. tab.	..	..	..	DG	100	2	0 8 0	AD, BD, BW, DH, FA, HA, HY, KL, MG, RT, RY, SI, SL, TO
		10 mg. tab.	..	..	..	DG	100	2	0 12 4	CM, DH, KL, TO
781	STREPTOMYCIN SULPHATE									
	Injection, B.P.									
		1 G. vial (with required solvent)	..	..	..	D	5	3	0 14 1	GA
									* 0 19 8	AN, BT, DH, DI, EV, GL, SI

781—continued

Intrathecal Injection									
100,000 U. amp. (with required solvent) ..	D	10	3	1	2	5	DL		
Solution Injection 250,000 U. per mil., 4									
mil. vial	D	5	3	* 1	1	9	DL, GL		
500,000 U. per mil., 2									
mil. vial	D	5	3	* 1	1	9	BT, EV, GL		
1,000,000 U. per 3 mil									
vial	D	5	3	* 1	1	9	EV, GL, SI		
Ear Drops, P.L.		1/2 fl. oz.	2	0	11	11	Extemp.		
782 STRYCHNINE HYDROCHLORIDE SOLUTION									
Mixture, P.L.		8 fl. oz.	4	0	7	6	Extemp.		
783 SUCCINYL SULPHATHIAZOLE									
Oral Tablet, B.P. 500 mg. tab.		100	..	1	3	0	MB, MK		
Mixture with Kaolin, P.L.		8 fl. oz.	4	1	1	3	Extemp.		
784 SULPHACETAMIDE SODIUM									
Ear Drops, P.L.		1/2 fl. oz.	2	0	7	1	Extemp.		
Eye Drops, Strong, P.L.		1/2 fl. oz.	2	0	9	11	Extemp.		
Eye Drops, Weak, P.L.		1/2 fl. oz.	2	0	8	8	Extemp.		
Eye Ointment, B.P. 60 gr.		1	..	0	5	0	AN, FH, MG, SC		
785 SULPHADIAZINE									
Oral Tablet, B.P. 300 mg. tab.		40	1	0	9	10	CM, KL, PD		
				0	10	4	AB		
				(ex 500)					
				0	10	9	AB, CM, KL, PD		
				(ex M.P.)					
500 mg. tab.		40	1	0	8	5	AD, CO, DH, FA, HY, KL, RT, RY,		
							SI, SL, VA, WD		
				0	10	1	AN, CM, MG, PD, PR TO		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
785—continued						
					£ s. d.	
					0 11 2 (ex 500)	BW, MB
					0 11 0	MG
					0 11 7 (ex M.P.)	AD, AN, BW, CM, CO, DH, FA, HY, KL, MB, PD, PR, RY, RT, SI, SL, TO, VA, WD
	Nasal Instillation, Compound, P.L.		1/2 fl. oz.	2	0 7 10	Extemp.
786	SULPHADIAZINE SODIUM Injection, B.P.C. 4 cc. amp... ..		5	..	* 0 15 9	MB
787	SULPHADIMETHOXINE Oral Tablet 500 mg. tab... ..		12	2	0 13 0	RO
	Suspension 200 mg. per cc., 10 cc. vial ..	C	1	..	0 11 5	RO
788	SULPHADIMIDINE Mixture for Children, P.L.		4 fl. oz.	4	0 16 0	Extemp.
	Oral Tablet, B.P. 250 mg. tab.		40	1	0 6 6 (ex 500)	KL, MG
					0 8 5 (ex M.P.)	KL, MG
	500 mg. tab.		40	1	0 7 0 (ex 500)	AD, AN, DH, HY, IC, KL, MG, PR, RY, SI, SL, TO, VA, VR, WD
					0 9 4 (ex M.P.)	AD, AN, DH, HY, IC, KL, MG, PR, RY, SI, SL, TO, VA, VR, WD

789	SULPHADIMIDINE SODIUM								
	Injection, B.P. 1 G. per 3 cc. amp.	..		5	..	0 11 8	IC		
790	SULPHAFURAZOLE								
	Oral Tablet 300 mg. tab.			40	1	0 13 10 (ex 500)	RO		
						0 14 11 (ex M.P.)	RO		
	500 mg. tab.			40	1	0 18 0 (ex 500)	RO		
						1 0 0 (ex M.P.)	RO		
	Eye Drops, 4% 10 mil.			1	2	0 9 8	RO		
	Eye Ointment 5 G.			1	..	0 6 1	RO		
791	SULPHAGUANIDINE								
	Oral Tablet, B.P. 500 mg. tab.			100	..	0 11 4	AD, AN, BW, DH, HY, KL, MG, PR, RT, RY, SI, SL, TO		
792	SULPHAMERAZINE								
	Oral Tablet, B.P. 500 mg. tab.			40	1	0 11 7 0 12 8	DH KL		
						* 0 14 2	AD, FA, HY, RT, SI, TO		
793	SULPHAMETHIZOLE								
	Oral Tablet 100 mg. tab.			30	1	0 8 4	AY, WW		
	250 mg. tab.			30	1	0 13 0	AY		
794	SULPHAMETHOXYPYRIDAZINE								
	Oral Tablet 500 mg. tab.			12	2	1 0 9 (ex 100)	LE, PD		
						1 1 8 (ex M.P.)	LE, PD		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
807	SULPHAMETHOXYPYRIDAZINE N-ACETYL Oral Suspension 250 mg. per 5 cc.	C	1 fl. oz.	..	£ s. d. 0 14 4	PD, LE
808	SULPHAPHENAZOLE Oral Tablet 500 mg. tab.		20	1	0 11 11	CB
795	SULPHAPYRIDINE, B.P.C. Oral Tablet, B.P.C. 500 mg. tab.		100	..	0 19 0	MB
796	SULPHONAMIDES, MIXED (B): THREE SULPHONAMIDES Oral Tablet 250 mg. tab.		40	1	0 10 5 (ex 500) 0 11 0 (ex M.P.)	CM, MB CM, MB
	300 mg. tab.		40	1	0 8 2 0 8 8 0 10 8 (ex 500) 0 8 11 0 11 0 (ex M.P.)	KL TO AB KL AB, TO
	330 mg. tab.		40	1	0 8 2 (ex 500) 0 11 0 (ex M.P.)	AN AN

796—continued

	500 mg. tab.	..	..	..		40	1	0 8 8	KL
								0 9 10	AN, DH, FA, HY, RY
								0 10 1	MG
								0 10 4	AD, FM, SI, SL, TO, VA, VR, WD
								0 10 11	CM
								0 11 1	MB
								(ex 500)	
								0 10 9	AD, DH, FM, KL, HY, RY, SI, TO, WD
								0 11 0	MG
								0 11 4	AN, CM, FA, FM, HY, MB, MG, SL,
								(ex M.P.)	TO, VA, VR, WD
797	SULPHUR								
	Ointment, B.P.	..	..	..	..	1920 gr.	1	0 11 1	Extemp.
798	SULPHURATED POTASH								
	Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0 9 2	Extemp.
800	SUSTANON								
	Injection	250 mg. amp.	..	..	..	D	1	..	2 17 8 OR
801	SUXAMETHONIUM BROMIDE								
	Injection, B.P.	67 mg. amp.	..	..	..	6	1	* 0 14 4	MB
802	SYNTOCINON								
	Injection	2 U. per 2 mil. amp.	..	..	..	6	..	0 10 4	SZ
		5 U. per 0.5 mil. amp.	..	..	..	6	..	0 13 0	SZ
		10 U. per 1 mil. amp.	..	..	..	6	..	0 18 4	SZ

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
								£ s. d.	
851	T.A.B. VACCINE (Anti-Typhoid-Paratyphoid)								
	Injection	1 cc. amp...	..	..	..	3	..	* 0 14 0	CS
		10 cc. vial	..	..	..	1	..	1 13 0	CS
852	TESTOSTERONE								
	Implant, B.P.	100 mg. implant	..	..	D	1	..	2 9 8	BD, CB, OR, SC
		150 mg. implant	..	..	D	1	..	3 7 8	OR
		200 mg. implant	..	..	D	1	..	4 5 8	OR
853	TESTOSTERONE METHYL								
	Oral Tablet, B.P.	25 mg. tab.	..	..	D	100	2	2 11 0	KL, MG
								2 19 0	HY
								3 3 0	AN, FM, PR
								4 0 4	RD
								8 11 0	BD, CB, OR, RL, SC
		50 mg. tab.	..	..	D	100	2	5 12 4	AN, KL
								5 15 0	HY
								6 3 0	FM, PR
								7 9 8	RD
								16 3 0	BD, OR, RL, SC
854	TESTOSTERONE OENANTHATE								
	Injection	250 mg. per cc., 1 cc. amp.	..	..	D	1	..	2 17 8	SC
855	TESTOSTERONE PROPIONATE								
	Injection, B.P.	25 mg. per 1 cc. amp.	..	..	D	12	..	2 3 0	KL
								* 2 11 0	AN, BD, FH, FM
								2 11 0	OE, TH

	50 mg. per 1 cc. amp.	..	D	12	..	* 2 15 10	CB
						* 2 16 4	SC
						4 3 0	KL
						4 8 4	TH
						* 4 8 4	AN, FH, FM, GL
						4 15 0	CB
						* 4 16 4	BD, OR
						* 4 19 0	SC
	50 mg. per cc., 10 cc. vial		D	1	..	3 14 0	CB, KL, OR, SC
	100 mg. per 2 mil., 2 mil.						
	amp.	..	D	3	..	2 8 0	AN, BD, OR, SC
						* 2 15 11	FM
Implant	100 mg. implant	..	D	1	..	2 9 8	BD
856	TETANUS ANTITOXIN						
	Injection 1,500 I.U. (1950) amp.	..		6	1	* 2 3 0	BW, CS, SE
	10,000 I.U. (1950) amp.	..		6	1	* 11 7 0	CS
857	TETANUS TOXOID (Formalinised)						
	Injection 1 cc. amp... ..	..		3	..	0 13 8	GL
						* 0 14 0	CS, SE
858	TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed)						
	Injection 0.5 cc. amp.	..		3	..	* 0 13 0	CS
	5 cc. amp.	..		1	..	1 5 8	CS
859	TETRACHLOROETHYLENE						
	Oral Capsule, B.P. 0.5 cc. cap.	..		12	..	* 0 7 11	PD
860	TETRACYCLINE HYDROCHLORIDE						
	Injection, B.P.						
	100 mg. vial, I.V. (with required solvent) ..	..	D	6	..	* 4 19 0	AN, LE
	250 mg. vial, I.V. (with required solvent) ..	..	D	6	..	* 8 11 0	AN, LE, PF, SQ

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
860—continued					£ s. d.	
	Injection					
	100 mg. vial, I.M. (with required solvent) ..	D	6	..	* 4 19 0	AN, LE, PF, SQ
	Oral Capsule, B.P. 50 mg. cap.	D	25	..	1 8 4	AN, LE, PF
	100 mg. cap.	D	25	..	2 9 0	LE, LT, PF
	250 mg. cap.	D	16	..	3 4 2	AN, LE, LT, PF, UP
					(ex 100)	
					3 9 8	AN, LE, LT, PF, UP
					(ex M.P.)	
	Oral Tablet, B.P. 50 mg. tab.	D	25	..	1 8 4	LE, PF, SQ
	100 mg. tab.	D	25	..	2 9 0	LE, PF
	250 mg. tab.	D	16	..	3 4 2	LE, PF, SQ
					(ex 100)	
					3 9 8	LE, PF, SQ
					(ex M.P.)	
	Oral Granules 75 G. bottle	CD	1	..	1 19 8	LE
	Oral Paediatric Drops 100 mg. per cc., 10 cc. vial	CD	1	..	1 0 4	AN, LE, UP
	Oral Suspension 125 mg. per 5 cc., 60 cc. bottle	CD	1	..	1 11 8	LE, LT, PF
	Eye Ointment, 1% 4 G.		1	..	0 7 0	PF
	60 gr.		1	..	0 7 0	LE
861 TETRACYCLINE OPHTHALMIC SUSPENSION 1%						
	Eye Drops 6 mil.		1	2	0 12 4	LE

862 TETRACYCLINE WITH NYSTATIN								
Oral Capsule containing 250 mg. Tetracycline Hydrochloride and 250,000 U. Nystatin	..	D	12	..	2 15 3 (ex 100)	SQ		
					2 18 0 (ex M.P.)	SQ		
863 TETRACYCLINE WITH OLEANDOMYCIN								
Injection 100 mg. amp. I.M.		D	1	..	0 19 0	PF		
Oral Capsule 100 mg. cap.		D	25	..	2 9 0	PF		
250 mg. cap.		D	16	..	3 4 2 (ex 100)	PF		
					3 9 8 (ex M.P.)	PF		
Oral Suspension 125 mg. per 5 cc., 2 fl. oz. bottle		CD	1	..	1 11 8	PF		
864 TETRACYCLINE (BUFFERED)								
Oral Capsule 100 mg. Tetracycline cap.		D	25	..	2 9 0	LE, LT, PF, SQ		
250 mg. Tetracycline cap.		D	16	..	3 4 2 (ex 100)	AN, LE, LT, PF, SQ, UP		
					3 9 8 (ex M.P.)	AN, LE, LT, PF, SQ, UP		
Oral Suspension 125 mg. per 5 cc., 2 fl. oz. bottle		CD	1	..	1 11 8	LE, LT, PF, SQ, UP		
Oral Paediatric Drops 100 mg. per cc., 10 cc. vial		CD	1	..	1 0 4	LE, LT, SQ		
880 THENALIDINE TARTRATE								
Oral Tablet, Compound (effervescent)	..		12	3	0 11 0	SZ		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
865	THEOBROMINE, B.P.C. Oral Tablet with Phenobarbitone, A.P.F.— 5 gr.-1/2 gr. tab.		100	2	0 11 0	AB, AD, AN, CO, DH, FA, HA, HY, KL, MG, PB, RT, RY, SI, SL, TO, VA, WD
	Oral Tablet with Sodium Salicylate, B.P.C. 7.5 gr. tab.		100	2	0 19 0	DH, KL
867	THIOURACIL PROPYL Oral Tablet, B.P. 25 mg. tab. 50 mg. tab.. . . .		100 100	2 2	0 13 0 * 0 19 0 1 0 4	AN TO AN
868	THYROID Oral Tablet, B.P. 1/8 gr. tab. 1/4 gr. tab. 1/2 gr. tab. 1 gr. tab. 1.5 gr. tab. 2 gr. tab. 2.5 gr. tab.		100 100 100 100 100 100 100	2 2 2 2 2 2 2	0 4 4 0 4 4 0 4 7 0 4 9 0 4 9 0 5 1 0 6 0 0 6 5 0 6 8 0 7 3 0 7 5 0 7 5 0 7 11 0 8 4 0 8 4 0 8 4	CS AD, DH, FA, RT, RY, SI, SL, TO GP BW, CS AD, DH, FA, RT, RY, SI, SL, TO BW, CS, GP, WW AD, DH, FA, RT, RY, SI, SL, TO BW, CS, GP, WW AD, DH, SI GP BW, CS AD, DH, FA, RT, RY, SI GP BW AD, RT, SI

868—continued

								0	8	7	GP
								0	9	8	BW, CS
	5 gr. tab.	..	..		100	2		0	11	0	GP, RT
881	THYROTROPIN	..	..	..	..	..	..				
882	<i>l</i> -THYROXINE SODIUM										
	Oral Tablet	0.05 mg. tab.	..	..	100	2		0	6	1	BW, GL
		0.1 mg. tab.	..	..	100	2		0	7	11	BW, GL
869	TIGER SNAKE ANTI-VENENE										
	Injection	3,000 U. amp.	..	..	2	1	*	7	3	0	CS
870	TOLAZOLINE HYDROCHLORIDE										
	Oral Tablet, B.P.	25 mg. tab.	..	..	100	2		0	13	8	CB, KL
871	TOLBUTAMIDE										
	Oral Tablet	500 mg. tab.	..	..	100	2		2	3	0	FM, PH
872	TRETAMINE										
	Oral Tablet	2.5 mg. tab.	..	..	5	..	*	0	15	5	IC
867	TRIAMCINOLONE										
	Oral Tablet	4 mg. tab.	..	..	AD	30	..	4	5	8	LE, SQ
888	TRICYCLAMOL CHLORIDE										
	Oral Tablet	50 mg. tab.	..	..	100	2		2	16	4	BW
873	TRIETHANOLAMINE TRINITRATE										
	Oral Tablet	1 mg. tab.	..	..	100			0	11	11	SC
		2 mg. tab.	..	..	100	2		0	17	8	SC
		7 mg. tab.	..	..	100	2		1	8	4	AN, SC

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
884	TRIETHYLENE THIOPHOSPHORAMIDE	H	..	..	£ s. d. ..	
889	TRIFLUOPERAZINE Oral Tablet 1 mg. tab.	P	50	..	1 6 4	SK
874	TRIMETAPHAN CAMPHORSULPHONATE, B.P.C. Injection Set containing 250 mg. vial and 5 cc. water for injection.. ..	.. D	3	..	6 6 7	RO
885	TRIPLENNAMINE HYDROCHLORIDE Oral Tablet 50 mg. tab.		50	1	0 18 4	CB
886	TRIPROLIDINE HYDROCHLORIDE Oral Tablet 2.5 mg. tab.		50	1	0 17 8	BW
875	TROXIDONE Oral Tablet 150 mg. tab. Oral Capsule, B.P. 300 mg. cap.		200 200	1 1	2 9 0 4 2 4	AB AB, GA
876	TURPENTINE OIL Liniment, P.L.		4 fl. oz.	1	0 10 3	Extemp
878	TYPHUS VACCINE Injection, B.P. 1 cc. amp.		2	..	* 1 3 0	CS
911	UNDECENOIC ACID Dusting Powder, P.L.		1920 gr.	1	0 18 5	Extemp.

912	UREA Mixture, P.L.		8 fl. oz.	4	1 0 5	Extemp.
921	VASOPRESSIN Injection, B.P. 1 cc. amp.		6	..	0 19 0	PD
922	VASOPRESSIN TANNATE IN OIL Injection 1 cc. amp...		12	1	* 1 15 0	PD
923	VERILOID I.V. Injection 0.4 mg. per cc. 5. cc. amp. 0.4 mg. per cc., 5.3 cc. amp.	D D	6 6		* 3 7 0 3 7 0	IQ RK
924	VITAMIN A Concentrated Solution, B.P.	PC	1 fl. oz.	..	0 13 8	DH
925	VITAMIN D Concentrated Solution, B.P.	PC	1 fl. oz.	..	0 11 0	DH
926	VITAMINS A and D Concentrated Solution, B.P.	PC	1 fl. oz.	..	0 11 4 0 12 8	DH GL
927	VITAMIN K₁ Injection 10 mg. amp.	D	3	..	1 0 4	RO
928	VITAMINS COMPOUND Oral Tablet, B.P.C. Capsule Formula	P	100	1	0 7 6 0 7 8 0 8 9 0 9 4 (ex 1,000) 0 10 4 (ex M.P.)	TO AD, DH, HY, KL, MG, QE, RT, RY, SI, SL, VA, WD AN, CM, GL, PR, VR AB, BD, MK, RD AB, AD, AN, BD, CM, DH, GL, HY, KL, MG, MK, PR, QE, RD, RT, RY, SI, SL, TO, VA, VR, WD

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
928— <i>continued</i>					£ s. d.	
	Oral Capsule, B.P.C.	P	100	1	0 9 4 (ex 1,000)	FA, KL, PR
					0 11 0 (ex M.P.)	FA, KL, PR
	Oral Pill Capsule Formula	P	100	1	0 8 9 (ex 1,000)	PD
					0 10 4 (ex M.P.)	PD
419	WATER FOR INJECTION					
	Injection, B.P. 2 cc. amp...		6	3	0 6 4	AD, BL, DH, EV, FH, KL
	5 cc. amp...		6	3	0 7 0	AD, BL, DH, EV, FH, KL
	10 cc. amp...		6	3	* 0 7 0 0 8 4	CS AD, AN, BL, CS, DH, EV, FH, KL
942	WOOL ALCOHOLS					
	Ointment, B.P.		1920 gr.	1	0 12 4	Extemp.
943	WOOL FAT HYDROUS					
	2 oz. tube or jar		1	..	0 2 3	DH, WD
961	ZINC GELATIN					
	Paste, B.P. (Unna's)		3840 gr.	..	0 19 0	Extemp.
962	ZINC OXIDE					
	Ointment, B.P.		1920 gr.	1	0 10 5	Extemp.
	Cream, B.P.		1920 gr.	1	0 10 5	Extemp.
	Cream, Soft, P.L.		1920 gr.	1	0 10 5	Extemp.

962—*continued*

	Ointment with Castor Oil, B.P.	..	..	1920 gr.	1	0 11 6	Extemp.
	Paste with Coal Tar, P.L.	..	..	1920 gr.	1	0 8 4	Extemp.
	Paste with Salicylic Acid B.P.	..	..	1920 gr.	1	0 11 8	Extemp.
963	ZINC SULPHATE						
	Lotion, P.L.	..	..	8 fl. oz.	4	0 6 10	Extemp.
964	ZINC UNDECENOATE						
	Ointment, B.P.	..	..	1920 gr.	1	1 8 3	Extemp.

SECTION 2—SCHEDULE OF BENEFITS (PART II)

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Acacia, B.P.		0 2	1 2	Amidopyrin, B.P.C.		2 8	18 3
Acetic Acid, B.P.		0 1	0 7	Aminacrine Hydrochloride, B.P.		21 2	..
Acetic Acid, Dilute, B.P.		0 1	0 6	Aminophylline, B.P.		1 6	10 6
Acetic Acid, Glacial, B.P.		0 2	1 0	Ammonia Liniment, B.P.C. 1949.		0 1	0 6
Acetone, B.P.C.	K	0 2	0 10	Ammonia Solution, Dilute, B.P.		0 2	0 8
Acetylsalicylic Acid, B.P.		0 2	1 2	Ammonia Solution, Strong, B.P.		0 2	0 9
Acriflavine, B.P. 1948		5 7	..	Ammoniated Mercury Ointment, B.P.		0 3	1 7
Adrenaline, B.P.		62 10	..	Ammonium Acetate Strong Sol., B.P. 1953.		0 2	0 11
Adrenaline Hcl. Solution, B.P. 1953		0 7	4 0	Ammonium Bicarbonate, B.P. 1953		0 2	0 8
Agar, B.P.C.		1 6	10 6	Ammonium Bromide, B.P.C.		0 2	0 10
Alcohol 90%, B.P.	E	0 2	1 0	Ammonium Chloride, B.P.		0 1	0 7
Alcohol 95%, B.P.	E	0 3	1 4	Anise Oil, B.P.	E	1 0	7 0
Alcoholic Soap, A.P.F.		0 3	1 3	Aniseed Spirit, B.P.C. 1949	E	0 4	2 1
Almond Oil, B.P.		0 10	5 10	Aniseed Water, Conc., B.P.C.	E	0 3	1 5
Almond Oil, Vol. Bitter, B.P. 1953	E	1 8	11 3	Antimony Sodium Tartrate Injec- tion, B.P.		..	..
Aloes, B.P.		0 5	2 7	Apomorphine Hydrochloride Injec- tion, B.P.		..	..
Aloin, B.P. 1953		1 10	12 4	Aqueous Cream, B.P.		0 4	2 1
Alum, B.P.		0 1	0 5	Aromatic Ammonia, B.P.C., Sol.		..	..
Aluminium Acetate Sol., B.P.C.		0 3	1 3				
Aluminium Hydroxide Mixture, A.P.F.		0 2	0 11				
Amaranth Solution, B.P.C.	E	0 2	0 11				
Amethocaine Hydrochloride, B.P.	K	44 5	..				

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Aromatic Ammonia Spirit, B.P. 1953		0 3	1 4	Benzoinated Lard, B.P.C.		0 3	1 6
Atropine, B.P.		68 11	..	Benzyl Alcohol, B.P.		0 4	2 2
Atropine Methonitrate, B.P.		(4/7 for 1 grain)	..	Benzyl Benzoate, B.P.		0 7	4 0
Atropine Sulphate, B.P.		53 10	..	Benzyl Benzoate Application, B.P.		0 3	1 5
Bacitracin	K	(2/2 for 1 grain)	..	Bismuth Carbonate, B.P. 1953		0 9	4 11
Barbitone Sodium, B.P.		1 8	11 6	Bismuth Subgallate, B.P. 1953	E	1 0	6 8
Barium Sulphate, B.P.		0 2	1 1	Borate Buffer		..	..
Beeswax, White, B.P.		0 5	2 5	Borax, B.P., Powder		0 1	0 3
Beeswax, Yellow, B.P.C.		0 4	1 11	Boric Acid, B.P., Flake		0 1	0 6
Belladonna, Dry Extract, B.P.		1 5	9 10	Boric Acid, B.P., Powder		0 1	0 4
Belladonna Herb, B.P. (Powdered)		0 10	5 9	Boric Acid and Starch Dusting Powder, B.P.C.		0 2	0 10
Belladonna Herb, Prepared, B.P.		0 10	5 6	Boroglycerin, B.P.C. 1949		0 5	2 11
Belladonna Suppository, B.P. 1948		..	..	Boroglycerin Ointment, A.P.F.		0 3	1 8
Belladonna Tincture, B.P.		0 3	1 5	Brilliant Green, B.P.		1 2	8 1
Bentonite, B.P.		0 1	0 6	Buchu, Conc., Infusion, B.P.C.		0 4	2 4
Benzocaine, B.P.		1 10	12 6	Butyl Aminobenzoate, B.P. 1953		18 2	..
Benzocaine and Adrenaline Ointment, A.P.F.		0 5	3 0	Cade Oil, B.P.		0 7	3 11
Benzoic Acid, B.P.		0 4	1 10	Caffeine, B.P.		1 0	6 11
Benzoic Acid Compound Ointment, A.P.F.		0 4	1 10	Caffeine Citrate, B.P.C.		0 10	5 4
Benzoic Acid Solution, B.P.C.		0 4	2 3	Caffeine and Sodium Benzoate, B.P.C.		1 6	10 5
Benzoin, B.P.		0 5	2 8	Cajuput Spirit, B.P. 1948	E	0 3	1 8
Benzoin Tincture, B.P.C.		0 4	2 0	Cajuput Tincture, B.P.C.		..	..
Benzoin Tincture Compound, B.P.		0 6	3 0	Calamine, B.P.		0 2	0 11
				Calamine Cream, A.P.F.		0 3	1 9

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Calamine Lotion, B.P.		0 2	0 8	Cascara Elixir, B.P.		0 4	2 3
Calcium Carbonate, B.P.		0 1	0 3	Cascara, Liquid Extract, B.P. ..		0 4	1 10
Calcium Chloride, B.P.		0 3	1 6	Castor Oil, B.P.		0 1	0 7
Calcium Gluconate, B.P.		0 5	2 10	Catechu Tincture, B.P.C.		0 4	2 3
Calcium Hydroxide, B.P.		0 1	0 3	Cetostearyl Alcohol, B.P.		0 5	2 5
Calcium Hydroxide Solution, B.P.		0 1	0 4	Cetrimide, B.P.		1 4	9 0
Calcium Lactate, B.P.		0 3	1 6	Cetrimide Aqueous Cream, A.P.F.		0 5	2 8
Calcium Phosphate, B.P. 1953 ..		0 2	0 11	Cetrimide Ophthalmic Phosphate			
Calumba, Conc. Infusion, B.P. 1948		0 4	2 0	Buffer, A.P.F.		0 4	2 2
Calumba Tincture, B.P. 1948 ..		0 4	1 10	Cetrimide Ophthalmic Vehicle,			
Camphor, B.P., Powder		0 5	2 9	A.P.F.		0 4	1 10
Camphor Liniment, B.P.		0 2	1 1	Cetyl Alcohol Compound			
Camphor Spirit, B.P.C.		0 3	1 8	Chalk, B.P.		0 1	0 4
Camphor Water, B.P.	E	..	..	Chiniofon, B.P. 1948		..	..
Camphor Water, Conc., B.P.C. 1949	E	0 3	1 5	Chloral Hydrate, B.P.		0 4	1 10
Capsicum Ointment, B.P.C.		0 5	2 9	Chloral Syrup, B.P.C.		0 2	0 8
Capsicum Tincture, B.P.C.		0 4	2 3	Chlorbutol, B.P.		0 11	6 2
Carmine Solution, A.P.F.	E	0 9	5 3	Chlorbutol Ophthalmic Phosphate			
Caraway Oil, B.P.C.	E	2 2	14 9	Buffer, A.P.F.		0 4	2 3
Cardamom Aromatic Tincture,				Chlorbutol Ophthalmic Vehicle,			
B.P.C.		0 5	2 7	A.P.F.		0 4	1 10
Cardamom Compound Tincture,				Chlorbutol Water, A.P.F.		0 1	0 6
B.P.		0 3	1 6	Chlorinated Lime, B.P.		0 2	0 8
Cascara, B.P.		0 4	2 2	Chlorinated Soda Solution, Surgi-			
Cascara Aromatic Syrup, B.P.C.				cal, B.P.		0 2	1 0
1949		0 2	0 10	Chlorocresol, B.P.		0 10	5 8
Cascara, Dry Extract, B.P. ..		1 1	7 6	Chloroform, B.P.	E	0 3	1 6

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Chloroform Spirit, B.P.	E	0 3	1 5	Collodion, Flexible, B.P.		0 3	1 4
Chloroform Water, B.P.	E	..	..	Colocynth, B.P.C.		0 10	5 6
Chloroform Water, Conc., B.P.C. ..	E	0 3	1 6	Colocynth, Comp. Powder Ext.,			
Cholesterol Oily Cream, A.P.F. ..		0 3	1 3	B.P.C.		0 10	5 9
Cinnamon Oil, B.P.	E	2 9	..	Colophony, B.P.		0 1	0 7
Cinnamon Spirit, B.P.C. 1949 ..	E	0 4	2 2	Copper Sulphate, B.P.		0 2	0 9
Cinnamon Water, Conc., B.P. ..	E	0 4	1 10	Coriander Oil, B.P.	E	9 4	..
Citric Acid, B.P., Cryst. or Powd.		0 2	1 1	Cotton Seed Oil, B.P.		0 2	0 8
Citronella Oil, B.P.C. 1949 ..	K	0 5	2 11	Creosote, B.P. 1953		0 11	6 0
Clove Oil, B.P.		1 2	8 1	Crystal Violet, B.P.		1 10	12 10
Cloves, Concentrated Infusion,				Cudbear Tincture, A.P.F. 1947 ..	E	0 6	3 5
B.P.C.		0 5	2 5	Curd Soap		0 1	0 7
Cocaine, B.P.		69 0	..	Dextrose, B.P.		0 2	0 8
Cocaine Hydrochloride, B.P. ..		48 0	..	Dextrose Monohydrate, B.P. ..		0 2	0 10
Cochineal Tincture, B.P. 1948 ..	E	0 3	1 8	Dibutyl Phthalate, B.P.		0 7	3 11
Coconut Oil, B.P.C. 1949	E	0 2	0 10	Dick Test Toxin, B.P.		..	..
Cod Liver Oil, B.P.	CP	0 1	0 6	Dick Control, B.P.		..	..
Codeine, B.P.C.		36 1	..	Dicophane, B.P.		0 5	2 7
Codeine Phosphate, B.P.		20 3	..	Digitalis Leaf, B.P.		0 10	5 6
Codeine Phosphate Syrup, B.P.C.		0 3	1 4	Digitalis, Prepared, B.P.		0 9	4 10
Colchicum Corm, B.P.		0 10	5 6	Digitalis Tincture, B.P. 1953 ..		0 4	1 10
Colchicum, Liquid Extract, B.P. ..		1 0	6 10	Dill Oil, B.P.	E	3 1	21 5
Colchicum Tincture, B.P.		0 3	1 8	Dill Water, Concentrated, B.P. ..	E	0 3	1 9
Colchicum, Dried Extract, B.P.				Dimethyl Phthalate, B.P.		0 4	1 11
1948		3 11	27 2	Dusting Powder, Absorbable, B.P.		..	..
Collodion Acid Salicylic, A.P.F.				Elixir Simple, B.P.C. 1949 ..		0 2	0 11
1955		0 2	0 11	Emulsifying Ointment, B.P. ..		0 4	1 11

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Emulsifying Wax, B.P.		0 5	2 8	Gamma Benzene Hexachloride, B.P.		0 10	5 9
Ephedrine, B.P.		7 2	..	Gelatin, B.P., Powder		0 3	1 6
Ephedrine Elixir, A.P.F.		0 4	2 2	Gelsemium Tincture, B.P.C. ..		0 4	2 2
Ephedrine Hydrochloride, B.P. ..		4 2	..	Gentian Violet		1 10	12 10
Ephedrine Sulphate, B.P.C.		4 4	..	Gentian Compound Infusion ..		0 4	1 10
Ergot, Liquid Extract, B.P.C. ..		1 8	11 5	Gentian Compound Infusion, Conc., B.P.		0 4	1 11
Ethanolamine, B.P.		..	..	Gentian Compound Tincture, B.P.	E	0 4	1 10
Ether Anaesthetic, B.P.	E	0 2	0 10	Ginger Syrup, B.P.		0 2	0 9
Ether Solvent, B.P.	E	0 1	0 6	Ginger Tincture, Strong, B.P. ..		0 4	2 4
Ether Nitrous Spirit, B.P.C.		0 4	2 4	Ginger Tincture, Weak, B.P. ..		0 3	1 5
Ethereal Soap, A.P.F.		0 2	1 1	Glucose, Liquid, B.P. 1953 ..		0 2	0 10
Ethyl Oleate, B.P.		..	..	Glucose, Liquid, Syrup, B.P.C. ..		0 2	0 8
Eucalyptol, B.P.		0 7	4 0	Glycerin, B.P.		0 3	1 5
Eucalyptus Oil, B.P.		0 3	1 3	Glycerin Acid Boric, B.P. 1948 ..		0 6	3 0
Eye Base, B.P.		0 6	3 6	Glycerin Ichthammol, B.P.C. ..		0 4	2 1
Ferric Chloride, Sol., B.P.C. ..		0 4	2 4	Glycerin of Borax, B.P.C. ..		0 3	1 8
Ferrous Gluconate, B.P.		0 10	5 6	Glycerin Tragacanth, B.P.C. 1949		0 5	2 6
Ferrous Phosphate Comp. Syrup, B.P.C.		0 2	0 8	Glycerophosphates Compound Syrup, A.P.F.		0 1	0 7
Ferrous Phosphate with Quinine and Strychnine Syrup, B.P.C. ..		0 2	0 8	Golden Syrup, Acidified, A.P.F. ..		0 2	0 11
Ferrous Sulphate, B.P.		0 2	0 8	Halibut Liver Oil, B.P.		..	..
Ferrous Sulphate, Dry, B.P. ..		0 2	0 11	Hamamelis, Liquid Extract, B.P. ..		1 0	6 6
Fluorescein Sodium, B.P.		2 1	14 4	Hamamelis Ointment, B.P. ..		0 6	3 4
Formalin, B.P.		0 1	0 7	Homatropine Hydrobromide, B.P.		(1/4d. for 1 gr.)	
Fructose, B.P. 1948		..	..				
Gall with Opium Ointment, B.P.C.		0 7	4 1				

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Honey, Purified, B.P.C.	E	0 1	0 5	Ipecacuanha Tincture, B.P. ..		0 6	3 4
Hydrochloric Acid, B.P.		0 2	1 0	Ipomoea Resin		0 10	5 6
Hydrochloric Acid, Dilute, B.P. ..		0 2	0 10	Iron and Ammonium Citrate, B.P.		0 3	1 4
Hydrocyanic Acid, Dilute, B.P.C. ..		1 5	9 5	Iron Carbonate, Saccharated,			
Hydrogen Peroxide Solution, B.P.		0 1	0 5	B.P.C.		0 3	1 7
Hyoscine Hydrobromide, B.P. ..	106	11	..	Isoprenaline Sulphate, B.P. ..	28	10	..
Hyoscyamus, Dry Extract, B.P. ...		1 8	11 3	Kaolin, Heavy, B.P.		0 1	0 5
Hyoscyamus, Liquid Extract, B.P.		0 5	2 10	Kaolin, Light, B.P.		0 1	0 7
Hyoscyamus Tincture, B.P. ..		0 2	1 2	Lactic Acid, B.P.		0 5	2 10
Hypophosphorous Acid, Dilute,				Lactose, B.P.		0 1	0 5
B.P.C.		0 3	1 7	Lavender Oil, B.P. 1953	E	2 5	16 6
Ichthammol, B.P.		0 4	2 4	Lavender Oil Spike, B.P.C. ..	E	0 10	5 9
Indigo Carmine, B.P.		..	..	Lead Subacetate Sol., Dilute, B.P.		0 1	0 7
Iodine, B.P.		1 0	6 11	Lead Subacetate Sol., Strong, B.P.		0 2	1 2
Iodine Compound Liniment, A.P.F.		0 4	2 4	Lead with Opium Lotion, B.P.C. ..		0 2	1 1
Iodine Simple Solution, B.P.C. ..		0 3	1 4	Lemon Neutral Syrup, A.P.F. ..	E	0 3	1 7
Iodine Solution, Aqueous, B.P. ..		0 3	1 8	Lemon Syrup, B.P.	E	0 2	0 8
Iodine Solution, Strong, B.P. ..		0 4	2 0	Lemon Tincture, B.P.	E	0 4	2 0
Iodine Solution Strong, B.P. Meth.		0 3	1 9	Linseed Oil, B.P.		0 1	0 7
Iodine Solution, Weak, B.P. ..		0 3	1 5	Liquorice, B.P.		0 3	1 3
Iodine Solution Weak, B.P. Meth.		0 3	1 5	Liquorice, Liquid Extract, B.P. ..	E	0 3	1 5
Iodine Stainless Ointment, B.P.C.		0 3	1 9	Lobelia, Ethereal Tincture, B.P.C.		0 5	2 7
Iodoform Powder, B.P.C. ..		1 7	10 10	Magenta, B.P.C.		1 4	..
Iodoform Suppository, B.P. 1948. .		..	..	Magnesium Carbonate, Heavy, B.P.		0 2	0 8
Ipecacuanha and Opium Powder,				Magnesium Carbonate, Light, B.P.		0 1	0 7
B.P.		0 10	5 9	Magnesium Carbonate Solution,		..	..
Ipecacuanha, Liquid Extract, B.P.		3 3	22 7	B.P. 1948.			

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
Magnesium Hydroxide Mixture, B.P.		s. d.	s. d.	Myrrh, B.P.C.		s. d.	s. d.
Magnesium Oxide, Heavy, B.P. . .		0 2	0 8	Myrrh Tincture, B.P.C.		0 8	4 8
Magnesium Oxide, Light, B.P. . .		0 4	1 11	Nasal Drops, Conc. Sol., A.P.F. . .		0 4	2 1
Magnesium Sulphate, B.P.		0 4	2 1	Normal Saline		0 5	2 9
Magnesium Sulphate, Dried, B.P. .		0 1	0 2	Nux Vomica Extract, Dried, B.P.		0 1	0 6
Magnesium Trisilicate, B.P. . . .		0 1	0 6	1953		1 3	8 5
Male Fern Extract, B.P.	K	0 2	0 11	Nux Vomica Liquid Extract, B.P.		0 6	3 6
Malt Extract, B.P.	CP	1 5	9 10	Nux Vomica Tincture, B.P.		0 3	1 3
Menthol, B.P.		0 1	0 7	Oily Cream, B.P.		0 3	1 9
Menthol Comp. Ointment, A.P.F.		2 1	14 3	Oily Ophthalmic Vehicle, A.P.F.			
Mercuric Chloride, B.P. 1953 . . .		0 5	2 5	(No Preservative)		0 4	2 2
Mercuric Ox. Yellow Oint., B.P.C.		1 6	10 0	Oleic Acid, B.P.		0 2	0 8
1934		0 5	2 10	Olive Oil, B.P.		0 2	0 9
Mercurous Chlor. Oint., B.P. 1948		0 9	4 10	Opium Tincture, B.P.		0 6	3 1
Mercury Ammoniated, B.P.		1 6	10 0	Opium Tincture, Camphorated, B.P.		0 3	1 4
Mercury Comp. Oint., B.P.C. . . .		0 7	3 9	Orange Peel Infusion, Conc., B.P.			
Methylated Spirit, Industrial, B.P.	E	0 1	0 3	1948		0 3	1 8
Methylcellulose, A.P.F.	E	0 11	6 4	Orange Peel Infusion, Conc. Comp.,			
Methylcellulose Mucilage, A.P.F. .	E	0 2	1 0	B.P.C.		0 3	1 5
Methylene, Blue, B.P.		1 8	11 5	Orange Syrup, B.P.	E	0 2	0 9
Methylsalicylate, B.P.		0 3	1 9	Orange Tincture, B.P.	E	0 3	1 9
Methylsalicylate Comp. Liniment,				Ox-Bile Extract, B.P. 1948			
A.P.F.		0 4	2 1	Oxymel, B.P.C.		0 3	1 3
Methylsalicylate Oint., B.P.C. . .		0 6	3 1	Oxymel of Squill, B.P.C.		0 2	0 11
Morphine Hydrochloride, B.P. . . .		27 6	..	Papaverine Hydrochloride, B.P. . .		8 5	58 9
Morphine Hydrochloride Sol., B.P.		0 5	2 10	Paraben Ophthalmic Phosphate			
Morphine Sulphate, B.P.		33 4	..	Buffer, A.P.F.		0 4	2 2

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Paraben Ophthalmic Vehicle, A.P.F.		0 4	1 10	Phenolphthalein, B.P.		1 1	7 6
Paraffin, Hard, B.P.		0 1	0 6	Phenylephrine Hydrochloride	K	..	..
Paraffin, Light, Liquid, B.P.		0 1	0 6	Phenylmercuric Nitrate, B.P.		7 8	..
Paraffin, Liquid, B.P.		0 1	0 5	Pholcodine, B.P.C.		48 1	..
Paraffin Liquid Emulsion, B.P.		0 2	1 0	Pholcodine Citrate Syrup, B.P.C.		0 3	1 9
Paraffin, Liquid Emulsion, A.P.F.		0 2	0 9	Phosphoric Acid, B.P.		0 3	1 6
Paraffin, White Ointment		0 3	1 3	Phosphoric Acid, Dilute, B.P.		0 2	0 10
Paraffin, White, Soft, B.P.		0 1	0 6	Phthalylsulphathiazole, B.P.		1 6	10 5
Paraffin, Yellow Ointment		0 2	1 1	Physostigmine Salicylate, B.P.		(6/5d. f or 1 gr.)	
Paraffin, Yellow, Soft, B.P.		0 1	0 6	Pilocarpine Nitrate, B.P.		44 4	..
Paraldehyde, B.P.		0 4	2 0	Piperazine Adipate, B.P.		..	..
Peanut Oil, B.P.		0 1	0 7	Piperazine Phosphate, B.P.		..	..
Penicillin, Oily Injection		..	..	Podophyllum Resin, B.P.		3 5	..
Pentobarbitone Sodium, B.P.		3 11	..	Potassium Acid Tartrate, B.P.		0 2	0 9
Peppermint Oil, B.P.	E	1 5	9 5	Potassium Bicarbonate, B.P., Powder		0 2	0 8
Peppermint Spirit, B.P.	E	0 4	1 11	Potassium Bromide, B.P.		0 2	0 10
Peppermint Water, Conc., B.P.	E	0 3	1 6	Potassium Chlorate, B.P.C.		0 3	1 4
Peru Balsam, B.P.C.		1 4	9 1	Potassium Chloride, B.P.		0 3	1 4
Phenacetin, B.P.		0 4	2 1	Potassium Citrate, B.P.		0 2	1 1
Phenazone, B.P.C.		0 9	5 2	Potassium Hydroxide, B.P.		0 5	2 6
Phenobarbitone, B.P.		1 2	8 0	Potassium Hydroxide Sol., B.P.		0 2	0 9
Phenobarbitone Sodium, B.P.		1 2	8 0	Potassium Iodide, B.P.		0 6	3 4
Phenol, B.P.		0 3	1 3	Potassium Nitrate, B.P., Powder		0 1	0 6
Phenol, Liquefied, B.P.		0 3	1 5	Potassium Permanganate, B.P.		0 2	0 10
Phenol, Glycerin, B.P.		0 4	2 3	Potash, Sulphurated, B.P.C.		0 5	2 8
Phenol Ointment, B.P. 1948		0 4	1 10	Procaine Hcl., B.P.		4 0	..

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Proflavine Hemisulphate, B.P. ..		12 3	..	Sesame Oil, B.P.		..	..
Propylene Glycol, B.P.	E	0 6	3 0	Siberian Fir Oil, B.P.C. 1949 ..		1 2	8 0
Pyroxylin, B.P.		1 4	9 4	Silver Nitrate, B.P.		3 3	22 6
Quassia Tincture, B.P. 1948 ..		0 3	1 5	Silver Nitrate, Toughened, B.P. ..		6 0	41 6
Quillaia Tincture, B.P.C.	E	0 4	2 1	Silver Protein, B.P.		2 11	19 11
Quinalbarbitone Sodium, B.P. ..		2 11	20 0	Silver Protein, Mild, B.P.C. ..		3 7	24 7
Quinidine Sulphate, B.P.		5 8	39 8	Simple Oint., B.P., White or Yellow		0 3	1 5
Quinine Ammon. Sol., B.P.C. ..		0 3	1 6	Soap Liniment, B.P.		0 2	1 2
Quinine Bisulphate, B.P.		2 6	17 6	Soap, Soft, B.P.		0 2	1 0
Quinine Dihydrochloride, B.P. ..		2 9	19 3	Sodium Acid Citrate, B.P. ..		..	..
Quinine Hydrochloride, B.P. ..		2 3	15 4	Sodium Acid Phosphate, B.P. ..		0 3	1 4
Quinine Sulphate, B.P.		1 9	11 9	Sodium Benzoate, B.P.		0 5	2 6
Red Syrup, A.P.F.	E	0 2	0 11	Sodium Bicarbonate, B.P. ..		0 1	0 3
Resorcinol, B.P.		1 1	7 6	Sodium Bicarbonate Injection, B.P.		..	..
Resorcinol Comp. Oint., B.P.C. ..		0 7	3 7	Sodium Bromide, B.P.		0 2	0 11
Rhubarb, Powdered, B.P.		0 6	3 6	Sodium Carbonate, B.P.		0 2	0 10
Rhubarb Compound Tincture, B.P.		0 3	1 5	Sodium Carbonate, Exsiccated,			
Rosemary Oil, B.P.	E	0 10	5 9	B.P.C.		0 1	0 7
Salicylic Acid, B.P.		0 3	1 8	Sodium Chloride, B.P.		0 1	0 6
Salicylic Acid Oint., B.P.		0 4	2 1	Sodium Citrate, B.P.		0 2	1 0
Santonin, B.P.		23 4	..	Sodium Hydroxide, B.P.		0 4	2 3
Scarlet Fever Antitoxin, B.P. ..		..	..	Sodium Iodide, B.P.		0 10	5 10
Scarlet Fever Prophylactic, B.P...		..	..	Sodium Metabisulphite, B.P.		0 3	1 8
Schick Control, B.P.		..	..	Sodium Nitrite, B.P.C.		0 8	4 2
Senega Conc. Infusion, B.P.C. ..		0 6	3 4	Sodium Phosphate, B.P.		0 2	0 11
Senna Comp. Mixture, B.P.C. ..		0 3	1 6	Sodium Salicylate, B.P.		0 3	1 3
Senna Leaf, Conc. Infusion, B.P.C.		0 5	2 8	Sodium Sulphate, B.P.		0 1	0 2

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Sorbolene, A.P.F.		0 7	3 7	Sulphur, Precipitated, B.P. . .		0 2	0 9
Squill Syrup, B.P.C.	E	0 2	0 9	Sulphur, Sublimed, B.P. . . .		0 1	0 4
Squill Tincture		0 3	1 5	Sulphuric Acid, Dilute, B.P.C. .		0 2	0 10
Squill, Vinegar of, B.P. 1948 .		0 2	0 10	Syrup, B.P.	E	0 1	0 6
Starch, B.P.		0 1	0 4	Talc, Purified, B.P.C.		0 1	0 3
Starch Glycerin, B.P.		0 3	1 7	Tannic Acid, B.P.		0 9	5 2
Stearic Acid, B.P.C.	E	0 2	0 8	Tannic Acid Glycerin, B.P. . .		0 5	2 6
Stibophen Injection, B.P. . . .		..	..	Tar, B.P.		0 2	0 9
Storax, Prepared, B.P.		2 4	15 10	Tar, Coal, Crude		0 1	0 7
Stramonium, B.P.		0 5	2 6	Tar, Coal, Solution, B.P. . . .		0 3	1 9
Stramonium, Dry Extract, B.P. .		0 10	5 9	Tar, Ointment, B.P.C.		0 4	2 3
Stramonium, Liquid Extract, B.P.		0 9	4 11	Tar, Prepared Coal, B.P. . . .		0 2	0 11
Stramonium, Powdered, B.P. . .		0 5	2 6	Tartaric Acid, B.P.		0 3	1 3
Stramonium Tincture, B.P. . . .		0 3	1 4	Theobroma Oil, B.P.		0 6	3 3
Streptomycin	K	18 3	..	Theophylline, B.P.		2 7	17 8
Strophanthus Tincture, B.P. 1948		1 0	6 11	Thickened Ophthalmic Vehicle, A.P.F.		0 4	1 10
Strychnine, B.P.C.		6 10	47 7	Thiouracil, B.P. 1948		..	..
Strychnine Hydrochloride, B.P. .		6 7	45 7	Thymol, B.P.		1 3	8 5
Strychnine Hydrochloride Solution, B.P.		0 3	1 4	Thymol Comp. Sol., A.P.F. . .		0 2	1 1
Succinylsulphathiazole, B.P. . .		1 11	13 2	Tolu Balsam, B.P.		1 4	9 3
Sucrose, B.P.	E	0 1	0 3	Tolu Syrup, B.P.	E	0 2	0 11
Sulphacetamide Sodium, B.P. . .		1 11	13 3	Tolu Tincture, B.P.C.		0 6	3 3
Sulphadiazine, B.P.		2 2	14 8	Tragacanth, B.P., Powdered . .		1 4	8 11
Sulphadimidine		2 6	17 1	Tragacanth Powder, Compound, B.P.		0 3	1 5
Sulphaguanidine, B.P.		1 2	7 8	Tragacanth Mucilage, B.P. . .		0 2	0 9
Sulphur Ointment, B.P.		0 3	1 3				

E = May only be prescribed as an additive

	Re- stric- tions	RECOVERY PRICE			Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Trichloroacetic Acid, B.P. ..	E	2 0	14 0	Water, Purified, B.P.	K	..	..
Triethanolamine, B.P.C.		0 4	2 2	Wool Alcohols, B.P.		0 8	4 3
Trinitrophenol, B.P.C.		1 1	7 4	Wool Alcohols Ointment, B.P. ..		0 3	1 7
Tryparsamide Injection, B.P. ..		..	..	Wool Fat, B.P.		0 2	1 0
Turpentine Meth. Liniment, B.P. ..		0 2	0 9	Wool Fat, Hydrous, B.P.		0 2	1 2
Turpentine Oil, B.P.	E	0 2	1 0	Xylene, B.P.C. 1949		0 4	2 2
Typhoid Para-Typhoid A, B and C				Zinc and Castor Oil Oint., B.P. ..		0 3	1 5
Vaccine, B.P.		..	..	Zinc and Salicylic Acid Paste, B.P.		0 3	1 5
Tyrothrycin (Buffered) Eye Drops		..	..	Zinc Cream, B.P.		0 2	1 1
Undecenoic Acid, B.P.		1 6	10 4	Zinc Gelatin, B.P.		0 3	1 8
Urea, B.P.		0 6	3 6	Zinc Ointment, B.P.		0 2	1 1
Urethane, B.P.		1 9	12 0	Zinc Oxide, B.P.		0 1	0 6
Valerian Ammoniated Tincture,				Zinc Paste Compound, B.P. ..		0 3	1 7
B.P.C.		0 4	2 3	Zinc Stearate, B.P.		0 4	1 10
Vanillin, B.P.		3 4	..	Zinc Sulphate, B.P.		0 2	1 0
Water, Distilled		0 1	0 1	Zinc Undecenoate, B.P.		1 9	12 1
Water, Potable		..	..	Zinc Undecenoate Oint., B.P. ..		0 10	5 10

E = May only be prescribed as an additive

The following items have been identified above by the restriction code "K" and are restricted to the combinations shown:

Acetone, B.P.C.	.. Sulphurated Lotion, P.L.
Amethocaine Hydrochloride, B.P.	.. Magenta and Resorcinol Paint, P.L.
Bacitracin	.. Ear and Eye Drops
Citronella Oil, B.P.C. 1949 ..	.. Ophthalmic Phosphate Buffer Solution
Male Fern Extract	.. Dicophane Application, P.L.
Phenylephrine Hydrochloride ..	.. Capsules and Emulsion
Streptomycin	.. Eye Drops.
Xylene, B.P.C. 1949	.. Ear Drops
	.. Dicophane Application, P.L.

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR EXTEMPORANEOUSLY PREPARED PREPARATIONS

Preparations			Maximum Qty. or No. of Units	Number of Repeats	Preparations			Maximum Qty. or No. of Units	Number of Repeats
Applications			4 fl. oz.	1	Irrigations			8 fl. oz.	4
Capsules			50	1	Insufflations			480 gr.	1
Collodions			240 min.	2	Linctuses			8 fl. oz.	4
Creams			1920 gr.	1	Liniments			4 fl. oz.	1
Draughts			8 fl. oz.	4	Lotions			8 fl. oz.	4
Dusting Powders			1920 gr.	1	Lozenges			25	..
Ear Drops			$\frac{1}{2}$ fl. oz.	2	Mixtures			8 fl. oz.	4
Elixirs			8 fl. oz.	4	Mixtures for Infants			4 fl. oz.	4
Emulsions			16 fl. oz.	4	Nasal Instillations			$\frac{1}{2}$ fl. oz.	2
Enemas			4 fl. oz.	1	Ointments			1920 gr.	1
Extracts, Fluid			4 fl. oz.	1	Paints			1 fl. oz.	1
Eye Drops of Physostigmine			240 min.	6	Pastes			1920 gr.	1
Eye Drops of Pilocarpine			240 min.	6	Pessaries			12	1
Other Eye Drops			240 min.	2	Pills			50	1
Eye Lotions			8 fl. oz.	4	Poultices			1 lb.	1
Eye Ointments			60 gr.	..	Powders for internal use			1920 gr.	1
Gargles and Mouthwashes			8 fl. oz.	4	Powders individually				
Gelatins			1920 gr.	1	wrapped			12	1
Gelatin Zinc (Unna's Paste)			3840 gr.	..	Soaps			4 fl. oz.	1
Glycanths			1920 gr.	1	Solutions			4 fl. oz.	1
Glycerins			4 fl. oz.	1	Sprays			$\frac{1}{2}$ fl. oz.	2
Implants			1 Implant	..	Suppositories			12	1
Inhalations			2 fl. oz.	1	Syrups			8 fl. oz.	4
Injections—					Tinctures			1 fl. oz.	1
Ampoules			6 amps	1					
Vials			1 vial	1					

SECTION 3 — PRESCRIBER'S LIST

PRESCRIPTION

APPLICATIONS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

93. BENZYL BENZOATE WITH DICOPHANE

Dicophane B.P.	..	..	..	40 gr.
Benzyl Benzoate B.P.	..	..	..	1 oz.
Triethanolamine B.P.C...	..	..	..	12 min.
Stearic Acid B.P.C.	..	..	..	40 gr.
Distilled Water to	..	..	..	4 fl. oz.

241. DICOPHANE

Dicophane B.P.	..	..	..	34 gr.
Emulsifying Wax B.P.	..	..	..	70 gr.
Xylene B.P.C. 1949	..	..	..	290 min.
Oil of Citronella B.P.C. 1949	..	..	..	10 min.
Water to	..	..	..	4 fl. oz.

355. GAMMA BENZENE HEXACHLORIDE

Gamma Benzene Hexachloride, B.P.	..	..	..	3.5 gr.
Castor Oil B.P.	..	..	..	192 min.
Spike Lavender Oil B.P.C.	..	..	..	10 min.
Industrial Methylated Spirit B.P. to	..	..	..	4 fl. oz.

PRESCRIPTION

CREAMS

(Maximum Quantity, 1920 gr. 1 Repeat)

21. AMINACRINE

Aminacrine Hydrochloride B.P.	..	..	..	1 gr.
Cream Cetrimide Aqueous, A.P.F. to	..	..	..	960 gr.

101. BUTYL AMINO BENZOATE AND TRINITROPHENOL

Butyl Aminobenzoate, B.P. 1953	..	..	..	5 gr.
Trinitrophenol, B.P.C.	..	..	..	5 gr.
Zinc Oxide, B.P...	..	..	..	96 gr.
Oily Cream of Cholesterol, A.P.F. to	..	..	..	960 gr.

120. CALAMINE

Oleic Acid, B.P.	..	..	..	4 gr.
Peanut Oil, B.P.	..	..	..	212 gr.
Wool Fat, B.P.	..	..	..	212 gr.
Calamine, B.P.	..	..	..	288 gr.
Solution of Calcium Hydroxide, B.P.	..	..	..	280 min

139. CETRIMIDE

Cetrimide, B.P.	..	..	..	5 gr.
Cetostearyl Alcohol, B.P.	..	..	..	96 gr.
Liquid Paraffin, B.P.	..	..	..	96 gr.
Distilled Water to	..	..	..	960 gr.

CREAMS—*contd.*

165. COLD

Borax, B.P. Powder	..	..	..	12 gr.
Distilled Water	..	..	..	218 min.
White Beeswax, B.P.	..	..	..	178 gr.
Peanut Oil, B.P.	..	..	..	576 gr.

302. EMULSIFYING WAX (BUFFERED)

Sodium Phosphate, B.P.	..	..	..	25 gr.
Citric Acid, B.P.	..	..	..	5 gr.
Chlorocresol, B.P.	..	..	..	1 gr.
Emulsifying Ointment, B.P.	..	..	..	300 gr.
Distilled Water to	..	..	..	960 gr.

355. GAMMA BENZENE HEXACHLORIDE

Gamma Benzene Hexachloride, B.P.	..	..	..	9 gr.
Stearic Acid, B.P.C.	..	..	..	19 gr.
Cetostearyl Alcohol, B.P.	..	..	..	192 gr.
Triethanolamine, B.P.C.	..	..	..	15 gr.
Glycerin, B.P.	..	..	..	77 gr.
Distilled Water to	..	..	..	960 gr.

302. GLYCERIN

Glycerin, B.P.	..	..	..	192 gr.
Solution of Calcium Hydroxide, B.P.	..	..	..	338 min.
Peanut Oil, B.P.	..	..	..	212 min.
Wool Fat, B.P.	..	..	..	250 gr.

962. SOFT ZINC

Light Liquid Paraffin, B.P.	..	..	..	346 gr.
Zinc Cream, B.P. to	..	..	..	1,920 gr.

777. SORBOLENE

Sorbolene, A.P.F.	..	..	..	96 gr.
Hard Paraffin, B.P.	..	..	..	57 gr.
Liquid Paraffin, B.P.	..	..	..	260 gr.
Chlorocresol, B.P.	..	..	..	1 gr.
Distilled Water	..	..	..	546 min.

DUSTING POWDERS

(Maximum Quantity, 1920 gr. 1 Repeat)

90. BENZOCAINE

Benzocaine, B.P.	..	..	..	48 gr.
Compound Dusting Powder of Kaolin, A.P.F. to	..	..	..	480 gr.

450. KAOLIN COMPOUND

Light Kaolin, B.P.	..	..	..	480 gr.
Zinc Oxide, B.P.	..	..	..	480 gr.
Talc, Purified, B.P.C. to	..	..	..	1,920 gr.

911. UNDECENOIC ACID

Undecenoic Acid, B.P.	..	..	..	10 gr.
Zinc Undecenoate, B.P.	..	..	..	100 gr.
Light Kaolin, B.P.	..	..	..	10 gr.
Talc, Purified, B.P.C. to	..	..	..	480 gr.

PREScription

EAR DROPS

(Maximum Quantity $\frac{1}{2}$ fl. oz. 2 Repeats)

98. ACID BORIC

Boric Acid, B.P.	..	..	.. 4 gr.
Industrial Methylated Spirit, B.P.	..	..	.. 120 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

756. ACID SALICYLIC

Salicylic Acid, B.P.	..	..	.. 4 gr.
Industrial Methylated Spirit, B.P.	..	..	.. 120 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

21. AMINACRINE

Aminacrine Hydrochloride, B.P.	..	..	.. 0.25 gr.
Cetrimide, B.P.	..	..	.. 0.125 gr.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

171. CRYSTAL VIOLET

Crystal Violet, B.P.	..	..	.. 2 gr.
Industrial Methylated Spirit, B.P.	..	..	.. 120 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

PREScription

390. HYDROGEN PEROXIDE

Solution of Hydrogen Peroxide, B.P.	..	..	.. 120 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

410. ICHTHAMMOL

Ichthammol, B.P.	..	..	.. 24 min.
Glycerin, B.P. to	..	..	.. $\frac{1}{2}$ fl. oz.

613. PHENOL

Glycerin of Phenol, B.P.	..	..	.. 90 min.
Glycerin, B.P. to	..	..	.. $\frac{1}{2}$ fl. oz.

766. SODIUM BICARBONATE

Sodium Bicarbonate, B.P.	..	..	.. 8 gr.
Glycerin, B.P.	..	..	.. 180 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

778. SPIRIT

Industrial Methylated Spirit, B.P.	..	..	.. 170 min.
Distilled Water to	..	..	.. $\frac{1}{2}$ fl. oz.

781. STREPTOMYCIN

Streptomycin	..	..	.. 1 G.
Normal Saline to	..	..	.. $\frac{1}{2}$ fl. oz.

EAR DROPS—contd.

784. SULPHACETAMIDE SODIUM

Sulphacetamide Sodium, B.P. . .	22 gr.
Boric Acid, B.P. . .	4 gr.
Industrial Methylated Spirit, B.P. . .	120 min.
Distilled Water to . . .	$\frac{1}{2}$ fl. oz.

EYE DROPS

(Except where shown, Maximum Quantity, $\frac{1}{2}$ fl. oz.
2 Repeats)

21. AMINACRINE

Aminacrine Hydrochloride, B.P. . .	0.05 gr.
Sodium Chloride, B.P. . .	2 gr.
Cetrimide Ophthalmic Vehicle, A.P.F. to . . .	$\frac{1}{2}$ fl. oz.

40. ATROPINE $\frac{1}{2}$ % (Approx.)

Atropine Sulphate, B.P. . .	1 gr.
Sodium Chloride, B.P. . .	2 gr.
Ophthalmic Buffer Solution, A.P.F. to . .	$\frac{1}{2}$ fl. oz.

40. ATROPINE 1% (Approx.)

Atropine Sulphate, B.P. . .	2 gr.
Sodium Chloride, B.P. . .	2 gr.
Ophthalmic Buffer Solution, A.P.F. to . .	$\frac{1}{2}$ fl. oz.

38. ATROPINE (OILY) 1% (Approx.)

Atropine, B.P. . .	2 gr.
Oily Ophthalmic Vehicle, A.P.F. to . .	$\frac{1}{2}$ fl. oz.

83. BACITRACIN

Bacitracin . . .	5,000 U.
Ophthalmic Phosphate Buffer Solu- tion to . . .	$\frac{1}{2}$ fl. oz.

158. COCAINE (OILY) 2% (Approx.)

Cocaine, B.P. . .	2 gr.
Oily Ophthalmic Vehicle, A.P.F. to . .	$\frac{1}{2}$ fl. oz.

497. METHYLCELLULOSE

Methylcellulose, A.P.F. . .	1 gr.
Sodium Chloride, B.P. . .	2 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F. to . . .	$\frac{1}{2}$ fl. oz.

622. PHYSOSTIGMINE $\frac{1}{2}$ % (Approx.)

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 6 Repeats)

Physostigmine Salicylate, B.P. . .	1 gr.
Sodium Chloride, B.P. . .	2 gr.
Sodium Metabisulphite, B.P. . .	0.1 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F. to . . .	$\frac{1}{2}$ fl. oz.

PREScription

EYE DROPS—*contd.*

624. PILOCARPINE $\frac{1}{2}\%$ (Approx.)

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 6 Repeats)

Pilocarpine Nitrate, B.P.	..	..	1 gr.
Chlorbutol Water, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

624. PILOCARPINE 1% (Approx.)

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 6 Repeats)

Pilocarpine Nitrate, B.P.	..	..	2 gr.
Chlorbutol Water, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

762. SILVER PROTEIN 10% (Approx.)

Mild Silver Protein, B.P.C.	..	..	22 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

784. SULPHACETAMIDE (STRONG)

Sulphacetamide Sodium, B.P.	..	..	60 gr.
Boric Acid, B.P.	..	..	4 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F.	..	..	..
to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

784. SULPHACETAMIDE (WEAK)

Sulphacetamide Sodium, B.P.	..	..	20 gr.
Boric Acid, B.P.	..	..	4 gr.
Chlorbutol Ophthalmic Vehicle, A.P.F.	..	..	..
to	..	..	$\frac{1}{2}$ fl. oz.

EYE OINTMENTS

(Maximum Quantity, 60 gr. No repeats)

410. ICHTHAMMOL AND ZINC OXIDE

Ichthammol, B.P.	..	..	0.5 gr.
Zinc Oxide, B.P.	..	..	0.5 gr.
Eye Base, B.P. to	..	..	60 gr.

INHALATIONS

(Maximum Quantity, 2 fl. oz. 1 Repeat)

92. BENZOIN COMPOUND

Menthol, B.P.	..	..	24 gr.
Oil of Siberian Fir, B.P.C. 1949	..	..	24 min.
Compound Tincture of Benzoin, B.P. to	..	..	1 fl. oz.

485. MENTHOL COMPOUND

Menthol, B.P.	..	..	15 gr.
Creosote, B.P. 1953	..	..	15 gr.
Oil of Siberian Fir, B.P.C. 1949	..	..	30 min.
Alcohol 90%, B.P. to	..	..	1 fl. oz.

LINCTUSES

(Maximum Quantity, 8 fl. oz. 4 Repeats)

130. CAMPHOR COMPOUND
 Camphorated Tincture of Opium, B.P. 20 min.
 Oxy mel of Squill, B.P.C. .. 15 min.
 Acidified Golden Syrup, A.P.F. to .. 60 min.
160. CODEINE
 Codeine Phosphate, B.P. .. 0.5 gr.
 Distilled Water .. 5 min.
 Glycerin, B.P. .. 15 min.
 Oxy mel of Squill, B.P.C. to .. 60 min.
500. MORPHINE
 Solution of Morphine Hydrochloride,
 B.P. .. 10 min.
 Red Syrup, A.P.F. .. 15 min.
 Syrup, B.P. .. 60 min.
619. PHOLCODINE
 Syrup of Pholcodine Citrate, B.P.C. .. 30 min.
 Syrup, B.P. to .. 60 min.

LINIMENTS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

120. CALAMINE COMPOUND
 Phenol, B.P. .. 7.5 gr.
 Camphor, B.P. .. 7.5 gr.
 Liquid Paraffin, B.P. .. 480 gr.
 Emulsifying Wax, B.P. .. 45 gr.
 Tale, B.P. .. 120 gr.
 Calamine, B.P. .. 120 gr.
 Water to .. 4 fl. oz.

LINIMENTS—contd.

317. EUCALYPTUS COMPOUND

- Camphor, B.P. Powder .. 60 gr.
 Eucalyptus Oil, B.P. .. 384 min.
 Turpentine Oil, B.P. .. 288 min.
 Oleic Acid, B.P. .. 72 min.
 Peanut Oil, B.P. .. 480 min.
 Dilute Solution of Ammonia, B.P. .. 384 min.
 Distilled Water to .. 4 fl. oz.

499. METHYL SALICYLATE

- Methyl Salicylate, B.P. .. 240 min.
 Peanut Oil, B.P. to .. 2 fl. oz.

876. TURPENTINE

- Camphor, B.P. Powder .. 44 gr.
 Turpentine Oil, B.P. .. 624 min.
 Triethanolamine, B.P.C. .. 20 min.
 Oleic Acid, B.P. .. 40 min.
 Distilled Water to .. 2 fl. oz.

LOTIONS

(Maximum Quantity, 8 fl. oz. 4 Repeats)

756. ACID SALICYLIC COMPOUND

- Mercuric Chloride, B.P. 1953 .. 4 gr.
 Salicylic Acid, B.P. .. 80 gr.
 Castor Oil, B.P. .. 40 min.
 Spike Lavender Oil, B.P.C. .. 4 min.
 Industrial Methylated Spirit, B.P. to 8 fl. oz.

PREScription

LOTIONS—*contd.*

21. AMINACRINE

Aminacrine Hydrochloride, B.P.	..	4 gr.
Cetrimide, B.P.	..	2 gr.
Distilled Water to	..	8 fl. oz.

120. CALAMINE

Calamine, B.P.	..	240 gr.
Zinc Oxide, B.P.	..	240 gr.
Glycerin, B.P.	..	240 min.
Solution of Calcium Hydroxide, B.P.	..	2 fl. oz.
Water to	..	8 fl. oz.

(Liquefied Phenol 1% may be added to this Lotion)

157. COAL TAR

Solution of Coal Tar, B.P.	..	80 min.
Sodium Bicarbonate, B.P.	..	44 gr.
Water to	..	8 fl. oz.

319. EVAPORATING

Industrial Methylated Spirit, B.P.	..	1 fl. oz.
Ammonium Chloride, B.P.	..	120 gr.
Water to	..	8 fl. oz.

613. PHENOL

Liquefied Phenol, B.P.	..	120 min.
Distilled Water to	..	8 fl. oz.

PREScription

741. RESORCINOL COMPOUND

Resorcinol, B.P.	..	80 gr.
Solvent Ether, B.P.	..	80 min.
Castor Oil, B.P.	..	80 min.
Spike Lavender Oil, B.P.C.	..	8 min.
Industrial Methylated Spirit, B.P. to	..	8 fl. oz.

798. SULPHURATED

Zinc Sulphate, B.P.	..	160 gr.
Sulphurated Potash, B.P.C.	..	160 gr.
Acetone, B.P.C.	..	240 min.
Glycerin, B.P.	..	240 min.
Distilled Water to	..	8 fl. oz.

963. ZINC SULPHATE

Zinc Sulphate, B.P.	..	35 gr.
Solution of Amaranth, B.P.C.	..	40 min.
Water to	..	8 fl. oz.

MIXTURES

(Maximum Quantity, 8 fl. oz. 4 Repeats)

4. ACID ACETYLSALICYLIC

Acetylsalicylic Acid, B.P.	..	10 gr.
Compound Powder of Tragacanth, B.P.	..	5 gr.
Syrup of Orange, B.P.	..	30 min.
Chloroform Water, B.P. to	..	$\frac{1}{4}$ fl. oz.

MIXTURES—*contd.*

5. ACID ACETYLSALICYLIC COMPOUND

Acetylsalicylic Acid, B.P.	..	..	10 gr.
Phenacetin, B.P.	..	..	5 gr.
Caffeine, B.P.	..	..	1 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

6. ACID ACETYLSALICYLIC AND CODEINE COMPOUND

Codeine Phosphate, B.P.	..	..	0.25 gr.
Acid Acetylsalicylic, B.P.	..	..	8 gr.
Phenacetin, B.P.	..	..	8 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Spirit of Peppermint, B.P.	..	..	1 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

7. ACID ACETYLSALICYLIC AND MORPHINE

Solution of Morphine Hydrochloride, B.P.	..	..	15 min.
Solution of Amaranth, B.P.C.	..	..	1 min.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

8. ACID ACETYLSALICYLIC AND PHENOBARBITONE

Phenobarbitone, B.P.	..	..	0.25 gr.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Spirit of Cinnamon, B.P.C. 1949	..	..	1 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

386. ACID HYDROCHLORIC DILUTE

Dilute Hydrochloric Acid, B.P.	..	..	120 min.
Syrup of Orange, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE WITH BELLADONNA

Tincture of Belladonna, B.P.	..	..	7.5 min.
Mixture of Aluminium Hydroxide, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE AND KAOLIN

Light Kaolin, B.P.	..	..	45 gr.
Mixture of Aluminium Hydroxide, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

19. ALUMINIUM HYDROXIDE AND KAOLIN WITH OPIUM

Tincture of Opium, B.P.	..	..	5 min.
Mixture of Aluminium Hydroxide and Kaolin, A.P.F. to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

19. ALUMINIUM HYDROXIDE WITH PROCAINE

Procaine Hydrochloride, B.P. 2 gr.
Mixture of Aluminium Hydroxide,
A.P.F. to $\frac{1}{2}$ fl. oz.

22. AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium, B.P. $\frac{1}{2}$ gr.
Ephedrine Hydrochloride, B.P. 0.25 gr.
Potassium Iodide, B.P. 7.5 gr.
Aminophylline, B.P. 1.5 gr.
Liquid Extract of Liquorice, B.P. 7.5 min
Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz

22. AMINOPHYLLINE COMPOUND WITH
ACETYSALICYLIC ACID

Acetylsalicylic Acid, B.P. 10 gr.
Aminophylline, B.P. 3 gr.
Ephedrine Hydrochloride, B.P. 0.25 gr
Phenobarbitone B.P. $\frac{1}{6}$ gr.
Compound Powder of Tragacanth, B.P. 5 gr.
Syrup of Orange, B.P. 30 min.
Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

25. AMMONIUM ACETATE

Strong Solution of Ammonium Acetate,
B.P. 1953 30 min.
Potassium Citrate, B.P. 20 gr.
Camphorated Tincture of Opium, B.P. 30 min.
Syrup of Tolu, B.P. 30 min.
Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

PREScription

122. CALCIUM ACETYSALICYLATE

Acetylsalicylic Acid, B.P. 9 gr.
Calcium Hydroxide, B.P. 2.5 gr.
Neutral Syrup of Lemon, A.P.F. 30 min.
Solution of Carmine, A.P.F. 1 min.
Water to $\frac{1}{2}$ fl. oz.

130. CAMPHORATED OPIUM

Camphorated Tincture of Opium, B.P. 30 min.
Tincture of Belladonna, B.P. 5 min.
Oxymel of Squill, B.P.C. 15 min.
Water to $\frac{1}{2}$ fl. oz.

140. CHALK AND KAOLIN

Chalk, B.P. 30 gr.
Light Kaolin, B.P. 60 gr.
Light Magnesium Carbonate, B.P. 5 gr.
Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

143. CHLORAL HYDRATE

Chloral Hydrate, B.P. 20 gr.
Syrup of Orange, B.P. 30 min.
Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

143. CHLORAL AND BROMIDE

Chloral Hydrate, B.P. 20 gr.
Potassium Bromide, B.P. 20 gr.
Red Syrup, A.P.F. 20 min.
Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

MIXTURES—*contd.*

164. COLCHICUM AND ACID ACETYLSALICYLIC

Tincture of Colchicum, B.P.	..	..	15 min.
Acetylsalicylic Acid, B.P.	..	..	10 gr.
Compound Powder of Tragacanth, B.P.	..	..	5 gr.
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

164. COLCHICUM AND SODIUM SALICYLATE

Sodium Salicylate, B.P.	..	..	15 gr.
Potassium Bicarbonate, B.P.	..	..	15 gr.
Light Magnesium Carbonate, B.P.	..	..	15 gr.
Tincture of Colchicum, B.P.	..	..	15 min.
Liquid Extract of Liquorice, B.P.	..	..	10 min.
Dilute Solution of Ammonia, B.P.	..	..	0.5 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

320. EXPECTORANT

Ammonium Chloride, B.P.	..	..	15 gr.
Tincture of Ipecacuanha, B.P.	..	..	5 min.
Aromatic Spirits of Ammonia, B.P.	..	..	10 min.
1953	..	..	15 min.
Liquid Extract of Liquorice, B.P.	..	..	15 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

360. GENTIAN ACID

Dilute Hydrochloric Acid, B.P.	..	..	10 min.
Concentrated Compound Infusion of	..	..	30 min.
Gentian, B.P.	..	..	$\frac{1}{2}$ fl. oz.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

360. GENTIAN ALKALINE

Sodium Bicarbonate, B.P.	..	..	10 gr.
Concentrated Compound Infusion of	..	..	30 min.
Gentian, B.P.	..	..	$\frac{1}{2}$ fl. oz.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

422. IRON AND NUX VOMICA

Iron and Ammonium Citrate, B.P.	..	..	15 gr.
Tincture of Nux Vomica, B.P.	..	..	10 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

450. KAOLIN ALKALINE

Light Kaolin, B.P.	..	..	15 gr.
Sodium Bicarbonate, B.P.	..	..	10 gr.
Light Magnesium Carbonate, B.P.	..	..	10 gr.
Peppermint Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

450. KAOLIN AND OPIUM

Light Kaolin, B.P.	..	..	60 gr.
Light Magnesium Carbonate, B.P.	..	..	5 gr.
Tincture of Opium, B.P.	..	..	7.5 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—contd.

461. LOBELIA AND STRAMONIUM

Potassium Iodide, B.P.	..	..	5 gr.
Tincture of Stramonium, B.P.	..	..	10 min.
Ethereal Tincture of Lobelia, B.P.C.	..	..	10 min.
Aromatic Spirit of Ammonia, B.P. 1953	..	..	10 min.
Liquid Extract of Liquorice, B.P.	..	..	10 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

477. MAGNESIUM CARBONATE

Light Magnesium Carbonate, B.P.	..	..	10 gr.
Sodium Bicarbonate, B.P.	..	..	15 gr.
Ammonium Bicarbonate, B.P. 1953	..	..	2 gr.
Aromatic Tincture of Cardamom, B.P.C.	..	..	5 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

479. MAGNESIUM SULPHATE

Magnesium Sulphate, B.P.	..	..	60 gr.
Light Magnesium Carbonate, B.P.	..	..	10 gr.
Peppermint Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

480. MAGNESIUM TRISILICATE

Magnesium Trisilicate, B.P.	..	..	10 gr.
Sodium Bicarbonate, B.P.	..	..	10 gr.
Light Magnesium Carbonate, B.P.	..	..	10 gr.
Peppermint Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

PREScription

589. PARALDEHYDE

Paraldehyde, B.P.	..	..	60 min.
Liquid Extract of Liquorice, B.P.	..	..	15 min.
Tincture of Quillaia, B.P.C.	..	..	5 min.
Mucilage of Tragacanth, B.P.	..	..	30 min.
Water to	..	..	$\frac{1}{2}$ fl. oz.

612. PHENOBARBITONE AND BROMIDE

Phenobarbitone Sodium, B.P.	..	..	0.25 gr.
Sodium Bromide, B.P.	..	..	10 gr.
Syrup of Orange, B.P.	..	..	30 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

630. POTASSIUM BROMIDE

Potassium Bromide, B.P.	..	..	10 gr.
Ammonium Bicarbonate, B.P. 1953	..	..	1 gr.
Spirit of Aniseed, B.P.C. 1949	..	..	2.5 min.
Liquid Extract of Liquorice, B.P.	..	..	10 min.
Chloroform Water, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

630. POTASSIUM BROMIDE, PHENOBARBITONE WITH BELLADONNA

Potassium Bromide, B.P.	..	..	10 gr.
Sodium Phenobarbitone, B.P.	..	..	1 gr.
Tincture of Belladonna, B.P.	..	..	10 min.
Water to	..	..	$\frac{1}{2}$ fl. oz.

MIXTURES—*contd.*

630. POTASSIUM BROMIDE AND NUX VOMICA
 Potassium Bromide, B.P. 10 gr.
 Tincture of Nux Vomica, B.P. 10 min.
 Solution of Amaranth, B.P.C. 2.5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE
 Potassium Citrate, B.P. 30 gr.
 Sodium Bicarbonate, B.P. 30 gr.
 Syrup of Orange, B.P. 30 min.
 Water to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE ACID
 Potassium Citrate, B.P. 45 gr.
 Citric Acid, B.P. 10 gr.
 Neutral Syrup of Lemon, A.P.F. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
632. POTASSIUM CITRATE WITH HYOSCYAMUS
 Potassium Citrate, B.P. 15 gr.
 Sodium Bicarbonate, B.P. 15 gr.
 Liquid Extract of Hyoscyamus, B.P. 3 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.
633. POTASSIUM IODIDE
 Potassium Iodide, B.P. 10 gr.
 Aromatic Spirit of Ammonia, B.P. 1953 3 min.
 Liquid Extract of Liquorice, B.P. 10 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

742. RHUBARB AND SODA

- Rhubarb, Powdered, B.P. 5 gr.
 Light Magnesium Carbonate, B.P. 10 gr.
 Sodium Bicarbonate, B.P. 10 gr.
 Syrup of Ginger, B.P. 30 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

759. SENEGA AND AMMONIA

- Ammonium Bicarbonate, B.P. 1953 5 gr.
 Camphorated Tincture of Opium, B.P. 30 min.
 Liquid Extract of Liquorice, B.P. 10 min.
 Concentrated Infusion of Senega, B.P.C. 7.5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

766. SODIUM BICARBONATE

- Sodium Bicarbonate, B.P. 15 gr.
 Sodium Chloride, B.P. 3 gr.
 Spirits of Chloroform, B.P. 10 min.
 Water to $\frac{1}{2}$ fl. oz.

774. SODIUM SALICYLATE

- Sodium Salicylate, B.P. 20 gr.
 Sodium Bicarbonate, B.P. 20 gr.
 Liquid Extract of Liquorice, B.P. 5 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

782. STRYCHNINE

- Solution of Strychnine Hydrochloride,
 B.P. 5 min.
 Dilute Hydrochloric Acid, B.P. 10 min.
 Chloroform Water, B.P. to $\frac{1}{2}$ fl. oz.

MIXTURES—*contd.*

783. SUCCINYLSULPHATHIAZOLE AND KAOLIN

Succinylsulphathiazole, B.P.	..	..	60 gr.
Kaolin, B.P.	..	..	45 gr.
Mucilage of Tragacanth, B.P.	..	..	30 min.
Syrup, B.P.	..	..	60 min.
Solution of Benzoic Acid, B.P.C.	..	..	10 min.
Water to	..	..	1 fl. oz.

912. UREA

Urea, B.P.	..	..	120 gr.
Liquid Extract of Liquorice, B.P.	..	..	5 min.
Syrup of Orange, B.P.	..	..	20 min.
Water to	..	..	$\frac{1}{2}$ fl. oz.

NASAL INSTILLATIONS

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 2 Repeats)

13. ADRENALINE

Solution of Adrenaline Hydrochloride,			
B.P. 1953	..	..	48 min.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Sodium Chloride, B.P.	..	..	2 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

NASAL INSTILLATIONS—*contd.*

13. ADRENALINE AND EPHEDRINE

Solution of Adrenaline Hydrochloride,			
B.P. 1953	..	..	48 min.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Ephedrine Hydrochloride, B.P.	..	..	2 gr.
Dextrose, B.P.	..	..	8 gr.
Concentrated Solution for Nasal Drops,			
A.P.F.	..	..	5 min.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

147. CHLORBUTOL

Chlorbutol, B.P.	..	..	2 gr.
Menthol, B.P.	..	..	1 gr.
Eucalyptus Oil, B.P.	..	..	2 min.
Peanut Oil, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

304. EPHEDRINE

Ephedrine Hydrochloride, B.P.	..	..	2 gr.
Sodium Chloride, B.P.	..	..	2 gr.
Concentrated Solution for Nasal Drops,			
A.P.F.	..	..	5 min.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

303. EPHEDRINE (OILY)

Ephedrine, B.P.	..	..	2 gr.
Menthol, B.P.	..	..	1 gr.
Eucalyptus Oil, B.P.	..	..	2 min.
Peanut Oil, B.P. to	..	..	$\frac{1}{2}$ fl. oz.

NASAL INSTILLATIONS—*contd.*

785. SULPHADIAZINE COMPOUND

Solution of Adrenaline Hydrochloride, B.P. 1953		48 min.
Sodium Metabisulphite, B.P.		0.25 gr.
Ephedrine Hydrochloride, B.P.		2 gr.
Sulphadiazine, B.P.		11 gr.
Dextrose, B.P.		4 gr.
Mucilage of Methylcellulose, A.P.F.		120 min.
Concentrated Solution for Nasal Drops, A.P.F.		5 min.
Distilled Water to		$\frac{1}{2}$ fl. oz.

OINTMENTS

(Maximum Quantity, 1920 gr. 1 Repeat)

90. BENZOCAINE COMPOUND

Benzocaine, B.P.		96 gr.
Ointment of Hamamelis, B.P.		432 gr.
Ointment of Zinc, B.P.		432 gr.

161. COD LIVER OIL AND ACRIFLAVINE

Acriflavine, B.P. 1948		1.75 gr.
Cod Liver Oil, B.P.		480 min.
Yellow Simple Ointment, B.P. to		1,920 gr.

741. RESORCINOL COMPOUND

Resorcinol, B.P.		80 gr.
Zinc Oxide, B.P...		80 gr.
Cade Oil, B.P., By Weight		80 gr.
Glycerin, B.P.		10 min.
Distilled Water		80 min.
Yellow Soft Paraffin, B.P.		250 gr.
Wool Fat, B.P. to		960 gr.

PAINTS

(Maximum Quantity, 1 fl. oz. 1 Repeat)

756. ACID SALICYLIC

Salicylic Acid, B.P.		10 gr.
Benzoic Acid, B.P.		30 gr.
Brilliant Green, B.P.		2 gr.
Distilled Water		24 min.
Industrial Methylated Spirit, B.P. to		1 fl. oz.

171. CRYSTAL VIOLET COMPOUND

Crystal Violet, B.P.		1 gr.
Brilliant Green, B.P.		1 gr.
Aminacrine Hydrochloride, B.P.		0.5 gr.
Distilled Water to		1 fl. oz.

PREScription

PAINTS—*contd.*

410. ICHTHAMMOL

(Maximum Quantity, 1 fl. oz. 1 Repeat)

Ichthammol, B.P.	..	..	..	44 gr.
Glycerin, B.P. to	..	..	..	1 fl. oz.

418. IODINE COMPOUND

Iodine, B.P.	..	..	..	5 gr.
Potassium Iodide, B.P.	..	..	..	5 gr.
Spirit of Peppermint, B.P.	..	..	..	20 min.
Glycerin, B.P. to	..	..	..	1 fl. oz.

475. MAGENTA AND RESORCINOL

Magenta, B.P.C.	..	..	..	2 gr.
Boric Acid, B.P.	..	..	..	4 gr.
Phenol, B.P.	..	..	..	20 gr.
Resorcinol, B.P.	..	..	..	40 gr.
Acetone, B.P.C.	..	..	..	20 min.
Industrial Methylated Spirit, B.P.	..	..	..	40 min.
Water to	..	..	..	1 fl. oz.

PASTES

(Maximum Quantity, 1,920 gr. 1 Repeat)

962. ZINC OXIDE WITH COAL TAR

Prepared Coal Tar, B.P.	..	..	..	120 gr.
Zinc Oxide, B.P.	..	..	..	120 gr.
Starch, B.P.	..	..	..	720 gr.
Yellow Soft Paraffin, B.P.	..	..	..	960 gr.

PREScription

POWDERS

(Maximum Quantity, 1,920 gr. 1 Repeat)

33. ANTACID

Calcium Carbonate, B.P.	..	..	..	480 gr.
Heavy Magnesium Carbonate, B.P.	..	..	..	480 gr.
Sodium Bicarbonate, B.P.	..	..	..	960 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

125. CALCIUM AND KAOLIN

Calcium Carbonate, B.P.	..	..	..	640 gr.
Light Kaolin, B.P.	..	..	..	1,280 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

450. KAOLIN COMPOUND

Light Kaolin, B.P.	..	..	..	960 gr.
Heavy Magnesium Carbonate, B.P.	..	..	..	640 gr.
Sodium Bicarbonate, B.P.	..	..	..	320 gr.
Peppermint Oil, B.P.	..	..	..	4 min.

480. MAGNESIUM TRISILICATE WITH BELLADONNA

Dry Extract of Belladonna, B.P.	..	..	..	16 gr.
Magnesium Trisilicate, B.P. to	..	..	..	1,920 gr.

SOLUTIONS

(Maximum Quantity, 4. fl.oz. 1 Repeat)

88. BENEDICT'S QUALITATIVE

Copper Sulphate, B.P.	..	..	30 gr.
Sodium Carbonate, B.P.	..	..	820gr.
Citric Acid, B.P.	..	..	210 gr.
Distilled Water to	..	..	4 fl. oz.

139. CETRIMIDE

Cetrimide, B.P.	..	..	17.5 gr.
Distilled Water to	..	..	4 fl. oz.

SPRAYS

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 2 Repeats)

12. ADRENALINE AND ATROPINE

Adrenaline, B.P.	..	..	1 gr.
Atropine Methonitrate, B.P.	..	..	0.25 gr.
Chlorbutol, B.P.	..	..	1 gr.
Tartaric Acid, B.P.	..	..	0.8 gr.
Sodium Metabisulphite, B.P.	..	..	0.25 gr.
Distilled Water to	..	..	$\frac{1}{2}$ fl. oz.

SECTION 3 — PRESCRIBER'S LIST — CHILDREN'S SECTION

Subject to the individual requirements and unless otherwise stated, the mixtures in this section may be administered three or four times a day in the following doses:

Children 1 to 2 years	..	..	..	30 minims
2 to 4 years	..	..	..	1 fluid drachm
4 to 8 years	..	..	..	2 fluid drachms
8 to 12 years	..	..	..	3 fluid drachms

PRESCRIPTION

LINCTUSES

(Maximum Quantity, 4 fl. oz. 4 Repeats)

130. CAMPHOR COMPOUND

Camphorated Tincture of Opium, B.P.	..	10 min.
Dilute Hydrochloric Acid, B.P.	..	4 min.
Spirit of Chloroform, B.P.	..	2 min.
Acidified Golden Syrup, A.P.F. to	..	60 min.

160. CODEINE

Codeine Phosphate, B.P.	..	1/12 gr.
Dilute Hydrochloric Acid, B.P.	..	2 min.
Distilled Water	..	5 min.
Acidified Golden Syrup, A.P.F. to	..	60 min.

LINIMENTS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

129. CAMPHOR

Liniment of Camphor, B.P.	..	960 min.

PRESCRIPTION

MIXTURES

(Maximum Quantity, 4 fl. oz. 4 Repeats)

4. ACETYLSALICYLIC ACID

Acetylsalicylic Acid, B.P.	..	2.5 gr.
Compound Powder of Tragacanth, B.P.	..	1.25 gr.
Syrup of Orange, B.P.	..	10 min.
Water to	..	60 min.

5. ACETYLSALICYLIC ACID COMPOUND

Acetylsalicylic Acid, B.P.	..	2.5 gr.
Phenacetin, B.P.	..	1.25 gr.
Caffeine, B.P.	..	0.25 gr.
Compound Powder of Tragacanth, B.P.	..	1.25 gr.
Syrup of Orange, B.P.	..	10 min.
Chloroform Water to	..	60 min.

10. ACETYLSALICYLIC ACID WITH BROMIDE

Acetylsalicylic Acid, B.P.	..	2.5 gr.
Potassium Bromide, B.P.	..	2.5 gr.
Compound Powder of Tragacanth, B.P.	..	1.25 gr.
Syrup, B.P.	..	10 min.
Anise Water to	..	60 min.

MIXTURES—*contd.*

11. AD PERTUSSEM

Potassium Bromide, B.P.	..	2 gr.
Chloral Hydrate, B.P.	..	2 gr.
Tincture of Belladonna, B.P.	..	3 min.
Liquid Extract of Liquorice, B.P.	..	2 min.
Syrup of Tolu, B.P.	..	20 min.
Water to ..	..	60 min.

39. ATROPINE METHONITRATE

Atropine Methonitrate, B.P.	..	0.5 mgm.
Chlorbutol Water, A.P.F.	..	30 min.
Water to ..	..	60 min.

94 BISMUTH COMPOUND

Bismuth Carbonate, B.P. 1953	..	7.5 gr.
Light Kaolin, B.P.	..	15 gr.
Light Magnesium Carbonate, B.P.	..	1.25 gr.
Spirit of Chloroform, B.P.	..	1 min.
Cinnamon Water to	..	60 min.

136. CARMINATIVE

Aromatic Spirit of Ammonia, B.P. 1953	1 min.
Sodium Bicarbonate, B.P.	.. 2 gr.
Syrup of Ginger, B.P.	.. 10 min.
Water to ..	.. 60 min.

143. CHLORAL AND BROMIDE

Chloral Hydrate, B.P.	..	2 gr.
Potassium Bromide, B.P.	..	2.5 gr.

Liquid Extract of Liquorice, B.P.	..	2.5 min.
Glycerin, B.P.	..	10 min.
Syrup, B.P.	..	10 min.
Water to ..	..	60 min.

422. FERRIC AMMONIUM CITRATE

Iron and Ammonium Citrate, B.P.	..	10 gr.
Syrup, B.P.	..	30 min.
Chloroform Water to	..	60 min.

341. FERROUS SULPHATE

Ferrous Sulphate, B.P.	..	1.5 gr.
Dilute Hypophosphorous Acid, B.P.C.	..	0.25 min.
Syrup, B.P.	..	20 min.
Chloroform Water to	..	60 min.

421. IPECACUANHA AND SQUILL

Tincture of Ipecacuanha, B.P.	..	3 min.
Camphorated Tincture of Opium, B.P.	..	5 min.
Oxymel of Squill, B.P.C.	..	15 min.
Water to ..	..	60 min.

450. KAOLIN

Light Kaolin, B.P.	..	15 gr.
Light Magnesium Carbonate, B.P.	..	1.25 gr.
Chloroform Water to	..	60 min.

621. PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole, B.P.	..	7.5 gr.
Mucilage of Tragacanth, B.P.	..	7.5 min.
Syrup, B.P.	..	10 min.
Chloroform Water to	..	60 min.

PREScription

MIXTURES—*contd.*

632. POTASSIUM CITRATE

Potassium Citrate, B.P.	..	..	11.25 gr.
Citric Acid, B.P.	..	..	2.25 gr.
Neutral Syrup of Lemon, A.P.F.	..	..	7.5 min.
Chloroform Water to	..	..	60 min.

633. POTASSIUM IODIDE

Potassium Iodide, B.P.	..	..	5 gr.
Liquid Extract of Liquorice, B.P.	..	..	5 min.
Aromatic Spirit of Ammonia, B.P. 1953	..	..	1 min.
Chloroform Water to	..	..	60 min.
(Ephedrine or Phenobarbitone may be added)			

633. POTASSIUM IODIDE AND STRAMONIUM

Potassium Iodide, B.P.	..	..	2 gr.
Tincture of Stramonium, B.P.	..	..	3 min.
Aromatic Spirit of Ammonia, B.P. 1953	..	..	2.5 min.
Liquid Extract of Liquorice, B.P.	..	..	2.5 min.
Chloroform Water to	..	..	60 min.
(Ephedrine may be added)			

PREScription

742. RHUBARB AND SODA

Rhubarb, B.P.	..	..	..	1.25 gr.
Light Magnesium Carbonate, B.P.	..	..	..	2.5 gr.
Sodium Bicarbonate, B.P.	..	..	..	2.5 gr.
Syrup of Ginger, B.P.	..	..	..	5 min.
Water to	..	..	..	60 min.

774. SODIUM SALICYLATE

Sodium Salicylate, B.P.	..	..	..	5 gr.
Sodium Bicarbonate, B.P.	..	..	..	5 gr.
Liquid Extract of Liquorice, B.P.	..	..	..	2.5 min.
Water to	..	..	..	60 min.

788. SULPHADIMIDINE

Sulphadimidine, B.P.	..	..	..	7.5 gr.
Mucilage of Tragacanth, B.P.	..	..	..	7.5 min.
Syrup of Orange, B.P.	..	..	..	10 min.
Chloroform Water to	..	..	..	60 min.

SECTION 4—LIST OF RESTRICTED PHARMACEUTICAL BENEFITS

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Acetone, B.P.C.	Sulphurated Lotion, P.L. Magenta and Resorcinol Paint, P.L.
Alcohol, B.P.	Use as an additive.
Almond Oil, Volatile, Bitter, B.P. 1953	Use as an additive.
Amethocaine Hydrochloride, B.P.	Ear and Eye Drops.
Amaranth Solution, B.P.C.	Use as an additive.
Amiphenazole Hydrobromide	Antidote for barbiturate and other hypnotic poisons.
Amiphenazole Hydrochloride	Antidote for barbiturate and other hypnotic poisons.
Amphotericin, B.	Systemic fungal infection
Androstanolone	Mammary carcinoma.
Aneurine Hydrochloride Tablet, B.P.	For the treatment of pensioners only.
Anise Oil, B.P.	Use as an additive.
Aniseed Spirit, B.P.C. 1949	Use as an additive.
Aniseed Water, Concentrated, B.P.C.	Use as an additive.
Ascorbic Acid Tablet, B.P.	For the treatment of pensioners only.
Bacitracin	Ophthalmic Phosphate Buffer Solution.
Bemegride	Antidote for barbiturate and other hypnotic poisons.
Borate Buffer	Use as an additive.
Busulphan	The Leukaemias.
Cajuput Spirit, B.P. 1948	Use as an additive.
Calciferol Tablet	For the treatment of pensioners only.
Calciferol Solution	For the treatment of pensioners and for children under the age of twelve years.
Calcium Para-Aminosalicylate	Tuberculosis.
Camphor Water, B.P.	Use as an additive.
Caramiphen Hydrochloride	Parkinsonism.
Caraway Oil, B.P.C.	Use as an additive.
Carmine Solution, A.P.F.	Use as an additive.
Chlorambucil	Malignant Lymphoma and related conditions.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Chloramphenicol: Oral Capsule	Acute Laryngo-tracheo-bronchitis; As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensitivity has been established; Bacillary dysentery that is resistant both to sulphonamides and Streptomycin; Bacterium coli meningitis, if other forms of treatment are unsuccessful; Brucellosis; Granuloma inguinale; Infections due to Friedlander bacillus; Infections due to Haemophilus influenzae; Lymphogranuloma venereum; Salmonella infections; Severe gastro-enteritis in children; Staphylococcal infections; Surgical conditions of the bowel (pre-operative and post-operative); Typhoid Fever; Typhus and other rickettsial diseases; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Whooping cough (Haemophilus pertussis).
Chloramphenicol Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chloramphenicol.
Chloroform, B.P.	Use as an additive.
Chloroform Spirit, B.P.	Use as an additive.
Chloroform Water, B.P.	Use as an additive.
Chloroform Water, Concentrated, B.P.C. ..	Use as an additive.
Chlortetracycline; Injection, B.P.; Capsule, B.P.	Actinomyces; Acute and sub-acute bacterial endocarditis-Streptococcus faecalis; Amoebiasis; As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensitivity has been established;

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
	Bacillary dysentery that is resistant both to sulphonamides and streptomycin; Bronchiectasis; Brucellosis; Chancroid; Fibrocystic disease of the pancreas; Granuloma inguinale; Infections due to Friedlander bacillus; Leptospirosis; Lymphogranuloma venereum; Mucoviscidosis; Pneumonia that does not respond to penicillin or sulphonamides; Primary atypical pneumonia; Psittacosis; Puerperal infections; Rat-bite fever—Spirillum minus; Staphylococcal infections; Trachoma that does not respond to sulphonamides; Typhus and other rickettsial diseases; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Whooping cough (Haemophilus pertussis).
Chlortetracycline Granules Cinnamon Oil, B.P. Cinnamon Spirit, B.P.C. 1949 Cinnamon Water, Concentrated, B.P. Citronella Oil, B.P.C. 1949 Cochineal Tincture, B.P. 1948 Coconut Oil, B.P.C., 1948.. 	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline. Use as an additive. Use as an additive. Use as an additive. Dicophane Application, P.L. Use as an additive. Use as an additive.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Cod Liver Oil, B.P. 	For the treatment of pensioners and for children under the age of twelve years.
Cod Liver Oil Emulsion	For the treatment of pensioners and for children under the age of twelve years.
Coriander Oil, B.P. 	Use as an additive.
Corticotrophin (Authority necessary to prescribe—see Notes)	For the prevention of side effects of cortico steroid therapy; Any disease or purpose specified in this column in relation to cortisone acetate.
Cortisone Acetate (Authority necessary to prescribe—see Notes) Injection, B.P.; Oral Tablet, B.P.	Acquired Haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis associated with drug therapy; Acute rheumatic carditis; Addison's disease and other forms of Adrenocortical hypoplasia; Adrenogenital syndrome; Agranulocytosis; Cranial Arteritis; Cushing's syndrome including hyper-adrenocorticalism; Dermatomyositis; Encephalomyelitis; Hamman-Rich syndrome diffuse interstitial pulmonary fibrosis (proven by lung biopsy); Hansen's Disease; Henoch's purpura; Nephrotic syndrome; Neuro-myelitis optica; Optic neuritis following removal of tumors of the brain;

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Cudbear Tincture, A.P.F. 1947 Cyanocobalamin, excluding 1,000 microgramme strength Cyanocobalamin, 1,000 microgramme strength) Demethylchlortetracycline Hydrochloride .. Demethylchlortetracycline Hydrochloride, Paediatric Drops and Oral Suspension ..	Panhypopituitarism; Pemphigus; Periarteritis nodosa; Posterior uveitis; Progressive or continuing hepatitis proven by biopsy or biochemistry; Pseudohermaphroditism; Salaam Convulsions and Hypsarrhythmia; Sarcoidosis; Scleroderma; Splenic Neutropenia; Sprue, tropical and non-tropical, and all forms of Mal Absorption Syndrome; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; The Leukaemias; Thrombocytopenic purpura; Total adrenalectomy; Type II Nephritis; Ulcerative colitis proven by sigmoidoscopy and/or radiological report. Use as an additive. Established megalocytic anaemias. Neuroblastoma. Any disease or purpose specified in this column in relation to chlortetracycline. For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Deoxycortone Acetate;	Addison's disease; Total adrenalectomy.
Dexamethasone (Authority necessary to pre- scribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Dexamethasone Sodium Phosphate	Any disease or purpose specified in this column in relation to cortisone acetate.
Dienoestrol	Carcinoma of the prostate; Mammary carcinoma; For the treatment of pensioners for any disease or purpose.
Dienoestrol Cream	For the treatment of pensioners only.
Dihydrostreptomycin	Any disease or purpose specified in this column in relation to streptomycin but only if the person being treated for that disease or purpose is allergic to streptomycin.
Dihydrotachysterol	Parathyroid deficiency.
Diiodohydroxyquinoline Compound Tablets ..	Trichomonal and Monilial Vaginitis.
Dill Oil, B.P.	Use as an additive.
Dill Water, concentrated, B.P.	Use as an additive.
Disodium Diethylstilboestrol Diphosphate ..	Carcinoma of the prostate.
Erythromycin Capsule; Tablet, B.P.; Injection.	Staphylococcal infections that are resistant both to the tetracyclines and to penicillin.
Erythromycin Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to erythromycin.
Ether Anaesthetic, B.P.	Use as an additive.
Ether Solvent, B.P.	Use as an additive.
Ethinylloestradiol	Pre-menopausal castration; Turner's syndrome.
Ethisterone	For the treatment of pensioners for any disease or purpose. Habitual Abortion; Turner's syndrome; For the treatment of pensioners for any disease or purpose.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Ferrous Aminoacetosulphate, Syrup	For the treatment of children under the age of twelve years.
Ferrous Succinate, Elixir	For the treatment of children under the age of twelve years.
Fludrocortisone	Addison's disease.
Fluoxymesterone	Mammary Carcinoma.
Folic Acid	Sprue or the Sprue-like syndrome; Macrocytic anaemia.
Ginger Syrup, B.P.	Use as an additive.
Halibut Liver Oil Capsule	For the treatment of pensioners only.
Honey, Purified, B.P.C.	Use as an additive.
Hydrocortisone (Authority necessary to pre- scribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Hydrocortisone Sodium Succinate	Acute adrenal failure due to medical or surgical crises. Stevens Johnson syndrome
Industrial Methylated Spirit, B.P.	Use as an additive.
Iron Oxide Saccharated	For the treatment of those patients unable to take oral iron.
Isoniazid	Leprosy; Tuberculosis.
Lavender Oil, B.P. 1953	Use as an additive.
Lavender Oil Spike, B.P.C.	Use as an additive.
Lemon Tincture, B.P.	Use as an additive.
Lemon Syrup, B.P.	Use as an additive.
Lemon Neutral Syrup, A.P.F.	Use as an additive.
Liquorice Liquid Extract, B.P.	Use as an additive.
Male Fern Extract	Capsules and Emulsion
Malt Extract	For the treatment of pensioners and for children under the age of twelve years.
Malt Extract with Cod Liver Oil	For the treatment of pensioners and for children under the age of twelve years.
Mercaptopurine	The Leukaemias.
Methorphan	Inoperable cancer.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Methyl Androstanolone	Mammary carcinoma.
Methylandrostenediol	Senile osteoporosis proven by radiological report.
Methylcellulose, A.P.F.	Use as an additive.
Mustine Hydrochloride	Malignant lymphoma and related conditions.
Nicotinamide Tablets	For the treatment of pensioners only.
Nicotinic Acid Tablets	For the treatment of pensioners only.
Nitrofurantoin	Urinary tract infections.
Nitromin	Malignant lymphoma and related conditions.
Nystatin	Proven monilia infections.
Orange Tincture, B.P.	Use as an additive.
Orange Syrup, B.P.	Use as an additive.
Oxytetracycline Dihydrate	Any disease or purpose specified in this column in relation to chlortetracycline.
Oxytetracycline Hydrochloride Injection, B.P.; Oral Capsule	Any disease or purpose specified in this column in relation to chlortetracycline.
Oxytetracycline Hydrochloride Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Pancreatin	Fibrocystic disease of the pancreas; Pancreatico-duodenectomy.
Pancrex 5	Any disease or purpose specified in this column in relation to pancreatin.
Para-Aminosalicylic Acid	Tuberculosis.
Penicillin Phenoxymethyl Oral Suspension	For the treatment of children under the age of twelve years.
Penicillin with Streptomycin	Endocarditis due to <i>Streptococcus faecalis</i> ; Endocarditis due to <i>Streptococcus viridans</i> .
Peppermint Oil, B.P.	Use as an additive.
Peppermint Spirit, B.P.	Use as an additive.
Peppermint Water, Concentrated, B.P. ..	Use as an additive.
Phenylalanine (Authority necessary to prescribe— see Notes)	Phenylketonuria.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Prednisolone (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate, except— Addison's disease and other forms of Adrenocortical hypoplasia; Total adrenalectomy.
Prednisolone Acetate (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisolone Methyl (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate, except— Addison's disease and other forms of Adrenocortical hypoplasia; Total adrenalectomy.
Prednisolone with Magnesium Trisilicate and Aluminium Hydroxide (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisone (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisone with Magnesium Trisilicate and Aluminium Hydroxide (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Progesterone	Habitual abortion.
Progesterone Depot	Habitual abortion.
Propylene Glycol, B.P.	Use as an additive.
Protopveritrines A	Hypertensive crises.
Pyridostigmine Bromide	Myasthenia gravis.
Pyrrolidino-Methyl-Tetracycline	Any disease or purpose specified in this column in relation to chlortetracycline.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Quillaia Tincture, B.P.C.	Use as an additive.
Quinine Dihydrochloride	Malaria;
	For the treatment of pensioners for any disease or purpose.
Red Syrup, A.P.F... .. .	Use as an additive.
Riboflavine Tablet, B.P.	For the treatment of pensioners only.
Rosemary Oil, B.P.	Use as an additive.
Salicylazosulphapyridine	Ulcerative colitis.
Sodium Folate	Any disease or purpose specified in this column in relation to folic acid.
Sodium Para-Aminosalicylate	Tuberculosis.
Soya Formula (Authority necessary to prescribe—	
see Notes)	Galactosaemia.
Spiramycin	Staphylococcal infections that are resistant both to the tetracyclines and to penicillin.
	Use as an additive.
Squill Syrup, B.P.C.	Use as an additive.
Stearic Acid, B.P.C.	Carcinoma of the prostate;
Stilboestrol	Mammary carcinoma;
	For the treatment of pensioners for any disease or purpose.
	Bacillary dysentery not responding to sulphonamides;
Streptomycin Sulphate	Brucellosis;
	Chaneroid;
	Ear Drops;
	Endocarditis due to Streptococcus faecalis;
	Endocarditis due to Streptococcus viridans;
	Infections due to Friedlander bacillus;
	Infections due to Haemophilus influenzae;
	Infections due to Pseudomonas pyocyaneus;
	Plague;
	Rat-bite fever—Streptobacillus moniliformis;
	Salmonella infections;
	Surgical conditions of the bowel (pre-operative and post-operative);

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
	Surgical conditions of the thoracic organs; Tuberculosis; Tularaemia; Urinary tract infections which do not respond to sulphonamides. Use as an additive.
Sucrose, B.P.	For the treatment of children under the age of twelve years.
Sulphadimethoxine, Suspension	For the treatment of children under the age of twelve years.
Sulphamethoxypyridazine N-Acetyl	Mammary carcinoma; Castration.
Sustanon	Use as an additive.
Syrup, B.P.	Mammary carcinoma; Castration.
Testosterone, B.P.	Kline Felter Reifenstein Albright syndrome; Mammary carcinoma; Male and female castration.
Testosterone Methyl, B.P.	Mammary carcinoma; Castration.
Testosterone Oenanthate	Kline Felter Reifenstein Albright syndrome; Mammary carcinoma; Castration.
Testosterone Propionate	Any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline Capsule, B.P.; Tablet, B.P.; Injection, B.P.	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline, Oral Granules and Paediatric Drops	Any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline (Buffered)	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline (Buffered)—Oral Suspension	Broad spectrum antibiotic therapy of premature infants;
Tetracycline with Nystatin	

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Tetracycline with Oleandomycin.	Broad spectrum antibiotic treatment of patients under steroid therapy; Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis; A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for a disease or purpose specified in this column in relation to chlortetracycline. Any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline with Oleandomycin — Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Tolu Syrup, B.P.	Use as an additive.
Tretamine	Malignant lymphoma and related conditions.
Triamcinolone	Any disease or purpose specified in this column in relation to cortisone acetate.
Triethanolamine, B.P.C.	Use as an additive.
Trimetaphan Camphorsulphonate	Hypertensive for anaesthesia.
Vanillin, B.P.	Use as an additive.
Veriloid	Hypertensive crises.
Vitamins, Compound, Capsules and Tablets	For the treatment of pensioners only.
Vitamin A, Concentrated Solution, B.P.	For the treatment of pensioners and for children under the age of twelve years.
Vitamin A and D, Concentrated Solution, B.P.	For the treatment of pensioners and for children under the age of twelve years.
Vitamin D, Concentrated Solution, B.P.	For the treatment of pensioners and for children under the age of twelve years.
Vitamin K ₁	Antidote to Anticoagulants.
Xylene, B.P.C. 1949	Dicophane Application, P.L.

