



DEPARTMENT OF HEALTH

PHYSIOLOGICAL SURVEY

SECTION 1

EXPLANATORY NOTES

LIST OF MANUFACTURERS AND CODES

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



NOTES
for
APPROVED CHEMISTS

OPERATIVE FROM 1st NOVEMBER, 1962.

CONTENTS

EXPLANATORY NOTES

Prescribing of Benefits—Procedure by Doctors—	Paragraphs
Schedule of Benefits	1-8
Prescriptions	9-11
Restrictions	12
Maximum Quantities and Repeats	13-18
Urgent Cases	19-20
Doctor's Bag Emergency Supplies (Table page 22)	21-24
Supply of Benefits—Procedure by Chemists—	
Prescriptions	25-28
Procedure when an Authority Presented	29
Repeat Authorizations	30-31
Receipts	32-33
Charges to Patients—	
First 5/-	34-39
After Hours	40
Delivery	41
Responsibility for	42-43
Miscellaneous	44-57

SCHEDULES

Metric Conversion Table	.. lemon page 12
List of Manufacturers and Codes	.. lemon pages 13-21
Schedule of Benefits (Ready Prepared and Prescriber's List Items)	.. white pages
Drug Tariff (Drugs which may be prescribed extemporaneously)	.. green pages
Table of Maximum Quantities and Repeats for Preparations	.. green pages

PRICING AND CLAIMING PROCEDURE

Instructions on Pricing and Lodgement of Claims	blue pages

PHARMACEUTICAL BENEFITS

EXPLANATORY CIRCULAR REGARDING AUGUST, 1964 ISSUE OF THE SCHEDULE OF BENEFITS FOR MEDICAL PRACTITIONERS

This issue is a complete reprint of the Schedule of Benefits, Proprietary Index, Explanatory Notes and Prescribers' List and will take effect from 1st August, 1964.

It is proposed to vary the procedure by which an authority is issued in accordance with National Health (Pharmaceutical Benefits) Regulations 13 and 14 (2).

To give effect to the procedure a new authority-prescription form has been designed to replace existing Authority Forms P.B.15 and P.B.16. The new form will be numbered P.B.15. An additional form P.B.15 (a) will be used for repeat purposes.

The new procedure is to be implemented on 1st September, 1964. Details of the new procedure are contained in paragraph 19 of Section 1 of the Explanatory Notes.

Paragraph 4 has been added to clarify the prescribing of Admixtures.

Particulars shown under the heading "DELETIONS—PART I" now include the Proprietary or Trade Names of the preparations deleted.

ADDITIONS—PART I.

Carbinoxamine Maleate Elixir.
Corticotrophin, set containing 10 Units and diluent
for Injections S.C. or I.M.
Diphenylpyraline Hydrochloride Syrup (C).

Penicillin Phenoxymethyl Syrup 100 ml.
Penicillinase Injection, set containing 800,000 Units
and diluent.
Thioridazine, 25 mg. Tablet (ATP).

ADDITIONS—PART II

Solution of Adrenaline Hydrochloride B.P. 53.

Solution of Adrenaline B.P.

DELETIONS—PART I

Bismuth Sodium Tartrate Injection—Nabita
Leptazol Injections—Cardiazol
Mercuric Oxide—Golden Eye Ointment
Methylergometrine Maleate Injection 0.5 ml.—
Methergin
Nicotinamide Injection and Tablets
Ouabain Injection

Pentolinium Tartarate Tablets—Ansolsen
Sulphamerazine Tablets
Testosterone 150 mg. Implant—Neo-Hombreol
Tetracycline 50 mg. Tablets—Tetracyn
Vitamin A Solution
Vitamin D Solution
Vitamin A and D Solution—Viadol, Adexolin

DELETION—PART II

Ephedrine Sulphate B.P.C. 54

CHANGE OF NAME

Disodium Dihydrogen Versenate is now listed as Sodium Edetate

ITEMS LISTED WITH RESTRICTION “AD” BUT WHICH MAY BE PRESCRIBED WITHOUT AUTHORITY FOR CERTAIN PRESCRIBED DISEASES

Fluoxymesterone
Mestanolone
Methandienone
Methandriol
Methenolone Acetate

Nandrolone Decanoate
Nandrolone Phenylpropionate
Oxymesterone
Stanolone

NOTICE OF DELETION

Tetracycline with Oleandomycin preparations are to be deleted on 1st November, 1964.

**THE AUSTRALIAN PHARMACEUTICAL FORMULARY
(A.P.F.) 1964.**

THERAPEUTIC FORMULAE—PRESCRIBERS LIST.

The prescriber's List under the Pharmaceutical Benefits Scheme will not be replaced by the Therapeutic Formulae Section of the A.P.F. 1964 until further notice.

SECTION 1 — EXPLANATORY NOTES

PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS

Schedules of Benefits

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescriber's List items are listed in the Schedule of Benefits, Part I—(White pages).
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous items is listed in the Schedule of Benefits, Part II— (Green pages).
4. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "solvent required" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, i.e., "Penicillin Benzyl, Injection 500,000 U. amp. with 2 cc. water for injection."
5. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13-18.
6. In some cases a code letter indicates a restriction on the purpose for which the drug may be prescribed. An explanation regarding restrictions may be found in these notes—paragraphs 10*d* and 12.
7. The proprietary Index is available in a separate booklet which is issued to all medical practitioners and approved chemists.
8. Symbols used in the schedule:
 - (a) An asterisk (*) against the price of a benefit in Part I indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger (†) in front of the form of an item indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
 - (c) A double dagger (‡) in the maximum quantity column indicates an item packed by manufacturers under special conditions. The maximum quantity of these items corresponds to the manufacturer's pack and this quantity in an unbroken pack will be supplied.

- (d) A dagger (†) against the price of an eye drop indicates that the product is not preconstituted and that a special professional fee of 5s. 6d. is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the state indicated.

N.S.W. . . (N); VIC. . . (V); S.A. . . (S); W.A. . . (W); Q'LD . . (Q); TAS. . . (T)

Pre- scriptions

9. A prescription may be written for any person who is receiving medical treatment. A prescription is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

- (a) write the prescription in some indelible form, e.g., ink or ball point on paper as near as convenient to 6" x 4". The name and address of the medical practitioner should be shown.
- (b) write the prescription in duplicate, marking the duplicate with the word "Duplicate."
- (c) set out the name and address of the patient and, where the patient is a pensioner who holds an entitlement card, write the *pension* number. Where the pension number is shown it is not essential to write the patient's address. Please note that the *pension* number is required and *not* the entitlement card number.
- (d) in the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose." Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, i.e., the letters P, CP, or DG appear in the handbook against the drug, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose."
- (e) if the benefit is a single drug, indicate the manner of administration.
- (f) when directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in his own handwriting with the words "Regulation 24."
- (g) mark the prescription "N.H.S.", sign it and write the date.

No objection will be raised to doctors writing more than one prescription on a single sheet of paper provided each prescription is legible.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

The provisions of State Law are not affected by the foregoing.

State Law

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted.)
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

(If a prescription form prescribes both pharmaceutical benefit items and non-pharmaceutical benefit items, the prescription may be accepted, but the non-benefit items should be supplied as private prescriptions and cancelled from the form.)

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, with the written authority of the Commonwealth Director of Health, in specific combinations or as additives. Such items are identified in the Schedule of Benefits, by the insertion of the appropriate code letters as listed hereunder—

Code Letters

Restriction

A	Items which require an <i>authority</i> from the Commonwealth Director of Health, before prescribing as a pharmaceutical benefit.
C	Items limited in use to <i>children</i> .
D	Items limited in use for <i>specified purposes</i> , including the treatment of a prescribed disease or condition.
E	Items which may only be used as <i>additives</i> .
H	Items which may only be supplied from <i>approved hospital drug supplies</i> to patients receiving treatment at that hospital.
K	Items limited in use to <i>specific combinations</i> .
P	Items limited in use to <i>pensioners</i> in possession of a Pensioner Medical Service Entitlement Card.
DG	Items limited in use to <i>specified purposes</i> for the <i>general public</i> but which may be prescribed for the treatment of pensioners in possession of a Pensioner Medical Service Entitlement Card for any purpose.

Drugs restricted to "Approved Hospitals Only" use, are not available in all approved hospitals. Medical practitioners should ensure that the drugs are available at the particular hospital before prescribing.

**Maximum
Quantities
and
Repeats**

When more than one restriction applies to a benefit, each appropriate restriction code is shown in the restriction column, e.g. "AD." With the exception of categories "E", "K", "H" and prescriptions for pensioners in categories "P" and "DG", prescriptions for items identified by the above code letters must be endorsed "Specified Purpose" or some suitable abbreviation such as "Spec. Purp." or "S.P." It is not necessary for the particular restriction to be identified. Where a particular manner of administration is indicated in the Schedule of Benefits against a ready prepared item, no other manner of administration may be directed in a prescription for that benefit.

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits, Part 1 — white pages. For other preparations, details are set out in the Table of Maximum Quantities and Repeats — green pages.

Items marked with a double dagger (‡) are packed under special conditions and, as explained in paragraph 8, unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity, either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15-16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint, a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17. The authorities referred to in paragraphs 15-16 must be attached to the prescription.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

Urgent Cases

19. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing, within 24 hours of such communication, and forward it to the chemist who made the supply.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Doctor's Bag Emergency Supplies

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors or to doctors approved to dispense pharmaceutical benefits. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form, in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is

required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity, e.g., if the doctor had 100 or more sulphonamide tablets on hand as portion of his Doctor's Bag Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than a sulphonamide), e.g. different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, Part I, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity, e.g., if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

SUPPLY OF BENEFITS — PROCEDURE BY CHEMISTS

Pre- scriptions

25. An approved chemist is authorized to supply a pharmaceutical benefit only upon the surrender of—
- (a) a valid prescription, dated within six months before the date of its presentation; or
 - (b) a repeat authorization presented with a duplicate prescription within six months of the date of the prescription.
26. When a benefit is supplied on presentation of a prescription, the chemist is required to—
- (a) write his name and approval number on the back of the prescription form and duplicate;
 - (b) allot a number which will identify the prescription and write that number on the form and duplicate; and
 - (c) if more than one prescription has been written on the one form, allot a separate number to each prescription.

27. When a benefit is supplied on presentation of a repeat authorization, the chemist shall write his name on the back of the repeat authorization.

28. When a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply, or on a repeat authorization requiring further repeats, the chemist shall prepare a repeat authorization form in duplicate, showing—

- (a) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (b) on the first occasion of supply of the benefit, his approval number, together with the serial number allotted by him to the prescription;
- (c) on subsequent occasions of supply of the benefit (excepting on the final occasion of supply), the numbers marked on the repeat authorization presented to him in accordance with (b) above;
- (d) if the repeat authorization or prescription is for a pensioner, the pension number appearing on the prescription.

The completed repeat authorization should then be attached to the duplicate of the prescription and issued to the person to whom the benefit has been supplied. Where a special authority is involved action as per paragraph 29 is also necessary. Chemists should note that a separate repeat authorization must be issued in respect of each benefit.

29. Written authorities issued by the Commonwealth Director of Health should accompany the prescription submitted for payment if no repeats are involved. Where an authority is issued for the supply of a benefit which is to be repeated, the following procedure should be followed by the chemist—

- (a) when dispensing the original prescription, or any repeat except the last repeat, the chemist must ensure that the number of the authority involved is clearly shown on the prescription or repeat authorization which he has retained to claim payment from the Commonwealth;
- (b) the authority, together with a new repeat authorization and the duplicate prescription, is to be returned to the patient, except when dispensing the last repeat;
- (c) the chemist dispensing the last repeat must submit the authority form with the repeat authorization when claiming payment.

30. A benefit may be supplied on a repeat authorization only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

31. Where a chemist supplies a benefit and repeats at the one time, he should not complete a repeat authorization form. Only one professional fee is payable for the total supply.

**Procedure
when an
Authority
Presented**

**Repeat
Authoriza-
tions**

32. Upon the supply to a person of a benefit by a chemist, that person shall sign and date a receipt for that benefit on the back of the prescription form or repeat authorization, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the back of the prescription form, or repeat authorization, with his address and a statement that he is obtaining the benefit for and on behalf of the person for whose treatment the prescription was written. In no circumstances must a person give, nor a chemist demand, a receipt, until supply of the benefit has actually been made.

33. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the chemist must certify on the back of the prescription or repeat authorization, as the case may be, that he has supplied the pharmaceutical benefit, the date on which supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19-20) or to a person who cannot read or write, or who is unable to write, the chemist should sign and date a statement on the back of the prescription or repeat authorization, indicating the circumstances of supply.

CHARGES TO PATIENTS

First 5/-

34. An approved chemist may in respect of each supply by him, whether on a prescription or repeat authorization, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding five shillings, except that a charge is not to be made for the supply of a pharmaceutical benefit on a prescription which states the pension number as appearing on the P.M.S. Entitlement Card of the pensioner, or a repeat authorization on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one five shilling charge may be made for each supply of the benefit.

35. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than five shillings for each supply;
- (b) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners in possession of a Pensioner Medical Service Entitlement Card) without charge or for a charge that is less than five shillings for each supply.

36. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15), and that authority accompanies the prescription, only 5s. should be charged for each supply of the increased maximum quantity.

37. Where a doctor endorses a prescription "Regulation 24" (see paragraphs 18 and 31), the chemist should make a charge of five shillings for the original prescription and five shillings for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of fifteen shillings (15s.) should be made on the patient.

38. Where a prescription is written for a benefit for which the dispensed price is less than five shillings at the time of supply, the prescription should be dispensed as a private prescription, unless it has been written for a pensioner. This also applies to prescriptions endorsed "Regulation 24" (see paragraphs 18 and 31) and for which the price of the maximum quantity of the benefit is less than five shillings.

39. Where a doctor has obtained an authority to prescribe an increased maximum quantity (see paragraph 15) and the increase in quantity takes the dispensed price to more than five shillings, the prescription should be dispensed as a pharmaceutical benefit regardless of the price of the normal maximum quantity. In such cases the normal five shillings charge may be made in respect of each supply.

40. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged to each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Commonwealth. Allowable late fees are—

(a) after trading hours but before 11 p.m. — 2s. 6d.;

(b) between 11 p.m. and the commencement of trading hours on the next day — 5s.

41. A charge equal to the cost of delivery may be made if supply by delivery is made at or to a place other than the chemist's pharmacy.

42. It is the patients' responsibility to meet any charge lawfully demanded and a chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

43. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Commonwealth) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

MISCELLANEOUS

44. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

45. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly society dispensaries should follow the procedures subject to additional instructions made available to them.

After
Hours

Delivery

Responsi-
bility

Premises

Approved
Doctors,
Friendly
Societies

Standards	46. A chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are— (a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Substances Act; (b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.
Reference	47. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescriber's List are identified in this book by the letters B.P., B.P. 1953, B.P. 1948, B.P.C., A.P.F. or P.L. as appropriate.
Measures	48. Unless otherwise stated, weights and measures represented or expressed in these Notes, or in a prescription, shall be deemed to be apothecary's weights and measures. However, metric equivalents will be accepted. A table of approximate equivalents of doses in the metric and imperial systems is given on page 12.
Hours of Supply	49. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charges applicable. When the prescription is marked "urgent" and initialled by the doctor, it is obligatory for the chemist to make supply at his pharmacy at any hour. 50. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.
Proper Stocks to be Kept	51. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits. 52. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.
Statement of Stocks	
Retention of Documents	53. Without affecting the requirements of the law of a State in regard to dangerous drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorizations;
- (c) in the case of a chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

**Suspected
Forgery**

54. If a chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Doctor's Bag order forms, particular requirements are set out in paragraph 22.

Sale Copies

55. Copies of the National Health Act and Regulations are available from the Commonwealth Sub-Treasury in each capital city.

56. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

57. Inquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

METRIC CONVERSION TABLE

Conversion Table

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Millilitres</i> <i>Grammes</i>	<i>Minims</i> <i>Grains</i>	<i>Milligrams</i>	<i>Grain</i>
20	300	60	1
16	240	50	3/4
12	180	30	1/2
10	150	20	1/3
8	120	15	1/4
6	90	12	1/5
5	75	10	1/6
4	60	7.5	1/8
3	45	6	1/10
2	30	3	1/20
1.6	25	2	1/30
1.5	22½	1.2	1/50
1.2	20	1	1/60
1	15	0.6	1/100
0.8	12	0.5	1/120
0.6	10	0.3	1/200
0.5	8	0.25	1/240
0.3	5	0.2	1/320
0.25	4	0.1	1/600
0.2	3		
0.15	2½		
0.12	2		
0.1	1½		

It is intended to convert the Schedule of Benefits to the metric system at an early date.

DISTRIBUTORS AND AGENTS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES			
Alfred Lawrence & Co. Pty. Ltd.	NA1	Muir and Neil Pty. Ltd.	NM2
439 Kent Street, Sydney		479 Kent Street, Sydney	
Andrews Laboratories	NA3	William Pearce and Co. Pty. Ltd.	NP3
12 Primrose Ave., Rosebery		149 Castlereagh Street, Sydney	
Astra Pharmaceuticals (Aust.) Pty. Ltd.	NA2	Pharmedica Pty. Ltd.	NP1
364 The Boulevarde, Sutherland		Rosebury	
British Pharmaceuticals	NB1	Potter and Birks Pty. Ltd.	NP2
8-12 Bathurst Street, Sydney		120 Pacific Highway, St. Leonards	
Denyer Brothers	ND1	Schaffer & Company	NS1
250 George Street, Sydney		235 Clarence Street, Sydney	
Drug Houses of Aust. Ltd.	ND2	Schering, A.G.	NS5
Sydney		59 Pine Street, Chippendale	
Essex Laboratories Pty. Ltd.	NE3	Schering Pty. Ltd.	NS3
105-111 Kippax Street, Surry Hills		Sydney	
Ethical Agencies Co.	NE1	Squibb, E. R. and Son Pty. Ltd.	NS4
154 Castlereagh Street, Sydney		260-262 Kent Street, Sydney	
Evans Medical Australia (Pty.) Ltd... ..	NE2	Sterling Pharmaceuticals	NS2
Plough Court, Duffy Avenue, Thornleigh		75-89 Atkins Road, Ermington, Sydney	
Fawns & McAllan Pty. Ltd.	NF1	Young and Fennell Pty. Ltd... ..	NY1
176 Day Street, Sydney		268 Kent Street, Sydney	
F.B.A. Pharmaceuticals Aust. Pty. Ltd.	NF2		
Wilson Street, Botany			
Martin & Co. (Surgical) Ltd.	NM1		
382 Pacific Highway, Crows Nest			
		VICTORIA	
		Astra Pharmaceuticals (Australia) Pty. Ltd. ..	VA1
		52 Collins Street, Melbourne	
		Boots Pure Drug Co. Pty. Ltd.	VB1
		33-35 Stewart Street, Richmond	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Burroughs Wellcome & Co. (Aust.) Ltd.	VB2	Unger, K. J., and Co. Pty. Ltd.	VU2
303-305 Albert Street, Brunswick		397 Little Collins Street, Melbourne	
Cambridge Laboratories Pty. Ltd.	VC1	Upjohn Pty. Ltd.	VU1
45 A'Beckett Street, Melbourne		115 Leicester Street, Carlton, Melbourne	
Cox Findlayson & Co. Ltd.	VC2		
15 James Street, Melbourne			
Gamma Laboratories	VG1		
169 Lygon Street, Carlton			
Harris Smith Supplies Co. Pty. Ltd.	VH1		
1 Mayston Street, Melbourne			
Muir & Neil Pty. Ltd.	VM1		
46 Cliff Street, South Yarra			
Parke, Davis & Company Ltd.	VP1		
117 King Street, Melbourne			
Pfizer Corporation Australia	VP2		
54-56 Latrobe Street, Melbourne			
Pharmedica Pty. Ltd.	VP3		
366 Reserve Road, Cheltenham			
Phillips Southern Trading Pty. Ltd.	VP4		
396 Flinders Lane, Melbourne			
R. D. Toppin & Sons Pty. Ltd.	VT1		
245 Swan Street, Richmond			
Schaffer & Co. (Vic.) Pty. Ltd.	VS1		
482 Collins Street, Melbourne			
Squibb, E. R. and Son Pty. Ltd.	VS3		
210 Victoria Street, Carlton			
Sterling Pharmaceuticals Pty. Ltd.	VS2		
Cato Street, Auburn			

<i>QUEENSLAND</i>		
Alfred Lawrence & Co. Pty. Ltd.	QA1	
138 Mary Street, Brisbane		
Antrac Chemicals Pty. Ltd.	QA2	
199 Samford Street, Enoggera		
Boots Pure Drug Co. Pty. Ltd.	QB1	
720 Kingsford Smith Drive, Hamilton		
Burroughs Wellcome & Co. (Aust.) Ltd.	QB2	
Cnr Merivale and Peel Streets, South Brisbane		
Cox Findlayson & Co. Ltd.	QC1	
17 Doggett Street, Fortitude Valley		
T. G. Cullum Pty. Ltd.	QC2	
22 Charlotte Street, Brisbane		
Gradwell Bros.	QG1	
42 Grenier Street, Valley		
Kenneth Mitchell Agencies Pty. Ltd.	QK1	
96 Alfred Street, Valley		
D. MacLean, Pty. Ltd.	QM1	
119-121 Charlotte Street, Brisbane		
Parke, Davis & Co. Ltd.	QP1	
57-59 Longland Street, Valley		

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Prosana Laboratories Pty. Ltd. QP2 194 Given Terrace, Paddington		A. Searcy & Son Ltd. SS1 132 Gray Street, Adelaide	
Southern Drug Company QS1 30 Albert Street, Brisbane		Southern Drug Company SS2 180 Sturt Street, Adelaide	
Upjohn Company Pty. Ltd. QU1 333 Coronation Drive, Milton, Brisbane		Sterling Pharmaceuticals Pty. Ltd. SS3 150 Henly Beach Road, Torrensvile	
SOUTH AUSTRALIA		WEST AUSTRALIA	
Adelaide Drug Co. Ltd. SA1 Pirie Street, Adelaide		Avery Guhl, Pty. Ltd. WA1 36A William Street, Perth	
Alfred Lawrence & Co. Pty. Ltd. SA2 96 Currie Street, Adelaide		R. D. Benjamin, ... WB1 30 James Street, Perth	
Boots Pure Drug Co. Pty. Ltd. SB1 Henly Beach Road, Mile End		Boots Pure Drug Co. Pty. Ltd. WB2 416 Newcastle Street, Perth	
D and L Agencies Ltd. SD1 22-24 Louisa Street, Adelaide		Claydon and Carpenter WC1 144 William Street, Perth	
F. H. Faulding & Co. Ltd. SF1 James Place, Adelaide		Ethico Distributors WE1 119 Clausebrook Road, East Perth	
Hamilton Laboratories Ltd. SH1 217 Flinders Street, Adelaide		Fawns and McAllan Pty. Ltd. WF1 13 Rokeby Road, Subiaco	
J. J. C. Pearce SJ1 207 Currie Street, Adelaide		H. L. Hitchcock and Co. WH1 277 Salvado Street, Floreat Park	
Pharmaceutical Supplies, ... SP1 106 North Terrace, Adelaide		E. D. Kendall, Esq. WK1 47 Paddington Street, Perth	
R. D. Toppin & Sons Pty. Ltd. ST1 27 Rowlands Road, Hilton		G. Martin & Son WM1 83 Brisbane Street, Perth	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Pharmaceutical Distributors WP1 48 King Street, Perth		Boots Pure Drug Co. Pty. Ltd. TB2 49 Davey Street, Hobart	
Pharmax Pty. Ltd. WP2 12 Aberdeen Street, Perth		Cados Pty. Ltd. TC1 Watchorn Street, Hobart	
Rumbles Ltd. WR1 12 Aberdeen Street, Perth		Cados Pty. Ltd. TC2 63 Cameron Street, Launceston	
Sterling Pharmaceuticals Pty. Ltd. WS1 12 Graylands Road, Claremont		H. T. Grounds TG1 101 Murray Street, Hobart	
S. Van Dal & Co. Pty. Ltd. WV1 148-150 Hay Street, Subiaco		Pharmaceuticals Pty. Ltd. TP1 63 Cameron Street, Launceston	
TASMANIA		Sidwell & Company TS1 70 Liverpool Street, Hobart	
C. J. Baldey TB1 101 Murray Street, Hobart			

SUPPLIES OF LISTED BRANDS — DISTRIBUTORS AND AGENTS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.
AL ..	NA1	..	QA1	SA2	WK1	TP1	NY ..	NS2	VS2	..	SP1, SS3	WR1, WS1	TP1 TS1,
AM ..	NS1	VS1	..	..	..	..	OP ..	NM2	..	..	..	..	..
AP ..	NA2	VA1	..	..	..	..	OR ..	NB1	..	..	..	..	..
AR ..	NP1	..	..	..	..	..	PD ..	..	VP1	QP1	SD1	WP1	TB1
BD ..	..	..	QM1	..	..	..	PF ..	..	VP2	..	..	..	..
BS ..	..	VC2	QC1	SJ1	WH1	TG1	PH ..	..	VP3	QC2	SA1	WE1	TC1
BT ..	..	VB1	QB1	SB1	WB2	TB2	PR ..	..	VP4	QP2	SS1	..	..
BW ..	..	VB2	QB2	SD1	WP1	TS1	QE ..	..	VC1	..	..	..	..
CF ..	..	..	..	SF1	..	..	RM ..	..	VU2	..	..	..	..
CM ..	..	..	QK1	SA1	WP2	..	RT ..	NM1	..	QK1	SS1	WB1	..
EN ..	NY1	..	..	..	..	..	SC ..	NS5	..	..	..	..	..
EV ..	NE2	..	..	..	..	..	SH ..	NE3	..	..	..	..	..
FB ..	NF2	..	..	..	..	..	SQ ..	NS4	VS3	..	..	..	..
FM ..	NF1	..	QS1	SS2	WF1	TC2	SR ..	ND2	..	..	..	..	..
GP ..	..	..	..	..	WC1	..	SY ..	NB1	..	..	..	..	..
HA ..	..	..	..	SH1	..	..	TH ..	NP3	..	..	..	..	..
HY ..	..	VC1	QA2	..	WA1	TC1	TO ..	..	VT1	..	ST1	..	..
KN ..	NS3	..	..	..	..	..	TF ..	NM2	..	..	..	..	..
LP ..	NA3	..	..	..	..	..	UP ..	..	VU1	QU1	SJ1	WM1	TG1
LW ..	NE1	..	..	..	..	..	VM ..	NP2	..	..	..	..	..
ME ..	..	..	QG1	..	..	..	WA ..	NP1	..	..	..	..	..
MN ..	..	VM1	..	..	..	..	WP ..	ND1	VH1	..	..	WV1	..
NA ..	..	VG1	..	..	..	..							

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd.	AB	British Schering Ltd.	BS
Missenden Rd., Camperdown, N.S.W.		North Shore Medical Centre,	
Alfred Lawrence & Co. Ltd.	AL	St. Leonards, Sydney, N.S.W.	
13-31 Barrett Street, Kensington W.1, Vic.		Bull Laboratory, David G.	BL
Ames Company	AM	19 Shierlaw Avenue, Canterbury, E.7, Vic.	
484 Collins Street, Melbourne C.1, Vic.		Burroughs Wellcome & Co. (Aust.) Ltd.	BW
Andrews Laboratories Pty. Ltd.	AN	Cressy Street, Rosebery, Sydney, N.S.W.	
12 Primrose Avenue, Rosebery, N.S.W.			
Armour Pharmaceutical Co. Ltd.	AR		
England			
Associated Drug Companies of Australia Pty. Ltd.	AD	Campbell Pharmaceutical Co., U.S.A.	CF
589-605 Collins Street, Melbourne, C.1, Vic.		Calmic Ltd.	CA
Astra Pharmaceuticals (Australia) Pty. Ltd.	AP	Bibby Street, Chiswick, N.S.W.	
Compo Road, Rocklea, Queensland		Charles McDonald-Mead Johnson Pty. Ltd.	CM
Ayerst Laboratories Pty. Ltd.	AY	Caringbah, N.S.W.	
Gregory Place, Parramatta, N.S.W.		Chemos Pty. Ltd.	CH
		65 Park Road, Milton, W.2, Brisbane, Q'd.	
Bakra Laboratories	BK	Ciba Limited	CB
45 A'Beckett Street, Melbourne, Vic.		Orion Road, Lane Cove, N.S.W.	
Bayer Pharma Pty. Ltd.	BA	Commonwealth Serum Laboratories	CS
56 Young Street, Sydney, N.S.W.		Poplar Street, Parkville, Vic.	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	Cox Findlayson & Co. Ltd.	CO
376 Eastern Valley Way, Roseville, N.S.W.		472-482 Harris Street, Sydney, N.S.W.	
British Drug Houses (Australia) Pty. Ltd.	BD	Crookes Laboratories Ltd., The	CK
250 Pitt Street, Sydney, N.S.W.		376 Eastern Valley Way,	
British Pharmaceuticals Pty. Ltd.	BP	Roseville, Sydney, N.S.W.	
8-12 Bathurst Street, Sydney, N.S.W.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Difrex (Aust.) Laboratories DF		G. P. Pty. Ltd. GP	
321 Pitt Street, Sydney, N.S.W.		74-76 Mitchell Road, Alexandria,	
Distillers Company Biochemicals (Aust.) Pty. Ltd. DL		Sydney, N.S.W.	
Campbell Street, Artarmon, N.S.W.		Glaxo-Allenburys (Australia) Pty. Ltd. .. . GL	
Drug Houses of Australia Ltd. .. . DH		23-47 Villiers Street, North Melbourne, Vic.	
750-800 Princes Highway, Tempe, N.S.W.			
Easterbrook, R. W., Pty. Ltd. .. . EB		Hamilton Laboratories Ltd., The .. . HA	
7 Cutler Parade, North Ryde, N.S.W.		141 Buckland Street, Alexandria, N.S.W.	
Endo Laboratories, Inc. U.S.A. .. . EN		Harvey Pty. Ltd., H.F., .. . HY	
Evans Medical Australia (Pty.) Ltd. .. . EV		231 Elizabeth Street, Croydon, N.S.W.	
214 Graham Street, Port Melbourne, Vic.		Hoechst Pharmaceuticals Pty. Ltd. .. . HP	
		505 St. Kilda Road, Melbourne, S.C.2, Vic.	
Farbenfabriken Bayer, A. G. .. . FB			
West Germany		Itoquin Company, The .. . IQ	
Farmer Hill Pty. Ltd. .. . FH		Fourth Floor, Parramatta & Missenden Roads,	
187 William Street, Sydney, N.S.W.		Camperdown, N.S.W.	
Faulding & Co. Ltd., F. H. .. . FA		Imperial Chemical Indust. of Aust. & N.Z. Ltd. .. IC	
James Place, Adelaide, S.A.		I.C.I. House, 1 Nicholson Street,	
Fawns and McAllan Pty. Ltd. .. . FM		Melbourne, C.2, Vic.	
432 Mount Dandenong Road, Croydon, Vic.			
Fisons Australia Pty. Ltd. .. . FC		Jaede, H. W., Manufacturing Pty. Ltd. .. . JA	
Daking House, Rawson Place, Sydney		Templestowe, Vic.	
Gamma Laboratories .. . GA		Knoll Laboratories .. . KL	
169 Lygon Street, Carlton, Melbourne, Vic.		176 Princes Highway, Arncliffe, N.S.W.	
Geigy (A'asia) Pty. Ltd. .. . GE		Knoll, A. G. Germany .. . KN	
178-180 Pacific Highway, St. Leonards, N.S.W.			
		Lane Medical Co. Pty. Ltd. .. . LM	
		156 Barkly Avenue, Burnley, Vic.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Lederle Laboratories Division LE		Nativelle Laboratories NA	
Cynamid-D.H.A. Pty. Ltd., Derrimut, Vic.		France	
Leo Pharmaceutical Products LP		Nicholas Pty. Ltd. NS	
Denmark		699 Warrigal Road, Chadstone, S.E.10, Vic.	
Lepetit (Pharmaceuticals) Pty. Ltd. LT		Noel Bramble Laboratories NB	
66-80 Pacific Highway, St. Leonards, N.S.W.		324 King George's Road, Beverly Hills, N.S.W.	
Lilly (Australia) Pty. Ltd., Eli LY		Nyal Company NY	
Wharf Road, Ermington, N.S.W.		75-89 Atkins Road, Ermington, N.S.W.	
Luitpold-Werk LW			
Germany			
		Oppenheimer, Son & Co. Ltd. OP	
		London	
Maw Son and Sons, S. ME		Organon Laboratories Ltd. OR	
England		London	
May and Baker (Aust.) Pty. Ltd. MB		Ortho Pharmaceutical Co. OO	
Paramount Road, West Footscray, W.12, Vic.		6th Floor, 26 Ridge Street, North Sydney,	
McGloin Pty. Ltd., J. MG		N.S.W.	
36 Hutchinson Street, Surry Hills, N.S.W.			
Medical Research Pty. Ltd. MR			
Sirius Road, Lane Cove, N.S.W.		Parke Davis and Co. Ltd. PD	
Merck, Sharp & Dohme (Aust.) Pty. Ltd. .. MK		32-40 Cawarra Road North,	
62-68 Ferndell Street,		Caringbah, N.S.W.	
South Granville, N.S.W.		Pfizer Corporation Australia PF	
Merrell, Wm. S. (Pty.) Ltd. ML		Wharf Road, Ermington, N.S.W.	
M.L.C. Building, Miller Street,		Pharmedica Pty. Ltd. PH	
North Sydney, N.S.W.		602-612 Botany Road, Alexandria, N.S.W.	
Muir & Neil Pty. Ltd. MN		Phoenix Pharmaceuticals PX	
479 Kent Street, Sydney, N.S.W.		P.O. Box 209, Bankstown, N.S.W.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Prosana Laboratories	PR	Sandoz Ltd.	SZ
145 Beattie Street, Balmain, N.S.W.		620 Harris Street, Ultimo, Sydney, N.S.W.	
Pro-Vita Products Pty. Ltd.	PV	Savory and Moore Ltd.	SY
Lennon Street, South Kensington, Vic.		England	
Protea Pharmaceuticals Pty. Ltd.	PT	Schering Corporation, U.S.A.	SH
Box 1660 G.P.O., Sydney, N.S.W.		Schering, A. G., Berlin	SC
		Searle & Co. Ltd., G. D.	SR
		England	
Queensland Ethicals	QE	Sera Pty. Ltd.	SE
Evans Road, Rocklea East, Brisbane, Q'ld.		29 Hotham Parade, Artarmon, N.S.W.	
		Sigma Co. Ltd.	SI
		589-605 Collins Street, Melbourne, C.1, Vic.	
Reckitts Pty. Ltd.	RC	Soul Pattinson (Laboratories) Pty. Ltd.	SL
770 Bourke Street, Redfern, N.S.W.		158 Pitt Street, Sydney, N.S.W.	
Richards Laboratory Pty. Ltd.	RD	Smith, Kline & French Laboratories (Aust.) Ltd. ..	SK
Kings Road, Castle Hill, N.S.W.		Cnr. Denison & Spring Streets,	
Richter of Milan	RM	North Sydney, N.S.W.	
Riker Laboratories Australia Pty. Ltd.	RK	Squibb & Sons, E. R., Pty. Ltd.	SQ
68 Alexander Street, Crow's Nest, N.S.W.		England	
Roche Products Ltd.	RO	Stansen & Co. Pty. Ltd., A. E.	ST
1 Barrack Street, Sydney, N.S.W.		Green & McCandlish Building,	
Rocke Tompsitt & Co. Ltd.	RT	West Melbourne, C.3, Vic.	
10 Griffiths Street, Ricomond		St. Just Laboratories Ltd.	SJ
Rotary Tableting Corp. Pty. Ltd.	RY	7 Ferguson Street, Maylands, W.A.	
432 Mt. Dandenong Road, Croydon, Vic.			
Roussel Laboratories Ltd.	RL		
403 Pacific Highway, Artarmon,		Thilo, Dr. and Co.	TH
Sydney, N.S.W.		Western Germany	

<i>Manufacturer</i>	<i>Code</i>
Toppin & Sons Pty. Ltd., R.D. 22 Duffy Avenue, Thornleigh, N.S.W.	TO
Trufood Ltd. England	TF
Upjohn Company, The 55-73 Kirby Street, Rydalmere, N.S.W.	UP
Virax Ethicals Ltd. 77-79 Market Street, South Melbourne, Vic.	VR
Vitamins Limited England	VM
Wander Limited, A., England	WA
Warner & Co. Pty. Ltd., Wm. R. 10-28 Biloela Street, Villawood, N.S.W.	WW
Weddel Pharmaceuticals England	WP
Wholesale Drug Co. Ltd. 15-23 Parker Street, Sydney, N.S.W.	WD
Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W.	WL
Woods, H. W. Pty. Ltd. 10 Clifford Street, Huntingdale, Vic.	WH

<i>Manufacturer</i>	<i>Code</i>
World Agencies Pty. Ltd. 82-84 Sussex Street, Sydney, N.S.W.	WO
Wyeth Pharmaceuticals Pty. Ltd. Gregory Place, Parramatta, N.S.W.	WY
Young and Fennell Pty. Ltd. 268 Kent Street, Sydney, N.S.W.	YF

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline Mucate	Ampoule	6	Penicillin, Procaine, (Aqueous Suspension) ..	Ampoule or Vial	12
Adrenaline Acid Tartrate	Ampoule	6			
	Bottle	1			
Digoxin	Ampoule	12	Pethidine Hydrochloride ..	Ampoule	6
	Bottle	1			
	Tablet	100			
Heparin	Ampoule or vial	1	Sulphadiazine .. .	Tablet	100
			or		
Hydrocortisone Sodium Succinate for Injection, B.P.	Ampoule	2	Sulphadimidine		
	Vial	1	or		
Mephentermine Sulphate	Ampoule	6	Sulphamerazine		
Morphine Sulphate	Hypodermic Tablet	40	or		
			Sulphonamides, Mixed (B):		
			Three Sulphonamides ..		
			or		
Morphine with Atropine	Ampoule	6	Sulphadimethoxine	Tablet	12
	Hypodermic Tablet	40	or		
			Sulphamethoxypyridazine ..	Tablet	12
Oxytocin	Ampoule	12	Tetanus Antitoxin, B.P. 1,500 I.U.	Ampoule	6
			Tetanus Toxoid (Formalinised) ..	Ampoule	6

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SECTION 2 — PART 1

SCHEDULE OF BENEFITS

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



SCHEDULE OF BENEFITS
for
APPROVED CHEMISTS

OPERATIVE FROM 1st AUGUST, 1963

CONTENTS

	<i>Page</i>
SECTION 1—LEMON PAGES	
Manufacturers—Address and Code	2-6
Supplies of Listed Brands—Distributors and Agents	7
Distributors and Agents—Addresses	8-12
Emergency Drug (Doctor's Bag) Supplies	13
Metric Conversion Table	14
Symbols used in the Schedule	15
 SECTION 2—WHITE PAGES	
Schedule of Benefits (Part 1)	1-117
 SECTION 3—GREEN PAGES	
Schedule of Benefits (Part 2)	1-11
Table of Maximum Quantities and Number of Repeats for Benefits not listed in Schedule of Benefits—Part 1	12
 SECTION 4—BLUE PAGES	
Container Prices and Professional Fees	1
Standard Packs and Prices (including Mark-up, but no Professional Fee) for items against the price of which an asterisk is shown in the Schedule of Benefits—Part 1	2-9
Pre-priced extemporaneous preparations (Dispensed Price for common quantities other than maximum)	10-12
 Explanatory Notes, Prescriber's List, and Proprietary Index are available in separate booklets which are issued to all Medical Practitioners and Approved Chemists.	

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd.	AB	British Pharmaceuticals Pty. Ltd.	BP
Missenden Rd., Camperdown, N.S.W.		8-12 Bathurst Street, Sydney, N.S.W.	
Alfred Lawrence & Co. Ltd.	AL	British Schering Ltd.	BS
13-31 Barrett Street, Kensington W.1, Vic.		North Shore Medical Centre,	
Ames Company	AM	St. Leonards, Sydney, N.S.W.	
484 Collins Street, Melbourne C.1, Vic.		Bull Laboratory, David G.	BL
Andrews Laboratories Pty. Ltd.	AN	19 Shierlaw Avenue, Canterbury, E.7, Vic.	
12 Primrose Avenue, Rosebery, N.S.W.		Burroughs Wellcome & Co. (Aust.) Ltd.	BW
Armour Pharmaceutical Co. Ltd.	AR	Cressy Street, Rosebery, Sydney, N.S.W.	
England			
Associated Drug Companies of Australia Pty. Ltd.	AD	Campbell Pharmaceutical Co., U.S.A.	CF
589-605 Collins Street, Melbourne, C.1, Vic.		Calmic Ltd.	CA
Astra Pharmaceuticals (Australia) Pty. Ltd.	AP	Bibby Street, Chiswick, N.S.W.	
Compo Road, Rocklea, Queensland		Charles McDonald-Mead Johnson Pty. Ltd.	CM
Ayerst Laboratories Pty. Ltd.	AY	Caringbah, N.S.W.	
Gregory Place, Parramatta, N.S.W.		Chemos Pty. Ltd.	CH
Bakra Laboratories	BK	65 Park Road, Milton, W.2, Brisbane, Q'ld.	
45 A'Beckett Street, Melbourne, Vic.		Ciba Limited	CB
Baxter-D.H.A. Laboratories Pty. Ltd.	BX	Orion Road, Lane Cove, N.S.W.	
Rothschild Avenue, Rosebery, N.S.W.		Commonwealth Serum Laboratories	CS
Bayer Pharma Pty. Ltd.	BA	Poplar Street, Parkville, Vic.	
56 Young Street, Sydney, N.S.W.		Cox Findlayson & Co. Ltd.	CO
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	472-482 Harris Street, Sydney, N.S.W.	
376 Eastern Valley Way, Roseville, N.S.W.		Crookes Laboratories Ltd., The	CK
Bristol Laboratories Pty. Ltd.	BC	376 Eastern Valley Way,	
223 Pacific Highway, North Sydney, N.S.W.		Roseville, Sydney, N.S.W.	
British Drug Houses (Australia) Pty. Ltd.	BD		
250 Pitt Street, Sydney, N.S.W.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Difrex (Aust.) Laboratories DF		G. P. Pty. Ltd. GP	
321 Pitt Street, Sydney, N.S.W.		74-76 Mitchell Road, Alexandria,	
Dista Products (Australia) Pty. Ltd. .. . DL		Sydney, N.S.W.	
Campbell Street, Artarmon, N.S.W.		Glaxo-Allenburys (Australia) Pty. Ltd. .. . GL	
Drug Houses of Australia Ltd. .. . DH		23-47 Villiers Street, North Melbourne, Vic.	
750-800 Princes Highway, Tempe, N.S.W.		Griffiths-Hughes, E., Pty. Ltd. .. . GH	
		Buffalo Road, Gladesville, N.S.W.	
Endo Laboratories, Inc. U.S.A. .. . EN		Hamilton Laboratories Ltd., The .. . HA	
Ethicals Ltd. .. . EL		141 Buckland Street, Alexandria, N.S.W.	
180 Queen Street, Brisbane, Q'ld.		Harvey Pty. Ltd., H. F., .. . HY	
Evans Medical Australia (Pty.) Ltd... .. EV		231 Elizabeth Street, Croydon, N.S.W.	
214 Graham Street, Port Melbourne, Vic.		Haug Drug Co., U.S.A. .. . HD	
		Hoechst Pharmaceuticals Pty. Ltd. .. . HP	
Farbenfabriken Bayer, A.G. .. . FB		505 St. Kilda Road., Melbourne, S.C.2, Vic.	
West Germany			
Farmer Hill Pty. Ltd. .. . FH		Ioquin Company, The .. . IQ	
187 William Street, Sydney, N.S.W.		Fourth Floor, Parramatta & Missenden Roads,	
Faulding & Co. Ltd., F. H. .. . FA		Camperdown, N.S.W.	
James Place, Adelaide, S.A.		Imperial Chemical Indust. of Aust. & N.Z. Ltd. .. . IC	
Fawns and McAllan Pty. Ltd. .. . FM		I.C.I. House, 1 Nicholson Street,	
432 Mount Dandenong Road, Croydon, Vic.		Melbourne, C.2, Vic.	
Fisons Australia Pty. Ltd. .. . FC			
Daking House, Rawson Place, Sydney		Jaede, H. W., Manufacturing Pty. Ltd. .. . JA	
		21-31 Gold Street, Collingwood, Vic.	
Gamma Laboratories .. . GA			
169 Lygon Street, Carlton, Melbourne, Vic.		Knoll Laboratories .. . KL	
Geigy Pharmaceuticals .. . GE		176 Princes Highway, Arncliffe, N.S.W.	
178-180 Pacific Highway, St. Leonards, N.S.W.		Knoll, A. G., Germany .. . KN	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Lane Medical Co. Pty. Ltd.	LM	Nativelle Laboratories	NA
156 Barkly Avenue, Burnley, Vic.		France	
Lederle Laboratories Division	LE	Nicholas Pty. Ltd.	NS
Cynamid-D.H.A. Pty. Ltd., Derrimut, Vic.		699 Warrigal Road, Chadstone, S.E. 10, Vic.	
Leo Pharmaceutical Products	LP	Noel Bramble Laboratories	NB
Denmark		324 King George's Road, Beverly Hills, N.S.W.	
Lepetit (Pharmaceuticals) Pty. Ltd.	LT	Nyal Company	NY
578 Bourke Street, Melbourne, Vic.		75-89 Atkins Road, Ermington, N.S.W.	
Lilly (Australia) Pty. Ltd., Eli	LY		
Wharf Road, Ermington, N.S.W.			
Luitpold-Werk	LW		
Germany			
		Oppenheimer, Son & Co. Ltd.	OP
Maw Son & Sons, S.	ME	London	
England		Organon Laboratories Ltd.	OR
May and Baker (Aust.) Pty. Ltd.	MB	London	
Paramount Road, West Footscray, W.12, Vic.		Ortho Pharmaceutical Co.	OO
McGloin Pty. Ltd., J.	MG	6th Floor, 26 Ridge Street, North Sydney,	
36 Hutchinson Street, Surry Hills, N.S.W.		N.S.W.	
Medical Research Pty. Ltd.	MR		
Sirius Road, Lane Cove, N.S.W.			
Merck, Sharp & Dohme (Aust.) Pty. Ltd.	MK		
62-68 Ferndell Street,			
South Granville, N.S.W.		Parke Davis and Co. Ltd.	PD
Merrell, Wm. S. (Pty.) Ltd.	ML	32-40 Cawarra Road, North Caringbah,	
M.L.C. Building, Miller Street,		N.S.W.	
North Sydney, N.S.W.		Pfizer Corporation Australia	PF
Muir & Neil Pty. Ltd.	MN	Wharf Road, Ermington, N.S.W.	
479 Kent Street, Sydney, N.S.W.		Pharmedica Pty. Ltd.	PH
		602-612 Botany Road, Alexandria, N.S.W.	
		Phoenix Pharmaceuticals	PX
		P.O. Box 27, Northbridge, N.S.W.	

<i>Manufacturer</i>	<i>Code</i>
Prosana Laboratories PR 22 Daisy Street, Revesby, N.S.W.	
Pro-Vita Products Pty. Ltd. PV Lennon Street, South Kensington, Vic.	
Protea Pharmaceuticals Pty. Ltd. PT Box 1660 G.P.O., Sydney, N.S.W.	
Queensland Ethicals QE Evans Road, Rocklea East, Brisbane, Q'ld.	
Reckitts Pty. Ltd. RC 770 Bourke Street, Redfern, N.S.W.	
Richards Laboratory Pty. Ltd. RD Kings Road, Castle Hill, N.S.W.	
Richter of Milan RM Riker Laboratories Australia Pty. Ltd. RK 68 Alexander Street, Crow's Nest, N.S.W.	
Roche Products Ltd. RO 1 Barrack Street, Sydney, N.S.W.	
Roeke Tompsitt & Co. Ltd. RT 10 Griffiths Street, Richmond, Vic.	
Rona Laboratories Ltd. RN London, U.K.	
Rotary Tableting Corp. Pty. Ltd. RY 432 Mt. Dandenong Road, Croydon, Vic.	

<i>Manufacturer</i>	<i>Code</i>
Roussel Laboratories Ltd. RL 403 Pacific Highway, Artarmon, Sydney, N.S.W.	
Sandoz Ltd. SZ 620 Harris Street, Ultimo, Sydney, N.S.W.	
Schering Corporation, U.S.A. SH Schering, A. G., Berlin SC Searle & Co. Ltd., G. D. SR England	
Sera Pty. Ltd. SE 29 Hotham Parade, Artarmon, N.S.W.	
Sigma Co. Ltd. SI 589-605 Collins Street, Melbourne, C.1, Vic.	
Soul Pattinson (Laboratories) Pty. Ltd. SL 158 Pitt Street, Sydney, N.S.W.	
Smith, Kline & French Laboratories (Aust.) Ltd. SK Cnr. Denison & Spring Streets, North Sydney, N.S.W.	
Squibb & Sons, E. R., (Pty.) Ltd. SQ 126 Franklin Street, Melbourne, Vic.	
Stansen & Co. Pty. Ltd., A. E. ST 500 Spencer Street, West Melbourne, C.3, Vic.	
St. Just Laboratories Ltd. SJ 7 Ferguson Street, Maylands, W.A.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Thilo, Dr. and Co.	TH	Woods, H. W. Pty. Ltd.	WH
Western Germany		10 Clifford Street, Huntingdale, Vic.	
Toppin & Sons Pty. Ltd., R. D.	TO	World Agencies Pty. Ltd.	WO
22 Duffy Avenue, Thornleigh, N.S.W.		82-84 Sussex Street, Sydney, N.S.W.	
Trufood Ltd.	TF	Wyeth Pharmaceuticals Pty. Ltd.	WY
England		Gregory Place, Parramatta, N.S.W.	
Upjohn Company, The	UP	Young and Fennell Pty. Ltd... .. .	YF
55-73 Kirby Street, Rydalmere, N.S.W.		268 Kent Street, Sydney, N.S.W.	
Virax Ethicals Ltd.	VR		
77-79 Market Street, South Melbourne, Vic.			
Vitamins Limited	VM		
England			
Wander Limited, A., England	WA		
Ward Blenkinsop and Co. Ltd.	WB		
London, U.K.			
Warner & Co. Pty. Ltd., Wm. R.	WW		
10-28 Biloela Street, Villawood, N.S.W.			
Weddel Pharmaceuticals	WP		
England			
Wholesale Drug Co. Ltd.	WD		
15-23 Parker Street, Sydney, N.S.W.			
Winthrop Laboratories	WL		
75-89 Atkins Road, Ermington, N.S.W.			

SUPPLIES OF LISTED BRANDS — DISTRIBUTORS AND AGENTS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.
AL ..	NA1	..	QA1	SA2	WK1	TP1	NA ..	..	VG1	..	..	..	..
AM ..	NS1	VS1	..	..	..	..	NY ..	NS2	VS2	..	SP1,	WR1	TP1,
AP ..	NA2	VA1	..	..	..	..					SS3	WS1	TS1
AR ..	NP1	..	..	..	..	..	OP ..	NM2	..	..	..	..	..
BD ..	..	..	QM1	..	..	..	OR ..	NB1	VB3	QB3	SB2	WB3	..
BS ..	..	VC2	QC1	SJ1	WH1	TG1	PD ..	..	VP1	QP1	SD1	WP1	TB1
BT ..	..	VB1	QB1	SB1	WB2	TB2	PF ..	..	VP2	..	SP2	..	..
BW ..	..	VB2	QB2	SD1	WP1	TS1	PH ..	..	VP3	QC2	SA1	WE1	TC1
BX ..	ND2	VD1	QD1	SD2	WD1	TD1	PR ..	..	VP4	QP2	SS1	WA1	..
CF ..	NF3	VF2	QF1	SF1	WF2	TF1	QE ..	..	VC1	..	..	..	..
CM ..	..	..	QK1	SA1	WP2	..	RM ..	NE4	VE1	QC3	..	WV1	..
DH ..	ND2	VD1	QD1	SD2	WD1	TD1	RN ..	..	VF1	..	..	..	..
EN ..	NY1	..	..	..	..	..	RT ..	NM1	..	QK1	SS1	WB1	..
EV ..	NE2	..	..	..	..	..	SC ..	NS5	..	..	..	..	..
FA ..	NF3	VF2	QF1	SF1	WF2	TF1	SH ..	NE3	..	..	..	..	..
FB ..	NF2	..	..	..	..	..	SQ ..	NS4	..	..	SS4	WS2	..
FM ..	NF1	..	QF2	SS2	WF1	TC2	SR ..	ND2	VD1	QD1	SD2	WD1	TD1
GP ..	..	..	..	..	WC1	..	TH ..	NP3	..	..	..	..	..
HA ..	..	..	..	SH1	..	..	TO ..	..	VT1	QT1	ST1	..	..
HD ..	ND2	VD1	QD1	SD2	WD1	TD1	TF ..	NM2	..	..	..	..	..
HY ..	..	VC1	QA2	..	WA1	TC1	UP ..	..	VU1	QU1	SJ1	WM1	TG1
KN ..	NS3	..	..	..	..	..	VM ..	NP2	..	..	..	..	..
LP ..	NA3	..	..	..	..	..	WA ..	NP1	..	..	..	..	..
LW ..	NE1	..	..	..	..	..	WB ..	NP4	VP4	QP2	SS1	WA1	..
ME ..	..	..	QG1	..	..	..	WP ..	ND1	VH1	..	..	WV1	..
MN ..	..	VM1	..	..	..	..							

DISTRIBUTORS AND AGENTS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES			
Alfred Lawrence & Co. Pty. Ltd.	NA1	F.B.A. Pharmaceuticals Aust. Pty. Ltd.	NF2
439 Kent Street, Sydney		Wilson Street, Botany	
Andrews Laboratories	NA3	Martin & Co. (Surgical) Ltd.	NM1
12 Primrose Ave., Rosebery		382 Pacific Highway, Crows Nest	
Astra Pharmaceuticals (Aust.) Pty. Ltd.	NA2	Muir and Neil Pty. Ltd.	NM2
364 The Boulevarde, Sutherland		479 Kent Street, Sydney	
British Pharmaceuticals	NB1	William Pearce and Co. Pty. Ltd.	NP3
8-12 Bathurst Street, Sydney		149 Castlereagh Street, Sydney	
Denyer Brothers	ND1	Pharmedica Pty. Ltd.	NP1
250 George Street, Sydney		Rosebery	
Drug Houses of Aust. Ltd.	ND2	Potter and Birks Pty. Ltd.	NP2
750-800 Princes Highway, Tempe, N.S.W.		120 Pacific Highway, St. Leonards	
Easterbrook R. W., Pty. Ltd.	NE4	Prosana Laboratories Pty. Ltd.	NP4
10 Angas Street, West Ryde		22 Daisy Street, Revesby	
Essex Laboratories Pty. Ltd.	NE3	Schaffer & Company	NS1
105-111 Kippax Street, Surry Hills		235 Clarence Street, Sydney	
Ethical Agencies Co.	NE1	Schering, A.G.	NS5
279 Clarence Street, Sydney		59 Pine Street, Chippendale	
Evans Medical Australia (Pty.) Ltd.	NE2	Schering Pty. Ltd.	NS3
Plough Court, Duffy Avenue, Thornleigh		Sydney	
F. H. Faulding & Co. Ltd.	NF3	Squibb, E. R. and Son (Pty.) Ltd.	NS4
249-259 Chalmers Street, Redfern		96-98 Buckland Street, Alexandria, N.S.W.	
Fawns & McAllan Pty. Ltd.	NF1	Sterling Pharmaceuticals	NS2
176 Day Street, Sydney		75-89 Atkins Road, Ermington, Sydney	
		Young and Fennell Pty. Ltd.	NY1
		268 Kent Street, Sydney	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
VICTORIA			
Astra Pharmaceuticals (Australia) Pty. Ltd. 52 Collins Street, Melbourne	.. VA1	Pfizer Corporation Australia 30 Abbotsford Road, Port Melbourne	 VP2
Boots Pure Drug Co. Pty. Ltd.	VB1	Pharmedica Pty. Ltd.	VP3
33-35 Stewart Street, Richmond		366 Reserve Road, Cheltenham	
British Pharmaceuticals Pty. Ltd.	VB3	Phillips Southern Trading Pty. Ltd. 396 Flinders Lane, Melbourne	 VP4
22 Greville Street, Prahran		R. D. Toppin & Sons Pty. Ltd.	VT1
Burroughs Wellcome & Co. (Aust.) Ltd.	VB2	245 Swan Street, Richmond	
303-305 Albert Street, Brunswick		Schaffer & Co. (Vic.) Pty. Ltd.	VS1
Cambridge Laboratories Pty. Ltd.	VC1	482 Collins Street, Melbourne	
45 A'Beckett Street, Melbourne		Sterling Pharmaceuticals Pty. Ltd.	VS2
Cox Findlayson & Co. Ltd.	VC2	Cato Street, Auburn	
15 James Street, Melbourne		Upjohn Pty. Ltd.	VUI
Drug Houses of Australia Ltd.	VD1	115 Leicester Street, Carlton	
504 Bourke Street, Melbourne			
Easterbrook, R. W., Pty. Ltd.	VE1		
347-9 Canterbury Road, Surrey Hills			
F. H. Faulding & Co. Ltd.	VF2		
129 Lonsdale Street, Melbourne			
F. T. Laboratories Pty. Ltd.	VF1		
39-41 Dandenong Road, Oakleigh			
Gamma Laboratories	VG1		
169 Lygon Street, Carlton			
Harris Smith Supplies Co. Pty. Ltd... ..	VH1		
1 Mayston Street, Melbourne			
Muir & Neil Pty. Ltd.	VM1		
46 Cliff Street, South Yarra			
Parke, Davis & Company Ltd.	VP1		
117 King Street, Melbourne			
		QUEENSLAND	
		Alfred Lawrence & Co. Pty. Ltd.	QA1
		138 Mary Street, Brisbane	
		Antrac Chemicals Pty. Ltd.	QA2
		199 Samford Street, Enoggera	
		Boots Pure Drug Co. Pty. Ltd.	QB1
		720 Kingsford Smith Drive, Hamilton	
		British Pharmaceuticals Pty. Ltd.	QB3
		189 Logan Road, Woolloongabba	
		Burroughs Wellcome & Co. (Aust.) Ltd.	QB2
		Cnr. Merivale and Peel Streets, South Brisbane,	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Campbell, M. H.	QC2	SOUTH AUSTRALIA	
Gympie Road, Chermside		Adelaide Drug Co. Ltd.	SA1
Cox Findlayson & Co. Ltd.	QC1	Pirie Street, Adelaide	
17 Doggett Street, Fortitude Valley		Alfred Lawrence & Co. Pty. Ltd.	SA2
T. G. Cullum, Pty. Ltd.	QC2	96 Currie Street, Adelaide	
22 Charlotte Street, Brisbane		Boots Pure Drug Co. Pty. Ltd.	SB1
Drug Houses of Australia Ltd.	QD1	Henley Beach Road, Mile End	
405-423 Montague Road, West End		British Pharmaceuticals Pty. Ltd.	SB2
F. H. Faulding & Co. Ltd.	QF1	393 King William Street, Adelaide	
126-132 Barry Parade, Brisbane		D and L Agencies Ltd.	SD1
Fawns & McAllan Pty. Ltd.	QF2	22-24 Louisa Street, Adelaide	
30 Albert Street, Brisbane		Drug Houses of Australia Ltd.	SD2
Gradwell Bros.	QG1	599 Port Road, West Croydon	
42 Grenier Street, Valley		F. H. Faulding & Co. Ltd.	SF1
Kenneth Mitchell Agencies Pty. Ltd.	QK1	James Place, Adelaide	
96 Alfred Street, Valley		Hamilton Laboratories Ltd.	SH1
D. MacLean, Pty. Ltd.	QM1	217 Flinders Street, Adelaide	
119-121 Charlotte Street, Brisbane		J. J. C. Pearce	SJ1
arke, Davis & Co. Ltd.	QP1	207 Currie Street, Adelaide	
57-59 Longland Street, Valley		Pharmaceutical Supplies	SP1
Prosana Laboratories Pty. Ltd.	QP2	106 North Terrace, Adelaide	
194 Given Terrace, Paddington		Pfizer Corporation Australia	SP2
R. D. Toppin & Sons Pty. Ltd.	QT1	12 Lloyd Street, St. Marys	
22 Thurlow Street, Newmarket		R. D. Toppin & Sons Pty. Ltd.	ST1
Upjohn Company Pty. Ltd.	QU1	27 Rowlands Road, Hilton	
333 Coronation Drive, Milton, Brisbane			

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
A. Searcy & Son Ltd. SS1 132 Gray Street, Adelaide		Fawns and McAllan Pty. Ltd. WF1 13 Rokeby Road, Subiaco	
Southern Drug Company SS2 180 Sturt Street, Adelaide		H. L. Hitchcock and Co. WH1 277 Salvado Street, Floreat Park	
Squibb and Sons, E. R. (Pty.) Ltd. SS4 302 North Terrace, Adelaide		E. D. Kendall, Esq. WK1 47 Paddington Street, Perth	
Sterling Pharmaceuticals Pty. Ltd. SS3 150 Henley Beach Road, Torrensville		G. Martin & Son WM1 83 Brisbane Street, Perth	
WEST AUSTRALIA		Pharmaceutical Distributors WP1 48 King Street, Perth	
Avery Guhl, Pty. Ltd. WA1 36A William Street, Perth		Pharmax Pty. Ltd. WP2 12 Aberdeen Street, Perth	
R. D. Benjamin WB1 30 James Street, Perth		Rumbles Ltd. WR1 12 Aberdeen Street, Perth	
Boots Pure Drug Co. Pty. Ltd. WB2 416 Newcastle Street, Perth		Squibb and Sons, E. R. (Pty.) Ltd. WS2 273 Hay Street, Perth	
British Pharmaceuticals Pty. Ltd. WB3 260 Hay Street, Subiaco		Sterling Pharmaceuticals Pty. Ltd. WS1 12 Graylands Road, Claremont	
Claydon and Carpenter WC1 144 William Street, Perth		S. Van Dal & Co. Pty. Ltd. WV1 148-150 Hay Street, Subiaco	
Drug Houses of Australia Ltd. WD1 297 Murray Street, Perth		TASMANIA	
Ethico Distributors WE1 119 Clausebrook Road, East Perth		C. J. Baldey TB1 101 Murray Street, Hobart	
F. H. Faulding & Co. Ltd. WF2 313 Murray Street, Perth		Boots Pure Drug Co. Pty. Ltd. TB2 49 Davey Street, Hobart	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Cados Pty. Ltd. 	TC1		
Watchorn Street, Hobart			
Cados Pty. Ltd. 	TC2		
63 Cameron Street, Launceston			
Drug Houses of Australia Ltd. 	TD1		
152 Collins Street, Hobart			
F. H. Faulding & Co. Ltd. 	TF1		
179 Liverpool Street, Hobart			
H. T. Grounds 	TG1		
101 Murray Street, Hobart			
Pharmaceuticals Pty. Ltd. 	TP1		
63 Cameron Street, Launceston			
Sidwell & Company 	TS1		
70 Liverpool Street, Hobart			

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1	Column 2	Col. 3	Column 1	Column 2	Col. 3
Item	Form	Max. Qty.	Item	Form	Max. Qty.
Adrenaline Mucate	Ampoule	6	Penicillin, Procaine, (Aqueous Suspension)	Ampoule or Vial	12
Adrenaline Acid Tartrate	Ampoule	6			
	Bottle	1			
Digoxin	Ampoule	12	Pethidine Hydrochloride . . .	Ampoule	6
	Bottle	1			
	Tablet	100	Sulphadiazine	} Tablet	100
Heparin	Ampoule or vial	1	or		
			Sulphadimidine		
Hydrocortisone Sodium Succinate for Injection, B.P.	Ampoule	2	or		
Mephentermine Sulphate	Vial	1	Sulphamerazine		
Morphine Sulphate	Ampoule	6	or		
	Hypodermic		Sulphonamides, Mixed, (B):		
	Tablet	40	Three Sulphonamides ..		
			or		
Morphine with Atropine	Ampoule	6	Sulphadimethoxine	Tablet	12
	Hypodermic		or		
	Tablet	40	Sulphamethoxypyridazine ..	Tablet	12
			Tetanus Antitoxin, B.P. 1,500 I.U.	Ampoule	6
Oxytocin	Ampoule	10	Tetanus Toxoid, B.P.	Ampoule	6

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

METRIC CONVERSION TABLE

Conversion Table

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Millilitres</i> <i>Grammes</i>	<i>Minims</i> <i>Grains</i>	<i>Milligrams</i>	<i>Grain</i>
20	300	60	1
16	240	50	$\frac{3}{4}$
12	180	30	$\frac{1}{2}$
10	150	20	$\frac{1}{3}$
8	120	15	$\frac{1}{4}$
6	90	12	$\frac{1}{5}$
5	75	10	$\frac{1}{6}$
4	60	7.5	$\frac{1}{8}$
3	45	6	$\frac{1}{10}$
2	30	3	$\frac{1}{20}$
1.6	25	2	$\frac{1}{30}$
1.5	$22\frac{1}{2}$	1.2	$\frac{1}{50}$
1.2	20	1	$\frac{1}{60}$
1	15	0.6	$\frac{1}{100}$
0.8	12	0.5	$\frac{1}{120}$
0.6	10	0.3	$\frac{1}{200}$
0.5	8	0.25	$\frac{1}{240}$
0.3	5	0.2	$\frac{1}{320}$
0.25	4	0.1	$\frac{1}{600}$
0.2	3		
0.15	$2\frac{1}{2}$		
0.12	2		
0.1	$1\frac{1}{2}$		

It is intended to convert the Schedule of Benefits to the metric system at an early date.

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) against the price of a benefit in Part 1 indicates that the manufacturer's pack does not coincide with the maximum quantity.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
- (c) A double dagger (‡) in the maximum quantity column indicates an item packed by manufacturers under special conditions. The maximum quantity of these items corresponds to the manufacturer's pack and this quantity in an unbroken pack will be supplied.
- (d) A double dagger (‡) against the price of an eye or ear drop indicates that the product is not preconstituted and that a special professional fee of 5s. 6d. is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the state indicated.

N.S.W.(N); Vic.(V); S.A.(S); W.A.(W); Q'ld.(Q); Tas.(T).

— PART

SECTION 2 — PART II

SCHEDULE OF BENEFITS

SECTION 2—SCHEDULE OF BENEFITS (PART 1)

(Effective from 1st August, 1963)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
1 ACETARSOL						
	Injection 2 cc. amp... ..		10	1	0 13 4	MB
	3 cc. amp... ..		10	1	0 17 8	MB
	Oral Tablet, B.P.C. 250 mg. (4 gr.) tab. ..		25	2	*0 9 3	MB
	Pessaries 250 mg. (4 gr.)		25	1	0 8 4	MB
					0 12 4	BA
2 ACETAZOLAMIDE						
	Oral Tablet, B.P. 250 mg. tab.		50	4	3 0 5	LE
					(ex 250)	
					3 4 4	LE
					(ex M.P.)	
42 ACETAZOLAMIDE SODIUM PARENTERAL						
	Injection 500 mg. vial		1	..	1 19 0	LE
50 ACETOHEXAMIDE						
	Oral Tablet 500 mg.		100	2	2 3 0	LY

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
3	ACETOMENAPHTHONE					
	Oral Tablet, B.P. 5 mg. tab.		100	2	£ s. d. 0 8 4	AD, BD, DH, KL, PR, RT(V), SI, TO
	10 mg. tab.		100	2	0 11 0	AD, BD, CM, DH, GL, HY(QNVTW), KL, PR, RO, RT(V), SI, TO
4	ACETYLSALICYLIC ACID					
	Mixture, P.L.		8 fl. oz.	4	0 8 4	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 3	Extemp.
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		100	2	0 5 5	AD, DH, HY(QNVTW), KL, PR, RT(V), RY, SI, SL, TO
	Oral Tablet Soluble, B.P. 300 mg. (5 gr.) tab.		100	2	0 8 5	CO, DH, HY(QNVTW), IQ, MG, PR, RT(V), RY, TO, VR
					0 8 10	RC
					0 9 0	BW, KL, NB
					0 9 1	HA
					(ex 500)	
					0 10 8	BW, CO, DH, HA, HY(QNVTW), IQ, KL, MG, NB, PR, RC, RT(V), RY, TO, VR
5	ACETYLSALICYLIC ACID COMPOUND					
	Mixture, P.L.		8 fl. oz.	4	0 9 2	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 11	Extemp.
	Oral Tablet, A.P.F.		100	2	0 6 7	AD, DH, KL, RT(V), RY, SI, SL
	Oral Tablet, B.P.C.		100	2	0 6 8	DH, FA, KL, RY, TO

5—continued

Oral Tablet Soluble					100	2	0 9 3	MG
							0 10 2	CO, RC
							(ex 500)	
							0 11 0	CO, MG
							0 12 4	RC
							(ex M.P.)	
6 ACETYSALICYLIC ACID AND CODEINE COMPOUND								
Mixture, P.L.					8 fl. oz.	4	0 10 5	Extemp.
7 ACETYSALICYLIC ACID AND MORPHINE								
Mixture, P.L.					8 fl. oz.	4	0 9 10	Extemp.
8 ACETYSALICYLIC ACID AND PHENOBARBITONE								
Mixture, P.L.					8 fl. oz.	4	0 8 8	Extemp.
10 ACETYSALICYLIC ACID WITH BROMIDE								
Mixture for Children, P.L.					4 fl. oz.	4	0 7 6	Extemp.
12 ADRENALINE								
Eye Drops 1%					1	6	1 14 4	AN
2%					1	6	3 13 0	HD
Spray with Atropine Methonitrate, P.L. ..					1/2 fl. oz.	2	0 13 8	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
13	ADRENALINE HYDROCHLORIDE SOLUTION, B.P. 1953					
	Nasal Instillation, P.L.		1/2 fl. oz.	2	0 7 5	Extemp.
	Nasal Instillation with Ephedrine Hydrochloride, P.L.		1/2 fl. oz.	2	0 7 9	Extemp.
14	ADRENALINE ACID TARTRATE					
	Injection, B.P. 1 in 1,000, 1 cc. amp. . .		6	1	0 9 0	AD, BL, BT, BW, BK, FH, KL, PD
	1 in 1,000, 10 cc.		1	1	0 7 0	BW, BX, FH, PD
	Solution, B.P. 1 in 1,000, 25 cc.		1	..	0 6 11	BW
	1 in 1,000, 1 fl. oz.		1	..	0 6 11	BX, RT(v)
					0 9 0	PD
	Solution 1 in 100, 7 cc. vial		1	1	0 6 11	BW, PD
43	ADRENALINE MUCATE					
	Injection 1 cc. amp...		6	1	*0 14 5	GL
16	ALOES					
	Pill Aloes and Nux Vomica, B.P.C.		50	1	*0 5 3	TO
					*0 6 8	DH
17	ALOXIDONE					
	Oral Capsule 300 mg. cap.		200	1	*3 19 6	BS
18	ALUMINIUM ACETATE					
	Lotion (Solution, B.P.C.)		8 fl. oz.	4	0 15 3	Extemp.

19	ALUMINIUM HYDROXIDE								
	Oral Tablet, B.P.	300 mg. (5 gr.) tab.	..		100	2	0 12 8	EV, HY(QNVTW), KL, PR, RT(V)	
							0 13 0	HA, WY	
							*0 13 8	RD, SL	
	Oral Tablet	600 mg. (10 gr.) tab...	..		100	2	0 15 11	KL	
							0 17 0	CO, HA, WY	
44	ALUMINIUM HYDROXIDE GEL								
	Mixture	8 fl. oz.	..	..	†1	4	0 7 9	CH(QNW), WD(N)	
							0 8 3	DH, WY	
	Mixture with Light Magnesia	8 fl. oz.	..		†1	4	0 8 3	PR, WY	
	Mixture, A.P.F.	..	..	..	8 fl. oz.	4	0 12 1	Extemp.	
	Mixture with Belladonna, P.L.	..	..	..	8 fl. oz.	4	0 12 5	Extemp.	
	Mixture with Kaolin, P.L.	..	..	..	8 fl. oz.	4	0 13 0	Extemp.	
	Mixture with Kaolin and Opium, P.L.	..	..	..	8 fl. oz.	4	0 13 7	Extemp.	
	Mixture with Kaolin and Pectin, P.L.	..	..	..	8 fl. oz.	4	0 13 3	Extemp.	
	Mixture with Procaine, P.L.	..	..	..	8 fl. oz.	4	0 14 7	Extemp.	
49	ALUMINIUM HYDROXIDE GEL DRIED								
	Oral Tablet of Aluminium Hydroxide Magnesium Carbonate Co-dried Gel	375 mg...			100	2	0 17 0	BD, BT	
	Oral Tablet with Magnesium Trisilicate and Magnesium Hydroxide (250 mg.-120 mg. 120 mg. (4 gr.-2 gr.-2 gr.) tab.	..	..		100	2	0 15 1	HA	
							0 15 9	BW, FM, GP, KL, VR	
							(ex 500)		
							0 16 4	BW, FM, GP, HA, KL, VR	
							(ex M.P.)		
	Oral Tablet with Magnesium Trisilicate 250 mg.-500 mg.	..	..	..	100	2	0 14 4	WW	
	Oral Tablet with Magnesium Hydroxide 300 mg.-90 mg.	..	..	..	100	2	*0 14 6	WY	
45	ALUMINIUM POWDER, B.P.C.								
	Compound Paste, B.P.C.	..	..	..	1920 gr.	1	1 1 8	BT	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
21	AMINACRINE HYDROCHLORIDE					
	Cream, P.L.		1920 gr.	1	0 11 1	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 0	Extemp.
	Eye Drops 3 mg. (0.05 gr.) per 1/2 fl. oz.					
	1/2 fl. oz.		1	2	0 10 7	IQ, KL, SI
	Lotion, P.L.		8 fl. oz.	4	0 8 5	Extemp.
22	AMINOPHYLLINE					
	Injection 480 mg. per 2 mil., I.M. amp. . .		6	..	0 13 0	AD, BX
	500 mg. per 2 mil., I.M. amp. . .		6	..	0 13 0	BW, CM, FH, HA
	240 mg. per 10 mil., I.V. amp. . .		6	..	0 17 8	BX, HA
	250 mg. per 10 mil., I.V. amp. . .		6	..	0 17 8	AD, BW, CM, FH
	Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. . .		100	2	0 5 2	HY(QNVTW), PR
					0 5 7	RY
					0 6 2	AD, DH, RT(V), SI
					0 6 3	MG, SL
					0 6 10	FA, HA, KL, TO
					0 7 4	BW
					(ex 500)	
					0 6 4	AD, DH, HY(QNVTW), PR, RT(V), RY, SI
					0 7 5	BW, FA, HA, KL, MG, SL, TO
					(ex M.P.)	
	150 mg. (2.34 gr.) tab. . .		100	2	0 19 0	AB
	Oral Tablet with Phenobarbitone					
	100 mg.-30 mg. (1.5 gr.-1/2 gr.) tab. . .		100	2	0 7 8	AD, CM, CO, DH, FA, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO

22—continued

100 mg.-15 mg. (1.5 gr.-1/4 gr.) tab. ..		100	2	0 7 4	AD, CM, DH, FA, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
Suppository 175 mg. (2.75 gr.)		12	1	0 9 0	HA, KL
250 mg. (4 gr.)		12	1	0 12 0	AN, DH, HA, KL
400 mg. (6 gr.)		12	1	0 12 0	HA, KL
Aminophylline, Ephedrine Hydrochloride and Amylobarbitone					
Oral Tablet					
130 mg.-25 mg.-25 mg. tab.		100	2	0 19 8	PT
				1 3 0	CO, VR
				1 6 4	HA, KL
				1 13 8	CK
Oral Tablet, enteric coated					
130 mg.-25 mg.-25 mg. tab.		100	2	1 6 4	CO
				1 9 0	LY
Oral Capsule					
130 mg.-25 mg.-25 mg. cap.		100	2	1 3 0	PT
				1 6 4	DL
				1 9 0	LY
				1 13 8	PF
46 AMIPHENAZOLE HYDROBROMIDE, A.P.F.					
Injection 20 mg. vial (solvent required) ..	D	12	..	*1 14 4	BX
23 AMIPHENAZOLE HYDROCHLORIDE, A.P.F. 1955					
Injection 30 mg. vial (solvent required) ..	D	12	..	3 10 7	GH
Oral Tablet 20 mg. tab.	D	100	..	0 11 11	GH
24 AMMONIATED MERCURY					
Ointment, B.P.		1920 gr.	1	0 12 5	Extemp

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
25	AMMONIUM ACETATE, STRONG SOLUTION, B.P. 1953 Mixture, P.L.		8 fl. oz.	4	0 10 9	Extemp.
26	AMMONIUM CHLORIDE Oral Tablet, B.P.C. 500 mg. (7.5 gr.) tab. ..		25	3	*0 5 3 0 5 4	QE(QNVS), TO HY(QNVTW)
27	AMODIAQUINE BASE Oral Tablet Amodiaquine Hydrochloride, B.P. equivalent to 200 mg. base		100	2	1 19 0	PD
28	AMPHETAMINE SULPHATE Oral Tablet, B.P. 5 mg. tab.		100	2	0 6 8 0 7 0 0 7 5	PR, RT(V), RY, TO MG DH, FA, HY(QNVTW), KL QE(QNVS)
29	AMPHOTERICIN B Injection 50 mg. vial	D	1	..	1 19 8	SQ
51	AMPICILLIN	H				
30	AMYLOBARBITONE, B.P. Oral Tablet 15 mg. (1/4 gr.) tab. ..		50	2	0 7 0 0 7 7	FA, HY(QNVTW), PT GF, HA, KL, LY
	30 mg. (1/2 gr.) tab. ..		50	2	0 7 11 0 8 7	FA, HY(QNVTW), PT GP, HA, KL, LY, VR

30—continued

50 mg. (3/4 gr.) tab. ..

50

2

0 8 9 FA, HY(QNVTW), PT
0 9 8 DF, GP, HA, KL, LY, MG, VR

100 mg. (1.5 gr.) tab. ..

50

2

0 8 9 AD, DH, HY(QNVTW), SI
0 8 11 PT, RY
0 9 3 FA, KL, MG, PR, RT(V), SL, TO, VR
0 9 5 QE(QNVS)
0 9 8 DF, HA
0 10 11 GP
0 11 3 LY
(ex 250)
0 9 5 AD, DH, FA, HY(QNVTW), PR, PT,
RT(V), RY, SI
0 10 4 DF, HA, KL, MG, QE(QNVS), SL, TO

31 AMYLOBARBITONE SODIUM

Oral Capsule, B.P. 65 mg. cap. ..

50

2

200 mg. (3 gr.) cap. ..

50

1

(ex M.P.)
0 10 9 LY
0 12 10 FA
0 19 4 LY
(ex 250)
0 14 4 FA
1 4 0 LY
(ex M.P.)

Injection, B.P.

125 mg. amp. (solvent required) ..

6

..

1 7 8 LY

250 mg. amp. (solvent required) ..

6

..

*1 9 6 LY

500 mg. amp. (solvent required) ..

6

..

*2 3 0 LY

1 G. amp. (solvent required) ..

6

..

*3 5 6 LY

47 ANDROSTANOLONE

Oral Tablet 25 mg. tab.

D

100

2

5 17 8 DF
9 18 4 MN

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
32	ANEURINE HYDROCHLORIDE					
	Injection, B.P. 25 mg. per cc., 1 mil. amp.		6	1	0 11 8 0 13 0	FH BD
	50 mg. per cc., 1 mil. amp.		6	1	0 17 0	BL, FH, FM, KL
	50 mg. per cc., 2 mil. amp.		6	1	0 19 0	BD
	100 mg. per cc., 1 mil. amp.		6	1	0 19 0	BX, FH, KL
	50 mg. per cc., 10 mil. vial		1	1	0 12 4	BX, FA, FH, FM, GL, KL, PD
	100 mg. per cc., 10 mil. vial		1	1	0 15 0	BX, CM, FA, FH, FM, GL, KL, PD, VR
	Oral Tablet, B.P. 20 mg. tab.	P	100	2	0 8 4 0 9 8	HY(QNVTW), RT(V) CM, KL, MG, PR, RY, SL, TO
	25 mg. tab.	P	100	2	0 9 0 0 11 0	HY(QNVTW), RT(V) AD, DH, FA, FM, KL, PR, MG, RY, SI, SL, TO
	50 mg. tab.	P	100	2	0 11 0 0 13 8	HY(QNVTW), RT(V) AD, AN, DH, FA, FM, KL, MG, PR, RY, SI, SL, TO
	100 mg. tab.	P	100	2	0 17 0 0 19 0	HY(QNVTW), RT(V) AN, DH, FM, KL, MG, PR, QE(QNVS), RY, SL
	120 mg. tab.	P	100	2	1 1 0 1 1 8	HY(QNVTW) KL, MG, PR, SL
33	ANTACID POWDER					
	Powder, P.L.		1920 gr.	2	0 8 2	Extemp.

34 ANTAZOLINE

Injection, B.P.C. 100 mg. per 2 cc. amp. ..

Oral Tablet, B.P. 100 mg. tab.

Eye Drops with Naphazoline 1/2 fl. oz. ..

10 mil. ..

10

..

*1 1 8 CB

*1 2 0 BT

0 13 8 CB

0 7 0 TO

0 8 4 CB

50

1

‡1

2

‡1

2

36 AQUEOUS CREAM

Cream, B.P.

1920 gr.

1

0 10 10

Extemp.

37 ASCORBIC ACID

Oral Tablet, B.P. 10 mg. tab. P

25 mg. tab. P

50 mg. tab. P

100 mg. tab. P

250 mg. tab. P

500 mg. tab. P

100

2

0 5 7

HY(QNVTW), RT(V)

100

2

0 5 8

AD, DH, FA, FM, HY(QNVTW), KL,

MG, PR, RT(V), RY, SI, TO

100

2

0 7 4

AD, DH, FA, FM, GL, HY(QNVTW),

KL, MG, NY, PD, PR, RT(V), RY

SI, SL, TO

100

2

0 10 0

DH, HY(QNVTW), KL, MG, PR,

QE(QNVS), RT(V), RY, TO

100

2

0 15 0

AD, AN, DH, FA, FM, HY(QNVTW),

KL, MG, NY, PD, PR, RT(V), RY,

SI, SL, TO

0 15 8

GL

1 5 0

HY(QNVTW), KL, MG

38 ATROPINE

Eye Drops, Oily 1% 1/2 fl. oz.

‡1

2

0 13 0

IQ, SI

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
39	ATROPINE METHONITRATE					
	Mixture for Children, P.L.		4 fl. oz.	4	0 13 3	Extemp.
	Solution 0.6%, 1/2 fl. oz.		1	..	0 9 8	BA
	Oral Tablet 1 mg. tab.		50	2	0 14 4	BA
40	ATROPINE SULPHATE					
	Hypo. Tablet, B.P.					
	1/200 gr. hypo. tab. (solvent required) ..		20	1	0 5 8	PD
	1/150 gr. hypo. tab. (solvent required) ..		20	1	0 5 8	DH, FA, PD
	1/100 gr. hypo. tab. (solvent required) ..		20	1	0 6 0	DH, FA, PD
	Injection, B.P. 1/150 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BT, BX, FH, KL
	1/100 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BT, BX, FH, KL
	1/100 gr. per cc., 10 cc. vial		1	..	0 9 8	BX, FA, FH
	1/50 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BX, FH, KL
	Eye Drops, 1/2%, 1/2 fl. oz.		‡1	2	0 11 0	AN, DH, IQ, KL, SI
	1%, 1/2 fl. oz.		‡1	2	0 12 0	AN, DH, IQ, KL, SI
	Eye Ointment, B.P. 4 G. (60 gr.)		‡1	..	0 6 4	PD
41	AUROTHIOGLUCOSE					
	Injection, Oily 10 mg. amp.		1	3	0 6 3	SC
	25 mg. amp.		1	3	0 7 7	SC
	50 mg. amp.		6	..	*1 13 6	SC
	100 mg. amp.		6	..	*2 2 6	SC
83	BACITRACIN					
	Eye Drops 15,000 U. and 15 mil. amp. of solvent		‡1	2	‡0 19 10	AN, IQ

84	BARBITONE COMPOUND, A.P.F. 1955 Oral Capsule, A.P.F. 1955	50	1	1 13 8 1 18 4	AN, KL AB
85	BARBITONE SODIUM Oral Tablet, B.P. 300 mg. (5 gr.) tab. .. 500 mg. (7.5 gr.) tab. ..	50 50	2 2	0 9 4 0 10 0 0 11 0 0 11 4	DH, KL, MG, SL DH, FA, KL TO MG
86	BELLADONNA Compound Suppository	12	1	0 7 11	WY
87	BEMEGRIDE Injection, B.P. 30 mil. vial	D 6	..	5 16 0 1 1 9 (ex 250)	GH AN, BT, GL
106	BENDROFLUAZIDE Oral Tablet 2.5 mg. tab. 5 mg. tab.	50 50	2 2	1 2 8 (ex M.P.) 1 12 7 (ex 250) 1 13 4 (ex M.P.)	AN, BT, GL AN, BT, GL AN, BT, GL
88	BENEDICT'S QUALITATIVE SOLUTION Solution, P.L.	4 fl. oz.	1	0 8 10	Extemp.
102	BENZALKONIUM CHLORIDE Cream, 0.01% 2 oz. Compound Suppository	1 12	1 1	0 7 5 0 11 8	CA FA
89	BENZHEXOL HYDROCHLORIDE Oral Tablet, B.P. 2 mg. tab. 5 mg. tab.	100 100	2 2	1 1 4 2 1 4	LE, WL LE, WL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
90	BENZOCAINE					
	Dusting Powder, P.L.		1920 gr.	1	0 14 4	Extemp.
	Compound Ointment with Hamamelis and Zinc, P.L.		1920 gr.	1	1 0 8	Extemp.
	Compound Ointment with Adrenaline ..		960 gr.	1	0 13 0	GP
	Compound Suppository with Adrenaline ..		12	1	0 10 7	GP
	Suppository with Adrenaline, A.P.F. 1955 ..		12	1	0 13 0	DH, KL
					0 15 0	AN
91	BENZOIC ACID					
	Compound Ointment, A.P.F. 1955		1920 gr.	1	0 12 5	Extemp.
92	BENZOIN COMPOUND TINCTURE					
	Inhalation, P.L.		2 fl. oz.	1	0 13 8	Extemp.
93	BENZYL BENZOATE					
	Application, 25% 4 fl. oz.		1	1	0 9 8	EV
	Application with Dicophane, P.L.		4 fl. oz.	1	0 9 0	Extemp.
103	BEPHENIUM HYDROXYNAPHTHOATE					
	Oral Sachet, 5 G. sachet		1	..	0 7 5	BW
109	BETAMETHASONE					
	Injection 4 mg. per cc., 1 cc.	AD	2	..	*1 9 8	GL, SH
	Oral Tablet 0.5 mg. tab.	AD	30	..	1 11 0	GL, SH
110	BETAMETHASONE PHOSPHATE					
	Eye Drops, 0.1%, 5 mil.. .. .		†1	2	1 3 0	GL, SH

94	BISMUTH CARBONATE, B.P. 1953 Compound Mixture for Children, P.L. ..		4 fl. oz.	4	0 9 10	Extemp.
95	BISMUTH GLYCOLLYLARSANILATE Oral Tablet 500 mg. tab.		25	2	0 19 0	WL
104	BISMUTH SODIUM TARTRATE Injection, B.P. 60 mg. per cc., 10 cc. vial		1	..	1 3 0	FA
97	BISMUTH SUBGALLATE, B.P.C. Suppository, B.P.C. 300 mg. (5 gr.) ..		12	1	0 8 1	DH
	Compound Suppository, B.P.C.		12	1	0 8 3	DH, WW
					0 13 8	KL
98	BORIC ACID Ear Drops, P.L.		1/2 fl. oz.	2	0 6 10	Extemp.
	†Powder, B.P. 4 oz.		1	..	†0 1 3	WD(N)
					†0 1 8	FA
					†0 2 0	SI(V)
					†0 2 3	DH
105	BRETYLIUM TOSYLATE Oral Tablet 200 mg. tab.		100	2	4 6 4	BW
108	BROWN SNAKE ANTI-VENENE Injection 500 U. amp.		2	1	*14 3 0	CS
99	BUSULPHAN Oral Tablet, B.P. 0.5 mg. tab.	D	100	2	0 19 8	BW
	2 mg. tab.	D	100	2	1 4 4	BW
107	BUTABARBITAL SODIUM Oral Tablet 15 mg. tab.		50	2	0 7 2	AN
					(ex 250)	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
107— <i>continued</i>					£ s. d.	
	30 mg. tab. 		50	2	0 8 1 (ex M.P.)	AN
					0 8 6 (ex 250)	AN
					0 9 9 (ex M.P.)	AN
	100 mg. tab. 		50	2	0 13 9	AN
100	BUTOBARBITONE					
	Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. ..		50	2	0 6 2 0 6 7 (ex 250)	AD, DH, MB, SI DH, GP, KL, MG, RT(v), RY, SL
					0 6 11 0 7 0 0 7 8 (ex M.P.)	AD, DH, KL, MG, RT(v), RY, SI, SL MB GP
101	BUTYL AMINO BENZOATE, B.P. 1953					
	Cream with Trinitrophenol, P.L. 		1920 gr.	1	0 12 9	Extemp.
120	CALAMINE					
	Cream, P.L. 		1920 gr.	1	0 9 1	Extemp.
	Lotion, P.L. 		8 fl. oz.	4	0 8 1	Extemp.
	Compound Liniment, P.L. 		4 fl. oz.	1	0 7 9	Extemp.

121	CALCIFEROL				ADG	100	2	1 4 0	GL, RL
	Oral Tablet, B.P.	50,000 U. tab.	..	..					
	Solution	3,000 U. per mil., 25 mil.	..	..					
122	CALCIUM ACETYSALICYLATE				CP	1	..	0 6 1	BD
		3,000 U. per mil., 100 mil.	..	..					
128	CALCIUM AMINOSALICYLATE, B.P.C.				D	200	2	3 5 8	KL, WA
	Cachet	1.5 G. cachet	..	..					
		2.0 G. cachet	..	..					
123	CALCIUM AUROTHIOMALATE				D	200	2	4 5 8	KL, WA
	Oral Tablet	500 mg. (7.5 gr.) tab.	..	..					
	Granules	100 G. tin	..	..					
125	CALCIUM CARBONATE				D	1	1	1 16 8	WA
		400 G. tin	..	..					
126	CALCIUM AUROTHIOMALATE				D	1	1	5 19 8	WA
	Injection	10 mg. amp.	..	..					
		25 mg. amp.	..	..					
127	CALCIUM CARBONATE				D	6	..	1 12 4	CK
		50 mg. amp.	..	..					
		100 mg. amp.	..	..					
128	CALCIUM GLUCONATE				D	6	..	2 4 1	CK
	Injection, B.P.	10% Solution, 10 mil. amp.	..	..					
	Oral Tablet, B.P.C.	600 mg. (10 gr.) tab.	..	..					
129	CALCIUM LACTATE				D	100	2	0 15 0	BX, FH, TH
130	CALCIUM LACTATE				D	100	2	0 7 8	AD, DH, FA, HY(QNVTW), PR, RT(V), RY, SI, SL
131	CALCIUM LACTATE				D	100	2	0 8 4	MG, TO
132	CALCIUM LACTATE				D	100	2	0 6 4	AD, DH, FA, HY(QNVTW), KL, RT(V), RY, SI, SL, TO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
129	CAMPBOR Liniment for Children, P.L.		4 fl. oz.	1	0 10 5	Extemp.
130	CAMPFORATED TINCTURE OF OPIUM Mixture, P.L. Linctus, P.L. Linctus for Children, P.L.		8 fl. oz. 8 fl. oz. 4 fl. oz.	4 4 4	0 8 6 0 14 4 0 10 4	Extemp. Extemp. Extemp.
131	CARAMIPHEN HYDROCHLORIDE Oral Tablet 50 mg. tab.	D	100	2	*2 5 0	GE
132	CARBACHOL Injection, B.P. 0.25 mg. per 1 cc. amp. ..		6	..	0 9 8	BD, FH
133	CARBARSONE Oral Tablet, B.P. 250 mg. tab.		20	1	0 6 9	MB
134	CARBIMAZOLE Oral Tablet, B.P. 5 mg. tab.		100	2	0 19 8 1 12 4	PT BS
136	CARBINOXAMINE MALEATE Oral Tablet 4 mg.		50	1	0 15 8	AN
135	CARBROMAL Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		50	2	0 8 8 0 9 8	DH, KL, MG BA, GP
136	CARMINATIVE MIXTURE Mixture for Children, P.L.		4 fl. oz.	4	0 7 4	Extemp.

137	CASCARA	Oral Tablet, B.P.	200 mg. (3 gr.) tab.	..	25	3	0 5 0	AD, DH, FA, HY(QNVTW), PD
			300 mg. (5 gr.) tab.	..	25	3	0 5 5	RT(V), SI, SL AD, DH, FA, HY(QNVTW), PD
		†Liquid Extract, B.P.	1 fl. oz.	..	1	1	†0 1 11	RT(V), SI, SL, TO DH, WD(N)
			2 fl. oz.	..	1	1	†0 3 0	DH, WD(N)
138	CASTOR OIL							
		†5 oz.	..	..	1	..	†0 2 6	WD(N)
							†0 3 3	DH
							†0 3 6	FA
139	CETRIMIDE							
		Cream, P.L.	..	..	1920 gr.	1	0 10 6	Extemp.
		Solution, P.L.	..	..	4 fl. oz.	1	0 7 1	Extemp.
140	CHALK							
		Mixture with Kaolin, P.L.	..	..	8 fl. oz.	4	0 8 7	Extemp.
141	CHARCOAL							
		Oral Tablet	300 mg. (5 gr.) tab.	..	100	2	0 8 4	AD, HY(QNVTW), QE(QNVS), RT(V),
							0 9 8	SI AN, BW, TO
143	CHLORAL HYDRATE							
		Mixture, P.L.	..	..	8 fl. oz.	4	0 8 9	Extemp.
		Mixture with Potassium Bromide, P.L.	..	..	8 fl. oz.	4	0 9 7	Extemp.
		Mixture with Potassium Bromide for Children, P.L.	..	..	4 fl. oz.	4	0 8 4	Extemp.
144	CHLORAMBUCIL							
		Oral Tablet	2 mg. tab.	..	D 100	2	3 9 8	BW
			5 mg. tab.	..	D 100	2	6 9 8	BW

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
145	CHLORAMPHENICOL				£ s. d.	
	Oral Suspension 125 mg. per 4 cc., 60 cc.	CD	‡1	..	0 17 5	PD
	Injection 250 mg. per cc., 2 cc. amp. ..	D	6	..	1 13 8	PD
	1 G. vial (solvent required) ..	D	3	..	*2 9 0	PD
	Ear Drops 6 mil.		‡1	2	0 15 4	PD
	Eye Drops 25 mg. and 10 cc. solvent ..		‡1	2	‡0 16 10	PD
	Eye Ointment, 1% 4 G. (60 gr.) ..		‡1	..	0 6 11	PD
	Eye Ointment, 1% with Polymyxin B. Sul- phate 5,000 U. per G., 4 G.		‡1	..	0 6 11	PD
	Oral Capsule, B.P. 125 mg. cap.	D	16	..	0 18 4	PD
	250 mg. cap.	D	16	..	1 7 11	PD
					(ex 100)	
					1 8 4	PD
					(ex M.P.)	
146	CHLORAZANIL					
	Oral Tablet 25 mg. tab.		50	2	0 15 0	RK, SI
	150 mg. tab.		50	2	1 14 0	RK, SI
147	CHLORBUTOL					
	Nasal Instillation, P.L.		1/2 fl. oz.	2	0 7 1	Extemp.
148	CHLORCYCLIZINE HYDROCHLORIDE					
	Oral Tablet, B.P. 50 mg. tab.		50	1	0 15 5	BW
					0 15 6	AB
					(ex 250)	
					0 17 0	AB, BW
					(ex M.P.)	
181	CHLORHEXIDINE GLUCONATE SOLUTION					
	Solution, 5% 100 cc.		‡1	1	0 15 0	IC

149	CHLORMERODRIN								
	Oral Tablet	18.3 mg. tab.	..	..	..	25	2	0 9 8	PD
183	CHLOROBENZOL DISULPHONAMIDE								
	Oral Tablet	200 mg. tab.	..	..	..	50	2	1 13 4	NS
150	CHLOROQUINE BASE								
	Oral Tablet	Phosphate or Sulphate, B.P. equivalent to 150 mg. base				100	2	1 10 3	AN, BA, DH, EV, FB, IC, MB, RT(V)
	Injection	Phosphate or Sulphate, B.P.							
		1 mil. amp.	..	..	..	6	1	0 9 8	BX, FH
		2 mil. amp.	..	..	..	6	1	0 12 5	FH
								*0 12 5	MB
		5 mil. amp.	..	..	..	6	1	*0 19 11	MB
								1 0 4	BX, FH
151	CHLOROTHIAZIDE								
	Oral Tablet, B.P.	500 mg. tab.	..	..	..	50	2	1 17 10	MK
								(ex 250)	
								2 3 0	MK
								(ex M.P.)	
152	CHLOROXYLENOL, B.P.								
	†Solution	4 fl. oz.	..	..	..	1	1	†0 3 6	FA
								†0 4 2	RC
175	CHLORPHENIRAMINE MALEATE								
	Injection	10 mg. per 1 cc. amp...	..	..	..	5	..	0 15 9	GL
	Oral Tablet	4 mg. tab.	..	..	..	50	1	0 17 4	SH
								0 17 8	GL
		8 mg. tab.	..	..	..	50	1	1 1 8	GL
								1 7 4	SH
	Syrup	4 fl. oz.	..	..	..	†1	4	0 9 8	GL

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
179	CHLORPROMAZINE HYDROCHLORIDE					
	Injection, B.P. 1%, 5 cc. amp.	TP	10	..	0 19 4	MB
	2.5%, 1 cc. amp.	TP	10	..	0 12 4	MB
	2.5%, 2 cc. amp.	TP	10	..	0 16 8	MB
	Oral Tablet, B.P. 10 mg. tab.	TP	100	2	0 13 8	MB
	25 mg. tab.	TP	100	2	0 19 8	MB
					(ex 500)	
					1 0 4	MB
					(ex M.P.)	
	50 mg. tab.	TP	100	2	1 17 0	MB
	Suppositories 100 mg.	TP	5	1	0 12 8	MB
	Syrup 4 fl. oz.	TP	‡1	4	0 11 4	MB
153	CHLORPROPAMIDE					
	Oral Tablet 250 mg. tab.		100	2	2 3 0	PF
154	CHLORTETRACYCLINE HYDRO- CHLORIDE					
	Oral Capsule, B.P. 50 mg. cap. .. .	D	25	..	1 2 4	LE
	100 mg. cap. .. .	D	25	..	1 18 4	LE
	250 mg. cap. .. .	D	16	..	2 14 4	LE
	Oral Granules 75 G. .. .	CD	‡1	..	1 11 1	LE
	Eye Ointment, 1% 4 G. (60 gr.) .. .		‡1	..	0 6 0	LE
184	CHLORTHALIDONE					
	Oral Tablet 100 mg. tab.		50	2	2 11 0	GE

155	CHOLERA VACCINE Injection, B.P. 8,000 M. per cc., 1 cc. amp.		3	..	*0 14 0	CS
180	CLEMIZOLE HYDROCHLORIDE Oral Tablet 20 mg. tab.		50	1	0 15 8 *0 15 9	GP SC
188	CLEMIZOLE TANNATE Syrup 100 cc.	C	‡1	4	0 9 8	SC
157	COAL TAR SOLUTION Lotion, P.L.		8 fl. oz.	4	0 6 11	Extemp.
158	COCAINE Eye Drops, Oily, 2% 1/2 fl. oz.		‡1	2	0 15 11	IQ, SI
160	CODEINE PHOSPHATE Linctus, P.L. Linctus for Children, P.L. Oral Tablet, B.P. 30 mg. (1/2 gr.) tab. .. Oral Tablet Compound, B.P.		4 fl. oz. 4 fl. oz. 25 100	2 4 3 2	0 13 3 0 10 6 0 8 4 0 9 6 0 9 8	Extemp. Extemp. DH, HY(QNVTW), KL, RT(V), RY, TO AD, CM, CO, DH, FA, HA, HY(QNVTW), KL, MR, PR, RT(V), RY, SI, SL, TO, VR MG

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
160—continued						
					£ s. d.	
					0 9 10	BW
					(ex 500)	
					0 9 8	AD, FA, HA, HY(QNVTW), PR, RT(V), RY, SI, TO
					0 11 0	BW, CM, CO, DH, KL, MG, MR, SL, VR
					(ex M.P.)	
	Oral Tablet Compound Soluble, B.P.	..	100	2	0 13 9	HA, MG
					0 13 11	DH, KL, TO
					0 14 5	IQ
					0 14 8	BW, RC
					(ex 500)	
					0 15 0	BW, DH, HA, IQ, KL, MG, RC, TO
	Oral Tablet with Acetylsalicylic Acid Soluble				(ex M.P.)	
	10 mg.—300 mg.		100	2	0 15 0	BW, FM, KL, MG, NB
	10 mg.—500 mg.		100	2	0 16 0	FA
					0 16 8	RC
	Oral Tablet with Acetylsalicylic Acid					
	10 mg.—300 mg.		100	2	0 10 8	HY(QNVTW), KL, NS
					0 11 0	BW, EL
	Oral Tablet with Acetylsalicylic Acid and Phenacetin 10 mg.—250 mg.—250 mg. tab.		100	2	0 12 11	FA, WW
					(ex 500)	
					0 13 7	FA, WW
					(ex M.P.)	
	Oral Tablet with Acetylsalicylic Acid, Phenacetin and Caffeine					
	12 mg.—250 mg.—150 mg. 15 mg. tab.					
	(1/5 gr.—4 gr.—2.5 gr.—1/4 gr.) ..		100	2	0 17 0	GP

160—continued

30 mg.—225 mg.—150 mg.—30 mg. tab. (1/2 gr.—3.5 gr.—2.5 gr.—1/2 gr.) ..					50	..	0 14 2 (ex 250) 0 14 8 (ex M.P.)	BW, GP BW, GP
161	COD LIVER OIL							
	†Cod Liver Oil, B.P.	8 fl. oz.	..	..	CP	1	4	†0 3 3 WD(N) †0 4 0 DH, FA, SI(V)
	†Emulsion, 50%	16 fl. oz.	..	..	CP	1	4	†0 5 8 DH, SL, WD(N)
	Ointment with Acriflavine, P.L.		..	..		1920 gr.	1	0 11 6 Extemp.
162	COLCHICINE							
	Oral Tablet, B.P.	0.5 mg. (1/120 gr.)	tab.			100	2	0 11 8 HY(QNVTW), PT 0 12 4 BW, DH, EV, IQ, KL, MR *0 13 8 RD
164	COLCHICUM TINCTURE							
	Mixture with Acetylsalicylic Acid, P.L.		..			8 fl. oz.	4	0 9 3 Extemp.
	Mixture with Sodium Salicylate, P.L.		..			8 fl. oz.	4	0 9 8 Extemp.
165	COLD CREAM							
	Cream, P.L.		..	..		1920 gr.	1	0 10 2 Extemp.
166	COLOCYNTH, B.P.C.							
	Oral Pill Compound, B.P.C.		..	..		50	1	*0 7 10 DH
167	COPPER SULPHATE							
	Lotion with Zinc Sulphate, B.P.C.		..	..		8 fl. oz.	4	0 7 6 Extemp.
	†Diagnostic Tablet Compound	36 tabs.	..			1	2	†0 6 9 AM

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
168	CORTICOTROPHIN							£ s. d.	
	Injection, B.P.	10 I.U. vial	..	..	AD	6	..	1 17 0	CK
								*2 5 9	OR
		20 I.U. amp.	..	..	AD	6	..	2 13 0	CS
		25 I.U. vial	..	..	AD	6	..	4 16 4	CS
		30 I.U. vial, I.V.	..	..	AD	6	..	3 7 0	CK
		75 I.U. vial, I.V.	..	..	AD	6	..	*3 7 0	PH
			..	..	AD	6	..	*6 16 6	PH
	Gelatin Injection, B.P.	20 I.U. amp.	..	..	AD	6	..	2 19 0	AN
		50 I.U. amp.	..	..	AD	6	..	11 9 8	CS
		100 I.U. vial	..	..	AD	6	..	*22 3 0	PH, SC
								22 3 0	CK, CS
		200 I.U. amp.	..	..	AD	6	..	*40 3 0	SC
		200 I.U. vial	..	..	AD	6	..	*40 3 0	CK, PH
	Zinc Hydroxide Injection, B.P.	40 I.U. vial			AD	6	..	*9 3 0	OR
		50 I.U. vial			AD	6	..	*11 9 8	OR
		100 I.U. vial			AD	6	..	*22 3 0	OR
		200 I.U. vial			AD	6	..	*40 3 0	OR
169	CORTISONE ACETATE								
	Injection, B.P.	25 mg. per cc., 10 cc. vial			AD	1	..	1 3 8	GL, RL
		25 mg. per cc., 20 cc. vial			AD	1	..	2 4 4	AN, MK, SC
		50 mg. per cc., 10 cc. vial			AD	1	..	2 4 4	AN, MK
	Oral Tablet, B.P.	5 mg. tab.	..	..	AD	50	..	0 19 8	PT
								1 3 8	AN, MK
								*1 4 10	SC
		25 mg. tab.	..	..	AD	40	..	3 9 8	PT
								4 6 4	AD, AN, BT, DH, GL, KL, MK PD, SC, RL

169—continued

169	Eye Drops	0.5%	3 mil.	†1	2	0 13 8	DH	
			5 mil.	†1	2	0 15 8	MK, SH	
			10 mil.	†1	2	0 19 0	AN	
		1%	2.5 mil.	†1	2	0 13 8	CB	
			3 mil.	†1	2	0 15 8	AN, RL	
		2.5%	5 mil.	†1	2	2 8 4	DH, MK	
			10 mil.	†1	2	2 11 0	AN	
182	COUGH MIXTURE							
	Mixture for Children, P.L.	..	..	4 fl. oz.	4	0 8 11	Extemp.	
170	CRESOL AND SOAP SOLUTION							
	†Solution, B.P.	4 fl. oz.	..	1	1	†0 2 3	AL(QNVST)	
						†0 2 6	SI(V)	
						†0 2 8	DH, WD(N)	
171	CRYSTAL VIOLET							
	Ear Drops, P.L.	..	..	1/2 fl. oz.	2	0 6 10	Extemp.	
	Paint Compound, P.L.	..	..	1 fl. oz.	1	0 6 6	Extemp.	
172	CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH							
	Injection, B.P.	20 mcg. per 1 cc. amp.	..	D	12	1	*0 17 0	BD, BX, FH, GL, KL, WP(NVW)
		50 mcg. per 1 cc. amp.	..	D	6	1	0 11 0	BD, BT, BX, DL, FH, GL, WP(NVW)
		50 mcg. per cc., 10 cc. vial	..	D	1	..	0 10 4	GL
							0 11 4	FH
	100 mcg. per 1 cc. amp.	..	..	D	6	1	0 12 8	PT
							0 13 8	BD, BT, CM, BX, DL, EV, FH, GL, KL, WP(NVW)
	100 mcg. per cc., 10 cc. vial	..	..	D	1	..	0 13 8	PT
							0 14 8	BX, CM, GL, KL
							0 17 8	FH, SQ
	200 mcg. per 1 cc. amp.	..	..	D	1	..	*0 7 10	CM, GL
							0 10 0	BT, FH

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
172—continued					£ s. d.	
	500 mcg. amp.	D	1	..	*0 12 1 0 6 4 0 7 8 0 14 8	OR KL GL AR
173	CYANOCOBALAMIN 1,000 MICRO- GRAMME STRENGTH Injection, B.P. 1,000 mcg. per 1 mil. amp.	D	1	..	0 7 9 0 9 0 0 19 8	DF BX, CM, GL, KL AR, BT, DL, FH, HY(QNVTW)
174	CYCLOBARBITONE Oral Tablet, B.P. 200 mg. (3 gr.) tab. . .		50	2	0 13 8 0 16 4 *0 16 7	KL, MG, SL BA, BW, GP HA
187	CYCLOPENTHIAZIDE Oral Tablet 0.5 mg.		50	2	1 7 0	CB
176	CYCLOPHOSPHAMIDE Injection 100 mg. vial Oral Tablet 50 mg. tab...		10 50		5 18 0 3 13 0	CM CM
178	CYCLOSERINE	H	..	..	..	
177	CYCRIMINE HYDROCHLORIDE Oral Tablet 1.25 mg. tab. 2.5 mg. tab.		100 100	2 2	1 15 0 2 14 4	LY LY

185	CYPROHEPTADINE									
	Oral Tablet	4 mg. tab.	..	..	..	50	2	0 19 0	MK	
230	DAPSONE									
	Oral Tablet, B.P.	50 mg. tab.	..	..	..	100	2	0 7 0	AN	
		100 mg. tab.	..	..	..	100	2	0 8 4	IC	
231	DARROW'S SOLUTION									
	Injection	1/2 litre	..	..	..	2	..	*1 7 8	BT, SJ(W)	
		1 litre	..	..	..	2	..	*1 11 8	BT, BX, FH, GL, SJ(W)	
282	DEATH ADDER ANTI-VENENE									
	Injection	3,000 U. vial	..	..	..	2	..	*7 3 0	CS	
279	DEMECARIUM BROMIDE									
	Eye Drops	0.25% 5 mil...	..		..	±1	6	0 18 0	AP	
		0.5% 5 mil...	..	..	..	±1	6	1 0 9	AP	
267	DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE									
	Oral Capsule	75 mg. cap.	..	..	..	D	14	..	1 6 4	LE
		150 mg. cap.	..	..	..	D	14	..	2 3 0	LE
									(ex 100)	
									2 7 9	LE
									(ex M.P.)	
	Oral Paediatric Drops									
		60 mg. per cc., 10 cc. vial	..	..	..	CD	±1	..	0 18 4	LE
	Oral Suspension	75 mg. per 5 cc., 2 fl. oz.				CD	±1	..	1 7 5	LE
232	DEOXYCORTONE ACETATE									
	Aqueous Injection	5 mg. amp.	..	..	..	D	5	..	*1 18 7	SC
									2 5 0	CB
		50 mg. amp.	..	..	..	D	1	..	*3 7 7	SC
									3 13 0	CB

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
232—continued					£ s. d.	
	Aqueous Suspension Injection 25 mg. amp.	D	1	..	2 1 8	CB
	Injection, B.P. 5 mg. amp.	D	4	..	1 9 8	CB, OR, SC
	10 mg. amp.	D	4	..	2 9 8	CB, OR, SC
	10 mg. per cc., 10 cc. vial ..	D	1	..	5 14 4	CB, OR
	Implant, B.P. 100 mg. implant	D	1	..	4 9 8	CB, OR
	Oral Tablet 1 mg. tab.	D	40	..	1 15 0	CB, OR
					*1 15 0	SC
	5 mg. tab.	D	20	..	3 7 0	CB
233	DESLANOSIDE					
	Injection 0.2 mg. per cc., 2 cc. amp. ..		6	1	0 12 4	SZ
234	DEXAMETHASONE					
	Oral Tablet 0.5 mg. tab.	AD	30	..	2 12 4	GL, LT, MK, OR, RL, SC, SH
273	DEXAMETHASONE SODIUM PHOSPHATE					
	Injection "For Peri- or Intra-Articular In- jection" 5 mg. per 1 cc. vial		5	..	*4 6 4	OR
	4 mg. per cc., 2 cc. vial		5	..	*6 16 4	MK

235	DEXAMPHETAMINE SULPHATE				100	2	0 6 4	AD, DH, HY(QNVTW), RT(V), RY, SI
	Oral Tablet, B.P.	5 mg. tab.	..	..			0 6 8	CO, FA, KL, PR, SL, TO
							0 7 0	CM, GP, MG
236	DEXTRAN IRON				5	..	*2 2 0	FC
	Injection	2 cc. amp. I.M.	..	..			3 5 0	FC
		5 cc. amp. I.M.	..	..				
237	DEXTRIN IRON 2% INTRAVENOUS				5	..	1 16 4	AP
	Injection	5 cc. amp. I.V.	..	..				
269	DEXTROCHLORPHENIRAMINE MALE-ATE				5	..	0 12 4	SH
	Injection	5 mg. per cc., 1 cc. amp.	..	..			0 17 2	SH
	Oral Tablet	2 mg. tab.	..	..			(ex 250)	
							0 18 4	SH
							(ex M.P.)	
		6 mg. tab.	..	..	50	1	1 18 6	SH
							(ex 250)	
							2 0 4	SH
							(ex M.P.)	
	Syrup	2 mg. per 5 cc., 4 fl. oz.	..	..	†1	4	0 11 8	SH
238	DEXTROSE				6	1	*3 17 0	BT, SJ(W)
	Injection, B.P.	5%, 1/2 litre	..	..			*4 9 0	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
		1 litre	..	..				
		10%, 1/2 litre	..	..	2	1	*1 7 8	BT, SJ(W)
		1 litre	..	..	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.
238—continued									
	20%,	1/2 litre	..	..		2	1	*1 7 8	BT, SJ(W)
		1 litre	..	..		2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
	25%,	1/2 litre	..	..		2	1	*1 7 8	BT, SJ(W)
		1 litre	..	..		2	1	*1 11 8	AB, BX, FH(QNVST), SJ(W)
	50%,	25 cc. amp.	..	..		6	1	*1 7 0	BX, FH
		50 cc. amp.	..	..		6	1	*1 19 0	BX, FH, PD
		1/2 litre	..	..		2	1	*1 7 8	BT, SJ(W)
277	DICHLORPHENAMIDE								
	Oral Tablet	50 mg. tab.	..	..	..	50	4	*3 12 9	MK
241	DICOPHANE								
	Application, P.L.	..	..	..	..	4 fl. oz.	1	0 7 11	Extemp.
274	DICYCLOMINE HYDROCHLORIDE								
	Oral Tablet	10 mg. tab.	..	..	..	100	2	1 16 0	ML
242	DIENOESTROL								
	Oral Tablet, B.P.	0.3 mg. tab.	..	..	DG	100	2	0 6 0	AD, DH, FM, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		1.0 mg. tab.	..	..	DG	100	2	0 6 9	AD, DH, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		5 mg. tab.	..	..	DG	100	2	0 9 8	AD, DF, DH, HA, HY(QNVTW), KL, MG, RT(V), SI, SL, TO
		10 mg. tab.	..	..	DG	100	2	0 15 8	DH, HA, HY(QNVTW), KL
	Cream, 0.01%	3 oz. tube	..	..	P	1	1	0 10 7	OO

243	DIETHAZINE HYDROCHLORIDE									
	Oral Tablet	50 mg. tab.	..	..						
		250 mg. tab.	..	..						
244	DIETHYLCARBAMAZINE CITRATE									
	Oral Tablet, B.P.	50 mg. tab.	..	..						
275	DIETHYL DITHIOLISOPHTHALATE				H	..	..	..		
245	DIGITALIS, PREPARED									
	Oral Tablet, B.P.	30 mg. (1/2 gr.) tab.	..	..	100	2	0	5	0	BW, DH, FA, HY(QNVTW), RT(V), RY, TO
		60 mg. (1 gr.) tab.	..	..	100	2	0	5	3	BW, DH, FA, HY(QNVTW), RT(V), RY, TO
246	DIGITOXIN, B.P.C.									
	Oral Tablet	0.1 mg. tab.	..	..	100	2	0	10	3	AD, CM, KL, NA, SI, WY
		0.2 mg. tab.	..	..	100	2	0	17	8	CM, WY
		0.25 mg. tab.	..	..	100	2	0	19	5	KL
247	DIGOXIN									
	Solution	0.5 mg. per cc., 30 cc.	..	..	‡1	..	0	12	8	BW
	Solution for Children									
		0.05 mg. per mil., 2 fl. oz.	..	..	‡1	..	0	13	8	BW
	Injection, B.P.	0.5 mg. per 2 cc. amp.	..	..	12	1	*1	1	8	BW, BX
	Oral Tablet, B.P.	0.25 mg. tab.	..	..	100	2	0	9	3	KL
							0	9	9	HY(QNVTW), PR, PT, RT(V), RY
							0	10	11	MG, SL
							0	11	2	CO, FA, TO
							0	12	5	RD
							0	12	6	BW, GA, VR
							0	13	9	AB
							(ex 500)			
							0	10	1	FA, HY(QNVTW), KL, PR, PT, RT(V), RY
							0	11	0	TO
							0	13	0	MG

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
247—continued						
					£ s. d.	
					0 13 8	RD
					0 14 0	AB, BW, CO, GA, SL, VR
					(ex M.P.)	
249	DIHYDROERGOTAMINE					
	Injection 1 mg. per cc., 1 cc. amp.		6	..	0 18 4	SZ
250	DIHYDROMORPHINONE HYDRO-CHLORIDE, B.P.C. 1949					
	Injection 1.1 cc. amp.		5	..	0 10 4	KN
	Oral Tablet 2.5 mg. (1/25 gr.) tab.		20	..	*0 9 8	KN
251	DIHYDROSTREPTOMYCIN SULPHATE					
	Injection, B.P. 1 G. vial	D	5	3	*0 19 8	AN, GL, LP
	Oral Tablet of Dihydrostreptomycin Sulphate, Attapulgit, Pectin and Hydrated Alumina Powder					
	150 mg.—350 mg.—45 mg.—70 mg. tab.		16	..	0 14 1	WY
253	DI-iodohydroxyquinoline					
	Oral Tablet, B.P. 300 mg. tab.		100	2	0 17 8	DF, MB
	650 mg. tab.		100	2	4 2 4	SR
	Compound Vaginal Tablet	D	25	..	0 15 0	VR
					0 16 4	SR
	Compound Effervescent Gynaecological Preparation 200 mg.	D	20	..	0 16 4	DF
280	DILOXANIDE FUROATE					
	Oral Tablet 500 mg. tab.	D	15	..	1 3 0	BT

254	DIMERCAPROL									
	Injection, B.P. 2 cc. amp.		12	..	2	3	0	BT		
255	DIPHENHYDRAMINE HYDROCHLORIDE									
	Injection 10 mg. per cc., 10 cc. vial ..		1	1	0	14	4	PD		
	Oral Capsule, B.P. 50 mg. cap.		50	1	0	12	7	PD		
	Elixir 115 mil.	C	‡1	4	0	7	0	PD		
278	DIPHENYLPYRALINE HYDRO- CHLORIDE									
	Oral Capsule 2.5 mg. cap.		50	2	1	5	0	SK		
	5 mg. cap.		50	2	1	11	0	SK		
	Oral Tablet 2.5 mg. tab.		50	2	0	12	4	RK		
256	DIPHTHERIA AND TETANUS VACCINE, B.P.									
	Injection 1/2 cc.		3	..	0	15	0	BT		
					*0	15	0	CS		
257	DIPHTHERIA ANTITOXIN, B.P.									
	Injection 1,000 U. amp.		2	1	*0	13	8	CS		
	4,000 U. amp.		2	1	*1	5	8	CS		
	10,000 U. amp.		2	1	*2	5	8	CS		
	20,000 U. amp.		2	1	*4	3	0	CS		
259	DIPHTHERIA TETANUS AND PERTUSSIS VACCINE, B.P.									
	Injection 0.5 cc.		3	..	0	13	0	BT, BW, GL, PD		
				..	*0	13	0	CS		
260	DIPHTHERIA VACCINE (FORMOL TOXOID), B.P.									
	Injection Set containing 3 amps. each 0.5 mil.									
	Toxoid undiluted and 1 amp. of									
	1 mil. Toxoid diluted		1	1	0	14	5	CS		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
261	DIPHTHERIA VACCINE (PURIFIED TOXOID, ALUMINIUM PHOSPHATE), B.P.					
	Injection 1 cc. amp. Set containing 2 amps. each 1 cc. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) (diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for the skin test only		2	1	*0 10 4	CS
			1	..	0 12 4	CS
262	DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)					
	Injection 1 cc. amp.		1	..	0 6 4	CS
283	DIPYRIDAMOLE INJECTION					
	Injection 10 mg. per 2 mil, 2 mil. amp. . .		5	..	0 14 7	FA
284	DIPYRIDAMOLE TABLETS	H				
263	DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE					
	Injection 250 mg. per 5 cc. amp... . .	D	10	..	4 7 5	CM
	Oral Tablet 100 mg. tab.	D	100	2	9 1 8	CM

272	DISODIUM DIHYDROGEN VERSENATE								
	Injection 200 mg. per cc., 5.3 cc. amp. ..	6	1	3	9	8	RK		
270	DITHIAZANINE IODIDE								
	Oral Tablet 50 mg. tab.	30	..	1	4	4	LY		
	100 mg. tab.	30	..	*2	0	4	LY		
264	DITHRANOL								
	Ointment, B.P. 0.1%, 2 oz. tube	‡1	1	0	8	9	HY		
	Ointment, Strong, B.P. 1%, 2 oz. tube ..	‡1	1	0	11	0	HY		
281	DYFLOS, B.P.C.								
	Eye Drops, 0.1%, 10 cc.	‡1	6	1	16	4	BT		
328	ECOTHIOPATE IODIDE								
	Eye Drops, 0.125% 6.25 mg. and 5 cc. of solvent	‡1	6	‡1	14	2	CF		
	Eye Drops, 0.25% 12.5 mg. and 5 cc. of solvent	‡1	6	‡1	18	2	CF		
300	EMETINE AND BISMUTH IODIDE								
	Oral Tablet, B.P. 60 mg. (1 gr.) tab. ..	25	2	2	0	4	HY		
301	EMETINE HYDROCHLORIDE								
	Injection, B.P. 20 mg. per 1 cc. amp. ..	12	..	1	9	8	BX, KL		
	30 mg. per 1 cc. amp. ..	12	..	1	16	4	BX, KL		
	65 mg. per 1 cc. amp. ..	6	..	1	16	4	BX, KL		
302	EMULSIFYING WAX								
	Cream (Buffered), P.L.	1920 gr.	1	0	9	7	Extemp.		
	Ointment, B.P.	1920 gr.	1	0	13	11	Extemp.		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
303	EPHEDRINE Nasal Instillation (Oily), P.L.		1/2 fl. oz.	2	£ s. d. 0 7 5	Extemp.
304	EPHEDRINE HYDROCHLORIDE					
	Injection 30 mg. (1/2 gr.) per 1 cc. amp. ..		6	1	0 11 0	BL, BX, FH, KL
	50 mg. (3/4 gr.) per 1 cc. amp. ..		6	1	0 11 0	BL, BX, FH, KL
	Oral Tablet, B.P. 7.5 mg. (1/8 gr.) tab. ..		100	2	0 5 8	DH, KL, TO
	15 mg. (1/4 gr.) tab. ..		100	2	0 6 0	AD, BW, DH, HY(QNVTW), KL, MG PR, RT(V), RY, SI, TO
	30 mg. (1/2 gr.) tab. ..		100	2	0 7 0	AD, BW, DH, FA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
	60 mg. (1 gr.) tab. ..		100	2	0 10 0 0 10 1	RT(V), TO HY(QNVTW), KL
	Oral Tablet with Phenobarbitone					
	15 mg.-15 mg. tab. (1/4 gr.-1/4 gr.) ..		100	2	0 7 0 0 8 4 0 8 8	HY(QNVTW), KL, RT(V) CM, MG, QE(QNVS), TO FM
	30 mg.-15 mg. tab. (1/2 gr.-1/4 gr.) ..		100	2	0 6 7 0 7 4 0 9 1 (ex 500) 0 7 0 0 8 4 0 9 4 (ex M.P.)	HY(QNVTW) AD, CM, DH, KL, MG, PR, QE(QNVS), RT(V), SI, SL, TO FM AD, HY(QNVTW), KL, PR, RT(V), SI, SL CM, DH, MG, QE(QNVS), TO FM

304—continued

30 mg.-30 mg. tab. (1/2 gr.-1/2 gr.) ..	100	2	0 7 8	HY(QNVTW), KL, PR, SL
			0 9 0	CM, MG, QE(QNVS), TO
			0 10 0	FM
Oral Tablet with Phenobarbitone and Theo- phylline 22.5 mg., 7.5 mg., 120 mg. tab. ..	100	2	1 3 0	KL, WW
Nasal Instillations, P.L.	1/2 fl. oz.	2	0 7 0	Extemp.
306 ERGOMETRINE MALEATE				
Injection, B.P. 0.2 mg. per 1 cc. amp. ..	6	..	0 17 11	FM, LY
0.5 mg. per 1 cc., I.M. amp.	6	..	0 17 5	PT
			0 19 8	AD, BD, BL, BW, BX, CM, FH, IM, VR
0.125 mg. per 1 cc. I.V. amp.	6	..	0 13 0	AD, BD, BW, FH
Oral Tablet, B.P. 0.2 mg. tab.	25	3	0 16 9	LY
0.5 mg. tab.	25	3	2 0 4	HY(QNVTW), PT
			2 11 0	BD, BW, CM, VR
307 ERGOTAMINE TARTRATE				
Injection, B.P. 0.5 cc. amp.	6	..	0 14 0	BX, SZ
1 cc. amp.	6	..	0 18 4	BX, SZ
Oral Tablet, B.P. 1 mg. tab.	50	2	0 14 11	PT
			0 18 3	HY(QNVTW)
			0 18 7	KL
			1 9 10	TO
			1 11 9	SZ
			(ex 250)	
			0 15 8	PT
			0 18 3	HY(QNVTW)
			1 0 8	KL
			1 13 8	SZ, TO
			(ex M.P.)	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
307—continued						
	Oral Tablet with Caffeine 1 mg.—100 mg. tab.		50	2	1 3 0	PT
					1 12 8	KL
					2 0 0	BD
					2 0 1	SZ
	Oral Tablet with Caffeine and Cyclizine Hydrochloride 2 mg.—100 mg.—50 mg.		50	2	1 16 4	BW
	Oral Capsule with Caffeine Citrate and Diphenhydramine Hydrochloride 1 mg.—100 mg.—25 mg. cap.		50	2	1 16 4	PD
	Compound Suppository		6	1	0 15 0	SZ
308	ERYTHROMYCIN					
	Oral Sachet 125 mg.	CD	12	..	2 1 0	LY
	200 mg.	CD	12	..	2 1 0	AB
	Oral Suspension 100 mg. per 5 cc., 75 cc.	CD	†1	..	2 1 0	AB
	200 mg. per 5 cc., 60 cc.	CD	†1	..	2 1 0	AB
	Injection 100 mg. per 2 cc., I.M. amp.	D	4	..	*3 1 8	AB
	250 mg., 20 cc. I.V. amp.	D	1	..	1 9 8	LY
	300 mg. per 10 cc. vial	D	4	..	*8 3 0	AB
	1 G. per 50 cc. vial I.V.	D	1	..	4 16 4	LY
	(solvent required)					
	Oral Tablet 100 mg. tab.	D	25	..	2 11 8	AB, UP
					*2 16 10	LY
	250 mg. tab.	D	16	..	3 11 5	AB, LY, UP
					(ex 100)	

308—continued

							3 12 0	AB, UP
							*4 8 10	LY
							(ex M.P.)	
Oral Capsule	125 mg. cap.	..	..	D	25	..	2 11 8	AB, DL
							*2 16 10	LY
	250 mg. cap.	..	..	D	16	..	3 11 5	AB, DL, LY
							(ex 100)	
							3 12 0	AB, DL, LY
							(ex M.P.)	
309	ERYTHRITYL TETRANITRATE							
	Oral Tablet, B.P.C. 1949	5 mg. tab.	..		100	2	0 11 0	BW
		15 mg. tab.	..		100	2	1 2 8	BW
310	ETHANOLAMINE OLEATE							
	Injection, B.P. 5% Solution, 2 mil.		..		6	1	0 9 0	FH, GL
							0 11 0	BX
311	ETHINYLOESTRADIOL							
	Oral Tablet, B.P. 0.01 mg. tab.	..	..	DG	50	..	0 7 0	HY(QNVTW), KL, VR
							*0 7 6	BD, OR
							*0 8 4	HA
	0.02 mg. tab.	..	..	DG	50	..	0 8 11	HY(QNVTW), KL
							*0 8 11	HA
							0 9 5	VR
							*0 9 8	BD, OR
							*0 10 1	SC
	0.05 mg. tab.	..	..	DG	50	..	0 11 0	HY(QNVTW), KL, VR
							*0 11 0	BD, HA, OR
							*0 11 4	SC
	1 mg. tab...	..	..	DG	50	..	2 3 0	HY(QNVTW), KL
							*2 4 4	BD, OR
							*2 12 11	HA
329	ETHIONAMIDE	..	..	H				

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
312	ETHISTERONE Oral Tablet, B.P. 5 mg. tab.	D	50	..	1 11 0	KL, RT(v)
	10 mg. tab.	D	50	..	*1 12 4	BD, OR, PH, SC, VR
	25 mg. tab.	D	50	..	*2 16 4	BD, KL, OR, PH, RT(v), SC, VR
					*5 9 8	BD, KL, OR, PH, RT(v), SC, VR
313	ETHOPROPAZINE HYDROCHLORIDE Oral Tablet, B.P. 50 mg. tab.		100	2	*1 9 8	MB
327	ETHOSUXIMIDE Oral Capsule 250 mg. cap.		200	1	4 2 4	PD
325	ETHOTOIN Oral Tablet 500 mg. tab.		200	1	4 9 8	AB
314	ETHOXYZOLAMIDE Oral Tablet 125 mg. tab.		50	4	3 4 4	UP
315	ETHYL BISCOUMACETATE Oral Tablet, B.P. 300 mg. tab.		100	2	13 17 0	GE
316	ETHYLIDENE DICOUMARIN Oral Tablet 100 mg. tab.		100	2	3 5 8	NS
326	ETHYLNORADRENALINE Injection 1 mil. amp... ..		6	..	1 1 0	WL

317	EUCALYPTUS OIL Liniment Compound, P.L.	..	..	..	..	4 fl. oz.	1	0 10 8	Extemp.
318	EUSOL, A.P.F. Lotion	..	..	..	..	8 fl. oz.	4	0 7 5	Extemp.
319	EVAPORATING LOTION Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0 6 11	Extemp.
320	EXPECTORANT MIXTURE Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0 9 1	Extemp.
324	EXTRACT OF OX BILE Oral Capsule 300 mg. (5 gr.) cap.	..	..	..	..	50	1	0 11 0	PD
348	FERRIC HYDROXIDE Colloidal Solution 4 fl. oz.	..	..	..	C	‡1	4	0 11 8 0 13 7	CK EV
346	FERROUS AMINOACETOSULPHATE Oral Tablet 50 mg. tab. Syrup 4 fl. oz.	..	..	..	..	100 ‡1	2 4	0 9 8 0 9 8	BP, CO BP, CO
340	FERROUS GLUCONATE Oral Tablet 300 mg. (5 gr.) tab.	..	..	..	..	100	2	0 7 9 0 8 4 (ex 500) 0 8 4 0 8 9 (ex M.P.) 0 10 9	DH, FA, GP, HY(QNVTW), KL, MG. PR, RT(V), RY, TO HA, SZ, VR, WL DH, FA, HA, PR, RT(V), RY, TO VR GP, HY(QNVTW), KL, MG, SZ WL WL
	Elixir, 6%	4 fl. oz.	..	..	..	C	‡1	4	0 10 9

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
347	FERROUS SUCCINATE							£	s.	d.	
	Oral Capsule	150 mg. cap.	..	..		100	2	0	12	8	CA
								(ex 500)			
								0	12	9	CA
								(ex M.P.)			
	Elixir	150 mg. per dram, 4 fl. oz.	..	..	C	‡1	4	0	11	0	CA
341	FERROUS SULPHATE										
	Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0	7	4	Extemp.
	Oral Tablet, B.P.	200 mg. (3 gr.) tab.	..	..		100	2	0	6	4	HY(QNVTW)
								0	8	0	GL, GP, TO
		300 mg. (5 gr.) tab.	..	..		100	2	0	8	0	HY(QNVTW)
								0	8	4	CM, DH, GP, PD, TO, WY
344	FLUDROCORTISONE ACETATE										
	Oral Tablet	0.1 mg. tab.	..	..	D	100	..	2	4	0	SQ
		1 mg. tab.	..	..	D	30	..	5	5	4	SQ
342	FLUOXYMESTERONE										
	Oral Tablet	5 mg. tab.	..	..	D	100	2	10	1	0	CB, UP
343	FOLIC ACID										
	Injection	15 mg. per cc., 1 cc. amp.	..	..	D	12	..	1	15	0	FH, HY(QNVTW)
								*1	15	0	AN
	Oral Tablet, B.P.	5 mg. tab.	..	..	D	100	2	0	13	0	AD, AN, HY(QNVTW), KL, PD, PR,
											RT(V), RY, SI
								0	17	5	TO
								0	19	8	CM, MG

345	FORMYL TETRAHYDROPTEROYL GLUTAMIC ACID	H					
355	GAMMA BENZENE HEXACHLORIDE						
	Application, P.L.		4 fl. oz.	1	0	7 10	Extemp.
	Cream, P.L.		1920 gr.	1	0	9 2	Extemp.
356	GAS GANGRENE ANTITOXIN (OEDEMATIENS), B.P.						
	Injection 10,000 U. amp.		3	1	*1	19 0	cs
357	GAS GANGRENE ANTITOXIN—MIXED (POLYVALENT)						
	Injection 1 amp. containing 3,000 U. Welchii, 1,500 U. Septicum, 1,000 U. Oedematiens		2	1	*2	1 6	cs
	1 amp. containing 7,500 U. Welchii, 3,750 U. Septicum, 2,500 U. Oedematiens		2	1	*4	9 6	cs
358	GAS GANGRENE ANTITOXIN (SEPTICUM), B.P.						
	Injection 5,000 U. amp.		2	1	*2	1 6	cs
359	GAS GANGRENE ANTITOXIN (WELCHII), B.P.						
	Injection 4,000 U. amp.		3	1	*2	9 9	cs
	10,000 U. amp.		10	1	*10	13 0	cs
360	GENTIAN						
	Mixture Acid, P.L.		8 fl. oz.	4	0	8 1	Extemp.
	Mixture Alkaline, P.L.		8 fl. oz.	4	0	8 0	Extemp.
368	GLUCAGON HYDROCHLORIDE						
	Injection 1 mg. with 1 cc. amp. of diluent		1	..	1	8 0	LY

Item No.	Name, Manner of Administration and Form						Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
361	GLUCOSE †Liquid, B.P. 1953 1 lb.							1	..	£ s. d. †0 4 3 †0 5 0	WD(N) DH, FA
366	GLUCOSE INDICATOR †240 Test Dispenser †Reagent Strips 60 strips							1 1		†1 4 0 †0 12 0	LY AM
367	GLUTETHIMIDE Oral Tablet 250 mg.							50	2	0 13 8	CB
362	GLYCERIN †Glycerin, B.P. 4 fl. oz. Cream, P.L. †Suppositories, B.P. †Suppositories for Children 1 G. (15 gr.) Glycerin							1 1920 gr. 12 12	1 1 1	†0 3 6 †0 4 3 0 9 2 †0 3 6 †0 3 6	WD(N) DH Extemp. DH, FA, FH DH, FA, FH
363	GLYCERYL TRINITRATE Oral Tablet, B.P. 0.6 mg. (1/100 gr.) tab.							100	2	0 4 7 0 5 0	FA BW, DH, HY(QNVTW), TO
365	GRISEOFULVIN Oral Tablet 125 mg. tab.—FP						AD	100	..	4 3 0	GL, IC
364	GUANETHIDINE SULPHATE Oral Tablet 10 mg. tab.							100	2	1 15 5 (ex 500) 1 18 0 (ex M.P.)	CB CB

364—continued

25 mg. tab.	..	..	..		100	2	3 18 0 (ex 500) 4 7 0 (ex M.P.)	CB CB
397 HAEMOPHILUS INFLUENZA BACTERIAL SERUM	..	..	..	H	..	..	..	
375 HALIBUT LIVER OIL								
Oral Capsule, B.P.	4,500 U. cap.	..	..	P	100	1	0 9 8 0 19 0	ME(Q) KL, MG, SL
Oral Capsule	6,000 U. cap.	..	..	P	100	1	*0 18 0	CK
376 HAMAMELIS								
Suppository with Zinc Oxide, B.P.C.	..	..	..		12	1	0 19 0	AN
Ointment, B.P.	..	..	..		1920 gr.	1	0 19 11	Extemp.
379 HEPARIN								
Injection, B.P.	1,000 U. per cc., 5 cc.	..	..		5	..	*2 1 9 *2 9 8	BT, EV, LP, WP(NVW) AB, CS
	5,000 U. per cc., 1 cc.	..	..		6	..	*2 9 6 *2 17 0	BT, EV, WP(NVW) AB
	2 cc.	..	..		5	..	2 16 4	LW
	5 cc.	..	..		2	..	*3 9 8 *4 3 0	BT, DH, EV, LP, RK, WP(NVW) AB, CS, OR
	12,500 U. per cc., 1 cc.	..	..		2	..	2 10 9 *2 10 10 *3 0 10 *3 1 0	BT EV AB CS
380 HEPARIN RETARD								
Injection	20,000 U. per 2 mil. amp.	..	..		6	..	8 13 8	BT

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
393	HEXACHLOROPHENE									
	3%	with	Entsufon	..	..	H	..	..	..	
	3%	with	Lissapol	..	..	H	..	..	..	
	1.5%	Soap	solution	..	..	H	..	..	..	
381	HEXAMETHONIUM TARTRATE									
	Oral Tablet, B.P.	350 mg.	tab.	..	..		25	3	*0 8 3	MB
398	HEXOCYCLIUM METHYLSULPHATE									
	Oral Tablet	25 mg.	tab.	..	..		100	2	2 16 4	AB
		50 mg.	tab.	..	..		100	2	4 19 0	AB
383	HEXYLRESORCINOL									
	Oral Pill	100 mg.	pill	..	..		5	..	*0 12 3	MK
		200 mg.	pill	..	..		5	..	0 14 4	MK
384	HISTAMINE ACID PHOSPHATE									
	Injection, B.P.	0.5 mg.	per 0.5 cc.	amp.	..		6	1	0 9 8	BD
		1 mg.	per 1 cc.	amp.	..		6	1	0 10 0	BD
		10 mg.	per 10 cc.	vial	..		1	1	0 10 4	BD

385 HYALURONIDASE									
Injection	1 mg. amp. containing 1,500 I.U. (solvent required)				5	1	1 15 4	FC	
	3 mg. amp. containing 1,500 I.U. (solvent required)				6	1	2 4 8	EV	
	500 I.U. amp. (solvent required)				5	1	*2 0 11	WY	
	Set containing 2 amps. each of 350 I.U. and 2 amps. of solvent . .				1	1	0 17 3	SC	
	Set containing 3 amps. each of 500 I.U. and 3 amps. of solvent . .				1	1	1 3 0	DF, OR	
400 HYDROCALCIFEROL									
Oral Solution	0.25 mg. per cc., 15 cc. . .	D		1	..	1 16 11	BA		
Oral Capsule	0.125 mg. cap.	D		100	1	5 3 8	BA		
386 HYDROCHLORIC ACID DILUTE									
Mixture, P.L.				8 fl. oz.	4	0 12 1	Extemp.		
392 HYDROCHLOROTHIAZIDE									
Oral Tablet	25 mg. tab.			50	2	1 8 5 (ex 250)	CB, DL, GA, MK		
						1 10 4 (ex M.P.)	CB, DL, GA, MK		
	50 mg. tab.			50	2	2 7 2 (ex 250)	CB, DL, GA, MK		
						2 11 0 (ex M.P.)	CB, DL, GA, MK		
387 HYDROCORTISONE									
Injection, B.P. (or Rectal Drip)									
	5 mg. per cc., 20 cc. I.V. amp.	AD		1	..	1 13 0 2 0 4	PT OR, RL		

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
										£ s. d.
387—continued										
	Eye Drops	0.5%	2 mil.	..	..	..	†1	2	0 12 4	SC
			5 mil.	..	..	..	†1	2	0 17 8	DH, KL
									0 19 8	MK
			10 mil.	..	..	..	†1	2	0 19 0	AN, KL
		1%	3 mil.	..	..	..	†1	2	0 19 8	GL, RL, SI
			5 mil.	..	..	..	†1	2	0 19 8	KL
			10 mil.	..	..	..	†1	2	1 7 0	AN, IQ, KL, SI
		2.5%	5 mil.	..	..	..	†1	2	2 1 0	DH, KL, SI
									2 13 0	MK
			10 mil.	..	..	..	†1	2	2 11 0	AN, IQ, KL, SI
	Eye Ointment	0.5%	3 G.	..	..	..	†1	..	0 9 8	GL, HA, RL
			4 G.	..	..	..	†1	..	0 11 0	AN, CO, DH, KL, UP
									0 13 8	PF
			5 G.	..	..	..	†1	..	0 11 0	SI
394	HYDROCORTISONE ACETATE									
	Injection, B.P. "For Peri or Intra-Articular									
	Injection" 25 mg. per cc., 1 cc.						5	..	1 17 5	PT
									2 7 5	BT, BX, MK, RL, UP
									2 7 7	AB, AN
									*2 7 7	SC
									*2 11 7	GL
	25 mg. per cc., 5 cc.						1	..	1 19 0	PT
									2 8 4	AB, AN, GL, MK, OR, PF, RL, SC, UP
401	HYDROCORTISONE AND NEOMYCIN									
	Eye Ointment, Hydrocortisone Acetate 0.5% and Neomycin Sulphate 0.5%, 250 mg. cap.						12	..	0 12 4	CK

389 HYDROCORTISONE SODIUM SUCCIN- ATE

Injection, B.P. 100 mg. of base in 2 cc. amp.
Soluble tablets for Rectal Drip 100 mg. tab.
(solvent required)

D	2	..	*7 12 4	GL, RM, UP
AD	7	1	5 9 8	GL

395 HYDROFLUMETHIAZIDE

Oral Tablet 50 mg. tab.

50	2	2 0 4	BT, GL, SQ

390 HYDROGEN PEROXIDE SOLUTION

†10 Vol. 4 fl. oz.

1	..	†0 1 8	WD(N)

8 fl. oz.

1	..	†0 2 0	DH, FA, SI(V)

†20 Vol., B.P. 4 fl. oz.

1	..	†0 2 3	WD(N)

Ear Drops, P.L.

1/2 fl. oz.	2	†0 2 8	DH, FA
		†0 2 2	WD(N)
		†0 2 6	DH
		0 6 9	Extemp.

402 HYDROXOCOBALAMIN

Injection 100 mcg. per mil., 1 mil. ..

D	6	1	0 13 0	KL

1,000 mcg. per mil., 1 mil. ..

D	1	..	0 13 8	GL

0 8 7 GL

0 8 8 KL

0 9 0 MK

396 HYDROXYCHLOROQUINE SULPHATE

Oral Tablet, B.P. 200 mg. tab.

100	2	2 4 4	WL

391 HYOSCINE HYDROMIDE

Injection, B.P. 1/150 gr. amp.

6	..	0 10 4	BL, BT, BX, FH, KL

1/100 gr. amp.

6	..	0 10 4	BL, BT, BX, FH, KL

1/75 gr. amp.

6	..	0 10 4	BL, FH, KL

Hypo. Tablet

1/200 gr. hypo. tab. (solvent required) ..

20	1	0 5 8	PD

1/150 gr. hypo. tab. (solvent required) ..

20	1	0 5 8	DH, FA, PD

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
391—continued						
	1/100 gr. hypo. tab. (solvent required) ..		20	1	£ s. d. 0 6 0	DH, FA, PD
	Oral Tablet, B.P. 0.6 mg. (1/100) gr. tab. ..		100	2	0 8 4	DH, HY(QNVTW)
410	ICHTHAMMOL					
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 3	Extemp.
	Paint, P.L.		1 fl. oz.	1	0 7 5	Extemp.
	Pessary, 5%		12	1	0 19 0	AN, HY
	Eye Ointment with Zinc Oxide, P.L. ..		60 gr.	..	0 6 11	Extemp.
412	INSULIN					
	Injection, B.P. 20 U. per cc., 10 cc. vial ..		10	2	*1 16 8	BW, CS,
	40 U. per cc., 5 cc. vial ..		10	2	*1 16 8	BW, GL-BD, WP(NVW)
	40 U. per cc., 10 cc. vial ..		10	2	*3 9 2	BT, BW, CS, DH, EV, GL-BD, SE, WP(NVW)
	80 U. per cc., 5 cc. vial ..		10	2	*3 9 2	BT, BW, GL-BD
	80 U. per cc., 10 cc. vial ..		10	2	*6 0 0	BT, BW, CS, DH, EV, WP(NVW)
	100 U. per cc., 5 cc. vial ..		10	2	*5 8 4	CS
	300 U. per cc., 5 cc. vial ..		10	2	*12 0 0	CS
413	INSULIN GLOBIN ZINC					
	Injection, B.P. 40 U. per cc., 5 cc. vial ..		10	2	*2 1 8	BT, BW, WP(NVW)
	80 U. per cc., 5 cc. vial ..		10	2	*3 15 0	BT, BW, WP(NVW)
414	INSULIN ISOPHANE (N.P.H.)					
	Injection 40 U. per cc., 10 cc. vial ..		10	2	*4 10 0	BT, BW, CS, DH, GL-BD,
	80 U. per cc., 10 cc. vial ..		10	2	*8 10 0	BT, BW, CS, DH, GL-BD,

415 INSULIN PROTAMINE ZINC							
Injection, B.P. 40 U. per cc., 5 cc. vial ..	10	2	*2 1 8	BT, BW, GL-BD, WP(NVW)			
40 U. per cc., 10 cc. vial ..	10	2	*3 15 0	BT, BW, CS, DH, EV, GL-BD, WP(NVW)			
80 U. per cc., 5 cc. vial ..	10	2	*3 15 0	BT, BW, GL-BD, WP(NVW)			
80 U. per cc., 10 cc. vial ..	10	2	*6 13 4	BW, CS, DH, EV, WP(NVW)			
416 INSULIN SPECIAL P (PIG)							
Injection 40 U. per cc., 10 cc. vial ..	10	2	*5 5 0	CS			
417 INSULIN ZINC							
Suspension, B.P.—Injection							
40 U. per mil., 10 mil. vial	10	2	*4 10 0	BT, BW, CS, EV, GL-BD			
80 U. per mil., 10 mil. vial	10	2	*8 10 0	BT, BW, CS, EV, GL-BD			
Suspension (Amphorous), B.P.—Injection							
40 U. per mil., 10 mil. vial	10	2	*4 10 0	BT, BW, CS, EV, GL-BD			
80 U. per mil., 10 mil. vial	10	2	*8 10 0	BT, BW, CS, EV, GL-BD			
Suspension (Crystalline), B.P.—Injection							
40 U. per mil., 10 mil. vial	10	2	*4 10 0	BT, BW, CS, EV, GL-BD			
80 U. per mil., 10 mil. vial	10	2	*8 10 0	BT, BW, CS, EV, GL-BD			
418 IODINE							
Non-staining Ointment, B.P.C.	1920 gr.	1	0 11 5	Extemp.			
Solution Aqueous, B.P. (Lugol's)	4 fl. oz.	1	0 13 3	Extemp.			
Solution, Weak, B.P.	4 fl. oz.	1	0 11 8	Extemp.			
Paint, Compound, P.L.	1 fl. oz.	1	0 7 7	Extemp.			
428 IODOCHLORHYDROXYQUINOLINE							
Oral Tablet 250 mg. tab.	100	2	1 1 2	CB			
			(ex 500)				
			1 2 4	CB			
			(ex M.P.)				

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
419	IODOXYL Injection, B.P. 10 cc. vial 20 cc. vial		1 1	1 1	0 12 0 0 19 0 1 0 7	GL MB GL, SC
420	IPECACUANHA Oral Tablet with Opium, B.P.		100	2	0 9 0	DH, HY(QNVTW), TO
421	IPECACUANHA TINCTURE Mixture with Squill for Children, P.L. ..		4 fl. oz.	4	0 8 4	Extemp.
432	IRON AMINOATE Oral Tablet 350 mg. tab.		100	2	0 12 4	MR
422	IRON AND AMMONIUM CITRATE Mixture for Children, P.L. Mixture with Nux Vomica, P.L.		4 fl. oz. 8 fl. oz.	4 4	0 8 4 0 8 0	Extemp. Extemp.
426	IRON OXIDE SACCHARATED Injection 100 mg. per 5 cc. I.V. amp. ..		6	..	1 6 4 *1 6 5 *1 8 6	CK EV FC
433	IRON PHOSPHATE COMPOUND Syrup, B.P.C.		4 fl. oz.	4	0 9 5	Extemp.
430	IRON SORBITOL COMPLEX Injection, Trivalent Iron 2 mil.		5	..	2 3 0	AP

423	ISONIAZID				D	200	2	0 11 0	DH, HY(QNVTW), KL, PR, RY
	Oral Tablet, B.P.	50 mg. tab.	..	..				0 13 0	
								*0 13 8	AD, CM, DF, HA, SI
								*0 17 8	RO
		100 mg. tab.	..	..	D	100	2	0 13 0	AD, AN, CM, DH, HY(QNVTW), KL,
									PR, RY, SI
								0 16 4	RO
424	ISOPRENALINE HYDROCHLORIDE								
	Inhalation	1 in 200, 1/2 fl. oz.	..	..		1	1	0 6 4	WL
	Injection	1 in 5,000, 1 mil. amp.	..	..		5	..	2 1 4	WL
	Oral Tablet	10 mg. tab.	..	..		100	2	0 14 4	KL, WL
425	ISOPRENALINE SULPHATE								
	Inhalation	10 mg. per cc., 7 cc. vial				1	1	0 7 4	BW
	Oral Tablet, B.P.	20 mg. tab.	..	..		100	2	0 19 0	AB, BW, KL
								0 19 8	CM
	Spray, B.P.C.	..	..	..		1/2 fl. oz.	2	0 8 0	Extemp.
429	ISOPROPAMIDE IODIDE								
	Oral Tablet	5 mg. tab.	..	..		100	2	2 12 4	SK
								(ex 500)	
								2 16 4	SK
								(ex M.P.)	
431	ISOTHIPENDYL HYDROCHLORIDE								
	Oral Tablet	4 mg. tab.	..	..		50	2	0 13 0	IC
452	KANAMYCIN SULPHATE				H				
450	KAOLIN, LIGHT								
	Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0 7 3	Extemp.
	Mixture, Alkaline, P.L.	..	..	..		8 fl. oz.	4	0 7 6	Extemp.
	Mixture with Opium, P.L.	..	..	..		8 fl. oz.	4	0 9 3	Extemp.
	Internal Powder, Compound, P.L.	..	..	..		1920 gr.	2	0 8 11	Extemp.
	Dusting Powder, Compound, P.L.	..	..	..		1920 gr.	1	0 9 8	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
451	KAOLIN, HEAVY †Poultice, B.P. 1/2 lb.		1	1	† 0 5 5	AL
	1 lb.		1	1	† 0 5 6	FA
					† 0 8 11	AL, FA
464	LANATOSIDE-C Oral Tablet 0.25 mg. tab.		100	2	1 5 9 (ex 500)	SZ
					1 8 8 (ex M.P.)	SZ
460	LEPTAZOL Injection, B.P. 1.1 cc. amp.		6	1	*0 9 2	KN
	5 cc. amp.		6	1	*1 9 0	KN
463	LEVORPHANOL TARTRATE, B.P.C. Injection 2.2 mg. per 1.1 cc. amp. ..	D	6	..	0 11 0	RO
	Oral Tablet 1.5 mg. tab.	D	50	..	*1 0 6	RO
465	LIOTHYRONINE	H				
461	LOBELIA AND STRAMONIUM Mixture, P.L.		8 fl. oz.	4	0 9 9	Extemp.
462	LUCANTHONE HYDROCHLORIDE Oral Tablet, B.P. 500 mg. tab.		100	..	8 11 0	BW
475	MAGENTA, B.P.C. Paint with Resorcinol, P.L.		1 fl. oz.	1	0 7 2	Extemp.

476	MAGNESIUM BICARBONATE SOLUTION								
	†Solution, B.P. 1948	8 fl. oz.	..	..	1	4	†0	2	6 FA
477	MAGNESIUM CARBONATE, LIGHT								
	Mixture, P.L.	..	..	..	8 fl. oz.	4	0	8	0 Extemp.
478	MAGNESIUM HYDROXIDE MIXTURE								
	†Mixture, B.P.	6 fl. oz.	..	..	1	4	†0	3	0 DH, FA
479	MAGNESIUM SULPHATE								
	†Crystals, B.P.	1 lb.	..	..	1	..	†0	1	6 FA, WD(N)
	Paste, A.P.F.	1920 gr.	..	..	†1	1	0	7	5 DH, FA
		960 gr.	..	..	†1	1	0	5	4 DH
							0	5	6 FA
	Mixture, P.L.	..	..	..	8 fl. oz.	4	0	7	5 Extemp.
480	MAGNESIUM TRISILICATE								
	Mixture, P.L.	..	..	..	8 fl. oz.	4	0	7	6 Extemp.
	Internal Powder with Belladonna, P.L.	..			1920 gr.	2	0	10	6 Extemp.
	Oral Tablet	600 mg. (10 gr.)	tab.	..	100	2	0	11	0 DH
481	MALT EXTRACT								
	†Extract, B.P.	1 lb.	..	..	CP	1	3	†0	5
	†Extract with Cod Liver Oil, B.P.	1 lb.	..	..	CP	1	3	†0	5
							†0	5	11
									FA, WD(N)
									WD(N)
									DH(W)
520	MEBHYDROLIN								
	Oral Tablet	50 mg.	..	..	50	1	0	15	8 FB
	Suspension	50 mg. per 4 mil.,	4 fl. oz.	..	C	†1	4	0	9
								8	FB

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
482	MECAMYLAMINE				£ s. d.	
	Oral Tablet 2.5 mg. tab.		100	2	1 2 6 (ex 500)	MK
					1 3 0 (ex M.P.)	MK
	10 mg. tab.		100	2	3 19 0	MK
525	MEDROXYPROGESTERONE ACETATE	H				
484	MENAPHTHONE					
	Aqueous Injection 1 mg. per 1 cc. amp. ..		6	1	0 9 4	RO
					0 11 8	BX, PD
	5 mg. per 1 cc. amp. ..		6	1	0 12 4	AD, BL, BX, FH, FM
	10 mg. per 1 cc. amp. ..		6	1	0 9 8	GL
					0 13 0	AD, BL, BX, FH, RO
	Oily Injection 75 mg. per 1 cc. amp. ..		6	1	1 1 0	BL, BX, FH
	5 mg. per 1 cc. amp. ..		6	1	0 13 0	AD, BD, FH, VM
	10 mg. per 1 cc. amp. ..		6	1	0 13 0	FH
					0 13 8	AD, BX
485	MENTHOL					
	Inhalation Compound, P.L.		2 fl. oz.	1	0 10 9	Extemp.

486	MEPACRINE HYDROCHLORIDE									
	Oral Tablet, B.P.	100 mg. tab.	..	..	100	2	0 10 5	IC		
516	MEPHENTERMINE SULPHATE									
	Injection	10 cc. vial	..	..	1	..	1 4 0	WY		
487	MEPYRAMINE MALEATE									
	Injection	2.5%, 2 cc. amp.	..		10	..	0 13 0	MB		
	Elixir	115 mil...	..	..	‡1	4	0 7 0	MB		
	Oral Tablet, B.P.	50 mg. tab.	..	..	50	1	0 8 4	MB		
		100 mg. tab.	..	..	50	1	0 11 0	MB		
488	MERCAPTOMERIN SODIUM									
	Injection	1.4 G. per 10 cc. vial	..	..	3	..	*2 17 9	WY		
489	MERCAPTOPURINE									
	Oral Tablet, B.P.	50 mg. tab.	..	..	25	..	5 9 8	BW		
490	MERCURIC OXIDE									
	Eye Ointment, B.P.	4 G. (60 gr.)	..		‡1	..	0 4 4	FH		
							0 4 9	DH, MG, SI(V)		
		8 G. (120 gr.)	..		‡1	..	0 3 11	ME(Q)		
491	MERSALYL ACID									
	Injection, B.P.	1 cc. amp...	..	..	12	..	*0 19 0	AD, BA, BD, BX, EV		
		2 cc. amp...	..	..	12	..	*1 1 8	AD, BA, BD, BL, BT, BX, EV, FH TH, VR		
522	METARAMINOL									
	Injection	10 mg. per cc., 1 cc.	..	..	3	..	*0 15 0	MK		
521	METFORMIN									
	Oral Tablet	500 mg.	..	..	100	2	4 12 4	DF		
							*4 13 8	RN		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
517	METHADONE HYDROCHLORIDE				£ s. d.	
	Injection, B.P. 10 mg. per cc., 1 cc. amp.		6	..	0 11 8	BW, CM
	10 mg. per cc., 10 cc. vial		1	..	0 11 11	CM
	Oral Tablet, B.P. 5 mg. tab.		25	..	0 7 0	BW, CM, DH
	10 mg. tab.		25	..	0 8 4	BA, BW, CM
511	METHAZOLAMIDE					
	Oral Tablet 50 mg. tab.		50	4	*3 6 2	LE
507	METHENAMINE MANDELATE					
	Oral Tablet 250 mg. tab.		100	2	0 14 4	HA, WW
	500 mg. tab.		100	1	1 1 8	WW
518	METHENOLONE OENANTHATE ..	H	..	..	..	
512	METHICILLIN	H	..	..	..	
492	METHOIN					
	Oral Tablet, B.P. 100 mg. tab.		200	1	1 7 4	SZ
508	METHOTREXATE					
	Oral Tablet 2.5 mg. tab.	D	100	..	7 3 0	LE
523	METHOXAMINE HYDROCHLORIDE, B.P.C.					
	Injection 20 mg. per mil., 1 mil.		3	..	*0 11 10	BW
509	METHSCOPOLAMINE BROMIDE					
	Oral Tablet 2.5 mg. tab.		100	2	2 12 4	AN
					2 16 4	UP

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
514—continued					£ s. d.	
	60 mg. (1 gr.) tab. ..		200	1	*0 12 10 0 12 0	PH AD, CO, DH, KL, MG, PR, RT(V), RY, SI
	200 mg. (3 gr.) tab. ..		200	1	*0 12 2 0 13 8 0 14 4 *0 15 0 1 4 0	FA TO BA PH AD, CO, DH, KL, MG, PR, RT(V), RY, SI
					*1 4 2 1 7 8 *1 8 4	FA BA PH
499	METHYL SALICYLATE Liniment, P.L.		4 fl. oz.	1	0 12 4	Extemp.
519	METRONIDAZOLE Oral Tablet 200 mg. tab. .. .		21	..	1 8 4	MB
500	MORPHINE HYDROCHLORIDE SOLUTION Linctus, P.L. .. .		4 fl. oz.	2	0 10 10	Extemp.

501 MORPHINE SULPHATE

Hypo. Tablet, B.P.

1/12 gr. hypo. tab. (solvent required) ..	20	..	0 6 0	DH
1/8 gr. hypo. tab. (solvent required) ..	20	..	0 6 4	DH, PD
1/6 gr. hypo. tab. (solvent required) ..	20	..	0 6 4	DH, FA, PD
1/4 gr. hypo. tab. (solvent required) ..	20	..	0 6 8	DH, FA, PD
1/3 gr. hypo. tab. (solvent required) ..	20	..	0 7 0	DH
1/2 gr. hypo. tab. (solvent required) ..	20	..	0 8 0	DH, FA, PD
Injection, B.P. 1/6 gr. amp.	6	..	0 11 0	AD, BL, BT, BX, FH, KL
1/4 gr. amp.	6	..	0 11 0	AD, BL, BT, BX, FH, KL
1/3 gr. amp.	6	..	0 11 0	BL, BX, FH, KL
1/2 gr. amp.	6	..	0 11 0	BL, BT, BX, FH, KL
1/4 gr. per cc., 10 cc. vial ..	1	..	0 7 8	FH, PD
1/2 gr. per cc., 10 cc. vial ..	1	..	0 9 8	BX, FA, FH

502 MORPHINE WITH ATROPINE

Hypo Tablet—Morphine Sulphate and Atropine Sulphate

1/12 gr.-1/150 gr. tab. (solvent required) ..	20	..	0 5 8	DH
1/8 gr.-1/150 gr. tab. (solvent required) ..	20	..	0 6 0	DH
1/6 gr.-1/180 gr. tab. (solvent required) ..	20	..	0 6 4	DH
1/6 gr.-1/150 gr. tab. (solvent required) ..	20	..	0 6 4	DH, FA
1/4 gr.-1/150 gr. tab. (solvent required) ..	20	..	0 6 8	DH, FA, PD
1/4 gr.-1/120 gr. tab. (solvent required) ..	20	..	0 6 8	DH
1/4 gr.-1/100 gr. tab. (solvent required) ..	20	..	0 6 8	DH, FA
Injection—Morphine Sulphate and Atropine Sulphate				
1/6 gr.-1/200 gr. amp.	6	..	0 11 8	BX
1/6 gr.-1/150 gr. amp.	6	..	0 11 8	BL, BT, BX, FH
1/6 gr.-1/120 gr. amp.	6	..	0 11 8	BX
1/4 gr.-1/150 gr. per 1 cc. amp.	6	..	0 11 8	AD, BL, BT, BX, FH, KL
per cc., 10 cc. vial	1	..	0 7 8	FA, PD
1/4 gr.-1/100 gr. amp.	6	..	0 11 8	BL, BT, BX, FH

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
503	MORPHINE WITH HYOSCINE Injection—Morphine Sulphate, Hyoscine Hydrobromide 1/4 gr.—1/100 gr., 1 cc. amp. 		6	..	0 12 4	BL, BX, FH
515	MORPHINE WITH TACRINE Injection 15 mg.—13 mg. per 1.5 mil. amp. 30 mg.—13 mg. per 1.5 mil. amp. 15 mg.—30 mg. per 1.5 mil. amp. 30 mg.—30 mg. per 1.5 mil. amp. Oral Tablet 30 mg.—15 mg. 		5 5 5 5		0 19 8 1 0 4 1 5 0 1 6 4	WH WH WH WH
		D	50	1	5 3 0	WH
504	MUSTINE HYDROCHLORIDE Injection, B.P. 10 mg. amp. (solvent required) 	D	1	..	0 19 8	BT
541	NALORPHINE HYDROBROMIDE Injection, B.P. 10 mg. amp. 1 mg. per mil., 5 mil. vial		6 1	1 ..	1 3 0 0 12 0	BW BW
558	NANDROLONE Injection 25 mg. per 1 cc. amp. 	D	3	..	3 7 0	OR
557	NEOMYCIN SULPHATE	H	..	..	..	

553	NEOMYCIN SULPHATE EYE DROPS								
	Eye Drops, (0.35% Neomycin Base) 10mil.		‡1	2	0	9	8	DH, IQ, KL, SI	
559	NEOMYCIN SULPHATE AND KAOLIN								
	Mixture Neomycin Sulphate, B.P. 300 mg.; Kaolin, B.P. 6 G. per fl. oz., 4 fl. oz. ..		‡1	..	1	1	0	DH, MK, SI, UP WY	
542	NEOSTIGMINE BROMIDE								
	Oral Tablet, B.P. 15 mg. tab.		100	2	1	5	0	RO	
543	NEOSTIGMINE METHYLSULPHATE								
	Injection, B.P. 0.5 mg. per mil., 1 cc. amp.		6	3	0	8	9	RO	
	2.5 mg. per mil., 1 cc. amp.		6	3	0	14	1	RO	
	2.5 mg. per mil., 5 cc. vial		1	1	0	9	8	RO	
	Eye Drops 7.5 mil.		‡1	6	0	14	1	RO	
560	NICLOSAMIDE								
	Oral Tablet 500 mg.		4	..	0	17	8	FB	
544	NICOTINAMIDE								
	Injection, B.P. 50 mg. per cc., 1 mil. amp.		6	1	0	11	8	BD, BX, FH	
	Oral Tablet, B.P. 50 mg. tab. P		100	2	0	8	4	BD, DH, KL, PR, RT(V), SI, TO	
	100 mg. tab. P		100	2	0	13	8	DH, KL	
545	NICOTINIC ACID								
	Oral Tablet, B.P. 25 mg. tab. P		100	2	0	5	0	HY(QNVTW), KL, RY, TO	
	50 mg. tab. P		100	2	0	6	4	AD, DH, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, TO	
	100 mg. tab. P		100	2	0	7	0	DH, HY(QNVTW), KL, MG, RT(V), RY, TO	
	250 mg. tab. P		100	2	0	9	8	AD, HY(QNVTW), KL, RT(V), RY, SI	
					0	11	0	MG	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
551	NICOUMALONE Oral Tablet 4 mg. tab.		50	2	£ s. d. 1 13 8	GE
546	NIKETHAMIDE Injection, B.P. 1.5 cc. amp. 2 cc. amp. 5 cc. amp.		6 6 6	1 1 1	0 8 4 0 11 4 0 15 8 *0 15 8	CB BD, BT, FH BD, FH CB
547	NITROFURANTOIN Oral Tablet 50 mg. tab.	D	25	1	1 13 4 (ex 100) 1 15 11 (ex M.P.)	SK SK
	100 mg. tab.	D	25	1	3 2 4	SK
	Oral Suspension 25 mg. per 3.5 mil., 4 fl. oz.	CD	‡1	..	1 4 1	SK
548	NITROMIN Injection 50 mg. amp. (solvent required).. Oral Tablet 5 mg. tab.	D D	5 100	1 2	4 6 4 5 16 4	SI SI
549	NORADRENALINE ACID TARTRATE Injection 1 in 1,000, 2 mil. amp. 1 in 10,000, 2 mil. amp.		6 5		1 17 0 1 14 4	FH, WL WL
552	NORETHANDROLONE	H	..	..	..	
554	NOVOBIOCIN CALCIUM, B.P.	H	..	..	..	

555	NOVOBIOCIN SODIUM, B.P.	..	..	H	..	..	..		
556	NOVOBIOCIN TABLETS, B.P.	..	..	H	..	..	..		
550	NYSTATIN								
	Oral Tablet	500,000 U. tab.	..	D	50	..	3 7 8	SQ	
	Vaginal Tablet	100,000 U. vaginal tab.	..	D	15	..	1 1 4	SQ	
561	OESTRADIOL DIPROPIONATE								
	Injection	5 mg. per 1 cc. amp.	..		6	1	*2 7 0	CB	
562	OESTRADIOL BENZOATE								
	Injection, B.P.	2 mg. per cc., 1 mil. amp.	..		6	1	1 11 0	BD, OR	
563	OESTRONE, B.P.C. 1954								
	Suppository	1,000 U.	..		12	1	0 18 9	OR	
							0 19 0	BD	
		10,000 U.	..		12	1	1 10 8	OR	
564	OLIVE OIL, B.P.								
	†2 oz.	..	..		1	..	†0 2 0	WD(N)	
							†0 2 6	SI(V)	
	†4 oz.	..	..		1	..	†0 3 6	WD(N)	
	†5 oz.	..	..		1	..	†0 4 6	DH, SI(V)	
	†8 oz.	..	..		1	4	†0 6 0	WD(N)	
565	OUABAIN								
	Injection, B.P.	0.25 mg. amp.	..		3	..	*0 17 3	NA	
571	OXYPHENCYCLIMINE HYDRO- CHLORIDE								
	Oral Tablet	10 mg. tab.	..		100	2	3 9 8	PF	

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
572	OXYPHENONIUM BROMIDE									
	Oral Tablet	5 mg. tab.	..	..	..		100	2	1 7 0	CB
		10 mg. tab.	..	..	..		100	2	2 5 8	CB
566	OXYTETRACYCLINE DIHYDRATE									
	Oral Tablet, B.P.	100 mg. tab.	..	..	..	D	25	..	1 18 4	PF
		250 mg. tab.	..	..	..	D	16	..	2 14 4	PF
567	OXYTETRACYCLINE HYDROCHLORIDE									
	Oral Suspension	125 mg. per 5 cc.,	60 cc.			CD	‡1	..	1 4 7	PF
	Oral Paediatric Drops	100 mg. per cc.,	10 cc.			CD	‡1	..	0 16 4	PF
	Injection									
	100 mg. amp. I.M.	..	..	..	..	D	6	..	*3 16 6	PF
	250 mg. amp. I.M.	..	..	..	..	D	6	..	*7 5 6	PF
	250 mg. per cc.,	10 cc. vial, I.V.	..	..	..	D	6	..	*6 12 6	PF
	(solvent required)									
	Oral Capsule	50 mg. cap.	..	..	..	D	25	..	1 2 4	PF
		100 mg. cap.	..	..	..	D	25	..	1 18 4	PF
		250 mg. cap.		..	..	D	16	..	2 8 9	PF
									(ex 100)	
									2 14 4	PF
									(ex M.P.)	
	Eye Ointment, 0.5% with Polymyxin B.									
	10,000 U., 60 gr.	..	..	..	..		‡1	..	0 6 4	PF
568	OXYTETRACYCLINE OPHTHALMIC SUSPENSION									
	Suspension, 1%	6 cc.	..	..	..		‡1	2	0 10 7	PF

569	OXYTOCIN									
	Injection, B.P.	2 U. per 2 mil. amp.	..		5	..	0	9	8	SZ
		5 U. per 0.5 mil. amp.	..		5	..	*0	12	7	PD
		5 U. per 1 mil. amp.	..		5	..	0	12	0	SZ
		10 U. per 1 mil. amp.	..		5	..	0	16	8	SZ
							*0	17	5	PD
581	PANCREATIN									
	Oral Powder	1 oz. vial		D	8	2	*5	17	8	PD
676	PANCREATIN ENZYME 4(USNF,XI)									
	Oral Tablet	300 mg. (5 gr.) tab...	..	D	500	1	13	17	4	AN
	Oral Powder	8 oz. ..		D	‡1	2	11	13	8	AN
582	PANCREX 5									
	Oral Powder	500 G.		D	1	..	15	1	8	ST
583	PAPAVERETUM, B.P.C.									
	Hypo. Tablet, B.P.C.									
	20 mg. (1/3 gr.) hypo. tab. (solvent required)				20	..	*0	7	10	RO
	Injection, B.P.C.									
	10 mg. (1/6 gr.) per 1 cc. amp.				6	..	0	11	0	BL
	20 mg. per 1 cc. amp.				6	..	0	11	0	BL, BT, BX, FH, RO
	Oral Tablet, B.P.C. 10 mg. (1/6 gr.) tab.				20	..	0	6	1	HY(QNVTW)
							0	7	0	RO
584	PAPAVERETUM WITH HYOSCINE HYDROBROMIDE									
	Injection—									
	Papaveretum 20 mg.; Hyoscine Hydrobromide 0.43 mg. 1 cc. amp...				6	..	0	11	8	BL, BT, FH, RO
585	PAPAVERINE HYDROCHLORIDE									
	Injection 20 mg. (1/3 gr.) per 1 cc. amp...				6	..	0	11	0	FH, KL
	120 mg. (2 gr.) per 10 cc. amp...				6	..	0	19	0	BX, FH, HA, KL
	Oral Tablet 50 mg. (3/4 gr.) tab.				100	2	0	19	0	AN, HY(QNVTW), KL, QE(QNVS), RT(V)
							1	1	8	MG

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
585—continued	100 mg. (1.5 gr.) tab.						100	2	£ s. d. 1 11 0	AN, DH, FA, HA, HY(QNVTW), KL, PR, QE(QNVS), RT(V), TO MG
586	PARA-AMINOSALICYLIC ACID Oral Tablet 500 mg. tab.					D	500	2	1 15 0 2 7 4	AN, DH, KL
682	PARACETAMOL Oral Tablet 500 mg.						50	1	0 9 5 0 12 9	CA, KL, PT, RY, TO WL
587	PARAFFIN, HARD Ointment, B.P.						1920 gr.	1	0 11 5	Extemp.
588	PARAFFIN LIQUID †Liquid Paraffin 8 oz.						1	4	†0 2 3 †0 2 6	FA, WD(N) DH, RT(V)
	†Emulsion 16 fl. oz.					P	1	4	†0 7 3	WY
	†Emulsion with Phenolphthalein 16 fl. oz.					P	1	4	†0 6 6 †0 7 3	FA, MG, SI, SL DH, WW, WY
589	PARALDEHYDE, B.P. Injection 5 cc. amp.						6	1	0 14 4	BL, BX, FH, FM
	10 cc. amp.						6	1	0 19 0	BL, BX, FH, FM
	Mixture, P.L.						8 fl. oz.	4	0 12 9	Extemp.
590	PARAMETHADIONE Oral Capsule, B.P. 300 mg. cap.						200	1	6 14 4	AB

679	PARAMETHASONE ACETATE				AD	30	..	1 13 0	IC
	Oral Tablet	1 mg. tab.	..	..					
		2 mg. tab.	..	..	AD	30	..	2 3 0	IC, LY
664	PEMPIDINE TARTRATE								
	Oral Tablet	5 mg. tab.	..	..		100	2	*1 11 8	IC, MB
		10 mg. tab.	..	..		100	2	*2 13 8	IC, MB
651	PENICILLINASE								
	Injection	800,000 U. amp.	..	..		1	..	5 3 0	CS
								5 13 0	RK
652	PENICILLIN BENETHAMINE								
	Injection								
	500,000 U. Penicillin, Benethamine;								
	250,000 U. Penicillin, Procaine;								
	500,000 U. Penicillin, Sodium								
	vial (solvent required)					1	..	0 11 0	GL
	Set containing vial and 2 mil. amp. water								
	for injection					1	..	0 11 8	GL
591	PENICILLIN, BENZATHINE								
	Oral Tablet, B.P.	200,000 U. tab.	..	..		100	1	2 11 8	CS, WY
								(ex 500)	
								2 13 0	CS, WY
								(ex M.P.)	
	Injection with Penicillin, Procaine and Poni-								
	cillin, Potassium—								
	Set containing 1 vial of—								
	600,000 U. Penicillin, Benzathine;								
	300,000 U. Penicillin, Procaine;								
	300,000 U. Penicillin, Potassium and 2								
	cc. amp. water for injection					1	..	0 12 4	WY

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
592	PENICILLIN, BENZYL				£ s. d.	
	Oral Tablet, B.P. 200,000 U. tab.		100	1	2 13 0	GL
	400,000 U. tab.		100	1	4 15 8	GL
	Oral Capsule, 200,000 U.		100	1	2 13 0	GL
	400,000 U.		100	1	4 15 8	GL
	Injection, B.P.					
	100,000 U. amp. (solvent required)		6	..	*0 15 0	BD, GL, SI
	200,000 U. amp. (solvent required)		6	..	*0 15 6	BD, GL, SI
	500,000 U. amp. (solvent required)		6	..	*1 3 0	BT, CS, DL, EV, GL, SI
	Set containing 1 vial Penicillin G. 500,000 U. and 2 mil. amp. water for injection ..		6	..	*1 6 6	BT, CS, DH, EV, GL
	1,000,000 U. amp. (solvent required)		6	..	*1 9 0	BT, CS, DH, DL, EV, GL, SI
	Set containing 1 vial Penicillin G. 1,000,000 U. and 2 mil. amp. water for injection ..		6	..	*1 12 6	BT, CS, DH, EV, GL
	1,500,000 U. amp. (solvent required)		6	..	*2 1 6	DH, EV, GL, SI
	Set containing 1 vial Penicillin G. 1,500,000 U. and 2 mil. amp. water for injection ..		6	..	*2 5 0	DH, GL
	Eye Drops					
	Set containing 30,000 U. and 15 mil. solvent		‡1	2	‡0 10 10	SI
	Eye Ointment 2,000 U. per G., 4G. ..		‡1	..	0 5 4	DH, SI
593	PENICILLIN BENZYL PROCAINE (Aqueous Suspension) Injection, B.P.—					
	300,000 U. amp.		6	..	*1 6 6	BT
	600,000 U. vial		6	..	*1 13 6	BT, FA
	900,000 U. vial		6	..	*2 0 6	BT, CS, DH, EV, GL, SI, VR
	1,000,000 U. vial		6	..	*2 3 0	AB, BT, CS, DH, FA, SI, VR
	1,500,000 U. vial		6	..	*2 15 0	CS, DH, EV, FA, GL, SI, VR

593—continued

(Crystalline) Injection—

300,000 U. amp. (solvent required) ..	6	..	*1	2	6	CS, DL, SI
Set containing 1 vial Penicillin 300,000 U. and 1 vial water for injection ..	6	..	*1	6	6	CS
900,000 U. amp. (solvent required) ..	6	..	*1	16	6	CS, DL, SI
Set containing 1 vial Penicillin 900,000 U. and 1 vial water for injection ..	6	..	*2	0	6	CS
1,500,000 U. amp. (solvent required) ..	6	..	*2	11	0	CS, SI
Set containing 1 vial Penicillin 1,500,000 U. and 1 vial water for injection ..	6	..	*2	15	0	CS

594 PENICILLIN BENZYL, PROCAINE
FORTIFIED

Injection, B.P.—

400,000 U. amp. (solvent required) ..	6	..	*1	3	0	CS, DL, SI
Set containing 1 vial Penicillin 400,000 U. and 1 vial water for injection ..	6	..	*1	7	0	CS
1,200,000 U. amp. (solvent required) ..	6	..	*2	5	0	CS, DL, SI
Set containing 1 vial Penicillin 1,200,000 U. and 1 vial water for injection ..	6	..	*2	9	0	CS

595 PENICILLIN, PHENOXYMETHYL
(BENZATHINE, CALCIUM, HYDRA-
BAMINE OR POTASSIUM SALT
OR FREE ACID)

Injection

Set containing 1 vial Benzathine Penicillin Phenoxymethyl 800,000 U. and 2 mil. amp. water for injection	1	..	1	4	4	KL

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
								£ s. d.	
595—continued									
	Oral Suspension	125 mg. per dram, 2 fl. oz.			C	‡1	..	1 0 9	AB, BT, CM, CS, DH, DL, FA, GL, KL, PR, SI, VR, WY
	Oral Sachet	125 mg. sachet	..	..	C	16	..	1 0 9	IQ, KL, LY
	Oral Tablet	60 mg. tab.	..	..		24	..	0 13 0	AB, CM, CS, DF, DH, DL, GL, KL, LY, SI
		125 mg. tab.	..	..		24	..	0 15 11	HY(QNVTW), PT
								0 18 10	AB, BT, CM, CS, DF, DH, DL, FA, GL, KL, LP, LY, PR, SI, VR, WL
								(ex 100)	
								0 18 0	HY(QNVTW), PT
								1 0 3	AB, BT, CM, CS, DF, DH, DL, FA, GL, KL, LP, LY, PR, SI, VR, WL
								(ex M.P.)	
		250 mg. tab.	..	..		12	1	0 15 3	HY(QNVTW), PT
								0 17 10	AB, BT, CM, CS, DF, DH, DL, FA, GL, KL, LP, LY, PR, SI, VR, WL
								(ex 100)	
								0 17 0	HY(QNVTW), PT
								0 19 1	AB, BT, CM, CS, DF, DH, DL, FA, GL, KL, LP, LY, PR, SI, VR, WL
								(ex M.P.)	
	Oral Capsule	125 mg. cap.	..	..		24	..	1 0 3	AB, BT, CS, DL, FA, GL, KL, LY, SI, VR, WL
		250 mg. cap.	..	..		12	1	0 17 10	AB, BT, CS, DL, FA, GL, KL, LY, SI, VR, WL
								(ex 100)	
								0 19 1	AB, BT, CS, DL, FA, GL, KL, LY, SI, VR, WL
								(ex M.P.)	

506 PENICILLIN WITH STREPTOMYCIN

Injection 100,000 U. Penicillin Crystalline;

300,000 U. Penicillin, Procaine;

500 mg. Streptomycin

1 amp. (solvent required)

Set containing 1 vial and 2 mil.

amp. water for injection ..

500,000 U. Sodium Benzyl Peni-

cillin; 500 mg. Streptomycin

Sulphate

1 vial (solvent required)

Set containing 1 vial and 2 mil.

amp. water for injection ..

D

6

..

*1 13 0

GL, SI

D

6

..

*1 16 6

GL

D

6

..

*1 13 0

DL, GL

D

6

..

*1 16 6

GL

597 PENTAERYTHRITOL TETRANITRATE

Oral Tablet 10 mg. tab.

20 mg. tab.

100

2

0 8 4

HY(QNVTW), WW

100

2

0 9 0

HY(QNVTW), WW

(ex 500)

0 9 8

HY(QNVTW), WW

(ex M.P.)

0 11 0

HY(QNVTW)

0 11 5

WL

30 mg. tab.

100

2

0 11 0

HY(QNVTW)

0 11 5

WL

80 mg. tab. (Sustained Action)

100

2

0 15 0

HY(QNVTW), WW

675 PENTHIENATE

Oral Capsule 5 mg. cap.

100

2

2 1 0

WL

598 PENTOBARBITONE SODIUM, B.P.

Oral Tablet 30 mg. (1/2 gr.) tab. ..

50

2

0 6 0

DH, HY(QNVTW), BY

0 6 8

AB, BW, KL, QE(QNVS)

0 7 0

GP, TO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
598—continued	100 mg. (1.5 gr.) tab.		50	2	£ s. d. 0 6 0 0 6 5 0 6 9 0 7 1 0 7 5 0 8 3 (ex 250) 0 6 8 0 7 0 0 7 8 0 8 4 0 9 8 0 10 0 (ex M.P.) 0 9 8 0 18 4 0 10 9 0 11 5 0 12 10 (ex 250) 0 12 1 0 13 0 (ex M.P.)	AD, QE(QNVS), SL, SI HY(QNVTW), RY MG BW, CM, CO, DH, FA, KL, RT(V), TO RD AB, GP, IQ AD, DH, HY(QNVTW), RT(V), SL, RY QE(QNVS) BW, CM, FA, KL, RD, TO AB, CO, IQ, MG GP SL AB AB MG, PR, RT(V) FA, KL, PD AB FA, KL, PD, PR, RT(V) AB, MG
599	PENTOBARBITONE SODIUM COMPOUND Oral Capsule, A.P.F. 1955		50	2	0 15 11 (ex 250)	PD

599—continued

Oral Tablet, A.P.F. Capsule Formula ..		50	2	0 18 8 (ex M.P.)	PD
				0 15 8	CO
600	PENTOLINIUM TARTRATE				
	Injection, B.P. 5 mg. per cc., 10 cc. vial	1	1	0 9 8	MB
	25 mg. per cc., 25 cc. vial	1	1	1 5 8	MB
	Oral Tablet, B.P. 40 mg. tab.	100	2	0 17 0	MB
	200 mg. tab.	100	2	2 7 4	MB
601	PENTOLINIUM TARTRATE WITH EPHEDRINE				
	Injection 25 mg. per cc., 25 cc. vial ..	1	1	1 9 8	MB
602	PERTUSSIS VACCINE (Haemagglutinin Aluminium Phosphate Adsorbed)				
	Injection 1/2 cc. amp.	2	..	*0 11 0	CS
603	PERTUSSIS VACCINE (PHASE 1)				
	Injection 20,000 M. per cc., 1 cc. amp. ..	3	1	*0 15 0	CS
604	PETHIDINE HYDROCHLORIDE				
	Injection, B.P. 50 mg. per cc., 1 cc. amp.	6	..	0 10 4	AD, BL, BT, BW, BX, CM, FH, KL
	50 mg. per cc., 2 cc. amp.	6	..	0 11 8	AD, BL, BT, BW, BX, CM, FH, KL
	50 mg. per cc. 10 cc. vial ..	1	..	0 10 4	BX, CM, FH, KL
	50 mg. per cc., 50 cc. ..	1	..	1 0 11	BA, BX, KL, RO
665	PETHIDINE AND LEVALLORPHAN TARTRATE				
	Injection Pethidine Hydrochloride, 50 mg.; Levallorphan Tartrate, 0.625 mg. per 1 cc. amp. (solvent required)	D	6	0 10 1	RO

Item No.	Name, Manner of Administration and Form	Re-strictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
665— <i>continued</i>					£ s. d.	
	Pethidine Hydrochloride, 100 mg.; Levallorphan Tartrate, 1.25 mg. per 2 cc. amp. (solvent required)	D	6	..	0 13 1	RO
605	PETHIDINE AND SCOPOLAMINE Injection Pethidine Hydrochloride, 100 mg.; Scopolamine 0.43 mg. 2 cc. amp.		6	..	0 12 4	BT, BW, FH, KL
650	PHENACETIN Oral Tablet with Codeine Phosphate and Sodium Pentobarbitone 300 mg.-15 mg.-30 mg. tab. (5 gr.-1/4 gr.-1/2 gr.)		100	2	0 15 1 0 15 9 1 0 0 (ex 500) 0 16 4 0 17 0 0 17 8 0 18 0 1 2 0 (ex M.P.) 0 16 4	AD, CM, DH, HY(QNVTW), KL, MG, SI, SL, TO RD AB, FM, GP AD, DH, HY(QNVTW), KL, SI, SL, TO RD CM MG AB, FM, GP TO
607	PHENAZONE Oral Tablet, B.P. 1948 300 mg. (5 gr.) tab.		100	2	0 16 4	TO
678	PHENAZOPYRIDINE HYDROCHLORIDE Oral Tablet 100 mg. tab.		50	1	0 12 0	WW

672	PHENETHICILLIN	Oral Tablet	125 mg. tab.	..	..	..	24	..	1	4	4	CS, SI
			250 mg. tab.	..	..	..	12	1	1	3	0	CS, SI
673	PHENFORMIN	Oral Tablet	25 mg. tab.	..	..	..	100	2	2	0	4	WW
608	PHENINDAMINE TARTRATE	Oral Tablet, B.P.	25 mg. tab.	..	..	..	50	2	0	11	3	RO
609	PHENINDIONE	Oral Tablet, B.P.	10 mg. tab.	..	..	..	100	2	2	3	0	EV, GA, KL, PT, PX, WP(NVW)
			50 mg. tab.	..	..	..	100	2	2	19	0	EV, GA, KL, PT, PX, WP(NVW)
610	PHENOBARBITONE	Oral Tablet, B.P.	15 mg. (1/4 gr.) tab.	..	..	..	100	2	0	4	8	AD, BW, DH, FA, HY(QNVTW), KL, PR, RT(V), RY, SI, SL, TO
			30 mg. (1/2 gr.) tab.	..	..	..	100	2	0	5	3	AD, DH, FA, HY(QNVTW), KL, PR, RT(V), RY, SI, SL, TO
									0	5	4	MG
									0	5	8	BK, BW, GP, MB
			60 mg. (1 gr.) tab.	..	..	..	100	2	0	5	4	AD, DH, FA, HY(QNVTW), KL, PR, RT(V), RY, SI, SL, TO
									0	5	8	MG
									0	6	4	BW, GP, MB
			100 mg. (1.5 gr.) tab.	..	..	..	100	2	0	6	4	AD, DH, FA, HY(QNVTW), KL, RT(V), RY, SI, SL
611	PHENOBARBITONE SODIUM								0	6	5	GP, TO
		Injection										
		200 mg. (3 gr.) per 1 cc. amp.	..	..	..	..	6	..	*0	9	8	MB
									0	11	8	BL, BX, CM, EV, FH, FM

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
611— <i>continued</i>					£ s. d.	
	200 mg. (3.1 gr.) per 2 cc. amp. with 2 mil. amp. water for injection		6	..	1 2 4	BX
	200 mg. (3 gr.) per 2 cc. amp.		6	..	0 11 8	BT
	Oral Tablet, B.P. 15 mg. (1/4 gr.) tab. ..		100	2	0 4 8	DH, FA, KL, RT(V), SL, TO
	30 mg. (1/2 gr.) tab. ..		100	2	0 5 3	DH, FA, HY(QNVTW), KL, PB, RT(V), RY, SL, TO
	60 mg. (1 gr.) tab. ..		100	2	0 5 4	KL, RT(V), RY, SL
					0 5 8	FA, HY(QNVTW), TO
	100 mg. (1.5 gr.) tab. ..		100	2	0 6 4	FA, HY(QNVTW), KL, RY
612	PHENOBARBITONE SODIUM AND SODIUM BROMIDE Mixture, P.L.		8 fl. oz.	4	0 8 1	Extemp.
613	PHENOL Injection Phenol, B.P. 2%; Dextrose, B.P. 25%; Glycerin, B.P. 30% 30 cc. vial ..		1	..	1 6 4	BT
	Lotion, P.L.		8 fl. oz.	4	0 7 8	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 5	Extemp.
614	PHENOLPHTHALEIN Oral Pill, Compound		50	1	0 5 3 *0 5 3 *0 5 10	HY(QNVTW), MG TO DH
615	PHENSUXIMIDE Oral Capsule 500 mg. cap.		200	1	4 2 4	PD

653 PHENYLALANINE LOW CONTENT
FORMULA

Granules	1 Kg.	..	..	..	..
Powder	2.5 lb. tin	..	..	..	..
	3 lb. tin	..	..	..	..

AD
AD
AD

1
1
1

..
..
..

10 13 4
5 6 8
11 0 0

GL
CM
TF

616 PHENYLBUTAZONE

Oral Tablet 100 mg. tab.

50

2

0 17 11
(ex 250)

GE

0 19 0
(ex M.P.)

GE

1 6 4

WL

0 10 7

WL

617 PHENYLEPHRINE HYDROCHLORIDE

Injection, 1% 1 mil. amp.

6

..

1 6 4

WL

Compound Suppository with Benzocaine ..

12

1

0 10 7

WL

**674 PHENYLMERCURIC DINAPHTHYL-
METHANE DISULPHONATE**

Pessaries

15

..

1 3 0

WB

677 PHENYTOIN

Oral Suspension 4 fl. oz.

C

‡1

4

0 10 4

PD

618 PHENYTOIN SODIUM

Injection 250 mg. vial with 5 cc. water for
injection

1

..

1 19 0

PD

Oral Tablet, B.P. 100 mg. tab.

200

1

0 15 0

DE, KL, RT(v)

Oral Capsule 30 mg. cap.

200

1

0 17 8

PD

100 mg. cap.

200

1

1 6 8

PD

(ex 1,000)

1 7 8

PD

(ex M.P.)

0 8 8

DH, EV, FA, GL, GP, HY, MG, VR

0 12 4

DH, EV, FA, GL, GP, HY, MG, RK,

VR

619 PHOLCODINE

Linctus 4 fl. oz.

‡1

4

0 8 8

DH, EV, FA, GL, GP, HY, MG, VR

8 fl. oz.

‡1

4

0 12 4

DH, EV, FA, GL, GP, HY, MG, RK,

Linctus, P.L.

8 fl. oz.

4

0 14 4

Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
620	PHTHALYLSULPHACETAMIDE Oral Tablet 500 mg. tab.		100	..	1 11 0	BS, KL, SC, VR
621	PHTHALYLSULPHATHIAZOLE Oral Tablet, B.P. 500 mg. tab.		100	..	0 14 4 (ex 500)	KL, MB, MK
	Mixture for Children, P.L.		4 fl. oz.	4	0 14 4 (ex M.P.) 0 13 8	KL, MB, MK Extemp
622	PHYSOSTIGMINE SALICYLATE Eye Drops 1/4%, 15 ml.		†1	6	0 15 0	IQ
	1/2%, 15 ml.		†1	6	0 16 7	IQ
666	PHYTOMENADIONE Injection, B.P. 10 mg. amp.	D	3	..	1 0 4	RO
623	PICROTOXIN Injection, B.P. 5 mg. per 2 cc. amp. ..		6	1	0 13 0	BX, FH
624	PILOCARPINE NITRATE Eye Drops 1/2% 1/2 fl. oz.		†1	6	0 9 11	AN, DH, IQ, KL, SI
	1% 1/2 fl. oz.		†1	6	0 10 8	AN, DH, IQ, KL, SI
	2% 1/2 fl. oz.		†1	6	0 11 8	AN, DH, IQ, KL, SI
	3% 1/2 fl. oz.		†1	6	0 12 8	AN, DH, IQ, KL, SI
	4% 1/2 fl. oz.		†1	6	0 14 4	AN, DH, KL, SI
					0 15 0	IQ
	6% 1/2 fl. oz.		†1	6	0 17 8	AN

667	PIPIENZOLATE									
	Oral Tablet	5 mg. tab.	..	..	..	100	2	1 17 8	SI	
	Oral Solution	4 mg. per mil., 1/2 fl. oz.	..	..	..	‡1	..	0 13 0	SI	
625	PIPERAZINE ADIPATE									
	Oral Tablet, B.P.	300 mg. tab.	..	..	..	25	2	0 10 0	BD	
	Oral Granules	20%, 100 G.	..	..	..	1	..	1 1 0	DF	
654	PIPERAZINE CITRATE, B.P.									
	Oral Tablet	500 mg. tab.	..	..	..	30	..	0 12 7	BW	
	Elixir	500 mg. per 4 mil., 4 fl. oz.	..	..	C	‡1	..	0 11 0	MG	
								0 11 5	GL	
626	PIPERAZINE PHOSPHATE									
	Oral Tablet, B.P.	260 mg. tab.	..	..	..	25	2	*0 9 2	GL	
		500 mg. tab.	..	..	..	30	2	0 12 7	CK	
627	PITUITARY, POSTERIOR LOBE, B.P.C.									
	Injection	1 cc. amp...	..	..	..	6	1	0 15 8	PD	
	Insufflation	30 Antidiuretic Unit Capsule	..	..	D	100	2	4 5 8	ST	
		500 Antidiuretic Unit per G., 2 G.								
	Phial	..	..	..	D	3	2	*3 9 9	BP	
628	PLAGUE VACCINE									
	Injection	4,000 million per cc., 1 cc. amp.				2	..	*0 16 4	CS	
629	POLYMYXIN B. SULPHATE									
	Ear Drops	1/2 fl. oz.	..	..	..	‡1	2	1 15 0	BW, HA, KL, SI	
	Ear Drops with Acetic Acid and Propylene Glycol	10 mil.	..	..	..	‡1	2	0 13 0	BW	
	Ear Drops	Set containing 300,000 U. and 15 ml. of solvent	..	..	..	‡1	2	‡1 17 6	AN	
	Eye Drops	15,000 U. per mil., 5 mil.	..	..	..	‡1	2	1 7 0	IQ, KL, SI	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max Qty	Manufacturer
629—continued					£ s d.	
	Eye Drops Set containing 75,000 U. and 5 ml. of solvent		‡1	2	‡1 9 6	AN
	Eye Drops 15,000 U. per mil., Stabilised 5 ml.		‡1	2	1 3 0	BW
	Eye Drops with Bacitracin and Neomycin Sulphate					
	10 mil. (solvent required)		‡1	2	‡1 5 6	GL
	10 mil. and 10 cc. amp. of solvent ..		‡1	2	‡1 9 6	AN, DH
					‡1 11 9	IQ
	Eye Drops with Neomycin Sulphate and Gramicidin					
	5,000 U.—2.5 mg.—0.025 mg., 10 mil. ..		‡1	2	0 14 4	BW
	Eye Ointment with Bacitracin and Neomycin 4 G.		‡1	..	0 7 0	AN, BW, DH, GL, HA, SI, UP
686	POLYTHIAZIDE	H				
630	POTASSIUM BROMIDE					
	Mixture, P.L.		8 fl. oz.	4	0 8 0	Extemp.
	Mixture with Nux Vomica, P.L.		8 fl. oz.	4	0 7 10	Extemp.
	Mixture with Phenobarbitone and Bella- donna, P.L.		8 fl. oz.	4	0 7 8	Extemp.
631	POTASSIUM CHLORIDE					
	Injection Standard Maintenance Fluid					
	1/2 litre		2	..	*1 11 0	BX, FH(QNVST), SJ(W)
	Oral Tablet, B.P. 500 mg. tab.		100	2	0 7 0	AN, DH, HY(QNVTW), KL, RT(V), RY

632 POTASSIUM CITRATE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	8	4 Extemp.
Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0	8	1 Extemp.
Mixture Acid, P.L.	..	..	..	..	8 fl. oz.	4	0	9	10 Extemp.
Mixture with Hyoscyamus, P.L.	..	..	..	..	8 fl. oz.	4	0	7	11 Extemp.
633 POTASSIUM IODIDE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	8	5 Extemp.
Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0	8	0 Extemp.
Mixture with Stramonium for Children, P.L.	..	..	..	..	4 fl. oz.	4	0	8	0 Extemp.
668 POTASSIUM PERCHLORATE									
Oral Tablet	200 mg. tab.	..	..	..	100	2	0	9	8 AD, SI
							0	15	8 PH
	500 mg. tab.	..	..	..	100	2	0	17	8 PH
634 PREDNISOLONE									
Oral Tablet, B.P.	5 mg. tab.	..	..	..	AD	30	..	1	7 8 HY(QNVTW), PT, RT(V)
								1	9 0 KL, PR, RY
								1	17 0 AN, GL, MK, OR, PD, PF, RL, SC,
									SH, UP
								2	5 4 CO
Oral Tablet with Magnesium Trisilicate and Dried Aluminium Hydroxide Gel								2	5 8 BT
5 mg.-50 mg.-300 mg.	..	..	..	..	AD	30	..	1	17 0 MK
Eye Ointment 0.5%, 4 G.	..	..	..	..		†1	..	0	19 0 PT
								1	3 0 AN, CO, KL, UP
655 PREDNISOLONE ACETATE									
Injection	10 mg. per 1 cc. amp.	..	..	..	AD	3	2	1	9 8 BX, SC
656 PREDNISOLONE DISODIUM PHOSPHATE									
Retention Enema	20 mg. per 100 cc.	..	..	..	AD	7	..	7	7 8 GL
Eye-Ear Drops, 0.5%	2.5 mil.	..	..	..		†1	6	1	1 8 MK
	3 mil.	..	..	..		†1	6	1	3 0 GL
	5 mil.	..	..	..		†1	6	1	5 0 GL
Eye Ointment	3 G.	..	..	..		†1	..	1	3 0 GL

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
657	PREDNISOLONE METHYL								£	s.	d.	
	Oral Tablet	4 mg. tab.	..	..	..	AD	30	..	4	5	8	UP
	Oral Capsule	4 mg. cap.	..	..	..	AD	30	..	4	5	8	UP
	Eye Ointment	0.1%, 4 G.	..	..	..		‡1	..	1	6	4	UP
683	PREDNISOLONE METHYL ACETATE											
	Injection "For Peri—or Intra Articular Injection" 40 mg. per cc., 5 cc. vial ..						1	..	8	3	0	UP
658	PREDNISOLONE SODIUM HEMI-SUCCINATE					H						
680	PREDNISOLONE TRIMETHYL-ACETATE											
	Eye Drops	0.3%, 2.5 cc.	..	..	..		‡1	..	0	13	8	CB
	Eye Ointment	0.5%, 2.5 G...	..	..	..		‡1	..	0	15	0	CB
635	PREDNISONE											
	Oral Tablet, B.P.	5 mg. tab.	..	..	..	AD	30	..	1	7	8	HY(QNVTW), PT
									1	9	0	KL, PR, RY
									1	17	0	AN, GL, MK, OR, PD, RL, SC, SH
									2	5	4	CO
									2	5	8	BT, RD
	Oral Tablet with Magnesium Trisilicate and Dried Aluminium Hydroxide Gel 5 mg.-50 mg.-300 mg.					AD	30	..	1	17	0	MK

636 PRIMAQUINE BASE											
Oral Tablet, Phosphate, B.P.											
	Equivalent to 7.5 mg. base	..	..			30	1	0	10	8	IC
	Equivalent to 15 mg. base	..	..			14	1	0	6	9	WL
637 PRIMIDONE											
	Oral Tablet, B.P. 250 mg. tab.	..	..			200	1	*3	17	8	IC
659 PROBENECID											
	Oral Tablet, B.P. 500 mg. tab.	..	..			100	2	5	19	8	MK
638 PROCAINAMIDE HYDROCHLORIDE											
	Injection, B.P. 100 mg. per cc., 10 cc. vial					1	..	0	15	8	SQ
	Oral Tablet 250 mg. tab...	..	..			100	2	3	3	0	SQ
639 PROCAINE HYDROCHLORIDE IN NORMAL SALINE											
	Injection, 0.1% 1/2 litre	..	..	..		2	1	*1	7	8	BT
	1 litre	..	..	..		2	1	*1	11	8	AB, BT
640 PROCYCLIDINE HYDROCHLORIDE											
	Oral Tablet, B.P. 5 mg. tab...	..	..			100	2	2	3	0	BW
641 PROGESTERONE											
	Injection 20 mg. I.V. amp...	..	..	D		3	..	2	6	4	OR, SC
	25 mg. amp.	..	..	D		3	..	1	7	0	BD, CB, DF, OR, SC
	Implant 25 mg. implant	..	..	D		1	..	1	1	0	BD, OR
642 PROGESTERONE DEPOT											
	Injection 250 mg. amp.	..	..	D		3	..	*4	15	0	RM
								4	15	0	SC
643 PROGUANIL HYDROCHLORIDE											
	Oral Tablet, B.P. 100 mg. tab.	..	..			100	2	0	11	5	IC

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
644	PROMETHAZINE HYDROCHLORIDE				£ s. d.	
	Injection 2.5%, 2 cc. amp.	C	10	..	0 15 0	MB
	Elixir 115 mil.		1	4	0 7 8	MB
	Oral Tablet, B.P. 10 mg. tab.		50	1	0 9 2	MB
					(ex 250)	
					0 9 8	MB
	25 mg. tab.		50	1	(ex M.P.) 0 12 2	MB
					(ex 250)	
					0 13 8	MB
					(ex M.P.)	
660	PROPANTHELINE BROMIDE					
	Injection 30 mg. per 1 cc. vial		6	..	3 9 8	SR
	(solvent required)					
	Oral Tablet, B.P. 15 mg. tab.		100	2	2 10 8	SR
					(ex 500)	
					2 12 4	SR
					(ex M.P.)	
681	PROPHENPYRIDAMINE MALEATE					
	Syrup 10 mg. per 5 mil., 100 mil.	C	1	4	0 9 8	HP
645	PROPHENPYRIDAMINE PARA-AMINOSALICYLATE					
	Injection 25 mg. per cc., 2 cc. amp.		5	1	0 14 1	HP
	Oral Tablet 10 mg. tab.		50	1	0 8 8	HP
					(ex 250)	

645—continued

							0 9 3	HP
							(ex M.P.)	
	50 mg. tab.	..	..	..	50	1	0 14 3	HP
							(ex 250)	
							0 15 8	HP
							(ex M.P.)	
671	PROPYLTHIOURACIL							
	Oral Tablet, B.P. 25 mg. tab.	..	..		100	2	0 13 0	AN
	50 mg. tab.	..	..		100	2	1 0 4	AN
646	PROTAMINE SULPHATE							
	Injection, 1% 5 mil. amp...	..	..		6	..	1 3 7	EV
	10 mil. amp...	..	..		6	..	1 5 8	BT
647	PROTOVERATRINE A							
	Injection 1 mil. amp.	..	..	..	D 10	..	*1 7 4	SZ
669	PYRAZINAMIDE	..	..	..	H			
662	PYRIDINE ALDOXIME METHIODIDE..				H			
648	PYRIDOSTIGMINE BROMIDE							
	Oral Tablet, B.P. 60 mg. tab.	..	..	D	100	2	*4 5 5	RO
	Injection, B.P. 1 mg. per 1 cc. amp.	..	..		6	1	0 11 3	RO
	(solvent required)							
649	PYRIDOXINE HYDROCHLORIDE,							
	B.P.C.							
	Injection 50 mg. per cc., 1 cc. amp.	..			6	1	0 18 4	FH, KL
							1 0 4	AN, BL, CM, BX, FM, PD
	50 mg. per 2 cc., 2 cc. amp.	..			6	1	1 0 4	RO
							1 1 8	BD, VM

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
649—continued	50 mg. per cc., 5 cc. vial	..				1	1	£ s. d. 1 1 8	KL
	50 mg. per cc., 10 cc. vial	..				1	..	1 4 0	LY
	Oral Tablet 25 mg.	..	D		25	..	..	1 3 0	BX, FH, KL
								1 7 0	CM
								0 12 0	AN
								0 13 8	DH, KL
684	PYRIMETHAMINE								
	Oral Tablet B.P. 25 mg.	..				30	1	0 12 0	BW
661	PYRROLIDINO-METHYL- TETRACYCLINE								
	Injection 110 mg. Tetracycline amp. I.V.	..	D		5	..	..	*4 10 11	HP
	275 mg. Tetracycline amp. I.V.	..	D		5	..	..	*7 16 9	HP
	150 mg. Tetracycline amp. I.M.	..	D		5	..	..	*4 10 11	BC, HP, SQ
	350 mg. Tetracycline amp. I.M.	..	D		5	..	..	*7 16 9	BC, HP, SQ
721	QUINALBARBITONE SODIUM, B.P.								
	Oral Tablet 50 mg. tab.	..			50	2		0 9 8	PT
	100 mg. (1.5 gr.) tab.	..			50	2		0 9 11	AD, DH, HY(QNVTW), RT(V), RY, SI
								0 11 0	PT
								0 11 8	CM, KL
								0 13 4	RD
								0 15 8	GP, SL
	Oral Capsule 50 mg. cap.	..			50	2		0 11 11	LY
	100 mg. (1.5 gr.) cap.	..			50	2		0 18 4	LY

722	QUINIDINE SULPHATE				100	2	1 2 0	HA, HY(QNVTW) KL	
Oral Tablet, B.P. 200 mg. (3 gr.) tab. ..				1 3 7			BW, DH, FA, RT(V), TO		
				(ex 500)					
				1 4 4			DH, FA, HA, HY(QNVTW), KL, RT(V), TO		
						1 5 8	BW		
						(ex M.P.)			
723	QUININE BISULPHATE				100	2	0 16 4	CO, DH, HY(QNVTW)	
Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..				0 17 8			BW, FA		
724	QUININE DIHYDROCHLORIDE				100	2			
Injection, B.P.									
200 mg. (3 gr.) per cc., 1 cc. amp... ..				6			1	0 13 8	BX
400 mg. (6.25 gr.) per cc., 1 cc. amp. ..				6			1	0 14 4	BX
600 mg. (9.25 gr.) per 2 cc. amp.				6			1	0 15 0	BX
1 G. (15.5 gr.) per 2 cc. amp.				6			1	0 15 8	BX
Oral Tablet 300 mg. (5 gr.) tab.				100			2	1 2 0	DH
Oral Capsule 300 mg. (5 gr.) cap.				100			2	1 11 0	PD
725	QUININE HYDROCHLORIDE				100	2	1 2 0	DH	
Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..									
726	QUININE SULPHATE				100	2	0 16 4	AD, DH, HY(QNVTW), PR, RT(V), SI, TO	
Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..									
747	RAUWOLFIA ALKALOIDS				100	2	0 11 8	PT	
Oral Tablet 0.25 mg. tab.				0 13 8			CM, KL		
2 mg. tab.				1 7 0			RK		
4 mg. tab.				1 5 8			PV		

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
747—continued	50 mg. tab.	..	..	..		100	2	£ s. d.	
								1 3 8	PT
								1 9 6	SQ
								1 12 0	IQ
								(ex 500)	
								1 6 4	PT
748 RED BACK SPIDER ANTI-VENENE	Injection	500 U. vial	..	..	..	2	..	1 13 0	IQ, SQ
								(ex M.P.)	
746 RESERPINE	Injection	1 mg. amp.	..	..	..	5	1	*4 3 0	CS
	Injection	2.5 mg. amp.	..	..	..	5	1		
	Oral Tablet, B.P.	0.25 mg. tab.	..	..	..	100	2		
								0 10 1	CB
								0 16 4	CB
								0 7 8	HA
								0 7 11	HY(QNVTW)
								0 8 5	AN, FA, KL, MG, RK, RY
								0 9 3	PD, VR
								0 9 8	CB
								(ex 500)	
								0 8 4	AN, FA, HA, HY(QNVTW), KL, RK, RY
								0 9 4	MG
								0 9 8	CB, PD, VR
	0.5 mg. tab.	..	..	..		100	2	(ex M.P.)	
								0 10 4	FA, HA, KL, RK
								0 12 4	CB

741	RESORCINOL											
	Lotion, Compound, P.L.	..	..	..	..	8 fl. oz.	4	0 10 6	Extemp.			
	Ointment, Compound, P.L.	..	..	..	..	1920 gr.	1	0 12 7	Extemp.			
742	RHUBARB											
	Pill, Compound, B.P.C.	..	..	..	..	50	1	*0 10 6	DH			
	Mixture with Soda, P.L.	..	..	..	..	8 fl. oz.	4	0 9 1	Extemp.			
	Mixture with Soda for Children, P.L.	..	..	..	..	4 fl. oz.	4	0 7 6	Extemp.			
743	RIBOFLAVINE											
	Oral Tablet, B.P.	5 mg. tab.	..	..	..	P 100	2	0 7 0	DH, FM, KL, PR, RT(V), RY, TO			
745	RISTOCETIN					..	H					
755	SACCHARIN OR SACCHARIN SODIUM											
	†Oral Tablet	30 mg. (1/2 gr.) tab.	..	..	..	200	1	†0 1 9	HY(QNVTW)			
								†0 2 0	AD, DH, FA, KL, RT(V), RY, SI, SL			
818	SALICYLAMIDE											
	Oral Tablet	500 mg. tab.	..	..	..	100	2	0 10 4	KL, TO			
								0 10 8	GH, HA			
803	SALICYLAZOSULPHAPYRIDINE											
	Oral Tablet	500 mg. tab.	..	..	..	D 100	..	1 17 8	MR			
756	SALICYLIC ACID											
	Paint, P.L.	..	..	..	..	1 fl. oz.	1	0 6 7	Extemp.			
	Ear Drops, P.L.	..	..	..	..	1/2 fl. oz.	2	0 6 10	Extemp.			
	Ointment, B.P.	..	..	..	..	1920 gr.	1	0 13 11	Extemp.			
	Lotion, Compound, P.L.	..	..	..	..	8 fl. oz.	4	0 9 2	Extemp.			

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
760	SCHICK TEST TOXIN Injection 1 cc. vial		2	..	*0 13 8	CS
757	SEIDLITZ POWDER †Compound Effervescent Powder, B.P., 1953		12	1	†0 5 0	DH, WD(N)
758	SENNA FRUIT, B.P. †2 oz.		1	..	†0 2 0	DH, SI
816	SENNA FRUIT EXTRACT (STANDARDISED) Oral Tablet 7 mg. tab.	P	100	2	0 12 4	RC
759	SENEGA AND AMMONIA Mixture, P.L.		8 fl. oz.	4	0 9 10	Extemp.
809	SILVER NITRATE †Toughened 1 stick		1	..	†0 1 7 †0 2 6	YF(QNVST) SL
761	SILVER PICRATE, B.P.C. 1949 Insufflation, 1%		5 G.	1	0 8 4	AB
762	SILVER PROTEIN, MILD, B.P.C. Eye Drops, 10% 1/2 fl. oz.		†1	2	0 10 5	IQ
763	SIMPLE OINTMENT, B.P. Ointment		1920 gr.	1	0 11 9	Extemp.

764 SMALLPOX VACCINE, B.P.									
Injection	Capillary Tube	..	..	..	1	..	0	8	7 CS
773 SODIUM AMINOSALICYLATE									
Injection	20%, 10 cc. vial	..	..	D	6	..	1	1	3 KL
Oral Cachet	1.5 G. cachet	..	..	D	200	2	3	3	0 AN, KL, WA
							*3	11	8 SN
	2.0 G. cachet	..	..	D	200	2	4	3	0 KL, WA
Oral Tablet	300 mg. (5 gr.) tab.	..	..	D	200	1	0	18	8 KL
							*1	3	5 AD, SI
	500 mg. (7.5 gr.) tab.	..	..	D	500	2	1	19	0 KL, RY
							2	3	0 DH, SN
							2	7	4 CM
							*2	7	7 AN, WA
							*2	11	9 AD, SI
Granules	50% 350 G.	..	..	D	1	1	2	6	4 HY(QNVTW), RL
	96.4% 500 G.	..	..	D	1	1	5	8	0 EV
765 SODIUM AUROTHIOMALATE									
Injection, B.P.	1 mg. amp.	..	..		1	3	0	4	11 MB
	2 mg. amp.	..	..		1	3	0	5	1 MB
	5 mg. amp.	..	..		1	3	0	5	3 MB
	10 mg. amp.	..	..		1	3	0	5	7 MB
	20 mg. amp.	..	..		1	6	0	5	9 MB
	50 mg. amp.	..	..		6	1	*1	7	0 MB
	100 mg. amp.	..	..		6	1	*1	15	0 MB
	200 mg. amp.	..	..		1	3	0	11	8 MB
766 SODIUM BICARBONATE									
Ear Drops, P.L.	..	..	..		1/2 fl. oz.	2	0	7	2 Extemp.
Mixture, P.L.	..	..	..		8 fl. oz.	4	0	7	2 Extemp.
Oral Tablet, Compound, B.P.									
	300 mg. (5 gr.) tab.	..	..		100	2	0	4	8 FA, SL, TO

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
767	SODIUM CALCIUMEDETATE								£ s. d.	
	Injection	200 mg. per 5 cc. amp.	..				6	..	3 1 8	RK
	Oral Tablet	500 mg. tab.	..	..	..		100	2	2 1 11	RK
768	SODIUM CHLORIDE									
	Injection									
	Gastric Replacement Solution 1/2 litre						2	..	*1 11 0	BX, FH(QNVST), SJ(W)
	Intestinal Replacement Solution 1/2 litre						2	..	*1 11 0	BX, FH(QNVST), SJ(W)
	Potassium Free Maintenance Solution 1/2 litre						2	..	*1 11 0	BX, FH(QNVST), SJ(W)
	Saline Lactate Solution 1/2 litre						2	..	*1 11 0	BX, FH(QNVST), SJ(W)
	Tissue Repair Solution—Acidosis 1/2 litre						2	..	*1 11 0	BX, FH(QNVST), SJ(W)
	Tissue Repair Solution—Alkalosis 1/2 litre						2	..	*1 11 0	BX, FH(QNVST), SJ(W)
	(Hypertonic Solution)—									
	Injection	3%, 1/2 litre	..	..	..		2	1	*1 7 8	BT, SJ(W)
		1 litre	..	..	..		2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
	5%,	1/2 litre	..	..	..		2	1	*1 7 8	BT, SJ(W)
		1 litre	..	..	..		2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
	(Physiological Solution)—									
	Injection	2 cc. amp.	..	..	..		6	1	0 9 4	AD, BL, BX, FH, KL
		5 cc. amp.	..	..	..		6	1	0 10 4	AD, BL, BX, FH, KL
		10 cc. amp.	..	..	..		6	1	0 9 0	CS
									0 12 4	AD, BL, BX, FH, KL
		10 cc. vial	..	..	..		2	1	*0 9 8	BX, FH, PD
		20 cc. amp.	..	..	..		6	1	0 16 4	BL, BX, FH, KL
		50 cc. amp.	..	..	..		3	1	*1 3 0	BX, FH, KL
		1/2 litre	..	..	..		2	1	*1 7 8	BT, SJ(W)

768—continued	1 litre	..	..	..	..	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
Oral Tablet, B.P. 300 mg. (5 gr.) tab.	..	..	..	..	..	100	2	0 4 8	DH, FA, HY(QNVTW), RT(V)
769 SODIUM CHLORIDE AND DEXTROSE									
Injection, B.P.									
5% in normal saline	1/2 litre	..	..	..	..	2	1	*1 7 8	BT, SJ(W)
	1 litre	..	..	..	..	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
10% in normal saline	1/2 litre	..	..	..	..	2	1	*1 7 8	BT, SJ(W)
	1 litre	..	..	..	..	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
20% in normal saline	1/2 litre	..	..	..	..	2	1	*1 7 8	SJ(W)
	1 litre	..	..	..	..	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
25% in normal saline	1/2 litre	..	..	..	..	2	1	*1 7 8	BT, SJ(W)
	1 litre	..	..	..	..	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), SJ(W)
2.5% in 1/2 strength normal saline	1/2 litre	..	..	..	..	2	1	*1 7 8	BT, BX, FH(QNVST), SJ(W)
3.75% in 1/4 strength normal saline	1/2 litre	..	..	..	..	2	1	*1 7 8	BT, BX, FH(QNVST), SJ(W)
4% in 1/5 strength normal saline	1/2 litre	..	..	..	..	6	1	*3 17 0	BT, SJ(W)
	1 litre	..	..	..	..	6	1	*4 9 0	AB, BT, BX, EV, SJ(W)
4.3% in 1/5 strength normal saline	1 litre	..	..	..	..	6	1	*4 9 0	FH(QNVST), GL
811 SODIUM CHLORIDE COMPOUND									
Injection, B.P.C.	1/2 litre	..	..	..	..	4	1	*2 12 4	BT, SJ(W)
	1 litre	..	..	..	..	4	1	*3 0 4	BT, BX, EV, FH(QNVST), GL, SJ(W)
814 SODIUM CHLORIDE COMPOUND AND DEXTROSE									
Injection	5%, 1/2 litre	..	..	..	..	6	1	*3 17 0	BT, SJ(W)
	1 litre	..	..	..	..	6	1	*4 9 0	BT, BX, FH(QNVST), SJ(W)
	10%, 1 litre	..	..	..	..	3	1	*2 6 0	BT, BX, FH(QNVST), SJ(W)
770 SODIUM CITRATE									
Oral Tablet for Children 120 mg. (2 gr.) tab.						100	2	0 5 3	AD, DH, HY(QNVTW), RT(V)
								0 7 0	BW

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
770—continued					£ s. d.	
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		100	2	0 6 0	HY(QNVTW)
	Mixture Disodium Hydrogen Citrate, P.L. ..		8 fl. oz.	4	0 8 9	BW
					0 8 5	Extemp.
804	SODIUM FOLATE					
	Injection 15 mg. per cc., 10 cc. vial ..	D	1	..	1 5 8	LE
771	SODIUM LACTATE					
	(Solution 1/6 Molar)—					
	Injection 1/2 litre		2	1	*1 7 8	BT, SJ(W)
	1 litre		2	1	*1 11 8	AB, BT, BX, FH(QNVST), SJ(W)
812	SODIUM LACTATE—COMPOUND					
	Injection, B.P. 1/2 litre		2	1	*1 7 8	BT, SJ(W)
	1 litre		2	1	*1 11 8	BT, BX, EV, FH(QNVST), GL, SJ(W)
813	SODIUM LACTATE—COMPOUND AND DEXTROSE					
	Injection 5%, 1/2 litre		2	1	*1 7 8	BT, SJ(W)
	1 litre		2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
	10%, 1/2 litre		2	1	*1 7 8	BT, SJ(W)
	1 litre		2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
772	SODIUM OLEATE COMPOUND					
	Oral Pill.. .. .		100	1	0 12 4	PD
					*0 12 5	DH
	Oral Tablet		100	1	0 9 0	FA

774	SODIUM SALICYLATE											
	Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	8	1	Extemp.	
	Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0	7	1	Extemp.	
	Oral Tablet, B.P.C. 300 mg. (5 gr.) tab.	..				100	2	0	7	8	AD, DH, FA, HY(QNVTW), KL, RT(V), SI, SL, TO	
	Oral Tablet (Enteric Coated)											
	300 mg. (5 gr.) tab.	..	..	..	..	100	2	0	11	0	AN, DH, HY(QNVTW), KL, LY, PR, QE(QNVS), RY, TO	
	500 mg. (7.5 gr.) tab.	..	..	..	..	100	2	0	12	4	KL, PR, QE(QNVS), TO	
	600 mg. (10 gr.) tab.	..	..	..	..	100	2	0	13	8	AN, DH, KL, LY, PR, QE(QNVS), RY, TO	
775	SODIUM SULPHATE											
	(Solution 4.28%)—											
	Injection 1/2 litre	..	..	..	..	2	1	*1	7	8	BT, SJ(W)	
	1 litre	..	..	..	..	2	1	*1	11	8	BT, BX, FH(QNVST), SJ(W)	
776	SODIUM TAUROGLYCOCHOLATE											
	Oral Tablet	..	..	..	..	100	1	0	9	8	DH	
								0	9	11	WW	
777	SORBOLENE, A.P.F. 1955											
	Cream, P.L.	..	..	..	..	1920 gr.	1	0	13	0	Extemp.	
805	SOYA FORMULA											
	Liquid 1 tin	..	..	..	..	AD	6	..	*1	17	6	CM
	Powder 1 tin 9 oz.	..	..	..	..	AD	6	..	*2	12	6	WA
	1 lb.	..	..	..	..	AD	6	..	*5	6	6	CM
806	SPIRAMYCIN											
	Oral Capsule 250 mg. cap.	..	..	..	..	D	20	..	1	18	4	MB
	Oral Tablet 250 mg. tab...	..	..	..	..	D	20	..	1	18	4	MB

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
778	SPIRIT, INDUSTRIAL METHYLATED, B.P.									
	Soap, P.L.	..	..	..	..		4 fl. oz.	1	0 9 9	Extemp.
	Ear Drops, P.L.	..	..	..	..		1/2 fl. oz.	2	0 6 9	Extemp.
810	SPIRONOLACTONE					H	..	..	..	
779	STAPHYLOCOCCUS TOXOID (FORMALINISED)									
	Injection	Diluted 1 in 10 for use in initial								
		injection	5 cc.	..	..		1	..	0 11 0	CS
		Undiluted	5 cc.	..	..		1	..	1 1 8	CS
780	STILBOESTROL, B.P.									
	Injection	1 mg. amp.	..	..	..	DG	6	..	0 9 8	BD, BX
		5 mg. amp.	..	..	..	DG	6	..	0 11 8	BD, BX, KL
	Oral Tablet	0.1 mg. tab.	..	..	..	DG	100	2	0 5 1	HY(QNVTW), KL
		0.5 mg. tab.	..	..	..	DG	100	2	0 5 3	AD, DH, FA, HA, HY(QNVTW) KL, MG, RT(V), RY, SI, SL, TO
		1 mg. tab.	..	..	..	DG	100	2	0 5 5	AD, DH, FA, HY(QNVTW), KL, RT(V), SI
		5 mg. tab.	..	..	..	DG	100	2	0 5 8	HA, MG, RY, SL, TO
						DG	100	2	0 8 0	AD, BW, DH, FA, HA, HY(QNVTW) KL, MG, RT(V), RY, SI, SL, TO
		10 mg. tab.	..	..	..	DG	100	2	0 12 4	CM, DH, KL, RT(V), TO

781	STREPTOMYCIN SULPHATE												
	Injection	1 G. vial (solvent required)	..	D	5	3	*0 19 8	BT, DH, DL, EV, GL, SI					
	Intrathecal Injection												
		100,000 U. amp. (solvent required)	..	D	10	3	1 2 5	DL					
	Injection, B.P.												
		250,000 U. per mil., 4 mil. vial	..	D	5	3	*1 1 9	DL, GL					
		500,000 U. per mil., 2 mil. vial	..	D	5	3	*1 1 9	BT, EV, GL					
		1,000,000 U. per 3 mil. vial	..	D	5	3	*1 1 9	EV, GL, SI					
	Oral Tablet with Sulphaguanidine												
		62.5 mg.-500 mg. tab.	..		16	..	0 14 1	GL					
	Ear Drops, P.L.				1/2 fl. oz.	2	0 11 9	Extemp.					
782	STRYCHNINE HYDROCHLORIDE SOLUTION												
	Mixture, P.L.				8 fl. oz.	4	0 7 5	Extemp.					
783	SUCCINYLSULPHATHIAZOLE												
	Oral Tablet, B.P.	500 mg. tab.	..		100	..	0 19 0	MB, MK					
	Mixture with Kaolin	4 fl. oz.	..		1	4	0 9 4	MK					
		8 fl. oz.	..		1	4	0 15 0	MK					
	Mixture with Kaolin, P.L.				8 fl. oz.	4	0 18 2	Extemp.					
784	SULPHACETAMIDE SODIUM												
	Ear Drops, P.L.				1/2 fl. oz.	2	0 7 6	Extemp.					
	Eye Drops, 10%	1/2 fl. oz.	..		1	2	0 10 4	AN, DH, EV, IQ, KL, SI					
	Eye Drops, 20%	1/2 fl. oz.	..		1	2	0 11 0	AN, DH, EV, IQ, KL, SI					
	Eye Ointment, B.P.	6%, 60 gr.	..		1	..	0 5 0	MG					
		10%, 60 gr.	..		1	..	0 5 0	AN, EV, MG, SC					
785	SULPHADIAZINE												
	Oral Tablet	300 mg. tab.	..		40	1	0 10 9	AB, KL, PD					

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
785— <i>continued</i>					£ s. d.	
	Oral Tablet, B.P. 500 mg. tab.		40	1	0 9 11	AD, DH, HY(QNVTW), RT(v), SI
					0 10 8	MB, PD, PR
					0 11 0	MG
					0 11 7	BW, CO, FA, KL, SL, TO
	Nasal Instillation, Compound, P.L.		1/2 fl. oz.	2	0 8 7	Extemp.
786	SULPHADIAZINE SODIUM					
	Injection, B.P.C. 4 cc. amp... ..		5	..	*0 15 9	MB
787	SULPHADIMETHOXINE					
	Oral Tablet 500 mg. tab.		12	2	0 12 4	RO
					(ex 100)	
					0 13 0	RO
					(ex M.P.)	
	Oral Suspension 200 mg. per cc., 10 cc. vial	C	‡1	..	0 11 5	RO
788	SULPHADIMIDINE					
	Mixture for Children, P.L.		4 fl. oz.	4	0 15 4	Extemp.
	Oral Suspension 100 cc.	C	1	4	0 11 5	IC
	Oral Tablet, B.P. 250 mg. tab.		40	1	0 8 5	KL, MG
	500 mg. tab.		40	1	0 7 3	AD, DH, HY(QNVTW), SI
					0 7 8	PR, SL, VR
					0 8 2	MG
					0 8 9	IC, KL, TO
					(ex 200)	
					0 7 8	AD, DH, HY(QNVTW), SI
					0 9 4	IC, KL, MG, PR, SL, TO, VR
					(ex M.P.)	

789	SULPHADIMIDINE SODIUM									
	Injection, B.P. 1 G. per 3 cc. amp.	..			5	..	0 11 8	IC		
790	SULPHAFURAZOLE									
	Oral Tablet 300 mg. tab.	..	..	..	40	1	0 13 1	RO		
	500 mg. tab.	..	..	..	40	1	0 16 9	RO		
							(ex 200)			
							0 17 5	RO		
							(ex M.P.)			
	Eye Drops, 4%	10 mil.	..	..	†1	2	0 9 8	RO		
	Eye Ointment	5 G.	..	..	†1	..	0 6 1	RO		
791	SULPHAGUANIDINE									
	Oral Tablet, B.P. 500 mg. tab.	..	..		100	..	0 11 4	AD, AN, BW, DH, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO		
792	SULPHAMERAZINE									
	Oral Tablet, B.P. 500 mg. tab.	..	..		40	1	0 10 4	HY(QNVTW)		
							0 11 7	DH		
							0 12 8	KL		
							*0 14 2	AD, FA, SI, TO		
793	SULPHAMETHIZOLE									
	Oral Tablet 100 mg. tab.	..	..	..	30	1	0 8 4	AY, HA, KL, WW		
	250 mg. tab.	..	..	..	30	1	0 13 0	AY, HA, KL, WW		
	500 mg. tab.	..	..	..	30	1	1 0 9	AY, KL		
817	SULPHAMETHOXYDIAZINE									
	Oral Tablet 500 mg. tab.	..	..		12	2	0 16 4	FB, SC		
	Oral Suspension, 10% 40 mil.	..	..	C	†1	..	0 16 4	FB, SC		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
794	SULPHAMETHOXYPYRIDAZINE Oral Tablet 500 mg. tab.		12	2	£ s. d. 1 0 9 (ex 100) 1 1 8 (ex M.P.)	LE, PD LE, PD
807	SULPHAMETHOXYPYRIDAZINE N-ACETYL Oral Suspension 250 mg. per 5 cc., 1 fl. oz.	C	‡1	..	0 14 4	PD, LE
808	SULPHAPHENAZOLE Oral Tablet 500 mg. tab. Oral Suspension, 10% 50 cc... ..	C	20 ‡1	1 ..	0 11 11 0 14 4	CB CB
795	SULPHAPYRIDINE, B.P.C. Oral Tablet, B.P.C. 500 mg. tab.		100	..	0 19 0	MB
815	SULPHINPYRAZONE Oral Tablet 100 mg. tab.		100	2	3 16 4	GE
796	SULPHONAMIDES, MIXED (B): THREE SULPHONAMIDES Oral Tablet 250 mg. tab. 300 mg. tab. 330 mg. tab. 500 mg. tab.		40 40 40 40	1 1 1 1	0 11 0 0 8 11 0 11 0 0 11 0 0 8 4 0 8 9 0 9 5	CM, MB KL, TO AB AN RY AD, DH, HY(QNVTW), MG, SI, SL AN

796—continued

							0 10 4	FA, FM, KL, TO
							0 10 11	CM, MB, VR
							(ex 200)	
							0 8 9	AD, DH, HY(QNVTW), RY, SI
							0 10 9	FM, KL, TO
							0 11 0	MG
							0 11 4	AN, CM, FA, MB, SL, VR
							(ex M.P.)	
797	SULPHUR							
	Ointment, B.P.	..	..	..	..	1920 gr.	1	0 13 4 Extemp.
798	SULPHURATED POTASH							
	Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0 9 6 Extemp.
800	SUSTANON							
	Injection 250 mg. amp.	..	..	..	D	1	..	2 17 8 OR
801	SUXAMETHONIUM BROMIDE							
	Injection, B.P. 67 mg. amp.	..	..	..		6	1	*0 14 4 MB
819	SUXAMETHONIUM CHLORIDE							
	Injection, B.P. 50 mg. per mil, 10 mil.	..	..	..		1	..	0 10 4 BW, GL
851	T.A.B. VACCINE (Anti-Typhoid-Paratyphoid)							
	Injection 1/2 cc. amp.	..	..	..		3	..	*0 14 0 CS
	10 cc. vial	..	..	..		1	..	1 13 0 CS
892	TACRINE							
	Injection 10 mg., 2 mil. amp.	..	..	..		5	1	0 17 0 WH
	30 mg., 2 mil. amp.	..	..	..		5	1	1 4 0 WH
893	TAIPAN ANTI-VENENE							
	Injection 3,000 U. vial	..	..	..		4	..	*20 3 0 CS

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
								£	s.	d.	
852	TESTOSTERONE										
	Implant, B.P.	100 mg. implant	..	..	D	1	..	2	9	8	BD, CB, OR, SO
		150 mg. implant	..	..	D	1	..	3	7	8	OR
		200 mg. implant	..	..	D	1	..	4	5	8	OR
853	TESTOSTERONE METHYL										
	Oral Tablet, B.P.	25 mg. tab.	..	..	D	100	2	2	11	0	HY(QNVTW), KL, PR
								3	3	0	AN, FM
								4	0	4	RD
		50 mg. tab.	..	..	D	100	2	4	16	4	HY(QNVTW)
								5	12	4	AN, KL, PR
								6	3	0	FM
								7	9	8	RD
854	TESTOSTERONE OENANTHATE										
	Injection	250 mg. per cc., 1 cc. amp.	..	..	D	1	..	2	17	8	SC
855	TESTOSTERONE PROPIONATE										
	Injection, B.P.	25 mg. per 1 cc. amp.	..	..	D	12	..	2	3	0	KL
								*2	11	0	BD, FH, FM
								2	11	0	OR
								*2	15	10	CB
								*2	16	4	SC
		50 mg. per 1 cc. amp.	..	..	D	12	..	4	3	0	KL
								*4	8	4	FH, FM
								4	15	0	CB
								*4	16	4	BD, OR
								*4	19	0	SC

855—continued

	50 mg. per cc., 10 cc. vial ..	D	1	..	3 14 0	CB, KL, OR, SC
	100 mg. per 2 mil., 2 mil. amp.	D	3	..	2 8 0	BD, OR, SC
					*2 15 11	FM
Implant	100 mg. implant	D	1	..	2 9 8	BD
856 TETANUS ANTITOXIN						
	Injection, B.P.					
	Diluted 1-50, 15 I.U. in 0.5 mil. ..		1	..	0 6 4	CS
	1,500 I.U. (1950) amp. ..		6	1	*2 3 0	BW, CS, SE
	10,000 I.U. (1950) amp. ..		6	1	*11 7 0	CS
	50,000 I.U. (1950) amp. ..		6	..	*42 3 0	CS
	Set containing 1,500 I.U. and 15 I.U. diluted					
	1 in 50		1	..	0 13 0	BT, CS
857 TETANUS TOXOID, B.P.						
	Injection 1/2 cc.		3	..	0 13 9	BT
				..	*0 13 9	CS
				..	*0 15 0	GL
	1 cc.		3	..	*0 13 9	SE
858 TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed)						
	Injection 1/2 cc.		3	..	0 13 0	BT
					*0 13 0	CS
	5 cc.		1	..	1 5 8	CS
859 TETRACHLOROETHYLENE						
	Oral Capsule, B.P. 1/2 cc. cap.		12	..	*0 7 11	PD
860 TETRACYCLINE						
	Injection, B.P.					
	100 mg. vial I.V. (solvent required) ..	D	6	..	*3 16 6	FB, LE
	250 mg. vial I.V. (solvent required) ..	D	6	..	*6 12 6	FB, LE, PF, SQ

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
860— <i>continued</i>					£ s. d.	
	Injection					
	100 mg. vial I.M. (solvent required) ..	D	6	..	*3 16 6	FB, LE, PF
	Oral Capsule, B.P. 50 mg. cap.	D	25	..	1 2 4	FB, LE, PF
	100 mg. cap.	D	25	..	1 18 4	LE, LT, PF
	250 mg. cap.	D	16	..	2 8 9	FB, LE, LT, PF, UP
					(ex 100)	
					2 14 4	FB, LE, LT, PF, UP
					(ex M.P.)	
	Oral Tablet, B.P. 50 mg. tab.	D	25	..	1 2 4	PF
	100 mg. tab.	D	25	..	1 18 4	LE, PF
	250 mg. tab.	D	16	..	2 14 4	LE, PF, SQ
	Oral Granules 75 G.	CD	‡1	..	1 11 1	LE
	Oral Paediatric Drops					
	100 mg. per cc., 10 cc. vial	CD	‡1	..	0 16 4	FB, LE, UP
	Oral Suspension 125 mg. per 5 cc., 60 cc. ..	CD	‡1	..	1 4 7	LE, LT, PF
	Eye Drops, Suspension, 1% 6 cc.		‡1	2	0 10 3	LE
	Eye Ointment, 1% 4 G. (60 gr.)		‡1	..	0 6 0	LE, PF
862	TETRACYCLINE WITH NYSTATIN					
	Oral Capsule containing 250 mg. Tetracycline Hydrochloride and 250,000 U. Nystatin ..	D	12	..	2 5 5	LE, SQ, UP
					(ex 100)	
					2 7 7	LE, SQ, UP
					(ex M.P.)	

863 TETRACYCLINE WITH OLEANDOMYCIN

Injection	100 mg. amp. I.M.	D	6	..	*4 3 0	PF
Oral Capsule	100 mg. cap.	D	25	..	2 0 8	PF
	250 mg. cap.	D	16	..	2 11 2	PF
					(ex 100)	
					2 18 7	PF
					(ex M.P.)	
Oral Sachet	125 mg.	CD	12	..	1 6 11	PF
Oral Suspension	125 mg. per 5 cc., 60 cc. ..	CD	‡1	..	1 6 11	PF
Oral Paediatric Drops	100 mg. per cc., 10 cc.	CD	‡1	..	0 17 5	PF

864 TETRACYCLINE (BUFFERED)

Injection	100 mg. vial I.M. (solvent required)	D	6	..	*3 16 6	SQ
Oral Capsule	100 mg. Tetracycline cap. ..	D	25	..	1 18 4	LE, LT, PF, SQ, UP
	250 mg. Tetracycline cap. ..	D	16	..	2 8 9	BC, FB, LE, LT, PF, SQ, UP
					(ex 100)	
					2 14 4	BC, FB, LE, LT, PF, SQ, UP
					(ex M.P.)	
Oral Suspension	125 mg. per 5 cc., 60 cc. ..	CD	‡1	..	1 4 7	BC, LE, LT, PF, SQ, UP
Oral Paediatric Drops						
	100 mg. per cc., 10 cc. vial	CD	‡1	..	0 16 4	BC, LE, LT, PF, SQ

890 TETRACYCLINE (BUFFERED) WITH AMPHOTERICIN B

Paediatric Drops						
Tetracycline (buffered)	100 mg.;					
Amphotericin B,	20 mg. per cc., 10 cc.	CD	‡1	..	1 3 0	SQ
Syrup						
Tetracycline (buffered)	125 mg.;					
Amphotericin B	25 mg. per 5 cc., 60 cc.	CD	‡1	..	1 16 4	SQ

880 THENALIDINE TARTRATE

Oral Tablet, Compound (effervescent)	..		50	1	1 4 4	SZ
Oral Syrup	85 mil.	C	‡1	4	0 9 0	SZ

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
865	THEOBROMINE, B.P.C. Oral Tablet with Phenobarbitone, A.P.F.— 300 mg.—30 mg. tab. (5 gr.—1/2 gr.) ..		100	2	£ s. d. 0 8 7 0 9 6 0 10 4 (ex 500) 0 11 0 (ex M.P.)	HY(QNVTW) AD, CO, DH, FA, KL, MG, PR, RT(V), RY, SI, SL, TO HA AD, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
	Oral Tablet with Sodium Salicylate, B.P.C. 1954 500 mg. (7.5 gr.) tab.		100	2	0 19 0	DH, KL
891	THIAMBUTOSINE Oral Tablet 500 mg. tab.		100	2	1 1 0	CB
868	THYROID Oral Tablet, B.P. 7.5 mg. (1/8 gr.) tab. .. 15 mg. (1/4 gr.) tab. ..		100 100	2 2	0 4 4 0 4 4 0 4 9 0 5 0	CS DH, FA, RT(V), RY, SL, TO BW, CS AD, SI
	30 mg. (1/2 gr.) tab. ..		100	2	0 4 9 0 5 1 0 5 4	DH, FA, RT(V), RY, SL, TO BW, CS, WW AD, SI
	60 mg. (1 gr.) tab. ..		100	2	0 6 0 0 6 5	AD, DH, FA, RT(V), RY, SI, SL, TO BW, CS, WW
	100 mg. (1.5 gr.) tab. ..		100	2	0 6 8 0 7 5	AD, DH, SI BW, CS

868—continued

	120 mg. (2 gr.) tab.	..		100	2	0 7 5	AD, DH, FA, RT(V), RY, SI
						0 8 4	BW
	150 mg. (2.5 gr.) tab.	..		100	2	0 8 4	AD, RT(V), SI
						0 9 8	BW, CS
	300 mg. (5 gr.) tab.	..		100	2	0 11 0	GP, RT(V)
881	THYROTROPHIN		H				
882	THYROXINE SODIUM						
	Oral Tablet 0.05 mg. tab.			100	2	0 6 1	BW, DH, FM, GL, RT(V)
	0.1 mg. tab.			100	2	0 7 11	BW, DH, FM, GL, RT(V)
869	TIGER SNAKE ANTI-VENENE						
	Injection 3,000 U. amp.			2	1	*7 3 0	CS
870	TOLAZOLINE HYDROCHLORIDE						
	Oral Tablet, B.P. 25 mg. tab.			100	2	0 13 4	CB, KL
						(ex 500)	
						0 13 8	CB, KL
						(ex M.P.)	
871	TOLBUTAMIDE						
	Oral Tablet, B.P. 500 mg. tab.			100	2	1 18 8	PH
						1 19 4	HP
						(ex 500)	
						2 0 0	PH
						2 1 0	HP
						(ex M.P.)	
872	TRETAMINE						
	Oral Tablet 2.5 mg. tab.		D	5	..	*0 15 5	IC
887	TRIAMCINOLONE						
	Oral Tablet 4 mg. tab.		AD	30	..	4 5 8	LE, SQ

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
888	TRICYCLAMOL CHLORIDE Oral Tablet 50 mg. tab.		100	2	2 16 4	BW
873	TRIETHANOLAMINE TRINITRATE Oral Tablet 1 mg. tab. 2 mg. tab. 7 mg. tab.		100 100 100	2 2 2	0 11 11 0 17 8 1 8 4	AN, SC AN, SC AN, SC
884	TRIETHYLENE THIOPHOSPHORAMIDE	H				
889	TRIFLUOPERAZINE Oral Tablet 1 mg. tab.	TP	50	..	1 2 1 (ex 250) 1 3 0 (ex M.P.)	SK SK SK
874	5 mg. tab. TRIMETAPHAN CAMPHORSULPHON- ATE, B.P.C. Injection Set containing 250 mg. vial and 5 cc. water for injection ..	TP D	50 3	..	1 18 7 6 6 7	SK RO
885	TRIPLENNAMINE HYDROCHLORIDE Oral Tablet 50 mg. tab.		50	1	0 18 4	CB
886	TRIPROLIDINE HYDROCHLORIDE Oral Tablet 2.5 mg. tab. Elixir 3 fl. oz.	C	50 ‡1	1 4	0 17 8 0 8 8	BW BW

875	TROXIDONE									
	Oral Tablet	150 mg. tab.	..	..	200	1	2	9	0	AB
	Oral Capsule, B.P.	300 mg. cap.	..	..	200	1	4	2	4	AB, GA
876	TURPENTINE OIL									
	Liniment, P.L.	..	..	..	4 fl. oz.	1	0	13	7	Extemp.
878	TYPHUS VACCINE									
	Injection, B.P.	1 cc. amp...	..	..	2	.	*1	3	0	CS
911	UNDECENOIC ACID									
	Dusting Powder, P.L.	..	..	..	192(gr.	1	1	0	6	Extemp.
912	UREA									
	Mixture, P.L.	..	..	..	8 fl. oz.	4	0	13	6	Extemp.
932	VADRINE	..	..	..	H					
930	VANCOMYCIN HYDROCHLORIDE	..	..	..	H	..	..	..		
921	VASOPRESSIN									
	Injection, B.P.	1 cc. amp...	..	..	6	..	0	19	0	PD
922	VASOPRESSIN TANNATE IN OIL									
	Injection	1 cc. amp...	..	..	12	1	*1	15	0	PD
923	VERILOID									
	I.V. Injection	0.4 mg. per cc., 5.3 cc. amp.	D		6	..	3	7	0	RK
931	VIOMYCIN SULPHATE	..	..	..	H					
929	VIPRYNIUM EMBONATE									
	Oral Tablet	50 mg. tab.	..	..	8	..	0	14	1	PD
	Oral Suspension	10 mg. per 1 cc., 1 fl. oz.	..	..	†1	..	0	14	1	PD

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
924	VITAMIN A					
	Concentrated Solution, B.P. 1 fl. oz. ..	PC	‡1	..	0 13 8	DH
	Oral Capsule 50,000 I.U.	P	100	..	1 3 0	AN
					1 19 8	CK
	Oral Tablet 50,000 I.U.	P	100	..	1 4 4	AN
					1 19 8	RO
925	VITAMIN D					
	Concentrated Solution, B.P. 1 fl. oz. ..	D+ PC	‡1	..	0 11 0	DH
926	VITAMINS A and D					
	Concentrated Solution, B.P. 1 fl. oz. ..	PC	‡1	..	0 11 4	DH
					0 12 8	GL
927	VITAMIN K					
	Oral Capsule 4 mg. cap.		100	2	1 1 8	PD
	Oral Tablet 5 mg. tab.		100	2	0 8 4	FM, HY(QNVTW)
	10 mg. tab.		100	2	0 11 0	FM
928	VITAMINS COMPOUND					
	Oral Tablet, B.P.C. Capsule Formula ..	P	100	1	0 7 9	AD, DH, HY(QNVTW), PR, QE(QNVS), RT(V), RY, SI, SL
					0 8 5	MG
					0 8 7	KL, TO
					0 9 8	GL
					0 9 10	VR
					0 9 11	AB, BD
					0 10 11	CM
					(ex 500)	

							0 7 9	AD, DH, HY(QNVTW), RT(V), RY, SI
							0 10 4	AB, BD, CM, GL, KL, MG, PR,
							(ex M.P.)	QE(QNVS), SL, TO, VR
							0 10 11	CK, FA, KL, PH, PR
							(ex 500)	
							0 11 0	CK, FA, KL, PH, PR
							(ex M.P.)	
							0 10 4	PD
944	WARFARIN SODIUM							
	Oral Tablet	2 mg.	..	..	50	2	1 11 8	EN
		2.5 mg.	..	..	50	2	1 13 0	EN
		5 mg.	..	..	50	2	1 13 8	EN
		7.5 mg.	..	..	50	2	2 1 4	EN
		10 mg.	..	..	50	2	2 13 0	EN
		25 mg.	..	..	25	2	2 5 8	EN
	Injection set containing 50 mg. and 2 cc.							
	water for injection	..	..	..	6	..	5 3 0	EN
941	WATER FOR INJECTION							
	Injection, B.P.	2 cc. amp.	..	..	6	3	0 9 0	AD, BL, BT, BX, EV, FH, KL
		5 cc. amp.	..	..	6	3	0 10 0	AD, BL, BX, CS, EV, FH, KL
		10 cc. amp.	..	..	6	3	0 12 0	AD, BL, BX, CS, EV, FH, KL
942	WOOL ALCOHOLS							
	Ointment, B.P.	..	..	..	1920 gr.	1	0 12 5	Extemp.
	†Ointment, B.P.	1920 gr.	..	..	1	1	†0 10 0	EV
943	WOOL FAT, HYDROUS, B.P.							
	†2 oz. tube or jar	..	..	..	1	..	†0 2 3	DH, WD(N)
961	ZINC GELATIN							
	Paste, B.P. (Unna's)	..	..	..	3840 gr.	..	0 19 8	Extemp.

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
962	ZINC OXIDE									
	Ointment, B.P.	..	..	..	..		1920 gr.	1	0 12 5	Extemp.
	Cream, B.P.	..	..	..			1920 gr.	1	0 10 1	Extemp.
	Cream, Soft, P.L.	..	..	..	..		1920 gr.	1	0 10 2	Extemp.
	Ointment with Castor Oil, B.P.	..	..	..	..		1920 gr.	1	0 12 1	Extemp.
			2 oz.	..	..		2	1	0 7 6	ME(Q)
	Paste with Coal Tar, P.L.	..	..	..	..		1920 gr.	1	0 8 5	Extemp.
	Paste with Salicylic Acid, B.P.	..	..	..	..		1920 gr.	1	0 11 5	Extemp.
963	ZINC SULPHATE									
	Lotion, P.L.	..	..	..	..		8 fl. oz.	4	0 6 10	Extemp.
964	ZINC UNDECENOATE									
	Ointment, B.P.	..	..	..	..		1920 gr.	1	1 8 11	Extemp.
COLOSTOMY and ILEOSTOMY										
991	ACRYLIC RESIN									
	Solution	100 cc.	Aerosol Spray	..	..	D	1	..	3 9 8	EV
992	BENZOL (COMMERCIAL)									
	†Application	8 fl. oz.	..	..	..	D	1	..	†0 3 9	DH
993	BISMUTH SUBGALLATE, B.P.C.									
	†Powder	4 oz.	..	..	..		1	..	†0 16 11	EV
									†0 18 0	DH

994	CHLORAMINE, B.P.C.					D	500	..	0 18 8	DH
	Deodorant Tablet	120 mg.	..	..	..					
	Powder	1 oz.	..	..	..	D	1	4	0 7 4	DH
995	DEODORANT DETERGENT SOLUTION					D	1	..	0 13 8	IC
	Solution: Lissapol N.100, 120 G; Spearmint Oil, 1.6 mil; Cetrinide, B.P. 12 G., 16 fl. oz.									
996	POLYDIMETHYLSILOXANES					D	1	..	0 10 4	IC
	Cream, 10%	50 G.	..	..	..					
997	SURGICAL CEMENT					D	1	2	†0 3 9	JA
	†Adhesive Cement	2 oz. tube	..	..	..					
998	TRAGACANTH (GUM KARAYA)					D	1	..	†1 4 0	EV
	†Powder	8 oz.	..	..	..					

SECTION 3

PRESCRIBER'S LIST

PRESCRIBER'S LIST — CHILDREN'S SECTION

**P
R
E
S
C
R
I
B
E
R
S

L
I
S
T**

SECTION 3 - SCHEDULE OF BENEFITS (PART II)

Where Liquids are purchased by weight, the recovery price includes the "Specific Gravity Factor"

A compounding fee (5s. 6d. per 16 oz.) is included in the recovery price for all items compounded from ingredients.

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
Acetone, B.P.C.	E	s. d.	s. d.	ACIDS (cont.)		s. d.	s. d.
ACIDS		0 2	0 9	Stearic, B.P.C.		0 2	0 8
Acetic, B.P.		0 1	0 7	Sulphuric Dilute, B.P.C.		0 2	0 10
Acetic Dilute, B.P.		0 1	0 7	Tannic, B.P.		0 7	3 9
Acetic Glacial, B.P.		0 2	0 11	Tartaric Powder, B.P.		0 3	1 3
Acetylsalicylic, B.P.		0 3	1 3	Trichloroacetic, B.P.		1 11	13 4
Benzoic, B.P.		0 3	1 4	Undecenoic, B.P.		2 1	14 4
Boric Powder, B.P.		0 1	0 4	Acriflavine, B.P.C.		7 3	..
Boric Crystals, B.P.		0 1	0 4	Adrenaline, B.P.		64 8	1/7 gr.
Citric, B.P.		0 2	1 1	Agar, B.P.C. 54		1 6	10 5
Hydrochloric, B.P.		0 2	1 0	ALCOHOLS			
Hydrochloric Dilute, B.P.		0 2	0 9	95%, B.P.	E	0 3	1 3
Hydrocyanic Dilute, B.P.C. 54		1 6	10 5	90%, B.P.	E	0 2	1 0
Hypophosphorous Dilute, B.P.C.		0 4	1 10	Aloes Barbados Powder, B.P.		0 4	2 4
Lactic, B.P.		0 5	2 7	Aloes Cape Powder, B.P.		0 4	2 4
Oleic, B.P.		0 2	0 10	Aloin, B.P.C.		2 1	14 1
Phosphoric, B.P.		0 3	1 4	ALUM			
Phosphoric Dilute, B.P.		0 2	0 10	Ammonia, B.P.		0 1	0 5
Salicylic, B.P.		0 3	1 9	Potash, B.P.		0 1	0 6
				Amethocaine Hydrochloride, B.P.	E	49 5	..

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
Amidopyrine, B.P.C. 54		s. d.	s. d.	Benzyl Benzoate Application, B.P.		s. d.	s. d.
Aminacrine Hydrochloride, B.P.		2 3	15 3			0 3	1 5
Aminophylline, B.P.		13 7	..	Benzyl Benzoate, B.P.		0 4	1 11
Ammoniated Mercury, B.P.		1 4	8 11	BISMUTH			
AMMONIUM		1 5	9 6	Carbonate, B.P.C.		0 8	4 7
Bicarbonate, B.P.C.		0 2	0 8	Subgallate, B.P.C.		1 2	8 0
Bromide, B.P.C.		0 2	0 10	Borax Powder, B.P.		0 1	0 3
Chloride, B.P.		0 1	0 7	Boroglycerin, B.P.C. 49			
Atropine, B.P.		1/2 :	1 gr.	(by weight)		0 4	1 11
Atropine Methonitrate, B.P.		5/10 :	1 gr.	Brilliant Green, B.P.		0 11	6 5
Atropine Sulphate, B.P.		1/4 :	1 gr.	Butyl Aminobenzoate, B.P. 53		6 3	..
Bacitracin, B.P.	E	2/3 :	1 gr.	Caffeine, B.P.		1 0	6 7
Balsam Peru, B.P.C.		1 5	9 5	Caffeine Citrate, B.P.C.		0 11	5 11
Balsam Tolu, B.P.		1 6	10 5	Caffeine and Sodium Benzoate, B.P.C. 54		2 7	17 9
Barbitone Sodium, B.P.		1 10	12 7	Calamine, B.P.		0 2	0 8
Barium Sulphate, B.P.		0 2	1 2	CALCIUM			
Beeswax White, B.P.		0 5	2 5	Carbonate, B.P.		0 1	0 4
Beeswax Yellow, B.P.C.		0 3	1 6	Chloride, B.P.		0 2	1 2
Belladonna Herb, Prepared, B.P.		1 11	13 1	Gluconate, B.P.		0 4	2 3
Belladonna Powder, B.P.		1 11	13 1	Hydroxide, B.P.		0 1	0 4
Belladonna Suppository, B.P. 48		..	..	Lactate, B.P.		0 3	1 7
Bentonite, B.P.		0 1	0 7	Phosphate, B.P.C.		0 2	1 0
Benzocaine, B.P.		1 9	11 11	Camphor Powder, B.P.		0 4	1 11
Benzyl Alcohol, B.P.		0 4	2 2				

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.	CREAMS (cont.)		s. d.	s. d.
Cetrimide Powder, B.P.		1 4	9 2	Cetrimide Aqueous, A.P.F.		0 2	1 1
Cetostearyl Alcohol, B.P.		0 3	1 9	Cholesterol Oily, A.P.F.		0 3	1 3
Cetyl Alcohol Compound		..	..	Oily, B.P.		0 3	1 9
Chalk, Prepared, B.P.		0 1	0 4	Sorbolene, P.L.		0 3	1 9
Chloral Hydrate, B.P.		0 3	1 9	Zinc, B.P.		0 2	1 0
Chlorbutol, B.P.		0 11	6 2	Creosote, B.P.C.		0 11	6 3
Chlorhexidine Diacetate	K	8 3	..	Crystal Violet, B.P.		1 10	12 10
Chlorhexidine Hydrochloride, B.P.		9 0	..	Dextrose, B.P.		0 1	0 7
Chlorinated Lime, B.P.		0 1	0 7	Dextrose Monohydrate, B.P.		0 2	0 10
Chlorocresol, B.P.		0 11	5 11	Dibutyl Phthalate, B.P.		0 5	2 6
Chloroform, B.P.		0 3	1 3	Dick Control, B.P.		..	..
Cocaine, B.P.		56 5	..	Dick Test Toxin, B.P.		..	..
Cocaine Hydrochloride, B.P.		66 4	..	Dicophane, B.P.		0 4	2 1
Codeine, B.P.C. 54		38 8	..	Digitalis Leaf, B.P.		0 10	5 9
Codeine Phosphate, B.P.		13 9	..	Digitalis Prepared, B.P.		0 10	5 9
Collodion Acid Salicylic, A.P.F.				Dimethyl Phthalate, B.P.		0 5	2 6
(by weight)		0 4	1 10	Dithranol, B.P.		20 11	..
Collodion Flexible, B.P. (By weight)		0 3	1 4	DUSTING POWDERS			
Colophony, B.P.		0 2	0 11	Absorbable, B.P.		..	..
Copper Sulphate, B.P.		0 3	1 4	Boric Acid and Starch,			
CREAMS				B.P.C. 54		0 2	0 9
Aqueous, B.P.		0 2	1 2	ELIXIRS			
Calamine, A.P.F.		0 3	1 6	Ephedrine, A.P.F.		..	..
				Cascara, B.P.		0 5	2 7

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
ELIXIRS (cont.)		s. d.	s. d.	EXTRACTS (cont.)		s. d.	s. d.
Simple, B.P.C. 49		0 2	0 10	Male Fern, B.P.		2 8	18 5
Emulsion Paraffin Liquid, B.P.	P	..	..	Malt, B.P.	CP	0 1	0 7
Emulsion Paraffin Liquid, A.P.F.	P	0 2	1 1	Nux Vomica Dry, B.P.C.		1 5	9 5
Emulsifying Wax, B.P.		0 4	2 4	Nux Vomica Liquid, B.P.		0 6	3 4
Ephedrine, B.P.		8 4	..	Ox Bile, B.P. 48		..	..
Ephedrine Hydrochloride, B.P.		5 2	..	Stramonium Liquid, B.P.		0 8	4 6
Ephedrine Sulphate, B.P.C. 54		5 2	..	FERRIC			
Ethanolamine, B.P.		..	..	Ammonium Citrate, B.P.		0 3	1 4
Ether Anaesthetic, B.P.		0 2	0 10	FERROUS			
Ether Solvent, B.P.		0 1	0 7	Carbonate Saccharated, B.P.C.		0 4	1 11
Eucalyptol, B.P.		0 10	5 5	Gluconate, B.P.		..	..
Eye Base, B.P.		0 2	1 0	Sulphate, B.P.		0 2	0 9
EXTRACTS				Sulphate, Dried, B.P.		0 2	0 10
Belladonna Dry, B.P.		1 8	11 8	Fluorescein Sodium, B.P.		1 10	12 5
Cascara Dry, B.P.		..	..	Fructose, B.P. 48		..	..
Cascara Liquid, B.P.		0 4	1 10	Gamma Benzene Hexachloride,			
Colchicum Dry, B.P. 48		..	..	B.P.		0 9	5 1
Colchicum Liquid, B.P.		1 1	7 2	Gelatin Powder, B.P.		0 3	1 6
Ergot Liquid, B.P. 14		0 10	5 10	Glucose Liquid, B.P.C. (By			
Hamamelis Liquid, B.P.		0 9	5 0	weight)		0 1	0 5
Hyoscyamus Dry, B.P.		1 8	11 5	Glycerin, B.P.		0 3	1 3
Hyoscyamus Liquid, B.P.		0 6	3 2	GLYCERINS			
Ipecacuanha Liquid, B.P.		3 4	23 0	Borax, B.P.C.		0 3	1 7
Liquorice Liquid, B.P.		0 3	1 6	Boric Acid, B.P. 48		0 5	2 9

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
GLYCERINS (cont.)		s. d.	s. d.	INFUSIONS (cont.)		s. d.	s. d.
Ichthammol, B.P.C.		0 4	2 4	Gentian Compound, B.P.		..	..
Phenol, B.P.		0 4	2 0	Gentian Compound Concentrated			
Starch, B.P.		..	..	B.P. 1-7		0 2	1 1
Tannic Acid, B.P.		0 5	2 6	Orange Peel Concentrated			
GUMS				B.P.C., 1-7		0 3	1 8
Acacia Powder, B.P.		0 2	1 0	Orange Peel Compound Concen-			
Benzoin, B.P.		0 5	2 11	trated, B.P.C. 54, 1-7		..	..
Ipomoea Resin, B.P.C.		1 0	6 10	Senega Concentrated, B.P.C.,			
Myrrh Powder, B.P.C.		0 11	6 5	1-7		0 6	3 3
Tragacanth Powder, B.P.		0 9	4 11	Senna Concentrated, B.P.C.1-7		0 5	2 8
Homatropine Hydrobromide, B.P.		1/2 :	1 gr.	Iodine, B.P.		1 0	6 10
Honey Purified, B.P.C.(By Weight)		0 1	0 4	Iodoform, B.P.C. 54		1 8	11 6
Honey Purified, B.P.C.(By Vol.)		0 1	0 6	Iodoform Suppository, B.P. 48		..	..
Hydrogen Peroxide 20 Volume,				Isoprenaline Sulphate, B.P.		28 6	..
B.P.		0 1	0 5	Kaolin Heavy, B.P.		0 1	0 5
Hyoscine Hydrobromide, B.P.		2/6 :	1 gr.	Kaolin Light, B.P.		0 1	0 7
Ichthammol, B.P.		0 4	1 11	Lactose, B.P.		0 1	0 5
INFUSIONS				Lard Benzoinated, B.P.C. 54		0 3	1 9
Buchu Concentrated, B.P.C. 54				LINIMENTS			
1-7		0 4	2 4	Ammonia, B.P.C. 49		0 2	0 11
Calumba Concentrated, B.P.C.				Camphor, B.P.		0 2	1 1
48, 1-7		0 3	1 8	Iodine Compound, A.P.F.		0 4	1 11
Cloves Concentrated, B.P.C. 54				Methyl Salicylate, A.P.F.		0 3	1 7
1-7		0 5	2 8				

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
LINIMENTS (cont.)		s. d.	s. d.	MIXTURES		s. d.	s. d.
Methyl Salicylate Compound				Aluminium Hydroxide, A.P.F.		0 2	0 9
A.P.F.		0 4	2 1	Magnesium Hydroxide, B.P.		0 1	0 7
Soap Methylated, B.P.		0 2	1 2	Senna Compound, B.P.C.		0 4	1 10
Turpentine, B.P.		0 2	0 9	Morphine Hydrochloride, B.P.		27 7	..
LOTIONS				Morphine Sulphate, B.P.		36 1	..
Calamine, B.P.		0 1	0 7	Mucilage Methylcellulose, A.P.F.		0 2	0 8
Lead and Opium, B.P.C.		0 2	0 9	Mucilage Tragacanth, B.P.		0 1	0 7
Magenta, B.P.C.		1 6	10 5	OILS			
MAGNESIUM				Almond, B.P.		0 6	3 3
Carbonate Heavy, B.P.		0 2	0 8	Almond Vol. Bitter, B.P.C.		1 8	11 5
Carbonate Light, B.P.		0 2	0 8	Anise, B.P.		0 11	6 5
Oxide Heavy, B.P.		0 4	2 3	Arachis, B.P.		0 1	0 7
Oxide Light, B.P.		0 4	2 3	Cade, B.P.		0 6	3 1
Sulphate, B.P.		0 1	0 2	Caraway, B.P.C.	E	2 0	13 11
Sulphate Dried, B.P.		0 1	0 7	Castor, B.P.		0 2	0 9
Trisilicate, B.P.		0 2	0 11	Cinnamon, B.P.		2 8	18 8
Menthol, B.P.		2 1	14 1	Citronella, B.P.C.	E	0 5	2 6
MERCURIC				Clove, B.P.		1 1	7 2
Chloride, B.P.C.		1 5	9 10	Coconut, B.P.C. 49		0 2	0 10
Methylcellulose, A.P.F.		0 10	5 5	Cod Liver, B.P.	E	0 1	0 6
Methylene Blue, B.P.		1 8	11 5	Coriander, B.P.		9 6	..
METHYL				Cotton Seed, B.P.		0 2	0 8
Salicylate, B.P.		0 3	1 6	Dill, B.P.		3 0	20 11

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram		Ounce				Dram		Ounce	
OILS (cont.)		s.	d.	s.	d.	OINTMENTS (cont.)		s.	d.	s.	d.
Eucalyptus, B.P.		0	3	1	3	Methyl Salicylate, B.P.C.		0	5	2	9
Halibut Liver, B.P.		..	..	..	..	Paraffin White, B.P.		0	3	1	4
Lavender Spike, B.P.C.		0	9	5	2	Paraffin Yellow, B.P.		0	2	1	1
Linseed, B.P.		0	1	0	7	Phenol, B.P. 48		0	4	2	0
Olive, B.P.		0	2	0	10	Salicylic Acid, B.P.		0	4	2	0
Peppermint, B.P.		1	6	10	6	Simple White, B.P.		0	3	1	5
Rosemary, B.P.		1	1	7	2	Simple Yellow, B.P.		0	3	1	5
Siberian Fir, B.P.C. 49		1	3	8	7	Sulphur, B.P.		0	4	1	10
Theobroma, B.P.		0	6	3	5	Tar, B.P.C.		0	4	2	0
Turpentine, B.P.		0	4	2	4	Wool Alcohols, B.P.		0	3	1	7
OINTMENTS						Zinc, B.P.		0	3	1	7
Ammoniated Mercury, B.P.		0	3	1	7	Zinc and Castor Oil, B.P.		0	3	1	6
Benzocaine and Adrenaline, A.P.F.		0	5	2	11	Zinc Undecenoate, B.P.		0	11	6	0
Benzoic Acid Compound, A.P.F.		0	3	1	7	OPHTHALMIC					
Boroglycerin, A.P.F.		0	3	1	4	Phosphate Buffer, A.P.F.-					
Capsicum, B.P.C.		0	5	2	11	Cetrimide		0	4	2	2
Emulsifying, B.P.		0	4	2	0	Chlorbutol		0	4	2	2
Gall and Opium, B.P.C.		0	8	4	4	Paraben		0	4	2	2
Hamamelis, B.P.		0	7	3	7	Vehicle, A.P.F.-					
Iodine (Non-staining), B.P.C.		0	3	1	4	Cetrimide		0	4	2	2
Menthol Compound, A.P.F.		0	5	2	10	Chlorbutol		0	4	2	2
Mercurous Chloride, B.P. 48		..	..	..	..	Paraben		0	4	2	2
Mercury Compound, B.P.C.		0	7	3	11	Vehicle Oily, A.P.F.		0	4	2	2
						Vehicle Thickened, A.P.F.		0	4	2	2

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Oxymel, B.P.C.		0 3	1 3	Pholcodine, B.P.C.		43 3	..
Oxymel of Squill, B.P.C.		0 2	0 9	Phthalylsulphathiazole, B.P.		1 11	13 1
Papaverine Hydrochloride, B.P.		10 5	..	Physostigmine		12/4 :	1 gr.
Paraffin Hard, B.P.		0 1	0 6	Physostigmine Salicylate, B.P.		7/2 :	1 gr.
Paraffin Liquid, B.P.		0 1	0 4	Pilocarpine Nitrate, B.P.		1/0 :	1 gr.
Paraffin Liquid Light, B.P.		0 1	0 6	Piperazine Adipate, B.P.		..	..
Paraffin Soft White, B.P.		0 1	0 7	Piperazine Phosphate, B.P.		..	..
Paraffin Soft Yellow, B.P.		0 1	0 6	Podophyllum Resin, B.P.		2 10	19 10
Paraldehyde, B.P.		0 4	2 3	POTASSIUM			
PASTES				Acid Tartrate, B.P.		0 2	0 11
Zinc Compound, B.P.		0 3	1 4	Bicarbonate Powder, B.P.		0 2	0 8
Zinc and Salicylic Acid, B.P.		0 3	1 4	Bromide, B.P.		0 2	0 10
Pectin (Apple or Citrus)		1 3	8 4	Chlorate, B.P.C.		0 3	1 6
Penicillin Oily Injection		..	..	Chloride, B.P.		0 2	1 1
Pentobarbitone Sodium, B.P.		4 6	..	Citrate, B.P.		0 2	0 11
Phenacetin, B.P.		0 4	2 1	Hydroxide, B.P.		0 5	2 5
Phenazone, B.P.C.		0 7	3 11	Iodine, B.P.		0 4	2 4
Phenobarbitone, B.P.		1 3	8 4	Nitrate Powder, B.P.		0 2	0 8
Phenobarbitone Sodium, B.P.		1 3	8 4	Permanganate, B.P.		0 2	1 0
Phenol, B.P.		0 2	1 1	POWDERS			
Phenol Liquified B.P.		0 3	1 3	Ipecacuanha and Opium, B.P.		1 2	7 11
Phenolphthalein, B.P.		1 3	8 5	Tragacanth Compound, B.P.		0 3	1 7
Phenylephrine Hydrochloride, B.P.		25 0	..	Procaine Hydrochloride, B.P.		4 7	..
Phenylmercuric Nitrate, B.P.		8 4	..	Proflavine Hemisulphate, B.P.		12 1	..

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
Propylene Glycol, B.P.		s. d.	s. d.	SOAPS (cont.)		s. d.	s. d.
Pyroxylin, B.P.		0 5	2 6	Ethereal, A.P.F.		0 2	1 1
Quinalbarbitone Sodium, B.P.		..	..	Soft, B.P.		0 2	1 0
Quinidine Sulphate, B.P.		3 7	25 0	SODIUM			
QUININE		5 2	35 8	Acid Citrate, B.P.		0 3	1 5
Bisulphate, B.P.		2 10	19 10	Acid Phosphate, B.P.		0 4	2 3
Dihydrochloride, B.P.		..	..	Benzoate, B.P.		0 4	1 10
Hydrochloride, B.P.		2 7	17 10	Bicarbonate Injection, B.P.		..	..
Sulphate, B.P.		1 9	12 2	Bicarbonate Powder, B.P.		0 1	0 3
Resorcinol, B.P.		1 2	7 10	Bromide, B.P.		0 2	0 10
Rhubarb Powder, B.P.		0 7	4 0	Carbonate, B.P.		0 2	0 10
ROOTS				Carbonate Anhydrous, B.P.C.		0 2	1 2
Liquorice Powder, B.P.		0 2	1 0	Chloride, B.P.		0 1	0 6
Santonin, B.P.		14 9	..	Citrate, B.P.		0 2	0 11
Scammony Resin Powder, B.P.C.		1 0	6 10	Hydroxide, B.P.		0 5	2 8
Scarlet Fever Antitoxin, B.P.		..	..	Iodide, B.P.		1 0	6 11
Scarlet Fever Prophylactic, B.P.		..	..	Metabisulphite, B.P.		0 3	1 8
Schick Control, B.P.		..	..	Nitrite, B.P.C.		0 10	5 9
Silver Nitrate, B.P.		3 9	25 9	Phosphate, B.P.		0 3	1 4
Silver Protein, B.P.		..	..	Salicylate Powder, B.P.		0 2	1 1
Silver Protein Mild, B.P.C.		3 10	26 8	Sulphate, B.P.		0 1	0 2
SOAPS				SOLUTIONS			
Alcoholic, A.P.F.		0 2	0 11	Adrenaline Hydrochloride,			
Curd, B.P.C.		0 2	0 9	B.P. 53		0 9	4 10
				Aluminium Acetate, B.P.C.		0 2	1 2

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
SOLUTIONS (cont.)		s. d.	s. d.	SOLUTIONS (cont.)		s. d.	s. d.
Amaranth, A.P.F.		0 2	0 9	Sodium Chloride, B.P.C.		0 1	0 6
Amaranth, B.P.C.		0 2	0 9	Strychnine Hydrochloride, B.P.		0 3	1 5
Ammonia Aromatic, B.P.C.		..	..	Sorbolene, A.P.F.		0 7	3 7
Ammonia Strong, B.P.		0 1	0 7	SPIRITS			
Ammonia Weak, B.P.		0 2	0 9	Ammonia Aromatic, B.P.C.		0 3	1 6
Ammonium Acetate Strong, B.P.C.		0 2	1 1	Anise, B.P.C. 49		0 4	2 1
Benzoic Acid, B.P.C.		0 4	2 0	Cajuput, B.P. 48		0 4	2 1
Calcium Hydroxide, B.P.C.		0 1	0 2	Camphor, B.P.C.		0 3	1 9
Carmine, A.P.F.	E	0 11	5 11	Chloroform, B.P.		0 3	1 5
Chlorinated Soda, Surgical, B.P.		..	..	Cinnamon, B.P.C. 49		0 6	3 6
Coal Tar, B.P.		0 3	1 9	Ether Nitrous, B.P.C.		0 5	2 6
Ferric Chloride, B.P.C.		..	..	Methylated Industrial, B.P.		0 1	0 3
Formaldehyde, B.P.		0 2	0 8	Peppermint, B.P.		0 4	2 2
Iodine Aqueous, B.P.		0 4	1 10	Starch, B.P.		0 1	0 4
Iodine Simple, B.P.C.		0 4	2 4	Stibophen Injection, B.P.		..	..
Iodine Strong, B.P.		0 4	2 1	Storax Prepared, B.P.		2 10	19 6
Iodine Weak, B.P.		0 3	1 5	Stramonium, B.P.		0 3	1 3
Lead Subacetate Dilute, B.P.		0 1	0 6	Stramonium Powder, B.P.		..	..
Lead Subacetate Strong, B.P.		0 2	1 2	Streptomycin, B.P.	K	5/0 :	1 Gram
Morphine Hydrochloride, B.P.		0 5	2 11	Strychnine, B.P.C.		7 2	50 2
Nasal Concentrated, A.P.F.		0 4	2 2	Strychnine Hydrochloride, B.P.		6 10	47 6
Potassium Hydroxide, B.P.		0 2	0 10	Succinylsulphthiazole, B.P.		1 5	9 11
Quinine Ammoniated, B.P.C.		0 3	1 8	Sucrose, B.P.		0 1	0 3
				Sulphacetamide Sodium, B.P.		1 9	11 11

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.	SYRUPS (cont.)		s. d.	s. d.
Sulphadiazine, B.P.		2 4	16 2	Squill, B.P.C.		0 3	1 3
Sulphadimidine, B.P.		2 4	16 2	Tolu, B.P.		0 2	1 0
Sulphaguanidine, B.P.		0 10	5 9	Talc Purified, B.P.C.		0 1	0 3
Sulphur Precipitated, B.P.		0 2	0 9	Tar, B.P. (By Weight)		0 2	0 9
Sulphur Sublimed, B.P.		0 1	0 5	Tar Coal Prepared, B.P.		0 2	1 0
Sulphurated Potash, B.P.C.		0 5	2 8	Tar Crude		0 1	0 7
SYRUPS				Theophylline, B.P.		1 7	11 0
Chloral, B.P.C.		0 2	1 2	Thymol, B.P.		1 5	9 5
Codeine Phosphate, B.P.C.		0 3	1 4	Thymol White Mouth Wash,			
Ferrous Phosphate Compound,				A.P.F.		0 2	1 2
B.P.C.		0 2	0 10	TINCTURES			
Ferrous Phosphate with Quinine				Belladonna, B.P.		0 3	1 7
and Strychnine, B.P.C.		0 3	1 3	Benzoin, B.P.C.		0 4	2 0
Ginger, B.P.		0 2	1 1	Benzoin Compound, B.P.		0 5	2 7
Glucose Liquid, B.P.C.		0 2	1 1	Calumba, B.P. 48		..	..
Glycerophosphate Compound,				Capsicum, B.P.C.		0 5	2 5
A.P.F.		0 2	0 9	Cardamom Compound, B.P.		0 3	1 4
Golden Acidified, A.P.F.		0 2	0 10	Cardamom Aromatic, B.P.C.		0 5	2 6
Lemon, B.P.		0 3	1 5	Catechu, B.P.C.		0 4	2 0
Lemon Neutral, A.P.F.		0 2	1 2	Cochineal, B.P. 48		0 4	1 11
Orange, B.P.		0 2	0 9	Colchicum, B.P.		0 4	2 0
Pholcodine Citrate, B.P.C.		0 3	1 7	Cudbear, A.P.F. 47		0 7	3 10
Red, A.P.F.		0 3	1 5	Digitalis, B.P.C.		0 4	2 3
Simple, B.P.		0 1	0 6	Gelsemium, B.P.C.		0 4	1 10

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram		Ounce				Dram		Ounce	
TINCTURES (cont.)		s.	d.	s.	d.			s.	d.	s.	d.
Gentian Compound, B.P.		0	4	2	3	Typhoid Para-Typhoid A, B and C Vaccine, B.P.		..	..		
Ginger Strong, B.P.		0	5	2	7	Urea, B.P.		0	3	1	8
Ginger Weak, B.P.		..	..	..	..	Urethane, B.P.		1	9	12	3
Hyoscyamus, B.P.		0	3	1	5	Vanillin Crystalline, B.P.		3	7	25	1
Ipecacuanha, B.P.		0	6	3	3	Vinegar of Squill, B.P.C.		0	2	0	11
Lemon, B.P.		0	4	1	10	WATERS					
Lobelia Ethereal, B.P.C.		0	5	2	11	Anise Conc., B.P.C. 1-40		0	3	1	5
Myrrh, B.P.C.		0	5	2	11	Camphor Conc., B.P.C. 49 1-40		0	4	1	10
Nux Vomica, B.P.		0	3	1	4	Chlorbutol, A.P.F.		0	1	0	7
Opium, B.P.		0	6	3	3	Chloroform, B.P.		..	..	..	..
Opium Camphorated, B.P.		0	3	1	4	Chloroform Conc., B.P.C. 1-40		0	3	1	6
Orange, B.P.		0	3	1	9	Cinnamon Conc., B.P. 1-40		0	4	2	2
Quassia, B.P. 48		..	..	..	..	Dill Conc., B.P. 1-40		0	4	2	0
Quillaia, B.P.C.		0	4	2	1	Peppermint Conc., B.P. 1-40		0	3	1	5
Rhubarb Compound, B.P.		0	4	1	10	Potable		..	..	..	..
Squill, B.P.C.		0	3	1	6	Purified or Distilled, B.P.		0	1	0	1
Stramonium, B.P.		0	3	1	5	Wool Alcohols, B.P.		0	8	4	2
Strophanthus, B.P. 48		0	10	5	9	Wool Fat, B.P.		0	2	0	11
Tolu, B.P.C.		..	..	..	..	Wool Fat Hydrous, B.P.		0	2	1	0
Valerian Ammoniated, B.P.C.		0	4	2	4	Xylene, B.P.C. 49	E	0	3	1	3
Triethanolamine, B.P.C.		0	4	2	0	ZINC					
Trinitrophenol, B.P.C.		1	5	9	11	Gelatin, B.P.		0	3	1	9
Tryparsamide Injection, B.P.		..	..	..	..						

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
ZINC (cont.)		s.	d.			s.	d.
Oxide, B.P.		0	1	0	6	Sulphate, B.P.	0 3 1 3
Stearate, B.P.		0	2	1	2	Undecenoate, B.P.	2 1 14 1

RESTRICTIONS

C - Items limited in use to children.

E - Items which may only be prescribed as additives.

K - The following drugs are restricted to the forms shown below --

Streptomycin Ear Drops

Chlorhexidine Diacetate Eye Drops.

P - Items limited in use to pensioners in possession of a P.M.S. Entitlement Card.

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR
BENEFITS NOT LISTED IN SCHEDULE OF BENEFITS (PART I)

Preparations	Maximum Qty. or No. of Units	Number of Repeats	Preparations	Maximum Qty. or No. of Units	Number of Repeats
Applications	4 fl. oz.	1	Irrigations	8 fl. oz.	4
Capsules-extemporaneously prepared	12	1	Insufflations	480 gr.	1
Collodions	240 min.	2	Linctuses	8 fl. oz.	4
Creams	1920 gr.	1	Liniments	4 fl. oz.	1
Draughts	8 fl. oz.	4	Lotions	8 fl. oz.	4
Ear Drops	1/2 fl. oz.	2	Mixtures	8 fl. oz.	4
Elixirs	8 fl. oz.	4	Mixtures for Children	4 fl. oz.	4
Emulsions	16 fl. oz.	4	Nasal Instillations	1/2 fl. oz.	2
Enemas	4 fl. oz.	1	Ointments	1920 gr.	1
Extracts, Fluid	4 fl. oz.	1	Paints	1 fl. oz.	1
Eye Drops of Physostigmine	240 min.	6	Pastes	1920 gr.	1
Eye Drops of Pilocarpine	240 min.	6	Pessaries	12	1
Other Eye Drops	240 min.	2	Poultices	1 lb.	1
Eye Lotions	8 fl. oz.	4	Powders Dusting	1920 gr.	1
Eye Ointments	60 gr.	..	Powders for internal use	1920 gr.	2
Gargles and Mouthwashes	8 fl. oz.	4	Powders individually wrapped	12	1
Gelatins	1920 gr.	1	Soaps	4 fl. oz.	1
Glycanths	1920 gr.	1	Solutions	4 fl. oz.	1
Glycerins	4 fl. oz.	1	Sprays	1/2 fl. oz.	2
Inhalations	2 fl. oz.	1	Suppositories	12	1
Injectons -			Syrups	8 fl. oz.	4
Ampoules	6 amps.	1	Tinctures	1 fl. oz.	1
Vials	1 vial.	1			

SECTION 4

BROKEN QUANTITY TABLES.

SECTION 4—RATES OF PAYMENT FOR PHARMACEUTICAL BENEFITS

General

1. The pricing principles are identical for prescriptions written for the general public and pensioners. However, where, on the Commonwealth pricing basis, the dispensed price for a prescription for a person other than a pensioner is five shillings or less, the prescription should be dispensed as a private prescription.

PRICING OF PART I BENEFITS

Price where
Maximum
Quantity
Prescribed
(R.P. and
P.L. Items)

2. The price to be claimed on the Tally Sheet for a benefit appearing in Part I is the amount shown in column 5 against that benefit subject to the following provisions:—

(a) *Bulk Rate Items (Where two prices are shown).*

(i) Where 5 prescriptions and over of a particular brand have been dispensed during the month—claim bulk pack rate price for all prescriptions of that brand. Unbranded prescriptions are to be counted with the brand of major usage for the purpose of arriving at the bulk rate qualification and shall be claimed for at the bulk price for that brand.

(ii) Where 4 or less prescriptions of a particular brand have been dispensed during the month—claim the minor pack rate and endorse the prescription “Ex. S.P.”.

(For special bulk rate provisions see paragraphs 17–25).

(b) *Packed Lines*—Where the prescription bears specific instructions for use—the price is calculated in accordance with paragraph 5.

(c) *Injections with required solvent*—Where the words—“with required solvent” are included after the form of the benefit, the price to be claimed is the sum of the listed prices for the item and the solvent less 3s. (i.e. only one professional fee is payable).

Price where
Broken
Quantity
Prescribed
(R.P.
Items)

3.—(a) *Bulk rate items (where Bulk Pack Rate applies)*—The method to be used in ascertaining the price of a quantity other than a maximum quantity is the same as that which has been used in arriving at the price of a maximum quantity from a bulk pack. However, as the price shown in column

5 of the Schedule of Benefits, Part 1, for the maximum quantity already incorporates a breakage allowance the action necessary to ascertain the price of a quantity other than the maximum quantity is as follows—

- (i) deduct 3s. 0d. and the container fee for the maximum quantity of that drug from the amount shown in relation to the item in column 5 of the Schedule of Benefits, Part 1,
 - (ii) multiply the amount ascertained in (i) by the quantity dispensed over the maximum quantity,
 - (iii) add to the amount ascertained in (ii) the appropriate container fee and the professional fee of 3s. 0d.
- (b) *Bulk Rate Items (where Minor Pack Rate applies)*—Ascertain price in accordance with paragraphs 3 (e) or 3 (f) as applicable.
- (c) *Packed Lines*—The maximum quantity should always be claimed for, even when a lesser quantity is prescribed.
- (d) *Packs Not to be Broken*—Where items packed by the manufacturer under aseptic conditions are prescribed (see paragraph 6),—maximum quantity is to be supplied and claimed for.
- (e) *Ready Prepared Items where Standard Pack coincides with Maximum quantity*—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—
- (i) Deduct 3s. 0d. from the price shown in column 5 in relation to the benefit.
 - (ii) Apply to the resultant amount, the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 8.
 - (iii) Add to the amount ascertained under (ii) a professional fee of 3s. 0d. and the appropriate container fee.
- In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 in relation to the maximum quantity of the benefit.
- (f) *Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e. where asterisk is shown against price)*.—In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 beside the price shown for the

benefit concerned. In such cases the standard pack rate may be ascertained from the Table shown on page 13 to 20. The price payable for the quantity supplied may then be ascertained as follows—

- (i) Apply to the standard pack rate, the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 8.
- (ii) Add to the amount so ascertained a professional fee of 3s. 0d. and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the sum of the standard pack rate and 3s. 0d.

**Price for
unbranded
Prescrip-
tions**

4.—(a) Bulk Rate Items (where Bulk Pack Rate applies)—

- (i) Prescriptions which do not specify a brand are to be treated as if written for the brand of major usage (see paragraph 2 (a) (i).)
- (ii) Where two or more brands qualify as the brand of major usage during the month, prescriptions which do not specify a brand are to be counted with and claimed for, as if written for that brand which is the lowest in price of these brands.
- (iii) Where no prescriptions are written for a brand of the item during the month, unbranded prescriptions are to be counted and claimed for at the lowest bulk pack rate shown in column 5 against that item.

(b) Bulk Rate Items (where Minor Pack Rate applies)—

- (i) Where the MINOR PACK rate applies (see paragraph 2 (a) (ii).)—claim the lowest price shown in column 5 in relation to the minor pack price for that item.

(c) Other Ready Prepared Items—Where a standard pack price applies—claim the lowest price shown in column 5 in relation to that item.

**Packed
Lines**

5. The undermentioned packed lines are expected to be supplied under the original label when prescribed in the maximum quantities shown in the Schedule of Benefits, Part 1, and therefore do not attract a professional fee. However, where the prescription bears specific instructions for use, then the item is to be labelled. The chemist will claim on the Tally Sheet the price shown in column 5 of the Schedule of Benefits, Part 1, multiplied by eight-ninths (8/9ths) plus 3s. 0d. professional fee. The maximum quantity of a packed line should always be claimed for, even when the prescription orders a lesser quantity.—

Boric Acid
 Castor Oil
 Cascara Liquid Extract
 Chloroxylenol Solution
 Copper Sulphate Diagnostic Tablets Compound
 Cod Liver Oil
 Cod Liver Oil Emulsion
 Cresol and Soap Solution
 Glucose Indicators
 Glucose Liquid
 Glycerin
 Glycerin Suppositories
 Hydrogen Peroxide
 Kaolin Heavy Poultice

Magnesium Hydroxide Mixture (Milk of Magnesia)
 Magnesium Bicarbonate Solution
 Malt Extract
 Malt Extract with Cod Liver Oil
 Olive Oil
 Paraffin, Liquid
 Paraffin, Emulsion, 33 %
 Senna Fruit
 Saccharin Tablets
 Seidlitz Powders
 Silver Nitrate, Toughened
 Wool Alcohols, Ointment, B.P.
 Wool Fat, Hydrous (Lanolin)

These items are indicated by a dagger (†).

**Unbroken
 packs to be
 supplied**

6. Because certain pharmaceutical benefits such as Chloramphenicol Palmitate, Chlorpromazine Hydrochloride Syrup, Polymyxin Eye Drops, &c. are required to be packed by manufacturers under special conditions, the maximum quantity of these items corresponds to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack the maximum quantity should be dispensed and claimed for from the Commonwealth.

These items are indicated by a double dagger (‡).

**Wastage
 Table Per-
 centage for
 Ready
 Prepared
 Prepara-
 tions**

7. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraphs 3 (e) & (f) above.)

8. The appropriate wastage table percentage is ascertained as follows—

- (a) Determine the percentage that the quantity supplied bears to the number contained in the standard pack;
- (b) Reading off in column A of the Wastage Factor Table, the percentage obtained under sub-paragraph (a) (if the percentage is not shown in column A, the next higher percentage is used), and reading off the percentage appearing in column B immediately beneath the selected percentage in column A;
- (c) The percentage ascertained from column B is the wastage table percentage to be used.

- For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in column A the next higher (i.e. 25%) is used. Reading down from 25% to column B, the wastage table percentage is found to be 38%.

WASTAGE FACTOR TABLE

Column A	..	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
Column B	..	10	18	26	32	38	44	50	54	58	62	66	70	74	78	82	86	90	94	98	100

Pre-scriber's List Items

9. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescriber's List is set out in Part I of the Schedule of Benefits. The amounts payable for other quantities commonly used are set out on pages 21 to 24.

PART II BENEFITS (RATES OF PAYMENT FOR EXTEMPORANEOUSLY PREPARED PRESCRIPTIONS).

Pricing Prescriptions not Pre-priced

10. A prescription for the supply of a quantity for which no price is shown in either Part I or on pages 21 to 24, or for any quantity of a formula which is not included in the Prescriber's List, should be priced in the manner outlined in the following paragraph.

11. The amount payable in respect of an extemporaneously prepared prescription is ascertained as the sum of—

- the recovery price of each ingredient as shown in the Schedule of Benefits, Part II (Drug Tariff);
- the price of the appropriate container as shown on page 12;
- a professional fee of 5s. 6d.

12. Where the quantity of ingredient required in a prescription is not specified in the Schedule of Benefits, Part II, the recovery price of that quantity may be ascertained as follows—

(a) Determine the basic pricing unit relative to the quantity of ingredient required by reference to the following table—

Quantity Required	Basic Pricing Unit
Up to and including 1 grain	.. 1 grain price
Over 1 grain and up to and including 5 grains ..	.. 5 grains price
Over 5 grains and up to and including 10 grains ..	.. 10 grain price
Over 10 grains and up to and including 137 grains	1 dram price
138 grains and up to and including 3.74 ounces ..	.. 1 ounce price
3.75 ounces and up to and including 8 ounces ..	.. 4 ounces price
Over 8 ounces	.. 1 pound or 16 fluid ounce price

(b) Ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery prices shown for the dram and ounce quantities of the ingredient in the Schedule of Benefits, Part II.

1. Ounce price is pound price divided by 14.
2. Four ounce price is ounce price multiplied by 3.75.
3. Dram price is ounce price divided by 7.
4. 10 grain price is dram price divided by 5.
5. 5 grain price is dram price divided by 9.5.
6. 1 grain price is 5 grain price divided by 4.5.

(c) Ascertain the recovery price of the quantity of ingredient required by multiplying the price of the basic pricing unit as ascertained in (b) by the fraction that the quantity required bears to the quantity contained in the basic pricing unit (i.e. except for the quantities from 120 grains to 137 grains inclusive which are priced at twice the dram price.)

13. The Grain Price Calculator has been prepared for the convenience of chemists in ascertaining the recovery price of quantities up to 1 dram (60 grains or minims). Where a fraction of a grain occurs, the quantity is to be taken up to the next whole grain (i.e. 2.4 grains is taken as 3 grains). Where a fraction of a minim occurs the quantity is to be taken up to the next whole minim.

**Minimum
Price**

14. The minimum recovery price for any ingredient is one penny. Where a fraction of a penny occurs in any price, that price is to be taken up to the next penny.

**Individual
Powders,
&c.**

15. For individual powders, five per cent of the quantity supplied on a prescription is to be claimed for as an additional amount; (i.e. 105% of the quantity supplied will be paid for.)

16. For suppositories and pessaries where eleven or less are supplied on a prescription, the chemist will receive payment for an additional one. If twelve or more are supplied, the chemist will receive payment for an additional two.

PROVISIONS RELATING TO BULK RATES

17. Special pricing arrangements apply to certain high velocity items. For each of these items, two sets of prices are shown—one ex Bulk Pack and one ex Minor Pack.

**Purchase
pack size**

18. A chemist may buy in any pack size he chooses, but reimbursement for the supply of the specified drugs with high velocity turnover is subject to the Bulk Rate pricing provisions.

19. A chemist is responsible to ensure that he only claims the Minor Pack rate applicable where his turnover of a brand and unbranded prescriptions of an item in the month is 4 or less prescriptions.

**Application
to brands**

20. The Bulk Rate provisions take into account the different usages a chemist may have for different brands of an item to which the Bulk Rate provisions apply. Accordingly, a chemist may be reimbursed at the Minor Pack rate for one brand of a drug and at the Bulk Pack Rate for another brand of the same drug.

21. For the purposes of paragraph 2 (a) each prescription counts as one irrespective of quantity prescribed *except* where maximum quantity allowable has been increased under special provisions of the Regulations; i.e. Reg. 24 and increased maximum quantities, (Paragraph 15, 16 Section 1.) in which case the prescription will count as a number equivalent to the number of maximum quantities ordinarily allowable.

**Loss on
Bulk
Packs**

22. The Commonwealth, subject to the provisions set out in this section, will indemnify the chemist against loss on accepted "Bulk Rate" items directly due to—

- (a) the removal of the item from the list of items to which Bulk Rate prices apply;
- (b) out of date stock.

23. Commonwealth payments to chemist to cover any such loss shall be based on the following formula—

Quantity held by chemist

× Actual cost to chemist of Bulk Pack

Quantity in unbroken Bulk Pack

These provisions apply to Bulk Packs purchased as from 1st February, 1960.

**Conditions
subject to
which Loss
Payments
will be
made**

24. Payment of any amount for loss is subject to the following provisions—

- (a) The chemist must buy the drug in the Bulk Pack;
- (b) The chemist must ensure, where possible, that all stocks of the Bulk Packs which he might purchase have expiry dates at least 6 months ahead of the date of purchase;
- (c) The Commonwealth's liability is limited in relation to each Pharmacy to the purchase, at cost, of one Bulk Pack of each of the drugs in respect of which loss has occurred;
- (d) The Commonwealth will not, under any circumstances, be liable for payment in respect of loss on stock for causes other than those shown in paragraph 22 above;
- (e) The Commonwealth shall take possession of any stock before a payment for loss is made in respect thereto.

**Claims
for loss**

25. Where after one month from the date of first supply from a Bulk Pack a chemist wishes to claim for loss on the remaining portion of that Bulk Pack, he should apply on form PB 12 to the Commonwealth Director of Health, setting out details of the item number, name and strength or size, size of pack and quantity remaining, date of purchase of Bulk Pack and date of first dispensing therefrom. Upon receipt of such application the Commonwealth Director of Health will advise the action to be taken with the residue.

GENERAL

**Profes-
sional Fees,
Containers
Pricing
Dates**

26. The amounts payable by way of professional fees and container charges for both ready prepared and extemporaneously prepared preparations are set out on page 12.

27. For pricing purposes the operative dates are—

- (a) for extemporaneously prepared benefits—the first day of the month preceding the half yearly period during which the benefits are dispensed.

(b) For ready prepared benefits—the first day of the month preceding the month during which the benefits are dispensed.

(c) For containers—

(i) For extemporaneously prepared benefits—the first day of the month preceding the half year during which the benefit is dispensed:

(ii) For ready prepared benefits—the first day of January each year.

Zone Allowances

28. An additional amount is payable in respect of each pharmaceutical benefit supplied in specific zones throughout the Commonwealth. The zone allowance is ascertained by multiplying the number of prescriptions dispensed by an amount in pence per prescription.

29. Each chemist is notified of the zone allowance, if any, which applies to the prescriptions he dispenses.

LODGMET OF CLAIMS FOR PAYMENT

30. A claim for payment for pharmaceutical benefits consists of—

(a) Claim Form P.B. 1 (Treasury Form 12);

(b) the originals of prescriptions and repeat authorizations;

(c) separate tally sheets for prescriptions in respect of benefits dispensed to—

(i) the general public (Form P.B. 2);

(ii) pensioners (Form P.B. 3);

(d) the originals of orders for Emergency Drug (Doctor's Bag) Supplies;

(e) where applicable—

(i) the duplicates of authorities issued for the supply of those drugs identified in the Schedule of Benefits with the code letter "A";

(ii) authorities issued for the supply of increased maximum quantities;

(iii) authorities issued for the supply of extra repeats.

N.B.—Prescriptions for pharmaceutical benefits dispensed to the general public, to pensioners and order forms for Doctor's Bag supplies should be kept in three separate lots.

31. The two Tally Sheets, Form P.B. 2 and P.B. 3, are of similar design, and should be prepared as follows—
- (a) in the first column of the sheet, insert consecutive numbers, commencing at 1, using one number for each benefit. The number or numbers applicable should be shown on each prescription form;
 - (b) in the second column of the sheet, insert, where applicable, the item number shown in Part I of the Schedule of Benefits; Part II benefits do not bear an item number;
 - (c) in the appropriate money column, i.e. "Ready Prepared" or "Extemp. Prepared", insert the amount payable for the benefit. The amount should be entered on the prescription. Where more than one item appears on a prescription form, the amount payable for each should be entered separately on the sheet against the appropriate consecutive number (see sub-paragraph (a) above). N.B.—Full price for the benefit is to be shown—the amount payable by the patient, where applicable, is deducted on the Claim Form.

**Tally
Sheet
Entry
where
Maximum
Quantity
and
Repeats
Supplied
at one
Time**

32. Where, in accordance with paragraph 18 of Section 1, a benefit and number of repeats have been supplied at the one time, the prescription should be entered on the Tally Sheet by allocating a number of lines and numbers equal to the number of supplies that would have been made under normal circumstances. For example, if the prescription directed that the maximum quantity and three repeats be supplied at once and the next number on the Tally Sheet was 82, the numbers, 82, 83, 84 and 85 should be shown on consecutive lines of the Tally Sheet, the numbers bracketed together and the total amount payable for the total supply shown in the money column thus—

<i>No.</i>	<i>Amount</i>
82	£1 : 15 : 3
83	
84	
85	

Only one professional fee is payable on such prescriptions and if the total quantity supplied is not equal to the quantity contained in the manufacturer's pack used for pricing the benefit in Part I, one container cost is allowable.

**Total
Payable by
Patients**

33. To calculate the total amount payable by patients in respect of each month's claim, count each of the lines used on the General Tally Sheet, excepting those used for Doctor's Bag Order Forms, and multiply the number so ascertained by five shillings.

**Payment
for Doctor's
Bag
Supplies**

34. Payment for Emergency Drug (Doctor's Bag) Supplies is on the same basis as for ready prepared pharmaceutical benefits except that no professional fee is payable. After supply of the benefits, the original form should be forwarded to the Department of Health with the monthly claim for payment. Details of the Doctor's Bag order forms are to be shown on the pharmaceutical benefits General Tally Sheet (P.B. 2) as set out hereunder—

- (a) immediately beneath the distinguishing number for the last prescription entered on the last General Tally Sheet of the claim, enter an additional distinguishing number for each order form included in the claim and write that number on that order form;
- (b) against the relevant distinguishing number insert in the "Ready Prepared" amount column the total amount claimed for each order form;
- (c) count the order forms included and enter that number under the last order form number. Against that "total" number, enter in the amount column the total amount claimed for Doctor's Bag order forms.

**Completion
of Claim
Form**

35. The relevant details to prepare the Claim Form (P.B. 1) should be obtained from the appropriate Tally Sheets for each section of the claim thus—

- (a) Section A—General: Enter the details from the Tally Sheet for benefits dispensed to the general public (Form P.B. 2). Provision is included for adjustment of the amount of five shillings per prescription payable by the patient;
- (b) Section B—Pensioner: Enter the details from the Tally Sheet for benefits dispensed to pensioners (Form P.B. 3).

In both sections, the amount ascertained by multiplying the number of prescriptions by the zone factor, where applicable, is taken to the nearest penny. The declaration on the claim form must be signed by the approved person unless an authority for another person to do so has been sent by the approved person to the Commonwealth Director of Health in the State concerned.

36. A claim must be lodged within 30 days of the end of each month with the Commonwealth Department of Health in the particular State, in respect of benefits dispensed during that calendar month. One claim form is to be used each month for claiming payment for all pharmaceutical benefits dispensed.

37. Supplies of stationery—Claim Forms, Tally Sheets, Repeat Authorizations, &c., are available from the Commonwealth Director of Health in each State.

PHARMACEUTICAL BENEFITS

Container Prices and Professional Fees

(Operative from 1st May, 1962)

EXTEMPORANEOUSLY PREPARED PREPARATIONS

DISPENSING FLATS				POISON BOTTLES				SCREW CAP JARS			
			s. d.				s. d.				s. d.
1 oz.	..	..	0 5	1/8 oz.	..	..	0 4	1/2 oz.	..	..	0 6
2 oz.	..	..	0 7	1/4 oz.	..	..	0 4	1 oz.	..	..	0 6
3 oz.	..	..	0 9	1/2 oz.	..	..	0 4	2 oz.	..	..	0 9
4 oz.	..	..	0 9	1 oz.	..	..	0 5	3 oz.	..	..	0 10
6 oz.	..	..	0 10	2 oz.	..	..	0 7	4 oz.	..	..	0 11
8 oz.	..	..	0 11	3 oz.	..	..	0 9	6 oz.	..	..	0 11
10 oz.	..	..	1 3	4 oz.	..	..	0 10	8 oz.	..	..	1 1
12 oz.	..	..	1 4	6 oz.	..	..	0 11	16 oz.	..	..	1 3
16 oz.	..	..	1 6	8 oz.	..	..	0 11	A double size container is allowed			
				12 oz.	..	..	1 4	for bulk powders.			
				16 oz.	..	..	1 5	Ear, Eye and Nasal Drop			

READY PREPARED PREPARATIONS

Class of Benefit	Container	Amount	s. d.
When supplied in—			
Ampoules or Vials	 Powder Slide—		
	Size 6 ..	..	0 7
	Size 12 ..	..	0 7
	Size 24 ..	..	0 8
Hypodermic Tablets	 Vial ..	..	0 3
Other Tablets and Pills	 Tablet Bottle—		
	Size 25 ..	..	0 3
	Size 50 ..	..	0 4
	Size 100 ..	..	0 7

Container
(Polythene bottle with nozzle
and cap)
Duranol 15 cc. .. 1 0

PROFESSIONAL FEES

Extemporaneously Prepared Preparations — 5s. 6d.

Ready Prepared Preparations — 3s. 0d.

Prices for tablet bottles are based on products available from Australian Consolidated Industries Ltd. and Modern Mouldings, Pty. Ltd.

SECTION 4 — CONTAINER PRICES, PROFESSIONAL FEES, STANDARD PACKS AND PRICES, PREPRICED EXTEMPORANEOUS PREPARATIONS

(Operative from 1st August, 1963)

EXTEMPORANEOUSLY PREPARED PREPARATIONS

DISPENSING FLATS				s.	d.	POISON BOTTLES				s.	d.	SCREW CAP JARS				s.	d.
1 oz.	..	..	..	0	5	1/4 oz.	..	..	..	0	4	1/2 oz.	..	..	..	0	6
2 oz.	..	..	..	0	7	1/2 oz.	..	..	..	0	5	1 oz.	..	..	..	0	7
3 oz.	..	..	..	0	9	1 oz.	..	..	..	0	5	2 oz.	..	..	..	0	9
4 oz.	..	..	..	0	9	2 oz.	..	..	..	0	7	3 oz.	..	..	..	0	10
6 oz.	..	..	..	0	10	3 oz.	..	..	..	0	9	4 oz.	..	..	..	0	11
8 oz.	..	..	..	0	11	4 oz.	..	..	..	0	10	6 oz.	..	..	..	0	11
10 oz.	..	..	..	1	3	6 oz.	..	..	..	0	11	8 oz.	..	..	..	1	0
12 oz.	..	..	..	1	4	8 oz.	..	..	..	1	0	16 oz.	..	..	..	1	3
16 oz.	..	..	..	1	6	12 oz.	..	..	..	1	4	2 lb. (RMC)	..	..	..	1	3
20 oz.	..	..	..	1	8	16 oz.	..	..	..	1	6	A double size container is allowed for bulk powders.					
26 oz.	..	..	..	1	4	20 oz.	..	..	..	1	7	Eye, Ear and Nasal Drop Container					
40 oz.	..	..	..	3	8							(Polythene bottle with nozzle and cap)					

Duranol 15 cc. .. 1 0

READY PREPARED PREPARATIONS

Class of Benefit	Container		Amount	
When supplied in—			s.	d.
Ampoules or Vials	..	.. Powder Slide—		
		Size 6 ..	..	0 7
		Size 12 ..	..	0 7
		Size 24 ..	..	0 8
Hypodermic Tablets	..	.. Vial ..	..	0 3
Other Tablets and Pills	..	.. Tablet Bottle—		
		Size 25 ..	..	0 3
		Size 50 ..	..	0 4
		Size 100 ..	..	0 7

PROFESSIONAL FEES

Extemporaneously Prepared Preparations — 5s. 6d.

Ready Prepared Preparations — 3s. 0d.

Prices for tablet bottles are based on products available from Australian Consolidated Industries Ltd. and Modern Mouldings, Pty. Ltd.

**STANDARD PACKS AND PRICES (INCLUDING MARK-UP, BUT NO PROFESSIONAL FEE) FOR ITEMS
AGAINST THE PRICE OF WHICH AN ASTERISK IS SHOWN IN THE LIST OF BENEFITS—PART I**

(Apply wastage factor in calculating broken quantity prices)

Item No.	Name	Form	Price and Pack	Brand
			<i>s. d.</i>	
1	Acetarsol	4 gr. tab.	30 @ 6 8	MB
43	Adrenaline Mucate	1 cc. amp.	5 .. 8 8	GL
16	Aloes and Nux Vomica	Pill	100 " 3 1	TO
			144 " 6 8	DH
17	Aloxidone	300 mg. cap.	100 " 38 3	BS
19	Aluminium Hydroxide	300 mg. tab.	50 " 5 4	RD, SL
49	Aluminium Hydroxide Gel. Dried with Magnesium Hydroxide	300 mg.—90 mg. tab.	50 " 5 9	WY
46	Amiphenzole Hydrobromide, A.P.F.	20 mg. vial	6 " 15 8	BX
26	Ammonium Chloride	7.5 gr. tab.	100 " 5 4	QE, TO
31	Amylobarbitone Sodium	250 mg. amp.	1 " 4 5	LY
		500 mg. amp.	1 " 6 8	LY
		1 G. amp.	1 " 10 5	LY
34	Antazoline	100 mg./2 cc. amp.	5 " 9 4	CB
			6 " 10 8	BT
41	Aurothioglucose	50 mg. amp.	1 " 5 1	SC
		100 mg. amp.	1 " 6 7	SC
108	Brown Snake Anti-Venene	500 U. amp.	1 " 140 0	CS
109	Betamethasone	4 mg./cc., 1 cc.	1 " 13 4	GL, SH
131	Caramiphen Hydrochloride	50 mg. tab.	50 " 21 0	GE
145	Chloramphenicol	1 G. vial	1 " 15 4	PD
150	Chloroquine Base	2 mil. amp.	10 " 12 8	MB
		5 mil. amp.	10 " 23 4	MB

Item No.	Name	Form	Price and Pack	Brand
155	Cholera Vaccine	8,000 M. per cc. amp.	1 @ 3 8	CS
180	Clemizole Hydrochloride	20 mg. tab.	100 " 20 0	SC
162	Colchicine	1/120 gr. tab.	50 " 5 4	RD
166	Colocynth	Pill, B.P.C.	144 " 9 0	DH
168	Corticotrophin—Injection, B.P.	10 I.U. vial	12 " 68 0	OR
		30 I.U. vial	1 " 10 8	PH
		75 I.U. vial	1 " 22 3	PH
	Gelatin Injection	100 I.U.	1 " 73 4	PH, SC
		200 I.U.	1 " 133 4	CK, PH, SC
	Zinc Hydroxide Injection	40 I.U.	1 " 30 0	OR
		50 I.U.	1 " 37 9	OR
		100 I.U.	1 " 73 4	OR
		200 I.U.	1 " 133 4	OR
169	Cortisone Acetate	5 mg. tab.	20 " 8 4	SC
172	Cyanocobalamin excluding 1,000 Microgramme strength	20 mcg./cc. amp.	6 " 7 0	BD, BX, FH, GL, KL, WP
		200 mcg./cc. amp.	6 " 13 4	CM, GL
174	Cyclobarbitone	3 gr. tab.	6 " 26 8	OR
231	Darrow's Solution	1/2 litre	100 " 21 4	HA
		1 litre	1 " 12 4	BT, SJ
			1 " 14 4	BT, BX, FH, GL, SJ
282	Death Adder Anti-Venene	3,000 U. vial	1 @ 70 0	CS
232	Deoxycortone Acetate	5 mg. amp.	3 " 20 0	SC
		50 mg. amp.	5 " 200 0	SC
		1 mg. tab.	30 " 21 4	SC
273	Dexamethasone Sodium Phosphate	1 cc. vial	1 " 16 8	OR
		2 cc. vial	1 " 26 8	MK
236	Dextran Iron	I.M. 2 cc. amp.	10 " 62 0	FC

Item No.	Name	Form	Price and Pack		Brand
			<i>s. d.</i>		
238	Dextrose	(Col. 5 price less 3s. 0d.	Qty. dispensed)		+ 3s. 0d.
		1	Max. Qty.		
277	Dichlorphenamide	50 mg. tab.	100	112 0	MK
244	Diethylcarbamazine Citrate	50 mg. tab.	100	23 4	LE
247	Digoxin	0.5 mg./2 cc. amp.	6	9 4	BW, BX
250	Dihydromorphinone Hydrochloride, B.P.C. 1949 ..	1/25 gr. tab.	10	3 4	KN
251	Dihydrostreptomycin Sulphate	1 G. vial	1	3 4	AN, GL, LP
256	Diphtheria and Tetanus Vaccine, B.P. ..	1/2 cc. amp.	1	4 0	CS
257	Diphtheria Antitoxin, B.P.	1,000 U. amp.	1	5 4	CS
		4,000 U. amp.	1	11 4	CS
		10,000 U. amp.	1	21 4	CS
		20,000 U. amp.	1	40 0	CS
259	Diphtheria, Tetanus and Pertussis Vaccine, B.P. ..	0.5 cc. amp.	1	3 4	CS
261	Diphtheria Vaccine (P.T.A.P.)	1 cc. amp.	1	3 8	CS
270	Dithiazanine Iodide	100 mg. tab.	15	18 8	LY
308	Erythromycin	I.M. 100 mg./2 cc.	1	14 8	AB
		I.M. 300 mg./10 cc.	1	40 0	AB
		100 mg. tab.	32	62 4	LY
		250 mg. tab.	32	138 0	LY
		125 mg. cap.	32	62 4	LY
311	Ethinylloestradiol	0.01 mg. tab.	100	6 8	BD, OR
			100	8 0	HA
		0.02 mg. tab.	25 @	3 4	BD, OR
			30	4 0	SC
			100	9 0	HA
		0.05 mg. tab.	25	4 0	BD, HA, OR
			30	4 8	SC
		1 mg. tab.	25	20 8	BD, OR
			100	80 0	HA

Item No.	Name	Form	Price and Pack	Brand
312	Ethisterone	5 mg. tab. 10 mg. tab. 25 mg. tab.	25 @ 14 8 25 „ 26 8 25 „ 53 4	BD, OR, PH, SC, VR BD, KL, OR, PH, RT, SC, VR BD, KL, OR, PH, RT, SC, VR
313	Ethopropazine Hydrochloride	50 mg. tab.	50 „ 13 4	MB
343	Folic Acid.. .. .	15 mg./cc. amp.	6 „ 16 0	AN
356	Gas Gangrene Antitoxin (Oedematiens), B.P.	10,000 U. amp.	1 „ 12 0	CS
357	Gas Gangrene Antitoxin, Mixed (Polyvalent)	1 amp. 3,000 U.W. 1 amp. 7,500 U.W.	1 „ 19 3 1 „ 43 3	CS CS
358	Gas Gangrene Antitoxin (Septicum), B.P.	5,000 U. amp.	1 „ 19 3	CS
359	Gas Gangrene Antitoxin (Welchii), B.P.	4,000 U. amp. 10,000 U. amp.	1 „ 15 7 1 „ 21 0	CS CS
375	Halibut Liver Oil	6,000 U. cap.	120 „ 16 0	CK
379	Heparin	1,000 U./cc., 5 cc. 5,000 U./cc., 1 cc. 5,000 U./cc. 5 cc. 12,500 U./cc.	1 „ 7 9 1 „ 9 4 1 „ 7 9 1 „ 9 0 10 „ 65 7 1 „ 33 4 1 „ 40 0 1 „ 23 11 1 „ 28 11 1 „ 29 0	BT, EV, LP, WP AB, CS BT, EV AB WP BT, BX, EV, LP, RK, WP AB, CS, OR EV AB CS
381	Hexamethonium Tartrate	350 mg. tab.	50 „ 8 0	MB
383	Hexylresorcinol	100 mg. pill	6 „ 10 0	MK
385	Hyaluronidase	500 I.U. amp.	1 „ 7 7	WY
394	Hydrocortisone Acetate	25 mg./cc. vial	1 „ 8 11 6 „ 53 4	SC GL
389	Hydrocortisone Sodium Succinate	100 mg./2 cc. amp.	1 „ 74 8	GL, RM, UP

Item No.	Name	Form	Price and Pack	Brand
			<i>s. d.</i>	
		Col. 5 price × Qty. dispensed		
		Maximum Quantity		
412 } to } 417 }	All Insulins			
426	Iron Oxide Saccharated	100 mg./5 cc. I.V. amp.	5 @ 17 9	EV
423	Isoniazid	50 mg. tab.	5 " 19 4	FC
460	Leptazol	1.1 cc. amp.	100 " 5 4	AD, CM, DF, HA, SI
463	Levorphanol Tartrate B.P.C.	5 cc. amp.	100 " 7 4	RO
488	Mercaptomerin Sodium	1.5 mg. tab.	5 " 4 8	KN
491	Mersalyl Acid	1 cc. amp.	2 " 8 8	KN
		2 cc. amp.	20 " 6 8	RO
			1 " 18 3	WY
			6 " 8 0	AD, BA, BD, BX, BV
			6 " 9 4	AD, BA, BD, BL, BT, BX, EV, FH, TH, VB
522	Metaraminol	10 mg./cc.	1 " 4 0	MK
521	Metformin	500 mg. tab.	50 " 45 4	EN
511	Methazolamide	50 mg. tab.	100 " 101 4	LE
523	Methoxamine Hydrochloride, B.P.C.	20 mg./mil., 1 mil.	6 " 13 4	BW
514	Methylphenobarbitone, B.P.C.	1/2 gr. tab.	100 " 3 0	FA
			100 " 4 11	PH
		1 gr. tab.	100 " 4 7	FA
			100 " 6 0	PH
		3 gr. tab.	100 " 10 7	FA
			100 " 12 8	PH
546	Nikethamide	5 cc. amp.	3 " 6 4	CB
561	Oestradiol Dipropionate	5 mg./cc. amp.	5 " 33 4	CB
565	Ouabain	0.25 mg. amp.	6 " 22 1	NA
567	Oxytetracycline Hydrochloride	100 mg. amp. I.M.	1 " 12 3	PF
		250 mg. amp. I.M.	1 " 23 9	PF
		250 mg./cc., 10 cc. I.V.	1 " 21 7	PF

Item No.	Name	Form	Price and Pack	Brand
514— <i>continued</i>			<i>s. d.</i>	
		3 gr. tab.	100 @ 6 0	PH
			100 „ 10 7	FA
			100 „ 12 8	PH
546	Nikethamide	5 cc. amp.	3 „ 6 4	CB
561	Oestradiol Dipropionate.. .. .	5 mg./cc. amp.	5 „ 33 4	CB
565	Ouabain	0.25 mg. amp.	6 „ 22 1	NA
567	Oxytetracycline Hydrochloride	100 mg. amp. I.M.	1 „ 13 7	PF
		250 mg. amp. I.M.	1 „ 26 5	PF
		250 mg./cc., 10 cc. I.V.	1 „ 24 0	PF
581	Pancreatin	1 oz. vial—powder	1 „ 14 4	PD
583	Papaveretum	1/3 gr. tab.	25 „ 5 4	RO
664	Pempidine Tartrate	5 mg. tab.	50 „ 14 4	IC, MB
		10 mg. tab.	50 „ 25 4	IC, MB
592-594, 596	Penicillins	$\left(\frac{\text{Col. 5 price less } 3s. 0d.}{1} \times \frac{\text{Qty. dispensed}}{\text{Max. Qty.}} \right) + 3s. 0d.$		
602	Pertussis Vaccine, B.P.	1/2 cc. amp.	1 „ 4 0	CS
603	Pertussis Vaccine (Phase 1)	20,000 M./cc. amp.	1 „ 4 0	CS
611	Phenobarbitone Sodium.. .. .	3 gr./cc amp.	10 „ 8 8	MB
614	Phenolphthalein	Compound Pill	100 „ 3 1	TO
			100 „ 4 0	DR
626	Piperazine Phosphate	260 mg. tab.	42 „ 8 5	GL
627	Pituitary Posterior Lobe, B.P.C.	2 G. phial	1 „ 22 3	BP
628	Plague Vaccine	1 cc. amp.	1 „ 6 8	CS
631	Potassium Chloride Standard Maintenance Fluid	1/2 litre	1 „ 14 0	BX, FH, SJ
637	Primidone.. .. .	250 mg. tab.	100 „ 37 4	IC
639	Procaine Hydrochloride in Normal Saline	0.1%, 1/2 litre	1 „ 12 4	BT
		0.1%, 1 litre	1 „ 14 4	AB, ST
642	Progesterone Depot	250 mg. amp.	1 „ 30 8	RM

Item No.	Name	Form	Price and Pack	Brand
647	Protoveratrine A	1 mil. amp.	6 @ 13 8	SZ
648	Pyridostigmine Bromide	60 mg. tab.	150 ,, 104 11	RO
649	Pyridoxine Hydrochloride	25 mg. tab.	50 ,, 16 8	AN
			100 ,, 37 4	KL
661	Pyrrolidino-Methyl-Tetracycline	110 mg. amp. I.V.	1 ,, 17 7	HP
		275 mg. amp. I.V.	1 ,, 30 9	HP
		150 mg. amp. I.M.	1 ,, 17 7	HP, SQ
		350 mg. amp. I.M.	1 ,, 30 9	HP, SQ
748	Red Back Spider Anti-Venene	500 U. vial	1 ,, 40 0	CS
742	Rhubarb	Compound Pill	144 ,, 14 4	DH
760	Schick Test Toxin	1 cc. vial	1 ,, 5 4	CS
773	Sodium Aminosalicyleate	1.5 G. cachet	500 ,, 126 0	SN
		5 gr. tab.	400 ,, 32 0	AD, SI
		7.5 gr. tab.	200 ,, 17 0	AN, WA
			400 ,, 35 4	AD, SI
765, 768, 769, 771, 775, 811, 812, 813, 814 Sodium Injections		$\left(\frac{\text{Col. 5 price less } 3s \text{ } 0d.}{1} \times \frac{\text{Qty. dispensed}}{\text{Max. Qty.}} \right) + 3s. \text{ } 0d.$		
772	Sodium Oleate Compound	Pill	144 ,, 11 4	DH
776	Sodium Tauroglycocholate	Tab.	100 ,, 6 8	DH
805	Soya Formula—Liquid	1 tin	Col. 5 price × Qty. dispensed	
	Powder	1 tin		
781	Streptomycin Sulphate	1 G. vial	1 ,, 3 4	BT, BX, DL, EV, GL, SI
		250,000U./ml., 4 ml.	1 ,, 3 9	DL, GL
		500,000U./ml., 2 ml.	1 ,, 3 9	BT, EV, GL
		1,000,000U. 3 ml.	1 ,, 3 9	EV, GL, SI
786	Sulphadiazine Sodium	4 cc. amp.	10 ,, 19 7	MB
792	Sulphamerazine	500 mg. tab.	100 ,, 20 0	AD, FA, SI, TO

Item No.	Name	Form	Price and Pack	Brand
801	Suxamethonium Bromide	67 mg. amp.	10 @ 15 4	MB
851	T.A.B. Vaccine	0.5 cc. amp.	1 " 3 8	CS
893	Taipan Anti-Venene	3,000 U. vial	1 " 100 0	CS
855	Testosterone Propionate	25 mg./cc. amp.	6 " 24 0	BD, FH, FM
			10 " 40 0	CB
			3 " 13 4	SC
		50 mg./cc amp.	6 " 42 8	FH, FM
			6 " 46 8	BD, OR
			3 " 24 0	SC
		100 mg./2 ml. amp.	6 " 85 4	FM
856	Tetanus Antitoxin	1,500 I.U. amp.	1 " 6 8	BW, CS, SE
		10,000 I.U. amp.	1 " 37 4	CS
		50,000 I.U. amp.	1 " 140 0	CS
857	Tetanus Toxoid, B.P.	0.5 cc. amp.	1 " 3 7	CS
			1 " 4 0	GL
		1 cc. amp.	1 " 3 7	SE
858	Tetanus Toxoid (P.A.P.A.)	0.5 cc. amp.	1 " 3 4	CS
859	Tetrachloroethylene	0.5 cc. cap.	100 " 18 0	PD
860	Tetracycline	I.M. 100 mg.	1 " 13 7	FB, LE, PF
		I.V. 100 mg.	1 " 13 7	FB, LE
		I.V. 250 mg.	1 " 24 0	FB, LE, PF, SQ
863	Tetracycline with Oleandomycin	100 mg. amp. I.M.	1 " 14 11	PF
864	Tetracycline (Buffered)	I.M. 100 mg. vial	1 " 13 7	SQ
869	Tiger Snake Anti-Venene	3,000 U. amp.	1 " 70 0	CS
872	Tretamine	2.5 mg. tab.	25 " 38 0	IC
878	Typhus Vaccine	1 cc. amp.	1 " 10 0	CS
922	Vasopressin Tannate in Oil	1 cc. amp.	6 " 16 0	PD

PRE-PRICED EXTEMPORANEOUS PREPARATIONS

Dispensed Price for Common Quantities Other than Maximum


PRESCRIPTION NAME		PRICE PAYABLE BY COMMONWEALTH		PRESCRIPTION NAME		PRICE PAYABLE BY COMMONWEALTH		
		2 fl. oz.				2 fl.oz	4 fl. oz.	6 fl. oz.
		s.	d.			s. d.	s. d.	s. d.
Applications				Linctuses				
Benzyl Benz. with Dicophane		8	5	Camphor Compound ..		8 3	10 7	12 8
Dicophane		7	3	Codeine		10 10	..	..
Gamma Benzene Hex. ..		7	2	Morphine		8 1	..	..
				Pholcodine		8 3	10 8	12 11
		1 oz.	2 oz.			1 fl. oz.	2 fl. oz.	3 fl. oz.
		s. d.	s. d.			s. d.	s. d.	s. d.
Creams				Liniments				
Aminacrine		7 5	8 9	Calamine Compound ..		6 7	7 1	7 6
Aqueous B.P.		7 3	8 9	Eucalyptus Compound ..		7 6	8 3	9 3
Butyl Aminobenz. and Trinit.		7 9	9 6	Methyl Salicylate		7 7	9 4	11 0
Calamine		6 11	7 7	Turpentine		7 6	8 11	10 4
Cetrimide		7 1	8 5					
Cold		7 4	8 3			2 fl. oz.	4 fl. oz.	6 fl. oz.
Emulsifying Wax (Buffered)		7 0	8 0			s. d.	s. d.	s. d.
Gamma Benzene Hexachloride		6 11	7 11	Lotions				
Glycerin		7 0	7 9	Acid Salicylic Compound ..		7 1	7 10	8 7
Soft Zinc		7 0	8 2	Aluminium Acetate ..		8 4	10 5	12 8
Sorbolene		7 5	9 1	Aminacrine		6 9	7 4	8 0
Zinc		7 0	8 3	Calamine		6 8	7 4	7 9
				Coal Tar		6 4	6 7	6 10
Dusting Powders				Copper and Zinc Sulphate		6 6	6 9	7 1
Benzocaine		8 5	10 8	Eusol		6 7	6 11	7 3
Kaolin Compound		7 1	8 0	Evaporating		6 5	6 8	7 0
Undecenoic Acid		9 10	12 4	Phenol		6 6	6 11	7 5
				Resorcinol Compound ..		7 4	8 5	9 6
				Sulphurated		7 3	8 4	8 11
				Zinc Sulphate		6 4	6 6	6 8

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH			PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH		
	4 fl. oz.	6 fl. oz.	16 fl. oz.		4 fl. oz.	6 fl. oz.	16 fl. oz.
Mixtures	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	Mixtures—contd.	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Acid Acetylsalicylic ..	7 6	8 2	10 10	Gentian Alkaline	7 4	7 9	10 0
Acid Acetylsal. Compound	7 11	8 9	12 2	Iron and Nux Vomica ..	7 5	7 9	10 0
Acid Acetyl. and Codeine Co.	8 9	9 11	14 10	Kaolin Alkaline	7 2	7 6	9 0
Acid Acetyl. and Morphine	8 4	9 3	13 10	Kaolin and Opium ..	7 10	8 7	11 11
Acid Acetyl. and Phenobarb.	7 8	8 5	11 5	Lobelia and Stramonium ..	8 5	9 6	13 7
Acid Hydrochloric Dilute ..	9 6	11 2	19 0	Magnesium Carbonate ..	7 5	7 9	9 7
Aluminium Hydroxide ..	9 6	11 2	18 9	Magnesium Sulphate ..	7 0	7 4	8 11
Aluminium Hydrox. with				Magnesium Trisilicate ..	7 3	7 6	9 1
Belladonna	9 8	11 5	19 3	Paraldehyde	9 3	10 8	17 7
Aluminium Hydroxide with				Phenobarb. and Bromide ..	7 4	7 10	10 3
Kaolin	10 0	11 10	20 6	Potassium Bromide ..	7 4	7 10	10 0
Aluminium Hydrox. and				Pot. Brom. Phenobarbitone			
Kaolin with Opium ..	10 3	12 3	21 5	with Belladonna ..	7 2	7 6	9 5
Alum. Hyd. with Procaine	10 6	12 8	22 9	Potassium Bromide and Nux			
Aluminium Hydroxide with				Vomica	7 3	7 8	9 6
Kaolin and Pectin ..	10 1	12 0	21 0	Potassium Citrate ..	7 5	8 1	11 3
Ammonium Acetate ..	8 7	9 9	15 9	Potassium Citrate Acid ..	8 1	9 1	13 7
Calcium Acetylsalicylate ..	7 6	8 0	10 8	Potassium Citrate with			
Camphorated Opium ..	7 6	8 0	11 2	Hyoscyamus	7 3	7 7	9 8
Chalk and Kaolin ..	7 6	8 1	10 9	Potassium Iodide ..	7 9	8 5	11 4
Chloral Hydrate ..	7 8	8 4	11 10	Rhubarb and Soda ..	7 10	8 5	11 1
Chloral and Bromide ..	7 11	8 7	12 7	Senega and Ammonia ..	8 2	9 1	13 3
Colchicum and Acid				Sodium Bicarbonate ..	6 11	7 2	8 6
Acetylsalicylic	7 11	8 9	12 7	Sodium Salicylate ..	7 4	7 11	10 6
Colchicum and Sodium Sal.	8 8	9 1	13 3	Succinylsulph. and Kaolin	13 2	16 7	33 10
Disodium Hydrogen Citrate	7 5	8 0	11 0	Strychnine	7 0	7 4	8 9
Expectorant	8 1	8 8	12 0	Urea	9 0	10 4	16 11
Gentian Acid	7 4	7 10	10 4				

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH	
	1/4 fl. oz.	
Nasal Instillations	<i>s.</i>	<i>d.</i>
Adrenaline	7	1
Adrenaline and Ephedrine ..	7	4
Chlorbutol	6	11
Ephedrine	6	11
Ephedrine (Oily)	7	0
Sulphadiazine Compound ..	7	10

	1 oz.		2 oz.		3 oz.	
	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>
Ointments						
Acid Benzoic Compound ..	7	7	9	5	11	1
Acid Salicylic	8	1	10	5	12	7
Ammoniated Mercury B.P.	7	7	9	5	11	1
Benzocaine Compound ..	9	8	13	7	16	8
Cod Liver Oil and Acriflavine	7	6	8	11	10	4
Emulsifying B.P.	8	0	10	3	12	4
Hamamelis B.P.	9	6	13	3	16	10
Iodine Non-staining B.P.C.	7	6	9	3	10	10
Paraffin B.P.	7	4	8	11	10	4
Resorcinol Compound ..	8	2	10	3	12	0
Simple	7	5	9	1	10	7
Sulphur B.P.	7	8	9	7	11	4
Wool Alcohols B.P. ..	7	8	9	7	11	4
Zinc B.P.	7	5	9	1	10	7
Zinc Ox. and Castor Oil B.P.	7	5	9	1	10	7
Zinc Undecenoate B.P. ..	11	4	16	11	22	4

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH		
	1/2 fl. oz.		
Paints	<i>s. d.</i>		
	Acid Salicylic 6 5		
	Crystal Violet Compound .. 6 6		
	Ichthammol 6 9		
	Iodine Compound 6 10		
Magenta and Resorcinol .. 6 9			
Pastes	1 oz.	2 oz.	3 oz.
	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
	Gelatin (Unna's) 7 9 9 9 11 7		
	Zinc Oxide and Acid Salicylic 7 5 9 1 10 7		
	Zinc Oxide and Coal Tar .. 6 8 7 4 8 1		
Powders	2 oz.	3 oz.	
	<i>s. d.</i>	<i>s. d.</i>	
	Antacid 7 2 7 9		
	Calcium and Kaolin .. 7 6 8 1		
	Kaolin Compound 7 7 8 4		
Mag. Trisil. with Belladonna 8 5 9 6			
Soap	2 fl. oz.	3 fl. oz.	
	<i>s. d.</i>	<i>s. d.</i>	
Spirit 7 11 8 10			
Solutions	Benedict's Qualitative .. 7 5 8 0		
	Cetrimide 6 7 6 10		
	Iodine Weak B.P. .. 9 0 10 6		
	Iodine Aqueous B.P. .. 9 4 11 0		
Syrups	2 fl. oz.		
	Iron Phosphate Co. B.P.C... 7 9		







DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS



DEPARTMENT OF HEALTH

Pharmaceutical Benefits

PROPRIETARY INDEX

NOVEMBER, 1962

PROPRIETARY INDEX

PART 1—GENERIC NAME INDEX

Name	Item No.	Code
ACETARSOL	1	
Acetylarsan		MB
Devegan		BA
Stovarsol		MB
S.V.C.		MB
ACETAZOLAMIDE	2	
Diamox		LE
ACETAZOLAMIDE SODIUM PARENTERAL	42	
Diamox Sodium Parenteral		LE
ACETOMENAPHTHONE	3	
Kapilin		GL
Kavitine		KL
Kayvite		SI
Prokayvit		BD
Synkavit		RO
ACETYLSALICYLIC ACID	4	
Aspisol		KL
Aspisol 2½		KL
I.S.A.		IQ
Neutrasol		PR
Novosprin		VR
Prodol		NB
Provoprin		DH
Solacetyl		MG
Solcetas		BW
Solusal Hamiltab		HA
Solprin		RC
Tynees		WO
ACETYLSALICYLIC ACID COMPOUND	5	
Acetaco		CO
Apabarb		KL
Baqual Co.		KL
N.P. 443		NS
Pacitone		RD
Solasco		MG
Tridis		RC
ADRENALINE ACID TARTRATE	14	
Viules		BT
Wellcome		BW
ADRENALINE MUCATE	43	
Adrenaline Hyperduric		GL
ALOXIDONE	17	
Malidone		B8

Name							Item No.	Code
ALUMINIUM HYDROXIDE							19	
Adrox	..	..	..	..	..	..		RD
A.H.T.	..	..	..	..	..	..		WY
Alox	..	..	..	..	..	..		KL
Aluminium Hydroxide Hamiltab	..	..	..	..	..	..		HA
Amphotabs	..	..	..	..	..	..		WY
Gelox	..	..	..	..	..	..		PR
Hydral	..	..	..	..	..	..		CO
ALUMINIUM HYDROXIDE GEL.							44	
Aludrox Suspension	..	..	..	..	..	..		WY
Alusorb	..	..	..	..	..	..		DH
Amphojel	..	..	..	..	..	..		WY
Metem	..	..	..	..	..	..		CH
ALUMINIUM HYDROXIDE GEL., DRIED							49	
Almacarb	..	..	..	..	..	..		BD
Aludrox	..	..	..	..	..	..		WY
Gastrogel	..	..	..	..	..	..		FM
Gastrox	..	..	..	..	..	..		GP
Geloid	..	..	..	..	..	..		BW
Gelusil	..	..	..	..	..	..		WW
Magtroxal	..	..	..	..	..	..		VR
Neutratabs	..	..	..	..	..	..		HA
ALUMINIUM POWDER, B.P.C.							45	
Aluminium Paste	..	..	..	..	..	..		BT
AMINACRINE HYDROCHLORIDE							21	
Dropster	..	..	..	..	..	..		KL
AMINOPHYLLINE							22	
Amesec, Enseals and Pulvules	..	..	..	..	..	..		LY
Amifal	..	..	..	..	..	..		KL
Androphyllin	..	..	..	..	..	..		AN
Cardophyllin	..	..	..	..	..	..		HA
Cardophyllin with Phenobarb	..	..	..	..	..	..		HA
Carine	..	..	..	..	..	..		KL
Carine with Phenobarb	..	..	..	..	..	..		KL
Diurophylin	..	..	..	..	..	..		CM
Epamal	..	..	..	..	..	..		PF
Glucophylline	..	..	..	..	..	..		AB
Mylosed Compound	..	..	..	..	..	..		VR
Phyline	..	..	..	..	..	..		CO
Sedas	..	..	..	..	..	..		CK
Tabloid	..	..	..	..	..	..		BW
Theophen Hamiltab	..	..	..	..	..	..		HA
Wellcome	..	..	..	..	..	..		BW
AMIPHENAZOLE HYDROBROMIDE, A.P.F.							46	
D.H.A. 245	..	..	..	..	..	..		DH
AMIPHENAZOLE HYDROCHLORIDE, A.P.F.							23	
1955	..	..	..	..	..	..		
Daptazole	..	..	..	..	..	..		NS
AMODIAQUINE BASE							27	
Camoquin	..	..	..	..	..	..		PD

Name						Item No.	Code
AMPHETAMINE SULPHATE						28	
Badrin	..	..	..	..	..		KL
AMPHOTERICIN B						29	
Fungizone	..	..	..	..	..		SQ
AMYLOBARBITONE						30	
Amal	..	..	..	..	..		KL
Amatane	..	..	..	..	..		PR
Amylbarb	..	..	..	..	..		PT
Amytal	..	..	..	..	..		LY
Diamyl	..	..	..	..	..		DF
Mylodorm	..	..	..	..	..		GP
Mylosed	..	..	..	..	..		VR
Restal	..	..	..	..	..		HA
Sedal	..	..	..	..	..		FA
AMYLOBARBITONE SODIUM						31	
Amytal Sodium	..	..	..	..	..		LY
Amytal Sodium Pulvules	..	..	..	..	..		LY
Sodium Sedal	..	..	..	..	..		FA
ANDROSTANOLONE						47	
Anabolex	..	..	..	..	..		MN
Protona	..	..	..	..	..		DF
ANEURINE HYDROCHLORIDE						32	
Berin '50'	..	..	..	..	..		GL
Berin '100'	..	..	..	..	..		GL
Betamin..	..	..	..	..	..		KL
Betamin Forte	..	..	..	..	..		KL
Beta-Sol..	..	..	..	..	..		FM
Beta-Tabs	..	..	..	..	..		FM
Hypette B ₁ 50	..	..	..	..	..		FA
Hypette B ₁ 100	..	..	..	..	..		FA
Thiacaine	..	..	..	..	..		VR
Thiamitab	..	..	..	..	..		AB
Thiamital	..	..	..	..	..		AB
Vibafort	..	..	..	..	..		CM
Vibafort Parentosol	..	..	..	..	..		CM
Vibex Steri-Vial	..	..	..	..	..		PD
Vitabin	..	..	..	..	..		AN
ANTAZOLINE HYDROCHOLRIDE						34	
Antistine	..	..	..	..	..		CB
Antistine Privine Drops	..	..	..	..	..		CB
Histostab	..	..	..	..	..		BT
ASCORBIC ACID						37	
Cecon	..	..	..	..	..		AB
Celin '50'	..	..	..	..	..		GL
Celin '250'	..	..	..	..	..		GL
Cetamin	..	..	..	..	..		KL
Scorbettes	..	..	..	..	..		PR
Vitacin	..	..	..	..	..		AN
ATROPINE						38	
Atroptol..	..	..	..	..	..		SI

Name	Item No.	Code
ATROPINE METHONITRATE	39	
Eumydrin		BA
ATROPINE SULPHATE	40	
Atropt		SI
Dropster		KL
Viules		BT
AUROTHIOGLUCOSE	41	
Solganal-B Oleosum		SC
BARBITONE COMPOUND, A.P.F. 1955	84	
Barbico		AB
BELLADONNA	86	
Proctoids		WY
BEMEGRIDE	87	
Megimide		NS
BENDROFLUAZIDE	106	
Aprinox		BT
Aprinox M		BT
Neo NaClex		GL
Pluryl		AN
BENZALKONIUM CHLORIDE	102	
Drapolex		CA
Paxyl		FA
BENZHEXOL HYDROCHLORIDE	89	
Artane		LE
Pipanol		WL
BENZOCAINE	90	
Adaben		KL
Rectinol		GP
BENZYL BENZOATE	93	
Benzevan		EV
BEPHENIUM HYDROXYNAPHTHOATE	103	
Alcopar		BW
BETAMETHASONE	109	
Betnelan		GL
Celestone		SH
BETAMETHASONE PHOSPHATE	110	
Celestone Ophthalmic Drops		SH
BISMUTH GLYCOLLYLARSANILATE	95	
Milibis		WL
BISMUTH SODIUM TARTRATE	104	
Nabita		FA
BISMUTH SUBGALLATE, B.P.C.	97	
Anagal		KL
Anusol		WW
BRETYLIUM TOSYLATE	105	
Darenthin		BW
BUSULPHAN	99	
Myleran		BW

Name	Item No.	Code
BUTABARBITAL SODIUM	107	
Butisol Sodium.. .. .		AN
BUTOBARBITONE	100	
Bubal		KL
Budorm		GP
Soneryl		MB
CALCIFEROL	121	
High Potency Ostelin		GL
Radiostol		BD
Sterogyl		RL
CALCIUM AMINOSALICYLATE, B.P.C.	128	
Aminacyl		WA
Aminacyl Granulate		WA
Calcipas		KL
CALCIUM AUROTHIOMALATE	123	
Auro-Calcium		CK
CARAMIPHEN HYDROCHLORIDE	131	
Parpanit Forte		GE
CARBARSONE	133	
Leucarsone		MB
CARBIMAZOLE	134	
Carbizole		PT
Neo-Mercazole		BS
CARBINOXAMINE MALEATE	186	
Clistin		AN
CARBROMAL	135	
Adalin		BA
Caral		KL
Carbrodorm		GP
CASTOR OIL	138	
Tri-Test		WD
CHARCOAL	141	
Carbo-Medicinalis		AN
Charcoid		BW
CHLORAMBUCIL	144	
Leukeran		BW
CHLORAMPHENICOL	145	
Chloromycetin		PD
Chloromycetin Palmitate		PD
Chloromycetin Succinate		PD
CHLORAZANIL	146	
Daquin		RK
Orpidan		SI
CHLORCYCLIZINE HYDROCHLORIDE	148	
Di-Paralene		AB
Perazil		BW
CHLORHEXIDINE GLUCONATE SOLUTION	181	
Hibitane Concentrate 5%		IC

Name						Item No.	Code
CHLORMERODRIN						149	
Mercloran	..	..	..	..	..		PD
CHLOROBENZOL—DISULPHONAMIDE						183	
Salco	..	..	..	..	..		NS
CHLOROQUINE BASE						150	
Aralen	..	..	..	..	..		BA
Avloclor	..	..	..	..	..		IC
Nivaquine	..	..	..	..	..		MB
Resochin	..	..	..	..	..		FB
CHLOROTHIAZIDE						151	
Chlotride	..	..	..	..	..		MK
CHLOROXYLENOL						152	
Dettol	..	..	..	..	..		RC
Novosol	..	..	..	..	..		FA
CHLORPHENIRAMINE MALEATE						175	
Chlor Trimeton	..	..	..	..	..		SH
Chlor Trimeton Repetabs	..	..	..	..	..		SH
Piriton	..	..	..	..	..		GL
Piriton Duolets	..	..	..	..	..		GL
Piriton Syrup	..	..	..	..	..		GL
CHLORPROMAZINE HYDROCHLORIDE						179	
Largactil	..	..	..	..	..		MB
CHLORPROPAMIDE						153	
Diabinese	..	..	..	..	..		PF
CHLORTETRACYCLINE HYDROCHLORIDE						154	
Aureomycin	..	..	..	..	..		LE
Aureomycin Ophthalmic Ointment	..	..	..	..	..		LE
Aureomycin Spersoids	..	..	..	..	..		LE
CHLORTHALIDONE						184	
Hygroton	..	..	..	..	..		GE
CHORIONIC GONADOTROPHIN B.P.						156	
Antuitrin "S"	..	..	..	..	..		PD
A.P.L.	..	..	..	..	..		AY
Coriantin	..	..	..	..	..		RM
Physex Leo	..	..	..	..	..		LP
Pregnyl	..	..	..	..	..		OR
Primogonyl	..	..	..	..	..		SC
CLEMIZOLE HYDROCHLORIDE						180	
Allercur	..	..	..	..	..		SC
Klemidox	..	..	..	..	..		GP
CLEMIZOLE PANNATE						188	
Allercur	..	..	..	..	..		SC
COCAINE						158	
Cainoptol	..	..	..	..	..		SI

Name						Item No.	Code
CODEINE PHOSPHATE						160	
Acetophos	..	..	..	..	..		HY
Angesil	..	..	..	..	..		DH
Asadeine	..	..	..	..	..		NS
Asco	..	..	..	..	..		KL
Ascotin	..	..	..	..	..		FA
Aspalgin	..	..	..	..	..		FM
Burco	..	..	..	..	..		BW
Burcosol	..	..	..	..	..		BW
Co-Com	..	..	..	..	..		VR
Codacet	..	..	..	..	..		BW
Codacet Soluble	..	..	..	..	..		BW
Code-Co. Hamiltab	..	..	..	..	..		HA
Codiphen	..	..	..	..	..		GP
Codiphen Forte	..	..	..	..	..		GP
Codral Forte	..	..	..	..	..		BW
Codsol	..	..	..	..	..		KL
I.S.C.	..	..	..	..	..		IQ
Neocodsol	..	..	..	..	..		KL
Nollipyrin	..	..	..	..	..		KL
Phenacodeine	..	..	..	..	..		MR
Princode	..	..	..	..	..		RC
Prodol Co.	..	..	..	..	..		NB
Solcode	..	..	..	..	..		RC
Solcodein	..	..	..	..	..		MG
Solgesil	..	..	..	..	..		DH
Solusal-Co. Hamiltab	..	..	..	..	..		HA
Veganin	..	..	..	..	..		WW
COD LIVER OIL						161	
Elliott's Clinic Emulsion	..	..	..	..	..		DH
COLCHICINE						162	
Colechicine MR	..	..	..	..	..		MR
Colein	..	..	..	..	..		KL
Colgont	..	..	..	..	..		PT
Colsaloid	..	..	..	..	..		BW
COPPER SULPHATE						167	
Clinitest	..	..	..	..	..		AM
CORTICOTROPHIN						168	
Acthargel	..	..	..	..	..		PH
A.C.T.H. Depot	..	..	..	..	..		SC
Androcort	..	..	..	..	..		AN
Cortico-Gel	..	..	..	..	..		CK
Cortrophin	..	..	..	..	..		OR
Cortrophin Z.N.	..	..	..	..	..		OR
CORTISONE ACETATE						169	
Adreson	..	..	..	..	..		OR
Cortadren	..	..	..	..	..		SH
Cortate	..	..	..	..	..		PT
Cortelan	..	..	..	..	..		GL
Cortio	..	..	..	..	..		AD
Cortisyl	..	..	..	..	..		RL
Cortone	..	..	..	..	..		MK
Scheroson	..	..	..	..	..		SC

Name	Item No.	Code
CRESOL AND SOAP SOLUTION	170	
Sigma Lysol		SI
CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH	172	
Anacobin		BD
Benol		KL
Benol Forte		KL
Bitevan		EV
Cobastab		BT
Cytamen 20		GL
Cytamen 50		GL
Cytamen 100		GL
Cytamen 200		GL
Depinar		AR
Distivit B12		DL
Parentosol B 12		CM
Rubramin Parenteral Solution		SQ
Vibion Forte		AN
Vitamin B12-Organon		OR
CYANOCOBALAMIN 1,000 MICROGRAMME STRENGTH	173	
Benol 1,000		KL
Cobastab 1,000		BT
Cyanocobalamin Difrex		DF
Cytamen 1,000		GL
Depinar		AR
Distivit B12		DL
Parentosol B12		CM
Vibion 1,000		AN
CYCLOBARBITONE	174	
Amnosed		BW
Cybal		KL
Cydorm		GP
Phanodorm		BA
Placyl Hamiltab		HA
CYCLOPENTHIAZIDE	187	
Navidrex		CB
CYCLOPHOSPHAMIDE	176	
Endoxan-Asta		CM
CYCRIMINE HYDROCHLORIDE	177	
Pagitane		LY
CYPROHEPTADINE	185	
Periactin		MK
DAPSONE	230	
Avlosulphon		IC
D.A.D.P.S.		AN
DARROW'S SOLUTION	231	
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Soluvac		DH

Name	Item No.	Code
DEMECARIUM BROMIDE	279	
Tosmilon		AP
DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE	267	
Ledermycin		LE
Ledermycin Drops		LE
Ledermycin Syrup		LE
DEOXYCORTONE ACETATE	232	
D.O.C.A.		OR
Percorten		CB
Primocort		SC
DESACETYL-LANATOSIDE-C	233	
Cedilanid		SZ
DEXAMETHASONE	234	
Decadron		MK
Deltafluorene		LT
Deronil		SH
Dexacortisyl		RL
Dexa-Scheroson		SC
Dextelan		GL
Oradexon		OR
DEXAMETHASONE SODIUM PHOSPHATE	273	
Decadron		MK
Oradexon		OR
DEXAMPHETAMINE SULPHATE	235	
Dexamine		KL
Dexamphate		DH
Dex-M		GP
DEXTRAN IRON	236	
Imferon		FC
DEXTRIN IRON 2% INTRAVENOUS	237	
Astrafer		AP
DEXTROCHLORPHENIRAMINE MALEATE	269	
Polaramine		SH
Polaramine Repetabs		SH
DEXTROSE	238	
Abbo- Litre		AB
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvuvac		DH
Steriflex No. 6		GL
DICHLORPHENAMIDE	277	
Daranide		MK
DICYCLOMINE HYDROCHLORIDE	274	
Merbentyl		ML
DIENOESTROL	242	
Cycladiene		DF
Neo-Oestrogenine		FM

Name	Item No.	Code
DIETHAZINE HYDROCHLORIDE	243	
Diparcol.		MB
DIETHYLCARBAMIZINE CITRATE	244	
Hetrazan		LE
DIGITALIS, PREPARED	245	
Tabloid		BW
DIGITOXIN, B.P.C.	246	
Cardigen		PD
Digieristin		CM
Digitaline		NA
Dixin		KL
Purodigin		WY
DIGOXIN	247	
Diginox		RD
Digitab		AB
Digolan		KL
Fibroxin		VR
Lanoxin		BW
Lanoxin Paediatric Elixir		BW
Natigoxin		GA
DIHYDROERGOTAMINE	249	
Dihydergot		SZ
DIHYDROMORPHINONE HYDRO- CHLORIDE, B.P.C. 1949	250	
Dilaudid		KN
DIHYDROSTREPTOMYCIN SULPHATE	251	
Leo		LP
Streptomagma		WY
DIIDOXYHYDROXYQUINOLINE	253	
Diodoquin		SR
Direxioide		DF
Embequin		MB
Floraquin		SR
VAAM—D.H.Q.		VR
DILOXANIDE FUROATE	280	
Furamide		BT
DIMERCAPROL	254	
B.A.L.		BT
DIPHENHYDRAMINE HYDROCHLORIDE	255	
Elixir Benadryl		PD
Benadryl		PD
DIPHENYLPYRALINE HYDROCHLORIDE	278	
Histalert		RK
Histryl Spansules		SK
DIPHTHERIA TETANUS AND PERTUSSIS VACCINE, B.P.	259	
Triple Antigen		CS, GL, PD
Trivax		BW

Name						Item No.	Code
DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE						263	
Honvan	..	..	..	..	..		CM
DISODIUM DIHYDROGEN VERSENATE						272	
Sodium Versenate		..	..	..	..		RK
DITHIAZANINE IODIDE						270	
Telmid	..	..	..	..	..		LY
DITHRANOL						264	
Anthralin	..	..	..	..	..		AB
DYFLOS, B.P.C.						281	
D.F.P.	..	..	..	..	..		BT
ECOTHIOPATE IODIDE						328	
Phosoline Iodide	..	..	..	..	..		CF
EPHEDRINE HYDROCHLORIDE						304	
Barbeph.	..	..	..	..	..		KL
Barbeph Forte	..	..	..	..	..		KL
Ephedrobarbital	..	..	..	..	..		FM
Ephedroid	..	..	..	..	..		BW
Ephetal	..	..	..	..	..		AB
Phenodren	..	..	..	..	..		DH
Tedral	..	..	..	..	..		WW
ERGOMETRINE MALEATE						306	
Ergomal.	..	..	..	..	..		CM
Ergomine	..	..	..	..	..		PT
Ergotrate	..	..	..	..	..		LY
Ermalate	..	..	..	..	..		BW
Hysterg	..	..	..	..	..		VR
Tabloid	..	..	..	..	..		BW
ERGOTAMINE TARTRATE						307	
Cafergot or Cafergot Q.	..	..	..	..	..		SZ
Cafergot P.B. Suppositories	..	..	..	..	..		SZ
Cotin	..	..	..	..	..		KL
Ergalan	..	..	..	..	..		BD
Ergalan—B.	..	..	..	..	..		BD
Ergane	..	..	..	..	..		DH
Ergodryl	..	..	..	..	..		PD
Ergotart	..	..	..	..	..		PT
Ergotart-C	..	..	..	..	..		PT
Etin	..	..	..	..	..		KL
Gynergen	..	..	..	..	..		SZ
Tartamin	..	..	..	..	..		VR
Tergorate	..	..	..	..	..		MG
ERYTHROMYCIN						308	
Erythrocin	..	..	..	..	..		AB
Erythrocin Abboject	..	..	..	..	..		AB
Erythrocin Granules	..	..	..	..	..		AB
Erythrocin Paediatric Drops	..	..	..	..	..		AB
Ilosone	..	..	..	..	..		LY
Ilosone Pedipac	..	..	..	..	..		LY
Ilotycin	..	..	..	..	..		LY

Name						Item No.	Code
ERYTHRITYL TETRANITRATE						309	
Cardilate	..	..	..	..	..		BW
ETHANOLAMINE OLEATE						310	
Ethamolin	..	..	..	..	..		GL
ETHINYLOESTRADIOL						311	
Edrol	..	..	..	..	..		VR
Estigyn	..	..	..	..	..		BD
Estrasal	..	..	..	..	..		HY
Lynoral	..	..	..	..	..		OR
Primogyn C.	..	..	..	..	..		SC
ETHISTERONE						312	
Lutoeyelin	..	..	..	..	..		CB
Lutorial	..	..	..	..	..		VR
Progestoral	..	..	..	..	..		OR
Proluton C	..	..	..	..	..		SC
ETHOPROPAZINE HYDROCHLORIDE						313	
Lysivane	..	..	..	..	..		MB
ETHOSUXIMIDE						327	
Zarontin	..	..	..	..	..		PD
ETHOTOIN						325	
Peganone	..	..	..	..	..		AB
ETHOXZOLAMIDE						314	
Cardrase	..	..	..	..	..		UP
ETHYL BISCOUMACETATE						315	
Trombolysan	..	..	..	..	..		GE
ETHYLIDENE DICOUMARIN						316	
E.D.C.	..	..	..	..	..		NS
ETHYLNORADRENALINE						326	
Bronkephrine	..	..	..	..	..		WL
EXTRACT OF OX BILE						324	
Desicol	..	..	..	..	..		PD
FERRIC HYDROXIDE						348	
Colliron	..	..	..	..	..		EV
Neo-Ferrum Liquid	..	..	..	..	..		CK
FERROUS AMINOACETOSULPHATE						346	
Ferro-Chel	..	..	..	..	..		CO
Plesmet	..	..	..	..	..		BP
Plesmet Syrup	..	..	..	..	..		BP
FERROUS GLUCONATE						340	
Fergon	..	..	..	..	..		WL
Fergon Elixir	..	..	..	..	..		WL
Ferrin 55	..	..	..	..	..		FA
Ferro-G Hamiltab	..	..	..	..	..		HA
Ferronicum	..	..	..	..	..		SZ
Ferrose	..	..	..	..	..		DH
Gliron	..	..	..	..	..		GP
Gluciron	..	..	..	..	..		MG
Glucohaem	..	..	..	..	..		VR
Glucamax	..	..	..	..	..		WY
Ironate	..	..	..	..	..		KL

Name	Item No.	Code
FERROUS SUCCINATE	347	
Ferromyn		CA
FERROUS SULPHATE	341	
Emplet Ferrous Sulphate		PD
Feromax Plain		WY
Ferri-Vita		HY
Persolate		GL
Haemofort		CM
Polyhaemen		GP
FLUDROCORTISONE ACETATE	344	
Florinef		SQ
FLUOXYMESTERONE	342	
Halotestin		UP
Ultandren		CB
GLUCOSE INDICATOR	366	
Clinistix		AM
Tes-Tape		LY
GLUTETHIMIDE	367	
Doriden		CB
GLYCERYL TRINITRATE	363	
Anginine Stabilised		BW
Triagin		HY
Vasitrin		DH
GRISEOFULVIN	365	
Fulcin Forte		IC
Grisovin F.P.		GL
GUANETHIDINE SULPHATE	364	
Ismelin		CB
HEPARIN	379	
Eleparon		LW
Heparin Leo		LP
Lipo-Hepin		RK
Panheprin Abboject		AB
Pularin		EV
Thromboliquine		OR
HEXAMETHONIUM TARTRATE	381	
Vegolysen T.		MB
HEXOCYCLIUM METHYL SULPHATE	398	
Tral Film Tabs		AB
Tral Gradumets		AB
HEXOESTROL	382	
Oestrogenine		FM
HEXYLRESORCINOL	383	
Crystoids		MK
HISTAMINE ACID PHOSPHATE	384	
Histamine (B.D.H.)		BD

Name						Item No.	Code
HYALURONIDASE						385	
Hyalase ..	..	..	..	..	..		FC
Hyason ..	..	..	..	..	..		OR
Kinaden ..	..	..	..	..	..		SC
Rondase ..	..	..	..	..	..		EV
Wydase ..	..	..	..	..	..		WY
HYDROCALCIFEROL						400	
A.T. 10 ..	..	..	..	..	..		BA
HYDROCHLOROTHIAZIDE						392	
Dichlotride ..	..	..	..	..	..		MK
Direma ..	..	..	..	..	..		DL
Esidrex ..	..	..	..	..	..		CB
Neo Flumen ..	..	..	..	..	..		GA
HYDROCORTISONE						387	
Cortef ..	..	..	..	..	..		UP
Cortril ..	..	..	..	..	..		PF
Efcortelan ..	..	..	..	..	..		GL
Hycor Eye Drops ..	..	..	..	..	..		SI
Hydro-Adreson ..	..	..	..	..	..		OR
Hydrocortisyl ..	..	..	..	..	..		RL
Hydrocortone Ophthalmic Suspension ..	..	..	..	..	..		MK
Hydrosone ..	..	..	..	..	..		KL
Hysone ..	..	..	..	..	..		PT
Optisone Eye Drops ..	..	..	..	..	..		HA
Optisone Eye Ointment ..	..	..	..	..	..		HA
Scheroson F. Ophthalmicum ..	..	..	..	..	..		SC
Siguent Hycor ..	..	..	..	..	..		SI
Sterop ..	..	..	..	..	..		AN
HYDROCORTISONE ACETATE						394	
Abbocort ..	..	..	..	..	..		AB
Cortef Suspension ..	..	..	..	..	..		UP
Efcortelan ..	..	..	..	..	..		GL
Hydro-Adreson ..	..	..	..	..	..		OR
Hydrocortistan Viules ..	..	..	..	..	..		BT
Hydrocortisyl ..	..	..	..	..	..		RL
Hydrocortone ..	..	..	..	..	..		MK
Hysone-A ..	..	..	..	..	..		PT
Scheroson F. ..	..	..	..	..	..		SC
HYDROCORTISONE AND NEOMYCIN						401	
Cortocaps ..	..	..	..	..	..		CK
HYDROCORTISONE SODIUM SUCCINATE						389	
Efcortelan Solution Tablets ..	..	..	..	..	..		GL
Flebocortid ..	..	..	..	..	..		RM
Intravenous Efcortelan ..	..	..	..	..	..		GL
Solu Cortef ..	..	..	..	..	..		UP
HYDROFLUMETHIAZIDE						395	
Di-Ademil ..	..	..	..	..	..		SQ
Hydrenox ..	..	..	..	..	..		BT
Na-Clex ..	..	..	..	..	..		GL
HYDROXYCHLOROQUINE SULPHATE						396	
Plaquenil ..	..	..	..	..	..		WL

Name	Item No.	Code
HYOSCINE HYDROBROMIDE	391	
Viules		BT
INSULIN	412	
Insulin Berna		SE
Novo-Evans		EV
Wellcome		BW
INSULIN GLOBIN ZINC	413	
Wellcome		BW
INSULIN ISOPHANE (N.P.H.)	414	
Salminsulins (N.P.H.) Berna		SE
Wellcome		BW
INSULIN PROTAMINE ZINC	415	
Novo-Evans		EV
Protamine-Zinc Insulin Berna		SE
Wellcome		BW
INSULIN ZINC	417	
(Suspension)		
Boots Lente		BT
Novo-Evans Lente		EV
Wellcome Lente		BW
(Amorphous)		
Boots Semilente		BT
Novo-Evans Semilente		EV
Wellcome Semilente		BW
(Crystalline)		
Boots Ultralente		BT
Novo-Evans Ultralente		EV
Wellcome Ultralente		BW
IODOCHLORHYDROXYQUINOLINE	428	
Entero-Vioform		CB
IODOXYL	419	
Pyelectan		GL
Pyelectan Retrograde		GL
Uropae		MB
Uroselectan-B 75%		SC
IRON AMINOATE	432	
Ferroids		MR
IRON-CARBOHYDRATE COMPLEX	430	
Jectofer		AP
IRON OXIDE SACCHARATED	426	
Colliron		EV
Ferrivenin		FC
Neo-Ferrum Intravenous		CK
ISONIAZID	423	
Andrazide		AN
Isotinyll		KL
Rimifon		RO
Tebos		HY

Name	Item No.	Code
ISOPRENALINE HYDROCHLORIDE	424	
Isuprel		WL
Isoprel 1:5000		WL
ISOPRENALINE SULPHATE	425	
Neo-Epinine		BW
Nephenal (Plain)		CM
Norisodrine		AB
ISOPROPAMIDE IODIDE	429	
Tyrimide		SK
ISOTHIPENDYL HYDROCHLORIDE	431	
Nilergex		IC
KAOLIN HEAVY	451	
Kaloplasm		FA
Poulticine		AL
LANATOSIDE—C	464	
Cedilanid		SZ
LEPTAZOL	460	
Cardiazol		KN
LEVORPHANOL TARTRATE, B.P.C.	463	
Dromoran		RO
LUCANTHONE HYDROCHLORIDE	462	
Nilodin		BW
MAGNESIUM BICARBONATE SOLUTION	476	
Magnos		FA
MAGNESIUM SULPHATE	479	
Faulding's Epsom Salts		FA
Magnoplasm		FA
Pastamag		DH
MAGNESIUM TRISILICATE	480	
Trisil		DH
MEBHYDROLIN	520	
Fabahistin		FB
MECAMYLAMINE	482	
Mevasine		MK
MECHOLYL CHLORIDE	483	
Amechol		SY
MECLOZINE HYDROCHLORIDE B.P.C.	510	
Ancolan		BD
MENAPHTHONE	484	
(Aqueous)		
Kapilin		GL
K-Thrombin		FM
Synkamine		PD
Synkavit		RO
(Oily)		
Prokayvit		BD
Vitavel K.		VM

Name	Item No.	Code
MEPACRINE HYDROCHLORIDE	486	
Avlon		IC
MEPHENTERMINE SULPHATE	516	
Wyamine Sulphate		WY
MEPYRAMINE MALEATE	487	
Anthisan		MB
MERCAPTOMERIN SODIUM	488	
Thiomerein Sodium		WY
MERCAPTOPURINE	489	
Purinethol		BW
MERCURIC OXIDE	490	
Sigma Golden Eye Ointment		SI
MERSALYL ACID	491	
Hydrid		VR
Salyrgran		BA
Viules		BT
METHADONE HYDROCHLORIDE	517	
Adanon		BA
Physeptone		BW
Synthanal		CM
METHAZOLAMIDE	511	
Neptazane		LE
METHENAMINE MANDELATE	507	
Mandelamine		WW
Mandelamine Hafgrams		WW
METHOIN	492	
Mesantoin		SZ
METHSCOPOLAMINE BROMIDE	509	
Neo Avagal		AN
Pamine		UP
METHYLCLOTHIAZIDE	513	
Enduron		AB
METHYLAMPHETAMINE HYDROCHLORIDE	494	
Desoxyn		AB
Doxephlin		PH
Emphet		VR
Methamine		KL
Methedrine		BW
METHYL ANDROSTANOLONE	495	
Androstanolone		RL
METHYLANDROSTENEDIOL	496	
Methyl Diol		MR
Stenediol		OR
METHYLCELLULOSE, A.P.F.	497	
Dropster		KL
Methopt		SI
METHYLERGOMETRINE MALEATE	498	
Methergin		SZ

Name	Item No.	Code
METHYL PHENOBARBITONE, B.P.C.	514	
Mephobarbital		PH
Prominal		BA
Promitone		KL
METRONIDAZOLE	517	
Flagyl		MB
MORPHINE SULPHATE	501	
Viules		BT
MORPHINE WITH ATROPINE	502	
Viules		BT
MORPHINE WITH TACRINE	515	
Mortha		WH
NALORPHINE HYDROBROMIDE	541	
Lethidrone		BW
Lethidrone Neonatal		BW
NANDROLONE	558	
Durabolin		OR
NEOMYCIN SULPHATE EYE DROPS	553	
Dropster		KL
Nemdro		HA
Neopt		SI
NEOMYCIN SULPHATE AND KAOLIN	559	
Kaomycin		UP
NEOSTIGMINE BROMIDE	542	
Prostigmin		RO
NEOSTIGMINE METHYLSULPHATE	543	
Prostigmin		RO
NICOUMALONE	551	
Sintrom		GE
NIKETHAMIDE ..	546	
Anacardone		BD
Coramine		CB
Viules		BT
NITROFURANTOIN	547	
Furadantin		SK
Furadantin Suspension		SK
NORADRENALINE ACID TARTRATE	549	
Levophed		WL
NYSTATIN	550	
Mycostatin		SQ
OESTRADIOL DIPROPIONATE	561	
Ovoeyclin		CB
OESTRADIOL BENZOATE	562	
Dimenformon		OR
Oestroform (B.D.H.)		BD
OESTRONE, B.P.C. 1954	563	
Kolpon		OR
Menformon		OR

Name	Item No.	Code
OXYPHENCYCLIMINE HYDROCHLORIDE	571	
Daricon		PF
OXYPHENONIUM BROMIDE	572	
Antrenyl		CB
OXYTETRACYCLINE DIHYDRATE	566	
Terramycin		PF
OXYTETRACYCLINE HYDROCHLORIDE	567	
Terramycin		PF
Terramycin Oral Paediatric Drops		PF
Terramycin Oral Suspension		PF
OXYTETRACYCLINE OPHTHALMIC SUSPENSION	568	
Terramycin		PF
OXYTOCIN	569	
Pitocin		PD
Syntocinon		SZ
PANCREATIN	581	
Palatinoid		OP
Pancreatin Powder		PD
Panteric Tablets		PD
PANCREATIN ENZYME	676	
Viokase		AN
PAPAVERETUM, B.P.C.	583	
Omnopon		RO
Viules		BT
PAPAVERETUM WITH HYOSCINE HYDROBROMIDE	584	
Omnopon-Scopolamine		RO
Viules		BT
PARACETAMOL	682	
Dymadon		CA
Parmol		KL
Panadol		WL
PARAFFIN LIQUID	588	
Agarol		WW
Lubarol		DH
Paragel		SI
Paramul.. .. .		MG
Petrolagar		WY
PARAMETHADIONE	590	
Paradione		AB
PARAMETHASONE ACETATE	679	
Haldron		LY
Metilar		IC
PEMPIDINE TARTRATE	664	
Perolysen		MB
Tenormal		IC
PENICILLINASE	651	
Compenase		CS
Neutrapen		RK

Name	Item No.	Code
PENICILLIN BENETHAMINE	652	
Triplopen		GL
Triposol		GL
PENICILLIN BENZATHINE	591	
Bicillin		WY
Bicillin All-Purpose Injection		WY
PENICILLIN BENZYL	592	
Crystalline Penicillin G. (Sodium Salt) ..		CS
Crystapen		GL
Crystapen G. '200'		GL
Crystapen G. '400'		GL
Penicillin Crystalline		DH
Peni-Set		DH
Pensol		GL
Solupen		DL
Sol-Viules		BT
PENICILLIN BENZYL PROCAINE	593	
(Aqueous Suspension)		
Abboceillin G. Abboject		AB
Aquacaine G. Suspension		CS
Aquacillin		FA
Cilicaine Suspension		SI
Evacilin		EV
Evanules		EV
Megacillin		FA
Mylipen		GL
Procillin A-S		DH
Pro-Stabillin A.S. Viules		BT
Viraxacillin		VR
(Crystalline)		
Aquacaine G.		CS
Cilicaine Simplex		SI
Distaquaine G.		DL
PENICILLIN BENZYL PROCAINE	594	
FORTIFIED		
Aquacaine G. Fortified		CS
Bi-Stabillin		BT
Cilicaine Fortified		SI
Distaquaine Fortified		DL
PENICILLIN PHENOXYMETHYL	595	
Abboceillin-V Film Tabs (Potassium Salt) ..		AB
Abboceillin V-K (Potassium Salt)		AB
Calcipen (Calcium Salt)		LP
Caps-Pen V (Calcium Salt)		BT
Cilicaine-V-K (Potassium Salt)		SI
Cillapen (Potassium Salt)		PR
Crystapen-V (Free Acid)		GL
C.V.K. (Potassium Salt)		GL
Distakaps V-K (Potassium Salt)		DL
Distaquaine-V (Free Acid)		DL
Distaquaine V-K (Potassium Salt)		DL
Falcopen-V-K (Potassium Salt)		FA
Grancillin (Potassium Salt)		IQ

Name						Item No.	Code
595—continued							
Icipen-V (Potassium Salt)	..	..	..	..	..	IC	
Peni-Vee-K (Potassium Salt)	..	..	..	..	..	DH	
Potaspen (Potassium Salt)	..	..	..	..	..	AN	
Propen-VK (Potassium Salt)	..	..	..	..	..	PT	
P.V.K. (Potassium Salt)	..	..	..	..	..	LY	
P.V.K. Pedipac (Potassium Salt)	..	..	..	..	..	LY	
P.V.K. Pulvules (Potassium Salt)	..	..	..	..	..	LY	
Stabillin-V (Calcium Salt)	..	..	..	..	..	BT	
Tabpen VK (Potassium Salt)	..	..	..	..	..	BT	
Veecillin (Potassium Salt)	..	..	..	..	..	CM	
Vicin (Benzathine Salt)	..	..	..	..	..	KL	
V.P.V.-Viraxacillin-V (Free Acid)	..	..	..	..	..	VR	
60 KX (Potassium Salt)	..	..	..	..	..	DF	
125 KX (Potassium Salt)	..	..	..	..	..	DF	
250 KX (Potassium Salt)	..	..	..	..	..	DF	
(Suspension)—Oral							
Abbocillin-V Suspension (Hydrabamine Salt)						AB	
Cilicaine-V Suspension (Free Acid)	..	..	..	..	..	SI	
Citrapen (Benzathine Salt)	..	..	..	..	..	DL	
C.V.L. (Paediatric) "125" (Calcium Salt)	..	..	..	..	..	GL	
Distaquaine V-K Suspension (Potassium Salt)	..	..	..	..	..	DL	
Falcopen V Suspension (Benzathine Salt)	..	..	..	..	..	FA	
L.P.V. Suspension (Calcium Salt)	..	..	..	..	..	CS	
Peni-Vee Suspension D.H.A. (Potassium Salt)	..	..	..	..	..	DH	
Penvee-S (Free Acid)	..	..	..	..	..	IC	
Sus-Pen-V (Calcium Salt)	..	..	..	..	..	BT	
Veecillin Suspension (Calcium Salt)	..	..	..	..	..	CM	
Vicin Suspension (Benzathine Salt)	..	..	..	..	..	KL	
PENICILLIN WITH STREPTOMYCIN						596	
Cilamycin	..	..	..	..	..	SI	
Crystamycin	..	..	..	..	..	GL	
Crystasol	..	..	..	..	..	GL	
Seclomycin	..	..	..	..	..	GL	
Seelosol	..	..	..	..	..	GL	
Soluvone	..	..	..	..	..	DL	
PENTAERYTHRITOL TETRANITRATE						597	
Mycardol	..	..	..	..	..	WL	
Pentagen	..	..	..	..	..	HY	
Pentarit	..	..	..	..	..	RK	
Peritrate	..	..	..	..	..	WW	
PENTHIENATE						675	
Monodral	..	..	..	..	..	WL	
PENTOBARBITONE SODIUM						598	
Barbopent	..	..	..	..	..	BW	
Napent	..	..	..	..	..	RD	
Nembutal	..	..	..	..	..	AB	
Pendorm	..	..	..	..	..	GP	
Pental	..	..	..	..	..	IQ	
Pentone	..	..	..	..	..	FA	
Pentosol	..	..	..	..	..	AB	
Petab	..	..	..	..	..	KL	
Sodepent	..	..	..	..	..	MG	
Somnital	..	..	..	..	..	PR	

Name	Item No.	Code
PENTOBARBITONE SODIUM COMPOUND	599	
Bromobarb		AN
Carbital		PD
Nembutal Compound		AB
Penalco		CO
Pentacarb		MG
PENTOLINIUM TARTRATE	600	
Ansolysen		MB
PENTOLINIUM TARTRATE WITH EPHEDRINE	601	
Ansolysen with Ephedrine		MB
PETHIDINE HYDROCHLORIDE	604	
Demerol		BA
Pethanal		CM
Viules		BT
Wellcome		BW
PETHIDINE AND LEVALLORPHAN TARTRATE	665	
Pethilorfan		RO
PETHIDINE AND SCOPOLAMINE	605	
Petiscol		KL
Viules		BT
Wellcome		BW
PHENACETIN	650	
Barbidein		DH
Cobarb		SI
Compodorm		GP
Nembudeine		AB
P.B.C.		PR
Pentacode		MG
Pentalgin		FM
Pentonal Co.		KL
Phenadeen		RD
Phen-o-Phos		HY
PHENAZOPYRIDINE HYDROCHLORIDE	678	
Pyridium		WW
PHENETHICILLIN	672	
Optipen		CS
Pensig		SI
PHENFORMIN	673	
Insoral		WW
PHENINDAMINE TARTRATE	608	
Thephorin		RO
PHENINDIONE	609	
Dindevan		EV
Phendone		PX
PHENOBARBITONE	610	
Bakramil		BK
Bardorm		GP
Ensobarb		HY
Fenbital		BW
Gardenal		MB
P.B. Tabs		AB

Name	Item No.	Code
PHENOBARBITONE SODIUM	611	
Cemalonal Injection		CM
Gardenal Sodium		MB
Viules		BT
PHENOL	613	
P2G Solerosant.. .. .		BT
PHENOLPHTHALEIN	614	
Fenallo		DH
PHENSUXIMIDE	615	
Milontin		PD
PHENYLALANINE LOW CONTENT	653	
FORMULA		
Cymogran		GL
Lofenalac		CM
Minafen		TF
PHENYLBUTAZONE	616	
Butazolidin		GE
PHENYLEPHRINE HYDROCHLORIDE	617	
Hemorex		WL
Neo-Synephrine Sterile Solution		WL
PHENYLMERCURIC DINAPHTHYL- METHANE DISULPHONATE	674	
Versotrane Triple Strength		WB
PHENYTOIN	677	
Dilantin Suspension		PD
PHENYTOIN SODIUM	618	
Dilantin		PD
Dilantin Sodium Steri-Vial		PD
Ditoin		KL
PHOLCODINE	619	
Duro-Tuss		RK
Linctus Tussinol		GP
Pectolin		FA
Pholevan		EV
Pholtrate		MG
Sedlingtus		VR
Sednaco		GL
PHTHALYLSULPHACETAMIDE	620	
Cetasulph		CM
Enterocid		BS
Sulphalyl		KL
Talecid		SC
Thalacet		VR
PHTHALYLSULPHIAZOLE	621	
Sulphathalidine		MK
Thalazole		MB
PHYTOMENADIONE	666	
Konakion		RO

Name						Item No.	Code
PILOCARPINE NITRATE						624	
Dropster	..	..	..	..	..		KL
Pilopt	..	..	..	..	..		SI
Sterop	..	..	..	..	..		AN
PIPENZOLATE						667	
Piptal	..	..	..	..	..		SI
Piptal Paediatric	..	..	..	..	..		SI
PIPERAZINE ADIPATE						625	
Divermex	..	..	..	..	..		DF
Entacyl	..	..	..	..	..		BD
PIPERAZINE CITRATE, B.P.						654	
Antepar	..	..	..	..	..		BW
Helmezine Elixir	..	..	..	..	..		GL
Piperate	..	..	..	..	..		MG
PIPERAZINE PHOSPHATE						626	
Helmezine	..	..	..	..	..		GL
Veroxil	..	..	..	..	..		CK
PITUITARY POSTERIOR LOBE, B.P.C.						627	
Disipidin	..	..	..	..	..		ST
Piton	..	..	..	..	..		BP
Pituitrin O.	..	..	..	..	..		PD
POLYMYXIN B. SULPHATE						629	
Aerosporin Otic Solution	..	..	..	..	..		BW
Mycitracin Ophthalmic Ointment	..	..	..	..	..		UP
N.B.P. Eye Drops	..	..	..	..	..		DH
N.B.P. Eye Ointment	..	..	..	..	..		DH
Neosporin	..	..	..	..	..		BW
Neosporin Ophthalmic Ointment	..	..	..	..	..		BW
Neotracin Eye Drops	..	..	..	..	..		AN
Neotracin Ophthalmic Ointment	..	..	..	..	..		AN
Optimyxin	..	..	..	..	..		BW
Polmix Ear Drops	..	..	..	..	..		KL
Polmix Eye Drops	..	..	..	..	..		KL
Polydro Ear Drops	..	..	..	..	..		HA
Polydro Eye Drops	..	..	..	..	..		HA
Polydro B.N.	..	..	..	..	..		HA
Polymyxin Co.	..	..	..	..	..		IQ
Polytracin-N Eye Drops	..	..	..	..	..		GL
Polytracin-N Eye Ointment	..	..	..	..	..		GL
Siguent Bacomycin	..	..	..	..	..		SI
Ung. Poly-B.N.	..	..	..	..	..		HA
Wellcome	..	..	..	..	..		BW
POTASSIUM CHLORIDE						631	
Solvac	..	..	..	..	..		DH
POTASSIUM PERCHLORATE						668	
Thypron	..	..	..	..	..		PH
PREDNISOLONE						634	
Codelcortone	..	..	..	..	..		MK
Co-Hydeltra	..	..	..	..	..		MK
Delta-Cortef	..	..	..	..	..		UP
Deltacortril	..	..	..	..	..		PF

	Name	Item No.	Code
634—continued			
	Deltahydrocortisone		AN
	Deltasolone		KL
	Delta-Stab		BT
	Di-Adreson-F.		OR
	Listabs		CO
	Meticortelone		SH
	Panafcortelone		PT
	Paracortol		PD
	Precortisyl		RL
	Prednelan		GL
	Rox		RT
	Scherisolon		SC
	PREDNISOLONE ACETATE	655	
	Scherisolon		SC
	PREDNISOLONE DISODIUM PHOSPHATE	656	
	Codelsol		MK
	Predsol		GL
	Predsol Retention Enema		GL
	PREDNISOLONE METHYL	657	
	Medrol		UP
	Medrol Eye Ointment		UP
	PREDNISOLONE METHYL ACETATE	683	
	Depo-Medrol		UP
	PREDNISOLONE TRIMETHYLACETATE	680	
	Ultracortenol		CB
	PREDNISON	635	
	Co-Deltra		MK
	Decortisyl		RL
	Delta-Cortelan		GL
	Deltacortisone		AN
	Deltacortone		MK
	Delta-Scheroson		SC
	Deltasone		KL
	Di-Adreson		OR
	Listabs		CO
	Meticorten		SH
	Panafcort		PT
	PRIMAQUINE BASE	636	
	Avlon		IC
	PRIMIDONE	637	
	Mysoline		IC
	PROBENECID	659	
	Benemid		MK
	PROCAINAMIDE HYDROCHLORIDE	638	
	Pronestyl		SQ
	PROCAINE HYDROCHLORIDE IN NORMAL SALINE	639	
	Abbo-Litre		AB
	Braun's Plastik Infusor		BT

Name					Item No.	Code
PROCYCLIDINE HYDROCHLORIDE					640	
Kemadrin						BW
PROGESTERONE					641	
Lutocyclin						CB
Progestin (B.D.H.)						BD
Progestin (Organon)						OR
Progestin I.V. (Organon)						OR
Proluton						SC
PROGESTERONE DEPOT					642	
Proluton Depot						SC
PROGUANIL HYDROCHLORIDE					643	
Paludrine						IC
PROMETHAZINE HYDROCHLORIDE					644	
Phenergan						MB
PROPANTHELINE BROMIDE					660	
Pro-Banthine						SR
PROPHENPYRIDAMINE MALEATE					681	
Avil Syrup						HP
PROPHENPYRIDAMINE PARA-AMINO- SALICYLATE					645	
Avil						HP
Avilette						HP
PROTOVERATRINE A.					647	
Puroverine						SZ
PYRIDOSTIGMINE BROMIDE					648	
Mestinon						RO
PYRIDOXINE HYDROCHLORIDE, B.P.C.					649	
Benadon						RO
Hexa-Betalin						LY
Hexavibex						PD
Pyridermin						CM
Pyrivel						VM
Pyroxin						KL
PYRMIDO-PYRIMIDINE					663	
Persantin						FA
PYRROLIDINO-METHYL-TETRACYCLINE					661	
Reverin						HP
Reverin I.M.						HP
Velacycline						SQ
QUINALBARBITONE SODIUM, B.P.					721	
Baqual						KL
Proquinal						PT
Q.B. Tabs.						DH
Quillatone						RD
Quillatone-"M"						RD
Quinbarbium						MG
Quindorm						GP
Seconal Sodium						LY
Seconal Sodium Pulvules						LY

Name	Item No.	Code
QUINIDINE SULPHATE	722	
Quinidine Hamiltab		HA
Tabloid		BW
QUININE BISULPHATE	723	
Quinoid		BW
QUININE DIHYDROCHLORIDE	724	
Bihydroquin		PD
RAUWOLFIA ALKALOIDS	747	
Hypothal		CM
Iserpine		IQ
Raudixin		SQ
Rautensin		PT
Rauwiloid		RK
Serfia		KL
Serpina		PV
RESERPINE	746	
Enipreser		MG
Resedrex Hamiltab		HA
Reserpin		AN
Ryser		KL
Serpasil		CB
Serpiloid		RK
Tenserp		VR
SALICYLAMIDE	818	
Samid.		KL
SALICYLAZOSULPHAPYRIDINE	803	
Salazopyrin		MR
SENNA FRUIT EXTRACT (STANDARDISED)	816	
Senokot		RC
SILVER NITRATE	809	
Johnson's Caustic Pencil		SL
Noshok Caustic Pencil		YF
SODIUM AMINOSALICYLATE	773	
Aminacyl		WA
Bactylan		RL
Paramisan Sodium		SN
Parasal Sodium		CM
Pasan		KL
SODIUM AUROTHIOMALATE	765	
Myocrisin		MB
SODIUM CALCIUMEDETATE	767	
Calcium Disodium Versenate		RK
SODIUM CHLORIDE	768	
(Hypertonic Solution)		
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvac		DH
(Physiological Solution)		
Abbo-Litre		AB
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvac		DH
Steriflex No. 1		GL

Name	Item No.	Code
SODIUM CHLORIDE AND DEXTROSE	769	
Abbo-Litre		AB
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvac		DH
Steriflex No. 3		GL
SODIUM CHLORIDE COMPOUND	811	
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvac		DH
SODIUM CHLORIDE COMPOUND AND DEXTROSE	814	
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvac		DH
SODIUM CITRATE	770	
Tabloid		BW
SODIUM FOLATE	804	
Folvite		LE
SODIUM LACTATE	771	
(Solution 1/6 Molar)—		
Abbo-Litre		AB
I.V. Fluid		FH
Solvac		DH
SODIUM LACTATE-COMPOUND	812	
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvac		DH
SODIUM LACTATE-COMPOUND AND DEXTROSE	813	
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvac		DH
SODIUM OLEATE COMPOUND	772	
Cholelith		PD
SODIUM SALICYLATE	774	
Ensalate		HY
Nuseals		LY
SODIUM SULPHATE ..	775	
Braun's Plastik Infusor		BT
Solvac		DH
SODIUM TAUROGLYCOCHOLATE	776	
Taurogate		DH
Veracolate		WW
SOYA FORMULA	805	
Sobee Instant Powder		CM
Sobee Liquid		CM
SPIRAMYCIN	806	
Rovamycin		MB

Name						Item No.	Code
STILBOESTROL						780	
Tabloid							BW
STREPTOMYCIN SULPHATE						781	
Guanimycin Tablets							GL
Streptolin 25%							GL
Streptolin 33 $\frac{1}{4}$ %							GL
Streptolin 50%							GL
Streptaquine							DL
Streptevan							EV
Strept-Evanules							EV
Streptomycin Intrathecal							DL
Viules							BT
SUCCINYL SULPHATHIAZOLE						783	
Sulphasuxidine							MK
SULPHACETAMIDE SODIUM						784	
Acetopt							SI
Albucid							SC
Dropster							KL
Ocsetan							EV
Opsulmide							MG
SULPHADIAZINE						785	
Diazyl Dulcets							AB
Infatabs							PD
Sulphadiazinettes							KL
Tabloid							BW
SULPHADIMETHOXINE						787	
Madribon							RO
SULPHADIMIDINE						788	
Dimidi-Sulph							VR
Diminsuls							MG
S-Mez							IC
Sulphamezathine							IC
SULPHADIMIDINE SODIUM						789	
S-Mez							IC
SULPHAFURAZOLE						790	
Gantrisin							RO
SULPHAGUANIDINE						791	
Tabloid							BW
SULPHAMETHIZOLE						793	
Thiosulfil							AY
Urolucosil							WW
SULPHAMETHOXYDIAZINE						817	
Bayrena							FB
Bayrena Suspension							FB
Kirocid							SC
SULPHAMETHOXYPYRIDAZINE						794	
Lederkyn							LE
Midicel							PD

Name	Item No.	Code
SULPHAMETHOXYPYRIDAZINE		
N-ACETYL	807	
Lederkyn Suspension		LE
Midicel Acetyl Suspension		PD
SULPHAPHENAZOLE	808	
Orisul		CB
SULPHAPYRIDINE, B.P.C.	795	
M. & B. 693		MB
SULPHINPYRAZONE	815	
Anturan		GE
SULPHONAMIDES, MIXED (B): THREE		
SULPHONAMIDES	796	
Multisulpha		KL
Multisulphettes		KL
Sulphaco		CM
Sulphaco-Mitis		CM
Sulpha-Dimerazole		VR
Sulphadital		FM
Sulphatriad		MB
Sulphatriad (Flavoured)		MB
Sulphonamix		SI
Three Sulphas		AD
Triazyl Dulcets		AB
Triple Sulpha		TO
Triple Sulphonamides		FA
Triposulph		DH
Trisulpha		AN
Trisulfettes		AN
SUSTANON	800	
Sustanon '250'		OR
SUXAMETHONIUM BROMIDE	801	
Breviril M.		MB
TACRINE	892	
T.H.A.		WH
TESTOSTERONE	852	
Neo-Hombreol		OR
Perandren		CB
Testoviron		SC
TESTOSTERONE METHYL	853	
Metestine		KL
Testogenine		FM
TESTOSTERONE OENANTHATE	854	
Primoteston Depot		SC
TESTOSTERONE PROPIONATE	855	
Neo-Hombreol		OR
Perandren		CB
Testine		KL
Testogenine		FM
Testoviron		SC

Name	Item No.	Code
TETANUS ANTITOXIN	856	
Tetanus Antitoxin Berna		SE
Wellcome		BW
TETANUS TOXOID	857	
Te Anatoxin Berna		SE
TETRACYCLINE	860	
Achromycin		LE
Ambramycin		LT
Fabacycline		FB
Panmycin		UP
Steclin		SQ
Tetracyn		PF
(Granules)		
Achromycin Spersoids		LE
(Paediatric Drops)		
Achromycin Paediatric Drops		LE
Fabacycline Paediatric Drops		FB
Panmycin Aquadrops		UP
(Oral Suspension)		
Achromycin Syrup		LE
Ambramycin Suspension		LT
Tetracyn Oral Suspension		PF
(Ophthalmic Eye Drops)		
Achromycin Oil		LE
(Ophthalmic Ointments)		
Achromycin Ointment Ophthalmic		LE
Tetracyn Ointment Ophthalmic		PF
TETRACYCLINE WITH NYSTATIN	862	
Achrostatin		LE
Comycin		UP
Mysteclin V		SQ
TETRACYCLINE WITH OLEANDOMYCIN	863	
Synermycin		PF
Synermycin I.M.I.		PF
(Paediatric Drops)		
Synermycin Oral Paediatric Drops		PF
(Oral Suspension)		
Synermycin Oral Suspension		PF
TETRACYCLINE (BUFFERED)	864	
Achromycin-V		LE
Ambramycin-V.. .. .		LT
Fabacycline-V		FB
Panmycin M (Buffered)		UP
Steclin-V		SQ
Tetracyn-V		PF
(Paediatric Drops)		
Achromycin-V. Paediatric Drops		LE
Ambramycin-V. Paediatric Drops		LT
Steclin-V. Paediatric Drops		SQ
Tetracyn-V Paediatric Drops.. .. .		PF
(Oral Suspension)		
Achromycin-V Suspension		LE
Ambramycin-V Suspension		LT

Name	Item No.	Code
864— <i>continued</i>		
Panmycin KM Suspension		UP
Steclin-V Syrup		SQ
Tetracyc-V Suspension		PF
TETRACYCLINE (BUFFERED) WITH AMPHOTERICIN B	890	
Mysteclin-V Improved		SQ
THENALIDINE TARTRATE	880	
Sandosten + Calcium		SZ
Sandosten Calcium Syrup		SZ
THEOBROMINE, B.P.C.	865	
Durone		KL
Theobarb		AB
THIAMBUTOSINE	891	
Ciba 1906		CB
THYROID	868	
Proloid		WW
Tabloid		BW
Troid		GP
THYROXINE SODIUM	882	
Eltroxin		GL
Oroxine		BW
Rox		RT
Thyroxinal		FM
TOLAZOLINE HYDROCHLORIDE	870	
Priscol		CB
Toline		KL
TOLBUTAMIDE	871	
Artosin		PH
Rastinon		FM
TRIAMCINOLONE	887	
Kenacort		SQ
Ledercort		LE
TRICYCLAMOL CHLORIDE	888	
Tricoloid		BW
TRIETHANOLAMINE TRINITRATE	873	
Duronitrin		AN
Prænitron		SC
TRIFLUOPERAZINE	889	
Stelazine		SK
TRIMETAPHAN CAMPHORSULPHONATE, B.P.C.	874	
Arfonad		RO
TRIPLENNAMINE HYDROCHLORIDE	885	
Pyribenzamine		CB
TRIPROLIDINE HYDROCHLORIDE	886	
Actidil		BW
Actidil Elixir		BW

Name						Item No.	Code
TROXIDONE						875	
Epidione							GA
Tridione							AB
VASOPRESSIN						921	
Pitressin							PD
VASOPRESSIN TANNATE IN OIL						922	
Pitressin Tannate in Oil							PD
VERILOID						923	
Veriloid							RK
VIPRYNIUM EMBONATE						929	
Vanquin.. .. .							PD
Vanquin Suspension							PD
VITAMIN A						924	
Ro-A-Vit							RO
VITAMINS A AND D						926	
Adexolin							GL
Viadol							DH
VITAMIN K						927	
K-Thrombin							FM
Synkamine							PD
VITAMINS COMPOUND						928	
Citradex.. .. .							GL
Gerovit							FA
Hexaplex							PR
Multivite-Six							BD
Orum-Vite							VR
Polivitab							AB
Sixavite							KL
Univite							PH
Vitaminorum							AD, DH, HY, PD, SI
WARFARIN SODIUM						994	
Coumadin							EN
WOOL ALCOHOLS						942	
Eucerin							EV

Name	Item No.	Code
ACRYLIC RESIN	991	
Nobecutane		EV
LISSAPOL	995	
Lissapol		IC
POLYDIMETHYLSILOXANES	996	
Siopel		IC
SURGICAL CEMENT	997	
QT. Cement		JA

PROPRIETARY INDEX

PART 2—PROPRIETARY NAMES INDEX

Preparation	Item No.	Code
A		
Abbecillin G. Abboject (Penicillin Benzyl Pro- caine)	593	AB
Abbecillin-V Film Tabs (Penicillin, Phenoxy- methyl (Potassium Salt)	595	AB
Abbecillin-VK (Penicillin, Phenoxy-methyl) (Potassium Salt)	595	AB
Abbecillin-V-Oral Suspension (Penicillin, Phen- oxymethyl (Hydrababamine Salt)	595	AB
Abbocort (Hydrocortisone Acetate)	394	AB
Abbo-Litre (Dextrose)	238	AB
Abbo-Litre (Procaine Hydrochloride in Normal Saline)	639	AB
Abbo-Litre (Sodium Chloride)	768	AB
Abbo-Litre (Sodium Chloride and Dextrose)	769	AB
Abbo-Litre (Sodium Lactate)	771	AB
Acetaco (Acetylsalicylic Acid Compound)	5	CO
Acetophos (Codeine Phosphate)	160	HY
Acetopt (Sulphacetamide Sodium)	784	SI
Acetylarsan (Acetarsol)	1	MB
Achromycin (Tetracycline)	860	LE
Achromycin Oil (Tetracycline)	860	LE
Achromycin Ointment Ophthalmic (Tetracycline)	860	LE
Achromycin Pediatric Drops (Tetracycline)	860	LE
Achromycin Spersoids (Tetracycline)	860	LE
Achromycin Syrup (Tetracycline)	860	LE
Achromycin-V (Tetracycline (Buffered))	864	LE
Achromycin-V Pediatric Drops (Tetracycline (Buffered))	864	LE
Achromycin-V Suspension (Tetracycline (Buffered))	864	LE
Achrostatin (Tetracycline with Nystatin)	862	LE
Aethargel (Corticotrophin)	168	PH
A.C.T.H.-Depot (Corticotrophin)	168	SC
Actidil (Triprolidine Hydrochloride)	886	BW
Actidil Elixir (Triprolidine Hydrochloride)	886	BW
Adaben (Benzocaine)	90	KL
Adalin (Carbromal)	135	BA
Adanon (Methadone Hydrochloride)	517	BA
Adexolin (Vitamins A and D)	926	GL
Adrenaline Hyperdurec (Adrenaline Mucate)	43	GL
Adreson (Cortisone Acetate)	169	OR
Adrox (Aluminium Hydroxide)	19	RD
Aerosporin Otic Solution (Polymyxin B. Sulphate)	629	BW
Agarol (Paraffin Liquid)	588	WW
A.H.T. (Aluminium Hydroxide)	19	WY
Albucid (Sulphacetamide Sodium)	784	SC
Alcopar (Bephenium Hydroxynaphthoate)	103	BW
Allercur (Clemizole Hydrochloride)	180	SC
Allercur (Clemizole Pannate)	188	SC
Almacarb (Aluminium Hydroxide Gel. Dried)	49	BD

Preparation	Item No.	Code
Alox (Aluminium Hydroxide)	19	KL
Aludrox (Aluminium Hydroxide Gel. Dried) ..	49	WY
Aludrox Suspension (Aluminium Hydroxide Gel.)	44	WY
Aluminium Hydroxide Hamiltab (Aluminium Hydroxide)	19	WA
Aluminium Paste (Aluminium Powder, B.P.C.)..	45	BT
Alusorb (Aluminium Hydroxide Gel.)	44	DH
Amal (Amylobarbitone)	30	KL
Amatane (Amylobarbitone)	30	PR
Ambramycin (Tetracycline)	860	LT
Ambramycin Suspension (Tetracycline)	860	LT
Ambramycin V (Tetracycline (Buffered)) ..	864	LT
Ambramycin V Paediatric Drops (Tetracycline (Buffered)).. ..	864	LT
Ambramycin V Suspension (Tetracycline (Buffered))	864	LT
Amechol (Meclochl Chloride)	483	SY
Amesec, Enseals and Pulvules (Aminophylline) ..	22	LY
Amifal (Aminophylline)	22	KL
Aminacyl (Calcium Aminosalicylate, B.P.C.) ..	128	WA
Aminacyl (Sodium Aminosalicylate)	773	WA
Aminacyl Granulate (Calcium Aminosalicylate, B.P.C.)	128	WA
Amnosed (Cyclobarbitone)	174	BW
Amphojel (Aluminium Hydroxide Gel.)	44	WY
Amphotabs (Aluminium Hydroxide)	19	WY
Amylbarb (Amylobarbitone)	30	PT
Amytal (Amylobarbitone)	30	LY
Amytal Sodium (Amylobarbitone Sodium) ..	31	LY
Amytal Sodium Pulvules (Amylobarbitone Sodium)	31	LY
Anabolex (Androstanalone)	47	MN
Anacardone (Nikethamide)	546	BD
Anacobin (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	BD
Anagal (Bismuth Subgallate, B.P.C.)	97	KL
Ancolan (Meclozine Hydrochloride, B.P.C.) ..	510	BD
Andrazide (Isoniazid)	423	AN
Androcort (Corticotrophin)	168	AN
Androphyllin (Aminophylline)	22	AN
Androstanalone (Methyl Androstanalone) ..	495	RL
Angesil (Codeine Phosphate)	160	DH
Anginine Stabilised (Glyceryl Trinitrate)..	363	BW
Ansolsen (Pentolinium Tartrate).. ..	600	MB
Ansolsen with Ephedrine (Pentolinium Tartrate with Ephedrine)	601	MB
Antepar (Piperazine Citrate, B.P.)	654	BW
Anthisan (Mepyramine Maleate)	487	MB
Anthralin (Dithranol)	264	AB
Antistine (Antazoline Hydrochloride)	34	CB
Antistine-Privine Drops (Antazoline Hydrochloride)	34	CB
Antrenyl (Oxyphenonium Bromide)	572	CB
Antuitrin "S" (Chorionic Gonadotrophin B.P.) ..	156	PD

Preparation	Item No.	Code
Anturan (Sulphinpyrazone)	815	GE
Anusol (Bismuth Subgallate, B.P.C.) ..	97	WW
Apabarb (Acetylsalicylic Acid Compound) ..	5	KL
A.P.L. (Chorionic Gonadotrophin B.P.) ..	156	AY
Aprinox (Bendrofluazide)	106	BT
Aprinox-M (Bendrofluazide)	106	BT
Aquacaine G. (Penicillin Benzyl Procaine) ..	593	CS
Aquacaine G. Fortified (Penicillin Benzyl, Procaine Fortified)	594	CS
Aquacaine G. Suspension (Penicillin Benzyl Procaine)	593	CS
Aquacillin (Penicillin Benzyl Procaine) ..	593	FA
Aralen (Chloroquine Base)	150	BA
Arfonad (Trimetaphan Camphorsulphonate, B.P.C.)	874	RO
Artane (Benzhexol Hydrochloride)	89	LE
Artosin (Tolbutamide)	871	PH
Asadeine (Codeine Phosphate)	160	NS
Asco (Codeine Phosphate)	160	KL
Ascotin (Codeine Phosphate)	160	FA
Aspalgin (Codeine Phosphate)	160	FM
Aspisol (Acetylsalicylic Acid)	4	KL
Aspisol 2½ (Acetylsalicylic Acid)	4	KL
Astrafer (Dextrin Iron 2% Intravenous) ..	237	AP
A.T.10 (Hydrocalfiferol)	400	BA
Atropt (Atropine Sulphate)	40	SI
Atroptol (Atropine)	38	SI
Aureomycin (Chlortetracycline Hydrochloride) ..	154	LE
Aureomycin Ophthalmic Ointment (Chlortetracycline Hydrochloride)	154	LE
Aureomycin Spersoids (Chlortetracycline Hydrochloride)	154	LE
Auro-Calcium (Calcium Aurothiomalate) ..	123	CK
Avil (Propenpyridamine Para-Aminosalicylate) ..	645	HP
Avil Syrup (Propenpyridamine Maleate) ..	681	HP
Avilette (Propenpyridamine Para-Aminosalicylate)	645	HP
Avloclor (Chloroquine Base)	150	IC
Avlon (Mepacrine Hydrochloride)	486	IC
Avlon (Primaquine Base)	636	IC
Avlosulphon (Dapsone)	230	IC

B

Bactylan (Sodium Aminosalicylate)	773	RL
Badrin (Amphetamine Sulphate)	28	KL
Bakramil (Phenobarbitone)	610	BK
B.A.L. (Dimercaprol)	254	BT
Baqual (Quinalbarbitone Sodium, B.P.) ..	721	KL
Baqual Co (Acetylsalicylic Acid Compound) ..	5	KL
Barbeph (Ephedrine Hydrochloride)	304	KL
Barbeph Forte (Ephedrine Hydrochloride) ..	304	KL
Barbico (Barbitone Compound, A.P.F. 1955) ..	84	AB
Barbidein (Phenacetin)	650	DH
Barbopent (Pentobarbitone Sodium)	598	BW

Preparation	Item No.	Code
Bardorm (Phenobarbitone)	610	GP
Bayrena (Sulphamethoxydiazine)	817	FB
Bayrena Suspension (Sulphamethoxydiazine)	817	FB
Benadon (Pyridoxine Hydrochloride, B.P.C.)	649	RO
Benadryl (Diphenhydramine Hydrochloride)	255	PD
Benemid (Probenecid)	659	MK
Benol (Cyanocobalamin excluding 1,000 Micro- gramme Strength)	172	KL
Benol Forte (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	KL
Benol 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	KL
Benzevan (Benzyl Benzoate)	93	EV
Berin '50' (Aneurine Hydrochloride)	32	GL
Berin '100' (Aneurine Hydrochloride)	32	GL
Betamin (Aneurine Hydrochloride)	32	KL
Betamin Forte (Aneurine Hydrochloride)	32	KL
Beta Sol. (Aneurine Hydrochloride)	32	FM
Beta Tabs (Aneurine Hydrochloride)	32	FM
Betnelan (Betamethasone)	109	GL
Bicillin (Penicillin Benzathine)	591	WY
Bicillin All-purpose Injection (Penicillin Benza- thine)	591	WY
Bihydroquin (Quinine Dihydrochloride)	724	PD
Bi-Stabilin (Pencillin Benzyl, Procaine Fortified)	594	BT
Bitevan (Cyanocobalamin, excluding 1,000 Micro- gramme Strength)	172	EV
Boots Lente (Insulin Zinc)	417	BT
Boots Semilente (Insulin Zinc)	417	BT
Boots Ultralente (Insulin Zinc)	417	BT
Braun's Plastik Infusor (Darrow's Solution)	231	BT
Braun's Plastik Infusor (Dextrose)	238	BT
Braun's Plastik Infusor (Procaine Hydrochloride in Normal Saline)	639	BT
Braun's Plastik Infusor (Sodium Chloride)	768	BT
Braun's Plastik Infusor (Sodium Chloride Com- pound)	811	BT
Braun's Plastik Infusor (Sodium Chloride Com- pound and Dextrose)	814	BT
Braun's Plastik Infusor (Sodium Chloride and Dextrose)	769	BT
Braun's Plastik Infusor (Sodium Lactate Com- pound)	812	BT
Braun's Plastik Infusor (Sodium Lactate Com- pound and Dextrose)	813	BT
Braun's Plastik Infusor (Sodium Sulphate)	775	BT
Brevidil M. (Suxamethonium Bromide)	801	MB
Bromobarb (Pentobarbitone Sodium Compound)	599	AN
Bronkaphrine (Ethylnoradrenaline)	326	WL
Bubal (Butobarbitone)	100	KL
Budorm (Butobarbitone)	100	GP
Burco (Codeine Phosphate)	160	BW
Burcosol (Codeine Phosphate)	160	BW
Butisol Sodium (Butobarbital Sodium)	107	AN
Butazolidin (Phenylbutazone)	616	GE

Preparation	Item No.	Code
C		
Cafergot (Ergotamine Tartrate)	307	SZ
Cafergot PB Suppositories (Ergotamine Tartrate)	307	SZ
Cafergot Q (Ergotamine Tartrate)	307	SZ
Cainoptol (Cocaine)	158	SI
Calcipas (Calcium Aminosalicylate, B.P.C.) ..	128	KL
Calcipen (Penicillin, Phenoxymethyl, (Calcium Salt))	595	LP
Calcium Disodium Versenate (Sodium Calcium- edetate)	767	RK
Camoquin (Amodiaquine Base)	27	PD
Caps-Pen V (Penicillin, Phenoxymethyl) (Calcium Salt)	595	BT
Caral (Carbromal)	135	KL
Carbizole (Carbimazole)	134	PT
Carbo Medicinalis (Charcoal)	141	AN
Carbrital (Pentobarbitone Sodium Compound) ..	599	PD
Carbrodorm (Carbromal)	135	GP
Cardiazol (Leptazol)	460	KN
Cardigen (Digitoxin, B.P.C.)	246	PD
Cardilate (Erythrityltetranitrate)	309	BW
Cardophyllin (Aminophylline)	22	HA
Cardophyllin with Phenobarb (Aminophylline) ..	22	HA
Cardrase (Ethoxzolamide)	314	UP
Carine (Aminophylline)	22	KL
Carine with Phenobarb (Aminophylline)	22	KL
Cecon (Ascorbic Acid)	37	AB
Cedilanid (Desacetyl-Lanatoside-C)	233	SZ
Cedilanid (Lanatoside-C)	464	SZ
Celestone (Betamethasone)	109	SH
Celestone Ophthalmic Drops (Betamethasone Phosphate)	110	SH
Celin '50' (Ascorbic Acid)	37	GL
Celin '250' (Ascorbic Acid)	37	GL
Cemalon Injection (Phenobarbitone Sodium) ..	611	CM
Cetamin (Ascorbic Acid)	37	KL
Cetasulph (Phthalylsulphacetamide)	620	CM
Charcoïd (Charcoal)	141	BW
Cholelith (Sodium Oleate Compound)	772	PD
Chloromycetin (Chloramphenicol)	145	PD
Chloromycetin Palmitate (Chloramphenicol) ..	145	PD
Chloromycetin Succinate (Chloramphenicol) ..	145	PD
Chlor Trimeton (Chlorpheniramine Maleate) ..	175	SH
Chlor Trimeton Repetabs (Chlorpheniramine Maleate)	175	SH
Chlotride (Chlorothiazide)	151	MK
Ciba 1906 (Thiambutosine)	891	CB
Cilamycin (Penicillin with Streptomycin) ..	596	SI
Cilicaine Fortified (Penicillin Benzyl, Procaine Fortified)	594	SI
Cilicaine Simplex (Penicillin Benzyl Procaine) ..	593	SI
Cilicaine Suspension (Penicillin Benzyl Procaine)	593	SI
Cilicaine-VK (Penicillin, Phenoxymethyl) (Potas- sium Salt)	595	SI

Preparation	Item No.	Code
Cilicaine-V Oral (Suspension) (Penicillin Phenoxy-methyl) (Free Acid)	595	SI
Cillapen (Penicillin, Phenoxymethyl) (Potassium Salt)	595	PR
Citradex (Vitamins Compound)	928	GL
Citrapen Suspension (Penicillin Phenoxymethyl (Benzathine Salt))	595	DL
Clinistix (Glucose Indicator)	366	AM
Clinitest (Copper Sulphate)	167	AM
Cliston (Carbinoxamine Maleate)	186	AN
Cobarb (Phenacetin)	650	SI
Cobastab (Cyanocobalamin excluding 1,000 Micro-gramme Strength)	172	BT
Cobastab 1,000 (Cyanocobalamin 1,000 Micro-gramme Strength)	173	BT
Co-Corn (Codeine Phosphate)	160	VR
Codacet (Codeine Phosphate)	160	BW
Codacet Soluble (Codeine Phosphate)	160	BW
Code-Co Hamiltab (Codeine Phosphate)	160	HA
Codelcortone (Prednisolone)	634	MK
Codelsol (Prednisolone Disodium Phosphate)	656	MK
Co-Deltra (Prednisone)	635	MK
Codiphen (Codeine Phosphate)	160	GP
Codiphen Forte (Codeine Phosphate)	160	GP
Codral Forte (Codeine Phosphate)	160	BW
Codsol (Codeine Phosphate)	160	KL
Co-Hydreltra (Prednisolone)	634	MK
Colchicine MR (Colchicine)	162	MR
Colcin (Colchicine)	162	KL
Colgont (Colchicine)	162	PT
Colliron (Ferric Hydroxide)	348	EV
Colliron (Iron Oxide Saccharated)	426	EV
Colsaloid (Colchicine)	162	BW
Compenase (Penicillinase)	651	CS
Compodorm (Phenacetin)	650	GP
Comycin (Tetracycline with Nystatin)	862	UP
Coramine (Nikethamide)	546	CB
Coriantin (Chorionic Gonadotrophin B.P.)	156	RM
Cortadren (Cortisone Acetate)	169	SH
Cortate (Cortisone Acetate)	169	PT
Cortef (Hydrocortisone)	387	UP
Cortef Suspension (Hydrocortisone Acetate)	394	UP
Cortelan (Cortisone Acetate)	169	GL
Cortie (Cortisone Acetate)	169	AD
Cortico-Gel. (Corticotrophin)	168	CK
Cortisyl (Cortisone Acetate)	169	RL
Cortocaps (Hydrocortisone and Neomycin)	401	CK
Cortone (Cortisone Acetate)	169	MK
Cortril (Hydrocortisone)	387	PF
Cortrophin (Corticotrophin)	168	OR
Cortrophin ZN (Corticotrophin)	168	OR
Cotin (Ergotamine Tartrate)	307	KL
Coumadin (Warfarin Sodium)	944	EN
Crystalline Penicillin G. (Penicillin Benzyl (Sodium Salt)	592	CS

Preparation	Item No.	Code
Crystamycin (Penicillin with Streptomycin) ..	596	GL
Crystapen (Penicillin, Benzyl)	592	GL
Crystapen G. '200' (Penicillin, Benzyl)	592	GL
Crystapen G. '400' (Penicillin, Benzyl)	592	GL
Crystapen-V (Penicillin, Phenoxymethyl (Free Acid))	595	GL
Crystasol (Penicillin with Streptomycin)	596	GL
Crystoids (Hexylresorcinol)	383	MK
C.V.K. (Penicillin, Phenoxymethyl (Potassium Salt))	595	GL
C.V.L. (Paediatric) '125' (Penicillin, Phenoxymethyl (Calcium Salt))	595	GL
Cyanocobalamin Difrex (Cyanocobalamin 1,000 Microgramme Strength)	173	DF
Cybal (Cyclobarbitone)	174	KL
Cycladiene (Dienoestrol)	242	DF
Cydorm (Cyclobarbitone)	174	GP
Cymogran (Phenylalanine Low Content Formula)	653	GL
Cytamen 20, 50, 100, 200 (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	GL
Cytamen 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	GL

D

D.A.D.P.S. (Dapsone)	230	AN
Daptazole (Aminphenazole Hydrochloride, A.P.F. 1955)	23	NS
Daquin (Chlorazani)	146	RK
Daranide (Dichlorphenamide)	277	MK
Darenthin (Bretylum Tosylate)	105	BW
Daricon (Oxyphenyclimine Hydrochloride)	571	PF
Decadron (Dexamethasone)	234	MK
Decadron (Dexamethasone Sodium Phosphate)	273	MK
Decortisyl (Prednisone)	635	RL
Delta-Cortef (Prednisolone)	634	UP
Delta-Cortelan (Prednisone)	635	GL
Deltacortisone (Prednisone)	635	AN
Deltacortone (Prednisone)	635	MK
Deltacortril (Prednisolone)	634	PF
Deltafluorene (Dexamethasone)	234	LT
Deltahydrocortisone (Prednisolone)	634	AN
Delta-Scheroson (Prednisone)	635	SC
Deltasolone (Prednisolone)	634	KL
Deltasone (Prednisone)	635	KL
Delta-Stab (Prednisolone)	634	BT
Demerol (Pethidine Hydrochloride)	604	BA
Depinar (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	AR
Depinar (Cyanocobalamin 1,000 Microgramme Strength)	173	AR
Depo-Medrol (Prednisolone Methyl Acetate)	683	UP
Deronil (Dexamethasone)	234	SH
Desicol (Extract of Ox Bile)	324	PD

Preparation	Item No.	Code
Desoxyn (Methylamphetamine Hydrochloride) ..	494	AB
Dettol (Chloroxylenol)	152	RC
Devegan (Acetarsol)	1	BA
Dexacortisyl (Dexamethasone)	234	RL
Dexamine (Dexamphetamine Sulphate) ..	235	KL
Dexamphate (Dexamphetamine Sulphate) ..	235	DH
Dexa-Scheron (Dexamethasone)	234	SC
Dex-M (Dexamphetamine Sulphate)	235	GP
Dextelan (Dexamethasone)	234	GL
D.F.P. (Dyflos B.P.C.)	281	BT
D.H.A.245 (Amiphenazole Hydrobromide, A.P.F.)	46	DH
Diabinese (Chlorpropamide)	153	PF
Di-Ademil (Hydroflumethiazide)	395	SQ
Di-Adreson (Prednisone)	635	OR
Di-Adreson-F (Prednisolone)	634	OR
Diamox (Acetazolamide)	2	LE
Diamox Sodium Parenteral (Acetazolamide Sodium Parenteral)	42	LE
Diamyl (Amylobarbitone)	30	DF
Diazyl Dulcets (Sulphadiazine)	785	AB
Dichlotride (Hydrochlorothiazide)	392	MK
Digicristin (Digitoxin, B.P.C.)	246	CM
Diginox (Digoxin)	247	RD
Digitab (Digoxin)	247	AB
Digitaline (Digitoxin, B.P.C.)	246	NA
Digolan (Digoxin)	247	KL
Dihydergot (Dihydroergotamine)	249	SZ
Dilantin (Phenytoin Sodium)	618	PD
Dilantin Sodium Steri-Vial (Phenytoin Sodium) ..	618	PD
Dilantin Suspension (Phenytoin)	677	PD
Dilaudid (Dihydromorphinone Hydrochloride B.P.C. 1949)	250	KN
Dimenformon (Oestradiol Benzoate)	562	OR
Dimidi-Sulph (Sulphadimidine)	788	VR
Diminsuls (Sulphadimidine)	788	MG
Dindevan (Phenindione)	609	EV
Diodoquin (Diodohydroxyquinoline)	253	SR
Di-Paralene (Chlorcyclizine Hydrochloride) ..	148	AB
Diparcol (Diethazine Hydrochloride)	243	MB
Direma (Hydrochlorothiazide)	392	DL
Direxide (Diodohydroxyquinoline)	253	DF
Disipidin (Pituitary Posterior Lobe, B.P.C.) ..	627	ST
Distakaps V-K (Penicillin, Phenoxymethyl (Potassium Salt))	595	DL
Distaquaine Fortified (Penicillin Benzyl, Procaine Fortified)	594	DL
Distaquaine G. (Penicillin Benzyl Procaine) ..	593	DL
Distaquaine V (Penicillin, Phenoxymethyl (Free Acid))	595	DL
Distaquaine V-K (Penicillin, Phenoxymethyl (Potassium Salt))	595	DL
Distaquaine V-K Suspension (Penicillin, Phenoxymethyl (Potassium Salt))	595	DL
Distivit B ₁₂ (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	DL

Preparation	Item No.	Code
Distivit B ₁₂ (Cyanocobalamin 1,000 Microgramme Strength)	173	DL
Ditoin (Phenytol Sodium)	618	KL
Diurophylin (Aminophylline)	22	CM
Divermex (Piperazine Adipate)	625	DF
Dixin (Digitoxin, B.P.C.)	246	KL
D.O.C.A. (Deoxycortone Acetate)	232	OR
Doriden (Glutethimide)	367	CB
Doxephlin (Methylamphetamine Hydrochloride)	494	PH
Drapolex (Benzalkonium Chloride)	102	CA
Dromoran (Levorphanol Tartrate, B.P.C.)	463	RO
Dropster (Aminacrine Hydrochloride)	21	KL
Dropster (Atropine Sulphate)	40	KL
Dropster (Methylcellulose, A.P.F.)	497	KL
Dropster (Neomycin Sulphate Eye Drops)	553	KL
Dropster (Pilocarpine Nitrate)	624	KL
Dropster (Sulphacetamide Sodium)	784	KL
Durabolin (Nandrolone)	558	OR
Durone (Theobromine, B.P.C.)	865	KL
Duronitrin (Triethanolamine Trinitrate)	873	AN
Duro-Tuss (Pholcodine)	619	RK
Dymadon (Paracetamol)	682	CA

E

E.D.C. (Ethylidene Dicoumarin)	316	NS
Edrol (Ethinyloestradiol)	311	VR
Efcortelan (Hydrocortisone)	387	GL
Efcortelan (Hydrocortisone Acetate)	394	GL
Efcortelan Solution Tablets (Hydrocortisone Sodium Succinate)	389	GL
Eleparon (Heparin)	379	LW
Elixir Benadryl (Diphenhydramine Hydrochloride)	255	PD
Elliotts Clinic Emulsion (Cod Liver Oil)	161	DH
Eltroxin (Thyroxine Sodium)	882	GL
Embequin (Dihydroxyquinoline)	253	MB
Emphet (Methylamphetamine Hydrochloride)	494	VR
Emplet Ferrous Sulphate (Ferrous Sulphate)	341	PD
Endoxan-Asta (Cyclophosphamide)	176	CM
Enduron (Methyclothiazide)	513	AB
Enipreser (Reserpine)	746	MG
Ensalate (Sodium Salicylate)	774	HY
Ensobarb (Phenobarbitone)	610	HY
Entacyl (Piperazine Adipate)	625	BD
Enterocid (Phthalylsulphacetamide)	620	BS
Entero-Vioform (Iodochlorhydroxyquinoline)	428	CB
Epamal (Aminophylline)	22	PF
Ephedroid (Ephedrine Hydrochloride)	304	BW
Epheal (Ephedrine Hydrochloride)	304	AB
Ephedrobarbital (Ephedrine Hydrochloride)	304	FM
Epidione (Troxidone)	875	GA
Ergalan (Ergotamine Tartrate)	307	BD
Ergalan-B. (Ergotamine Tartrate)	307	BD
Ergane (Ergotamine Tartrate)	307	DH

Preparation	Item No.	Code
Ergodryl (Ergotamine Tartrate)	307	PD
Ergomal (Ergometrine Maleate)	306	CM
Ergomine (Ergometrine Maleate)	306	PT
Ergotart (Ergotamine Tartrate)	307	PT
Ergotart-C (Ergotamine Tartrate)	307	PT
Ergotrate (Ergometrine Maleate)	306	LY
Ermalate (Ergometrine Maleate)	306	BW
Erythrocin (Erythromycin)	308	AB
Erythrocin Abboject (Erythromycin)	308	AB
Erythrocin Granules (Erythromycin)	308	AB
Erythrocin Paediatric Drops (Erythromycin)	308	AB
Esidrex (Hydrochlorothiazide)	392	CB
Estigyn (Ethinyloestradiol)	311	BD
Estrasal (Ethinyloestradiol)	311	HY
Ethamolin (Ethanalamine Oleate)	310	GL
Etin (Ergotamine Tartrate)	307	KL
Eucerin (Wool Alcohols)	942	EV
Eumydrin (Atropine Methonitrate)	39	BA
Evacillin (Penicillin Benzyl Procaine)	593	EV
Evanules (Penicillin Benzyl Procaine)	593	EV

F

Fabacycline (Tetracycline)	860	FB
Fabacycline Paediatric Drops (Tetracycline)	860	FB
Fabacycline V (Tetracycline (Buffered))	864	FB
Fabahistin (Mebhydrolin)	520	FB
Falcopen VK (Penicillin, Phenoxymethyl (Potassium Salt))	595	FA
Falcopen V Suspension (Penicillin, Phenoxymethyl (Benzathine Salt))	595	FA
Fauldings Epsom Salts (Magnesium Sulphate)	479	FA
Fenallo (Phenolphthalein)	614	DH
Fenbital (Phenobarbitone)	610	BW
Fergon (Ferrous Gluconate)	340	WL
Fergon Elixir (Ferrous Gluconate)	340	WL
Feromax Plain (Ferrous Sulphate)	341	WY
Ferrin 55 (Ferrous Gluconate)	340	FA
Ferrivenin (Iron Oxide Saccharated)	426	FC
Ferri-Vita (Ferrous Sulphate)	341	HY
Ferro-Chel (Ferrous Aminoacetosulphate)	346	CO
Ferroids (Iron Aminoate)	432	MR
Ferro-G. Hamiltab (Ferrous Gluconate)	340	HA
Ferromyn (Ferrous Succinate)	347	CA
Ferronicum (Ferrous Gluconate)	340	SZ
Ferrose (Ferrous Gluconate)	340	DH
Fersolate (Ferrous Sulphate)	341	GL
Fibroxin (Digoxin)	247	VR
Flagyl (Metronidazole)	517	MB
Flebocortid (Hydrocortisone Sodium Succinate)	389	RM
Floraquin (Diiodohydroxyquinoline)	253	SR
Florinef (Fludrocortisone Acetate)	344	SQ
Folvite (Sodium Folate)	804	LE
Fulcin Forte (Griseofulvin)	365	IC

Preparation	Item No.	Code
Fungizone (Amphotericin B)	29	SQ
Furadantin (Nitrofurantoin)	547	SK
Furadantin Suspension (Nitrofurantoin)	547	SK
Furamide (Diloxanide Furoate)	280	BT

G

Gantrisin (Sulphafurazole)	790	RO
Gardenal (Phenobarbitone)	610	MB
Gardenal Sodium (Phenobarbitone Sodium)	611	MB
Gastrogel (Aluminium Hydroxide Gel.)	49	FM
Gastrox (Aluminium Hydroxide Gel.)	49	GP
Geloid (Aluminium Hydroxide Gel. Dried)	49	BW
Gelox (Aluminium Hydroxide)	19	PR
Gelusil (Aluminium Hydroxide Gel. Dried)	49	WW
Gerovit (Vitamins Compound)	928	FA
Gliron (Ferrous Gluconate)	340	GP
Gluciron (Ferrous Gluconate)	340	MG
Glucohaem (Ferrous Gluconate)	340	VR
Glucamax (Ferrous Gluconate)	340	WY
Gracophylline (Aminophylline)	22	AB
Grancillin (Penicillin, Phenoxymethyl (Potassium Salt))	595	IQ
Grisovin F.P. (Griseofulvin)	365	GL
Guanimycin Tablets (Streptomycin Sulphate)	781	GL
Gynergen (Ergotamine Tartrate)	307	SZ

H

Haemofort (Ferrous Sulphate)	341	CM
Haldrone (Paramethasone Acetate)	679	LY
Halotestin (Fluoxymesterone)	342	UP
Helmezine (Piperazine Phosphate)	626	GL
Helmezine Elixir (Piperazine Citrate, B.P.)	654	GL
Hemorex (Phenylephrine Hydrochloride)	617	WL
Heparin-Leo (Heparin)	379	LP
Hetrazan (Diethylcarbamazine Citrate)	244	LE
Hexa-Betalin (Pyridoxine Hydrochloride, B.P.C.)	649	LY
Hexaplex (Vitamins Compound)	928	PR
Hexavibex (Pyridoxine Hydrochloride, B.P.C.)	649	PD
Hibitane Concentrate 5% (Chlorhexidine Gluconate Solution)	181	IC
High Potency Ostelin (Calciferol)	121	GL
Histamine B.D.H. (Histamine Acid Phosphate)	384	BD
Histostab (Antazoline Hydrochloride)	34	BT
Histalart (Diphenylpyraline Hydrochloride)	278	RK
Histryl Spansules (Diphenylpyraline Hydrochloride)	278	SK
Honvan (Disodium Diethylstilboestrol Diphosphate)	263	CM
Hyalase (Hyaluronidase)	385	FC
Hyason (Hyaluronidase)	385	OR
Hycor Eye Drops (Hydrocortisone)	387	SI
Hydral (Aluminium Hydroxide)	19	CO
Hydrenox (Hydroflumethiazide)	395	BT

Preparation	Item No.	Code
Hydrid (Mersalyl Acid)	491	VR
Hydro-Adreson (Hydrocortisone)	387	OR
Hydro-Adreson (Hydrocortisone Acetate)	394	OR
Hydrocortistab Viules (Hydrocortisone Acetate)	394	B1
Hydrocortisyl (Hydrocortisone)	387	RL
Hydrocortisyl (Hydrocortisone Acetate)	394	RL
Hydrocortone (Hydrocortisone Acetate)	394	MK
Hydrocortone Ophthalmic Suspension (Hydrocortisone)	387	MK
Hydrosone (Hydrocortisone)	387	KL
Hygroton (Chlorthalidone)	184	GE
Hypette B ₁ 50 (Aneurine Hydrochloride)	32	FA
Hypette B ₁ 100 (Aneurine Hydrochloride)	32	FA
Hypothal (Rauwolfia Alkaloids)	747	CM
Hysone (Hydrocortisone)	387	PT
Hysone-A (Hydrocortisone Acetate)	394	PT
Hysterg (Ergometrine Maleate)	306	VR

I

Icipen-V (Penicillin, Phenoxyethyl (Potassium Salt))	595	IC
Ilosone (Erythromycin)	308	LY
Ilosone Pedipac (Erythromycin)	308	LY
Ilotycin (Erythromycin)	308	LY
Imferon (Dextran Iron)	236	FC
Infatabs (Sulphadiazine)	785	PD
Insoval (Phenformin)	673	WW
Insulin Berna (Insulin)	412	SE
Intravenous Efcortelan (Hydrocortisone Sodium Succinate)	389	GL
Ironate (Ferrous Gluconate)	340	KL
I.S.A. (Acetylsalicylic Acid)	4	IQ
I.S.C. (Codeine Phosphate)	160	IQ
Iserpine (Rauwolfia Alkaloids)	747	IQ
Ismelin (Guanethidine Sulphate)	364	CB
Isotiny (Isoniazid)	423	KL
Isuprel (Isoprenaline Hydrochloride)	424	WL
Isuprel 1 : 5,000 (Isoprenaline Hydrochloride)	424	WL
I.V. Fluid (Darrow's Solution)	231	FH
I.V. Fluid (Dextrose)	238	FH
I.V. Fluid (Sodium Chloride)	768	FH
I.V. Fluid (Sodium Chloride Compound)	811	FH
I.V. Fluid (Sodium Chloride Compound and Dextrose)	814	FH
I.V. Fluid (Sodium Chloride and Dextrose)	769	FH
I.V. Fluid (Sodium Lactate)	771	FH
I.V. Fluid (Sodium Lactate-Compound)	812	FH
I.V. Fluid (Sodium Lactate-Compound and Dextrose)	813	FH

J

Jeetofe (Iron-Carbohydrate Complex)	430	AP
Johnson's Caustic Pencil (Silver Nitrate)	809	SL

Preparation	Item No.	Code
K		
Kaloplasm (Kaolin, Heavy)	451	FA
Kaomycin (Neomycin Sulphate) and Kaolin ..	559	UP
Kapilin (Acetomenaphthone)	3	GL
Kapilin (Menaphthone)	484	GL
Kavitine (Acetomenaphthone)	3	KL
Kayvite (Acetomenaphthone)	3	SI
Kemadrin (Procyclidine Hydrochloride) ..	640	BW
Kenacort (Triamcinolone)	887	SQ
Kinaden (Hyaluronidase)	385	SC
Kirocid (Sulphamethoxydiazine)	817	SC
Klemidox (Clemizole Hydrochloride)	180	GP
Kolpon (Oestrone, B.P.C. 1954)	563	OR
Konakion (Phytomenadione)	666	RO
K-Thrombin (Vitamin K)	927	FM
K-Thrombin (Aqueous) (Menaphthone) ..	484	FM
60 KX (Phenoxymethyl, Penicillin (Potassium Salt))	595	DF
125 KX (Phenoxymethyl, Penicillin (Potassium Salt))	595	DF
250 KX (Phenoxymethyl, Penicillin (Potassium Salt))	595	DF

L		
Lanoxin (Digoxin)	247	BW
Lanoxin Paediatric Elixir (Digoxin)	247	BW
Largactil (Chlorpromazine Hydrochloride) ..	179	MB
Ledercort (Triamcinolone)	887	LE
Ledermycin (Demethylchlortetracycline Hydrochloride)	267	LE
Ledermycin Drops (Demethylchlortetracycline Hydrochloride)	267	LE
Ledermycin Syrup (Demethylchlortetracycline Hydrochloride)	267	LE
Lederkyn (Sulphamethoxypyridazine)	794	LE
Lederkyn Suspension (Sulphamethoxypyridazine N-Acetyl)	807	LE
Leo (Dihydrostreptomycin Sulphate)	251	LP
Lethidrone (Nalorphine Hydrobromide)	541	BW
Lethidrone Neonatal (Nalorphine Hydrobromide)	541	BW
Leucarsone (Carbasone)	133	MB
Leukeran (Chlorambucil)	144	BW
Levophed (Noradrenaline Acid Tartrate) ..	549	WL
Linctus Tussinol (Pholcodine)	619	GP
Lipo-Hepin (Heparin)	379	RK
Lissapol (Lissapol)	995	IC
Listabs (Prednisolone)	634	CO
Listabs (Prednisone)	635	CO
Lofenalac (Phenylalanine Low Content Formula)	653	CM
L.P.V. Oral Suspension (Penicillin, Phenoxymethyl (Calcium Salt))	595	CS
Lubarol (Paraffin Liquid)	588	DH
Lutocyclin (Ethisterone)	312	CB

Preparation	Item No.	Code
Lutocyclin (Progesterone)	641	CB
Lutoral (Ethisterone)	312	VR
Lynoral (Ethinyloestradiol)	311	OR
Lysivane (Ethopropazine Hydrochloride) ..	313	MB

M

Madribon (Sulphadimethoxine)	787	RO
Magnoplasm (Magnesium Sulphate)	479	FA
Magnos (Magnesium Bicarbonate Solution) ..	476	FA
Magtroxal (Aluminium Hydroxide Gel.) ..	49	VR
Malidone (Aloxidone)	17	BS
M. & B. 693 (Sulphapyridine, B.P.C.) ..	796	MB
Mandelamine (Methenamine Mandelate) ..	507	WW
Mandelamine Hafgrams (Methenamine Mandelate)	507	WW
Medrol (Prednisolone Methyl)	657	UP
Medrol Eye Ointment (Prednisolone Methyl) ..	657	UP
Megacillin (Penicillin Benzyl Procaine) ..	593	FA
Megimide (Bemegride,)	87	NS
Menformon (Oestrone, B.P.C. 1954)	563	OR
Mephobarbital (Methylphenobarbitone, B.P.C.)	514	PH
Merbentyl (Dicyclomine Hydrochloride) ..	274	ML
Mercloran (Chlormerodrin)	149	PD
Mesantoin (Methoin)	492	SZ
Metem (Aluminium Hydroxide Gel.)	44	CH
Metestine (Testosterone Methyl)	853	KL
Methopt (Methylcellulose A.P.F.)	497	SI
Mestinon (Pyridostigmine Bromide)	648	RO
Methamine (Methylamphetamine Hydrochloride)	494	KL
Methedrine (Methylamphetamine Hydrochloride)	494	BW
Methergin (Methylergometrine Maleate) ..	498	SZ
Methyl Diol (Methylandrostenediol)	496	MR
Meticortelone (Prednisolone)	634	SH
Meticorten (Prednisone)	635	SH
Metilar (Paramethasone Acetate)	679	IC
Mevasine (Mecamylamine)	482	MK
Midicel (Sulphamethoxypyridazine)	794	PD
Midicel Acetyl Suspension (Sulphamethoxypyridazine N-Acetyl)	807	PD
Milibis (Bismuth Glycolylarsanilate)	95	WL
Milontin (Phensuximide)	615	PD
Minafen (Phenylalanine Low Content Formula)..	653	TF
Monodral (Penthienate)	675	WL
Mortha (Morphine with Tacrine)	515	WH
Multisulpha (Sulphonamides, Mixed (B): Three Sulphonamides)	796	KL
Multisulphettes (Sulphonamides, Mixed (B): Three Sulphonamides)	796	KL
Multivite-Six (Vitamins Compound)	928	BD
Mycardol (Pentaerythritol Tetranitrate) ..	597	WL
Mycitracin Ophthalmic Ointment (Polymyxin B. Sulphate)	629	UP
Mycostatin (Nystatin)	550	SQ
Myleran (Busulphan)	99	BW

Preparation	Item No.	Code
Mylipen (Penicillin Benzyl Procaine)	593	GL
Mylodorm (Amylobarbitone)	30	GP
Mylosed (Amylobarbitone)	30	VR
Mylosed Compound (Aminophylline)	22	VR
Myoerisin (Sodium Aurothiomalate)	765	MB
Mysoline (Primidone)	637	IC
Mysteclin-V. (Tetracycline with Nystatin) ..	862	SQ
Mysteclin-V Improved (Tetracycline (Buffered) with Amphotericin B)	890	SQ

N

Nabita (Bismuth Sodium Tartrate)	104	FA
Na-Clex (Hydroflumethiazide)	395	GL
Napent (Pentobarbitone Sodium)	598	RD
Natigoxin (Digoxin)	247	GA
Navidrex (Cyclophen Thiazide)	187	CB
N.B.P. Eye Drops (Polymyxin B. Sulphate) ..	629	DH
N.B.P. Eye Ointment (Polymyxin B. Sulphate)	629	DH
Nembudeine (Phenacetin)	650	AB
Nembutal (Pentobarbitone Sodium)	598	AB
Nembutal Compound (Pentobarbitone Sodium Compound)	599	AB
Nemdro (Neomycin Sulphate Eye Drops) ..	553	HA
Neo Avagal (Methscopolamine Bromide) ..	509	AN
Neocodsol (Codeine Phosphate)	160	KL
Neo NaClex (Bendrofluazide)	106	GL
Neo-Epinine (Isoprenaline Sulphate)	425	BW
Neo-Ferrum Intravenous (Iron Oxide Saccharated)	426	CK
Neo-Ferrum Liquid (Ferric Hydroxide)	348	CK
Neo-Flumen (Hydrochlorothiazide)	392	GA
Neo-Hombreol (Testosterone)	852	OR
Neo-Hombreol (Testosterone Propionate) ..	855	OR
Neo-Mercazole (Carbimazole)	134	BS
Neo-Oestrogenine (Dienoestrol)	242	FM
Neopt (Neomycin Sulphate Eye Drops)	553	SI
Neosporin (Polymyxin B. Sulphate)	629	BW
Neosporin Ophthalmic Ointment (Polymyxin B. Sulphate)	629	BW
Neo-Synephrine Sterile Solution (Phenylephrine Hydrochloride)	617	WL
Neotracin Eye Drops (Polymyxin B. Sulphate)..	629	AN
Neotracin Ophthalmic Ointment (Polymyxin B. Sulphate)	629	AN
Nephrenal (Plain) (Isoprenaline Sulphate) ..	425	CM
Neptazane (Methazolamide)	511	LE
Neutrapen (Penicillinase)	651	RK
Neutrasol (Acetylsalicylic)	4	PR
Neotratabs (Aluminium Hydroxide Gel. Dried)	49	HA
Nilergex (Isohipendyl Hydrochloride)	431	IC
Nilodin (Lucanthone Hydrochloride)	462	BW
Nivaquine (Chloroquine Base)	150	MB
Nobecutane (Acrylic Resin)	991	EV
Nollipyrin (Codeine Phosphate)	160	KL

Preparation	Item No.	Code
Norisodrine (Isoprenaline Sulphate)	425	AB
Noshok Caustic Pencil (Silver Nitrate)	809	YF
Novo-Evans (Insulin)	412	EV
Novo-Evans (Insulin Protamine Zinc)	415	EV
Novo-Evans Lente (Insulin Zinc)	417	EV
Novo-Evans Semilente (Insulin Zinc)	417	EV
Novo-Evans Ultralente (Insulin Zinc)	417	EV
Novosol (Ohloroxylenol)	152	FA
Novosprin (Acetylsalicylic Acid)	4	VR
N.P. 433 (Acetylsalicylic Acid Compound)	5	NS
Nuseals (Sodium Salicylate)	774	LY

O

Ocsetan (Sulphacetamide Sodium)	784	EV
Oestroform B.D.H. (Oestradiol Benzoate)	562	BD
Oestrogenine (Hexoestrol)	382	FM
Omnopon (Papaveretum, B.P.C.)	583	RO
Omnopon-Scopolamine (Papaveretum with Hyoscine Hydrobromide)	584	RO
Opsulmide (Sulphacetamide Sodium)	784	MG
Optimyxin (Polymyxin B. Sulphate)	629	BS
Optipen (Phenethicillin)	672	CS
Optisone Eye Drops (Hydrocortone)	387	HA
Optisone Eye Ointment (Hydrocortone)	387	HA
Oradexon (Dexamethasone)	234	OR
Oradexon (Dexamethasone Sodium Phosphate)	273	OR
Orisul (Sulphaphenazole)	808	CB
Oroxine (Thyroxine Sodium)	882	BW
Orpidan (Chlorazanyl)	146	SI
Orum-Vite (Vitamins Compound)	928	VR
Ovocyclin (Oestradiol Dipropionate)	561	CB

P

P.2G. Solerosant (Phenol)	613	BT
Pacitone (Acetylsalicylic Acid Compound)	5	RD
Pagitane (Cycrimine Hydrochloride)	177	LY
Palatinoid (Pancreatin)	581	OP
Paludrine (Proguanil Hydrochloride)	643	IC
Pamine (Methscopolamine Bromide)	509	UP
Panadol (Paracetamol)	682	WL
Panafcort (Prednisone)	635	PT
Panafcortelone (Prednisolone)	634	PT
Pancreatin Powder (Pancreatin)	581	PD
Panheprin Abboject (Heparin)	379	AB
Panmycin (Tetracycline)	860	UP
Panmycin Aquadrops (Tetracycline)	860	UP
Panmycin KM Suspension (Tetracycline (Buffered))	864	UP
Panmycin M (Buffered) (Tetracycline (Buffered))	846	UP
Panteric Tablets (Pancreatin)	581	PD
Paracortol (Prednisolone)	634	PD
Paradione (Paramethadione)	590	AB
Paragel (Paraffin Liquid)	588	SI

Preparation	Item No.	Code
Paramisan Sodium (Sodium Aminosalicylate) ..	773	SN
Paramul (Paraffin Liquid)	588	MG
Parasal Sodium (Sodium Aminosalicylate) ..	773	CM
Parentosol B12 (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	CM
Parentosol B12 (Cyanocobalamin 1,000 Microgramme Strength)	173	CM
Parmol (Paracetamol)	682	KL
Parpanit Forte (Caramiphen Hydrochloride) ..	131	GE
Pasan (Sodium Aminosalicylate)	773	KL
Pastamag (Magnesium Sulphate)	479	DH
Paxyl (Benzalkonium Chloride)	102	FA
P.B. Tabs. (Phenobarbitone)	610	AB
P.B.C. (Phenacetin)	650	PR
Pectolin (Pholcodine)	619	FA
Pegalone (Ethotoin)	325	AB
Penalco (Pentobarbitone Sodium Compound) ..	599	CO
Pendorm (Pentobarbitone Sodium)	598	GP
Penicillin Crystalline (Penicillin, Benzyl) ..	592	DH
Peni-Set (Penicillin, Benzyl)	592	DH
Peni-Vee-K (Penicillin, Phenoxymethyl (Potassium Salt))	595	DH
Peni-Vee Suspension D.H.A. (Penicillin, Phenoxymethyl (Potassium Salt))	595	DH
Pensig (Phenethicillin)	672	SI
Pensol (Penicillin, Benzyl)	592	GL
Pentacarb (Pentobarbitone Sodium Compound) ..	599	MG
Pentacode (Phenacetin)	650	MG
Pentagen (Pentaerythritol Tetranitrate) ..	597	HY
Pental (Pentobarbitone Sodium)	598	IQ
Pentalgin (Phenacetin)	650	FM
Pentarit (Pentaerythritol Tetranitrate) ..	597	RK
Pentonal Co. (Phenacetin)	650	KL
Pentone (Pentobarbitone Sodium)	598	FA
Pentosol (Pentobarbitone Sodium)	598	AB
Penvee-S (Penicillin, Phenoxymethyl (Free Acid))	595	IC
Perandren (Testosterone)	852	CB
Perandren (Testosterone Propionate)	855	CB
Perazil (Chloreycizine Hydrochloride)	148	BW
Percorten (Deoxycortone Acetate)	232	CB
Periactin (Cypheptadine)	185	MK
Peritrate (Pentaerythritol Tetranitrate) ..	597	WW
Perolysen (Pempidine Tartrate)	664	MB
Persantin (Pyrimido-Pyrimidine)	663	FA
Petab (Pentobarbitone Sodium)	598	KL
Pethanal (Pethidine Hydrochloride)	604	CM
Pethilorfan (Pethidine and Levallorphan Tartrate)	665	RO
Petiscol (Pethidine and Scopolamine)	605	KL
Petrolagar (Paraffin Liquid)	588	WY
Phanodrom (Cyclobarbitone)	174	BA
Phenacodeine (Codeine Phosphate)	160	MR
Phenadeen (Phenacetin)	650	RD
Phendone (Phenindione)	609	PX
Phenergan (Promethazine Hydrochloride) ..	644	MB

Preparation	Item No.	Code
Phenodren (Ephedrine Hydrochloride)	304	DH
Phen-o-Phos (Phenacetin)	650	HY
Pholevan (Pholcodine)	619	EV
Pholtrate (Pholcodine)	619	MG
Phospholine Iodide (Ecothiopate Iodide) ..	328	CF
Phyline (Aminophylline)	22	CO
Physeptone (Methadone Hydrochloride) ..	517	BW
Physex Leo (Chorionic Gonadotrophin B.P.) ..	156	LP
Pilopt (Pilocarpine Nitrate)	624	SI
Pipanol (Benzhexol Hydrochloride)	89	WL
Piperate (Piperazine Citrate, B.P.)	654	MG
Piptal (Pipenzolate)	667	SI
Piptal Paediatric (Pipenzolate)	667	SI
Piriton (Chlorpheniramine Maleate)	175	GL
Piriton Duolets (Chlorpheniramine Maleate) ..	175	GL
Piriton Syrup (Chlorpheniramine Maleate) ..	175	GL
Pitocin (Oxytocin)	569	PD
Piton (Pituitary Posterior Lobe) (B.P.C.) ..	627	BP
Pitressin (Vasopressin)	921	PD
Pitressin Tannate in Oil (Vasopressin Tannate in Oil)	922	PD
Pituitrin O (Pituitary Posterior Lobe, B.P.C.) ..	627	PD
Placyl Hamiltab (Cyclobarbitone)	174	HA
Plaquenil (Hydroxychloroquine Sulphate) ..	396	WL
Plesmet (Ferrous Aminoacetosulphate)	346	BP
Plesmet Syrup (Ferrous Aminoacetosulphate) ..	346	BP
Pluryl (Bendrofluazide)	106	AN
Polaramine (Dextrochlorpheniramine Maleate) ..	269	SH
Polaramine Repetabs (Dextrochlorpheniramine Maleate)	269	SH
Polivitab (Vitamins Compound)	928	AB
Polmix Ear Drops (Polymyxin B. Sulphate) ..	629	KL
Polmix Eye Drops (Polymyxin B. Sulphate) ..	629	KL
Polydro Ear Drops (Polymyxin B. Sulphate) ..	629	HA
Polydro Eye Drops (Polymyxin B. Sulphate) ..	629	HA
Polydro B.N. (Polymyxin B. Sulphate)	629	HA
Polyhaemen (Ferrous Sulphate)	341	GP
Polymyxin Co. (Polymyxin B. Sulphate)	629	IQ
Polytracin-N Eye Drops (Polymyxin B. Sulphate) ..	629	GL
Polytracin-N Eye Ointment (Polymyxin B. Sulphate)	629	GL
Potaspen (Penicillin, Phenoxymethyl (Potassium Salt))	595	AN
Poulticine (Kaolin, Heavy)	451	AL
Praenitron (Triethanolamine Trinitrate) ..	873	SC
Precortisyl (Prednisolone)	634	RL
Prednelan (Prednisolone)	634	GL
Predsol (Prednisolone Disodium Phosphate) ..	656	GL
Predsol Retention Enema (Prednisolone Disodium Phosphate)	656	GL
Pregnyl (Chorionic Gonadotrophin B.P.)	156	OR
Primocort (Deoxycortone Acetate)	232	SC

Preparation	Item No.	Code
Primogonyl (Chorionic Gonadotrophin B.P.) ..	156	SC
Primogyn C (Ethinyloestradiol) ..	311	SC
Primoteston Depot (Testosterone Oenanthate) ..	854	SC
Princode (Codeine Phosphate) ..	160	RC
Priscol (Tolazoline Hydrochloride) ..	870	CB
Pro-Banthine (Propantheline Bromide) ..	660	SR
Procillin A.S. (Penicillin Benzyl Procaine) ..	593	DH
Proctoids (Belladonna) ..	86	WY
Prodol (Acetylsalicylic Acid) ..	4	NB
Prodol Co (Codeine Phosphate) ..	160	NB
Progestin (B.D.H.) (Progesterone) ..	641	BD
Progestin (Organon) (Progesterone) ..	641	OR
Progestin I.V. (Organon) (Progesterone) ..	641	OR
Progestoral (Ethisterone) ..	312	OR
Prokayvit (Acetomenaphthone) ..	3	BD
Prokayvit (Menaphthone) ..	484	BD
Proloid (Thyroid) ..	868	WW
Proluton (Progesterone) ..	641	SC
Proluton Depot (Progesterone Depot) ..	642	SC
Proluton C (Ethisterone) ..	312	SC
Prominal (Methylphenobarbitone, B.P.C.) ..	514	BA
Promitone (Methylphenobarbitone, B.P.C.) ..	514	KL
Pronestyl (Procainamide Hydrochloride) ..	638	SQ
Propen-VK (Penicillin, Phenoxymethyl (Potassium Salt)) ..	595	PT
Proquinal (Quinalbarbitone Sodium) ..	721	PT
Pro-Stabillin A.S. (Penicillin Benzyl Procaine) ..	593	BT
Prostigmin (Neostigmine Bromide) ..	542	RO
Prostigmin (Neostigmine Methylsulphate) ..	543	RO
Protamine Zinc Insulin Berna (Insulin Protamine Zinc) ..	415	SE
Protona (Androstanolone) ..	47	DF
Provoprin (Acetylsalicylic Acid) ..	4	DH
Pularin (Heparin) ..	379	EV
Purinethol (Mercaptopurine) ..	489	BW
Purodigin (Digitoxin, B.P.C.) ..	246	WY
Puroverine (Protoveratrine A) ..	647	SZ
P.V.K. (Penicillin, Phenoxymethyl (Potassium Salt)) ..	595	LY
P.V.K. Pedipac (Penicillin, Phenoxymethyl (Potassium Salt)) ..	595	LY
P.V.K. Pulvules (Penicillin, Phenoxymethyl (Potassium Salt)) ..	595	LY
Pyelectan (Iodoxyl) ..	419	GL
Pyelectan Retrograd (Iodoxyl) ..	419	GL
Pyribenzamine (Tripelennamine Hydrochloride) ..	885	CB
Pyridermine (Pyridoxine Hydrochloride, B.P.C.) ..	649	CM
Pyridium (Phenazopyridine Hydrochloride) ..	678	WW
Pyrivel (Pyridoxine Hydrochloride, B.P.C.) ..	649	VM
Pyrroxin (Pyridoxine Hydrochloride, B.P.C.) ..	649	KL

Q

Q.B. Tabs (Quinalbarbitone Sodium, B.P.) ..	721	DH
QT. Cement (Surgical Cement) ..	997	JA
Quillatone (Quinalbarbitone Sodium, B.P.) ..	721	RD

Preparation	Item No.	Code
Quillatone "M" (Quinalbarbitone Sodium B.P.)..	721	RD
Quinbarbium (Quinalbarbitone Sodium, B.P.) ..	721	MG
Quindorm (Quinalbarbitone Sodium, B.P.) ..	721	GP
Quinidine Hamiltab (Quinidine Sulphate) ..	722	HA
Quinoid (Quinine Bisulphate)	723	BW

R

Radiostol (Calciferol)	121	BD
Rastinon (Tolbutamide)	871	FM
Raudixin (Rauwolfia Alkaloids)	747	SQ
Rautensin (Rauwolfia Alkaloids)	747	PT
Rauwiloid (Rauwolfia Alkaloids)	747	RK
Rectinol (Benzocaine)	90	GP
Resedrex Hamiltab (Reserpine)	746	HA
Reserpin (Reserpine)	746	AN
Resochin (Chloroquine Base)	150	FB
Restal (Amylobarbitone)	30	HA
Reverin (Pyrrolidino-Methyl-Tetracycline) ..	661	HP
Reverin I.M. (Pyrrolidino-Methyl-Tetracycline)..	661	HP
Rimifon (Isoniazid)	423	RO
Ro-A-Vit (Vitamin A)	924	RO
Rondase (Hyaluronidase)	385	EV
Rovamycin (Spiramycin)	806	MB
Rox (Prednisolone)	634	RT
Rox (Thyroxine Sodium)	882	RT
Rubramin Parenteral Solution (Cyanocobalamin excluding 1,000 Microgramme Strength) ..	172	SQ
Ryser (Reserpine)	746	KL

S

Salazopyrin (Salicylazosulphapyridine)	803	MR
Salco (Chlorobenzol-Disulphonamide))	183	NS
Salminsulfin (N.P.H.) Berna (Insulin Isophane (N.P.H.))	414	SE
Salyrgan (Mersalyl Acid)	491	BA
Samid (Salicylamide)	818	KL
Sandosten + Calcium (Thenalidine Tartrate) ..	880	SZ
Sandosten Calcium Syrup (Thenalidine Tartrate)	880	SZ
Sedas (Aminophylline)	22	CK
Scherisolon (Prednisolone)	634	SC
Scherisolon (Prednisolone Acetate)	655	SC
Scheroson (Cortisone Acetate)	169	SC
Scheroson F (Hydrocortisone Acetate)	394	SC
Scheroson F Ophthalmicum (Hydrocortisone) ..	387	SC
Scorbettes (Ascorbic Acid)	37	PR
Seclomycin (Penicillin with Streptomycin) ..	596	GL
Seconal Sodium (Quinalbarbitone Sodium, B.P.)	721	LY
Seconal Sodium Pulvules (Quinalbarbitone Sodium, B.P.)	721	LY
Seclisol (Penicillin with Streptomycin)	596	GL
Sedal (Amylobarbitone)	30	FA
Sedlingtus (Pholcodine)	619	VR
Sednaco (Pholcodine)	619	GL

Preparation	Item No.	Code
Senokot (Senna Fruit Extract (Standardised)) ..	816	RC
Serfia (Rauwolfia Alkaloids)	747	KL
Serpasil (Reserpine)	746	CB
Serpiloid (Reserpine)	746	RK
Serpina (Rauwolfia Alkaloids)	747	PV
Sigma Golden Eye Ointment (Mercuric Oxide)..	490	SI
Sigma Lysol (Cresol and Soap Solution) ..	170	SI
Siguent Bacomycin (Polymyxin B. Sulphate) ..	629	SI
Siquent Hycor (Hydrocortisone)	387	SI
Sintrom (Nicoumalone)	551	GE
Siopel (Polydimethylsiloxanes)	996	IC
Sixavite (Vitamins Compound)	928	KL
Sobee Instant Powder (Soya Formula)	805	CM
Sobee Liquid (Soya Formula)	805	CM
Sodepent (Pentobarbitone Sodium)	598	MG
Sodium Sedal (Amylobarbitone Sodium)	31	FA
Sodium Versenate (Disodium Dihydrogen Ver- senate)	272	RK
Solacetyl (Acetylsalicylic Acid)	4	MG
Solasco (Acetylsalicylic Acid Compound) ..	5	MG
Solcetas (Acetylsalicylic Acid)	4	BW
Solcode (Codeine Phosphate)	160	RC
Solcodein (Codeine Phosphate)	160	MG
Solganal-B-Oleosum (Aurothioglucose)	41	SC
Solgesil (Codeine Phosphate)	160	DH
Solprin (Acetylsalicylic Acid)	4	RC
Solusal Hamiltab (Acetylsalicylic Acid) ..	4	HA
Solusal-Co Hamiltab (Codeine Phosphate) ..	160	HA
Solupen (Penicillin, Benzyl)	592	DL
Solu-Cortef (Hydrocortisone Sodium Succinate)..	389	UP
Soluvac (Darrow's Solution)	231	DH
Soluvac (Dextrose)	238	DH
Soluvac (Potassium Chloride)	631	DH
Soluvac (Sodium Chloride)	768	DH
Soluvac (Sodium Chloride Compound)	811	DH
Soluvac (Sodium Chloride Compound and Dex- trose)	814	DH
Soluvac (Sodium Chloride and Dextrose) ..	769	DH
Soluvac (Sodium Lactate)	771	DH
Soluvac (Sodium Lactate Compound)	812	DH
Soluvac (Sodium Lactate Compound and Dextrose)	813	DH
Soluvac (Sodium Sulphate)	775	DH
Soluvone (Penicillin with Streptomycin) ..	596	DL
Sol-Viules (Penicillin, Benzyl)	592	BT
Somnital (Pentobarbitone Sodium)	598	PR
Soneryl (Butobarbitone)	100	MB
S-Mez (Sulphadimidine)	788	IC
S-Mez (Sulphadimidine Sodium)	789	IC
Stabillin-V (Penicillin, Phenoxymethyl (Calcium Salt))	595	BT
Steclin (Tetracycline)	860	SQ
Steclin-V (Tetracycline (Buffered))	864	SQ
Steclin-V Paediatric Drops (Tetracycline Buffered))	864	SQ
Steclin-V Syrup (Tetracycline (Buffered)) ..	864	SQ

Preparation	Item No.	Code
Stelazine (Trifluoperazine)	889	SK
Stenediol (Methylandrostenediol)	496	OR
Steriflex No. 1 (Sodium Chloride)	768	GL
Steriflex No. 3 (Sodium Chloride and Dextrose) ..	769	GL
Steriflex No. 6 (Dextrose)	238	GL
Sterogyl (Calciferol)	121	RL
Sterop (Hydrocortisone)	387	AN
Sterop (Pilocarpine Nitrate)	624	AN
Stovarsol (Acetarsol)	1	MB
Strepolin 25% (Streptomycin Sulphate) ..	781	GL
Strepolin 33 1/3% (Streptomycin Sulphate)	781	GL
Strepolin 50% (Streptomycin Sulphate) ..	781	GL
Streptaquaine (Streptomycin Sulphate) ..	781	DL
Streptevan (Streptomycin Sulphate) ..	781	EV
Strept-Evanules (Streptomycin Sulphate)	781	EV
Streptomagma (Dihydrostreptomycin Sulphate)	251	WY
Streptomycin Intrathecal (Streptomycin Sulphate)	781	DL
Sulphaco (Sulphonamides, Mixed (B): Three Sulphonamides)	796	CM
Sulphaco-Mitis (Sulphonamides, Mixed (B): Three Sulphonamides)	796	CM
Sulphadiazinettes (Sulphadiazine)	785	KL
Sulpha-Dimerazole (Sulphonamides, Mixed (B): Three Sulphonamides)	796	VR
Sulphadital (Sulphanomides, Mixed (B): Three Sulphanomides)	796	FM
Sulphalyl (Phthalylsulphacetamide)	620	KL
Sulphamezathine (Sulphadimidine)	788	IC
Sulphasuxidine (Succinylsulphathiazole)	783	MK
Sulphathilidine (Phthalylsulphathiazole) ..	621	MK
Sulphatriad (Sulphonamides, Mixed (B): Three Sulphonamides)	796	MB
Sulphatriad (Flavoured) (Sulphonamides, Mixed (B): Three Sulphonamides)	796	MB
Sulphonamix (Sulphonamides, Mixed (B): Three Sulphonamides)	796	SI
Sus-Pen-V (Penicillin, Phenoxymethyl (Calcium Salt))	595	BT
Sustanon '250' (Sustanon)	800	OR
S.V.C. (Acetarsol)	1	MB
Synermycin (Tetracycline with Oleandomycin) ..	863	PF
Synermycin I.M.I. (Tetracycline with Oleandomycin)	863	PF
Synermycin Oral Paediatric Drops (Tetracycline with Oleandomycin)	863	PF
Synermycin Oral Suspension (Tetracycline with Oleandomycin)	863	PF
Synkamine (Menaphthone)	484	PD
Synkamine (Vitamin K)	927	PD
Synkavit (Acetomenaphthone)	3	RO
Synkavit (Menaphthone)	484	RO
Synthanal (Methadone Hydrochloride)	517	CM
Syntocinon (Oxytocin)	569	SZ

Preparation	Item No.	Code
T		
Tabloid (Aminophylline)	22	BW
Tabloid (Digitalis, Prepared)	245	BW
Tabloid (Ergometrine Maleate)	306	BW
Tabloid (Quinidine Sulphate)	722	BW
Tabloid (Sodium Citrate)	770	BW
Tabloid (Stilboestrol)	780	BW
Tabloid (Sulphadiazine)	785	BW
Tabloid (Sulphaguanidine)	791	BW
Tabloid (Thyroid)	868	BW
Tabpen-VK (Penicillin, Phenoxymethyl (Potassium Salt)	595	BT
Talecid (Phthalylsulphacetamide)	620	SC
Tartamin (Ergotamine Tartrate)	307	VR
Taurogate (Sodium Tauroglycocholate)	776	DH
Te Anatoxin Berna (Tetanus Toxoid (B.P.))	857	SE
Tebos (Isoniazid)	423	HY
Tedral (Ephedrine Hydrochloride)	304	WW
Telmid (Dithiazanine Iodide)	270	LY
Tenormal (Pempidine Tartrate)	664	IC
Tenserp (Reserpine)	746	VR
Tergorate (Ergotamine Tartrate)	307	MG
Terramycin (Oxytetracycline Dihydrate)	566	PF
Terramycin (Oxytetracycline Hydrochloride)	567	PF
Terramycin (Oxytetracycline Ophthalmic Suspension)	568	PF
Terramycin Oral Suspension (Oxytetracycline Hydrochloride)	567	PF
Terramycin Oral Paediatric Drops (Oxytetracycline Hydrochloride)	567	PF
Tes-Tape (Glucose Indicator)	366	LY
Testine (Testosterone Propionate)	855	KL
Testogenine (Testosterone Methyl)	853	FM
Testogenine (Testosterone Propionate)	855	FM
Testoviron (Testosterone)	852	SC
Testoviron (Testosterone Propionate)	855	SC
Tetanus Antitoxin Berna (Tetanus Antitoxin)	856	SE
Tetracyn (Tetracycline)	860	PF
Tetracyn Ointment Ophthalmic (Tetracycline)	860	PF
Tetracyn Oral Suspension (Tetracycline)	860	PF
Tetracyn-V (Tetracycline (Buffered))	864	PF
Tetracyn-V Oral Suspension (Tetracycline (Buffered))	864	PF
Tetracyn-V Paediatric Drops (Tetracycline (Buffered))	864	PF
T.H.A. (Tacrine)	892	WH
Thalacet (Phthalylsulphacetamide)	620	VR
Thalazole (Phthalylsulphathiazole)	621	MB
Theobarb (Theobromine, B.P.C.)	865	AB
Theophen Hamiltab (Aminophylline)	22	HA
Thephorin (Phenindamine Tartrate)	608	RO
Thiacaine (Aneurine Hydrochloride)	32	VR
Thiamitab (Aneurine Hydrochloride)	32	AB

Preparation	Item No.	Code
Thiamital (Aneurine Hydrochloride)	32	AB
Thiomerin Sodium (Mercaptomerin Sodium) ..	488	WY
Thiosulfil (Sulphamethizole)	793	AY
Three Sulphas (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AD
Thromboliquine (Heparin)	379	OR
Thypron (Potassium Perchlorate)	688	PH
Thyroxinal (Thyroxine Sodium)	882	FM
Toline (Tolazoline Hydrochloride)	870	KL
Tosmilen (Demecarium Bromide)	279	AP
Tral Film Tabs (Hexocyclium Methyl Sulphate)	398	AB
Tral Gradumets (Hexocyclium Methyl Sulphate)	398	AB
Triagin (Glyceryl Trinitrate)	363	HY
Triazol Dulcets (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AB
Tricoloid (Tricyclamol Chloride)	888	BW
Tridione (Troxidone)	875	AB
Tridis (Acetylsalicylic Acid Compound)	5	RC
Triple Antigen (Diphtheria Tetanus and Pertussis Vaccine, B.P.)	259	CS, GL, PD
Triple Sulpha (Sulphonamides, Mixed (B): Three Sulphonamides)	796	TO
Triple Sulphonamides (Sulphonamides, Mixed (B): Three Sulphonamides)	796	FA
Triplopen (Pencillin Benethamine)	652	GL
Triposol (Penicillin Benethamine)	652	GL
Triposulph (Sulphonamides, Mixed (B): Three Sulphonamides)	796	DH
Trisil (Magnesium Trisilicate)	480	DH
Trisulpha (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AN
Trisulfettes (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AN
Tri-Test (Castor Oil)	138	WD
Trivax (Diphtheria Tetanus and Pertussis Vaccine, B.P.)	259	BW
Troid (Thyroid)	868	GP
Trombolyzan (Ethyl Biscoumacetate)	315	GE
Tynees (Acetylsalicylic Acid)	4	WO
Tyrimide (Isopropamide Iodide)	429	SK

U

Ultandren (Fluoxymesterone)	342	CB
Ultracortenol (Prednisolone Trimethylacetate) ..	680	CB
Ung. Poly-B.N. (Polymyxin B. Sulphate)	629	HA
Univite (Vitamins Compound)	928	PH
Urolocosil (Sulphamethizole)	793	WW
Uropac (Iodoxyl)	419	MB
Uroselectan-B 75% (Iodoxyl)	419	SC

Preparation	Item No.	Code
V		
VAAM-D.H.Q. (Diiodohydroxquinoline)	253	VR
Vanquin (Viprynum Embonate)	929	PD
Vanquin Suspension (Viprynum Embonate)	929	PD
Vasitrin (Glyceryl Trinitrate)	363	DH
Veecillin (Penicillin, Phenoxymethyl (Potassium Salt))	595	CM
Veecillin Oral Suspension (Pencillin, Phenoxymethyl (Calcium Salt)	595	CM
Veganin (Codeine Phosphate)	160	WW
Vegolysen T (Hexamethonium Tartrate)	381	MB
Velacycline (Pyrrolidino-Methyl-Tetracycline)	661	SQ
Veracolate (Sodium Tauroglycocholate)	776	WW
Veriloid (Veriloid)	923	RK
Veroxil (Piperazine Phosphate)	626	CK
Versotrane Triple Strength (Phenylmercuric Dinaphthylmethane Disulphate)	674	WB
Viadol (Vitamins A and D)	926	DH
Vibafort (Aneurine Hydrochloride)	32	CM
Vibafort Parentosol (Aneurine Hydrochloride)	32	CM
Vibex Steri-Vial (Aneurine Hydrochloride)	32	PD
Vibion Forte (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	AN
Vibion 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	AN
Vicin (Penicillin, Phenoxymethyl (Benzathine Salt))	595	KL
Vicin Oral Suspension (Penicillin, Phenoxymethyl (Benzathine Salt))	595	KL
Viokase (Pancreatin Enzyme)	676	AN
Viraxacillin (Penicillin Benzyl Procaine)	593	VR
Vitabin (Aneurine Hydrochloride)	32	AN
Vitacin (Ascorbic Acid)	37	AN
Vitamin B ₁₂ -Organon (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	OR
Vitaminorum (Vitamins Compound)	928	AD, DH HY, PD SI
Vitavel K (Menaphthone)	484	VM
Viules (Adrenaline Acid Tartrate)	14	BT
Viules (Atropine Sulphate)	40	BT
Viules (Hyoscine Hydrobromide)	391	BT
Viules (Mersalyl Acid)	491	BT
Viules (Morphine Sulphate)	501	BT
Viules (Morphine with Atropine)	502	BT
Viules (Nikethamide)	546	BT
Viules (Papaveretum, B.P.C.)	583	BT
Viules (Papaveretum with Hyoscine Hydrobromide)	584	BT
Viules (Pethidine Hydrochloride)	604	BT
Viules (Pethidine and Scopolamine)	605	BT
Viules (Phenobarbitone Sodium)	611	BT
Viules (Streptomycin Sulphate)	781	BT

Preparation	Item	
	No.	Code
V.P.V. Viraxacillin V (Penicillin, Phenoxymethyl (Free Acid))	595	VR

W

Wellcome (Adrenaline Acid Tartrate)	14	BW
Wellcome (Aminophylline)	22	BW
Wellcome (Insulin)	412	BW
Wellcome (Insulin Globin Zinc)	413	BW
Wellcome (Insulin Isophane (N.P.H.))	414	BW
Wellcome (Insulin Protamine Zinc)	415	BW
Wellcome (Pethidine Hydrochloride)	604	BW
Wellcome (Pethidine and Scopolamine)	605	BW
Wellcome (Polymyxin B. Sulphate)	629	BW
Wellcome (Tetanus Antitoxin)	856	BW
Wellcome Lente (Insulin Zinc)	417	BW
Wellcome Semilente (Insulin Zinc)	417	BW
Wellcome Ultralente (Insulin Zinc)	417	BW
Wyamine Sulphate (Mephentermine Sulphate)	516	WY
Wydase (Hyaluronidase)	385	WY

Z

Zarontin (Ethosuximide)	327	PD

PHARMACEUTICAL BENEFITS

EXPLANATORY CIRCULAR REGARDING NOVEMBER, 1962 ISSUE OF NOTES

The issue of the Notes will take effect from 1st November, 1962.

The main changes are briefly summarised below. It is emphasised, however, that this summary is intended for your guidance only and reference should be made to the appropriate section of the Notes.

1. NEW ITEMS

Item No.	Generic Name	Item No.	Generic Name	Item No.	Generic Name
49	Aluminium Hydroxide Gel Dried	431	Isothipendyl Hydrochloride	818	Salicylamide
110	Betamethasone Phosphate	452	Kanamycin Sulphate (H)	816	Senna Fruit Extract (Standardised) (P)
186	Carbinoxamine Maleate	520	Mebhydrolin	817	Sulphamethoxydiazine
188	Clemizole Tannate	518	Methenolone Oenanthate (H)	892	Tacrine
187	Cyclopenthiiazide	519	Metronidazole	893	Taipan Anti-Venene
282	Death Adder Anti-Venene	559	Neomycin Sulphate and Kaolin	930	Vancomycin Hydrochloride (H)
281	Dyfflos, B.P.C.	676	Pancreatin Enzyme 4 (D)	931	Viomycin Sulphate (H)
328	Ecothiapatc Iodide	682	Paracetamol	991	Acrylic Resin (D)
329	Ethionamide (H)	679	Paramethasone Acetate (AD)	992	Benzol (Commercial) (D)
327	Ethosuximide	678	Phenazopyridine Hydrochloride	993	Bismuth Subgallate, B.P.C.
368	Glucagon Hydrochloride	677	Phenytoin	994	Chloramine (D)
401	Hydrocortisone and Neomycin	683	Prednisolone Methyl Acetate (AD)	995	Lissapol (D)
432	Iron Aminoate	680	Prednisolone Trimethylacetate	996	Polydimethylsiloxanes (D)
433	Iron Phosphate Compound	681	Prophenpyridamine Maleate (C)	997	Surgical Cement (D)
		748	Red Back Spider Anti-Venene	998	Tragacanth (D)

2. NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Item No.	Generic Name	Item No.	Generic Name
12	Adrenaline 1% Eye Drops	507	Methanamine Mandelate, 500 mg. tab.
44	Aluminium Hydroxide Gel mixture with Kaolin and Pectin, P.L.	513	Methyclothiazide, 2.5 mg. tab.
31	Amylobarbitone Sodium, 65 mg. cap.	515	Morphine with Tacrine, tab.
175	Chlorpheniramine Maleate Syrup (C)	543	Neostigmine Methylsulphate, 2.5 mg./ml. amp.
160	Codeine Phosphate with Acetylsalicylic Acid Soluble tabs.	613	Phenol Injection
160	Codeine Phosphate with Acetylsalicylic Acid tab.	622	Physostigmine Salicylate, 1/4% Eye Drops
172	Cyanocobalamin, 500 mcg. amp.	667	Pipenzolate Solution
255	Diphenhydramine Hydrochloride Elixir (C)	625	Piperazine Adipate, granules
304	Ephedrine Hydrochloride with Phenobarbitone and Theophylline, tab.	626	Piperazine Phosphate, 500 mg. tab.
307	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride, tab.	627	Pituitary Posterior Lobe, 2 G. phial
308	Erythromycin, 200 mg. sachet (CD)	629	Polymyxin B. Sulphate, Eye drops
424	Isoprenaline Hydrochloride, 1/5,000 amp.	657	Prednisolone Methyl, Eye Ointment
479	Magnesium Sulphate Crystals, 1 lb.	642	Progesterone Depot, 250 mg. amp.
487	Mepyramine Maleate Elixir (C)	644	Promethazine Hydrochloride, Elixir
		721	Quinalbarbitone Sodium, 50 mg. tab. and cap.
		793	Sulphamethizole, 500 mg. tab.
		856	Tetanus Antitoxin, diluted 1/50
		880	Thenalidine Tartrate, Syrup (C)
		924	Vitamin A, 50,000 I.U. cap. and tab.

3. DELETIONS

9	Acetylsalicylic Acid with Ipecacuanha and Opium	462	Lucanthone Hydrochloride, 200 mg. tab.
22	Aminophylline Compound Mixture, P.L.	582	Pancorex 5 tablet
22	Aminophylline Compound Mixture with Acetylsalicylic Acid, P.L.	593	Penicillin Benzyl Procaine, 400,000 U. vial
253	Di-iodohydroxyquinoline Compound Gynecological Pessary	594	Penicillin Benzyl Procaine Fortified, 600,000 U. amp.
365	Griseofulvin, 250 mg. tab.		1,500,000 U. amp.
411	Indigo Carmine	604	Pethidine Hydrochloride, 50 mg./cc., 25 cc.
		642	Progesterone Depot, 125 mg. amp.

4. ALTERATIONS TO RESTRICTIONS

Item No.	Generic Name	Item No.	Generic Name
121	Calciferol Tabs.	179	Chlorpromazine Hydrochloride—Please refer to 9 (Addendum—Section 4) of this Circular
169	Cortisone Acetate	889	Trifluoperazine—Please refer to 9 (Addendum—Section 4) of this Circular
588	Paraffin Liquid Emulsion		
634	Prednisolone		
925	Vitamin D Concentrated Solution		

5. ALTERATIONS TO MAXIMUM QUANTITIES AND/OR NUMBER OF REPEATS

2	Acetazolamide	511	Methazolamide
155	Cholera Vaccine	498	Methylethylergometrine Maleate, 0.125 mg. tab.
160	Codeine Phosphate Linctus, P.L.	500	Morphine Hydrochloride Solution
160	Codeine Phosphate, Acetylsalicylic Acid, Phenacetin and Caffeine, 30 mg.—225 mg.—150 mg.—30 mg. tab.	389	Hydrocortisone Sodium Succinate
279	Demecarium Bromide	543	Neostigmine Methylsulphate, Eye Drops
277	Dichlorphenamide	592	Penicillin Benzyl, tabs.

6. OTHER ALTERATIONS

- Item 19 Aluminium Hydroxide mixtures now under Item 44 Aluminium Hydroxide Gel.
 Item 44 Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide tablets now under Item 49 Aluminium Hydroxide Gel Dried.

7. EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Deleted: Hydrocortisone 5 mg./cc., 20 cc. ampoule.
 Added: Hydrocortisone Sodium Succinate for Injection, B.P.

8. SECTION 2 — SCHEDULE OF BENEFITS (PART II) ADDITIONS

Chlorhexidine Diacetate

Dithranol, B.P.

Pectin

9. ADDENDUM — SECTION 4 (PINK PAGES)

Item	Amendment
Chlorpromazine Hydrochloride (Where authority necessary to prescribe—see Notes)	Restrictions have been amended to include: For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.
Trifluoperazine (Where authority necessary to prescribe—see Notes)	

A written authority from the Commonwealth Director of Health is not necessary to prescribe either of the above-mentioned drugs where the patient is in possession of a written certificate from an approved hospital or is in possession of a Pensioner Medical Service Entitlement Card.

Authorised certificate forms have been issued to all approved hospitals.

The serial number of the certificate from an approved hospital or the pension number must be endorsed on the prescription.

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



NOTES
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1st NOVEMBER, 1962.

**Department of Health,
CANBERRA, A.C.T.**

NOVEMBER, 1962.

CONTENTS

EXPLANATORY NOTES

Prescribing of Benefits—Procedure by Doctors—	Paragraphs
Schedule of Benefits	1-8
Prescriptions	9-11
Restrictions	12
Maximum Quantities and Repeats	13-18
Urgent Cases	19-20
Doctor's Bag Emergency Supplies (Table page 22)	21-24
Supply of Benefits—Procedure by Chemists—	
Prescriptions	25-28
Procedure when an Authority Presented	29
Repeat Authorizations	30-31
Receipts	32-33
Charges to Patients—	
First 5/-	34-39
After Hours	40
Delivery	41
Responsibility for	42-43
Miscellaneous	44-57

SCHEDULES

Metric Conversion Table	lemon page 12
List of Manufacturers and Codes	lemon pages 13-21
Schedule of Benefits (Ready Prepared and Prescriber's List Items) ..	white pages
Drug Tariff (Drugs which may be prescribed extemporaneously) ..	green pages
Table of Maximum Quantities and Repeats for Preparations ..	green pages
Restriction on Pharmaceutical Benefits	pink pages

**Schedules
of
Benefits**

SECTION 1 — EXPLANATORY NOTES
PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescriber's List items are listed in the Schedule of Benefits, Part I—(White pages).
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous items is listed in the Schedule of Benefits, Part II— (Green pages).
4. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "solvent required" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, i.e., "Penicillin Benzyl, Injection 500,000 U. amp. with 2 cc. water for injection."
5. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13-18.
6. In some cases a code letter indicates a restriction on the purpose for which the drug may be prescribed. An explanation regarding restrictions may be found in these notes—paragraphs 10*d* and 12.
7. The proprietary Index is available in a separate booklet which is issued to all medical practitioners and approved chemists.
8. Symbols used in the schedule:
 - (a) An asterisk (*) against the price of a benefit in Part I indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger (†) in front of the form of an item indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
 - (c) A double dagger (‡) in the maximum quantity column indicates an item packed by manufacturers under special conditions. The maximum quantity of these items corresponds to the manufacturer's pack and this quantity in an unbroken pack will be supplied.

- (d) A dagger (†) against the price of an eye drop indicates that the product is not preconstituted and that a special professional fee of 5s. 6d. is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the state indicated.

N.S.W. .. (N); VIC. .. (V); S.A. .. (S); W.A. .. (W); Q'LD .. (Q); TAS. .. (T)

Pre- scriptions

9. A prescription may be written for any person who is receiving medical treatment. A prescription is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

- (a) write the prescription in some indelible form, e.g., ink or ball point on paper as near as convenient to 6" x 4". The name and address of the medical practitioner should be shown.
- (b) write the prescription in duplicate, marking the duplicate with the word "Duplicate."
- (c) set out the name and address of the patient and, where the patient is a pensioner who holds an entitlement card, write the *pension* number. Where the pension number is shown it is not essential to write the patient's address. Please note that the *pension* number is required and *not* the entitlement card number.
- (d) in the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose." Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, i.e., the letters P, CP, or DG appear in the handbook against the drug, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose."
- (e) if the benefit is a single drug, indicate the manner of administration.
- (f) when directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in his own handwriting with the words "Regulation 24."
- (g) mark the prescription "N.H.S.", sign it and write the date.

No objection will be raised to doctors writing more than one prescription on a single sheet of paper provided each prescription is legible.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

The provisions of State Law are not affected by the foregoing.

State Law

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted.)
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

(If a prescription form prescribes both pharmaceutical benefit items and non-pharmaceutical benefit items, the prescription may be accepted, but the non-benefit items should be supplied as private prescriptions and cancelled from the form.)

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, with the written authority of the Commonwealth Director of Health, in specific combinations or as additives. Such items are identified in the Schedule of Benefits, by the insertion of the appropriate code letters as listed hereunder—

Code Letters

Restriction

A	Items which require an <i>authority</i> from the Commonwealth Director of Health, before prescribing as a pharmaceutical benefit.
C	Items limited in use to <i>children</i> .
D	Items limited in use for <i>specified purposes</i> , including the treatment of a prescribed disease or condition.
E	Items which may only be used as <i>additives</i> .
H	Items which may only be supplied from <i>approved hospital drug supplies</i> to patients receiving treatment at that hospital.
K	Items limited in use to <i>specific combinations</i> .
P	Items limited in use to <i>pensioners</i> in possession of a Pensioner Medical Service Entitlement Card.
DG	Items limited in use to <i>specified purposes</i> for the <i>general public</i> but which may be prescribed for the treatment of pensioners in possession of a Pensioner Medical Service Entitlement Card for any purpose.

Drugs restricted to "Approved Hospitals Only" use, are not available in all approved hospitals. Medical practitioners should ensure that the drugs are available at the particular hospital before prescribing.

When more than one restriction applies to a benefit, each appropriate restriction code is shown in the restriction column, e.g. "AD." With the exception of categories "E", "K", "H" and prescriptions for pensioners in categories "P" and "DG", prescriptions for items identified by the above code letters must be endorsed "Specified Purpose" or some suitable abbreviation such as "Spec. Purp." or "S.P." It is not necessary for the particular restriction to be identified. Where a particular manner of administration is indicated in the Schedule of Benefits against a ready prepared item, no other manner of administration may be directed in a prescription for that benefit.

Maximum Quantities and Repeats

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits, Part 1 — white pages. For other preparations, details are set out in the Table of Maximum Quantities and Repeats — green pages.

Items marked with a double dagger (‡) are packed under special conditions and, as explained in paragraph 8, unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity, either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15-16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint, a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17. The authorities referred to in paragraphs 15-16 must be attached to the prescription.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

Urgent Cases

19. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing, within 24 hours of such communication, and forward it to the chemist who made the supply.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Doctor's Bag Emergency Supplies

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors or to doctors approved to dispense pharmaceutical benefits. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form, in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is

required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity, e.g., if the doctor had 100 or more sulphonamide tablets on hand as portion of his Doctor's Bag Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than a sulphonamide), e.g. different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, Part I, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity, e.g., if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

SUPPLY OF BENEFITS — PROCEDURE BY CHEMISTS

Pre- scriptions

25. An approved chemist is authorized to supply a pharmaceutical benefit only upon the surrender of—
- (a) a valid prescription, dated within six months before the date of its presentation; or
 - (b) a repeat authorization presented with a duplicate prescription within six months of the date of the prescription.
26. When a benefit is supplied on presentation of a prescription, the chemist is required to—
- (a) write his name and approval number on the back of the prescription form and duplicate;
 - (b) allot a number which will identify the prescription and write that number on the form and duplicate;
and
 - (c) if more than one prescription has been written on the one form, allot a separate number to each prescription.

27. When a benefit is supplied on presentation of a repeat authorization, the chemist shall write his name on the back of the repeat authorization.

28. When a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply, or on a repeat authorization requiring further repeats, the chemist shall prepare a repeat authorization form in duplicate, showing—

- (a) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (b) on the first occasion of supply of the benefit, his approval number, together with the serial number allotted by him to the prescription;
- (c) on subsequent occasions of supply of the benefit (excepting on the final occasion of supply), the numbers marked on the repeat authorization presented to him in accordance with (b) above;
- (d) if the repeat authorization or prescription is for a pensioner, the pension number appearing on the prescription.

The completed repeat authorization should then be attached to the duplicate of the prescription and issued to the person to whom the benefit has been supplied. Where a special authority is involved action as per paragraph 29 is also necessary. Chemists should note that a separate repeat authorization must be issued in respect of each benefit.

29. Written authorities issued by the Commonwealth Director of Health should accompany the prescription submitted for payment if no repeats are involved. Where an authority is issued for the supply of a benefit which is to be repeated, the following procedure should be followed by the chemist—

- (a) when dispensing the original prescription, or any repeat except the last repeat, the chemist must ensure that the number of the authority involved is clearly shown on the prescription or repeat authorization which he has retained to claim payment from the Commonwealth;
- (b) the authority, together with a new repeat authorization and the duplicate prescription, is to be returned to the patient, except when dispensing the last repeat;
- (c) the chemist dispensing the last repeat must submit the authority form with the repeat authorization when claiming payment.

30. A benefit may be supplied on a repeat authorization only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

31. Where a chemist supplies a benefit and repeats at the one time, he should not complete a repeat authorization form. Only one professional fee is payable for the total supply.

**Procedure
when an
Authority
Presented**

**Repeat
Authoriza-
tions**

32. Upon the supply to a person of a benefit by a chemist, that person shall sign and date a receipt for that benefit on the back of the prescription form or repeat authorization, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the back of the prescription form, or repeat authorization, with his address and a statement that he is obtaining the benefit for and on behalf of the person for whose treatment the prescription was written. In no circumstances must a person give, nor a chemist demand, a receipt, until supply of the benefit has actually been made.

33. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the chemist must certify on the back of the prescription or repeat authorization, as the case may be, that he has supplied the pharmaceutical benefit, the date on which supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19-20) or to a person who cannot read or write, or who is unable to write, the chemist should sign and date a statement on the back of the prescription or repeat authorization, indicating the circumstances of supply.

CHARGES TO PATIENTS

First 5/-

34. An approved chemist may in respect of each supply by him, whether on a prescription or repeat authorization, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding five shillings, except that a charge is not to be made for the supply of a pharmaceutical benefit on a prescription which states the pension number as appearing on the P.M.S. Entitlement Card of the pensioner, or a repeat authorization on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one five shilling charge may be made for each supply of the benefit.

35. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than five shillings for each supply;
- (b) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners in possession of a Pensioner Medical Service Entitlement Card) without charge or for a charge that is less than five shillings for each supply.

36. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15), and that authority accompanies the prescription, only 5s. should be charged for each supply of the increased maximum quantity.

37. Where a doctor endorses a prescription "Regulation 24" (see paragraphs 18 and 31), the chemist should make a charge of five shillings for the original prescription and five shillings for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of fifteen shillings (15s.) should be made on the patient.

38. Where a prescription is written for a benefit for which the dispensed price is less than five shillings at the time of supply, the prescription should be dispensed as a private prescription, unless it has been written for a pensioner. This also applies to prescriptions endorsed "Regulation 24" (see paragraphs 18 and 31) and for which the price of the maximum quantity of the benefit is less than five shillings.

39. Where a doctor has obtained an authority to prescribe an increased maximum quantity (see paragraph 15) and the increase in quantity takes the dispensed price to more than five shillings, the prescription should be dispensed as a pharmaceutical benefit regardless of the price of the normal maximum quantity. In such cases the normal five shillings charge may be made in respect of each supply.

40. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged to each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Commonwealth. Allowable late fees are—

(a) after trading hours but before 11 p.m. — 2s. 6d.;

(b) between 11 p.m. and the commencement of trading hours on the next day — 5s.

41. A charge equal to the cost of delivery may be made if supply by delivery is made at or to a place other than the chemist's pharmacy.

42. It is the patients' responsibility to meet any charge lawfully demanded and a chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

43. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Commonwealth) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

MISCELLANEOUS

44. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

45. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly society dispensaries should follow the procedures subject to additional instructions made available to them.

After
Hours

Delivery

Responsi-
bility

Premises

Approved
Doctors,
Friendly
Societies

Standards	46. A chemist should not supply a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are— (a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Substances Act; (b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.
Reference	47. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescriber's List are identified in this book by the letters B.P., B.P. 1953, B.P. 1948, B.P.C., A.P.F. or P.L. as appropriate.
Measures	48. Unless otherwise stated, weights and measures represented or expressed in these Notes, or in a prescription, shall be deemed to be apothecary's weights and measures. However, metric equivalents will be accepted. A table of approximate equivalents of doses in the metric and imperial systems is given on page 12.
Hours of Supply	49. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charges applicable. When the prescription is marked "urgent" and initialled by the doctor, it is obligatory for the chemist to make supply at his pharmacy at any hour. 50. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.
Proper Stocks to be Kept	51. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.
Statement* of Stocks	52. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.
Retention of Documents	53. Without affecting the requirements of the law of a State in regard to dangerous drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorizations;
- (c) in the case of a chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

**Suspected
Forgery**

54. If a chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Doctor's Bag order forms, particular requirements are set out in paragraph 22.

Sale Copies

55. Copies of the National Health Act and Regulations are available from the Commonwealth Sub-Treasury in each capital city.

56. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

57. Inquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

METRIC CONVERSION TABLE

Conversion Table

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Millilitres</i> <i>Grammes</i>	<i>Minims</i> <i>Grains</i>	<i>Milligrams</i>	<i>Grain</i>
20	300	60	1
16	240	50	3/4
12	180	30	1/2
10	150	20	1/3
8	120	15	1/4
6	90	12	1/5
5	75	10	1/6
4	60	7.5	1/8
3	45	6	1/10
2	30	3	1/20
1.6	25	2	1/30
1.5	22½	1.2	1/50
1.2	20	1	1/60
1	15	0.6	1/100
0.8	12	0.5	1/120
0.6	10	0.3	1/200
0.5	8	0.25	1/240
0.3	5	0.2	1/320
0.25	4	0.1	1/600
0.2	3		
0.15	2½		
0.12	2		
0.1	1½		

It is intended to convert the Schedule of Benefits to the metric system at an early date.

DISTRIBUTORS AND AGENTS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES		Muir and Neil Pty. Ltd.	NM2
Alfred Lawrence & Co. Pty. Ltd.	NA1	479 Kent Street, Sydney	
439 Kent Street, Sydney		William Pearce and Co. Pty. Ltd.	NP3
Andrews Laboratories	NA3	149 Castlereagh Street, Sydney	
12 Primrose Ave., Rosebery		Pharmedica Pty. Ltd.	NP1
Astra Pharmaceuticals (Aust.) Pty. Ltd.	NA2	Rosebury	
364 The Boulevard, Sutherland		Potter and Birks Pty. Ltd.	NP2
British Pharmaceuticals	NB1	120 Pacific Highway, St. Leonards	
8-12 Bathurst Street, Sydney		Schaffer & Company	NS1
Denyer Brothers	ND1	235 Clarence Street, Sydney	
250 George Street, Sydney		Schering, A.G.	NS5
Drug Houses of Aust. Ltd.	ND2	59 Pine Street, Chippendale	
Sydney		Schering Pty. Ltd.	NS3
Essex Laboratories Pty. Ltd.	NE3	Sydney	
105-111 Kippax Street, Surry Hills		Squibb, E. R. and Son Pty. Ltd.	NS4
Ethical Agencies Co.	NE1	260-262 Kent Street, Sydney	
154 Castlereagh Street, Sydney		Sterling Pharmaceuticals	NS2
Evans Medical Australia (Pty.) Ltd.	NE2	75-89 Atkins Road, Ermington, Sydney	
Plough Court, Duffy Avenue, Thornleigh		Young and Fennell Pty. Ltd.	NY1
Fawns & McAllan Pty. Ltd.	NF1	268 Kent Street, Sydney	
176 Day Street, Sydney			
F.B.A. Pharmaceuticals Aust. Pty. Ltd.	NF2		
Wilson Street, Botany			
Martin & Co. (Surgical) Ltd.	NM1		
382 Pacific Highway, Crows Nest			
		VICTORIA	
		Astra Pharmaceuticals (Australia) Pty. Ltd.	VA1
		52 Collins Street, Melbourne	
		Boots Pure Drug Co. Pty. Ltd.	VB1
		33-35 Stewart Street, Richmond	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Burroughs Wellcome & Co. (Aust.) Ltd.	VB2	Unger, K. J., and Co. Pty. Ltd.	VU2
303-305 Albert Street, Brunswick		397 Little Collins Street, Melbourne	
Cambridge Laboratories Pty. Ltd.	VC1	Upjohn Pty. Ltd.	VU1
45 A'Beckett Street, Melbourne		115 Leicester Street, Carlton, Melbourne	
Cox Findlayson & Co. Ltd.	VC2		
15 James Street, Melbourne			
Gamma Laboratories	VG1		
169 Lygon Street, Carlton			
Harris Smith Supplies Co. Pty. Ltd.	VH1		
1 Mayston Street, Melbourne			
Muir & Neil Pty. Ltd.	VM1		
46 Cliff Street, South Yarra			
Parke, Davis & Company Ltd.	VP1		
117 King Street, Melbourne			
Pfizer Corporation Australia	VP2		
54-56 Latrobe Street, Melbourne			
Pharmedica Pty. Ltd.	VP3		
366 Reserve Road, Cheltenham			
Phillips Southern Trading Pty. Ltd.	VP4		
396 Flinders Lane, Melbourne			
R. D. Toppin & Sons Pty. Ltd.	VT1		
245 Swan Street, Richmond			
Schaffer & Co. (Vic.) Pty. Ltd.	VS1		
482 Collins Street, Melbourne			
Squibb, E. R. and Son Pty. Ltd.	VS3		
210 Victoria Street, Carlton			
Sterling Pharmaceuticals Pty. Ltd.	VS2		
Cato Street, Auburn			

<i>Distributors and Agents</i>	<i>Code</i>
QUEENSLAND	
Alfred Lawrence & Co. Pty. Ltd.	QA1
138 Mary Street, Brisbane	
Antrac Chemicals Pty. Ltd.	QA2
199 Samford Street, Enoggera	
Boots Pure Drug Co. Pty Ltd.	QB1
720 Kingsford Smith Drive, Hamilton	
Burroughs Wellcome & Co. (Aust.) Ltd.	QB2
Cnr Merivale and Peel Streets, South Brisbane	
Cox Findlayson & Co. Ltd.	QC1
17 Doggett Street, Fortitude Valley	
T. G. Cullum Pty. Ltd.	QC2
22 Charlotte Street, Brisbane	
Gradwell Bros.	QG1
42 Grenier Street, Valley	
Kenneth Mitchell Agencies Pty. Ltd.	QK1
96 Alfred Street, Valley	
D. MacLean, Pty. Ltd.	QM1
119-121 Charlotte Street, Brisbane	
Parke, Davis & Co. Ltd.	QP1
57-59 Longland Street, Valley	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Prosana Laboratories Pty. Ltd. QP2 194 Given Terrace, Paddington		A. Searcy & Son Ltd. SS1 132 Gray Street, Adelaide	
Southern Drug Company QS1 30 Albert Street, Brisbane		Southern Drug Company SS2 180 Sturt Street, Adelaide	
Upjohn Company Pty. Ltd. QU1 333 Coronation Drive, Milton, Brisbane		Sterling Pharmaceuticals Pty. Ltd. SS3 150 Henly Beach Road, Torrensville	
SOUTH AUSTRALIA		WEST AUSTRALIA	
Adelaide Drug Co. Ltd. SA1 Pirie Street, Adelaide		Avery Guhl, Pty. Ltd. WA1 36A William Street, Perth	
Alfred Lawrence & Co. Pty. Ltd. SA2 96 Currie Street, Adelaide		R. D. Benjamin, ... WB1 30 James Street, Perth	
Boots Pure Drug Co. Pty. Ltd. SB1 Henly Beach Road, Mile End		Boots Pure Drug Co. Pty. Ltd. WB2 416 Newcastle Street, Perth	
D and L Agencies Ltd. SD1 22-24 Louisa Street, Adelaide		Claydon and Carpenter WC1 144 William Street, Perth	
F. H. Faulding & Co. Ltd. SF1 James Place, Adelaide		Ethico Distributors WE1 119 Clausebrook Road, East Perth	
Hamilton Laboratories Ltd. SH1 217 Flinders Street, Adelaide		Fawns and McAllan Pty. Ltd. WF1 13 Rokeby Road, Subiaco	
J. J. C. Pearce SJ1 207 Currie Street, Adelaide		H. L. Hitchcock and Co. WH1 277 Salvado Street, Floreat Park	
Pharmaceutical Supplies, ... SP1 106 North Terrace, Adelaide		E. D. Kendall, Esq. WK1 47 Paddington Street, Perth	
R. D. Toppin & Sons Pty. Ltd. ST1 27 Rowlands Road, Hilton		G. Martin & Son WM1 83 Brisbane Street, Perth	

<i>Distributors and Agents</i>				<i>Code</i>	<i>Distributors and Agents</i>				<i>Csde</i>
Pharmaceutical Distributors	..	..	..	WP1	Boots Pure Drug Co. Pty. Ltd.	..	..	..	TB2
48 King Street, Perth					49 Davey Street, Hobart				
Pharmax Pty. Ltd.	..	..	..	WP2	Cados Pty. Ltd.	..	..	..	TC1
12 Aberdeen Street, Perth					Watchorn Street, Hobart				
Rumbles Ltd.	..	..	..	WR1	Cados Pty. Ltd.	..	..	..	TC2
12 Aberdeen Street, Perth					63 Cameron Street, Launceston				
Sterling Pharmaceuticals Pty. Ltd.	..	..	..	WS1	H. T. Grounds	..	..	..	TG1
12 Graylands Road, Claremont					101 Murray Street, Hobart				
S. Van Dal & Co. Pty. Ltd.	..	..	..	WV1	Pharmaceuticals Pty. Ltd.	..	..	..	TP1
148-150 Hay Street, Subiaco					63 Cameron Street, Launceston				
TASMANIA					Sidwell & Company	..	..	..	TS1
C. J. Baldey	..	..	..	TB1	70 Liverpool Street, Hobart				
101 Murray Street, Hobart									

SUPPLIES OF LISTED BRANDS — DISTRIBUTORS AND AGENTS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.
AL ..	NA1	..	QA1	SA2	WK1	TP1	NY ..	NS2	VS2	..	SP1, SS3	WR1, WS1	TP1 TS1,
AM ..	NS1	VS1	..	..	..	..	OP ..	NM2	..	..	..	..	..
AP ..	NA2	VA1	..	..	..	..	OR ..	NB1	..	..	..	..	..
AR ..	NP1	..	..	..	..	..	PD ..	..	VP1	QP1	SD1	WP1	TB1
BD ..	..	..	QM1	..	..	..	PF ..	..	VP2	..	..	..	..
BS ..	..	VC2	QC1	SJ1	WH1	TG1	PH ..	..	VP3	QC2	SA1	WE1	TC1
BT ..	..	VB1	QB1	SB1	WB2	TB2	PR ..	..	VP4	QP2	SS1	..	..
BW ..	..	VB2	QB2	SD1	WP1	TS1	QE ..	..	VC1	..	..	..	..
CF ..	..	..	..	SF1	..	..	RM ..	..	VU2	..	..	..	..
CM ..	..	..	QK1	SA1	WP2	..	RT ..	NM1	..	QK1	SS1	WB1	..
EN ..	NY1	..	..	..	..	..	SC ..	NS5	..	..	..	..	..
EV ..	NE2	..	..	..	..	..	SH ..	NE3	..	..	..	..	..
FB ..	NF2	..	..	..	..	..	SQ ..	NS4	VS3	..	..	..	..
FM ..	NF1	..	QS1	SS2	WF1	TC2	SR ..	ND2	..	..	..	..	..
GP ..	..	..	..	..	WC1	..	SY ..	NB1	..	..	..	..	..
HA ..	..	..	..	SH1	..	..	TH ..	NP3	..	..	..	..	..
HY ..	..	VC1	QA2	..	WA1	TC1	TO ..	..	VT1	..	ST1	..	..
KN ..	NS3	..	..	..	..	..	TF ..	NM2	..	..	..	..	..
LP ..	NA3	..	..	..	..	..	UP ..	..	VU1	QU1	SJ1	WM1	TG1
LW ..	NE1	..	..	..	..	..	VM ..	NP2	..	..	..	..	..
ME ..	..	..	QG1	..	..	..	WA ..	NP1	..	..	..	..	..
MN ..	..	VM1	..	..	..	..	WP ..	ND1	VH1	..	..	WV1	..
NA ..	..	VG1	..	..	..	..							

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd.	AB	British Schering Ltd.	BS
Missenden Rd., Camperdown, N.S.W.		North Shore Medical Centre,	
Alfred Lawrence & Co. Ltd.	AL	St. Leonards, Sydney, N.S.W.	
13-31 Barrett Street, Kensington W.1, Vic.		Bull Laboratory, David G.	BL
Ames Company	AM	19 Shierlaw Avenue, Canterbury, E.7, Vic.	
484 Collins Street, Melbourne C.1, Vic.		Burroughs Wellcome & Co. (Aust.) Ltd.	BW
Andrews Laboratories Pty. Ltd.	AN	Cressy Street, Rosebery, Sydney, N.S.W.	
12 Primrose Avenue, Rosebery, N.S.W.			
Armour Pharmaceutical Co. Ltd.	AR		
England			
Associated Drug Companies of Australia Pty. Ltd.	AD	Campbell Pharmaceutical Co., U.S.A.	CF
589-605 Collins Street, Melbourne, C.1, Vic.		Calmie Ltd.	CA
Astra Pharmaceuticals (Australia) Pty. Ltd.	AP	Bibby Street, Chiswick, N.S.W.	
Compo Road, Rocklea, Queensland		Charles McDonald-Mead Johnson Pty. Ltd.	CM
Ayerst Laboratories Pty. Ltd.	AY	Caringbah, N.S.W.	
Gregory Place, Parramatta, N.S.W.		Chemos Pty. Ltd.	CH
		65 Park Road, Milton, W.2, Brisbane, Q'd.	
Bakra Laboratories	BK	Ciba Limited	CB
45 A'Beckett Street, Melbourne, Vic.		Orion Road, Lane Cove, N.S.W.	
Bayer Pharma Pty. Ltd.	BA	Commonwealth Serum Laboratories	CS
56 Young Street, Sydney, N.S.W.		Poplar Street, Parkville, Vic.	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	Cox Findlayson & Co. Ltd.	CO
376 Eastern Valley Way, Roseville, N.S.W.		472-482 Harris Street, Sydney, N.S.W.	
British Drug Houses (Australia) Pty. Ltd.	BD	Crookes Laboratories Ltd., The	CK
250 Pitt Street, Sydney, N.S.W.		376 Eastern Valley Way,	
British Pharmaceuticals Pty. Ltd.	BP	Roseville, Sydney, N.S.W.	
8-12 Bathurst Street, Sydney, N.S.W.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Difrex (Aust.) Laboratories DF		G. P. Pty. Ltd. GP	
321 Pitt Street, Sydney, N.S.W.		74-76 Mitchell Road, Alexandria,	
Distillers Company Biochemicals (Aust.) Pty. Ltd. DL		Sydney, N.S.W.	
Campbell Street, Artarmon, N.S.W.		Glaxo-Allenburys (Australia) Pty. Ltd. GL	
Drug Houses of Australia Ltd. DH		23-47 Villiers Street, North Melbourne, Vic.	
750-800 Princes Highway, Tempe, N.S.W.			
Easterbrook, R. W., Pty. Ltd. EB		Hamilton Laboratories Ltd., The HA	
7 Cutler Parade, North Ryde, N.S.W.		141 Buckland Street, Alexandria, N.S.W.	
Endo Laboratories, Inc. U.S.A. EN		Harvey Pty. Ltd., H.F., ... HY	
Evans Medical Australia (Pty.) Ltd... .. EV		231 Elizabeth Street, Croydon, N.S.W.	
214 Graham Street, Port Melbourne, Vic.		Hoechst Pharmaceuticals Pty. Ltd. HP	
		505 St. Kilda Road, Melbourne, S.C.2, Vic.	
Farbenfabriken Bayer, A. G. FB		Ioquin Company, The IQ	
West Germany		Fourth Floor, Parramatta & Missenden Roads,	
Farmer Hill Pty. Ltd. FH		Camperdown, N.S.W.	
187 William Street, Sydney, N.S.W.		Imperial Chemical Indust. of Aust. & N.Z. Ltd. .. IC	
Faulding & Co. Ltd., F. H. FA		I.C.I. House, 1 Nicholson Street,	
James Place, Adelaide, S.A.		Melbourne, C.2, Vic.	
Fawns and McAllan Pty. Ltd. FM			
432 Mount Dandenong Road, Croydon, Vic.		Jaede, H. W., Manufacturing Pty. Ltd. JA	
Fisons Australia Pty. Ltd. FC		Templestowe, Vic.	
Daking House, Rawson Place, Sydney			
		Knoll Laboratories KL	
Gamma Laboratories GA		176 Princes Highway, Arncliffe, N.S.W.	
169 Lygon Street, Carlton, Melbourne, Vic.		Knoll, A. G. Germany KN	
Geigy (A'asia) Pty. Ltd. GE			
178-180 Pacific Highway, St. Leonards, N.S.W.		Lane Medical Co. Pty. Ltd. LM	
		156 Barkly Avenue, Burnley, Vic.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Lederle Laboratories Division LE		Nativelle Laboratories NA	
Cynamid-D.H.A. Pty. Ltd., Derrimut, Vic.		France	
Leo Pharmaceutical Products LP		Nicholas Pty. Ltd. NS	
Denmark		699 Warrigal Road, Chadstone, S.E.10, Vic.	
Lepetit (Pharmaceuticals) Pty. Ltd. .. LT		Noel Bramble Laboratories NB	
66-80 Pacific Highway, St. Leonards, N.S.W.		324 King George's Road, Beverly Hills, N.S.W.	
Lilly (Australia) Pty. Ltd., Eli .. LY		Nyal Company NY	
Wharf Road, Ermington, N.S.W.		75-89 Atkins Road, Ermington, N.S.W.	
Luitpold-Werk LW			
Germany			
		Oppenheimer, Son & Co. Ltd. .. OP	
		London	
Maw Son and Sons, S. ME		Organon Laboratories Ltd. .. OR	
England		London	
May and Baker (Aust.) Pty. Ltd. .. MB		Ortho Pharmaceutical Co. .. OO	
Paramount Road, West Footscray, W.12, Vic.		6th Floor, 26 Ridge Street, North Sydney,	
McGloin Pty. Ltd., J. MG		N.S.W.	
36 Hutchinson Street, Surry Hills, N.S.W.			
Medical Research Pty. Ltd. MR			
Sirius Road, Lane Cove, N.S.W.		Parke Davis and Co. Ltd. .. PD	
Merck, Sharp & Dohme (Aust.) Pty. Ltd. .. MK		32-40 Cawarra Road North,	
62-68 Ferndell Street,		Caringbah, N.S.W.	
South Granville, N.S.W.		Pfizer Corporation Australia .. PF	
Merrell, Wm. S. (Pty.) Ltd. ML		Wharf Road, Ermington, N.S.W.	
M.L.C. Building, Miller Street,		Pharmedica Pty. Ltd. PH	
North Sydney, N.S.W.		602-612 Botany Road, Alexandria, N.S.W.	
Muir & Neil Pty. Ltd. MN		Phoenix Pharmaceuticals PX	
479 Kent Street, Sydney, N.S.W.		P.O. Box 209, Bankstown, N.S.W.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Prosana Laboratories	PR	Sandoz Ltd.	SZ
145 Beattie Street, Balmain, N.S.W.		620 Harris Street, Ultimo, Sydney, N.S.W.	
Pro-Vita Products Pty. Ltd.	PV	Savory and Moore Ltd.	SY
Lennon Street, South Kensington, Vic.		England	
Protea Pharmaceuticals Pty. Ltd.	PT	Schering Corporation, U.S.A.	SH
Box 1660 G.P.O., Sydney, N.S.W.		Schering, A. G., Berlin	SC
		Searle & Co. Ltd., G. D.	SR
		England	
Queensland Ethicals	QE	Sera Pty. Ltd.	SE
Evans Road, Rocklea East, Brisbane, Q'ld.		29 Hotham Parade, Artarmon, N.S.W.	
		Sigma Co. Ltd.	SI
		589-605 Collins Street, Melbourne, C.1, Vic.	
Reckitts Pty. Ltd.	RC	Soul Pattinson (Laboratories) Pty. Ltd.	SL
770 Bourke Street, Redfern, N.S.W.		158 Pitt Street, Sydney, N.S.W.	
Richards Laboratory Pty. Ltd.	RD	Smith, Kline & French Laboratories (Aust.) Ltd. ..	SK
Kings Road, Castle Hill, N.S.W.		Cnr. Denison & Spring Streets,	
Richter of Milan	RM	North Sydney, N.S.W.	
Riker Laboratories Australia Pty. Ltd.	RK	Squibb & Sons, E. R., Pty. Ltd.	SQ
68 Alexander Street, Crow's Nest, N.S.W.		England	
Roche Products Ltd.	RO	Stansen & Co. Pty. Ltd., A. E.	ST
1 Barrack Street, Sydney, N.S.W.		Green & McCandlish Building,	
Rocke Tompsitt & Co. Ltd.	RT	West Melbourne, C.3, Vic.	
10 Griffiths Street, Ricomond		St. Just Laboratories Ltd.	SJ
Rotary Tableting Corp. Pty. Ltd.	RY	7 Ferguson Street, Maylands, W.A.	
432 Mt. Dandenong Road, Croydon, Vic.			
Roussel Laboratories Ltd.	RL		
403 Pacific Highway, Artarmon,		Thilo, Dr. and Co.	TH
Sydney, N.S.W.		Western Germany	

<i>Manufacturer</i>	<i>Code</i>
Toppin & Sons Pty. Ltd., R.D. 22 Duffy Avenue, Thornleigh, N.S.W.	TO
Trufood Ltd. England	TF
Upjohn Company, The 55-73 Kirby Street, Rydalmere, N.S.W.	UP
Virax Ethicals Ltd. 77-79 Market Street, South Melbourne, Vic.	VR
Vitamins Limited England	VM
Wander Limited, A., England	WA
Warner & Co. Pty. Ltd., Wm. R. 10-28 Biloela Street, Villawood, N.S.W.	WW
Weddel Pharmaceuticals England	WP
Wholesale Drug Co. Ltd. 15-23 Parker Street, Sydney, N.S.W.	WD
Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W.	WL
Woods, H. W. Pty. Ltd. 10 Clifford Street, Huntingdale, Vic.	WH

<i>Manufacturer</i>	<i>Code</i>
World Agencies Pty. Ltd. 82-84 Sussex Street, Sydney, N.S.W.	WO
Wyeth Pharmaceuticals Pty. Ltd. Gregory Place, Parramatta, N.S.W.	WY
Young and Fennell Pty. Ltd. 268 Kent Street, Sydney, N.S.W.	YF

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline Mucate	Ampoule	6	Penicillin, Procaine, (Aqueous Suspension)	Ampoule or Vial	12
Adrenaline Acid Tartrate	Ampoule Bottle	6 1			
Digoxin	Ampoule	12	Pethidine Hydrochloride ..	Ampoule	6
	Bottle	1			
	Tablet	100	Sulphadiazine .. .	Tablet	100
Heparin	Ampoule or vial	1	or		
			Sulphadimidine		
Hydrocortisone Sodium Succinate for Injection, B.P.	Ampoule	2	or		
	Vial	1	Sulphamerazine		
Mephentermine Sulphate	Ampoule	6	or		
Morphine Sulphate	Hypodermic Tablet	40	Sulphonamides, Mixed (B): Three Sulphonamides ..		
			or	Tablet	12
Morphine with Atropine	Ampoule	6	Sulphadimethoxine		
	Hypodermic Tablet	40	or	Tablet	12
			Sulphamethoxypyridazine ..	Ampoule	6
Oxytocin	Ampoule	12	Tetanus Antitoxin, B.P. 1,500 I.U.	Ampoule	6
			Tetanus Toxoid (Formalinised) ..		

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SECTION 2 — SCHEDULE OF BENEFITS (PART 1)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1	ACETARSOL				£ s. d.	
	Injection 2 cc. amp.		10	1	0 13 4	MB
	3 cc. amp.		10	1	0 17 8	MB
	Oral Tablet, B.P.C. 250 mg. (4 gr.) tab. . .		25	2	*0 9 3	MB
	Pessaries 250 mg. (4 gr.)		25	1	0 8 4	MB
					0 12 4	BA
2	ACETAZOLAMIDE					
	Oral Tablet, B.P. 250 mg. tab.		50	4	3 0 5	LE
					(ex 250)	
					3 4 4	LE
					(ex M.P.)	
42	ACETAZOLAMIDE SODIUM PARENTERAL					
	Injection 500 mg. vial.		1	..	1 19 0	LE
3	ACETOMENAPHTHONE					
	Oral Tablet, B.P. 5 mg. tab...		100	2	0 8 4	AD, BD, DH, KL, PR(QNVS), RT(V), SI, TO
	10 mg. tab...		100	2	0 11 0	AD, BD, CM, GL, HY(QNVTW), KL, PR(QNVS), RO, RT(V), SI, TO
4	ACETYLSALICYLIC ACID					
	Mixture, P.L.		8 fl. oz.	4	0 8 6	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 5	Extemp.
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. . .		100	2	0 5 2	AD, DH, HY(QNVTW), KL, PR(QNVS), RT(V), RY, SI, SL, TO
					(ex 500)	
					0 5 5	AD, DH, HY(QNVTW), KL, PR(QNVS), RT(V), RY, SI, SL, TO
					(ex M.P.)	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
<i>4—continued</i>						
	Oral Tablet Soluble, B.P. 300 mg. (5 gr.) tab.		100	2	£ s. d. 0 8 5	CO, DH, HY(QNVTW), IQ, MG, PR(QNVS), RY, TO, VR
					0 8 10	RC
					0 9 0	BW, KL, NB
					0 9 1	HA
					(ex 500)	
					0 10 8	BW, CO, DH, HA, HY(QNVTW), IQ, KL, MG, NB, PR(QNVS), RC, RY, TO, VR
					(ex M.P.)	
	Oral Tablet 150 mg. (2.5 gr.) tab.		100	2	0 6 4	WO
					0 7 0	KL
	Oral Tablet Soluble 150 mg. (2.5 gr.) tab. . .		100	2	0 9 8	KL, NB
5 ACETYSALICYLIC ACID COMPOUND						
	Mixture, P.L.		8 fl. oz.	4	0 9 4	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 8 11	Extemp.
	Oral Tablet, A.P.F.		100	2	0 6 7	AD, DH, KL, PR(QNVS), RT(v), RY, SI, SL
	Oral Tablet, B.P.C.		100	2	0 6 8	DH, FA, KL, RY, TO
	Oral Tablet Soluble		100	2	0 9 3	MG
					0 10 2	CO, RC
					(ex 500)	
					0 11 0	CO, MG
					0 12 4	RC
					(ex M.P.)	

5—continued

Oral Tablet with Phenacetin, Caffeine and Phenobarbitone									
250 mg.—250 mg.—25 mg.—25 mg. tab.									
(4 gr.—4 gr.—3/8 gr.—3/8 gr.)		100	2	0 12 4	CO				
				0 13 8	KL, S				
Oral Tablet with Phenacetin, Caffeine and Quinalbarbitone									
225 mg.—150 mg.—25 mg.—25 mg. tab.									
(3.5 gr.—2.5 gr.—3/8 gr.—3/8 gr.)		100	2	0 16 4	KL, RD				
6	ACETYLSALICYLIC ACID AND CODEINE COMPOUND								
	Mixture, P.L.	8 fl. oz.	4	0 10 9	Extemp.				
7	ACETYLSALICYLIC ACID AND MORPHINE								
	Mixture, P.L.	8 fl. oz.	4	0 9 11	Extemp.				
8	ACETYLSALICYLIC ACID AND PHENOBARBITONE								
	Mixture, P.L.	8 fl. oz.	4	0 8 10	Extemp.				
10	ACETYLSALICYLIC ACID WITH BROMIDE								
	Mixture for Children, P.L.	4 fl. oz.	4	0 7 7	Extemp.				
12	ADRENALINE								
	Eye Drops 1%	‡1	6	1 14 4	AN				
	Spray with Atropine Methonitrate, P.L. ..	1/2 fl. oz.	2	0 13 7	Extemp.				

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
13	ADRENALINE HYDROCHLORIDE SOLUTION, B.P. 1953				£ s. d.	
	Nasal Instillation, P.L.		1/2 fl. oz.	2	0 7 5	Extemp.
	Nasal Instillation with Ephedrine Hydrochloride, P.L.		1/2 fl. oz.	2	0 7 8	Extemp.
14	ADRENALINE ACID TARTRATE					
	Injection, B.P. 1 in 1,000, 1 cc. amp. ..		6	1	0 9 0	AD, BL, BT, BW, DH, FH, KL, PD
	1 in 1,000, 10 cc. amp. ..		1	1	0 7 0	BW, DH, FH, PD
	Solution, B.P. 1 in 1,000, 25 cc. bottle ..		1	..	0 6 11	BW
	1 in 1,000, 1 fl. oz. bottle ..		1	..	0 6 11	DH, RT(▼)
	Solution 1 in 100, 7 cc. vial ..		1	1	0 9 0 0 6 11	PD BW, PD
43	ADRENALINE MUCATE					
	Injection 1 cc. amp.		6	1	* 0 14 5	GL
16	ALOE					
	Pill Aloe and Nux Vomica, B.P.C.		50	1	* 0 5 3 * 0 6 8	TO DH
17	ALOXIDONE					
	Oral Capsule 300 mg. cap.		200	1	* 3 19 6	BS
18	ALUMINIUM ACETATE					
	Lotion (Solution, B.P.C.)		8 fl. oz.	4	0 14 8	Extemp.

19 ALUMINIUM HYDROXIDE

Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..

100

2

0 12 8 HY(QNVTW), KL

0 13 0 WY

*0 13 8 AN, HA, PR(QNVS), RD, RT(V), SL

0 15 11 KL

0 17 0 CO, WY

* 0 17 8 HA

Oral Tablet 600 mg. (10 gr.) tab.

100

2

44 ALUMINIUM HYDROXIDE GEL.

Mixture 8 fl. oz.

‡1

4

0 7 9 CH(QNWX), WD(N)

0 8 3 DH, WY

Mixture with Light Magnesia 8 fl. oz. ..

‡1

4

0 8 3 WY

Mixture, A.P.F.

8 fl. oz.

4

0 12 8 Extemp.

Mixture with Belladonna, P.L.

8 fl. oz.

4

0 13 0 Extemp.

Mixture with Kaolin, P.L.

8 fl. oz.

4

0 13 7 Extemp.

Mixture with Kaolin and Opium, P.L. ..

8 fl. oz.

4

0 14 2 Extemp.

Mixture with Kaolin and Pectin, P.L. ..

8 fl. oz.

4

0 13 10 Extemp.

Mixture with Procaine, P.L.

8 fl. oz.

4

0 14 8 Extemp.

49 ALUMINIUM HYDROXIDE GEL DRIED

Oral Tablet of Aluminium Hydroxide Magnesium Carbonate Co-dried Gel. 375 mg.

100

2

0 17 0 BD

Oral Tablet with Magnesium Trisilicate and Magnesium Hydroxide (250 mg.-120 mg.-120 mg. (4 gr.-2 gr.-2 gr.) tab.

100

1

0 16 4 BW, FM, GP, HA, VR

Oral Tablet with Magnesium Trisilicate

100

2

0 14 4 WW

250 mg.-500 mg.

Oral Tablet with Magnesium Hydroxide

100

2

*0 14 6 WY

300 mg.-90 mg.

45 ALUMINIUM POWDER, B.P.C.

Compound Paste, B.P.C.

1920 gr.

1

1 1 8 BT

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
						£ s. d.
21	AMINACRINE HYDROCHLORIDE					
	Cream, P.L.		1920 gr.	1	0 11 0	Extemp.
	Ear Drops, P.L.		1 1/2 fl. oz.	2	0 7 0	Extemp.
	Eye Drops 3 mg. (0.05 gr.) per 1/2 fl. oz.					
	1/2 fl. oz.		† 1	2	0 10 7	IQ, KL
	Lotion, P.L.		8 fl. oz.	4	0 8 5	Extemp.
22	AMINOPHYLLINE					
	Injection 480 mg. per 2 mil., I.M. amp.		6	..	0 13 0	AD, DH
	500 mg. per 2 mil., I.M. amp.		6	..	0 13 0	BW, CM, FH, HA
	240 mg. per 10 mil., I.V. amp.		6	..	0 17 8	DH, HA
	250 mg. per 10 mil., I.V. amp.		6	..	0 17 8	AD, BW, CM, FH
	Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. ..		100	2	0 6 3	HY(QNVTW), MG, SL
					0 6 10	AD, DH, FA, HA, KL, PR(QNVS), RT(V), RY, SI, TO
					0 7 4	BW
					(ex 500)	
					0 7 5	AD, BW, DH, FA, HA, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, SL, TO
					(ex M.P.)	
	150 mg. (2.34 gr.) tab. ..		100	2	0 19 0	AB
	Oral Tablet with Phenobarbitone					
	100 mg.-30 mg. tab. (1.5 gr.-1/2 gr.) ..		100	2	0 6 9	MG, SL
					0 7 0	AD, CM, CO, DH, FA, HA, HY(QNVTW), KL, PR(QNVS), RT(V), RY, SI, TO
					(ex 500)	

22—continued

22—continued

				0 7 8 (ex M.P.)	AD, CM, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, SL, TO
100 mg.-15 mg. tab. (1.5 gr.-1/4 gr.) ..	100	2		0 6 10 (ex 500)	AD, CM, DH, FA, HA, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, SL, TO
				0 7 4 (ex M.P.)	AD, CM, DH, FA, HA, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, SL, TO
Suppository 175 mg. (2.75 gr.)	12	1		0 9 0	HA, KL
250 mg. (4 gr.)	12	1		0 12 0	AN, DH, HA, KL
400 mg. (6 gr.)	12	1		0 12 0	HA, KL
Aminophylline, Ephedrine Hydrochloride and Amylobarbitone					
Oral Tablet					
130 mg.-25 mg.-25 mg. tab.	100	2		1 3 0 1 13 8	CO, VR CK, HA, KL
Oral Tablet, enteric coated					
130 mg.-25 mg.-25 mg. tab.	100	2		1 6 4 1 13 8	CO LY
Oral Capsule					
130 mg.-25 mg.-25 mg. cap.	100	2		1 13 8	LY, PF
46 AMIPHENAZOLE HYDROBROMIDE, A.P.F.					
Injection 20 mg. vial (solvent required) ..	D	12	..	* 1 8 4	DH
23 AMIPHENAZOLE HYDROCHLORIDE, A.P.F. 1955					
Injection 30 mg. vial (solvent required) ..	D	12	..	2 11 8	NS
Oral Tablet 20 mg. tab.	D	100	..	0 11 11	NS

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
24	AMMONIATED MERCURY Ointment, B.P.		1920 gr.	1	0 12 4	Extemp.
25	AMMONIUM ACETATE STRONG SOLUTION, B.P. 1953 Mixture P.L.		8 fl. oz.	4	0 10 9	Extemp.
26	AMMONIUM CHLORIDE Oral Tablet, B.P.C. 500 mg. (7.5 gr.) tab. ..		25	3	* 0 5 3	HY(QNVTW), QE(QNVS), TO
27	AMODIAQUINE BASE Oral Tablet Amodiaquine Hydrochloride B.P. equivalent to 200 mg. base ..		100	2	1 19 0	PD
28	AMPHETAMINE SULPHATE Oral Tablet, B.P. 5 mg. tab... ..		100	2	0 6 8 0 7 0 0 7 5	TO MG, RT(V) DH, FA, HY(QNVTW), KL, PR(QNVS), QE(QNVS), RY
29	AMPHOTERICIN B Injection 50 mg. vial	D	1	..	1 19 8	SQ
30	AMYLOBARBITONE Oral Tablet, B.P. 15 mg. (1/4 gr.) tab. .. 30 mg. (1/2 gr.) tab. ..		50 50	2 2	0 7 0 0 7 7 0 7 11 0 8 7	PT FA, GP, HA, KL, LY PT FA, GP, HA, KL, LY, VR

30—continued

50 mg. (3/4 gr.) tab. ..	50	2	0 8 9	PT
			0 9 8	DF, FA, GP, HA, KL, LY, MG, VR
100 mg. (1.5 gr.) tab. ..	50	2	0 9 5	PT
			0 10 4	AD, DF, DH, FA, HA, HY(QNVTW), KL, MG, PR(QNVS), QE(QNVS), RT(V), SI, SL, TO
			0 12 4	VR
			0 13 0	GP, RY
			0 13 8	LY
31 AMYLOBARBITONE SODIUM				
Oral Capsule, B.P. 65 mg. cap. ..	50	2	*0 11 10	LY
200 mg. (3 gr.) cap. ..	50	1	0 14 4	FA
			1 4 0	LY
Injection, B.P.				
125 mg. amp. (solvent required) ..	6	..	1 7 8	LY
250 mg. amp. (solvent required) ..	6	..	* 1 9 6	LY
500 mg. amp. (solvent required) ..	6	..	* 2 3 0	LY
1 G. amp. (solvent required) ..	6	..	* 3 5 6	LY
47 ANDROSTANOLONE				
Oral Tablet 25 mg. tab. D	100	2	9 18 5	DF
			11 0 4	MN
32 ANEURINE HYDROCHLORIDE				
Injection, B.P. 25 mg. per cc., 1 mil. amp. ..	6	1	0 11 8	AB FH
			0 13 0	BD
30 mg. per cc., 1 mil. amp. ..	6	1	0 14 4	AB
			0 15 8	DH
50 mg. per cc., 1 mil. amp. ..	6	1	0 17 0	AB, BL, DH, FH, FM, KL
50 mg. per cc., 2 mil. amp. ..	6	1	0 19 0	BD
100 mg. per cc., 1 mil. amp. ..	6	1	0 19 0	AB, DH, FH, KL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
32—continued						
	50 mg. per cc., 10 mil. vial ..		1	1	0 12 4	AB DH, FA, FH, FM, GL, KL, PD
	100 mg. per cc., 10 mil. vial ..		1	1	0 15 0	AB CM DH, FA FH FM, GL, KL, PD, VE
	Oral Tablet, B.P. 20 mg. tab.	P	100	2	0 9 8	AB, AN, CM, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SL, TO
	25 mg. tab.	P	100	2	0 11 0	AB, AD, AN, DH, FA, FM, HY(QNVTW), KL, PR(QNVS), MG, RY, SI, SL, TO
	50 mg. tab.	P	100	2	0 13 8	AB, AD, AN, DH, FA, FM, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, SL, TO
	100 mg. tab.	P	100	2	0 19 0	AB, AN, DH, FM, HY(QNVTW), KL, MG, PR(QNVS), QE(QNVS), RT(V), RY, SL
	120 mg. tab.	P	100	2	1 1 8	AB, HY(QNVTW), KL, MG, PR(QNVS), SL
33	ANTACID POWDER					
	Powder, P.L.		1920 gr.	1	0 8 2	Extemp.
34	ANTAZOLINE HYDROCHLORIDE					
	Injection 100 mg. per 2 cc. amp.		10	..	* 1 1 8	CB
					* 1 2 0	BT
	Oral Tablet, B.P. 100 mg. tab.		50	1	0 13 8	CB
	Eye Drops with Naphazoline 1/2 fl. oz. ..		† 1	2	0 7 0	TO
	10 mil. ..		† 1	2	0 8 4	CB

35 ANTIMONY POTASSIUM TARTRATE

Injection, B.P. 1%, 5 cc. amp.

6

1

0 13 8

DH

36 AQUEOUS CREAM

Cream, B.P.

1920 gr.

1

0 11 1

Extemp.

37 ASCORBIC ACID

Oral Tablet, B.P. 10 mg. tab. P

100

2

0 5 7

AB, HY(QNVTW), RT(V)

25 mg. tab. P

100

2

0 5 8

AB, AD, DH, FA, FM, HY(QNVTW),
KL, MG, PR(QNVS), RT(V), RY,
SI, TO

50 mg. tab. P

100

2

0 7 4

AB, AD, AN, DH, FA, FM, GL,
HY(QNVTW), KL, MG, NY,
PR(QNVS), RT(V), RY, SI, SL, TO

100 mg. tab. P

100

2

0 10 0

AB, AN, DH, HY(QNVTW), KL, MG,
PR(QNVS), QE(QNVS), RT(V), RY
TO

250 mg. tab. P

100

2

0 15 0

AB, AD, AN, DH, FA, FM,
HY(QNVTW), KL, MG, NY, RT(V),
RY, SI, SL, TO

500 mg. tab. P

100

2

0 15 8

GL, PR(QNVS)

1 5 0

AB, HY(QNVTW), KL, MG

38 ATROPINE

Eye Drops, Oily 1% 1/2 fl. oz.

† 1

2

0 13 0

IQ, SI

39 ATROPINE METHONITRATE

Mixture for Children, P.L.

4 fl. oz.

4

0 13 4

Extemp.

Solution 0.6%, 1/2 fl. oz. bottle

1

..

0 9 8

BA

Oral Tablet 1 mg. tab.

50

2

0 14 4

BA

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
40	ATROPINE SULPHATE					
	Hypo. Tablet, B.P.					
	1/200 gr. hypo. tab. (solvent required) ..		20	1	0 5 0	PD
	1/150 gr. hypo. tab. (solvent required) ..		20	1	0 5 0	DH, FA, PD
	1/100 gr. hypo. tab. (solvent required) ..		20	1	0 5 4	DH, FA, PD
	Injection, B.P. 1/150 gr. per cc., 1 cc. amp. ..		6	1	0 9 8	BL, BT, DH, FH, KL
	1/100 gr. per cc., 1 cc. amp. ..		6	1	0 9 8	BL, BT, DH, FH, KL
	1/100 gr. per cc., 10 cc. vial ..		1	..	0 9 8	DH, FA, FH
	1/50 gr. per cc., 1 cc. amp. ..		6	1	0 9 8	BL, DH, FH, KL
	Eye Drops, 1/2%, 1/2 fl. oz.	†	1	2	0 11 0	AN, DH, IQ, KL, SI
	1% 1/2 fl. oz.	†	1	2	0 12 0	AN, DH, IQ, KL, SI
	Eye Ointment, B.P. 4 G. (60 gr.)	†	1	..	0 6 4	PD
41	AUROTHIOGLUCOSE					
	Injection, Oily 10 mg. amp... ..		1	3	0 6 3	SC
	25 mg. amp... ..		1	3	0 7 7	SC
	50 mg. amp... ..		6	..	* 1 13 6	SC
	100 mg. amp... ..		6	..	* 2 2 6	SC
83	BACITRACIN					
	Eye Drops 15,000 U. and 15 mil. amp. of solvent	†	1	2	† 0 19 10	AN, IQ
84	BARBITONE COMPOUND, A.P.F. 1955					
	Oral Capsule, A.P.F. 1955		50	1	1 13 8	AN, KL
					1 18 4	AB

85	BARBITONE SODIUM Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..	50	2	0 9 4	DH, KL, MG, SL
	500 mg. (7.5 gr.) tab. ..	50	2	0 10 0 0 11 0 0 11 4	DH, FA, KL TO MG
86	BELLADONNA Compound Suppository	12	1	0 7 11	WY
87	BEMEGRIDE Injection, B.P. 30 mil. vial	D	6	..	5 16 0 NS
106	BENDROFLUAZIDE Oral Tablet 2.5 mg. tab.	50	2	1 2 8	AN, BT, GL
	5 mg. tab.	50	2	1 13 4	AN, BT, GL
88	BENEDICT'S QUALITATIVE SOLUTION Solution, P.L.	4 fl. oz.	1	0 8 7	Extemp.
102	BENZALKONIUM CHLORIDE Cream, 0.01% 2 oz.	1	1	0 7 5	CA
	Compound Suppository	12	1	0 11 8	FA
89	BENZHEXOL HYDROCHLORIDE Oral Tablet, B.P. 2 mg. tab... ..	100	2	1 1 4	LE, WL
	5 mg. tab... ..	100	2	2 1 4	LE, WL
90	BENZOCAINE Dusting Powder, P.L.	1920 gr.	1	0 14 4	Extemp.
	Compound Ointment with Hamamelis and Zinc, P.L.	1920 gr.	1	1 0 1	Extemp.
	Compound Ointment with Adrenaline ..	960 gr.	1	0 13 0	GP
	Compound Suppository with Adrenaline ..	12	1	0 10 7	GP
	Suppository with Adrenaline, A.P.F. 1955 ..	12	1	0 13 0	AN, DH, KL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
91	BENZOIC ACID Compound Ointment, A.P.F. 1955		1920 gr.	1	0 12 4	Extemp.
92	BENZOIN COMPOUND TINCTURE Inhalation, P.L.		2 fl. oz.	1	0 13 11	Extemp.
93	BENZYL BENZOATE Application, 25% 4 fl. oz. bottle Application with Dicophane. P.L.		1 4 fl. oz.	1 1	0 9 8 0 10 6	EV Extemp.
103	BEPHENIUM HYDROXYNAPHTHOATE Oral Sachet 5 G. sachet		1	..	0 7 5	BW
109	BETAMETHASONE Oral Tablet 0.5 mg. tab.	AD	30	..	1 11 0	GL, SH
110	BETAMETHASONE PHOSPHATE Eye Drops, 0.1%, 5 mil.		‡1	2	1 3 0	SH
94	BISMUTH CARBONATE, B.P. 1953 Compound Mixture for Children, P.L. ..		4 fl. oz.	4	0 10 0	Extemp.
95	BISMUTH GLYCOLLYLARSANILATE Oral Tablet 500 mg. tab.		25	2	0 19 0	WL
104	BISMUTH SODIUM TARTRATE Injection, B.P. 60 mg. per cc., 10 cc. vial ..		1	..	1 3 0	FA

97	BISMUTH SUBGALLATE, B.P.C.										
	Suppository, B.P.C. 300 mg. (5 gr.) ..				12	1	0 8 1	DH			
	Compound Suppository, B.P.C. ..				12	1	0 8 3	DH, WW			
							0 13 8	KL			
98	BORIC ACID										
	Ear Drops, P.L.				1/2 fl. oz.	2	0 6 10	Extemp.			
	† Powder, B.P. 4 oz.				1	..	0 1 3	WD(N)			
							0 1 8	FA			
							0 2 0	SI (v)			
							0 2 3	DH			
105	BRETYLIUM TOSYLATE										
	Oral Tablet, B.P. 200 mg. tab. ..				100	2	4 6 4	BW			
108	BROWN SNAKE ANTI-VENENE										
	Injection 500 U. amp.				2	1	* 14 3 0	CS			
99	BUSULPHAN										
	Oral Tablet, B.P. 0.5 mg. tab. ..				D	100	2	0 19 8	BW		
	2 mg. tab. ..				D	100	2	1 4 4	BW		
107	BUTABARBITAL SODIUM										
	Oral Tablet 15 mg. tab. ..				50	2	0 9 5	AN			
	30 mg. tab. ..				50	2	0 11 7	AN			
	100 mg. tab. ..				50	2	0 16 7	AN			
100	BUTOBARBITONE										
	Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. ..				50	2	0 6 11	AD, DH, KL, MG, RT(v), SI, SL			
							0 7 0	MB			
							0 7 4	RY			
							0 7 8	GP			
101	BUTYL AMINO BENZOATE, B.P. 1953										
	Cream with Trinitrophenol, P.L. ..				1920 gr.	1	0 12 8	Extemp.			

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
120	CALAMINE					
	Cream, P.L.		1920 gr.	1	0 8 10	Extemp.
	Lotion, P.L.		8 fl. oz.	4	0 8 0	Extemp.
	Compound Liniment, P.L.		4 fl. oz.	1	0 7 8	Extemp.
121	CALCIFEROL					
	Oral Tablet, B.P. 50,000 U. tab.	ADG	100	2	1 4 0	GL, RL
	Solution 3,000 U. per mil., 25 mil. bottle..	CP	1	..	0 6 1	BD
	3,000 U. per mil., 100 mil. bottle..	CP	1	..	0 9 8	BD
122	CALCIUM ACETYSALICYLATE					
	Mixture, P.L.		8 fl. oz.	4	0 8 3	Extemp.
128	CALCIUM AMINOSALICYLATE, B.P.C.					
	Cachet 1.5 G. cachet	D	200	2	3 5 8	AN, KL, WA
	2.0 G. cachet	D	200	2	4 5 8	KL, WA
	Oral Tablet 500 mg. (7.5 gr.) tab.	D	200	2	1 0 8	AN, KL, RY, WA
	Granules 100 G. tin	D	1	1	1 16 8	WA
	400 G. tin	D	1	1	5 19 8	WA
123	CALCIUM AUROTHIOMALATE					
	Injection					
	10 mg. amp.		1	3	0 7 9	CK
	25 mg. amp.		1	3	0 8 4	CK
	50 mg. amp.		6	..	1 12 4	CK
	100 mg. amp. (solvent required)		6	..	2 4 1	CK

125	CALCIUM CARBONATE Powder with Kaolin, P.L. 	1920 gr.	1	0 8 9	Extemp.
126	CALCIUM GLUCONATE Injection, B.P. 10% Solution, 10 mil. amp.	6	1	0 15 0	DH, FH, TH
	Oral Tablet, B.P.C. 600 mg. (10 gr.) tab. ..	100	2	0 7 8	AD, DH, FA, HY(QNVTW), PR(QNVS), RT(V), SI, SL
				0 8 4	MG, RY, TO
127	CALCIUM LACTATE Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..	100	2	0 6 4	AD, DH, FA, HY(QNVTW), KL, RT(V), RY, SI, SL, TO
129	CAMPHOR Liniment for Children, P.L. 	4 fl. oz.	1	0 10 5	Extemp.
130	CAMPHORATED TINCTURE OF OPIUM Mixture, P.L. 	8 fl. oz.	4	0 8 6	Extemp.
	Linctus, P.L. 	8 fl. oz.	4	0 14 9	Extemp.
	Linctus for Children, P.L. 	4 fl. oz.	4	0 10 8	Extemp.
131	CARAMIPHEN HYDROCHLORIDE Oral Tablet 50 mg. tab. 	D 100	2	* 2 5 0	GE
132	CARBACHOL Injection. B.P. 0.25 mg. per 1 cc. amp. ..	6	..	0 9 8	BD FH
133	CARBARSONE Oral Tablet, B.P. 250 mg. tab. 	20	1	0 6 9	MB
184	CARBIMAZOLE Oral Tablet, B.P. 5 mg. tab... 	100	2	1 6 8 1 12 4	PT BS

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
186	CARBINOXAMINE MALEATE Oral Tablet 4 mg.		50	1	0 15 8	AN
135	CARBROMAL Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		50	2	0 8 8 0 9 8	DH, KL, MG BA, GP
136	CARMINATIVE MIXTURE Mixture for Children, P.L.		4 fl. oz.	4	0 7 2	Extemp.
137	CASCARA Oral Tablet, B.P. 200 mg. (3 gr.) tab. ..		25	3	0 5 0	AD, DH, FA, HY(QNVTW), PD, RT(V), SI, SL
	300 mg. (5 gr.) tab. ..		25	3	0 5 5	AD, DH, FA, HY(QNVTW), PD, RT(V), SI, SL, TO
	†Liquid Extract, B.P. 1 fl. oz. bottle ..		1	1	0 1 11	DH, WD(N)
	2 fl. oz. bottle ..		1	1	0 3 0	DH, WD(N)
138	CASTOR OIL †5 oz. bottle		1	..	0 2 6 0 3 3 0 3 6	WD(N) DH FA
139	CETRIMIDE Cream, P.L.		1920 gr.	1	0 10 5	Extemp.
	Solution, P.L.		4 fl. oz.	1	0 7 1	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
147	CHLORBUTOL Nasal Instillation, P.L.		1/2 fl. oz.	2	0 7 1	Extemp.
148	CHLORCYCLIZINE HYDROCHLORIDE Oral Tablet, B.P. 50 mg. tab.		50	1	0 17 0	AB, BW
181	CHLORHEXIDINE GLUCONATE SOLUTION Solution, 5% 100 cc. bottle		‡ 1	1	0 15 0	IC
149	CHLORMERODRIN Oral Tablet 18.3 mg. tab.		25	2	0 9 8	PD
183	CHLOROBENZOL DISULPHONAMIDE Oral Tablet 200 mg. tab.		50	2	2 7 0	NS
150	CHLOROQUINE BASE Oral Tablet Phosphate or Sulphate, B.P. equivalent to 150 mg. base		100	2	1 10 3	AN, BA, DH, EV, FB, IC, MB, RT(V)
	Injection Phosphate or Sulphate, B.P.					
	1 mil. amp.		6	1	0 9 8	DH, FH
	2 mil. amp.		6	1	0 12 5	FH
					* 0 12 5	MB
	5 mil. amp.		6	1	* 0 19 11	MB
					1 0 4	DH, FH

151	CHLOROTHIAZIDE								
	Oral Tablet, B.P.	500 mg. tab.	..	..	50	2	2 4 9	MK	
							(ex 250)		
							2 11 0	MK	
							(ex M.P.)		
152	CHLOROXYLENOL								
	†Solution, B.P.	4 fl. oz. bottle..	..	..	1	1	0 3 6	FA	
							0 4 2	BC	
175	CHLORPHENIRAMINE MALEATE								
	Injection	10 mg. per 1 cc. amp.	..	..	5	..	0 15 9	GL	
	Oral Tablet	4 mg. tab.	..	..	50	1	0 17 4	SH	
							0 17 8	GL	
		8 mg. tab.	..	..	50	1	1 1 8	GL	
							1 7 4	SH	
	Syrup	4 fl. oz.	..	..	C ‡1	4	0 9 8	GL	
179	CHLORPROMAZINE HYDROCHLORIDE								
	Injection, B.P.	1%, 5 cc. amp.	..	..	ADG 10	..	0 19 4	MB	
		2.5%, 1 cc. amp.	..	..	ADG 10	..	0 12 4	MB	
		2.5% 2 cc. amp.	..	..	ADG 10	..	0 16 8	MB	
	Oral Tablet, B.P.	10 mg. tab.	..	..	ADG 100	..	0 13 8	MB	
		25 mg. tab.	..	..	ADG 100	2	0 19 8	MB	
							(ex 500)		
							1 0 4	MB	
							(ex M.P.)		
		50 mg. tab.	..	..	ADG 100	2	1 17 0	MB	
	Suppositories	100 mg.	..	..	ADG 5	1	0 12 8	MB	
	Syrup	4 fl. oz. bottle	..	..	ADG ‡ 1	4	0 11 4	MB	
153	CHLORPROPAMIDE								
	Oral Tablet	250 mg. tab.	..	..	100	2	2 3 0	PF	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
154	CHLORTETRACYCLINE HYDRO- CHLORIDE				£ s. d.	
	Oral Capsule, B.P. 50 mg. cap	D	25	..	1 4 7	LE
	100 mg. cap.	D	25	..	2 2 4	LE
	250 mg. cap.	D	16	..	3 0 0	LE
	Oral Granules 75 G. bottle	CD	‡ 1	..	1 14 3	LE
	Eye Ointment, 1% 4 G. (60 gr.)		‡ 1	..	0 6 4	LE
184	CHLORTHALIDONE					
	Oral Tablet 100 mg. tab.		50	2	2 11 0	GE
155	CHOLERA VACCINE					
	Injection, B.P. 8,000 M. per cc., 1 cc. amp.		3	..	*0 14 0	CS
156	CHORIONIC GONADOTROPHIN, B.P.					
	Injection 1,000 I.U.		6	1	3 18 0	RM, SC
	1,500 I.U.		6	1	* 3 9 8	LP
					4 8 4	OR
	5,000 I.U.		6	1	13 3 0	OR
					*13 3 0	RM, SC
					*16 9 0	AY, PD
180	CLEMIZOLE HYDROCHLORIDE					
	Oral Tablet 20 mg. tab.		50	1	0 15 8	GP
					* 0 15 9	SC
188	CLEMIZOLE TANNATE					
	Syrup 100 cc.	C	‡1	4	0 9 8	SC
157	COAL TAR SOLUTION					
	Lotion, P.L.		8 fl. oz.	4	0 6 11	Extemp.

158	COCAINE								
	Eye Drops, Oily, 2% 1/2 fl. oz.	† 1	2	0 15 11	IQ, SI				
160	CODEINE PHOSPHATE								
	Linctus, P.L.	4 fl. oz.	2	0 14 8	Extemp.				
	Linctus for Children, P.L.	4 fl. oz.	4	0 11 1	Extemp.				
	Oral Tablet, B.P. 30 mg. (1/2 gr.) tab. ..	25	3	0 8 4	DH, HY(QNVTW), KL, MG, RT(V), RY, TO				
	Oral Tablet Compound, B.P.	100	2	0 9 6	AD, AN, CM, CO, DH, FA, HA, HY(QNVTW), KL, MR, PR(QNVS), RT(V), RY, SI, SL, TO, VR				
				0 9 8	MG				
				0 9 10	BW				
				(ex 500)					
				0 9 8	AD, FA, HA, HY(QNVTW), PR(QNVS), RT(V), RY, SI, TO				
				0 11 0	AN, BW, CM, CO, DH, KL, MG, MR, SL, VR				
				(ex M.P.)					
	Oral Tablet Compound Soluble, B.P. ..	100	2	0 15 0	BW, DH, HA, IQ, KL, MG, RO, TO				
	Oral Tablet with Acetylsalicylic Acid Soluble								
	10 mg.-300 mg.	100	2	0 15 0	BW, FM, KL, NB				
	10 mg.-500 mg.	100	2	0 16 0	FA				
				0 16 8	RC				
	Oral Tablet with Acetylsalicylic Acid								
	10 mg.-300 mg.	100	2	0 10 8	HY(QNVTW), KL, NS				
				0 11 0	BW, EL				
	Oral Tablet with Acetylsalicylic Acid and Phenacetin 10 mg.-250 mg.-250 mg. tab.	100	2	0 13 7	FA, WW				
	Oral Tablet with Acetylsalicylic Acid, Phen- acetin and Caffeine								
	12 mg.-250 mg.-150 mg.-15 mg. tab. (1/5 gr.-4 gr.-2.5 gr.-1/4 gr.)	100	2	0 17 0	GP				
	30 mg.-225 mg.-150 mg.-30 mg. tab. (1/2 gr.-3.5 gr.-2.5 gr.-1/2 gr.) ..	50	..	*0 15 6	BW				
				*0 15 11	GP				

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
161	COD LIVER OIL †Cod Liver Oil, B.P. 8 fl. oz.	CP	1	4	0 3 3	WD(N)
	†Emulsion, 50%, 16 fl. oz. bottle	CP	1	4	0 4 0	DH, FA, SI (v)
	Ointment with Acriflavine, P.L.		1920 gr.	1	0 5 8	DH, SL, WD(N)
					0 11 5	Extemp.
162	COLCHICINE Oral Tablet, B.P. 0.5 mg. (1/120 gr.) tab. ..		100	2	0 11 8	PT
					0 12 4	BW, DH, EV, IQ, KL, MR
					* 0 13 8	HY(QNVTW), RD
164	COLCHICUM TINCTURE Mixture with Acetylsalicylic Acid, P.L. ..		8 fl. oz.	4	0 9 4	Extemp.
	Mixture with Sodium Salicylate, P.L. ..		8 fl. oz.	4	0 9 9	Extemp.
165	COLD CREAM Cream, P.L.		1920 gr.	1	0 10 1	Extemp.
166	COLOCYNTH, B.P.C. Oral Pill Compound, B.P.C.		50	1	* 0 7 10	DH
167	COPPER SULPHATE Lotion with Zinc Sulphate, B.P.C. ...		8 fl. oz.	4	0 7 3	Extemp.
	†Diagnostic Tablet Compound 36 tabs. ..		1	2	0 6 9	AM

168 CORTICOTROPHIN

Injection, B.P.	10 I.U. vial	..	..	AD	6	..	1	17	0	CK
						*	2	5	9	OR
							2	13	0	CS
	20 I.U. amp.	..	..	AD	6	..	4	16	4	CS
	25 I.U. vial	..	..	AD	6	..	3	7	0	CK
Gelatin Injection, B.P.	20 I.U. amp.	..	..	AD	6	..	2	19	0	AN
	50 I.U. amp.	..	..	AD	6	..	11	9	8	CS
	100 I.U. vial	..	..	AD	6	..	*22	3	0	PH, SC
							22	3	0	CK, CS
	200 I.U. amp.	..	..	AD	6	..	*40	3	0	SC
	200 I.U. vial	..	..	AD	6	..	*40	3	0	CK, PH
Zinc Hydroxide Injection, B.P.	40 I.U. vial	..	..	AD	6	..	*9	3	0	OR
	50 I.U. vial	..	..	AD	6	..	*11	9	8	OR
	100 I.U. vial	..	..	AD	6	..	*22	3	0	OR
	200 I.U. vial	..	..	AD	6	..	*40	3	0	OR

169 CORTISONE ACETATE

Injection, B.P.	25 mg. per cc., 10 c.c. vial	..	..	AD	1	..	1	3	8	GL, OR, RL
	25 mg. per cc., 20 cc. vial	..	..	AD	1	..	2	4	4	AN, MK, SC
	50 mg. per cc., 10 cc. vial	..	..	AD	1	..	2	4	4	AN MK
Oral Tablet, B.P.	5 mg. tab...	..	..	AD	50	..	0	19	8	PT
							1	3	8	AN, MK
							*1	4	10	SC
	25 mg. tab...	..	..	AD	40	..	3	9	8	PT
							4	6	4	AD, AN, BT, DH, GL, KL, MK, PD, SC, RL
							*4	6	4	OR
Eye Drops 0.5%	3 mil.	..	..	..	+ 1	2	0	13	8	DH
	5 mil.	..	..	..	+ 1	2	0	15	8	MK, SH
	10 mil.	..	..	..	+ 1	2	0	19	0	AN
1%	2.5 mil.	..	..	..	+ 1	2	0	13	8	CB
	3 mil.	..	..	..	+ 1	2	0	15	8	AN, RL
2.5%	5 mil.	..	..	..	+ 1	2	2	8	4	DH, MK
	10 mil.	..	..	..	+ 1	2	2	11	0	AN

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
182	COUGH MIXTURE Mixture for Children, P.L.		4 fl. oz.	4	0 9 3	Extemp.
170	CRESOL AND SOAP SOLUTION †Solution, B.P. 4 fl. oz. bottle		1	1	0 2 3 0 2 6 0 2 8	AL(QNVTS) SI(V) DH, WD(N)
171	CRYSTAL VIOLET Ear Drops, P.L.		1/2 fl. oz.	2	0 6 10	Extemp.
	Paint Compound, P.L.		1 fl. oz.	1	0 6 7	Extemp.
172	CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH Injection, B.P. 20 meg. per 1 cc. amp. . .	D	12	1	*0 17 0	BD, CM, DH, FH, GL, KL, WP(NVW)
	50 meg. per 1 cc. amp. . .	D	6	1	0 11 0	BD, BT, CM, DH, DL, FH, GL, WP(NVW)
	50 meg. per cc., 10 cc. vial	D	1	..	0 11 4 0 12 4	FH CM, GL
	100 meg. per 1 cc. amp. . .	D	6	1	0 13 8	AN, BD, BT, CM, DH, DL, EV, FH, GL, KL, WP(NVW)
	100 meg. per cc., 10 cc. vial	D	1	..	0 14 8 0 17 8	PT, KL AN, CM, DH, FH, GL, SQ
	200 meg. per 1 cc. amp. . .	D	1	..	* 0 7 10 0 10 0	CM, GL FH
	500 meg. amp.	D	1	..	* 0 12 1 0 14 8	BT, OR AR

173	CYANOCOBALAMIN 1,000 MICRO-GRAMME STRENGTH								
	Injection, B.P. 1,000 mcg. per 1 mil. amp. ..	D	1	..		0 7 9	DF		
						0 9 0	AN, CM, DH, GL, KL		
						0 19 8	AR, BT, DL, FH, HY(QNVTW)		
174	CYCLOBARBITONE								
	Oral Tablet, B.P. 200 mg. (3 gr.) tab. ..		50	2		0 13 8	KL, MG, SL		
						0 16 4	BA, BW, GP		
					*	0 16 7	HA		
187	CYCLOPENTHIAZIDE								
	Oral Tablet 0.5 mg.		50	2		1 9 8	CB		
176	CYCLOPHOSPHAMIDE								
	Injection 100 mg. vial		10	..		5 18 0	CM		
	Oral Tablet 50 mg. tab.		50	..		3 13 0	CM		
178	CYCLOSERINE	H	..	..		..			
177	CYCRIMINE HYDROCHLORIDE								
	Oral Tablet 1.25 mg. tab.		100	2		1 15 0	LY		
	2.5 mg. tab.		100	2		2 14 4	LY		
185	CYPROHEPTADINE								
	Oral Tablet 4 mg. tab.		50	2		0 19 0	MK		
230	DAPSONE								
	Oral Tablet, B.P. 50 mg. tab.		100	2		0 7 0	AN		
	100 mg. tab.		100	2		0 8 4	IC		
231	DARROW'S SOLUTION								
	Injection 1 litre bottle.. .. .		2	..	*	1 11 8	BT, DH, FH, SJ(W)		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
282	DEATH ADDER ANTI-VENENE Injection 3,000 U. vial		2	..	*7 3 0	CS
279	DEMECARIUM BROMIDE Eye Drops 0.25% 5 mil. 0.5% 5 mil.		† 1 † 1	6 6	0 18 0 1 0 9	AP AP
267	DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE Oral Capsule 150 mg. cap.	D	14	..	2 7 5 (ex 100) 2 12 9 (ex M.P.)	LE LE
	Oral Paediatric Drops 60 mg. per cc., 10 cc. vial	CD	† 1	..	1 0 1	LE
	Oral Suspension 75 mg. per 5 cc., 2 fl. oz. bottle	CD	† 1	..	1 10 8	LE
232	DEOXYCORTONE ACETATE Aqueous Injection 5 mg. amp.	D	5	..	* 1 18 7 2 5 0	SC CB
	50 mg. amp.	D	1	..	* 3 7 7 3 13 0	SC CB
	Aqueous Suspension Injection 25 mg. amp. . .	D	1	..	2 1 8	CB
	Injection, B.P. 2 mg. amp.	D	4	..	0 16 4	OR
	5 mg. amp.	D	4	..	1 9 8	CB, OR, SC
	10 mg. amp.	D	4	..	2 9 8	CB, OR, SC
	5 mg. per cc., 5 cc. vial ..	D	1	..	1 16 4	OR
	10 mg. per cc., 10 cc. vial ..	D	1	..	5 14 4	CB, OR

232—continued									
Implant, B.P.	50 mg. implant	..	..	D	1	..	2	9	8 OR
	100 mg. implant	..	..	D	1	..	4	9	8 CB, OR
Oral Tablet	1 mg. tab.	..	..	D	40	..	1	15	0 CB, OR
							*	1	15 0 SC
	5 mg. tab.	..	..	D	20	..	3	7	0 CB
233 DESACETYL-LANATOSIDE-C									
Injection	0.2 mg. per cc., 2 cc. amp.	..			6	1	0	12	4 SZ
234 DEXAMETHASONE									
Oral Tablet	0.5 mg. tab.	..	..	AD	30	..	2	12	4 GL, LT, MK, OR, RL, SC, SH
273 DEXAMETHASONE SODIUM PHOSPHATE									
Injection "For Peri- or Intra-Articular In-									
jection"	5 mg. per 1 cc. vial	..	..		5	..	*4	6	4 OR
	4 mg. per cc., 2 cc. vial	..	..		5	..	*6	16	4 MK
235 DEXAMPHETAMINE SULPHATE									
Oral Tablet, B.P.	5 mg. tab...	..	..		100	2	0	6	8 AD, CO, DH, FA, HY(QNVTW), KL, PR(QNVS), RT(V), RY, SI, SL, TO
							0	7	0 BT, CM, GP, MG
236 DEXTRAN IRON									
Injection	2 cc. amp. I.M.	..	..		5	..	*	2	2 0 FC
	5 cc. amp. I.M.	..	..		5	..	3	5	0 FC
237 DEXTRIN IRON 2% INTRAVENOUS									
Injection	5 cc. amp. I.V.	..	..		5	..	1	16	4 AP

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
269	DEXTROCHLORPHENIRAMINE MALE- ATE					
	Injection 5 mg per cc., 1 cc. amp.		6	..	0 13 8	SH
	Oral Tablet 2 mg. tab.		50	1	0 18 4	SH
	6 mg. tab.		50	1	2 0 4	SH
	Syrup 2 mg. per 5 cc. 4 fl. oz.	C	1	4	0 11 8	SH
238	DEXTROSE					
	Injection, B.P. 5%, 1 litre bottle		6	1	* 4 9 0	AB, BT, DH, EV, FH(QNVST), GL, SJ(W)
	10%, 1 litre bottle		2	1	* 1 11 8	AB, BT, DH, EV, FH(QNVST), SJ(W)
	20%, 1 litre bottle		2	1	* 1 11 8	BT, DH, FH(QNVST), SJ(W)
	25%, 1 litre bottle		2	1	* 1 11 8	AB, DH, FH(QNVST), SJ(W)
	50%, 25 cc. amp.		6	1	* 1 7 0	DH, FH
	50%, 50 cc. amp.		6	1	* 1 19 0	DH, FH, PD
277	DICHLORPHENAMIDE					
	Oral Tablet 50 mg. tab.		50	4	* 3 12 9	MK
241	DICOPHANE					
	Application, P.L.		4 fl. oz.	1	0 8 2	Extemp.
274	DICYCLOMINE HYDROCHLORIDE					
	Oral Tablet 10 mg. tab.		100	2	1 16 0	ML

242	DIENOESTROL				DG	100	2	0 6 0	AD, BD, DH, FM, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
	Oral Tablet, B.P.	0.3 mg. tab.	..	..					
		1.0 mg. tab.	..	..					
		5 mg. tab...	..	..					
		10 mg. tab...	..	..					
	Cream, 0.01%,	3 oz. tube	..	..	P	1	1	0 10 7	OO
243	DIETHAZINE HYDROCHLORIDE					100	2	0 10 4	MB
	Oral Tablet	50 mg. tab.	..	..					
		250 mg. tab.	..	..					
244	DIETHYLCARBAMAZINE CITRATE					40	1	* 0 15 11	LE
	Oral Tablet, B.P.	50 mg. tab.	..	..					
275	DIETHYL DITHIOLISOPHTHALATE				H	..	..	..	
245	DIGITALIS, PREPARED					100	2	0 5 0	BW, DH, FA, HY(QNVTW), RT(V), RY, TO
	Oral Tablet, B.P.	30 mg. (1/2 gr.) tab.	..	..					
		60 mg. (1 gr.) tab.	..	..					
246	DIGITOXIN, B.P.C.					100	2	0 10 3	AD, CM, KL, NA, SI, WY
	Oral Tablet	0.1 mg. tab.	..	..					
		0.2 mg. tab.	..	..					
		0.25 mg. tab.	..	..					
247	DIGOXIN					† 1	..	0 12 8	BW
	Solution	0.5 mg. per cc.,	30 cc.	..					
	Solution for Children	0.05 mg. per mil.							
		2 fl. oz.	..	..		† 1	..	0 13 8	BW

Item No.	Name, Manner of Administration and Form	Re-strictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
247— <i>continued</i>						
	Injection, B.P. 0.5 mg. per 2 cc. amp...		12	1	* 1 1 8	BW, DH
	Oral Tablet, B.P. 0.25 mg. tab.		100	2	0 10 11	HY(QNVTW), MG, RT(V), SL
					0 11 2	CO, FA, KL, PR(QNVS), TO
					0 12 5	RD
					0 12 6	BW, GA, VR
					0 13 9	AB
					(ex 500)	
					0 11 0	FA, HY(QNVTW), KL, PR(QNVS), RT(V), TO
					0 13 0	MG
					0 13 8	RD
					0 14 0	AB, BW, CO, GA, SL, VR
					(ex M.P.)	
249	DIHYDROERGOTAMINE					
	Injection 1 mg. per cc., 1 cc. amp. ..		6	..	0 18 4	SZ
250	DIHYDROMORPHINONE HYDRO-CHLORIDE, B.P.C. 1949					
	Injection 1.1 cc. amp.		5	..	0 10 4	KN
	Oral Tablet 2.5 mg. (1/25 gr.) tab.		20	..	* 0 9 8	KN
251	DIHYDROSTREPTOMYCIN SULPHATE					
	Injection, B.P. 1 G. vial	D	5	3	* 0 19 8	AN, GL, LP
	Oral Tablet of Dihydrostreptomycin Sulphate, Attapulgate, Pectin and Hydrated Alumina Powder					
	150 mg.-350 mg.-45 mg.-70 mg. tab. ..		16		0 14 1	WY

253	DI-iodohydroxyquinoline					D	100	2	0	17	8	DF, MB
	Oral Tablet, B.P. 300 mg. tab.											
	650 mg. tab.											
	Compound Vaginal Tablet											
280	DILOXANIDE FUROATE					D	15	..	1	3	0	BT
	Oral Tablet 500 mg. tab.											
254	DIMERCAPROL						12	..	2	3	0	BT
	Injection, B.P. 2 cc. amp.											
255	DIPHENHYDRAMINE HYDROCHLORIDE					C	1	1	0	14	4	PD
	Injection 10 mg. per cc., 10 cc. vial ..											
	Oral Capsule, B.P. 50 mg. cap.											
	Oral Elixir 115 mil.											
278	DIPHENYLPYRALINE HYDROCHLORIDE						50	2	1	5	0	SK
	Oral Capsule 2.5 mg. cap.											
	5 mg. cap.											
	Oral Tablet, 2.5 mg. tab.											
256	DIPHThERIA AND TETANUS						3	..	*0	15	0	CS
	VACCINE, B.P.											
257	DIPHThERIA ANTITOXIN, B.P.						2	1	* 0	13	8	CS
	Injection 1,000 U. amp.											
	4,000 U. amp.											
	10,000 U. amp.											
	20,000 U. amp.											

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
259	DIPHTHERIA TETANUS AND PERTUSSIS VACCINE, B.P.					
	Injection 0.5 cc. amp.		3	..	0 13 0	BW, GL, PD
	1 cc. amp.		3	..	*0 13 0	CS
260	DIPHTHERIA VACCINE (FORMOL TOXOID), B.P.					
	Injection Set containing 3 amps. each 0.5 mil. Toxoid undiluted and 1 amp. of 1 mil. Toxoid diluted		1	1	0 14 5	CS
261	DIPHTHERIA VACCINE (PURIFIED TOXOID, ALUMINIUM PHOSPHATE), B.P.					
	Injection 1 cc. amp.		2	1	* 0 10 4	CS
	Set containing 2 amps. each 1 cc. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) (diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for the skin test only		1	..	0 12 4	CS
262	DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)					
	Injection 1 cc. amp... ..		1	..	0 6 4	CS

263	DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE										
	Injection	250 mg. per 5 cc. amp.	..	..	D	10	..	4	7	5	CM
	Oral Tablet	100 mg. tab.	..	..	D	100	2	9	1	8	CM
272	DISODIUM DIHYDROGEN VERSENATE										
	Injection	200 mg. per cc., 5.3 cc. amp.	..	..		6	1	3	9	8	RK
270	DITHIAZANINE IODIDE										
	Oral Tablet	50 mg. tab.	..	..		30	..	1	4	4	LY
		100 mg. tab.	..	..		30	..	* 2	0	4	LY
264	DITHRANOL										
	Ointment, B.P.	0.1%, 2 oz. tube	..	..		1	1	0	8	9	AB
	Ointment, Strong, B.P.	1%, 2 oz. tube	..	..		1	1	0	11	0	AB
281	DYFLOS, B.P.C.										
	Eye Drops, 0.1%, 10 cc.	..	..	..		‡1	..	1	16	4	BT
328	ECOTHIOPATE IODIDE										
	Eye Drops, 0.125%, 6.25 mg. and 5 cc. of solvent	..	..	..		‡1	6	‡1	14	2	CF
	Eye Drops 0.25%, 12.5 mg. and 5 cc. of solvent	..	..	..		‡1	6	‡1	18	2	CF
300	EMETINE AND BISMUTH IODIDE										
	Oral Tablet, B.P.	60 mg. (1 gr.) tab.	..	..		25	2	1	9	8	DH
		120 mg. (2 gr.) tab.	..	..		25	2	1	19	0	DH
301	EMETINE HYDROCHLORIDE										
	Injection, B.P.	20 mg. per 1 cc. amp.	..	..		12	..	1	9	8	DH, KL
		30 mg. per 1 cc. amp.	..	..		12	..	1	16	4	DH, KL
		65 mg. per 1 cc. amp.	..	..		6	..	1	16	4	DH, KL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
302	EMULSIFYING WAX					
	Cream (Buffered), P.L.		1920 gr.	1	0 9 6	Extemp
	Ointment, B.P.		1920 gr.	1	0 13 10	Extemp.
303	EPHEDRINE					
	Nasal Instillation (Oily), P.L.		1/2 fl. oz.	2	0 7 4	Extemp.
304	EPHEDRINE HYDROCHLORIDE					
	Hypo. Tablet					
	30 mg. (1/2 gr.) hypo. tab. (solvent required)		20	1	0 5 4	FA
	Injection 30 mg. (1/2 gr.) per 1 cc. amp. . .		6	1	0 11 0	BL, DH, FH, KL
	50 mg. (3/4 gr.) per 1 cc. amp. . .		6	1	0 11 0	BL, DH, FH, KL
	Oral Tablet, B.P. 7.5 mg. (1/8 gr.) tab. . .		100	2	0 5 8	DH, KL, TO
	15 mg. (1/4 gr.) tab. . .		100	2	0 6 0	AD, BW, DH, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, TO
	30 mg. (1/2 gr.) tab. . .		100	2	0 7 0	AD, BW, DH, FA, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, SL, TO
	60 mg. (1 gr.) tab. . .		100	2	0 10 0	HY(QNVTW), TO
					0 10 1	KL
	Oral Tablet with Phenobarbitone					
	15 mg.-15 mg. tab. (1/4 gr.-1/4 gr.) . .		100	2	0 7 0	KL, RT(V)
					0 8 4	AB, CM, HY(QNVTW), MG, PB, QE(QNVS), TO
					0 8 8	FM
	30 mg.-15 mg. tab. (1/2 gr.-1/4 gr.) . .		100	2	0 7 0	AD, HY(QNVTW), KL, PR(QNVS), RT(V), SI, SL
					0 8 4	AB, CM, DH, MG, PB, QE(QNVS), TO

304—continued

30 mg.-30 mg. tab. (1/2 gr.-1/2 gr.) ..	100	2	0 9 4	FM
			0 7 8	KL, SL
			0 9 0	AB, CM, HY(QNVTW), MG, PB, PR(QNVS), QE(QNVS), TO
			0 10 0	FM
Oral Tablet with Phenobarbitone and Theo- phylline 22.5 mg., 7.5 mg., 120 mg. tab. ..	100	2	1 3 0	WW
Nasal Instillation, P.L.	1/2 fl. oz.	2	0 6 11	Extemp.
306 ERGOMETRINE MALEATE				
Injection, B.P. 0.2 mg. per 1 cc. amp. ..	6	..	0 17 11	FH, LY
0.5 mg. per 1 cc. I.M. amp.	6	..	0 19 4	PT
			0 19 8	AD, BD, BL, BW, CM, DH, FH, FM, VR
0.125 mg. per 1 cc. I.V. amp.	6	..	0 13 0	AD, BD, BW, FH
Oral Tablet, B.P. 0.2 mg. tab.	25	3	0 16 9	LY
0.5 mg. tab.	25	3	2 0 4	PT
			2 11 0	BD, BW, CM, VR
307 ERGOTAMINE TARTRATE				
Injection, B.P. 0.5 cc. amp.	6	..	0 14 0	DH, SZ
1 cc. amp... .. .	6	..	0 18 3	DH
			0 18 4	SZ
Oral Tablet, B.P. 1 mg. tab... .. .	50	2	0 18 3	HY(QNVTW)
			0 18 7	PT, KL
			1 1 7	MG
			1 9 10	TO
			1 10 5	QE(QNVS)
			1 11 9	DH, SZ, VR
			(ex 250)	
			0 19 5	HY(QNVTW)
			1 0 8	PT, KL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
307—continued					£ s. d.	
					1 5 0	MG
					1 13 0	QE(QNVS)
					1 13 8	DH, SZ, TO, VR
					(ex M.P.)	
	Oral Tablet with Caffeine 1 mg.—100 mg. tab.		50	2	1 12 8	PT, KL
					2 0 0	BD
					2 0 1	SZ
	Oral Tablet with Caffeine and Meclozine Hydrochloride 1 mg.—100 mg.—10 mg. . . .		50	2	1 15 4	BD
	Oral Capsule with Caffeine Citrate and Diphenhydramine Hydrochloride 1 mg.—100 mg.—25 mg. cap. . . .		50	2	1 16 4	PD
	Compound Suppository		6	1	0 15 0	SZ
308 ERYTHROMYCIN						
	Oral Sachet 125 mg. . . .	CD	12	..	2 1 0	LY
	200 mg. . . .	CD	12	..	2 1 0	AB
	Oral Suspension 100 mg. per 5 cc., 75 cc. bot.	CD	† 1	..	2 1 0	AB
	200 mg. per 5 cc., 60 cc. bot.	CD	† 1	..	2 1 0	AB
	Injection 100 mg. per 2 cc., I.M. amp.	D	4	..	* 3 1 8	AB
	250 mg., 20 cc. I.V. amp. . .	D	1	..	1 9 8	LY
	300 mg. per 10 cc. vial . .	D	4	..	* 8 3 0	AB
	1 G. per 50 cc. vial I.V. . .	D	1	..	4 16 4	LY
	(solvent required)					
	Oral Tablet, B.P. 100 mg. tab. . . .	D	25	..	* 2 16 11	AB, LY, UP
	250 mg. tab. . . .	D	16	..	* 4 8 10	AB, LY, UP
	Oral Capsule 125 mg. cap. . . .	D	25	..	* 2 16 11	AB, LY
	250 mg. cap. . . .	D	16	..	* 4 8 10	AB, LY

309	ERYTHRITYL TETRANITRATE											
	Oral Tablet, B.P.C. 1949	5 mg. tab...	..	..								
		15 mg. tab...	..	..		100	2	0 11 0	BW			
						100	2	1 2 8	BW			
310	ETHANOLAMINE OLEATE											
	Injection, B.P.	5% Solution, 2 mil.	..	..								
						6	1	0 9 0	FH, GL			
								0 11 0	DH			
311	ETHINYLOESTRADIOL											
	Oral Tablet, B.P.	0.01 mg. tab.	..	..								
329	ETHIONAMIDE											
	..	..	..	..								
312	ETHISTERONE											
	Oral Tablet, B.P.	5 mg. tab...	..	..								
313	ETHOPROPAZINE HYDROCHLORIDE											
	Oral Tablet, B.P.	50 mg. tab.	..	..								

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
327	ETHOSUXIMIDE									
	Oral Capsule	250 mg. cap.	..	..	..		200	1	*4 8 4	PD
325	ETHOTOIN									
	Oral Tablet	500 mg. tab.	..	..	..		200	1	4 9 8	AB
314	ETHOXZOLAMIDE									
	Oral Tablet	125 mg. tab.	..	..	..		50	2	3 4 4	UP
315	ETHYL BISCOUMACETATE									
	Oral Tablet, B.P.	300 mg. tab.	..	..	..		100	2	13 17 0	GE
316	ETHYLIDENE DICOUMARIN									
	Oral Tablet	100 mg. tab.	..	..	..		100	2	3 5 8	NS
326	ETHYLNORADRENALINE									
	Injection	1 ml. amp.	..	..	..		6	..	1 1 0	WL
317	EUCALYPTUS OIL									
	Liniment Compound, P.L.	..	..	..	..		4 fl. oz.	1	0 10 3	Extemp.
318	EUSOL, A.P.F.									
	Lotion	..	..	..	..		8 fl. oz.	4	0 7 5	Extemp.
319	EVAPORATING LOTION									
	Lotion, P.L.	..	..	..	..		8 fl. oz.	4	0 7 1	Extemp.

320	EXPECTORANT MIXTURE Mixture, P.L.	8 fl. oz.	4	0 9 2	Extemp.
324	EXTRACT OF OX BILE Oral Capsule 300 mg. (5 gr.) cap.	50	1	0 11 0	PD
348	FERRIC HYDROXIDE Colloidal Solution 4 fl. oz.	† 1	4	0 11 8 0 13 7	CK EV
346	FERROUS AMINOACETOSULPHATE Oral Tablet 50 mg. tab. Syrup 4 fl. oz.	100 † 1	2 4	0 9 8 0 9 8	BP, CO BP, CO
340	FERROUS GLUCONATE Oral Tablet 300 mg. (5 gr.) tab. Elixir, 6% 4 fl. oz.	100 † 1	2 4	0 7 9 0 8 4 (ex 500) 0 8 4 0 8 9 (ex M.P.) 0 10 9	DH, FA, GP, HY(QNVTW), KL, MG, RT(V), RY, TO, WY HA, PR(QNVS), SZ, VR, WL DH, FA, HA, RT(V), RY, TO, VR GP, HY(QNVTW), KL, MG, PR(QNVS) SZ, WL, WY WL
347	FERROUS SUCCINATE Oral Capsule 150 mg. cap. Elixir 150 mg. per dram, 4 fl. oz. bottle	100 † 1	2 4	0 12 9 0 11 0	CA CA
341	FERROUS SULPHATE Mixture for Children, P.L. Oral Tablet, B.P. 200 mg. (3 gr.) tab. 300 mg. (5 gr.) tab.	4 fl. oz. 100 100	4 2 2	0 7 3 0 6 4 0 8 0 0 8 0 0 8 4	Extemp. HY(QNVTW) GP, GL, TO HY(QNVTW) CM, DH, GP, PD, TO, WY

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
344	FLUDROCORTISONE ACETATE					
	Oral Tablet 0.1 mg. tab.	D	100	..	2 4 0	SQ
	1 mg. tab.	D	30	..	5 5 4	SQ
342	FLUOXYMESTERONE					
	Oral Tablet 5 mg. tab.	D	100	2	10 1 0	CB, UP
343	FOLIC ACID					
	Injection 15 mg. per cc., 1 cc. amp.	D	12	..	1 15 0	FH, HY(QNVTW)
	Oral Tablet, B.P. 5 mg. tab... ..	D	100	2	* 1 15 0	AN
					0 16 4	HY(QNVTW), KL
					0 17 5	AD, AN, PD, PR(QNVS), RT(V),
					0 19 8	SI, TO
						CM, MG, RY
345	FORMYL TETRAHYDROPTEROYL GLUTAMIC ACID.. ..	H	..	..	..	
355	GAMMA BENZENE HEXACHLORIDE					
	Application, P.L.		4 fl. oz.	1	0 7 10	Extemp.
	Cream, P.L.		1920 gr.	1	0 9 2	Extemp.
356	GAS GANGRENE ANTITOXIN (OEDEMATIENS), B.P.					
	Injection 10,000 U. amp.		3	1	* 1 19 0	CS

**357 GAS GANGRENE ANTITOXIN—MIXED
(POLYVALENT)**

Injection 1 amp. containing 3,000 U. Welchii,
1,500 U. Septicum, 1,000 U.
Oedematiens
1 amp. containing 7,500 U. Welchii,
3,750 U. Septicum, 2,500 U.
Oedematiens

2	1	* 2 1 6	CS
2	1	* 4 9 6	CS

**358 GAS GANGRENE ANTITOXIN
(SEPTICUM), B.P.**

Injection 5,000 U. amp.

2	1	* 2 1 6	CS

**359 GAS GANGRENE ANTITOXIN
(WELCHII), B.P.**

Injection 4,000 U. amp.
10,000 U. amp.

3	1	* 2 9 9	CS
10	1	* 10 13 0	CS

360 GENTIAN

Mixture Acid, P.L.
Mixture Alkaline, P.L.

8 fl. oz.	4	0 8 2	Extemp.
8 fl. oz.	4	0 8 0	Extemp.

368 GLUCAGON HYDROCHLORIDE

Injection 1 mg. with 1 cc. amp. of diluent ..

1	..	1 8 0	LY

361 GLUCOSE

†Liquid, B.P. 1953 1 lb.

1	..	0 4 3	WD(N)
		0 5 0	DH, FA

366 GLUCOSE INDICATOR

†240 Test Dispenser
†Reagent Strips 60 strips

1	..	1 4 0	LY
1	..	0 12 0	AM

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
367	GLUTETHIMIDE Oral Tablet 250 mg.		50	2	0 13 8	CB
362	GLYCERIN †Glycerin, B.P. 4 fl. oz. bottle		1	1	0 3 6	WD(N)
	Cream, P.L.		1920 gr.	1	0 4 3	DH
	†Suppositories, B.P.		12	1	0 9 1	Extemp.
	†Suppositories for Children 1 G. (15 gr.) Glycerin		12	1	0 3 6	DH, FA, FH
						DH, FA, FH
363	GLYCERYL TRINITRATE Oral Tablet, B.P. 0.6 mg. (1/100 gr.) tab. ..		100	2	0 4 7	FA
					0 5 0	BW, DH, HY(QNVTW), TO
365	GRISEOFULVIN Oral Tablet 125 mg. tab. —FP	AD	100	..	4 3 0	GL, IG
364	GUANETHIDINE SULPHATE Oral Tablet 10 mg. tab.		100	2	1 15 0	CB
	25 mg. tab.		100	2	3 19 0	CB
397	HAEMOPHILUS INFLUENZA BAC- TERIAL SERUM	H	..	..	..	
375	HALIBUT LIVER OIL Oral Capsule, B.P. 4,500 U. cap.	P	100	1	0 9 8	ME (Q)
	Oral Capsule 6,000 U. cap.	P	100	1	0 19 0	KL, MG, SL
					*0 18 0	CK

376	HAMAMELIS									
	Suppository with Zinc Oxide, B.P.C. . .	..			12	1	0 13 8	AN		
	Ointment, B.P.	..	..	..	1920 gr.	1	0 19 6	Extemp.		
379	HEPARIN									
	Injection, B.P. 1,000 U. per cc., 5 cc. vial ..		5	..			* 2 1 9	BT, EV, LP, WP(NVW)		
							* 2 9 8	AB, CS		
	5,000 U. per cc., 1 cc. amp...		6	..			* 2 9 6	EV		
							* 2 17 0	AB		
	1 cc. vial ..		6	..			* 2 9 6	BT		
	2 cc. amp...		5	..			2 16 4	LW		
	5 cc. vial ..		2	..			* 3 9 8	BT, DH, EV, LP, ~~AK~~ , WP(NVW)		
							* 4 3 0	AB, CS, OR		
	12,500 U. per cc., 1 cc. amp...		2	..			* 2 10 10	EV		
							* 3 0 10	AB		
	1 cc. vial ..		2	..			* 3 1 0	CS		
380	HEPARIN RETARD									
	Injection 20,000 U. per 2 mil. amp. . .		6	..			8 13 8	BT		
393	HEXACHLOROPHENE									
	3% with Entsufoin	H	..	..			..			
	3% with Lissapol	H	..	..			..			
	1.5% Soap solution	H	..	..			..			
381	HEXAMETHONIUM TARTRATE									
	Injection, B.P. 1 cc. amp... ..		6	1			* 0 12 5	MB		
	Oral Tablet, B.P. 350 mg. tab. ..		25	3			* 0 8 3	MB		
398	HEXOCYCLIUM METHYLSULPHATE									
	Oral Tablet 25 mg. tab. .. .		100	2			2 16 4	AB		
	50 mg. tab. .. .		100	2			4 19 0	AB		
382	HEXOESTROL									
	Injection 1 mg. per 1 cc. amp. ..		6	1			0 9 0	FM		
	5 mg. per 1 cc. amp. ..		6	1			0 10 4	FM		

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
383	HEXYLRESORCINOL									
	Oral Pill	100 mg. pill	..	..	..		5	..	* 0 12 3	MK
		200 mg. pill	..	..	..		5	..	0 14 4	MK
384	HISTAMINE ACID PHOSPHATE									
	Injection, B.P.	0.5 mg. per 0.5 cc. amp.	..				6	1	0 9 8	BD
		1 mg. per 1 cc. amp.	..				6	1	0 10 0	BD
		10 mg. per 10 cc. vial	.				1	1	0 10 4	BD
385	HYALURONIDASE									
	Injection	1 mg. amp. containing 1,500 I.U. (solvent required)					5	1	1 15 4	FC
		3 mg. amp. containing 1,500 I.U. (solvent required)					6	1	2 4 8	EV
		500 I.U. amp. (solvent required)					5	1	* 2 0 11	WY
		Set containing 3 amps. each of 350 I.U. and 3 amps. of solvent ..					1	1	1 4 4	SC
		Set containing 3 amps. each of 500 I.U. and 3 amps. of solvent ..					1	1	1 3 0	DF, OR
400	HYDROCALCIFEROL									
	Oral Solution	0.25 mg. per cc., 15 cc.	..			D	1	..	1 16 11	BA
	Oral Capsule	0.125 mg. cap.	..	..		D	100	1	5 3 8	BA
386	HYDROCHLORIC ACID DILUTE									
	Mixture, P.L.		..	..	..		8 fl. oz.	4	0 12 9	Extemp.

392 HYDROCHLOROTHIAZIDE

Oral Tablet	25 mg. tab.	..	..	..	50	2	1 8 5	CB, DL, GA, MK
							(ex 250)	
							1 10 4	CB, DL, GA, MK
							(ex M.P.)	
	50 mg. tab.	..	..	..	50	2	2 7 2	CB, DL, GA, MK
							(ex 250)	
							2 11 0	CB, DL, GA, MK
							(ex M.P.)	

387 HYDROCORTISONE

Injection, B.P. (or Rectal Drip)					AD	1	..	1 13 0	PT
5 mg. per cc., 20 cc. I.V. amp.	..	..	..	..				2 0 4	OR, RL
Eye Drops 0.5%	2 mil.	..	..	..	† 1	2		0 12 4	SC
	5 mil.	..	..	..	† 1	2		0 17 8	DH, HA, KL
								0 19 8	MK
	10 mil.	..	..	..	† 1	2		0 19 0	AN, KL
1%	3 mil.	..	..	..	† 1	2		0 19 8	GL, RL, SI
	5 mil.	..	..	..	† 1	2		0 19 8	HA, KL
	10 mil.	..	..	..	† 1	2		1 7 0	AN, IQ, KL, SI
2.5%	5 mil.	..	..	..	† 1	2		2 1 0	DH, HA, KL, SI
								2 13 0	MK
	10 mil.	..	..	..	† 1	2		2 11 0	AN, IQ, KL, SI
Eye Ointment 0.5%	3 G.	..	..	..	† 1	..		0 9 8	GL, HA, RL
	4 G.	..	..	..	† 1	..		0 11 0	AN, CO, DH, KL, UP
								0 13 8	PF
	5 G.	..	..	..	† 1	..		0 11 0	SI

394 HYDROCORTISONE ACETATE

Injection, B.P. "For Peri- or Intra-Articular Injection"	25 mg. per cc., 1 cc. vial	..			5	..	2 7 5	DH, MK, RL, UP
							2 7 7	AB, AN
							* 2 7 7	BT, SC
							* 2 11 7	GL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
394—continued	25 mg. per cc., 5 cc. vial ..		1	..	£ s. d. 1 19 0 2 8 4	PT AB, AN, GL, MK, OR, PF, RL, SC, UP
401	HYDROCORTISONE AND NEOMYCIN Eye Ointment, Hydrocortisone Acetate 0.5% and Neomycin Sulphate 0.5%, 250 mg. cap.		12	..	0 12 4	CK
389	HYDROCORTISONE SODIUM SUCCINATE Injection, B.P. 100 mg. of base in 2 cc. amp. Soluble tablets for Rectal Drip 100 mg. tab. (solvent required)	D AD	2 7	.. 1	*7 12 4 5 9 8	GL, RM, UP GL
395	HYDROFLUMETHIAZIDE Oral Tablet 50 mg. tab.		50	2	2 0 4	BT, GL, SQ
390	HYDROGEN PEROXIDE SOLUTION †10 vol. 4 fl. oz. bottle 8 fl. oz. bottle †20 vol. B.P. 4 fl. oz. bottle Ear Drops, P.L.		1 1 1 1/2 fl. oz.	 2	0 1 8 0 2 0 0 2 3 0 2 8 0 2 2 0 2 6 0 6 9	WD(N) DH, FA, SI (v) WD(N) DH, FA WD(N) DH Extemp.
396	HYDROXYCHLOROQUINE SULPHATE Oral Tablet B.P. 200 mg. tab.		100	2	2 4 4	WL

391 HYOSCINE HYDROBROMIDE

Injection, B.P.	1/150 gr. amp.	..	..	6	..	0	10	4	BL, BT, DH, FH, KL
	1/100 gr. amp.	..	..	6	..	0	10	4	BL, BT, DH, FH, KL
	1/75 gr. amp.	..	..	6	..	0	10	4	BL, FH, KL
Hypo. Tablet									
	1/200 gr. hypo. tab. (solvent required)	..	..	20	1	0	5	0	PD
	1/150 gr. hypo. tab. (solvent required)	..	..	20	1	0	5	0	DH, FA, PD
	1/100 gr. hypo. tab. (solvent required)	..	..	20	1	0	5	4	DH, FA, PD
Oral Tablet, B.P.	0.6 mg. (1/100 gr.) tab.	..	..	100	2	0	8	4	DH, HY(QNVTW)

410 ICHTHAMMOL

Ear Drops, P.L.	..	..	..	..	1/2 fl. oz.	2	0	7	3	Extemp.
Paint, P.L.	..	..	..	..	1 fl. oz.	1	0	7	6	Extemp.
Pessary, 5%	..	..	..	..	12	1	0	11	0	AN
Eye Ointment with Zinc Oxide, P.L.	..	..	..	..	60 gr.	..	0	6	10	Extemp.

412 INSULIN

Injection, B.P.	20 U. per cc., 10 cc. vial	..	..	10	2	* 1	16	8	BW, CS, SE
	40 U. per cc., 5 cc. vial	..	..	10	2	* 1	16	8	BW, GL-BD, SE, WP(NVW)
	40 U. per cc., 10 cc. vial	..	..	10	2	* 3	9	2	BT, BW, CS, DH, EV, GL-BD, SE, WP(NVW)
	80 U. per cc., 5 cc. vial	..	..	10	2	* 3	9	2	BT, BW, GL-BD
	80 U. per cc., 10 cc. vial	..	..	10	2	* 6	0	0	BT, BW, CS, DH, EV, SE
	100 U. per cc., 5 cc. vial	..	..	10	2	* 5	8	4	CS
	300 U. per cc., 5 cc. vial	..	..	10	2	* 12	0	0	CS

413 INSULIN GLOBIN ZINC

Injection, B.P.	40 U. per cc., 5 cc. vial	..	..	10	2	* 2	1	8	BT, BW, WP(NVW)
	80 U. per cc., 5 cc. vial	..	..	10	2	* 3	15	0	BT, BW, WP(NVW)

414 INSULIN ISOPHANE (N.P.H.)

Injection	40 U. per cc., 10 cc. vial	..	..	10	2	* 4	10	0	BT, BW, CS, DH, GL-BD, SE
	80 U. per cc., 10 cc. vial	..	..	10	2	* 8	10	0	BT, BW, CS, DH, GL-BD, SE

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
415	INSULIN PROTAMINE ZINC					
	Injection, B.P. 40 U. per cc., 5 cc. vial ..		10	2	* 2 1 8	BT, BW, GL-BD, SE, WP(NVW)
	40 U. per cc., 10 cc. vial ..		10	2	* 3 15 0	BT, BW, CS, DH, EV, GL-BD, SE, WP(NVW)
	80 U. per cc., 5 cc. vial ..		10	2	* 3 15 0	BT, BW, GL-BD
	80 U. per cc., 10 cc. vial ..		10	2	* 6 13 4	BW, CS, DH, EV, SE
416	INSULIN SPECIAL P (PIG)					
	Injection 40 U. per cc., 10 cc. vial ..		10	2	* 5 5 0	CS
417	INSULIN ZINC					
	Suspension, B.P.—Injection					
	40 U. per mil., 10 mil. vial		10	2	* 4 10 0	BT, BW, CS, EV, GL-BD
	80 U. per mil., 10 mil. vial		10	2	* 8 10 0	BT, BW, CS, EV, GL-BD
	Suspension (Amorphous), B.P.—Injection					
	40 U. per mil., 10 mil. vial		10	2	* 4 10 0	BT, BW, CS, EV, GL-BD
	80 U. per mil., 10 mil. vial		10	2	* 8 10 0	BT, BW, CS, EV, GL-BD
	Suspension (Crystalline), B.P.—Injection					
	40 U. per mil., 10 mil. vial		10	2	* 4 10 0	BT, BW, CS, EV, GL-BD
	80 U. per mil., 10 mil. vial		10	2	* 8 10 0	BT, BW, CS, EV, GL-BD
418	IODINE					
	Non-staining Ointment, B.P.C.		1920 gr.	1	0 12 0	Extemp.
	Solution Aqueous, B.P. (Lugol's)		4 fl. oz.	1	0 12 4	Extemp.
	Solution, Weak, B.P.		4 fl. oz.	1	0 11 8	Extemp.
	Paint, Compound, P.L.		1 fl. oz.	1	0 7 7	Extemp.

428	IODOCHLORHYDROXYQUINOLINE								
	Oral Tablet 250 mg. tab.	100	2	1	2	4	CB		
419	IODOXYL								
	Injection, B.P. 10 cc. vial	1	1	0	12	0	GL		
	20 cc. vial	1	1	1	0	7	GL, MB, SO		
420	IPECACUANHA								
	Oral Tablet with Opium, B.P.	100	2	0	9	0	DH, HY(QNVTW), TO		
421	IPECACUANHA TINCTURE								
	Mixture with Squill for Children, P.L. ..	4 fl. oz.	4	0	8	6	Extemp.		
432	IRON AMINOATE								
	Oral Tablet 350 mg. tab.	100	2	0	12	4	MR		
422	IRON AND AMMONIUM CITRATE								
	Mixture for Children, P.L.	4 fl. oz.	4	0	8	3	Extemp.		
	Mixture with Nux Vomica, P.L.	8 fl. oz.	4	0	8	0	Extemp.		
430	IRON CARBOHYDRATE COMPLEX								
	Injection—Trivalent Iron 2 mil.	5	..	2	3	0	AP		
426	IRON OXIDE SACCHARATED								
	Injection 100 mg. per 5 cc. I.V. amp. ..	6	..	1	6	4	CK		
				*1	6	5	EV		
				*1	8	6	FC		
433	IRON PHOSPHATE COMPOUND								
	Syrup, B.P.C.	4 fl. oz.	4	0	9	6	Extemp.		

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
								£ s. d.	
423	ISONIAZID								
	Oral Tablet, B.P.	50 mg. tab.	..	..	D	200	2	0 11 0	DH, HY(QNVTW), KL, RY
								0 13 0	AN
								* 0 13 8	AD, CM, DF, HA, PR(QNVS), SI
								* 0 17 8	RO
		100 mg. tab.	..	..	D	100	2	0 13 0	AD, AN, CM, DH, HY(QNVTW), KL, PR(QNVS), RY, SI
								0 16 4	RO
424	ISOPRENALINE HYDROCHLORIDE								
	Inhalation	1 in 200, 1/2 fl. oz. bottle	..	..		1	1	0 6 4	WL
	Injection	1 in 5,000, 1 mil. amp.	..	..		5	..	2 1 4	WL
	Oral Tablet	10 mg. tab.	..	..		100	2	0 14 4	WL
425	ISOPRENALINE SULPHATE								
	Inhalation	10 mg. per cc., 7 cc. vial	..	..		1	1	0 7 4	BW
	Oral Tablet, B.P.	20 mg. tab.	..	..		100	2	0 19 0	AB, BW
								0 19 8	CM
	Spray, B.P.C.		..	..		1/2 fl. oz.	2	0 8 0	Extemp.
429	ISOPROPAMIDE IODIDE								
	Oral Tablet	5 mg. tab.	..	..		100	2	2 16 4	SK
431	ISOTHIPENDYL HYDROCHLORIDE								
	Oral Tablet	4 mg. tab.	..	..		50	2	0 13 0	IC
452	KANAMYCIN SULPHATE				H				

450	KAOLIN, LIGHT									
	Mixture for Children, P.L.	..	..	..	4 fl. oz.	4	0	7	4	Extemp.
	Mixture, Alkaline, P.L.	..	..	..	8 fl. oz.	4	0	7	6	Extemp.
	Mixture with Opium, P.L.	..	..	..	8 fl. oz.	4	0	9	3	Extemp.
	Internal Powder, Compound, P.L.	..	..	..	1920 gr.	1	0	8	11	Extemp.
	Dusting Powder, Compound, P.L.	..	..	..	1920 gr.	1	0	9	8	Extemp.
451	KAOLIN, HEAVY									
	†Poultice, B.P.	1/2 lb.	..	..	1	1	0	5	5	AL
		1 lb.	..	..	1	1	0	5	6	FA
							0	8	11	AL, FA
464	LANATOSIDE-C									
	Oral Tablet	0.25 mg. tab.	..	..	100	2	1	8	8	SZ
460	LEPTAZOL									
	Injection, B.P.	1.1 cc. amp.	..	..	6	1	* 0	9	2	KN
		5 cc. amp.	..	..	6	1	* 1	9	0	KN
463	LEVORPHANOL TARTRATE, B.P.C.									
	Injection	2.2 mg. per 1.1 cc. amp.	..	D	6	..	0	11	0	RO
	Oral Tablet	1.5 mg. tab.	..	D	50	..	* 1	0	6	RO
461	LOBELIA AND STRAMONIUM									
	Mixture, P.L.	..	..	..	8 fl. oz.	4	0	9	10	Extemp.
462	LUCANTHONE HYDROCHLORIDE									
	Oral Tablet, B.P.	500 mg. tab.	..	..	100	..	8	11	0	BW
475	MAGENTA, B.P.C.									
	Paint with Resorcinol, P.L.	..	..	..	1 fl. oz.	1	0	7	3	Extemp.

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
476	MAGNESIUM BICARBONATE SOLUTION †Solution, B.P. 1948 8 fl. oz. bottle ..		1	4	0 2 6	FA
477	MAGNESIUM CARBONATE, LIGHT Mixture, P.L.		8 fl. oz.	4	0 8 0	Extemp.
478	MAGNESIUM HYDROXIDE MIXTURE †Mixture, B.P. 6 fl. oz. bottle		1	4	0 2 6 0 3 0	FA DH
479	MAGNESIUM SULPHATE †Crystals, B.P. 1 lb. Paste, A.P.F. 1920 gr... .. . 960 gr... .. . Mixture, P.L.		1 † 1 † 1 8 fl. oz.	.. 1 1 4	0 2 3 0 7 5 0 5 4 0 5 6 0 7 5	FA DH, FA DH FA Extemp.
480	MAGNESIUM TRISILICATE Mixture, P.L. Internal Powder with Belladonna, P.L. .. Oral Tablet 600 mg. (10 gr.) tab.		8 fl. oz. 1920 gr. 100	4 1 2	0 7 6 0 10 5 0 11 0	Extemp. Extemp. DH
481	MALT EXTRACT †Extract, B.P. 1 lb. †Extract with Cod Liver Oil, B.P. 1 lb. ..	CP CP	1 1	3 3	0 5 0 0 5 6 0 5 11	FA, WD(N) WD(N) DH(W)
520	MEBHYDROLIN Oral Tablet 50 mg.		50	1	0 15 8	FB

482	MECAMYLAMINE				100	2	1 2 6	MK
	Oral Tablet	2.5 mg. tab.	..	..			(ex 500) 1 3 0	
							(ex M.P.)	
		10 mg. tab.	..	..	100	2	3 19 0	MK
483	MECHOLYL CHLORIDE				6	..	1 6 4	SY
	Injection	25 mg. amp.	..	..				
510	MECLOZINE HYDROCHLORIDE, B.P.C.				50	1	0 17 8	BD
	Oral Tablet	25 mg. tab.	..	..				
484	MENAPHTHONE				6	1	0 9 4	RO
	Aqueous Injection	1 mg. per 1 cc. amp.	..				0 11 8	DH, PD
		5 mg. per 1 cc. amp.	..		6	1	0 12 4	AD, BL, DH, FH, FM
		10 mg. per 1 cc. amp.	..		6	1	0 9 8	GL
							0 13 0	AD, BL, DH, FH, RO
		75 mg. per 1 cc. amp.	..		6	1	1 1 0	BL, DH, FH
	Oily Injection	5 mg. per 1 cc. amp.	..		6	1	0 13 0	AD, BD, FH, VM
		10 mg. per 1 cc. amp.	..		6	1	0 13 0	FH
							0 13 8	AD, DH
485	MENTHOL				2 fl. oz.	1	0 10 9	Extemp.
	Inhalation Compound, P.L.	..	..	..				
486	MEPACRINE HYDROCHLORIDE				100	2	0 10 5	IC
	Oral Tablet, B.P.	100 mg. tab.	..	..				
516	MEPHENTERMINE SULPHATE				1	..	1 4 0	WY
	Injection	10 cc. vial	..	..				

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
487	MEPYRAMINE MALEATE					
	Injection 2.5%. 2 cc. amp. ..	C	10	..	0 13 0	MB
	Elixir 115 mil.		‡1	4	0 7 0	MB
	Oral Tablet, B.P. 50 mg. tab.		50	1	0 8 4	MB
	100 mg. tab.		50	1	0 11 0	MB
488	MERCAPTOMERIN SODIUM					
	Injection 1.4 G. per 10cc. vial		3	..	* 2 17 9	WY
489	MERCAPTOPURINE					
	Oral Tablet, B.P. 50 mg. tab.	D	25	..	5 9 8	BW
490	MERCURIC OXIDE					
	Eye Ointment, B.P. 4 G. (60 gr.)		‡ 1	..	0 4 4	FH
					0 4 9	DH, MG, SI(v)
	8 G. (120 gr.)		‡ 1	..	0 3 11	ME(q)
491	MERSALYL ACID					
	Injection, B.P. 1 cc. amp.		12	..	* 0 19 0	AD, BA, BD, DH, EV
	2 cc. amp.		12	..	* 1 1 8	AD, BA, BD, BL, BT, DH, EV, FH TH, VR
517	METHADONE HYDROCHLORIDE					
	Injection, B.P. 10 mg. per cc., 1 cc. amp.		6	..	0 11 8	BW, CM
	10 mg. per cc., 10 cc. vial		1	..	0 11 11	CM
	Oral Tablet, B.P. 5 mg. tab... ..		25	..	0 7 0	BW, CM, DH
	10 mg. tab... ..		25	..	0 8 4	BA, BW, CM

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
495	METHYL ANDROSTANOLONE Oral Tablet 25 mg. tab.	D	100	2	8 3 0	RL
496	METHYLANDROSTENEDIOL Oral Tablet 5 mg. tab. 10 mg. tab.	D D	100 100	2 2	1 12 4 2 17 8	MR MR, OR
497	METHYLCELLULOSE, A.P.F. Eye Drops 1 gr. per 1/2 fl. oz. 1/2 fl. oz. ..		‡ 1	2	0 10 1	IQ, KL, SI
498	METHYLERGOMETRINE MALEATE Injection, B.P. 0.2 mg. per mil., 0.5 mil. amp. 0.2 mg. per mil., 1.0 mil. amp. Oral Tablet 0.125 mg. tab.		6 6 25	 1	0 12 0 0 15 4 1 2 8	SZ SZ SZ
514	METHYL PHENOBARBITONE, B.P.C. Oral Tablet, B.P.C. 30 mg. (1/2 gr.) tab. .. 60 mg. (1 gr.) tab. ..		200 200	1 1	0 9 0 0 12 0 * 0 12 2 0 13 0 0 13 8 0 14 4	AD, CO, DH, KL, MG, PR(QNVS), QE(QNVS), RT(V), SI FA RY, TO BA PH AD, CO, DH, KL, MG, PR(QNVS), RT(V), SI FA RY TO BA

514—continued

200 mg. (3 gr.) tab. ..				200	1	* 0 15 0 1 4 0	PH AD, CO, DH, KL, MG, PR(QNVS), RT(V), SI
						* 1 4 2 1 7 0 1 7 8 * 1 8 4	FA RY BA PH
499	METHYL SALICYLATE						
	Liniment, P.L.			4 fl. oz.	1	0 9 10	Extemp.
519	METRONIDAZOLE						
	Oral Tablet 200 mg. tab.			21	..	1 8 4	MB
500	MORPHINE HYDROCHLORIDE						
	SOLUTION						
	Linctus, P.L.			4 fl. oz.	2	0 10 2	Extemp
501	MORPHINE SULPHATE						
	Hypo. Tablet, B.P.						
	1/12 gr. hypo tab. (solvent required) ..			20	..	0 5 0	DH
	1/8 gr. hypo. tab. (solvent required) ..			20	..	0 5 4	DH, FA, PD
	1/6 gr. hypo. tab. (solvent required) ..			20	..	0 5 8	DH, FA, PD
	1/4 gr. hypo. tab. (solvent required) ..			20	..	0 6 0	DH, FA, PD
	1/3 gr. hypo. tab. (solvent required) ..			20	..	0 6 4	DH
	1/2 gr. hypo. tab. (solvent required) ..			20	..	0 7 0	DH, FA, PD
	Injection, B.P. 1/6 gr. amp.			6	..	0 11 0	AD, BL, BT, DH, FH, KL
	1/4 gr. amp.			6	..	0 11 0	AD, BL, BT, DH, FH, KL
	1/3 gr. amp.			6	..	0 11 0	BL, DH, FH, KL
	1/2 gr. amp.			6	..	0 11 0	BL, BT, DH, FH, KL
	1/4 gr. per cc., 10 cc. vial ..			1	..	0 7 8	FH, PD
	1/2 gr. per cc., 10 cc. vial ..			1	..	0 9 8	DH, FA, FH

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
502	MORPHINE WITH ATROPINE					
	Hypo Tablet—Morphine Sulphate and Atro- pine Sulphate					
	1/12 gr.—1/150 gr. tab. (solvent required) ..		20	..	0 4 9	DH
	1/8 gr.—1/150 gr. tab. (solvent required) ..		20	..	0 5 4	DH
	1/6 gr.—1/180 gr. tab. (solvent required) ..		20	..	0 5 8	DH
	1/6 gr.—1/150 gr. tab. (solvent required) ..		20	..	0 5 8	DH, FA
	1/4 gr.—1/150 gr. tab. (solvent required) ..		20	..	0 6 0	DH, FA, PD
	1/4 gr.—1/120 gr. tab. (solvent required) ..		20	..	0 6 0	DH
	1/4 gr.—1/100 gr. tab. (solvent required) ..		20	..	0 6 0	DH, FA
	Injection—Morphine Sulphate and Atropine Sulphate					
	1/6 gr.—1/200 gr. amp.		6	..	0 11 8	DH
	1/6 gr.—1/150 gr. amp.		6	..	0 11 8	BL, BT, DH, FH
	1/6 gr.—1/120 gr. amp.		6	..	0 11 8	DH
	1/4 gr.—1/150 gr. per 1 cc. amp.		6	..	0 11 8	AD, BL, BT, DH, FH, KL
	per cc., 10 cc. vial		1	..	0 7 8	FA, PD
	1/4 gr.—1/100 gr. amp.		6	..	0 11 8	BL, BT, DH, FH
503	MORPHINE WITH HYOSCINE					
	Injection Morphine Sulphate, Hyoscine Hydrobromide 1/4 gr.—1/100 gr. 1 cc. amp.		6	..	0 12 4	BL, DH, FH
515	MORPHINE WITH TACRINE					
	Injection					
	15 mg.—13 mg. per 1.5 mil. amp.		6	..	1 3 0	WH
	30 mg.—13 mg. per 1.5 mil. amp.		6	..	1 3 8	WH
	15 mg.—30 mg. per 1.5 mil. amp.		6	..	1 9 4	WH

515—continued									
30 mg.—30 mg. per 1.5 mil. amp.			6	..	1 11 0	WH			
Oral Tablet									
30 mg.—15 mg.		D	50	1	5 3 0	WH			
504 MUSTINE HYDROCHLORIDE									
Injection, B.P.									
10 mg. amp. (solvent required)		D	1	..	0 19 8	BT			
541 NALORPHINE HYDROBROMIDE									
Injection, B.P.	10 mg. amp.		6	1	1 3 0	BW			
	1 mg. per mil., 5 mil. vial .		1	..	0 12 0	BW			
558 NANDROLONE									
Injection	25 mg. per 1 cc. amp.		D	3	..	3 7 0	OR		
557 NEOMYCIN SULPHATE							H		
553 NEOMYCIN SULPHATE EYE DROPS									
Eye Drops, 0.35%	10 mil.		† 1	2	0 9 8	DH, HA, IQ, KL, SI			
559 NEOMYCIN, SULPHATE AND KAOLIN									
Mixture	Neomycin Sulphate, B.P. 300 mg.;								
	Kaolin, B.P. 6 G. per fl. oz., 4 fl. oz.		† 1	..	1 1 0	UP			
542 NEOSTIGMINE BROMIDE									
Oral Tablet, B.P.	15 mg. tab.		100	2	1 5 0	RO			
543 NEOSTIGMINE METHYLSULPHATE									
Injection, B.P.	0.5 mg. per mil., 1 cc. amp.		6	3	0 8 9	RO			
	2.5 mg. per mil., 1 cc. amp.		6	3	0 14 1	RO			
	2.5 mg. per mil., 5 cc. vial..		1	1	0 9 8	RO			
Eye Drops	7.5 mil.		† 1	6	0 14 1	RO			

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
544	NICOTINAMIDE							£	s.	d.	
	Injection, B.P.	50 mg. per cc., 1 mil. amp.				6	1	0	11	8	BD, DH, FH
	Oral Tablet, B.P.	50 mg. tab.	..	..	P	100	2	0	8	4	AB, BD, DH, KL, MG, PR(QNVS), RT(V), SL, TO
		100 mg. tab.	..	..	P	100	2	0	13	8	AB, DH, KL, MG
545	NICOTINIC ACID										
	Oral Tablet, B.P.	25 mg. tab.	..	..	P	100	2	0	5	0	AB, HY(QNVTW), KL, RY, TO
		50 mg. tab.	..	..	P	100	2	0	6	4	AB, AD, AN, DH, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, TO
		100 mg. tab.	..	..	P	100	2	0	7	0	AB, DH, HY(QNVTW), KL, MG, RT(V), RY, TO
		250 mg. tab.	..	..	P	100	2	0	9	8	AD, HY(QNVTW), KL, RT(V), RY, SI
								0	11	0	AB, MG
551	NICOUMALONE										
	Oral Tablet	4 mg. tab.	..	..		50	2	1	13	8	GE
546	NIKETHAMIDE										
	Injection, B.P.	1.5 cc. amp.	..	..		6	1	0	8	4	CB
		2 cc. amp.	..	..		6	1	0	11	4	BD, BT, FH
		5 cc. amp.	..	..		6	1	0	15	8	BD, FH
								* 0	15	8	CB
547	NITROFURANTOIN										
	Oral Tablet	50 mg. tab.	..	..	D	25	1	1	15	11	SK
	Oral Suspension	25 mg. per 3.5 mil., 4 fl. oz.			CD	‡1	..	1	4	1	SK
548	NITROMIN										
	Injection	50 mg. amp. (solvent required)	..	..	D	5	1	4	6	4	SI
	Oral Tablet	5 mg. tab.	..	..	D	100	2	5	16	4	SI

549 NORADRENALINE ACID TARTRATE									
Injection	1 in 1,000, 2 mil. amp.	..	..	6	..	1	17	0	FH, WL
	1 in 10,000, 2 mil. amp.	..	..	5	..	1	14	4	WL
552 NORETHANDROLONE				H	..	..	..		
554 NOVOBIOCIN CALCIUM, B.P.				H	..	..	..		
555 NOVOBIOCIN SODIUM, B.P.				H	..	..	..		
556 NOVOBIOCIN TABLETS, B.P.				H	..	..	..		
550 NYSTATIN									
Oral Tablet	500,000 U. tab.	..	D	50	..	3	7	8	SQ
Vaginal Tablet	100,000 U. vaginal tab.	..	D	15	..	1	1	4	SQ
561 OESTRADIOL DIPROPIONATE									
Injection	5 mg. per 1 cc. amp.	..	..	6	1	* 2	7	0	CB
562 OESTRADIOL BENZOATE									
Injection, B.P.	2 mg. per cc., 1 mil. amp.	..	..	6	1	1	11	0	BD, OR
563 OESTRONE, B.P.C. 1954									
Injection	1,000 U. amp. aqueous	..	..	6	1	0	11	0	OR
	10,000 U. amp. oily	..	..	6	1	0	17	8	OR
Suppository	1,000 U.	..	..	12	1	0	18	9	OR
						0	19	0	BD
	10,000 U.	..	..	12	1	1	10	8	OR

Item No.	Name, Manner of Administration and Form						Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
										£ s. d.	
564	OLIVE OIL, B.P.										
	†2 oz. bottle	..	..	..	..	..		1	..	0 1 9	WD (N)
										0 2 0	SI (V)
	†4 oz. bottle	..	..	..	..	..		1	..	0 2 9	WD (N)
	†5 oz. bottle	..	..	..	..	..		1	..	0 3 3	DH, SI (V)
	†8 oz. bottle	..	..	..	..	..		1	4	0 4 9	WD (N)
565	OUBAIN										
	Injection, B.P.	0.25 mg.	amp.	..	..	..		3	..	* 0 17 3	NA
571	OXYPHENCYCLIMINE HYDRO- CHLORIDE										
	Oral Tablet	10 mg.	tab.	..	..	..		100	2	3 9 8	PF
572	OXYPHENONIUM BROMIDE										
	Oral Tablet	5 mg.	tab.	..	..	..		100	2	1 7 0	CB
		10 mg.	tab.	..	..	..		100	2	2 5 8	CB
566	OXYTETRACYCLINE DIHYDRATE										
	Oral Tablet, B.P.	100 mg.	tab.	..	..	..	D	25	..	2 2 4	PF
		250 mg.	tab.	..	..	..	D	16	..	3 0 0	PF
567	OXYTETRACYCLINE HYDROCHLORIDE										
	Oral Suspension	125 mg.	per 5 cc., 60 cc.				CD	† 1	..	1 7 0	PF
	Oral Paediatric Drops	100 mg.	per cc. 10 cc...				CD	† 1	..	0 17 8	PF
	Injection										
	100 mg. amp. I.M.	..	..	..	..	..	D	6	..	* 4 4 6	PF

567—continued

250 mg. amp. I.M.	..	..	..	D	6	..	* 8 1 6	PF
250 mg. per cc., 10 cc. vial, I.V.	..	..	..	D	6	..	* 7 7 0	PF
(solvent required)								
Oral Capsule	50 mg. cap.	..	..	D	25	..	1 4 7	PF
	100 mg. cap.	..	..	D	25	..	2 2 4	PF
	250 mg. cap.	..	..	D	16	..	2 13 9	PF
							(ex 100)	
							3 0 0	PF
							(ex M.P.)	
Eye Ointment, 0.5% with Polymyxin B.	10,000 U.	60 gr.	..	..	† 1	..	0 6 8	PF
568	OXYTETRACYCLINE OPHTHALMIC SUSPENSION							
	Suspension, 1%	6 cc.	..	..	† 1	2	0 11 5	PF
569	OXYTOCIN							
	Injection, B.P.	2 U. per 2 mil. amp.	..	..	6	..	0 10 4	SZ
		5 U. per 0.5 mil. amp.	..	..	6	..	0 13 0	PD, SZ
		10 U. per 1 mil. amp.	..	..	6	..	0 18 4	PD, SZ
581	PANCREATIN							
	Oral Powder	1 oz. vial	..	..	D	8	2	* 5 17 8
	Oral Tablet	300 mg. (5 gr.) tab.	..	..	D	100	2	1 1 4
676	PANCREATIN ENZYME 4(USNF.XI)							
	Oral Tablet	300 mg. (5 gr.) tab.	..	..	D	500	1	13 17 4
	Oral Powder	8 oz.	..	..	D	† 1	2	11 13 8
582	PANCREX 5							
	Oral Powder	500 G.	..	..	D	1	..	15 1 8
			..	..				ST

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
583	PAPAVERETUM, B.P.C.				£ s. d.	
	Hypo. Tablet, B.P.C.				1	
	20 mg. (1/3 gr.) hypo. tab. (solvent required)				* 0 7 10	
	Injection, B.P.C.					
	10 mg. (1/6 gr.) per 1 cc. amp.				0 11 0	
	20 mg. per 1 cc. amp.				0 11 0	
	Oral Tablet, B.P.C. 10 mg. (1/6 gr.) tab. ..				* 0 6 1	HY(QNVTW)
					0 7 0	
584	PAPAVERETUM WITH HYOSCINE HYDROBROMIDE					
	Injection—					
	Papaveretum 20 mg.; Hyoscine Hydrobromide 0.43 mg. 1 cc. amp.		6	..	0 11 8	BL, BT, FH, RO
585	PAPAVERINE HYDROCHLORIDE					
	Injection 20 mg. (1/3 gr.) per 1 cc. amp. ..				0 11 0	
	120 mg. (2 gr.) per 10 cc. amp. ..				0 19 0	
	Oral Tablet 50 mg. (3/4 gr.) tab.				0 19 0	
	100 mg. (1.5 gr.) tab.				1 1 8	
586	PARA-AMINOSALICYLIC ACID	D	200	2	1 11 0	AN, DH, FA, KL, QE(QNVS), RT(V), TO
	Oral Tablet 500 mg. tab.				1 15 0	
					1 1 5	
					1 3 0	
					* 1 3 0	
					* 1 5 6	AD, SI

682	PARACETAMOL												
	Oral Tablet	500 mg.	..	..	..		50	1	0 9 5	CA			
									0 12 9	KL, WL			
587	PARAFFIN, HARD												
	Ointment, B.P.	..	..	..	..		1920 gr.	1	0 11 4	Extemp.			
588	PARAFFIN LIQUID												
	†Liquid Paraffin	8 oz. bottle	..				1	4	0 2 3	FA, WD(N)			
									0 2 6	DH, RT(V)			
	†Emulsion	16 fl. oz. bottle	..	..	P		1	4	0 6 6	FA, MG, SI, SL			
									0 7 3	DH, WW, WY			
589	PARALDEHYDE, B.P.												
	Injection	5 cc. amp...	..	..	..		6	1	0 14 4	BL, DH, FH, FM			
		10 cc. amp...	..	..	..		6	1	0 19 0	BL, DH, FH, FM			
	Mixture, P.L.	..	..	..	..		8 fl. oz.	4	0 11 11	Extemp.			
590	PARAMETHADIONE												
	Oral Capsule, B.P.	300 mg. cap.	..	..	..		200	1	6 14 4	AB			
679	PARAMETHASONE ACETATE												
	Oral Tablet	1 mg. tab.	..	..	..	AD	30	..	1 13 0	IC			
		2 mg. tab.	..	..	..	AD	30	..	2 3 0	IC, LY			
664	PEMPIDINE TARTRATE												
	Oral Tablet	5 mg. tab.	..	..	..		100	2	* 1 11 8	IC, MB			
		10 mg. tab.	..	..	..		100	2	* 2 13 8	IC, MB			
651	PENICILLINASE												
	Injection	800,000 U. amp.	..	..	..		1	..	5 3 0	CS			
									5 13 0	RK			

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
652	PENICILLIN BENETHAMINE				£ s. d.	
	Injection					
	500,000 U. Penicillin, Benethamine;					
	250,000 U. Penicillin, Procaine;					
	500,000 U. Penicillin, Sodium					
	vial (solvent required)		1	..	0 11 0	GL
	Set containing vial and 2 mil. amp. water					
	for injection		1	..	0 11 8	GL
591	PENICILLIN, BENZATHINE					
	Oral Tablet, B.P. 200,000 U. tab.		100	1	2 13 0	CS, WY
	Injection with Penicillin, Procaine and Peni- cillin, Potassium—					
	set containing 1 vial of—					
	600,000 U. Penicillin, Benzathine;					
	300,000 U. Penicillin, Procaine;					
	300,000 U. Penicillin, Potassium and 2					
	cc. amp. water for injection ..		1	..	0 12 4	WY
592	PENICILLIN, BENZYL					
	Oral Tablet, B.P. 200,000 U. tab.		100	1	2 13 0	GL
	400,000 U. tab.		100	1	4 15 8	GL
	Injection, B.P.					
	100,000 U. amp. (solvent required) ..		6	..	* 0 15 0	BD, GL, SI
	200,000 U. amp. (solvent required) ..		6	..	* 0 15 6	BD, BT, GL, SI
	500,000 U. amp. (solvent required) ..		6	..	* 1 3 0	BT, CS, DL, EV, GL, SI
	Set containing 1 vial Penicillin G. 500,000					
	U. and 2 mil. amp. water for injection ..		6	..	* 1 6 6	BT, CS, DH, EV, GL

592—continued

1,000,000 U. amp. (solvent required) ..	6	..	* 1 9 0	BT, CS, DH, DL, EV, GL, SI
Set containing 1 vial Penicillin G. 1,000,000 U. and 2 mil. amp. water for injection ..	6	..	* 1 12 6	BT, CS, DH, EV, GL
1,500,000 U. amp. (solvent required) ..	6	..	* 2 1 6	BT, DH, EV, GL, SI
Set containing 1 vial Penicillin G. 1,500,000 U. and 2 mil. amp. water for injection ..	6	..	* 2 5 0	DH, GL
Eye Drops				
Set containing 30,000 U. and 15 mil. solvent	‡1	2	† 0 10 10	SI
Eye Ointment 2,000 U. per G. 4 G. ..	‡1	..	0 5 4	SI
			0 5 8	DH

593 PENICILLIN BENZYL PROCAINE

(Aqueous Suspension) Injection, B.P.—

300,000 U. amp.	6	..	* 1 6 6	BT
600,000 U. vial	6	..	* 1 13 6	BT, FA
900,000 U. vial	6	..	* 2 0 6	BT, CS, DH, EV, GL, SI, VR
1,000,000 U. vial	6	..	* 2 3 0	AB, BT, DH, FA, SI
1,500,000 U. vial	6	..	* 2 15 0	CS, DH, EV, FA, GL, SI, VR
(Crystalline) Injection—				
300,000 U. amp. (solvent required) ..	6	..	* 1 2 6	CS, DL, SI
Set containing 1 vial Penicillin 300,000 U. and 1 vial Water for Injection ..	6	..	* 1 6 6	CS
900,000 U. amp. (solvent required) ..	6	..	* 1 16 6	CS, DL, SI
Set containing 1 vial Penicillin 900,000 U. and 1 vial Water for Injection ..	6	..	* 2 0 6	CS
1,500,000 U. amp. (solvent required) ..	6	..	* 2 11 0	CS, SI
Set containing 1 vial Penicillin 1,500,000 U. and 1 vial Water for Injection ..	6	..	* 2 15 0	CS

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
594	PENICILLIN BENZYL, PROCAINE FORTIFIED					
	Injection, B.P.—					
	400,000 U. amp. (solvent required) ..		6	..	* 1 3 0	CS, DL, SI
	Set containing 1 vial Penicillin 400,000 U. and 1 vial Water for Injection ..		6	..	* 1 7 0	CS
	1,200,000 U. amp. (solvent required) ..		6	..	* 2 5 0	BT, CS, DL, SI
	Set containing 1 vial Penicillin 1,200,000 U. and 1 vial Water for Injection ..		6	..	* 2 9 0	CS
595	PENICILLIN, PHENOXYMETHYL (BENZATHINE, CALCIUM, HYDRABAMINE OR POTASSIUM SALT OR FREE ACID)					
	Oral Suspension 125 mg. per dram, 2 fl. oz. bottle	C	‡1	..	1 0 9	CM, DH, FA, GL, SI
					1 5 4	AB, BT, CS, DL, IC, KL
	Oral Sachet 125 mg. sachet	C	16	..	1 5 4	IQ, KL, LY
	Oral Tablet 60 mg. tab.		24	..	0 13 0	CM, DH, GL, SI
					0 13 7	LY
					0 15 4	AB, BT, CS, DF, DL, KL
	125 mg. tab.		24	..	0 18 10	CM, DH, FA, GL, SI
					0 19 9	LY, PT, WL
					1 2 9	AB, AN, BT, CS, DF, DL, KL, LP,
					(ex 100)	PR(QNVS), VR
					1 0 3	CM, DH, FA, GL, SI
					1 1 4	LY, PT, WL

595—continued

	250 mg. tab.	..	..	12	1	1 4 4 (ex M.P.) 0 17 10 0 18 9 0 19 3 1 1 6 (ex 100) 0 19 1 1 0 3 1 3 0 (ex M.P.) 0 19 9 1 2 9 (ex 100) 1 1 4 1 4 4 (ex M.P.) 0 18 9 1 1 6 (ex 100) 1 0 3 1 3 0 (ex M.P.)	AB, AN, BT, CS, DF, DL, KL, LP, PR(QNVS), VR CM, DH, FA, GL, SI LY, WL PT AB, AN, BT, CS, DF, DL, IC, KL, LP, PR(QNVS), VR CM, DH, FA, GL, SI LY, PT, WL AB, AN, BT, CS, DF, DL, IC, KL, LP, PR(QNVS), VR FA, LY, WL AB, BT, CS, DL, KL, SI, VR FA, LY, WL AB, BT, CS, DL, KL, SI, VR FA, LY, WL AB, BT, CS, DL, KL, SI, VR FA, LY, WL AB, BT, CS, DL, KL, SI, VR
Oral Capsule	125 mg. cap.	..	..	24	..		
	250 mg. cap.	..	..	12	1		

596 PENICILLIN WITH STREPTOMYCIN

Injection 100,000 U. Penicillin Crystalline;
300,000 U. Penicillin, Procaine;
500 mg. Streptomycin
1 amp. (solvent required) ..
Set containing 1 vial and 2 mil.
amp. water for injection.. ..

D	6	..	*1 13 0	GL, SI
D	6	..	*1 16 6	GL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
596—continued						
	Injection 500,000 U. Sodium Benzyl Penicillin; 500 mg. Streptomycin Sulphate					
	1 vial (solvent required) ..	D	6	..	*1 13 0	DL, GL
	Set containing 1 vial and 2 mil. amp. water for injection ..	D	6	..	*1 16 6	GL
597	PENTAERYTHRITOL TETRANITRATE					
	Oral Tablet 10 mg. tab.		100	2	0 8 4	HY(QNVTW), WW
	20 mg. tab.		100	2	0 9 8	HY(QNVTW), RK, WW
	30 mg. tab.		100	2	0 11 0	HY(QNVTW)
					0 11 5	WL
	80 mg. tab. (Sustained Action)		100	2	0 15 0	HY(QNVTW), WW
675	PENTHIENATE					
	Oral Capsule 5 mg. cap.		100	2	2 1 0	WL
598	PENTOBARBITONE SODIUM B.P.					
	Oral Tablet, 30 mg. (1/2 gr.) tab. ..		50	2	0 6 8	AB, BW, DH, KL, QE(QNVS)
					0 6 9	HY(QNVTW)
					0 7 0	GP, RY, TO
					0 7 4	MG
	100 mg. (1.5 gr.) tab. ..		50	2	0 6 0	QE(QNVS), SL
					0 6 9	MG
					0 7 1	AD, BW, CM, CO, DH, FA, HY(QNVTW), KL, PR(QNVS), RT(V), RY, SI, TO

598—continued

						0 7 5	RD
						0 8 3	AB, GP, IQ
						(ex 250)	
						0 7 0	QE(QNVS)
						0 7 8	AD, BW, CM, DH, FA, HY(QNVTW), KL, PR(QNVS), RD, RT(V), RY, SI, TO
						0 8 4	AB, CO, IQ, MG
						0 9 8	GP
						0 10 0	SL
						(ex M.P.)	
Oral Capsule	30 mg. (1/2 gr.) cap.	..	50	2		0 9 8	AB
	50 mg. (3/4 gr.) cap.	..	50	2		0 18 4	AB
	100 mg. (1.5 gr.) cap.	..	50	2		0 10 9	MG, RT(V)
						0 11 5	FA, KL, PD, PR(QNVS)
						0 12 10	AB
						(ex 250)	
						0 12 1	FA, KL, PD, PR(QNVS), RT(V)
						0 13 0	AB, MG
						(ex M.P.)	
599 PENTOBARBITONE SODIUM COMPOUND							
Oral Capsule, A.P.F. 1955	..	..	..	50	2	0 15 8	AB, MG
						0 18 8	PD
Oral Tablet, A.P.F. Capsule Formula..	..	..	..	50	2	0 15 8	CO
600 PENTOLINIUM TARTRATE							
Injection, B.P.	5 mg. per cc., 10 cc. vial	..	1	1		0 9 8	MB
	25 mg. per cc., 25 cc. vial	..	1	1		1 5 8	MB
Oral Tablet, B.P.	40 mg. tab.	..	100	2		0 17 0	MB
	200 mg. tab.	..	100	2		2 7 4	MB

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
601	PENTOLINIUM TARTRATE WITH EPHEDRINE Injection 25 mg. per cc., 25 cc. vial ..		1	1	1 9 8	MB
602	PERTUSSIS VACCINE (Haemagglutinin Aluminium Phosphate Adsorbed) Injection 1/2 cc. amp.		2	..	* 0 11 0	CS
603	PERTUSSIS VACCINE (PHASE 1) Injection 20,000 M. per cc., 1 cc. amp. ..		3	1	* 0 15 0	CS
604	PETHIDINE HYDROCHLORIDE Injection, B.P. 50 mg. per cc., 1 cc. amp. .. 50 mg. per cc., 2 cc. amp. .. 50 mg. per cc., 10 cc. vial .. 50 mg. per cc., 50 cc. bottle		6 6 1 1		0 10 4 0 11 8 0 10 4 1 0 11	AD, BL, BT, BW, CM, DH, FH, KL AD, BL, BT, BW, CM, DH, FH, KL CM, DH, FH, KL BA, DH, KL, RO
665	PETHIDINE AND LEVALLORPHAN TARTRATE Injection Pethidine Hydrochloride, 50 mg.; Levallorphan Tartrate, 0.625 mg. per 1 cc. amp. (solvent required) Pethidine Hydrochloride, 100 mg.; Levallorphan Tartrate, 1.25 mg. per 2 cc. amp. (solvent required)	D D	6 6		0 10 1 0 13 1	RO RO

605	PETHIDINE AND SCOPOLAMINE Injection Pethidine Hydrochloride 100 mg.; Scopolamine 0.43 mg. 2 cc. amp.	6	..	0 12 4	BT, BW, FH, KL
650	PHENACETIN Oral Tablet with Codeine Phosphate and Sodium Pentobarbitone 300 mg.-15 mg.-30 mg. tab. (5 gr.-1/4 gr.-1/2 gr.)	100	2	0 15 1 0 15 9 1 0 0 (ex 500) 0 16 4 0 17 0 0 17 8 0 18 0 1 2 0 (ex M.P.)	AD, CM, DH, HY(QNVTW), KL, MG, PR(QNVS), SI, SL, TO RD AB, FM, GP AD, DH, HY(QNVTW), KL, PR(QNVS), SI, SL, TO RD CM MG AB, FM, GP
607	PHENAZONE Oral Tablet, B.P. 1948 300 mg. (5 gr.) tab...	100	2	0 16 4	TO
678	PHENAZOPYRIDINE HYDROCHLORIDE Oral Tablet 100 mg. tab.	50	1	*0 12 10	WW
672	PHENETHICILLIN Oral Tablet 125 mg. tab. 250 mg. tab.	24 12	.. 1	1 4 4 1 3 0	CS, SI CS, SI
673	PHENFORMIN Oral Tablet 25 mg. tab.	100	2	2 0 4	WW

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
608	PHENINDAMINE TARTRATE Oral Tablet, B.P. 25 mg. tab.		50	2	0 11 3	RO
609	PHENINDIONE Oral Tablet, B.P. 10 mg. tab.		100	2	2 3 0	PT, PX
	50 mg. tab.		100	2	2 13 0	EV, WP(NVW)
					2 19 0	PT, PX
					3 13 0	EV, WP(NVW)
610	PHENOBARBITONE Oral Tablet, B.P. 15 mg. (1/4 gr.) tab. ..		100	2	0 4 8	AB, AD, BW, DH, FA, HY(QNVTW), KL, PR(QNVS), RT(V), RY, SI, SL, TO
	30 mg. (1/2 gr.) tab ..		100	2	0 4 10	AD, DH, FA, HY(QNVTW), KL, PR(QNVS), RT(V), RY, SI, SL, TO
					0 5 0	BK
					0 5 1	BW, GP, MB, MG
					(ex 500)	
					0 5 3	AD, DH, FA, HY(QNVTW), KL, PR(QNVS), RT(V), RY, SI, SL, TO
					0 5 4	MG
					0 5 8	BK, BW, GP, MB
					(ex M.P.)	
	60 mg (1 gr.) tab. ..		100	2	0 5 3	AD, DH, FA, HY(QNVTW), KL, PR, (QNVS), RT(V), RY, SI, SL, TO
					0 5 9	MG
					0 5 11	BW, GP, MB
					(ex 500)	

610—continued

			0 5 4	AD, DH, FA, HY(QNVTW), KL, PR (QNVS), RT(V), RY, SI, SL, TO
			0 5 8	MG
			0 6 4	BW, GP, MB
			(ex M.P.)	
100 mg. (1.5 gr.) tab. ..	100	2	0 6 4	AD, DH, FA, GP, HY(QNVTW), KL, MG, RT(V)RY, SI, SL
			0 6 5	AB, TO
611 PHENOBARBITONE SODIUM				
Injection				
200 mg. (3 gr.) per 1 cc. amp.	6	..	* 0 9 8	MB
			0 11 8	BL, CM, DH, EV, FH, FM
200 mg. (3.1 gr.) per 2 cc. amp. with 2 mil. amp. water for injection	6	..	1 2 4	DH
200 mg. (3 gr.) per 2 cc. amp.	6	..	0 11 8	BT
Oral Tablet, B.P. 15 mg. (1/4 gr.) tab. ..	100	2	0 4 8	DH, FA, KL, RT(V), SL, TO
30 mg. (1/2 gr.) tab. ..	100	2	0 5 3	DH, FA, HY(QNVTW), KL, PR (QNVS), RT(V), RY, SL, TO
60 mg. (1 gr.) tab. ..	100	2	0 5 4	KL, RT(V), RY, SL
			0 5 8	FA, HY(QNVTW), MG, TO
100 mg. (1.5 gr.) tab. ..	100	2	0 6 4	FA, HY(QNVTW), KL, MG, RY
612 PHENOBARBITONE SODIUM AND SODIUM BROMIDE				
Mixture, P.L.	8 fl. oz.	4	* 0 8 2	Extemp.
613 PHENOL				
Injection Phenol, B.P. 2%, Dextrose, B.P. 25%, Glycerin, B.P. 30% 30 cc. vial ..	1	..	1 6 4	BT
Lotion, P.L.	8 fl. oz.	4	0 7 8	Extemp.
Ear Drops, P.L.	1/2 fl. oz.	2	0 7 5	Extemp.

Item No.	Name, Manner of Administration and Form						Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
614	PHENOLPHTHALEIN									£ s. d.	
	Oral Pill, Compound	..	..	..	..			50	1	0 5 3 * 0 5 3 * 0 5 10	HY(QNVTW), MG TO DH
615	PHENSUXIMIDE										
	Oral Capsule	500 mg. cap.	..	..	..			200	1	4 2 4	PD
653	PHENYLALANINE LOW CONTENT FORMULA										
	Granules	1 Kg.	..	..	..	..	AD	1	..	10 13 4	GL
	Powder	2.5 lb. tin	..	..	..	..	AD	1	..	5 6 8	CM
		3 lb. tin	..	..	..	..	AD	1	..	11 0 0	TF
616	PHENYLBUTAZONE										
	Oral Tablet	100 mg. tab.	..	..	..			50	2	0 17 11 (ex 250) 0 19 0 (ex M.P.)	GE GE
617	PHENYLEPHRINE HYDROCHLORIDE										
	Injection, 1%	1 mil. amp.	..	..	..	..		6	..	1 6 4	WL
	Compound Suppository with Benzocaine		..			..		12	1	0 10 7	WL
674	PHENYLMERCURIC DINAPHTHYLMETHANE DISULPHONATE										
	Pessaries	..	..	..	..	..		15	..	1 3 0	WB
677	PHENYTOIN										
	Oral Suspension	4 fl. oz.	..	..	..	..	C	‡1	4	0 10 4	PD

618	PHENYTOIN SODIUM								
	Injection	250 mg. vial with 5 cc. water for injection	..	..	..	1	..	1 19 0	PD
	Oral Tablet, B.P.	100 mg. tab.	..	..	..	200	1	0 15 0	DH, KL
	Oral Capsule	30 mg. cap.	..	..	..	200	1	0 17 8	PD
		100 mg. cap.	..	..	..	200	1	1 7 8	PD
619	PHOLCODINE								
	Linctus	4 fl. oz.	..	..	..	1	4	0 8 8	EV, FA, GL, GP, MG, VR
		8 fl. oz.	..	..	..	1	4	0 12 4	EV, FA, GL, GP, MG, RK, VR
	Linctus, P.L.	..	..	..	..	8 fl. oz.	4	0 14 7	Extemp.
620	PHTHALYLSULPHACETAMIDE								
	Oral Tablet	500 mg. tab.	..	..	..	100	..	1 11 0	BS, CM KL, SC, VR
621	PHTHALYLSULPHATHIAZOLE								
	Oral Tablet, B.P.	500 mg. tab.	..	..	..	100	..	0 14 4 (ex 500)	MB, MK
								0 14 4 (ex M.P.)	MB, MK
	Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0 11 11	Extemp.
622	PHYSOSTIGMINE SALICYLATE								
	Eye Drops	1/4%, 15 ml.	..	..	..	‡1	6	0 15 0	IQ
		1/2%, 15 ml.	..	..	..	‡1	6	0 16 7	IQ
666	PHYTOMENADIONE								
	Injection, B.P.	10 mg. amp.	..	..	..	D 3	..	1 0 4	RO
623	PICROTOXIN								
	Injection, B.P.	5 mg. per 2 cc. amp.	..	..	..	6	1	0 13 0	DH, FH

Item No.	Name, Manner of Administration and Form						Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
										£ s. d.	
624	PILOCARPINE NITRATE										
	Eye Drops	1/2%	1/2 fl. oz.	..	..	..		† 1	6	0 9 11	AN, DH, IQ, KL, SI
		1%	1/2 fl. oz.	..	..	..		† 1	6	0 10 8	AN, DH, IQ, KL, SI
		2%	1/2 fl. oz.	..	..	..		† 1	6	0 11 8	AN, DH, IQ, KL, SI
		3%	1/2 fl. oz.	..	..	..		† 1	6	0 12 8	AN, IQ, KL, SI
		4%	1/2 fl. oz.	..	..	..		† 1	6	0 14 4	AN, KL, SI
										0 15 0	IQ
667	PIPENZOLATE										
	Oral Tablet	5 mg.	tab...	..	..	..		100	2	1 17 8	SI
	Oral Solution	4 mg.	per mil., 1/2 fl. oz.	..	..	..		† 1	..	0 13 0	SI
625	PIPERAZINE ADIPATE										
	Oral Tablet, B.P.	300 mg.	tab.	..	..	..		25	2	0 10 0	BD
	Oral Granules	20%, 100 G.		..	..	..		1	..	1 1 0	DF
654	PIPERAZINE CITRATE, B.P.										
	Oral Tablet	500 mg.	tab.	..	..	..		30	..	0 12 7	BW
	Elixir	500 mg.	per 4 mil.	4 fl. oz.	..	..	C	† 1	..	0 11 0	MG
										0 11 5	GL
626	PIPERAZINE PHOSPHATE										
	Oral Tablet, B.P.	260 mg.	tab.	..	..	..		25	2	* 0 9 2	GL
		500 mg.	tab.	..	..	..		30	2	0 12 7	CK
627	PITUITARY, POSTERIOR LOBE, B.P.C.										
	Injection	1 cc.	amp.	..	..	..		6	1	0 15 8	PD
	Insufflation	30 Antidiuretic Unit	Capsule	..	..	..		100	2	4 5 8	ST
		500 Antidiuretic Unit per G., 2 G.		..	..	..					
	Phial	..	..	..	..	..		3	2	* 3 9 9	BP

628	PLAGUE VACCINE					
	Injection 4,000 million per cc., 1 cc. amp. ..	2	..	* 0 16 4	CS	
629	POLYMYXIN B. SULPHATE					
	Ear Drops 1/2 fl. oz.	† 1	2	1 15 0	AN, BW, HA, KL, SI	
	Ear Drops with Acetic Acid and Propylene Glycol 10 mil.	† 1	2	0 13 0	BW	
	Eye Drops 15,000 U. per ml. 5 mil. ...	† 1	2	1 7 0	HA, IQ, KL, SI	
	Eye Drops Set containing 75,000 U. and 5 ml. of Solvent	† 1	2	† 1 9 6	AN	
	Eye Drops 15,000 U. per ml., Stabilised 5 mil. ..	† 1	2	1 3 0	BW	
	Eye Drops with Bacitracin and Neomycin Sulphate 10 mil. (solvent required) ..	† 1	2	† 1 5 6	GL	
	10 mil. and 10 cc. amp. of solvent ..	† 1	2	† 1 9 6	AN, DH	
				† 1 11 9	HA, IQ	
	Eye Drops with Neomycin Sulphate and Gramicidin					
	5,000 U.-2.5 mg.-0.025 mg., 10 mil. ..	† 1	2	0 14 4	BW	
	Eye Ointment with Bacitracin and Neomycin 4 G. ..	† 1	..	0 7 0	AN, BW, DH, GL, HA, SI, UP	
630	POTASSIUM BROMIDE					
	Mixture, P.L.	8 fl. oz.	4	0 8 0	Extemp.	
	Mixture with Nux Vomica, P.L.	8 fl. oz.	4	0 7 10	Extemp.	
	Mixture with Phenobarbitone and Belladonna, P.L.	8 fl. oz.	4	0 7 8	Extemp.	
631	POTASSIUM CHLORIDE					
	Injection Standard Maintenance Fluid 1/2 litre	2	..	* 1 11 0	FH(QNVST), DH	
	Oral Tablet, B.P. 500 mg. tab.	100	2	0 7 0	AN, DH, HY(QNVTW), KL, RT(V), RY	

Item No.	Name	Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
						£ . d.	
632	POTASSIUM CITRATE						
	Mixture, P.L.			8 fl. oz.	4	0 8 6	Extemp.
	Mixture for Children, P.L.			4 fl. oz.	4	0 8 2	Extemp.
	Mixture Acid, P.L.			8 fl. oz.	4	0 9 10	Extemp.
	Mixture with Hyoseyamus, P.L.			8 fl. oz.	4	0 7 10	Extemp.
633	POTASSIUM IODIDE						
	Mixture, P.L.			8 fl. oz.	4	0 8 8	Extemp.
	Mixture for Children, P.L.			4 fl. oz.	4	0 8 4	Extemp.
	Mixture with Stramonium for Children, P.L.			4 fl. oz.	4	0 8 3	Extemp.
668	POTASSIUM PERCHLORATE						
	Oral Tablet,	200 mg. tab.		100	2	0 9 8	AD, SI
						0 15 8	PH
		500 mg. tab.		100	2	0 17 8	PH
634	PREDNISOLONE						
	Oral Tablet, B.P.	5 mg. tab... ..	AD	30	..	1 17 0	HY(QNVTW), KL, PT, RT(V)
						2 5 4	CO
						2 5 8	AN, BT, GL, MK, OR, PF, PD, PR(QNVS), RL, RY, SC, SH, UP
	Oral Tablet with Magnesium Trisilicate and Aluminium Hydroxide:						
	Prednisolone 5 mg.; Magnesium Trisilicate 50 mg.; Dried Aluminium Hydroxide Gel. 300 mg.		AD	30	..	2 5 8	MK
	Eye Ointment	0.5% 4 G.		‡ 1	..	1 3 0	AN, CO, KL, UP

655	PREDNISOLONE ACETATE								
	Injection 10 mg. per 1 cc. amp.	AD	3	2	1	9	8	DH, SC	
656	PREDNISOLONE DISODIUM PHOSPHATE								
	Retention Enema 20 mg. per 100 cc. ..	AD	7	..	7	7	8	GL	
	Eye-Ear Drops, 0.5% 2.5 mil.		† 1	6	1	1	8	MK	
	3 mil.		† 1	6	1	3	0	GL	
	Eye Ointment 3 G.		† 1	..	1	3	0	GL	
657	PREDNISOLONE METHYL								
	Oral Tablet 4 mg. tab.	AD	30	..	4	5	8	UP	
	Oral Capsule 4 mg. cap.	AD	30	..	4	5	8	UP	
	Eye Ointment 0.1%, 4 G.		† 1	..	1	6	4	UP	
683	PREDNISOLONE METHYL ACETATE								
	Injection 40 mg. per cc., 5 cc. vial	AD	1	..	8	3	0	UP	
658	PREDNISOLONE SODIUM HEMISUC- CINATE	H	..	..	..				
680	PREDNISOLONE TRIMETHYLACETATE								
	Eye Drops 0.3%, 2.5 cc.		† 1	..	0	13	8	CB	
	Eye Ointment 0.5%, 2.5 G.		† 1	..	0	15	0	CB	
635	PREDNISONE								
	Oral Tablet, B.P. 5 mg. tab... ..	AD	30	..	1	17	0	HY(QNVTW), KL, PT	
					2	5	4	CO	
					2	5	8	AN, BT, GL, MK, OR, PD, PR(QNVS), RD, RL, RY, SC, SH	
	Oral Tablet with Magnesium Trisilicate and Aluminium Hydroxide. Prednisone 5 mg.; Magnesium Trisili- cate 50 mg.; Dried Aluminium Hy- droxide Gel. 300 mg.	AD	30	..	2	5	8	MK	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
636	PRIMAQUINE BASE Oral Tablet, Phosphate, B.P. equivalent to 7.5 mg. base equivalent to 15 mg. base		30 14	1 1	0 10 8 0 6 9	IC WL
637	PRIMIDONE Oral Tablet, B.P. 250 mg. tab.		200	1	3 19 4 (ex 1,000) * 4 9 8 (ex M.P.)	IC IC
659	PROBENECID Oral Tablet, B.P. 500 mg. tab.		100	2	5 19 8	MK
638	PROCAINAMIDE HYDROCHLORIDE Injection, B.P. 100 mg. per cc., 10 cc. vial .. Oral Tablet 250 mg. tab.		1 100	.. 2	0 15 8 3 3 0	SQ SQ
639	PROCAINE HYDROCHLORIDE IN NORMAL SALINE Injection 0.1%, 1 litre bottle		2	1	* 1 11 8	AB, BT
640	PROCYCLIDINE HYDROCHLORIDE Oral Tablet, B.P. 5 mg. tab... ..		100	2	2 3 0	BW

641	PROGESTERONE									
	Injection	20 mg. I.V. amp.	..	..	D	3	..	2 6 4	OR, SC	
		25 mg. amp...	..	..	D	3	.	1 7 0	BD, CB, DF, OR, SC	
	Implant	25 mg. implant	..	..	D	1	.	1 1 0	BD OR	
642	PROGESTERONE DEPOT									
	Injection	250 mg. amp.	..	..	D	3	..	4 15 0	SC	
643	PROGUANIL HYDROCHLORIDE									
	Oral Tablet, B.P.	100 mg. tab	..	.		100	2	0 11 5	IO	
644	PROMETHAZINE HYDROCHLORIDE									
	Injection	2.5%, 2 cc. amp.	..	..		10	..	0 15 0	MB	
	Elixir	115 mil.	..	..	C	1	4	0 7 8	MB	
	Oral Tablet, B.P.	10 mg. tab.	..	..		50	1	0 9 2	MB	
								(ex 250)		
								0 9 8	MB	
								(ex M.P.)		
		25 mg. tab.	..	..		50	1	0 12 2	MB	
								(ex 250)		
								0 13 8	MB	
								(ex M.P.)		
660	PROPANTHELINE BROMIDE									
	Injection	30 mg. per 1 cc. vial (solvent required)	..	..		6	..	3 9 8	SR	
	Oral Tablet, B.P.	15 mg. tab.	..	..		100	2	2 16 4	SR	
681	PROPHENPYRIDAMINE MALEATE									
	Syrup	10 mg. per 5 mil., 100 mil.	..	..	C	1	4	0 9 8	HP	
645	PROPHENPYRIDAMINE PARA-AMINOSALICYLATE									
	Injection	25 mg. per cc., 2 cc. amp.	..	..		5	1	0 14 1	HP	
	Oral Tablet	10 mg. tab.	..	..		50	1	0 9 3	HP	
		50 mg. tab.	..	..		50	1	0 15 8	HP	

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
671	PROPYLTHIOURACIL							£	s.	d.	
	Oral Tablet, B.P.	25 mg. tab.	..	..		100	2	0	13	0	AN
		50 mg. tab.	..	..		100	2	1	0	4	AN
646	PROTAMINE SULPHATE										
	Injection	1%, 5 mil amp	..	.		6		1	3	7	EV
		10 mil. amp	..	..		6	..	1	5	8	BT
647	PROTOVERATRINE A.										
	Injection	1 mil. amp.	..	.	D	6	.	0	16	8	SZ
669	PYRAZINAMIDE				H						
662	PYRIDINE ALDOXIME METHIODIDE				H						
648	PYRIDOSTIGMINE BROMIDE										
	Oral Tablet, B.P.	60 mg. tab.	..	..	D	100	2	* 4	5	5	RO
	Injection, B.P.	1 mg. per 1 cc. amp (solvent required)	..	..		6	1	0	11	3	RO
649	PYRIDOXINE HYDROCHLORIDE, B.P.C										
	Injection	50 mg. per cc. 1 cc. amp	..	..		6	1	0	18	4	FH, KL
								1	0	4	AN, BL, CM, DH, FM, PD
		50 mg. per 2 cc., 2 cc. amp.	..	..		6	1	1	0	4	RO
								1	1	8	BL, VM
		50 mg. per cc., 5 cc. vial	..	..		1	1	1	1	8	KL
								1	4	0	LY
		50 mg. per cc., 10 cc. vial	..	..		1	..	1	3	0	DH, FH, KL
								1	7	0	CM

663	PYRIMIDO-PYRIMIDINE								
	Injection	10 mg. per 2 mil., 2 mil. amp.			5	..	0 14 7	FA	
661	PYRROLIDINO-METHYL-TETRACYCLINE								
	Injection	110 mg. Tetracycline amp. I.V.	D		5	..	* 4 10 11	HP	
		275 mg. Tetracycline amp. I.V.	D		5	..	* 7 16 9	HP	
		150 mg. Tetracycline amp I.M.	D		5	..	* 4 10 11	HP, SQ	
		350 mg. Tetracycline amp I.M.	D		5	..	* 7 16 9	HP, SQ	
721	QUINALBARBITONE SODIUM, B.P.								
	Oral Tablet	50 mg.			50	2	0 9 8	PT	
		100 mg. (1.5 gr.) tab.			50	2	0 9 5	PT	
							0 9 10	AD, CM, DH, HY(QNVTW), KL, MG, RT(V), RY, SI, SL	
							0 11 5	GP	
							0 12 2	RD	
							(ex 2.0)		
							0 11 0	PT	
							0 11 8	AD, CM, DH, HY(QNVTW), KL, MG, RT(V), RY, SI	
							0 13 4	RD	
							0 15 8	GP, SI	
							(ex M.P.)		
	Oral Capsule	50 mg. cap.			50	2	* 0 13 6	LY	
	Oral Capsule	100 mg. (1.5 gr.) cap.			50	2	0 14 10	LY	
							(ex 250)		
							0 18 4	LY	
							(ex M.P.)		
722	QUINIDINE SULPHATE								
	Oral Tablet, B.P.	200 mg. (3 gr.) tab. ..			100	2	1 4 4	DH, FA, HA, KI, TO	
							1 5 8	BW	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
723	QUININE BISULPHATE Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		100	2	£ s. d. 0 16 4 0 17 8	CO, DH, HY(QNVTW), TO BW, FA
724	QUININE DIHYDROCHLORIDE Injection, B.P. 200 mg. (3 gr.) per cc., 1 cc. amp .. 400 mg. (6.25 gr.) per cc. 1 cc. amp. 600 mg. (9.25 gr.) per 2 cc. amp. 1 G. (15.5 gr.) per 2 cc. amp. Oral Tablet 300 mg. (5 gr.) tab. Oral Capsule 300 mg. (5 gr.) cap.		6 6 6 6 100 100	1 1 1 1 2 2	0 13 8 0 14 4 0 15 0 0 15 8 1 2 0 1 11 0	DH DH DH DH DH PD
725	QUININE HYDROCHLORIDE Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		100	2	1 2 0	DH
726	QUININE SULPHATE Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		100	2	0 16 4	AD, DH, HY(QNVTW), PR(QNVS), SI, TO
747	RAUWOLFIA ALKALOIDS Oral Tablet 0.25 mg. tab. 2 mg. tab. 4 mg. tab. 50 mg. tab.		100 100 100 100	2 2 2 2	0 11 8 0 13 8 1 7 0 1 5 8 1 6 4 1 13 0	PT CM, KL RK PV PT IQ, SQ

748	RED BACK SPIDER ANTI-VENENE								
	Injection 500 U. vial	2	..	*4	3	0	CS		
746	RESERPINE								
	Injection 1 mg. amp.	5	1	0	10	1	CB		
	2.5 mg. amp.	5	1	0	16	4	CB		
	Oral Tablet, B.P. 0.25 mg. tab.	100	2	0	8	4	AN, HA, KL, RK, RY		
				0	9	4	MG		
				0	9	8	CB, VR		
	0.5 mg. tab.	100	2	0	10	4	HA, KL, RK		
				0	12	4	CB		
741	RESORCINOL								
	Lotion, Compound, P.L.	8 fl. oz.	4	0	10	6	Extemp.		
	Ointment, Compound, P.L.	1920 gr.	1	0	13	0	Extemp.		
742	RHUBARB								
	Pill, Compound, B.P.C.	50	1	* 0	10	6	DH		
	Mixture with Soda, P.L.	8 fl. oz.	4	0	8	9	Extemp.		
	Mixture with Soda for Children, P.L.	4 fl. oz.	4	0	7	5	Extemp.		
743	RIBOFLAVINE								
	Oral Tablet, B.P. 5 mg. tab... .. .	P 100	2	0	7	0	DH, FM, KL, MG, PR(QNVS), RT(V), RY, TO		
745	RISTOCETIN	H ..	..	..	..	..			
755	SACCHARIN OR SACCHARIN SODIUM								
	†Oral Tablet 30 mg. (1/2 gr.) tab.	200	1	0	2	0	AD, DH, FA, HY(QNVTW), KL, RT(V), RY, SI, SL		
818	SALICYLAMIDE								
	Oral Tablet 500 mg.	100	2	0	10	4	KL		
				0	10	8	NS		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
803	SALICYLAZOSULPHAPYRIDINE Oral Tablet 500 mg. tab.	D	100	..	1 17 8	MR
756	SALICYLIC ACID Paint, P.L. Ear Drops, P.L. Ointment, B.P. Lotion, Compound, P.L.		1 fl. oz. 1/2 fl. oz. 1920 gr. 8 fl. oz.	1 2 1 4	0 6 8 0 6 10 0 14 2 0 9 4	Extemp. Extemp. Extemp. Extemp.
760	SCHICK TEST TOXIN Injection 1 cc. vial		2	..	* 0 13 8	CS
757	SEIDLITZ POWDER †Compound Effervescent Powder, B.P. 1953 ..		12	1	0 5 0	DH, WD(N)
758	SENNA FRUIT, B.P. †2 oz.		1	..	0 2 0	DH, SI
816	SENNA FRUIT EXTRACT (STANDARD-ISED) Oral Tablet 7 mg. tab.	P	100	2	0 12 4	RC
759	SENEGA AND AMMONIA Mixture, P.L.		8 fl. oz.	4	0 9 10	Extemp.
809	SILVER NITRATE †Toughened 1 stick		1	..	0 1 7 0 2 6	YF(QNVST) SL

761	SILVER PICRATE, B.P.C. 1949											
	Insufflation, 1%	..	..	..	..	5G.	1	0	8	4	AB	
762	SILVER PROTEIN, MILD, B.P.C.											
	Eye Drops, 10%	1/2 fl. oz.	..	..	..	‡ 1	2	0	10	5	IQ	
763	SIMPLE OINTMENT, B.P.											
	Ointment	..	..	..	..	1920 gr.	1	0	11	8	Extemp.	
764	SMALLPOX VACCINE, B.P.											
	Injection	Capillary Tube	..	..	..	1	..	0	5	5	CS	
773	SODIUM AMINOSALICYLATE											
	Injection	20%, 10 cc. vial	..	..	D	6	..	1	1	3	KL	
	Oral Cachet	1.5 G. cachet	..	..	D	200	2	3	3	0	AN, KL, WA	
								*	3	11	8	SN
		2.0 G. cachet	..	..	D	200	2	4	3	0	KL, WA	
	Oral Tablet	300 mg. (5 gr.) tab.	..	..	D	200	1	0	18	8	KL	
								*	1	3	5	AD, SI
		500 mg. (7.5 gr.) tab.	..	..	D	500	2	2	3	0	DH, KL, SN	
									2	7	4	CM, RY
									* 2	7	7	AN, WA
									* 2	11	9	AD, SI
	Granules	350 G. tin	..	..	D	1	1	2	6	4	RL	
765	SODIUM AUROTHIOMALATE											
	Injection, B.P.	1 mg. amp.	..	..	..	1	3	0	4	11	MB	
		2 mg. amp.	..	..	..	1	3	0	5	1	MB	
		5 mg. amp.	..	..	..	1	3	0	5	3	MB	
		10 mg. amp.	..	..	..	1	3	0	5	7	MB	
		20 mg. amp.	..	..	..	1	6	0	5	9	MB	
		50 mg. amp.	..	..	..	6	1	*	1	7	0	MB
		100 mg. amp.	..	..	..	6	1	*	1	15	0	MB
		200 mg. amp.	..	..	..	1	3	0	11	8	MB	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
766	SODIUM BICARBONATE					
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 2	Extemp.
	Mixture, P.L.		8 fl. oz.	4	0 7 2	Extemp.
	Oral Tablet, Compound, B.P. 300 mg. (5 gr.) tab.		100	2	0 4 8	FA, SL, TO
767	SODIUM CALCIUMEDETATE					
	Injection 200 mg. per 5 cc. amp. ..		6	..	3 1 8	RK
	Oral Tablet 500 mg. tab.		100	2	2 1 11	RK
768	SODIUM CHLORIDE					
	Injection					
	Gastric Replacement Solution 1/2 litre ..		2	..	* 1 11 0	DH, FH(QNVST)
	Intestinal Replacement Solution 1/2 litre ..		2	..	* 1 11 0	DH, FH(QNVST)
	Potassium Free Maintenance Solution 1/2 litre ..		2	..	* 1 11 0	DH, FH(QNVST)
	Saline Lactate Solution 1/2 litre ..		2	..	* 1 11 0	DH, FH(QNVST)
	Tissue Repair Solution—Acidosis 1/2 litre ..		2	..	* 1 11 0	DH, FH(QNVST)
	Tissue Repair Solution—Alkalosis 1/2 litre ..		2	..	* 1 11 0	DH, FH(QNVST)
	(Hypertonic Solution)—					
	Injection 3%, 1 litre		2	1	* 1 11 8	BT, DH, FH(QNVST), SJ(W)
	5%, 1 litre		2	1	* 1 11 8	BT, DH, FH(QNVST), SJ(W)
	(Physiological Solution)—					
	Injection 2 cc. amp.		6	1	0 9 4	AD, BL, DH, FH, KL
	5 cc. amp.		6	1	0 10 4	AD, BL, DH, FH, KL

768—continued

10 cc. amp.	..	..	..	6	1	0 9 0	CS
						0 12 4	AD, BL, DH, FH, KL
10 cc. vial	..	..	..	2	1	* 0 9 8	DH, FH, PD
20 cc. amp.	..	..	..	6	1	0 16 4	BL, DH, FH, KL
50 cc. amp.	..	..	..	3	1	* 1 3 0	DH, FH, KL
1 litre bottle	..	..	..	2	1	* 1 11 8	AB, BT, DH, EV, FH(QNVST), GL, SJ(W)
Oral Tablet, B.P. 300 mg. (5 gr.) tab.	..			100	2	0 4 8	DH, FA, HY(QNVTW), RT(V)
769 SODIUM CHLORIDE AND DEXTROSE							
Injection, B.P.							
5% in normal saline 1 litre bottle	..			2	1	* 1 11 8	AB, BT, DH, EV, FH(QNVST), GL, SJ(W)
10% in normal saline 1 litre bottle	..			2	1	* 1 11 8	AB, BT, DH, FH(QNVST) SJ(W)
20% in normal saline 1 litre bottle	..			2	1	* 1 11 8	BT, DH, FH(QNVST), SJ(W)
25% in normal saline 1 litre bottle	..			2	1	* 1 11 8	AB, BT, DH, FH(QNVST), SJ(W)
2.5% in 1/2 strength normal saline 1/2 litre				2	1	* 1 7 8	DH, FH(QNVST), SJ(W)
3.75% in 1/4 strength normal saline 1/2 litre				2	1	* 1 7 8	DH, FH(QNVST), SJ(W)
4% in 1/5 strength normal saline 1 litre				6	1	* 4 9 0	AB, BT, DH, EV, SJ(W)
4.3% in 1/5 strength normal saline 1 litre				6	1	* 4 9 0	FH(QNVST), GL
811 SODIUM CHLORIDE COMPOUND							
Injection, B.P.C. 1 litre bottle	..	..		4	1	* 3 0 4	BT, DH, EV, FH(QNVST), SJ(W)
814 SODIUM CHLORIDE COMPOUND AND DEXTROSE							
Injection 5%, 1 litre	..	..	..	6	1	* 4 9 0	BT, DH, FH(QNVST), SJ(W)
10%, 1 litre	..	..	..	3	1	* 2 6 0	BT, DH, FH(QNVST), SJ(W)
770 SODIUM CITRATE							
Oral Tablet for Children 120 mg. (2 gr.) tab.				100	2	0 5 3	AD, DH, RT(V)
						0 7 0	BW

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
770— <i>continued</i>						
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		100	2	0 6 4	HY(QNVTW)
					0 8 9	BW
	Mixture Disodium Hydrogen Citrate, P.L. ..		8 fl. oz.	4	0 8 5	Extemp.
804	SODIUM FOLATE					
	Injection 15 mg. per cc., 10 cc. vial ..	D	1	..	1 5 8	LE
771	SODIUM LACTATE					
	(Solution 1/6 Molar)—					
	Injection 1 litre bottle.. ..		2	1	* 1 11 8	AB, BT, DH, FH(QNVST), SJ(W)
812	SODIUM LACTATE—COMPOUND					
	Injection, B.P. 1 litre bottle		2	1	* 1 11 8	BT, DH, EV, FH(QNVST), SJ(W)
813	SODIUM LACTATE—COMPOUND AND DEXTROSE					
	Injection 5% 1 litre bottle.. ..		2	1	* 1 11 8	BT, DH, FH(QNVST), SJ(W)
	10% 1 litre bottle.. ..		2	1	* 1 11 8	BT, DH, FH(QNVST), SJ(W)
772	SODIUM OLEATE COMPOUND					
	Oral Pill		100	1	0 12 4	PD
					* 0 12 5	DH
	Oral Tablet		100	1	0 9 0	FA

774	SODIUM SALICYLATE													
	Mixture, P.L.	..	..	..	..	..	8 fl. oz.	4	0	8	4	Extemp.		
	Mixture for Children, P.L.	..	..	..	..	..	4 fl. oz.	4	0	7	3	Extemp.		
	Oral Tablet, B.P.C.	300 mg. (5 gr.) tab.	..	..	..	..	100	2	0	7	8	AD, DH, FA, HY(QNVTW), KL, PR(QNVS), RT(V), SI, SL, TO		
	Oral Tablet (Enteric Coated)	300 mg. (5 gr.) tab...	..	..	..	..	100	2	0	11	0	AN, DH, HY(QNVTW), KL, LY, PR(QNVS), RY, TO		
	500 mg. (7.5 gr.) tab.	..	..	..	..	..	100	2	0	12	4	KL, PR(QNVS), QE(QNVS), RD, TO		
	600 mg. (10 gr.) tab.	..	..	..	..	..	100	2	0	13	8	AN, DH, KL, LY, PR(QNVS), QE(QNVS), RY, TO		
775	SODIUM SULPHATE													
	(Solution 4.28%)—													
	Injection	1 litre bottle..	..	..	..	..	2	1	*	1	11	8	BT, DH, FH(QNVST), SJ(W)	
776	SODIUM TAUROGLYCOCHOLATE													
	Oral Pill	..	..	..	..	..	100	1	0	9	8	DH		
									0	9	11	WW		
	Oral Tablet	..	..	..	..	..	50	1	*	0	7	5	DH	
777	SORBOLENE, A.P.F., 1955													
	Cream, P.L.	..	..	..	..	..	1920 gr.	1	0	11	8	Extemp.		
805	SOYA FORMULA													
	Liquid	1 tin	..	..	..	..	AD	6	..	*	1	17	6	CM
	Powder	1 tin	..	..	..	..	AD	6	..	*	5	6	6	CM
806	SPIRAMYCIN													
	Oral Capsule	250 mg. cap.	..	..	..	..	D	20	..	1	18	4	MB	
	Oral Tablet	250 mg. tab.	..	..	..	..	D	20	..	1	18	4	MB	

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
778	SPIRIT, INDUSTRIAL METHYLATED, B.P.									
	Soap, P.L.	..	..	..	..		4 fl. oz.	1	0 9 9	Extemp.
	Ear Drops, P.L.	..	..	..	..		1/2 fl. oz.	2	0 6 9	Extemp.
810	SPIRONOLACTONE					H	..	..	..	
779	STAPHYLOCOCCUS TOXOID (FORMALINISED)									
	Injection	Diluted 1 in 10 for use in initial in- jection	5 cc.	..	..		1	..	0 11 0	CS
		Undiluted	5 cc.	..	..		1	..	1 1 8	CS
780	SILBOESTROL									
	Injection	1 mg. amp.	..	..	..	DG	6	..	0 9 8	BD, DH
		5 mg. amp.	..	..	..	DG	6	..	0 11 8	BD, DH, KL
	Oral Tablet, B.P.	0.1 mg. tab.	..	..	..	DG	100	2	0 5 1	HY(QNVTW), KL
		0.5 mg. tab.	..	..	..	DG	100	2	0 5 3	AD, BD, DH, FA, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		1 mg. tab.	..	..	..	DG	100	2	0 5 5	AD, DH, FA, HY(QNVTW), KL, RT(V), SI
		5 mg. tab.	..	..	..	DG	100	2	0 5 8	BD, HA, MG, RY, SL, TO
									0 8 0	AD, BD, BW, DH, FA, HA, HY (QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		10 mg. tab.	..	..	..	DG	100	2	0 12 4	CM, DH, KL, TO

781	STREPTOMYCIN SULPHATE												
	Injection	1 G. vial (solvent required)	..	D	5	3	* 0 19 8	BT, DH, DL, EV, GL, SI					
	Intrathecal Injection												
		100,000 U. amp. (solvent required)	..	D	10	3	1 2 5	DL					
	Injection, B.P.	250,000 U. per mil., 4 mil. vial	..	D	5	3	* 1 1 9	DL, GL					
		500,000 U. per mil., 2 mil. vial	..	D	5	3	* 1 1 9	BT, EV, GL					
		1,000,000 U. per 3 mil vial	..	D	5	3	* 1 1 9	EV, GL, SI					
	Oral Tablet with Sulphaguanidine												
		62.5 mg.-500 mg. tab.			16	..	0 14 1	GL					
	Ear Drops, P.L.		..		1/2 fl. oz.	2	0 11 9	Extemp.					
782	STRYCHNINE HYDROCHLORIDE SOLUTION												
	Mixture, P.L.		..		8 fl. oz.	4	0 7 6	Extemp.					
783	SUCCINYLSULPHATHIAZOLE												
	Oral Tablet, B.P.	500 mg. tab.			100		1 0 4	MB, MK					
	Mixture with Kaolin		..		8 fl. oz.	4	0 15 8	MK					
	Mixture with Kaolin, P.L.		..		8 fl. oz.	4	1 0 0	Extemp.					
784	SULPHACETAMIDE SODIUM												
	Ear Drops, P.L.		..		1/2 fl. oz.	2	0 7 5	Extemp.					
	Eye Drops, 10%	1/2 fl. oz.			† 1	2	0 10 4	AN, EV, IQ, KL, MG, SI					
	Eye Drops, 20%	1/2 fl. oz.			† 1	2	0 11 0	AN, EV, IQ, KL, MG, SI					
	Eye Ointment, B.P.	60 gr.			† 1	..	0 5 0	AN, EV, FH, MG, SC					
785	SULPHADIAZINE												
	Oral Tablet	300 mg. tab.			40	1	0 9 10	CM, KL, PD					
							0 10 9	AB					
							(ex 200)						
							0 10 9	AB, CM, KL, PD					
							(ex M.P.)						

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
785— <i>continued</i>								£ s. d.	
	Oral Tablet, B.P.	500 mg. tab.	..	..		40	1	0 9 10	AD, CM, CO, DH, FA, HY(QNVTW), KL, PD, PR(QNVS), RT(V), SI, SL, TO
								0 10 0	MB
								0 10 9	MG
								0 11 4	BW
								(ex 200)	
								0 10 8	AD, DH, MB, PD, SI
								0 11 0	MG
								0 11 4	CM
								0 11 7	BW, CO, FA, HY(QNVTW), KL,
								(ex M.P.)	PR(QNVS), RT(V), SL, TO
	Nasal Instillation, Compound, P.L.	..	..			1/2 fl. oz.	2	0 8 6	Extemp.
786	SULPHADIAZINE SODIUM								
	Injection, B.P.C.	4 cc. amp...	..	..		5	..	* 0 15 9	MB
787	SULPHADIMETHOXINE								
	Oral Tablet	500 mg. tab.	..	..		12	2	0 12 4	RO
								(ex 100)	
								0 13 0	RO
								(ex M.P.)	
	Oral Suspension	200 mg. per cc., 10 cc. vial			C	‡ 1	..	0 11 5	RO
788	SULPHADIMIDINE								
	Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0 15 5	Extemp.
	Oral Suspension	100 cc.	..	..	C	1	4	0 11 5	IC

788—*continued*

Oral Tablet, B.P.	250 mg. tab.	..	..	40	1	0 8 1	MG
						0 8 2	KL
						(ex 200)	
						0 8 5	KL, MG
						(ex M.P.)	
500 mg. tab.	..	..	..	40	1	0 7 8	HY(QNVTW), SL, VR
						0 8 2	MG
						0 8 9	AD, DH, IC, KL, PR(QNVS), SI, TO
						(ex 200)	
						0 9 4	AD, DH, HY(QNVTW), IC, KL, MG,
						(ex M.P.)	PR(QNVS), SI, SL, TO, VR
789 SULPHADIMIDINE SODIUM							
Injection, B.P.	1 G. per 3 cc. amp.	..	..	5	..	0 11 8	IC
790 SULPHAFURAZOLE							
Oral Tablet	300 mg. tab.	..	..	40	1	0 12 10	RO
						(ex 200)	
						0 13 1	RO
						(ex M.P.)	
500 mg. tab.	..	..	..	40	1	0 16 9	RO
						(ex 200)	
						0 17 5	RO
						(ex M.P.)	
Eye Drops, 4%	10 mil.	..	..	† 1	2	0 9 8	RO
Eye Ointment	5 G.	..	..	† 1	..	0 6 1	RO
791 SULPHAGUANIDINE							
Oral Tablet, B.P.	500 mg. tab.	..	..	100	..	0 11 4	AD, AN, BW, DH, HY(QNVTW), KL,
							MG, PR(QNVS), RT(V), RY, SI,
							SL, TO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
792	SULPHAMERAZINE Oral Tablet, B.P. 500 mg. tab.		40	1	0 10 4 0 11 7 0 12 8 * 0 14 2	HY(QNVTW) DH KL AD, FA, RT(v), SI, TO
793	SULPHAMETHIZOLE Oral Tablet 100 mg. tab. 250 mg. tab. 500 mg. tab.		30 30 30	1 1 1	0 8 4 0 13 0 1 3 0	AY, WW AY, WW AY
817	SULPHAMETHOXYDIAZINE Oral Tablet 500 mg. tab. Oral Suspension 10%, 40 mil.		12 ‡1	2 ..	0 16 4 0 16 4	FB, SC FB
794	SULPHAMETHOXYPYRIDAZINE Oral Tablet 500 mg. tab.		12	2	1 0 9 (ex 100) 1 1 8 (ex M.P.)	LE, PD LE, PD
807	SULPHAMETHOXYPYRIDAZINE N-ACETYL Oral Suspension 250 mg. per 5 cc. 1 fl. oz.	C	‡ 1	..	0 14 4	PD, LE
808	SULPHAPHENAZOLE Oral Tablet 500 mg. tab. Oral Suspension, 10% 50 cc... ..	C	20 ‡ 1	1 ..	0 11 11 0 14 4	CB CB

795	SULPHAPYRIDINE, B.P.C. Oral Tablet, B.P.C. 500 mg. tab.	100	..	0 19 0	MB
815	SULPHINPYRAZONE Oral Tablet 100 mg. tab.	100	2	3 16 4	GE
796	SULPHONAMIDES, MIXED (B): THREE SULPHONAMIDES Oral Tablet 250 mg. tab.	40	1	0 10 8 (ex 200) 0 11 0 (ex M.P.)	CM, MB CM, MB
	300 mg. tab.	40	1	0 8 2 0 10 9 (ex 200) 0 8 11 0 11 0 (ex M.P.)	KL, TO AB KL, TO AB
	330 mg. tab.	40	1	0 9 0 (ex 200) 0 11 0 (ex M.P.)	AN AN
	500 mg. tab.	40	1	0 8 9 0 9 5 0 10 4 0 10 11 (ex 200) 0 10 9 0 11 0 0 11 4 (ex M.P.)	HY(QNVTW), MG, SL AN AD, DH, FA, FM, KL, RY, SI, TO CM, MB, VR AD, DH, FM, HY(QNVTW), KL, RY, SI, TO MG AN, CM, FA, MB, SL, VR
797	SULPHUR Ointment, B.P.	1920 gr.	1	0 12 7	Extemp.

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
798	SULPHURATED POTASH Lotion, P.L.						8 fl. oz.	4	£ s. d. 0 9 6	Extemp.
800	SUSTANON Injection 250 mg. amp.					D	1	..	2 17 8	OR
801	SUXAMETHONIUM BROMIDE Injection, B.P. 67 mg. amp.						6	1	* 0 14 4	MB
851	T.A.B. VACCINE (Anti-Typhoid- Paratyphoid) Injection 1/2 cc. amp. 10 cc. vial						3 1		* 0 14 0 1 13 0	CS CS
892	TACRINE Injection 10 mg., 2 ml. amp. 30 mg., 2 ml. amp.						6 6	1 1	0 19 8 1 8 0	WH WH
893	TAIPAN ANTI-VENENE Injection 3,000 U. vial						4	..	*20 3 0	CS
852	TESTOSTERONE Implant, B.P. 100 mg. implant 150 mg. implant 200 mg. implant					D D D	1 1 1		2 9 8 3 7 8 4 5 8	BD, CB, OR, SC OR OR

853	TESTOSTERONE METHYL			D	100	2	2 11 0	HY(QNVTW), KL, MG
	Oral Tablet, B.P. 25 mg. tab.						3 3 0	AN, FM, PR(QNVS)
							4 0 4	RD
	50 mg. tab.						5 12 4	AN, HY(QNVTW), KL
							6 3 0	FM, PR(QNVS)
						7 9 8	RD	
854	TESTOSTERONE OENANTHATE			D	1	..	2 17 8	SC
	Injection 250 mg. per cc., 1 cc. amp. ..							
855	TESTOSTERONE PROPIONATE			D	12	..	2 3 0	KL
	Injection, B.P. 25 mg. per 1 cc. amp. ..						* 2 11 0	BD, FH, FM
							2 11 0	OR
							* 2 15 10	CB
							* 2 16 4	SC
	50 mg. per 1 cc. amp. ..						4 3 0	KL
							* 4 8 4	FH, FM
							4 15 0	CB
							* 4 16 4	BD, OR
							* 4 19 0	SC
	50 mg. per cc., 10 cc. vial						3 14 0	CB, KL, OR, SC
	100 mg. per 2 mil., 2 mil.							
	amp.			D	3	..	2 8 0	BD, OR, SC
							* 2 15 11	FM
	Implant 100 mg. implant			D	1	..	2 9 8	BD
856	TETANUS ANTITOXIN				1	..	0 6 4	CS
	Injection, B.P. Diluted 1-50, 15 I.U. in 0.5 ml.							
	1,500 I.U. (1950) amp. ..						* 2 3 0	BW, CS, SE
	10,000 I.U. (1950) amp. ..						* 11 7 0	CS
	50,000 I.U. (1950) amp. ..						* 42 3 0	CS
	Set containing 1,500 I.U. amp. and 15 I.U.							
	diluted 1 in 50						0 13 0	CS

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
857	TETANUS TOXOID, B.P.					
	Injection 1/2 cc. amp.		3	..	* 0 13 9	CS
					* 0 15 0	GL
	1 cc. amp.		3	..	* 0 13 9	SE
858	TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed)					
	Injection 1/2 cc. amp.		3	..	* 0 13 0	CS
	5 cc. amp.		1	..	1 5 8	CS
859	TETRACHLOROETHYLENE					
	Oral Capsule, B.P. 1/2 cc. cap.		12	..	* 0 7 11	PD
860	TETRACYCLINE					
	Injection, B.P.					
	100 mg. vial I.V. (solvent required) ..	D	6	..	*4 4 6	FB, LE
	250 mg. vial I.V. (solvent required) ..	D	6	..	*7 7 0	FB, LE, PF, SQ
	Injection					
	100 mg. vial I.M. (solvent required) ..	D	6	..	*4 4 6	FB, LE, PF
	Oral Capsule, B.P. 50 mg. cap.	D	25	..	1 4 7	FB, LE, PF
	100 mg. cap.	D	25	..	2 2 4	LE, LT, PF
	250 mg. cap.	D	16	..	2 13 9	FB, LE, LT, PF, UP
					(ex 100)	
					3 0 0	FB, LE, LT, PF, UP
					(ex M.P.)	

860—continued

Oral Tablet, B.P.	50 mg. tab.	..	..	D	25	..	1 4 7	LE, PF
	100 mg. tab.	..	..	D	25	..	2 2 4	LE, PF
	250 mg. tab.	..	..	D	16	..	2 13 9	LE, PF, SQ
							(ex 100)	
							3 0 0	LE, PF, SQ
							(ex M.P.)	
Oral Granules	75 G. bottle	..	..	CD	† 1	..	1 14 3	LE
Oral Paediatric Drops								
	100 mg. per cc., 10 cc. vial	..	..	CD	† 1	..	0 17 8	FB, LE, UP
Oral Suspension	125 mg. per 5 cc., 60 cc.	..	..	CD	† 1	..	1 7 0	LE, LT, PF
Eye Drops—Suspension 1%	6 cc.	..	..		† 1	2	0 11 0	LE
Eye Ointment 1%	4 G.	..	..		† 1	..	0 6 4	PF
	60 gr.	..	..		† 1	..	0 6 4	LE

862 TETRACYCLINE WITH NYSTATIN

Oral Capsule containing 250 mg. Tetracycline Hydrochloride and 250,000 U. Nystatin	..	D	12	..	2 10 1	LE, SQ, UP
					(ex 100)	
					2 12 5	LE, SQ, UP
					(ex M.P.)	

863 TETRACYCLINE WITH OLEANDOMYCIN

Injection	100 mg. amp. I.M.	..	..	D	6	..	* 4 12 6	PF
Oral Capsule	100 mg. cap.	..	..	D	25	..	2 5 7	PF
	250 mg. cap.	..	..	D	16	..	2 16 6	PF
							(ex 100)	
							3 4 8	PF
							(ex M.P.)	
Oral Suspension	125 mg. per 5 cc., 60 cc.	..	..	CD	† 1	..	1 9 7	PF
Oral Paediatric Drops	100 mg. per cc., 10 cc.	..	..	CD	† 1	..	0 19 0	PF

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
864	TETRACYCLINE (BUFFERED)				£ s. d.	
	Injection 100 mg. vial I.M. (solvent required)	D	6	..	* 4 4 6	SQ
	Oral Capsule 100 mg. Tetracycline cap. ..	D	25	..	2 2 4	LE, LT, PF, SQ
	250 mg. Tetracycline cap. ..	D	16	..	2 13 9 (ex 100) 3 0 0 (ex M.P.)	FB, LE, LT, PF, SQ, UP FB, LE, LT, PF, SQ, UP
	Oral Suspension 125 mg. per 5 cc., 60 cc. ..	CD	‡ 1	..	1 7 0	LE, LT, PF, SQ, UP
	Oral Paediatric Drops 100 mg. per cc., 10 cc. vial	CD	‡ 1	..	0 17 8	LE, LT, PF, SQ
890	TETRACYCLINE (BUFFERED) WITH AMPHOTERICIN B					
	Paediatric Drops Tetracycline (buffered), 100 mg.; Amphotericin B, 20 mg. per cc. 10 cc. ..	CD	‡ 1	..	1 3 0	SQ
	Syrup Tetracycline (buffered), 125 mg.; Amphotericin B, 25 mg. per 5 cc. 60 cc... .. .	CD	‡ 1	..	1 16 4	SQ
880	THENALIDINE TARTRATE					
	Oral Tablet, Compound (effervescent) ..		50	1	1 9 0	SZ
	Oral Syrup 85 mil.	C	‡ 1	4	0 9 0	SZ
865	THEOBROMINE, B.P.C.					
	Oral Tablet with Phenobarbitone, A.P.F.— 300 mg.—30 mg. tab. (5 gr.—1/2 gr.)... ..		100	2	0 11 0	AB, AD, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR(QNVS), RT(V), RY, SI, SL, TO

865—continued

Oral Tablet with Sodium Salicylate, B.P.C. 1954 500 mg. (7.5 gr.) tab.				100	2	0 19 0	DH, KL
891 THIAMBUTOSINE							
Oral Tablet 500 mg. tab.				100	2	1 1 0	CB
868 THYROID							
Oral Tablet, B.P.	7.5 mg. (1/8 gr.) tab.	..	..	100	2	0 4 4	CS
	15 mg. (1/4 gr.) tab.	..	..	100	2	0 4 4	AD, DH, FA, RT(V), RY, SI, SL, TO
						0 4 7	GP
						0 4 9	BW, CS
	30 mg. (1/2 gr.) tab.	..	..	100	2	0 4 9	AD, DH, FA, RT(V), RY, SI, SL, TO
						0 5 1	BW, CS, GP, WW
	60 mg. (1 gr.) tab.	..	..	100	2	0 6 0	AD, DH, FA, RT(V), RY, SI, SL, TO
						0 6 5	BW, CS, GP, WW
	100 mg. (1.5 gr.) tab.	..	..	100	2	0 6 8	AD, DH, SI
						0 7 3	GP
						0 7 5	BW, CS
	120 mg. (2 gr.) tab.	..	..	100	2	0 7 5	AD, DH, FA, RT(V), RY, SI
						0 7 11	GP
						0 8 4	BW
	150 mg. (2.5 gr.) tab.	..	..	100	2	0 8 4	AD, RT(V), SI
						0 8 7	GP
						0 9 8	BW, CS
	300 mg. (5 gr.) tab.	..	..	100	2	0 11 0	GP, RT(V)
881 THYROTROPHIN				H			
882 THYROXINE SODIUM							
Oral Tablet	0.05 mg. tab.	..	..	100	2	0 6 1	BW, FM, GL, RT(V)
	0.1 mg. tab.	..	..	100	2	0 7 11	BW, FM, GL, RT(V)

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
869	TIGER SNAKE ANTI-VENENE Injection 3,000 U. amp.		2	1	£ s. d. * 7 3 0	CS
870	TOLAZOLINE HYDROCHLORIDE Oral Tablet, B.P. 25 mg. tab.		100	2	0 13 8	CB, KL
871	TOLBUTAMIDE Oral Tablet, B.P. 500 mg. tab.		100	2	2 3 0	HP, PH
872	TRETAMINE Oral Tablet 2.5 mg. tab.	D	5	..	* 0 15 5	IC
887	TRIAMCINOLONE Oral Tablet 4 mg. tab.	AD	30	..	4 5 8	LE, SQ
888	TRICYCLAMOL CHLORIDE Oral Tablet 50 mg. tab.		100	2	2 16 4	BW
873	TRIETHANOLAMINE TRINITRATE Oral Tablet 1 mg. tab. 2 mg. tab. 7 mg. tab.		100 100 100	2 2 2	0 11 11 0 17 8 1 8 4	SC SC AN, SC
884	TRIETHYLENE THIOPHOSPHORAMIDE	H	..	..	..	
889	TRIFLUOPERAZINE Oral Tablet 1 mg. tab. 5 mg. tab.	ADG ADG	50 50		1 4 0 2 0 4	SK SK

874	TRIMETAPHAN CAMPHORSULPHON- ATE, B.P.C.								
	Injection	Set containing 250 mg. vial and 5 cc. water for injection..	..	D	3	..	6	6	7 RO
885	TRIPLENNAMINE HYDROCHLORIDE								
	Oral Tablet	50 mg. tab.			50	1	0	18	4 CB
886	TRIPROLIDINE HYDROCHLORIDE								
	Oral Tablet	2.5 mg. tab.			50	1	0	17	8 BW
	Elixir	3 fl. oz. bottle		C	‡ 1	4	0	8	8 BW
875	TROXIDONE								
	Oral Tablet	150 mg. tab.			200	1	2	9	0 AB
	Oral Capsule, B.P.	300 mg. cap.			200	1	4	2	4 AB, GA
876	TURPENTINE OIL								
	Liniment, P.L.				4 fl. oz.	1	0	11	9 Extemp
878	TYPHUS VACCINE								
	Injection, B.P.	1 cc. amp.			2	..	* 1	3	0 CS
911	UNDECENOIC ACID								
	Dusting Powder, P.L.				1920 gr.	1	0	18	3 Extemp.
912	UREA								
	Mixture, P.L.				8 fl. oz.	4	0	11	5 Extemp.
930	VANCOMYCIN HYDROCHLORIDE			H					
921	VASOPRESSIN								
	Injection, B.P.	1 cc. amp.			6	..	0	19	0 PD

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
922	VASOPRESSIN TANNATE IN OIL									
	Injection	1 cc. amp...	..	..	..		12	1	* 1 15 0	PD
923	VERILOID									
	I.V. Injection	0.4 mg. per cc., 5.3 cc. amp.				D	6	..	3 7 0	RK
931	VIOMYCIN SULPHATE					H				
929	VIPRYNIUM EMBONATE									
	Oral Tablet	50 mg. tab.	..	..	..		8	..	0 14 1	PD
	Oral Suspension	10 mg. per 1 cc., 1 fl. oz.	..		..		‡ 1	..	0 14 1	PD
924	VITAMIN A									
	Concentrated Solution, B.P.	1 fl. oz.	..		..	PC	‡ 1	..	0 13 8	DH
	Oral Capsule	50,000 I.U.	..	..	..	P	100	..	* 2 5 8	CK
	Oral Tablet	50,000 I.U.	..	..	..	P	100	..	1 19 8	RO
925	VITAMIN D									
	Concentrated Solution, B.P.	1 fl. oz.	..		..	D+ PC	‡ 1	..	0 11 0	DH
926	VITAMINS A and D									
	Concentrated Solution, B.P.	1 fl. oz.	..		..	PC	‡ 1	..	0 11 4 0 12 8	DH GL
927	VITAMIN K									
	Oral Capsule	4 mg. cap.	..	..	..		100	2	1 1 8	PD
	Oral Tablet	5 mg. tab.	..	..	..		100	2	0 8 4	FM, HY(QNVTW)
		10 mg. tab.	..	..	..		100	2	0 11 0	FM

928 **VITAMINS COMPOUND**

Oral Tablet, B.P.C. Capsule Formula ..

P

100

1

0 7 9

HY(QNVTW), QE(QNVS), SL

0 8 5

MG

0 8 7

AD, DH, KL, PR(QNVS), RT(V), RY,

SI, TO

0 9 8

GL

0 9 10

VR

0 9 11

AB, BD

0 10 11

CM

(ex 500)

0 10 4

AB, AD, BD, CM, DH, GL,

(ex M.P.)

HY(QNVTW), KL, MG, PR(QNVS),

QE(QNVS), RT(V), RY, SI, SL,

TO, VR

0 10 11

FA, KL, PH, PR(QNVS)

(ex 500)

0 11 0

FA, KL, PH, PR(QNVS)

(ex M.P.)

0 8 10

PD

(ex 500)

0 10 4

PD

(ex M.P.)

Oral Capsule, B.P.C.

P

100

1

Oral Pill

Capsule Formula

P

100

1

944 **WARFARIN SODIUM**

Oral Tablet 5 mg. tab.

50

2

1 13 8

EN

941 **WATER FOR INJECTION**

Injection, B.P. 2 cc. amp.

6

3

0 9 0

AD, BL, DH, EV, FH, KL

5 cc. amp.

6

3

* 0 7 0

CS

10 cc. amp.

6

3

0 10 0

AD, BL, DH, EV, FH, KL

0 8 4

CS

0 12 0

AD, BL, DH, EV, FH, KL

942 **WOOL ALCOHOLS**

Ointment, B.P.

1920 gr.

1

0 12 7

Extemp.

†Ointment, B.P. 1920 gr.

1

1

0 10 0

EV

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
943	WOOL FAT HYDROUS, B.P. †2 oz. tube or jar		1	..	0 2 3	DH, WD(N)
961	ZINC GELATIN Paste, B.P. (Unna's)		3840 gr.	..	0 19 8	Extemp.
962	ZINC OXIDE Ointment, B.P. Cream, B.P. Cream, Soft, P.L. Ointment with Castor Oil, B.P. 2 oz. Paste with Coal Tar, P.L. Paste with Salicylic Acid B.P.		1920 gr. 1920 gr. 1920 gr. 1920 gr. 2 1920 gr. 1920 gr.	1 1 1 1 1 1 1	0 11 8 0 10 1 0 10 2 0 11 8 0 7 6 0 8 6 0 11 8	Extemp. Extemp. Extemp. Extemp. ME (Q) Extemp. Extemp.
963	ZINC SULPHATE Lotion, P.L.		8 fl. oz.	4	0 6 10	Extemp.
964	ZINC UNDECENOATE Ointment, B.P.		1920 gr.	1	1 6 4	Extemp.

991	ACRYLIC RESIN Solution 100 cc. Aerosol Spray	..	..	D	1	..	2 16 4	EV
992	BENZOL (COMMERCIAL) †Application 8 fl. oz.	..	..	..	D	1	..	0 3 9 DH
993	BISMUTH SUBGALLATE, B.P.C. †Powder 4 oz.	..	..	..	..	1	..	0 16 11 EV
994	CHLORAMINE, B.P.C. Deodorant Tablet 120 mg.	..	..	..	D	500	..	0 16 11 DH
	Powder 1 oz.	..	..	..	D	1	4	0 7 4 DH
995	LISSAPOL Deodorant Detergent Lissapol N.100 120 G., Spearment Oil, 1.6 ml., Cetrimide, B.P., 12 G. 16fl. oz.	..	..	..	D	1	..	0 13 8 IC
996	POLYDIMETHYLSILOXANES Cream, 10% 50 G.	..	..	..	D	1	..	0 10 4 IC
997	SURGICAL CEMENT †Adhesive Cement 2 oz. tube	..	..	..	D	1	2	JA
998	TRAGACANTH (GUM KARAYA) †Powder 8 oz.	..	..	..	D	1	..	1 4 0 EV

SECTION 2—SCHEDULE OF BENEFITS (PART II)

Where Liquids are purchased by weight, the recovery price includes the "Specific Gravity Factor"
A compounding fee (5s. 6d. per 16 oz.) is included in the recovery price for all items compounded from ingredients.

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Acetone, B.P.C.	E	0 2	0 9	ACIDS (cont.)			
ACIDS				Undecenoic, B.P.		1 9	12 3
Acetic, B.P.		0 1	0 7	Acriflavine, B.P.C.		7 3	..
Acetic Dilute, B.P.		0 1	0 7	Adrenaline, B.P.		62 9	1/6 gr.
Acetic Glacial, B.P.		0 2	1 0	Agar, B.P.C. 54		1 7	10 9
Acetylsalicylic, B.P.		0 3	1 4	ALCOHOLS			
Benzoic, B.P.		0 3	1 4	95%, B.P.	E	0 3	1 3
Boric Powder, B.P.		0 1	0 4	90%, B.P.	E	0 2	1 0
Boric Crystal, B.P.		0 1	0 6	Aloes Barbados Powder, B.P.		0 5	2 7
Citric, B.P.		0 2	1 1	Aloes Cape Powder, B.P.		0 4	2 3
Hydrochloric, B.P.		0 2	1 2	Aloin, B.P.C.		1 10	12 5
Hydrochloric Dilute, B.P.		0 2	0 10	ALUM			
Hydrocyanic Dilute, B.P.C. 54		1 6	10 5	Ammonia, B.P.		0 1	0 7
Hypophosphorous Dilute, B.P.C.		0 3	1 6	Potash		0 1	0 5
Lactic, B.P.		0 4	2 3	Amethocaine Hydrochloride, B.P.	E	45 8	..
Oleic, B.P.		0 2	0 8	Amidopyrine, B.P.C. 54		2 9	18 11
Phosphoric, B.P.		0 3	1 5	Aminacrine Hydrochloride, B.P.		13 7	..
Phosphoric Dilute, B.P.		0 2	0 10	Aminopylline, B.P.		1 5	9 6
Salicylic, B.P.		0 4	1 10	Ammoniated Mercury, B.P.		1 6	10 0
Stearic, B.P.C.		0 2	0 8	AMMONIUM			
Sulphuric Dilute, B.P.C.		0 2	0 10	Bicarbonate, B.P.C.		0 2	0 8
Tannic, B.P.		0 7	3 8	Bromide, B.P.C.		0 2	0 10
Tartaric Powder, B.P.		0 3	1 3	Chloride, B.P.		0 2	0 9
Trichloroacetic, B.P.		2 0	14 0	Atropine, B.P.		1/5	1 gr.

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
Atropine Methonitrate, B.P. ..	E	<i>s. d.</i>	<i>s. d.</i>	Calamine, B.P.	K	<i>s. d.</i>	<i>s. d.</i>
Atropine Sulphate, B.P. ..		5/10	1 gr.	CALCIUM		0 1	0 6
Bacitracin, B.P.		1/6:	1 gr.	Carbonate, B.P.		0 1	0 4
Balsam Peru, B.P.C.		2/3:	1 gr.	Chloride, B.P.		0 2	1 0
Balsam Tolu, B.P.		1 5	9 5	Glucosate, B.P.		0 4	1 11
Barbitone Sodium, B.P.		1 5	9 5	Hydroxide, B.P.		0 1	0 4
Barium Sulphate, B.P.		1 10	12 4	Lactate, B.P.		0 3	1 6
Beeswax, White, B.P.		0 2	0 11	Phosphate, B.P.C.		0 2	0 11
Beeswax, Yellow, B.P.C.		0 5	2 5	Camphor Powder, B.P.		0 4	1 11
Belladonna Herb, Prepared, B.P.		0 3	1 9	Cetrimide Powder, B.P.		1 4	9 2
Belladonna Powder, B.P.		0 10	5 9	Cetostearyl Alcohol, B.P.		0 3	1 9
Belladonna Suppository, B.P. 48		0 10	5 9	Cetyl Alcohol Compound		..	..
Bentonite, B.P.		0 1	0 6	Chalk, Prepared, B.P.		0 1	0 3
Benzocaine, B.P.		1 9	12 1	Chloral Hydrate, B.P.		0 4	1 10
Benzyl Alcohol, B.P.		0 5	2 7	Chlorbutol, B.P.		0 11	6 4
Benzyl Benzoate Application, B.P.		0 3	1 5	Chlorhexidine Diacetate		8 3	..
Benzyl Benzoate, B.P.		0 6	3 5	Chlorhexidine Hydrochloride, B.P.		9 0	..
BISMUTH				Chlorinated Lime, B.P.		0 1	0 7
Carbonate, B.P.C.		0 9	4 9	Chlorocresol, B.P.		0 10	5 10
Subgallate, B.P.C.		1 1	7 1	Chloroform, B.P.		0 3	1 4
Borax Powder, B.P.		0 1	0 3	Cocaine, B.P.		67 11	..
Boroglycerin, B.P.C.49 (by weight)		0 4	1 11	Cocaine Hydrochloride, B.P.		50 6	..
Brilliant Green, B.P.		1 1	7 5	Codeine, B.P.C. 54		36 1	..
Butyl Aminobenzoate, B.P.53 ..		6 4	..	Codeine Phosphate, B.P.		17 7	..
Caffeine, B.P.		1 0	6 11	Collodion Acid Salicylic, A.P.F.			
Caffeine Citrate, B.P.C.		1 0	6 9	(By Weight)		0 4	1 10
Caffeine and Sodium Benzoate,				Collodion Flexible, B.P. (By			
B.P.C. 54		2 7	17 9	Weight)		0 3	1 4

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>	ELIXIRS (cont.)		<i>s. d.</i>	<i>s. d.</i>
Colophony, B.P.		0 2	0 9	Simple, B.P.C.49		0 2	0 10
Copper Sulphate, B.P.		0 2	1 2	Emulsion Paraffin Liquid, B.P. ..		..	..
CREAMS				Emulsion Paraffin Liquid, A.P.F.		0 2	0 8
Aqueous, B.P.		0 3	1 3	Emulsifying Wax, B.P.		0 4	2 3
Calamine, A.P.F.		0 4	1 11	Ephedrine, B.P.		6 6	..
Cetrimide Aqueous, A.P.F. ..		0 2	1 1	Ephedrine Hydrochloride, B.P. ..		4 0	..
Cholesterol Oily, A.P.F. ..		0 3	1 3	Ephedrine Sulphate, B.P.C.54 ..		4 2	..
Oily, B.P.		0 3	1 7	Ethanolamine, B.P.		..	..
Sorbolene, P.L.		0 3	1 5	Ether Anaesthetic, B.P.		0 2	0 10
Zinc, B.P.		0 2	1 0	Ether Solvent, B.P.		0 1	0 7
Creosote, B.P.C.		0 11	6 3	Eucalyptol, B.P.		0 9	4 9
Crystal Violet, B.P.		1 10	12 10	Eye Base, B.P.		0 2	1 1
Dextrose, B.P.		0 2	0 8	EXTRACTS			
Dextrose Monohydrate, B.P. ..		0 2	0 10	Belladonna Dry, B.P.		1 6	10 1
Dibutyl Phthalate, B.P. ..		0 4	2 3	Cascara Dry, B.P.		1 3	8 4
Dick Control, B.P.		..	..	Cascara Liquid, B.P.		0 4	1 10
Dick Test Toxin, B.P.		..	..	Colchicum Dry, B.P.48		3 11	27 2
Dicophane, B.P.		0 4	2 1	Colchicum Liquid, B.P.		1 0	6 11
Digitalis Leaf, B.P.		0 10	5 9	Colocynth Compound, B.P.C.		..	..
Digitalis Prepared, B.P.		0 10	5 9	Ergot Liquid, B.P.14		1 3	8 3
Dimethyl Phthalate, B.P. ..		0 4	2 1	Hamamelis Liquid, B.P.		1 1	7 7
Dithranol, B.P.		20 11	..	Hyoscyamus Dry, B.P.		1 8	11 4
DUSTING POWDER				Hyoscyamus Liquid, B.P.		0 5	2 10
Absorbable, B.P.		..	..	Ipecacuanha Liquid, B.P.		3 8	25 4
Boric Acid and Starch, B.P.C.54		0 2	0 10	Liquorice Liquid, B.P.		0 3	1 6
ELIXIRS				Male Fern, B.P.		1 10	12 6
Ephedrine, A.P.F.		..	..	Malt, B.P.	CP	0 1	0 7
Cascara, B.P.		0 5	2 7	Nux Vomica Dry, B.P.C.		1 5	9 6

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
EXTRACTS (cont.)		s. d.	s. d.	GUM (cont.)		s. d.	s. d.
Nux Vomica Liquid, B.P. ..		0 6	3 4	Ipomoea Resin, B.P.C. ..		0 11	6 3
Ox Bile, B.P.48 ..		..	..	Myrrh Powder, B.P.C. ..		0 11	5 11
Stramonium Liquid, B.P. ..		0 7	4 1	Tragacanth Powder, B.P. ..		0 10	5 4
FERRIC				Homatropine Hydrobromide, B.P.		1/6:	1 gr.
Ammonium Citrate, B.P. ..		0 3	1 4	Honey Purified, B.P.C. (By Weight)		0 1	0 4
FERROUS				Honey Purified, B.P.C. (By Vol.)		0 1	0 5
Carbonate Saccharated, B.P.C.		0 3	1 8	Hydrogen Peroxide 20 Volume,			
Gluconate, B.P.		..	..	B.P.		0 1	0 5
Sulphate, B.P.		0 1	0 7	Hyoscine Hydrobromide, B.P. ..		2/6:	1 gr.
Sulphate Dried, B.P.		0 2	0 10	Ichthammol, B.P.		0 4	2 4
Fluorescein Sodium, B.P. ..		2 1	14 2	INFUSIONS			
Fructose, B.P.48		..	..	Buchu Concentrated, B.P.C.54			
Gamma Benzene Hexachloride,				1-7		0 4	2 4
B.P.		0 9	5 1	Calumba Concentrated, B.P.48			
Gelatin Powder, B.P.		0 3	1 6	1-7		0 4	1 11
Glucose Liquid, B.P.C. (By Weight)		0 1	0 5	Cloves Concentrated, B.P.C.54			
Glycerin, B.P.		0 3	1 3	1-7		0 5	2 6
GLYCERIN				Gentian Compound, B.P. ..		..	..
Borax, B.P.C.		0 3	1 6	Gentian Compound Concentrated			
Boric Acid, B.P.48		0 5	2 6	B.P. 1-7		0 2	1 1
Ichthammol, B.P.C.		0 4	2 2	Orange Peel Concentrated,			
Phenol, B.P.		0 4	1 10	B.P.C., 1-7		0 3	1 9
Starch, B.P.		..	..	Orange Peel Compound Concen-			
Tannic Acid, B.P.		0 4	2 3	trated, B.P.C. 54, 1-7 ..		0 3	1 4
GUM				Senega Concentrated, B.P.C.,			
Acacia Powder, B.P.		0 2	1 2	1-7		0 6	3 4
Benzoin, B.P.		0 5	2 5	Senna Concentrated, B.P.C. ..		0 5	2 8

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Iodine, B.P.		1 2	7 11	Menthol, B.P.		2 1	14 6
Iodoform, B.P.C. 54		1 9	11 9	MERCURIC			
Iodoform Suppository, B.P. 48		..	..	Chloride, B.P.C.		1 6	10 2
Isoprenaline Sulphate, B.P.		28 6	..	Methylcellulose, A.P.F.		0 10	5 10
Kaolin Heavy, B.P.		0 1	0 5	Methylene Blue, B.P.		1 8	11 8
Kaolin Light, B.P.		0 1	0 7	METHYL			
Lactose, B.P.		0 1	0 6	Salicylate, B.P.		0 3	1 9
Lard Benzoinated, B.P.C. 54		0 3	1 6	MIXTURES			
LINIMENTS				Aluminium Hydroxide, A.P.F.		0 2	0 10
Ammonia, B.P.C. 49		0 2	1 0	Magnesium Hydroxide, B.P. ..		0 1	0 7
Camphor, B.P.		0 2	1 1	Senna Compound, B.P.C. ..		0 3	1 8
Iodine Compound, A.P.F. ..		0 4	2 4	Morphine Hydrochloride, B.P. ..		27 4	..
Methyl Salicylate Compound,				Morphine Sulphate, B.P. ..		33 2	..
A.P.F.		0 4	2 1	Mucilage Methylcellulose, A.P.F.		0 2	0 8
Soap Methylated, B.P.		0 2	1 2	Mucilage Tragacanth, B.P. ..		0 1	0 7
Turpentine, B.P.		0 2	0 10	OILS			
LOTIONS				Almond, B.P.		0 9	5 0
Calamine, B.P.		0 2	0 10	Almond Vol. Bitter, B.P.C. ..		2 0	13 6
Lead and Opium, B.P.C. ..		0 2	0 9	Anise, B.P.		1 1	7 1
Magenta, B.P.C.		1 5	9 5	Arachis, B.P.		0 1	0 7
MAGNESIUM				Cade, B.P.		0 8	4 2
Carbonate Heavy, B.P.		0 2	0 8	Caraway, B.P.C.	E	2 2	14 10
Carbonate Light, B.P.		0 2	0 8	Castor, B.P.		0 2	0 8
Oxide Heavy, B.P.		0 5	2 5	Cinnamon, B.P.		2 8	18 5
Oxide Light, B.P.		0 4	2 3	Citronella, B.P.C.	E	0 5	2 6
Sulphate, B.P.		0 1	0 2	Clove, B.P.		1 1	7 4
Sulphate Dried, B.P.		0 1	0 7	Coconut, B.P.C. 49		0 2	0 10
Trisilicate, B.P.		0 2	0 11	Cod Liver, B.P.	E	0 1	0 6

Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce
		s. d.	s. d.
OILS (cont.)			
Coriander, B.P.		9 6	..
Cotton Seed, B.P.		0 2	0 8
Dill, B.P.		3 1	21 7
Eucalyptus, B.P.		0 3	1 3
Halibut Liver, B.P.		..	..
Lavender Spike, B.P.C. ..		0 9	5 2
Linseed, B.P.		0 1	0 7
Olive, B.P.		0 2	0 8
Peppermint, B.P.		1 6	10 2
Rosemary, B.P.		1 0	6 11
Siberian Fir, B.P.C. 49 ..		1 2	8 1
Theobroma, B.P.		0 6	3 3
Turpentine, B.P.		0 3	1 7
OINTMENTS			
Ammoniated Mercury, B.P. ..		0 3	1 7
Benzocaine and Adrenaline, A.P.F.		0 6	3 4
Benzoic Acid Compound, A.P.F.		0 3	1 7
Boroglycerin, A.P.F.		0 3	1 4
Capsicum, B.P.C.		0 5	2 5
Emulsifying, B.P.		0 4	2 0
Gall and Opium, B.P.C. ..		0 9	5 3
Hamamelis, B.P.		0 6	3 6
Iodine (Non-staining), B.P.C. ..		0 3	1 6
Menthol Compound, A.P.F. ..		0 5	2 7
Mercurous Chloride, B.P. 48 ..		..	..
Mercury Compound, B.P.C. ..		0 7	3 11

Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce
		s. d.	s. d.
OINTMENTS (cont.)			
Methyl Salicylate, B.P.C. ..		0 6	3 1
Paraffin White, B.P.		0 3	1 4
Paraffin Yellow, B.P.		0 2	1 2
Phenol, B.P. 48		0 4	1 10
Salicylic Acid, B.P.		0 4	2 1
Simple White, B.P.		0 3	1 5
Simple Yellow, B.P.		0 3	1 5
Sulphur, B.P.		0 3	1 8
Tar, B.P.C.		0 4	2 1
Wool Alcohols, B.P.		0 3	1 8
Zinc, B.P.		0 3	1 5
Zinc and Castor Oil, B.P. ..		0 3	1 5
Zinc Undecenoate, B.P. ..		0 10	5 4
OPHTHALMIC			
PHOSPHATE BUFFER, A.P.F.—			
Cetrimide		0 4	2 2
Chlorbutol		0 4	2 2
Paraben		0 4	2 2
VEHICLE, A.P.F.—			
Cetrimide		0 4	2 2
Chlorbutol		0 4	2 2
Paraben		0 4	2 2
VEHICLE OILY, A.P.F.		0 4	2 2
VEHICLE THICKENED, A.P.F. ..		0 4	2 2
Oxymel, B.P.C.		0 3	1 3
Oxymel of Squill, B.P.C. ..		0 2	0 10
Papaverine Hydrochloride, B.P. ..		19 10	..

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Paraffin Hard, B.P.		0 1	0 6	Podophyllum Resin, B.P. ..		2 10	19 7
Paraffin Liquid, B.P.		0 1	0 5	POTASSIUM			
Paraffin Liquid Light, B.P. ..		0 1	0 6	Acid Tartrate, B.P.		0 2	0 11
Paraffin Soft White, B.P. ..		0 2	0 8	Bicarbonate Powder, B.P. ..		0 2	0 8
Paraffin Soft Yellow, B.P. ..		0 1	0 7	Bromide, B.P.		0 2	0 10
Paraldehyde, B.P.		0 4	1 11	Chlorate, B.P.C.		0 3	1 5
PASTES				Chloride, B.P.		0 2	1 2
Zinc Compound, B.P.		0 3	1 6	Citrate, B.P.		0 2	1 0
Zinc and Salicylic Acid, B.P. ..		0 3	1 5	Hydroxide, B.P.		0 4	2 3
Pectin (Apple or Citrus)		1 3	8 5	Iodide, B.P.		0 6	3 2
Penicillin Oily Injection				Nitrate Powder, B.P.		0 2	0 8
Pentobarbitone Sodium, B.P. ..		4 2	..	Permanganate, B.P.		0 2	1 0
Phenacetin, B.P.		0 4	2 1	POWDERS			
Phenazone, B.P.C.		0 7	3 11	Ipecacuanha and Opium, B.P. ...		0 11	6 7
Phenobarbitone, B.P.		1 3	8 8	Tragacanth Compound, B.P. ..		0 3	1 7
Phenobarbitone Sodium, B.P. ..		1 3	8 7	Procaine Hydrochloride, B.P. ..		3 8	..
Phenol, B.P.		0 2	1 0	Proflavine Hemisulphate, B.P. ..		12 11	..
Phenol Liquified, B.P.		0 3	1 3	Propylene Glycol, B.P.		0 4	2 3
Phenolphthalein, B.P.		1 2	7 8	Pyroxylin, B.P.		1 2	7 10
Phenylephrine Hydrochloride, B.P.		26 0	..	Quinalbarbitone Sodium, B.P. ..		3 7	25 0
Phenylmercuric Nitrate, B.P. ..		8 4	..	Quinine Sulphate, B.P.		5 9	39 10
Pholcodine, B.P.C.		45 4	..	QUININE			
Phthalylsulphathiazole, B.P. ..		1 5	9 6	Bisulphate, B.P.		2 10	19 8
Physostigmine		10/11:	1 gr.	Dihydrochloride, B.P.		3 4	23 0
Physostigmine Salicylate, B.P. ..		6/9:	1 gr.	Hydrochloride, B.P.		2 7	17 11
Pilocarpine Nitrate, B.P.		1/0:	1 gr.	Sulphate, B.P.		1 9	12 0
Piperazine Adipate, B.P.		..	..	Resorcinol, B.P.		1 2	7 8
Piperazine Phosphate, B.P.		..	..	Rhubarb Powder, B.P.		0 7	3 8

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
ROOTS				SODIUM (cont.)			
Liquorice Powder, B.P...	..	0 2	1 0	Metabisulphite, B.P. ..	..	0 3	1 9
Santonin, B.P. ..	..	15 0	..	Nitrite, B.P.C. ..	..	0 10	5 6
Scammony Resin Powder ..	..	0 11	6 3	Phosphate, B.P. ..	..	0 3	1 6
Scarlet Fever Antitoxin, B.P. ..	..	..	..	Salicylate Powder, B.P. ..	..	0 3	1 5
Scarlet Fever Prophylactic, B.P...	..	..	..	Sulphate, B.P. ..	..	0 1	0 2
Schick Control, B.P. ..	..	..	..	SOLUTIONS			
Silver Nitrate, B.P. ..	..	3 9	25 9	Adrenaline Hydrochloride, B.P.			
Silver Protein, B.P. ..	..	2 10	19 10	53 ..	..	0 9	4 10
Silver Protein Mild, B.P.C. ..	..	3 7	24 8	Aluminium Acetate, B.P.C. ..	..	0 2	1 1
SOAPS				Amaranth, A.P.F. ..	..	0 2	1 0
Alcoholic, A.P.F. ..	..	0 2	0 11	Amaranth, B.P.C. ..	..	0 2	0 8
Curd, B.P.C. ..	..	0 2	0 9	Ammonia Aromatic, B.P.C. ..	..	..	..
Ethereal, A.P.F. ..	..	0 2	1 2	Ammonia Strong, B.P. ..	..	0 2	0 8
Soft, B.P. ..	..	0 2	1 0	Ammonia Weak, B.P. ..	..	0 2	0 9
SODIUM				Ammonium Acetate Strong,			
Acid Citrate, B.P. ..	..	0 3	1 5	B.P.C. ..	..	0 2	1 0
Acid Phosphate, B.P. ..	..	0 4	2 0	Benzoic Acid, B.P.C. ..	..	0 4	2 3
Benzoate, B.P. ..	..	0 4	2 4	Calcium Hydroxide, B.P. ..	..	0 1	0 2
Bicarbonate Injection, B.P. ..	..	..	..	Carmine, A.P.F. ..	..	0 9	4 10
Bicarbonate Powder, B.P. ..	..	0 1	0 3	Chlorinated Soda, Surgical, B.P.	..	..	..
Bromide, B.P. ..	..	0 2	0 11	Coal Tar, B.P. ..	..	0 3	1 9
Carbonate, B.P. ..	..	0 2	0 9	Ferric Chloride, B.P.C. ..	..	0 2	0 9
Carbonate Anhydrous, B.P.C. ..	..	0 2	0 10	Formaldehyde, B.P. ..	..	0 1	0 7
Chloride, B.P. ..	..	0 1	0 5	Iodine Aqueous, B.P. ..	..	0 3	1 7
Citrate, B.P. ..	..	0 2	0 11	Iodine Simple, B.P.C. ..	..	0 3	1 4
Hydroxide, B.P. ..	..	0 4	2 4	Iodine Strong, B.P. ..	..	0 4	2 1
Iodide, B.P. ..	..	1 1	7 2	Iodine Weak, B.P. ..	..	0 3	1 5

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
SOLUTIONS (cont.)				Succinylsulphthiazole, B.P.		1 9	11 10
Lead Subacetate Dilute, B.P. . .		0 1	0 6	Sucrose, B.P.		0 1	0 3
Lead Subacetate Strong, B.P. . .		0 2	1 2	Sulphacetamide Sodium, B.P.		1 7	11 1
Morphine Hydrochloride, B.P. . .		0 5	2 10	Sulphadiazine, B.P.		2 2	14 11
Nasal Concentrated, A.P.F. . .		0 4	2 2	Sulphadimidine, B.P.		2 4	15 11
Potassium Hydroxide, B.P. . .		0 2	0 10	Sulphaguanidine, B.P.		1 2	7 8
Quinine Ammoniated, B.P.C. . .		0 3	1 7	Sulphur Precipitated, B.P.		0 2	0 9
Sodium Chloride, B.P.C. . .		0 1	0 6	Sulphur Sublimed, B.P. . .		0 1	0 4
Strychnine Hydrochloride, B.P.		0 3	1 5	Sulphurated Potash, B.P.C. . .		0 5	2 7
Sorbolene, A.P.F.		0 7	3 9	SYRUPS			
SPIRITS				Chloral, B.P.C.		0 2	0 8
Ammonia Aromatic, B.P.C. . .		0 3	1 5	Codeine Phosphate, B.P.C. . .		0 3	1 4
Anise, B.P.C. 49		0 4	2 2	Ferrous Phosphate Compound,			
Cajuput, B.P. 48		0 4	2 2	B.P.C.		0 2	0 10
Camphor, B.P.C.		0 3	1 9	Ferrous Phosphate with Quinine			
Chloroform, B.P.		0 3	1 5	and Strychnine, B.P.C. . .		0 1	0 7
Cinnamon, B.P.C. 49		0 6	3 5	Ginger, B.P.		0 2	0 9
Ether Nitrous, B.P.C. . . .		0 4	2 2	Glucose Liquid, B.P.C. . . .		0 2	1 1
Methylated Industrial, B.P. . .		0 1	0 3	Glycerophosphate Compound,			
Peppermint, B.P.		0 3	1 9	A.P.F.		0 1	0 7
Starch, B.P.		0 1	0 4	Golden Acidified, A.P.F. . .		0 2	0 11
Stibophen Injection, B.P. . .				Lemon, B.P.		0 2	0 9
Storax Prepared, B.P. . . .		1 10	12 6	Lemon Neutral, A.P.F. . . .		0 2	1 1
Stramonium, B.P.		0 3	1 5	Orange, B.P.		0 2	0 10
Stramonium Powder, B.P. . .				Pholcodine Citrate, B. P. C. . .		0 3	1 9
Streptomycin, B.P.	K	5/0	1 G.	Red, A.P.F.		0 2	0 11
Strychnine, B.P.C.		7 10	54 6	Simple, B.P.		0 1	0 5
Strychnine Hydrochloride, B.P. . .		7 5	51 7	Squill, B.P.C.		0 2	0 10

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
SYRUPS (cont.)				TINCTURES (cont.)			
Tolu, B.P.		0 2	1 1	Ipecacuanha, B.P.		0 6	3 3
Talc Purified, B.P.C.		0 1	0 3	Lemon, B.P.		0 4	2 0
Tar, B.P. (By Weight)		0 2	0 9	Lobelia Ethereal, B.P.C.		0 5	2 8
Tar Coal Prepared, B.P.		0 2	0 10	Myrrh, B.P.C.		0 5	2 6
Tar Crude		0 1	0 7	Nux Vomica, B.P.		0 3	1 4
Theophylline, B.P.		2 7	17 8	Opium, B.P.		0 6	3 3
Thymol, B.P.		1 3	8 8	Opium Camphorated, B.P.		0 3	1 4
Thymol White Mouth Wash, A.P.F.		0 2	1 2	Orange, B.P.		0 3	1 9
TINCTURES				Quassia, B.P. 48			
Belladonna, B.P.		0 3	1 7	Quillaia, B.P.C.		0 3	1 9
Benzoin, B.P.C.		0 4	2 0	Rhubarb Compound, B.P.		0 3	1 9
Benzoin Compound, B.P.		0 5	2 8	Squill, B.P.C.		0 3	1 6
Cajuput, B.P.C.				Stramonium, B.P.		0 3	1 5
Calumba, B.P.C. 49		0 3	1 6	Strophanthus, B.P. 48		1 2	7 11
Capsicum, B.P.C.		0 4	2 0	Tolu, B.P.C.		0 7	3 10
Cardamom Compound, B.P.		0 3	1 3	Valerian Ammoniated, B.P.C.		0 4	2 4
Cardamom, Aromatic, B.P.C.		0 5	2 6	Triethanolamine, B.P.C.		0 5	2 7
Catechu, B.P.C.		0 4	2 0	Trintrophenol, B.P.C.		1 1	7 1
Cochineal, B.P. 48		0 4	2 0	Tryparsamide Injection, B.P.			
Colchicum, B.P.		0 3	1 9	Typhoid Para-Typhoid A, B and			
Cudbear, A.P.F. 47		0 6	3 6	C Vaccine, B.P.			
Digitalis, B.P.C.		0 4	2 0	Urea, B.P.		0 2	1 1
Gelsemium, B.P.C.		0 4	2 4	Urethane, B.P.		1 9	12 3
Gentian Compound, B.P.		0 4	2 3	Vanillin Crystalline, B.P.		3 9	26 0
Ginger Strong, B.P.		0 5	2 7	Vinegar of Squill, B.P.C.		0 2	0 10
Ginger Weak, B.P.		0 3	1 7	WATERS			
Hyoseyamus, B.P.		0 3	1 4	Anise Conc., B.P.C. 1-40		0 3	1 5

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
WATERS (cont.)				Wool Alcohols, B.P.		0 6	3 3
Camphor Conc., B.P.C. 49 1-40		0 3	1 7	Wool Fat, B.P.		0 2	0 11
Chlorbutol, A.P.F.		0 1	0 7	Wool Fat Hydrous, B.P. ..		0 2	0 11
Chloroform, B.P.		0 1	0 6	Xylene, B.P.C. 49	E	0 3	1 8
Chloroform Conc., B.P.C. 1-40		0 3	1 7	ZINC			
Cinnamon Conc., B.P. 1-40 ..		0 4	1 10	Gelatin, B.P.		0 3	1 9
Dill Conc., B.P. 1-40		0 3	1 9	Oxide, B.P.		0 1	0 6
Peppermint Conc., B.P., 1-40 ..		0 3	1 6	Stearate, B.P.		0 3	1 3
Potable		..	..	Sulphate, B.P.		0 2	1 2
Purified or Distilled, B.P. ..		0 1	0 1	Undecenoate, B.P.		1 8	11 8

RESTRICTIONS

C—Items limited in use to children

E—Items which may only be prescribed as additives.

K—The following drugs are restricted to the forms shown below—

Streptomycin Ear Drops

Chlorhexidine Diacetate Eye Drops

P—Items limited in use to pensioners in possession of a P.M.S. Entitlement Card.

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR PREPARATIONS

Preparations	Maximum Qty. or No. of Units	Number of Repeats	Preparations	Maximum Qty. or No. of Units	Number of Repeats
Applications	4 fl. oz.	1	Irrigations	8 fl. oz.	4
Capsules	50	1	Insufflations	480 gr.	1
Capsules-extemporaneously prepared	12	1	Linctuses	8 fl. oz.	4
Collodions	240 min.	2	Liniments	4 fl. oz.	1
Creams	1920 gr.	1	Lotions	8 fl. oz.	4
Draughts	8 fl. oz.	4	Mixtures	8 fl. oz.	4
Ear Drops	$\frac{1}{2}$ fl. oz.	2	Mixtures for Children ..	4 fl. oz.	4
Elixirs	8 fl. oz.	4	Nasal Instillations ..	$\frac{1}{2}$ fl. oz.	2
Emulsions	16 fl. oz.	4	Ointments	1920 gr.	1
Enemas	4 fl. oz.	1	Paints	1 fl. oz.	1
Extracts, Fluid	4 fl. oz.	1	Pastes	1920 gr.	1
Eye Drops of Physostigmine	240 min.	6	Pessaries	12	1
Eye Drops of Pilocarpine ..	240 min.	6	Poultices	1 lb.	1
Other Eye Drops	240 min.	2	Powders Dusting	1920 gr.	1
Eye Lotions	8 fl. oz.	4	Powders for internal use ..	1920 gr.	2
Eye Ointments	60 gr.	..	Powders individually wrapped	12	1
Gargles and Mouthwashes ..	8 fl. oz.	4	Soaps	4 fl. oz.	1
Gelatins	1920 gr.	1	Solutions	4 fl. oz.	1
Gelatin Zinc (Unna's Paste)	3840 gr.	..	Sprays	$\frac{1}{2}$ fl. oz.	2
Glycanths	1920 gr.	1	Suppositories	12	1
Glycerins	4 fl. oz.	1	Syrups	8 fl. oz.	4
Inhalations	2 fl. oz.	1	Tinctures	1 fl. oz.	1
Injections—					
Ampoules	6 amps	1			
Vials	1 vial	1			

SECTION 4—LIST OF RESTRICTED PHARMACEUTICAL BENEFITS

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Acetone, B.P.C.	Use as an additive.
Alcohol, B.P.	Use as an additive.
Amethocaine Hydrochloride, B. P.	Use as an additive.
Amiphenazole Hydrobromide	Antidote for barbiturate and other hypnotic poisons.
Amiphenazole Hydrochloride	Antidote for barbiturate and other hypnotic poisons.
Amphotericin, B.	Systemic fungal infection
Androstanolone	Mammary carcinoma.
Aneurine Hydrochloride Tablet, B.P.	For the treatment of pensioners only.
Ascorbic Acid Tablet, B.P.	For the treatment of pensioners only.
Bacitracin	Use as an additive.
Bemegrade	Antidote for barbiturate and other hypnotic poisons.
Betamethasone (Authority necessary to pre- scribe—see Notes)	Any disease or purpose specified in this column in relation to Cortisone Acetate.
Busulphan	The Leukaemias.
Calciferol Tablet (Where authority necessary to prescribe—see Notes)	For the treatment of pensioners for any disease or purpose; Idiopathic Hypoparathyroidism
Calciferol Solution	For the treatment of pensioners and for children under the age of twelve years.
Calcium Aminosalicylate, B.P.C... .. .	Tuberculosis
Caramiphen Hydrochloride	Parkinsonism.
Caraway Oil, B.P.C.	Use as an additive.
Carmine Solution, A.P.F.	Use as an additive.
Chlorambucil	Malignant Lymphoma and related conditions.
Chloramphenicol: Oral Capsule, B.P.; Injection	Acute Laryngo-tracheo-bronchitis; As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensitivity has been established; Bacillary dysentery that is resistant both to sulphonamides and strepto- mycin;

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Chloramphenicol Oral Suspension	Bacterium coli meningitis, if other forms of treatment are unsuccessful; Brucellosis; Granuloma inguinale; Infections due to Friedlander bacillus; Infections due to Haemophilus influenzae; Lymphogranuloma venereum; Pre-operative Prophylaxis; Salmonella infections; Severe gastro-enteritis in children; Staphylococcal infections; Surgical conditions of the bowel (pre-operative and post-operative); Typhoid Fever; Typhus and other rickettsial diseases; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Whooping cough (Haemophilus pertussis).
Chlorpheniramine Maleate Syrup	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chloramphenicol.
Chlorpromazine Hydrochloride (Where authority necessary to prescribe—see Notes)	For treatment of children under the age of twelve years. For the treatment of pensioners for any disease or purpose; Maintenance treatment of a psychiatric condition in a patient discharged from an approved hospital and living in a place remote from an approved hospital. For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.
Chlortetracycline; Capsule, B.P.	Actinomycosis; Acute and sub-acute bacterial endocarditis-streptococcus faecalis; Amoebiasis;

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Chlortetracycline Granules	As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensitivity has been established; Bacillary dysentery that is resistant both to sulphonamides and streptomycin; Bronchiectasis; Brucellosis; Chancroid; Fibrocystic disease of the pancreas; Granuloma inguinale; Infections due to Friedlander bacillus; Leptospirosis; Lymphogranuloma venereum; Mucoviscidosis; Pneumonia that does not respond to penicillin or sulphonamides; Pre-operative Prophylaxis; Primary atypical pneumonia; Psittacosis; Puerperal infections; Rat-bite fever—Spirillum minus; Staphylococcal infections; Trachoma that does not respond to sulphonamides; Typhus and other rickettsial diseases; Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides; Whooping cough (Haemophilus pertussis).
Clemizole Tannate Syrup	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Citronella Oil, B.P.C.	For the treatment of children under the age of twelve years.
Cod Liver Oil, B.P.	Use as an additive.
Cod Liver Oil Emulsion	Use as an additive.
	For the treatment of pensioners and for children under the age of twelve years.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Corticotrophin (Authority necessary to prescribe—see Notes)	For the prevention of side effects of cortico steroid therapy; Any disease or purpose specified in this column in relation to cortisone acetate.
Cortisone Acetate (Authority necessary to prescribe—see Notes) Injection, B.P.; Oral Tablet, B.P.	Acquired Haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute rheumatic carditis; Addison's disease and other forms of Adrenocortical hypoplasia; Adrenogenital syndrome; Agranulocytosis; Cranial Arteritis; Cushing's syndrome including hyper-adrenocorticalism; Dermatomyositis; Encephalomyelitis; Guillain-Barrés syndrome; Hamman-Rich syndrome diffuse interstitial pulmonary fibrosis Hansen's Disease; Henoch's purpura; Hodgkin's disease; Idiopathic hypercalcaemia; Keratoplasty; Lymphosarcoma and Follicular Lymphoma; Metastatic breast cancer; Nephrosis or Nephrotic syndrome; Neuro-myelitis optica; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus;

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Cyanocobalamin, excluding 1,000 microgramme strength Cyanocobalamin, 1,000 microgramme strength .. Demethylchlortetracycline Hydrochloride ..	Periarteritis nodosa; Posterior uveitis; Progressive or continuing hepatitis proven by biopsy or biochemistry; Progressive Transverse Myelitis; Pseudohermaphroditism; Reticulum Cell Sarcoma; Salaam Convulsions and Hypsarrhythmia; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Splenic Neutropenia; Sprue, tropical and non-tropical, and forms of mal absorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson Syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal Arteritis; The Leukaemias; Thrombocytopenic purpura; Total adrenalectomy; Type II Nephritis; Ulcerative colitis proven by sigmoidoscopy and/or radiological report. Established megalocytic anaemias. Neuroblastoma. Any disease or purpose specified in this column in relation to chlortetracycline.

Drug or Medicinal Preparation	Allowable Class of Person. Combination, Disease or Purpose
Demethylchlortetracycline Hydrochloride, Paediatric Drops and Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Deoxycortone Acetate;	Addison's disease; Total adrenalectomy.
Dexamethasone (Authority necessary to pre- scribe—See Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Dextrochlorpheniramine Maleate: Syrup ..	For the treatment of children under the age of twelve years.
Dienoestrol	Carcinoma of the prostate; Mammary carcinoma; For the treatment of pensioners for any disease or purpose.
Dienoestrol Cream	For the treatment of pensioners only.
Dihydrostreptomycin	Any disease or purpose specified in this column in relation to streptomycin but only if the person being treated for that disease or purpose is allergic to streptomycin.
Diiodohydroxyquinoline Compound Tablets ..	Trichomonal and Monilial Vaginitis.
Diloxanide Furoate	Amoebic Dysentery.
Diphenhydramine Hydrochloride Elixir ..	For the treatment of children under the age of twelve years.
Disodium Diethylstilboestrol Diphosphate ..	Carcinoma of the prostate.
Erythromycin Capsule; Tablet, B.P.; Injection.	Staphylococcal infections that are resistant both to the tetracyclines and to penicillin.
Erythromycin Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to erythromycin.
Ethinylloestradiol	Pre-menopausal castration syndrome; Turner's syndrome.
Ethisterone	For the treatment of pensioners for any disease or purpose. Habitual Abortion; Turner's syndrome;
Ferric Hydroxide Colloidal Solution	For the treatment of pensioners for any disease or purpose.
Ferrous Aminoacetosulphate, Syrup	For the treatment of children under the age of twelve years.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Ferrous Gluconate Elixir	For the treatment of children under the age of twelve years.
Ferrous Succinate, Elixir	For the treatment of children under the age of twelve years.
Fludrocortisone	Addison's disease.
Fluoxymesterone	Mammary Carcinoma.
Folic Acid	Sprue or the Sprue-like syndrome;
	Macrocytic anaemia.
Griseofulvin (Authority necessary to prescribe— See Notes)	For the treatment of the following diseases, the diagnosis of which has been confirmed by pathological report:
	Epidermophyton floccosum;
	Microsporum audouinii;
	Microsporum canis;
	Microsporum gypseum;
	Trichophyton interdigitale;
	Trichophyton mentagrophytes;
	Trichophyton rubrum;
	Trichophyton schoenleinii;
	Trichophyton sulphureum;
	Trichophyton verrucosum.
Halibut Liver Oil Capsule	For the treatment of pensioners only.
Hydrocalciferol	Parathyroid deficiency.
Hydrocortisone (Authority necessary to pre- scribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Hydrocortisone Sodium Succinate—Sol. Tablet:	Ulcerative Colitis proven by sigmoidoscopy and/or radiological report.
(Authority necessary to prescribe—See Notes)	Acute adrenal failure due to medical or surgical crises.
Hydrocortisone Sodium Succinate—Injection ..	Stevens Johnson syndrome
	Hansen's disease.
Isoniazid	Tuberculosis.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Levorphanol Tartrate B.P.C.	Obstetric use; Severe intractable pains.
Malt Extract	For the treatment of pensioners and for children under the age of twelve years.
Malt Extract with Cod Liver Oil	For the treatment of pensioners and for children under the age of twelve years.
Mepyramine Maleate Elixir	For the treatment of children under the age of twelve years.
Mercaptopurine	Allergic angitis; Lupus erythematosus; Periarteritis; The Leukaemias.
Methyl Androstanolone	Mammary carcinoma.
Methylandrostenediol	Senile osteoporosis proven by radiological report.
Morphine with Tacrine Tablets	Severe intractable pain.
Mustine Hydrochloride	Malignant lymphoma and related conditions.
Nandrolone	Mammary Carcinoma.
Nicotinamide Tablets	For the treatment of pensioners only.
Nicotinic Acid Tablets	For the treatment of pensioners only.
Nitrofurantoin	Urinary tract infections.
Nitrofurantoin, Oral Suspension	For the treatment of children under the age of twelve years for urinary tract infections.
Nitromin	Malignant lymphoma and related conditions.
Nystatin	Proven monilia infections.
Oxytetracycline Dihydrate	Any disease or purpose specified in this column in relation to chlortetracycline.
Oxytetracycline Hydrochloride Injection, B.P.; Oral Capsule	Any disease or purpose specified in this column in relation to chlortetracycline.
Oxytetracycline Hydrochloride Oral Suspension; Oral Paediatric Drops	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Pancreatin	Fibrocystic disease; Pancreatico-duodenectomy. Pancreatic steatorrhea.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Pancreatin Enzyme 4 U.S.N.F. XI	Any disease or purpose specified in this column in relation to pancreatin.
Pancrex 5	Any disease or purpose specified in this column in relation to Pancreatin.
Para-Aminosalicylic Acid	Tuberculosis.
Paraffin Liquid Emulsion	For the treatment of pensioners only.
Paramethasone Acetate (Authority necessary to prescribe—See Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Penicillin Phenoxymethyl Oral Suspension: Sachet	For the treatment of children under the age of twelve years.
Penicillin with Streptomycin	Endocarditis due to <i>Streptococcus faecalis</i> ; Endocarditis due to <i>Streptococcus viridans</i> . For Obstetric use only.
Pethidine and Levallorphan Tartrate	Phenylketonuria.
Phenylalanine Low Content Formula (Authority necessary to prescribe—see Notes)	For the treatment of children under the age of twelve years old.
Phenytoin	Antidote to anticoagulants.
Phytomenadione	For the treatment of children under the age of twelve years.
Piperazine Citrate Elixir	Nodular Nonsuppurative Panniculitis (Christian-Weber Disease);
Prednisolone (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate, except— Addison's disease and other forms of adrenocortical hypoplasia; Total adrenalectomy.
Prednisolone Acetate (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisolone Disodium Phosphate (Authority necessary to prescribe—See Notes)	Ulcerative colitis proven by sigmoidoscopy and/or radiological report.
Prednisolone Methyl (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate, except— Addison's disease and other forms of adrenocortical hypoplasia; Total adrenalectomy.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Prednisolone Methyl Acetate (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisolone with Magnesium Trisilicate and Aluminium Hydroxide (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisone (Authority necessary to prescribe—see Notes)	Nodular Nonsuppurative Panniculitis (Christian-Weber Disease). Any disease or purpose specified in this column in relation to cortisone acetate.
Prednisone with Magnesium Trisilicate and Aluminium Hydroxide (Authority necessary to prescribe—see Notes)	Any disease or purpose specified in this column in relation to cortisone acetate.
Progesterone	Habitual abortion.
Progesterone Depot	Habitual abortion.
Promethazine Hydrochloride Elixir	For the treatment of children under the age of twelve years.
Prophenpyridamine Maleate	For the treatment of children under the age of twelve years.
Protoveratrine A	Hypertensive crises.
Pyridostigmine Bromide	Myasthenia gravis.
Pyrrolidino-Methyl-Tetracycline	Any disease or purpose specified in this column in relation to chlortetracycline.
Riboflavine Tablet, B.P.	For the treatment of pensioners only.
Salicylazosulphapyridine	Ulcerative colitis.
Senna Fruit Extract (Standardised)	For the treatment of pensioners only.
Sodium Folate	Any disease or purpose specified in this column in relation to folic acid.
Sodium-Aminosalicylate	Tuberculosis.
Soya Formula (Authority necessary to prescribe—see Notes)	Galactosaemia.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Spiramycin	Staphylococcal infections that are resistant both to the tetracyclines and to penicillin.
Stilboestrol .. .	Carcinoma of the prostate; Mammary carcinoma;
Streptomycin Sulphate; Injection .. .	For the treatment of pensioners for any disease or purpose. Bacillary dysentery not responding to sulphonamides; Brucellosis; Chancroid; Ear Drops; Endocarditis due to <i>Streptococcus faecalis</i> ; Endocarditis due to <i>Streptococcus viridans</i> ; Infections due to <i>Friedlander bacillus</i> ; Infections due to <i>Haemophilus influenzae</i> ; Infections due to <i>Pseudomonas pyocyaneus</i> ; Plague; Rat-bite fever— <i>Streptobacillus moniliformis</i> ; Salmonella infections; Surgical conditions of the bowel (pre-operative and post-operative); Surgical conditions of the thoracic organs; Tuberculosis; Tularaemia;
Sulphadimethoxine, Suspension .. .	Urinary tract infections which do not respond to sulphonamides.
Sulphadimidine Suspension .. .	For the treatment of children under the age of twelve years.
Sulphamethoxypyridazine N-Acetyl .. .	For the treatment of children under the age of twelve years.
Sulphaphenazole Suspension .. .	For the treatment of children under the age of twelve years.
Sustanon .. .	Mammary carcinoma;
Testosterone, B.P. .. .	Castration Syndrome.
	Mammary carcinoma;
	Castration Syndrome.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Testosterone Methyl, B.P. 	Kline Felter Reifenstein Albright syndrome; Mammary carcinoma; Male and female castration syndrome.
Testosterone Oenanthate	Mammary carcinoma; Castration syndrome.
Testosterone Propionate	Kline Felter Reifenstein Albright syndrome; Mammary carcinoma; Castration syndrome.
Tetracycline Capsule, B.P.; Tablet, B.P.; In- jection, B.P.	Any disease or purpose specified in this column in relation to chlortetra- cycline.
Tetracycline, Oral Granules; Paediatric Drops; Oral Suspension	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline (Buffered) Injection; Capsule ..	Any disease or purpose specified in this column in relation to chlortetra- cycline.
Tetracycline (Buffered)—Oral Suspension; Oral Paediatric Drops	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline with Nystatin 	Broad spectrum antibiotic therapy of premature infants; Broad spectrum antibiotic treatment of patients under steroid therapy; Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis; A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for a disease or purpose specified in this column in relation to chlortetracycline.
Tetracycline (Buffered) with Amphotericin B ..	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to Tetracycline with Nystatin.
Tetracycline with Oleandomycin.. 	Any disease or purpose specified in this column in relation to chlortetra- cycline.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Tetracycline with Oleandomycin — Oral Suspension; Oral Paediatric Drops Thenalidine Tartrate Syrup Tretamine Triameinolone (Authority necessary to prescribe—See Notes) Trifluoperazine (Where authority necessary—see Notes)	For the treatment of children under the age of twelve years for any disease or purpose specified in this column in relation to chlortetracycline. For the treatment of children under the age of twelve years. Malignant lymphoma and related conditions. Any disease or purpose specified in this column in relation to cortisone acetate. For the treatment of pensioners for any disease or purpose; Maintenance treatment of a psychiatric condition in a patient discharged from an approved hospital and living in a place remote from an approved hospital. For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.
Trimetaphan Camphorsulphonate, B.P.C. .. Triprolidine Hydrochloride: Elixir Veriloid Vitamins, Compound, Capsules and Tablets .. Vitamin A, Concentrated Solution, B.P. ..	Hypertensive for anaesthesia. For the treatment of children under the age of twelve years. Hypertensive crises. For the treatment of pensioners only. For the treatment of pensioners and for children under the age of twelve years.
Vitamin A and D, Concentrated Solution, B.P.	For the treatment of pensioners and for children under the age of twelve years.
Vitamin D, Concentrated Solution, B.P. ..	Tetany and for the treatment of pensioners and for children under the age of twelve years.
Xylene, B.P.C. 1949	Use as an additive.

Drug or Medicinal Preparation	Allowable Class of Person, Combination, Disease or Purpose
Acrylic Resin; Solution } Benzol (Commercial) } Chloramine, B.P.C.; Deodorant Tablet, Powder } Lissapol; Deodorant Detergent } Polydimethylsiloxanes; Cream } Surgical Cement } Tragacanth (Gum Karaya) }	Colostomy and Ileostomy condition.



