



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS



DEPARTMENT OF HEALTH

Pharmaceutical Benefits

PROPRIETARY INDEX

FEBRUARY, 1963

PROPRIETARY INDEX

PART 1—GENERIC NAME INDEX

Name						Item No.	Code
ACETARSOL						1	
Acetylarsan	..	..	..	..	..		MB
Devegan	..	..	..	..	..		BA
Stovarsol	..	..	..	..	..		MB
S.V.C.	..	..	..	..	..		MB
ACETAZOLAMIDE						2	
Diamox	..	..	..	..	..		LE
ACETAZOLAMIDE SODIUM PARENTERAL						42	
Diamox Sodium Parenteral	..	..	..	..	..		LE
ACETOMENAPHTHONE						3	
Kapilin	..	..	..	..	..		GL
Kavitine	..	..	..	..	..		KL
Kayvite	..	..	..	..	..		SI
Prokayvit	..	..	..	..	..		BD
Synkavit	..	..	..	..	..		RO
ACETYLSALICYLIC ACID						4	
Aspisol	..	..	..	..	..		KL
Aspisol 2½	..	..	..	..	..		KL
I.S.A.	..	..	..	..	..		IQ
Neutrasol	..	..	..	..	..		PR
Novosprin	..	..	..	..	..		VR
Prodol	..	..	..	..	..		NB
Provoprin	..	..	..	..	..		DH
Solacetyl	..	..	..	..	..		MG
Solcetas	..	..	..	..	..		BW
Solusal Hamiltab	..	..	..	..	..		HA
Solprin	..	..	..	..	..		RC
Tynees	..	..	..	..	..		WO
ACETYLSALICYLIC ACID COMPOUND						5	
Acetaco	..	..	..	..	..		CO
Apabarb	..	..	..	..	..		KL
Baqual Co.	..	..	..	..	..		KL
N.P. 443	..	..	..	..	..		NS
Pacitone	..	..	..	..	..		RD
Solasco	..	..	..	..	..		MG
Tridis	..	..	..	..	..		RC
ADRENALINE						12	
Eppy	..	..	..	..	..		AN
ADRENALINE ACID TARTRATE						14	
Viules	..	..	..	..	..		BT
Wellcome	..	..	..	..	..		BW
ADRENALINE MUCATE						43	
Adrenaline Hyperdureic	..	..	..	..	..		GL
ALOXIDONE						17	
Malidone	..	..	..	..	..		BS

Name	Item No.	Code
ALUMINIUM HYDROXIDE	19	
Adrox		RD
A.H.T.		WY
Alox		KL
Aluminium Hydroxide Hamiltab		HA
Amphotabs		WY
Gelox		PR
Hydral		CO
ALUMINIUM HYDROXIDE GEL.	44	
Aludrox Suspension		WY
Alusorb		DH
Amphojel		WY
Metem		CH
Milagel		PR
ALUMINIUM HYDROXIDE GEL., DRIED	49	
Almacarb		BD
Aludrox		WY
Gastrogel		FM
Gastrox		GP
Geloid		BW
Gelusil		WW
Magtroxal		VR
Neutratabs		HA
ALUMINIUM POWDER, B.P.C.	45	
Aluminium Paste		BT
AMINACRINE HYDROCHLORIDE	21	
Dropster		KL
AMINOPHYLLINE	22	
Amesec, Enseals and Pulvules		LY
Amifal		KL
Androphyllin		AN
Cardophyllin		HA
Cardophyllin with Phenobarb		HA
Carine		KL
Carine with Phenobarb		KL
Diurophylin		CM
Epamal		PF
Glucophylline		AB
Mylosed Compound		VR
Phyline		CO
Sedasco		CK
Tabloid		BW
Theophen Hamiltab		HA
Wellcome		BW
AMIPHENAZOLE HYDROBROMIDE, A.P.F.	46	
D.H.A. 245		DH
AMIPHENAZOLE HYDROCHLORIDE, A.P.F. 1955	23	
Daptazole		NS
AMODIAQUINE BASE	27	
Camoquin		PD

Name	Item No.	Code
AMPHETAMINE SULPHATE	28	
Badrin		KL
AMPHOTERICIN B	29	
Fungizone		SQ
AMYLOBARBITONE	30	
Amal		KL
Amatane		PR
Amylbarb		PT
Amytal		LY
Diamyl		DF
Mylodorm		GP
Mylosed		VR
Restal		HA
Sedal		FA
AMYLOBARBITONE SODIUM	31	
Amytal Sodium		LY
Amytal Sodium Pulvules		LY
Sodium Sedal		FA
ANDROSTANOLONE	47	
Anabolex		MN
Protona		DF
ANEURINE HYDROCHLORIDE	32	
Berin '50'		GL
Berin 100		GL
Betamin		KL
Betamin Forte		KL
Beta-Sol		FM
Beta-Tabs		FM
Hypette B ₁ 50		FA
Hypette B ₁ 100		FA
Thiacaine		VR
Thiamitab		AB
Thiamital		AB
Vibafort		CM
Vibafort Parentosol		CM
Vibex Steri-Vial		PD
Vitabin		AN
ANTAZOLINE HYDROCHLORIDE	34	
Antistine		CB
Antistine Privine Drops		CB
Histostab		BT
ASCORBIC ACID	37	
Cecon		AB
Celin '50'		GL
Celin '250'		GL
Cetamin		KL
Scorbettes		PR
Vitacin		AN
ATROPINE	38	
Atroptol		SI

Name	Item No.	Code
ATROPINE METHONITRATE	39	
Eumydrin		BA
ATROPINE SULPHATE	40	
Atropt		SI
Dropster		KL
Viules		BT
AUROTHIOGLUCOSE	41	
Solganal-B Oleosum		SC
BARBITONE COMPOUND, A.P.F. 1955	84	
Barbico		AB
BELLADONNA	86	
Proctoids		WY
BEMEGRIDE	87	
Megimide		NS
BENDROFLUAZIDE	106	
Aprinox		BT
Aprinox M		BT
Neo NaClex		GL
Pluryl		AN
BENZALKONIUM CHLORIDE	102	
Drapolex		CA
Paxyl		FA
BENZHEXOL HYDROCHLORIDE	89	
Artane		LE
Pipanol		WL
BENZOCAINE	90	
Adaben		KL
Rectinol		GP
BENZYL BENZOATE	93	
Benzevan		EV
BEPHENIUM HYDROXYNAPHTHOATE	103	
Alcopar		BW
BETAMETHASONE	109	
Betnelan		GL
Celestone		SH
BETAMETHASONE PHOSPHATE	110	
Betnelan		GL
Celestone Ophthalmic Drops		SH
BISMUTH GLYCOLLYLARSANILATE	95	
Milibis		WL
BISMUTH SODIUM TARTRATE	104	
Nabita		FA
BISMUTH SUBGALLATE, B.P.C.	97	
Anagal		KL
Anusol		WW
BRETYLIUM TOSYLATE	105	
Darenthin		BW
BUSULPHAN	99	
Myleran		BW

Name	Item No.	Code
BUTABARBITAL SODIUM	107	
Butisol Sodium.. .. .		AN
BUTOBARBITONE	100	
Bubal		KL
Budorm		GP
Soneryl		MB
CALCIFEROL	121	
High Potency Ostelin		GL
Radiostol		BD
Sterogyl		RL
CALCIUM AMINOSALICYLATE, B.P.C.	128	
Aminacyl		WA
Aminacyl Granulate		WA
Calcipas		KL
CALCIUM AUROTHIOMALATE	123	
Auro-Calcium		CK
CARAMIPHEN HYDROCHLORIDE	131	
Parpanit Forte		GE
CARBARSONE	133	
Leucarsone		MB
CARBIMAZOLE	134	
Carbizole		PT
Neo-Mercazole		BS
CARBINOXAMINE MALEATE	186	
Clistin		AN
CARBROMAL	135	
Adalin		BA
Caral		KL
Carbrodorm		GP
CASTOR OIL	138	
Tri-Test		WD
CHARCOAL	141	
Carbo-Medicinalis		AN
Charcoid		BW
CHLORAMBUCIL	144	
Leukeran		BW
CHLORAMPHENICOL	145	
Chloromycetin		PD
Chloromycetin Palmitate		PD
Chloromycetin Succinate		PD
CHLORAZANIL	146	
Daquin		RK
Orpidan		SI
CHLORCYCLIZINE HYDROCHLORIDE	148	
Di-Paralene		AB
Perazil		BW
CHLORHEXIDINE GLUCONATE SOLUTION	181	
Hibitane Concentrate 5%		IC

Name	Item No.	Code
CHLORMERODRIN	149	
Mercloran		PD
CHLOROBENZOL—DISULPHONAMIDE	183	
Salco		NS
CHLOROQUINE BASE	150	
Aralen		BA
Avloclor		IC
Nivaquine		MB
Resochin		FB
CHLOROTHIAZIDE	151	
Chlotride		MK
CHLOROXYLENOL	152	
Dettol		RC
Novosol		FA
CHLORPHENIRAMINE MALEATE	175	
Chlor Trimeton.. .. .		SH
Chlor Trimeton Repetabs		SH
Piriton		GL
Piriton Duolets.. .. .		GL
Piriton Syrup		GL
CHLORPROMAZINE HYDROCHLORIDE	179	
Largactil		MB
CHLORPROPAMIDE	153	
Diabinese		PF
CHLORTETRACYCLINE HYDROCHLORIDE	154	
Aureomycin		LE
Aureomycin Ophthalmic Ointment		LE
Aureomycin Spersoids		LE
CHLORTHALIDONE	184	
Hygroton		GE
CHORIONIC GONADOTROPHIN B.P.	156	
Antuitrin "S"		PD
A.P.L.		AY
Coriantin		RM
Physex Leo		LP
Pregnyl		OR
Primogonyl		SC
CLEMIZOLE HYDROCHLORIDE	180	
Allercur		SC
Klemidox		GP
CLEMIZOLE TANNATE	188	
Allercur Syrup		SC
COCAINE	158	
Cainoptol		SI
CODEINE PHOSPHATE	160	
Acetophos		HY
Angesil		DH

	Name						Item No.	Code
160— <i>continued</i>								
	Asadeine	..	..	..	..	..	NS	
	Acode	..	..	..	..	..	KL	
	Ascotin	..	..	..	..	..	FA	
	Aspalgin	..	..	..	..	..	FM	
	Burco	..	..	..	..	..	BW	
	Burcosol	..	..	..	..	..	BW	
	Co-Com	..	..	..	..	..	VR	
	Codacet	..	..	..	..	..	BW	
	Codacet Soluble	..	..	..	..	..	BW	
	Code-Co. Hamiltab	..	..	..	..	..	HA	
	Codiphen	..	..	..	..	..	GP	
	Codiphen Forte	..	..	..	..	..	GP	
	Codral Forte	..	..	..	..	..	BW	
	Codsol	..	..	..	..	..	KL	
	Ethidyne	..	..	..	..	..	EL	
	Hycodin	..	..	..	..	..	FA	
	I.S.C.	..	..	..	..	..	IQ	
	Neocodsol	..	..	..	..	..	KL	
	Nollipyrin	..	..	..	..	..	KL	
	Phenacodeine	..	..	..	..	..	MR	
	Princode	..	..	..	..	..	RC	
	Prodol Co.	..	..	..	..	..	NB	
	Solcode	..	..	..	..	..	RC	
	Solcodein	..	..	..	..	..	MG	
	Solgesil	..	..	..	..	..	DH	
	Solusal-Co. Hamiltab	..	..	..	..	..	HA	
	Veganin	..	..	..	..	..	WW	
COD LIVER OIL							161	
	Elliott's Clinic Emulsion	..	..	..	..	..	DH	
COLCHICINE							162	
	Colchicine MR	..	..	..	..	..	MR	
	Colcin	..	..	..	..	..	KL	
	Colgont	..	..	..	..	..	PT	
	Colsaloid	..	..	..	..	..	BW	
COPPER SULPHATE							167	
	Clinitest	..	..	..	..	..	AM	
CORTICOTROPHIN							168	
	Acthargel	..	..	..	..	..	PH	
	A.C.T.H. Depot	..	..	..	..	..	SC	
	Androcort	..	..	..	..	..	AN	
	Cortico-Gel	..	..	..	..	..	CK	
	Cortrophin	..	..	..	..	..	OR	
	Cortrophin Z.N.	..	..	..	..	..	OR	
CORTISONE ACETATE							169	
	Adreson	..	..	..	..	..	OR	
	Cortadren	..	..	..	..	..	SH	
	Cortate	..	..	..	..	..	PT	
	Cortelan	..	..	..	..	..	GL	
	Cortic	..	..	..	..	..	AD	
	Cortisyl	..	..	..	..	..	RL	
	Cortone	..	..	..	..	..	MK	
	Scheroson	..	..	..	..	..	SC	

Name	Item No.	Code
CRESOL AND SOAP SOLUTION	170	
Sigma Lysol		SI
CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH	172	
Anacobin		BD
Benol		KL
Benol Forte		KL
Bitevan		EV
Cobastab		BT
Cytamen		GL
Depinar		AR
Distivit B12		DL
Parentosol B 12		CM
Rubramin Parenteral Solution		SQ
Vibion Forte		AN
Vitamin B12-Organon		OR
CYANOCOBALAMIN 1,000 MICROGRAMME STRENGTH	173	
Benol 1,000		KL
Cobastab 1,000		BT
Cyanocobalamin Difrex		DF
Cytamen 1,000		GL
Depinar		AR
Distivit B12		DL
Parentosol B12		CM
Vibion 1,000		AN
CYCLOBARBITONE	174	
Amnosed		BW
Cybal		KL
Cydorm		GP
Phanodorm		BA
Placyl Hamiltab		HA
CYCLOPENTHIAZIDE	187	
Navidrex		CB
CYCLOPHOSPHAMIDE	176	
Endoxan-Asta		CM
CYCRIMINE HYDROCHLORIDE	177	
Pagitane		LY
CYPROHEPTADINE	185	
Periactin		MK
DAPSONE	230	
Avlosulphon		IC
D.A.D.P.S.		AN
DARROW'S SOLUTION	231	
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Soluvac		DH
Steriflex No. 10		GL
DEMECARIUM BROMIDE	279	
Tosmilten		AP

Name	Item No.	Code
DEMETHYLCHLORTETRACYCLINE	267	
HYDROCHLORIDE		
Ledermycin		LE
Ledermycin Drops		LE
Ledermycin Syrup		LE
DEOXYCORTONE ACETATE	232	
D.O.C.A		OR
Percorten		CB
Primocort		SC
DESACETYL-LANATOSIDE-C	233	
Cedilanid		SZ
DEXAMETHASONE	234	
Decadron		MK
Deltafluorene		LT
Deronil		SH
Dexacortisyl		RL
Dexa-Scheroson		SC
Dextelan		GL
Oradexon		OR
DEXAMETHASONE SODIUM PHOSPHATE	273	
Decadron		MK
Oradexon		OR
DEXAMPHETAMINE SULPHATE	235	
Dexamine		KL
Dexamphate		DH
Dex-M		GP
DEXTRAN IRON	236	
Imferon		FC
DEXTRIN IRON 2% INTRAVENOUS	237	
Astrafer		AP
DEXTROCHLORPHENIRAMINE MALEATE	269	
Polaramine		SH
Polaramine Repetabs		SH
DEXTROSE	238	
Abbo- Litre		AB
Braun's Plastik Infusor		BT
I.V. Fluid		FH
Solvuvac		DH
Steriflex No. 6		GL
Steriflex No. 7		GL
DICHLORPHENAMIDE	277	
Daranide		MK
DICYCLOMINE HYDROCHLORIDE	274	
Merbentyl		ML
DIENOESTROL	242	
Cycladiene		DF
Neo-Oestrogenine		FM

Name	Item No.	Code
DIETHAZINE HYDROCHLORIDE	243	
Diparcol		MB
DIETHYLCARBAMIZINE CITRATE	244	
Hetrazan		LE
DIGITALIS, PREPARED	245	
Tabloid		BW
DIGITOXIN, B.P.C.	246	
Cardigen		PD
Digicristin		CM
Digitaline		NA
Dixin		KL
Purodigin		WY
DIGOXIN	247	
Diginox		RD
Digitab		AB
Digolan		KL
Fibroxin		VR
Lanoxin		BW
Lanoxin Paediatric Elixir		BW
Natigoxin		GA
DIHYDROERGOTAMINE	249	
Dihydergot		SZ
DIHYDROMORPHINONE HYDRO- CHLORIDE, B.P.C. 1949	250	
Dilaudid		KN
DIHYDROSTREPTOMYCIN SULPHATE	251	
Leo		LP
Streptomagma		WY
DIODOHYDROXYQUINOLINE	253	
Diodoquin		SR
Direxiode		DF
Embequin		MB
Floraquin		SR
VAAM—D.H.Q.		VR
DILOXANIDE FUROATE	280	
Furamide		BT
DIMERCAPROL	254	
B.A.L.		BT
DIPHENHYDRAMINE HYDROCHLORIDE	255	
Elixir Benadryl		PD
Benadryl		PD
DIPHENYLPYRALINE HYDROCHLORIDE	278	
Histalert		RK
Histryl Spansules		SK
DIPHThERIA TETANUS AND PERTUSSIS VACCINE, B.P.	259	
Triple Antigen		CS, GL, PD
Trivax		BW

Name	Item No.	Code
DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE	263	
Honvan		CM
DISODIUM DIHYDROGEN VERSENATE	272	
Sodium Versenate .. .		RK
DITHIAZANINE IODIDE	270	
Telmid		LY
DITHRANOL	264	
Anthralin		AB
DYFLOS, B.P.C.	281	
D.F.P.		BT
ECOTHIOPATE IODIDE	328	
Phospholine Iodide		CF
EPHEDRINE HYDROCHLORIDE	304	
Asmin		KL
Barbeph.		KL
Barbeph Forte		KL
Ephedrobarbital		FM
Ephedroid		BW
Ephetal		AB
Ephophen		MG
Phenodren		DH
Tedral		WW
ERGOMETRINE MALEATE	306	
Ergomal.		CM
Ergomine		PT
Ergotrate		LY
Ermalate		BW
Hysterg		VR
ERGOTAMINE TARTRATE	307	
Cafergot or Cafergot Q.		SZ
Cafergot P.B. Suppositories		SZ
Cotin		KL
Ergalan—B.		BD
Ergane		DH
Ergodryl		PD
Ergotart		PT
Ergotart-C		PT
Etin		KL
Gynergen		SZ
Tartamin		VR
Tergorate		MG
ERYTHROMYCIN	308	
Erythrocin		AB
Erythrocin Abboject		AB
Erythrocin Granules		AB
Erythrocin Paediatric Suspension		AB
Ilosone		LY
Ilosone Pedipac		LY
Ilotycin		LY

Name	Item No.	Code
ERYTHRITYL TETRANITRATE	309	
Cardilate		BW
ETHANOLAMINE OLEATE	310	
Ethamolin		GL
ETHINYLOESTRADIOL	311	
Edrol		VR
Estigyn		BD
Estrasal		HY
Lynoral		OR
Primogyn C.		SC
ETHISTERONE	312	
Lutocyclin		CB
Lutorial		VR
Progestoral		OR
Proluton C		SC
ETHOPROPAZINE HYDROCHLORIDE	313	
Lysivane		MB
ETHOSUXIMIDE	327	
Zarontin		PD
ETHOTOIN	325	
Peganone		AB
ETHOXZOLAMIDE	314	
Cardrase		UP
ETHYL BISCOUMACETATE	315	
Trombolsan		GE
ETHYLIDENE DICOUMARIN	316	
E.D.C.		NS
ETHYLNORADRENALINE	326	
Bronkephrine		WL
EXTRACT OF OX BILE	324	
Desicol		PD
FERRIC HYDROXIDE	348	
Colliron		EV
Neo-Ferrum Liquid		CK
FERROUS AMINOACETOSULPHATE	346	
Ferro-Chel		CO
Plesmet		BP
Plesmet Syrup		BP
FERROUS GLUCONATE	340	
Fergon		WL
Fergon Elixir		WL
Ferrin 55		FA
Ferro-G Hamiltab		HA
Ferronicum		SZ
Ferrose		DH
Gliron		GP
Gluciron		MG
Glucohaem		VR
Glucomax		WY
Ironate		KL

Name						Item No.	Code
FERROUS SUCCINATE						347	
Ferromyn							CA
FERROUS SULPHATE						341	
Emplet Ferrous Sulphate							PD
Feromax Plain							WY
Ferri-Vita							HY
Fersolate							GL
Haemofort							CM
Polyhaemen							GP
FLUDROCORTISONE ACETATE						344	
Florinef							SQ
FLUOXYMESTERONE						342	
Halotestin							UP
Ultandren							CB
GLUCOSE INDICATOR						366	
Clinistix							AM
Tes-Tape							LY
GLUTETHIMIDE						367	
Doriden							CB
GLYCERYL TRINITRATE						363	
Anginine Stabilised							BW
Triagin							HY
Vasitrin							DH
GRISEOFULVIN						365	
Fulcin Forte							IC
Grisovin F.P.							GL
GUANETHIDINE SULPHATE						364	
Ismelin							CB
HEPARIN						379	
Eleparon							LW
Heparin Leo							LP
Lipo-Hepin							RK
Panheprin Abboject							AB
Pularin							EV
Thromboliquine							OR
HEXAMETHONIUM TARTRATE						381	
Vegolysen T.							MB
HEXOCYCLIUM METHYL SULPHATE						398	
Tral Film Tabs							AB
Tral Gradumets							AB
HEXOESTROL						382	
Oestrogenine							FM
HEXYLRESORCINOL						383	
Crystoids							MK
HISTAMINE ACID PHOSPHATE						384	
Histamine (B.D.H.)							BD

Name	Item No.	Code
HYALURONIDASE	385	
Hyalase		FC
Hyason		OR
Kinaden		SC
Rondase		EV
Wydase		WY
HYDROCALCIFEROL	400	
A.T. 10		BA
HYDROCHLOROTHIAZIDE	392	
Dichlotride		MK
Direma		DL
Esidrex		CB
Neo Flumen		GA
HYDROCORTISONE	387	
Cortef		UP
Cortril		PF
Efcortelan		GL
Hycor Eye Drops		SI
Hydro-Adreson		OR
Hydrocortisyl		RL
Hydrocortone Ophthalmic Suspension		MK
Hydrosone		KL
Hysone		PT
Optisone Eye Drops		HA
Optisone Eye Ointment		HA
Scheroson F. Ophthalmicum		SC
Siguent Hycor		SI
Sterop		AN
HYDROCORTISONE ACETATE	394	
Abbocort		AB
Cortef Suspension		UP
Cortril		PF
Efcortelan		GL
Hydro-Adreson		OR
Hydrocortistab Viules		BT
Hydrocortisyl		RL
Hydrocortone		MK
Hysone-A		PT
Scheroson F.		SC
HYDROCORTISONE AND NEOMYCIN	401	
Cortocaps		CK
HYDROCORTISONE SODIUM SUCCINATE	389	
Efcortelan Solution Tablets		GL
Flebocortid		RM
Intravenous Efcortelan		GL
Solu Cortef		UP
HYDROFLUMETHIAZIDE	395	
Di-Ademil		SQ
Hydrenox		BT
Na-Clex		GL
HYDROXYCHLOROQUINE SULPHATE	396	
Plaquenil		WL

Name							Item No.	Code
HYOSCINE HYDROBROMIDE							391	
Viules	..	..	..	..	..	..		BT
INSULIN							412	
Insulin Berna	..	..	..	..	..	..		SE
Novo-Evans	..	..	..	..	..	..		EV
Wellcome	..	..	..	..	..	..		BW
INSULIN GLOBIN ZINC							413	
Wellcome	..	..	..	..	..	..		BW
INSULIN ISOPHANE (N.P.H.)							414	
Salminsulins (N.P.H.) Berna	..	..	..	..	..	..		SE
Wellcome	..	..	..	..	..	..		BW
INSULIN PROTAMINE ZINC							415	
Novo-Evans	..	..	..	..	..	..		EV
Protamine-Zinc Insulin Berna	..	..	..	..	..	..		SE
Wellcome	..	..	..	..	..	..		BW
INSULIN ZINC							417	
(Suspension)								
Boots Lente	..	..	..	..	..	..		BT
Novo-Evans Lente	..	..	..	..	..	..		EV
Wellcome Lente	..	..	..	..	..	..		BW
(Amorphous)								
Boots Semilente	..	..	..	..	..	..		BT
Novo-Evans Semilente	..	..	..	..	..	..		EV
Wellcome Semilente	..	..	..	..	..	..		BW
(Crystalline)								
Boots Ultralente	..	..	..	..	..	..		BT
Novo-Evans Ultralente	..	..	..	..	..	..		EV
Wellcome Ultralente	..	..	..	..	..	..		BW
IODOCHLORHYDROXYQUINOLINE							428	
Entero-Vioform	..	..	..	..	..	..		CB
IODOXYL							419	
Pyelectan	..	..	..	..	..	..		GL
Pyelectan Retrograde	..	..	..	..	..	..		GL
Uropac	..	..	..	..	..	..		MB
Uroselectan-B 75%	..	..	..	..	..	..		SC
IRON AMINOATE							432	
Ferroids	..	..	..	..	..	..		MR
IRON-CARBOHYDRATE COMPLEX							430	
Jectofer	..	..	..	..	..	..		AP
IRON OXIDE SACCHARATED							426	
Colliron	..	..	..	..	..	..		EV
Ferrivenin	..	..	..	..	..	..		FC
Neo-Ferrum Intravenous	..	..	..	..	..	..		CK
ISONIAZID							423	
Andrazide	..	..	..	..	..	..		AN
Isotinyll	..	..	..	..	..	..		KL
Rimifon	..	..	..	..	..	..		RO
Tebos	..	..	..	..	..	..		HY

Name	Item No.	Code
ISOPRENALINE HYDROCHLORIDE	424	
Isuprel		WL
Isoprel 1:5000		WL
ISOPRENALINE SULPHATE	425	
Neo-Epinine		BW
Nephenal (Plain)		CM
Norisodrine		AB
ISOPROPAMIDE IODIDE	429	
Tyrimide		SK
ISOTHIPENDYL HYDROCHLORIDE	431	
Nilergex		IC
KAOLIN HEAVY	451	
Kaloplasm		FA
Poulticine		AL
LANATOSIDE—C	464	
Cedilanid		SZ
LEPTAZOL	460	
Cardiazol		KN
LEVORPHANOL TARTRATE, B.P.C.	463	
Dromoran		RO
LUCANTHONE HYDROCHLORIDE	462	
Nilodin		BW
MAGNESIUM BICARBONATE SOLUTION	476	
Magnos		FA
MAGNESIUM SULPHATE	479	
Faulding's Epsom Salts		FA
Magnoplasm		FA
Pastamag		DH
MAGNESIUM TRISILICATE	480	
Trisil		DH
MEBHIDROLIN	520	
Fabahistin		FB
MECAMYLAMINE	482	
Mevasine		MK
MECHOLYL CHLORIDE	483	
Amechol		SY
MENAPHTHONE	484	
(Aqueous)		
Kapilin		GL
K-Thrombin		FM
Synkamine		PD
Synkavit		RO
(Oily)		
Prokayvit		BD
Vitavel K.		VM

Name	Item No.	Code
MEPACRINE HYDROCHLORIDE	486	
Avlon		IC
MEPHENTERMINE SULPHATE	516	
Wyamine Sulphate		WY
MEPYRAMINE MALEATE	487	
Anthisan		MB
MERCAPTOMERIN SODIUM	488	
Thiomerin Sodium		WY
MERCAPTOPURINE	489	
Purinethol		BW
MERCURIC OXIDE	490	
Sigma Golden Eye Ointment		SI
MERSALYL ACID	491	
Hydrid		VR
Salyrgan		BA
Viules		BT
METHADONE HYDROCHLORIDE	517	
Adanon		BA
Physeptone		BW
Synthanal		CM
METHAZOLAMIDE	511	
Neptazane		LE
METHENAMINE MANDELATE	507	
Mandelamine		WW
Mandelamine Hafgrams		WW
METHOIN	492	
Mesantoin		SZ
METHSCOPOLAMINE BROMIDE	509	
Neo Avagal		AN
Pamine		UP
METHYCLOTHIAZIDE	513	
Enduron (5 mg.)		AB
Enduron M (205 mg.)		AB
METHYLAMPHETAMINE HYDROCHLORIDE	494	
Desoxyn		AB
Doxephryn		PH
Emphet		VR
Methamine		KL
Methedrine		BW
METHYL ANDROSTANOLONE	495	
Androstalone		RL
METHYLANDROSTENEDIOL	496	
Methyl Diol		MR
Stenediol		OR
METHYLCELLULOSE, A.P.F.	497	
Dropster		KL
Methopt		SI
METHYLERGOMETRINE MALEATE	498	
Methergin		SZ

Name	Item No.	Code
METHYL PHENOBARBITONE, B.P.C.	514	
Mephobarbital		PH
Prominal		BA
Promitone		KL
METRONIDAZOLE	517	
Flagyl		MB
MORPHINE SULPHATE	501	
Viules		BT
MORPHINE WITH ATROPINE	502	
Viules		BT
MORPHINE WITH TACRINE	515	
Mortha		WH
NALORPHINE HYDROBROMIDE	541	
Lethidrone		BW
Lethidrone Neonatal		BW
NANDROLONE	558	
Durabolin		OR
NEOMYCIN SULPHATE EYE DROPS	553	
Dropster		KL
Nemdro		HA
Neopt		SI
NEOMYCIN SULPHATE AND KAOLIN	559	
Cremomycin		MK
Kaomycin		UP
NEOSTIGMINE BROMIDE	542	
Prostigmin		RO
NEOSTIGMINE METHYLSULPHATE	543	
Prostigmin		RO
NICOUMALONE	551	
Sintrom		GE
NIKETHAMIDE	546	
Anacardone		BD
Coramine		CB
Viules		BT
NITROFURANTOIN	547	
Furadantin		SK
Furadantin Suspension		SK
NORADRENALINE ACID TARTRATE	549	
Levophed		WL
NYSTATIN	550	
Mycostatin		SQ
OESTRADIOL DIPROPIONATE	561	
Ovocyclin		CB
OESTRADIOL BENZOATE	562	
Dimenformon		OR
Oestroform (B.D.H.)		BD
OESTRONE, B.P.C. 1954	563	
Kolpon		OR
Menformon		OR

Name	Item No.	Code
OXYPHENCYCLIMINE HYDROCHLORIDE	571	
Daricon		PF
OXYPHENONIUM BROMIDE	572	
Antrenyl		CB
Antrenyl Duplex		CB
OXYTETRACYCLINE DIHYDRATE	566	
Terramycin		PF
OXYTETRACYCLINE HYDROCHLORIDE	567	
Terramycin		PF
Terramycin Oral Paediatric Drops		PF
Terramycin Oral Suspension		PF
OXYTETRACYCLINE OPHTHALMIC SUSPENSION	568	
Terramycin		PF
OXYTOCIN	569	
Pitocin		PD
Syntocinon		SZ
PANCREATIN	581	
Pancreatin Powder		PD
PANCREATIN ENZYME	676	
Viokase		AN
PAPAVERTUM, B.P.C.	583	
Omnopon		RO
Viules		BT
PAPAVERTUM WITH HYOSCINE HYDROBROMIDE	584	
Omnopon-Scopolamine		RO
Viules		BT
PARACETAMOL	682	
Dymadon		CA
Parmol		KL
Panadol		WL
PARAFFIN LIQUID	588	
Agarol		WW
Evactil		FA
Lubarol		DH
Paragel		SI
Paramul		MG
Petrolagar		WY
Petrolagar with Phenolphthalein, 1 or 2		WY
PARAMETHADIONE	590	
Paradione		AB
PARAMETHASONE ACETATE	679	
Haldron		LY
Metilar		IC
PEMPIDINE TARTRATE	664	
Perolysen		MB
Tenormal		IC
PENICILLINASE	651	
Compenase		CS
Neutrapen		RK

Name						Item No.	Code
PENICILLIN BENETHAMINE						652	
Tripropen							GL
Triposol							GL
PENICILLIN BENZATHINE						591	
Bicillin							WY
Bicillin All-Purpose Injection							WY
PENICILLIN BENZYL						592	
Crystalline Penicillin G. (Sodium Salt)							CS
Crystapen							GL
Crystapen G. '200'							GL
Crystapen G. '400'							GL
Penicillin Crystalline							DH
Peni-Set							DH
Pensol							GL
Solupen							DL
Sol-Viules							BT
PENICILLIN BENZYL PROCAINE						593	
(Aqueous Suspension)							
Abbocillin G. Abboject							AB
Aquacaine G. Suspension							CS
Aquacillin							FA
Cilicaine Suspension							SI
Evacilin							EV
Evanules							EV
Megacillin							FA
Megapen							BT
Mylipen							GL
Procillin A-S							DH
Pro-Stabillin A.S. Viules							BT
Viraxacillin							VR
(Crystalline)							
Aquacaine G.							CS
Cilicaine Simplex							SI
Distaquaine G.							DL
PENICILLIN BENZYL PROCAINE						594	
FORTIFIED							
Aquacaine G. Fortified							CS
Bi-Stabillin							BT
Cilicaine Fortified							SI
Distaquaine Fortified							DL
PENICILLIN PHENOXYMETHYL						595	
(Injection)							
Vicin Injection 800 (Benzathine Salt)							KL
Abbocillin-V Film Tabs (Potassium Salt)							AB
Abbocillin V-K (Potassium Salt)							AB
Calcipen (Calcium Salt)							LP
Caps-Pen V (Calcium Salt)							BT
Cilicaine-V-K (Potassium Salt)							SI
Cillapen (Potassium Salt)							PR
C.V.K. (Potassium Salt)							GL
Distakaps V-K (Potassium Salt)							DL
Distaquaine-V (Free Acid)							DL
Distaquaine V-K (Potassium Salt)							DL
Falcopen-V-K (Potassium Salt)							FA

595—continued	Name	Item No.	Code
	Grancillin potassium Salt) ..		IQ
	KX60 (Potassium Salt)		DF
	KX125 (Potassium Salt)		DF
	KX250 (Potassium Salt)		DF
	Peni-Vee-K (Potassium Salt)		DH
	Potaspen (Potassium Salt)		AN
	Propen-VK (Potassium Salt)		PT
	P.V.K. (Potassium Salt)		LY
	P.V.K. Pedipac (Potassium Salt)		LY
	P.V.K. Pulvules (Potassium Salt)		LY
	Stabillin-V (Calcium Salt)		BT
	Tabpen VK (Potassium Salt)..		BT
	Veecillin (Potassium Salt)		CM
	Vicin (Benzathine Salt)		KL
	V.P.V.-Viraxacillin-V (Free Acid)		VR
	Wincillin (Potassium Salt)		WL
	(Suspension)—Oral		
	Abbocillin-V Suspension (Hydrabamine Salt)		AB
	Cilicaine-V Suspension (Free Acid) ..		SI
	Citrapen (Potassium Salt)		DL
	C.V.L. (Paediatric) “125” (Calcium Salt)		GL
	Distaquaine V-K Suspension (Potassium Salt)		DL
	Falcopyen V Suspension (Benzathine Salt)		FA
	L.P.V. Suspension (Calcium Salt)		CS
	Peni-Vee Suspension D.H.A. (Potassium Salt)		DH
	Sus-Pen-V (Calcium Salt) ..		BT
	Veecillin Suspension (Calcium Salt) ..		CM
	Vicin Suspension (Benzathine Salt) ..		KL
	V.P.V. Viraxacillin V (Calcium Salt)		VR
PENICILLIN WITH STREPTOMYCIN		596	
	Cilamycin		SI
	Crystamycin		GL
	Crystasol ..	..	GL
	Seclomycin ..	..	GL
	Seclosol ..	..	GL
	Solvone		DL
PENTAERYTHRITOL TETRANITRATE		597	
	Mycardol		WL
	Pentagen		HY
	Peritrate		WW
PENTHIENATE		675	
	Monodral		WL
PENTOBARBITONE SODIUM		598	
	Barbopent		BW
	Napent ..		RD
	Nembutal		AB
	Pendorm		GP
	Pental ..		IQ
	Pentone		FA
	Pentosol. .		AB
	Petab		KL
	Sodepent ..	..	MG
	Somnital ..	..	PR

Name	Item No.	Code
PENTOBARBITONE SODIUM COMPOUND	599	
Carbital		PD
Nembutal Compound		AB
Penalco		CO
PENTOLINIUM TARTRATE	600	
Ansolysen		MB
PENTOLINIUM TARTRATE WITH EPHEDRINE	601	
Ansolysen with Ephedrine		MB
PETHIDINE HYDROCHLORIDE	604	
Demerol		BA
Pethanal		CM
Viules		BT
Wellcome		BW
PETHIDINE AND LEVALLORPHAN TARTRATE	665	
Pethilorfan		RO
PETHIDINE AND SCOPOLAMINE	605	
Petiscole		KL
Viules		BT
Wellcome		BW
PHENACETIN	650	
Barbidein		DH
Cobarb		SI
Compodorm		GP
Nembudeine		AB
P.B.C.		PR
Pentacode		MG
Pentalgin		FM
Pental Co.		KL
Phenadeen		RD
PHENAZOPYRIDINE HYDROCHLORIDE	678	
Pyridium		WW
PHENETHICILLIN	672	
Optipen		CS
Pensig		SI
PHENFORMIN	673	
Insoral		WW
PHENINDAMINE TARTRATE	608	
Thephorin		RO
PHENINDIONE	609	
Dindevan		EV
Fenadon		GA
Phendone		PX
PHENOBARBITONE	610	
Bakramil		BK
Bardorm		GP
Ensobarb		HY
Fenbital		BW
Gardenal		MB
P.B. Tabs		AB

Name	Item No.	Code
PHENOBARBITONE SODIUM	611	
Cemalonal Injection		CM
Gardenal Sodium		MB
Viules		BT
PHENOL	613	
P2G Sclerosant		BT
PHENOLPHTHALEIN	614	
Fenallo		DH
PHENSUXIMIDE	615	
Milontin		PD
PHENYLALANINE LOW CONTENT FORMULA	653	
Cymogran		GL
Lofenalach		CM
Minafen		TF
PHENYLBUTAZONE	616	
Butazolidin		GE
PHENYLEPHRINE HYDROCHLORIDE	617	
Hemorex		WL
Neo-Synephrine		WL
PHENYLMERCURIC DINAPHTHYL-METHANE DISULPHONATE	674	
Versotrane Triple Strength		WB
PHENYTOIN	677	
Dilantin Suspension		PD
PHENYTOIN SODIUM	618	
Dilantin		PD
Dilantin Sodium Steri-Vial		PD
Ditoin		KL
PHOLCODINE	619	
Duro-Tuss		RK
Pectolin		FA
Pholevan		EV
Pholtrate		MG
Sedlingtus		VR
Sednaco		GL
Tussinol Linctus		GP
PHTHALYLSULPHACETAMIDE	620	
Enterocid		BS
Sulphalyl		KL
Talecid		SC
Thalacet		VR
PHTHALYLSULPHIAZOLE	621	
Sulphathalidine		MK
Thalazole		MB
PHYTOMENADIONE	666	
Konakion		RO

Name						Item No.	Code
PILOCARPINE NITRATE						624	
Dropster	..	..	..	..	..		KL
Pilopt	..	..	..	..	..		SI
Sterop	..	..	..	..	..		AN
PIPENZOLATE						667	
Piptal	..	..	..	..	..		SI
Piptal Paediatric	..	..	..	..	..		SI
PIPERAZINE ADIPATE						625	
Divermex	..	..	..	..	..		DF
Entacyl	..	..	..	..	..		BD
PIPERAZINE CITRATE, B.P.						654	
Antepar	..	..	..	..	..		BW
Helmezine Elixir	..	..	..	..	..		GL
Piperate	..	..	..	..	..		MG
PIPERAZINE PHOSPHATE						626	
Helmezine	..	..	..	..	..		GL
Veroxil	..	..	..	..	..		CK
PITUITARY POSTERIOR LOBE, B.P.C.						627	
Disipidin	..	..	..	..	..		ST
Piton	..	..	..	..	..		BP
Pituitrin O.	..	..	..	..	..		PD
POLYMYXIN B. SULPHATE						629	
Aerosporin Otic Solution	..	..	..	..	..		BW
Mycitracin Ophthalmic Ointment	..	..	..	..	..		UP
N.B.P. Eye Drops	..	..	..	..	..		DH
N.B.P. Eye Ointment	..	..	..	..	..		DH
Neosporin Ophthalmic Ointment	..	..	..	..	..		BW
Neosporin Ophthalmic Solution	..	..	..	..	..		BW
Neotracin Eye Drops	..	..	..	..	..		AN
Neotracin Ophthalmic Ointment	..	..	..	..	..		AN
Optimyxin	..	..	..	..	..		BW
Otopol	..	..	..	..	..		BW
Polmix Ear Drops	..	..	..	..	..		KL
Polmix Eye Drops	..	..	..	..	..		KL
Polydro Ear Drops	..	..	..	..	..		HA
Polydro E e Drops	..	..	..	..	..		HA
Polydro B.N.	..	..	..	..	..		HA
Polymyxin Co.	..	..	..	..	..		IQ
Polytracin-N Eye Drops	..	..	..	..	..		GL
Polytracin-N Eye Ointment	..	..	..	..	..		GL
Siguent Bacomycin	..	..	..	..	..		SI
Ung. Poly-B.N.	..	..	..	..	..		HA
POTASSIUM CHLORIDE						631	
Soluvac	..	..	..	..	..		DH
POTASSIUM PERCHLORATE						668	
Thypron	..	..	..	..	..		PH
PREDNISOLONE						634	
Codelcortone	..	..	..	..	..		MK
Co-Hydeltra	..	..	..	..	..		MK
Delta-Cortef	..	..	..	..	..		UP
Deltacortril	..	..	..	..	..		PF

	Name	Item No.	Code
634 --continued			
	Deltahydrocortisone		AN
	Deltasolone		KL
	Delta-Stab		BT
	Di-Adreson-F.		OR
	Listabs		CO
	Meticortelone		SH
	Panafcortelone		PT
	Paracortol		PD
	Precortisyl		RL
	Prednelan		GL
	Rox		RT
	Scherisolon		SC
	PREDNISOLONE ACETATE	655	
	Scherisolon		SC
	PREDNISOLONE DISODIUM PHOSPHATE	656	
	Codelsol		MK
	Predsol		GL
	Predsol Retention Enema		GL
	PREDNISOLONE METHYL	657	
	Medrol		UP
	Medrol Eye Ointment		UP
	PREDNISOLONE METHYL ACETATE	683	
	Depo-Medrol		UP
	PREDNISOLONE TRIMETHYLACETATE	680	
	Ultracortenol		CB
	PREDNISONE	635	
	Co-Deltra		MK
	Decortisyl		RL
	Delta-Cortelan		GL
	Deltacortisone		AN
	Deltacortone		MK
	Delta-Scheroson		SC
	Deltasone		KL
	Di-Adreson		OR
	Listabs		CO
	Meticorten		SH
	Panafcort		PT
	PRIMAQUINE BASE	636	
	Avlon		IC
	PRIMIDONE	637	
	Mysoline		IC
	PROBENECID	659	
	Benemid		MK
	PROCAINAMIDE HYDROCHLORIDE	638	
	Pronestyl		SQ
	PROCAINE HYDROCHLORIDE IN NORMAL SALINE	639	
	Abbo-Litre		AB
	Braun's Plastik Infusor		BT

Name	Item No.	Code
PROCYCLIDINE HYDROCHLORIDE	640	
Kemadrin		BW
PROGESTERONE	641	
Lutocyclin		CB
Progestin (B.D.H.)		BD
Progestin (Organon)		OR
Progestin I.V. (Organon)		OR
Proluton		SC
PROGESTERONE DEPOT	642	
Luteocrin Depot		RM
Proluton Depot		SC
PROGUANIL HYDROCHLORIDE	643	
Paludrine		IC
PROMETHAZINE HYDROCHLORIDE	644	
Phenergan		MB
PROPANTHELINE BROMIDE	660	
Pro-Banthine		SR
PROPHEPYRIDAMINE MALEATE	681	
Avil Syrup		HP
PROPHEPYRIDAMINE PARA-AMINO-SALICYLATE	645	
Avil		HP
Avilette		HP
PROTOVERATRINE A.	647	
Puroverine		SZ
PYRIDOSTIGMINE BROMIDE	648	
Mestinon		RO
PYRIDOXINE HYDROCHLORIDE, B.P.C.	649	
Benadon		RO
Hexa-Betalin		LY
Hexavibex		PD
Pyridermin		CM
Pyrivel		VM
Pyroxin		KL
PYRIMIDO-PYRIMIDINE	663	
Persantin		FA
PYRROLIDINO-METHYL-TETRACYCLINE	661	
Reverin		HP
Reverin I.M.		HP
Velacycline		SQ
QUINALBARBITONE SODIUM, B.P.	721	
Baqual		KL
Proquinal		PT
Q.B. Tabs.		DH
Quillatone		RD
Quillatone-"M"		RD
Quinbarbium		MG
Quindorm		GP
Seconal Sodium		LY
Seconal Sodium Pulvules		LY

Name						Item No.	Code
QUINIDINE SULPHATE						722	
Quinidine Hamiltab							HA
Quinidoxin							BW
QUININE BISULPHATE						723	
Quinoid							BW
QUININE DIHYDROCHLORIDE						724	
Bihydroquin							PD
RAUWOLFIA ALKALOIDS						747	
Hypothal							CM
Iserpine							IQ
Raudixin							SQ
Rautensin							PT
Rauwiloid							RK
Serfia							KL
Serpina							PV
RESERPINE						746	
Enipreser							MG
Resedrex Hamiltab							HA
Reserpin							AN
Ryser							KL
Serpasil							CB
Serpiloid							RK
Tenserp							VR
SALICYLAMIDE						818	
Salamide							HA
Samid							KL
SALICYLAZOSULPHAPYRIDINE						803	
Salazopyrin							MR
SENNA FRUIT EXTRACT (STANDARDISED)						816	
Senokot							RC
SILVER NITRATE						809	
Johnson's Caustic Pencil							SL
Noshok Caustic Pencil							YF
SODIUM AMINOSALICYLATE						773	
Aminacyl							WA
Bactylan							RL
Ensogran							HY
Paramisan Sodium							SN
Parasal Sodium							CM
Pasade							EV
Pasan							KL
SODIUM AUROTHIOMALATE						765	
Myocerin							MB
SODIUM CALCIUMEDETATE						767	
Calcium Disodium Versenate							RK
SODIUM CHLORIDE						768	
(Hypertonic Solution)							
Braun's Plastik Infusor							BT
I.V. Fluid							FH
Solvac							DH
(Physiological Solution)							
Abbo-Litre							AB
Braun's Plastik Infusor							BT

	Name	Item No.	Code
768—continued			
	I.V. Fluid		FH
	Solvac		DH
	Steriflex No. 1		GL
	Venosol		FH
SODIUM CHLORIDE AND DEXTROSE		769	
	Abbo-Litre		AB
	Braun's Plastik Infusor		BT
	I.V. Fluid		FH
	Solvac		DH
	Steriflex No. 3		GL
	Steriflex No. 4		GL
SODIUM CHLORIDE COMPOUND		811	
	Braun's Plastik Infusor		BT
	I.V. Fluid		FH
	Solvac		DH
	Steriflex No. 9		GL
SODIUM CHLORIDE COMPOUND AND DEXTROSE		814	
	Braun's Plastik Infusor		BT
	I.V. Fluid		FH
	Solvac		DH
SODIUM CITRATE		770	
	Tabloid		BW
SODIUM FOLATE		804	
	Folvite		LE
SODIUM LACTATE		771	
(Solution 1/6 Molar)—			
	Abbo-Litre		AB
	Braun's Plastik Infusor		BT
	I.V. Fluid		FH
	Solvac		DH
SODIUM LACTATE-COMPOUND		812	
	Braun's Plastik Infusor		BT
	I.V. Fluid		FH
	Solvac		DH
	Steriflex No. 11		GL
SODIUM LACTATE-COMPOUND AND DEXTROSE		813	
	Braun's Plastik Infusor		BT
	I.V. Fluid		FH
	Solvac		DH
SODIUM OLEATE COMPOUND		772	
	Cholelith		PD
SODIUM SALICYLATE		774	
	Ensalate		HY
	Nuseals		LY
SODIUM SULPHATE		775	
	Braun's Plastik Infusor		BT
	Solvac		DH
SODIUM TAUROGLYCOCHOLATE		776	
	Tauroglate		DH
	Veracolate		WW

Name	Item No.	Code
SOYA FORMULA	805	
Sobee Instant Powder		CM
Sobee Liquid		CM
Velactin		WA
SPIRAMYCIN	806	
Rovamycin		MB
STILBOESTROL	780	
Tabloid		BW
STREPTOMYCIN SULPHATE	781	
Guanimycin Tablets		GL
Strepolin		GL
Streptaquaine		DL
Streptevan		EV
Strept-Evanules		EV
Streptomycin Intrathecal		DL
Viules		BT
SUCCINYLSULPHATHIAZOLE	783	
Sulphasuxidine		MK
SULPHACETAMIDE SODIUM	784	
Acetopt		SI
Albucid		SC
Dropster		KL
Ocsetan		EV
Optamide		MG
SULPHADIAZINE	785	
Diazyl Duleets		AB
Infatabs		PD
Sulphadiazinettes		KL
Tabloid		BW
SULPHADIMETHOXINE	787	
Madribon		RO
SULPHADIMIDINE	788	
Dimidi-Sulph		VR
Diminsuls		MG
S-Mez		IC
Sulphamezathine		IC
SULPHADIMIDINE SODIUM	789	
S-Mez		IC
SULPHAFURAZOLE	790	
Gantrisin		RO
SULPHAGUANIDINE	791	
Tabloid		BW
SULPHAMETHIZOLE	793	
Thiosulfil		AY
Urolucosil		WW
SULPHAMETHOXYDIAZINE	817	
Bayrena		FB
Bayrena Suspension		FB
Kirocid		SC
Kirocid Suspension		SC

Name						Item No.	Code
SULPHAMETHOXYPYRIDAZINE						794	
Lederkyn	..	..	..	..	..		LE
Midicel	..	..	..	..	..		PD
SULPHAMETHOXYPYRIDAZINE N-ACETYL						807	
Lederkyn Suspension	..	..	..	..	..		LE
Midicel Acetyl Suspension	..	..	..	..	..		PD
SULPHAPHENAZOLE						808	
Orisul	..	..	..	..	..		CB
SULPHAPYRIDINE, B.P.C.						795	
M. & B. 693	..	..	..	..	..		MB
SULPHINPYRAZONE						815	
Anturan	..	..	..	..	..		GE
SULPHONAMIDES, MIXED (B): THREE SULPHONAMIDES						796	
Multisulpha	..	..	..	..	..		KL
Multisulphettes	..	..	..	..	..		KL
Sulphaco	..	..	..	..	..		CM
Sulphaco-Mitis	..	..	..	..	..		CM
Sulpha-Dimerazole	..	..	..	..	..		VR
Sulphadital	..	..	..	..	..		FM
Sulphatriad	..	..	..	..	..		MB
Sulphatriad (Flavoured)	..	..	..	..	..		MB
Sulphonamix	..	..	..	..	..		SI
Three Sulphas	..	..	..	..	..		AD
Triazolyl Dulcets	..	..	..	..	..		AB
Triple Sulpha	..	..	..	..	..		TO
Triple Sulphonamides	..	..	..	..	..		FA
Triposulph	..	..	..	..	..		DH
Trisulpha	..	..	..	..	..		AN
Trisulfettes	..	..	..	..	..		AN
SUSTANON						800	
Sustanon '250'	..	..	..	..	..		OR
SUXAMETHONIUM BROMIDE						801	
Brevidil M.	..	..	..	..	..		MB
TACRINE						892	
T.H.A.	..	..	..	..	..		WH
TESTOSTERONE						852	
Neo-Hombreol	..	..	..	..	..		OR
Perandren	..	..	..	..	..		CB
Testoviron	..	..	..	..	..		SC
TESTOSTERONE METHYL						853	
Metestine	..	..	..	..	..		KL
Testogenine	..	..	..	..	..		FM
TESTOSTERONE OENANTHATE						854	
Primoteston Depot	..	..	..	..	..		SC
TESTOSTERONE PROPIONATE						855	
Neo-Hombreol	..	..	..	..	..		OR
Perandren	..	..	..	..	..		CB
Testine	..	..	..	..	..		KL
Testogenine	..	..	..	..	..		FM
Testoviron	..	..	..	..	..		SC

Name						Item No.	Code
TETANUS ANTITOXIN						856	
Tetanus Antitoxin Berna							SE
Wellecome							BW
TETANUS TOXOID						857	
Te Anatoxin Berna							SE
TETRACYCLINE						860	
Achromycin							LE
Ambramycin							LT
Fabacycline							FB
Panmycin							UP
Steclin							SQ
Tetracyn							PF
(Granules)							
Achromycin Spersoids							LE
(Paediatric Drops)							
Achromycin Paediatric Drops							LE
Fabacycline Paediatric Drops							FB
Panmycin Aquadrops							UP
(Oral Suspension)							
Achromycin Syrup							LE
Ambramycin Suspension							LT
Tetracyn Oral Suspension							PF
(Ophthalmic Eye Drops)							
Achromycin Oil							LE
(Ophthalmic Ointments)							
Achromycin Ointment Ophthalmic							LE
Tetracyn Ointment Ophthalmic							PF
TETRACYCLINE WITH NYSTATIN						862	
Achrostatin							LE
Comycin							UP
Mysteclin V							SQ
TETRACYCLINE WITH OLEANDOMYCIN						863	
Synermycin							PF
Synermycin I.M.I.							PF
(Paediatric Drops)							
Synermycin Oral Paediatric Drops							PF
(Oral Suspension)							
Synermycin Oral Suspension							PF
TETRACYCLINE (BUFFERED)						864	
Achromycin-V							LE
Ambramycin-V							LT
Fabacycline-V							FB
Panmycin M (Buffered)							UP
Steclin-V							SQ
Tetracyn-V							PF
(Paediatric Drops)							
Achromycin-V. Paediatric Drops							LE
Ambramycin-V. Paediatric Drops							LT
Steclin-V. Paediatric Drops							SQ
Tetracyn-V Paediatric Drops							PF
(Oral Suspension)							
Achromycin-V Suspension							LE
Ambramycin-V Suspension							LT

Name	Item No.	Code
864—continued		
Panmycin KM Suspension		UP
Steclin-V Syrup		SQ
Tetracyc-V Suspension		PF
TETRACYCLINE (BUFFERED) WITH		
AMPHOTERICIN B	890	
Mysteclin-V Improved		SQ
THENALIDINE TARTRATE	880	
Sandosten + Calcium		SZ
Sandosten Calcium Syrup		SZ
THEOBROMINE, B.P.C.	865	
Durone		KL
Theobarb		AB
THIAMBUTOSINE	891	
Ciba 1906		CB
THYROID	868	
Proloid		WW
Thymax		BW
Troid		GP
THYROXINE SODIUM	882	
Eltroxin		GL
Oroxine		BW
Rox		RT
Thyrine		DH
Thyroxinal		FM
TOLAZOLINE HYDROCHLORIDE	870	
Priscol		CB
Toline		KL
TOLBUTAMIDE	871	
Artosin		PH
Rastinon		FM
TRIAMCINOLONE	887	
Kenacort		SQ
Lederkort		LE
TRICYCLAMOL CHLORIDE	888	
Tricoloid		BW
TRIETHANOLAMINE TRINITRATE	873	
Duronitrin		AN
Praenitron		SC
TRIFLUOPERAZINE	889	
Stelazine		SK
TRIMETAPHAN CAMPHORSULPHONATE,		
B.P.C.	874	
Arfonad		RO
TRIPLENNAMINE HYDROCHLORIDE	885	
Pyribenzamine		CB
TRIPROLIDINE HYDROCHLORIDE	886	
Actidil		BW
Actidil Elixir		BW

Name						Item No.	Code
TROXIDONE						875	
Epidione							GA
Tridione							AB
VASOPRESSIN						921	
Pitressin							PD
VASOPRESSIN TANNATE IN OIL						922	
Pitressin Tannate in Oil							PD
VERILOID						923	
Veriloid							RK
VIPRYNIUM EMBONATE						929	
Vanquin							PD
Vanquin Suspension							PD
VITAMIN A						924	
Carotin							PR
Ro-A-Vit							RO
VITAMINS A AND D						926	
Adexolin							GL
Viadol							DH
VITAMIN K						927	
K-Thrombin							FM
Synkamine							PD
VITAMINS COMPOUND						928	
Citradex							GL
Gerovit							FA
Hexaplex							PR
Multivite-Six							BD
Orum-Vite							VR
Polivitab							AB
Sixavite							KL
Univite							PH
Vitaminorum							AD, DH, HY, MG, PD, SI
WARFARIN SODIUM						994	
Coumadin							EN
WATER FOR INJECTION						941	
Viules							BT
WOOL ALCOHOLS						942	
Eucerin							EV

Colostomy and Ileostomy

Name						Item No.	Code
ACRYLIC RESIN						991	
Nobecutane	..	..	..	..	..		EV
CHLORAMINE, B.P.C.						994	
Clorstom	..	..	..	..	..		DH
LISSAPOL						995	
Lissapol	..	..	..	..	..		IC
POLYDIMETHYLSILOXANES						996	
Siopel	..	..	..	..	..		IC
SURGICAL CEMENT						997	
QT. Cement	..	..	..	..	..		JA

PROPRIETARY INDEX

PART 2—PROPRIETARY NAMES INDEX

Preparation	Item No.	Code
A		
Abbecillin G. Abboject (Penicillin Benzyl Pro- caine)	593	AB
Abbecillin-V Film Tabs (Penicillin, Phenoxy- methyl (Potassium Salt)	595	AB
Abbecillin-VK (Penicillin, Phenoxy-methyl) (Potassium Salt)	595	AB
Abbecillin-V-Oral Suspension (Penicillin, Phen- oxymethyl (Hydrababamine Salt)	595	AB
Abbecort (Hydrocortisone Acetate)	394	AB
Abbo-Litre (Dextrose)	238	AB
Abbo-Litre (Procaine Hydrochloride in Normal Saline)	639	AB
Abbo-Litre (Sodium Chloride)	768	AB
Abbo-Litre (Sodium Chloride and Dextrose)	769	AB
Abbo-Litre (Sodium Lactate)	771	AB
Acetaco (Acetylsalicylic Acid Compound)	5	CO
Acetophos (Codeine Phosphate)	160	HY
Acetopt (Sulphacetamide Sodium)	784	SI
Acetylarsan (Acetarsol)	1	MB
Achromycin (Tetracycline)	860	LE
Achromycin Oil (Tetracycline)	860	LE
Achromycin Ointment Ophthalmic (Tetracycline)	860	LE
Achromycin Pediatric Drops (Tetracycline)	860	LE
Achromycin Spersoids (Tetracycline)	860	LE
Achromycin Syrup (Tetracycline)	860	LE
Achromycin-V (Tetracycline (Buffered))	864	LE
Achromycin-V Pediatric Drops (Tetracycline (Buffered))	864	LE
Achromycin-V Suspension (Tetracycline (Buffered))	864	LE
Achrostatin (Tetracycline with Nystatin)	862	LE
Acode (Codeine Phosphate)	160	KL
Aethargel (Corticotrophin)	168	PH
A.C.T.H.-Depot (Corticotrophin)	168	SC
Actidil (Triprolidine Hydrochloride)	886	BW
Actidil Elixir (Triprolidine Hydrochloride)	886	BW
Adaben (Benzocaine)	90	KL
Adalin (Carbromal)	135	BA
Adanon (Methadone Hydrochloride)	517	BA
Adexolin (Vitamins A and D)	926	GL
Adrenaline Hyperduric (Adrenaline Mucate)	43	GL
Adreson (Cortisone Acetate)	169	OR
Adrox (Aluminium Hydroxide)	19	RD
Aerosporin Otic Solution (Polymyxin B. Sulphate)	629	BW
Agarol (Paraffin Liquid)	588	WW
A.H.T. (Aluminium Hydroxide)	19	WY
Albucid (Sulphacetamide Sodium)	784	SC
Alcopar (Bephenium Hydroxynaphthoate)	102	BW
Allercur (Clemizole Hydrochloride)	180	SC
Allercur (Clemizole Tannate)	188	SC

Preparation	Item No.	Code
Almacarb (Aluminium Hydroxide Gel. Dried) ..	49	BD
Alox (Aluminium Hydroxide)	19	KL
Aludrox (Aluminium Hydroxide Gel. Dried) ..	49	WY
Aludrox Suspension (Aluminium Hydroxide Gel.)	44	WY
Aluminium Hydroxide Hamiltab (Aluminium Hydroxide)	19	WA
Aluminium Paste (Aluminium Powder, B.P.C.)..	45	BT
Alusorb (Aluminium Hydroxide Gel.)	44	DH
Amal (Amylobarbitone)	30	KL
Ambramycin (Tetracycline)	860	LT
Ambramycin Suspension (Tetracycline)	860	LT
Ambramycin V (Tetracycline (Buffered)) ..	864	LT
Ambramycin V Paediatric Drops (Tetracycline (Buffered)).. ..	864	LT
Ambramycin V Suspension (Tetracycline (Buff- ered))	864	LT
Amechol (Mecholyl Chloride)	483	SY
Amesec, Enseals and Pulvules (Aminophylline) ..	22	LY
Amifal (Aminophylline)	22	KL
Aminacyl (Calcium Aminosalicylate, B.P.C.) ..	128	WA
Aminacyl (Sodium Aminosalicylate)	773	WA
Aminacyl Granulate (Calcium Aminosalicylate, B.P.C.)	128	WA
Amnosed (Cyclobarbitone)	174	BW
Amatane (Amylobarbitone)	30	PR
Amphojel (Aluminium Hydroxide Gel.)	44	WY
Amphotabs (Aluminium Hydroxide)	19	WY
Amylbarb (Amylobarbitone)	30	PT
Amytal (Amylobarbitone)	30	LY
Amytal Sodium (Amylobarbitone Sodium) ..	31	LY
Amytal Sodium Pulvules (Amylobarbitone Sodi- um)	31	LY
Anabolex (Androstanolone)	47	MN
Anacardone (Nikethamide)	546	BD
Anacobin (Cyanocobalamin excluding 1,000 Micro- gramme Strength)	172	BD
Anagal (Bismuth Subgallate, B.P.C.)	97	KL
Andrazide (Isoniazid)	423	AN
Androcort (Corticotrophin)	168	AN
Androphyllin (Aminophylline)	22	AN
Androstanolone (Methyl Androstanolone)	495	RL
Angesil (Codeine Phosphate)	160	DH
Anginine Stabilised (Glyceryl Trinitrate)..	363	BW
Ansolsen (Pentolinium Tartrate).. ..	600	MB
Ansolsen with Ephedrine (Pentolinium Tartrate with Ephedrine)	601	MB
Antepar (Piperazine Citrate, B.P.)	654	BW
Anthisan (Mepyramine Maleate)	487	MB
Anthralin (Dithranol)	264	AB
Antistine (Antazoline Hydrochloride)	34	CB
Antistine-Privine Drops (Antazoline Hydrochlor- ide)	34	CB
Antrenyl (Oxyphenonium Bromide)	572	CB
Antrenyl Duples (Oxyphenonium Bromide) ..	572	CB

Preparation	Item No.	Code
Antuitrin "S" (Chorionic Gonadotrophin B.P.) ..	156	PD
Anturan (Sulphinpyrazone) ..	815	GE
Anusol (Bismuth Subgallate, B.P.C.) ..	97	WW
Apaharb (Acetylsalicylic Acid Compound) ..	5	KL
A.P.L. (Chorionic Gonadotrophin B.P.) ..	156	AY
Aprinox (Bendrofluazide) ..	106	BT
Aprinox-M (Bendrofluazide) ..	106	BT
Aquacaine G. (Penicillin Benzyl Procaine) ..	593	CS
Aquacaine G. Fortified (Penicillin Benzyl, Procaine Fortified) ..	594	CS
Aquacaine G. Suspension (Penicillin Benzyl Procaine) ..	593	CS
Aquacillin (Penicillin Benzyl Procaine) ..	593	FA
Aralen (Chloroquine Base) ..	150	BA
Arfonad (Trimetaphan Camphorsulphonate, B.P.C.) ..	874	RO
Artane (Benzhexol Hydrochloride) ..	89	LE
Artosin (Tolbutamide) ..	871	PH
Asadeine (Codeine Phosphate) ..	160	NS
Ascotin (Codeine Phosphate) ..	160	FA
Asmin (Ephedrine Hydrochloride) ..	304	KL
Aspalgin (Codeine Phosphate) ..	160	FM
Aspisol (Acetylsalicylic Acid) ..	4	KL
Aspisol 2½ (Acetylsalicylic Acid) ..	4	KL
Astrafer (Dextrin Iron 2% Intravenous) ..	237	AP
A.T.10 (Hydrocalfiferol) ..	400	BA
Atropt (Atropine Sulphate) ..	40	SI
Atroptol (Atropine) ..	38	SI
Aureomycin (Chlortetracycline Hydrochloride) ..	154	LE
Aureomycin Ophthalmic Ointment (Chlortetracycline Hydrochloride) ..	154	LE
Aureomycin Spersoids (Chlortetracycline Hydrochloride) ..	154	LE
Auro-Calcium (Calcium Aurothiomalate) ..	123	CK
Avil (Prophepyridamine Para-Aminosalicylate) ..	645	HP
Avil Syrup (Prophepyridamine Maleate) ..	681	HP
Avilette (Prophepyridamine Para-Aminosalicylate) ..	645	HP
Avlocor (Chloroquine Base) ..	150	IC
Avlon (Mepacrine Hydrochloride) ..	486	IC
Avlon (Primaquine Base) ..	636	IC
Avlosulphon (Dapsone) ..	230	IC

B

Bactylan (Sodium Aminosalicylate) ..	773	RL
Badrin (Amphetamine Sulphate) ..	28	KL
Bakramil (Phenobarbitone) ..	610	BK
B.A.L. (Dimercaprol) ..	254	BT
Baqual (Quinalbarbitone Sodium, B.P.) ..	721	KL
Baqual Co (Acetylsalicylic Acid Compound) ..	5	KL
Barbeph (Ephedrine Hydrochloride) ..	304	KL
Barbeph Forte (Ephedrine Hydrochloride) ..	304	KL
Barbico (Barbitone Compound, A.P.F. 1955) ..	84	AB
Barbidein (Phenacetin) ..	650	DH
Barbopent (Pentobarbitone Sodium) ..	598	BW

Preparation	Item No.	Code
Bardorm (Phenobarbitone)	610	GP
Bayrena (Sulphamethoxydiazine)	817	FB
Bayrena Suspension (Sulphamethoxydiazine)	817	FB
Benadon (Pyridoxine Hydrochloride, B.P.C.)	649	RO
Benadryl (Diphenhydramine Hydrochloride)	255	PD
Benemid (Probenecid)	659	MK
Benol (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	KL
Benol Forte (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	KL
Benol 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	KL
Benzevan (Benzyl Benzoate)	93	EV
Berin '50' (Aneurine Hydrochloride)	32	GL
Berin '100' (Aneurine Hydrochloride)	32	GL
Betamin (Aneurine Hydrochloride)	32	KL
Betamin Forte (Aneurine Hydrochloride)	32	KL
Beta Sol. (Aneurine Hydrochloride)	32	FM
Beta Tabs (Aneurine Hydrochloride)	32	FM
Betnelan (Betamethasone)	109	GL
Betnelan (Betamethasone Phosphate)	110	GL
Bicillin (Penicillin Benzathine)	591	WY
Bicillin All-purpose Injection (Penicillin Benzathine)	591	WY
Bihydroquin (Quinine Dihydrochloride)	724	PD
Bi-Stabillin (Pencillin Benzyl, Procaine Fortified)	594	BT
Bitevan (Cyanocobalamin, excluding 1,000 Microgramme Strength)	172	EV
Boots Lente (Insulin Zinc)	417	BT
Boots Semilente (Insulin Zinc)	417	BT
Boots Ultralente (Insulin Zinc)	417	BT
Braun's Plastik Infusor (Darrow's Solution)	231	BT
Braun's Plastik Infusor (Dextrose)	238	BT
Braun's Plastik Infusor (Procaine Hydrochloride in Normal Saline)	639	BT
Braun's Plastik Infusor (Sodium Chloride)	768	BT
Braun's Plastik Infusor (Sodium Chloride Compound)	811	BT
Braun's Plastik Infusor (Sodium Chloride Compound and Dextrose)	814	BT
Braun's Plastik Infusor (Sodium Chloride and Dextrose)	769	BT
Braun's Plastik Infusor (Sodium Lactate)	771	BT
Braun's Plastik Infusor (Sodium Lactate Compound)	812	BT
Braun's Plastik Infusor (Sodium Lactate Compound and Dextrose)	813	BT
Braun's Plastik Infusor (Sodium Sulphate)	775	BT
Brevidil M. (Suxamethonium Bromide)	801	MB
Bronkaphrine (Ethylnoradrenaline)	326	WL
Bubal (Butobarbitone)	100	KL
Budorm (Butobarbitone)	100	GP
Burco (Codeine Phosphate)	160	BW
Burcosol (Codeine Phosphate)	160	BW
Butisol Sodium (Butabarbital Sodium)	107	AN

Preparation	Item No.	Code
Butazolidin (Phenylbutazone)	616	GE

C

Cafergot (Ergotamine Tartrate)	307	SZ
Cafergot PB Suppositories (Ergotamine Tartrate)	307	SZ
Cafergot Q (Ergotamine Tartrate)	307	SZ
Cainoptol (Cocaine)	158	SI
Calcipas (Calcium Aminosalicylate, B.P.C.) ..	128	KL
Calcipen (Penicillin, Phenoxymethyl, (Calcium Salt))	595	LP
Calcium Disodium Versenate (Sodium Calcium- edetate)	767	RK
Camoquin (Amodiaquine Base)	27	PD
Caps-Pen V (Penicillin, Phenoxymethyl) (Calcium Salt)	595	BT
Caral (Carbromal)	135	KL
Carbizole (Carbimazole)	134	PT
Carbo Medicinalis (Charcoal)	141	AN
Carbrital (Pentobarbitone Sodium Compound) ..	599	PD
Carbrodorm (Carbromal)	135	GP
Cardiazol (Leptazol)	460	KN
Cardigen (Digitoxin, B.P.C.)	246	PD
Cardilate (Erythrityltetranitrate)	309	BW
Cardophyllin (Aminophylline)	22	HA
Cardophyllin with Phenobarb (Aminophylline) ..	22	HA
Cardrase (Ethoxzolamide)	314	UP
Carine (Aminophylline)	22	KL
Carine with Phenobarb (Aminophylline)	22	KL
Carotin (Vitamin A)	924	PR
Cecon (Ascorbic Acid)	37	AB
Cedilanid (Desacetyl-Lanatoside-C)	233	SZ
Cedilanid (Lanatoside-C)	464	SZ
Celestone (Betamethasone)	109	SH
Celestone Ophthalmic Drops (Betamethasone Phosphate)	110	SH
Celin '50' (Ascorbic Acid)	37	GL
Celin '250' (Ascorbic Acid)	37	GL
Cemalonol Injection (Phenobarbitone Sodium) ..	611	CM
Cetamin (Ascorbic Acid)	37	KL
Charcoïd (Charcoal)	141	BW
Cholelith (Sodium Oleate Compound)	772	PD
Chloromycetin (Chloramphenicol)	145	PD
Chloromycetin Palmitate (Chloramphenicol) ..	145	PD
Chloromycetin Succinate (Chloramphenicol) ..	145	PD
Chlor Trimeton (Chlorpheniramine Maleate) ..	175	SH
Chlor Trimeton Repetabs (Chlorpheniramine Maleate)	175	SH
Chlotride (Chlorothiazide)	151	MK
Ciba 1906 (Thiambutosine)	891	CB
Cilamycin (Penicillin with Streptomycin)	596	SI
Cilicaine Fortified (Penicillin Benzyl, Procaine Fortified)	594	SI
Cilicaine Simplex (Penicillin Benzyl Procaine) ..	593	SI
Cilicaine Suspension (Penicillin Benzyl Procaine)	593	SI

Preparation	Item No.	Code
Cilicaine-VK (Penicillin, Phenoxymethyl) (Potassium Salt)	595	SI
Cilicaine-V Oral (Suspension) (Penicillin Phenoxymethyl) (Free Acid)	595	SI
Cillapen (Penicillin, Phenoxymethyl) (Potassium Salt)	595	PR
Citradex (Vitamins Compound)	928	GL
Citrapen Suspension (Penicillin Phenoxymethyl (Potassium Salt)	595	DL
Clinistix (Glucose Indicator)	366	AM
Clinitest (Copper Sulphate)	167	AM
Clistin (Carbinoxamine Maleate)	186	AN
Clorstom (Chloramine, B.P.C.)	994	DH
Cobarb (Phenacetin)	650	SI
Cobastab (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	BT
Cobastab 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	BT
Co-Com (Codeine Phosphate)	160	VR
Codacet (Codeine Phosphate)	160	BW
Codacet Soluble (Codeine Phosphate)	160	BW
Code-Co Hamiltab (Codeine Phosphate)	160	HA
Codelcortone (Prednisolone)	634	MK
Codelsol (Prednisolone Disodium Phosphate)	656	MK
Co-Deltra (Prednisone)	635	MK
Codiphen (Codeine Phosphate)	160	GP
Codiphen Forte (Codeine Phosphate)	160	GP
Codral Forte (Codeine Phosphate)	160	BW
Codsol (Codeine Phosphate)	160	KL
Co-Hydeltra (Prednisolone)	634	MK
Colehicine MR (Colchicine)	162	MR
Colein (Colchicine)	162	KL
Colgont (Colchicine)	162	PT
Colliron (Ferric Hydroxide)	348	EV
Colliron (Iron Oxide Saccharated)	426	EV
Colsaloid (Colchicine)	162	BW
Compenase (Penicillinase)	651	CS
Compodorm (Phenacetin)	650	GP
Comycin (Tetracycline with Nystatin)	862	UP
Coramine (Nikethamide)	546	CB
Coriantin (Chorionic Gonadotrophin B.P.)	156	RM
Cortadren (Cortisone Acetate)	169	SH
Cortate (Cortisone Acetate)	169	PT
Cortef (Hydrocortisone)	387	UP
Cortef Suspension (Hydrocortisone Acetate)	394	UP
Cortelan (Cortisone Acetate)	169	GL
Cortic (Cortisone Acetate)	169	AD
Cortico-Gel. (Corticotrophin)	168	CK
Cortisyl (Cortisone Acetate)	169	RL
Cortocaps (Hydrocortisone and Neomycin)	401	CK
Cortone (Cortisone Acetate)	169	MK
Cortril (Hydrocortisone Acetate)	394	PF
Cortril (Hydrocortisone)	387	PF
Cortrophin (Corticotrophin)	168	OR
Cortrophin ZN (Corticotrophin)	168	OR

Preparation	Item No.	Code
Cotin (Ergotamine Tartrate)	307	KL
Coumadin (Warfarin Sodium)	944	EN
Cremomycin (Neomycin Sulphate and Kaolin) ..	559	MK
Crystalline Penicillin G. (Penicillin Benzyl (Sodium Salt)	592	CS
Crystamycin (Penicillin with Streptomycin) ..	596	GL
Crystapen (Penicillin, Benzyl)	592	GL
Crystapen G. '200' (Penicillin, Benzyl)	592	GL
Crystapen G. '400' (Penicillin, Benzyl)	592	GL
Crystapen-V (Penicillin, Phenoxymethyl (Free Acid))	595	GL
Crystasol (Penicillin with Streptomycin) ..	596	GL
Crystoids (Hexylresorcinol)	383	MK
C.V.K. (Penicillin, Phenoxymethyl (Potassium Salt))	595	GL
C.V.L. (Paediatric) '125' (Penicillin, Phenoxymethyl (Calcium Salt))	595	GL
Cyanocobalamin Difrex (Cyanocobalamin 1,000 Microgramme Strength)	173	DF
Cybal (Cyclobarbitone)	174	KL
Cycladiene (Dienoestrol)	242	DF
Cydorm (Cyclobarbitone)	174	GP
Cymogran (Phenylalanine Low Content Formula)	653	GL
Cytamen (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	GL
Cytamen 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	GL

D

D.A.D.P.S. (Dapsone)	230	AN
Daptazole (Aminphenazole Hydrochloride, A.P.F. 1955)	23	NS
Daquin (Chlorazani)	146	RK
Daranide (Dichlorphenamide)	277	MK
Darenthin (Bretylum Tosylate)	105	BW
Daricon (Oxyphenecyclimine Hydrochloride) ..	571	PF
Decadron (Dexamethasone)	234	MK
Decadron (Dexamethasone Sodium Phosphate) ..	273	MK
Decortisyl (Prednisone)	635	RL
Delta-Cortef (Prednisolone)	634	UP
Delta-Cortelan (Prednisone)	635	GL
Deltacortisone (Prednisone)	635	AN
Deltacortone (Prednisone)	635	MK
Deltacortril (Prednisolone)	634	PF
Deltafluorene (Dexamethasone)	234	LT
Deltahydrocortisone (Prednisolone)	634	AN
Delta-Scheroson (Prednisone)	635	SC
Deltasolone (Prednisolone)	634	KL
Deltasone (Prednisone)	635	KL
Delta-Stab (Prednisolone)	634	BT
Demerol (Pethidine Hydrochloride)	604	BA
Depinar (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	AR
Depinar (Cyanocobalamin 1,000 Microgramme Strength)	173	AR
Depo-Medrol (Prednisolone Methyl Acetate) ..	683	UP

Preparation	Item No.	Code
Deronil (Dexamethasone)	234	SH
Desicol (Extract of Ox Bile)	324	PD
Desoxyn (Methylamphetamine Hydrochloride) ..	494	AB
Dettol (Chloroxylenol)	152	RC
Devegan (Acetarsol)	1	BA
Dexacortisyl (Dexamethasone)	234	RL
Dexamine (Dexamphetamine Sulphate) ..	235	KL
Dexamphate (Dexamphetamine Sulphate) ..	235	DH
Dexa-Scheroson (Dexamethasone)	234	SC
Dex-M (Dexamphetamine Sulphate)	235	GP
Dextelan (Dexamethasone)	234	GL
D.F.P. (Dyflos B.P.C.)	281	BT
D.H.A.245 (Amiphenazole Hydrobromide, A.P.F.)	46	DH
Diabinese (Chlorpropamide)	153	PF
Di-Ademil (Hydroflumethiazide)	395	SQ
Di-Adreson (Prednisone)	635	OR
Di-Adreson-F (Prednisolone)	634	OR
Diamox (Acetazolamide)	2	LE
Diamox Sodium Parenteral (Acetazolamide Sodium Parenteral)	42	LE
Diamyl (Amylobarbitone)	30	DF
Diazyl Dulcets (Sulphadiazine)	785	AB
Dichlotride (Hydrochlorothiazide)	392	MK
Digieristin (Digitoxin, B.P.C.)	246	CM
Diginox (Digoxin)	247	RD
Digitab (Digoxin)	247	AB
Digitaline (Digitoxin, B.P.C.)	246	NA
Digolan (Digoxin)	247	KL
Dihydergot (Dihydroergotamine)	249	SZ
Dilantin (Phenytoin Sodium)	618	PD
Dilantin Sodium Steri-Vial (Phenytoin Sodium) ..	618	PD
Dilantin Suspension (Phenytoin)	677	PD
Dilaudid (Dihydromorphinone Hydrochloride B.P.C. 1949)	250	KN
Dimenformon (Oestradiol Benzoate)	562	OR
Dimidi-Sulph (Sulphadimidine)	788	VR
Diminsuls (Sulphadimidine)	788	MG
Dindevan (Phenindione)	609	EV
Diodoquin (Diiodohydroxyquinoline)	253	SR
Di-Paralene (Chloreyclizine Hydrochloride) ..	148	AB
Diparcol (Diethazine Hydrochloride)	243	MB
Direma (Hydrochlorothiazide)	392	DL
Direxiodo (Diiodohydroxquinoline)	253	DF
Disipidin (Pituitary Posterior Lobe, B.P.C.) ..	627	ST
Distakaps V-K (Penicillin, Phenoxymethyl (Potassium Salt))	595	DL
Distaquaine Fortified (Penicillin Benzyl, Procaine Fortified)	594	DL
Distaquaine G. (Penicillin Benzyl Procaine) ..	593	DL
Distaquaine V (Penicillin, Phenoxymethyl (Free Acid))	595	DL
Distaquaine V-K (Penicillin, Phenoxymethyl (Potassium Salt))	595	DL
Distaquaine V-K Suspension (Penicillin, Phenoxymethyl (Potassium Salt))	595	DL

Preparation	Item No.	Code
Distivit B ₁₂ (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	DL
Distivit B ₁₂ (Cyanocobalamin 1,000 Microgramme Strength)	173	DL
Ditoin (Phenytoin Sodium)	618	KL
Diurophylin (Aminophylline)	22	CM
Divermex (Piperazine Adipate)	625	DF
Dixin (Digitoxin, B.P.C.)	246	KL
D.O.C.A. (Deoxycortone Acetate)	232	OR
Doriden (Glutethimide)	367	CB
Doxephrin (Methylamphetamine Hydrochloride)	494	PH
Drapolex (Benzalkonium Chloride)	102	CA
Dromoran (Levorphanol Tartrate, B.P.C.)	463	RO
Dropster (Aminacrine Hydrochloride)	21	KL
Dropster (Atropine Sulphate)	40	KL
Dropster (Methylcellulose, A.P.F.)	497	KL
Dropster (Neomycin Sulphate Eye Drops)	553	KL
Dropster (Pilocarpine Nitrate)	624	KL
Dropster (Sulphacetamide Sodium)	784	KL
Durabolin (Nandrolone)	558	OR
Durone (Theobromine, B.P.C.)	865	KL
Duronitrin (Triethanolamine Trinitrate)	873	AN
Duro-Tuss (Pholcodine)	619	RK
Dymadon (Paracetamol)	682	CA

E

E.D.C. (Ethylidene Dicoumarin)	316	NS
Edrol (Ethinylestradiol)	311	VR
Efcortelan (Hydrocortisone)	387	GL
Efcortelan (Hydrocortisone Acetate)	394	GL
Efcortelan Solution Tablets (Hydrocortisone Sodium Succinate)	389	GL
Eleparon (Heparin)	379	LW
Elixir Benadryl (Diphenhydramine Hydrochloride)	255	PD
Elliotts Clinic Emulsion (Cod Liver Oil)	161	DH
Eltroxin (Thyroxine Sodium)	882	GL
Embequin (Diiodohydroxyquinoline)	253	MB
Emphet (Methylamphetamine Hydrochloride)	494	VR
Emplet Ferrous Sulphate (Ferrous Sulphate)	341	PD
Endoxan-Asta (Cyclophosphamide)	176	CM
Enduron (Methyclothiazide)	513	AB
Enduron M (Methyclothiazide)	513	AB
Enipreser (Reserpine)	746	MG
Ensalate (Sodium Salicylate)	774	HY
Ensobarb (Phenobarbitone)	610	HY
Ensogran (Sodium Aminosalicylate)	773	HY
Entacyl (Piperazine Adipate)	625	BD
Enterocid (Phthalylsulphacetamide)	620	BS
Entero-Vioform (Iodochlorhydroxyquinoline)	428	CB
Epamal (Aminophylline)	22	PF
Ephedroid (Ephedrine Hydrochloride)	304	BW
Ephetal (Ephedrine Hydrochloride)	304	AB
Ephedrobarbital (Ephedrine Hydrochloride)	304	FM

Preparation	Item No.	Code
Ephophen (Ephedrine Hydrochloride)	304	MG
Epidione (Troloxidone)	875	GA
Eppy (Adrenaline)	12	AN
Ergalan-B. (Ergotamine Tartrate)	307	BD
Ergane (Ergotamine Tartrate)	307	DH
Ergodryl (Ergotamine Tartrate)	307	PD
Ergomal (Ergometrine Maleate)	306	CM
Ergomine (Ergometrine Maleate)	306	PT
Ergotart (Ergotamine Tartrate)	307	PT
Ergotart-C (Ergotamine Tartrate)	307	PT
Ergotrate (Ergometrine Maleate)	306	LY
Ermalate (Ergometrine Maleate)	306	BW
Erythrocin (Erythromycin)	308	AB
Erythrocin Abboject (Erythromycin)	308	AB
Erythrocin Granules (Erythromycin)	308	AB
Erythrocin Paediatric Suspension (Erythromycin)	308	AB
Esidrex (Hydrochlorothiazide)	392	CB
Estigyn (Ethinyloestradiol)	311	BD
Estrasal (Ethinyloestradiol)	311	HY
Ethamolin (Ethanalamine Oleate)	310	GL
Ethidyne (Codeine Phosphate)	160	EL
Etin (Ergotamine Tartrate)	307	KL
Eucerin (Wool Alcohols)	942	EV
Eumydrin (Atropine Methonitrate)	39	BA
Evacillin (Penicillin Benzyl Procaine)	593	EV
Evactil (Paraffin Liquid)	588	FA
Evanules (Penicillin Benzyl Procaine)	593	EV

F

Fabacycline (Tetracycline)	860	FB
Fabacycline Paediatric Drops (Tetracycline)	860	FB
Fabacycline V (Tetracycline (Buffered))	864	FB
Fabahistin (Mebhydrolin)	520	FB
Falcopen VK (Penicillin, Phenoxymethyl (Potassium Salt))	595	FA
Falcopen V Suspension (Penicillin, Phenoxymethyl (Benzathine Salt))	595	FA
Fauldings Epsom Salts (Magnesium Sulphate)	479	FA
Fenadon (Phenindione)	609	GA
Fenallo (Phenolphthalein)	614	DH
Fenbital (Phenobarbitone)	610	BW
Fergon (Ferrous Gluconate)	340	WL
Fergon Elixir (Ferrous Gluconate)	340	WL
Feromax Plain (Ferrous Sulphate)	341	WY
Ferrin 55 (Ferrous Gluconate)	340	FA
Ferrivenin (Iron Oxide Saccharated)	426	FC
Ferri-Vita (Ferrous Sulphate)	341	HY
Ferro-Chel (Ferrous Aminoacetosulphate)	346	CO
Ferroids (Iron Aminoate)	432	MR
Ferro-G. Hamiltab (Ferrous Gluconate)	340	HA
Ferromyn (Ferrous Succinate)	347	CA
Ferronicum (Ferrous Gluconate)	340	SZ
Ferrose (Ferrous Gluconate)	340	DH
Fersolate (Ferrous Sulphate)	341	GL

Preparation	Item No.	Code
Fibroxin (Digoxin)	247	VR
Flagyl (Metronidazole)	517	MB
Flebocortid (Hydrocortisone Sodium Succinate)	389	RM
Floraquin (Dihydroxyquinoline)	253	SR
Florinef (Fludrocortisone Acetate)	344	SQ
Folvite (Sodium Folate)	804	LE
Fulcin Forte (Griseofulvin)	365	IC
Fungizone (Amphotericin B)	29	SQ
Furadantin (Nitrofurantoin)	547	SK
Furadantin Suspension (Nitrofurantoin)	547	SK
Furamide (Diloxanide Furoate)	280	BT

G

Gantrisin (Sulphafurazole)	790	RO
Gardenal (Phenobarbitone)	610	MB
Gardenal Sodium (Phenobarbitone Sodium)	611	MB
Gastrogel (Aluminium Hydroxide Gel.)	49	FM
Gastrox (Aluminium Hydroxide Gel.)	49	GP
Geloid (Aluminium Hydroxide Gel. Dried)	49	BW
Gelox (Aluminium Hydroxide)	19	PR
Gelusil (Aluminium Hydroxide Gel. Dried)	49	WW
Gerovit (Vitamins Compound)	928	FA
Gliron (Ferrous Gluconate)	340	GP
Gluciron (Ferrous Gluconate)	340	MG
Glucobaem (Ferrous Gluconate)	340	VR
Glucamax (Ferrous Gluconate)	340	WY
Glucophylline (Aminophylline)	22	AB
Grancillin (Penicillin, Phenoxymethyl (Potassium Salt))	595	IQ
Grisovin F.P. (Griseofulvin)	365	GL
Guanimycin Tablets (Streptomycin Sulphate)	781	GL
Gynergen (Ergotamine Tartrate)	307	SZ

H

Haemofort (Ferrous Sulphate)	341	CM
Haldron (Paramethasone Acetate)	679	LY
Halotestin (Fluoxymesterone)	342	UP
Helmezine (Piperazine Phosphate)	626	GL
Helmezine Elixir (Piperazine Citrate, B.P.)	654	GL
Hemorex (Phenylephrine Hydrochloride)	617	WL
Heparin-Leo (Heparin)	379	LP
Hetrazan (Diethylcarbamazine Citrate)	244	LE
Hexa-Betalin (Pyridoxine Hydrochloride, B.P.C.)	649	LY
Hexaplex (Vitamins Compound)	928	PR
Hexavibex (Pyridoxine Hydrochloride, B.P.C.)	649	PD
Hibitane Concentrate 5% (Chlorhexidine Glucosate Solution)	181	IC
High Potency Ostelin (Calciferol)	121	GL
Histamine B.D.H. (Histamine Acid Phosphate)	384	BD
Histostab (Antazoline Hydrochloride)	34	BT
Histalert (Diphenylpyraline Hydrochloride)	278	RK
Histyl Spansules (Diphenylpyraline Hydrochloride)	278	SK
Honvan (Disodium Diethylstilboestrol Diphosphate)	263	CM

Preparation	Item No.	Code
Hyalase (Hyaluronidase)	385	FC
Hyason (Hyaluronidase)	385	OR
Hycodin (Codeine Phosphate)	160	FA
Hycor Eye Drops (Hydrocortisone)	387	SI
Hydral (Aluminium Hydroxide)	19	CO
Hydrenox (Hydroflumethiazide)	395	BT
Hydrid (Mersalyl Acid)	491	VR
Hydro-Adreson (Hydrocortisone)	387	OR
Hydro-Adreson (Hydrocortisone Acetate)	394	OR
Hydrocortistab Viules (Hydrocortisone Acetate)	394	B'I
Hydrocortisyl (Hydrocortisone)	387	RL
Hydrocortisyl (Hydrocortisone Acetate)	394	RL
Hydrocortone (Hydrocortisone Acetate)	394	MK
Hydrocortone Ophthalmic Suspension (Hydrocortisone)	387	MK
Hydrosone (Hydrocortisone)	387	KL
Hygroton (Chlorthalidone)	184	GE
Hypette B ₁ 50 (Aneurine Hydrochloride)	32	FA
Hypette B ₁ 100 (Aneurine Hydrochloride)	32	FA
Hypothal (Rauwolfia Alkaloids)	747	CM
Hysone (Hydrocortisone)	387	PT
Hysone-A (Hydrocortisone Acetate)	394	PT
Hysterg (Ergometrine Maleate)	306	VR

I

Ilosone (Erythromycin)	308	LY
Ilosone Pedipac (Erythromycin)	308	LY
Ilotycin (Erythromycin)	308	LY
Imferon (Dextran Iron)	236	FC
Infatabs (Sulphadiazine)	785	PD
Insoral (Phenformin)	673	WW
Insulin Berna (Insulin)	412	SE
Intravenous Efcortelan (Hydrocortisone Sodium Succinate)	389	GL
Ironate (Ferrous Gluconate)	340	KL
I.S.A. (Acetylsalicylic Acid)	4	IQ
I.S.C. (Codeine Phosphate)	160	IQ
Iserpine (Rauwolfia Alkaloids)	747	IQ
Ismelin (Guanethidine Sulphate)	364	CB
Isotinyil (Isoniazid)	423	KL
Isuprel (Isoprenaline Hydrochloride)	424	WL
Isuprel 1 : 5,000 (Isoprenaline Hydrochloride)	424	WL
I.V. Fluid (Darrow's Solution)	231	FH
I.V. Fluid (Dextrose)	238	FH
I.V. Fluid (Sodium Chloride)	768	FH
I.V. Fluid (Sodium Chloride Compound)	811	FH
I.V. Fluid (Sodium Chloride Compound and Dextrose)	814	FH
I.V. Fluid (Sodium Chloride and Dextrose)	769	FH
I.V. Fluid (Sodium Lactate)	771	FH
I.V. Fluid (Sodium Lactate-Compound)	812	FH
I.V. Fluid (Sodium Lactate-Compound and Dextrose)	813	FH

Preparation	Item No.	Code
J		
Jectofer (Iron-Carbohydrate Complex)	430	AP
Johnson's Caustic Pencil (Silver Nitrate) ..	809	SL
K		
Kaloplasm (Kaolin, Heavy)	451	FA
Kaomycin (Neomycin Sulphate and Kaolin) ..	559	UP
Kapilin (Acetomenaphthone)	3	GL
Kapilin (Menaphthone)	484	GL
Kavistine (Acetomenaphthone)	3	KL
Kayvite (Acetomenaphthone)	3	SI
Kemadrin (Procyclidine Hydrochloride) ..	640	BW
Kenacort (Triamcinolone)	887	SQ
Kinaden (Hyaluronidase)	385	SC
Kirocid (Sulphamethoxydiazine)	817	SC
Kirocid Suspension (Sulphamethoxydiazine) ..	817	SC
Klemidox (Clemizole Hydrochloride)	180	GP
Kolpon (Oestrone, B.P.C. 1954)	563	OR
Konakion (Phytomenadione)	666	RO
K-Thrombin (Vitamin K)	927	FM
K-Thrombin (Aqueous) (Menaphthone)	484	FM
KX 60 (Phenoxymethyl Penicillin (Potassium Salt))	595	DF
KX 125 (Phenoxymethyl Penicillin (Potassium Salt))	595	DF
KX 250 (Phenoxymethyl Penicillin (Potassium Salt))	595	DF
L		
Lanoxin (Digoxin)	247	BW
Lanoxin Paediatric Elixir (Digoxin)	247	BW
Largactil (Chlorpromazine Hydrochloride) ..	179	MB
Ledercort (Triamcinolone)	887	LE
Ledermycin (Demethylchlortetracycline Hydrochloride)	267	LE
Ledermycin Drops (Demethylchlortetracycline Hydrochloride)	267	LE
Ledermycin Syrup (Demethylchlortetracycline Hydrochloride)	267	LE
Lederkyn (Sulphamethoxypyridazine)	794	LE
Lederkyn Suspension (Sulphamethoxypyridazine N-Acetyl)	807	LE
Leo (Dihydrostreptomycin Sulphate)	251	LP
Lethidrone (Nalorphine Hydrobromide)	541	BW
Lethidrone Neonatal (Nalorphine Hydrobromide)	541	BW
Leucarsone (Carbasone)	133	MB
Leukeran (Chlorambucil)	144	BW
Levophed (Noradrenaline Acid Tartrate) ..	549	WL
Lipo-Hepin (Heparin)	379	RK
Lissapol (Lissapol)	995	IC
Listabs (Prednisolone)	634	CO
Listabs (Prednisone)	635	CO
Lofenalac (Phenylalanine Low Content Formula)	653	CM

Preparation				Item	
				No.	Code
L.P.V. Oral Suspension (Penicillin, Phenoxy-					
methyl (Calcium Salt))				595	CS
Lubarol (Paraffin Liquid)				588	DH
Luteocrin Depot (Progesterone Depot)				642	RM
Lutocyclin (Ethisterone)				312	GB
Lutocyclin (Progesterone)				641	CB
Lutoral (Ethisterone)				312	VR
Lynoral (Ethinyloestradiol)				311	OR
Lysivane (Ethiopropazine Hydrochloride)				313	MB

M

Madribon (Sulphadimethoxine)	787	RO
Magnoplasin (Magnesium Sulphate)	479	FA
Magnos (Magnesium Bicarbonate Solution)	476	FA
Magtroxal (Aluminium Hydroxide Gel.)	49	VR
Malidone (Aloxidone)	17	BS
M. & B. 693 (Sulphapyridine, B.P.C.)	795	MB
Mandelamine (Methenamine Mandelate)	507	WW
Mandelamine Hafgrams (Methenamine Mandelate)	507	WW
Medrol (Prednisolone Methyl)	657	UP
Medrol Eye Ointment (Prednisolone Methyl)	657	UP
Megacillin (Penicillin Benzyl Procaine)	593	FA
Megapen (Penicillin Benzyl Procaine)	593	BT
Megimide (Bemegrade,)	87	NS
Menformon (Oestrone, B.P.C. 1954)	563	OR
Mephobarbital (Methylphenobarbitone, B.P.C.)	514	PH
Merbentyl (Dicyclomine Hydrochloride)	274	ML
Mercloran (Chlormerodrin)	149	PD
Mesantoin (Methoin)	492	SZ
Metem (Aluminium Hydroxide Gel.)	44	CH
Metestine (Testosterone Methyl)	853	KL
Methopt (Methylcellulose A.P.F.)	497	SI
Mestion (Pyridostigmine Bromide)	648	RO
Methamine (Methylamphetamine Hydrochloride)	494	KL
Methedrine (Methylamphetamine Hydrochloride)	494	BW
Methergin (Methylergometrine Maleate)	498	SZ
Methyl Diol (Methylandrostenediol)	496	MR
Meticortelone (Prednisolone)	634	SH
Meticorten (Prednisone)	635	SH
Metilar (Paramethasone Acetate)	679	IC
Mevasine (Mecamylamine)	482	MK
Midicel (Sulphamethoxypyridazine)	794	PD
Midicel Acetyl Suspension (Sulphamethoxypyridazine N-Acetyl)	807	PD
Milagel (Aluminium Hydroxide Gel)	44	PR
Milibis (Bismuth Glycolylarsanilate)	95	WL
Milontin (Phensuximide)	615	PD
Minafen (Phenylalanine Low Content Formula)	653	TF
Monodral (Penthienate)	675	WL
Mortha (Morphine with Tacrine)	515	WH
Multisulpha (Sulphonamides, Mixed (B): Three Sulphonamides)	796	KL
Multisulphettes (Sulphonamides, Mixed (B): Three Sulphonamides)	796	KL
Multivite-Six (Vitamins Compound)	928	BD
Mycardol (Pentaerythritol Tetranitrate)	597	WL

Preparation	Item No.	Code
Mycitracin Ophthalmic Ointment (Polymyxin B. Sulphate)	629	UP
Mycostatin (Nystatin)	550	SQ
Myleran (Busulphan)	99	BW
Mylipen (Penicillin Benzyl Procaine)	593	GL
Mylodorm (Amylobarbitone)	30	GP
Mylosed (Amylobarbitone)	30	VR
Mylosed Compound (Aminophylline)	22	VR
Myocerin (Sodium Aurothiomalate)	765	MB
Mysoline (Primidone)	637	IC
Mysteclin-V. (Tetracycline with Nystatin)	862	SQ
Mysteclin-V Improved (Tetracycline (Buffered) with Amphotericin B)	890	SQ

N

Nabita (Bismuth Sodium Tartrate)	104	FA
Na-Clex (Hydroflumethiazide)	395	GL
Napent (Pentobarbitone Sodium)	598	RD
Natigoxin (Digoxin)	247	GA
Navidrex (Cyclophen Thiazide)	187	CB
N.B.P. Eye Drops (Polymyxin B. Sulphate)	629	DH
N.B.P. Eye Ointment (Polymyxin B. Sulphate)	629	DH
Nembudeine (Phenacetin)	650	AB
Nembutal (Pentobarbitone Sodium)	598	AB
Nembutal Compound (Pentobarbitone Sodium Compound)	599	AB
Nemdro (Neomycin Sulphate Eye Drops)	553	HA
Neo Avagal (Methscopolamine Bromide)	509	AN
Neocodsol (Codeine Phosphate)	160	KL
Neo NaClex (Bendrofluazide)	106	GL
Neo-Epinine (Isoprenaline Sulphate)	425	BW
Neo-Ferrum Intravenous (Iron Oxide Saccharated)	426	CK
Neo-Ferrum Liquid (Ferric Hydroxide)	348	CK
Neo-Flumen (Hydrochlorothiazide)	392	GA
Neo-Hombreol (Testosterone)	852	OR
Neo-Hombreol (Testosterone Propionate)	855	OR
Neo-Mercazole (Carbimazole)	134	BS
Neo-Oestrogenine (Dienoestrol)	242	FM
Neopt (Neomycin Sulphate Eye Drops)	553	SI
Neosporin Ophthalmic Ointment (Polymyxin B. Sulphate)	629	BW
Neosporin Ophthalmic Solution (Polymyxin B. Sulphate)	629	BW
Neo-Synephrine (Phenylephrine Hydrochloride)	617	WL
Neotracin Eye Drops (Polymyxin B. Sulphate)	629	AN
Neotracin Ophthalmic Ointment (Polymyxin B. Sulphate)	629	AN
Nephenal (Plain) (Isoprenaline Sulphate)	425	CM
Neptazane (Methazolamide)	511	LE
Neutrapen (Penicillinase)	651	RK
Neutrasol (Acetylsalicylic)	4	PR
Neotratabs (Aluminium Hydroxide Gel. Dried)	49	HA
Nilergex (Isothipendyl Hydrochloride)	431	IC
Nilodin (Lucanthone Hydrochloride)	462	BW

Preparation	Item No.	Code
Nivaquine (Chloroquine Base)	150	MB
Nobecutane (Acrylic Resin)	991	EV
Nollipyrin (Codeine Phosphate)	160	KL
Norisodrine (Isoprenaline Sulphate)	425	AB
Noshok Caustic Pencil (Silver Nitrate)	809	YF
Novo-Evans (Insulin)	412	EV
Novo-Evans (Insulin Protamine Zinc)	415	EV
Novo-Evans Lente (Insulin Zinc)	417	EV
Novo-Evans Semilente (Insulin Zinc)	417	EV
Novo-Evans Ultralente (Insulin Zinc)	417	EV
Novosol (Ochloroxylenol)	152	FA
Novosprin (Acetylsalicylic Acid)	4	VR
N.P. 433 (Acetylsalicylic Acid Compound)	5	NS
Nuseals (Sodium Salicylate)	774	LY

O

Ocsetan (Sulphacetamide Sodium)	784	EV
Oestroform B.D.H. (Oestradiol Benzoate)	562	BD
Oestrogenine (Hexoestrol)	382	FM
Omnopon (Papaveretum, B.P.C.)	583	RO
Omnopon-Scopolamine (Papaveretum with Hyoscine Hydrobromide)	584	RO
Optamide (Sulphacetamide Sodium)	784	MG
Optimyxin (Polymyxin B. Sulphate)	629	BW
Optipen (Phenethicillin)	672	CS
Optisone Eye Drops (Hydrocortone)	387	HA
Optisone Eye Ointment (Hydrocortone)	387	HA
Oradexon (Dexamethasone)	234	OR
Oradexon (Dexamethasone Sodium Phosphate)	273	OR
Orisul (Sulphaphenazole)	808	CB
Oroxine (Thyroxine Sodium)	882	BW
Orpidan (Chlorazanyl)	146	SI
Orum-Vite (Vitamins Compound)	928	VR
Otopol (Polymyxin B. Sulphate)	629	BW
Ovocyclin (Oestradiol Dipropionate)	561	CB

P

P2G Sclerosant (Phenol)	613	BT
Pacitone (Acetylsalicylic Acid Compound)	5	RD
Pagitane (Cycrimine Hydrochloride)	177	LY
Paludrine (Proguanil Hydrochloride)	643	IC
Pamine (Methscopolamine Bromide)	509	UP
Panadol (Paracetamol)	682	WL
Panafcort (Prednisone)	635	PT
Panafcortelone (Prednisolone)	634	PT
Pancreatin Powder (Pancreatin)	581	PD
Panheprin Abboject (Heparin)	379	AB
Panmycin (Tetracycline)	860	UP
Panmycin Aquadrops (Tetracycline)	860	UP
Panmycin KM Suspension (Tetracycline (Buffered))	864	UP
Panmycin M (Buffered) (Tetracycline (Buffered))	846	UP
Paracortol (Prednisolone)	634	PD
Paradione (Paramethadione)	590	AB
Paragel (Paraffin Liquid)	588	SI

Preparation	Item No.	Code
Paramisan Sodium (Sodium Aminosalicylate) ..	773	SN
Paramul (Paraffin Liquid)	588	MG
Parasal Sodium (Sodium Aminosalicylate) ..	773	CM
Parentosol B12 (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	CM
Parentosol B12 (Cyanocobalamin 1,000 Microgramme Strength)	173	CM
Parmol (Paracetamol)	682	KL
Parpanit Forte (Caramiphen Hydrochloride) ..	131	GE
Pasade (Sodium Aminosalicylate)	773	EV
Pasan (Sodium Aminosalicylate)	773	KL
Pastamag (Magnesium Sulphate)	479	DH
Paxyl (Benzalkonium Chloride)	102	FA
P.B. Tabs. (Phenobarbitone)	610	AB
P.B.C. (Phenacetin)	650	PR
Pectolin (Pholcodine)	619	FA
Peganone (Ethotoin)	325	AB
Penalco (Pentobarbitone Sodium Compound) ..	599	CO
Pendorm (Pentobarbitone Sodium)	598	GP
Penicillin Crystalline (Penicillin, Benzyl) ..	592	DH
Peni-Set (Penicillin, Benzyl)	592	DH
Peni-Vee-K (Penicillin, Phenoxymethyl (Potassium Salt))	595	DH
Peni-Vee Suspension D.H.A. (Penicillin, Phenoxymethyl (Potassium Salt))	595	DH
Pensig (Phenethicillin)	672	SI
Pensol (Penicillin, Benzyl)	592	GL
Pentacode (Phenacetin)	650	MG
Pentagen (Pentaerythritol Tetranitrate) ..	597	HY
Pental (Pentobarbitone Sodium)	598	IQ
Pentalgin (Phenacetin)	650	FM
Pentonal Co. (Phenacetin)	650	KL
Pentone (Pentobarbitone Sodium)	598	FA
Pentosol (Pentobarbitone Sodium)	598	AB
Perandren (Testosterone)	852	CB
Perandren (Testosterone Propionate)	855	CB
Perazil (Chlorethylazine Hydrochloride) ..	148	BW
Percorten (Deoxycortone Acetate)	232	CB
Periactin (Cyproheptadine)	185	MK
Peritrate (Pentaerythritol Tetranitrate) ..	597	WW
Perolsen (Pempidine Tartrate)	664	MB
Persantin (Pyrimido-Pyrimidine)	663	FA
Petab (Pentobarbitone Sodium)	598	KL
Pethanal (Pethidine Hydrochloride)	604	CM
Pethilorfan (Pethidine and Levallorphan Tartrate) ..	665	RO
Petiscol (Pethidine and Scopalamine)	605	KL
Petrolagar (Paraffin Liquid)	588	WY
Petrolagar with Phenolphthaleine 1 or 2 (Paraffin Liquid)	588	WY
Phanodrom (Cyclobarbitone)	174	BA
Phenacodeine (Codeine Phosphate)	160	MR
Phenaden (Phenacetin)	650	RD
Phendone (Phenindione)	609	PX
Phenergan (Promethazine Hydrochloride) ..	644	MB
Phenodren (Ephedrine Hydrochloride)	304	DH

Preparation	Item No.	Code
Pholevan (Pholcodine)	619	EV
Pholtrate (Pholcodine)	619	MG
Phospholine Iodide (Ecothiopate Iodide) ..	328	CF
Phyline (Aminophylline)	22	CO
Physeptone (Methadone Hydrochloride) ..	517	BW
Phyxex Leo (Chorionic Gonadotrophin B.P.) ..	156	LP
Pilopt (Pilocarpine Nitrate)	624	SI
Pipanol (Benzhexol Hydrochloride)	89	WL
Piperate (Piperazine Citrate, B.P.)	654	MG
Piptal (Pipenzolate)	667	SI
Piptal Paediatric (Pipenzolate)	667	SI
Piriton (Chlorpheniramine Maleate)	175	GL
Piriton Duolets (Chlorpheniramine Maleate) ..	175	GL
Piriton Syrup (Chlorpheniramine Maleate) ..	175	GL
Pitocin (Oxytocin)	569	PD
Piton (Pituitary Posterior Lobe) (B.P.C.) ..	627	BP
Pitressin (Vasopressin)	921	PD
Pitressin Tannate in Oil (Vasopressin Tannate in Oil)	922	PD
Pituitrin O (Pituitary Posterior Lobe, B.P.C.) ..	627	PD
Placyl Hamiltab (Cyclobarbitone)	174	HA
Plaquenil (Hydroxychloroquine Sulphate) ..	396	WL
Plesmet (Ferrous Aminoacetosulphate)	346	BP
Plesmet Syrup (Ferrous Aminoacetosulphate) ..	346	BP
Pluryl (Bendrofluazide)	106	AN
Polaramine (Dextrochlorpheniramine Maleate) ..	269	SH
Polaramine Repetabs (Dextrochlorpheniramine Maleate)	269	SH
Polivitab (Vitamins Compound)	928	AB
Polmix Ear Drops (Polymyxin B. Sulphate) ..	629	KL
Polmix Eye Drops (Polymyxin B. Sulphate) ..	629	KL
Polydro Ear Drops (Polymyxin B. Sulphate) ..	629	HA
Polydro Eye Drops (Polymyxin B. Sulphate) ..	629	HA
Polydro B.N. (Polymyxin B. Sulphate)	629	HA
Polyhaemen (Ferrous Sulphate)	341	GP
Polymyxin Co. (Polymyxin B. Sulphate)	629	IQ
Polytracin-N Eye Drops (Polymyxin B. Sulphate)	629	GL
Polytracin-N Eye Ointment (Polymyxin B. Sulphate)	629	GL
Potaspen (Penicillin, Phenoxymethyl (Potassium Salt))	595	AN
Poulticine (Kaolin, Heavy)	451	AL
Praenitron (Triethanolamine Trinitrate)	873	SC
Precortisyl (Prednisolone)	634	RL
Prednelan (Prednisolone)	634	GL
Predsol (Prednisolone Disodium Phosphate) ..	656	GL
Predsol Retention Enema (Prednisolone Disodium Phosphate)	656	GL
Pregnyl (Chorionic Gonadotrophin B.P.)	156	OR
Primocort (Deoxy cortone Acetate)	232	SC
Primogonyl (Chorionic Gonadotrophin B.P.) ..	156	SC
Primogyn C (Ethinyloestradiol)	311	SC
Primoteston Depot (Testosterone Oenanthate) ..	854	SC
Princode (Codeine Phosphate)	160	RC
Priscool (Tolazoline Hydrochloride)	870	CB

Preparation	Item No.	Code
Pro-Banthine (Propantheline Bromide) ..	660	SR
Procillin A.S. (Penicillin Benzyl Procaine) ..	593	DH
Proctoids (Belladonna)	86	WY
Prodol (Acetylsalicylic Acid)	4	NB
Prodol Co (Codeine Phosphate)	160	NB
Progestin (B.D.H.) (Progesterone)	641	BD
Progestin (Organon) (Progesterone)	641	OR
Progestin I.V. (Organon) (Progesterone) ..	641	OR
Progestoral (Ethisterone)	312	OR
Prokayvit (Acetomenaphthone)	3	BD
Prokayvit (Menaphthone)	484	BD
Proloid (Thyroid)	868	WW
Proluton (Progesterone)	641	SC
Proluton Depot (Progesterone Depot)	642	SC
Proluton C (Ethisterone)	312	SC
Prominal (Methylphenobarbitone, B.P.C.) ..	514	BA
Promitone (Methylphenobarbitone, B.P.C.) ..	514	KL
Pronestyl (Procainamide Hydrochloride) ..	638	SQ
Propen-VK (Penicillin, Phenoxymethyl (Potassium Salt))	595	PT
Proquinal (Quinalbarbitone Sodium)	721	PT
Pro-Stabillin A.S. (Penicillin Benzyl Procaine) ..	593	BT
Prostigmin (Neostigmine Bromide)	542	RO
Prostigmin (Neostigmine Methylsulphate) ..	543	RO
Protamine Zinc Insulin Berna (Insulin Protamine Zinc)	415	SE
Protona (Androstanolone)	47	DF
Provoprin (Acetylsalicylic Acid)	4	DH
Pularin (Heparin)	379	EV
Purinethol (Mercaptopurine)	489	BW
Purodigin (Digitoxin, B.P.C.)	246	WY
Puroverine (Protoveratrine A)	647	SZ
P.V.K. (Penicillin, Phenoxymethyl (Potassium Salt))	595	LY
P.V.K. Pedipac (Penicillin, Phenoxymethyl (Potassium Salt))	595	LY
P.V.K. Pulvules (Penicillin, Phenoxymethyl (Potassium Salt))	595	LY
Pyelectan (Iodoxyl)	419	GL
Pyelectan Retrograde (Iodoxyl)	419	GL
Pyribenzamine (Tripeleennamine Hydrochloride) ..	885	CB
Pyridermin (Pyridoxine Hydrochloride, B.P.C.) ..	649	CM
Pyridium (Phenazopyridine Hydrochloride) ..	678	WW
Pyrivel (Pyridoxine Hydrochloride, B.P.C.) ..	649	VM
Pyroxin (Pyridoxine Hydrochloride, B.P.C.) ..	649	KL

Q

Q.B. Tabs (Quinalbarbitone Sodium, B.P.) ..	721	DH
QT. Cement (Surgical Cement)	997	JA
Quillatone (Quinalbarbitone Sodium, B.P.) ..	721	RD
Quillatone "M" (Quinalbarbitone Sodium B.P.) ..	721	RD
Quinbarbium (Quinalbarbitone Sodium, B.P.) ..	721	MG
Quindorm (Quinalbarbitone Sodium, B.P.) ..	721	GP
Quinidine Hamiltab (Quinidine Sulphate) ..	722	HA
Quinoid (Quinine Bisulphate)	723	BW

Preparation	Item No.	Code
R		
Radiostol (Calciferol)	121	BD
Rastinon (Tolbutamide)	871	FM
Raudixin (Rauwolfia Alkaloids)	747	SQ
Rautensin (Rauwolfia Alkaloids)	747	PT
Rauwiloid (Rauwolfia Alkaloids)	747	RK
Rectinol (Benzocaine)	90	GP
Resedrex Hamiltab (Reserpine)	746	HA
Reserpin (Reserpine)	746	AN
Resochin (Chloroquine Base)	150	FB
Restal (Amylobarbitone)	30	HA
Reverin (Pyrrolidino-Methyl-Tetracycline)	661	HP
Reverin I.M. (Pyrrolidino-Methyl-Tetracycline)	661	HP
Rimifon (Isoniazid)	423	RO
Ro-A-Vit (Vitamin A)	924	RO
Rondase (Hyaluronidase)	385	EV
Rovamycin (Spiramycin)	806	MB
Rox (Prednisolone)	634	RT
Rox (Thyroxine Sodium)	882	RT
Rubramin Parenteral Solution (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	SQ
Ryser (Reserpine)	746	KL

S		
Salamide (Salicylamide)	818	HA
Salazopyrin (Salicylazosulphapyridine)	803	MR
Salco (Chlorobenzol-Disulphonamide))	183	NS
Salminsulins (N.P.H.) Berna (Insulin Isophane (N.P.H.))	414	SE
Salrgan (Mersalyl Acid)	491	BA
Samid (Salicylamide)	818	KL
Sandosten + Calcium (Thenalidine Tartrate)	880	SZ
Sandosten Calcium Syrup (Thenalidine Tartrate)	880	SZ
Sedasco (Aminophylline)	22	CK
Scherisolon (Prednisolone)	634	SC
Scherisolon (Prednisolone Acetate)	655	SC
Scheroson (Cortisone Acetate)	169	SC
Scheroson F (Hydrocortisone Acetate)	394	SC
Scheroson F Ophthalmicum (Hydrocortisone)	387	SC
Scorbettes (Ascorbic Acid)	37	PR
Seclomycin (Pencillin with Streptomycin)	596	GL
Seconal Sodium (Quinalbarbitone Sodium, B.P.)	721	LY
Seconal Sodium Pulvules (Quinalbarbitone Sodium, B.P.)	721	LY
Seclosol (Penicillin with Streptomycin)	596	GL
Sedal (Amylobarbitone)	30	FA
Sedlingtus (Pholcodine)	619	VR
Sednaco (Pholcodine)	619	GL
Senokot (Senna Fruit Extract (Standardised))	816	RC
Serfia (Rauwolfia Alkaloids)	747	KL
Serpasil (Reserpine)	746	CB
Serpiloid (Reserpine)	746	RK
Serpina (Rauwolfia Alkaloids)	747	PV

Preparation	Item No.	Code
Sigma Golden Eye Ointment (Mercuric Oxide) ..	490	SI
Sigma Lysol (Cresol and Soap Solution) ..	170	SI
Siguent Bacomycin (Polymyxin B. Sulphate) ..	629	SI
Siquent Hycor (Hydrocortisone)	387	SI
Sintrom (Nicoumalone)	551	GE
Siopel (Polydimethylsiloxanes)	996	IC
Sixavite (Vitamins Compound)	928	KL
Sobee Instant Powder (Soya Formula)	805	CM
Sobee Liquid (Soya Formula)	805	CM
Sodepent (Pentobarbitone Sodium)	598	MG
Sodium Sedal (Amylobarbitone Sodium) ..	31	FA
Sodium Versenate (Disodium Dihydrogen Ver- senate)	272	RK
Solacetyl (Acetylsalicylic Acid)	4	MG
Solasco (Acetylsalicylic Acid Compound) ..	5	MG
Solcetas (Acetylsalicylic Acid)	4	BW
Solcode (Codeine Phosphate)	160	RC
Solcodein (Codeine Phosphate)	160	MG
Solganal-B-Oleosum (Aurothioglucose) ..	41	SC
Solgesil (Codeine Phosphate)	160	DH
Solprin (Acetylsalicylic Acid)	4	RC
Solusal Hamiltab (Acetylsalicylic Acid) ..	4	HA
Solusal-Co Hamiltab (Codeine Phosphate) ..	160	HA
Solupen (Penicillin, Benzyl)	592	DL
Solu-Cortef (Hydrocortisone Sodium Succinate) ..	389	UP
Soluvac (Darrow's Solution)	231	DH
Soluvac (Dextrose)	238	DH
Soluvac (Potassium Chloride)	631	DH
Soluvac (Sodium Chloride)	768	DH
Soluvac (Sodium Chloride Compound)	811	DH
Soluvac (Sodium Chloride Compound and Dex- trose)	814	DH
Soluvac (Sodium Chloride and Dextrose) ..	769	DH
Soluvac (Sodium Lactate)	771	DH
Soluvac (Sodium Lactate Compound)	812	DH
Soluvac (Sodium Lactate Compound and Dextrose)	813	DH
Soluvac (Sodium Sulphate)	775	DH
Soluvone (Penicillin with Streptomycin) ..	596	DL
Sol-Viules (Penicillin, Benzyl)	592	BT
Somnital (Pentobarbitone Sodium)	598	PR
Soneryl (Butobarbitone)	100	MB
S-Mez (Sulphadimidine)	788	IC
S-Mez (Sulphadimidine Sodium)	789	IC
Stabillin-V (Penicillin, Phenoxyethyl (Calcium Salt))	595	BT
Steclin (Tetracycline)	860	SQ
Steclin-V (Tetracycline (Buffered))	864	SQ
Steclin-V Paediatric Drops (Tetracycline Buffered))	864	SQ
Steclin-V Syrup (Tetracycline (Buffered)) ..	864	SQ
Stelazine (Trifluoperazine)	889	SK
Stenediol (Methylandrostenediol)	496	OR
Steriflex No. 1 (Sodium Chloride)	768	GL
Steriflex No. 3 (Sodium Chloride and Dextrose) ..	769	GL
Steriflex No. 4 (Sodium Chloride + Dextrose) ..	769	GL

Preparation	Item No.	Code
Steriflex No. 6 (Dextrose)	238	GL
Steriflex No. 7 (Dextrose)	238	GL
Steriflex No. 9 (Sodium Chloride Co.)	811	GL
Steriflex No. 10 (Darrow's Solution)	231	GL
Steriflex No. 11 (Sodium Lactate Co.)	812	GL
Sterogyl (Calciferol)	121	RL
Sterop (Hydrocortisone)	387	AN
Sterop (Pilocarpine Nitrate)	624	AN
Stovarsol (Acetarsol)	1	MB
Strepolin (Streptomycin Sulphate)	781	GL
Streptaquinine (Streptomycin Sulphate)	781	DL
Streptevan (Streptomycin Sulphate)	781	EV
Strept-Evanules (Streptomycin Sulphate)	781	EV
Streptomagma (Dihydrostreptomycin Sulphate)	251	WY
Streptomycin Intrathecal (Streptomycin Sulphate)	781	DL
Sulphaco (Sulphonamides, Mixed (B): Three Sulphonamides)	796	CM
Sulphaco-Mitis (Sulphonamides, Mixed (B): Three Sulphonamides)	796	CM
Sulphadiazinettes (Sulphadiazine)	785	KL
Sulpha-Dimerazole (Sulphonamides, Mixed (B): Three Sulphonamides)	796	VR
Sulphadital (Sulphanomides, Mixed (B): Three Sulphanomides)	796	FM
Sulphalyl (Phthalylsulphacetamide)	620	KL
Sulphamezathine (Sulphadimidine)	788	IC
Sulphasuxidine (Succinylsulphathiazole)	783	MK
Sulphathilidine (Phthalylsulphathiazole)	621	MK
Sulphatriad (Sulphonamides, Mixed (B): Three Sulphonamides)	796	MB
Sulphatriad (Flavoured) (Sulphonamides, Mixed (B): Three Sulphonamides)	796	MB
Sulphonamix (Sulphonamides, Mixed (B): Three Sulphonamides)	796	SI
Sus-Pen-V (Penicillin, Phenoxymethyl (Calcium Salt))	595	BT
Sustanon '250' (Sustanon)	800	OR
S.V.C. (Acetarsol)	1	MB
Synermycin (Tetracycline with Oleandomycin)	863	PF
Synermycin I.M.I. (Tetracycline with Oleandomycin)	863	PF
Synermycin Oral Paediatric Drops (Tetracycline with Oleandomycin)	863	PF
Synermycin Oral Suspension (Tetracycline with Oleandomycin)	863	PF
Synkamine (Menaphthone)	484	PD
Synkamine (Vitamin K)	927	PD
Synkavit (Acetomenaphthone)	3	RO
Synkavit (Menaphthone)	484	RO
Synthanal (Methadone Hydrochloride)	517	CM
Syntocinon (Oxytocin)	569	SZ

T

Tabloid (Aminophylline)	22	BW
Tabloid (Digitalis, Prepared)	245	BW

Preparation	Item No.	Code
Tabloid (Quinidine Sulphate)	722	BW
Tabloid (Sodium Citrate)	770	BW
Tabloid (Stilboestrol)	780	BW
Tabloid (Sulphadiazine)	785	BW
Tabloid (Sulphaguanidine)	791	BW
Tabpen-VK (Penicillin, Phenoxymethyl (Potassium Salt)	595	BT
Talecid (Phthalylsulphacetamide)	620	SC
Tartamin (Ergotamine Tartrate)	307	VR
Tauroglate (Sodium Tauroglycocholate)	776	DH
Te Anatoxin Berna (Tetanus Toxoid (B.P.))	857	SE
Tebos (Isoniazid)	423	HY
Tedral (Ephedrine Hydrochloride)	304	WW
Telmid (Dithiazanine Iodide)	270	LY
Tenormal (Pempidine Tartrate)	664	IC
Tenserp (Reserpine)	746	VR
Tergorate (Ergotamine Tartrate)	307	MG
Terramycin (Oxytetracycline Dihydrate)	566	PF
Terramycin (Oxytetracycline Hydrochloride)	567	PF
Terramycin (Oxytetracycline Ophthalmic Suspension)	568	PF
Terramycin Oral Suspension (Oxytetracycline Hydrochloride)	567	PF
Terramycin Oral Paediatric Drops (Oxytetracycline Hydrochloride)	567	PF
Tes-Tape (Glucose Indicator)	366	LY
Testine (Testosterone Propionate)	855	KL
Testogenine (Testosterone Methyl)	853	FM
Testogenine (Testosterone Propionate)	855	FM
Testoviron (Testosterone)	852	SC
Testoviron (Testosterone Propionate)	855	SC
Tetanus Antitoxin Berna (Tetanus Antitoxin)	856	SE
Tetracyn (Tetracycline)	860	PF
Tetracyn Ointment Ophthalmic (Tetracycline)	860	PF
Tetracyn Oral Suspension (Tetracycline)	860	PF
Tetracyn-V (Tetracycline (Buffered))	864	PF
Tetracyn-V Oral Suspension (Tetracycline (Buffered))	864	PF
Tetracyn-V Paediatric Drops (Tetracycline (Buffered))	864	PF
T.H.A. (Tacrine)	892	WH
Thalacet (Phthalylsulphacetamide)	620	VR
Thalazole (Phthalylsulphathiazole)	621	MB
Theobarb (Theobromine, B.P.C.)	865	AB
Theophen Hamiltab (Aminophylline)	22	HA
Thephorin (Phenindamine Tartrate)	608	RO
Thiacaine (Aneurine Hydrochloride)	32	VR
Thiamitab (Aneurine Hydrochloride)	32	AB
Thiamital (Aneurine Hydrochloride)	32	AB
Thiomerin Sodium (Mercaptomerin Sodium)	488	WY
Thiosulfil (Sulphamethizole)	793	AY
Three Sulphas (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AD
Thromboliquine (Heparin)	379	OR
Thymax (Thyroid)	868	BW

Preparation	Item No.	Code
Thypron (Potassium Perchlorate)	688	PH
Thyrine (Thyroxine Sodium)	882	DH
Thyroxinal (Thyroxine Sodium)	882	FM
Toline (Tolazoline Hydrochloride)	870	KL
Tosmilen (Demecarium Bromide)	279	AP
Tral Film Tabs (Hexocyclium Methyl Sulphate)	398	AB
Tral Gradumets (Hexocyclium Methyl Sulphate)	398	AB
Triagin (Glyceril Trinitrate)	363	HY
Triazol Dulcets (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AB
Tricoloid (Tricyclamol Chloride)	888	BW
Tridione (Troxidone)	875	AB
Tridis (Acetylsalicylic Acid Compound)	5	RC
Triple Antigen (Diphtheria Tetanus and Pertussis Vaccine, B.P.)	259	CS, GL. PD
Triple Sulpha (Sulphonamides, Mixed (B): Three Sulphonamides)	796	TO
Triple Sulphonamides (Sulphonamides, Mixed (B): Three Sulphonamides)	796	FA
Triplopen (Pencillin Benethamine)	652	GL
Triposol (Penicillin Benethamine)	652	GL
Triposulph (Sulphonamides, Mixed (B): Three Sulphonamides)	796	DH
Trisil (Magnesium Trisilicate)	480	DH
Trisulpha (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AN
Trisulfettes (Sulphonamides, Mixed (B): Three Sulphonamides)	796	AN
Tri-Test (Castor Oil)	138	WD
Trivax (Diphtheria Tetanus and Pertussis Vaccine, B.P.)	259	BW
Troid (Thyroid)	868	GP
Trombolysan (Ethyl Biscoumacetate)	315	GE
Tussinol Linctus (Pholcodine)	619	GP
Tynees (Acetylsalicylic Acid)	4	WO
Tyrimide (Isopropamide Iodide)	429	SK

U

Ultandren (Fluoxymesterone)	342	CB
Ultracortenol (Prednisolone Trimethylacetate) ..	680	CB
Ung. Poly-B.N. (Polymyxin B. Sulphate) ..	629	HA
Univite (Vitamins Compound)	928	PH
Urolucosil (Sulphamethizole)	793	WW
Uropac (Iodoxyl)	419	MB
Uroselectan-B 75% (Iodoxyl)	419	SC

V

VAAM-D.H.Q. (Diiodohydroxyquinoline)	253	VR
Vanquin (Vipryinium Embonate)	929	PD
Vanquin Suspension (Vipryinium Embonate) ..	929	PD

Preparation	Item No.	Code
Vasitrin (Glyceryl Trinitrate)	363	DH
Veecillin (Penicillin, Phenoxymethyl (Potassium Salt))	595	CM
Veecillin Oral Suspension (Pencillin, Phenoxymethyl (Calcium Salt)	595	CM
Veganin (Codeine Phosphate)	160	WW
Vegolysen T (Hexamethonium Tartrate)	381	MB
Velactin (Soya Formula)	805	WA
Velacycline (Pyrrolidino-Methyl-Tetracycline)	661	SQ
Venosol (Sodium Chloride)	768	FH
Veracolate (Sodium Tauroglycocholate)	776	WW
Veriloid (Veriloid)	923	RK
Veroxil (Piperazine Phosphate)	626	CK
Versotrane Triple Strength (Phenylmercuric Dinaphthylmethane Disulphate)	674	WB
Viadol (Vitamins A and D)	926	DH
Vibafort (Aneurine Hydrochloride)	32	CM
Vibafort Parentosol (Aneurine Hydrochloride)	32	CM
Vibex Steri-Vial (Aneurine Hydrochloride)	32	PD
Vibion Forte (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	AN
Vibion 1,000 (Cyanocobalamin 1,000 Microgramme Strength)	173	AN
Vicin (Penicillin, Phenoxymethyl (Benzathine Salt))	595	KL
Vicin Injection 800 (Penicillin Phenoxymethyl (Benzathine Salt))	595	KL
Vicin Oral Suspension (Penicillin, Phenoxymethyl (Benzathine Salt))	595	KL
Viokase (Pancreatin Enzyme)	676	AN
Viraxacillin (Penicillin Benzyl Procaine)	593	VR
Vitabin (Aneurine Hydrochloride)	32	AN
Vitacin (Ascorbic Acid)	37	AN
Vitamin B ₁₂ -Organon (Cyanocobalamin excluding 1,000 Microgramme Strength)	172	OR
Vitaminorum (Vitamins Compound)	928	AD, DH HY, MG, PD, SI
Vitavel K (Menaphthone)	484	VM
Viules (Adrenaline Acid Tartrate)	14	BT
Viules (Atropine Sulphate)	40	BT
Viules (Hyoscine Hydrobromide)	391	BT
Viules (Mersalyl Acid)	491	BT
Viules (Morphine Sulphate)	501	BT
Viules (Morphine with Atropine)	502	BT
Viules (Nikethamide)	546	BT
Viules (Papaveretum, B.P.C.)	583	BT
Viules (Papaveretum with Hyoscine Hydrobromide)	584	BT
Viules (Pethidine Hydrochloride)	604	BT
Viules (Pethidine and Scopolamine)	605	BT
Viules (Phenobarbitone Sodium)	611	BT
Viules (Streptomycin Sulphate)	781	BT
Viules (Water for Injection)	941	BT

Preparation					Item No.	Code
V.P.V. Viraxacillin V (Penicillin Phenoxymethyl (Calcium Salt))	..	..	..	..	595	VR
V.P.V. Viraxacillin V (Penicillin Phenoxymethyl (Free Acid))	..	..	..	..	595	VR

W

Wellcome (Adrenaline Acid Tartrate)	..	..	..	..	14	BW
Wellcome (Aminophylline)	..	..	..	..	22	BW
Wellcome (Insulin)	..	..	..	..	412	BW
Wellcome (Insulin Globin Zinc)	..	..	..	..	413	BW
Wellcome (Insulin Isophane (N.P.H.))	..	..	..	..	414	BW
Wellcome (Insulin Protamine Zinc)	..	..	..	..	415	BW
Wellcome (Pethidine Hydrochloride)	..	..	..	..	604	BW
Wellcome (Pethidine and Scopolamine)	..	..	..	..	605	BW
Wellcome (Tetanus Antitoxin)	..	..	..	..	856	BW
Wellcome Lente (Insulin Zinc)	..	..	..	..	417	BW
Wellcome Semilente (Insulin Zinc)	..	..	..	..	417	BW
Wellcome Ultralente (Insulin Zinc)	..	..	..	..	417	BW
Wincillin (Penicillin Phenoxymethyl (Potassium Salt))	..	..	..	..	595	WL
Wyamine Sulphate (Mephentermine Sulphate)	..	..	..	..	516	WY
Wydase (Hyaluronidase)	..	..	..	..	385	WY

Z

Zarontin (Ethosuximide)	..	..	..	..	327	PD
-------------------------	----	----	----	----	-----	----

AMENDMENT TO THE PHARMACEUTICAL BENEFITS BOOK

FEBRUARY, 1963 EDITION FOR APPROVED CHEMISTS

No. 3

(Effective 1st April, 1963)

SECTION 2

SCHEDULE OF BENEFITS (PART 1)

Page No.	Item No.	Item Name and Form	Amendment
5	49	ALUMINIUM HYDROXIDE GEL. DRIED Oral Tablet with Magnesium Trisilicate and Magnesium Hydroxide 250 mg.-120 mg.- 120 mg.	Add 0 15 1 (ex 500) HA Add 0 15 9 (ex 500) BW, FM, GP, VR
9	47	ANDROSTANOLONE Oral Tablet 25 mg.	Delete 11 0 4 MN—add 9 18 4 MN
25	160	CODEINE PHOSPHATE Oral Tablet with Acetylsalicylic Acid, Phen- acetin and Caffeine 30 mg.-225 mg.- 150 mg.-30 mg.	Add 0 14 2 (ex 250) BW, GP
67	564	OLIVE OIL †2 oz. †4 oz. †5 oz. †8 oz.	Delete 0 2 0 SI(V)—add 0 2 6 SI(V) Delete 0 1 9 WD(N)—add 0 3 0 WD(N) Delete 0 2 9 WD(N)—add 0 5 8 WD(N) Delete 0 3 3 DH, SI(V)—add 0 4 6 DH, SI(V) Delete 0 4 9 WD(N)—add 0 8 8 WD(N)
71	591	PENICILLIN BENZATHINE Oral Tablet, B.P. 200,000 U.	Add 2 11 8 (ex 500) CS, WY

Page No.	Item No.	Item Name and Form	Amendment
73	595	PENICILLIN PHENOXYMETHYL (BENZATHINE, CALCIUM, HYDRA- BAMINE OR POTASSIUM SALT OR FREE ACID)	
		Oral Tablet 125 mg. tab.	0 18 10 (ex 100) delete PT—add 0 15 11 (ex 100) PT 1 0 3 (ex M.P.) delete PT—add 0 18 0 (ex M.P.) PT
		250 mg. tab.	0 17 10 (ex 100) delete PT—add 0 15 3 (ex 100) PT 0 19 1 (ex M.P.) delete PT—add 0 17 0 (ex M.P.) PT
78	678	PHENAZOPYRIDINE HYDROCHLORIDE	
		Oral Tablet 100 mg.	Delete *0 12 10 ww—add 0 12 0 ww
79	609	PHENINDIONE	
		Oral Tablet, B.P. 10 mg. tab.	Delete 2 9 8 GA—2 3 0 add GA
		50 mg. tab.	Delete 3 9 8 GA—2 19 0 add GA
85	634	PREDNISOLONE	
		Oral Tablet, B.P. 5 mg.	2 5 8 delete OR—1 17 0 add OR
86	635	PREDNISONE	
		Oral Tablet, B.P. 5 mg.	2 5 8 delete OR—1 17 0 add OR
92	747	RAUWOLFIA ALKALOIDS	
		Oral Tablet 50 mg.	Add 1 3 8 (ex 500) PT Add 1 9 6 (ex 500) SQ Add 1 12 0 (ex 500) IQ
116	991	ACRYLIC RESIN	
		Solution 100 cc. Aerosol Spray	Delete 2 16 4 EV—add 3 9 8 EV
116	994	CHLORAMINE, B.P.C.	
		Deodorant Tablet 120 mg.	Delete 0 16 11 DH—add 0 18 8 DH

SECTION 4

Page
No.

12 Container prices and professional fees.

Ear and nasal drop container—Amend to read—Eye, ear and nasal drop container

CORRIGENDUM

83 The item number of Pipenzolate is 667.

AMENDMENT TO THE PHARMACEUTICAL BENEFITS BOOK

No. 2

FEBRUARY, 1963 EDITION FOR APPROVED CHEMISTS

(Effective 1st March, 1963)

SECTION 2

SCHEDULE OF BENEFITS (PART 1)

Page No.	Item No.	Item Name and Form	Amendment
8	30	AMYLOBARBITONE, B.P.	
		Oral Tablet 15 mg. (1/4 gr.) tab. ..	.. 0 7 7 delete FA — 0 7 0 add FA
		30 mg. (1/2 gr.) tab. ..	.. 0 8 7 delete FA — 0 7 11 add FA
9		50 mg. (3/4 gr.) tab. ..	.. 0 9 8 delete FA — 0 8 9 add FA
		100 mg. (1.5 gr.) tab. ..	.. 0 10 4 (ex M.P.) delete FA — 0 9 5 (ex M.P.) add FA
			Add 0 8 9 (ex 250) HY(QNVTW)
			Add 0 8 11 (ex 250) PT
			Add 0 9 3 (ex 250) AD, DH, FA, GP, KL, MG, PR, RT(V), RY, SI, SL, TO, VR
			Add 0 9 5 (ex 250) QE(QNVS)
			Add 0 9 8 (ex 250) DF, HA
			Add 0 11 3 (ex 250) LY
9	31	AMYLOBARBITONE SODIUM	
		Oral Capsule, B.P. 200 mg. (3 gr.) cap. ..	Add 0 12 10 (ex 250) FA
			Add 0 19 4 (ex 250) LY
16	100	BUTOBARBITONE	
		Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. ..	Add 0 6 2 (ex 250) MB
			Add 0 6 7 (ex 250) AD, DH, GP, KL, MG, RT(V), RY, SI, SL
18	134	CARBIMAZOLE	
		Oral Tablet, B.P. 5 mg. tab. ..	.. Delete 1 6 8 PT — add 0 19 8 PT
23	156	CHORIONIC GONADOTROPHIN, B.P.	
		Injection 1,000 I.U. ..	.. 3 18 0 delete sc — add *3 18 0 sc

Page No.	Item No.	Item Name and Form	Amendment
24	160	CODEINE PHOSPHATE Oral Tablet Compound Soluble, B.P.	.. Add 0 13 9 (ex 500) HA, MG Add 0 13 11 (ex 500) DH, KL, TO Add 0 14 5 (ex 500) IQ Add 0 14 8 (ex 500) BW, RC Oral Tablet with Acetylsalicylic Acid and Phenacetin 10 mg.-250 mg.-250 mg. tab.
25		Oral Tablet with Acetylsalicylic Acid, Phenacetin and Caffeine 30 mg.-225 mg.-150 mg.-30 mg. tab. (1/2 gr.-3.5 gr.-2.5 gr.-1/2 gr.)	.. Delete *0 15 6 BW — add 0 14 8 BW
32	242	DIENOESTROL Oral Tablet, B.P. 0.3 mg. tab. .. 1 mg. tab. .. 5 mg. tab. ..	.. 0 6 0 delete BD .. 0 6 9 delete BD .. 0 9 8 delete BD
31	269	DEXTROCHLORPHENIRAMINE MALEATE Injection 5 mg. per cc., 1 cc. ..	.. Delete 0 13 8 SH — add *0 15 4 SH
38	304	EPHEDRINE HYDROCHLORIDE Oral Tablet with Phenobarbitone 30 mg.-15 mg. tab. (1/2 gr.-1/4 gr.)	.. Add 0 6 7 (ex 500) HY(QNVTW) Add 0 7 4 (ex 500) AD, CM, DH, KL, MG, PR, QE(QNVS), RT(V), SI, SL, TO Add 0 9 1 (ex 500) FM
39	307	ERGOTAMINE TARTRATE Injection, B.P. 1 cc. amp. ... Oral Tablet, B.P. 1 mg. tab.	.. Delete 0 18 3 BX — 0 18 4 add BX Delete 0 15 5 (ex 250) PT — add 0 14 11 (ex 250) PT Delete 0 17 0 (ex M.P.) PT — add 0 15 8 (ex M.P.) PT
		Oral Tablet with Caffeine 1 mg.-100 mg. tab.	Delete 1 9 8 PT — add 1 3 0 PT

Page No.	Item No.	Item Name and Form	Amendment
40	308	ERYTHROMYCIN Oral Tablet, B.P. 250 mg. tab. .. Oral Capsule 250 mg. cap. ..	.. Add 3 11 5 (ex 100) AB, LY, UP .. Add 3 11 5 (ex 100) AB, LY
49	385	HYALURONIDASE	.. Delete Set containing 3 amps. each of 350 I.U. and 3 amps. of solvent .. 1, 1, 1 4 4 sc .. Insert Set containing 2 amps. each of 350 I.U. and 2 amps. of solvent .. 1, 1, 0 17 3 sc
62	499	METHYL SALICYLATE Liniment, P.L. 4 fl. oz.	.. Delete 0 9 10 — add 0 12 4
72	592	PENICILLIN BENZYL Eye Ointment 2,000 U. per G., 4 G.	.. Delete 0 5 8 DH — 0 5 4 add DH
79	609	PHENINDIONE Oral Tablet, B.P. 10 mg. tab. .. 50 mg. tab. ..	.. Delete 2 13 0 EV, WP(NVW) — 2 3 0 add EV, WP(NVW) .. Delete 3 13 0 EV, WP(NVW) — 2 19 0 add EV, WP(NVW)
81	618	PHENYTOIN SODIUM Oral Capsule 100 mg. cap. ..	.. Add 1 6 8 (ex 1,000) PD
85	634	PREDNISOLONE Oral Tablet, B.P. 5 mg. tab. ..	.. 2 5 8 delete RL, SC — 1 17 0 add RL, SC
86	635	PREDNISONE Oral Tablet, B.P. 5 mg. tab. ..	.. 2 5 8 delete RL, SC — 1 17 0 add RL, SC
91	722	QUINIDINE SULPHATE Oral Tablet, B.P. 200 mg. (3 gr.) tab.	.. Add 1 2 0 (ex 500) HA, HY(QNVTW) .. Add 1 3 7 (ex 500) BW, DH, FA, KL, TO
92	746	RESERPINE Oral Tablet, B.P. 0.25 mg. tab. .. 0.5 mg. tab. ..	.. Add 0 7 8 (ex 500) HA .. Add 0 7 11 (ex 500) HY(QNVTW) .. Add 0 8 5 (ex 500) AN, KL, MG, RK, RY .. Add 0 9 3 (ex 500) VR .. Add 0 9 8 (ex 500) CB .. Add 0 9 3 (ex 500) KL, RK .. Add 0 9 8 (ex 500) HA .. Add 0 12 1 (ex 500) CB

Page No.	Item No.	Item Name and Form	Amendment
99	774	SODIUM SALICYLATE Oral Tablet (Enteric Coated) 500 mg. (7.5 gr.) tab.	.. Add 0 10 11 (ex 500) KL, QE(QNVS), TO Add 0 11 2 (ex 500) PR
100	780	STILBOESTROL Oral Tablet 0.5 mg. tab. 1 mg. tab. 5 mg. tab.	.. 0 5 3 delete BD .. 0 5 8 delete BD .. 0 8 0 delete BD
110	865	THEOBROMINE, B.P.C. Oral Tablet with Phenobarbitone, A.P.F. 300 mg.-30 mg. tab. (5 gr.-1/2 gr.) ..	.. Add 0 8 7 (ex 500) HY(QNVTW) Add 0 9 6 (ex 500) AD, CO, DH, FA, KL, MG, PR, RT(V), RY, SI, SL, TO Add 0 10 4 (ex 500) HA

SECTION 2 (PART II)

Page No.	Drug	Dram	Ounce
5	LINIMENTS		
	Add Methyl Salicylate, A.P.F.	0 3	1 7

SECTION 4

Page No.	Item No.	Item Name and Form	Amendment
14	156	Chorionic Gonadotrophin 1,000 I.U. ..	.. Add 2 @ 25 0 sc
14	160	Codeine Phosphate with Acetylsalicylic Acid, Phenacetin and Caffeine 30 mg.-225 mg.-150 mg.-30 mg. ..	.. Delete 25 @ 6 3 BW
15	269	Add Dextrochlorpheniramine Maleate 5 mg./cc. ..	5 @ 9 4 SH

Page No.	Item No.	Item Name and Form	Amendment
21		Liniment	
		Methyl Salicylate	Delete prices shown and insert:
			1 fl. oz. 7 7
			2 fl. oz. 9 4
			3 fl. oz. 11 0

CORRIGENDA

Page No.	Item No.	Item Name and Form	
83	629	POLYMYXIN B. SULPHATE	Eye Drops Set containing 300,000 U. and 15 ml. of solvent — amend to read Ear Drops

AMENDMENT TO THE PHARMACEUTICAL BENEFITS BOOK

No. 1

FEBRUARY, 1963 EDITION FOR APPROVED CHEMISTS

(Effective 1st February, 1963)

SECTION 1 — EXPLANATORY NOTES

Page
No.

- | | | |
|----|---|---|
| 18 | Manufacturer's Addresses and Code | Add: Baxter-D.H.A. Laboratories Pty. Ltd.,
504 Bourke Street, Melbourne BX |
| 19 | | Delete: Distillers Company Biochemicals (Aust.) Pty. Ltd. DL
Insert: Dista Products (Australia) Pty. Ltd. DL |

SECTION 2

SCHEDULE OF BENEFITS (PART 1)

Page No.	Item No.	Item Name and Form	Amendment
20	148	CHLORCYCLIZINE HYDROCHLORIDE Oral Tablet, B.P. 50 mg. tab.	Add 0 15 5 (ex 250) BW; 0 15 6 (ex 250) AB
27	172	CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH Injection, B.P. 100 mcg. per cc., 10 cc. ..	0 14 8 delete PT — 0 13 8 add PT
39	306	ERGOMETRINE MALEATE Injection, B.P. 0.5 mg. per 1 cc., I.M. amp.	Delete 0 19 4 PT — add 0 17 5 PT
39	307	ERGOTAMINE TARTRATE Oral Tablet, B.P. 1 mg.	0 18 7 (ex 250) delete PT — add 0 15 5 (ex 250) PT 1 0 8 (ex M.P.) delete PT — add 0 17 0 (ex M.P.) PT Oral Tablet with Caffeine 1 mg.-100 mg. ... 1 12 8 delete PT — add 1 9 8 PT

Page No.	Item No.	Item Name and Form				Amendment			
40	308	ERYTHROMYCIN							
		Oral Capsule	125 mg. cap.	..	..	* 2 16 11 delete AB—	2 11	8 add AB	
			250 mg. cap.	..	..	Delete *4	8 10 AB—	3 12	0 add AB
		Oral Tablet	100 mg. tab.	..	..	* 2 16 11 delete AB—	2 11	8 add AB	
			250 mg. tab.	..	..	* 4 8 10 delete AB—	3 12	0 add AB	
72	593	PENICILLIN BENZYL PROCAINE							
		(Aqueous Suspension) Injection, B.P.							
		1,000,000 U. vial	..	..	..	* 2 3	0 add cs		
85	634	PREDNISOLONE							
		Oral Tablet, B.P.	5 mg.	..	..	1 17	0 delete HY(QNVTW), PT—add	1 13	8 HY(QNVTW), PT
86	635	PREDNISONE							
		Oral Tablet, B.P.	5 mg.	..	..	1 17	0 delete HY(QNVTW), PT—add	1 13	8 HY(QNVTW), PT

SECTION 4

15	308	ERYTHROMYCIN							
		100 mg. tab.	..	..	..	32 @	62	4 delete AB	
		250 mg. tab.	..	..	..	32 @	138	0 delete AB	
		125 mg. cap.	..	..	..	32 @	62	4 delete AB	
		250 mg. cap.	..	..	..	Delete 32 @	138	0 AB	
99	805	SOYA FORMULA							
		Powder Tin	9 oz.	..	..	Delete *3	10	0 WA—add *2	12 6 WA

CORRIGENDA

Page No.	Item No.	Item Name and Form				Amendment			
109	864	TETRACYCLINE (BUFFERED)							
		Oral Capsule	100 mg. Tetracycline cap.	..	2	2	4 add UP		

REPATRIATION DRUG TARIFF

PART 2

Delete the prices shown and insert---

Liniment Methyl Salicylate	..	..	..	4 fl. oz.	12	4
				8 fl. oz.	18	5
				16 fl. oz.	29	3
Lotion Almond Compound	..	..	..	8 fl. oz.	14	8
				16 fl. oz.	22	3
Lotion Aminoacrine	..	..	..	8 fl. oz.	8	5
				16 fl. oz.	10	8

PHARMACEUTICAL BENEFITS

EXPLANATORY CIRCULAR REGARDING FEBRUARY, 1963 ISSUE OF NOTES

This issue is not a complete reprint of the Notes. It is a reprint of—

Section 2—Schedule of Benefits (Part I).

Section 4—Rates of payment for Pharmaceutical Benefits (Blue pages, 13 to 23).

Proprietary Index

Changes in this issue are briefly summarised below.

1. NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Item No.	Generic Name
267	Demethylchlortetracycline 75 mg. cap.
588	Paraffin Liquid Emulsion with Phenolphthalein
595	Penicillin Phenoxymethyl Set containing vial of Benzathine Phenoxymethyl Penicillin 800,000 U. and 2 ml. amp. water for injection.
629	Polymyxin B. Sulphate Set containing 300,000 U. and 15 ml. of solvent.
773	Sodium Aminosalicylate Granules 96.4%, 500 G.
783	Succinylsulphathiazole Mixture with Kaolin, 4 fl. oz.

2. DELETIONS

307	Ergotamine Tartrate with Caffeine and Meclizine Hydrochloride	1 mg.—100 mg.—10 mg. tab.
510	Meclizine Hydrochloride, B.P.C.	
581	Pancreatin	300 mg. tab.

3. ALTERATIONS TO RESTRICTIONS

508	Methotrexate	Restricted for treatment of—The leukaemias and neo-plastic disease.
-----	--------------	---

4. HIGH VELOCITY ITEMS

Prices for new bulk packs will be published in the amendments as packs become available.

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



NOTES
for
APPROVED CHEMISTS

OPERATIVE FROM 1st NOVEMBER, 1962.

Department of Health.

CANBERRA, A.C.T.

NOVEMBER, 1962.

CONTENTS

EXPLANATORY NOTES

Prescribing of Benefits—Procedure by Doctors—	Paragraphs
Schedule of Benefits	1-8
Prescriptions	9-11
Restrictions	12
Maximum Quantities and Repeats	13-18
Urgent Cases	19-20
Doctor's Bag Emergency Supplies (Table page 22)	21-24
Supply of Benefits—Procedure by Chemists—	
Prescriptions	25-28
Procedure when an Authority Presented	29
Repeat Authorizations	30-31
Receipts	32-33
Charges to Patients—	
First 5/-	34-39
After Hours	40
Delivery	41
Responsibility for	42-43
Miscellaneous	44-57

SCHEDULES

Metric Conversion Table	.. lemon page 12
List of Manufacturers and Codes	.. lemon pages 13-21
Schedule of Benefits (Ready Prepared and Prescriber's List Items) ..	.. white pages
Drug Tariff (Drugs which may be prescribed extemporaneously) ..	.. green pages
Table of Maximum Quantities and Repeats for Preparations ..	.. green pages

PRICING AND CLAIMING PROCEDURE

Instructions on Pricing and Lodgement of Claims	.. blue pages
---	---------------

SECTION 1 — EXPLANATORY NOTES

PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS

Schedules of Benefits

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescriber's List items are listed in the Schedule of Benefits, Part I—(White pages).
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous items is listed in the Schedule of Benefits, Part II— (Green pages).
4. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "solvent required" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, i.e., "Penicillin Benzyl, Injection 500,000 U. amp. with 2 cc. water for injection."
5. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13-18.
6. In some cases a code letter indicates a restriction on the purpose for which the drug may be prescribed. An explanation regarding restrictions may be found in these notes—paragraphs 10*d* and 12.
7. The proprietary Index is available in a separate booklet which is issued to all medical practitioners and approved chemists.
8. Symbols used in the schedule:
 - (a) An asterisk (*) against the price of a benefit in Part I indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger (†) in front of the form of an item indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
 - (c) A double dagger (‡) in the maximum quantity column indicates an item packed by manufacturers under special conditions. The maximum quantity of these items corresponds to the manufacturer's pack and this quantity in an unbroken pack will be supplied.

- (d) A dagger (†) against the price of an eye drop indicates that the product is not preconstituted and that a special professional fee of 5s. 6d. is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the state indicated.

N.S.W. . . (N); VIC. . . (V); S.A. . . (S); W.A. . . (W); Q'LD . . (Q); TAS. . . (T)

Pre- scriptions

9. A prescription may be written for any person who is receiving medical treatment. A prescription is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

- (a) write the prescription in some indelible form, e.g., ink or ball point on paper as near as convenient to 6" x 4". The name and address of the medical practitioner should be shown.
- (b) write the prescription in duplicate, marking the duplicate with the word "Duplicate."
- (c) set out the name and address of the patient and, where the patient is a pensioner who holds an entitlement card, write the *pension* number. Where the pension number is shown it is not essential to write the patient's address. Please note that the *pension* number is required and *not* the entitlement card number.
- (d) in the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose." Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, i.e., the letters P, CP, or DG appear in the handbook against the drug, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose."
- (e) if the benefit is a single drug, indicate the manner of administration.
- (f) when directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in his own handwriting with the words "Regulation 24."
- (g) mark the prescription "N.H.S.", sign it and write the date.

No objection will be raised to doctors writing more than one prescription on a single sheet of paper provided each prescription is legible.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

The provisions of State Law are not affected by the foregoing.

State Law

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted.)
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

(If a prescription form prescribes both pharmaceutical benefit items and non-pharmaceutical benefit items, the prescription may be accepted, but the non-benefit items should be supplied as private prescriptions and cancelled from the form.)

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, with the written authority of the Commonwealth Director of Health, in specific combinations or as additives. Such items are identified in the Schedule of Benefits, by the insertion of the appropriate code letters as listed hereunder—

Code Letters

Restriction

- A Items which require an *authority* from the Commonwealth Director of Health, before prescribing as a pharmaceutical benefit.
- C Items limited in use to *children*.
- D Items limited in use for *specified purposes*, including the treatment of a prescribed disease or condition.
- E Items which may only be used as *additives*.
- H Items which may only be supplied from *approved hospital drug supplies* to patients receiving treatment at that hospital.
- K Items limited in use to *specific combinations*.
- P Items limited in use to *pensioners* in possession of a Pensioner Medical Service Entitlement Card.
- DG Items limited in use to *specified purposes* for the *general public* but which may be prescribed for the treatment of pensioners in possession of a Pensioner Medical Service Entitlement Card for any purpose.

Drugs restricted to "Approved Hospitals Only" use, are not available in all approved hospitals. Medical practitioners should ensure that the drugs are available at the particular hospital before prescribing.

When more than one restriction applies to a benefit, each appropriate restriction code is shown in the restriction column, e.g. "AD." With the exception of categories "E", "K", "H" and prescriptions for pensioners in categories "P" and "DG", prescriptions for items identified by the above code letters must be endorsed "Specified Purpose" or some suitable abbreviation such as "Spec. Purp." or "S.P." It is not necessary for the particular restriction to be identified. Where a particular manner of administration is indicated in the Schedule of Benefits against a ready prepared item, no other manner of administration may be directed in a prescription for that benefit.

Maximum Quantities and Repeats

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits, Part 1 — white pages. For other preparations, details are set out in the Table of Maximum Quantities and Repeats — green pages.

Items marked with a double dagger (‡) are packed under special conditions and, as explained in paragraph 8, unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity, either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15–16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint, a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17. The authorities referred to in paragraphs 15–16 must be attached to the prescription.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

Urgent Cases

19. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing, within 24 hours of such communication, and forward it to the chemist who made the supply.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Doctor's Bag Emergency Supplies

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors or to doctors approved to dispense pharmaceutical benefits. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form, in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is

required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity, e.g., if the doctor had 100 or more sulphonamide tablets on hand as portion of his Doctor's Bag Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than a sulphonamide), e.g. different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, Part I, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity, e.g., if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

SUPPLY OF BENEFITS — PROCEDURE BY CHEMISTS

Pre- scriptions

25. An approved chemist is authorized to supply a pharmaceutical benefit only upon the surrender of—
- (a) a valid prescription, dated within six months before the date of its presentation; or
 - (b) a repeat authorization presented with a duplicate prescription within six months of the date of the prescription.
26. When a benefit is supplied on presentation of a prescription, the chemist is required to—
- (a) write his name and approval number on the back of the prescription form and duplicate;
 - (b) allot a number which will identify the prescription and write that number on the form and duplicate; and
 - (c) if more than one prescription has been written on the one form, allot a separate number to each prescription.

27. When a benefit is supplied on presentation of a repeat authorization, the chemist shall write his name on the back of the repeat authorization.

28. When a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply, or on a repeat authorization requiring further repeats, the chemist shall prepare a repeat authorization form in duplicate, showing—

- (a) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (b) on the first occasion of supply of the benefit, his approval number, together with the serial number allotted by him to the prescription;
- (c) on subsequent occasions of supply of the benefit (excepting on the final occasion of supply), the numbers marked on the repeat authorization presented to him in accordance with (b) above;
- (d) if the repeat authorization or prescription is for a pensioner, the pension number appearing on the prescription.

The completed repeat authorization should then be attached to the duplicate of the prescription and issued to the person to whom the benefit has been supplied. Where a special authority is involved action as per paragraph 29 is also necessary. Chemists should note that a separate repeat authorization must be issued in respect of each benefit.

29. Written authorities issued by the Commonwealth Director of Health should accompany the prescription submitted for payment if no repeats are involved. Where an authority is issued for the supply of a benefit which is to be repeated, the following procedure should be followed by the chemist—

- (a) when dispensing the original prescription, or any repeat except the last repeat, the chemist must ensure that the number of the authority involved is clearly shown on the prescription or repeat authorization which he has retained to claim payment from the Commonwealth;
- (b) the authority, together with a new repeat authorization and the duplicate prescription, is to be returned to the patient, except when dispensing the last repeat;
- (c) the chemist dispensing the last repeat must submit the authority form with the repeat authorization when claiming payment.

30. A benefit may be supplied on a repeat authorization only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

31. Where a chemist supplies a benefit and repeats at the one time, he should not complete a repeat authorization form. Only one professional fee is payable for the total supply.

**Procedure
when an
Authority
Presented**

**Repeat
Authoriza-
tions**

32. Upon the supply to a person of a benefit by a chemist, that person shall sign and date a receipt for that benefit on the back of the prescription form or repeat authorization, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the back of the prescription form, or repeat authorization, with his address and a statement that he is obtaining the benefit for and on behalf of the person for whose treatment the prescription was written. In no circumstances must a person give, nor a chemist demand, a receipt, until supply of the benefit has actually been made.

33. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the chemist must certify on the back of the prescription or repeat authorization, as the case may be, that he has supplied the pharmaceutical benefit, the date on which supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19-20) or to a person who cannot read or write, or who is unable to write, the chemist should sign and date a statement on the back of the prescription or repeat authorization, indicating the circumstances of supply.

CHARGES TO PATIENTS

First 5/-

34. An approved chemist may in respect of each supply by him, whether on a prescription or repeat authorization, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding five shillings, except that a charge is not to be made for the supply of a pharmaceutical benefit on a prescription which states the pension number as appearing on the P.M.S. Entitlement Card of the pensioner, or a repeat authorization on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one five shilling charge may be made for each supply of the benefit.

35. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than five shillings for each supply;
- (b) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners in possession of a Pensioner Medical Service Entitlement Card) without charge or for a charge that is less than five shillings for each supply.

36. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15), and that authority accompanies the prescription, only 5s. should be charged for each supply of the increased maximum quantity.

37. Where a doctor endorses a prescription "Regulation 24" (see paragraphs 18 and 31), the chemist should make a charge of five shillings for the original prescription and five shillings for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of fifteen shillings (15s.) should be made on the patient.

38. Where a prescription is written for a benefit for which the dispensed price is less than five shillings at the time of supply, the prescription should be dispensed as a private prescription, unless it has been written for a pensioner. This also applies to prescriptions endorsed "Regulation 24" (see paragraphs 18 and 31) and for which the price of the maximum quantity of the benefit is less than five shillings.

39. Where a doctor has obtained an authority to prescribe an increased maximum quantity (see paragraph 15) and the increase in quantity takes the dispensed price to more than five shillings, the prescription should be dispensed as a pharmaceutical benefit regardless of the price of the normal maximum quantity. In such cases the normal five shillings charge may be made in respect of each supply.

40. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged to each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Commonwealth. Allowable late fees are—

(a) after trading hours but before 11 p.m. — 2s. 6d.;

(b) between 11 p.m. and the commencement of trading hours on the next day — 5s.

41. A charge equal to the cost of delivery may be made if supply by delivery is made at or to a place other than the chemist's pharmacy.

42. It is the patients' responsibility to meet any charge lawfully demanded and a chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

43. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Commonwealth) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

MISCELLANEOUS

44. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

45. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly society dispensaries should follow the procedures subject to additional instructions made available to them.

After
Hours

Delivery

Responsi-
bility

Premises

Approved
Doctors,
Friendly
Societies

Standards

46. A chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

- (a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Substances Act;
- (b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

Reference

47. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescriber's List are identified in this book by the letters B.P., B.P. 1953, B.P. 1948, B.P.C., A.P.F. or P.L. as appropriate.

Measures

48. Unless otherwise stated, weights and measures represented or expressed in these Notes, or in a prescription, shall be deemed to be apothecary's weights and measures. However, metric equivalents will be accepted. A table of approximate equivalents of doses in the metric and imperial systems is given on page 12.

Hours of Supply

49. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charges applicable. When the prescription is marked "urgent" and initialled by the doctor, it is obligatory for the chemist to make supply at his pharmacy at any hour.

50. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

51. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

52. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

53. Without affecting the requirements of the law of a State in regard to dangerous drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorizations;
- (c) in the case of a chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

Suspected Forgery

54. If a chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Doctor's Bag order forms, particular requirements are set out in paragraph 22.

Sale Copies

55. Copies of the National Health Act and Regulations are available from the Commonwealth Sub-Treasury in each capital city.

56. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

57. Inquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

METRIC CONVERSION TABLE

Conversion Table

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Millilitres</i> <i>Grammes</i>	<i>Minims</i> <i>Grains</i>	<i>Milligrams</i>	<i>Grain</i>
20	300	60	1
16	240	50	3/4
12	180	30	1/2
10	150	20	1/3
8	120	15	1/4
6	90	12	1/5
5	75	10	1/6
4	60	7.5	1/8
3	45	6	1/10
2	30	3	1/20
1.6	25	2	1/30
1.5	22½	1.2	1/50
1.2	20	1	1/60
1	15	0.6	1/100
0.8	12	0.5	1/120
0.6	10	0.3	1/200
0.5	8	0.25	1/240
0.3	5	0.2	1/320
0.25	4	0.1	1/600
0.2	3		
0.15	2½		
0.12	2		
0.1	1½		

It is intended to convert the Schedule of Benefits to the metric system at an early date.

DISTRIBUTORS AND AGENTS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES			
Alfred Lawrence & Co. Pty. Ltd.	NA1	Muir and Neil Pty. Ltd.	NM2
439 Kent Street, Sydney		479 Kent Street, Sydney	
Andrews Laboratories	NA3	William Pearce and Co. Pty. Ltd.	NP3
12 Primrose Ave., Rosebery		149 Castlereagh Street, Sydney	
Astra Pharmaceuticals (Aust.) Pty. Ltd.	NA2	Pharmedica Pty. Ltd.	NP1
364 The Boulevard, Sutherland		Rosebury	
British Pharmaceuticals	NB1	Potter and Birks Pty. Ltd.	NP2
8-12 Bathurst Street, Sydney		120 Pacific Highway, St. Leonards	
Denyer Brothers	ND1	Schaffer & Company	NS1
250 George Street, Sydney		235 Clarence Street, Sydney	
Drug Houses of Aust. Ltd.	ND2	Schering, A.G.	NS5
Sydney		59 Pine Street, Chippendale	
Essex Laboratories Pty. Ltd.	NE3	Schering Pty. Ltd.	NS3
105-111 Kippax Street, Surry Hills		Sydney	
Ethical Agencies Co.	NE1	Squibb, E. R. and Son Pty. Ltd.	NS4
154 Castlereagh Street, Sydney		260-262 Kent Street, Sydney	
Evans Medical Australia (Pty.) Ltd.	NE2	Sterling Pharmaceuticals	NS2
Plough Court, Duffy Avenue, Thornleigh		75-89 Atkins Road, Ermington, Sydney	
Fawns & McAllan Pty. Ltd.	NF1	Young and Fennell Pty. Ltd.	NY1
176 Day Street, Sydney		268 Kent Street, Sydney	
F.B.A. Pharmaceuticals Aust. Pty. Ltd.	NF2		
Wilson Street, Botany			
Martin & Co. (Surgical) Ltd.	NM1		
382 Pacific Highway, Crows Nest			
		VICTORIA	
		Astra Pharmaceuticals (Australia) Pty. Ltd.	VA1
		52 Collins Street, Melbourne	
		Boots Pure Drug Co. Pty. Ltd.	VB1
		33-35 Stewart Street, Richmond	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Prosana Laboratories Pty. Ltd. QP2 194 Given Terrace, Paddington		A. Searcy & Son Ltd. SS1 132 Gray Street, Adelaide	
Southern Drug Company QS1 30 Albert Street, Brisbane		Southern Drug Company SS2 180 Sturt Street, Adelaide	
Upjohn Company Pty. Ltd. QU1 333 Coronation Drive, Milton, Brisbane		Sterling Pharmaceuticals Pty. Ltd. SS3 150 Henly Beach Road, Torrensville	
SOUTH AUSTRALIA		WEST AUSTRALIA	
Adelaide Drug Co. Ltd. SA1 Pirie Street, Adelaide		Avery Guhl, Pty. Ltd. WA1 36A William Street, Perth	
Alfred Lawrence & Co. Pty. Ltd. SA2 96 Currie Street, Adelaide		R. D. Benjamin, WB1 30 James Street, Perth	
Boots Pure Drug Co. Pty. Ltd. SB1 Henly Beach Road, Mile End		Boots Pure Drug Co. Pty. Ltd. WB2 416 Newcastle Street, Perth	
D and L Agencies Ltd. SD1 22-24 Louisa Street, Adelaide		Claydon and Carpenter WC1 144 William Street, Perth	
F. H. Faulding & Co. Ltd. SF1 James Place, Adelaide		Ethico Distributors WE1 119 Clausebrook Road, East Perth	
Hamilton Laboratories Ltd. SH1 217 Flinders Street, Adelaide		Fawns and McAllan Pty. Ltd. WF1 13 Rokeby Road, Subiaco	
J. J. C. Pearce SJ1 207 Currie Street, Adelaide		H. L. Hitchcock and Co. WH1 277 Salvado Street, Floreat Park	
Pharmaceutical Supplies, SP1 106 North Terrace, Adelaide		E. D. Kendall, Esq. WK1 47 Paddington Street, Perth	
R. D. Toppin & Sons Pty. Ltd. ST1 27 Rowlands Road, Hilton		G. Martin & Son WM1 83 Brisbane Street, Perth	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Pharmaceutical Distributors WP1		Boots Pure Drug Co. Pty. Ltd. TB2	
48 King Street, Perth		49 Davey Street, Hobart	
Pharmax Pty. Ltd. WP2		Cados Pty. Ltd. TC1	
12 Aberdeen Street, Perth		Watchorn Street, Hobart	
Rumbles Ltd. WR1		Cados Pty. Ltd. TC2	
12 Aberdeen Street, Perth		63 Cameron Street, Launceston	
Sterling Pharmaceuticals Pty. Ltd. WS1		H. T. Grounds TG1	
12 Graylands Road, Claremont		101 Murray Street, Hobart	
S. Van Dal & Co. Pty. Ltd. WV1		Pharmaceuticals Pty. Ltd. TP1	
148-150 Hay Street, Subiaco		63 Cameron Street, Launceston	
TASMANIA		Sidwell & Company TS1	
C. J. Baldey TB1		70 Liverpool Street, Hobart	
101 Murray Street, Hobart			

SUPPLIES OF LISTED BRANDS — DISTRIBUTORS AND AGENTS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.
AL ..	NA1	..	QA1	SA2	WK1	TP1	NY ..	NS2	VS2	..	SP1, SS3	WR1, WS1	TP1 TS1,
AM ..	NS1	VS1	..	..	..	..	OP ..	NM2	..	..	..	..	..
AP ..	NA2	VA1	..	..	..	..	OR ..	NB1	..	..	..	..	..
AR ..	NP1	..	..	..	..	..	PD ..	..	VP1	QP1	SD1	WP1	TB1
BD ..	..	..	QM1	..	..	..	PF ..	..	VP2	..	..	..	..
BS ..	..	VC2	QC1	SJ1	WH1	TG1	PH ..	..	VP3	QC2	SA1	WE1	TC1
BT ..	..	VB1	QB1	SB1	WB2	TB2	PR ..	..	VP4	QP2	SS1	..	..
BW ..	..	VB2	QB2	SD1	WP1	TS1	QE ..	..	VC1	..	..	..	..
CF ..	..	..	..	SF1	..	..	RM ..	..	VU2	..	..	..	..
CM ..	..	..	QK1	SA1	WP2	..	RT ..	NM1	..	QK1	SS1	WB1	..
EN ..	NY1	..	..	..	..	..	SC ..	NS5	..	..	..	..	..
EV ..	NE2	..	..	..	..	..	SH ..	NE3	..	..	..	..	..
FB ..	NF2	..	..	..	..	..	SQ ..	NS4	VS3	..	..	..	..
FM ..	NF1	..	QS1	SS2	WF1	TC2	SR ..	ND2	..	..	..	..	..
GP ..	..	..	..	..	WC1	..	SY ..	NB1	..	..	..	..	..
HA ..	..	..	..	SH1	..	..	TH ..	NP3	..	..	..	..	..
HY ..	..	VC1	QA2	..	WA1	TC1	TO ..	..	VT1	..	ST1	..	..
KN ..	NS3	..	..	..	..	..	TF ..	NM2	..	..	..	..	..
LP ..	NA3	..	..	..	..	..	UP ..	..	VU1	QU1	SJ1	WM1	TG1
LW ..	NE1	..	..	..	..	..	VM ..	NP2	..	..	..	..	..
ME ..	..	..	QG1	..	..	..	WA ..	NP1	..	..	..	..	..
MN ..	..	VM1	..	..	..	..	WP ..	ND1	VH1	..	..	WV1	..
NA ..	..	VG1	..	..	..	..							

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd.	AB	British Schering Ltd.	BS
Missenden Rd., Camperdown, N.S.W.		North Shore Medical Centre,	
Alfred Lawrence & Co. Ltd.	AL	St. Leonards, Sydney, N.S.W.	
13-31 Barrett Street, Kensington W.1, Vic.		Bull Laboratory, David G.	BL
Ames Company	AM	19 Shierlaw Avenue, Canterbury, E.7, Vic.	
484 Collins Street, Melbourne C.1, Vic.		Burroughs Wellcome & Co. (Aust.) Ltd.	BW
Andrews Laboratories Pty. Ltd.	AN	Cressy Street, Rosebery, Sydney, N.S.W.	
12 Primrose Avenue, Rosebery, N.S.W.			
Armour Pharmaceutical Co. Ltd.	AR		
England			
Associated Drug Companies of Australia Pty. Ltd.	AD	Campbell Pharmaceutical Co., U.S.A.	CF
589-605 Collins Street, Melbourne, C.1, Vic.		Calmic Ltd.	CA
Astra Pharmaceuticals (Australia) Pty. Ltd.	AP	Bibby Street, Chiswick, N.S.W.	
Compo Road, Rocklea, Queensland		Charles McDonald-Mead Johnson Pty. Ltd.	CM
Ayerst Laboratories Pty. Ltd.	AY	Caringbah, N.S.W.	
Gregory Place, Parramatta, N.S.W.		Chemos Pty. Ltd.	CH
		65 Park Road, Milton, W.2, Brisbane, Q'ld.	
Bakra Laboratories	BK	Ciba Limited	CB
45 A'Beckett Street, Melbourne, Vic.		Orion Road, Lane Cove, N.S.W.	
Bayer Pharma Pty. Ltd.	BA	Commonwealth Serum Laboratories	CS
56 Young Street, Sydney, N.S.W.		Poplar Street, Parkville, Vic.	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	Cox Findlayson & Co. Ltd.	CO
376 Eastern Valley Way, Roseville, N.S.W.		472-482 Harris Street, Sydney, N.S.W.	
British Drug Houses (Australia) Pty. Ltd.	BD	Crookes Laboratories Ltd., The	CK
250 Pitt Street, Sydney, N.S.W.		376 Eastern Valley Way,	
British Pharmaceuticals Pty. Ltd.	BP	Roseville, Sydney, N.S.W.	
8-12 Bathurst Street, Sydney, N.S.W.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Difrex (Aust.) Laboratories DF		G. P. Pty. Ltd. GP	
321 Pitt Street, Sydney, N.S.W.		74-76 Mitchell Road, Alexandria,	
Distillers Company Biochemicals (Aust.) Pty. Ltd. DL		Sydney, N.S.W.	
Campbell Street, Artarmon, N.S.W.		Glaxo-Allenburys (Australia) Pty. Ltd. GL	
Drug Houses of Australia Ltd. DH		23-47 Villiers Street, North Melbourne, Vic.	
750-800 Princes Highway, Tempe, N.S.W.			
Easterbrook, R. W., Pty. Ltd. EB		Hamilton Laboratories Ltd., The HA	
7 Cutler Parade, North Ryde, N.S.W.		141 Buckland Street, Alexandria, N.S.W.	
Endo Laboratories, Inc. U.S.A. EN		Harvey Pty. Ltd., H.F., HY	
Evans Medical Australia (Pty.) Ltd. EV		231 Elizabeth Street, Croydon, N.S.W.	
214 Graham Street, Port Melbourne, Vic.		Hoechst Pharmaceuticals Pty. Ltd. HP	
		505 St. Kilda Road, Melbourne, S.C.2, Vic.	
Farbenfabriken Bayer, A. G. FB			
West Germany		Ioquin Company, The IQ	
Farmer Hill Pty. Ltd. FH		Fourth Floor, Parramatta & Missenden Roads,	
187 William Street, Sydney, N.S.W.		Camperdown, N.S.W.	
Faulding & Co. Ltd., F. H. FA		Imperial Chemical Indust. of Aust. & N.Z. Ltd. .. IC	
James Place, Adelaide, S.A.		I.C.I. House, 1 Nicholson Street,	
Fawns and McAllan Pty. Ltd. FM		Melbourne, C.2, Vic.	
432 Mount Dandenong Road, Croydon, Vic.			
Fisons Australia Pty. Ltd. FC		Jaede, H. W., Manufacturing Pty. Ltd. JA	
Daking House, Rawson Place, Sydney		Templestowe, Vic.	
Gamma Laboratories GA		Knoll Laboratories KL	
169 Lygon Street, Carlton, Melbourne, Vic.		176 Princes Highway, Arncliffe, N.S.W.	
Geigy (A'asia) Pty. Ltd. GE		Knoll, A. G. Germany KN	
178-180 Pacific Highway, St. Leonards, N.S.W.			
		Lane Medical Co. Pty. Ltd. LM	
		156 Barkly Avenue, Burnley, Vic.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Lederle Laboratories Division LE		Nativelle Laboratories NA	
Cynamid-D.H.A. Pty. Ltd., Derrimut, Vic.		France	
Leo Pharmaceutical Products LP		Nicholas Pty. Ltd. NS	
Denmark		699 Warrigal Road, Chadstone, S.E.10, Vic.	
Lepetit (Pharmaceuticals) Pty. Ltd. .. LT		Noel Bramble Laboratories NB	
66-80 Pacific Highway, St. Leonards, N.S.W.		324 King George's Road, Beverly Hills, N.S.W.	
Lilly (Australia) Pty. Ltd., Eli LY		Nyal Company NY	
Wharf Road, Ermington, N.S.W.		75-89 Atkins Road, Ermington, N.S.W.	
Luitpold-Werk LW			
Germany			
		Oppenheimer, Son & Co. Ltd. OP	
Maw Son and Sons, S. ME		London	
England		Organon Laboratories Ltd. OR	
May and Baker (Aust.) Pty. Ltd. MB		London	
Paramount Road, West Footscray, W.12, Vic.		Ortho Pharmaceutical Co. OO	
McGloin Pty. Ltd., J. MG		6th Floor, 26 Ridge Street, North Sydney,	
36 Hutchinson Street, Surry Hills, N.S.W.		N.S.W.	
Medical Research Pty. Ltd. MR			
Sirius Road, Lane Cove, N.S.W.		Parke Davis and Co. Ltd. PD	
Merck, Sharp & Dohme (Aust.) Pty. Ltd. .. MK		32-40 Cawarra Road North,	
62-68 Ferndell Street,		Caringbah, N.S.W.	
South Granville, N.S.W.		Pfizer Corporation Australia PF	
Merrell, Wm. S. (Pty.) Ltd. ML		Wharf Road, Ermington, N.S.W.	
M.L.C. Building, Miller Street,		Pharmedica Pty. Ltd. PH	
North Sydney, N.S.W.		602-612 Botany Road, Alexandria, N.S.W.	
Muir & Neil Pty. Ltd. MN		Phoenix Pharmaceuticals PX	
479 Kent Street, Sydney, N.S.W.		P.O. Box 209, Bankstown, N.S.W.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Prosana Laboratories	PR	Sandoz Ltd.	SZ
145 Beattie Street, Balmain, N.S.W.		620 Harris Street, Ultimo, Sydney, N.S.W.	
Pro-Vita Products Pty. Ltd.	PV	Savory and Moore Ltd.	SY
Lennon Street, South Kensington, Vic.		England	
Protea Pharmaceuticals Pty. Ltd.	PT	Schering Corporation, U.S.A.	SH
Box 1660 G.P.O., Sydney, N.S.W.		Schering, A. G., Berlin	SC
		Searle & Co. Ltd., G. D.	SR
		England	
Queensland Ethicals	QE	Sera Pty. Ltd.	SE
Evans Road, Rocklea East, Brisbane, Q'ld.		29 Hotham Parade, Artarmon, N.S.W.	
		Sigma Co. Ltd.	SI
		589-605 Collins Street, Melbourne, C.1, Vic.	
Reckitts Pty. Ltd.	RC	Soul Pattinson (Laboratories) Pty. Ltd.	SL
770 Bourke Street, Redfern, N.S.W.		158 Pitt Street, Sydney, N.S.W.	
Richards Laboratory Pty. Ltd.	RD	Smith, Kline & French Laboratories (Aust.) Ltd. ..	SK
Kings Road, Castle Hill, N.S.W.		Cnr. Denison & Spring Streets,	
Richter of Milan	RM	North Sydney, N.S.W.	
Riker Laboratories Australia Pty. Ltd.	RK	Squibb & Sons, E. R., Pty. Ltd.	SQ
68 Alexander Street, Crow's Nest, N.S.W.		England	
Roche Products Ltd.	RO	Stansen & Co. Pty. Ltd., A. E.	ST
1 Barrack Street, Sydney, N.S.W.		Green & McCandlish Building,	
Rocke Tomsitt & Co. Ltd.	RT	West Melbourne, C.3, Vic.	
10 Griffiths Street, Ricomond		St. Just Laboratories Ltd.	SJ
Rotary Tableting Corp. Pty. Ltd.	RY	7 Ferguson Street, Maylands, W.A.	
432 Mt. Dandenong Road, Croydon, Vic.			
Roussel Laboratories Ltd.	RL	Thilo, Dr. and Co.	TH
403 Pacific Highway, Artarmon,		Western Germany	
Sydney, N.S.W.			

<i>Manufacturer</i>	<i>Code</i>
Toppin & Sons Pty. Ltd., R.D. 22 Duffy Avenue, Thornleigh, N.S.W.	TO
Trufood Ltd. England	TF
Upjohn Company, The 55-73 Kirby Street, Rydalmere, N.S.W.	UP
Virax Ethicals Ltd. 77-79 Market Street, South Melbourne, Vic.	VR
Vitamins Limited England	VM
Wander Limited, A., England	WA
Warner & Co. Pty. Ltd., Wm. R. 10-28 Biloela Street, Villawood, N.S.W.	WW
Weddel Pharmaceuticals England	WP
Wholesale Drug Co. Ltd. 15-23 Parker Street, Sydney, N.S.W.	WD
Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W.	WL
Woods, H. W. Pty. Ltd. 10 Clifford Street, Huntingdale, Vic.	WH

<i>Manufacturer</i>	<i>Code</i>
World Agencies Pty. Ltd. 82-84 Sussex Street, Sydney, N.S.W.	WO
Wyeth Pharmaceuticals Pty. Ltd. Gregory Place, Parramatta, N.S.W.	WY
Young and Fennell Pty. Ltd. 268 Kent Street, Sydney, N.S.W.	YF

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline Mucate	Ampoule	6	Penicillin, Procaine, (Aqueous Suspension) ..	Ampoule or Vial	12
Adrenaline Acid Tartrate	Ampoule	6			
	Bottle	1			
Digoxin	Ampoule	12	Pethidine Hydrochloride ..	Ampoule	6
	Bottle	1			
	Tablet	100			
Heparin	Ampoule or vial	1	Sulphadiazine .. .	Tablet	100
			or		
Hydrocortisone Sodium Succinate for Injection, B.P.	Ampoule	2	Sulphadimidine		
			or		
Mephentermine Sulphate	Vial	1	Sulphamerazine		
			or		
Morphine Sulphate	Ampoule	6	Sulphonamides, Mixed (B):		
	Hypodermic		Three Sulphonamides ..		
	Tablet	40	or		
			Sulphadimethoxine	Tablet	12
			or		
Morphine with Atropine	Ampoule	6	Sulphamethoxypyridazine ..	Tablet	12
	Hypodermic				
	Tablet	40	Tetanus Antitoxin, B.P. 1,500 I.U.	Ampoule	6
			Tetanus Toxoid (Formalinised) ..	Ampoule	6
Oxytocin	Ampoule	12			

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SECTION 2—SCHEDULE OF BENEFITS (PART 1)

(Effective from 1st February, 1963)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
1	ACETARSOL					
	Injection 2 cc. amp... ..		10	1	0 13 4	MB
	3 cc. amp... ..		10	1	0 17 8	MB
	Oral Tablet, B.P.C. 250 mg. (4 gr.) tab. ..		25	2	*0 9 3	MB
	Pessaries 250 mg. (4 gr.)		25	1	0 8 4	MB
					0 12 4	BA
2	ACETAZOLAMIDE					
	Oral Tablet, B.P. 250 mg. tab.		50	4	3 0 5	LE
					(ex 250)	
					3 4 4	LE
					(ex M.P.)	
42	ACETAZOLAMIDE SODIUM PARENTERAL					
	Injection 500 mg. vial		1	..	1 19 0	LE
3	ACETOMENAPHTHONE					
	Oral Tablet, B.P. 5 mg. tab.		100	2	0 8 4	AD, BD, DH, KL, PR, RT(V), SI, TO
	10 mg. tab.		100	2	0 11 0	AD, BD, CM, GL, HY(QNVTW), KL PR, RO, RT(V), SI, TO

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
4	ACETYLSALICYLIC ACID					
	Mixture, P.L.		8 fl. oz.	4	£ s. d. 0 8 6	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 5	Extemp.
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. . .		100	2	0 5 5	AD, DH, HY(QNVTW), KL, PR, RT(V), RY, SI, SL, TO
	Oral Tablet Soluble, B.P. 300 mg. (5 gr.) tab.		100	2	0 8 5	CO, DH, HY(QNVTW), IQ, MG, PR, RY, TO, VR
					0 8 10	RC
					0 9 0	BW, KL, NB
					0 9 1	HA
					(ex 500)	
					0 10 8	BW, CO, DH, HA, HY(QNVTW), IQ, KL, MG, NB, PR, RC, RY, TO, VR
5	ACETYLSALICYLIC ACID COMPOUND					
	Mixture, P.L.		8 fl. oz.	4	0 9 4	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 8 1	Extemp.
	Oral Tablet, A.P.F.		100	2	0 6 7	AD, DH, KL, PR, RT(V), RY, SI, SL
	Oral Tablet, B.P.C.		100	2	0 6 8	DH, FA, KL, RY, TO
	Oral Tablet Soluble		100	2	0 9 3	MG
					0 10 2	CO, RC
					(ex 500)	
					0 11 0	CO, MG
					0 12 4	RC
					(ex M.P.)	

5—continued

Oral Tablet with Phenacetin, Caffeine and Phenobarbitone					
250 mg.-250 mg.-25 mg.-25 mg. tab. ..	100	2	0 12 4	CO	
(4 gr.-4 gr.-3/8 gr.-3/8 gr.)			0 13 8	KL, NS	
Oral Tablet with Phenacetin, Caffeine and Quinalbarbitone					
225 mg.-150 mg.-25 mg.-25 mg. tab. ..	100	2	0 16 4	KL, RD	
(3.5 gr.-2.5 gr.-3/8 gr.-3/8 gr.)					
6 ACETYLSALICYLIC ACID AND CODEINE COMPOUND					
Mixture, P.L.	8 fl. oz.	4	0 10 9	Extemp.	
7 ACETYLSALICYLIC ACID AND MORPHINE					
Mixture, P.L.	8 fl. oz.	4	0 9 11	Extemp.	
8 ACETYLSALICYLIC ACID AND PHENOBARBITONE					
Mixture, P.L.	8 fl. oz.	4	0 8 10	Extemp.	
10 ACETYLSALICYLIC ACID WITH BROMIDE					
Mixture for Children, P.L.	4 fl. oz.	4	0 7 7	Extemp.	
12 ADRENALINE					
Eye Drops 1%	†1	6	1 14 4	AN	
Spray with Atropine Methonitrate, P.L. ..	1/2 fl. oz.	2	0 13 7	Extemp.	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
13	ADRENALINE HYDROCHLORIDE SOLUTION, B.P. 1953					
	Nasal Instillation, P.L.		1/2 fl. oz.	2	0 7 5	Extemp.
	Nasal Instillation with Ephedrine Hydrochloride, P.L.		1/2 fl. oz.	2	0 7 8	Extemp.
14	ADRENALINE ACID TARTRATE					
	Injection, B.P. 1 in 1,000, 1 cc. amp. . .		6	1	0 9 0	AD, BL, BT, BW, DH, FH, KL, PD
	1 in 1,000, 10 cc. amp. . .		1	1	0 7 0	BW, BX, FH, PD
	Solution, B.P. 1 in 1,000, 25 cc. . .		1	..	0 6 11	BW
	1 in 1,000, 1 fl. oz. . .		1	..	0 6 11	BX, RT(v)
					0 9 0	PD
	Solution 1 in 100, 7 cc. vial . .		1	1	0 6 11	BW, PD
43	ADRENALINE MUCATE					
	Injection 1 cc. amp... . .		6	1	*0 14 5	GL
16	ALOES					
	Pill Aloes and Nux Vomica, B.P.C. . .		50	1	*0 5 3	TO
					*0 6 8	DH
17	ALOXIDONE					
	Oral Capsule 300 mg. cap. . .		200	1	*3 19 6	BS
18	ALUMINIUM ACETATE					
	Lotion (Solution, B.P.C.) . .		8 fl. oz.	4	0 14 8	Extemp.

19	ALUMINIUM HYDROXIDE								
	Oral Tablet, B.P.	300 mg. (5 gr.) tab.	..		100	2	0 12 8	HY(QNVTW), KL, PR, RT(V)	
							0 13 0	WY	
							*0 13 8	AN, HA, RD, SL	
	Oral Tablet	600 mg. (10 gr.) tab...	..		100	2	0 15 11	KL	
							0 17 0	CO, WY	
							*0 17 8	HA	
44	ALUMINIUM HYDROXIDE GEL								
	Mixture	8 fl. oz.			‡1	4	0 7 9	CH(QNW), WD(N)	
							0 8 3	DH, WY	
	Mixture with Light Magnesia	8 fl. oz.	..		‡1	4	0 8 3	PR, WY	
	Mixture, A.P.F.		..	8 fl. oz.	4	0 12 8	Extemp.		
	Mixture with Belladonna, P.L.		..	8 fl. oz.	4	0 13 0	Extemp.		
	Mixture with Kaolin, P.L.		..	8 fl. oz.	4	0 13 7	Extemp.		
	Mixture with Kaolin and Opium, P.L.		..	8 fl. oz.	4	0 14 2	Extemp.		
	Mixture with Kaolin and Pectin, P.L.		..	8 fl. oz.	4	0 13 10	Extemp.		
	Mixture with Procaine, P.L.		..	8 fl. oz.	4	0 14 8	Extemp.		
49	ALUMINIUM HYDROXIDE GEL DRIED								
	Oral Tablet of Aluminium Hydroxide Mag- nesium Carbonate Co-dried Gel	375 mg...		100	2	0 17 0	BD		
	Oral Tablet with Magnesium Trisilicate and Magnesium Hydroxide (250 mg.-120 mg. 120 mg. (4 gr.-2 gr.-2 gr.) tab.			100	2	0 0 0	BW, FM, GP, HA, VR		
						(ex 500)			
						0 16 4	BW, FM, GP, HA, VR		
	Oral Tablet with Magnesium Trisilicate	250 mg.-500 mg.		100	2	0 14 4	WW		
	Oral Tablet with Magnesium Hydroxide	300 mg.-90 mg.		100	2	*0 14 6	WY		
45	ALUMINIUM POWDER, B.P.C.								
	Compound Paste, B.P.C.			1920 gr.	1	1 1 8	BT		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
21	AMINACRINE HYDROCHLORIDE					
	Cream, P.L.		1920 gr.	1	0 11 0	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 0	Extemp.
	Eye Drops 3 mg. (0.05 gr.) per 1/2 fl. oz.					
	1/2 fl. oz.		†1	2	0 10 7	IQ, KL
	Lotion, P.L.		8 fl. oz.	4	0 8 5	Extemp.
22	AMINOPHYLLINE					
	Injection 480 mg. per 2 mil., I.M. amp...		6	..	0 13 0	AD, BX
	500 mg. per 2 mil., I.M. amp...		6	..	0 13 0	BW, CM, FH, HA
	240 mg. per 10 mil., I.V. amp...		6	..	0 17 8	BX, HA
	250 mg. per 10 mil., I.V. amp...		6	..	0 17 8	AD, BW, CM, FH
	Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. ..		100	2	0 5 2	HY(QNVTW), PR
					0 6 3	MG, SL
					0 6 10	AD, DH, FA, HA, KL, RT(v), RY, SI, TO
					0 7 4	BW
					(ex 500)	
					0 6 4	HY(QNVTW), PR
					0 7 5	AD, BW, DH, FA, HA, KL, MG,
					(ex M.P.)	RT(v), RY, SI, SL, TO
	150 mg. (2.34 gr.) tab. ..		100	2	0 19 0	AB
	Oral Tablet with Phenobarbitone					
	100 mg.-30 mg. (1.5 gr.-1/2 gr.) tab. ..		100	2	0 7 8	AD, CM, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(v), RY, SI, SL, TO

22—continued

100 mg.—15 mg. (1.5 gr.—1/4 gr.) tab. ..		100	2	0 7 4	AD, CM, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
Suppository 175 mg. (2.75 gr.)		12	1	0 9 0	HA, KL
250 mg. (4 gr.)		12	1	0 12 0	AN, DH, HA, KL
400 mg. (6 gr.)		12	1	0 12 0	HA, KL
Aminophylline, Ephedrine Hydrochloride and Amylobarbitone					
Oral Tablet					
130 mg.—25 mg.—25 mg. tab.		100	2	0 0 0 (ex 500)	CK, CO, HA, KL, VR
				0 19 8	PT
				1 3 0	CO, VR
				1 13 8 (ex M.P.)	CK, HA, KL
Oral Tablet, enteric coated					
130 mg.—25 mg.—25 mg. tab.		100	2	1 6 4	CO
				1 13 8	LY
Oral Capsule					
130 mg.—25 mg.—25 mg. cap.		100	2	1 13 8	LY, PF
46 AMIPHENAZOLE HYDROBROMIDE, A.P.F.					
Injection 20 mg. vial (solvent required) ..	D	12	..	*1 8 4	BX
23 AMIPHENAZOLE HYDROCHLORIDE, A.P.F. 1955					
Injection 30 mg. vial (solvent required) ..	D	12	..	2 11 8	NS
Oral Tablet 20 mg. tab.	D	100	..	0 11 11	NS
24 AMMONIATED MERCURY					
Ointment, B.P.		1920 gr.	1	0 12 4	Extemp.

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
25	AMMONIUM ACETATE, STRONG SOLUTION, B.P. 1953 Mixture, P.L.		8 fl. oz.	4	0 10 9	Extemp.
26	AMMONIUM CHLORIDE Oral Tablet, B.P.C. 500 mg. (7.5 gr.) tab. . .		25	3	*0 5 3 0 5 4	QE(QNVS), TO HY(QNVTW)
27	AMODIAQUINE BASE Oral Tablet Amodiaquine Hydrochloride, B.P. equivalent to 200 mg. base		100	2	1 19 0	PD
28	AMPHETAMINE SULPHATE Oral Tablet, B.P. 5 mg. tab.		100	2	0 6 8 0 7 0 0 7 5	PR, TO, RT(V) MG DH, FA, HY(QNVTW), KL, PR, QE(QNVS), RY
29	AMPHOTERICIN B Injection 50 mg. vial	D	1	..	1 19 8	SQ
30	AMYLOBARBITONE, B.P. Oral Tablet 15 mg. (1/4 gr.) tab. . . 30 mg. (1/2 gr.) tab. . .		50 50	2 2	0 7 0 0 7 7 0 7 11 0 8 7	HY(QNVTW), PT FA, GP, HA, KL, LY HY(QNVTW), PR, PT FA, GP, HA, KL, LY, VR

30—continued

50 mg. (3/4 gr.) tab. ..	50	2	0 8 9	HY(QNVTW), PR, PT
			0 9 8	DF, FA, GP, HA, KL, LY, MG, VR
100 mg. (1.5 gr.) tab. ..	50	2	0 0 0	AD, DF, DH, FA, GP, HA,
			(ex 250)	HY(QNVTW), KL, LY, MG, PR,
				PT, QE(QNVS), RT(V), RY, SI, SL,
				TO, VR
			0 9 5	HY(QNVTW), PR, PT, RT(V)
			0 10 4	AD, DF, DH, FA, HA, KL, MG,
				QE(QNVS), SI, SL, TO
			0 12 4	VR
			0 13 0	GP, RY
			0 13 8	LY
			(ex M.P.)	
31 AMYLOBARBITONE SODIUM				
Oral Capsule, B.P. 65 mg. cap. ..	50	2	0 10 9	LY
200 mg. (3 gr.) cap. ..	50	1	0 0 0	FA, LY
			(ex 250)	
			0 14 4	FA
			1 4 0	LY
			(ex M.P.)	
Injection, B.P.				
125 mg. amp. (solvent required) ..	6	..	1 7 8	LY
250 mg. amp. (solvent required) ..	6	..	*1 9 6	LY
500 mg. amp. (solvent required) ..	6	..	*2 3 0	LY
1 G. amp. (solvent required) ..	6	..	*3 5 6	LY
47 ANDROSTANOLONE				
Oral Tablet 25 mg. tab.	D	100	2	9 18 5
				11 0 4
				DF
				MN

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
32	ANEURINE HYDROCHLORIDE				£ s. d.	
	Injection, B.P. 25 mg. per cc., 1 mil. amp.		6	1	0 11 8	FH
					0 13 0	BD
	30 mg. per cc., 1 mil. amp.		6	1	0 15 8	BX
	50 mg. per cc., 1 mil. amp.		6	1	0 17 0	AB, BL, FH, FM, KL
	50 mg. per cc., 2 mil. amp.		6	1	0 19 0	BD
	100 mg. per cc., 1 mil. amp.		6	1	0 19 0	BX, FH, KL
	50 mg. per cc., 10 mil. vial		1	1	0 12 4	BX, FA, FH, FM, GL, KL, PD
	100 mg. per cc., 10 mil. vial		1	1	0 15 0	BX, CM, DH, FA, FH, FM, GL, KL, PD, VR
	Oral Tablet, B.P. 20 mg. tab.	P	100	2	0 9 8	AN, CM, HY(QNVTW), KL, MG, PR, RT(V), RY, SL, TO
	25 mg. tab.	P	100	2	0 11 0	AD, AN, DH, FA, FM, HY(QNVTW), KL, PR, MG, RY, SI, SL, TO
	50 mg. tab.	P	100	2	0 13 8	AD, AN, DH, FA, FM, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
	100 mg. tab.	P	100	2	0 19 0	AN, DH, FM, HY(QNVTW), KL, MG, PR, QE(QNVS), RT(V), RY, SL
	120 mg. tab.	P	100	2	1 1 8	HY(QNVTW), KL, MG, PR, SI
33	ANTACID POWDER					
	Powder, P.L.		1920 gr.	2	0 8 2	Extemp.

34 ANTAZOLINE HYDROCHLORIDE									
Injection	100 mg. per 2 cc. amp.	..	..		10	..	*1	1	8 CB
							*1	2	0 BT
Oral Tablet, B.P.	100 mg. tab.	..	..		50	1	0	13	8 CB
Eye Drops with Naphazoline	1/2 fl. oz.	..			‡1	2	0	7	0 TO
	10 mil.	..			‡1	2	0	8	4 CB
35 ANTIMONY POTASSIUM TARTRATE									
Injection, B.P.	1%, 5 cc. amp.	..	..		6	1	0	13	8 BX
36 AQUEOUS CREAM									
Cream, B.P.	..	..	..	..	1920 gr.	1	0	11	1 Extemp.
37 ASCORBIC ACID									
Oral Tablet, B.P.	10 mg. tab.	..	..	P	100	2	0	5	7 HY(QNVTW), RT(V)
	25 mg. tab.	..	..	P	100	2	0	5	8 AD, DH, FA, FM, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, TO
	50 mg. tab.	..	..	P	100	2	0	7	4 AD, AN, DH, FA, FM, GL, HY(QNVTW), KL, MG, NY, PR, RT(V), RY, SI, SL, TO
	100 mg. tab.	..	..	P	100	2	0	10	0 AN, DH, HY(QNVTW), KL, MG, PR, QE(QNVS), RT(V), RY, TO
	250 mg. tab.	..	..	P	100	2	0	15	0 AD, AN, DH, FA, FM, HY(QNVTW), KL, MG, NY, PR, RT(V), RY, SI, SL, TO
	500 mg. tab.	..	..	P	100	2	0	15	8 GL
							1	5	0 HY(QNVTW), KL, MG
38 ATROPINE									
Eye Drops, Oily 1%	1/2 fl. oz.	..	..		‡1	2	0	13	0 IQ, SI

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
39	ATROPINE METHONITRATE					
	Mixture for Children, P.L.		4 fl. oz.	4	0 13 4	Extemp.
	Solution 0.6%, 1/2 fl. oz.		1	..	0 9 8	BA
	Oral Tablet 1 mg. tab.		50	2	0 14 4	BA
40	ATROPINE SULPHATE					
	Hypo. Tablet, B.P.					
	1/200 gr. hypo. tab. (solvent required) ..		20	1	0 5 0	PD
	1/150 gr. hypo. tab. (solvent required) ..		20	1	0 5 0	DH, FA, PD
	1/100 gr. hypo. tab. (solvent required) ..		20	1	0 5 4	DH, FA, PD
	Injection, B.P. 1/150 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BT, BX, FH, KL
	1/100 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BT, BX, FH, KL
	1/100 gr. per cc., 10 cc. vial		1	..	0 9 8	BX, FA, FH
	1/50 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BX, FH, KL
	Eye Drops, 1/2%, 1/2 fl. oz.		†1	2	0 11 0	AN, DH, IQ, KL, SI
	1%, 1/2 fl. oz.		†1	2	0 12 0	AN, DH, IQ, KL, SI
	Eye Ointment, B.P. 4 G. (60 gr.)		†1	..	0 6 4	PD
41	AUROTHIOGLUCOSE					
	Injection, Oily 10 mg. amp.		1	3	0 6 3	SC
	25 mg. amp.		1	3	0 7 7	SC
	50 mg. amp.		6	..	*1 13 6	SC
	100 mg. amp.		6	..	*2 2 6	SC
83	BACITRACIN					
	Eye Drops 15,000 U. and 15 mil. amp. of solvent		†1	2	†0 19 10	AN, IQ

84	BARBITONE COMPOUND, A.P.F. 1955								
	Oral Capsule, A.P.F. 1955	..	..			50	1	1 13 8 1 18 4	AN, KL AB
85	BARBITONE SODIUM								
	Oral Tablet, B.P.	300 mg. (5 gr.) tab.	..			50	2	0 9 4	DH, KL, MG, SL
		500 mg. (7.5 gr.) tab.	..			50	2	0 10 0 0 11 0 0 11 4	DH, FA, KL TO MG
86	BELLADONNA								
	Compound Suppository	..	..	..		12	1	0 7 11	WY
87	BEMEGRIDE								
	Injection, B.P.	30 mil. vial	..	..	D	6	..	5 16 0	NS
106	BENDROFLUAZIDE								
	Oral Tablet	2.5 mg. tab.	..	..		50	2	1 2 8	AN, BT, GL
		5 mg. tab.	..	..		50	2	1 13 4	AN, BT, GL
88	BENEDICT'S QUALITATIVE SOLUTION								
	Solution, P.L.	..	..	..		4 fl. oz.	1	0 8 7	Extemp.
102	BENZALKONIUM CHLORIDE								
	Cream, 0.01%	2 oz.	..	..		1	1	0 7 5	CA
	Compound Suppository	..	..	..		12	1	0 11 8	FA
89	BENZHEXOL HYDROCHLORIDE								
	Oral Tablet, B.P.	2 mg. tab.	..	..		100	2	1 1 4	LE, WL
		5 mg. tab.	..	..		100	2	2 1 4	LE, WL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
90	BENZOCAINE				£ s. d.	
	Dusting Powder, P.L.		1920 gr.	1	0 14 4	Extemp.
	Compound Ointment with Hamamelis and Zinc, P.L.		1920 gr.	1	1 0 1	Extemp.
	Compound Ointment with Adrenaline . .		960 gr.	1	0 13 0	GP
	Compound Suppository with Adrenaline . .		12	1	0 10 7	GP
	Suppository with Adrenaline, A.P.F. 1955 . .		12	1	0 13 0	AN, DH, KL
91	BENZOIC ACID					
	Compound Ointment, A.P.F. 1955		1920 gr.	1	0 12 4	Extemp.
92	BENZOIN COMPOUND TINCTURE					
	Inhalation, P.L.		2 fl. oz.	1	0 13 11	Extemp.
93	BENZYL BENZOATE					
	Application, 25% 4 fl. oz.		1	1	0 9 8	EV
	Application with Dicophane, P.L.		4 fl. oz.	1	0 10 6	Extemp.
103	BEPHENIUM HYDROXYNAPHTHOATE					
	Oral Sachet 5 G. sachet		1	..	0 7 5	BW
109	BETAMETHASONE					
	Oral Tablet 0.5 mg. tab.	AD	30	..	1 11 0	GL, SH
110	BETAMETHASONE PHOSPHATE					
	Eye Drops, 0.1%, 5 mil.		†1	2	1 3 0	GL, SH

94	BISMUTH CARBONATE, B.P. 1953 Compound Mixture for Children, P.L. ..	4 fl. oz.	4	0 10 0	Extemp.	
95	BISMUTH GLYCOLLYLARSANILATE Oral Tablet 500 mg. tab.	25	2	0 19 0	WL	
104	BISMUTH SODIUM TARTRATE Injection, B.P. 60 mg. per cc., 10 cc. vial	1	..	1 3 0	FA	
97	BISMUTH SUBGALLATE, B.P.C. Suppository, B.P.C. 300 mg. (5 gr.) .. Compound Suppository, B.P.C.	12 12	1 1	0 8 1 0 8 3 0 13 8	DH DH, WW KL	
98	BORIC ACID Ear Drops, P.L. †Powder, B.P. 4 oz.	1/2 fl. oz. 1	2 ..	0 6 10 0 1 3 0 1 8 0 2 0 0 2 3	Extemp. WD(N) FA SI(V) DH	
105	BRETYLIUM TOSYLATE Oral Tablet 200 mg. tab.	100	2	4 6 4	BW	
108	BROWN SNAKE ANTI-VENENE Injection 500 U. amp.	2	1	*14 3 0	CS	
99	BUSULPHAN Oral Tablet, B.P. 0.5 mg. tab. 2 mg. tab.	D D	100 100	2 2	0 19 8 1 4 4	BW BW
107	BUTABARBITAL SODIUM Oral Tablet 15 mg. tab.	50	2	0 8 2 (ex 250)	AN	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
107—continued					£ s. d.	
	30 mg. tab. 		50	2	0 9 5 (ex M.P.) 0 9 5 0 9 9 (ex 250) 0 11 7 (ex M.P.) 0 16 7	AN AN AN AN AN AN
	100 mg. tab. 		50	2	0 16 7	AN
100	BUTOBARBITONE Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. ..		50	2	0 0 0 (ex 250) 0 6 11 0 7 0 0 7 4 0 7 8 (ex M.P.)	AD, DH, KL, MG, RT(V), SI, SL, MB, RY, GP AD, DH, KL, MG, RT(V), SI, SL MB RY GP
101	BUTYL AMINO BENZOATE, B.P. 1953 Cream with Trinitrophenol, P.L. 		1920 gr.	1	0 12 8	Extemp.
120	CALAMINE Cream, P.L. Lotion, P.L. Compound Liniment, P.L. 		1920 gr. 8 fl. oz. 4 fl. oz.	1 4 1	0 8 10 0 8 0 0 7 8	Extemp. Extemp. Extemp.

121	CALCIFEROL				ADG	100	2	1	4	0	GL, RL
	Oral Tablet, B.P.	50,000 U. tab.	..	..							
	Solution	3,000 U. per mil., 25 mil.	..	..							
		3,000 U. per mil., 100 mil.	..	..	CP	1	..	0	6	1	BD
					CP	1	..	0	9	8	BD
122	CALCIUM ACETYSALICYLATE					8 fl. oz.	4	0	8	3	Extemp.
	Mixture, P.L.	..	..	..							
128	CALCIUM AMINOSALICYLATE, B.P.C.				D	200	2	3	5	8	AN, KL, WA
	Cachet	1.5 G. cachet	..	..							
		2.0 G. cachet	..	..							
	Oral Tablet	500 mg. (7.5 gr.) tab.	..	..							
	Granules	100 G. tin	..	..							
		400 G. tin	..	..							
					D	1	1	1	16	8	WA
					D	1	1	5	19	8	WA
123	CALCIUM AUROTHIOMALATE					1	3	0	7	9	CK
	Injection	10 mg. amp.	..	..							
		25 mg. amp.	..	..							
		50 mg. amp.	..	..							
		100 mg. amp. (solvent required)..	..	..							
						6	..	1	12	4	CK
						6	..	2	4	1	CK
125	CALCIUM CARBONATE					1920 gr.	2	0	8	9	Extemp.
	Powder with Kaolin, P.L.	..	..	..							
126	CALCIUM GLUCONATE					100	2	0	7	8	BX, FH, TH
	Injection, B.P.	10% Solution, 10 mil. amp.	..	..							
	Oral Tablet, B.P.C.	600 mg. (10 gr.) tab.	..	..							
								0	15	0	AD, DH, FA, HY(QNVTW), PR,
								0	7	8	RT(V), SI, SL
								0	8	4	MG, RY, TO
127	CALCIUM LACTATE					100	2	0	6	4	AD, DH, FA, HY(QNVTW), KL,
	Oral Tablet, B.P.	300 mg. (5 gr.) tab.	..	..							
											RT(V), RY, SI, SL, TO

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
129	CAMPHOR Liniment for Children, P.L.		4 fl. oz.	1	0 10 5	Extemp.
130	CAMPHORATED TINCTURE OF OPIUM Mixture, P.L. Linctus, P.L. Linctus for Children, P.L.		8 fl. oz. 8 fl. oz. 4 fl. oz.	4 4 4	0 8 6 0 14 9 0 10 8	Extemp. Extemp. Extemp.
131	CARAMIPHEN HYDROCHLORIDE Oral Tablet 50 mg. tab.	D	100	2	*2 5 0	GE
132	CARBACHOL Injection, B.P. 0.25 mg. per 1 cc. amp. ..		6	..	0 9 8	BD, FH
133	CARBARSONE Oral Tablet B.P. 250 mg. tab.		20	1	0 6 9	MB
134	CARBIMAZOLE Oral Tablet, B.P. 5 mg. tab.		100	2	1 6 8 1 12 4	PT BS
186	CARBINOXAMINE MALEATE Oral Tablet 4 mg.		50	1	0 15 8	AN
135	CARBROMAL Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		50	2	0 8 8 0 9 8	DH, KL, MQ BA, GP
136	CARMINATIVE MIXTURE Mixture for Children, P.L.		4 fl. oz.	4	0 7 2	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
145	CHLORAMPHENICOL					
	Oral Suspension 125 mg. per 4 cc., 60 cc.	CD	‡1	..	1 3 0	PD
	Injection 250 mg. per cc., 2 cc. amp. ..	D	6	..	1 16 8	PD
	1 G. vial (solvent required) ..	D	3	..	*2 14 0	PD
	Ear Drops 6 mil.		‡1	2	0 15 4	PD
	Eye Drops 25 mg. and 10 cc. solvent ..		‡1	2	†0 16 10	PD
	Eye Ointment, 1% 4 G. (60 gr.)		‡1	..	0 6 11	PD
	Oral Capsule, B.P. 125 mg. cap.	D	16	..	1 2 0	PD
	250 mg. cap.	D	16	..	1 16 7	PD
					(ex 100)	
					1 17 4	PD
					(ex M.P.)	
146	CHLORAZANIL					
	Oral Tablet 25 mg. tab.		50	2	0 15 0	RK, SI
	150 mg. tab.		50	2	1 14 0	RK, SI
147	CHLORBUTOL					
	Nasal Instillation, P.L.		1/2 fl. oz.	2	0 7 1	Extemp.
148	CHLORCYCLIZINE HYDROCHLORIDE					
	Oral Tablet, B.P. 50 mg. tab.		50	1	0 0 0	AB, BW
					(ex 250)	
					0 17 0	AB, BW
					(ex M.P.)	
181	CHLORHEXIDINE GLUCONATE SOLUTION					
	Solution, 5% 100 cc.		‡1	1	0 15 0	IC

149	CHLORMERODRIN								
	Oral Tablet	18.3 mg. tab.	..	..	..	25	2	0 9 8	PD
183	CHLOROBENZOL DISULPHONAMIDE								
	Oral Tablet	200 mg. tab.	..	..	..	50	2	2 7 0	NS
150	CHLOROQUINE BASE								
	Oral Tablet	Phosphate or Sulphate, B.P. equivalent to 150 mg. base				100	2	1 10 3	AN, BA, DH, EV, FB, IC, MB, RT(V)
	Injection	Phosphate or Sulphate, B.P.							
		1 mil. amp.	..	..	..	6	1	0 9 8	BX, FH
		2 mil. amp.	..	..	..	6	1	0 12 5	FH
								*0 12 5	MB
		5 mil. amp.	..	..	..	6	1	*0 19 11	MB
								1 0 4	BX, FH
151	CHLOROTHIAZIDE								
	Oral Tablet, B.P.	500 mg. tab.	..	..	..	50	2	1 17 10	MK
								(ex 250)	
								2 3 0	MK
								(ex M.P.)	
152	CHLOROXYLENOL, B.P.								
	†Solution	4 fl. oz.	..	..	..	1	1	0 3 6	FA
								0 4 2	RC
175	CHLORPHENIRAMINE MALEATE								
	Injection	10 mg. per 1 cc. amp...	..	..	..	5	..	0 15 9	GL
	Oral Tablet	4 mg. tab.	..	..	..	50	1	0 17 4	SH
								0 17 8	GL
		8 mg. tab.	..	..	..	50	1	1 1 8	GL
								1 7 4	SH
	Syrup	4 fl. oz.	..	..	..	C †1	4	0 9 8	GL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
179	CHLORPROMAZINE HYDROCHLORIDE					
	Injection, B.P. 1%, 5 cc. amp.	ADG	10	..	0 19 4	MB
	2.5%, 1 cc. amp.	ADG	10	..	0 12 4	MB
	2.5%, 2 cc. amp.	ADG	10	..	0 16 8	MB
	Oral Tablet, B.P. 10 mg. tab.	ADG	100	2	0 13 8	MB
	25 mg. tab.	ADG	100	2	0 19 8	MB
					(ex 500)	
					1 0 4	MB
					(ex M.P.)	
	50 mg. tab.	ADG	100	2	1 17 0	MB
	Suppositories 100 mg.	ADG	5	1	0 12 8	MB
	Syrup 4 fl. oz.	ADG	‡1	4	0 11 4	MB
153	CHLORPROPAMIDE					
	Oral Tablet 250 mg. tab.		100	2	2 3 0	PF
154	CHLORTETRACYCLINE HYDRO-CHLORIDE					
	Oral Capsule, B.P. 50 mg. cap.	D	25	..	1 4 7	LE
	100 mg. cap.	D	25	..	2 2 4	LE
	250 mg. cap.	D	16	..	3 0 0	LE
	Oral Granules 75 G.	CD	‡1	..	1 14 3	LE
	Eye Ointment, 1% 4 G. (60 gr.)		‡1	..	0 6 4	LE
184	CHLORTHALIDONE					
	Oral Tablet 100 mg. tab.		50	2	2 11 0	GE

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
160—continued					£ s. d.	
					0 9 10 (ex 500)	BW
					0 9 8	AB, FA, HA, HY(QNVTW), PR, RT(V), RY, SI, TO
					0 11 0 (ex M.P.)	AN, BW, CM, CO, DH, KL, MG, MR, SL, VR
Oral Tablet Compound Soluble, B.P.			100	2	0 0 0 (ex 500)	BW, DH, HA, IQ, KL, MG, RC, TO
					0 15 0 (ex M.P.)	BW, DH, HA, IQ, KL, MG, RC, TO
Oral Tablet with Acetylsalicylic Acid Soluble						
10 mg.-300 mg.			100	2	0 15 0	BW, FM, KL, NB
10 mg.-500 mg.			100	2	0 16 0	FA
					0 16 8	RC
Oral Tablet with Acetylsalicylic Acid						
10 mg.-300 mg.			100	2	0 10 8	HY(QNVTW), KL, NS
					0 11 0	BW, EL
Oral Tablet with Acetylsalicylic Acid and Phenacetin 10 mg.-250 mg.-250 mg. tab.			100	2	0 0 0 (ex 500)	FA, WW
					0 13 7 (ex M.P.)	FA, WW
Oral Tablet with Acetylsalicylic Acid, Phenacetin and Caffeine						
12 mg.-250 mg.-150 mg.-15 mg. tab.						
(1/5 gr.-4 gr.-2.5 gr.-1/4 gr.) ..			100	2	0 17 0	GP

160—continued

30 mg.-225 mg.-150 mg.-30 mg. tab. (1/2 gr.-3.5 gr.-2.5 gr.-1/2 gr.) ..				50	..	0 0 0 (ex 250) *0 15 6 *0 15 11 (ex M.P.)	BW, GP BW GP	
161	COD LIVER OIL			CP	1	4	0 3 3	WD(N)
	†Cod Liver Oil, B.P.	8 fl. oz.					0 4 0	DH, FA, SI(V)
	†Emulsion, 50%	16 fl. oz.		CP	1	4	0 5 8	DH, SL, WD(N)
	Ointment with Acriflavine, P.L.				1920 gr.	1	0 11 5	Extemp.
162	COLCHICINE				100	2	0 11 8 0 12 4 *0 13 8	HY(QNVTW), PT BW, DH, EV, IQ, KL, MR RD
	Oral Tablet, B.P.	0.5 mg. (1/120 gr.) tab.						
164	COLCHICUM TINCTURE				8 fl. oz.	4	0 9 4	Extemp.
	Mixture with Acetylsalicylic Acid, P.L.		..		8 fl. oz.	4	0 9 9	Extemp.
	Mixture with Sodium Salicylate, P.L.		..					
165	COLD CREAM				1920 gr.	1	0 10 1	Extemp.
	Cream, P.L.							
166	COLOCYNTH, B.P.C.				50	1	*0 7 10	DH
	Oral Pill Compound, B.P.C.							
167	COPPER SULPHATE				8 fl. oz.	4	0 7 3	Extemp.
	Lotion with Zinc Sulphate, B.P.C.				1	2	0 6 9	AM
	†Diagnostic Tablet Compound	36 tabs.						

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
								£ s. d.	
168	CORTICOTROPHIN								
	Injection, B.P.	10 I.U.	vial		AD	6	..	1 17 0	CK
								*2 5 9	OR
								2 13 0	CS
		20 I.U.	amp.		AD	6	..	4 16 4	CS
		25 I.U.	vial		AD	6	..	3 7 0	CK
	Gelatin Injection, B.P.	20 I.U.	amp.		AD	6	..	2 19 0	AN
		50 I.U.	amp.		AD	6	..	11 9 8	CS
		100 I.U.	vial		AD	6	..	*22 3 0	PH, SC
								22 3 0	CK, CS
		200 I.U.	amp.		AD	6	..	*40 3 0	SC
		200 I.U.	vial		AD	6	..	*40 3 0	CK, PH
	Zinc Hydroxide Injection, B.P.	40 I.U.	vial		AD	6	..	*9 3 0	OR
		50 I.U.	vial		AD	6	..	*11 9 8	OR
		100 I.U.	vial		AD	6	..	*22 3 0	OR
		200 I.U.	vial		AD	6	..	*40 3 0	OR
169	CORTISONE ACETATE								
	Injection, B.P.	25 mg.	per cc., 10 cc.	vial	AD	1	..	1 3 8	GL, OR, RL
		25 mg.	per cc., 20 cc.	vial	AD	1	..	2 4 4	AN, MK, SC
		50 mg.	per cc., 10 cc.	vial	AD	1	..	2 4 4	AN, MK
	Oral Tablet, B.P.	5 mg.	tab.		AD	50	..	0 19 8	PT
								1 3 8	AN, MK
								*1 4 10	SC
		25 mg.	tab.		AD	40	..	3 9 8	PT
								4 6 4	AD, AN, BT, DH, GL, KL, MK, PD,
								.	SC, RL
								*4 6 4	OR

169—continued

169—continued	Eye Drops	0.5%	3 mil.	†1	2	0 13 8	DH
			5 mil.	†1	2	0 15 8	MK, SH
			10 mil.	†1	2	0 19 0	AN
		1%	2.5 mil.	†1	2	0 13 8	CB
			3 mil.	†1	2	0 15 8	AN, RL
		2.5%	5 mil.	†1	2	2 8 4	DH, MK
			10 mil.	†1	2	2 11 0	AN
182	COUGH MIXTURE						
	Mixture for Children, P.L.	..	..	4 fl. oz.	4	0 9 3	Extemp.
170	GRESOL AND SOAP SOLUTION						
	†Solution, B.P.	4 fl. oz.	..	1	1	0 2 3	AL(QNVST)
						0 2 6	SI(V)
						0 2 8	DH, WD(N)
171	CRYSTAL VIOLET						
	Ear Drops, P.L.	..	..	1/2 fl. oz.	2	0 6 10	Extemp.
	Paint Compound, P.L.	..	..	1 fl. oz.	1	0 6 7	Extemp.
172	CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH						
	Injection, B.P.	20 meg. per 1 cc. amp.	..	D	12	1	*0 17 0 BD, BX, FH, GL, KL, WP(NVW)
		50 meg. per 1 cc. amp.	..	D	6	1	0 11 0 BD, BT, BX, DL, FH, GL, WP(NVW)
		50 meg. per cc., 10 cc. vial		D	1	..	0 10 4 GL
							0 11 4 FH
		100 meg. per 1 cc. amp.	..	D	6	1	0 12 8 PT
							0 13 8 AN, BD, BT, CM, BX, DL, EV, FH, GL, KL, WP(NVW)
		100 meg. per cc., 10 cc. vial		D	1	..	0 14 8 AN, BX, CM, GL, KL, PT
							0 17 8 FH, SQ
		200 meg. per 1 cc. amp.	..	D	1	..	*0 7 10 CM, GL
							0 10 0 BT, FH
							*0 12 1 OR

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
172—continued					£ s. d.	
	500 mcg. amp. . . .	D	1	..	0 6 4 0 7 8 0 14 8	KL GL AR
173	CYANOCOBALAMIN 1,000 MICRO-GRAMME STRENGTH Injection, B.P. 1,000 mcg. per 1 mil. amp.	D	1	..	0 7 9 0 9 0 0 19 8	DF AN, BX, CM, GL, KL AR, BT, DL, FH, HY(QNVTW)
174	CYCLOBARBITONE Oral Tablet, B.P. 200 mg. (3 gr.) tab. . .		50	2	0 13 8 0 16 4 *0 16 7	KL, MG, SL BA, BW, GP HA
187	CYCLOPENTHIAZIDE Oral Tablet 0.5 mg.		50	2	1 9 8	CB
176	CYCLOPHOSPHAMIDE Injection 100 mg. vial Oral Tablet 50 mg. tab... . . .		10 50		5 18 0 3 13 0	CM CM
178	CYCLOSERINE	H	..	..	..	
177	CYCRIMINE HYDROCHLORIDE Oral Tablet 1.25 mg. tab. 2.5 mg. tab.		100 100	2 2	1 15 0 2 14 4	LY LY

185	CYPROHEPTADINE Oral Tablet 4 mg. tab.		50	2	0 19 0	MK
230	DAPSONE Oral Tablet, B.P. 50 mg. tab. 100 mg. tab.		100 100	2 2	0 7 0 0 8 4	AN IC
231	DARROW'S SOLUTION Injection 1/2 litre 1 litre		2 2		*1 7 8 *1 11 8	BT BT, BX, FU, GR, SD(W)
282	DEATH ADDER ANTI-VENENE Injection 3,000 U. vial		2	..	*7 3 0	CS
279	DEMECARIUM BROMIDE Eye Drops 0.25% 5 mil... .. 0.5% 5 mil... ..		†1 †1	6 6	0 18 0 1 0 9	AP AP
267	DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE Oral Capsule 75 mg. cap. D 150 mg. cap. D		14 14		1 9 0 2 7 5 (ex 100) 2 12 9 (ex M.P.)	LE LE LE
	Oral Paediatric Drops 60 mg. per cc., 10 cc. vial CD		†1	..	1 0 1	LE
	Oral Suspension 75 mg. per 5 cc., 2 fl. oz. CD		†1	..	1 10 8	LE
232	DEOXYCORTONE ACETATE Aqueous Injection 5 mg. amp. D 50 mg. amp. D		5 1		*1 18 7 2 5 0 *3 7 7 3 13 0	SC CB SC CB

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
232—continued						
	Aqueous Suspension Injection 25 mg. amp.	D	1	..	2 1 8	CB
	Injection, B.P. 2 mg. amp.	D	4	..	0 16 4	OR
	5 mg. amp.	D	4	..	1 9 8	CB, OR, SC
	10 mg. amp.	D	4	..	2 9 8	CB, OR, SC
	5 mg. per cc., 5 cc. vial ..	D	1	..	1 16 4	OR
	10 mg. per cc., 10 cc. vial ..	D	1	..	5 14 4	CB, OR
	Implant, B.P. 50 mg. implant	D	1	..	2 9 8	OR
	100 mg. implant	D	1	..	4 9 8	CB, OR
	Oral Tablet 1 mg. tab.	D	40	..	1 15 0	CB, OR
					*1 15 0	SC
	5 mg. tab.	D	20	..	3 7 0	CB
233	DESACETYL-LANATOSIDE-C					
	Injection 0.2 mg. per cc., 2 cc. amp. ..		6	1	0 12 4	SZ
234	DEXAMETHASONE					
	Oral Tablet 0.5 mg. tab.	AD	30	..	2 12 4	GL, LT, OR, BL, SC, SH
273	DEXAMETHASONE SODIUM PHOSPHATE					
	Injection "For Peri- or Intra-Articular Injection" 5 mg. per 1 cc. vial		5	..	*4 6 4	OR
	4 mg. per cc., 2 cc. vial ..		5	..	*6 16 4	MK

235	DEXAMPHETAMINE SULPHATE				100	2	0 6 4	HY(QNVTW)
	Oral Tablet, B.P.	5 mg. tab.	..	..			0 6 8	AD, CO, DH, FA, KL, PR, RT(V), RY, SI, SL, TO
							0 7 0	BT, CM, GP, MG
236	DEXTRAN IRON				5	..	*2 2 0	FC
	Injection	2 cc. amp. I.M.	..	..			3 5 0	FC
		5 cc. amp. I.M.	..	..				
237	DEXTRIN IRON 2% INTRAVENOUS				5	..	1 16 4	AP
	Injection	5 cc. amp. I.V.	..	..				
269	DEXTROCHLORPHENIRAMINE MALE- ATE				6	..	0 13 8	SH
	Injection	5 mg. per cc., 1 cc. amp.	..	..			0 17 2	SH
	Oral Tablet	2 mg. tab.	..	..	(ex 250)			
					0 18 4	SH		
					(ex M.P.)			
		6 mg. tab.	..	..	50	1	1 18 6	SH
							(ex 250)	
							2 0 4	SH
							(ex M.P.)	
	Syrup	2 mg. per 5 cc., 4 fl. oz.	..	..	C	1	4	0 11 8 SH
238	DEXTROSE				6	1	*3 17 0	BT
	Injection, B.P.	5%, 1/2 litre	..	..			*4 9 0	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
		1 litre	..	..	6	1		
		10%, 1/2 litre	..	..	2	1	*1 7 8	BT
		1 litre	..	..	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
											£ s. d.
238—continued											
	20%, 1/2 litre	..	..			2	1	*1	7	8	BT
	1 litre	..	..			2	1	*1	11	8	BT, BX, FH(QNVST), SJ(W)
	25%, 1/2 litre	..	..			2	1	*1	7	8	BT
	1 litre	..	..			2	1	*1	11	8	AB, BX, FH(QNVST), SJ(W)
	50%, 25 cc. amp.	..	..			6	1	*1	7	0	BX, FH
	50 cc. amp.	..	..			6	1	*1	19	0	BX, FH, PD
	1/2 litre	..	..			2	1	*1	7	8	BT
277	DICHLORPHENAMIDE										
	Oral Tablet	50 mg. tab.	..	..	..	50	4	*3	12	9	MK
241	DICOPHANE										
	Application, P.L.	..	..	..	..	4 fl. oz.	1	0	8	2	Extemp.
274	DICYCLOMINE HYDROCHLORIDE										
	Oral Tablet	10 mg. tab.	..	..	..	100	2	1	16	0	ML
242	DIENOESTROL										
	Oral Tablet, B.P.	0.3 mg. tab.	..	..	DG	100	2	0	6	0	AD, BD, DH, FM, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		1.0 mg. tab.		..	DG	100	2	0	6	9	AD, BD, DH, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		5 mg. tab.	..	..	DG	100	2	0	9	8	AD, BD, DF, DH, HA, HY(QNVTW), KL, MG, RT(V), SI, SL, TO
		10 mg. tab.	..	..	DG	100	2	0	15	8	DH, HA, HY(QNVTW), KL
	Cream, 0.01%	3 oz. tube	..	..	P	1	1	0	10	7	OO

243	DIETHAZINE HYDROCHLORIDE											
	Oral Tablet	50 mg. tab.	..	..	..							
		250 mg. tab.	..	..	..							
						100	2	0 10 4	MB			
						50	2	0 16 4	MB			
244	DIETHYLCARBAMAZINE CITRATE											
	Oral Tablet, B.P.	50 mg. tab.	..	..	..							
						40	1	*0 15 11	LE			
275	DIETHYL DITHIOLISOPHTHALATE					H	..	..	..			
245	DIGITALIS, PREPARED											
	Oral Tablet, B.P.	30 mg. (1/2 gr.) tab.	..	..	..							
		60 mg. (1 gr.) tab.	..	..	..							
						100	2	0 5 0	BW, DH, FA, HY(QNVTW), RT(V), RY, TO			
						100	2	0 5 3	BW, DH, FA, HY(QNVTW), RT(V), RY, TO			
246	DIGITOXIN, B.P.C.											
	Oral Tablet	0.1 mg. tab.	..	..	..							
		0.2 mg. tab.	..	..	..							
		0.25 mg. tab.	..	..	..							
						100	2	0 10 3	AD, CM, KL, NA, SI, WY			
						100	2	0 17 8	CM, PD, WY			
						100	2	0 19 5	KL			
247	DIGOXIN											
	Solution	0.5 mg. per cc., 30 cc.	..	..	..							
	Solution for Children											
		0.05 mg. per mil., 2 fl. oz.	..	..	..							
	Injection, B.P.	0.5 mg. per 2 cc. amp.	..	..	..							
	Oral Tablet, B.P.	0.25 mg. tab.	..	..	..							
						†1	..	0 12 8	BW			
						†1	..	0 13 8	BW			
						12	1	*1 1 8	BW, BX			
						100	2	0 10 11	HY(QNVTW), MG, PR, RT(V), SL			
								0 11 2	CO, FA, KL, TO			
								0 12 5	RD			
								0 12 6	BW, GA, VR			
								0 13 9	AB			
								(ex 500)				
								0 11 0	FA, HY(QNVTW), KL, PR, RT(V), TO			
								0 13 0	MG			

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
247—continued					£ s. d.	
					0 13 8	RD
					0 14 0	AB, BW, CO, GA, SL, VR
					(ex M.P.)	
249	DIHYDROERGOTAMINE Injection 1 mg. per cc., 1 cc. amp.		6	..	0 18 4	SZ
250	DIHYDROMORPHINONE HYDRO- CHLORIDE, B.P.C. 1949 Injection 1.1 cc. amp.		5	..	0 10 4	KN
	Oral Tablet 2.5 mg. (1/25 gr.) tab. ..		20	..	*0 9 8	KN
251	DIHYDROSTREPTOMYCIN SULPHATE Injection, B.P. 1 G. vial	D	5	3	*0 19 8	AN, GL, LP
	Oral Tablet of Dihydrostreptomycin Sulphate, Attapulgit, Pectin and Hydrated Alumina Powder 150 mg.-350 mg.-45 mg.-70 mg. tab. ..		16	..	0 14 1	WY
253	DI-iodohydroxyquinoline Oral Tablet, B.P. 300 mg. tab.		100	2	0 17 8	DF, MB
	650 mg. tab.		100	2	4 2 4	SR
	Compound Vaginal Tablet	D	25	..	0 15 0	VR
					0 16 4	SR
280	DILOXANIDE FUROATE Oral Tablet 500 mg. tab.	D	15	..	1 3 0	BT

254	DIMERCAPROL									
	Injection, B.P.	2 cc. amp.	..	..	..	12	..	2	3	0 BT
255	DIPHENHYDRAMINE HYDROCHLORIDE									
	Injection	10 mg. per cc., 10 cc. vial	..	..	..	1	1	0	14	4 PD
	Oral Capsule, B.P.	50 mg. cap.	..	..	..	50	1	0	12	7 PD
	Elixir	115 mil.	..	..	..	‡1	4	0	7	0 PD
										C
278	DIPHENYLPYRALINE HYDRO-CHLORIDE									
	Oral Capsule	2.5 mg. cap.	..	..	..	50	2	1	5	0 SK
		5 mg. cap.	..	..	..	50	2	1	11	0 SK
	Oral Tablet	2.5 mg. tab.	..	..	..	50	2	0	12	4 RK
256	DIPHThERIA AND TETANUS VACCINE, B.P.									
	Injection	1/2 cc.	..	..	..	3	..	0	15	0 BT
								*	15	0 CS
257	DIPHThERIA ANTITOXIN, B.P.									
	Injection	1,000 U. amp.	..	..	..	2	1	*0	13	8 CS
		4,000 U. amp.	..	..	..	2	1	*1	5	8 CS
		10,000 U. amp.	..	..	..	2	1	*2	5	8 CS
		20,000 U. amp.	..	..	..	2	1	*4	3	0 CS
259	DIPHThERIA TETANUS AND PERTUSSIS VACCINE, B.P.									
	Injection	0.5 cc.	..	..	..	3	..	0	13	0 BT, BW, GL, PD
							..	*0	13	0 CS
260	DIPHThERIA VACCINE (FORMOL TOXOID), B.P.									
	Injection Set containing 3 amps. each 0.5 mil.									
	Toxoid undiluted and 1 amp. of									
	1 mil. Toxoid diluted	..	..	..	..	1	1	0	14	5 CS

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
261	DIPHTHERIA VACCINE (PURIFIED TOXOID, ALUMINIUM PHOSPHATE), B.P.					
	Injection 1 cc. amp.		2	1	*0 10 4	CS
	Set containing 2 amps. each 1 cc. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) (diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for the skin test only		1	..	0 12 4	CS
262	DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)					
	Injection 1 cc. amp.		1	..	0 6 4	CS
263	DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE					
	Injection 250 mg. per 5 cc. amp.	D	10	..	4 7 5	CM
	Oral Tablet 100 mg. tab.	D	100	2	9 1 8	CM
272	DISODIUM DIHYDROGEN VERSENATE					
	Injection 200 mg. per cc., 5.3 cc. amp. . .		6	1	3 9 8	RK
270	DITHIAZANINE IODIDE					
	Oral Tablet 50 mg. tab.		30	..	1 4 4	LY
	100 mg. tab.		30	..	*2 0 4	LY

264	DITHRANOL Ointment, B.P. 0.1%, 2 oz. tube Ointment, Strong, B.P. 1%, 2 oz. tube	1 1	1 1	0 8 9 0 11 0	AB AB
281	DYFLOS, B.P.C. Eye Drops, 0.1%, 10 cc.	‡1	..	1 16 4	BT
328	ECOTHIOPATE IODIDE Eye Drops, 0.125% 6.25 mg. and 5 cc. of solvent Eye Drops, 0.25% 12.5 mg. and 5 cc. of solvent	‡1 ‡1	6 6	‡1 14 2 ‡1 18 2	CF CF
300	EMETINE AND BISMUTH IODIDE Oral Tablet, B.P. 60 mg. (1 gr.) tab. .. 120 mg. (2 gr.) tab. ..	25 25	2 2	1 9 8 1 19 0	DH DH
301	EMETINE HYDROCHLORIDE Injection, B.P. 20 mg. per 1 cc. amp. .. 30 mg. per 1 cc. amp. .. 65 mg. per 1 cc. amp. ..	12 12 6		1 9 8 1 16 4 1 16 4	BX, KL BX, KL BX, KL
302	EMULSIFYING WAX Cream (Buffered), P.L. Ointment, B.P.	1920 gr. 1920 gr.	1 1	0 9 6 0 13 10	Extemp. Extemp.
303	EPHEDRINE Nasal Instillation (Oily), P.L.	1 1/2 fl. oz.	2	0 7 4	Extemp.
304	EPHEDRINE HYDROCHLORIDE Hypo. Tablet 30 mg. (1/2 gr.) hypo. tab. .. (solvent required) Injection 30 mg. (1/2 gr.) per 1 cc. amp. .. 50 mg. (3/4 gr.) per 1 cc. amp. ..	20 6 6	1 1 1	0 5 4 0 11 0 0 11 0	FA BL, BX, FH, KL BL, BX, FH, KL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
304—continued						
	Oral Tablet, B.P. 7.5 mg. (1/8 gr.) tab. ..		100	2	0 5 8	DH, KL, TO
	15 mg. (1/4 gr.) tab. ..		100	2	0 6 0	AD, BW, DH, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, TO
	30 mg. (1/2 gr.) tab. ..		100	2	0 7 0	AD, BW, DH, FA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
	60 mg. (1 gr.) tab. ..		100	2	0 10 0	RT(V), TO
					0 10 1	HY(QNVTW), KL
	Oral Tablet with Phenobarbitone					
	15 mg.—15 mg. tab. (1/4 gr.—1/4 gr.) ..		100	2	0 7 0	HY(QNVTW), KL, RT(V)
					0 8 4	CM, MG, PB, QE(QNVS), TO
					0 8 8	FM
	30 mg.—15 mg. tab. (1/2 gr.—1/4 gr.) ..		100	2	0 0 0	AD, HY(QNVTW), KL, PR, TR(V), SI, SL
					0 0 0	CM, DH, MG, PB, QE(QNVS), TO
					(ex 500)	
					0 7 0	AD, HY(QNVTW), KL, PR, RT(V), SI, SL
					0 8 4	CM, DH, MG, PB, QE(QNVS), TO
					0 9 4	FM
					(ex M.P.)	
	30 mg.—30 mg. tab. (1/2 gr.—1/2 gr.) ..		100	2	0 7 8	HY(QNVTW), KL, PR, SL
					0 9 0	CM, MG, PB, QE(QNVS), TO
					0 10 0	FM
	Oral Tablet with Phenobarbitone and Theophylline 22.5 mg., 7.5 mg., 120 mg. tab. ..		100	2	1 3 0	KL, WW
	Nasal Instillations, P.L.		1/2 fl. oz.	2	0 6 11	Extemp.

306 ERGOMETRINE MALEATE

Injection, B.P. 0.2 mg. per 1 cc. amp. ..
0.5 mg. per 1 cc., I.M. amp.

0.125 mg. per 1 cc. I.V. amp.
Oral Tablet, B.P. 0.2 mg. tab.
0.5 mg. tab.

6	..	0 17 11	FH, LY
6	..	0 19 4	PT
		0 19 8	AD, BD, BL, BW, CM, DH, FH, FM, VR
6	..	0 13 0	AD, BD, BW, FH
25	3	0 16 9	LY
25	3	2 0 4	HY(QNVTW), PT
		2 11 0	BD, BW, CM, VR

307 ERGOTAMINE TARTRATE

Injection, B.P. 0.5 cc. amp.
1 cc. amp.

Oral Tablet, B.P. 1 mg. tab... ..

6	..	0 14 0	BX, SZ
6	..	0 18 3	BX
		0 18 4	SZ
50	2	0 18 3	HY(QNVTW)
		0 18 7	KL, PT
		1 1 7	MG
		1 9 10	TO
		1 11 9	DH, SZ, VR
		(ex 250)	
		0 18 3	HY(QNVTW)
		1 0 8	KL, PT
		1 5 0	MG
		1 13 8	DH, SZ, TO, VR
		(ex M.P.)	
50	2	1 12 8	KL, PT
		2 0 0	BD
		2 0 1	SZ
50	2	1 16 4	PD
6	1	0 15 0	SZ

Oral Tablet with Caffeine 1 mg.-100 mg. tab.

Oral Capsule with Caffeine Citrate and Di-
phenhydramine Hydrochloride
1 mg.-100 mg.-25 mg. cap.

Compound Suppository

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
308	ERYTHROMYCIN								£ s. d.	
	Oral Sachet	125 mg.	..	..	..	CD	12	..	2 1 0	LY
		200 mg.	..	..	..	CD	12	..	2 1 0	AB
	Oral Suspension	100 mg. per 5 cc., 75 cc.	..	..	..	CD	1	..	2 1 0	AB
		200 mg. per 5 cc., 60 cc.	..	..	..	CD	1	..	2 1 0	AB
	Injection	100 mg. per 2 cc., I.M. amp.	..	..	..	D	4	..	*3 1 8	AB
		250 mg., 20 cc. I.V. amp.	..	..	..	D	1	..	1 9 8	LY
		300 mg. per 10 cc. vial	..	..	..	D	4	..	*8 3 0	AB
		1 G. per 50 cc. vial I.V.	..	..	..	D	1	..	4 16 4	LY
		(solvent required)								
	Oral Tablet, B.P.	100 mg. tab.	..	..	..	D	25	..	2 11 8	UP
									*2 16 11	AB, LY
		250 mg. tab.	..	..	..	D	16	..	0 0 0	AB, LY, UP
									(ex 100)	
									3 12 0	UP
									*4 8 10	AB, LY
									(ex M.P.)	
	Oral Capsule	125 mg. cap.	..	..	..	D	25	..	*2 16 11	AB, LY
		250 mg. cap.	..		..	D	16	..	0 0 0	AB, LY
									(ex 100)	
									3 12 0	LY
									*4 8 10	AB
									(ex M.P.)	
309	ERYTHRITYL TETRANITRATE									
	Oral Tablet, B.P.C. 1949	5 mg. tab.	..	..	..		100	2	0 11 0	BW
		15 mg. tab.	..	..	..		100	2	1 2 8	BW

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
325	ETHOTOIN Oral Tablet 500 mg. tab.		200	1	£ s. d. 4 9 8	AB
314	ETHOXZOLAMIDE Oral Tablet 125 mg. tab.		50	2	3 4 4	UP
315	ETHYL BISCOUMACETATE Oral Tablet, B.P. 300 mg. tab.		100	2	13 17 0	GE
316	ETHYLIDENE DICOUMARIN Oral Tablet 100 mg. tab.		100	2	3 5 8	NS
326	ETHYLNORADRENALINE Injection 1 mil. amp... ..		6	..	1 1 0	WL
317	EUCALYPTUS OIL Liniment Compound, P.L.		4 fl. oz.	1	0 10 3	Extemp.
318	EUSOL, A.P.F. Lotion		8 fl. oz.	4	0 7 5	Extemp.
319	EVAPORATING LOTION Lotion, P.L.		8 fl. oz.	4	0 7 1	Extemp.
320	EXPECTORANT MIXTURE Mixture, P.L.		8 fl. oz.	4	0 9 2	Extemp.

324	EXTRACT OF OX BILE								
	Oral Capsule 300 mg. (5 gr.) cap.		50	1	0 11 0	PD			
348	FERRIC HYDROXIDE								
	Colloidal Solution 4 fl. oz.	C	‡1	4	0 11 8	CK			
					0 13 7	EV			
346	FERROUS AMINOACETOSULPHATE								
	Oral Tablet 50 mg. tab.		100	2	0 9 8	BP, CO			
	Syrup 4 fl. oz.	C	‡1	4	0 9 8	BP, CO			
340	FERROUS GLUCONATE								
	Oral Tablet 300 mg. (5 gr.) tab.		100	2	0 7 9	DH, FA, GP, HY(QNVTW), KL, MG,			
						PR, RT(V), RY, TO, WY			
					0 8 4	HA, SZ, VR, WL			
					(ex 500)				
					0 8 4	DH, FA, HA, PR, RT(V), RY, TO			
						VR			
					0 8 9	GP, HY(QNVTW), KL, MG, SZ, WL,			
					(ex M.P.)	WY			
	Elixir, 6% 4 fl. oz.	C	‡1	4	0 10 9				
347	FERROUS SUCCINATE								
	Oral Capsule 150 mg. cap.		100	2	0 12 8	CA			
					(ex 500)				
					0 12 9	CA			
					(ex M.P.)				
	Elixir 150 mg. per dram, 4 fl. oz.	C	‡1	4	0 11 0	CA			
341	FERROUS SULPHATE								
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 3	Extemp.			
	Oral Tablet, B.P. 200 mg. (3 gr.) tab. ..		100	2	0 6 4	HY(QNVTW)			
					0 8 0	GP, GL, TO			

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
341—continued	300 mg. (5 gr.) tab. ..		100	2	£ s. d. 0 0 0 0 0 0 (ex 500) 0 8 0 0 8 4 (ex M.P.)	HY(QNVTW) CM, DH, GP, PD, TO, WY HY(QNVTW) CM, DH, GP, PD, TO, WY
344	FLUDROCORTISONE ACETATE					
	Oral Tablet 0.1 mg. tab.	D	100	..	2 4 0	SQ
	1 mg. tab.	D	30	..	5 5 4	SQ
342	FLUOXYMESTERONE					
	Oral Tablet 5 mg. tab.	D	100	2	10 1 0	CB, UP
343	FOLIC ACID					
	Injection 15 mg. per cc., 1 cc. amp. ..	D	12	..	1 15 0 *1 15 0	FH, HY(QNVTW) AN
	Oral Tablet, B.P. 5 mg. tab.	D	100	2	0 16 4 0 17 5 0 19 8	HY(QNVTW), KL, PR, RT(V) AD, AN, PD, SI, TO CM, MG, RY
345	FORMYL TETRAHYDROPTEROYL GLUTAMIC ACID	H				
355	GAMMA BENZENE HEXACHLORIDE					
	Application, P.L.		4 fl. oz.	1	0 7 10	Extemp.
	Cream, P.L.		1920 gr.	1	0 9 2	Extemp.

356	GAS GANGRENE ANTITOXIN (OEDEMATIENS), B.P.								
	Injection 10,000 U. amp.	3	1	*1	19	0	CS		
357	GAS GANGRENE ANTITOXIN—MIXED (POLYVALENT)								
	Injection 1 amp. containing 3,000 U. Welchii, 1,500 U. Septicum, 1,000 U. Oedematiens	2	1	*2	1	6	CS		
	1 amp. containing 7,500 U. Welchii, 3,750 U. Septicum, 2,500 U. Oedematiens	2	1	*4	9	6	CS		
358	GAS GANGRENE ANTITOXIN (SEPTICUM), B.P.								
	Injection 5,000 U. amp.	2	1	*2	1	6	CS		
359	GAS GANGRENE ANTITOXIN (WELCHII), B.P.								
	Injection 4,000 U. amp.	3	1	*2	9	9	CS		
	10,000 U. amp.	10	1	*10	13	0	CS		
360	GENTIAN								
	Mixture Acid, P.L.	8 fl. oz.	4	0	8	1	Extemp.		
	Mixture Alkaline, P.L.	8 fl. oz.	4	0	8	0	Extemp.		
368	GLUCAGON HYDROCHLORIDE								
	Injection 1 mg. with 1 cc. amp. of diluent	1	..	1	8	0	LY		
361	GLUCOSE								
	†Liquid, B.P. 1953 1 lb.	1	..	0	4	3	WD(N)		
				0	5	0	DH, FA		

Item No.	Name, Manner of Administration and Form	Re-strictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
366	GLUCOSE INDICATOR					
	†240 Test Dispenser		1	..	1 4 0	LY
	†Reagent Strips 60 strips		1	..	0 12 0	AM
367	GLUTETHIMIDE					
	Oral Tablet 250 mg.		50	2	0 13 8	CB
362	GLYCERIN					
	†Glycerin, B.P. 4 fl. oz.		1	1	0 3 6	WD(N)
					0 4 3	DH
	Cream, P.L.		1920 gr.	1	0 9 1	Extemp.
	†Suppositories, B.P.		12	1	0 3 6	DH, FA, FH
	†Suppositories for Children					
	1 G. (15 gr.) Glycerin		12	1	0 3 6	DH, FA, FH
363	GLYCERYL TRINITRATE					
	Oral Tablet, B.P. 0.6 mg. (1/100 gr.) tab.		100	2	0 4 7	FA
					0 5 0	BW, DH, HY(QNVTW), TO
365	GRISEOFULVIN					
	Oral Tablet 125 mg. tab.—FP	AD	100	..	4 3 0	GL, IC
364	GUANETHIDINE SULPHATE					
	Oral Tablet 10 mg. tab.		100	2	1 15 0	CB

364—continued

	25 mg. tab.	..	..	..		100	2	3 19 0	CB
397	HAEMOPHILUS INFLUENZA BAC- TERRIAL SERUM	..	..	..	H	..	..	..	
375	HALIBUT LIVER OIL								
	Oral Capsule, B.P.	4,500 U. cap.	..	..	P	100	1	0 9 8	ME(Q)
								0 19 0	KL, MG, SL
	Oral Capsule	6,000 U. cap.	..	..	P	100	1	*0 18 0	CK
376	HAMAMELIS								
	Suppository with Zinc Oxide, B.P.C.	..	..	..		12	1	0 13 8	AN
	Ointment, B.P.	..	..	..		1920 gr.	1	0 19 6	Extemp.
379	HEPARIN								
	Injection, B.P.	1,000 U. per cc., 5 cc. vial..				5	..	*2 1 9	BT, EV, LP, WP(NVW)
								*2 9 8	AB, CS
	5,000 U. per cc., 1 cc. amp.					6	..	*2 9 6	EV
								*2 17 0	AB
		1 cc. vial..				6	..	*2 9 6	BT
		2 cc. amp.				5	..	2 16 4	LW
		5 cc. vial..				2	..	*3 9 8	BT, BX, EV, LP, RK, WP(NVW)
								*4 3 0	AB, CS, OR
	12,500 U. per cc., 1 cc. amp.					2	..	*2 10 10	EV
								*3 0 10	AB
		1 cc. vial..				2	..	*3 1 0	CS
380	HEPARIN RETARD								
	Injection	20,000 U. per 2 mil. amp.	..	..		6	..	8 13 8	BT

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
393	HEXACHLOROPHENE					
	3% with Entsufoin	H	..	..	..	
	3% with Lissapol	H	..	..	..	
	1.5% Soap solution	H	..	..	..	
381	HEXAMETHONIUM TARTRATE					
	Injection, B.P. 1 cc. amp.		6	1	*0 12 5	MB
	Oral Tablet, B.P. 350 mg. tab.		25	3	*0 8 3	MB
398	HEXOCYCLIUM METHYLSULPHATE					
	Oral Tablet 25 mg. tab.		100	2	2 16 4	AB
	50 mg. tab.		100	2	4 19 0	AB
382	HEXOESTROL					
	Injection 1 mg. per 1 cc. amp.		6	1	0 9 0	FM
	5 mg. per 1 cc. amp.		6	1	0 10 4	FM
383	HEXYLRESORCINOL					
	Oral Pill 100 mg. pill		5	..	*0 12 3	MK
	200 mg. pill		5	..	0 14 4	MK
384	HISTAMINE ACID PHOSPHATE					
	Injection, B.P. 0.5 mg. per 0.5 cc. amp. ..		6	1	0 9 8	BD
	1 mg. per 1 cc. amp.		6	1	0 10 0	BD
	10 mg. per 10 cc. vial		1	1	0 10 4	BD

385	HYALURONIDASE									
	Injection	1 mg. amp. containing 1,500 I.U. (solvent required)			5	1	1 15 4	FC		
		3 mg. amp. containing 1,500 I.U. (solvent required)			6	1	2 4 8	EV		
		500 I.U. amp. (solvent required)			5	1	*2 0 11	WY		
		Set containing 3 amps. each of 350 I.U. and 3 amps. of solvent . .			1	1	1 4 4	SC		
		Set containing 3 amps. each of 500 I.U. and 3 amps. of solvent . .			1	1	1 3 0	DF, OR		
400	HYDROCALCIFEROL									
	Oral Solution	0.25 mg. per cc., 15 cc. . .	D	1	..	1 16 11	BA			
	Oral Capsule	0.125 mg. cap.	D	100	1	5 3 8	BA			
386	HYDROCHLORIC ACID DILUTE									
	Mixture, P.L.			8 fl. oz.	4	0 12 5	Extemp.			
392	HYDROCHLOROTHIAZIDE									
	Oral Tablet	25 mg. tab.		50	2	1 8 5 (ex 250)	CB, DL, GA, MK			
						1 10 4 (ex M.P.)	CB, DL, GA, MK			
		50 mg. tab.		50	2	2 7 2 (ex 250)	CB, DL, GA, MK			
						2 11 0 (ex M.P.)	CB, DL, GA, MK			
387	HYDROCORTISONE									
	Injection, B.P. (or Rectal Drip)									
	5 mg. per cc., 20 cc. I.V. amp.		AD	1	..	1 13 0 2 0 4	PT OR, RL			

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
387—continued										
	Eye Drops	0.5%	2 mil.	..	..	..	†1	2	0 12 4	SC
			5 mil.	..	..	..	†1	2	0 17 8	DH, HA, KL
									0 19 8	MK
			10 mil.	..	..	..	†1	2	0 19 0	AN, KL
		1%	3 mil.	..	..	..	†1	2	0 19 8	GL, RL, SI
			5 mil.	..	..	..	†1	2	0 19 8	HA, KL
			10 mil.	..	..	..	†1	2	1 7 0	AN, IQ, KL, SI
		2.5%	5 mil.	..	..	..	†1	2	2 1 0	DH, HA, KL, SI
									2 13 0	MK
			10 mil.	..	..	..	†1	2	2 11 0	AN, IQ, KL, SI
	Eye Ointment	0.5%	3 G.	..	..	..	†1	..	0 9 8	GL, HA, RL
			4 G.	..	..	..	†1	..	0 11 0	AN, CO, DH, KL, UP
									0 13 8	PF
			5 G.	..	..	..	†1	..	0 11 0	SI
394	HYDROCORTISONE ACETATE									
	Injection, B.P. "For Peri or Intra-Articular Injection" 25 mg. per cc., 1 cc.						5	..	1 17 5	PT
									2 7 5	BT, BX, MK, RL, UP
									2 7 7	AB, AN
									*2 7 7	SC
									*2 11 7	GL
	25 mg. per cc., 5 cc.						1	..	1 19 0	PT
									2 8 4	AB, AN, GL, MK, OR, PF, RL, SC, UP
401	HYDROCORTISONE AND NEOMYCIN									
	Eye Ointment, Hydrocortisone Acetate 0.5% and Neomycin Sulphate 0.5%, 250 mg. cap.						12	..	0 12 4	CK

389 HYDROCORTISONE SODIUM SUCCINATE									
Injection, B.P. 100 mg. of base in 2 cc. amp.				D	2	..	*7 12 4	GL, RM, UP	
Soluble tablets for Rectal Drip 100 mg. tab. (solvent required)				AD	7	1	5 9 8	GL	
395 HYDROFLUMETHIAZIDE									
Oral Tablet 50 mg. tab.					50	2	2 0 4	BT, GL, SQ	
390 HYDROGEN PEROXIDE SOLUTION									
†10 Vol. 4 fl. oz.					1	..	0 1 8	WD(N)	
							0 2 0	DH, FA, SI(V)	
8 fl. oz.					1	..	0 2 3	WD(N)	
							0 2 8	DH, FA	
†20 Vol., B.P. 4 fl. oz.					1	..	0 2 2	WD(N)	
							0 2 6	DH	
Ear Drops, P.L.					1/2 fl. oz.	2	0 6 9	Extemp.	
396 HYDROXYCHLOROQUINE SULPHATE									
Oral Tablet, B.P. 200 mg. tab.					100	2	2 4 4	WL	
391 HYOSCINE HYDROMIDE									
Injection, B.P. 1/150 gr. amp.					6	..	0 10 4	BL, BT, BX, FH, KL	
1/100 gr. amp.					6	..	0 10 4	BL, BT, BX, FH, KL	
1/75 gr. amp.					6	..	0 10 4	BL, FH, KL	
Hypo. Tablet									
1/200 gr. hypo. tab. (solvent required) ..					20	1	0 5 0	PD	
1/150 gr. hypo. tab. (solvent required) ..					20	1	0 5 0	DH, FA, PD	
1/100 gr. hypo. tab. (solvent required) ..					20	1	0 5 4	DH, FA, PD	
Oral Tablet, B.P. 0.6 mg. (1/100) gr. tab. ..					100	2	0 8 4	DH, HY(QNVTW)	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
410	ICHTHAMMOL					
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 3	Extemp.
	Paint, P.L.		1 fl. oz.	1	0 7 6	Extemp.
	Pessary, 5%		12	1	0 11 0	AN
	Eye Ointment with Zinc Oxide, P.L. ..		60 gr.	..	0 6 10	Extemp.
412	INSULIN					
	Injection, B.P. 20 U. per cc., 10 cc. vial ..		10	2	*1 16 8	BW, CS, SE
	40 U. per cc., 5 cc. vial ..		10	2	*1 16 8	BW, GL-BD, SE, WP(NVW)
	40 U. per cc., 10 cc. vial ..		10	2	*3 9 2	BT, BW, CS, DH, EV, GL-BD, SE, WP(NVW)
	80 U. per cc., 5 cc. vial ..		10	2	*3 9 2	BT, BW, GL-BD
	80 U. per cc., 10 cc. vial ..		10	2	*6 0 0	BT, BW, CS, DH, EV, SE
	100 U. per cc., 5 cc. vial ..		10	2	*5 8 4	CS
	300 U. per cc., 5 cc. vial ..		10	2	*12 0 0	CS
413	INSULIN GLOBIN ZINC					
	Injection, B.P. 40 U. per cc., 5 cc. vial ..		10	2	*2 1 8	BT, BW, WP(NVW)
	80 U. per cc., 5 cc. vial ..		10	2	*3 15 0	BT, BW, WP(NVW)
414	INSULIN ISOPHANE (N.P.H.)					
	Injection 40 U. per cc., 10 cc. vial ..		10	2	*4 10 0	BT, BW, CS, DH, GL-BD, SE
	80 U. per cc., 10 cc. vial ..		10	2	*8 10 0	BT, BW, CS, DH, GL-BD, SE

415 INSULIN PROTAMINE ZINC									
Injection, B.P.	40 U. per cc., 5 cc. vial	..	..	10	2	*2	1	8	BT, BW, GL-BD, SE, WP(NVW)
	40 U. per cc., 10 cc. vial	..	..	10	2	*3	15	0	BT, BW, CS, DH, EV, GL-BD, SE, WP(NVW)
	80 U. per cc., 5 cc. vial	..	..	10	2	*3	15	0	BT, BW, GL-BD
	80 U. per cc., 10 cc. vial	..	..	10	2	*6	13	4	BW, CS, DH, EV, SE
416 INSULIN SPECIAL P (PIG)									
Injection	40 U. per cc., 10 cc. vial	..	..	10	2	*5	5	0	CS
417 INSULIN ZINC									
Suspension, B.P.—Injection									
	40 U. per mil., 10 mil. vial	..	..	10	2	*4	10	0	BT, BW, CS, EV, GL-BD
	80 U. per mil., 10 mil. vial	..	..	10	2	*8	10	0	BT, BW, CS, EV, GL-BD
Suspension (Amphorous), B.P.—Injection									
	40 U. per mil., 10 mil. vial	..	..	10	2	*4	10	0	BT, BW, CS, EV, GL-BD
	80 U. per mil., 10 mil. vial	..	..	10	2	*8	10	0	BT, BW, CS, EV, GL-BD
Suspension (Crystalline), B.P.—Injection									
	40 U. per mil., 10 mil. vial	..	..	10	2	*4	10	0	BT, BW, CS, EV, GL-BD
	80 U. per mil., 10 mil. vial	..	..	10	2	*8	10	0	BT, BW, CS, EV, GL-BD
418 IODINE									
Non-staining Ointment, B.P.C.	..	..	..	1920 gr.	1	0	12	0	Extemp.
Solution Aqueous, B.P. (Lugol's)	..	..	..	4 fl. oz.	1	0	12	4	Extemp.
Solution, Weak, B.P.	..	..	..	4 fl. oz.	1	0	11	8	Extemp.
Paint, Compound, P.L.	..	..	..	1 fl. oz.	1	0	7	7	Extemp.
428 IODOCHLORHYDROXYQUINOLINE									
Oral Tablet	250 mg. tab.	..	..	100	2	1	2	4	CB

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
419	IODOXYL					
	Injection, B.P. 10 cc. vial		1	1	0 12 0	GL
	20 cc. vial		1	1	0 19 0	MB
					1 0 7	GL, SC
420	IPECACUANHA					
	Oral Tablet with Opium, B.P.		100	2	0 9 0	DH, HY(QNVTW), TO
421	IPECACUANHA TINCTURE					
	Mixture with Squill for Children, P.L. ..		4 fl. oz.	4	0 8 6	Extemp.
432	IRON AMINOATE					
	Oral Tablet 350 mg. tab.		100	2	0 12 4	MR
422	IRON AND AMMONIUM CITRATE					
	Mixture for Children, P.L.		4 fl. oz.	4	0 8 3	Extemp.
	Mixture with Nux Vomica, P.L.		8 fl. oz.	4	0 8 0	Extemp.
430	IRON CARBOHYDRATE COMPLEX					
	Injection—Trivalent Iron 2 mil.		5	..	2 3 0	AP
426	IRON OXIDE SACCHARATED					
	Injection 100 mg. per 5 cc. I.V. amp. ..		6	..	1 6 4	CK
					*1 6 5	EV
					*1 8 6	FC
433	IRON PHOSPHATE COMPOUND					
	Syrup, B.P.C.		4 fl. oz.	4	0 9 6	Extemp.

423	ISONIAZID				D	200	2	0 11 0	DH, HY(QNVTW), KL, PR, RY
	Oral Tablet, B.P. 50 mg. tab.							0 13 0	
								*0 13 8	
								*0 17 8	
	100 mg. tab.				D	100	2	0 13 0	AD, AN, CM, DH, HY(QNVTW), KL, PR, RY, SI
				0 16 4					
				RO					
424	ISOPRENALINE HYDROCHLORIDE								
	Inhalation	1 in 200, 1/2 fl. oz.	..	..		1	1	0 6 4	WL
	Injection	1 in 5,000, 1 mil. amp.	..	..		5	..	2 1 4	WL
	Oral Tablet	10 mg. tab.	..	..		100	2	0 14 4	WL
425	ISOPRENALINE SULPHATE								
	Inhalation	10 mg. per cc., 7 cc. vial				1	1	0 7 4	BW
	Oral Tablet, B.P.	20 mg. tab.	..	..		100	2	0 19 0	AB, BW
								0 19 8	CM
								0 8 0	Extemp.
	Spray, B.P.C.	..	..	..		1/2 fl. oz.	2		
429	ISOPROPAMIDE IODIDE								
	Oral Tablet	5 mg. tab.	..	..		100	2	2 16 4	SK
431	ISOTHIPENDYL HYDROCHLORIDE								
	Oral Tablet	4 mg. tab.	..	..		50	2	0 13 0	IC
452	KANAMYCIN SULPHATE				..	..	H		
450	KAOLIN, LIGHT								
	Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0 7 4	Extemp.
	Mixture, Alkaline, P.L.	..	..	..		8 fl. oz.	4	0 7 6	Extemp.
	Mixture with Opium, P.L.	..	..	..		8 fl. oz.	4	0 9 3	Extemp.
	Internal Powder, Compound, P.L.	..	..	..		1920 gr.	2	0 8 11	Extemp.
	Dusting Powder, Compound, P.L.	..	..	..		1920 gr.	1	0 9 8	Extemp.

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
451	KAOLIN, HEAVY †Poultice, B.P. 1/2 lb.		1	1	0 5 5	AL
	1 lb.		1	1	0 5 6	FA
					0 8 11	AL, FA
464	LANATOSIDE-C Oral Tablet 0.25 mg. tab.		100	2	1 5 9 (ex 500) 1 8 8 (ex M.P.)	SZ SZ
460	LEPTAZOL Injection, B.P. 1.1 cc. amp. 5 cc. amp.		6 6	1 1	*0 9 2 *1 9 0	KN KN
463	LEVORPHANOL TARTRATE, B.P.C. Injection 2.2 mg. per 1.1 cc. amp. .. Oral Tablet 1.5 mg. tab.	D D	6 50		0 11 0 *1 0 6	RO RO
461	LOBELIA AND STRAMONIUM Mixture, P.L.		8 fl. oz.	4	0 9 10	Extemp.
462	LUCANTHONE HYDROCHLORIDE Oral Tablet, B.P. 500 mg. tab.		100	..	8 11 0	BW
475	MAGENTA, B.P.C. Paint with Resorcinol, P.L.		1 fl. oz.	1	0 7 3	Extemp.

476 **MAGNESIUM BICARBONATE SOLUTION**

†Solution, B.P. 1948 8 fl. oz.

1 4 0 2 6 FA

477 **MAGNESIUM CARBONATE, LIGHT**

Mixture, P.L.

8 fl. oz. 4 0 8 0 Extemp.

478 **MAGNESIUM HYDROXIDE MIXTURE**

†Mixture, B.P. 6 fl. oz.

1 4 0 2 6 FA
0 3 0 DH

479 **MAGNESIUM SULPHATE**

†Crystals, B.P. 1 lb.

Paste, A.P.F. 1920 gr.

960 gr.

1 . . 0 1 6 FA, WD(N)
†1 1 0 7 5 DH, FA
†1 1 0 5 4 DH
0 5 6 FA

Mixture, P.L.

8 fl. oz. 4 0 7 5 Extemp.

480 **MAGNESIUM TRISILICATE**

Mixture, P.L.

Internal Powder with Belladonna, P.L.

Oral Tablet 600 mg. (10 gr.) tab.

8 fl. oz. 4 0 7 6 Extemp.
1920 gr. 2 0 10 5 Extemp.
100 2 0 11 0 DH

481 **MALT EXTRACT**

†Extract, B.P. 1 lb.

†Extract with Cod Liver Oil, B.P. 1 lb.

CP 1 3 0 5 0 FA, WD(N)
CP 1 3 0 5 6 WD(N)
0 5 11 DH(W)

520 **MEBHYDROLIN**

Oral Tablet 50 mg.

50 1 0 15 8 FB

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
482	MECAMYLAMINE Oral Tablet 2.5 mg. tab.		100	2	£ s. d. 1 2 6 (ex 500) 1 3 0 (ex M.P.) 3 19 0	MK MK MK
	10 mg. tab.		100	2		MK
483	MECHOLYL CHLORIDE Injection 25 mg. amp.		6	..	1 6 4	SY
484	MENAPHTHONE Aqueous Injection 1 mg. per 1 cc. amp. ..		6	1	0 9 4 0 11 8	RO BX, PD
	5 mg. per 1 cc. amp. ..		6	1	0 12 4	AD, BL, BX, FH, FM
	10 mg. per 1 cc. amp. ..		6	1	0 9 8 0 13 0	GL AD, BL, BX, FH, RO
	75 mg. per 1 cc. amp. ..		6	1	1 1 0	BL, BX, FH
	Oily Injection 5 mg. per 1 cc. amp. ..		6	1	0 13 0	AD, BD, FH, VM
	10 mg. per 1 cc. amp. ..		6	1	0 13 0 0 13 8	FH AD, BX
485	MENTHOL Inhalation Compound, P.L.		2 fl. oz.	1	0 10 9	Extemp.
486	MEPACRINE HYDROCHLORIDE Oral Tablet, B.P. 100 mg. tab.		100	2	0 10 5	IC

516	MEPHENTERMINE SULPHATE									
	Injection	10 cc. vial	..	..	1	..	1	4	0	WY
487	MEPYRAMINE MALEATE									
	Injection	2.5%, 2 cc. amp.	..	..	10	..	0	13	0	MB
	Elixir	115 mil...	..	..	‡1	4	0	7	0	MB
	Oral Tablet, B.P.	50 mg. tab.	..	..	50	1	0	8	4	MB
		100 mg. tab.	..	..	50	1	0	11	0	MB
488	MERCAPTOMERIN SODIUM									
	Injection	1.4 G. per 10 cc. vial	..	..	3	..	*2	17	9	WY
489	MERCAPTOPURINE									
	Oral Tablet, B.P.	50 mg. tab.	..	..	D 25	..	5	9	8	BW
490	MERCURIC OXIDE									
	Eye Ointment, B.P.	4 G. (60 gr.)	..	..	‡1	..	0	4	4	FH
							0	4	9	DH, MG, SI(v)
		8 G. (120 gr.)	..	..	‡1	..	0	3	11	ME(q)
491	MERSALYL ACID									
	Injection, B.P.	1 cc. amp...	..	..	12	..	*0	19	0	AD, BA, BD, BX, EV
		2 cc. amp...	..	..	12	..	*1	1	8	AD, BA, BD, BL, BT, BX, EV, FH
										TH, VR
517	METHADONE HYDROCHLORIDE									
	Injection, B.P.	10 mg. per cc., 1 cc. amp.			6	..	0	11	8	BW, CM
		10 mg. per cc., 10 cc. vial			1	..	0	11	11	CM
	Oral Tablet, B.P.	5 mg. tab.	..	..	25	..	0	7	0	BW, CM, DH
		10 mg. tab.	..	..	25	..	0	8	4	BA, BW, CM
511	METHAZOLAMIDE									
	Oral Tablet	50 mg. tab.	..		50	4	*3	6	2	LE

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
507	METHENAMINE MANDELATE				£ s. d.	
	Oral Tablet 250 mg. tab.		100	2	0 14 4	HA, WW
	500 mg. tab.		100	1	1 1 8	WW
518	METHENOLONE OENANTHATE ..	H	..	..	..	
512	METHICILLIN	H	..	..	..	
492	METHOIN					
	Oral Tablet, B.P. 100 mg. tab.		200	1	1 7 4	SZ
508	METHOTREXATE					
	Oral Tablet 2.5 mg. tab.	D	100	..	7 3 0	LE
509	METHSCOPOLAMINE BROMIDE					
	Oral Tablet 2.5 mg. tab.		100	2	2 16 4	AN, UP
513	METHYCLOTHIAZIDE					
	Oral Tablet 2.5 mg. tab.		50	2	1 2 8	AB
	5 mg. tab.		50	2	1 13 4	AB
494	METHYLAMPHETAMINE HYDRO-CHLORIDE					
	Injection, B.P. 30 mg. per 1.5 cc. amp. ..		6	1	0 13 0	BT, BW
	Oral Tablet, B.P. 5 mg. tab.		100	2	0 13 8	QE(QNVS), KL
					0 15 0	AB, BW, MG, PH, VR

495	METHYL ANDROSTANOLONE								
	Oral Tablet 25 mg. tab.	D	100	2	8	3	0	RL	
496	METHYLANDROSTENEDIOL								
	Oral Tablet 5 mg. tab.	D	100	2	1	12	4	MR	
	10 mg. tab.	D	100	2	2	17	8	MR, OR	
497	METHYLCELLULOSE, A.P.F.								
	Eye Drops 1 gr. per 1/2 fl. oz., 1/2 fl. oz.		‡1	2	0	10	1	IQ, KL, SI	
498	METHYLERGOMETRINE MALEATE								
	Injection, B.P. 0.2 mg. per mil., 0.5 mil. amp.		6	..	0	12	0	SZ	
	0.2 mg. per mil., 1.0 mil. amp.		6	..	0	15	4	SZ	
	Oral Tablet 0.125 mg. tab.		25	1	1	2	8	SZ	
514	METHYL PHENOBARBITONE, B.P.C.								
	Oral Tablet, B.P.C. 30 mg. (1/2 gr.) tab. ..		200	1	0	9	0	AD, CO, DH, KL, MG, PR, QE(QNVS), RT(V), SI	
					*0	9	0	FA	
					0	9	8	RY, TO	
					0	12	1	BA	
					*0	12	10	PH	
	60 mg. (1 gr.) tab. ..		200	1	0	12	0	AD, CO, DH, KL, MG, PR, RT(V), SI	
					*0	12	2	FA	
					0	13	0	RY	
					0	13	8	TO	
					0	14	4	BA	
					*0	15	0	PH	
	200 mg. (3 gr.) tab. ..		200	1	1	4	0	AD, CO, DH, KL, MG, PR, RT(V), SI	
					*1	4	2	FA	
					1	7	0	RY	
					1	7	8	BA	
					*1	8	4	PH	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
499	METHYL SALICYLATE Liniment, P.L.		4 fl. oz.	1	£ s. d. 0 9 10	Extemp.
519	METRONIDAZOLE Oral Tablet 200 mg. tab.		21	..	1 8 4	MB
500	MORPHINE HYDROCHLORIDE SOLUTION Linectus, P.L.		4 fl. oz.	2	0 10 2	Extemp.
501	MORPHINE SULPHATE Hypo. Tablet, B.P. 1/12 gr. hypo. tab. (solvent required) .. 1/8 gr. hypo. tab. (solvent required) .. 1/6 gr. hypo. tab. (solvent required) .. 1/4 gr. hypo. tab. (solvent required) .. 1/3 gr. hypo. tab. (solvent required) .. 1/2 gr. hypo. tab. (solvent required) .. Injection, B.P. 1/6 gr. amp. 1/4 gr. amp. 1/3 gr. amp. 1/2 gr. amp. 1/4 gr. per cc., 10 cc. vial .. 1/2 gr. per cc., 10 cc. vial ..		20 20 20 20 20 20 6 6 6 6 1 1		0 5 0 0 5 4 0 5 8 0 6 0 0 6 4 0 7 0 0 11 0 0 11 0 0 11 0 0 11 0 0 7 8 0 9 8	DH DH, FA, PD DH, FA, PD DH, FA, PD DH DH, FA, PD AD, BL, BT, BX, FH, KL AD, BL, BT, BX, FH, KL BL, BX, FH, KL BL, BT, BX, FH, KL FH, PD BX, FA, FH

502 MORPHINE WITH ATROPINE

Hypo Tablet—Morphine Sulphate and Atropine Sulphate

1/12 gr.—1/150 gr. tab. (solvent required) ..	20	..	0 4 9	DH
1/8 gr.—1/150 gr. tab. (solvent required) ..	20	..	0 5 4	DH
1/6 gr.—1/180 gr. tab. (solvent required) ..	20	..	0 5 8	DH
1/6 gr.—1/150 gr. tab. (solvent required) ..	20	..	0 5 8	DH, FA
1/4 gr.—1/150 gr. tab. (solvent required) ..	20	..	0 6 0	DH, FA, PD
1/4 gr.—1/120 gr. tab. (solvent required) ..	20	..	0 6 0	DH
1/4 gr.—1/100 gr. tab. (solvent required) ..	20	..	0 6 0	DH, FA

Injection—Morphine Sulphate and Atropine Sulphate

1/6 gr.—1/200 gr. amp.	6	..	0 11 8	BX
1/6 gr.—1/150 gr. amp.	6	..	0 11 8	BL, BT, BX, FH
1/6 gr.—1/120 gr. amp.	6	..	0 11 8	BX
1/4 gr.—1/150 gr. per 1 cc. amp.	6	..	0 11 8	AD, BL, BT, BX, FH, KL
per cc., 10 cc. vial	1	..	0 7 8	FA, PD
1/4 gr.—1/100 gr. amp.	6	..	0 11 8	BL, BT, BX, FH

503 MORPHINE WITH HYOSCINE

Injection—Morphine Sulphate, Hyosine Hydrobromide

1/4 gr.—1/100 gr., 1 cc. amp.	6	..	0 12 4	BL, BX, FH
-------------------------------------	---	----	--------	------------

515 MORPHINE WITH TACRINE

Injection

15 mg.—13 mg. per 1.5 mil. amp.	6	..	1 3 0	WH
30 mg.—13 mg. per 1.5 mil. amp.	6	..	1 3 8	WH
15 mg.—30 mg. per 1.5 mil. amp.	6	..	1 9 4	WH
30 mg.—30 mg. per 1.5 mil. amp.	6	..	1 11 0	WH

Oral Tablet

30 mg.—15 mg. D	50	1	5 3 0	WH
-----------------------	----	---	-------	----

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
504	MUSTINE HYDROCHLORIDE Injection, B.P. 10 mg. amp. (solvent required)	D	1	..	0 19 8	BT
541	NALORPHINE HYDROBROMIDE Injection, B.P. 10 mg. amp. 1 mg. per mil., 5 mil. vial		6 1	1 ..	1 3 0 0 12 0	BW BW
558	NANDROLONE Injection 25 mg. per 1 cc. amp.	D	3	..	3 7 0	OR
557	NEOMYCIN SULPHATE	H	..	..	..	
553	NEOMYCIN SULPHATE EYE DROPS Eye Drops, 0.35% 10 mil.		‡1	2	0 9 8	DH, HA, IQ, KL, SI
559	NEOMYCIN SULPHATE AND KAOLIN Mixture Neomycin Sulphate, B.P. 300 mg.; Kaolin, B.P. 6 G. per fl. oz., 4 fl. oz. ..		‡1	..	1 1 0	MK, UP
542	NEOSTIGMINE BROMIDE Oral Tablet, B.P. 15 mg. tab.		100	2	1 5 0	RO
543	NEOSTIGMINE METHYLSULPHATE Injection, B.P. 0.5 mg. per mil., 1 cc. amp. 2.5 mg. per mil., 1 cc. amp. 2.5 mg. per mil., 5 cc. vial Eye Drops 7.5 mil.		6 6 1 ‡1	3 3 1 6	0 8 9 0 14 1 0 9 8 0 14 1	RO RO RO RO

544	NICOTINAMIDE								
	Injection, B.P.	50 mg. per cc., 1 mil. amp.			6	1	0 11 8	BD, BX, FH	
	Oral Tablet, B.P.	50 mg. tab.	P	100	2	0 8 4	BD, DH, KL, PR, RT(V), SL, TO		
		100 mg. tab.	P	100	2	0 13 8	DH, KL		
545	NICOTINIC ACID								
	Oral Tablet, B.P.	25 mg. tab.	P	100	2	0 5 0	HY(QNVTW), KL, RY, TO		
		50 mg. tab.	P	100	2	0 6 4	AD, AN, DH, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, TO		
		100 mg. tab.	P	100	2	0 7 0	DH, HY(QNVTW), KL, MG, RT(V), RY, TO		
		250 mg. tab.	P	100	2	0 9 8	AD, HY(QNVTW), KL, RT(V), RY, SI		
						0 11 0	MG		
551	NICOUMALONE								
	Oral Tablet	4 mg. tab.		50	2	1 13 8	GE		
546	NIKETHAMIDE								
	Injection, B.P.	1.5 cc. amp.		6	1	0 8 4	CB		
		2 cc. amp.		6	1	0 11 4	BD, BT, FH		
		5 cc. amp.		6	1	0 15 8	BD, FH		
						*0 15 8	CB		
547	NITROFURANTOIN								
	Oral Tablet	50 mg. tab.	D	25	1	0 0 0	SK		
						(ex 100)			
						1 15 11	SK		
	Oral Suspension	25 mg. per 3.5 mil., 4 fl. oz.	CD	‡1	..	(ex M.P.) 1 4 1	SK		
548	NITROMIN								
	Injection	50 mg. amp. (solvent required) ..	D	5	1	4 6 4	SI		
	Oral Tablet	5 mg. tab.	D	100	2	5 16 4	SI		

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
								£ s. d.	
549	NORADRENALINE ACID TARTRATE								
	Injection	1 in 1,000, 2 mil. amp.	..	..		6	..	1 17 0	FH, WL
		1 in 10,000, 2 mil. amp.	..	..		5	..	1 14 4	WL
552	NORETHANDROLONE				H	..	..	..	
554	NOVOBIOCIN CALCIUM, B.P.				H	..	..	..	
555	NOVOBIOCIN SODIUM, B.P.				H	..	..	..	
556	NOVOBIOCIN TABLETS, B.P.				H	..	..	..	
550	NYSTATIN								
	Oral Tablet	500,000 U. tab.	..	..	D	50	..	3 7 8	SQ
	Vaginal Tablet	100,000 U. vaginal tab.	..	..	D	15	..	1 1 4	SQ
561	OESTRADIOL DIPROPIONATE								
	Injection	5 mg. per 1 cc. amp.	..	..		6	1	*2 7 0	CB
562	OESTRADIOL BENZOATE								
	Injection, B.P.	2 mg. per cc., 1 mil. amp.	..	..		6	1	1 11 0	BD, OR
563	OESTRONE, B.P.C. 1954								
	Injection	1,000 U. amp. aqueous	..	..		6	1	0 11 0	OR
		10,000 U. amp. oily	..	..		6	1	0 17 8	OR
	Suppository	1,000 U.	..	..		12	1	0 18 9	OR
								0 19 0	BD
		10,000 U.	..	..		12	1	1 10 8	OR

564	OLIVE OIL, B.P.									
	†2 oz.	..	..	..	..	..	1	..	0 1 9	WD(N)
									0 2 0	SI(V)
	†4 oz.	..	..	..	..	..	1	..	0 2 9	WD(N)
	†5 oz.	..	..	..	..	..	1	..	0 3 3	DH, SI(V)
565	†8 oz.	..	..	..	..	..	1	4	0 4 9	WD(N)
	OUABAIN									
	Injection, B.P.	0.25 mg.	amp.	..	..		3	..	*0 17 3	NA
	OXYPHENCYCLIMINE HYDRO-CHLORIDE									
	Oral Tablet	10 mg.	tab.	..	..	..	100	2	3 9 8	PF
572	OXYPHENONIUM BROMIDE									
	Oral Tablet	5 mg.	tab.	..	..	..	100	2	1 7 0	CB
		10 mg.	tab.	..	..	..	100	2	2 5 8	CB
566	OXYTETRACYCLINE DIHYDRATE									
	Oral Tablet, B.P.	100 mg.	tab.	..	..	D	25	..	2 2 4	PF
		250 mg.	tab.	..	..	D	16	..	3 0 0	PF
567	OXYTETRACYCLINE HYDROCHLORIDE									
	Oral Suspension	125 mg.	per 5 cc., 60 cc.			CD	†1	..	1 7 0	PF
	Oral Paediatric Drops	100 mg.	per cc., 10 cc.			CD	†1	..	0 17 8	PF
	Injection									
	100 mg.	amp.	I.M.	..	..	D	6	..	*4 4 6	PF
	250 mg.	amp.	I.M.	..	..	D	6	..	*8 1 6	PF
	250 mg.	per cc., 10 cc.	vial, I.V.	..	..	D	6	..	*7 7 0	PF
	(solvent required)									
	Oral Capsule	50 mg.	cap.	..	..	D	25	..	1 4 7	PF
		100 mg.	cap.	..	..	D	25	..	2 2 4	PF

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
567—continued								£ s. d.	
	250 mg. cap.		..		D	16	..	2 13 9 (ex 100)	PF
								3 0 0 (ex M.P.)	PF
	Eye Ointment, 0.5% with Polymyxin B.								
	10,000 U., 60 gr.	..	..	..		‡1	..	0 6 8	PF
568	OXYTETRACYCLINE OPHTHALMIC SUSPENSION								
	Suspension, 1%	6 cc.	..	..		‡1	2	0 11 5	PF
569	OXYTOCIN								
	Injection, B.P.	2 U. per 2 mil. amp.	..			6	..	0 10 4	SZ
		5 U. per 0.5 mil. amp.	..			6	..	0 13 0	PD, SZ
		10 U. per 1 mil. amp.	..			6	..	0 18 4	PD, SZ
581	PANCREATIN								
	Oral Powder	1 oz. vial	..	..	D	8	2	*5 17 8	PD
676	PANCREATIN ENZYME 4(USNF,XI)								
	Oral Tablet	300 mg. (5 gr.) tab...	..		D	500	1	13 17 4	AN
	Oral Powder	8 oz. ..	..	..	D	‡1	2	11 13 8	AN
582	PANCREX 5								
	Oral Powder	500 G.	..	..	D	1	..	15 1 8	ST

583	PAPAVERETUM, B.P.C.							
	Hypo. Tablet, B.P.C.							
	20 mg. (1/3 gr.) hypo. tab. (solvent required)			20	..	*0 7 10	RO	
	Injection, B.P.C.							
	10 mg. (1/6 gr.) per 1 cc. amp.			6	..	0 11 0	BL	
	20 mg. per 1 cc. amp.			6	..	0 11 0	BL, BT, BX, FH, RO	
	Oral Tablet, B.P.C. 10 mg. (1/6 gr.) tab. ..			20	..	0 6 1	HY(QNVTW)	
						0 7 0	RO	
584	PAPAVERETUM WITH HYOSCINE							
	HYDROBROMIDE							
	Injection—							
	Papaveretum 20 mg.; Hyosine Hydrobromide 0.43 mg. 1 cc. amp... ..			6	..	0 11 8	BL, BT, FH, RO	
585	PAPAVERINE HYDROCHLORIDE							
	Injection 20 mg. (1/3 gr.) per 1 cc. amp. ..			6	..	0 11 0	FH, KL	
	120 mg. (2 gr.) per 10 cc. amp. ..			6	..	0 19 0	BX, FH, HA, KL	
	Oral Tablet 50 mg. (3/4 gr.) tab. ..			100	2	0 19 0	AN, HY(QNVTW), KL, QE(QNVS), RT(V)	
						1 1 8	MG	
	100 mg. (1.5 gr.) tab.			100	2	1 11 0	AN, DH, FA, HA, HY(QNVTW), KL, PR, QE(QNVS), RT(V), TO	
						1 15 0	MG	
586	PARA-AMINOSALICYLIC ACID							
	Oral Tablet 500 mg. tab.			D	200	2	1 1 5	KL
							1 3 0	AN
							*1 3 0	DH
							*1 5 6	AD, SI
682	PARACETAMOL							
	Oral Tablet 500 mg.			50	1	0 9 5	CA, TO	
						0 12 9	KL, WL	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
587	PARAFFIN, HARD Ointment, B.P.		1920 gr.	1	0 11 4	Extemp.
588	PARAFFIN LIQUID †Liquid Paraffin 8 oz.		1	4	0 2 3	FA, WD(N)
	†Emulsion 16 fl. oz.	P	1	4	0 2 6	DH, RT(V)
	†Emulsion with Phenolphthalein 16 fl. oz.	P	1	4	0 7 3	WY
					0 6 6	FA, MG, SL, SL
					0 7 3	DH, WW, WY
589	PARALDEHYDE, B.P. Injection 5 cc. amp... .. . 10 cc. amp... .. . Mixture, P.L.		6 6 8 fl. oz.	1 1 4	0 14 4 0 19 0 0 11 11	BL, BX, FH, FM BL, BX, FH, FM Extemp.
590	PARAMETHADIONE Oral Capsule, B.P. 300 mg. cap.		200	1	6 14 4	AB
679	PARAMETHASONE ACETATE Oral Tablet 1 mg. tab. 2 mg. tab.	AD AD	30 30		1 13 0 2 3 0	IC IC, LY
664	PEMPIDINE TARTRATE Oral Tablet 5 mg. tab. 10 mg. tab.		100 100	2 2	*1 11 8 *2 13 8	IC, MB IC, MB

651 PENICILLINASE									
Injection	800,000 U. amp.	..	..	1	..	5 3 0	CS		
						5 13 0	RK		
652 PENICILLIN BENETHAMINE									
Injection									
500,000 U. Penicillin, Benethamine;									
250,000 U. Penicillin, Procaine;									
500,000 U. Penicillin, Sodium									
vial (solvent required)	..	..		1	..	0 11 0	GL		
Set containing vial and 2 mil. amp. water									
for injection	..	..	..	1	..	0 11 8	GL		
591 PENICILLIN, BENZATHINE									
Oral Tablet, B.P.	200,000 U. tab.	..	..	100	1	0 0 0	CS, WY		
						(ex 500)			
						2 13 0	CS, WY		
						(ex M.P.)			
Injection with Penicillin, Procaine and Peni-									
cillin, Potassium—									
Set containing 1 vial of—									
600,000 U. Penicillin, Benzathine;									
300,000 U. Penicillin, Procaine;									
300,000 U. Penicillin, Potassium and 2									
cc. amp. water for injection	..	..		1	..	0 12 4	WY		
592 PENICILLIN, BENZYL									
Oral Tablet, B.P.	200,000 U. tab.	..	..	100	1	2 13 0	GL		
	400,000 U. tab.	..	..	100	1	4 15 8	GL		
Injection, B.P.									
100,000 U. amp. (solvent required)	..	..		6	..	*0 15 0	BD, GL, SI		
200,000 U. amp. (solvent required)	..	..		6	..	*0 15 6	BD, GL, SI		
500,000 U. amp. (solvent required)	..	..		6	..	*1 3 0	BT, CS, DL, EV, GL, SI		
Set containing 1 vial Penicillin G. 500,000									
U. and 2 mil. amp. water for injection	..	..		6	..	*1 6 6	BT, CS, DH, EV, GL		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
<i>592—continued</i>						
	1,000,000 U. amp. (solvent required) ..		6	..	£ s. d. *1 9 0	BT, CS, DH, DL, EV, GL, SI
	Set containing 1 vial Penicillin G. 1,000,000 U. and 2 mil. amp. water for injection ..		6	..	*1 12 6	BT, CS, DH, EV, GL
	1,500,000 U. amp. (solvent required) ..		6	..	*2 1 6	DH, EV, GL, SI
	Set containing 1 vial Penicillin G. 1,500,000 U. and 2 mil. amp. water for injection ..		6	..	*2 5 0	DH, GL
	Eye Drops					
	Set containing 30,000 U. and 15 mil. solvent		‡1	2	†0 10 10	SI
	Eye Ointment 2,000 U. per G., 4 G. ..		‡1	..	0 5 4	SI
					0 5 8	DH
593 PENICILLIN BENZYL PROCAINE						
	(Aqueous Suspension) Injection, B.P.—					
	300,000 U. amp.		6	..	*1 6 6	BT
	600,000 U. vial		6	..	*1 13 6	BT, FA
	900,000 U. vial		6	..	*2 0 6	BT, CS, DH, EV, GL, SI, VR
	1,000,000 U. vial		6	..	*2 3 0	AB, BT, DH, FA, SI, VR
	1,500,000 U. vial		6	..	*2 15 0	CS, DH, EV, FA, GL, SI, VR
	(Crystalline) Injection—					
	300,000 U. amp. (solvent required) ..		6	..	*1 2 6	CS, DL, SI
	Set containing 1 vial Penicillin 300,000 U. and 1 vial water for injection ..		6	..	*1 6 6	CS
	900,000 U. amp. (solvent required) ..		6	..	*1 16 6	CS, DL, SI
	Set containing 1 vial Penicillin 900,000 U. and 1 vial water for injection ..		6	..	*2 0 6	CS
	1,500,000 U. amp. (solvent required) ..		6	..	*2 11 0	CS, SI
	Set containing 1 vial Penicillin 1,500,000 U. and 1 vial water for injection ..		6	..	*2 15 0	CS

**594 PENICILLIN BENZYL, PROCAINE
FORTIFIED**

Injection, B.P.—

400,000 U. amp. (solvent required) ..	6	..	*1	3	0	CS, DL, SI
Set containing 1 vial Penicillin 400,000 U. and 1 vial water for injection ..	6	..	*1	7	0	CS
1,200,000 U. amp. (solvent required) ..	6	..	*2	5	0	BT, CS, DL, SI
Set containing 1 vial Penicillin 1,200,000 U. and 1 vial water for injection ..	6	..	*2	9	0	CS

**595 PENICILLIN, PHENOXYMETHYL
(BENZATHINE, CALCIUM, HYDRA-
BAMINE OR POTASSIUM SALT
OR FREE ACID)**

Injection

Set containing 1 vial Benzathine Penicillin
Phenoxymethyl 800,000 U. and 2 mil.
amp. water for injection

Oral Suspension 125 mg. per dram, 2 fl. oz.

Oral Sachet 125 mg. sachet
Oral Tablet 60 mg. tab.

125 mg. tab.

250 mg. tab.

C

C

1
‡1

16
24

24

12

..
..

..
..

..

I

1 4 4
1 0 9

1 0 9
0 13 0

0 13 7
0 18 10

0 19 9
(ex 100)

1 0 3
1 1 4

(ex M.P.)
0 17 10

0 18 9
(ex 100)

KL
AB, BT, CM, CS, DH, DL, FA, GL,
KL, SI, VR
IQ, KL, LY
CM, CS, DF, DH, GL, SI
AB, DL, KL, LY
CM, CS, DF, DH, FA, GL, PR, PT, SI
AB, AN, BT, DL, KL, LP, LY, WL,
VR
CM, CS, DF, DH, FA, GL, PR, PT, SI
AB, AN, BT, DL, KL, LP, LY, WL,
VR
CM, CS, DF, DH, FA, GL, PR, PT, SI
AB, AN, BT, DL, KL, LP, LY, WL,
VR

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
595—continued									
								£ s. d.	
	Oral Capsule	125 mg. cap.	..	..		24	..	0 19 1 1 0 3 (ex M.P.)	CM, CS, DF, DH, FA, GL, PR, PT, SI AB, AN, BT, DL, KL, LP, LY, WL, VR
		250 mg. cap.	..	..		12	1	1 1 4 0 18 9 (ex 100) 1 0 3 (ex M.P.)	AB, BT, CS, DL, FA, KL, LY, SI, WL, VR AB, BT, CS, DL, FA, KL, LY, SI, WL, VR AB, BT, CS, DL, FA, KL, LY, SI, WL, VR
596 PENICILLIN WITH STREPTOMYCIN									
	Injection 100,000 U. Penicillin Crystalline; 300,000 U. Penicillin, Procaine; 500 mg. Streptomycin 1 amp. (solvent required)				D	6	..	*1 13 0	GL, SI
	Set containing 1 vial and 2 mil. amp. water for injection				D	6	..	*1 16 6	GL
	500,000 U. Sodium Benzyl Peni- cillin; 500 mg. Streptomycin Sulphate 1 vial (solvent required)				D	6	..	*1 13 0	DL, GL
	Set containing 1 vial and 2 mil. amp. water for injection				D	6	..	*1 16 6	GL

597 PENTAERYTHRITOL TETRANITRATE

Oral Tablet 10 mg. tab.
20 mg. tab.

30 mg. tab.

80 mg. tab. (Sustained Action)

675 PENTHIENATE

Oral Capsule 5 mg. cap.

598 PENTOBARBITONE SODIUM, B.P.

Oral Tablet 30 mg. (1/2 gr.) tab. ..

100 mg. (1.5 gr.) tab.

100

100

100

100

100

50

50

2

2

2

2

2

2

2

0 8 4

0 9 0

(ex 500)

0 9 8

(ex M.P.)

0 11 0

0 11 5

0 15 0

2 1 0

0 6 0

0 6 8

0 7 0

0 6 0

0 6 5

0 6 9

0 7 1

0 7 5

0 8 3

(ex 250)

0 6 8

0 7 0

0 7 8

0 8 4

0 9 8

0 10 0

(ex M.P.)

HY(QNVTW), WW

HY(QNVTW), WW

HY(QNVTW), WW

HY(QNVTW)

WL

HY(QNVTW), WW

WL

HY(QNVTW)

AB, BW, DH, KL, QE(QNVS)

GP, RY, TO

PR, QE(QNVS), SL

HY(QNVTW)

MG

AD, BW, CM, CO, DH, FA, KL, RT(V),

RY, SI, TO

RD

AB, GP, IQ

HY(QNVTW), PR, RT(V)

QE(QNVS)

AD, BW, CM, DH, FA, KL, RD, RY,

SI, TO

AB, CO, IQ, MG

GP

SL

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
598— <i>continued</i>					£ s. d.	
	Oral Capsule 30 mg. (1/2 gr.) cap. ..		50	2	0 9 8	AB
	50 mg. (3/4 gr.) cap. ..		50	2	0 18 4	AB
	100 mg. (1.5 gr.) cap. ..		50	2	0 10 9	MG, PR, RT(V)
					0 11 5	FA, KL, PD
					0 12 10	AB
					(ex 250)	
					0 12 1	FA, KL, PD, PR, RT(V)
					0 13 0	AB, MG
					(ex M.P.)	
599	PENTOBARBITONE SODIUM COMPOUND					
	Oral Capsule, A.P.F. 1955		50	2	0 15 11	PD
					(ex 250)	
					0 18 8	PD
					(ex M.P.)	
	Oral Tablet, A.P.F. Capsule Formula ..		50	2	0 15 8	CO
600	PENTOLINIUM TARTRATE					
	Injection, B.P. 5 mg. per cc., 10 cc. vial		1	1	0 9 8	MB
	25 mg. per cc., 25 cc. vial		1	1	1 5 8	MB
	Oral Tablet, B.P. 40 mg. tab.		100	2	0 17 0	MB
	200 mg. tab.		100	2	2 7 4	MB
601	PENTOLINIUM TARTRATE WITH EPHEDRINE					
	Injection 25 mg. per cc., 25 cc. vial ..		1	1	1 9 8	MB

602 PERTUSSIS VACCINE (Haemagglutinin Aluminium Phosphate Adsorbed) Injection 1/2 cc. amp. 		2	..	*0 11 0	CS
603 PERTUSSIS VACCINE (PHASE 1) Injection 20,000 M. per cc., 1 cc. amp. ..		3	1	*0 15 0	CS
604 PETHIDINE HYDROCHLORIDE Injection, B.P. 50 mg. per cc., 1 cc. amp. 50 mg. per cc., 2 cc. amp. 50 mg. per cc. 10 cc. vial .. 50 mg. per cc., 50 cc. ..		6 6 1 1		0 10 4 0 11 8 0 10 4 1 0 11	AD, BL, BT, BW, BX, CM, FH, KL AD, BL, BT, BW, BX, CM, FH, KL BX, CM, FH, KL BA, BX, KL, RO
665 PETHIDINE AND LEVALLORPHAN TARTRATE Injection Pethidine Hydrochloride, 50 mg.; Levallorphan Tartrate, 0.625 mg. per 1 cc. amp. (solvent required) Pethidine Hydrochloride, 100 mg.; Levallorphan Tartrate, 1.25 mg. per 2 cc. amp. (solvent required)	D D	6 6		0 10 1 0 13 1	RO RO
605 PETHIDINE AND SCOPOLAMINE Injection Pethidine Hydrochloride, 100 mg.; Scopolamine 0.43 mg. 2 cc. amp.		6	..	0 12 4	BT, BW, FH, KL
650 PHENACETIN Oral Tablet with Codeine Phosphate and Sodium Pentobarbitone 300 mg.-15 mg.-30 mg. tab. (5 gr.-1/4 gr.-1/2 gr.) 		100	2	0 15 1	AD, CM, DH, HY(QNVTW), KL, MG, PR, SI, SL, TO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
650—continued					£ s. d.	
					0 15 9	RD
					1 0 0	AB, FM, GP
					(ex 500)	
					0 16 4	AD, DH, HY(QNVTW), KL, PR, SI, SL, TO
					0 17 0	RD
					0 17 8	CM
					0 18 0	MG
					1 2 0	AB, FM, GP
					(ex M.P.)	
607	PHENAZONE Oral Tablet, B.P. 1948 300 mg. (5 gr.) tab.		100	2	0 16 4	TO
678	PHENAZOPYRIDINE HYDROCHLORIDE Oral Tablet 100 mg. tab.		50	1	*0 12 10	WW
672	PHENETHICILLIN Oral Tablet 125 mg. tab.		24	..	1 4 4	CS, SI
	250 mg. tab.		12	1	1 3 0	CS, SI
673	PHENFORMIN Oral Tablet 25 mg. tab.		100	2	2 0 4	WW
608	PHENINDAMINE TARTRATE Oral Tablet, B.P. 25 mg. tab.		50	2	0 11 3	RO

609 PHENINDIONE

Oral Tablet, B.P. 10 mg. tab.

100

2

2 3 0 PT, PX

2 9 8 GA

2 13 0 EV, WP(NVW)

2 19 0 PT, PX

3 9 8 GA

3 13 0 EV, WP(NVW)

50 mg. tab.

100

2

610 PHENOBARBITONE

Oral Tablet, B.P. 15 mg. (1/4 gr.) tab. ..

100

2

 0 4 8 AD, BW, DH, FA, HY(QNVTW),
KL, PR, RT(V), RY, SI, SL, TO

30 mg. (1/2 gr.) tab. ..

100

2

 0 5 3 AD, DH, FA, HY(QNVTW), KL, PR,
RT(V), RY, SI, SL, TO

0 5 4 MG

0 5 8 BK, BW, GP, MB

60 mg. (1 gr.) tab. ..

100

2

 0 5 4 AD, DH, FA, HY(QNVTW), KL, PR,
RT(V), RY, SI, SL, TO

0 5 8 MG

0 6 4 BW, GP, MB

100 mg. (1.5 gr.) tab. ..

100

2

 0 6 4 AD, DH, FA, HY(QNVTW), KL,
RT(V), RY, SI, SL

0 6 5 GP, TO

611 PHENOBARBITONE SODIUM

Injection

200 mg. (3 gr.) per 1 cc. amp.

6

..

*0 9 8 MB

0 11 8 BL, BX, CM, EV, FH, FM

 200 mg. (3.1 gr.) per 2 cc. amp. with 2 mil.
amp. water for injection

6

..

1 2 4 BX

200 mg. (3 gr.) per 2 cc. amp.

6

..

0 11 8 BT

Oral Tablet, B.P. 15 mg. (1/4 gr.) tab. ..

100

2

0 4 8 DH, FA, KL, RT(V), SL, TO

30 mg. (1/2 gr.) tab. ..

100

2

 0 5 3 DH, FA, HY(QNVTW), KL, PR,
RT(V), RY, SL, TO

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
611—continued					£ s. d.	
	60 mg. (1 gr.) tab. ..		100	2	0 5 4	KL, RT(V), RY, SL
	100 mg. (1.5 gr.) tab. ..		100	2	0 5 8 0 6 4	FA, HY(QNVTW), TO FA, HY(QNVTW), KL, RY
612	PHENOBARBITONE SODIUM AND SODIUM BROMIDE Mixture, P.L.		8 fl. oz.	4	0 8 2	Extemp.
613	PHENOL Injection Phenol, B.P. 2%; Dextrose, B.P. 25%; Glycerin, B.P. 30% 30 cc. vial ..		1	..	1 6 4	BT
	Lotion, P.L.		8 fl. oz.	4	0 7 8	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 5	Extemp.
614	PHENOLPHTHALEIN Oral Pill, Compound		50	1	0 5 3 *0 5 3 *0 5 10	HY(QNVTW), MG TO DH
615	PHENSUXIMIDE Oral Capsule 500 mg. cap.		200	1	4 2 4	PD
653	PHENYLALANINE LOW CONTENT FORMULA Granules 1 Kg.	AD	1	..	10 13 4	GL
	Powder 2.5 lb. tin	AD	1	..	5 6 8	CM
	3 lb. tin	AD	1	..	11 0 0	TF

616 PHENYLBUTAZONE									
Oral Tablet	100 mg. tab.	..	..	..	50	2	0 17 11	GE	
							(ex 250)		
							0 19 0	GE	
							(ex M.P.)		
617 PHENYLEPHRINE HYDROCHLORIDE									
Injection, 1%	1 mil. amp.	..	..	..	6	..	1 6 4	WL	
Compound Suppository with Benzocaine		..			12	1	0 10 7	WL	
674 PHENYLMERCURIC DINAPHTHYL-METHANE DISULPHONATE									
Pessaries		..	..	..	15	..	1 3 0	WB	
677 PHENYTOIN									
Oral Suspension	4 fl. oz.	..	..	..	C	‡1	4	0 10 4	PD
618 PHENYTOIN SODIUM									
Injection	250 mg. vial with 5 cc. water for injection	..	..	..	1	..	1 19 0	PD	
Oral Tablet, B.P.	100 mg. tab.	..	..	..	200	1	0 15 0	DH, KL, RT(v)	
Oral Capsule	30 mg. cap.	..	..	..	200	1	0 17 8	PD	
	100 mg. cap.	..	..	..	200	1	0 0 0	PD	
							(ex 1,000)		
							1 7 8	PD	
							(ex M.P.)		
619 PHOLCODINE									
Linctus	4 fl. oz.	..	..	..	‡1	4	0 8 8	EV, FA, GL, GP, MG, VR	
	8 fl. oz.	..	..	..	‡1	4	0 12 4	EV, FA, GL, GP, MG, RK, VR	
Linctus, P.L.		..	..	..	8 fl. oz.	4	0 14 7	Extemp.	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
620	PTHALYLSULPHACETAMIDE Oral Tablet 500 mg. tab.		100	..	£ s. d. 1 11 0	BS, KL, SC, VR
621	PTHALYLSULPHATHIAZOLE Oral Tablet, B.P. 500 mg. tab.		100	..	0 14 4 (ex 500)	MB, MK
	Mixture for Children, P.L.		4 fl. oz.	4	0 14 4 (ex M.P.) 0 11 11	MB, MK Extemp.
622	PHYSOSTIGMINE SALICYLATE Eye Drops 1/4%, 15 ml.		†1	6	0 15 0	IQ
	1/2%, 15 ml.		†1	6	0 16 7	IQ
666	PHYTOMENADIONE Injection, B.P. 10 mg. amp.	D	3	..	1 0 4	RO
623	PICROTOXIN Injection, B.P. 5 mg. per 2 cc. amp. ..		6	1	0 13 0	BX, FH
624	PILOCARPINE NITRATE Eye Drops 1/2% 1/2 fl. oz.		†1	6	0 9 11	AN, DH, IQ, KL, SI
	1% 1/2 fl. oz.		†1	6	0 10 8	AN, DH, IQ, KL, SI
	2% 1/2 fl. oz.		†1	6	0 11 8	AN, DH, IQ, KL, SI
	3% 1/2 fl. oz.		†1	6	0 12 8	AN, IQ, KL, SI
	4% 1/2 fl. oz.		†1	6	0 14 4 0 15 0	AN, KL, SI IQ

676	PIPENZOLATE				100	2	1 17 8	SI
	Oral Tablet	5 mg. tab.	..	..				
	Oral Solution	4 mg. per mil., 1/2 fl. oz.	..	..	†1	..	0 13 0	SI
625	PIPERAZINE ADIPATE				25	2	0 10 0	BD
	Oral Tablet, B.P.	300 mg. tab.	..	..				
	Oral Granules	20%, 100 G.	..	..	1	..	1 1 0	DF
654	PIPERAZINE CITRATE, B.P.				30	..	0 12 7	BW
	Oral Tablet	500 mg. tab.	..	..				
	Elixir	500 mg. per 4 mil., 4 fl. oz.	..	C	†1	..	0 11 0	MG
							0 11 5	GL
626	PIPERAZINE PHOSPHATE				25	2	*0 9 2	GL
	Oral Tablet, B.P.	260 mg. tab.	..	..				
		500 mg. tab.	..	..	30	2	0 12 7	CK
627	PITUITARY, POSTERIOR LOBE, B.P.C.				6	1	0 15 8	PD
	Injection	1 cc. amp...	..	..				
	Insufflation	30 Antidiuretic Unit Capsule	..	..	100	2	4 5 8	ST
		500 Antidiuretic Unit per G., 2 G.	..	..				
	Phial	..	..	..	3	2	*3 9 9	BP
628	PLAGUE VACCINE				2	..	*0 16 4	CS
	Injection	4,000 million per cc., 1 cc. amp.	..	..				
629	POLYMYXIN B. SULPHATE				†1	2	1 15 0	AN, BW, HA, KL, SI
	Ear Drops	1/2 fl. oz.	..	..				
	Ear Drops with Acetic Acid and Propylene Glycol	10 mil.	..	..	†1	2	0 13 0	BW
	Eye Drops	15,000 U. per mil., 5 mil.	..	..	†1	2	1 7 0	HA, IQ, KL, SI
	Eye Drops	Set containing 300,000 U. and 15 ml. of solvent	..	..	†1	2	†1 17 6	AN

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max Qty	Manufacturer
					£ s d.	
629—continued						
	Eye Drops Set containing 75,000 U. and 5 ml. of solvent		†1	2	†1 9 6	AN
	Eye Drops 15,000 U. per mil., Stabilised 5 mil.		†1	2	1 3 0	BW
	Eye Drops with Bacitracin and Neomycin Sulphate					
	10 mil. (solvent required)		†1	2	†1 5 6	GL
	10 mil. and 10 cc. amp. of solvent ..		†1	2	†1 9 6	AN, DH
					†1 11 9	HA, IQ
	Eye Drops with Neomycin Sulphate and Gramicidin					
	5,000 U.—2.5 mg.—0.025 mg., 10 mil. ..		†1	2	0 14 4	BW
	Eye Ointment with Bacitracin and Neomycin 4 G.		†1	..	0 7 0	AN, BW, DH, GL, HA, SI, UP
630 POTASSIUM BROMIDE						
	Mixture, P.L.		8 fl. oz.	4	0 8 0	Extemp.
	Mixture with Nux Vomica, P.L.		8 fl. oz.	4	0 7 10	Extemp.
	Mixture with Phenobarbitone and Belladonna, P.L.		8 fl. oz.	4	0 7 8	Extemp.
631 POTASSIUM CHLORIDE						
	Injection Standard Maintenance Fluid					
	1/2 litre		2	..	*1 11 0	BX, FH(QNVST)
	Oral Tablet, B.P. 500 mg. tab.		100	2	0 7 0	AN, DH, HY(QNVTW), KL, RT(V), RY

632 POTASSIUM CITRATE									
Mixture, P.L.	..	..	..	8 fl. oz.	4	0	8	6	Extemp.
Mixture for Children, P.L.	..	..	..	4 fl. oz.	4	0	8	2	Extemp.
Mixture Acid, P.L.	..	..	..	8 fl. oz.	4	0	9	10	Extemp.
Mixture with Hyoscyamus, P.L.	..	..	..	8 fl. oz.	4	0	7	10	Extemp.
633 POTASSIUM IODIDE									
Mixture, P.L.	..	..	..	8 fl. oz.	4	0	8	8	Extemp.
Mixture for Children, P.L.	..	..	..	4 fl. oz.	4	0	8	4	Extemp.
Mixture with Stramonium for Children, P.L.	..	..	..	4 fl. oz.	4	0	8	3	Extemp.
668 POTASSIUM PERCHLORATE									
Oral Tablet	200 mg. tab.	..	..	100	2	0	9	8	AD, SI
						0	15	8	PH
	500 mg. tab.	..	..	100	2	0	17	8	PH
634 PREDNISOLONE									
Oral Tablet, B.P.	5 mg. tab.	..	..	AD	30	..	1	17	0
									AN, GL, HY(QNVTW), KL, MK, PD,
									PF, PR, PT, RT(V), RY, SH
							2	5	4
							2	5	8
									CO
									BT, OR, RL, SC, UP
	Oral Tablet with Magnesium Trisilicate and Dried Aluminium Hydroxide Gel								
	5 mg.-50 mg.-300 mg.	..	..	AD	30	..	1	17	0
	Eye Ointment	0.5%, 4 G.	..		‡1	..	1	3	0
									MK
									AN, CO, KL, UP
655 PREDNISOLONE ACETATE									
Injection	10 mg. per 1 cc. amp.	..	..	AD	3	2	1	9	8
									BX, SC
656 PREDNISOLONE DISODIUM PHOSPHATE									
Retention Enema	20 mg. per 100 cc.	..	..	AD	7	..	7	7	8
									GL
Eye-Ear Drops, 0.5%	2.5 mil.	..	..		‡1	6	1	1	8
									MK
	3 mil.	..	..		‡1	6	1	3	0
									GL
Eye Ointment	3 G.	..	..		‡1	..	1	3	0
									GL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
657	PREDNISOLONE METHYL					
	Oral Tablet 4 mg. tab.	AD	30	..	4 5 8	UP
	Oral Capsule 4 mg. cap.	AD	30	..	4 5 8	UP
	Eye Ointment 0.1%, 4 G.		‡1	..	1 6 4	UP
683	PREDNISOLONE METHYL ACETATE					
	Injection 40 mg. per cc., 5 cc. vial	AD	1	..	8 3 0	UP
658	PREDNISOLONE SODIUM HEMI-SUCCINATE	H				
680	PREDNISOLONE TRIMETHYL-ACETATE					
	Eye Drops 0.3%, 2.5 cc.		‡1	..	0 13 8	CB
	Eye Ointment 0.5%, 2.5 G... ..		‡1	..	0 15 0	CB
635	PREDNISONE					
	Oral Tablet, B.P. 5 mg. tab.	AD	30	..	1 17 0	AN, GL, HY(QNVTW), KL, MK, PD, PR, PT, RY, SH
					2 5 4	CO
					2 5 8	BT, OR, RD, RL, SC
	Oral Tablet with Magnesium Trisilicate and Dried Aluminium Hydroxide Gel 5 mg.-50 mg.-300 mg.	AD	30	..	1 17 0	MK

636 PRIMAQUINE BASE													
Oral Tablet, Phosphate, B.P.													
	Equivalent to 7.5 mg. base	..	..			30	1	0	10	8	IC		
	Equivalent to 15 gm. base	..	..			14	1	0	6	9	WL		
637 PRIMIDONE													
	Oral Tablet, B.P. 250 mg. tab.	..	..			200	1	*3	17	8	IC		
659 PROBENECID													
	Oral Tablet, B.P. 500 mg. tab.	..	..			100	2	5	19	8	MK		
638 PROCAINAMIDE HYDROCHLORIDE													
	Injection, B.P. 100 mg. per cc., 10 cc. vial					1	..	0	15	8	SQ		
	Oral Tablet 250 mg. tab...	..	..			100	2	3	3	0	SQ		
639 PROCAINE HYDROCHLORIDE IN NORMAL SALINE													
	Injection, 0.1% 1/2 litre	..	..	..		2	1	*1	7	8	BT		
	1 litre	..	..	..		2	1	*1	11	8	AB, BT		
640 PROCYCLIDINE HYDROCHLORIDE													
	Oral Tablet, B.P. 5 mg. tab...	..	..			100	2	2	3	0	BW		
641 PROGESTERONE													
	Injection 20 mg. I.V. amp...	..	..	D		3	..	2	6	4	OR, SC		
	25 mg. amp.	..	..	D		3	..	1	7	0	BD, CB, DF, OR, SC		
	Implant 25 mg. implant	..	..	D		1	..	1	1	0	BD, OR		
642 PROGESTERONE DEPOT													
	Injection 250 mg. amp.	..	..	D		3	..	*4	15	0	RM		
								4	15	0	SC		
643 PROGUANIL HYDROCHLORIDE													
	Oral Tablet, B.P. 100 mg. tab.	..	..			100	2	0	11	5	IC		

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
644	PROMETHAZINE HYDROCHLORIDE							£ s. d.	
	Injection	2.5%, 2 cc. amp.	..	..	C	10	..	0 15 0	MB
	Elixir	115 mil.	..	..		‡1	4	0 7 8	MB
	Oral Tablet, B.P.	10 mg. tab.	..	..		50	1	0 9 2	MB
								(ex 250)	
								0 9 8	MB
		25 mg. tab.	..	..		50	1	(ex M.P.) 0 12 2	MB
								(ex 250) 0 13 8	MB
								(ex M.P.)	
660	PROPANTHELINE BROMIDE								
	Injection	30 mg. per 1 cc. vial	..	..		6	..	3 9 8	SR
		(solvent required)							
	Oral Tablet, B.P.	15 mg. tab.	..	..		100	2	2 10 8	SR
								(ex 500)	
								2 12 4	SR
								(ex M.P.)	
681	PROPHENPYRIDAMINE MALEATE								
	Syrup	10 mg. per 5 mil., 100 mil.	..	..	C	‡1	4	0 9 8	HP
645	PROPHENPYRIDAMINE PARA-AMINOSALICYLATE								
	Injection	25 mg. per cc., 2 cc. amp.	..	..		5	1	0 14 1	HP
	Oral Tablet	10 mg. tab.	..	..		50	1	0 0 0	HP
								(ex 250)	

645—continued

								0 9 3	HP
								(ex M.P.)	
	50 mg. tab.	..	..	..		50	1	0 0 0	HP
								(ex 250)	
								0 15 8	HP
								(ex M.P.)	
671	PROPYLTHIOURACIL								
	Oral Tablet, B.P. 25 mg. tab.	..	..			100	2	0 13 0	AN
	50 mg. tab.	..	..			100	2	1 0 4	AN
646	PROTAMINE SULPHATE								
	Injection, 1% 5 mil. amp...	..	..			6	..	1 3 7	EV
	10 mil. amp...	..	..			6	..	1 5 8	BT
647	PROTOVERATRINE A								
	Injection 1 mil. amp.	..	..	..	D	6	..	0 16 8	SZ
669	PYRAZINAMIDE	..	..	..	H				
662	PYRIDINE ALDOXIME METHIODIDE..				H				
648	PYRIDOSTIGMINE BROMIDE								
	Oral Tablet, B.P. 60 mg. tab.	..	..		D	100	2	*4 5 5	RO
	Injection, B.P. 1 mg. per 1 cc. amp.	..	..			6	1	0 11 3	RO
	(solvent required)								
649	PYRIDOXINE HYDROCHLORIDE,								
	B.P.C.								
	Injection 50 mg. per cc., 1 cc. amp.	..	..			6	1	0 18 4	FH, KL
								1 0 4	AN, BL, CM, BX, FM, PD
	50 mg. per 2 cc., 2 cc. amp.	..	..			6	1	1 0 4	RO
								1 1 8	BD, VM

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
649—continued						£ s. d.
	50 mg. per cc., 5 cc. vial ..		1	1	1 1 8	KL
					1 4 0	LY
	50 mg. per cc., 10 cc. vial ..		1	..	1 3 0	BX, FH, KL
					1 7 0	CM
663	PYRIMIDO-PYRIMIDINE					
	Injection 10 mg. per 2 mil., 2 mil. amp. ..		5	..	0 14 7	FA
661	PYRROLIDINO-METHYL- TETRACYCLINE					
	Injection 110 mg. Tetracycline amp. I.V.	D	5	..	*4 10 11	HP
	275 mg. Tetracycline amp. I.V.	D	5	..	*7 16 9	HP
	150 mg. Tetracycline amp. I.M.	D	5	..	*4 10 11	HP, SQ
	350 mg. Tetracycline amp. I.M.	D	5	..	*7 16 9	HP, SQ
721	QUINALBARBITONE SODIUM, B.P.					
	Oral Tablet 50 mg. tab.		50	2	0 9 8	PT
	100 mg. (1.5 gr.) tab. ..		50	2	0 9 11	HY(QNVTW), RT(V)
					0 11 0	PT
					0 11 8	AD, CM, DH, KL, MG, RY, SI
					0 13 4	RD
					0 15 8	GP, SL
	Oral Capsule 50 mg. cap.		50	2	0 11 11	LY
	100 mg. (1.5 gr.) cap. ..		50	2	0 18 4	LY

722	QUINIDINE SULPHATE Oral Tablet, B.P. 200 mg. (3 gr.) tab. ..	100	2	0 0 0 0 0 0 (ex 500) 1 4 4 1 5 8 (ex M.P.)	DH, FA, HA, HY(QNVTW), KL, TO BW DH, FA, HA, HY(QNVTW), KL, TO BW
723	QUININE BISULPHATE Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..	100	2	0 16 4 0 17 8	CO, DH, HY(QNVTW) BW, FA
724	QUININE DIHYDROCHLORIDE Injection, B.P. 200 mg. (3 gr.) per cc., 1 cc. amp. 400 mg. (6.25 gr.) per cc., 1 cc. amp. 600 mg. (9.25 gr.) per 2 cc. amp. 1 G. (15.5 gr.) per 2 cc. amp. Oral Tablet 300 mg. (5 gr.) tab. Oral Capsule 300 mg. (5 gr.) cap.	6 6 6 6 100 100	1 1 1 1 2 2	0 13 8 0 14 4 0 15 0 0 15 8 1 2 0 1 11 0	BX BX BX BX DH PD
725	QUININE HYDROCHLORIDE Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..	100	2	1 2 0	DH
726	QUININE SULPHATE Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..	100	2	0 16 4	AD, DH, HY(QNVTW), PR, SI, TO
747	RAUWOLFIA ALKALOIDS Oral Tablet 0.25 mg. tab. 2 mg. tab. 4 mg. tab.	100 100 100	2 2 2	0 11 8 0 13 8 1 7 0 1 5 8	PT CM, KL RK PV

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
747— <i>continued</i>					£ s. d.	
	50 mg. tab. 		100	2	0 0 0 0 0 0 (ex 500) 1 6 4 1 13 0 (ex M.P.)	PT IQ, SQ PT IQ, SQ
748	RED BACK SPIDER ANTI-VENENE Injection 500 U. vial 		2	..	*4 3 0	CS
746	RESERPINE					
	Injection 1 mg. amp. 		5	1	0 10 1	CB
	2.5 mg. amp. 		5	1	0 16 4	CB
	Oral Tablet, B.P. 0.25 mg. tab. 		100	2	0 0 0 0 0 0 0 0 0 (ex 500) 0 8 4 0 9 4 0 9 8 (ex M.P.) 0 0 0 0 0 0 (ex 500) 0 10 4 0 12 4 (ex M.P.)	AN, HA, HY(QNVTW), KL, RK, RY MG CB, VR AN, HA, HY(QNVTW), KL, RK, RY MG CB, VR HA, KL, RK CB HA, KL, RK CB
	0.5 mg. tab. 		100	2		

741	RESORCINOL										
	Lotion, Compound, P.L.	..	..	..	..	8 fl. oz.	4	0 10 6	Extemp.		
	Ointment, Compound, P.L.	..	..	..	..	1920 gr.	1	0 13 0	Extemp.		
742	RHUBARB										
	Pill, Compound, B.P.C.	..	..	..	..	50	1	*0 10 6	DH		
	Mixture with Soda, P.L.	..	..	..	..	8 fl. oz.	4	0 8 9	Extemp.		
	Mixture with Soda for Children, P.L.	..	..	..	..	4 fl. oz.	4	0 7 5	Extemp.		
743	RIBOFLAVINE										
	Oral Tablet, B.P.	5 mg. tab.	..	..	..	P 100	2	0 7 0	DH, FM, KL, PR, RT(v), RY, TO		
745	RISTOCETIN					H					
755	SACCHARIN OR SACCHARIN SODIUM										
	†Oral Tablet	30 mg. (1/2 gr.) tab.	..	..	..	200	1	0 1 9 0 2 0	HY(QNVTW) AD, DH, FA, KL, RT(v), RY, SI, SL		
818	SALICYLAMIDE										
	Oral Tablet	500 mg. tab.	..	..	..	100	2	0 10 4 0 10 8	KL, TO HA, NS		
803	SALICYLAZOSULPHAPYRIDINE										
	Oral Tablet	500 mg. tab.	..	..	..	D 100	..	1 17 8	MR		
756	SALICYLIC ACID										
	Paint, P.L.	..	..	..	..	1 fl. oz.	1	0 6 8	Extemp.		
	Ear Drops, P.L.	..	..	..	..	1/2 fl. oz.	2	0 6 10	Extemp.		
	Ointment, B.P.	..	..	..	..	1920 gr.	1	0 14 2	Extemp.		
	Lotion, Compound, P.L.	..	..	..	..	8 fl. oz.	4	0 9 4	Extemp.		
760	SCHICK TEST TOXIN										
	Injection	1 cc. vial	..	..	..	2	..	*0 13 8	CS		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
757	SEIDLITZ POWDER †Compound Effervescent Powder, B.P., 1953		12	1	0 5 0	DH, WD(N)
758	SENNA FRUIT, B.P. †2 oz.		1	..	0 2 0	DH, SI
816	SENNA FRUIT EXTRACT (STANDARDISED) Oral Tablet 7 mg. tab.	P	100	2	0 12 4	RC
759	SENEGA AND AMMONIA Mixture, P.L.		8 fl. oz.	4	0 9 10	Extemp.
809	SILVER NITRATE †Toughened 1 stick		1	..	0 1 7 0 2 6	YF(QNVST) SL
761	SILVER PICRATE, B.P.C. 1949 Insufflation, 1%		5 G.	1	0 8 4	AB
762	SILVER PROTEIN, MILD, B.P.C. Eye Drops, 10% 1/2 fl. oz.		†1	2	0 10 5	IQ
763	SIMPLE OINTMENT, B.P. Ointment		1920 gr.	1	0 11 8	Extemp.
764	SMALLPOX VACCINE, B.P. Injection Capillary Tube		1	..	0 8 7	CS

773 SODIUM AMINOSALICYLATE

Injection	20%, 10 cc. vial	..	..	D	6	..	1	1	3	KL
Oral Cachet	1.5 G. cachet	..	..	D	200	2	3	3	0	AN, KL, WA
							*3	11	8	SN
	2.0 G. cachet	..	..	D	200	2	4	3	0	KL, WA
Oral Tablet	300 mg. (5 gr.) tab.	..	..	D	200	1	0	18	8	KL
							*1	3	5	AD, SI
	500 mg. (7.5 gr.) tab.	..	..	D	500	2	2	3	0	DH, KL, SN
							2	7	4	CM, RY
							*2	7	7	AN, WA
							*2	11	9	AD, SI
Granules	50%	350 G.	..	D	1	1	2	6	4	HY(QNVTW), RL
	96.4%	500 G.	..	D	1	1	5	8	0	EV

765 SODIUM AUROTHIOMALATE

Injection, B.P.	1 mg. amp.	..	..		1	3	0	4	11	MB
	2 mg. amp.	..	..		1	3	0	5	1	MB
	5 mg. amp.	..	..		1	3	0	5	3	MB
	10 mg. amp.	..	..		1	3	0	5	7	MB
	20 mg. amp.	..	..		1	6	0	5	9	MB
	50 mg. amp.	..	..		6	1	*1	7	0	MB
	100 mg. amp.	..	..		6	1	*1	15	0	MB
	200 mg. amp.	..	..		1	3	0	11	8	MB

766 SODIUM BICARBONATE

Ear Drops, P.L.	..	..	..		1/2 fl. oz.	2	0	7	2	Extemp.
Mixture, P.L.	..	..	..		8 fl. oz.	4	0	7	2	Extemp.
Oral Tablet, Compound, B.P.										
300 mg. (5 gr.) tab.	..	..	..		100	2	0	4	8	FA, SL, TO

767 SODIUM CALCIUMEDETATE

Injection	200 mg. per 5 cc. amp.	..	..		6	..	3	1	8	RK
Oral Tablet	500 mg. tab.	..	..		100	2	2	1	11	RK

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
768	SODIUM CHLORIDE					
	Injection					
	Gastric Replacement Solution 1/2 litre		2	..	*1 11 0	BX, FH(QNVST)
	Intestinal Replacement Solution 1/2 litre		2	..	*1 11 0	BX, FH(QNVST)
	Potassium Free Maintenance Solution 1/2 litre		2	..	*1 11 0	BX, FH(QNVST)
	Saline Lactate Solution 1/2 litre		2	..	*1 11 0	BX, FH(QNVST)
	Tissue Repair Solution—Acidosis 1/2 litre		2	..	*1 11 0	BX, FH(QNVST)
	Tissue Repair Solution—Alkalosis 1/2 litre		2	..	*1 11 0	BX, FH(QNVST)
	(Hypertonic Solution)—					
	Injection 3%, 1/2 litre		2	1	*1 7 8	BT
	1 litre		2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
	5%, 1/2 litre		2	1	*1 7 8	BT
	1 litre		2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
	(Physiological Solution)—					
	Injection 2 cc. amp.		6	1	0 9 4	AD, BL, BX, FH, KL
	5 cc. amp.		6	1	0 10 4	AD, BL, BX, FH, KL
	10 cc. amp.		6	1	0 9 0	CS
					0 12 4	AD, BL, BX, FH, KL
	10 cc. vial		2	1	*0 9 8	BX, FH, PD
	20 cc. amp.		6	1	0 16 4	BL, BX, FH, KL
	50 cc. amp.		3	1	*1 3 0	BX, FH, KL
	1/2 litre		2	1	*1 7 8	BT
	1 litre		2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		100	2	0 4 8	DH, FA, HY(QNVTW), RT(V)

769 SODIUM CHLORIDE AND DEXTROSE

Injection, B.P.

5% in normal saline	1/2 litre	..	..
	1 litre	..	..
10% in normal saline	1/2 litre	..	..
	1 litre	..	..
20% in normal saline	1 litre	..	..
25% in normal saline	1/2 litre	..	..
	1 litre	..	..
2.5% in 1/2 strength normal saline	1/2 litre	..	..
3.75% in 1/4 strength normal saline	1/2 litre	..	..
4% in 1/5 strength normal saline	1/2 litre	..	..
	1 litre	..	..
4.3% in 1/5 strength normal saline	1 litre	..	..

811 SODIUM CHLORIDE COMPOUND

Injection, B.P.C.	1/2 litre	..	..
	1 litre	..	..

814 SODIUM CHLORIDE COMPOUND AND DEXTROSE

Injection	5%, 1/2 litre	..	..	..
	1 litre	..	..	..
10%, 1 litre	..	..	..	..

770 SODIUM CITRATE

Oral Tablet for Children	120 mg. (2 gr.) tab.	..
Oral Tablet, B.P.	300 mg. (5 gr.) tab.	..
Mixture Disodium Hydrogen Citrate, P.L.	..	..

2	1	*1	7	8	BT
2	1	*1	11	8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
2	1	*1	7	8	BT
2	1	*1	11	8	AB, BT, BX, FH(QNVST), GL, SJ(W)
2	1	*1	11	8	BT, BX, FH(QNVST), SJ(W)
2	1	*1	7	8	BT
2	1	*1	11	8	AB, BT, BX, FH(QNVST), SJ(W)
2	1	*1	7	8	BT, BX, FH(QNVST), SJ(W)
6	1	*1	7	8	BT, BX, FH(QNVST), SJ(W)
6	1	*3	17	0	BT
6	1	*4	9	0	AB, BT, BX, EV, SJ(W)
6	1	*4	9	0	FH(QNVST), GL
4	1	*2	12	4	BT
4	1	*3	0	4	BT, BX, EV, FH(QNVST), GL, SJ(W)
6	1	*3	17	0	BT
6	1	*4	9	0	BT, BX, FH(QNVST), SJ(W)
3	1	*2	6	0	BT, BX, FH(QNVST), SJ(W)
100	2	0	5	3	AD, DH, HY(QNVTW), RT(V)
		0	7	0	BW
100	2	0	6	0	HY(QNVTW)
		0	8	9	BW
8 fl. oz.	4	0	8	5	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
804	SODIUM FOLATE Injection 15 mg. per cc., 10 cc. vial ..	D	1	..	£ s. d. 1 5 8	LE
771	SODIUM LACTATE (Solution 1/6 Molar)— Injection 1/2 litre 1 litre		2 2	1 1	*1 7 8 *1 11 8	BT AB, BT, BX, FH(QNVST), SJ(W)
812	SODIUM LACTATE—COMPOUND Injection, B.P. 1/2 litre 1 litre		2 2	1 1	*1 7 8 *1 11 8	BT BT, BX, EV, FH(QNVST), GL, SJ(W)
813	SODIUM LACTATE—COMPOUND AND DEXTROSE Injection 5%, 1/2 litre 1 litre 10%, 1/2 litre 1 litre		2 2 2 2	1 1 1 1	*1 7 8 *1 11 8 *1 7 8 *1 11 8	BT BT, BX, FH(QNVST), SJ(W) BT BT, BX, FH(QNVST), SJ(W)
772	SODIUM OLEATE COMPOUND Oral Pill.. .. . Oral Tablet		100 100	1 1	0 12 4 *0 12 5 0 9 0	PD DH FA
774	SODIUM SALICYLATE Mixture, P.L. Mixture for Children, P.L. Oral Tablet, B.P.C. 300 mg. (5 gr.) tab. ..		8 fl. oz. 4 fl. oz. 100	4 4 2	0 8 4 0 7 3 0 7 8	Extemp. Extemp. AD, DH, FA, HY(QNVTW), KL, RT(V), SI, SL, TO

774—continued

Oral Tablet (Enteric Coated)									
300 mg. (5 gr.) tab.	..	..	..	100	2	0 11 0	AN, DH, HY(QNVTW), KL, LY, PR, RY, TO		
500 mg. (7.5 gr.) tab.	..	..	..	100	2	0 0 0 (ex 500) 0 12 4 (ex M.P.)	KL, PR, QE(QNVS), RD, TO KL, PR, QE(QNVS), RD, TO		
600 mg. (10 gr.) tab.	..	..	..	100	2	0 13 8	AN, DH, KL, LY, PR(QNVS), QE(QNVS), RY, TO		
775 SODIUM SULPHATE									
(Solution 4.28%)—									
Injection 1/2 litre	..	..	..	2	1	*1 7 8	BT		
1 litre	..	..	..	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)		
776 SODIUM TAUROGLYCOCHOLATE									
Oral Pill..	..	..	..	100	1	0 9 8	DH		
Oral Tablet	..	..	..	50	1	0 9 11 *0 7 5	WW DH		
777 SORBOLENE, A.P.F. 1955									
Cream, P.L.	..	..	..	1920 gr.	1	0 11 8	Extemp.		
805 SOYA FORMULA									
Liquid 1 tin	..	..	..	AD 6	..	*1 17 6	CM		
Powder 1 tin 9 oz.	..	..	..	AD 6	..	*3 10 0	WA		
1 lb.	..	..	..	AD 6	..	*5 6 6	CM		
806 SPIRAMYCIN									
Oral Capsule 250 mg. cap.	..	..	..	D 20	..	1 18 4	MB		
Oral Tablet 250 mg. tab...	..	..	..	D 20	..	1 18 4	MB		

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
778	SPIRIT, INDUSTRIAL METHYLATED, B.P.									
	Soap, P.L.	..	..	..	..		4 fl. oz.	1	0 9 9	Extemp.
	Ear Drops, P.L.	..	..	..	..		1/2 fl. oz.	2	0 6 9	Extemp.
810	SPIRONOLACTONE					H	..	..	..	
779	STAPHYLOCOCCUS TOXOID (FORMALINISED)									
	Injection	Diluted 1 in 10 for use in initial injection					1	..	0 11 0	CS
		5 cc.	..	..	..		1	..	1 1 8	CS
	Undiluted	5 cc.	..	..	..					
780	STILBOESTROL, B.P.									
	Injection	1 mg. amp.	..	..	..	DG	6	..	0 9 8	BD, BX
		5 mg. amp.	..	..	..	DG	6	..	0 11 8	BD, BX, KL
	Oral Tablet	0.1 mg. tab.	..	..	..	DG	100	2	0 5 1	HY(QNVTW), KL
		0.5 mg. tab.	..	..	..	DG	100	2	0 5 3	AD, BD, DH, FA, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		1 mg. tab.	..	..	..	DG	100	2	0 5 5	AD, DH, FA, HY(QNVTW), KL, RT(V), SI
									0 5 8	BD, HA, MG, RY, SL, TO
		5 mg. tab.	..	..	..	DG	100	2	0 8 0	AD, BD, BW, DH, FA, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		10 mg. tab.	..	..	..	DG	100	2	0 12 4	CM, DH, KL, RT(V), TO

781	STREPTOMYCIN SULPHATE									
	Injection	1 G. vial (solvent required)	..	D	5	3	*0 19 8	BT, BX, DL, EV, GL, SI		
	Intrathecal Injection									
		100,000 U. amp. (solvent required)	..	D	10	3	1 2 5	DL		
	Injection, B.P.									
		250,000 U. per mil., 4 mil. vial	..	D	5	3	*1 1 9	DL, GL		
		500,000 U. per mil., 2 mil. vial	..	D	5	3	*1 1 9	BT, EV, GL		
		1,000,000 U. per 3 mil. vial	..	D	5	3	*1 1 9	EV, GL, SI		
	Oral Tablet with Sulphaguanidine									
		62.5 mg.-500 mg. tab.	..		16	..	0 14 1	GL		
	Ear Drops, P.L.				1/2 fl. oz.	2	0 11 9	Extemp.		
782	STRYCHNINE HYDROCHLORIDE SOLUTION									
	Mixture, P.L.				8 fl. oz.	4	0 7 5	Extemp.		
783	SUCCINYLSULPHATHIAZOLE									
	Oral Tablet, B.P. 500 mg. tab.				100	..	0 19 0	MB, MK		
	Mixture with Kaolin 4 fl. oz.				1	4	0 9 4	MK		
	8 fl. oz.				1	4	0 15 0	MK		
	Mixture with Kaolin, P.L.				8 fl. oz.	4	1 0 0	Extemp.		
784	SULPHACETAMIDE SODIUM									
	Ear Drops, P.L.				1/2 fl. oz.	2	0 7 5	Extemp.		
	Eye Drops, 10% 1/2 fl. oz.				1	2	0 10 4	AN, DH, EV, IQ, KL, MG, SI		
	Eye Drops, 20% 1/2 fl. oz.				1	2	0 11 0	AN, DH, EV, IQ, KL, MG, SI		
	Eye Ointment, B.P. 60 gr.				1	..	0 5 0	AN, EV, FH, MG, SC		
785	SULPHADIAZINE									
	Oral Tablet 300 mg. tab.				40	1	0 9 10	KL, PD		
							0 10 9	AB		
							(ex 200)			
							0 10 9	AB, KL, PD		
							(ex M.P.)			

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
785— <i>continued</i>					£ s. d.	
	Oral Tablet, B.P. 500 mg. tab.		40	1	0 9 11	HY(QNVTW), RT(✓)
					0 10 8	AD, DH, MB, PD, PR, SI
					0 11 0	MG
	Nasal Instillation, Compound, P.L.		1/2 fl. oz.	2	0 11 7	BW, CO, FA, KL, SL, TO
					0 8 6	Extemp.
786	SULPHADIAZINE SODIUM					
	Injection, B.P.C. 4 cc. amp... ..		5	..	*0 15 9	MB
787	SULPHADIMETHOXINE					
	Oral Tablet 500 mg. tab.		12	2	0 12 4	RO
					(ex 100)	
					0 13 0	RO
					(ex M.P.)	
	Oral Suspension 200 mg. per cc., 10 cc. vial	C	‡1	..	0 11 5	RO
788	SULPHADIMIDINE					
	Mixture for Children, P.L.		4 fl. oz.	4	0 15 5	Extemp.
	Oral Suspension 100 cc.	C	1	4	0 11 5	IC
	Oral Tablet, B.P. 250 mg. tab.		40	1	0 8 5	KL, MG
	500 mg. tab.		40	1	0 7 3	HY(QNVTW)
					0 7 8	PR, SL, VR
					0 8 2	MG
					0 8 9	AD, DH, IC, KL, SI, TO
					(ex 200)	
					0 7 8	HY(QNVTW)
					0 9 4	AD, DH, IC, KL, MG, PR, SI, SL, TO,
					(ex M.P.)	VR

789	SULPHADIMIDINE SODIUM									
	Injection, B.P. 1 G. per 3 cc. amp.	..		5	..	0 11 8	IC			
790	SULPHAFURAZOLE									
	Oral Tablet 300 mg. tab.	..	..	40	1	0 13 1	RO			
	500 mg. tab.	..	..	40	1	0 16 9	RO			
						(ex 200)				
						0 17 5	RO			
						(ex M.P.)				
	Eye Drops, 4% 10 mil.	..	..	‡1	2	0 9 8	RO			
	Eye Ointment 5 G.	..	..	‡1	..	0 6 1	RO			
791	SULPHAGUANIDINE									
	Oral Tablet, B.P. 500 mg. tab.	..	..	100	..	0 11 4	AD, AN, BW, DH, HY(QNVTW), KL, MG, PR, RT(V), RX, SI, SL, TO			
792	SULPHAMERAZINE									
	Oral Tablet, B.P. 500 mg. tab.	..	..	40	1	0 10 4	HY(QNVTW)			
						0 11 7	DH			
						0 12 8	KL			
						*0 14 2	AD, FA, SI, TO			
793	SULPHAMETHIZOLE									
	Oral Tablet 100 mg. tab.	..	..	30	1	0 8 4	AY, HA, WW			
	250 mg. tab.	..	..	30	1	0 13 0	AY, HA, WW			
	500 mg. tab.	..	..	30	1	1 0 9	AY			
817	SULPHAMETHOXYDIAZINE									
	Oral Tablet 500 mg. tab.	..	..	12	2	0 16 4	FB, SC			
	Oral Suspension, 10% 40 mil.	..	..	‡1	..	0 16 4	FB, SC			

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
794	SULPHAMETHOXYPYRIDAZINE Oral Tablet 500 mg. tab.		12	2	£ s. d. 1 0 9 (ex 100) 1 1 8 (ex M.P.)	LE, PD LE, PD
807	SULPHAMETHOXYPYRIDAZINE N-ACETYL Oral Suspension 250 mg. per 5 cc., 1 fl. oz.	C	‡1	..	0 14 4	PD, LE
808	SULPHAPHENAZOLE Oral Tablet 500 mg. tab. Oral Suspension, 10% 50 cc... ..	C	20 ‡1	1 ..	0 11 11 0 14 4	CB CB
795	SULPHAPYRIDINE, B.P.C. Oral Tablet, B.P.C. 500 mg. tab.		100	..	0 19 0	MB
815	SULPHINPYRAZONE Oral Tablet 100 mg. tab.		100	2	3 16 4	GE
796	SULPHONAMIDES, MIXED (B): THREE SULPHOMANIDES Oral Tablet 250 mg. tab. 300 mg. tab. 330 mg. tab. 500 mg. tab.		40 40 40 40	1 1 1 1	0 11 0 0 8 11 0 11 0 0 11 0 0 8 9 0 9 5	CM, MB KL, TO AB AN HY(QNVTW), MG, SL AN

796—continued

								0 10 4	AD, DH, FA, FM, KL, RY, SI, TO
								0 10 11	CM, MB, VR
								(ex 200)	
								0 8 9	HY(QNVTW)
								0 10 9	AD, DH, FM, KL, RY, SI, TO
								0 11 0	MG
								0 11 4	AN, CM, FA, MB, SI, VR
								(ex M.P.)	
797	SULPHUR								
	Ointment, B.P.	..	..	..	..	1920 gr.	1	0 12 7	Extemp.
798	SULPHURATED POTASH								
	Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0 9 6	Extemp.
800	SUSTANON								
	Injection 250 mg. amp.	..	..	..	D	1	..	2 17 8	OR
801	SUXAMETHONIUM BROMIDE								
	Injection, B.P. 67 mg. amp.	..	..	..		6	1	*0 14 4	MB
851	T.A.B. VACCINE (Anti-Typhoid-Paratyphoid)								
	Injection 1/2 cc. amp.	..	..	..		3	..	*0 14 0	CS
	10 cc. vial	..	..	..		1	..	1 13 0	CS
892	TACRINE								
	Injection 10 mg., 2 ml. amp.	..	..	..		6	1	0 19 8	WH
	30 mg., 2 ml. amp.	..	..	..		6	1	1 8 0	WH
893	TAIPAN ANTI-VENENE								
	Injection 3,000 U. vial	..	..	..		4	..	*20 3 0	CS

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
								£	s.	d.	
852	TESTOSTERONE										
	Implant, B.P.	100 mg. implant	..	..	D	1	..	2	9	8	BD, CB, OR, SC
		150 mg. implant	..	..	D	1	..	3	7	8	OR
		200 mg. implant	..	..	D	1	..	4	5	8	OR
853	TESTOSTERONE METHYL										
	Oral Tablet, B.P.	25 mg. tab.	..	..	D	100	2	2	11	0	HY(QNVTW), KL, PR
								3	3	0	AN, FM
								4	0	4	RD
		50 mg. tab.	..	..	D	100	2	4	16	4	HY(QNVTW)
								5	12	4	AN, KL, PR
								6	3	0	FM
								7	9	8	RD
854	TESTOSTERONE OENANTHATE										
	Injection	250 mg. per cc., 1 cc. amp.	..	..	D	1	..	2	17	8	SC
855	TESTOSTERONE PROPIONATE										
	Injection, B.P.	25 mg. per 1 cc. amp.	..	..	D	12	..	2	3	0	KL
								*2	11	0	BD, FH, FM
								2	11	0	OR
								*2	15	10	CB
								*2	16	4	SC
		50 mg. per 1 cc. amp.	..	..	D	12	..	4	3	0	KL
								*4	8	4	FH, FM
								4	15	0	CB
								*4	16	4	BD, OR
								*4	19	0	SC

855—continued

	50 mg. per cc., 10 cc. vial ..	D	1	..	3 14 0	CB, KL, OR, SC
	100 mg. per 2 mil., 2 mil. amp.	D	3	..	2 8 0	BD, OR, SC
					*2 15 11	FM
Implant	100 mg. implant	D	1	..	2 9 8	BD
856	TETANUS ANTITOXIN					
	Injection, B.P.					
	Diluted 1-50, 15 I.U. in 0.5 ml.		1	..	0 6 4	CS
	1,500 I.U. (1950) amp. ..		6	1	*2 3 0	BW, CS, SE
	10,000 I.U. (1950) amp. ..		6	1	*11 7 0	CS
	50,000 I.U. (1950) amp. ..		6	..	*42 3 0	CS
	Set containing 1,500 I.U. and 15 I.U. diluted					
	1 in 50		1	..	0 13 0	BT, CS
857	TETANUS TOXOID, B.P.					
	Injection 1/2 cc.		3	..	0 13 9	BT
			3	..	*0 13 9	CS
					*0 15 0	GL
	1 cc.		3	..	*0 13 9	SE
858	TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed)					
	Injection 1/2 cc.		3	..	0 13 0	BT
					*0 13 0	CS
	5 cc.		1	..	1 5 8	CS
859	TETRACHLOROETHYLENE					
	Oral Capsule, B.P. 1/2 cc. cap.		12	..	*0 7 11	PD
860	TETRACYCLINE					
	Injection, B.P.					
	100 mg. vial I.V. (solvent required) ..	D	6	..	*4 4 6	FB, LE
	250 mg. vial I.V. (solvent required) ..	D	6	..	*7 7 0	FB, LE, PF, SQ

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
860— <i>continued</i>					£ s. d.	
	Injection					
	100 mg. vial I.M. (solvent required) ..	D	6	..	*4 4 6	FB, LE, PF
	Oral Capsule, B.P. 50 mg. cap. ..	D	25	..	1 4 7	FB, LE, PF
	100 mg. cap. ..	D	25	..	2 2 4	LE, LT, PF
	250 mg. cap. ..	D	16	..	2 13 9	FB, LE, LT, PF, UP
					(ex 100)	
					3 0 0	FB, LE, LT, PF, UP
					(ex M.P.)	
	Oral Tablet, B.P. 50 mg. tab. ..	D	25	..	1 4 7	LE, PF
	100 mg. tab. ..	D	25	..	2 2 4	LE, PF
	250 mg. tab. ..	D	16	..	3 0 0	LE, PF, SQ
	Oral Granules 75 G. ..	CD	‡1	..	1 14 3	LE
	Oral Paediatric Drops					
	100 mg. per cc., 10 cc. vial ..	CD	‡1	..	0 17 8	FB, LE, UP
	Oral Suspension 125 mg. per 5 cc., 60 cc. ..	CD	‡1	..	1 7 0	LE, LT, PF
	Eye Drops, Suspension, 1% 6 cc. ..		‡1	2	0 11 0	LE
	Eye Ointment, 1% 4 G. ..		‡1	..	0 6 4	PF
	60 gr. ..		‡1	..	0 6 4	LE
862 TETRACYCLINE WITH NYSTATIN						
	Oral Capsule containing 250 mg. Tetracycline Hydrochloride and 250,000 U. Nystatin ..	D	12	..	2 10 1	LE, SQ, UP
					(ex 100)	
					2 12 5	LE, SQ, UP
					(ex M.P.)	

863 TETRACYCLINE WITH OLEANDOMYCIN									
Injection	100 mg. amp. I.M.	..	D	6	..	*4	12	6	PF
Oral Capsule	100 mg. cap.	..	D	25	..	2	5	7	PF
	250 mg. cap.	..	D	16	..	2	16	6	PF
								(ex 100)	
						3	4	8	PF
								(ex M.P.)	
Oral Suspension	125 mg. per 5 cc., 60 cc.	..	CD	‡1	..	1	9	7	PF
Oral Paediatric Drops	100 mg. per cc., 10 cc.		CD	‡1	..	0	19	0	PF
864 TETRACYCLINE (BUFFERED)									
Injection	100 mg. vial I.M. (solvent required)		D	6	..	*4	4	6	SQ
Oral Capsule	100 mg. Tetracycline cap.	..	D	25	..	2	2	4	LE, LT, PF, SQ
	250 mg. Tetracycline cap.	..	D	16	..	2	13	9	FB, LE, LT, PF, SQ, UP
								(ex 100)	
						3	0	0	FB, LE, LT, PF, SQ, UP
								(ex M.P.)	
Oral Suspension	125 mg. per 5 cc., 60 cc.	..	CD	‡1	..	1	7	0	LE, LT, PF, SQ, UP
Oral Paediatric Drops									
	100 mg. per cc., 10 cc. vial	..	CD	‡1	..	0	17	8	LE, LT, PF, SQ
890 TETRACYCLINE (BUFFERED) WITH AMPHOTERICIN B									
Paediatric Drops									
	Tetracycline (buffered)	100 mg.;							
	Amphotericin B,	20 mg. per cc., 10 cc.	CD	‡1	..	1	3	0	SQ
Syrup									
	Tetracycline (buffered)	125 mg.;							
	Amphotericin B	25 mg. per 5 cc., 60 cc.	CD	‡1	..	1	16	4	SQ
880 THENALIDINE TARTRATE									
Oral Tablet, Compound (effervescent)		..		50	1	1	9	0	SZ
Oral Syrup	85 mil.	..	C	‡1	4	0	9	0	SZ

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
865	THEOBROMINE, B.P.C. Oral Tablet with Phenobarbitone, A.P.F.— 300 mg.—30 mg. tab. (5 gr.—1/2 gr.) ..		100	2	0 0 0 (ex 500) 0 11 0 (ex M.P.)	AD, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO AD, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
	Oral Tablet with Sodium Salicylate, B.P.C. 1954 500 mg. (7.5 gr.) tab.		100	2	0 19 0	DH, KL
891	THIAMBUTOSINE Oral Tablet 500 mg. tab.		100	2	1 1 0	CB
868	THYROID Oral Tablet, B.P. 7.5 mg. (1/8 gr.) tab. ..		100	2	0 4 4	CS
	15 mg. (1/4 gr.) tab. ..		100	2	0 4 4 0 4 7 0 4 9	AD, DH, FA, RT(V), RY, SI, SL, TO GP BW, CS
	30 mg. (1/2 gr.) tab. ..		100	2	0 4 9 0 5 1	AD, DH, FA, RT(V), RY, SI, SL, TO BW, CS, GP, WW
	60 mg. (1 gr.) tab. ..		100	2	0 6 0 0 6 5	AD, DH, FA, RT(V), RY, SI, SL, TO BW, CS, GP, WW
	100 mg. (1.5 gr.) tab. ..		100	2	0 6 8 0 7 3	AD, DH, SI GP
	120 mg. (2 gr.) tab. ..		100	2	0 7 5 0 7 11	BW, CS AD, DH, FA, RT(V), RY, SI GP

868—continued

	150 mg. (2.5 gr.) tab.	..		100	2	0 8 4	BW
						0 8 4	AD, RT(V), SI
						0 8 7	GP
	300 mg. (5 gr.) tab.	..		100	2	0 9 8	BW, CS
						0 11 0	GP, RT(V)
881	THYROTROPHIN		H				
882	THYROXINE SODIUM						
	Oral Tablet 0.05 mg. tab.			100	2	0 6 1	BW, DH, FM, GL, RT(V)
	0.1 mg. tab.			100	2	0 7 11	BW, DH, FM, GL, RT(V)
869	TIGER SNAKE ANTI-VENENE						
	Injection 3,000 U. amp.			2	1	*7 3 0	CS
870	TOLAZOLINE HYDROCHLORIDE						
	Oral Tablet, B.P. 25 mg. tab.			100	2	0 13 4	CB, KL
						(ex 500)	
						0 13 8	CB, KL
						(ex M.P.)	
871	TOLBUTAMIDE						
	Oral Tablet, B.P. 500 mg. tab.			100	2	1 19 4	HP, PH
						(ex 500)	
						2 1 0	
						(ex M.P.)	HP, PH
872	TRETAMINE						
	Oral Tablet 2.5 mg. tab.		D	5	..	*0 15 5	IC
887	TRIAMCINOLONE						
	Oral Tablet 4 mg. tab.		AD	30	..	4 5 8	LE, SQ

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
888	TRICYCLAMOL CHLORIDE									
	Oral Tablet	50 mg. tab.	..	..	..		100	2	2 16 4	BW
873	TRIETHANOLAMINE TRINITRATE									
	Oral Tablet	1 mg. tab.	..	..	..		100	2	0 11 11	SC
		2 mg. tab.	..	..	..		100	2	0 17 8	SC
		7 mg. tab.	..	..	..		100	2	1 8 4	AN, SC
884	TRIETHYLENE THIOPHOSPHORAMIDE					H				
889	TRIFLUOPERAZINE									
	Oral Tablet	1 mg. tab.	..	..	..	ADG	50	..	1 2 1 (ex 250)	SK
									1 3 0	SK
		5 mg. tab.	..	..	..	ADG	50	..	(ex M.P.) 1 18 7	SK
874	TRIMETAPHAN CAMPHORSULPHON- ATE, B.P.C.									
	Injection	Set containing 250 mg. vial and 5 cc. water for injection			..	D	3	..	6 6 7	RO
885	TRIPLENNAMINE HYDROCHLORIDE									
	Oral Tablet	50 mg. tab.	..	..	..		50	1	0 18 4	CB
886	TRIPROLIDINE HYDROCHLORIDE									
	Oral Tablet	2.5 mg. tab.	..	..	..		50	1	0 17 8	BW
	Elixir	3 fl. oz. . .	..	..	..	C	‡1	4	0 8 8	BW

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
875	TROXIDONE				£ s. d.	
	Oral Tablet 150 mg. tab.		200	1	2 9 0	AB
	Oral Capsule, B.P. 300 mg. cap.		200	1	4 2 4	AB, GA
876	TURPENTINE OIL					
	Liniment, P.L.		4 fl. oz.	1	0 11 9	Extemp.
878	TYPHUS VACCINE					
	Injection, B.P. 1 cc. amp... ..		2	..	*1 3 0	CS
911	UNDECENOIC ACID					
	Dusting Powder, P.L.		1920 gr.	1	0 18 3	Extemp.
912	UREA					
	Mixture, P.L.		8 fl. oz.	4	0 11 5	Extemp.
930	VANCOMYCIN HYDROCHLORIDE ..	H	..	..	..	
921	VASOPRESSIN					
	Injection, B.P. 1 cc. amp... ..		6	..	0 19 0	PD
922	VASOPRESSIN TANNATE IN OIL					
	Injection 1 cc. amp... ..		12	1	*1 15 0	PD
923	VERILOID					
	I.V. Injection 0.4 mg. per cc., 5.3 cc. amp.	D	6	..	3 7 0	BK
931	VIOMYCIN SULPHATE	H				

929	VIPRYNIUM EMBONATE				8	..	0 14 1	PD
	Oral Tablet	50 mg. tab.	..	..				
	Oral Suspension	10 mg. per 1 cc., 1 fl. oz.	..	..	‡1	..	0 14 1	PD
924	VITAMIN A				‡1	..	0 13 8	DH
	Concentrated Solution, B.P.	1 fl. oz.	..	PC				
	Oral Capsule	50,000 I.U.	..	P	100	..	1 3 0	AN
							1 19 8	CK
	Oral Tablet	50,000 I.U.	..	P	100	..	1 4 4	AN, PR
							1 19 8	RO
925	VITAMIN D				‡1	..	0 11 0	DH
	Concentrated Solution, B.P.	1 fl. oz.	..	D+ PC				
926	VITAMINS A and D				‡1	..	0 11 4	DH
	Concentrated Solution, B.P.	1 fl. oz.	..	PC			0 12 8	GL
927	VITAMIN K				100	2	1 1 8	PD
	Oral Capsule	4 mg. cap.	..	..				
	Oral Tablet	5 mg. tab.	..	..			0 8 4	FM, HY(QNVTW)
		10 mg. tab.	..	..			0 11 0	FM
928	VITAMINS COMPOUND				100	1	0 7 9	HY(QNVTW), PR, QE(QNVS), SL
	Oral Tablet, B.P.C.	Capsule Formula	..	P			0 8 5	
							0 8 7	
							0 9 8	
							0 9 10	
							0 9 11	
							0 10 11	
							(ex 500)	
							0 7 9	HY(QNVTW)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
928—continued					£ s. d.	
	Oral Capsule, B.P.C.	P	100	1	0 10 4 (ex M.P.)	AB, AD, BD, CM, DH, GL, KL, MG, PR, QE(QNVS), RT(V), RY, SI, SL, TO, VR
	Oral Pill Capsule Formula	P	100	1	0 10 11 (ex 500)	FA, KL, PH, PR
					0 11 0 (ex M.P.)	FA, KL, PH, PR
					0 10 4	PD
944	WARFARIN SODIUM					
	Oral Tablet 5 mg. tab.		50	2	1 13 8	EN
941	WATER FOR INJECTION					
	Injection, B.P. 2 cc. amp.		6	3	0 9 0	AD, BL, BT, BX, EV, FH, KL
	5 cc. amp.		6	3	0 10 0	AD, BL, BX, CS, EV, FH, KL
	10 cc. amp.		6	3	0 12 0	AD, BL, BX, CS, EV, FH, KL
942	WOOL ALCOHOLS					
	Ointment, B.P.		1920 gr.	1	0 12 7	Extemp.
	†Ointment, B.P. 1920 gr.		1	1	0 10 0	EV
943	WOOL FAT, HYDROUS, B.P.					
	†2 oz. tube or jar		1	..	0 2 3	DH, WD(N)
961	ZINC GELATIN					
	Paste, B.P. (Unna's)		3840 gr.	..	0 19 8	Extemp.

962	ZINC OXIDE												
	Ointment, B.P.	..	..	..	..	1920 gr.	1	0	11	8	Extemp.		
	Cream, B.P.	..	..	..		1920 gr.	1	0	10	1	Extemp.		
	Cream, Soft, P.L.	..	..	..	..	1920 gr.	1	0	10	2	Extemp.		
	Ointment with Castor Oil, B.P.	..	..	..	..	1920 gr.	1	0	11	8	Extemp.		
					2 oz.	2	1	0	7	6	ME(q)		
	Paste with Coal Tar, P.L.	..	..	..	..	1920 gr.	1	0	8	6	Extemp.		
	Paste with Salicylic Acid, B.P.	..	..	..	..	1920 gr.	1	0	11	8	Extemp.		

963	ZINC SULPHATE												
	Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0	6	10	Extemp.		

964	ZINC UNDECENOATE												
	Ointment, B.P.	..	..	..	..	1920 gr.	1	1	6	4	Extemp.		

COLOSTOMY and ILEOSTOMY

991	ACRYLIC RESIN												
	Solution	100 cc.	Aerosol Spray	..	..	D	1	..	2	16	4	EV	

992	BENZOL (COMMERCIAL)												
	†Application	8 fl. oz.	..	..	..	D	1	..	0	3	9	DH	

993	BISMUTH SUBGALLATE, B.P.C.												
	†Powder	4 oz.	..	..	..		1	..	0	16	11	EV	
									0	18	0	DH	

994	CHLORAMINE, B.P.C.												
	Deodorant Tablet	120 mg.	..	..	..	D	500	..	0	16	11	DH	
	Powder	1 oz.	..	..	..	D	1	4	0	7	4	DH	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
995	LISSAPOL Deodorant Detergent Lissapol N.100, 120 G.; Spearment Oil, 1.6 ml.; Cetrimide, B.P., 12 G. 16 fl. oz.	D	1	..	0 13 8	IC
996	POLYDIMETHYLSILOXANES Cream, 10% 50 G.	D	1	..	0 10 4	IC
997	SURGICAL CEMENT †Adhesive Cement 2 oz. tube	D	1	2	0 3 9	JA
998	TRAGACANTH (GUM KARAYA) †Powder 8 oz.	D	1	..	1 4 0	EV

SECTION 2—SCHEDULE OF BENEFITS (PART II)

Where Liquids are purchased by weight, the recovery price includes the "Specific Gravity Factor"

A compounding fee (5s. 6d. per 16 oz.) is included in the recovery price for all items compounded from ingredients.

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
Acetone, B.P.C.	E	s. d. 0 2	s. d. 0 9	ACIDS (cont.)		s. d.	s. d.
ACIDS				Undecenoic, B.P.		1 9	12 3
Acetic, B.P.		0 1	0 7	Acridine, B.P.C.		7 3	..
Acetic Dilute, B.P.		0 1	0 7	Adrenaline, B.P.		62 9	1/6 gr.
Acetic Glacial, B.P.		0 2	1 0	Agar, B.P.C. 54		1 7	10 9
Acetylsalicylic, B.P.		0 3	1 4	ALCOHOLS			
Benzoic, B.P.		0 3	1 4	95%, B.P.	E	0 3	1 3
Boric Powder, B.P.		0 1	0 4	90%, B.P.	E	0 2	1 0
Boric Crystal, B.P.		0 1	0 6	Aloes Barbados Powder, B.P. ..		0 5	2 7
Citric, B.P.		0 2	1 1	Aloes Cape Powder, B.P. ..		0 4	2 3
Hydrochloric, B.P.		0 2	1 2	Aloin, B.P.C.		1 10	12 5
Hydrochloric Dilute, B.P. ..		0 2	0 10	ALUM			
Hydrocyanic Dilute, B.P.C. 54		1 6	10 5	Ammonia, B.P.		0 1	0 7
Hypophosphorous Dilute, B.P.C.		0 3	1 6	Potash		0 1	0 5
Lactic, B.P.		0 4	2 3	Amethocaine Hydrochloride, B.P.	E	45 8	..
Oleic, B.P.		0 2	0 8	Amidopyrine, B.P.C. 54		2 9	18 11
Phosphoric, B.P.		0 3	1 5	Aminacrine Hydrochloride, B.P.		13 7	..
Phosphoric Dilute, B.P.		0 2	0 10	Aminopylline, B.P.		1 5	9 6
Salicylic, B.P.		0 4	1 10	Ammoniated Mercury, B.P. ..		1 6	10 0
Stearic, B.P.C.		0 2	0 8	AMMONIUM			
Sulphuric Dilute, B.P.C. ..		0 2	0 10	Bicarbonate, B.P.C.		0 2	0 8
Tannic, B.P.		0 7	3 8	Bromide, B.P.C.		0 2	0 10
Tartaric Powder, B.P.		0 3	1 3	Chloride, B.P.		0 2	0 9
Trichloroacetic, B.P.		2 0	14 0	Atropine, B.P.		1/5	1 gr.

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
Atropine Methonitrate, B.P. ..	E	<i>s. d.</i>	<i>s. d.</i>	Calamine, B.P.	K	<i>s. d.</i>	<i>s. d.</i>
Atropine Sulphate, B.P. ..		5/10	1 gr.	CALCIUM		0 1	0 6
Bacitracin, B.P.		1/6:	1 gr.	Carbonate, B.P.		0 1	0 4
Balsam Peru, B.P.C.		2/3:	1 gr.	Chloride, B.P.		0 2	1 0
Balsam Tolu, B.P.		1 5	9 5	Gluconate, B.P.		0 4	1 11
Barbitone Sodium, B.P.		1 5	9 5	Hydroxide, B.P.		0 1	0 4
Barium Sulphate, B.P.		1 10	12 4	Lactate, B.P.		0 3	1 6
Beeswax, White, B.P.		0 2	0 11	Phosphate, B.P.C.		0 2	0 11
Beeswax, Yellow, B.P.C.		0 5	2 5	Camphor Powder, B.P.		0 4	1 11
Beeswax, Yellow, B.P.C.		0 3	1 9	Cetrimide Powder, B.P.		1 4	9 2
Belladonna Herb, Prepared, B.P.		0 10	5 9	Cetostearyl Alcohol, B.P.		0 3	1 9
Belladonna Powder, B.P. ..		0 10	5 9	Cetyl Alcohol Compound		..	..
Belladonna Suppository, B.P. 48		..	..	Chalk, Prepared, B.P.		0 1	0 3
Bentonite, B.P.		0 1	0 6	Chloral Hydrate, B.P.		0 4	1 10
Benzocaine, B.P.		1 9	12 1	Chlorbutol, B.P.		0 11	6 4
Benzyl Alcohol, B.P.		0 5	2 7	Chlorhexidine Diacetate		8 3	..
Benzyl Benzoate Application, B.P.		0 3	1 5	Chlorhexidine Hydrochloride, B.P.		9 0	..
Benzyl Benzoate, B.P.		0 6	3 5	Chlorinated Lime, B.P.		0 1	0 7
BISMUTH				Chlorocresol, B.P.		0 10	5 10
Carbonate, B.P.C.		0 9	4 9	Chloroform, B.P.		0 3	1 4
Subgallate, B.P.C.		1 1	7 1	Cocaine, B.P.		67 11	..
Borax Powder, B.P.		0 1	0 3	Cocaine Hydrochloride, B.P. ..		50 6	..
Boroglycerin, B.P.C.49 (by weight)		0 4	1 11	Codeine, B.P.C. 54		36 1	..
Brilliant Green, B.P.		1 1	7 5	Codeine Phosphate, B.P.		17 7	..
Butyl Aminobenzoate, B.P.53 ..		6 4	..	Collodion Acid Salicylic, A.P.F.			
Caffeine, B.P.		1 0	6 11	(By Weight)		0 4	1 10
Caffeine Citrate, B.P.C.		1 0	6 9	Collodion Flexible, B.P. (By			
Caffeine and Sodium Benzoate,				Weight)		0 3	1 4
B.P.C. 54		2 7	17 9				

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
Colophony, B.P.		0 2	0 9	ELIXIRS (cont.)		0 2	0 10
Copper Sulphate, B.P.		0 2	1 2	Simple, B.P.C.49		0 2	0 10
CREAMS				Emulsion Paraffin Liquid, B.P. ..		..	..
Aqueous, B.P.		0 3	1 3	Emulsion Paraffin Liquid, A.P.F.		0 2	0 8
Calamine, A.P.F.		0 4	1 11	Emulsifying Wax, B.P.		0 4	2 3
Cetrimide Aqueous, A.P.F. ..		0 2	1 1	Ephedrine, B.P.		6 6	..
Cholesterol Oily, A.P.F. ..		0 3	1 3	Ephedrine Hydrochloride, B.P. ..		4 0	..
Oily, B.P.		0 3	1 7	Ephedrine Sulphate, B.P.C.54 ..		4 2	..
Sorbolene, P.L.		0 3	1 5	Ethanolamine, B.P.		..	..
Zinc, B.P.		0 2	1 0	Ether Anaesthetic, B.P.		0 2	0 10
Creosote, B.P.C.		0 11	6 3	Ether Solvent, B.P.		0 1	0 7
Crystal Violet, B.P.		1 10	12 10	Eucalyptol, B.P.		0 9	4 9
Dextrose, B.P.		0 2	0 8	Eye Base, B.P.		0 2	1 1
Dextrose Monohydrate, B.P. ..		0 2	0 10	EXTRACTS			
Dibutyl Phthalate, B.P. ..		0 4	2 3	Belladonna Dry, B.P.		1 6	10 1
Dick Control, B.P.		..	..	Cascara Dry, B.P.		1 3	8 4
Dick Test Toxin, B.P.		..	..	Cascara Liquid, B.P.		0 4	1 10
Dicophane, B.P.		0 4	2 1	Colchicum Dry, B.P.48		3 11	27 2
Digitalis Leaf, B.P.		0 10	5 9	Colchicum Liquid, B.P. ...		1 0	6 11
Digitalis Prepared, B.P. ..		0 10	5 9	Colocynth Compound, B.P.C.		..	..
Dimethyl Phthalate, B.P. ...		0 4	2 1	Ergot Liquid, B.P.14		1 3	8 3
Dithranol, B.P.		20 11	..	Hamamelis Liquid, B.P. ..		1 1	7 7
DUSTING POWDER				Hyoscyamus Dry, B.P.		1 8	11 4
Absorbable, B.P.		..	..	Hyoscyamus Liquid, B.P. ..		0 5	2 10
Boric Acid and Starch, B.P.C.54		0 2	0 10	Ipecacuanha Liquid, B.P. ..		3 8	25 4
ELIXIRS				Liquorice Liquid, B.P. ..		0 3	1 6
Ephedrine, A.P.F.		..	..	Male Fern, B.P. ...		1 10	12 6
Cascara, B.P.		0 5	2 7	Malt, B.P.	CP	0 1	0 7
				Nux Vomica Dry, B.P.C. ..		1 5	9 6

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
EXTRACTS (cont.)		<i>s. d.</i>	<i>s. d.</i>	GUM (cont.)		<i>s. d.</i>	<i>s. d.</i>
Nux Vomica Liquid, B.P. ..		0 6	3 4	Ipomoea Resin, B.P.C.		0 11	6 3
Ox Bile, B.P.48		..	..	Myrrh Powder, B.P.C.		0 11	5 11
Stramonium Liquid, B.P. ..		0 7	4 1	Tragacanth Powder, B.P. ..		0 10	5 4
FERRIC				Homatropine Hydrobromide, B.P.		1/6:	1 gr.
Ammonium Citrate, B.P. ..		0 3	1 4	Honey Purified, B.P.C. (By Weight)		0 1	0 4
FERROUS				Honey Purified, B.P.C. (By Vol.)		0 1	0 5
Carbonate Saccharated, B.P.C.		0 3	1 8	Hydrogen Peroxide 20 Volume,			
Gluconate, B.P.		..	..	B.P.		0 1	0 5
Sulphate, B.P.		0 1	0 7	Hyoscine Hydrobromide, B.P. ..		2/6:	1 gr.
Sulphate Dried, B.P.		0 2	0 10	Ichthammol, B.P.		0 4	2 4
Fluorescein Sodium, B.P. ..		2 1	14 2	INFUSIONS			
Fructose, B.P.48		..	..	Buchu Concentrated, B.P.C.54			
Gamma Benzene Hexachloride,				1-7		0 4	2 4
B.P.		0 9	5 1	Calumba Concentrated, B.P.48			
Gelatin Powder, B.P.		0 3	1 6	1-7		0 4	1 11
Glucose Liquid, B.P.C. (By Weight)		0 1	0 5	Cloves Concentrated, B.P.C.54			
Glycerin, B.P.		0 3	1 3	1-7		0 5	2 6
GLYCERIN				Gentian Compound, B.P. ..		..	..
Borax, B.P.C.		0 3	1 6	Gentian Compound Concentrated			
Boric Acid, B.P.48		0 5	2 6	B.P. 1-7		0 2	1 1
Ichthammol, B.P.C.		0 4	2 2	Orange Peel Concentrated,			
Phenol, B.P.		0 4	1 10	B.P.C., 1-7		0 3	1 9
Starch, B.P.		..	..	Orange Peel Compound Concen-			
Tannic Acid, B.P.		0 4	2 3	trated, B.P.C. 54, 1-7 ..		0 3	1 4
GUM				Senega Concentrated, B.P.C.,			
Acacia Powder, B.P.		0 2	1 2	1-7		0 6	3 4
Benzoin, B.P.		0 5	2 5	Senna Concentrated, B.P.C. ..		0 5	2 8

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
Iodine, B.P.		s. d.	s. d.	Menthol, B.P.		s. d.	s. d.
Iodoform, B.P.C. 54		1 2	7 11	MERCURIC		2 1	14 6
Iodoform Suppository, B.P. 48 . .		1 9	11 9	Chloride, B.P.C.		1 6	10 2
Isoprenaline Sulphate, B.P. . . .		28 6	..	Methylcellulose, A.P.F.		0 10	5 10
Kaolin Heavy, B.P.		0 1	0 5	Methylene Blue, B.P.		1 8	11 8
Kaolin Light, B.P.		0 1	0 7	METHYL			
Lactose, B.P.		0 1	0 6	Salicylate, B.P.		0 3	1 9
Lard Benzoinated, B.P.C. 54 . .		0 3	1 6	MIXTURES			
LINIMENTS				Aluminium Hydroxide, A.P.F.		0 2	0 10
Ammonia, B.P.C. 49		0 2	1 0	Magnesium Hydroxide, B.P. . .		0 1	0 7
Camphor, B.P.		0 2	1 1	Senna Compound, B.P.C. . . .		0 3	1 8
Iodine Compound, A.P.F. . . .		0 4	2 4	Morphine Hydrochloride, B.P. . .		27 4	..
Methyl Salicylate Compound,				Morphine Sulphate, B.P. . . .		33 2	..
A.P.F.		0 4	2 1	Mucilage Methylcellulose, A.P.F.		0 2	0 8
Soap Methylated, B.P.		0 2	1 2	Mucilage Tragacanth, B.P. . .		0 1	0 7
Turpentine, B.P.		0 2	0 10	OILS			
LOTIONS				Almond, B.P.		0 9	5 0
Calamine, B.P.		0 2	0 10	Almond Vol. Bitter, B.P.C. . .		2 0	13 6
Lead and Opium, B.P.C. . . .		0 2	0 9	Anise, B.P.		1 1	7 1
Magenta, B.P.C.		1 5	9 5	Arachis, B.P.		0 1	0 7
MAGNESIUM				Cade, B.P.		0 8	4 2
Carbonate Heavy, B.P.		0 2	0 8	Caraway, B.P.C.	E	2 2	14 10
Carbonate Light, B.P.		0 2	0 8	Castor, B.P.		0 2	0 8
Oxide Heavy, B.P.		0 5	2 5	Cinnamon, B.P.		2 8	18 5
Oxide Light, B.P.		0 4	2 3	Citronella, B.P.C.	E	0 5	2 6
Sulphate, B.P.		0 1	0 2	Clove, B.P.		1 1	7 4
Sulphate Dried, B.P.		0 1	0 7	Coconut, B.P.C. 49		0 2	0 10
Trisilicate, B.P.		0 2	0 11	Cod Liver, B.P.	E	0 1	0 6

Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce
		s. d.	s. d.
OILS (cont.)			
Coriander, B.P.		9 6	..
Cotton Seed, B.P.		0 2	0 8
Dill, B.P.		3 1	21 7
Eucalyptus, B.P.		0 3	1 3
Halibut Liver, B.P.		..	..
Lavender Spike, B.P.C. ..		0 9	5 2
Linseed, B.P.		0 1	0 7
Olive, B.P.		0 2	0 8
Peppermint, B.P.		1 6	10 2
Rosemary, B.P.		1 0	6 11
Siberian Fir, B.P.C. 49 ..		1 2	8 1
Theobroma, B.P.		0 6	3 3
Turpentine, B.P.		0 3	1 7
ointments			
Ammoniated Mercury, B.P. ..		0 3	1 7
Benzocaine and Adrenaline, A.P.F.		0 6	3 4
Benzoic Acid Compound, A.P.F.		0 3	1 7
Boroglycerin, A.P.F.		0 3	1 4
Capsicum, B.P.C.		0 5	2 5
Emulsifying, B.P.		0 4	2 0
Gall and Opium, B.P.C. ..		0 9	5 3
Hamamelis, B.P.		0 6	3 6
Iodine (Non-staining), B.P.C. ..		0 3	1 6
Menthol Compound, A.P.F. ..		0 5	2 7
Mercurous Chloride, B.P. 48 ..		..	..
Mercury Compound, B.P.C. ..		0 7	3 11

Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce
		s. d.	s. d.
ointments (cont.)			
Methyl Salicylate, B.P.C. ..		0 6	3 1
Paraffin White, B.P.		0 3	1 4
Paraffin Yellow, B.P.		0 2	1 2
Phenol, B.P. 48		0 4	1 10
Salicylic Acid, B.P.		0 4	2 1
Simple White, B.P.		0 3	1 5
Simple Yellow, B.P.		0 3	1 5
Sulphur, B.P.		0 3	1 8
Tar, B.P.C.		0 4	2 1
Wool Alcohols, B.P.		0 3	1 8
Zinc, B.P.		0 3	1 5
Zinc and Castor Oil, B.P. ..		0 3	1 5
Zinc Undecenoate, B.P. ..		0 10	5 4
OPHTHALMIC			
PHOSPHATE BUFFER, A.P.F.—			
Cetrimide		0 4	2 2
Chlorbutol		0 4	2 2
Paraben		0 4	2 2
VEHICLE, A.P.F.—			
Cetrimide		0 4	2 2
Chlorbutol		0 4	2 2
Paraben		0 4	2 2
VEHICLE OILY, A.P.F. ..		0 4	2 2
VEHICLE THICKENED, A.P.F. ..		0 4	2 2
Oxymel, B.P.C.		0 3	1 3
Oxymel of Squill, B.P.C. ..		0 2	0 10
Papaverine Hydrochloride, B.P. ..		19 10	..

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
Paraffin Hard, B.P.		s. d.	s. d.	Podophyllum Resin, B.P. ..		s. d.	s. d.
Paraffin Liquid, B.P.		0 1	0 6	POTASSIUM		2 10	19 7
Paraffin Liquid Light, B.P. ..		0 1	0 5	Acid Tartrate, B.P.		0 2	0 11
Paraffin Soft White, B.P. ..		0 1	0 6	Bicarbonate Powder, B.P. ..		0 2	0 8
Paraffin Soft Yellow, B.P. ..		0 2	0 8	Bromide, B.P.		0 2	0 10
Paraldehyde, B.P.		0 1	0 7	Chlorate, B.P.C.		0 3	1 5
PASTES		0 4	1 11	Chloride, B.P.		0 2	1 2
Zinc Compound, B.P.		0 3	1 6	Citrate, B.P.		0 2	1 0
Zinc and Salicylic Acid, B.P. ..		0 3	1 5	Hydroxide, B.P.		0 4	2 3
Pectin (Apple or Citrus)		1 3	8 5	Iodide, B.P.		0 6	3 2
Penicillin Oily Injection		..	..	Nitrate Powder, B.P.		0 2	0 8
Pentobarbitone Sodium, B.P. ..		4 2	..	Permanganate, B.P.		0 2	1 0
Phenacetin, B.P.		0 4	2 1	POWDERS			
Phenazone, B.P.C.		0 7	3 11	Ipecacuanha and Opium, B.P. ...		0 11	6 7
Phenobarbitone, B.P.		1 3	8 8	Tragacanth Compound, B.P. ..		0 3	1 7
Phenobarbitone Sodium, B.P. ..		1 3	8 7	Procaine Hydrochloride, B.P. ..		3 8	..
Phenol, B.P.		0 2	1 0	Proflavine Hemisulphate, B.P. ..		12 11	..
Phenol Liquified, B.P.		0 3	1 3	Propylene Glycol, B.P.		0 4	2 3
Phenolphthalein, B.P.		1 2	7 8	Pyroxylin, B.P.		1 2	7 10
Phenylephrine Hydrochloride, B.P.		26 0	..	Quinalbarbitone Sodium, B.P. ..		3 7	25 0
Phenylmercuric Nitrate, B.P. ..		8 4	..	Quinidine Sulphate, B.P.		5 9	39 10
Pholcodine, B.P.C.		45 4	..	QUININE			
Phthalylsulphathiazole, B.P. ..		1 5	9 6	Bisulphate, B.P.		2 10	19 8
Physostigmine		10/11:	1 gr.	Dihydrochloride, B.P.		3 4	23 0
Physostigmine Salicylate, B.P. ..		6/9:	1 gr.	Hydrochloride, B.P.		2 7	17 11
Pilocarpine Nitrate, B.P.		1/0:	1 gr.	Sulphate, B.P.		1 9	12 0
Piperazine Adipate, B.P.		..	..	Resorcinol, B.P.		1 2	7 8
Piperazine Phosphate, B.P. ..		..	..	Rhubarb Powder, B.P.		0 7	3 8

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
ROOTS				SODIUM (cont.)			
Liquorice Powder, B.P.	..	0 2	1 0	Metabisulphite, B.P.	..	0 3	1 9
Santonin, B.P.	..	15 0	..	Nitrite, B.P.C.	..	0 10	5 6
Scammony Resin Powder	..	0 11	6 3	Phosphate, B.P.	..	0 3	1 6
Scarlet Fever Antitoxin, B.P.	..	..	..	Salicylate Powder, B.P.	..	0 3	1 5
Scarlet Fever Prophylactic, B.P.	..	..	..	Sulphate, B.P.	..	0 1	0 2
Schick Control, B.P.	..	..	..	SOLUTIONS			
Silver Nitrate, B.P.	..	3 9	25 9	Adrenaline Hydrochloride, B.P.			
Silver Protein, B.P.	..	2 10	19 10	53	..	0 9	4 10
Silver Protein Mild, B.P.C.	..	3 7	24 8	Aluminium Acetate, B.P.C.	..	0 2	1 1
SOAPS				Amaranth, A.P.F.	..	0 2	1 0
Alcoholic, A.P.F.	..	0 2	0 11	Amaranth, B.P.C.	..	0 2	0 8
Curd, B.P.C.	..	0 2	0 9	Ammonia Aromatic, B.P.C.	..	..	..
Ethereal, A.P.F.	..	0 2	1 2	Ammonia Strong, B.P.	..	0 2	0 8
Soft, B.P.	..	0 2	1 0	Ammonia Weak, B.P.	..	0 2	0 9
SODIUM				Ammonium Acetate Strong,			
Acid Citrate, B.P.	..	0 3	1 5	B.P.C.	..	0 2	1 0
Acid Phosphate, B.P.	..	0 4	2 0	Benzoic Acid, B.P.C.	..	0 4	2 3
Benzoate, B.P.	..	0 4	2 4	Calcium Hydroxide, B.P.	..	0 1	0 2
Bicarbonate Injection, B.P.	..	..	..	Carmine, A.P.F.	..	0 9	4 10
Bicarbonate Powder, B.P.	..	0 1	0 3	Chlorinated Soda, Surgical, B.P.	..	..	..
Bromide, B.P.	..	0 2	0 11	Coal Tar, B.P.	..	0 3	1 9
Carbonate, B.P.	..	0 2	0 9	Ferric Chloride, B.P.C.	..	0 2	0 9
Carbonate Anhydrous, B.P.C.	..	0 2	0 10	Formaldehyde, B.P.	..	0 1	0 7
Chloride, B.P.	..	0 1	0 5	Iodine Aqueous, B.P.	..	0 3	1 7
Citrate, B.P.	..	0 2	0 11	Iodine Simple, B.P.C.	..	0 3	1 4
Hydroxide, B.P.	..	0 4	2 4	Iodine Strong, B.P.	..	0 4	2 1
Iodide, B.P.	..	1 1	7 2	Iodine Weak, B.P.	..	0 3	1 5

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
		s. d.	s. d.			s. d.	s. d.
SOLUTIONS (cont.)				Succinylsulphthiazole, B.P. ..		1 9	11 10
Lead Subacetate Dilute, B.P. ..		0 1	0 6	Sucrose, B.P.		0 1	0 3
Lead Subacetate Strong, B.P. ..		0 2	1 2	Sulphacetamide Sodium, B.P. ..		1 7	11 1
Morphine Hydrochloride, B.P. ..		0 5	2 10	Sulphadiazine, B.P.		2 2	14 11
Nasal Concentrated, A.P.F. ..		0 4	2 2	Sulphadimidine, B.P.		2 4	15 11
Potassium Hydroxide, B.P. ..		0 2	0 10	Sulphaguanidine, B.P.		1 2	7 8
Quinine Ammoniated, B.P.C. ..		0 3	1 7	Sulphur Precipitated, B.P. ..		0 2	0 9
Sodium Chloride, B.P.C. ..		0 1	0 6	Sulphur Sublimed, B.P. ..		0 1	0 4
Strychnine Hydrochloride, B.P.		0 3	1 5	Sulphurated Potash, B.P.C. ..		0 5	2 7
Sorbolene, A.P.F.		0 7	3 9	SYRUPS			
SPIRITS				Chloral, B.P.C.		0 2	0 8
Ammonia Aromatic, B.P.C. ..		0 3	1 5	Codeine Phosphate, B.P.C. ..		0 3	1 4
Anise, B.P.C. 49		0 4	2 2	Ferrous Phosphate Compound,			
Cajuput, B.P. 48		0 4	2 2	B.P.C.		0 2	0 10
Camphor, B.P.C.		0 3	1 9	Ferrous Phosphate with Quinine			
Chloroform, B.P.		0 3	1 5	and Strychnine, B.P.C. ..		0 1	0 7
Cinnamon, B.P.C. 49		0 6	3 5	Ginger, B.P.		0 2	0 9
Ether Nitrous, B.P.C.		0 4	2 2	Glucose Liquid, B.P.C.		0 2	1 1
Methylated Industrial, B.P. ..		0 1	0 3	Glycerophosphate Compound,			
Peppermint, B.P.		0 3	1 9	A.P.F.		0 1	0 7
Starch, B.P.		0 1	0 4	Golden Acidified, A.P.F. ..		0 2	0 11
Stibophen Injection, B.P. ..		..	..	Lemon, B.P.		0 2	0 9
Storax Prepared, B.P.		1 10	12 6	Lemon Neutral, A.P.F. ..		0 2	1 1
Stramonium, B.P.		0 3	1 5	Orange, B.P.		0 2	0 10
Stramonium Powder, B.P. ..		..	..	Pholcodine Citrate, B. P. C. ..		0 3	1 9
Streptomycin, B.P.	K	5/0:	1 G.	Red, A.P.F.		0 2	0 11
Strychnine, B.P.C.		7 10	54 6	Simple, B.P.		0 1	0 5
Strychnine Hydrochloride, B.P. ..		7 5	51 7	Squill, B.P.C.		0 2	0 10

Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce
		s. d.	s. d.
SYRUPS (cont.)			
Tolu, B.P.		0 2	1 1
Talc Purified, B.P.C.		0 1	0 3
Tar, B.P. (By Weight)		0 2	0 9
Tar Coal Prepared, B.P.		0 2	0 10
Tar Crude		0 1	0 7
Theophylline, B.P.		2 7	17 8
Thymol, B.P.		1 3	8 8
Thymol White Mouth Wash, A.P.F.		0 2	1 2
TINCTURES			
Belladonna, B.P.		0 3	1 7
Benzoin, B.P.C.		0 4	2 0
Benzoin Compound, B.P.		0 5	2 8
Cajuput, B.P.C.		..	..
Calumba, B.P.C. 49		0 3	1 6
Capsicum, B.P.C.		0 4	2 0
Cardamom Compound, B.P.		0 3	1 3
Cardamom, Aromatic, B.P.C.		0 5	2 6
Catechu, B.P.C.		0 4	2 0
Cochineal, B.P. 48		0 4	2 0
Colchicum, B.P.		0 3	1 9
Cudbear, A.P.F. 47		0 6	3 6
Digitalis, B.P.C.		0 4	2 0
Gelsemium, B.P.C.		0 4	2 4
Gentian Compound, B.P.		0 4	2 3
Ginger Strong, B.P.		0 5	2 7
Ginger Weak, B.P.		0 3	1 7
Hyoseyamus, B.P.		0 3	1 4

Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce
		s. d.	s. d.
TINCTURES (cont.)			
Ipecacuanha, B.P.		0 6	3 3
Lemon, B.P.		0 4	2 0
Lobelia Ethereal, B.P.C.		0 5	2 8
Myrrh, B.P.C.		0 5	2 6
Nux Vomica, B.P.		0 3	1 4
Opium, B.P.		0 6	3 3
Opium Camphorated, B.P.		0 3	1 4
Orange, B.P.		0 3	1 9
Quassia, B.P. 48		..	..
Quillaia, B.P.C.		0 3	1 9
Rhubarb Compound, B.P.		0 3	1 9
Squill, B.P.C.		0 3	1 6
Stramonium, B.P.		0 3	1 5
Strophanthus, B.P. 48		1 2	7 11
Tolu, B.P.C.		0 7	3 10
Valerian Ammoniated, B.P.C.		0 4	2 4
Triethanolamine, B.P.C.		0 5	2 7
Trintrophenol, B.P.C.		1 1	7 1
Tryparsamide Injection, B.P.		..	..
Typhoid Para-Typhoid A, B and C Vaccine, B.P.		..	..
Urea, B.P.		0 2	1 1
Urethane, B.P.		1 9	12 3
Vanillin Crystalline, B.P.		3 9	26 0
Vinegar of Squill, B.P.C.		0 2	0 10
WATERS			
Anise Conc., B.P.C. 1-40		0 3	1 5

Drug	Re- stric- tions	RECOVERY PRICE		Drug	Re- stric- tions	RECOVERY PRICE	
		Dram	Ounce			Dram	Ounce
WATERS (cont.)		<i>s. d.</i>	<i>s. d.</i>			<i>s. d.</i>	<i>s. d.</i>
Camphor Conc., B.P.C. 49 1-40		0 3	1 7	Wool Alcohols, B.P.		0 6	3 3
Chlorbutol, A.P.F.		0 1	0 7	Wool Fat, B.P.		0 2	0 11
Chloroform, B.P.		0 1	0 6	Wool Fat Hydrous, B.P.		0 2	0 11
Chloroform Conc., B.P.C. 1-40		0 3	1 7	Xylene, B.P.C. 49	E	0 3	1 8
Cinnamon Conc., B.P. 1-40 ..		0 4	1 10	ZINC			
Dill Conc., B.P. 1-40		0 3	1 9	Gelatin, B.P.		0 3	1 9
Peppermint Conc., B.P., 1-40 ..		0 3	1 6	Oxide, B.P.		0 1	0 6
Potable		..	..	Stearate, B.P.		0 3	1 3
Purified or Distilled, B.P. ..		0 1	0 1	Sulphate, B.P.		0 2	1 2
				Undecenoate, B.P.		1 8	11 8

RESTRICTIONS

C—Items limited in use to children

E—Items which may only be prescribed as additives.

K—The following drugs are restricted to the forms shown below—

Streptomycin	..	..	..	..	Ear Drops
Chlorhexidine Diacetate	..	..	..	..	Eye Drops

P—Items limited in use to pensioners in possession of a P.M.S. Entitlement Card.

TABLE OF MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR PREPARATIONS

Preparations	Maximum Qty. or No. of Units	Number of Repeats	Preparations	Maximum Qty. or No. of Units	Number of Repeats
Applications	4 fl. oz.	1	Irrigations	8 fl. oz.	4
Capsules	50	1	Insufflations	480 gr.	1
Capsules-extemporaneously prepared	12	1	Linctuses	8 fl. oz.	4
Colloids	240 min.	2	Liniments	4 fl. oz.	1
Creams	1920 gr.	1	Lotions	8 fl. oz.	4
Draughts	8 fl. oz.	4	Mixtures	8 fl. oz.	4
Ear Drops	$\frac{1}{2}$ fl. oz.	2	Mixtures for Children ..	4 fl. oz.	4
Elixirs	8 fl. oz.	4	Nasal Instillations ..	$\frac{1}{2}$ fl. oz.	2
Emulsions	16 fl. oz.	4	Ointments	1920 gr.	1
Enemas	4 fl. oz.	1	Paints	1 fl. oz.	1
Extracts, Fluid	4 fl. oz.	1	Pastes	1920 gr.	1
Eye Drops of Physostigmine	240 min.	6	Pessaries	12	1
Eye Drops of Pilocarpine ..	240 min.	6	Poultices	1 lb.	1
Other Eye Drops	240 min.	2	Powders Dusting	1920 gr.	1
Eye Lotions	8 fl. oz.	4	Powders for internal use ..	1920 gr.	2
Eye Ointments	60 gr.	..	Powders individually wrapped	12	1
Gargles and Mouthwashes ..	8 fl. oz.	4	Soaps	4 fl. oz.	1
Gelatins	1920 gr.	1	Solutions	4 fl. oz.	1
Gelatin Zinc (Unna's Paste)	3840 gr.	..	Sprays	$\frac{1}{2}$ fl. oz.	2
Glycanths	1920 gr.	1	Suppositories	12	1
Glycerins	4 fl. oz.	1	Syrups	8 fl. oz.	4
Inhalations	2 fl. oz.	1	Tinctures	1 fl. oz.	1
Injections—					
Ampoules	6 amps	1			
Vials	1 vial	1			

SECTION 4—RATES OF PAYMENT FOR PHARMACEUTICAL BENEFITS

General

1. The pricing principles are identical for prescriptions written for the general public and pensioners. However, where, on the Commonwealth pricing basis, the dispensed price for a prescription for a person other than a pensioner is five shillings or less, the prescription should be dispensed as a private prescription.

PRICING OF PART I BENEFITS

Price where Maximum Quantity Prescribed (R.P. and P.L. Items)

2. The price to be claimed on the Tally Sheet for a benefit appearing in Part I is the amount shown in column 5 against that benefit subject to the following provisions:—

(a) *Bulk Rate Items (Where two prices are shown).*

(i) Where 5 prescriptions and over of a particular brand have been dispensed during the month—claim bulk pack rate price for all prescriptions of that brand. Unbranded prescriptions are to be counted with the brand of major usage for the purpose of arriving at the bulk rate qualification and shall be claimed for at the bulk price for that brand.

(ii) Where 4 or less prescriptions of a particular brand have been dispensed during the month—claim the minor pack rate and endorse the prescription “Ex. S.P.”.

(For special bulk rate provisions see paragraphs 17–25).

(b) *Packed Lines*—Where the prescription bears specific instructions for use—the price is calculated in accordance with paragraph 5.

(c) *Injections with required solvent*—Where the words—“solvent required” are included after the form of the benefit, the price to be claimed is the sum of the listed prices for the item and the solvent less 3s. (i.e. only one professional fee is payable).

Price where Broken Quantity Prescribed (R.P. Items)

3.—(a) *Bulk rate items (where Bulk Pack Rate applies)*—The method to be used in ascertaining the price of a quantity other than a maximum quantity is the same as that which has been used in arriving at the price of a maximum quantity from a bulk pack. However, as the price shown in column

5 of the Schedule of Benefits, Part 1, for the maximum quantity already incorporates a breakage allowance the action necessary to ascertain the price of a quantity other than the maximum quantity is as follows—

- (i) deduct 3s. 0d. and the container fee for the maximum quantity of that drug from the amount shown in relation to the item in column 5 of the Schedule of Benefits, Part 1,
 - (ii) multiply the amount ascertained in (i) by the quantity dispensed over the maximum quantity,
 - (iii) add to the amount ascertained in (ii) the appropriate container fee and the professional fee of 3s. 0d.
- (b) *Bulk Rate Items (where Minor Pack Rate applies)*—Ascertain price in accordance with paragraphs 3 (e) or 3 (f) as applicable.
- (c) *Packed Lines*—The maximum quantity should always be claimed for, even when a lesser quantity is prescribed.
- (d) *Packs Not to be Broken*—Where items packed by the manufacturer under aseptic conditions are prescribed (see paragraph 6),—maximum quantity is to be supplied and claimed for.
- (e) *Ready Prepared Items where Standard Pack coincides with Maximum quantity*—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—
- (i) Deduct 3s. 0d. from the price shown in column 5 in relation to the benefit.
 - (ii) Apply to the resultant amount, the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 8.
 - (iii) Add to the amount ascertained under (ii) a professional fee of 3s. 0d. and the appropriate container fee.
- In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 in relation to the maximum quantity of the benefit.
- (f) *Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e. where asterisk is shown against price)*.—In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 beside the price shown for the

benefit concerned. In such cases the standard pack rate may be ascertained from the Table shown on page 13 to 20. The price payable for the quantity supplied may then be ascertained as follows—

- (i) Apply to the standard pack rate, the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 8.
- (ii) Add to the amount so ascertained a professional fee of 3s. 0d. and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the sum of the standard pack rate and 3s. 0d.

Price for
unbranded
Prescrip-
tions

4.—(a) *Bulk Rate Items (where Bulk Pack Rate applies)—*

- (i) Prescriptions which do not specify a brand are to be treated as if written for the brand of major usage (see paragraph 2 (a) (i).)
- (ii) Where two or more brands qualify as the brand of major usage during the month, prescriptions which do not specify a brand are to be counted with and claimed for, as if written for that brand which is the lowest in price of these brands.
- (iii) Where no prescriptions are written for a brand of the item during the month, unbranded prescriptions are to be counted and claimed for at the lowest bulk pack rate shown in column 5 against that item.

(b) *Bulk Rate Items (where Minor Pack Rate applies)—*

- (i) Where the MINOR PACK rate applies (see paragraph 2 (a) (ii).)—claim the lowest price shown in column 5 in relation to the minor pack price for that item.

(c) *Other Ready Prepared Items*—Where a standard pack price applies—claim the lowest price shown in column 5 in relation to that item.

Packed
Lines

5. The undermentioned packed lines are expected to be supplied under the original label when prescribed in the maximum quantities shown in the Schedule of Benefits, Part 1, and therefore do not attract a professional fee. However, where the prescription bears specific instructions for use, then the item is to be labelled. The chemist will claim on the Tally Sheet the price shown in column 5 of the Schedule of Benefits, Part 1, multiplied by eight-ninths (8/9ths) plus 3s. 0d. professional fee. The maximum quantity of a packed line should always be claimed for, even when the prescription orders a lesser quantity.—

Benzol (Commercial)
 Boric Acid
 Castor Oil
 Cascara Liquid Extract
 Chloroxylenol Solution
 Copper Sulphate Diagnostic Tablets Compound
 Cod Liver Oil
 Cod Liver Oil Emulsion
 Cresol and Soap Solution
 Glucose Indicators
 Glucose Liquid
 Glycerin
 Glycerin Suppositories
 Hydrogen Peroxide
 Kaolin Heavy Poultice

Karaya Gum
 Magnesium Hydroxide Mixture (Milk of Magnesia)
 Magnesium Bicarbonate Solution
 Magnesium Sulphate Crystals
 Malt Extract
 Malt Extract with Cod Liver Oil
 Olive Oil
 Paraffin, Liquid
 Paraffin, Emulsion
 Senna Fruit
 Saccharin Tablets
 Seidlitz Powders
 Silver Nitrate, Toughened
 Surgical Cement
 Wool Alcohols, Ointment, B.P.
 Wool Fat, Hydrous (Lanolin)

These items are indicated by a dagger (†).

**Unbroken
 packs to be
 supplied**

6. Because certain pharmaceutical benefits such as Chloramphenicol Palmitate, Chlorpromazine Hydrochloride Syrup, Polymyxin Eye Drops, &c. are required to be packed by manufacturers under special conditions, the maximum quantity of these items corresponds to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack the maximum quantity should be dispensed and claimed for from the Commonwealth.

These items are indicated by a double dagger (‡).

**Wastage
 Table Per-
 centage for
 Ready
 Prepared
 Prepara-
 tions**

7. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraphs 3 (e) & (f) above.)

8. The appropriate wastage table percentage is ascertained as follows—

- Determine the percentage that the quantity supplied bears to the number contained in the standard pack;
- Reading off in column A of the Wastage Factor Table, the percentage obtained under sub-paragraph (a) (if the percentage is not shown in column A, the next higher percentage is used), and reading off the percentage appearing in column B immediately beneath the selected percentage in column A;
- The percentage ascertained from column B is the wastage table percentage to be used.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in column A the next higher (i.e. 25%) is used. Reading down from 25% to column B, the wastage table percentage is found to be 38%.

WASTAGE FACTOR TABLE

Column A	..	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
Column B	..	10	18	26	32	38	44	50	54	58	62	66	70	74	78	82	86	90	94	98	100

**Pre-scriber's
List Items**

9. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescriber's List is set out in Part I of the Schedule of Benefits. The amounts payable for other quantities commonly used are set out on pages 21 to 23.

**PART II BENEFITS (RATES OF PAYMENT FOR EXTEMPORANEOUSLY
PREPARED PRESCRIPTIONS).**

**Pricing
Prescrip-
tions not
Pre-priced**

10. A prescription for the supply of a quantity for which no price is shown in either Part I or on pages 21 to 23, or for any quantity of a formula which is not included in the Prescriber's List, should be priced in the manner outlined in the following paragraph.

11. The amount payable in respect of an extemporaneously prepared prescription is ascertained as the sum of—

- (a) the recovery price of each ingredient as shown in the Schedule of Benefits, Part II (Drug Tariff);
- (b) the price of the appropriate container as shown on page 12;
- (c) a professional fee of 5s. 6d.

12. Where the quantity of ingredient required in a prescription is not specified in the Schedule of Benefits, Part II, the recovery price of that quantity may be ascertained as follows—

(a) Determine the basic pricing unit relative to the quantity of ingredient required by reference to the following table—

Quantity Required	Basic Pricing Unit
Up to and including 1 grain	.. 1 grain price
Over 1 grain and up to and including 5 grains ..	.. 5 grains price
Over 5 grains and up to and including 10 grains ..	.. 10 grain price
Over 10 grains and up to and including 137 grains	1 dram price
138 grains and up to and including 3.74 ounces ..	.. 1 ounce price
3.75 ounces and up to and including 8 ounces ..	.. 4 ounces price
Over 8 ounces	.. 1 pound or 16 fluid ounce price

(b) Ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery prices shown for the dram and ounce quantities of the ingredient in the Schedule of Benefits, Part II.

1. Ounce price is pound price divided by 14.
2. Four ounce price is ounce price multiplied by 3.75.
3. Dram price is ounce price divided by 7.
4. 10 grain price is dram price divided by 5.
5. 5 grain price is dram price divided by 9.5.
6. 1 grain price is 5 grain price divided by 4.5.

(c) Ascertain the recovery price of the quantity of ingredient required by multiplying the price of the basic pricing unit as ascertained in (b) by the fraction that the quantity required bears to the quantity contained in the basic pricing unit (i.e. except for the quantities from 120 grains to 137 grains inclusive which are priced at twice the dram price.)

13. The Grain Price Calculator has been prepared for the convenience of chemists in ascertaining the recovery price of quantities up to 1 dram (60 grains or minims). Where a fraction of a grain occurs, the quantity is to be taken up to the next whole grain (i.e. 2.4 grains is taken as 3 grains). Where a fraction of a minim occurs the quantity is to be taken up to the next whole minim.

**Minimum
Price**

14. The minimum recovery price for any ingredient is one penny. Where a fraction of a penny occurs in any price, that price is to be taken up to the next penny.

**Individual
Powders,
&c.**

15. For individual powders, five per cent of the quantity supplied on a prescription is to be claimed for as an additional amount; (i.e. 105% of the quantity supplied will be paid for.)

16. For suppositories and pessaries where eleven or less are supplied on a prescription, the chemist will receive payment for an additional one. If twelve or more are supplied, the chemist will receive payment for an additional two.

PROVISIONS RELATING TO BULK RATES

17. Special pricing arrangements apply to certain high velocity items. For each of these items, two sets of prices are shown—one ex Bulk Pack and one ex Minor Pack.

**Purchase
pack size**

18. A chemist may buy in any pack size he chooses, but reimbursement for the supply of the specified drugs with high velocity turnover is subject to the Bulk Rate pricing provisions.

19. A chemist is responsible to ensure that he only claims the Minor Pack rate applicable where his turnover of a brand and unbranded prescriptions of an item in the month is 4 or less prescriptions.

**Application
to brands**

20. The Bulk Rate provisions take into account the different usages a chemist may have for different brands of an item to which the Bulk Rate provisions apply. Accordingly, a chemist may be reimbursed at the Minor Pack rate for one brand of a drug and at the Bulk Pack Rate for another brand of the same drug.

21. For the purposes of paragraph 2(a) each prescription counts as one irrespective of quantity prescribed.

**Loss on
Bulk
Packs**

22. The Commonwealth, subject to the provisions set out in this section, will indemnify the chemist against loss on accepted "Bulk Rate" items directly due to—

- (a) the removal of the item from the list of items to which Bulk Rate prices apply;
- (b) out of date stock.

23. Commonwealth payments to chemist to cover any such loss shall be based on the following formula—

Quantity held by chemist

Quantity in unbroken Bulk Pack

× Actual cost to chemist of Bulk Pack

These provisions apply to Bulk Packs purchased as from 1st February, 1960.

**Conditions
subject to
which Loss
Payments
will be
made**

24. Payment of any amount for loss is subject to the following provisions—

- (a) The chemist must buy the drug in the Bulk Pack;
- (b) The chemist must ensure, where possible, that all stocks of the Bulk Packs which he might purchase have expiry dates at least 6 months ahead of the date of purchase;
- (c) The Commonwealth's liability is limited in relation to each Pharmacy to the purchase, at cost, of one Bulk Pack of each of the drugs in respect of which loss has occurred;
- (d) The Commonwealth will not, under any circumstances, be liable for payment in respect of loss on stock for causes other than those shown in paragraph 22 above;
- (e) The Commonwealth shall take possession of any stock before a payment for loss is made in respect thereto.

**Claims
for loss**

25. Where after one month from the date of first supply from a Bulk Pack a chemist wishes to claim for loss on the remaining portion of that Bulk Pack, he should apply on form PB 12 to the Commonwealth Director of Health, setting out details of the item number, name and strength or size, size of pack and quantity remaining, date of purchase of Bulk Pack and date of first dispensing therefrom. Upon receipt of such application the Commonwealth Director of Health will advise the action to be taken with the residue.

GENERAL

**Profes-
sional Fees,
Containers
Pricing
Dates**

26. The amounts payable by way of professional fees and container charges for both ready prepared and extemporaneously prepared preparations are set out on page 12.

27. For pricing purposes the operative dates are—

- (a) for extemporaneously prepared benefits—the first day of the month preceding the half yearly period during which the benefits are dispensed.

(b) For ready prepared benefits—the first day of the month preceding the month during which the benefits are dispensed.

(c) For containers—

(i) For extemporaneously prepared benefits—the first day of the month preceding the half year during which the benefit is dispensed;

(ii) For ready prepared benefits—the first day of January each year.

Zone Allowances

28. An additional amount is payable in respect of each pharmaceutical benefit supplied in specific zones throughout the Commonwealth. The zone allowance is ascertained by multiplying the number of prescriptions dispensed by an amount in pence per prescription.

29. Each chemist is notified of the zone allowance, if any, which applies to the prescriptions he dispenses.

LODGMENT OF CLAIMS FOR PAYMENT

30. A claim for payment for pharmaceutical benefits consists of—

(a) Claim Form P.B. 1 (Treasury Form 12);

(b) the originals of prescriptions and repeat authorizations;

(c) separate tally sheets for prescriptions in respect of benefits dispensed to—

(i) the general public (Form P.B. 2);

(ii) pensioners (Form P.B. 3);

(d) the originals of orders for Emergency Drug (Doctor's Bag) Supplies;

(e) where applicable—

(i) the duplicates of authorities issued for the supply of those drugs identified in the Schedule of Benefits with the code letter "A";

(ii) authorities issued for the supply of increased maximum quantities;

(iii) authorities issued for the supply of extra repeats.

N.B.—Prescriptions for pharmaceutical benefits dispensed to the general public, to pensioners and order forms for Doctor's Bag supplies should be kept in three separate lots.

31. The two Tally Sheets, Form P.B. 2 and P.B. 3, are of similar design, and should be prepared as follows—
- (a) in the first column of the sheet, insert consecutive numbers, commencing at 1, using one number for each benefit. The number or numbers applicable should be shown on each prescription form;
 - (b) in the second column of the sheet, insert, where applicable, the item number shown in Part I of the Schedule of Benefits; Part II benefits do not bear an item number;
 - (c) in the appropriate money column, i.e. "Ready Prepared" or "Extemp. Prepared", insert the amount payable for the benefit. The amount should be entered on the prescription. Where more than one item appears on a prescription form, the amount payable for each should be entered separately on the sheet against the appropriate consecutive number (see sub-paragraph (a) above). N.B.—Full price for the benefit is to be shown—the amount payable by the patient, where applicable, is deducted on the Claim Form.

**Tally
Sheet
Entry
where
Maximum
Quantity
and
Repeats
Supplied
at one
Time**

32. Where, in accordance with paragraph 18 of Section 1, a benefit and number of repeats have been supplied at the one time, the prescription should be entered on the Tally Sheet by allocating a number of lines and numbers equal to the number of supplies that would have been made under normal circumstances. For example, if the prescription directed that the maximum quantity and three repeats be supplied at once and the next number on the Tally Sheet was 82, the numbers, 82, 83, 84 and 85 should be shown on consecutive lines of the Tally Sheet, the numbers bracketed together and the total amount payable for the total supply shown in the money column thus—

No.	Amount
82	£1 : 15 : 3
83	
84	
85	

Only one professional fee is payable on such prescriptions and if the total quantity supplied is not equal to the quantity contained in the manufacturer's pack used for pricing the benefit in Part I, one container cost is allowable.

**Total
Payable by
Patients**

33. To calculate the total amount payable by patients in respect of each month's claim, count each of the lines used on the General Tally Sheet, excepting those used for Doctor's Bag Order Forms, and multiply the number so ascertained by five shillings.

**Payment
for Doctor's
Bag
Supplies**

34. Payment for Emergency Drug (Doctor's Bag) Supplies is on the same basis as for ready prepared pharmaceutical benefits except that no professional fee is payable. After supply of the benefits, the original form should be forwarded to the Department of Health with the monthly claim for payment. Details of the Doctor's Bag order forms are to be shown on the pharmaceutical benefits General Tally Sheet (P.B. 2) as set out hereunder—

- (a) immediately beneath the distinguishing number for the last prescription entered on the last General Tally Sheet of the claim, enter an additional distinguishing number for each order form included in the claim and write that number on that order form;
- (b) against the relevant distinguishing number insert in the "Ready Prepared" amount column the total amount claimed for each order form;
- (c) count the order forms included and enter that number under the last order form number. Against that "total" number, enter in the amount column the total amount claimed for Doctor's Bag order forms.

**Completion
of Claim
Form**

35. The relevant details to prepare the Claim Form (P.B. 1) should be obtained from the appropriate Tally Sheets for each section of the claim thus—

- (a) Section A—General: Enter the details from the Tally Sheet for benefits dispensed to the general public (Form P.B. 2). Provision is included for adjustment of the amount of five shillings per prescription payable by the patient;
- (b) Section B—Pensioner: Enter the details from the Tally Sheet for benefits dispensed to pensioners (Form P.B. 3).

In both sections, the amount ascertained by multiplying the number of prescriptions by the zone factor, where applicable, is taken to the nearest penny. The declaration on the claim form must be signed by the approved person unless an authority for another person to do so has been sent by the approved person to the Commonwealth Director of Health in the State concerned.

36. A claim must be lodged within 30 days of the end of each month with the Commonwealth Department of Health in the particular State, in respect of benefits supplied during that calendar month. One claim form is to be used each month for claiming payment for all pharmaceutical benefits dispensed.

37. Supplies of stationery—Claim Forms, Tally Sheets, Repeat Authorizations, &c., are available from the Commonwealth Director of Health in each State.

PHARMACEUTICAL BENEFITS

Container Prices and Professional Fees

(Operative from 1st November, 1962)

EXTEMPORANEOUSLY PREPARED PREPARATIONS

DISPENSING FLATS	s.	d.
1 oz.	0	5
2 oz.	0	7
3 oz.	0	9
4 oz.	0	10
6 oz.	0	11
8 oz.	0	11
10 oz.	1	3
12 oz.	1	5
16 oz.	1	7
20 oz.	1	8
26 oz.	1	4
40 oz.	3	1

POISON BOTTLES	s.	d.
1/4 oz.	0	4
1/2 oz.	0	5
1 oz.	0	6
2 oz.	0	8
3 oz.	0	9
4 oz.	0	10
6 oz.	1	0
8 oz.	1	0
12 oz.	1	5
16 oz.	1	7
20 oz.	1	7

SCREW CAP JARS	s.	d.
1/2 oz.	0	6
1 oz.	0	6
2 oz.	0	9
3 oz.	0	10
4 oz.	0	10
6 oz.	0	11
8 oz.	1	0
16 oz.	1	3
2 lb. (RMC)	1	3

A double size container is allowed for bulk powders.

Ear and Nasal Drop Container
(Polythene bottle with nozzle and cap)

Duranol	15 cc.	..	1	0
---------	--------	----	---	---

READY PREPARED PREPARATIONS

Class of Benefit	Container	Amount
When supplied in—		s. d.
Ampoules or Vials	 Powder Slide—	
	Size 6	0 7
	Size 12	0 7
	Size 24	0 8
Hypodermic Tablets	 Vial	0 3
Other Tablets and Pills	 Tablet Bottle—	
	Size 25	0 3
	Size 50	0 4
	Size 100	0 7

PROFESSIONAL FEES

Extemporaneously Prepared Preparations — 5s. 6d.

Ready Prepared Preparations — 3s. 0d.

Prices for tablet bottles are based on products available from Australian Consolidated Industries Ltd. and Modern Mouldings, Pty. Ltd.

**REPRINT OF
STANDARD PACKS AND PRICES (INCLUDING MARK-UP, BUT NO PROFESSIONAL FEE) FOR ITEMS
AGAINST THE PRICE OF WHICH AN ASTERISK IS SHOWN IN THE LIST OF BENEFITS — PART I**

(Apply wastage factor in calculating broken quantity prices)

Item No.	Name	Form	Price and Pack	Brand
			<i>s. d.</i>	
1	Acetarsol	4 gr. tab.	30 @ 6 8	MB
43	Adrenaline Mucate	1 cc. amp.	5 " 8 8	GL
16	Aloes and Nux Vomica	Pill	100 " 3 1	TO
			144 " 6 8	DH
17	Aloxidone	300 mg. cap.	100 " 38 3	BS
19	Aluminium Hydroxide	5 gr. tab.	50 " 5 4	AN, HA, PR, RD, RT, SL
		10 gr. tab.	50 " 7 4	HA
49	Aluminium Hydroxide Gel. Dried Tab. with Magnesium Hydroxide	300 mg.-90 mg. tab.	50 " 5 9	WY
46	Amiphenzole Hydrobromide, A.P.F.	20 mg. vial	6 " 12 8	DH
26	Ammonium Chloride	7.5 gr. tab.	100 " 5 4	HY, QE, TO
31	Amylobarbitone Sodium	65 mg. cap.	100 " 13 8	LY
		250 mg. amp.	1 " 4 5	LY
		500 mg. amp.	1 " 6 8	LY
		1 G. amp.	1 " 10 5	LY
34	Antazoline Hydrochloride	100 mg./2 cc. amp.	5 " 9 4	CB
			6 " 10 8	BT
41	Aurothioglucose	50 mg. amp.	1 " 5 1	SC
		100 mg. amp.	1 " 6 7	SC
108	Brown Snake Anti-Venene	500 U. amp.	1 " 140 0	CS
131	Caramiphen Hydrochloride	50 mg. tab.	50 " 21 0	GE
145	Chloramphenicol	1 G. vial	1 " 19 0	PD
150	Chloroquine Base	2 mil. amp.	10 " 12 8	MB
		5 mil. amp.	10 " 23 4	MB

Item No.	Name	Form	Price and Pack	Brand
155	Cholera Vaccine	8,000 M. per cc. amp.	1 @ 3 8	CS
156	Chorionic Gonadotrophin.. .. .	1,500 I.U.	3 „ 33 4	LP
		5,000 I.U.	1 „ 54 4	AY, PD
			2 „ 86 8	RM, SC
180	Clemizole Hydrochloride	20 mg. tab.	100 „ 20 0	SC
160	Codeine Phosphate with Acetylsalicylic Acid, Phenacetin and Caffeine	30 mg.-225 mg.-150 mg.-30 mg. tab.	25 „ 6 3	BW
			100 „ 20 4	GP
162	Colchicine	1/120 gr. tab.	50 „ 5 4	HY, RD
166	Colocynth	Pill, B.P.C.	144 „ 9 0	DH
168	Corticotrophin—Injection, B.P.	10 I.U. vial	12 „ 68 0	OR
	Gelatin Injection	100 I.U.	1 „ 73 4	PH, SC
		200 I.U.	1 „ 133 4	CK, PH, SC
	Zinc Hydroxide Injection	40 I.U.	1 „ 30 0	OR
		50 I.U.	1 „ 37 9	OR
		100 I.U.	1 „ 73 4	OR
		200 I.U.	1 „ 133 4	OR
169	Cortisone Acetate	5 mg. tab.	20 „ 8 4	SC
		25 mg. tab.	20 „ 41 8	OR
172	Cyanocobalamin excluding 1,000 Microgramme strength	20 mcg./cc. amp.	6 „ 7 0	BD, CM, DH, FH, GL, KL, WP
		200 mcg./cc. amp.	6 „ 13 4	CM, GL
			6 „ 26 8	BT, OR
174	Cyclobarbitone	3 gr. tab.	100 „ 21 4	HA
231	Darrow's Solution	1 litre bottle	1 „ 14 4	BT, DH, FH, SJ
282	Death Adder Anti-Venene	3,000 U. vial	1 „ 70 0	CS
232	Deoxycortone Acetate	5 mg. amp.	3 „ 20 0	SC
		50 mg. amp.	5 „ 200 0	SC
		1 mg. tab.	30 „ 21 4	SC

Item No.	Name	Form	Price and Pack	Brand
273	Dexamethasone Sodium Phosphate	1 cc. vial	1 @ 16 8	OR
		2 cc. vial	1 " 26 8	MK
236	Dextran Iron	I.M. 2 cc. amp.	10 " 62 0	FC
238	Dextrose	5%, 1 litre bottle	1 " 14 4	AB, BT, DH, EV, FH, GL, SJ
		10%, 1 litre bottle	1 " 14 4	AB, BT, DH, EV, FH, SJ
		20%, 1 litre bottle	1 " 14 4	BT, DH, FH, SJ
		25%, 1 litre bottle	1 " 14 4	AB, DH, FH, SJ
		50%, 25 cc. amp.	1 " 4 0	DH, FH
		50%, 50 cc. amp.	1 " 6 0	DH, FH, PD
277	Dichlorphenamide	50 mg. tab.	100 " 112 0	MK
244	Diethylcarbamazine Citrate	50 mg. tab.	100 " 23 4	LE
247	Digoxin	0.5 mg./2 cc. amp.	6 " 9 4	BW, DH
250	Dihydromorphinone Hydrochloride, B.P.C. 1949 ..	1/25 gr. tab.	10 " 3 4	KN
251	Dihydrostreptomycin Sulphate	1 G. vial	1 " 3 4	AN, GL, LP
256	Diphtheria and Tetanus Vaccine, B.P.	½ cc. amp.	1 " 4 0	CS
257	Diphtheria Antitoxin, B.P.	1,000 U. amp.	1 " 5 4	CS
		4,000 U. amp.	1 " 11 4	CS
		10,000 U. amp.	1 " 21 4	CS
		20,000 U. amp.	1 " 40 0	CS
259	Diphtheria, Tetanus and Pertussis Vaccine, B.P. ..	1 cc. amp.	1 " 3 4	CS
261	Diphtheria Vaccine (P.T.A.P.)	1 cc. amp.	1 " 3 8	CS
270	Dithiazanine Iodide	100 mg. tab.	15 " 18 8	LY
308	Erythromycin	I.M. 100 mg./2 cc.	1 " 14 8	AB
		I.M. 300 mg./10 cc.	1 " 40 0	AB
		100 mg. tab.	32 " 62 4	AB, LY, UP
		250 mg. tab.	32 " 138 0	AB, LY, UP
		125 mg. cap.	32 " 62 4	AB, LY
		250 mg. cap.	32 " 138 0	AB, LY

Item No.	Name	Form	Price and Pack	Brand
311	Ethinyloestradiol	0.01 mg. tab.	s. d. 100 @ 6 8	BD, OR
			100 " 8 0	HA
		0.02 mg. tab.	25 " 3 4	BD, HY, OR
			30 " 4 0	SC
		0.05 mg. tab.	100 " 9 0	HA
			25 " 4 0	BD, HA, HY, OR
		1 mg. tab.	30 " 4 8	SC
			25 " 20 8	BD, HY, OR
			100 " 80 0	HA
			25 " 14 8	BD, OR, PH, SC, VR
312	Ethisterone	5 mg. tab.	25 " 14 8	BD, OR, PH, SC, VR
		10 mg. tab.	25 " 26 8	BD, KL, OR, PH, RT, SC, VR
		25 mg. tab.	10 " 21 4	CB
			25 " 53 4	BD, KL, OR, PH, RT, SC, VR
313	Ethopropazine Hydrochloride	50 mg. tab.	50 " 13 4	MB
327	Ethosuximide	250 mg. cap.	50 " 21 4	PD
343	Folic Acid	15 mg./cc. amp.	6 " 16 0	AN
356	Gas Gangrene Antitoxin (Oedematiens), B.P.	10,000 U. amp.	1 " 12 0	CS
357	Gas Gangrene Antitoxin, Mixed (Polyvalent)	1 amp. 3,000 U.W.	1 " 19 3	CS
		1 amp. 7,500 U.W.	1 " 43 3	CS
358	Gas Gangrene Antitoxin (Septicum), B.P.	5,000 U. amp.	1 " 19 3	CS
359	Gas Gangrene Antitoxin (Welchii), B.P.	4,000 U. amp.	1 " 15 7	CS
		10,000 U. amp.	1 " 21 0	CS
375	Halibut Liver Oil	6,000 U. cap.	120 " 16 0	CK
379	Heparin	1,000 U./cc., 5 cc.	1 " 7 9	BT, EV, LP, WP
			1 " 9 4	AB, CS
		5,000 U./cc., 1 cc.	1 " 7 9	BT, EV
			1 " 9 0	AB

Item No.	Name	Form	Price and Pack	Brand
379—continued		5,000 U./cc., 5 cc.	1 @ 33 4	BT, DH, EV, LP, RK, WP
			1 " 40 0	AB, CS, OR
		12,500 U./cc. amp.	1 " 23 11	EV
			1 " 28 11	AB
		12,500 U./cc. vial	1 " 29 0	CS
381	Hexamethonium Tartrate	1 cc. amp.	10 " 12 8	MB
		350 mg. tab.	50 " 8 0	MB
383	Hexylresorcinol	100 mg. pill	6 " 10 0	MK
385	Hyaluronidase	500 I.U. amp.	1 " 7 7	WY
394	Hydrocortisone Acetate	25 mg./cc. vial	1 " 8 11	BT, SC
			6 " 53 4	GL
389	Hydrocortisone Sodium Succinate	100 mg./2 cc. amp.	1 " 74 8	GL, RM, UP
412 } to } 417 }	All Insulins		Col. 5 price × Qty. dispensed Maximum Quantity	
426	Iron Oxide Saccharated	100 mg./5 cc., I.V. amp.	5 " 17 9	FV
			5 " 19 4	FC
423	Isoniazid	50 mg. tab.	100 @ 5 4	AD, CM, DE, HA, PR, SI
			100 " 7 4	RO
460	Leptazol	1.1 cc. amp.	5 " 4 8	KN
		5 cc. amp.	2 " 8 8	KN
463	Levorphanol Tartrate, B.P.C.	1.5 mg. tab.	20 " 6 8	RO
488	Mercaptomerin Sodium	1.4 G. vial	1 " 18 3	WY
491	Mersalyl Acid	1 cc. amp.	6 " 8 0	AD, BA, BD, DH, EV
		2 cc. amp.	6 " 9 4	AD, BA, BD, BL, BT, DH, EV, FH, TH, VR
511	Methazolamide	50 mg. tab.	100 " 101 4	LE
514	Methylphenobarbitone, B.P.C.	1/2 gr. tab.	100 " 3 0	FA
			100 " 4 11	PH
		1 gr. tab.	100 " 4 7	FA

Item No.	Name	Form	Price and Pack	Brand
			<i>s. d.</i>	
		3 gr. tab.	100 @ 6 0	PH
			100 " 10 7	FA
			100 " 12 8	PH
546	Nikethamide	5 cc. amp.	3 " 6 4	CB
561	Oestradiol Dipropionate	5 mg./cc. amp.	5 " 33 4	CB
565	Ouabain	0.25 mg. amp.	6 " 22 1	NA
567	Oxytetracycline Hydrochloride	100 mg. amp. I.M.	1 " 13 7	PF
		250 mg. amp. I.M.	1 " 26 5	PF
		250 mg./cc., 10 cc. I.V.	1 " 24 0	PF
581	Pancreatin	1 oz. vial-powder	1 " 14 4	PD
583	Papaveretum	1/3 gr. tab.	25 " 5 4	RO
		1/6 gr. tab.	25 " 3 4	HY
586	Para-Aminosalicylic Acid	500 mg. tab.	100 " 10 0	DH
			400 " 35 4	AD, SI
664	Pempidone Tartrate	5 mg. tab.	50 " 14 4	IC, MB
		10 mg. tab.	50 " 25 4	IC, MB
592-594, 596	Penicillins	$\left(\frac{\text{Col. 5 price less } 3s. 0d.}{1} \times \text{Qty. dispensed} \right) \times \text{Maximum Qty.} + 3s. 0d.$		
602	Pertussis Vaccine, B.P.	1/2 cc. amp.	1 @ 4 0	CS
603	Pertussis Vaccine (Phase 1)	20,000 M./cc. amp.	1 " 4 0	CS
678	Phenazopyridine Hydrochloride	100 mg. tab.	25 " 4 11	WW
611	Phenobarbitone Sodium	3 gr./cc. amp.	10 " 8 8	MB
614	Phenolphthalein	Compound Pill	100 " 3 1	TO
			100 " 4 0	DH
626	Piperazine Phosphate	260 mg. tab.	42 " 8 5	GL
627	Pituitary Posterior Lobe, B.P.C.	2 G. phial	1 " 22 3	BP
628	Plague Vaccine	1 cc. amp.	1 " 6 8	CS
631	Potassium Chloride Standard Maintenance Fluid	1/2 litre bottle	1 " 14 0	DH, FH
637	Primidone	250 mg. tab.	100 " 43 4	IC

Item No.	Name	Form	Price and Pack	Brand
639	Procaine Hydrochloride in Normal Saline	0.1%, 1 litre bottle	1 @ 14 4	AB, BT
648	Pyridostigmine Bromide	60 mg. tab.	150 ,, 104 11	RO
661	Pyrrolidino-Methyl-Tetracycline	110 mg. amp. I.V.	1 ,, 17 7	HP
		275 mg. amp. I.V.	1 ,, 30 9	HP
		150 mg. amp. I.M.	1 ,, 17 7	HP, SQ
		350 mg. amp. I.M.	1 ,, 30 9	HP, SQ
721	Quinalbarbitone Sodium, B.P.	50 mg. cap.	100 ,, 16 4	LY
748	Red Back Spider Anti-Venene	500 U. vial	1 ,, 40 0	CS
742	Rhubarb	Compound Pill	144 ,, 14 4	DH
760	Schick Test Toxin	1 cc. vial	1 ,, 5 4	CS
773	Sodium Aminosalicylate	1.5 G. cachet	500 ,, 126 0	SN
		5 gr. tab.	400 ,, 32 0	AD, SI
		7.5 gr. tab.	200 ,, 17 0	AN, WA
			400 ,, 35 4	AD, SI
765, 768, 769, 771, 775, 811, 812, 813, 814 Sodium Injections		$\left(\frac{\text{Col. 5 price less 3s. 0d.}}{1} \times \frac{\text{Qty. dispensed}}{\text{Maximum Qty.}} \right) + 3s. 0d.$		
772	Sodium Oleate Compound	Pill	144 ,, 11 4	DH
776	Sodium Tauroglycocholate	Tab.	100 ,, 6 8	DH
805	Soya Formula .. Liquid	1 tin	Col. 5 price × Qty. dispensed	
	Powder	1 tin	Maximum Qty.	
781	Streptomycin Sulphate	1 G. vial	1 @ 3 4	BT, DH, DL, EV, GL, SI
		250,000U.ml./4 ml.	1 ,, 3 9	DL, GL
		500,000U.ml./2 ml.	1 ,, 3 9	BT, EV, GL
		1,000,000U.ml./3 ml.	1 ,, 3 9	EV, GL, SI
786	Sulphadiazine Sodium	4 cc. amp.	10 ,, 19 7	MB
792	Sulphamerazine	500 mg. tab.	100 ,, 20 0	AD, FA, RT, SI, TO
801	Suxamethonium Bromide	67 mg. amp.	10 ,, 15 4	MB

Item No.	Name	Form	Price and Pack	Brand
851	T.A.B. Vaccine	$\frac{1}{2}$ cc. amp.	1 @ 3 8	CS
893	Taipan Anti-Venene	3,000 U. vial	1 „ 100 0	CS
855	Testosterone Propionate	25 mg./cc. amp.	6 „ 24 0	BD, FH, FM
			10 „ 40 0	CB
			3 „ 15 4	SC
		50 mg./cc. amp.	6 „ 42 8	FH, FM
			6 „ 46 8	BD, OR
			3 „ 24 0	SC
		100 mg./2 ml. amp.	6 „ 85 4	FM
856	Tetanus Antitoxin	1,500 I.U. amp.	1 „ 6 8	BW, CS, SE
		10,000 I.U. amp.	1 „ 37 4	CS
		50,000 I.U. amp.	1 „ 140 0	CS
857	Tetanus Toxoid, B.P.	$1\frac{1}{2}$ cc. amp.	1 „ 3 7	CS
			1 „ 4 0	GL
		1 cc. amp.	1 „ 3 7	SE
858	Tetanus Toxoid (P.A.P.A.)	0.5 cc. amp.	1 „ 3 4	CS
859	Tetrachloroethylene	0.5 cc. cap.	100 „ 18 0	PD
860	Tetracycline	I.M. 100 mg.	1 „ 13 7	FB, LE, PF
		I.V. 100 mg.	1 „ 13 7	FB, LE
		I.V. 250 mg.	1 „ 24 0	FB, LE, PF, SQ
863	Tetracycline with Oleandomycin	100 mg. amp. I.M.	1 „ 14 11	PF
864	Tetracycline (Buffered)	I.M. 100 mg. vial	1 „ 13 7	SQ
869	Tiger Snake Anti-Venene	3,000 U./amp.	1 „ 70 0	CS
872	Tretamine	2.5 mg. tab.	25 „ 38 0	IC
878	Typhus Vaccine	1 cc. amp.	1 „ 10 0	CS
922	Vasopressin Tannate in Oil	1 cc. amp.	6 „ 16 0	PD
924	Vitamin A	50,000 I.U. cap.	25 „ 10 8	CK
941	Water for Injection	5 cc. amp.	1 „ 0 8	CS

REPRINT OF
STANDARD PACKS AND PRICES (INCLUDING MARK-UP, BUT NO PROFESSIONAL FEE) FOR ITEMS
AGAINST THE PRICE OF WHICH AN ASTERISK IS SHOWN IN THE LIST OF BENEFITS—PART I

(Apply wastage factor in calculating broken quantity prices)

Item No.	Name	Form	Price and Pack	Brand
			<i>s. d.</i>	
1	Acetarsol	4 gr. tab.	30 @ 6 8	MB
43	Adrenaline Mucate	1 cc. amp.	5 .. 8 8	GL
16	Aloes and Nux Vomica	Pill	100 ,, 3 1	TO
			144 ,, 6 8	DH
17	Aloxidone	300 mg. cap.	100 ,, 38 3	BS
19	Aluminium Hydroxide	5 gr. tab.	50 ,, 5 4	AN, HA, RD, SL
		10 gr. tab.	50 ,, 7 4	HA
49	Aluminium Hydroxide Gel. Dried Tab. with Magnesium Hydroxide	300 mg.-90 mg. tab.	50 ,, 5 9	WY
46	Amiphenzole Hydrobromide, A.P.F.	20 mg. vial	6 ,, 12 8	BX
26	Ammonium Chloride	7.5 gr. tab.	100 ,, 5 4	QE, TO
31	Amylobarbitone Sodium	250 mg. amp.	1 ,, 4 5	LY
		500 mg. amp.	1 ,, 6 8	LY
		1 G. amp.	1 ,, 10 5	LY
34	Antazoline Hydrochloride	100 mg./2 cc. amp.	5 ,, 9 4	CB
			6 ,, 10 8	BT
41	Aurothioglucose	50 mg. amp.	1 ,, 5 1	SC
		100 mg. amp.	1 ,, 6 7	SC
108	Brown Snake Anti-Venene	500 U. amp.	1 ,, 140 0	CS
131	Caramiphen Hydrochloride	50 mg. tab.	50 ,, 21 0	GE
145	Chloramphenicol	1 G. vial	1 ,, 17 0	PD
150	Chloroquine Base	2 mil. amp.	10 ,, 12 8	MB
		5 mil. amp.	10 ,, 23 4	MB
155	Cholera Vaccine	8,000 M. per cc. amp.	1 ,, 3 8	CS

Item No.	Name	Form	Price and Pack	Brand
156	Chorionic Gonadotrophin	1,500 I.U. 5,000 I.U.	3 @ 33 4 1 ,, 54 4 2 ,, 86 8 100 ,, 20 0	LP AY, PD RM, SC SC
180	Clemizole Hydrochloride	20 mg. tab.	100 ,, 20 0	SC
160	Codeine Phosphate with Acetylsalicylic Acid, Phenacetin and Caffeine	30 mg.-225 mg.-150 mg.-30 mg. tab.	25 ,, 6 3 100 ,, 20 4	BW GP
162	Colchicine	1/120 gr. tab.	50 ,, 5 4	RD
166	Colocynth	Pill, B.P.C.	144 ,, 9 0	DH
168	Corticotrophin—Injection, B.P.	10 I.U. vial	12 ,, 68 0	OR
	Gelatin Injection	100 I.U. 200 I.U.	1 ,, 73 4 1 ,, 133 4	PH, SC CK, PH, SC
	Zinc Hydroxide Injection	40 I.U. 50 I.U. 100 I.U. 200 I.U.	1 ,, 30 0 1 ,, 37 9 1 ,, 73 4 1 ,, 133 4	OR OR OR OR
169	Cortisone Acetate	5 mg. tab. 25 mg. tab.	20 ,, 8 4 20 ,, 41 8	SC OR
172	Cyanocobalamin excluding 1,000 Microgramme strength	20 mcg./cc. amp. 200 mcg./cc. amp.	6 ,, 7 0 6 ,, 13 4 6 ,, 26 8	BD, BX, FH, GL, KL, WP CM, GL OR
174	Cyclobarbitone	3 gr. tab.	100 ,, 21 4	HA
231	Darrow's Solution	1/2 litre 1 litre	1 ,, 12 4 1 ,, 14 4	BT BT, BX, FH, GL, SJ
282	Death Adder Anti-Venene	3,000 U. vial	1 ,, 70 0	CS
232	Deoxycortone Acetate	5 mg. amp. 50 mg. amp. 1 mg. tab.	3 ,, 20 0 5 ,, 200 0 30 ,, 21 4	SC SC SC

Item No.	Name	Form	Price and Pack	Brand
273	Dexamethasone Sodium Phosphate	1 cc. vial	1 @ 16 8	OR
236	Dextran Iron	2 cc. vial	1 " 26 8	MK
238	Dextrose	I.M. 2 cc. amp.	10 " 62 0	FC
		$\left(\frac{\text{Col. 5 price less } 3s. 0d.}{1} \times \frac{\text{Qty. dispensed}}{\text{Max. Qty.}} \right) + 3s.$		
277	Dichlorphenamide	50 mg. tab.	100 " 112 0	MK
244	Diethylcarbamazine Citrate	50 mg. tab.	100 " 23 4	LE
247	Digoxin	0.5 mg./2 cc. amp.	6 " 9 4	BW, BX
250	Dihydromorphinone Hydrochloride, B.P.C. 1949 ..	1/25 gr. tab.	10 " 3 4	KN
251	Dihydrostreptomycin Sulphate	1 G. vial	1 " 3 4	AN, GL, LP
256	Diphtheria and Tetanus Vaccine, B.P.	1/2 cc. amp.	1 " 4 0	CS
257	Diphtheria Antitoxin, B.P.	1,000 U. amp.	1 " 5 4	CS
		4,000 U. amp.	1 " 11 4	CS
		10,000 U. amp.	1 " 21 4	CS
		20,000 U. amp.	1 " 40 0	CS
259	Diphtheria, Tetanus and Pertussis Vaccine, B.P. ..	0.5 cc. amp.	1 " 3 4	CS
261	Diphtheria Vaccine (P.T.A.P.)	1 cc. amp.	1 " 3 8	CS
270	Dithiazanine Iodide	100 mg. tab.	15 " 18 8	LY
308	Erythromycin	I.M. 100 mg./2 cc.	1 " 14 8	AB
		I.M. 300 mg./10 cc.	1 " 40 0	AB
		100 mg. tab.	32 " 62 4	AB, LY
		250 mg. tab.	32 " 138 0	AB, LY
		125 mg. cap.	32 " 62 4	AB, LY
		250 mg. cap.	32 " 138 0	AB
311	Ethinylloestradiol	0.01 mg. tab.	100 " 6 8	BD, OR
			100 " 8 0	HA
		0.02 mg. tab.	25 " 3 4	BD, OR
			30 " 4 0	SC
			100 " 9 0	HA

Item No.	Name	Form	Price and Pack	Brand
311— <i>continued</i>		0.05 mg. tab.	25 @ 4 0	BD, HA, OR
			30 " 4 8	SC
		1 mg. tab.	25 " 20 8	BD, OR
			100 " 80 0	HA
312 Ethisterone		5 mg. tab.	25 " 14 8	BD, OR, PH, SC, VR
		10 mg. tab.	25 " 26 8	BD, KL, OR, PH, RT, SC, VR
		25 mg. tab.	10 " 21 4	CB
			25 " 53 4	BD, KL, OR, PH, RT, SC, VR
313 Ethopropazine Hydrochloride		50 mg. tab.	50 , 13 4	MB
343 Folic Acid.. .. .		15 mg./cc. amp.	6 " 16 0	AN
356 Gas Gangrene Antitoxin (Oedematiens), B.P. ..		10,000 U. amp.	1 " 12 0	CS
357 Gas Gangrene Antitoxin, Mixed (Polyvalent) ..		1 amp. 3,000 U.W.	1 " 19 3	CS
		1 amp. 7,500 U.W.	1 " 43 3	CS
358 Gas Gangrene Antitoxin (Septicum), B.P. ..		5,000 U. amp.	1 " 19 3	CS
359 Gas Gangrene Antitoxin (Welchii), B.P. ..		4,000 U. amp.	1 " 15 7	CS
		10,000 U. amp.	1 " 21 0	CS
375 Halibut Liver Oil		6,000 U. cap.	120 " 16 0	CK
379 Heparin		1,000 U./cc., 5 cc.	1 " 7 9	BT, EV, LP, WP
			1 " 9 4	AB, CS
		5,000 U./cc., 1 cc.	1 " 7 9	BT, EV
			1 " 9 0	AB
		5,000 U./cc. 5 cc.	1 " 33 4	BT, BX, EV, LP, RK, WP
			1 " 40 0	AB, CS, OR
		12,500 U./cc. amp.	1 " 23 11	EV
			1 " 28 11	AB
		12,500 U./cc. vial	1 " 29 0	CS
381 Hexamethonium Tartrate		1 cc. amp.	10 " 12 8	MB
		350 mg. tab.	50 " 8 0	MB

Item No.	Name	Form	Price and Pack	Brand
383	Hexylresorcinol	100 mg. pill	6 @ 10 0	MK
385	Hyaluronidase	500 I.U. amp.	1 „ 7 7	WY
394	Hydrocortisone Acetate	25 mg./cc. vial	1 „ 8 11	SC
			6 „ 53 4	GL
389	Hydrocortisone Sodium Succinate	100 mg./2 cc. amp.	1 „ 74 8	GL, RM, UP
412	All Insulins		Col. 5 price × Qty. dispensed	
417			Maximum Quantity	
426				
426	Iron Oxide Saccharated	100 mg./5 cc. I.V.	5 „ 17 9	EV
		amp.	5 „ 19 4	FC
423	Isoniazid	50 mg. tab.	100 „ 5 4	AD, CM, DF, HA, SI
			100 „ 7 4	RO
460	Leptazol	1.1 cc. amp.	5 „ 4 8	KN
		5 cc. amp.	2 „ 8 8	KN
463	Levorphanol Tartrate B.P.C.	1.5 mg. tab.	20 „ 6 8	RO
488	Mercaptomerin Sodium	1.4 G. vial	1 „ 18 3	WY
491	Mersalyl Acid	1 cc. amp.	6 „ 8 0	AD, BA, BD, DH, EV
		2 cc. amp.	6 „ 9 4	AD, BA, BD, BL, BT, DH, EV, FH, TH, VR
511	Methazolamide	50 mg. tab.	100 „ 101 4	LE
514	Methylphenobarbitone, B.P.C.	1/2 gr. tab.	100 „ 3 0	FA
			100 „ 4 11	PH
		1 gr. tab.	100 „ 4 7	FA
			100 „ 6 0	PH
		3 gr. tab.	100 „ 10 7	FA
			100 „ 12 8	PH
546	Nikethamide	5 cc. amp.	3 „ 6 4	CB
561	Oestradiol Dipropionate	5 mg./cc. amp.	5 „ 33 4	CB
565	Ouabain	0.25 mg. amp.	6 „ 22 1	NA

Item No.	Name	Form	Price and Pack	Brand
			<i>s. d.</i>	
567	Oxytetracycline Hydrochloride	100 mg. amp. I.M.	1 @ 13 7	PF
		250 mg. amp. I.M.	1 " 26 5	PF
		250 mg./cc., 10 cc. I.V.	1 " 24 0	PF
581	Pancreatin	1 oz. vial—powder	1 " 14 4	PD
583	Papaveretum	1/3 gr. tab.	25 " 5 4	RO
586	Para-Aminosalicylic Acid	500 mg. tab.	100 " 10 0	DH
			400 " 35 4	AD, SI
664	Pempidine Tartrate	5 mg. tab.	50 " 14 4	IC, MB
		10 mg. tab.	50 " 25 4	IC, MB
592-594, 596	Penicillins	$\left(\frac{\text{Col. 5 price less 3s. 0d.}}{1} \times \frac{\text{Qty. dispensed}}{\text{Max. Qty.}} \right) + 3s. 0d.$		
602	Pertussis Vaccine, B.P.	1/2 cc. amp.	1 " 4 0	CS
603	Pertussis Vaccine (Phase I)	20,000 M./cc. amp.	1 " 4 0	CS
678	Phenazopyridine Hydrochloride	100 mg. tab.	25 " 4 11	WW
611	Phenobarbitone Sodium	3 gr./cc amp.	10 " 8 8	MB
614	Phenolphthalein	Compound Pill	100 " 3 1	TO
			100 " 4 0	DH
626	Piperazine Phosphate	260 mg. tab.	42 " 8 5	GL
627	Pituitary Posterior Lobe, B.P.C.	2 G. phial	1 " 22 3	BP
628	Plague Vaccine	1 cc. amp.	1 " 6 8	CS
631	Potassium Chloride Standard Maintenance Fluid	1/2 litre	1 " 14 0	BX, FH
637	Primidone	250 mg. tab.	100 " 37 4	IC
639	Procaine Hydrochloride in Normal Saline	0.1%, 1/2 litre	1 " 12 4	BT
		0.1%, 1 litre	1 " 14 4	AB, BT
642	Progesterone Depot	250 mg. amp.	1 " 30 8	RM
648	Pyridostigmine Bromide	60 mg. tab.	150 " 104 11	RO

Item No.	Name	Form	Price and Pack	Brand
661	Pyrrolidino-Methyl-Tetracycline	110 mg. amp. I.V. 275 mg. amp. I.V. 150 mg. amp. I.M. 350 mg. amp. I.M. 500 U. vial	1 @ 17 7 1 „ 30 9 1 „ 17 7 1 „ 30 9 1 „ 40 0	HP HP HP, SQ HP, SQ CS
748	Red Back Spider Anti-Venene	Compound Pill	144 „ 14 4	DH
742	Rhubarb	1 cc. vial	1 „ 5 4	CS
760	Schick Test Toxin	1.5 G. cachet	500 „ 126 0	SN
773	Sodium Aminosalicylate	5 gr. tab. 7.5 gr. tab.	400 „ 32 0 200 „ 17 0 400 „ 35 4	AD, SI AN, WA AD, SI
765, 768, 769, 771, 775, 811, 812, 813, 814 Sodium Injections		$\left(\frac{\text{Col. 5 price less } 3s. 0d.}{1} \times \frac{\text{Qty. dispensed}}{\text{Max. Qty.}} \right) + 3s. 0d.$		
772	Sodium Oleate Compound	Pill	144 „ 11 4	DH
776	Sodium Tauroglycocholate	Tab.	100 „ 6 8	DH
805	Soya Formula—Liquid	1 tin	Col. 5 price × Qty. dispensed	
	Powder	1 tin	$\frac{\text{Maximum Qty.}}{\text{Col. 5 price} \times \text{Qty. dispensed}}$	
781	Streptomycin Sulphate	1 G. vial	1 „ 3 4	BT, BX, DL, EV, GL, SI
		250,000U./ml., 4 ml.	1 „ 3 9	DL, GL
		500,000U./ml., 2 ml.	1 „ 3 9	BT, EV, GL
		1,000,000U. 3 ml.	1 „ 3 9	EV, GL, SI
786	Sulphadiazine Sodium	4 cc. amp.	10 „ 19 7	MB
792	Sulphamerazine	500 mg. tab.	100 „ 20 0	AD, FA, SI, TO
801	Suxamethonium Bromide	67 mg. amp.	10 „ 15 4	MB
851	T.A.B. Vaccine	0.5 cc. amp.	1 „ 3 8	CS
893	Taipan Anti-Venene	3,000 U. vial	1 „ 100 0	CS

Item No.	Name	Form	Price and Pack	Brand
855	Testosterone Propionate	25 mg./cc. amp.	6 @ 24 0	BD, FH, FM
			10 " 40 0	CB
			3 " 13 4	SC
		50 mg./cc amp.	6 " 42 8	FH, FM
			6 " 46 8	BD, OR
			3 " 24 0	SC
		100 mg./2 ml. amp.	6 " 85 4	FM
856	Tetanus Antitoxin	1,500 I.U. amp.	1 " 6 8	BW, CS, SE
		10,000 I.U. amp.	1 " 37 4	CS
		50,000 I.U. amp.	1 " 140 0	CS
857	Tetanus Toxoid, B.P.	0.5 cc. amp.	1 " 3 7	CS
			1 " 4 0	GL
		1 cc. amp.	1 " 3 7	SE
858	Tetanus Toxoid (P.A.P.A.)	0.5 cc. amp.	1 " 3 4	CS
859	Tetrachloroethylene	0.5 cc. cap.	100 " 18 0	PD
860	Tetracycline	I.M. 100 mg.	1 " 13 7	FB, LE, PF
		I.V. 100 mg.	1 " 13 7	FB, LE
		I.V. 250 mg.	1 " 24 0	FB, LE, PF, SQ
863	Tetracycline with Oleandomycin	100 mg. amp. I.M.	1 " 14 11	PF
864	Tetracycline (Buffered)	I.M. 100 mg. vial	1 " 13 7	SQ
869	Tiger Snake Anti-Venene	3,000 U. amp.	1 " 70 0	CS
872	Tretamine	2.5 mg. tab.	25 " 38 0	IC
878	Typhus Vaccine	1 cc. amp.	1 " 10 0	CS
922	Vasopressin Tannate in Oil	1 cc. amp.	6 " 16 0	PD

PRE-PRICED EXTEMPORANEOUS PREPARATIONS

Dispensed Price for Common Quantities Other than Maximum

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH	
	2 fl. oz.	
Applications		
Benzyl Benz. with Dicophane	<i>s. d.</i>	
Dicophane	8 5	
Gamma Benzene Hex. ..	7 3	
	7 2	
	1 oz.	2 oz.
Creams	<i>s. d.</i>	<i>s. d.</i>
Aminacrine	7 5	8 9
Aqueous B.P.	7 3	8 9
Butyl Aminobenz. and Trinit.	7 9	9 6
Calamine	6 11	7 7
Cetrimide	7 1	8 5
Cold	7 4	8 3
Emulsifying Wax (Buffered)	7 0	8 0
Gamma Benzene Hexachloride	6 11	7 11
Glycerin	7 0	7 9
Soft Zinc	7 0	8 2
Sorbolene	7 5	9 1
Zinc	7 0	8 3
Dusting Powders		
Benzocaine	8 5	10 8
Kaolin Compound	7 1	8 0
Undecenoic Acid	9 10	12 4

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH		
	2 fl.oz	4 fl. oz.	6 fl. oz.
Linctuses	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Camphor Compound	8 3	10 7	12 8
Codeine	10 10	..	..
Morphine	8 1	..	..
Pholcodine	8 3	10 8	12 11
	1 fl. oz.	2 fl. oz.	3 fl. oz.
Liniments	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Calamine Compound	6 7	7 1	7 6
Eucalyptus Compound	7 6	8 3	9 3
Methyl Salicylate	7 0	8 0	8 11
Turpentine	7 6	8 11	10 4
	2 fl. oz.	4 fl. oz.	6 fl. oz.
Lotions	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Acid Salicylic Compound	7 1	7 10	8 7
Aluminium Acetate	8 4	10 5	12 8
Aminacrine	6 9	7 4	8 0
Calamine	6 8	7 4	7 9
Coal Tar	6 4	6 7	6 10
Copper and Zinc Sulphate	6 6	6 9	7 1
Eusol	6 7	6 11	7 3
Evaporating	6 5	6 8	7 0
Phenol	6 6	6 11	7 5
Resorcinol Compound	7 4	8 5	9 6
Sulphurated	7 3	8 4	8 11
Zinc Sulphate	6 4	6 6	6 8

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH			PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH		
	4 fl. oz.	6 fl. oz.	16 fl. oz.		4 fl. oz.	6 fl. oz.	16 fl. oz.
Mixtures	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>	Mixtures—contd.	<i>s. d.</i>	<i>s. d.</i>	<i>s. d.</i>
Acid Acetylsalicylic ..	7 6	8 2	10 10	Gentian Alkaline	7 4	7 9	10 0
Acid Acetylsal. Compound	7 11	8 9	12 2	Iron and Nux Vomica ..	7 5	7 9	10 0
Acid Acetyl. and Codeine Co.	8 9	9 11	14 10	Kaolin Alkaline	7 2	7 6	9 0
Acid Acetyl. and Morphine	8 4	9 3	13 10	Kaolin and Opium	7 10	8 7	11 11
Acid Acetyl. and Phenobarb.	7 8	8 5	11 5	Lobelia and Stramonium ..	8 5	9 6	13 7
Acid Hydrochloric Dilute ..	9 6	11 2	19 0	Magnesium Carbonate ..	7 5	7 9	9 7
Aluminium Hydroxide ..	9 6	11 2	18 9	Magnesium Sulphate ..	7 0	7 4	8 11
Aluminium Hydrox. with				Magnesium Trisilicate ..	7 3	7 6	9 1
Belladonna	9 8	11 5	19 3	Paraldehyde	9 3	10 8	17 7
Aluminium Hydroxide with				Phenobarb. and Bromide ..	7 4	7 10	10 3
Kaolin	10 0	11 10	20 6	Potassium Bromide	7 4	7 10	10 0
Aluminium Hydrox. and				Pot. Brom. Phenobarbitone			
Kaolin with Opium ..	10 3	12 3	21 5	with Belladonna	7 2	7 6	9 5
Alum. Hyd. with Procaine	10 6	12 8	22 9	Potassium Bromide and Nux			
Aluminium Hydroxide with				Vomica	7 3	7 8	9 6
Kaolin and Pectin ..	10 1	12 0	21 0	Potassium Citrate	7 5	8 1	11 3
Ammonium Acetate ..	8 7	9 9	15 9	Potassium Citrate Acid ..	8 1	9 1	13 7
Calcium Acetylsalicylate ..	7 6	8 0	10 8	Potassium Citrate with			
Camphorated Opium ..	7 6	8 0	11 2	Hyoscyamus	7 3	7 7	9 8
Chalk and Kaolin ..	7 6	8 1	10 9	Potassium Iodide	7 9	8 5	11 4
Chloral Hydrate ..	7 8	8 4	11 10	Rhubarb and Soda	7 10	8 5	11 1
Chloral and Bromide ..	7 11	8 7	12 7	Senega and Ammonia ..	8 2	9 1	13 3
Colchicum and Acid				Sodium Bicarbonate ..	6 11	7 2	8 6
Acetylsalicylic	7 11	8 9	12 7	Sodium Salicylate	7 4	7 11	10 6
Colchicum and Sodium Sal.	8 8	9 1	13 3	Succinylsulph. and Kaolin	13 2	16 7	33 10
Disodium Hydrogen Citrate	7 5	8 0	11 0	Strychnine	7 0	7 4	8 9
Expectorant	8 1	8 8	12 0	Urea	9 0	10 4	16 11
Gentian Acid	7 4	7 10	10 4				

PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH	
	1/4 fl. oz.	
Nasal Instillations	<i>s.</i>	<i>d.</i>
Adrenaline	7	1
Adrenaline and Ephedrine ..	7	4
Chlorbutol	6	11
Ephedrine	6	11
Ephedrine (Oily)	7	0
Sulphadiazine Compound ..	7	10

	1 oz.	2 oz.	3 oz.
	<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>
Ointments			
Acid Benzoic Compound ..	7 7	9 5	11 1
Acid Salicylic	8 1	10 5	12 7
Ammoniated Mercury B.P.	7 7	9 5	11 1
Benzocaine Compound ..	9 8	13 7	16 8
Cod Liver Oil and Acriflavine	7 6	8 11	10 4
Emulsifying B.P.	8 0	10 3	12 4
Hamamelis B.P.	9 6	13 3	16 10
Iodine Non-staining B.P.C.	7 6	9 3	10 10
Paraffin B.P.	7 4	8 11	10 4
Resorcinol Compound ..	8 2	10 3	12 0
Simple	7 5	9 1	10 7
Sulphur B.P.	7 8	9 7	11 4
Wool Alcohols B.P. ..	7 8	9 7	11 4
Zinc B.P.	7 5	9 1	10 7
Zinc Ox. and Castor Oil B.P.	7 5	9 1	10 7
Zinc Undecenoate B.P. ..	11 4	16 11	22 4


PRESCRIPTION NAME	PRICE PAYABLE BY COMMONWEALTH	
	1/2 fl. oz.	
Paints	<i>s.</i>	<i>d.</i>
Acid Salicylic	6	5
Crystal Violet Compound ..	6	6
Ichthammol	6	9
Iodine Compound	6	10
Magenta and Resorcinol ..	6	9


	1 oz.	2 oz.	3 oz.
	<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>
Pastes			
Gelatin (Unna's)	7 9	9 9	11 7
Zinc Oxide and Acid Salicylic	7 5	9 1	10 7
Zinc Oxide and Coal Tar ..	6 8	7 4	8 1

	2 oz.	3 oz.
	<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>
Powders		
Antacid	7 2	7 9
Calcium and Kaolin ..	7 6	8 1
Kaolin Compound	7 7	8 4
Mag. Trisil. with Belladonna	8 5	9 6

	2 fl. oz.	3 fl. oz.
	<i>s.</i> <i>d.</i>	<i>s.</i> <i>d.</i>
Soap		
Spirit	7 11	8 10
Solutions		
Benedict's Qualitative ..	7 5	8 0
Cetrimide	6 7	6 10
Iodine Weak B.P.	9 0	10 6
Iodine Aqueous B.P. ..	9 4	11 0

	2 fl. oz.
	<i>s.</i> <i>d.</i>
Syrups	
Iron Phosphate Co. B.P.C...	7 9







DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS

SECTION 2—SCHEDULE OF BENEFITS (PART 1)

(Effective from 1st February, 1963)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
1	ACETARSOL					
	Injection 2 cc. amp... ..		10	1	0 13 4	MB
	3 cc. amp... ..		10	1	0 17 8	MB
	Oral Tablet, B.P.C. 250 mg. (4 gr.) tab. ..		25	2	*0 9 3	MB
	Pessaries 250 mg. (4 gr.)		25	1	0 8 4	MB
					0 12 4	BA
2	ACETAZOLAMIDE					
	Oral Tablet, B.P. 250 mg. tab.		50	4	3 0 5	LE
					(ex 250)	
					3 4 4	LE
					(ex M.P.)	
42	ACETAZOLAMIDE SODIUM PARENTERAL					
	Injection 500 mg. vial		1	..	1 19 0	LE
3	ACETOMENAPHTHONE					
	Oral Tablet, B.P. 5 mg. tab.		100	2	0 8 4	AD, BD, DH, KL, PR, RT(v), SI, TO
	10 mg. tab.		100	2	0 11 0	AD, BD, CM, GL, HY(QNVTW), KL PR, RO, RT(v), SI, TO

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
4	ACETYLSALICYLIC ACID					
	Mixture, P.L.		8 fl. oz.	4	0 8 6	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 7 5	Extemp.
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		100	2	0 5 5	AD, DH, HY(QNVTW), KL, PR, RT(V), RY, SI, SL, TO
	Oral Tablet Soluble, B.P. 300 mg. (5 gr.) tab.		100	2	0 8 5	CO, DH, HY(QNVTW), IQ, MG, PR, RY, TO, VR
					0 8 10	RC
					0 9 0	BW, KL, NB
					0 9 1	HA
					(ex 500)	
					0 10 8	BW, CO, DH, HA, HY(QNVTW), IQ, KL, MG, NB, PR, RC, RY, TO, VR
	Oral Tablet 150 mg. (2.5 gr.) tab.		100	2	0 6 4	WO
					0 7 0	KL
	Oral Tablet Soluble 150 mg. (2.5 gr.) tab. ..		100	2	0 9 8	KL, NB
5	ACETYLSALICYLIC ACID COMPOUND					
	Mixture, P.L.		8 fl. oz.	4	0 9 4	Extemp.
	Mixture for Children, P.L.		4 fl. oz.	4	0 8 1	Extemp.
	Oral Tablet, A.P.F.		100	2	0 6 7	AD, DH, KL, PR, RT(V), RY, SI, SL
	Oral Tablet, B.P.C.		100	2	0 6 8	DH, FA, KL, RY, TO
	Oral Tablet Soluble		100	2	0 9 3	MG
					0 10 2	CO, RC
					(ex 500)	
					0 11 0	CO, MG
					0 12 4	RC
					(ex M.P.)	

5—continued

Oral Tablet with Phenacetin, Caffeine and Phenobarbitone						
250 mg.—250 mg.—25 mg. tab.	..	100	2	0 12 4	CO	
(4 gr.—4 gr.—3/8 gr.—3/8 gr.)	..			0 13 8	KL, NS	
Oral Tablet with Phenacetin, Caffeine and Quinalbarbitone						
225 mg.—150 mg.—25 mg. tab.	..	100	2	0 16 4	KL, RD	
(3.5 gr.—2.5 gr.—3/8 gr.—3/8 gr.)	..					
6 ACETYSALICYLIC ACID AND CODEINE COMPOUND						
Mixture, P.L.		8 fl. oz.	4	0 10 9	Extemp.	
7 ACETYSALICYLIC ACID AND MORPHINE						
Mixture, P.L.		8 fl. oz.	4	0 9 11	Extemp.	
8 ACETYSALICYLIC ACID AND PHENOBARBITONE						
Mixture, P.L.		8 fl. oz.	4	0 8 10	Extemp.	
10 ACETYSALICYLIC ACID WITH BROMIDE						
Mixture for Children, P.L.		4 fl. oz.	4	0 7 7	Extemp.	
12 ADRENALINE						
Eye Drops 1% ..		†1	6	1 14 4	AN	
Spray with Atropine Methonitrate, P.L.	..	1/2 fl. oz.	2	0 13 7	Extemp.	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
13	ADRENALINE HYDROCHLORIDE SOLUTION, B.P. 1953					
	Nasal Instillation, P.L.		1/2 fl. oz.	2	0 7 5	Extemp.
	Nasal Instillation with Ephedrine Hydrochloride, P.L.		1/2 fl. oz.	2	0 7 8	Extemp.
14	ADRENALINE ACID TARTRATE					
	Injection, B.P. 1 in 1,000, 1 cc. amp. ..		6	1	0 9 0	AD, BL, BT, BW, DH, FH, KL, PD
	1 in 1,000, 10 cc. amp. ..		1	1	0 7 0	BW, BX, FH, PD
	Solution, B.P. 1 in 1,000, 25 cc. ..		1	..	0 6 11	BW
	1 in 1,000, 1 fl. oz. ..		1	..	0 6 11	BX, RT(v)
					0 9 0	PD
	Solution 1 in 100, 7 cc. vial ..		1	1	0 6 11	BW, PD
43	ADRENALINE MUCATE					
	Injection 1 cc. amp... ..		6	1	*0 14 5	GL
16	ALOES					
	Pill Aloes and Nux Vomica, B.P.C. ..		50	1	*0 5 3	TO
					*0 6 8	DH
17	ALOXIDONE					
	Oral Capsule 300 mg. cap. ..		200	1	*3 19 6	BS
18	ALUMINIUM ACETATE					
	Lotion (Solution, B.P.C.) ..		8 fl. oz.	4	0 14 8	Extemp.

19	ALUMINIUM HYDROXIDE									
	Oral Tablet, B.P.	300 mg. (5 gr.) tab.	..		100	2	0 12 8	HY(QNVTW), KL, PR, RT(V)		
							0 13 0	WY		
							*0 13 8	AN, HA, RD, SL		
	Oral Tablet	600 mg. (10 gr.) tab...	..		100	2	0 15 11	KL		
							0 17 0	CO, WY		
							*0 17 8	HA		
44	ALUMINIUM HYDROXIDE GEL									
	Mixture	8 fl. oz.	..	..	..	‡1	4	0 7 9	CH(QNW), WD(N)	
								0 8 3	DH, WY	
	Mixture with Light Magnesia	8 fl. oz.	..			‡1	4	0 8 3	PR, WY	
	Mixture, A.P.F.	..	..	..	8 fl. oz.	4	0 12 8	Extemp.		
	Mixture with Belladonna, P.L.	..	..	..	8 fl. oz.	4	0 13 0	Extemp.		
	Mixture with Kaolin, P.L.	..	..	..	8 fl. oz.	4	0 13 7	Extemp.		
	Mixture with Kaolin and Opium, P.L.	..	..	..	8 fl. oz.	4	0 14 2	Extemp.		
	Mixture with Kaolin and Pectin, P.L.	..	..	..	8 fl. oz.	4	0 13 10	Extemp.		
	Mixture with Procaine, P.L.	..	..	..	8 fl. oz.	4	0 14 8	Extemp.		
49	ALUMINIUM HYDROXIDE GEL DRIED									
	Oral Tablet of Aluminium Hydroxide Mag-	nesium Carbonate Co-dried Gel 375 mg...			100	2	0 17 0	BD		
	Oral Tablet with Magnesium Trisilicate and	Magnesium Hydroxide (250 mg.-120 mg.								
	120 mg. (4 gr.-2 gr.-2 gr.) tab.	..	..	..	100	2	0 0 0	BW, FM, GP, HA, VR		
							(ex 500)			
							0 16 4	BW, FM, GP, HA, VR		
	Oral Tablet with Magnesium Trisilicate						(ex M.P.)			
	250 mg.-500 mg.	..	..	..	100	2	0 14 4	WW		
	Oral Tablet with Magnesium Hydroxide									
	300 mg.-90 mg.	..	..	..	100	2	*0 14 6	WY		
45	ALUMINIUM POWDER, B.P.C.									
	Compound Paste, B.P.C.	..	..	..	1920 gr.	1	1 1 8	BT		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
21	AMINACRINE HYDROCHLORIDE					
	Cream, P.L.		1920 gr.	1	0 11 0	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 0	Extemp.
	Eye Drops 3 mg. (0.05 gr.) per 1/2 fl. oz. 1/2 fl. oz.		†1	2	0 10 7	IQ, KL
	Lotion, P.L.		8 fl. oz.	4	0 8 5	Extemp.
22	AMINOPHYLLINE					
	Injection 480 mg. per 2 mil., I.M. amp...		6	..	0 13 0	AD, BX
	500 mg. per 2 mil., I.M. amp...		6	..	0 13 0	BW, CM, FH, HA
	240 mg. per 10 mil., I.V. amp...		6	..	0 17 8	BX, HA
	250 mg. per 10 mil., I.V. amp...		6	..	0 17 8	AD, BW, CM, FH
	Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. ..		100	2	0 5 2	HY(QNVTW), PR
					0 6 3	MG, SL
					0 6 10	AD, DH, FA, HA, KL, RT(✓), RY, SI, TO
					0 7 4	BW
					(ex 500)	
					0 6 4	HY(QNVTW), PR
					0 7 5	AD, BW, DH, FA, HA, KL, MG,
					(ex M.P.)	RT(✓), RY, SI, SL, TO
	150 mg. (2.34 gr.) tab. ..		100	2	0 19 0	AB
	Oral Tablet with Phenobarbitone					
	100 mg.-30 mg. (1.5 gr.-1/2 gr.) tab. ..		100	2	0 7 8	AD, CM, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(✓), RY, SI, SL, TO

22—continued

100 mg.-15 mg. (1.5 gr.-1/4 gr.) tab. ..		100	2	0 7 4	AD, CM, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
Suppository 175 mg. (2.75 gr.)		12	1	0 9 0	HA, KL
250 mg. (4 gr.)		12	1	0 12 0	AN, DH, HA, KL
400 mg. (6 gr.)		12	1	0 12 0	HA, KL
Aminophylline, Ephedrine Hydrochloride and Amylobarbitone					
Oral Tablet					
130 mg.-25 mg.-25 mg. tab.		100	2	0 0 0 (ex 500)	CK, CO, HA, KL, VR
				0 19 8	PT
				1 3 0	CO, VR
				1 13 8 (ex M.P.)	CK, HA, KL
Oral Tablet, enteric coated					
130 mg.-25 mg.-25 mg. tab.		100	2	1 6 4	CO
				1 13 8	LY
Oral Capsule					
130 mg.-25 mg.-25 mg. cap.		100	2	1 13 8	LY, PF
46 AMIPHENAZOLE HYDROBROMIDE, A.P.F.					
Injection 20 mg. vial (solvent required) ..	D	12	..	*1 8 4	BX
23 AMIPHENAZOLE HYDROCHLORIDE, A.P.F. 1955					
Injection 30 mg. vial (solvent required) ..	D	12	..	2 11 8	NS
Oral Tablet 20 mg. tab.	D	100	..	0 11 11	NS
24 AMMONIATED MERCURY					
Ointment, B.P.		1920 gr.	1	0 12 4	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
25	AMMONIUM ACETATE, STRONG SOLUTION, B.P. 1953 Mixture, P.L.		8 fl. oz.	4	£ s. d. 0 10 9	Extemp.
26	AMMONIUM CHLORIDE Oral Tablet, B.P.C. 500 mg. (7.5 gr.) tab. . .		25	3	*0 5 3 0 5 4	QE(QNVS), TO HY(QNVTW)
27	AMODIAQUINE BASE Oral Tablet Amodiaquine Hydrochloride, B.P. equivalent to 200 mg. base		100	2	1 19 0	PD
28	AMPHETAMINE SULPHATE Oral Tablet, B.P. 5 mg. tab.		100	2	0 6 8 0 7 0 0 7 5	PR, TO, RT(V) MG DH, FA, HY(QNVTW), KL, PR, QE(QNVS), RY
29	AMPHOTERICIN B Injection 50 mg. vial	D	1	..	1 19 8	SQ
30	AMYLOBARBITONE, B.P. Oral Tablet 15 mg. (1/4 gr.) tab. . . 30 mg. (1/2 gr.) tab. . .		50 50	2 2	0 7 0 0 7 7 0 7 11 0 8 7	HY(QNVTW), PT FA, GP, HA, KL, LY HY(QNVTW), PR, PT FA, GP, HA, KL, LY, VR

30—continued

				50	2	0 8 9	HY(QNVTW), PR, PT	
						0 9 8	DF, FA, GP, HA, KL, LY, MG, VR	
100 mg. (1.5 gr.) tab. ..				50	2	0 0 0	AD, DF, DH, FA, GP, HA,	
						(ex 250)	HY(QNVTW), KL, LY, MG, PR,	
							PT, QE(QNVS), RT(V), RY, SI, SL,	
							TO, VR	
						0 9 5	HY(QNVTW), PR, PT, RT(V)	
						0 10 4	AD, DF, DH, FA, HA, KL, MG,	
							QE(QNVS), SI, SL, TO	
						0 12 4	VR	
						0 13 0	GP, RY	
						0 13 8	LY	
						(ex M.P.)		
31 AMYLOBARBITONE SODIUM								
Oral Capsule, B.P. 65 mg. cap.				50	2	0 10 9	LY	
200 mg. (3 gr.) cap.				50	1	0 0 0	FA, LY	
						(ex 250)		
						0 14 4	FA	
						1 4 0	LY	
						(ex M.P.)		
Injection, B.P.								
125 mg. amp. (solvent required)				6	..	1 7 8	LY	
250 mg. amp. (solvent required)				6	..	*1 9 6	LY	
500 mg. amp. (solvent required)				6	..	*2 3 0	LY	
1 G. amp. (solvent required)				6	..	*3 5 6	LY	
47 ANDROSTANOLONE								
Oral Tablet 25 mg. tab.				D	100	2	9 18 5	DF
							11 0 4	MN

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
32	ANEURINE HYDROCHLORIDE				£ s. d.	
	Injection, B.P. 25 mg. per cc., 1 mil. amp.		6	1	0 11 8	FH
					0 13 0	BD
	30 mg. per cc., 1 mil. amp.		6	1	0 15 8	BX
	50 mg. per cc., 1 mil. amp.		6	1	0 17 0	AB, BL, FH, FM, KL
	50 mg. per cc., 2 mil. amp.		6	1	0 19 0	BD
	100 mg. per cc., 1 mil. amp.		6	1	0 19 0	BX, FH, KL
	50 mg. per cc., 10 mil. vial		1	1	0 12 4	BX, FA, FH, FM, GL, KL, PD
	100 mg. per cc., 10 mil. vial		1	1	0 15 0	BX, CM, DH, FA, FH, FM, GL, KL, PD, VR
	Oral Tablet, B.P. 20 mg. tab.	P	100	2	0 9 8	AN, CM, HY(QNVTW), KL, MG, PR, RT(V), RY, SL, TO
	25 mg. tab.	P	100	2	0 11 0	AD, AN, DH, FA, FM, HY(QNVTW), KL, PR, MG, RY, SI, SL, TO
	50 mg. tab.	P	100	2	0 13 8	AD, AN, DH, FA, FM, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
	100 mg. tab.	P	100	2	0 19 0	AN, DH, FM, HY(QNVTW), KL, MG, PR, QE(QNVS), RT(V), RY, SL
	120 mg. tab.	P	100	2	1 1 8	HY(QNVTW), KL, MG, PR, SL
33	ANTACID POWDER					
	Powder, P.L.		1920 gr.	2	0 8 2	Extemp.

34 ANTAZOLINE HYDROCHLORIDE

Injection 100 mg. per 2 cc. amp.

Oral Tablet, B.P. 100 mg. tab.

Eye Drops with Naphazoline 1/2 fl. oz. ..
10 mil. ..

10

..

*1 1 8 CB

*1 2 0 BT

0 13 8 CB

0 7 0 TO

0 8 4 CB

35 ANTIMONY POTASSIUM TARTRATE

Injection, B.P. 1%, 5 cc. amp.

6

1

0 13 8 BX

36 AQUEOUS CREAM

Cream, B.P.

1920 gr.

1

0 11 1 Extemp.

37 ASCORBIC ACID

Oral Tablet, B.P. 10 mg. tab. P

25 mg. tab. P

50 mg. tab. P

100 mg. tab. P

250 mg. tab. P

500 mg. tab. P

100

2

0 5 7

HY(QNVTW), RT(V)

100

2

0 5 8

AD, DH, FA, FM, HY(QNVTW), KL,

MG, PR, RT(V), RY, SI, TO

100

2

0 7 4

AD, AN, DH, FA, FM, GL,

HY(QNVTW), KL, MG, NY, PR,

RT(V), RY, SI, SL, TO

100

2

0 10 0

AN, DH, HY(QNVTW), KL, MG, PR,

QE(QNVS), RT(V), RY, TO

100

2

0 15 0

AD, AN, DH, FA, FM, HY(QNVTW),

KL, MG, NY, PR, RT(V), RY, SI,

SL, TO

0 15 8

GL

1 5 0

HY(QNVTW), KL, MG

38 ATROPINE

Eye Drops, Oily 1% 1/2 fl. oz.

1

2

0 13 0 IQ, SI

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
£ s. d.						
39	ATROPINE METHONITRATE					
	Mixture for Children, P.L.		4 fl. oz.	4	0 13 4	Extemp.
	Solution 0.6%, 1/2 fl. oz.		1	..	0 9 8	BA
	Oral Tablet 1 mg. tab.		50	2	0 14 4	BA
40	ATROPINE SULPHATE					
	Hypo. Tablet, B.P.					
	1/200 gr. hypo. tab. (solvent required) ..		20	1	0 5 0	PD
	1/150 gr. hypo. tab. (solvent required) ..		20	1	0 5 0	DH, FA, PD
	1/100 gr. hypo. tab. (solvent required) ..		20	1	0 5 4	DH, FA, PD
	Injection, B.P. 1/150 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BT, BX, FH, KL
	1/100 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BT, BX, FH, KL
	1/100 gr. per cc., 10 cc. vial		1	..	0 9 8	BX, FA, FH
	1/50 gr. per cc., 1 cc. amp.		6	1	0 9 8	BL, BX, FH, KL
	Eye Drops, 1/2%, 1/2 fl. oz.		†1	2	0 11 0	AN, DH, IQ, KL, SI
	1%, 1/2 fl. oz.		†1	2	0 12 0	AN, DH, IQ, KL, SI
	Eye Ointment, B.P. 4 G. (60 gr.)		†1	..	0 6 4	PD
41	AUROTHIOGLUCOSE					
	Injection, Oily 10 mg. amp.		1	3	0 6 3	SC
	25 mg. amp.		1	3	0 7 7	SC
	50 mg. amp.		6	..	*1 13 6	SC
	100 mg. amp.		6	..	*2 2 6	SC
83	BACITRACIN					
	Eye Drops 15,000 U. and 15 mil. amp. of solvent		†1	2	†0 19 10	AN, IQ

84	BARBITONE COMPOUND, A.P.F. 1955								
	Oral Capsule, A.P.F. 1955	..	..			50	1	1 13 8	AN, KL
								1 18 4	AB
85	BARBITONE SODIUM								
	Oral Tablet, B.P.	300 mg. (5 gr.) tab.	..			50	2	0 9 4	DH, KL, MG, SL
		500 mg. (7.5 gr.) tab.	..			50	2	0 10 0	DH, FA, KL
								0 11 0	TO
								0 11 4	MG
86	BELLADONNA								
	Compound Suppository	..	..	..		12	1	0 7 11	WY
87	BEMEGRIDE								
	Injection, B.P.	30 mil. vial	..	..	D	6	..	5 16 0	NS
106	BENDROFLUAZIDE								
	Oral Tablet	2.5 mg. tab.	..	..		50	2	1 2 8	AN, BT, GL
		5 mg. tab.	..	..		50	2	1 13 4	AN, BT, GL
88	BENEDICT'S QUALITATIVE SOLUTION								
	Solution, P.L.	..	..	..		4 fl. oz.	1	0 8 7	Extemp.
102	BENZALKONIUM CHLORIDE								
	Cream, 0.01%	2 oz.	..	..		1	1	0 7 5	CA
	Compound Suppository	..	..	..		12	1	0 11 8	FA
89	BENZHEXOL HYDROCHLORIDE								
	Oral Tablet, B.P.	2 mg. tab.	..	..		100	2	1 1 4	LE, WL
		5 mg. tab.	..	..		100	2	2 1 4	LE, WL

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
90	BENZOCAINE					
	Dusting Powder, P.L.		1920 gr.	1	0 14 4	Extemp.
	Compound Ointment with Hamamelis and Zinc, P.L.		1920 gr.	1	1 0 1	Extemp.
	Compound Ointment with Adrenaline ..		960 gr.	1	0 13 0	GP
	Compound Suppository with Adrenaline ..		12	1	0 10 7	GP
	Suppository with Adrenaline, A.P.F. 1955 ..		12	1	0 13 0	AN, DH, KL
91	BENZOIC ACID					
	Compound Ointment, A.P.F. 1955		1920 gr.	1	0 12 4	Extemp.
92	BENZOIN COMPOUND TINCTURE					
	Inhalation, P.L.		2 fl. oz.	1	0 13 11	Extemp.
93	BENZYL BENZOATE					
	Application, 25% 4 fl. oz.		1	1	0 9 8	EV
	Application with Dicophane, P.L.		4 fl. oz.	1	0 10 6	Extemp.
103	BEPHENIUM HYDROXYNAPHTHOATE					
	Oral Sachet 5 G. sachet		1	..	0 7 5	BW
109	BETAMETHASONE					
	Oral Tablet 0.5 mg. tab.	AD	30	..	1 11 0	GL, SH
110	BETAMETHASONE PHOSPHATE					
	Eye Drops, 0.1%, 5 mil.. .. .		‡1	2	1 3 0	GL, SH

94	BISMUTH CARBONATE, B.P. 1953 Compound Mixture for Children, P.L. ..	4 fl. oz.	4	0 10 0	Extemp.
95	BISMUTH GLYCOLLYLARSANILATE Oral Tablet 500 mg. tab.	25	2	0 19 0	WL
104	BISMUTH SODIUM TARTRATE Injection, B.P. 60 mg. per cc., 10 cc. vial	1	..	1 3 0	FA
97	BISMUTH SUBGALLATE, B.P.C. Suppository, B.P.C. 300 mg. (5 gr.) ..	12	1	0 8 1	DH
	Compound Suppository, B.P.C.	12	1	0 8 3	DH, WW
				0 13 8	KL
98	BORIC ACID Ear Drops, P.L.	1/2 fl. oz.	2	0 6 10	Extemp.
	†Powder, B.P. 4 oz.	1	..	0 1 3	WD(N)
				0 1 8	FA
				0 2 0	SI(v)
				0 2 3	DH
105	BRETYLIUM TOSYLATE Oral Tablet 200 mg. tab.	100	2	4 6 4	BW
108	BROWN SNAKE ANTI-VENENE Injection 500 U. amp.	2	1	*14 3 0	CS
99	BUSULPHAN Oral Tablet, B.P. 0.5 mg. tab.	D 100	2	0 19 8	BW
	2 mg. tab.	D 100	2	1 4 4	BW
107	BUTABARBITAL SODIUM Oral Tablet 15 mg. tab.	50	2	0 8 2	AN
				(ex 250)	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
107—continued					£ s. d.	
	30 mg. tab. 		50	2	0 9 5 (ex M.P.) 0 9 5 0 9 9 (ex 250) 0 11 7 (ex M.P.)	AN AN AN AN AN
	100 mg. tab. 		50	2	0 16 7	AN
100	BUTOBARBITONE Oral Tablet, B.P. 100 mg. (1.5 gr.) tab. . .		50	2	0 0 0 (ex 250) 0 6 11 0 7 0 0 7 4 0 7 8 (ex M.P.)	AD, DH, KL, MG, RT(v), SI, SL, MB, RY, GP AD, DH, KL, MG, RT(v), SI, SL MB RY GP
101	BUTYL AMINOBENZOATE, B.P. 1953 Cream with Trinitrophenol, P.L. 		1920 gr.	1	0 12 8	Extemp.
120	CALAMINE Cream, P.L. Lotion, P.L. Compound Liniment, P.L. 		1920 gr. 8 fl. oz. 4 fl. oz.	1 4 1	0 8 10 0 8 0 0 7 8	Extemp. Extemp. Extemp.

121	CALCIFEROL								
	Oral Tablet, B.P. 50,000 U. tab. . .	..	ADG	100	2	1 4 0	GL, RL		
	Solution 3,000 U. per mil., 25 mil. . .	..	CP	1	..	0 6 1	BD		
	3,000 U. per mil., 100 mil. . .	..	CP	1	..	0 9 8	BD		
122	CALCIUM ACETYLSALICYLATE								
	Mixture, P.L.	..		8 fl. oz.	4	0 8 3	Extemp.		
128	CALCIUM AMINOSALICYLATE, B.P.C.								
	Cachet 1.5 G. cachet	..	D	200	2	3 5 8	AN, KL, WA		
	2.0 G. cachet	..	D	200	2	4 5 8	KL, WA		
	Oral Tablet 500 mg. (7.5 gr.) tab. . .	..	D	200	2	1 0 8	AN, KL, RY, WA		
	Granules 100 G. tin	..	D	1	1	1 16 8	WA		
	400 G. tin	..	D	1	1	5 19 8	WA		
123	CALCIUM AUROTHIOMALATE								
	Injection 10 mg. amp.	..		1	3	0 7 9	CK		
	25 mg. amp.	..		1	3	0 8 4	CK		
	50 mg. amp.	..		6	..	1 12 4	CK		
	100 mg. amp. (solvent required)..	..		6	..	2 4 1	CK		
125	CALCIUM CARBONATE								
	Powder with Kaolin, P.L.	..		1920 gr.	2	0 8 9	Extemp.		
126	CALCIUM GLUCONATE								
	Injection, B.P. 10% Solution, 10 mil. amp.			6	1	0 15 0	BX, FH, TH		
	Oral Tablet, B.P.C. 600 mg. (10 gr.) tab. . .	..		100	2	0 7 8	AD, DH, FA, HY(QNVTW), PR,		
							RT(V), SI, SL		
						0 8 4	MG, RY, TO		
127	CALCIUM LACTATE								
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. . .	..		100	2	0 6 4	AD, DH, FA, HY(QNVTW), KL,		
							RT(V), RY, SI, SL, TO		

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
129	CAMPBOR Liniment for Children, P.L.		4 fl. oz.	1	0 10 5	Extemp.
130	CAMPHORATED TINCTURE OF OPIUM Mixture, P.L.		8 fl. oz.	4	0 8 6	Extemp.
	Linctus, P.L.		8 fl. oz.	4	0 14 9	Extemp.
	Linctus for Children, P.L.		4 fl. oz.	4	0 10 8	Extemp.
131	CARAMIPHEN HYDROCHLORIDE Oral Tablet 50 mg. tab.	D	100	2	*2 5 0	GE
132	CARBACHOL Injection, B.P. 0.25 mg. per 1 cc. amp. ..		6	..	0 9 8	BD, FH
133	CARBARSONE Oral Tablet. B.P. 250 mg. tab.		20	1	0 6 9	MB
134	CARBIMAZOLE Oral Tablet, B.P. 5 mg. tab.		100	2	1 6 8 1 12 4	PT BS
186	CARBINOXAMINE MALEATE Oral Tablet 4 mg.		50	1	0 15 8	AN
135	CARBROMAL Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..		50	2	0 8 8 0 9 8	DH, KL, MG BA, GP
136	CARMINATIVE MIXTURE Mixture for Children, P.L.		4 fl. oz.	4	0 7 2	Extemp.

137 CASCARA	Oral Tablet, B.P.	200 mg. (3 gr.) tab.	..	25	3	0 5 0	AD, DH, FA, HY(QNVTW), PD RT(V), SI, SL
		300 mg. (5 gr.) tab.	..	25	3	0 5 5	AD, DH, FA, HY(QNVTW), PD RT(V), SI, SL, TO
	†Liquid Extract, B.P.	1 fl. oz.		1	1	0 1 11	DH, WD(N)
		2 fl. oz.		1	1	0 3 0	DH, WD(N)
138 CASTOR OIL	†5 oz.			1	..	0 2 6	WD(N)
						0 3 3	DH
						0 3 6	FA
139 CETRIMIDE	Cream, P.L.			1920 gr.	1	0 10 5	Extemp.
	Solution, P.L.			4 fl. oz.	1	0 7 1	Extemp.
140 CHALK	Mixture with Kaolin, P.L.			8 fl. oz.	4	0 8 6	Extemp.
141 CHARCOAL	Oral Tablet	300 mg. (5 gr.) tab.		100	2	0 8 4	HY(QNVTW), QE(QNVBS), RT(▼) AD, AN, BW, SI, TO
						0 9 8	
143 CHLORAL HYDRATE	Mixture, P.L.			8 fl. oz.	4	0 8 11	Extemp.
	Mixture with Potassium Bromide, P.L.			8 fl. oz.	4	0 9 4	Extemp.
	Mixture with Potassium Bromide for Children, P.L.			4 fl. oz.	4	0 8 6	Extemp.
144 CHLORAMBUCIL	Oral Tablet	2 mg. tab.	 D	100	2	3 9 8	BW
		5 mg. tab.	 D	100	2	6 9 8	BW

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
145	CHLORAMPHENICOL				£ s. d.	
	Oral Suspension 125 mg. per 4 cc., 60 cc.	CD	‡1	..	1 3 0	PD
	Injection 250 mg. per cc., 2 cc. amp. ..	D	6	..	1 16 8	PD
	1 G. vial (solvent required) ..	D	3	..	*2 14 0	PD
	Ear Drops 6 mil.		‡1	2	0 15 4	PD
	Eye Drops 25 mg. and 10 cc. solvent ..		‡1	2	‡0 16 10	PD
	Eye Ointment, 1% 4 G. (60 gr.)		‡1	..	0 6 11	PD
	Oral Capsule, B.P. 125 mg. cap.	D	16	..	1 2 0	PD
	250 mg. cap.	D	16	..	1 16 7	PD
					(ex 100)	
					1 17 4	PD
					(ex M.P.)	
146	CHLORAZANIL					
	Oral Tablet 25 mg. tab.		50	2	0 15 0	RK, SI
	150 mg. tab.		50	2	1 14 0	RK, SI
147	CHLORBUTOL					
	Nasal Instillation, P.L.		1/2 fl. oz.	2	0 7 1	Extemp.
148	CHLORCYCLIZINE HYDROCHLORIDE					
	Oral Tablet, B.P. 50 mg. tab.		50	1	0 0 0	AB, BW
					(ex 250)	
					0 17 0	AB, BW
					(ex M.P.)	
181	CHLORHEXIDINE GLUCONATE SOLUTION					
	Solution, 5% 100 cc.		‡1	1	0 15 0	IC

149	CHLORMERODRIN								
	Oral Tablet	18.3 mg. tab.	..	..	..	25	2	0 9 8	PD
183	CHLOROBENZOL DISULPHONAMIDE								
	Oral Tablet	200 mg. tab.	..	..	..	50	2	2 7 0	NS
150	CHLOROQUINE BASE								
	Oral Tablet	Phosphate or Sulphate, B.P. equivalent to 150 mg. base				100	2	1 10 3	AN, BA, DH, EV, FB, IC, MB, RT(V)
	Injection	Phosphate or Sulphate, B.P.							
		1 mil. amp.	..	..	..	6	1	0 9 8	BX, FH
		2 mil. amp.	..	..	..	6	1	0 12 5	FH
								*0 12 5	MB
		5 mil. amp.	..	..	..	6	1	*0 19 11	MB
								1 0 4	BX, FH
151	CHLOROTHIAZIDE								
	Oral Tablet, B.P.	500 mg. tab.	..	..	..	50	2	1 17 10	MK
								(ex 250)	
								2 3 0	MK
								(ex M.P.)	
152	CHLOROXYLENOL, B.P.								
	†Solution	4 fl. oz.	..	..	..	1	1	0 3 6	FA
								0 4 2	RC
175	CHLORPHENIRAMINE MALEATE								
	Injection	10 mg. per 1 cc. amp...	..			5	..	0 15 9	GL
	Oral Tablet	4 mg. tab.	..	..	..	50	1	0 17 4	SH
								0 17 8	GL
		8 mg. tab.	..	..	..	50	1	1 1 8	GL
								1 7 4	SH
	Syrup	4 fl. oz.	..	..	..	C	†1	4	0 9 8
									GL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
179	CHLORPROMAZINE HYDROCHLORIDE					
	Injection, B.P. 1%, 5 cc. amp.	ADG	10	..	0 19 4	MB
	2.5%, 1 cc. amp.	ADG	10	..	0 12 4	MB
	2.5%, 2 cc. amp.	ADG	10	..	0 16 8	MB
	Oral Tablet, B.P. 10 mg. tab.	ADG	100	2	0 13 8	MB
	25 mg. tab.	ADG	100	2	0 19 8	MB
					(ex 500)	
					1 0 4	MB
					(ex M.P.)	
	50 mg. tab.	ADG	100	2	1 17 0	MB
	Suppositories 100 mg.	ADG	5	1	0 12 8	MB
	Syrup 4 fl. oz.	ADG	‡1	4	0 11 4	MB
153	CHLORPROPAMIDE					
	Oral Tablet 250 mg. tab.		100	2	2 3 0	PF
154	CHLORTETRACYCLINE HYDRO-CHLORIDE					
	Oral Capsule, B.P. 50 mg. cap.	D	25	..	1 4 7	LE
	100 mg. cap.	D	25	..	2 2 4	LE
	250 mg. cap.	D	16	..	3 0 0	LE
	Oral Granules 75 G.	CD	‡1	..	1 14 3	LE
	Eye Ointment, 1% 4 G. (60 gr.)		‡1	..	0 6 4	LE
184	CHLORTHALIDONE					
	Oral Tablet 100 mg. tab.		50	2	2 11 0	GE

155	CHOLERA VACCINE Injection, B.P. 8,000 M. per cc., 1 cc. amp.		3	..	*0 14 0	CS
156	CHORIONIC GONADOTROPHIN, B.P. Injection 1,000 I.U. 1,500 I.U. 5,000 I.U.		6 6 6	1 1 1	3 18 0 *3 9 8 4 8 4 13 3 0 *13 3 0 *16 9 0	RM, SC LP OR OR RM, SC AY, PD
180	CLEMIZOLE HYDROCHLORIDE Oral Tablet 20 mg. tab.		50	1	0 15 8 *0 15 9	GP SC
188	CLEMIZOLE TANNATE Syrup 100 cc.	C	‡1	4	0 9 8	SC
157	COAL TAR SOLUTION Lotion, P.L.		8 fl. oz.	4	0 6 11	Extemp.
158	COCAINE Eye Drops, Oily, 2% 1/2 fl. oz.		‡1	2	0 15 11	IQ, SI
160	CODEINE PHOSPHATE Linctus, P.L. Linctus for Children, P.L. Oral Tablet, B.P. 30 mg. (1/2 gr.) tab. .. Oral Tablet Compound, B.P.		4 fl. oz. 4 fl. oz. 25 100	2 4 3 2	0 14 8 0 11 1 0 8 4 0 9 6 0 9 8	Extemp. Extemp. DH, HY(QNVTW), KL, RT(V), RY, TO AD, AN, CM, CO, DH, FA, HA, HY(QNVTW), KL, MR, PR, RT(V), RY, SI, SL, TO, VR MG

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
160—continued					£ s. d.	
					0 9 10 (ex 500)	BW
					0 9 8	AD, FA, HA, HY(QNVTW), PR, RT(V), RY, SI, TO
					0 11 0 (ex M.P.)	AN, BW, CM, CO, DH, KL, MG, MR, SL, VR
	Oral Tablet Compound Soluble, B.P.		100	2	0 0 0 (ex 500)	BW, DH, HA, IQ, KL, MG, RC, TO
					0 15 0 (ex M.P.)	BW, DH, HA, IQ, KL, MG, RC, TO
	Oral Tablet with Acetylsalicylic Acid Soluble					
	10 mg.—300 mg.		100	2	0 15 0	BW, FM, KL, NB
	10 mg.—500 mg.		100	2	0 16 0	FA
					0 16 8	RC
	Oral Tablet with Acetylsalicylic Acid					
	10 mg.—300 mg.		100	2	0 10 8	HY(QNVTW), KL, NS
					0 11 0	BW, EL
	Oral Tablet with Acetylsalicylic Acid and Phenacetin 10 mg.—250 mg.—250 mg. tab.		100	2	0 0 0 (ex 500)	FA, WW
					0 13 7 (ex M.P.)	FA, WW
	Oral Tablet with Acetylsalicylic Acid, Phenacetin and Caffeine					
	12 mg.—250 mg.—150 mg.—15 mg. tab. (1/5 gr.—4 gr.—2.5 gr.—1/4 gr.) ..		100	2	0 17 0	GP

160—continued

30 mg.-225 mg.-150 mg.-30 mg. tab. (1/2 gr.-3.5 gr.-2.5 gr.-1/2 gr.) ..				50	..	0 0 0 (ex 250) *0 15 6 *0 15 11 (ex M.P.)	BW, GP BW GP	
161	COD LIVER OIL							
	†Cod Liver Oil, B.P.	8 fl. oz.		CP	1	4	0 3 3 0 4 0 0 5 8 0 11 5	WD(N) DH, FA, SI(v) DH, SL, WD(N) Extemp.
	†Emulsion, 50%	16 fl. oz.		CP	1	4		
	Ointment with Acriflavine, P.L.				1920 gr.	1		
162	COLCHICINE							
	Oral Tablet, B.P.	0.5 mg. (1/120 gr.)	tab.		100	2	0 11 8 0 12 4 *0 13 8	HY(QNVTW), PT BW, DH, EV, IQ, KL, MR RD
164	COLCHICUM TINCTURE							
	Mixture with Acetylsalicylic Acid, P.L.				8 fl. oz.	4	0 9 4	Extemp.
	Mixture with Sodium Salicylate, P.L.				8 fl. oz.	4	0 9 9	Extemp.
165	COLD CREAM							
	Cream, P.L.				1920 gr.	1	0 10 1	Extemp.
166	COLOCYNTH, B.P.C.							
	Oral Pill Compound, B.P.C.				50	1	*0 7 10	DH
167	COPPER SULPHATE							
	Lotion with Zinc Sulphate, B.P.C.				8 fl. oz.	4	0 7 3	Extemp.
	†Diagnostic Tablet Compound	36 tabs.			1	2	0 6 9	AM

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
168	CORTICOTROPHIN							£ s. d.	
	Injection, B.P.	10 I.U. vial	..	..	AD	6	..	1 17 0	CK
								*2 5 9	OR
	Gelatin Injection, B.P.	20 I.U. amp.	..	..	AD	6	..	2 13 0	CS
								4 16 4	CS
		25 I.U. vial	..	..	AD	6	..	3 7 0	CK
								2 19 0	AN
		50 I.U. amp.	..	..	AD	6	..	11 9 8	CS
								*22 3 0	PH, SC
		100 I.U. vial	..	..	AD	6	..	22 3 0	CK, CS
								*40 3 0	SC
		200 I.U. amp.	..	..	AD	6	..	*40 3 0	CK, PH
								*9 3 0	OR
	Zinc Hydroxide Injection, B.P.	40 I.U. vial	..	..	AD	6	..	*11 9 8	OR
								*22 3 0	OR
		50 I.U. vial	..	..	AD	6	..	*22 3 0	OR
								*40 3 0	OR
169	CORTISONE ACETATE								
	Injection, B.P.	25 mg. per cc., 10 cc. vial	..	..	AD	1	..	1 3 8	GL, OR, RL
								2 4 4	AN, MK, SC
								2 4 4	AN, MK
	Oral Tablet, B.P.	5 mg. tab.	..	..	AD	50	..	0 19 8	PT
								1 3 8	AN, MK
								*1 4 10	SC
								3 9 8	PT
								4 6 4	AD, AN, BT, DH, GL, KL, MK, PD, SC, RL
	25 mg. tab.	..	..	AD	40	..	*4 6 4	OR	

169—continued

169—continued	Eye Drops	0.5%	3 mil.	..	..	†1	2	0 13 8	DH
			5 mil.	..	..	†1	2	0 15 8	MK, SH
			10 mil.	..	..	†1	2	0 19 0	AN
		1%	2.5 mil.	..	..	†1	2	0 13 8	CB
			3 mil.	..	..	†1	2	0 15 8	AN, RL
		2.5%	5 mil.	..	..	†1	2	2 8 4	DH, MK
			10 mil.	..	..	†1	2	2 11 0	AN
182	COUGH MIXTURE								
	Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0 9 3	Extemp.
170	CRESOL AND SOAP SOLUTION								
	†Solution, B.P.	4 fl. oz.	..	..	..	1	1	0 2 3	AL(QNVST)
								0 2 6	SI(V)
								0 2 8	DH, WD(N)
171	CRYSTAL VIOLET								
	Ear Drops, P.L.	..	..	..	..	1/2 fl. oz.	2	0 6 10	Extemp.
	Paint Compound, P.L.	..	..	..	..	1 fl. oz.	1	0 6 7	Extemp.
172	CYANOCOBALAMIN EXCLUDING 1,000 MICROGRAMME STRENGTH								
	Injection, B.P.	20 mcg. per 1 cc. amp.	..	..	D	12	1	*0 17 0	BD, BX, FH, GL, KL, WP(NVW)
		50 mcg. per 1 cc. amp.	..	..	D	6	1	0 11 0	BD, BT, BX, DL, FH, GL, WP(NVW)
		50 mcg. per cc., 10 cc. vial	..	..	D	1	..	0 10 4	GL
								0 11 4	FH
		100 mcg. per 1 cc. amp.	..	..	D	6	1	0 12 8	PT
								0 13 8	AN, BD, BT, CM, BX, DL, EV, FH, GL, KL, WP(NVW)
		100 mcg. per cc., 10 cc. vial	..	..	D	1	..	0 14 8	AN, BX, CM, GL, KL, PT
								0 17 8	FH, SQ
		200 mcg. per 1 cc. amp.	..	..	D	1	..	*0 7 10	CM, GL
								0 10 0	BT, FH
								*0 12 1	OR

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
172— <i>continued</i>					£ s. d.	
	500 mcg. amp.	D	1	..	0 6 4 0 7 8 0 14 8	KL GL AR
173	CYANOCOBALAMIN 1,000 MICRO- GRAMME STRENGTH Injection, B.P. 1,000 mcg. per 1 mil. amp.	D	1	..	0 7 9 0 9 0 0 19 8	DF AN, BX, CM, GL, KL AR, BT, DL, FH, HY(QNVTW)
174	CYCLOBARBITONE Oral Tablet, B.P. 200 mg. (3 gr.) tab. ..		50	2	0 13 8 0 16 4 *0 16 7	KL, MG, SL BA, BW, GP HA
187	CYCLOPENTHIAZIDE Oral Tablet 0.5 mg.		50	2	1 9 8	CB
176	CYCLOPHOSPHAMIDE Injection 100 mg. vial Oral Tablet 50 mg. tab... ..		10 50		5 18 0 3 13 0	CM CM
178	CYCLOSERINE	H	..	..	..	
177	CYCRIMINE HYDROCHLORIDE Oral Tablet 1.25 mg. tab. 2.5 mg. tab.		100 100	2 2	1 15 0 2 14 4	LY LY

185	CYPROHEPTADINE								
	Oral Tablet	4 mg. tab.	..	..	..	50	2	0 19 0	MK
230	DAPSONE								
	Oral Tablet, B.P.	50 mg. tab.	..	..	..	100	2	0 7 0	AN
		100 mg. tab.	..	..	..	100	2	0 8 4	IC
231	DARROW'S SOLUTION								
	Injection	1/2 litre	..	..	..	2	..	*1 7 8	BT
		1 litre	..	..	..	2	..	*1 11 8	BT, BX, FH, GL, SJ(W)
282	DEATH ADDER ANTI-VENENE								
	Injection	3,000 U. vial	..	..	..	2	..	*7 3 0	CS
279	DEMECARIUM BROMIDE								
	Eye Drops	0.25% 5 mil...	..		..	‡1	6	0 18 0	AP
		0.5% 5 mil...	..	..	..	‡1	6	1 0 9	AP
267	DEMETHYLCHLORTETRACYCLINE HYDROCHLORIDE								
	Oral Capsule	75 mg. cap.	..	..	..	D 14	..	1 9 0	LE
		150 mg. cap.	..	..	..	D 14	..	2 7 5	LE
								(ex 100)	
								2 12 9	LE
								(ex M.P.)	
	Oral Paediatric Drops								
		60 mg. per cc., 10 cc. vial	..	..	..	CD ‡1	..	1 0 1	LE
	Oral Suspension	75 mg. per 5 cc., 2 fl. oz.				CD ‡1	..	1 10 8	LE
232	DEOXYCORTONE ACETATE								
	Aqueous Injection	5 mg. amp.	..	..	..	D 5	..	*1 18 7	SC
								2 5 0	CB
		50 mg. amp.	..	..	..	D 1	..	*3 7 7	SC
								3 13 0	CB

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
232—continued					£ s. d.	
	Aqueous Suspension Injection 25 mg. amp.	D	1	..	2 1 8	CB
	Injection, B.P. 2 mg. amp.	D	4	..	0 16 4	OR
	5 mg. amp.	D	4	..	1 9 8	CB, OR, SC
	10 mg. amp.	D	4	..	2 9 8	CB, OR, SC
	5 mg. per cc., 5 cc. vial ..	D	1	..	1 16 4	OR
	10 mg. per cc., 10 cc. vial ..	D	1	..	5 14 4	CB, OR
	Implant, B.P. 50 mg. implant	D	1	..	2 9 8	OR
	100 mg. implant	D	1	..	4 9 8	CB, OR
	Oral Tablet 1 mg. tab.	D	40	..	1 15 0	CB, OR
					*1 15 0	SC
	5 mg. tab.	D	20	..	3 7 0	CB
233	DESACETYL-LANATOSIDE-C					
	Injection 0.2 mg. per cc., 2 cc. amp. ..		6	1	0 12 4	SZ
234	DEXAMETHASONE					
	Oral Tablet 0.5 mg. tab.	AD	30	..	2 12 4	GL, LT, MK, OR, RL, SC, SH
273	DEXAMETHASONE SODIUM PHOSPHATE					
	Injection "For Peri- or Intra-Articular Injection" 5 mg. per 1 cc. vial ..		5	..	*4 6 4	OR
	4 mg. per cc., 2 cc. vial ..		5	..	*6 16 4	MK

235	DEXAMPHETAMINE SULPHATE								
	Oral Tablet, B.P.	5 mg. tab.	..	..	100	2	0 6 4	HY(QNVTW)	
							0 6 8	AD, CO, DH, FA, KL, PR, RT(V),	
								RY, SI, SL, TO	
							0 7 0	BT, CM, GP, MG	
236	DEXTRAN IRON								
	Injection	2 cc. amp. I.M.	..	..	5	..	*2 2 0	FC	
		5 cc. amp. I.M.	..	..	5	..	3 5 0	FC	
237	DEXTRIN IRON 2% INTRAVENOUS								
	Injection	5 cc. amp. I.V.	..	..	5	..	1 16 4	AP	
269	DEXTROCHLORPHENIRAMINE MALE- ATE								
	Injection	5 mg. per cc., 1 cc. amp.	..	..	6	..	0 13 8	SH	
	Oral Tablet	2 mg. tab.	..	..	50	1	0 17 2	SH	
							(ex 250)		
							0 18 4	SH	
							(ex M.P.)		
		6 mg. tab.	..	..	50	1	1 18 6	SH	
							(ex 250)		
							2 0 4	SH	
							(ex M.P.)		
	Syrup	2 mg. per 5 cc., 4 fl. oz.	..	..	C 1	4	0 11 8	SH	
238	DEXTROSE								
	Injection, B.P.	5%, 1/2 litre	..	..	6	1	*3 17 0	BT	
		1 litre	..	..	6	1	*4 9 0	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)	
		10%, 1/2 litre	..	..	2	1	*1 7 8	BT	
		1 litre	..	..	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)	

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.			Manufacturer
											£ s. d.
238—continued											
	20%,	1/2 litre	..	..		2	1	*1	7	8	BT
		1 litre	..	..		2	1	*1	11	8	BT, BX, FH(QNVST), SJ(W)
	25%,	1/2 litre	..	..		2	1	*1	7	8	BT
		1 litre	..	..		2	1	*1	11	8	AB, BX, FH(QNVST), SJ(W)
	50%,	25 cc. amp.	..	..		6	1	*1	7	0	BX, FH
		50 cc. amp.	..	..		6	1	*1	19	0	BX, FH, PD
		1/2 litre	..	..		2	1	*1	7	8	BT
277	DICHLORPHENAMIDE										
	Oral Tablet	50 mg. tab.	..	..	..	50	4	*3	12	9	MK
241	DICOPHANE										
	Application, P.L.	..	..	..	..	4 fl. oz.	1	0	8	2	Extemp.
274	DICYCLOMINE HYDROCHLORIDE										
	Oral Tablet	10 mg. tab.	..	..	..	100	2	1	16	0	ML
242	DIENOESTROL										
	Oral Tablet, B.P.	0.3 mg. tab.	..	..	DG	100	2	0	6	0	AD, BD, DH, FM, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		1.0 mg. tab.		..	DG	100	2	0	6	9	AD, BD, DH, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
		5 mg. tab.	..	..	DG	100	2	0	9	8	AD, BD, DF, DH, HA, HY(QNVTW), KL, MG, RT(V), SI, SL, TO
		10 mg. tab.	..	..	DG	100	2	0	15	8	DH, HA, HY(QNVTW), KL
	Cream, 0.01%	3 oz. tube	..	..	P	1	1	0	10	7	OO

243	DIETHAZINE HYDROCHLORIDE									
	Oral Tablet	50 mg. tab.	..	..	100	2	0 10 4	MB		
		250 mg. tab.	..	..	50	2	0 16 4	MB		
244	DIETHYLCARBAMAZINE CITRATE									
	Oral Tablet, B.P.	50 mg. tab.	..	..	40	1	*0 15 11	LE		
275	DIETHYL DITHIOLISOPHTHALATE				H	..	..			
245	DIGITALIS, PREPARED									
	Oral Tablet, B.P.	30 mg. (1/2 gr.) tab.	..	..	100	2	0 5 0	BW, DH, FA, HY(QNVTW), RT(V), RY, TO		
		60 mg. (1 gr.) tab.	..	..	100	2	0 5 3	BW, DH, FA, HY(QNVTW), RT(V), RY, TO		
246	DIGITOXIN, B.P.C.									
	Oral Tablet	0.1 mg. tab.	..	..	100	2	0 10 3	AD, CM, KL, NA, SI, WY		
		0.2 mg. tab.	..	..	100	2	0 17 8	CM, PD, WY		
		0.25 mg. tab.	..	..	100	2	0 19 5	KL		
247	DIGOXIN									
	Solution	0.5 mg. per cc., 30 cc.	..	..	†1	..	0 12 8	BW		
	Solution for Children									
		0.05 mg. per mil., 2 fl. oz.	..	..	†1	..	0 13 8	BW		
	Injection, B.P.	0.5 mg. per 2 cc. amp.	..	..	12	1	*1 1 8	BW, BX		
	Oral Tablet, B.P.	0.25 mg. tab.	..	..	100	2	0 10 11	HY(QNVTW), MG, PR, RT(V), SL		
							0 11 2	CO, FA, KL, TO		
							0 12 5	RD		
							0 12 6	BW, GA, VR		
							0 13 9	AB		
							(ex 500)			
							0 11 0	FA, HY(QNVTW), KL, PR, RT(V), TO		
							0 13 0	MG		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
247—continued					£ s. d.	
					0 13 8	RD
					0 14 0	AB, BW, CO, GA, SL, VR
					(ex M.P.)	
249	DIHYDROERGOTAMINE Injection 1 mg. per cc., 1 cc. amp.		6	..	0 18 4	SZ
250	DIHYDROMORPHINONE HYDRO-CHLORIDE, B.P.C. 1949 Injection 1.1 cc. amp. Oral Tablet 2.5 mg. (1/25 gr.) tab.		5 20		0 10 4 *0 9 8	KN KN
251	DIHYDROSTREPTOMYCIN SULPHATE Injection, B.P. 1 G. vial Oral Tablet of Dihydrostreptomycin Sulphate, Attapulgit, Pectin and Hydrated Alumina Powder 150 mg.—350 mg.—45 mg.—70 mg. tab.	D	5 16	3 ..	*0 19 8 0 14 1	AN, GL, LP WY
253	DI-iodohydroxyquinoline Oral Tablet, B.P. 300 mg. tab. 650 mg. tab. Compound Vaginal Tablet	 D	 100 100 25	 2 2 ..	 0 17 8 4 2 4 0 15 0 0 16 4	 DF, MB SR VR SR
280	DILOXANIDE FUROATE Oral Tablet 500 mg. tab.	D	15	..	1 3 0	BT

254	DIMERCAPROL									
	Injection, B.P. 2 cc. amp.		12	..	2	3	0	BT		
255	DIPHENHYDRAMINE HYDROCHLORIDE									
	Injection 10 mg. per cc., 10 cc. vial ..		1	1	0	14	4	PD		
	Oral Capsule, B.P. 50 mg. cap.		50	1	0	12	7	PD		
	Elixir 115 mil.	C	‡1	4	0	7	0	PD		
278	DIPHENYLPYRALINE HYDRO- CHLORIDE									
	Oral Capsule 2.5 mg. cap.		50	2	1	5	0	SK		
	5 mg. cap.		50	2	1	11	0	SK		
	Oral Tablet 2.5 mg. tab.		50	2	0	12	4	RK		
256	DIPHThERIA AND TETANUS VACCINE, B.P.									
	Injection 1/2 cc.		3	..	0	15	0	BT		
					*	15	0	CS		
257	DIPHThERIA ANTITOXIN, B.P.									
	Injection 1,000 U. amp.		2	1	*0	13	8	CS		
	4,000 U. amp.		2	1	*1	5	8	CS		
	10,000 U. amp.		2	1	*2	5	8	CS		
	20,000 U. amp.		2	1	*4	3	0	CS		
259	DIPHThERIA TETANUS AND PERTUSSIS VACCINE, B.P.									
	Injection 0.5 cc.		3	..	0	13	0	BT, BW, GL, PD		
				..	*0	13	0	CS		
260	DIPHThERIA VACCINE (FORMOL TOXOID), B.P.									
	Injection Set containing 3 amps. each 0.5 mil.									
	Toxoid undiluted and 1 amp. of									
	1 mil. Toxoid diluted		1	1	0	14	5	CS		

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
261	DIPHTHERIA VACCINE (PURIFIED TOXOID, ALUMINIUM PHOSPHATE), B.P.					
	Injection 1 cc. amp.		2	1	*0 10 4	CS
	Set containing 2 amps. each 1 cc. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate) (diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. of 1 cc. Purified Diphtheria Toxoid (diluted) for the skin test only		1	..	0 12 4	CS
262	DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)					
	Injection 1 cc. amp.		1	..	0 6 4	CS
263	DISODIUM DIETHYLSTILBOESTROL DIPHOSPHATE					
	Injection 250 mg. per 5 cc. amp.	D	10	..	4 7 5	CM
	Oral Tablet 100 mg. tab.	D	100	2	9 1 8	CM
272	DISODIUM DIHYDROGEN VERSEDATE					
	Injection 200 mg. per cc., 5.3 cc. amp. . .		6	1	3 9 8	RK
270	DITHIAZANINE IODIDE					
	Oral Tablet 50 mg. tab.		30	..	1 4 4	LY
	100 mg. tab.		30	..	*2 0 4	LY

264	DITHRANOL	Ointment, B.P. 0.1%, 2 oz. tube	1	1	0 8 9	AB
		Ointment, Strong, B.P. 1%, 2 oz. tube ..	1	1	0 11 0	AB
281	DYFLOS, B.P.C.					
		Eye Drops, 0.1%, 10 cc.	‡1	..	1 16 4	BT
328	ECOTHIOPATE IODIDE					
		Eye Drops, 0.125% 6.25 mg. and 5 cc. of solvent	‡1	6	‡1 14 2	CF
		Eye Drops, 0.25% 12.5 mg. and 5 cc. of solvent	‡1	6	‡1 18 2	CF
300	EMETINE AND BISMUTH IODIDE					
		Oral Tablet, B.P. 60 mg. (1 gr.) tab. ..	25	2	1 9 8	DH
		120 mg. (2 gr.) tab. ..	25	2	1 19 0	DH
301	EMETINE HYDROCHLORIDE					
		Injection, B.P. 20 mg. per 1 cc. amp. ..	12	..	1 9 8	BX, KL
		30 mg. per 1 cc. amp. ..	12	..	1 16 4	BX, KL
		65 mg. per 1 cc. amp. ..	6	..	1 16 4	BX, KL
302	EMULSIFYING WAX					
		Cream (Buffered), P.L.	1920 gr.	1	0 9 6	Extemp.
		Ointment, B.P.	1920 gr.	1	0 13 10	Extemp.
303	EPHEDRINE					
		Nasal Instillation (Oily), P.L.	1/2 fl. oz.	2	0 7 4	Extemp.
304	EPHEDRINE HYDROCHLORIDE					
		Hypo. Tablet 30 mg. (1/2 gr.) hypo. tab. .. (solvent required)	20	1	0 5 4	FA
		Injection 30 mg. (1/2 gr.) per 1 cc. amp. ..	6	1	0 11 0	BL, BX, FH, KL
		50 mg. (3/4 gr.) per 1 cc. amp. ..	6	1	0 11 0	BL, BX, FH, KL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
304—continued						
	Oral Tablet, B.P. 7.5 mg. (1/8 gr.) tab. ..		100	2	0 5 8	DH, KL, TO
	15 mg. (1/4 gr.) tab. ..		100	2	0 6 0	AD, BW, DH, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, TO
	30 mg. (1/2 gr.) tab. ..		100	2	0 7 0	AD, BW, DH, FA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
	60 mg. (1 gr.) tab. ..		100	2	0 10 0	RT(V), TO
					0 10 1	HY(QNVTW), KL
	Oral Tablet with Phenobarbitone					
	15 mg.—15 mg. tab. (1/4 gr.—1/4 gr.) ..		100	2	0 7 0	HY(QNVTW), KL, RT(V)
					0 8 4	CM, MG, PB, QE(QNVS), TO
					0 8 8	FM
	30 mg.—15 mg. tab. (1/2 gr.—1/4 gr.) ..		100	2	0 0 0	AD, HY(QNVTW), KL, PR, TR(V), SI, SL
					0 0 0	CM, DH, MG, PB, QE(QNVS), TO
					(ex 500)	
					0 7 0	AD, HY(QNVTW), KL, PR, RT(V), SI, SL
					0 8 4	CM, DH, MG, PB, QE(QNVS), TO
					0 9 4	FM
					(ex M.P.)	
	30 mg.—30 mg. tab. (1/2 gr.—1/2 gr.) ..		100	2	0 7 8	HY(QNVTW), KL, PR, SL
					0 9 0	CM, MG, PB, QE(QNVS), TO
					0 10 0	FM
	Oral Tablet with Phenobarbitone and Theophylline 22.5 mg., 7.5 mg., 120 mg. tab. ..		100	2	1 3 0	KL, WW
	Nasal Instillations, P.L.		1/2 fl. oz.	2	0 6 11	Extemp.

306 ERGOMETRINE MALEATE

Injection, B.P. 0.2 mg. per 1 cc. amp. ..
0.5 mg. per 1 cc., I.M. amp.

0.125 mg. per 1 cc. I.V. amp.
Oral Tablet, B.P. 0.2 mg. tab.
0.5 mg. tab.

307 ERGOTAMINE TARTRATE

Injection, B.P. 0.5 cc. amp.
1 cc. amp.

Oral Tablet, B.P. 1 mg. tab... ..

Oral Tablet with Caffeine 1 mg.-100 mg. tab.

Oral Capsule with Caffeine Citrate and Di-
phenhydramine Hydrochloride

1 mg.-100 mg.-25 mg. cap.
Compound Suppository

6	..	0 17 11	FH, LY
6	..	0 19 4	PT
		0 19 8	AD, BD, BL, BW, CM, DH, FH, FM, VR
6	..	0 13 0	AD, BD, BW, FH
25	3	0 16 9	LY
25	3	2 0 4	HY(QNVTW), PT
		2 11 0	BD, BW, CM, VR
6	..	0 14 0	BX, SZ
6	..	0 18 3	BX
		0 18 4	SZ
50	2	0 18 3	HY(QNVTW)
		0 18 7	KL, PT
		1 1 7	MG
		1 9 10	TO
		1 11 9	DH, SZ, VR
		(ex 250)	
		0 18 3	HY(QNVTW)
		1 0 8	KL, PT
		1 5 0	MG
		1 13 8	DH, SZ, TO, VR
		(ex M.P.)	
50	2	1 12 8	KL, PT
		2 0 0	BD
		2 0 1	SZ
50	2	1 16 4	PD
6	1	0 15 0	SZ

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
308	ERYTHROMYCIN							£ s. d.	
	Oral Sachet	125 mg.	..	..	CD	12	..	2 1 0	LY
		200 mg.	..	..	CD	12	..	2 1 0	AB
	Oral Suspension	100 mg. per 5 cc., 75 cc.	..	..	CD	‡1	..	2 1 0	AB
		200 mg. per 5 cc., 60 cc.	..	..	CD	‡1	..	2 1 0	AB
	Injection	100 mg. per 2 cc., I.M. amp.	..	..	D	4	..	*3 1 8	AB
		250 mg., 20 cc. I.V. amp.	..	..	D	1	..	1 9 8	LY
		300 mg. per 10 cc. vial	..	..	D	4	..	*8 3 0	AB
		1 G. per 50 cc. vial I.V. (solvent required)	..	..	D	1	..	4 16 4	LY
	Oral Tablet, B.P.	100 mg. tab.	..	..	D	25	..	2 11 8	UP
		250 mg. tab.	..	..	D	16	..	*2 16 11 (ex 100)	AB, LY AB, LY, UP
	Oral Capsule	125 mg. cap.	..	..	D	25	..	3 12 0	UP
								*4 8 10 (ex M.P.)	AB, LY
		250 mg. cap.	..		D	16	..	*2 16 11 (ex 100)	AB, LY AB, LY
								3 12 0	LY
*4 8 10 (ex M.P.)								AB	
309	ERYTHRITYL TETRANITRATE								
	Oral Tablet, B.P.C. 1949	5 mg. tab.	..	..		100	2	0 11 0	BW
		15 mg. tab.	..	..		100	2	1 2 8	BW

310	ETHANOLAMINE OLEATE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
-----	---------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
325	ETHOTOIN Oral Tablet 500 mg. tab.		200	1	4 9 8	AB
314	ETHOXZOLAMIDE Oral Tablet 125 mg. tab.		50	2	3 4 4	UP
315	ETHYL BISCOUMACETATE Oral Tablet, B.P. 300 mg. tab.		100	2	13 17 0	GE
316	ETHYLIDENE DICOUMARIN Oral Tablet 100 mg. tab.		100	2	3 5 8	NS
326	ETHYLNORADRENALINE Injection 1 mil. amp... ..		6	..	1 1 0	WL
317	EUCALYPTUS OIL Liniment Compound, P.L.		4 fl. oz.	1	0 10 3	Extemp.
318	EUSOL, A.P.F. Lotion		8 fl. oz.	4	0 7 5	Extemp.
319	EVAPORATING LOTION Lotion, P.L.		8 fl. oz.	4	0 7 1	Extemp.
320	EXPECTORANT MIXTURE Mixture, P.L.		8 fl. oz.	4	0 9 2	Extemp.

324 EXTRACT OF OX BILE									
Oral Capsule 300 mg. (5 gr.) cap.		50	1	0 11 0	PD				
348 FERRIC HYDROXIDE									
Colloidal Solution 4 fl. oz.	C	‡1	4	0 11 8	CK				
				0 13 7	EV				
346 FERROUS AMINOACETOSULPHATE									
Oral Tablet 50 mg. tab.		100	2	0 9 8	BP, CO				
Syrup 4 fl. oz.	C	‡1	4	0 9 8	BP, CO				
340 FERROUS GLUCONATE									
Oral Tablet 300 mg. (5 gr.) tab.		100	2	0 7 9	DH, FA, GP, HY(QNVTW), KL, MG,				
					PR, RT(V), RY, TO, WY				
				0 8 4	HA, SZ, VR, WL				
				(ex 500)					
				0 8 4	DH, FA, HA, PR, RT(V), RY, TO				
					VR				
				0 8 9	GP, HY(QNVTW), KL, MG, SZ, WL,				
				(ex M.P.)	WY				
Elixir, 6% 4 fl. oz.	C	‡1	4	0 10 9					
347 FERROUS SUCCINATE									
Oral Capsule 150 mg. cap.		100	2	0 12 8	CA				
				(ex 500)					
				0 12 9	CA				
				(ex M.P.)					
Elixir 150 mg. per dram, 4 fl. oz.	C	‡1	4	0 11 0	CA				
341 FERROUS SULPHATE									
Mixture for Children, P.L.		4 fl. oz.	4	0 7 3	Extemp.				
Oral Tablet, B.P. 200 mg. (3 gr.) tab. ..		100	2	0 6 4	HY(QNVTW)				
				0 8 0	GP, GL, TO				

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
341— <i>continued</i>	300 mg. (5 gr.) tab. ..						100	2	£ s. d. 0 0 0 0 0 0 (ex 500) 0 8 0 0 8 4 (ex M.P.)	HY(QNVTW) CM, DH, GP, PD, TO, WY HY(QNVTW) CM, DH, GP, PD, TO, WY
344	FLUDROCORTISONE ACETATE									
	Oral Tablet	0.1 mg. tab.	..	..	..	D	100	..	2 4 0	SQ
		1 mg. tab.	..	..	..	D	30	..	5 5 4	SQ
342	FLUOXYMESTERONE									
	Oral Tablet	5 mg. tab.	..	..	..	D	100	2	10 1 0	CB, UP
343	FOLIC ACID									
	Injection	15 mg. per cc., 1 cc. amp.	..		..	D	12	..	1 15 0 *1 15 0	FH, HY(QNVTW) AN
	Oral Tablet, B.P.	5 mg. tab.	..	..	..	D	100	2	0 16 4 0 17 5 0 19 8	HY(QNVTW), KL, PR, RT(v) AD, AN, PD, SI, TO CM, MG, RY
345	FORMYL TETRAHYDROPTEROYL GLUTAMIC ACID					H				
355	GAMMA BENZENE HEXACHLORIDE									
	Application, P.L.	..	..	..	..		4 fl. oz.	1	0 7 10	Extemp.
	Cream, P.L.	..	..	..	..		1920 gr.	1	0 9 2	Extemp.

356 GAS GANGRENE ANTITOXIN (OEDEMATIENS), B.P. Injection 10,000 U. amp. 	3	1	*1 19 0	CS
357 GAS GANGRENE ANTITOXIN—MIXED (POLYVALENT) Injection 1 amp. containing 3,000 U. Welchii, 1,500 U. Septicum, 1,000 U. Oedematiens 1 amp. containing 7,500 U. Welchii, 3,750 U. Septicum, 2,500 U. Oedematiens 	2	1	*2 1 6	CS
	2	1	*4 9 6	CS
358 GAS GANGRENE ANTITOXIN (SEPTICUM), B.P. Injection 5,000 U. amp. 	2	1	*2 1 6	CS
359 GAS GANGRENE ANTITOXIN (WELCHII), B.P. Injection 4,000 U. amp. 10,000 U. amp. 	3	1	*2 9 9	CS
	10	1	*10 13 0	CS
360 GENTIAN Mixture Acid, P.L. Mixture Alkaline, P.L. 	8 fl. oz.	4	0 8 1	Extemp.
	8 fl. oz.	4	0 8 0	Extemp.
368 GLUCAGON HYDROCHLORIDE Injection 1 mg. with 1 cc. amp. of diluent	1	..	1 8 0	LY
361 GLUCOSE †Liquid, B.P. 1953 1 lb. 	1	..	0 4 3 0 5 0	WD(N) DH, FA

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
366	GLUCOSE INDICATOR †240 Test Dispenser †Reagent Strips 60 strips		1 1		£ s. d. 1 4 0 0 12 0	LY AM
367	GLUTETHIMIDE Oral Tablet 250 mg.		50	2	0 13 8	CB
362	GLYCERIN †Glycerin, B.P. 4 fl. oz. Cream, P.L. †Suppositories, B.P. †Suppositories for Children 1 G. (15 gr.) Glycerin		1 1920 gr. 12 12	1 1 1	0 3 6 0 4 3 0 9 1 0 3 6 0 3 6	WD(N) DH Extemp. DH, FA, FH DH, FA, FH
363	GLYCERYL TRINITRATE Oral Tablet, B.P. 0.6 mg. (1/100 gr.) tab.		100	2	0 4 7 0 5 0	FA BW, DH, HY(QNVTW), TO
365	GRISEOFULVIN Oral Tablet 125 mg. tab.—FP	AD	100	..	4 3 0	GL, IC
364	GUANETHIDINE SULPHATE Oral Tablet 10 mg. tab.		100	2	1 15 0	CB

364—continued

25 mg. tab.		100	2	3 19 0	CB
397 HAEMOPHILUS INFLUENZA BACTERIAL SERUM	H	..	..	..	
375 HALIBUT LIVER OIL					
Oral Capsule, B.P. 4,500 U. cap.	P	100	1	0 9 8	ME(Q)
				0 19 0	KL, MG, SL
Oral Capsule 6,000 U. cap.	P	100	1	*0 18 0	CK
376 HAMAMELIS					
Suppository with Zinc Oxide, B.P.C.		12	1	0 13 8	AN
Ointment, B.P.		1920 gr.	1	0 19 6	Extemp.
379 HEPARIN					
Injection, B.P. 1,000 U. per cc., 5 cc. vial		5	..	*2 1 9	BT, EV, LP, WP(NVW)
				*2 9 8	AB, CS
5,000 U. per cc., 1 cc. amp.		6	..	*2 9 6	EV
				*2 17 0	AB
1 cc. vial		6	..	*2 9 6	BT
2 cc. amp.		5	..	2 16 4	LW
5 cc. vial		2	..	*3 9 8	BT, BX, EV, LP, RK, WP(NVW)
				*4 3 0	AB, CS, OR
12,500 U. per cc., 1 cc. amp.		2	..	*2 10 10	EV
				*3 0 10	AB
1 cc. vial		2	..	*3 1 0	CS
380 HEPARIN RETARD					
Injection 20,000 U. per 2 mil. amp.		6	..	8 13 8	BT

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
393	HEXACHLOROPHENE					
	3% with Entsufo	H	..	..	..	
	3% with Lissapol	H	..	..	..	
	1.5% Soap solution	H	..	..	..	
381	HEXAMETHONIUM TARTRATE					
	Injection, B.P. 1 cc. amp.		6	1	*0 12 5	MB
	Oral Tablet, B.P. 350 mg. tab.		25	3	*0 8 3	MB
398	HEXOCYCLIUM METHYLSULPHATE					
	Oral Tablet 25 mg. tab.		100	2	2 16 4	AB
	50 mg. tab.		100	2	4 19 0	AB
382	HEXOESTROL					
	Injection 1 mg. per 1 cc. amp.		6	1	0 9 0	FM
	5 mg. per 1 cc. amp.		6	1	0 10 4	FM
383	HEXYLRESORCINOL					
	Oral Pill 100 mg. pill		5	..	*0 12 3	MK
	200 mg. pill		5	..	0 14 4	MK
384	HISTAMINE ACID PHOSPHATE					
	Injection, B.P. 0.5 mg. per 0.5 cc. amp.		6	1	0 9 8	BD
	1 mg. per 1 cc. amp.		6	1	0 10 0	BD
	10 mg. per 10 cc. vial		1	1	0 10 4	BD

385 HYALURONIDASE

Injection 1 mg. amp. containing 1,500 I.U.
(solvent required)
3 mg. amp. containing 1,500 I.U.
(solvent required)
500 I.U. amp.
(solvent required)
Set containing 3 amps. each of 350
I.U. and 3 amps. of solvent ..
Set containing 3 amps. each of 500
I.U. and 3 amps. of solvent ..

5	1	1 15 4	FC
6	1	2 4 8	EV
5	1	*2 0 11	WY
1	1	1 4 4	SC
1	1	1 3 0	DF, OR

400 HYDROCALCIFEROL

Oral Solution 0.25 mg. per cc., 15 cc. ..
Oral Capsule 0.125 mg. cap.

D	1	..	1 16 11	BA
D	100	1	5 3 8	BA

386 HYDROCHLORIC ACID DILUTE

Mixture, P.L.

8 fl. oz.	4	0 12 5	Extemp.
-----------	---	--------	---------

392 HYDROCHLOROTHIAZIDE

Oral Tablet 25 mg. tab.

50 mg. tab.

50	2	1 8 5 (ex 250)	CB, DL, GA, MK
		1 10 4 (ex M.P.)	CB, DL, GA, MK
50	2	2 7 2 (ex 250)	CB, DL, GA, MK
		2 11 0 (ex M.P.)	CB, DL, GA, MK

387 HYDROCORTISONE

Injection, B.P. (or Rectal Drip)
5 mg. per cc., 20 cc. I.V. amp.

AD	1	..	1 13 0	PT
			2 0 4	OR, RL

Item No.	Name, Manner of Administration and Form						Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer	
£ s. d.												
387—continued												
Eye Drops	0.5%	2 mil.	..	..	..		†1	2		0 12 4	SC	
		5 mil.	..	..	..		†1	2		0 17 8	DH, HA, KL	
										0 19 8	MK	
	1%	10 mil.	..	..	..		†1	2		0 19 0	AN, KL	
		3 mil.	..	..	..		†1	2		0 19 8	GL, RL, SI	
		5 mil.	..	..	..		†1	2		0 19 8	HA, KL	
	2.5%	10 mil.	..	..	..		†1	2		1 7 0	AN, IQ, KL, SI	
		5 mil.	..	..	..		†1	2		2 1 0	DH, HA, KL, SI	
										2 13 0	MK	
	Eye Ointment	0.5%	10 mil.	..	..	..		†1	2		2 11 0	AN, IQ, KL, SI
			3 G.	..	..	..		†1	..		0 9 8	GL, HA, RL
			4 G.	..	..	..		†1	..		0 11 0	AN, CO, DH, KL, UP
										0 13 8	PF	
		5 G.	..	..	..		†1	..	0 11 0	SI		
394	HYDROCORTISONE ACETATE											
Injection, B.P. "For Peri or Intra-Articular Injection" 25 mg. per cc., 1 cc.								5	..	1 17 5	PT	
										2 7 5	BT, BX, MK, RL, UP	
										2 7 7	AB, AN	
										*2 7 7	SC	
										*2 11 7	GL	
25 mg. per cc., 5 cc.								1	..	1 19 0	PT	
										2 8 4	AB, AN, GL, MK, OR, PF, RL, SC, UP	
401	HYDROCORTISONE AND NEOMYCIN											
Eye Ointment, Hydrocortisone Acetate 0.5% and Neomycin Sulphate 0.5%, 250 mg. cap.								12	..	0 12 4	CK	

**389 HYDROCORTISONE SODIUM SUCCIN-
ATE**

Injection, B.P. 100 mg. of base in 2 cc. amp.
Soluble tablets for Rectal Drip 100 mg. tab.
(solvent required)

D
AD

2

..

*7 12 4

GL, RM, UP

7

1

5 9 8

GL

395 HYDROFLUMETHIAZIDE

Oral Tablet 50 mg. tab.

50

2

2 0 4

BT, GL, SQ

390 HYDROGEN PEROXIDE SOLUTION

†10 Vol. 4 fl. oz.

1

..

0 1 8

WD(N)

0 2 0

DH, FA, SI(V)

8 fl. oz.

1

..

0 2 3

WD(N)

0 2 8

DH, FA

†20 Vol., B.P. 4 fl. oz.

1

..

0 2 2

WD(N)

0 2 6

DH

Ear Drops, P.L.

1/2 fl. oz.

2

0 6 9

Extemp.

396 HYDROXYCHLOROQUINE SULPHATE

Oral Tablet, B.P. 200 mg. tab.

100

2

2 4 4

WL

391 HYOSCINE HYDROMIDE

Injection, B.P. 1/150 gr. amp.

6

..

0 10 4

BL, BT, BX, FH, KL

1/100 gr. amp.

6

..

0 10 4

BL, BT, BX, FH, KL

1/75 gr. amp.

6

..

0 10 4

BL, FH, KL

Hypo. Tablet

1/200 gr. hypo. tab. (solvent required)

20

1

0 5 0

PD

1/150 gr. hypo. tab. (solvent required)

20

1

0 5 0

DH, FA, PD

1/100 gr. hypo. tab. (solvent required)

20

1

0 5 4

DH, FA, PD

Oral Tablet, B.P. 0.6 mg. (1/100) gr. tab.

100

2

0 8 4

DH, HY(QNVTW)

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
410	ICHTHAMMOL					
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 3	Extemp.
	Paint, P.L.		1 fl. oz.	1	0 7 6	Extemp.
	Pessary, 5%		12	1	0 11 0	AN
	Eye Ointment with Zinc Oxide, P.L. ..		60 gr.	..	0 6 10	Extemp.
412	INSULIN					
	Injection, B.P. 20 U. per cc., 10 cc. vial ..		10	2	*1 16 8	BW, CS, SE
	40 U. per cc., 5 cc. vial ..		10	2	*1 16 8	BW, GL-BD, SE, WP(NVW)
	40 U. per cc., 10 cc. vial ..		10	2	*3 9 2	BT, BW, CS, DH, EV, GL-BD, SE, WP(NVW)
	80 U. per cc., 5 cc. vial ..		10	2	*3 9 2	BT, BW, GL-BD
	80 U. per cc., 10 cc. vial ..		10	2	*6 0 0	BT, BW, CS, DH, EV, SE
	100 U. per cc., 5 cc. vial ..		10	2	*5 8 4	CS
	300 U. per cc., 5 cc. vial ..		10	2	*12 0 0	CS
413	INSULIN GLOBIN ZINC					
	Injection, B.P. 40 U. per cc., 5 cc. vial ..		10	2	*2 1 8	BT, BW, WP(NVW)
	80 U. per cc., 5 cc. vial ..		10	2	*3 15 0	BT, BW, WP(NVW)
414	INSULIN ISOPHANE (N.P.H.)					
	Injection 40 U. per cc., 10 cc. vial ..		10	2	*4 10 0	BT, BW, CS, DH, GL-BD, SE
	80 U. per cc., 10 cc. vial ..		10	2	*8 10 0	BT, BW, CS, DH, GL-BD, SE

415 INSULIN PROTAMINE ZINC

Injection, B.P. 40 U. per cc., 5 cc. vial ..
 40 U. per cc., 10 cc. vial ..
 80 U. per cc., 5 cc. vial ..
 80 U. per cc., 10 cc. vial ..

10
10
10
10

2
2
2
2

*2 1 8
*3 15 0
*3 15 0
*6 13 4

BT, BW, GL-BD, SE, WP(NVW)
 BT, BW, CS, DH, EV, GL-BD, SE,
 WP(NVW)
 BT, BW, GL-BD
 BW, CS, DH, EV, SE

416 INSULIN SPECIAL P (PIG)

Injection 40 U. per cc., 10 cc. vial ..

10

2

*5 5 0

CS

417 INSULIN ZINC

Suspension, B.P.—Injection

40 U. per mil., 10 mil. vial
 80 U. per mil., 10 mil. vial

10
10

2
2

*4 10 0
*8 10 0

BT, BW, CS, EV, GL-BD
 BT, BW, CS, EV, GL-BD

Suspension (Amphorous), B.P.—Injection

40 U. per mil., 10 mil. vial
 80 U. per mil., 10 mil. vial

10
10

2
2

*4 10 0
*8 10 0

BT, BW, CS, EV, GL-BD
 BT, BW, CS, EV, GL-BD

Suspension (Crystalline), B.P.—Injection

40 U. per mil., 10 mil. vial
 80 U. per mil., 10 mil. vial

10
10

2
2

*4 10 0
*8 10 0

BT, BW, CS, EV, GL-BD
 BT, BW, CS, EV, GL-BD

418 IODINE

Non-staining Ointment, B.P.C.
 Solution Aqueous, B.P. (Lugol's)
 Solution, Weak, B.P.
 Paint, Compound, P.L.

1920 gr.
4 fl. oz.
4 fl. oz.
1 fl. oz.

1
1
1
1

0 12 0
0 12 4
0 11 8
0 7 7

Extemp.
Extemp.
Extemp.
Extemp.

428 IODOCHLORHYDROXYQUINOLINE

Oral Tablet 250 mg. tab.

100

2

1 2 4

CB

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
419	IODOXYL Injection, B.P. 10 cc. vial 20 cc. vial		1 1	1 1	£ s. d. 0 12 0 0 19 0 1 0 7	GL MB GL, SC
420	IPECACUANHA Oral Tablet with Opium, B.P.		100	2	0 9 0	DH, HY(QNVTW), TO
421	IPECACUANHA TINCTURE Mixture with Squill for Children, P.L. ..		4 fl. oz.	4	0 8 6	Extemp.
432	IRON AMINOATE Oral Tablet 350 mg. tab.		100	2	0 12 4	MR
422	IRON AND AMMONIUM CITRATE Mixture for Children, P.L. Mixture with Nux Vomica, P.L.		4 fl. oz. 8 fl. oz.	4 4	0 8 3 0 8 0	Extemp. Extemp.
430	IRON CARBOHYDRATE COMPLEX Injection—Trivalent Iron 2 mil.		5	..	2 3 0	AP
426	IRON OXIDE SACCHARATED Injection 100 mg. per 5 cc. I.V. amp. ..		6	..	1 6 4 *1 6 5 *1 8 6	CK EV FC
433	IRON PHOSPHATE COMPOUND Syrup, B.P.C.		4 fl. oz.	4	0 9 6	Extemp.

423	ISONIAZID				D	200	2	0 11 0	DH, HY(QNVTW), KL, PR, RY
	Oral Tablet, B.P. 50 mg. tab.							0 13 0	
								*0 13 8	
								*0 17 8	
	100 mg. tab.				D	100	2	0 13 0	AD, AN, CM, DH, HY(QNVTW), KL, PR, RY, SI
				0 16 4					
				RO					
424	ISOPRENALINE HYDROCHLORIDE								
	Inhalation	1 in 200, 1/2 fl. oz.	..	..		1	1	0 6 4	WL
	Injection	1 in 5,000, 1 mil. amp.	..	..		5	..	2 1 4	WL
	Oral Tablet	10 mg. tab.	..	..		100	2	0 14 4	WL
425	ISOPRENALINE SULPHATE								
	Inhalation	10 mg. per cc., 7 cc. vial				1	1	0 7 4	BW
	Oral Tablet, B.P.	20 mg. tab.	..	..		100	2	0 19 0	AB, BW
								0 19 8	CM
	Spray, B.P.C.	..	..	..	..	1/2 fl. oz.	2	0 8 0	Extemp.
429	ISOPROPAMIDE IODIDE								
	Oral Tablet	5 mg. tab.	..	..		100	2	2 16 4	SK
431	ISOTHIPENDYL HYDROCHLORIDE								
	Oral Tablet	4 mg. tab.	..	..		50	2	0 13 0	IC
452	KANAMYCIN SULPHATE				..	..	H		
450	KAOLIN, LIGHT								
	Mixture for Children, P.L.	..	..	..		4 fl. oz.	4	0 7 4	Extemp.
	Mixture, Alkaline, P.L.	..	..	..		8 fl. oz.	4	0 7 6	Extemp.
	Mixture with Opium, P.L.	..	..	..		8 fl. oz.	4	0 9 3	Extemp.
	Internal Powder, Compound, P.L.	..	..	..		1920 gr.	2	0 8 11	Extemp.
	Dusting Powder, Compound, P.L.	..	..	..		1920 gr.	1	0 9 8	Extemp.

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
451	KAOLIN, HEAVY									
	†Poultice, B.P.	1/2 lb.	..	..	..		1	1	0 5 5	AL
									0 5 6	FA
		1 lb.	..	..	..		1	1	0 8 11	AL, FA
464	LANATOSIDE-C									
	Oral Tablet	0.25 mg. tab.	..	..	..		100	2	1 5 9	SZ
									(ex 500)	
									1 8 8	SZ
									(ex M.P.)	
460	LEPTAZOL									
	Injection, B.P.	1.1 cc. amp.	..	..	..		6	1	*0 9 2	KN
		5 cc. amp.	..	..	..		6	1	*1 9 0	KN
463	LEVORPHANOL TARTRATE, B.P.C.									
	Injection	2.2 mg. per 1.1 cc. amp.	..			D	6	..	0 11 0	RO
	Oral Tablet	1.5 mg. tab.	..	..	..	D	50	..	*1 0 6	RO
461	LOBELIA AND STRAMONIUM									
	Mixture, P.L.	..	..	..	..		8 fl. oz.	4	0 9 10	Extemp.
462	LUCANTHONE HYDROCHLORIDE									
	Oral Tablet, B.P.	500 mg. tab.	..	..	..		100	..	8 11 0	BW
475	MAGENTA, B.P.C.									
	Paint with Resorcinol, P.L.	..	..	..	..		1 fl. oz.	1	0 7 3	Extemp.

476 **MAGNESIUM BICARBONATE SOLUTION**

†Solution, B.P. 1948 8 fl. oz.

1 4 0 2 6 FA

477 **MAGNESIUM CARBONATE, LIGHT**

Mixture, P.L.

8 fl. oz. 4 0 8 0 Extemp.

478 **MAGNESIUM HYDROXIDE MIXTURE**

†Mixture, B.P. 6 fl. oz.

1 4 0 2 6 FA
0 3 0 DH

479 **MAGNESIUM SULPHATE**

†Crystals, B.P. 1 lb.

Paste, A.P.F. 1920 gr.

960 gr.

1 .. 0 1 6 FA, WD(N)
†1 1 0 7 5 DH, FA
†1 1 0 5 4 DH
0 5 6 FA

Mixture, P.L.

8 fl. oz. 4 0 7 5 Extemp.

480 **MAGNESIUM TRISILICATE**

Mixture, P.L.

Internal Powder with Belladonna, P.L. . .

Oral Tablet 600 mg. (10 gr.) tab. . .

8 fl. oz. 4 0 7 6 Extemp.
1920 gr. 2 0 10 5 Extemp.
100 2 0 11 0 DH

481 **MALT EXTRACT**

†Extract, B.P. 1 lb.

†Extract with Cod Liver Oil, B.P. 1 lb. . .

CP 1 3 0 5 0 FA, WD(N)
CP 1 3 0 5 6 WD(N)
0 5 11 DH(W)

520 **MEBHYDROLIN**

Oral Tablet 50 mg.

50 1 0 15 8 FB

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
482	MECAMYLAMINE Oral Tablet 2.5 mg. tab.		100	2	£ s. d. 1 2 6 (ex 500)	MK
					1 3 0 (ex M.P.)	MK
					3 19 0	MK
	10 mg. tab.		100	2		
483	MECHOLYL CHLORIDE Injection 25 mg. amp.		6	..	1 6 4	SY
484	MENAPHTHONE Aqueous Injection 1 mg. per 1 cc. amp. ..		6	1	0 9 4	RO
					0 11 8	BX, PD
					0 12 4	AD, BL, BX, FH, FM
					0 9 8	GL
	5 mg. per 1 cc. amp. .. 10 mg. per 1 cc. amp. .. 75 mg. per 1 cc. amp. .. Oily Injection 5 mg. per 1 cc. amp. .. 10 mg. per 1 cc. amp. ..		6	1	0 13 0	AD, BL, BX, FH, RO
					1 1 0	BL, BX, FH
					0 13 0	AD, BD, FH, VM
					0 13 0	FH
485	MENTHOL Inhalation Compound, P.L.		2 fl. oz.	1	0 13 8	AD, BX
486	MEPACRINE HYDROCHLORIDE Oral Tablet, B.P. 100 mg. tab.		100	2	0 10 5	IC

516	MEPHENTERMINE SULPHATE								
	Injection 10 cc. vial		1	..	1	4	0	WY	
487	MEPYRAMINE MALEATE								
	Injection 2.5%, 2 cc. amp. ..		10	..	0	13	0	MB	
	Elixir 115 mil... ..	C	‡1	4	0	7	0	MB	
	Oral Tablet, B.P. 50 mg. tab. ..		50	1	0	8	4	MB	
	100 mg. tab.		50	1	0	11	0	MB	
488	MERCAPTOMERIN SODIUM								
	Injection 1.4 G. per 10 cc. vial		3	..	*2	17	9	WY	
489	MERCAPTOPURINE								
	Oral Tablet, B.P. 50 mg. tab.	D	25	..	5	9	8	BW	
490	MERCURIC OXIDE								
	Eye Ointment, B.P. 4 G. (60 gr.) ..		‡1	..	0	4	4	FH	
					0	4	9	DH, MG, SI(v)	
	8 G. (120 gr.)		‡1	..	0	3	11	ME(Q)	
491	MERSALYL ACID								
	Injection, B.P. 1 cc. amp... ..		12	..	*0	19	0	AD, BA, BD, BX, EV	
	2 cc. amp... ..		12	..	*1	1	8	AD, BA, BD, BL, BT, BX, EV, FH TH, VR	
517	METHADONE HYDROCHLORIDE								
	Injection, B.P. 10 mg. per cc., 1 cc. amp.		6	..	0	11	8	BW, CM	
	10 mg. per cc., 10 cc. vial		1	..	0	11	11	CM	
	Oral Tablet, B.P. 5 mg. tab.		25	..	0	7	0	BW, CM, DH	
	10 mg. tab.		25	..	0	8	4	BA, BW, CM	
511	METHAZOLAMIDE								
	Oral Tablet 50 mg. tab.		50	4	*3	6	2	LE	

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
507	METHENAMINE MANDELATE					
	Oral Tablet 250 mg. tab.		100	2	0 14 4	HA, WW
	500 mg. tab.		100	1	1 1 8	WW
518	METHENOLONE OENANTHATE ..	H	..	..	..	
512	METHICILLIN	H	..	..	..	
492	METHOIN					
	Oral Tablet, B.P. 100 mg. tab.		200	1	1 7 4	SZ
508	METHOTREXATE					
	Oral Tablet 2.5 mg. tab.	D	100	..	7 3 0	LE
509	METHSCOPOLAMINE BROMIDE					
	Oral Tablet 2.5 mg. tab.		100	2	2 16 4	AN, UP
513	METHYCLOTHIAZIDE					
	Oral Tablet 2.5 mg. tab.		50	2	1 2 8	AB
	5 mg. tab.		50	2	1 13 4	AB
494	METHYLAMPHETAMINE HYDRO-CHLORIDE					
	Injection, B.P. 30 mg. per 1.5 cc. amp. ..		6	1	0 13 0	BT, BW
	Oral Tablet, B.P. 5 mg. tab.		100	2	0 13 8	QE(QNVS), KL
					0 15 0	AB, BW, MG, PH, VR

495	METHYL ANDROSTANOLONE								
	Oral Tablet	25 mg. tab.	..		..	D	100	2	8 3 0 RL
496	METHYLANDROSTENEDIOL								
	Oral Tablet	5 mg. tab.	..	..	..	D	100	2	1 12 4 MR
		10 mg. tab.	..	..	..	D	100	2	2 17 8 MR, OR
497	METHYLCELLULOSE, A.P.F.								
	Eye Drops	1 gr. per 1/2 fl. oz., 1/2 fl. oz.					‡1	2	0 10 1 IQ, KL, SI
498	METHYLERGOMETRINE MALEATE								
	Injection, B.P.	0.2 mg. per mil., 0.5 mil. amp.					6	..	0 12 0 SZ
		0.2 mg. per mil., 1.0 mil. amp.					6	..	0 15 4 SZ
	Oral Tablet	0.125 mg. tab.	..	..	..		25	1	1 2 8 SZ
514	METHYL PHENOBARBITONE, B.P.C.								
	Oral Tablet, B.P.C.	30 mg. (1/2 gr.) tab.	..				200	1	0 9 0 AD, CO, DH, KL, MG, PR, QE(QNVS), RT(V), SI
									*0 9 0 FA
									0 9 8 RY, TO
									0 12 1 BA
									*0 12 10 PH
		60 mg. (1 gr.) tab.	..				200	1	0 12 0 AD, CO, DH, KL, MG, PR, RT(V), SI
									*0 12 2 FA
									0 13 0 RY
									0 13 8 TO
									0 14 4 BA
									*0 15 0 PH
		200 mg. (3 gr.) tab.	..				200	1	1 4 0 AD, CO, DH, KL, MG, PR, RT(V), SI
									*1 4 2 FA
									1 7 0 RY
									1 7 8 BA
									*1 8 4 PH

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
499	METHYL SALICYLATE Liniment, P.L.		4 fl. oz.	1	£ s. d. 0 9 10	Extemp.
519	METRONIDAZOLE Oral Tablet 200 mg. tab.		21	..	1 8 4	MB
500	MORPHINE HYDROCHLORIDE SOLUTION Linctus, P.L.		4 fl. oz.	2	0 10 2	Extemp.
501	MORPHINE SULPHATE Hypo. Tablet, B.P. 1/12 gr. hypo. tab. (solvent required) .. 1/8 gr. hypo. tab. (solvent required) .. 1/6 gr. hypo. tab. (solvent required) .. 1/4 gr. hypo. tab. (solvent required) .. 1/3 gr. hypo. tab. (solvent required) .. 1/2 gr. hypo. tab. (solvent required) .. Injection, B.P. 1/6 gr. amp. 1/4 gr. amp. 1/3 gr. amp. 1/2 gr. amp. 1/4 gr. per cc., 10 cc. vial .. 1/2 gr. per cc., 10 cc. vial ..		20 20 20 20 20 20 6 6 6 6 1 1		0 5 0 0 5 4 0 5 8 0 6 0 0 6 4 0 7 0 0 11 0 0 11 0 0 11 0 0 11 0 0 7 8 0 9 8	DH DH, FA, PD DH, FA, PD DH, FA, PD DH DH, FA, PD AD, BL, BT, BX, FH, KL AD, BL, BT, BX, FH, KL BL, BX, FH, KL BL, BT, BX, FH, KL FH, PD BX, FA, FH

502 MORPHINE WITH ATROPINE

Hypo Tablet—Morphine Sulphate and Atropine Sulphate

1/12 gr.-1/150 gr. tab. (solvent required) ..	20	..	0 4 9	DH
1/8 gr.-1/150 gr. tab. (solvent required) ..	20	..	0 5 4	DH
1/6 gr.-1/180 gr. tab. (solvent required) ..	20	..	0 5 8	DH
1/6 gr.-1/150 gr. tab. (solvent required) ..	20	..	0 5 8	DH, FA
1/4 gr.-1/150 gr. tab. (solvent required) ..	20	..	0 6 0	DH, FA, PD
1/4 gr.-1/120 gr. tab. (solvent required) ..	20	..	0 6 0	DH
1/4 gr.-1/100 gr. tab. (solvent required) ..	20	..	0 6 0	DH, FA

Injection—Morphine Sulphate and Atropine Sulphate

1/6 gr.-1/200 gr. amp.	6	..	0 11 8	BX
1/6 gr.-1/150 gr. amp.	6	..	0 11 8	BL, BT, BX, FH
1/6 gr.-1/120 gr. amp.	6	..	0 11 8	BX
1/4 gr.-1/150 gr. per 1 cc. amp.	6	..	0 11 8	AD, BL, BT, BX, FH, KL
per cc., 10 cc. vial	1	..	0 7 8	FA, PD
1/4 gr.-1/100 gr. amp.	6	..	0 11 8	BL, BT, BX, FH

503 MORPHINE WITH HYOSCINE

Injection—Morphine Sulphate, Hyoscine Hydrobromide

1/4 gr.-1/100 gr., 1 cc. amp.	6	..	0 12 4	BL, BX, FH
-------------------------------------	---	----	--------	------------

515 MORPHINE WITH TACRINE

Injection

15 mg.-13 mg. per 1.5 mil. amp.	6	..	1 3 0	WH
30 mg.-13 mg. per 1.5 mil. amp.	6	..	1 3 8	WH
15 mg.-30 mg. per 1.5 mil. amp.	6	..	1 9 4	WH

30 mg.-30 mg. per 1.5 mil. amp.	6	..	1 11 0	WH
---------------------------------------	---	----	--------	----

Oral Tablet

30 mg.-15 mg. D	50	1	5 3 0	WH
-----------------------	----	---	-------	----

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
504	MUSTINE HYDROCHLORIDE Injection, B.P. 10 mg. amp. (solvent required)	D	1	..	0 19 8	BT
541	NALORPHINE HYDROBROMIDE Injection, B.P. 10 mg. amp. 1 mg. per mil., 5 mil. vial		6 1	1 ..	1 3 0 0 12 0	BW BW
558	NANDROLONE Injection 25 mg. per 1 cc. amp.	D	3	..	3 7 0	OR
557	NEOMYCIN SULPHATE	H	..	..	..	
553	NEOMYCIN SULPHATE EYE DROPS Eye Drops, 0.35% 10 mil.		‡1	2	0 9 8	DH, HA, IQ, KL, SI
559	NEOMYCIN SULPHATE AND KAOLIN Mixture Neomycin Sulphate, B.P. 300 mg.; Kaolin, B.P. 6 G. per fl. oz., 4 fl. oz. ..		‡1	..	1 1 0	MK, UP
542	NEOSTIGMINE BROMIDE Oral Tablet, B.P. 15 mg. tab.		100	2	1 5 0	RO
543	NEOSTIGMINE METHYLSULPHATE Injection, B.P. 0.5 mg. per mil., 1 cc. amp. 2.5 mg. per mil., 1 cc. amp. 2.5 mg. per mil., 5 cc. vial Eye Drops 7.5 mil.		6 6 1 ‡1	3 3 1 6	0 8 9 0 14 1 0 9 8 0 14 1	RO RO RO RO

544	NICOTINAMIDE											
	Injection, B.P.	50 mg. per cc., 1 mil. amp.				6	1	0 11 8	BD, BX, FH			
	Oral Tablet, B.P.	50 mg. tab.	P	100	2	0 8 4	0 8 4	BD, DH, KL, PR, RT(V), SL, TO				
		100 mg. tab.	P	100	2	0 13 8	0 13 8	DH, KL				
545	NICOTINIC ACID											
	Oral Tablet, B.P.	25 mg. tab.	P	100	2	0 5 0	0 5 0	HY(QNVTW), KL, RY, TO				
		50 mg. tab.	P	100	2	0 6 4	0 6 4	AD, AN, DH, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, TO				
		100 mg. tab.	P	100	2	0 7 0	0 7 0	DH, HY(QNVTW), KL, MG, RT(V), RY, TO				
		250 mg. tab.	P	100	2	0 9 8	0 9 8	AD, HY(QNVTW), KL, RT(V), RY, SI				
						0 11 0	0 11 0	MG				
551	NICOUMALONE											
	Oral Tablet	4 mg. tab.		50	2	1 13 8	1 13 8	GE				
546	NIKETHAMIDE											
	Injection, B.P.	1.5 cc. amp.		6	1	0 8 4	0 8 4	CB				
		2 cc. amp.		6	1	0 11 4	0 11 4	BD, BT, FH				
		5 cc. amp.		6	1	0 15 8	0 15 8	BD, FH				
						*0 15 8	*0 15 8	CB				
547	NITROFURANTOIN											
	Oral Tablet	50 mg. tab.	D	25	1	0 0 0	0 0 0	SK				
						(ex 100)	(ex 100)					
						1 15 11	1 15 11	SK				
						(ex M.P.)	(ex M.P.)					
	Oral Suspension	25 mg. per 3.5 mil., 4 fl. oz.	CD	‡1	..	1 4 1	1 4 1	SK				
548	NITROMIN											
	Injection	50 mg. amp. (solvent required) ..	D	5	1	4 6 4	4 6 4	SI				
	Oral Tablet	5 mg. tab.	D	100	2	5 16 4	5 16 4	SI				

Item No.	Name, Manner of Administration and Form			Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
							£ s. d.	
549	NORADRENALINE ACID TARTRATE							
	Injection	1 in 1,000, 2 mil. amp. ..	..		6	..	1 17 0	FH, WL
		1 in 10,000, 2 mil. amp. ..	..		5	..	1 14 4	WL
552	NORETHANDROLONE			H	..	..	..	
554	NOVOBIOCIN CALCIUM, B.P.			H	..	..	..	
555	NOVOBIOCIN SODIUM, B.P.			H	..	..	..	
556	NOVOBIOCIN TABLETS, B.P.			H	..	..	..	
550	NYSTATIN							
	Oral Tablet	500,000 U. tab.	..	D	50	..	3 7 8	SQ
	Vaginal Tablet	100,000 U. vaginal tab. ..	..	D	15	..	1 1 4	SQ
561	OESTRADIOL DIPROPIONATE							
	Injection	5 mg. per 1 cc. amp.	..		6	1	*2 7 0	CB
562	OESTRADIOL BENZOATE							
	Injection, B.P.	2 mg. per cc., 1 mil. amp. ..	..		6	1	1 11 0	BD, OR
563	OESTRONE, B.P.C. 1954							
	Injection	1,000 U. amp. aqueous	..		6	1	0 11 0	OR
		10,000 U. amp. oily	..		6	1	0 17 8	OR
	Suppository	1,000 U.	..		12	1	0 18 9	OR
			..				0 19 0	BD
		10,000 U.	..		12	1	1 10 8	OR

564	OLIVE OIL, B.P.									
	†2 oz.	1	..	0 1 9	WD(N)					
				0 2 0	SI(V)					
	†4 oz.	1	..	0 2 9	WD(N)					
	†5 oz.	1	..	0 3 3	DH, SI(V)					
	†8 oz.	1	4	0 4 9	WD(N)					
565	OUABAIN									
	Injection, B.P. 0.25 mg. amp.	3	..	*0 17 3	NA					
571	OXYPHENCYCLIMINE HYDRO- CHLORIDE									
	Oral Tablet 10 mg. tab.	100	2	3 9 8	PF					
572	OXYPHENONIUM BROMIDE									
	Oral Tablet 5 mg. tab.	100	2	1 7 0	CB					
	10 mg. tab.	100	2	2 5 8	CB					
566	OXYTETRACYCLINE DIHYDRATE									
	Oral Tablet, B.P. 100 mg. tab.	D	25	..	2 2 4	PF				
	250 mg. tab.	D	16	..	3 0 0	PF				
567	OXYTETRACYCLINE HYDROCHLORIDE									
	Oral Suspension 125 mg. per 5 cc., 60 cc.	CD	†1	..	1 7 0	PF				
	Oral Paediatric Drops 100 mg. per cc., 10 cc.	CD	†1	..	0 17 8	PF				
	Injection									
	100 mg. amp. I.M.	D	6	..	*4 4 6	PF				
	250 mg. amp. I.M.	D	6	..	*8 1 6	PF				
	250 mg. per cc., 10 cc. vial, I.V.	D	6	..	*7 7 0	PF				
	(solvent required)									
	Oral Capsule 50 mg. cap.	D	25	..	1 4 7	PF				
	100 mg. cap.	D	25	..	2 2 4	PF				

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
567— <i>continued</i>									£ s. d.	
	250 mg. cap.		..			D	16	..	2 13 9 (ex 100)	PF
									3 0 0 (ex M.P.)	PF
	Eye Ointment, 0.5% with Polymyxin B. 10,000 U., 60 gr.						‡1	..	0 6 8	PF
568	OXYTETRACYCLINE OPHTHALMIC SUSPENSION									
	Suspension, 1%	6 cc.	..	..	..		‡1	2	0 11 5	PF
569	OXYTOCIN									
	Injection, B.P. 2 U. per 2 mil. amp. ..						6	..	0 10 4	SZ
	5 U. per 0.5 mil. amp. ..						6	..	0 13 0	PD, SZ
	10 U. per 1 mil. amp. ..						6	..	0 18 4	PD, SZ
581	PANCREATIN									
	Oral Powder	1 oz. vial	..	..	..	D	8	2	*5 17 8	PD
676	PANCREATIN ENZYME 4(USNF,XI)									
	Oral Tablet	300 mg. (5 gr.) tab...	..			D	500	1	13 17 4	AN
	Oral Powder	8 oz. ..	..	..	..	D	‡1	2	11 13 8	AN
582	PANCREX 5									
	Oral Powder	500 G.	..	..	..	D	1	..	15 1 8	ST

583 PAPAVERETUM, B.P.C.

Hypo. Tablet, B.P.C.

20 mg. (1/3 gr.) hypo. tab. (solvent required)

Injection, B.P.C.

10 mg. (1/6 gr.) per 1 cc. amp.

20 mg. per 1 cc. amp.

Oral Tablet, B.P.C. 10 mg. (1/6 gr.) tab. ..

20

..

*0 7 10

RO

6

..

0 11 0

BL

6

..

0 11 0

BL, BT, BX, FH, RO

20

..

0 6 1

HY(QNVTW)

0 7 0

RO

**584 PAPAVERETUM WITH HYOSCINE
HYDROBROMIDE**

Injection—

 Papaveretum 20 mg.; Hyoscine Hydrobro-
mide 0.43 mg. 1 cc. amp... ..

6

..

0 11 8

BL, BT, FH, RO

585 PAPAVERINE HYDROCHLORIDE

Injection 20 mg. (1/3 gr.) per 1 cc. amp...

6

..

0 11 0

FH, KL

120 mg. (2 gr.) per 10 cc. amp...

6

..

0 19 0

BX, FH, HA, KL

Oral Tablet 50 mg. (3/4 gr.) tab. ..

100

2

0 19 0

 AN, HY(QNVTW), KL, QE(QNVS),
RT(V)

1 1 8

MG

100 mg. (1.5 gr.) tab.

100

2

1 11 0

 AN, DH, FA, HA, HY(QNVTW), KL,
PR, QE(QNVS), RT(V), TO

1 15 0

MG

586 PARA-AMINOSALICYLIC ACID

Oral Tablet 500 mg. tab.

D

200

2

1 1 5

KL

1 3 0

AN

*1 3 0

DH

*1 5 6

AD, SI

682 PARACETAMOL

Oral Tablet 500 mg.

50

1

0 9 5

CA, TO

0 12 9

KL, WL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
587	PARAFFIN, HARD Ointment, B.P.		1920 gr.	1	0 11 4	Extemp.
588	PARAFFIN LIQUID †Liquid Paraffin 8 oz.		1	4	0 2 3	FA, WD(N)
	†Emulsion 16 fl. oz.	P	1	4	0 2 6	DH, RT(V)
	†Emulsion with Phenolphthalein 16 fl. oz.	P	1	4	0 7 3	WY
					0 6 6	FA, MG, SI, SL
					0 7 3	DH, WW, WY
589	PARALDEHYDE, B.P. Injection 5 cc. amp.		6	1	0 14 4	BL, BX, FH, FM
	10 cc. amp.		6	1	0 19 0	BL, BX, FH, FM
	Mixture, P.L.		8 fl. oz.	4	0 11 11	Extemp.
590	PARAMETHADIONE Oral Capsule, B.P. 300 mg. cap.		200	1	6 14 4	AB
679	PARAMETHASONE ACETATE Oral Tablet 1 mg. tab.	AD	30	..	1 13 0	IC
	2 mg. tab.	AD	30	..	2 3 0	IC, LY
664	PEMPIDINE TARTRATE Oral Tablet 5 mg. tab.		100	2	*1 11 8	IC, MB
	10 mg. tab.		100	2	*2 13 8	IC, MB

651 PENICILLINASE	Injection 800,000 U. amp.	1	..	5 3 0	CS
				5 13 0	RK
652 PENICILLIN BENETHAMINE	Injection				
	500,000 U. Penicillin, Benethamine;				
	250,000 U. Penicillin, Procaine;				
	500,000 U. Penicillin, Sodium				
	vial (solvent required)	1	..	0 11 0	GL
	Set containing vial and 2 mil. amp. water				
	for injection	1	..	0 11 8	GL
591 PENICILLIN, BENZATHINE	Oral Tablet, B.P. 200,000 U. tab.	100	1	0 0 0	CS, WY
				(ex 500)	
				2 13 0	CS, WY
				(ex M.P.)	
	Injection with Penicillin, Procaine and Penicillin, Potassium—				
	Set containing 1 vial of—				
	600,000 U. Penicillin, Benzathine;				
	300,000 U. Penicillin, Procaine;				
	300,000 U. Penicillin, Potassium and 2				
	cc. amp. water for injection	1	..	0 12 4	WY
592 PENICILLIN, BENZYL	Oral Tablet, B.P. 200,000 U. tab.	100	1	2 13 0	GL
	400,000 U. tab.	100	1	4 15 8	GL
	Injection, B.P.				
	100,000 U. amp. (solvent required)	6	..	*0 15 0	BD, GL, SI
	200,000 U. amp. (solvent required)	6	..	*0 15 6	BD, GL, SI
	500,000 U. amp. (solvent required)	6	..	*1 3 0	BT, CS, DL, EV, GL, SI
	Set containing 1 vial Penicillin G. 500,000				
	U. and 2 mil. amp. water for injection	6	..	*1 6 6	BT, CS, DH, EV, GL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
592—continued						
	1,000,000 U. amp. (solvent required) ..		6	..	£ s. d. *1 9 0	BT, CS, DH, DL, EV, GL, SI
	Set containing 1 vial Penicillin G. 1,000,000 U. and 2 mil. amp. water for injection ..		6	..	*1 12 6	BT, CS, DH, EV, GL
	1,500,000 U. amp. (solvent required) ..		6	..	*2 1 6	DH, EV, GL, SI
	Set containing 1 vial Penicillin G. 1,500,000 U. and 2 mil. amp. water for injection ..		6	..	*2 5 0	DH, GL
	Eye Drops					
	Set containing 30,000 U. and 15 mil. solvent		†1	2	†0 10 10	SI
	Eye Ointment 2,000 U. per G., 4 G. ..		†1	..	0 5 4	SI
					0 5 8	DH
593 PENICILLIN BENZYL PROCAINE						
	(Aqueous Suspension) Injection, B.P.—					
	300,000 U. amp.		6	..	*1 6 6	BT
	600,000 U. vial		6	..	*1 13 6	BT, FA
	900,000 U. vial		6	..	*2 0 6	BT, CS, DH, EV, GL, SI, VR
	1,000,000 U. vial		6	..	*2 3 0	AB, BT, DH, FA, SI, VR
	1,500,000 U. vial		6	..	*2 15 0	CS, DH, EV, FA, GL, SI, VR
	(Crystalline) Injection—					
	300,000 U. amp. (solvent required) ..		6	..	*1 2 6	CS, DL, SI
	Set containing 1 vial Penicillin 300,000 U. and 1 vial water for injection ..		6	..	*1 6 6	CS
	900,000 U. amp. (solvent required) ..		6	..	*1 16 6	CS, DL, SI
	Set containing 1 vial Penicillin 900,000 U. and 1 vial water for injection ..		6	..	*2 0 6	CS
	1,500,000 U. amp. (solvent required) ..		6	..	*2 11 0	CS, SI
	Set containing 1 vial Penicillin 1,500,000 U. and 1 vial water for injection ..		6	..	*2 15 0	CS

**594 PENICILLIN BENZYL, PROCAINE
FORTIFIED**

Injection, B.P.—

400,000 U. amp. (solvent required) ..	6	..	*1	3	0	CS, DL, SI
Set containing 1 vial Penicillin 400,000 U. and 1 vial water for injection ..	6	..	*1	7	0	CS
1,200,000 U. amp. (solvent required) ..	6	..	*2	5	0	BT, CS, DL, SI
Set containing 1 vial Penicillin 1,200,000 U. and 1 vial water for injection ..	6	..	*2	9	0	CS

**595 PENICILLIN, PHENOXYMETHYL
(BENZATHINE, CALCIUM, HYDRA-
BAMINE OR POTASSIUM SALT
OR FREE ACID)**

Injection

Set containing 1 vial Benzathine Penicillin
Phenoxymethyl 800,000 U. and 2 mil.
amp. water for injection

Oral Suspension 125 mg. per dram, 2 fl. oz.	C	†1	..	1	4	4	KL
			..	1	0	9	AB, BT, CM, CS, DH, DL, FA, GL, KL, SI, VR
Oral Sachet 125 mg. sachet	C	16	..	1	0	9	IQ, KL, LY
Oral Tablet 60 mg. tab.		24	..	0	13	0	CM, CS, DF, DH, GL, SI
				0	13	7	AB, DL, KL, LY
125 mg. tab.		24	..	0	18	10	CM, CS, DF, DH, FA, GL, PR, PT, SI
				0	19	9	AB, AN, BT, DL, KL, LP, LY, WL, VR
				(ex 100)			
				1	0	3	CM, CS, DF, DH, FA, GL, PR, PT, SI
				1	1	4	AB, AN, BT, DL, KL, LP, LY, WL, (ex M.P.) VR
250 mg. tab.		12	1	0	17	10	CM, CS, DF, DH, FA, GL, PR, PT, SI
				0	18	9	AB, AN, BT, DL, KL, LP, LY, WL, (ex 100) VR

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
595—continued								£ s. d.	
								0 19 1 1 0 3 (ex M.P.)	CM, CS, DF, DH, FA, GL, PR, PT, SI AB, AN, BT, DL, KL, LP, LY, WL, VR
	Oral Capsule	125 mg. cap.	..	..		24	..	1 1 4	AB, BT, CS, DL, FA, KL, LY, SI, WL, VR
		250 mg. cap.	..	..		12	1	0 18 9 (ex 100)	AB, BT, CS, DL, FA, KL, LY, SI, WL, VR
								1 0 3 (ex M.P.)	AB, BT, CS, DL, FA, KL, LY, SI, WL, VR
596 PENICILLIN WITH STREPTOMYCIN									
	Injection 100,000 U. Penicillin Crystalline;								
	300,000 U. Penicillin, Procaine;								
	500 mg. Streptomycin 1 amp. (solvent required)				D	6	..	*1 13 0	GL, SI
	Set containing 1 vial and 2 mil. amp. water for injection ..				D	6	..	*1 16 6	GL
	500,000 U. Sodium Benzyl Peni- cillin; 500 mg. Streptomycin Sulphate 1 vial				D	6	..	*1 13 0	DL, GL
	(solvent required)								
	Set containing 1 vial and 2 mil. amp. water for injection ..				D	6	..	*1 16 6	GL

597 PENTAERYTHRITOL TETRANITRATE

Oral Tablet 10 mg. tab.
20 mg. tab.

30 mg. tab.

80 mg. tab. (Sustained Action)

675 PENTHIENATE

Oral Capsule 5 mg. cap.

598 PENTOBARBITONE SODIUM, B.P.

Oral Tablet 30 mg. (1/2 gr.) tab. ..

100 mg. (1.5 gr.) tab.

100

100

100

100

100

50

50

2

2

2

2

2

2

2

0 8 4

0 9 0

(ex 500)

0 9 8

(ex M.P.)

0 11 0

0 11 5

0 15 0

2 1 0

0 6 0

0 6 8

0 7 0

0 6 0

0 6 5

0 6 9

0 7 1

0 7 5

0 8 3

(ex 250)

0 6 8

0 7 0

0 7 8

0 8 4

0 9 8

0 10 0

(ex M.P.)

HY(QNVTW), WW

HY(QNVTW), WW

HY(QNVTW), WW

HY(QNVTW), WW

HY(QNVTW)

WL

HY(QNVTW), WW

WL

HY(QNVTW)

AB, BW, DH, KL, QE(QNVS)

GP, RY, TO

PR, QE(QNVS), SL

HY(QNVTW)

MG

AD, BW, CM, CO, DH, FA, KL, RT(V),

RY, SI, TO

RD

AB, GP, IQ

HY(QNVTW), PR, RT(V)

QE(QNVS)

AD, BW, CM, DH, FA, KL, RD, RY,

SI, TO

AB, CO, IQ, MG

GP

SL

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
598— <i>continued</i>					£ s. d.	
	Oral Capsule 30 mg. (1/2 gr.) cap. ..		50	2	0 9 8	AB
	50 mg. (3/4 gr.) cap. ..		50	2	0 18 4	AB
	100 mg. (1.5 gr.) cap. ..		50	2	0 10 9	MG, PR, RT(V)
					0 11 5	FA, KL, PD
					0 12 10	AB
					(ex 250)	
					0 12 1	FA, KL, PD, PR, RT(V)
					0 13 0	AB, MG
					(ex M.P.)	
599	PENTOBARBITONE SODIUM COMPOUND					
	Oral Capsule, A.P.F. 1955		50	2	0 15 11	PD
					(ex 250)	
					0 18 8	PD
					(ex M.P.)	
	Oral Tablet, A.P.F. Capsule Formula ..		50	2	0 15 8	CO
600	PENTOLINIUM TARTRATE					
	Injection, B.P. 5 mg. per cc., 10 cc. vial		1	1	0 9 8	MB
	25 mg. per cc., 25 cc. vial		1	1	1 5 8	MB
	Oral Tablet, B.P. 40 mg. tab.		100	2	0 17 0	MB
	200 mg. tab.		100	2	2 7 4	MB
601	PENTOLINIUM TARTRATE WITH EPHEDRINE					
	Injection 25 mg. per cc., 25 cc. vial ..		1	1	1 9 8	MB

602	PERTUSSIS VACCINE (Haemagglutinin Aluminium Phosphate Adsorbed)								
	Injection 1/2 cc. amp.		2	..	*0 11 0	CS			
603	PERTUSSIS VACCINE (PHASE 1)								
	Injection 20,000 M. per cc., 1 cc. amp. . .		3	1	*0 15 0	CS			
604	PETHIDINE HYDROCHLORIDE								
	Injection, B.P. 50 mg. per cc., 1 cc. amp.		6	..	0 10 4	AD, BL, BT, BW, BX, CM, FH, KL			
	50 mg. per cc., 2 cc. amp.		6	..	0 11 8	AD, BL, BT, BW, BX, CM, FH, KL			
	50 mg. per cc. 10 cc. vial . .		1	..	0 10 4	BX, CM, FH, KL			
	50 mg. per cc., 50 cc. . .		1	..	1 0 11	BA, BX, KL, RO			
665	PETHIDINE AND LEVALLORPHAN TARTRATE								
	Injection Pethidine Hydrochloride, 50 mg.; Levallorphan Tartrate, 0.625 mg. per 1 cc. amp. (solvent required)	D	6	..	0 10 1	RO			
	Pethidine Hydrochloride, 100 mg.; Levallorphan Tartrate, 1.25 mg. per 2 cc. amp. (solvent required)	D	6	..	0 13 1	RO			
605	PETHIDINE AND SCOPOLAMINE								
	Injection Pethidine Hydrochloride, 100 mg.; Scopolamine 0.43 mg. 2 cc. amp.		6	..	0 12 4	BT, BW, FH, KL			
650	PHENACETIN								
	Oral Tablet with Codeine Phosphate and Sodium Pentobarbitone								
	300 mg.-15 mg.-30 mg. tab.								
	(5 gr.-1/4 gr.-1/2 gr.)		100	2	0 15 1	AD, CM, DH, HY(QNVTW), KL, MG, PR, SI, SL, TO			

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
650—continued					£ s. d.	
					0 15 9	RD
					1 0 0	AB, FM, GP
					(ex 500)	
					0 16 4	AD, DH, HY(QNVTW), KL, PR, SI, SL, TO
					0 17 0	RD
					0 17 8	CM
					0 18 0	MG
					1 2 0	AB, FM, GP
					(ex M.P.)	
607	PHENAZONE Oral Tablet, B.P. 1948 300 mg. (5 gr.) tab.		100	2	0 16 4	TO
678	PHENAZOPYRIDINE HYDROCHLORIDE Oral Tablet 100 mg. tab.		50	1	*0 12 10	WW
672	PHENETHICILLIN Oral Tablet 125 mg. tab. 250 mg. tab.		24 12	.. 1	1 4 4 1 3 0	CS, SI CS, SI
673	PHENFORMIN Oral Tablet 25 mg. tab.		100	2	2 0 4	WW
608	PHENINDAMINE TARTRATE Oral Tablet, B.P. 25 mg. tab.		50	2	0 11 3	RO

609 PHENINDIONE

Oral Tablet, B.P. 10 mg. tab. . . .

100

2

2 3 0 PT, PX

2 9 8 GA

2 13 0 EV, WF(NVW)

2 19 0 PT, PX

3 9 8 GA

3 13 0 EV, WF(NVW)

50 mg. tab. . . .

100

2

610 PHENOBARBITONE

Oral Tablet, B.P. 15 mg. (1/4 gr.) tab. . .

100

2

0 4 8 AD, BW, DH, FA, HY(QNVTW),

KL, PR, RT(V), RY, SI, SL, TO

30 mg. (1/2 gr.) tab. . .

100

2

0 5 3 AD, DH, FA, HY(QNVTW), KL, PR,

RT(V), RY, SI, SL, TO

0 5 4 MG

0 5 8 BK, BW, GP, MB

60 mg. (1 gr.) tab. . .

100

2

0 5 4 AD, DH, FA, HY(QNVTW), KL, PR,

RT(V), RY, SI, SL, TO

0 5 8 MG

0 6 4 BW, GP, MB

100 mg. (1.5 gr.) tab. . .

100

2

0 6 4 AD, DH, FA, HY(QNVTW), KL,

RT(V), RY, SI, SL

0 6 5 GP, TO

611 PHENOBARBITONE SODIUM

Injection

200 mg. (3 gr.) per 1 cc. amp. . . .

6

..

*0 9 8 MB

0 11 8 BL, BX, CM, EV, FH, FM

200 mg. (3.1 gr.) per 2 cc. amp. with 2 mil.

amp. water for injection . . .

6

..

1 2 4 BX

200 mg. (3 gr.) per 2 cc. amp. . . .

6

..

0 11 8 BT

Oral Tablet, B.P. 15 mg. (1/4 gr.) tab. . .

100

2

0 4 8 DH, FA, KL, RT(V), SL, TO

30 mg. (1/2 gr.) tab. . .

100

2

0 5 3 DH, FA, HY(QNVTW), KL, PR,

RT(V), RY, SL, TO

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
611— <i>continued</i>					£ s. d.	
	60 mg. (1 gr.) tab. ..		100	2	0 5 4	KL, RT(V), RY, SL
	100 mg. (1.5 gr.) tab. ..		100	2	0 5 8 0 6 4	FA, HY(QNVTW), TO FA, HY(QNVTW), KL, RY
612	PHENOBARBITONE SODIUM AND SODIUM BROMIDE					
	Mixture, P.L.		8 fl. oz.	4	0 8 2	Extemp.
613	PHENOL					
	Injection Phenol, B.P. 2%; Dextrose, B.P. 25%; Glycerin, B.P. 30% 30 cc. vial ..		1	..	1 6 4	BT
	Lotion, P.L.		8 fl. oz.	4	0 7 8	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 7 5	Extemp.
614	PHENOLPHTHALEIN					
	Oral Pill, Compound		50	1	0 5 3 *0 5 3 *0 5 10	HY(QNVTW), MG TO DH
615	PHENSUXIMIDE					
	Oral Capsule 500 mg. cap.		200	1	4 2 4	PD
653	PHENYLALANINE LOW CONTENT FORMULA					
	Granules 1 Kg.	AD	1	..	10 13 4	GL
	Powder 2.5 lb. tin	AD	1	..	5 6 8	CM
	3 lb. tin	AD	1	..	11 0 0	TF

616 PHENYLBUTAZONE

Oral Tablet 100 mg. tab.

50

2

0 17 11

GE

(ex 250)

0 19 0

GE

(ex M.P.)

617 PHENYLEPHRINE HYDROCHLORIDE

Injection, 1% 1 mil. amp.

6

..

1 6 4

WL

Compound Suppository with Benzocaine ..

12

1

0 10 7

WL

**674 PHENYLMERCURIC DINAPHTHYL-
METHANE DISULPHONATE**

Pessaries

15

..

1 3 0

WB

677 PHENYTOIN

Oral Suspension 4 fl. oz.

C

‡1

4

0 10 4

PD

618 PHENYTOIN SODIUM

 Injection 250 mg. vial with 5 cc. water for
injection

1

..

1 19 0

PD

Oral Tablet, B.P. 100 mg. tab.

200

1

0 15 0

DH, KL, RT(V)

Oral Capsule 30 mg. cap.

200

1

0 17 8

PD

100 mg. cap.

200

1

0 0 0

PD

(ex 1,000)

1 7 8

PD

(ex M.P.)

619 PHOLCODINE

Linctus 4 fl. oz.

‡1

4

0 8 8

EV, FA, GL, GP, MG, VR

8 fl. oz.

‡1

4

0 12 4

EV, FA, GL, GP, MG, RK, VR

Linctus, P.L.

8 fl. oz.

4

0 14 7

Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
620	PTHALYLSULPHACETAMIDE Oral Tablet 500 mg. tab.		100	..	£ s. d. 1 11 0	BS, KL, SC, VR
621	PTHALYLSULPHATHIAZOLE Oral Tablet, B.P. 500 mg. tab.		100	..	0 14 4 (ex 500) 0 14 4 (ex M.P.)	MB, MK MB, MK
	Mixture for Children, P.L.		4 fl. oz.	4	0 11 11	Extemp.
622	PHYSOSTIGMINE SALICYLATE Eye Drops 1/4%, 15 ml.		†1	6	0 15 0	IQ
	1/2%, 15 ml.		†1	6	0 16 7	IQ
666	PHYTOMENADIONE Injection, B.P. 10 mg. amp.	D	3	..	1 0 4	RO
623	PICROTOXIN Injection, B.P. 5 mg. per 2 cc. amp. ..		6	1	0 13 0	BX, FH
624	PILOCARPINE NITRATE Eye Drops 1/2% 1/2 fl. oz.		†1	6	0 9 11	AN, DH, IQ, KL, SI
	1% 1/2 fl. oz.		†1	6	0 10 8	AN, DH, IQ, KL, SI
	2% 1/2 fl. oz.		†1	6	0 11 8	AN, DH, IQ, KL, SI
	3% 1/2 fl. oz.		†1	6	0 12 8	AN, IQ, KL, SI
	4% 1/2 fl. oz.		†1	6	0 14 4	AN, KL, SI
					0 15 0	IQ

676	PIPENZOLATE									
	Oral Tablet	5 mg. tab.	..	..						
	Oral Solution	4 mg. per mil., 1/2 fl. oz.	..	..						
					100	2	1	17	8	SI
					†1	..	0	13	0	SI
625	PIPERAZINE ADIPATE									
	Oral Tablet, B.P.	300 mg. tab.	..	..						
	Oral Granules	20%, 100 G.	..	..	25	2	0	10	0	BD
					1	..	1	1	0	DF
654	PIPERAZINE CITRATE, B.P.									
	Oral Tablet	500 mg. tab.	..	..						
	Elixir	500 mg. per 4 mil., 4 fl. oz.	..	..	30	..	0	12	7	BW
					†1	..	0	11	0	MG
							0	11	5	GL
626	PIPERAZINE PHOSPHATE									
	Oral Tablet, B.P.	260 mg. tab.	..	..						
		500 mg. tab.	..	..	25	2	*0	9	2	GL
					30	2	0	12	7	CK
627	PITUITARY, POSTERIOR LOBE, B.P.C.									
	Injection	1 cc. amp...	..	..						
	Insufflation	30 Antidiuretic Unit Capsule	..	..	6	1	0	15	8	PD
		500 Antidiuretic Unit per G., 2 G.	..	..	100	2	4	5	8	ST
	Phial	..	..	..	3	2	*3	9	9	BP
628	PLAGUE VACCINE									
	Injection	4,000 million per cc., 1 cc. amp.	..	..						
					2	..	*0	16	4	CS
629	POLYMYXIN B. SULPHATE									
	Ear Drops	1/2 fl. oz.	..	..						
	Ear Drops with Acetic Acid and Propylene Glycol	10 mil.	..	..	†1	2	1	15	0	AN, BW, HA, KL, SI
	Eye Drops	15,000 U. per mil., 5 mil.	..	..	†1	2	0	13	0	BW
	Eye Drops	Set containing 300,000 U. and 15 ml. of solvent	..	..	†1	2	1	7	0	HA, IQ, KL, SI
					†1	2	†1	17	6	AN

Item No.	Name, Manner of Administration and Form	Re-strictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max Qty	Manufacturer
					£ s d.	
629—continued						
	Eye Drops Set containing 75,000 U. and 5 ml. of solvent		†1	2	†1 9 6	AN
	Eye Drops 15,000 U. per mil., Stabilised 5 ml.		†1	2	1 3 0	BW
	Eye Drops with Bacitracin and Neomycin Sulphate					
	10 mil. (solvent required)		†1	2	†1 5 6	GL
	10 mil. and 10 cc. amp. of solvent ..		†1	2	†1 9 6	AN, DH
					†1 11 9	HA, IQ
	Eye Drops with Neomycin Sulphate and Gramicidin					
	5,000 U.—2.5 mg.—0.025 mg., 10 mil. ..		†1	2	0 14 4	BW
	Eye Ointment with Bacitracin and Neomycin 4 G.		†1	..	0 7 0	AN, BW, DH, GL, HA, SI, UP
630	POTASSIUM BROMIDE					
	Mixture, P.L.		8 fl. oz.	4	0 8 0	Extemp.
	Mixture with Nux Vomica, P.L.		8 fl. oz.	4	0 7 10	Extemp.
	Mixture with Phenobarbitone and Bella-donna, P.L.		8 fl. oz.	4	0 7 8	Extemp.
631	POTASSIUM CHLORIDE					
	Injection Standard Maintenance Fluid					
	1/2 litre		2	..	*1 11 0	BX, FH(QNVST)
	Oral Tablet, B.P. 500 mg. tab.		100	2	0 7 0	AN, DH, HY(QNVTW), KL, RT(V), RY

632 POTASSIUM CITRATE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	8	6 Extemp.
Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0	8	2 Extemp.
Mixture Acid, P.L.	..	..	..	..	8 fl. oz.	4	0	9	10 Extemp.
Mixture with Hyoseyamus, P.L.	..	..	..	..	8 fl. oz.	4	0	7	10 Extemp.
633 POTASSIUM IODIDE									
Mixture, P.L.	..	..	..	..	8 fl. oz.	4	0	8	8 Extemp.
Mixture for Children, P.L.	..	..	..	..	4 fl. oz.	4	0	8	4 Extemp.
Mixture with Stramonium for Children, P.L.					4 fl. oz.	4	0	8	3 Extemp.
668 POTASSIUM PERCHLORATE									
Oral Tablet	200 mg. tab.	..	..	..	100	2	0	9	8 AD, SI
	500 mg. tab.	..	..	..	100	2	0	15	8 PH
							0	17	8 PH
634 PREDNISOLONE									
Oral Tablet, B.P.	5 mg. tab.	..	..	..	AD 30	..	1	17	0 AN, GL, HY(QNVTW), KL, MK, PD, PF, PR, PT, RT(V), RY, SH
							2	5	4 CO
							2	5	8 BT, OR, RL, SC, UP
Oral Tablet with Magnesium Trisilicate and Dried Aluminium Hydroxide Gel									
	5 mg.-50 mg.-300 mg.	..	..	..	AD 30	..	1	17	0 MK
Eye Ointment	0.5%, 4 G.	..	..	..	‡1	..	1	3	0 AN, CO, KL, UP
655 PREDNISOLONE ACETATE									
Injection	10 mg. per 1 cc. amp.	..	..	..	AD 3	2	1	9	8 BX, SC
656 PREDNISOLONE DISODIUM PHOSPHATE									
Retention Enema	20 mg. per 100 cc.	..	..	..	AD 7	..	7	7	8 GL
Eye-Ear Drops, 0.5%	2.5 mil.	..	..	..	‡1	6	1	1	8 MK
	3 mil.	..	..	..	‡1	6	1	3	0 GL
Eye Ointment	3 G.	..	..	..	‡1	..	1	3	0 GL

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
657	PREDNISOLONE METHYL					
	Oral Tablet 4 mg. tab.	AD	30	..	4 5 8	UP
	Oral Capsule 4 mg. cap.	AD	30	..	4 5 8	UP
	Eye Ointment 0.1%, 4 G.		‡1	..	1 6 4	UP
683	PREDNISOLONE METHYL ACETATE					
	Injection 40 mg. per cc., 5 cc. vial	AD	1	..	8 3 0	UP
658	PREDNISOLONE SODIUM HEMI-SUCCINATE	H				
680	PREDNISOLONE TRIMETHYL-ACETATE					
	Eye Drops 0.3%, 2.5 cc.		‡1	..	0 13 8	CB
	Eye Ointment 0.5%, 2.5 G... ..		‡1	..	0 15 0	CB
635	PREDNISONE					
	Oral Tablet, B.P. 5 mg. tab.	AD	30	..	1 17 0	AN, GL, HY(QNVTW), KL, MK, PD, PR, PT, RY, SH
					2 5 4	CO
					2 5 8	BT, OR, RD, RL, SC
	Oral Tablet with Magnesium Trisilicate and Dried Aluminium Hydroxide Gel					
	5 mg.-50 mg.-300 mg.	AD	30	..	1 17 0	MK

636 PRIMAQUINE BASE									
Oral Tablet, Phosphate, B.P.									
Equivalent to 7.5 mg. base				30	1	0	10	8	IC
Equivalent to 15 gm. base				14	1	0	6	9	WL
637 PRIMIDONE									
Oral Tablet, B.P. 250 mg. tab.				200	1	*3	17	8	IC
659 PROBENECID									
Oral Tablet, B.P. 500 mg. tab.				100	2	5	19	8	MK
638 PROCAINAMIDE HYDROCHLORIDE									
Injection, B.P. 100 mg. per cc., 10 cc. vial				1	..	0	15	8	SQ
Oral Tablet 250 mg. tab... ..				100	2	3	3	0	SQ
639 PROCAINE HYDROCHLORIDE IN NORMAL SALINE									
Injection, 0.1% 1/2 litre				2	1	*1	7	8	BT
1 litre				2	1	*1	11	8	AB, BT
640 PROCYCLIDINE HYDROCHLORIDE									
Oral Tablet, B.P. 5 mg. tab... ..				100	2	2	3	0	BW
641 PROGESTERONE									
Injection 20 mg. I.V. amp... ..				D	3	..	2	6	4 OR, SC
25 mg. amp.				D	3	..	1	7	0 BD, CB, DF, OR, SC
Implant 25 mg. implant				D	1	..	1	1	0 BD, OR
642 PROGESTERONE DEPOT									
Injection 250 mg. amp.				D	3	..	*4	15	0 RM
							4	15	0 SC
643 PROGUANIL HYDROCHLORIDE									
Oral Tablet, B.P. 100 mg. tab.				100	2	0	11	5	IC

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
644	PROMETHAZINE HYDROCHLORIDE							£ s. d.	
	Injection	2.5%, 2 cc. amp.	..	..	C	10	..	0 15 0	MB
	Elixir	115 mil.	..	..		‡1	4	0 7 8	MB
	Oral Tablet, B.P.	10 mg. tab.	..	..		50	1	0 9 2	MB
								(ex 250)	
								0 9 8	MB
		25 mg. tab.	..	..		50	1	(ex M.P.) 0 12 2	MB
								(ex 250)	
								0 13 8	MB
								(ex M.P.)	
660	PROPANTHELINE BROMIDE								
	Injection	30 mg. per 1 cc. vial	..	..		6	..	3 9 8	SR
		(solvent required)							
	Oral Tablet, B.P.	15 mg. tab.	..	..		100	2	2 10 8	SR
								(ex 500)	
								2 12 4	SR
								(ex M.P.)	
681	PROPENPYRIDAMINE MALEATE								
	Syrup	10 mg. per 5 mil., 100 mil.	..	..	C	‡1	4	0 9 8	HP
645	PROPENPYRIDAMINE PARA-AMINOSALICYLATE								
	Injection	25 mg. per cc., 2 cc. amp.	..	..		5	1	0 14 1	HP
	Oral Tablet	10 mg. tab.	..	..		50	1	0 0 0	HP
								(ex 250)	

645—continued

	50 mg. tab.	..	..	..	50	1	0 9 3 (ex M.P.)	HP
							0 0 0 (ex 250)	HP
							0 15 8 (ex M.P.)	HP
671	PROPYLTHIOURACIL							
	Oral Tablet, B.P. 25 mg. tab.	..	..	..	100	2	0 13 0	AN
	50 mg. tab.	..	..	..	100	2	1 0 4	AN
646	PROTAMINE SULPHATE							
	Injection, 1% 5 mil. amp...	..	..	..	6	..	1 3 7	EV
	10 mil. amp...	..	..	..	6	..	1 5 8	BT
647	PROTOVERATRINE A							
	Injection 1 mil. amp.	..	..	..	D 6	..	0 16 8	SZ
669	PYRAZINAMIDE	..	..	..	H			
662	PYRIDINE ALDOXIME METHIODIDE..				H			
648	PYRIDOSTIGMINE BROMIDE							
	Oral Tablet, B.P. 60 mg. tab.	..	..	..	D 100	2	*4 5 5	RO
	Injection, B.P. 1 mg. per 1 cc. amp.	..	..	..	6	1	0 11 3	RO
	(solvent required)							
649	PYRIDOXINE HYDROCHLORIDE, B.P.C.							
	Injection 50 mg. per cc., 1 cc. amp.	..	..	..	6	1	0 18 4	FH, KL
							1 0 4	AN, BL, CM, BX, FM, PD
	50 mg. per 2 cc., 2 cc. amp.	..	..	..	6	1	1 0 4	RO
							1 1 8	BD, VM

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
649—continued					£ s. d.	
	50 mg. per cc., 5 cc. vial ..		1	1	1 1 8	KL
					1 4 0	LY
	50 mg. per cc., 10 cc. vial ..		1	..	1 3 0	BX, FH, KL
					1 7 0	CM
663	PYRIMIDO-PYRIMIDINE					
	Injection 10 mg. per 2 mil., 2 mil. amp. ..		5	..	0 14 7	FA
661	PYRROLIDINO-METHYL-TETRACYCLINE					
	Injection 110 mg. Tetracycline amp. I.V.	D	5	..	*4 10 11	HP
	275 mg. Tetracycline amp. I.V.	D	5	..	*7 16 9	HP
	150 mg. Tetracycline amp. I.M.	D	5	..	*4 10 11	HP, SQ
	350 mg. Tetracycline amp. I.M.	D	5	..	*7 16 9	HP, SQ
721	QUINALBARBITONE SODIUM, B.P.					
	Oral Tablet 50 mg. tab.		.. 50	2	0 9 8	PT
	100 mg. (1.5 gr.) tab. ..		50	2	0 9 11	HY(QNVTW), RT(V)
					0 11 0	PT
					0 11 8	AD, CM, DH, KL, MG, RY, SI
					0 13 4	RD
					0 15 8	GP, SL
	Oral Capsule 50 mg. cap.		50	2	0 11 11	LY
	100 mg. (1.5 gr.) cap. ..		50	2	0 18 4	LY

722	QUINIDINE SULPHATE	Oral Tablet, B.P. 200 mg. (3 gr.) tab. ..	100	2	0 0 0 0 0 0 (ex 500) 1 4 4 1 5 8 (ex M.P.)	DH, FA, HA, HY(QNVTW), KL, TO BW DH, FA, HA, HY(QNVTW), KL, TO BW
723	QUININE BISULPHATE	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..	100	2	0 16 4 0 17 8	CO, DH, HY(QNVTW) BW, FA
724	QUININE DIHYDROCHLORIDE	Injection, B.P.				
		200 mg. (3 gr.) per cc., 1 cc. amp.	6	1	0 13 8	BX
		400 mg. (6.25 gr.) per cc., 1 cc. amp.	6	1	0 14 4	BX
		600 mg. (9.25 gr.) per 2 cc. amp.	6	1	0 15 0	BX
		1 G. (15.5 gr.) per 2 cc. amp.	6	1	0 15 8	BX
		Oral Tablet 300 mg. (5 gr.) tab.	100	2	1 2 0	DH
		Oral Capsule 300 mg. (5 gr.) cap.	100	2	1 11 0	PD
725	QUININE HYDROCHLORIDE	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..	100	2	1 2 0	DH
726	QUININE SULPHATE	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..	100	2	0 16 4	AD, DH, HY(QNVTW), PR, SI, TO
747	RAUWOLFIA ALKALOIDS	Oral Tablet 0.25 mg. tab.	100	2	0 11 8	PT
					0 13 8	CM, KL
		2 mg. tab.	100	2	1 7 0	RK
		4 mg. tab.	100	2	1 5 8	PV

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
747— <i>continued</i>	50 mg. tab. 		100	2	£ s. d. 0 0 0 0 0 0 (ex 500) 1 6 4 1 13 0 (ex M.P.)	PT IQ, SQ PT IQ, SQ
748	RED BACK SPIDER ANTI-VENENE Injection 500 U. vial 		2	..	*4 3 0	CS
746	RESERPINE Injection 1 mg. amp. 2.5 mg. amp. Oral Tablet, B.P. 0.25 mg. tab. 		5 5 100	1 1 2	0 10 1 0 16 4 0 0 0 0 0 0 (ex 500) 0 8 4 0 9 4 0 9 8 (ex M.P.) 0 0 0 0 0 0 (ex 500) 0 10 4 0 12 4 (ex M.P.)	CB CB AN, HA, HY(QNVTW), KL, RK, RY MG CB, VR AN, HA, HY(QNVTW), KL, RK, RY MG CB, VR HA, KL, RK CB HA, KL, RK CB
	0.5 mg. tab. 		100	2		

741	RESORCINOL								
	Lotion, Compound, P.L.	..	..	..		8 fl. oz.	4	0 10 6	Extemp.
	Ointment, Compound, P.L.	..	..	..		1920 gr.	1	0 13 0	Extemp.
742	RHUBARB								
	Pill, Compound, B.P.C.	..	..	..		50	1	*0 10 6	DH
	Mixture with Soda, P.L.	..	..	..		8 fl. oz.	4	0 8 9	Extemp.
	Mixture with Soda for Children, P.L.	..				4 fl. oz.	4	0 7 5	Extemp.
743	RIBOFLAVINE								
	Oral Tablet, B.P.	5 mg. tab.	..	..	P	100	2	0 7 0	DH, FM, KL, PR, RT(v), RY, TO
745	RISTOCETIN				H				
755	SACCHARIN OR SACCHARIN SODIUM								
	†Oral Tablet	30 mg. (1/2 gr.) tab.	..	..		200	1	0 1 9 0 2 0	HY(QNVTW) AD, DH, FA, KL, RT(v), RY, SI, SL
818	SALICYLAMIDE								
	Oral Tablet	500 mg. tab.	..	..		100	2	0 10 4 0 10 8	KL, TO HA, NS
803	SALICYLAZOSULPHAPYRIDINE								
	Oral Tablet	500 mg. tab.	..	..	D	100	..	1 17 8	MR
756	SALICYLIC ACID								
	Paint, P.L.	..	..	..		1 fl. oz.	1	0 6 8	Extemp.
	Ear Drops, P.L.	..	..	..		1/2 fl. oz.	2	0 6 10	Extemp.
	Ointment, B.P.	..	..	..		1920 gr.	1	0 14 2	Extemp.
	Lotion, Compound, P.L.	..	..	..		8 fl. oz.	4	0 9 4	Extemp.
760	SCHICK TEST TOXIN								
	Injection	1 cc. vial	..	..		2	..	*0 13 8	CS

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
757	SEIDLITZ POWDER †Compound Effervescent Powder, B.P., 1953		12	1	0 5 0	DH, WD(N)
758	SENNA FRUIT, B.P. †2 oz.		1	..	0 2 0	DH, SI
816	SENNA FRUIT EXTRACT (STANDARDISED) Oral Tablet 7 mg. tab.	P	100	2	0 12 4	RC
759	SENEGA AND AMMONIA Mixture, P.L.		8 fl. oz.	4	0 9 10	Extemp.
809	SILVER NITRATE †Toughened 1 stick		1	..	0 1 7 0 2 6	YF(QNVST) SL
761	SILVER PICRATE, B.P.C. 1949 Insufflation, 1%		5 G.	1	0 8 4	AB
762	SILVER PROTEIN, MILD, B.P.C. Eye Drops, 10% 1/2 fl. oz.		‡1	2	0 10 5	IQ
763	SIMPLE OINTMENT, B.P. Ointment		1920 gr.	1	0 11 8	Extemp.
764	SMALLPOX VACCINE, B.P. Injection Capillary Tube		I	..	0 8 7	CS

773 SODIUM AMINOSALICYLATE											
Injection	20%, 10 cc. vial	..	..	D	6	..	1	1	3	KL	
Oral Cachet	1.5 G. cachet	..	..	D	200	2	3	3	0	AN, KL, WA	
							*3	11	8	SN	
	2.0 G. cachet	..	..	D	200	2	4	3	0	KL, WA	
Oral Tablet	300 mg. (5 gr.) tab.	..	..	D	200	1	0	18	8	KL	
							*1	3	5	AD, SI	
	500 mg. (7.5 gr.) tab.	..	..	D	500	2	2	3	0	DH, KL, SN	
							2	7	4	CM, RY	
							*2	7	7	AN, WA	
							*2	11	9	AD, SI	
Granules	50% 350 G.	..	..	D	1	1	2	6	4	HY(QNVTW), RL	
	96.4% 500 G.	..	..	D	1	1	5	8	0	EV	
765 SODIUM AUROTHIOMALATE											
Injection, B.P.	1 mg. amp.	..	..		1	3	0	4	11	MB	
	2 mg. amp.	..	..		1	3	0	5	1	MB	
	5 mg. amp.	..	..		1	3	0	5	3	MB	
	10 mg. amp.	..	..		1	3	0	5	7	MB	
	20 mg. amp.	..	..		1	6	0	5	9	MB	
	50 mg. amp.	..	..		6	1	*1	7	0	MB	
	100 mg. amp.	..	..		6	1	*1	15	0	MB	
	200 mg. amp.	..	..		1	3	0	11	8	MB	
766 SODIUM BICARBONATE											
Ear Drops, P.L.	..	..	..		1/2 fl. oz.	2	0	7	2	Extemp.	
Mixture, P.L.	..	..	..		8 fl. oz.	4	0	7	2	Extemp.	
Oral Tablet, Compound, B.P.											
	300 mg. (5 gr.) tab.	..	..		100	2	0	4	8	FA, SL, TO	
767 SODIUM CALCIUMEDETATE											
Injection	200 mg. per 5 cc. amp.	..	..		6	..	3	1	8	RK	
Oral Tablet	500 mg. tab.	..	..		100	2	2	1	11	RK	

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
								£ s. d.	
768	SODIUM CHLORIDE								
	Injection								
	Gastric Replacement Solution 1/2 litre					2	..	*1 11 0	BX, FH(QNVST)
	Intestinal Replacement Solution 1/2 litre					2	..	*1 11 0	BX, FH(QNVST)
	Potassium Free Maintenance Solution								
	1/2 litre					2	..	*1 11 0	BX, FH(QNVST)
	Saline Lactate Solution 1/2 litre					2	..	*1 11 0	BX, FH(QNVST)
	Tissue Repair Solution—Acidosis 1/2 litre					2	..	*1 11 0	BX, FH(QNVST)
	Tissue Repair Solution—Alkalosis								
	1/2 litre					2	..	*1 11 0	BX, FH(QNVST)
	(Hypertonic Solution)—								
	Injection	3%, 1/2 litre				2	1	*1 7 8	BT
		1 litre				2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
	5%, 1/2 litre					2	1	*1 7 8	BT
		1 litre				2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
	(Physiological Solution)—								
	Injection	2 cc. amp.				6	1	0 9 4	AD, BL, BX, FH, KL
		5 cc. amp.				6	1	0 10 4	AD, BL, BX, FH, KL
		10 cc. amp.				6	1	0 9 0	CS
								0 12 4	AD, BL, BX, FH, KL
		10 cc. vial				2	1	*0 9 8	BX, FH, PD
		20 cc. amp.				6	1	0 16 4	BL, BX, FH, KL
		50 cc. amp.				3	1	*1 3 0	BX, FH, KL
		1/2 litre ..				2	1	*1 7 8	BT
		1 litre ..				2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
	Oral Tablet, B.P. 300 mg. (5 gr.) tab. ..					100	2	0 4 8	DH, FA, HY(QNVTW), RT(V)

769 SODIUM CHLORIDE AND DEXTROSE

Injection, B.P.

5% in normal saline	1/2 litre	..	..	2	1	*1 7 8	BT
	1 litre	..	..	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
10% in normal saline	1/2 litre	..	..	2	1	*1 7 8	BT
	1 litre	..	..	2	1	*1 11 8	AB, BT, BX, FH(QNVST), GL, SJ(W)
20% in normal saline	1 litre	..	..	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
25% in normal saline	1/2 litre	..	..	2	1	*1 7 8	BT
	1 litre	..	..	2	1	*1 11 8	AB, BT, BX, FH(QNVST), SJ(W)
2.5% in 1/2 strength normal saline	1/2 litre	..	..	2	1	*1 7 8	BT, BX, FH(QNVST), SJ(W)
3.75% in 1/4 strength normal saline	1/2 litre	..	..	2	1	*1 7 8	BT, BX, FH(QNVST), SJ(W)
4% in 1/5 strength normal saline	1/2 litre	..	..	6	1	*3 17 0	BT
	1 litre	..	..	6	1	*4 9 0	AB, BT, BX, EV, SJ(W)
4.3% in 1/5 strength normal saline	1 litre	..	..	6	1	*4 9 0	FH(QNVST), GL

811 SODIUM CHLORIDE COMPOUND

Injection, B.P.C.

1/2 litre	..	..	4	1	*2 12 4	BT
1 litre	..	..	4	1	*3 0 4	BT, BX, EV, FH(QNVST), GL, SJ(W)

814 SODIUM CHLORIDE COMPOUND AND DEXTROSE

Injection	5%, 1/2 litre	..	..	..	6	1	*3 17 0	BT
	1 litre	..	..	..	6	1	*4 9 0	BT, BX, FH(QNVST), SJ(W)
	10%, 1 litre	..	..	..	3	1	*2 6 0	BT, BX, FH(QNVST), SJ(W)

770 SODIUM CITRATE

Oral Tablet for Children	120 mg. (2 gr.) tab.	100	2	0 5 3	AD, DH, HY(QNVTW), RT(V)
				0 7 0	BW
Oral Tablet, B.P.	300 mg. (5 gr.) tab.	100	2	0 6 0	HY(QNVTW)
				0 8 9	BW
Mixture Disodium Hydrogen Citrate, P.L.	..	8 fl. oz.	4	0 8 5	Extemp.

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
804	SODIUM FOLATE Injection 15 mg. per cc., 10 cc. vial ..	D	1	..	£ s. d. 1 5 8	LE
771	SODIUM LACTATE (Solution 1/6 Molar)— Injection 1/2 litre 1 litre		2 2	1 1	*1 7 8 *1 11 8	BT AB, BT, BX, FH(QNVST), SJ(W)
812	SODIUM LACTATE—COMPOUND Injection, B.P. 1/2 litre 1 litre		2 2	1 1	*1 7 8 *1 11 8	BT BT, BX, EV, FH(QNVST), GL, SJ(W)
813	SODIUM LACTATE—COMPOUND AND DEXTROSE Injection 5%, 1/2 litre 1 litre 10%, 1/2 litre 1 litre		2 2 2 2	1 1 1 1	*1 7 8 *1 11 8 *1 7 8 *1 11 8	BT BT, BX, FH(QNVST), SJ(W) BT BT, BX, FH(QNVST), SJ(W)
772	SODIUM OLEATE COMPOUND Oral Pill.. .. . Oral Tablet		100 100	1 1	0 12 4 *0 12 5 0 9 0	PD DH FA
774	SODIUM SALICYLATE Mixture, P.L. Mixture for Children, P.L. Oral Tablet, B.P.C. 300 mg. (5 gr.) tab. ..		8 fl. oz. 4 fl. oz. 100	4 4 2	0 8 4 0 7 3 0 7 8	Extemp. Extemp. AD, DH, FA, HY(QNVTW), KL, RT(V), SI, SL, TO

774—continued

Oral Tablet (Enteric Coated)

300 mg. (5 gr.) tab.	100	2	0 11 0	AN, DH, HY(QNVTW), KL, LY, PR, RY, TO
500 mg. (7.5 gr.) tab.	100	2	0 0 0 (ex 500) 0 12 4 (ex M.P.)	KL, PR, QE(QNVS), RD, TO KL, PR, QE(QNVS), RD, TO
600 mg. (10 gr.) tab.	100	2	0 13 8	AN, DH, KL, LY, PR(QNVS), QE(QNVS), RY, TO

775 SODIUM SULPHATE

(Solution 4.28%)—

Injection 1/2 litre	2	1	*1 7 8	BT
1 litre	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)

776 SODIUM TAUROGLYCOCHOLATE

Oral Pill.	100	1	0 9 8 0 9 11	DH WW
Oral Tablet	50	1	*0 7 5	DH

777 SORBOLENE, A.P.F. 1955

Cream, P.L.	1920 gr.	1	0 11 8	Extemp.
---------------------	----------	---	--------	---------

805 SOYA FORMULA

Liquid 1 tin	AD	6	..	*1 17 6	CM
Powder 1 tin 9 oz.	AD	6	..	*3 10 0	WA
1 lb.	AD	6	..	*5 6 6	CM

806 SPIRAMYCIN

Oral Capsule 250 mg. cap.	D	20	..	1 18 4	MB
Oral Tablet 250 mg. tab...	D	20	..	1 18 4	MB

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
778	SPIRIT, INDUSTRIAL METHYLATED, B.P.					
	Soap, P.L.		4 fl. oz.	1	0 9 9	Extemp.
	Ear Drops, P.L.		1/2 fl. oz.	2	0 6 9	Extemp.
810	SPIRONOLACTONE	H	..	..	..	
779	STAPHYLOCOCCUS TOXOID (FORMALINISED)					
	Injection Diluted 1 in 10 for use in initial injection 5 cc.		1	..	0 11 0	CS
	Undiluted 5 cc.		1	..	1 1 8	CS
780	STILBOESTROL, B.P.					
	Injection 1 mg. amp.	DG	6	..	0 9 8	BD, BX
	5 mg. amp.	DG	6	..	0 11 8	BD, BX, KL
	Oral Tablet 0.1 mg. tab.	DG	100	2	0 5 1	HY(QNVTW), KL
	0.5 mg. tab.	DG	100	2	0 5 3	AD, BD, DH, FA, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
	1 mg. tab.	DG	100	2	0 5 5	AD, DH, FA, HY(QNVTW), KL, RT(V), SI
					0 5 8	BD, HA, MG, RY, SL, TO
	5 mg. tab.	DG	100	2	0 8 0	AD, BD, BW, DH, FA, HA, HY(QNVTW), KL, MG, RT(V), RY, SI, SL, TO
	10 mg. tab.	DG	100	2	0 12 4	CM, DH, KL, RT(V), TO

781 STREPTOMYCIN SULPHATE

Injection 1 G. vial (solvent required) ..	D	5	3	*0 19 8	BT, BX, DL, EV, GL, SI
Intrathecal Injection					
100,000 U. amp. (solvent required) ..	D	10	3	1 2 5	DL
Injection, B.P.					
250,000 U. per mil., 4 mil. vial ..	D	5	3	*1 1 9	DL, GL
500,000 U. per mil., 2 mil. vial ..	D	5	3	*1 1 9	BT, EV, GL
1,000,000 U. per 3 mil. vial ..	D	5	3	*1 1 9	EV, GL, SI
Oral Tablet with Sulphaguanidine					
62.5 mg.-500 mg. tab.		16	..	0 14 1	GL
Ear Drops, P.L.		1/2 fl. oz.	2	0 11 9	Extemp.

782 STRYCHNINE HYDROCHLORIDE SOLUTION

Mixture, P.L.		8 fl. oz.	4	0 7 5	Extemp.
---------------------	--	-----------	---	-------	---------

783 SUCCINYLSULPHATHIAZOLE

Oral Tablet, B.P. 500 mg. tab. ..		100	..	0 19 0	MB, MK
Mixture with Kaolin 4 fl. oz. ..		1	4	0 9 4	MK
8 fl. oz. ..		1	4	0 15 0	MK
Mixture with Kaolin, P.L.		8 fl. oz.	4	1 0 0	Extemp.

784 SULPHACETAMIDE SODIUM

Ear Drops, P.L.		1/2 fl. oz.	2	0 7 5	Extemp.
Eye Drops, 10% 1/2 fl. oz. ..		1	2	0 10 4	AN, DH, EV, IQ, KL, MG, SI
Eye Drops, 20% 1/2 fl. oz. ..		1	2	0 11 0	AN, DH, EV, IQ, KL, MG, SI
Eye Ointment, B.P. 60 gr. ..		1	..	0 5 0	AN, EV, FH, MG, SC

785 SULPHADIAZINE

Oral Tablet 300 mg. tab. ..		40	1	0 9 10	KL, PD
				0 10 9	AB
				(ex 200)	
				0 10 9	AB, KL, PD
				(ex M.P.)	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
785— <i>continued</i>					£ s. d.	
	Oral Tablet, B.P. 500 mg. tab.		40	1	0 9 11	HY(QNVTW), RT(V)
					0 10 8	AD, DH, MB, PD, PE, SI
					0 11 0	MG
	Nasal Instillation, Compound, P.L.		1/2 fl. oz.	2	0 11 7	BW, CO, FA, KL, SL, TO
					0 8 6	Extemp.
786	SULPHADIAZINE SODIUM					
	Injection, B.P.C. 4 cc. amp... ..		5	..	*0 15 9	MB
787	SULPHADIMETHOXINE					
	Oral Tablet 500 mg. tab.		12	2	0 12 4	RO
					(ex 100)	
					0 13 0	RO
					(ex M.P.)	
	Oral Suspension 200 mg. per cc., 10 cc. vial	C	‡1	..	0 11 5	RO
788	SULPHADIMIDINE					
	Mixture for Children, P.L.		4 fl. oz.	4	0 15 5	Extemp.
	Oral Suspension 100 cc.	C	1	4	0 11 5	IC
	Oral Tablet, B.P. 250 mg. tab.		40	1	0 8 5	KL, MG
	500 mg. tab.		40	1	0 7 3	HY(QNVTW)
					0 7 8	PR, SL, VR
					0 8 2	MG
					0 8 9	AD, DH, IC, KL, SI, TO
					(ex 200)	
					0 7 8	HY(QNVTW)
					0 9 4	AD, DH, IC, KL, MG, PR, SI, SL, TO,
					(ex M.P.)	VR

789	SULPHADIMIDINE SODIUM									
	Injection, B.P. 1 G. per 3 cc. amp.	..	..	5	..	0 11 8	IC			
790	SULPHAFURAZOLE									
	Oral Tablet 300 mg. tab.	..	..	40	1	0 13 1	RO			
	500 mg. tab.	..	..	40	1	0 16 9	RO			
						(ex 200)				
						0 17 5	RO			
						(ex M.P.)				
	Eye Drops, 4% 10 mil.	..	..	‡1	2	0 9 8	RO			
	Eye Ointment 5 G.	..	..	‡1	..	0 6 1	RO			
791	SULPHAGUANIDINE									
	Oral Tablet, B.P. 500 mg. tab.	..	..	100	..	0 11 4	AD, AN, BW, DH, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO			
792	SULPHAMERAZINE									
	Oral Tablet, B.P. 500 mg. tab.	..	..	40	1	0 10 4	HY(QNVTW)			
						0 11 7	DH			
						0 12 8	KL			
						*0 14 2	AD, FA, SI, TO			
793	SULPHAMETHIZOLE									
	Oral Tablet 100 mg. tab.	..	..	30	1	0 8 4	AY, HA, WW			
	250 mg. tab.	..	..	30	1	0 13 0	AY, HA, WW			
	500 mg. tab.	..	..	30	1	1 0 9	AY			
817	SULPHAMETHOXYDIAZINE									
	Oral Tablet 500 mg. tab.	..	..	12	2	0 16 4	FB, SC			
	Oral Suspension, 10% 40 mil.	..	..	‡1	..	0 16 4	FB, SC			

Item No.	Name, Manner of Administration and Form	Restrictions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
794	SULPHAMETHOXYPYRIDAZINE Oral Tablet 500 mg. tab.		12	2	£ s. d. 1 0 9 (ex 100) 1 1 8 (ex M.P.)	LE, PD LE, PD
807	SULPHAMETHOXYPYRIDAZINE N-ACETYL Oral Suspension 250 mg. per 5 cc., 1 fl. oz.	C	‡1	..	0 14 4	PD, LE
808	SULPHAPHENAZOLE Oral Tablet 500 mg. tab. Oral Suspension, 10% 50 cc... ..	C	20 ‡1	1 ..	0 11 11 0 14 4	CB CB
795	SULPHAPYRIDINE, B.P.C. Oral Tablet, B.P.C. 500 mg. tab.		100	..	0 19 0	MB
815	SULPHINPYRAZONE Oral Tablet 100 mg. tab.		100	2	3 16 4	GE
796	SULPHONAMIDES, MIXED (B): THREE SULPHOMANIDES Oral Tablet 250 mg. tab. 300 mg. tab. 330 mg. tab. 500 mg. tab.		40 40 40 40	1 1 1 1	0 11 0 0 8 11 0 11 0 0 11 0 0 8 9 0 9 5	CM, MB KL, TO AB AN HY(QNVTW), MG, SL AN

796—continued

								0 10 4	AD, DH, FA, FM, KL, RY, SI, TO
								0 10 11	CM, MB, VR
								(ex 200)	
								0 8 9	HY(QNVTW)
								0 10 9	AD, DH, FM, KL, RY, SI, TO
								0 11 0	MG
								0 11 4	AN, CM, FA, MB, SL, VE
								(ex M.P.)	
797	SULPHUR								
	Ointment, B.P.	..	..	..	..	1920 gr.	1	0 12 7	Extemp.
798	SULPHURATED POTASH								
	Lotion, P.L.	..	..	..	..	8 fl. oz.	4	0 9 6	Extemp.
800	SUSTANON								
	Injection 250 mg. amp.	..	..	..	D	1	..	2 17 8	OR
801	SUXAMETHONIUM BROMIDE								
	Injection, B.P. 67 mg. amp.	..	..			6	1	*0 14 4	MB
851	T.A.B. VACCINE (Anti-Typhoid- Paratyphoid)								
	Injection 1/2 cc. amp.	..	..	..		3	..	*0 14 0	CS
	10 cc. vial	..	..	..		1	..	1 13 0	CS
892	TACRINE								
	Injection 10 mg., 2 ml. amp.	..	..			6	1	0 19 8	WH
	30 mg., 2 ml. amp.	..	..			6	1	1 8 0	WH
893	TAIPAN ANTI-VENENE								
	Injection 3,000 U. vial	..	..	..		4	..	*20 3 0	CS

Item No.	Name, Manner of Administration and Form				Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
								£ s. d.	
852	TESTOSTERONE								
	Implant, B.P.	100 mg. implant	..	..	D	1	..	2 9 8	BD, CB, OR, SC
		150 mg. implant	..	..	D	1	..	3 7 8	OR
		200 mg. implant	..	..	D	1	..	4 5 8	OR
853	TESTOSTERONE METHYL								
	Oral Tablet, B.P.	25 mg. tab.	..	..	D	100	2	2 11 0	HY(QNVTW), KL, PR
								3 3 0	AN, FM
								4 0 4	RD
		50 mg. tab.	..	..	D	100	2	4 16 4	HY(QNVTW)
								5 12 4	AN, KL, PR
								6 3 0	FM
								7 9 8	RD
854	TESTOSTERONE OENANTHATE								
	Injection	250 mg. per cc., 1 cc. amp.	..	..	D	1	..	2 17 8	SC
855	TESTOSTERONE PROPIONATE								
	Injection, B.P.	25 mg. per 1 cc. amp.	..	..	D	12	..	2 3 0	KL
								*2 11 0	BD, FH, FM
								2 11 0	OR
								*2 15 10	CB
								*2 16 4	SC
		50 mg. per 1 cc. amp.	..	..	D	12	..	4 3 0	KL
								*4 8 4	FH, FM
								4 15 0	CB
								*4 16 4	BD, OR
								*4 19 0	SC

855—continued

	50 mg. per cc., 10 cc. vial ..	D	1	..	3 14 0	CB, KL, OR, SC
	100 mg. per 2 mil., 2 mil. amp.	D	3	..	2 8 0	BD, OR, SC
					*2 15 11	FM
Implant	100 mg. implant	D	1	..	2 9 8	BD
856	TETANUS ANTITOXIN					
	Injection, B.P.					
	Diluted 1-50, 15 I.U. in 0.5 ml.		1	..	0 6 4	CS
	1,500 I.U. (1950) amp. ..		6	1	*2 3 0	BW, CS, SE
	10,000 I.U. (1950) amp. ..		6	1	*11 7 0	CS
	50,000 I.U. (1950) amp. ..		6	..	*42 3 0	CS
	Set containing 1,500 I.U. and 15 I.U. diluted					
	1 in 50		1	..	0 13 0	BT, CS
857	TETANUS TOXOID, B.P.					
	Injection 1/2 cc.		3	..	0 13 9	BT
			3	..	*0 13 9	CS
					*0 15 0	GL
	1 cc.		3	..	*0 13 9	SE
858	TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed)					
	Injection 1/2 cc.		3	..	0 13 0	BT
					*0 13 0	CS
	5 cc.		1	..	1 5 8	CS
859	TETRACHLOROETHYLENE					
	Oral Capsule, B.P. 1/2 cc. cap.		12	..	*0 7 11	PD
860	TETRACYCLINE					
	Injection, B.P.					
	100 mg. vial I.V. (solvent required) ..	D	6	..	*4 4 6	FB, LE
	250 mg. vial I.V. (solvent required) ..	D	6	..	*7 7 0	FB, LE, PF, SQ

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
860—continued						
	Injection				£ s. d.	
	100 mg. vial I.M. (solvent required) ..	D	6	..	*4 4 6	FB, LE, PF
	Oral Capsule, B.P. 50 mg. cap.	D	25	..	1 4 7	FB, LE, PF
	100 mg. cap.	D	25	..	2 2 4	LE, LT, PF
	250 mg. cap.	D	16	..	2 13 9	FB, LE, LT, PF, UP
					(ex 100)	
					3 0 0	FB, LE, LT, PF, UP
					(ex M.P.)	
	Oral Tablet, B.P. 50 mg. tab.	D	25	..	1 4 7	LE, PF
	100 mg. tab.	D	25	..	2 2 4	LE, PF
	250 mg. tab.	D	16	..	3 0 0	LE, PF, SQ
	Oral Granules 75 G.	CD	†1	..	1 14 3	LE
	Oral Paediatric Drops					
	100 mg. per cc., 10 cc. vial	CD	†1	..	0 17 8	FB, LE, UP
	Oral Suspension 125 mg. per 5 cc., 60 cc. ..	CD	†1	..	1 7 0	LE, LT, PF
	Eye Drops, Suspension, 1% 6 cc.		†1	2	0 11 0	LE
	Eye Ointment, 1% 4 G.		†1	..	0 6 4	PF
	60 gr.		†1	..	0 6 4	LE
862 TETRACYCLINE WITH NYSTATIN						
	Oral Capsule containing 250 mg. Tetracycline Hydrochloride and 250,000 U. Nystatin ..	D	12	..	2 10 1	LE, SQ, UP
					(ex 100)	
					2 12 5	LE, SQ, UP
					(ex M.P.)	

863 TETRACYCLINE WITH OLEANDOMYCIN									
Injection	100 mg. amp. I.M.	..	D	6	..	*4	12	6	PF
Oral Capsule	100 mg. cap.	..	D	25	..	2	5	7	PF
	250 mg. cap.	..	D	16	..	2	16	6	PF
						(ex 100)			
						3	4	8	PF
						(ex M.P.)			
Oral Suspension	125 mg. per 5 cc., 60 cc.	..	CD	‡1	..	1	9	7	PF
Oral Paediatric Drops	100 mg. per cc., 10 cc.		CD	‡1	..	0	19	0	PF
864 TETRACYCLINE (BUFFERED)									
Injection	100 mg. vial I.M. (solvent required)		D	6	..	*4	4	6	SQ
Oral Capsule	100 mg. Tetracycline cap.	..	D	25	..	2	2	4	LE, LT, PF, SQ
	250 mg. Tetracycline cap.	..	D	16	..	2	13	9	FB, LE, LT, PF, SQ, UP
						(ex 100)			
						3	0	0	FB, LE, LT, PF, SQ, UP
						(ex M.P.)			
Oral Suspension	125 mg. per 5 cc., 60 cc.	..	CD	‡1	..	1	7	0	LE, LT, PF, SQ, UP
Oral Paediatric Drops	100 mg. per cc., 10 cc. vial	..	CD	‡1	..	0	17	8	LE, LT, PF, SQ
890 TETRACYCLINE (BUFFERED) WITH AMPHOTERICIN B									
Paediatric Drops									
	Tetracycline (buffered)	100 mg.;							
	Amphotericin B,	20 mg. per cc., 10 cc.	CD	‡1	..	1	3	0	SQ
Syrup									
	Tetracycline (buffered)	125 mg.;							
	Amphotericin B	25 mg. per 5 cc., 60 cc.	CD	‡1	..	1	16	4	SQ
880 THENALIDINE TARTRATE									
Oral Tablet, Compound (effervescent)		..		50	1	1	9	0	SZ
Oral Syrup	85 mil.	..	C	‡1	4	0	9	0	SZ

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
865	THEOBROMINE, B.P.C. Oral Tablet with Phenobarbitone, A.P.F.— 300 mg.—30 mg. tab. (5 gr.—1/2 gr.) ..		100	2	0 0 0 (ex 500) 0 11 0 (ex M.P.)	AD, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO AD, CO, DH, FA, HA, HY(QNVTW), KL, MG, PR, RT(V), RY, SI, SL, TO
	Oral Tablet with Sodium Salicylate, B.P.C. 1954 500 mg. (7.5 gr.) tab.)		100	2	0 19 0	DH, KL
891	THIAMBUTOSINE Oral Tablet 500 mg. tab.		100	2	1 1 0	CB
868	THYROID Oral Tablet, B.P. 7.5 mg. (1/8 gr.) tab. ..		100	2	0 4 4	CS
	15 mg. (1/4 gr.) tab. ..		100	2	0 4 4 0 4 7 0 4 9	AD, DH, FA, RT(V), RY, SI, SL, TO GP BW, CS
	30 mg. (1/2 gr.) tab. ..		100	2	0 4 9 0 5 1	AD, DH, FA, RT(V), RY, SI, SL, TO BW, CS, GP, WW
	60 mg. (1 gr.) tab. ..		100	2	0 6 0 0 6 5	AD, DH, FA, RT(V), RY, SI, SL, TO BW, CS, GP, WW
	100 mg. (1.5 gr.) tab. ..		100	2	0 6 8 0 7 3	AD, DH, SI GP
	120 mg. (2 gr.) tab. ..		100	2	0 7 5 0 7 11	BW, CS AD, DH, FA, RT(V), RY, SI GP

868—continued

	150 mg. (2.5 gr.) tab.	..			100	2	0 8 4	BW
							0 8 4	AD, RT(v), SI
							0 8 7	GP
	300 mg. (5 gr.) tab.	..			100	2	0 9 8	BW, CS
							0 11 0	GP, RT(v)
881	THYROTROPHIN			H				
882	THYROXINE SODIUM							
	Oral Tablet 0.05 mg. tab.				100	2	0 6 1	BW, DH, FM, GL, RT(v)
	0.1 mg. tab.				100	2	0 7 11	BW, DH, FM, GL, RT(v)
869	TIGER SNAKE ANTI-VENENE							
	Injection 3,000 U. amp.				2	1	*7 3 0	CS
870	TOLAZOLINE HYDROCHLORIDE							
	Oral Tablet, B.P. 25 mg. tab.				100	2	0 13 4	CB, KL
							(ex 500)	
							0 13 8	CB, KL
							(ex M.P.)	
871	TOLBUTAMIDE							
	Oral Tablet, B.P. 500 mg. tab.				100	2	1 19 4	HP, PH
							(ex 500)	
							2 1 0	
							(ex M.P.)	HP, PH
872	TRETAMINE							
	Oral Tablet 2.5 mg. tab.		D		5	..	*0 15 5	IC
887	TRIAMCINOLONE							
	Oral Tablet 4 mg. tab.		AD		30	..	4 5 8	LE, SQ

Item No.	Name, Manner of Administration and Form					Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
									£ s. d.	
888	TRICYCLAMOL CHLORIDE									
	Oral Tablet	50 mg. tab.	..	..	..		100	2	2 16 4	BW
873	TRIETHANOLAMINE TRINITRATE									
	Oral Tablet	1 mg. tab.	..	..	..		100	2	0 11 11	SC
		2 mg. tab.	..	..	..		100	2	0 17 8	SC
		7 mg. tab.	..	..	..		100	2	1 8 4	AN, SC
884	TRIETHYLENE THIOPHOSPHORAMIDE					H				
889	TRIFLUOPERAZINE									
	Oral Tablet	1 mg. tab.	..	..	..	ADG	50	..	1 2 1 (ex 250)	SK
									1 3 0 (ex M.P.)	SK
		5 mg. tab.	..	..	..	ADG	50	..	1 18 7	SK
874	TRIMETAPHAN CAMPHORSULPHON- ATE, B.P.C.									
	Injection	Set containing 250 mg. vial and 5 cc. water for injection			..	D	3	..	6 6 7	RO
885	TRIPLENNAMINE HYDROCHLORIDE									
	Oral Tablet	50 mg. tab.	..	..	..		50	1	0 18 4	CB
886	TRIPROLIDINE HYDROCHLORIDE									
	Oral Tablet	2.5 mg. tab.	..	..	..		50	1	0 17 8	BW
	Elixir	3 fl. oz. . .	..	..	..	C	‡1	4	0 8 8	BW

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
875	TROXIDONE					
	Oral Tablet 150 mg. tab.		200	1	2 9 0	AB
	Oral Capsule, B.P. 300 mg. cap.		200	1	4 2 4	AB, GA
876	TURPENTINE OIL					
	Liniment, P.L.		4 fl. oz.	1	0 11 9	Extemp.
878	TYPHUS VACCINE					
	Injection, B.P. 1 cc. amp... ..		2	..	*1 3 0	CS
911	UNDECENOIC ACID					
	Dusting Powder, P.L.		1920 gr.	1	0 18 3	Extemp.
912	UREA					
	Mixture, P.L.		8 fl. oz.	4	0 11 5	Extemp.
930	VANCOMYCIN HYDROCHLORIDE ..	H	..	..	..	
921	VASOPRESSIN					
	Injection, B.P. 1 cc. amp... ..		6	..	0 19 0	PD
922	VASOPRESSIN TANNATE IN OIL					
	Injection 1 cc. amp... ..		12	1	*1 15 0	PD
923	VERILOID					
	I.V. Injection 0.4 mg. per cc., 5.3 cc. amp.	D	6	..	3 7 0	BK
931	VIOMYCIN SULPHATE	H				

929	VIPRYNIUM EMBONATE								
	Oral Tablet	50 mg. tab.	..	..		8	..	0 14 1	PD
	Oral Suspension	10 mg. per 1 cc., 1 fl. oz.	..	..		‡1	..	0 14 1	PD
924	VITAMIN A								
	Concentrated Solution, B.P.	1 fl. oz.	..	PC	‡1	..	0 13 8	DH	
	Oral Capsule	50,000 I.U.	..	P	100	..	1 3 0	AN	
							1 19 8	CK	
	Oral Tablet	50,000 I.U.	..	P	100	..	1 4 4	AN, PR	
							1 19 8	RO	
925	VITAMIN D								
	Concentrated Solution, B.P.	1 fl. oz.	..	D+ PC	‡1	..	0 11 0	DH	
926	VITAMINS A and D								
	Concentrated Solution, B.P.	1 fl. oz.	..	PC	‡1	..	0 11 4	DH	
							0 12 8	GL	
927	VITAMIN K								
	Oral Capsule	4 mg. cap.	..	..	100	2	1 1 8	PD	
	Oral Tablet	5 mg. tab.	..	..	100	2	0 8 4	FM, HY(QNVTW)	
		10 mg. tab.	..	..	100	2	0 11 0	FM	
928	VITAMINS COMPOUND								
	Oral Tablet, B.P.C.	Capsule Formula	..	P	100	1	0 7 9	HY(QNVTW), PR, QE(QNVS), SL	
							0 8 5	MG	
							0 8 7	AD, DH, KL, RT(v), RY, SI, TO	
							0 9 8	GL	
							0 9 10	VR	
							0 9 11	AB, BD	
							0 10 11	CM	
							(ex 500)		
							0 7 9	HY(QNVTW)	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
928—continued					£ s. d.	
	Oral Capsule, B.P.C.	P	100	1	0 10 4 (ex M.P.)	AB, AD, BD, CM, DH, GL, KL, MG, PR, QE(QNVS), RT(V), RY, SI, SL, TO, VR
					0 10 11 (ex 500)	FA, KL, PH, PR
					0 11 0 (ex M.P.)	FA, KL, PH, PR
	Oral Pill Capsule Formula	P	100	1	0 10 4	PD
944	WARFARIN SODIUM Oral Tablet 5 mg. tab.		50	2	1 13 8	EN
941	WATER FOR INJECTION Injection, B.P. 2 cc. amp.		6	3	0 9 0	AD, BL, BT, BX, EV, FH, KL
	5 cc. amp.		6	3	0 10 0	AD, BL, BX, CS, EV, FH, KL
	10 cc. amp.		6	3	0 12 0	AD, BL, BX, CS, EV, FH, KL
942	WOOL ALCOHOLS Ointment, B.P.		1920 gr.	1	0 12 7	Extemp.
	†Ointment, B.P. 1920 gr.		1	1	0 10 0	EV
943	WOOL FAT, HYDROUS, B.P. †2 oz. tube or jar		1	..	0 2 3	DH, WD(N)
961	ZINC GELATIN Paste, B.P. (Unna's)		3840 gr.	..	0 19 8	Extemp.

962	ZINC OXIDE												
	Ointment, B.P.	..	..	..	..		1920 gr.	1	0	11	8	Extemp.	
	Cream, B.P.	..	..	..	..		1920 gr.	1	0	10	1	Extemp.	
	Cream, Soft, P.L.	..	..	..	..	..	1920 gr.	1	0	10	2	Extemp.	
	Ointment with Castor Oil, B.P.	..	..	..	..	..	1920 gr.	1	0	11	8	Extemp.	
				2 oz.	..		2	1	0	7	6	ME(Q)	
	Paste with Coal Tar, P.L.	..	..	..	..		1920 gr.	1	0	8	6	Extemp.	
	Paste with Salicylic Acid, B.P.	..	..	..	..		1920 gr.	1	0	11	8	Extemp.	
963	ZINC SULPHATE												
	Lotion, P.L.	..	..	..	..	..	8 fl. oz.	4	0	6	10	Extemp.	
964	ZINC UNDECENOATE												
	Ointment, B.P.	..	..	..	..	..	1920 gr.	1	1	6	4	Extemp.	
COLOSTOMY and ILEOSTOMY													
991	ACRYLIC RESIN												
	Solution	100 cc.	Aerosol Spray	..	..	D	1	..	2	16	4	EV	
992	BENZOL (COMMERCIAL)												
	†Application	8 fl. oz.	..	..	..	D	1	..	0	3	9	DH	
993	BISMUTH SUBGALLATE, B.P.C.												
	†Powder	4 oz.	..	..	..	..	1	..	0	16	11	EV	
									0	18	0	DH	
994	CHLORAMINE, B.P.C.												
	Deodorant Tablet	120 mg.	..	..	..	D	500	..	0	16	11	DH	
	Powder	1 oz.	..	..	..	D	1	4	0	7	4	DH	

Item No.	Name, Manner of Administration and Form	Re- stric- tions	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
					£ s. d.	
995	LISSAPOL Deodorant Detergent Lissapol N.100, 120 G.; Spearment Oil, 1.6 ml.; Cetrimide, B.P., 12 G. 16 fl. oz.	D	1	..	0 13 8	IC
996	POLYDIMETHYLSILOXANES Cream, 10% 50 G.	D	1	..	0 10 4	IC
997	SURGICAL CEMENT †Adhesive Cement 2 oz. tube	D	1	2	0 3 9	JA
998	TRAGACANTH (GUM KARAYA) †Powder 8 oz.	D	1	..	1 4 0	EV



