



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS



DEPARTMENT OF HEALTH

Pharmaceutical Benefits

PROPRIETARY INDEX

NOVEMBER, 1964

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

PART 3 ABBREVIATIONS OR SYNONYMS
FOR APPROVED NAMES

PROPRIETARY INDEX

PART 1—PROPRIETARY NAMES INDEX

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Abbecillin G. Abboject	AB	Penicillin Procaine
Abbecillin-V Film Tabs	AB	Penicillin, Phenoxymethyl (Potassium Salt)
Abbecillin-VK	AB	Penicillin, Phenoxymethyl (Potassium Salt)
Abbecillin-V Suspension	AB	Penicillin, Phenoxymethyl (Hydrabamine Salt)
Abbecort	AB	Hydrocortisone Acetate
Acetophos	HY	Codeine Phosphate with Acetylsalicylic Acid
Acetopt	SI	Sulphacetamide Sodium
Acetylarsan	MB	Acetarsol
Achromycin	LE	Tetracycline
Achromycin Ophthalmic Oil	LE	Tetracycline
Achromycin Ointment	LE	Tetracycline
Achromycin Ophthalmic		
Achromycin Paediatric Drops	LE	Tetracycline
Achromycin Spersoids	LE	Tetracycline
Achromycin Syrup	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achromycin-V Paediatric Drops	LE	Tetracycline (Buffered)
Achromycin-V Suspension	LE	Tetracycline (Buffered)
Achrostatin-V	LE	Tetracycline (Buffered) with Nystatin
Acluton	WP	Phenindione
Acode	KL	Codeine Phosphate with Acetylsalicylic Acid
Act-Al	WL	Aluminium Hydroxide Gel Dried
Acthar	AR	Corticotrophin
A.C.T.H.	CS	Corticotrophin
A.C.T.H.-Depot	SC	Corticotrophin
Actidil	BW	Triprolidine Hydrochloride
Actidil Elixir	BW	Triprolidine Hydrochloride
Adaben	KL	Benzoecaine with Adrenaline
Adanon	BA	Methadone
Adrenaline Hyperduric	GL	Adrenaline Mucate
Adrenate	BW	Adrenaline Acid Tartrate
Adrox	RD	Aluminium Hydroxide Gel Dried
Aerosporin Otic Solution	BW	Polymyxin B. Sulphate
Agarol	WW	Paraffin Liquid
A.H.T.	WY	Aluminium Hydroxide Gel Dried
Albucid	SC	Sulphacetamide Sodium
Alcopar	BW	Bephenium Hydroxynaphthoate
Aldomet	MK	Methyldopa
Aldroxide	PT	Aluminium Hydroxide Gel Dried
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Allercur	SC	Clemizole

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Almacarb	BD	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Alox	KL	Aluminium Hydroxide Gel Dried
Alox Compound	KL	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Aludrox Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Aluminium Paste	BT	Aluminium Powder
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Amatane	PR	Amylobarbitone
Ambramycin	LT	Tetracycline
Ambramycin Suspension	LT	Tetracycline
Ambramycin V	LT	Tetracycline (Buffered)
Ambramycin V	LT	Tetracycline (Buffered)
Paediatric Drops		
Ambramycin V Suspension	LT	Tetracycline (Buffered)
Ambrastat	LT	Tetracycline (Buffered) with Nystatin
Aminacyl	WA	Calcium Aminosalicylate
Aminacyl	WA	Sodium Aminosalicylate
Aminacyl Granulate	WA	Calcium Aminosalicylate
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amphamag	PT	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Amphenol	VR	Chloramphenicol
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amylbarb	PT	Amylobarbitone
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Amytal Sodium Pulvules	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anacobin	BD	Cyanocobalamin
Anagal	KL	Bismuth Subgallate
Ancolan	BD	Meclizine
Andrazide	AN	Isoniazid
Androcort	AN	Corticotrophin
Androphyllin	AN	Aminophylline
Androstalone	RL	Mestanolone
Anectine	BW	Suxamethonium Chloride
Angesil	DH	Codeine Compound, B.P.
Anginine Stabilised	BW	Glyceryl Trinitrate
Ansolyzen	MB	Pentolinium Tartrate
Ansolyzen with Ephedrine	MB	Pentolinium Tartrate with Ephedrine
Antepar	BW	Piperazine Citrate
Anthisan	MB	Mepyramine Maleate
Antistine	CB	Antazoline
Antistine-Privine Drops	CB	Antazoline with Naphazoline

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aquacaine G.	CS	Penicillin Procaine
Aquacaine G. Fortified	CS	Penicillin Procaine Fortified
Aquacaine G. Suspension	CS	Penicillin Procaine
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione
Aquamox	LE	Quinethazone
Aralen	BA	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Arocin	KL	Chlortetracycline
Artane	LE	Benzhexol Hydrochloride
Artosin	PH	Tolbutamide
Asadeine	NS	Codeine Phosphate with Acetylsalicylic Acid
Ascabiol	MB	Benzyl Benzoate
Ascotin	FA	Codeine Phosphate with Acetylsalicylic Acid and Phenacetin
Asmin	KL	Ephedrine Hydrochloride with Phenobarbitone and Theophylline
Aspalgin	FM	Codeine Phosphate with Acetylsalicylic Acid
Aspisol	KL	Acetylsalicylic Acid
Aspisol 2½	KL	Acetylsalicylic Acid
Astrafer	AP	Dextriferron
A.T.10	BA	Dihydrotachysterol
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Aureomycin Ophthalmic Ointment	LE	Chlortetracycline
Aureomycin Spersoids	LE	Chlortetracycline
Auro-Calcium	CK	Calcium Aurothiomalate
Austrapen	CS	Ampicillin
Avil	HP	Pheniramine
Avil Syrup	HP	Pheniramine
Avilette	HP	Pheniramine
Avloclor	IC	Chloroquine
Avlosulphon	IC	Dapsone

B

Bactylan	RL	Sodium Aminosalicylate
Badrin	KL	Amphetamine Sulphate
Bakramil	BK	Phenobarbitone
B.A.L.	BT	Dimercaprol
Baqual	KL	Quinalbarbitone Sodium
Barbeph	KL	Ephedrine Hydrochloride with Phenobarbitone

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Barbeph Forte	KL	Ephedrine Hydrochloride with Phenobarbitone
Barbico	AB	Barbituates Compound
Barbidein	DH	Phenacetin with Codeine Phosphate and Sodium Pentobarbitone
Barbopent	BW	Pentobarbitone Sodium
Bardorm	GP	Phenobarbitone
Bayrena	FB	Sulphamethoxydiazine
Bayrena Suspension	FB	Sulphamethoxydiazine
Belal	KL	Belladonna with Phenobarbitone
Belal Forte	KL	Belladonna with Phenobarbitone
Belfaryn	BV	Phenylbutazone
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadon	RO	Pyridoxine Hydrochloride
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Benzevan	EV	Benzyl Benzoate
Berin '100'	GL	Aneurine Hydrochloride
Betamin	KL	Aneurine Hydrochloride
Betamin Forte	KL	Aneurine Hydrochloride
Beta Sol.	FM	Aneurine Hydrochloride
Beta Tabs.	FM	Aneurine Hydrochloride
Betnelan	GL	Betamethasone
Bicillin	WY	Penicillin Benzathine
Bicillin All-purpose Injection	WY	Penicillin Benzathine Compound
Bicillin-V	WY	Penicillin Phenoxymethyl (Benzathine Salt)
Binesia	FA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Biomycetin	CW	Chloramphenicol
Bitevan	EV	Cyanocobalamin
Boots Lente	BT	Insulin Zinc Suspension
Boots Semilente	BT	Insulin Zinc Suspension (Amorphous)
Boots Ultralente	BT	Insulin Zinc Suspension (Crystalline)
Brevidil M.	MB	Suxamethonium Bromide
Brinaldix	SZ	Cloпамide
Bristab	BC	Hydroflumethiazide
Bristacin-A	BC	Rolitetracycline
Bronkephrine	WL	Ethylnoradrenaline
Bubal	KL	Butobarbitone
Budorm	GP	Butobarbitone
Bureo	BW	Codeine Compound, B.P.
Burcosol	BW	Codeine Compound, B.P.
Butalgin	FM	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Butisol Sodium	AN	Butabarbital Sodium
Buzon	KL	Phenylbutazone

C

Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Cafergot Q	SZ	Ergotamine Tartrate with Caffeine
Cainoptol	SI	Cocaine
Calcipas	KL	Calcium Aminosalicylate
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Camoquin	PD	Amodiaquine
Caps-Pen V	BT	Penicillin, Phenoxymethyl (Calcium Salt)
Carbazole	PT	Carbimazole
Carbital	PD	Pentobarbitone Compound
Cardophyllin	HA	Aminophylline
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Celestone	SH	Betamethasone
Celestone Oculoid	SH	Betamethasone
Celontin	PD	Methsuximide
Cemalonol Injection	MJ	Phenobarbitone Sodium
Ceetamol	PT	Paracetamol
Cetamin	KL	Ascorbic Acid
Chlomin	KL	Chloramphenicol
Chlopex	KL	Chloramphenicol with Polymyxin B.
Chloramol	PT	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromycetin Succinate	PD	Chloramphenicol
Chloromycin	PD	Chloramphenicol with Polymyxin B.
Chlorphen	LF	Chloramphenicol
Chlorsig	SI	Chloramphenicol
Chlor Trimeton	SH	Chlorpheniramine Maleate
Chlor Trimeton Repetabs	SH	Chlorpheniramine Maleate
Chlotride	MK	Chlorothiazide
Chlortet	LF	Chlortetracycline
Ciba 1906	CB	Thiambutosine
Cilamycin	SI	Penicillin with Streptomycin
Cilicaine Fortified	SI	Penicillin Procaine Fortified
Cilicaine Simplex	SI	Penicillin Procaine
Cilicaine Suspension	SI	Penicillin Procaine
Cilicaine-VK	SI	Penicillin, Phenoxymethyl (Potassium Salt)
Cilicaine-V Suspension	SI	Penicillin, Phenoxymethyl (Benzathine Salt)
Cillapen	PR	Penicillin, Phenoxymethyl (Potassium Salt)
Cillaphen	PR	Penicillin Phenoxymethyl (Calcium Salt)

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Citradox	GL	Vitamins Compound
Citrופן Suspension	DL	Penicillin, Phenoxymethyl (Potassium Salt)
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	AN	Carbinoxamine Maleate
Clistin R.A	AN	Carbinoxamine Maleate
Clorstom	DH	Chloramine
Cobarb	SI	Phenacetin with Codeine Phosphate and Sodium Pentobarbitone
Cobastab	BT	Cyanocobalamin
Co-Com	VR	Codeine Compound, B.P.
Codacet	BW	Codeine Phosphate with Acetylsalicylic Acid
Codacet Soluble	BW	Codeine Phosphate with Acetylsalicylic Acid
Codeleortone	MK	Prednisolone
Codeleortone T.B.A	MK	Prednisolone Tertiary Butyl Acetate
Codeisol Plain	MK	Prednisolone Sodium Phosphate
Co-Deltra	MK	Prednisone with Magnesium Trisilicate and Dried Aluminium Hydroxide Gel.
Codiphen	GP	Codeine Phosphate with Acetylsalicylic Acid, Phenacetin and Caffeine
Codiphen Forte	GP	Codeine Phosphate with Acetylsalicylic Acid, Phenacetin and Caffeine
Codral Forte	BW	Codeine Phosphate with Acetylsalicylic Acid, Phenacetin and Caffeine
Codsol	KL	Codeine Compound, B.P.
Cogentin	MK	Benztropine
Co-Hydeltra	MK	Prednisolone with Magnesium Trisilicate and Dried Aluminium Hydroxide Gel.
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colliron	EV	Ferrie Hydroxide
Colliron	EV	Iron Oxide Saccharated
Collumina	EV	Aluminium Hydroxide Gel Dried
Colsaloid	BW	Colchicine
Compenase	CS	Penicillinase
Compodorm	GP	Phenacetin with Codeine Phosphate and Sodium Pentobarbitone
Comycin	UP	Tetracycline (Buffered) with Nystatin
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cortef Suspension	UP	Hydrocortisone Acetate
Cortelan	GL	Cortisone Acetate
Cortic	AD	Cortisone Acetate
Cortico-Gel.	CK	Corticotrophin
Cortisyl	RL	Cortisone Acetate
Cortocaps	CK	Hydrocortisone with Neomycin
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone Acetate
Cortril	PF	Hydrocortisone
Cortrophin ZN	OR	Corticotrophin
Cotin	KL	Ergotamine Tartrate with Caffeine

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Coumadin	EN	Warfarin Sodium
Cremomycin	MK	Neomycin Sulphate Mixture
Crystalline Penicillin G.	CS	Penicillin Benzyl (Sodium Salt)
Crystamycin	GL	Penicillin with Streptomycin
Crystapen	GL	Penicillin, Benzyl
Crystapen G. '200'	GL	Penicillin, Benzyl
Crystapen G. '400'	GL	Penicillin, Benzyl
Crystasol	GL	Penicillin with Streptomycin
C.V.K.	GL	Penicillin, Phenoxymethyl (Potassium Salt)
C.V.L. (Paediatric) '125'	GL	Penicillin, Phenoxymethyl (Calcium Salt)
Cyanocobalamin Difrex	DF	Cyanocobalamin
Cybal	KL	Cyclobarbitone
Cycladiene	DF	Dienoestrol
Cydorm	GP	Cyclobarbitone
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen	GL	Cyanocobalamin

D

D.A.D.P.S.	AN	Dapsone
Daquin	RK	Chlorazanal
Daranide	MK	Dichlorophenamide
Daraprim	BW	Pyrimethamine
Darenthin	BW	Bretylum Tosylate
Daricon	PF	Oxyphencyclimine Hydrochloride
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Delta-Cortelan	GL	Prednisone
Deltacortisone	AN	Prednisone
Deltacortone	MK	Prednisone
Deltacortril	PF	Prednisolone
Deltafluorene	LT	Dexamethasone
Deltahydrocortisone	AN	Prednisolone
Delta-Scheroson	SC	Prednisone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Delta-Stab	BT	Prednisolone
Demerol	BA	Pethidine
Depinar	AR	Cyanocobalamin
Depo-Medrol	UP	Prednisolone Methyl Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S.	HA	Dimethicone
Dermaline	HY	Dithranol
Deronil	SH	Dexamethasone
Desicol	PD	Extract of Ox Bile
Desoxyn	AB	Methylamphetamine
Devegan	BA	Acetarsol
Dexacortisyl	RL	Dexamethasone
Dexamine	KL	Dexamphetamine Sulphate
Dexamphate	DH	Dexamphetamine Sulphate

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Dexa-Scheroson	SC	Dexamethasone
Dex-M	GP	Dexamphetamine Sulphate
Dextelan	GL	Dexamethasone
D.F.P.	BT	Dyflon
Diabex	DF	Metformin
Diabinese	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Di-Adreson	OR	Prednisone
Di-Adreson-F	OR	Prednisolone
Diamox	LE	Acetazolamide
Diamox Sequels	LE	Acetazolamide
Diamox Sodium Parenteral	LE	Acetazolamide
Diamyl	DF	Amylobarbitone
Dianabol	CB	Methandienone
Diazyl Dulcets	AB	Sulphadiazine
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Digicristin	MJ	Digitoxin
Digiloid	BW	Digitalis Prepared
Diginox	RD	Digoxin
Digitaline	NA	Digitoxin
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin Sodium
Dilantin Sodium Steri-Vial	PD	Phenytoin Sodium
Dilantin Suspension	PD	Phenytoin
Dilaudid	KN	Dihydromorphinone Hydrochloride
Dilosyn	BD	Methdilazine Hydrochloride
Dimelor	LY	Acetohexamide
Dimidi-Sulph	VR	Sulphadimidine
Diminsuls	MG	Sulphadimidine
Dindevan	EV	Phenindione
Diodoquin	SR	Di-iodohydroxyquinoline
Di-Paralene	AB	Chlorcyclizine Hydrochloride
Diparcol	MB	Diethazine
Diphen	KL	Phenindione
Direma	DL	Hydrochlorothiazide
Direxiodo	DF	Di-iodohydroxyquinoline
Direxiodo Gynaecological	DF	Di-iodohydroxyquinoline
Disipidin	ST	Pituitary Posterior Lobe
Distakaps V-K	DL	Penicillin, Phenoxymethyl (Potassium Salt)
Distaquaine G.	DL	Penicillin Procaine
Distaquaine V	DL	Penicillin, Phenoxymethyl (Free Acid)
Distaquaine V-K	DL	Penicillin, Phenoxymethyl (Potassium Salt)
Distaquaine V-K Suspension	DL	Penicillin, Phenoxymethyl (Potassium Salt)
Distivit B ₁₂	DL	Cyanocobalamin

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Ditoin	KL	Phenytoin Sodium
Divermex	DF	Piperazine Adipate
Dixin	KL	Digitoxin
Doburil	BY	Cycllothiazide
D.O.C.A.	OR	Deoxycortone
Dolamin	NY	Paracetamol
Doriden	CB	Glutethimide
Doxephryn	PH	Methylamphetamine
D-Penicillamine	DL	Penicillamine
Dromoran	RO	Levorphanol Tartrate
Durabolin	OR	Nandrolone Phenylpropionate
Durone	KL	Theobromine and Sodium Salicylate
Duronitrin	AN	Triethanolamine Trinitrate
Duro-Tuss	RK	Pholcodine
Dymadon	CA	Paracetamol

E

E.D.C.	NS	Ethylidene Dicoumarin
Edrol	VR	Ethinylloestradiol
Efcortelan	GL	Hydrocortisone
Efcortelan	GL	Hydrocortisone Acetate
Efcortelan Solution Tablets	GL	Hydrocortisone Sodium Succinate
Elixir Benadryl	PD	Diphenhydramine Hydrochloride
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Eltroxin	GL	Thyroxine Sodium
Embequin	MB	Di-iodohydroxyquinoline
Emphet	VR	Methylamphetamine
Emplet Ferrous Sulphate	PD	Ferrous Sulphate
Emu	UP	Erythromycin
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Enipreser	MG	Reserpine
Ensobarb	HY	Phenobarbitone
Ensogran	HY	Sodium Aminosaliclyate
Entacyl	BD	Piperazine Adipate
Enterocid	BS	Phthalylsulphacetamide
Entero-Vioform	CB	Iodochlorhydroxyquinoline
Ephedroid	BW	Ephedrine Hydrochloride
Ephedrobarbital	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephophen	MG	Ephedrine Hydrochloride with Pheno- barbitone
Epidione	GA	Troxidone
Eppy	AN	Adrenaline
Ergalan	BD	Ergotamine Tartrate with Caffeine and Meclizine Hydrochloride

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Ergalan-B	BD	Ergotamine Tartrate with Caffeine
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergomal	MJ	Ergometrine Maleate
Ergomine	PT	Ergometrine Maleate
Ergotart	PT	Ergotamine Tartrate
Ergotart-C	PT	Ergotamine Tartrate with Caffeine
Ergotrate	LY	Ergometrine Maleate
Ermalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erythrocin	AB	Erythromycin
Erythrocin Abboject	AB	Erythromycin
Erythrocin Dulcet	AB	Erythromycin
Erythrocin Granules	AB	Erythromycin
Erythrocin Paediatric Drops	AB	Erythromycin
Esidrex	CB	Hydrochlorothiazide
Estigyn	BD	Ethinylloestradiol
Estrasal	HY	Ethinylloestradiol
Ethamolin	GL	Ethanolamine Oleate
Ethidyne	EL	Codeine Phosphate with Acetylsalicylic Acid
Etin	KL	Ergotamine Tartrate
Eucerin	EV	Wool Alcohols
Eumydrin	BA	Atropine Methonitrate
Evacillin or Evanules	EV	Penicillin Procaine
Evactil	FA	Paraffin Liquid

F

Fabahistin	FB	Mebhydrolin Napadisylate
Falcopen VK	FA	Penicillin, Phenoxymethyl (Potassium Salt)
Falcopen V Suspension	FA	Penicillin, Phenoxymethyl (Benzathine Salt)
Fenadon	GA	Phenindione
Fenallo	DH	Phenolphthalein Compound
Fenbital	BW	Phenobarbitone
Fergon	WL	Ferrous Gluconate
Fergon Elixir	WL	Ferrous Gluconate
Feromax Plain	WY	Ferrous Sulphate
Ferrin 55	FA	Ferrous Gluconate
Ferrivenin	FC	Iron Oxide Saccharated
Ferri-Vita	HY	Ferrous Sulphate
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferroids	MR	Iron Aminoates
Ferromyn	CA	Ferrous Succinate
Ferronicum	SZ	Ferrous Gluconate
Ferrose	DH	Ferrous Gluconate
Fersolate	GL	Ferrous Sulphate
Fibroxin	VR	Digoxin

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Flagyl	MB	Metronidazole
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folvite	LE	Sodium Folate
Framygen	GN	Framycetin Sulphate
Fulcin Forte	IC	Griseofulvin
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furadantin Suspension	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate

G

Galactomin	TF	Milk Powder—Synthetic
Gantrisin	RO	Sulphafurazole
Gardenal	MB	Phenobarbitone
Gardenal Sodium	MB	Phenobarbitone Sodium
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastrogel Liquid	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gastrox	GP	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Geloid	BW	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gelox	PR	Aluminium Hydroxide Gel Dried
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucon	HD	Adrenaline
Gluciron	MG	Ferrous Gluconate
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Grancillin-VK	IQ	Penicillin Phenoxymethyl (Potassium Salt)
Grisovin, F.P.	GL	Griseofulvin
Guanimycin Tablets	GL	Streptomycin Sulphate with Sulphaguanidine
Gynergen	SZ	Ergotamine Tartrate

H

Haemofort	MJ	Ferrous Sulphate
Haemopan	PT	Phenindione
Haldrone	LY	Paramethasone Acetate
Halotestin	UP	Fluoxymesterone
Helmezine	GL	Piperazine Phosphate
Helmezine Elixir	GL	Piperazine Citrate
Hemorex	WL	Phenylephrine Hydrochloride

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Hetrazan	LE	Diethylcarbamazine
Hexa-Betalin	LY	Pyridoxine Hydrochloride
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride
Hibitane Concentrate 5%	IC	Chlorhexidine Gluconate
Histamine B.D.H.	BD	Histamine Acid Phosphate
Histalert	RK	Diphenylpyraline Hydrochloride
Histostab	BT	Antazoline
Histryl Liquid	SK	Diphenylpyraline Hydrochloride
Histryl Spansules	SK	Diphenylpyraline Hydrochloride
Honvan	MJ	Disodium Stilboestrol Diphosphate
H.P. Acthar-Gel	AR	Corticotrophin
Hyalase	FC	Hyaluronidase
Hyason	OR	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Acetylsalicylic Acid
Hycor Eye Drops	SI	Hydrocortisone
Hyd-Oint.	PT	Hydrocortisone
Hydral	CO	Aluminium Hydroxide Gel Dried
Hydrenox	BT	Hydroflumethiazide
Hydrid	VR	Mersalyl
Hydrocortistab Viules	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone
Hydrocortisyl	RL	Hydrocortisone Acetate
Hydrocortone	MK	Hydrocortisone Acetate
Hydrocortone Ophthalmic Suspension	MK	Hydrocortisone
Hydrop	PT	Hydrocortisone
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hypette B ₁	FA	Aneurine Hydrochloride
Hypothal	MJ	Rauwolfia Alkaloids
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Hysterg	VR	Ergometrine Maleate

I

Ilosone	LY	Erythromycin
Ilosone Pedipac	LY	Erythromycin
Iletycin	LY	Erythromycin
Imferon	FC	Dextran Iron
Infatabs	PD	Sulphadiazine
Insofar	WW	Phenformin
Intravenous Efcortelan	GL	Hydrocortisone Sodium Succinate
Ironate	KL	Ferrous Gluconate
I.S.A.	IQ	Acetylsalicylic Acid
I.S.C.	IQ	Codeine Compound, B.P.

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Iserpine	IQ	Rauwolfia Alkaloids
Ismelin	CB	Guanethidine
Isotinyl	KL	Isoniazid
Isuprel	WL	Isoprenaline Hydrochloride
Isuprel 1 : 5,000	WL	Isoprenaline Hydrochloride

J

Jectofer	AP	Iron Sorbitol Complex
Johnson's Caustic Pencil	SL	Silver Nitrate, Toughened

K

Kalopectin with Neomycin	MJ	Neomycin Sulphate Mixture
Kanasig	SI	Kanamycin Sulphate
Kantrex	BC	Kanamycin Sulphate
Kaomycin	UP	Neomycin Sulphate Mixture
Kapilin	GL	Menaphthone
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kenacort	SQ	Triamcinolone
Kinaden	SC	Hyaluronidase
Kirocid	SC	Sulphamethoxydiazine
Kirocid Suspension	SC	Sulphamethoxydiazine
Klortee	PT	Chloramine
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konakion	RO	Phytomenadione
K-Thrombin (Aqueous)	FM	Menaphthone
KX 60	DF	Penicillin, Phenoxymethyl (Potassium Salt)
KX 125	DF	Penicillin, Phenoxymethyl (Potassium Salt)
KX 250	DF	Penicillin, Phenoxymethyl (Potassium Salt)

L

Lanoxin	BW	Digoxin
Lanoxin Paediatric Elixir	BW	Digoxin
Largactil	MB	Chlorpromazine Hydrochloride
Ledercort	LE	Triamcinolone
Lederkyn	LE	Sulphamethoxypyridazine
Lederkyn Suspension	LE	Sulphamethoxypyridazine N-Acetyl
Ledermycin	LE	Demethylchlortetracycline
Ledermycin Drops	LE	Demethylchlortetracycline
Ledermycin Syrup	LE	Demethylchlortetracycline
Lethidrone	BW	Nalorphine
Lethidrone Neonatal	BW	Nalorphine
Leucarsone	MB	Carbarsone
Leukeran	BW	Chlorambucil

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Levophed	WL	Noradrenaline Acid Tartrate
Lingraine	WL	Ergotamine Tartrate
Lipo-Hepin	RK	Heparin
Lissapol	IC	Deodorant Detergent Solution
Listabs	CO	Prednisolone
Listabs	CO	Prednisone
Lofenalac	MJ	Phenylalanine Low Content Formula
Lubarol	DH	Paraffin Liquid
Luteocerin Depot	RM	Hydroxyprogesterone Caproate
Lutoral	VR	Ethisterone
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin, Phenoxymethyl (Potassium Salt)
L.P.V. Suspension	CS	Penicillin, Phenoxymethyl (Benzathine Salt)
Lynoral	OR	Ethinylloestradiol
Lysivane	MB	Ethiopropazine

M

Madribon	RO	Sulphadimethoxine
Magnoplasm	FA	Magnesium Sulphate
Magnos	FA	Magnesium Bicarbonate Solution
Magtroxal	VR	Aluminium Hydroxide Gel. with Magnesium Trisilicate and Magnesium Hydroxide
Malidone	BS	Aloxidone
M. & B. 693	MB	Sulphapyridine
Mandelamine	WW	Methenamine Mandelate
Mandelamine Hafgrams	WW	Methenamine Mandelate
Mandoz	HA	Methenamine Mandelate
Medrol	UP	Prednisolone Methyl
Medrol Eye Ointment	UP	Prednisolone Methyl
Medsil	BT	Dimethicone
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Megimide	GH	Bemegride
Melleril	SZ	Thioridazine
Mephobarbital	PH	Methyl Phenobarbitone
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metem	CH	Aluminium Hydroxide Gel.
Metestine	KL	Testosterone Methyl
Methamine	KL	Methylamphetamine
Methamphet	PT	Methylamphetamine
Methedrine	BW	Methylamphetamine
Methergin	SZ	Methylergometrine Maleate
Methopt	SI	Methylcellulose
Methyl Diol	MR	Methandriol
Meticortelone	SH	Prednisolone
Meticortelone Soluble	SH	Prednisolone Sodium Hemisuccinate
Meticorten	SH	Prednisone
Metilar	IC	Paramethasone Acetate
Mevasine	MK	Mecamylamine

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Micloretin	BH	Chloramphenicol
Midicel	PD	Sulphamethoxypyridazine
Midicel Acetyl Suspension	PD	Sulphamethoxypyridazine N-Acetyl
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Milibis	WL	Bismuth Glycolylarsanilate
Milontin	PD	Phensuximide
Minafen	TF	Phenylalanine Low Content Formula
Monodral	WL	Penthienate
Mortha	WH	Morphine with Tacrine
Multisulpha	KL	Sulphonamides, Three Mixed
Multisulphettes	KL	Sulphonamides, Three Mixed
Multivite Six	BD	Vitamins Compound
Mycardol	WL	Pentaerythritol Tetranitrate
Mycitracin Ophthalmic Ointment	UP	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Mycostatin	SQ	Nystatin
Myleran	BW	Busulphan
Mylipen	GL	Penicillin Procaine
Mylodorm	GP	Amylobarbitone
Mylodorm Sustrels	GP	Amylobarbitone
Mylosed	VR	Amylobarbitone
Mylosed	VR	Amylobarbitone Sodium
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin-V	SQ	Tetracycline (Buffered) with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphoteri- cin B

N

Nacitoid	BW	Sodium Citrate
Na-Clex	GL	Hydroflumethiazide
Napent	RD	Pentobarbitone Sodium
Natigoxin	NA	Digoxin
Navidrex	CB	Cyclopenthiiazide
N.B.P. Eye Drops	DH	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
N.B.P. Eye Ointment	DH	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Nembudeine	AB	Phenacetin with Codeine Phosphate and Sodium Pentobarbitone
Nembutal	AB	Pentobarbitone Sodium
Neo Avagal	AN	Hyoscine Methobromide
Neo-Benol	KL	Hydroxocobalamin
Neo-Codsol	KL	Codeine Phosphate with Acetylsalicylic Acid
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Epinine Spray No. 1	BW	Isoprenaline Sulphate
Neo-Ferrum Intravenous	CK	Iron Oxide Saccharated
Neo-Ferrum Liquid	CK	Ferric Hydroxide

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neo-Hombreol	OR	Testosterone
Neo-Hombreol	OR	Testosterone Propionate
Neo-Hycor	SI	Hydrocortisone with Neomycin
Neolin	PT	Neomycin Sulphate Mixture
Neomagma	WY	Neomycin Sulphate Mixture
Neo-Mercazole	BS	Carbimazole
Neo-NaClex	GL	Bendrofluazide
Neopt	SI	Neomycin Sulphate
Neosporin Ophthalmic Ointment	BW	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Neosporin Ophthalmic Solution	BW	Polymyxin B. Sulphate with Neomycin Sulphate and Gramicidin
Neo-Synephrine	WL	Phenylephrine Hydrochloride
Neotracin Eye Drops	AN	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Neotracin Ophthalmic Ointment	AN	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Nephenal (Plain)	MJ	Isoprenaline Sulphate
Nephril	PF	Polythiazide
Neptazane	LE	Methazolamide
Neur-Amyl	FM	Amylobarbitone
Neutrapen	RK	Penicillinase
Neutrasol	PR	Acetylsalicylic Acid
Neutratabs	HA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Nilergex	IC	Isothipendyl Hydrochloride
Nitrin	AN	Triethanolamine Trinitrate
Nivaquine	MB	Chloroquine
Nobecutane	EV	Acrylic Resin
Nollipyrin	KL	Codeine Compound, B.P.
Norisodrine	AB	Isoprenaline Sulphate
Noshok Caustic Pencil	YF	Silver Nitrate, Toughened
Novo-Evans	EV	Insulin
Novo-Evans	EV	Insulin Protamine Zinc
Novo-Evans Lente	EV	Insulin Zinc Suspension
Novo-Evans Semilente	EV	Insulin Zinc Suspension (Amorphous)
Novo-Evans Ultralente	EV	Insulin Zinc Suspension (Crystalline)
Novosprin	VR	Acetylsalicylic Acid
Nuseals	LY	Sodium Salicylate

O

Ocsetan	EV	Sulphacetamide Sodium
Oestramine	KL	Oestradiol Benzoate
Oestroform B.D.H.	BD	Oestradiol Benzoate
Omnopon	RO	Papaveretum
Omnopon-Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Optimyxin	BW	Polymyxin B. Sulphate
Optipen	CS	Phenethicillin
Optisone Eye Ointment	HA	Hydrocortisone

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Optobiotic	PT	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Optocort	PT	Prednisolone
Orabolin	OR	Ethyloestrenol
Oradexon	OR	Dexamethasone
Oranabol	MB	Oxymesterone
Orisul	CB	Sulphaphenazole
Oroxine	BW	Thyroxine Sodium
Orpidan	SI	Chlorazanal
Orum-Vite	VR	Vitamins Compound
Ospolot	FB	Sultiam
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B. Sulphate
Ovocyclin	CB	Oestradiol Dipropionate

P

P2G Sclerosant	BT	Phenol, Dextrose and Glycerin
Pagitane	LY	Cycrimine Hydrochloride
Paludrine	IC	Proguanil
Pamine	UP	Hyoscine Methobromide
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panheprin Abboject	AB	Heparin
Panmycin	UP	Tetracycline
Panmycin Aquadrops	UP	Tetracycline
Panmycin KM Suspension	UP	Tetracycline (Buffered)
Panmycin M (Buffered)	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline (Buffered)
Panteric	PD	Pancreatin Concentrate
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Parajel	SI	Paraffin Liquid
Paralax	PR	Paraffin Liquid
Paralgin	FM	Paracetamol
Paramisan Sodium	EV	Sodium Aminosalicylate
Paramul	MG	Paraffin Liquid
Parentosol B12	MJ	Cyanocobalamin
Parmol	KL	Paracetamol
Parmol Junior	KL	Paracetamol
Parpanit Forte	GE	Caramiphen
Pasade	EV	Sodium Aminosalicylate
Pasalba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate
Pastamag	DH	Magnesium Sulphate
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Pedipen	LY	Penicillin Phenoxymethyl
Peganone	AB	Ethotoin
Penalco	CO	Pentobarbitone Compound

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Penbritin	BR	Ampicillin
Pen-Butal	PT	Pentobarbitone Sodium
Pendorm	GP	Pentobarbitone Sodium
Penicillin Crystalline	DH	Penicillin, Benzyl
Peniset	DH	Penicillin, Benzyl
Peni-Vee-K	DH	Penicillin, Phenoxymethyl (Potassium Salt)
Peni-Vee Suspension D.H.A.	DH	Penicillin Phenoxymethyl (Potassium Salt)
Pensig	SI	Phenethicillin
Pensol	GL	Penicillin, Benzyl
Pentacode	MG	Phenacetin with Codeine Phosphate and Sodium Pentobarbitone
Pentagen	HY	Pentaerythritol Tetranitrate
Pentalgin	FM	Phenacetin with Codeine Phosphate and Sodium Pentobarbitone
Pentonal Co.	KL	Phenacetin with Codeine Phosphate and Sodium Pentobarbitone
Pentone	FA	Pentobarbitone Sodium
Pentosol	AB	Pentobarbitone Sodium
Perandren	CB	Testosterone
Perandren	CB	Testosterone Methyl
Perandren	CB	Testosterone Propionate
Perazil	BW	Chlorcyclizine
Percorten	CB	Deoxycortone
Periactin	MK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perolysen	MB	Pempidine Tartrate
Persantin	BY	Dipyridamole
Petab	KL	Pentobarbitone Sodium
Pethanal	MJ	Pethidine
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petiscol	KL	Pethidine and Scopolamine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenol- phthalein	WY	Paraffin Liquid
Phanodorm	BA	Cyclobarbitone
Phenabel	HY	Belladonna with Phenobarbitone
Phenabel Forte	HY	Belladonna with Phenobarbitone
Phenacodeine	MR	Codeine Compound, B.P.
Phenadeen	RD	Phenacetin with Codeine Phosphate and Sodium Pentobarbitone
Phenergan	MB	Promethazine Hydrochloride
Phenodren	DH	Ephedrine Hydrochloride with Phenobarbitone
Pholcolin Linctus	DH	Pholcodine
Pholevan	EV	Pholcodine
Pholtrate	MG	Pholcodine
Phospholine Iodide	CF	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Nitrate
Pipanol	WL	Benzhexol Hydrochloride

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Piptal	SI	Pipenzolate
Piptal Paediatric	SI	Pipenzolate
Piriton	GL	Chlorpheniramine Maleate
Piriton Duolets	GL	Chlorpheniramine Maleate
Piriton Syrup	GL	Chlorpheniramine Maleate
Pitocin	PD	Oxytocin
Piton	BP	Pituitary, Posterior Lobe
Pitressin	PD	Vasopressin
Pitressin Tannate in Oil	PD	Vasopressin Tannate
Pituitrin O	PD	Pituitary, Posterior Lobe
Placemol	VR	Paracetamol
Placogel	MJ	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Plaquenil	WL	Hydroxychloroquine
Plesmet	BP	Ferrous Aminoacetosulphate
Plesmet Syrup	BP	Ferrous Aminoacetosulphate
Pluryl	AN	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine Maleate
Polaramine Repetabs	SH	Dexchlorpheniramine Maleate
Polmix Ear Drops	KL	Polymyxin B. Sulphate
Polmix Eye Drops	KL	Polymyxin B. Sulphate
Polyeral	BS	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Polydro Ear Drops	HA	Polymyxin B. Sulphate
Polyhaemen	GP	Ferrous Sulphate
Polymyxin Co.	IQ	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Polytracin-N Eye Drops	GL	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Polytracin-N Eye Ointment	GL	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Potavescent	PT	Potassium
Praenitron	SC	Triethanolamine Trinitrate
Precortisyl	RL	Prednisolone
Prednelan	GL	Prednisolone
Predonate	CO	Prednisolone
Predsol	GL	Prednisolone Sodium Phosphate
Predsol Retention Enema	GL	Prednisolone Sodium Phosphate
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primocort	SC	Deoxycortone
Primogyn C	SC	Ethinylloestradiol
Primoteston Depot	SC	Testosterone Oenanthate
Princode	RC	Codeine Phosphate with Acetylsalicylic Acid
Priscol	CB	Tolazoline
Pro-Banthine	SR	Propantheline Bromide
Pro-Banthine, P.A.	SR	Propantheline Bromide
Procillin A.S.	DH	Penicillin Procaine
Proctoids	WY	Belladonna
Prodigox	PT	Digoxin
Prodol	NB	Acetylsalicylic Acid
Prodol Co.	NB	Codeine Phosphate with Acetylsalicylic Acid
Progestin (B.D.H.)	BD	Progesterone

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Progestin (Organon)	OR	Progesterone
Prokayvit	BD	Menaphthone
Proloid	WW	Thyroid
Proluton	SC	Progesterone
Proluton C	SC	Ethisterone
Proluton Depot	SC	Hydroxyprogesterone Caproate
Prominal	BA	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide Hydrochloride
Propen-VK	PT	Penicillin, Phenoxymethyl (Potassium Salt)
Proquinal	PT	Quinalbarbitone Sodium
Pro-Stabillin A.S.	BT	Penicillin Procaine
Prostigmin	RO	Neostigmine
Protona	DF	Stanolone
Provera	UP	Medroxyprogesterone
Provoprin	DH	Acetylsalicylic Acid
Pularin	EV	Heparin
Purinethol	BW	Mercaptopurine
Purodigin	WY	Digitoxin
Puroverine	SZ	Protoveratrine A
P.V.K.	LY	Penicillin, Phenoxymethyl (Potassium Salt)
P.V.K. Pedipao	LY	Penicillin, Phenoxymethyl (Potassium Salt)
P.V.K. Pulvules	LY	Penicillin, Phenoxymethyl (Potassium Salt)
P.V.O.	FM	Penicillin, Phenoxymethyl (Potassium Salt)
Pyribenzamine	CB	Tripelennamine
Pyridermin	MJ	Pyridoxine Hydrochloride
Pyridium	WW	Phenazopyridine Hydrochloride
Pyrivel	VM	Pyridoxine Hydrochloride
Pyroxin	KL	Pyridoxine Hydrochloride

Q

Q.B Tabs.	DH	Quinalbarbitone Sodium
Quillatone	RD	Quinalbarbitone Sodium
Quillatone "M"	RD	Quinalbarbitone Sodium
Quindorm	GP	Quinalbarbitone Sodium
Quinidoxin	BW	Quinidine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture

R

Radiostol	BD	Calciferol
Rastinon	HP	Tolbutamide
Raudixin	SQ	Rauwolfia Alkaloids
Rautensin	PT	Rauwolfia Alkaloids
Rauwiloid	RK	Rauwolfia Alkaloids
Rectinol	GP	Benzocaine with Adrenaline

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Redisol-H	MK	Hydroxocobalamin
Reserpal	FA	Reserpine
Reserpin	AN	Reserpine
Resochin	FB	Chloroquine
Restal	HA	Amylobarbitone
Reverin	HP	Rolitetraeycline
Reverin I.M.	HP	Rolitetraeycline
Rikospray Silicone	RK	Dimethicone
Rimifon	RO	Isoniazid
Ro-A-Vit	RO	Vitamin A
Rondase	EV	Hyaluronidase
Rovamycin	MB	Spiramycin
Ryser	KL	Reserpine

S

Salamide	HA	Salicylamide
Salazopyrin	MR	Sulphasalazine
Salco	NS	Chlorobenzol Disulphonamide
Salide	GH	Salicylamide
Salyrigan	BA	Mersalyl
Samid	KL	Salicylamide
Sandosten + Calcium	SZ	Thenalidine with Calcium
Sandosten Calcium	SZ	Thenalidine with Calcium
Syrup		
Scanmycetine	SP	Chloramphenicol
Scherisolon	SC	Prednisolone
Scherisolon	SC	Prednisolone Acetate
Scheroson	SC	Cortisone Acetate
Scheroson F	SC	Hydrocortisone Acetate
Scheroson F Ophthalmicum	SC	Hydrocortisone
Seoline	GL	Suxamethonium Chloride
Scorbettes	PR	Ascorbic Acid
Seclomyein	GL	Penicillin with Streptomycin
Seclosol	GL	Penicillin with Streptomycin
Seconal Sodium Pulvules	LY	Quinalbarbitone Sodium
Secquin	PT	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Sednaco	GL	Pholcodine
Sednotic	DL	Amylobarbitone
Senokot	RC	Senna Fruit Extract (Standardised)
Serfia	KL	Rauwolfia Alkaloids
Serpasil	CB	Reserpine
Serpiloid	RK	Reserpine
Serpina	PV	Rauwolfia Alkaloids
Sertensin	PD	Reserpine
Siguent Bacomyein	SI	Polymyxin B. Sulphate with Bacitracin and Neomyein Sulphate
Siguent Hycor	SI	Hydrocortisone

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Silcon	FA	Dimethicone
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
S-Mez	IC	Sulphadimidine
S-Mez	IC	Sulphadimidine Sodium
Sobee Instant Powder	MJ	Soya Formula
Sobee Liquid	MJ	Soya Formula
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium Sulphacetamide	SH	Sodium Sulphacetamide
Oculoid		
Sodium Versenate	RK	Sodium Edetate
Soframycin	RL	Framycetin Sulphate
Solacetyl	MG	Acetylsalicylic Acid
Solamal	DH	Belladonna with Phenobarbitone
Solcetas	BW	Acetylsalicylic Acid
Solcode	RC	Codeine Compound, B.P.
Solcodein	MG	Codeine Compound, B.P.
Solganal-B-Oleosum	SC	Aurothioglucose
Solgesil	DH	Codeine Compound, B.P.
Solprin	RC	Acetylsalicylic Acid
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solupen	DL	Penicillin, Benzyl
Soluvone	DL	Penicillin with Streptomycin
Sol Viules	BT	Penicillin, Benzyl
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Soneryl	MB	Butobarbitone
Stabillin-V	BT	Penicillin, Phenoxymethyl (Calcium Salt)
Stanal	MG	Codeine Phosphate with Acetylsalicylic Acid
Steclin	SQ	Tetracycline
Steclin-V	SQ	Tetracycline (Buffered)
Steclin-V Paediatric Drops	SQ	Tetracycline (Buffered)
Steclin-V Syrup	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Stenediol	OR	Methandriol
Stovarsol	MB	Acetarsol
Strepolin	GL	Streptomycin Sulphate
Streptaquaine	DL	Streptomycin Sulphate
Streptevan	EV	Streptomycin Sulphate
Strept-Evanules	EV	Streptomycin Sulphate
Streptomagma	WY	Dihydrostreptomycin Sulphate with Attapulgit, Pectin and Hydrated Alumina Powder
Streptomagma Suspension	WY	Dihydrostreptomycin Sulphate Kaolin, Pectin with Aluminium Hydroxide Gel
Streptomycin Intrathecal	DL	Streptomycin Sulphate
Sulfasuxidine	MK	Succinylsulphathiazole
Sulfasuxidine Suspension	MK	Succinylsulphathiazole with Kaolin
Sulphaco	MJ	Sulphonamides, Three Mixed
Sulphaco-Mitis	MJ	Sulphonamides, Three Mixed
Sulphadiazinettes	KL	Sulphadiazine

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Sulpha-Dimerazole	VR	Sulphonamides, Three Mixed
Sulphadital	FM	Sulphonamides, Three Mixed
Sulphalyl	KL	Phthalylsulphacetamide
Sulphamezathine	IC	Sulphadimidine
Sulphathalidine	MK	Phthalylsulphathiazole
Sulphatriad	MB	Sulphonamides, Three Mixed
Sulphatriad (Flavoured)	MB	Sulphonamides, Three Mixed
Suspen-V Suspension	BT	Penicillin, Phenoxymethyl (Calcium Salt)
Sustanon '250'	OR	Sustanon
S.V.C.	MB	Acetarsol
Synkamine	PD	Menaphthone
Synkavit	RO	Menaphthone
Synthanal	MJ	Methadone
Synthomycetin	LT	Chloramphenicol
Syntocinon	SZ	Oxytocin
Syntocinon Spray	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

T

Tabpen-VK	BT	Penicillin, Phenoxymethyl (Potassium Salt)
Tacaryl	MJ	Methdilazine Hydrochloride
Tace	ML	Chlorotrianisene
Talecid	SC	Phthalylsulphacetamide
Tauroglate	DH	Sodium Tauroglycocholate
Te Anatoxin Berna	SE	Tetanus Toxoid
Tebos	HY	Isoniazid
Tedral	WW	Ephedrine Hydrochloride with Phenobarbitone and Theophylline
Tegretol	GE	Carbamazepine
Telmid	LY	Dithiazanine Iodide
Tenormal	IC	Pempidine Tartrate
Tenserp	VR	Reserpine
Terramycin	PF	Oxytetracycline
Terramycin	PF	Oxytetracycline Hydrochloride with Polymyxin B.
Terramycin Oral Suspension	PF	Oxytetracycline
Terramycin Oral Paediatric Drops	PF	Oxytetracycline
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testogenine	FM	Testosterone Methyl
Testoviron	SC	Testosterone
Testoviron	SC	Testosterone Propionate
Tetanus Antitoxin Berna	SE	Tetanus Antitoxin
Tetracyn	PF	Tetracycline
Tetracyn Ointment	PF	Tetracycline
Ophthalmic		
Tetracyn Suspension	PF	Tetracycline
Tetracyn-V	PF	Tetracycline (Buffered)
Tetracyn-V Suspension	PF	Tetracycline (Buffered)
Tetracyn-V Paediatric Drops	PF	Tetracycline (Buffered)

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
Tetrex	BC	Tetracycline (Buffered)
Tetrex Paediatric Drops	BC	Tetracycline (Buffered)
Tetrex Syrup	BC	Tetracycline (Buffered)
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole
Thephorin	RO	Phenindamine
Thiacaine	VR	Aneurine Hydrochloride
Thiomerin Sodium	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Three Sulphas	AD	Sulphonamides, Three Mixed
Thymax	BW	Thyroid
Thypron	PH	Potassium Perchlorate
Thyrine	DH	Thyroxine Sodium
Thyroxinal	FM	Thyroxine Sodium
Toline	KL	Tolazoline
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Tral Filmtabs	AB	Hexocyclium Methyl Sulphate
Tral Gradumets	AB	Hexocyclium Methyl Sulphate
Triagin	HY	Glyceryl Trinitrate
Triazol Dulcets	AB	Sulphonamides, Three Mixed
Tricoloid	BW	Tricyclamol Chloride
Tridione	AB	Troxidone
Tridione Dulcets	AB	Troxidone
Tridis	RC	Acetylsalicylic Acid Compound
Trillekamin	CK	Trimustine
Triple Antigen	CS, GL, PD	Diphtheria, Tetanus and Pertussis Vaccine
Triplopen	GL	Penicillin Benethamine Compound
Triplosol	GL	Penicillin Benethamine Compound
Triposulph	DH	Sulphonamides, Three Mixed
Trisil	DH	Magnesium Trisilicate
Trisulpha	AN	Sulphonamides, Three Mixed
Trisulphettes	AN	Sulphonamides, Three Mixed
Trivax	BW	Diphtheria, Tetanus and Pertussis Vaccine
Troid	GP	Thyroid
Trombolysan	GE	Ethyl Biscoumacetate
Tussinol Linetus	GP	Pholcodine
Tynees	WO	Acetylsalicylic Acid
Tyrimide	SK	Isopropamide Iodide

U

Ultracortenol	CB	Prednisolone Trimethylacetate
Univite	PH	Vitamins Compound
Ung. Poly-B.N.	HA	Polymyxin B. Sulphate with Bacitracin and Neomycin Sulphate
Urolin	KL	Sulphamethizole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Generic Name</i>
V		
VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Vallergan	MB	Trimeprazine Tartrate
Vanquin	PD	Vipryinium Embonate
Vanquin Suspension	PD	Vipryinium Embonate
Vasitrin	DH	Glyceryl Trinitrate
Vasogen Silicone	SS	Dimethicone
Vasylox	BW	Methoxamine Hydrochloride
Veecillin	MJ	Penicillin, Phenoxymethyl (Potassium Salt)
Veecillin Suspension	MJ	Penicillin, Phenoxymethyl (Calcium Salt)
Veganin	WW	Codeine Phosphate with Acetylsalicylic Acid and Phenacetin
Velactin	WA	Soya Formula
Velacycline	SQ	Rolitetraeycline
Velbe	LY	Vinblastine
Veracolate	WW	Sodium Tauroglycocholate
Veriloid	RK	Alkavervir
Veroxil	CK	Piperazine Phosphate
Versotrane Triple Strength	WB	Hydrargaphen
Vibafort	MJ	Aneurine Hydrochloride
Vibafort Parentosol	MJ	Aneurine Hydrochloride
Vibex Steri-Vial	PD	Aneurine Hydrochloride
Vicin	KL	Penicillin, Phenoxymethyl (Benzathine Salt)
Vicin Injection 800	KL	Penicillin, Phenoxymethyl (Benzathine Salt)
Vicin Oral Suspension	KL	Penicillin, Phenoxymethyl (Benzathine Salt)
Viokase	AN	Pancreatin Enzyme (4 USNF XI.)
Viraxacillin	VR	Penicillin Procaine
Viraxacillin Syringe	VR	Penicillin Procaine
Vitabin	AN	Aneurine Hydrochloride
Vitacin	AN	Ascorbic Acid
Vitavel K	VM	Menaphthone
V.P.V. Viraxacillin V	VR	Penicillin Phenoxymethyl (Calcium Salt)
V.P.V. Viraxacillin V	VR	Penicillin, Phenoxymethyl (Free Acid)

W

Wyamine Sulphate	WY	Mephentermine
Wydase	WY	Hyaluronidase

Y

Yomesan	FB	Niclosamide
---------	----	-------------

Z

Zarontin	PD	Ethosuximide
Zephiran	BA	Benzalkonium Chloride

PART 2—TRADE NAMES INDEX

Abbo-Litre	Abbotts Intravenous Fluids
Infusors	Boots Intravenous Fluids
Dropster	Knolls Eye Drops
Hamiltab	Hamilton Laboratories Tablet Preparations
Rox	Rocke Tomsitt Preparations
Soluvac	Baxter-D.H.A. Intravenous Fluids
Steriflex	Glaxo-Allenbury Intravenous Fluids
Sterop	Andrews Eye Drops
Tabloid	Burroughs Wellcome Tablet Preparations
Transfusol	Evans Intravenous Fluids
Tri-Test	Wholesale Drug Co. Preparations
Venosol	Farmer Hill Intravenous Fluids
Viules	Boots Injections
Wellcome	Burroughs Wellcome Preparations

PART 3—ABBREVIATIONS OR SYNONYMS FOR APPROVED NAMES

<i>Abbreviation or Synonym</i>	<i>Approved Name</i>
A.C.T.H	Corticotrophin
Amorph. I.Z.S.	Insulin Zinc Suspension (Amorphous)
B12	Cyanocobalamin
Bephenium	Bephenium Hydroxynaphthoate
Biglycarsan	Bismuth Glycollylarsanilate
Bretylum	Bretylum Tosylate
Calcium P.A.S.	Calcium Aminosalicylate
Chlorpheniramine	Chlorpheniramine Maleate
Cryst. I.Z.S.	Insulin Zinc Suspension (Crystalline)
Dexchlorpheniramine	Dexchlorpheniramine Maleate
Diodoquinoline	Di-iodohydroxyquinoline
Dip./Ser.	Diphtheria Antitoxin
Dip./Vac./F.T.	Diphtheria Vaccine (Formol Toxoid)
Dip./Vac./P.T.A.P.	Diphtheria Vaccine (Purified Toxoid Aluminium Phosphate)
DM Chlortetracycline	Demethylchlortetracycline
Feramacet	Ferrous Aminoacetosulphate
Gas/Ser.	Gas Gangrene Antitoxin—Mixed (Polyvalent)
Hexocyclium	Hexocyclium Methylsulphate
Iochlorquin	Iodochlorhydroxyquinoline
I.Z.S.	Insulin Zinc Suspension
Methenolone Oen	Methenolone Oenanthate
Oed./Ser.	Gas Gangrene Antitoxin (Oedematins)
P.A.M.	Pyridine Aldoxime Methiodide
Penicillin G.	Penicillin Benzyl
Penicillin V.	Penicillin Phenoxymethyl
Penthritol	Pentaerythritol Tetranitrate
Per./Vac.	Pertussis Vaccine (Phase 1)
Plague/ Vac.	Plague Vaccine
Prednisolone T.B.A.	Prednisolone Tertiary Butyl Acetate
Sep./Ser.	Gas Gangrene Antitoxin (Septicium)
S'methoxydiazine	Sulphamethoxydiazine
S'methopyrazine	Sulphamethoxypyridazine
Sod. Stilboestrol	Disodium Stilboestrol Diphosphate
Sodium P.A.S.	Sodium Aminosalicylate
Sta./Tox.	Staphylococcus Toxoid (Formalinised)
T.A.B./Vac.	T.A.B. Vaccine (Anti-typhoid-paratyphoid)
Testosterone Oen.	Testosterone Oenanthate
Testosterone Prop.	Testosterone Propionate
Tet./Ser.	Tetanus Antitoxin
Tet./Vac./F.T.	Tetanus Toxoid
Tet./Vac./P.T.A.P.	Tetanus Toxoid (Purified Aluminium Phosphate Adsorbed)
Triple Antigen	Diphtheria, Tetanus and Pertussis Vaccine
Viprynum	Viprynum Embonate
Wel./Ser.	Gas Gangrene Antitoxin (Welchii)

PHARMACEUTICAL BENEFITS

EXPLANATORY CIRCULAR REGARDING NOVEMBER, 1964 ISSUE OF THE SCHEDULE OF BENEFITS FOR MEDICAL PRACTITIONERS.

This issue is a complete reprint of the Schedule of Benefits and Proprietary Index and will take effect from 1st November, 1964.

A new and larger binder has been provided with this issue and as a result the Explanatory Notes and Prescribers' List are again included as parts of the Schedule.

The method of listing restricted drugs has been altered and the use of restriction codes discontinued. Full particulars of all Restricted Pharmaceutical Benefits are now shown separately in Section 3 (pink pages); however, the specific preparation will still be included in Section 2 of the Schedule (white pages) with reference to the entry in the Restricted Section.

Paragraph 12 of the Explanatory Notes has been altered and now contains a full explanation of changed procedure in regard to restricted benefits.

Paragraph 11 has been amended to include a request that where non-benefit items are written on the same prescription as benefit items, that the non-benefit items be identified as such.

A number of abbreviated synonyms have been prepared for some of the longer and more complex approved names. The abbreviations will appear in brackets immediately beneath the approved name in the Schedule. A letter will have already been received by doctors regarding the use of these synonyms.

NEW ITEMS

Belladonna with Phenobarbitone.
Benztropine.
Carbamazepine (R).
Cyclothiazide.
Clopamide.
Dihydrostreptomycin Sulphate with Kaolin, Pectin
and Aluminium Hydroxide.
Ethyloestrenol (R).

Melarsoprol.
Methsuximide.
Oxytocin with Ergometrine.
Potassium Effervescent.
Prochlorperazine.
Thiethylperazine.
Tridihexethyl Chloride.
Trimustine.

NEW ITEMS FOR HOSPITAL LIST

Ampicillin Injections.
Bethanidine.
Bendrofluazide.
Framycetin.
Fursemide.

Methacycline.
Methotrexate.
Peritoneal Dialysis Solutions.
Polymyxin B Sulphate.
Vincristine.

ITEMS TRANSFERRED FROM HOSPITAL LIST

Liothyronine tablet.
Medroxyprogesterone injection and tablet (R).
Prednisolone Sodium Hemisuccinate injection (R).

Pyridine Aldoxime Methiodide injection.
Quinethazone tablet
Thiotepa injection.

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Acetazolamide 500 mg. tablet.
Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide Mixture.
Betamethasone eye ointment.
Carbinoxamine Maleate 12 mg. tablet
Chloramphenicol paediatric injection.
Chloramphenicol eye drops 0.5%
Chloramphenicol ear drops 2%.
Corticotrophin gelatin injection 30 units per ml. 5 ml.
Cyclophosphamide injection.
Demecarium Bromide eye drops 0.1%.
Dithranol Ointment 0.25% and 0.5%.
Ecothiopate Iodide eye drops 0.06%.
Hydrocortisone with Neomycin eye drops.
Kanamycin oral solution (R).

Kanamycin capsule (R).
Mebhydrolin 150 mg. tablet
Phenethicillin suspension.
Phytomenadione injections (R)
Prednisolone eye drops.
Propantheline Bromide 30 mg. tablet.
Sodium Salicylate 600 mg. tablet.
Testosterone Methyl 25 mg. sublingual tablet.
Tetracycline 250 mg. I.M. injection (R).
Thioridazine oral solution (R).
Trifluoperazine 2 mg. tablet.
Vasopressin Nasal Spray.
Dimethicone 5% solution (R).
Gastric Replacement Solution 1 litre.
Intestinal Replacement Solution 1 litre.

ITEMS DELETED

Tetracycline with Oleandomycin (Synermycin).
Ristocetin (H).
Surgical Cement, 2 oz. tube (Q.T. Cement) (R).

DRUGS DELETED

Acid, Acetic Glacial; Glycerins;—Phenol, Starch, Tannic Acid; Benzoin Gum; Methylated Soap, Liniment; Heavy Magnesium Oxide; Oils—Cinnamon, Dill, Rosemary; Potassium Acid Tartrate, Potassium Bicarbonate; Sodium Carbonate; Solutions—Weak Ammonia, Strong Iodine, Strychnine Hydrochloride; Storax Prepared; Strychnine Hydrochloride, Sulphaguanidine; Urea; Vanillin; Concentrate Dill Water; Zinc Stearate.

ITEMS DELETED FROM PRESCRIBERS' LIST

Eucalyptus Compound Liniment.
Phenol Ear Drops.
Strychnine Hydrochloride Mixture.
Urea Mixture.

ALTERED RESTRICTIONS

Chloramphenicol.
Cod Liver Oil.
Cortisone Acetate.
Dithiazanine Iodide
Erythromycin.
Fluoxymesterone.

Griseofulvin.
Methandienone.
Nandrolone Decanoate.
Nandrolone Phenylpropionate.
Prednisolone.
Spiramycin.

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



SCHEDULE OF BENEFITS
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1st NOVEMBER, 1964

Department of Health,
CANBERRA, A.C.T.

NOVEMBER, 1964

CONTENTS.

SECTION 1—LEMON PAGES

Explanatory Notes—

Prescribing of Benefits—Procedure by Doctors—

Schedule of Benefits	1- 8	2-3
Prescriptions	9-11	3-4
Restrictions	12	4-5
Certificates for Prescribing Tranquillising Drugs	13	5
Maximum Quantities and Repeats	14-19	5-7
Urgent Cases	20-21	7
Doctor's Bag and Emergency Supplies	22-25	7-8
Manufacturers—Address and Code		9-13
Emergency Drug (Doctor's Bag) Supplies		14
Metric Conversion Table		15

SECTION 2—WHITE PAGES

Schedule of Benefits—

General and Pensioner Benefits	1-123
Intravenous Fluids	124-127

SECTION 3—PINK PAGES

Schedule of Benefits—Restricted Benefits	1-51
Preparations Restricted to Colostomy and Ileostomy Use Only	52-53
Preparations Restricted to Use in Approved Hospitals Only	54-59

SECTION 4—GREEN PAGES

Schedule of Benefits—Drug Tariff	1-13
Tables of Maximum Quantities and Number of Repeats for Extemporaneous Preparations	14-15

SECTION 5—OLD GOLD PAGES

Prescribers List—Pharmaceutical Benefit Formulae	1-17
--	------

SECTION 1—EXPLANATORY NOTES
PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescribers' List items are listed in the Schedule of Benefits (Sections 2 and 3).
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in Section 4 (Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item and the specific restrictions are listed on the last page of the section.
4. The following admixtures are not pharmaceutical benefits:
 - (a) The admixture of two or more ready prepared items listed in the Schedules of Benefits; or
 - (b) The admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff (Section 4).
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "solvent required" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., "Penicillin Benzyl, Injection 500,000 Unit amp. with 2 ml. water for injection".
6. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 14-19.
7. The Proprietary Index is available in a separate booklet which is issued to all medical practitioners and approved chemists.
8. Symbols used in the Schedules of Benefits.
 - (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger (†) in front of the form of an item and in the price column, indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.

- (c) A double dagger (§) in the maximum quantity column indicates an item packed by manufacturers under special conditions. The maximum quantity of these items corresponds to the manufacturer's pack and this quantity in an unbroken pack will be supplied.
- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 5s. 6d. is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the state indicated.

N.S.W. (N); VIC. (V); S.A. (S); W.A. (W); Q'LD (Q); TAS. (T).

Prescriptions.

9. A prescription may be written for any person who is receiving medical treatment. A prescription is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in some indelible form, e.g., ink or ball point on paper as near as convenient to 6" x 4". The name and address of the medical practitioner should be shown;
- (b) Write the prescription in duplicate marking the duplicate with the word "Duplicate";
- (c) Set out the name and address of the patient, and, where the patient is a pensioner who holds an entitlement card, write the pension number. (Please note that the pension number is required and not the entitlement card number). It is not necessary to write the pensioner's address on the prescription form, except where the provisions of State law regarding narcotic, specified or restricted drugs require the address to be written.
- (d) In the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although

restricted, is not restricted as to disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

- (e) If the benefit is a single drug, indicate the manner of administration;
- (f) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in his own handwriting with the words "Regulation 24". (See also paragraph 19.)
- (g) Mark the prescription "N.H.S.", date and sign it.

No objection will be raised to doctors writing more than one but no more than three prescriptions on a single sheet of paper provided each prescription is legible.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;
- (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted);
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

Unless unduly inconvenient to the doctor, it would be appreciated if doctors could follow the practice of not writing prescriptions for benefit items on the same form as non-benefit items. This practice does not invalidate the prescription and if a prescription form contains both pharmaceutical benefit items and non-pharmaceutical benefit items, it may be accepted by the chemist. However, to avoid confusion to patients in such cases, the doctor should identify the non-benefit item. e.g., by an endorsement such as "non-benefit item", or "private prescription" or similar wording.

A particular application of these circumstances is where one prescription is for a "Specified Purpose" drug and the doctor has omitted to write "Specified Purpose" (or acceptable abbreviation), e.g., because the patient is not suffering from one of the allowable conditions. In such a case, identification on the item as a non-benefit will clearly indicate the doctor's intentions to both the patient and the chemist, and save inconvenience to all concerned.

Restrictions.

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Commonwealth Director of Health. Full particulars of these items and the restrictions are listed as a separate section of the Schedule under "Restricted Benefit Section". Items restricted for use in "Approved Hospitals Only" are listed as a separate section in the "Restricted Benefit Section" of the schedule. These items are not available in all approved hospitals and medical practitioners should ensure that the items are available at the particular hospital before prescribing. Items restricted to use for Ileostomy and Colostomy conditions are also listed as a separate section in the Restricted Benefit Section. A reference to all other items listed in the Restricted Benefit Section is given in the Schedule. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit. It is not necessary for the particular restriction to be identified on the prescription.

Certificates for prescribing Tranquillising Drugs

13. Special arrangements apply in respect of the prescribing of certain tranquillising drugs. Under these arrangements certificates for prescribing tranquillising drugs are issued by approved hospitals in respect of patients who have been discharged after treatment (either as in-patients or out-patients) for mental disorders and who require continued treatment with these particular drugs.

The certificate is forwarded to the patient's medical practitioner.

On receipt of a certificate the medical practitioner may prescribe the particular drug as a pharmaceutical benefit for the patient provided the certificate number is endorsed on the prescription together with the words "specified purpose" (or suitable abbreviation).

Certificates are current for six months from date of issue and during that time should be retained by the medical practitioner as a continuing authority to prescribe. It is not necessary to attach the certificate to the prescription.

Maximum Quantities and Repeats

14. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedules of Benefits. For other preparations, details are set out in the Table of Maximum Quantities and Repeats (Green pages).

Items marked with a double dagger (‡) are packed under special conditions and, as explained in paragraph 8, unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity, either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

15. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 16-17). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

16. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

17. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

18.—(a) The written authority of the Commonwealth Director of Health to prescribe—

- (i) restricted drugs (paragraph 12); or
 - (ii) increased maximum quantities (paragraph 16); or
 - (iii) increased number of repeats (paragraph 17),
- will be forwarded to the doctor on an Authority to Prescribe (Form PB15);

(b) Where authority is given to prescribe—

- (i) repeat supplies of restricted drugs; or
- (ii) repeat supplies of increased maximum quantities; or
- (iii) for the supply of a pharmaceutical benefit to be repeated more times than the number of repeats specified in the Schedule,

an Authority to Prescribe (Form PB15a—pink) for each repeat authorised will also be forwarded with the Form PB15.

- (c) On receipt, the doctor will write the prescription on the original (white) form PB15 in the space provided for this purpose. The doctor will retain the duplicate (yellow) copy as his record, and hand all other copies including the original (white) copy to the patient. Each copy entitles the patient to a supply of the benefit prescribed.

Note.—In VICTORIA and TASMANIA it has not been practicable at this stage to implement this procedure fully. In these States the doctor will attach the original of the authority form to a prescription written in duplicate in accordance with paragraph 10. Doctors in these States have been advised of this variation to the general procedure and authority forms are being endorsed to this effect at the time of issue.

19. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

Urgent Cases

20. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing, within 24 hours of such communication, and forward it to the chemist who made the supply.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

21. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Commonwealth

Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Doctors Bag Emergency Supplies

22. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors. The patent is not required to make any payment when benefits are made available to him from these supplies.

23. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form, in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

24. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity, e.g., if the doctor had 100 or more sulphonamide tablets on hand as portion of his Doctor's Bag Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than sulphonamides), e.g., different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits (Section 2, white pages), the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity, e.g., if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

25. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd.	AB	Bradeth Pty. Ltd.	BH
Captain Cook Drive, Kurnell, N.S.W.		16 Hunter Street, Sydney, N.S.W.	
Ames Company	AM	Bristol Laboratories Pty. Ltd.	BC
484 Collins Street, Melbourne C.I, Vic.		24 Brach Street, Brookvale, N.S.W.	
Andrews Laboratories Pty. Ltd.	AN	British Drug Houses (Australia) Pty. Ltd.	BD
12 Primrose Avenue, Rosebery, N.S.W.		250 Pitt Street, Sydney, N.S.W.	
Armour Pharmaceutical Co. Ltd.	AR	British Pharmaceuticals Pty. Ltd.	BP
England		8-12 Bathurst Street, Sydney, N.S.W.	
Associated Drug Companies of Australia Pty. Ltd.	AD	British Schering Ltd.	BS
589-605 Collins Street, Melbourne, C.I, Vic.		North Shore Medical Centre,	
Astra Pharmaceuticals (Australia) Pty. Ltd.	AP	St. Leonards, Sydney, N.S.W.	
Evans Road, Rocklea, Queensland		Bull Laboratory, David G.	BL
Ayerst Laboratories Pty. Ltd.	AY	19 Shierlaw Avenue, Canterbury, E.7, Vic.	
Gregory Place, Parramatta, N.S.W.		Burroughs Wellcome & Co. (Aust.) Ltd.	BW
		Cressy Street, Rosebery, Sydney, N.S.W.	
Bakra Laboratories	BK	Campbell Pharmaceutical Co., U.S.A.	CF
45 A'Beckett Street, Melbourne, Vic.		Calmic (Aust.) Pty. Ltd.	CA
Baxter-D.H.A. Laboratories Pty. Ltd.	BX	Bibby Street, Chiswick, N.S.W.	
Rothschild Avenue, Rosebery, N.S.W.		Cartwright, W. B. Ltd., England	CV
Bayer Pharma Pty. Ltd.	BA	C.F.C. Pharmaceuticals Pty. Ltd.	CO
56 Young Street, Sydney, N.S.W.		8 Norton Street, Ashfield, N.S.W.	
Beecham Research Pty. Ltd.	BR	Chemos Pty. Ltd.	CH
Chesterville Road, Moorabbin, Vic		65 Park Road, Milton, W.2, Brisbane, Q'ld.	
Bellphar, Ltd., Co. Switzerland	BV	Ciba Limited	CB
Boehringer Ingelheim Pty. Ltd.	BY	Orion Road, Lane Cove, N.S.W.	
504-520 Pacific Highway		Commonwealth Serum Laboratories	CS
St. Leonards, N.S.W.		Poplar Street, Parkville, Vic.	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	Cophar, Gnosca	CW
376 Eastern Valley Way, Roseville, N.S.W.		Switzerland	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Crookes Laboratories Ltd., The 376 Eastern Valley Way, Roseville, Sydney, N.S.W.	 CK	Fisons Australia Pty. Ltd. A.D.C. House, 75-91 Pacific Highway, North Sydney, N.S.W.	 FC
Denyer Brothers 250 George Street, Sydney, N.S.W.	 DY	Gamaprod Pty. Ltd. 169 Lygon Street, Carlton, Vic.	 GA
Difrex (Aust.) Laboratories 321 Pitt Street, Sydney, N.S.W.	 DF	Geigy Pharmaceuticals 178-180 Pacific Highway, St. Leonards, N.S.W.	 GE
Dista Products (Australia) Pty. Ltd. Campbell Street, Artarmon, N.S.W.	 DL	Genatosan Ltd., England	 GN
Dott. Bonapace Italy	 DB	G. P. Pty. Ltd. 74-76 Mitchell Road, Alexandria, Sydney, N.S.W.	 GP
Drug Houses of Australia Ltd. 504 Bourke Street, Melbourne, Vic.	 DH	Glaxo-Allenburys (Australia) Pty. Ltd. 23-47 Villiers Street, North Melbourne, Vic.	 GL
Endo Laboratories, Inc. U.S.A.	 EN	Griffiths Hughes, E., Pty. Ltd. Buffalo Road, Gladesville, N.S.W.	 GH
Erba Carlo S.p.A., Italy	 EC	Hamilton Laboratories Pty. Ltd., 217 Flinders Street, Adelaide	 HA
Ethicals Ltd. 180 Queen Street, Brisbane, Ql'd.	 EL	Harvey Pty. Ltd., H. F., 231 Elizabeth Street, Croydon, N.S.W.	 HY
Evans Medical Australia (Pty.) Ltd. 214 Graham Street, Port Melbourne, Vic.	 EV	Haug Drug Co., U.S.A.	 HD
Farbenfabriken Bayer, A.G. West Germany	 FB	Hoechst Pharmaceuticals Pty. Ltd. 505 St. Kilda Road., Melbourne, S.C.2, Vic.	 HP
Farmer Hill Pty. Ltd. 187 William Street, Sydney, N.S.W.	 FH	Ioquin Company, The Captain Cook Drive, Kurnell, N.S.W.	 IQ
Faulding & Co. Ltd., F. H. James Place, Adelaide, S.A.	 FA	Imperial Chemical Indust. of Aust. & N.Z. Ltd. I.C.I. House, 1 Nicholson Street, Melbourne, C.2, Vic.	 IC
Fawns and McAllan Pty. Ltd. 432 Mount Dandenong Road, Croydon, Vic.	 FM	Jaede, H. W., Manufacturing Pty. Ltd. 21-31 Gold Street, Collingwood, Vic.	 JA

<i>Manufacturer</i>	<i>Code</i>
Knoll Laboratories (Aust.) Pty. Ltd. 176 Princes Highway, Arncliffe, N.S.W.	KL
Knoll, A. G., Germany	KN
Lane Medical Co. Pty. Ltd. 156 Barkly Avenue, Burnley, Vic.	LM
Langley Laboratories Pty. Ltd. 141 Blues Point Road, North Sydney	LF
Lederle Laboratories Division Cyanamid-D.H.A. Pty. Ltd. 73-79 Parramatta Road, Camperdown, N.S.W.	LE
Leo Pharmaceutical Products Denmark	LP
Lepetit (Pharmaceuticals) Pty. Ltd. 65 Queen's Road, Melbourne, Vic.	LT
Lilly (Australia) Pty. Ltd., Eli Wharf Road, Ermington, N.S.W.	LY
Maw Son & Sons, S. England	ME
May and Baker (Aust.) Pty. Ltd. Paramount Road, West Footscray, W.12, Vic.	MB
McGloin Pty. Ltd., J. 36 Hutchinson Street, Surry Hills, N.S.W.	MG
Mead Johnson Pty. Ltd. Caringbah, N.S.W.	MJ
Medical Research Pty. Ltd. Sirius Road, Lane Cove, N.S.W.	MR

<i>Manufacturer</i>	<i>Code</i>
Merck, Sharp & Dohme (Aust.) Pty. Ltd. 62-68 Ferndell Street, South Granville, N.S.W.	MK
Merrell, Wm. S. Company Richardson-Merrell Pty. Ltd. M.L.C. Building, Miller Street, North Sydney, N.S.W.	ML
Muir & Neil Pty Ltd. 479 Kent Street, Sydney, N.S.W.	MN
Nativelle Laboratories France	NA
Nicholas Pty. Ltd. 699 Warrigal Road, Chadstone, S.E. 10, Vic.	NS
Noel Bramble Laboratories 324 King George's Road, Beverly Hills, N.S.W.	NB
Nyal Company 75-89 Atkins Road, Ermington, N.S.W.	NY
Oppenheimer, Son & Co. Ltd. London	OP
Organon Laboratories Ltd. London	OR
Ortho Pharmaceutical Co. 6th Floor, 26 Ridge Street, North Sydney, N.S.W.	OO
Parke Davis and Co. Ltd. 32-40 Cawarra Road North, Caringbah, N.S.W.	PD

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Pfizer Pty. Ltd.	PF	Russell Laboratories Ltd.	RL
Wharf Road, West Ryde, N.S.W.		403 Pacific Highway, Artarmon, N.S.W.	
Pharmedica Pty. Ltd.	PH		
602-612 Botany Road, Alexandria, N.S.W.			
Prosana Laboratories	PR		
22 Daisy Street, Revesby, N.S.W.			
Pro-Vita Products Pty. Ltd.	PV	Salmond and Spraggon (Aust.) Pty. Ltd.	SS
Lennon Street, South Kensington, Vic.		104-108 Mount Street, North Sydney, N.S.W.	
Protea Pharmaceuticals Pty. Ltd.	PT	Sandoz Ltd.	SZ
107 Kent Street, Sydney, N.S.W.		620 Harris Street, Ultimo, N.S.W.	
		Scanpharm A/S, Denmark	SP
		Schering Corporation, U.S.A.	SH
		Schering, A. G., Berlin	SC
Queensland Ethicals	QE	Searle & Co. Ltd., G. D.	SR
Evans Road, Rocklea East, Brisbane, Q'ld.		England	
		Sera Pty. Ltd.	SE
		29 Hotham Parade, Artarmon, N.S.W.	
Reckitts Pty. Ltd.	RC	Sigma Co. Ltd.	SI
44 Wharf Road, West Ryde, N.S.W.		589-605 Collins Street, Melbourne, C.1, Vic.	
Richards Laboratory Pty. Ltd.	RD	Soul Pattinson (Laboratories) Pty. Ltd.	SL
Kings Road, Castle Hill, N.S.W.		158 Pitt Street, Sydney, N.S.W.	
Richter of Milan	RM	Smith, Kline & French Laboratories (Aust.) Ltd.	SK
Riker Laboratories Australia Pty. Ltd	RK	Cnr. Denison & Spring Streets, North Sydney, N.S.W.	
68 Alexander Street, Crow's Nest, N.S.W.		Squibb & Sons, E.R., (Pty.) Ltd.	SQ
Roche Products Ltd.	RO	126 Franklin Street, Melbourne, Vic.	
1 Barrack Street, Sydney, N.S.W.		Stansen & Co. Pty. Ltd., A. E.	ST
Roche Tompsitt & Co. Ltd.	RT	500 Spencer Street, West Melbourne, C.3, Vic.	
10 Griffiths Street, Richmond, Vic.		St. Just Laboratories Ltd.	SJ
Rona Laboratories Ltd.	RN	7 Ferguson Street, Maylands, W.A.	
London, U.K.			
Rotary Tableting Corp. Pty. Ltd.	RY		
432 Mt. Dandenong Road, Croydon, Vic.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Thilo, and Co.	TH	Ward Blenkinsop and Co. Ltd.	WB
West Germany		London, U.K.	
Toppin & Sons Pty. Ltd., R. D.	TO	Warner & Co. Pty. Ltd., Wm. R.	WW
22 Duffy Avenue, Thornleigh, N.S.W.		10-28 Biloela Street, Villawood, N.S.W.	
Trane Pharmacal Co.	TR	Weddel Pharmaceuticals	WP
98 Collins Street,		England	
Melbourne, C.1, Vic.		Wholesale Drug Co. Ltd.	WD
Trufood Ltd.	TF	221-229 Mitchell Road, St. Peters, N.S.W.	
England		Winthrop Laboratories	WL
Upjohn Pty. Ltd.	UP	75-89 Atkins Road, Ermington, N.S.W.	
55-73 Kirby Street, Rydalmere, N.S.W.		Woods, H. W. Pty. Ltd.	WH
Virax Ethicals Ltd.	VR	10 Clifford Street, Huntingdale, Vic.	
77-79 Market Street, South Melbourne, Vic.		World Agencies Pty. Ltd.	WO
Vitamins Limited	VM	82-84 Sussex Street, Sydney, N.S.W.	
England		Wyeth Pharmaceuticals Pty. Ltd.	WY
Wander Limited, A., England	WA	Gregory Place, Parramatta, N.S.W.	
		Young and Fennell Pty. Ltd.	YF
		107 Kent Street, Sydney, N.S.W.	

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline Mucate	Injection	5	Penicillin, Procaine, (Aqueous Suspension)	Injection	10
Adrenaline Acid Tartrate	Injection, B.P. 1-1,000 1 ml. 1-1,000 10 ml.	5 1	Pethidine	Injection 50 mg./ml. 50 mg./ml. 2ml.	5 5
Digoxin	Injection Tablet	10 100	Sulphadiazine or Sulphadimidine or Sulphonamides, Three Mixed or Sulphadimethoxine or Sulphamethoxydiazine or Sulphamethoxypyridazine	Tablet	100
Heparin	Injection	1	Tetanus Antitoxin, 1,500 Units, 15 Units, Diluted 1-50	Tablet	12
Hydrocortisone Sodium Succinate..	Injection	2	Tetanus Toxoid	Injection—set Injection	6 6
Mephentermine	Injection	1			
Morphine Sulphate	Injection Hypodermic Tablet	5 40			
Morphine with Atropine	Injection Hypodermic Tablet	5 40			
Oxytocin	Injection	10			

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

METRIC CONVERSION TABLE

Conversion Table

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>						<i>Milligrams</i>							<i>Grains</i>							<i>Milligrams</i>
15	..	..	..	..	..	1,000							1/10	..	..	..	..	..	..	6
12	..	..	..	..	..	800							1/12	..	..	..	..	..	..	5
10	..	..	..	..	..	600							1/15	..	..	..	..	..	..	4
8	..	..	..	..	..	500							1/20	..	..	..	..	..	..	3
7½	..	..	..	..	..	450							1/24	}	..	..	..	..	..	2.5
6	..	..	..	..	..	400							1/25							
5	..	..	..	..	..	300							1/30	..	..	..	..	..	..	2
4	..	..	..	..	..	250							1/40	..	..	..	..	..	..	1.5
3	..	..	..	..	..	200							1/50	..	..	..	..	..	..	1.25
2½	..	..	..	..	..	150							1/60	..	..	..	..	..	..	1
2	..	..	..	..	..	125							1/75	}	..	..	..	..	..	0.8
1½	..	..	..	..	..	100							1/80							
1¼	..	..	..	..	..	75							1/100	..	..	..	..	..	..	0.6
1	..	..	..	..	..	60							1/120	}	..	..	..	..	..	0.5
¾	..	..	..	..	..	50							1/130							
⅔	..	..	..	..	..	40							1/150	}	..	..	..	..	..	0.4
½	..	..	..	..	..	30							1/160							
⅓	..	..	..	..	..	25							1/200	..	..	..	..	..	..	0.3
¼	..	..	..	..	..	20							1/240	..	..	..	..	..	..	0.25
⅕	..	..	..	..	..	15							1/300	}	..	..	..	..	..	0.2
⅙	..	..	..	..	..	12.5							1/320							
⅛	..	..	..	..	..	10							1/400	..	..	..	..	..	..	0.15
	..	..	..	..	..	7.5							1/480	}	..	..	..	..	..	0.125
													1/500							
													1/600	..	..	..	..	..	..	0.1

It is intended to convert the Schedule of Benefits to the metric system at an early date.

SECTION 2 - SCHEDULE OF BENEFITS

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ACETARSOL				
	Injection				
1000	2 ml.	10	1	0 14 8	MB
1001	3 ml.	10	1	0 19 8	MB
1002	Oral Tablet 250 mg.(4 gr.)	25	2	*0 9 3	MB
1003	Compound Pessary 250 mg. (4 gr.)	25	1	0 8 8	MB
				0 12 4	BA
	ACETAZOLAMIDE				
1004	Oral Tablet 250 mg.	50	4	3 0 9	LE
2376	500 mg. (sustained release)	50	2	4 19 0	LE
1005	Injection 500 mg.	1	..	1 16 11	LE
	ACETOHEXAMIDE				
1006	Oral Tablet 500 mg.	100	2	2 3 0	LY
	ACETYLSALICYLIC ACID				
8835	Mixture P.L.	8 fl. oz.	4	0 8 6	Extemp.
9255	Mixture for Children P.L.	4 fl. oz.	4	0 7 5	Extemp.
	Tablets - See Restricted Drugs.				
	ACETYLSALICYLIC ACID and CODEINE COMPOUND				
8858	Mixture P.L.	8 fl. oz.	4	0 10 5	Extemp.
	ACETYLSALICYLIC ACID COMPOUND				
8842	Mixture P.L.	8 fl. oz.	4	0 9 4	Extemp.

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
9245	ACETYSALICYLIC ACID COMPOUND - cont. Mixture for Children P.L. Tablets - See Restricted Drugs.	4 fl. oz.	4	0 8 0	Extemp.
8850	ACETYSALICYLIC ACID and MORPHINE Mixture P.L.	8 fl. oz.	4	0 10 0	Extemp.
8859	ACETYSALICYLIC ACID and PHENOBARBITONE Mixture P.L.	8 fl. oz.	4	0 8 10	Extemp.
	ADRENALINE Eye Drops				
1014	1%, 7.5 ml.	‡1	6	1 14 4	AN
1015	2%, 10 ml.	‡1	6	3 13 0	HD
	ADRENALINE ACID TARTRATE Injection, B.P.				
1016	1 in 1,000, 1 ml.	5	1	0 8 0	FH
				0 8 4	BX, KL
				0 8 5	AD, BL, BT, BW, PD
1017	1 in 1,000, 10 ml. Solution, B.P.	1	1	0 7 0	BW, BX, PD
1018	1 in 1,000, 25 ml.	1	..	0 6 11	BW
1019	1 in 1,000, 1 fl. oz.	1	..	0 6 11	BX, RT(QVSWT)
				0 9 0	PD
1020	Solution 1 in 100, 7 ml.	1	1	0 6 11	BW, PD

9944	ADRENALINE and ATROPINE METHONITRATE Spray P.L.	1/2 fl.oz.	2	0 13 9	Extemp.
1021	ADRENALINE MUCATE Injection, 1 in 1,000, 1 ml.	5	1	0 11 8	GL
	ALKAVERVIR See Restricted Drugs.				
1023	ALOXIDONE Oral Capsule 300 mg.	200	1	*3 19 6	BS
1034	ALUMINIUM Compound Paste 10%, 4 oz.	‡1	1	1 1 8	BT
7883	ALUMINIUM ACETATE Lotion (Solution B.P.C.)	8 fl. oz.	4	0 15 3	Extemp.
1024	ALUMINIUM HYDROXIDE GEL ‡Mixture 8 fl. oz.	1	4	†0 5 5 †0 5 11	CH(QNW), WD(N) DH, WY CH(QNW), WD(N) DH, WY
1025	(with instructions for use)				
7912	Mixture A.P.F. 1955	8 fl. oz.	4	0 9 8	Extemp.
8870	ALUMINIUM HYDROXIDE GEL and BELLADONNA Mixture P.L.	8 fl. oz.	4	0 10 1	Extemp.

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1026	ALUMINIUM HYDROXIDE GEL DRIED Oral Tablet 300 mg (5 gr.)	100	2	0 12 4	EV, KL, PT, RT(QVSWT), SL, WL
				0 12 8	HY, PR
				0 13 0	HA, WY
				*0 13 8	RD
1027	600 mg. (10 gr)	100	2	0 15 11	KL, PT
				0 17 0	CO, HA, WY
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE				
1028	Mixture 8 fl. oz.	\$1	4	0 8 3	PR, WY
1029	Oral Tablet 300 mg.-90 mg.	100	2	0 14 0	WY
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE				
1030	Mixture 250 mg.-500 mg. per 4 ml., 8 fl.oz.	\$1	4	0 9 8	WW
1031	Oral Tablet 250 mg.-500 mg.	100	2	0 14 4	WW
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE				
2407	Mixture 250 mg.-120 mg.-120 mg. per 5 ml., 8 fl. oz.	\$1	4	0 10 8	FM
1032	Oral Tablet 250 mg.-120 mg.-120 mg.	100	2	0 15 1	FA, HA, PT
				0 15 9	BW, FM, GP, KL, VR
				(ex 500)	

			0 16 4	BW, FA, FM, GP, HA, (ex M.P.) KL, PT, VR
8871	ALUMINIUM HYDROXIDE and KAOLIN Mixture P.L.	8 fl. oz.	4	0 10 7 Extemp.
8873	ALUMINIUM HYDROXIDE with KAOLIN and OPIUM Mixture P.L.	8 fl. oz.	4	0 11 2 Extemp.
8875	ALUMINIUM HYDROXIDE with KAOLIN and PECTIN Mixture P.L.	8 fl. oz.	4	0 10 10 Extemp.
1033	ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL. Oral Tablet 375 mg.	100	2	0 17 0 BD, BS, BT, CM
8876	ALUMINIUM HYDROXIDE and PROCAINE Mixture P.L.	8 fl. oz.	4	0 10 8 Extemp.
7985	AMINACRINE HYDROCHLORIDE Cream P.L.	4 oz.	1	0 13 6 Extemp.
8122	Ear Drops P.L.	1/2 fl.oz.	2	0 7 0 Extemp.
1035	Eye Drops 3 mg.(0.05 gr.) per 1/2 fl.oz., 1/2 fl. oz.	‡1	2	0 10 7 IQ, KL, SI
8675	Lotion P.L.	8 fl. oz.	4	0 8 3 Extemp.

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	AMINOPHYLLINE				
	Injection I.M.				
1036	480 mg. per 2 ml.	5	..	0 12 0	AD
1037	500 mg. per 2 ml.	5	..	0 11 4	FH
				0 12 0	BW, BX, HA
	Injection I.V.				
1038	250 mg. per 10 ml.	5	..	0 15 3	FH
				0 16 1	HA
				0 16 3	AD, BW, BX
	Oral Tablet				
1039	100 mg. (1.5 gr.)	100	2	0 5 2	HY, PR, SL
				0 5 7	RY
				0 6 1	MG
				0 6 2	AD, DH, KL, RT(QVSWT), SI
				0 6 10	FA, HA, TO
				0 7 4	BW
				(ex 500)	
				0 6 4	AD, DH, FA, HY, KL, MG, PR, RT(QVSWT), RY, SI, SL
				0 7 5	BW, HA, TO
				(ex M.P.)	
1040	150 mg. (2.34 gr.)	100	2	0 19 0	AB
	Suppository				
1041	175 mg. (2.75 gr.)	12	1	0 9 0	HA, KL
1042	250 mg. (4 gr.)	12	1	0 12 0	AN, DH, HA, KL
1043	400 mg. (6 gr.)	12	1	0 12 0	HA, KL

8883	AMMONIUM ACETATE Mixture P.L.	8 fl. oz.	4	0 10 10	Extemp.
1044	AMMONIUM CHLORIDE Oral Tablet 500 mg.	25	3	0 5 4	HY, QE(QNVS), RY
1045	AMODIAQUINE Oral Tablet equivalent to 150 mg. Amodiaquine base.	100	2	1 4 4	PD
1046	AMPHETAMINE SULPHATE Oral Tablet 5 mg.	100	2	0 6 8	FA, HY, KL, MG, PR, QE(QNVS), RT(QVSWT), RY, TO 0 7 5 DH
	AMPHOTERICIN B See Restricted Drugs.				
	AMPICILLIN See Restricted Drugs.				
1049	AMYLOBARBITONE Oral Tablet 15 mg. (1/4 gr.)	100	2	0 7 8 0 9 8	CV, HY, PT DF, DL, FA, FM, GP, HA, KL, LY, RY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1050	AMYLOBARBITONE - cont. 30 mg. (1/2 gr.)	100	2	0 8 4 0 11 0 0 11 8	CV, HY, MG, PT, SL FA DF, DL, FM, GP, HA, KL, LY, RY, VR
1051	50 mg. (3/4 gr.)	100	2	0 8 9 0 9 5 0 9 8 0 10 4 0 11 2 0 12 1 0 12 6 (ex 500) 0 9 0 0 12 4 0 13 0 0 13 4 (ex M.P.)	HY, PT, QE(QNVS), SL MG FA PR KL GP DF, DL, FM, HA, LY, RY HY, MG, PT, QE(QNVS), SL FA, PR KL DF, DL, FM, GP, HA, LY, RY
1052	100 mg. (1.5 gr.)	50	2	0 7 7 0 7 8 0 7 10 0 7 11 0 8 1 0 8 9 0 8 11 (ex 250)	MG HY, SL RT(QVSWT) PT, QE(QNVS) PR AD, DH, FA, SI DF, DL, FM, GP, HA, KL, LY, RY, TO, VR

				0 7 8	MG, PR, SL
				0 8 1	HY
				0 8 4	PT, QE(QNVS), RT(QVSWT)
				0 9 5	AD, DF, DH, DL, FA, FM, GP, HA, KL, LY, RY, SI, TO, VR
				(ex M.P.)	
	Oral Tablet (sustained release)				
1053	50 mg.	50	2	0 9 0	GP
1054	100 mg.	50	2	0 10 8	GP
	AMYLOBARBITONE SODIUM				
	Oral Capsule				
1055	65 mg.	50	2	0 10 9	LY
1056	200 mg. (3 gr.)	50	1	0 12 10	FA, KL
				0 13 1	RY
				0 19 4	LY, VR
				(ex 250)	
				0 13 8	KL
				0 14 4	FA, RY
				1 4 0	LY, VR
				(ex M.P.)	
	Injection				
1057	125 mg. (solvent required)	5	..	1 3 8	LY
1058	250 mg. (solvent required)	5	..	*1 5 1	LY
1059	500 mg. (solvent required)	5	..	*1 16 4	LY
1060	1 G. (solvent required)	5	..	*2 15 1	LY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ANEURINE HYDROCHLORIDE				
	Injection				
1061	25 mg. per ml., 1 ml.	5	1	0 12 0	BD
1062	50 mg. per ml., 1 ml.	5	1	0 14 8	KL
				0 15 7	BL
				0 15 8	BX, FM
1063	50 mg. per ml., 2 ml.	5	1	0 17 4	BD
1064	50 mg. per ml., 10 ml.	1	1	0 12 4	FM, KL, PD
1065	100 mg. per ml., 1 ml.	5	1	0 16 4	KL
				0 17 8	BX
1066	100 mg. per ml., 10 ml.	1	1	0 15 0	BX, FA, FM, GL, KL, MJ, PD, VR
	Tablets - See Restricted Drugs.				
	ANTAZOLINE				
1072	Injection 100 mg. per 2 ml.	10	..	*1 1 8	CB
				*1 2 2	BT
1073	Oral Tablet 100 mg.	50	1	0 13 8	CB
	ANTAZOLINE with NAPHAZOLINE				
	Eye Drops				
1074	1/2 fl. oz.	\$1	2	0 7 0	TO
1075	10 ml.	\$1	2	0 8 4	CB
	AQUEOUS CREAM				
7913	Cream B.P.	4 oz.	1	0 11 2	Extemp.

ASCORBIC ACID				
See Restricted Drugs.				
ATROPINE				
1082	Eye Drops, Oily 1%, 1/2 fl. oz.	‡1	2	0 13 0 IQ, SI
ATROPINE METHONITRATE				
7905	Mixture for Children P.L.	4 fl. oz.	4	0 13 4 Extemp.
1083	Oral Solution 0.6%, 1/2 fl. oz.	1	..	0 9 8 BA
1084	Oral Tablet 1 mg.	50	2	0 14 4 BA
ATROPINE SULPHATE				
Hypo. Tablet				
1085	1/200 gr. (solvent required)	20	1	0 5 8 PD
1086	1/150 gr. (solvent required)	20	1	0 5 8 DH, FA, PD
1087	1/100 gr. (solvent required)	20	1	0 6 0 DH, FA, PD
Injection				
1088	0.4 mg. (1/150 gr.) per ml., 1 ml.	5	1	0 8 7 FH, KL 0 9 0 BL, BT, BX
1089	0.6 mg. (1/100 gr.) per ml., 1 ml.	5	1	0 8 7 FH, KL 0 9 0 BL, BT, BX
1090	0.6 mg. (1/100 gr.) per ml., 10 ml..	1	..	0 9 8 BX, FA, FH
1091	1.25 mg. (1/50 gr.) per ml., 1 ml.	5	1	0 8 7 FH, KL 0 9 0 BL, BX
Eye Drops				
1092	1/2%, 1/2 fl. oz.	‡1	2	0 11 0 AN, DH, IQ, KL, SI
1093	1%, 1/2 fl. oz.	‡1	2	0 12 0 AN, DH, IQ, KL, SI
1094	Eye Ointment 1%, 4 G. (60 gr.)	‡1	..	0 6 4 PD

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	AUROTHIOGLUCOSE				
	Injection, Oily				
1095	10 mg.	1	3	0 6 3	SC
1096	25 mg.	1	3	0 7 7	SC
1097	50 mg.	5	..	*1 8 5	SC
1098	100 mg.	5	..	*1 15 11	SC
	BACITRACIN				
1099	Eye Drops 15,000 Units and 15 ml. of solvent	1	2	\$0 19 10	AN, IQ
	BARBITONE SODIUM				
	Oral Tablet				
1100	300 mg.	50	2	0 9 4	DH, KL, MG, SL
1101	500 mg.	50	2	0 10 0	DH, FA, KL
				0 11 4	MG
	BARBITURATES COMPOUND				
1102	Oral Capsule A.P.F. 1955	50	1	1 13 8	AN, KL
				1 18 4	AB
	BELLADONNA				
1103	Compound Suppository	12	1	0 7 11	WY
	BELLADONNA with PHENOBARBITONE				
	Oral Tablet of prepared Belladonna Herb B.P. (or equivalent of Dry Extract of Belladonna) with Phenobarbitone.				
2423	30 mg.-20 mg.	100	2	0 8 8	PT
		12			

2424	45 mg.-30 mg.	100	2	0 8 9	DH, GP, HY, KL, SI, TR, FM
				0 10 1	PT
				0 10 4	DH, GP, HY, KL, SI, TR, FM
	BEMEGRIDE				
	See Restricted Drugs.				
	BENDROFLUAZIDE				
1105	Oral Tablet	50	2	0 18 11	AN, BT
	2.5 mg.			0 19 11	GL
				(ex 250)	
				0 19 8	AN, BT
				1 0 8	GL
				(ex M.P.)	
1106	5 mg.	50	2	1 8 1	AN, BT
				1 9 8	GL
				(ex 250)	
				1 8 9	AN, BT
				1 10 4	GL
				(ex M.P.)	
	BENEDICT'S QUALITATIVE SOLUTION				
9908	Solution P.L.	4 fl. oz.	1	0 9 4	Extemp.
	BENZALKONIUM CHLORIDE				
1107	Compound Suppository	12	1	0 11 8	FA
1108	Solution 10%, 4 fl. oz.	1	..	0 8 9	BA

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	BENZHEXOL				
	Oral Tablet				
1109	2 mg.	100	2	1 1 4	LE, WL
1110	5 mg.	100	2	2 1 4	LE, WL
	BENZOCAINE				
9830	Dusting Powder, P.L.	4 oz.	1	0 14 4	Extemp.
9506	Compound Ointment P.L.	4 oz.	1	1 0 8	Extemp.
	BENZOCAINE with ADRENALINE				
1111	Compound Ointment 2 oz.	1	1	0 13 0	GP
1112	Compound Suppository	12	1	0 10 7	GP
1113	Suppository A.P.F. 1955	12	1	0 13 0	DH, KL
				0 15 0	AN
	BENZOIC ACID				
7914	Compound Ointment A.P.F. 1955	4 oz.	1	0 12 5	Extemp.
	BENZOIN COMPOUND				
8567	Inhalation P.L.	2 fl. oz.	1	0 13 9	Extemp.
	BENZTROPINE				
2362	Oral Tablet 2 mg.	100	..	4 16 4	MK
	BENZYL BENZOATE				
1114	Application 25%, 4 fl. oz.	1	1	0 7 0	MB
				0 9 8	EV

7945	BENZYL BENZOATE with DICOPHANE Application P.L.	4 fl. oz.	1	0 8 10	Extemp.
1115	BEPHENIUM HYDROXYNAPHTHOATE (Bephenium) Oral Sachet 5 G.	1	..	0 7 5	BW
1118	BETAMETHASONE Eye Drops 0.1%, 5 ml.	‡1	2	1 3 0	GL, SH
2377	Eye Ointment 0.1%, 3 G. Injection - See Restricted Drugs. Tablet - See Restricted Drugs.	‡1	..	0 16 4	GL, SH
1119	BISMUTH GLYCOLLYLARSANILATE (Bisglycarsan) Oral Tablet 500 mg.	25	2	0 19 0	WL
1121	BISMUTH SUBGALLATE Suppository 300 mg. (5 gr.)	12	1	0 8 1	DH
1122	Compound Suppository	12	1	0 8 3 0 13 8	DH, WW KL
8129	BORIC ACID Ear Drops P.L. ‡Powder, B.P.	1/2 fl.oz.	2	0 6 10	Extemp.
1123	4 oz.	1	..	‡0 1 3 ‡0 1 8 ‡0 2 0 ‡0 2 3	WD(N) FA SI(V) DH

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1124	BORIC ACID - cont. (with instructions for use)				WD(N) FA SI(V) DH
1125	BRETYLIUM TOSYLATE (Bretylum) Oral Tablet 200 mg.	100	2	4 6 4	BW
1126	BROWN SNAKE ANTI-VENENE Injection 500 Units	2	1	*14 3 0	CS
	BUSULPHAN Tablets - See Restricted Drugs.				
1129	BUTABARBITAL SODIUM Oral Tablet 15 mg.	50	2	0 6 8 (ex 250)	AN
1130	30 mg.	50	2	0 7 7 (ex M.P.) 0 7 6 (ex 250) 0 8 7 (ex M.P.)	AN AN AN AN
1131	50 mg.	50	2	0 9 8	AN
1132	100 mg.	50	2	0 13 9	AN

1133	BUTOBARBITONE Oral Tablet 100 mg. (1.5 gr.)	50	2	0 6 2	AD, DH, MB, RT(QVSWT), SI, SL 0 6 6 PT 0 6 7 GP, RY 0 6 9 KL (ex 250) 0 6 8 PT, SL 0 6 11 AD, DH, RT(QVSWT), RY, SI 0 7 0 KL, MB 0 7 8 GP (ex M.P.)
	CALAMINE				
7997	Cream P.L.	4 oz.	1	0 9 1	Extemp.
8697	Lotion P.L.	8 fl. oz.	4	0 8 1	Extemp.
7916	Compound Liniment P.L.	4 fl. oz.	1	0 7 7	Extemp.
	CALCIFEROL See Restricted Drugs.				
	CALCIUM ACETYSALICYLATE				
7901	Mixture P.L.	8 fl. oz.	4	0 8 4	Extemp.
	CALCIUM AMINOSALICYLATE See Restricted Drugs.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CALCIUM AUROTHIOMALATE				
	Injection				
1142	10 mg.	1	3	0 7 9	CK
1143	25 mg.	1	3	0 8 4	CK
1144	50 mg.	5	..	*1 9 11	CK
1145	100 mg.	5	..	*2 0 6	CK
	CALCIUM GLUCONATE				
1146	Injection 10%, 10 ml.	5	1	0 13 0	PH, SZ, TH
1147	Oral Tablet 600 mg. (10 gr.)	100	2	0 7 0	KL
				0 7 8	AD, DH, FA, HY, PR,
					RT(QVSWT), RY, SI, SL
				0 8 4	MG, TO
	Effervescent Tablet - See Restricted Drugs.				
	CALCIUM and KAOLIN				
9807	Internal Powder, P.L.	4 oz.	2	0 8 9	Extemp.
	CALCIUM LACTATE				
1149	Oral Tablet 300 mg. (5 gr.)	100	2	0 6 4	AD, DH, FA, HY, KL,
					RT(QVSWT), RY, SI, SL, TO
	CAMPHOR				
7884	Liniment for Children P.L.	4 fl. oz.	1	0 10 5	Extemp.
	CAMPHORATED TINCTURE of OPIUM				
8620	Linctus P.L.	4 fl. oz.	4	0 10 4	Extemp.

8621	Linctus for Children P.L.	4 fl. oz.	4	0 10 5	Extemp.
7902	Mixture P.L.	8 fl. oz.	4	0 8 7	Extemp.
	CARAMIPHEN				
	See Restricted Drugs.				
	CARBACHOL				
1151	Injection 0.25 mg. per ml., 1 ml.	5	..	0 8 7	FH
				*0 9 6	BD
	CARBAMAZEPINE				
	See Restricted Drugs.				
	CARBARSONE				
1152	Oral Tablet 250 mg.	20	1	0 6 9	MB
	CARBIMAZOLE				
1153	Oral Tablet 5 mg.	100	2	0 19 8	PT
				1 12 4	BS
	CARBINOXAMINE MALEATE				
2358	Paediatric Elixir 4 mg. per 5 ml., 4 fl. oz.	1	4	0 10 4	AN
1154	Oral Tablet 4 mg.	50	1	0 15 8	AN
2409	12 mg. (sustained release)	50	1	1 16 4	AN
	CARMINATIVE MIXTURE				
7906	Mixture for Children P.L.	4 fl. oz.	4	0 7 4	Extemp.

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CASCARA				
1155	Oral Tablet 200 mg. (3 gr.)	25	3	0 5 0	AD, DH, FA, HY, PD, RT(QVSWT), SI, SL
1156	300 mg. (5 gr.)	25	3	0 5 5	AD, DH, FA, HY, PD, RT(QVSWT), SI, SL
	†Liquid Extract, B.P.				
1157	1 fl. oz.	1	1	†0 1 11	DH, WD(N)
1158	(with instructions for use)				DH, WD(N)
1159	2 fl. oz.	1	1	†0 3 0	DH, WD(N)
1160	(with instructions for use)				DH, WD(N)
	CASTOR OIL				
1161	†5 oz.	1	..	†0 2 6	WD(N)
				†0 3 3	DH
				†0 3 6	FA
1162	(with instructions for use)				WD(N) DH FA
	CETRIMIDE				
7917	Cream P.L.	4 oz.	1	0 13 0	Extemp.
9915	Solution P.L.	4 fl. oz.	1	0 7 1	Extemp.
	CHALK and KAOLIN				
8951	Mixture P.L.	8 fl. oz.	4	0 8 8	Extemp.

CHLORAL and BROMIDE					
8954	Mixture P.L.	8 fl. oz.	4	0 9 4	Extemp.
7909	Mixture for Children P.L.	4 fl. oz.	4	0 8 5	Extemp.
CHLORAL HYDRATE					
8957	Mixture P.L.	8 fl. oz.	4	0 8 11	Extemp.
CHLORAMBUCIL					
Tablets - See Restricted Drugs.					
CHLORAMPHENICOL					
Ear Drops					
2395	2%, 10 ml.	‡1	2	0 11 0	CW
1168	5%, 10 ml.	‡1	2	0 11 8	SP
1169	10%, 6 ml.	‡1	2	0 11 0	KL
				0 13 0	PD
Eye Drops					
1170	25 mg. and 10 ml. solvent	‡1	2	50 16 10	PD
2360	0.5%, 10 ml.	‡1	2	0 11 0	CW
Eye Ointment					
1171	1% 4 G. (60 gr.)	‡1	..	0 5 4	SP
				0 6 4	KL
				0 6 11	PD
1172	1% 5 G.	‡1	..	0 6 11	EC
Capsule - See Restricted Drugs					
Injection - See Restricted Drugs					
Suspension-See Restricted Drugs					
Tablets - See Restricted Drugs					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1177	CHLORAMPHENICOL with POLYMYXIN B Eye Ointment 1% - 5000 Units per G., 4 G.	‡1	..	0 6 4 0 6 11	KL PD
1178	CHLORAZANIL Oral Tablet 25 mg.	50	2	0 15 0	RK, SI
1179	150 mg.	50	2	1 14 0	RK, SI
9440	CHLORBUTOL Nasal Instillation P.L.	1/2 fl.oz.	2	0 7 0	Extemp.
1180	CHLORCYCLIZINE Oral Tablet 50 mg.	50	1	0 17 0	AB, BW
1181	CHLORHEXIDINE GLUCONATE Solution 5%, 100 ml.	‡1	1	0 15 0	IC
1182	CHLOROBENZOL DISULPHONAMIDE Oral Tablet 100 mg.	50	2	0 18 0	NS
1183	200 mg.	50	2	1 11 7	NS
1184	CHLOROQUINE Oral Tablet equivalent to 150 mg. Chloroquine base	100	2	1 10 3	AN, BA, DH, EV, FB, IC, MB, RT(QVSWT)

	Injection					
1185	2 ml.	5	1	*0 11 4	MB	
1186	5 ml.	5	1	*0 18 0	MB	
				0 18 8	BX	
	CHLOROTHIAZIDE					
1187	Oral Tablet 500 mg.	50	2	1 10 6	MK	
				(ex 250)		
				1 14 4	MK	
				(ex M.P.)		
	CHLOROTRIANISENE					
	See Restricted Drugs.					
	CHLORPHENIRAMINE MALEATE					
	(Chlorpheniramine)					
1189	Injection 10 mg. per ml., 1 ml.	5	..	0 15 9	GL	
	Oral Tablet					
1190	4 mg.	50	1	0 16 8	LF	
				0 17 4	SH	
				0 17 8	GL	
1191	8 mg.	50	1	1 1 8	GL	
				1 7 4	SH	
1192	Oral Paediatric Syrup 4 fl. oz.	‡1	4	0 9 8	GL	
	CHLORPROMAZINE HYDROCHLORIDE					
	See Restricted Drugs.					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1202	CHLORPROPAMIDE Oral Tablet 250 mg.	100	2	2 3 0	PF
1207	CHLORTETRACYCLINE Eye Ointment 1% 4 G.(60 gr.) Capsules - See Restricted Drugs. Granules - See Restricted Drugs.	‡1	..	0 5 4 0 5 8	KL LE
1208	CHLORTHALIDONE Oral Tablet 100 mg.	50	2	2 8 3	GE
1209	CHOLERA VACCINE Injection 8,000 M. per ml., 1 ml.	3	..	*0 14 0	CS
1210	CLEMIZOLE Oral Tablet 20 mg.	50	1	*0 15 9	SC
1211	Injection 1 ml.	3	..	0 9 8	SC
1212	Oral Paediatric Syrup 100 ml.	‡1	4	0 9 8	SC
2399	CLOPAMIDE Oral Tablet 20 mg.	50	2	1 4 4	SZ
8735	COAL TAR Lotion P.L.	8 fl. oz.	4	0 7 1	Extemp.
1213	COCAINE Eye Drops Oily, 2%, 1/2 fl. oz.	‡1	2	0 15 11	IQ, SI

	CODEINE COMPOUND B.P. See Restricted Drugs.					
	CODEINE PHOSPHATE					
7911	Linctus P.L.	4 fl. oz.	2	0 12 9	Extemp.	
8627	Linctus for Children P.L.	4 fl. oz.	4	0 10 5	Extemp.	
1214	Oral Tablet 30 mg. (1/2 gr.)	25	3	0 8 4	DH, HY, KL, RT(QVSWT), RY	
	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID See Restricted Drugs.					
	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID and PHENACETIN See Restricted Drugs.					
	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID, PHENACETIN and CAFFEINE See Restricted Drugs.					
	COD LIVER OIL					
	†Cod Liver Oil, B.P.					
1223	8 fl. oz.	1	4	†0 3 6	WD(N)	
				†0 4 0	DH, FA, SI(V)	
1224	(with instructions for use)				WD(N)	
	Emulsion - See Restricted Drugs.				DH, FA, SI(V)	
	COD LIVER OIL and ACRIFLAVINE					
9538	Ointment P.L.	4 oz.	1	0 11 9	Extemp.	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1227	COLCHICINE Oral Tablet 0.5 mg.(1/120 gr.)	100	2	0 11 8 0 12 4	EV, HY, KL, MR, PT BW, DH
8010	COLD CREAM Cream P.L.	4 oz.	1	0 10 2	Extemp.
1228	COPPER SULPHATE †Diagnostic Compound Tablet 36	1	2	†0 6 9	AM
1229	(with instructions for use)				AM
8741	COPPER SULPHATE and ZINC SULPHATE Lotion B.P.C.	8 fl. oz.	4	0 7 4	Extemp.
	CORTICOTROPHIN See Restricted Drugs.				
	CORTISONE ACETATE Eye Drops				
1248	0.5% 3 ml.	†1	2	0 13 8	DH
1249	0.5% 5 ml.	†1	2	0 15 8	MK
1250	0.5% 10 ml.	†1	2	0 19 0	AN, MK
1251	1% 2.5 ml.	†1	2	0 13 8	CB
1252	1% 3 ml.	†1	2	0 15 8	AN, RL
1253	2.5% 5 ml.	†1	2	2 1 0 2 8 4	MK DH
1254	2.5% 10 ml.	†1	2	2 11 0	AN, MK

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CYCRIMINE HYDROCHLORIDE				
	Oral Tablet				
1267	1.25 mg.	100	2	1 15 0	LY
1268	2.5 mg.	100	2	2 14 4	LY
	CYPROHEPTADINE				
1269	Oral Tablet 4 mg.	50	2	0 17 2 (ex 250)	MK
				0 19 0 (ex M.P.)	MK
	Oral Paediatric Syrup				
1270	1.2 mg. per 5 ml., 4 fl. oz.	‡1	4	0 9 8	MK
	DAPSONE				
	Oral Tablet				
1271	50 mg.	100	2	0 7 0	AN
1272	100 mg.	100	2	0 8 4	IC
	DARROW'S SOLUTION (See "Intravenous Fluids")				
	DEATH ADDER ANTI-VENENE				
1273	Injection 3,000 Units	2	..	*7 3 0	CS
	DEMECARIUM BROMIDE				
	Eye Drops				
2378	0.1%, 5 ml.	‡1	6	0 16 8	AP
1274	0.25% 5 ml.	‡1	6	0 18 0	AP

1275	0.5% 5 ml.	1	6	1 0 9	AP
	DEMETHYLCHLORTETRACYCLINE				
	See Restricted Drugs.				
	DEOXYCORTONE				
	See Restricted Drugs.				
1289	DESLANOSIDE	5	1	0 11 4	SZ
	Injection 0.2 mg. per ml., 2 ml.				
	DEXAMETHASONE				
	See Restricted Drugs.				
1293	DEXAMPHETAMINE SULPHATE	100	2	0 6 4	AD, DH, FA, HY, KL, MG,
	Oral Tablet 5 mg.				RT(QVSWT), RY, SI, SL
				0 6 8	PR, TO
				0 7 0	GP
	DEXCHLORPHENIRAMINE MALEATE				
	(Dexchlorpheniramine)				
1294	Injection 5 mg. per ml., 1 ml.	5	..	0 12 4	SH
	Oral Tablet				
1295	2 mg.	50	1	0 16 9	SH
1296	6 mg.	50	1	1 15 0	SH
				(ex 250)	
				1 16 7	SH
				(ex M.P.)	
1297	Oral Paediatric Syrup 2 mg. per 5 ml., 4 fl. oz.	1	4	0 11 8	SH

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DEXTRAN IRON				
	Injection I.M.				
1298	2 ml.	5	..	*2 1 11	FC
1299	5 ml.	5	..	3 5 0	FC
	DEXTRIFERRON				
1300	Injection I.V. 5 ml.	5	..	1 16 4	AP
	DEXTROSE				
	Injection				
1301	50%, 25 ml.	5	1	*1 3 0	BX
1302	50%, 50 ml.	5	1	*1 13 0	BX, FH, PD
	(For 1/2 litre and 1 litre sizes see "Intravenous Fluids")				
	DICHLORPHENAMIDE				
1303	Oral Tablet 50 mg.	50	4	*3 12 9	MK
	DICOPHANE				
7949	Application P.L.	4 fl. oz.	1	0 8 1	Extemp.
	DICYCLOMINE HYDROCHLORIDE				
1304	Oral Tablet 10 mg.	100	2	1 7 8	ML
1305	Oral Paediatric Syrup 10 mg. per 5 ml., 4 fl. oz.	\$1	4	0 15 0	ML
	DIENOESTROL				
	See Restricted Drugs.				

DIETHAZINE					
	Oral Tablet				
1311	50 mg.	100	2	0 10 4	MB
1312	250 mg.	100	2	*1 9 8	MB
DIETHYLCARBAMAZINE					
1313	Oral Tablet 50 mg.	40	1	*0 15 11	LE
DIGITALIS, PREPARED					
	Oral Tablet				
1314	30 mg. (1/2 gr.)	100	2	0 5 0	BW, DH, FA, HY, RT(QVSWT), RY
1315	60 mg. (1 gr.)	100	2	0 5 3	BW, DH, FA, HY, RT(QVSWT), RY
DIGITOXIN					
	Oral Tablet				
1316	0.1 mg.	100	2	0 10 3	AD, KL, MJ, NA, SI, WY
1317	0.2 mg.	100	2	0 17 8	MJ, WY
1318	0.25 mg.	100	2	0 19 5	KL
DIGOXIN					
1319	Oral Solution 0.5 mg. per ml., 30 ml.	‡1	..	0 12 8	BW
1320	Oral Solution for Children				
	0.05 mg. per ml., 2 fl. oz.	‡1	2	0 13 8	BW
1321	Injection 0.25 mg. per ml., 2 ml.	10	1	*0 19 10	BW
1322	Oral Tablet 0.25 mg.	100	2	0 7 11	PT, SL
				0 8 2	NA
				0 8 7	HY
				0 8 9	RT(QVSWT)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DIGOXIN - cont. 1322 - continued			0 9 3 0 9 9 0 10 4 0 10 10 0 11 8 (ex 500) 0 7 8 0 8 0 0 8 4 0 9 8 0 10 0 0 10 1 0 12 8 (ex M.P.)	FA, KL, TO RY PR MG BW, RD, VR NA, SL PT HY RT(QVSWT) TO FA, KL, PR, RY BW, MG, RD, VR
1323	DIHYDROERGOTAMINE Injection 1 mg. per ml., 1 ml.	5	..	0 16 4	SZ
1324	DIHYDROMORPHINONE HYDROCHLORIDE Injection 1.1 ml.	5	..	0 10 4	KN
1325	Oral Tablet 2.5 mg. (1/25 gr.)	20	..	*0 9 8	KN
	DIHYDROSTREPTOMYCIN SULPHATE See Restricted Drugs.				

1327	DIHYDROSTREPTOMYCIN SULPHATE with ATTAPULGITE, PECTIN and HYDRATED ALUMINA POWDER Oral Tablet 150 mg.-350 mg.-45 mg.-70 mg.	16	..	0 14 1	WY
	DIHYDROSTREPTOMYCIN SULPHATE with KAOLIN, PECTIN and ALUMINIUM HYDROXIDE GEL Oral Suspension 4.63 gr.-45 gr.-4 gr. per 1 fl. oz., 3.5 fl. oz.	\$1	..	0 14 4	WY
DIHYDROTACHYSTEROL See Restricted Drugs.					
1328	DI-iodohydroxyquinoline (Diodoquinoline) Oral Tablet 300 mg.	100	2	0 17 8	DF, MB
	1329 650 mg.	100	2	4 2 4	SR
Pessary - See Restricted Drugs. Vaginal Tablet - See Restricted Drugs.					
DILOXANIDE FUROATE See Restricted Drugs.					
1334	DIMERCAPROL Injection 5%, 2 ml.	10	..	1 19 0	BT

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DIPHENHYDRAMINE				
1335	Injection 10 mg. per ml., 10 ml.	1	1	0 14 4	PD
1336	Oral Capsule 50 mg.	50	1	0 12 7	PD
1337	Oral Paediatric Elixir 115 ml.	‡1	4	0 7 0	PD
	DIPHENYLPYRALINE HYDROCHLORIDE				
	Oral Capsule				
1338	2.5 mg.	50	2	1 5 0	SK
1339	5 mg.	50	2	1 11 0	SK
1340	Oral Tablet 2.5 mg.	50	2	0 12 4	RK
	Oral Paediatric Syrup				
2351	2.5 mg. per 5 ml., 100 ml.	‡1	4	0 10 4	SK
	DIPHThERIA ANTITOXIN				
	(Dip./Ser.)				
	Injection				
1342	1,000 Units	2	1	*0 13 8	CS
1343	4,000 Units	2	1	*1 5 8	CS
1344	10,000 Units	2	1	*2 5 8	CS
1345	20,000 Units	2	1	*4 3 0	CS
	DIPHThERIA and TETANUS VACCINE				
1341	Injection 0.5 ml.	3	..	0 15 0 *0 15 0	BT CS

DIPHTHERIA TETANUS and PERTUSSIS VACCINE (Triple Antigen)						
1346	Injection 0.5 ml.	3	..	0 13 0	BT, BW, GL, PD	
				*0 13 0	CS	
DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)						
1350	Injection 1 ml.	1	..	0 6 4	CS	
DIPHTHERIA VACCINE (FORMOL TOXOID) (Dip./Vac./FT)						
1347	Injection Set containing 3 amps. each 0.5 ml. Toxoid undiluted and 1 amp. of 1 ml. Toxoid diluted	1	1	0 14 5	CS	
DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) (Dip./Vac/PTAP)						
1348	Injection 1 ml.	2	1	*0 10 4	CS	
1349	Set containing 2 amps each 1 ml. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate)(diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. of 1 ml. Purified Diphtheria Toxoid (diluted) for the skin test only.	1	..	0 12 4	CS	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1351	DIPYRIDAMOLE Injection 5 mg. per ml., 2 ml.	5	..	0 14 7	BY
8991	DISODIUM HYDROGEN CITRATE Mixture P.L.	8 fl. oz.	4	0 8 6	Extemp.
	DISODIUM STILBOESTROL DIPHOSPHATE See Restricted Drugs.				
	DITHIAZANINE IODIDE See Restricted Drugs.				
	DITHRANOL Ointment				
1357	0.1%, 2 oz.	\$1	1	0 8 9	HY
2428	0.25%, 2 oz.	\$1	1	0 9 4	HY
2429	0.5%, 2 oz.	\$1	1	0 9 11	HY
1358	Ointment, Strong, 1%, 2 oz.	\$1	1	0 11 0	HY
	DYFLOS				
1359	Eye Drops 0.1%, 10 ml.	\$1	6	1 16 4	BT
	ECOTHIOPATE IODIDE Eye Drops				
2405	0.06%, 3 mg. and 5 ml. of solvent	\$1	6	\$1 10 2	CF
1360	0.125%, 6.25 mg. and 5 ml. of solvent	\$1	6	\$1 14 2	CF
1361	0.25%, 12.5 mg. and 5 ml. of solvent	\$1	6	\$1 18 2	CF

EMETINE					
	Injection				
1363	20 mg. per ml., 1 ml.	10	..	1 7 0	KL
1364	30 mg. per ml., 1 ml.	10	..	1 13 0	KL
1365	65 mg. per ml., 1 ml.	5	..	1 13 0	KL
EMETINE AND BISMUTH IODIDE					
1362	Oral Tablet 60 mg. (1 gr.)	25	2	2 0 4	HY
EMULSIFYING WAX					
8014	Cream (Buffered) P.L.	4 oz.	1	0 9 7	Extemp.
7918	Ointment B.P.	4 oz.	1	0 13 11	Extemp.
EPHEDRINE					
9454	Nasal Instillation (Oily) P.L.	1/2 fl.oz.	2	0 7 3	Extemp.
EPHEDRINE HYDROCHLORIDE					
	Injection				
1366	30 mg. (1/2 gr.) per ml., 1 ml.	5	1	0 10 3	BL, KL
1367	50 mg. (3/4 gr.) per ml., 1 ml.	5	1	0 10 3	BL, KL
9444	Nasal Instillation P.L.	1/2 fl.oz.	2	0 6 11	Extemp.
	Oral Tablet				
1368	7.5 mg. (1/8 gr.)	100	2	0 5 8	DH, KL
1369	15 mg. (1/4 gr.)	100	2	0 6 0	AD, BW, DH, HY, KL, MG, RT(QVSWT), RY, SI
1370	30 mg. (1/2 gr.)	100	2	0 7 0	AD, BW, DH, FA, HY, KL, MG, PR, RT(QVSWT), RY, SI, SL
1371	60 mg. (1 gr.)	100	2	0 10 0	KL, RT(QVSWT)
				0 10 1	HY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1372	EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE Oral Tablet 15 mg.-15 mg.(1/4 gr.-1/4 gr.)	100	2	0 7 0	HY, KL, QE(QNVS), RT(QVSWT)
				0 8 4	MG
				0 8 8	FM
1373	30 mg.-15 mg.(1/2 gr.-1/4 gr.)	100	2	0 6 7	HY, SL
				0 6 10	RT(QVSWT)
				0 7 4	AD, DH, KL, MG,
					QE(QNVS), SI
				0 9 1	FM
				(ex 500)	
				0 7 0	AD, HY, KL, QE(QNVS), RT(QVSWT); SI, SL
1374	30 mg.-30 mg.(1/2 gr.-1/2 gr.)	100	2	0 8 4	DH, MG
				0 9 4	FM
				(ex M.P.)	
				0 7 8	HY, KL, QE(QNVS), SL
				0 9 0	MG
1375	Oral Paediatric Elixir 30 mg.-20 mg. per 5 ml., 100 ml.	11	4	0 10 0	FM
				0 11 11	FM
1376	EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE and THEOPHYLLINE Oral Tablet 22.5 mg.-7.5 mg.-120 mg.	100	2		
				0 19 0	CO, KL, LY, WW

ERGOMETRINE MALEATE			
Injection			
1377	0.125 mg. per ml., 1 ml.	5	.. 0 11 4 FH 0 12 0 BD, BW
1378	0.2 mg. per ml., 1 ml.	5	.. 0 13 7 FH *0 16 11 LY
1379	0.5 mg. per ml., 1 ml.	5	.. 0 15 0 BD, FH, PT 0 18 0 BL, BW, BX, MJ
Oral Tablet			
1380	0.2 mg.	25	3 0 16 9 LY
1381	0.5 mg.	25	3 2 0 4 HY, PT, VR 2 11 0 BD, BW, MJ
ERGOTAMINE TARTRATE			
Injection			
1382	0.25 mg. per ml., 1 ml.	5	.. 0 13 0 SZ
1383	0.5 mg. per ml., 1 ml.	5	.. 0 16 8 SZ
1384	Oral Tablet 1 mg.	50	2 0 15 0 HY 0 15 8 KL, PT 1 2 8 SZ 1 7 8 WL
ERGOTAMINE TARTRATE with CAFFEINE			
1385	Oral Tablet 1 mg.-100 mg.	50	2 1 3 0 PT 1 9 8 SZ 1 12 8 KL 2 0 0 BD
1386	Compound Suppository	6	1 0 15 0 SZ

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1387	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Oral Tablet 2 mg.-100 mg.-50 mg.	50	2	1 16 4	BW
1388	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Oral Capsule 1 mg.-100 mg.-25 mg.	50	2	1 16 4	PD
1389	ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Oral Tablet 1 mg.-100 mg.-10 mg.	50	2	1 15 4	BD
	ERYTHROMYCIN See Restricted Drugs.				
1404	ETHANOLAMINE OLEATE Injection 5%, 2 ml.	5	1	*0 8 11	FH, GL
	ETHINYLOESTRADIOL See Restricted Drugs.				
	ETHISTERONE See Restricted Drugs.				
1412	ETHOPROPAZINE Oral Tablet 50 mg.	100	2	*1 9 8	MB

ETHOSUXIMIDE						
1413	Oral Capsule 250 mg.	200	1	4	2	4 PD
Oral Paediatric Syrup						
1414	250 mg. per 5 ml., 240 ml.	‡1	4	1	7	8 PD
ETHOTOIN						
1415	Oral Tablet 500 mg.	200	1	4	9	8 AB
ETHOXZOLAMIDE						
1416	Oral Tablet 125 mg.	50	4	3	0	8 UP
ETHYL BISCOUMACETATE						
1417	Oral Tablet 300 mg.	100	2	13	17	0 GE
ETHYLIDENE DICOUMARIN						
1418	Oral Tablet 100 mg.	100	2	3	5	8 NS
ETHYLOESTRENOL						
See Restricted Drugs.						
ETHYLNORADRENALINE						
1419	Injection 1 ml.	5	..	0	19	4 WL
EUSOL						
7920	Lotion A.P.F.	8 fl. oz.	4	0	7	5 Extemp.
EVAPORATING LOTION						
8743	Lotion P.L.	8 fl. oz.	4	0	6	11 Extemp.

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
8995	EXPECTORANT MIXTURE Mixture P.L.	8 fl. oz.	4	0 9 1	Extemp.
1420	EXTRACT OF OX BILE Oral Capsule 300 mg. (5 gr.)	50	1	0 11 0	PD
1421	FERRIC HYDROXIDE Colloidal Paediatric Solution 4 fl. oz.	\$1	4	0 11 8 0 13 7	CK EV
1422	FERROUS AMINOACETOSULPHATE (Feramacet) Oral Tablet equivalent to 50 mg. Ferrous Iron.	100	2	0 9 8	BP, CO
1423	Oral Paediatric Syrup 4 fl. oz.	\$1	4	0 9 8	BP, CO
1424	FERROUS GLUCONATE Oral Tablet 300 mg. (5 gr.)	100	2	0 7 3 0 7 6 0 7 9 0 7 10 0 8 4 (ex 500) 0 8 4 0 8 9 (ex M.P.)	HY RT(QVSWT) DH, FA, KL, MG, PR, TO RY HA, SZ, VR, WL DH, FA, HA, HY, MG, PR, RT(QVSWT), RY, TO, VR KL, SZ, WL
1425	Oral Paediatric Elixir 6%, 4 fl. oz.	\$1	4	0 10 9	WL

FERROUS PHOSPHATE COMPOUND					
1426	†Syrup 4 fl. oz.	1	4	†0 2 6	RT(V)
				†0 2 9	HY
1427	(with instructions for use)				RT(V)
					HY
FERROUS SUCCINATE					
1428	Oral Capsule 150 mg.	100	2	0 12 8	CA
				(ex 500)	
				0 12 9	CA
				(ex M.P.)	
	Oral Paediatric Elixir				
1429	150 mg. per dram, 4 fl. oz.	‡1	4	0 11 0	CA
FERROUS SULPHATE					
9328	Mixture for Children P.L.	4 fl. oz.	4	0 7 5	Extemp.
	Oral Paediatric Drops				
1430	120 mg. per ml., 30 ml.	‡1	4	0 10 9	MJ
	Oral Tablet				
1431	200 mg. (3 gr.)	100	2	0 6 4	HY
				0 8 0	GL, GP
1432	300 mg. (5 gr.)	100	2	0 8 0	HY
				0 8 4	DH, GP, MJ, PD, WY
FLUDROCORTISONE ACETATE					
	See Restricted Drugs.				
FLUOXYMESTERONE					
	See Restricted Drugs.				
FOLIC ACID					
	See Restricted Drugs.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	FRAMYCETIN SULPHATE				
	Eye Ointment				
1438	0.5%, 3 G.	‡1	..	0 11 11	RL
1439	0.5%, 3.5 G.	‡1	..	0 11 11	GN
1440	Eye and Ear Drops 0.5%, 5 ml.	‡1	2	0 16 11	GN, RL
	GAMMA BENZENE HEXACHLORIDE				
7951	Application P.L.	4 fl. oz.	1	0 7 10	Extemp.
8015	Cream P.L.	4 oz.	1	0 9 5	Extemp.
	GAS GANGRENE ANTITOXIN (OEDEMATIENS)				
	(Oed/Ser)				
1441	Injection 10,000 Units	3	1	*1 19 0	CS
	GAS GANGRENE ANTITOXIN (SEPTICUM)				
	(Sep/Ser)				
1444	Injection 5,000 Units	2	1	*2 1 6	CS
	GAS GANGRENE ANTITOXIN (WELCHII)				
	(Wel/Ser)				
	Injection				
1445	4,000 Units	3	1	*2 9 9	CS
1446	10,000 Units	10	1	*10 13 0	CS
	GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT)				
	(Gas/Ser)				

Injection						
1442	1 amp. containing 3,000 Units Welchii, 1,500 Units Septicum, 1,000 Units Oede- matiens.	2	1	*2	1 6	CS
1443	1 amp. containing 7,500 Units Welchii, 3,750 Units Septicum, 2,500 Units Oede- matiens	2	1	*4	9 6	CS
GENTIAN						
9007	Mixture, Acid, P.L.	8 fl. oz.	4	0	8 2	Extemp.
9012	Mixture, Alkaline, P.L.	8 fl. oz.	4	0	8 1	Extemp.
GLUCAGON HYDROCHLORIDE						
1447	Injection 1 mg. with 1 ml. of diluent	1	..	1	8 0	LY
GLUCOSE INDICATOR						
1448	†240 Test Dispenser	1	..	†1	4 0	LY
1449	(with instructions for use)					LY
1450	†Reagent Strips 60 strips	1	..	†0	12 0	AM
1451	(with instructions for use)					AM
GLUTETHIMIDE						
1452	Oral Tablet 250 mg.	50	2	0	13 1	CB
					(ex 250)	
					0 13 8	CB
					(ex M.P.)	
GLYCERIN						
8017	Cream P.L.	4 oz.	1	0	9 3	Extemp.
1453	†Glycerin 4 fl. oz.	1	1	†0	3 6	WD(N)
				†0	4 3	DH

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	GLYCERIN - cont.				
1454	{with instructions for use}				WD(N)
1455	†Suppository for Adults	12	1	†0 3 6	DH
1456	{with instructions for use}				DH, FA, FH
	†Suppository for Children				DH, FA, FH
1457	1 G. (15 gr.) Glycerin	12	1	†0 3 6	DH, FA, FH
1458	{with instructions for use}				DH, FA, FH
	GLYCERYL TRINITRATE				
1459	Oral Tablet 0.6 mg. (1/100 gr.)	100	2	0 5 0	BW, DH, FA, HY
	GRISEOFULVIN				
	See Restricted Drugs.				
	GUANETHIDINE				
	Oral Tablet				
1461	10 mg.	100	2	1 15 3 (ex 500)	CB
				1 18 0 (ex M.P.)	CB
1462	25 mg.	100	2	3 18 0 (ex 500)	CB
				4 7 0 (ex M.P.)	CB
	HALIBUT LIVER OIL				
	See Restricted Drugs.				

7919	HAMAMELIS Ointment B.P.C.	4 oz.	1	0 19 11	Extemp.
1465	HAMAMELIS with ZINC OXIDE Suppository 200 mg.-600 mg.	12	1	0 19 0	AN, HY
	HEPARIN				
	Injection				
1466	1,000 Units per ml., 5 ml.	5	..	*1 11 4 *1 11 9 *2 9 8	BT, CS, EV WP(NVW) AB
1467	5,000 Units per ml., 1 ml.	5	..	*1 11 3 1 11 4 *1 11 4 *2 8 0	WP(NVW) BT CS, EV AB
1468	5,000 Units per ml., 5 ml.	2	..	*1 16 4 *3 9 8 *4 3 0	BT, CS, DH, EV, WP(NVW) RK AB
1469	12,500 Units per ml., 1 ml.	2	..	*1 3 0 2 10 9 *3 0 10	CS BT AB
	HEPARIN RETARD				
1470	Injection 10,000 Units per ml., 2 ml.	5	..	*7 17 1	BT
	HEXOCYCLIUM METHYLSULPHATE (Hexocyclium)				
	Oral Tablet				
1471	25 mg.	100	2	2 16 4	AB
1472	50 mg.	100	2	4 19 0	AB

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	HISTAMINE ACID PHOSPHATE				
	Injection				
1473	1 mg. per ml., 0.5 ml.	5	1	*0 9 6	BD
1474	1 mg. per ml., 1 ml.	5	1	*0 9 10	BD
1475	1 mg. per ml., 10 ml.	1	1	0 10 4	BD
	HYALURONIDASE				
	Injection				
1476	1 mg. containing 1,500 Units (solvent required)	5	1	1 15 4	FC
1477	3 mg. containing 1,500 Units (solvent required)	5	1	2 0 7	EV
1478	500 Units (solvent required)	5	1	*2 0 11	WY
1479	Set containing 2 amps each of 350 Units and 2 amps. of solvent	1	1	0 17 3	SC
1480	Set containing 3 amps each of 500 Units and 3 amps. of solvent.	1	1	1 3 0	DF, OR
	HYDRARGAPHEN				
1481	Pessary 5 mg.	15	1	1 3 0	WB
	HYDROCHLORIC ACID DILUTE				
9029	Mixture P.L.	8 fl. oz.	4	0 12 6	Extemp.

HYDROCHLOROTHIAZIDE					
Oral Tablet					
1484	25 mg.	50	2	1 3 3 (ex 250)	CB, DL, GA, MK
				1 5 8 (ex M.P.)	CB, DL, GA, MK
1485	50 mg.	50	2	1 18 0 (ex 250)	CB, DL, GA, MK
				2 1 8 (ex M.P.)	CB, DL, GA, MK
HYDROCORTISONE					
Eye Drops					
1487	0.5%, 2 ml.	\$1	2	0 12 4	SC
1488	0.5%, 5 ml.	\$1	2	0 14 4	KL, PT
				0 15 8	DH
				0 19 8	MK
1489	0.5%, 10 ml.	\$1	2	0 16 4	KL, PT
				0 18 4	AN
1490	1%, 3 ml.	\$1	2	0 15 0	SI
				0 17 0	GL, RL
1491	1%, 5 ml.	\$1	2	0 15 8	KL, PT
1492	1%, 10 ml.	\$1	2	1 0 4	KL, PT, SI
				1 2 4	AN, IQ
1493	2.5%, 5 ml.	\$1	2	1 1 8	KL, PT, SI
				1 3 0	DH
				2 13 0	MK
1494	2.5%, 10 ml.	\$1	2	1 5 0	KL, PT, SI
				1 7 0	AN, IQ

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	HYDROCORTISONE - cont.				
	Eye Ointment				
1495	0.5%, 3 G.	‡1	..	0 9 8	GL, HA, RL
1496	0.5%, 4 G.	‡1	..	0 10 0	KL, PT
				0 11 0	AN, CO, DH, UP
				0 13 8	PF
1497	0.5%, 5 G.	‡1	..	0 11 0	SI
	Injection - See Restricted Drugs.				
	HYDROCORTISONE ACETATE				
	See Restricted Drugs.				
	HYDROCORTISONE with NEOMYCIN				
2375	Eye Drops (0.5%-0.5%), 5 ml.	‡1	2	0 13 0	SI
1500	Eye Ointment (0.5%-0.5%) 250 mg. capsule	12	..	0 12 4	CK
	HYDROCORTISONE SODIUM SUCCINATE				
	See Restricted Drugs.				
	HYDROFLUMETHIAZIDE				
1503	Oral Tablet 50 mg.	50	2	1 18 1	BC, BT, SQ
				2 0 4	GL
	HYDROGEN PEROXIDE SOLUTION				
	‡10 Vol.				
1504	4 fl. oz.	1	..	‡0 1 8	WD(N)
				‡0 2 0	DH, FA, SI(V)

1505	(with instructions for use)						WD(N) DH, FA, SI(V)
1506	8 fl. oz.	1	..	†0	2	3	WD(N) DH, FA
1507	(with instructions for use)			†0	2	8	WD(N) DH, FA
	†20 Vol.						
1508	4 fl. oz.	1	..	†0	2	2	WD(N) DH
1509	(with instructions for use)			†0	2	6	WD(N) DH
8156	Ear Drops P.L.	1/2 fl.oz.	2	0	6	9	Extemp.
	HYDROXOCOBALAMIN See Restricted Drugs.						
1512	HYDROXYCHLOROQUINE Oral Tablet 200 mg.	100	2	2	4	4	WL
	HYDROXYPROGESTERONE CAPROATE See Restricted Drugs.						
	HYOSCINE HYDROBROMIDE Injection						
1514	0.4 mg. (1/150 gr.)	5	..	0	9	1	FH, KL BL, BT BX
1515	0.6 mg. (1/100 gr.)	5	..	0	9	1	FH, KL BL, BT BX
				0	9	8	BX

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1516	HYOSCINE HYDROBROMIDE - cont. 0.8 mg. (1/75 gr.)	5	..	0 9 1 0 9 7 *0 10 1	KL BL FH
	Hypo Tablet				
1517	1/200 gr. (solvent required)	20	1	0 5 8	PD
1518	1/150 gr. (solvent required)	20	1	0 5 8	DH, FA, PD
1519	1/100 gr. (solvent required)	20	1	0 6 0	DH, FA, PD
1520	Oral Tablet 0.6 mg. (1/100 gr.)	100	2	0 8 4	DH, HY
	HYOSCINE METHOBROMIDE				
1521	Oral Tablet 2.5 mg.	100	2	2 12 4 2 16 4	AN UP
	ICHTHAMMOL				
8158	Ear Drops P.L.	1/2 fl.oz.	2	0 7 4	Extemp.
9663	Paint P.L.	1 fl. oz.	1	0 7 6	Extemp.
1522	Pessary, 5%	12	1	0 19 0	AN, HY
	ICHTHAMMOL and ZINC OXIDE				
8454	Eye Ointment P.L.	60 gr.	..	0 6 4	Extemp.
	INSULIN				
	Injection				
1523	20 Units per ml., 10 ml.	10	2	*1 16 8	BW, CS
1524	40 Units per ml., 5 ml.	10	2	*1 16 8	BW, GL
1525	40 Units per ml., 10 ml.	10	2	*3 9 2	BT, BW, CS, DH, EV, GL, WP(NVW)

1526	80 Units per ml., 5 ml.	10	2	*3 9 2	BT, BW, GL
1527	80 Units per ml., 10 ml.	10	2	*6 0 0	BT, BW, CS, DH, EV, WP(NVW)
1528	100 Units per ml., 5 ml.	10	2	*5 8 4	CS
1529	160 Units per ml., 10 ml.	10	2	*10 15 0	CS
1530	300 Units per ml., 5 ml.	10	2	*12 0 0	CS
	Injection (specially purified)				
1531	40 Units per ml., 10 ml.	10	2	*4 8 4	CS
INSULIN GLOBIN ZINC					
	Injection				
1532	40 Units per ml., 5 ml.	10	2	*2 1 8	BT, BW
1533	80 Units per ml., 5 ml.	10	2	*3 15 0	BT, BW
INSULIN ISOPHANE (N.P.H.)					
	Injection				
1534	40 Units per ml., 10 ml.	10	2	*4 10 0	BT, BW, CS, DH, GL
1535	80 Units per ml., 10 ml.	10	2	*8 10 0	BT, BW, CS, DH, GL
1536	160 Units per ml., 10 ml.	10	2	*11 5 10	CS
	Injection (specially purified)				
1537	40 Units per ml., 10 ml.	10	2	*5 0 10	CS
INSULIN PROTAMINE ZINC					
	Injection				
1538	40 Units per ml., 5 ml.	10	2	*2 1 8	BT, BW, GL
1539	40 Units per ml., 10 ml.	10	2	*3 15 0	BT, BW, CS, DH, EV, GL, WP(NVW)
1540	80 Units per ml., 5 ml.	10	2	*3 15 0	BT, BW, GL, WP(NVW)
1541	80 Units per ml., 10 ml.	10	2	*6 13 4	BW, CS, DH, EV, WP(NVW)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1542	INSULIN SPECIAL P (PIG) Injection 40 Units per ml., 10 ml.	10	2	*5 5 0	CS
	INSULIN ZINC SUSPENSION (IZS) Injection				
1543	40 Units per ml., 10 ml.	10	2	*4 10 0	BT, BW, CS, EV, GL
1544	80 Units per ml., 10 ml.	10	2	*8 10 0	BT, BW, CS, EV, GL
	INSULIN ZINC SUSPENSION (AMORPHOUS) (Amorph IZS) Injection				
1545	40 Units per ml., 10 ml.	10	2	*4 10 0	BT, BW, CS, EV, GL
1546	80 Units per ml., 10 ml.	10	2	*8 10 0	BT, BW, CS, EV, GL
	INSULIN ZINC SUSPENSION (CRYSTALLINE) (Cryst IZS) Injection				
1547	40 Units per ml., 10 ml.	10	2	*4 10 0	BT, BW, CS, EV, GL
1548	80 Units per ml., 10 ml.	10	2	*8 10 0	BT, BW, CS, EV, GL
	INTRAVENOUS FLUIDS (1/2 litre and 1 litre) See Special Section				
	IODINE				
7921	Ointment Non-staining B.P.C.	4 oz.	1	0 11 5	Extemp.
9669	Paint, Compound P.L.	1 fl. oz.	1	0 7 8	Extemp.

7922	Solution Aqueous B.P. (Lugol's)	4 fl. oz.	1	0 12 11	Extemp.
7923	Solution Weak B.P.	4 fl. oz.	1	0 12 0	Extemp.
IODOCHLORHYDROXYQUINOLINE (Iochlorquin)					
1549	Oral Tablet 250 mg.	100	2	1 2 4	CB
IPECACUANHA and SQUILL					
7910	Mixture for Children P.L.	4 fl. oz.	4	0 8 5	Extemp.
IRON AMINOATES					
1550	Oral Tablet 350 mg.	100	2	0 12 4	MR
IRON and AMMONIUM CITRATE					
9323	Mixture for Children P.L.	4 fl. oz.	4	0 8 3	Extemp.
IRON and NUX VOMICA					
9047	Mixture P.L.	8 fl. oz.	4	0 8 2	Extemp.
IRON OXIDE SACCHARATED					
1551	Injection I.V. Equivalent to 20 mg. Elemental Iron per ml., 5 ml.	5	..	1 0 9 1 2 3 *1 4 6	EV FC CK
IRON SORBITOL COMPLEX					
1552	Injection, Trivalent Iron 2 ml.	5	..	2 3 0	AP
ISONIAZID See Restricted Drugs.					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ISOPRENALINE HYDROCHLORIDE				
1555	Inhalation 1 in 200, 1/2 fl. oz.	1	1	0 6 4	WL
1556	Injection 1 in 5,000, 1 ml.	5	..	2 1 4	WL
1557	Oral Tablet 10 mg.	100	2	0 14 4	KL, WL
	ISOPRENALINE SULPHATE				
1558	Inhalation 10 mg. per ml., 7 ml.	1	1	0 7 4	BW
1559	Oral Tablet 20 mg.	100	2	0 19 0	AB, BW, KL
				0 19 8	MJ
7894	Spray B.P.C.	1/2 fl.oz.	2	0 8 0	Extemp.
	ISOPROPAMIDE IODIDE				
1560	Oral Tablet 5 mg.	100	2	2 8 8	SK
				(ex 500)	
				2 12 4	SK
				(ex M.P.)	
	ISOTHIPENDYL HYDROCHLORIDE				
1561	Oral Tablet 4 mg.	50	2	0 13 0	IC
	KANAMYCIN				
	See Restricted Drugs.				
	KAOLIN				
9847	Dusting Powder Compound P.L.	4 oz.	1	0 9 8	Extemp.
9817	Internal Powder Compound P.L.	4 oz.	2	0 8 11	Extemp.
9352	Mixture for Children P.L.	4 fl. oz.	4	0 7 4	Extemp.
9051	Mixture Alkaline P.L.	8 fl. oz.	4	0 7 7	Extemp.

9053	KAOLIN and OPIUM Mixture P.L.	8 fl. oz.	4	0 9 4	Extemp.
1565	LANATOSIDE-C Oral Tablet 0.25 mg.	100	2	1 5 9 (ex 500) 1 8 8 (ex M.P.)	SZ SZ
	LEVORPHANOL TARTRATE See Restricted Drugs.				
2318	LIOTHYRONINE Oral Tablet 20 mcg.	50	..	0 15 8	GL
9057	LOBELIA and STRAMONIUM Mixture P.L.	8 fl. oz.	4	0 9 11	Extemp.
9673	MAGENTA and RESORCINOL Paint P.L.	1 fl. oz.	1	0 7 3	Extemp.
1570	MAGNESIUM BICARBONATE SOLUTION †Solution 8 fl. oz.	1	4	†0 2 6	FA
1571	(with instructions for use)				FA
9060	MAGNESIUM CARBONATE Mixture P.L.	8 fl. oz.	4	0 8 1	Extemp.

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MAGNESIUM HYDROXIDE MIXTURE				
1572	†Mixture 6 fl. oz.	1	4	†0 3 0	DH, FA
1573	(with instructions for use)				DH, FA
	MAGNESIUM SULPHATE				
1574	†Crystals 1 lb.	1	..	†0 1 6	FA, WD(N)
1575	(with instructions for use)				FA, WD(N)
	Paste				
1576	4 oz.	†1	1	0 7 5	DH, FA
1577	2 oz.	†1	1	0 5 4	DH
				0 5 6	FA
9075	Mixture P.L.	8 fl. oz.	4	0 7 6	Extemp.
	MAGNESIUM TRISILICATE				
1578	Oral Tablet 600 mg. (10 gr.)	100	2	0 11 0	DH
9078	Mixture P.L.	8 fl. oz.	4	0 7 8	Extemp.
	MAGNESIUM TRISILICATE and BELLADONNA				
9823	Internal Powder, P.L.	4 oz.	2	0 11 1	Extemp.
	MEBHYDROLIN NAPADISYLATE				
	Oral Tablet				
1579	50 mg.	50	1	0 15 8	FB
2406	150 mg. (sustained release)	50	1	1 19 0	FB
	Oral Paediatric Suspension				
1580	50 mg. per 5 ml., 4 fl. oz.	†1	4	0 11 0	FB

MECAMYLAMINE				
Oral Tablet				
1581	2.5 mg.	100	2	1 2 6 MK (ex 500)
				1 3 0 MK (ex M.P.)
1582	10 mg.	100	2	3 19 0 MK
MECLOZINE				
1583	Oral Tablet 25 mg.	50	1	0 17 8 BD
MEDROXYPROGESTERONE				
See Restricted Drugs.				
MENAPHTHONE				
Aqueous Injection				
1585	1 mg. per ml., 1 ml.	5	1	0 9 0 RO 0 10 9 PD
1586	5 mg. per ml., 1 ml.	5	1	0 11 4 BX 0 11 5 AD, BL, FM
1587	10 mg. per ml., 1 ml.	5	1	*0 9 6 GL 0 12 0 AD, BL, BX, FM, RO
1588	75 mg. per ml., 1 ml.	5	1	0 19 3 BL 0 19 4 BX
Oily Injection				
1589	5 mg. per ml., 1 ml.	5	1	0 12 0 AD *0 12 6 BD, VM
1590	10 mg. per ml., 1 ml.	5	1	0 12 7 AD

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2432	MELARSOPROL Injection 3.6% Solution 5 ml.	10	..	2 7 8	MB
8580	MENTHOL Inhalation Compound P.L.	2 fl. oz.	1	0 10 7	Extemp.
1591	MEPACRINE HYDROCHLORIDE Oral Tablet 100 mg.	100	2	0 10 5	IC
1592	MEPHENTERMINE Injection 10 ml.	1	..	1 4 0	WY
1593	MEPYRAMINE MALEATE Injection 2.5%, 2 ml.	10	..	0 14 0	MB
1594	Oral Paediatric Elixir 25 mg. per 3.6 ml., 125 ml.	\$1	4	0 7 4	MB
1595	Oral Tablet 50 mg.	50	1	0 8 4	MB
1596	100 mg.	50	1	0 11 0	MB
1597	MERCAPTOMERIN SODIUM Injection 1.4 G. per 10 ml., 10 ml.	3	..	*2 17 9	WY
	MERCAPTOPURINE See Restricted Drugs.				

MERSALYL							
Injection							
1601	1 ml.	10	..	*0 16 4	BD, EV, FH		
				0 16 9	AD		
				*0 17 3	BA		
				*0 17 6	BX		
1602	2 ml.	10	..	*0 18 6	EV, FH		
				*0 19 0	BD		
				0 19 3	AD, BL		
				*0 19 8	BX		
				*0 19 10	BT, VR		
MESTANOLONE							
See Restricted Drugs.							
METARAMINOL							
1604	Injection 10 mg. per ml., 1 ml.	3	..	*0 15 0	MK		
METFORMIN							
Oral Tablet							
2430	500 mg.	100	2	*4 13 8	RN		
1605	500 mg. (sustained release)	100	2	4 12 4	DF		
METHADONE							
Injection							
1606	10 mg. per ml., 1 ml.	5	..	0 10 9	BW, MJ		
1607	10 mg. per ml., 10 ml.	1	..	0 11 11	MJ		
Oral Tablet							
1608	5 mg.	25	..	0 7 0	BW, DH, MJ		
1609	10 mg.	25	..	0 8 4	BA, BW, MJ		

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	METHANDIENONE See Restricted Drugs.				
	METHANDRIOL See Restricted Drugs.				
1613	METHAZOLAMIDE Oral Tablet 50 mg.	50	4	*3 6 2	LE
	METHDILAZINE HYDROCHLORIDE Oral Tablet				
1614	4 mg.	50	1	0 14 4	BD, MJ
1615	8 mg. Oral Paediatric Syrup	50	1	0 17 0	BD, MJ
1616	4 mg. per 5 ml., 4 fl. oz.	11	4	0 11 8	BD, MJ
	METHENAMINE MANDELATE Oral Tablet				
1617	250 mg.	100	2	0 14 4	HA, WW
1618	500 mg.	100	1	1 1 8	WW
	METHENOLONE ACETATE See Restricted Drugs.				

1621	METHOIN Oral Tablet 100 mg.	200	1	1 7 4	SZ
	METHOTREXATE See Restricted Drugs.				
1623	METHOXAMINE HYDROCHLORIDE Injection 20 mg. per ml., 1 ml.	3	..	*0 11 11	BW
2398	METHSUXIMIDE Oral Capsule 300 mg.	200	1	3 19 0	PD
	METHYCLOTHIAZIDE Oral Tablet				
1624	2.5 mg.	50	2	1 1 8	AB
1625	5 mg.	50	2	1 11 8	AB
	METHYLAMPHETAMINE				
1626	Injection 20 mg. per ml., 1.5 ml.	5	1	0 12 0	BW
1627	Oral Tablet 5 mg.	100	2	0 9 8	PT, QE(QNVS)
				0 11 2	KL
				0 12 2	PH
				0 13 1	AB
				0 13 9	MG
				0 14 2	BW, VR
				(ex 500)	
				0 10 0	PT
				0 10 4	QE(QNVS)
				0 12 4	KL

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	METHYLAMPHETAMINE - cont. 1627 continued			0 15 0 (ex M.P.)	AB, BW, MG, PH, VR
1628	METHYLCELLULOSE Eye Drops 1 gr. per 1/2 fl. oz., 1/2 fl. oz.	‡1	6	0 10 1	IQ, KL, SI
1629	METHYLDOPA Oral Tablet 250 mg.	100	2	3 9 8	MK
1631	METHYLERGOMETRINE MALEATE Injection 0.2 mg. per ml., 1 ml.	5	..	0 13 4	SZ
1632	Oral Tablet 0.125 mg.	25	1	1 2 8	SZ
1633	METHYL PHENOBARBITONE Oral Tablet 30 mg. (1/2 gr.)	200	1	0 9 0 *0 9 0 0 12 1 *0 12 10	AD, DH, KL, MG, RT(QVSWT), RY, SI FA BA PH
1634	60 mg. (1 gr.)	200	1	0 12 0 *0 12 2 0 14 4 *0 15 0	AD, DH, KL, MG, RT(QVSWT), RY, SI FA BA PH

1635	200 mg. (3 gr.)	200	1	1 4 0	AD, DH, KL, MG, RT(QVSWT), RY, SI
				*1 4 2	FA
				1 7 8	BA
8654	METHYL SALICYLATE Liniment P.L.	4 fl. oz.	1	0 12 4	Extemp.
1636	METRONIDAZOLE Oral Tablet 200 mg.	21	..	1 8 4	MB
	MILK POWDER--SYNTHETIC See Restricted Drugs.				
	MORPHINE with ATROPINE Hypo. Tablet - Morphine Sulphate with Atropine Sulphate				
1650	1/12 gr.-1/150 gr. (solvent required)	20	..	0 5 8	DH
1651	1/8 gr.-1/150 gr. (solvent required)	20	..	0 6 0	DH
1652	1/6 gr.-1/180 gr. (solvent required)	20	..	0 6 4	DH
1653	1/6 gr.-1/150 gr. (solvent required)	20	..	0 6 4	DH, FA
1654	1/4 gr.-1/150 gr. (solvent required)	20	..	0 6 8	DH, FA, PD
1655	1/4 gr.-1/120 gr. (solvent required)	20	..	0 6 8	DH
1656	1/4 gr.-1/100 gr. (solvent required)	20	..	0 6 8	DH, FA
	Injection - Morphine Sulphate with Atropine Sulphate				
1657	1/6 gr.-1/150 gr.	5	..	0 10 3	FH
				0 10 9	BL
				0 10 11	BT, BX

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MORPHINE with ATROPINE - cont.				
1658	1/6 gr.-1/120 gr.	5	..	0 10 11	BX
1659	1/4 gr.-1/150 gr. per ml., 1 ml.	5	..	0 10 3	FH, KL
				0 10 9	AD, BL
				0 10 11	BT, BX
1660	1/4 gr.-1/150 gr. per ml., 10 ml.	1	..	0 7 8	FA, PD
1661	1/4 gr.-1/100 gr.	5	..	0 10 3	FH
				0 10 9	BL
				0 10 11	BT, BX
	MORPHINE HYDROCHLORIDE				
8632	Linctus P.L.	4 fl. oz.	2	0 10 4	Extemp.
	MORPHINE with HYOSCINE				
	Injection - Morphine Sulphate with Hyoscine Hydrobromide				
1662	1/4 gr.-1/100 gr., 1 ml.	5	..	0 11 0	FH
				0 11 5	BL
				*0 11 11	BX
	MORPHINE SULPHATE				
	Hypo. Tablet				
1638	1/12 gr. (solvent required)	20	..	0 6 0	DH
1639	1/8 gr. (solvent required)	20	..	0 6 4	DH, PD
1640	1/6 gr. (solvent required)	20	..	0 6 4	DH, FA, PD
1641	1/4 gr. (solvent required)	20	..	0 6 8	DH, FA, PD
1642	1/3 gr. (solvent required)	20	..	0 7 0	DH
1643	1/2 gr. (solvent required)	20	..	0 8 0	DH, FA, PD

Injection					
1644	10 mg. (1/6 gr.)	5	..	0 9 8	FH, KL
				0 10 3	AD, BL, BT, BX
1645	15 mg. (1/4 gr.)	5	..	0 9 8	FH, KL
				0 10 3	AD, BL, BT, BX
1646	20 mg. (1/3 gr.)	5	..	0 9 8	FH, KL
				0 10 3	BL, BX
1647	30 mg. (1/2 gr.)	5	..	0 9 8	FH, KL
				0 10 3	BL, BT, BX
1648	15 mg. (1/4 gr.) per ml., 10 ml.	1	..	0 7 8	PD
1649	30 mg. (1/2 gr.) per ml., 10 ml.	1	..	0 9 8	EX, FA
MORPHINE with TACRINE					
Injection - Morphine Sulphate with Tacrine					
1663	15 mg.-13 mg. in 1.5 ml.	5	..	0 19 8	WH
1664	30 mg.-13 mg. in 1.5 ml.	5	..	1 0 4	WH
1665	15 mg.-30 mg. in 1.5 ml.	5	..	1 5 0	WH
1666	30 mg.-30 mg. in 1.5 ml.	5	..	1 6 4	WH
Tablet - See Restricted Drugs.					
MUSTINE HYDROCHLORIDE					
See Restricted Drugs.					
NALORPHINE					
Injection					
1669	10 mg. per ml., 1 ml.	5	1	1 1 0	BW
1670	1 mg. per ml., 5 ml.	1	..	0 12 0	BW

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	NANDROLONE DECANOATE See Restricted Drugs.				
	NANDROLONE PHENYLPROPIONATE See Restricted Drugs.				
	NEOMYCIN SULPHATE Eye Drops				
1673	0.5% (0.35% Neomycin Base) 10 ml.	\$1	2	0 9 8	DH, IQ, KL, SI
	NEOMYCIN SULPHATE MIXTURE Mixture				
1674	300 mg. per fl. oz. with Adsorbent, 4 fl. oz.	\$1	..	0 19 0 1 1 0	PT, SI DH, LY, MJ, MK, NS, UP, WY
	NEOSTIGMINE				
1675	Oral Tablet 15 mg. Injection	100	2	1 5 0	RO
1676	0.5 mg. per ml., 1 ml.	5	3	0 8 4	RO
1677	2.5 mg. per ml., 1 ml.	5	3	0 13 0	RO
1678	2.5 mg. per ml., 5 ml.	1	1	0 9 8	RO
1679	Eye Drops 3%, 7.5 ml.	\$1	6	0 14 1	RO
	NICLOSAMIDE				
1680	Oral Tablet 500 mg.	4	..	0 17 8	FB

	NICOTINIC ACID See Restricted Drugs.					
1688	NICOUMALONE Oral Tablet 4 mg.	50	2	1 13 8	GE	
	NITROFURANTOIN See Restricted Drugs.					
	NITROMIN See Restricted Drugs.					
	NORADRENALINE ACID TARTRATE Injection					
1694	1 in 1,000, 2 ml.	5	..	1 3 0	FH	
				1 13 8	WL	
1695	1 in 10,000, 2 ml.	5	..	1 14 4	WL	
	NYSTATIN See Restricted Drugs.					
	OESTRADIOL BENZOATE Injection 2 mg. per ml., 1 ml.					
1698		5	1	1 8 3	KL	
				*1 8 8	BD	
	OESTRADIOL DIPROPIONATE Injection 5 mg. per ml., 1 ml.					
1699		5	1	1 16 4	CB	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	OESTRONE				
	Pessary				
1700	1,000 Units	12	1	0 18 9	OR
				0 19 0	BD
1701	10,000 Units	12	1	1 10 8	OR
	OLIVE OIL				
1702	†2 oz.	1	..	†0 2 0	WD(N)
				†0 2 6	SI(V)
1703	(with instructions for use)				WD(N)
					SI(V)
1704	†4 oz.	1	..	†0 3 6	WD(N)
1705	(with instructions for use)				WD(N)
1706	†5 oz.	1	..	†0 4 6	DH, SI(V)
1707	(with instructions for use)				DH, SI(V)
1708	†8 oz.	1	4	†0 6 0	WD(N)
1709	(with instructions for use)				WD(N)
	OXYMESTERONE				
	See Restricted Drugs.				
	OXYPHENCYCLIMINE HYDROCHLORIDE				
1712	Oral Tablet 10 mg.	100	2	3 9 8	PF
	OXYPHENONIUM BROMIDE				
	Oral Tablet				
1713	5 mg.	100	2	1 7 0	CB
1714	10 mg.	100	2	2 5 8	CB

OXYTETRACYCLINE						
1725	Ophthalmic Suspension 1%, 6 ml.	\$1	2	0 10 1	PF	
	Capsules - See Restricted Drugs.					
	Drops - See Restricted Drugs.					
	Injections - See Restricted Drugs.					
	Suspensions - See Restricted Drugs.					
	Tablets - See Restricted Drugs.					
OXYTETRACYCLINE with POLYMYXIN B						
	Eye Ointment					
1726	0.5%-10,000 Units per G. 60 gr.	\$1	..	0 6 1	PF	
OXYTOCIN						
	Injection .					
1727	2 Units per 2 ml., 2 ml.	5	..	0 9 8	SZ	
1728	5 Units per 0.5 ml., 0.5 ml.	5	..	0 12 0	PD	
1729	5 Units per ml., 1 ml.	5	..	0 12 0	SZ	
1730	10 Units per ml., 1 ml.	5	..	0 16 8	PD, SZ	
	Nasal Spray - See Restricted Drugs.					
OXYTOCIN with ERGOMETRINE						
	Injection					
2400	5 Units and 0.5 mg. in 1 ml.	5	..	0 14 0	SZ	
PANCREATIN CONCENTRATE						
	See Restricted Drugs.					
PANCREATIN ENZYME						
	See Restricted Drugs.					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PAPAVERTUM				
	Hypo. Tablet				
1737	20 mg. (1/3 gr.) (solvent required)	20	..	*0 7 10	RO
	Injection				
1738	10 mg. (1/6 gr.) per ml., 1 ml.	5	..	0 10 3	BL
1739	20 mg. per ml., 1 ml.	5	..	0 9 8	FH
				0 10 3	BL, BT, BX
				0 10 4	RO
1740	Oral Tablet 10 mg. (1/6 gr.)	20	..	0 6 1	HY
				0 7 0	RO
	PAPAVERTUM with HYOSCINE HYDROBROMIDE				
1741	Injection 20 mg.-0.43 mg., 1 ml.	5	..	0 10 3	FH
				0 10 8	RO
				0 10 9	BL, BT
	PAPAVERINE HYDROCHLORIDE				
	Injection				
1742	20 mg. (1/3 gr.) per ml., 1 ml.	5	..	0 10 3	KL
1743	120 mg. (2 gr.) per 10 ml., 10 ml.	5	..	0 16 4	FH, KL
				0 17 5	HA
				0 17 8	BX
	PARA-AMINOSALICYLIC ACID				
	See Restricted Drugs.				

	PARACETAMOL					
	Oral Tablet					
1745	300 mg.	50	1	0 8 4	KL, NY(QNSWT)	
1746	500 mg.	50	1	0 9 4	SL	
				0 9 5	CA, HY, KL, PT, RY, TO	
				0 11 5	FM, VR, WL	
	Oral Paediatric Suspension					
1747	120 mg. per 5 ml., 100 ml.	‡1	4	0 8 11	PT	
				0 9 5	CA, KL, WL	
	PARAFFIN HARD					
7924	Ointment B.P.	4 oz.	1	0 11 5	Extemp.	
	PARAFFIN LIQUID					
	†Liquid Paraffin					
1748	8 fl. oz.	1	4	†0 2 3	FA, WD(N)	
				†0 2 6	DH, RT(QVSWT)	
1749	(with instructions for use)				FA, WD(N)	
					DH, RT(QVSWT)	
	Emulsions - See Restricted Drugs.					
	PARALDEHYDE					
	Injection					
1754	5 ml.	5	1	0 12 5	FH	
				0 13 3	BL	
				0 13 4	BX	
1755	10 ml.	5	1	0 16 4	FH	
				0 17 4	BX	
				0 17 5	BL	
7903	Mixture P.L.	8 fl. oz.	4	0 12 3	Extemp.	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1756	PARAMETHADIONE Oral Capsule 300 mg.	200	1	6 14 4	AB
	PARAMETHASONE ACETATE See Restricted Drugs.				
	PEMPIDINE TARTRATE Oral Tablet				
1759	5 mg.	100	2	*1 11 8	IC, MB
1760	10 mg.	100	2	*2 13 8	IC, MB
	PENICILLAMINE See Restricted Drugs.				
	PENICILLINASE				
2355	Injection 800,000 Units (solvent required)	1	..	5 13 0	RK
1762	Injection Set containing 800,000 Units and 1 ml. of solvent	1	..	5 3 0	CS
	PENICILLIN BENETHAMINE COMPOUND (Benethamine Penicillin, Procaine Penicillin and Sodium Penicillin)				
1763	Injection - 500,000 Units; 250,000 Units; 500,000 Units, Vial (solvent required)	1	..	0 10 3	GL
1764	Set containing vial and 2 ml. water for injection.	1	..	0 10 11	GL

PENICILLIN, BENZATHINE					
1765	Oral Capsule 200,000 Units	100	1	2 13 0	CS
1766	Oral Tablet 200,000 Units	100	1	2 11 8	CS, WY
				(ex 500)	
				2 13 0	CS, WY
				(ex M.P.)	
PENICILLIN BENZATHINE COMPOUND					
(Benzathine Penicillin, Procaine Penicillin and Potassium Penicillin)					
1767	Injection - set containing 1 vial 600,000 Units; 300,000 Units; 300,000 Units; and 2 ml. water for Injection	1	..	0 12 4	WY
PENICILLIN, BENZYL					
(Penicillin G.)					
Oral Tablet					
1768	200,000 Units.	100	1	2 0 4	GL
1769	400,000 Units.	100	1	3 12 4	GL
Oral Capsule					
1770	200,000 Units.	100	1	2 0 4	GL
1771	400,000 Units.	100	1	3 12 4	GL
Injection -					
1772	100,000 Units. (solvent required)	5	..	*0 12 7	GL, SI
				*0 13 0	BD
1773	200,000 Units. (solvent required)	5	..	*0 13 0	GL, SI
				*0 13 5	BD
1774	500,000 Units. (solvent required)	5	..	*0 18 0	BT, CS, DH, EV, GL, SI

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENICILLIN, BENZYL - cont.				
1775	1,000,000 Units. (solvent required)	5	..	*1 0 11	BT, CS, DH, DL, EV, GL, SI
1776	1,500,000 Units. (solvent required)	5	..	*1 9 8	DH, EV, GL, SI
1777	Set containing 1 vial 500,000 Units and 2 ml. water for injection.	5	..	*1 1 4	BT, CS, DH, EV, GL
1778	Set containing 1 vial 1,000,000 Units and 2 ml. water for injection	5	..	*1 4 3	BT, CS, DH, EV, GL
1779	Set containing 1 vial 1,500,000 Units and 2 ml. water for injection.	5	..	*1 13 0	DH, GL
	Eye Drops				
1780	Set containing 30,000 Units and 15 ml. solvent	‡1	2	\$0 10 10	SI
1781	Eye Ointment 2,000 Units per G., 4 G.	‡1	..	0 5 4	DH, SI
	PENICILLIN, PHENOXYMETHYL (Penicillin V)				
	Injection -				
1782	Set containing 1 vial 800,000 Units and 2 ml. water for injection	1	..	1 4 4	KL
	Oral Paediatric Suspension				
1783	125 mg. per dram, 2 fl. oz.	‡1	..	0 17 4	DH, SI
				0 19 0	GL, MJ, PR, VR, WY
				1 0 9	KL
2356	125 mg. per 5 ml., 100 ml.	‡1	..	1 3 0	AB, BT, CS, DL, FA, LY
1784	Oral Paediatric Sachet 125 mg.	16	..	0 19 0	IQ, LY
				1 0 9	KL

1785	Oral Tablet 60 mg.
1786	125 mg.

1787	250 mg.
------	---------

24	..	0 12 0 AB, CS, DF, DL, FM, LY 0 13 0 KL
24	..	0 14 8 PT 0 15 11 DH, FA, FM, HY, SI 0 17 3 AB, BT, CS, DF, DL, GL, LY, MJ, PR, VR 0 18 10 KL (ex 100) 0 16 7 PT 0 17 0 DH, FA, FM, SI 0 18 0 HY 0 18 8 AB, BT, CS, DF, DL, GL, LY, MJ, PR, VR 1 0 3 KL (ex M.P.) 0 14 1 PT, SL 0 15 1 DH, FA, FM, SI 0 15 3 HY 0 16 5 AB, BT, CS, DF, DL, GL, LY, MJ, PR, VR 0 17 10 KL (ex 100) 0 15 8 PT, SL 0 16 4 DH, FA, FM, SI 0 17 0 HY 0 17 8 AB, BT, CS, DF, DL, GL, LY, MJ, PR, VR 0 19 1 KL (ex M.P.)
12	1	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENICILLIN, PHENOXYMETHYL - cont.				
1788	Oral Capsule 125 mg.	24	..	0 17 0 0 18 8	FA, SI AB, BT, CS, DL, GL, KL, LY, VR
1789	250 mg.	12	1	0 15 1 0 16 5 (ex 100) 0 16 4 0 17 8 (ex M.P.)	FA, SI AB, BT, CS, DL, GL, KL, LY, VR FA, SI AB, BT, CS, DL, GL, KL, LY, VR
	PENICILLIN PROCAINE				
	(Aqueous Suspension) Injection -				
1790	300,000 Units	5	..	*1 1 4	BT
1791	600,000 Units	5	..	*1 6 9 *1 8 5	BT FA
1792	900,000 Units	5	..	*1 10 11 *1 12 7	EV, GL CS, DH, SI
1793	1,000,000 Units	5	..	*1 14 8 *1 16 4	BT, CS, DH, FA, SI, VR AB
1794	1,500,000 Units (Crystalline) Injection -	5	..	*2 4 3	CS, DH, EV, FA, SI, VR
1795	300,000 Units (solvent required)	5	..	*0 18 0	CS
1796	900,000 Units (solvent required)	5	..	*1 7 7	CS, DL, SI
1797	1,500,000 Units (solvent required)	5	..	*1 17 7	CS, SI

1798	Set containing 1 vial 300,000 Units and 1 vial water for injection	5	..	*1 1 4	CS
1799	Set containing 1 vial 900,000 Units and 1 vial water for injection	5	..	*1 10 11	CS
1800	Set containing 1 vial 1,500,000 Units and 1 vial water for injection	5	..	*2 0 11	CS
PENICILLIN PROCAINE FORTIFIED					
Injection					
1801	400,000 Units (solvent required)	5	..	*0 18 5	CS, SI
1802	1,200,000 Units (solvent required)	5	..	*1 13 5	CS, SI
1803	Set containing 1 vial 400,000 Units and 1 vial water for injection	5	..	*1 1 9	CS
1804	Set containing 1 vial 1,200,000 Units and 1 vial water for injection	5	..	*1 16 9	CS
PENICILLIN with STREPTOMYCIN					
See Restricted Drugs.					
PENTAERYTHRITOL TETRANITRATE					
(Penthritol)					
Oral Tablet					
1809	10 mg.	100	2	0 8 4	HY, WW
1810	20 mg.	100	2	0 9 0	WW
				0 9 3	HY
				(ex 500)	
				0 9 8	HY, WW
				(ex M.P.)	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1811	PENTAERYTHRITOL TETRANITRATE - cont. 30 mg.	100	2	0 10 7 HY 0 11 2 WL (ex 500) 0 11 0 HY 0 11 5 WL (ex M.P.)	
1812	80 mg. (sustained action)	100	2	0 14 5 WW (ex 500) 0 15 0 WW (ex M.P.)	
1813	PENTHIENATE Oral Tablet 5 mg.	100	2	2 1 0 WL	
1819	PENTOBARBITONE COMPOUND Oral Capsule, A.P.F.	50	2	0 15 11 PD (ex 250) 0 18 8 PD (ex M.P.)	
1820	Oral Tablet, A.P.F. Capsule Formula	50	2	0 15 8 CO	
1814	PENTOBARBITONE SODIUM Oral Tablet 30 mg. (1/2 gr.)	50	2	0 6 0 DH, HY, QE(QNVS), RY 0 6 8 KL 0 7 0 GP	

1815	100 mg. (1.5 gr.)	50	2	0 5 10	MG
				0 5 11	RT(QVSWT), SL
				0 6 0	AD, HY, KL, QE(QNVS), SI
				0 6 5	PR, RY
				0 7 0	TO
				0 7 1	BW, DH, FA
				0 7 5	RD
				0 8 3	AB
				0 8 4	GP
				(ex 250)	
				0 6 8	AD, DH, FA, HY, KL, MG, PR, QE(QNVS), RT(QVSWT), RY, SI, SL
				0 7 8	BW, RD, TO
				0 8 4	AB
				0 9 8	GP
				(ex M.P.)	
	Oral Capsule				
1816	30 mg. (1/2 gr.)	50	2	0 9 8	AB
1817	50 mg. (3/4 gr.)	50	2	0 18 4	AB
1818	100 mg. (1.5 gr.)	50	2	0 10 0	FA, KL, PT, RT(QVSWT)
				0 10 9	MG
				0 11 2	RY
				0 11 3	PR
				0 11 5	PD
				0 12 10	AB
				(ex 250)	
				0 10 9	FA, KL, PT, RT(QVSWT)
				0 12 1	PD, PR, RY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENTOBARBITONE SODIUM - cont. 1818 - continued			0 13 0 (ex M.P.)	AB, MG
	PENTOLINIUM TARTRATE Injection				
1821	5 mg. per ml., 10 ml.	1	1	0 10 8	MB
1822	25 mg. per ml., 25 ml.	1	1	1 5 8	MB
	Oral Tablet				
1823	40 mg.	100	2	0 17 0	MB
1824	200 mg.	100	2	2 7 4	MB
	PENTOLINIUM TARTRATE with EPHEDRINE				
1825	Injection 2.5%-0.5%, 25 ml.	1	1	1 9 8	MB
	PERTUSSIS VACCINE - H.A.P.A. (Haemagglutinin Aluminium Phosphate Adsorbed)				
1826	Injection 0.5 ml.	2	..	*0 11 0	CS
	PERTUSSIS VACCINE (PHASE 1) (Per/Vac)				
1827	Injection 20,000 M. per ml., 1 ml.	3	1	*0 15 0	CS
	PETHIDINE Injection				
1828	50 mg. per ml., 1 ml.	5	..	0 9 1	FH, KL

				0 9 7	AD, BL, BW
				0 9 8	BT, BX
1829	50 mg. per ml., 2 ml.	5	..	0 10 3	FH, KL
				0 10 9	AD, BL, BW
				0 10 11	BT, BX
1830	50 mg. per ml., 10 ml.	1	..	0 10 4	BX, KL
1831	50 mg. per ml., 50 ml.	1	..	1 0 11	BA, BX, KL, RO
	PETHIDINE with LEVALLORPHAN				
	See Restricted Drugs.				
	PETHIDINE with SCOPOLAMINE				
	Injection				
1834	100 mg.-0.43 mg. per 2 ml., 2 ml.	5	..	0 10 9	FH, KL
				0 11 5	BT, BW
	PHENACETIN with CODEINE PHOSPHATE				
	and SODIUM PENTOBARBITONE				
	See Restricted Drugs.				
	PHENAZOPYRIDINE HYDROCHLORIDE				
1836	Oral Tablet 100 mg.	50	1	0 12 0	WW
	PHENETHICILLIN				
	Oral Capsule				
1837	125 mg.	24	..	1 4 4	CS, SI
1838	250 mg.	12	1	1 3 0	CS, SI
	Oral Tablet				
1839	125 mg.	24	..	1 4 4	CS, SI

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1840	PHENETHICILLIN - cont. 250 mg.	12	1	1 1 6 (ex 100) 1 3 0 (ex M.P.)	CS, SI CS, SI
2374	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	11	..	1 9 8	CS, SI
1841	PHENFORMIN Oral Tablet 25 mg.	100	2	2 0 4	WW
1842	PHENINDAMINE Oral Tablet 25 mg.	50	2	0 11 3	RO
1843	PHENINDIONE Oral Tablet 10 mg.	100	2	1 7 0 1 9 8 2 3 0	WP(NVW) GA EV, KL, PT
1844	50 mg.	100	2	1 15 0 1 17 8 2 19 0	WP(NVW) GA EV, KL, PT
1845	PHENIRAMINE Injection 25 mg. per ml., 2 ml. Oral Tablet	5	1	0 14 1	HP
1846	10 mg.	50	1	0 9 3	HP

1847	50 mg.	50	1	0 14 3 (ex 250) 0 15 8 (ex M.P.)	HP
1848	Oral Paediatric Syrup 15 mg. per 5 ml., 100 ml.	1	4	0 9 8	HP
	PHENOBARBITONE				
	Oral Tablet				
1849	15 mg. (1/4 gr.)	100	2	0 4 8	AD, BW, DH, FA, HY, KL, PR, RT(QVSWT), RY, SI, SL, TO
1850	30 mg. (1/2 gr.)	100	2	0 5 3 0 5 4 0 5 8	AD, DH, FA, HY, KL, PR, RT(QVSWT), RY, SI, SL, TO MG BK, BW, GP, MB
1851	60 mg. (1 gr.)	100	2	0 5 4 0 5 8	AD, DH, FA, HY, KL, RT(QVSWT), RY, SI, SL MG
1852	100 mg. (1.5 gr.)	100	2	0 6 4 0 6 4 0 6 5	BW, GP, MB AD, DH, FA, KL, RT(QVSWT), RY, SI, SL GP
	PHENOBARBITONE and BROMIDE				
9110	Mixture P.L.	8 fl. oz.	4	0 8 3	Extemp.
	PHENOBARBITONE SODIUM				
	Injection -				
1853	200 mg. (3 gr.) per ml., 1 ml	5	..	*0 9 6	MB

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PHENOBARBITONE SODIUM - cont. 1853 - continued			0 10 3 FH 0 10 9 BL, FM, MJ 0 10 11 BX *0 11 4 EV	
1854	200 mg. (3 gr.); and 2 ml. water for injection	5	..	1 0 4 BX	
1855	100 mg. (1.5 gr.) per ml., 2 ml. Oral Tablet	5	..	0 10 11 BT	
1856	15 mg. (1/4 gr.)	100	2	0 4 8 DH, FA, KL, RT(QVSWT), SL, TO	
1857	30 mg. (1/2 gr.)	100	2	0 5 3 DH, FA, HY, KL, RT(QVSWT), RY, SL, TO	
1858	60 mg. (1 gr.)	100	2	0 5 4 KL, RT(QVSWT), RY, SL 0 5 8 FA, HY	
1859	100 mg. (1.5 gr.)	100	2	0 6 4 FA, KL, RY	
	PHENOL				
8780	Lotion P.L.	8 fl. oz.	4	0 7 8 Extemp.	
	PHENOL with DEXTROSE and GLYCERIN				
1860	Injection 2%-25%-30% 30 ml.	1	..	1 6 4 BT	
	PHENOLPHTHALEIN COMPOUND				
1861	Oral Pill.	50	1	0 5 3 HY 0 5 4 MG *0 5 10 DH	

1862	PHENOXYBENZAMINE Oral Capsule 10 mg.	100	2	2	5	8	SK
1863	PHENSUXIMIDE Oral Capsule 500 mg.	200	1	4	2	4	PD
	PHENYLALANINE LOW CONTENT FORMULA: See Restricted Drugs.						
1867	PHENYLBUTAZONE Oral Tablet 100 mg.	50	2	0	11	1	BV, FM, HY, KL, PT
				0	12	0	GP
				0	12	3	LF
				0	16	6	GE
				(ex 250)			
				0	12	0	BV, FM, HY, KL, PT
				0	12	4	LF
				0	12	5	GP
				0	17	5	GE
				(ex M.P.)			
1868	PHENYLEPHRINE HYDROCHLORIDE Injection 1% 1 ml.	5	..	1	4	0	WL
1869	Compound Suppository	12	1	0	10	7	WL
1870	PHENYTOIN Oral Paediatric Suspension 4 fl. oz.	11	4	0	10	4	PD

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PHENYTOIN SODIUM				
	Injection -				
1871	250 mg. with 5 ml. water for injection.	1	..	1 19 0	PD
1872	Oral Tablet 100 mg.	200	1	0 15 0	DH, KL, RT(QVSWT), RY
	Oral Capsule				
1873	30 mg.	200	1	0 17 8	PD
1874	100 mg.	200	1	1 6 8	PD
				(ex 1,000)	
				1 7 8	PD
				(ex M.P.)	
	PHOLCODINE				
	Linctus				
1875	4 fl. oz.	11	4	0 8 8	DH, EV, FA, GL, GP, HY, MG, RK, VR
7854	Linctus P.L.	4 fl. oz.	4	0 10 0	Extemp.
	PTHALYLSULPHACETAMIDE				
1877	Oral Tablet 500 mg.	100	..	1 11 0	BS, KL, SC, VR
	PTHALYLSULPHATHIAZOLE				
1878	Oral Tablet 500 mg.	100	..	0 13 4	MB
				0 14 5	KL, MK
				(ex 500)	
				0 14 4	KL, MB, MK
				(ex M.P.)	
9374	Mixture for Children P.L.	4 fl. oz.	4	0 13 9	Extemp.

PHYSOSTIGMINE SALICYLATE					
Eye Drops					
1879	1/4%, 15 ml.	\$1	6	0 15 0	IQ
1880	1/2%, 15 ml.	\$1	6	0 16 7	IQ
PHYTOMENADIONE					
See Restricted Drugs.					
PICROTOXIN					
1883	Injection 2.5 mg. per ml., 2 ml.	5	1	0 12 0	BX
PILOCARPINE NITRATE					
Eye Drops					
1884	1/2% 1/2 fl. oz.	\$1	6	0 9 11	AN, DH, IQ, KL, SI
1885	1% 1/2 fl. oz.	\$1	6	0 10 8	AN, DH, IQ, KL, SI
1886	2% 1/2 fl. oz.	\$1	6	0 11 8	AN, DH, IQ, KL, SI
1887	3% 1/2 fl. oz.	\$1	6	0 12 8	AN, DH, IQ, KL, SI
1888	4% 1/2 fl. oz.	\$1	6	0 14 4	AN, DH, KL, SI
				0 15 0	IQ
1889	6% 1/2 fl. oz.	\$1	6	0 17 8	AN
PIPENZOLATE					
1890	Oral Tablet 5 mg.	100	2	1 17 8	SI
1891	Oral Solution 4 mg. per ml., 1/2 fl. oz.	\$1	4	0 13 0	SI
PIPERAZINE ADIPATE					
1892	Oral Tablet 300 mg.	25	2	0 10 0	BD
1893	Oral Granules, 20%, 100 G.	1	..	1 1 0	DF

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PIPERAZINE CITRATE				
1894	Oral Tablet 500 mg.	30	..	0 12 7	BW
1895	Oral Paediatric Elixir 500 mg. per 4 ml., 4 fl. oz.	‡1	..	0 11 5	GL
	PIPERAZINE PHOSPHATE				
	Oral Tablet				
1896	250 mg.	25	2	*0 9 2	GL
1897	500 mg.	30	2	0 12 7	CK
	PITUITARY, POSTERIOR LOBE				
1898	Injection 10 Oxytocic Units in 1 ml. Insufflation - See Restricted Drugs.	5	1	0 14 4	PD
	PLAGUE VACCINE (Plague/Vac)				
1901	Injection 4,000 million per ml., 1 ml.	2	..	*0 16 4	CS
	POLYMYXIN B SULPHATE				
	Ear Drops (Aqueous) A.P.F. 1955				
1902	300,000 Units per 1/2 fl. oz., 1/2 fl. oz.	‡1	2	1 5 8 1 7 0 1 15 0	KL, SI BW HA
1903	Set containing 300,000 Units and 15 ml. of solvent	‡1	2	\$1 9 6	AN
1904	Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10 ml.	‡1	2	0 13 0	BW

1905	Eye Drops 15,000 Units per ml., 5 ml.	‡1	2	0 16 4	KL, SI
				0 17 0	IQ
1907	15,000 Units per ml., Stabilised 5 ml.	‡1	2	0 17 0	BW
1906	Set containing 75,000 Units and 5 ml. of solvent	‡1	2	\$0 19 6	AN
	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN SULPHATE Eye Drops				
1909	Set containing 50,000 Units - 4,000 Units - 50 mg. and 10 ml. solvent	‡1	2	\$1 9 6	AN, DH, GL
				\$1 11 9	IQ
	Eye Ointment				
1910	5,000 Units - 400 Units - 5 mg. per G., 4 G.	‡1	..	0 6 9	PT
				0 7 0	AN, BW, DH, GL, HA, SI, UP
	POLYMYXIN B SULPHATE with NEOMYCIN SULPHATE and GRAMICIDIN Eye Drops				
1911	5,000 Units - 2.5 mg.-0.025 mg. per ml., 10 ml.	‡1	2	0 14 4	BW
	POLYTHIAZIDE Oral Tablet				
1912	1 mg.	50	2	1 1 8	PF
1913	2 mg.	50	2	1 11 4	PF

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2373	POTASSIUM Oral Effervescent Tablet 6.5 milli - equivalents of Potassium	50	3	0 9 0	HY, PT
9122	POTASSIUM BROMIDE Mixture P.L.	8 fl. oz.	4	0 8 1	Extemp.
9127	POTASSIUM BROMIDE and NUX VOMICA Mixture P.L.	8 fl. oz.	4	0 8 0	Extemp.
9128	POTASSIUM BROMIDE with PHENOBARBITONE and BELLADONNA Mixture P.L.	8 fl. oz.	4	0 7 9	Extemp.
1914	POTASSIUM CHLORIDE Oral Tablet 500 mg. (For Injection Standard Maintenance Fluids - see "Intravenous Fluids")	100	2	0 7 0	AN, DH, HY, KL, RT(QVSWT), RY
9132	POTASSIUM CITRATE Mixture P.L.	8 fl. oz.	4	0 8 6	Extemp.
9391	Mixture for Children P.L.	4 fl. oz.	4	0 8 2	Extemp.
7925	Mixture Acid P.L.	8 fl. oz.	4	0 9 10	Extemp.
9151	POTASSIUM CITRATE and HYOSCYAMUS Mixture P.L.	8 fl. oz.	4	0 8 0	Extemp.

POTASSIUM IODIDE			
9156	Mixture P.L.	8 fl. oz. 4	0 8 7 Extemp.
9400	Mixture for Children P.L.	4 fl. oz. 4	0 8 2 Extemp.
POTASSIUM IODIDE and STRAMONIUM			
9403	Mixture for Children P.L.	4 fl. oz. 4	0 8 2 Extemp.
POTASSIUM PERCHLORATE			
Oral Tablet			
1915	200 mg.	100 2	0 9 8 AD, SI 0 15 8 PH
1916	500 mg.	100 2	0 17 8 PH
PREDNISOLONE			
2361	Eye Drops 1%, 3 ml.	‡1 6	1 3 0 SC
1918	Eye Ointment 0.5%, 4 G.	‡1 ..	0 19 0 PT 1 3 0 AN, CO, KL, UP
Tablet - See Restricted Drugs.			
PREDNISOLONE ACETATE			
See Restricted Drugs.			
PREDNISOLONE with MAGNESIUM TRISILICATE and DRIED ALUMINIUM HYDROXIDE GEL			
See Restricted Drugs.			
PREDNISOLONE METHYL			
1927	Eye Ointment 0.1%, 4 G.	‡1 ..	1 6 4 UP
Capsule - See Restricted Drugs.			
Tablets - See Restricted Drugs.			

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PREDNISOLONE METHYL ACETATE See Restricted Drugs.				
	PREDNISOLONE SODIUM HEMISUCCINATE See Restricted Drugs.				
	PREDNISOLONE SODIUM PHOSPHATE Eye-Ear Drops				
1921	0.5%, 2.5 ml.	\$1	6	1 1 8	MK
1922	0.5%, 5 ml.	\$1	6	1 5 0	GL, MK
1923	Eye Ointment 0.5%, 3 G. Retention Enema - See Restricted Drugs.	\$1	..	1 3 0	GL
	PREDNISOLONE TERTIARY BUTYL ACETATE See Restricted Drugs.				
	PREDNISOLONE TRIMETHYLACETATE Eye Drops 0.3%, 2.5 ml.	\$1	..	0 13 8	CB
1932	Eye Ointment 0.5%, 2.5 G. Injections - See Restricted Drugs.	\$1	..	0 15 0	CB
	PREDNISONONE See Restricted Drugs.				
	PREDNISONONE with MAGNESIUM TRISILICATE and DRIED ALUMINIUM HYDROXIDE GEL See Restricted Drugs.				

PRIMAQUINE						
	Oral Tablet					
1937	Equivalent to 7.5 mg. base	30	1	0 10 8	IC	
1938	Equivalent to 15 mg. base	14	1	0 6 9	WL	
PRIMIDONE						
1939	Oral Tablet 250 mg.	200	1	*3 17 8	IC	
PROBENECID						
1940	Oral Tablet 500 mg.	100	2	5 19 8	MK	
PROCAINAMIDE HYDROCHLORIDE						
1941	Injection 100 mg. per ml., 10 ml.	1	..	0 15 8	SQ	
1942	Oral Tablet 250 mg.	100	2	3 3 0	SQ	
PROCAINE HYDROCHLORIDE in NORMAL SALINE						
(See "Intravenous Fluids")						
PROCHLORPERAZINE						
2369	Injection 12.5 mg. in 1 ml.	10	..	0 13 8	MB	
PROCYCLIDINE						
1943	Oral Tablet 5 mg.	100	2	2 3 0	BW	
PROGESTERONE						
See Restricted Drugs.						
PROGUANIL						
1947	Oral Tablet 100 mg.	100	2	0 11 5	IC	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PROMETHAZINE HYDROCHLORIDE				
1948	Injection 2.5%, 2 ml.	10	..	0 15 0	MB
	Oral Paediatric Elixir				
1949	5 mg. per 3.6 ml., 125 ml.	11	4	0 7 8	MB
	Oral Tablet				
1950	10 mg.	50	1	0 9 2	MB
				(ex 250)	
				0 9 8	MB
				(ex M.P.)	
1951	25 mg.	50	1	0 12 2	MB
				(ex 250)	
				0 13 8	MB
				(ex M.P.)	
	PROPANTHELINE BROMIDE				
	Injection				
1952	30 mg. per ml., 1 ml. (solvent required)	5	..	*3 3 6	SR
1953	Oral Tablet 15 mg.	100	2	2 10 8	SR
				(ex 500)	
				2 12 4	SR
				(ex M.P.)	
2363	30 mg. (sustained release)	100	2	4 16 4	SR
	PROPYLTHIOURACIL				
	Oral Tablet				
1954	25 mg.	100	2	0 13 0	AN
1955	50 mg.	100	2	1 0 4	AN

PROTAMINE SULPHATE					
Injection					
1956	1% 5 ml.	5	..	*1 2 0	EV
1957	1% 10 ml.	5	..	1 3 5	BT
PROTOVERATRINE A					
See Restricted Drugs.					
PYRIDINE ALDOXIME METHIODIDE (P.A.M.)					
2336	Injection 500 mg.	5	..	1 3 0	FH
				1 17 0	SI
PYRIDOSTIGMINE					
See Restricted Drugs.					
PYRIDOXINE HYDROCHLORIDE					
Injection					
1961	50 mg. per ml., 1 ml.	5	1	0 15 9	KL
				0 18 7	PD
				0 18 8	BL, BX, FM
				0 19 3	AN
1962	50 mg. per 2 ml., 2 ml.	5	1	0 18 8	RO
				*1 0 4	BD, VM
1963	50 mg. per ml., 5 ml.	1	1	0 16 4	KL
				1 4 0	LY
1964	50 mg. per ml., 10 ml.	1	..	0 19 0	KL
				1 3 0	BX
Tablets - See Restricted Drugs.					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1966	PYRIMETHAMINE Oral Tablet 25 mg.	30	1	0 12 0	BW
	QUINALBARBITONE SODIUM				
	Oral Tablet				
1967	50 mg.	50	2	0 9 8	PT
1968	100 mg. (1.5 gr.)	50	2	0 9 11	AD, DH, HY, RT(QVSWT), RY, SI, SL
				0 11 0	PT
				0 11 8	KL
				0 13 4	RD
				0 15 8	GP
	Oral Capsule				
1969	50 mg.	50	2	0 11 11	LY
1970	100 mg. (1.5 gr.)	50	2	0 13 1	RY
				0 13 2	PT
				0 14 10	LY
				(ex 250)	
				0 14 4	PT, RY
				0 18 4	LY
				(ex M.P.)	
	QUINETHAZONE				
2337	Oral Tablet 50 mg.	50	2	1 14 4	LE
	QUINIDINE SULPHATE				
1971	Oral Tablet 200 mg. (3 gr.)	100	2	1 2 0	HA, HY, KL
				1 2 1	RT(QVSWT)

				1 3 7	BW, DH, FA, TO
				(ex 500)	
				1 4 4	DH, FA, HA, HY, KL,
					RT(QVSWT), TO
				1 5 8	BW
				(ex M.P.)	
	QUININE BISULPHATE				
1972	Oral Tablet 300 mg. (5 gr.)	100	2	0 16 4	DH, HY
				0 17 8	BW, FA
	QUININE DIHYDROCHLORIDE				
1973	Oral Tablet 300 mg. (5 gr.)	100	2	1 2 0	DH
	QUININE HYDROCHLORIDE				
1974	Oral Tablet 300 mg. (5 gr.)	100	2	1 2 0	DH
	QUININE SULPHATE				
1975	Oral Tablet 300 mg. (5 gr.)	100	2	0 16 4	AD, DH, HY, KL, PR,
					RT(QVSWT), SL, TO
	RAUWOLFIA ALKALOIDS				
	Oral Tablet				
1976	0.25 mg.	100	2	0 11 8	PT
				0 13 8	KL, MJ
1977	2 mg.	100	2	1 7 0	RK
1978	4 mg.	100	2	1 5 8	PV
1979	50 mg.	100	2	1 3 8	PT
				1 5 5	SQ

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	RAUWOLFIA ALKALOIDS - cont. 1979 - continued			1 12 0 IQ (ex 500) 1 6 4 PT 1 8 4 SQ 1 13 0 IQ (ex M.P.)	
1930	RED BACK SPIDER ANTI-VENENE Injection 500 Units	2	..	*4 3 0 CS	
	RESERPINE Injection				
1981	1 mg.	5	1	0 10 1 CB	
1982	2.5 mg.	5	1	0 16 4 CB	
	Oral Tablet				
1983	0.25 mg.	100	2	0 7 8 HA 0 7 11 HY 0 8 5 AN, FA, KL, MG, RK, RY 0 9 3 PD, VR 0 9 8 CB (ex 500) 0 8 4 AN, FA, HA, HY, KL, RK, RY 0 9 4 MG 0 9 8 CB, PD, VR (ex M.P.)	

1984	0.5 mg.	100	2	0 10 4	HA, KL, RK
				0 12 4	CB
	RESORCINOL				
8793	Lotion Compound P.L.	8 fl. oz.	4	0 10 7	Extemp.
9589	Ointment Compound P.L.	4 oz.	1	0 12 6	Extemp.
	RHUBARB and SODA				
9184	Mixture P.L.	8 fl. oz.	4	0 8 11	Extemp.
7907	Mixture for Children P.L.	4 fl. oz.	4	0 7 5	Extemp.
	RIBOFLAVINE				
	See Restricted Drugs.				
	ROLITETRACYCLINE				
	See Restricted Drugs.				
	SACCHARIN or SACCHARIN SODIUM				
1991	†Oral Tablet 30 mg. (1/2 gr.)	200	1	†0 1 9	HY, SL
				†0 2 0	AD, DH, KL, RT(QVSWT), RY, SI
1992	(with instructions for use)				HY, SL AD, DH, KL, RT(QVSWT), RY, SI
	SALICYLAMIDE				
1993	Oral Tablet 500 mg.	100	2	0 10 4	KL
				0 10 8	GH, HA

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SALICYLIC ACID				
8185	Ear Drops P.L.	1/2 fl.oz.	2	0 6 10	Extemp.
8796	Lotion Compound P.L.	8 fl. oz.	4	0 9 2	Extemp.
7926	Ointment B.P.	4 oz.	1	0 14 7	Extemp.
9694	Paint P.L.	1 fl. oz.	1	0 6 8	Extemp.
	SCHICK TEST TOXIN				
1994	Injection 1 ml.	2	..	*0 13 8	CS
	SEIDLITZ POWDER				
1995	†Compound Effervescent Powder, B.P.C.	12	1	†0 5 0	DH, WD(N)
1996	(with instructions for use)				DH, WD(N)
	SENEGA and AMMONIA				
9194	Mixture P.L.	8 fl. oz.	4	0 9 11	Extemp.
	SENNA FRUIT				
1997	†2 oz.	1	..	†0 2 0	DH, SI
1998	(with instructions for use)				DH, SI
	SENNA FRUIT EXTRACT (STANDARDISED)				
	See Restricted Drugs.				
	SILVER NITRATE TOUGHENED				
2000	†1 stick	1	..	†0 1 7	YF(QNVST)
				†0 2 6	SL
2001	(with instructions for use)				YF(QNVST)
					SL

SILVER PICRATE						
2002	Insufflation, 1%, 5 G	‡1	1	0 8 4	AB	
SILVER PROTEIN, MILD						
2003	Eye Drops, 10%, 1/2 fl. oz.	‡1	2	0 10 5	IQ	
SIMPLE OINTMENT						
7927	Ointment B.P.	4 oz.	1	0 11 9	Extemp.	
SMALLPOX VACCINE						
2004	Injection, Capillary Tube	1	..	0 8 7	CS	
SODIUM AMINOSALICYLATE						
See Restricted Drugs.						
SODIUM AUROTHIOMALATE						
Injection -						
2013	1 mg.	1	3	0 5 3	MB	
2014	2 mg.	1	3	0 5 4	MB	
2015	5 mg.	1	3	0 5 7	MB	
2016	10 mg.	1	3	0 5 11	MB	
2017	20 mg.	1	3	0 6 1	MB	
2018	50 mg.	5	..	*1 4 3	MB	
2019	100 mg.	5	..	*1 12 7	MB	
2020	200 mg.	1	..	0 12 1	MB	
SODIUM BICARBONATE						
8194	Ear Drops P.L.	1/2 fl.oz.	2	0 7 2	Extemp.	
9202	Mixture P.L.	8 fl. oz.	4	0 7 3	Extemp.	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2021	SODIUM BICARBONATE COMPOUND Oral Tablet B.P.300 mg. (5 gr.)	100	2	0 4 8	FA, SL
2022	SODIUM CALCIUMEDETATE Injection 200 mg. per ml., 5 ml.	5	..	*2 16 4	RK
2023	Oral Tablet 500 mg.	100	2	2 1 11	RK
2030	SODIUM CHLORIDE Oral Tablet 300 mg. (5 gr.) Injection (Normal Saline; Physiological Solution)	100	2	0 4 8	DH, FA, HY, KL, RT(QVSWT)
2024	2 ml.	5	1	0 8 4	FH, KL
2025	5 ml.	5	1	0 8 8	AD, BL, BX
				0 9 1	FH, KL
				0 9 7	AD, BL
				0 9 8	BX
2026	10 ml.	5	1	*0 8 11	CS
				0 9 0	KL
				0 10 9	FH
				0 11 4	BX
				0 11 5	AD, BL
2027	10 ml. vial	2	1	*0 9 8	FH, PD
2028	20 ml.	5	1	0 15 0	BL, BX, KL
				*0 15 6	FH
2029	50 ml. (For 1/2 litre and 1 litre sizes, see "Intravenous Fluids".)	3	1	*1 3 0	BX, FH, KL

	SODIUM CHLORIDE and DEXTROSE (See "Intravenous Fluids")					
	SODIUM CHLORIDE COMPOUND (See "Intravenous Fluids").					
	SODIUM CHLORIDE COMPOUND and DEXTROSE (See "Intravenous Fluids")					
	SODIUM CITRATE Oral Tablet					
2031	120 mg. (2 gr.)	100	2	0 5 3	AD, DH, FA, RT(QVSWT)	
				0 7 0	BW	
2032	300 mg. (5 gr.)	100	2	0 6 0	HY	
				0 8 9	BW	
	SODIUM EDETATE					
1354	Injection 200 mg. per ml., 5 ml.	5	1	*3 3 6	RK	
	SODIUM FOLATE See Restricted Drugs.					
	SODIUM LACTATE (See "Intravenous Fluids")					
	SODIUM LACTATE-COMPOUND (See "Intravenous Fluids")					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SODIUM LACTATE-COMPOUND and DEXTROSE (See "Intravenous Fluids")				
	SODIUM SALICYLATE				
9217	Mixture P.L.	8 fl. oz.	4	0 8 3	Extemp.
7908	Mixture for Children P.L.	4 fl. oz.	4	0 7 2	Extemp.
2034	Oral Tablet 300 mg. (5 gr.)	100	2	0 7 8	AD, DH, FA, HY, KL, RT(QVSWT), SI, SL
2431	600 mg. (10 gr.) Oral Tablet (enteric coated)	100	2	0 11 0	HY
2035	300 mg. (5 gr.)	100	2	0 11 0	AN, DH, KL, LY, PR, QE(QNVS), RY, TO
2036	500 mg.	100	2	0 12 4	KL, PR, QE(QNVS), TO
2037	600 mg. (10 gr.)	100	2	0 13 8	AN, DH, KL, LY, PR, QE(QNVS), RY, TO
	SODIUM SULPHATE (See "Intravenous Fluids")				
	SODIUM TAUROGLYCOCHOLATE				
2038	Oral Tablet	100	1	0 9 8 0 9 11	DH WW
	SORBOLENE				
7928	Cream P.L.	4 oz.	1	0 13 0	Extemp.
	SOYA FORMULA See Restricted Drugs.				

	SPIRAMYCIN					
	See Restricted Drugs.					
	SPIRIT INDUSTRIAL METHYLATED					
8205	Ear Drops P.L.	1/2 fl.oz.	2	0 6 9	Extemp.	
9897	Soap P.L.	4 fl. oz.	1	0 9 9	Extemp.	
	STANOLONE					
	See Restricted Drugs.					
	STAPHYLOCOCCUS TOXOID (FORMALINISED)					
	(Sta/Tox)					
	Injection					
2045	Diluted 1 in 10 for use in initial injection 5 ml.	1	..	0 11 0	CS	
2046	Undiluted 5 ml.	1	..	1 1 8	CS	
	STILBOESTROL					
	See Restricted Drugs.					
	STREPTOMYCIN SULPHATE					
8207	Ear Drops P.L.	1/2 fl.oz.	2	0 11 9	Extemp.	
	Injections - See Restricted Drugs.					
	STREPTOMYCIN SULPHATE with					
	SULPHAGUANIDINE					
2059	Oral Tablet 62.5 mg.-500 mg.	16	..	0 14 1	GL	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2060	SUCCINYLSULPHATHIAZOLE Oral Tablet 500 mg.	100	..	0 19 0	MB, MK
	SUCCINYLSULPHATHIAZOLE with KAOLIN Mixture				
2061	60 gr.-45 gr. per fl.oz., 4 fl.oz.	‡1	4	0 9 4	MK
2062	60 gr.-45 gr. per fl.oz., 8 fl.oz.	‡1	4	0 15 0	MK
7904	Mixture P.L.	8 fl. oz.	4	0 16 2	Extemp.
	SULPHACETAMIDE SODIUM				
8208	Ear Drops P.L.	1/2 fl.oz.	2	0 7 6	Extemp.
	Eye Drops				
2063	10%, 15 ml. (1/2 fl. oz.)	‡1	2	0 10 4	AN, DH, EV, IQ, KL, SH, SI
2064	20%, 15 ml. (1/2 fl. oz.)	‡1	2	0 11 0	AN, DH, EV, IQ, KL, SI
	Eye Ointment				
2065	6%, 60 gr.	‡1	..	0 5 0	MG
2066	10%, 60 gr.	‡1	..	0 5 0	AN, EV, MG, SC
	SULPHADIAZINE				
	Oral Tablet				
2067	300 mg.	40	1	0 10 9	AB, KL, PD
2068	500 mg.	40	1	0 9 11	AD, DH, FA, HY, KL, MG, RT(QVSWT), RY, SI, SL
				0 10 8	MB, PD
	SULPHADIAZINE SODIUM				
2069	Injection 4 ml.	5	..	*0 15 8	MB

SULPHADIMETHOXINE					
2070	Oral Tablet 500 mg.	12	2	0 12 4	RO
				(ex 100)	
				0 13 0	RO
				(ex M.P.)	
2071	Oral Paediatric Suspension 200 mg. per ml., 10 ml.	‡1	..	0 11 5	RO
SULPHADIMIDINE					
9427	Mixture for Children P.L.	4 fl. oz.	4	0 15 6	Extemp.
2072	Oral Paediatric Suspension 100 ml.	1	4	0 11 5	IC
	Oral Tablet				
2073	250 mg.	40	1	0 7 4	MG
				0 8 5	KL
2074	500 mg.	40	1	0 6 11	MG
				0 7 3	AD, DH, KL, RY, SI, SL
				0 7 5	HY
				0 7 8	IC, VR
				(ex 200)	
				0 7 4	MG
				0 7 8	AD, DH, HY, KL, RY, SI, SL
				0 9 4	IC, VR
				(ex M.P.)	
SULPHADIMIDINE SODIUM					
2075	Injection 1 G. per 3 ml., 3 ml.	5	..	0 11 8	IC

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SULPHAFURAZOLE				
	Oral Tablet				
2076	300 mg.	40	1	0 13 1	RO
2077	500 mg.	40	1	0 16 10	RO
				(ex 200)	
				0 17 5	RO
				(ex M.P.)	
2078	Eye Drops 4%, 10 ml.	11	2	0 9 8	RO
2079	Eye Ointment 4%, 5 G.	11	..	0 6 1	RO
	SULPHAGUANIDINE				
2080	Oral Tablet 500 mg.	100	..	0 11 4	AD, AN, BW, DH, HY, KL, MG, PR, RT(QVSWT), RY, SI, SL
	SULPHAMETHIZOLE				
	Oral Tablet				
2082	100 mg.	30	1	0 8 4	AY, HA, KL, WW
2083	250 mg.	30	1	0 12 2	HA
				0 12 6	AY, KL, WW
				(ex 100)	
				0 12 1	KL
				0 13 0	AY, HA, WW
				(ex M.P.)	
2084	500 mg.	30	1	1 0 9	AY, HA, KL, WW

SULPHAMETHOXYDIAZINE (S'methoxydiazine)					
2085	Oral Tablet 500 mg.	12	2	0 16 4	FB, SC
	Oral Paediatric Suspension				
2086	10%, 40 ml.	‡1	..	0 16 4	FB, SC
2087	20%, 10 ml.	‡1	..	0 15 8	FB, SC
SULPHAMETHOXYPYRIDAZINE (S'methopyrazine)					
2088	Oral Tablet 500 mg.	12	2	1 0 9 (ex 100)	LE, PD
				1 1 8 (ex M.P.)	LE, PD
SULPHAMETHOXYPYRIDAZINE N-ACETYL					
	Oral Paediatric Suspension				
2089	250 mg. per 5 ml., 1 fl. oz.	‡1	..	0 14 4	LE, PD
SULPHAPHENAZOLE					
2090	Oral Tablet 500 mg.	20	1	0 11 11	CB
2091	Oral Paediatric Suspension, 10% 50 ml.	‡1	..	0 14 4	CB
SULPHAPYRIDINE					
2092	Oral Tablet 500 mg.	100	..	0 19 0	MB
SULPHASALAZINE See Restricted Drugs.					
SULPHINPYRAZONE					
2094	Oral Tablet 100 mg.	100	2	3 16 4	GE

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SULPHONAMIDES, THREE MIXED				
	Oral Tablet				
2095	250 mg.	40	1	0 11 0	MB, MJ
2096	300 mg.	40	1	0 8 11	KL
				0 11 0	AB
2097	330 mg.	40	1	0 11 0	AN
2098	500 mg.	40	1	0 8 4	RY, SL
				0 8 9	AD, DH, MG, SI
				0 9 5	AN
				0 9 7	HY
				0 10 4	KL
				0 10 11	MB, MJ, VR
				(ex 200)	
				0 8 9	AD, DH, HY, RY, SI, SL
				0 10 9	KL, MG
				0 11 4	AN, MB, MJ, VR
				(ex M.P.)	
	SULPHUR				
7929	Ointment B.P.	4 oz.	1	0 13 4	Extemp.
	SULPHURATED POTASH				
8805	Lotion P.L.	8 fl. oz.	4	0 9 5	Extemp.
	SULTIAME				
	See Restricted Drugs.				

SUSTANON						
See Restricted Drugs.						
SUXAMETHONIUM BROMIDE						
2102	Injection 67 mg.	5	1	*0 18 2	MB	
SUXAMETHONIUM CHLORIDE						
2103	Injection 50 mg. per ml., 10 ml.	1	..	0 10 4	BW, GL	
T.A.B. VACCINE (Anti-Typhoid-Paratyphoid)						
(T.A.B./Vac)						
Injection						
2104	0.5 ml.	3	..	*0 14 0	CS	
2105	10 ml.	1	..	1 13 0	CS	
TACRINE						
Injection						
2106	10 mg., 2 ml.	5	1	0 17 0	WH	
2107	30 mg., 2 ml.	5	1	1 4 0	WH	
TAIPAN ANTI-VENENE						
2108	Injection 3,000 Units	4	..	*20 3 0	CS	
TESTOSTERONE						
See Restricted Drugs.						
TESTOSTERONE METHYL						
See Restricted Drugs.						

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TESTOSTERONE OENANTHATE See Restricted Drugs.				
	TESTOSTERONE PROPIONATE See Restricted Drugs.				
	TETANUS ANTITOXIN (Tet/Ser)				
2120	Injection Diluted 1-50 15 Units in 0.5 ml.	1	..	0 6 4	CS
	Injection				
2121	1,500 Units	5	1	*1 16 4	BW, CS, SE
2122	10,000 Units	5	1	*9 9 8	CS
2123	50,000 Units	5	..	*35 3 0	CS
2124	Set containing 1,500 Units and 15 Units diluted 1 in 50	1	..	0 13 0	BT, CS
	TETANUS TOXOID (Tet/Vac/FT)				
	Injection				
2125	0.5 ml.	3	..	0 13 8	GL
				0 13 9	BT
				*0 13 9	CS
2126	1 ml.	3	..	*0 13 9	SE
	TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed) (Tet/Vac/PTAP)				

	Injection						
2127	0.5 ml.	3	..	0 13 0	BT		
				*0 13 0	CS		
2128	5 ml.	1	..	1 5 8	CS		
	TETRACYCLINE						
2141	Eye Drops, Suspension, 1%, 6 ml.	‡1	2	0 9 4	LE		
2142	Eye Ointment, 1%, 4 G. (60 gr.)	‡1	..	0 5 8	LE		
	Capsules - See Restricted Drugs.						
	Drops - See Restricted Drugs.						
	Granules - See Restricted Drugs.						
	Injections - See Restricted Drugs.						
	Suspension - See Restricted Drugs.						
	Tablets - See Restricted Drugs.						
	TETRACYCLINE (BUFFERED)						
	See Restricted Drugs.						
	TETRACYCLINE (BUFFERED) with						
	AMPHOTERICIN B						
	See Restricted Drugs.						
	TETRACYCLINE (BUFFERED) with NYSTATIN						
	See Restricted Drugs.						
	THENALIDINE with CALCIUM						
2158	Oral Tablet (effervescent)	50	1	1 4 4	SZ		
2159	Oral Paediatric Syrup 85 ml.	‡1	4	0 9 0	SZ		

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2160	THEOBROMINE with PHENOBARBITONE Oral Tablet 300 mg.-30 mg. (5 gr.-1/2 gr.)	100	2	0 8 7 0 9 6 0 10 3 0 10 4 (ex 500) 0 11 0 (ex M.P.)	HY, SL AD, DH, FA, KL, MG, RT(QVSWT), RY, SI, TO PR HA AD, DH, FA, HA, HY, KL, MG, PR, RT(QVSWT), RY, SI, SL, TO
2161	THEOBROMINE and SODIUM SALICYLATE Oral Tablet 500 mg.	100	2	0 19 0	DH, KL
2162	THIAMBUTOSINE Oral Tablet 500 mg.	100	2	1 1 0	CB
2368	THIETHYLPERAZINE Injection 6.5 mg. in 1 ml.	10	..	*0 15 0	SZ
	THIORIDAZINE See Restricted Drugs.				
2345	THIOTEPA Injection 15 mg.	1	1	1 9 8	LE

THYROID			
Oral Tablet			
2166	7.5 mg. (1/8 gr.)	100	2 0 4 4 CS
2167	15 mg. (1/4 gr.)	100	2 0 4 4 DH, FA, RT(QVSWT), SL
			0 4 9 BW, CS
			0 5 0 AD, SI
2168	30 mg. (1/2 gr.)	100	2 0 4 9 DH, FA, RT(QVSWT), SL, TO
			0 5 1 BW, CS, WW
			0 5 4 AD, SI
2169	60 mg. (1 gr.)	100	2 0 6 0 AD, DH, FA, RT(QVSWT), SI,
			SL, TO
			0 6 5 BW, CS, WW
2170	100 mg. (1.5 gr.)	100	2 0 6 8 AD, DH, SI
			0 7 5 BW, CS
2171	120 mg. (2 gr.)	100	2 0 7 5 AD, DH, FA, RT(QVSWT), SI
			0 8 4 BW
2172	150 mg. (2.5 gr.)	100	2 0 8 4 AD, RT(QVSWT), SI
			0 9 8 BW, CS
2173	300 mg. (5 gr.)	100	2 0 11 0 GP, RT(QVSWT)
THYROXINE SODIUM			
Oral Tablet			
2174	0.05 mg.	100	2 0 6 1 BW, DH, FM, GL, RT(QVSWT)
2175	0.1 mg.	100	2 0 7 11 BW, DH, FM, GL, RT(QVSWT)
TIGER SNAKE ANTI-VENENE			
2176	Injection 3,000 Units	2	1 *7 3 0 CS

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2177	TOLAZOLINE Oral Tablet 25 mg.	100	2	0 12 9 0 13 4 (ex 500) 0 13 8 (ex M.P.)	KL CB CB, KL
2178	TOLBUTAMIDE Oral Tablet 500 mg.	100	2	1 15 11 (ex 500) 1 17 0 (ex M.P.)	HP, PH HP, PH
	TRETAMINE See Restricted Drugs.				
	TRIAMCINOLONE See Restricted Drugs.				
2181	TRICYCLAMOL CHLORIDE Oral Tablet 50 mg.	100	2	2 16 4	BW
2365	TRIDIHEXETHYL CHLORIDE Injection 10 mg. in 1 ml.	5	..	3 3 0	LE
2364	Oral Paediatric Drops 5 mg. per ml., 15 ml.	11	3	0 16 4	LE
2366	Oral Tablet 25 mg.	100	2	2 3 0	LE

	TRIETHANOLAMINE TRINITRATE							
	Oral Tablet							
2182	1 mg.	100	2	0 11 11	AN, SC			
2183	2 mg.	100	2	0 17 8	AN, SC			
2184	7 mg.	100	2	1 8 4	AN, SC			
	TRIFLUOPERAZINE							
	See Restricted Drugs.							
	TRIMEPRAZINE TARTRATE							
2187	Oral Tablet 10 mg.	50	1	0 14 4	MB			
2188	Oral Paediatric Syrup 2 mg. per ml., 125 ml.	‡1	4	0 11 0	MB			
	TRIMETAPHAN							
	See Restricted Drugs.							
	TRIMUSTINE							
2367	Injection set containing 6 mg. and 2 ml. distilled water.	3	..	1 2 7	CK			
	TRIPLENNAMINE							
2190	Oral Tablet 50 mg.	50	1	0 18 4	CB			
	TRIPROLIDINE HYDROCHLORIDE							
2191	Oral Tablet 2.5 mg.	50	1	0 17 8	BW			
2192	Oral Paediatric Elixir 3 fl. oz.	‡1	4	0 8 8	BW			
	TROXIDONE							
2193	Oral Tablet 150 mg.	200	1	2 9 0	AB			
2194	Oral Capsule 300 mg.	200	1	4 2 4	AB, GA			

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
8658	TURPENTINE Liniment P.L.	4 fl. oz.	1	0 12 5	Extemp.
2195	TYPHUS VACCINE Injection 1 ml.	2	..	*1 3 0	CS
9865	UNDECENOIC ACID Dusting Powder P.L.	4 oz.	1	0 16 10	Extemp.
2196	VASOPRESSIN Injection B.P. 20 Units per ml., 1 ml. Nasal Spray - See Restricted Drugs.	5	..	0 17 4	PD
2197	VASOPRESSIN TANNATE Oily Injection 5 Units per ml., 1 ml.	10	1	*1 11 8	PD
	VINBLASTINE See Restricted Drugs.				
	VIPRYNIUM EMBONATE (Viprynum)				
2199	Oral Tablet 50 mg.	8	..	0 14 1	PD
2200	Oral Suspension 10 mg. per ml., 1 fl.oz.	11	..	0 14 1	PD
	VITAMIN A See Restricted Drugs.				

VITAMINS COMPOUNDS

See Restricted Drugs.

WARFARIN SODIUM

Oral Tablet

2209	2 mg.	50	2	1 11 8	EN
2210	2.5 mg.	50	2	1 13 0	EN
2211	5 mg.	50	2	1 13 8	EN
2212	7.5 mg.	50	2	2 1 4	EN
2213	10 mg.	50	2	2 13 0	EN
2214	25 mg.	25	2	2 5 8	EN

Injection

2215	Set containing 50 mg. and 2 ml. solvent	5	..	4 13 7	EN
------	---	---	----	--------	----

WATER FOR INJECTION

Injection

2216	2 ml.	5	3	0 8 0	EV, FH, KL
				0 8 4	BX
				0 8 5	AD, BL, BT
2217	5 ml.	5	3	0 8 11	EV, FH, KL
				0 9 4	AD, BL, BX
				*0 9 10	CS
2218	10 ml.	5	3	0 10 7	FH, KL
				0 11 0	BX
				0 11 1	AD, BL
				*0 11 7	CS, EV

WOOL ALCOHOLS

2219	†Ointment 4 oz.	1	1	†0 10 0	EV
2220	(with instructions for use)				EV

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
7930	WOOL ALCOHOLS - cont. Ointment B.P.	4 oz.	1	0 12 8	Extemp.
2221	WOOL FAT, HYDROUS †2 oz. tube or jar	1	..	†0 2 3	HY, WD(N)
2222	(with instructions for use)				HY, WD(N)
2223	ZINC and CASTOR OIL Ointment B.P. 2 oz.	2	1	0 7 6	ME(Q)
7899	Ointment B.P.	4 oz.	1	0 16 9	Extemp.
7898	ZINC GELATIN Paste B.P. (Unna's)	8 oz.	..	0 19 8	Extemp.
7897	ZINC OXIDE Cream B.P.	4 oz.	1	0 9 7	Extemp.
8082	Cream Soft P.L.	4 oz.	1	0 9 8	Extemp.
7896	Ointment B.P.	4 oz.	1	0 12 5	Extemp.
9770	ZINC OXIDE and COAL TAR Paste P.L.	4 oz.	1	0 8 5	Extemp.
9773	ZINC and SALICYLIC ACID Paste B.P.	4 oz.	1	0 11 5	Extemp.
8825	ZINC SULPHATE Lotion P.L.	8 fl. oz.	4	0 6 10	Extemp.

7895

ZINC UNDECENOATE
Ointment B.P.

4 oz.

1

1 5 2 Extemp.

INTRAVENOUS FLUIDS FOR INJECTION

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DARROW'S SOLUTION				
2242	1/2 litre	2	..	*1 7 8	BT, EV, SJ(W)
2243	1 litre	2	..	*1 11 8	BT, BX, EV, FH, GL, SJ(W)
	DEXTROSE				
2244	5%, 1/2 litre	5	1	*3 4 8	BT, BX, EV, SJ(W)
2245	5%, 1 litre	5	1	*3 14 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
2246	10%, 1/2 litre	2	1	*1 7 8	BT, BX, EV, SJ(W)
2247	10%, 1 litre	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
2248	20%, 1/2 litre	2	1	*1 7 8	BT, EV, SJ(W)
2249	20%, 1 litre	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
2250	25%, 1/2 litre	2	1	*1 7 8	BT, BX, SJ(W)
2251	25%, 1 litre	2	1	*1 11 8	AB, BX, FH(QNVST), SJ(W)
2252	50%, 1/2 litre	2	1	*1 7 8	FH(QNVST), SJ(W)
	GASTRIC REPLACEMENT SOLUTION				
2253	1/2 litre	2	..	*1 11 0	BX, FH(QNVST), SJ(W)
2379	1 litre	2	..	*1 16 4	BX
	INTESTINAL REPLACEMENT SOLUTION				
2254	1/2 litre	2	..	*1 11 0	BX, FH(QNVST), SJ(W)
2380	1 litre	2	..	*1 16 4	BX

INTRAVENOUS FLUIDS FOR INJECTION

POTASSIUM-FREE MAINTENANCE SOLUTION					
2255	1/2 litre	2	..	*1 11 0	BX, FH(QNVST), SJ(W)
PROCAINE HYDROCHLORIDE in NORMAL SALINE					
2256	0.1%, 1/2 litre	2	1	*1 7 8	BT
2257	0.1%, 1 litre	2	1	*1 11 8	AB, BT
SALINE LACTATE SOLUTION					
2258	1/2 litre	2	..	*1 11 0	BX, FH(QNVST), SJ(W)
SODIUM CHLORIDE					
2259	3%, 1/2 litre	2	1	*1 7 8	BT, SJ(W)
2260	3%, 1 litre	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
2261	5%, 1/2 litre	2	1	*1 7 8	BT, SJ(W)
2262	5%, 1 litre	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
(Normal Saline - Physiological Solution)					
2263	1/2 litre	2	1	*1 7 8	BT, BX, EV, SJ(W)
2264	1 litre	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
SODIUM CHLORIDE COMPOUND B.P.C. 1959					
2265	1/2 litre	4	1	*2 12 4	BT, EV, SJ(W)
2266	1 litre	4	1	*3 0 4	BT, BX, EV, FH(QNVST), GL, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SODIUM CHLORIDE COMPOUND and DEXTROSE				
2267	5%, 1/2 litre	5	1	*3 4 8	BT, SJ(W)
2268	5%, 1 litre	5	1	*3 14 8	BT, BX, FH(QNVST), SJ(W)
2269	10%, 1 litre	3	1	*2 6 0	BT, BX, FH(QNVST), SJ(W)
	SODIUM CHLORIDE and DEXTROSE Dextrose in Normal Saline				
2270	5%, 1/2 litre	2	1	*1 7 8	BT, BX, EV, SJ(W)
2271	5%, 1 litre	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
2272	10%, 1/2 litre	2	1	*1 7 8	BT, EV, SJ(W)
2273	10%, 1 litre	2	1	*1 11 8	AB, BT, BX, EV, FH(QNVST), GL, SJ(W)
2274	20%, 1/2 litre	2	1	*1 7 8	SJ(W)
2275	20%, 1 litre	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)
2276	25%, 1/2 litre	2	1	*1 7 8	BT, SJ(W)
2277	25%, 1 litre	2	1	*1 11 8	AB, BT, BX, FH(QNVST), SJ(W)
	Dextrose in 1/2 strength Normal Saline				
2278	2.5%, 1/2 litre	2	1	*1 7 8	BT, BX, EV, FH(QNVST), SJ(W)
	Dextrose in 1/4 strength Normal Saline				
2279	3.75%, 1/2 litre	2	1	*1 7 8	BT, BX, FH(QNVST), SJ(W)
	Dextrose in 1/5 strength Normal Saline				
2280	4%, 1/2 litre	5	1	*3 4 8	BT, BX, EV, SJ(W)
2281	4%, 1 litre	5	1	*3 14 8	AB, BT, BX, EV, SJ(W)
2282	4.3%, 1 litre	5	1	*3 14 8	FH(QNVST), GL

INTRAVENOUS FLUIDS FOR INJECTION

SODIUM LACTATE (Solution 1/6 Molar)						
2283	1/2 litre	2	1	*1 7 8	BT, SJ(W)	
2284	1 litre	2	1	*1 11 8	AB, BT, BX, FH(QNVST), SJ(W)	
SODIUM LACTATE COMPOUND						
2285	1/2 litre	2	1	*1 7 8	BT, EV, SJ(W)	
2286	1 litre	2	1	*1 11 8	BT, BX, EV, FH(QNVST), GL, SJ(W)	
SODIUM LACTATE COMPOUND and DEXTROSE						
2287	5%, 1/2 litre	2	1	*1 7 8	BT, SJ(W)	
2288	5%, 1 litre	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)	
2289	10%, 1/2 litre	2	1	*1 7 8	BT, SJ(W)	
2290	10%, 1 litre	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)	
SODIUM SULPHATE						
2291	4.28%, 1/2 litre	2	1	*1 7 8	BT, SJ(W)	
2292	4.28%, 1 litre	2	1	*1 11 8	BT, BX, FH(QNVST), SJ(W)	
STANDARD MAINTENANCE FLUID						
2293	1/2 litre	2	..	*1 11 0	BX, FH(QNVST), SJ(W)	
TISSUE REPAIR SOLUTION - ACIDOSIS						
2294	1/2 litre	2	..	*1 11 0	BX, FH(QNVST), SJ(W)	
TISSUE REPAIR SOLUTION - ALKALOSIS						
2295	1/2 litre	2	..	*1 11 0	BX, FH(QNVST), SJ(W)	

SECTION 3 - SCHEDULE OF BENEFITS - RESTRICTED BENEFITS

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ACETYSALICYLIC ACID For the treatment of pensioners only.				
1007	Oral Tablet 150 mg. (2.5 gr.)	100	2	0 6 4 0 7 0	WO KL
1008	300 mg. (5 gr.)	100	2	0 5 5	AD, DH, HY, KL, PR, RT(QVSWT), RY, SI, SL
1009	Oral Tablet, Soluble 150 mg. (2.5 gr.)	100	2	0 9 8	KL, NB
1010	300 mg. (5 gr.)	100	2	0 8 5 0 9 0 0 9 1 (ex 500) 0 10 8 (ex M.P.)	DH, HY, IQ, MG, PR, RT(QVSWT), RY, TO, VR BW, KL, NB, RC HA BW, DH, HA, HY, IQ, KL, MG, NB, PR, RC, RT(QVSWT), RY, TO, VR
	ACETYSALICYLIC ACID COMPOUND For the treatment of pensioners only.				
1011	Oral Tablet A.P.F. 1955	100	2	0 6 7	AD, DH, KL, RT(QVSWT), RY, SI, SL
1012	Oral Tablet B.P.C.	100	2	0 6 8	DH, FA, KL, RY, TO.
1013	Oral Tablet, Soluble	100	2	0 12 4	RC
	ALKAVERVIR Hypertensive crises.				
1022	Injection I.V. 0.4 mg. per ml., 5 ml.	5	..	*3 1 1	RK

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1047	AMPHOTERICIN B Systemic fungal infection. Injection 50 mg. (solvent required)	1	..	1 19 8	SQ
1048	AMPICILLIN Authority necessary to prescribe (See Notes) for - Infections where positive bacteriological evidence confirms that ampicillin is the ONLY appropriate antibiotic. Oral Capsule 250 mg.	50	..	9 18 8	BR, CS
1067	ANEURINE HYDROCHLORIDE For the treatment of pensioners only. Oral Tablet 20 mg.	100	2	0 8 4 0 9 8	HY, KL, PR, RT(QVSWT), SL MG, MJ, RY, TO
1068	25 mg.	100	2	0 9 0 0 9 8	FA, HY, KL, RT(QVSWT), SL PR
1069	50 mg.	100	2	0 11 0 0 11 0 0 13 8	AD, DH, FM, MG, RY, SL, TO FA, HY, KL, PR, RT(QVSWT), SL AD, AN, DH, FM, MG, RY, SI
1070	100 mg.	100	2	0 17 0 0 19 0	HY, KL, PR, QE(QNVS), RT(QVSWT), SL AN, DH, FM, MG, RY
1071	120 mg.	100	2	1 1 0 1 1 8	HY, KL, SL MG, PR

ASCORBIC ACID					
For the treatment of pensioners only.					
Oral Tablet					
1076	10 mg.	100	2	0 5 7	HY, RT(QVSWT)
1077	25 mg.	100	2	0 5 8	AD, DH, FA, FM, HY, KL, MG, PR, RT(QVSWT), RY, SI
1078	50 mg.	100	2	0 7 4	AD, DH, FA, FM, HY, KL, MG, NY, PD, PR, RT(QVSWT), RY, SI, SL
1079	100 mg.	100	2	0 10 0	DH, HY, KL, MG, PR, QE(QNVS), RT(QVSWT), RY
1080	250 mg.	100	2	0 15 0	AD, AN, DH, FA, FM, HY, KL, MG, NY, PD, PR, RT(QVSWT), RY, SI, SL
1081	500 mg.	100	2	1 5 0	HY, KL, MG
BEMEGRIDE					
Antidote for barbiturate and other hypnotic poisons.					
1104	Injection 5 mg. per ml., 30 ml.	5	..	*5 5 2	GH
BETAMETHASONE					
Intra-articular use					
Injection					
1116	4 mg. per ml., 1 ml.	2	..	*1 9 8	GL, SH
Authority necessary to prescribe (See Notes) for - Any disease or purpose specified for prednisolone.					
1117	Oral Tablet 0.5 mg.	30	..	1 4 4	GL, SH

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	BUSULPHAN Leukaemia.				
1127	Oral Tablet 0.5 mg.	100	2	0 19 8	BW
1128	2 mg.	100	2	1 4 4	BW
	CALCIFEROL For the treatment of pensioners for any disease or purpose. Authority necessary to prescribe (See Notes) for - Chronic Hypoparathyroid tetany; Hypoparathyroidism; Vitamin D-resistant rickets.				
1134	Oral Tablet 50,000 Units For the treatment of pensioners and for children under the age of twelve years.	100	2	1 4 0	GL
	Oral Solution				
1135	3,000 Units per ml., 25 ml.	1	..	0 6 1	BD
1136	3,000 Units per ml., 100 ml.	1	..	0 9 8	BD
	CALCIUM AMINOSALICYLATE (Calcium PAS) Tuberculosis.				
	Cachet				
1137	1.5 G.	200	2	3 5 8	KL, WA
1138	2.0 G.	200	2	4 5 8	KL, WA
1139	Oral Tablet 500 mg.	200	2	1 0 8	KL, RY, WA

	Oral Granules					
1140	100 G.	1	1	1 16 8	WA	
1141	400 G.	1	1	5 19 8	WA	
	CALCIUM GLUCONATE					
	Hypoparathyroidism.					
1148	Oral Tablet (Effervescent) equivalent to 4 G. Calcium Gluconate	100	2	3 3 0	SZ	
	CARAMIPHEN					
	Parkinsonism.					
1150	Oral Tablet 50 mg.	100	2	*2 5 0	GE	
	CARBAMAZEPINE					
	Epilepsy;					
	Trigeminal neuralgia.					
2419	Oral Tablet 200 mg.	100	1	3 3 0	GE	
	CHLORAMBUCIL					
	Malignant lymphoma and related conditions.					
	Oral Tablet					
1163	2 mg.	100	2	3 9 8	BW	
1164	5 mg.	100	2	6 9 8	BW	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CHLORAMPHENICOL				
	Bacterial meningitis;				
	Rickettsial infections;				
	Haemophilus influenzae infections;				
	Salmonella septicaemia;				
	Typhoid and paratyphoid;				
	Other serious infections sensitive only to chloramphenicol.				
1165	Oral Paediatric Suspension 125 mg. per 4 ml., 60 ml.	‡1	..	0 13 8 0 16 0	CW EC, LT, PD
	Injection				
1166	250 mg. per ml., 2 ml.	5	..	1 10 7	PD
1167	1 G. (solvent required)	3	..	*2 9 0	EC, LT, PD
	Paediatric Injection				
2385	250 mg. (solvent required)	3	..	*1 10 0	PD
	Oral Capsule				
1173	125 mg.	16	..	0 11 4 0 12 4 0 15 0	DB, KL, PT, SP BH PD
1174	250 mg.	16	..	0 13 0 0 13 6 0 16 7 1 2 9 (ex 100) 0 16 8 0 17 0	LF CW, DB, KL, LT, PT, SI, SP BH EC, PD, VR LF CW, DB, KL, LT, PT, SI, SP

				0 19 0	BH
				1 3 0	EC, PD, VR
				(ex M.P.)	
1175	Oral Tablet				
	125 mg.	16	..	0 11 0	KL
1176	250 mg.	16	..	0 16 4	KL
	CHLOROTRIANISENE				
	Carcinoma of the prostate.				
1188	Oral Tablet 24 mg.	30	2	2 0 7	ML
	CHLORPROMAZINE HYDROCHLORIDE				
	For the treatment of pensioners for any disease or purpose;				
	Late stage malignancy with the authority of the Commonwealth Director of Health;				
	Radiation sickness with the authority of the Commonwealth Director of Health;				
	Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health;				
	For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CHLORPROMAZINE HYDROCHLORIDE - cont.				
	Injection				
1193	1%, 5 ml.	10	..	0 19 4	MB
1194	2.5%, 1 ml.	10	..	0 12 4	MB
1195	2.5%, 2 ml.	10	..	0 16 8	MB
	Oral Tablet				
1196	10 mg.	100	2	0 13 8	MB
1197	25 mg.	100	2	0 19 8	MB
				(ex 500)	
				1 0 4	MB
				(ex M.P.)	
1198	50 mg.	100	2	1 17 0	MB
1199	100 mg.	100	2	3 8 4	MB
1200	Suppository 100 mg.	5	1	0 12 8	MB
1201	Syrup 25 mg. per 3.6 ml., 125 ml.	1	4	0 11 8	MB
	CHLORTETRACYCLINE				
	Actinomycosis;				
	Acute and sub-acute bacterial endocarditis due to streptococcus faecalis;				
	Amoebiasis;				
	As an alternative to penicillin in the treatment of any disease in a person in whom penicillin sensitivity has been established;				
	Bacillary dysentery that is resistant both to sulphonamides and streptomycin;				
	Bronchiectasis;				
	Brucellosis;				

	Chancroid;					
	Fibrocystic disease of the pancreas;					
	Granuloma inguinale;					
	Infections due to Friedlander bacillus;					
	Leptospirosis;					
	Lymphogranuloma venereum;					
	Mucoviscidosis;					
	Pneumonia that is resistant both to penicillin and sulphonamides;					
	Pre-operative prophylaxis;					
	Primary atypical pneumonia;					
	Psittacosis;					
	Puerperal infections;					
	Rat-bite fever due to spirillum minus;					
	Staphylococcal infections;					
	Trachoma that does not respond to sulphonamides;					
	Typhus and other rickettsial diseases;					
	Urinary tract infections due to gram negative bacilli that do not respond to sulphonamides;					
	Whooping cough (haemophilus pertussis).					
	Oral Capsule					
1203	50 mg.	25	..	0 19 0	LE	
1204	100 mg.	25	..	1 4 4	KL	
				1 12 4	LE	
1205	250 mg.	16	..	1 15 0	KL, LF	
				2 5 4	LE	
1206	Oral Paediatric Granules 75 G.	11	..	1 8 0	LE	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1215	CODEINE COMPOUND B.P. For the treatment of pensioners only. Oral Tablet	100	2	0 8 9 0 9 6 0 9 8 0 9 10 (ex 500) 0 9 8 0 11 0 (ex M.P.) 0 13 9 0 13 11 0 14 5 0 14 8 (ex 500) 0 15 0 (ex M.P.)	HY, SL AD, DH, FA, HA, KL, MR, PR, RT(QVSWT), RY, SI, TO, VR MG BW AD, FA, HA, HY, PR, RT(QVSWT), RY, SI, SL BW, DH, KL, MG, MR, TO, VR HA, MG DH, KL, TO IQ BW, RC BW, DH, HA, IQ, KL, MG, RC, TO
1216	Oral Tablet, Soluble	100	2		
1217	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID For the treatment of pensioners only. Oral Tablet 10 mg.-300 mg.	100	2	0 10 8 0 11 0	HY, KL, NS BW, EL

	Oral Tablet, Soluble					
1218	10 mg.-300 mg.	100	2	0 15 0	BW, FM, KL, MG, NB	
1219	10 mg.-500 mg.	100	2	0 16 0	FA	
				0 16 8	RC	
	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID and PHENACETIN					
	For the treatment of pensioners only.					
1220	Oral Tablet 10 mg.-250 mg.-250 mg.	100	2	0 13 7	FA, WW	
	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID, PHENACETIN and CAFFEINE					
	For the treatment of pensioners only.					
	Oral Tablet					
1221	12 mg.-250 mg.-150 mg.-15 mg. (0.2 gr.-4 gr.-2.5 gr.-0.25 gr.)	100	2	0 17 0	GP	
1222	30 mg.-225 mg.-150 mg.-30 mg. (0.5 gr.-3.5 gr.-2.5 gr.-0.5 gr.)	50	..	0 14 2	BW, GP	
				(ex 250)		
				0 14 8	BW, GP	
				(ex M.P.)		
	COD LIVER OIL					
	For the treatment of pensioners and for children under the age of twelve years.					
	†Emulsion					
1225	50%, 16 fl. oz.	1	4	†0 5 8	DH, SL, WD(N)	
1226	(with instructions for use)				DH, SL, WD(N)	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CORTICOTROPHIN (ACTH) Authority necessary to prescribe (See Notes) for - The prevention of side effects of corticosteroid therapy; Any disease or purpose specified for cortisone acetate; Salaam convulsions; Hypsarrhythmia. Injection S.C. or I.M.				
2357	10 Units (solvent required)	5	..	*1 11 4	CK
1230	Set containing 10 Units and diluent	5	..	*2 8 6	CS
1231	Set containing 20 Units and diluent	5	..	4 0 9	CS
1232	25 Units (solvent required)	5	..	*2 16 4	CK
1233	50 Units (solvent required)	5	..	*5 3 0	CK
	Injection I.V.				
1234	30 Units (solvent required)	5	..	*2 16 4	AR, CK
1235	75 Units (solvent required)	5	..	*5 14 3	AR
				*5 14 8	CK
	Gelatin Injection B.P.				
1236	20 Units per ml., 1 ml.	5	..	2 14 0	AN
1237	50 Units per ml., 1 ml.	5	..	*10 7 6	CS
1238	20 Units per ml., 5 ml.	5	..	*13 3 0	AR, CK, SC
				*19 19 6	CS
1239	40 Units per ml., 5 ml.	5	..	*20 0 1	AR
				*20 3 0	CK
				*23 9 8	SC
2382	80 Units per ml., 5 ml.	5	..	*36 16 4	CK

1240	Zinc Hydroxide Injection B.P. 20 Units per ml., 2 ml.	5	..	*5	9	8	OR
1241	20 Units per ml., 5 ml.	5	..	*13	3	0	OR
1242	40 Units per ml., 5 ml.	5	..	*23	9	8	OR

CORTISONE ACETATE

Authority necessary to prescribe (See Notes) for -

Acquired haemolytic anaemia;

Acute disseminated encephalomyelitis;

Acute exfoliative dermatitis;

Acute rheumatic carditis;

Addison's disease or other forms of adrenocortical hypoplasia;

Adrenalectomy - total;

Adrenogenital syndrome;

Agranulocytosis;

Behcet's syndrome;

Cranial arteritis;

Cushing's syndrome including hyper-adrenocorticalism;

Dermatomyositis;

Encephalomyelitis;

Guillain-Barrés syndrome;

Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis;

Hansen's disease;

Henoch's purpura;

Hodgkin's disease;

Idiopathic hypercalcaemia;

Inflammatory conditions of the Uveal tract and Retina;

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CORTISONE ACETATE - cont. Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia; Lymphosarcoma and follicular lymphoma; Metastatic breast cancer; Mycosis fungoides; Nephrosis or nephrotic syndrome; Neuro-myelitis optica; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis nodosa; Progressive or continuing hepatitis proven by biopsy or biochemistry; Progressive transverse myelitis; Pseudohermaphroditism; Regional ileitis (Crohn's disease) Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of mal absorption associated with these diseases; Status asthmaticus;				

Steroid therapy prior to operation for those patients under steroid therapy;					
Stevens Johnson syndrome;					
Still's disease in children under the age of sixteen years;					
Systemic lupus erythematosus;					
Sympathetic ophthalmitis;					
Temporal arteritis;					
Thrombocytopenic purpura;					
Type II nephritis;					
Ulcerative colitis proven by sigmoidoscopy or radiological report.					
Injection					
1243	25 mg. per ml., 10 ml.	1	..	1 3 8	GL, RL
1244	25 mg. per ml., 20 ml.	1	..	2 4 4	AN, MK, SC
1245	50 mg. per ml., 10 ml.	1	..	2 4 4	AN, MK
Oral Tablet					
1246	5 mg.	50	..	0 19 8	PT
				1 3 8	AN, MK
				*1 4 10	SC
1247	25 mg.	40	..	3 9 8	KL, PT
				4 6 4	AD, AN, BT, DH, GL, MK, PD, SC, RL
CYANOCOBALAMIN (B12)					
Established megalocytic anaemias.					
Injection					
1255	20 mcg. per 1 ml.	10	1	0 15 0	KL
				*0 15 6	BD, GL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1256	CYANOCOBALAMIN - cont. 50 mcg. per 1 ml.	5	1	0 9 1 DL 0 9 8 FH 0 10 3 BT *0 10 8 BD, GL	
1257	50 mcg. per ml., 10 ml.	1	..	0 9 8 GL 0 11 4 FH	
1258	100 mcg. per 1 ml.	5	1	0 11 0 BX 0 11 1 DL, KL 0 11 11 FH 0 12 3 PT 0 12 4 GL 0 12 7 BT, MJ *0 13 1 BD, EV	
1259	100 mcg. per ml., 10 ml.	1	..	0 13 8 FH, GL, KL, PT 0 14 8 BX, MJ	
1260	200 mcg. per 1 ml.	1	..	*0 7 2 FH *0 7 9 GL 0 10 0 BT	
1261	500 mcg. Neuroblastoma. Subacute combined degeneration of the cord.	1	..	0 6 4 GL, KL 0 14 8 AR	
1262	Injection, 1,000 mcg.	1	..	0 7 8 HY, KL, PT 0 7 9 DF 0 8 7 DL, GL 0 9 0 BX, MJ	

DEMETHYLCHLORTETRACYCLINE

(DM Chlortetracycline)

Any disease or purpose specified for chlortetracycline.

Oral Capsule

1276	75 mg.	14	..	1 4 0	LE
1277	150 mg.	14	..	1 18 10	LE

(ex 100)

2 3 0 LE

(ex M.P.)

Oral Paediatric Drops

1278	60 mg. per ml., 10 ml.	1	..	0 17 0	LE
------	------------------------	---	----	--------	----

Oral Paediatric Suspension

1279	75 mg. per 5 ml., 2 fl. oz.	1	..	1 5 4	LE
------	-----------------------------	---	----	-------	----

DEOXYCORTONE

Addison's disease;

Adrenalectomy-total.

Aqueous Injection

1280	5 mg. per ml., 1 ml.	5	..	*1 18 7	SC
				2 5 0	CB

1281	10 mg. per ml., 5 ml.	1	..	*3 7 6	SC
------	-----------------------	---	----	--------	----

3 13 0 CB

1282	Aqueous Suspension Injection 25 mg.	1	..	2 1 8	CB
------	-------------------------------------	---	----	-------	----

Oily Injection

1283	5 mg.	5	..	1 16 4	CB
------	-------	---	----	--------	----

*1 19 10 SC

1284	10 mg.	5	..	3 1 4	CB
------	--------	---	----	-------	----

*3 7 5 SC

1285	10 mg. per ml., 10 ml.	1	..	5 14 4	CB. OR
------	------------------------	---	----	--------	--------

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DEOXYCORTONE - cont.				
1286	Implant 100 mg.	1	..	4 9 8	CB, OR
	Oral Tablet				
1287	1 mg.	40	..	1 15 0	CB
				*1 15 0	SC
				1 15 4	OR
1288	5 mg.	20	..	3 7 0	CB
	DEXAMETHASONE				
	Intra-articular use.				
	Injection				
1290	5 mg. per ml., 1 ml.	5	..	*4 6 4	OR
1291	4 mg. per ml., 2 ml.	5	..	*6 16 4	MK
	Authority necessary to prescribe (See Notes) for -				
	Any disease or purpose specified for prednisolone.				
1292	Oral Tablet 0.5 mg.	30	..	2 12 4	GL, LT, MK, OR, RL, SC, SH
	DIENOESTROL				
	Carcinoma of the prostate;				
	Mammary carcinoma;				
	For the treatment of pensioners for any disease or purpose.				
	Oral Tablet				
1306	0.3 mg.	100	2	0 6 0	AD, DH, HA, HY, KL, MG, RT(QVSWT), SI, SL
1307	1 mg.	100	2	0 6 9	AD, DH, HA, HY, KL, MG, RT(QVSWT), SI, SL

1308	5 mg.	100	2	0 9 8	AD, DF, DH, HA, HY, KL, MG, RT(QVSWT), SI, SL
1309	10 mg. For the treatment of pensioners only.	100	2	0 15 8	DH, HA, HY, KL
1310	Cream 0.01%, 3 oz.	1	1	0 10 7	OO
DIHYDROSTREPTOMYCIN SULPHATE					
Any disease or purpose specified for streptomycin but only if the person, being treated for that disease or purpose, is allergic to streptomycin.					
1326	Injection 1 G. (solvent required)	5	3	*0 19 8	GL
DIHYDROTACHYSTEROL					
Parathyroid deficiency.					
1482	Oral Solution 0.25 mg. per ml., 15 ml.	1	..	1 16 11	BA
1483	Oral Capsule 0.125 mg.	100	1	5 3 8	BA
DI-iodohydroxyquinoline (Diodoquinoline)					
Trichomonal or monilial vaginitis.					
1331	Compound Vaginal Tablet 100 mg.	25	..	0 15 0 0 16 4	VR SR
1332	Effervescent Gynaecological Pessary 200 mg.	20	..	0 16 4	DF
DILOXANIDE FUROATE					
Amoebic dysentery.					
1333	Oral Tablet 500 mg.	15	..	1 3 0	BT

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DISODIUM STILBOESTROL DIPHOSPHATE (Sod. Stilboestrol) Carcinoma of the prostate.				
1352	Injection 50 mg. per ml., 5 ml.	10	..	4 7 5	MJ
1353	Oral Tablet 100 mg.	100	2	9 1 8	MJ
	DITHIAZANINE IODIDE Infestations of <i>Trichuris trichiura</i> or <i>Strongyloids stercoralis</i> .				
	Oral Tablet				
1355	50 mg.	30	..	1 4 4	LY
1356	100 mg.	30	..	*2 0 4	LY
	ERYTHROMYCIN Staphylococcal septicaemia or pneumonia; Any gram-positive bacterial infections where these cannot be treated safely and effectively by sulphonamides or penicillins.				
	Oral Paediatric Sachet.				
1390	125 mg.	12	..	1 3 1	LY
1391	200 mg.	12	..	1 3 0	AB
	Oral Paediatric Suspension				
1392	100 mg. per 5 ml., 100 ml.	‡1	..	1 16 4	AB
2425	125 mg. per 5 ml., 100 ml.	‡1	..	1 16 4	DL, LY
1394	200 mg. per 5 ml., 100 ml.	‡1	..	1 16 4	AB
	Injection				
1395	I.M. 50 mg. per ml., 2 ml.	5	..	2 19 1	AB

1396	I.V. 250 mg., 20 ml. (solvent required)	5	..	*4 16 9	LY
1397	I.V. 1 G. per 50 ml., 50 ml. (solvent required)	1	..	3 7 0	LY
1398	300 mg. per 10 ml., 10 ml. Oral Tablet	5	..	6 1 1	AB
1399	100 mg.	25	..	1 15 11	AB, LY, UP
1400	125 mg.	25	..	1 15 11	LY
1401	250 mg.	16	..	2 5 6	AB, LY, UP
				(ex 100)	
				2 10 8	AB, LY, UP
				(ex M.P.)	
1402	Oral Capsule 125 mg.	25	..	1 15 11	AB, DL, LY
1403	250 mg.	16	..	2 5 6	AB, DL, LY
				(ex 100)	
				2 10 8	AB, DL, LY
				(ex M.P.)	
ETHINYLOESTRADIOL					
Pre-menopausal castration syndrome;					
Turner's syndrome;					
For the treatment of pensioners for any disease or purpose.					
1405	Oral Tablet 0.01 mg.	50	..	0 7 0	HY, KL, VR
				*0 7 6	BD, OR
				*0 8 4	HA

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1406	ETHINYLOESTRADIOL - cont. 0.02 mg.	50	..	0 8 11 *0 8 11 0 9 5 *0 9 8 *0 10 1	HY, KL HA VR BD, OR SC
1407	0.05 mg.	50	..	0 11 0 *0 11 0 *0 11 4	HY, KL, VR BD, HA, OR SC
1408	1 mg.	50	..	2 3 0 *2 4 4 *2 12 11	HY, KL BD, OR HA
	ETHISTERONE Turner's syndrome. Oral Tablet				
1409	5 mg.	50	..	1 8 4 1 11 0 *1 12 4	KL, RT(QVSWT) SC BD, PH, VR
1410	10 mg.	50	..	2 11 0 *2 16 4	KL, RT(QVSWT) BD, PH, SC, VR
1411	25 mg.	50	..	4 19 0 5 8 4 *5 9 8	KL, RT(QVSWT) SC BD, PH, VR

ETHYLOESTRENOL						
Long-term corticosteroid therapy with the authority of the Commonwealth Director of Health.						
Mammary carcinoma (authority not required)						
Senile osteoporosis proven by radiological report (authority not required).						
Oral Tablet						
2370	2 mg.	100	1	4	1	8 OR
FLUDROCORTISONE ACETATE						
Addison's disease.						
Oral Tablet						
1433	0.1 mg.	100	..	2	4	0 SQ
1434	1 mg.	30	..	5	5	4 SQ
FLUOXYMESTERONE						
Castration syndrome (male and female) (authority not required);						
Mammary carcinoma (authority not required)						
Long-term corticosteroid therapy with authority of the Commonwealth Director of Health.						
1435	Oral Tablet 5 mg.	100	2	10	1	0 UP
FOLIC ACID						
Sprue or the sprue-like syndrome; Macrocytic anaemia.						
1436	Injection 15 mg. per ml., 1 ml.	10	..	*1	6	4 FH
				*1	11	6 AN, HY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1437	FOLIC ACID - cont. Oral Tablet 5 mg.	100	2	0 13 0 0 17 5	AD, AN, HY, KL, MG, PD, PR, RT(QVSWT), RY, SI TO
	GRISEOFULVIN Authority Necessary to prescribe (See Notes) for - Use in severe tinea infections due to micro- sporum, trichophyton or epidermophyton species which have been proven by laboratory examination.				
1460	Oral Tablet 125 mg.	100	..	4 3 0	GL, IC
	HALIBUT LIVER OIL For the treatment of pensioners only. Oral Capsule				
1463	4,500 Units Vitamin A	100	1	0 19 0	KL, MG, SL
1464	6,000 Units Vitamin A	100	1	*0 18 0	CK
	HYDROCORTISONE Authority necessary to prescribe (See Notes) for - Any disease or purpose specified for cortisone acetate. Injection, I.V. (or Rectal Drip)				
1486	5 mg. per mL., 20 mL.	1	..	1 13 0	PT

HYDROCORTISONE ACETATE				
Intra-articular use.				
Injection				
1498	25 mg. per ml., 1 ml.	5	..	1 17 5 PT 2 7 5 BT, MK, RL, UP 2 7 7 AB, AN *2 7 7 SC *2 11 6 GL
1499	25 mg. per ml., 5 ml.	1	..	1 19 0 PT 2 8 4 AB, AN, GL, MK, PF, RL, SC, UP
HYDROCORTISONE SODIUM SUCCINATE				
Acute adrenal failure due to medical or surgical crises;				
Stevens Johnson syndrome.				
1501	Injection 100 mg. in 2 ml.	2	..	*7 12 4 GL, UP
Authority necessary to prescribe (See Notes) for -				
Ulcerative colitis proven by sigmoidoscopy or				
radiological report.				
1502	Soluble Tablet for Rectal Drip 100 mg. (solvent required)	7	1	5 9 8 GL
HYDROXOCOBALAMIN				
Established megalocytic anaemias.				
Injection				
1510	100 mcg. per ml., 1 ml.	5	1	0 12 0 KL, MK 0 12 4 GL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1511	HYDROXOCOBALAMIN - cont. Neuroblastoma; Subacute combined degeneration of the cord. Injection 1,000 mcg. per ml., 1 ml.	1	..	0 8 7 0 9 0	GL, KL MK
1513	HYDROXYPROGESTERONE CAPROATE Habitual abortion. Injection 250 mg.	3	..	*4 15 0 4 15 0	RM SC
1553	ISONIAZID Hansen's disease; Tuberculosis. Oral Tablet 50 mg.	200	2	0 11 0 0 13 0 0 13 8 *0 13 8 *0 17 8	DH, HY, KL, RY AN HA AD, DF, SI RO
1554	100 mg.	100	2	0 13 0 0 16 4	AD, AN, DH, HY, KL, RY, SI RO

KANAMYCIN					
Authority necessary to prescribe (See Notes) for -					
Infections where positive bacteriological evidence					
confirms that kanamycin is the ONLY appropriate antibiotic.					
Injection					
1562	250 mg.	5	..	*2 13 0	SI
1563	500 mg.	5	..	*3 16 4	BC
1564	1 G.	5	..	*6 3 0	BC, SI
Oral Capsule					
2388	250 mg.	16	..	2 11 0	BC
Oral Solution					
2387	100 mg. per ml., 30 ml.	11	..	1 19 0	BC
LEVORPHANOL TARTRATE					
Obstetric use;					
Severe intractable pain.					
1568	Injection 2 mg. per ml., 1.1 ml.	5	..	*0 10 8	RO
1569	Oral Tablet 1.5 mg.	50	..	*1 0 6	RO
MEDROXYPROGESTERONE					
Endometrial Carcinoma.					
2319	Injection 50 mg. in 1 ml.	1	..	2 8 4	UP
Oral Tablet					
2320	2.5 mg.	25	..	2 9 8	UP
2321	10 mg.	25	..	6 16 4	UP

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1598	MERCAPTOPURINE Allergic angitis; Leukaemia; Lupus erythematosus; Periarthritis. Oral Tablet 50 mg.	25	..	5 9 8	BW
1603	MESTANOLONE Mammary carcinoma (authority not required); Long-term corticosteroid therapy with authority of the Commonwealth Director of Health. Oral Tablet 25 mg.	100	2	8 3 0	RL
1610	METHANDIENONE Long-term corticosteroid therapy with authority of the Commonwealth Director of Health. Senile Osteoporosis proven by radiological report. (authority not required) Oral Tablet 5 mg.	100	2	4 1 8	CB
1611	METHANDRIOL Senile osteoporosis proven by radiological report (authority not required); Long-term corticosteroid therapy with authority of the Commonwealth Director of Health. Oral Tablet 5 mg.	100	2	1 12 4	MR
1612	Oral Tablet 10 mg.	100	2	2 17 8	MR, OR

	METHENOLONE ACETATE					
	Senile osteoporosis proven by radiological report (authority not required);					
	Long-term corticosteroid therapy with authority of the Commonwealth Director of Health.					
	Oral Tablet					
1619	1 mg.	50	1	0 13 8	SC	
1620	5 mg.	50	1	2 3 0	SC	
	METHOTREXATE					
	Leukaemia and neo-plastic disease.					
1622	Oral Tablet 2.5 mg.	100	..	7 3 0	LE	
	MILK POWDER - SYNTHETIC					
	Authority necessary to prescribe (See Notes) for - Galactosaemia.					
1637	Low Lactose Compound Powder 14 oz.	6	..	*6 12 0	TF	
	MORPHINE with TACRINE					
	Severe intractable pain.					
1667	Oral Tablet 30 mg.-15 mg.	50	1	5 3 0	WH	
	MUSTINE HYDROCHLORIDE					
	Malignant lymphoma and related conditons.					
1668	Injection 10 mg. (solvent required)	1	..	0 19 8	BT	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1671	NANDROLONE DECANOATE Mammary carcinoma (authority not required); Long-term corticosteroid therapy with authority of the Commonwealth Director of Health. Senile osteoporosis proven by radiological report (authority not required). Injection 50 mg. per ml., 1 ml.	1	..	3 19 0	OR
1672	NANDROLONE PHENYLPROPIONATE Mammary carcinoma (authority not required); Long-term corticosteroid therapy with authority of the Commonwealth Director of Health. Senile osteoporosis proven by radiological report (authority not required). Injection 25 mg. per ml., 1 ml.	3	..	3 7 0	OR
1684	NICOTINIC ACID For the treatment of pensioners only. Oral Tablet 25 mg.	100	2	0 5 0	HY, KL, RY
1685	50 mg.	100	2	0 6 4	AD, DH, HY, KL, MG, RT(QVSWT), RY, SI
1686	100 mg.	100	2	0 7 0	DH, HY, KL, MG, RT(QVSWT), RY
1687	250 mg.	100	2	0 9 8	AD, HY, KL, MG, RT(QVSWT), RY, SI

NITROFURANTOIN						
Urinary tract infections						
1689	Oral Tablet 50 mg.	25	1	1 11 1	SK	
				(ex 100)		
				1 13 5		
1690	100 mg. Oral Paediatric Suspension	25	1	(ex M.P.) 2 17 11	SK	
1691	25 mg. per 3.5 ml., 4 fl. oz.	11	..	1 2 7	SK	
NITROMIN						
Malignant lymphoma and related conditions.						
1692	Injection 50 mg. (solvent required)	5	1	4 6 4	SI	
1693	Oral Tablet 5 mg.	100	2	5 16 4	SI	
NYSTATIN						
Proven monilia infections.						
1696	Oral Tablet 500,000 Units	50	..	3 7 8	SQ	
1697	Vaginal Tablet 100,000 Units	15	..	1 1 4	SQ	
OXYMESTERONE						
Senile osteoporosis proven by radiological report (authority not required);						
Long-term corticosteroid therapy with authority of the Commonwealth Director of Health.						
1711	Oral Tablet 5 mg.	50	1	2 0 4	MB	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer.
	OXYTETRACYCLINE				
	Any disease or purpose specified for chlortetracycline.				
	Oral Tablet				
1715	100 mg.	25	..	1 15 0	PF
1716	250 mg.	16	..	2 9 8	PF
	Oral Paediatric Suspension				
1717	125 mg. per 5 ml., 60 ml.	‡1	..	1 3 4	PF
	Oral Paediatric Drops				
1718	100 mg. per ml., 10 ml.	‡1	..	0 15 8	PF
	Injection -				
1719	I.M. 100 mg.	5	..	*2 19 8	PF
1720	I.M. 250 mg.	5	..	*5 14 8	PF
1721	I.V. 250 mg. (solvent required)	5	..	*5 4 8	PF
	Oral Capsule				
1722	50 mg.	25	..	1 1 4	PF
1723	100 mg.	25	..	1 15 0	PF
1724	250 mg.	16	..	2 4 5	PF
				(ex 100)	
				2 .9 8	PF
				(ex M.P.)	
	OXYTOCIN				
	Induction of labour.				
1731	Nasal Spray 200 Units in 5 ml. solution	‡1	..	1 3 8	SZ

PANCREATIN CONCENTRATE						
Fibrocystic disease;						
Pancreatico-duodenectomy;						
Pancreatic steatorrhoea.						
Oral Powder						
1732	1 oz. (twice B.P. strength)	8	2	*5 17 8	PD	
1733	500 G. (5 times B.P. strength)	1	..	14 9 8	ST	
Oral Tablet						
1734	300 mg. (3 times B.P. strength)	200	2	*1 19 8	PD	
PANCREATIN ENZYME						
(4 times USNF.XI strength)						
Any disease or purpose specified for pancreatin concentrate.						
1735	Oral Tablet 300 mg. (5 gr.)	500	1	13 17 4	AN	
1736	Oral Powder 8 oz.	‡1	2	11 13 8	AN	
PARA-AMINOSALICYLIC ACID						
Tuberculosis.						
1744	Oral Tablet 500 mg.	500	2	2 7 4	AN, DH, KL	
PARAFFIN LIQUID						
For the treatment of pensioners only.						
†Emulsion						
1750	16 fl. oz.	1	4	†0 7 3	WY	
1751	(with instructions for use)				WY	
†Emulsion with Phenolphthalein						
1752	16 fl. oz.	1	4	†0 6 6	FA, MG, SI, SL	
				†0 7 3	DH, PR, WW, WY	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1753	PARAFFIN LIQUID - cont. (with instructions for use)				FA, MG, SI, SL DH, PR, WW, WY
	PARAMETHASONE ACETATE Authority necessary to prescribe (See Notes) for - Any disease or purpose specified for cortisone acetate. Oral Tablet				
1757	1 mg.	30	..	1 13 0	IC
1758	2 mg.	30	..	2 3 0	IC, LY
	PENICILLAMINE Authority necessary to prescribe (See Notes) for - Wilson's disease. .				
1761	Oral Capsule 150 mg.	100	3	50 3 0	DL
	PENICILLIN with STREPTOMYCIN Endocarditis due to streptococcus faecalis; Endocarditis due to streptococcus viridans. Injection - (Benzyl Penicillin, Streptomycin Sulphate)				
1805	1 vial 500,000 Units and 500 mg. (solvent required)	5	..	*1 5 11	DL, GL
1806	Set containing 1 vial and 2 ml. water for injection	5	..	*1 9 3	GL
	Injection (Benzyl Penicillin, Procaine Penicillin, Streptomycin Sulphate)				

1807	1 vial 100,000 Units; 300,000 Units; 500 mg. (solvent required)	5	..	*1 5 11	GL, SI
1808	Set containing 1 vial and 2 ml. water for injection.	5	..	*1 9 3	GL
PETHIDINE with LEVALLORPHAN For obstetric use only.					
Injection					
1832	50 mg.-0.625 mg. per ml., 1 ml.	5	..	0 9 4	RO
1833	50 mg.-0.625 mg. per ml., 2 ml.	5	..	0 12 0	RO
PHENACETIN with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE For the treatment of pensioners only.					
Oral Tablet					
1835	300 mg.-15 mg.-30 mg. (5 gr.-0.25 gr.-0.5 gr.)	100	2	0 15 1 0 15 4 0 15 9 1 0 0 (ex 500) 0 16 4 0 17 0 0 18 0 1 2 0 (ex M.P.)	AD, DH, KL, MG, SI, SL HY RD AB, FM, GP AD, DH, HY, KL, SI, SL RD MG AB, FM, GP

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENYLALANINE LOW CONTENT FORMULA					
Authority necessary to prescribe (See Notes) for - Phenylketonuria.					
1864	Granules 1 kg.	1	..	10 13 4	GL
	Powder				
1865	2.5 lb.	1	..	5 6 8	MJ
1866	3 lb.	1	..	9 19 4	TF
PHYTOMENADIONE					
Antidote to anticoagulants.					
Injection					
1881	1 mg.	3	..	0 11 11	RO
1882	10 mg.	3	..	1 0 4	RO
Colloidal Solution for Injection					
2383	10 mg. in 1 ml.	3	..	*2 13 0	MK
2384	10 mg. per ml., 5 ml.	3	..	*12 3 0	MK
PITUITARY, POSTERIOR LOBE					
Diabetes insipidus.					
Insufflation					
1899	30 Antidiuretic Unit Capsule	100	2	4 5 8	ST
1900	500 Antidiuretic Units per G., 2 G. Phial	3	2	*3 9 9	BP
PREDNISOLONE					
Authority necessary to prescribe (See Notes) for - Nodular nonsuppurative panniculitis (Christian-Weber disease);					

	Any disease or purpose specified for cortisone acetate, except - Addison's disease or other forms of adrenocortical hypoplasia; and Adrenalectomy - total.					
1917	Oral Tablet 5 mg.	30	..	0 19 0	BT, CO, HY, KL, MG, PD, PT, RT(QVSWT), RY	
				1 9 0	AN, GL, MK, OR, PF, RL, SC, SH, UP	
	PREDNISOLONE ACETATE Intra-articular use. Injection					
1919	10 mg. per ml., 1 ml.	5	..	*2 10 6	SC	
	PREDNISOLONE with MAGNESIUM TRISILICATE and DRIED ALUMINIUM HYDROXIDE GEL Authority necessary to prescribe (See Notes) for - Any disease or purpose specified for prednisolone.					
1924	Oral Tablet 5 mg.-50 mg.-300 mg.	30	..	1 9 0	MK	
	PREDNISOLONE METHYL Authority necessary to prescribe (See Notes) for - Any disease or purpose specified for prednisolone.					
1925	Oral Tablet 4 mg.	30	..	4 5 8	UP	
1926	Oral Capsule 4 mg.	30	..	4 5 8	UP	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PREDNISOLONE METHYL ACETATE Intra-articular use.				
	Injection				
1928	40 mg. per ml., 1 ml.	5	..	8 4 8	UP
1929	40 mg. per ml., 5 ml.	1	..	8 3 0	UP
	PREDNISOLONE SODIUM HEMISUCCINATE Authority necessary to prescribe (See Notes) for - Medical or surgical crises.				
2334	Injection 25 mg. (solvent required)	1	..	3 9 8	SH
	PREDNISOLONE SODIUM PHOSPHATE Authority necessary to prescribe (See Notes) for - Ulcerative colitis proven by sigmoidoscopy or radiological report.				
1920	Retention Enema 20 mg. per 100 ml.	7	..	7 7 8	GL
	PREDNISOLONE TERTIARY BUTYL ACETATE (Prednisolone TBA) Intra-articular use.				
	Injection				
1930	20 mg. per ml., 5 ml.	1	..	2 8 4	MK
	PREDNISOLONE TRIMETHYLACETATE Intra-articular use.				
	Injection				
1933	10 mg. per ml., 1 ml.	2	..	3 7 0	CB
2350	10 mg. per ml., 5 ml.	1	..	8 3 0	CB

PREDNISONE			
Authority necessary to prescribe (See Notes) for -			
Any disease or purpose specified for prednisolone.			
Oral Tablet			
1934	1 mg.	50	.. 0 7 8 PT
1935	5 mg.	30	.. 0 17 0 LF
			0 19 0 CO, HY, KL, PD, PR, PT, RY,
			1 9 0 AN, GL, MK, OR, RL, SC, SH
PREDNISONE with MAGNESIUM TRISILICATE			
and DRIED ALUMINIUM HYDROXIDE GEL			
Authority necessary to prescribe (See Notes) for -			
Any disease or purpose specified for prednisolone.			
1936	Oral Tablet 5 mg.-50 mg.-300 mg.	30	.. 1 9 0 MK
PROGESTERONE			
Habitual abortion.			
Injection			
1944	I.V. 20 mg.	3	.. 2 6 4 SC
1945	I.M. 25 mg.	3	.. 1 7 0 BD, DF, OR, SC
1946	Implant 25 mg.	1	.. 1 1 0 BD, OR
PROTOVERATRINE A			
Hypertensive crises.			
1958	Injection 1 ml.	10	.. *1 7 4 SZ
PYRIDOSTIGMINE			
Myasthenia gravis.			
1959	Oral Tablet 60 mg.	100	2 *4 5 5 RO

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1960	PYRIDOSTIGMINE - cont. Injection 1 mg. per ml., 1 ml.	5	1	*0 10 11	RO
1965	PYRIDOXINE HYDROCHLORIDE Peripheral neuritis due to isoniazid therapy. Radiation sickness. Oral Tablet 25 mg.	25	..	0 12 0 0 13 8	AN, KL DH
1985	RIBOFLAVINE For the treatment of pensioners only. Oral Tablet 5 mg.	100	2	0 7 0	DH, FM, KL, PR, RT(QVSWT), RY
	ROLITETRACYCLINE Any disease or purpose specified for chlortetracycline. Injection -				
1986	I.V. 110 mg.	5	..	*4 5 1	HP
1987	I.V. 275 mg.	5	..	*7 8 0	HP
1988	I.V. 350 mg.	5	..	*6 19 3	BC
1989	I.M. 250 mg.	5	..	*4 0 11 *4 5 1 4 5 8	BC HP SQ
1990	I.M. 350 mg.	5	..	*6 19 3 *7 8 0 7 8 0	BC HP SQ

SENNA FRUIT EXTRACT (STANDARDISED)					
For the treatment of pensioners only.					
1999	Oral Tablet 7 mg.	100	2	0 12 4	RC
SODIUM AMINOSALICYLATE					
(Sodium PAS)					
Tuberculosis.					
2005	Injection 20%, 10 ml.	5	..	0 19 4	KL
Oral Cachet					
2006	1.5 G.	200	2	3 3 0	AN, KL, WA
				*3 11 8	EV
2007	2.0 G.	200	2	4 3 0	KL, WA
Oral Tablet					
2008	300 mg. (5 gr.)	200	1	0 18 8	KL
				*1 3 5	AD, SI
2009	500 mg.	500	2	1 19 0	KL, RY
				2 3 0	DH, EV
				*2 7 7	AN, WA
				*2 11 9	AD, SI
Oral Granules					
2010	50%, 350 G.	1	1	2 6 4	RL
2011	50%, 400 G.	1	1	2 6 4	HY
2012	96.4%, 500 G.	1	1	5 8 0	EV
SODIUM FOLATE					
Any disease or purpose specified for folic acid.					
2033	Injection 15 mg. per ml., 10 ml.	1	..	1 5 8	LE

Coda No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SOYA FORMULA Authority necessary to prescribe (See Notes) for - Galactosaemia; Lactose Intolerance; Milk allergy.				
2039	Liquid 15.5 fl. oz. Powder	6	..	*1 17 6	MJ
2040	9 oz.	6	..	*3 18 6	WA
2041	1 lb.	6	..	*5 6 6	MJ
	SPIRAMYCIN Any disease or purpose specified for Erythromycin.				
2042	Oral Capsule 250 mg.	20	..	1 18 4	MB
2043	Oral Tablet 250 mg.	20	..	1 18 4	MB
	STANOLONE Mammary carcinoma (authority not required); Long-term corticosteroid therapy with the authority of the Commonwealth Director of Health.				
2044	Oral Tablet 25 mg.	100	..	5 17 8 8 19 8	DF MN
	STILBOESTROL Carcinoma of the prostate; Mammary carcinoma; For the treatment of pensioners for any disease or purpose.				

	Injection				
2047	1 mg.	5	..	*0 9 6	BD
2048	5 mg.	5	..	0 10 9	KL
				0 11 0	BX
				*0 11 4	BD
	Oral Tablet				
2049	0.1 mg.	100	2	0 5 1	HY, KL
2050	0.5 mg.	100	2	0 5 3	AD, DH, FA, HA, HY, KL, MG, RT(QVSWT), RY, SI, SL
2051	1 mg.	100	2	0 5 5	AD, DH, FA, HY, KL, RT(QVSWT), SI, SL
				0 5 8	HA, MG, RY
2052	5 mg.	100	2	0 8 0	AD, BW, DH, FA, HA, HY, KL, MG, RT(QVSWT), RY, SI, SL
2053	10 mg.	100	2	0 12 4	DH, KL, RT(QVSWT)

STREPTOMYCIN SULPHATE

Bacillary dysentery not responding to sulphonamides;

Brucellosis;

Chancroid;

Endocarditis due to streptococcus faecalis;

Endocarditis due to streptococcus viridans;

Infections due to Friedlander bacillus;

Infections due to haemophilus influenzae;

Infections due to pseudomonas pyocyanea;

Plague;

Rat-bite fever - streptobacillus moniliformis;

Salmonella infections;

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	STREPTOMYCIN SULPHATE - cont.				
	Surgical conditions of the bowel (pre-operative and post-operative);				
	Surgical conditions of the thoracic organs;				
	Tuberculosis;				
	Tularaemia;				
	Urinary tract infections which do not respond to sulphonamides.				
2054	Injection 1 G. (solvent required)	5	3	*0 19 8	BT, DH, DL, EV, GL, SI
	Intrathecal Injection -				
2055	100,000 Units (solvent required)	10	3	1 5 3	DL
	Injection				
2056	250,000 Units per ml., 4 ml.	5	3	*1 1 9	DL, GL
2057	500,000 Units per ml., 2 ml.	5	3	*1 1 9	BT, EV, GL
2058	1,000,000 Units per 3 ml., 3 ml.	5	3	*1 1 9	EV, GL
	SULPHASALAZINE				
	Ulcerative colitis.				
2093	Oral Tablet 500 mg.	100	2	1 17 8	MR
	SULTIAME				
	For use where other anti-convulsants have failed.				
	Oral Tablet				
2099	50 mg.	200	1	2 5 8	FB
2100	200 mg.	200	1	5 6 4	FB

SUSTANON						
Any disease or purpose specified for testosterone.						
2101	Injection 250 mg.	1	..	2 17 8	OR	
TESTOSTERONE						
Klinefelter Reifenstein Albright syndrome;						
Mammary carcinoma;						
Castration syndrome, (male and female).						
Implant						
2109	100 mg.	1	..	2 9 8	BD, CB, OR, SC	
2111	200 mg.	1	..	4 5 8	OR	
TESTOSTERONE METHYL						
Any disease or purpose specified for testosterone.						
Oral Tablet						
2112	25 mg.	100	2	2 11 0	HY, KL, PR	
2113	50 mg.	100	2	3 3 0	AN, FM	
				4 9 8	HY, PR	
				5 12 4	AN, KL	
				6 3 0	FM	
Sublingual Tablet						
2404	25 mg.	100	..	8 11 0	CB	
TESTOSTERONE OENANTHATE						
(Testosterone Oen.)						
Any disease or purpose specified for testosterone.						
2114	Injection 250 mg. per ml., 1 ml.	1	..	2 17 8	SC	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TESTOSTERONE PROPIONATE (Testosterone Prop.) Any disease or purpose specified for testosterone. Injection				
2115	25 mg. per ml., 1 ml.	10	..	1 19 0 KL 2 3 0 CB *2 3 0 BD *2 5 9 FH *2 6 8 OR *2 9 8 SC	
2116	50 mg. per ml., 1 ml.	10	..	3 15 0 KL *3 18 11 FH *4 0 4 BD *4 6 1 OR *4 6 4 CB *4 7 0 SC	
2117	50 mg. per ml., 10 ml.	1	..	3 14 0	CB, KL, OR, SC
2118	100 mg. per 2 ml., 2 ml.	3	..	2 8 0	BD, OR, SC
2119	Implant 100 mg.	1	..	2 9 8	BD
	TETRACYCLINE Any disease or purpose specified for chlortetracycline. Injection				
2129	I.V. 100 mg. (solvent required)	5	..	*2 16 4	LE
2130	I.V. 250 mg. (solvent required)	5	..	*4 19 8	LE, PF, SQ
2131	I.M. 100 mg. (solvent required)	5	..	*2 16 4	LE, PF

2403	I.M. 250 mg. (solvent required)	5	..	*5 10 11	LE
	Oral Capsule				
2132	50 mg.	25	..	0 19 0	LE
2133	100 mg.	25	..	1 12 4	LE, LT, PF
2134	250 mg.	16	..	2 0 8	LE, LT, PF, UP
				(ex 100)	
				2 5 4	LE, LT, PF, UP
				(ex M.P.)	
	Oral Tablet				
2136	100 mg.	25	..	1 12 4	LE, PF
2137	250 mg.	16	..	2 5 4	LE, PF, SQ
2138	Oral Paediatric Granules 75 G.	11	..	1 8 0	LE
	Oral Paediatric Drops				
2139	100 mg. per ml., 10 ml.	11	..	0 15 0	LE, UP
	Oral Paediatric Suspension				
2140	125 mg. per 5 ml., 60 ml.	11	..	1 2 4	LE, LT, PF
	TETRACYCLINE (BUFFERED)				
	Any disease or purpose specified for chlortetra-				
	cycline.				
2143	Injection I.M. 100 mg. (solvent required)	5	..	*2 16 4	SQ
	Oral Capsule				
2144	100 mg.	25	..	1 12 4	BC, LE, LT, PF, SQ, UP
2145	250 mg.	16	..	2 0 8	BC, LE, LT, PF, SQ, UP
				(ex 100)	
				2 5 4	BC, LE, LT, PF, SQ, UP
				(ex M.P.)	
	Oral Paediatric Suspension				
2146	125 mg. per 5 ml., 60 ml.	11	..	1 2 0	BC
				1 2 4	LE, LT, PF, SQ, UP

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty	Manufacturer
2147	TETRACYCLINE (BUFFERED) - cont. Oral Paediatric Drops 100 mg. per ml., 10 ml.	‡1	..	0 14 9 0 15 0	BC LE, LT, PF, SQ
2148	TETRACYCLINE (BUFFERED) with AMPHOTERICIN B Any disease or purpose specified for tetracycline with nystatin. Oral Paediatric Drops 100 mg.-20 mg. per ml., 10 ml.	‡1	..	0 15 0	SQ
2149	Oral Paediatric Syrup 125 mg.-25 mg. per 5 ml., 60 ml.	‡1	..	1 2 4	SQ
	TETRACYCLINE (BUFFERED) with NYSTATIN Broad spectrum antibiotic therapy of premature infants; Broad spectrum antibiotic treatment of patients under steroid therapy; Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis; A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for a disease or purpose specified for chlortetracycline.				

2150	Oral Capsule	20	..	1 7 0	SQ
	100 mg.-125,000 Units			1 8 4	UP
2151	250 mg.-250,000 Units	16	..	2 0 8	LT, SQ, UP
				2 3 8	LE
				(ex 100)	
				2 5 4	LT, SQ, UP
				2 8 4	LE
				(ex M.P.)	
THIORIDAZINE					
Any disease or purpose specified for chlorpromazine hydrochloride.					
2402	Oral Solution	11	4	0 14 0	SZ
	3%, 30 ml.				
	Oral Tablet				
2163	10 mg.	100	2	0 15 0	SZ
2359	25 mg.	100	2	1 2 7	SZ
2164	50 mg.	100	2	1 19 0	SZ
2165	100 mg.	100	2	3 15 0	SZ
TRETAMINE					
Malignant Lymphoma and related conditions.					
2179	Oral Tablet 2.5 mg.	5	..	*0 15 5	IC
TRIAMCINOLONE					
Authority necessary to prescribe (See Notes) for -					
Any disease or purpose specified for prednisolone.					
2180	Oral Tablet 4 mg.	30	..	4 5 8	LE, SQ

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TRIFLUOPERAZINE				
	Any disease or purpose specified for chlorpromazine hydrochloride.				
	Oral Tablet				
2185	1 mg.	100	2	1 13 6 SK (ex 500)	
				1 17 8 SK (ex M.P.)	
2386	2 mg.	100	2	2 13 0 SK	
2186	5 mg.	100	2	3 2 4 SK	
	TRIMETAPHAN				
	As a hypotensive in anaesthesia.				
	Injection				
2189	Set containing 250 mg. and 5 ml. water for injection	3	..	6 6 7 RO	
	VASOPRESSIN				
	Diabetes Insipidus				
2401	Nasal Spray 50 Units per ml., 5 ml.	‡1	..	1 1 8 SZ	
	VINBLASTINE				
	Hodgkin's disease				
2198	Injection 10 mg., 10 ml.	1	..	8 10 9 LY	

VITAMIN A						
For the treatment of pensioners only.						
2202	Oral Capsule 50,000 Units	100	..	1 3 0	AN	
				1 19 8	CK	
2203	Oral Tablet 50,000 Units	100	..	1 4 4	AN	
				1 19 8	RO	
VITAMINS COMPOUND						
For the treatment of pensioners only.						
2206	Oral Tablet B.P.C. Capsule Formula	100	1	0 7 9	AD, BD, DH, GL, HY, KL, MG, PH, PR, QE(QNVS), RT(QVSWT), RY, SI, SL, TO, VR	
2207	Oral Capsule B.P.C.	100	1	0 7 9	CK, FA, PH	

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2224	ACRYLIC RESIN Solution 100 ml. Aerosol Spray	1	..	3 9 8	EV
2225	BENZOL(COMMERCIAL) †Application 8 fl. oz.	1	..	†0 3 9	DH
2226	(with instructions for use)				DH
2227	BISMUTH SUBGALLATE †Powder 4 oz.	1	..	†0 16 11	EV
2228	(with instructions for use)			†0 18 0	DH EV DH
2229	CHLORAMINE Deodorant Tablet 120 mg.	500	..	0 18 8	DH
2230	Powder 1 oz.	1	4	0 6 8 0 7 4	PT DH
2231	DEODORANT DETERGENT SOLUTION Solution Lissapol N.100, 120 G.; Spearmint Oil, 1.6 ml. Cetrimide, B.P., 12 G.; 16 fl. oz.	1	..	0 13 8	IC

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DIMETHICONE				
	Cream				
2232	20%, 20 G.	1	..	0 10 7	SS
2233	10%, 50 G.	1	..	0 10 1	HA
				0 10 4	IC
2234	10%, 120 G. (4 oz.)	1	..	0 9 8	FA
	Solution				
2235	9.84%, 220 G. Aerosol Spray	1	..	2 1 11	RK
2427	5%, 340 ml. Aerosol Spray	1	..	2 9 8	BT
	SURGICAL CEMENT				
2238	†Skin Bond Adhesive 4 fl. oz.	1	2	†1 8 2	DY
2239	(with instructions for use)				DY
	TRAGACANTH (GUM KARAYA)				
2240	†Powder 8 oz.	1	..	†1 4 0	EV
2241	(with instructions for use)				EV

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	AMPICILLIN				
	Injection				
2389	250 mg.				
2390	500 mg.				
	BENDROFLUAZIDE				
2408	I.M. Oily Injection 5 mg. per ml., 5 ml.				
	BETHANIDINE				
2416	Oral Tablet 10 mg.				
	CHOLINE THEOPHYLLINATE				
	Oral Tablet				
2297	100 mg.				
2298	200 mg.				
	CLOXACILLIN				
2299	Injection 250 mg.				
2300	Oral Capsule 250 mg.				
	COLISTIN				
2301	I.M. Injection 150 mg.				
	CYCLOSERINE				
2302	Oral Capsule 250 mg.				
2303	Oral Tablet 250 mg.				

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

2304	DESFERRIOXAMINE Injection 500 mg.				
2305	DEXTRAN with DEXTROSE Injection 10%-5%, 500 ml.				
2306	DEXTRAN in NORMAL SALINE Injection 10%, 500 ml.				
2307	DITOPHAL Cream 5 G.				
2308	ETHIONAMIDE Oral Tablet 250 mg.				
2309	FOLINIC ACID Injection 3 mg. per ml., 1 ml.				
2391	FRAMYCETIN Oral Tablet 250 mg.				
2412	FURSEMIDE Oral Tablet 40 mg.				
2413	Injection 20 mg.				
2310	FUSIDIC ACID (Sodium salt or Diethanolamine salt) I.V. Injection 500 mg.				
2311	Oral Suspension 40 mg. per ml., 90 ml.				
2312	Oral Tablet (enteric coated) 250 mg.				

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	HAEMOPHILUS INFLUENZA BACTERIAL SERUM				
	Injection				
2313	1 ml.				
2314	30 ml.				
	HEXACHLOROPHANE with ENTSUFON				
2315	Lotion 3%, 6 fl. oz.				
	HEXACHLOROPHANE with LISSAPOL				
2316	Lotion 3%, 4 fl. oz.				
	HEXACHLOROPHANE in SOAP SOLUTION				
2317	Solution 1.5%, 10 fl. oz.				
	METHACYCLINE				
	Oral Capsule				
2396	75 mg.				
2397	150 mg.				
	METHICILLIN				
2323	Injection 1 G.				
	METHOTREXATE				
	Injection				
2393	5 mg.				
2394	50 mg.				

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

	METHENOLONE OENANTHATE				
	(Methenolone Oen.)				
2322	Injection 100 mg.				
	MITOMYCIN				
2324	Injection 2 mg.				
	NEOMYCIN SULPHATE				
2325	Oral Tablet 500 mg.				
	NORETHANDROLONE				
2326	Injection 25 mg. per ml., 1 ml.				
2327	Oral Tablet 10 mg.				
	NOVOBIOCIN				
2328	Injection 500 mg.				
2329	Oral Capsule 250 mg.				
2330	Syrup 25 mg. per ml., 2 fl. oz.				
	ORCIPRENALINE				
2331	Injection 0.5 mg.				
2332	Solution for Inhalation 5%, 7.5 ml.				
2333	Oral Tablet 20 mg.				
	PERTONEAL DIALYSIS SOLUTION				
2410	Injection with 1.5% Dextrose, 1 litre				
2411	Injection with 7% Dextrose, 1 litre				
	POLYMYXIN B SULPHATE				
2392	Injection 500,000 Units				

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2335	PYRAZINAMIDE Oral Tablet 0.5 G.				
2339	SPIRONOLACTONE Oral Tablet 25 mg.				
2340	THEOPHYLLINE Elixir 16 fl. oz.				
2341	THYROTROPHIN Injection 10 Units				
2342	TRIAMTERENE Oral Capsule 50 mg.				
2343	TRIAZQUONE Injection 0.2 mg. with saline solvent				
2344	Oral Capsule 0.5 mg. (enteric coated)				
2346	VADRINE Oral Tablet 500 mg.				
2347	VANCOMYCIN Injection I.V. 500 mg.				

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

	VINCRIStINE				
	Injection				
2371	1 mg.				
2372	5 mg.				
	VIOMYCIN SULPHATE				
2348	Injection 1 G.				
	VIOMYCIN SULPHATE with VIOMYCIN				
	PANTOTHENATE				
2349	Injection 500 mg.-500 mg.				

SECTION 4 - SCHEDULE OF BENEFITS - DRUG TARIFF

Where Liquids are purchased by weight, the recovery price includes the "Specific Gravity Factor"

A compounding fee (5s. 6d. per 16 oz.) is included in the recovery price for all items compounded from ingredients.

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram		Ounce				Dram		Ounce	
		s.	d.	s.	d.			s.	d.	s.	d.
Acetone, B.P.C.	E	0	2	0	9	ACIDS (cont.)		0	2	0	10
ACIDS						Sulphuric Dilute, B.P.C.		0	7	3	8
Acetic, B.P.		0	1	0	7	Tannic, B.P.		0	3	1	3
Acetic Dilute, B.P.		0	1	0	7	Tartaric, B.P.		1	11	13	1
Acetylsalicylic, B.P.		0	3	1	3	Trichloroacetic, B.P.		2	4	16	2
Benzoic, B.P.		0	3	1	8	Undecenoic, B.P.		7	3	..	
Boric Powder, B.P.		0	1	0	4	Acriflavine, B.P.C.		64	8	1/7 gr.	
Boric Crystals, B.P.		0	1	0	4	Adrenaline, B.P.		1	6	10	5
Citric, B.P.		0	2	1	1	Agar, B.P.C. 54					
Hydrochloric, B.P.		0	2	0	9	ALCOHOLS					
Hydrochloric Dilute, B.P.		0	2	0	9	95%, B.P.	E	0	3	1	3
Hydrocyanic Dilute, B.P.C. 54		1	6	10	5	90%, B.P.	E	0	2	0	11
Hypophosphorous Dilute, B.P.C.		0	4	1	11	Aloes Powder, B.P.		0	4	2	2
Lactic, B.P.		0	5	2	8	Aloin, B.P.C.		2	1	14	1
Oleic, B.P.		0	2	0	10	Alum, B.P.		0	1	0	6
Phosphoric, B.P.		0	3	1	5	Amethocaine Hydrochloride, B.P.	E	49	5	..	
Phosphoric Dilute, B.P.		0	2	0	10	Amidopyrine, B.P.C. 54		2	1	14	3
Salicylic, B.P.		0	3	1	7	Aminacrine Hydrochloride, B.P.		11	3	..	
Stearic, B.P.C.		0	2	0	8	Aminophylline, B.P.		1	4	8	11
					1						

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram		Ounce				Dram		Ounce	
		s.	d.	s.	d.			s.	d.	s.	d.
Ammoniated Mercury, B.P.		1	6	10	4	Benzyl Benzoate Application, B.P.		..	..		
AMMONIUM						Benzyl Benzoate, B.P.		0	4	1	10
Bicarbonate, B.P.C.		0	2	0	8						
Bromide, B.P.C.		0	2	0	10	BISMUTH					
Chloride, B.P.		0	1	0	6	Subgallate, B.P.C.		1	1	7	2
Amylobarbitone B.P.		2	7	18	0	Borax, B.P.		0	1	0	3
Amylobarbitone Sodium B.P.		2	7	18	0	Boroglycerin, B.P.C. 49					
Atropine, B.P.		94	9	2/3: gr		(by weight)		0	4	1	11
Atropine Methonitrate, B.P.		5/10 :		1 gr.		Brilliant Green, B.P.		1	5	9	5
Atropine Sulphate, B.P.		129	2	3/1: gr.		Butyl Aminobenzoate, B.P. 53		6	3	..	
Bacitracin, B.P.	E	2/3 :		1 gr.		Caffeine, B.P.		1	0	6	7
Balsam Peru, B.P.C.		1	5	9	9	Caffeine Citrate, B.P.C. 59		0	11	5	11
Balsam Tolu, B.P.		1	6	10	5	Caffeine Hydrate, B.P.		..	..		
Barbitone Sodium, B.P.		1	10	12	7	Caffeine and Sodium Benzoate, B.P.C. 54		2	7	17	9
Barium Sulphate, B.P.		0	2	1	2	Calamine, B.P.		0	2	0	8
Beeswax White, B.P.		0	5	2	9						
Beeswax Yellow, B.P.C.		0	3	1	6	CALCIUM					
Belladonna Herb, Prepared, B.P.		..		..		Carbonate, B.P.		0	1	0	4
Belladonna Powder, B.P.		..		..		Chloride, B.P.		0	2	1	2
Belladonna Suppository, B.P. 48		..		..		Gluconate, B.P.		0	4	2	1
Bentonite, B.P.		0	1	0	7	Hydroxide, B.P.		0	1	0	6
Benzocaine, B.P.		1	9	11	11	Lactate, B.P.		0	3	1	5
Benzyl Alcohol, B.P.		0	4	2	2						

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
CALCIUM (cont.)		s. d.	s. d.	CREAMS		s. d.	s. d.
Phosphate, B.P.C.		0 2	1 0	Aqueous, B.P.		0 3	1 3
Camphor, B.P.		0 4	2 3	Aqueous Emulsifying Wax,			
Cetrimide, B.P.		1 4	9 2	A.P.F. 55		0 2	0 11
Cetostearyl Alcohol, B.P.		0 4	2 1	Calamine, A.P.F. 55		0 3	1 6
Cetyl Alcohol Compound		..	..	Cetrimide, Aqueous, A.P.F.		0 2	0 10
Chalk, Prepared, B.P.		0 1	0 4	Cetrimide Aqueous, A.P.F. 55		0 3	1 9
Chloral Hydrate, B.P.		0 3	1 9	Cetomacrogol, Aqueous, A.P.F.		0 3	1 3
Chlorbutol, B.P.		0 11	6 2	Cholesterol Oily, A.P.F. 55		0 3	1 3
Chlorhexidine Diacetate	K	8 3	..	Oily, B.P.		0 3	1 9
Chlorhexidine Hydrochloride, B.P.		9 0	..	Sorbolene, P.L.		0 3	1 9
Chlorinated Lime, B.P.		0 1	0 7	Zinc, B.P.		0 2	0 10
Chlorocresol, B.P.		0 11	5 11	Zinc, Oily, A.P.F.		0 2	1 0
Chloroform, B.P.		0 3	1 3	Zinc, Oily, A.P.F. 55		0 2	0 10
Cocaine, B.P.		56 5	..	Creosote, B.P.C. 59		0 11	6 3
Cocaine Hydrochloride, B.P.		66 4	..	Crystal Violet, B.P.		1 10	12 10
Codeine, B.P.C. 54		38 8	..	Dextrose, B.P.		0 2	0 8
Codeine Phosphate, B.P.		11 4	..	Dextrose Monohydrate, B.P.		0 2	0 10
Collodion Acid Salicylic,				Dibutyl Phthalate, B.P.		0 4	2 3
A.P.F. 55 (by weight)		0 3	1 6	Dicophane, B.P.		0 3	1 7
Collodion Flexible, B.P.				Digitalis Leaf, B.P.		0 10	5 9
(by weight)		0 2	1 0	Digitalis Prepared, B.P.		..	
Colophony, B.P.		0 2	0 11	Dimethyl Phthalate, B.P.		0 4	2 3
Copper Sulphate, B.P.C.		0 3	1 4	Dithranol, B.P.		12 3	

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
DUSTING POWDERS		s. d.	s. d.	EXTRACTS		s. d.	s. d.
Absorbable, B.P.		..	..	Belladonna Dry, B.P.		1 8	11 8
Boric Acid and Starch, B.P.C. 54		0 2	0 9	Cascara Dry, B.P.		..	..
Kaolin Compound, A.P.F.		0 2	0 10	Cascara Liquid, B.P.		0 4	1 11
				Ergot Liquid, B.P. 14		0 10	5 9
ELIXIRS				Hamamelis Liquid, B.P.C.		0 9	5 1
Ephedrine, A.P.F. 55		..	..	Hyoscyamus Dry, B.P.		1 8	11 3
Cascara, B.P.		0 5	2 7	Hyoscyamus Liquid, B.P.		0 6	3 4
Simple, B.P.C. 49		0 2	0 10	Ipecacuanha Liquid, B.P.		3 7	24 7
Emulsion Paraffin and Agar, A.P.F. 55	P	0 2	0 8	Liquorice Liquid, B.P.		0 3	1 6
Emulsion Paraffin Liquid, B.P. 58	P	0 2	1 1	Male Fern, B.P.		2 8	18 5
Emulsion Paraffin Liquid, A.P.F. 55	P	0 2	1 1	Nux Vomica Dry, B.P.C.		1 6	10 5
Emulsifying Wax, B.P.		0 4	1 11	Nux Vomica Liquid, B.P.		0 7	3 7
Ephedrine, B.P.C.		6 6	..	Stramonium Liquid, B.P.		0 8	4 4
Ephedrine Hydrochloride, B.P.		2 7	..				
Ethanolamine, B.P.C.		..	..	FERRIC			
Ether Anaesthetic, B.P.		0 2	0 11	Ammonium Citrate, B.P.		0 3	1 4
Ether Solvent, B.P.		0 2	0 8				
Eucalyptol, B.P.C.		0 9	5 0	FERROUS			
Eye Ointment Base, B.P.		0 2	1 0	Carbonate Saccharated, B.P.C. 59		0 4	2 3
				Sulphate, B.P.		0 2	1 1
				Sulphate, Dried, B.P.		0 2	0 10
				Fluorescein Sodium, B.P.		1 9	12 2

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
Gamma Benzene Hexachloride, B.P.		s. d.	s. d.	INFUSIONS		s. d.	s. d.
Gelatin, B.P.		0 9	5 1	Buchu Concentrated, B.P.C. 54 1-7		0 5	2 5
Glycanth, A.P.F. 55		0 3	1 9	Calumba Concentrated, B.P. 48 1-7		0 4	2 2
Glycerin, B.P.		0 2	1 0	Cloves Concentrated, B.P.C. 54 1-7		0 5	2 11
GLYCERINS		0 3	1 3	Gentian Compound, B.P.		..	..
Borax, B.P.C. 59		0 3	1 8	Gentian Compound Concentrated B.P. 1-7		0 2	1 1
Boric Acid, B.P. 48		0 6	3 1	Orange Peel Concentrated B.P.C., 1-7		0 4	1 10
Ichthammol, B.P.C.		0 5	2 6	Orange Peel Compound Concen- trated, B.P.C. 54, 1-7		0 3	1 4
GUMS				Senega Concentrated, B.P.C., 1-7		0 6	3 3
Acacia, B.P.		0 2	1 2	Senna Concentrated, B.P.C. 59, 1-7		0 5	2 8
Myrrh Powder, B.P.C.		0 10	5 6	Iodine, B.P.		1 1	7 5
Tragacanth, B.P.		0 9	5 1	Iodoform, B.P.C. 54		1 8	11 6
Homatropine Hydrobromide, B.P.		136/10:	3/3 gr.	Isoprenaline Sulphate, B.P.		28 6	..
Honey Purified, B.P.C.(by weight)		0 1	0 4	Kaolin Heavy, B.P.		0 1	0 6
Honey Purified, B.P.C.(by volume)		0 1	0 6	Kaolin Light, B.P.		0 1	0 7
Hydrogen Peroxide 20 Volume, B.P.		0 1	0 5	Lactose, B.P.		0 1	0 6
Hyoscine Hydrobromide, B.P.		239/5 :	5/7 gr.	Lard Benzoinated, B.P.C. 54		0 3	1 9
Ichthammol, B.P.		0 3	1 9				

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram		Ounce				Dram		Ounce	
LINIMENTS											
Ammonia, B.P.C. 49		s.	d.	s.	d.	Methylcellulose, B.P.		s.	d.	s.	d.
Camphor, B.P.		0	2	0	11	Methylene Blue, B.P.		0	10	5	5
Iodine Compound, A.P.F. 55		0	2	1	1			1	9	11	11
Methyl Salicylate, A.P.F.		0	4	1	10	METHYL					
Methyl Salicylate Compound		0	3	1	7	Salicylate, B.P.		0	3	1	7
A.P.F. 55		0	4	2	1						
Turpentine, B.P.		0	2	0	9	MIXTURES					
LOTIONS											
Calamine, B.P.		0	1	0	7	Aluminium Hydroxide, A.P.F.		0	1	0	7
Lead and Opium, B.P.C. 59		0	2	0	9	Aluminium Hydroxide,					
Magenta, B.P.C.		1	6	10	5	A.P.F. 55		0	1	0	5
						Magnesium Hydroxide, B.P.		0	1	0	7
MAGNESIUM											
Carbonate Heavy, B.P.		0	2	0	8	Senna Compound, B.P.C. 59		0	3	1	7
Carbonate Light, B.P.		0	2	0	8	Morphine Hydrochloride, B.P.		27	7	..	
Oxide Light, B.P.		0	4	2	3	Morphine Sulphate, B.P.		36	1	..	
Sulphate, B.P.		0	1	0	2	Mucilage Methylcellulose, A.P.F.		0	2	0	8
Sulphate Dried, B.P.		0	1	0	7	Mucilage Tragacanth, B.P.		0	1	0	7
Trisilicate, B.P.		0	2	1	1						
Menthol, B.P.		2	1	14	1	OILS					
MERCURIC											
Chloride, B.P.C.		1	3	8	3	Almond Volatile Bitter,					
						B.P.C. 59		1	7	11	1
						Anise, B.P.		0	11	6	4
						Arachis, B.P.		0	1	0	6
						Cade, B.P.C.		0	4	2	2
						Caraway, B.P.C.	E	1	10	12	8

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
OILS (cont.)		s. d.	s. d.	OINTMENTS (cont.)		s. d.	s. d.
Castor, B.P.	E	0 2	0 9	Cod Liver Oil, A.P.F.		0 3	1 8
Citronella, B.P.C.		0 6	3 1	Emulsifying, B.P.		0 4	2 0
Clove, B.P.		0 11	5 11	Gall and Opium, B.P.C.		0 7	4 0
Coconut, B.P.C. 49		0 2	0 10	Hamamelis, B.P.C.		0 7	3 7
Cod Liver, B.P.		0 1	0 6	Iodine (non-staining), B.P.C.		0 3	1 4
Coriander, B.P.		9 6	..	Iodine, Stainless, A.P.F.		0 4	2 2
Cotton Seed, B.P.		0 2	0 8	Menthol Compound,			
Eucalyptus, B.P.		0 3	1 3	A.P.F. 55		0 5	2 10
Lavender Spike, B.P.C.		0 9	4 9	Mercuric Salicylate,			
Linseed, B.P.		0 1	0 6	A.P.F. 55		0 3	1 9
Maize, B.P.		0 2	0 10	Mercurous Chloride, B.P. 48		..	..
Olive, B.P.		0 2	0 10	Mercury Compound, B.P.C. 59		0 7	4 0
Peppermint, B.P.		1 5	9 6	Methyl Salicylate, B.P.C.		0 5	2 9
Siberian Fir, B.P.C. 49		1 2	7 9	Paraffin White, B.P.		0 3	1 4
Theobroma, B.P.		0 6	3 5	Paraffin Yellow, B.P.		0 2	1 1
Turpentine, B.P.		0 4	1 11	Phenol, B.P. 48		0 4	2 0
				Salicylic Acid, B.P.		0 4	2 2
OINTMENTS				Simple White, B.P.		0 3	1 5
Benzocaine and Adrenaline,				Simple Yellow, B.P.		0 3	1 5
A.P.F. 55		0 5	2 11	Sulphur, B.P.		0 4	1 10
Benzoic Acid Compound,				Tar, B.P.C. 59		0 4	2 4
A.P.F. 55		0 3	1 7	Wool Alcohols, B.P.		0 3	1 8
Boroglycerin, A.P.F. 55		0 3	1 4	Zinc, B.P.		0 3	1 7
Capsicum, B.P.C.		0 5	2 5	Zinc and Castor Oil, B.P.		0 5	2 9

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price				
		Dram	Ounce			Dram	Ounce			
OINTMENTS (cont.)				PASTES						
Zinc Undecenoate, B.P.		0	9	5	0	Zinc Compound, B.P.	0	3	1	4
						Zinc and Salicylic Acid, B.P.	0	3	1	4
OPHTHALMIC						Pectin (Apple or Citrus)	1	3	8	4
Phosphate Buffer, A.P.F. 55						Penicillin Oily Injection	..		..	
Cetrimide		0	4	2	2	Pentobarbitone Sodium, B.P.	4	3		..
Chlorbutol		0	4	2	2	Phenacetin, B.P.	0	4	2	0
Paraben		0	4	2	2	Phenazone, B.P.C.	0	7	3	9
Vehicle, A.P.F. 55						Phenobarbitone, B.P.	1	3	8	4
Cetrimide		0	4	2	2	Phenobarbitone Sodium, B.P.	1	3	8	4
Chlorbutol		0	4	2	2	Phenol, B.P.	0	2	1	1
Paraben		0	4	2	2	Phenol Liquified, B.P.	0	3	1	4
Vehicle Oily, A.P.F. 55		0	4	2	2	Phenolphthalein, B.P.	1	3	8.	5
Vehicle Thickened, A.P.F. 55		0	4	2	2	Phenylephrine Hydrochloride, B.P.	25	0		..
Oxymel, B.P.C.		0	3	1	3	Phenylmercuric Nitrate, B.P.	14	4		..
Oxymel of Squill, B.P.C.		0	2	0	9	Pholcodine, B.P.	42	7		..
Papaverine Hydrochloride, B.P.	10	5		..		Phthalylsulphathiazole, B.P.	1	11	13	1
Paraffin Hard, B.P.	0	1	0	6		Physostigmine, B.P.C.	22/10:		1	gr.
Paraffin Liquid, B.P.	0	1	0	4		Physostigmine Salicylate, B.P.	17/1 :		1	gr.
Paraffin Liquid Light, B.P.C.	0	1	0	6		Pilocarpine Nitrate, B.P.	137	3	3/3	gr.
Paraffin Soft White, B.P.	0	1	0	7		Podophyllum Resin, B.P.	2	10	19	10
Paraffin Soft Yellow, B.P.	0	1	0	6						
Paraldehyde, B.P.	0	4	1	11		POTASSIUM				
						Bromide, B.P.	0	2	0	10
						Chlorate, B.P.C.	0	3	1	6

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram		Ounce				Dram		Ounce	
POTASSIUM (cont.)		s.	d.	s.	d.	ROOTS		s.	d.	s.	d.
Chloride, B.P.		0	2	1	1	Liquorice, B.P.		0	2	1	0
Citrate, B.P.		0	2	0	11	Santonin, B.P.		14	2	..	
Hydroxide, B.P.		0	5	2	5	Scarlet Fever Antitoxin, B.P.		..		..	
Iodide, B.P.		0	5	2	7	Silver Nitrate, B.P.		4	3	29	8
Nitrate, B.P.		0	2	0	8	Silver Protein, B.P.C.		..		..	
Permanganate, B.P.		0	2	1	0	Silver Protein Mild, B.P.C.		3	10	26	8
POWDERS						SOAPS					
Ipecacuanha and Opium, B.P.		1	2	7	11	Alcoholic, A.P.F.		0	2	0	11
Tragacanth Compound, B.P.		0	3	1	7	Curd, B.P.C.		0	1	0	6
Procaine Hydrochloride, B.P.		1	10	12	10	Ethereal, A.P.F. 55		0	2	1	2
Proflavine Hemisulphate, B.P.		13	2	..		Soft, B.P.		0	2	1	0
Propylene Glycol, B.P.		0	4	2	4						
Pyroxylin, B.P.		..		..		SODIUM					
Quinalbarbitone Sodium, B.P.		3	7	25	0	Acid Citrate, B.P.		0	3	1	5
Quinidine Sulphate, B.P.		6	11	48	0	Acid Phosphate, B.P.		0	5	2	7
QUININE						Benzoate, B.P.		0	3	1	8
Bisulphate, B.P.		2	10	19	10	Bicarbonate, B.P.		0	1	0	3
Dihydrochloride, B.P.		..		..		Bromide, B.P.		0	2	0	10
Hydrochloride, B.P.		2	7	17	10	Carbonate Anhydrous, B.P.C.		0	2	1	2
Sulphate, B.P.		2	2	15	0	Chloride, B.P.		0	1	0	6
Resorcinol, B.P.		1	2	7	10	Citrate, B.P.		0	2	0	11
Rhubarb, B.P.		0	6	3	5	Hydroxide, B.P.		0	5	2	8
						Iodide, B.P.		1	1	7	7

Drug	Re- stric- tions	Recovery Price		Drug	Re- stric- tions	Recovery Price	
		Dram	Ounce			Dram	Ounce
SODIUM (cont.)		s. d.	s. d.	SOLUTIONS (cont.)		s. d.	s. d.
Metabisulphite, B.P.		0 3	1 6	Ferrous Phosphate with Quinine and Strychnine No. 1		0 4	1 11
Nitrite, B.P.C.		0 10	5 9	Ferrous Phosphate with Quinine and Strychnine No. 2		0 7	3 10
Phosphate, B.P.		0 3	1 4	Formaldehyde, B.P.		0 2	0 8
Salicylate, B.P.		0 3	1 3	Iodine Aqueous, B.P.		0 3	1 9
Sulphate, B.P.		0 1	0 2	Iodine Simple, B.P.C. 59		0 5	2 5
SOLUTIONS				Iodine Weak, B.P.		0 3	1 6
Adrenaline B.P.		0 9	5 3	Lead Subacetate Dilute, B.P.		0 1	0 7
Adrenaline Hydrochloride, B.P. 53		0 9	4 10	Lead Subacetate Strong, B.P.		0 3	1 6
Aluminium Acetate, B.P.C.		0 2	1 2	Morphine Hydrochloride, B.P.		0 5	2 11
Amaranth, A.P.F.		0 3	1 4	Nasal Concentrated, A.P.F. 55		0 4	2 3
Amaranth, Compound, A.P.F.		0 1	0 7	Potassium Hydroxide, B.P.		0 2	0 11
Amaranth, B.P.C.		0 2	0 9	Quinine Ammoniated, B.P.C.		0 3	1 7
Ammonia Strong, B.P.C.		0 1	0 7	Sodium Chloride, B.P.C.		0 1	0 6
Ammonium Acetate Strong, B.P.C.		0 2	1 1	Tartrazine, A.P.F.		0 1	0 7
Benzalkonium Chloride, 50%, B.P.		..	..	Sorbolene, A.P.F. 55		0 5	2 10
Benzoic, Acid, A.P.F.		0 4	2 3	SPIRITS			
Benzoic Acid, B.P.C.		0 4	2 0	Ammonia Aromatic, B.P.C.		0 3	1 6
Calcium Hydroxide, B.P.		0 1	0 2	Anise, B.P.C. 49		0 4	2 0
Carmine, A.P.F.	E	0 10	5 10	Cajuput, B.P. 48		0 4	1 11
Coal Tar, B.P.		0 4	2 1	Camphor, B.P.C. 59		0 3	1 9

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram.		Ounce				Dram.		Ounce	
SPIRITS (cont.)						SYRUPS (cont.)					
Chloroform, B.P.	K	s.	d.	s.	d.	Ferrous Phosphate with Quinine and Strychnine, B.P.C.		s.	d.	s.	d.
Cinnamon, B.P.C. 49		0	3	1	5	Ginger, B.P.		0	3	1	7
Ether Nitrous, B.P.C. 59		0	6	3	5	Glucose Liquid, B.P.C.		0	2	1	0
Methylated Industrial, B.P.		0	5	2	6	Glycerophosphate Compound,		0	2	1	1
Peppermint, B.P.C.		0	1	0	3	A.P.F. 55		0	2	0	9
Starch, B.P.		0	5	2	7	Golden Acidified, A.P.F. 55		0	2	0	10
Streptomycin Sulphate, B.P.		0	1	0	4	Lemon, A.P.F.		0	2	1	0
Strychnine, B.P.C. 59		5/0 :	1	Gram		Lemon, B.P. 58		0	3	1	3
Succinylsulphthiazole, B.P.		7	2	50	2	Lemon, Neutral, A.P.F.		0	2	1	0
Sucrose, B.P.		1	2	7	11	Lemon Neutral, A.P.F. 55		0	2	1	1
Sulphacetamide Sodium, B.P.		0	1	0	3	Orange, B.P.		0	2	0	10
Sulphadiazine, B.P.		1	9	11	11	Pholcodine Citrate, B.P.C. 59		0	3	1	5
Sulphadimidine, B.P.		2	4	16	2	Red, A.P.F.		0	2	1	1
Sulphur Precipitated, B.P.	2	4	16	2	Red, A.P.F. 55		0	2	1	0	
Sulphur Sublimed, B.P.C.	0	2	0	9	Simple, B.P.		0	1	0	5	
Sulphurated Potash, B.P.C.	0	1	0	5	Squill, B.P.C.		0	2	0	10	
	0	5	2	5	Tolu, B.P.		0	2	1	0	
SYRUPS						Talc Purified, B.P.		0	1	0	3
Aromatic, A.P.F.		0	2	1	0	Tar, B.P. (by weight)		0	2	0	9
Chloral, B.P.C.		0	2	1	2	Tar Coal, B.P.C.		0	1	0	7
Codeine Phosphate, B.P.C.		0	3	1	4	Tar Coal Prepared, B.P.		0	2	1	0
Ferrous Phosphate Compound, B.P.C.		0	2	0	10	Tartrazine B.P.C. 54		1	9	12	0
						Theophylline, B.P.		1	7	11	0

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram		Ounce				Dram		Ounce	
		s.	d.	s.	d.	TINCTURES (cont.)		s.	d.	s.	d.
Theophylline Hydrate, B.P.		1	6	10	6	Lemon, B.P. 58		0	4	1	11
Thymol, B.P.		1	5	9	5	Lobelia Ethereal, B.P.C.		0	6	3	0
Thymol Mouth Wash Compound, A.P.F.		0	3	1	3	Myrrh, B.P.C.		0	5	2	9
						Nux Vomica, B.P.		0	3	1	8
						Opium, B.P.		0	6	3	3
TINCTURES						Opium Camphorated, B.P.		0	3	1	4
Belladonna, B.P.		0	3	1	7	Orange, B.P.		0	4	1	10
Benzoin, B.P.C.		0	4	2	3	Quillaia, B.P.C.		0	5	2	9
Benzoin Compound, B.P.C.		0	5	2	7	Rhubarb Compound, B.P.		0	4	1	11
Calumba, B.P. 48		..		..		Squill, B.P.C.		0	3	1	6
Capsicum, B.P.C.		0	4	2	3	Stramonium, B.P.		0	3	1	6
Cardamom Compound, B.P.		0	3	1	5	Strophanthus, B.P. 48		0	10	5	8
Cardamom Aromatic, B.P.C.		0	5	2	9	Tolu, B.P.C. 59		..		..	
Catechu, B.P.C.		0	4	2	0	Valerian Ammoniated, B.P.C.		0	5	2	8
Cochineal, B.P. 48		0	4	2	0	Triethanolamine, B.P.C.		0	3	1	6
Colchicum, B.P.		0	4	2	0	Trinitrophenol, B.P.C. 59		1	5	9	11
Cudbear, A.P.F. 47		0	7	3	8	Urethane B.P.		1	7	10	11
Digitalis, B.P.C. 59		0	5	2	6	Vinegar of Squill, B.P.C.		0	2	0	11
Gelsemium, B.P.C.		0	4	1	11						
Gentian Compound, B.P.		0	5	2	6	WATERS					
Ginger Strong, B.P.		0	5	2	11	Anise Conc., B.P.C. 1-39		0	3	1	8
Ginger Weak, B.P.		0	4	1	10	Camphor Conc., B.P.C. 49 1-39		0	3	1	8
Hyoscyamus, B.P.		0	3	1	6	Chlorbutol, A.P.F. 55		0	1	0	7
Ipecacuanha, B.P.		0	6	3	5	Chloroform, B.P.		..		..	

Drug	Re- stric- tions	Recovery Price				Drug	Re- stric- tions	Recovery Price			
		Dram		Ounce				Dram		Ounce	
WATERS (cont.)		s.	d.	s.	d.			s.	d.	s.	d.
Chloroform Conc., B.P.C. 59,						Wool Fat Hydrous, B.P.		0	2	1	0
1-39		0	3	1	6	Xylene, B.P.C. 49	E	0	3	1	7
Cinnamon Conc., B.P.C.1-39		0	4	2	0						
Peppermint Conc., B.P.1-39		0	3	1	5	ZINC					
Potable		..		..		Gelatin, B.P.		0	3	1	9
Purified or Distilled, B.P.		0	1	0	1	Oxide, B.P.		0	1	0	6
Wool Alcohols, B.P.		0	9	4	9	Sulphate, B.P.		0	3	1	3
Wool Fat, B.P.		0	2	1	0	Undecenoate, B.P.		1	5	9	6

RESTRICTIONS

E - Items which may only be prescribed as additives.

K - The following drugs are restricted to the forms shown below --

Streptomycin	..	..	..	..	Ear Drops
Chlorhexidine Diacetate	..	..	..	..	Eye Drops.

P - Items limited in use to pensioners in possession of a P.M.S. Entitlement Card.

TABLE OF CODES, MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty. or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty. or No. of Units	Number of Repeats
10	Applications	8 fl. oz.	1	34	Other Linctuses	4 fl. oz.	4
11	Capsules	12	1	38	Liniments	4 fl. oz.	1
12	Collodions	240 min.	2	39	Lotions	8 fl. oz.	4
35	Confections	4 oz.	2	58	Magmas	4 fl. oz. or 4 oz.	1
13	Creams	4 oz.	1	40	Mixtures	8 fl. oz.	4
14	Draughts	8 fl. oz.	4	41	Mixtures for Children	4 fl. oz.	4
15	Ear Drops	1/2 fl. oz.	2	30	Mouth Washes	8 fl. oz.	4
16	Elixirs	4 fl. oz.	4	60	Mucilages	4 fl. oz.	..
17	Emulsions	16 fl. oz.	4	42	Nasal Instillations	1/2 fl. oz.	2
18	Enemas	4 fl. oz.	1	43	Ointments, Waxes	4 oz.	1
19	Extracts, Fluid	4 fl. oz.	1	44	Paints	1 fl. oz.	1
20	Eye Drops of Physostigmine	240 min.	6	57	Parogens	4 fl. oz.	2
21	Eye Drops of Pilocarpine	240 min.	6	45	Pastes	4 oz.	1
22	Other Eye Drops	240 min.	2	46	Pessaries	12	1
23	Eye Lotions	8 fl. oz.	4	47	Poultices	1 lb.	1
24	Eye Ointments	60 gr.	..	48	Powders, Dusting	4 oz.	1
25	Gargles	8 fl. oz.	4	49	Powders for internal use	4 oz.	2
26	Gelatins	4 oz.	1	50	Powders, Individual	12	1
27	Glycanths	4 oz.	1	51	Powders, Irrigation	4 oz.	1
28	Glycerins	4 fl. oz.	1	51	Soaps	4 fl. oz.	1
29	Inhalations	2 fl. oz.	1	52	Solutions	4 fl. oz.	1
32	Irrigations	8 fl. oz.	4	59	Spirits	1 fl. oz.	..
33	Insufflations	1 oz.	1	53	Sprays	1/2 fl. oz.	2
31	Injections - Ampoules	5 amps.	1	54	Suppositories	12	1
	Vials	1 vial.	1	55	Syrups	4 fl. oz.	4
34	Linctuses of Codeine and Morphine	4 fl. oz.	2	56	Tinctures	1 fl. oz.	1
34	Linctuses of Codeine and Morphine (for children)	4 fl. oz.	4	62	Unna's Paste	8 oz.	..

TABLE OF CODES, MAXIMUM METRIC QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty. or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty. or No. of Units	Number of Repeats
10	Applications	200 ml.	1	34	Other Linctuses	100 ml.	4
11	Capsules	12	1	38	Liniments	100 ml.	1
12	Collodions	15 ml.	2	39	Lotions	200 ml.	4
35	Confections	100 G.	2	58	Magmas	100 ml. or	
13	Creams	100 G.	1		100 G.		1
14	Draughts	200 ml.	4	40	Mixtures	200 ml.	4
15	Ear Drops	15 ml.	2	41	Mixtures for Children	100 ml.	4
16	Elixirs	100 ml.	4	30	Mouth Washes	200 ml.	4
17	Emulsions	400 ml.	4	60	Mucilages	100 ml.	..
18	Enemas	100 ml.	1	42	Nasal Instillations	15 ml.	2
19	Extracts, Fluid	100 ml.	1	43	Ointments, Waxes	100 G.	1
20	Eye Drops of Physostigmine	15 ml.	6	44	Paints	25 ml.	1
21	Eye Drops of Pilocarpine	15 ml.	6	57	Parogens	100 ml.	2
22	Other Eye Drops	15 ml.	2	45	Pastes	100 G.	1
23	Eye Lotions	200 ml.	4	46	Pessaries	12	1
24	Eye Ointments	5 G.	..	47	Poultices	1b	1
25	Gargles	200 ml.	4	48	Powders, Dusting	100 G.	1
26	Gelatins	100 G.	1	49	Powders for internal use	100 G.	2
27	Glycanths	100 G.	1	50	Powders, Individual	12	1
28	Glycerins	100 ml.	1	61	Powders, Irrigation	100 G.	1
29	Inhalations	50 ml.	1	51	Soaps	100 ml.	1
32	Irrigations	200 ml.	4	52	Solutions	100 ml.	1
33	Insufflations	25 G.	1	59	Spirits	25 ml.	..
31	Injectons - Ampoules	5 amps.	1	53	Sprays	15 ml.	2
	Vials	1 vial	1	54	Suppositories	12	1
34	Linctuses of Codeine and Morphine	100 ml.	2	55	Syrups	100 ml.	4
34	Linctuses of Codeine and Morphine (for children)	100 ml.	4	56	Tinctures	25 ml.	1
				62	Unna's Paste	200 G.	..

SECTION 5 — PRESCRIBER'S LIST

PRESCRIPTION

APPLICATIONS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

7945 BENZYL BENZOATE with DICOPHANE

Dicophane B.P.	40 gr.
Benzyl Benzoate B.P.	1 fl. oz.
Triethanolamine B.P.C.	12 min.
Stearic Acid B.P.C.	40 gr.
Distilled Water, B.P. to	4 fl. oz.

7949 DICOPHANE

Dicophane B.P.	34 gr.
Emulsifying Wax B.P.	70 gr.
Xylene B.P.C. 1949	290 min.
Oil of Citronella B.P.C.	10 min.
Water to	4 fl. oz.

7951 GAMMA BENZENE HEXACHLORIDE

Gamma Benzene Hexachloride, B.P.	3.5 gr.
Castor Oil B.P.	192 min.
Spike Lavender Oil B.P.C.	10 min.
Industrial Methylated Spirit B.P. to	4 fl. oz.

PRESCRIPTION

CREAMS

(Maximum Quantity, 4 oz. 1 Repeat)

7985 AMINACRINE HYDROCHLORIDE

Aminacrine Hydrochloride B.P.	1 gr.
Cetrimide Aqueous Cream, A.P.F. 1955 to	960 gr.

7997 CALAMINE

Oleic Acid, B.P.	4 gr.
Arachis Oil, B.P.	212 gr.
Wool Fat, B.P.	212 gr.
Calamine, B.P.	288 gr.
Solution of Calcium Hydroxide, B.P. to	960 gr.

7917 CETRIMIDE

Cetrimide, B.P.	5 gr.
Cetostearyl Alcohol, B.P.	96 gr.
Liquid Paraffin, B.P.	96 gr.
Distilled Water, B.P. to	960 gr.

8010 COLD

Borax, B.P. Powder	12gr.
Distilled Water, B.P.	218 min.
White Beeswax, B.P.	178 gr.
Arachis Oil, B.P.	576 gr.

CREAMS—*contd.*

8014 EMULSIFYING WAX (BUFFERED)

Sodium Phosphate, B.P.	25 gr.
Citric Acid, B.P.	5 gr.
Chlorocresol, B.P.	1 gr.
Emulsifying Ointment, B.P.	300 gr.
Distilled Water, B.P. to	960 gr.

8015 GAMMA BENZENE HEXACHLORIDE

Gamma Benzene Hexachloride, 9 gr. B.P.	
Stearic Acid, B.P.C.	19 gr.
Cetostearyl Alcohol, B.P.	192 gr.
Triethanolamine, B.P.C.	15 gr.
Glycerin, B.P.	77 gr.
Distilled Water, B.P. to	960 gr.

8017 GLYCERIN

Glycerin, B.P.	192 gr.
Solution of Calcium Hydroxide, B.P.	338 min.
Arachis Oil, B.P.	212 gr.
Wool Fat, B.P.	250 gr.

8082 SOFT ZINC

Light Liquid Paraffin, B.P.C.	346 gr.
Zinc Cream, B.P. to	1,920 gr.

7928 SORBOLENE

Sorbolene, A.P.F. 1955	96 gr.
Hard Paraffin, B.P.	57 gr.
Liquid Paraffin, B.P.	260 gr.
Chlorocresol, B.P.	1 gr.
Distilled Water, B.P.	546 gr.

DUSTING POWDERS

(Maximum Quantity, 4 oz. 1 Repeat)

9830 BENZOCAINE

Benzocaine, B.P.	48 gr.
Compound Dusting Powder of Kaolin, A.P.F. to	480 gr.

9847 KAOLIN COMPOUND

Light Kaolin, B.P.	480 gr.
Zinc Oxide, B.P.	480 gr.
Talc, Purified, B.P. to	1,920 gr.

9865 UNDECENOIC ACID

Undecenoic Acid, B.P.	10 gr.
Zinc Undecenoate, B.P.	100 gr.
Light Kaolin, B.P.	10 gr.
Talc, Purified, B.P. to	480 gr.

PRESCRIPTION

EAR DROPS

(Maximum Quantity $\frac{1}{2}$ fl. oz. 2 Repeats)

8129 ACID BORIC

Boric Acid, B.P. 4 gr.
Industrial Methylated Spirit, B.P. 120 min.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

8185 ACID SALICYLIC

Salicylic Acid, B.P. 4 gr.
Industrial Methylated Spirit, B.P. 120 min.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

8122 AMINACRINE HYDROCHLORIDE

Aminacrine Hydrochloride, B.P. 0.25 gr.
Cetrimide, B.P. 0.125 gr.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

8145 CRYSTAL VIOLET

Crystal Violet, B.P. 2 gr.
Industrial Methylated Spirit, B.P. 120 min.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

8156 HYDROGEN PEROXIDE

Solution of Hydrogen Peroxide,
B.P. 120 min.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

PRESCRIPTION

8158 ICHTHAMMOL

Ichthammol, B.P. 24 min.
Glycerin, B.P. to $\frac{1}{2}$ fl. oz.

8194 SODIUM BICARBONATE

Sodium Bicarbonate, B.P. 8 gr.
Glycerin, B.P. 180 min.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

8205 SPIRIT INDUSTRIAL METHYLATED

Industrial Methylated Spirit, B.P. 170 min.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

8207 STREPTOMYCIN SULPHATE

Streptomycin Sulphate, B.P. 1 G.
Normal Saline, B.P.C. to $\frac{1}{2}$ fl. oz.

8208 SULPHACETAMIDE SODIUM

Sulphacetamide Sodium, B.P. 22 gr.
Boric Acid, B.P. 4 gr.
Industrial Methylated Spirit, B.P. 120 min.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

EYE OINTMENT

(Maximum Quantity, 60 gr. No repeats)

8454 ICHTHAMMOL and ZINC OXIDE

Ichthammol, B.P.	0.5 gr.
Zinc Oxide, B.P.	0.5 gr.
Eye Base, B.P. to	60 gr.

INHALATIONS

(Maximum Quantity, 2 fl. oz. 1 Repeat)

8567 BENZOIN COMPOUND

Menthol, B.P.	24 gr.
Oil of Siberian Fir, B.P.C. 1949	24 min.
Compound Tincture of Benzoin, B.P.C. to	1 fl. oz.

8580 MENTHOL COMPOUND

Menthol, B.P.	15 gr.
Creosote, B.P.C. 1959	15 min.
Oil of Siberian Fir, B.P.C. 1949	30 min.
Alcohol 90%, B.P. to	1 fl. oz.

LINCTUSES

(Except where shown, Maximum Quantity, 4 fl. oz., 4 Repeats)

8620 CAMPHORATED TINCTURE OF OPIUM

Camphorated Tincture of Opium, B.P.	20 min.
Oxymel of Squill, B.P.C.	15 min.
Acidified Golden Syrup A.P.F. 1955 to	60 min.

7911 CODEINE PHOSPHATE

(Maximum Quantity, 4 fl. oz., 2 Repeats)

Codeine Phosphate, B.P.	0.5 gr.
Distilled Water, B.P.	5 min.
Glycerin, B.P.	15 min.
Oxymel of Squill, B.P.C. to	60 min.

8632 MORPHINE HYDROCHLORIDE

(Maximum Quantity, 4 fl. oz., 2 Repeats)

Solution of Morphine Hydro- chloride, B.P.	10 min.
Red Syrup, A.P.F. 1955	15 min.
Syrup, B.P. to	60 min.

7854 PHOLCODINE

Syrup of Pholcodine Citrate B.P.C. 1959	30 min.
Syrup, B.P. to	60 min.

PRESCRIPTION

LINIMENTS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

7916 CALAMINE COMPOUND

Phenol, B.P.	7.5 gr.
Camphor, B.P.	7.5 gr.
Liquid Paraffin, B.P.	480 min.
Emulsifying Wax, B.P.	45 gr.
Talc, Purified, B.P.	120 gr.
Calamine, B.P.	120 gr.
Water to	4 fl. oz.

8654 METHYL SALICYLATE

Methyl Salicylate, B.P.	480 min.
Arachis Oil, B.P. to	4 fl. oz.

8658 TURPENTINE

Camphor, B.P.	88 gr.
Turpentine Oil, B.P.	1248 min.
Triethanolamine, B.P.C.	40 min.
Oleic Acid B.P.	80 min.
Distilled Water, B.P.	4 fl. oz.

PRESCRIPTION

LOTIONS

(Maximum Quantity, 8 fl. oz. 4 Repeats)

8796 ACID SALICYLIC COMPOUND

Mercuric Chloride, B.P.C.	4 gr.
Salicylic Acid, B.P.	80 gr.
Castor Oil, B.P.	40 min.
Spike Lavender Oil, B.P.C.	4 min.
Industrial Methylated Spirit, B.P.	
to	8 fl. oz.

8675 AMINACRINE HYDROCHLORIDE

Aminacrine Hydrochloride, B.P.	4 gr.
Cetrimide, B.P.	2 gr.
Distilled Water, B.P. to	8 fl. oz.

8697 CALAMINE

Calamine, B.P.	240 gr.
Zinc Oxide, B.P.	240 gr.
Glycerin, B.P.	240 min.
Solution of Calcium Hydroxide, B.P.	2 fl. oz.
Water to	8 fl. oz.

(Liquefied Phenol 1% may be added to this Lotion)

8735 COAL TAR

Solution of Coal Tar, B.P.	80 min.
Sodium Bicarbonate, B.P.	44 gr.
Water to	8 fl. oz.

LOTIONS—*contd.*

8743 EVAPORATING

Industrial Methylated Spirit, B.P. 1 fl. oz.
Ammonium Chloride, B.P. 120 gr.
Water to 8 fl. oz.

8780 PHENOL

Liquefied Phenol, B.P. 120 min.
Distilled Water, B.P. to 8 fl. oz.

8793 RESORCINOL COMPOUND

Resorcinol, B.P. 80 gr.
Solvent Ether, B.P. 80 min.
Castor Oil, B.P. 80 min.
Spike Lavender Oil, B.P.C. 8 min.
Industrial Methylated Spirit, B.P.
to 8 fl. oz.

8805 SULPHURATED POTASH

Zinc Sulphate, B.P. 160 gr.
Sulphurated Potash, B.P.C. 160 gr.
Acetone, B.P.C. 240 min.
Glycerin, B.P. 240 min.
Distilled Water, B.P. to 8 fl. oz.

8825 ZINC SULPHATE

Zinc Sulphate, B.P. 35 gr.
Solution of Amaranth, B.P.C. 40 min.
Water to 8 fl. oz.

MIXTURES

(Maximum Quantity, 8 fl. oz. 4 Repeats)

8835 ACID ACETYLSALICYLIC

Acetylsalicylic Acid, B.P. 10 gr.
Compound Powder of Tragacanth,
B.P. 5 gr.
Syrup of Orange, B.P. 30 min.
Chloroform Water to ½ fl. oz.

8842 ACID ACETYLSALICYLIC COMPOUND

Acetylsalicylic Acid, B.P. 10 gr.
Phenacetin, B.P. 5 gr.
Caffeine, B.P. 1 gr.
Compound Powder of Tragacanth,
B.P. 5 gr.
Syrup of Orange, B.P. 30 min.
Chloroform Water to ½ fl. oz.

8858 ACID ACETYLSALICYLIC and CODEINE
COMPOUND

Codeine Phosphate, B.P. 0.25 gr.
Acetylsalicylic Acid, B.P. 8 gr.
Phenacetin, B.P. 8 gr.
Compound Powder of Tragacanth,
B.P. 5 gr.
Syrup of Orange, B.P. 30 min.
Spirit of Peppermint, B.P.C. 1 min.
Chloroform Water to ½ fl. oz.

PREScription

MIXTURES—*contd.*

8850 ACID ACETYLSALICYLIC and MORPHINE

Solution of Morphine Hydrochloride B.P.	15 min.
Solution of Amaranth, B.P.C.	1 min.
Acetylsalicylic Acid, B.P.	10 gr.
Compound Powder of Tragacanth, B.P.	5 gr.
Syrup of Orange, B.P.	30 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

8859 ACID ACETYLSALICYLIC and PHENOBARBITONE

Phenobarbitone, B.P.	0.25 gr.
Acetylsalicylic Acid, B.P.	10 gr.
Compound Powder of Tragacanth, B.P.	5 gr.
Syrup of Orange, B.P.	30 min.
Spirit of Cinnamon, B.P.C. 1949	1 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

9029 ACID HYDROCHLORIC DILUTE

Dilute Hydrochloric Acid B.P.	120 min.
Syrup of Orange, B.P. to	$\frac{1}{2}$ fl. oz.

PREScription

8870 ALUMINIUM HYDROXIDE and BELLADONNA

Tincture of Belladonna, B.P.	7.5 min.
Mixture of Aluminium Hydroxide, A.P.F. 1955 to	$\frac{1}{2}$ fl. oz.

8871 ALUMINIUM HYDROXIDE and KAOLIN

Light Kaolin, B.P.	45 gr.
Mixture of Aluminium Hydroxide, A.P.F. 1955 to	$\frac{1}{2}$ fl. oz.

8873 ALUMINIUM HYDROXIDE with KAOLIN and OPIUM

Light Kaolin, B.P.	45 gr.
Tincture of Opium, B.P.	5 min.
Mixture of Aluminium Hydroxide, A.P.F. 1955 to	$\frac{1}{2}$ fl. oz.

8875 ALUMINIUM HYDROXIDE with KAOLIN and PECTIN

Light Kaolin, B.P.	45 gr.
Pectin	4 gr.
Mixture of Aluminium Hydroxide, A.P.F. 1955 to	1 fl. oz.

8876 ALUMINIUM HYDROXIDE and PROCAINE

Procaine Hydrochloride, B.P.	2 gr.
Mixture of Aluminium Hydroxide, A.P.F. 1955 to	$\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

8883 AMMONIUM ACETATE

Strong Solution of Ammonium	
Acetate, B.P.C.	30 min.
Potassium Citrate, B.P.	20 gr.
Camphorated Tincture of Opium,	
B.P.	30 min.
Syrup of Tolu, B.P.	30 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

7901 CALCIUM ACETYSALICYLATE

Acetylsalicylic Acid, B.P.	9 gr.
Calcium Hydroxide, B.P.	2.5 gr.
Neutral Syrup of Lemon, A.P.F.	
1955	30 min.
Solution of Carmine, A.P.F.	1 min.
Water to	$\frac{1}{2}$ fl. oz.

7902 CAMPHORATED TINCTURE OF OPIUM

Camphorated Tincture of Opium,	
B.P.	30 min.
Tincture of Belladonna, B.P.	5 min.
Oxymel of Squill, B.P.C.	15 min.
Water to	$\frac{1}{2}$ fl. oz.

PREScription

8951 CHALK and KAOLIN

Chalk, B.P.	30 gr.
Light Kaolin, B.P.	60 gr.
Light Magnesium Carbonate, B.P.	5 gr.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

8957 CHLORAL HYDRATE

Chloral Hydrate, B.P.	20 gr.
Syrup of Orange, B.P.	30 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

8954 CHLORAL and BROMIDE

Chloral Hydrate, B.P.	20 gr.
Potassium Bromide, B.P.	20 gr.
Red Syrup, A.P.F. 1955	20 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

8991 DISODIUM HYDROGEN CITRATE

Citric Acid, B.P.	32 gr.
Sodium Citrate B.P.	88 gr.
Water to	1 fl. oz.

8995 EXPECTORANT

Ammonium Chloride B.P.	15 gr.
Tincture of Ipecacuanha, B.P.	5 min.
Aromatic Spirit of Ammonia,	
B.P.C.	10 min.
Liquid Extract of Liquorice, B.P.	15 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

9007 GENTIAN ACID

Dilute Hydrochloric Acid, B.P. 10 min.
 Concentrated Compound Infusion
 of Gentian, B.P. 30 min.
 Chloroform Water to ½ fl. oz.

9012 GENTIAN ALKALINE

Sodium Bicarbonate, B.P. 10 gr.
 Concentrated Compound Infusion
 of Gentian, B.P. 30 min.
 Chloroform Water to ½ fl. oz.

9047 IRON and NUX VOMICA

Iron and Ammonium Citrate, B.P. 15 gr.
 Tincture of Nux Vomica, B.P. 10 min.
 Chloroform Water to ½ fl. oz.

9051 KAOLIN ALKALINE

Light Kaolin, B.P. 15 gr.
 Sodium Bicarbonate, B.P. 10 gr.
 Light Magnesium Carbonate, B.P. 10 gr.
 Peppermint Water to ½ fl. oz.

9053 KAOLIN AND OPIUM

Light Kaolin, B.P. 60 gr.
 Light Magnesium Carbonate, B.P. 5 gr.
 Tincture of Opium, B.P. 7.5 min.
 Chloroform Water to ½ fl. oz.

PREScription

9057 LOBELIA and STRAMONIUM

Potassium Iodide, B.P. 5 gr.
 Tincture of Stramonium, B.P. 10 min.
 Ethereal Tincture of Lobelia,
 B.P.C. 10 min.
 Aromatic Spirit of Ammonia,
 B.P.C. 10 min.
 Liquid Extract of Liquorice, B.P. 10 min.
 Chloroform Water to ½ fl. oz.

9060 MAGNESIUM CARBONATE

Light Magnesium Carbonate, B.P. 10 gr.
 Sodium Bicarbonate, B.P. 15 gr.
 Ammonium Bicarbonate, B.P.C. 2 gr.
 Aromatic Tincture of Cardamon,
 B.P.C. 5 min.
 Chloroform Water to ½ fl. oz.

9075 MAGNESIUM SULPHATE

Magnesium Sulphate, B.P. 60 gr.
 Light Magnesium Carbonate, B.P. 10 gr.
 Peppermint Water to ½ fl. oz.

9078 MAGNESIUM TRISILICATE

Magnesium Trisilicate, B.P. 10 gr.
 Sodium Bicarbonate, B.P. 10 gr.
 Light Magnesium Carbonate, B.P. 10 gr.
 Peppermint Water to ½ fl. oz.

MIXTURES—*contd.*

7903 PARALDEHYDE

Paraldehyde, B.P.	60 min.
Liquid Extract of Liquorice, B.P.	15 min.
Tincture of Quillaja, B.P.C.	5 min.
Mucilage of Tragacanth, B.P.	30 min.
Water to	$\frac{1}{2}$ fl. oz.

9110 PHENOBARBITONE and BROMIDE

Phenobarbitone Sodium, B.P.	0.25 gr.
Sodium Bromide, B.P.	10 gr.
Syrup of Orange, B.P.	30 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

9122 POTASSIUM BROMIDE

Potassium Bromide, B.P.	10 gr.
Ammonium Bicarbonate, B.P.C.	1 gr.
Spirit of Aniseed, B.P.C. 1949	2.5 min.
Liquid Extract of Liquorice, B.P.	10 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

9128 POTASSIUM BROMIDE with PHENOBARBITONE and BELLADONNA

Potassium Bromide, B.P.	10 gr.
Sodium Phenobarbitone, B.P.	1 gr.
Tincture of Belladonna, B.P.	10 min.
Water to	$\frac{1}{2}$ fl. oz.

9127 POTASSIUM BROMIDE and NUX VOMICA

Potassium Bromide, B.P.	10 gr.
Tincture of Nux Vomica, B.P.	10 min.
Solution of Amaranth, B.P.C.	2.5 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

9132 POTASSIUM CITRATE

Potassium Citrate, B.P.	30 gr.
Sodium Bicarbonate, B.P.	30 gr.
Syrup of Orange, B.P.	30 min.
Water to	$\frac{1}{2}$ fl. oz.

7925 POTASSIUM CITRATE ACID

Potassium Citrate, B.P.	45 gr.
Citric Acid, B.P.	10 gr.
Neutral Syrup of Lemon, A.P.F. 1955	30 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

9151 POTASSIUM CITRATE and HYOSCYAMUS

Potassium Citrate, B.P.	15 gr.
Sodium Bicarbonate, B.P.	15 gr.
Liquid Extract of Hyoscyamus, B.P.	3 min.
Chloroform Water to	$\frac{1}{2}$ fl. oz.

PREScription

MIXTURES—*contd.*

9156 POTASSIUM IODIDE

Potassium Iodide, B.P. 10 gr.
Aromatic Spirit of Ammonia,
B.P.C. 3 min.
Liquid Extract of Liquorice, B.P. 10 min.
Chloroform Water to $\frac{1}{2}$ fl. oz.

9184 RHUBARB and SODA

Rhubarb, Powdered, F.P. 5 gr.
Light Magnesium Carbonate, B.P. 10 gr.
Sodium Bicarbonate, B.P. 10 gr.
Syrup of Ginger, B.P. 30 min.
Chloroform Water to $\frac{1}{2}$ fl. oz.

9194 SENEGA and AMMONIA

Ammonium Bicarbonate, B.P.C. 5 gr.
Camphorated Tincture of Opium,
B.P. 30 min.
Liquid Extract of Liquorice, B.P. 10 min.
Concentrated Infusion of Senega,
B.P.C. 7.5 min.
Chloroform Water to $\frac{1}{2}$ fl. oz.

9202 SODIUM BICARBONATE

Sodium Bicarbonate, B.P. 15 gr.
Sodium Chloride, B.P. 3 gr.
Spirit of Chloroform, B.P. 10 min.
Water to $\frac{1}{2}$ fl. oz.

PREScription

9217 SODIUM SALICYLATE

Sodium Salicylate, B.P. 20 gr.
Sodium Bicarbonate, B.P. 20 gr.
Liquid Extract of Liquorice, B.P. 5 min.
Chloroform Water to $\frac{1}{2}$ fl. oz.

7904 SUCCINYLSULPHATHIAZOLE with
KAOLIN

Succinylsulphathiazole, B.P. 60 gr.
Light Kaolin, B.P. 45 gr.
Mucilage of Tragacanth, B.P. 30 min.
Syrup, B.P. 60 min.
Solution of Benzoic Acid, B.P.C. 10 min.
Water to 1 fl. oz.

NASAL INSTILLATIONS

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 2 Repeats)

9440 CHLORBUTOL

Chlorbutol, B.P. 2 gr.
Menthol, B.P. 1 gr.
Eucalyptus Oil, B.P. 2 min.
Arachis Oil, B.P. to $\frac{1}{2}$ fl. oz.

NASAL INSTILLATIONS—*contd.*

9444 EPHEDRINE HYDROCHLORIDE

Ephedrine Hydrochloride, B.P.	2 gr.
Sodium Chloride, B.P.	2 gr.
Concentrated Solution for Nasal Drops, A.P.F. 1955	5 min.
Distilled Water, B.P. to	$\frac{1}{2}$ fl. oz.

9454 EPHEDRINE (OILY)

Ephedrine, B.P.C.	2 gr.
Menthol, B.P.	1 gr.
Eucalyptus Oil, B.P.	2 min.
Arachis Oil, B.P. to	$\frac{1}{2}$ fl. oz.

OINTMENTS

(Maximum Quantity, 4 oz. 1 Repeat)

9506 BENZOCAINE COMPOUND

Benzocaine, B.P.	96 gr.
Ointment of Hamamelis, B.P.C.	432 gr.
Ointment of Zinc, B.P.	432 gr.

9538 COD LIVER OIL and ACRIFLAVINE

Acridlavine, B.P.C.	1.75 gr.
Cod Liver Oil, B.P.	480 min.
Yellow Simple Ointment, B.P. to	1,920 gr.

9589 RESORCINOL COMPOUND

Resorcinol, B.P.	80 gr.
Zinc Oxide, B.P.	80 gr.
Cade Oil, B.P.C.	80 gr.
Glycerin, B.P.	10 min.
Distilled Water, B.P.	80 min.
Yellow Soft Paraffin, B.P.	250 gr.
Wool Fat, B.P. to	960 gr.

PAINTS

(Maximum Quantity, 1 fl. oz. 1 Repeat)

9694 ACID SALICYLIC

Salicylic Acid, B.P.	10 gr.
Benzoic Acid, B.P.	30 gr.
Brilliant Green, B.P.	2 gr.
Distilled Water, B.P.	24 min.
Industrial Methylated Spirit, B.P. to	1 fl. oz.

9655 CRYSTAL VIOLET COMPOUND

Crystal Violet, B.P.	1 gr.
Brilliant Green, B.P.	1 gr.
Aminacrine Hydrochloride, B.P.	0.5 gr.
Distilled Water, B.P. to	1 fl. oz.

9663 ICHTHAMMOL

Ichthammol, B.P.	44 gr.
Glycerin, B.P. to	1 fl. oz.

PRESCRIPTION

PAINTS—*contd.*

9669 IODINE COMPOUND

Iodine, B.P.	5 gr.
Potassium Iodide, B.P.	5 gr.
Spirit of Peppermint, B.P.C.	20 min.
Glycerin, B.P. to	1 fl. oz.

9673 MAGENTA and RESORCINOL

Magenta, B.P.C.	2 gr.
Boric Acid, B.P.	4 gr.
Phenol, B.P.	20 gr.
Resorcinol, B.P.	40 gr.
Acetone, B.P.C.	20 min.
Industrial Methylated Spirit, B.P.	40 min.
Water to	1 fl. oz.

PASTE

(Maximum Quantity, 4 oz. 1 Repeat)

9770 ZINC OXIDE with COAL TAR

Prepared Coal Tar, B.P.	120 gr.
Zinc Oxide, B.P.	120 gr.
Starch, B.P.	720 gr.
Yellow Soft Paraffin, B.P.	960 gr.

PRESCRIPTION

POWDERS

(Maximum Quantity, 4 oz. 2 Repeats)

9807 CALCIUM and KAOLIN

Calcium Carbonate B.P.	640 gr.
Light Kaolin, B.P.	1,280 gr.
Peppermint Oil, B.P.	4 min.

9817 KAOLIN COMPOUND

Light Kaolin, B.P.	960 gr.
Heavy Magnesium Carbonate, B.P.	640 gr.
Sodium Bicarbonate, B.P.	320 gr.
Peppermint Oil, B.P.	4 min.

9823 MAGNESIUM TRISILICATE and BELLADONNA

Dry Extract of Belladonna, B.P.	16 gr.
Magnesium Trisilicate, B.P. to	1,920 gr.

SOAP

(Maximum Quantity, 4 fl. oz. 1 Repeat)

9897 SPIRIT INDUSTRIAL METHYLATED

Soft Soap, B.P.	1138 gr.
Industrial Methylated Spirit, B.P.	to
to	4 fl. oz.

PREScription

SOLUTIONS

(Maximum Quantity, 4 fl. oz. 1 Repeat)

9908 BENEDICT'S QUALITATIVE

Solution, A.P.F. 4 fl. oz.

9915 CETRIMIDE

Cetrimide, B.P. 17.5 gr.
Distilled Water, B.P. to 4 fl. oz.

PREScription

SPRAY

(Maximum Quantity, $\frac{1}{2}$ fl. oz. 2 Repeats)

9944 ADRENALINE and ATROPINE
METHONITRATE

Adrenaline, B.P. 1 gr.
Atropine Methonitrate, B.P. 0.25 gr.
Chlorbutol, B.P. 1 gr.
Tartaric Acid, B.P. 0.8 gr.
Sodium Metabisulphite, B.P. 0.25 gr.
Distilled Water, B.P. to $\frac{1}{2}$ fl. oz.

SECTION 5 — PRESCRIBER'S LIST — CHILDREN'S SECTION

Subject to the individual requirements and unless otherwise stated, the mixtures in this section may be administered three or four time a day in the following doses:

Children 1 to 2 years		30 minims
2 to 4 years		1 fluid drachm
4 to 8 years		2 fluid drachms
8 to 12 years		3 fluid drachms

PRESCRIPTION

LINCTUSES

(Maximum Quantity, 4 fl. oz. 4 Repeats)

8621 CAMPHORATED TINCTURE OF OPIUM

Camphorated Tincture of Opium, B.P.		10 min.
Dilute Hydrochloric Acid, B.P.		4 min.
Spirit of Chloroform, B.P.		2 min.
Acidified Golden Syrup, A.P.F.		
1955 to		60 min

8627 CODEINE PHOSPHATE

Codeine Phosphate, B.P.		1/12 gr.
Dilute Hydrochloric Acid, B.P.		2 min.
Distilled Water, B.P.		5 min.
Acidified Golden Syrup, A.P.F.		
1955 to		60 min.

LINIMENT

(Maximum Quantity, 4 fl. oz. 1 Repeat)

7884 CAMPHOR

Liniment of Camphor, B.P.		4 fl. oz.
---------------------------	-------	-----------

PRESCRIPTION

MIXTURES

(Maximum Quantity, 4 fl. oz. 4 Repeats)

9255 ACETYLSALICYLIC ACID

Acetylsalicylic Acid, B.P.		2.5 gr.
Compound Powder of Tragacanth, B.P.		1.25 gr.
Syrup of Orange, B.P.		10 min.
Water to		60 min.

9245 ACETYLSALICYCLIC ACID COMPOUND

Acetylsalicylic Acid, B.P.		2.5 gr.
Phenacetin, B.P.		1.25 gr.
Caffeine, B.P.		0.25 gr.
Compound Powder of Tragacanth, B.P.		1.25 gr.
Syrup of Orange, B.P.		10 min.
Chloroform Water to		60 min.

MIXTURES—*contd.*

7905 ATROPINE METHONITRATE

Atropine Methonitrate, B.P.	0.5 mgm.
Chlorbutol Water, A.P.F. 1955	30 min.
Water to	60 min.

7906 CARMINATIVE

Aromatic Spirit of Ammonia, B.P.C.	1 min.
Sodium Bicarbonate, B.P.	2 gr.
Syrup of Ginger, B.P.	10 min.
Water to	60 min.

7909 CHLORAL and BROMIDE

Chloral Hydrate, B.P.	2 gr.
Potassium Bromide, B.P.	2.5 gr.
Liquid Extract of Liquorice, B.P.	2.5 min.
Glycerin, B.P.	10 min.
Syrup, B.P.	10 min.
Water to	60 min.

9311 COUGH

Potassium Bromide, B.P.	2 gr.
Chloral Hydrate, B.P.	2 gr.
Tincture of Belladonna, B.P.	3 min.
Liquid Extract of Liquorice, B.P.	2 min.
Syrup of Tolu, B.P.	20 min.
Water to	60 min.

9328 FERROUS SULPHATE

Ferrous Sulphate, B.P.	1.5 gr.
Dilute Hypophosphorous Acid, B.P.C.	0.25 min.
Syrup, B.P.	20 min.
Chloroform Water to	60 min.

7910 IPECACUANHA and SQUILL

Tincture of Ipecacuanha, B.P.	3 min.
Camphorated Tincture of Opium, B.P.	5 min.
Oxymel of Squill, B.P.C.	15 min.
Water to	60 min.

9323 IRON and AMMONIUM CITRATE

Iron and Ammonium Citrate, B.P.	10 gr.
Syrup, B.P.	30 min.
Chloroform Water to	60 min.

9352 KAOLIN

Light Kaolin, B.P.	15 gr.
Light Magnesium Carbonate, B.P.	1.25 gr.
Chloroform Water to	60 min.

9374 PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole, B.P.	7.5 gr.
Mucilage of Tragacanth, B.P.	7.5 min.
Syrup, B.P.	10 min.
Chloroform Water to	60 min.

PREScription

MIXTURES—*contd.*

9391 POTASSIUM CITRATE

Potassium Citrate, B.P.	11.25 gr.
Citric Acid, B.P.	2.25 gr.
Neutral Syrup of Lemon, A.P.F. 1955	7.5 min.
Chloroform Water to	60 min.

9400 POTASSIUM IODIDE

Potassium Iodide, B.P.	5 gr.
Liquid Extract of Liquorice, B.P.	5 min.
Aromatic Spirit of Ammonia, B.P.C.	1 min.
Chloroform Water to	60 min.

(Ephedrine or Phenobarbitone may be added)

9403 POTASSIUM IODIDE and STRAMONIUM

Potassium Iodide, B.P.	2 gr.
Tincture of Stramonium, B.P.	3 min.
Aromatic Spirit of Ammonia, B.P.C.	2.5 min.
Liquid Extract of Liquorice, B.P.	2.5 min.
Chloroform Water to	60 min.

(Ephedrine may be added)

PREScription

7907 RHUBARB and SODA

Rhubarb, B.P.	1.25 gr.
Light Magnesium Carbonate, B.P.	2.5 gr.
Sodium Bicarbonate, B.P.	2.5 gr.
Syrup of Ginger, B.P.	5 min.
Water to	60 min.

7908 SODIUM SALICYLATE

Sodium Salicylate, B.P.	5 gr.
Sodium Bicarbonate, B.P.	5 gr.
Liquid Extract of Liquorice, B.P.	2.5 min.
Water to	60 min.

9427 SULPHADIMIDINE

Sulphadimidine, B.P.	7.5 gr.
Mucilage of Tragacanth, B.P.	7.5 min.
Syrup of Orange, B.P.	10 min.
Chloroform Water to	60 min.



PLASTIC MOUNTING
ACI
WELDED PLASTIC CO.
SYDNEY N.S.W.