

COMMONWEALTH OF AUSTRALIA



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS

DECEMBER, 1967

PHARMACEUTICAL BENEFITS

Explanatory Circular Regarding December, 1967, issue of the Schedule of Benefits for Medical Practitioners.

This is a complete reprint of the Schedule of Benefits and Proprietary Index, and will take effect from 1st December, 1967.

The next reprint will be issued on the 1st April, 1968.

Paragraph 14 of the Explanatory Notes has been amended.

Appended is a summary of other changes in this issue:—

ADDITIONS

Section 2

Ferrous Sulphate, 525 mg. tablet.
Framycetin, mixture.
Gas Gangrene Antitoxin—Mixed, 25,000 units.
Glutethimide, 125 mg. tablet.
Phenytoin, suspension 100 mg./5 ml. 500 ml.
Sulphaguanidine, suspension.

Section 3.

Betamethasone, 6 mg. injection.
Dextromoramide, 5 mg. injection.
Dextromoramide, 5 mg. tablet.
Milk Powder Synthetic, fructose formula.

Neomycin, powder, 500 mg.
Pyrimethamine, 25 mg. tablet.
Hetacillin, 250 mg. capsule (Hospital only).
Triglyde, powder (Hospital only).

DELETIONS.

Section 2.

Alkavervir, injection (Veriloid).
Calcium Aurothiomalate, injection (Auro-Calcium).
Gas Gangrene Antitoxin-Mixed, 5,500 units.
Gas Gangrene Antitoxin-Mixed, 13,750 units.
Melarsoprol, injection (Mel.B.)
Penicillin Procaine, 300 mg. aqueous injection.
Phenobarbitone Sodium, 100 mg./ml. 2 ml. injection.

Section 3.

Corticotrophin, injection S.C. or I.M. 50 units.
 Corticotrophin, injection I.V. 30 units.
 Corticotrophin, injection I.V. 75 units.
 Dihydrostreptomycin Sulphate, injection.
 Tetanus Immune Globulin (Human), injection, 500 units.
 Triamcinolone, 4 mg. tablet (Kenacort, Ledercort).

Section 4 (Drugs).

Barbitone Sodium, B.P.
 Barium Sulphate, B.P.
 Belladonna Powder, B.P.
 Boroglycerin, B.P.C. '49.
 Digitalis Leaf, B.P.
 Digitalis Prepared, B.P.
 Dusting Powder Boric Talc, B.P.C.
 Extract, Belladonna Dry, B.P.
 Extract, Cascara Dry, B.P.
 Extract, Hyoscyamus Dry, B.P.

Extract, Nux Vomica Dry, B.P.C.
 Gum, Myrrh Powder, B.P.C.
 Oil, Linseed, B.P.
 Ointment, Boroglycerin, A.P.F.'55.
 Pyroxylin, B.P.
 Quinine, Bisulphate, B.P.
 Quinine, Dihydrochloride, B.P.
 Quinine, Hydrochloride, B.P.
 Quinine, Sulphate, B.P.
 Root, Liquorice, B.P.
 Soap, Curd, B.P.C.
 Sodium Carbonate Anhydrous, B.P.C.
 Solution, Ferrous Phosphate with Quinine and Strychnine No. 1 and No. 2.
 Solution, Quinine Ammoniated, B.P.C.

TRANSFERS.

From Hospital only to Section 3.

Procarbazine, 50 mg. capsule.
 Vincristine, injections.

CHANGE OF PACKS.

<i>Preparation.</i>	<i>From.</i>	<i>To.</i>
Dicyclomine Hydrochloride, syrup	10 mg./5 ml. 4 fl.oz.	5 mg./5 ml. 100 ml.
Phenytoin, suspension	30 mg./4 ml. 114 ml.	30 mg./5 ml. 500 ml.
Theophylline, elixir	16 fl.oz.	80 mg./15 ml. 450 ml.
Chloramphenicol, suspension	125 mg./4 ml. 60 ml.	125 mg./5 ml. 100 ml.

ALTERED RESTRICTIONS.

(An additional or altered purpose is indicated by an asterisk () in front of the entry).*

Ampicillin.
Betamethasone.
Chlorambucil.
Corticotrophin.
Cortisone Acetate.
Cyanocobalamin.
Dexamethasone.
Ethyloestrenol.
Fluorouracil.
Hydrocortisone.
Hydroxocobalamin.
Indomethacin.
Melphalan.
Mercaptopurine.
Mestanolone.
Methandienone.
Methenolone Acetate.
Methotrexate.
Mustine.
Nandrolone Decanoate.

Nitromin.
Nutramigen.
Oxymesterone.
Paramethasone.
Phenylbutazone.
Prednisolone.
Predisolone Methyl.
Prednisolone Methyl Acetate.
Prednisone.
Quinine Bisulphate.
Quinine Dihydrochloride.
Quinine Hydrochloride.
Quinine Sulphate.
Stanolone.
Stanozolol.
Tretamine.
Vinblastine.

ALTERED MAXIMUM QUANTITIES and/or REPEATS.

Glutethimide, 250 mg. capsule and tablet.
Phenytoin, suspension, 30 mg./5 ml. 500 ml.
Betamethasone, 4 mg. injection.

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



SCHEDULE OF BENEFITS
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1st DECEMBER, 1967

Department of Health,
CANBERRA, A.C.T.

DECEMBER, 1967

26834

CONTENTS.

SECTION 1—LEMON PAGES

Explanatory Notes—

Metric Conversion Table paragraph page

Prescribing of Benefits—Procedure by Doctors—

Schedule of Benefits 1- 8 4

Prescriptions 9-11 5- 7

Manner of Administration 12 7

Restrictions 13 7

Certificates for Prescribing Tranquillising or Anti-Depressant Drugs 14 7

Maximum Quantities and Repeats 15-20 8- 9

Urgent Cases 21-22 9-10

Emergency Drug (Doctor's Bag) Supplies 23-26 10-11

Poison Case Reporting 27-28 11

Poison Information Centres 29 11

Addresses of Commonwealth Department of Health State offices 12

Manufacturers—Address and Code 13-17

List of Emergency Drug (Doctor's Bag) Supplies 18

SECTION 2—WHITE PAGES

Schedule of Benefits—

General and Pensioner Benefits 1-121

Intravenous Fluids 122-126

SECTION 3—PINK PAGES

Schedule of Benefits—Restricted Benefits 1-93

Preparations Restricted to Colostomy and Ileostomy Use Only 94-95

Preparations Restricted to Use in Approved Hospitals Only 96-100

SECTION 4—GREEN PAGES

Schedule of Benefits—Drug Tariff 1-11

Tables of Maximum Quantities and Number of Repeats for Extemporaneous Prepara-

tions 12-13

SECTION 5—OLD GOLD PAGES

Prescribers' List—Pharmaceutical Benefit Formulae 1-16

SECTION 6—PROPRIETARY INDEX—

Part 1—Proprietary Names Index 1-27

Part 2—Trade Names Index 28

Part 3—Abbreviations or synonyms for approved names 29

ADDRESSES OF POISON INFORMATION CENTRES.

POISON CASE REPORT FORMS.

METRIC CONVERSION TABLE

Conversion Table

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>					<i>Milligrams</i>	<i>Grains</i>					<i>Milligrams</i>
15	..	..	..	..	1,000	1/10	..	..	..	..	6
12	..	..	..	..	800	1/12	..	..	..	..	5
10	..	..	..	..	600	1/15	..	..	..	..	4
8	..	..	..	..	500	1/20	..	..	..	..	3
7½	..	..	..	..	450	1/24	}	..	..	..	2.5
6	..	..	..	..	400	1/25					
5	..	..	..	..	300	1/30	..	..	..	..	2
4	..	..	..	..	250	1/40	..	..	..	..	1.5
3	..	..	..	..	200	1/50	..	..	..	..	1.25
2½	..	..	..	..	150	1/60	..	..	..	..	1
2	..	..	..	..	125	1/75	}	..	..	..	0.8
1½	..	..	..	..	100	1/80					
1¼	..	..	..	..	75	1/100	..	..	..	..	0.6
1	..	..	..	..	60	1/120	}	..	..	..	0.5
¾	..	..	..	..	50	1/130					
⅔	..	..	..	..	40	1/150	}	..	..	..	0.4
½	..	..	..	..	30	1/160					
⅔	..	..	..	..	25	1/200	..	..	..	..	0.3
⅓	..	..	..	..	20	1/240	..	..	..	..	0.25
¼	..	..	..	..	15	1/300	}	..	..	..	0.2
⅕	..	..	..	..	12.5	1/320					
⅙	..	..	..	..	10	1/400	..	..	..	..	0.15
⅙	..	..	..	..	7.5	1/480	}	..	..	..	0.125
						1/500					
						1/600	..	..	..	..	0.1

1,000 MICROGRAMS (mcg)=1 MILLIGRAM (mg)

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescribers' List items are listed in the Schedule of Benefits, Sections 2 and 3.
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in Section 4—(Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
 - (b) the admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff—Section 4.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "solvent required" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., "Penicillin Benzyl, Injection 300 mg. amp. with 2 ml. water for injection".
6. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 15-20.
7. The proprietary names of scheduled preparations are listed in the Proprietary Index which is included as Section 6.
8. Symbols used in the Schedule of Benefits.
 - (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger (†) in front of an item and in the price column, indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.

- (c) A double dagger (§) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and this quantity in the manufacturer's original pack will be supplied.
- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the state indicated.

N.S.W. (N); VIC. (V); S.A. (S); W.A. (W); Q'LD (Q); TAS. (T).

Prescriptions.

9. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in some indelible form (ink or ball point pen) in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 7" x 5". The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate marking the duplicate with the word "Duplicate" (this is pre-printed on the standard prescription forms).
- (c) Set out the name and address of the patient, and, where the patient is a pensioner who holds an entitlement card, write the pension number. (Please note that the pension number is required and not the entitlement card number). It is not necessary to write the pensioner's address on the prescription form, except where the provisions of State law regarding narcotic, specified or restricted drugs require the address to be written.
- (d) In the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although

restricted, is not restricted as to disease for a pensioner, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

- (e) If the benefit is a single drug, indicate the manner of administration.
- (f) Where a medical practitioner writes a prescription as a pharmaceutical benefit, but does not specify a particular formula or brand for the item prescribed, the chemist, when dispensing shall give priority to either the formula (if any) for that item specified in the Prescribers' List or to one of the ready prepared brands (if any) for that item included in the Schedule of Benefits.
- (g) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in own handwriting with the words "Regulation 24" (see also paragraph 20.).
- (h) Mark the prescription "N.H.S.", date and sign it.

No objection will be raised to doctors writing more than one but no more than three prescriptions on a single sheet of paper provided each prescription is legible.

Prescribers' List formulations are now expressed in metric terms and made up to metric doses or quantities. Prescriptions consisting of or containing a Prescribers' List formula should therefore be written in the metric system.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;
- (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted).
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

Unless unduly inconvenient to the doctor, it would be appreciated if doctors could follow the practice of not writing prescriptions for benefit items on the same form as non-benefit items. This practice does not invalidate the prescription and if a prescription form contains both pharmaceutical benefit items and non-pharmaceutical benefit items, it may be accepted by the chemist. However, to avoid confusion to patients in such cases, the doctor should identify the non-benefit item, e.g., by an endorsement such as "non-benefit item", or "private prescription" or similar wording.

A particular application of these circumstances is where one prescription is for a "Specified Purpose" drug and the doctor has omitted to write "Specified Purpose" (or acceptable abbreviation), e.g., because the patient is not suffering from one of the allowable conditions. In such a case, identification of the item as a non-benefit will clearly indicate the doctor's intentions to both the patient and the chemist, and save inconvenience to all concerned.

Manner of Administration

12. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit.

Restrictions.

13. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Commonwealth Director of Health. Full particulars of these items and the restrictions are listed as a separate section of the Schedule under "Restricted Benefit Section". Items restricted for use in "Approved Hospitals Only" are listed as a separate section in the "Restricted Benefit Section" of the Schedule. These items are not available in all approved hospitals and medical practitioners should ensure that the items are available at the particular hospital before prescribing. Items restricted to use for Ileostomy and Colostomy conditions are also listed as a separate section in the "Restricted Benefit Section." A reference to all other items listed in the "Restricted Benefit Section" is given in the Schedule of Benefits—Section 2. It is not necessary for the particular restriction to be identified on the prescription.

Certificates for prescribing Tranquillising or Anti-Depressant Drugs

14. Special arrangements apply in respect of the prescribing of certain tranquillising or anti-depressant drugs. Under these arrangements certificates for prescribing tranquillising or anti-depressant drugs are issued by approved hospitals in respect of patients who have been discharged after treatment (either as in-patients or out-patients) for mental disorders and who require continued treatment with these particular drugs.

The certificate is forwarded to the patient's medical practitioner.

On receipt of a certificate the medical practitioner may prescribe the particular drug as a pharmaceutical benefit for the patient provided the certificate number is endorsed on the prescription together with the words "specified purpose" (or suitable abbreviation).

It should be noted that certificates provide the necessary authority for the doctor to prescribe only items listed in the Schedule of Benefits and for the forms, brands, strengths and maximum quantities listed. Any item not so listed may not be prescribed.

Certificates are current for six months from date of issue and during that time should be retained by the medical practitioner as a continuing authority to prescribe. It is not necessary to attach the certificate to the prescription.

Maximum Quantities and Repeats

15. The maximum quantity and number of repeats allowable are shown in columns 2 and 3 of the Schedule of Benefits. For other preparations, details are set out in the Tables of Maximum Quantities and Repeats—Green pages.

The maximum quantity of items marked with a double dagger (‡) has been determined as a single pack and as explained in paragraph 8 unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items it is not necessary to prescribe the maximum quantity, either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

16. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 17-18). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

17. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

18. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

19.—(a) The written authority of the Commonwealth Director of Health to prescribe:

- (i) restricted drugs (paragraph 13); or
 - (ii) increased maximum quantities (paragraph 17); or
 - (iii) increased number of repeats (paragraph 18),
- will be forwarded to the doctor on an Authority to Prescribe (Form PB15);

(b) Where authority is given to prescribe:

- (i) repeat supplies of restricted drugs; or
 - (ii) repeat supplies of increased maximum quantities; or
 - (iii) for the supply of a pharmaceutical benefit to be repeated more times than the number of repeats specified in the Schedule;
- an Authority to Repeat (Form PB15a—pink) for each repeat authorized will also be forwarded with the Form PB15.

(e) On receipt, the doctor will write the prescription on the original (white) Form PB15 in the space provided for this purpose. The doctor will retain the duplicate (yellow) copy as his record, and hand all other copies including the original (white) copy to the patient. Each copy entitles the patient to a supply of the benefit prescribed.

Note.—In VICTORIA and TASMANIA it has not been practicable to implement this procedure fully. In these States a prescription written by the Doctor in duplicate in accordance with paragraph 10 will be given to the patient together with the white and pink copies of the Authority to prescribe (Forms PB 15 and PB 15a).

20. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription “Regulation 24”, as certification that the above conditions have been satisfied.

Urgent Cases

21. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing and forward it to the chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

22. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 13). In such cases, the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

23. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

24. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form (except form P.B. 7A) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain benefits not more than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present doctor's bag order form P.B. 7A to an approved chemist for their supplies. Special instructions are issued to these doctors.

25. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity, e.g., if the doctor had 100 or more sulphonamide tablets on hand as portion of his Emergency Drug (Doctor's Bag) Supplies further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than sulphonamides), e.g., different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity, e.g., if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

26. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

Poison Case Reporting

27. In order to provide information for the National Poisons Register doctors are asked to send brief clinical reports on cases of poisoning to the National Poisons Service, Commonwealth Department of Health, Canberra. Report forms are included at the back of this book and should be torn out when required. Additional information may be written on the back of the form, or attached, and this applies particularly in fatal or unusual cases. Further supplies of the Poison Case Report forms are available from Commonwealth and State Health authorities.

28. In order to include all cases of poisoning and avoid duplication of reporting, the Poisoning Case Report form should be completed by hospital medical staff for all cases referred to hospital. Private practitioners are only asked to make reports on cases not referred to hospital, or when cases are referred to smaller hospitals without resident medical staff.

Addresses of Poison Information Centres

29 The principal Poison Information Centre in each State and Territory is listed at the back of this book.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH STATE OFFICES

NEW SOUTH WALES

Department of Health,
Commonwealth Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. Telephone 28 8001
Commonwealth Director of Health—Dr. L. J. Wienholt
After hours: Telephone 90 2309
Assistant Director (Medical)—Dr. B. E. Welton
After hours: Telephone 34 2011

VICTORIA

Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, C.I., Vic. Telephone 32-4121
Commonwealth Director of Health—
Dr. H. M. Franklands
After hours: Telephone 20 4877

QUEENSLAND

Department of Health,
Commonwealth Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Q'ld Telephone 31 0101
Commonwealth Director of Health—
Dr. A. H. Humphry
After hours: Telephone 70 6037

SOUTH AUSTRALIA

Department of Health,
C.M.L. Building,
41 King William Street,
Adelaide S. Aust. Telephone 51 7866
Commonwealth Director of Health—Dr. C. S. Barbour
After hours: Telephone 79 4898

WESTERN AUSTRALIA

Department of Health,
473 Wellington Street,
Perth, W. Aust. Telephone 21 8211
Commonwealth Director of Health—Dr. R. C. Webb

TASMANIA

Department of Health,
Stowell Avenue,
Hobart, Tas. Telephone 2 2661
Commonwealth Director of Health—Dr. C. W. Phillips
After hours: Telephone 5 2572

NORTHERN TERRITORY

Department of Health,
Esplanade,
Darwin, N.T. Telephone 3821
Commonwealth Director of Health—
Dr. W. A. Langsford
After hours: Telephone 2571

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd. AB		Boehringer C. F. & Soehne Mannheim BO	
Captain Cook Drive, Kurnell, N.S.W.		Boots Pure Drug Co. (Aust.) Pty. Ltd. BT	
Alcon Laboratories Inc., U.S.A. . . . AQ		Loyalty Road, North Rocks, N.S.W.	
Alfred Lawrence and Co. Pty. Ltd. AL		Bristol Laboratories Pty. Ltd. BC	
13-31 Barrett Street, Kensington, Vic.		30 Cross Street, Brookvale, N.S.W.	
Allergan Pharmaceuticals, U.S.A. . . . AG		British Drug Houses (Australia) Pty. Ltd. BD	
Ames Company AM		McCredie Road, Smithfield, N.S.W.	
65 Queens Road, Melbourne, Vic.		British Pharmaceuticals Pty. Ltd. BP	
Armour Pharmaceutical Co. Ltd. AR		8-12 Bathurst Street, Sydney, N.S.W.	
England		British Schering Ltd. BS	
Associated Drug Companies of Australia Pty. Ltd. .. AD		40-50 Clarence Street,	
589-605 Collins Street, Melbourne, Vic.		Sydney, N.S.W.	
Astra Pharmaceuticals (Australia) Pty. Ltd. .. AP		Bull Laboratory, David G. BL	
815 Pacific Highway, Chatswood, N.S.W.		19 Shierlaw Avenue, Canterbury, Vic.	
Australian Hoechst Limited AH		Burroughs Wellcome & Co. (Aust.) Ltd. BW	
374-376 Whitehorse Road, Nunawading, Vic.		Cressy Street, Rosebery, N.S.W.	
Ayerst Laboratories Pty. Ltd. AY			
Gregory Place, Parramatta, N.S.W.			
		Calmic (Aust.) Pty. Ltd. CA	
		Bibby Street, Chiswick, N.S.W.	
Bakra Laboratories BK		Cascade Chemicals CM	
45 A'Beckett Street, Melbourne, Vic.		P.O. Box 48, Balaclava, Vic.	
Baxter-D.H.A. Laboratories Pty. Ltd. BX		C.F.C. Pharmaceuticals Pty. Ltd. CO	
Rothschild Avenue, Rosebery, N.S.W.		9 Norton Street, Ashfield, N.S.W.	
Beecham Research Pty. Ltd. BR		Chemos Pty. Ltd. CH	
Chesterville Road, Moorabbin, Vic		65 Park Road, Milton, Q'ld.	
Boehringer Ingelheim Pty. Ltd. BY		Ciba Co. Pty. Ltd., CB	
504-520 Pacific Highway,		Orion Road, Lane Cove, N.S.W.	
St. Leonards, N.S.W.		Commonwealth Serum Laboratories CS	
		Poplar Road, Parkville, Vic.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Cophar, Gnosca Switzerland	CW	Fisons Australia Pty. Ltd. A.D.C. House, 75-91 Pacific Highway, North Sydney, N.S.W.	FC
Crookes Laboratories Ltd., The 72 Macquarie Street, Parramatta, N.S.W.	CK	Gamaprod Pty. Ltd. 169 Lygon Street, Carlton, Vic.	GA
Cutter Laboratories, U.S.A.	CI	Geigy (Australasia) Pty. Ltd. A.D.C. House, 77 Pacific Highway, North Sydney, N.S.W.	GE
Denyer Brothers 250 Pitt Street, Sydney, N.S.W.	DY	Genatosan Ltd., England	GN
Difrex (Aust.) Laboratories 321 Pitt Street, Sydney, N.S.W.	DF	G. P. Laboratories 74-76 Mitchell Road, Alexandria, N.S.W.	GP
Dista Products (Australia) Pty. Ltd. .. Campbell Street, Artarmon, N.S.W.	DL	Glaxo-Allenburys (Australia) Pty. Ltd. .. 23-47 Villiers Street, North Melbourne, Vic.	GL
Dolder & Co., Switzerland	DR	Griffiths Hughes, E., Pty. Ltd. Buffalo Road, Gladesville, N.S.W.	GH
Drug Houses of Australia Ltd. 504 Bourke Street, Melbourne, Vic.	DH	Grose Vale Goat Dairy and Dairy Products .. 55 Warrah Street, East Chatswood, N.S.W.	GV
Endo Laboratories, Inc. U.S.A.	EN	Hamilton Laboratories Pty. Ltd., 217 Flinders Street, Adelaide, S.A.	HA
Erba Carlo S.p.A., Italy	EC	Harvey Pty. Ltd., H. F., 231 Elizabeth Street, Croydon, N.S.W.	HY
Ethicals Ltd. 180 Queen Street, Brisbane, Q'ld.	EL	Ioquin Company, The Captain Cook Drive, Kurnell, N.S.W.	IQ
Ethnor Pty. Ltd. 12 Primrose Avenue, Rosebery, N.S.W.	ET	Imperial Chemical Indust. of Aust. & N.Z. Ltd. .. I.C.I. House, 1 Nicholson Street, Melbourne, Vic.	IC
Evans Medical Australia (Pty.) Ltd. Duffy Avenue, Thornleigh, N.S.W.	EV	Inter-Continental Pharmaceuticals (Australia) Pty. Ltd., 79 Old South Head Road, Bondi Junction, N.S.W.	IP
Farbenfabriken Bayer, A.G. West Germany	FB		
Farmer Hill Pty. Ltd. 187 William Street, Sydney, N.S.W.	FH		
Faulding & Co. Ltd., F. H. James Place, Adelaide, S.A.	FA		
Fawns and McAllan Pty. Ltd. 432 Mount Dandenong Road, Croydon, Vic.	FM		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM	Medical Research Pty. Ltd.	MR
Jaede, H. W., Manufacturing Pty. Ltd.	JA	Sirius Road, Lane Cove, N.S.W.	
21-31 Gold Street, Collingwood, Vic.		Medichem Pharmaceuticals Pty. Ltd.	MC
		39 Arterial Road, St. Ives, N.S.W.	
Knoll Laboratories (Aust.) Pty. Ltd.	KL	Merck (Aust.) Pty. Ltd. E.	MQ
176 Princes Highway, Arncliffe, N.S.W.		1 Hopetoun Avenue, Mosman, N.S.W.	
Knoll, A. G., Germany	KN	Merck, Sharp & Dohme (Aust.) Pty. Ltd.	MK
		62-68 Ferndell Street, South Granville, N.S.W.	
Lane Medicine Co. Pty. Ltd.	LM	Merrell, Wm. S. Company	ML
156 Barkly Avenue, Burnley, Vic.		64 Seville Street, Fairfield, N.S.W.	
Langley Laboratories Pty. Ltd.	LF	Muir & Neil Pty Ltd.	MN
141 Blues Point Road,		479 Kent Street, Sydney, N.S.W.	
North Sydney, N.S.W.			
Lederle Laboratories Division	LE	Nativelle Laboratories	NA
Cyanamid-D.H.A. Pty. Ltd.		France	
73-79 Parramatta Road,		Nicholas Pty. Ltd.	NS
Camperdown, N.S.W.		699 Warrigal Road, Chadstone, Vic.	
Lepetit (Pharmaceuticals) Pty. Ltd.	LT	Noel Bramble Laboratories	NB
A.M.P. Building, North Sydney N.S.W.		324 King George's Road, Beverly Hills, N.S.W.	
Lilly (Australia) and Company, Eli	LY	Nordia, Denmark	NR
Wharf Road, West Ryde, N.S.W.		Nyal Company	NY
		75-89 Atkins Road, Ermington, N.S.W.	
Madland Laboratories, Inc. U.S.A.	MH		
Maw Son & Sons, S.	ME	Oppenheimer, Son & Co. Ltd.	OP
England		London	
May and Baker (Aust.) Pty. Ltd.	MB	Organon Laboratories Ltd.	OR
Paramount Road, West Footscray, Vic.		London	
McGloin Pty. Ltd., J.	MG		
150 Dean Street, Enfield, N.S.W.		Parke Davis and Co. Ltd.	PD
Mead Johnson Pty. Ltd.	MJ	32-40 Cawarra Road North, Caringbah, N.S.W.	
Caringbah, N.S.W.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Pfizer Pty. Ltd.	PF	Roussel Pharmaceuticals Pty. Ltd.	RL
Wharf Road, West Ryde, N.S.W.		403 Pacific Highway, Artarmon, N.S.W.	
Pfrimmer & Co., West Germany	PC		
Pharmedica Pty. Ltd.	PH		
602-612 Botany Road, Alexandria, N.S.W.			
Prosana Laboratories	PR	Salmond and Spraggon (Aust.) Pty. Ltd.	SS
22 Daisy Street, Revesby, N.S.W.		104-108 Mount Street, North Sydney, N.S.W.	
Pro-Vita Products Pty. Ltd.	PV	Sandoz Ltd.	SZ
Lennon Street, South Kensington, Vic.		620 Harris Street, Ultimo, N.S.W.	
Protea Pharmaceuticals Pty. Ltd.	PT	Schering Corporation, U.S.A.	SH
13-19 Glebe Street, Glebe, N.S.W.		Schering, A. G., Berlin	SC
		Searle, G. D. (Australia) Pty. Ltd.	SR
Queensland Ethicals	QE	40 Miller Street, North Sydney, N.S.W.	
Evans Road, Rocklea East, Brisbane, Q'ld.		Sera Pty. Ltd.	SE
		29 Hotham Parade, Artarmon, N.S.W.	
Reckitts Pty. Ltd.	RC	Sigma Co. Ltd.	SI
44 Wharf Road, West Ryde, N.S.W.		589-605 Collins Street, Melbourne, Vic.	
Richards Laboratory Pty. Ltd.	RD	Smith, Kline & French Laboratories (Aust.) Ltd.	SK
Kings Road, Castle Hill, N.S.W.		Warringah Road, French's Forest, N.S.W.	
Richter of Milan	RM	Smith & Nephew (Aust.) Pty. Ltd.	SN
Riker Laboratories Australia Pty. Ltd.	RK	Wellington Road, Clayton, Vic.	
9-15 Chilvers Road, Thornleigh, N.S.W.		Soul Pattinson (Laboratories) Pty. Ltd.	SL
Robins, A. H., Pty. Ltd.	RS	158 Pitt Street, Sydney, N.S.W.	
65 The Boulevarde, Caringbah, N.S.W.		South Pacific Pharmaceuticals Pty. Ltd.	SU
Roche Products Ltd.	RO	132 St. Johns Road, Glebe, N.S.W.	
Inman Road, Dee Why, N.S.W.		SPOFA United Pharmaceutical Works	SP
Roche Tompsitt & Co. Ltd.	RT	Czechoslovakia	
10 Griffiths Street, Richmond, Vic.		Squibb & Sons, E.R., Pty. Ltd.	SQ
Rona Laboratories Ltd.	RN	Princes Highway, Noble Park, Vic.	
London, U.K.		Stansen & Co. Pty. Ltd., A. E.	ST
Rotary Tableting Corp. Pty. Ltd.	RY	500 Spencer Street, West Melbourne, Vic.	
432 Mt. Dandenong Road, Croydon, Vic.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
St. Just Laboratories Ltd.	SJ	Wander Limited, A., England	WA
7 Ferguson Street, Maylands, W.A.		Ward Blenkinsop and Co. Ltd.	WB
Thilo, and Co.	TH	London, U.K.	
West Germany		Warner & Co. Pty. Ltd., Wm. R.	WW
Toppin & Sons Pty. Ltd., R. D.	TO	10-28 Biloela Street, Villawood, N.S.W.	
22 Duffy Avenue, Thornleigh, N.S.W.		Weddel Pharmaceuticals	WP
Trane Pharmacal Co.	TR	England	
98 Collins Street, Melbourne, C.1, Vic.		Wholesale Drug Co. Ltd.	WD
Trisept Pty. Ltd.	TS	221-229 Mitchell Road, St. Peters, N.S.W.	
St. Mary's, N.S.W.		Winthrop Laboratories	WL
Trufood Ltd., England	TF	75-89 Atkins Road, Ermington, N.S.W.	
United Works of Pharmaceutical and Diatetic Pro- ducts	UW	Woods, H. W. Pty. Ltd.	WH
Hungary		10 Clifford Street, Huntingdale, Vic.	
Upjohn Pty. Ltd.	UP	World Agencies Pty. Ltd.,	WO
55-73 Kirby Street, Rydalmere, N.S.W.		82-84 Sussex Street, Sydney, N.S.W.	
Virax Ethicals Ltd.	VR	Wyeth Pharmaceuticals Pty. Ltd.	WY
77-79 Market Street, South Melbourne, Vic.		Gregory Place, Parramatta, N.S.W.	
		Young and Fennell Pty. Ltd.	YF
		107 Kent Street, Sydney, N.S.W.	

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline Acid Tartrate	Injection, B.P. 1-1,000, 1 ml. 1-1,000, 10 ml.	5 1	Morphine with Atropine	Injection, 1 ml.	5
Aminophylline	Injection I.V.	5	Penicillin, Procaine, (Aqueous Suspension)	Injection	10
Chlorpromazine	Injection 2.5% 2 ml.	5	Pethidine	Injection 50 mg. in 1 ml. 50 mg./ml. 2 ml.	5 5 5
Digoxin	Injection 0.25 mg. per ml., 2 ml.	10	Phenobarbitone Sodium	Injection	5
Ethylnoradrenaline	Injection	5	Sulphadiazine	} Tablet	100
Frusemide	Injection	5	or Sulphadimidine		
Heparin	Injection	1	or Sulphonamides, Three Mixed		
Hydrocortisone Sodium Succinate	Injection	1	Tetanus Antitoxin, 1,500 Units, 15 Units, Diluted 1-50	Injection—set	1
Metaraminol	Injection	1	Tetanus Antitoxin (Bovine), 1,500 Units, 15 Units, Diluted 1-50 ..	Injection—set	1
Morphine Sulphate	Injection, 1 ml. Hypodermic Tablet	5 40	Tetanus Toxoid, (Purified Alum- inium Phosphate Adsorbed) }	Injection 0.5 ml.	10

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS
Operative as from 1st December, 1967

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and this quantity in the manufacturer's original pack will be supplied.
- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the state indicated.
N.S.W.....(N); VIC.....(V); QLD.....(Q); S.A.....(S); W.A.....(W); TAS.....(T).

SECTION 2 - SCHEDULE OF BENEFITS

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ACETARSOL			\$	
Oral Tablet 250 mg.	25	2	0.90	MB
Compound Pessary 250 mg.	25	1	0.83	MB
ACETAZOLAMIDE				
Oral Capsule 500 mg. (sustained release)	50	2	10.97	LE
Oral Tablet 250 mg.	50	4	5.50	LE
Injection 500 mg.	1	..	3.35	LE
ACETOHEXAMIDE				
Oral Tablet 500 mg.	100	2	4.30	LY
ACETYLCYSTEINE				
See Restricted Benefits				
ACETYLSALICYLIC ACID				
Mixture P.L.	200 ml.	4	0.86	Extemp.
Mixture for Children P.L.	100 ml.	4	0.82	Extemp.
Tablets - See Restricted Benefits.				
ACETYLSALICYLIC ACID with PARACETAMOL and CAFFEINE				
See Restricted Benefits.				
ACETYLSALICYLIC ACID and CODEINE				
Mixture P.L.	200 ml.	4	1.14	Extemp.

ACETYLSALICYLIC ACID and MORPHINE Mixture P.L.	200 ml.	4	1.12	Extemp.
ACETYLSALICYLIC ACID and PARACETAMOL Mixture P.L.	200 ml.	4	1.04	Extemp.
ACETYLSALICYLIC ACID and PHENOBARBITONE Mixture P.L.	200 ml.	4	0.90	Extemp.
ADRENALINE Eye Drops				
0.5%, 7.5 ml.	‡1	6	3.10	ET
1%, 7.5 ml.	‡1	6	3.43	ET
2%, 10 ml.	‡1	6	6.63	AG
			7.30	MH
2% (100 mg. and 5 ml. diluent)	‡1	6	\$5.75	AQ
ADRENALINE ACID TARTRATE Injection, B.P.				
1 in 1,000, 1 ml.	5	1	0.81	FH, WO
			0.83	KL
			0.85	AD, BL, BT, BW, PD
1 in 1,000, 10 ml.	1	1	0.70	BW, PD
Solution, B.P.				
1 in 1,000, 25 ml.	1	..	0.69	BW
1 in 1,000, 1 fl. oz.	1	..	0.69	RT(V)
			0.70	PD
Solution 1 in 100, 7 ml.	1	1	0.69	BW, PD

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ADRENALINE and ATROPINE Spray P.L.	15 ml.	2	\$ 1.29	Extemp.
ADRENALINE MUCATE Injection, 1 in 1,000, 1 ml.	5	1	1.17	GL
ALDOSTERONE See Restricted Benefits.				
ALLOPURINOL See Restricted Benefits.				
ALUMINIUM Compound Paste 10%, 4 oz.	‡1	1	2.17	BT
ALUMINIUM ACETATE Cream Oily P.L.	100 G.	1	0.93	Extemp.
Ear Drops P.L.	15 ml.	2	0.71	Extemp.
ALUMINIUM HYDROXIDE GEL ‡Mixture 8 fl. oz. (with instructions for use) 200 ml.	1	4	‡0.59	CH(QNW) CH(QNW)
(with instructions for use)	1	4	‡0.50 ‡0.59	AL, DH, MG, WD(N) KL, PR, WY AL, DH, MG, WD(N) KL, PR, WY

ALUMINIUM HYDROXIDE GEL DRIED

Oral Tablet 300 mg.

100

2

1.23

EV, KL, PR, RT(V), WL, WY

1.30

HA, RD

ALUMINIUM HYDROXIDE GEL with MAGNESIUM
HYDROXIDE

Mixture 200 ml.

‡1

4

0.82

PR, WY

Oral Tablet 300 mg.-90 mg.

100

2

1.39

BC, WY

200 mg.-200 mg.

100

2

1.38

PD

Oral Suspension

215 mg.-80 mg. per 5 ml., 340 ml.

‡1

2

1.43

WY

200 mg.-100 mg. per 5 ml., 360 ml.

‡1

2

1.50

BS

200 mg.-200 mg per 5 ml., 360 ml.

‡1

2

1.50

PD

ALUMINIUM HYDROXIDE GEL with MAGNESIUM
TRISILICATE

Mixture 250 mg.-500 mg. per 4 ml., 8 fl. oz.

‡1

4

0.97

WW

Oral Tablet 250 mg.-500 mg.

100

2

1.34

WW

(ex 500)

1.43

WW

(ex M.P.)

ALUMINIUM HYDROXIDE GEL with MAGNESIUM
TRISILICATE and MAGNESIUM HYDROXIDE

Mixture 250 mg.-120 mg.-120 mg. per 5 ml.,
250 ml.

‡1

4

1.07

FM

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE - cont. Oral Tablet 250 mg.-120 mg.-120 mg.	100	2	\$ 1.51 1.58 (ex 500) 1.63 (ex M.P.)	FA, HA, KL BW, FM, GP, VR BW, FA, FM, GP, HA, KL, VR
ALUMINIUM HYDROXIDE with BELLADONNA Mixture P.L.	200 ml.	4	0.96	Extemp.
ALUMINIUM HYDROXIDE with KAOLIN Mixture for Children P.L.	100 ml.	4	0.81	Extemp.
ALUMINIUM HYDROXIDE with KAOLIN and OPIUM Mixture P.L.	200 ml.	4	1.10	Extemp.
ALUMINIUM HYDROXIDE with PROCAINE Mixture P.L.	200 ml.	4	0.99	Extemp.
ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL. Oral Tablet 375 mg.	100	2	1.70	BD, BS, BT, WY
ALUMINIUM and MAGNESIUM TRISILICATE Internal Powder P.L.	100 G.	2	1.02	Extemp.

ALUMINIUM SODIUM SILICATE

Powder 100 G.

1 2 1.10 SC

AMINACRINE HYDROCHLORIDE

Eye Drops 3 mg. in 15 ml.

1 2 1.06 IQ, KL, SI

AMINOPHYLLINE

Injection I.M.

480 mg. in 2 ml.

5 .. 1.21 AD

500 mg. in 2 ml.

5 .. 1.10 WO

1.13 FH

1.21 BW, DH, HA

Injection I.V.

250 mg. in 10 ml.

5 .. 1.53 AD, FH, WO

1.61 HA

1.62 BW

Oral Tablet

100 mg.

100 2 0.63 AD, BW, DH, FA, HA, HY, KL,
MG, RT(V), RY, SI, SL(N)

125 mg.

100 2 1.17 ET

150 mg.

100 2 1.74 AB

Suppository

175 mg.

12 1 0.90 HA, KL

250 mg.

12 1 1.21 DH, HA, KL

400 mg.

12 1 1.21 HA, KL

AMINOPHYLLINE COMPOUND

Mixture P.L.

200 ml. 4 1.04 Extemp.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMITRIPTYLINE See Restricted Benefits.			\$	
AMMONIUM CHLORIDE Oral Tablet 500 mg.	100	3	0.97	QE(QNVS), RY
AMODIAQUINE Oral Tablet equivalent to 150 mg. Amodiaquine base.	100	2	2.43	PD
AMPHETAMINE SULPHATE See Restricted Benefits.				
AMPHOTERICIN B See Restricted Benefits.				
AMPICILLIN See Restricted Benefits.				
AMYLOBARBITONE Oral Tablet 15 mg.	100	1	0.77	FA, HY, PT
			0.78	DL, FM, HA, KL, LY, RY
30 mg.	100	1	0.79	FA, PT, RT(V)
			0.83	HY, MG, SL(N)
			0.93	DL, FM, HA, KL, LY, RY, VR

50 mg.

100

1

0.83 PT, RT(V), SL(N)
 0.87 FA, HY, QE(QNVS)
 0.95 MG
 1.00 DL, FM, GP, HA, KL, LY,
 (ex 500) RY, VR
 0.86 FA, PT, RT(V), SL(N)
 0.90 HY, MG, QE(QNVS)
 1.05 DL, FM, GP, HA, KL, LY,
 (ex M.P.) RY, VR

100 mg.

25

..

0.47 MG, PT, SL(N)
 0.49 HA
 0.53 HY
 0.54 AD, DL, FA, FM, GP, KL,
 (ex 100) LY, RT(V), RY, SI, VR
 0.51 PT, SL(N)
 0.53 HA
 0.57 MG
 0.59 VR
 0.61 AD, DL, FA, FM, GP, HY, KL,
 (ex M.P.) LY, RT(V), RY, SI

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	AMYLOBARBITONE SODIUM			\$	
	Oral Capsule				
2652	50 mg.	100	1	1.47	FM, LY
1056	200 mg.	25	..	0.84	LF, PT
				1.07	FA, FM, KL, LY, VR
				(ex 100)	
				0.97	LF, PT
				1.23	FA, FM, KL, LY, VR
				(ex M.P.)	
	Injection				
1057	125 mg. (solvent required)	5	..	2.37	LY
1058	250 mg. (solvent required)	5	..	*2.50	LY
1059	500 mg. (solvent required)	5	..	*3.65	LY
1060	1 G. (solvent required)	5	..	*9.65	LY
	ANEURINE HYDROCHLORIDE				
1065	Injection 100 mg. in 1 ml.	5	1	1.63	KL
				1.74	FM
				1.77	DH
	Tablets - See Restricted Benefits.				
	ANTAZOLINE				
1072	Injection 100 mg. in 2 ml.	10	..	*2.16	CB
				*2.22	BT
1073	Oral Tablet 100 mg.	50	1	1.37	CB
	ANTAZOLINE with NAPHAZOLINE				
1075	Eye Drops 10 ml.	11	2	0.83	CB

AQUEOUS CREAM

Cream P.L.

100 G.

1

0.91

Extemp.

Cream Buffered P.L.

100 G.

1

0.95

Extemp.

ASCORBIC ACID

See Restricted Benefits.

ATROPINE

Eye Drops, Oily 1%, 15 ml.

‡1

2

1.30

IQ, SI

ATROPINE METHONITRATE

Mixture for Children P.L.

100 ml.

4

0.94

Extemp.

Oral Solution 0.6%, 15 ml.

1

..

0.97

WL

Oral Tablet 1 mg.

50

2

1.43

WL

ATROPINE SULPHATE

Hypo. or Oral Tablet

1/150 gr. (solvent required)

20

1

0.63

FA

1/100 gr. (solvent required)

20

1

0.70

FA

Injection

0.4 mg. in 1 ml.

5

1

0.86

FH, KL

0.90

BL, BT, DH

0.6 mg. in 1 ml.

5

1

0.86

FH, KL

0.90

BL, BT, DH

0.6 mg. per ml., 10 ml.

1

..

0.97

DH, FA

1.25 mg. in 1 ml.

5

1

0.86

FH, KL

0.90

BL, DH

Eye Drops

0.5%, 15 ml.

‡1

2

1.10

DH, ET, IQ, KL, SI

1%, 15 ml.

‡1

2

1.21

DH, ET, IQ, KL, SI

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ATROPINE SULPHATE - cont.			\$	
Eye Ointment 1%, 4 G.	‡1	..	0.63	PD
BACITRACIN				
Eye Drops 15,000 Units and 15 ml. of solvent	‡1	2	\$1.99	ET
BARBITONE SODIUM				
Oral Tablet				
300 mg.	25	..	0.62	MG
			0.67	DH, KL
500 mg.	25	..	0.70	DH, KL
BARBITURATES COMPOUND				
Oral Capsule A.P.F. 1955	25	..	1.83	AB, ET, KL
BELLADONNA				
Mixture for Children P.L.	100 ml.	4	0.87	Extemp.
BELLADONNA with PHENOBARBITONE				
Oral Tablet of prepared Belladonna Herb B.P. (or equivalent of Dry Extract of Belladonna) with Phenobarbitone.				
30 mg.-20 mg.	100	2	0.86	LF, PT, RT(V)
			0.87	DH, FM, GP, HY, SI, TR, WW
40 mg.-16 mg.	100	2	1.02	RS
45 mg.-30 mg.	100	2	0.99	LF, RT(V)
			1.01	PT
			1.03	DH, FM, GP, HY, SI, TR, WW

BEMEGRIDE

Injection 5 mg. per ml., 30 ml.

5 .. *10.58 NS

BENDROFLUAZIDE

Oral Capsule

2.5 mg.

50 2 1.82 GL

5 mg.

50 2 2.65 GL

Oral Tablet

2.5 mg.

50 2 1.71 BC, BT, ET, GL

(ex 250)

1.82 BC, BT, ET, GL

(ex M.P.)

5 mg.

50 2 2.52 BC, BT, ET, GL

(ex 250)

2.65 BC, BT, ET, GL

(ex M.P.)

BENZALKONIUM CHLORIDE

Compound Suppository

12 1 1.15 HA

1.17 FA

Solution 10%, 4 fl. oz.

11 .. 0.87 WL

BENZHEXOL

Oral Tablet

2 mg.

100 2 1.89 LE, WL

5 mg.

100 2 3.45 LE, WL

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BENZOCAINE with ADRENALINE			\$	
Compound Ointment 2 oz.	1	1	1.30	GP
Compound Suppository	12	1	1.06	GP
Suppository A.P.F. 1955	12	1	1.30	KL
BENZOIC ACID				
Compound Ointment P.L.	100 G.	1	1.15	Extemp.
BENZON				
Inhalation P.L.	50 ml.	1	0.94	Extemp.
BENZTROPINE				
Oral Tablet 2 mg.	100	..	4.57	MK
BENZYL BENZOATE				
Application 25%, 4 fl. oz.	‡1	1	0.83	MB
BENZYL BENZOATE with DICOPHANE				
Application P.L.	200 ml.	1	1.14	Extemp.
BEPHENIUM HYDROXYNAPHTHOATE (Bephenium)				
Oral Sachet 5 G.	1	..	0.74	BW
BETAMETHASONE				
Eye Drops 0.1%, 5 ml.	‡1	2	2.30	GL, SH
Eye Ointment 0.1%, 3 G.	‡1	..	1.63	GL, SH
Injections - See Restricted Benefits.				

Tablet - See Restricted Benefits.

BETHANIDINE

Oral Tablet 10 mg.

100 2 2.97 BW

BIPERIDEN

Oral Tablet 2 mg.

100 2 3.19 KN

BISMUTH SUBGALLATE

Compound Suppository

12 1 0.82 WW
1.37 KL

BORIC ACID

Ear Drops P.L.

15 ml. 2 0.68 Extemp.

†Powder, B.P.

4 oz.

1 .. †0.15 WD(N)
†0.23 FA
†0.26 DH
†0.30 SI(V)
WD(N)
FA
DH
SI(V)

(with instructions for use)

BORIC TALC

Dusting Powder P.L.

100 G. 1 0.91 Extemp.

BRETYLIUM TOSYLATE

(Bretylum)

Oral Tablet 200 mg.

100 2 8.63 BW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BROMPHENIRAMINE			\$	
Oral Tablet 4 mg.	50	1	1.43	RS
12 mg.	50	1	2.90	RS
Syrup 2 mg. per 5 ml., 100 ml.	11	4	1.03	RS
BROWN SNAKE ANTI-VENENE				
Injection 500 Units	2	1	*28.30	CS
BUSULPHAN				
See Restricted Benefits.				
BUTABARBITAL SODIUM				
Oral Tablet				
15 mg.	100	1	1.03 (ex 500)	ET
			1.07 (ex M.P.)	ET
30 mg.	100	1	1.19 (ex 500)	ET
			1.26 (ex M.P.)	ET
50 mg.	100	1	1.53	ET
100 mg.	25		0.97	ET

BUTOBARBITONE
Oral Tablet 100 mg.

25

..

0.51

PT

0.52

AD, MB, RT(V), SI

(ex 100)

0.55

PT

0.57

AD, MB, RT(V), SI

(ex M.P.)

CAFFEINE, IODIDE and EPHEDRINE
Mixture, P.L.

200 ml.

4

1.43

Extemp.

CALAMINE

Cream Aqueous P.L.

100 G.

1

0.88

Extemp.

Cream Oily P.L.

100 G.

1

0.95

Extemp.

Lotion P.L.

200 ml.

1

1.11

Extemp.

Lotion Oily P.L.

200 ml.

1

1.02

Extemp.

CALCIFEROL

See Restricted Benefits.

CALCIUM ACETYLSALICYLATE

Mixture P.L.

200 ml.

4

0.93

Extemp.

CALCIUM AMINOSALICYLATE

See Restricted Benefits.

CALCIUM GLUCONATE

Injection 10%, 10 ml.

5

1

1.30

FH, SZ, TH

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpis.	Dispensed Price for Max. Qty.	Manufacturer
CALCIUM GLUCONATE - cont.			\$	
Oral Tablet 600 mg.	100	2	0.70	KL, PR, SL(N)
			0.77	AD, DH, FA, HY, RT(V), RY, SI, TO
			0.83	MG
Effervescent Tablet - See Restricted Benefits.				
CALCIUM and KAOLIN				
Mixture for Children P.L.	100 ml.	4	0.76	Extemp.
CALCIUM LACTATE				
Oral Tablet 300 mg.	100	2	0.63	AD, DH, FA, HY, KL, RT(V), RY, SI, SL(N), TO
CAMPHOR				
Linctus Compound P.L.	100 ml.	4	0.99	Extemp.
Liniment P.L.	100 ml.	1	1.03	Extemp.
CARBACHOL				
Injection 0.25 mg. in 1 ml.	5	..	0.86	BD, FH
Eye Drops				
0.75%, 15 ml.	‡1	6	2.25	AQ
1.5%, 15 ml.	‡1	6	2.34	AQ
3%, 15 ml.	‡1	6	2.45	AQ
CARBAMAZEPINE				
See Restricted Benefits.				

CARBIMAZOLE

Oral Tablet 5 mg.

100	2	1.97	PT
		2.63	BS

CARBINOXAMINE

Oral Paediatric Elixir

4 mg. per 5 ml., 4 fl. oz.

‡1	4	1.03	ET
----	---	------	----

Oral Tablet

4 mg.

50	1	1.57	ET
----	---	------	----

12 mg. (sustained release)

50	1	3.63	ET
----	---	------	----

CASCARA

Oral Tablet

200 mg.

25	3	0.50	AD, DH, FA, HY, RT(V), SI, SL(N)
----	---	------	-------------------------------------

300 mg.

25	3	0.54	AD, DH, FA, HY, RT(V), SI, SL(N)
----	---	------	-------------------------------------

†Liquid Extract, B.P.

1 fl. oz.

1	1	†0.20	WD(N)
		†0.21	DH

(with instructions for use)

2 fl. oz.

1	1	†0.30	DH, WD(N)
---	---	-------	-----------

(with instructions for use)

DH, WD(N)

CASTOR OIL

†5 oz.

1	..	†0.27	WD(N)
		†0.33	DH, FA

(with instructions for use)

WD(N)
DH, FA

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CETOMACROGOL			\$	
Cream Aqueous P.L.	100 G.	1	1.21	Extemp.
CETRIMIDE				
Cream Aqueous P.L.	100 G.	1	1.30	Extemp.
CHALK and KAOLIN				
Mixture P.L.	200 ml.	4	0.87	Extemp.
CHLORAL				
Mixture P.L.	200 ml.	4	0.90	Extemp.
Mixture for Children P.L.	100 ml.	4	0.78	Extemp.
CHLORAMBUCIL				
See Restricted Benefits.				
CHLORAMPHENICOL				
Ear Drops				
2%, 10 ml.	‡1	2	1.10	CW
10%, 6 ml.	‡1	2	1.10	KL
			1.30	PD
Eye Drops				
25 mg. and 10 ml. solvent	‡1	2	\$1.68	PD
0.5%, 10 ml.	‡1	2	1.10	CW, KL
Eye Ointment				
1%, 4 G.	‡1	..	0.63	KL
			0.69	PD
1%, 5 G.	‡1	..	0.69	EC

Capsule - See Restricted Benefits.
 Injection - See Restricted Benefits.
 Suspension-See Restricted Benefits.
 Tablets - See Restricted Benefits.

CHLORAMPHENICOL with POLYMYXIN B

Eye Ointment

1% - 5000 Units per G., 4 G.

‡1	..	0.63	KL
		0.69	PD

CHLORAZANIL

Oral Tablet

25 mg.

150 mg.

50	2	1.50	RK, SI
50	2	3.37	RK
		3.39	SI

CHLORCYCLIZINE

Oral Tablet 50 mg.

Oral Capsule

25 mg.

50 mg.

50	1	1.70	AB, BW
50	1	1.30	BW
50	1	1.70	BW

CHLORHEXIDINE

Cream Aqueous P.L.

Ear Drops P.L.

Solution 5%, 100 ml.

100 G.	1	1.10	Extemp.
15 ml.	2	0.69	Extemp.
‡1	1	1.50	IC

CHLOROBENZOL DISULPHONAMIDE

Oral Tablet 100 mg.

200 mg.

50	2	1.79	NS
50	2	3.15	NS

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLOROQUINE			\$	
Oral Tablet equivalent to 150 mg. Chloroquine base	100	2	2.90 2.97 3.02	PT MB, RT(V) DH, ET, EV, FB, IC, WL
Injection				
2 ml. (40 mg. per ml.)	5	1	*1.19	MB
5 ml. (40 mg. per ml.)	5	1	*1.84	MB
CHLOROTHIAZIDE				
Oral Tablet 500 mg.	50	2	2.64 (ex 250) 2.97 (ex M.P.)	MK MK
CHLOROTRIANISENE				
See Restricted Benefits.				
CHLORPHENIRAMINE				
Injection 10 mg. in 1 ml.	5	..	1.58	GL
Oral Tablet				
4 mg.	50	1	1.66 1.74 1.77	LF, PT CA, SH GL

8 mg.	50	1	1.86	GL, LF, PT
			1.95	CA
			2.15	SH
			(ex 250)	
			2.06	LF, PT
			2.17	CA, GL
			2.39	SH
			(ex M.P.)	
Oral Paediatric Syrup 2 mg. per 5 ml., 114 ml.	‡1	4	0.97	GL
CHLORPROMAZINE				
See Restricted Benefits.				
CHLORPROPAMIDE				
Oral Tablet 250 mg.	100	2	4.30	PF
CHLORTETRACYCLINE				
Eye Ointment 1%, 4 G.	‡1	..	0.54	KL
			0.57	LE
Capsules - See Restricted Benefits.				
Granules - See Restricted Benefits.				
CHLORTHALIDONE				
Oral Tablet 100 mg.	50	2	4.24	GE
			(ex 250)	
			4.82	GE
			(ex M.P.)	

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHOLERA-EL TOR COMBINED VACCINE Injection 8,000 million in 1 ml.	2	..	\$ *1.10	CS
CLEMIZOLE Oral Tablet 20 mg.	50	1	*1.58	SC
Injection 1 ml.	3	..	0.97	SC
Oral Paediatric Syrup 100 ml.	‡1	4	0.97	SC
CLOPAMIDE Oral Tablet 20 mg.	50	2	2.43	SZ
COAL TAR Paste P.L.	100 G.	1	1.11	Extemp.
COAL TAR and ZINC Cream P.L.	100 G.	1	0.96	Extemp.
COCAINE Eye Drops Oily, 2%, 15 ml.	‡1	2	1.59	IQ, SI
CODEINE PHOSPHATE Linctus P.L.	100 ml.	2	1.24	Extemp.
Oral Tablet 30 mg.	25	3	0.83	DH, HY, KL, RT(V), RY
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID See Restricted Benefits.				

CODEINE PHOSPHATE with ACETYLSALICYLIC
ACID and PARACETAMOL

See Restricted Benefits.

CODEINE PHOSPHATE with ACETYLSALICYLIC
ACID, PARACETAMOL and CAFFEINE

See Restricted Benefits.

COD LIVER OIL

†Cod Liver Oil, B.P.

8 fl. oz.

1

4

†0.40

WD(N)

†0.45

FA, SI(V)

(with instructions for use)

WD(N)

FA, SI(V)

200 ml.

1

4

†0.44

DH

(with instructions for use)

DH

Emulsion - See Restricted Benefits.

COLCHICINE

Oral Tablet 0.5 mg.

100

2

2.89

EV, PT

2.97

BW, DH, HY, KL, MR, PR,
RT(V)

COLD CREAM

Cream P.L.

100 G.

1

0.95

Extemp.

COLISTIN

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
COPPER SULPHATE			\$	
†Diagnostic Compound Tablet 36 (with instructions for use)	1	2	†0.68	AM AM
CORTICOTROPHIN				
See Restricted Benefits.				
CORTISONE ACETATE				
Eye Drops				
0.5%, 5 ml.	†1	2	1.57	MK
0.5%, 10 ml.	†1	2	1.90	ET, MK
1%, 2.5 ml.	†1	2	1.37	CB
1%, 3 ml.	†1	2	1.57	ET, RL
2.5%, 5 ml.	†1	2	4.10	MK
2.5%, 10 ml.	†1	2	5.10	ET, MK
Injections - See Restricted Benefits.				
Tablets - See Restricted Benefits.				
COUGH MIXTURE				
Mixture P.L.	200 ml.	4	1.17	Extemp.
CYANOCOBALAMIN				
See Restricted Benefits.				
CYCLOBARBITONE				
Oral Tablet 200 mg.	25	..	0.82 0.90 1.10	MG, SL(N) HA KL, BW

CYCLOPENTHIAZIDE

Oral Tablet 0.5 mg.

50	2	2.37 (ex 250)	CB
		2.57 (ex M.P.)	CB

CYCLOPHOSPHAMIDE

Injection

100 mg. (solvent required)

200 mg. (solvent required)

Oral Tablet 50 mg.

10	..	10.43	MJ
10	..	12.30	MJ
50	..	5.97	MJ

CYCLOTHIAZIDE

Oral Tablet 5 mg.

50	2	2.81	BY
----	---	------	----

CYCRIMINE HYDROCHLORIDE

Oral Tablet

1.25 mg.

2.5 mg.

100	2	3.50	LY
100	2	5.43	LY

CYPROHEPTADINE

Oral Tablet 4 mg.

50	2	1.72 (ex 250)	MK
		1.90 (ex M.P.)	MK

Oral Paediatric Syrup

1.2 mg. per 5 ml., 100 ml.

1	4	0.90	MK
---	---	------	----

DAPSONE

Oral Tablet 100 mg.

100	2	0.83	IC
-----	---	------	----

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DARROW'S SOLUTION See Intravenous Fluids			\$	
DEATH ADDER ANTI-VENENE Injection 3,000 Units	2	..	*59.08	CS
DEMECARIUM BROMIDE Eye Drops 0.1%, 5 ml.	‡1	6	1.66	AP
0.25%, 5 ml.	‡1	6	1.79	AP
0.5%, 5 ml.	‡1	6	2.07	AP
DEMETHYLCHLORTETRACYCLINE See Restricted Benefits.				
DEMETHYLCHLORTETRACYCLINE with NYSTATIN See Restricted Benefits.				
DEOXYCORTONE See Restricted Benefits.				
DESLANOSIDE Injection 0.2 mg. per ml., 2 ml.	5	1	1.13	SZ
DEXAMETHASONE See Restricted Benefits.				

DEXAMPHETAMINE

See Restricted Benefits.

DEXCHLORPHENIRAMINE

Injection 5 mg. in 1 ml.

Oral Tablet

2 mg.

6 mg.

Oral Paediatric Syrup 2 mg. per 5 ml., 100 ml.

DEXTRAN with DEXTROSE

See Intravenous Fluids

DEXTRAN in NORMAL SALINE

See Intravenous Fluids

DEXTRIFERRON

Injection I.V. 5 ml.

DEXTROMORAMIDE

See Restricted Benefits.

DEXTROSE

See Intravenous Fluids

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXTROSE and GLYCERIN Nasal Instillation P.L.	15 ml.	2	\$ 0.76	Extemp.
DIAZEPAM See Restricted Benefits.				
DICHLORALPHENAZONE Oral Tablet 650 mg.	25	..	0.97	EV
DICHLOROPHEN Oral Tablet 500 mg.	18	..	0.90	MB
DICHLORPHENAMIDE Oral Tablet 50 mg.	50	4	5.10	AQ, MK
DICOPHANE Application P.L.	200 ml.	1	0.92	Extemp.
Dusting Powder P.L.	100 G.	1	0.95	Extemp.
DICYCLOMINE HYDROCHLORIDE Oral Tablet 10 mg.	100	2	2.20 2.49 (ex 500) 2.43 2.77 (ex M.P.)	PT ML PT ML
Oral Paediatric Syrup 5 mg. per 5 ml., 100 ml.	‡1 100 ml.	4	1.43	ML

DIENOESTROL

See Restricted Benefits.

DIETHAZINE

Oral Tablet

50 mg.

250 mg.

100 2 1.03 MB

100 2 *2.96 MB

DIETHYLCARBAMAZINE

Oral Tablet 50 mg.

40 1 *1.60 LE

DIGITALIS, PREPARED

Oral Tablet

30 mg.

60 mg.

100 2 0.83 DH, RT(V)

100 2 0.97 DH, RT(V)

DIGITOXIN

Oral Tablet 100 micrograms

100 .. 0.98 PT
1.02 KL, MJ, NA, WY

DIGOXIN

Oral Solution 500 micrograms per ml., 30 ml.

Oral Solution for Children

50 micrograms per ml., 50 ml.

Injection 250 micrograms per ml., 2 ml.

Oral Tablet

62.5 micrograms

‡1 .. 1.26 BW

‡1 2 1.37 BW

10 1 *1.98 BW

100 2 0.97 BW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DIGOXIN - cont.			\$	
Oral Tablet				
250 micrograms	100	2	0.73	FA, HY, PT, RT(V), SL(N)
			0.77	LF, NA
			0.81	RY
			0.97	PR
			0.99	TO
			1.01	KL
			1.03	SU(N)
			1.13	BW, CS, MG, RD, VR
Injection for Infants 50 micrograms in 2 ml.	10	1	*1.98	BW
DIHYDROERGOTAMINE				
Injection 1 mg. in 1 ml.	5	..	1.63	SZ
DIHYDROMORPHINONE HYDROCHLORIDE				
Injection 1.1 ml.	5	..	1.03	KN
Oral Tablet 2.5 mg.	20	..	*0.96	KN
DIHYDROSTREPTOMYCIN SULPHATE with ATTAPULGITE, PECTIN and HYDRATED ALUMINA POWDER				
Oral Tablet				
150 mg.-350 mg.-45 mg.-70 mg.	16	..	1.41	WY

DIHYDROSTREPTOMYCIN SULPHATE with
KAOLIN, PECTIN and ALUMINIUM HYDROXIDE
GEL

Oral Suspension

4.63 gr.-45 gr.-4 gr. per fl. oz., 3.5 fl. oz.

‡1

..

1.43

WY

DIHYDROTACHYSTEROL

See Restricted Benefits.

DI-iodohydroxyquinoline

(Diodoquinoline)

Oral Tablet

300 mg.

100

2

1.77

DF, MB

650 mg.

100

2

8.23

SR

Compound Vaginal Tablet 100 mg.

‡25

1

1.50

VR

1.63

SR

Effervescent Gynaecological Pessary 200 mg.

‡20

1

1.63

DF

DILOXANIDE FUROATE

See Restricted Benefits.

DIMERCAPROL

Injection 5%, 2 ml.

10

..

3.90

BT

DIMETHINDENE

Oral Tablet

1 mg.

50

1

1.50

CB

2.5 mg. (sustained release)

50

1

2.70

CB

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DIPHENHYDRAMINE			\$	
Injection 10 mg. per ml., 10 ml.	1	1	1.43	PD
Oral Capsule 50 mg.	50	1	1.15	PD
			(ex 250)	
			1.26	PD
			(ex M.P.)	
Oral Paediatric Elixir 115 ml.	11	4	0.70	PD
DIPHENYLPYRALINE				
Oral Capsule				
2.5 mg.(sustained release)	50	1	2.30	SK
5 mg.(sustained release)	50	1	2.56	SK
			(ex 250)	
			2.89	SK
			(ex M.P.)	
Oral Tablet 2.5 mg.	50	1	1.23	RK
5 mg. (sustained release)	50	1	2.17	RK
Oral Paediatric Syrup				
2.5 mg. per 5 ml., 100 ml.	11	4	1.03	RK, SK
DIPHThERIA ANTITOXIN				
(Dip./Ser.)				
Injection				
1,000 Units	2	1	*3.24	CS
4,000 Units	2	1	*8.16	CS
10,000 Units	2	1	*18.64	CS
20,000 Units	2	1	*34.22	CS

DIPHTHERIA and TETANUS VACCINE				
Injection 0.5 ml.	3	..	*1.62 1.63	CS BT
DIPHTHERIA, TETANUS and PERTUSSIS VACCINE (Triple Antigen)				
Injection 0.5 ml.	3	..	1.30 *1.86 1.87	GL, PD CS BT
DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)				
Injection 0.5 ml.	1	..	0.63	CS
DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) (Dip./Vac/PTAP)				
Injection 0.5 ml.	2	1	*1.18	CS
Set containing 2 amps each 0.5 ml. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate)(diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. of 0.5 ml. Purified Diphtheria Toxoid (diluted) for the skin test only.	1	..	1.23	CS
DIPYRIDAMOLE				
Injection 5 mg. per ml., 2 ml.	5	..	1.46	BY

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DISODIUM STILBOESTROL DIPHOSPHATE See Restricted Benefits.			\$	
DITHIAZANINE IODIDE See Restricted Benefits.				
DITHRANOL Ointment				
0.1%, 2 oz.	‡1	1	0.87	HY
0.25%, 2 oz.	‡1	1	0.94	HY
0.5%, 2 oz.	‡1	1	0.99	HY
Ointment, Strong, 1%, 2 oz.	‡1	1	1.10	HY
DITHRANOL and ZINC				
Paste P.L.	100 G.	1	1.14	Extemp.
Paste Strong P.L.	100 G.	1	1.39	Extemp.
DYFLOS				
Eye Drops 0.1%, 10 ml.	‡1	6	3.63	BT
ECOTHIOPATE IODIDE				
Eye Drops				
0.06%, 3 mg. and 5 ml. of solvent	‡1	6	\$3.02	AY
0.125%, 6.25 mg. and 5 ml. of solvent	‡1	6	\$3.42	AY
0.25%, 12.5 mg. and 5 ml. of solvent	‡1	6	\$3.82	AY
EDROPHONIUM				
Injection 10 mg. in 1 ml.	1	..	*0.86	RO

EMETINE

Injection

20 mg. in 1 ml.	10	..	2.70	KL
30 mg. in 1 ml.	10	..	3.30	KL
65 mg. in 1 ml.	5	..	3.30	KL

EMETINE AND BISMUTH IODIDE

Oral Tablet 60 mg.	25	2	4.03	HY
--------------------	----	---	------	----

EMULSIFYING OINTMENT

Ointment P.L.	100 G.	1	1.30	Extemp.
---------------	--------	---	------	---------

EPHEDRINE HYDROCHLORIDE

Elixir P.L.	100 ml.	4	0.83	Extemp.
Nasal Instillation P.L.	15 ml.	2	0.72	Extemp.

Injection

30 mg. in 1 ml.	5	1	1.02	BL, KL
50 mg. in 1 ml.	5	1	1.02	BL, KL

Oral Tablet

15 mg.	100	2	0.59	AD, BW, DH, HY, KL, MG, RT(V), RY, SI
30 mg.	100	2	0.70	AD, BW, DH, FA, HY, KL, MG, PR, RT(V), RY, SI, SL(N)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE			\$	
Oral Tablet				
15 mg.-15 mg.	100	2	0.70 0.86	HY, KL, QE(QNVS), RT(V) FM, WW
30 mg.-15 mg.	100	2	0.70 0.83	AD, HY, KL, QE(QNVS), RT(V), SI, SL(N) DH
30 mg.-30 mg.	100	2	0.94 0.77 0.99	FM, WW HY, KL, QE(QNVS), SL(N) FM, WW
Oral Paediatric Elixir				
30 mg.-20 mg. per 5 ml., 100 ml.	11	4	1.19	FM
Oral Paediatric Syrup				
30 mg.-20 mg. per 5 ml., 100 ml.	11	4	1.19	WW
ERGOMETRINE MALEATE				
Injection				
0.125 mg. in 1 ml.	5	..	1.13 1.21	FH BW
0.2 mg. in 1 ml.	5	..	1.34 1.35	PT FH
0.5 mg. in 1 ml.	5	..	1.35 1.50 1.79	SP(NSW) BD, BL, DH, FH BW
Oral Tablet				
0.2 mg.	25	3	1.67	LY, SP(NSW)
0.5 mg.	25	3	3.66	PT, SP(NSW)
			4.03	BD, BW, HY, MJ, VR

ERGOTAMINE TARTRATE

Injection

0.25 mg. in 1 ml.

0.5 mg. in 1 ml.

Oral Tablet 1 mg.

ERGOTAMINE TARTRATE with CAFFEINE

Oral Tablet 1 mg.-100 mg.

Compound Suppository

ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE

Oral Tablet 2 mg.-100 mg.-50 mg.

ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE

Oral Capsule 1 mg.-100 mg.-25 mg.

ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE

Oral Tablet 1 mg.-100 mg.-10 mg.

ERYTHRITYL TETRANITRATE

Oral Tablet 5 mg.

5	..	1.30	SZ
5	..	1.38	PT, SP(NSW)
		1.66	SZ
50	2	1.47	PT
		1.50	HY, KL
		2.27	SZ, WL
50	2	2.30	KL, PT
		2.97	BD, SZ
6	1	1.50	SZ
50	2	3.63	BW
50	2	3.63	PD
50	2	3.53	BD
100	2	0.97	BW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ERYTHROMYCIN See Restricted Benefits.			\$	
ETHACRYNIC ACID Oral Tablet 50 mg.	50	2	5.23	MK
ETHANOLAMINE OLEATE Injection 5%, 2 ml.	5	1	0.85	GL
ETHINYLOESTRADIOL See Restricted Benefits.				
ETHIONAMIDE See Restricted Benefits.				
ETHISTERONE See Restricted Benefits.				
ETHOPROPAZINE Oral Tablet 50 mg.	100	2	*2.96	MB
ETHOSUXIMIDE Oral Capsule 250 mg.	200	1	8.23	PD
Oral Paediatric Syrup 250 mg. per 5 ml., 240 ml.	‡1	4	2.70	PD
ETHOTOIN Oral Tablet 500 mg.	200	1	8.97	AB

ETHOXZOLAMIDE				
Oral Tablet 125 mg.	50	4	6.06	AG, UP
ETHYLIDENE DICOUMARIN				
Oral Tablet 100 mg.	100	2	6.57	NS
ETHYLNORADRENALINE				
Injection 1 ml.	5	..	1.89	WL
ETHYLOESTRENOL				
See Restricted Benefits.				
FERRIC HYDROXIDE				
Colloidal Paediatric Solution 4 fl. oz.	‡1	4	1.35	EV
FERROUS AMINOACETOSULPHATE				
(Feramacet)				
Oral Tablet equivalent to 50 mg. Ferrous Iron.	100	2	0.97	BP, CO
Oral Paediatric Syrup				
4 fl. oz.	‡1	4	0.97	CO
100 ml.	‡1	4	0.97	BP
FERROUS GLUCONATE				
Mixture for Children P.L.	100 ml.	4	0.89	Extemp.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FERROUS GLUCONATE - cont.			\$	
Oral Tablet 300 mg.	100	2	0.73	FA, HY, RT(V)
			0.77	DH
			0.78	MG, PR, TO
			0.79	RY
			0.83	HA, SZ, VR, WL
			(ex 500)	
			0.83	DH, FA, HA, HY, MG, PR, RT(V), RY, TO, VR
			0.87	SZ, WL
			(ex M.P.)	
Oral Paediatric Elixir 6%, 4 fl. oz.	‡1	4	1.07	WL
FERROUS PHOSPHATE COMPOUND				
†Syrup 4 fl. oz.	1	4	†0.26	RT(V)
			†0.27	HY
(with instructions for use)				RT(V)
				HY
FERROUS SUCCINATE				
Oral Capsule 150 mg.	100	2	1.27	CA
			(ex 500)	
			1.27	CA
			(ex M.P.)	
Oral Paediatric Elixir 150 mg. per dram, 4 fl. oz.	‡1	4	1.10	CA

FERROUS SULPHATE

Mixture P.L.	200 ml.	4	0.87	Extemp.
Mixture for Children P.L.	100 ml.	4	0.79	Extemp.
Oral Paediatric Drops				
120 mg. per ml., 30 ml.	‡1	4	1.07	MJ
Oral Tablet				
200 mg.	100	2	0.63	HY
			0.81	GL, GP
300 mg.	100	2	0.81	HY
			0.83	DH, GP, MJ
525 mg. (sustained release)	30	2	1.10	AB

FLUDROCORTISONE ACETATE

See Restricted Benefits.

FLUOROURACIL

See Restricted Benefits.

FLUOXYMESTERONE

See Restricted Benefits.

FLUPHENAZINE

See Restricted Benefits.

FOLIC ACID

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FRAMYCETIN			\$	
Eye Ointment 0.5%, 3.5 G.	‡1	..	1.19	GN, RL
Eye and Ear Drops 0.5%, 5 ml.	‡1	2	1.69	GN, RL
Mixture 300 mg. per 20 ml. with adsorbent, 100 ml.	‡1	..	1.95	FC
Tablets - See Restricted Benefits.				
FRUSEMIDE				
Oral Tablet 40 mg.	50	2	4.97 (ex 250)	AH
			5.37 (ex M.P.)	AH
Injection 20 mg. in 2 ml.	5	..	3.23	AH
FUSIDIC ACID				
See Restricted Benefits.				
GAS GANGRENE ANTITOXIN (OEDEMATIENS) (Oed/Ser)				
Injection 10,000 Units	3	1	*28.02	CS
GAS GANGRENE ANTITOXIN (SEPTICUM) (Sep/Ser)				
Injection 5,000 Units	2	1	*29.24	CS

GAS GANGRENE ANTITOXIN (WELCHII)

(Wel/Ser)

Injection

4,000 Units

10,000 Units

3	1	*24.21	CS
10	1	*125.00	CS

GAS GANGRENE ANTITOXIN-MIXED

(POLYVALENT)

(Gas/Ser)

Injection

1 amp. containing 10,000 Units Welchii,

10,000 Units Oedematiens,

5,000 Units Septicum

2	1	*33.68	CS
---	---	--------	----

GENTIAN

Mixture, Acid, P.L.

Mixture, Alkaline, P.L.

200 ml.	4	0.88	Extemp.
200 ml.	4	0.86	Extemp.

GLUCAGON HYDROCHLORIDE

Injection 1 mg. with 1 ml. of diluent

1	..	2.81	LY
---	----	------	----

GLUCOSE INDICATOR

†240 Test Dispenser

(with instructions for use)

†Reagent Strips 50 strips

(with instructions for use)

1	1	†2.40	LY
1	1	†1.05	AM
			AM

GLUTETHIMIDE

Oral Tablet 125 mg.

100	1	2.17	CB
-----	---	------	----

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
GLUTETHIMIDE - cont.			\$	
Oral Tablet 250 mg.	25	..	0.97 (ex 100)	CB
			1.10 (ex M.P.)	CB
Oral Capsule 250 mg.	25	..	1.10	CB
500 mg.	25	..	1.23	CB
GLYCERIN				
Cream Oily P.L.	100 G.	1	0.96	Extemp.
†Glycerin 4 fl. oz. (with instructions for use)	1	1	†0.35	WD(N) WD(N)
†Glycerin 100 ml. (with instructions for use)	1	1	†0.42	DH DH
†Suppository for Adults (with instructions for use)	12	1	†0.45	DH, FA DH, FA
†Suppository for Children 1 G. Glycerin (with instructions for use)	12	1	†0.45	DH, FA DH, FA
GLYCERYL TRINITRATE				
Oral Tablet 0.6 mg.	100	2	0.50	BW, DH, FA, HY
GLYCOPYRRONIUM BROMIDE				
Oral Tablet 1 mg.	100	2	4.30	RS

GLYMIDINE

Oral Tablet 500 mg.
1 G.

100	2	3.30	FB, SC
50	2	3.23	FB, SC

GOATS MILK - DEHYDRATED

See Restricted Benefits.

GRISEOFULVIN

See Restricted Benefits.

GUANETHIDINE

Injection 10 mg.
Oral Tablet
10 mg.

5	..	2.63	CB
100	2	3.80	CB
		(ex 500)	
		4.10	CB
		(ex M.P.)	
100	2	8.34	CB
		(ex 500)	
		9.37	CB
		(ex M.P.)	

25 mg.

HALIBUT LIVER OIL

See Restricted Benefits.

HAMAMELIS

Ointment Compound P.L.

100 G.	1	1.19	Extemp.
--------	---	------	---------

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HEPARIN			\$	
Injection				
1,000 Units per ml., 5 ml.	5	..	*3.10	BT, CS, EV, WP(NVW)
5,000 Units in 1 ml.	5	..	*3.10	CS
			*3.18	WP(NVW)
5,000 Units per ml., 5 ml.	2	..	*3.64	BT, CS, DH, EV, WP(NVW)
12,500 Units in 1 ml.	2	..	*2.30	BT, CS, EV
HEXOCYCLIUM METHYLSULPHATE				
(Hexocyclium)				
Oral Tablet				
25 mg.	100	2	5.10	AB
50 mg.	100	2	8.94	AB
HOMATROPINE HYDROBROMIDE				
Eye Drops 2%, 15 ml.	‡1	2	2.17	AQ
5%, 15 ml.	‡1	2	2.57	AQ
HYALURONIDASE				
Injection				
1 mg. containing 1,500 Units (solvent required)	5	1	3.53	FC
3 mg. containing 1,500 Units (solvent required)	5	1	4.06	EV
500 Units (solvent required)	5	1	*4.10	WY
Set containing 2 amps each of 350 Units and 2 amps. of solvent	1	1	1.73	SC

Injection Set containing 3 amps each of
500 Units and 3 amps. of solvent.

HYDRARGAPHEN

Pessary 5 mg.

HYDROCHLOROTHIAZIDE

Oral Capsule

25 mg.

50 mg.

Oral Tablet

25 mg.

50 mg.

HYDROCORTISONE

Eye Drops

0.5%, 2 ml.

0.5%, 5 ml.

0.5%, 10 ml.

1%, 3 ml.

1%, 5 ml.

1%, 10 ml.

1	1	2.30	DF
15	1	2.30	WB
50	2	2.30	DL
50	2	3.71	DL
50	2	2.00	CB, GA, MK
		(ex 250)	
		2.19	CB, GA, MK
		(ex M.P.)	
50	2	3.23	CB, GA, MK
		(ex 250)	
		3.54	CB, GA, MK
		(ex M.P.)	
11	2	1.23	SC
11	2	1.30	DH, KL, PT, SI
11	2	1.50	KL, PT, SI
		1.83	ET
11	2	1.37	SI
		1.70	GL, RL
11	2	1.43	KL, PT
11	2	1.86	KL, PT, SI
		2.23	ET, IQ

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE - cont.			\$	
Eye Drops				
2.5%, 5 ml.	‡1	2	1.97	DH, KL, PT, SI
2.5%, 10 ml.	‡1	2	2.23	KL, PT, SI
			2.70	ET, IQ
Eye Ointment				
0.5%, 3 G.	‡1	..	0.97	HA, RL
0.5%, 4 G.	‡1	..	0.99	DH, KL, PT
			1.10	CO, PF, UP
0.5%, 5 G.	‡1	..	1.10	SI
1%, 5 G.	‡1	..	1.63	KL, SI
Injection - See Restricted Benefits.				
HYDROCORTISONE ACETATE				
See Restricted Benefits.				
HYDROCORTISONE with NEOMYCIN				
Eye Drops (0.5%-0.5%), 5 ml.	‡1	2	1.30	DH, KL, SI
Eye Ointment				
(0.5%-0.5%) 250 mg. capsule	12	..	1.23	CK
(0.5%-0.5%), 4 G.	‡1	..	1.17	KL
(0.5%-0.5%), 5 G.	‡1	..	1.17	SI
HYDROCORTISONE SODIUM SUCCINATE				
See Restricted Benefits.				
HYDROFLUMETHIAZIDE				
Oral Tablet 50 mg.	50	2	3.81	BC, BT, GL, SQ

HYDROGEN PEROXIDE SOLUTION

Ear Drops P.L.

†Solution 10 vol., 4 fl. oz.

(with instructions for use)

10 vol., 8 fl. oz.

(with instructions for use)

20 vol., 4 fl. oz.

(with instructions for use)

20 vol., 100 ml.

(with instructions for use)

HYDROXOCOBALAMIN

See Restricted Benefits.

HYDROXYCHLOROQUINE

Oral Tablet 200 mg.

HYDROXYPROGESTERONE

See Restricted Benefits.

HYOSCINE HYDROBROMIDE

Oral Tablet 0.6 mg.

HYOSCINE METHOBROMIDE

Oral Tablet 2.5 mg.

15 ml.	2	0.67	Extemp.
1	..	†0.20	WD(N)
		†0.23	FA
			WD(N)
			FA
1	..	†0.27	WD(N)
		†0.30	FA
			WD(N)
			FA
1	..	†0.26	WD(N)
			WD(N)
1	..	†0.26	DH
			DH
100	2	4.43	WL
100	2	0.83	DH, HY
100	2	5.23	ET
		5.63	UP

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ICHTHAMMOL			\$	
Ear Drops P.L.	15 ml.	2	0.80	Extemp.
Paint P.L.	25 ml.	1	0.86	Extemp.
Pessary, 5%	12	1	1.90	HY
ICHTHAMMOL and ZINC				
Cream Oily P.L.	100 G.	1	1.03	Extemp.
IDOXURIDINE				
See Restricted Benefits.				
IMIPRAMINE				
See Restricted Benefits.				
INDOMETHACIN				
See Restricted Benefits.				
INSULIN				
Injection				
20 Units per ml., 10 ml.	10	2	*3.70	BW, CS
40 Units per ml., 5 ml.	10	2	*3.70	BW, GL
40 Units per ml., 10 ml.	10	2	*7.00	BT, BW, CS, EV, GL, WP(NVW)
80 Units per ml., 5 ml.	10	2	*7.00	BT, BW, GL
80 Units per ml., 10 ml.	10	2	*12.00	BT, BW, CS, EV
100 Units per ml., 5 ml.	10	2	*10.80	CS
160 Units per ml., 10 ml.	10	2	*21.50	CS

300 Units per ml., 5 ml.	10	2	*24.00	CS
Injection (specially purified)				
40 Units per ml., 10 ml.	10	2	*8.80	CS
INSULIN BIPHASIC				
Injection 40 Units per ml., 10 ml.	10	2	*12.00	EV
80 Units per ml., 10 ml.	10	2	*23.00	EV
INSULIN GLOBIN ZINC				
Injection				
40 Units per ml., 5 ml.	10	2	*4.20	BT, BW
80 Units per ml., 5 ml.	10	2	*7.40	BW
INSULIN ISOPHANE (N.P.H.)				
Injection				
40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, GL
160 Units per ml., 10 ml.	10	2	*22.60	CS
Injection (specially purified)				
40 Units per ml., 10 ml.	10	2	*10.10	CS
INSULIN NEUTRAL				
Injection				
40 Units per ml., 10 ml.	10	2	*9.00	CS, EV
80 Units per ml., 10 ml.	10	2	*17.00	CS, EV

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
INSULIN PROTAMINE ZINC			\$	
Injection				
40 Units per ml., 5 ml.	10	2	*4.20	BW
40 Units per ml., 10 ml.	10	2	*7.40	BT, BW, CS, EV, GL, WP(NVW)
80 Units per ml., 5 ml.	10	2	*7.40	BT, BW, GL
80 Units per ml., 10 ml.	10	2	*13.30	BW, CS, EV
INSULIN SPECIAL P (PIG)				
Injection 40 Units per ml., 10 ml.	10	2	*10.60	CS
INSULIN ZINC SUSPENSION (IZS)				
Injection				
40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL
INSULIN ZINC SUSPENSION (AMORPHOUS) (Amorph IZS)				
Injection				
40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Cryst IZS)				
Injection				
40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL

INTRAVENOUS FLUIDS

(1/2 litre and 1 litre) See Special Section

IDOCHLORHYDROXYQUINOLINE

(Iochlorquin)

Oral Tablet 250 mg.

100	2	2.17	DR
		2.23	CB

IPECACUANHA and SQUILL

Mixture for Children P.L.

100 ml.	4	0.83	Extemp.
---------	---	------	---------

IRON AMINOATES

Oral Tablet 350 mg.

100	2	1.23	MR
-----	---	------	----

IRON DEXTRAN

Injection

2 ml.

5	..	3.90	FC
---	----	------	----

5 ml.

5	..	6.50	FC
---	----	------	----

IRON OXIDE SACCHARATED

Injection I.V. equivalent to 20 mg..

Elemental Iron per ml., 5 ml.

5	..	2.07	EV
---	----	------	----

IRON POLYMALTOSE COMPLEX

Injection 100 mg. (Iron) in 2 ml.

5	..	4.17	SI
---	----	------	----

IRON SORBITOL COMPLEX

Injection, Trivalent Iron 2 ml.

5	..	4.30	AP
---	----	------	----

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ISONIAZID See Restricted Benefits.			\$	
ISOPRENALINE HYDROCHLORIDE				
Inhalation 1 in 200, 15 ml.	1	1	0.63	WL
Injection 1 in 5,000, 1 ml.	5	..	4.14	WL
Oral Tablet 10 mg.	100	2	1.43	KL, WL
ISOPRENALINE SULPHATE				
Inhalation 10 mg. per ml., 7 ml.	1	1	0.73	BW
Oral Tablet 20 mg.	100	2	1.90	BW, KL
ISOPROPAMIDE IODIDE				
Oral Tablet 5 mg.	100	2	4.87 (ex 500)	SK
			5.23 (ex M.P.)	SK
ISOTHIPENDYL HYDROCHLORIDE				
Oral Tablet 4 mg.	50	2	1.30	IC
KANAMYCIN				
Ear Drops 1%, 10 ml.	‡1	..	1.30	BC
Eye Drops 1%, 10 ml.	‡1	..	1.43	BC
Injections - See Restricted Benefits				
Capsule - See Restricted Benefits				
Solution - See Restricted Benefits				

KAOLIN				
Dusting Powder Compound P.L.	100 G.	1	0.85	Extemp.
KAOLIN and OPIUM				
Mixture P.L.	200 ml.	4	1.02	Extemp.
LANATOSIDE-C				
Oral Tablet 0.25 mg.	100	2	1.70	PT
			1.77	SP(NSW)
			2.25	SZ
			(ex 500)	
			1.98	PT, SP(NSW)
			2.47	SZ
			(ex M.P.)	
LEVORPHANOL				
See Restricted Benefits.				
LINCOMYCIN				
See Restricted Benefits.				
LIOETHYRONINE				
See Restricted Benefits.				
LYPRESSIN				
See Restricted Benefits.				
MAGENTA				
Paint P.L.	25 ml.	1	0.81	Extemp.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MAGNESIUM-ALUMINIUM HYDROXIDE			\$	
Oral Tablet 375 mg.	100	2	1.39	SI
Mixture 375 mg. per 5 ml., 360 ml.	‡1	4	1.50	SI
MAGNESIUM and CALCIUM CARBONATE				
Internal Powder P.L.	100 G.	2	0.95	Extemp.
MAGNESIUM HYDROXIDE MIXTURE				
†Mixture 6 fl. oz. (with instructions for use)	1	4	†0.30	DH DH
MAGNESIUM SULPHATE				
†Crystals 1 lb. (with instructions for use)	1	..	†0.18	FA, WD(N) FA, WD(N)
Paste				
4 oz.	‡1	1	0.74	FA
2 oz.	‡1	1	0.54	DH
			0.55	FA
Mixture for Children P.L.	100 ml.	4	0.71	Extemp.
MAGNESIUM TRISILICATE				
Oral Tablet 600 mg.	100	2	1.10	DH
Mixture P.L.	200 ml.	4	0.81	Extemp.
MANNITOL				
See Intravenous Fluids				

MEBHYDROLIN

Oral Tablet 50 mg.
 150 mg. (sustained release)
 Oral Paediatric Suspension
 50 mg. per 5 ml., 100 ml.

50	1	1.57	FB
50	1	3.63	FB
‡1	4	1.02	FB

MECAMYLAMINE

Oral Tablet
 2.5 mg.
 10 mg.

100	2	2.30	MK
100	2	7.90	MK

MECLOZINE

Oral Tablet 25 mg.
 Oral Syrup 12.5 mg. per 5 ml., 100 ml.

50	1	1.77	BD
‡1	4	1.17	BD

MEDROXYPROGESTERONE

See Restricted Benefits.

MELPHALAN

See Restricted Benefits.

MENTHOL and BENZOIN

Inhalation P.L.

50 ml.	1	1.01	Extemp.
--------	---	------	---------

MENTHOL and EUCALYPTUS

Inhalation P.L.

50 ml.	1	0.78	Extemp.
--------	---	------	---------

MENTHOL and PINE

Inhalation P.L.

50 ml.	1	0.89	Extemp.
--------	---	------	---------

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MEPACRINE HYDROCHLORIDE Oral Tablet 100 mg.	100	2	\$ 1.05	IC
MEPENZOLATE Oral Tablet 25 mg.	100	2	3.63	SI
MEPHENTERMINE Injection 10 ml.	1	..	2.41	WY
MEPYRAMINE Injection 2.5%, 2 ml.	10	..	1.37	MB
Oral Paediatric Elixir 25 mg. per 5 ml., 125 ml.	‡1	4	0.70	MB
Oral Tablet 50 mg.	50	1	0.83	MB
100 mg.	50	1	1.10	MB
MERCAPTOMERIN SODIUM Injection 1.4 G. ip 10 ml.	3	..	*5.79	WY
MERCAPTOPURINE See Restricted Benefits.				

MERSALYL

Injection

1 ml.

10

..

1.63

AD

*1.64

BD, EV, FH

*1.74

DH

2 ml.

10

..

*1.84

EV, FH

1.86

AD

1.93

BL

*1.96

DH

*1.98

BT, VR

MESTANOLONE

See Restricted Benefits.

METARAMINOL

Injection 10 mg. in 1 ml.

3

..

*1.50

MK

METFORMIN

Oral Tablet

500 mg.

100

2

8.33

RN

500 mg. (sustained release)

100

2

8.34

DF

METHACYCLINE

See Restricted Benefits.

METHADONE

Injection

10 mg. in 1 ml.

5

..

1.07

BW

10 mg. per ml., 10 ml.

1

..

1.19

MJ

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
METHADONE - cont.			\$	
Oral Tablet				
5 mg.	25	..	0.70	BW
10 mg.	25	..	0.83	BW
METHANDIENONE				
See Restricted Benefits.				
METHAQUALONE				
Oral Tablet 150 mg.	25	..	0.91	PT
			0.95	BT, KL, MC
METHAZOLAMIDE				
Oral Tablet 50 mg.	50	4	*6.62	LE
METHDILAZINE				
Oral Tablet				
4 mg.	50	1	1.43	BD, MJ
8 mg.	50	1	1.55	BD, MJ
			(ex 250)	
			1.70	BD, MJ
			(ex M.P.)	
Oral Paediatric Syrup				
4 mg. per 5 ml., 100 ml.	‡1	4	1.17	BD, MJ
METHENAMINE MANDELATE				
Oral Paediatric Suspension				
500 mg. per 5 ml., 200 ml.	‡1	1	2.43	WW

Oral Tablet				
250 mg.	100	2	1.43	HA, WW
500 mg.	100	1	2.17	WW
METHENOLONE ACETATE				
See Restricted Benefits.				
METHOIN				
Oral Tablet 100 mg.	200	1	2.73	SZ
METHOTREXATE				
See Restricted Benefits.				
METHOXAMINE HYDROCHLORIDE				
Injection 20 mg. in 1 ml.	3	..	*1.24	BW
METHSUXIMIDE				
Oral Capsule 300 mg.	200	1	7.90	PD
METHYCLOTHIAZIDE				
Oral Tablet				
2.5 mg.	50	2	2.17	AB
5 mg.	50	2	3.01	AB
			(ex 250)	
			3.17	AB
			(ex M.P.)	
METHYLAMPHETAMINE				
See Restricted Benefits				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
METHYLCELLULOSE Eye Drops 1 gr. in 15 ml.	‡1	6	\$ 1.01	IQ, KL, SI
METHYLDOPA Oral Tablet 250 mg.	100	2	6.01 (ex 500) 6.63 (ex M.P.)	MK MK
METHYLERGOMETRINE Injection 0.2 mg. in 1 ml.	5	..	1.34	SZ
Oral Tablet 0.125 mg.	25	1	2.27	SZ
METHYL PHENOBARBITONE Oral Tablet 30 mg.	200	1	0.90	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
60 mg.	200	1	1.21	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
200 mg.	200	1	2.41	AD, DH, KL, MG, RT(V), RY, SI, WL
METHYL SALICYLATE Liniment P.L.	100 ml.	1	1.18	Extemp.
Liniment Compound P.L.	100 ml.	1	1.37	Extemp.

METRONIDAZOLE

Oral Tablet 200 mg.

21 1 2.83 MB

MILK POWDER-SYNTHETIC

See Restricted Benefits.

MORPHINE with ATROPINEInjection - Morphine Sulphate with
Atropine Sulphate

1/6 gr.-1/150 gr. in 1 ml.

5	..	1.02	FH
		1.07	BL
		1.09	BT, DH
5	..	1.09	DH
5	..	1.02	AD, FH, KL
		1.07	BL
		1.09	BT, DH
5	..	1.02	FH
		1.07	BL
		1.09	BT, DH

1/8 gr.-1/120 gr. in 1 ml.

1/4 gr.-1/150 gr. in 1 ml.

1/4 gr.-1/100 gr. in 1 ml.

MORPHINE with HYOSCINEInjection - Morphine Sulphate with
Hyoscine Hydrobromide

1/4 gr.-1/100 gr. in 1 ml.

5	..	1.10	FH
		1.14	BL

MORPHINE SULPHATE

Hypo. or Oral Tablet

1/2 gr. (solvent required)

20 .. 0.90 FA

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MORPHINE SULPHATE - cont.			\$	
Injection				
10 mg. in 1 ml.	5	..	0.97	AD, FH, KL
			1.02	BL, BT, DH
15 mg. in 1 ml.	5	..	0.97	AD, FH, KL
			1.02	BL, BT, DH
20 mg. in 1 ml.	5	..	0.97	FH, KL
			1.02	BL, DH
30 mg. in 1 ml.	5	..	0.97	FH, KL
			1.02	BL, BT, DH
30 mg. per ml., 10 ml.	1	..	0.97	DH, FA
MORPHINE with TACRINE				
Injection				
15 mg.-13 mg. in 1.5 ml.	5	..	1.97	WH
30 mg.-13 mg. in 1.5 ml.	5	..	2.03	WH
15 mg.-30 mg. in 1.5 ml.	5	..	2.50	WH
30 mg.-30 mg. in 1.5 ml.	5	..	2.63	WH
Tablet - See Restricted Benefits.				
MUSTINE				
See Restricted Benefits.				
NALIDIXIC ACID				
See Restricted Benefits.				

NALORPHINE

Injection

10 mg. in 1 ml.

1 mg. per ml., 5 ml.

5

1

2.10

BW

1

..

1.21

BW

NANDROLONE DECANOATE

See Restricted Benefits.

NANDROLONE PHENYLPROPIONATE

See Restricted Benefits.

NATAMYCIN

Vaginal Tablet 25 mg.

20

..

3.77

BP

NEOMYCIN

Eye Drops

0.5% (0.35% Neomycin Base) 10 ml.

11

2

0.97

DH, KL, SI

Powder - See Restricted Benefits.

Tablet - See Restricted Benefits.

NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORTI- SONE ACETATE

See Restricted Benefits.

NEOMYCIN with KAOLIN

Oral Tablet

150 mg. - 1.5 G.

10

..

1.50

KL

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
NEOMYCIN SULPHATE MIXTURE			\$	
Mixture				
300 mg. per 20 ml. with adsorbent, 100 ml.	‡1	..	1.87 1.90 2.10	LF, PR, PT KL, SI DH, GP, LY, MJ, MK, MR, NS, UP, VR, WY
NEOSTIGMINE				
Oral Tablet 15 mg.	100	2	2.50	RO
Injection				
0.5 mg. in 1 ml.	5	3	0.83	RO
2.5 mg. in 1 ml.	5	3	1.30	RO
2.5 mg. per ml., 5 ml.	1	1	0.97	RO
Eye Drops 3%, 7.5 ml.	‡1	6	1.41	RO
NICLOSAMIDE				
Oral Tablet 500 mg.	4	..	1.77	FB
NICOTINIC ACID				
See Restricted Benefits.				
NICOTINYL ALCOHOL				
Oral Tablet 25 mg.	100	2	1.37	RO
NICOUMALONE				
Oral Tablet 4 mg.	50	2	3.37	GE
NITROFURANTOIN				
See Restricted Benefits.				

NITROMIN

See Restricted Benefits.

NORADRENALINE

Injection

1 in 1,000, 2 ml.

5

..

2.30

FH

3.37

WL

1 in 10,000, 2 ml.

5

..

3.43

WL

NORTRIPTYLINE

See Restricted Benefits.

NUTRAMIGEN

See Restricted Benefits.

NYSTATIN

Vaginal Tablet 100,000 Units

115

1

2.14

GP, SQ

Tablets - See Restricted Benefits.

OCTATROPINE METHYLBROMIDE

Oral Tablet 10 mg.

100

2

2.97

EN

OESTRADIOL BENZOATE

Injection 2 mg. in 1 ml.

5

1

2.63

BD, KL

OESTRADIOL DIPROPIONATE

Injection 5 mg. in 1 ml.

5

1

3.63

CB

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
OESTRONE			\$	
Pessary				
1,000 Units	12	1	1.87	OR
			1.90	BD
10,000 Units	12	1	3.07	OR
OILY CREAM				
Cream P.L.	100 G.	1	1.21	Extemp.
OLIVE OIL				
†2 oz.	1	..	†0.20	WD(N)
			†0.26	SI(V)
(with instructions for use)				WD(N)
				SI(V)
†4 oz.	1	..	†0.35	WD(N)
(with instructions for use)				WD(N)
†5 oz.	1	..	†0.45	DH, SI(V)
(with instructions for use)				DH, SI(V)
†8 oz.	1	4	†0.60	WD(N)
(with instructions for use)				WD(N)
ORCIPRENALINE				
Oral Tablet 20 mg.	100	2	4.03	BY
ORPHENADRINE				
Oral Tablet 50 mg.	100	2	3.37	RK

OXYCODONE

See Restricted Benefits.

OXYMESTERONE

See Restricted Benefits.

OXYPHENCYCLIMINE

Oral Tablet 10 mg.

100

2

6.62
(ex 500)

PF

6.97
(ex M.P.)

PF

OXYPHENONIUM BROMIDE

Oral Tablet 5 mg.

100

2

2.70

CB

10 mg.

100

2

4.57

CB

OXYTETRACYCLINE

Ophthalmic Suspension 1%, 6 ml.

1

2

1.01

PF

Capsules - See Restricted Benefits.

Drops - See Restricted Benefits.

Injections - See Restricted Benefits.

Suspensions - See Restricted Benefits.

Tablets - See Restricted Benefits.

**OXYTETRACYCLINE (BUFFERED) with
NYSTATIN**

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per G., 60 gr.	\$1	..	\$ 0.61	PF
OXYTOCIN Injection 2 Units in 2 ml. 5 Units in 1 ml. 10 Units in 1 ml.	5 5 5		0.97 1.21 1.66	SZ SZ PD, SZ
OXYTOCIN with ERGOMETRINE Injection 5 Units and 0.5 mg. in 1 ml.	5	..	1.23	SZ
PANCREATIN CONCENTRATE See Restricted Benefits.				
PANCREATIN ENZYME See Restricted Benefits.				
PAPAVERETUM Injection 10 mg. in 1 ml. 20 mg. in 1 ml.	5 5		1.02 0.97 1.02 1.03	BL FH BL, BT RO
Oral Tablet 10 mg.	20	..	0.61 0.70	HY RO

PAPAVERTUM with HYOSCINE
HYDROBROMIDE

Injection 20 mg.-0.43 mg. in 1 ml.

5	..	1.02	FH
		1.07	BL, BT, RO

PAPAVERINE HYDROCHLORIDE

Injection

20 mg. in 1 ml.

120 mg. in 10 ml.

5	..	1.02	KL
5	..	1.63	FH, HA, KL

PAPUAN BLACK SNAKE ANTIVENENE

Injection 3,000 Units

6	..	*95.52	CS
---	----	--------	----

PARA-AMINOSALICYLIC ACID

See Restricted Benefits.

PARACETAMOL

See Restricted Benefits.

PARACETAMOL with CODEINE PHOSPHATE
and SODIUM PENTOBARBITONE

See Restricted Benefits.

PARAFFIN LIQUID

†Liquid Paraffin

8 fl. oz.

1	4	†0.23	WD(N)
		†0.26	RT(V)
		†0.27	DH
			WD(N)
			RT(V)
			DH

(with instructions for use)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PARAFFIN LIQUID - cont. Emulsions - See Restricted Benefits.			\$	
PARALDEHYDE Injection 5 ml.	5	1	1.25 1.33 1.34	FH BL DH
10 ml.	5	1	1.63 1.74	FH BL, DH
PARAMETHADIONE Oral Capsule 300 mg.	200	1	13.43	AB
PARAMETHASONE See Restricted Benefits.				
PEMPIDINE Oral Tablet 5 mg. 10 mg.	100 100	2 2	*3.18 *5.36	IC, MB IC
PENICILLAMINE See Restricted Benefits.				
PENICILLINASE Injection 800,000 Units (solvent required)	1	..	11.30	RK

Injection Set containing 800,000 Units and 1 ml. of solvent	1	..	10.30	CS
PENICILLIN BENETHAMINE COMPOUND				
Benethamine Penicillin 500 mg.(500,000 Units); Procaine Penicillin 250 mg.(250,000 Units); Sodium Penicillin 300 mg.(500,000 Units).				
Injection - Vial (solvent required)	1	..	0.99	GL
Injection - Set containing vial and 2 ml. water for injection	1	..	1.07	GL
PENICILLIN, BENZATHINE				
See Restricted Benefits.				
PENICILLIN BENZATHINE COMPOUND				
Benzathine Penicillin 450 mg.(600,000 Units); Procaine Penicillin 300 mg.(300,000 Units); Potassium Penicillin 187 mg.(300,000 Units).				
Injection set containing 1 vial and 2 ml. water for injection	1	..	1.23	WY
PENICILLIN, BENZYL				
(Penicillin G.)				
Injection				
60 mg.(100,000 Units.) (solvent required)	5	..	*1.25	GL, SI
120 mg.(200,000 Units.) (solvent required)	5	..	*1.30	GL, SI
300 mg.(500,000 Units.) (solvent required)	5	..	*1.75	BT, CS, DH, EV, GL, SI
600 mg.(1,000,000 Units.) (solvent required)	5	..	*1.90	BT, CS, DH, DL, EV, GL, SI
900 mg.(1,500,000 Units.) (solvent required)	5	..	*2.85	DH, EV, GL, SI

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENICILLIN, BENZYL - cont.			\$	
Set containing 1 vial 300 mg.(500,000 Units) and 2 ml. water for injection.	5	..	*2.10	BT, CS, DH, EV, GL
Set containing 1 vial 600 mg.(1,000,000 Units) and 2 ml. water for injection	5	..	*2.25	BT, CS, DH, EV, GL
Set containing 1 vial 900 mg.(1,500,000 Units) and 2 ml. water for injection.	5	..	*3.10	DH, GL
Capsules- See Restricted Benefits.				
Tablets - See Restricted Benefits.				
Injections - 3 G.(5,000,000 Units) and 6 G. (10,000,000 Units) - See Restricted Benefits.				
PENICILLIN, PHENOXYMETHYL (Penicillin V)				
Injection				
Set containing 1 vial 480 mg.(800,000 Units) and 2 ml. water for injection	1	..	2.43	KL
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	1	..	1.85	AB, BT, CS, DH, DL, FA, GL, KL, LY, MJ, PF, SI, VR, WY
Oral Paediatric Sachet 125 mg.	16	..	1.74 2.07	LY KL
Oral Tablet				
125 mg.	16	..	0.98 1.03 (ex 100)	IP, PT CS, DH, DL, FA, FM, GL, HY, KL, LY, PF, SI

250 mg.	16	..	1.07	IP, PT
			1.13	CS, DH, DL, FA, FM,
			(ex M.P.)	GL, HY, KL, LY, PF, SI
			1.51	SL(N)
			1.52	IP, PT
			1.65	AB, CS, DH, DL, FA, FM,
			(ex 100)	GL, HY, KL, LF, LY, PF, PR, SI, VR
Oral Capsule 125 mg.	16	..	1.53	SL(N)
			1.63	IP, PT
			1.77	AB, CS, DH, DL, FA, FM,
			(ex M.P.)	GL, HY, KL, LF, LY, PF, PR, SI, VR
			1.07	PT
			1.13	CS, DH, DL, FA, FM,
				GL, KL, LY, PF, SI, SU(N)
250 mg.	16	..	1.52	IP, PT
			1.65	AB, BT, CS, DH, DL, FA, FM,
			(ex 100)	GL, KL, LY, PF, SI, SU(N), VR
			1.63	IP, PT
			1.77	AB, BT, CS, DH, DL, FA, FM,
			(ex M.P.)	GL, KL, LY, PF, SI, SU(N), VR
PENICILLIN PROCAINE				
(Aqueous Suspension) Injection				
600 mg.(600,000 Units)	5	..	*2.70	BT
			*2.85	FA
900 mg.(900,000 Units)	5	..	*2.90	CS, EV, GL, SI

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENICILLIN PROCAINE - cont.			\$	
1 G.(1,000,000 Units)	5	..	*3.50	BT, DH, EV, FA, GL, SI
1.5 G.(1,500,000 Units)	5	..	*4.10	CS, DH, EV, FA, GL, SI, VR
(Crystalline) Injection				
300 mg.(300,000 Units) (solvent required)	5	..	*1.75	CS
900 mg.(900,000 Units) (solvent required)	5	..	*2.55	CS, SI
1.5 G.(1,500,000 Units) (solvent required)	5	..	*3.75	CS, SI
Set containing 1 vial 300 mg.(300,000 Units) and 1 vial water for injection	5	..	*2.15	CS
Set containing 1 vial 900 mg.(900,000 Units) and 1 vial water for injection	5	..	*2.90	CS
Set containing 1 vial 1.5 G.(1,500,000 Units) and 1 vial water for injection	5	..	*4.10	CS
PENICILLIN PROCAINE FORTIFIED				
Injection				
360 mg.(400,000 Units) (solvent required)	5	..	*1.75	CS, SI
1.08 G.(1,200,000 Units) (solvent required)	5	..	*3.15	CS, SI
Set containing 1 vial 360 mg.(400,000 Units) and 1 vial water for injection	5	..	*2.10	CS
Set containing 1 vial 1.08 G.(1,200,000 Units) and 1 vial water for injection	5	..	*3.50	CS
PENICILLIN with STREPTOMYCIN				
See Restricted Benefits.				

PENTAERYTHRITOL TETRANITRATE

(Penthritol)

Oral Tablet

20 mg.

100

2

0.90

LF, WW

0.93

HY, WL

(ex 500)

0.97

HY, LF, WL, WW

(ex M.P.)

80 mg. (sustained action)

100

2

1.44

WW

(ex 500)

1.50

WW

(ex M.P.)

PENTHIENATE

Oral Tablet 5 mg.

100

2

4.10

WL

PENTOBARBITONE COMPOUND

Oral Capsule, A.P.F.

25

..

0.87

PT

0.94

PD

(ex 100)

0.95

PT

1.02

PD

(ex M.P.)

Oral Tablet, A.P.F. Capsule Formula

25

..

1.02

CO

PENTOBARBITONE SODIUM

Oral Tablet

30 mg.

100

1

0.77

HY

0.83

DH, QE(QNVS)

0.90

KL, RY

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENTOBARBITONE SODIUM - cont.			\$	
100 mg.	25	..	0.54	PT, SL(N)
			0.57	KL, PR, QE(QNVS), TO
			0.62	MG
			0.63	SU(N)
			0.66	AB, AD, BW, DH, FA, HY, RD
				RT(V), RY, SI
Oral Capsule				
30 mg.	100	1	1.57	LF
50 mg.	100	1	1.82	FA, LF, PT
			1.94	AB
100 mg.	25	..	0.66	PT
			0.67	MG
			0.70	LF, PR
			0.79	FA, KL, PD, RT(V), RY
			0.82	AB
			(ex 100)	
			0.67	PT
			0.70	PR
			0.77	KL, MG
			0.78	LF
			0.82	PD
			0.89	AB, FA, RT(V), RY
			(ex M.P.)	
PENTOLINIUM TARTRATE				
Injection				
5 mg. per ml., 10 ml.	1	1	1.03	MB

PERTONEAL DIALYSIS SOLUTION

Injection with 1.5% Dextrose, 1 litre

20 1 *33.70 BX

Injection with 7% Dextrose, 1 litre

20 1 *33.70 BX

PERTUSSIS VACCINE

(Per/Vac)

Injection 20,000 million in 0.5 ml.

3 1 *1.50 CS

PETHIDINE

Injection

50 mg. in 1 ml.

5 .. 0.90 WO
0.91 AD, FH, KL
0.95 BL, BW
0.97 BT, DH

50 mg. per ml., 2 ml.

5 .. 1.01 WO
1.02 AD, FH, KL
1.07 BL, BW
1.09 BT, DH

50 mg. per ml., 10 ml.

1 .. 1.03 DH, KL

50 mg. per ml., 50 ml.

1 .. 2.09 DH, KL, RO

PETHIDINE with LEVALLORPHAN

See Restricted Benefits.

PETHIDINE with SCOPOLAMINE

Injection 100 mg.-0.43 mg. in 2 ml.

5 .. 1.07 FH, KL
1.14 BT, BW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENAZOPYRIDINE HYDROCHLORIDE			\$	
Oral Tablet 100 mg.	50	1	1.21	WW
PHENETHICILLIN				
Oral Capsule				
125 mg.	16	..	1.13	CS, SI
250 mg.	16	..	1.65	CS, SI
			(ex 100)	
			1.77	CS, SI
			(ex M.P.)	
Oral Tablet				
125 mg.	16	..	1.13	CS, SI
250 mg.	16	..	1.65	CS, SI
			(ex 100)	
			1.77	CS, SI
			(ex M.P.)	
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	‡1	..	1.85	CS, SI
PHENFORMIN				
Oral Tablet 25 mg.	100	2	4.03	WW
Oral Capsule 50 mg.	100	1	8.03	WW
PHENINDAMINE				
Oral Tablet 25 mg.	50	2	1.13	RO

PHENINDIONE

Oral Tablet

10 mg.

50 mg.

PHENIRAMINE

Injection 25 mg. per ml., 2 ml.

Oral Tablet

10 mg.

50 mg.

Oral Paediatric Syrup 15 mg. per 5 ml.,

100 ml.

PHENOBARBITONE

Elixir P.L.

Oral Tablet

15 mg.

30 mg.

100	2	2.30	GA
		2.70	WP(NVW)
		2.97	PT
		3.63	EV
100	2	2.83	GA
		3.50	WP(NVW)
		3.77	PT
		5.23	EV
5	1	1.42	AH
50	1	0.94	AH
50	1	1.43	AH
		(ex 250)	
		1.58	AH
		(ex M.P.)	
1	4	0.97	AH
100 ml.	4	1.04	Extemp.
100	1	0.46	AD, BW, DH, FA, HY, KL, PR, RT(V), RY, SI, SL(N), TO
100	1	0.53	AD, DH, FA, HY, KL, PR, RT(V), RY, SI, SL(N), TO
		0.54	MG
		0.57	BK, BW, GP, MB

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENOBARBITONE - cont.			\$	
Oral Tablet				
60 mg.	25	..	*0.42	AD, DH, FA, HY, KL, RT(V), RY, SI, SL(N)
			*0.43	MG
			*0.46	BW, MB
100 mg.	25	..	*0.46	AD, DH, KL, RT(V), RY, SI, SL(N)
PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE Mixture P.L.	200 ml.	4	1.12	Extemp.
PHENOBARBITONE SODIUM				
Injection				
200 mg. in 1 ml.	5	..	0.94	EV
			*0.98	MB
			1.02	FH
			1.07	BL, FM
			1.09	DH
Oral Tablet				
15 mg.	100	1	0.46	DH, FA, KL, RT(V), SL(N)
30 mg.	100	1	0.53	DH, FA, HY, KL, RT(V), SL(N)
60 mg.	25	..	*0.42	KL, RT(V), SL(N)
			*0.43	FA
100 mg.	25	..	*0.46	FA, KL
	84			

PHENOL with DEXTROSE and GLYCERIN

Injection 2%-25%-30%, 30 ml.

1	..	2.63	BT
---	----	------	----

PHENOLPHTHALEIN COMPOUND

Oral Pill.

50	1	0.53	HY, MG
		*0.59	DH

PHENOXYBENZAMINE

Oral Capsule 10 mg.

100	2	3.54	SK
-----	---	------	----

PHENSUXIMIDE

Oral Capsule 500 mg.

200	1	8.23	PD
-----	---	------	----

PHENTHIMENTONIUM

Oral Tablet 150 mg.

100	2	3.63	AP
-----	---	------	----

PHENYLALANINE LOW CONTENT FORMULA

See Restricted Benefits.

PHENYLBUTAZONE

See Restricted Benefits.

PHENYLEPHRINE

Injection 1%, 1 ml.

5	..	2.41	WL
---	----	------	----

Compound Ointment 2 oz.

11	1	1.30	WL
----	---	------	----

Compound Suppository

12	1	1.06	WL
----	---	------	----

Eye Drops 1/8%, 10 ml.

11	..	0.83	WL
----	----	------	----

10%, 5 ml.

11	..	1.14	WL
----	----	------	----

Sterile Ophthalmic Solution 10%, 1 ml.

5	..	3.70	WL
---	----	------	----

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENYLMERCURIC NITRATE			\$	
Ear Drops P.L.	15 ml.	2	0.97	Extemp.
PHENYTOIN				
Oral Capsule 100 mg. (delayed release)	100	1	1.97	PD
Oral Suspension				
30 mg. per 5 ml., 500 ml.	1	1	2.57	PD
100 mg. per 5 ml., 500 ml.	1	1	2.87	PD
PHENYTOIN SODIUM				
Injection				
250 mg. with 5 ml. solvent	1	..	3.90	PD
Oral Tablet 100 mg.	200	1	1.50	DH, KL, RT(V), RY
Oral Capsule				
30 mg.	200	1	1.77	PD
100 mg.	200	1	2.39	PT
			2.49	RY
			2.64	PD
			(ex 1,000)	
			2.63	PT
			2.77	PD, RY
			(ex M.P.)	
PHOLCODINE				
Linctus				
0.1%, 4 fl. oz.	1	4	0.86	CM, EV, GL, HY, RK
0.1%, 100 ml.	1	4	0.83	DH, FA, GP, KL, MG, VR, WD(N)

Linctus P.L.	100 ml.	4	1.07	Extemp.
Linctus for Children P.L.	100 ml.	4	0.92	Extemp.
PHTHALYLSULPHACETAMIDE				
Oral Tablet 500 mg.	100	..	3.10	BS, KL, SC, VR
PHTHALYLSULPHATHIAZOLE				
Oral Tablet 500 mg.	100	..	1.43	KL, MB
Mixture for Children P.L.	100 ml.	4	1.32	Extemp.
PHYSOSTIGMINE SALICYLATE				
Eye Drops				
0.25%, 7.5 ml.	‡1	6	1.43	ET
0.25%, 15 ml.	‡1	6	1.50	IQ
0.5%, 7.5 ml.	‡1	6	1.59	ET
0.5%, 15 ml.	‡1	6	1.66	IQ
PHYTOMENADIONE				
See Restricted Benefits.				
PILOCARPINE HYDROCHLORIDE				
Eye Drops				
1%, 15 ml.	‡1	6	1.07	AQ
2%, 15 ml.	‡1	6	1.17	AQ, KL
3%, 15 ml.	‡1	6	1.26	AQ
4%, 15 ml.	‡1	6	1.43	AQ

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PILOCARPINE NITRATE			\$	
Eye Drops				
0.5%, 15 ml.	‡1	6	0.99	AG, DH, ET, IQ, KL, SI
1%, 15 ml.	‡1	6	1.07	AG, DH, ET, IQ, KL, SI
2%, 15 ml.	‡1	6	1.17	AG, DH, ET, IQ, KL, SI
3%, 15 ml.	‡1	6	1.26	AG, DH, ET, IQ, KL, SI
4%, 15 ml.	‡1	6	1.43	AG, DH, ET, KL, SI
			1.50	IQ
6%, 15 ml.	‡1	6	1.77	AG, ET, KL
PIPENZOLATE				
Oral Tablet 5 mg.	100	2	3.77	SI
Oral Solution 4 mg. per ml., 15 ml.	‡1	4	1.30	SI
PIPERAZINE ADIPATE				
Oral Tablet 300 mg.	25	2	0.99	BD
Oral Granules, 20%, 100 G.	1	..	2.10	DF
PIPERAZINE PHOSPHATE				
Oral Tablet				
250 mg.	25	2	*0.92	GL
Oral Granules, 10 G.	1	..	1.23	RC
PITUITARY, POSTERIOR LOBE				
See Restricted Benefits.				

PLAGUE VACCINE

(Plague/Vac)

Injection 4,000 million in 1 ml.

2

..

*1.64

CS

PODOPHYLLIN

Paint P.L.

25 ml.

1

1.02

Extemp.

Paint Strong P.L.

25 ml.

1

1.27

Extemp.

POLYMYXIN B SULPHATE

Ear Drops (Aqueous)

300,000 Units in 15 ml.

‡1

2

2.57

KL, SI

2.70

BW, HA

Set containing 300,000 Units and 15 ml.

of solvent

‡1

2

\$2.95

ET

Ear Drops (Propylene Glycol Base)

10,000 Units per ml, 10 ml.

‡1

2

1.30

BW

Eye Drops

15,000 Units per ml., 5 ml.

‡1

2

1.63

SI

Set containing 75,000 Units and 5 ml.

of solvent

‡1

2

\$1.95

ET

POLYMYXIN B SULPHATE with

BACITRACIN and NEOMYCIN

Eye Drops

Set containing 50,000 Units - 4,000 Units

- 50 mg. and 10 ml. solvent

‡1

2

\$2.95

DH, ET

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN - cont. Eye Ointment 5,000 Units - 400 Units - 5 mg. per G., 4 G.	1	..	\$ 0.67 0.70	PT BW, DH, ET, GL, SI, UP
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units - 2.5 mg.-0.025 mg. per ml., 10 ml.	1	2	1.43	BW, DH
POLYOESTRADIOL See Restricted Benefits.				
POLYTHIAZIDE Oral Tablet 1 mg. 2 mg.	50 50	2 2	2.17 3.13	PF PF
POLYVINYL ALCOHOL Eye Drops 1.4%, 15 ml.	1	6	1.90	AG
POTASSIUM Oral Effervescent Tablet 6.5 milli-equivalents of Potassium.	100	2	1.37 1.50	HY, KL, PR, RY LF, PT

25 milli-equivalents of Potassium	30	2	1.42	PT
			1.43	MJ
POTASSIUM CHLORIDE				
Mixture P.L.	200 ml.	4	0.92	Extemp.
Oral Tablet 500 mg.	100	2	0.70	DH, ET, HY, KL, RT(V)
600 mg. (sustained release)	100	2	1.34	PT
			1.37	CB
Injection Standard Maintenance Fluids				
- See Intravenous Fluids				
POTASSIUM CITRATE				
Mixture P.L.	200 ml.	4	0.94	Extemp.
Mixture for Children P.L.	100 ml.	4	0.83	Extemp.
POTASSIUM CITRATE and SODIUM BICARBONATE				
Mixture P.L.	200 ml.	4	0.86	Extemp.
POTASSIUM IODIDE				
Mixture for Children P.L.	100 ml.	4	0.76	Extemp.
POTASSIUM IODIDE and EPHEDRINE				
Mixture for Children P.L.	100 ml.	4	0.81	Extemp.
POTASSIUM IODIDE and STRAMONIUM				
Mixture Compound P.L.	200 ml.	4	1.07	Extemp.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
POTASSIUM PERCHLORATE			\$	
Oral Tablet				
200 mg.	100	2	0.97	AD, SI
			1.57	PH
500 mg.	100	2	1.77	PH
PREDNISOLONE				
Eye Drops 1%, 3 ml.	1	6	2.30	SC
Eye Ointment 0.5%, 4 G.	1	..	1.90	KL, PT
			2.30	CO, UP
Tablet - See Restricted Benefits.				
PREDNISOLONE ACETATE				
See Restricted Benefits.				
PREDNISOLONE METHYL				
Eye Ointment 0.1%, 4 G.	1	..	2.63	UP
Capsule - See Restricted Benefits.				
Tablets - See Restricted Benefits.				
PREDNISOLONE METHYL ACETATE				
See Restricted Benefits.				
PREDNISOLONE SODIUM HEMISUCCINATE				
See Restricted Benefits.				

PREDNISOLONE SODIUM PHOSPHATE

Eye-Ear Drops

0.5%, 2.5 ml.

0.5%, 5 ml.

Eye Ointment 0.5%, 3 G.

Retention Enema - See Restricted Benefits.

Suppository - See Restricted Benefits.

‡1	6	2.17	MK
‡1	6	2.50	GL, MK
‡1	..	2.30	GL

PREDNISOLONE TERTIARY BUTYL ACETATE

See Restricted Benefits.

PREDNISOLONE TRIMETHYLACETATE

Eye Drops 0.3%, 2.5 ml.

Eye Ointment 0.5%, 2.5 G.

Injections - See Restricted Benefits.

‡1	6	1.37	CB
‡1	..	1.50	CB

PREDNISON

See Restricted Benefits.

PRIMAQUINE

Oral Tablet

Equivalent to 7.5 mg. base

Equivalent to 15 mg. base

30	1	1.07	IC
14	1	0.67	WL

PRIMIDONE

Oral Tablet 250 mg.

Oral Paediatric Suspension

125 mg. per 5 ml., 500 ml.

200	1	6.31	PT
		*6.96	IC
‡1	1	3.23	IC

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PROBENECID			\$	
Oral Tablet 500 mg.	100	2	8.30	MC, MK
			8.72	PT
			(ex 500)	
			9.50	MC, MK
			9.99	PT
			(ex M.P.)	
PROCAINAMIDE				
Injection 100 mg. per ml., 10 ml.	1	..	1.57	SQ
Oral Tablet 250 mg.	100	2	6.30	SQ
Oral Capsule 250 mg.	100	2	6.30	SQ
PROCAINE HYDROCHLORIDE in NORMAL SALINE				
See Intravenous Fluids				
PROCARBAZINE				
See Restricted Benefits.				
PROCHLORPERAZINE				
Injection 12.5 mg. in 1 ml.	10	..	1.37	MB
PROCYCLIDINE				
Oral Tablet 5 mg.	100	2	4.30	BW
PROGESTERONE				
See Restricted Benefits.				

PROGUANIL

Oral Tablet 100 mg.

100	2	1.14	IC
-----	---	------	----

PROMETHAZINE

Injection 2.5%, 2 ml.

10	..	1.50	MB
----	----	------	----

Oral Paediatric Elixir

5 mg. per 5 ml., 125 ml.

1	4	0.77	MB
---	---	------	----

Oral Tablet

10 mg.

50	1	0.92	MB
----	---	------	----

(ex 250)

0.97

(ex M.P.)

MB

25 mg.

50	1	1.22	MB
----	---	------	----

(ex 250)

1.37

(ex M.P.)

MB

PROPANTHELINE BROMIDE

Injection

30 mg. in 1 ml. (solvent required)

5	..	6.30	SR
---	----	------	----

Oral Tablet 15 mg.

100	2	3.12	PT
-----	---	------	----

3.91

SR

(ex 500)

3.50

PT

4.01

SR

(ex M.P.)

30 mg. (sustained release)

100	2	7.17	SR
-----	---	------	----

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PROPYLTHIOURACIL			\$	
Oral Tablet				
25 mg.	100	2	1.50	ET
50 mg.	100	2	2.30	ET
PROTAMINE SULPHATE				
Injection				
1% 5 ml.	5	..	2.14	EV
1% 10 ml.	5	..	2.34	BT
PROTOVERATRINE A				
Injection 1 ml.	10	..	*2.76	SZ
PYRIDINE ALDOXIME METHIODIDE (P.A.M.)				
Injection 500 mg.	5	..	2.30	FH
PYRIDOSTIGMINE				
See Restricted Benefits.				
PYRIDOXINE HYDROCHLORIDE				
Injection				
50 mg. in 1 ml.	5	1	1.58	KL
			1.86	PD
			1.87	BL, DH, FM
50 mg. in 2 ml.	5	1	1.87	RO
50 mg. per ml., 5 ml.	1	1	1.63	KL

50 mg. per ml., 10 ml.

Tablets - See Restricted Benefits.

PYRIMETHAMINE

See Restricted Benefits.

QUINALBARBITONE SODIUM

Oral Tablet

50 mg.

100 mg.

Oral Capsule

50 mg.

100 mg.

QUINETHAZONE

Oral Tablet 50 mg.

QUINIDINE BISULPHATE

Oral Tablet 250 mg. (sustained release)

1	..	1.90	KL
		2.30	BX
100	1	1.50	PT
25	..	0.70	PT
		0.71	HY
		0.82	AD, DH, KL, RD, RT(V), RY, SI
100	1	1.75	KL, LF, LY
25	..	0.86	PT
		0.87	LF
		0.95	KL, LY, RY
		(ex 100)	
		0.98	PT
		0.99	LF
		1.13	KL, LY, RY
		(ex M.P.)	
50	2	3.43	LE
100	2	10.83	AP

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
QUINIDINE SULPHATE Oral Tablet 200 mg.	100	2	\$ 8.30	BW, DH, FA, HY, KL, PR, QE(QNVS), RT(V), TO
QUININE BISULPHATE See Restricted Benefits				
QUININE DIHYDROCHLORIDE See Restricted Benefits				
QUININE HYDROCHLORIDE See Restricted Benefits				
QUININE SULPHATE See Restricted Benefits				
RAUWOLFIA ALKALOIDS Oral Capsule 50 mg.	100	2	2.83	CS
Oral Tablet 0.25 mg.	100	2	1.17	PT
			1.37	KL, MJ
2 mg.	100	2	2.46	RK
			(ex 500)	
			2.70	RK
			(ex M.P.)	
4 mg.	100	2	2.57	PV
	98			

50 mg.	100	2	2.25	LF, PT
			2.55	SQ
			(ex 500)	
			2.50	LF, PT
			2.83	SQ
			(ex M.P.)	
RED BACK SPIDER ANTI-VENENE				
Injection 500 Units	2	..	*8.30	CS
RESERPINE				
Injection				
1 mg.	5	1	1.01	CB
2.5 mg.	5	1	1.63	CB
Oral Tablet				
0.25 mg.	100	2	0.83	ET, HA, HY, KL, RK, RY
			0.97	CB, CS, VR
0.5 mg.	100	2	1.03	HA, KL
			1.23	CB
RESORCINOL				
Lotion Compound P.L.	200 ml.	1	1.07	Extemp.
RESORCINOL and SULPHUR				
Compound Ointment P.L.	100 G.	1	1.19	Extemp.
RIBOFLAYINE				
See Restricted Benefits.				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ROLITETRACYCLINE See Restricted Benefits.			\$	
SACCHARIN or SACCHARIN SODIUM †Oral Tablet 30 mg.	500	1	†0.38 †0.41 †0.47	AD(N), SL(N) HY KL, RY AD(N), SL(N) HY KL, RY
(with instructions for use)				
SALICYLAMIDE Oral Tablet 500 mg.	100	2	0.93 0.99 1.03 (ex 500) 0.99 1.03 1.07 (ex M.P.)	RT KL HA, NS PT KL HA, NS
SALICYLIC ACID Dusting Powder Compound P.L.	100 G.	1	0.83	Extemp.
Ear Drops P.L.	15 ml.	2	0.68	Extemp.
Ointment P.L.	100 G.	1	1.35	Extemp.
Paint P.L.	25 ml.	1	0.74	Extemp.

SALICYLIC ACID and RESORCINOL

Cream Aqueous P.L.

100 G.	1	1.00	Extemp.
--------	---	------	---------

SALICYLIC ACID and SULPHUR

Cream Aqueous P.L.

100 G.	1	0.98	Extemp.
--------	---	------	---------

SCHICK-TEST TOXIN and CONTROL

Injection set containing 0.5 ml. Schick Test
Toxin and 0.5 ml. Schick Control

1	..	1.37	CS
---	----	------	----

SEIDLITZ POWDER

†Compound Effervescent Powder, B.P.C.
(with instructions for use)

12	1	†0.66	DH, WD(N) DH, WD(N)
----	---	-------	------------------------

SENEGA and AMMONIA

Mixture P.L.

200 ml.	4	1.10	Extemp.
---------	---	------	---------

SENNA FRUIT

†2 oz.
(with instructions for use)

1	..	†0.33	SI
---	----	-------	----

†50 G.
(with instructions for use)

1	..	†0.27	DH DH
---	----	-------	----------

SENNA FRUIT EXTRACT (STANDARDISED)

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SILVER NITRATE TOUGHENED †1 stick (with instructions for use)	1	..	\$ †0.15 †0.32	YF(QNVST) SL(N) YF(QNVST) SL(N)
SILVER PROTEIN, MILD Eye Drops, 10%, 15 ml.	†1	2	1.05	IQ
SIMPLE LINCTUS Linctus P.L.	100 ml.	4	0.92	Extemp.
SIMPLE OINTMENT Ointment P.L.	100 G.	1	1.11	Extemp.
SMALLPOX VACCINE Injection, Capillary Tube	1	..	0.98	CS
SOAP LINIMENT Liniment P.L.	100 ml.	1	1.06	Extemp.
SODIUM AMINOSALICYLATE Mixture for Children P.L. Injection - See Restricted Benefits. Cachets - See Restricted Benefits. Tablets - See Restricted Benefits. Granules - See Restricted Benefits.	100 ml.	4	1.22	Extemp.

SODIUM AMINOSALICYLATE with ISONIAZID

See Restricted Benefits.

SODIUM AUROTHIOMALATE

Injection

1 mg.	1	3	0.53	MB
2 mg.	1	3	0.54	MB
5 mg.	1	3	0.55	MB
10 mg.	1	3	0.59	MB
20 mg.	1	3	0.61	MB
50 mg.	5	..	*2.45	MB
100 mg.	5	..	*3.25	MB
200 mg.	1	..	1.21	MB

SODIUM BICARBONATE

Ear Drops, P.L.

15 ml.	2	0.73	Extemp.
--------	---	------	---------

SODIUM CALCIUMEDETATE

Injection 200 mg. per ml., 5 ml.

5	..	*5.68	RK
---	----	-------	----

Oral Tablet 500 mg.

100	2	4.17	RK
-----	---	------	----

SODIUM CHLORIDE

Oral Tablet 300 mg.

100	2	0.46	DH, FA, HY, KL, RT(V)
-----	---	------	-----------------------

Injection (Normal Saline; Physiological Solution)

2 ml.	5	1	0.83	AD, FH, KL
-------	---	---	------	------------

			0.86	BL, DH
--	--	--	------	--------

5 ml.	5	1	0.91	AD, FH, KL
-------	---	---	------	------------

			0.95	BL
--	--	--	------	----

			0.97	DH
--	--	--	------	----

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM CHLORIDE - cont.			\$	
Injection (Normal Saline; Physiological Solution)				
10 ml.	5	1	0.90	AD
			*0.94	CS
			1.07	FH, KL
			1.13	DH
			1.14	BL
10 ml. vial	2	1	*0.96	FH, PD
20 ml.	5	1	1.50	BL, DH, FH, KL
50 ml.	3	1	*2.31	DH, FH, KL
For 1/2 litre and 1 litre sizes, see Intravenous Fluids.				
SODIUM CHLORIDE and DEXTROSE				
See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND				
See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND and DEXTROSE				
See Intravenous Fluids				
SODIUM CITRATE				
Mixture P.L.	200 ml.	4	0.94	Extemp.
Mixture for Children P.L.	100 ml.	4	0.83	Extemp.

SODIUM CITRO-TARTRATE
Effervescent Granules 100 G.

‡1 4 1.30 PT

SODIUM EDETATE
Injection 200 mg. per ml., 5 ml.

5 1 *6.40 RK

SODIUM FOLATE
See Restricted Benefits.

SODIUM LACTATE
See Intravenous Fluids

SODIUM LACTATE COMPOUND
See Intravenous Fluids

SODIUM LACTATE COMPOUND and DEXTROSE
See Intravenous Fluids

SODIUM SALICYLATE

Mixture P.L.

200 ml. 4 0.87 Extemp.

Oral Tablet 300 mg.

100 2 0.77 AD, DH, HY, KL,

RT(V), SI, SL(N)

600 mg.

100 2 1.10 HY

Oral Tablet (enteric coated)

300 mg.

100 2 1.10 DH, ET, KL, LY, PR,

QE(QNVS), RY, TO

500 mg.

100 2 1.23 ET, KL, PR, QE(QNVS), TO

600 mg.

100 2 1.37 DH, ET, KL, LY, PR,

QE(QNVS), RY, TO

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM SULPHATE See Intravenous Fluids			\$	
SODIUM TAUROGLYCOCHOLATE Oral Tablet	100	1	0.99	WW
SOYA FORMULA See Restricted Benefits.				
SPIRAMYCIN See Restricted Benefits.				
SPIRIT INDUSTRIAL METHYLATED Ear Drops P.L.	15 ml.	2	0.67	Extemp.
SPIRONOLACTONE See Restricted Benefits.				
STANOLONE See Restricted Benefits.				
STANOZOLOL See Restricted Benefits.				

STAPHYLOCOCCUS TOXOID (FORMALINISED)

(Sta./Tox)

Injection

Diluted 1 in 10 for use in initial injection 5 ml.

Undiluted 5 ml.

1	..	1.10	CS
1	..	2.17	CS

STILBOESTROL

See Restricted Benefits.

STREPTOMYCIN SULPHATE

See Restricted Benefits.

**STREPTOMYCIN SULPHATE with
SULPHAGUANIDINE**

Oral Tablet 62.5 mg.-500 mg.

16	..	1.41	GL
----	----	------	----

SUCCINYLSULPHATHIAZOLE

Oral Tablet 500 mg.

100	..	1.70	PT
		1.90	MB

SUCCINYLSULPHATHIAZOLE with KAOLIN

Mixture 4 G. - 3 G. per 20 ml., 200 ml.

1	4	1.50	MK
---	---	------	----

SULPHACETAMIDE SODIUM

Eye Drops

10%, 15 ml.

15%, 15 ml.

20%, 15 ml.

Eye Ointment 10%, 60 gr.

1	2	1.03	DH, ET, EV, IQ, KL, SI
1	2	1.07	AQ
1	2	1.10	DH, ET, EV, IQ, KL, SI
1	..	0.70	EV, SC

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SULPHADIAZINE			\$	
Oral Tablet				
300 mg.	40	1	1.07	AB, KL
500 mg.	40	1	0.94	PT, RT(V)
			0.99	AD, DH, HY, KL, MG, RY, SI, SL(N)
			1.03	MB
			1.07	AB
SULPHADIAZINE SODIUM				
Injection 4 ml.	5	..	*1.60	MB
SULPHADIMETHOXINE				
Oral Tablet 500 mg.	12	..	1.24	RO
			(ex 100)	
			1.30	RO
			(ex M.P.)	
SULPHADIMIDINE				
Oral Suspension 500 mg. in 5 ml., 100 ml.	‡1	4	0.99	IC
Oral Tablet 250 mg.	40	1	0.73	KL, MG
500 mg.	40	1	0.66	IP, PT, SL(N)
			0.70	AD, KL, MG, SI
			0.73	DH, HY, IC, RY
			(ex 200)	
			0.67	IP, PT, SL(N)
			0.73	AD, KL, MG, SI
			0.77	DH, HY, IC, RY
			(ex M.P.)	

SULPHADIMIDINE SODIUM

Injection 1 G. in 3 ml.

5

..

1.17

IC

SULPHAFURAZOLE

Oral Tablet

300 mg.

40

1

1.31

RO

500 mg.

40

1

1.49

PT

1.58

SU(N)

1.69

RO

(ex 200)

1.57

PT

1.74

RO, SU(N)

(ex M.P.)

Eye Drops 4%, 10 ml.

11

2

0.97

RO

Eye Ointment 4%, 5 G.

11

..

0.61

RO

Paediatric Syrup 500 mg. per 5 ml., 100 ml.

11

..

1.39

RO

SULPHAGUANIDINE

Oral Tablet 500 mg.

100

..

0.99

PT, SL(N)

1.13

AD, DH, HY, KL, MG,
PR, RT(V), RY, SI

Oral Suspension

500 mg. per 5 ml. with adsorbent, 100 ml.

11

4

1.10

NS

SULPHAMETHIZOLE

Oral Tablet

100 mg.

30

1

0.83

AY, CA, HA, KL, WW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SULPHAMETHIZOLE - cont.			\$	
Oral Tablet				
250 mg.	30	1	1.19	CA, KL
			1.23	HA
			1.25	AY, WW
			(ex 100)	
			1.21	CA, KL
			1.30	AY, HA, WW
			(ex M.P.)	
500 mg.	30	1	2.07	AY, CA, HA, KL, WW
SULPHAMETHOXAZOLE				
Oral Tablet 500 mg.	20	1	1.19	RO
Syrup				
500 mg. per 5 ml., 50 ml.	11	2	1.43	RO
SULPHAMETHOXYDIAZINE				
(S'methoxydiazine)				
Oral Tablet 500 mg.	12	..	1.63	FB, SC
SULPHAMETHOXYPYRIDAZINE				
(S'methopyrazine)				
Oral Tablet 500 mg.	12	..	1.71	LE, PD
			(ex 100)	
			1.90	LE, PD
			(ex M.P.)	

SULPHAPHENAZOLE

Oral Tablet 500 mg.

Oral Paediatric Suspension 10%, 50 ml.

SULPHAPYRIDINE

Oral Tablet 500 mg.

SULPHASALAZINE

See Restricted Benefits.

SULPHINPYRAZONE

Oral Tablet 100 mg.

SULPHONAMIDES, THREE MIXED

Oral Tablet

250 mg.

300 mg.

330 mg.

500 mg.

SULPHUR

Ointment P.L.

SULPHURATED LOTION

Lotion P.L.

20	1	1.19	CB
11	..	1.43	CB
100	..	1.90	MB
100	2	7.63	GE
40	1	0.97	MB
40	1	0.89	KL
40	1	1.10	ET
40	1	0.87	AD, HY, KL, SI, SL(N)
		1.07	MG
		1.10	MB
		1.13	ET, VR
100 G.	1	1.24	Extemp.
200 ml.	1	0.92	Extemp.
111			

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SULTIAME See Restricted Benefits.			\$	
SUSTANON See Restricted Benefits.				
SUXAMETHONIUM BROMIDE Injection 67 mg. (solvent required)	5	1	*1.84	MB
SUXAMETHONIUM CHLORIDE Injection 50 mg. per ml., 2 ml.	5	..	1.30	GL
50 mg. per ml., 10 ml.	1	..	1.03	BW, GL
T.A.B. VACCINE (Anti-Typhoid-Paratyphoid) (T.A.B./Vac)				
Injection				
0.5 ml.	3	..	*1.50	CS
10 ml.	1	..	3.30	CS
TACRINE Injection				
10 mg., 2 ml.	5	1	1.70	WH
30 mg., 2 ml.	5	1	2.41	WH
TAIPAN ANTI-VENENE Injection 3,000 Units	4	..	*183.98	CS

TESTOSTERONE

See Restricted Benefits.

TESTOSTERONE METHYL

See Restricted Benefits.

TESTOSTERONE OENANTHATE

See Restricted Benefits.

TESTOSTERONE PROPIONATE

See Restricted Benefits.

TETANUS ANTITOXIN

(Tet/Ser)

Injection Diluted 1-50.

15 Units in 0.5 ml.

1 .. 1.10 CS

Injection

1,500 Units

5 1 *8.35 CS

10,000 Units

5 1 *33.05 CS

50,000 Units

5 .. *145.85 CS

Set containing 1,500 Units and 15 Units

diluted 1 in 50

1 .. 2.71 BT, CS

Set containing 10,000 Units and 15 Units

diluted 1 in 50

1 .. 7.65 CS

TETANUS ANTITOXIN (BOVINE)

See Restricted Benefits.

TETANUS IMMUNE GLOBULIN (HUMAN)

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TETANUS TOXOID (Purified Aluminium Phosphate Adsorbed) (Tet/Vac/PTAP) Injection			\$	
0.5 ml.	3	..	*1.38	BT, CS
5 ml.	1	..	2.57	CS
TETRACYCLINE				
Eye Drops, Suspension, 1%, 6 ml.	\$1	2	0.94	LE
Eye Ointment 1%, 4 G.	\$1	..	0.57	LE
Capsules - See Restricted Benefits.				
Drops - See Restricted Benefits.				
Granules - See Restricted Benefits.				
Injections - See Restricted Benefits.				
Suspension - See Restricted Benefits.				
Tablets - See Restricted Benefits.				
TETRACYCLINE (BUFFERED)				
See Restricted Benefits.				
TETRACYCLINE (BUFFERED) with AMPHOTERICIN B				
See Restricted Benefits.				
TETRACYCLINE (BUFFERED) with NYSTATIN				
See Restricted Benefits.				

THEOPHYLLINE

Elixir 80 mg. per 15 ml., 450 ml.
80 mg. per 15 ml., 500 ml.

‡1	4	1.63	FA
‡1	4	1.57	KL

THEOPHYLLINE ETHANOATE of PIPERAZINE

Injection 500 mg. in 5 ml.

5	..	1.07	DF
---	----	------	----

THEOPHYLLINE with GLYCERYL GUAIACOLATE

Oral Capsule 150 mg.-90 mg.
Elixir 100 mg.- 60 mg. per 10 ml., 200 ml.

100	..	2.43	MJ
‡1	4	1.26	MJ

THIAMBUTOSINE

See Restricted Benefits.

THIETHYLPERAZINE

Injection 6.5 mg. in 1 ml.
Suppository - See Restricted Benefits.
Tablet - See Restricted Benefits.

10	..	*1.50	SZ
----	----	-------	----

THIORIDAZINE

See Restricted Benefits.

THIOTEPA

Injection 15 mg.

1	1	2.97	LE
---	---	------	----

THYROID

Oral Tablet
15 mg.

100	2	0.43	DH, SL(N)
115		0.50	AD, RT(V), SI

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
THYROID - cont.			\$	
Oral Tablet				
30 mg.	100	2	0.47 0.51 0.54	DH, FA, SL(N) WW AD, RT(V), SI
60 mg.	100	2	0.59 0.65	AD, DH, FA, RT(V), SI, SL(N) WW
125 mg.	100	2	0.74	AD, DH, RT(V), SI
THYROXINE SODIUM				
Oral Tablet				
50 micrograms	100	2	0.61	BW, DH, FM, GL, RT(V)
100 micrograms	100	2	0.79	BW, DH, EV, FM, GL, RT(V)
300 micrograms	100	2	1.23	BW
TIGER SNAKE ANTI-VENENE				
Injection 3,000 Units	2	1	*42.84	CS
TITANIUM DIOXIDE				
Paste P.L.	100 G.	1	0.96	Extemp.
TOLAZOLINE				
Oral Tablet 25 mg.	100	2	1.28 1.33 (ex 500) 1.37 (ex M.P.)	KL CB CB, KL

TOLBUTAMIDE

Oral Tablet 500 mg.

100	2	3.59 (ex 500)	AH, BO
		3.70 (ex M.P.)	AH, BO
50	2	3.59	AH, BO

1 G.

TRETAMINE

See Restricted Benefits.

TRIAMTERENE

Oral Tablet 100 mg.

50	2	4.30	SK
----	---	------	----

TRICYCLAMOL CHLORIDE

Oral Tablet 50 mg.

100	2	5.63	BW
-----	---	------	----

TRIDIHEXETHYL CHLORIDE

Injection 10 mg. in 1 ml.

Oral Paediatric Drops

5 mg. per ml., 15 ml.

Oral Tablet

25 mg.

5	..	6.30	LE
11	3	1.63	LE
100	2	4.30	LE

TRIFLUOPERAZINE

See Restricted Benefits.

TRIMEPRAZINE

Oral Tablet 10 mg.

Oral Paediatric Syrup 7.5 mg. per 5 ml.,

125 ml.

50	1	1.43	MB
11	4	1.10	MB

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TRIMETAPHAN See Restricted Benefits.			\$	
TRIPLENNAMINE Oral Tablet 50 mg.	50	1	1.83	CB
TRIPROLIDINE Oral Tablet 2.5 mg.	50	1	1.77	BW
Oral Capsule 2.5 mg.	50	1	1.77	BW
Oral Paediatric Elixir 1 mg. per 5 ml., 100 ml.	‡1	4	0.86	BW
TROLNITRATE PHOSPHATE Oral Tablet 2 mg.	100	2	1.77	GP, PF
7 mg.	100	2	2.83	ET, GP, PF
TROXIDONE Oral Tablet 150 mg.	200	1	4.90	AB
Oral Capsule 300 mg.	200	1	*7.24	GA
			8.23	AB
TYPHUS VACCINE Injection 1 ml.	2	..	*7.34	CS
VASOPRESSIN Injection B.P. 20 Units in 1 ml.	5	..	1.74	PD

VASOPRESSIN TANNATE

Oily Injection 5 Units in 1 ml.

10	1	*3.18	PD
----	---	-------	----

VINBLASTINE

See Restricted Benefits.

VINCRIStINE

See Restricted Benefits.

VIOMYCIN

See Restricted Benefits.

VIPRYNIUM EMBONATE

(Viprynum)

Oral Tablet 50 mg.

8	..	1.41	PD
---	----	------	----

Oral Suspension 10 mg. per ml., 1 fl.oz.

11	..	1.41	PD
----	----	------	----

VITAMINS COMPOUND

See Restricted Benefits.

WARFARIN

Oral Tablet

2 mg.

50	2	3.17	EN
----	---	------	----

2.5 mg.

50	2	3.30	EN
----	---	------	----

5 mg.

50	2	3.37	EN, EV
----	---	------	--------

7.5 mg.

50	2	4.14	EN
----	---	------	----

10 mg.

50	2	5.30	EN
----	---	------	----

25 mg.

25	2	4.57	EN
----	---	------	----

Injection

Set containing 50 mg. and 2 ml. solvent

5	..	9.35	EN
---	----	------	----

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
WATER FOR INJECTION			\$	
Injection				
2 ml.	5	3	0.73	WO
			0.74	EV, PT, SP(NSW)
			0.77	DH
			0.78	AD
			0.81	FH, KL
			0.85	BL
5 ml.	5	3	0.77	WO
			0.78	EV, PT, SP(NSW)
			0.81	DH
			*0.85	CS
			0.85	AD, KL
			0.89	FH
			0.94	BL
10 ml.	5	3	0.98	EV
			1.05	PT
			1.06	AD, DH, FH, KL, SP(NSW)
			1.11	BL, CS
WOOL ALCOHOLS				
†Ointment 4 oz.	1	1	†1.01	EV
(with instructions for use)				EV

WOOL FAT, HYDROUS

†2 oz. tube or jar

(with instructions for use)

ZINC and ADRENALINE

Eye Drops P.L.

ZINC and CASTOR OIL

Ointment B.P. 2 oz.

Ointment P.L.

ZINC OXIDE

Cream Oily P.L.

Cream Weak P.L.

Dusting Powder Compound P.L.

Ointment P.L.

Paste Compound P.L.

ZINC and SALICYLIC ACID

Paste P.L.

ZINC SULPHATE

Eye Drops P.L.

Lotion P.L.

1	..	†0.23 †0.26	WD(N) HY WD(N) HY
15 ml.	2	1.18	Extemp.
2	1	0.76	ME(Q)
100 G.	1	1.43	Extemp.
100 G.	1	0.95	Extemp.
100 G.	1	0.95	Extemp.
100 G.	1	0.84	Extemp.
100 G.	1	1.15	Extemp.
100 G.	1	1.10	Extemp.
100 G.	1	1.07	Extemp.
15 ml.	2	1.14	Extemp.
200 ml.	1	0.77	Extemp.

INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DARROW'S SOLUTION			\$	
1/2 litre	2	..	*2.76	BT, BX, EV, FH, SJ(W)
1 litre	2	..	*3.18	BT, BX, EV, GL, SJ(W)
DEXTRAN with DEXTROSE				
Low molecular weight injection				
10% - 5%, 500 ml.	10	..	*80.30	FC
			*87.00	MR
DEXTRAN in NORMAL SALINE				
Low molecular weight injection				
10%, 500 ml.	10	..	*80.30	FC
			*87.00	MR
DEXTROSE				
5%, 1/2 litre	5	1	*6.45	BT, BX, EV, FH, SJ(W)
5%, 1 litre	5	1	*7.50	BT, BX, EV, FH, GL, SJ(W)
10%, 1/2 litre	2	1	*2.76	BT, BX, EV, FH, SJ(W)
10%, 1 litre	2	1	*3.18	BT, BX, EV, FH, GL, SJ(W)
20%, 1/2 litre	2	1	*2.76	BT, BX, EV, FH, SJ(W)
20%, 1 litre	2	1	*3.18	BT, BX, FH, SJ(W)
25%, 1/2 litre	2	1	*2.76	BT, BX, FH, SJ(W)
25%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
50%, 1/2 litre	2	1	*2.76	FH, SJ(W)
GASTRIC REPLACEMENT SOLUTION				
1/2 litre	2	..	*3.10	BX, FH, SJ(W)
1 litre	2	..	*3.64	BX

INTRAVENOUS FLUIDS FOR INJECTION

INTESTINAL REPLACEMENT SOLUTION				
1/2 litre	2	..	*2.76	BT
			*3.10	BX, FH, SJ(W)
1 litre	2	..	*3.64	BX
MANNITOL				
10%, 1/2 litre	1	1	2.75	SJ(W)
			3.34	FH
10%, 1 litre	1	1	2.91	SJ(W)
			3.54	BX, FH
20%, 1/2 litre	1	1	3.54	BX, FH
POTASSIUM - FREE MAINTENANCE SOLUTION				
1/2 litre	2	..	*3.10	BX, FH, SJ(W)
PROCAINE HYDROCHLORIDE in NORMAL SALINE				
0.1%, 1/2 litre	2	1	*2.76	BT
0.1%, 1 litre	2	1	*3.18	BT
SALINE LACTATE SOLUTION				
1/2 litre	2	..	*3.10	BX, FH, SJ(W)
SODIUM CHLORIDE				
3%, 1/2 litre	2	1	*2.76	BT, BX, FH, SJ(W)
3%, 1 litre	2	1	*3.18	BT, BX, SJ(W)
5%, 1/2 litre	2	1	*2.76	BT, FH, SJ(W)
5%, 1 litre	2	1	*3.18	BT, BX, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM CHLORIDE - cont.			\$	
(Normal Saline - Physiological Solution)				
1/2 litre	2	1	*2.76	BT, BX, EV, FH, SJ(W)
1 litre	2	1	*3.18	BT, BX, EV, FH, GL, SJ(W)
SODIUM CHLORIDE COMPOUND				
B.P.C. 1959				
1/2 litre	4	1	*3.18	SJ(W)
			*5.22	BT, BX, EV, FH
1 litre	4	1	*6.06	BT, BX, EV, FH, GL, SJ(W)
SODIUM CHLORIDE COMPOUND and DEXTROSE				
5%, 1/2 litre	5	1	*6.45	FH, SJ(W)
5%, 1 litre	5	1	*7.50	BX, FH, SJ(W)
10%, 1 litre	3	1	*4.62	BT, FH, SJ(W)
SODIUM CHLORIDE and DEXTROSE				
Dextrose in Normal Saline				
5%, 1/2 litre	2	1	*2.76	BT, BX, EV, FH, SJ(W)
5%, 1 litre	2	1	*3.18	BT, BX, EV, FH, GL, SJ(W)
10%, 1/2 litre	2	1	*2.76	BT, BX, EV, FH, SJ(W)
10%, 1 litre	2	1	*3.18	BT, BX, EV, FH, GL, SJ(W)
20%, 1/2 litre	2	1	*2.76	FH, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

20%, 1 litre	2	1	*3.18	BT, FH, SJ(W)
25%, 1/2 litre	2	1	*2.76	FH, SJ(W)
25%, 1 litre	2	1	*3.18	FH, SJ(W)
Dextrose in 1/2 strength Normal Saline				
2.5%, 1/2 litre	2	1	*2.76	BT, BX, EV, FH, SJ(W)
Dextrose in 1/4 strength Normal Saline				
3.75%, 1/2 litre	2	1	*2.76	BT, BX, FH, SJ(W)
Dextrose in 1/5 strength Normal Saline				
4%, 1/2 litre	5	1	*6.45	BT, BX, EV, SJ(W)
4%, 1 litre	5	1	*7.50	BT, BX, EV, SJ(W)
4.3%, 1/2 litre	5	1	*6.45	FH
4.3%, 1 litre	5	1	*7.50	FH, GL
SODIUM LACTATE (Solution 1/6 Molar)				
1/2 litre	2	1	*2.76	BT, BX, SJ(W)
1 litre	2	1	*3.18	BT, BX, SJ(W)
SODIUM LACTATE COMPOUND				
1/2 litre	2	1	*1.74	SJ(W)
			*2.76	BT, BX, EV, FH
1 litre	2	1	*3.18	BT, BX, EV, FH, GL, SJ(W)
SODIUM LACTATE COMPOUND and DEXTROSE				
5%, 1/2 litre	2	1	*2.76	BT, SJ(W)
5%, 1 litre	2	1	*3.18	BT, BX, FH, SJ(W)
10%, 1/2 litre	2	1	*2.76	BT, SJ(W)
10%, 1 litre	2	1	*3.18	BT, FH, SJ(W)
SODIUM SULPHATE				
4.28%, 1/2 litre	2	1	*2.76	BT, SJ(W)
4.28%, 1 litre	2	1	*3.18	BT, FH, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
STANDARD MAINTENANCE FLUID			\$	
1/2 litre	6	..	*7.68	BT
			*8.70	BX, SJ(W)
TISSUE REPAIR SOLUTION - ACIDOSIS				
1/2 litre	2	..	*3.10	BX, FH, SJ(W)
TISSUE REPAIR SOLUTION - ALKALOSIS				
1/2 litre	2	..	*3.10	FH, SJ(W)

SECTION 3 SCHEDULE OF BENEFITS - RESTRICTED BENEFITS - DECEMBER, 1967

Attention is drawn to paragraph 10(d) of the explanatory notes, which provides for the endorsement of prescriptions for restricted pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec.Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

An asterisk (*) in front of an entry indicates an additional purpose in this issue.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ACETYL CYSTEINE Fibrocystic disease. Solution 20%, 10 ml.	5	3	10.55	BD, MJ
ACETYLSALICYLIC ACID For the treatment of pensioners only.				
Oral Tablet				
150 mg.	100	2	0.70	KL
300 mg.	100	2	0.54	HY, KL, RY, SL(N)
Oral Tablet, Soluble				
150 mg.	100	2	0.97	KL, NB
300 mg.	100	2	0.85	DH, MG, RT(V), RY, TO, VR
			0.90	BW, KL, NB, RC
			0.91	HA
			(ex 500)	
			1.07	BW, DH, HA, KL, MG, NE,
			(ex M.P.)	RC, RT(V), RY, TO, VR
ACETYLSALICYLIC ACID with PARACETAMOL and CAFFEINE For the treatment of pensioners only.				
Oral Tablet 225 mg.-150 mg.-30 mg.	100	2	0.67	RY, SL(N)
			0.69	RT(V)
			0.70	FA, HY, KL, SI

ALDOSTERONE

Authority necessary to prescribe (See Notes)for-
 Treatment of an acute crisis in -
 Addisons disease;
 Salt losing congenital adrenal hypoplasia.
 Injection 500 micrograms

5

..

7.23

CB

ALLOPURINOL

Chronic gout not responding to other agents.
 Oral Tablet 100 mg.

100

2

10.30

BW

AMITRIPTYLINE

For the treatment of pensioners for any disease
 or purpose.

* * *

Maintenance treatment of a mental disorder in
 a patient discharged from an approved hospital
 at which he received treatment for a mental
 disorder, and living in a place remote from an
 approved hospital, with the authority of the
 Commonwealth Director of Health.

For the treatment of a mental disorder in a
 person who has been discharged from an
 approved hospital at which he received treat-
 ment for a mental disorder, on presentation of
 a certificate from that hospital that the person
 was a person for whose treatment that benefit
 may be prescribed.

Oral Tablet 10 mg.

100

2

2.37

MK, NS, RO

25 mg.

100

2

4.30

MK, NS, RO

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMITRIPTYLINE - cont. Injection 25 mg. per ml., 2 ml.	10	..	\$ 2.47	RO
AMPHETAMINE SULPHATE For the treatment of pensioners only. Oral Tablet 5 mg.	100	..	0.67	DH, FA, HY, KL, MG, QE(QNVS), RT(V), RY, TO
AMPHOTERICIN B Systemic fungal infection. Injection 50 mg. (solvent required)	1	..	4.23	SQ
AMPICILLIN Authority necessary to prescribe (See Notes)for- Gram-negative infections in pregnant women; Infections in children under the age of five (5) years in which penicillin and sulphonamides are not effective; * Infections where positive bacteriological evidence confirms that ampicillin is the ONLY appro- priate therapeutic agent.				
Oral Capsule 250 mg.	25	1	7.03	BR, OS
500 mg.	25	1	13.23	BR
Oral Tablet 125 mg.	25	1	4.17	BR, CS
Injection				
100 mg. (solvent required)	5	..	*3.30	BR
250 mg. (solvent required)	5	..	*5.35	BR
500 mg. (solvent required)	5	..	*8.45	BR

Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	‡1	..	4.57	BR
ANEURINE HYDROCHLORIDE				
For the treatment of pensioners only.				
Oral Tablet				
50 mg.	100	2	0.99	PT, SL(N)
			1.10	AD, DH, FA, FM, HY, KL, MG,
				PR, RT(V), RY, SI
			1.37	ET
100 mg.	100	2	1.63	PT, SL(N)
			1.70	DH, FM, HY, KL, MG, PR,
				QE(QNVS), RT(V), RY
			1.90	ET
ASCORBIC ACID				
For the treatment of pensioners only.				
Oral Tablet				
25 mg.	100	2	0.57	AD, DH, FA, FM, HY, KL,
				PR, RT(V), RY, SI
50 mg.	100	2	0.73	AD, DH, FA, FM, HY, KL,
				NY, PD, PR, RT(V), RY,
				SI, SL(N)
500 mg.	100	..	2.50	HY, KL
BETAMETHASONE				
Intra-articular use.				
Injection				
4 mg. in 1 ml.	5	..	*6.95	GL, SH
6 mg. in 1 ml.	5	..	9.97	SH
* * *	5			

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BETAMETHASONE - cont. Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute rheumatic carditis; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Cushing's syndrome including hyperadrenocorticalism; Dermatomyositis; Encephalitis; Encephalomyelitis; Gullain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry;			\$	

Hodgkin's disease;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Nodular nonsuppurative panniculitis (Christian-
Weber disease);
Oedema of the spinal cord following trauma
or infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
Periarteritis nodosa;
Progressive transverse myelitis;
Pseudohermaphroditism;
*Red cell aplasia;
Regional ileitis (Crohn's disease);
Reticulum cell sarcoma;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BETAMETHASONE - cont. Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa follow- ing X-ray therapy; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis; Ulcerative colitis proven by sigmoidoscopy or radiological report. Oral Tablet 0.5 mg.	30	..	2.43	GL, SH
BUSULPHAN *Treatment in neoplastic disease. Oral Tablet 0.5 mg.	100	2	2.57	BW
2 mg.	100	2	4.03	BW

CALCIFEROL

For the treatment of pensioners for any disease
or purpose.

Authority necessary to prescribe (See Notes)for-

Chronic hypoparathyroid tetany;

Hypoparathyroidism;

Vitamin D-resistant rickets.

Oral Tablet 1.25 mg. (50,000 Units)

100

2

2.41

GL

Oral Solution 15 mg. (600,000 Units) in 1.5 ml.
alcoholic solution

3

..

1.50

RL

CALCIUM AMINOSALICYLATE

(Calcium PAS)

Tuberculosis.

Cachet

1.5 G.

500

2

13.97

KL

2 G.

500

2

20.63

KL

Oral Tablet 500 mg.

500

2

4.57

KL, WA

Oral Granules

100 G.

1

1

3.66

WA

400 G.

1

1

11.97

WA

CALCIUM GLUCONATE

Hypoparathyroidism.

Oral Tablet (Effervescent) equivalent
to 4 G. Calcium Gluconate

100

2

6.30

SZ

CARBAMAZEPINE

Epilepsy;

Trigeminal neuralgia.

Oral Tablet 200 mg.

200

1

12.17

GE

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLORAMBUCIL			\$	
*Treatment in neoplastic disease.				
Oral Tablet				
2 mg.	100	2	5.10	BW
5 mg.	100	2	8.57	BW
CHLORAMPHENICOL				
Bacterial meningitis;				
Rickettsial infections;				
Haemophilus influenzae infections;				
Intra-ocular infections;				
Salmonella septicaemia;				
Typhoid and paratyphoid;				
Other serious infections sensitive only to chloramphenicol.				
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	11	..	1.86	EC, PD
Injection				
250 mg. per ml., 2 ml.	5	..	3.06	PD
1 G. (solvent required)	3	..	*4.23	CW
			*4.89	EC, PD
Paediatric Injection				
250 mg. (solvent required)	3	..	*3.03	PD
Oral Capsule				
125 mg.	16	..	1.13	CS, KL, PD, PT
250 mg.	16	..	1.17	IP
			1.30	KL, LF, PT

			1.36 (ex 100)	CS, CW, EC, PD, PH, VR
			1.37	IP
			1.66	KL, LF, PT
			1.70 (ex M.P.)	CS, CW, EC, PD, PH, VR
Oral Tablet 250 mg.	16	..	1.63	PH
CHLOROTRIANISENE Carcinoma of the prostate. Oral Tablet 24 mg.	30	2	4.06	ML
CHLORPROMAZINE For the treatment of pensioners for any disease or purpose. * * * Huntington's chorea with the authority of the Commonwealth Director of Health; Late stage malignancy with the authority of the Commonwealth Director of Health; Radiation sickness with the authority of the Commonwealth Director of Health; Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with authority of the Commonwealth Director of Health;				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLORPROMAZINE - cont.			\$	
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
Injection				
1%, 5 ml.	10	..	1.90	MB
2.5%, 1 ml.	10	..	1.23	MB
2.5%, 2 ml.	10	..	1.63	MB
Oral Tablet				
10 mg.	100	2	1.23	MB
25 mg.	100	2	1.78	MB
			(ex 500)	
			1.83	MB
			(ex M.P.)	
50 mg.	100	2	3.30	MB
100 mg.	100	2	6.03	MB
Suppository 100 mg.	5	1	1.23	MB
Syrup 25 mg. per 5 ml., 125 ml.	‡1	4	1.03	MB
CHLORTETRACYCLINE				
Brucellosis;				
Herpes zoster ophthalmicus;				
Intestinal amoebiasis;				
Leptospirosis;				

Lymphogranuloma venereum;
 Psittacosis;
 Rickettsial infections;
 Any bacterial infections or actinomycosis or
 trachoma where these cannot be treated
 safely and effectively by sulphonamides or
 penicillins;
 Pre-operative and post-operative therapy where
 there are reasonable grounds for believing
 that infection may occur.

Oral Capsule

100 mg.

25

..

2.06

KL, LE

250 mg.

16

..

2.63

KL, LE, LF

Oral Paediatric Granules 75 G.

11

..

1.74

LE

CODEINE PHOSPHATE with ACETYLSALICYLIC ACID

For the treatment of pensioners only.

Oral Tablet 10 mg.-300 mg.

100

2

1.07

CA, HY, KL

1.10

BW, EL

Oral Tablet, Soluble

10 mg.-300 mg.

100

2

1.50

BW, CA, FM, KL, NB

10 mg.-500 mg.

100

2

1.61

FA

1.66

RC

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID and PARACETAMOL For the treatment of pensioners only. Oral Tablet 8 mg.-250 mg.-250 mg.	100	2	\$ 0.95 0.96 0.98 1.01 1.02 1.04 1.09 1.17 (ex 500)	HA, SL(N) RY RT(V) FA MG DH, HY SI BW, KL, PR, VR
10 mg.-250 mg.-250 mg.	100	2	0.97 1.06 1.09 1.10 1.18 1.22 (ex M.P.)	HA, RY, SL(N) RT(V) MG FA, HY, SI DH BW, KL, PR, VR
Oral Tablet, Soluble 8 mg.-250 mg.-250 mg.	100	2	1.35 1.37 1.41 1.38 1.47 1.54 (ex 500) 1.50 1.58 (ex M.P.)	WL FA WW HA, MG DH BW, KL HA, MG BW, DH, KL

**CODEINE PHOSPHATE with ACETYSALICYLIC
ACID, PARACETAMOL and CAFFEINE**

For the treatment of pensioners only.

Oral Tablet

12 mg.-250 mg.-150 mg.-15 mg.

30 mg.-225 mg.-150 mg.-30 mg.

100

2

1.77

GP

50

..

1.47

WL

1.53

GP

1.54

BW

COD LIVER OIL

For the treatment of pensioners and for children under the age of twelve years.

†Emulsion

50%, 16 fl. oz.

1

4

†0.57

DH, SL(N), WD(N)

COLISTIN

Gram-negative infections where NO other drug is effective;

Pyocyanus infection.

Injection I.M. 150 mg. (solvent required)

5

..

*34.45

WW

CORTICOTROPHIN

(ACTH)

Authority necessary to prescribe (See Notes) for-
The prevention of side effects of corticosteroid therapy;

Acquired haemolytic anaemia;

Acute disseminated encephalomyelitis;

Acute exfoliative dermatitis;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CORTICOTROPHIN - cont. Acute rheumatic carditis; Addison's disease or other forms of adrenocortical hypoplasia; Adrenalectomy - total; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Cranial arteritis; Cushing's syndrome including hyperadrenocorticalism; Dermatomyositis; Encephalomyelitis; Guillain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry; Hodgkin's disease; Hypsarrhythmia; Idiopathic hypercalcaemia; Inflammatory conditions of the uveal tract and retina; Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia;			\$	

Lymphosarcoma and follicular lymphoma;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
Periarteritis nodosa;
Progressive transverse myelitis;
Pseudohermaphroditism;
*Red cell aplasia;
Regional ileitis (Crohn's disease);
Reticulum cell sarcoma;
Salaam convulsions;
Sarcoidosis;
Scleroderma;
Severe reactions of the skin and mucosa following
X-ray therapy;
Splenic neutropenia;
Sprue, tropical and non-tropical, and forms of
malabsorption associated with these diseases;
Status asthmaticus;
Steroid therapy prior to operation for those
patients under steroid therapy;
Stevens Johnson syndrome;
Still's disease in children under the age of
sixteen years;
Systemic lupus erythematosus;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CORTICOTROPHIN - cont.			\$	
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Injection S.C. or I.M.				
10 Units (solvent required)	5	..	*3.10	AR
Set containing 10 Units and diluent	5	..	4.46	CS
Set containing 20 Units and diluent	5	..	8.07	CS
25 Units (solvent required)	5	..	*5.65	AR
40 Units (solvent required)	5	..	*8.30	AR
Gelatin Injection B.P.				
50 Units in 1 ml.	5	..	19.19	CS
20 Units per ml., 5 ml.	5	..	*26.30	AR, CK
40 Units per ml., 5 ml.	5	..	*40.05	AR
			*40.30	CK, SC
Zinc Hydroxide Injection B.P.				
20 Units per ml., 2 ml.	5	..	*10.95	OR
20 Units per ml., 5 ml.	5	..	*26.30	OR
40 Units per ml., 5 ml.	5	..	*40.30	OR
CORTISONE ACETATE				
Authority necessary to prescribe (See Notes)for-				
Acquired haemolytic anaemia;				
Acute disseminated encephalomyelitis;				
Acute exfoliative dermatitis;				

Acute exophthalmic ophthalmoplegia;
Acute heart block complicating myocardial
infarction;
Acute rheumatic carditis;
Addison's disease or other forms of adrenocor-
tical hypoplasia;
Adrenalectomy - total;
Adrenogenital syndrome;
Agranulocytosis;
Behcet's syndrome;
Benign intracranial hypertension;
Cerebral oedema;
Cerebral tumors;
Cranial arteritis;
Cushing's syndrome including hyperadrenocor-
ticalism;
Dermatomyositis;
Encephalitis;
Encephalomyelitis;
Guillain-Barres syndrome;
Hamman-Rich syndrome - diffuse interstitial
pulmonary fibrosis;
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CORTISONE ACETATE - cont. Interstitial keratitis due to syphilis or vernal conjunctivitis; Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia; Lymphosarcoma and follicular lymphoma; Malignancy treatment in conjunction with radiotherapy or chemotherapy; Meningitis; Metastatic breast cancer; Mycosis fungoides; Nephrosis or nephrotic syndrome; Neuromyelitis optica; Oedema of the spinal cord following trauma or infections; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis nodosa; Progressive transverse myelitis; Pseudohermaphroditism; *Red cell aplasia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma;				

Severe reactions of the skin and mucosa following X-ray therapy;
 Splenic neutropenia;
 Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases;
 Status asthmaticus;
 Steroid therapy prior to operation for those patients under steroid therapy;
 Stevens Johnson syndrome;
 Still's disease in children under the age of sixteen years;
 Systemic lupus erythematosus;
 Sympathetic ophthalmitis;
 Temporal arteritis;
 Thrombocytopenic purpura;
 Type II nephritis;
 Ulcerative colitis proven by sigmoidoscopy or radiological report.

Injection

25 mg. per ml., 10 ml.

Oral Tablet

5 mg.

25 mg.

1

..

2.37

RL

50

..

1.97

PT

2.37

MK

40

..

6.97

DH, KL, PT

8.63

BT, CS, ET, GL, MK, PD, RL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CYANOCOBALAMIN (B12) Established megalocytic anaemias; Neuroblastoma; Subacute combined degeneration of the cord; *Treatment in post gastrectomy. Injection 100 micrograms in 1 ml.	5	1	\$ 1.07 1.10 1.11 1.23	PT DH KL BT, GL
100 micrograms per ml., 10 ml.	1	..	1.30 1.37	PT DH, GL, KL, MJ
1,000 micrograms in 1 ml.	5		*2.65 *3.10 *3.30	HY, KL, PT GL DH
DEMETHYLCHLORTETRACYCLINE (DMChlortetracycline) Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins.				

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Oral Capsule

75 mg.

14

..

1.87

LE

150 mg.

14

..

2.39

LE

(ex 100)

2.63

LE

(ex M.P.)

Oral Paediatric Drops

60 mg. per ml., 10 ml.

‡1

..

1.07

LE

Oral Paediatric Syrup

75 mg. per 5 ml., 100 ml.

‡1

..

2.22

LE

DEMETHYLCHLORTETRACYCLINE with

NYSTATIN

Broad spectrum antibiotic therapy of premature infants;

Broad spectrum antibiotic treatment of patients under steroid therapy;

Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis;

A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for:-

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEMETHYLCHLORTETRACYCLINE with NYSTATIN - cont. Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur. Oral Capsule 150 mg.-250,000 Units	14	..	\$ 2.63	LE
DEOXYCORTONE Addison's disease; Adrenalectomy-total. Aqueous Injection 5 mg. in 1 ml. 10 mg. per ml., 5 ml. Aqueous Suspension Injection 25 mg. Oily Injection 5 mg. 10 mg. 10 mg. per ml., 10 ml. Implant 100 mg.	5 1 1 5 5 1 1		*3.86 4.50 *6.80 7.30 4.17 3.63 *3.98 6.14 *6.74 11.43 8.97	SC CB SC CB CB CB SC CB SC CB OR

Oral Tablet

1 mg.

40

..

3.50

CB

*3.50

SC

3.53

OR

5 mg.

20

..

6.70

CB

DEXAMETHASONE

Intra-articular use.

Injection

4 mg. in 1 ml.

5

..

7.79

MK

5 mg. in 1 ml.

5

..

*8.65

OR

4 mg. per ml., 2 ml.

5

..

*13.65

MK

* * *

Authority necessary to prescribe (See Notes)for-

Acquired haemolytic anaemia;

Acute disseminated encephalomyelitis;

Acute exfoliative dermatitis;

Acute exophthalmic ophthalmoplegia;

Acute heart block complicating myocardial
infarction;

Acute rheumatic carditis;

Adrenogenital syndrome;

Agranulocytosis;

Behcet's syndrome;

Benign intracranial hypertension;

Cerebral oedema;

Cerebral tumors;

Cranial arteritis;

Cushing's syndrome including hyperadrenocor-
ticalism;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXAMETHASONE - cont. Dermatomyositis; Encephalitis; Encephalomyelitis; Guillain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry; Hodgkin's disease; Idiopathic hypercalcaemia; Inflammatory conditions of the uveal tract and retina; Interstitial keratitis due to syphilis or vernal conjunctivitis; Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia; Lymphosarcoma and follicular lymphoma; Malignancy treatment in conjunction with radiotherapy or chemotherapy; Meningitis; Metastatic breast cancer; Mycosis fungoides; Nephrosis or nephrotic syndrome; Neuromyelitis optica;			\$	

Nodular nonsuppurative panniculitis (Christian-Weber disease);
Oedema of the spinal cord following trauma or infections;
Optic neuritis following removal of tumors of the brain;
Panhypopituitarism;
Pemphigus;
Periarteritis nodosa;
Progressive transverse myelitis;
Pseudohermaphroditism;
*Red cell aplasia;
Regional ileitis (Crohn's disease);
Reticulum cell sarcoma;
Sarcoidosis;
Scleroderma;
Severe reactions of the skin and mucosa following X-ray therapy;
Splenic neutropenia;
Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases;
Status asthmaticus;
Steroid therapy prior to operation for those patients under steroid therapy;
Stevens Johnson syndrome;
Still's disease in children under the age of sixteen years;
Systemic lupus erythematosus;
Sympathetic ophthalmitis;
Temporal arteritis;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXAMETHASONE - cont.			\$	
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet 0.5 mg.	30	..	4.77	PT
			5.23	LT, MK, OR, RL, SC, SH
DEXAMPHETAMINE				
For the treatment of pensioners only.				
Oral Tablet 5 mg.	100	..	0.63	AD, DH, FA, HY, KL, MG, PR, RT(V), RY, SI, SL(N), TO
DEXTROMORAMIDE				
Treatment in neoplastic disease.				
Injection				
5 mg. in 1 ml.	10	..	*2.56	FA
Oral Tablet				
5 mg.	25	..	1.10	FA
DIAZEPAM				
Epilepsy;				
Treatment in multiple sclerosis.				
Oral Tablet				
2 mg.	100	2	3.06	RO
5 mg.	100	2	4.79	RO
* * *				

Epilepsy.				
Oral Tablet 10 mg.	100	2	7.30	RO
Injection 10 mg. in 2 ml.	5	..	2.22	RO
Oral Paediatric Syrup				
2 mg. per 5 ml., 100 ml.	‡1	4	1.73	RO
DIENOESTROL				
Carcinoma of the prostate;				
Mammary carcinoma;				
For the treatment of pensioners for any disease				
or purpose.				
Oral Tablet				
0.3 mg.	100	2	0.59	AD, DH, HA, HY, KL, MG, RT(V), SI, SL(N)
1 mg.	100	2	0.67	AD, DH, HA, HY, KL, MG, RT(V), SI, SL(N)
5 mg.	100	2	0.97	AD, DF, DH, HA, HY, KL, MG, RT(V), SI, SL(N)
10 mg.	100	2	1.57	DH, HA, HY, KL
* * *				
For the treatment of pensioners only.				
Cream 0.01%, 3 oz.	1	1	1.06	ET
DIHYDROTACHYSTEROL				
Parathyroid deficiency.				
Oral Solution 0.25 mg. per ml., 15 ml.	1	..	3.69	WL
Oral Capsule 0.125 mg.	100	1	10.37	WL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DILOXANIDE FUROATE			\$	
Amoebic dysentery.				
Oral Tablet 500 mg.	30	..	*4.30	BT
DISODIUM STILBOESTROL DIPHOSPHATE (Sod. Stilboestrol)				
Carcinoma of the prostate.				
Injection 50 mg. per ml., 5 ml.	10	..	8.74	MJ
Oral Tablet 100 mg.	100	2	18.17	MJ
DITHIAZANINE IODIDE				
Infestations of <i>Trichuris trichiura</i> or <i>Strongy-</i> <i>loides stercoralis</i> .				
Oral Tablet				
50 mg.	30	..	2.43	LY
100 mg.	30	..	*4.04	LY
ERYTHROMYCIN				
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Mycoplasma pneumoniae (Eaton's Agent);				
Psittacosis;				
Rickettsial infections;				
Staphylococcal septicaemia or staphylococcal pneumonia;				

Any bacterial infections or spirochaetal infection or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Paediatric Drops				
100 mg. per ml., 10 ml.	11	..	1.43	LY
Oral Paediatric Sachet				
125 mg.	12	..	2.01	LY
Oral Paediatric Suspension				
100 mg. per 5 ml., 100 ml.	11	..	3.14	AB, PF
125 mg. per 5 ml., 100 ml.	11	..	3.14	AB, DL, FA, LY
250 mg. per 5 ml., 100 ml.	11	..	5.43	DL, LY
Injection				
I.M. 50 mg. per ml., 2 ml.	5	..	5.91	AB
I.V. 250 mg., 20 ml. (solvent required)	5	..	*9.70	LY
I.V. 1 G. in 50 ml. (solvent required)	1	..	6.70	LY
300 mg. in 10 ml.	5	..	12.11	AB
Oral Tablet				
100 mg.	25	..	2.75	UP
125 mg.	25	..	2.75	AB, DL, LY
250 mg.	16	..	3.47	AB, DL, LY, UP
			(ex 100)	
			3.83	AB, DL, LY, UP
			(ex M.P.)	
Oral Capsule				
125 mg.	25	..	2.75	AB, DL, LY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ERYTHROMYCIN - cont.				
Oral Capsule				
250 mg.	16	..	3.47 (ex 100)	AB, DL, FA, LY
			3.83 (ex M.P.)	AB, DL, FA, LY
ETHINYLOESTRADIOL				
Pre-menopausal castration syndrome;				
Telangiectasis - hereditary;				
Turner's syndrome;				
For the treatment of pensioners for any disease				
or purpose.				
Oral Tablet				
0.01 mg.	50	..	0.70	HA, HY, KL, VR
			*0.76	BD, OR
0.02 mg.	50	..	0.89	HA, HY, KL
			0.94	VR
			*0.96	BD, OR
			*1.01	SC
0.05 mg.	50	..	1.10	HA, HY, KL, VR
			*1.10	BD, OR
1 mg.	50	..	4.30	HA, HY, KL
			*4.44	BD, OR
ETHIONAMIDE				
Tuberculosis.				
Oral Tablet 125 mg. (sugar coated)	500	1	35.23	MB

ETHISTERONE

Turner's syndrome.

Oral Tablet

5 mg.

50

..

2.83

KL, PT, RT(V)

3.10

SC

*3.24

BD, VR

10 mg.

50

..

5.10

KL, PT, RT(V)

*5.64

BD, SC, VR

25 mg.

50

..

9.90

KL, PT, RT(V)

10.83

SC

*10.96

BD, VR

ETHYLOESTRENOL

Authority necessary to prescribe (See Notes)for-

Intermittent use for corticosteroid-induced

osteoporosis;

*Intermittent use for patients on long-term
treatment with corticosteroids.

Oral Tablet 2 mg.

100

..

8.17

OR

FLUDROCORTISONE ACETATEAddison's disease or other forms of adreno-
cortical hypoplasia;

Adrenalectomy - total.

Oral Tablet

0.1 mg.

100

..

4.41

SQ

1 mg.

30

..

10.54

SQ

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FLUOROURACIL *Treatment in neoplastic disease. Injection 50 mg. per ml., 5 ml.	10	..	\$ 10.02	RO
FLUOXYMESTERONE For intermittent use for corticosteroid-induced osteoporosis with authority of the Common- wealth Director of Health; Castration syndrome (male) (authority not required); Mammary carcinoma (authority not required). Oral Tablet 5 mg.	100	..	20.10	UP
FLUPHENAZINE For the treatment of pensioners for any disease or purpose; * * * Huntington's chorea with the authority of the Commonwealth Director of Health; Late stage malignancy with the authority of the Commonwealth Director of Health; Radiation sickness with the authority of the Commonwealth Director of Health; Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with authority of the Commonwealth Director of Health.				

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

Oral Tablet

1 mg.	100	2	3.59	SQ
2.5 mg.	100	2	5.30	SQ
5 mg.	100	2	6.23	SQ
Elixir 0.5 mg. per ml., 60 ml.	‡1	4	1.82	SQ
Injection I.M. 25 mg. in 1 ml.	5	..	9.21	SQ
Injection I.M. or I.V. 2.5 mg. per ml., 10 ml.	1	..	2.34	SQ

FOLIC ACID

Sprue or the sprue-like syndrome;
Macrocytic anaemia.

Injection 15 mg. in 1 ml.	10	..	2.63	FH
			*3.16	ET
Oral Tablet 5 mg.	100	2	1.30	AD, ET, HY, KL, MG, PD, PR, RT(V), RY, SI, TO

FRAMYCETIN

Bowel sterilisation preparatory to major surgery.

Oral Tablet 250 mg.	20	..	6.70	RL
---------------------	----	----	------	----

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FUSIDIC ACID Authority necessary to prescribe (See Notes)for- Infections where positive bacteriological evidence confirms that fusidic acid is the ONLY appro- priate antibiotic.			\$	
I.V. Injection 500 mg. (solvent required)	5	..	*20.30	ET
Oral Suspension 40 mg. per ml., 90 ml.	1	..	18.79	ET
Oral Tablet 250 mg. (enteric coated)	36	..	46.70	ET
GOATS MILK - DEHYDRATED Authority necessary to prescribe (See Notes)for- Cows milk allergy in children under the age of four (4) years.				
Powder				
1/2 lb.	2	12	*3.20	GV
14 oz.	1	12	3.52	JM
1 lb.	1	12	4.00	CI
GRISEOFULVIN Authority necessary to prescribe (See Notes)for- Use in severe tinea infections due to micro- sporum, trichophyton or epidermophyton species which have been proven by laboratory examination.				
Oral Tablet 125 mg.	100	..	8.30	GL, IC

HALIBUT LIVER OIL

For the treatment of pensioners only.

Oral Capsule

4,500 Units Vitamin A

100

1

1.90

KL, MG, SL(N)

6,000 Units Vitamin A

100

1

*1.80

CK

HYDROCORTISONE

Authority necessary to prescribe (See Notes)for-

Acquired haemolytic anaemia;

Acute disseminated encephalomyelitis;

Acute exfoliative dermatitis;

Acute exophthalmic ophthalmoplegia;

Acute heart block complicating myocardial
infarction;

Acute rheumatic carditis;

Addison's disease or other forms of adrenocor-
tical hypoplasia;

Adrenalectomy - total;

Adrenogenital syndrome;

Agranulocytosis;

Behcet's syndrome;

Benign intracranial hypertension;

Cerebral oedema;

Cerebral tumors;

Cranial arteritis;

Cushing's syndrome including hyperadrenocor-
ticalism;

Dermatomyositis;

Encephalitis;

Encephalomyelitis;

Guillain-Barres syndrome;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE - cont. Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry; Hodgkin's disease; Idiopathic hypercalcaemia; Inflammatory conditions of the uveal tract and retina; Interstitial keratitis due to syphilis or vernal conjunctivitis; Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia; Lymphosarcoma and follicular lymphoma; Malignancy treatment in conjunction with radiotherapy or chemotherapy; Meningitis; Metastatic breast cancer; Mycosis fungoides; Nephrosis or nephrotic syndrome; Neuromyelitis optica; Oedema of the spinal cord following trauma or infections; Optic neuritis following removal of tumors of the brain; Panhypopituitarism;			\$	

Pemphigus;				
Periarteritis nodosa;				
Progressive transverse myelitis;				
Pseudohermaphroditism;				
*Red cell aplasia;				
Regional ileitis (Crohn's disease);				
Reticulum cell sarcoma;				
Sarcoidosis;				
Scleroderma;				
Severe reactions of the skin and mucosa following X-ray therapy;				
Splenic neutropenia;				
Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases;				
Status asthmaticus;				
Steroid therapy prior to operation for those patients under steroid therapy;				
Stevens Johnson syndrome;				
Still's disease in children under the age of sixteen years;				
Systemic lupus erythematosus;				
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Injection, I.V. (or Rectal Drip)				
5 mg. per ml., 20 ml.	1	..	3.30	PT

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE ACETATE			\$	
Intra-articular use.				
Injection				
25 mg. in 1 ml.	5	..	3.74 4.74	PT BT, MK, RL
			4.75	AB
25 mg. per ml., 5 ml.	1	..	3.90 4.83	PT AB, RL, UP
HYDROCORTISONE SODIUM SUCCINATE				
Acute adrenal failure due to medical or surgical crises;				
Prophylaxis of adrenal insufficiency during and after major surgery for patients already on steroid therapy;				
Stevens Johnson syndrome.				
Injection set containing equivalent of 75 mg. hydrocortisone and solvent	2	..	*7.90	RL
Injection set containing equivalent of 100 mg. hydrocortisone and solvent	2	..	*12.24 *15.24	NR BT, GL, UP
HYDROXOCOBALAMIN				
Established megalocytic anaemias;				
Neuroblastoma;				
Subacute combined degeneration of the cord;				
*Treatment in post gastrectomy.				

Injection 100 micrograms in 1 ml.	5	1	1.21	KL
			1.23	GL
1,000 micrograms in 1 ml.	5	..	*3.10	GL, KL
HYDROXYPROGESTERONE				
Endometrial carcinoma;				
Habitual abortion;				
Progesterone deficiency proved by hormonal assay of lateral wall smear.				
Injection 250 mg.	3	..	9.50	SC
			*9.51	RM
IDOXURIDINE				
Infections caused by Herpes simplex virus.				
Eye Drops 0.1%, 15 ml.	‡1	2	3.50	AG, AQ, SK
Eye Ointment 0.5% 5 G.	‡1	..	3.50	SK
IMIPRAMINE				
For the treatment of pensioners for any disease or purpose.				
* * *				
Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health;				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
IMIPRAMINE - cont. For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed. Oral Tablet 10 mg. 25 mg.	100 100	2 2	\$ 1.97 2.17 2.43 4.01 4.63 5.10 *5.10	IP, KL PT GE IP, KL PT GE UW(N)
INDOMETHACIN Acute attacks of gout; *Ankylosing spondylitis; Osteoarthritis not responding to salicylates; *Psoriatic arthritis; *Reiter's syndrome; Rheumatoid arthritis not responding to salicylates. Oral Capsule 25 mg.	50	2	2.99 (ex 250) 3.37 (ex M.P.)	MK MK

ISONIAZID

Tuberculosis.

Oral Tablet

50 mg.

200

2

*1.10

AD, SI

1.10

DH, HY, KL, RY

1.30

ET

1.37

HA

*1.76

RO

100 mg.

100

2

1.30

AD, DH, ET, HY, KL, RY, SI

1.63

RO

KANAMYCIN

Authority necessary to prescribe (See Notes)for-
Infections where positive bacteriological evidence
confirms that kanamycin is the ONLY appro-
priate antibiotic.

Injection

250 mg. in 2 ml.

5

..

*5.30

SI

500 mg. in 2 ml.

5

..

*7.65

BC

1 G. in 3 ml.

5

..

*12.30

BC, SI

Oral Capsule

250 mg.

16

..

5.10

BC

Oral Solution

100 mg. per ml., 30 ml.

1

..

3.90

BC

LEVORPHANOL

Obstetric use;

Severe intractable pain.

Injection 2 mg. per ml., 1.1 ml.

5

..

1.03

RO

Oral Tablet 1.5 mg.

50

..

*2.06

RO

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
LINCOMYCIN			\$	
Osteomyelitis;				
Pneumococcal meningitis.				
Oral Capsule 500 mg.	12	..	6.43	UP
Injection 600 mg. in 2 ml.	5	..	*10.95	UP
Oral Paediatric Syrup				
250 mg. per 5 ml., 60 ml.	‡1	..	5.34	UP
LIOTHYRONINE				
Myxoedema;				
Myxoedema coma.				
Oral Tablet 20 micrograms	50	..	1.26	GL
LYPRESSIN				
Diabetes insipidus.				
Nasal Spray				
50 Units per ml., 5 ml.	4	2	*7.78	SZ
MEDROXYPROGESTERONE				
Endometrial carcinoma.				
Oral Tablet 2.5 mg.	25	..	3.63	UP
10 mg.	25	..	9.63	UP
* * *				
Endometrial carcinoma;				
Progesterone deficiency proved by hormonal assay of lateral wall smear.				
Injection				
50 mg. in 1 ml.	1	..	4.17	UP

50 mg. per ml., 5 ml.	1	..	14.97	UP
MELPHALAN				
*Treatment in neoplastic disease.				
Oral Tablet				
2 mg.	100	2	8.97	BW
5 mg.	100	2	15.63	BW
MERCAPTOPURINE				
Allergic angiitis;				
Lupus erythematosus;				
Nephrosis or nephrotic syndrome;				
Periarteritis;				
*Treatment in neoplastic disease.				
Oral Tablet 50 mg.	50	1	14.30	BW
MESTANOLONE				
For intermittent use for corticosteroid-induced				
osteoporosis with authority of the Commonwealth				
Director of Health;				
*For intermittent use for patients on long-term				
treatment with corticosteroids with authority				
of the Commonwealth Director of Health;				
Mammary carcinoma (authority not required).				
Oral Tablet 25 mg.	100	..	16.30	RL
	45			

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
METHACYCLINE			\$	
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Capsule				
75 mg.	14	..	2.13	GP
150 mg.	14	..	3.40	GP
			(ex 100)	
			3.77	GP
			(ex M.P.)	
Oral Paediatric Suspension				
75 mg. per 5 ml., 100 ml.	11	..	2.77	GP
Oral Tablet 75 mg.	14	..	2.13	GP
METHANDIENONE				
Authority necessary to prescribe (See Notes)for-				
Intermittent use for corticosteroid-induced				
osteoporosis;				

*Intermittent use for patients on long-term treatment with corticosteroids.				
Oral Tablet 5 mg.	100	..	8.17	CB
METHENOLONE ACETATE				
Authority necessary to prescribe (See Notes)for-				
Intermittent use for corticosteroid-induced osteoporosis;				
*Intermittent use for patients on long-term treatment with corticosteroids.				
Oral Tablet				
1 mg.	100	..	*2.44	SC
5 mg.	100	..	*7.64	SC
METHOTREXATE				
*Treatment in neoplastic disease.				
Oral Tablet 2.5 mg.	100	..	14.30	LE
METHYLAMPHETAMINE				
For the treatment of pensioners only.				
Injection 20 mg. per ml. 1.5 ml.	5	..	1.21	BW
Oral Tablet 5 mg.	100	..	0.96	PT, QE(QNVS)
			1.17	KL
			1.22	PH
			1.31	AB
			1.42	BW, VR
			(ex 500)	
			0.99	PT, QE(QNVS)
			1.23	KL
			1.50	AB, BW, PH, VR
	47		(ex M.P.)	

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MILK POWDER - SYNTHETIC			\$	
Authority necessary to prescribe (See Notes)for- Galactosaemia; In children under the age of four years for conditions needing an extreme restriction of Lactose in diet.				
Low Lactose Compound Powder 14 oz.	1	12	2.20	TF
Authority necessary to prescribe (See Notes)for- *Glucose-galactose malabsorption. Fructose Formula, Reduced Fat, Low Lactose Compound Powder 16 oz.	1	12	8.69	TF
MORPHINE with TACRINE				
Severe intractable pain. Oral Tablet 30 mg.-15 mg.	50	1	10.30	WH
MUSTINE				
*Treatment in neoplastic disease. Injection 10 mg. (solvent required)	1	..	1.97	BT
NALIDIXIC ACID				
Authority necessary to prescribe (See Notes)for- Urinary tract infections.				
Oral Tablet 500 mg.	56	..	7.61	WL
Oral Paediatric Suspension 50 mg. per ml., 200 ml.	11	..	2.90	WL

NANDROLONE DECANOATE

For intermittent use for corticosteroid-induced osteoporosis, with authority of the Commonwealth Director of Health;

*For intermittent use for patients on long-term treatment with corticosteroids with authority of the Commonwealth Director of Health;

Mammary carcinoma (authority not required).

Injection 50 mg. in 1 ml.

1 .. 6.23 OR

NANDROLONE PHENYLPROPIONATE

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced osteoporosis.

Injection 25 mg. in 1 ml.

3 .. 6.70 OR

NEOMYCIN

Bowel sterilisation preparatory to major surgery;

Encephalopathy, portal-systemic.

Oral Tablet 500 mg.

25 .. 11.50 PT
12.30 ET, KL, LF

Authority necessary to prescribe (See Notes)for-

*Intermittent use by inhalation in fibrocystic disease.

Powder 500 mg.

40 1 *51.10 ET

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDRO- CORTISONE ACETATE For the treatment of pensioners only. Ear Drops 0.1%-0.005%-0.05%-1%-0.02%, 15 ml.	1	..	\$ 1.38	WW
NICOTINIC ACID For the treatment of pensioners only. Oral Tablet 25 mg. 50 mg. 100 mg. 250 mg.	100 100 100 100	2 2 2 2	0.50 0.63 0.70 0.97	HY, KL AD, DH, HY, KL, MG, RT(V), SI DH, HY, KL, RT(V) AD, HY, KL, RT(V), SI
NITROFURANTOIN Urinary tract infections. Oral Tablet 50 mg.	25	1	2.36 3.11 (ex 100) 2.43 3.34 (ex M.P.)	IP SK IP SK
	50			

100 mg.	25	1	4.05	IP
			5.35	SK
			(ex 100)	
			4.57	IP
			5.79	SK
			(ex M.P.)	
Oral Paediatric Suspension				
25 mg. per 5 ml., 200 ml.	11	..	2.74	SK
NITROMIN				
*Treatment in neoplastic disease.				
Injection 50 mg. (solvent required)	5	1	8.63	SI
Oral Tablet 5 mg.	100	2	11.63	SI
NORTRIPTYLINE				
For the treatment of pensioners for any disease or purpose;				
* * *				
Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health;				
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
NORTRIPTYLINE - cont.			\$	
Oral Tablet				
10 mg.	100	2	2.30	DL
25 mg.	100	2	4.03	DL
Oral Paediatric Elixir				
10 mg. per 5 ml., 100 ml.	11	4	1.30	DL, LY
Oral Capsule				
10 mg.	100	2	2.30	LY
25 mg.	100	2	4.03	LY
NUTRAMIGEN				
Authority necessary to prescribe (See Notes)for- Cows milk allergy in children under the age of four (4) years ; *Fibrocystic disease of the pancreas; Galactosaemia; Lactose intolerance.				
Powder 1 lb.	1	12	2.33	MJ
NYSTATIN				
Monilia infections.				
Oral Tablet 500,000 Units	50	..	6.77	GP, SQ
OXYCODONE				
Late stage malignancy.				
Injection 10 mg in 1 ml.	5	..	1.77	CK
Suppository 30 mg.	12	..	3.50	CK

OXYMESTERONE

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced
osteoporosis;

*Intermittent use for patients on long-term
treatment with corticosteroids.

Oral Tablet 5 mg.

100

..

*7.76

MB

OXYTETRACYCLINE

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections;

Any bacterial infections or actinomycosis or
trachoma where these cannot be treated
safely and effectively by sulphonamides or
penicillins;

Pre-operative and post-operative therapy where
there are reasonable grounds for believing that
infection may occur.

Oral Tablet

100 mg.

25

..

2.06

PF

250 mg.

16

..

2.63

PF

Oral Paediatric Suspension

125 mg. per 5 ml., 100 ml.

‡1

..

1.81

PT

1.97

SP(NSW)

1.98

KL, PF

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
OXYTETRACYCLINE - cont.			\$	
Oral Paediatric Drops				
100 mg. per mL., 10 mL.	‡1	..	0.97	PF
Injection				
I.M. 100 mg.	5	..	3.90	TS
			*4.05	PF
I.M. 250 mg.	5	..	*7.10	PF
I.V. 250 mg.	5	..	*7.10	PF
Oral Capsule				
100 mg.	25	..	2.06	PF
250 mg.	16	..	2.19	PT
			2.39	HY, KL, PF, SP(NSW), SU(N)
			(ex 100)	
			2.41	PT
			2.63	HY, KL, PF, SP(NSW), SU(N)
			(ex M.P.)	
OXYTETRACYCLINE (BUFFERED) with NYSTATIN				
Broad spectrum antibiotic therapy of premature infants;				
Broad spectrum antibiotic treatment of patients under steroid therapy;				
Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis;				
A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for :-				

Brucellosis;
 Intestinal amoebiasis;
 Leptospirosis;
 Lymphogranuloma venereum;
 Psittacosis;
 Rickettsial infections;
 Any bacterial infections or actinomycosis or
 trachoma where these cannot be treated safely
 and effectively by sulphonamides or penicillins;
 Pre-operative and post-operative therapy where
 there are reasonable grounds for believing
 that infection may occur.

Oral Capsule 250 mg. - 250,000 Units	16	..	2.63	KL, PF
Oral Tablet 100 mg. - 125,000 Units	25	..	2.06	PF

PANCREATIN CONCENTRATE

Fibrocystic disease;
 Pancreatico-duodenectomy;
 Pancreatic steatorrhoea.

Oral Powder				
1 oz. (twice B.P. strength)	8	2	*11.82	PD
500 G. (5 times B.P. strength)	1	..	28.97	ST
Oral Tablet				
300 mg. (3 times B.P. strength)	200	2	*3.98	PD

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PANCREATIN ENZYME (4 times USNF.XII strength) Fibrocystic disease; Pancreatico-duodenectomy; Pancreatic steatorrhoea. Oral Tablet 300 mg. Oral Powder 8 oz.	500 ‡1	1 2	\$ 27.74 23.37	ET ET
PARA-AMINOSALICYLIC ACID Tuberculosis. Oral Tablet 500 mg.	500	2	4.73	DH, ET, KL
PARACETAMOL For the treatment of pensioners only. Oral Tablet 300 mg. 500 mg.	50 50	1 1	0.83 0.81 0.89 (ex 250) 0.90 0.94 (ex M.P.)	NY(NVSWT), WL HY, KL, PT, RT(V), SL(N) CA, FM, RY, VR, WL KL, PT, RT(V), SL(N) CA, FM, HY, RY, VR, WL CA, KL, WL
Oral Suspension 120 mg. per 5 ml., 100 ml.	‡1	4	0.94	CA, KL, WL

**PARACETAMOL with CODEINE PHOSPHATE
and SODIUM PENTOBARBITONE**

For the treatment of pensioners only.

Oral Tablet 300 mg.-15 mg.-30 mg.

100

2

1.51

PT

1.62

DH

1.63

KL

1.71

MG

2.00

FM, WL

2.04

HY

2.11

AB

(ex 500)

1.63

PT

1.77

DH, KL

2.19

FM, MG, WL

2.23

HY

2.33

AB

(ex M.P.)

PARAFFIN LIQUID

For the treatment of pensioners only.

Emulsion P.L.

400 ml.

4

1.85

Extemp.

†Emulsion 16 fl. oz.

1

4

†0.72

WY

†Emulsion with Phenolphthalein

450 ml. (16 fl. oz.)

1

4

†0.65

MG, SI, SL(N), WD(N)

†0.72

DH, FA, PR, WW, WY

PARAMETHASONE

Authority necessary to prescribe (See Notes)for-

Acquired haemolytic anaemia;

Acute disseminated encephalomyelitis;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PARAMETHASONE - cont. Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute rheumatic carditis; Addison's disease or other forms of adrenocor- tical hypoplasia; Adrenalectomy - total; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Cushing's syndrome including hyperadrenocor- ticalism; Dermatomyositis; Encephalitis; Encephalomyelitis; Guillain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry;			\$	

Hodgkin's disease;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Oedema of the spinal cord following trauma or
infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
Periarteritis nodosa;
Progressive transverse myelitis;
Pseudohermaphroditism;
*Red cell aplasia;
Regional ileitis (Crohn's disease);
Reticulum cell sarcoma;
Sarcoidosis;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PARAMETHASONE - cont.			\$	
Scleroderma;				
Severe reactions of the skin and mucosa follow- ing X-ray therapy;				
Splenic neutropenia;				
Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases;				
Status asthmaticus;				
Steroid therapy prior to operation for those patients under steroid therapy;				
Stevens Johnson syndrome;				
Still's disease in children under the age of sixteen years;				
Systemic lupus erythematosus;				
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet				
1 mg.	30	..	3.30	IC
2 mg.	30	..	4.30	IC, LY

PENICILLAMINE

Authority necessary to prescribe (See Notes)for-
 Acute heavy metal intoxication;
 Cold agglutinin haemoglobinuria;
 Cystinosis;
 Cystinuria with calculus formation;
 Wilson's disease (Hepatolenticular degeneration).
 Oral Capsule 150 mg.

100 3 80.30 DL

PENICILLIN BENZATHINE

Prevention of recurrent streptococcal infections
 including rheumatic fever.
 Oral Capsule 150 mg. (200,000 Units)
 Oral Tablet 150 mg. (200,000 Units)

100 1 4.81 CS
 100 1 4.51 CS, WY
 (ex 500)
 4.81 CS, WY
 (ex M.P.)

PENICILLIN BENZYL

(Penicillin G)

Prevention of recurrent streptococcal infections
 including rheumatic fever.
 Oral Tablet
 125 mg. (200,000 Units)
 250 mg. (400,000 Units)
 Oral Capsule
 125 mg. (200,000 Units)
 250 mg. (400,000 Units)

100 1 3.70 AB, GL
 100 1 6.57 AB, GL
 100 1 3.70 GL
 100 1 6.57 AB, EV, GL

* * *

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENICILLIN BENZYL - cont.			\$	
Bacterial endocarditis or septicaemia.				
Injection				
3 G. (5,000,000 Units) (solvent required)	10	..	*13.90	CS, EV, GL, SI
6 G. (10,000,000 Units) (solvent required)	10	..	*23.50	CS, EV, GL, SI
PENICILLIN with STREPTOMYCIN				
Endocarditis due to streptococcus faecalis;				
Endocarditis due to streptococcus viridans.				
Injection Benzyl Penicillin, 300 mg. (500,000 Units),				
Streptomycin Sulphate 500 mg.				
1 vial (solvent required)	5	..	*2.50	GL
Set containing 1 vial and 2 ml. water for injection	5	..	*2.85	GL
Injection Benzyl Penicillin 60 mg.(100,000 Units);				
Procaine Penicillin 300 mg.(300,000 Units);				
Streptomycin Sulphate 500 mg.				
1 Vial (solvent required)	5	..	*2.50	GL, SI
Set containing 1 vial and 2 ml. water for injection	5	..	*2.85	GL
PETHIDINE with LEVALLORPHAN				
For obstetric use only.				
Injection				
50 mg.-0.625 mg. in 1 ml.	5	..	0.94	RO
50 mg.-0.625 mg. per ml., 2 ml.	5	..	1.21	RO

PHENYLALANINE LOW CONTENT FORMULA

Authority necessary to prescribe (See Notes)for-
Phenylketonuria.

Granules 1 kg.	1	..	21.33	GL
Powder				
2.5 lb.	1	..	10.67	MJ
3 lb.	1	..	19.93	TF

PHENYLBUTAZONE

Acute attacks of gout;
*Ankylosing spondylitis;
Osteoarthritis not responding to salicylates;
*Psoriatic arthritis;
*Reiter's syndrome;
Rheumatoid arthritis not responding to
salicylates.

Oral Capsule 100 mg.	50	2	1.07	HY
			1.21	KL
Oral Tablet 100 mg.	50	2	0.88	PT
			1.00	HY
			1.08	FM, KL, LF
			1.11	PR
			1.14	SU(N)
			1.40	GE, VR
			(ex 250)	
			0.97	PT
			1.07	HY
			1.17	FM, KL, LF, PR
			1.23	SU(N)
			1.47	GE, VR

(ex M.P.)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHYTOMENADIONE			\$	
Antidote to anticoagulants.				
Injection				
1 mg.	3	..	0.99	RO
10 mg.	3	..	2.03	RO
Colloidal Solution for Injection				
10 mg. in 1 ml.	3	..	*3.51	MK
10 mg. per ml., 5 ml.	3	..	*15.30	MK
PITUITARY, POSTERIOR LOBE				
Diabetes insipidus.				
Insufflation				
30 Antidiuretic Unit Capsule	100	2	8.57	ST
500 Antidiuretic Units per G., 2 G. Phial	3	2	*6.99	BP
POLYOESTRADIOL				
Carcinoma of the prostate.				
Injection set containing 40 mg. and 2 ml. solvent	1	..	5.30	AY
PREDNISOLONE				
Authority necessary to prescribe (See Notes)for-				
Acquired haemolytic anaemia;				
Acute disseminated encephalomyelitis;				
Acute exfoliative dermatitis;				
Acute exophthalmic ophthalmoplegia;				
Acute heart block complicating myocardial infarction;				

Acute rheumatic carditis;
Adrenogenital syndrome;
Agranulocytosis;
Behcet's syndrome;
Benign intracranial hypertension;
Cerebral oedema;
Cerebral tumors;
Cranial arteritis;
Cushing's syndrome including hyperadrenocorticalism;
Dermatomyositis;
Encephalitis;
Encephalomyelitis;
Guillain-Barres syndrome;
Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis;
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing proven by biopsy or biochemistry;
Hodgkin's disease;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and retina;
Interstitial keratitis due to syphilis or vernal conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE - cont. Malignancy treatment in conjunction with radiotherapy or chemotherapy; Malignant exophthalmos; Meningitis; Metastatic breast cancer; Mycosis fungoides; Nephrosis or nephrotic syndrome; Neuromyelitis optica; Nodular nonsuppurative panniculitis (Christian- Weber disease); Oedema of the spinal cord following trauma or infections; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis nodosa; Progressive transverse myelitis; Pseudohermaphroditism; *Red cell aplasia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa follow- ing X-ray therapy;			\$	

Splenic neutropenia;				
Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases;				
Status asthmaticus;				
Steroid therapy prior to operation for those patients under steroid therapy;				
Stevens Johnson syndrome;				
Still's disease in children under the age of sixteen years;				
Systemic lupus erythematosus;				
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet 5 mg.	30	..	1.43 1.70 1.90	IP KL, LF, PT, RT(V) BT, CS, HY, MG, PD, PF, RL, RY, UP
PREDNISOLONE ACETATE				
Intra-articular use.				
Injection				
10 mg. in 1 ml.	5	..	*5.05	SC

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE METHYL Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute rheumatic carditis; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Cushing's syndrome including hyperadrenocorticalism; Dermatomyositis; Encephalitis; Encephalomyelitis; Guillain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry;			\$	

Hodgkin's disease;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Malignant exophthalmos;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Nodular nonsuppurative panniculitis (Christian-
Weber disease);
Oedema of the spinal cord following trauma
or infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
Periarteritis nodosa;
Progressive transverse myelitis;
Pseudohermaphroditism;
*Red cell aplasia;
Regional ileitis (Crohn's disease);

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE METHYL - cont.			\$	
Reticulum cell sarcoma;				
Sarcoidosis;				
Scleroderma;				
Severe reactions of the skin and mucosa follow- ing X-ray therapy;				
Splenic neutropenia;				
Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases;				
Status asthmaticus;				
Steroid therapy prior to operation for those patients under steroid therapy;				
Stevens Johnson syndrome;				
Still's disease in children under the age of sixteen years;				
Systemic lupus erythematosus;				
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet 4 mg.	30	..	8.57	UP
Oral Capsule 4 mg.	30	..	8.57	UP

PREDNISOLONE METHYL ACETATE

Intra-articular use;

*Retrobulbar injection in posterier uveitis.

Injection

40 mg. in 1 ml.

5

..

16.43

UP

40 mg. per ml., 5 ml.

1

..

16.30

UP

PREDNISOLONE SODIUM HEMISUCCINATE

Acute adrenal failure due to medical or surgical crisis;

Prophylaxis of adrenal insufficiency during and after major surgery for patients already on steroid therapy.

Stevens Johnson syndrome;

Injection set containing 25 mg. and 1 ml. diluent

2

..

*13.64

MQ

PREDNISOLONE SODIUM PHOSPHATE

Authority necessary to prescribe (See Notes)for-

Proctitis proven by sigmoidoscopy;

Ulcerative colitis proven by sigmoidoscopy or radiological report.

Retention Enema 20 mg. in 100 ml.

7

..

14.77

GL

Suppository equivalent to 5 mg. prednisolone

6

..

3.26

GL

PREDNISOLONE TERTIARY BUTYL ACETATE

(Prednisolone TBA)

Intra-articular use.

Injection

20 mg. in 1 ml.

5

..

4.83

MK

20 mg. per ml., 5 ml.

1

..

4.83

MK

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE TRIMETHYLACETATE			\$	
Intra-articular use.				
Injection				
10 mg. in 1 ml.	2	..	6.70	CB
10 mg. per ml., 5 ml.	1	..	16.30	CB
PREDNISONE				
Authority necessary to prescribe (See Notes)for-				
Acquired haemolytic anaemia;				
Acute disseminated encephalomyelitis;				
Acute exfoliative dermatitis;				
Acute exophthalmic ophthalmoplegia;				
Acute heart block complicating myocardial infarction;				
Acute rheumatic carditis;				
Adrenogenital syndrome;				
Agranulocytosis;				
Behcet's syndrome;				
Benign intracranial hypertension;				
Cerebral oedema;				
Cerebral tumors;				
Cranial arteritis;				
Cushing's syndrome including hyperadrenocor- ticalism;				
Dermatomyositis;				
Encephalitis;				
Encephalomyelitis;				
Guillain-Barres syndrome;				

Hamman-Rich syndrome - diffuse interstitial
pulmonary fibrosis;
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Malignant exophthalmos;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Nodular nonsuppurative panniculitis (Christian-
Weber disease);
Oedema of the spinal cord following trauma
or infections;
Optic neuritis following removal of tumors of
the brain;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISONE -- cont. Panhypopituitarism; Pemphigus; Periarteritis nodosa; Progressive transverse myelitis; Pseudohermaphroditism; *Red cell aplasia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis;			\$	

Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet				
1 mg.	50	..	0.77	PT
5 mg.	30	..	1.43	IP, PR
			1.70	HY, KL, LF, PT
			1.77	SU(N)
			1.90	PD, RL, RY
PROCARBAZINE				
*Treatment in neoplastic disease.				
Oral Capsule 50 mg.	100	..	6.97	RO
PROGESTERONE				
Habitual abortion.				
Progesterone deficiency proved by hormonal assay of lateral wall smear.				
Injection				
I.M. 25 mg.	3	..	2.70	DF, SC
PYRIDOSTIGMINE				
Myasthenia gravis.				
Oral Tablet				
60 mg.	100	2	*8.54	RO
180 mg.	100	..	15.42	RO
Injection 1 mg. in 1 ml.	5	1	*1.15	RC

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PYRIDOXINE HYDROCHLORIDE Peripheral neuritis due to isoniazid therapy. Radiation sickness. Oral Tablet 25 mg.	25	..	\$ 1.21 *1.37	DH, HY, KL, RY ET
PYRIMETHAMINE Toxoplasmosis. Oral Tablet 25 mg.	100	..	*3.24	BW
QUININE BISULPHATE *For the treatment of pensioners for any disease or purpose. * * * Dystrophia myotonica; Malaria; Myotonia atrophica; Myotonia congenita. Oral Tablet 300 mg.	100	2	5.97	BW, DH, FA, HY, KL
QUININE DIHYDROCHLORIDE *For the treatment of pensioners for any disease or purpose. * * * Dystrophia myotonica; Malaria; Myotonia atrophica; Myotonia congenita. Oral Tablet 300 mg.	100	2	5.97	DH

QUININE HYDROCHLORIDE

*For the treatment of pensioners for any disease
or purpose.

* * *

Dystrophia myotonica;

Malaria;

Myotonia atrophica;

Myotonia congenita.

Oral Tablet 300 mg.

100

2

5.97

DH

QUININE SULPHATE

*For the treatment of pensioners for any disease
or purpose.

* * *

Dystrophia myotonica;

Malaria;

Myotonia atrophica;

Myotonia congenita.

Oral Tablet 300 mg.

100

2

5.97

AD, DH, HY, KL, PR, QE(Q),
SI, TO

RIBOFLAVINE

For the treatment of pensioners only.

Oral Tablet 5 mg.

100

2

0.70

DH, FM, KL, PR, RT(V), RY

ROLITETRACYCLINE

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ROLITETRACYCLINE - cont.			\$	
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Injection				
I.V. 110 mg.	5	..	*6.90	AH
I.V. 275 mg.	5	..	11.90	AH
I.V. 350 mg.	5	..	*11.90	BC
I.M. 150 mg.	5	..	*6.85	BC
			*6.90	AH
I.M. 350 mg.	5	..	*11.90	BC
			11.90	AH
SENNA FRUIT EXTRACT (STANDARDISED)				
For the treatment of pensioners only.				
Oral Tablet 7 mg.	100	2	1.23	RC

SODIUM AMINOSALICYLATE

(Sodium PAS)

Tuberculosis.

Injection 20%, 10 ml.

Oral Cachet

1.5 G.

2 G.

Oral Tablet

300 mg.

500 mg.

Oral Granules

50%, 350 G.

50%, 400 G.

96.4%, 500 G.

SODIUM AMINOSALICYLATE with ISONIAZID

Tuberculosis.

Granules 6 G.-150 mg. per sachet

SODIUM FOLATE

Sprue or the sprue-like syndrome;

Macrocytic anaemia.

Injection 15 mg. per ml., 10 ml.

5	..	1.93	KL
500	2	12.90	EV
		12.97	KL, WA
		13.10	ET
500	2	18.97	KL
500	2	3.77	KL
500	2	3.90	DH, ET, KL, RY, WA
		4.30	EV
1	1	4.63	RL
1	1	4.63	HY
1	1	10.81	EV
60	2	12.30	SN
1	..	2.57	LE

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SOYA FORMULA			\$	
Authority necessary to prescribe (See Notes)for- Galactosaemia; Homocystinuria; Lactose intolerance; Milk allergy in children under the age of four (4) years.				
Liquid 15.5 fl. oz.	3	12	*1.89	MJ
Powder 1 lb.	1	12	1.77	MJ, WA
SPIRAMYCIN				
Staphylococcal septicaemia or staphylococcal pneumonia; Toxoplasmosis, active-serologically proven; Any gram-positive bacterial infections where these cannot be treated safely and effectively by sulphonamides or penicillins.				
Oral Capsule 250 mg.	20	..	3.83	MB
Oral Tablet 250 mg.	20	..	3.83	MB
SPIRONOLACTONE				
Authority necessary to prescribe (See Notes)for- Myasthenia gravis; Supplement other diuretics when these have proved inadequate.				
Oral Tablet 25 mg.	100	..	15.83	SR

STANOLONE

For intermittent use for corticosteroid-induced osteoporosis with authority of the Commonwealth Director of Health;

*For intermittent use for patients on long-term treatment with corticosteroids with authority of the Commonwealth Director of Health;

Mammary carcinoma (authority not required).

Oral Tablet 25 mg.

100

..

10.97

DF, MN

STANOZOLOL

Authority necessary to prescribe (See Notes)for- Intermittent use for corticosteroid-induced osteoporosis;

*Intermittent use for patients on long-term treatment with corticosteroids.

Oral Tablet 2 mg.

100

..

*6.70

WL

STILBOESTROL

Carcinoma of the prostate;

Mammary carcinoma;

Telangiectasis - hereditary;

For the treatment of pensioners for any disease or purpose.

Injection

5 mg.

5

..

1.07

KL

1.10

DH

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
STILBOESTROL - cont.			\$	
Oral Tablet				
0.1 mg.	100	2	0.51	HY, KL
0.5 mg.	100	2	0.53	AD, DH, HA, HY, KL, MG, RT(V), RY, SI, SL(N)
1 mg.	100	2	0.54	AD, DH, HY, KL, RT(V), SI, SL(N)
			0.57	HA, MG, RY
5 mg.	100	2	0.81	AD, DH, FA, HA, HY, KL, MG, RT(V), RY, SI, SL(N)
10 mg.	100	2	1.23	DH, KL, RT(V)
STREPTOMYCIN SULPHATE				
Bacillary dysentery not responding to sulphonamides;				
Brucellosis;				
Chancroid;				
Endocarditis due to streptococcus faecalis;				
Endocarditis due to streptococcus viridans;				
Infections due to Friedlander bacillus;				
Infections due to haemophilus influenzae;				
Infections due to pseudomonas pyocyanea;				
Plague;				
Rat-bite fever - streptobacillus moniliformis;				
Salmonella infections;				
Surgical conditions of the bowel (pre-operative and post-operative);				
Surgical conditions of the thoracic organs;				

Tuberculosis;				
Tularaemia;				
Urinary tract infections which do not respond to sulphonamides.				
Injection				
1 G. (solvent required)	5	3	*1.95	DH, EV, GL, SI
250,000 Units per ml., 4 ml.	5	3	*2.15	DL, GL
500,000 Units per ml., 2 ml.	5	3	*2.15	BT, EV, GL
1,000,000 Units in 3 ml.	5	3	*2.15	EV, GL
 SULPHASALAZINE				
Ulcerative colitis.				
Oral Tablet 500 mg.	100	2	3.77	MR
 SULTIAME				
For use where other anti-convulsants have failed.				
Oral Tablet				
50 mg.	200	1	4.57	FB
200 mg.	200	1	10.63	FB
 SUSTANON				
Klinefelter Reifenstein Albright syndrome;				
Mammary carcinoma;				
Castration syndrome, (male).				
Injection				
100 mg.	1	..	2.57	OR
250 mg.	1	..	5.77	OR

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TESTOSTERONE			\$	
Klinefelter Reifenstein Albright syndrome;				
Mammary carcinoma;				
Castration syndrome, (male).				
Implant				
100 mg.	1	..	4.97	OR
200 mg.	1	..	8.57	OR
TESTOSTERONE METHYL				
Klinefelter Reifenstein Albright syndrome;				
Mammary carcinoma;				
Castration syndrome, (male).				
Oral Tablet				
25 mg.	100	2	4.74	KL, PR, PT
			5.10	HY
			6.30	ET
50 mg.	100	2	8.43	KL, PR, PT
			8.97	HY
			11.23	ET
Sublingual Tablet 25 mg.	100	..	10.94	CB
TESTOSTERONE OENANTHATE				
(Testosterone Oen.)				
Klinefelter Reifenstein Albright syndrome;				
Mammary carcinoma;				
Castration syndrome, (male).				
Injection 100 mg. in 1 ml.	1	..	2.57	SC
250 mg. in 1 ml.	1	..	5.77	SC

TESTOSTERONE PROPIONATE

(Testosterone Prop.)

Klinefelter Reifenstein Albright syndrome;

Mammary carcinoma;

Castration syndrome, (male).

Injection

25 mg. in 1 ml.

10	..	3.90	KL
		*4.30	BD
		*4.33	SC
50 mg. in 1 ml.	10	7.50	KL
		*8.04	BD, SC
50 mg. per ml., 10 ml.	1	7.39	KL, SC
100 mg. in 2 ml.	3	*5.86	BD

TETANUS ANTITOXIN (BOVINE)

Patients known to be sensitive to horse serum.

Injection set containing 1,500 units and

15 units diluted 1 in 50

5	1	*10.30	CS
---	---	--------	----

TETANUS IMMUNE GLOBULIN (HUMAN)

Authority necessary to prescribe (See Notes)

for - Where patients are known to be sensitive
to horse serum and cattle serum.

Injection 250 Units

1	..	8.97	CI
---	----	------	----

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TETRACYCLINE			\$	
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Injection				
I.V. 100 mg. (solvent required)	5	..	*4.05	LE
I.V. 250 mg. (solvent required)	5	..	*7.10	GP, LE
I.M. 100 mg. (solvent required)	5	..	*4.05	GP, LE
I.M. 250 mg. (solvent required)	5	..	*7.10	LE
Oral Capsule				
100 mg.	25	..	2.06	GP, LE, LT
250 mg.	16	..	2.39	CS, GP, LE, LT, UP
			(ex 100)	
			2.63	CS, GP, LE, LT, UP
			(ex M.P.)	
Oral Tablet				
100 mg.	25	..	2.06	LE
250 mg.	16	..	2.63	GP, LE

Oral Paediatric Granules 75 G.	‡1	..	1.74	LE
Oral Paediatric Drops				
100 mg. per ml., 10 ml.	‡1	..	0.97	LE, UP
Oral Paediatric Syrup				
125 mg. per 5 ml., 100 ml.	‡1	..	1.98	GP, LE, LT
TETRACYCLINE (BUFFERED)				
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections.				
Any bacterial infections or actinomycosis or				
trachoma where these cannot be treated safely				
and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where				
there are reasonable grounds for believing				
that infection may occur.				
Oral Capsule				
100 mg.	25	..	2.06	AB, AH, BC, BT, CS, GP, LE, LT, SQ, UP
250 mg.	16	..	2.39	AB, AH, BC, BT, CS, GP,
			(ex 100)	LE, LT, SQ, UP
			2.63	AB, AH, BC, BT, CS, GP,
			(ex M.P.)	LE, LT, SQ, UP
Oral Paediatric Syrup				
125 mg. per 5 ml., 100 ml.	‡1	..	1.98	AH, BC, BT, GP, LE, LT, SQ, UP

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TETRACYCLINE (BUFFERED) - cont. Oral Paediatric Drops 100 mg. per ml., 10 ml.	11	..	\$ 0.97	AH, BC, LE
TETRACYCLINE (BUFFERED) with AMPHOTERICIN B Broad spectrum antibiotic therapy of premature infants; Broad spectrum antibiotic treatment of patients under steroid therapy; Broad spectrum antibiotic therapy of cases com- plicated by intestinal moniliasis; A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for :- Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				

Oral Paediatric Drops				
100 mg.-20 mg. per ml., 10 ml.	₹1	..	0.97	SQ
Oral Paediatric Syrup				
125 mg.-25 mg. per 5 ml., 100 ml.	₹1	..	1.98	SQ

**TETRACYCLINE (BUFFERED) with
NYSTATIN**

Broad spectrum antibiotic therapy of premature infants;
 Broad spectrum antibiotic treatment of patients under steroid therapy;
 Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis;
 A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for :-
 Brucellosis;
 Intestinal amoebiasis;
 Leptospirosis;
 Lymphogranuloma venereum;
 Psittacosis;
 Rickettsial infections;
 Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;
 Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TETRACYCLINE (BUFFERED) with NYSTATIN - cont.			\$	
Oral Capsule				
100 mg.-125,000 Units	20	..	1.82	LE, SQ, UP
250 mg.-250,000 Units	16	..	2.39	BC, GP, LE, SQ, UP
			(ex 100)	
			2.63	BC, GP, LE, SQ, UP
			(ex M.P.)	
THIAMBUTOSINE				
Hansen's disease.				
Oral Tablet 500 mg.	100	2	2.10	CB
Injection 20% (oily suspension) in 5 ml.	20	..	5.10	CB
THIETHYLPERAZINE				
Authority necessary to prescribe (See Notes)for- Radiation sickness.				
Oral Tablet 6.5 mg.	25	..	0.97	SZ
Suppositories 6.5 mg.	6	..	0.97	SZ
THIORIDAZINE				
For the treatment of pensioners for any disease or purpose;				
* * *				
Late stage malignancy with the authority of the Commonwealth Director of Health;				
Radiation sickness with the authority of the Commonwealth Director of Health;				

Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health;

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

Oral Solution

3%, (30 mg. per ml.) 30 ml.

‡1	4	1.39	SZ
----	---	------	----

Oral Tablet

10 mg.

100	2	1.50	SZ
-----	---	------	----

25 mg.

100	2	2.26	SZ
-----	---	------	----

50 mg.

100	2	3.90	SZ
-----	---	------	----

100 mg.

100	2	7.50	SZ
-----	---	------	----

TRETAMINE

*Treatment in neoplastic disease.

Oral Tablet 2.5 mg.

5	..	*1.55	IC
---	----	-------	----

Injection 5 mg.

1	..	*3.39	IC
---	----	-------	----

TRIFLUOPERAZINE

For the treatment of pensioners for any disease or purpose.

* * *

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TRIFLUOPERAZINE - cont.			\$	
Late stage malignancy with the authority of the Commonwealth Director of Health;				
Radiation sickness with the authority of the Commonwealth Director of Health;				
Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health;				
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
Oral Tablet				
1 mg.	100	2	3.20 (ex 500)	SK
			3.59 (ex M.P.)	SK
2 mg.	100	2	5.30	SK
5 mg.	100	2	6.23	SK
Syrup 1 mg. per 5 ml., 100 ml.	1	4	1.31	SK

TRIMETAPHAN

As a hypotensive in anaesthesia.

Injection

Set containing 250 mg. and 5 ml. water
for injection

3

..

7.93

RO

VINBLASTINE

*Treatment in neoplastic disease.

Injection 10 mg. in 10 ml.

1

..

17.07

LY

VINCRISTINE

*Treatment in neoplastic disease.

Injection

1 mg.

5

..

*65.05

LY

5 mg.

1

..

51.35

LY

VIOMYCIN

Tuberculosis.

Injection 1 G. (solvent required)

5

3

*16.95

PD, PF

VITAMINS COMPOUND

For the treatment of pensioners only.

Oral Tablet B.P.C. Capsule Formula

100

1

0.73

AD, KL, PT, RT(V), SI, SL(N)

0.78

BD, DH, GL, HY, MG, PH,

PR, RY, TO, VR

Oral Capsule B.P.C.

100

1

0.78

FA, PH

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ACRYLIC RESIN			\$	
Solution 100 ml. Aerosol Spray	1	..	5.90 6.97	PT EV, WB
BENZOIN				
Compound Tincture B.P.C. 35%, 167 ml. Aerosol Spray	1	..	2.59	LF
BISMUTH SUBGALLATE				
Powder 4 oz.	1	..	3.37	DH, EV
CHLORAMINE				
Deodorant Tablet 120 mg.	500	..	1.69 1.79	DH PT
Powder 1 oz.	1	4	0.67 0.73	PT DH
DEODORANT DETERGENT SOLUTION				
Solution				
Terrie N.8, 120 G.; Spearmint Oil, 1.6 ml.; Cetrimide B.P., 12 G. 16 fl. oz.	1	..	1.37	IC
DIMETHICONE				
Cream				
20%, 20 G.	1	..	1.06	SS
10%, 50 G.	1	..	1.03 1.06	IC HA

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

10%, 120 G.	1	..	0.97	FA
10%, 75 G.	1	..	0.89	PD
Solution				
9.84%, 220 G. Aerosol Spray	1	..	4.19	RK
5%, 340 ml. Aerosol Spray	1	..	4.97	BT
10%, 180 ml. Aerosol Spray	1	..	2.30	LF
SURGICAL CEMENT				
†Adhesive Cement 2 oz. tube	1	2	†0.47	JA
†Skin Bond Adhesive 4 fl. oz.	1	2	†2.25	DY
†Solvent 240 ml.	1	2	†1.65	LF
TRAGACANTH INDIAN (GUM KARAYA)				
†Powder 8 oz.	1	..	†1.92	PT
			†2.40	EV

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMINO ACIDS with SORBITOL Injection 50 G.- 100 G. (600 calories) per litre, 1/2 litre 100 G.- 100 G. (800 calories) per litre, 1/2 litre			\$	
AMINO ACIDS with SORBITOL and ETHANOL Injection 50 G.-100 G.-30 G. (850 calories) per litre, 1/2 litre 50 G.-100 G.-50 G.(1,000 calories) per litre, 1/2 litre				
AMINOCAPROIC ACID I.V. Injection 250 mg. per ml., 10 ml. Parenteral Injection 250 mg. per ml., 20 ml. Oral Syrup 250 mg. per ml., 16 fl. oz. 250 mg. per ml., 20 ml. Oral Tablet 500 mg.				
ANGIOTENSIN AMIDE Injection 0.5 mg. (solvent required) 2.5 mg. (solvent required)				
AZATHIOPRINE Oral Tablet 100 mg.				

BECLAMIDE

Oral Tablet 500 mg.

CARBENOXOLONE

Oral Tablet 50 mg.

CEPHALORIDINE

Injection 250 mg.

500 mg.

1 G.

CLOXACILLIN

Injection 250 mg.

Oral Capsule 250 mg.

Suspension 125 mg. per 5 ml., 100 ml.

CYCLOSERINE

Oral Capsule 250 mg.

Oral Tablet 250 mg.

DESFERRIOXAMINE

Injection 500 mg.

DITOPHAL

Liquid 250 ml.

FOLINIC ACID

Injection 3 mg. in 1 ml.

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HETACILLIN Oral Capsule 250 mg.			\$	
HEXACHLOROPHANE with ENTSUFON Lotion 3%, 6 fl. oz.				
HEXACHLOROPHANE with LISSAPOL Lotion 3%, 4 fl. oz.				
HEXACHLOROPHANE in SOAP SOLUTION Solution 1.5%, 10 fl. oz.				
KITASAMYCIN Oral Tablet 100 mg. 200 mg. I.V. Injection set containing 200 mg. and 2 x 10 ml. ampoules of saline solution				
LIPOPANCREATIN Oral Capsule, 300 mg.				
METHICILLIN Injection 1 G.				

METHOTREXATE

Injection

5 mg.

50 mg.

METYRAPONE

Oral Capsule 250 mg.

ORCIPRENALINE

Injection 0.5 mg.

Solution for Inhalation 5%, 7.5 ml.

PARGYLINE

Oral Tablet

10 mg.

25 mg.

POLYMYXIN B SULPHATE

Injection 500,000 Units

PROPRANOLOL

Oral Tablet

10 mg.

40 mg.

Injection 1 mg. per ml., 5 ml.

PYRAZINAMIDE

Oral Tablet 0.5 G.

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SULPHOMYXIN Injection 500,000 Units TETRACOSACTIDE Injection set containing 250 micrograms and 2 ml. solution THYROTROPHIN Injection 10 Units TRASYLOL Injection 25,000 K.I.U. in 5 ml. 100,000 K.I.U. in 10 ml. TRIGLYDE Powder 1 lb. VADRINE Oral Tablet 500 mg.			\$	

SECTION 4

SCHEDULE OF BENEFITS

DRUGS AVAILABLE FOR EXTEMPORANEOUS PREPARATIONS

DECEMBER, 1967.

DRUG	DRUG
Acetone, B.P.C. (may only be prescribed as an additive)	ALCOHOLS
ACIDS	95%, B.P. (may only be prescribed as an additive)
Acetic, B.P.	90%, B.P. (may only be prescribed as an additive)
Acetic, Dilute, B.P.	Aloes, Powder, B.P.
Acetylsalicylic, B.P.	Aloin, B.P.C.
Benzoic, B.P.	Alum, B.P.
Boric, Crystal, B.P.	Aluminium Hydroxide Gel Dried B.P.
Boric, Powder, B.P.	Amaranth, B.P.C. 54
Citric, B.P.	Amethocaine Hydrochloride, B.P. (may only be prescribed as an additive)
Hydrochloric, B.P.	Aminacrine Hydrochloride, B.P.
Hydrochloric, Dilute, B.P.	Aminophylline, B.P.
Hydrocyanic, Dilute, B.P.C. 54	Ammoniated Mercury, B.P.
Hypophosphorous, Dilute, B.P.C.	AMMONIUM
Lactic, B.P.	Bicarbonate, B.P.C.
Oleic, B.P.	Bromide, B.P.C.
Phosphoric, B.P.	Chloride, B.P.
Phosphoric, Dilute, B.P.	Amylobarbitone B.P.
Salicylic, B.P.	Amylobarbitone Sodium B.P.
Stearic, B.P.C.	Application Benzyl Benzoate, B.P.
Sulphuric, Dilute, B.P.C.	Atropine, B.P.
Tannic, B.P.	Atropine Methonitrate, B.P.
Tartaric, B.P.	Atropine Sulphate, B.P.
Trichloroacetic, B.P.	
Aeriflavine, B.P.C.	Balsam, Peru, B.P.C.
Adrenaline, B.P.	Balsam, Tolu, B.P.
Adrenaline Acid Tartrate, B.P.	
Agar, B.P.C. 54	

Beeswax White, B.P.
Beeswax Yellow, B.P.C.
Bentonite, B.P.
Benzocaine, B.P.
Benzyl Alcohol, B.P.
Benzyl Benzoate, B.P.
Bismuth Subgallate, B.P.C.
Borax, B.P.
Brilliant Green, B.P.
Butyl Aminobenzoate, B.P. 53

Caffeine, B.P.
Caffeine Citrate, B.P.C. 59
Caffeine Hydrate, B.P.
Caffeine and Sodium Benzoate, B.P.C. 54
Calamine, B.P.

CALCIUM

Carbonate, B.P.
Chloride, B.P.
Gluconate, B.P.
Hydroxide, B.P.
Lactate, B.P.
Phosphate, B.P.C.
Camphor, B.P.
(may only be prescribed as an additive)
Cetomacrogol Emulsifying Wax, B.P.C.
Cetostearyl Alcohol, B.P.
Cetrimide, B.P.
Chalk, Prepared, B.P.
Chloral Hydrate, B.P.
Chlorbutol, B.P.

Chlorhexidine Diacetate
(may only be prescribed in Ear and Eye Drops)
Chlorhexidine Hydrochloride, B.P.
Chlorinated Lime, B.P.
Chlorocresol, B.P.
Chloroform, B.P.
(may only be prescribed as an additive)

Cocaine, B.P.
Cocaine Hydrochloride, B.P.
Codeine, B.P.C. 54
Codeine Phosphate, B.P.
Collodion Acid Salicylic, A.P.F.
Collodion Flexible, B.P.
Colophony, B.P.
Copper Sulphate, B.P.C.

CREAMS

Aqueous, A.P.F.
Aqueous, B.P.
Aqueous Emulsifying Wax, A.P.F. 55
Calamine Oily A.P.F.
Cetrimide Aqueous, A.P.F.
Cetomacrogol, Aqueous, A.P.F.
Cholesterol Oily, A.P.F. 55
Oily, B.P.
Zinc, B.P.
Zinc Oily, A.P.F.
Creosote, B.P.C. 59
Crystal Violet, B.P.
Dextrose, B.P.
(may only be prescribed as an additive)
Dextrose Monohydrate, B.P.
(may only be prescribed as an additive)

Drug	Drug
Dibutyl Phthalate, B.P. Dicophane, B.P. Dimethyl Phthalate, B.P. Dithranol, B.P. Dusting Powder Absorbable, B.P.	EXTRACTS - cont. Hamamelis, Liquid, B.P.C. Hyoscyamus, Liquid, B.P. Ipecacuanha, Liquid, B.P. Liquorice, Liquid, B.P. Male Fern, B.P. Nux Vomica, Liquid, B.P. Stramonium, Liquid, B.P.
ELIXIRS Cascara, B.P. Ephedrine, A.P.F. Simple, B.P.C. 49 Emulsifying Wax, B.P.	Ferric Ammonium Citrate, B.P. FERROUS Carbonate, Saccharated, B.P.C. 59 Gluconate, B.P. Sulphate, B.P. Sulphate, Dried, B.P. Fluorescein Sodium, B.P.
EMULSIONS Paraffin and Agar, A.P.F. 55 (may only be prescribed as pensioner benefit) Paraffin Liquid, A.P.F. (may only be prescribed as pensioner benefit) Paraffin Liquid, B.P. 58 (may only be prescribed as pensioner benefit) Ephedrine, B.P.C. Ephedrine Hydrochloride, B.P. Ethanalamine, B.P.C. Ether Anaesthetic, B.P. (may only be prescribed as an additive) Ether Solvent, B.P. Eucalyptol, B.P.C. Eye Ointment Base B.P.	Gelatin, B.P. Glycerin, B.P. GLYCERINS Borax, B.P.C. 59 Boric Acid, B.P. 48 Ichthammol, B.P.C. Phenol, B.P. (not available for Ear Drops) Glyco-Gelatin Base, A.P.F.
EXTRACTS Cascara, Liquid, B.P. Ergot, Liquid, B.P. 14	GUMS Acacia, B.P. Benzoin, B.P.C. Tragacanth, B.P.

Homatropine Hydrobromide, B.P.

Honey, Purified, B.P.C.

(may only be prescribed as an additive)

Hydrogen Peroxide, 20 Volume, B.P.

Ichthammol, B.P.

INFUSIONS

Buchu, Concentrated, B.P.C. 54, 1-7

Calumba, Concentrated, B.P. 48, 1-7

Clove, Concentrated, B.P.C. 54, 1-7

Gentian Compound, Concentrated, B.P. 1-7

Orange Peel, Concentrated, B.P.C., 1-7

Orange Peel Compound Concentrated,

B.P.C. 54, 1-7

Senega, Concentrated, B.P.C., 1-7

Senna, Concentrated, B.P.C. 59, 1-7

Iodine, B.P.

Iodoform, B.P.C. 54

Isoprenaline Sulphate, B.P.

Kaolin, Heavy, B.P.

Kaolin, Light, B.P.

Lactose, B.P.

Lanette Wax S.X.

Lard, Benzoinated, B.P.C. 54

LINIMENTS

Camphor, B.P.

Iodine Compound, A.P.F. 55

Methyl Salicylate, A.P.F.

Methyl Salicylate Compound, A.P.F.

Soap Methylated, B.P.C.

Turpentine, B.P.

LOTIONS

Calamine, B.P.

Lead and Opium, B.P.C. 59

Magenta, B.P.C.

MAGNESIUM

Carbonate, Heavy, B.P.

Carbonate, Light, B.P.

Oxide, Light, B.P.

Sulphate, B.P.

Sulphate, Dried, B.P.

Trisilicate, B.P.

Menthol, B.P.

Mercuric Chloride, B.P.

Methylcellulose, B.P.

Methylene Blue, B.P.

METHYL

Hydroxybenzoate, B.P.

Salicylate, B.P.

MIXTURES

Aluminium Hydroxide, A.P.F.

Magnesium Hydroxide, B.P.

Senna Compound, B.P.C. 59

Morphine Hydrochloride, B.P.

Morphine Sulphate, B.P.

MUCILAGES

Acacia, A.P.F.

Methylcellulose, A.P.F.

Tragacanth, B.P.

DRUG	DRUG
OILS Almond Volatile Bitter, B.P.C. 59 Anise, B.P. Arachis, B.P. (may only be prescribed as an additive) Cade, B.P.C. Caraway, B.P.C. (may only be prescribed as an additive) Castor, B.P. Citronella, B.P.C. (may only be prescribed as an additive) Clove, B.P. Coconut, B.P.C. 49 Cod Liver, B.P. Coriander, B.P. Cotton Seed, B.P. (may only be prescribed as an additive) Eucalyptus, B.P. Lavender, Spike, B.P.C. Maize, B.P. (may only be prescribed as an additive) Olive, B.P. (may only be prescribed as an additive) Peppermint, B.P. Pumilio Pine, B.P.C. Rosemary, B.P.C. Siberian Fir, B.P.C. 49 Theobroma, B.P. Turpentine, B.P.	OINTMENTS Ammoniated Mercury, B.P. Benzocaine and Adrenaline, A.P.F. Benzoic Acid Compound, A.P.F. Capsicum, B.P.C. Cod Liver Oil, A.P.F. Emulsifying, B.P. Gall and Opium, B.P.C. Hamamelis, B.P.C. Iodine, Non-staining, A.P.F. Iodine, Non-staining, B.P.C. Menthol Compound, A.P.F. Methyl Salicylate, B.P.C. Paraffin, White, B.P. Paraffin, Yellow, B.P. Phenol, B.P. 48 Salicylic Acid, B.P. Simple, White, B.P. Simple, Yellow, B.P. Sulphur, B.P. Tar, B.P.C. 59 Wool Alcohols, B.P. Zinc, B.P. Zinc and Castor Oil, B.P. OPHTHALMIC Phosphate Buffers, A.P.F., 55 Cetrimide Chlorbutol Paraben

OPHTHALMIC - cont.

Vehicles, A.P.F. 55

Cetrimide

Chlorbutol

Oily

Paraben

Thickened

Oxymel, B.P.C.

Oxymel of Squill, B.P.C.

Paint Magenta, A.P.F.

Papaverine Hydrochloride, B.P.

Paracetamol, B.P.

Paraffin Hard, B.P.

Paraffin Liquid, B.P.

Paraffin Liquid, Light, B.P.C.

Paraffin, Soft, White, B.P.

Paraffin, Soft, Yellow, B.P.

Paraldehyde, B.P.

PASTES

Zinc Compound, B.P.

Zinc and Salicylic Acid, B.P.

Pectin (Apple or Citrus)

Pentobarbitone Sodium, B.P.

Phenazone, B.P.C.

Phenobarbitone, B.P.

Phenobarbitone Sodium, B.P.

Phenol, B.P.

(not available for ear drops)

Phenol, Liquefied, B.P.

(not available for ear drops)

Phenolphthalein, B.P.

Phenylephrine Hydrochloride, B.P.

Phenylmercurio Nitrate, B.P.

Pholcodine, B.P.

Phthalylsulphathiazole, B.P.

Physostigmine, B.P.C.

Physostigmine Salicylate, B.P.

Pilocarpine Hydrochloride

Pilocarpine Nitrate, B.P.

Podophyllum Resin, B.P.

POTASSIUM

Bromide, B.P.

Chlorate, B.P.C.

Chloride, B.P.

Citrate, B.P.

Hydroxide, B.P.

Iodide, B.P.

Nitrate, B.P.

Permanganate, B.P.

POWDERS

Hydroxybenzoate Compound, A.P.F.

Ipecacuanha and Opium, B.P.

Rhubarb, B.P.

Tragacanth Compound, B.P.

Procaine Hydrochloride, B.P.

Proflavine Hemisulphate, B.P.

Propylene Glycol, B.P.

Propyl Hydroxybenzoate, B.P.

Quinalbarbitone Sodium, B.P.

Quinidine Sulphate, B.P.

Resorcinol, B.P.

DRUG	DRUG
Saccharin Sodium, B.P. (may only be prescribed as an additive)	SOLUTIONS - cont.
Silver Nitrate, B.P.	Adrenaline Hydrochloride, B.P. 53
Silver Protein, B.P.C.	Aluminium Acetate, B.P.C.
Silver Protein, Mild, B.P.C.	Amaranth, A.P.F.
SOAPS	Amaranth, B.P.C.
Ethereal, A.P.F. 55	Amaranth, Compound, A.P.F.
Soft, B.P.	Ammonia, Dilute, B.P.C.
SODIUM	Ammonia, Strong, B.P.C.
Acid Citrate, B.P.	Ammonium Acetate, Strong, B.P.C.
Acid Phosphate, B.P.	Benedict's Qualitative, A.P.F.
Aminosalicylate, B.P.	Benzalkonium Chloride 50%, B.P.
Benzoate, B.P.	Benzoic Acid, A.P.F.
Bicarbonate, B.P.	Benzoic Acid, B.P.C.
Bromide, B.P.	Burnt Sugar
Chloride, B.P.	(may only be prescribed as an additive)
Citrate, B.P.	Calcium Hydroxide, B.P.
Edetate, B.P.C.	Carmine, A.P.F.
Hydroxide, B.P.	(may only be prescribed as an additive)
Iodide, B.P.	Chlorhexidine Gluconate, B.P.
Metabisulphite, B.P.	Coal Tar, B.P.
Nitrite, B.P.C.	Formaldehyde, B.P.
Phosphate, B.P.	Iodine Aqueous, B.P.
Salicylate, B.P.	Iodine, Simple, B.P.C. 59
Sulphate, B.P.	Iodine, Weak, B.P.
Thiosulphate B.P.C.	Lead Subacetate, Dilute, B.P.
(may only be prescribed as an additive)	Lead Subacetate, Strong, B.P.
SOLUTIONS	Morphine Hydrochloride, B.P.
Adrenaline, B.P.	Nasal, Concentrated, A.P.F. 55
	Potassium Hydroxide, B.P.

SOLUTIONS - cont.

Sodium Chloride, B.P.C.

Tartrazine, A.P.F.

SPIRITS

Ammonia, Aromatic, B.P.C.

Anise, B.P.C. 49

Cajuput, B.P. 48

Camphor, B.P.C. 59

Chloroform, B.P.

Cinnamon, B.P.C. 49

Ether, Nitrous, B.P.C. 59

Methylated, Industrial

(may only be prescribed as an additive)

Peppermint, B.P.C.

Starch, B.P.

Storax, Prepared, B.P.C.

Streptomycin Sulphate, B.P.

(may only be prescribed in Ear Drops)

Succinylsulphathiazole, B.P.

Sucrose, B.P.

Sulphacetamide Sodium, B.P.

Sulphadiazine, B.P.

Sulphadimidine, B.P.

Sulphur, Precipitated, B.P.

Sulphur, Sublimed, B.P.C.

Sulphurated Potash, B.P.C.

SYRUPS

Aromatic, A.P.F.

Chloral, B.P.C.

Codeine Phosphate, B.P.C.

Ferrous Phosphate Compound B.P.C.

SYRUPS - cont.

Ferrous Phosphate with Quinine
and Strychnine, B.P.C.

Ginger, B.P.

Glucose, Liquid, B.P.C.

Glycerophosphate Compound, A.P.F.

Golden, Acidified, A.P.F. 55

Lemon, A.P.F.

Lemon, B.P. 58

Lemon, Neutral, A.P.F.

Orange, B.P.

Pholcodine Citrate, B.P.C. 59

Raspberry, B.P.C.

Red, A.P.F.

Simple, B.P.

Squill B.P.C.

Tolu, B.P.

Talc, Purified, B.P.

Tar, B.P.

Tar, Coal, B.P.C.

Tar, Coal, Prepared, B.P.

Tartrazine, B.P.C. 54

Theophylline, B.P.

Theophylline Hydrate, B.P.

Thymol, B.P.

Thymol, Mouth Wash, Compound, A.P.F.

TINCTURES

Belladonna, B.P.

Benzoin, B.P.C.

Benzoin Compound, B.P.C.

Calumba, B.P. 48

Drugs	Drugs
TINCTURES - cont. Capsicum, B.P.C. Cardamom, Aromatic, B.P.C. Cardamom, Compound, B.P. Catechu B.P.C. Cochineal, B.P. 48 Colchicum, B.P. Cudbear, A.P.F. 47 Gelsemium, B.P.C. Gentian Compound, B.P. Ginger, Strong, B.P. Ginger, Weak, B.P. Hyoscyamus, B.P. Ipecacuanha, B.P. Lemon, B.P. 58 Lobelia, Ethereal, B.P.C. Myrrh, B.P.C. Nux Vomica, B.P. Opium, B.P. Opium, Camphorated, B.P. Orange, B.P. Quillaia, B.P.C. Rhubarb Compound, B.P. Squill, B.P.C. Stramonium, B.P. Strophanthus, B.P. 48 Tolu, B.P.C. 59 Valerian, Ammoniated, B.P.C. Titanium Dioxide, B.P.C. Tragacanth Gel, A.P.F.	Triethanolamine, B.P.C. Urethane, B.P. Vanillin, B.P.C. Vinegar of Squill, B.P.C. WATERS Anise, Concentrated, B.P.C., 1-39 Camphor, Concentrated, B.P.C. 49, 1-39 Chlorbutol, A.P.F. 55 Chloroform, Concentrated, B.P.C. 59, 1-39 Cinnamon, Concentrated, B.P.C., 1-39 For Injection, B.P. † 100 ml. (extemporaneously prepared eye drops only) Peppermint, Concentrated, B.P., 1-39 Potable Purified or Distilled, B.P. Wool Alcohols, B.P. Wool Fat, B.P. Wool Fat, Hydrous, B.P. Xylene of commerce (may only be prescribed as an additive) ZINC Gelatin, B.P. Oxide, B.P. Sulphate, B.P.

TABLE OF CODES, MAXIMUM METRIC QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code Preparation	Maximum Qty or No. of Units	Number of Repeats	Code Preparation	Maximum Qty or No. of Units	Number of Repeats
10 Applications	200 ml.	1	34 Other Linctuses	100 ml.	4
11 Capsules	12	1	38 Liniments	100 ml.	1
12 Collodions	15 ml.	2	39 Lotions	200 ml.	1
35 Confections	100 G.	2	58 Magmas	100 ml. or	
13 Creams	100 G.	1		100 G.	1
14 Draughts	200 ml.	4	40 Mixtures	200 ml.	4
15 Ear Drops	15 ml.	2	41 Mixtures for Children	100 ml.	4
16 Elixirs	100 ml.	4	30 Mouth Washes	200 ml.	1
17 Emulsions	400 ml.	4	60 Mucilages	100 ml.	..
18 Enemas	100 ml.	1	42 Nasal Instillations	15 ml.	2
19 Extracts, Fluid	100 ml.	1	43 Ointments, Waxes	100 G.	1
20 Eye Drops of Physostigmine	15 ml.	6	44 Paints	25 ml.	1
21 Eye Drops of Pilocarpine	15 ml.	6	57 Parogens	100 ml.	2
22 Other Eye Drops	15 ml.	2	45 Pastes	100 G.	1
23 Eye Lotions	200 ml.	1	46 Pessaries	12	1
24 Eye Ointments	5 G.	..	47 Poultices	500 G.	1
25 Gargles	200 ml.	4	48 Powders, Dusting	100 G.	1
26 Gelatins	100 G.	1	49 Powders for internal use	100 G.	2
27 Glycanths	100 G.	1	50 Powders, Individual	12	1
28 Glycerins	100 ml.	1	61 Powders, Irrigation	100 G.	1
29 Inhalations	50 ml.	1	51 Soaps	100 ml.	1
37 Inhalations Solid	4 G.	1	52 Solutions	200 ml.	1
32 Irrigations	200 ml.	1	59 Spirits	25 ml.	..
33 Insufflations	25 G.	1	53 Sprays	15 ml.	2
31 Injections - Ampoules	5 amps.	1	54 Suppositories	12	1
Vials	1 vial	1	55 Syrups	100 ml.	4
34 Linctuses of Codeine and			56 Tinctures	25 ml.	1
Morphine	100 ml.	2	62 Unna's Paste	200 G.	..
34 Linctuses of Codeine and					
Morphine (for children)	100 ml.	4			

TABLE OF CODES, MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty or No. of Units	Number of Repeats
10	Applications	8 fl. oz.	1	34	Other Linctuses	4 fl. oz.	4
11	Capsules	12	1	38	Liniments	4 fl. oz.	1
12	Collodions	240 min.	2	39	Lotions	8 fl. oz.	1
35	Confections	4 oz.	2	58	Magmas	4 fl. oz. or 4 oz.	1
13	Creams	4 oz.	1	40	Mixtures	8 fl. oz.	4
14	Draughts	8 fl. oz.	4	41	Mixtures for Children	4 fl. oz.	4
15	Ear Drops	1/2 fl. oz.	2	30	Mouth Washes	8 fl. oz.	1
16	Elixirs	4 fl. oz.	4	60	Mucilages	4 fl. oz.	..
17	Emulsions	16 fl. oz.	4	42	Nasal Instillations	1/2 fl. oz.	2
18	Enemas	4 fl. oz.	1	43	Ointments, Waxes	4 oz.	1
19	Extracts, Fluid	4 fl. oz.	1	44	Paints	1 fl. oz.	1
20	Eye Drops of Physostigmine	240 min.	6	57	Parogens	4 fl. oz.	2
21	Eye Drops of Pilocarpine	240 min.	6	45	Pastes	4 oz.	1
22	Other Eye Drops	240 min.	1	46	Pessaries	12	1
23	Eye Lotions	8 fl. oz.	1	47	Poultices	1 lb.	1
24	Eye Ointments	60 gr.	..	48	Powders, Dusting	4 oz.	1
25	Gargles	8 fl. oz.	4	49	Powders for internal use	4 oz.	2
26	Gelatins	4 oz.	1	50	Powders, Individual	12	1
27	Glycanths	4 oz.	1	61	Powders, Irrigation	4 oz.	1
28	Glycerins	4 fl. oz.	1	51	Soaps	4 fl. oz.	1
29	Inhalations	2 fl. oz.	1	52	Solutions	8 fl. oz.	1
37	Inhalations, Solid	60 gr.	1	59	Spirits	1 fl. oz.	..
32	Irrigations	8 fl. oz.	1	53	Sprays	1/2 fl. oz.	2
33	Insufflations	1 oz.	1	54	Suppositories	12	1
31	Injections - Ampoules	5 amps.	1	55	Syrups	4 fl. oz.	4
	Vials	1 vial.	1	56	Tinctures	1 fl. oz.	1
34	Linctuses of Codeine and Morphine	4 fl. oz.	2	62	Unna's Paste	8 oz.	..
34	Linctuses of Codeine and Morphine (for children)	4 fl. oz.	4				

SECTION 5 — PRESCRIBERS' LIST

DECEMBER, 1967

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml. and 1 Repeat)

BENZYL BENZOATE with DICOPHANE

Benzyl Benzoate				50 G.
Dicophane				4 G.
Emulsifying Wax	..			4 G.
Purified Water to	..			200 ml.

DICOPHANE

Dicophane				4 G.
Emulsifying Wax	..			8 G.
Xylene of commerce				30 ml.
Citronella Oil	..			1 ml.
Purified Water to	..			200 ml.

CREAMS

(Maximum Quantity 100 G. and 1 Repeat)

ALUMINIUM ACETATE, OILY

Aluminium Acetate Solution				5 ml.
Zinc Oxide				20 G.
Wool Fat				25 G.
Arachis Oil				25 ml.
Purified Water				27 ml.

PRESCRIPTION

AQUEOUS

Emulsifying Wax	..			10 G.
Hard Paraffin	..			6 G.
Liquid Paraffin				27 G.
Compound Hydroxybenzoate				
Powder, A.P.F.	..			100 mg.
Purified Water to	..			100 G.

BUFFERED, AQUEOUS

Sodium Phosphate				2.5 G
Citric Acid				500 mg.
Compound Hydroxybenzoate				
Powder, A.P.F.	..			100 mg.
Emulsifying Ointment	..			30 G.
Purified Water to	..			100 G.

CALAMINE, AQUEOUS

Calamine	..			4 G.
Zinc Oxide				3 G.
Emulsifying Wax	..			6 G.
Arachis Oil				40 ml.
Purified Water to	..			100 G.

CALAMINE, OILY

Calamine	..			32 G.
Oleic Acid				0.5 ml.
Arachis Oil				21.5 ml.
Wool Fat	..			17.5 G.
Calcium Hydroxide Solution				30.5 ml.

PRESCRIPTION

CREAMS—cont.

CETOMACROGOL, AQUEOUS

Cetomacrogol Emulsifying Wax	15 G.
Liquid Paraffin	15 G.
White Soft Paraffin	10 G.
Glycerin	10 ml.
Chlorocresol	100 mg.
Purified Water to	100 G.

CETRIMIDE, AQUEOUS

Cetrimide	500 mg.
Cetostearyl Alcohol	5 G.
Liquid Paraffin	50 G.
Purified Water to	100 G.

CHLORHEXIDINE, AQUEOUS

Chlorhexidine Gluconate Solution	5 ml.
Cetomacrogol Emulsifying Wax	25 G.
Liquid Paraffin	10 G.
Purified Water to	100 G.

COAL TAR and ZINC

Coal Tar, B.P.C.	1 G.
Castor Oil	1 G.
Zinc Cream	98 G.

COLD

White Beeswax	20 G.
Liquid Paraffin	60 G.
Borax	1 G.
Purified Water	19 G.

PRESCRIPTION

GLYCERIN, OILY

Glycerin	20 G.
Calcium Hydroxide Solution	32 ml.
Arachis Oil	22 G.
Wool Fat	26 G.

ICHTHAMMOL and ZINC, OILY

Ichthammol	5 G.
Cetostearyl Alcohol	3 G.
Wool Fat	10 G.
Oily Zinc Cream	82 G.

OILY

Wool Alcohols Ointment	50 G.
Purified Water	50 G.

SALICYLIC ACID and RESORCINOL, AQUEOUS

Salicylic Acid	2 G.
Resorcinol	2 G.
Aqueous Cream, A.P.F. to	100 G.

SALICYLIC ACID and SULPHUR, AQUEOUS

Salicylic Acid	2 G.
Precipitated Sulphur	2 G.
Spike Lavender Oil	0.5 ml.
Aqueous Cream, A.P.F. to	100 G.

PRESCRIPTION

CREAMS—cont.

ZINC, OILY

Zinc Oxide					32 G.
Oleic Acid					0.5 ml.
Arachis Oil					21.5 ml.
Wool Fat	..				17.5 G.
Calcium Hydroxide Solution					30.5 ml.

ZINC, WEAK

Zinc Oxide					5 G.
Oleic Acid					0.5 ml.
Arachis Oil					38.5 ml.
Wool Fat	..				25 G.
Calcium Hydroxide Solution					34.5 ml.

DUSTING POWDERS

(Maximum Quantity 100 G. and 1 Repeat)

BORIC TALC

Boric Acid					5 G.
Starch					10 G.
Purified Talc					85 G.

DICOPHANE

Dicophane					10 G.
Calcium Carbonate					10 G.
Light Kaolin					80 G.

PRESCRIPTION

KAOLIN COMPOUND

Light Kaolin					25 G.
Zinc Oxide					25 G.
Purified Talc	..				50 G.

SALICYLIC ACID, COMPOUND

Salicylic Acid					3 G.
Boric Acid					5 G.
Purified Talc	..				92 G.

ZINC, COMPOUND

Boric Acid					5 G.
Zinc Oxide					25 G.
Purified Talc	..				35 G.
Starch					35 G.

EAR DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

ALUMINIUM ACETATE

Aluminium Acetate Solution					9 ml.
Purified Water to	..				15 ml.

BORIC ACID

Boric Acid					300 mg.
Industrial Methylated Spirit					3 ml.
Purified Water to	..				15 ml.

PRESCRIPTION

EAR DROPS—*cont.*

CHLORHEXIDINE

Chlorhexidine Diacetate			7.5 mg.
Purified Water to	..		15 ml.

HYDROGEN PEROXIDE

Hydrogen Peroxide Solution		3.75 ml.
Purified Water to		15 ml.

ICHTHAMMOL

Ichthammol			10 G.
Glycerin	..		90 G.

PHENYLMERCURIC NITRATE

Phenylmercuric Nitrate			15 mg.
Propylene Glycol to			15 ml.

SALICYLIC ACID

Salicylic Acid	..		300 mg.
Industrial Methylated Spirit			7.5 ml.
Purified Water to	..		15 ml.

SODIUM BICARBONATE

Sodium Bicarbonate			600 mg.
Glycerin	..		11.25 ml.
Purified Water to	..		15 ml.

SPIRIT

Industrial Methylated Spirit		7.5 ml.
Purified Water to		15 ml.

PRESCRIPTION

ELIXIRS

(Maximum Quantity 100 ml. and 4 Repeats)

EPHEDRINE

Ephedrine Hydrochloride			20 mg.
Aromatic Syrup, A.P.F.			2 ml.
Concentrated Chloroform	Water		0.1 ml.
Water to	..		5 ml.

PHENOBARBITONE

Phenobarbitone			15 mg.
Alcohol (90 per cent)	..		2 ml.
Glycerin	..		1.5 ml.
Aromatic Syrup, A.P.F. to			5 ml.

EMULSION

(Maximum Quantity 400 ml. and 4 Repeats)

LIQUID PARAFFIN

Liquid Paraffin			200 ml.
Acacia			50 G.
Saccharin Sodium	..		20 mg.
Benzoic Acid Solution, A.P.F.			10 ml.
Vanillin			200 mg.
Chloroform			1 ml.
Purified Water to	..		400 ml.

(May be prescribed for pensioners only)

PRESCRIPTION

EYE DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

ZINC and ADRENALINE

Zinc Sulphate	37.5 mg.
Adrenaline Solution	1.5 ml.
Boric Acid	225 mg.
Sodium Metabisulphite	7.5 mg.
Chlorbutol	75 mg.
Glycerin	0.15 ml.
Water for Injection to	15 ml.

ZINC SULPHATE

Zinc Sulphate	37.5 mg.
Boric Acid	225 mg.
Chlorbutol	75 mg.
Glycerin	0.15 ml.
Water for Injection to	15 ml.

INHALATIONS

(Maximum Quantity 50 ml. and 1 Repeat)

BENZOIN

Benzoin	5 G.
Prepared Storax	3.5 G.
Industrial Methylated Spirit to	50 ml.

MENTHOL and BENZOIN

Menthol	1 G.
Benzoin Inhalation, A.P.F. to	50 ml.

PRESCRIPTION

MENTHOL and EUCALYPTUS

Menthol	1 G.
Eucalyptus Oil	6.25 ml.
Light Magnesium Carbonate	3.5 G.
Water to	50 ml.

MENTHOL and PINE

Menthol	1 G.
Creosote	1 ml.
Pumilio Pine Oil	2.5 ml.
Industrial Methylated Spirit to	50 ml.

LINCTUSES

(Except where shown, Maximum Quantity 100 ml. and 4 Repeats)

CAMPHOR COMPOUND

Camphorated Opium Tincture	2 ml.
Oxymel of Squill	1 ml.
Syrup to	5 ml.

CODEINE

(Maximum Quantity 100 ml. and 2 Repeats)

Codeine Phosphate	25 mg.
Water	1 ml.
Glycerin	1 ml.
Oxymel of Squill	2 ml.
Syrup to	5 ml.

PRESCRIPTION

LINCTUSES—cont.

PHOLCODINE

Pholcodine	5 mg.
Citric Acid	50 mg.
Chloroform Spirit	0.3 ml.
Compound Amaranth Solution, A.P.F.	0.1 ml.
Glycerin	1 ml.
Syrup to	5 ml.

SIMPLE

Citric Acid	200 mg.
Chloroform Spirit	0.3 ml.
Amaranth Solution, A.P.F.	0.1 ml.
Concentrated Anise Water	0.1 ml.
Syrup to	5 ml.

LINIMENTS

(Maximum Quantity 100 ml. and 1 Repeat)

CAMPHOR

Camphor	20 G.
Arachis Oil	80 G.

METHYL SALICYLATE

Methyl Salicylate	25 ml.
Arachis Oil to	100 ml.

PRESCRIPTION

METHYL SALICYLATE, COMPOUND

Menthol	4 G.
Eucalyptus Oil	10 ml.
Methyl Salicylate	25 ml.
Arachis Oil to	100 ml.

SOAP

Camphor	4 G.
Oleic Acid	4 G.
Potassium Hydroxide Solution, (5 per cent)	14 ml.
Industrial Methylated Spirit	70 ml.
Rosemary Oil	1.5 ml.
Purified Water to	100 ml.

LOTIONS

(Maximum Quantity 200 ml. and 1 Repeat)

CALAMINE

Calamine	30 G.
Zinc Oxide	10 G.
Bentonite	6 G.
Sodium Citrate	1 G.
Liquefied Phenol	1 ml.
Glycerin	10 ml.
Purified Water to	200 ml.

PREScription

LOTIONS—cont.

CALAMINE OILY

Calamine	10 G.
Wool Fat	2 G.
Arachis Oil	100 ml.
Oleic Acid	1 ml.
Calcium Hydroxide Solution to ..	200 ml.

RESORCINOL COMPOUND

Resorcinol	5 G.
Solvent Ether	5 ml.
Castor Oil	5 ml.
Spike Lavender Oil	0.2 ml.
Industrial Methylated Spirit to ..	200 ml.

SULPHURATED

Zinc Sulphate	10 G.
Sulphurated Potash	10 G.
Acetone	10 ml.
Glycerin	10 ml.
Spike Lavender Oil	0.4 ml.
Purified Water to	200 ml.

ZINC SULPHATE

Zinc Sulphate	2 G.
Amaranth Solution, A.P.F.	2 ml.
Purified Water to	200 ml.

PREScription

MIXTURES

(Maximum Quantity 200 ml. and 4 Repeats)

ACETYSALICYLIC ACID

Acetylsalicylic Acid	500 mg.
Compound Tragacanth Powder ..	200 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water ..	0.25 ml.
Water to	10 ml.

Additional drugs may be required to be prescribed with this mixture, and the following doses are considered suitable for addition to each 10 millilitre dose.

Amylobarbitone	25 mg.
Morphine Hydrochloride	10 mg.
Paracetamol	500 mg.

ACETYSALICYLIC ACID and CODEINE

Codeine Phosphate	20 mg.
Acetylsalicylic Acid	500 mg.
Compound Tragacanth Powder ..	200 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water ..	0.25 ml.
Water to	10 ml.

PREScription

MIXTURES—*cont.*

ACETYSALICYLIC ACID and MORPHINE

Morphine Hydrochloride Solution	1 ml.
Amaranth Solution A.P.F.	0.1 ml.
Acetylsalicylic Acid	500 mg.
Compound Tragacanth Powder ..	200 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water ..	0.25 ml.
Water to	10 ml.

ACETYSALICYLIC ACID and PARACETAMOL

Acetylsalicylic Acid	500 mg.
Paracetamol	250 mg.
Caffeine	50 mg.
Compound Tragacanth Powder	200 mg.
Orange Syrup	1 ml.
Water to	10 ml.

ACETYSALICYLIC ACID and
PHENOBARBITONE

Phenobarbitone	20 mg.
Acetylsalicylic Acid	500 mg.
Compound Tragacanth Powder ..	200 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water ..	0.25 ml.
Water to	10 ml.

ALUMINIUM HYDROXIDE with BELLADONNA

Belladonna Tincture	0.5 ml.
Mixture of Aluminium Hydroxide	
A.P.F. to	10 ml.

PREScription

ALUMINIUM HYDROXIDE with KAOLIN and
OPIUM

Light Kaolin	2 G.
Opium Tincture	0.3 ml.
Mixture of Aluminium Hydroxide	
A.P.F. to	10 ml.

ALUMINIUM HYDROXIDE with PROCAINE

Procaine Hydrochloride	100 mg.
Mixture of Aluminium Hydroxide	
A.P.F. to	10 ml.

AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium	20 mg.
Ephedrine Hydrochloride	15 mg.
Potassium Iodide	500 mg.
Aminophylline	100 mg.
Liquorice Liquid Extract	0.5 ml.
Chloroform Water Concentrated ..	0.25 ml.
Water to	10 ml.

CAFFEINE, IODIDE and EPHEDRINE

Synonym: C.I.E. Mixture.

Caffeine	150 mg.
Sodium Iodide	500 mg.
Ephedrine Hydrochloride	20 mg.
Syrup Tolu	4 ml.
Spirit of Aniseed	0.06 ml.
Water to	10 ml.

PRESCRIPTION

MIXTURES—cont.

CALCIUM ACETYSALICYLATE

Acetylsalicylic Acid				550 mg.
Calcium Hydroxide	..			155 mg.
Neutral Syrup of Lemon				2 ml.
Solution of Carmine				0.1 ml.
Water to				10 ml.

CHALK and KAOLIN

Chalk				1.5 G.
Light Kaolin	..			2.5 G.
Light Magnesium Carbonate				200 mg.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

CHLORAL

Chloral Hydrate				1 G.
Orange Syrup	..			1 ml.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

COUGH

Synonym: Mixture Ad. Tussem.

Ipecacuanha Tincture				0.3 ml.
Camphorated Opium Tincture				1.2 ml.
Syrup Tolu				1.2 ml.
Oxymel of Squill				1 ml.
Chloroform Spirit				0.3 ml.
Anise Water Concentrated				0.15 ml.
Water to				10 ml.

PRESCRIPTION

FERROUS SULPHATE

Ferrous Sulphate	..			300 mg.
Dextrose Monohydrate	..			1 G.
Orange Syrup	..			1 ml.
Citric Acid				50 mg.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

GENTIAN ACID

Concentrated Compound Gentian Infusion				1.25 ml.
Dilute Hydrochloric Acid				0.5 ml.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

GENTIAN ALKALINE

Concentrated Compound Gentian Infusion				1.25 ml.
Sodium Bicarbonate				500 mg.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

KAOLIN and OPIUM

Light Kaolin				2.5 G.
Light Magnesium Carbonate				200 mg.
Opium Tincture				0.5 ml.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

PRESCRIPTION

MIXTURES—*cont.*

MAGNESIUM TRISILICATE

Magnesium Trisilicate	1 G.
Calcium Carbonate	500 mg.
Light Magnesium Carbonate	500 mg.
Concentrated Peppermint Water	0.25 ml.
Water to	10 ml.

**PHENOBARBITONE with BELLADONNA,
PROCAINE and ALUMINIUM HYDROXIDE**

Synonym: P.B.P.A. Mixture

Phenobarbitone Sodium	15 mg.
Belladonna Tincture	0.6 ml.
Procaine Hydrochloride	150 mg.
Mixture of Aluminium Hydroxide	
A.P.F. to	10 ml.

POTASSIUM CHLORIDE

Potassium Chloride	1 G.
Lemon Syrup, A.P.F.	2 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

POTASSIUM CITRATE

Potassium Citrate	2 G.
Citric Acid	400 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

PRESCRIPTION

**POTASSIUM CITRATE and SODIUM
BICARBONATE**

Potassium Citrate	1 G.
Sodium Bicarbonate	750 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

**POTASSIUM IODIDE and STRAMONIUM,
COMPOUND**

Synonym: Lobelia and Stramonium Mixture.

Potassium Iodide	250 mg.
Stramonium Tincture	0.5 ml.
Lobelia Ethereal Tincture	0.5 ml.
Aromatic Ammonia Spirit	0.5 ml.
Liquorice Liquid Extract	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

SENEGA and AMMONIA

Ammonium Bicarbonate	250 mg.
Camphorated Opium Tincture	1 ml.
Liquorice Liquid Extract	0.5 ml.
Concentrated Senega Infusion	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

PRESCRIPTION

MIXTURES—cont.

SODIUM CITRATE

Sodium Citrate				2 G.
Citric Acid				400 mg.
Lemon Syrup, A.P.F.				1 ml.
Concentrated Chloroform	Water			0.25 ml.
Water to	..			10 ml.

SODIUM SALICYLATE

Sodium Salicylate	..			1 G.
Liquorice Liquid Extract				0.25 ml.
Concentrated Chloroform	Water			0.25 ml.
Water to	..			10 ml.

NASAL INSTILLATIONS

(Maximum Quantity 15 ml. and 2 Repeats)

DEXTROSE and GLYCERIN

Dextrose Monohydrate				3 G.
Glycerin to				15 ml.

EPHEDRINE

Ephedrine Hydrochloride				150 mg.
Chlorbutol				75 mg.
Sodium Chloride				75 mg.
Propylene Glycol				0.75 ml.
Purified Water to	..			15 ml.

PRESCRIPTION

OINTMENTS

(Maximum Quantity 100 G. and 1 Repeat)

BENZOIC ACID, COMPOUND

Benzoic Acid				6 G.
Salicylic Acid	..			3 G.
Emulsifying Ointment	..			91 G.

EMULSIFYING

Emulsifying Wax	..			30 G.
White Soft Paraffin				50 G.
Liquid Paraffin				20 G.

HAMAMELIS, COMPOUND

Hamamelis Liquid Extract				10 ml.
Phenol				2 G.
Zinc Oxide				10 G.
Wool Fat	..			50 G.
Yellow Soft Paraffin to	..			100 G.

RESORCINOL and SULPHUR, COMPOUND

Resorcinol				2 G.
Precipitated Sulphur	..			3 G.
Salicylic Acid	..			1 G.
White Simple Ointment				94 G.

SALICYLIC ACID

Salicylic Acid	..			2 G.
Wool Alcohols Ointment				98 G.

PREScription

OINTMENTS—*cont.*

SIMPLE

Wool Fat	5 G.
Hard Paraffin	5 G.
Cetostearyl Alcohol	5 G.
White Soft Paraffin	85 G.

SULPHUR

Sublimed Sulphur	10 G.
White Simple Ointment	90 G.

ZINC and CASTOR OIL

Zinc Oxide	7.5 G.
Castor Oil	50 G.
Cetostearyl Alcohol	2 G.
White Beeswax	10 G.
Arachis Oil	30.5 G.

ZINC OXIDE

Zinc Oxide	15 G.
White Simple Ointment	85 G.

PAINTS

(Maximum Quantity 25 ml. and 1 Repeat)

ICHTHAMMOL

Ichthammol	10 G.
Glycerin	90 G.

PREScription

MAGENTA

Magenta	100 mg.
Resorcinol	2 G.
Phenol	1 G.
Boric Acid	200 mg.
Industrial Methylated Spirit	2 ml.
Acetone	1 ml.
Purified Water to	25 ml.

PODOPHYLLIN

Podophyllum Resin	1.25 G.
Compound Benzoin Tincture to	25 ml.

PODOPHYLLIN, STRONG

Podophyllum Resin	3.75 G.
Compound Benzoin Tincture to	25 ml.

SALICYLIC ACID

Salicylic Acid	2.5 G.
Flexible Collodion to	25 ml.

PASTES

(Maximum Quantity 100 G. and 1 Repeat)

COAL TAR

Coal Tar, B.P.C.	1 G.
Castor Oil	1 G.
Compound Zinc Paste	98 G.

PRESCRIPTION

PASTES—*cont.*

DITHRANOL and ZINC

Dithranol	100 mg.
Compound Zinc Paste	99.9 G.

DITHRANOL and ZINC, STRONG

Dithranol	1 G.
Compound Zinc Paste	99 G.

TITANIUM DIOXIDE

Titanium Dioxide	20 G.
Zinc Oxide	10 G.
Calamine	10 G.
Light Kaolin	10 G.
Bentonite	1 G.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Glycerin	20 G.
Purified Water to	100 G.

ZINC, COMPOUND

Zinc Oxide	25 G.
Starch	25 G.
White Soft Paraffin	50 G.

ZINC and SALICYLIC ACID

Salicylic Acid	2 G.
Liquid Paraffin	2 G.
Compound Zinc Paste	96 G.

PRESCRIPTION

POWDERS

(Maximum Quantity 100 G. and 2 Repeats)

ALUMINIUM and MAGNESIUM TRISILICATE

Dried Aluminium Hydroxide Gel	10 G.
Magnesium Trisilicate	50 G.
Light Kaolin	40 G.

MAGNESIUM and CALCIUM CARBONATE

Calcium Carbonate	25 G.
Heavy Magnesium Carbonate	25 G.
Magnesium Trisilicate	50 G.
Peppermint Oil	0.2 ml.

SPRAY

(Maximum Quantity 15 ml. and 2 Repeats)

ADRENALINE and ATROPINE

Adrenaline Acid Tartrate	135 mg.
Atropine Methonitrate	15 mg.
Sodium Chloride	90 mg.
Chlorbutol	75 mg.
Sodium Metabisulphite	15 mg.
Propylene Glycol	0.75 ml.
Purified Water, freshly boiled and cooled to	15 ml.

SECTION 5 — PRESCRIBERS' LIST — CHILDREN'S SECTION

PRESCRIPTION

LINCTUS

(Maximum Quantity 100 ml. and 4 Repeats)

PHOLCODINE

Pholcodine					2.5 mg.
Citric Acid					25 mg.
Chloroform Spirit	..				0.15 ml.
Compound Amaranth Solution,					
A.P.F.	..				0.05 ml.
Glycerin	..				0.5 ml.
Syrup to	..				5 ml.

MIXTURES

(Maximum Quantity 100 ml. and 4 Repeats)

ACETYLSALICYLIC ACID

Acetylsalicylic Acid					150 mg.
Compound Tragacanth Powder					100 mg.
Raspberry Syrup	..				1 ml.
Water to	..				5 ml.

PRESCRIPTION

ALUMINIUM HYDROXIDE with KAOLIN

Light Kaolin	..				1 G.
Aluminium Hydroxide Mixture to					5 ml.

ATROPINE METHONITRATE

Atropine Methonitrate					0.5 mg.
Lemon Syrup, A.P.F.	..				0.5 ml.
Concentrated Chloroform Water					0.1 ml.
Water to	..				5 ml.

BELLADONNA

Belladonna Tincture					0.1 ml.
Orange Syrup					1 ml.
Glycerin					1 ml.
Benzoic Acid Solution, A.P.F.					0.1 ml.
Water to	..				5 ml.

PREScription

MIXTURES—cont.

CALCIUM and KAOLIN

Calcium Carbonate		500 mg.
Light Kaolin		1 G.
Light Magnesium Carbonate		100 mg.
Chloroform Spirit	..	0.1 ml.
Concentrated Cinnamon Water		0.1 ml.
Water to	..	5 ml.

CHLORAL

Chloral Hydrate		250 mg.
Orange Syrup	..	1 ml.
Concentrated Chloroform Water		0.1 ml.
Water to	..	5 ml.

FERROUS GLUCONATE

Ferrous Gluconate	..	200 mg.
Dextrose Monohydrate	..	500 mg.
Orange Syrup	..	1 ml.
Citric Acid		25 mg.
Concentrated Chloroform Water		0.1 ml.
Water to	..	5 ml.

FERROUS SULPHATE

Ferrous Sulphate	..	100 mg.
Dextrose Monohydrate		500 mg.
Orange Syrup	..	1 ml.
Citric Acid		25 mg.
Concentrated Chloroform Water		0.1 ml.
Water to	..	5 ml.

PREScription

IPECACUANHA and SQUILL

Ipecacuanha Tincture	..	0.1 ml.
Camphorated Opium Tincture		0.3 ml.
Oxymel of Squill		1 ml.
Water to	..	5 ml.

MAGNESIUM SULPHATE

Magnesium Sulphate		1 G.
Light Magnesium Carbonate		200 mg.
Concentrated Peppermint Water		0.1 ml.
Water to	..	5 ml.

PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole	..	500 mg.
Light Kaolin		300 mg.
Compound Tragacanth Powder		50 mg.
Raspberry Syrup		1 ml.
Benzoic Acid Solution, A.P.F.		0.1 ml.
Concentrated Chloroform Water		0.1 ml.
Water to	..	5 ml.

POTASSIUM CITRATE

Potassium Citrate	..	1 G.
Citric Acid		200 mg.
Lemon Syrup, A.P.F.		1 ml.
Concentrated Chloroform Water		0.1 ml.
Water to	..	5 ml.

PREScription

MIXTURES—cont.

POTASSIUM IODIDE

Potassium Iodide				100 mg.
Liquorice Liquid Extract				0.25 ml.
Aromatic Ammonia Spirit				0.1 ml.
Concentrated Chloroform	Water			0.1 ml.
Water to	..			5 ml.

POTASSIUM IODIDE and EPHEDRINE

Potassium Iodide				100 mg.
Ephedrine Hydrochloride				10 mg.
Stramonium Tincture	..			0.2 ml.
Aromatic Ammonia Spirit				0.1 ml.
Liquorice Liquid Extract				0.2 ml.
Concentrated Chloroform	Water			0.1 ml.
Water to	..			5 ml.

PREScription

SODIUM AMINOSALICYLATE

Sodium Aminosalicylate				1 G.
Liquorice Liquid Extract	..			0.25 ml.
Orange Syrup	..			1 ml.
Concentrated Chloroform	Water			0.1 ml.
Water to	.			5 ml.

SODIUM CITRATE

Sodium Citrate				1 G.
Citric Acid				200 mg.
Lemon Syrup, A.P.F.				1 ml.
Concentrated Chloroform	Water			0.1 ml.
Water to	..			5 ml.

Section VI

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

**PART 3 ABBREVIATIONS OR SYNONYMS
FOR APPROVED NAMES**

PROPRIETARY INDEX

PART I—PROPRIETARY NAMES INDEX

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
A.B. Elixir	KL	Theophylline
Abbocillin	AB	Penicillin products
Abbocillin G	AB	Penicillin products
Abbocillin-V	AB	Penicillin products
Abbocillin-VK	AB	Penicillin products
Abbocort	AB	Hydrocortisone Acetate
Abbomycin-V	AB	Tetracycline (Buffered)
Acetophos	HY	Codeine Phosphate with Acetylsalicylic Acid
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin-V	LE	Tetracycline (Buffered) with Nystatin
Acluton	WP	Phenindione
Acode	KL	Codeine Phosphate with Acetylsalicylic Acid
Act-Al	WL	Aluminium Hydroxide Gel Dried
Aethar	AR	Corticotrophin
Actidil	BW	Triprolidine
Actrapid	EV	Insulin Neutral
Adaben	KL	Benzocaine with Adrenaline
Adrenate	BW	Adrenaline Acid Tartrate
Adrox	RD	Aluminium Hydroxide Gel Dried
Aerosporin	BW	Polymyxin B Sulphate (Aqueous)
Agarol	WW	Paraffin Liquid
Airbron	BD	Acetylcysteine
Akineton	KN	Biperiden
Albucid	SC	Sulphacetamide Sodium
Alcopar	BW	Bephenium Hydroxynaphthoate
Aldactone-A	SR	Spironolactone
Aldocorten	CB	Aldosterone
Aldomet	MK	Methyldopa
Alkeran	BW	Melphalan
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Almacarb	BD	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Alox	KL	Aluminium Hydroxide Gel Dried
Alox Compound	KL	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Ambramycin	LT	Tetracycline
Ambramycin-V	LT	Tetracycline (Buffered)
Aminacyl	WA	P.A.S. Preparations
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amphenol	VR	Chloramphenicol
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylosol	LF	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anagal	KL	Bismuth Subgallate
Anatensol	SQ	Fluphenazine
Ancolan	BD	Meclozine
Andrazide	ET	Isoniazid
Androphylline	ET	Aminophylline
Androthalone	RL	Mestanolone
Anectine	BW	Suxamethonium Chloride
Angesil	DH	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Anginine Stabilised	BW	Glyceryl Trinitrate
Anoidal	HA	Benzalkonium Chloride
Ansolsen	MB	Pentolinium Tartrate
Anthiphen	MB	Dichlorophen
Anthisan	MB	Mepyramine
Antiderm	HY	Pyridoxine Hydrochloride
Antistine	CB	Antazoline
Antistine Privine	CB	Antazoline with Naphazoline
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide
Aaturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox-M	BT	Bendrofluazide
Aprinox	BT	Bendrofluazide
Aquacaine G	CS	Penicillin Procaine
Aquacaine G Fortified	CS	Penicillin Procaine Fortified
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascotin	FA	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Aspalgin	FM	Codeine Phosphate with Acetylsalicylic Acid
Aspisol	KL	Acetylsalicylic Acid
Astrafer	AP	Dextriferron
A.T.10	WL	Dihydrotachysterol
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Austracol	CS	Chloramphenicol
Austracort	CS	Cortisone Acetate
Austracort, P.L.	CS	Prednisolone
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapine	CS	Reserpine
Austrawolf	CS	Rauwolfia Alkaloids
Austroxin	CS	Digoxin
Aventyl	LY	Nortriptyline
Avil	AH	Pheniramine
Avilette	AH	Pheniramine
Avloclor	IC	Chloroquine
Avlosulphon	IC	Dapsone

B

Bacomyein	SI	Polymyxin B Sulphate with Bacitracin and Neomycin
Bactylan	RL	Sodium Aminosalicylate
Badrin	KL	Amphetamine Sulphate
Bakramil	BK	Phenobarbitone
Baqual	KL	Quinalbarbitone Sodium
Barbeph	KL	Ephedrine Hydrochloride with Phenobarbitone
Barbeph Forte	KL	Ephedrine Hydrochloride with Phenobarbitone
Barbico	AB	Barbiturates Compound
Barbidein	DH	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Barbopent	BW	Pentobarbitone Sodium
Bardorm	GP	Phenobarbitone
Bayrena	FB	Sulphamethoxydiazine
Belgar	WW	Belladonna with Phenobarbitone
Belgar Forte	WW	Belladonna with Phenobarbitone
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellaphen	GP	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadon	RO	Pyridoxine Hydrochloride
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Betamin	KL	Aneurine Hydrochloride
Betamin Forte	KL	Aneurine Hydrochloride
Beta Sol	FM	Aneurine Hydrochloride
Betatabs	FM	Aneurine Hydrochloride
Betnelan	GL	Betamethasone
Bicillin	WY	Penicillin Benzathine
Bicillin-V	WY	Penicillin Phenoxymethyl (Benzathine Salt)
Binesia	FA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Biomycetin	CW	Chloramphenicol
Biomydryn Otic	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bobbamycin	SU	Oxytetracycline
Bonadorm	EV	Dichloralphenazone
Brevidil M	MB	Suxamethonium Bromide
Brinaldix	SZ	Clopamide
Brislox	BC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Bristab	BC	Hydroflumethiazide
Bristacin-A	BC	Rolitetraacycline
Bristuric	BC	Bendrofluazide
Bronkephrine	WL	Ethylnoradrenaline
Budoform	DR	Iodochlorhydroxyquinoline
Bureo	BW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Burcosol	BW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butaphen	PR	Phenylbutazone
Butazolidin	GE	Phenylbutazone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Butabarbital Sodium
Butoroid	VR	Phenylbutazone
Buzon	KL	Phenylbutazone

C

Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot BP	SZ	Ergotamine Tartrate with Caffeine
Cafergot Q	SZ	Ergotamine Tartrate with Caffeine
Calasco	CA	Codeine Phosphate with Acetylsalicylic Acid
Calcipas	KL	Calcium Aminosalicylate
Calcium Sandoz	SZ	Calcium Gluconate
Camoquin	PD	Amodiaquine
Cantil	SI	Mepenzolate
Carbazole	PT	Carbimazole
Carbripen	PT	Pentobarbitone Compound
Carbital	PD	Pentobarbitone Compound
Cardilate	BW	Erythrityl Tetranitrate
Cardophyllin	HA	Aminophylline
Cardoxin	SU	Digoxin
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celontin	PD	Methsuximide
Cetamin	KL	Ascorbic Acid
Chlomin	KL	Chloramphenicol
Chlopex	KL	Chloramphenicol with Polymyxin B.
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chlorphen	LF	Chloramphenicol
Chloroquine	PT	Chloroquin
Chlortet	LF	Chlortetracycline
Chlor Trimeton	SH	Chlorpheniramine
Chlotride	MK	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Ciba 1906 Depot	CB	Thiambutosine
Cilicaine	SI	Penicillin Products
Cilicaine Forti- fied	SI	Penicillin Products

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Cilicaine Simplex	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Cilamycin	SI	Penicillin with Streptomycin
Cillaphen	PR	Penicillin Phenoxymethyl
Citradex	GL	Vitamins Compound
Citrapen	DL	Penicillin Phenoxymethyl
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Clistin RA	ET	Carbinoxamine
Clorstom	DH	Chloramine
Cobastab	BT	Cyanocobalamin
Co-Com	VR	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Codacet	BW	Codeine Phosphate with Acetylsalicylic Acid
Code Co.	HA	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Codelcortone T.B.A.	MK	Prednisolone Tertiary Butyl Acetate
Codelsol Plain	MK	Prednisolone Sodium Phosphate
Codiphen	GP	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codiphen Forte	GP	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codral Forte	BW	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codsol	KL	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colliron	EV	Ferric Hydroxide
Colliron	EV	Iron Oxide Saccharated
Collumina	EV	Aluminium Hydroxide Gel Dried
Coly-Mycin	WW	Colistin
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline (Buffered) with Nystatin
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cortelan	GL	Cortisone Acetate
Cortico-Gel	CK	Corticotrophin
Cortisyl	RL	Cortisone Acetate
Cortocaps	CK	Hydrocortisone with Neomycin
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrophin ZN	OR	Corticotrophin

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Cotin	KL	Ergotamine Tartrate with Caffeine
Coumadin	EN	Warfarin
Cremonycin	MK	Neomycin Sulphate Mixture
Crystamycin	GL	Penicillin with Streptomycin
Crystapen G	GL	Penicillin Benzyl
Crystasol	GL	Penicillin with Streptomycin
C.V.K.	GL	Penicillin Phenoxymethyl
C.V.L.	GL	Penicillin Phenoxymethyl
Cybal	KL	Cyclobarbitone
Cycladiene	DF	Dienoestrol
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen	GL	Cyanocobalamin

D

Dales	CI	Goats Milk—Dehydrated
Daquin	RK	Chlorazanol
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Darenthin	BW	Bretylium Tosylate
Daricon	PF	Oxyphenacylimine
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Deltacortril	PF	Prednisolone
Deltafluorene	LT	Dexamethasone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Delta-Stab	BT	Prednisolone
Dendrid	AQ	Idoxuridine
Depo-Medrol	UP	Prednisolone Methyl Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermafilm	PD	Dimethicone
Dermaline	HY	Dithranol
Deronil	SH	Dexamethasone
Desoxyn	AB	Methylamphetamine
Dexacortisyl	RL	Dexamethasone
Dexamine	KL	Dexamphetamine
Dexamphate	DH	Dexamphetamine
Dexa-Scheroson	SC	Dexamethasone
Dexasone	PT	Dexamethasone
D.F.P.	BT	Dyflos
Diabex	DF	Metformin
Diabinese	PF	Chlorpropamide
Diacta	NS	Sulphaguanidine
Di-Ademil	SQ	Hydroflumethiazide
Diagastrin	GP	Neomycin Sulphate Mixture
Dialoxin	LF	Digoxin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Diamox	LE	Acetazolamide
Diamox Sodium	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	BX	Peritoneal Dialysis Solution
Dia-statin	GP	Nystatin
Diazyl	AB	Sulphadiazine
Diazyl M	AB	Sulphadiazine
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Digicristin	MJ	Digitoxin
Diginox	RD	Digoxin
Digitaline	NA	Digitoxin
Digitox	PT	Digitoxin
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin DA	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Dihydromorphinone Hydrochloride
Dilosyn	BD	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Diminsuls	MG	Sulphadimidine
Dindevan	EV	Phenindione
Diodoquin	SR	Di-iodohydroxyquinoline
Di-Paralene	AB	Chlorcyclizine Hydrochloride
Diparcol	MB	Diethazine
Direma	DL	Hydrochlorothiazide
Direxiodo	DF	Di-iodohydroxyquinoline
Disipal	RK	Orphenadrine
Disipidin	ST	Pituitary Posterior Lobe
Distaquaine V	DL	Penicillin Products
Distaquaine VK	DL	Penicillin Products
Ditoin	KL	Phenytoin Sodium
Divermex	DF	Piperazine Adipate
Dixin	KL	Digitoxin
Doburil	BY	Cyclothiazide
D.O.C.A.	OR	Deoxycortone
Dolamin	NY	Paracetamol
Donnabarbital	FM	Belladonna with Phenobarbitone
Donnabarbital Forte	FM	Belladonna with Phenobarbitone
Donnatal	RS	Belladonna with Phenobarbitone
Doriden	CB	Glutethimide
Doxephlin	PH	Methylamphetamine
D-Penamine	DL	Penicillamine
Dromoran	RO	Levorphanol

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Durabolin	OR	Nandrolone Phenylpropionate
Duronitrin	ET	Troloinitrate Phosphate
Duro-Tuss	RK	Pholcodine
Dymadon	CA	Paracetamol
Dytac	SK	Triamterene

E

E.D.C.	NS	Ethylidene Dicoumarin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinylloestradiol
Efcortelan	GL	Hydrocortisone
Efkay	KL	Potassium
Elixophyllin	FA	Theophylline
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Eltroxin	GL	Thyroxine Sodium
Embequin	MB	Di-iodohydroxyquinoline
Emphet	VR	Methylamphetamine
EMU	UP	Erythromycin Preparations
EMU-V	UP	Erythromycin Preparations
Emycin	PF	Erythromycin
Enamine	CA	Chlorpheniramine
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensoarb	HY	Phenobarbitone
Ensogran	HY	Sodium Aminosalicylate
Entacyl	BD	Piperazine Adipate
Entamycin	VR	Neomycin Sulphate Mixture
Enterfram	FC	Framycetin
Enterocid	BS	Phthalylsulphacetamide
Entero-Vioform	CB	Iodochlorhydroxyquinoline
Ephedroid	BW	Ephedrine Hydrochloride
Ephedrobarbital	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Pheno- barbitone
Epidione	GA	Troxidone
Epifrin	AG	Adrenaline
Eppy	ET	Adrenaline
Ergalan	BD	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergalan-B	BD	Ergotamine Tartrate with Caffeine
Ergodryl	PD	Ergotamine Tartrate with Caffeine Cit- rate and Diphenhydramine Hydro- chloride
Ergoma!	MJ	Ergometrine Maleate

<i>Proprietary Name</i>	<i>Manu- factures</i>	<i>Approved Name</i>
Ergomine	PT	Ergometrine Maleate
Ergotart	PT	Ergotamine Tartrate
Ergotart-C	PT	Ergotamine Tartrate with Caffeine
Ergotrate	LY	Ergometrine Maleate
Ermalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Estigyn	BD	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Estrasal	HY	Ethinylloestradiol
Etaphylline	DF	Theophylline Ethanoate of Piperazine
Ethamide	AG	Ethoxzolamide
Ethamolin	GL	Ethanolamine Oleate
Etherone	PT	Ethisterone
Ethidyne	EL	Codeine Phosphate with Acetylsalicylic Acid
Ethryn	FA	Erythromycin
Etin	KL	Ergotamine Tartrate
Eucerin	EV	Wool Alcohols
Eumydrin	WL	Atropine Methonitrate
Evactil	FA	Paraffin Liquid

F

Fabahistin	FB	Mebhydrolin
Fabahistin TR	FB	Mebhydrolin
Falcopen V	FA	Penicillin Products
Falcopen VK	FA	Penicillin Products
Famet	CA	Sulphamethizole
Fanatoin	IP	Nitrofurantoin
Fenadon	GA	Phenindione
Fenallo	DH	Phenolphthalein Compound
Fenbital	BW	Phenobarbitone
Fenostil	CB	Dimethindene
Fenostil Retard	CB	Dimethindene
Fergon	WL	Ferrous Gluconate
Ferrin 55	FA	Ferrous Gluconate
Ferri-Vita	HY	Ferrous Sulphate
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate
Ferroids	MR	Iron Aminoates
Ferromyn	CA	Ferrous Succinate
Ferronicum	SZ	Ferrous Gluconate
Ferrose	DH	Ferrous Gluconate
Ferrum	SI	Iron Polymaltose Complex
Hausmann		
Fersolate	GL	Ferrous Sulphate

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Fibroxin	VR	Digoxin
Flagyl	MB	Metronidazole
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folvite	LE	Sodium Folate
Fosco	HY	Ferrous Phosphate Compound
Framygen	GN	Framycetin
Fucidin	ET	Fusidic Acid
Fulein Forte	IC	Griseofulvin
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate

G

Galactomin Formula 11	TF	Milk Powder—Synthetic
Galactomin Formula 19	TF	Milk Powder—Synthetic
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Gardenal	MB	Phenobarbitone
Gardenal Sodium	MB	Phenobarbitone Sodium
Gastrogel	FM	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gastrox	GP	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Geloid	BW	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Gelox	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Mag- nesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucan	MH	Adrenaline
Gluciron	MG	Ferrous Gluconate
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Gondafon	SC	Glymidine
Grisovin F.P.	GL	Griseofulvin
Guanimycin	GL	Streptomycin Sulphate with Sulpha- guanidine
Gynergen	SZ	Ergotamine Tartrate

H

Haemofort	MJ	Ferrous Sulphate
Haemopan	PT	Phenindione
Haldron	LY	Paramethasone
Halotestin	UP	Fluoxymesterone
Helmezine	GL	Piperazine Phosphate
Hernorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hetrazan	LE	Diethylcarbamazine
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride
Hibitane Con- centrate 5%	IC	Chlorhexidine Gluconate
Histalert	RK	Diphenylpyraline
Histostab	BT	Antazoline
Histryl	SK	Diphenylpyraline
Honvan	MJ	Disodium Stilboestrol Diphosphate
Hostacycline P	AH	Tetracycline (Buffered)
H.P. Acthar-Gel	AR	Corticotrophin
Hyalase	FC	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Acetylsalicylic Acid
Hycor	SI	Hydrocortisone
Hyd-Oint.	PT	Hydrocortisone
Hydrocortisyl	RL	Hydrocortisone Sodium Succinate
Hydrenox	BT	Hydroflumethiazide
Hydrid	VR	Mersalyl
Hydrocortistab	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone
Hydrocortone	MK	Hydrocortisone Acetate
Hydrop	PT	Hydrocortisone
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hypertet	CI	Tetanus Immune Globulin (Human)
Hypothal	MJ	Rauwolfia Alkaloids
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Hysterg	VR	Ergometrine Maleate

I

Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Inapasade	SN	Sodium Aminosalicylate with Isoniazid
Indocid	MK	Indomethacin
Insoral	WW	Phenformin
Insoral TD	WW	Phenformin
Intracort	BT	Hydrocortisone Sodium Succinate
Iramil	KL	Imipramine
Ismelin	CB	Guanethidine
IsotinyI	KL	Isoniazid
Isuprel	WL	Isoprenaline Hydrochloride

J

Jectofer	AP	Iron Sorbitol Complex
Johnson's Caus- tic Pencil	SL	Silver Nitrate, Toughened

K

Kalicin	KL	Neomycin Sulphate Mixture
Kalicin	KL	Neomycin with Kaolin
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaomycin	UP	Neomycin Sulphate Mixture
Kaosan	PR	Neomycin Sulphate Mixture
Karagum	PT	Tragacanth Indian (Gum Karaya)
K-eff	PR	Potassium
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kinaden	SC	Hyaluronidase
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Klortee	PT	Chloramine
K-lyte	MJ	Potassium
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konakion	RO	Phytomenadione
K.P.N.	MJ	Neomycin Sulphate Mixture

L

Lanoside	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Largactil	MB	Chlorpromazine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Laroxyl	RO	Amitriptyline
Lasix	AH	Frusemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demethylchlortetracycline
Lederstatin	LE	Demethylchlortetracycline with Nysta- tin
Lethidrone	BW	Nalorphine
Leukeran	BW	Chlorambucil
Levophed	WL	Noradrenaline
Lincocin	UP	Lincomycin
Lingraine	WL	Ergotamine Tartrate
Liquidoplast	PT	Acrylic Resin
Liquifilm Tears	AG	Polyvinyl Alcohol
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex in Saline	FC	Dextran in Normal Saline
Lomodex in Dextrose	FC	Dextran with Dextrose
Lubarol	DH	Paraffin Liquid
Luteocrin Depot	RM	Hydroxyprogesterone Caproate
Lutoral	VR	Ethisterone
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin Phenoxymethyl
Lycanol	FB	Glymidine
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethiopropazine

M

Maalox	SI	Magnesium-Aluminium Hydroxide
Macribon	RO	Sulphadimethoxine
Magnoplasm	FA	Magnesium Sulphate
Magtroxal	VR	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
M. & B. 693	MB	Sulphapyridine
Mandaze	HA	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Mandelamine Hafgrams	WW	Methenamine Mandelate
Marevan	EV	Warfarin
Medrol	UP	Prednisolone Methyl
Medsil	BT	Dimethicone
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Megimide	NS	Bemegride
Mel B	MB	Melarsoprol

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Melsedin	BT	Methaqualone
Mephobarbital	PH	Methyl Phenobarbitone
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metadorm	KL	Methaqualone
Metamine	GP	Troluinate Phosphate
Metem	CH	Aluminium Hydroxide Gel
Metestine	KL	Testosterone Methyl
Methamine	KL	Methylamphetamine
Methamphet	PT	Methylamphetamine
Methased	PT	Methaqualone
Methedrine	BW	Methylamphetamine
Methergin	SZ	Methylergometrine
Methopt	SI	Methylcellulose
Metilar	IC	Paramethasone
Mevasine	MK	Mecamylamine
Metin	CS	Methicillin
Meyenberg	JM	Goats Milk-Dehydrated
Midicel	PD	Sulphamethoxypyridazine
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Milontin	PD	Phensuximide
Minafen	TF	Phenylalanine Low Content Formula
Minajel	MG	Aluminium Hydroxide Gel
Mistalco	AL	Aluminium Hydroxide Gel
Monodral	WL	Penthienate
Mortha	WH	Morphine with Tacrine
Mucomyst	MJ	Acetylcysteine
Multisulpha	KL	Sulphonamides, Three Mixed
Multisulphettes	KL	Sulphonamides, Three Mixed
Multivite Six	BD	Vitamins Compound
Mycardol	WL	Pentaerythritol Tetranitrate
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycort	DH	Hydrocortisone with Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Myleran	BW	Busulphan
Mylipen	GL	Penicillin Procaine
Mylodorm	GP	Amylobarbitone
Mylosed	VR	Amylobarbitone
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Mysteclin-V	SQ	Tetracycline (Buffered) with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphotericin B

N

Na-Clex	GL	Hydroflumethiazide
Napent	RD	Pentobarbitone Sodium
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiazide
N.B.P.	DH	Polymyxin B Sulphate with Bacitracin and Neomycin
Negram	WL	Nalidixic Acid
Nembudeine	AB	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Nembutal	AB	Pentobarbitone Sodium
Neo-Avagall	ET	Hyoscyne Methobromide
Neo-Benol	KL	Hydroxocobalamin
Neo-Codsol	KL	Codeine Phosphate with Acetylsalicylic Acid
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neo-Hombreol	OR	Testosterone
Neo-Hycor	SI	Hydrocortisone with Neomycin
Neohydrosone	KL	Hydrocortisone with Neomycin
Neokalin	MR	Neomycin Sulphate Mixture
Neolin	PT	Neomycin Sulphate Mixture
Neomagma	WY	Neomycin Sulphate Mixture
Neomate	LF	Neomycin
Neo-Mercazole	BS	Carbimazole
Neomix	LF	Neomycin Sulphate Mixture
Neo-NaClex	GL	Bendrofluazide
Neo-NaClex-M	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neo-Synephrine	WL	Phenylephrine
Neosulf	PT	Neomycin
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Nephrii	PF	Polythiazide
Neptazane	LE	Methazolamide
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Nutramigen	MJ	Nutramigen
Neutralon	SC	Aluminium Sodium Silicate
Neutrapen	RK	Penicillinase
Neutratabs	HA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Nilergex	IC	Isothipendyl Hydrochloride
Nivaquine	MB	Chloroquine
Nobecutane	EV	Acrylic Resin
Nolipyrin	KL	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Novdicort	NR	Hydrocortisone Sodium Succinate
Noshok Caustic Pencil	YF	Silver Nitrate, Toughened
Novosprin	VR	Acetylsalicylic Acid
Nuralin	CS	Insulin Neutral

O

Ocsetan	EV	Sulphacetamide Sodium
Octaflex	WB	Acrylic Resin
Oestramine	KL	Oestradiol Benzoate
Oestroform	BD	Oestradiol Benzoate
Oestroform	BD	Oestrone
Omnopon	RO	Papaveretum
Omnopon-Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Optipen	CS	Phenethicillin
Optisone	HA	Hydrocortisone
Optobiotic	PT	Polymyxin B Sulphate with Bacitracin and Neomycin
Optocort	PT	Prednisolone
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Oranabol	MB	Oxymesterone
Oratrol	AQ	Dichlorphenamide
Orisul	CB	Sulphaphenazole
Oroxine	BW	Thyroxine Sodium
Orpidan	SI	Chlorazanyl
Orum-Vite	VR	Vitamins Compound
Osmitol	BX	Mannitol
Ospolot	FB	Sultiam
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B Sulphate (Propylene Glycol Base)
Ovocyclin	CB	Oestradiol Dipropionate
Oxycline	HY	Oxytetracycline
Oxycline	PT	Oxytetracycline

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Oxymycin	KL	Oxytetracycline
Oxymycin-V	KL	Oxytetracycline (Buffered) with Nystatin

P

P2G Sclerosant	BT	Phenol, Dextrose and Glycerin
Pagitane	LY	Cycrimine Hydrochloride
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Pamine	UP	Hyoscyne Methobromide
Panabarb	WL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panalgesic	WL	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Panalgesic CO	WL	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Pancillen	SU	Penicillin Phenoxymethyl
Pancrex "V"	ST	Pancreatin Concentrate
Panmycin	UP	Tetracycline
Panmycin KM	UP	Tetracycline
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline (Buffered)
Panteric	PD	Pancreatin Concentrate
Pantheline	PT	Propantheline Bromide
Panvit	PT	Vitamins Compound
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Parajel	SI	Paraffin Liquid
Paralax	PR	Paraffin Liquid
Paralgin	FM	Paracetamol
Paramisan	EV	Sodium Aminosalicylate
Sodium		
Paramul	MG	Paraffin Liquid
Paraxin	PH	Chloramphenicol
Parmol	KL	Paracetamol
Pasade	EV	Sodium Aminosalicylate
Pasalba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate
Pastamag	DH	Magnesium Sulphate
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Pedipen	LY	Penicillin Phenoxymethyl
Peganone	AB	Ethotoin
Penalco	CO	Pentobarbitone Compound

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Penbarb	LF	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Penevan	EV	Penicillin Benzyl
Peniset	DH	Penicillin Benzyl
Peni-Vee-K	DH	Penicillin Phenoxymethyl
Penritol	LF	Pentaerythritol Tetranitrate
Pensig	SI	Phenethicillin
Pensol	GL	Penicillin Benzyl
Pentacode	MG	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentagen	HY	Pentaerythritol Tetranitrate
Pentalgin	FM	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentonal Co.	KL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentone	FA	Pentobarbitone Sodium
Pentosol	AB	Pentobarbitone Sodium
Perandren	CB	Testosterone Methyl
Perazil	BW	Chloreyclizine
Percorten	CB	Deoxycortone
Periactin	MK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petiscol	KL	Pethidine and Scopolamine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen	PF	Penicillin Phenoxymethyl
Phenabel	HY	Belladonna with Phenobarbitone
Phenabel Forte	HY	Belladonna with Phenobarbitone
Phenadon	LF	Belladonna with Phenobarbitone
Phenergan	MB	Promethazine
Phenodren	DH	Ephedrine Hydrochloride with Pheno- barbitone
Phenybute	SU	Phenylbutazone
Pholcof	CM	Pholcodine
Pholcolin Linctus	DH	Pholcodine
Pholevan	EV	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Pilopt	SI	Pilocarpine Nitrate
Pimafucin	BP	Natamycin
Pipanol	WL	Benzhexol
Piptal	SI	Pipenzolate
Piriton	GL	Chlorpheniramine
Pitocin	PD	Oxytocin
Piton	BP	Pituitary, Posterior Lobe
Pitressin	PD	Vasopressin
Pitressin Tannate Oil	PD	Vasopressin Tannate
Placemol	VR	Paracetamol
Placyl	HA	Cyclobarbitone
Plaquenil	WL	Hydroxychloroquine
Plesmet	BP	Ferrous Aminoacetosulphate
Pluryl	ET	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Polaramine Repetabs	SH	Dexchlorpheniramine
Polyceral	BS	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Polyceral Gel	BS	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Polydro	HA	Polymyxin B Sulphate
Polyhaemen	GP	Ferrous Sulphate
Polytracin-N	GL	Polymyxin B Sulphate with Bacitracin and Neomycin
Potasol	RY	Potassium
Potavescent	PT	Potassium
Potec	HY	Potassium
Pot-Forte	PT	Potassium
Pot-Instant	LF	Potassium
P.P.C.	PT	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Praenitron Protracted	PF	Trolnitrate Phosphate
Praenitron	PF	Trolnitrate Phosphate
Precortisyl	RL	Prednisolone
Predonate	CO	Prednisolone
Predsol	GL	Prednisolone Sodium Phosphate
Prelone	LF	Prednisolone
Presone	LF	Prednisolone
Primobolan	SC	Methenolone Acetate
Primocort	SC	Deoxycortone
Primogyn C	SC	Ethinylloestradiol
Primoteston Depot	SC	Testosterone Oenanthate
Pripsen	RC	Piperazine Phosphate
Priscol	CB	Tolazoline

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Pro-Banthine	SR	Propantheline Bromide
Proben	PT	Probenecid
Procillin A.S.	DH	Penicillin Procaine
Procyclomin	PT	Dicyclomine Hydrochloride
Prodigox	PT	Digoxin
Prodol	NB	Acetylsalicylic Acid
Prodol Co.	NB	Codeine Phosphate with Acetylsalicylic Acid
Proladone	CK	Oxycodone
Proloid	WW	Thyroid
Proluton	SC	Progesterone
Proluton C	SC	Ethisterone
Proluton Depot	SC	Hydroxyprogesterone Caproate
Prominal	WL	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide
Propen-VK	PT	Penicillin Phenoxymethyl
Proquinal	PT	Quinalbarbitone Sodium
Pro-Stabillin A.S.	BT	Penicillin Procaine
Prostigmin	RO	Neostigmine
Protona	DF	Stanolone
Provera	UP	Medroxyprogesterone
Provoprin	DH	Acetylsalicylic Acid
Pularin	EV	Heparin
Purinethol	BW	Mercaptopurine
Purodigin	WY	Digitoxin
Puroverine	SZ	Protoveratrine A
P.V. Carpine	AG	Pilocarpine Nitrate
PVK	LY	Penicillin Phenoxymethyl
PVKL	LF	Penicillin Phenoxymethyl
P.V.O.	FM	Penicillin Phenoxymethyl
Pyribenzamine	CB	Tripelennamine
Pyridium	WW	Phenazopyridine Hydrochloride
Pyroxin	KL	Pyridoxine Hydrochloride

Q

Q.B. Tabs.	DH	Quinalbarbitone Sodium
Q.T. Cement	JA	Surgical Cement
Qibron	MJ	Theophylline with Glyceryl Guaiacolate
Quillatone	RD	Quinalbarbitone Sodium
Quillatone M	RD	Quinalbarbitone Sodium
Quinaltone	LF	Quinalbarbitone Sodium
Quinidoxin	BW	Quinidine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
-----------------------------	---------------------------	----------------------

R

Rapitard	EV	Insulin Biphasic
Rastinon	AH	Tolbutamide
Raudixin	SQ	Rauwolfia Alkaloids
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Alkaloids
Rectinol	GP	Benzocaine with Adrenaline
Resedrex	HA	Reserpine
Resochin	FB	Chloroquine
Restal	HA	Amylobarbitone
Reverin	AH	Rolitetracycline
Rheomacrodex	MR	Dextran with Dextrose
10% Dextrose		
Rheomacrodex	MR	Dextran in Normal Saline
10% Saline		
Rikospray	RK	Dimethicone
Silicone		
Rimifon	RO	Isoniazid
Robinul	RS	Glycopyrronium Bromide
Rondase	EV	Hyaluronidase
Randomycin	GP	Methacycline
Ronicol	RO	Nicotinyl Alcohol
Rovamycin	MB	Spiramycin
Rubatone	HY	Phenylbutazone
Ryser	KL	Reserpine

S

Sacsol	LF	Surgical Cement
Salamide	HA	Salicylamide
Salazopyrin	MR	Sulphasalazine
Salco	NS	Chlorobenzol Disulphonamide
Salide	NS	Salicylamide
Samid	KL	Salicylamide
Saroten	NS	Amitriptyline
Scherisolon	SC	Prednisolone Acetate
Scherisolon	SC	Prednisolone
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
Scoline	GL	Suxamethonium Chloride
Scorbettes	PR	Ascorbic Acid
S-Dimidine	PT	Sulphadimidine
Secergan	AP	Phenthimentionium
Seclomycin	GL	Penicillin with Streptomycin
Seclosol	GL	Penicillin with Streptomycin
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Sedlingtus	VR	Pholcodine
Sednaco	GL	Pholcodine
Sednotic	DL	Amylobarbitone
Senokot	RC	Senna Fruit Extract (Standardised)
Serenol	PT	Rauwolfia Alkaloids
Serfia	KL	Rauwolfia Alkaloids
Serpasil	CB	Reserpine
Serpiloid	RK	Reserpine
Serpina	PV	Rauwolfia Alkaloids
Silcon	FA	Dimethicone
Simeco	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
Sleepinal	MC	Methaqualone
Slow-K	CB	Potassium Chloride
S-Mez	IC	Sulphadimidine
S-Mez	IC	Sulphadimidine Sodium
Sobee	MJ	Soya Formula
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium Versenate	RK	Sodium Edetate
Soframycin	RL	Framycetin
Solacetyl	MG	Acetylsalicylic Acid
Solamal	DH	Belladonna with Phenobarbitone
Solcetas	BW	Acetylsalicylic Acid
Solcode	RC	Codeine Phosphate with Acetylsalicylic Acid
Solcodein	MG	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Solgesil	DH	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Solprin	RC	Acetylsalicylic Acid
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Dacortin	MQ	Prednisolone Sodium Hemisuccinate
Solupen	DL	Penicillin Benzyl
Solusal	HA	Acetylsalicylic Acid
Solusal Co.	HA	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Sol Viules	BT	Penicillin Benzyl
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Soneryl	MB	Butobarbitone
Span-K	PT	Potassium Chloride
Steclin	SQ	Tetracycline
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Stemetil	MB	Prochlorperazine
Sterogyl-15	RL	Calciferol
Stovarsol	MB	Acetarsol
Stoxil	SK	Idoxuridine
Strepolin	GL	Streptomycin Sulphate
Streptaquaine	DL	Streptomycin Sulphate
Streptevan	EV	Streptomycin Sulphate
Streptomagma	WY	Dihydrostreptomycin Sulphate with Atapulgite, Pectin and Hydrated Alumina Powder
Sulfasuxidine	MK	Succinylsulphathiazole with Kaolin
Sulfazole	PT	Sulphafurazole
Sulfisin	SU	Sulphafurazole
Sulphadiazinette	KL	Sulphadiazine
Sulpha-Dimerazole	VR	Sulphonamides, Three Mixed
Sulphalyl	KL	Phthalylsulphacetamide
Sulpha-mezathine	IC	Sulphadimidine
Sulphatriad	MB	Sulphonamides, Three Mixed
Suspen-V	BT	Penicillin Phenoxymethyl
Sustanon '250'	OR	Sustanon
S.V.C.	MB	Acetarsol
Synthanal	MJ	Methadone
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

T

Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
Talecid	SC	Phthalylsulphacetamide
Tebos	HY	Isoniazid
Tedrobarb	WW	Ephedrine Hydrochloride with Phenobarbitone
Tedrobarb Forte	WW	Ephedrine Hydrochloride with Phenobarbitone
Tedrobarb Mitis	WW	Ephedrine Hydrochloride with Phenobarbitone
Tegretol	GE	Carbamazepine
Telmid	LY	Dithiazanine Iodide
T.E.M.	IC	Tretamine
Tenormal	IC	Pempidine
Tenserp	VR	Reserpine
Tensilon	RO	Edrophonium
Terramycin	PF	Oxytetracycline

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Terrastatin	PF	Oxytetracycline (Buffered) with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testomet	PT	Testosterone Methyl
Testoviron	SC	Testosterone Propionate
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetrastatin-V	GP	Tetracycline (Buffered) with Nystatin
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline (Buffered) with Nystatin
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole
Thephorin	RO	Phenindamine
Thiomerin Sodium	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Three Sulphas	AD	Sulphonamides, Three Mixed
Thypron	PH	Potassium Perchlorate
Thyrine	DH	Thyroxine Sodium
Thyroxevan	EV	Thyroxine Sodium
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Toline	KL	Tolazoline
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Totacycline V	BT	Tetracycline (Buffered)
Tral	AB	Hexocyclium Methylsulphate
Tral M	AB	Hexocyclium Methylsulphate
Trescatyl	MB	Ethionamide
Triagin	HY	Glyceryl Trinitrate
Tricoloid	BW	Tricyclamol Chloride
Tridione	AB	Troxidone
Trimyxin	DH	Polymixin B Sulphate with Neomycin and Gramicidin
Triplopen	GL	Penicillin Benethamine Compound
Triplosol	GL	Penicillin Benethamine Compound
Trisil	DH	Magnesium Trisilicate
Trisulfa	ET	Sulphonamides, Three Mixed
Trisulfettes	ET	Sulphonamides, Three Mixed
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Tyrimide	SK	Isopropamide Iodide

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
-----------------------------	---------------------------	----------------------

U

Ultracortenol	CB	Prednisolone Trimethylacetate
Univite	PH	Vitamins Compound
Urolin	KL	Sulphamethizole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole

V

VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Valpin	EN	Octatropine Methylbromide
Vanquin	PD	Vipryinium Embonate
Vasitrin	DH	Glyceryl Trinitrate
Vasogen Silicone	SS	Dimethicone
Vasopressin	SZ	Lypressin
Vasylox	BW	Methoxamine Hydrochloride
Veeicillin	MJ	Penicillin Phenoxymethyl
Veganin	WW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Velactin	WA	Soya Formula
Velbe	LY	Vinblastine
Venesol	FH	Mannitol
Veracolate	WW	Sodium Tauroglycocholate
Versotrane	WB	Hydrargaphen
Triple Strength		
Vicin	KL	Penicillin Phenoxymethyl
Viocin	PF	Viomycin
Viokase	ET	Pancreatin Enzyme (4 USNF XII)
Viraxacillin	VR	Penicillin Procaine
Vitabin	ET	Aneurine Hydrochloride
V.P.V.—	VR	Penicillin Phenoxymethyl
Viraxacillin V		

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
-----------------------------	---------------------------	----------------------

W

Winstroid	WL	Stanozolol
Wyamine	WY	Mephentermine
Sulphate		
Wydase	WY	Hyaluronidase

Y

Yomesan	FB	Niclosamide
---------	----	-------------

Z

Zarontin	PD	Ethosuximide
Zephiran	WL	Benzalkonium Chloride
Zyloprim	BW	Allopurinol

PART 2—TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott Laboratories Injections
Antigen	Products Manufactured by Antigen Ltd., Ireland; Marketed by World Agencies Pty. Ltd.
Dropster	Knolls Eye Drops
Dulcets	Abbott Laboratories Chewable Tablets
Durules	Astra Pharmaceuticals sustained release tablets
Emplets	Parke Davis Tablet Preparations
Evanules	Evans Injections
Filmtabs	Abbott Laboratories Coated Tablets
Hamiltabs	Hamilton Laboratories Tablet Preparations
Hyperdurio	Glaxo-Allenbury Injections
Isojects	Pfizer Laboratories' Injectible Preparations
Isopto	Eye Drops manufactured by Alcon Laboratories Inc.
Parentosol	Mead-Johnson's Injections
Pedipac	Lilly's—Sachet
Prestabs	Ethnor Tablet Preparations
Pulvules	Lilly's Capsules
Repetabs	Scherings Long Acting Tablet Preparations
Rox	Rocke Tompsitt Preparations
Siguent	Sigma Ointment Preparations
Soluvac	Baxter-D.H.A. Intravenous Fluids
Spansules	Smith, Kline and French—Capsules
Spersoids	Lederle Granules
Steriflex	Glaxo-Allenbury Intravenous Fluids
Sterivial	Parke-Davis—Injections
Sterop	Ethnor Eye Drops
Sustrels	G.P. Laboratories long acting tablet preparations
Tabloids	Burroughs Wellcome Tablet Preparations
Tastitabs	Pfizer Laboratories' chewable tablet preparations
Transfusol	Evans Intravenous Fluids
Tri-Test	Wholesale Drug Co. Preparations
Venosol	Farmer Hill Intravenous Fluids
Viules	Boots Injections
Wellcome	Burroughs Wellcome Preparations

PART 3- ABBREVIATIONS OR SYNONYMS FOR APPROVED NAMES

<i>Abbreviation or Synonym</i>	<i>Approved Name</i>
A.C.T.H.	Corticotrophin
Amorph I.Z.S.	Insulin Zinc Suspension (Amorphous)
B12	Cyanocobalamin
Bephenium	Bephenium Hydroxynaphthoate
Bretylum	Bretylum Tosylate
Calcium P.A.S.	Calcium Aminosalicylate
Cryst. I.Z.S.	Insulin Zinc Suspension (Crystalline)
Diodoquinoline	Di-iodohydroxyquinoline
Dip./Ser.	Diphtheria Antitoxin
Dip./Vac./P.T.A.P.	Diphtheria Vaccine (Purified Toxoid Aluminium Phosphate)
DMChlortetracycline	Demethylchlortetracycline
Feramacet	Ferrous Aminoacetosulphate
Gas/Ser.	Gas Gangrene Antitoxin—Mixed (Poly- valent)
Hexocyclium	Hexocyclium Methylsulphate
Iochlorquin	Iodochlorhydroxyquinoline
I.Z.S.	Insulin Zinc Suspension
Oed./Ser.	Gas Gangrene Antitoxin (Oedematious)
P.A.M.	Pyridine Aldoxime Methiodide
Penicillin G.	Penicillin Benzyl
Penicillin V.	Penicillin Phenoxymethyl
Penthitrol	Pentaerythritol Tetranitrate
Per./Vac.	Pertussis Vaccine
Plague/Vac.	Plague Vaccine
Prednisolone T.B.A.	Prednisolone Tertiary Butyl Acetate
Sep./Ser.	Gas Gangrene Antitoxin (Septicum)
S'methoxydiazine	Sulphamethoxydiazine
S'methopyrazine	Sulphamethoxypyridazine
Sod. Stilboestrol	Disodium Stilboestrol Diphosphate
Sodium P.A.S.	Sodium Aminosalicylate
Sta./Tox.	Staphylococcus Toxoid (Formalinised)
T.A.B./Vac.	T.A.B. Vaccine (Anti-typhoid-para- typhoid)
Testosterone Oen.	Testosterone Oenanthate
Testosterone Prop.	Testosterone Propionate
Tet./Ser.	Tetanus Antitoxin
Tet./Vac./P.T.A.P.	Tetanus Toxoid (Purified Aluminium Phosphate adsorbed)
Triple Antigen	Diphtheria, Tetanus and Pertussis Vac- cine
Viprynum	Viprynum Embonate
Wel./Ser.	Gas Gangrene Antitoxin (Welchii)

POISONS INFORMATION CENTRES

The principal Poisons Information Centre in each State and Territory is as follows:—

Telephone No.

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Bridge Road,
Camperdown.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
34 0288

QUEENSLAND

Brisbane Children's Hospital,
Herston Road,
Herston.

Brisbane
5 0111

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
6 9351

WESTERN AUSTRALIA

Princess Margaret Hospital,
Thomas Street,
Subiaco.

Perth
8 2251

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
2 0521

NORTHERN TERRITORY

Darwin Hospital,
Darwin,
Northern Territory.

Darwin
2171

AUSTRALIAN CAPITAL TERRITORY

Canberra Community Hospital,
Canberra.

Canberra
4 0488

PAPUA AND NEW GUINEA

Port Moresby General Hospital,
Taurama Road,
Port Moresby.

Port Moresby
5191

POISONING CASE REPORTName and/or
Identification No.

This space for office use only:

Age:

**M
O
D
E**

Homicide

Suicide

Sex:

Therapeutic
MisadventureDate of
Poisoning:Other Accidental Cause
Allergy OR Idiocynersasy

Signs and Symptoms:

Hospital:

Address:

Time interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin Other (specify)

Treatment:

Result: Cured

Other (Specify)

Died

Date_____

*Signature*Please send to National Poisons Service, Commonwealth Department
Health, Canberra.

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

M
O
D
E

Homicide

Suicide

Therapeutic
Misadventure

Other Accidental Cause

Allergy OR Idiocynerasy

This space for office use only:

Hospital:

Address:

Time interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion

Inhalation

Skin

Other (specify)

P
O
I
S
O
N

Result: Cured

Other (Specify)

Died

Date _____

Signature _____

Please send to National Poisons Service, Commonwealth Department
Health, Canberra.

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
Health, Canberra.

This space for office use only:

Hospital:

Address:

P
O
I
S
O
NTime interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion

Inhalation

Skin

Other (specify)

Result: Cured

Other (Specify)

Died

Date: _____

Signature

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
Health, Canberra.

This space for office use only:

Hospital:

Address:

Time interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin Other (specify)

Result: Cured

Other (Specify)

Died

Date _____

Signature

Please record any additional information on back.

POISONING CASE REPORTName and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
Health, Canberra.

This space for office use only:

Hospital:

Address:

**P
O
I
S
O
N**Time interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion

Inhalation

Skin

Other (specify)

Result: Cured

Other (Specify)

Died

Date _____

Signature

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
Health, Canberra.

This space for office use only:

Hospital:

Address:

Time interval between ingestion
and Treatment (In Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin Other (specify)

Result: Cured

Other (Specify)

Died

Date _____

Signature _____

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
Health, Canberra.

This space for office use only:

Hospital:

Address:

Time interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin Other (specify)

Result: Cured

Other (Specify)

Died

Date _____

Signature _____

Please record any additional information on back.

