

COMMONWEALTH OF AUSTRALIA



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS

AMENDMENTS TO THE PHARMACEUTICAL BENEFITS BOOK
DECEMBER 1968 EDITION FOR APPROVED CHEMISTS
MARCH AMENDMENT

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		COLCHICINE		\$
26	1227	Oral Tablet 0.5 mg.	EV	2.79
			BW	2.83
		QUINIDINE SULPHATE		
99	1971	Oral Tablet 200 mg.	PT	5.59

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		FERROUS GLUCONATE	
43	1424	Oral Tablet 300 mg.	0.78 (ex 500) Add KL 0.83 (ex M.P.) Add KL
		GLUTETHIMIDE	
47	2696	Oral Tablet 125 mg.	Add 1.98 KL
	1452	250 mg.	Add 0.91 (ex 100) KL Add 1.02 (ex M.P.) KL
	2805	500 mg.	Add 1.14 KL
	2619	Oral Capsule 250 mg.	Add 1.02 KL
	2668	500 mg.	Add 1.14 KL
		HOMATROPINE HYDROBROMIDE	
49	2541	Eye Drops 2%, 15 ml.	2.17 Add KL
	2542	5%, 15 ml.	2.57 Add KL

Other Amendments to Section 2 - White Pages - cont.

Page No.	Code No.	Approved Name and Form	Amendment
		IDOCHLOR HYDROXYQUINOLINE	
56	1549	Oral Tablet 250 mg.	Add 1.80 (ex 500) PT Add 1.97 (ex M.P.) PT
		MECLOZINE	
60	1583	Oral Tablet 25 mg.	Add 1.66 (ex 250) BD
		PROBENECID	
95	1940	Oral Tablet 500 mg.	6.69 (ex 500) Add KL 7.63 (ex M.P.) Add KL

PRICE ADJUSTMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		ERYTHROMYCIN		\$
16	1402	Oral Capsule 125 mg.	KL	2.43
	1403	250 mg.	KL	3.10(ex 100) 3.37(ex M.P.)
		PENICILLAMINE		
36	1761	Oral Capsule 150 mg.	DL	24.30

OTHER AMENDMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		PENICILLAMINE	
36	1761	Oral Capsule 150 mg.	Delete 150 mg. Add 120 mg.
		SENNA FRUIT EXTRACT (STANDARDISED)	
45	1999	Oral Tablet 7 mg.	Add 1.17 (ex 500) RC
		TETRACYCLINE	
50	2134	Oral Capsule 250 mg.	2.24 (ex 100) Add AH 2.46 (ex M.P.) Add AH

ADVANCE NOTICES

The following items will be included under the provisions governing high velocity items at rates based on the bulk pack size shown against each item on 1 April 1969

Code No.	Approved Name and Form	Bulk Pack
SECTION 2		
2576	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Oral Tablet 200 mg.-200 mg.	500
1327	DIHYDROSTREPTOMYCIN SULPHATE with ATTAPULGITE, PECTIN and HYDRATED ALUMINA POWDER Oral Tablet 150 mg.-350 mg.-45 mg.-70 mg.	100
2406	MEBHYDROLIN Oral Tablet (sustained release) 150 mg.	250
2037	SODIUM SALICYLATE Oral Tablet (enteric coated) 600 mg.	500

SECTION 3

1219	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID Oral Tablet, Soluble 10 mg.-500 mg.	500
2359	THIORIDAZINE Oral Tablet 25 mg.	500

The following items will be replaced in the Schedule of Benefits on 1 April 1969

Code No.	Approved Name and Form
SECTION 2	
2560	PAPUAN BLACK SNAKE ANTIVENENE Injection 3,000 Units
2108	TAIPAN ANTIVENENE Injection 3,000 Units

Advance Notices - cont.

The following items will be deleted from the Schedule of Benefits on 1 April 1969

Code No.	Approved Name and Form

SECTION 2

1034	ALUMINIUM Compound Paste 10%, 4 oz.
1359	DYFLOS Eye Drops 0.1%, 10 ml.
1480	HYALURONIDASE Injection set containing 3 amps. each of 500 Units and 3 amps. of solvent
1551	IRON OXIDE SACCHARATED Injection I.V. equivalent to 20 mg. elemental iron per ml., 5 ml.
1760	PEMPIDINE Oral Tablet 10 mg.
1958	PROTOVERATRINE A Injection 1 ml.
2104	T.A.B. VACCINE Injection 0.5 ml.
2105	10 ml.

SECTION 3

1176	CHLORAMPHENICOL Oral Tablet 250 mg.
1240	CORTICOTROPHIN Zinc Hydroxide Injection 20 Units per ml., 2 ml.
1399	ERYTHROMYCIN Oral Tablet 100 mg.
2679	HYDROCORTISONE SODIUM SUCCINATE Injection set containing equivalent of 78.3 mg. hydrocortisone and solvent
1757	PARAMETHASONE Oral Tablet 1 mg.
2495	TETANUS IMMUNE GLOBULIN (HUMAN) 250 units
2118	TESTOSTERONE PROPIONATE Injection 100 mg. in 2 ml.

SECTION 4

Dusting Powder Absorbable B.P.

AMENDMENTS TO THE PHARMACEUTICAL BENEFITS BOOK
DECEMBER 1968 EDITION FOR APPROVED CHEMISTS
FEBRUARY AMENDMENT

AMENDMENTS TO SECTION 1 - LEMON PAGES
MANUFACTURERS - ADDRESS AND CODE

Page No.	Manufacturer	Code
23	Add Ohio Drug Co. Pty Ltd 100 Clarence Street, SYDNEY N.S.W.	OD

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
34	1329	DI-iodohydroxyquinoline Oral Tablet 650 mg.	SR	\$ 3.50
58	1565	LANATOSIDE - C Oral Tablet 0.25 mg.	SZ	2.06 (ex 500) 2.26 (ex M.P.)

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment
23	1190	CHLORPHENIRAMINE Oral Tablet 4 mg.	1.66 Add OD
57	1559	ISOPRENALINE SULPHATE Oral Tablet 20 mg.	Add 1.87 PT

Other Amendments to Section 2 - cont.

Page No.	Code No.	Approved Name and Form	Amendment
		METHAQUALONE	
63		Add HYDROCHLORIDE to the Approved Name	
		METHAQUALONE HYDROCHLORIDE	
63	2628	Oral Tablet 150 mg.	0.95 Add AV
		PHOLCODINE	
87	2466	Linctus 0.1%, 100 ml.	0.83 Add RK
		PILOCARPINE HYDROCHLORIDE	
88	2778	Eye Drops 0.5%, 15 ml.	0.99 Add KL
		QUINIDINE SULPHATE	
99	1971	Oral Tablet 200 mg.	Add 5.63 DF
		RAUWOLFIA ALKALOIDS	
100	1979	Oral Tablet 50 mg.	2.25 (ex 500) Add PR 2.50 (ex M.P.) Add PR
		WOOL ALCOHOLS	
123	2219	†Ointment 100 G.	Add (4 oz.)

OTHER AMENDMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		ERYTHROMYCIN	
16	1402	Oral Capsule 125 mg.	Add 2.51 KL
	1403	250 mg.	Add 3.16 (ex 100) KL 3.49 (ex M.P.) KL
		HYDROCORTISONE with NEOMYCIN SULPHATE	
21	2794	Ear Drops 1.5% - 0.5%, 5 ml.	1.63 Add KL

Other Amendments to Section 3 - Pink Pages (cont.)

Page No.	Code No.	Approved Name and Form	Amendment
		PARACETAMOL	
34	1746	Oral Tablet 500 mg.	0.81 (ex 250) Add AV 0.90 (ex M.P.) Add AV
		PHENYLBUTAZONE	
39	1867	Oral Tablet 100 mg.	Add 1.07 (ex 250) AV 1.17 (ex M.P.) Add AV
		PREDNISOLONE	
41	1917	Oral Tablet 5 mg.	1.43 Add PR
		TETRACYCLINE	
50	2134	Oral Capsule 250 mg.	2.24 (ex 100) Add SP(N) 2.46 (ex M.P.) Add SP(N)
		TETRACYCLINE (BUFFERED)	
51	2145	Oral Capsule 250 mg.	2.24 (ex 100) Add SP(N) 2.46 (ex M.P.) Add SP(N)

ADVANCE NOTICES

The following items will be deleted from the Schedule of Benefits at a later date. Details of the necessary amendments will be advised later.

Code No.	Approved Name and Form

SECTION 2

1480 HYALURONIDASE Injection set containing 3 amps.
 each of 500 Units and 3 amps. of solvent

SECTION 3

1176 CHLORAMPHENICOL Oral Tablet 250 mg.
2118 TESTOSTERONE PROPIONATE Injection 100 mg. in 2 ml.
2495 TETANUS IMMUNE GLOBULIN (HUMAN) Injection 250 Units.

Advance Notices (cont.)

The following items will be replaced in the Schedule of Benefits at a later date. Details of the necessary amendments will be advised later.

Code No.	Approved Name and Form
SECTION 2	
2560	PAPUAN BLACK SNAKE ANTIVENENE Injection 3,000 Units
2108	TAIPAN ANTIVENENE Injection 3,000 Units

AMENDMENTS TO THE SCHEDULE OF PHARMACEUTICAL BENEFITS
DECEMBER 1968 EDITION FOR APPROVED CHEMISTS
JANUARY AMENDMENT

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		COLCHICINE		\$
26	1277	Oral Tablet 0.5 mg.	PT	2.79

OTHER AMENDMENTS TO SECTION - 2 WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		PENTOBARBITONE SODIUM	
81	1818	Oral Capsule 100 mg.	\$0.79 (ex100) Add AV \$0.77 (exM,P.) Add AV
		PHOLCODINE	
87	1875	Linctus 0.1%, 4 fl.oz.	\$0.86 Delete CM,GL
	2466	0.1%, 100 ml.	\$0.83 Add CM
		POLYMYXIN B SULPHATE	
90	1905	Eye Drops 15,000 Units per ml., 5 ml.	\$1.63 Add KL
		PRIMIDONE	
95	1939	Oral Tablet 250 mg.	\$6.31 Add KL
		SODIUM SALICYLATE	
107	2037	Oral Tablet (enteric coated) 600 mg.	\$1.37 Add AV
		SULPHADIAZINE	
109	2068	Oral Tablet 500 mg.	\$0.94 Delete SL(N)

PRICE ADJUSTMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		NEOMYCIN		\$
29	2325	Oral Tablet 500 mg.	ET	11.50

OTHER AMENDMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		CHLORPROMAZINE	
7	1196	Oral Tablet 10 mg.	\$1.13 Add UW(NWS)
	1197	25 mg.	\$1.54 (ex 500) Add UW(NWS)
			\$1.57 (ex M.P.) Add UW(NWS)
	1198	50 mg.	\$2.83 Add UW(NWS)
	1199	100 mg.	\$5.10 Add UW(NWS)
		DEMETHYLCHLORTETRACYCLINE with NYSTATIN	
12	2574	Oral Capsule 150 mg.-250,000 Units	Add \$2.23 (ex 100) LE
		ERYTHROMYCIN	
16	1400	Oral Tablet 125 mg.	\$2.75 Add UP
	2425	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	\$3.14 Delete FA
		FOLIC ACID	
19	1436	Injection 15 mg. in 1 ml.	\$2.63 Add KL
		GOATS' MILK	
20	2656	Whole (sterilised) 13 fl.oz.	Delete 13 fl.oz. Insert 14 fl.oz. Amend price to *\$3.90

(Effective from 1 December 1968)

Other Amendments to Section 3 - Pink Pages (continued)

Page No.	Code No.	Approved Name and Form	Amendment
		HYDROCORTISONE SODIUM SUCCINATE	
22	1501	Injection set containing equivalent of 100 mg. hydrocortisone and solvent	Add *\$9.58 PT
		PARACETAMOL	
34	1745	Oral Tablet 300 mg.	\$0.83 Add KL
		PHENYLBUTAZONE	
39	1867	Oral Tablet 100 mg.	\$0.88 (ex 250) Add IP \$0.97 (ex M.P.) Add IP
		ROLITETRACYCLINE	
45	1987	Injection I.V. 275 mg.	\$11.90 AH Add *
	1990	I.M. 350 mg.	\$11.90 AH Add *
		TETRACYCLINE (BUFFERED) with NYSTATIN	
52	Delete 2745	Paediatric Syrup 125 mg.-125,000 Units per 5 ml., 100 ml.	

OTHER AMENDMENTS TO SECTION 6 - BLUE PAGES - STANDARD PACKS AND PRICES

Page No.	Code No.	Approved Name and Form	Amendment
		GOATS' MILK	
5	2656	Whole 13 fl.oz.	Delete 13 fl.oz. Insert 14 fl.oz. Amend price to 1 @ \$0.39
		(Effective from 1 December 1968)	

Other Amendments to Section 6 - Blue Pages (continued)

Page No.	Code No.	Approved Name and Form	Amendment
		HYDROCORTISONE SODIUM SUCCINATE	
5	1501	100 mg. Set	Add 1 @ \$4.64 PT
		ROLITETRACYCLINE	
9	1990	I.M. 350 mg.	1 @ \$2.32 Add AH
	Add		
	1987	I.V. 275 mg.	1 @ \$2.32 AH

ADVANCE NOTICES

The following items will be included under the provisions governing high velocity items at rates based on the bulk pack size shown against the item on 1 February 1969

Code No.	Approved Name and Form	Bulk Pack
	MECLOZINE	
1583	Oral Tablet 25 mg.	250
	SENNA FRUIT EXTRACT (STANDARDISED)	
1999	Oral Tablet 7 mg.	500

The following items will be excluded from the provisions governing high velocity items on 1 February 1969

Code No.	Approved Name and Form
	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID and PARACETAMOL
1215	Oral Tablet 8 mg.-250 mg.-250 mg.
1216	Soluble 8 mg.-250 mg.-250 mg.
	DIPHENHYDRAMINE
1336	Oral Capsule 50 mg.

Advance Notices (continued)

The following item will be deleted from the Schedule of Benefits on 1 February 1969

Code No.	Approved Name and Form
	HYALURONIDASE
1479	Injection set containing 2 amps. each 250 Units and 2 amps of solvent

The following items will be deleted from the Schedule of Benefits at a later date. Details of the necessary amendment will be advised later.

Code No.	Approved Name and Form
1034	ALUMINIUM Compound Paste 10%, 4 oz.
1240	CORTICOTROPHIN Zinc Hydroxide Injection 20 Units per ml., 2 ml.
1359	DYFLOS Eye Drops 0.1%, 10 ml.
1399	ERYTHROMYCIN Oral Tablet 100 mg.
1551	IRON OXIDE SACCHARATED Injection I.V. equivalent to 20 mg. elemental iron per ml., 5 ml.
1757	PARAMETHASONE Oral Tablet 1 mg.
1760	PEMPIDINE Oral Tablet 10 mg.
1958	PROTOVERATRINE A Injection 1 ml.

AMENDMENTS TO THE SCHEDULE OF PHARMACEUTICAL BENEFITS
DECEMBER 1968 EDITION FOR APPROVED CHEMISTS

DECEMBER AMENDMENT
AMENDMENTS TO SECTION 1 - LEMON PAGES
MANUFACTURERS-ADDRESS AND CODE

Page No.	Manufacturer	Code
23	Frosst, Charles E., 576 St. Kilda Road, Melbourne, Vic.	FR

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		DIGOXIN		\$
33	1322	Oral Tablet 250 micrograms	LF	0.73
		METHAQUALONE		
63	2628	Oral Tablet 150 mg.	LF	0.91
		PENICILLIN PHENOXYMETHYL		
78	1787	Oral Tablet 250 mg.	LF	1.46 (ex 100) 1.53 (ex M.P.)
		PENTAERYTHRITOL TETRANITRATE		
80	1810	Oral Tablet 20 mg.	LF	0.80 (ex 500) 0.90 (ex M.P.)
		PENTOBARBITONE SODIUM		
81	1816	Oral Capsule 30 mg.	LF	1.69
	1818	100 mg.	PR	0.64 (ex 100)
			LF	0.67 (ex 100) 0.67 (ex M.P.)

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		POTASSIUM		\$
92	2373	Oral Effervescent Tablet 6.5 milli-equivalents of Potassium	LF	1.37
		QUINALBARBITONE SODIUM		
99	1970	Oral Capsule 100 mg.	LF	0.83 (ex 100) 0.85 (ex M.P.)
		RAUWOLFIA ALKALOIDS		
100	1979	Oral Tablet 50 mg.	LF	2.16 (ex 500) 2.25 (ex M.P.)

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		AMYLOBARBITONE SODIUM	
10	2652	Oral Capsule 50 mg.	\$1.47 Add KL
		HEPARIN	
49	1467	Injection 5,000 Units in 1 ml.	EV \$3.10 Add*
		INSULIN ZINC SUSPENSION (AMORPHOUS)	
55	1546	Injection 80 Units per ml., 10 ml.	Insert Code No.
		METHAQUALONE	
63	2733	Oral Capsule 150 mg.	\$0.95 Add FR
		PENICILLIN PHENOXYMETHYL	
78	1784	Oral Paediatric Sachet 125 mg.	Delete \$1.74 LY

Other Amendments to Section 2 - White Pages (cont.)

Page No.	Code No.	Approved Name and Form	Amendment
87	2466	PHOLCODINE Linctus 0.1%, 100 ml.	\$0.83 Add AV, GL
99	1969	QUINALBARBITONE SODIUM Oral Capsule 50 mg.	\$1.75 Add AV
111	2077	SULPHAFURAZOLE Oral Tablet 500 mg.	Add \$1.15 (ex 200) MC Add \$1.23 (ex M.P.) MC

PRICE ADJUSTMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
12	2509	DEXAMETHASONE Injection 4 mg. in 1 ml.	MK	\$ *7.75
22	1501	HYDROCORTISONE SODIUM SUCCINATE Injection set containing equivalent of 100 mg. Hydrocortisone and solvent	NR	*9.74
29	2325	NEOMYCIN Oral Tablet 500 mg.	LF	11.23
39	1867	PHENYL BUTAZONE Oral Tablet 100 mg.	LF VR	0.88 (ex 250) 0.97 (ex M.P.) 1.35 (ex 250) 1.42 (ex M.P.)
41	1917	PREDNISOLONE Oral Tablet 5 mg.	LF	1.43
42	1935	PREDNISONE Oral Tablet 5 mg.	LF	1.43

OTHER AMENDMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		CHLORPROMAZINE	
7	1195	Injection 2.5%, 2 ml.	Add \$1.50 UW(NWS)
		CORTICOTROPHIN	
		Gelatin Injection B.P.	
10	1238	20 Units per ml., 5 ml.	*\$26.30 Add CS
	1239	40 Units per ml., 5 ml.	*\$40.30 Add CS
		TRIFLUOPERAZINE	
53	2185	Oral Tablet 1 mg.	\$3.20 (ex 500) Add MB \$3.59 (ex M.P.) Add MB
	2386	2 mg.	\$4.67 (ex 500) Add MB \$5.30 (ex M.P.) Add MB
54	2186	5 mg.	\$5.94 Add MB
		ALUMINIUM HYDROXIDE GEL	
		with KAOLIN	
56	2552	Mixture 137 mg.-1.02 G. per 5 ml., 340 ml.	Amend pack size to 360 ml. Delete \$1.07 WY Add \$1.15 WY
		TRAGACANTH INDIAN (GUM KARAYA)	
57	2240	†Powder 8 oz.	Delete 8 oz. Insert 200 G.

AMENDMENTS TO SECTION 6 - BLUE PAGES

Page No.	Code No.	Name and Form	Amended Price and Pack	Brand
5	1501	Hydrocortisone Sodium Succinate 100 mg. Set	1 @ 4.72	NR

OTHER AMENDMENTS TO SECTION 6 - BLUE PAGES - STANDARD PACKS AND PRICES

Page No.	Code No.	Approved Name and Form	Amendment
	Add		
3	2509	Dexamethasone 4 mg. in 1 ml.	1 @ 1.49 MK
5	1467	Heparin 5,000 Units in 1 ml.	1 @ 0.56 Add EV

ADVANCE NOTICE

The following item will be included under the provisions governing high velocity items at rates based on the bulk pack size shown against the item on 1 January 1969.

Code No.	Approved Name and Form	Bulk Pack
	DEMETHYLCHLORTETRACYCLINE with NYSTATIN	
2574	Oral Capsule 150 mg.-250,000 Units	100

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1968 issue of the Schedule of Benefits for Approved Chemists

This reprint of the Schedule of Benefits will take effect from 1 December 1968.

The next reprint will be issued on 1 April 1969.

Appended is a summary of changes in this issue.

ADDITIONS—NEW ITEMS.

Section 2.

Clorexolone.
Meclastine.
Oxytetracycline with Hydrocortisone.
Sorbide Nitrate.
Typhoid Vaccine.

Section 3.

Aluminium Acetylsalicylate.
Buclosamide with Salicylic Acid.
Buclosamide with Salicylic Acid and Hydrocortisone.
Dioctyl Sodium Sulphosuccinate with Danthron.
Neomycin Undecenoate with Bacitracin.
Polymyxin B. Sulphate with Neomycin and Hydrocortisone.
Prednisolone Sodium Phosphate with Neomycin,

Colostomy and Ileostomy.

Aluminium Hydroxide Gel with Kaolin.

ADDITIONS—NEW FORMS AND STRENGTHS OF EXISTING ITEMS.

Section 2.

Acepihylline Syrup.
Castor Oil 100 ml.
Chlorthalidone 50 mg tablet.
Glutethimide 500 mg tablet.
Methenamine Mandelate 1G tablet.
Penicillin, Phenoxymethyl suspension 250 mg/5 ml.

Intravenous Fluids.

Amino Acids with Sorbitol 300 kcal.

Section 3.

Erythromycin 200 mg tablet and 200 mg/5 ml. suspension.
Goats Milk whole (sterilised).
Hydrocortisone ear drops.

Hydrocortisone with Neomycin Sulphate ear drops and ear ointment.
Indomethacin suppository.
Isoprenaline Hydrochloride 30 mg tablet.
Natamycin 100 mg tablet.
Penicillamine 250 mg capsule.
Tetracycline (Buffered) with Nystatin syrup.

Hospital Only.

Azathioprine 50 mg tablet.

TRANSFER.

Triglyde from Hospital Only to Section 3.

DELETIONS

Section 2.

Cortisone Acetate eye drops 1%, 2.5 ml.
Insulin 100 units/ml., 5 ml.

Intravenous Fluids.

Gastric Replacement Solution 1 litre.
Intestinal Replacement Solution 1 litre.
Tridihexethyl Chloride injection and drops.

Section 3.

Calcium Aminosalicylate Granules 100 G. and 400G.
Demethylchlortetracycline 75 mg capsule.
Erythromycin—sachet.

Hospital Only.

Hetacillin.

Section 4.

Caffeine Hydrate, B.P.
Collodion Acid Salicylic, A.P.F.
Elixirs—Ephedrine, A.P.F.
—Simple, B.P.C. 49.

Emulsions—Paraffin and Agar, A.P.F. 55.

—Paraffin Liquid, B.P. 58.

Ethanolamine, B.P.C.

Eye Ointment Base, B.P.

Ferrous-Carbonate Saccharated, B.P.C. 59.

Glyco-Gelatin Base, A.P.F.

Infusions—Orange Peel Conc., B.P.C. 1-7.

—Orange Peel Comp. Conc., B.P.C. 54. 1-7.

—Senna Conc., B.P.C. 59. 1-7.

Lotion—Lead and Opium, B.P.C. 59.

Oil—Coriander, B.P.

Sodium—Acid Citrate, B.P.

Spirit—Cajuput, B.P. 48.

Tinctures—Calumba, B.P. 48.

—Tolu, B.P.C. 59.

ALTERATIONS

Maximum Quantities and/or Repeats.

Thiotepa.

Restrictions.

Nandrolone Phenylpropionate.

Neomycin with Gramicidin, Thonzonium Bromide,

Thonzylamine and Hydrocortisone Acetate.

Surgical Cement.

Item—	Packs	Old Pack	New Pack
*Aluminium Hydroxide Gel—Mixture	8 fl oz 200 ml		360 ml.
*Aluminium Hydroxide Gel with Magnesium Hydroxide—Mixture	200 ml		360 ml.
Aluminium Hydroxide Gel with Magnesium Trisilicate—Mixture	8 fl oz		200 ml.
Boric Acid—Powder	4 oz		100G
Cascara—Liquid extract, B.P.	1 fl oz 2 fl oz		25 ml. 50 ml.
*Glucose Indicator—reagent strips	50		100
Glycerin	4 fl oz		100 ml.
Hydrogen Peroxide—solution 10 vol.	4 fl oz 8 fl oz		100 ml. 200 ml.
*Hydrogen Peroxide—Solution 20 vol.	4 fl oz		100 ml.
Magnesium Hydroxide—Mixture	6 fl oz		200 ml.
Magnesium Sulphate—crystals	1 lb		400G
—paste	4 oz 2 oz		100 G 50G
Paraffin Liquid	8 fl oz		200 ml.
Prednisolone Trimethylacetate—eye ointment	2.5G		3G
Cod Liver Oil—emulsion	16 fl oz		450 ml.
Paraffin Liquid—emulsion	16 fl oz		450 ml.
Soya Formula—liquid	15.5 fl oz		13 fl oz
Bismuth Subgallate—powder	4 oz		100G
Chloramine—powder	1 oz		25G

Where chemists have difficulty in obtaining supplies of the new packs the prescription should be endorsed to show the pack supplied and if the code number has also been changed the old code number for the replaced pack should be used (these items have been indicated with an asterisk in the above list). This arrangement will apply until 1 January 1969.

*ADDITIONS TO LIST OF HIGH VELOCITY
ITEMS*
Sulphamethoxazole.

ALTERATIONS TO APPROVED NAMES

<i>From</i>	<i>To</i>
Fluphenazine— <i>injection</i> 25 mg in 1 ml.	Fluphenazine Enanthate— <i>injection</i> .
Goats Milk—Dehydrated.	Goats Milk.
Hydrocortisone with Neomycin.	Hydrocortisone with Neomycin Sulphate.
Sultiamine.	Sulthiamine.

NOT FOR SALE

All Previous Editions Cancelled.

COMMONWEALTH OF AUSTRALIA.



SCHEDULE OF BENEFITS

for

APPROVED CHEMISTS

OPERATIVE FROM 1 DECEMBER 1968

Department of Health.

CANBERRA, A.C.T.

CONTENTS.

SECTION 1—LEMON PAGES

	Paragraphs
INTRODUCTION	
CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED	
A. PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS	
Schedule of Benefits	1-8
Prescriptions	9-11
Manner of Administration	12
Restrictions	13
Certificates for Prescribing Tranquillis- ing or Anti-depressant Drugs	14
Maximum Quantities and Repeats	15-20
Urgent Cases	21-22
Emergency Drug (Doctor's Bag) Sup- plies	23-26
B. SUPPLY OF BENEFITS—PROCEDURE BY CHEMISTS	
Prescriptions	27-29
Procedure when an Authority presented	30
Repeat Authorizations	31
Regulation 24	32
Receipts	33-34
C. CHARGES TO PATIENTS	
First Fifty Cents	35-40
After Hours	41
Delivery	42
Responsibility	43-44
D. MISCELLANEOUS	
Premises	45
Approved Doctors, Friendly Societies ..	46
Standards	47
References	48
Measures	49
Hours of Supply	50-51
Proper Stocks to be Kept	52
Statement of Stocks	53
Retention of Documents	54
Suspected Forgery	55
Sale Copies	56-58
CODING AND SUBMISSION OF PRESCRIPTIONS— PROCEDURE BY CHEMISTS	
A. INTRODUCTION	59-61
B. GENERAL	
Time for Lodgment of Claims	62

	Paragraphs
Documents to be Submitted	63
Completion of Claim Form	64-66
Prescription Identifying Numbers	67-68
Pharmacy Stamp	69
Serial Numbering of Prescriptions, Re- peat Authorizations and Emergency Drug (Doctor's Bag) Order Forms	70
Standard Formulae List of Extempor- aneous Preparations	71
Special Provisions Governing Payment of Extemporaneous Prescriptions Out- side the Standard Formulae List	72-78
C. PROVISION OF CODED INFORMATION BY CHEMIST	
Entering of Information	79
Code Numbers for Preparations which are Pre-priced	80-81
Code Numbers for Extemporaneous Pre- parations which are Not pre-priced ..	82
Coding Stamp	83-87
Coding of Ready Prepared Benefits	88
Coding of Extemporaneously Dispensed Benefits included in Standard Formu- lae List	89
Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List	90
Action to be taken when Chemist elects to be paid on an Average Price Basis ..	91
Action to be taken when Chemist elects to price non-priced Extemporaneous Preparations	92
Coding of Repeat Authorization Forms ..	93
Action by Chemist issuing the Repeat Authorization	94-95
Action by Chemist Dispensing a Repeat Authorization	96
Coding of Emergency Drug (Doctor's Bag) Order Forms	97
D. STATEMENT OF ACCOUNT	98-105
E. MISCELLANEOUS	
Private prescriptions—General Benefits priced at less than 50c	106

	Paragraphs	
PROVISIONS GOVERNING PAYMENTS TO CHEMISTS FOR N.H.S. DISPENSING		
A. GENERAL	107	
B. READY PREPARED ITEMS AND P.L. ITEMS		
Price where maximum quantity pre- scribed (R.P. and P.L. Items)	108	
Price where Broken Quantity Prescribed (R.P. Items)	109	
Price for Unbranded Prescriptions	110	
Packed Lines	111	
Unbroken Packs to be Supplied	112	
Wastage Table Percentage for Ready Prepared Preparations	113-114	
Prescribers' List Items	115	
C. EXTEMPORANEOUSLY PREPARED PRESCRIPTIONS		
Pricing Prescriptions Not Pre-priced	116-120	
Miscellaneous Pricing Rules	121	
Individual Powders, etc.	122-123	
Pricing Prescriptions where additional ingredients have been added to a specified formula	124-128	
D. PROVISIONS RELATING TO BULK PACKS		
High Velocity Items	129	
Purchase Pack Size	130	
Application to Brands	131-132	
Loss on Bulk Packs	133-134	
Conditions subject to which Loss Pay- ments will be made	135	
Claims for Loss	136	
E. GENERAL		
Professional Fees and Containers	137	
Pricing Dates	138	
Zone Allowances	139-140	
Supplies of Stationery	141	
Addresses of Commonwealth Department of Health State Offices		Page
Manufacturers Address and Code	22-24	21
Supplies of Listed Brands—Distributors	25	
Distributors—Addresses	26-29	
Emergency Drug (Doctor's Bag) Supplies	30	
Metric Conversion Table	31	
Abbreviations or Synonyms for Approved Names	32	

SECTION 2—WHITE PAGES		Page
Schedule of Benefits		
General and Pensioner Benefits	1-124	
Intravenous Fluids	125-129	
Container Prices and Professional Fee for Extemporaneous Benefits and Pre-priced Extemporaneous Preparations	131-164	
SECTION 3—PINK PAGES		
Schedule of Benefits		
Restricted Benefits	1-55	
Preparations Restricted to Colostomy and Ileos- tomy Use Only	56-57	
Preparations Restricted to Use in Approved Hospitals Only	58-61	
SECTION 4—GREEN PAGES		
Schedule of Benefits—Drug Tariff	1-11	
Tables of Maximum Quantities and Number of Re- peats for Extemporaneous Preparations	12-18	
SECTION 5—OLD GOLD PAGES		
PRESCRIBERS' LIST		
PHARMACEUTICAL BENEFIT FORMULAE		
Applications	1	
Creams	1-2	
Dusting Powders	2	
Ear Drops	3	
Elixirs	3	
Emulsion	3	
Eye Drops	3	
Inhalations	4	
Linctuses	4	
Liniments	4	
Lotions	4-5	
Mixtures	5-7	
Nasal Instillations	7	
Ointments	7-8	
Paints	8	
Pastes	8-9	
Powders	9	
Spray	9	
CHILDREN'S SECTION		
Linctus	10	
Mixtures	10-11	
SECTION 6—BLUE PAGES		
Container Prices and Professional Fee for Ready Prepared Benefits	1	
Standard Packs and Prices (including Mark-up, but no Professional Fee) for items against the price of which an asterisk is shown in the Schedule of Benefits	2-10	

INTRODUCTION

These notes are designed for the use of chemists. They describe the procedure by doctors in prescribing benefits and the procedures by chemists in supplying benefits. They go on to outline the action on the part of chemists in coding prescriptions for processing by computer and the submission by them of claims for payment. Finally the notes explain the pricing arrangements in accordance with which chemists' claims are processed for payment.

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

A. PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescribers' List items are listed in the Schedule of Benefits, Sections 2 and 3.
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in Section 4—(Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) The admixture of two or more ready prepared items listed in the Schedule of Benefits.
 - (b) The admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff—Section 4.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "solvent required" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., "Penicillin Benzyl, Injection 300 mg. amp. with 2 ml. water for injection".
6. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 15–20.
7. The Proprietary Index is available in a separate booklet which is issued to approved chemists.
8. Symbols used in the Schedule of Benefits.
 - (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed, except where the prescription bears specific instructions for use, in which case the item is to be labelled.
 - (c) A double dagger (§) in the maximum quantity column indicates an item for which the maximum quantity has

been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.

- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.

N.S.W. (N); VIC. (V); S.A. (S); W.A. (W);
Q'LD (Q); TAS. (T).

Prescriptions

9. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in some indelible form (ink or ball point pen) in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to "7 x 5". The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate, marking the duplicate with the word "Duplicate" (this is pre-printed on the standard prescription forms).
- (c) Set out the name and address of the patient, and, where the patient is a pensioner who holds an entitlement card, write the pension number. (Please note that the pension number is required and not the entitlement card number.) It is not necessary to write the pensioner's address on the prescription form, except where the provisions of State law regarding narcotic, specified or restricted drugs require the address to be written.
- (d) In the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose". Abbreviations such as "Spec.

Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease or purpose for a pensioner, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

- (e) If the benefit is a single drug, indicate the manner of administration.
- (f) Where a medical practitioner writes a prescription as a pharmaceutical benefit but does not specify a particular formula or brand for the item prescribed, the chemist when dispensing shall give priority to either the formula (if any) for that item specified in the Prescribers' List or to one of the ready prepared brands (if any) for that item included in the Schedule of Benefits.
- (g) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in own handwriting with the words "Regulation 24" (see also paragraph 20).
- (h) Mark the prescription "N.H.S.", date and sign it.

No objection will be raised to doctors writing more than one but no more than three prescriptions on a single sheet of paper provided each prescription is legible.

Prescribers' List formulations are now expressed in metric terms and made up to metric doses or quantities. Prescriptions consisting of or containing a Prescribers' List formula should therefore be written in the metric system.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

11. A prescription is not valid if the form—

- (a) Prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) Prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted).
- (c) Prescribes a narcotic drug for the medical practitioner writing the prescription.

Unless unduly inconvenient to the doctor, it would be appreciated if doctors could follow the practice of not writing prescriptions for benefit items on the same form as non-benefit items. This practice does not invalidate the prescription and if a prescription form contains both pharmaceutical benefit items and non-pharmaceutical benefit items, it may be accepted by the chemist. However to avoid

confusion to patients in such cases, the doctor should identify the non-benefit item, e.g., by an endorsement such as "non-benefit item", or "private prescription" or similar wording.

A particular application of these circumstances is where one prescription is for a "Specified Purpose" drug and the doctor has omitted to write "Specified Purpose" (or acceptable abbreviation) e.g., because the patient is not suffering from one of the allowable conditions. In such a case, identification of the item as a non-benefit will clearly indicate the doctor's intentions to both the patient and the chemist, and save inconvenience to all concerned.

Manner of Administration

12. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit.

Restrictions

13. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Commonwealth Director of Health. Full particulars of these drugs and the restrictions are listed as a separate section of the Schedule under "Restricted Benefit Section." Items restricted for use in "Approved Hospitals Only" are listed as a separate section in the "Restricted Benefit Section" of the Schedule. These items are not available in all approved hospitals and medical practitioners should ensure that the items are available at the particular hospital before prescribing. Items restricted to use for Ileostomy and Colostomy conditions are also listed as a separate section in the "Restricted Benefit Section." A reference to all other items listed in the Restricted Benefit Section is given in the Schedule of Benefits—Section 2. It is not necessary for the particular restriction to be identified on the prescription.

Certificates for prescribing Tranquillising or Anti-Depressant Drugs

14. Special arrangements apply in respect of the prescribing of certain tranquillising or anti-depressant drugs. Under these arrangements certificates for prescribing tranquillising or anti-depressant drugs are issued by approved hospitals in respect of patients who have been discharged after treatment (either as in-patients or out-patients) for mental disorders and who require continued treatment with these particular drugs.

These certificates are only applicable to those items against which this provision is listed in the restrictions (pink pages), and for the forms, brands, strengths and maximum quantities so listed. Any item not so listed may not be prescribed on these certificates.

The certificate is forwarded to the patient's medical practitioner.

On receipt of a certificate the medical practitioner may prescribe the particular drug as a pharmaceutical benefit for the patient provided the certificate number is endorsed on the prescription together with the words "specified purpose" (or suitable abbreviation).

Certificates are current for six months from the date of issue and during that time should be retained by the medical practitioner as a continuing authority to prescribe. It is not necessary to attach the certificate to the prescription.

Maximum Quantities and Repeats

15. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits. For other preparations, details are set out in the Tables of Maximum Quantities and Repeats—green pages.

The maximum quantity of items marked with a double dagger (‡) has been determined as a single pack and as explained in paragraph 8 unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

16. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 17–18). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

17. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

18. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

19.—(a) The written authority of the Commonwealth Director of Health to prescribe:

- (i) restricted drugs (paragraph 13); or
- (ii) increased maximum quantities (paragraph 17); or
- (iii) increased number of repeats (paragraph 18);

will be forwarded to the doctor on an Authority to Prescribe (Form PB15).

- (b) Where authority is given to prescribe:
 - (i) repeat supplies of restricted drugs; or

- (ii) repeat supplies of increased maximum quantities; or
- (iii) for the supply of a pharmaceutical benefit to be repeated more times than the number of repeats specified in the Schedule;

an Authority to Repeat (Form PB15a—pink) for each repeat authorized will also be forwarded with Form PB15.

(c) On receipt, the doctor writes the prescription on the original (white) form PB15 in the space provided for this purpose. The doctor will retain the yellow copy as his record, and hand all other copies including the original (white) copy and any pink copies (form PB15a) to the patient.

Note: In VICTORIA and TASMANIA the doctor writes the prescription in duplicate (a duplicate form PB15 is provided for this purpose). Both the original and duplicate forms PB15 are handed to the patient.

20. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

Urgent Cases

21. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing and forward it to the chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

22. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 13). In such cases, the doctor must first obtain advice from the Commonwealth Director of

Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

23. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

24. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) order form (except Form P.B. 7A) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on an Emergency Drug (Doctor's Bag) order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present Doctor's Bag order form P.B. 7A to an approved chemist for their supplies. Special instructions are issued to these doctors.

25. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity. For example, if the doctor had 100 or more sulphonamide tablets on hand as portion of his Emergency Drug (Doctor's Bag) Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than sulphonamides), e.g., different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, the doctor may obtain all or any of those strengths provided that the number of units required of each strength is the number in a listed listed manufacturer's pack and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity. For example, if there were five strengths of a tablet each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

26. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

B SUPPLY OF BENEFITS—PROCEDURE BY CHEMISTS

Prescriptions

27. An approved chemist is authorized to supply a pharmaceutical benefit only upon the surrender of—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a repeat authorization presented with a duplicate prescription within six months of the date of the prescription.

Prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion. However, where a restriction is applied to the prescribing of a benefit, valid prescriptions written before the date of effect of the restriction may still be dispensed as benefits.

28—A. Before a benefit is supplied on presentation of a prescription the chemist is required to:—

- (i) mark his name and approval number on the prescription form and duplicate;
- (ii) allot a number which will identify the prescription and write that number on the form and duplicate; and,
- (iii) if more than one prescription has been written on the one form allot a separate number to each prescription.

B. When a benefit is supplied on presentation of a repeat authorization, the chemist shall mark his name and approval number in the space provided on the repeat authorization.

C. Before a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply except when supply under the provisions of Regulation 24 is authorized (see paragraph 32), or on a repeat authorization requiring further repeats, the chemist shall prepare a repeat authorization form in duplicate, showing:—

- (i) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (ii) on the first occasion of supply of the benefit, his approval number together with the identifying number allotted by him to the prescription and the date of the original prescription;
- (iii) on subsequent occasions of supply (except the final occasion of supply) the approval number and the prescription identifying number relating to the original supply and the date of the original prescription;
- (iv) if the prescription or repeat authorization is for a pensioner, the pension number appearing on the prescription;
- (v) if the prescription or repeat authorization is for a tranquilliser or anti-depressant drug for a person other than a pensioner, the Tranquilliser Certificate number appearing on the prescription.

D. At the time of supply of the benefit the completed repeat authorization together with duplicate of the prescription is to be issued to the person to whom the benefit is supplied.

E. Separate repeat authorizations are to be prepared in respect of each benefit and for solvents when an injectible solvent is prescribed. The procedure when an authority form is presented is set out in paragraph 30. The procedure to be followed in endorsing prescriptions and repeat forms is covered in "CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY CHEMISTS". (See page 9 of these notes).

29. Prescription forms which prescribe both pharmaceutical benefit items and non-pharmaceutical benefit items may be accepted. The non-benefit items will be supplied as private prescriptions and cancelled from the form.

Procedure when an Authority presented

30—A. When a benefit is ordered on an Authority to Prescribe (form PB15) the doctor will have written the prescription on only the original (white) copy of the Authority form. In this case the doctor is not required to write a duplicate prescription. The chemist will—

- (a) enter in the designated places on the Authority form—
 - (i) the serial number of the prescription;
 - (ii) code for brand of benefit ordered where the Department has, in the absence of prior knowledge of the prescriber's intention, omitted to endorse a brand in the appropriate coding space and one is specified in the prescription;
 - (iii) prescription number (reference to the relevant entry in the prescription book);
- (b) where a solvent has been prescribed for an injectible and there are no repeats ordered or all repeats have been previously supplied, a code stamp imprint will be placed on the front of the white form (PB15) and a separate serial number and code for the solvent entered thereon; and
- (c) obtain the signature of the patient or signature and address of the agent and date of supply.

B. Where repeat supplies are authorized on an Authority to Repeat, Forms PB15a (pink) equal to the number of repeats authorized will be supplied to the patient by the doctor. The patient will surrender one form to the chemist on each occasion supplies of the benefit are obtained. The chemist is not required to complete a Repeat Authorisation unless an injectible with solvent is prescribed. The chemist will:-

- (a) enter in the designated places on the authority form—
 - (i) the serial number of the prescription;

- (ii) code for brand of benefit ordered where the Department has omitted to endorse a brand in the appropriate coding space and one is specified in the prescription;

- (iii) prescription number (reference to the relevant entry in the prescription book); and

- (b) obtain the signature of the patient or signature and address of the agent and date of supply.

C. Where an injectible and required solvent are to be repeated, the chemist who makes the first supply should serially number and code the solvent on the front of a pink form (PB15a) which he will retain. A repeat authorization form will be prepared and given to the patient together with the white and pink copies of the Authority to Prescribe (Forms PB15 and PB15a).

D. The chemist should claim for the quantity authorized and supplied. If no repeats have been authorized or if all repeats have been previously supplied, the chemist should claim on the white form PB15, otherwise the claim is made on the pink form PB15a and the white form with any remaining pink forms returned to the patient.

E. It should be noted that the chemist dispensing the last supply (or the only supply where no repeats are ordered) will not have a duplicate prescription. Also, as he does not have to make out Repeat Authorisations he will have no duplicate Repeat Authorisation for intermediate supplies. Particulars of each supply should therefore be entered in the chemist's prescription book if a record is required.

NOTE: In VICTORIA and TASMANIA the doctor is provided with a special duplicate copy of the form of authority (PB15) for use as a duplicate prescription. This duplicate authority will be used by the chemist for the same purposes and in the same manner as a duplicate prescription.

Repeat Authorizations

31. A benefit may be supplied on a repeat authorization only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

Regulation 24

32. Where a prescription is endorsed "Regulation 24" (see paragraph 20), a chemist is authorized to supply the benefit and the repeats of that benefit at the one time. He should not complete a repeat authorization form. Only one professional fee is payable for the total supply.

Receipts

33. Upon the supply to a person of a benefit by a chemist, that person shall sign and date a receipt for that benefit on the prescrip-

tion form or repeat authorization, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the prescription form or repeat authorization with his address. Not in any circumstance must a person give or a chemist demand, a receipt until supply of the benefit has actually been made.

34. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the approved chemist must certify on the prescription or repeat authorization, as the case may be, that he has supplied the pharmaceutical benefit, the date on which the supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 21-22) or to a person who cannot read or write, or who is unable to write, the approved chemist should sign and date a statement on the prescription or repeat authorization, indicating the circumstances of supply.

C. CHARGES TO PATIENTS

First 50c

35. An approved chemist may in respect of each supply by him whether on a prescription or repeat authorization, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding 50c, except that a charge is not to be made for the supply of a pharmaceutical benefit on a prescription which shows the pension number as appearing on the P.M.S. Entitlement Card of the pensioner, or a repeat authorization on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one fifty cents charge may be made for each supply of the benefit.

36. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than 50c for each supply.
- (b) he will clearly indicate in any statement made by advertisement, notice or otherwise, that any offer to supply drugs or medicinal preparations without charge or at a reduced charge does not apply to the supply of pharmaceutical benefits.
- (c) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners in possession of a Pensioner Medical Service Entitlement Card) without charge or for a charge that is less than 50c for each supply.
- (d) he will not enter into an agreement or arrangement to pay rebates or refunds on the 50c fee, nor will he become an agent for a party to such agreements.

37. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 17), only 50c should be charged for each supply of the increased maximum quantity.

38. Where a doctor endorses a prescription "Regulation 24" (see paragraphs 20 and 32), the chemist should make a charge of 50c for the original prescription and 50c for each repeat that would normally be needed to make up the total supplies. For example if the prescription ordered two repeats, a charge of \$1.50 should be made on the patient.

39. Where a prescription is written for a benefit for which the dispensed price is less than 50c at the time of supply, the prescription should be dispensed as a private prescription, unless it has been written for a pensioner. This also applies to prescriptions endorsed "Regulation 24" (see paragraphs 20 and 32), and for which the price of the maximum quantity of the benefit is less than 50c.

40. Where a doctor has obtained an authority to prescribe an increased maximum quantity (see paragraph 17), and the increase in quantity takes the dispensed price to more than 50c, the prescription should be dispensed as a pharmaceutical benefit regardless of the price of the normal maximum quantity. In such cases the normal 50c charge may be made in respect of each supply.

After Hours

41. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged for each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Commonwealth. Allowable late fees are—

- (a) after trading hours but before 11 p.m.—25c.
- (b) between 11 p.m. and the commencement of trading hours on the next day—50c.

Delivery

42. A charge equal to the cost of delivering may be made if supply by delivery is made at or to a place other than the chemist's pharmacy.

Responsibility

43. It is the patient's responsibility to meet any charge lawfully demanded and a chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

44. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Commonwealth) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

D. MISCELLANEOUS

Premises

45. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

Approved Doctors, Friendly Societies

46. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly Society Dispensaries should follow the procedures subject to additional instructions made available to them.

Standards

47. A chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

- (a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Substances Act;
- (b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

48. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescribers' List are identified in this book by the letters B.P., B.P. 1958, B.P. 1953, B.P. 1948, B.P. 1914, B.P.C., B.P.C. 1959, B.P.C. 1954, B.P.C. 1949, A.P.F., A.P.F. 1955, A.P.F. 1947, or P.L. as appropriate.

Measures

49. Except where stated, weights and measures other than metric, represented or expressed in the Schedule of Benefits, or in a prescription, shall be deemed to be apothecary's weights and measures. When the abbreviation oz. is used in relation to extemporaneous preparations it refers to a 480 gr. ounce. A table of approximate equivalents of doses in the metric and imperial systems is given in this section.

Hours of Supply

50. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays

any charges applicable. When the prescription is marked "urgent" and initialled by the doctor, it is obligatory for the chemist to make supply at his pharmacy at any hour.

51. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

52. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

53. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

54. Without affecting the requirements of the law of a State in regard to dangerous or restricted drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorizations;
- (c) in the case of a chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

Suspected Forgery

55. If a chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Emergency Drug (Doctor's Bag) order forms particular requirements are set out in paragraph 24.

Sale Copies

56. Copies of the National Health Act and Regulations are available from the Commonwealth Sub-Treasury in each capital city.

57. Additional copies of the Proprietary Index and this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

58. Inquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

CODING AND SUBMISSION OF PRESCRIPTIONS— PROCEDURE BY CHEMISTS

A. INTRODUCTION

59. The pricing of valid prescriptions, repeat authorizations and Doctor's Bag Order forms and the calculation of the total amount payable for each claim are carried out by means of an electronic computer which operates on coded information provided by the approved chemist in respect of each pharmaceutical benefit supplied under the National Health Act.

60. The system is designed to enable approved chemists to prepare claims correctly with a minimum of work but it is, however, essential that the instructions be followed carefully and without modification. The inclusion in claims of incorrectly coded or otherwise defective prescriptions can be expected to interrupt processing and delay payments.

61. The interest and co-operation of approved chemists in ensuring that claims are always correctly prepared is invited and would substantially assist this Department to maintain a programme of prompt and satisfactory payments.

B. GENERAL

Time for Lodgment of Claims

62. Claims for pharmaceutical benefits must be lodged at the office of the Commonwealth Department of Health in your capital city within thirty days of the last day of the month in which the benefits were supplied. Claims for pharmaceutical benefits supplied more than six months prior to the date of claiming will not be accepted for computer processing, but will require manual pricing of prescriptions and preparation of tally sheets and claim forms by the chemist. *Chemists desiring to submit such claims should contact the office of the Commonwealth Director of Health for instructions regarding the preparation of the claims and the necessary forms.*

Documents to be Submitted

63. A Claim for pharmaceutical benefits consists of:

- (i) A completed claim form P.B.1 (Treasury Form 12).
- (ii) The originals of all prescriptions, repeat authorizations, as well as special authority prescriptions and special authority repeat forms for benefits supplied to the general public. These should be together in a separate bundle from the pensioner prescriptions.
- (iii) The originals of all prescriptions, repeat authorizations, as well as special authority prescriptions and special authority repeat forms for benefits supplied to pensioners. These should be together in a separate bundle from the general benefit prescriptions.

NOTE.—Generally, prescriptions in each bundle should be submitted in serial number order. The exception to this is where a chemist *has elected to price* extemporaneously prepared prescriptions (see paragraphs 72 and 90). These prescription forms should be placed at the back of the relevant bundle irrespective of serial numbers and the fact that other prescriptions may appear on the same form.

- (iv) The original orders for Emergency Drug (Doctor's Bag) supplies in a separate bundle.
- (v) Repeat authorizations for an injectible and the related solvent must be stapled together.

Completion of Claim Form

64. Particulars of claimant's name, approval number, address, reference number, zone and zone factor and month of dispensing should be entered in the spaces provided on the claim form P.B.1 (Treasury Form 12). It is important that these particulars agree entirely with the latest written information held by this Department; i.e., application for approval form or later letter. In the event of discrepancies, payment will necessarily be delayed pending clarification.

65. The numbers to be entered on the claim form are the first and last serial numbers given to items on the General and Pensioner Benefits and Emergency Drug (Doctor's Bag) forms respectively (see paragraph 70). The last numbers should be the total numbers of these categories.

66. Please note that no entry of the amount of the claim is required—this will be calculated by computer after the prescriptions have been individually priced.

Prescription Identifying Numbers

67. In addition to a serial number (see paragraph 70) each pharmaceutical benefit prescription dispensed must be given a number which identifies it specifically. Prescription book numbers are preferable

but any other series which will meet the purpose may be used, provided that the chemist's approval number is not a component of such numbers. Please note that these numbers are to be entered in the Coding Stamp (see paragraph 83), not in the Pharmacy Stamp as has been the general practice.

68. Further, in cases where a chemist allots an identifying number to a repeat authorization as distinct from the original prescription number allotted by the chemist issuing the repeat authorization, he should enter this new identifying number in the appropriate coding box pre-printed on the front of the form.

Pharmacy Stamp

69. Before supply of benefit each prescription form and repeat authorization form should be endorsed with the name of the approved person and his approval number. This information may be stamped, written or typed.

Serial Numbering of Prescriptions, Repeat Authorizations and Emergency Drug (Doctor's Bag) Order forms

70. Commencing at 1 for General Benefits, P1 for Pensioner Benefits and D1 for Emergency Drug (Doctor's Bag) supplies, each month serially number *each benefit item supplied* within each of these categories. It is important for identification purposes that all serial numbers for Pensioner Benefits are prefixed by the letter P, and it should be noted that each Doctor's Bag item should be given a serial number; e.g., if there are five items on the first Emergency Drug (Doctor's Bag) Order form dispensed for the month the first item on the second form dispensed for the month will be D6.

Standard Formulae List of Extemporaneous Preparations

71. Included in Section 2 is a comprehensive list of pre-priced extemporaneous preparations. The list is comprised of formulae taken from formulary in common use. This list is referred to in these notes as the Standard Formulae List. Each preparation is identified with a four figure code number.

Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List

72. An approved chemist may elect to price out these prescriptions. Once made, however, such an election cannot be varied for a period of three months and applies to all extemporaneously dispensed formulae for which there are no four-figure Codes in the Standard Formulae List.

73. Unless he so elects, the chemist will be paid at an average reimbursement rate for these prescriptions. Under this system, payment is made on the basis of an average 10G/ml. or unit rate applied to the category of preparation concerned, i.e., the price will be ascertained by multiplying the appropriate 10G/ml. or unit rate by the number of 10G/ml units supplied and adding container and professional fees. For example an 80 ml. mixture would be priced at

8 times the average 10 ml. rate for mixtures, plus container and professional fee. Notwithstanding that a chemist is accepting the average price for non-pre-priced prescriptions, he may price out "exceptional" prescriptions and code for reimbursement at that price (see paragraph 78).

74. The average 10G/ml. or unit rate may vary from month to month but the rate for a particular prescription will be that applying to the month in which it was dispensed.

75. By agreement with the Federated Pharmaceutical Service Guild of Australia the average 10G/ml. or unit rates are determined as follows:

76. Each month the total number of 10G/ml. units of each type of pre-priced extemporaneous preparation claimed for will be ascertained for each State, together with the total values minus container and professional fees. From these figures an average 10G/ml. or unit rate will be calculated for each type of preparation for each State. This rate will be used as the rate for calculating prices for the prescriptions dispensed in the succeeding month. It should be noted that prescriptions ordering a combination of standard preparations also fall outside the scope of the Standard Formulae List and therefore are subject to this section.

77—(a) Any variant to a formula included in the Standard Formulae List (addition and deletion of an ingredient or variation of dose up or down) takes the formula dispensed outside the Standard Formulae List and it becomes subject to this section, i.e., it cannot be identified with the code number of the formula which it resembles.

(b) Where a chemist is accepting the average price for non-pre-priced prescriptions, and where an ingredient is added to a standard formula and the recovery price for the standard formula plus additive under the average price system is less than that for the standard formula alone, the chemist may code that prescription as though it were a standard formula item.

78. Exceptional prescriptions are those prescriptions which if priced out would have a value (including container and professional fee) equal to or greater than twice the recovery price (including container and professional fee) on an average price basis.

C. PROVISION OF CODED INFORMATION BY CHEMIST

79. The chemist will enter relevant information on each document he submits in support of his claim. The information to be entered will depend upon the type of document, i.e., original or repeat supply, Emergency Drug (Doctor's Bag) Order form, &c., and on the category of prescription, i.e., ready prepared or extemporaneously prepared. The chemist is not required to determine eligibility for minor or bulk pack payment nor is he required to endorse the prescription "Ex M.P." Bulk Pack eligibility will be assessed by the computer.

Code Numbers for Preparations which are Pre-priced

80. A unique four-figure code number is shown for:

- (i) each form and strength of every ready prepared benefit (Sections 2 and 3, Schedule of Benefits);
- (ii) each standard formula preparation listed in the Standard Formulae List.

81. An exception to this occurs in the use of packed lines where the presence or otherwise of "Directions for Use" affects the price. Two separate numbers are therefore shown for each packed line. The first code number is to be used where the prescriber has not included specific directions for use in his prescription, and the second will be used when such directions are included.

Code Numbers for Extemporaneous Preparations which are not Pre-priced

82. Two-figure code numbers representing each type of extemporaneous preparation, e.g., mixtures, ointments, &c., are shown in the Tables of Codes, Section 4 (green pages) of the Schedule. These two-figure codes are to be used by the chemist in coding those prescriptions where a doctor has either specified the individual ingredients of a preparation or ordered a combination of standard formulae or has varied in any way a preparation included in the Standard Formulae List, and the chemist has elected to accept an average price (see paragraph 73). Where the chemist has elected to price out such prescriptions then action as outlined in paragraph 90 should be taken.

Coding Stamp

83. One stamp is provided for coding both Ready Prepared Benefits and Extemporaneously Dispensed Benefits. This stamp provides spaces for coded information on original prescription forms. Repeat authorization forms and Emergency Drug (Doctor's Bag) Order forms currently on issue have printed coding spaces, and special authority prescriptions and special authority repeat forms are coded by this Department before issue to medical practitioners.

84. Stamp imprints should be placed preferably on the extreme left of the front side of the prescription form. Many doctors use prescription forms which provide space suitable for this purpose, but when there is insufficient area on the front of the form the stamp should be placed on the left-hand side on the back. It should be noted that coding stamps must be placed either all on the front or all on the back of an individual form. In no circumstances should the stamp imprint appear on both the back and front.

85. Doctors who so desire may obtain prescription forms which provide space for the coding stamp and for the patient's or agent's receipt on the face of the form.

86. Where there is insufficient space either on the front or the back of the form for the coding stamp, the coding should be on a slip of paper firmly attached to the form.

87. This stamp will be used for all pharmaceutical Benefits—

S
C
Q
B R
No.

Coding of Ready Prepared Benefits

88. "S"—Serial Number (see paragraph 70)

"C"—Is the appropriate code number. All code numbers are shown in the Schedule of Benefits for Approved Chemists beside the Benefits to which they refer. These numbers range from 1000 to approximately 3000.

"Q"—Quantity. The number of units dispensed, e.g., capsules, tablets, tins, vials, tubes, &c., is to be entered in the stamp imprint. Only the appropriate number should be shown. The type of dispensing unit should not be specified.

For Regulation 24 prescriptions, the quantity actually supplied should be entered; that is, the total of the original quantity plus the quantities ordered as repeats. (Note next paragraph).

The dispensed quantity of PACKED LINES and PACKS NOT TO BE BROKEN should never be expressed as a volume or weight but always in those terms in which the maximum quantity is expressed in column 3 of Part 2 or Part 3 of the Schedule; e.g. a prescription ordering 200 ml of a packed line should be coded with a quantity of "1" and not "200".

For all Regulation 24 prescriptions, the letter "X" should be entered on the stamp imprint immediately after the quantity.

"B"—Brand Ordered. Where a doctor orders a particular brand, either by proprietary name or brand, the code letters of the manufacturer should be entered beside the letter "B". Where a particular brand is not ordered THIS SPACE MUST BE LEFT BLANK.

"R"—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

"No."—Prescription identification number (see paragraph 67).

Coding of Extemporaneously Dispensed Benefits Included in the Standard Formulae List

89. "S"—Serial Number (see paragraph 70).

"C"—Code Number obtained from the Standard Formulae List where one is shown. These numbers range from 7000 to 9999.

"Q"—Quantity dispensed. In specifying the quantity of a standard formula for which a code appears in the Standard Formulae List the following rules should be adhered to:

- (a) Where the doctor orders a whole number of ounces that number is to be entered after the letter "Q" in the stamp imprint in plain figures (not Roman numerals). The ounce sign or similar identification should not be shown.
- (b) Where fractions of an ounce occur the quantity must be expressed as a decimal fraction of an ounce, e.g., 2 fluid ounces 240 minims is to be expressed as 2.5. An extemporaneously dispensed eye ointment of 60 grains will be shown as 0.125. No ounce or drachm sign should be used and no other means of expressed parts of an ounce will be acceptable to the system.
- (c) In the case of extemporaneous preparations ordered by number of units and not by weight or measure, such as extemporaneously prepared capsules, suppositories, pessaries and individually wrapped powders, the number of units supplied should be entered. Wastage where applicable will be calculated by the computer. Details of the type of unit dispensed should *not* be provided. The number of units only is required. Where the supply of a standard preparation is made under Regulation 24, the letter "X" should be entered after the quantity.
- (d) If quantities are prescribed in the metric system, the number of millilitres or grammes suffixed by ml. or G. should be entered.

"B"—This space must be left blank when coding Extemporaneously Dispensed Prescriptions.

"R"—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

"No."—Prescription Identification Number (see paragraph 67).

Coding of Extemporaneously Dispensed Benefits which are not Listed in the Standard Formulae List

90. In the case of formulae for which a code number is not shown claimants may elect either to receive an average 10G/ml. or unit rate

for the type of preparation with provision to price exceptional prescriptions (see paragraph 78) or to calculate the cost of ingredients, containers and professional fee manually (see paragraphs 72-77). These arrangements have been agreed between the Department and the Federated Pharmaceutical Service Guild of Australia. No notice to the Department will be necessary if payment on the average reimbursement rate system is desired, but election must be made formally if the chemist desires to price these prescriptions individually before submission. Once made, such an election will apply to all non pre-priced extemporaneous preparations and cannot be altered for a period of three months. The chemist will notify the department when changing from "pricing elected" to "acceptance of average rate". It should be noted that prescriptions which call for a variation to one of the formulae listed in the Standard Formulae List or combinations of Standard Formulae fall into this category and are not to be identified with the code number of the formula in the Standard Formulae List which they resemble. Coding of Standard Formulae with additives for chemists accepting average rate, is covered in paragraph 77 (b).

Action to be taken when Chemist elects to be paid on an average price basis

91. (a) Coding of prescriptions to be reimbursed on an average price basis.

- (i) Enter the serial number, number of repeats ordered, (up to the allowable maximum) if any, and the prescription identifying number in the appropriate places on the stamp imprint.
 - (ii) Enter the two-figure code for the type of preparation in the code number space [see the Tables of Codes, Section 4 (green pages) for these codes].
 - (iii) Where the quantity prescribed is expressed in the metric system enter the number of millilitres or grammes suffixed by ml. or G. in the quantity space. Where the quantity prescribed is expressed in the imperial system, the number of ounces or units should be entered. Where a fraction of an ounce occurs, it should be expressed as a decimal fraction, e.g., 3 fluid ounces 240 minims should be entered as 3.5. No ounce sign or similar identification is necessary.
 - (iv) Where a supply is made under the provisions of Regulation 24, the letter "X" should be entered after the quantity.
- NOTE: The space following the letter "B" should be left blank.

(b) Coding of Exceptional Prescriptions as defined in Paragraph 78.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum) if any, and the prescription identifying number in the appropriate places in the stamp imprint.

- (ii) Enter the two-figure code for the type of preparation preceded by the letter "V" (indicating that this prescription is priced) in the code number space. [See the Table of Codes, Section 4 (green pages) for these codes].
- (iii) Enter the calculated price in the quantity space.
- (iv) Where the supply is made under the provisions of Regulation 24, the letter "X" should be entered after the price.

NOTE: The space following the letter "B" should be left blank.

Action to be taken when Chemist elects to price non-priced Extemporaneous Preparations

92. When the chemist has advised the Department of his election to price out these prescriptions he should price all prescriptions in this category in accordance with the pricing principles set out in "Provisions governing Payments to Chemists for N.H.S. dispensing" (page 15) and—

- (i) enter the serial number, number of repeats ordered, (up to the allowable maximum) if any, and the prescription identifying number in the appropriate sections of the stamp imprint,
- (ii) enter only the letter "V" in the code number space. This indicates that the prescription has been priced out.
- (iii) enter the price he has calculated in the quantity space.
- (iv) Where a supply is made under the provisions of Regulation 24, the letter "X" should be entered after the price.

N.B. No details of type or quantity of preparation are to be shown in the code stamp.

Coding of Repeat Authorization Forms

93. The chemist originating a repeat will not only complete the upper section of the form but will also enter details in the coding box. It will be the responsibility of the chemist dispensing the repeat authorization to ensure that the coding details are correct.

Action by Chemist Issuing the Repeat Authorization

94(a) The following information relating to the original prescription is to be entered in the spaces provided:

- (i) Approval number of chemist who dispensed the original prescription.
- (ii) Date of the original prescription.
- (iii) The prescription identification number assigned by the dispenser of the original prescription.
- (iv) The number of repeats ordered up to the allowable maximum.
- (v) The number of times the prescription has been dispensed.
- (vi) The code number, quantity and where applicable the brand of the benefit ordered.

(b) Where the number of a certificate for prescribing tranquillising or anti-depressant drugs is shown on a prescription, this number should also be noted on the repeat authorization.

95. Where a chemist dispenses a supply other than on the first occasion, the information in (i), (ii), (iii), and (iv), will be transcribed from the repeat authorization which he receives from the patient. These details would have been entered by the chemist who issued the form to the patient.

Action by Chemist Dispensing a Repeat Authorization

96. The chemist dispensing the supply will check the information entered in the stamp imprint. The dispensing chemist is responsible to ensure the correctness of these entries. It should be noted that:

- (a) The serial number allotted by the chemist to the repeat supplied is entered beside the letter "R" in the box at the top of the form.
- (b) The new identifying number of the Repeat Authorization is to be entered in the space marked "No." in the Coding Stamp Box on the front of the form. (See paragraph 68.).
- (c) When the chemist issuing the authorization has entered a code number (for the type of preparation) and quantity in the stamp and the dispensing chemist has elected to price such prescriptions instead of accepting the average price, the dispensing chemist should strike out the entries and replace them with "V" and the claimed price or *vice versa*.

Coding of Emergency Drug (Doctor's Bag) Order Forms

97. For each item ordered, enter the serial number, code number of the benefit, quantity supplied and the brand ordered, if any.

D. STATEMENT OF ACCOUNT

98. A Statement of Account will be forwarded in respect of each claim passed for payment. This gives, in addition to the details of payment, the price paid for each benefit or the reason for non-payment. Prescriptions are identified on the Statement of Account by the serial numbers allotted by the claimant and the Item Code number. In the case of non-pre-priced extemporaneously prepared benefits the letter "V" or the 2-digit code number for the type of preparation replaces the item code numbers according to whether the prescriptions have been paid on an average price or calculated price basis. Serial Numbers of Emergency Drug (Doctor's Bag) items will be prefixed by the letter "D", and the pensioner prescriptions by the letter "P".

99. The reason for non-payment of any item will be indicated by a Code letter. An explanation of the Code employed appears on the reverse side of the Statement of Account.

100. Prescriptions and repeat authorizations which are not acceptable for payment will be returned with the Statement of Account. Other prescriptions appearing on such forms will have been paid and

appropriately cancelled before being returned to the chemist. Where prescriptions are resubmitted they must be allotted an entirely new serial number and included as a normal part of the next claim.

101. If prescriptions from previous claims are the subject of adjustment to current claims, full details will be shown on the Statement of Account.

102. Where a correctly coded prescription has not been given a serial number by the claimant the serial number given to the preceding prescription will be used also as a means of reference to the second prescription, i.e., the serial number will appear twice on the Statement of Account with the appropriate prices or rejection codes relating to both prescriptions.

103. Should serial numbers be duplicated they will be shown on the Statement of Account as numbered by the claimant.

104. In the case of a serial number which has not been used or the relevant document not submitted the number will be printed on the Statement of Account together with a code signifying that the document has not been received.

105. The Statement of Account will include a statement reconciling the number of prescriptions claimed for by the chemist with the number of prescriptions for which payment has been made.

E. MISCELLANEOUS

Private Prescriptions—General Benefits Priced at Less than 50c

106. Particularly in the case of broken quantities and bulk pack items, chemists will not be in a position to determine whether prescriptions should be submitted for payment or dispensed privately. To overcome this difficulty, all prescriptions for the general public which otherwise qualify as pharmaceutical benefits should be submitted for payment. The computer is programmed to ensure that non-pensioner prescriptions priced at less than 50c are excluded so that the claim is not incorrectly adjusted by the payment of the price of the prescription and a deduction of 50c.

PROVISIONS GOVERNING PAYMENTS TO CHEMISTS FOR N.H.S. DISPENSING

A. GENERAL

107. The pricing principles are identical for prescriptions written for the general public and pensioners.

B. READY PREPARED ITEMS AND P.L. ITEMS

Price where Maximum Quantity Prescribed (R.P. and P.L. Items)

108. The price payable for a benefit is the amount shown in column 5 of the Schedule against that benefit subject to the following provisions—

(a) Bulk Rate Items (Where two prices are shown)

(i) Where 5 prescriptions and over of a particular brand are included in a month's claim, payment will be made at the bulk pack rate price for all prescriptions of that brand. Unbranded prescriptions will be counted with the brand of major usage for the purpose of arriving at the bulk rate qualification and the price payable will be the bulk price for that brand as at the date of dispensing.

(ii) Where 4 or less prescriptions of a particular brand have been included in a month's claim the minor pack rate is payable.

It should be noted that the computer has been programmed to determine bulk pack eligibility, so that there will be no need for chemists to count prescriptions for bulk pack items or endorse them in regard to supply from a minor pack.

(For special bulk rate provisions see paragraphs 129-136.)

(b) *Packed Lines*—Where the prescription bears specific instructions for use—the price is calculated in accordance with paragraph 111.

(c) *Injections with required solvent*—Where the words "solvent required" are included after the form of the benefit, the price payable is the sum of the listed prices for the item and the solvent less 30c (i.e., only one professional fee is payable). Prescribers must indicate volume and number of ampoules of solvent to be supplied.

Price where Broken Quantity Prescribed (R.P. Items)

109.—

(a) *Bulk rate items (where Bulk Pack Rate applies)*—The method used in ascertaining the price of a quantity other than a maximum quantity is the same as that which has been used in arriving at the price of a maximum quantity from a bulk pack. However, as the price shown in column 5 of Section 2 Schedule of Benefits (white pages), and Section 3 Schedule of Benefits (pink pages) for the maximum quantity already incorporates a breakage allowance, the following action is taken to ascertain the price of a quantity other than the maximum quantity—

(i) 30c and the container fee for the maximum quantity of that item are deducted from the amount shown in column 5 of the Schedule of Benefits.

- (ii) the amount ascertained in (i) is multiplied by the quantity dispensed over the maximum quantity.
- (iii) the amount ascertained in (ii) is added to the appropriate container fee and the professional fee of 30c.
- (b) *Bulk Rate Items (where Minor Pack Rate applies)*—The price is ascertained in accordance with paragraphs 109 (e) or 109 (f) as applicable.
- (c) *Packed Lines*—The price for the maximum quantity is payable, even when a lesser quantity is prescribed.
- (d) *Packs not to be Broken*—Where items packed by the manufacturer under special conditions or for which the maximum quantity has been determined as a single pack are prescribed (see paragraph 112), maximum quantity is to be supplied and the price payable is that for the maximum quantity.
- (e) *Ready Prepared Items where Standard Pack coincides with Maximum quantity*—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—
 - (i) 30c is deducted from the price shown in column 5 of the Schedule in relation to the benefit.
 - (ii) To the resultant amount is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 114.
 - (iii) The amount ascertained under (ii) is added to a professional fee of 30c and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 of the Schedule in relation to the maximum quantity of the benefit.
- (f) *Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e., where an asterisk is shown against the price)*—In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 of the Schedule beside the price shown for the benefit concerned. In such cases the standard pack rate is set out in the Table shown in Section 6 (blue pages) of the Schedule. The price payable for the quantity supplied is ascertained as follows—
 - (i) To the standard pack rate is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 113.
 - (ii) The amount so ascertained is added to a professional fee of 30c and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the sum of the standard pack rate and 30c.

- (g) No container fee is payable where the quantity of benefit ordered and supplied is more than the quantity contained in the standard or non-standard packs.

Price for Unbranded Prescriptions

110.—

- (a) *Bulk Rate Items (where Bulk Pack Rate applies)*—
 - (i) Prescriptions which do not specify a brand are treated as if written for the brand of major usage (see paragraph 108 (a) (i)).
 - (ii) Where two or more brands equally qualify as the brand of major usage during the month, prescriptions which do not specify a brand are counted with that brand which is the lowest in price of these brands.
 - (iii) Where no prescriptions are written for a brand of the item during the month, unbranded prescriptions are payable at the lowest bulk pack rate shown in column 5 of the Schedule against that item.
- (b) *Bulk Rate Items (where Minor Pack Rate applies)*—Where the MINOR PACK rate applies (see paragraph 108 (a) (ii))—the lowest price shown in column 5 in relation to the minor pack price for that item is payable.
- (c) *Other Ready Prepared Items*—Where a standard pack price applies—the lowest price shown in column 5 of the Schedule in relation to that item is payable.

Packed Lines

111. The undermentioned packed lines are expected to be supplied under the original label when prescribed in the maximum quantities shown in the Schedule of Benefits and therefore do not attract a professional fee. However, where the prescription bears specific instructions for use, then the item is to be labelled. The chemist will be paid the price shown in column 5 of the Schedule of Benefits multiplied by eight-ninths (8/9ths) plus 30c professional fee.

When the quantity ordered does not correspond with a pack size listed, then the price for the next higher original pack listed is payable, even when the prescription orders and the chemist dispenses a lesser quantity. This procedure also applies where the chemist's own pack is supplied.

Aluminium Hydroxide Gel. Mixture
Boric Acid Powder
Cascara Liquid Extract
Castor Oil

Cod Liver Oil
 Cod Liver Oil Emulsion
 Copper Sulphate Diagnostic Compound Tablets
 Ferrous Phosphate Compound Syrup
 Glucose Indicators
 Glycerin
 Glycerin Suppositories
 Hydrogen Peroxide Solution
 Magnesium Hydroxide Mixture (Milk of Magnesia)
 Magnesium Sulphate Crystals
 Paraffin, Liquid
 Paraffin, Emulsion
 Saccharin Tablets
 Seidlitz Powders
 Senna Fruit
 Silver Nitrate, Toughened
 Surgical Cement
 Tragacanth Indian (Gum Karaya)
 Wool Alcohols, Ointment
 Wool Fat, Hydrous (Lanolin)

These items are indicated by a dagger(†) in the Schedule of Benefits.

Unbroken Packs to be Supplied

112. The maximum quantity of certain forms of benefits such as eye drops and oral suspensions has been determined as a single pack corresponding to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack, the maximum quantity should be dispensed and claimed from the Commonwealth.

These items are indicated by a double dagger (‡) in the Schedule.

Wastage Table Percentage for Ready Prepared Prescriptions

113. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraph 109 (e) and (f) above).

114. The appropriate wastage table percentage is ascertained as follows:—

- The percentage that the quantity supplied bears to the number contained in the standard pack is determined;
- Where the percentage determined in sub-paragraph (a) coincides with a percentage listed in Column A of the Wastage Factor Table, the percentage used is the relative figure shown in Column B;
- Where the percentage determined in sub-paragraph (a) does not coincide with a percentage in Column A, then the nearest upward percentage in Column A applies, and the percentage used is the relative figure shown in Column B.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in column A the next higher (i.e., 25%) is used.

Reading down from 25% to Column B, the wastage table percentage is found to be 38%.

WASTAGE FACTOR TABLE

Column A	5	10	15	20	25	30	35	40	45	50
Column B	10	18	26	32	38	44	50	54	58	62
Column A	55	60	65	70	75	80	85	90	95	100
Column B	66	70	74	78	82	86	90	94	98	100

Prescribers' List Items

115. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescribers' List is set out in the Schedule of Benefits, Sections 2 and 3. These prices are also shown in the Standard Formulae List. The amounts payable for other quantities commonly used are set out in Section 6 (blue pages) of the Schedule.

C. EXTEMPOREANEOUSLY PREPARED PRESCRIPTIONS

Pricing Prescriptions Not Pre-priced

116. The following are the principles applied in determining the prices of all pre-priced extemporaneous formulae shown in the Schedule. They also apply where a chemist elects to price out extemporaneous prescriptions outside the Standard Formulae List.

117. The amount payable is ascertained as the sum of—

- the recovery price of each ingredient as shown in the Schedule of Benefits (Drug Tariff);
- the price of the appropriate container as shown in Section 2;
- a professional fee of 55c.

Pricing Ingredients Written in the Metric System

118. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows—

- determine the basic pricing unit relative to the quantity by reference to the following table:—

Quantity	Basic Pricing Unit
Up to 50 mg. (minimum price)	100 mg. price multiplied by 0.5
Over 50 mg. and up to and including 700 mg.	100 mg. price.
Over 700 mg. and up to and including 1 G.	price as 1 G.

<i>Quantity</i>	<i>Basic Pricing Unit</i>
Over 1 G. and up to and including 7 G.	1 G. price.
Over 7 G. and up to and including 10 G.	price as 10 G.
Over 10 G. and up to and including 80 G.	10 G. price.
Over 80 G. and up to and including 90 G.	price as 80 G.
Over 90 G.	100 G. price.
- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery price shown for the ingredient in the Drug Tariff—
- 100 G. price is 500 G. price divided by 5 or 1 kg. price divided by 10.
10 G. price is 100 G. price plus 12½% divided by 10.
1 G. price is 10 G. price plus 25% divided by 10.
100 mg. price is 1 G. price plus 25% divided by 10.
- (c) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b), by the fraction that the quantity bears to the basic pricing unit.
- (d) for pricing purposes the quantity is to be taken to the next 50 milligrams or microlitres.

Pricing Ingredients Written in the Imperial System

119. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows—

- (a) determine the basic pricing unit relative to the quantity by reference to the following table:—

<i>Quantity</i>	<i>Basic Pricing Unit</i>
Up to and including 1 grain	1 grain price
Over 1 grain and up to and including 5 grains	5 grains price
Over 5 grains and up to and including 10 grains	10 grains price
Over 10 grains and up to and including 137 grains	1 drachm price
138 grains and up to and including 3.74 ounces	1 ounce price
Over 3.74 ounces	4 ounces price

- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery prices calculated from the price of the ingredient in the Drug Tariff.
- Ounce price is 10 G./ml. price multiplied by 3.
Four ounce price is 100 G. price multiplied by 1.25.

Four fluid ounce price is 100 ml. price multiplied by 1.1.

Drachm price is ounce price divided by 7.

10 grain price is drachm price divided by 5.

5 grain price is drachm price divided by 9.5.

1 grain price is 5 grain price divided by 4.5.

- (c) where no 10 G./ml. price is shown, the ounce/fl. oz. price is the 1 G./ml. price multiplied by 24.

- (d) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b) by the fraction that the quantity bears to the basic pricing unit (except for the quantities from 120 grains to 137 grains inclusive which are priced at twice the drachm price, and 11 grains which are priced as 12 grains).

120. Where a fraction of a grain occurs, the quantity is to be taken up to the next whole grain (i.e., 2.4 grains is taken as 3 grains). Where a fraction of a minim occurs the quantity is to be taken up to the next whole minim.

Miscellaneous Pricing Rules

121.—

- (a) The minimum recovery price for any ingredient is one cent.
- (b) Where a fraction of a cent occurs in any price for a quantity specified in the imperial system of weights and measures, that price is to be taken to the next cent upwards.
- (c) Where a fraction of a cent occurs in any price for a quantity specified in the metric system of weights and measures, that price is to be taken to the nearest cent, a half cent being taken up to the next cent.
- (d) The amount payable for a quantity of an ingredient or preparation shall not exceed the amount which would be payable for a greater amount of that ingredient or preparation.

Individual Powders, &c.

122. For individual powders, five per cent of the quantity supplied on a prescription is payable as an additional amount; (i.e., the price for 105% of the quantity supplied is payable).

123. For suppositories and pessaries where eleven or less are supplied on a prescription, the chemist will receive payment for an additional one. If twelve or more are supplied, the chemist will receive payment for an additional two.

Pricing Prescriptions where Additional Ingredients have been Added to a Specified Formula

124. The amount payable for a prescription which comprises a vehicle which is specified under a particular name, and an additional specified ingredient or ingredients, shall be calculated in accordance with paragraphs 125 to 128.

125. Where the vehicle is a single liquid ingredient and one or more solid ingredients are added, displacement of the vehicle by solids shall be disregarded and the amount payable shall be calculated in accordance with paragraph 117.

126. Where the vehicle is a single liquid ingredient and one or more liquids are added, the amounts payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 118 or 119; and
- (b) the recovery price of the quantity of the vehicle calculated to the nearest fl. oz. or 20 ml. and in accordance with paragraph 118 or 119.

127. Where the vehicle is compounded from two or more ingredients, and one or more solid ingredients are added, displacement of the vehicle by the solids shall be disregarded and the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 118 or 119; and
- (b) the recovery price of each ingredient of the vehicle calculated in accordance with paragraph 118 or 119.

128. Where the vehicle is compounded from two or more ingredients, and one or more liquid ingredients are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients calculated in accordance with paragraph 118 or 119; and
- (b) ascertain the quantity of the vehicle calculated to the nearest fl. oz. or 20 ml. and the amount payable is the recovery price for each ingredient in such quantity calculated in accordance with paragraph 118 or 119.

D. PROVISIONS RELATING TO BULK RATES.

High Velocity Items

129. Special pricing arrangements apply to certain high velocity items. For each of these items, two sets of prices are shown—one ex Bulk Pack and one ex Minor Pack.

Purchase Pack Size

130. A chemist may buy in any pack size he chooses, but reimbursement for the supply of the specified drugs with high velocity turn-over is subject to the Bulk Rate pricing provisions.

Application to Brands

131. The Bulk Rate provisions take into account the different usages a chemist may have for different brands of an item to which the Bulk Rate provisions apply. Accordingly, a chemist may be

reimbursed at the Minor Pack rate for one brand of an item and at the Bulk Rate for another brand of the same item.

132. For the purposes of paragraph 108 (a) each prescription counts as one irrespective of quantity prescribed.

Loss on Bulk Packs

133. The Commonwealth, subject to the provisions set out in this section, will indemnify the chemist against loss on accepted "Bulk Rate" items directly due to—

- (a) the removal of the item from the list of items to which Bulk Rate prices apply;
- (b) out of date stock.

134. Commonwealth payments to chemists to cover any such loss shall be based on the following formula—

$$\frac{\text{Quantity held by chemist}}{\text{Quantity in Unbroken Bulk Pack}} \times \text{Actual cost to chemist of Bulk Pack}$$

These provisions apply to Bulk Packs purchased as from 1st February 1960.

Conditions Subject to Which Loss Payments will be Made

135. Payment of any amount for loss is subject to the following provisions—

- (a) The chemist must buy the item in the Bulk Pack;
- (b) The chemist must ensure, where possible, that all stocks of the bulk packs which he might purchase have expiry dates at least 6 months ahead of the date of purchase;
- (c) The Commonwealth's liability is limited in relation to each Pharmacy to the purchase, at cost, of one Bulk Pack of each of the items in respect of which loss has occurred;
- (d) The Commonwealth will not, under any circumstances, be liable for payment in respect of loss on stock for causes other than those shown in paragraph 133 above;
- (e) The Commonwealth shall take possession of any stock before a payment for loss is made in respect thereto.

Claims for Loss

136. Where after one month from the date of first supply from a Bulk Pack a chemist wishes to claim for loss on the remaining portion of that Bulk Pack, he should apply on Form PB12 to the Commonwealth Director of Health, setting out details of the code number, name and strength or size, size of pack and quantity remaining, date of purchase of Bulk Pack and date of first dispensing therefrom. Upon receipt of such application the Commonwealth Director of Health will advise the action to be taken with the residue.

E. GENERAL

Professional Fees and Containers

137. The amounts payable by way of professional fees and container charges for both ready prepared and extemporaneously prepared preparations are set out in Sections 6 and 2 respectively of the Schedule.

Pricing Dates

138. For pricing purposes the operative dates are—

- (a) for extemporaneously prepared benefits—the first day of the month preceding the four monthly period during which the benefits are dispensed.
- (b) for ready prepared benefits—the first day of the month preceding the month during which the benefits are dispensed.
- (c) for containers—

- (i) for extemporaneously prepared benefits—the first day of the month preceding the four months during which the benefit is dispensed;
- (ii) for ready prepared benefits—the first day of January each year.

Zone Allowances

139. An additional amount is payable in respect of each pharmaceutical benefit supplied in specific zones throughout the Commonwealth. The zone allowance is ascertained by multiplying the number of prescriptions dispensed by an amount in cents per prescription.

140. Each chemist is notified of the zone allowance, if any, which applies to the prescriptions he dispenses.

Supplies of Stationery

141. Claim Forms, Repeat Authorizations, etc., are available from the Commonwealth Director of Health in each State.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH BRANCH OFFICES

NEW SOUTH WALES

Department of Health,
Commonwealth Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000 Telephone 28 8001

Commonwealth Director of Health—Dr. H. M. Franklands
After hours: Telephone 929 8494

Assistant Director (Medical)—Dr. B. E. Welton
After hours: Telephone 34 2011

Assistant Director (Pharmaceutical)—Mr. K. J. Kelly
After hours: Telephone 34 7207

VICTORIA

Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000 Telephone 662 2999

Commonwealth Director of Health—Dr R. C. Webb
After hours: Telephone 80 5333

Assistant Director (Medical)—Dr. A. M. V. Cocks
After hours: Telephone 96 2404

Assistant Director (Pharmaceutical)—Mr. L. L. Lock
After hours: Telephone 93 1322

QUEENSLAND

Department of Health,
Commonwealth Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Q'd 4001 Telephone 31 0101

Commonwealth Director of Health—Dr. A. H. Humphry
After hours: Telephone 70 6037

Assistant Director (Pharmaceutical)—Mr. K. L. Bate
After hours: Telephone 91 1778

SOUTH AUSTRALIA

Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S. Aust. 5001 Telephone 51 7866

Commonwealth Director of Health—Dr. C. S. Barbour
After hours: Telephone 79 4898

Assistant Director (Pharmaceutical)—Mr. A. P. Brammall
After hours: Telephone 7 4956

WESTERN AUSTRALIA

Department of Health,
473 Wellington Street,
Perth, W. Aust. 6001 Telephone 21 8211

Commonwealth Director of Health—Dr. J. B. Mathieson
After hours: Telephone 67 1589

Assistant Director (Pharmaceutical)—Mr. A. T. Stocker
After hours: Telephone 8 3867

TASMANIA

Department of Health,
Stowell Avenue,
Hobart, Tas. 7001 Telephone 2 2661

Commonwealth Director of Health—Dr. C. W. Phillips
After hours: Telephone 5 2572

Inspection Pharmacist—Mr. W. E. V. Jack
After hours: Telephone 43 9157

NORTHERN TERRITORY

Department of Health,
Esplanade,
Darwin, N.T. 5794 Telephone 3821

Commonwealth Director of Health—Dr. W. A. Langsford
After hours: Telephone 2571

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd.	AB	Calmic (Aust.) Pty. Ltd.	CA
Captain Cook Drive, Kurnell, N.S.W.		Bibby Street, Chiswick, N.S.W.	
Adam Drug Co.	AV	Cascade Chemicals	CM
88 Queen Street, Woollahra, N.S.W.		P.O. Box 106, Essendon, Vic. 3040	
Alcon Laboratories Inc., U.S.A.	AQ	C.F.C. Pharmaceuticals Pty. Ltd.	CO
Allergan Pharmaceuticals Pty Ltd	AG	9 Norton Street, Ashfield, N.S.W.	
7 West Street, North Sydney, N.S.W.		Chemos Pty. Ltd.	CH
Ames Company	AM	65 Park Road, Milton, Brisbane, Q'ld.	
65 Queens Road, Melbourne, Vic.		Ciba Co. Pty. Ltd.	CB
Armour Pharmaceutical Co. Ltd.	AR	Orion Road, Lane Cove, N.S.W.	
England		Commonwealth Serum Laboratories	CS
Associated Drug Companies of Australia Pty. Ltd	AD	45 Poplar Road, Parkville, Vic.	
589-605 Collins Street, Melbourne, Vic.		Cophar, Gnosca	CW
Astra Pharmaceuticals (Australia) Pty. Ltd.	AP	Switzerland	
815 Pacific Highway, Chatswood, N.S.W.		Crookes Laboratories Ltd., The	CK
Australian Hoechst Limited	AH	England	
374-6 Whitehorse Road, Nunawading, Vic.		Cutter Laboratories, U.S.A.	CI
Ayerst Laboratories Pty. Ltd.	AY	Denver Laboratories (Australia) Pty. Ltd.	DN
Gregory Place, Parramatta, N.S.W.		9 Clarke Street, Crows Nest, N.S.W.	
		Denyer Brothers	DY
Bakra Laboratories	BK	250 Pitt Street, Sydney, N.S.W.	
45 A'Beckett Street, Melbourne, Vic.		Difrex (Aust.) Laboratories	DF
Baxter-D.H.A. Laboratories Pty. Ltd.	BX	321 Pitt Street, Sydney, N.S.W.	
Rothschild Avenue, Rosebery, N.S.W.		Dista Products (Australia) Pty. Ltd.	DL
Beecham Research Pty. Ltd.	BR	1 Campbell Street, Artarmon, N.S.W.	
Chesterville Road, Moorabbin, Vic.		Dolder and Co., Switzerland	DR
Boehringer Ingelheim Pty. Ltd.	BY	Drug Houses of Australia Ltd.	DH
504-520 Pacific Highway, St. Leonards, N.S.W.		504 Bourke Street, Melbourne, Vic.	
Boehringer C. F. & Soehne, Mannheim	BO	Endo Laboratories, Inc. U.S.A.	EN
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	Erba Carlo, S.p.A., Italy	EC
Loyalty Road, North Rocks, N.S.W.		Ethicals Ltd.	EL
Boucher & Muir Pty. Ltd.	BZ	180 Queen Street, Brisbane, Q'ld.	
6-8 Mount Street, North Sydney, N.S.W.		Ethnor Pty. Ltd.	ET
Bristol Laboratories Pty. Ltd.	BC	12 Primrose Avenue, Rosebery, N.S.W.	
30 Cross Street, Brookvale, N.S.W.		Evans Medical Australia (Pty.) Ltd.	EV
British Drug Houses (Australia) Pty. Ltd.	BD	Plough Court, Duffy Avenue, Thornleigh, N.S.W.	
McCredie Road, Smithfield, N.S.W.		Farbenfabriken Bayer, A. G.	FB
British Pharmaceuticals Pty. Ltd.	BP	West Germany	
8-12 Bathurst Street, Sydney, N.S.W.		Farmer Hill Pty. Ltd.	FH
British Schering Ltd.	BS	187 William Street, Sydney, N.S.W.	
40-50 Clarence Street, Sydney, N.S.W.		Faulding & Co. Ltd., F. H.	FA
Bull Laboratory, David G.	BL	James Place, Adelaide, S.A.	
19 Shierlaw Avenue, Canterbury, Vic.		Fawns and McAllan Pty. Ltd.	FM
Burroughs Wellcome & Co. (Aust.) Ltd.	BW	432 Mt. Dandenong Road, Croydon, Vic.	
Cressy Street, Rosebery, N.S.W.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Fisons Australia Pty. Ltd.	FC	Lepetit (Pharmaceuticals) Pty. Ltd.	LT
A.D.C. House, 75-91 Pacific Highway, North Sydney, N.S.W.		4th Floor, A.M.P. Building, North Sydney, N.S.W.	
Gamaprod Pty. Ltd.	GA	Lilly (Australia) and Company, Eli ...	LY
169 Lygon Street, Carlton, Vic.		Wharf Road, West Ryde, N.S.W.	
Gedeon Richter Ltd, Hungary	GR	Mack Pharmaceuticals Pty. Ltd.	MZ
Geigy (Australasia) Pty. Ltd.	GE	8 James Street, Waitara, N.S.W.	
ADC House, 77 Pacific Highway, North Sydney, N.S.W.		Madland Laboratories Inc., U.S.A.	MH
Genatosan Ltd., England	GN	Maw Son & Sons, S., England	ME
G. P. Laboratories	GP	May and Baker (Aust.) Pty. Ltd.	MB
74-76 Mitchell Road, Alexandria, Sydney, N.S.W.		Paramount Road, West Footscray, Vic.	
Glaxo-Allenburys (Australia) Pty. Ltd.	GL	McGloin Pty. Ltd., J.	MG
23-47 Villiers Street, North Melbourne, Vic.		150 Dean Street, Enfield, N.S.W.	
Griffiths-Hughes, E., Pty. Ltd.	GH	Mead Johnson Pty. Ltd.	MJ
Buffalo Road, Gladesville, N.S.W.		Caringbah, N.S.W.	
Grose Vale Goat Dairy and Dairy Products	GV	Medical Research Pty. Ltd.	MR
55 Warrah Street, East Chatswood, N.S.W.		Sirius Road, Lane Cove, N.S.W.	
Hamilton Laboratories Pty. Ltd.	HA	Medichem Pharmaceuticals Pty. Ltd.	MC
217 Flinders Street, Adelaide, S.A.		39 Arterial Road, St. Ives, N.S.W.	
Harvey Pty. Ltd., H. F.	HY	Merck (Aust.) Pty. Ltd., E.	MQ
231 Elizabeth Street, Croydon, N.S.W.		605 M.L.C. Building, North Sydney, N.S.W.	
Iloquin Company, The	IQ	Merck, Sharp & Dohme (Aust.) Pty. Ltd.	MK
Captain Cook Drive, Kurnell, N.S.W.		62-68 Ferndell Street, South Granville, N.S.W.	
Imperial Chemical Indust. of Australia & New Zealand Ltd. ..	IC	Merrell Wm. S. Company, ...	ML
I.C.I. House, 1 Nicholson Street, Melbourne, Vic.		64 Seville Street, Fairfield, N.S.W.	
Inter-Continental Pharmaceuticals (Australia) Pty. Ltd., ...	IP	Muir & Neil Pty. Ltd.	MN
79 Old South Head Road, Bondi Junction, N.S.W.		479 Kent Street, Sydney, N.S.W.	
Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM	Nativelle Laboratories, France	NA
Jaede, H. W., Manufacturing Pty. Ltd.	JA	Nicholas Pty. Ltd.	NS
Banksia Street, Bulleen, Vic.		699 Warrigal Road, Chadstone, Vic.	
Kinfort Laboratories	KF	Noel Bramble Laboratories	NB
31 Sirius Road, Lane Cove, N.S.W.		324 King George's Road, Beverly Hills, N.S.W.	
Knoll Laboratories (Aust.) Pty. Ltd.	KL	Nordia, Denmark	NR
176 Princes Highway, Arncliffe, N.S.W.		Nyal Company	NY
Knoll, A. G., Germany	KN	75-89 Atkins Road, Ermington, N.S.W.	
Lane Medicine Co., Pty. Ltd.	LM	Oppenheimer, Son & Co. Ltd., London	OP
156 Barkly Avenue, Burnley, Vic.		Organon Laboratories Ltd., London	OR
Langley Laboratories Pty. Ltd.	LF	Otsuka Pharmaceutical Co., Japan	OJ
141 Blues Point Road, North Sydney, N.S.W.		Parke, Davis and Co.	PD
Lederle Laboratories Division	LE	32-40 Cawarra Road North, Caringbah, N.S.W. 2229	
Cyanamid-D.H.A., Pty. Ltd., 73-79 Parramatta Road, Camperdown, N.S.W.		Pfizer Pty. Ltd.	PF
		Wharf Road, West Ryde, N.S.W.	
		Pfrimmer and Co., West Germany	PC
		Pharmax Ltd.	PN
		England	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Pharmedica Pty. Ltd.	PH	South Pacific Pharmaceuticals Pty. Ltd.	SU
602-612 Botany Road, Alexandria, N.S.W.		132 St. Johns Road, Glebe, N.S.W.	
Prosana Laboratories	PR	SPOFA United Pharmaceutical Works	SP
22 Daisy Street, Revesby, N.S.W.		Czechoslovakia.	
Protea Pharmaceuticals Pty. Ltd.	PT	Squibb & Sons, E. R., Pty. Ltd.	SQ
13-19 Glebe Street, Glebe, N.S.W.		Princes Highway, Noble Park, Vic.	
Pro-Vita Products Pty. Ltd.	PV	Stansen & Co. Pty. Ltd., A. E.	ST
Lennon Street, South Kensington, Vic.		500 Spencer Street, West Melbourne, Vic.	
Queensland Ethicals	QE	St. Just Laboratories Ltd.	SJ
Enterprise Street, Salisbury, Q'd.		cnr. Harris and President Streets, Carlisle, W.A.	
Reckitts Pty. Ltd.	RC	Thilo & Co.	TH
44 Wharf Road, West Ryde, N.S.W.		West Germany	
Richards Laboratory Pty. Ltd.	RD	Tongala Milk Products Pty. Ltd.	TM
Kings Road, Castle Hill, N.S.W.		177-199 Macaulay Road, North Melbourne, Vic.	
Richter of Milan	RM	Toppin & Sons Pty. Ltd., R. D.	TO
Riker Laboratories Australia Pty. Ltd.	RK	9-15 Chilvers Road, Thornleigh, N.S.W.	
9-15 Chilvers Road, Thornleigh, N.S.W.		Trane Pharmacal Co.	TR
Robins, A. H., Pty. Ltd.	RS	98 Collins Street, Melbourne, Vic.	
65 The Boulevarde, Caringbah, N.S.W.		Trisept Pty. Ltd.	TS
Roche Products Pty. Ltd.	RO	St. Mary's, N.S.W.	
Inman Road, Dee Why, N.S.W.		Trufood Ltd.	TF
Roche, Tompsitt & Co. Ltd.	RT	England	
10 Griffiths Street, Richmond, Vic.		United Works of Pharmaceutical and Dietetic Products	UW
Rona Laboratories Ltd.	RN	Hungary	
London, U.K.		Upjohn Pty. Ltd.	UP
Rotary Tableting Corp. Pty. Ltd.	RY	55-73 Kirby Street, Rydalmere, N.S.W.	
432 Mt. Dandenong Road, Croydon, Vic.		Virax Ethicals Ltd.	VR
Roussel Pharmaceuticals (Pty.) Ltd.	RL	77-79 Market Street, South Melbourne, Vic.	
403 Pacific Highway, Artarmon, N.S.W.		Wander Limited, A., England	WA
Salmond and Spraggon (Aust.) Pty. Ltd.	SS	Ward Blenkinsop & Co. Ltd.	WB
104-108 Mount Street, North Sydney, N.S.W.		London, U.K.	
Sandoz Ltd.	SZ	Warner & Co. Pty. Ltd., Wm. R.	WW
620 Harris Street, Ultimo, N.S.W.		10-28 Biloela Street, Villawood, N.S.W.	
Schering Corporation, U.S.A.	SH	Weddel Pharmaceuticals	WP
Schering, A. G., Berlin	SC	England	
Searle G. D. (Australia) Pty. Ltd.	SR	Wholesale Drug Co. Ltd.	WD
40 Miller Street, North Sydney, N.S.W.		221-229 Mitchell Road, St. Peters, N.S.W.	
Sera Pty. Ltd.	SE	Winthrop Laboratories	WL
29 Hotham Parade, Artarmon, N.S.W.		75-89 Atkins Road, Ermington, N.S.W.	
Sigma Co. Ltd.	SI	Woods, H. W. Pty. Ltd.	WH
589-605 Collins Street, Melbourne, Vic.		10 Clifford Street, Huntingdale, Vic.	
Smith, Kline & French Laboratories (Aust.) Ltd.	SK	World Agencies Pty. Ltd.	WO
Warringah Road, French's Forest, N.S.W.		82-84 Sussex Street, Sydney, N.S.W.	
Smith and Nephew (Aust.) Pty. Ltd.	SN	Wyeth Pharmaceuticals Pty. Ltd.	WY
Wellington Road, Clayton, Vic.		Gregory Place, Parramatta, N.S.W.	
Soul Pattinson (Laboratories) Pty. Ltd.	SL	Young and Fennell Pty. Ltd.	YF
158 Pitt Street, Sydney, N.S.W.		107 Kent Street, Sydney, N.S.W.	

SUPPLIES OF LISTED BRANDS — DISTRIBUTORS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.
AD ..	NW2	..	QQ1	SS2	WR1	TC1	MH ..	ND2	VD1	QD1	SD2	WD1	TD1
AG ..	..	..	QC2	SI1	WA1	TC1	MJ ..	..	..	QK1	SA1	WP2	..
AM ..	NS1	VS1	..	..	..	..	MN ..	..	VM1	QQ1	SS1	WB1	TC1
AP ..	..	VA1	QA1	SS2	WA2	TS1	MZ ..	..	VM2	..	SM1	WP2	..
AQ ..	..	VF4	..	..	..	..	NA ..	..	VG1	..	..	..	..
AR ..	NP1	..	..	..	..	TS1	NR ..	NA2	VN1	..	..	..	..
BD ..	..	..	QM1	..	..	..	NY ..	NS2	VS2	..	SS3	WS1	TS1
BO ..	NI2	VG2	QC2	SI1	WA1	TC1	OJ ..	NS5	VS3	QC2	SS6	WS3	..
BS ..	NG2	VG2	QG2	SG1	WG1	..	OP ..	NM2	..	..	..	..	..
BT ..	..	VB1	QB1	SB1	WB2	TB1	OR ..	NB1	VB3	QB3	SB2	WB3	..
BW ..	..	VB2	QB2	SD1	WP1	TS1	PC ..	NF1	VF4	QF2	SS2	WF1	TC1
BX ..	ND2	VD1	QD1	SD2	WD1	TD1	PD ..	..	VP1	QP1	SD1	WP1	TG1
BZ ..	..	..	..	SS1	WA1	..	PF ..	..	VP2	QP3	SP2	..	..
CI ..	NF3	VF2	QF1	SF1	WF2	..	PH ..	..	VS3	QC2	SS6	WE1	TS1
CK ..	NP2	VS5	QS1	SS1	WS4	..	PN ..	NI2	VV2	QC2	SM1	WA1	..
CW ..	NC3	..	..	..	..	..	PR ..	..	VP4	QP2	SS1	WA1	..
DH ..	ND2	VD1	QD1	SD2	WD1	TD1	PT ..	..	VS4	QQ2	SS1	WP2	TC1
DR ..	NS1	VC1	QQ1	SS2	WP2	..	QE ..	NC1	VC1	..	SS1	..	..
EC ..	ND2	VD1	QD1	SD2	WD1	TD1	RM ..	NE4	VE1	QC3	..	WA2	..
EN ..	NS6	..	..	..	..	..	RN ..	ND2	VD1	QD1	SD2	WD1	TD1
EV ..	..	VE2	QQ1	SP3	WK1	..	SC ..	NS3	..	..	..	..	..
FA ..	NF3	VF2	QF1	SF1	WF2	TF1	SH ..	NE3	..	..	..	..	..
FB ..	NF2	..	..	..	..	..	SI ..	NW2	..	QQ1	SS2	WR1	TC1
FH ..	..	VF3	QW1	SF2	WF3	..	SN ..	NE5	VE2	QQ1	SP3	WK1	..
FM ..	NF1	..	QF2	SS2	WF1	TC1	SP ..	NB2	..	..	SS1	WA1	..
GN ..	NF4	..	..	..	..	..	SQ ..	NS4	..	..	SS4	WS2	..
GP ..	..	..	..	..	WC1	..	TH ..	NP3	..	..	..	..	..
GR ..	NB2	..	..	SS1	WA1	..	TO ..	..	VT1	QT1	ST1	..	TS1
GV ..	NW2	VN1	QQ1	SJ1	WR1	TC1	TF ..	NM2	..	..	..	..	..
HA ..	NI1	..	..	..	..	..	TM ..	ND2	VD1	QD1	SD2	WD1	TD1
HY ..	..	VC1	QC2	SS1	WA1	..	TR ..	ND2	VD1	QD1	SD2	WD1	TD1
IP ..	..	VP5	QQ1	SS1	WA1	TC1	UP ..	..	VU1	QU1	SJ1	WM1	TG1
JM ..	NS1	VS1	QC2	SP5	WE1	..	UW ..	NB2	..	..	SS1	WA1	..
KL ..	..	VK1	QK2	SS5	..	..	WA ..	NC2	..	..	..	..	TS1
KN ..	NS3	..	..	..	..	..	WB ..	NP4	VP4	QP2	SS1	WA1	..
MC ..	NW2	VV1	QD1	SS5	WR1	TC2	WO ..	..	VW1	QW2	SW1	WW1	TC1
ME ..	..	..	QG1	..	..	..	WP ..	NW1	VH1	..	..	WV1	..

DISTRIBUTORS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES			
Ascot Pharmaceuticals Pty. Ltd.	NA2	Prosana Laboratories Pty. Ltd.	NP4
33 Myrtle Street, North Sydney		22 Daisy Street, Revesby	
Boucher and Muir	NB2	Salmond and Spraggon (Australia) Pty. Ltd.	NS6
6-8 Mount Street, North Sydney.		104-108 Mount Street, North Sydney	
British Pharmaceuticals	NB1	Schaffer & Co. (N.S.W.) Pty. Ltd.	NS1
8-12 Bathurst Street, Sydney		8 Shirlow Street, Marrickville.	
Cenvet Pty. Ltd.	NC3	Schering, Pty. Ltd.	NS3
79-81 Chandos Street, St. Leonards		61 Pine Street, Chippendale	
Ciba Co. Pty. Ltd., ...	NC2	Scott & Bowne (A'asia) Ltd.	NS5
Orion Road, Lane Cove.		602 Botany Road, Alexandria	
Commonwealth Drug Co. Pty. Ltd.	NC1	Squibb, E. R. and Son (Pty.) Ltd.	NS4
50-54 Kippax Street, Sydney		96-98 Buckland Street, Alexandria	
Drug Houses of Australia Ltd.	ND2	Sterling Pharmaceuticals	NS2
750-800 Princes Highway, Tempe		75-89 Atkins Road, Ermington	
Easterbrook R. W. Pty. Ltd.	NE4	Weddel Pharmaceuticals Division	NW1
38 Chapel Street, Marrickville		W. Angliss and Co. (Aust.) Pty. Ltd.	
Essex Laboratories Pty. Ltd.	NE3	255-257 George Street, Sydney	
59-61 Lisbon Street, Fairfield		Wholesale Drug Co. Ltd.	NW2
Evans Medical Aust. (Pty.) Ltd.	NE5	221-229 Mitchell Road, St. Peters	
Duffy Avenue, Thornleigh.			
Faulding, F. H. & Co. Ltd.	NF3	VICTORIA	
249-259 Chalmers Street, Redfern		Astra Pharmaceuticals (Australia) Pty. Ltd.	VA1
Fawns & McAllan Pty. Ltd.	NF1	545 St. Kilda Road, St. Kilda.	
176 Day Street, Sydney		Boots Pure Drug Co. (Aust.) Pty. Ltd.	VB1
F.B.A. Pharmaceuticals (Aust.) Pty. Ltd.	NF2	33-35 Stewart Street, Richmond	
47 Wilson Street, Botany		British Pharmaceuticals Pty. Ltd.	VB3
Fison's Australia Pty. Ltd.	NF4	22 Greville Street, Prahran	
A.D.C. House, 75-91 Pacific Highway, North Sydney		Burroughs Wellcome & Co. (Aust.) Ltd.	VB2
Gollin and Co. Ltd.	NG2	303-305 Albert Street, Brunswick	
40-50 Clarence Street, Sydney		Cambridge Laboratories Pty. Ltd.	VC1
International Pharmaceutical Co.	NI2	397 Little Lonsdale Street, Melbourne	
Macquarie Street, Parramatta.		C.F.C. Pharmaceuticals Pty. Ltd.	VC2
Irving, N.	NI1	15 James Street, Melbourne	
141 Buckland Street, Alexandria		Drug Houses of Australia Ltd.	VD1
Martin & Co. (Surgical) Ltd.	NM1	504 Bourke Street, Melbourne	
382 Pacific Highway, Crows Nest		Easterbrook, R. W., Pty. Ltd.	VE1
Muir and Neil Pty. Ltd.	NM2	123 Camberwell Road, Camberwell	
479 Kent Street, Sydney		Evans Medical Australia (Pty.) Ltd.	VE2
William Pearce and Co. Pty. Ltd.	NP3	214 Graham Street, Port Melbourne.	
149 Castlereagh Street, Sydney		Farmer Hill (Victoria) Pty. Ltd.	VF3
Pharmedica Pty. Ltd.	NP1	77 Market Street, South Melbourne	
602-612 Botany Road, Alexandria		Faulding, F. H. & Co. Ltd.	VF2
Philips-Duphar Pty. Ltd.	NP2	129 Lonsdale Street, Melbourne	
72 Macquarie Street, Parramatta		Fawns and McAllan Pty. Ltd.	VF4
		432 Mt. Dandenong Road, Croydon.	

<i>Distributors and Agents</i>	<i>Code</i>
Gamaprod Pty. Ltd. 169 Lygon Street, Carlton	VG1
Gollin and Co. Ltd. 58-72 Queens Bridge Street, South Melbourne.	VG2
Harris Smith Supplies Co. Pty. Ltd. 1 Mayston Street, Melbourne	VH1
Knoll Laboratories (Aust.) Pty. Ltd. 321 William Street, Melbourne.	VK1
Mack Pharmaceuticals Pty. Ltd. C/- Ponsford, Newman & Benson Ltd. 291 Burwood Road, Hawthorn	VM2
Muir & Neil Pty. Ltd. 46 Cliff Street, South Yarra	VM1
Newman, L.K.J. & Co., Pty. Ltd. 25 Bay Road, Cheltenham.	VN1
Parke, Davis & Co. 23 Kilpa Road, Moorabbin 3189	VP1
Pfizer Pty. Ltd. 30 Abbotsford Road, Port Melbourne	VP2
Phillips Southern Trading Pty. Ltd. 396 Flinders Lane, Melbourne	VP4
Protos Chemicals Ltd. 550 Latrobe Street, Melbourne	VP5
Salmond & Spraggon (Aust.) Pty. Ltd. 198 Tooronga Road, East Hawthorn	VS5
Schaffer & Co. (Vic.) Pty. Ltd. 126 Bank Street, South Melbourne.	VS1
Scott and Bowne (A'asia) Ltd. C/- F. H. Stephens (Vic.) Pty. Ltd., 666 Footscray Road, West Melbourne.	VS3
Sigma Co. Ltd. 589 Collins Street, Melbourne	VS4
Sterling Pharmaceuticals Pty. Ltd. Cato Street, Auburn	VS2
Toppin, R. D. & Sons Pty. Ltd. 550-552 Latrobe Street, Melbourne	VT1
Upjohn Pty. Ltd. 115 Leicester Street, Carlton	VU1
Vandos Agencies Pty. Ltd. 807a Nepean Highway, East Brighton	VV1
Virax Ethicals Ltd. 77-79 Market Street, South Melbourne.	VV2
World Agencies Pty. Ltd. 310 Flinders Lane, Melbourne.	VW1

<i>Distributors and Agents</i>	<i>Code</i>
QUEENSLAND	
Astra Pharmaceuticals (Australia) Pty. Ltd. Evans Road, Rocklea	QA1
Boots Pure Drug Co. (Aust.) Pty. Ltd. 720 Kingsford Smith Drive, Hamilton	QB1
British Pharmaceuticals Pty. Ltd. 189 Logan Road, Woolloongabba	QB3
Burroughs Wellcome & Co. (Aust.) Ltd. Cnr. Merivale and Peel Street, South Brisbane	QB2
Campbell, M. H. Gympie Road, Chermside	QC3
C.F.C. Pharmaceuticals Pty. Ltd. 17 Doggett Street, Fortitude Valley	QC1
Cullum, T. G. Pty. Ltd. 96-100 Warren Street, Brisbane	QC2
Drug Houses of Australia Ltd. 405-423 Montague Road, West End	QD1
Faulding, F. H. & Co. Ltd. 126-132 Barry Parade, Brisbane	QF1
Fawns & McAllan Pty. Ltd. 30 Albert Street, Brisbane	QF2
Gollin and Co. Ltd. 16 Hamilton Place, Bowen Hills	QG2
Gradwell Bros. 42 Grenier Street, Valley	QG1
Kenneth Mitchell Agencies Pty. Ltd. 96 Alfred Street, Valley	QK1
Knoll Laboratories (Aust.) Pty. Ltd. 178 Barry Parade, Fortitude Valley	QK2
MacLean, D. Pty. Ltd. 119-121 Charlotte Street, Brisbane	QM1
Parke, Davis & Co. Ltd. 57-59 Longland Street, Valley	QP1
Pfizer Pty. Ltd. 7-9 Merton Road, Woolloongabba	QP3
Pharmac Distributors Coopers Plains.	QP2
Queensland Druggists Ltd. 518-522 Stanley Street, South Brisbane	QQ1
Queensland Ethicals Enterprise Street, Salisbury	QQ2
Salmond & Spraggon (Aust.) Pty. Ltd. 63 Doggett Street, Fortitude Valley	QS1
Toppin, R. D. & Sons Pty. Ltd. 22 Thurlow Street, Newmarket	QT1
Upjohn Company Pty. Ltd. 33 Coronation Drive, Milton, Brisbane	QU1

<i>Distributors and Agents</i>	<i>Code</i>
Wickham Terrace Laboratories	QW1
Wickham Terrace, Brisbane	
World Agencies Pty. Ltd.	QW2
483 Adelaide Street, Brisbane.	

SOUTH AUSTRALIA

Adelaide Drug Co. Ltd.	SA1
Pirie Street, Adelaide	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	SB1
Henley Beach Road, Mile End	
British Pharmaceuticals Pty. Ltd.	SB2
393 King William Street, Adelaide	
D and L Agencies Ltd.	SD1
22-24 Louisa Street, Adelaide	
Drug Houses of Australia Ltd.	SD2
599 Port Road, West Croydon	
Farmer Hill (South Aust.) Pty. Ltd.	SF2
27 Leigh Street, Adelaide	
Faulding, F. H. & Co. Ltd.	SF1
James Place, Adelaide	
Gollin and Co. Ltd.	SG1
14-18 Stephens Place, Adelaide	
International Pharmaceutical Co.	SI1
55 Jerningham Street, North Adelaide.	
Magill, Peter & Co.	SM2
55 Jerningham Street, North Adelaide.	
Mack Pharmaceuticals Pty. Ltd.	SM1
C/- Ponsford, Newman & Benson Ltd.	
215 Pirie Street, Adelaide	
Parkinson, John & Co.	SP4
22 Bentham Street, Adelaide	
Pearce, J. J. C.	SJ1
207 Currie Street, Adelaide	
Pfizer Pty. Ltd.	SP2
12 Lloyd Street, St. Marys	
P.G.H. Industries (S.A.) Pty. Ltd., ...	SP5
11 Harrison Road, Renown Park.	
Pharmaceutical Supplies Ltd.	SP3
110 North Terrace, Adelaide.	
Scott and Bowne (A'asia) Ltd.	SS6
C/- F. H. Stephens (S.A.) Pty. Ltd.,	
South Freight Yard, Mile End.	
Searcy, A. & Son Ltd.	SS1
132 Gray Street, Adelaide	
Simes Australia Pty. Ltd.	SS5
135 Magill Road, Stepney.	

<i>Distributors and Agents</i>	<i>Code</i>
Southern Drug Company	SS2
180 Sturt Street, Adelaide	
Squibb and Sons, E. R. (Pty.) Ltd.	SS4
302 North Terrace, Adelaide	
Sterling Pharmaceuticals Pty. Ltd.	SS3
150 Henley Beach Road, Torrensview	
Toppin, R. D. & Sons Pty. Ltd.	ST1
Pine Court, Reid Avenue, Tranmere	
World Agencies Pty. Ltd.	SW1
205-217 Pirie Street, Adelaide.	

WESTERN AUSTRALIA

Associated Medical and Dental Supply Co.	WA2
437 Hay Street, Subiaco	
Avery Guhl, Pty. Ltd.	WA1
36A William Street, Perth	
Benjamin, R. D.	WB1
30 James Street, Perth	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	WB2
416 Newcastle Street, Perth	
British Pharmaceuticals Pty. Ltd.	WB3
260 Hay Street, Subiaco	
Claydon and Carpenter	WC1
144 William Street, Perth	
Drug Houses of Australia Ltd.	WD1
297 Murray Street, Perth	
Ethico Distributors	WE1
119 Claisebrook Road, East Perth	
Farmer Hill (W.A.) Pty. Ltd.	WF3
405 Wellington Street, Perth	
Faulding, F. H. & Co. Ltd.	WF2
313 Murray Street, Perth	
Fawns and McAllan Pty. Ltd.	WF1
13 Rokeby Road, Subiaco	
Gollin and Co. Ltd.	WG1
King and Murray Streets, Perth	
Hitchcock, H. L. and Co.	WH1
277 Salvado Street, Floreat Park	
Kendall, E. D. and Son	WK1
20 Angrove Street, North Perth.	
Martin, G. & Son	WM1
83 Brisbane Street, Perth	
Pharmaceutical Distributors	WP1
48 King Street, Perth	
Pharmax Pty. Ltd.	WP2
12 Aberdeen Street, Perth	

<i>Distributors and Agents</i>	<i>Code</i>
Rumbles Ltd.	WR1
12 Aberdeen Street, Perth	
Salmond & Spraggon (Aust.) Pty. Ltd.	WS4
8 Loftus Street, Perth	
Scott & Bowne (A'asia) Ltd.	WS3
C/- Alltrans Pty. Ltd.,	
Cnr. Francisco Street and Robinson Avenue, Belmont	
Squibb and Sons, E. R. (Pty.) Ltd.	WS2
273 Hay Street, Perth	
Sterling Pharmaceuticals Pty. Ltd.	WS1
12 Graylands Road, Claremont	
Van Dal, S. & Co. Pty. Ltd.	WV1
148-150 Hay Street, Subiaco	
World Agencies Pty Ltd.	WW1
12 Lindsay Street, Perth	

<i>Distributors and Agents</i>	<i>Code</i>
TASMANIA	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	TB1
Glanville Avenue, Geilston Bay, Lindisfarne	
Cados (South) Pty. Ltd.	TC2
18 Watchorn Street, Hobart	
Cados (Tasmania) Pty. Ltd.	TC1
63 Cameron Street, Launceston	
Drug Houses of Australia, Ltd.	TD1
25 York Street, Launceston	
Faulding, F. H. & Co. Ltd.	TF1
179 Liverpool Street, Hobart	
Grounds, H. T.	TG1
101 Murray Street, Hobart	
Sidwell & Co. Pty. Ltd.	TS1
70 Liverpool Street, Hobart	

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline Acid Tartrate	Injection, B.P. 1-1,000, 1 ml. 1-1,000, 10 ml.	5 1	Morphine with Atropine	Injection 1 ml.	5
Aminophylline	Injection, I.V.	5	Penicillin, Procaine, (Aqueous Suspension)	Injection	10
Chlorpromazine	Injection 2.5% 2 ml.	5	Pethidine	Injection 50 mg. in 1 ml. 50 mg./ml., 2 ml.	5 5
Digoxin	Injection 0.25 mg. per ml., 2 ml.	10	Phenobarbitone Sodium	Injection	5
Ethylnoradrenaline	Injection	5	Sulphadiazine	Tablet	100
Frusemide	Injection	5	or Sulphadimidine		
Heparin	Injection	1	or Sulphonamides, Three Mixed		
Hydrocortisone Sodium Succinate	Injection	1	Tetanus Antitoxin, 1,500 Units, 15 Units, Diluted 1-50	Injection—set	1
Metaraminol	Injection	1	Tetanus Antitoxin (Bovine) 1,500 Units, 15 Units, Diluted 1-50	Injection—set	1
Morphine Sulphate	Injection 1 ml. Hypodermic Tablet	5 40	Tetanus Toxoid (Purified Aluminium Phosphate Adsorbed)	Injection 0.5 ml.	10

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

METRIC CONVERSION TABLE

Conversion Table The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>									<i>Milligrams</i>		<i>Grains</i>								<i>Milligrams</i>
15	..	..	..	..	..	..	..	..	1,000		1/12	..	..	..	..	..	..	..	5
12	..	..	..	..	..	..	..	..	800		1/15	..	..	..	..	..	..	..	4
10	..	..	..	..	..	..	..	..	600		1/20	..	..	..	..	..	..	..	3
8	..	..	..	..	..	..	..	..	500		1/24	}	..	..	..	..	..	..	2.5
7½	..	..	..	..	..	..	..	..	450		1/25		..	..	..	..	..	..	
6	..	..	..	..	..	..	..	..	400		1/30	..	..	..	..	..	..	..	2
5	..	..	..	..	..	..	..	..	300		1/40	..	..	..	..	..	..	..	1.5
4	..	..	..	..	..	..	..	..	250		1/50	..	..	..	..	..	..	..	1.25
3	..	..	..	..	..	..	..	..	200		1/60	..	..	..	..	..	..	..	1
2½	..	..	..	..	..	..	..	..	150		1/75	}	..	..	..	..	..	..	0.8
2	..	..	..	..	..	..	..	..	125		1/80		..	..	..	..	..	..	
1½	..	..	..	..	..	..	..	..	100		1/100	..	..	..	..	..	..	..	0.6
1¼	..	..	..	..	..	..	..	..	75		1/120	}	..	..	..	..	..	..	0.5
1	..	..	..	..	..	..	..	..	60		1/130		..	..	..	..	..	..	
¾	..	..	..	..	..	..	..	..	50		1/150	}	..	..	..	..	..	..	0.4
⅔	..	..	..	..	..	..	..	..	40		1/160		..	..	..	..	..	..	
½	..	..	..	..	..	..	..	..	30		1/200	..	..	..	..	..	..	..	0.3
⅖	..	..	..	..	..	..	..	..	25		1/240	..	..	..	..	..	..	..	0.25
⅓	..	..	..	..	..	..	..	..	20		1/300	}	..	..	..	..	..	..	0.2
¼	..	..	..	..	..	..	..	..	15		1/320		..	..	..	..	..	..	
⅕	..	..	..	..	..	..	..	..	12.5		1/400	..	..	..	..	..	..	..	0.15
⅙	..	..	..	..	..	..	..	..	10		1/480	}	..	..	..	..	..	..	0.125
⅛	..	..	..	..	..	..	..	..	7.5		1/500		..	..	..	..	..	..	
1/10	..	..	..	..	..	..	..	..	6		1/600	..	..	..	..	..	..	..	0.1

1,000 MICROGRAMS (meg) = 1 MILLIGRAM (mg)

ABBREVIATIONS OR SYNONYMS FOR APPROVED NAMES

<i>Suggested Abbreviation</i>	<i>Approved Names</i>
A.C.T.H.	Corticotrophin
Amorph. I.Z.S.	Insulin Zinc Suspension (Amorphous)
B.12	Cyanocobalamin
Bephenium	Bephenium Hydroxynaphthoate
Bretylum	Bretylum Tosylate
Calcium P.A.S.	Calcium Aminosalicylate
Cryst. I.Z.S.	Insulin Zinc Suspension (Crystalline)
Diodoquinoline	Di-iodohydroxyquinoline
Dip./Ser.	Diphtheria Antitoxin
Dip./Vac./P.T.A.P.	Diphtheria Vaccine (Purified Toxoid Aluminium Phosphate)
DMChlortetracycline	Demethylchlortetracycline
Feramacet	Ferrous Aminoacetosulphate
Gas./Ser.	Gas Gangrene Antitoxin—Mixed (Polyvalent)
Hexocyclium	Hexocyclium Methylsulphate
Iochlorquin	Iodochlorhydroxyquinoline
I.Z.S.	Insulin Zinc Suspension
Oed./Ser.	Gas Gangrene Antitoxin (Oedematiens)
P.A.M.	Pyridine Aldoxime Methiodide

<i>Suggested Abbreviation</i>	<i>Approved Names</i>
Penicillin G.	Penicillin Benzyl
Penicillin V.	Penicillin Phenoxymethyl
Penthritol	Pentaerythritol Tetranitrate
Per/Vac.	Pertussis Vaccine (Phase 1)
Plague/Vac.	Plague Vaccine
Prednisolone T.B.A.	Prednisolone Tertiary Butyl Acetate
Sep./Ser.	Gas Gangrene Antitoxin (Septicum)
S'methoxydiazine	Sulphamethoxydiazine
S'methopyrazine	Sulphamethoxypyridazine
Sod. Stilboestrol	Disodium Stilboestrol Diphosphate
Sodium P.A.S.	Sodium Aminosalicylate
Sta./Tox.	Staphylococcus Toxoid (Formalinised)
Testosterone Oen.	Testosterone Oenanthate
Testosterone Prop.	Testosterone Propionate
Tet./Ser.	Tetanus Antitoxin
Triple Antigen	Diphtheria, Tetanus and Pertussis Vaccine
Viprymium	Viprymium Embonate
Wel./Ser.	Gas Gangrene Antitoxin (Welchii)

SCHEDULE OF BENEFITS
Operative as from 1 December 1968

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.
- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
N.S.W.....(N); VIC.....(V); QLD.....(Q); S.A.....(S); W.A.....(W); TAS.....(T).

SECTION 2 - SCHEDULE OF BENEFITS - UNRESTRICTED BENEFITS - DECEMBER 1968

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ACEPIFYLLINE			\$	
2742	Oral Tablet 250 mg.	100	2	1.90	DF
2743	Paediatric Syrup 125 mg. per 5 ml., 500 ml.	‡1	4	2.37	DF
2445	Injection 500 mg. in 5 ml.	5	..	1.07	DF
	ACETARSOL				
1002	Oral Tablet 250 mg.	25	2	0.90	MB
1003	Compound Pessary 250 mg.	25	1	0.83	MB
	ACETAZOLAMIDE				
1004	Oral Tablet 250 mg.	50	4	4.99	PT
				5.07	BZ (NWS)
				5.50	LE
2376	Oral Capsule 500 mg. (sustained release)	50	2	10.97	LE
1005	Injection 500 mg.	1	..	3.35	LE
	ACETOHEXAMIDE				
1006	Oral Tablet 500 mg.	100	2	4.30	LY
	ACETYLCYSTEINE				
	See Restricted Benefits				
	ACETYLSALICYLIC ACID				
7496	Mixture P.L.	200 ml.	4	0.75	Extemp. (plus container)
7511	Mixture for Children P.L.	100 ml.	4	0.82	Extemp. (plus container)
	Tablets - See Restricted Benefits.				

	ACETYLSALICYLIC ACID with PARACETAMOL and CAFFEINE See Restricted Benefits.				
7447	ACETYLSALICYLIC ACID and CODEINE Mixture P.L.	200 ml.	4	0.99	Extemp. (plus container)
7446	ACETYLSALICYLIC ACID and MORPHINE Mixture P.L.	200 ml.	4	1.03	Extemp. (plus container)
7445	ACETYLSALICYLIC ACID and PHENOBARBITONE Mixture P.L.	200 ml.	4	0.79	Extemp. (plus container)
	ADRENALINE				
2434	Eye Drops 0.5%, 7.5 ml.	‡1	6	3.10	ET
1014	1%, 7.5 ml.	‡1	6	3.43	ET
1015	2%, 10 ml.	‡1	6	6.63	AG, MH
2479	2% (100 mg. and 5 ml. diluent)	‡1	6	\$5.75	AQ
2786	Inhalation, metered aerosol spray replacement pack, 8.3 mg. per ml. 15 ml. (300 dose)	‡1	..	2.70	BS
	ADRENALINE ACID TARTRATE				
2761	Inhalation, metered aerosol spray replacement pack, 7 mg. per ml., 15 ml. (300 dose)	‡1	..	2.70	RK
1016	Injection, B.P., 1 in 1,000, 1 ml.	5	1	0.78	GR(NWS)
				0.81	AD, FH, SI, WO
				0.83	KL
				0.85	BL, BT, BW, PD
	(continued)				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ADRENALINE ACID TARTRATE - cont.			\$	
1017	Injection 1 in 1,000, 10 ml.	1	1	0.70	BW, PD
1018	Solution, B.P., 1 in 1,000, 25 ml.	1	..	0.69	BW
1019	1 in 1,000, 1 fl. oz.	1	..	0.69	RT(V)
				0.70	PD
1020	Solution 1 in 100, 7 ml.	1	1	0.69	BW, PD
	ADRENALINE and ATROPINE				
7476	Spray P.L.	15 ml.	2	1.28	Extemp. (plus container)
	ADRENALINE MUCATE				
1021	Injection, 1 in 1,000, 1 ml.	5	1	1.17	GL
	ALDOSTERONE				
	See Restricted Benefits.				
	ALLOPURINOL				
	See Restricted Benefits.				
	ALOXIPRIN				
	See Restricted Benefits.				
	ALUMINIUM				
1034	Compound Paste 10%, 4 oz.	‡1	1	2.17	BT
	ALUMINIUM ACETATE				
7655	Cream Oily P.L.	100 G.	1	0.82	Extemp. (plus container)
7642	Ear Drops P.L.	15 ml.	2	0.61	Extemp. (plus container)

	ALUMINIUM ACETYLSALICYLATE				
	See Restricted Benefits				
	ALUMINIUM HYDROXIDE GEL				
	†Mixture				
2797	320 mg. per 5 ml., 360 ml.	1	2	†0.65	MG
				†0.69	WD(N)
				†0.84	CH(QNW)
				†0.98	DH, KL, PR, WY
2798	(with instructions for use)				MG
					WD(N)
					CH(QNW)
					DH, KL, PR, WY
	ALUMINIUM HYDROXIDE GEL DRIED				
1026	Oral Tablet 300 mg.	100	2	1.23	EV, KL, RT(V), WL, WY
				1.30	HA, RD
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE				
1029	Oral Tablet 300 mg.-90 mg.	100	2	1.39	BC, WY
2576	200 mg.-200 mg.	100	2	1.38	PD
2799	Mixture 300 mg.-100 mg. per 5 ml., 360 ml.	†1	2	1.17	PR, WY
	Oral Suspension				
2735	215 mg.-80 mg. per 5 ml., 360 ml.	†1	2	1.50	BT, WY
2666	200 mg.-100 mg. per 5 ml., 360 ml.	†1	2	1.50	BS
2575	200 mg.-200 mg. per 5 ml., 360 ml.	†1	2	1.50	PD

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE			\$	
1031	Oral Tablet 250 mg.-500 mg.	100	2	1.43	WW
1030	Mixture 250 mg.-500 mg. per 4 ml., 200 ml.	‡1	4	0.97	WW
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE				
1032	Oral Tablet 250 mg.-120 mg.-120 mg.	100	2	1.51 1.58 (ex 500) 1.63 (ex M.P.)	FA, HA, KL BW, FM, GP BW, FA, FM, GP, HA, KL
2553	Mixture 250 mg.-120 mg.-120 mg. per 5 ml., 250 ml.	‡1	4	1.07	FM
	ALUMINIUM HYDROXIDE with BELLADONNA				
7379	Mixture P.L.	200 ml.	4	0.89	Extemp. (plus container)
	ALUMINIUM HYDROXIDE with KAOLIN				
7577	Mixture for Children P.L.	100 ml.	4	0.73	Extemp. (plus container)
	ALUMINIUM HYDROXIDE with KAOLIN and OPIUM				
7380	Mixture P.L.	200 ml.	4	1.02	Extemp. (plus container)
	ALUMINIUM HYDROXIDE with PROCAINE				
7381	Mixture P.L.	200 ml.	4	0.91	Extemp. (plus container)

1033	ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL, Oral Tablet 375 mg.	100	2	1.57 (ex 500) 1.70 (ex M.P.)	BD, BS, BT, GL, WL, WY BD, BS, BT, GL, WL, WY
7477	ALUMINIUM and MAGNESIUM TRISILICATE Internal Powder P.L.	100 G.	2	0.89	Extemp. (plus container)
2577	ALUMINIUM SODIUM SILICATE Powder 100 G.	1	2	1.10	SC
1035	AMINACRINE HYDROCHLORIDE Eye Drops 3 mg. in 15 ml.	‡1	2	1.06	IQ, KL, SI
	AMINO ACIDS with SORBITOL See Intravenous Fluids				
	AMINO ACIDS with SORBITOL and ETHANOL See Intravenous Fluids				
2737	AMINOPHYLLINE Oral Tablet 60 mg. (enteric coated)	100	2	1.03	ET
1039	100 mg.	100	2	0.63	AD, BW, DH, FA, HA, HY, KL, MG, RT(V), RY, SI, SL(N)
2463	125 mg. (enteric coated)	100	2	1.17	ET
1040	150 mg.	100	2	1.74	AB
	(continued)				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	AMINOPHYLLINE - cont.				
1036	Injection I.M. 480 mg. in 2 ml.	5	..	1.21	AD
1037	500 mg. in 2 ml.	5	..	1.10	WO
				1.13	FH
				1.21	BW, DH, HA
1038	Injection I.V. 250 mg. in 10 ml.	5	..	1.53	AD, FH, SI, WO
				1.61	HA
				1.62	BW
1041	Suppository 175 mg.	12	1	0.90	HA, KL
1042	250 mg.	12	1	1.21	DH, HA, KL
1043	400 mg.	12	1	1.21	HA, KL
	AMINOPHYLLINE COMPOUND				
7382	Mixture P.L.	200 ml.	4	0.92	Extemp. (plus container)
	AMITRIPTYLINE				
	See Restricted Benefits.				
	AMMONIUM CHLORIDE				
1044	Oral Tablet 500 mg.	100	3	0.97	QE(QNVS), RY
	AMODIAQUINE				
1045	Oral Tablet equivalent to 150 mg. Amodiaquine base.	100	2	2.43	PD
	AMPHETAMINE SULPHATE				
	See Restricted Benefits.				

	AMPHOTERICIN B				
	See Restricted Benefits.				
	AMPICILLIN				
	See Restricted Benefits.				
	AMYLOBARBITONE				
1049	Oral Tablet 15 mg.	100	1	0.77	FA, HY, PT
				0.78	DL, FM, HA, KL, LY, RY
1050	30 mg.	100	1	0.79	FA, PT, RT(V), SL(N)
				0.83	HY, MG
				0.93	DL, FM, HA, KL, LY,
					RY, VR
1051	50 mg.	100	1	0.83	PT, RT(V), SL(N)
				0.87	FA, HY
				0.95	MG
				1.00	DL, FM, GP, HA, KL, LY,
				(ex 500)	RY, VR
				0.86	FA, PT, RT(V), SL(N)
				0.90	HY, MG
				1.05	DL, FM, GP, HA, KL, LY,
				(ex M.P.)	RY, VR

(continued)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1052	AMYLOBARBITONE - cont. Oral Tablet 100 mg.	25	..	\$ 0.47 0.49 0.53 0.54 (ex 100) 0.51 0.53 0.59 0.61 (ex M.P.)	PT, SL(N) HA HY AD, DL, FA, FM, GP, KL, LY, RT(V), RY, SI, VR PT, SL(N) HA VR AD, DL, FA, FM, GP, HY, KL, LY, RT(V), RY, SI
2652	AMYLOBARBITONE SODIUM Oral Capsule 50 mg.	100	1	1.47	AV, FM, LY
1056	200 mg.	25	..	0.84 1.07 (ex 100) 0.97 1.23 (ex M.P.)	LF, PT FA, FM, KL, LY, VR LF, PT FA, FM, KL, LY, VR
1058	Injection 250 mg. (solvent required)	5	..	*2.50	LY
1059	500 mg. (solvent required)	5	..	*3.65	LY
1060	1 G. (solvent required)	5	..	*9.65	LY
1065	ANEURINE HYDROCHLORIDE Injection 100 mg. in 1 ml.	5	1	1.63 1.74 1.77	KL FM DH

ANEURINE HYDROCHLORIDE - cont.					
Tablets - See Restricted Benefits.					
ANTAZOLINE					
1073	Oral Tablet 100 mg.	50	1	1.37	CB
1072	Injection 100 mg. in 2 ml.	10	..	*2.16	CB
				*2.22	BT
ANTAZOLINE with NAPHAZOLINE					
1075	Eye Drops 10 ml.	‡1	2	0.83	CB
AQUEOUS CREAM					
7492	Cream P.L.	100 G.	1	0.93	Extemp. (plus container)
7491	Cream Buffered P.L.	100 G.	1	0.84	Extemp. (plus container)
ASCORBIC ACID					
See Restricted Benefits.					
ATROPINE					
1082	Eye Drops, Oily 1%, 15 ml.	‡1	2	1.30	IQ, SI
ATROPINE METHONITRATE					
1084	Oral Tablet 1 mg.	50	2	1.43	WL
7512	Mixture for Children P.L.	100 ml.	4	0.83	Extemp. (plus container)
1083	Oral Solution 0.6%, 15 ml.	1	..	0.97	WL
ATROPINE SULPHATE					
2704	Oral Tablet 600 micrograms	100	2	0.87	RY
1086	Hypo. Tablet 400 micrograms (solvent required)	20	1	0.63	FA
1087	600 micrograms (solvent required)	20	1	0.70	FA

(continued)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1088	ATROPINE SULPHATE - cont. Injection 0.4 mg. in 1 ml.	5	1	\$ 0.86	FH, KL
1089	0.6 mg. in 1 ml.	5	1	0.90 0.86	BL, BT, DH FH, KL
1090	0.6 mg. per ml., 10 ml.	1	..	0.90 0.97	BL, BT, DH DH, FA
1091	1.25 mg. in 1 ml.	5	1	0.86 0.90	FH, KL BL, DH
1092	Eye Drops 0.5%, 15 ml.	‡1	2	1.10	DH, ET, IQ, KL, SI
1093	1%, 15 ml.	‡1	2	1.21	DH, ET, IQ, KL, SI
1094	Eye Ointment 1%, 4 G.	‡1	..	0.63	PD
1099	BACITRACIN Eye Drops 15,000 Units and 15 ml. of solvent	‡1	2	\$1.99	ET
1100	BARBITONE SODIUM Oral Tablet 300 mg.	25	..	0.62 0.67	MG DH, KL
1101	500 mg.	25	..	0.70	DH, KL
1102	BARBITURATES COMPOUND Oral Capsule A.P.F. 1955	25	..	1.83	AB, ET, KL
2706	BELLADONNA Oral Tablet 45 mg.	100	2	1.03	RY
7513	Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)

BELLADONNA with PHENOBARBITONE					
Oral Tablet of prepared Belladonna Herb B.P. (or equivalent of Dry Extract of Belladonna) with Phenobarbitone.					
2423	30 mg.-20 mg.	100	2	0.86	LF, PT
				0.87	DH, FM, HY, SI, TR, WW
2637	40 mg.-16 mg.	100	2	1.02	RS
2424	45 mg.-30 mg.	100	2	0.99	LF
				1.01	PT
				1.03	DH, FM, HY, SI, TR, WW
2753	120 mg.-48 mg. (sustained release)	100	2	2.30	RS
BEMEGRIDE					
1104	Injection 5 mg. per ml., 30 ml.	5	..	10.51	NS
BENDROFLUAZIDE					
1105	Oral Tablet 2.5 mg.	50	2	1.71	BC, BT, ET, GL
				(ex 250)	
				1.82	BC, BT, ET, GL
				(ex M.P.)	
1106	5 mg.	50	2	2.52	BC, BT, ET, GL
				(ex 250)	
				2.65	BC, BT, ET, GL
				(ex M.P.)	
2507	Oral Capsule 2.5 mg.	50	2	1.82	GL
2508	5 mg.	50	2	2.65	GL

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1107	BENZALKONIUM CHLORIDE Compound Suppository	12	1	\$ 1.15	HA
				1.17	FA
1108	Solution 10%, 4 fl. oz.	‡1	..	0.87	WL
1109	BENZHEXOL Oral Tablet 2 mg.	100	2	1.81	PT
				1.89	LE, WL
1110	5 mg.	100	2	3.27	PT
				3.45	LE, WL
1111	BENZOCAINE with ADRENALINE Compound Ointment 2 oz.	1	1	1.30	GP
1112	Compound Suppository	12	1	1.06	GP
1113	Suppository A.P.F. 1955	12	1	1.30	KL
9497	BENZOIC ACID Compound Ointment P.L.	100 G.	1	1.03	Extemp. (plus container)
7485	BENZOIN Inhalation P.L.	50 ml.	1	1.15	Extemp. (plus container)
2362	BENZTROPINE Oral Tablet 2 mg.	100	..	4.57	MK
1114	BENZYL BENZOATE Application 25%, 4 fl. oz.	‡1	2	0.83	MB

7668	BENZYL BENZOATE with DICOPHANE Application P.L.	200 ml.	2	1.17	Extemp. (plus container)
1115	BEPHENIUM HYDROXYNAPHTHOATE (Bephenium) Oral Sachet 5 G.	1	..	0.74	BW
1118	BETAMETHASONE Eye Drops 0.1%, 5 ml.	‡1	2	2.30	GL, SH
2377	Eye Ointment 0.1%, 3 G. Injections - See Restricted Benefits. Tablet - See Restricted Benefits.	‡1	..	1.63	GL, SH
2416	BETHANIDINE Oral Tablet 10 mg.	100	2	2.97	BW
2712	25 mg.	100	2	6.30	BW
2544	BIPERIDEN Oral Tablet 2 mg.	100	2	3.19	KN
1122	BISMUTH SUBGALLATE Compound Suppository	12	1	0.82 1.37	WW KL
7643	BORIC ACID Ear Drops P.L.	15 ml.	2	0.58	Extemp. (plus container)

(continued)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1123	BORIC ACID - cont. †Powder 100 G.(4 oz.)	1	..	\$ †0.15 †0.23 †0.26 †0.30	WD(N) FA DH SI(V)
1124	(with instructions for use)				WD(N) FA DH SI(V)
7552	BORIC TALC Dusting Powder P.L.	100 G.	1	0.67	Extemp. (plus container)
1125	BRETYLIUM TOSYLATE (Bretylum) Oral Tablet 200 mg.	100	2	8.63	BV
2516	BROMPHENIRAMINE Oral Tablet 4 mg.	50	1	1.43	RS
2601	12 mg.	50	1	2.90	RS
2602	Syrup 2 mg. per 5 ml., 100 ml.	†1	4	1.03	RS
1126	BROWN SNAKE ANTIVENENE Injection 500 Units	2	1	*28.30	CS
	BUCLOSAMIDE with SALICYLIC ACID See Restricted Benefits.				

	BUCLOSAMIDE with SALICYLIC ACID and HYDROCORTISONE See Restricted Benefits.				
	BUSULPHAN See Restricted Benefits.				
	BUTABARBITAL SODIUM				
1129	Oral Tablet 15 mg.	100	1	1.03 (ex 500)	ET
				1.07 (ex M.P.)	ET
1130	30 mg.	100	1	1.19 (ex 500)	ET
				1.26 (ex M.P.)	ET
1131	50 mg.	100	1	1.53	ET
1132	100 mg.	25	..	0.97	ET
	BUTOBARBITONE				
1133	Oral Tablet 100 mg.	25	..	0.51 0.52 (ex 100)	PT AD, MB, SI
				0.55 0.57 (ex M.P.)	PT AD, MB, SI

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
7384	CAFFEINE, IODIDE and EPHEDRINE Mixture, P.L.	200 ml.	4	\$ 1.31	Extemp. (plus container)
7658	CALAMINE Cream Aqueous P.L.	100 G.	1	0.77	Extemp. (plus container)
7659	Cream Oily P.L.	100 G.	1	1.10	Extemp. (plus container)
7629	Lotion P.L.	200 ml.	2	0.97	Extemp. (plus container)
7630	Lotion Oily P.L.	200 ml.	2	0.94	Extemp. (plus container)
	CALCIFEROL See Restricted Benefits.				
7383	CALCIUM ACETYLSALICYLATE Mixture P.L.	200 ml.	4	0.81	Extemp. (plus container)
	CALCIUM AMINOSALICYLATE See Restricted Benefits.				
1147	CALCIUM GLUCONATE Oral Tablet 500 mg.	100	2	0.70 0.77 0.83	KL, PR, RY, SL(N) AD, DH, FA, HY, RT(V), SI, TO MG
1148	Oral Tablet (Effervescent) equivalent to 4 G. Calcium Gluconate	100	2	5.70	SZ
1146	Injection 10%, 10 ml.	5	1	1.30	FH, SZ, TH

7514	CALCIUM and KAOLIN Mixture for Children P.L.	100 ml.	4	0.66	Extemp. (plus container)
1149	CALCIUM LACTATE Oral Tablet 300 mg.	100	2	0.63	AD, DH, FA, HY, KL, RT(V), RY, SI, SL(N), TO
7534	CAMPHOR Linctus Compound P.L.	100 ml.	4	0.89	Extemp. (plus container)
7884	Liniment P.L.	100 ml.	1	0.93	Extemp. (plus container)
1151	CARBACHOL Injection 0.25 mg. in 1 ml.	5	..	0.86	BD, FH
2534	Eye Drops 0.75%, 15 ml.	‡1	6	2.25	AQ
2535	1.5%, 15 ml.	‡1	6	2.34	AQ
2536	3%, 15 ml.	‡1	6	2.45	AQ
	CARBAMAZEPINE See Restricted Benefits.				
1153	CARBIMAZOLE Oral Tablet 5 mg.	100	2	1.97 2.63	PT BS
1154	CARBINOXAMINE Oral Tablet 4 mg.	50	1	1.57	ET
2409	12 mg. (sustained release)	50	1	3.63	ET
2736	Paediatric Elixir 4 mg. per 5 ml., 100 ml.	‡1	4	1.03	ET

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CASCARA			\$	
1155	Oral Tablet 200 mg.	25	3	0.50	AD, DH, FA, HY, RT(V), SI
1156	300 mg.	25	3	0.54	AD, DH, FA, HY, RT(V), SI
1157	†Liquid Extract, B.P. 25 ml. (1 fl. oz.)	1	1	†0.20 †0.21	WD(N) DH
1158	(with instructions for use)				WD(N) DH
1159	50 ml. (2 fl. oz.)	1	1	†0.30	DH, WD(N)
1160	(with instructions for use)				DH, WD(N)
	CASTOR OIL				
1161	†5 oz.	1	..	†0.33	DH, FA
1162	(with instructions for use)				DH, FA
2803	† 100 ml.	1	..	†0.27	WD(N)
2804	(with instructions for use)				WD(N)
	CETOMACROGOL				
7661	Cream Aqueous P.L.	100 G.	1	1.09	Extemp. (plus container)
	CETRIMIDE				
7660	Cream Aqueous P.L.	100 G.	1	1.18	Extemp. (plus container)
	CHALK and KAOLIN				
7498	Mixture P.L.	200 ml.	4	0.76	Extemp. (plus container)

CHLORAL HYDRATE					
2713	Elixir 1 G. per 10 ml., 200 ml.	‡1	4	1.50	KL, PT
7499	Mixture P.L.	200 ml.	4	0.80	Extemp. (plus container)
7515	Mixture for Children P.L.	100 ml.	4	0.68	Extemp. (plus container)
CHLORAMBUCIL					
See Restricted Benefits.					
CHLORAMPHENICOL					
2395	Ear Drops 2%, 10 ml.	‡1	2	1.10	CW
1169	10%, 6 ml.	‡1	2	1.10	KL
				1.30	PD
1170	Eye Drops 25 mg. and 10 ml. solvent	‡1	2	\$1.68	PD
2360	0.5%, 10 ml.	‡1	2	1.10	CW, KL
1171	Eye Ointment 1%, 4 G.	‡1	..	0.63	KL
				0.69	PD
1172	1%, 5 G.	‡1	..	0.69	EC
Capsule - See Restricted Benefits.					
Injection - See Restricted Benefits.					
Suspension - See Restricted Benefits.					
Tablets - See Restricted Benefits.					
CHLORAMPHENICOL with HYDROCORTISONE					
2716	Eye Drops 12.5 mg.-25 mg. and 5 ml. solvent	‡1	2	\$1.75	PD
2715	Eye Ointment 1% - 0.5%, 4G.	‡1	..	1.30	PD
CHLORAMPHENICOL with POLYMYXIN B					
1177	Eye Ointment 1%-5000 Units per G., 4 G.	‡1	..	0.63	KL
				0.69	PD

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CHLORAZANIL			\$	
1178	Oral Tablet 25 mg.	50	2	1.50	SI
1179	150 mg.	50	2	3.39	SI
	CHLORCYCLIZINE				
1180	Oral Tablet 50 mg.	50	1	1.70	AB, BW
2543	Oral Capsule 25 mg.	50	1	1.30	BW
2473	50 mg.	50	1	1.70	BW
	CHLORHEXIDINE				
7490	Cream Aqueous P.L.	100 G.	1	1.08	Extemp. (plus container)
7487	Ear Drops P.L.	15 ml.	2	0.59	Extemp. (plus container)
1181	Solution 5%, 100 ml.	1	1	1.50	IC
	CHLOROBENZOL DISULPHONAMIDE				
1182	Oral Tablet 100 mg.	50	2	1.79	NS
1183	200 mg.	50	2	3.15	NS
	CHLOROQUINE				
1184	Oral Tablet equivalent to 150 mg. Chloroquine base.	100	2	2.90	PT
				2.97	MB, RT(V)
				3.02	DH, ET, EV, FB, IC, WL
1185	Injection 40 mg. per ml., 2 ml.	5	1	*1.19	MB
1186	40 mg. per ml., 5 ml.	5	1	*1.84	MB

1187	CHLOROTHIAZIDE	50	2	2.64	MK
	Oral Tablet 500 mg.			(ex 250)	
				2.97	MK
				(ex M.P.)	
	CHLOROTRIANISENE				
	See Restricted Benefits.				
1190	CHLORPHENIRAMINE	50	1	1.66	LF, PT
	Oral Tablet 4 mg.			1.74	CA, SH
				1.77	GL
1191	8 mg.	50	1	1.86	GL, LF, PT
				1.95	CA
				2.15	SH
				(ex 250)	
				2.06	LF, PT
				2.17	CA, GL
				2.39	SH
				(ex M.P.)	
1192	Paediatric Syrup 2 mg. per 5 ml., 100 ml.	‡1	4	0.97	GL
1189	Injection 10 mg. in 1 ml.	5	..	1.58	GL
	CHLORPROMAZINE				
	See Restricted Benefits.				
1202	CHLORPROPAMIDE	100	2	4.30	PF
	Oral Tablet 250 mg.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1207	CHLORTETRACYCLINE Eye Ointment 1%, 4 G. Capsules - See Restricted Benefits.	‡1	..	\$ 0.54 0.57	KL LE
1584	CHLORTHALIDONE Oral Tablet 50 mg.	50	2	2.87	GE
1208	100 mg.	50	2	4.24 (ex 250) 4.82 (ex M.P.)	GE GE
2545	CHOLERA-EL TOR COMBINED VACCINE Injection 8,000 million in 1 ml.	2	..	*1.10	CS
2788	CHOLINE THEOPHYLLINATE Oral Tablet 100 mg.	100	2	2.43	WW
2789	200 mg.	100	2	2.97	WW
2787	Syrup 50 mg. per 5 ml., 500 ml.	‡1	4	1.90	WW
1210	CLEMIZOLE Oral Tablet 20 mg.	50	1	*1.58	SC
1212	Paediatric Syrup 100 ml.	‡1	4	0.97	SC
1211	Injection 1 ml.	3	..	0.97	SC
2399	CLOPAMIDE Oral Tablet 20 mg.	50	2	2.43	SZ

CLOREXOLONE					
2297	Oral Tablet 25 mg.	50	2	2.37	MB
2298	50 mg.	50	2	2.97	MB
COAL TAR					
7555	Paste P.L.	100 G.	1	0.99	Extemp. (plus container)
COAL TAR and ZINC					
7662	Cream P.L.	100 G.	1	0.96	Extemp. (plus container)
COCAINE					
1213	Eye Drops Oily, 2%, 15 ml.	‡1	2	1.59	IQ, SI
CODEINE PHOSPHATE					
7495	Linctus P.L.	100 ml.	2	1.09	Extemp. (plus container)
1214	Oral Tablet 30 mg.	25	3	0.83	DH, HY, KL, RT(V), RY
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID					
See Restricted Benefits.					
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID and PARACETAMOL					
See Restricted Benefits.					
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID, PARACETAMOL and CAFFEINE					
See Restricted Benefits.					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	COD LIVER OIL			\$	
1223	†Cod Liver Oil, B.P.	1	4	†0.45	FA, SI(V)
1224	8 fl. oz.				FA, SI(V)
2680	(with instructions for use)				WD(N)
	200 ml.	1	4	†0.40	DH
				†0.44	WD(N)
2681	(with instructions for use)				DH
	Emulsion - See Restricted Benefits.				
	COLCHICINE				
1227	Oral Tablet 0.5 mg.	100	2	2.83	KF
				2.89	EV, PR, PT
				2.97	BW, DH, HY, KL, MR, RT(V)
	COLD CREAM				
7663	Cream P.L.	100 G.	1	1.00	Extemp. (plus container)
	COLISTIN				
	See Restricted Benefits.				
	COLISTIN with NEOMYCIN				
2756	Ear Drops 3 mg.-3.3 mg. per ml., 10 ml.	†1	2	1.50	WW
	COPPER SULPHATE				
1228	†Diagnostic Compound Tablets, 35	1	2	†0.68	AM
1229	(with instructions for use)				AM

CORTICOTROPHIN					
See Restricted Benefits.					
CORTISONE ACETATE					
1250	Eye Drops 0.5%, 10 ml.	‡1	2	1.90	ET
1252	1%, 3 ml.	‡1	2	1.57	ET, RL
1253	2.5%, 5 ml.	‡1	2	4.10	MK
1254	2.5%, 10 ml.	‡1	2	5.10	ET, MK
Injections - See Restricted Benefits.					
Tablets - See Restricted Benefits.					
CYANOCOBALAMIN					
See Restricted Benefits.					
CYCLOBARBITONE					
1263	Oral Tablet 200 mg.	25	..	0.82	MG, SL(N)
				0.90	HA
				1.10	BW, KL
CYCLOPENTHIAZIDE					
1264	Oral Tablet 0.5 mg.	50	2	2.37	CB
				(ex 250)	
				2.57	CB
				(ex M.P.)	
CYCLOPHOSPHAMIDE					
1266	Oral Tablet 50 mg.	50	..	5.97	MJ
1265	Injection 100 mg. (solvent required)	10	..	10.43	MJ
2381	200 mg. (solvent required)	10	..	12.30	MJ

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2426	CYCLOTHIAZIDE Oral Tablet 5 mg.	50	2	\$ 2.81	BY
1267	CYCRIMINE HYDROCHLORIDE Oral Tablet 1.25 mg.	100	2	3.50	LY
1268	2.5 mg.	100	2	5.43	LY
1269	CYPROHEPTADINE Oral Tablet 4 mg.	50	2	1.72 (ex 250) 1.90	MK MK
1270	Paediatric Syrup 1.2 mg. per 5 ml., 100 ml.	‡1	4	(ex M.P.) 0.90	MK
1272	DAPSONE Oral Tablet 100 mg.	100	2	0.83	IC
	DARROW'S SOLUTION See Intravenous Fluids				
2734	DEATH ADDER ANTIVENENE Injection 6,000 Units	1	..	59.07	CS
2740	DEBRISOQUINE Oral Tablet 10 mg.	100	2	3.23	RO
2741	20 mg.	100	2	4.57	RO

	DEMECARIUM BROMIDE				
2378	Eye Drops 0.1%, 5 ml.	‡1	6	1.66	AP
1274	0.25%, 5 ml.	‡1	6	1.79	AP
1275	0.5%, 5 ml.	‡1	6	2.07	AP
	DEMETHYLCHLORTETRACYCLINE				
	See Restricted Benefits.				
	DEMETHYLCHLORTETRACYCLINE with NYSTATIN				
	See Restricted Benefits.				
	DEOXYCORTONE				
	See Restricted Benefits.				
	DESLANOSIDE				
1289	Injection 0.2 mg. per ml., 2 ml.	5	1	1.13	SZ
	DEXAMETHASONE				
	See Restricted Benefits.				
	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN				
2759	Ear Ointment 0.5 mg.-5 mg.-0.05 mg. per G., 3 G.	‡1	2	1.37	RL
	DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN				
2781	Ear Drops 0.5 mg.(base)-5 mg. -0.05 mg. per ml., 5 ml.	‡1	2	1.50	RL

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DEXAMPHETAMINE See Restricted Benefits.			\$	
1294	DEXCHLORPHENIRAMINE Injection 5 mg. in 1 ml.	5	..	1.23	SH
1295	Oral Tablet 2 mg.	50	1	1.41	SH
				(ex 250)	
				1.54	SH
				(ex M.P.)	
1296	6 mg. (sustained release)	50	1	2.95	SH
				(ex 250)	
				3.33	SH
				(ex M.P.)	
1297	Paediatric Syrup 2 mg. per 5 ml., 100 ml.	‡1	4	1.17	SH
	DEXTRAN with DEXTROSE See Intravenous Fluids				
	DEXTRAN in NORMAL SALINE See Intravenous Fluids				
1300	DEXTRIFERRON Injection I.V. 5 ml.	5	..	3.63	AP
	DEXTROMORAMIDE See Restricted Benefits.				

	DEXTROSE				
	See Intravenous Fluids				
7576	DEXTROSE and GLYCERIN Nasal Instillation P.L.	15 ml.	2	0.66	Extemp. (plus container)
	DIAZEPAM				
	See Restricted Benefits.				
2603	DICHLORALPHENAZONE Oral Tablet 650 mg.	25	..	0.97	EV
2540	DICHLOROPHEN Oral Tablet 500 mg.	18	..	0.90	MB
1303	DICHLORPHENAMIDE Oral Tablet 50 mg.	50	4	5.10	AQ, MK
	DICOPHANE				
7669	Application P.L.	200 ml.	2	0.84	Extemp. (plus container)
9841	Dusting Powder P.L.	100 G.	1	0.81	Extemp. (plus container)
1304	DICYCLOMINE HYDROCHLORIDE Oral Tablet 10 mg.	100	2	2.20 2.49 (ex 500) 2.43 2.77 (ex M.P.)	PT ML PT ML
	(continued)				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1305	DICYCLOMINE HYDROCHLORIDE - cont. Paediatric Syrup 5 mg. per 5 ml., 100 ml.	‡1	4	\$ 1.43	ML
	DIENOESTROL See Restricted Benefits.				
1311	DIETHAZINE Oral Tablet 50 mg.	100	2	1.03	MB
1312	250 mg.	100	2	*2.96	MB
1313	DIETHYLCARBAMAZINE Oral Tablet 50 mg.	40	1	*1.60	LE
1314	DIGITALIS, PREPARED Oral Tablet 30 mg.	100	2	0.83	DH, RT(V)
1315	60 mg.	100	2	0.97	DH, HY, RT(V)
1316	DIGITOXIN Oral Tablet 100 micrograms	100	..	0.98 1.02	PT KL, NA, WY

	DIGOXIN				
2605	Oral Tablet 62.5 micrograms	100	2	0.97	BW
1322	250 micrograms	100	2	0.73	FA, HY, PT, RT(V), RY, SL(N)
				0.77	LF, NA
				0.97	PR
				0.99	TO
				1.01	KL
				1.03	SU(N)
				1.13	BW, MG, RD, VR
1319	Oral Solution 500 micrograms per ml., 30 ml.	‡1	..	1.26	BW
1320	Oral Solution for Children				
	50 micrograms per ml., 50 ml.	‡1	2	1.37	BW
1321	Injection 250 micrograms per ml., 2 ml.	10	1	*1.98	BW
2537	Injection for Infants 50 micrograms in 2 ml.	10	1	*1.98	BW
	DIHYDROERGOTAMINE				
1323	Injection 1 mg. in 1 ml.	5	..	1.63	SZ
	DIHYDROMORPHINONE HYDROCHLORIDE				
1325	Oral Tablet 2.5 mg.	20	..	*0.96	KN
1324	Injection 1.1 ml.	5	..	1.03	KN
	DIHYDROSTREPTOMYCIN SULPHATE with				
	ATTAPULGITE, PECTIN and HYDRATED				
	ALUMINA POWDER				
1327	Oral Tablet 150 mg.-350 mg.-45 mg.-70 mg.	16	..	1.41	WY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DIHYDROSTREPTOMYCIN SULPHATE with KAOLIN, PECTIN and ALUMINIUM HYDROXIDE GEL			\$	
2422	Oral Suspension 4.63 gr.-45 gr.-4 gr. per fl. oz., 3.5 fl. oz.	‡1	..	1.43	WY
	DIHYDROTACHYSTEROL See Restricted Benefits.				
	DI-iodohydroxyquinoline (Diodoquinoline)				
1328	Oral Tablet 300 mg.	100	2	1.77	DF, MB
1329	650 mg.	100	2	8.23	SR
1331	Compound Vaginal Tablets 100 mg., 25	‡1	1	1.50	VR
				1.63	SR
1332	Effervescent Gynaecological Pessaries 200 mg., 20	‡1	1	1.63	DF
	DILOXANIDE FUROATE See Restricted Benefits.				
	DIMERCAPROL				
1334	Injection 5%, 2 ml.	10	..	3.90	BT

DIMETHICONE					
Creams - See Restricted Benefits.					
Creams and Solutions - See Colostomy and Ileostomy Preparations.					
DIMETHINDENE					
2517	Oral Tablet 1 mg.	50	1	1.50	CB
2518	2.5 mg. (sustained release)	50	1	2.70	CB
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON See Restricted Benefits.					
DIPHENHYDRAMINE					
1336	Oral Capsule 50 mg.	50	1	1.15 (ex 250)	PD,PT
				1.23	PT
				1.26	PD
				(ex M.P.)	
2780	Paediatric Elixir 12.5 mg. per 5 ml., 100 ml.	‡1	4	0.67	AV
1337	12.5 mg. per 5 ml., 115 ml.	‡1	4	0.70	PD
1335	Injection 10 mg. per ml., 10 ml.	1	1	1.43	PD
DIPHENYLPYRALINE					
1340	Oral Tablet 2.5 mg.	50	1	1.23	PT, RK
2551	5 mg. (sustained release)	50	1	2.17	PT, RK
1338	Oral Capsule 2.5 mg. (sustained release)	50	1	2.17	SK

(continued)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1339	DIPHENYLPYRALINE - cont. Oral Capsule 5 mg. (sustained release)	50	1	\$ 2.41 (ex 250)	SK
				2.70 (ex M.P.)	SK
2351	Paediatric Syrup 2.5 mg. per 5 ml., 100 ml.	‡1	4	1.03	RK, SK
	DIPHTHERIA ANTITOXIN (Dip./Ser.)				
1342	Injection 1,000 Units	2	1	*3.24	CS
1343	4,000 Units	2	1	*8.16	CS
1344	10,000 Units	2	1	*18.64	CS
1345	20,000 Units	2	1	*34.22	CS
	DIPHTHERIA and TETANUS VACCINE				
1341	Injection 0.5 ml.	3	..	*1.62 1.63	CS BT
	DIPHTHERIA, TETANUS and PERTUSSIS VACCINE (Triple Antigen)				
1346	Injection 0.5 ml.	3	..	1.30 *1.86 1.87	GL, PD CS BT
	DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)				
1350	Injection 0.5 ml.	1	..	0.63	CS

	DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) (Dip./Vac/PTAP)				
1348	Injection 0.5 ml.	2	1	*1.18	CS
1349	Set containing 2 amps each 0.5 ml. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate)(diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. of 0.5 ml. Purified Diphtheria Toxoid (diluted) for the skin test only.	1	..	1.23	CS
	DIPYRIDAMOLE				
1351	Injection 5 mg. per ml., 2 ml.	5	..	1.46	BY
	DISODIUM STILBOESTROL DIPHOSPHATE See Restricted Benefits.				
	DITHRANOL				
1357	Ointment 0.1%, 2 oz.	‡1	1	0.87	HY
2428	0.25%, 2 oz.	‡1	1	0.94	HY
2429	0.5%, 2 oz.	‡1	1	0.99	HY
1358	Strong, 1%, 2 oz.	‡1	1	1.10	HY
	DITHRANOL and ZINC				
7556	Paste P.L.	100 G.	1	1.02	Extemp. (plus container)
7557	Paste Strong P.L.	100 G.	1	1.27	Extemp. (plus container)
	DOXYCYCLINE See Restricted Benefits				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1359	DYFLOS Eye Drops 0.1%, 10 ml.	‡1	6	\$ 3.63	BT
	ECOTHIOPATE IODIDE Eye Drops				
2405	0.06%, 3 mg. and 5 ml. of solvent	‡1	6	\$3.02	AY
1360	0.125%, 6.25 mg. and 5 ml. of solvent	‡1	6	\$3.42	AY
1361	0.25%, 12.5 mg. and 5 ml. of solvent	‡1	6	\$3.82	AY
	EDROPHONIUM				
2519	Injection 10 mg. in 1 ml.	1	..	*0.86	RO
	EMETINE				
1363	Injection 20 mg. in 1 ml.	10	..	2.70	KL
1364	30 mg. in 1 ml.	10	..	3.30	KL
1365	65 mg. in 1 ml.	5	..	3.30	KL
	EMETINE AND BISMUTH IODIDE				
1362	Oral Tablet 60 mg.	25	2	4.03	HY
	EMULSIFYING OINTMENT				
7918	Ointment P.L.	100 G.	1	1.18	Extemp. (plus container)

EPHEDRINE HYDROCHLORIDE					
1369	Oral Tablet 15 mg.	100	2	0.59	AD, BW, DH, HY, KL, MG, RT(V), RY, SI
1370	30 mg.	100	2	0.70	AD, BW, DH, FA, HY, KL, MG, PR, RT(V), RY, SI, SL(N)
7493	Elixir P.L.	100 ml.	4	0.73	Extemp. (plus container)
7574	Nasal Instillation P.L.	15 ml.	2	0.61	Extemp. (plus container)
1366	Injection 30 mg. in 1 ml.	5	1	1.02	BL, KL
1367	50 mg. in 1 ml.	5	1	1.02	BL, KL
EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE					
1372	Oral Tablet 15 mg.-15 mg.	100	2	0.70	HY, KL
1373	30 mg.-15 mg.	100	2	0.86	FM, WW
				0.70	AD, HY, KL, SI
				0.83	DH
				0.94	FM, WW
1374	30 mg.-30 mg.	100	2	0.77	HY, KL
				0.99	FM, WW
1375	Paediatric Elixir 30 mg.-20 mg. per 5 ml., 100 ml.	‡1	4	1.19	FM
2614	Paediatric Syrup 30 mg.-20 mg. per 5 ml., 100 ml.	‡1	4	1.19	WW

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ERGOMETRINE MALEATE			\$	
1380	Oral Tablet 0.2 mg.	25	3	1.67	LY, SP(NWS)
1381	0.5 mg.	25	3	3.66	PT, SP(NWS)
				4.03	BD, BW, HY, VR
1377	Injection 0.125 mg. in 1 ml.	5	..	1.13	FH
				1.21	BW
1378	0.2 mg. in 1 ml.	5	..	1.34	PT
				1.35	FH
1379	0.5 mg. in 1 ml.	5	..	1.31	PT
				1.35	SP(NWS)
				1.50	BD, BL, DH, FH
				1.79	BW
	ERGOTAMINE TARTRATE				
1384	Oral Tablet 1 mg.	50	2	1.47	PT
				1.50	HY, KL
				2.27	SZ, WL
1382	Injection 0.25 mg. in 1 ml.	5	..	1.30	SZ
1383	0.5 mg. in 1 ml.	5	..	1.38	PT, SP(NWS)
				1.66	SZ
	ERGOTAMINE TARTRATE with CAFFEINE				
1385	Oral Tablet 1 mg.-100 mg.	50	2	2.30	KL, PT
				2.97	BD, SZ
1386	Compound Suppository	6	1	1.50	SZ
	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE				
1387	Oral Tablet 2 mg.-100 mg.-50 mg.	50	2	3.63	BW

1388	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Oral Capsule 1 mg.-100 mg.-25 mg.	50	2	3.63	PD
1389	ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Oral Tablet 1 mg.-100 mg.-10 mg.	50	2	3.53	BD
2591	ERTHRITYL TETRANITRATE Oral Tablet 5 mg.	100	2	0.97	BW
	ERYTHROMYCIN See Restricted Benefits.				
2511	ETHACRYNIC ACID Oral Tablet 50 mg.	50	2	5.23	MK
1404	ETHANOLAMINE OLEATE Injection 5%, 2 ml.	5	1	0.85	GL
2739	ETHCHLORVYNOL Oral Capsule 500 mg.	25	..	1.21	AB
	ETHINYLOESTRADIOL See Restricted Benefits.				
	ETHIONAMIDE See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ETHISTERONE See Restricted Benefits.			\$	
1412	ETHOPROPazine Oral Tablet 50 mg.	100	2	*2.96	MB
1413	ETHOSUXIMIDE Oral Capsule 250 mg.	200	1	8.23	PD
1414	Paediatric Syrup 250 mg. per 5 ml., 240 ml.	‡1	4	2.70	PD
1415	ETHOTOIN Oral Tablet 500 mg.	200	1	8.97	AB
1416	ETHOXZOLAMIDE Oral Tablet 125 mg.	50	4	6.06	AG, UP
1418	ETHYLIDENE DICOUMARIN Oral Tablet 100 mg.	100	2	6.57	NS
1419	ETHYLNORADRENALINE Injection 1 ml.	5	..	1.89	WL
	ETHYLOESTRENOL See Restricted Benefits.				
1421	FERRIC HYDROXIDE Colloidal Paediatric Solution 4 fl. oz.	‡1	4	1.35	EV

FERROUS AMINOACETOSULPHATE					
(Feramacet)					
1422	Oral Tablet equivalent to 50 mg. Ferrous Iron	100	2	0.97	BP, CO
1423	Paediatric Syrup 4 fl. oz.	‡1	4	0.97	CO
2465	100 ml.	‡1	4	0.97	BP
FERROUS FUMARATE					
2688	Oral Tablet 150 mg.	100	2	1.17	KL
FERROUS GLUCONATE					
1424	Oral Tablet 300 mg.	100	2	0.73	FA, HY, RT(V), RY
				0.77	DH
				0.78	MG, PR, TO
				0.83	HA, SZ, VR, WL
				(ex 500)	
				0.83	DH, FA, HA, HY, MG, PR, RT(V), RY, TO, VR
				0.87	SZ, WL
				(ex M.P.)	
2726	Paediatric Elixir 6%, 100 ml.	‡1	4	1.07	WL
7516	Mixture for Children P.L.	100 ml.	4	0.79	Extemp. (plus container)
FERROUS PHOSPHATE COMPOUND					
1426	†Syrup 4 fl. oz.	1	4	†0.26	RT(V)
				†0.27	HY
1427	(with instructions for use)				RT(V)
					HY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1428	FERROUS SUCCINATE Oral Capsule 150 mg.	100	2	\$ 1.27 (ex 500) 1.27 (ex M.P.)	CA
1429	Paediatric Elixir 150 mg. per 3.5 ml., 100 ml.	‡1	4	1.10	CA
1431	FERROUS SULPHATE Oral Tablet 200 mg.	100	2	0.63 0.81	HY GL, GP
1432	300 mg.	100	2	0.81 0.83	HY DH, GP, MJ
2689	525 mg. (sustained release)	30	2	1.10	AB
7500	Mixture P.L.	200 ml.	4	0.79	Extemp. (plus container)
7517	Mixture for Children P.L. Oral Paediatric Drops	100 ml.	4	0.69	Extemp. (plus container)
1430	120 mg. per ml., 30 ml.	‡1	4	1.07	MJ
	FLUDROCORTISONE ACETATE See Restricted Benefits.				
	FLUOROURACIL See Restricted Benefits.				
	FLUOXYMESTERONE See Restricted Benefits.				

	FLUPHENAZINE				
	See Restricted Benefits.				
	FLUPHENAZINE ENANTHATE				
	See Restricted Benefits.				
	FOLIC ACID				
	See Restricted Benefits.				
	FRAMYCETIN				
1439	Eye Ointment 0.5%, 3.5 G.	‡1	..	1.19	GN, RL
1440	Eye and Ear Drops 0.5%, 5 ml.	‡1	2	1.69	GN, RL
2698	Mixture 300 mg. per 20 ml. with adsorbent, 100 ml.	‡1	..	1.95	FC
	Tablets - See Restricted Benefits.				
	FRUSEMIDE				
2412	Oral Tablet 40 mg.	50	2	4.74 (ex 250)	AH
				5.11 (ex M.P.)	AH
2413	Injection 20 mg. in 2 ml.	5	..	3.23	AH
	FUSIDIC ACID				
	See Restricted Benefits.				
	GAS GANGRENE ANTITOXIN (OEDEMATIENS)				
	(Oed/Ser)				
1441	Injection 10,000 Units	3	1	*28.02	CS

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1444	GAS GANGRENE ANTITOXIN (SEPTICUM) (Sep/Ser) Injection 5,000 Units	2	1	\$ *29.24	CS
1445	GAS GANGRENE ANTITOXIN (WELCHII) (Wel/Ser) Injection 4,000 Units	3	1	*24.21	CS
1446	10,000 Units	10	1	*125.00	CS
2699	GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) (Gas/Ser) Injection 1 amp. containing 10,000 Units Welchii, 10,000 Units Oedematiens, 5,000 Units Septicum	2	1	*33.68	CS
	GASTRIC REPLACEMENT SOLUTION See Intravenous Fluids.				
7501	GENTIAN Mixture, Acid, P.L.	200 ml.	4	0.76	Extemp. (plus container)
7502	Mixture, Alkaline, P.L.	200 ml.	4	0.74	Extemp. (plus container)
1447	GLUCAGON HYDROCHLORIDE Injection 1 mg. with 1 ml. of diluent	1	..	2.81	LY

GLUCOSE INDICATOR					
1448	†240 Test Dispenser	1	1	†2.40	LY
1449	(with instructions for use)				LY
2352	†Reagent Strips 100 strips	1	1	†2.10	AM
2353	(with instructions for use)				AM
GLUTETHIMIDE					
2696	Oral Tablet 125 mg.	100	1	2.17	CB
1452	250 mg.	25	..	0.97	CB
				(ex 100)	
				1.10	CB
				(ex M.P.)	
2805	500 mg.	25	..	1.23	CB
2619	Oral Capsule 250 mg.	25	..	1.10	CB
2668	500 mg.	25	..	1.23	CB
GLYCERIN					
7664	Cream Oily P.L.	100 G.	1	0.84	Extemp. (plus container)
2673	†Glycerin 100 ml.	1	1	†0.36	WD(N)
				†0.42	DH
2674	(with instructions for use)				WD(N)
					DH
1455	†Suppository for Adults	12	1	†0.45	DH
				†0.50	FA
1456	(with instructions for use)				DH
					FA
	†Suppository for Children				
1457	1 G. Glycerin	12	1	†0.45	DH
				†0.50	FA
1458	(with instructions for use)				DH
					FA

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1459	GLYCERYL TRINITRATE Oral Tablet 0.6 mg.	100	2	\$ 0.50	BW, DH, FA, HY
2492	GLYCOPYRRONIUM BROMIDE Oral Tablet 1 mg.	100	2	4.30	RS
2594	GLYMIDINE Oral Tablet 500 mg.	100	2	3.30	FB, SC
2641	1 G.	50	2	3.23	FB, SC
	GOATS MILK See Restricted Benefits.				
	GRISEOFULVIN See Restricted Benefits.				
1461	GUANETHIDINE Oral Tablet 10 mg.	100	2	4.14 (ex 500) 4.47	CB
1462	25 mg.	100	2	(ex M.P.) 9.14 (ex 500) 10.27	CB CB
2604	Injection 10 mg.	5	..	(ex M.P.) 2.86	CB

	HALIBUT LIVER OIL				
	See Restricted Benefits.				
	HALOPERIDOL				
	See Restricted Benefits.				
	HAMAMELIS				
7570	Ointment Compound P.L.	100 G.	1	1.14	Extemp. (plus container)
	HEPARIN				
1466	Injection 1,000 Units per ml., 5 ml.	5	..	*3.10	BT, CS, EV, WP(NVW)
1467	5,000 Units in 1 ml.	5	..	*3.10	CS
				3.10	EV
				*3.18	WP(NVW)
1468	5,000 Units per ml., 5 ml.	2	..	*3.64	BT, CS, DH, EV, WP(NVW)
1469	12,500 Units in 1 ml.	2	..	*2.30	BT, CS, EV
	HEXOCYCLIUM METHYLSULPHATE				
	(Hexocyclium)				
1471	Oral Tablet 25 mg.	100	2	4.50	AB
1472	50 mg.	100	2	7.86	AB
	HOMATROPINE HYDROBROMIDE				
2541	Eye Drops 2%, 15 ml.	‡1	2	2.03	AQ
				2.17	AG
2542	5%, 15 ml.	‡1	2	2.37	AQ
				2.57	AG

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	HYALURONIDASE			\$	
1476	Injection 1 mg. containing 1,500 Units (solvent required)	5	1	3.53	FC
1477	3 mg. containing 1,500 Units (solvent required)	5	1	4.06	EV
1478	500 Units (solvent required)	5	1	*4.10	WY
1479	Set containing 2 amps each of 350 Units and 2 amps. of solvent	1	1	1.73	SC
1480	Set containing 3 amps each of 500 Units and 3 amps. of solvent.	1	1	2.30	DF
	HYDRARGAPHEN				
1481	Pessary 5 mg.	15	1	2.30	WB
	HYDROCHLOROTHIAZIDE				
1484	Oral Tablet 25 mg.	50	2	2.00 (ex 250)	CB, GA, MK
				2.19 (ex M.P.)	CB, GA, MK
1485	50 mg.	50	2	3.23 (ex 250)	CB, GA, MK
				3.54 (ex M.P.)	CB, GA, MK
2501	Oral Capsule 25 mg.	50	2	2.19	DL
2502	50 mg.	50	2	3.54	DL
		50			

HYDROCORTISONE					
1487	Eye Drops 0.5%, 2 ml.	‡1	2	1.23	SC
1488	0.5%, 5 ml.	‡1	2	1.30	DH, KL, PT, SI
1489	0.5%, 10 ml.	‡1	2	1.50	KL, PT, SI
				1.83	ET
1490	1%, 3 ml.	‡1	2	1.37	SI
				1.70	GL, RL
1491	1%, 5 ml.	‡1	2	1.43	KL, PT
1492	1%, 10 ml.	‡1	2	1.86	KL, PT, SI
				2.23	ET, IQ
1493	2.5%, 5 ml.	‡1	2	1.97	DH, KL, PT, SI
1494	2.5%, 10 ml.	‡1	2	2.23	KL, PT, SI
				2.70	ET, IQ
1495	Eye Ointment 0.5%, 3 G.	‡1	..	0.97	HA, RL
1496	0.5%, 4 G.	‡1	..	0.99	DH, KL, PT
				1.10	CO, PF, UP
1497	0.5%, 5 G.	‡1	..	1.10	SI
2441	1%, 5 G.	‡1	..	1.63	KL, SI
	Injection - See Restricted Benefits.				
	Ear Drops - See Restricted Benefits.				
HYDROCORTISONE ACETATE					
	See Restricted Benefits.				
HYDROCORTISONE with NEOMYCIN SULPHATE					
2375	Eye Drops (0.5%-0.5%), 5 ml.	‡1	2	1.30	DH, KL, SI, UP
1500	Eye Ointment (0.5%-0.5%) 250 mg. capsule	‡1	..	1.23	CK
2472	(0.5%-0.5%), 4 G.	‡1	..	1.17	KL, UP
	Ear Drops - See Restricted Benefits.				
	Ear Ointment - See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	HYDROCORTISONE SODIUM SUCCINATE See Restricted Benefits.			\$	
1503	HYDROFLUMETHIAZIDE Oral Tablet 50 mg.	50	2	3.81	BC, BT, GL, SQ
7644	HYDROGEN PEROXIDE SOLUTION Ear Drops P.L.	15 ml.	2	0.59	Extemp. (plus container)
1504	†Solution 10 vol., 100 ml. (4 fl. oz.)	1	..	†0.20	WD(N)
				†0.23	FA
1505	(with instructions for use)				WD(N)
					FA
1506	10 vol., 200 ml. (8 fl. oz.)	1	..	†0.27	WD(N)
				†0.30	FA
1507	(with instructions for use)				WD(N)
					FA
2675	20 vol., 100 ml.	1	..	†0.26	DH, WD(N)
2676	(with instructions for use)				DH, WD(N)
	HYDROXOCOBALAMIN See Restricted Benefits.				
1512	HYDROXYCHLOROQUINE Oral Tablet 200 mg.	100	2	4.43	WL
	HYDROXYPROGESTERONE See Restricted Benefits.				

HYOSCINE HYDROBROMIDE					
1520	Oral Tablet 0.6 mg.	100	2	0.83	DH, HY
2782	Eye Drops 0.25%, 15 ml.	‡1	2	2.70	AQ
HYOSCINE METHOBROMIDE					
1521	Oral Tablet 2.5 mg.	100	2	4.70	ET
				4.97	UP
ICHTHAMMOL					
7645	Ear Drops P.L.	15 ml.	2	0.72	Extemp. (plus container)
7562	Paint P.L.	25 ml.	1	0.83	Extemp. (plus container)
1522	Pessary, 5%	12	1	1.90	HY
ICHTHAMMOL and ZINC					
7665	Cream Oily P.L.	100 G.	1	1.07	Extemp. (plus container)
IDOXURIDINE					
See Restricted Benefits.					
IMIPRAMINE					
See Restricted Benefits.					
INDOMETHACIN					
See Restricted Benefits.					
INSULIN					
1523	Injection 20 Units per ml., 10 ml.	10	2	*3.70	BW, CS
1524	40 Units per ml., 5 ml.	10	2	*3.70	BW, GL
1525	40 Units per ml., 10 ml.	10	2	*7.00	BT, BW, CS, EV, GL, WP(NVW)

(continued)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	INSULIN - cont.			\$	
1526	Injection 80 Units per ml., 5 ml.	10	2	*7.00	BT, BW, GL
1527	80 Units per ml., 10 ml.	10	2	*12.00	BT, BW, CS, EV
1529	160 Units per ml., 10 ml.	10	2	*21.50	CS
1530	300 Units per ml., 5 ml.	10	2	*24.00	CS
	Injection (specially purified)				
1531	40 Units per ml., 10 ml.	10	2	*8.80	CS
	INSULIN BIPHASIC				
2580	Injection 40 Units per ml., 10 ml.	10	2	*12.00	EV
2581	80 Units per ml., 10 ml.	10	2	*23.00	EV
	INSULIN GLOBIN ZINC				
1532	Injection 40 Units per ml., 5 ml.	10	2	*4.20	BT, BW
1533	80 Units per ml., 5 ml.	10	2	*7.40	BW
	INSULIN ISOPHANE (N.P.H)				
1534	Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, GL
1535	80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, GL
1536	160 Units per ml., 10 ml.	10	2	*22.60	CS
	Injection (specially purified)				
1537	40 Units per ml., 10 ml.	10	2	*10.10	CS
	INSULIN NEUTRAL				
2578	Injection 40 Units per ml., 10 ml.	10	2	*9.00	BW, CS, EV
2579	80 Units per ml., 10 ml.	10	2	*17.00	BW, CS, EV

INSULIN PROTAMINE ZINC					
1538	Injection 40 Units per ml., 5 ml.	10	2	*4.20	BT, BW
1539	40 Units per ml., 10 ml.	10	2	*7.40	BT, BW, CS, EV, GL, WP(NVW)
1540	80 Units per ml., 5 ml.	10	2	*7.40	BT, BW, GL
1541	80 Units per ml., 10 ml.	10	2	*13.30	BW, CS, EV
INSULIN SPECIAL P (PIG)					
1542	Injection 40 Units per ml., 10 ml.	10	2	*10.60	CS
INSULIN ZINC SUSPENSION (IZS)					
1543	Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
1544	80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL
INSULIN ZINC SUSPENSION (AMORPHOUS) (Amorph IZS)					
1545	Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
	80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Cryst IZS)					
1547	Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
1548	80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL
INTESTINAL REPLACEMENT SOLUTION See Intravenous Fluids					
INTRAVENOUS FLUIDS (1/2 litre and 1 litre) See Special Section.					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	IODOCHLORHYDROXYQUINOLINE (Iochlorquin)			\$	
1549	Oral Tablet 250 mg.	100	2	1.97 2.07 (ex 500) 2.17 2.23 (ex M.P.)	DR CB DR CB
7378	IPECACUANHA and OPIUM Mixture P.L.	200 ml.	4	1.12	Extemp. (plus container)
7518	IPECACUANHA and SQUILL Mixture for Children P.L.	100 ml.	4	0.73	Extemp. (plus container)
1298	IRON DEXTRAN Injection 2 ml.	5	..	3.90	FC
1299	5 ml.	5	..	6.50	FC
1551	IRON OXIDE SACCHARATED Injection I.V. Equivalent to 20 mg. Elemental Iron per ml., 5 ml.	5	..	2.07	EV
2764	IRON POLYMALTOSE COMPLEX Oral Tablet 40 mg. (Iron)	100	2	1.17	SI
2593	Injection 100 mg. (Iron) in 2 ml.	5	..	4.17	SI
1552	IRON SORBITOL COMPLEX Injection, Trivalent Iron 2 ml.	5	..	4.30	AP

	ISONIAZID				
	See Restricted Benefits.				
	ISOPRENALINE HYDROCHLORIDE				
1557	Oral Tablet 10 mg.	100	2	1.43	KL, WL
1555	Inhalation 1 in 200, 15 ml.	1	1	0.63	WL
1556	Injection 1 in 5,000, 1 ml.	5	..	4.14	WL
	Tablet (sustained release) - See Restricted Benefits.				
	ISOPRENALINE SULPHATE				
1559	Oral Tablet 20 mg.	100	2	1.90	BW, KL
1558	Inhalation, Solution 10 mg. per ml., 7 ml.	1	1	0.73	BW
	Inhalation, metered aerosol spray, replacement pack				
2745	2 mg. per ml., 15 ml. (300 dose)	‡1	..	2.70	BS, RK
2746	10 mg. per ml., 15 ml. (300 dose)	‡1	..	2.77	RK
	ISOPROPAMIDE IODIDE				
1560	Oral Tablet 5 mg.	100	2	4.87	SK
				(ex 500)	
				5.23	SK
				(ex M.P.)	
	ISOTHIPENDYL HYDROCHLORIDE				
1561	Oral Tablet 4 mg.	50	2	1.30	IC
	KANAMYCIN				
2638	Ear Drops 1%, 10 ml.	‡1	..	1.30	BC
2639	Eye Drops 1%, 10 ml.	‡1	..	1.43	BC
	Injections - See Restricted Benefits.				
	(continued)				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	KANAMYCIN - cont. Capsule - See Restricted Benefits. Solution - See Restricted Benefits.			\$	
9847	KAOLIN Dusting Powder Compound P.L.	100 G.	1	0.70	Extemp. (plus container)
7503	KAOLIN and OPIUM Mixture P.L.	200 ml.	4	0.91	Extemp. (plus container)
1565	LANATOSIDE-C Oral Tablet 0.25 mg.	100	2	1.70 1.77 2.15 (ex 500) 1.98 2.37 (ex M.P.)	PT SP(NWS) SZ PT, SP(NWS) SZ
	LEVORPHANOL See Restricted Benefits.				
	LINCOMYCIN See Restricted Benefits.				
	LIOTHYRONINE See Restricted Benefits.				

	LYPRESSIN				
	See Restricted Benefits.				
	MAGENTA				
7565	Paint P.L.	25 ml.	1	0.80	Extemp. (plus container)
	MAGNESIUM-ALUMINIUM HYDROXIDE				
2585	Oral Tablet 375 mg.	100	2	1.39	SI
2640	Mixture 375 mg. per 5 ml., 360 ml.	‡1	2	1.50	SI
	MAGNESIUM and CALCIUM CARBONATE				
7549	Internal Powder P.L.	100 G.	2	0.80	Extemp. (plus container)
	MAGNESIUM HYDROXIDE MIXTURE				
1572	‡Mixture 200 ml.	1	4	‡0.30	DH
1573	(with instructions for use)				DH
	MAGNESIUM SULPHATE				
1574	‡Crystals 400 G. (16 oz.)	1	..	‡0.18	FA, WD(N)
1575	(with instructions for use)				FA, WD(N)
1576	Paste 100 G. (4 oz.)	‡1	1	0.74	FA
1577	50 G. (2 oz.)	‡1	1	0.54	DH
				0.55	FA
7519	Mixture for Children P.L.	100 ml.	4	0.62	Extemp. (plus container)
	MAGNESIUM TRISILICATE				
1578	Oral Tablet 600 mg.	100	2	1.10	DH
7504	Mixture P.L.	200 ml.	4	0.70	Extemp. (plus container)
		59			

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MANNITOL See Intravenous Fluids			\$	
1579	MEBHYDROLIN Oral Tablet 50 mg.	50	1	1.45 (ex 250)	FB
				1.57 (ex M.P.)	FB
2406	150 mg. (sustained release)	50	1	3.63	FB
1580	Oral Paediatric Suspension 50 mg. per 5 ml., 100 ml.	‡1	4	1.02	FB
	MECAMEYLAMINE				
1581	Oral Tablet 2.5 mg.	100	2	2.30	MK
1582	10 mg.	100	2	7.90	MK
	MECLASTINE				
2785	Oral Tablet 1 mg.	50	1	3.33	SZ
	MECLOZINE				
1583	Oral Tablet 25 mg.	50	1	1.77	BD
2490	Syrup 12.5 mg. per 5 ml., 100 ml.	‡1	4	1.17	BD
	MEDROXYPROGESTERONE See Restricted Benefits.				

	MELPHALAN				
	See Restricted Benefits.				
7484	MENTHOL and BENZOIN Inhalation P.L.	50 ml.	1	1.16	Extemp. (plus container)
7494	MENTHOL and EUCALYPTUS Inhalation P.L.	50 ml.	1	0.71	Extemp. (plus container)
7483	MENTHOL and PINE Inhalation P.L.	50 ml.	1	0.81	Extemp. (plus container)
1591	MEPACRINE HYDROCHLORIDE Oral Tablet 100 mg.	100	2	1.05	IC
2515	MEPENZOLATE Oral Tablet 25 mg.	100	2	3.63	SI
1592	MEPHENTERMINE Injection 10 ml.	1	..	2.41	WY
1595	MEPYRAMINE Oral Tablet 50 mg.	50	1	0.83	MB
1596	100 mg.	50	1	1.10	MB
1594	Paediatric Elixir 25 mg. per 5 ml., 125 ml.	‡1	4	0.70	MB
1593	Injection 2.5%, 2 ml.	10	..	1.37	MB
1597	MERCAPTOMERIN SODIUM Injection 1.4 G. in 10 ml.	3	..	*5.79	WY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MERCAPTOPURINE See Restricted Benefits.			\$	
1601	MERSALYL Injection 1 ml.	10	..	*1.58 1.63 *1.64	EV AD, SI BD, FH
1602	2 ml.	10	..	*1.74 *1.84 1.86 1.93 *1.96 *1.98	DH EV, FH AD, SI BL DH BT, VR
	MESTANOLONE See Restricted Benefits.				
1604	METARAMINOL Injection 10 mg. in 1 ml.	3	..	*1.50	MK
2430	METFORMIN Oral Tablet 500 mg.	100	2	8.33	RN
1605	500 mg. (sustained release)	100	2	8.34	DF
	METHACYCLINE See Restricted Benefits.				

METHADONE					
1608	Oral Tablet 5 mg.	25	..	0.70	BW
1609	10 mg.	25	..	0.83	BW
1606	Injection 10 mg. in 1 ml.	5	..	1.07	BW
METHANDIENONE					
See Restricted Benefits.					
METHAQUALONE					
2628	Oral Tablet 150 mg.	25	..	0.91	PT
				0.95	BT, KL, LF, MC, RL, SI
2733	Oral Capsule 150 mg.	25	..	0.95	KL
METHAZOLAMIDE					
1613	Oral Tablet 50 mg.	50	4	*6.62	LE
METHDILAZINE					
1614	Oral Tablet 4 mg.	50	1	1.43	BD, MJ
1615	8 mg.	50	1	1.55	BD, MJ
				(ex 250)	
				1.70	BD, MJ
				(ex M.P.)	
2464	Paediatric Syrup 4 mg. per 5 ml., 100 ml.	‡1	4	1.17	BD, MJ
METHENAMINE MANDELATE					
1617	Oral Tablet 250 mg.	100	2	1.43	HA, WW
1618	500 mg.	100	1	2.17	WW
2690	1 G.	100	1	3.50	WW
2606	Oral Paediatric Suspension				
	500 mg. per 5 ml., 200 ml.	‡1	1	2.43	WW

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	METHENOLONE ACETATE See Restricted Benefits.			\$	
	METHICILLIN See Restricted Benefits.				
1621	METHOIN Oral Tablet 100 mg.	200	1	2.73	SZ
	METHOTREXATE See Restricted Benefits.				
1623	METHOXAMINE HYDROCHLORIDE Injection 20 mg. in 1 ml.	3	..	*1.24	BW
2398	METHSUXIMIDE Oral Capsule 300 mg.	200	1	7.90	PD
1624	METHYCLOTHIAZIDE Oral Tablet 2.5 mg.	50	2	2.17	AB
1625	5 mg.	50	2	2.81	AB
				(ex 250)	
				3.17	AB
				(ex M.P.)	
	METHYLAMPHETAMINE See Restricted Benefits				

1628	METHYLCELLULOSE Eye Drops 0.5%, 15 ml.	‡1	6	1.01	IQ, KL, SI
1629	METHYLDOPA Oral Tablet 250 mg.	100	2	6.02 (ex 500) 6.63 (ex M.P.)	MK MK
1632	METHYLERGOMETRINE Oral Tablet 0.125 mg.	25	1	2.27	SZ
1631	Injection 0.2 mg. in 1 ml.	5	..	1.34	SZ
1633	METHYL PHENOBARBITONE Oral Tablet 30 mg.	200	1	0.90	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
1634	60 mg.	200	1	1.21	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
1635	200 mg.	200	1	2.41	AD, DH, KL, MG, RT(V), RY, SI, WL
7481	METHYL SALICYLATE Liniment P.L.	100 ml.	1	1.08	Extemp. (plus container)
7480	Liniment Compound P.L.	100 ml.	1	1.40	Extemp. (plus container)
1636	METRONIDAZOLE Oral Tablet 200 mg.	21	1	2.75 (ex 100) 2.83 (ex M.P.)	MB MB

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MILK POWDER-SYNTHETIC See Restricted Benefits.			\$	
	MORPHINE with ATROPINE Injection - Morphine Sulphate with Atropine Sulphate				
1657	10 mg.-400 micrograms in 1 ml.	5	..	1.02 1.07 1.09	FH BL BT, DH
1658	10 mg.-500 micrograms in 1 ml.	5	..	1.09	DH
1659	15 mg.-400 micrograms in 1 ml.	5	..	1.02 1.07 1.09	AD, FH, KL, SI BL BT, DH
1661	15 mg.-600 micrograms in 1 ml.	5	..	1.02 1.07 1.09	FH BL BT, DH
	MORPHINE with HYOSCINE Injection - Morphine Sulphate with Hyoscine Hydrobromide				
1662	15 mg.-600 micrograms in 1 ml.	5	..	1.10 1.14	FH BL
	MORPHINE SULPHATE				
1643	Hypo. or Oral Tablet 30 mg. (solvent required)	20	..	0.90	FA

1644	Injection 10 mg. in 1 ml.	5	..	0.97	AD, FH, KL, SI
				1.02	BL, BT, DH
1645	15 mg. in 1 ml.	5	..	0.97	AD, FH, KL, SI
				1.02	BL, BT, DH
1646	20 mg. in 1 ml.	5	..	0.97	FH, KL
				1.02	BL, DH
1647	30 mg. in 1 ml.	5	..	0.97	FH, KL
				1.02	BL, BT, DH
1649	30 mg. per ml., 10 ml.	1	..	0.97	FA
MORPHINE with TACRINE					
1663	Injection 15 mg.-13 mg. in 1.5 ml.	5	..	1.97	WH
1664	30 mg.-13 mg. in 1.5 ml.	5	..	2.03	WH
1665	15 mg.-30 mg. in 1.5 ml.	5	..	2.50	WH
1666	30 mg.-30 mg. in 1.5 ml.	5	..	2.63	WH
	Tablet - See Restricted Benefits.				
MUSTINE					
	See Restricted Benefits.				
NALIDIXIC ACID					
	See Restricted Benefits.				
NALORPHINE					
1669	Injection 10 mg. in 1 ml.	5	1	2.10	BW
1670	1 mg. per ml., 5 ml.	1	..	1.21	BW

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	NANDROLONE DECANOATE See Restricted Benefits.			\$	
	NANDROLONE PHENYLPROPIONATE See Restricted Benefits.				
2520	NATAMYCIN Vaginal Tablets 25 mg., 20 Oral Tablet - See Restricted Benefits.	‡1	..	3.77	BP
1673	NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base) 10 ml. Powder - See Restricted Benefits. Tablet - See Restricted Benefits.	‡1	2	0.97	DH, KL. SI
	NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORTISONE ACETATE See Restricted Benefits.				
2568	NEOMYCIN with KAOLIN Oral Tablet 150 mg. - 1.5 G.	10	..	1.50	KL

2433	NEOMYCIN SULPHATE MIXTURE				
	Mixture 300 mg. per 20 ml.				
	with adsorbent, 100 ml.	‡1	..	1.87	LF, PR, PT
				1.90	KL, SI
				2.10	DH, LY, MK, MR, NS, UP, VR, WL, WY
	NEOMYCIN UNDECENOATE				
	with BACITRACIN				
	See Restricted Benefits.				
	NEOSTIGMINE				
1675	Oral Tablet 15 mg.	100	2	2.50	RO
1676	Injection 0.5 mg. in 1 ml.	5	3	0.83	RO
1677	2.5 mg. in 1 ml.	5	3	1.30	RO
1678	2.5 mg. per ml., 5 ml.	1	1	0.97	RO
1679	Eye Drops 3%, 7.5 ml.	‡1	6	1.41	RO
	NICLOSAMIDE				
1680	Oral Tablet 500 mg.	4	..	1.77	FB
	NICOTINIC ACID				
	See Restricted Benefits.				
	NICOTINYL ALCOHOL				
2443	Oral Tablet 25 mg.	100	2	1.37	RO
	NICOUMALONE				
1688	Oral Tablet 4 mg.	50	2	3.37	GE

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	NITRAZEPAM See Restricted Benefits.			\$	
	NITROFURANTOIN See Restricted Benefits.				
	NITROMIN See Restricted Benefits.				
1694	NORADRENALINE Injection 1 in 1,000, 2 ml.	5	..	2.30 3.37	FH WL
1695	1 in 10,000, 2 ml.	5	..	3.43	WL
	NORTRIPTYLINE See Restricted Benefits.				
	NUTRAMIGEN See Restricted Benefits.				
1697	NYSTATIN Vaginal Tablets 100,000 Units, 15 Tablets - See Restricted Benefits.	‡1	1	2.14	GP, SQ
2624	OCTATROPINE METHYLBROMIDE Oral Tablet 10 mg.	100	2	2.97	EN
2760	Paediatric Elixir 5 mg. per 5 ml., 100 ml.	‡1	4	1.43	EN

1698	OESTRADIOL BENZOATE Injection 2 mg. in 1 ml.	5	1	2.63	BD, KL
1699	OESTRADIOL DIPROPIONATE Injection 5 mg. in 1 ml.	5	1	3.63	CB
1700	OESTRONE Pessary 1,000 Units	12	1	1.87	OR
				1.90	BD
1701	10,000 Units	12	1	3.07	OR
9556	OILY CREAM Cream P.L.	100 G.	1	1.09	Extemp. (plus container)
2333	ORCIPRENALINE Oral Tablet 20 mg.	100	2	3.58	BY
				(ex 500)	
				4.03	BY
				(ex M.P.)	
2332	Inhalation, Solution for use in NEBULISER 5%, 7.5 ml.	‡1	..	1.30	BY
2783	Inhalation, Solution for use in RESPIRATOR 2%, 75 ml.	‡1	..	3.90	BY
2784	Inhalation, metered aerosol spray, replacement pack, 15 mg. per ml., 15 ml. (300 dose)	‡1	..	2.77	BY
2776	ORPHENADRINE CITRATE Oral Tablet 100 mg.	100	2	4.03	RK
2777	Injection 30 mg. per ml., 2 ml.	5	..	2.57	RK

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2627	ORPHENADRINE HYDROCHLORIDE Oral Tablet 50 mg.	100	2	\$ 3.37	RK
	OXYCODONE See Restricted Benefits.				
	OXYMESTERONE See Restricted Benefits.				
	OXYMETHOLONE See Restricted Benefits.				
1712	OXYPHENCYCLIMINE Oral Tablet 10 mg.	100	2	6.11 (ex 500) 6.97 (ex M.P.)	PF PF
1713	OXYPHENONIUM BROMIDE Oral Tablet 5 mg.	100	2	2.47 2.70	PT CB
1714	10 mg.	100	2	4.15 4.57	PT CB

OXYTETRACYCLINE					
1725	Ophthalmic Suspension 1%, 6 ml.	‡1	2	1.01	PF
	Tablets - See Restricted Benefits.				
	Capsules - See Restricted Benefits.				
	Drops - See Restricted Benefits.				
	Injections - See Restricted Benefits.				
	Suspensions - See Restricted Benefits.				
OXYTETRACYCLINE with HYDROCORTISONE					
2806	Eye/Ear Suspension 0.5%-1.5%, 5 ml.	‡1	..	1.63	PF
OXYTETRACYCLINE (BUFFERED) with NYSTATIN					
	See Restricted Benefits.				
OXYTETRACYCLINE with POLYMYXIN B					
1726	Eye Ointment 0.5%-10,000 Units per G., 4 G.	‡1	..	0.61	PF
OXYTOCIN					
1727	Injection 2 Units in 2 ml.	5	..	0.97	SZ
1729	5 Units in 1 ml.	5	..	1.21	SZ
1730	10 Units in 1 ml.	5	..	1.66	PD, SZ
OXYTOCIN with ERGOMETRINE					
2400	Injection 5 Units and 0.5 mg. in 1 ml.	5	..	1.23	SZ
PANCREATIN CONCENTRATE					
	See Restricted Benefits.				
		73			

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PANCREATIN ENZYME See Restricted Benefits.			\$	
	PANCRELIPASE See Restricted Benefits				
1740	PAPAVERETUM Oral Tablet 10 mg.	20	..	0.61 0.70	HY RO
1738	Injection 10 mg. in 1 ml.	5	..	1.02	BL
1739	20 mg. in 1 ml.	5	..	0.97 1.02 1.03	FH BL, BT RO
1741	PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20 mg.-0.43 mg. in 1 ml.	5	..	1.02 1.07	FH BL, BT, RO
1742	PAPAVERINE HYDROCHLORIDE Injection 20 mg. in 1 ml.	5	..	1.02	KL
1743	120 mg. in 10 ml.	5	..	1.63	FH, KL
2560	PAPUAN BLACK SNAKE ANTIVENENE Injection 3,000 Units	6	..	*95.52	CS
	PARA-AMINOSALICYLIC ACID See Restricted Benefits.				

	PARACETAMOL				
	See Restricted Benefits.				
	PARACETAMOL with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE				
	See Restricted Benefits.				
	PARAFFIN LIQUID				
	†Liquid Paraffin				
1748	200 ml. (8 fl. oz.)	1	4	†0.23 †0.26 †0.27	WD(N) RT(V) DH
1749	(with instructions for use)				WD(N) RT(V) DH
	Emulsions - See Restricted Benefits.				
	PARALDEHYDE				
1754	Injection 5 ml.	5	1	1.25 1.33 1.34	FH BL DH
1755	10 ml.	5	1	1.63 1.74	FH BL, DH
	PARAMETHADIONE				
1756	Oral Capsule 300 mg.	200	1	13.43	AB
	PARAMETHASONE				
	See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PEMPIDINE			\$	
1759	Oral Tablet 5 mg.	100	2	*3.18	IC, MB
1760	10 mg.	100	2	*5.36	IC
	PENICILLAMINE See Restricted Benefits.				
	PENICILLINASE				
2355	Injection 800,000 Units (solvent required)	1	..	11.30	RK
1762	Injection Set containing 800,000 Units and 1 ml. of solvent	1	..	10.30	CS
	PENICILLIN BENETHAMINE COMPOUND Benethamine Penicillin 500 mg.(500,000 Units); Procaine Penicillin 250 mg.(250,000 Units); Sodium Penicillin 300 mg.(500,000 Units).				
1763	Injection - Vial (solvent required)	1	..	0.99	GL
1764	Injection - Set containing vial and 2 ml. water for injection	1	..	1.07	GL
	PENICILLIN, BENZATHINE See Restricted Benefits.				

PENICILLIN BENZATHINE COMPOUND					
Benzathine Penicillin 450 mg.(600,000 Units);					
Procaine Penicillin 300 mg.(300,000 Units);					
Potassium Penicillin 187 mg.(300,000 Units).					
1767	Injection set containing 1 vial and 2 ml. water for injection	1	..	1.23	WY
PENICILLIN, BENZYL					
(Penicillin G.)					
Injection					
1772	60 mg.(100,000 Units.) (solvent required)	5	..	*1.25	GL, SI
1773	120 mg.(200,000 Units.) (solvent required)	5	..	*1.30	GL, SI
1774	300 mg.(500,000 Units.) (solvent required)	5	..	*1.75	BT, CS, DH, EV, GL, SI
1775	600 mg.(1,000,000 Units.) (solvent required)	5	..	*1.90	BT, CS, DH, DL, EV, GL, SI
1776	900 mg.(1,500,000 Units.) (solvent required)	5	..	*2.85	DH, EV, GL, SI
1777	Set containing 1 vial 300 mg.(500,000 Units) and 2 ml. water for injection.	5	..	*2.10	BT, DH, EV, GL
1778	Set containing 1 vial 600 mg.(1,000,000 Units) and 2 ml. water for injection	5	..	*2.25	BT, DH, EV, GL
Injection					
1779	Set containing 1 vial 900 mg.(1,500,000 Units) and 2 ml. water for injection.	5	..	*3.10	DH, GL
Capsules - See Restricted Benefits.					
Tablets - See Restricted Benefits.					
Injections - 3 G.(5,000,000 Units) and 6 G. (10,000,000 Units) - See Restricted Benefits.					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENICILLIN, PHENOXYMETHYL (Penicillin V)			\$	
1786	Oral Tablet 125 mg.	16	..	0.98 (ex 100)	AB, CS, DH, DL, FM, GL, HY, IP, KL, LY, PF, PT, SI
				1.07 (ex M.P.)	AB, CS, DH, DL, FM, GL, HY, IP, KL, LY, PF, PT, SI
1787	250 mg.	16	..	1.51	SL(N)
				1.52 (ex 100)	AB, CS, DH, DL, FA, FM, GL, HY, IP, KL, LF, LY, MZ(NVSW), PR, PT, SI, VR
				1.53	SL(N)
				1.63 (ex M.P.)	AB, CS, DH, DL, FA, FM, GL, HY, IP, KL, LF, LY, MZ(NVSW), PR, PT, SI, VR
1788	Oral Capsule 125 mg.	16	..	1.07	CS, DH, DL, FA, FM, GL, KL, LY, SI, SU(N)
1789	250 mg.	16	..	1.52 (ex 100)	AB, BT, CS, DH, DL, FA, FM GL, IP, KL, LY, PF, PT, SI, SU(N), VR
				1.63 (ex M.P.)	AB, BT, CS, DH, DL, FA, FM, GL, IP, KL, LY, PF, PT, SI, SU(N), VR
1784	Oral Paediatric Sachet 125 mg.	16	..	1.74	LY
				2.07	KL
	Oral Paediatric Suspension				
2356	125 mg. per 5 ml., 100 ml.	‡1	..	1.69	AB, BT, CS, DH, DL, FA, GL, KL, MJ, PF, PR, SI, SL(N), VR, WY

2354	Oral Suspension 250 mg. per 5 ml., 100 ml.	1	..	2.43	AB
1782	Injection set containing 1 vial 480 mg. (800,000 Units) and 2 ml. water for injection	1	..	2.43	KL
PENICILLIN PROCAINE					
(Aqueous Suspension) Injection					
1791	600 mg.(600,000 Units)	5	..	*2.70	BT
				*2.85	FA
1792	900 mg.(900,000 Units)	5	..	*2.90	CS, EV, GL, SI
1793	1 G.(1,000,000 Units)	5	..	*3.35	BT, DH, EV, FA, GL, SI
1794	1.5 G.(1,500,000 Units) (Crystalline) Injection	5	..	*3.90	CS, DH, EV, FA, GL, SI, VR
1795	300 mg.(300,000 Units) (solvent required)	5	..	*1.75	CS
1796	900 mg.(900,000 Units) (solvent required)	5	..	*2.55	CS, SI
1797	1.5 G.(1,500,000 Units) (solvent required)	5	..	*3.75	CS, SI
1798	Set containing 1 vial 300 mg.(300,000 Units) and 1 vial water for injection	5	..	*2.15	CS
1799	Set containing 1 vial 900 mg.(900,000 Units) and 1 vial water for injection	5	..	*2.90	CS
1800	Set containing 1 vial 1.5 G.(1,500,000 Units) and 1 vial water for injection	5	..	*4.10	CS
PENICILLIN PROCAINE FORTIFIED					
Injection					
1801	360 mg.(400,000 Units) (solvent required)	5	..	*1.75	CS, SI
1802	1.08G.(1,200,000 Units) (solvent required)	5	..	*3.15	CS, SI
1803	Set containing 1 vial 360 mg.(400,000 Units) and 1 vial water for injection	5	..	*2.10	CS
1804	Set containing 1 vial 1.08 G.(1,200,000 Units) and 1 vial water for injection	5	..	*3.50	CS

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENICILLIN with STREPTOMYCIN See Restricted Benefits.			\$	
1810	PENTAERYTHRITOL TETRANITRATE (Penthritol) Oral Tablet 20 mg.	100	2	0.90 0.93 (ex 500) 0.97	LF, WW HY, WL HY, LF, WL, WW
1812	80 mg. (sustained release)	100	2	(ex M.P.) 1.44 (ex 500) 1.50 (ex M.P.)	WW WW
1813	PENTHIENATE Oral Tablet 5 mg.	100	2	4.10	WL
1820	PENTOBARBITONE COMPOUND Oral Tablet, A.P.F. Capsule Formula	25	..	1.02	CO
1819	Oral Capsule, A.P.F.	25	..	0.87 0.94 (ex 100) 0.95 1.02 (ex M.P.)	PT PD PT PD

PENTOBARBITONE SODIUM					
1814	Oral Tablet 30 mg.	100	1	0.77	HY, RY
				0.83	DH, QE(QNVS)
				0.90	KL, PR
2707	50 mg.	100	1	0.83	MG
				0.87	PT
				0.90	DH, KL, PR, QE(QNVS)
1815	100 mg.	25	..	0.54	PT, RY, SL(N)
				0.57	KL, PR, QE(QNVS), TO
				0.62	MG
				0.63	SU(N)
				0.66	AD, BW, DH, FA, HY, RD
					RT(V), SI
1816	Oral Capsule 30 mg.	100	1	1.57	LF
1817	50 mg.	100	1	1.82	AV, FA, KL, LF, PT
				1.94	AB
1818	100 mg.	25	..	0.66	PT, RY
				0.67	MG
				0.70	LF, PR
				0.79	FA, KL, PD, RT(V)
				0.82	AB
				(ex 100)	
				0.67	PT, RY
				0.70	PR
				0.77	KL, MG
				0.78	LF
				0.82	PD
				0.89	AB, FA, RT(V)
				(ex M.P.)	

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENTOBARBITONE SODIUM with ACETYL-SALICYLIC ACID and CODEINE PHOSPHATE See Restricted Benefits.				
1821	PENTOLINIUM TARTRATE Injection 5 mg. per ml., 10 ml.	1	1	1.03	MB
2410	PERITONEAL DIALYSIS SOLUTION Injection with 1.5% Dextrose, 1 litre	20	1	*33.70	BX
2411	Injection with 7% Dextrose, 1 litre	20	1	*33.70	BX
1827	PERTUSSIS VACCINE (Per/Vac) Injection 20,000 million in 0.5 ml.	3	1	*1.50	CS
1828	PETHIDINE Injection 50 mg. in 1 ml.	5	..	0.90 0.91 0.95 0.97	WO AD, FH, KL, SI BL, BW BT, DH
1829	50 mg. per ml., 2 ml.	5	..	1.01 1.02 1.07 1.09	WO AD, FH, KL, SI BL, BW BT, DH
1830	50 mg. per ml., 10 ml.	1	..	1.03	KL
1831	50 mg. per ml., 50 ml.	1	..	2.09	DH, KL, RO

	PETHIDINE with LEVALLORPHAN See Restricted Benefits.				
1834	PETHIDINE with SCOPOLAMINE Injection 100 mg.-0.43 mg. in 2 ml.	5	..	1.07 1.14	FH, KL BT, BW
1836	PHENAZOPYRIDINE HYDROCHLORIDE Oral Tablet 100 mg.	50	1	1.21	WW
1839	PHENETHICILLIN Oral Tablet 125 mg.	16	..	1.07	CS, SI
1840	250 mg.	16	..	1.52 (ex 100) 1.63 (ex M.P.)	CS, SI CS, SI
1837	Oral Capsule 125 mg.	16	..	1.07	CS, SI
1838	250 mg.	16	..	1.52 (ex 100) 1.63 (ex M.P.)	CS, SI CS, SI
2374	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	‡1	..	1.69	CS, SI
1841	PHENFORMIN Oral Tablet 25 mg.	100	2	4.03	WW
2586	Oral Capsule 50 mg.	100	1	8.03	WW
1842	PHENINDAMINE Oral Tablet 25 mg.	50	2	1.13	RO

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PHENINDIONE			\$	
1843	Oral Tablet 10 mg.	100	2	2.97	PT
				3.63	EV
1844	50 mg.	100	2	3.50	WP(NVW)
				3.77	PT
				5.23	EV
	PHENIRAMINE				
1846	Oral Tablet 10 mg.	50	1	0.94	AH
1847	50 mg.	50	1	1.43	AH
				(ex 250)	
				1.58	AH
				(ex M.P.)	
2775	75 mg. (sustained release)	50	1	2.86	AH
1848	Paediatric Syrup 15 mg. per 5 ml., 100 ml.	‡1	4	0.97	AH
1845	Injection 25 mg. per ml., 2 ml.	5	1	1.42	AH
	PHENOBARBITONE				
1849	Oral Tablet 15 mg.	100	1	0.46	AD, BW, DH, FA, HY, KL, PR, RT(V), RY, SI, SL(N), TO
1850	30 mg.	100	1	0.53	AD, DH, FA, HY, KL, PR, RT(V), RY, SI, SL(N), TO
				0.54	MG
				0.57	BK, BW, MB

1851	Oral Tablet 60 mg.	25	..	*0.42	AD, DH, FA, HY, KL, RT(V), RY, SI, SL(N)
				*0.43	MG
				*0.46	BW, MB
1852	100 mg.	25	..	*0.46	AD, DH, KL, RT(V), RY, SI, SL(N)
7640	Elixir P.L.	100 ml.	4	0.94	Extemp. (plus container)
	PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE				
7385	Mixture P.L.	200 ml.	4	1.04	Extemp. (plus container)
	PHENOBARBITONE SODIUM				
1856	Oral Tablet 15 mg.	100	1	0.46	DH, FA, KL, RT(V), SL(N)
1857	30 mg.	100	1	0.53	DH, FA, HY, KL, RT(V), SL(N)
1858	60 mg.	25	..	*0.42	KL, RT(V), SL(N)
				*0.43	FA
1859	100 mg.	25	..	*0.46	FA, KL
1853	Injection 200 mg. in 1 ml.	5	..	0.94	EV
				*0.98	MB
				1.02	FH
				1.07	BL, FM
				1.09	DH
	PHENOL with DEXTROSE and GLYCERIN				
1860	Injection 2%-25%-30%, 30 ml.	1	..	2.63	BT

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1861	PHENOLPHTHALEIN COMPOUND Oral Pill.	50	1	\$ 0.53 *0.59	HY, MG DH
1862	PHENOXYBENZAMINE Oral Capsule 10 mg.	100	2	3.54	SK
1863	PHENSUXIMIDE Oral Capsule 500 mg.	200	1	8.23	PD
2514	PHENTHIMENTONIUM Oral Tablet 150 mg.	100	2	3.63	AP
	PHENYLALANINE LOW CONTENT FORMULA See Restricted Benefits.				
	PHENYLBUTAZONE See Restricted Benefits.				
1868	PHENYLEPHRINE Injection 1%, 1 ml.	5	..	2.41	WL
2455	Compound Ointment 2 oz.	‡1	1	1.30	WL
1869	Compound Suppository	12	1	1.06	WL
2456	Eye Drops 1/8%, 10 ml.	‡1	..	0.83	WL
2649	10%, 5 ml.	‡1	..	1.14	WL
2457	Sterile Ophthalmic Solution 10%, 1 ml.	5	..	3.70	WL

PHENYLMERCURIC NITRATE					
7648	Ear Drops P.L.	15 ml.	2	0.75	Extemp. (plus container)
PHENYTOIN					
2460	Oral Capsule 100 mg. (delayed release)	100	1	1.97	PD
	Oral Paediatric Suspension				
2692	30 mg. per 5 ml., 500 ml.	‡1	1	2.57	PD
2691	Oral Suspension 100 mg. per 5 ml., 500 ml.	‡1	1	2.87	PD
PHENYTOIN SODIUM					
1871	Injection 250 mg. with 5 ml. solvent	1	..	3.90	PD
1872	Oral Tablet 100 mg.	200	1	1.50	DH, KL, RT(V), RY
1873	Oral Capsule 30 mg.	200	1	1.77	PD
1874	100 mg.	200	1	2.39	PT, RY
				2.64	PD
				(ex 1,000)	
				2.63	PT, RY
				2.77	PD
				(ex M.P.)	
PHOLCODINE					
1875	Linctus 0.1%, 4 fl. oz.	‡1	4	0.86	CM, EV, GL, HY, RK
2466	0.1%, 100 ml.	‡1	4	0.83	DH, FA, GP, KL, MG, VR, WD(N)
7482	Linctus P.L.	100 ml.	4	0.97	Extemp. (plus container)
7475	Linctus for Children P.L.	100 ml.	4	0.81	Extemp. (plus container)
PHTHALYLSULPHACETAMIDE					
1877	Oral Tablet 500 mg.	100	..	3.10	BS, KL, SC, VR

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PHTHALYLSULPHATHIAZOLE				
1878	Oral Tablet 500 mg.	100	..	1.43	KL, MB
7520	Mixture for Children P.L.	100 ml.	4	1.30	Extemp. (plus container)
	PHYSOSTIGMINE SALICYLATE				
2476	Eye Drops 0.25%, 7.5 ml.	‡1	6	1.43	ET
1879	0.25%, 15 ml.	‡1	6	1.50	IQ
2477	0.5%, 7.5 ml.	‡1	6	1.59	ET
1880	0.5%, 15 ml.	‡1	6	1.66	IQ
	PHYTOMENADIONE				
	See Restricted Benefits.				
	PILOCARPINE HYDROCHLORIDE				
2778	Eye Drops 0.5%, 15 ml.	‡1	6	0.99	ET
2595	1%, 15 ml.	‡1	6	1.07	AQ, ET, KL
2596	2%, 15 ml.	‡1	6	1.17	AQ, ET, KL
2597	3%, 15 ml.	‡1	6	1.26	AQ, ET, KL
2598	4%, 15 ml.	‡1	6	1.43	AQ, ET, KL
2779	6%, 15 ml.	‡1	6	1.77	ET

PILOCARPINE NITRATE				
1884	Eye Drops 0.5%, 15 ml.	‡1	6	0.99 DH, ET, IQ, KL, SI
1885	1%, 15 ml.	‡1	6	1.07 DH, ET, IQ, KL, SI
1886	2%, 15 ml.	‡1	6	1.17 DH, ET, IQ, KL, SI
1887	3%, 15 ml.	‡1	6	1.26 DH, ET, IQ, KL, SI
1888	4%, 15 ml.	‡1	6	1.43 DH, ET, KL, SI
				1.50 IQ
1889	6%, 15 ml.	‡1	6	1.77 ET, KL
	Eye Drops (Polyvinyl Alcohol base)			
2727	0.5%, 15 ml.	‡1	6	0.99 AG
2728	1%, 15 ml.	‡1	6	1.07 AG
2729	2%, 15 ml.	‡1	6	1.17 AG
2730	3%, 15 ml.	‡1	6	1.26 AG
2731	4%, 15 ml.	‡1	6	1.43 AG
2732	6%, 15 ml.	‡1	6	1.77 AG
PIPENZOLATE				
1890	Oral Tablet 5 mg.	100	2	3.77 SI
1891	Oral Solution 4 mg. per ml., 15 ml.	‡1	4	1.30 SI
PIPERAZINE ADIPATE				
1892	Oral Tablet 300 mg.	25	2	0.99 BD
1893	Oral Granules, 20%, 100 G.	1	..	2.10 DF
PIPERAZINE PHOSPHATE				
1896	Oral Tablet 250 mg.	25	2	*0.92 GL
2489	Oral Granules, 10 G.	1	..	1.23 RC

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PITUITARY, POSTERIOR LOBE See Restricted Benefits.			\$	
1901	PLAGUE VACCINE (Plague/Vac) Injection 4,000 million in 1 ml.	2	..	*1.64	CS
7566	PODOPHYLLIN Paint P.L.	25 ml.	1	0.98	Extemp. (plus container)
7567	Strong P.L.	25 ml.	1	1.23	Extemp. (plus container)
1902	POLYMYXIN B SULPHATE Ear Drops (Aqueous) 300,000 Units in 15 ml.	‡1	2	2.57 2.70	KL, SI BW
1903	Set containing 300,000 Units and 15 ml. of solvent	‡1	2	\$2.95	ET
1904	Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10 ml.	‡1	2	1.30	BW
1905	Eye Drops 15,000 Units per ml., 5 ml.	‡1	2	1.63	EQ, SI
1906	Set containing 75,000 Units and 5 ml. of solvent	‡1	2	\$1.95	ET
	Powder - See Restricted Benefits.				

	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN				
1909	Eye Drops Set containing 50,000 Units 4,000 Units-50 mg. and 10 ml. solvent	‡1	2	\$2.95	DH, ET
1910	Eye Ointment 5,000 Units-400 Units-5 mg. per G., 4 G.	‡1	..	0.70	BW, DH, ET, GL, SI, UP
	POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN				
1911	Eye Drops 5,000 Units - 2.5 mg.-0.025 mg. per ml., 10 ml.	‡1	2	1.43	BW, DH
	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE See Restricted Benefits.				
	POLYOESTRADIOL See Restricted Benefits.				
	POLYTHIAZIDE				
1912	Oral Tablet 1 mg.	50	2	2.17	PF
1913	2 mg.	50	2	3.13	PF
	POLYVINYL ALCOHOL				
2682	Eye Drops 1.4%, 15 ml.	‡1	6	1.90	AG

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	POTASSIUM			\$	
2373	Oral Effervescent Tablet 6.5 milli-equivalents of Potassium	100	2	1.37 1.50	HY, KL, PR, RT(V), RY LF, PT
2592	25 milli-equivalents of Potassium	30	2	1.42 1.43	PT MJ
	POTASSIUM - FREE MAINTENANCE SOLUTION See Intravenous Fluids.				
	POTASSIUM CHLORIDE				
1914	Oral Tablet 500 mg.	100	2	0.70	DH, ET, HY, KL, RT(V)
2642	600 mg. (sustained release)	100	2	1.34 1.37	PT CB
7505	Mixture P.L. Injection Standard Maintenance Fluids - See Intravenous Fluids	200 ml.	4	0.86	Extemp. (plus container)
	POTASSIUM CITRATE				
7506	Mixture P.L.	200 ml.	4	0.86	Extemp. (plus container)
7521	Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)
	POTASSIUM CITRATE and SODIUM BICARBONATE				
7507	Mixture P.L.	200 ml.	4	0.76	Extemp. (plus container)
	POTASSIUM IODIDE				
7522	Mixture for Children P.L.	100 ml.	4	0.66	Extemp. (plus container)

7523	POTASSIUM IODIDE and EPHEDRINE Mixture for Children P.L.	100 ml.	4	0.71	Extemp. (plus container)
7508	POTASSIUM IODIDE and STRAMONIUM Mixture Compound P.L.	200 ml.	4	1.00	Extemp. (plus container)
1915	POTASSIUM PERCHLORATE Oral Tablet 200 mg.	100	2	0.97	AD, SI
2361	PREDNISOLONE Eye Drops 1%, 3 ml.	‡1	6	2.30	SC
1918	Eye Ointment 0.5%, 4 G.	‡1	..	1.90	KL, PT
				2.30	CO, UP
	Tablet - See Restricted Benefits.				
2684	PREDNISOLONE ACETATE Eye Drops 0.5%, 5 ml.	‡1	6	2.43	CB
	Injection - See Restricted Benefits.				
1927	PREDNISOLONE METHYL Eye Ointment 0.1%, 4 G.	‡1	..	2.63	UP
	Capsule - See Restricted Benefits.				
	Tablets - See Restricted Benefits.				
	PREDNISOLONE METHYL ACETATE See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PREDNISOLONE SODIUM PHOSPHATE			\$	
1921	Eye-Ear Drops 0.5%, 2.5 ml.	‡1	6	2.17	MK
1922	0.5%, 5 ml.	‡1	6	2.50	GL, MK
1923	Eye Ointment 0.5%, 3 G.	‡1	..	2.30	GL
	Retention Enema - See Restricted Benefits.				
	Suppository - See Restricted Benefits.				
	PREDNISOLONE SODIUM PHOSPHATE with NEOMYCIN See Restricted Benefits.				
	PREDNISOLONE SODIUM SUCCINATE See Restricted Benefits.				
	PREDNISOLONE TERTIARY BUTYL ACETATE See Restricted Benefits.				
1932	PREDNISOLONE TRIMETHYLACETATE Eye Ointment 0.5%, 3 G.	‡1	..	1.50	CB
	PREDNISONE See Restricted Benefits.				
1937	PRIMAQUINE Oral Tablet Equivalent to 7.5 mg. base	30	1	1.07	IC
1938	Equivalent to 15 mg. base	14	1	0.67	WL

PRIMIDONE					
1939	Oral Tablet 250 mg.	200	1	6.31 6.97	PT IC
2616	Oral Paediatric Suspension 125 mg. per 5 ml., 500 ml.	‡1	1	3.23	IC
PROBENECID					
1940	Oral Tablet 500 mg.	100	2	6.69 8.30 (ex 500) 7.63 9.50 (ex M.P.)	MC MK, PT MC MK, PT
PROCAINAMIDE					
1942	Oral Tablet 250 mg.	100	2	6.30	SQ
2653	Oral Capsule 250 mg.	100	2	6.30	SQ
1941	Injection 100 mg. per ml., 10 ml.	1	..	1.57	SQ
PROCARBAZINE					
See Restricted Benefits.					
PROCHLORPERAZINE					
2369	Injection 12.5 mg. in 1 ml.	10	..	1.37	MB
PROCYCLIDINE					
1943	Oral Tablet 5 mg.	100	2	4.30	BW

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PROGESTERONE See Restricted Benefits.			\$	
1947	PROGUANIL Oral Tablet 100 mg.	100	2	1.14	IC
1950	PROMETHAZINE Oral Tablet 10 mg.	50	1	0.92 (ex 250)	MB
				0.97	MB
1951	25 mg.	50	1	(ex M.P.) 1.20	MC
				1.22	MB
				(ex 250) 1.30	MC
				1.37	MB
1949	Paediatric Elixir 5 mg. per 5 ml., 125 ml.	1	4	(ex M.P.) 0.77	MB
1948	Injection 2.5%, 2 ml.	10	..	1.50	MB

PROPANTHELINE BROMIDE					
1953	Oral Tablet 15 mg.	100	2	3.12	PT
				3.56	SR
				(ex 500)	
				3.50	PT
				4.01	SR
				(ex M.P.)	
2363	30 mg. (sustained release)	100	2	7.10	PT
				7.17	SR
1952	Injection 30 mg. in 1 ml. (solvent required)	5	..	6.30	SR
PROPYLENE GLYCOL					
2703	Spray diluent - Propylene Glycol 10%, Glycerin 2% in Normal Saline, 200 ml.	‡1	2	1.23	FA
PROPYLTHIOURACIL					
1954	Oral Tablet 25 mg.	100	2	1.50	ET
1955	50 mg.	100	2	2.30	ET
PROTAMINE SULPHATE					
1956	Injection 1%, 5 ml.	5	..	2.14	EV
1957	1%, 10 ml.	5	..	2.34	BT
PROTOVERATRINE A					
1958	Injection 1 ml.	10	..	*2.76	SZ
PROTRIPTYLINE					
	See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PYRIDINE ALDOXIME METHIODIDE (P.A.M.)			\$	
2336	Injection 500 mg.	5	..	2.30	FH
	PYRIDOSTIGMINE				
	See Restricted Benefits.				
	PYRIDOXINE HYDROCHLORIDE				
1961	Injection 50 mg. in 1 ml.	5	1	1.58	KL
				1.86	PD
				1.87	BL, DH, FM
1962	50 mg. in 2 ml.	5	1	1.87	RO
1963	50 mg. per ml., 5 ml.	1	1	1.63	KL
1964	50 mg. per ml., 10 ml.	1	..	1.90	KL
				2.30	BX
	Tablets - See Restricted Benefits.				
	PRIMETHAMINE				
	See Restricted Benefits.				
	QUINALBARBITONE SODIUM				
1967	Oral Tablet 50 mg.	100	1	1.50	PT
1968	100 mg.	25	..	0.70	PT, RY
				0.71	HY
				0.82	AD, DH, KL, RD, RT(V)
					SI

1969	Oral Capsule 50 mg.	100	1	1.75	KL, LF, LY
1970	100 mg.	25	..	0.84	DH
				0.86	PT, RY
				0.87	LF
				0.95	KL, LY
				(ex 100)	
				0.90	DH
				0.98	PT, RY
				0.99	LF
				1.13	KL, LY
				(ex M.P.)	
2337	QUINETHAZONE Oral Tablet 50 mg.	50	2	3.05	LE
				(ex 250)	
				3.43	LE
				(ex M.P.)	
2623	QUINIDINE BISULPHATE Oral Tablet 250 mg. (sustained release)	100	2	10.83	AP
1971	QUINIDINE SULPHATE Oral Tablet 200 mg.	100	2	6.63	PT, QE(QNVS)
				7.10	BW, DH, FA, HY, KL, PR, RT(V), TO
	QUININE BISULPHATE See Restricted Benefits.				
	QUININE DIHYDROCHLORIDE See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	QUININE HYDROCHLORIDE See Restricted Benefits.			\$	
	QUININE SULPHATE See Restricted Benefits.				
	RAUWOLFIA ALKALOIDS				
2510	Oral Capsule 50 mg.	100	2	2.83	CS
1976	Oral Tablet 0.25 mg.	100	2	1.37	KL
1977	2 mg.	100	2	2.46	RK
				(ex 500)	
				2.70	RK
				(ex M.P.)	
1978	4 mg.	100	2	2.57	PV
1979	50 mg.	100	2	2.25	LF, PT
				2.55	SQ
				(ex 500)	
				2.50	LF, PT
				2.83	SQ
				(ex M.P.)	
1980	RED BACK SPIDER ANTIVENENE Injection 500 Units	2	..	*8.30	CS

RESERPINE					
1983	Oral Tablet 0.25 mg.	100	2	0.83	ET, HA, HY, KL, RK, RY
				0.97	CB, VR
1984	0.5 mg.	100	2	1.03	HA, KL
				1.23	CB
1981	Injection 1 mg.	5	1	1.01	CB
1982	2.5 mg.	5	1	1.63	CB
RESORCINOL					
8793	Lotion Compound P.L.	200 ml.	2	1.00	Extemp. (plus container)
RESORCINOL and SULPHUR					
9592	Compound Ointment P.L.	100 G.	1	1.08	Extemp. (plus container)
RIBOFLAVINE					
See Restricted Benefits.					
ROLITETRACYCLINE					
See Restricted Benefits.					
SACCHARIN or SACCHARIN SODIUM					
1991	†Oral Tablets 30 mg., 500	1	1	†0.38	AD(N), SL(N)
				†0.41	HY
				†0.47	KL, RY
1992	(with instructions for use)				AD(N), SL(N)
					HY
					KL, RY
		101			

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1993	SALICYLAMIDE Oral Tablet 500 mg.	100	2	\$ 0.93 0.99 1.03 (ex 500) 0.99 1.03 1.07 (ex M.P.)	PT KL HA, NS PT KL HA, NS
7553	SALICYLIC ACID Dusting Powder Compound P.L.	100 G.	1	0.72	Extemp. (plus container)
8185	Ear Drops P.L.	15 ml.	2	0.58	Extemp. (plus container)
7926	Ointment P.L.	100 G.	1	1.30	Extemp. (plus container)
7568	Paint P.L.	25 ml.	1	0.68	Extemp. (plus container)
7489	SALICYLIC ACID and RESORCINOL Cream Aqueous P.L.	100 G.	1	1.01	Extemp. (plus container)
7488	SALICYLIC ACID and SULPHUR Cream Aqueous P.L.	100 G.	1	0.99	Extemp. (plus container)
	SALINE LACTATE SOLUTION See Intravenous Fluids				
1994	SCHICK-TEST TOXIN and CONTROL Injection set containing 0.5 ml. Schick Test Toxin and 0.5 ml. Schick Control	1	..	1.37	CS

SEIDLITZ POWDER					
1995	†Compound Effervescent Powders, B.P.C., 12	1	1	†0.66	DH, WD(N)
1996	(with instructions for use)				DH, WD(N)
SENEGA and AMMONIA					
7444	Mixture P.L.	200 ml.	4	0.98	Extemp. (plus container)
SENNA FRUIT					
1997	†2 oz.	1	..	†0.33	SI
1998	(with instructions for use)				SI
2677	†50 G.	1	..	†0.27	DH
2678	(with instructions for use)				DH
SENNA FRUIT EXTRACT (STANDARDISED)					
See Restricted Benefits.					
SILVER NITRATE TOUGHENED					
2000	†1 stick	1	..	†0.15	YF(QNVST)
2001	(with instructions for use)				YF(QNVST)
SILVER PROTEIN MILD					
2003	Eye Drops 10%, 15 ml.	†1	2	1.05	IQ
SIMPLE LINCTUS					
7635	Linctus P.L.	100 ml.	4	0.77	Extemp. (plus container)
SIMPLE OINTMENT					
7927	Ointment P.L.	100 G.	1	0.99	Extemp. (plus container)
		103			

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2004	SMALLPOX VACCINE Injection, Capillary Tube	1	..	\$ 0.98	CS
7479	SOAP LINIMENT Liniment P.L.	100 ml.	1	0.96	Extemp. (plus container)
7524	SODIUM AMINOSALICYLATE Mixture for Children P.L. Injection - See Restricted Benefits. Cachets - See Restricted Benefits. Tablets - See Restricted Benefits. Granules - See Restricted Benefits.	100 ml.	4	1.12	Extemp. (plus container)
	SODIUM AMINOSALICYLATE with ISONIAZID See Restricted Benefits.				
	SODIUM AUROTHIOMALATE				
2013	Injection 1 mg.	1	3	0.53	MB
2014	2 mg.	1	3	0.54	MB
2015	5 mg.	1	3	0.55	MB
2016	10 mg.	1	3	0.59	MB
2017	20 mg.	1	3	0.61	MB
2018	50 mg.	5	..	*2.45	MB
2019	100 mg.	5	..	*3.25	MB
2020	200 mg.	1	..	1.21	MB

8194	SODIUM BICARBONATE Ear Drops P.L.	15 ml.	2	0.63	Extemp. (plus container)
2023	SODIUM CALCIUMEDETATE Oral Tablet 500 mg.	100	2	4.17	RK
2022	Injection 200 mg. per ml., 5 ml.	5	..	*5.68	RK
2030	SODIUM CHLORIDE Oral Tablet 300 mg.	100	2	0.46	DH, FA, HY, KL, RT(V)
	Injection (Normal Saline; Physiological Solution)				
2024	2 ml.	5	1	0.83	AD, FH, KL, SI
				0.86	BL, DH
2025	5 ml.	5	1	0.91	AD, FH, KL
				0.95	BL
				0.97	DH
2026	10 ml.	5	1	0.90	AD, SI
				0.94	CS
				1.07	FH, KL
				1.13	DH
				1.14	BL
2027	10 ml. vial	2	1	*0.96	FH, PD
2028	20 ml.	5	1	1.50	BL, DH, FH, KL
2029	50 ml.	3	1	*2.31	DH, FH, KL
	For 1/2 litre and 1 litre sizes, see Intravenous Fluids.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SODIUM CHLORIDE and DEXTROSE See Intravenous Fluids			\$	
	SODIUM CHLORIDE COMPOUND See Intravenous Fluids				
	SODIUM CHLORIDE COMPOUND and DEXTROSE See Intravenous Fluids				
7509	SODIUM CITRATE Mixture P.L.	200 ml.	4	0.82	Extemp. (plus container)
7525	Mixture for Children P.L.	100 ml.	4	0.73	Extemp. (plus container)
2657	SODIUM CITRO-TARTRATE Effervescent Granules 100 G.	‡1	4	1.50	PT
1354	SODIUM EDETATE Injection 200 mg. per ml., 5 ml.	5	1	*6.40	RK
	SODIUM FOLATE See Restricted Benefits.				
	SODIUM LACTATE See Intravenous Fluids				
	SODIUM LACTATE COMPOUND See Intravenous Fluids				

	SODIUM LACTATE COMPOUND and DEXTROSE				
	See Intravenous Fluids				
	SODIUM SALICYLATE				
2034	Oral Tablet 300 mg.	100	2	0.77	AD, DH, HY, KL, RT(V), SI, SL(N)
2431	600 mg.	100	2	1.10	HY, KL
2035	Oral Tablet (enteric coated) 300 mg.	100	2	1.10	DH, ET, KL, LY, PR, QE(QNVS), RY, TO
2036	500 mg.	100	2	1.23	ET, KL, PR, QE(QNVS), TO
2037	600 mg.	100	2	1.37	DH, ET, KL, LY, PR, QE(QNVS), RY, TO
7510	Mixture P.L.	200 ml.	4	0.75	Extemp. (plus container)
	SODIUM SULPHATE				
	See Intravenous Fluids				
	SODIUM TAUROGLYCOCHOLATE				
2038	Oral Tablet	100	1	0.99	WW
	SORBIDE NITRATE				
2587	Oral Tablet 10 mg.	100	2	1.22	AY
2588	Sublingual Tablet 5 mg.	100	2	1.22	AY
	SOYA FORMULA				
	See Restricted Benefits.				
	SPIRAMYCIN				
	See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
7649	SPIRIT INDUSTRIAL METHYLATED Ear Drops P.L.	15 ml.	2	\$ 0.57	Extemp. (plus container)
	SPIRONOLACTONE See Restricted Benefits.				
	STANDARD MAINTENANCE FLUID See Intravenous Fluids				
	STANOLONE See Restricted Benefits.				
	STANOZOLOL See Restricted Benefits.				
	STAPHYLOCOCCUS TOXOID (FORMALINISED) (Sta/Tox)				
2045	Injection Diluted 1 in 10 for use in initial injection 5 ml.	1	..	1.10	CS
2046	Undiluted 5 ml.	1	..	2.17	CS
	STILBOESTROL See Restricted Benefits.				
	STREPTOMYCIN SULPHATE See Restricted Benefits.				

STREPTOMYCIN SULPHATE with SULPHAGUANIDINE					
2059	Oral Tablet 62.5 mg.-500 mg.	16	..	1.41	GL
SUCCINYLSULPHATHIAZOLE					
2060	Oral Tablet 500 mg.	100	..	1.70 1.90	PT MB
SUCCINYLSULPHATHIAZOLE with KAOLIN					
2062	Mixture 4 G. - 3 G. per 20 ml., 200 ml.	‡1	4	1.50	MK
SULPHACETAMIDE SODIUM					
2063	Eye Drops 10%, 15 ml.	‡1	2	1.03	AG, ET, IQ, KL, SI
2513	15%, 15 ml.	‡1	2	1.07	AQ
2064	20%, 15 ml.	‡1	2	1.10	DH, ET, IQ, KL, SI
2066	Eye Ointment 10%, 60 gr.	‡1	..	0.70	EV, SC
SULPHADIAZINE					
2067	Oral Tablet 300 mg.	40	1	1.07	AB, KL
2068	500 mg.	40	1	0.94 0.99	PT, RT(V), RY, SL(N) AD, DH, HY, KL, MG,
					SI
				1.03	MB
				1.07	AB
SULPHADIAZINE SODIUM					
2069	Injection 4 ml.	5	..	*1.60	MB

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2070	SULPHADIMETHOXINE Oral Tablet 500 mg.	12	..	\$ 1.30	RO
2073	SULPHADIMIDINE Oral Tablet 250 mg.	40	1	0.73	KL, MG
2074	500 mg.	40	1	0.66	IP, PT, RY, SL(N)
				0.70	AD, KL, MG, SI
				0.73	DH, HY, IC
				(ex 200)	
				0.67	IP, PT, RY, SL(N)
				0.73	AD, KL, MG, SI
				0.77	DH, HY, IC
				(ex M.P.)	
2072	Oral Suspension 500 mg. in 5 ml., 100 ml.	‡1	1	0.99	IC
2075	SULPHADIMIDINE SODIUM Injection 1 G. in 3 ml.	5	..	1.17	IC
2076	SULPHAFURAZOLE Oral Tablet 300 mg.	40	1	1.23	KL
				1.31	RO

2077	500 mg.	40	1	1.42	KL
				1.49	AV, PT
				1.58	SU(N)
				1.69	RO
				(ex 200)	
				1.50	KL
				1.57	AV, PT
				1.74	RO, SU(N)
				(ex M.P.)	
2078	Eye Drops 4%, 10 ml.	‡1	2	0.97	RO
2079	Eye Ointment 4%, 5 G.	‡1	..	0.61	RO
2458	Paediatric Syrup 500 mg. per 5 ml., 100 ml.	‡1	1	1.39	RO
SULPHAGUANIDINE					
2080	Oral Tablet 500 mg.	100	..	0.99	PT, RY, SL(N)
				1.13	AD, DH, HY, KL, MG, PR, RT(V), SI
2695	Oral Suspension 500 mg. per 5 ml. with adsorbent, 100 ml.	‡1	4	1.10	FM, NS
SULPHAMETHIZOLE					
2082	Oral Tablet 100 mg.	30	1	0.83	AY, CA, HA, KL, WW
2083	250 mg.	30	1	1.17	PT
				1.19	CA, KL
				1.23	HA
				1.25	AY, WW
				(ex 100)	
				1.18	PT
				1.21	CA, KL
				1.30	AY, HA, WW

(continued)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2084	SULPHAMETHIZOLE - cont. Oral Tablet 500 mg.	30	1	\$ 1.94 1.96 (ex 100) 2.03 2.07 (ex M.P.)	PT AY, CA, HA, KL, WW PT AY, CA, HA, KL, WW
2561	SULPHAMETHOXAZOLE Oral Tablet 500 mg.	20	1	1.10 (ex 100) 1.19 (ex M.P.)	RO RO
2562	Syrup 500 mg. per 5 ml., 50 ml.	‡1	2	1.43	RO
2085	SULPHAMETHOXYDIAZINE (S'methoxydiazine) Oral Tablet 500 mg.	12	..	1.63	FB, SC
2088	SULPHAMETHOXYPYRIDAZINE (S'methopyrazine) Oral Tablet 500 mg.	12	..	1.90	LE, PD
2090	SULPHAPHENAZOLE Oral Tablet 500 mg.	20	1	1.19	CB
2091	Oral Paediatric Suspension 10%, 50 ml.	‡1	..	1.43	CB

2092	SULPHAPYRIDINE Oral Tablet 500 mg.	100	..	1.90	MB
	SULPHASALAZINE See Restricted Benefits.				
2094	SULPHINPYRAZONE Oral Tablet 100 mg.	100	2	7.63	GE
	SULPHONAMIDES, THREE MIXED				
2095	Oral Tablet 250 mg.	40	1	0.97	MB
2096	300 mg.	40	1	0.89	KL
2097	330 mg.	40	1	1.10	ET
2098	500 mg.	40	1	0.87	AD, HY, KL, SI, SL(N)
				1.07	MG
				1.10	MB
				1.13	ET, VR
7929	SULPHUR Ointment P.L.	100 G.	1	1.13	Extemp. (plus container)
7633	SULPHURATED LOTION Lotion P.L.	200 ml.	2	0.92	Extemp. (plus container)
	SULTHIAME See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SURGICAL CEMENT Skin Bond Adhesive and Solvent - See Restricted Benefits. Cement, Adhesive and Solvent - See Colostomy and Ileostomy Preparations			\$	
	SUSTANON See Restricted Benefits.				
2102	SUXAMETHONIUM BROMIDE Injection 67 mg. (solvent required)	5	1	*1.84	MB
2487	SUXAMETHONIUM CHLORIDE Injection 50 mg. per ml., 2 ml.	5	..	1.30	BW, GL
2103	50 mg. per ml., 10 ml.	1	..	1.03	BW, GL
	T.A.B. VACCINE (Anti-Typhoid-Paratyphoid) (T.A.B./Vac)				
2104	Injection 0.5 ml.	3	..	*1.50	CS
2105	10 ml.	1	..	3.30	CS
	TACRINE				
2106	Injection 10 mg., 2 ml.	5	1	1.70	WH
2107	30 mg., 2 ml.	5	1	2.41	WH
2108	TAIPAN ANTIVENENE Injection 3,000 Units	4	..	*183.98	CS

TESTOSTERONE					
See Restricted Benefits.					
TESTOSTERONE METHYL					
See Restricted Benefits.					
TESTOSTERONE OENANTHATE					
See Restricted Benefits.					
TESTOSTERONE PROPIONATE					
See Restricted Benefits.					
TETANUS ANTITOXIN					
(Tet/Ser)					
2120	Injection Diluted 1-50, 15 Units in 0.5 ml.	1	..	1.10	CS
2121	Injection 1,500 Units	5	1	*8.35	CS
2122	10,000 Units	5	1	*33.05	CS
2123	50,000 Units	5	..	*145.85	CS
2124	Set containing 1,500 Units and 15 Units diluted 1 in 50	1	..	2.71	BT, CS
2491	Set containing 10,000 Units and 15 Units diluted 1 in 50	1	..	7.65	CS
TETANUS ANTITOXIN (BOVINE)					
See Restricted Benefits.					

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TETANUS IMMUNE GLOBULIN (HUMAN) See Restricted Benefits.			\$	
	TETANUS TOXOID				
2127	Injection (Purified Aluminium Phosphate Absorbed) 0.5 ml.	3	..	*1.38	BT, CS
2128	5 ml.	1	..	2.57	CS
2772	(Purified Aluminium Hydroxide Absorbed) 0.5 ml.	3	..	1.37	GL
	TETRACYCLINE				
2141	Eye Drops, Suspension, 1%, 6 ml.	‡1	2	0.94	LE
2142	Eye Ointment, 1%, 4 G.	‡1	..	0.57	LE
	Tablets - See Restricted Benefits.				
	Capsules - See Restricted Benefits.				
	Drops - See Restricted Benefits.				
	Granules - See Restricted Benefits.				
	Injections - See Restricted Benefits.				
	Suspension - See Restricted Benefits.				
	TETRACYCLINE (BUFFERED) See Restricted Benefits.				
	TETRACYCLINE (BUFFERED) with AMPHOTERICIN B See Restricted Benefits.				

	TETRACYCLINE (BUFFERED) with NYSTATIN See Restricted Benefits.				
	THEOPHYLLINE				
2340	Elixir 80 mg. per 15 ml., 450 ml.	‡1	4	1.63	FA
2613	80 mg. per 15 ml., 500 ml.	‡1	4	1.57	KL
	THEOPHYLLINE with GLYCERYL GUAIACOLATE				
2669	Oral Capsule 150 mg.-90 mg.	100	..	2.43	MJ
2563	Elixir 100 mg.- 60 mg. per 10 ml., 200 ml.	‡1	4	1.26	MJ
	THIAMBUTOSINE See Restricted Benefits.				
	THIETHYLPERAZINE				
2368	Injection 6.5 mg. in 1 ml.	10	..	*1.50	SZ
	Suppository - See Restricted Benefits.				
	Tablet - See Restricted Benefits.				
	THIORIDAZINE See Restricted Benefits.				
	THIOTEPA				
2345	Injection or Eye Drops 15 mg. (solvent required)	1	3	2.97	LE
	THYROID				
2167	Oral Tablet 15 mg.	100	2	0.59	AD, DH, RT(V), SI
	(continued)				

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2168	THYROID - cont. Oral Tablet 30 mg.	100	2	\$ 0.67 0.83	AD, DH, RT(V), SI WW
2169	60 mg.	100	2	0.77 1.34	AD, DH, RT(V), SI WW
2171	125 mg.	100	2	0.97	AD, DH, RT(V), SI
	THYROXINE SODIUM				
2174	Oral Tablet 50 micrograms	100	2	0.61	BW, DH, FA, FM, GL, RT(V)
2175	100 micrograms	100	2	0.79	BW, DH, EV, FA, FM, GL, RT(V)
2550	300 micrograms	100	2	1.23	BW
	TIEMONIUM IODIDE				
2773	Oral Tablet 50 mg.	100	2	3.30	FM
2774	Injection 5 mg. in 2 ml.	5	..	2.83	FM
	TIGER SNAKE ANTIVENENE				
2176	Injection 3,000 Units	2	1	*42.84	CS
	TISSUE REPAIR SOLUTION - ACIDOSIS See Intravenous Fluids				
	TISSUE REPAIR SOLUTION - ALKALOSIS See Intravenous Fluids				
	TITANIUM DIOXIDE				
7478	Paste P.L.	100 G.	1	0.85	Extemp. (plus container)

2720	TOLAZAMIDE Oral Tablet 250 mg.	100	2	6.97	UP
2177	TOLAZOLINE Oral Tablet 25 mg.	100	2	1.27 1.28 1.33 (ex 500) 1.35 1.37 (ex M.P.)	PT KL CB PT CB, KL
2178	TOLBUTAMIDE Oral Tablet 500 mg.	100	2	3.59 (ex 500) 3.70 (ex M.P.)	AH, BO AH, BO
2607	1 G.	50	2	3.59	AH, BO
	TRETAMINE See Restricted Benefits.				
	TRIACETYLOLEANDOMYCIN See Restricted Benefits.				
2342	TRIAMTERENE Oral Tablet 100 mg.	50	2	4.30	SK

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TRICLOFOS			\$	
2770	Oral Tablet 500 mg.	25	..	0.97	GL
2771	Syrup 500 mg. per 5 ml., 100 ml.	‡1	4	1.50	GL
	TRICYCLAMOL CHLORIDE				
2181	Oral Tablet 50 mg.	100	2	5.63	BW
	TRIDIHEXETHYL CHLORIDE				
2366	Oral Tablet 25 mg.	100	2	4.30	LE
	TRIFLUOPERAZINE				
	See Restricted Benefits.				
	TRIGLYDE				
	See Restricted Benefits.				
	TRIMEPRAZINE				
2187	Oral Tablet 10 mg.	50	1	1.43	MB
2188	Paediatric Syrup 7.5 mg. per 5 ml., 125 ml.	‡1	4	1.10	MB
	TRIMETAPHAN				
	See Restricted Benefits.				
	TRIPLENNAMINE				
2190	Oral Tablet 50 mg.	50	1	1.83	CB

TRIPROLIDINE					
2191	Oral Tablet 2.5 mg.	50	1	1.77	BW
2474	Oral Capsule 2.5 mg.	50	1	1.77	BW
2192	Paediatric Elixir 1 mg. per 5 ml., 100 ml.	‡1	4	0.86	BW
TROLNITRATE PHOSPHATE					
2183	Oral Tablet 2 mg.	100	2	1.77	PF
2184	7 mg.	100	2	2.83	ET, PF
TROXIDONE					
2193	Oral Tablet 150 mg.	200	1	4.90	AB
2194	Oral Capsule 300 mg.	200	1	*7.24	GA
				8.23	AB
TYPHOID VACCINE					
2800	Injection 0.5 ml.	3	1	*1.41	CS
2801	10 ml.	1	..	3.37	CS
TYPHUS VACCINE					
2195	Injection 1 ml.	2	..	*7.34	CS
VASOPRESSIN					
2196	Injection B.P. 20 Units in 1 ml.	5	..	1.74	PD
VASOPRESSIN TANNATE					
2197	Oily Injection 5 Units in 1 ml.	10	1	*3.18	PD

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	VINBLASTINE See Restricted Benefits.			\$	
	VINCRISTINE See Restricted Benefits.				
	VIOMYCIN See Restricted Benefits.				
	VIPRYNIUM EMBONATE (Viprynum)				
2199	Oral Tablet 50 mg.	8	..	1.41	PD
2200	Oral Suspension 10 mg. per ml., 1 fl.oz.	1	..	1.41	PD
	VITAMINS COMPOUND See Restricted Benefits.				
	WARFARIN				
2209	Oral Tablet 2 mg.	50	2	3.17	EN
2210	2.5 mg.	50	2	3.30	EN
2211	5 mg.	50	2	3.37	EN, EV
2212	7.5 mg.	50	2	4.14	EN
2213	10 mg.	50	2	5.30	EN, EV
2214	25 mg.	25	2	4.57	EN
2215	Injection Set containing 50 mg. and 2 ml. solvent	5	..	9.35	EN

2216	WATER FOR INJECTION Injection 2 ml.	5	3	0.70	EV
				0.73	WO
				0.74	AD, PT, SI, SP(NWS)
				0.77	DH
				0.81	FH, KL
2217	5 ml.	5	3	0.85	BL
				0.74	EV
				0.77	AD, SI, WO
				0.78	PT, SP(NWS)
				0.81	DH
2218	10 ml.	5	3	*0.85	CS
				0.85	KL
				0.89	FH
				0.94	BL
				0.98	AD, EV, SI
2219	WOOL ALCOHOLS †Ointment 4 oz. (with instructions for use)	1	1	1.05	PT
				1.06	DH, FH, KL, SP(NWS)
				1.11	BL, CS
				†1.01	EV
					EV
2221	WOOL FAT, HYDROUS †2 oz. tube or jar (with instructions for use)	1	..	†0.23	WD(N)
				†0.26	HY
					WD(N)
2222					HY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
7417	ZINC and ADRENALINE Eye Drops P.L.	15 ml.	2	\$ 1.08	Extemp. (plus container)
2223	ZINC and CASTOR OIL Ointment B.P. 2 oz.	2	1	0.76	ME(Q)
7899	Ointment P.L.	100 G.	1	1.26	Extemp. (plus container)
	ZINC OXIDE				
7667	Cream Oily P.L.	100 G.	1	0.95	Extemp. (plus container)
7654	Cream Weak P.L.	100 G.	1	0.83	Extemp. (plus container)
7554	Dusting Powder Compound P.L.	100 G.	1	0.73	Extemp. (plus container)
7527	Ointment P.L.	100 G.	1	1.03	Extemp. (plus container)
7558	Paste Compound P.L.	100 G.	1	0.98	Extemp. (plus container)
	ZINC and SALICYLIC ACID				
7559	Paste P.L.	100 G.	1	0.95	Extemp. (plus container)
	ZINC SULPHATE				
7416	Eye Drops P.L.	15 ml.	2	1.04	Extemp. (plus container)
8825	Lotion P.L.	200 ml.	2	0.65	Extemp. (plus container)

INTRAVENOUS FLUIDS FOR INJECTION

AMINO ACIDS with SORBITOL					
2766	30 G.-50 G. (300kcal) per litre, 1/2 litre	2	1	*10.96	PC
2631	50 G.-100 G.(600 kcal) per litre, 1/2 litre	2	1	*12.88	PC
2632	100 G.-100 G.(800 kcal) per litre, 1/2 litre	2	1	*17.84	PC
AMINO ACIDS with SORBITOL and ETHANOL					
2633	50 G.-100 G.-30 G.(850 kcal) per litre, 1/2 litre	2	1	*13.24	PC
2634	50 G.-100 G.-50 G.(1,000 kcal) per litre, 1/2 litre	2	1	*14.16	PC
DARROW'S SOLUTION					
2242	1/2 litre	2	..	*2.44	OJ
				*2.76	BX, EV, FH, SJ(W)
2243	1 litre	2	..	*2.96	OJ
				*3.18	BX, EV, GL, SJ(W)
DEXTRAN with DEXTROSE					
Low molecular weight injection					
2305	10% - 5%, 500 ml.	10	..	*80.30	FC
				*87.00	MR
DEXTRAN in NORMAL SALINE					
Low molecular weight injection					
2306	10%, 500 ml.	10	..	*80.30	FC
				*87.00	MR

INTRAVENOUS FLUIDS FOR INJECTION

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DEXTROSE			\$	
2244	5%, 1/2 litre	5	1	*5.65	OJ
				*6.45	BX, EV, FH, SJ(W)
2245	5%, 1 litre	5	1	*6.95	OJ
				*7.50	BX, EV, FH, GL, SJ(W)
2246	10%, 1/2 litre	2	1	*2.44	OJ
				*2.76	BX, EV, FH, SJ(W)
2247	10%, 1 litre	2	1	*2.96	OJ
				*3.18	BX, EV, FH, GL, SJ(W)
2248	20%, 1/2 litre	2	1	*2.76	BX, EV, FH, SJ(W)
2249	20%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
2250	25%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
2251	25%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
2252	50%, 1/2 litre	2	1	*2.76	FH, SJ(W)
	GASTRIC REPLACEMENT SOLUTION				
2253	1/2 litre	2	..	*3.10	BX, FH, SJ(W)
	INTESTINAL REPLACEMENT SOLUTION				
2254	1/2 litre	2	..	*3.10	FH, SJ(W)
	MANNITOL				
2667	10%, 1/2 litre	1	1	2.75	SJ(W)
				3.34	FH
2589	10%, 1 litre	1	1	2.91	SJ(W)
				3.54	BX, FH
2590	20%, 1/2 litre	1	1	3.54	BX, FH

	POTASSIUM - FREE MAINTENANCE SOLUTION				
2255	1/2 litre	2	..	*3.10	FH, SJ(W)
	SALINE LACTATE SOLUTION				
2258	1/2 litre	2	..	*3.10	BX, FH, SJ(W)
	SODIUM CHLORIDE				
2259	3%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
2260	3%, 1 litre	2	1	*3.18	BX, SJ(W)
2261	5%, 1/2 litre	2	1	*2.76	FH, SJ(W)
2262	5%, 1 litre	2	1	*3.18	BX, SJ(W)
	(Normal Saline - Physiological Solution)				
2263	1/2 litre	2	1	*2.44	OJ
				*2.76	BX, EV, FH, SJ(W)
2264	1 litre	2	1	*2.96	OJ
				*3.18	BX, EV, FH, GL, SJ(W)
	SODIUM CHLORIDE COMPOUND				
	B.P.C. 1959				
2265	1/2 litre	4	1	*3.18	SJ(W)
				*5.22	BX, EV, FH, OJ
2266	1 litre	4	1	*6.06	BX, EV, FH, GL, OJ, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SODIUM CHLORIDE COMPOUND and DEXTROSE			\$	
2267	5%, 1/2 litre	5	1	*6.45	FH, SJ(W)
2268	5%, 1 litre	5	1	*7.50	BX, FH, SJ(W)
2269	10%, 1 litre	3	1	*4.62	FH, SJ(W)
	SODIUM CHLORIDE and DEXTROSE				
	Dextrose in Normal Saline				
2270	5%, 1/2 litre	2	1	*2.76	BX, EV, FH, SJ(W)
2271	5%, 1 litre	2	1	*3.18	BX, EV, FH, GL, SJ(W)
2272	10%, 1/2 litre	2	1	*2.76	BX, EV, FH, SJ(W)
2273	10%, 1 litre	2	1	*3.18	BX, EV, FH, GL, SJ(W)
2274	20%, 1/2 litre	2	1	*2.76	FH, SJ(W)
2275	20%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
2276	25%, 1/2 litre	2	1	*2.76	FH, SJ(W)
2277	25%, 1 litre	2	1	*3.18	FH, SJ(W)
	Dextrose in 1/2 strength Normal Saline				
2278	2.5%, 1/2 litre	2	1	*2.76	BX, EV, FH, SJ(W)
	Dextrose in 1/4 strength Normal Saline				
2279	3.75%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
	Dextrose in 1/5 strength Normal Saline				
2280	4%, 1/2 litre	5	1	*5.65	OJ
				*6.45	BX, EV, SJ(W)
2281	4%, 1 litre	5	1	*6.95	OJ
				*7.50	BX, EV, SJ(W)
2480	4.3%, 1/2 litre	5	1	*6.45	FH
2282	4.3%, 1 litre	5	1	*7.50	FH, GL

	SODIUM LACTATE (Solution 1/6 Molar)				
2283	1/2 litre	2	1	*2.76	BX, SJ(W)
2284	1 litre	2	1	*3.18	BX, SJ(W)
	SODIUM LACTATE COMPOUND				
2285	1/2 litre	5	1	*3.90	SJ(W)
				*5.65	OJ
				*6.45	BX, EV, FH
2286	1 litre	5	1	*6.95	OJ
				*7.50	BX, EV, FH, GL, SJ(W)
	SODIUM LACTATE COMPOUND and DEXTROSE				
2287	5%, 1/2 litre	2	1	*2.76	SJ(W)
2288	5%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
2289	10%, 1/2 litre	2	1	*2.76	SJ(W)
2290	10%, 1 litre	2	1	*3.18	FH, SJ(W)
	SODIUM SULPHATE				
2291	4.28%, 1/2 litre	2	1	*2.76	SJ(W)
2292	4.28%, 1 litre	2	1	*3.18	FH, SJ(W)
	STANDARD MAINTENANCE FLUID				
2293	1/2 litre	6	..	*8.70	BX, SJ(W)
	TISSUE REPAIR SOLUTION - ACIDOSIS				
2294	1/2 litre	2	..	*3.10	BX, FH, SJ(W)
	TISSUE REPAIR SOLUTION - ALKALOSIS				
2295	1/2 litre	2	..	*3.10	FH, SJ(W)

CONTAINER PRICES—EXTEMPORANEOUSLY PREPARED PREPARATIONS

DECEMBER 1968

Container	Size	Prices (cents)					
		N.S.W.	Victoria	Queensland	South Aust.	West. Aust.	Tasmania
Dispensing Bottles	25ml	6	6	7	6	6	7
	50ml	7	8	9	7	8	9
	100ml	10	10	12	10	10	11
	200ml	12	12	13	12	13	12
	400ml	18	20	22	19	18	22
Poison Bottles	15ml	6	6	7	5	6	6
	25ml	6	7	8	6	6	7
	50ml	8	9	11	8	9	9
	100ml	10	11	13	10	11	12
	200ml	13	14	16	12	13	13
	400ml	19	22	22	18	20	19
Screw Cap Jars	15G	9	7	6	5	6	7
	25G	10	8	6	6	7	8
	50G	10	11	8	9	7	11
	100G	12	13	10	11	12	12
	200G	15	17	13	11	15	17
	400G	12	18	14	12	12	12
	800G	15	21	18	15	15	15
Dropper Containers	15ml polythene	10	10	11	10	11	14
	15ml glass	14	14	17	11	17	14
	25ml glass	15	15	18	12	18	16
Powder Cartons	..	3	3	3	3	3	3
Capsules, Empty	000	1.02	1.02	1.02	1.02	1.02	1.02
	00	0.87	0.87	0.87	0.87	0.87	0.87
	0	0.75	0.75	0.75	0.75	0.75	0.75
	1	0.66	0.66	0.66	0.66	0.66	0.66
	2	0.60	0.60	0.60	0.60	0.60	0.60
	3	0.60	0.60	0.60	0.60	0.60	0.60
	4	0.57	0.57	0.57	0.57	0.57	0.57
	5	0.54	0.54	0.54	0.54	0.54	0.54

Professional Fee for Extemporaneously Prepared Preparations—55c

KEY TO CODES OF SOURCES OF PRE-PRICED
EXTEMPORANEOUS PREPARATIONS - DECEMBER 1968

ACH	Adelaide Children's Hospital
APF	Australian Pharmaceutical Formulary
BP	British Pharmacopoeia
BPC	British Pharmaceutical Codex
PL	Prescribers' List
QHP	Queensland Hospital Pharmacopoeia
QVMH	Queen Victoria Memorial Hospital - 1952
RAHP	Royal Adelaide Hospital Pharmacopoeia - 1952
RCHM	Royal Children's Hospital Melbourne - 1960
RMH	Royal Melbourne Hospital
SHF	Sydney Hospital Formulary - 1961

I N D E X

Applications	134
Capsules	134
Creams	134
Draughts	136
Ear Drops	136
Elixirs	138
Emulsions	138
Enemas	138
Eye Drops of Physostigmine	138
Eye Drops of Pilocarpine	139
Eye Drops - Others	139
Eye Lotions	141
Eye Ointments	142
Gargles	143
Gelatins	143
Glycanths	143
Glycerins	143
Inhalations	144
Insufflations	144
Irrigations	144
Linctuses	145
Liniments	145
Lotions	146

Magmas	147
Mixtures	147
Mixtures for Children	153
Mouth Washes	155
Nasal Instillations	155
Ointments	156
Paints	158
Parogen	159
Pastes	160
Pessaries	160
Powders - Dusting	161
Powders - Internal	161
Powders - Individual	162
Powders - Irrigation	162
Soaps	162
Solutions	163
Spirits	163
Sprays	163
Suppositories	164
Syrups	164
Tinctures	164
Unna's Paste	164

PRE-PRICED EXTEMPORANEOUS PREPARATIONS - DECEMBER 1968

(Container Rates to be added)

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>APPLICATIONS</u>		\$		<u>CAPSULES</u>		\$
	MAXIMUM QUANTITY 200 ml. 2 Repeats				MAXIMUM QUANTITY 12 Capsules 1 Repeat (Capsule and container rates to be added)		
7941	Acriflavine Emulsion (8 fl. oz.)	QVMH	1.05				
7465	Benzyl Benzoate	APF	1.51	7964	Creosote 2 minims	BPC'59	0.61
7942	" " (8 fl. oz.)	RMH	1.20	7965	" 3 minims	BPC'59	0.64
7944	" " "	ACH	1.20	7970	Male Fern Extract 15 minims	BP'58	1.39
7668	Benzyl Benzoate with Dicophane	PL	1.17	7969	" " " 30 minims	BP'58	2.22
7668	" " " "	APF	1.17				
7669	Dicophane	PL	0.84				
7669	"	APF	0.84		<u>CREAMS</u>		
7949	" (8 fl. oz.)	ACH	0.82		MAXIMUM QUANTITY 100 G. 1 Repeat		
7949	" "	BPC	0.82				
7670	Dimethyl Phthalate	APF	1.70				
7950	" " (8 fl. oz.)	ACH	2.84	7655	Aluminium Acetate Oily	PL	0.82
	Menthol Solid (See Ointments)			7655	" " "	APF	0.82
7955	Phenolated Oil (8 fl. oz.)	BPC'49	1.06	7656	Aminacrine Aqueous	APF	1.28
7959	Salicylic Acid Oil (8 fl. oz.)	SHF	1.36	7492	Aqueous	PL	0.93
7960	Zinc Oil (8 fl. oz.)	SHF	1.30	7492	"	APF	0.93
				7913	" (4 oz.)	BP	1.03

CREAMS - cont.		
7991	Barrier (4 oz.)	RCHM 0.83
8030	Beeswax Oily (4 oz.)	APF'55 1.06
7491	Buffered Aqueous	PL 0.84
7491	" "	APF 0.84
7986	" " (4 oz.)	APF'55 0.95
7995	Burns Emollient (4 oz.)	RCHM 1.00
7657	Butylaminobenzoate Oily	APF 1.39
8002	Calamine	RAHP 0.81
7875	" (4 oz.)	BPC 0.79
7996	" "	ACH 0.92
7658	Calamine Aqueous	PL 0.77
7658	" "	APF 0.77
7659	Calamine Oily	PL 1.10
7659	" "	APF 1.10
8007	Castor Oil (4 oz.)	ACH 1.01
7661	Cetomacrogol Aqueous	PL 1.09
7661	" "	APF 1.09
7876	Cetrimide (4 oz.)	BPC 1.34
7660	Cetrimide Aqueous	PL 1.18
7660	" "	APF 1.18
7490	Chlorhexidine Aqueous	PL 1.08
7490	" "	APF 1.08
8008	Cholesterol (4 oz.)	RMH 1.01
7662	Coal Tar and Zinc	PL 0.96
7662	" " " "	APF 0.96
7663	Cold	PL 1.00
7663	"	APF 1.00
8009	"	RAHP 0.93
8012	Cold Soft (4 oz.)	ACH'46 1.10

CREAMS - cont.		
7845	Emulsifying Wax Aqueous (4 oz.)	APF'55 0.86
7664	Glycerin Oily	PL 0.84
7664	" "	APF 0.84
7665	Ichthammol and Zinc Oily	PL 1.07
7665	" " " "	APF 1.07
9556	Oily	PL 1.09
9556	"	APF 1.09
8031	Oily Simple (4 oz.)	APF'55 0.91
8033	Penicillin Base (4 oz.)	RMH 0.87
8035	Proflavine (4 oz.)	BPC'59 0.94
7489	Salicylic Acid and Resorcinol Aqueous	PL 1.01
7489	" " " "	APF 1.01
8038	Salicylic Acid and Sulphur (4 oz.)	APF'55 0.95
8039	" " " " "	QVMH 0.88
7488	Salicylic Acid and Sulphur Aqueous	PL 0.99
7488	" " " "	APF 0.99
8042	Sulphonated Wax (4 oz.)	QVMH 0.87
7466	Triethanolamine Aqueous	APF 0.73
8052	Triethanolamine Hydrous (4 oz.)	RMH 0.91
7897	Zinc (4 oz.)	BP 1.05
8061	Zinc with Coal Tar 3% (4 oz.)	SHF 1.06
8064	Zinc and Ichthammol (4 oz.)	SHF 1.08
8072	Zinc and Menthol (4 oz.)	SHF 1.14
7667	Zinc Oily	PL 0.95
7667	" "	APF 0.95
8074	Zinc Oxide (4 oz.)	BPC'49 0.87

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>CREAMS</u> - cont.		\$		<u>EAR DROPS</u>		\$
8075	Zinc Oxide and Castor Oil (4 oz.)	BPC'49	1.08		MAXIMUM QUANTITY 15 ml.		
8076	Zinc Oxide and Ichthammol (4 oz.)	BPC	1.21		2 Repeats		
8077	" " " " "	BPC'49	0.96				
8079	Zinc with Phenol (4 oz.)	SHF	1.07				
8083	Zinc Type (4 oz.)	RMH	0.88	8115	Acetic Acid (1/2 fl. oz.)	RMH	0.58
7654	Zinc Weak	PL	0.83	8117	Aluminium Acetate (1/2 fl. oz.)	SHF	0.62
7654	" "	APF	0.83	7642	" "	PL	0.61
				7642	" "	APF	0.61
				8119	Aminacrine (1/2 fl. oz.)	QVMH	0.67
				8119	" "	RMH	0.67
	<u>DRAUGHTS</u>			8121	Aminacrine Alcoholic (1/2 fl. oz.)	ACH'46	0.68
	MAXIMUM QUANTITY 200 ml.			8122	Aminacrine Aqueous (1/2 fl. oz.)	APF'55	0.65
	4 Repeats			8124	Aminacrine Spirituous (1/2 fl. oz.)	APF'55	0.66
				8127	Benzocaine Compound (1/2 fl. oz.)	APF'55	0.67
8091	Chloral Hydrate (8 fl. oz.)	BPC'54	0.68	8128	Boric Acid (1/2 fl. oz.)	ACH	0.62
8089	Chloral Hydrate and Potassium Bromide (8 fl. oz.)	BPC'54	0.72	7643	" "	PL	0.58
8090	" " " " " "	APF'34	0.83	7643	" "	APF	0.58
8096	Male Fern (8 fl. oz.)	BPC	3.71	8129	" " "	APF'55	0.60
8101	Paraldehyde (8 fl. oz.)	APF'34	0.86	8130	" " "	SHF	0.65
8103	" "	BPC	0.86	8133	" " "	BPC	0.58
				8138	Boric Acid in Spirit (1/2 fl. oz.)	RMH	0.59
				8141	" " " " "	QVMH	0.61
				8143	Chlorbutol Oily (1/2 fl. oz.)	APF'55	0.61
				7487	Chlorhexidine	PL	0.59
				7487	"	APF	0.59
				8144	Cocaine Hydrochloride Anaesthetic (1/2 fl. oz.)	ACH	8.69
			136				

<u>EAR DROPS - cont.</u>				<u>EAR DROPS - cont.</u>			
8144	Cocaine Hydrochloride Anaesthetic (1/2 fl. oz.)	RMH	8.69	8184	Salicylic Acid (1/2 fl. oz.)	ACH	0.61
8145	Crystal Violet (1/2 fl. oz.)	APF'55	0.61	8186	Salicylic Acid 2% (1/2 fl. oz.)	SHF	0.61
8146	Crystal Violet Alcoholic (1/2 fl. oz.)	ACH'46	0.61	8187	Salicylic Acid Spirit (1/2 fl. oz.)	QVMH	0.60
8147	" " " "	ACH	0.63	8188	Salicylic Acid and Sulphur (1/2 fl. oz.)	RMH	0.64
8148	Crystal Violet Aqueous (1/2 fl.oz.)	ACH	0.59	8192	Sodium Bicarbonate (1/2 fl. oz.)	BPC	0.61
8149	" " " "	ACH'46	0.59	8194	" "	PL	0.63
8150	Crystal Violet with Proflavine Hemisulphate (1/2 fl. oz.)	RMH	0.65	8194	" "	APF	0.63
8155	Hydrogen Peroxide (1/2 fl. oz.)	BPC	0.57	8195	" " "	ACH	0.64
7644	" "	PL	0.59	8196	" " "	SHF	0.58
7644	" "	APF	0.59	8197	Sodium Bicarbonate 5% with Glycerin (1/2 fl. oz.)	SHF	0.60
8156	" " "	SHF	0.61	8204	Spirit (1/2 fl. oz.)	BPC	0.61
8157	Ichthammol (1/2 fl. oz.)	SHF	0.65	7649	"	PL	0.57
7645	Ichthammol	PL	0.72	7649	"	APF	0.57
7645	"	APF	0.72	8206	Spirit 70% (1/2 fl. oz.)	SHF	0.60
7684	Phenazone (1/2 fl. oz.)	ACH	0.65	7464	Streptomycin	APF	1.08
7684	" "	QVMH	0.65	8208	Sulphacetamide Sodium	APF	0.67
7684	" "	RMH	0.65				
8165	"	APF	0.65				
7648	Phenylmercuric Nitrate	PL	0.75				
7648	" "	APF	0.75				
8177	Proflavine and Alcohol (1/2 fl. oz.)	ACH	0.65				
8178	Proflavine Aqueous (1/2 fl. oz.)	ACH	0.63				
8181	Resorcinol (1/2 fl. oz.)	BPC'49	0.62				
8185	Salicylic Acid	PL	0.58				
8185	" "	APF	0.58				

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>ELIXIRS</u> MAXIMUM QUANTITY 100 ml. 4 Repeats		\$		<u>EMULSIONS - cont.</u>		\$
				7460	Liquid Paraffin and Phenol-phthalein	APF	2.12
				8230	Paraffin and Kaolin (16 fl. oz.)	APF'55	1.09
7493	Ephedrine	PL	0.73				
7641	"	APF	0.76		<u>ENEMAS</u>		
7463	Ephedrine and Phenobarbitone	APF	0.87		MAXIMUM QUANTITY 100 ml.		
8213	" " " (4 fl. oz.)	QVMH	1.04		1 Repeat		
8214	" " " I.F. (4 fl. oz.)	QVMH	0.71	8236	Magnesium Sulphate (4 fl. oz.)	QVMH	0.66
8216	Nux Vomica (4 fl. oz.)	APF'55	0.80	8237	" " "	ACH	0.63
8217	Pentobarbitone Sodium (4 fl. oz.)	RMH	0.97	8237	" " "	RMH	0.63
7640	Phenobarbitone	PL	0.94	8242	Soft Soap (4 fl. oz.)	ACH	0.57
7640	"	APF	0.94	8244	Starch (4 fl. oz.)	QVMH	0.57
8219	Simple (4 fl. oz.)	BPC'49	0.70	8246	Starch and Opium (4 fl. oz.)	QVMH	0.63
				8247	Sucrose (4 fl. oz.)	RMH	0.58
				8247	" "	QVMH	0.58
	<u>EMULSIONS</u> MAXIMUM QUANTITY 400 ml. 4 Repeats				<u>EYE DROPS of PHYSOSTIGMINE</u> MAXIMUM QUANTITY 15 ml. 6 Repeats		
7462	Cod Liver Oil	APF	1.43	7864	Physostigmine (240 min.)	BPC	4.14
7486	Liquid Paraffin	PL	2.07	8252	" "	APF'55	2.43
7486	" "	APF	2.07	8254	" 0.25% (240 min.)	SHF	2.43
8227	Liquid Paraffin with Agar and Phenolphthalein (16 fl. oz.)	RMH	1.75	8255	" 0.5% (240 min.)	SHF	4.14
7461	Liquid Paraffin and Cascara	APF	2.16	7401	Physostigmine Oily 0.25%	APF	2.88
				7402	Physostigmine Oily 0.5%	APF	5.16

<u>EYE DROPS OF PHYSOSTIGMINE</u>		- cont.	
7403	Physostigmine Oily 1%	APF	7.44
7877	Physostigmine Oily (240 min.)	BPC	7.44
8261	Physostigmine Salicylate 0.25% (240 min.)	QVMH	2.29
8262	Physostigmine Salicylate 0.5% (240 min.)	QVMH	4.00
<u>EYE DROPS of PILOCARPINE</u>			
MAXIMUM QUANTITY 15 ml.			
6 Repeats			
7863	Pilocarpine (240 min.)	BPC	1.28
8263	" "	APF'55	1.08
7404	Pilocarpine 0.5%	APF	1.37
7405	" 1%	APF	1.54
7406	" 2%	APF	2.03
7407	" 4%	APF	3.01
7408	Pilocarpine Buffered 0.5%	APF	1.38
7409	" " 1%	APF	1.55
7410	" " 2%	APF	2.04
7411	Pilocarpine Buffered 4%	APF	3.02
8267	Pilocarpine Nitrate 0.25% (240 min.)	QVMH	0.80
8268	Pilocarpine Nitrate 0.5% (240 min.)	QVMH	0.96
8269	Pilocarpine Nitrate and Eserine Salicylate (240 min.)	RMH	3.28

<u>OTHER EYE DROPS</u>			
MAXIMUM QUANTITY 15 ml.			
2 Repeats			
7387	Adrenaline Strong	APF	2.78
7388	Amethocaine	APF	1.39
7880	Amethocaine (240 min.)	BPC	1.19
8278	" "	BPC'59	1.19
8280	" 0.5% (240 min.)	APF'55	0.89
7690	" " "	SHF	1.03
8283	Aminacrine (240 min.)	APF'55	0.78
8283	" "	SHF	0.78
7389	Atropine	APF	1.28
8286	Atropine (240 min.)	ACH	0.89
8287	" 0.5% (240 min.)	SHF	0.90
7881	Atropine Methonitrate (240 min.)	BPC	1.61
8289	" " "	ACH	2.08
8290	" " "	SHF	1.61
8291	" " "	BPC'54	1.61
7390	Atropine Oily	APF	0.92
8292	Atropine Oily (240 min.)	BPC'54	1.03
7686	Atropine Sulphate (240 min.)	APF'55	0.90
7879	" " "	BPC	1.01
8295	" " 1% (240 min.)	SHF	1.00
8296	" " " "	QVMH	0.88
7878	Cocaine (240 min.)	BPC	1.33
8301	" "	BPC'59	1.33
8302	" 2% (240 min.)	RCHM	1.20

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>OTHER EYE DROPS</u> - cont.		\$		<u>OTHER EYE DROPS</u> - cont.		\$
8305	Cocaine and Adrenaline (240 min.)	APF'55	0.87	8328	Fluorescein (240 min.)	RMH	0.62
8306	" " " "	RMH	0.87	8329	" "	ACH	0.61
8307	Cocaine, Adrenaline and Zinc (240 min.)	APF'55	0.89	8330	Fluorescein 2% (240 min.)	SHF	1.07
8309	" " " " "	QVMH	0.77	8331	Fluorescein and Sodium Bicarbonate (240 min.)	QVMH	1.04
8310	" " " " "	RMH	0.88	7396	Homatropine	APF	1.72
7855	Cocaine and Homatropine (240 min.)	BPC	1.74	7857	" (240 min.)	BPC	1.37
8311	" " " "	BPC'59	1.74	8332	" "	BPC'59	1.37
8312	" " " "	BPC'49	1.23	8334	" "	ACH	0.99
8313	Cocaine Hydrochloride (240 min.)	RMH	1.63	8336	" "	APF'55	0.97
8314	Cocaine Oily (240 min.)	BPC'49	0.87	8337	" 1% (240 min.)	SHF	1.11
7391	Cocaine Strong	APF	2.72	8338	" 2% (240 min.)	SHF	1.37
8317	" " (240 min.)	APF'55	1.86	7397	Homatropine and Cocaine	APF	2.04
8317	" " "	SHF	1.76	8339	" " " (240 min.)	APF'55	1.22
7392	Cocaine Weak	APF	1.35	8342	" " " "	QVMH	1.86
8318	" " (240 min.)	APF'55	1.08	8342	" " " "	RMH	1.86
8318	" " "	SHF	1.08	8345	Homatropine 2% Cocaine 2% (240 min.)	SHF	1.99
7393	Cocaine and Adrenaline	APF	1.28	8347	Homatropine and Cocaine Aqueous (240 min.)	ACH	1.86
7394	Cocaine, Adrenaline and Zinc	APF	1.29	7399	Phenylephrine	APF	1.08
8320	Copper Sulphate (240 min.)	BPC'54	1.02	7400	Phenylephrine Strong	APF	1.93
8323	Ephedrine 1% (240 min.)	SHF	0.73	8362	Potassium Iodide (240 min.)	SHF	0.71
8324	" 3% "	SHF	0.75	8363	Proflavine (240 min.)	BPC'49	1.05
7395	Fluorescein	APF	1.04	8366	Sedative (240 min.)	ACH	1.05
7856	" (240 min.)	BPC	1.07				
8327	" "	RCHM	1.03				

<u>OTHER EYE DROPS - cont.</u>			
7685	Silver Nitrate (240 min.)		
8367	" " "		
8368	" " 0.25% (240 min.)		
8371	" " 1% "		
8373	" " 2% "		
7412	Silver Protein Mild		
8389	" " " 10% (240 min.)		
8389	" " " " "		
8391	" " " 15% (240 min.)		
8390	" " " 20% "		
7413	Sodium Edetate		
7414	Sulphacetamide		
7860	" (240 min.)		
8377	" 30% "		
8378	Sulphacetamide Sodium 20% (240 min.)		
8379	Sulphacetamide Sodium 30% (240 min.)		
7415	Sulphacetamide Strong		
7861	" " (240 min.)		
8382	" " "		
8383	" " "		
8383	" " "		
8384	" " "		
8385	Sulphacetamide Weak (240 min.)		
8386	" " "		
8386	" " "		

RMH	1.04
BPC'54	0.75
QVMH	0.61
QVMH	0.64
QVMH	0.68
APF	1.51
APF'55	1.20
RMH	1.20
SHF	1.30
SHF	1.40
APF	1.08
APF	1.14
BPC	0.78
ACH	0.66
QVMH	0.72
QVMH	0.79
APF	1.32
BPC	0.92
BPC'49	1.22
APF'55	0.92
SHF	0.92
BPC'59	0.91
BPC'59	0.77
APF'55	0.78
SHF	0.78

OTHER EYE DROPS - cont.

7416	Zinc Sulphate
7416	" " "
7862	" " (240 min.)
8395	" " "
8396	" " "
8397	" " "
8399	" " "
8400	" " "
7417	Zinc and Adrenaline
7417	" " "
8401	Zinc Sulphate and Adrenaline (240 min.)
7531	" " " " "
8403	Zinc and Acid Boric (240 min.)
8403	" " " " "
8404	" " " " "
8405	Zinc Sulphate, Boric Acid and Adrenaline (240 min.)
<u>EYE LOTIONS</u>	
MAXIMUM QUANTITY 200 ml.	
1 Repeat	
8407	Adrenaline Compound (8 fl. oz.)
7890	Alkaline (8 fl. oz.)

PL	1.04
APF	1.04
BPC	1.03
BPC'59	1.02
APF'55	0.73
ACH	0.60
RMH	1.01
QVMH	0.59
PL	1.08
APF	1.08
BPC'54	1.18
BPC	1.20
APF'55	0.73
SHF	0.73
BPC'54	1.02
SHF	0.74
BPC'54	0.76
APF'55	0.64

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>EYE LOTIONS - cont.</u>		\$		<u>EYE OINTMENTS</u>		\$
8412	Borax Compound (8 fl. oz.)	SHF	0.64		MAXIMUM QUANTITY 5 G.		
8413	" " "	BPC'54	0.64		No Repeats		
8414	Boric Acid (8 fl. oz.)	SHF	0.64				
8416	" " "	ACH	0.64				
8417	" " "	ACH'46	0.64	8446	Atropine and Cocaine (60 gr.)	BPC'49	0.83
8418	Boric Acid and Zinc (8 fl. oz.)	ACH	0.95	8447	Atropine Summer Time Base		
8419	" " " " "	SHF	0.65		(60 gr.)	ACH	0.69
8420	" " " " "	APF'55	0.93	8448	Atropine Winter Time Base		
8421	" " " " "	ACH'46	0.95		(60 gr.)	ACH	0.69
8423	Citric Acid (8 fl. oz.)	SHF	0.66	8449	Atropine Sulphate Strong 1%		
8424	" " "	APF'55	0.66		(60 gr.)	AHF	0.68
8425	Glycerin (8 fl. oz.)	SHF	0.77	8449	" " " " "	BPC'49	0.68
8428	Saline (8 fl. oz.)	SHF	0.65	8451	Boric Acid (60 gr.)	BPC'54	0.59
8431	Sodium Bicarbonate (8 fl. oz.)	ACH	0.64	8452	" " "	BPC'49	0.58
8431	" " "	BPC	0.64	8455	Ichthammol and Zinc Oxide (60 gr.)	QVMH	0.59
8432	" " "	SHF	0.63	7882	Physostigmine (60 gr.)	BPC	2.29
8433	" " "	APF'55	0.63	8456	Simple (60 gr.)	RMH	0.57
8434	Sodium Bicarbonate Thickened			8457	Simple Summer Time Base(60 gr.)	ACH	0.58
	(8 fl. oz.)	APF'55	0.65	8458	Simple Winter Time Base (60 gr.)	ACH	0.58
8434	" " " "	SHF	0.65	8459	Sulphacetamide (60 gr.)	QVMH	0.60
8435	Sodium Chloride (8 fl. oz.)	BPC'54	0.64	8460	" "	BPC'49	0.59
				8461	Sulphacetamide Summer Time		
					Base (60 gr.)	ACH	0.63
				8462	Sulphacetamide Winter Time		
					Base (60 gr.)	ACH	0.63

<u>EYE OINTMENTS - cont.</u>				<u>GLYCANTHS</u>			
8463	Sulphadiazine Summer Time			MAXIMUM QUANTITY 100 G.			
	Base (60 gr.)	ACH	0.62	1 Repeat			
8464	Sulphadiazine Winter Time						
	Base (60 gr.)	ACH	0.62				
<u>GARGLES</u>							
MAXIMUM QUANTITY 200 ml.							
4 Repeats							
8467	Acetylsalicylic Acid (8 fl. oz.)	SHF	0.75	8538	Adrenaline (4 oz.)	APF'55	1.46
8473	Borax Compound (8 fl. oz.)	APF'47	0.68	8540	Adrenaline and Ephedrine (4 oz.)	APF'55	1.48
8476	Chlorine (8 fl. oz.)	BPC'54	0.60	8542	Aminacrine (4 oz.)	APF'55	1.08
8492	Potassium Chlorate	RAHP	0.61	8543	Aminoacridine (4 oz.)	QVMH	1.07
8488	" " (8 fl. oz.)	SHF	0.76	8546	Crystal Violet Compound (4 oz.)	APF'55	1.13
8490	" " "	BPC'49	0.59	8547	Ephedrine (4 oz.)	APF'55	1.06
				8550	Glycanth (4 oz.)	APF'55	0.95
				7533	Phenylephrine	APF	1.02
				8554	Phenylmercuric Nitrate (4 oz.)	APF'55	0.95
				7532	" "	APF	0.84
				8555	Tannic Acid (4 oz.)	QVMH	1.04
				8556	" " "	RMH	1.05
				7639	Tragacanth Gel	APF	0.81
<u>GELATINS</u>				<u>GLYCERINS</u>			
MAXIMUM QUANTITY 100 G.				MAXIMUM QUANTITY 100 ml.			
1 Repeat				1 Repeat			
8532	Ichthammol (4 oz.)	BPC'49	1.05	8559	Ichthammol (4 fl. oz.)	RMH	1.22
8530	Zinc Oxide and Ichthammol (4 oz.)	BPC'59	0.94	8561	Lead Subacetate (4 fl. oz.)	BPC'54	1.33
				8564	Tragacanth (4 fl. oz.)	BPC'49	1.88

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>INHALATIONS</u>		\$		<u>INSUFFLATIONS</u>		\$
	MAXIMUM QUANTITY 50 ml. 1 Repeat				MAXIMUM QUANTITY 25 G. 1 Repeat		
7485	Benzoin	PL	1.15	7637	Iodine	APF	0.66
8566	Benzoin Compound (2 fl. oz.)	ACH	1.52	8590	" (1 oz.)	ACH'46	0.64
8567	" " "	APF'55	1.56	7694	Iodine and Boric Acid (1 oz.)	ACH	0.63
8569	Creosote (2 fl. oz.)	BPC'54	0.85	8592	" " " " "	SHF	0.64
8572	Eucalyptus Compound (2 fl. oz.)	QVMH	1.65	8595	" " " " "	BPC'49	0.66
8574	Eucalyptus and Pine (2 fl. oz.)	APF'55	0.75	8596	Iodoform and Boric Acid (1 oz.)	BPC'49	0.96
8577	Menthol (2 fl. oz.)	QVMH	1.07				
8578	" "	SHF	0.92		<u>IRRIGATIONS</u>		
8579	Menthol Compound (2 fl. oz.)	RMH	1.61		MAXIMUM QUANTITY 200 ml. 1 Repeat		
8580	" " "	APF'55	1.06				
7484	Menthol and Benzoin	PL	1.16				
8581	Menthol and Compound Tincture of Benzoin (2 fl. oz.)	SHF	1.32	8599	Alcohol (8 fl. oz.)	ACH	0.63
8582	Menthol and Eucalyptol (2 fl. oz.)	APF'55	0.93	8600	Alkaline Nasal Wash (8 fl. oz.)	BPC'54	0.60
7494	Menthol and Eucalyptus	PL	0.71	8601	Alum (8 fl. oz.)	BPC'54	0.56
7638	" " "	APF	0.74	8605	Borax and Soda Nasal Douche (8 fl. oz.)	RMH	0.57
8583	" " " (2 fl. oz.)	BPC	0.70	8604	Lactic Acid (8 fl. oz.)	BPC	0.58
7483	Menthol and Pine	PL	0.81	8609	Tannic Acid (8 fl. oz.)	BPC'54	0.60
7483	" " "	APF	0.81	8610	Zinc Sulphate (8 fl. oz.)	BPC'59	0.58
7459	Menthol Volatile	APF	1.58				

LINCTUSES

MAXIMUM QUANTITY 100 ml.

4 Repeats except where shown.

8616	Acid (4 fl. oz.)	APF'55	0.96
8618	Camphorated Tincture of Opium (4 fl. oz.)	RMH	0.96
7534	Camphor Compound	PL	0.89
7534	" "	APF	0.89
8621	" " I.F. (4 fl. oz.)	APF'55	1.03
7495	Codeine (2 Repeats)	PL	1.09
7537	" "	APF	1.11
7440	" I.F.	ACH	0.89
8624	" " (4 fl. oz.)	QVMH	1.16
8625	" " "	RMH	0.88
8627	" I.F. (4 fl. oz.)	APF'55	1.01
7536	Menthol	APF	0.79
7535	Morphine (2 Repeats)	APF	0.85
8633	Pectoral (4 fl. oz.)	QVMH	0.70
7482	Pholcodine	PL	0.97
7482	"	APF	0.97
7475	" C.F.	PL	0.81
7475	" "	APF	0.81
7635	Simple	PL	0.77
7635	"	APF	0.77
8635	Simple Acid (4 fl. oz.)	ACH'46	0.90
8636	Squill Compound (4 fl. oz.)	APF'34	1.07
8636	" " "	BPC	1.07
8638	Squill Oplate	RAHP	0.98
8639	Squill Oplate for Children(4 fl.oz.)	BPC	0.93

LINIMENTS

MAXIMUM QUANTITY 100 ml.

1 Repeat

7884	Camphor	PL	0.93
7884	"	APF	0.93
8643	Chloroform (4 fl. oz.)	BPC'49	1.09
8645	Eucalyptus (4 fl. oz.)	RMH	0.92
8647	Family (4 fl. oz.)	APF'34	0.95
7481	Methyl Salicylate	PL	1.08
7481	" "	APF	1.08
8654	" " (4 fl. oz.)	APF'55	1.14
8654	" " "	BPC	1.14
8654	" " "	QVMH	1.14
7480	Methyl Salicylate Compound	PL	1.40
7480	" " "	APF	1.40
8655	" " " (4 fl. oz.)	SHF	1.42
7479	Soap	PL	0.96
7479	"	APF	0.96
7818	Turpentine	APF	1.02
7419	"	BP	0.81
8657	" (4 fl. oz.)	SHF	1.09
8661	Turpentine Compound (4 fl. oz.)	ACH'46	0.99

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>LOTIONS</u>		\$		<u>LOTIONS - cont.</u>		\$
	MAXIMUM QUANTITY 200 ml.			8708	Calamine Oily (8 fl. oz.)	BPC	1.00
	2 Repeats			8709	" " "	QVMH	0.77
7883	Aluminium Acetate (8 fl. oz.)	BPC	1.43	8710	" " "	RMH	1.04
8672	" " "	QVMH	0.85	8714	Calamine Oily with Ichthammol (8 fl. oz.)	SHF	1.02
8675	Aminacrine (8 fl. oz.)	APF'55	0.86	8716	Calamine Oily with Menthol (8 fl. oz.)	SHF	1.13
8682	Benzyl Benzoate (8 fl. oz.)	SHF	1.26	8718	Calamine Oily with Phenol (8 fl. oz.)	SHF	0.99
8687	Boric Acid (8 fl. oz.)	SHF	0.57	8720	Calamine with Phenol (8 fl. oz.)	QVMH	0.89
8688	" " "	ACH	0.57	8721	" " " "	SHF	0.81
8690	Boric Acid Wet Dressing (8 fl. oz.)	RMH	0.56	8724	Calamine with Sulphur (8 fl. oz.)	QVMH	0.89
7629	Calamine	PL	0.97	8726	" " " "	SHF	0.82
7629	"	APF	0.97	8727	Calamine with Coal Tar (8 fl. oz.)	QVMH	0.93
7629	"	BP	0.97	8732	Castor Oil Spirituous (8 fl. oz.)	RMH	1.13
7702	" (8 fl. oz.)	SHF	0.77	8735	Coal Tar Alkaline (8 fl. oz.)	BPC'49	0.62
7915	" "	ACH'46	0.88	8736	Coal Tar and Lead (8 fl. oz.)	BPC'49	0.78
8692	" "	QVMH	0.85	8740	Copper and Zinc Sulphate	RAHP	1.07
8693	" "	RMH	0.84	8738	" " " " (8 fl. oz.)	ACH'46	0.66
8699	Calamine Compound	RAHP	0.84	8739	" " " " "	RMH	0.67
8701	" " (8 fl. oz.)	ACH'46	0.96	8741	" " " " "	ACH	0.68
8702	Calamine and Ichthammol (8 fl. oz.)	SHF	0.84	8741	" " " " "	BPC	0.68
8704	Calamine and Menthol (8 fl. oz.)	SHF	0.95	7920	Eusol	APF	0.68
7630	Calamine Oily	PL	0.94	8744	Evaporating (8 fl. oz.)	BPC'54	0.68
7630	" "	APF	0.94	8745	Formaldehyde (8 fl. oz.)	SHF	0.66
8707	" " (8 fl. oz.)	SHF	0.95	8749	Hypochlorous Acid Compound (8 fl. oz.)	RMH	0.58

<u>LOTIONS - cont.</u>				<u>LOTIONS - cont.</u>			
8752	Lead	RAHP	0.85	8825	Zinc Sulphate	PL	0.65
8753	" (8 fl. oz.)	BPC	0.69	8825	" "	APF	0.65
8754	" "	ACH	0.66	8825	" "	BPC	0.65
8758	Lead Evaporant (8 fl. oz.)	QVMH	0.61	8822	Zinc Sulphate	RAHP	0.58
8760	Lead Evaporating (8 fl. oz.)	BPC	0.83	8823	" " (8 fl. oz.)	RMH	0.62
8762	" " "	BPC'54	0.77	8826	Zinc Sulphate and Glycerin (8 fl. oz.)	RMH	1.07
8763	Lead and Glycerin (8 fl. oz.)	BPC'49	0.77				
7631	Lead and Opium	APF	0.84				
8766	" " "	RAHP	1.02		<u>MAGMAS</u>		
8765	" " " (8 fl. oz.)	APF'34	0.74		MAXIMUM QUANTITY 100 ml. or 100 G. 1 Repeat		
8769	Lead and Zinc (8 fl. oz.)	RMH	0.77				
8780	Phenol (8 fl. oz.)	APF'55	0.68				
8782	Phenol (8 fl. oz.)	BPC'54	0.61	8828	Bentonite (4 fl. oz.)	APF'55	0.72
8787	Proflavine Aqueous (8 fl. oz.)	ACH'46	0.77	8829	Methylcellulose (4 fl. oz.)	APF'55	1.05
8788	Proflavine Hemisulphate (8 fl. oz.)	QVMH	0.95	8830	Methylcellulose Spirituous (4 fl. oz.)	APF'55	1.10
7699	Red (8 fl. oz.)	ACH'46	0.66				
8792	" "	APF'34	0.59				
8793	Resorcinol Compound	PL	1.00				
8793	" "	APF	1.00				
7633	Sulphurated	PL	0.92		<u>MIXTURES</u>		
7633	"	APF	0.92		MAXIMUM QUANTITY 200 ml. 4 Repeats		
8803	"	RAHP	0.89				
8807	" (8 fl. oz.)	ACH'46	1.03				
8808	Sulphur Compound (8 fl. oz.)	BPC'49	0.99	7496	Acetylsalicylic Acid	PL	0.75
8783	Sulphurated Potash and Zinc (8 fl. oz.)	BPC'49	0.68	7590	" "	APF	0.80
8784	" " " " "	ACH	1.03	8836	" "	RAHP	0.69
8811	Tannic Acid and Aminacrine (8 fl. oz.)	APF'55	0.96	7865	" " (8 fl. oz.)	BPC	0.75

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>MIXTURES - cont.</u>		\$		<u>MIXTURES - cont.</u>		\$
8831	Acetylsalicylic Acid (8 fl. oz.)	QVMH	0.91	7382	Aminophylline Compound	PL	0.92
8832	" " "	BPC'59	0.72	8878	Ammonia and Ipecacuanha	RAHP	0.89
8833	" " "	SHF	0.83	8877	" " " (8 fl.oz.)	BPC	0.83
8838	Acetylsalicylic Acid and Bromide (8 fl. oz.)	APF'55	0.84	8879	Ammonia and Ipecacuanha Compound (8 fl. oz.)	BPC'54	0.91
7447	Acetylsalicylic Acid and Codeine	PL	0.99	7595	Ammonium Acetate	APF	1.12
8847	Acetylsalicylic Acid, Ephedrine and Phenobarbitone (8 fl. oz.)	APF'55	0.95	8889	Ammonium Bicarbonate (8 fl.oz.)	RMH	0.73
7446	Acetylsalicylic Acid and Morphine	PL	1.03	7599	Ammonium Chloride	APF	0.99
8850	Acetylsalicylic Acid and Morphine (8 fl. oz.)	APF'55	1.00	7886	" " (8 fl. oz.)	BPC	0.77
8852	Acetylsalicylic Acid, Opium and Phenazone (8 fl. oz.)	SHF	0.94	8892	" " "	QVMH	0.84
8859	Acetylsalicylic Acid and Phenobarbitone (8 fl. oz.)	APF'55	0.84	8903	Asthma No. 1 (8 fl. oz.)	RMH	0.93
7445	Acetylsalicylic Acid and Phenobarbitone	PL	0.79	8904	Asthma No. 2 (8 fl. oz.)	RMH	0.87
7592	Acetylsalicylic Acid Soluble	APF	0.84	8907	Atropine Sulphate (8 fl. oz.)	QVMH	0.78
7379	Aluminium Hydroxide and Belladonna	PL	0.89	8909	Atropine Sulphate and Phenobarbitone (8 fl. oz.)	QVMH	0.77
7594	Aluminium Hydroxide and Kaolin	APF	0.91	8912	Buchu Compound (8 fl. oz.)	SHF	1.27
7380	Aluminium Hydroxide with Kaolin and Opium	PL	1.02	7384	Caffeine, Iodide and Ephedrine	PL	1.31
7381	Aluminium Hydroxide with Procaine Hydrochloride	PL	0.91	8931	Caffeine, Iodide and Ephedrine (8 fl. oz.)	SHF	1.19
				7383	Calcium Acetylsalicylate	PL	0.81
				8935	Calcium Chloride (8 fl. oz.)	BPC'49	0.78
				8944	Carminative (8 fl. oz.)	RMH	0.70
				8945	Carminative of Sodium Bicarbonate, Ammonium Bicarbonate and Magnesium Carbonate (8 fl.oz.)	RMH	0.71

<u>MIXTURES</u> - cont.			
8946	Cascara (8 fl. oz.)	SHF	1.12
8947	" "	BPC'49	0.82
8948	Cascara and Belladonna (8 fl.oz.)	BPC	0.87
7498	Chalk and Kaolin	PL	0.76
7596	" " "	APF	0.82
8951	" " " (8 fl. oz.)	APF'55	0.78
8951	" " " "	SHF	0.78
8952	Chalk and Opium (8 fl. oz.)	APF'34	1.17
7597	Chloral	APF	0.85
8957	"	RAPH	0.89
8953	" (8 fl. oz.)	BPC	0.78
7598	Chloral and Bromide	APF	0.97
7499	Chloral Hydrate	PL	0.80
8955	" " (8 fl. oz.)	SHF	0.75
8957	" " "	APF'55	0.84
8959	Chloral Hydrate and Potassium Bromide (8 fl. oz.)	RMH	0.95
8960	" " " " " "	QVMH	0.82
8963	Codeine Compound (8 fl. oz.)	SHF	0.94
8968	Colchicum (8 fl. oz.)	BPC'54	0.89
8969	" "	APF'55	0.82
8976	Colchicum and Aspirin (8 fl. oz.)	APF'55	0.96
8986	Cough	RAHP	0.99
8982	" (8 fl. oz.)	APF'34	0.88
8985	" "	QVMH	1.39
8987	Cough Sedative	RAHP	0.90

<u>MIXTURES</u> - cont.			
8988	Creosote and Potassium Iodide (8 fl. oz.)	BPC'49	1.04
7600	Ephedrine and Codeine	APF	0.93
7601	Ferric Ammonium Citrate	APF	0.82
8998	Ferric Ammonium Citrate (8 fl.oz.)	RHM	0.99
8999	" " " "	SHF	0.85
9000	" " " "	APF'55	0.78
7500	Ferrous Sulphate	PL	0.79
7602	" "	APF	0.84
9004	Gelsemium and Hyoscyamus Compound (8 fl. oz.)	BPC	0.84
7501	Gentian Acid	PL	0.76
7603	" "	APF	0.81
9005	" "	RAHP	0.72
9007	" " (8 fl. oz.)	BPC	0.77
9009	Gentian Acid and Nux Vomica (8 fl. oz.)	BPC	0.85
7502	Gentian Alkaline	PL	0.74
7604	" "	APF	0.79
9010	" "	RAHP	0.69
9012	" " (8 fl. oz.)	BPC	0.76
9013	" " "	SHF	0.86
9014	" " "	APF'34	0.86
9015	Gentian Alkaline with Cascara (8 fl. oz.)	SHF	0.95

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>MIXTURES</u> - cont.		\$		<u>MIXTURES</u> - cont.		\$
9016	Gentian Alkaline Compound	RAHP	0.90	9055	Lobelia Compound (8 fl. oz.)	SHF	1.32
9017	" " " (8 fl. oz.)	QVMH	0.88	9057	Lobelia and Stramonium (8 fl.oz.)	APF'55	1.01
9019	Gentian Alkaline with Nux Vomica (8 fl. oz.)	BPC	0.84	9058	Lobelia and Stramonium Compound	RAHP	1.01
9020	Gentian Alkaline with Pheno-barbitone (8 fl. oz.)	BPC	0.78	9059	Lobelia and Stramonium Compound (8 fl. oz.)	BPC	0.98
9022	Gentian Alkaline Simple (8 fl. oz.)	QVMH	0.72	9060	Magnesium Carbonate (8 fl. oz.)	APF'55	0.75
9024	Gentian and Rhubarb (8 fl. oz.)	BPC	0.90	9061	" " "	BPC	0.66
9026	Ginger (8 fl. oz.)	SHF	0.76	9063	Magnesium Carbonate Aromatic	RAHP	0.67
7695	Hydrochloric Acid Dilute (8 fl.oz.)	QVMH	0.87	9064	" " " (8 fl.oz.)	BPC	0.67
9029	" " " "	APF'55	1.18	9065	Magnesium Carbonate and Chalk Sedative (8 fl. oz.)	SHF	0.75
7605	Hydrochloric Acid	APF	1.13	9067	Magnesium Sulphate (8 fl. oz.)	SHF	0.69
9033	Ipecacuanha Alkaline (8 fl. oz.)	BPC	0.84	9070	Magnesium Sulphate Acid (8 fl. oz.)	QVMH	0.78
9034	" " "	BPC'54	1.05	9074	Magnesium Sulphate White	RAHP	0.69
9036	Ipecacuanha and Camphorated Opium (8 fl. oz.)	SHF	1.12	9075	" " " (8 fl.oz.)	BPC	0.69
7378	Ipecacuanha and Opium	PL	1.12	7504	Magnesium Trisilicate	PL	0.70
9039	Iron and Ammonium Citrate (8 fl. oz.)	BPC	0.75	7607	" "	APF	0.76
9040	" " " " "	QVMH	1.02	9077	Magnesium Trisilicate and Belladonna (8 fl. oz.)	BPC	0.73
7900	Kaolin	RAHP	0.79	9078	Magnesium Trisilicate Compound (8 fl. oz.)	APF'55	0.67
9050	" (8 fl. oz.)	BPC	0.70	9078	" " " "	BPC	0.67
9051	Kaolin Alkaline (8 fl. oz.)	APF'55	0.67	9078	" " " "	SHF	0.67
7503	Kaolin and Opium	PL	0.91	9079	Male Fern (8 fl. oz.)	QVMH	5.31
7606	" " "	APF	0.97				

<u>MIXTURES - cont.</u>			
9086	Morphine and Acetylsalicylic Acid	RAHP	0.90
9088	Morphine, Acid Acetylsalicylic and Gelsemium (8 fl. oz.)	QVMH	1.18
9090	Nux Vomica Acid (8 fl. oz.)	BPC	0.71
9091	Nux Vomica Alkaline (8 fl. oz.)	BPC	0.69
9092	Opium	RAHP	0.80
7608	Opium Camphorated	APF	1.17
9097	Opium Camphorated Compound (8 fl. oz.)	BPC	0.76
7609	Paraldehyde	APF	0.93
9100	" (8 fl. oz.)	QVMH	1.09
9101	" "	RMH	1.14
9102	Phenazone (8 fl. oz.)	RMH	0.94
9104	Phenazone Compound (8 fl. oz.)	QVMH	1.39
9105	Phenazone and Potassium Bromide (8 fl. oz.)	APF'34	0.81
9106	" " " " "	BPC'49	0.82
7385	Phenobarbitone with Belladonna, Procaine and Aluminium Hydroxide	PL	1.04
9108	Phenobarbitone and Belladonna Antacid (8 fl. oz.)	SHF	0.69
7610	Phenobarbitone and Bromide	APF	0.83
9110	" " "	RAHP	0.79
9112	Phenobarbitone Compound (8 fl.oz.)	SHF	0.76
9113	" " "	QVMH	0.77
9115	Phenobarbitone Sodium and Potassium Bromide (8 fl. oz.)	RMH	0.73
7611	Potassium Bromide	APF	0.75

<u>MIXTURES - cont.</u>			
7866	Potassium Bromide (8 fl. oz.)	BPC	0.75
9117	" " "	QVMH	0.74
9118	" " "	SHF	0.81
9124	Potassium Bromide and Chloral	RAHP	0.81
7505	Potassium Chloride	PL	0.86
7612	" " "	APF	0.91
9131	" " (8 fl. oz.)	SHF	0.90
7506	Potassium Citrate	PL	0.86
7613	" " "	APF	0.91
9141	" " "	RAHP	0.70
9134	Potassium Citrate (8 fl. oz.)	QVMH	1.00
9136	" " "	RMH	0.91
9137	" " "	BPC'59	1.01
9139	" " "	SHF	0.67
7614	Potassium Citrate and Hyoscyamus	APF	0.91
9145	" " " " "	RAHP	1.05
9148	" " " " (8 fl.oz.)	BPC'59	1.21
9146	" " " " "	QVMH	0.95
9152	" " " " "	RMH	0.99
9154	Potassium Citrate and Iodide (8 fl. oz.)	RMH	0.85
7507	Potassium Citrate and Sodium Bicarbonate	PL	0.76
7615	" " " " "	APF	0.81
7616	Potassium Iodide	APF	0.80
9159	" " "	RAHP	0.77
9155	" " (8 fl. oz.)	SHF	0.67
9158	" " "	QVMH	0.96
9161	" " "	RMH	0.76

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>MIXTURES - cont.</u>		\$		<u>MIXTURES - cont.</u>		\$
9166	Potassium Iodide Ammoniated (8 fl. oz.)	BPC	0.77	9190	Senega and Ammonia (8 fl. oz.)	ACH	1.07
9168	Potassium Iodide and Creosote (8 fl. oz.)	APF'47	0.85	9193	" " " "	APF'47	1.31
9169	Potassium Iodide and Ephedrine (8 fl. oz.)	QVMH	0.96	9196	Senega, Ammonia and Lobelia	RAHP	1.17
7617	Potassium Iodide and Ephedrine	APF	0.82	9197	Senega Compound (8 fl. oz.)	SHF	1.31
9170	Potassium Iodide, Ephedrine and Phenobarbitone (8 fl. oz.)	QVMH	1.27	7621	Sodium Chloride and Bicarbonate	APF	0.74
9171	Potassium Iodide and Stramonium (8 fl. oz.)	QVMH	1.26	7509	Sodium Citrate	PL	0.82
7508	Potassium Iodide and Stramonium Compound	PL	1.00	7622	" "	APF	0.87
7618	" " " " "	APF	1.05	9207	" " (8 fl. oz.)	BPC'59	0.97
9179	Rhubarb Alkaline (8 fl. oz.)	SHF	0.87	9208	" " "	BPC'49	0.71
9180	Rhubarb Compound (8 fl. oz.)	BPC	0.95	7510	Sodium Salicylate	PL	0.75
7619	Rhubarb and Soda	APF	0.85	7623	" "	APF	0.81
9182	" " "	RAHP	0.73	9218	" "	RAHP	0.59
9183	" " " (8 fl. oz.)	QVMH	1.58	9211	" " (8 fl. oz.)	SHF	0.74
9187	Rhubarb and Soda Ammoniated (8 fl. oz.)	BPC	0.74	9215	" " "	QVMH	1.09
9188	Saline (8 fl. oz.)	BPC	0.73	9217	" " "	APF'55	0.76
7444	Senega and Ammonia	PL	0.98	7873	Sodium Salicylate Strong (8 fl.oz.)	BPC	0.71
7620	" " "	APF	1.03	9222	Sodium Sulphate (8 fl. oz.)	RMH	0.67
9191	" " "	RAHP	1.03	9224	Squill , Opium and Ammonia (8 fl. oz.)	QVMH	1.44
9189	" " " (8 fl. oz.)	RMH	1.07	9227	Stramonium and Potassium Iodide (8 fl. oz.)	BPC	0.78
				7624	Succinylsulphathiazole and Kaolin	APF	1.55
				9236	Sulphuric Acid and Opium(8 fl.oz.)	APF'34	0.73
				7625	Theophylline Compound	APF	1.02
				9240	Urethane (8 fl. oz.)	RMH	1.17

<u>MIXTURES FOR CHILDREN</u>			
MAXIMUM QUANTITY 100 ml.			
4 Repeats			
7511	Acetylsalicylic Acid	PL	0.82
7472	" "	APF	0.85
7423	" "	ACH	0.69
9244	" " (4 fl. oz.)	BPC'49	0.65
7577	Aluminium Hydroxide and Kaolin	PL	0.73
7577	" " " "	APF	0.73
9250	Ammonium Bicarbonate Compound (4 fl. oz.)	SHF	0.81
9257	Aspirin and Bromide (4 fl. oz.)	APF'55	0.70
7441	Asthma	ACH	0.84
7512	Atropine Methonitrate	PL	0.83
7578	" "	APF	0.86
7433	" "	ACH	0.91
9259	" " (4 fl. oz.)	QVMH	0.91
9262	" " "	APF'55	1.07
9263	Atropine Sulphate (4 fl. oz.)	RCHM	0.72
9264	" " "	QVMH	0.72
9265	Atropine Sulphate and Phenobarbitone (4 fl. oz.)	QVMH	0.72
7513	Belladonna	PL	0.75
7471	"	APF	0.78
9267	" (4 fl. oz.)	BPC'49	0.71
9268	Belladonna Compound (4 fl. oz.)	SHF	0.67
9269	Belladonna and Ephedrine(4 fl.oz.)	BPC'49	0.75

<u>MIXTURES FOR CHILDREN-cont.</u>			
9270	Belladonna and Ipecacuanha (4 fl. oz.)	BPC'49	0.75
9281	Calcium Carbonate (4 fl. oz.)	BPC	0.67
7514	Calcium and Kaolin	PL	0.66
7580	" " "	APF	0.69
9289	Carminative (4 fl. oz.)	APF'55	0.75
9293	Cascara and Belladonna (4 fl. oz.)	BPC'54	0.75
9294	Castor Oil (4 fl. oz.)	ACH'46	0.75
9295	" " "	QVMH	0.69
9296	Castor Oil and Opium (4 fl. oz.)	QVMH	0.74
9298	Chalk (4 fl. oz.)	BPC	0.63
9299	Chalk and Catechu (4 fl. oz.)	BPC'49	0.78
9581	Chloral	APF	0.71
9301	Chloral and Bromide (4 fl. oz.)	APF'55	0.86
7515	Chloral Hydrate	PL	0.68
7436	" "	ACH	0.76
9304	" " (4 fl. oz.)	QVMH	0.72
9306	Chloral and Potassium Bromide (4 fl. oz.)	BPC	0.80
7420	Cough Sedative	ACH	0.74
7434	Expectorant	ACH	0.84
7439	Ephedrine Compound	ACH	0.70
9323	Ferric Ammonium Citrate(4 fl.oz.)	APF'55	0.73
7516	Ferrous Gluconate	PL	0.79
7470	" "	APF	0.82

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>MIXTURES FOR CHILDREN - cont.</u>		\$		<u>MIXTURES FOR CHILDREN - cont.</u>		\$
7435	Ferrous Gluconate	ACH	0.79	7424	Phenobarbitone Compound	ACH	0.78
7517	Ferrous Sulphate	PL	0.69	9369	Phenobarbitone Soluble (4 fl. oz.)	QVMH	0.65
7582	" "	APF	0.72	7431	Pholcodine	ACH	0.90
9331	Gentian Acid (4 fl. oz.)	BPC'49	0.66	7520	Phthalylsulphathiazole	PL	1.30
9334	Gentian Alkaline (4 fl. oz.)	BPC'49	0.66	7469	"	APF	1.33
7867	Ipecacuanha (4 fl. oz.)	BPC	0.78	9372	" (4 fl. oz.)	QVMH	0.83
9335	" "	BPC'59	0.85	7438	Potassium Bromide	ACH	0.74
9336	Ipecacuanha and Ammonia(4 fl.oz.)	BPC'59	0.75	9379	" " (4 fl. oz.)	BPC'59	0.69
9337	Ipecacuanha Ammoniated (4 fl.oz.)	BPC'49	0.81	9380	Potassium Bromide and Belladonna (4 fl. oz.)	BPC'54	0.73
7518	Ipecacuanha and Squill	PL	0.73	7442	Potassium Bromide and Chloral	ACH	0.80
7583	" " "	APF	0.76	9382	" " " " "(4 fl.oz.)	QVMH	0.70
9342	" " " (4 fl. oz.)	QVMH	0.97	9386	Potassium Chloride (4 fl. oz.)	ACH	0.70
9345	" " " "	RCHM	0.94	7521	Potassium Citrate	PL	0.75
9349	Iron and Ammonium Citrate (4 fl. oz.)	ACH	0.71	7585	" "	APF	0.78
9350	" " " " "	QVMH	0.62	7428	" "	ACH	0.74
9352	Kaolin (4 fl. oz.)	APF'55	0.66	9388	" " (4 fl. oz.)	QVMH	0.68
9353	" "	BPC'49	0.64	9392	" " "	BPC'59	0.77
7790	Magnesium Hydroxide (4 fl. oz.)	BP	0.90	9393	Potassium Citrate Alkaline(4 fl.oz.)	BPC'49	0.64
9358	" " "	ACH	0.68	9394	Potassium Citrate and Belladonna (4 fl. oz.)	SHF	0.68
7519	Magnesium Sulphate	PL	0.62	9395	" " " " "	BPC'49	0.68
7584	" "	APF	0.65	9397	Potassium Citrate, Bromide and Belladonna (4 fl. oz.)	QVMH	0.74
9366	Phenazone and Bromide (4 fl. oz.)	APF'55	0.78	7522	Potassium Iodide	PL	0.66
9367	Phenazone and Potassium Bromide (4 fl. oz.)	QVMH	0.73	7586	" "	APF	0.69
7437	Phenobarbitone	ACH	0.64				

<u>MIXTURES FOR CHILDREN - cont.</u>				<u>MOUTH WASHES</u>			
7443	Potassium Iodide	ACH	0.73	MAXIMUM QUANTITY 200 ml.			
7523	Potassium Iodide and Ephedrine	PL	0.71	1 Repeat			
7587	" " " "	APF	0.74				
9402	Potassium Iodide and Stramonium (4 fl. oz.)	QVMH	0.69	8510	Formaldehyde (8 fl. oz.)	BPC'59	0.62
9403	" " " " "	APF'55	0.77	8513	Hydrogen Peroxide (8 fl. oz.)	QVMH	0.64
9406	Rhubarb Compound (4 fl. oz.)	BPC	0.80	8516	Phenol (8 fl. oz.)	RMH	0.72
7418	Rhubarb and Soda	ACH	0.68	8518	Phenol Alkaline (8 fl. oz.)	BPC	0.68
9408	" " " (4 fl. oz.)	QVMH	0.64	7456	Thymol Compound	APF	1.37
9409	" " " "	APF'55	0.80	8527	" " (8 fl. oz.)	QVMH	0.70
7524	Sodium Aminosalicylate	PL	1.12	7627	Thymol Red	APF	1.17
7468	" "	APF	1.15	<u>NASAL INSTILLATIONS</u>			
7525	Sodium Citrate	PL	0.73	MAXIMUM QUANTITY 15 ml.			
7588	" "	APF	0.76	2 Repeats			
9414	Sodium Citrate and Sodium Bicarbonate (4 fl. oz.)	QVMH	0.65	9432	Adrenaline (1/2 fl. oz.)	APF'55	0.66
9415	Sodium Salicylate (4 fl. oz.)	ACH	0.69	9433	Adrenaline and Ephedrine (1/2 fl. oz.)	APF'55	0.69
9416	" " "	QVMH	0.75	9434	Aminacrine Hydrochloride (1/2 fl. oz.)	QVMH	0.64
9417	" " "	ACH'46	0.68	9435	Aminacrine Hydrochloride and Phenylephrine Hydrochloride (1/2 fl. oz.)	RMH	0.78
9418	" " "	APF'55	0.69	9440	Chlorbutol Oily (1/2 fl. oz.)	APF'55	0.61
9419	Sodium Sulphate (4 fl. oz.)	ACH	0.68	7576	Dextrose and Glycerin	PL	0.66
9423	Squill and Ammonia (4 fl. oz.)	QVMH	0.90	7576	" " "	APF	0.66
7467	Succinylsulphathiazole	APF	1.18				
9425	Sulphadiazine (4 fl. oz.)	QVMH	1.01				
7466	Sulphadimidine	APF	1.46				
7421	"	ACH	1.29				
9315	Whooping Cough (4 fl. oz.)	QVMH	0.94				
9317	" " "	APF'55	0.94				

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>NASAL INSTILLATIONS</u> - cont.		\$		<u>OINTMENTS</u> - cont.		\$
7574	Ephedrine	PL	0.61	7453	Benzocaine and Adrenaline	APF	1.67
7574	"	APF	0.61	9507	" " "	RAHP	1.28
7889	"	RAHP	0.61	9506	Benzocaine Compound (4 oz.)	BPC	2.10
9441	" (1/2 fl. oz.)	BPC	0.59	9497	Benzoic Acid Compound	PL	1.03
9445	" "	QVMH	0.59	9497	" " "	APF	1.03
9446	" 0.5% (1/2 fl. oz.)	SHF	0.75	9497	" " "	BPC	1.03
9450	Ephedrine and Aminacrine (1/2 fl. oz.)	QVMH	0.65	9497	" " "	SHF	1.03
9454	Ephedrine Oily (1/2 fl. oz.)	APF'55	0.64	9498	" " " (4 oz.)	ACH	0.88
7455	Phenylephrine	APF	0.64	9501	Benzoic Acid Full Strength (4 oz.)	RCHM	0.89
9467	Phenylephrine Aqueous (1/2 fl.oz.)	ACH	0.65	9502	Benzoic Acid Half Strength (4 oz.)	RCHM	0.85
7454	Phenylephrine Strong	APF	0.72	9503	Benzoic Acid and Salicylic Acid (4 oz.)	QVMH	0.87
9470	Silver Protein and Ephedrine	APF	0.77	7887	Boric Acid (4 oz.)	BPC	1.48
9472	Silver Protein Mild (1/2 fl. oz.)	APF'55	0.77	9516	Boric Acid Yellow (4 oz.)	BPC'49	0.80
9472	" " " "	SHF	0.77	9519	B.O.Z. (4 oz.)	QHP	1.26
9473	Sulphadiazine Compound (1/2 fl.oz.)	APF'55	0.77	9521	Cade Oil (4 oz.)	ACH	1.12
				9522	" " "	BPC'49	1.16
				9526	Calamine (4 oz.)	BPC	0.81
				9528	Camphor Hard (4 oz.)	BPC'49	0.87
	<u>OINTMENTS</u>			9633	Castor Oil (4 oz.)	ACH	1.47
	MAXIMUM QUANTITY 100 G.			9535	Cod Liver Oil	APF	1.06
	1 Repeat			9533	" " " (4 oz.)	ACH'46	0.84
9475	Adrenaline Anaesthetic (4 oz.)	QVMH	1.05	9537	" " " "	QVMH	0.85
9477	Adrenaline and Chlorbutol (4 oz.)	RMH	2.80	9539	Cod Liver Oil with Aminacrine	APF	1.17
9631	Aseptic Surgical (4 oz.)	BPC'49	1.45	9540	Cod Liver Oil and Yellow Soft		
9505	Benzocaine (4 oz.)	QVMH	1.26		Paraffin (4 oz.)	RMH	0.89

OINTMENTS - cont.				OINTMENTS - cont.			
7452	Dithranol	APF	0.78	9567	Iodised with Methylsalicylate (4 oz.)	ACH	1.06
9542	Dithranol Compound Strong (4 oz.)	APF'55	1.44	9568	Kaolin (4 oz.)	BPC'49	0.79
9543	Dithranol Compound Weak (4 oz.)	APF'55	1.16	9570	Lead Subacetate (4 oz.)	BPC'49	0.93
7451	Dithranol Strong	APF	1.03	7571	Menthol Compound	APF	1.42
9545	" " (4 oz.)	BP	1.12	7572	Menthol Solid Application	APF	1.05
9545	" " "	BPC'49	1.12	8587	Menthol Solid Inhalation	APF	1.03
7918	Emulsifying	PL	1.18	9576	Methyl Salicylate (4 oz.)	BPC	1.62
7918	"	APF	1.18	9577	Methyl Salicylate Compound (4 oz.)	APF'34	1.25
7918	"	BP	1.18	9578	Methyl Salicylate Dilute (4 oz.)	BPC'49	1.07
9547	Emulsifying Hydrous (4 oz.)	QVMH	0.94	7924	Paraffin (4 oz.)	BP	1.48
9548	Eucalyptus (4 oz.)	BPC'49	0.88	9580	" "	QVMH	0.82
9549	Formaldehyde (4 oz.)	RMH	1.02	9582	Parenol (4 oz.)	BPC'49	0.79
9550	Gall with Opium (4 oz.)	BPC	4.77	9586	Resorcinol (4 oz.)	BPC'49	1.34
9551	Glycerin of Acid Boric (4 oz.)	QVMH	0.88	9587	Resorcinol Compound (4 oz.)	APF'55	1.27
9552	Glycerin of Lead Subacetate(4 oz.)	BPC'49	1.48	9592	Resorcinol and Sulphur Compound	PL	1.08
9553	" " " " "	RMH	1.15	9592	" " " "	APF	1.08
7919	Hamamelis (4 oz.)	BPC	2.13	7926	Salicylic Acid	PL	1.30
7570	Hamamelis Compound	PL	1.14	7926	" "	APF	1.30
7570	" "	APF	1.14	7926	" "	BP	1.30
9557	Hydrous Wool Fat (4 oz.)	BPC	0.91	9604	Salicylic Acid and Sulphur	RAHP	0.79
9559	Ichthammol (4 oz.)	BPC	0.99	9595	" " " " (4 oz.)	QVMH	0.85
7921	Iodine Non Staining (4 oz.)	BPC	1.02	9597	" " " " "	ACH	0.82
9563	Iodine Non Staining with Methylsalicylate (4 oz.)	BPC	1.14	9598	" " " " "	APF'47	1.06
9564	Iodine Stainless	APF	1.32	9599	" " " " "	RMH	1.04
9562	Iodine Stainless with Methylsalicylate	APF	1.32	9600	" " " " "	SHF	1.05
9565	Iodised (4 oz.)	ACH	1.02	9602	" " " " "	BPC	1.23
				9606	Salicylic Acid and Sulphur - For Children (4 oz.)	QVMH	0.84

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>OINTMENTS - cont.</u>		\$		<u>OINTMENTS - cont.</u>		\$
9607	Salicylic Acid and Sulphur - Dilute (4 oz.)	RCHM	0.88	9623	Zinc and Tar (4 oz.)	QVMH	0.89
9608	Salicylic Acid and Sulphur - Strong (4 oz.)	RCHM	0.89	9624	" " " "	RCHM	0.87
7927	Simple	PL	0.99	9630	" " " "	RMH	1.10
7927	"	APF	0.99		<u>PAINTS</u>		
7927	"	BP	0.99		MAXIMUM QUANTITY 25 ml.		
9610	" (4 oz.)	QVMH	0.83		1 Repeat		
7929	Sulphur	PL	1.13	9683	B.F.R. (1 fl. oz.)	RCHM	0.80
7929	"	APF	1.13	9635	Benzoic Acid Compound (1 fl. oz.)	ACH	0.67
7929	"	BP	1.13	9636	" " " "	ACH'46	0.66
9612	Tannic Acid (4 oz.)	BPC'49	1.38	9637	Benzoin (1 fl. oz.)	ACH	0.74
7450	Wool Alcohols	APF	1.05	9638	Blue (1 fl. oz.)	APF'55	0.63
7930	" " (4 oz.)	BP	1.18	9639	Blue - Bonney's (1 fl. oz.)	ACH	0.66
7896	Zinc (4 oz.)	BP	1.15	9639	" " "	SHF	0.66
7899	Zinc and Castor Oil	PL	1.26	9640	Blue Aqueous (1 fl. oz.)	ACH	0.62
7899	" " " "	APF	1.26	7696	Brilliant Green (1 fl. oz.)	ACH	0.62
7899	" " " "	BP	1.26	9643	" " "	QVMH	0.59
9613	Zinc and Lime (4 oz.)	QVMH	0.85	9649	Chloral Camphorated (1 fl. oz.)	BPC'49	0.81
9614	Zinc, Lime and Benzoin (4 oz.)	QVMH	0.96	9651	Chloral Compound (1 fl. oz.)	BPC'49	1.13
7527	Zinc Oxide	PL	1.03	9723	Clove, Menthol and Phenol		
7527	" "	APF	1.03		Toothache Drops (1 fl. oz.)	RMH	2.02
9618	Zinc Oxide and Benzoin (4 oz.)	BPC'49	1.29	9653	Crystal Violet (1 fl. oz.)	SHF	0.57
7573	Zinc and Coal Tar	APF	0.78	9654	" " "	ACH	0.60
9622	Zinc and Starch (4 oz.)	QVMH	0.79	7560	Crystal Violet Alcoholic	APF	0.61
7720	Zinc and Tar (4 oz.)	APF'55	0.83	7561	Crystal Violet Compound	APF	0.67
				9656	" " " (1 fl.oz.)	ACH	0.61

<u>PAINTS</u> - cont.			
9656	Crystal Violet Compound (1 fl.oz.)	BPC'54	0.61
9657	Crystal Violet in Spirit (1 fl. oz.)	QVMH	0.64
9658	Crystal Violet in Water (1 fl. oz.)	QVMH	0.58
7562	Ichthammol	PL	0.83
7562	"	APF	0.83
9663	" (1 fl. oz.)	ACH	0.73
7563	Iodine	APF	0.69
7564	Iodine Compound	APF	0.75
9666	" " (1 fl. oz.)	BPC	0.75
9666	" "	RAHP	0.75
9669	" " "	SHF	0.76
9670	Iodine Ophthalmic (1 fl. oz.)	ACH	0.75
9671	Magenta (1 fl. oz.)	ACH	0.70
9671	" "	BPC	0.70
9671	" "	SHF	0.70
7565	"	PL	0.80
7565	"	APF	0.80
9672	Magenta and Resorcinol	RAHP	0.71
9673	" " " (1 fl. oz.)	APF'55	0.70
9675	" " " "	RMH	0.71
9681	Phenol and Camphor (1 fl. oz.)	QVMH	0.81
9682	" " " "	BPC'49	0.84
7566	Podophyllin	PL	0.98
7566	"	APF	0.98
9684	" (1 fl. oz.)	SHF	1.11
9685	" "	QVMH	1.21
9686	" "	BPC'49	1.27
9687	Podophyllin Alcoholic (1 fl. oz.)	ACH	1.11
9688	Podophyllin Compound (1 fl. oz.)	BPC	1.30

<u>PAINTS</u> - cont.			
9689	Podophyllin Oily (1 fl. oz.)	ACH	1.27
9690	Podophyllin Resin (1 fl. oz.)	RMH	1.17
7567	Podophyllin Strong	PL	1.23
7567	" "	APF	1.23
9691	Potassium Iodide in Spirit (1 fl. oz.)	SHF	0.74
7568	Salicylic Acid	PL	0.68
7568	" "	APF	0.68
9699	" "	RAHP	0.69
9698	Salicylic Acid and Formalin (1 fl. oz.)	ACH	0.60
9701	Salicylic Acid Green (1 fl. oz.)	APF'55	0.64
9702	" " " "	QVMH	0.71
9704	Silver Nitrate (1 fl. oz.)	RMH	1.10
9705	" " "	ACH'46	1.15
9706	" " "	ACH	1.13
9707	" " "	QVMH	1.16
9708	" " "	SHF	1.27
9710	" " 1% (1 fl. oz.)	SHF	0.68
9713	Silver Nitrate Ethereal	RAHP	1.10
9712	Silver Nitrate - for Eyes (1 fl.oz.)	SHF	0.74
9721	Tar and Benzoin (1 fl. oz.)	QVMH	0.74
9726	Violet Compound (1 fl. oz.)	QVMH	0.68
<u>PAROGEN</u>			
MAXIMUM QUANTITY 100 ml.			
2 Repeats			
9729	Analgesic (4 fl. oz.)	APF'34	1.49

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>PASTES</u>		\$		<u>PASTES - cont.</u>		\$
	MAXIMUM QUANTITY 100 G. (Unna's Excepted) 1 Repeat			7478	Titanium Dioxide	APF	0.85
9733	Aluminium Acetate (4 oz.)	ACH	1.14	9760	Tragacanth Compound (4 oz.)	BPC'54	0.82
7555	Coal Tar	PL	0.99	9761	Zinc (4 oz.)	ACH	0.85
7555	" "	APF	0.99	9763	Zinc with Coal Tar (4 oz.)	ACH'46	0.93
9739	" "	RAHP	0.78	7558	Zinc Compound	PL	0.98
9738	" " (4 oz.)	BPC	1.10	7558	" "	APF	0.98
9739	" "	ACH	0.78	7558	" "	BP	0.98
7556	Dithranol and Zinc	PL	1.02	9767	Zinc Oxide (4 oz.)	RMH	0.85
7556	" " "	APF	1.02	7528	Zinc Oxide and Coal Tar (4 oz.)	BPC'59	0.80
7557	Dithranol and Zinc Strong	PL	1.27	9772	Zinc Oxide and Iodoform (4 oz.)	BPC'49	2.31
7557	" " " "	APF	1.27	7559	Zinc Oxide and Salicylic Acid	PL	0.95
9744	Dithranol (4 oz.)	SHF	1.21	7559	" " " " "	APF	0.95
9745	Kaolin (4 oz.)	QVMH	0.82	9773	" " " " "(4 oz.)	BP	1.05
9746	Magnesium Sulphate (4 oz.)	QVMH	0.94	9773	" " " " " "	BPC'49	1.05
9747	" " "	BPC	0.96		<u>PESSARIES</u>		
9749	" " "	ACH	0.78		MAXIMUM QUANTITY 12 1 Repeat		
9752	" " "	BPC'49	0.96	9776	Aminacrine	APF'55	0.82
9753	Resorcinol Compound (4 oz.)	BPC'49	1.49	9778	Crystal Violet	QVMH	0.82
9754	Resorcinol Compound Mild (4 oz.)	BPC'49	1.15	9779	" "	APF'55	0.78
9755	Resorcinol and Sulphur (4 oz.)	BPC	1.36	9780	Ichthammol	APF'55	0.76
9756	Stearic Acid (4 oz.)	BPC'54	0.69	9782	"	BPC	1.04
9757	Tannic Acid (4 oz.)	BPC'49	0.84	9783	Lactic Acid	QVMH	1.00
7478	Titanium Dioxide	PL	0.85	9785	" "	BPC	1.06

<u>PESSARIES - cont.</u>				<u>POWDERS DUSTING - cont.</u>			
9785	Lactic Acid	RMH	1.06	9856	Starch Compound (4 oz.)	ACH'46	0.80
9786	Proflavine Hemisulphate	BPC'49	1.11	9857	" " "	ACH	0.80
<u>POWDERS DUSTING</u>				7554	Zinc Compound	PL	0.73
MAXIMUM QUANTITY 100 G.				7554	" "	APF	0.73
1 Repeat				7554	" "	BPC	0.73
9829	Astringent (4 oz.)	QVMH	0.76	9867	Zinc Oxide and Boric Acid (4 oz.)	BPC'49	0.79
7551	Benzocaine	APF	1.13	9868	Zinc Oxide and Salicylic Acid (4 oz.)	BPC	0.83
9832	" (4 oz.)	RMH	1.29	9869	Zinc Oxide and Starch (4 oz.)	BPC'49	0.79
9834	Boric Acid and Starch (4 oz.)	BPC'54	0.79	9869	" " " " "	QVMH	0.79
7552	Boric Talc	PL	0.67	9870	Zinc Oxide and Starch Compound (4 oz.)	BPC'49	0.76
7552	" "	APF	0.67	9872	" " " " "	RMH	0.76
9835	" " (4 oz.)	BPC'54	0.71	7888	Zinc Oxide and Talc (4 oz.)	RCHM	0.73
7526	Chlorbutol Compound	APF	0.92	9869	Zinc and Starch	RAHP	0.75
9837	" "	RAHP	0.87	9874	" " " (4 oz.)	QVMH	0.79
9841	Dicophane	PL	0.81	9873	Zinc, Starch and Camphor (4 oz.)	QVMH	0.84
9841	"	APF	0.81	<u>POWDERS - INTERNAL USE</u>			
9841	"	BPC	0.81	MAXIMUM QUANTITY 100 G.			
9839	" (4 oz.)	ACH'46	0.83	2 Repeats			
9840	" "	SHF	0.75				
9845	Kaolin (4 oz.)	QVMH	0.77	7477	Aluminium and Magnesium Trisilicate	PL	0.89
9847	Kaolin Compound	PL	0.70	7477	" " " "	APF	0.89
9847	" "	APF	0.70	9795	Antacid (4 oz.)	APF'55	0.72
7553	Salicylic Acid Compound	PL	0.72	9807	Calcium and Kaolin (4 oz.)	APF'55	0.77
7553	" " "	APF	0.72				
7553	" " "	BPC	0.72				
9853	" " " (4 oz.)	ACH'46	1.07				
9854	" " " "	ACH	0.72				

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>POWDERS - INTERNAL USE - cont.</u>		\$		<u>POWDERS - INDIVIDUAL</u>		\$
9808	Calcium and Magnesium with Soda (4 oz.)	QVMH	0.73		MAXIMUM QUANTITY 12		
9811	Chalk and Sodium Bicarbonate (4 oz.)	SHF	0.67	9881	Aspirin and Dover's Powder	APF'55	0.75
9812	Dextrose Effervescent (4 oz.)	QVMH	0.76		<u>POWDERS - IRRIGATION</u>		
9813	Kaolin and Calcium Compound (4 oz.)	QVMH	0.73		MAXIMUM QUANTITY 100 G.		
9814	Kaolin and Calcium - A Compound (4 oz.)	RMH	0.75		1 Repeat		
9815	Kaolin and Calcium - B Compound (4 oz.)	RMH	0.75	7546	Alkaline Nasal Douche	APF	0.68
9816	Kaolin Compound (4 oz.)	BPC	0.77	8611	" " " (4 oz.)	SHF	0.71
7547	" "	APF	0.76	8613	Borax Compound for Nasal Douche (4 oz.)	ACH	0.70
7549	Magnesium and Calcium Carbonate	PL	0.80	8613	" " " " " "	BPC'59	0.70
7549	" " " "	APF	0.80	8614	Ringer's Douche (4 oz.)	QVMH	0.91
9821	Magnesium Carbonate Compound (4 oz.)	BPC	0.72		<u>SOAPS</u>		
9824	Magnesium Trisilicate Compound (4 oz.)	BPC	0.76		MAXIMUM QUANTITY 200 ml.		
9826	Sodium Salicylate and Bicarbonate (4 oz.)	APF'55	0.91		1 Repeat		
				9887	Alcoholic (8 fl. oz.)	QVMH	1.08
				9890	Alcoholic Fresh (8 fl. oz.)	ACH'46	1.37
				9891	Alcoholic Soap Shampoo (8 fl. oz)	RMH	1.20
				9892	Ether (8 fl. oz.)	QVMH	0.73
				9893	" "	RMH	1.25
				7803	Ethereal (8 fl. oz.)	APF'55	1.26

<u>SOAPS - cont.</u>				<u>SOLUTIONS - cont.</u>			
9896	Spirit (8 fl. oz.)	ACH	1.54	9935	Proflavine (8 fl. oz.)	BPC'49	0.75
9896	" "	BPC	1.54	7540	Soap Alcoholic	APF	1.04
9897	Spirit Industrial Methylated			9926	Sulphurated Lime (8 fl. oz.)	BPC'49	0.60
	(8 fl. oz.)	ACH	1.21	9939	Trichloroacetic Acid (8 fl. oz.)	ACH	6.40
9897	" " " "	BPC	1.21	9941	Zinc Sulphate (8 fl. oz.)	ACH	0.73
9901	Thymol	RAHP	1.40	<u>SPIRITS</u>			
<u>SOLUTIONS</u>				MAXIMUM QUANTITY 25 ml.			
MAXIMUM QUANTITY 200 ml.				No Repeats			
2 Repeats				8270	Anise Compound (1 fl. oz.)	APF'55	1.07
9903	Aminacrine (8 fl. oz.)	BPC'49	0.85	7701	Chloroform Concentrated (1 fl.oz.)	ACH	0.68
9908	Benedict's Qualitative	APF	1.11	8271	Ether (1 fl. oz.)	BP'53	0.65
7538	Calcium Hypochlorite	APF	0.68	8273	Tragacanth (1 fl. oz.)	APF'55	0.75
9914	Calcium Hydroxide Saccharated			<u>SPRAYS</u>			
	(8 fl. oz.)	BPC'49	0.61	MAXIMUM QUANTITY 15 ml.			
9915	Cetrimide (8 fl. oz.)	ACH	0.69	2 Repeats			
7449	Cetrimide and Chlorhexidine	APF	0.81	9942	Adrenaline (1/2 fl. oz.)	BPC'54	0.63
9916	Cetrimide Alcoholic (8 fl. oz.)	APF'55	0.88	9943	" "	APF'55	0.66
7700	Chlorbutol Water (8 fl. oz.)	ACH	0.68	7476	Adrenaline and Atropine	PL	1.28
7539	Eucalyptus Saponaceous	APF	1.26	7476	" " "	APF	1.28
7691	Hypochlorous Acid (8 fl. oz.)	ACH'46	0.65	9945	Adrenaline and Atropine Compound		
9920	" " "	ACH	0.89		(1/2 fl. oz.)	BPC'54	2.70
7922	Iodine Aqueous - Lugol's (8 fl.oz.)	BP	2.23	9946	Adrenaline and Ephedrine		
7923	Iodine Weak (8 fl. oz.)	BP	2.18		(1/2 fl. oz.)	APF'55	0.69
9929	Methylene Blue (8 fl. oz.)	ACH	0.95				
9930	" " "	SHF	2.54				
9933	Phenol 1-20 (8 fl. oz.)	SHF	0.71				
9934	Potassium Permanganate (8 fl.oz.)	ACH'46	0.63				

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>SPRAYS - cont.</u>		\$		<u>SYRUPS</u>		\$
9947	Adrenaline Strong (1/2 fl. oz.)	APF'55	2.32		MAXIMUM QUANTITY 100 ml.		
9952	Ephedrine (1/2 fl. oz.)	APF'55	0.61		4 Repeats		
9955	Ephedrine Aqueous (1/2 fl. oz.)	BPC'49	0.59				
9961	Eucalyptol Compound (1/2 fl. oz.)	BPC'54	0.66	9984	Aromatic (4 fl. oz.)	APF'55	0.84
9963	Menthol and Thymol Compound (1/2 fl. oz.)	BPC'54	0.63	9984	" "	QVMH	0.84
	<u>SUPPOSITORIES</u>			9985	Cascara Aromatic (4 fl. oz.)	BPC'49	1.18
	MAXIMUM QUANTITY 12			9987	Chloral (4 fl. oz.)	BPC	0.92
	1 Repeat			9988	" "	QVMH	0.84
				9989	" "	RMH	0.78
9966	Adrenaline	BPC'49	2.45	9991	Codeine (4 fl. oz.)	ACH	1.21
9967	Adrenaline and Cocaine	BPC'49	2.93	9993	Ipecacuanha (4 fl. oz.)	ACH	1.85
7871	Aminophylline	BPC	1.06		<u>TINCTURE</u>		
9968	"	ACH	0.81		MAXIMUM QUANTITY 25 ml.		
9971	Benzocaine and Adrenaline	APF'55	2.50		1 Repeat		
9972	" " "	AHF	2.51				
9976	Cocaine	BPC'54	1.24	9997	Chloroform Compound (1 fl. oz.)	BPC'49	0.71
9978	Ichthammol	BPC'49	0.66				
9981	Morphine	BPC	1.00		<u>UNNA'S PASTE</u>		
9983	Tannic Acid	BPC'54	0.78		MAXIMUM QUANTITY 200 G.		
					No Repeats		
				7893	Gelatin Zinc	BP	2.17

SECTION 3 - SCHEDULE OF BENEFITS - RESTRICTED BENEFITS - DECEMBER 1968

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2630	ACETYL CYSTEINE	5	3	\$	BD, MJ
	To be endorsed "S.P." Solution 20%, 10 ml.			10.55	
1007 1008 1009 1010	ACETYLSALICYLIC ACID	100	2		KL HY, KL, RY KL, NB DH, MG, RT(V), RY, VR BW, KL, NB, RC HA (ex 500) 1.07 (ex M.P.) BW, DH, HA, KL, MG, NB, RC, RT(V), RY, VR
	To be endorsed with the pension number.			0.70	
	Oral Tablet 150 mg.			0.54	
	300 mg.			0.97	
	Soluble 150 mg.			0.85	
1012	ACETYLSALICYLIC ACID with PARACETAMOL and CAFFEINE	100	2		RY RT(V) HY, KL, SI
	To be endorsed with the pension number. Oral Tablet 225 mg.-150 mg.-30 mg.			0.67 0.69 0.70	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ALDOSTERONE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health			\$	
2583	Injection 500 micrograms	5	..	7.23	CB
	ALLOPURINOL To be endorsed "S.P."				
2600	Oral Tablet 100 mg.	100	2	10.30	BW
	ALOXIPRIN To be endorsed with the pension number.				
2765	Oral Tablet 600 mg.	100	2	2.57	BS
	ALUMINIUM ACETYLSALICYLATE To be endorsed with the pension number.				
2504	Oral Tablet 400 mg.	100	2	1.95	NS
	AMITRIPTYLINE To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2417	Oral Tablet 10 mg.	100	2	2.37	MK, NS, RO
2418	25 mg.	100	2	4.30	MK, NS, RO
2672	Injection 25 mg. per ml., 2 ml.	10	..	2.47	RO

AMPHETAMINE SULPHATE					
To be endorsed with the pension number.					
1046	Oral Tablet 5 mg.	100	..	0.67	DH, FA, HY, KL, MG, QE(QNVS), RT(V), RY, TO
AMPHOTERICIN B					
To be endorsed "S.P."					
1047	Injection 50 mg. (solvent required)	1	..	4.23	SQ
AMPICILLIN					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2462	Oral Tablet 125 mg.	25	1	3.98	BR, CS
1048	Oral Capsule 250 mg.	25	1	6.70	BR, CS
2671	500 mg.	25	1	12.59	BR, CS
2644	Injection 100 mg. (solvent required)	5	..	*3.15	BR
2389	250 mg. (solvent required)	5	..	*5.10	BR
2390	500 mg. (solvent required)	5	..	*8.05	BR
2646	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	‡1	..	4.35	BR
ANEURINE HYDROCHLORIDE					
To be endorsed with the pension number.					
1069	Oral Tablet 50 mg.	100	2	0.99 1.10	PT, RY, SL(N) AD, DH, FA, HY, KL, MG, PR, RT(V), SI
1070	100 mg.	100	2	1.63 1.70	PT, RY, SL(N) DH, HY, KL, MG, PR, QE(QNVS), RT(V)

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ASCORBIC ACID			\$	
1077	To be endorsed with the pension number. Oral Tablet 25 mg.	100	2	0.57	AD, DH, FA, HY, KL, PR, RT(V), RY, SI
1078	50 mg.	100	2	0.73	AD, DH, FA, HY, KL, NY, PD, PR, RT(V), RY, SI, SL(N)
1081	500 mg.	100	..	2.50	HY, KL
	BETAMETHASONE				
1116	To be endorsed "S.P." Injection 4 mg. in 1 ml.	5	..	*6.95	GL, SH
2694	6 mg. in 1 ml. * * *	5	..	9.97	SH
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1117	Oral Tablet 0.5 mg.	30	..	2.43	GL, SH
	BUCLOSAMIDE with SALICYLIC ACID				
2751	To be endorsed "S.P." Ointment 10%-2%, 20 G.	‡1	..	1.15	AH
	BUCLOSAMIDE with SALICYLIC ACID and HYDROCORTISONE				
2752	To be endorsed "S.P." Ointment 10%-2%-0.5%, 5 G.	‡1	..	1.10	AH

BUSULPHAN					
To be endorsed "S.P."					
1127	Oral Tablet 0.5 mg.	100	2	2.57	BW
1128	2 mg.	100	2	4.03	BW
CALCIFEROL					
To be endorsed with the pension number OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
1134	Oral Tablet 1.25 mg. (50,000 Units)	100	2	2.41	GL
2500	Oral Solution 15 mg. (600,000 Units) in 1.5 ml. alcoholic solution	3	..	1.50	RL
CALCIUM AMINOSALICYLATE (Calcium PAS)					
To be endorsed "S.P."					
1139	Oral Tablet 500 mg.	500	2	4.57	KL, WA
1137	Cachet 1.5 G.	500	2	13.97	KL
1138	2 G.	500	2	20.63	KL
CARBAMAZEPINE					
To be endorsed "S.P."					
2419	Oral Tablet 200 mg.	200	1	12.17	GE
CHLORAMBUCIL					
To be endorsed "S.P."					
1163	Oral Tablet 2 mg.	100	2	*6.18	BW
1164	5 mg.	100	2	*9.90	BW

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CHLORAMPHENICOL			\$	
	To be endorsed "S.P."				
1176	Oral Tablet 250 mg.	16	..	1.63	PH
1173	Oral Capsule 125 mg.	16	..	1.13	CS, KL, PD, PT
1174	250 mg.	16	..	1.17	IP
				1.30	KL, PT
				1.36	CS, CW, EC, PD, PH
				(ex 100)	
				1.37	IP
				1.66	KL, PT
				1.70	CS, CW, EC, PD, PH
				(ex M.P.)	
2693	Oral Paediatric Suspension				
	125 mg. per 5 ml., 100 ml.	11	..	1.86	EC, PD
1166	Injection 250 mg. per ml., 2 ml.	5	..	3.06	PD
1167	1 G. (solvent required)	3	..	*4.23	CW
				*4.89	EC, PD
2385	Paediatric Injection 250 mg. (solvent required)	3	..	*3.03	PD
	CHLOROTRIANISENE				
	To be endorsed "S.P."				
1188	Oral Tablet 24 mg.	30	2	4.06	ML

CHLORPROMAZINE

To be endorsed with the pension number OR
tranquilliser certificate number and "S.P." OR
be endorsed "S.P." and be accompanied by an
authority from the Commonwealth Director
of Health.

1196	Oral Tablet 10 mg.	100	2	1.13	KL
				1.17	MB, PT
1197	25 mg.	100	2	1.54	KL
				1.61	MB, PT
				(ex 500)	
				1.57	KL
				1.63	MB, PT
				(ex M.P.)	
1198	50 mg.	100	2	2.83	KL
				2.97	MB, PT
1199	100 mg.	100	2	5.10	KL
				5.37	MB, PT
1193	Injection 1%, 5 ml.	10	..	1.90	MB
1194	2.5%, 1 ml.	10	..	1.23	MB
1195	2.5%, 2 ml.	10	..	1.63	MB
1200	Suppository 100 mg.	5	1	1.17	MB
1201	Syrup 25 mg. per 5 ml., 125 ml.	‡1	4	0.94	KL
				0.97	MB

CHLORTETRACYCLINE

To be endorsed "S.P."

1204	Oral Capsule 100 mg.	25	..	1.93	KL, LE
1205	250 mg.	16	..	2.46	KL, LE, LF

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID To be endorsed with the pension number.			\$	
1217	Oral Tablet 10 mg.-300 mg.	100	2	1.07	CA, HY, KL
				1.10	BW, EL
2758	10 mg.-500 mg.	100	2	1.37	FA
1218	Oral Tablet, Soluble 10 mg.-300 mg.	100	2	1.50	BW, CA, FM, KL, NB
1219	10 mg.-500 mg.	100	2	1.61	FA
				1.66	RC
	CODEINE PHOSPHATE with ACETYLSALICYLIC ACID and PARACETAMOL To be endorsed with the pension number.				
1215	Oral Tablet 8 mg.-250 mg.-250 mg.	100	2	0.95	HA
				0.96	RY
				0.98	RT(V)
				1.02	MG
				1.04	DH, HY
				1.09	SI
				1.17	BW, KL, PR, VR
				(ex 500)	
				0.97	HA, RY
				1.06	RT(V)
				1.09	MG
				1.10	HY, SI
				1.18	DH
				1.22	BW, KL, PR, VR
				(ex M.P.)	

1220	10 mg.-250 mg.-250 mg.	100	2	1.35 1.37 1.41	WL SI WW
1216	Soluble 8 mg.-250 mg.-250 mg.	100	2	1.38 1.47 1.54 (ex 500) 1.50 1.58 (ex M.P.)	HA, MG DH BW, KL HA, MG BW, DH, KL
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID, PARACETAMOL and CAFFEINE To be endorsed with the pension number.					
1221	Oral Tablet 12 mg.-250 mg.-150 mg.-15 mg.	100	2	1.77	GP
1222	30 mg.-225 mg.-150 mg.-30 mg.	50	..	1.47 1.53 1.54	WL GP BW
COD LIVER OIL For children and pensioners - to be endorsed "S.P." OR with the pension number.					
1225	†Emulsion 50%, 450 ml.	1	4	†0.57	DH, SL(N), WD(N)
1226	(with instructions for use)				DH, SL(N), WD(N)
COLISTIN To be endorsed "S.P."					
2621	Injection I.M. 150 mg. (solvent required)	5	..	*34.45	WW

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CORTICOTROPHIN (ACTH) To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Injection S.C. or I.M.			\$	
2357	10 Units (solvent required)	5	..	*3.10	AR
1230	Set containing 10 Units and diluent	5	..	4.46	CS
1231	Set containing 20 Units and diluent	5	..	8.07	CS
1232	25 Units (solvent required)	5	..	*5.65	AR
2538	40 Units (solvent required)	5	..	*8.30	AR
	Gelatin Injection B.P.				
1237	50 Units in 1 ml.	5	..	19.19	CS
1238	20 Units per ml., 5 ml.	5	..	*26.30	AR, CK
1239	40 Units per ml., 5 ml.	5	..	*40.05	AR
				*40.30	CK, SC
	Zinc Hydroxide Injection B.P.				
1240	20 Units per ml., 2 ml.	5	..	*10.95	OR
1242	40 Units per ml., 5 ml.	5	..	*40.30	OR
	CORTISONE ACETATE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health				
1246	Oral Tablet 5 mg.	50	..	1.97	PT
				2.37	MK

1247	25 mg.	40	..	6.97	DH, KL, PT
				8.63	BT, ET, GL, MK, PD, RL
1243	Injection 25 mg. per ml., 10 ml.	1	..	2.37	RL
	CYANOCOBALMIN (B12) To be endorsed "S.P."				
1258	Injection 100 micrograms in 1 ml.	5	1	1.07	PT
				1.10	DH
				1.11	KL
				1.23	BT, GL
1259	100 micrograms per ml., 10 ml.	1	..	1.30	PT
				1.37	DH, GL, KL, MJ, SU(N)
1262	1,000 micrograms in 1 ml.	5	..	2.43	KL
				*2.65	PT
				*3.10	GL
				3.30	DH
	DEMETHYLCHLORTETRACYCLINE (DMChlortetracycline) To be endorsed "S.P."				
1277	Oral Capsule 150 mg.	14	..	2.23	LE
				(ex 100)	
				2.46	LE
				(ex M.P.)	
1278	Oral Paediatric Drops 60 mg. per ml., 10 ml.	1	..	1.02	LE
1279	Paediatric Syrup 75 mg. per 5 ml., 100 ml.	1	..	2.07	LE

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DEMETHYLCHLORTETRACYCLINE with NYSTATIN To be endorsed "S.P."			\$	
2574	Oral Capsule 150 mg.-250,000 Units	14	..	2.46	LE
	DEOXYCORTONE To be endorsed "S.P."				
1287	Oral Tablet 1 mg.	40	..	3.50	CB
				3.53	OR
1288	5 mg.	20	..	6.70	CB
1280	Aqueous Injection 5 mg. in 1 ml.	5	..	4.50	CB
1281	10 mg. per ml., 5 ml.	1	..	*6.80	SC
				7.30	CB
1282	Aqueous Suspension Injection 25 mg.	1	..	4.17	CB
1283	Oily Injection 5 mg.	5	..	*3.98	SC
1284	10 mg.	5	..	6.14	CB
1285	10 mg. per ml., 10 ml.	1	..	11.43	CB
1286	Implant 100 mg.	1	..	8.97	OR
	DEXAMETHASONE To be endorsed "S.P."				
2509	Injection 4 mg. in 1 ml.	5	..	7.79	MK
1290	5 mg. in 1 ml.	5	..	*8.65	OR
1291	4 mg. per ml., 2 ml.	5	..	*13.65	MK

	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1292	Oral Tablet 0.5 mg.	30	..	4.77 5.23 *5.23	PT LT, MK, OR, SC, SH RL
	DEXAMPHETAMINE				
	To be endorsed with the pension number.				
1293	Oral Tablet 5 mg.	100	..	0.63	AD, DH, FA, HY, KL, MG, PR, RT(V), RY, SI, SL(N), TO
	DEXTROMORAMIDE				
	To be endorsed "S.P."				
2702	Oral Tablet 5 mg.	25	..	1.10	FA
2701	Injection 5 mg. in 1 ml.	10	..	*2.56	FA
	DIAZEPAM				
	To be endorsed "S.P."				
2555	Oral Tablet 2 mg.	100	2	3.06	RO
2556	5 mg.	100	2	4.79	RO
2557	10 mg.	100	2	7.30	RO
2559	Paediatric Syrup 2 mg. per 5 ml., 100 ml.	11	4	1.73	RO
2558	Injection 10 mg. in 2 ml.	5	..	2.22	RO

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DIENOESTROL To be endorsed with the pension number. OR "S.P."			\$	
1306	Oral Tablet 0.3 mg.	100	2	0.59	AD, DH, HA, HY, KL, MG, RT(V), SI, SL(N)
1307	1 mg.	100	2	0.67	AD, DH, HA, HY, KL, MG, RT(V), SI, SL(N)
1308	5 mg.	100	2	0.97	AD, DF, DH, HA, HY, KL, MG, RT(V), SI, SL(N)
1309	10 mg.	100	2	1.57	DH, HA, HY, KL
1310	To be endorsed with the pension number. Cream 0.01%, 3 oz.	1	1	1.06	ET
	DIHYDROTACHYSTEROL To be endorsed "S.P."				
1483	Oral Capsule 0.125 mg.	100	1	10.37	WL
1482	Oral Solution 0.25 mg. per ml., 15 ml.	1	..	3.69	WL
	DILOXANIDE FUROATE To be endorsed "S.P."				
1333	Oral Tablet 500 mg.	30	..	*4.30	BT

DIMETHICONE					
To be endorsed "S.P."					
2233	Cream 10%, 50 G.	1	..	1.03	IC
				1.06	HA
2618	10%, 75 G.	1	..	0.89	PD
2234	10%, 120 G.	1	..	0.97	FA
2232	20%, 20 G.	1	..	1.06	SS
DIOCTYL SODIUM SULPHOSUCCINATE					
with DANTHRON					
To be endorsed with the pension number.					
2710	Oral Tablet 50 mg.-50 mg.	100	2	1.14	FM
DISODIUM STILBOESTROL DIPHOSPHATE					
(Sod. Stilboestrol)					
To be endorsed "S.P."					
1353	Oral Tablet 100 mg.	100	2	18.17	MJ
1352	Injection 50 mg. per ml., 5 ml.	10	..	8.74	MJ
DOXYCYCLINE					
To be endorsed "S.P."					
2708	Oral Capsule 100 mg.	5	..	3.34	PF
2709	Oral Paediatric Suspension				
	10 mg. per ml., 40 ml.	‡1	..	2.46	PF

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ERYTHROMYCIN			\$	
	To be endorsed "S.P."				
1399	Oral Tablet 100 mg.	25	..	2.75	UP
1400	125 mg.	25	..	2.75	AB, DL, LY
2749	200 mg.	25	..	3.37	AB
1401	250 mg.	16	..	3.47	AB, DL, LY, UP
				(ex 100)	
				3.83	AB, DL, LY, UP
				(ex M.P.)	
1402	Oral Capsule 125 mg.	25	..	2.75	AB, DL, LY
1403	250 mg.	16	..	3.47	AB, DL, FA, LY
				(ex 100)	
				3.83	AB, DL, FA, LY
				(ex M.P.)	
2499	Oral Paediatric Drops 100 mg. per ml., 10 ml.	‡1	..	1.43	LY
	Oral Paediatric Suspension				
1392	100 mg. per 5 ml., 100 ml.	‡1	..	3.14	AB
2425	125 mg. per 5 ml., 100 ml.	‡1	..	3.14	AB, DL, FA, LY
2750	200 mg. per 5 ml., 100 ml.	‡1	..	3.71	AB
2610	250 mg. per 5 ml., 100 ml.	‡1	..	5.43	DL, LY
1395	Injection I.M. 50 mg. per ml., 2 ml.	5	..	5.91	AB
1397	I.V. 1 G. in 50 ml. (solvent required)	1	..	6.70	LY
1398	300 mg. in 10 ml.	5	..	*12.15	AB

ETHINYLOESTRADIOL					
To be endorsed with the pension number OR "S.P."					
1405	Oral Tablet 0.01 mg.	50	..	0.70 0.75 *0.76	HY, KL, VR HA BD, OR
1406	0.02 mg.	50	..	*0.82 0.89 0.94 *1.01	BD, OR HA, HY, KL VR SC
1407	0.05 mg.	50	..	*0.90 1.10	BD, OR HA, HY, KL, SH, VR
1408	1 mg.	50	..	4.30 *4.43 *4.44	HA, HY, KL OR BD
ETHIONAMIDE					
To be endorsed "S.P."					
2308	Oral Tablet 125 mg. (sugar coated)	500	1	35.23	MB
ETHISTERONE					
To be endorsed "S.P."					
1409	Oral Tablet 5 mg.	50	..	2.83 3.10 *3.24	KL, PT, RT(V) SC BD, VR
1410	10 mg.	50	..	5.10 *5.64	KL, PT, RT(V) BD, SC, VR
1411	25 mg.	50	..	9.90 10.83 *10.96	KL, PT, RT(V) SC BD, VR

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ETHYLOESTRENOL To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
2370	Oral Tablet 2 mg.	100	..	8.17	OR
	FLUDROCORTISONE ACETATE To be endorsed "S.P."				
1433	Oral Tablet 0.1 mg.	100	..	4.41	SQ
1434	1 mg.	30	..	10.54	SQ
	FLUOROURACIL To be endorsed "S.P."				
2521	Injection 50 mg. per ml., 5 ml.	10	..	10.02	RO
	FLUOXYMESTERONE To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1435	Oral Tablet 5 mg.	100	..	20.10	UP

FLUPHENAZINE					
To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2659	Oral Tablet 1 mg.	100	2	3.59	SQ
2660	2.5 mg.	100	2	5.30	SQ
2661	5 mg.	100	2	6.23	SQ
2662	Elixir 0.5 mg. per ml., 60 ml.	‡1	4	1.82	SQ
2664	Injection 2.5 mg. per ml., 10 ml.	1	..	2.34	SQ
FLUPHENAZINE ENANTHATE					
To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied be an authority from the Commonwealth Director of Health.					
2663	Injection 25 mg. in 1 ml.	5	..	9.21	SQ
FOLIC ACID					
To be endorsed "S.P."					
1437	Oral Tablet 5 mg.	100	2	1.30	AD, ET, HY, KL, MG, PD, PR, PT, RT(V), RY, SI, TO
1436	Injection 15 mg. in 1 ml.	10	..	2.63 *3.16	FH ET

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2391	FRAMYCETIN To be endorsed "S.P." Oral Tablet 250 mg.	20	..	\$ 6.70	RL
2312	FUSIDIC ACID To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Oral Tablet (enteric coated) 250 mg.	36	..	46.70	ET
2311	Oral Suspension 40 mg. per ml., 90 ml.	‡1	..	18.79	ET
2446	GOATS MILK To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Dehydrated Powder 1/2 lb.	2	12	*3.20	GV
2655	14 oz.	1	12	3.52	JM
2654	1 lb.	1	12	4.00	CI
2656	Whole (sterilised) 13 fl. oz.	10	12	*3.70	TM
1460	GRISEOFULVIN To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Oral Tablet 125 mg.	100	..	8.30	GL, IC

HALIBUT LIVER OIL					
To be endorsed with the pension number.					
1463	Oral Capsule 4,500 Units Vitamin A	100	1	1.90	KL, MG, SL(N)
1464	5,000 Units Vitamin A	100	1	*1.80	CK
HALOPERIDOL					
To be endorsed with the pension number OR					
tranquilliser certificate number and "S.P."					
OR be endorsed "S.P." and be accompanied					
by an authority from the Commonwealth					
Director of Health.					
2767	Oral Tablet 1.5 mg.	100	2	5.30	SR
2768	Injection 5 mg. in 1 ml.	10	..	8.97	SR
HYDROCORTISONE					
To be endorsed "S.P." and be accompanied by an					
authority from the Commonwealth Director of					
Health.					
1486	Injection I.V. (or Rectal Drip)				
	5 mg. per ml., 20 ml.	1	..	3.30	PT
	* * *				
To be endorsed "S.P."					
2793	Ear Drops 1%, 10 ml.	1	..	1.63	KL
HYDROCORTISONE with NEOMYCIN SULPHATE					
To be endorsed "S.P."					
2794	Ear Drops 1.5%-0.5%, 5 ml.	1	..	1.63	UP
2795	Ear Ointment 1.5%-0.5%, 4 G.	1	..	1.63	UP

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1498	HYDROCORTISONE ACETATE To be endorsed "S.P." Injection 25 mg. in 1 ml.	5	..	\$	
				3.74	PT
				4.74	BT, MK, RL
				4.75	AB
2679	HYDROCORTISONE SODIUM SUCCINATE To be endorsed "S.P." Injection set containing equivalent of 78.3 mg. hydrocortisone and solvent	2	..	*7.90	RL
1501	Injection set containing equivalent of 100 mg. hydrocortisone and solvent	2	..	*10.22	RM
				*12.24	NR
				*15.24	BT, GL, UP
1510	HYDROXOCOBALAMIN To be endorsed "S.P." Injection 100 micrograms in 1 ml.	5	1	1.21	KL
				1.23	GL
1511	1,000 micrograms in 1 ml.	5	..	*3.10	GL, KL
1513	HYDROXYPROGESTERONE To be endorsed "S.P." Injection 250 mg.	3	..	9.50	SC
				*9.51	RM

IDOXURIDINE					
To be endorsed "S.P."					
2442	Eye Drops 0.1%, 15 ml.	‡1	2	3.50	AG, SK
2569	Eye Ointment 0.5%, 5 G.	‡1	..	3.50	SK
IMIPRAMINE					
To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2420	Oral Tablet 10 mg.	100	2	1.97 2.17 2.43	IP, KL PT GE
2421	25 mg.	100	2	3.82 4.01 4.63 5.10	UW(NWS) IP, KL PT GE
2719	Injection I.M. 25 mg. in 2 ml.	10	..	3.83	GE
INDOMETHACIN					
To be endorsed "S.P."					
2454	Oral Capsule 25 mg.	50	2	2.99 (ex 250) 3.37 (ex M.P.)	MK MK
2757	Suppository 100 mg.	5	..	1.43	MK

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ISONIAZID			\$.	
1553	To be endorsed "S.P." Oral Tablet 50 mg.	200	2	*1.10 1.10 1.30 1.37 *1.76	AD, SI DH, HY, KL, RY ET HA RO
1554	100 mg.	100	2	1.30 1.63	AD, DH, ET, HY, KL, RY, SI RO
	ISOPRENALINE HYDROCHLORIDE				
2744	To be endorsed "S.P." Oral Tablet 30 mg. (sustained release)	100	2	5.31	PN
	KANAMYCIN				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2388	Oral Capsule 250 mg.	16	..	5.10	BC
2387	Oral Solution 100 mg. per ml., 30 ml.	1	..	3.90	BC
1562	Injection 250 mg. in 2 ml.	5	..	*5.30	SI
1563	500 mg. in 2 ml.	5	..	*7.65	BC
1564	1 G. in 3 ml.	5	..	*12.30	BC, SI
	LEVORPHANOL				
	To be endorsed "S.P."				
1569	Oral Tablet 1.5 mg.	50	..	*2.06	RO
1568	Injection 2 mg. per ml., 1.1 ml.	5	..	1.03	RO

LINCOMYCIN					
To be endorsed "S.P."					
2738	Oral Capsule 250 mg.	24	..	6.11	UP
2529	500 mg.	12	..	6.11	UP
2530	Injection 600 mg. in 2 ml.	5	..	*9.90	UP
2582	Paediatric Syrup 250 mg. per 5 ml., 60 ml.	‡1	..	4.74	UP
LIOTHYRONINE					
To be endorsed "S.P."					
2318	Oral Tablet 20 micrograms	50	..	1.26	GL
LYPRESSIN					
To be endorsed "S.P."					
2401	Nasal Spray 50 Units per ml., 5 ml.	4	2	*7.78	SZ
MEDROXYPROGESTERONE					
To be endorsed "S.P."					
2320	Oral Tablet 2.5 mg.	25	..	3.63	UP
2321	10 mg.	25	..	9.63	UP
2725	100 mg.	100	..	80.30	UP
2319	Injection 50 mg. in 1 ml.	1	..	4.17	UP
2539	50 mg. per ml., 5 ml.	1	..	14.97	UP
MELPHALAN					
To be endorsed "S.P."					
2547	Oral Tablet 2 mg.	100	2	*9.90	BW
2548	5 mg.	100	2	*17.90	BW

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1598	MERCAPTOPURINE To be endorsed "S.P." Oral Tablet 50 mg.	50	1	\$ 14.30	BW
1603	MESTANOLONE To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Oral Tablet 25 mg.	100	..	16.30	RL
2396	METHACYCLINE To be endorsed "S.P." Oral Capsule 75 mg.	14	..	1.90	GP
2397	150 mg.	14	..	3.02 (ex 100) 3.34 (ex M.P.)	GP GP
2498	Oral Paediatric Suspension 75 mg. per 5 ml., 100 ml.	1	..	2.46	GP
2611	Oral Tablet 75 mg.	14	..	1.90	GP
1610	METHANDIENONE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Oral Tablet 5 mg.	100	..	8.17	CB

METHENOLONE ACETATE					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
1619	Oral Tablet 1 mg.	100	..	*2.44	SC
1620	5 mg.	100	..	*7.64	SC
METHICILLIN					
To be endorsed "S.P."					
2323	Injection 1 G. (solvent required)	5	1	*16.15	BR, CS
METHOTREXTE					
To be endorsed "S.P."					
1622	Oral Tablet 2.5 mg.	100	..	14.30	LE
METHYLAMPHETAMINE					
To be endorsed with the pension number.					
1627	Oral Tablet 5 mg.	100	..	0.99	PT, QE(QNVS)
				1.23	KL
				1.50	AB, BW, PH, VR
1626	Injection 20 mg. per ml., 1.5 ml.	5	..	1.21	BW
MILK POWDER - SYNTHETIC					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
1637	Low Lactose Compound Powder 14 oz.	1	12	2.20	TF
2685	Fructose Formula, Reduced Fat, Low Lactose Compound Powder 16 oz.	1	12	8.69	TF

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1667	MORPHINE with TACRINE To be endorsed "S.P." Oral Tablet 30 mg.-15 mg.	50	1	\$ 10.30	WH
1668	MUSTINE To be endorsed "S.P." Injection 10 mg. (solvent required)	1	..	1.97	BT
2451	NALIDIXIC ACID To be endorsed "S.P." Oral Tablet 500 mg.	56	..	7.23	WL
2645	Oral Paediatric Suspension 50 mg. per ml., 200 ml.	‡1	..	2.90	WL
1671	NANDROLONE DECANOATE To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Injection 50 mg. in 1 ml.	1	..	6.23	OR
1672	NANDROLONE PHENYLPROPIONATE To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Injection 25 mg. in 1 ml.	3	..	6.03	OR

2807	NATAMYCIN To be endorsed "S.P." Oral Tablet 100 mg.	50	..	6.77	BP
2325	NEOMYCIN To be endorsed "S.P." Oral Tablet 500 mg.	25	..	11.50 12.30	KL, PT ET, LF
2697	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Powder 500 mg.	40	1	*51.10	ET
2658	NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORTI- SONE ACETATE To be endorsed "S.P." Ear Drops 0.1%-0.005%-0.05%-1%-0.02%, 15 ml.	‡1	..	1.38	WW
2296	NEOMYCIN UNDECENOATE with BACITRACIN To be endorsed "S.P." Ear Ointment 12 mg.(3.5 mg. base) - 400 Units per G., 10 G.	‡1	..	1.37	HA

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	NICOTINIC ACID				
	To be endorsed with the pension number.				
1684	Oral Tablet 25 mg.	100	2	0.50	HY, KL
1685	50 mg.	100	2	0.63	AD, DH, HY, KL, MG, RT(V), SI
1686	100 mg.	100	2	0.70	DH, HY, KL, RT(V)
1687	250 mg.	100	2	0.97	AD, HY, KL, RT(V), SI
	NITRAZEPAM				
	To be endorsed "S.P."				
2723	Oral Tablet 5 mg.	200	1	6.70	RO
	NITROFURANTOIN				
	To be endorsed "S.P."				
1689	Oral Tablet 50 mg.	25	1	2.36	IP
				3.11	SK
				(ex 100)	
				2.43	IP
				3.34	SK
				(ex M.P.)	
1690	100 mg.	25	1	4.05	IP
				5.35	SK
				(ex 100)	
				4.57	IP
				5.79	SK
				(ex M.P.)	
1691	Oral Paediatric Suspension				
	25 mg. per 5 ml., 200 ml.	‡1	..	2.74	SK

NITROMIN					
To be endorsed "S.P."					
1693	Oral Tablet 5 mg.	100	2	11.63	SI
1692	Injection 50 mg. (solvent required)	5	1	8.63	SI
NORTRIPTYLINE					
To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2522	Oral Tablet 10 mg.	100	2	2.30	DL
2523	25 mg.	100	2	4.03	DL
2525	Oral Capsule 10 mg.	100	2	2.30	LY
2526	25 mg.	100	2	4.03	LY
2524	Paediatric Elixir 10 mg. per 5 ml., 100 ml.	‡1	4	1.30	DL, LY
NUTRAMIGEN					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2564	Powder 1 lb.	1	12	2.33	MJ
NYSTATIN					
To be endorsed "S.P."					
1696	Oral Tablet 500,000 Units	50	..	6.77	GP, SQ

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	OXYCODONE			\$	
	To be endorsed "S.P."				
2609	Injection 10 mg. in 1 ml.	5	..	1.77	CK
2481	Suppository 30 mg.	12	..	3.50	CK
	OXYMESTERONE				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1711	Oral Tablet 5 mg.	100	..	*7.76	MB
	OXYMETHOLONE				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2769	Oral Tablet 5 mg.	100	..	7.77	PD
	OXYTETRACYCLINE				
	To be endorsed "S.P."				
1715	Oral Tablet 100 mg.	25	..	1.93	PF
1716	250 mg.	16	..	2.46	PF

1723	Oral Capsule 100 mg.	25	..	1.93	PF
1724	250 mg.	16	..	2.11	IP
				2.19	PT, SP(NWS)
				2.24	HY, KL, PF, SU(N)
				(ex 100)	
				2.30	IP
				2.41	PT, SP(NWS)
				2.46	HY, KL, PF, SU(N)
				(ex M.P.)	
1717	Oral Paediatric Suspension				
	125 mg. per 5 ml., 100 ml.	‡1	..	1.81	PT, SP(NWS)
				1.86	KL, PF
1719	Injection I.M. 100 mg.	5	..	3.90	TS
				*4.05	PF
1720	I.M. 250 mg.	5	..	*7.10	PF
1721	I.V. 250 mg.	5	..	*7.10	PF
	OXYTETRACYCLINE (BUFFERED) with NYSTATIN				
	To be endorsed "S.P."				
2615	Oral Tablet 100 mg. - 125,000 Units	25	..	1.93	PF
2512	Oral Capsule 250 mg. - 250,000 Units	16	..	2.46	KL, PF
	PANCREATIN CONCENTRATE				
	To be endorsed "S.P."				
1734	Oral Tablet 300 mg. (3 times B.P. strength)	200	2	*3.98	PD
1732	Oral Powder 1 oz. (twice B.P. strength)	8	2	*9.90	PD
1733	500 G. (5 times B.P. strength)	1	..	28.97	ST

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PANCREATIN ENZYME (4 times USNF. X11 strength) To be endorsed "S.P."			\$	
1735	Oral Tablet 300 mg.	500	1	27.24	ET
1736	Oral Powder 8 oz.	‡1	2	23.37	ET
	PANCRELIPASE To be endorsed "S.P."				
2497	Oral Capsule 300 mg.	250	1	19.30	OR
	PARA-AMINOSALICYLIC ACID To be endorsed "S.P."				
1744	Oral Tablet 500 mg.	500	2	4.73	DH, ET, KL
	PARACETAMOL To be endorsed with the pension number.				
1745	Oral Tablet 300 mg.	50	1	0.83	WL
1746	500 mg.	50	1	0.81	KL, PR, PT, RT(V), SL(N)
				0.89	CA, FM, RY, VR, WL
				(ex 250)	
				0.90	KL, PR, PT, RT(V), SL(N)
				0.94	CA, FM, RY, VR, WL
				(ex M.P.)	
1747	Oral Suspension 120 mg. per 5 ml., 100 ml.	‡1	4	0.94	CA, KL, WL

1835	PARACETAMOL with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE		100	2	1.51	PT
	To be endorsed with the pension number.				1.62	DH
	Oral Tablet 300 mg.-15 mg.-30 mg.				1.63	KL
					1.71	MG
					2.00	FM, WL
					2.04	HY
					2.11	AB
					(ex 500)	
					1.63	PT
					1.77	DH, KL
					2.19	FM, MG, WL
					2.23	HY
					2.33	AB
					(ex M.P.)	
	PARAFFIN LIQUID					
To be endorsed with the pension number.						
7486	Emulsion P.L.	400 ml.	4	2.07	Extemp. (plus container)	
1750	†Emulsion 450 ml.	1	4	†0.72	WY	
1751	(with instructions for use)				WY	
1752	†Emulsion with Phenolphthalein 450 ml.	1	4	†0.65	MG, SI, SL(N), WD(N)	
				†0.72	DH, FA, PR, WW, WY	
1753	(with instructions for use)				MG, SI, SL(N), WD(N)	
					DH, FA, PR, WW, WY	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PARAMETHASONE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
1757	Oral Tablet 1 mg.	30	..	3.30	IC
1758	Oral Tablet 2 mg.	30	..	4.30	IC, LY
	PENICILLAMINE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1761	Oral Capsule 150 mg.	100	3	80.30	DL
2722	Oral Capsule 250 mg.	100	3	*42.30	MK
	PENCILLIN, BENZATHINE To be endorsed "S.P."				
1765	Oral Capsule 150 mg. (200,000 Units)	100	1	4.81	CS
1766	Oral Tablet 150 mg. (200,000 Units)	100	1	4.51	CS, WY
				(ex 500)	
				4.81	CS, WY
				(ex M.P.)	

PENICILLIN, BENZYL (Penicillin G.) To be endorsed "S.P."					
1768	Oral Tablet 125 mg. (200,000 Units)	100	1	3.70	AB, GL
1769	250 mg. (400,000 Units)	100	1	6.57	AB, GL
1770	Oral Capsule 125 mg. (200,000 Units)	100	1	3.70	GL
1771	250 mg. (400,000 Units)	100	1	6.57	AB, EV, GL
Injection					
2647	3 G. (5,000,000 Units) (solvent required)	10	..	*13.90	CS, EV, GL, SI
2648	6 G. (10,000,000 Units) (solvent required)	10	..	*23.50	CS, EV, GL, SI
PENICILLIN with STREPTOMYCIN To be endorsed "S.P."					
Injection Benzyl Penicillin 300 mg. (500,000 Units); Streptomycin Sulphate 500 mg.					
1805	1 vial (solvent required)	5	..	*2.50	GL
1806	Set containing 1 vial and 2 ml. water for injection.	5	..	*2.85	GL
Injection Benzyl Penicillin 60 mg. (100,000 Units); Procaine Penicillin 300 mg. (300,000 Units); Streptomycin Sulphate 500 mg.					
1807	1 Vial (solvent required)	5	..	*2.50	GL, SI
1808	Set containing 1 vial and 2 ml. water for injection	5	..	*2.85	GL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENTOBARBITONE SODIUM with ACETYLSALICYLIC ACID and CODEINE PHOSPHATE To be endorsed with the pension number.			\$	
2714	Oral Tablet 30 mg. - 300 mg. - 15 mg.	100	2	1.63	KL
	PETHIDINE with LEVALLORPHAN To be endorsed "S.P."				
1832	Injection 50 mg. - 0.625 mg. in 1 ml.	5	..	0.94	RO
1833	50 mg. -0.625 mg. per ml., 2 ml.	5	..	1.21	RO
	PHENYLALANINE LOW CONTENT FORMULA To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1864	Granules 1 kg.	1	..	21.33	GL
1865	Powder 2.5 lb.	1	..	10.67	MJ
1866	3 lb.	1	..	19.93	TF

PHENYLBUTAZONE					
To be endorsed "S.P."					
1867	Oral Tablet 100 mg.	50	2	0.88	PT
				0.94	MG
				1.00	HY
				1.08	FM, KL, LF
				1.11	PR
				1.14	SU(N)
				1.35	GE
				1.40	VR
				(ex 250)	
				0.97	MG, PT
				1.07	HY
				1.17	FM, KL, LF, PR
				1.23	SU(N)
				1.42	GE
				1.47	VR
				(ex M.P.)	
2435	Oral Capsule 100 mg.	50	2	1.07	HY
				1.21	KL
2754	Injection 600 mg. in 3 ml.	5	..	1.90	GE
2755	Suppository 250 mg.	5	..	1.26	GE
PHYTOMENADIONE					
To be endorsed "S.P."					
1881	Injection 1 mg.	3	..	0.99	RO
1882	10 mg.	3	..	2.03	RO
	Colloidal Solution for Injection				
2383	10 mg. in 1 ml.	3	..	*3.51	MK
2384	10 mg. per ml., 5 ml.	3	..	*15.30	MK

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PITUITARY, POSTERIOR LOBE To be endorsed "S.P."			\$	
1899	Insufflation 30 Antidiuretic Unit Capsule	100	2	8.57	ST
1900	500 Antidiuretic Units per G., 2 G. Phial	3	2	*6.99	BP
	POLYMYXIN B SULPHATE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2392	Vial of Powder 500,000 Units	20	..	*58.90	BW
	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE To be endorsed "S.P."				
2790	Ear Drops 10,000 Units - 3.5 mg. (base) - 10 mg. per ml., 7 ml.	‡1	..	1.63	BW
	POLYOESTRADIOL To be endorsed "S.P."				
2584	Injection set containing 40 mg. and 2 ml. solvent	1	..	5.30	AY

	PREDNISOLONE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1917	Oral Tablet 5 mg.	30	..	1.43 1.70 1.90	IP, MG, PT, RY KL, LF, RT(V) BT, HY, PD PF, UP
	PREDNISOLONE ACETATE To be endorsed "S.P."				
1919	Injection 10 mg. in 1 ml.	5	..	*5.05	SC
	PREDNISOLONE METHYL To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1925	Oral Tablet 4 mg.	30	..	8.57	UP
1926	Oral Capsule 4 mg.	30	..	8.57	UP
	PREDNISOLONE METHYL ACETATE To be endorsed "S.P."				
1928	Injection 40 mg. in 1 ml.	5	..	16.43	UP
	PREDNISOLONE SODIUM PHOSPHATE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1920	Retention Enema 20 mg. in 100 ml.	7	..	14.77	GL
2554	Suppository equivalent to 5 mg. prednisolone	6	..	3.26	GL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2792	PREDNISOLONE SODIUM PHOSPHATE with NEOMYCIN To be endorsed "S.P." Ear Drops 5 mg.-3.5 mg. (base) per ml., 5 ml.	1	..	\$ 1.63	GL
2439	PREDNISOLONE SODIUM SUCCINATE To be endorsed "S.P." Injection set containing 25 mg. and 1 ml. diluent	2	..	*13.64	MQ
2471	PREDNISOLONE TERTIARY BUTYL ACETATE (Prednisolone TBA) To be endorsed "S.P." Injection 20 mg. in 1 ml.	5	..	4.83	MK
1934	PREDNISON To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Oral Tablet 1 mg.	50	..	0.77	PT
1935	5 mg.	30	..	1.43	IP, PR, RY
				1.70	HY, KL, LF, PT
				1.77	SU(N)
				1.90	PD, RL

PROCARBAZINE					
To be endorsed "S.P."					
2635	Oral Capsule 50 mg.	100	..	6.97	RO
PROGESTERONE					
To be endorsed "S.P."					
1945	Injection I.M. 25 mg.	3	..	2.70	DF, SC
PROTRIPTYLINE					
To be endorsed with the pension number OR					
tranquilliser certificate number and "S.P."					
OR be endorsed "S.P." and be accompanied					
by an authority from the Commonwealth					
Director of Health.					
2747	Oral Tablet 5 mg.	100	2	3.63	MK
2748	10 mg.	100	2	5.10	MK
PYRIDOSTIGMINE					
To be endorsed "S.P."					
2724	Oral Tablet 10 mg.	100	2	1.78	RO
1959	60 mg.	100	2	*8.54	RO
2608	180 mg.	100	..	15.42	RO
1960	Injection 1 mg. in 1 ml.	5	1	*1.15	RO
PYRIDOXINE HYDROCHLORIDE					
To be endorsed "S.P."					
1965	Oral Tablet 25 mg.	25	..	1.21	DH, HY, KL, RY
				*1.37	ET

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1966	PYRIMETHAMINE To be endorsed "S.P." Oral Tablet 25 mg.	100	..	\$ *3.24	BW
1972	QUININE BISULPHATE To be endorsed with the pension number OR "S.P." Oral Tablet 300 mg.	100	2	4.30	BW, DH, FA, HY, KL
1973	QUININE DIHYDROCHLORIDE To be endorsed with the pension number OR "S.P." Oral Tablet 300 mg.	100	2	4.30	DH
1974	QUININE HYDROCHLORIDE To be endorsed with the pension number OR "S.P." Oral Tablet 300 mg.	100	2	4.30	DH
1975	QUININE SULPHATE To be endorsed with the pension number OR "S.P." Oral Tablet 300 mg.	100	2	4.10 4.30	PT, QE (QNVS) AD, DH, HY, KL, PR, SI, TO
1985	RIBOFLAVINE To be endorsed with the pension number. Oral Tablet 5 mg.	100	2	0.70	DH, FM, KL, PR, RT(V)

ROLITETRACYCLINE					
To be endorsed "S.P."					
1986	Injection I.V. 110 mg.	5	..	*6.90	AH
1987	I.V. 275 mg.	5	..	11.90	AH
1988	I.V. 350 mg.	5	..	*11.90	BC
1989	I.M. 150 mg.	5	..	*6.85	BC
				*6.90	AH
1990	I.M. 350 mg.	5	..	*11.90	BC
				11.90	AH
SENNA FRUIT EXTRACT (STANDARDISED)					
To be endorsed with the pension number.					
1999	Oral Tablet 7 mg.	100	2	1.23	RC
SODIUM AMINOSALICYLATE					
(Sodium PAS)					
To be endorsed "S.P."					
2005	Injection 20%, 10 ml.	5	..	1.93	KL
2006	Oral Cachet 1.5 G.	500	2	12.90	EV
				12.97	KL, WA
2007	2 G.	500	2	18.97	KL
2008	Oral Tablet 300 mg.	500	2	3.77	KL
2009	500 mg.	500	2	3.90	DH, ET, KL, RY
				4.30	EV
2010	Oral Granules 50%, 350 G.	1	1	4.63	RL
2011	50%, 400 G.	1	1	4.63	HY
2012	96.4%, 500 G.	1	1	10.81	EV

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2622	SODIUM AMINOSALICYLATE with ISONIAZID To be endorsed "S.P." Granules 6 G.-150 mg. per sachet	60	2	\$ 12.30	SN
2033	SODIUM FOLATE To be endorsed "S.P." Injection 15 mg. per ml., 10 ml.	1	..	2.57	LE
2039	SOYA FORMULA To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Liquid 13 fl. oz.	3	12	*1.89	MJ
2041	Powder 1 lb.	1	12	1.77	MJ, WA
2043	SPIRAMYCIN To be endorsed "S.P." Oral Tablet 250 mg.	20	..	3.83	MB
2042	Oral Capsule 250 mg.	20	..	3.83	MB
2339	SPIRONOLACTONE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Oral Tablet 25 mg.	100	..	15.83	SR

STANOLONE					
To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2044	Oral Tablet 25 mg.	100	..	10.97	DF, MN
STANOZOLOL					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2478	Oral Tablet 2 mg.	100	..	*6.70	WL
STILBOESTROL					
To be endorsed with the pension number OR "S.P."					
2049	Oral Tablet 0.1 mg.	100	2	0.51	HY, KL
2050	0.5 mg.	100	2	0.53	AD, DH, HA, HY, KL RT(V), SI
2051	1 mg.	100	2	0.54	AD, DH, HY, KL, RT(V) SI, SL(N)
				0.57	HA
2052	5 mg.	100	2	0.81	AD, DH, FA, HA, HY, KL MG, RT(V), SI, SL(N)
2053	10 mg.	100	2	1.23	DH, KL, RT(V)
2048	Injection 5 mg.	5	..	1.07	KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	STREPTOMYCIN SULPHATE			\$	
	To be endorsed "S.P."				
2054	Injection 1 G. (solvent required)	5	3	*1.95	DH, EV, GL, SI
2056	250,000 Units per ml., 4 ml.	5	3	*2.15	DL, GL
2057	500,000 Units per ml., 2 ml.	5	3	*2.15	BT, EV, GL
2058	1,000,000 Units in 3 ml.	5	3	*2.15	EV, GL
	SULPHASALAZINE				
	To be endorsed "S.P."				
2093	Oral Tablet 500 mg.	100	2	4.46	MR
	SULTHIAME				
	To be endorsed "S.P."				
2099	Oral Tablet 50 mg.	200	1	4.57	FB
2100	200 mg.	200	1	10.63	FB
	SURGICAL CEMENT				
	To be endorsed "S.P."				
2238	†Skin Bond Adhesive 4 fl. oz.	1	2	†2.25	DY
2239	(with instructions for use)				DY
2469	†Solvent 240 ml.	1	2	†1.65	LF
2470	(with instructions for use)				LF
	SUSTANON				
	To be endorsed "S.P."				
2670	Injection 100 mg.	1	..	2.57	OR
2101	250 mg.	1	..	5.77	OR

TESTOSTERONE						
To be endorsed "S.P."						
2109	Implant 100 mg.	1	..	4.97	OR	
2111	200 mg.	1	..	8.57	OR	
TESTOSTERONE METHYL						
To be endorsed "S.P."						
2112	Oral Tablet 25 mg.	100	2	4.74	KL, PR, PT	
				5.10	HY	
				6.30	ET	
2113	50 mg.	100	2	8.43	KL, PR, PT	
				8.97	HY	
				11.23	ET	
2404	Sublingual Tablet 25 mg.	100	..	10.94	CB	
TESTOSTERONE OENANTHATE						
(Testosterone Oen.)						
To be endorsed "S.P."						
2599	Injection 100 mg. in 1 ml.	1	..	2.57	SC	
2114	250 mg. in 1 ml.	1	..	5.77	SC	
TESTOSTERONE PROPIONATE						
(Testosterone Prop.)						
To be endorsed "S.P."						
2115	Injection 25 mg. in 1 ml.	10	..	3.90	KL	
				*4.30	BD	
				*4.33	SC	

(continued)

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2116	TESTOSTERONE PROPIONATE - cont. Injection 50 mg. in 1 ml.	10	..	\$ 7.50	KL
2117	50 mg. per ml., 10 ml.	1	..	*8.04	BD, SC
2118	100 mg. in 2 ml.	3	..	7.39	KL, SC
				*5.86	BD
	TETANUS ANTITOXIN (BOVINE) To be endorsed "S.P."				
2629	Injection set containing 1,500 Units and 15 Units diluted 1 in 50	5	1	*10.30	CS
	TETANUS IMMUNE GLOBULIN (HUMAN) To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2495	Injection 250 Units	1	..	8.97	CI
	TETRACYCLINE To be endorsed "S.P."				
2137	Oral Tablet 250 mg.	16	..	2.46	GP
2133	Oral Capsule 100 mg.	25	..	1.93	GP, LE
2134	250 mg.	16	..	2.24	CS, GP, LE, UP
				(ex 100)	
				2.46	CS, GP, LE, UP
				(ex M.P.)	
2138	Oral Paediatric Granules 75 G.	‡1	..	1.63	LE
2139	Oral Paediatric Drops 100 mg. per ml., 10 ml.	‡1	..	0.91	LE, UP

2437	Paediatric Syrup 125 mg. per 5 ml., 100 ml.	‡1	..	1.86	LE
2129	Injection I.V. 100 mg. (solvent required)	5	..	*4.05	LE
2130	I.V. 250 mg. (solvent required)	5	..	*7.10	LE
2131	I.M. 100 mg. (solvent required)	5	..	*4.05	GP, LE
2403	I.M. 250 mg. (solvent required)	5	..	*7.10	LE
TETRACYCLINE (BUFFERED)					
To be endorsed "S.P."					
2144	Oral Capsule 100 mg.	25	..	1.93	AH, BC, CS, LE, SQ, UP
2145	250 mg.	16	..	2.24	AH, BC, BT, CS, GP, LE,
				(ex 100)	SQ, UP
				2.46	AH, BC, BT, CS, GP, LE,
				(ex M.P.)	SQ, UP
2438	Paediatric Syrup 125 mg. per 5 ml., 100 ml.	‡1	..	1.86	AH, BC, GP, LE, UP
2147	Oral Paediatric Drops 100 mg. per ml., 10 ml.	‡1	..	0.91	AH, BC, LE
TETRACYCLINE (BUFFERED) with					
AMPHOTERICIN B					
To be endorsed "S.P."					
2148	Oral Paediatric Drops 100 mg.-20 mg. per ml., 10 ml.	‡1	..	0.91	SQ
2149	Paediatric Syrup 125 mg.-25 mg. per 5 ml., 100 ml.	‡1	..	1.86	SQ

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TETRACYCLINE (BUFFERED) with NYSTATIN To be endorsed "S.P."			\$	
2150	Oral Capsule 100 mg.-125,000 Units	20	..	1.70	LE, SQ, UP
2151	250 mg.-250,000 Units	16	..	2.24	BC, GP, LE, SQ, UP
				(ex 100)	
				2.46	BC, GP, LE, SQ, UP
				(ex M.P.)	
2475	Paediatric Syrup 125 mg.-125,000 Units per 5 ml., 100 ml.	‡1	..	1.86	BC
	THIAMBUTOSINE To be endorsed "S.P."				
2162	Oral Tablet 500 mg.	100	2	2.10	CB
2651	Injection 20% (oily suspension) in 5 ml.	20	..	5.10	CB
	THIETHYLPERAZINE To be endorsed "S.P."				
2572	Oral Tablet 6.5 mg.	25	..	0.97	SZ
2573	Suppository 6.5 mg.	6	..	0.97	SZ
	THIORIDAZINE To be endorsed with the pension number OR tran- quilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2163	Oral Tablet 10 mg.	100	2	1.50	SZ

2359	Oral Tablet 25 mg.	100	2	2.26	SZ
2164	50 mg.	100	2	3.90	SZ
2165	100 mg.	100	2	7.50	SZ
2402	Oral Solution 3%, (30 mg. per ml.) 30 ml.	‡1	4	1.39	SZ
TRETAMINE					
To be endorsed "S.P."					
2179	Oral Tablet 2.5 mg.	5	..	*1.55	IC
2570	Injection 5 mg.	1	..	*3.39	IC
TRIACETYLOLEANDOMYCIN					
To be endorsed "S.P."					
2762	Oral Capsule 250 mg.	16	..	3.11	GP, WY
2763	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	‡1	..	2.57	GP, WY
TRIFLUOPERAZINE					
To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2185	Oral Tablet 1 mg.	100	2	3.20 (ex 500)	SK
				3.59 (ex M.P.)	SK
2386	2 mg.	100	2	4.67 (ex 500)	SK
				5.30 (ex M.P.)	SK

(continued)

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TRIFLUOPERAZINE - cont.			\$	
2186	Oral Tablet 5 mg.	100	2	5.94	SK
2571	Syrup 1 mg. per 5 ml., 100 ml.	‡1	4	1.31	SK
	TRIGLYDE				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2686	Powder 1 lb.	1	12	2.43	MJ
	TRIMETAPHAN				
	To be endorsed "S.P."				
2189	Injection, Set containing 250 mg. and 5 ml. water for injection	3	..	7.93	RO
	VINBLASTINE				
	To be endorsed "S.P."				
2198	Injection 10 mg. (solvent required)	1	..	17.07	LY
	VINCRISTINE				
	To be endorsed "S.P."				
2371	Injection 1 mg.	5	..	*65.05	LY
2372	5 mg.	1	..	51.35	LY
	VIOMYCIN				
	To be endorsed "S.P."				
2348	Injection 1 G. (solvent required)	5	3	*16.95	PD, PF

VITAMINS COMPOUND					
To be endorsed with the pension number.					
2206	Oral Tablet, B.P.C. Capsule Formula	100	1	0.73	AD, KL, PT, RT(V), RY, SI, SL(N)
				0.78	BD, DH, GL, HY, MG, PH, PR, TO, VR
2207	Oral Capsule B.P.C.	100	1	0.78	FA, PH

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

(Prescriptions must be endorsed "S.P.")

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2224	ACRYLIC RESIN Solution 100 ml. Aerosol Spray	1	..	\$ 5.90 6.97	PT EV, WB
2552	ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137 mg.-1.02 G. per 5 ml., 340 ml.	1	4	1.07	WY
2683	BENZOIN Compound Tincture B.P.C. 35%, 167 ml. Aerosol Spray	1	..	2.59	LF
2227	BISMUTH SUBGALLATE Powder 100 G. (4 oz.)	1	..	3.37	DH, EV
2718	CHARCOAL Oral Tablet 300 mg.	100	2	0.83 1.03 1.17	AD, HY, QE(Q), RT(V) TO BW
2229	CHLORAMINE Deodorant Tablet 120 mg.	500	..	1.69 1.79	DH PT
2230	Powder 25 G. (1 oz.)	1	4	0.67 0.73	PT DH

DEODORANT DETERGENT SOLUTION				
Solution				
2231	Terric N.8, 120 G.; Spearmint Oil, 1.6 ml.; Cetrimide, B.P., 12 G., 16 fl. oz.	1	..	1.37 IC
DIMETHICONE				
2233	Cream 10%, 50 G.	1	..	1.03 IC
				1.06 HA
2618	10%, 75 G.	1	..	0.89 PD
2234	10%, 120 G.	1	..	0.97 FA
2232	20%, 20 G.	1	..	1.06 SS
2235	Solution 9.84%, 220 G. Aerosol Spray	1	..	4.19 RK
2427	5%, 340 ml. Aerosol Spray	1	..	4.97 BT
2617	10%, 180 ml. Aerosol Spray	1	..	2.30 LF
SURGICAL CEMENT				
2236	†Adhesive Cement 2 oz. tube	1	2	†0.47 JA
2237	(with instructions for use)			JA
2238	†Skin Bond Adhesive 4 fl. oz.	1	2	†2.25 DY
2239	(with instructions for use)			DY
2469	†Solvent 240 ml.	1	2	†1.65 LF
2470	(with instructions for use)			LF
TRAGACANTH INDIAN (GUM KARAYA)				
2240	†Powder 8 oz.	1	..	†1.92 PT
				†2.40 EV
2241	(with instructions for use)			PT
				EV

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max Qty.	Manufacturer
	AMINOCAPROIC ACID			\$	
2482	Oral Tablet 500 mg.				
2485	Syrup 250 mg. per ml., 16 fl. oz.				
2486	250 mg. per ml., 20 ml.				
2483	I.V. Injection 250 mg. per ml., 10 ml.				
2484	Parenteral Injection 250 mg. per ml., 20 ml.				
	ANGIOTENSIN AMIDE				
2531	Injection 0.5 mg. (solvent required)				
2532	2.5 mg. (solvent required)				
	AZATHIOPRINE				
2687	Oral Tablet 50 mg.				
2488	100 mg.				
	BECLAMIDE				
2450	Oral Tablet 500 mg.				
	CARBENOXOLONE				
2620	Oral Tablet 50 mg.				
	CEPHALORIDINE				
2493	Injection 250 mg.				
2494	500 mg.				
2643	1 G.				

	CLOXACILLIN				
2300	Oral Capsule 250 mg.				
2461	Suspension 125 mg. per 5 ml., 100 ml.				
2299	Injection 250 mg.				
	CYCLOSERINE				
2303	Oral Tablet 250 mg.				
2302	Oral Capsule 250 mg.				
	DEFERRIOXAMINE				
2304	Injection 500 mg.				
	DITOPHAL				
2440	Liquid 250 ml.				
	FLUFENAMIC ACID				
2717	Oral Capsule 100 mg.				
	FOLINIC ACID				
2309	Injection 3 mg. in 1 ml.				
	GUANACLINE				
2721	Oral Tablet 30 mg.				

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	HEXACHLOROPHANE			\$	
2315	Lotion (3%) with Entsufoin 6 fl. oz.				
2316	Lotion (3%) with Terric N,8 4 fl. oz.				
2317	Soap Solution (1.5%) 10 fl. oz.				
2711	Solution (3%) with Chloroxylenol 6 fl. oz.				
	KITASAMYCIN				
2447	Oral Tablet 100 mg.				
2448	200 mg.				
2449	I.V. Injection set containing 200 mg. and 2 x 10 ml. ampoules of saline solution.				
	METHOTREXATE				
2393	Injection 5 mg.				
2394	50 mg.				
	METYRAPONE				
2533	Oral Capsule 250 mg.				
	ORCIPRENALINE				
2331	Injection 0.5 mg.				
	PARGYLINE				
2452	Oral Tablet 10 mg.				
2453	25 mg.				

PROPRANOLOL	
2565	Oral Tablet 10 mg.
2566	40 mg.
2567	Injection 1 mg. per ml., 5 ml.
PYRAZINAMIDE	
2335	Oral Tablet 0.5 G.
SULPHOMYXIN	
2528	Injection 500,000 Units
TETRACOSACTIDE	
2636	Injection set containing 250 micrograms and 2 ml. solution.
THYROTROPHIN	
2341	Injection 10 Units
TRASYLOL	
2527	Injection 25,000 K.I.U. in 5 ml.
2650	100,000 K.I.U. in 10 ml.
VADRINE	
2346	Oral Tablet 500 mg.

SECTION 4 - SCHEDULE OF BENEFITS - DRUG TARIFF - DECEMBER 1968

Where Liquids are purchased by weight, the recovery price includes the "Specific Gravity Factor".
A compounding fee (55c) is included in the recovery price for all items compounded from ingredients.

Drugs marked (a) and (b) :-

- (a) Where the quantity dispensed is greater than the quantity shown against items marked thus, the recovery price is:

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \times \text{price shown.}$$

- (b) Items marked thus are packed sterile or are unstable. The recovery price is:

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \text{ taken to the next whole number} \times \text{price shown.}$$

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/ML.	10 G/ML.	Special		1G/ML.	10 G/ML.	Special
Acetone, B.P.C. (may only be prescribed as an additive)	\$ 0.01	\$ 0.04	0.32:100 ml.	Adrenaline Acid Tartrate, B.P.	\$ 2.38	\$..	0.30:100 mg.
ACIDS				Agar, B.P.C. 54	0.04	0.32	
Acetic, B.P.	0.01	0.02	0.21:100 ml.	ALCOHOLS			
Acetic, Dilute, B.P.	0.01	0.03	0.25:100 ml.	95%, B.P.	0.01	0.05	0.47:100 ml.
Acetylsalicylic, B.P.	0.01	0.05	0.47:100 G.	(may only be prescribed as an additive)			
Benzoic, B.P.	0.01	0.08	0.68:100 G.	90%, B.P.	0.01	0.03	0.24:100 ml.
Boric, Crystal, B.P.	0.01	0.02	0.19:100 G.	(may only be prescribed as an additive)			
Boric, Powder, B.P.	0.01	0.02	0.14:100 G.	Aloes, Powder, B.P.	0.01	0.10	0.86:100 G.
Citric, B.P.	0.01	0.04	0.34:100 G.	Aloin, B.P.C.	0.07	0.52	
Hydrochloric, B.P.	0.01	0.04	0.36:100 ml.	Alum, B.P.	0.01	0.02	0.15:100 G.
Hydrochloric, Dilute, B.P.	0.01	0.03	0.29:100 ml.	Aluminium Hydroxide Gel Dried B.P.	0.01	0.11	0.95:100 G.
Hydrocyanic, Dilute, B.P.C. 54	0.05	0.42		Amaranth, B.P.C.54	0.09	0.72	
Hypophosphorous, Dilute, B.P.C.	0.02	0.13	1.18:100 ml.	Amethocaine Hydrochloride, B.P. (a)	1.90	..	
Lactic, B.P.	0.02	0.12	1.05:100 ml.	(may only be prescribed as an additive)			
Oleic, B.P.	0.01	0.08	0.70:100 ml.	Aminacrine Hydrochloride, B.P.	0.77	..	0.10:100 mg.
Phosphoric, B.P.	0.01	0.06	0.50:100 ml.	Aminophylline, B.P.	0.04	0.33	
Phosphoric, Dilute, B.P.	0.01	0.03	0.26:100 ml.	Ammoniated Mercury, B.P.	0.09	0.68	
Salicylic, B.P.	0.01	0.07	0.65:100 G.	AMMONIUM			
Stearic, B.P.C.	0.01	0.03	0.28:100 G.	Bicarbonate, B.P.C.	0.01	0.03	0.26:100 G.
Sulphuric, Dilute, B.P.C.	0.01	0.03	0.28:100 ml.	Bromide, B.P.C.	0.01	0.04	0.35:100 G.
Tannic, B.P.	0.02	0.15	1.33:100 G.	Chloride, B.P.	0.01	0.03	0.26:100 G.
Tartaric, B.P.	0.01	0.04	0.38:100 G.	Amylobarbitone B.P.	0.15	1.23	0.02:100 mg.
Trichloroacetic, B.P.	0.07	0.52		Amylobarbitone Sodium B.P.	0.09	0.72	
Acriflavine, B.P.C.	0.25	1.98	0.03:100 mg.	Application Benzyl Benzoate, B.P.	0.01	0.05	0.48:100 ml.
Adrenaline, B.P. (b)	1.71	..					

Atropine, B.P. (a)	1.71	..		Cetomacrogol Emulsifying Wax,			
Atropine Methonitrate, B.P. (a)	3.61	..		B.P.C.	0.02	0.13	1.15:100 G.
Atropine Sulphate, B.P.	1.34	..	0.17:100 mg	Cetostearyl Alcohol, B.P.	0.01	0.09	0.81:100 G.
				Cetrimide, B.P.	0.03	0.27	
Balsam, Peru, B.P.C.	0.09	0.70		Chalk, Prepared, B.P.	0.01	0.01	0.13:100 G.
Balsam, Tolu, B.P.	0.05	0.38		Chloral Hydrate, B.P.	0.01	0.07	0.60:100 G
Beeswax White, B.P.	0.02	0.14	1.25:100 G.	Chlorbutol, B.P.	0.03	0.25	
Beeswax Yellow, B.P.C.	0.01	0.08	0.72:100 G.	Chlorhexidine Diacetate	0.26	2.09	
Bentonite, B.P.	0.01	0.02	0.17:100 G.	(may only be prescribed in ear			
Benzocaine, B.P.	0.05	0.43		and eye drops)			
Benzyl Alcohol, B.P.	0.01	0.08	0.71:100 ml.	Chlorhexidine Hydrochloride, B.P.	0.31	2.50	
Benzyl Benzoate, B.P.	0.01	0.11	0.99:100 ml.	Chlorinated Lime, B.P.	0.01	0.04	0.38:100 G.
Bismuth Subgallate, B.P.C.	0.05	0.38		Chlorocresol, B.P.	0.05	0.43	
Borax, B.P.	0.01	0.01	0.13:100 G.	Chloroform, B.P.	0.01	0.05	0.42:100 ml.
Brilliant Green, B.P.	0.09	0.68		(may only be prescribed as an			
Butyl Aminobenzoate, B.P. 53	0.38	3.04		additive)			
				Cocaine, B.P.	1.84	..	0.23:100 mg
Caffeine, B.P.	0.03	0.24		Cocaine Hydrochloride, B.P.	1.69	..	0.21:100 mg.
Caffeine Citrate, B.P.C. 59	0.03	0.22		Codeine, B.P.C. 54	1.04	..	0.13:100 mg.
Caffeine and Sodium Benzoate,				Codeine Phosphate, B.P.	0.45	3.61	0.06:100 mg.
B.P.C. 54	0.02	0.17		Collodion Flexible, B.P.	0.01	0.04	0.32:100 ml.
Calamine, B.P.	0.01	0.03	0.26:100 G.	Colophony, B.P.	0.01	0.03	0.29:100 G.
CALCIUM				Copper Sulphate, B.P.C.	0.01	0.05	0.40:100 G.
Carbonate, B.P.	0.01	0.01	0.13:100 G.	CREAMS			
Chloride, B.P.	0.01	0.09	0.78:100 G.	Aqueous, A.P.F.	0.01	0.04	0.38:100 G.
Gluconate, B.P.	0.01	0.09	0.81:100 G.	Aqueous, B.P.	0.01	0.04	0.38:100 G.
Hydroxide, B.P.	0.01	0.02	0.16:100 G.	Aqueous Emulsifying Wax,			
Lactate, B.P.	0.01	0.07	0.63:100 G.	A.P.F. 55	0.01	0.03	0.27:100 G.
Phosphate, B.P.C.	0.01	0.04	0.32:100 G.	Calamine Oily A.P.F.	0.01	0.06	0.55:100 G.
Camphor, B.P.	0.01	0.09	0.84:100 G.	Cetomacrogol, Aqueous, A.P.F.	0.01	0.06	0.54:100 G.
(may only be prescribed as an				Cetrimide Aqueous, A.P.F.	0.01	0.07	0.63:100 G.
additive)							

Drug	RECOVERY PRICE			Drug	RECOVERY PRICE		
	1G/ML.	10 G/ML.	Special		1G/ML.	10 G/ML.	Special
	\$	\$			\$	\$	
CREAMS - cont.				Ephedrine, B.P.C.	0.28	2.20	0.04:100 mg.
Cholesterol Oily, A.P.F. 55	0.01	0.04	0.34:100 G.	Ephedrine Hydrochloride, B.P.	0.09	0.75	
Oily, B.P.	0.01	0.06	0.54:100 G.	Ether Anaesthetic, B.P.	0.01	0.03	0.30:100 ml.
Zinc, B.P.	0.01	0.05	0.40:100 G.	(may only be prescribed as			
Zinc Oily, A.P.F.	0.01	0.05	0.40:100 G.	an additive)			
Creosote, B.P.C. 59	0.04	0.28		Ether Solvent, B.P.	0.01	0.03	0.23:100 ml.
Crystal Violet, B.P.	0.07	0.58		Eucalyptol, B.P.C.	0.03	0.24	
				EXTRACTS			
Dextrose, B.P.	0.01	0.01	0.13:100 G.	Cascara, Liquid, B.P.	0.01	0.09	0.76:100 ml.
(may only be prescribed as an				Ergot, Liquid, B.P. 14	0.04	0.30	2.66:100 ml.
additive)				Hamamelis, Liquid, B.P.C.	0.04	0.29	
Dextrose Monohydrate, B.P.	0.01	0.03	0.26:100 G.	Hyoscyamus, Liquid, B.P.	0.02	0.15	1.32:100 ml.
(may only be prescribed as an				Ipecacuanha, Liquid, B.P.	0.16	1.29	
additive)				Liquorice, Liquid, B.P.	0.01	0.07	0.60:100 ml.
Dibutyl Phthalate, B.P.	0.02	0.14	1.20:100 ml.	Male Fern, B.P.	0.09	0.74	
Dicophane, B.P.	0.01	0.09	0.83:100 G.	Nux Vomica, Liquid, B.P.	0.02	0.16	1.40:100 ml.
Dimethyl Phthalate, B.P.	0.01	0.11	0.94:100 ml.	Stramonium, Liquid, B.P.	0.02	0.19	1.71:100 ml.
Dithranol, B.P.	0.29	2.29	0.04:100 mg.				
Dusting Powder Absorbable, B.P.	..	..		Ferric Ammonium Citrate, B.P.	0.01	0.05	0.42:100 G.
				FERROUS			
ELIXIR				Gluconate, B.P.	0.03	0.26	
Cascara, B.P.	0.01	0.07	0.64:100 ml.	Sulphate, B.P.	0.01	0.06	0.56:100 G.
Emulsifying Wax, B.P.	0.01	0.09	0.84:100 G.	Sulphate, Dried, B.P.	0.01	0.03	0.25:100 G.
EMULSION				Fluorescein Sodium, B.P.	0.06	0.50	
Paraffin Liquid, A.P.F.	0.01	0.04	0.38:100 ml.				
(may only be prescribed as a				Gelatin, B.P.	0.01	0.07	
pensioner benefit)				Glycerin, B.P.	0.01	0.05	0.42:100 ml.

GLYCERINS

Borax, B.P.C. 59
Boric Acid, B.P. 48
Ichthammol, B.P.C.
Phenol, B.P.
(not available for ear drops)

GUMS

Acacia, B.P.
Tragacanth, B.P.

Homatropine Hydrobromide, B.P.
Honey, Purified, B.P.C. (by volume)
(may only be prescribed as an additive)

Honey, Purified, B.P.C. (by weight)
(may only be prescribed as an additive)

Hydrogen Peroxide, 20 Volume,
B.P.

Ichthammol, B.P.

INFUSIONS

Buchu, Concentrated, B.P.C. 54,
1-7
Calumba, Concentrated, B.P. 48,
1-7
Clove, Concentrated, B.P.C. 54,
1-7
Gentian Compound, Concentrated,
B.P. 1-7
Senega, Concentrated, B.P.C., 1-7

Iodine, B.P.

Iodoform, B.P.C. 54

Isoprenaline Sulphate, B.P.

Kaolin, Heavy, B.P.

Kaolin, Light, B.P.

Lactose, B.P.

Lanette Wax S.X.

Lard, Benzoinated, B.P.C., 54

LINIMENTS

Camphor, B.P.

Iodine Compound, A.P.F. 55

Methyl Salicylate, A.P.F.

Methyl Salicylate Compound, A.P.F.

Soap Methylated, B.P.C.

Turpentine, B.P.

LOTION

Calamine, B.P.

Magenta, B.P.C.

MAGNESIUM

Carbonate, Heavy, B.P.

Carbonate, Light, B.P.

Oxide, Light, B.P.

Sulphate, B.P.

Sulphate, Dried, B.P.

Trisilicate, B.P.

Menthol, B.P.

Mercuric Chloride, B.P.

Methylcellulose, B.P.

0.04

0.05

..

0.01

0.01

0.01

0.01

0.01

0.01

0.01

0.01

0.01

0.01

0.01

0.01

0.06

0.01

0.01

0.01

0.01

0.01

0.01

0.07

0.07

0.04

0.32

0.42

..

0.02

0.02

0.01

0.09

0.06

0.04

0.11

0.06

0.10

0.05

0.03

0.02

0.50

0.02

0.03

0.10

0.01

0.02

0.03

0.58

0.52

0.28

0.14:100 G.

0.17:100 G.

0.12:100 G.

0.83:100 G.

0.54:100 G.

0.38:100 ml.

0.98:100 ml.

0.53:100 ml.

0.85:100 ml.

0.41:100 ml.

0.26:100 ml.

0.21:100 ml.

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/ML.	10 G/ML.	Special		1G/ML.	10 G/ML.	Special
Methylene Blue, B.P.	\$ 0.06	\$ 0.50		OILS - cont.	\$	\$	
METHYL				Citronella, B.P.C.	0.02	0.16	1.43:100 ml.
Hydroxybenzoate, B.P.	0.06	0.47		(may only be prescribed as			
Salicylate, B.P.	0.01	0.06	0.54:100 ml	an additive)			
MIXTURES				Clove, B.P.	0.04	0.29	
Aluminium Hydroxide, A.P.F.	0.01	0.02	0.14:100 ml	Coconut, B.P.C. 49	0.01	0.05	0.42:100 G.
Magnesium Hydroxide, B.P.	0.01	0.03	0.31:100 ml	Cod Liver, B.P.	0.01	0.03	0.23:100 ml.
Senna Compound, B.P.C. 59	0.01	0.06	0.55:100 ml	Cotton Seed, B.P.	0.01	0.03	0.28:100 ml.
Morphine Hydrochloride, B.P.	0.85	..	0.11:100 mg	(may only be prescribed as			
Morphine Sulphate, B.P.	0.99	..	0.12:100 mg	an additive)			
MUCILAGES				Eucalyptus, B.P.	0.01	0.07	0.62:100 ml.
Acacia, A.P.F. (by weight)	0.01	0.04	0.36:100 G.	Lavender, Spike, B.P.C.	0.04	0.35	
Methylcellulose, A.P.F.	0.01	0.02	0.20:100 ml	Maize, B.P.	0.01	0.01	0.12:100 ml.
Tragacanth, B.P.	0.01	0.02	0.21:100 ml	(may only be prescribed as			
OILS				an additive)			
Almond Volatile Bitter,				Olive, B.P.	0.01	0.04	0.33:100 ml.
B.P.C. 59	0.06	0.46		(may only be prescribed as			
Anise, B.P.	0.03	0.27		an additive)			
Arachis, B.P.	0.01	0.02	0.19:100 ml	Peppermint, B.P.	0.06	0.51	
(may only be prescribed as an				Pumilio Pine, B.P.C.	0.04	0.29	
additive)				Rosemary, B.P.C.	0.04	0.31	
Cade, B.P.C.	0.01	0.10	0.90:100 ml	Siberian Fir, B.P.C. 49	0.04	0.34	
Caraway, B.P.C.	0.07	0.56		Theobroma, B.P.	0.02	0.15	1.36:100 G.
(may only be prescribed as				Turpentine, B.P.	0.01	0.05	0.45:100 ml.
an additive)							
Castor, B.P.	0.01	0.03	0.24:100 ml				

OINTMENTS

Ammoniated Mercury, B.P.	0.01	0.07	0.60:100 G.
Benzocaine and Adrenaline, A.P.F.	0.02	0.13	1.12:100 G.
Benzoic Acid Compound, A.P.F.	0.01	0.05	0.48:100 G.
Capsicum, B.P.C.	0.02	0.17	1.50:100 G.
Cod Liver Oil, A.P.F.	0.01	0.06	0.51:100 G.
Emulsifying, B.P.	0.01	0.07	0.63:100 G.
Gall and Opium, B.P.C.	0.05	0.38	3.37:100 G.
Hamamelis, B.P.C.	0.02	0.14	1.26:100 G.
Iodine, Non-staining, A.P.F.	0.01	0.09	0.77:100 G.
Iodine, Non-staining, B.P.C.	0.01	0.05	0.45:100 G.
Menthol Compound, A.P.F.	0.01	0.10	0.87:100 G.
Methyl Salicylate, B.P.C.	0.01	0.10	0.85:100 G.
Paraffin, White, B.P.	0.01	0.08	0.74:100 G.
Paraffin, Yellow, B.P.	0.01	0.09	0.77:100 G.
Phenol, B.P. 48	0.01	0.09	0.77:100 G.
Salicylic Acid, B.P.	0.01	0.08	0.75:100 G.
Simple, White, B.P.	0.01	0.05	0.44:100 G.
Simple, Yellow, B.P.	0.01	0.05	0.44:100 G.
Sulphur, B.P.	0.01	0.07	0.58:100 G.
Tar, B.P.C. 59	0.02	0.16	1.40:100 G.
Wool Alcohols, B.P.	0.01	0.06	0.50:100 G.
Zinc, B.P.	0.01	0.05	0.48:100 G.
Zinc and Castor Oil, B.P.	0.01	0.08	0.71:100 G.

OPTHALMIC

Phosphate Buffers, A.P.F. 55			
Cetrimide	0.01	0.10	0.90:100 ml.
Chlorbutol	0.01	0.10	0.90:100 ml.
Paraben	0.01	0.10	0.90:100 ml.

OPTHALMIC

Vehicles, A.P.F. 55			
Cetrimide	0.01	0.10	0.90:100 ml.
Chlorbutol	0.01	0.10	0.90:100 ml.
Oily	..	..	
Paraben	0.01	0.10	0.90:100 ml.
Thickened	0.01	0.10	0.90:100 ml.
Oxymel, B.P.C.	0.01	0.05	0.43:100 ml.
Oxymel of Squill, B.P.C.	0.01	0.03	0.26:100 ml.
Paint Magenta, A.P.F.	0.01	0.10	0.90:100 ml.
Papaverine Hydrochloride, B.P.	0.34	..	0.04:100 mg.
Paracetamol, B.P.	0.04	0.30	
Paraffin Hard, B.P.	0.01	0.02	0.16:100 G.
Paraffin Liquid, B.P.	0.01	0.02	0.14:100 ml.
Paraffin Liquid, Light, B.P.C.	0.01	0.02	0.17:100 ml.
Paraffin, Soft, White, B.P.	0.01	0.02	0.21:100 G.
Paraffin, Soft, Yellow, B.P.	0.01	0.02	0.19:100 G.
Paraldehyde, B.P.	0.01	0.08	0.67:100 ml.
PASTES			
Zinc Compound, B.P.	0.01	0.05	0.43:100 G.
Zinc and Salicylic Acid, B.P.	0.01	0.05	0.40:100 G.
Pectin (Apple or Citrus)	0.05	0.38	
Pentobarbitone Sodium, B.P.	0.12	0.97	
Phenazone, B.P.C.	0.02	0.15	1.36:100 G.
Phenobarbitone, B.P.	0.04	0.31	
Phenobarbitone Sodium, B.P.	0.04	0.31	
Phenol, B.P.	0.01	0.08	0.68:100 G.
(not available for ear drops)			
Phenol, Liquefied, B.P.	0.01	0.06	0.56:100 ml.
(not available for ear drops)			
Phenolphthalein, B.P.	0.04	0.31	

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/ML.	10 G/ML.	Special		1G/ML.	10 G/ML.	Special
Phenylephrine Hydrochloride, B.P.	\$ 0.60	\$..	0.08:100 mg.	Quinalbarbitone Sodium, B.P.	\$ 0.09	\$ 0.68	
Phenylmercuric Nitrate, B.P.	0.43	..	0.05:100 mg.	Quinidine Sulphate, B.P.	0.61	4.90	
Pholcodine, B.P.	1.26	10.10	0.16:100 mg.				
Phthalylsulphathiazole, B.P.	0.06	0.46		Resorcinol, B.P.	0.04	0.30	
Physostigmine, B.P.C. (b)	..	..	2.28:64.8 mg.				
Physostigmine Salicylate, B.P. (b)	..	..	1.71:64.8 mg.	Saccharin Sodium, B.P.	0.06	0.50	
Pilocarpine Hydrochloride	..	..	1.53:324 mg.	(may only be prescribed as an			
Pilocarpine Nitrate, B.P.	2.62	..	0.33:100 mg.	additive)			
Podophyllum Resin, B.P.	0.10	0.82		Silver Nitrate, B.P.	0.26	2.05	
POTASSIUM				Silver Protein, B.P.C.	0.14	1.11	
Bromide, B.P.	0.01	0.04	0.33:100 G.	Silver Protein, Mild, B.P.C.	0.16	1.26	
Chlorate, B.P.C.	0.01	0.05	0.46:100 G.	SOAPS			
Chloride, B.P.	0.01	0.07	0.63:100 G.	Ethereal, A.P.F. 55	0.01	0.05	0.41:100 ml.
Citrate, B.P.	0.01	0.04	0.32:100 G.	Soft, B.P.	0.01	0.03	0.31:100 G.
Hydroxide, B.P.	0.01	0.08	0.69:100 G.	SODIUM			
Iodide, B.P.	0.01	0.10	0.91:100 G.	Acid Phosphate, B.P.	0.01	0.11	1.00:100 G.
Nitrate, B.P.	0.01	0.02	0.21:100 G.	Aminosalicylate, B.P.	0.03	0.22	1.96:100 G.
Permanganate, B.P.	0.01	0.03	0.30:100 G.	Benzoate, B.P.	0.01	0.08	0.68:100 G.
POWDERS				Bicarbonate, B.P.	0.01	0.01	0.06:100 G.
Hydroxybenzoate Compound, A.P.F.	0.10	0.76		Bromide, B.P.	0.01	0.04	0.33:100 G.
Ipecacuanha and Opium, B.P.	0.04	0.34		Chloride, B.P.	0.01	0.02	0.15:100 G.
Rhubarb, B.P.	0.02	0.19	1.65:100 G.	Citrate, B.P.	0.01	0.03	0.29:100 G.
Tragacanth Compound, B.P.	0.01	0.08	0.68:100 G.	Edetate, B.P.C.	0.10	0.81	
Procaine Hydrochloride, B.P.	0.04	0.35		Hydroxide, B.P.	0.01	0.09	0.76:100 G.
Proflavine Hemisulphate, B.P.	0.44	3.52	0.06:100 mg.	Iodide, B.P.	0.04	0.30	
Propyl Hydroxybenzoate, B.P.	0.07	0.58		Metabisulphite, B.P.	0.01	0.07	0.63:100 G.
Propylene Glycol, B.P.	0.01	0.11	0.96:100 ml.	Nitrite, B.P.C.	0.03	0.27	

SODIUM - cont.

Phosphate, B.P.	0.01	0.05	0.41:100 G.
Salicylate, B.P.	0.01	0.05	0.47:100 G.
Sulphate, B.P.	0.01	0.01	0.06:100 G.
Thiosulphate, B.P.C.	0.01	0.01	0.11:100 G.

(may only be prescribed as
an additive)

SOLUTIONS

Adrenaline, B.P.	0.02	0.19	
Adrenaline Hydrochloride, B.P. 53	0.02	0.18	
Aluminium Acetate, B.P.C.	0.01	0.05	0.40:100 ml.
Amaranth, A.P.F.	0.01	0.07	0.61:100 ml.
Amaranth, B.P.C.	0.01	0.02	0.21:100 ml.
Amaranth, Compound, A.P.F.	0.01	0.09	0.81:100 ml.
Ammonia, Strong, B.P.C.	0.01	0.03	0.23:100 ml.
Ammonia, Dilute, B.P.C.	0.01	0.02	0.21:100 ml.
Ammonium Acetate, Strong B.P.C.	0.01	0.05	0.48:100 ml.
Benedict's Qualitative, A.P.F.	0.01	0.03	0.28:100 ml.
Benzalkonium Chloride 50%, B.P.	0.01	0.09	0.76:100 ml.
Benzoic Acid, A.P.F.	0.01	0.10	0.88:100 ml.
Benzoic Acid, B.P.C.	0.02	0.14	
Burnt Sugar	0.01	0.03	0.27:100 ml.
(may only be prescribed as an additive)			
Calcium Hydroxide, B.P.	0.01	0.02	0.14:100 ml.
Carmine, A.P.F.	0.03	0.26	2.35:100 ml.
(may only be prescribed as an additive)			
Chlorhexidine Gluconate, B.P.	0.03	0.25	2.26:100 ml.
Coal Tar, B.P.	0.01	0.08	0.67:100 ml.
Formaldehyde, B.P.	0.01	0.02	0.20:100 ml.

SOLUTIONS - cont.

Iodine Aqueous, B.P.	0.01	0.09	0.76:100 ml.
Iodine, Simple, B.P.C. 59	0.01	0.10	0.87:100 ml.
Iodine, Weak, B.P.	0.01	0.08	0.74:100 ml.
Lead Subacetate, Dilute, B.P.	0.01	0.02	0.15:100 ml.
Lead Subacetate, Strong, B.P.	0.01	0.08	0.72:100 ml.
Morphine Hydrochloride, B.P.	0.02	0.13	1.15:100 ml.
Nasal, Concentrated, A.P.F. 55	0.02	0.12	1.04:100 ml.
Potassium Hydroxide, B.P.	0.01	0.05	0.41:100 ml.
Sodium Chloride, B.P.C.	0.01	0.02	0.14:100 ml.
Tartrazine, A.P.F.	0.01	0.09	0.80:100 ml.

SPIRITS

Ammonia, Aromatic, B.P.C.	0.01	0.06	0.52:100 ml.
Anise, B.P.C. 49	0.01	0.07	0.60:100 ml.
Camphor, B.P.C. 59	0.01	0.10	0.85:100 ml.
Chloroform, B.P.	0.01	0.08	0.71:100 ml.
Cinnamon, B.P.C. 49	0.02	0.12	1.08:100 ml.
Ether, Nitrous, B.P.C. 59	0.02	0.13	1.14:100 ml.
Methylated, Industrial	0.01	0.01	0.09:100 ml.
(may only be prescribed as an additive)			
Peppermint, B.P.C.	0.02	0.16	1.43:100 ml.
Starch, B.P.	0.01	0.02	0.14:100 G.
Streptomycin Sulphate, B.P. (b)	0.50	..	
(may only be prescribed in ear drops)			
Succinylsulphathiazole, B.P.	0.04	0.31	2.76:100 G.
Sucrose, B.P.	0.01	0.01	0.13:100 G.
Sulphacetamide Sodium, B.P.	0.06	0.44	
Sulphadiazine, B.P.	0.07	0.59	
Sulphadimidine, B.P.	0.07	0.59	

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/Ml.	10 G/Ml.	Special		1G/Ml.	10 G/Ml.	Special
	\$	\$			\$	\$	
Sulphur, Precipitated, B.P.	0.01	0.03	0.23:100 G.	Talc, Purified, B.P.	0.01	0.01	0.13:100 G.
Sulphur, Sublimed, B.P.C.	0.01	0.02	0.17:100 G.	Tar, B.P. (by weight)	0.01	0.03	0.29:100 G.
Sulphurated Potash, B.P.C.	0.01	0.11	0.94:100 G.	Tar, Coal, B.P.C.	0.01	0.02	0.21:100 G.
SYRUPS				Tar, Coal, Prepared, B.P.	0.01	0.04	0.36:100 G.
Aromatic, A.P.F.	0.01	0.03	0.31:100 ml.	Tartrazine, B.P.C. 54	0.05	0.42	
Chloral, B.P.C.	0.01	0.04	0.33:100 ml.	Theophylline, B.P.	0.05	0.40	
Codeine Phosphate, B.P.C.	0.01	0.05	0.46:100 ml.	Theophylline Hydrate, B.P.	0.05	0.40	
Ferrous Phosphate Compound				Thymol, B.P.	0.05	0.37	
B.P.C.	0.01	0.03	0.26:100 ml.	Thymol, Mouth Wash, Compound			
Ferrous Phosphate with Quinine				A.P.F.	0.01	0.05	0.41:100 ml.
and Strychnine, B.P.C.	0.01	0.10	0.85:100 ml.	TINCTURES			
Ginger, B.P.	0.01	0.03	0.31:100 ml.	Belladonna, B.P.	0.01	0.07	0.66:100 ml.
Glucose, Liquid, B.P.C.	0.01	0.03	0.28:100 ml.	Benzoin, B.P.C.	0.01	0.11	0.94:100 ml.
Glycerophosphate Compound,				Benzoin Compound, B.P.C.	0.02	0.12	1.08:100 ml.
A.P.F.	0.01	0.03	0.24:100 ml.	Capsicum, B.P.C.	0.01	0.11	0.94:100 ml.
Golden, Acidified, A.P.F. 55	0.01	0.03	0.28:100 ml.	Cardamom, Aromatic, B.P.C.	0.02	0.12	1.11:100 ml.
Lemon, A.P.F.	0.01	0.03	0.30:100 ml.	Cardamom, Compound, B.P.	0.01	0.06	0.57:100 ml.
Lemon, B.P. 58	0.01	0.03	0.30:100 ml.	Catechu, B.P.C.	0.02	0.12	1.04:100 ml.
Lemon, Neutral, A.P.F.	0.01	0.03	0.29:100 ml.	Cochineal, B.P. 48	0.01	0.11	0.95:100 ml.
Orange, B.P.	0.01	0.03	0.28:100 ml.	Colchicum, B.P.	0.01	0.11	0.98:100 ml.
Pholcodine Citrate, B.P.C. 59	0.01	0.07	0.63:100 ml.	Cudbear, A.P.F. 47	0.02	0.17	1.48:100 ml.
Raspberry, B.P.C.	0.01	0.11	0.95:100 ml.	Gelsemium, B.P.C.	0.01	0.09	0.77:100 ml.
Red, A.P.F.	0.01	0.05	0.47:100 ml.	Gentian Compound, B.P.	0.02	0.12	1.05:100 ml.
Simple, B.P.	0.01	0.01	0.13:100 ml.	Ginger, Strong, B.P.	0.02	0.15	1.35:100 ml.
Squill B.P.C.	0.01	0.05	0.42:100 ml.	Ginger, Weak, B.P.	0.01	0.06	0.57:100 ml.
Tolu, B.P.	0.01	0.04	0.36:100 ml.	Hyoscyamus, B.P.	0.01	0.07	0.62:100 ml.
				Ipecacuanha, B.P.	0.03	0.21	1.88:100 ml.

TINCTURES - cont.

Lemon, B.P. 58	0.01	0.09	0.76:100 ml.
Lobelia, Ethereal, B.P.C.	0.02	0.15	1.37:100 ml.
Myrrh, B.P.C.	0.01	0.11	1.00:100 ml.
Nux Vomica, B.P.	0.01	0.08	0.70:100 ml.
Opium, B.P.	0.02	0.18	1.60:100 ml.
Opium, Camphorated, B.P.	0.01	0.06	0.53:100 ml.
Orange, B.P.	0.01	0.08	0.72:100 ml.
Quillaia, B.P.C.	0.02	0.12	1.03:100 ml.
Rhubarb Compound, B.P.	0.02	0.14	1.21:100 ml.
Squill, B.P.C.	0.01	0.09	0.77:100 ml.
Stramonium, B.P.	0.01	0.07	0.60:100 ml.
Strophanthus, B.P. 48	0.03	0.25	2.19:100 ml.
Valerian, Ammoniated, B.P.C.	0.02	0.13	1.17:100 ml.
Titanium Dioxide, B.P.C.	0.01	0.05	0.41:100 ml.
Tragacanth Gel, A.P.F.	0.01	0.04	0.32:100 G.
Triethanolamine, B.P.C.	0.01	0.09	0.77:100 ml.
Urethane, B.P.	0.12	0.96	
Vanillin, B.P.C.	0.11	0.91	
Vinegar of Squill, B.P.C.	0.01	0.03	0.31:100 ml.

WATERS

Anise, Concentrated, B.P.C., 1-39	0.01	0.08	0.72:100 ml.
Camphor, Concentrated, B.P.C. 49, 1-39	0.01	0.08	0.72:100 ml.
Chlorbutol, A.P.F. 55	0.01	0.02	0.16:100 ml.
Chloroform, Concentrated, B.P.C. 59, 1-39	0.01	0.06	0.51:100 ml.
Cinnamon, Concentrated, B.P.C., 1-39	0.01	0.10	0.85:100 ml.

WATERS - cont.

For Injection, B.P. ‡ 100 ml.	..	..	0.45:100 ml.
(extemporaneously prepared eye drops only)			
Peppermint, Concentrated, B.P., 1-39	0.01	0.06	0.49:100 ml.
Potable	..	..	
Purified or Distilled, B.P.	0.01	0.01	0.03:100 ml.
Wool Alcohols, B.P.	0.03	0.20	
Wool Fat, B.P.	0.01	0.04	0.35:100 G.
Wool Fat, Hydrous, B.P.	0.01	0.04	0.37:100 G.
Xylene of commerce (may only be prescribed as an additive)	0.01	0.03	0.29:100 G.
ZINC			
Gelatin, B.P.	0.01	0.09	0.81:100 G.
Oxide, B.P.	0.01	0.02	0.17:100 G.
Sulphate, B.P.	0.01	0.08	0.68:100 G.

TABLE OF CODES, MAXIMUM METRIC QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty or No. of Units	Number of Repeats
10	Applications	200 ml.	2	34	Other Linctuses	100 ml.	4
11	Capsules	12	1	38	Liniments	100 ml.	1
12	Collodions	15 ml.	2	39	Lotions	200 ml.	2
35	Confections	100 G.	2	58	Magmas	100 ml. or 100 G.	1
13	Creams	100 G.	1	40	Mixtures	200 ml.	4
14	Draughts	200 ml.	4	41	Mixtures for Children	100 ml.	4
15	Ear Drops	15 ml.	2	30	Mouth Washes	200 ml.	1
16	Elixirs	100 ml.	4	60	Mucilages	100 ml.	..
17	Emulsions	400 ml.	4	42	Nasal Instillations	15 ml.	2
18	Enemas	100 ml.	1	43	Ointments, Waxes	100 G.	1
19	Extracts, Fluid	100 ml.	1	44	Paints	25 ml.	1
20	Eye Drops of Physostigmine	15 ml.	6	57	Parogens	100 ml.	2
21	Eye Drops of Pilocarpine	15 ml.	6	45	Pastes	100 G.	1
22	Other Eye Drops	15 ml.	2	46	Pessaries	12	1
23	Eye Lotions	200 ml.	1	47	Poultices	500 G.	1
24	Eye Ointments	5 G.	..	48	Powders, Dusting	100 G.	1
25	Gargles	200 ml.	4	49	Powders for internal use	100 G.	2
26	Gelatins	100 G.	1	50	Powders, Individual	12	1
27	Glycanths	100 G.	1	61	Powders, Irrigation	100 G.	1
28	Glycerins	100 ml.	1	51	Soaps	200 ml.	1
29	Inhalations	50 ml.	1	52	Solutions	200 ml.	2
37	Inhalations Solid	4 G.	1	59	Spirits	25 ml.	..
32	Irrigations	200 ml.	1	53	Sprays	15 ml.	2
33	Insufflations	25 G.	1	54	Suppositories	12	1
31	Injections - Ampoules	5 amps.	1	55	Syrups	100 ml.	4
	Vials	1 vial	1	56	Tinctures	25 ml.	1
34	Linctuses of Codeine and Morphine	100 ml.	2	62	Unna's Paste	200 G.	..
34	Linctuses of Codeine and Morphine (for children)	100 ml.	4				

TABLE OF CODES, MAXIMUM IMPERIAL QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty or No. of Units	Number of Repeats
10	Applications	8 fl. oz.	2	34	Other Linctuses	4 fl. oz.	4
11	Capsules	12	1	38	Liniments	4 fl. oz.	1
12	Collodions	240 min.	2	39	Lotions	8 fl. oz.	2
35	Confections	4 oz.	2	58	Magmas	4 fl. oz. or 4 oz.	1
13	Creams	4 oz.	1	40	Mixtures	8 fl. oz.	4
14	Draughts	8 fl. oz.	4	41	Mixtures for Children	4 fl. oz.	4
15	Ear Drops	1/2 fl. oz.	2	30	Mouth Washes	8 fl. oz.	1
16	Elixirs	4 fl. oz.	4	60	Mucilages	4 fl. oz.	..
17	Emulsions	16 fl. oz.	4	42	Nasal Instillations	1/2 fl. oz.	2
18	Enemas	4 fl. oz.	1	43	Ointments, Waxes	4 oz.	1
19	Extracts, Fluid	4 fl. oz.	1	44	Paints	1 fl. oz.	1
20	Eye Drops of Physostigmine	240 min.	6	57	Parogens	4 fl. oz.	2
21	Eye Drops of Pilocarpine	240 min.	6	45	Pastes	4 oz.	1
22	Other Eye Drops	240 min.	2	46	Pessaries	12	1
23	Eye Lotions	8 fl. oz.	1	47	Poultices	1 lb.	1
24	Eye Ointments	60 gr.	..	48	Powders, Dusting	4 oz.	1
25	Gargles	8 fl. oz.	4	49	Powders for internal use	4 oz.	2
26	Gelatins	4 oz.	1	50	Powders, Individual	12	1
27	Glycanths	4 oz.	1	61	Powders, Irrigation	4 oz.	1
28	Glycerins	4 fl. oz.	1	51	Soaps	8 fl. oz.	1
29	Inhalations	2 fl. oz.	1	52	Solutions	8 fl. oz.	2
37	Inhalations, Solid	60 gr.	1	59	Spirits	1 fl. oz.	..
32	Irrigations	8 fl. oz.	1	53	Sprays	1/2 fl. oz.	2
33	Insufflations	1 oz.	1	54	Suppositories	12	1
31	Injections - Ampoules	5 amps.	1	55	Syrups	4 fl. oz.	4
	Vials	1 vial	1	56	Tinctures	1 fl. oz.	1
34	Linctuses of Codeine and Morphine	4 fl. oz.	2	62	Unna's Paste	8 oz.	..
34	Linctuses of Codeine and Morphine (for children)	4 fl. oz.	4				

SECTION 5 — PRESCRIBERS' LIST

DECEMBER 1968

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml. and 2 Repeats)

7668 BENZYL BENZOATE with DICOPHANE

Benzyl Benzoate	50 G.
Dicophane	4 G.
Emulsifying Wax	4 G.
Purified Water to	200 ml.

7669 DICOPHANE

Dicophane	4 G.
Emulsifying Wax	8 G.
Xylene of commerce	30 ml.
Citronella Oil	1 ml.
Purified Water to	200 ml.

CREAMS

(Maximum Quantity 100 G. and 1 Repeat)

7655 ALUMINIUM ACETATE, OILY

Aluminium Acetate Solution	5 ml.
Zinc Oxide	20 G.
Wool Fat	25 G.
Arachis Oil	25 ml.
Purified Water	27 ml.

7492 AQUEOUS

Emulsifying Wax	10 G.
Hard Paraffin	6 G.
Liquid Paraffin	27 G.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Purified Water to	100 G.

7491 BUFFERED, AQUEOUS

Sodium Phosphate	2.5 G.
Citric Acid	500 mg.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Emulsifying Ointment	30 G.
Purified Water to	100 G.

PRESCRIPTION

7658 CALAMINE, AQUEOUS

Calamine	4 G.
Zinc Oxide	3 G.
Emulsifying Wax	6 G.
Arachis Oil	40 ml.
Purified Water to	100 G.

7659 CALAMINE, OILY

Calamine	32 G.
Oleic Acid	0.5 ml.
Arachis Oil	21.5 ml.
Wool Fat	17.5 G.
Calcium Hydroxide Solution	30.5 ml.

7661 CETOMACROGOL, AQUEOUS

Cetomacrogol Emulsifying Wax	15 G.
Liquid Paraffin	15 G.
White Soft Paraffin	10 G.
Glycerin	10 ml.
Chlorocresol	100 mg.
Purified Water to	100 G.

7660 CETRIMIDE, AQUEOUS

Cetrimide	500 mg.
Cetostearyl Alcohol	5 G.
Liquid Paraffin	50 G.
Purified Water to	100 G.

7490 CHLORHEXIDINE, AQUEOUS

Chlorhexidine Gluconate Solution	5 ml.
Cetomacrogol Emulsifying Wax	25 G.
Liquid Paraffin	10 G.
Purified Water to	100 G.

7662 COAL TAR and ZINC

Coal Tar, B.P.C.	1 G.
Castor Oil	1 G.
Zinc Cream	98 G.

PRESCRIPTION

CREAMS—cont.

7663 COLD

White Beeswax	20 G.
Liquid Paraffin	60 G.
Borax	1 G.
Purified Water	19 G.

7664 GLYCERIN, OILY

Glycerin	20 G.
Calcium Hydroxide Solution	32 ml.
Arachis Oil	22 G.
Wool Fat	26 G.

7665 ICHTHAMMOL and ZINC, OILY

Ichthammol	5 G.
Cetostearyl Alcohol	3 G.
Wool Fat	10 G.
Oily Zinc Cream	82 G.

9556 OILY

Wool Alcohols Ointment	50 G.
Purified Water	50 G.

7489 SALICYLIC ACID and RESORCINOL, AQUEOUS

Salicylic Acid	2 G.
Resorcinol	2 G.
Aqueous Cream, A.P.F. to	100 G.

7488 SALICYLIC ACID and SULPHUR, AQUEOUS

Salicylic Acid	2 G.
Precipitated Sulphur	2 G.
Spike Lavender Oil	0.5 ml.
Aqueous Cream, A.P.F. to	100 G.

PRESCRIPTION

7667 ZINC, OILY

Zinc Oxide	32 G.
Oleic Acid	0.5 ml.
Arachis Oil	21.5 ml.
Wool Fat	17.5 G.
Calcium Hydroxide Solution	30.5 ml.

7654 ZINC, WEAK

Zinc Oxide	5 G.
Oleic Acid	0.5 ml.
Arachis Oil	38.5 ml.
Wool Fat	25 G.
Calcium Hydroxide Solution	34.5 ml.

DUSTING POWDERS

(Maximum Quantity 100 G. and 1 Repeat)

7552 BORIC TALC

Boric Acid	5 G.
Starch	10 G.
Purified Talc	85 G.

9841 DICOPHANE

Dicophane	10 G.
Calcium Carbonate	10 G.
Light Kaolin	80 G.

9847 KAOLIN COMPOUND

Light Kaolin	25 G.
Zinc Oxide	25 G.
Purified Talc	50 G.

7553 SALICYLIC ACID, COMPOUND

Salicylic Acid	3 G.
Boric Acid	5 G.
Purified Talc	92 G.

7554 ZINC, COMPOUND

Boric Acid	5 G.
Zinc Oxide	25 G.
Purified Talc	35 G.
Starch	35 G.

PRESCRIPTION

EAR DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

7642 ALUMINIUM ACETATE

Aluminium Acetate Solution	9 ml.
Purified Water to	15 ml.

7643 BORIC ACID

Boric Acid	300 mg.
Industrial Methylated Spirit	3 ml.
Purified Water to	15 ml.

7487 CHLORHEXIDINE

Chlorhexidine Diacetate	7.5 mg.
Purified Water to	15 ml.

7644 HYDROGEN PEROXIDE

Hydrogen Peroxide Solution	3.75 ml.
Purified Water to	15 ml.

7645 ICHTHAMMOL

Ichthammol	10 G.
Glycerin	90 G.

7648 PHENYLMERCURIC NITRATE

Phenylmercuric Nitrate	15 mg.
Propylene Glycol to	15 ml.

8185 SALICYLIC ACID

Salicylic Acid	300 mg.
Industrial Methylated Spirit	7.5 ml.
Purified Water to	15 ml.

8194 SODIUM BICARBONATE

Sodium Bicarbonate	600 mg.
Glycerin	11.25 ml.
Purified Water to	15 ml.

7649 SPIRIT

Industrial Methylated Spirit	7.5 ml.
Purified Water to	15 ml.

PRESCRIPTION

ELIXIRS

(Maximum Quantity 100 ml. and 4 Repeats)

7493 EPHEDRINE

Ephedrine Hydrochloride	20 mg.
Aromatic Syrup, A.P.F.	2 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7640 PHENOBARBITONE

Phenobarbitone	15 mg.
Alcohol (90 per cent)	2 ml.
Glycerin	1.5 ml.
Aromatic Syrup, A.P.F. to	5 ml.

EMULSION

(Maximum Quantity 400 ml. and 4 Repeats)

7486 LIQUID PARAFFIN

Liquid Paraffin	200 ml
Acacia	50 G.
Saccharin Sodium	20 mg.
Benzoic Acid Solution, A.P.F.	10 ml.
Vanillin	200 mg.
Chloroform	1 ml.
Purified Water to	400 ml.

(May be prescribed for pensioners only)

EYE DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

7417 ZINC and ADRENALINE

Zinc Sulphate	37.5 mg.
Adrenaline Solution	1.5 ml.
Boric Acid	225 mg.
Sodium Metabisulphite	7.5 mg.
Chlorbutol	75 mg.
Glycerin	0.15 ml.
Water for Injection to	15 ml.

7416 ZINC SULPHATE

Zinc Sulphate	37.5 mg.
Boric Acid	225 mg.
Chlorbutol	75 mg.
Glycerin	0.15 ml.
Water for Injection to	15 ml.

PRESCRIPTION

INHALATIONS

(Maximum Quantity 50 ml. and 1 Repeat)

7485 BENZOIN

Compound Benzoin Tincture B.P.C. 50 ml.

7484 MENTHOL and BENZOIN

Menthol 1 G.
Compound Benzoin Tincture B.P.C. to 50 ml.

7494 MENTHOL and EUCALYPTUS

Menthol 1 G.
Eucalyptus Oil 6.25 ml.
Light Magnesium Carbonate 3.5 G.
Water to 50 ml.

7483 MENTHOL and PINE

Menthol 1 G.
Creosote 1 ml.
Pumilio Pine Oil 2.5 ml.
Industrial Methylated Spirit to 50 ml.

LINCTUSES

(Except where shown, Maximum Quantity 100 ml. and 4 Repeats)

7534 CAMPHOR COMPOUND

Camphorated Opium Tincture 2 ml.
Oxymel of Squill 1 ml.
Syrup to 5 ml.

7495 CODEINE

(Maximum Quantity 100 ml. and 2 Repeats)

Codeine Phosphate 25 mg.
Water 1 ml.
Glycerin 1 ml.
Oxymel of Squill 2 ml.
Syrup to 5 ml.

7482 PHOLCODINE

Pholcodine 5 mg.
Citric Acid 50 mg.
Chloroform Spirit 0.3 ml.
Compound Amaranth Solution, A.P.F. 0.1 ml.
Glycerin 1 ml.
Syrup to 5 ml.

PRESCRIPTION

7635 SIMPLE

Citric Acid 200 mg.
Chloroform Spirit 0.3 ml.
Amaranth Solution, A.P.F. 0.1 ml.
Concentrated Anise Water .. 0.1 ml.
Syrup to 5 ml.

LINIMENTS

(Maximum Quantity 100 ml. and 1 Repeat)

7884 CAMPHOR

Camphor 20 G.
Arachis Oil 80 G.

7481 METHYL SALICYLATE

Methyl Salicylate 25 ml.
Arachis Oil to 100 ml.

7480 METHYL SALICYLATE, COMPOUND

Menthol 4 G.
Eucalyptus Oil 10 ml.
Methyl Salicylate 25 ml.
Arachis Oil to 100 ml.

7479 SOAP

Camphor 4 G.
Oleic Acid 4 G.
Potassium Hydroxide Solution, (5 per cent) ... 14 ml.
Industrial Methylated Spirit 70 ml.
Rosemary Oil 1.5 ml.
Purified Water to 100 ml.

LOTIONS

(Maximum Quantity 200 ml. and 2 Repeats)

7629 CALAMINE

Calamine 30 G.
Zinc Oxide 10 G.
Bentonite 6 G.
Sodium Citrate 1 G.
Liquefied Phenol 1 ml.
Glycerin 10 ml.
Purified Water to 200 ml.

PRESCRIPTION

LOTIONS—cont.

7630 CALAMINE OILY	
Calamine	10 G.
Wool Fat	2 G.
Arachis Oil	100 ml.
Oleic Acid	1 ml.
Calcium Hydroxide Solution to	200 ml.
8793 RESORCINOL COMPOUND	
Resorcinol	5 G.
Solvent Ether	5 ml.
Castor Oil	5 ml.
Spike Lavender Oil	0.2 ml.
Industrial Methylated Spirit to	200 ml.
7633 SULPHURATED	
Zinc Sulphate	10 G.
Sulphurated Potash	10 G.
Acetone	10 ml.
Glycerin	10 ml.
Spike Lavender Oil	0.4 ml.
Purified Water to	200 ml.
8825 ZINC SULPHATE	
Zinc Sulphate	2 G.
Amaranth Solution, A.P.F.	2 ml.
Purified Water to	200 ml.

MIXTURES

(Maximum Quantity 200 ml. and 4 Repeats)

7496 ACETYLSALICYLIC ACID	
Acetylsalicylic Acid	500 mg.
Compound Tragacanth Powder	200 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

Additional drugs may be required to be prescribed with this mixture, and the following doses are considered suitable for addition to each 10 millilitre dose.

Amylobarbitone	25 mg.
Morphine Hydrochloride	10 mg.

PRESCRIPTION

7447 ACETYLSALICYLIC ACID and CODEINE

Codeine Phosphate	20 mg.
Acetylsalicylic Acid	500 mg.
Compound Tragacanth Powder	200 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7446 ACETYLSALICYLIC ACID and MORPHINE

Morphine Hydrochloride Solution	1 ml.
Amaranth Solution, A.P.F.	0.1 ml.
Acetylsalicylic Acid	500 mg.
Compound Tragacanth Powder	200 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7445 ACETYLSALICYLIC ACID and PHENOBARBITONE

Phenobarbitone	20 mg.
Acetylsalicylic Acid	500 mg.
Compound Tragacanth Powder	200 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7379 ALUMINIUM HYDROXIDE with BELLADONNA

Belladonna Tincture	0.5 ml.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

7380 ALUMINIUM HYDROXIDE with KAOLIN and OPIUM

Light Kaolin	2 G.
Opium Tincture	0.3 ml.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

7381 ALUMINIUM HYDROXIDE with PROCAINE

Procaine Hydrochloride	100 mg.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

7382 AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium	20 mg.
Ephedrine Hydrochloride	15 mg.
Potassium Iodide	500 mg.
Aminophylline	100 mg.
Liquorice Liquid Extract	0.5 ml.
Chloroform Water Concentrated	0.25 ml.
Water to	10 ml.

PRESCRIPTION

MIXTURES—cont.

7384 CAFFEINE, IODIDE and EPHEDRINE

Synonym: C.I.E. Mixture.

Caffeine	150 mg.
Sodium Iodide	500 mg.
Ephedrine Hydrochloride	20 mg.
Syrup Tolu	4 ml.
Spirit of Aniseed	0.06 ml.
Water to	10 ml.

7383 CALCIUM ACETYSALICYLATE

Acetylsalicylic Acid	550 mg.
Calcium Hydroxide	155 mg.
Neutral Syrup of Lemon	2 ml.
Solution of Carmine	0.1 ml.
Water to	10 ml.

7498 CHALK and KAOLIN

Chalk	1.5 G.
Light Kaolin	2.5 G.
Light Magnesium Carbonate	200 mg.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7499 CHLORAL HYDRATE

Chloral Hydrate	1 G.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7500 FERROUS SULPHATE

Ferrous Sulphate	300 mg.
Dextrose Monohydrate	1 G.
Orange Syrup	1 ml.
Citric Acid	50 mg.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

PRESCRIPTION

7501 GENTIAN ACID

Concentrated Compound Gentian Infusion	1.25 ml.
Dilute Hydrochloric Acid	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7502 GENTIAN ALKALINE

Concentrated Compound Gentian Infusion	1.25 ml.
Sodium Bicarbonate	500 mg.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7378 IPECACUANHA and OPIUM

Synonym: Cough Mixture.

Ipecacuanha Tincture	0.3 ml.
Camphorated Opium Tincture	1.2 ml.
Syrup Tolu	1.2 ml.
Oxymel of Squill	1 ml.
Chloroform Spirit	0.3 ml.
Anise Water Concentrated	0.15 ml.
Water to	10 ml.

7503 KAOLIN and OPIUM

Light Kaolin	2.5 G.
Light Magnesium Carbonate	200 mg.
Opium Tincture	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7504 MAGNESIUM TRISILICATE

Magnesium Trisilicate	1 G.
Calcium Carbonate	500 mg.
Light Magnesium Carbonate	500 mg.
Concentrated Peppermint Water	0.25 ml.
Water to	10 ml.

7385 PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE

Synonym: P.B.P.A. Mixture.

Phenobarbitone Sodium	15 mg.
Belladonna Tincture	0.6 ml.
Procaine Hydrochloride	150 mg.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

PREScription

MIXTURES—cont.

7505 POTASSIUM CHLORIDE

Potassium Chloride	1 G.
Lemon Syrup, A.P.F.	2 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7506 POTASSIUM CITRATE

Potassium Citrate	2 G.
Citric Acid	400 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7507 POTASSIUM CITRATE and SODIUM BICARBONATE

Potassium Citrate	1 G.
Sodium Bicarbonate	750 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7508 POTASSIUM IODIDE and STRAMONIUM, COMPOUND

Synonym: Lobelia and Stramonium Mixture.

Potassium Iodide	250 mg.
Stramonium Tincture	0.5 ml.
Lobelia Ethereal Tincture	0.5 ml.
Aromatic Ammonia Spirit	0.5 ml.
Liquorice Liquid Extract	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7444 SENEGA and AMMONIA

Ammonium Bicarbonate	250 mg.
Camphorated Opium Tincture	1 ml.
Liquorice Liquid Extract	0.5 ml.
Concentrated Senega Infusion	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7509 SODIUM CITRATE

Sodium Citrate	2 G.
Citric Acid	400 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

PREScription

7510 SODIUM SALICYLATE

Sodium Salicylate	1 G.
Liquorice Liquid Extract	0.25 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

NASAL INSTILLATIONS

(Maximum Quantity 15 ml. and 2 Repeats)

7576 DEXTROSE and GLYCERIN

Dextrose Monohydrate	8 G.
Glycerin to	15 ml.

7574 EPHEDRINE

Ephedrine Hydrochloride	150 mg.
Chlorbutol	75 mg.
Sodium Chloride	75 mg.
Propylene Glycol	0.75 ml.
Purified Water to	15 ml.

OINTMENTS

(Maximum Quantity 100 G. and 1 Repeat)

9497 BENZOIC ACID, COMPOUND

Benzoic Acid	6 G.
Salicylic Acid	3 G.
Emulsifying Ointment	91 G.

7918 EMULSIFYING

Emulsifying Wax	30 G.
White Soft Paraffin	50 G.
Liquid Paraffin	20 G.

7570 HAMAMELIS, COMPOUND

Hamamelis Liquid Extract	10 ml.
Phenol	2 G.
Zinc Oxide	10 G.
Wool Fat	50 G.
Yellow Soft Paraffin to	100 G.

PREScription

ointments—cont.

9592 RESORCINOL and SULPHUR, COMPOUND

Resorcinol	2 G.
Precipitated Sulphur	3 G.
Salicylic Acid	1 G.
White Simple Ointment	94 G.

7926 SALICYLIC ACID

Salicylic Acid	2 G.
Wool Alcohols Ointment	98 G.

7927 SIMPLE

Wool Fat	5 G.
Hard Paraffin	5 G.
Cetostearyl Alcohol	5 G.
White Soft Paraffin	85 G.

7929 SULPHUR

Sublimed Sulphur	10 G.
White Simple Ointment	90 G.

7899 ZINC and CASTOR OIL

Zinc Oxide	7.5 G.
Castor Oil	50 G.
Cetostearyl Alcohol	2 G.
White Beeswax	10 G.
Arachis Oil	30.5 G.

7527 ZINC OXIDE

Zinc Oxide	15 G.
White Simple Ointment	85 G.

PAINTS

(Maximum Quantity 25 ml. and 1 Repeat)

7562 ICHTHAMMOL

Ichthammol	10 G.
Glycerin	90 G.

PREScription

7565 MAGENTA

Magenta	100 mg.
Resorcinol	2 G.
Phenol	1 G.
Boric Acid	200 mg.
Industrial Methylated Spirit	2 ml.
Acetone	1 ml.
Purified Water to	25 ml.

7566 PODOPHYLLIN

Podophyllum Resin	1.25 G.
Compound Benzoin Tincture to	25 ml.

7567 PODOPHYLLIN, STRONG

Podophyllum Resin	3.75 G.
Compound Benzoin Tincture to	25 ml.

7568 SALICYLIC ACID

Salicylic Acid	2.5 G.
Flexible Collodion to	25 ml.

PASTES

(Maximum Quantity 100 G. and 1 Repeat)

7555 COAL TAR

Coal Tar, B.P.C.	1 G.
Castor Oil	1 G.
Compound Zinc Paste	98 G.

7556 DITHRANOL and ZINC

Dithranol	100 mg.
Compound Zinc Paste	99.9 G.

7557 DITHRANOL and ZINC, STRONG

Dithranol	1 G.
Compound Zinc Paste	99 G.

PREScription

PASTES—cont.

7478 TITANIUM DIOXIDE

Titanium Dioxide ..	20 G.
Zinc Oxide ..	10 G.
Calamine ..	10 G.
Light Kaolin ..	10 G.
Bentonite ..	1 G.
Compound Hydroxybenzoate Powder, A.P.F. ..	100 mg.
Glycerin ..	20 G.
Purified Water to ..	100 G.

7558 ZINC, COMPOUND

Zinc Oxide ..	25 G.
Starch ..	25 G.
White Soft Paraffin ..	50 G.

7559 ZINC and SALICYLIC ACID

Salicylic Acid ..	2 G.
Liquid Paraffin ..	2 G.
Compound Zinc Paste ..	96 G.

PREScription

POWDERS

(Maximum Quantity 100 G. and 2 Repeats)

7477 ALUMINIUM and MAGNESIUM TRISILICATE

Dried Aluminium Hydroxide Gel ..	10 G.
Magnesium Trisilicate ..	50 G.
Light Kaolin ..	40 G.

7549 MAGNESIUM and CALCIUM CARBONATE

Calcium Carbonate ..	25 G.
Heavy Magnesium Carbonate ..	25 G.
Magnesium Trisilicate ..	50 G.
Peppermint Oil ..	0.2 ml.

SPRAY

(Maximum Quantity 15 ml. and 2 Repeats)

7476 ADRENALINE and ATROPINE

Adrenaline Acid Tartrate ..	135 mg.
Atropine Methonitrate ..	15 mg.
Sodium Chloride ..	90 mg.
Chlorbutol ..	75 mg.
Sodium Metabisulphite ..	15 mg.
Propylene Glycol ..	0.75 ml.
Purified Water, freshly boiled and cooled to ..	15 ml.

SECTION 5 — PRESCRIBERS' LIST—CHILDREN'S SECTION

PRESCRIPTION

LINCTUS

(Maximum Quantity 100 ml. and 4 Repeats)

7475 PHOLCODINE

Pholcodine	2.5 mg.
Citric Acid	25 mg.
Chloroform Spirit	0.15 ml.
Compound Amaranth Solution, A.P.F.	0.05 ml.
Glycerin	0.5 ml.
Syrup to	5 ml.

MIXTURES

(Maximum Quantity 100 ml. and 4 Repeats)

7511 ACETYLSALICYLIC ACID

Acetylsalicylic Acid	150 mg.
Compound Tragacanth Powder	100 mg.
Raspberry Syrup	1 ml.
Water to	5 ml.

7577 ALUMINIUM HYDROXIDE with KAOLIN

Light Kaolin	1 G.
Aluminium Hydroxide Mixture to	5 ml.

7512 ATROPINE METHONITRATE

Atropine Methonitrate	0.5 mg.
Lemon Syrup, A.P.F.	0.5 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

PRESCRIPTION

7513 BELLADONNA

Belladonna Tincture	0.1 ml.
Orange Syrup	1 ml.
Glycerin	1 ml.
Benzoic Acid Solution, A.P.F.	0.1 ml.
Water to	5 ml.

7514 CALCIUM and KAOLIN

Calcium Carbonate	500 mg.
Light Kaolin	1 G.
Light Magnesium Carbonate	100 mg.
Chloroform Spirit	0.1 ml.
Concentrated Cinnamon Water	0.1 ml.
Water to	5 ml.

7515 CHLORAL HYDRATE

Chloral Hydrate	250 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7516 FERROUS GLUCONATE

Ferrous Gluconate	200 mg.
Dextrose Monohydrate	500 mg.
Orange Syrup	1 ml.
Citric Acid	25 mg.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

PREScription

MIXTURES—cont.

7517 FERROUS SULPHATE

Ferrous Sulphate	100 mg.
Dextrose Monohydrate	500 mg.
Orange Syrup	1 ml.
Citric Acid	25 mg.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7518 IPECACUANHA and SQUILL

Ipecacuanha Tincture	0.1 ml.
Camphorated Opium Tincture	0.3 ml.
Oxymel of Squill	1 ml.
Water to	5 ml.

7519 MAGNESIUM SULPHATE

Magnesium Sulphate	1 G.
Light Magnesium Carbonate	200 mg.
Concentrated Peppermint Water	0.1 ml.
Water to	5 ml.

7520 PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole	500 mg.
Light Kaolin	300 mg.
Compound Tragacanth Powder	50 mg.
Raspberry Syrup	1 ml.
Benzoic Acid Solution, A.P.F.	0.1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7521 POTASSIUM CITRATE

Potassium Citrate	1 G.
Citric Acid	200 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

PREScription

7522 POTASSIUM IODIDE

Potassium Iodide	100 mg.
Liquorice Liquid Extract	0.25 ml.
Aromatic Ammonia Spirit	0.1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7523 POTASSIUM IODIDE and EPHEDRINE

Potassium Iodide	100 mg.
Ephedrine Hydrochloride	10 mg.
Stramonium Tincture	0.2 ml.
Aromatic Ammonia Spirit	0.1 ml.
Liquorice Liquid Extract	0.2 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7524 SODIUM AMINOSALICYLATE

Sodium Aminosalicylate	1 G.
Liquorice Liquid Extract	0.25 ml.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7525 SODIUM CITRATE

Sodium Citrate	1 G.
Citric Acid	200 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

SECTION 6—CONTAINER PRICES, PROFESSIONAL FEES, STANDARD PACKS AND PRICES FOR READY PREPARED PREPARATIONS—DECEMBER 1968

Container prices for ready prepared preparations

Class of Benefit	Container	Amount
When supplied in—		
Ampoules or Vials	100 G Screw Cap Jar	10c
Hypodermic Tabletes	Vial	3c
Other Tablets and Pills	Tablet Containers—	
	Size 25	3c
	Size 50	4c
	Size 100	6c
Pessaries and Suppositories	50 G Screw Cap Jar	9c

Ready prepared professional fee—30c

STANDARD PACKS AND PRICES (INCLUDING MARK-UP, BUT WITHOUT PROFESSIONAL FEE) FOR ITEMS
AGAINST THE PRICE OF WHICH AN ASTERISK IS SHOWN IN THE LIST OF BENEFITS

(Apply wastage factor in calculating broken quantity prices)

Item No.	Name	Form	Price and Pack	Brand
			\$	
2644	Ampicillin	100 mg.	1 @ 0.57	BR
2389		250 mg.	1 @ 0.96	BR
2390		500 mg.	1 @ 1.55	BR
1058	Amylobarbitone Sodium	250 mg.	1 @ 0.44	LY
1059		500 mg.	1 @ 0.67	LY
1060		1 G.	1 @ 1.87	LY
1072	Antazoline	100 mg. in 2 ml.	5 @ 0.93	CB
			5 @ 0.96	BT
1116	Betamethasone	4 mg. in 1 ml.	1 @ 1.33	GL, SH
1126	Brown Snake Antivenene	500 Units	1 @ 14.00	CS
1163	Chlorambucil	2 mg.	25 @ 1.47	BW
1164		5 mg.	25 @ 2.40	BW
2385	Chloramphenicol	250 mg.	1 @ 0.91	PD
1167		1 G.	1 @ 1.31	CW
			1 @ 1.53	EC, PD
1185	Chloroquine	2 ml.	10 @ 1.27	MB
1186		5 ml.	10 @ 2.33	MB
2545	Cholera-EI Tor Combined Vaccine	8,000 M. in 1 ml.	1 @ 0.40	CS

1210	Clemizole	20 mg.	100 @	2.00	SC
2621	Colistin	I.M. 150 mg.	1 @	6.83	WW
1232,					
1238					
to	Corticotrophin	Col. 5 price less	30c	Qty. dispensed	
1240,			X		
1242,		1		Max. Qty.	
2357,					
2538					
1262	Cyanocobalamin	1,000 mcg.	1 @	0.47	PT
			1 @	0.56	GL
1281	Deoxycortone - Aqueous Injection	10 mg./ml., 5 ml.	5 @	20.00	SC
1283	- Oily Injection	5 mg.	4 @	2.67	SC
1290	Dexamethasone	5 mg. in 1 ml.	1 @	1.67	OR
1291		4 mg./ml., 2 ml.	1 @	2.67	MK
1292		0.5 mg.	100 @	11.12	RL
2701	Dextromoramide	5 mg. in 1 ml.	5 @	1.13	FA
1312	Diethazine	250 mg.	50 @	1.33	MB
1313	Diethylcarbamazine	50 mg.	100 @	2.33	LE
1321	Digoxin	250 mcg./ml., 2 ml.	5 @	0.84	BW
2537		50 mcg. in 2 ml.	5 @	0.84	BW
1325	Dihydromorphinone Hydrochloride	2.5 mg.	10 @	0.33	KN
1333	Diloxanide Furoate	500 mg.	15 @	2.00	BT
1342	Diphtheria Antitoxin	1,000 Units	1 @	1.47	CS
1343		4,000 Units	1 @	3.93	CS
1344		10,000 Units	1 @	9.17	CS
1345		20,000 Units	1 @	16.96	CS
1341	Diphtheria and Tetanus Vaccine	0.5 ml.	1 @	0.44	CS

Item No.	Name	Form	Price and Pack	Brand
			\$	
1346	Diphtheria, Tetanus and Pertussis Vaccine	0.5 ml.	1 @ 0.52	CS
1348	Diphtheria Vaccine (P.T.A.P.)	0.5 ml.	1 @ 0.44	CS
2519	Edrophonium	10 mg. in 1 ml.	6 @ 1.44	RO
1398	Erythromycin	300 mg. in 10 ml.	1 @ 2.37	AB
1405	Ethinylloestradiol	0.01 mg.	100 @ 0.67	BD, OR
1406		0.02 mg.	30 @ 0.40	SC
			100 @ 0.77	BD, OR
1407		0.05 mg.	100 @ 0.91	BD, OR
1408		1 mg.	25 @ 2.07	BD
			100 @ 6.60	OR
1409	Ethisterone	5 mg.	25 @ 1.47	BD, VR
1410		10 mg.	25 @ 2.67	BD, SC, VR
1411		25 mg.	25 @ 5.33	BD, VR
1412	Ethopropazine	50 mg.	50 @ 1.33	MB
1436	Folic Acid	15 mg. in 1 ml.	5 @ 1.43	ET
1441	Gas Gangrene Antitoxin (Oedematiens)	10,000 Units	1 @ 9.24	CS
1444	Gas Gangrene Antitoxin (Septicum)	5,000 Units	1 @ 14.47	CS
1445	Gas Gangrene Antitoxin (Welchii)	4,000 Units	1 @ 7.97	CS
1446		10,000 Units	1 @ 12.47	CS
2699	Gas Gangrene Antitoxin - Mixed (Polyvalent)	25,000 Units	1 @ 16.69	CS

2446	Goats Milk	Dehydrated Pdr. 1/2 lb.	1 @	1.60	GV
2656		Whole 13 fl. oz.	1 @	0.37	TM
1464	Halibut Liver Oil	6,000 Units	120 @	1.60	CK
1466	Heparin	1,000 Units/ml., 5 ml.	1 @	0.56	BT, CS, EV, WP
1467		5,000 Units in 1 ml.	1 @	0.56	CS
			10 @	4.48	WP
1468		5,000 Units/ml., 5 ml.	1 @	1.67	BT, CS, DH, EV, WP
1469		12,500 Units in 1 ml.	1 @	1.00	BT, CS, EV
1478	Hyaluronidase	500 Units	1 @	0.76	WY
2679	Hydrocortisone Sodium Succinate	75 mg. Set	1 @	3.80	RL
1501		100 mg. Set	1 @	4.96	RM
			1 @	5.97	NR
			1 @	7.47	BT, GL, UP
1511	Hydroxocobalamin	1,000 mcg. in 1 ml.	1 @	0.56	GL, KL
1513	Hydroxyprogesterone	250 mg.	1 @	3.07	RM
1523					
to					
1527,					
1529					
to					
1548			Col. 5 price X Qty. dispensed		
and	All Insulins				
2578			Maximum Quantity		
to					
2581					

Item No.	Name	Form	Price and Pack	Brand
			\$	
2242 to 2255, 2258 to 2295, 2305, 2306, 2480, 2631 to 2634, 2667, 2766	Intravenous Fluids for Injection	Col. 5 price less 30c	Qty. dispensed	
		1	X	Max. Qty.
1553	Isoniazid	50 mg.	100 @ 0.40	AD, SI
			100 @ 0.73	RO
1562	Kanamycin	250 mg.	1 @ 1.00	SI
1563		500 mg.	1 @ 1.47	BC
1564		1 G.	1 @ 2.40	BC, SI
1569	Levorphanol	1.5 mg.	20 @ 0.67	RO
2530	Lincomycin	600 mg. in 2 ml.	1 @ 1.92	UP
2401	Lypressin	50 Units per ml., 5 ml.	1 @ 1.87	SZ
2547	Melphalan	2 mg.	25 @ 2.40	BW
2548		5 mg.	25 @ 4.40	BW
1597	Mercaptomerin Sodium	1.4 G. in 10 ml.	1 @ 1.83	WY
1601	Mersalyl	1 ml.	5 @ 0.64	EV
			5 @ 0.67	BD, FH
			5 @ 0.72	DH

1602		2 ml.	5 @	0.77	EV, FH
			5 @	0.83	DH
			5 @	0.84	BT, VR
1604	Metaraminol	10 mg. in 1 ml.	1 @	0.40	MK
1613	Methazolamide	50 mg.	100 @	10.13	LE
1619	Methenolone Acetate	1 mg.	50 @	1.07	SC
1620		5 mg.	50 @	3.67	SC
2323	Methicillin	1 G.	1 @	3.17	BR, CS
1623	Methoxamine Hydrochloride	20 mg. in 1 ml.	5 @	1.20	BW
2697	Neomycin	500 mg. Powder	1 @	1.27	ET
1711	Oxymesterone	5 mg.	50 @	3.73	MB
1719	Oxytetracycline	I.M. 100 mg.	1 @	0.75	PF
1720		I.M. 250 mg.	1 @	1.36	PF
1721		I.V. 250 mg.	1 @	1.36	PF
1732	Pancreatin Concentrate	1 oz., Powder	1 @	1.20	PD
1734		300 mg.	100 @	1.84	PD
2560	Papuan Black Snake Antivenene	3,000 Units	1 @	15.87	CS
1759	Pempidine	5 mg.	50 @	1.44	IC, MB
1760		10 mg.	50 @	2.53	IC
2722	Penicillamine	250 mg.	50 @	21.00	MK
1772					
to					
1779,					
and					
1791	Penicillins				
to					
1808,					
2647,					
2648					
		Col. 5 price less	30c	Qty. dispensed	
			X		
		1		Max. Qty.	

Item No.	Name	Form	Price and Pack	Brand
			\$	
2410	Peritoneal Dialysis Solution	1.5% Dextrose	1 @ 1.67	BX
2411		7% Dextrose	1 @ 1.67	BX
1827	Pertussis Vaccine	20,000 M. in 0.5 ml.	1 @ 0.40	CS
1851	Phenobarbitone	60 mg.	100 @ 0.24	AD, DH, FA, HY, KL, RT, RY, SI, SL
			100 @ 0.27	MG
			100 @ 0.33	BW, MB
1852		100 mg.	100 @ 0.33	AD, DH, KL, RT, RY, SI, SL
1853	Phenobarbitone Sodium	200 mg. in 1 ml.	10 @ 0.93	MB
1858		60 mg.	100 @ 0.24	KL, RT, SL
			100 @ 0.27	FA
1859		100 mg.	100 @ 0.33	FA, KL
1861	Phenolphthalein Compound	Pill	100 @ 0.40	DH
2383	Phytomenadione	10 mg. in 1 ml.	1 @ 1.07	MK
2384		10 mg./ml., 5 ml.	1 @ 5.00	MK
1896	Piperazine Phosphate	250 mg.	42 @ 0.84	GL
1900	Pituitary, Posterior Lobe	2 G.	1 @ 2.23	BP
1901	Plague Vaccine	1 ml.	1 @ 0.67	CS
2392	Polymyxin B Sulphate	Powder 500,000 Units	1 @ 2.93	BW
1919	Prednisolone Acetate	10 mg in 1 ml.	3 @ 2.67	SC
2439	Prednisolone Sodium Succinate	Injection - Set	1 @ 6.67	MQ
1958	Protoveratrine A	1 ml.	5 @ 1.23	SZ
1959	Pyridostigmine	60 mg.	150 @ 10.49	RO
1960		1 mg. in 1 ml.	6 @ 0.83	RO
1965	Pyridoxine Hydrochloride	25 mg.	50 @ 1.67	ET
1966	Pyrimethamine	25 mg.	50 @ 1.47	BW
1980	Red Back Spider Antivenene	500 Units	1 @ 4.00	CS

1986	Rolitettracycline	I.V. 110 mg.	1 @	1.32	AH
1988		I.V. 350 mg.	1 @	2.32	BC
1989		I.M. 150 mg.	1 @	1.31	BC
			1 @	1.32	AH
1990		I.M. 350 mg.	1 @	2.32	BC
2018	Sodium Aurothiomalate	50 mg.	1 @	0.43	MB
2019		100 mg.	1 @	0.59	MB
2022	Sodium Calciumedetate	200 mg./ml., 5 ml.	6 @	5.87	RK
2027	Sodium Chloride (Physiological Solution)	10 ml. Vial	1 @	0.33	FH, PD
2029		50 ml.	1 @	0.67	BX, FH, KL
1354	Sodium Edetate	200 mg./ml., 5 ml.	6 @	6.67	RK
			Col. 5 Price X Qty. dispensed		
2039	Soya Formula	1 tin.		Maximum	Quantity
2478	Stanozolol	2 mg.	50 @	3.20	WL
2054	Streptomycin Sulphate	1 G.	1 @	0.33	DH, EV, GL, SI
2056		250,000 Units/ml., 4 ml.	1 @	0.37	DL, GL
2057		500,000 Units/ml., 2 ml.	1 @	0.37	BT, EV, GL
2058		1,000,000 Units in 3 ml.	1 @	0.37	EV, GL
2069	Sulphadiazine Sodium	4 ml.	10 @	1.93	MB
2102	Suxamethonium Bromide	67 mg.	10 @	2.33	MB
2104	T.A.B. Vaccine	0.5 ml.	1 @	0.40	CS
2108	Taipan Antivenene	3,000 Units	1 @	45.92	CS
2115	Testosterone Propionate	25 mg. in 1 ml.	3 @	1.15	SC
			5 @	2.00	BD

Item No.	Name	Form	Price and Pack	Brand
			\$	
2116	Testosterone Propionate - cont.	50 mg. in 1 ml.	3 @ 2.21	SC
			5 @ 3.87	BD
2118		100 mg. in 2 ml.	6 @ 8.80	BD
2121	Tetanus Antitoxin	1,500 Units	1 @ 1.61	CS
2122		10,000 Units	1 @ 6.55	CS
2123		50,000 Units	1 @ 29.11	CS
2629	Tetanus Antitoxin (Bovine)	1,500 Units	1 @ 2.00	CS
2127	Tetanus Toxoid (P.A.P.A.)	0.5 ml.	1 @ 0.36	BT, CS
2129	Tetracycline	I.V. 100 mg.	1 @ 0.75	LE
2130		I.V. 250 mg.	1 @ 1.36	LE
2131		I.M. 100 mg.	1 @ 0.75	GP, LE
2403		I.M. 250 mg.	1 @ 1.36	LE
2368	Thiethylperazine	6.5 mg. in 1 ml.	5 @ 0.60	SZ
2176	Tiger Snake Antivenene	3,000 Units	1 @ 21.27	CS
2179	Tretamine - Tablet	2.5 mg.	25 @ 3.80	IC
2570	- Injection	5 mg.	5 @ 9.33	IC
2194	Troxidone	300 mg.	100 @ 3.47	GA
2800	Typhoid Vaccine	0.5 ml.	1 @ 0.37	CS
2195	Typhus Vaccine	1 ml.	1 @ 3.52	CS
2197	Vasopressin Tannate	5 Units in 1 ml.	5 @ 1.44	PD
2371	Vincristine	1 mg.	1 @ 12.95	LY
2348	Viomycin	1 G.	1 @ 3.33	PD, PF
2217	Water for Injection	5 ml.	1 @ 0.11	CS



NATIONAL HEALTH ACT



PRESCRIBERS' LIST



**Department of Health,
Canberra, A.C.T.**

DECEMBER 1968

36289

CONTENTS

PHARMACEUTICAL BENEFITS FORMULAE	Page
Applications	1
Creams	1-4
Dusting Powders	4-5
Ear Drops	5-6
Elixirs	6
Emulsion	7
Eye Drops	7
Inhalations	7-8
Linctuses	8-9
Liniments	9
Lotions	10
Mixtures	11-16
Nasal Instillations	16
Ointments	17-18
Paints	18
Pastes	19
Powders	19-20
Spray	20
 CHILDREN'S SECTION	
Linctus	21
Mixtures	21-24

SECTION 5

PRESCRIBERS' LIST

The formulae set out in the following pages are a representative selection of extemporaneously prepared medicaments for use in the supply of Pharmaceutical Benefits under the National Health Act. Particular formulae suitable for children are grouped together and headed 'Children's Section'.

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml. and 2 Repeats)

7668 BENZYL BENZOATE with DICOPHANE

Benzyl Benzoate					50 G.
Dicophane					4 G.
Emulsifying Wax	..				4 G.
Purified Water to	..				200 ml.

7669 DICOPHANE

Dicophane					4 G.
Emulsifying Wax	..				8 G.
Xylene of commerce					30 ml.
Citronella Oil	..				1 ml.
Purified Water to	..				200 ml.

CREAMS

(Maximum Quantity 100 G. and 1 Repeat)

7655 ALUMINIUM ACETATE, OILY

Aluminium Acetate Solution		5 ml.
Zinc Oxide		20 G.
Wool Fat		25 G.
Arachis Oil		25 ml.
Purified Water		27 ml.

PRESCRIPTION

CREAMS—*cont.*

7492 AQUEOUS

Emulsifying Wax	10 G.
Hard Paraffin	6 G.
Liquid Paraffin	27 G.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Purified Water to	100 G.

7491 BUFFERED, AQUEOUS

Sodium Phosphate	2.5 G.
Citric Acid	500 mg.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Emulsifying Ointment	30 G.
Purified Water to	100 G.

7658 CALAMINE, AQUEOUS

Calamine	4 G.
Zinc Oxide	3 G.
Emulsifying Wax	6 G.
Arachis Oil	40 ml.
Purified Water to	100 G.

7659 CALAMINE, OILY

Calamine	32 G.
Oleic Acid	0.5 ml.
Arachis Oil	21.5 ml.
Wool Fat	17.5 G.
Calcium Hydroxide Solution	30.5 ml.

7661 CETOMACROGOL, AQUEOUS

Cetomacrogol Emulsifying Wax	15 G.
Liquid Paraffin	15 G.
White Soft Paraffin	10 G.
Glycerin	10 ml.
Chlorocresol	100 mg.
Purified Water to	100 G.

PRESCRIPTION

CREAMS—*cont.*

7660 CETRIMIDE, AQUEOUS

Cetrimide					500 mg.
Cetostearyl Alcohol					5 G.
Liquid Paraffin					50 G.
Purified Water to	..				100 G.

7490 CHLORHEXIDINE, AQUEOUS

Chlorhexidine Gluconate Solution					5 ml.
Cetomacrogol Emulsifying Wax					25 G.
Liquid Paraffin					10 G.
Purified Water to	..				100 G.

7662 COAL TAR and ZINC

Coal Tar, B.P.C.					1 G.
Castor Oil					1 G.
Zinc Cream					98 G.

7663 COLD

White Beeswax					20 G.
Liquid Paraffin					60 G.
Borax					1 G.
Purified Water					19 G.

7664 GLYCERIN, OILY

Glycerin	..				20 G.
Calcium Hydroxide Solution					32 ml.
Arachis Oil					22 G.
Wool Fat	..				26 G.

7665 ICHTHAMMOL and ZINC, OILY

Ichthammol					5 G.
Cetostearyl Alcohol					3 G.
Wool Fat	..				10 G.
Oily Zinc Cream					82 G.

9556 OILY

Wool Alcohols Ointment					50 G.
Purified Water					50 G.

PRESCRIPTION

CREAMS—*cont.*

7489 SALICYLIC ACID and RESORCINOL,						
AQUEOUS						
Salicylic Acid	..					2 G.
Resorcinol						2 G.
Aqueous Cream, A.P.F. to	..					100 G.
7488 SALICYLIC ACID and SULPHUR,						
AQUEOUS						
Salicylic Acid	..					2 G.
Precipitated Sulphur						2 G.
Spike Lavender Oil						0.5 ml.
Aqueous Cream, A.P.F. to	..					100 G.
7667 ZINC, OILY						
Zinc Oxide						32 G.
Oleic Acid						0.5 ml.
Arachis Oil						21.5 ml.
Wool Fat	..					17.5 G.
Calcium Hydroxide Solution						30.5 ml.
7654 ZINC, WEAK						
Zinc Oxide						5 G.
Oleic Acid						0.5 ml.
Arachis Oil						38.5 ml.
Wool Fat	..					25 G.
Calcium Hydroxide Solution						34.5 ml.

DUSTING POWDERS

(Maximum Quantity 100 G. and 1 Repeat)

7552 BORIC TALC						
Boric Acid						5 G.
Starch						10 G.
Purified Talc						85 G.
9841 DICOPHANE						
Dicophane						10 G.
Calcium Carbonate						10 G.
Light Kaolin						80 G.

PRESCRIPTION

DUSTING POWDERS—*cont.*

9847 KAOLIN COMPOUND

Light Kaolin	..				25 G.
Zinc Oxide					25 G.
Purified Talc	..				50 G.

7553 SALICYLIC ACID, COMPOUND

Salicylic Acid					3 G.
Boric Acid					5 G.
Purified Talc	..				92 G.

7554 ZINC, COMPOUND

Boric Acid					5 G.
Zinc Oxide					25 G.
Purified Talc	..				35 G.
Starch					35 G.

EAR DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

7642 ALUMINIUM ACETATE

Aluminium Acetate Solution		9 ml.
Purified Water to	..	15 ml.

7643 BORIC ACID

Boric Acid		300 mg.
Industrial Methylated Spirit		3 ml.
Purified Water to	..	15 ml.

7487 CHLORHEXIDINE

Chlorhexidine Diacetate		7.5 mg.
Purified Water to	..	15 ml.

7644 HYDROGEN PEROXIDE

Hydrogen Peroxide Solution		3.75 ml.
Purified Water to	..	15 ml.

7645 ICHTHAMMOL

Ichthammol		10 G.
Glycerin		90 G.

PRESCRIPTION

EAR DROPS—*cont.*

7648 PHENYLMERCURIC NITRATE

Phenylmercuric Nitrate			15 mg.
Propylene Glycol to			15 ml.

8185 SALICYLIC ACID

Salicylic Acid	..			300 mg.
Industrial Methylated Spirit				7.5 ml.
Purified Water to	..			15 ml.

8194 SODIUM BICARBONATE

Sodium Bicarbonate				600 mg.
Glycerin	..			11.25 ml.
Purified Water to	..			15 ml.

7649 SPIRIT

Industrial Methylated Spirit			7.5 ml.
Purified Water to	..		15 ml.

ELIXIRS

(Maximum Quantity 100 ml. and 4 Repeats)

7493 EPHEDRINE

Ephedrine Hydrochloride			20 mg.
Aromatic Syrup, A.P.F.			2 ml.
Concentrated Chloroform Water			0.1 ml.
Water to	..		5 ml.

7640 PHENOBARBITONE

Phenobarbitone			15 mg.
Alcohol (90 per cent)	..		2 ml.
Glycerin	..		1.5 ml.
Aromatic Syrup, A.P.F. to			5 ml.

PREScription

EMULSION

(Maximum Quantity 400 ml. and 4 Repeats)

7486 LIQUID PARAFFIN

Liquid Paraffin					200 ml.
Acacia					50 G.
Saccharin Sodium	..				20 mg.
Benzoic Acid Solution, A.P.F.					10 ml.
Vanillin					200 mg.
Chloroform					1 ml.
Purified Water to	..				400 ml.

(May be prescribed for pensioners only)

EYE DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

7417 ZINC and ADRENALINE

Zinc Sulphate					37.5 mg.
Adrenaline Solution					1.5 ml.
Boric Acid					225 mg.
Sodium Metabisulphite					7.5 mg.
Chlorbutol					75 mg.
Glycerin					0.15 ml.
Water for Injection to					15 ml.

7416 ZINC SULPHATE

Zinc Sulphate					37.5 mg.
Boric Acid					225 mg.
Chlorbutol					75 mg.
Glycerin					0.15 ml.
Water for Injection to					15 ml.

INHALATIONS

(Maximum Quantity 50 ml. and 1 Repeat)

7485 BENZOIN

Compound	Benzoin	Tincture			
B.P.C.					50 ml.

PRESCRIPTION

INHALATIONS—*cont.*

7484 MENTHOL and BENZOIN

Menthol						1 G.
Compound	Benzoin	Tincture				
B.P.C. to						50 ml.

7494 MENTHOL and EUCALYPTUS

Menthol						1 G.
Eucalyptus Oil						6.25 ml.
Light Magnesium Carbonate						3.5 G.
Water to	..					50 ml.

7483 MENTHOL and PINE

Menthol						1 G.
Creosote						1 ml.
Pumilio Pine Oil						2.5 ml.
Industrial Methylated Spirit to						50 ml.

LINCTUSES

(Except where shown, Maximum Quantity 100 ml.
and 4 Repeats)

7534 CAMPHOR COMPOUND

Camphorated Opium Tincture						2 ml.
Oxymel of Squill						1 ml.
Syrup to						5 ml.

7495 CODEINE

(Maximum Quantity 100 ml. and 2 Repeats)

Codeine Phosphate						25 mg.
Water						1 ml.
Glycerin	..					1 ml.
Oxymel of Squill						2 ml.
Syrup to	..					5 ml.

7482 PHOLCODINE

Pholcodine						5 mg.
Citric Acid						50 mg.
Chloroform Spirit	..					0.3 ml.
Compound Amaranth Solution,						
A.P.F.	..					0.1 ml.
Glycerin	..					1 ml.
Syrup to	..					5 ml.

PRESCRIPTION

LINCTUSES—*cont.*

7635 SIMPLE

Citric Acid					200 mg.
Chloroform Spirit	..				0.3 ml.
Amaranth Solution, A.P.F.					0.1 ml.
Concentrated Anise Water					0.1 ml.
Syrup to	..				5 ml.

LINIMENTS

(Maximum Quantity 100 ml. and 1 Repeat)

7884 CAMPHOR

Camphor	..				20 G.
Arachis Oil					80 G.

7481 METHYL SALICYLATE

Methyl Salicylate	..				25 ml.
Arachis Oil to					100 ml.

7480 METHYL SALICYLATE, COMPOUND

Menthol					4 G.
Eucalyptus Oil					10 ml.
Methyl Salicylate					25 ml.
Arachis Oil to					100 ml.

7479 SOAP

Camphor	..				4 G.
Oleic Acid					4 G.
Potassium Hydroxide Solution, (5 per cent)					14 ml.
Industrial Methylated Spirit					70 ml.
Rosemary Oil	..				1.5 ml.
Purified Water to	..				100 ml.

PRESCRIPTION

LOTIONS

(Maximum Quantity 200 ml. and 2 Repeats)

7629 CALAMINE

Calamine ..						30 G.
Zinc Oxide ..						10 G.
Bentonite ..						6 G.
Sodium Citrate ..						1 G.
Liquefied Phenol ..						1 ml.
Glycerin ..						10 ml.
Purified Water to ..						200 ml.

7630 CALAMINE OILY

Calamine ..						10 G.
Wool Fat ..						2 G.
Arachis Oil ..						100 ml.
Oleic Acid ..						1 ml.
Calcium Hydroxide Solution to ..						200 ml.

8793 RESORCINOL COMPOUND

Resorcinol ..						5 G.
Solvent Ether ..						5 ml.
Castor Oil ..						5 ml.
Spike Lavender Oil ..						0.2 ml.
Industrial Methylated Spirit to ..						200 ml.

7633 SULPHURATED

Zinc Sulphate ..						10 G.
Sulphurated Potash ..						10 G.
Acetone ..						10 ml.
Glycerin ..						10 ml.
Spike Lavender Oil ..						0.4 ml.
Purified Water to ..						200 ml.

8825 ZINC SULPHATE

Zinc Sulphate ..						2 G.
Amaranth Solution, A.P.F. ..						2 ml.
Purified Water to ..						200 ml.

PREScription

MIXTURES

(Maximum Quantity 200 ml. and 4 Repeats)

7496 ACETYLSALICYLIC ACID

Acetylsalicylic Acid				500 mg.
Compound Tragacanth Powder				200 mg.
Orange Syrup				1 ml.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

Additional drugs may be required to be prescribed with this mixture, and the following doses are considered suitable for addition to each 10 millilitre dose.

Amylobarbitone				25 mg.
Morphine Hydrochloride		..		10 mg.

7447 ACETYLSALICYLIC ACID and CODEINE

Codeine Phosphate				20 mg.
Acetylsalicylic Acid				500 mg.
Compound Tragacanth Powder				200 mg.
Orange Syrup				1 ml.
Concentrated Chloroform Water	..			0.25 ml.
Water to				10 ml.

7446 ACETYLSALICYLIC ACID and MORPHINE

Morphine Hydrochloride Solution				1 ml.
Amaranth Solution, A.P.F.				0.1 ml.
Acetylsalicylic Acid				500 mg.
Compound Tragacanth Powder				200 mg.
Orange Syrup				1 ml.
Concentrated Chloroform Water	..			0.25 ml.
Water to				10 ml.

PRESCRIPTION

MIXTURES—*cont.*

**7445 ACETYLSALICYLIC ACID and
PHENOBARBITONE**

Phenobarbitone					20 mg.
Acetylsalicylic Acid					500 mg.
Compound Tragacanth Powder					200 mg.
Orange Syrup					1 ml.
Concentrated Chloroform Water	..				0.25 ml.
Water to					10 ml.

**7379 ALUMINIUM HYDROXIDE with
BELLADONNA**

Belladonna Tincture					0.5 ml.
Mixture of Aluminium Hydroxide, A.P.F. to					10 ml.

**7380 ALUMINIUM HYDROXIDE with KAOLIN
and OPIUM**

Light Kaolin					2 G.
Opium Tincture					0.3 ml.
Mixture of Aluminium Hydroxide, A.P.F. to					10 ml.

**7381 ALUMINIUM HYDROXIDE with
PROCAINE**

Procaine Hydrochloride					100 mg.
Mixture of Aluminium Hydroxide, A.P.F. to					10 ml.

7382 AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium					20 mg.
Ephedrine Hydrochloride					15 mg.
Potassium Iodide					500 mg.
Aminophylline	..				100 mg.
Liquorice Liquid Extract					0.5 ml.
Chloroform Water Concentrated	..				0.25 ml.
Water to					10 ml.

PRESCRIPTION

MIXTURES—*cont.*

7384 CAFFEINE, IODIDE and EPHEDRINE

Synonym: C.I.E. Mixture.

Caffeine		150 mg.
Sodium Iodide		500 mg.
Ephedrine Hydrochloride		20 mg.
Syrup Tolu		4 ml.
Spirit of Aniseed		0.06 <i>℥</i> l.
Water to		10 ml.

7383 CALCIUM ACETYLSALICYLATE

Acetylsalicylic Acid		550 mg.
Calcium Hydroxide		155 mg.
Neutral Syrup of Lemon		2 ml.
Solution of Carmine		0.1 ml.
Water to		10 ml.

7498 CHALK and KAOLIN

Chalk		1.5 G.
Light Kaolin		2.5 G.
Light Magnesium Carbonate		200 mg.
Concentrated Chloroform Water		0.25 ml.
Water to		10 ml.

7499 CHLORAL HYDRATE

Chloral Hydrate		1 G.
Orange Syrup		1 ml.
Concentrated Chloroform Water		0.25 ml.
Water to		10 ml.

7500 FERROUS SULPHATE

Ferrous Sulphate		300 mg.
Dextrose Monohydrate		1 G.
Orange Syrup		1 ml.
Citric Acid		50 mg.
Concentrated Chloroform Water		0.25 ml.
Water to		10 ml.

PREScription

MIXTURES—*cont.*

7501 GENTIAN ACID

Concentrated Compound Gentian Infusion				1.25 ml.
Dilute Hydrochloric Acid				0.5 ml.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

7502 GENTIAN ALKALINE

Concentrated Compound Gentian Infusion				1.25 ml.
Sodium Bicarbonate				500 mg.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

7378 IPECACUANHA and OPIUM

Synonym: Cough Mixture.

Ipecacuanha Tincture				0.3 ml.
Camphorated Opium Tincture				1.2 ml.
Syrup Tolu				1.2 ml.
Oxymel of Squill				1 ml.
Chloroform Spirit				0.3 ml.
Anise Water Concentrated				0.15 ml.
Water to				10 ml.

7503 KAOLIN and OPIUM

Light Kaolin				2.5 G.
Light Magnesium Carbonate				200 mg.
Opium Tincture				0.5 ml.
Concentrated Chloroform Water				0.25 ml.
Water to	..			10 ml.

7504 MAGNESIUM TRISILICATE

Magnesium Trisilicate	..			1 G.
Calcium Carbonate				500 mg.
Light Magnesium Carbonate				500 mg.
Concentrated Peppermint Water				0.25 ml.
Water to	..			10 ml.

PRESCRIPTION

MIXTURES—*cont.*

**7385 PHENOBARBITONE with BELLADONNA,
PROCAINE and ALUMINIUM
HYDROXIDE**

Synonym: P.B.P.A. Mixture

Phenobarbitone Sodium ..	15 mg.
Belladonna Tincture	0.6 ml.
Procaine Hydrochloride	150 mg.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

7505 POTASSIUM CHLORIDE

Potassium Chloride	1 G.
Lemon Syrup, A.P.F.	2 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7506 POTASSIUM CITRATE

Potassium Citrate ..	2 G.
Citric Acid	400 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

**7507 POTASSIUM CITRATE and SODIUM
BICARBONATE**

Potassium Citrate ..	1 G.
Sodium Bicarbonate	750 mg.
Orange Syrup ..	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

**7508 POTASSIUM IODIDE and STRAMONIUM,
COMPOUND**

Synonym: Lobelia and Stramonium Mixture.

Potassium Iodide	250 mg.
Stramonium Tincture	0.5 ml.
Lobelia Ethereal Tincture ..	0.5 ml.
Aromatic Ammonia Spirit ..	0.5 ml.
Liquorice Liquid Extract	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

PRESCRIPTION

MIXTURES—*cont.*

7444 SENEGA and AMMONIA

Ammonium Bicarbonate			250 mg.
Camphorated Opium Tincture			1 ml.
Liquorice Liquid Extract			0.5 ml.
Concentrated Senega Infusion			0.5 ml.
Concentrated Chloroform Water	..		0.25 ml.
Water to			10 ml.

7509 SODIUM CITRATE

Sodium Citrate			2 G.
Citric Acid			400 mg.
Lemon Syrup, A.P.F.			1 ml.
Concentrated Chloroform Water			0.25 ml.
Water to	..		10 ml.

7510 SODIUM SALICYLATE

Sodium Salicylate	..		1 G.
Liquorice Liquid Extract			0.25 ml.
Concentrated Chloroform Water			0.25 ml.
Water to	..		10 ml.

NASAL INSTILLATIONS

(Maximum Quantity 15 ml. and 2 Repeats)

7576 DEXTROSE and GLYCERIN

Dextrose Monohydrate			3 G.
Glycerin to			15 ml.

7574 EPHEDRINE

Ephedrine Hydrochloride			150 mg.
Chlorbutol			75 mg.
Sodium Chloride			75 mg.
Propylene Glycol			0.75 ml.
Purified Water to	..		15 ml.

PRESCRIPTION

OINTMENTS

(Maximum Quantity 100 G. and 1 Repeat)

9497 BENZOIC ACID, COMPOUND

Benzoic Acid					6 G.
Salicylic Acid	..				3 G.
Emulsifying Ointment	..				91 G.

7918 EMULSIFYING

Emulsifying Wax	..				30 G.
White Soft Paraffin					50 G.
Liquid Paraffin					20 G.

7570 HAMAMELIS, COMPOUND

Hamamelis Liquid Extract					10 ml.
Phenol					2 G.
Zinc Oxide					10 G.
Wool Fat	..				50 G.
Yellow Soft Paraffin to	..				100 G.

9592 RESORCINOL and SULPHUR, COMPOUND

Resorcinol					2 G.
Precipitated Sulphur	..				3 G.
Salicylic Acid	..				1 G.
White Simple Ointment					94 G.

7926 SALICYLIC ACID

Salicylic Acid	..				2 G.
Wool Alcohols Ointment					98 G.

7927 SIMPLE

Wool Fat	..				5 G.
Hard Paraffin	..				5 G.
Cetostearyl Alcohol					5 G.
White Soft Paraffin					85 G.

7929 SULPHUR

Sublimed Sulphur	..				10 G.
White Simple Ointment					90 G.

PRESCRIPTION

OINTMENTS—*cont.*

7899 ZINC and CASTOR OIL

Zinc Oxide					7.5 G.
Castor Oil					50 G.
Cetostearyl Alcohol					2 G.
White Beeswax					10 G.
Arachis Oil					30.5 G.

7527 ZINC OXIDE

Zinc Oxide					15 G.
White Simple Ointment					85 G.

PAINTS

(Maximum Quantity 25 ml. and 1 Repeat)

7562 ICHTHAMMOL

Ichthammol					10 G.
Glycerin	..				90 G.

7565 MAGENTA

Magenta	..				100 mg.
Resorcinol					2 G.
Phenol					1 G.
Boric Acid					200 mg.
Industrial Methylated Spirit					2 ml.
Acetone					1 ml.
Purified Water to	..				25 ml.

7566 PODOPHYLLIN

Podophyllum Resin					1.25 G.
Compound Benzoin Tincture to					25 ml.

7567 PODOPHYLLIN, STRONG

Podophyllum Resin					3.75 G.
Compound Benzoin Tincture to					25 ml.

7568 SALICYLIC ACID

Salicylic Acid	..				2.5 G.
Flexible Collodion to					25 ml.

PRESCRIPTION

PASTES

(Maximum Quantity 100 G. and 1 Repeat)

7555 COAL TAR

Coal Tar, B.P.C.	1 G.
Castor Oil	1 G.
Compound Zinc Paste	98 G.

7556 DITHRANOL and ZINC

Dithranol	100 mg.
Compound Zinc Paste	99.9 G.

7557 DITHRANOL and ZINC, STRONG

Dithranol	1 G.
Compound Zinc Paste	99 G.

7478 TITANIUM DIOXIDE

Titanium Dioxide	20 G.
Zinc Oxide	10 G.
Calamine	10 G.
Light Kaolin	10 G.
Bentonite	1 G.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Glycerin	20 G.
Purified Water to	100 G.

7558 ZINC, COMPOUND

Zinc Oxide	25 G.
Starch	25 G.
White Soft Paraffin	50 G.

7559 ZINC and SALICYLIC ACID

Salicylic Acid	2 G.
Liquid Paraffin	2 G.
Compound Zinc Paste	96 G.

POWDERS

(Maximum Quantity 100 G. and 2 Repeats)

7477 ALUMINIUM and MAGNESIUM TRISILICATE

Dried Aluminium Hydroxide Gel	10 G.
Magnesium Trisilicate	50 G.
Light Kaolin	40 G.

PREScription

POWDERS—*cont.*

7549 MAGNESIUM and CALCIUM
CARBONATE

Calcium Carbonate				25 G.
Heavy Magnesium Carbonate				25 G.
Magnesium Trisilicate	..			50 G.
Peppermint Oil				0.2 ml.

SPRAY

(Maximum Quantity 15 ml. and 2 Repeats)

7476 ADRENALINE and ATROPINE

Adrenaline Acid Tartrate			135 mg.
Atropine Methonitrate	..		15 mg.
Sodium Chloride			90 mg.
Chlorbutol			75 mg.
Sodium Metabisulphite			15 mg.
Propylene Glycol			0.75 ml.
Purified Water, freshly boiled and cooled to			15 ml.

PRESCRIBERS' LIST

Children's Section

PREScription

LINCTUS

(Maximum Quantity 100 ml. and 4 Repeats)

7475 PHOLCODINE

Pholcodine					2.5 mg.
Citric Acid					25 mg.
Chloroform Spirit	..				0.15 ml.
Compound Amaranth Solution,					
A.P.F.	..				0.05 ml.
Glycerin	..				0.5 ml.
Syrup to	..				5 ml.

MIXTURES

(Maximum Quantity 100 ml. and 4 Repeats)

7511 ACETYLSALICYLIC ACID

Acetylsalicylic Acid				150 mg.
Compound Tragacanth Powder				100 mg.
Raspberry Syrup	..			1 ml.
Water to	..			5 ml.

7577 ALUMINIUM HYDROXIDE with KAOLIN

Light Kaolin	..			1 G.
Aluminium Hydroxide Mixture to				5 ml.

PRESCRIPTION

MIXTURES—*cont.*

7512 ATROPINE METHONITRATE

Atropine Methonitrate			0.5 mg.
Lemon Syrup, A.P.F.	..		0.5 ml.
Concentrated Chloroform	Water		0.1 ml.
Water to	..		5 ml.

7513 BELLADONNA

Belladonna Tincture			0.1 ml.
Orange Syrup			1 ml.
Glycerin	..		1 ml.
Benzoic Acid Solution, A.P.F.			0.1 ml.
Water to	..		5 ml.

7514 CALCIUM and KAOLIN

Calcium Carbonate			500 mg.
Light Kaolin			1 G.
Light Magnesium Carbonate			100 mg.
Chloroform Spirit	..		0.1 ml.
Concentrated Cinnamon	Water		0.1 ml.
Water to	..		5 ml.

7515 CHLORAL HYDRATE

Chloral Hydrate			250 mg.
Orange Syrup	..		1 ml.
Concentrated Chloroform	Water		0.1 ml.
Water to	..		5 ml.

7516 FERROUS GLUCONATE

Ferrous Gluconate	..		200 mg.
Dextrose Monohydrate	..		500 mg.
Orange Syrup	..		1 ml.
Citric Acid			25 mg.
Concentrated Chloroform	Water		0.1 ml.
Water to	..		5 ml.

7517 FERROUS SULPHATE

Ferrous Sulphate	..		100 mg.
Dextrose Monohydrate			500 mg.
Orange Syrup	..		1 ml.
Citric Acid			25 mg.
Concentrated Chloroform	Water		0.1 ml.
Water to	..		5 ml.

PRESCRIPTION

MIXTURES—*cont.*

7518 IPECACUANHA and SQUILL

Ipecacuanha Tincture	0.1 ml.
Camphorated Opium Tincture	0.3 ml.
Oxymel of Squill	1 ml.
Water to	5 ml.

7519 MAGNESIUM SULPHATE

Magnesium Sulphate	1 G.
Light Magnesium Carbonate	200 mg.
Concentrated Peppermint Water	0.1 ml.
Water to	5 ml.

7520 PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole	500 mg.
Light Kaolin	300 mg.
Compound Tragacanth Powder	50 mg.
Raspberry Syrup	1 ml.
Benzoic Acid Solution, A.P.F.	0.1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7521 POTASSIUM CITRATE

Potassium Citrate	1 G.
Citric Acid	200 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7522 POTASSIUM IODIDE

Potassium Iodide	100 mg.
Liquorice Liquid Extract	0.25 ml.
Aromatic Ammonia Spirit	0.1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

PRESCRIPTION

MIXTURES—*cont.*

7523 POTASSIUM IODIDE and EPHEDRINE

Potassium Iodide					100 mg.
Ephedrine Hydrochloride					10 mg.
Stramonium Tincture	..				0.2 ml.
Aromatic Ammonia Spirit					0.1 ml.
Liquorice Liquid Extract					0.2 ml.
Concentrated Chloroform	Water				0.1 ml.
Water to	..				5 ml.

7524 SODIUM AMINOSALICYLATE

Sodium Aminosalicylate					1 G.
Liquorice Liquid Extract	..				0.25 ml.
Orange Syrup	..				1 ml.
Concentrated Chloroform	Water				0.1 ml.
Water to	..				5 ml.

7525 SODIUM CITRATE

Sodium Citrate					1 G.
Citric Acid					200 mg.
Lemon Syrup, A.P.F.					1 ml.
Concentrated Chloroform	Water				0.1 ml.
Water to	..				5 ml.



DEPARTMENT OF HEALTH

Pharmaceutical Benefits

**PROPRIETARY
INDEX**

DECEMBER 1968



DEPARTMENT OF HEALTH

Pharmaceutical Benefits

**PROPRIETARY
INDEX**

DECEMBER 1968

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

PART 3 ABBREVIATIONS OR SYNONYMS
FOR APPROVED NAMES

PROPRIETARY INDEX

PART 1—PROPRIETARY NAMES INDEX

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
A.B. Elixir	KL	Theophylline
Abboceillin	AB	Penicillin products
Abboceillin G	AB	Penicillin products
Abboceillin-V	AB	Penicillin products
Abboceillin-VK	AB	Penicillin products
Abboceort	AB	Hydrocortisone Acetate
Acetophos	HY	Codeine Phosphate with Acetylsalicylic Acid
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin-V	LE	Tetracycline (Buffered) with Nystatin
Acluton	WP	Phenindione
Acode	KL	Codeine Phosphate with Acetylsalicylic Acid
Actal	WL	Aluminium Hydroxide Gel Dried
Actal Complex	WL	Aluminium Hydroxide-Magnesium Car- bonate Co-Dried Gel
Acthar	AR	Corticotrophin
Actidil	BW	Triprolidine
Actrapid	EV	Insulin Neutral
Adaben	KL	Benzocaine with Adrenaline
Adrenate	BW	Adrenaline Acid Tartrate
Adrox	RD	Aluminium Hydroxide Gel Dried
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Airbron	BD	Acetylcysteine
Akineton	KN	Biperiden
Albucid	SC	Sulphacetamide Sodium
Alcopar	BW	Bephenium Hydroxynaphthoate
Aldactone-A	SR	Spironolactone
Aldocorten	CB	Aldosterone
Aldomet	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Alkeran	BW	Melphalan
Alkolac	GL	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Almacarb	BD	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Alox	KL	Aluminium Hydroxide Gel Dried
Alox Compound	KL	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Aminacyl	WA	P.A.S. Preparations
Aminofusin	PC	Amino Acids with Sorbitol and Ethanol
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylosol	LF	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anagal	KL	Bismuth Subgallate
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	BD	Meclozine
Andrazide	ET	Isoniazid
Androphyllin	ET	Aminophylline
Androstalone	RL	Mestanolone
Anectine	BW	Suxamethonium Chloride
Angesil	DH	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Anginine Stabilised	BW	Glyceryl Trinitrate
Anoidal	HA	Benzalkonium Chloride
Ansolsen	MB	Pentolinium Tartrate
Anthiphen	MB	Dichlorophen
Anthisan	MB	Mepyramine
Antiderm	HY	Pyridoxine Hydrochloride
Anti-Hist	PT	Diphenylpyraline
Anti-Spas	PT	Benzhexol
Antistine	CB	Antazoline

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Antistine Privine	CB	Antazoline with Naphazoline
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aquacaine G	CS	Penicillin Procaine
Aquacaine G Fortified	CS	Penicillin Procaine Fortified
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascotin	FA	Codeine Phosphate with Acetylsalicylic Acid
Asopax	NS	Aluminium Acetylsalicylate
Aspalgin	FM	Codeine Phosphate with Acetylsalicylic Acid
Aspisol	KL	Acetylsalicylic Acid
Astrafer	AP	Dextriferron
A.T.10	WL	Dihydrotachysterol
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Austracol	CS	Chloramphenicol
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrawolf	CS	Rauwolfia Alkaloids
Aventyl	LY	Nortriptyline
Avil	AH	Pheniramine
Avilette	AH	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone

B

Bacomyein	SI	Polymyxin B Sulphate with Bacitracin and Neomycin
Bactylan	RL	Sodium Aminosalicylate
Badrin	KL	Amphetamine Sulphate
Bakramil	BK	Phenobarbitone
Baqual	KL	Quinalbarbitone Sodium
Barbeph	KL	Ephedrine Hydrochloride with Pheno- barbitone

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Barbeph Forte	KL	Ephedrine Hydrochloride with Phenobarbitone
Barbico	AB	Barbiturates Compound
Barbidein	DH	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Barbopent	BW	Pentobarbitone Sodium
Bayrena	FB	Sulphamethoxydiazine
Belgar	WW	Belladonna with Phenobarbitone
Belgar Forte	WW	Belladonna with Phenobarbitone
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadon	RO	Pyridoxine Hydrochloride
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Betamin	KL	Aneurine Hydrochloride
Betamin Forte	KL	Aneurine Hydrochloride
Beta Sol	FM	Aneurine Hydrochloride
Betnelan	GL	Betamethasone
Bicillin	WY	Penicillin Benzathine
Bicillin-V	WY	Penicillin Phenoxymethyl (Benzathine Salt)
Bidramine	AV	Diphenhydramine
Binesia	FA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Biomycetin	CW	Chloramphenicol
Biomydrin	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bleph 10	AG	Sulphacetamide Sodium
Bobbamycin	SU	Oxytetracycline
Bonadorm	EV	Dichloralphenazone
Brevidil M	MB	Suxamethonium Bromide
Brinaldix	SZ	Clopamide
Brislox	BC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Bristab	BC	Hydroflumethiazide
Bristacin-A	BC	Rolitetracycline
Bristuric	BC	Bendrofluazide
Bronkephrine	WL	Ethylnoradrenaline
Budoform	DR	Iodochlorhydroxyquinoline
Burco	BW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Burcosol	BW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butaphen	PR	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Butabarbital Sodium
Butoroid	VR	Phenylbutazone
Buzon	KL	Phenylbutazone

C

Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Cafergot Q	SZ	Ergotamine Tartrate with Caffeine
Calasco	CA	Codeine Phosphate with Acetylsalicylic Acid
Calcipas	KL	Calcium Aminosalicylate
Calcium Sandoz	SZ	Calcium Gluconate
Camoquin	PD	Amodiaquine
Cantil	SI	Mepenzolate
Caps-Pen V	BT	Penicillin Phenoxymethyl
Carbazole	PT	Carbimazole
Carbripen	PT	Pentobarbitone Compound
Carbital	PD	Pentobarbitone Compound
Cardilate	BW	Erythryl Tetranitrate
Cardophyllin	HA	Aminophylline
Cardoxin	SU	Digoxin
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celontin	PD	Methsuximide
Cetamin	KL	Ascorbic Acid
Chlomin	KL	Chloramphenicol
Chlopex	KL	Chloramphenicol with Polymyxin B.
Chloradorm	KL	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chlorocort	PD	Chloramphenicol with Hydrocortisone
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chlorquin	PT	Chloroquine
Chlortet	LF	Chlortetracycline
Chlor Trimeton	SH	Chlorpheniramine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Choledyl	WW	Choline Theophyllinate
Chlotride	MK	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Ciba 1906 Depot	CB	Thiambutosine
Cilamyein	SI	Penicillin with Streptomycin
Cilicaine	SI	Penicillin Products
Cilicaine Forte	SI	Penicillin Products
Cilicaine Simplex	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Cillaphen	PR	Penicillin Phenoxymethyl
Citradex	GL	Vitamins Compound
Citrapen	DL	Penicillin Phenoxymethyl
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Clistin R-A	ET	Carbinoxamine
Clorstom	DH	Chloramine
Cobalomin	SU	Cyanocobalamin
Cobastab	BT	Cyanocobalamin
Co-Com	VR	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Codacet	BW	Codeine Phosphate with Acetylsalicylic Acid
Codaspren	SI	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Code Co.	HA	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Codelcortone T.B.A.	MK	Prednisolone Tertiary Butyl Acetate
Codelsol	MK	Prednisolone Sodium Phosphate
Codinol	PR	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Codiphen	GP	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codiphen Forte	GP	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codral Forte	BW	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codsol	KL	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colliron	EV	Ferric Hydroxide
Colliron	EV	Iron Oxide Saccharated
Collumina	EV	Aluminium Hydroxide Gel Dried

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Coloxyl with Danthron	FM	Dioetyl Sodium Sulphosuccinate with Danthron
Coly-Mycin	WW	Colistin
Coly-Mycin Otic	WW	Colistin with Neomycin
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline (Buffered) with Nystatin
Concordin	MK	Protriptyline
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cortelan	GL	Cortisone Acetate
Cortico-Gel	CK	Corticotrophin
Cortisyl	RL	Cortisone Acetate
Cortocaps	CK	Hydrocortisone with Neomycin
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrophin ZN	OR	Corticotrophin
Cotazym	OR	Pancrelipase
Cotin	KL	Ergotamine Tartate with Caffeine
Coumadin	EN	Warfarin
Cremomycin	MK	Neomycin Sulphate Mixture
Crystamycin	GL	Penicillin with Streptomycin
Crystapen G	GL	Penicillin Benzyl
Crystasol	GL	Penicillin with Streptomycin
Cuprimine	MK	Penicillamine
C.V.K.	GL	Penicillin Phenoxymethyl
C.V.L.	GL	Penicillin Phenoxymethyl
Cybal	KL	Cyclobarbitone
Cycladiene	DF	Dienoestrol
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen	GL	Cyanocobalamin

D

Dales	CI	Goats Milk
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Darenthin	BW	Bretylum Tosylate
Daricon	PF	Oxyphencyclimine
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Delta Cortril	PF	Prednisolone
Deltafluorene	LT	Dexamethasone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Delta-Stab	BT	Prednisolone
Depo-Medrol	UP	Prednisolone Methyl Acetate
Depo-Provera	UP	Medroxyprogesterone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Dermabase S	HA	Dimethicone
Dermafilm	PD	Dimethicone
Dermaline	HY	Dithranol
Deronil	SH	Dexamethasone
Desoxyn	AB	Methylamphetamine
Dexacortisyl	RL	Dexamethasone
Dexamine	KL	Dexamphetamine
Dexamphate	DH	Dexamphetamine
Dexa-Scheroson	SC	Dexamethasone
Dexasone	PT	Dexamethasone
D.F.P.	BT	Dyflos
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diacta	NS	Sulphaguanidine
Di-Ademil	SQ	Hydroflumethiazide
Dialoxin	LF	Digoxin
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	BX	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diazyl	AB	Sulphadiazine
Diazyl M	AB	Sulphadiazine
Dibenylene	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Diginox	RD	Digoxin
Digitaline	NA	Digitoxin
Digitox	PT	Digitoxin
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene Suspension	BT	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Dijene Tablet	BT	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin DA	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Dihydromorphinone Hydrochloride
Dilosyn	BD	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Diminsuls	MG	Sulphadimidine
Dindevan	EV	Phenindione
Diodoquin	SR	Di-iodohydroxyquinoline
Di-Paralene	AB	Chloretylazine Hydrochloride
Diparcol	MB	Diethazine
Direma	DL	Hydrochlorothiazide
Direxiode	DF	Di-iodohydroxyquinoline
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Distaquaine VK	DL	Penicillin Products

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Ditoin	KL	Phenytol Sodium
Divermex	DF	Piperazine Adipate
Dixin	KL	Digitoxin
Doburil	BY	Cyclothiazide
D.O.C.A.	OR	Deoxycortone
Donnabarbitol	FM	Belladonna with Phenobarbitone
Donnabarbitol Forte	FM	Belladonna with Phenobarbitone
Donnatal	RS	Belladonna with Phenobarbitone
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Doxephlin	PH	Methylamphetamine
D-Penamine	DL	Penicillamine
Drenamist	BS	Adrenaline
Dromoran	RO	Levorphanol
Durabolin	OR	Nandrolone Phenylpropionate
Duronitrin	ET	Trolnitrate Phosphate
Duro-Tuss	RK	Pholcodine
Dymadon	CA	Paracetamol
Dytac	SK	Triamterene

E

E.D.C.	NS	Ethylidene Dicoumarin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinylloestradiol
Efcortelan	GL	Hydrocortisone
Efkay	KL	Potassium
Elixophyllin	FA	Theophylline
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Eltroxin	GL	Thyroxine Sodium
Embequin	MB	Di-iodohydroxyquinoline
Emphet	VR	Methylamphetamine
EMU-V	UP	Erythromycin Preparations
Enamine	CA	Chlorpheniramine
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensobarb	HY	Phenobarbitone
Ensogran	HY	Sodium Aminosalicylate
Entacyl	BD	Piperazine Adipate
Entamecin	VR	Neomycin Sulphate Mixture
Enterfram	FC	Framycetin
Enterocid	BS	Phthalylsulphacetamide
Entero-Vioform	CB	Iodochlorhydroxyquinoline
Ephedrobarbital	FM	Ephedrine Hydrochloride with Pheno- barbitone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Pheno- barbitone
Epidione	GA	Troxidone
Epifrin	AG	Adrenaline
Eppy	ET	Adrenaline
Ergalan	BD	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergalan 'B'	BD	Ergotamine Tartrate with Caffeine
Ergodryl	PD	Ergotamine Tartrate with Caffeine Cit- rate and Diphenhydramine Hydro- chloride
Ergomine	PT	Ergometrine Maleate
Ergotart	PT	Ergotamine Tartrate
Ergotart-C	PT	Ergotamine Tartrate with Caffeine
Ergotrate	LY	Ergometrine Maleate
Ermalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Ertonyl	SH	Ethinylloestradiol
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Estigyn	BD	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Estrasal	HY	Ethinylloestradiol
Etaphylline	DF	Acepihylline
Ethamide	AG	Ethoxzolamide
Ethamolin	GL	Ethanolamine Oleate
Etherone	PT	Ethisterone
Ethidyne	EL	Codeine Phosphate with Acetylsalicylic Acid
Ethryn	FA	Erythromycin
Etin	KL	Ergotamine Tartrate
Eucerin	EV	Wool Alcohols
Eumydrin	WL	Atropine Methonitrate
Evacilin	EV	Penicillin Procaine
Evactil	FA	Paraffin Liquid
Evramycin	WY	Triacetyloleandomycin

F

Fabahistin	FB	Mebhydrolin
Fabahistin TR	FB	Mebhydrolin
Falcopen V	FA	Penicillin Products
Falcopen VK	FA	Penicillin Products
Famet	CA	Sulphamethizole
Fanatoin	IP	Nitrofurantoin
Fenallo	DH	Phenolphthalein Compound

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Fenbital	BW	Phenobarbitone
Fenostil	CB	Dimethindene
Fenostil Retard	CB	Dimethindene
Fergon	WL	Ferrous Gluconate
Ferrin 55	FA	Ferrous Gluconate
Ferri-Vita	HY	Ferrous Sulphate
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate
Ferromyn	CA	Ferrous Succinate
Ferronicum	SZ	Ferrous Gluconate
Ferrose	DH	Ferrous Gluconate
Ferrum	SI	Iron Polymaltose Complex
Hausmann		
Fersolate	GL	Ferrous Sulphate
Fibroxin	VR	Digoxin
Flagyl	MB	Metronidazole
Flebocortid	RM	Hydrocortisone Sodium Succinate
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folvite	LE	Sodium Folate
Fonurit	BZ	Acetazolamide
Fosco	HY	Ferrous Phosphate Compound
Framygen	GN	Framycetin
Fucidin	ET	Fusidic Acid
Fulcin Forte	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate

G

Galactomin	TF	Milk Powder—Synthetic
Formula 11		
Galactomin	TF	Milk Powder—Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Gardenal	MB	Phenobarbitone
Gardenal	MB	Phenobarbitone Sodium
Sodium		
Gastrogel	FM	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gastrox	GP	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Geloid	BW	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gelox Gel	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucomid	PT	Acetazolamide
Glaucan	MH	Adrenaline
Gluciron	MG	Ferrous Gluconate
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Gondafon	SC	Glymidine
Grisovin F.P.	GL	Griseofulvin
Guanimycin	GL	Streptomycin Sulphate with Sulphaguanidine
Gynergen	SZ	Ergotamine Tartrate

H

Haemofort	MJ	Ferrous Sulphate
Haemopan	PT	Phenindione
Haldrone	LY	Paramethasone
Halotestin	UP	Fluoxymesterone
Helmezine	GL	Piperazine Phosphate
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hetrazan	LE	Diethylcarbamazine
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride
Hibitane Concentrate 5%	IC	Chlorhexidine
Histalert	RK	Diphenylpyraline
Histostab	BT	Antazoline
Histryl	SK	Diphenylpyraline
Honvan	MJ	Disodium Stilboestrol Diphosphate
Hostacycline P	AH	Tetracycline (Buffered)
H.P. Acthar-Gel	AR	Corticotrophin
Hyalase	FC	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Acetylsalicylic Acid
Hycor	SI	Hydrocortisone
Hyd-Oint.	PT	Hydrocortisone
Hydrenox	BT	Hydroflumethiazide
Hydrid	VR	Mersalyl
Hydrocort	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone
Hydrocortisyl	RL	Hydrocortisone Sodium Succinate

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Hydrocortone	MK	Hydrocortisone Acetate
Hydrop	PT	Hydrocortisone
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hypertet	CI	Tetanus Immune Globulin (Human)
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Hysterg	VR	Ergometrine Maleate

I

Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Inapasade	SN	Sodium Aminosalicylate with Isoniazid
Indocid	MK	Indomethacin
Insoral	WW	Phenformin
Insoral TD	WW	Phenformin
Intracort	BT	Hydrocortisone Sodium Succinate
Iramil	KL	Imipramine
Ismelin	CB	Guanethidine
Isomist	BS	Isoprenaline Sulphate
Isordil	AY	Sorbide Nitrate
IsotinyI	KL	Isoniazid
Isuprel	WL	Isoprenaline Hydrochloride

J

Jadit	AH	Buclosamide with Salicylic Acid
Jadit H	AH	Buclosamide with Salicylic Acid and Hydrocortisone
Jectofer	AP	Iron Sorbitol Complex
Johnson's Cautic Pencil	SL	Silver Nitrate Toughened

K

Kalicin	KL	Neomycin Sulphate Mixture
Kalicin	KL	Neomycin with Kaolin
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaomycin	UP	Neomycin Sulphate Mixture
Kaosan	PR	Neomycin Sulphate Mixture
Karagum	PT	Tragacanth Indian (Gum Karaya)
K-Eff	PR	Potassium
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kinaden	SC	Hyaluronidase

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Klortee	PT	Chloramine
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konaktion	RO	Phytomenadione

L

Lanoside	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Largactil	MB	Chlorpromazine
Laroxyl	RO	Amitriptyline
Lasix	AH	Frusemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demethylchlortetracycline
Lederstatin	LE	Demethylchlortetracycline with Nystatin
Lethidrone	BW	Nalorphine
Leukeran	BW	Chlorambucil
Levophed	WL	Noradrenaline
Lincocein	UP	Lincomycin
Lingraine	WL	Ergotamine Tartrate
Liquidoplast	PT	Acrylic Resin
Liquifilm Tears	AG	Polyvinyl Alcohol
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex in Saline	FC	Dextran in Normal Saline
Lomodex in Dextrose	FC	Dextran with Dextrose
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin Phenoxymethyl
Lubarol	DH	Paraffin Liquid
Luteocrin Depot	RM	Hydroxyprogesterone
Lutorial	VR	Ethisterone
Lycanol	FB	Glymidine
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethiopropazine

M

M. & B. 693	MB	Sulphapyridine
Maalox	SI	Magnesium-Aluminium Hydroxide
Madribon	RO	Sulphadimethoxine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Magnoplasin	FA	Magnesium Sulphate
Mandaze	HA	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Mandelamine Hafgrams	WW	Methenamine Mandelate
Marevan	EV	Warfarin
Medihaler-Epi	RK	Adrenaline Acid Tartrate
Medihaler-Iso	RK	Isoprenaline Sulphate
Medihaler-Iso Forte	RK	Isoprenaline Sulphate
Medrol	UP	Prednisolone Methyl
Medsil	BT	Dimethicone
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Megimide	NS	Bemegride
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Melsedin	BT	Methaqualone
Mephobarbital	PH	Methyl Phenobarbitone
Mequilo	LF	Methaqualone
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metem Gel	CH	Aluminium Hydroxide Gel
Metestine	KL	Testosterone Methyl
Methamine	KL	Methylamphetamine
Methamphet	PT	Methylamphetamine
Methased	PT	Methaqualone
Methedrine	BW	Methylamphetamine
Methergin	SZ	Methylergometrine
Methopt	SI	Methylcellulose
Metilar	IC	Paramethasone
Metin	CS	Methicillin
Mevasine	MK	Mecamylamine
Meyenberg	JM	Goats Milk
Midicel	PD	Sulphamethoxypyridazine
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Milontin	PD	Phensuximide
Minafen	TF	Phenylalanine Low Content Formula
Minajel	MG	Aluminium Hydroxide Gel
Mogadon	RO	Nitrazepam
Monodral	WL	Penthiolate
Mortha	WH	Morphine with Taurine
Mucomyst	MJ	Acetylcysteine
Multisulpha	KL	Sulphonamides, Three Mixed
Multisulphettes	KL	Sulphonamides, Three Mixed

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Multivite Six	BD	Vitamins Compound
Mycardol	WL	Pentaerythritol Tetranitrate
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycort	DH	Hydrocortisone with Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Myleran	BW	Busulphan
Mylipen	GL	Penicillin Procaine
Mylodorm	GP	Amylobarbitone
Mylosed	VR	Amylobarbitone
Myocrisin	MB	Sodium Aurothiomalate
Mvsoline	IC	Primidone
Mysteclin-V	SQ	Tetracycline (Buffered) with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphoteri- cin B

N

Naclex	GL	Hydroflumethiazide
Napent	RD	Pentobarbitone Sodium
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
N.B.P.	DH	Polymyxin B Sulphate with Bacitracin and Neomycin
Nefrolan	MB	Cloroxolone
Negram	WL	Nalidixic Acid
Nembudeine	AB	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin
Neo-Avagal	ET	Hyosine Methobromide
Neo-Benol	KL	Hydroxocobalamin
Neocodsol	KL	Codeine Phosphate with Acetylsalicylic Acid
Neo-Cortef	UP	Hydrocortisone with Neomycin Sul- phate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neo-Hombreol	OR	Testosterone
Neo-Hycor	SI	Hydrocortisone with Neomycin Sul- phate
Neohydrosone	KL	Hydrocortisone with Neomycin Sul- phate
Neokalin	MR	Neomycin Sulphate Mixture
Neolin	PT	Neomycin Sulphate Mixture

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Neomagma	WY	Neomycin Sulphate Mixture
Neomate	LF	Neomycin
Neo-Mercazole	BS	Carbimazole
Neomix	LF	Neomycin Sulphate Mixture
Neo-Naclex	GL	Bendrofluazide
Neo-Naclex-M	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Nephрил	PF	Polythiazide
Neptazane	LE	Methazolamide
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutrapen	RK	Penicillinase
Neutratabs	HA	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Nilergex	IC	Isothipendyl Hydrochloride
Nivaquine	MB	Chloroquine
Nobecutane	EV	Acrylic Resin
Nollipyrin	KL	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Nordicort	NR	Hydrocortisone Sodium Succinate
Norflex	RK	Orphenadrine Citrate
Noshok Caustic Pencil	YF	Silver Nitrate, Toughened
Novosprin	VR	Acetylsalicylic Acid
Nuralin	CS	Insulin Neutral
Nuso	BW	Insulin Neutral

O

Octaflex	WB	Acrylic Resin
Oestramine	KL	Oestradiol Benzoate
Oestroform	BD	Oestradiol Benzoate
Oestroform	BD	Oestrone
Omnopon	RO	Papaveretum
Omnopon- Scopolamine	RO	Papaveretum with Hyoscine Hydro- bromide
Oncovin	LY	Vincristine
Optipen	CS	Phenethicillin

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Optisone	HA	Hydrocortisone
Optocort	PT	Prednisolone
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Oranabol	MB	Oxymesterone
Oratrol	AQ	Dichlorophenamide
Orisul	CB	Sulphaphenazole
Oroxine	BW	Thyroxine Sodium
Orpidan	SI	Chlorazanal
Orumvite	VR	Vitamins Compound
Osmitol	BX	Mannitol
Ospolot	FB	Sulthiame
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B Sulphate (Aqueous Base)
Ovocyclin	CB	Oestradiol Dipropionate
Oxyclyne	HY	Oxytetracycline
Oxycycline	PT	Oxytetracycline
Oxymycin	KL	Oxytetracycline
Oxymycin-V	KL	Oxytetracycline (Buffered) with Nystatin

P

P2G Sclerosant	BT	Phenol, Dextrose and Glycerin
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	BS	Aloxiprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Pamine	UP	Hyoscine Methobromide
Panabarb	WL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panalgesic	WL	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Panalgesic Co	WL	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Pancillen	SU	Penicillin Phenoxymethyl
Pancrex "V"	ST	Pancreatin Concentrate
Panmycin	UP	Tetracycline
Panmycin KM	UP	Tetracycline (Buffered)
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline (Buffered)
Panteric	PD	Pancreatin Concentrate
Pantheline	PT	Propantheline Bromide
Panvit	PT	Vitamins Compound

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Parajel	SI	Paraffin Liquid
Paralax	PR	Paraffin Liquid
Paralgin	FM	Paracetamol
Paramisan	EV	Sodium Aminosalicylate
Sodium		
Paramul	MG	Paraffin Liquid
Paraxin	PH	Chloramphenicol
Parmol	KL	Paracetamol
Pasade	EV	Sodium Aminosalicylate
Pasalba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate
Pastamag	DH	Magnesium Sulphate
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Peganone	AB	Ethotoin
Penalco	CO	Pentobarbitone Compound
Penbarb	LF	Pentobarbitone Sodium
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Pencodine	KL	Pentobarbitone Sodium with Acetylsalic- ylic Acid and Codeine Phosphate
Penevan	EV	Penicillin Benzyl
Peniset	DH	Penicillin Benzyl
Peni-Vee-K	DH	Penicillin Phenoxymethyl
Penritol	LF	Pentaerythritol Tetranitrate
Pensig	SI	Phenethicillin
Pensol	GL	Penicillin Benzyl
Pentacode	MG	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentagen	HY	Pentaerythritol Tetranitrate
Pentalgin	FM	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentonal Co.	KL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Testosterone Methyl
Perazil	BW	Chlorcyclizine
Percorten	CB	Deoxycortone
Periactin	MK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petiscool	KL	Pethidine and Scopalamine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Penicillin Phenoxymethyl
Phenabel	HY	Belladonna with Phenobarbitone
Phenabel Forte	HY	Belladonna with Phenobarbitone
Phenadon	LF	Belladonna with Phenobarbitone
Phenergan	MB	Promethazine
Phenodren	DH	Ephedrine Hydrochloride with Pheno- barbitone
Phenybute	SU	Phenylbutazone
Pholcof	CM	Pholcodine
Pholcolin	DH	Pholcodine
Pholevan	EV	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Nitrate
Pimafucin	BP	Natamycin
Pipanol	WL	Benzhexol
Piptal	SI	Pipenzolate
Piriton	GL	Chlorpheniramine
Pitocin	PD	Oxytocin
Piton	BP	Pituitary, Posterior Lobe
Pitressin	PD	Vasopressin
Pitressin Tannate in Oil	PD	Vasopressin Tannate
Placemol	VR	Paracetamol
Placidyl	AB	Ethchlorvynol
Placyl	HA	Cyclobarbitone
Plaquenil	WL	Hydroxychloroquine
Plesmet	BP	Ferrous Aminoacetosulphate
Pluryl	ET	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Poldemycin	WL	Neomycin Sulphate Mixture
Polmix	KL	Polymyxin B Sulphate (aqueous)
Polyeral	BS	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Polyeral Gel	BS	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Polydro	HA	Polymyxin B Sulphate
Polyhaemen	GP	Ferrous Sulphate
Polytracin-N	GL	Polymyxin B Sulphate with Bacitracin and Neomycin
Potasol	RY	Potassium
Potavescent	PT	Potassium

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Potec	HY	Potassium
Pot-Forte	PT	Potassium
Pot-Instant	LF	Potassium
P.P.C.	PT	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Praenitron	PF	Trolnitrate Phosphate
Praenitron	PF	Trolnitrate Phosphate
Protracted		
Predonate	CO	Prednisolone
Predsol	GL	Prednisolone Sodium Phosphate
Predsol-N	GL	Prednisolone Sodium Phosphate with Neomycin
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primocort	SC	Deoxycortone
Primogyn C	SC	Ethinylloestradiol
Primoteston	SC	Testosterone Oenanthate
Depot		
Pripsen	RC	Piperazine Phosphate
Priscol	CB	Tolazoline
Pro-Banthine	SR	Propantheline Bromide
Proben	PT	Probenecid
Procillin A.S.	DH	Penicillin Procaine
Procyclomin	PT	Dicyclomine Hydrochloride
Prodigox	PT	Digoxin
Prodol	NB	Acetylsalicylic Acid
Prodol Co.	NB	Codeine Phosphate with Acetylsalicylic Acid
Proladone	CK	Oxycodone
Proloid	WW	Thyroid
Proluton	SC	Progesterone
Proluton C	SC	Ethisterone
Proluton Depot	SC	Hydroxyprogesterone
Promacid	KL	Chlorpromazine
Prominal	WL	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide
Propen-VK	PT	Penicillin Phenoxymethyl
Proquinal	PT	Quinalbarbitone Sodium
Prosobee	MJ	Soya Formula
Prostabillin	BT	Penicillin Procaine
Prostigmin	RO	Neostigmine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin	DH	Acetylsalicylic Acid
Pularin	EV	Heparin
Purinethol	BW	Mercaptopurine
Purodigin	WY	Digitoxin

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Puroverine	SZ	Protoveratrine A
P.V. Carpine	AG	Pilocarpine Nitrate
PVK	LY	Penicillin Phenoxymethyl
PVKL	LF	Penicillin Phenoxymethyl
P.V.O.	FM	Penicillin Phenoxymethyl
Pyribenzamine	CB	Tripelennamine
Pyridium	WW	Phenazopyridine Hydrochloride
Pyroxin	KL	Pyridoxine Hydrochloride

Q

Q.B.	DH	Quinalbarbitone Sodium
Q.T. Cement	JA	Surgical Cement
Quaalude	SI	Methaqualone
Quibron	MJ	Theophylline with Glyceryl Guaiacolate
Quillatone	RD	Quinalbarbitone Sodium
Quillatone M	RD	Quinalbarbitone Sodium
Quinaltone	LF	Quinalbarbitone Sodium
Quinidoxin	BW	Quinidine Sulphate
Quinsan	PR	Quinine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture

R

Rapitard	EV	Insulin Biphasic
Rastinon	AH	Tolbutamide
Raudixin	SQ	Rauwolfia Alkaloids
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Alkaloids
Rectinol	GP	Benzocaine with Adrenaline
Resedrex	HA	Reserpine
Resochin	FB	Chloroquine
Restal	HA	Amylobarbitone
Reverin	AH	Rolitetracycline
Rheomacrodex	MR	Dextran with Dextrose
10% Dextrose		
Rheomacrodex	MR	Dextran in Normal Saline
10% Saline		
Rhumax	PR	Sodium Salicylate
Rikospray	RK	Dimethicone
Silicone		
Rimifon	RO	Isoniazid
Robinul	RS	Glycopyrronium Bromide
Rondase	EV	Hyaluronidase
Rondomyein	GP	Methacycline
Ronicol	RO	Nicotinyl Alcohol
Roulone	RL	Methaqualone
Rovamycin	MB	Spiramycin
Rubatone	HY	Phenylbutazone
Ryser	KL	Reserpine

*Proprietary
Name*

*Manu-
facturer*

Approved Name

S

Sacsol	LF	Surgical Cement
Salamide	HA	Salicylamide
Salazopyrin	MR	Sulphasalazine
Salco	NS	Chlorbenzol Disulphonamide
Salide	NS	Salicylamide
Samid	KL	Salicylamide
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scherisolon	SC	Prednisolone
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
Scoline	GL	Suxamethonium Chloride
Scorbettes	PR	Ascorbic Acid
Secergan	AP	Phenthimentionium
Seclomycin	GL	Penicillin with Streptomycin
Seclosol	GL	Penicillin with Streptomycin
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Sednaco	GL	Pholcodine
Sednotic	DL	Amylobarbitone
Senokot	RC	Senna Fruit Extract (Standardised)
Serenace	SR	Haloperidol
Serenol	PT	Rauwolfia Alkaloids
Serfia	KL	Rauwolfia Alkaloids
Serpasil	CB	Reserpine
Serpiloid	RK	Reserpine
Serpina	PV	Rauwolfia Alkaloids
Shigatox	FM	Sulphaguanidine
Silcon	FA	Dimethicone
Simeco	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Mixture		
Simeco Tablet	WY	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
Sleepinal	MC	Methaqualone
Slow-K	CB	Potassium Chloride
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium	RK	Sodium Edetate
Versenate		
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solacetyl	MG	Acetylsalicylic Acid
Solamal	DH	Belladonna with Phenobarbitone
Solcetas	BW	Acetylsalicylic Acid
Solcode	RC	Codeine Phosphate with Acetylsalicylic Acid
Solcodein	MG	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Solgesil	DH	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Solprin	RC	Acetylsalicylic Acid
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Dacortin	MQ	Prednisolone Sodium Succinate
Solupen	DL	Penicillin Benzyl
Solusal	HA	Acetylsalicylic Acid
Solusal Co.	HA	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Sol Viules	BT	Penicillin Benzyl
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Soneryl	MB	Butobarbitone
Span-K	PT	Potassium Chloride
Spastrex	PT	Oxyphenonium Bromide
Spastrex Retard	PT	Oxyphenonium Bromide
Steclin	SQ	Tetracycline
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Steraskin	PF	Hexachlorophane
Sterogyl-15	RL	Calciferol
Stovarsol	MB	Acetarsol
Stoxil	SK	Idoxuridine
Strepolin	GL	Streptomycin Sulphate
Streptaquine	DL	Streptomycin Sulphate
Streptevan	EV	Streptomycin Sulphate
Streptomagma	WY	Dihydrostreptomycin Sulphate with Atapulgite, Pectin and Hydrated Alumina Powder
Sulfasuxidine	MK	Succinylsulphathiazole with Kaolin
Sulfazole	PT	Sulphafurazole
Sulfisin	SU	Sulphafurazole
Sulphadiazinette	KL	Sulphadiazine
Sulpha-Dimerazole	VR	Sulphonamides, Three Mixed
Sulphalyl	KL	Phthalylsulphacetamide
Sulpha-me-zathine	IC	Sulphadimidine
Sulphamezathine	IC	Sulphadimidine Sodium

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Sulphatriad	MB	Sulphonamides, Three Mixed
Sus-Pen V	BT	Penicillin Phenoxymethyl
Sustanon '250'	OR	Sustanon
S.V.C.	MB	Acetarsol
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

T

Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
Talecid	SC	Phthalylsulphacetamide
Tao	GP	Triacetyloleandomycin
Tavegyl	SZ	Meclastine
Tebos	HY	Isoniazid
Tedrobarb	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tedrobarb Forte	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tedrobarb Mitis	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tegretol	GE	Carbamazepine
T.E.M.	IC	Tretamine
Tenormal	IC	Pempidine
Tenserp	VR	Reserpine
Tensilon	RO	Edrophonium
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terrastatin	PF	Oxytetracycline (Buffered) with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testomet	PT	Testosterone Methyl
Testoviron	SC	Testosterone Propionate
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetrastatin-V	GP	Tetracycline (Buffered) with Nystatin
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline (Buffered) with Nystatin
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole
Thendorm	KL	Methaqualone
Thephorin	RO	Phenindamine
Thiomerin	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Three Sulphas	AD	Sulphonamides, Three Mixed
Thypron	PH	Potassium Perchlorate

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Thyrine	DH	Thyroxine Sodium
Thyroxevan	EV	Thyroxine Sodium
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Toline	KL	Tolazoline
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Totacycline V	BT	Tetracycline (Buffered)
Tral	AB	Hexocyclium Methylsulphate
Tral M	AB	Hexocyclium Methylsulphate
Trescatyl	MB	Ethionamide
Triagin	HY	Glyceryl Trinitrate
Tricloryl	GL	Triclofos
Tricoloid	BW	Tricyclamol Chloride
Tridione	AB	Troxidone
Trimyxin	DH	Polymyxin B Sulphate with Neomycin and Gramicidin
Triplopen	GL	Penicillin Benethamine Compound
Triplosol	GL	Penicillin Benethamine Compound
Trisil	DH	Magnesium Trisilicate
Trisulfa	ET	Sulphonamides, Three Mixed
Trisulfettes	ET	Sulphonamides, Three Mixed
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Tyrimide	SK	Isopropamide Iodide

U

Ultracortenol	CB	Prednisolone Acetate
Ultracortenol	CB	Prednisolone Trimethylacetate
Univite	PH	Vitamins Compound
Urogan	AV	Sulphafurazole
Urolin	KL	Sulphamethizole
Urolocosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole

V

VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Valpin	EN	Octatropine Methylbromide
Vanquin	PD	Vipryinium Embonate
Vasitrin	DH	Glyceryl Trinitrate

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Vasylox	BW	Methoxamine Hydrochloride
Veecillin	MJ	Penicillin Phenoxymethyl
Veganin	WW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Velactin	WA	Soya Formula
Velbe	LY	Vinblastine
Venosol	FH	Mannitol
Veracolate	WW	Sodium Tauroglycocholate
Versotrane	WB	Hydrargaphen
Triple Strength Vibramycin	PF	Doxycycline
Vicin	KL	Penicillin Phenoxymethyl
Viocin	PF	Viomecin
Viokase	ET	Pancreatin Enzyme (4 USNF XII)
Viraxacillin	VR	Penicillin Procaine
Visceralgin	FM	Tiemonium Iodide
V.P.V.	VR	Penicillin Phenoxymethyl

W

Winstroid	WL	Stanozolol
Wyamine Sulphate	WY	Mephentermine
Wydase	WY	Hyaluronidase

Y

Yomesan	FB	Niclosamide

Z

Zarontin	PD	Ethosuximide
Zephiran	WL	Benzalkonium Chloride
Zoline	PT	Tolazoline
Zyloprim	BW	Allopurinol

PART 2—TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott Laboratories—Injections
Antigen	Products manufactured by Antigen Ltd., Ireland. Marketed by World Agencies Pty. Ltd.
Dropster	Knoll—Eye drops and ear drops
Dulcets	Abbott Laboratories—Chewable tablets
Durules	Astra Pharmaceuticals—Sustained release tablets
Emplets	Parke Davis—Tablet preparations
Evanules	Evans—Injections
Filmtabs	Abbott Laboratories—Coated tablets
Gradumets	Abbott Laboratories—Sustained release tablets
Hamiltabs	Hamilton Laboratories—Tablet preparations
Hyperduric	Glaxo-Allenbury—Injections
Isocjects	Pfizer Laboratories—Injectible preparations
Isopto	Alcon Laboratories Inc.—Eye drops
Parentosol	Mead-Johnson—Injections
Pedipac	Lilly—Sachet
Plabott	Otsuka Pharmaceutical Co., Japan—Intravenous fluids; marketed by Scott & Bowne (A'sia) Ltd.
Prestab	Ethnor—Tablet preparations
Pulvules	Lilly—Capsules
Repetabs	Schering Corporation—Long acting tablet preparations
Rox	Rocke Tompsitt—Preparations
Siguent	Sigma—Ointment preparations
Soluvac	Baxter-D.H.A.—Intravenous fluids
Sterivial	Parke-Davis—Injections
Sterop	Ethnor—Eye drops
Sustrels	G.P. Laboratories—Long acting tablet preparations
Tabloids	Burroughs Wellcome—Tablet preparations
Tastitabs	Pfizer Laboratories—Chewable tablet preparations
Transfusol	Evans—Intravenous fluids
Tri-Test	Wholesale Drug Co.—Preparations
Venosol	Farmer Hill—Intravenous fluids
Viules	Boots—Injections
Wellcome	Burroughs Wellcome—Preparations

PART 3—ABBREVIATIONS OR SYNONYMS FOR
APPROVED NAMES

<i>Abbreviation or Synonym</i>	<i>Approved Name</i>
A.C.T.H.	Corticotrophin
Amorph I.Z.S.	Insulin Zinc Suspension (Amphorous)
B12	Cyanocobalamin
Bephenium	Bephenium Hydroxynaphthoate
Bretylum	Bretylum Tosylate
Calcium P.A.S.	Calcium Aminosalicylate
Cryst. I.Z.S.	Insulin Zinc Suspension (Crystalline)
Diodoquinoline	Di-iodohydroxyquinoline
Dip./Ser.	Diphtheria Antitoxin
Dip./Vac./P.T.A.P.	Diphtheria Vaccine (Purified Toxoid Aluminium Phosphate)
DMChlortetracycline	Demethylchlortetracycline
Feramacet	Ferrous Aminoacetosulphate
Gas./Ser.	Gas Gangrene Antitoxin—Mixed (Poly- valent)
Hexocyclium	Hexocyclium Methylsulphate
Iochlorquin	Iodochlorhydroxyquinoline
I.Z.S.	Insulin Zinc Suspension
Oed./Ser.	Gas Gangrene Antitoxin (Oedematiens)
P.A.M.	Pyridine Aldoxime Methiodide
Penicillin G.	Penicillin Benzyl
Penicillin V.	Penicillin Phenoxymethyl
Penthritol	Pentaerythritol Tetranitrate
Per./Vac.	Pertussis Vaccine
Plague/Vac.	Plague Vaccine
Prednisolone T.B.A.	Prednisolone Tertiary Butyl Acetate
Sep./Ser.	Gas Gangrene Antitoxin (Septicum)
S'methoxydiazine	Sulphamethoxydiazine
S'methopyrazine	Sulphamethoxypyridazine
Sod. Stilboestrol	Disodium Stilboestrol Diphosphate
Sodium P.A.S.	Sodium Aminosalicylate
Sta./Tox.	Staphylococcus Toxoid (Formalinised)
Testosterone Oen.	Testosterone Oenanthatate
Testosterone Prop.	Testosterone Propionate
Tet./Ser.	Tetanus Antitoxin
Triple Antigen	Diphtheria, Tetanus and Pertussis Vac- cine
Viprynum	Viprynum Embonate
Wel./Ser.	Gas Gangrene Antitoxin (Welchii)

COMMONWEALTH OF AUSTRALIA



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS

DECEMBER, 1968

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1968 issue of the Schedule of Benefits for Medical Practitioners

This reprint of the Schedule of Benefits will take effect from 1 December 1968.

The next reprint will be issued on 1 April 1969.

Appended is a summary of changes in this issue.

ADDITIONS—NEW ITEMS

Section 2

Clorexolone.
Meclastine.
Oxytetracycline with Hydrocortisone.
Sorbide Nitrate.
Typhoid Vaccine.

Section 3

Aluminium Acetylsalicylate.
Buclosamide with Salicylic Acid.
Buclosamide with Salicylic Acid and Hydrocortisone.
Diocetyl Sodium Sulphosuccinate with Danthron.
Neomycin Undecenoate with Bacitracin.
Polymyxin B Sulphate with Neomycin and Hydrocortisone.
Prednisolone Sodium Phosphate with Neomycin, Colostomy and Ileostomy.
Aluminium Hydroxide Gel with Kaolin.

ADDITIONS—NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2

Acepifylline—syrup.
Castor Oil—100 ml.
Chlorthalidone—50 mg tablet.
Glutethimide—500 mg tablet.
Methenamine Mandelate—1G tablet.
Penicillin, Phenoxymethyl—suspension 250 mg/5 ml.

Intravenous Fluids

Amino Acids with Sorbitol—300 kcal.

Section 3

Erythromycin—200 mg tablet and 200 mg/5 ml suspension.
Goats Milk—whole (sterilised).
Hydrocortisone—ear drops.
Hydrocortisone with Neomycin Sulphate—ear drops and ear ointment.

Indomethacin—suppository.
Isoprenaline Hydrochloride—30 mg tablet.
Natamycin—100 mg oral tablet.
Penicillamine—250 mg capsule.
Tetracycline (Buffered) with Nystatin—syrup.

Hospital Only

Azathioprine—50 mg tablet.

TRANSFER

Triglyde—from Hospital Only to Section 3.

DELETIONS

Section 2

Cortisone Acetate—eye drops 1%, 2.5 ml.
Insulin—100 units/ml 5 ml.
Tridihexethyl Chloride—injection and drops.

Intravenous Fluids

Gastric Replacement Solution—1 litre.
Intestinal Replacement Solution—1 litre.

Section 3

Calcium Aminosalicylate—granules 100G and 400G.
Demethylchlortetracycline—75 mg capsule.
Erythromycin—sachet.

Hospital Only

Hetacillin.

Section 4

Caffeine Hydrate, B.P.
Collodion Acid Salicylic, A.P.F.

Elixirs—Ephedrine, A.P.F.
—Simple, B.P.C. 49.
Emulsions—Paraffin and Agar, A.P.F. 55.
—Paraffin Liquid, B.P. 58.

Ethanolamine, B.P.C.

Eye Ointment Base, B.P.

Ferrous Carbonate Saccharated, B.P.C. 59.

Glyco-Gelatin Base, A.P.F.

Infusions—Orange Peel Conc., B.P.C. 1-7.

—Orange Peel Comp. Conc., B.P.C. 54, 1-7.

—Senna Conc., B.P.C. 59, 1-7.

Lotion—Lead and Opium, B.P.C. 59.

Oil—Coriander, B.P.

Sodium—Acid Citrate, B.P.

Spirit—Cajuput, B.P. 48.

Tinctures—Calumba, B.P. 48.

—Tolu, B.P.C. 59.

ALTERATIONS

Maximum Quantities and/or Repeats

Thiotepa, now 1 with 3 repeats:

Restrictions

Betamethasone.

Corticotrophin.

Cortisone Acetate.

Dexamethasone.

Diazepam.

Hydrocortisone.

Hydroxyprogesterone.

Lincomycin.

Nandrolone Phenylpropionate.

Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate.	Prednisolone Methyl.
Paramethasone.	Prednisone.
Penicillin Benzyl (6G).	Progesterone.
Prednisolone.	Surgical Cement.
	Thiethylperazine.

PACKS

<i>Item</i>	<i>Old Pack</i>	<i>New Pack</i>
Aluminium Hydroxide Gel—mixture	8 fl oz	
	200 ml	360 ml
Aluminium Hydroxide Gel with Magnesium Hydroxide—mixture	200 ml	360 ml
Aluminium Hydroxide Gel with Magnesium Trisilicate—mixture	8 fl oz	200 ml
Boric Acid—powder	4 oz	100G
Cascara—Liquid Extract, B.P.	1 fl oz	25 ml
	2 fl oz	50 ml
Glucose Indicator—reagent strips	50	100
Glycerin	4 fl oz	100 ml
Hydrogen Peroxide—Solution 10 Vol.	4 fl oz	100 ml
	8 fl oz	200 ml
Hydrogen Peroxide—Solution 20 Vol.	4 fl oz	100 ml
Magnesium Hydroxide—mixture	6 fl oz	200 ml
Magnesium Sulphate—crystals	1 lb	400G
—paste	4 oz	100G
	2 oz	50G
Paraffin Liquid	8 fl oz	200 ml
Prednisolone Trimethylacetate—eye ointment	2.5G	3G
Cod Liver Oil—emulsion	16 fl oz	450 ml
Paraffin Liquid—emulsion	16 fl oz	450 ml
Soya Formula—liquid	15.5 fl oz	13 fl oz
Bismuth Subgallate—powder	4 oz	100G
Chloramine—powder	1 oz	25G

APPROVED NAMES

From

Fluphenazine—*injection* 25 mg in 1 ml.
Goats Milk—Dehydrated.
Hydrocortisone with Neomycin.
Sultiamine.

To

Fluphenazine Enanthate.
Goats Milk.
Hydrocortisone with Neomycin Sulphate.
Sulthiamine.

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



SCHEDULE OF BENEFITS
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1 DECEMBER 1968

Department of Health,
CANBERRA, A.C.T.

DECEMBER 1968

36287

CONTENTS

SECTION 1—LEMON PAGES

	<i>paragraph</i>	<i>page</i>
Explanatory Notes—		
Metric Conversion Table		4
Prescribing of Benefits—Procedure by Doctors—		
Schedule of Benefits	1- 8	5
Prescriptions	9-11	6- 8
Manner of Administration	12	8
Restrictions	13	8
Certificates for Prescribing Tranquillising or Anti-Depressant Drugs	14	8
Maximum Quantities and Repeats	15-20	9- 10
Urgent Cases	21-22	10- 11
Emergency Drug (Doctor's Bag) Supplies	23-26	11- 12
Poison Case Reporting	27-28	12
Poison Information Centres	29	12
Addresses of Commonwealth Department of Health State offices		13- 14
Manufacturers—Address and Code		15- 19
List of Emergency Drug (Doctor's Bag) Supplies		20

SECTION 2—WHITE PAGES

Schedule of Benefits—		
General and Pensioner Benefits	1-124	
Intravenous Fluids	125-129	

SECTION 3—PINK PAGES

Schedule of Benefits—Restricted Benefits	1-100
Preparations Restricted to Colostomy and Ileostomy Use Only	102-103
Preparations Restricted to Use in Approved Hospitals Only	104-107

SECTION 4—GREEN PAGES

Schedule of Benefits—Drug Tariff	1- 10
Tables of Maximum Quantities and Number of Repeats for Extemporaneous Preparations	11- 12

SECTION 5—OLD GOLD PAGES

Prescribers' List—Pharmaceutical Benefit Formulae	1- 16

SECTION 6—PROPRIETARY INDEX

Part 1—Proprietary Names Index	1- 27
Part 2—Trade Names Index	28
Part 3—Abbreviations or synonyms for approved names	29

ADDRESSES OF POISON INFORMATION CENTRES.

POISON CASE REPORT FORMS.

**Conversion
Table**

METRIC CONVERSION TABLE

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>	<i>Milligrams</i>	<i>Grains</i>	<i>Milligrams</i>
15	1,000	1/10	6
12	800	1/12	5
10	600	1/15	4
8	500	1/20	3
7½	450	1/24 }	2.5
6	400	1/25 }	
5	300	1/30	2
4	250	1/40	1.5
3	200	1/50	1.25
2½	150	1/60	1
2	125	1/75 }	0.8
1½	100	1/80 }	
1¼	75	1/100	0.6
1	60	1/120 }	0.5
¾	50	1/130 }	
⅔	40	1/150 }	0.4
½	30	1/160 }	
⅖	25	1/200	0.3
¼	20	1/240	0.25
⅓	15	1/300 }	0.2
⅒	12.5	1/320 }	
⅙	10	1/400	0.15
⅛	7.5	1/480 }	0.125
		1/500 }	
		1/600	0.1

1,000 MICROGRAMS (mcg) = 1 MILLIGRAM (mg)

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescribers' List items are listed in the Schedule of Benefits, Sections 2 and 3.
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in Section 4—(Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
 - (b) the admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff—Section 4.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Penicillin Benzyl, Injection 300 mg. amp. with 2 ml. water for injection'.
6. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 15-20.
7. The proprietary names of scheduled preparations are listed in the Proprietary Index which is included as Section 6.
8. Symbols used in the Schedule of Benefits.
 - (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger(†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, in which case the item is to be labelled.

- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.
- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.

N.S.W. (N); VIC. (V); S.A. (S); W.A. (W); Q'LD (Q); TAS. (T).

Prescriptions

9. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in some indelible form (ink or ball point pen) in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 7" x 5". The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate marking the duplicate with the word 'Duplicate' (this is pre-printed on the standard prescription forms).
- (c) Set out the name and address of the patient, and, where the patient is a pensioner who holds an entitlement card, write the pension number. (Please note that the pension number is required and not the entitlement card number). It is not necessary to write the pensioner's address on the prescription form, except where the provisions of State law regarding narcotic, specified or restricted drugs require the address to be written.
- (d) In the case of pharmaceutical benefits which are restricted in use, endorse the prescription with the words 'specified purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. Where a prescription is written for a pensioner for a drug which, although

restricted, is not restricted as to disease for a pensioner, the Pension Number is sufficient identification and it is not necessary to endorse the prescription 'specified purpose'.

- (e) If the benefit is a single drug, indicate the manner of administration.
- (f) Where a medical practitioner writes a prescription as a pharmaceutical benefit, but does not specify a particular formula or brand for the item prescribed, the chemist, when dispensing shall give priority to either the formula (if any) for that item specified in the Prescribers' List or to one of the ready prepared brands (if any) for that item included in the Schedule of Benefits.
- (g) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in own handwriting with the words 'Regulation 24' (see also paragraph 20).
- (h) Mark the prescription 'N.H.S.', date and sign it.

No objection will be raised to doctors writing more than one but no more than three prescriptions on a single sheet of paper provided each prescription is legible.

Prescribers' List formulations are now expressed in metric terms and made up to metric doses or quantities. Prescriptions consisting of or containing a Prescribers' List formula should therefore be written in the metric system.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted).
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

Unless unduly inconvenient to the doctor, it would be appreciated if doctors could follow the practice of not writing prescriptions for benefit items on the same form as non-benefit items. This practice does not invalidate the prescription and if a prescription form contains both pharmaceutical benefit items and non-pharmaceutical benefit items, it may be accepted by the chemist. However, to avoid confusion to patients in such cases, the doctor should identify the non-benefit item, e.g., by an endorsement such as 'non-benefit item', or 'private prescription' or similar wording.

A particular application of these circumstances is where one prescription is for a 'Specified Purpose' drug and the doctor has omitted to write 'Specified Purpose' (or acceptable abbreviation), e.g., because the patient is not suffering from one of the allowable conditions. In such a case, identification of the item as a non-benefit will clearly indicate the doctor's intentions to both the patient and the chemist, and save inconvenience to all concerned.

Manner of Administration

12. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit.

Restrictions

13. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Commonwealth Director of Health. Full particulars of these items and the restrictions are listed as a separate section of the Schedule under 'Restricted Benefit Section'. Items restricted for use in 'Approved Hospitals Only' are listed as a separate section in the 'Restricted Benefit Section' of the Schedule. These items are not available in all approved hospitals and medical practitioners should ensure that the items are available at the particular hospital before prescribing. Items restricted to use for Ileostomy and Colostomy conditions are also listed as a separate section in the 'Restricted Benefit Section'. A reference to all other items listed in the 'Restricted Benefit Section' is given in the Schedule of Benefits—Section 2. It is not necessary for the particular restriction to be identified on the prescription.

Certificates for Prescribing Tranquillising or Anti-Depressant Drugs

14. Special arrangements apply in respect of the prescribing of certain tranquillising or anti-depressant drugs. Under these arrangements certificates for prescribing tranquillising or anti-depressant drugs are issued by approved hospitals in respect of patients who have been discharged after treatment (either as in-patients or out-patients) for mental disorders and who require continued treatment with these particular drugs.

The certificate is forwarded to the patient's medical practitioner.

On receipt of a certificate the medical practitioner may prescribe the particular drug as a pharmaceutical benefit for the patient provided the certificate number is endorsed on the prescription together with the words 'specified purpose' (or suitable abbreviation).

These certificates are only applicable to those items against which this provision is listed in the restrictions (Pink pages), and for the forms, brands, strengths and maximum quantities so listed. Any item not so listed may not be prescribed on these certificates.

Certificates are current for six months from date of issue and during that time should be retained by the medical practitioner as a continuing authority to prescribe. It is not necessary to attach the certificate to the prescription.

Maximum Quantities and Repeats

15. The maximum quantity and number of repeats allowable are shown in columns 2 and 3 of the Schedule of Benefits. For other preparations, details are set out in the Tables of Maximum Quantities and Repeats—Green pages.

The maximum quantity of items marked with a double dagger (‡) has been determined as a single pack and as explained in paragraph 8 unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items it is not necessary to prescribe the maximum quantity, either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

16. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 17-18). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

17. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

18. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

19.—(a) The written authority of the Commonwealth Director of Health to prescribe:

- (i) restricted drugs (paragraph 13); or
 - (ii) increased maximum quantities (paragraph 17); or
 - (iii) increased number of repeats (paragraph 18),
- will be forwarded to the doctor on an Authority to Prescribe (Form PB15);

(b) Where authority is given to prescribe:

- (i) repeat supplies of restricted drugs; or
- (ii) repeat supplies of increased maximum quantities; or
- (iii) for the supply of a pharmaceutical benefit to be repeated more times than the number of repeats specified in the Schedule,
an Authority to Repeat (Form PB15a—pink) for each repeat authorised will also be forwarded with the Form PB15.

(c) On receipt, the doctor writes the prescription on the original (white) Form PB15 in the space provided for this purpose. The doctor will retain the yellow copy as his record and hand all other copies including the original (white) and any pink copies (Form PB15a) to the patient.

Note.—In Victoria and Tasmania the doctor writes the prescription in duplicate (a duplicate Form PB15 is provided for this purpose). Both the original and duplicate Form PB15 are handed to the patient.

20. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Urgent Cases

21. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing and forward it to the chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

22. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 13). In such cases the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

23. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

24. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form (except form PB7a) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain benefits not more than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present doctor's bag order form PB7a to an approved chemist for their supplies. Special instructions are issued to these doctors.

25. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity. For example, if the doctor had 100 or more sulphonamide tablets on hand as portion of his Emergency Drug (Doctor's Bag) Supplies further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than sulphonamides), e.g., different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity. For example, if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

26. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorised by him.

Poison Case Reporting

27. In order to provide information for the National Poisons Register doctors are asked to send brief clinical reports on cases of poisoning to the National Poisons Service, Commonwealth Department of Health, Canberra. Report forms are included at the back of this book and should be torn out when required. Additional information may be written on the back of the form, or attached, and this applies particularly in fatal or unusual cases. Further supplies of the Poisoning Case Report forms are available from Commonwealth and State Health authorities.

28. In order to include all cases of poisoning and avoid duplication of reporting, the Poisoning Case Report form should be completed by hospital medical staff for all cases referred to hospital. Private practitioners are only asked to make reports on cases not referred to hospital, or when cases are referred to smaller hospitals without resident medical staff.

Addresses of Poison Information Centres

29. The principal Poison Information Centre in each State and Territory is listed at the back of this book.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH BRANCH OFFICES

NEW SOUTH WALES

Department of Health,
Commonwealth Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000 Telephone 28 8001

Commonwealth Director of Health—
Dr H. M. Franklands
After hours: Telephone 929 8494

Assistant Director (Medical)—Dr B. E. Welton
After hours: Telephone 34 2011

VICTORIA

Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000 Telephone 662 2999

Commonwealth Director of Health—Dr R. C. Webb
After hours: Telephone 80 5333

Assistant Director (Medical)—Dr A. M. V. Cocks
After hours: Telephone 96 2404

QUEENSLAND

Department of Health,
Commonwealth Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld 4001 Telephone 31 0101

Commonwealth Director of Health—
Dr A. H. Humphry
After hours: Telephone 70 6037

SOUTH AUSTRALIA

Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S. Aust. 5001 Telephone 51 7866

Commonwealth Director of Health—Dr C. S. Barbour
After hours: Telephone 79 4898

WESTERN AUSTRALIA

Department of Health,
473 Wellington Street,
Perth, W. Aust. 6001 Telephone 21 8211

Commonwealth Director of Health—Dr J. B. Mathieson
After hours: Telephone 67 1589

TASMANIA

Department of Health,
Stowell Avenue,
Hobart, Tas. 7001

Telephone 2 2661

Commonwealth Director of Health—Dr C. W. Phillips
After hours: Telephone 5 2572

AUSTRALIAN CAPITAL TERRITORY

Department of Health,
A.C.T. Health Services Branch,
C.M.L. Building,
Darwin Place,
Canberra City, A.C.T. 2601

Telephone 49 8077

Commonwealth Director of Health—Dr A. Johnson
After hours: Telephone Dr M. Ryan—49 6351
Dr A. Johnson—7 1064

NORTHERN TERRITORY

Department of Health,
Esplanade,
Darwin, N.T. 5794

Telephone 3821

Commonwealth Director of Health—Dr W. A. Langsford
After hours: Telephone 2571

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd.	AB	Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT
Captain Cook Drive, Kurnell, N.S.W.		Loyalty Road, North Rocks, N.S.W.	
Adam Drug Co.	AV	Boucher & Muir Pty. Ltd.	BZ
88 Queen Street, Woollahra, N.S.W.		6-8 Mount Street, North Sydney N.S.W.	
Alcon Laboratories Inc., U.S.A.	AQ	Bristol Laboratories Pty. Ltd.	BC
Allergan Pharmaceutical Pty. Ltd.	AG	30 Cross Street, Brookvale, N.S.W.	
7 West Street, North Sydney, N.S.W.		British Drug Houses (Australia) Pty. Ltd.	BD
Ames Company	AM	McCredie Road, Smithfield, N.S.W.	
65 Queens Road, Melbourne, Vic.		British Pharmaceuticals Pty. Ltd.	BP
Armour Pharmaceutical Co. Ltd., England	AR	8-12 Bathurst Street, Sydney, N.S.W.	
Associated Drug Companies of Australia Pty. Ltd.	AD	British Schering Ltd.	BS
589-605 Collins Street, Melbourne, Vic.		40-50 Clarence Street,	
Astra Pharmaceuticals (Australia) Pty. Ltd.	AP	Sydney, N.S.W.	
815 Pacific Highway, Chatswood, N.S.W.		Bull Laboratory, David G.	BL
Australian Hoechst Limited	AH	19 Shierlaw Avenue, Canterbury, Vic.	
374-376 Whitehorse Road, Nunawading, Vic.		Burroughs Wellcome & Co. (Aust.) Ltd.	BW
Ayerst Laboratories Pty. Ltd.	AY	Cressy Street, Rosebery, N.S.W.	
Gregory Place, Parramatta, N.S.W.		Calmic (Aust.) Pty. Ltd.	CA
		Bibby Street, Chiswick, N.S.W.	
Bakra Laboratories	BK	Cascade Chemicals	CM
45 A'Beckett Street, Melbourne, Vic.		P.O. Box 106, Essendon, Vic. 3040	
Baxter-D.H.A. Laboratories Pty. Ltd.	BX	C.F.C. Pharmaceuticals Pty. Ltd.	CO
Rothschild Avenue, Rosebery, N.S.W.		9 Norton Street, Ashfield, N.S.W.	
Beecham Research Pty. Ltd.	BR	Chemos Pty. Ltd.	CH
Chesterville Road, Moorabbin, Vic.		65 Park Road, Milton, Q'ld.	
Boehringer Ingelheim Pty. Ltd.	BY	Ciba Co. Pty. Ltd.	CB
504-520 Pacific Highway,		Orion Road, Lane Cove, N.S.W.	
St. Leonards, N.S.W.		Commonwealth Serum Laboratories	CS
Boehringer, C. F. & Soehne, Mannheim	BO	45 Poplar Road, Parkville, Vic.	

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Cophar, Gnosca	CW	Fawns and McAllan Pty. Ltd.	FM
Switzerland		432 Mount Dandenong Road, Croydon, Vic.	
Crookes Laboratories Ltd., The	CK	Fisons Australia Pty. Ltd.	FC
England		A.D.C. House, 75-91 Pacific Highway,	
Cutter Laboratories, U.S.A.	CI	North Sydney, N.S.W.	
Denver Laboratories (Australia) Pty. Ltd.	BN	Gamaprod Pty. Ltd.	GA
9 Clarke Street, Crows Nest, N.S.W.		169 Lygon Street, Carlton, Vic.	
Denyer Brothers	DY	Gedeon Richter Ltd., Hungary	GR
250 Pitt Street, Sydney, N.S.W.		Geigy (Australasia) Pty. Ltd.	GE
Difrex (Aust.) Laboratories	DF	A.D.C. House, 77 Pacific Highway,	
321 Pitt Street, Sydney, N.S.W.		North Sydney, N.S.W.	
Dista Products (Australia) Pty. Ltd.	DL	Genatosan Ltd., England	GN
1 Campbell Street, Artarmon, N.S.W.		G.P. Laboratories	GP
Dolder & Co., Switzerland	DR	74-76 Mitchell Road, Alexandria, N.S.W.	
Drug Houses of Australia Ltd.	DH	Glaxo-Allenburys (Australia) Pty. Ltd.	GL
504 Bourke Street, Melbourne, Vic.		23-47 Villiers Street, North Melbourne, Vic.	
Endo Laboratories, Inc. U.S.A.	EN	Griffiths Hughes, E., Pty. Ltd.	GH
Erba Carlo S.p.A., Italy	EC	Buffalo Road, Gladesville, N.S.W.	
Ethicals Ltd.	EL	Grose Vale Goat Dairy and Dairy Products	GV
180 Queen Street, Brisbane, Q'ld.		55 Warrah Street, East Chatswood, N.S.W.	
Ethnor Pty. Ltd.	ET	Hamilton Laboratories Pty. Ltd.	HA
12 Primrose Avenue, Rosebery, N.S.W.		217 Flinders Street, Adelaide, S.A.	
Evans Medical Australia (Pty.) Ltd.	EV	Harvey Pty. Ltd., H. F.	HY
Duffy Avenue, Thornleigh, N.S.W.		231 Elizabeth Street, Croydon, N.S.W.	
Farbenfabriken Bayer, A. G.	FB	Ioquin Company, The	IQ
West Germany		Captain Cook Drive, Kurnell, N.S.W.	
Farmer Hill Pty. Ltd.	FH	Imperial Chemical Indust. of Aust. & N.Z. Ltd.	IC
187 William Street, Sydney, N.S.W.		I.C.I. House, 1 Nicholson Street,	
Faulding & Co. Ltd., F. H.	FA	Melbourne, Vic.	
James Place, Adelaide, S.A.			

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Inter-Continental Pharmaceuticals (Australia) Pty. Ltd., 79 Old South Head Road, Bondi Junction, N.S.W.	IP	May and Baker (Aust.) Pty. Ltd. Paramount Road, West Footscray, Vic.	MB
Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM	McGloin Pty. Ltd., J. 150 Dean Street, Enfield, N.S.W.	MG
Jaede, H. W., Manufacturing Pty. Ltd. Banksia Street, Bulleen, Vic.	JA	Mead Johnson Pty. Ltd. Caringbah, N.S.W.	MJ
Kinfort Laboratories 31 Sirius Road, Lane Cove, N.S.W.	KF	Medical Research Pty. Ltd. Sirius Road, Lane Cove, N.S.W.	MR
Knoll Laboratories (Aust.) Pty. Ltd. 176 Princes Highway, Arncliffe, N.S.W.	KL	Medichem Pharmaceuticals Pty. Ltd. 39 Arterial Road, St. Ives, N.S.W.	MC
Knoll, A. G., Germany	KN	Merck (Aust.) Pty. Ltd., E 605 M.L.C. Building, North Sydney, N.S.W.	MQ
Lane Medicine Co. Pty. Ltd. 156 Barkly Avenue, Burnley, Vic.	LM	Merck, Sharp & Dohme (Aust.) Pty. Ltd. 62-68 Ferndell Street, South Granville, N.S.W.	MK
Langley Laboratories Pty. Ltd. 141 Blues Point Road, North Sydney, N.S.W.	LF	Merrell, Wm. S. Company 64 Seville Street, Fairfield, N.S.W.	ML
Lederle Laboratories Division Cynamid-D.H.A. Pty. Ltd. 73-79 Parramatta Road, Camperdown, N.S.W.	LE	Muir & Neil Pty. Ltd. 479 Kent Street, Sydney, N.S.W.	MN
Lepetit (Pharmaceuticals) Pty. Ltd. A.M.P. Building, North Sydney, N.S.W.	LT	Nativelle Laboratories France	NA
Lilly (Australia) and Company, Eli Wharf Road, West Ryde, N.S.W.	LY	Nicholas Pty. Ltd. 699 Warrigal Road, Chadstone, Vic.	NS
Mack Pharmaceuticals Pty Ltd. 8 James Street, Waitara, N.S.W.	MZ	Noel Bramble Laboratories 324 King George's Road, Beverly Hills, N.S.W.	NB
Madland Laboratories, Inc. U.S.A.	MH	Nordia, Denmark	NR
Maw Son & Sons, S. England	ME	Nyal Company 75-89 Atkins Road, Ermington, N.S.W.	NY
		Oppenheimer, Son & Co. Ltd., London	OP
		Organon Laboratories Ltd., London	OR
		Otsuka Pharmaceutical Co., Japan	OJ

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Parke, Davis and Co.	PD	Rotary Tableting Corp. Pty. Ltd.	RY
32-40 Cawarra Road North, Caringbah, N.S.W. 2229		432 Mt. Dandenong Road, Croydon, Vic.	
Pfizer Pty. Ltd.	PF	Roussel Pharmaceuticals (Pty.) Ltd.	RL
Wharf Road, West Ryde, N.S.W.		403 Pacific Highway, Artarmon, N.S.W.	
Pfrimmer & Co., West Germany	PC		
Pharmax Ltd., England	PN		
Pharmedica Pty. Ltd.	PH		
602-612 Botany Road, Alexandria, N.S.W.			
Prosana Laboratories	PR	Salmond and Spraggon (Aust.) Pty. Ltd.	SS
22 Daisy Street, Revesby, N.S.W.		104-108 Mount Street, North Sydney, N.S.W.	
Pro-Vita Products Pty. Ltd.	PV	Sandoz Ltd.	SZ
Lennon Street, South Kensington, Vic.		620 Harris Street, Ultimo, N.S.W.	
Protea Pharmaceuticals Pty. Ltd.	PT	Schering Corporation, U.S.A.	SH
13-19 Glebe Street, Glebe, N.S.W.		Schering, A. G., Berlin	SC
		Searle, G. D. (Australia) Pty. Ltd.	SR
		40 Miller Street, North Sydney, N.S.W.	
Queensland Ethicals	QE	Sera Pty. Ltd.	SE
Enterprise Street, Salisbury, Q'ld.		29 Hotham Parade, Artarmon, N.S.W.	
		Sigma Co. Ltd.	SI
Reckitts Pty. Ltd.	RC	589-605 Collins Street, Melbourne, Vic.	
44 Wharf Road, West Ryde, N.S.W.		Smith, Kline & French Laboratories (Aust.) Ltd.	SK
Richards Laboratory Pty. Ltd.	RD	Warringah Road, French's Forest, N.S.W.	
Kings Road, Castle Hill, N.S.W.		Smith & Nephew (Aust.) Pty. Ltd.	SN
Richter of Milan	RM	Wellington Road, Clayton, Vic.	
Riker Laboratories Australia Pty. Ltd.	RK	Soul Pattinson (Laboratories) Pty. Ltd.	SL
9-15 Chilvers Road, Thornleigh, N.S.W.		158 Pitt Street, Sydney, N.S.W.	
Robins, A. H., Pty. Ltd.	RS	South Pacific Pharmaceuticals Pty. Ltd.	SU
65 The Boulevarde, Caringbah, N.S.W.		132 St. Johns Road, Glebe, N.S.W.	
Roche Products Pty. Ltd.	RO	SPOFA United Pharmaceutical Works	SP
Inman Road, Dee Why, N.S.W.		Czechoslovakia	
Rocke, Tomsitt & Co. Ltd.	RT	Squibb & Sons, E. R., Pty. Ltd.	SQ
10 Griffiths Street, Richmond, Vic.		Princes Highway, Noble Park, Vic.	
Rona Laboratories Ltd., London, U.K.	RN		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Stansen & Co. Pty. Ltd., A. E. ST		Wander Limited, A., England WA	
500 Spencer Street,		Ward Blenkinsop and Co. Ltd. WB	
West Melbourne, Vic.		London, U.K.	
St. Just Laboratories Ltd. SJ		Warner & Co. Pty. Ltd., Wm. R. WW	
Cnr. Harris and President Street, Carlisle, W.A.		10-28 Biloela Street, Villawood, N.S.W.	
Thilo and Co., West Germany TH		Weddel Pharmaceuticals WP	
Tongala Milk Products Pty Ltd. TM		England	
177-179 Macaulay Road, North Melbourne, Vic.		Wholesale Drug Co. Ltd. WD	
Toppin & Sons Pty. Ltd., R. D. TO		221-229 Mitchell Road, St. Peters, N.S.W.	
9-15 Chilver's Road, Thornleigh, N.S.W.		Winthrop Laboratories WL	
Trane Pharmacal Co. TR		75-89 Atkins Road, Ermington, N.S.W.	
98 Collins Street, Melbourne, Vic.		Woods, H. W. Pty. Ltd. WH	
Trisept Pty. Ltd. TS		10 Clifford Street, Huntingdale, Vic.	
St. Mary's, N.S.W.		World Agencies Pty. Ltd., ... WO	
Trufood Ltd., England TF		82-84 Sussex Street, Sydney, N.S.W.	
United Works of Pharmaceutical and Diatetic Pro-		Wyeth Pharmaceuticals Pty. Ltd. WY	
ducts, Hungary UW		Gregory Place, Parramatta, N.S.W.	
Upjohn Pty. Ltd. UP			
55-73 Kirby Street, Rydalmere, N.S.W.			
Virax Ethicals Ltd. VR		Young and Fennell Pty. Ltd. YF	
77-79 Market Street, South Melbourne, Vic.		107 Kent Street, Sydney, N.S.W.	

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline Acid Tartrate	Injection, B.P. 1-1,000, 1 ml. 1-1,000, 10 ml.	5 1	Morphine with Atropine	Injection, 1 ml.	5
Aminophylline	Injection I.V.	5	Penicillin, Procaine, (Aqueous Suspension)	Injection	10
Chlorpromazine	Injection 2.5% 2 ml.	5	Pethidine	Injection 50 mg. in 1 ml. 50 mg./ml. 2 ml.	5 5 5
Digoxin	Injection 0.25 mg. per ml., 2 ml.	10	Phenobarbitone Sodium	Injection	5
Ethylnoradrenaline	Injection	5	Sulphadiazine	} Tablet	100
Frusemide	Injection	5	or Sulphadimidine		
Heparin	Injection	1	or Sulphonamides, Three Mixed		
Hydrocortisone Sodium Succinate	Injection	1	Tetanus Antitoxin, 1,500 Units, 15 Units, Diluted 1-50	Injection—set	
Metaraminol	Injection	1	Tetanus Antitoxin (Bovine), 1,500 Units, 15 Units, Diluted 1-50 ..	Injection—set	1
Morphine Sulphate	Injection, 1 ml. Hypodermic Tablet	5 40	Tetanus Toxoid, (Purified Alum- inium Phosphate Adsorbed) }	Injection 0.5 ml.	10

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS
Operative as from 1 December 1968

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.
- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
N.S.W.....(N); VIC.....(V); QLD.....(Q); S.A.....(S); W.A.....(W); TAS.....(T).

SECTION 2 - SCHEDULE OF BENEFITS - UNRESTRICTED BENEFITS - DECEMBER 1968

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ACEPIFYLLINE			\$	
Oral Tablet 250 mg.	100	2	1.90	DF
Paediatric Syrup 125 mg. per 5 ml., 500 ml.	11	4	2.37	DF
Injection 500 mg. in 5 ml.	5	..	1.07	DF
ACETARSOL				
Oral Tablet 250 mg.	25	2	0.90	MB
Compound Pessary 250 mg.	25	1	0.83	MB
ACETAZOLAMIDE				
Oral Tablet 250 mg.	50	4	4.99	PT
			5.07	BZ(NWS)
			5.50	LE
Oral Capsule 500 mg. (sustained release)	50	2	10.97	LE
Injection 500 mg.	1	..	3.35	LE
ACETOHEXAMIDE				
Oral Tablet 500 mg.	100	2	4.30	LY
ACETYLCYSTEINE				
See Restricted Benefits				
ACETYLSALICYLIC ACID				
Mixture P.L.	200 ml.	4	0.75	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.82	Extemp. (plus container)
Tablets - See Restricted Benefits.				

ACETYLSALICYLIC ACID with PARACETAMOL
and CAFFEINE

See Restricted Benefits.

ACETYLSALICYLIC ACID and CODEINE

Mixture P.L.

200 ml.

4

0.99

Extemp. (plus container)

ACETYLSALICYLIC ACID and MORPHINE

Mixture P.L.

200 ml.

4

1.03

Extemp. (plus container)

ACETYLSALICYLIC ACID and PHENOBARBITONE

Mixture P.L.

200 ml.

4

0.79

Extemp. (plus container)

ADRENALINE

Eye Drops 0.5%, 7.5 ml.

‡1

6

3.10

ET

1%, 7.5 ml.

‡1

6

3.43

ET

2%, 10 ml.

‡1

6

6.63

AG, MH

2% (100 mg. and 5 ml. diluent)

‡1

6

\$5.75

AQ

Inhalation, metered aerosol spray
replacement pack, 8.3 mg. per ml.

15 ml. (300 dose)

‡1

..

2.70

BS

ADRENALINE ACID TARTRATE

Inhalation, metered aerosol spray replacement
pack, 7 mg. per ml., 15 ml. (300 dose)

‡1

..

2.70

RK

Injection, B.P., 1 in 1,000, 1 ml.

5

1

0.78

GR(NWS)

0.81

AD, FH, SI, WO

0.83

KL

0.85

BL, BT, BW, PD

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ADRENALINE ACID TARTRATE - cont.			\$	
Injection 1 in 1,000, 10 ml.	1	1	0.70	BW, PD
Solution, B.P., 1 in 1,000, 25 ml.	1	..	0.69	BW
1 in 1,000, 1 fl. oz.	1	..	0.69	RT(V)
			0.70	PD
Solution 1 in 100, 7 ml.	1	1	0.69	BW, PD
ADRENALINE and ATROPINE				
Spray P.L.	15 ml.	2	1.28	Extemp. (plus container)
ADRENALINE MUCATE				
Injection, 1 in 1,000, 1 ml.	5	1	1.17	GL
ALDOSTERONE				
See Restricted Benefits.				
ALLOPURINOL				
See Restricted Benefits.				
ALOXIPRIN				
See Restricted Benefits.				
ALUMINIUM				
Compound Paste 10%, 4 oz.	1	1	2.17	BT
ALUMINIUM ACETATE				
Cream Oily P.L.	100 G.	1	0.82	Extemp. (plus container)
Ear Drops P.L.	15 ml.	2	0.61	Extemp. (plus container)

ALUMINIUM ACETYSALICYLATE

See Restricted Benefits

ALUMINIUM HYDROXIDE GEL

†Mixture

320 mg. per 5 ml., 360 ml.

(with instructions for use)

ALUMINIUM HYDROXIDE GEL DRIED

Oral Tablet 300 mg.

ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE

Oral Tablet 300 mg.-90 mg.

200 mg.-200 mg.

Mixture 300 mg.-100 mg. per 5 ml., 360 ml.

Oral Suspension

215 mg.-80 mg. per 5 ml., 360 ml.

200 mg.-100 mg. per 5 ml., 360 ml.

200 mg.-200 mg. per 5 ml., 360 ml.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE			\$	
Oral Tablet 250 mg.-500 mg.	100	2	1.43	WW
Mixture 250 mg.-500 mg. per 4 ml., 200 ml.	‡1	4	0.97	WW
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE				
Oral Tablet 250 mg.-120 mg.-120 mg.	100	2	1.51	FA, HA, KL
			1.58	BW, FM, GP
			(ex 500)	
			1.63	BW, FA, FM, GP, HA,
			(ex M.P.)	KL
Mixture 250 mg.-120 mg.-120 mg. per 5 ml., 250 ml.	‡1	4	1.07	FM
ALUMINIUM HYDROXIDE with BELLADONNA				
Mixture P.L.	200 ml.	4	0.89	Extemp. (plus container)
ALUMINIUM HYDROXIDE with KAOLIN				
Mixture for Children P.L.	100 ml.	4	0.73	Extemp. (plus container)
ALUMINIUM HYDROXIDE with KAOLIN and OPIUM				
Mixture P.L.	200 ml.	4	1.02	Extemp. (plus container)
ALUMINIUM HYDROXIDE with PROCAINE				
Mixture P.L.	200 ml.	4	0.91	Extemp. (plus container)

ALUMINIUM HYDROXIDE-MAGNESIUM

CARBONATE CO-DRIED GEL.

Oral Tablet 375 mg.

100

2

1.57
(ex 500)

BD, BS, BT, GL, WL, WY

1.70
(ex M.P.)

BD, BS, BT, GL, WL, WY

ALUMINIUM and MAGNESIUM TRISILICATE

Internal Powder P.L.

100 G.

2

0.89

Extemp. (plus container)

ALUMINIUM SODIUM SILICATE

Powder 100 G.

1

2

1.10

SC

AMINACRINE HYDROCHLORIDE

Eye Drops 3 mg. in 15 ml.

‡1

2

1.06

IQ, KL, SI

AMINO ACIDS with SORBITOL

See Intravenous Fluids

AMINO ACIDS with SORBITOL and ETHANOL

See Intravenous Fluids

AMINOPHYLLINE

Oral Tablet 60 mg. (enteric coated)

100

2

1.03

ET

100 mg.

100

2

0.63

AD, BW, DH, FA, HA, HY, KL,
MG, RT(V), RY, SI, SL(N)

125 mg. (enteric coated)

100

2

1.17

ET

150 mg.

100

2

1.74

AB

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMINOPHYLLINE - cont.				
Injection I.M. 480 mg. in 2 ml.	5	..	1.21	AD
500 mg. in 2 ml.	5	..	1.10	WO
			1.13	FH
			1.21	BW, DH, HA
Injection I.V. 250 mg. in 10 ml.	5	..	1.53	AD, FH, SI, WO
			1.61	HA
			1.62	BW
Suppository 175 mg.	12	1	0.90	HA, KL
250 mg.	12	1	1.21	DH, HA, KL
400 mg.	12	1	1.21	HA, KL
AMINOPHYLLINE COMPOUND				
Mixture P.L.	200 ml.	4	0.92	Extemp. (plus container)
AMITRIPTYLINE				
See Restricted Benefits.				
AMMONIUM CHLORIDE				
Oral Tablet 500 mg.	100	3	0.97	QE(QNVS), RY
AMODIAQUINE				
Oral Tablet equivalent to				
150 mg. Amodiaquine base.	100	2	2.43	PD
AMPHETAMINE SULPHATE				
See Restricted Benefits.				

AMPHOTERICIN B

See Restricted Benefits.

AMPICILLIN

See Restricted Benefits.

AMYLOBARBITONE

Oral Tablet 15 mg.

30 mg.

50 mg.

100

1

0.77

FA, HY, PT

0.78

DL, FM, HA, KL, LY, RY

0.79

FA, PT, RT(V), SL(N)

0.83

HY, MG

0.93

DL, FM, HA, KL, LY,

RY, VR

100

1

0.83

PT, RT(V), SL(N)

0.87

FA, HY

0.95

MG

1.00

DL, FM, GP, HA, KL, LY,

(ex 500)

RY, VR

0.86

FA, PT, RT(V), SL(N)

0.90

HY, MG

1.05

DL, FM, GP, HA, KL, LY,

(ex M.P.)

RY, VR

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMYLOBARBITONE - cont.			\$	
Oral Tablet 100 mg.	25	..	0.47	PT, SL(N)
			0.49	HA
			0.53	HY
			0.54	AD, DL, FA, FM, GP, KL,
			(ex 100)	LY, RT(V), RY, SI, VR
			0.51	PT, SL(N)
			0.53	HA
			0.59	VR
			0.61	AD, DL, FA, FM, GP, HY, KL,
			(ex M.P.)	LY, RT(V), RY, SI
AMYLOBARBITONE SODIUM				
Oral Capsule 50 mg.	100	1	1.47	AV, FM, LY
200 mg.	25	..	0.84	LF, PT
			1.07	FA, FM, KL, LY, VR
			(ex 100)	
			0.97	LF, PT
			1.23	FA, FM, KL, LY, VR
			(ex M.P.)	
Injection 250 mg. (solvent required)	5	..	*2.50	LY
500 mg. (solvent required)	5	..	*3.65	LY
1 G. (solvent required)	5	..	*9.65	LY
ANEURINE HYDROCHLORIDE				
Injection 100 mg. in 1 ml.	5	1	1.63	KL
			1.74	FM
			1.77	DH

ANEURINE HYDROCHLORIDE - cont.

Tablets - See Restricted Benefits.

ANTAZOLINE

Oral Tablet 100 mg.

50 1 1.37 CB

Injection 100 mg. in 2 ml.

10 .. *2.16 CB
*2.22 BT

ANTAZOLINE with NAPHAZOLINE

Eye Drops 10 ml.

‡1 2 0.83 CB

AQUEOUS CREAM

Cream P.L.

100 G. 1 0.93 Extemp. (plus container)

Cream Buffered P.L.

100 G. 1 0.84 Extemp. (plus container)

ASCORBIC ACID

See Restricted Benefits.

ATROPINE

Eye Drops, Oily 1%, 15 ml.

‡1 2 1.30 IQ, SI

ATROPINE METHONITRATE

Oral Tablet 1 mg.

50 2 1.43 WL

Mixture for Children P.L.

100 ml. 4 0.83 Extemp. (plus container)

Oral Solution 0.6%, 15 ml.

1 .. 0.97 WL

ATROPINE SULPHATE

Oral Tablet 600 micrograms

100 2 0.87 RY

Hypo. Tablet 400 micrograms (solvent required)

20 1 0.63 FA

600 micrograms (solvent required)

20 1 0.70 FA

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ATROPINE SULPHATE - cont.			\$	
Injection 0.4 mg. in 1 ml.	5	1	0.86	FH, KL
			0.90	BL, BT, DH
0.6 mg. in 1 ml.	5	1	0.86	FH, KL
			0.90	BL, BT, DH
0.6 mg. per ml., 10 ml.	1	..	0.97	DH, FA
1.25 mg. in 1 ml.	5	1	0.86	FH, KL
			0.90	BL, DH
Eye Drops 0.5%, 15 ml.	‡1	2	1.10	DH, ET, IQ, KL, SI
1%, 15 ml.	‡1	2	1.21	DH, ET, IQ, KL, SI
Eye Ointment 1%, 4 G.	‡1	..	0.63	PD
BACITRACIN				
Eye Drops 15,000 Units and 15 ml. of solvent	‡1	2	\$1.99	ET
BARBITONE SODIUM				
Oral Tablet 300 mg.	25	..	0.62	MG
			0.67	DH, KL
500 mg.	25	..	0.70	DH, KL
BARBITURATES COMPOUND				
Oral Capsule A.P.F. 1955	25	..	1.83	AB, ET, KL
BELLADONNA				
Oral Tablet 45 mg.	100	2	1.03	RY
Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)

BELLADONNA with PHENOBARBITONE

Oral Tablet of prepared Belladonna Herb B.P.
(or equivalent of Dry Extract of Belladonna)
with Phenobarbitone.

30 mg.-20 mg.	100	2	0.86	LF, PT
			0.87	DH, FM, HY, SI, TR, WW
40 mg.-16 mg.	100	2	1.02	RS
45 mg.-30 mg.	100	2	0.99	LF
			1.01	PT
			1.03	DH, FM, HY, SI, TR, WW
120 mg.-48 mg. (sustained release)	100	2	2.30	RS

BEMEGRIDE

Injection 5 mg. per ml., 30 ml.

5 .. 10.51

NS

BENDROFLUAZIDE

Oral Tablet 2.5 mg.

50 2 1.71
(ex 250)

BC, BT, ET, GL

1.82
(ex M.P.)

BC, BT, ET, GL

5 mg.

50 2 2.52
(ex 250)

BC, BT, ET, GL

2.65
(ex M.P.)

BC, BT, ET, GL

Oral Capsule 2.5 mg.

50 2 1.82

GL

5 mg.

50 2 2.65

GL

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BENZALKONIUM CHLORIDE			\$	
Compound Suppository	12	1	1.15	HA
			1.17	FA
Solution 10%, 4 fl. oz.	11	..	0.87	WL
BENZHEXOL				
Oral Tablet 2 mg.	100	2	1.81	PT
			1.89	LE, WL
5 mg.	100	2	3.27	PT
			3.45	LE, WL
BENZOCAINE with ADRENALINE				
Compound Ointment 2 oz.	1	1	1.30	GP
Compound Suppository	12	1	1.06	GP
Suppository A.P.F. 1955	12	1	1.30	KL
BENZOIC ACID				
Compound Ointment P.L.	100 G.	1	1.03	Extemp. (plus container)
BENZOIN				
Inhalation P.L.	50 ml.	1	1.15	Extemp. (plus container)
BENZTROPINE				
Oral Tablet 2 mg.	100	..	4.57	MK
BENZYL BENZOATE				
Application 25%. 4 fl. oz.	11	2	0.83	MB

BENZYL BENZOATE with DICOPHANE
Application P.L.

200 ml.	2	1.17	Extemp. (plus container)

BEPHENIUM HYDROXYNAPHTHOATE
(Bephenium)

Oral Sachet 5 G.

1	..	0.74	BW

BETAMETHASONE

Eye Drops 0.1%, 5 ml.

‡1	2	2.30	GL, SH

Eye Ointment 0.1%, 3 G.

‡1	..	1.63	GL, SH

Injections - See Restricted Benefits.

Tablet - See Restricted Benefits.

BETHANIDINE

Oral Tablet 10 mg.

100	2	2.97	BW

25 mg.

100	2	6.30	BW

BIPERIDEN

Oral Tablet 2 mg.

100	2	3.19	KN

BISMUTH SUBGALLATE

Compound Suppository

12	1	0.82	WW

1.37	KL

BORIC ACID

Ear Drops P.L.

15 ml.	2	0.58	Extemp. (plus container)

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BORIC ACID - cont. †Powder 100 G.(4 oz.) (with instructions for use)	1	..	\$ †0.15 †0.23 †0.26 †0.30	WD(N) FA DH SI(V) WD(N) FA DH SI(V)
BORIC TALC Dusting Powder P.L.	100 G.	1	0.67	Extemp. (plus container)
BRETYLIUM TOSYLATE (Bretylum) Oral Tablet 200 mg.	100	2	8.63	BW
BROMPHENIRAMINE Oral Tablet 4 mg.	50	1	1.43	RS
12 mg.	50	1	2.90	RS
Syrup 2 mg. per 5 ml., 100 ml.	†1	4	1.03	RS
BROWN SNAKE ANTIVENENE Injection 500 Units	2	1	*28.30	CS
BUCLOSAMIDE with SALICYLIC ACID See Restricted Benefits.				

BUCLOSAMIDE with SALICYLIC ACID
and HYDROCORTISONE
 See Restricted Benefits.

BUSULPHAN
 See Restricted Benefits.

BUTABARBITAL SODIUM

Oral Tablet 15 mg.

100	1	1.03 (ex 500)	ET

		1.07 (ex M.P.)	ET

30 mg.

100	1	1.19 (ex 500)	ET

		1.26 (ex M.P.)	ET

50 mg.

100	1	1.53	ET

100 mg.

25	..	0.97	ET

BUTOBARBITONE

Oral Tablet 100 mg.

25	..	0.51	PT

		0.52 (ex 100)	AD, MB, SI

		0.55 0.57	PT AD, MB, SI

		(ex M.P.)	

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CAFFEINE, IODIDE and EPHEDRINE Mixture, P.L.	200 ml.	4	\$ 1.31	Extemp. (plus container)
CALAMINE Cream Aqueous P.L.	100 G.	1	0.77	Extemp. (plus container)
Cream Oily P.L.	100 G.	1	1.10	Extemp. (plus container)
Lotion P.L.	200 ml.	2	0.97	Extemp. (plus container)
Lotion Oily P.L.	200 ml.	2	0.94	Extemp. (plus container)
CALCIFEROL See Restricted Benefits.				
CALCIUM ACETYLSALICYLATE Mixture P.L.	200 ml.	4	0.81	Extemp. (plus container)
CALCIUM AMINOSALICYLATE See Restricted Benefits.				
CALCIUM GLUCONATE Oral Tablet 600 mg.	100	2	0.70 0.77 0.83	KL, PR, RY, SL(N) AD, DH, FA, HY, RT(V), SI, TO MG
Oral Tablet (Effervescent) equivalent to 4 G. Calcium Gluconate	100	2	5.70	SZ
Injection 10%, 10 ml.	5	1	1.30	FH, SZ, TH

CALCIUM and KAOLIN

Mixture for Children P.L.

100 ml.

4

0.66

Extemp. (plus container)

CALCIUM LACTATE

Oral Tablet 300 mg.

100

2

0.63

AD, DH, FA, HY, KL,
RT(V), RY, SI, SL(N), TO**CAMPHOR**

Linctus Compound P.L.

100 ml.

4

0.89

Extemp. (plus container)

Liniment P.L.

100 ml.

1

0.93

Extemp. (plus container)

CARBACHOL

Injection 0.25 mg. in 1 ml.

5

..

0.86

BD, FH

Eye Drops 0.75%, 15 ml.

‡1

6

2.25

AQ

1.5%, 15 ml.

‡1

6

2.34

AQ

3%, 15 ml.

‡1

6

2.45

AQ

CARBAMAZEPINE

See Restricted Benefits.

CARBIMAZOLE

Oral Tablet 5 mg.

100

2

1.97

PT

2.63

BS

CARBINOXAMINE

Oral Tablet 4 mg.

50

1

1.57

ET

12 mg. (sustained release)

50

1

3.63

ET

Paediatric Elixir 4 mg. per 5 ml., 100 ml.

‡1

4

1.03

ET

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CASCARA			\$	
Oral Tablet 200 mg.	25	3	0.50	AD, DH, FA, HY, RT(V), SI
300 mg.	25	3	0.54	AD, DH, FA, HY, RT(V), SI
†Liquid Extract, B.P.				
25 ml. (1 fl. oz.)	1	1	†0.20	WD(N)
(with instructions for use)			†0.21	DH WD(N) DH
50 ml. (2 fl. oz.)	1	1	†0.30	DH, WD(N)
(with instructions for use)				DH, WD(N)
CASTOR OIL				
†5 oz.	1	..	†0.33	DH, FA
(with instructions for use)				DH, FA
† 100 ml.	1	..	†0.27	WD(N)
(with instructions for use)				WD(N)
CETOMACROGOL				
Cream Aqueous P.L.	100 G.	1	1.09	Extemp. (plus container)
CETRIMIDE				
Cream Aqueous P.L.	100 G.	1	1.18	Extemp. (plus container)
CHALK and KAOLIN				
Mixture P.L.	200 ml.	4	0.76	Extemp. (plus container)

CHLORAL HYDRATE

Elixir 1 G. per 10 ml., 200 ml.

Mixture P.L.

Mixture for Children P.L.

‡1	4	1.50	KL, PT
200 ml.	4	0.80	Extemp. (plus container)
100 ml.	4	0.68	Extemp. (plus container)

CHLORAMBUCIL

See Restricted Benefits.

CHLORAMPHENICOL

Ear Drops 2%, 10 ml.

10%, 6 ml.

Eye Drops 25 mg. and 10 ml. solvent

0.5%, 10 ml.

Eye Ointment 1%, 4 G.

1%, 5 G.

Capsule - See Restricted Benefits.

Injection - See Restricted Benefits.

Suspension - See Restricted Benefits.

Tablets - See Restricted Benefits.

‡1	2	1.10	CW
‡1	2	1.10	KL
		1.30	PD
‡1	2	\$1.68	PD
‡1	2	1.10	CW, KL
‡1	..	0.63	KL
		0.69	PD
‡1	..	0.69	EC

CHLORAMPHENICOL with HYDROCORTISONE

Eye Drops 12.5 mg.-25 mg. and 5 ml. solvent

Eye Ointment 1% - 0.5%, 4G.

‡1	2	\$1.75	PD
‡1	..	1.30	PD

CHLORAMPHENICOL with POLYMYXIN B

Eye Ointment 1%-5000 Units per G., 4 G.

‡1	..	0.63	KL
		0.69	PD

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLORAZANIL			\$	
Oral Tablet 25 mg.	50	2	1.50	SI
150 mg.	50	2	3.39	SI
CHLORCYCLIZINE				
Oral Tablet 50 mg.	50	1	1.70	AB, BW
Oral Capsule 25 mg.	50	1	1.30	BW
50 mg.	50	1	1.70	BW
CHLORHEXIDINE				
Cream Aqueous P.L.	100 G.	1	1.08	Extemp. (plus container)
Ear Drops P.L.	15 ml.	2	0.59	Extemp. (plus container)
Solution 5%, 100 ml.	‡1	1	1.50	IC
CHLOROBENZOL DISULPHONAMIDE				
Oral Tablet 100 mg.	50	2	1.79	NS
200 mg.	50	2	3.15	NS
CHLOROQUINE				
Oral Tablet equivalent to 150 mg. Chloroquine base.	100	2	2.90	PT
			2.97	MB, RT(V)
			3.02	DH, ET, EV, FB, IC, WL
Injection 40 mg. per ml., 2 ml.	5	1	*1.19	MB
40 mg. per ml., 5 ml.	5	1	*1.84	MB

CHLOROTHIAZIDE

Oral Tablet 500 mg.

50	2	2.64 (ex 250)	MK
		2.97 (ex M.P.)	MK

CHLOROTRIANISENE

See Restricted Benefits.

CHLORPHENIRAMINE

Oral Tablet 4 mg.

50	1	1.66	LF, PT
		1.74	CA, SH
		1.77	GL
50	1	1.86	GL, LF, PT
		1.95	CA
		2.15	SH
		(ex 250)	
		2.06	LF, PT
		2.17	CA, GL
		2.39	SH
		(ex M.P.)	

Paediatric Syrup 2 mg. per 5 ml., 100 ml.

1	4	0.97	GL

Injection 10 mg. in 1 ml.

5	..	1.58	GL

CHLORPROMAZINE

See Restricted Benefits.

CHLORPROPAMIDE

Oral Tablet 250 mg.

100	2	4.30	PF

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLORTETRACYCLINE			\$	
Eye Ointment 1%, 4 G.	‡1	..	0.54	KL
			0.57	LE
Capsules - See Restricted Benefits.				
CHLORTHALIDONE				
Oral Tablet 50 mg.	50	2	2.87	GE
100 mg.	50	2	4.24	GE
			(ex 250)	
			4.82	GE
			(ex M.P.)	
CHOLERA-EL TOR COMBINED VACCINE				
Injection 8,000 million in 1 ml.	2	..	*1.10	CS
CHOLINE THEOPHYLLINATE				
Oral Tablet 100 mg.	100	2	2.43	WW
200 mg.	100	2	2.97	WW
Syrup 50 mg. per 5 ml., 500 ml.	‡1	4	1.90	WW
CLEMIZOLE				
Oral Tablet 20 mg.	50	1	*1.58	SC
Paediatric Syrup 100 ml.	‡1	4	0.97	SC
Injection 1 ml.	3	..	0.97	SC
CLOPAMIDE				
Oral Tablet 20 mg.	50	2	2.43	SZ

CLOREXOLONE				
Oral Tablet 25 mg.	50	2	2.37	MB
50 mg.	50	2	2.97	MB
COAL TAR				
Paste P.L.	100 G.	1	0.99	Extemp. (plus container)
COAL TAR and ZINC				
Cream P.L.	100 G.	1	0.96	Extemp. (plus container)
COCAINE				
Eye Drops Oily, 2%, 15 ml.	‡1	2	1.59	IQ, SI
CODEINE PHOSPHATE				
Linctus P.L.	100 ml.	2	1.09	Extemp. (plus container)
Oral Tablet 30 mg.	25	3	0.83	DH, HY, KL, RT(V), RY
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID				
See Restricted Benefits.				
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID and PARACETAMOL				
See Restricted Benefits.				
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID, PARACETAMOL and CAFFEINE				
See Restricted Benefits.				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
COD LIVER OIL			\$	
†Cod Liver Oil, B.P.				
8 fl. oz. (with instructions for use)	1	4	†0.45	FA, SI(V) FA, SI(V)
200 ml. (with instructions for use)	1	4	†0.40 †0.44	WD(N) DH WD(N) DH
Emulsion - See Restricted Benefits.				
COLCHICINE				
Oral Tablet 0.5 mg.	100	2	2.83 2.89 2.97	KF EV, PR, PT BW, DH, HY, KL, MR, RT(V)
COLD CREAM				
Cream P.L.	100 G.	1	1.00	Extemp. (plus container)
COLISTIN				
See Restricted Benefits.				
COLISTIN with NEOMYCIN				
Ear Drops 3 mg.-3.3 mg. per ml., 10 ml.	†1	2	1.50	WW
COPPER SULPHATE				
†Diagnostic Compound Tablets, 36 (with instructions for use)	1	2	†0.68	AM AM

CORTICOTROPHIN

See Restricted Benefits.

CORTISONE ACETATE

Eye Drops 0.5%, 10 ml.

1%, 3 ml.

2.5%, 5 ml.

2.5%, 10 ml.

Injections - See Restricted Benefits.

Tablets - See Restricted Benefits.

CYANOCOBALAMIN

See Restricted Benefits.

CYCLOBARBITONE

Oral Tablet 200 mg.

25

•

0.82

MG, SL(N)

0.90

HA

1.10

BW, KL

CYCLOPENTHAZIDE

Oral Tablet 0.5 mg.

50

2

2.37

CB

(ex 250)

2.57

CB

(ex M.P.)

CYCLOPHOSPHAMIDE

Oral Tablet 50 mg.

50

22

5.97

MJ

Injection 100 mg. (solvent required)

10

22

10.43

MJ

200 mg. (solvent required)

10

..

12.30

MJ

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CYCLOTHIAZIDE Oral Tablet 5 mg.	50	2	\$ 2.81	BY
CYCRIMINE HYDROCHLORIDE Oral Tablet 1.25 mg.	100	2	3.50	LY
2.5 mg.	100	2	5.43	LY
CYPROHEPTADINE Oral Tablet 4 mg.	50	2	1.72 (ex 250)	MK
			1.90	MK
Paediatric Syrup 1.2 mg. per 5 ml., 100 ml.	‡1	4	(ex M.P.) 0.90	MK
DAPSONE Oral Tablet 100 mg.	100	2	0.83	IC
DARROW'S SOLUTION See Intravenous Fluids				
DEATH ADDER ANTIVENENE Injection 6,000 Units	1	..	59.07	CS
DEBRISOQUINE Oral Tablet 10 mg.	100	2	3.23	RO
20 mg.	100	2	4.57	RO

DEMECARIUM BROMIDE

Eye Drops 0.1%, 5 ml.

0.25%, 5 ml.

0.5%, 5 ml.

‡1	6	1.66	AP
‡1	6	1.79	AP
‡1	6	2.07	AP

DEMETHYLCHLORTETRACYCLINE

See Restricted Benefits.

DEMETHYLCHLORTETRACYCLINE with
NYSTATIN

See Restricted Benefits.

DEOXYCORTONE

See Restricted Benefits.

DESLANOSIDE

Injection 0.2 mg. per ml., 2 ml.

5	1	1.13	SZ

DEXAMETHASONE

See Restricted Benefits.

DEXAMETHASONE with FRAMYCETIN and
GRAMICIDIN

Ear Ointment 0.5 mg.-5 mg.-0.05 mg.
per G., 3 G.

‡1	2	1.37	RL

DEXAMETHASONE METASULPHOBENZOATE
with FRAMYCETIN and GRAMICIDIN

Ear Drops 0.5 mg.(base)-5 mg. -0.05 mg.
per ml., 5 ml.

‡1	2	1.50	RL

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXAMPHETAMINE See Restricted Benefits.			\$	
DEXCHLORPHENIRAMINE Injection 5 mg. in 1 ml.	5	..	1.23	SH
Oral Tablet 2 mg.	50	1	1.41	SH
			(ex 250)	
			1.54	SH
			(ex M.P.)	
6 mg. (sustained release)	50	1	2.95	SH
			(ex 250)	
			3.33	SH
			(ex M.P.)	
Paediatric Syrup 2 mg. per 5 ml., 100 ml.	1	4	1.17	SH
DEXTRAN with DEXTROSE See Intravenous Fluids				
DEXTRAN in NORMAL SALINE See Intravenous Fluids				
DEXTRIFERRON Injection I.V. 5 ml.	5	..	3.63	AP
DEXTROMORAMIDE See Restricted Benefits.				

DEXTROSE

See Intravenous Fluids

DEXTROSE and GLYCERIN

Nasal Instillation P.L.

15 ml.

2

0.66

Extemp. (plus container)

DIAZEPAM

See Restricted Benefits.

DICHLORALPHENAZONE

Oral Tablet 650 mg.

25

..

0.97

EV

DICHLOROPHEN

Oral Tablet 500 mg.

18

..

0.90

MB

DICHLORPHENAMIDE

Oral Tablet 50 mg.

50

4

5.10

AQ, MK

DICOPHANE

Application P.L.

200 ml.

2

0.84

Extemp. (plus container)

Dusting Powder P.L.

100 G.

1

0.81

Extemp. (plus container)

DICYCLOMINE HYDROCHLORIDE

Oral Tablet 10 mg.

100

2

2.20

PT

2.49

ML

(ex 500)

2.43

PT

2.77

ML

(ex M.P.)

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DICYCLOMINE HYDROCHLORIDE - cont. Paediatric Syrup 5 mg. per 5 ml., 100 ml.	1	4	\$ 1.43	ML
DIENOESTROL See Restricted Benefits.				
DIETHAZINE Oral Tablet 50 mg.	100	2	1.03	MB
250 mg.	100	2	*2.96	MB
DIETHYLCARBAMAZINE Oral Tablet 50 mg.	40	1	*1.60	LE
DIGITALIS, PREPARED Oral Tablet 30 mg.	100	2	0.83	DH, RT(V)
60 mg.	100	2	0.97	DH, HY, RT(V)
DIGITOXIN Oral Tablet 100 micrograms	100	..	0.98 1.02	PT KL, NA, WY

DIGOXIN

Oral Tablet 62.5 micrograms	100	2	0.97	BW
250 micrograms	100	2	0.73	FA, HY, PT, RT(V), RY, SL(N)
			0.77	LF, NA
			0.97	PR
			0.99	TO
			1.01	KL
			1.03	SU(N)
			1.13	BW, MG, RD, VR
Oral Solution 500 micrograms per ml., 30 ml.	11	..	1.26	BW
Oral Solution for Children				
50 micrograms per ml., 50 ml.	11	2	1.37	BW
Injection 250 micrograms per ml., 2 ml.	10	1	*1.98	BW
Injection for Infants 50 micrograms in 2 ml.	10	1	*1.98	BW

DIHYDROERGOTAMINE

Injection 1 mg. in 1 ml.	5	..	1.63	SZ

DIHYDROMORPHINONE HYDROCHLORIDE

Oral Tablet 2.5 mg.	20	..	*0.96	KN
Injection 1.1 ml.	5	..	1.03	KN

DIHYDROSTREPTOMYCIN SULPHATE with
ATTAPULGITE, PECTIN and HYDRATED
ALUMINA POWDER

Oral Tablet 150 mg.-350 mg.-45 mg.-70 mg.	16	..	1.41	WY

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DIHYDROSTREPTOMYCIN SULPHATE with KAOLIN, PECTIN and ALUMINIUM HYDROXIDE GEL			\$	
Oral Suspension				
4.63 gr.-45 gr.-4 gr. per fl. oz., 3.5 fl. oz.	‡1	..	1.43	WY
DIHYDROTACHYSTEROL				
See Restricted Benefits.				
DI-IODOHYDROXYQUINOLINE (Diodoquinoline)				
Oral Tablet 300 mg.	100	2	1.77	DF, MB
650 mg.	100	2	8.23	SR
Compound Vaginal Tablets 100 mg., 25	‡1	1	1.50	VR
			1.63	SR
Effervescent Gynaecological Pessaries 200 mg., 20	‡1	1	1.63	DF
DILOXANIDE FUROATE				
See Restricted Benefits.				
DIMERCAPROL				
Injection 5%, 2 ml.	10	..	3.90	BT

DIMETHICONE

Creams - See Restricted Benefits.

Creams and Solutions - See Colostomy
and Ileostomy Preparations.

DIMETHINDENE

Oral Tablet 1 mg.

50 1 1.50 CB

2.5 mg. (sustained release)

50 1 2.70 CB

DIOCTYL SODIUM SULPHOSUCCINATE

with DANTHRON

See Restricted Benefits.

DIPHENHYDRAMINE

Oral Capsule 50 mg.

50 1 1.15 PD,PT

(ex 250)

1.23 PT

1.26 PD

(ex M.P.)

Paediatric Elixir 12.5 mg. per 5 ml., 100 ml.

11 4 0.67 AV

12.5 mg. per 5 ml., 115 ml.

11 4 0.70 PD

Injection 10 mg. per ml., 10 ml.

1 1 1.43 PD

DIPHENYLPYRALINE

Oral Tablet 2.5 mg.

50 1 1.23 PT, RK

5 mg. (sustained release)

50 1 2.17 PT, RK

Oral Capsule 2.5 mg. (sustained release)

50 1 2.17 SK

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DIPHENYLPYRALINE - cont.			\$	
Oral Capsule 5 mg. (sustained release)	50	1	2.41 (ex 250)	SK
			2.70 (ex M.P.)	SK
Paediatric Syrup 2.5 mg. per 5 ml., 100 ml.	‡1	4	1.03	RK, SK
DIPHThERIA ANTITOXIN (Dip./Ser.)				
Injection 1,000 Units	2	1	*3.24	CS
4,000 Units	2	1	*8.16	CS
10,000 Units	2	1	*18.64	CS
20,000 Units	2	1	*34.22	CS
DIPHThERIA and TETANUS VACCINE				
Injection 0.5 ml.	3	..	*1.62 1.63	CS BT
DIPHThERIA, TETANUS and PERTUSSIS VACCINE (Triple Antigen)				
Injection 0.5 ml.	3	..	1.30 *1.86 1.87	GL, PD CS BT
DIPHThERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)				
Injection 0.5 ml.	1	..	0.63	CS

**DIPHTHERIA VACCINE (PURIFIED TOXOID
ALUMINIUM PHOSPHATE)**

(Dip./Vac/PTAP)

Injection 0.5 ml.

Set containing 2 amps each 0.5 ml.

Diphtheria Prophylactic (Purified
Toxoid Aluminium Phosphate)(diluted)

FOR IMMUNISATION OF ADULTS

ONLY and 1 amp. of 0.5 ml. Purified

Diphtheria Toxoid (diluted) for the
skin test only.

2 1 *1.18 CS

1 .. 1.23 CS

DIPYRIDAMOLE

Injection 5 mg. per ml., 2 ml.

5 .. 1.46 BY

DISODIUM STILBOESTROL DIPHOSPHATE

See Restricted Benefits.

DITHRANOL

Ointment 0.1%, 2 oz.

‡1 1 0.87 HY

0.25%, 2 oz.

‡1 1 0.94 HY

0.5%, 2 oz.

‡1 1 0.99 HY

Strong, 1%, 2 oz.

‡1 1 1.10 HY

DITHRANOL and ZINC

Paste P.L.

100 G. 1 1.02 Extemp. (plus container)

Paste Strong P.L.

100 G. 1 1.27 Extemp. (plus container)

DOXYCYCLINE

See Restricted Benefits

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DYFLOS			\$	
Eye Drops 0.1%, 10 ml.	‡1	6	3.63	BT
ECOTHIOPATE IODIDE				
Eye Drops				
0.06%, 3 mg. and 5 ml. of solvent	‡1	6	\$3.02	AY
0.125%, 6.25 mg. and 5 ml. of solvent	‡1	6	\$3.42	AY
0.25%, 12.5 mg. and 5 ml. of solvent	‡1	6	\$3.82	AY
EDROPHONIUM				
Injection 10 mg. in 1 ml.	1	..	*0.86	RO
EMETINE				
Injection 20 mg. in 1 ml.	10	..	2.70	KL
30 mg. in 1 ml.	10	..	3.30	KL
65 mg. in 1 ml.	5	..	3.30	KL
EMETINE AND BISMUTH IODIDE				
Oral Tablet 60 mg.	25	2	4.03	HY
EMULSIFYING OINTMENT				
Ointment P.L.	100 G.	1	1.18	Extemp. (plus container)

EPHEDRINE HYDROCHLORIDE

Oral Tablet 15 mg.

30 mg.

Elixir P.L.

Nasal Instillation P.L.

Injection 30 mg. in 1 ml.

50 mg. in 1 ml.

EPHEDRINE HYDROCHLORIDE with

PHENOBARBITONE

Oral Tablet 15 mg.-15 mg.

30 mg.-15 mg.

30 mg.-30 mg.

Paediatric Elixir 30 mg.-20 mg.

per 5 ml., 100 ml.

Paediatric Syrup 30 mg.-20 mg.

per 5 ml., 100 ml.

100	2	0.59	AD, BW, DH, HY, KL, MG, RT(V), RY, SI
100	2	0.70	AD, BW, DH, FA, HY, KL, MG, PR, RT(V), RY, SI, SL(N)
100 ml.	4	0.73	Extemp. (plus container)
15 ml.	2	0.61	Extemp. (plus container)
5	1	1.02	BL, KL
5	1	1.02	BL, KL
100	2	0.70	HY, KL
		0.86	FM, WW
100	2	0.70	AD, HY, KL, SI
		0.83	DH
		0.94	FM, WW
100	2	0.77	HY, KL
		0.99	FM, WW
‡1	4	1.19	FM
‡1	4	1.19	WW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ERGOMETRINE MALEATE			\$	
Oral Tablet 0.2 mg.	25	3	1.67	LY, SP(NWS)
0.5 mg.	25	3	3.66	PT, SP(NWS)
			4.03	BD, BW, HY, VR
Injection 0.125 mg. in 1 ml.	5	..	1.13	FH
			1.21	BW
0.2 mg. in 1 ml.	5	..	1.34	PT
			1.35	FH
0.5 mg. in 1 ml.	5	..	1.31	PT
			1.35	SP(NWS)
			1.50	BD, BL, DH, FH
			1.79	BW
ERGOTAMINE TARTRATE				
Oral Tablet 1 mg.	50	2	1.47	PT
			1.50	HY, KL
			2.27	SZ, WL
Injection 0.25 mg. in 1 ml.	5	..	1.30	SZ
0.5 mg. in 1 ml.	5	..	1.38	PT, SP(NWS)
			1.66	SZ
ERGOTAMINE TARTRATE with CAFFEINE				
Oral Tablet 1 mg.-100 mg.	50	2	2.30	KL, PT
			2.97	BD, SZ
Compound Suppository	6	1	1.50	SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE				
Oral Tablet 2 mg.-100 mg.-50 mg.	50	2	3.63	BW

**ERGOTAMINE TARTRATE with CAFFEINE
CITRATE and DIPHENHYDRAMINE
HYDROCHLORIDE**

Oral Capsule 1 mg.-100 mg.-25 mg.

50 2 3.63 PD

**ERGOTAMINE TARTRATE with CAFFEINE
and MECLOZINE HYDROCHLORIDE**

Oral Tablet 1 mg.-100 mg.-10 mg.

50 2 3.53 BD

ERTHRITYL TETRANITRATE

Oral Tablet 5 mg.

100 2 0.97 BW

ERYTHROMYCIN

See Restricted Benefits.

ETHACRYNIC ACID

Oral Tablet 50 mg.

50 2 5.23 MK

ETHANOLAMINE OLEATE

Injection 5%, 2 ml.

5 1 0.85 GL

ETHCHLORVYNOL

Oral Capsule 500 mg.

25 .. 1.21 AB

ETHINYLOESTRADIOL

See Restricted Benefits.

ETHIONAMIDE

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ETHISTERONE See Restricted Benefits.			\$	
ETHOPROPAZINE Oral Tablet 50 mg.	100	2	*2.96	MB
ETHOSUXIMIDE Oral Capsule 250 mg.	200	1	8.23	PD
Paediatric Syrup 250 mg. per 5 ml., 240 ml.	‡1	4	2.70	PD
ETHOTOIN Oral Tablet 500 mg.	200	1	8.97	AB
ETHOXZOLAMIDE Oral Tablet 125 mg.	50	4	6.06	AG, UP
ETHYLIDENE DICOUMARIN Oral Tablet 100 mg.	100	2	6.57	NS
ETHYLNORADRENALINE Injection 1 ml.	5	..	1.89	WL
ETHYLOESTRENOL See Restricted Benefits.				
FERRIC HYDROXIDE Colloidal Paediatric Solution 4 fl. oz.	‡1	4	1.35	EV

FERROUS AMINOACETOSULPHATE

(Feramacet)

Oral Tablet equivalent to 50 mg. Ferrous Iron

Paediatric Syrup 4 fl. oz.

100 ml.

100

†1

†1

2

4

4

0.97

0.97

0.97

BP, CO

CO

BP

FERROUS FUMARATE

Oral Tablet 150 mg.

100

2

1.17

KL

FERROUS GLUCONATE

Oral Tablet 300 mg.

100

2

0.73

0.77

0.78

0.83

(ex 500)

0.83

0.87

(ex M.P.)

FA, HY, RT(V), RY

DH

MG, PR, TO

HA, SZ, VR, WL

DH, FA, HA, HY, MG, PR,

RT(V), RY, TO, VR

SZ, WL

Paediatric Elixir 6%, 100 ml.

Mixture for Children P.L.

†1

100 ml.

4

4

1.07

0.79

WL

Extemp. (plus container)

FERROUS PHOSPHATE COMPOUND

†Syrup 4 fl. oz.

1

4

†0.26

†0.27

RT(V)

HY

RT(V)

HY

(with instructions for use)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FERROUS SUCCINATE			\$	
Oral Capsule 150 mg.	100	2	1.27 (ex 500)	CA
			1.27 (ex M.P.)	CA
Paediatric Elixir 150 mg. per 3.5 ml., 100 ml.	‡1	4	1.10	CA
FERROUS SULPHATE				
Oral Tablet 200 mg.	100	2	0.63	HY
			0.81	GL, GP
300 mg.	100	2	0.81	HY
			0.83	DH, GP, MJ
525 mg. (sustained release)	30	2	1.10	AB
Mixture P.L.	200 ml.	4	0.79	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.69	Extemp. (plus container)
Oral Paediatric Drops				
120 mg. per ml., 30 ml.	‡1	4	1.07	MJ
FLUDROCORTISONE ACETATE				
See Restricted Benefits.				
FLUOROURACIL				
See Restricted Benefits.				
FLUOXYMESTERONE				
See Restricted Benefits.				

FLUPHENAZINE

See Restricted Benefits.

FLUPHENAZINE ENANTHATE

See Restricted Benefits.

FOLIC ACID

See Restricted Benefits.

FRAMYCETIN

Eye Ointment 0.5%, 3.5 G.

1	..	1.19	GN, RL

Eye and Ear Drops 0.5%, 5 ml.

1	2	1.69	GN, RL

Mixture 300 mg. per 20 ml.

with adsorbent, 100 ml.

1	..	1.95	FC

Tablets - See Restricted Benefits.

FRUSEMIDE

Oral Tablet 40 mg.

50	2	4.74	AH

(ex 250)

5.11 AH

(ex M.P.)

Injection 20 mg. in 2 ml.

5	..	3.23	AH

FUSIDIC ACID

See Restricted Benefits.

GAS GANGRENE ANTITOXIN (OEDEMATIENS)

(Oed/Ser)

Injection 10,000 Units

3	1	*28.02	CS

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
GAS GANGRENE ANTITOXIN (SEPTICUM) (Sep/Ser) Injection 5,000 Units	2	1	\$ *29.24	CS
GAS GANGRENE ANTITOXIN (WELCHII) (Wel/Ser) Injection 4,000 Units	3	1	*24.21	CS
10,000 Units	10	1	*125.00	CS
GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) (Gas/Ser) Injection 1 amp. containing 10,000 Units Welchii, 10,000 Units Oedematiens, 5,000 Units Septicum	2	1	*33.68	CS
GASTRIC REPLACEMENT SOLUTION See Intravenous Fluids.				
GENTIAN Mixture, Acid, P.L.	200 ml.	4	0.76	Extemp. (plus container)
Mixture, Alkaline, P.L.	200 ml.	4	0.74	Extemp. (plus container)
GLUCAGON HYDROCHLORIDE Injection 1 mg. with 1 ml. of diluent	1	..	2.81	LY

GLUCOSE INDICATOR

†240 Test Dispenser
(with instructions for use)
†Reagent Strips 100 strips
(with instructions for use)

1	1	†2.40	LY
			LY
1	1	†2.10	AM
			AM

GLUTETHIMIDE

Oral Tablet 125 mg.
250 mg.

100	1	2.17	CB
25	..	0.97	CB

(ex 100)

		1.10	CB

(ex M.P.)

500 mg.
Oral Capsule 250 mg.
500 mg.

25	..	1.23	CB
25	..	1.10	CB
25	..	1.23	CB

GLYCERIN

Cream Oily P.L.
†Glycerin 100 ml.

100 G.	1	0.84	Extemp. (plus container)
1	1	†0.36	WD(N)
		†0.42	DH

(with instructions for use)

WD(N)

DH

†Suppository for Adults

12	1	†0.45	DH
		†0.50	FA

(with instructions for use)

DH

FA

†Suppository for Children
1 G. Glycerin

12	1	†0.45	DH
		†0.50	FA

(with instructions for use)

DH

FA

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
GLYCERYL TRINITRATE Oral Tablet 0.6 mg.	100	2	\$ 0.50	BW, DH, FA, HY
GLYCOPYRRONIUM BROMIDE Oral Tablet 1 mg.	100	2	4.30	RS
GLYMIDINE Oral Tablet 500 mg.	100	2	3.30	FB, SC
1 G.	50	2	3.23	FB, SC
GOATS MILK See Restricted Benefits.				
GRISEOFULVIN See Restricted Benefits.				
GUANETHIDINE Oral Tablet 10 mg.	100	2	4.14 (ex 500) 4.47 (ex M.P.)	CB
25 mg.	100	2	9.14 (ex 500) 10.27 (ex M.P.)	CB
Injection 10 mg.	5	..	2.86	CB

HALIBUT LIVER OIL

See Restricted Benefits.

HALOPERIDOL

See Restricted Benefits.

HAMAMELIS

Ointment Compound P.L.

100 G.	1	1.14	Extemp. (plus container)

HEPARIN

Injection 1,000 Units per ml., 5 ml.

5,000 Units in 1 ml.

5	..	*3.10	BT, CS, EV, WP(NVW)
5	..	*3.10	CS
		3.10	EV
		*3.18	WP(NVW)
2	..	*3.64	BT, CS, DH, EV, WP(NVW)
2	..	*2.30	BT, CS, EV

5,000 Units per ml., 5 ml.

12,500 Units in 1 ml.

HEXOCYCLIUM METHYLSULPHATE

(Hexocyclium)

Oral Tablet 25 mg.

50 mg.

100	2	4.50	AB
100	2	7.86	AB

HOMATROPINE HYDROBROMIDE

Eye Drops 2%, 15 ml.

‡1	2	2.03	AQ
		2.17	AG
‡1	2	2.37	AQ
		2.57	AG

5%, 15 ml.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYALURONIDASE			\$	
Injection 1 mg. containing 1,500 Units (solvent required)	5	1	3.53	FC
3 mg. containing 1,500 Units (solvent required)	5	1	4.06	EV
500 Units (solvent required)	5	1	*4.10	WY
Set containing 2 amps each of 350 Units and 2 amps. of solvent	1	1	1.73	SC
Set containing 3 amps each of 500 Units and 3 amps. of solvent.	1	1	2.30	DF
HYDRARGAPHEN				
Pessary 5 mg.	15	1	2.30	WB
HYDROCHLOROTHIAZIDE				
Oral Tablet 25 mg.	50	2	2.00 (ex 250)	CB, GA, MK
			2.19 (ex M.P.)	CB, GA, MK
50 mg.	50	2	3.23 (ex 250)	CB, GA, MK
			3.54 (ex M.P.)	CB, GA, MK
Oral Capsule 25 mg.	50	2	2.19	DL
50 mg.	50	2	3.54	DL
	50			

HYDROCORTISONE

Eye Drops 0.5%, 2 ml.

0.5%, 5 ml.

0.5%, 10 ml.

1%, 3 ml.

1%, 5 ml.

1%, 10 ml.

2.5%, 5 ml.

2.5%, 10 ml.

Eye Ointment 0.5%, 3 G.

0.5%, 4 G.

0.5%, 5 G.

1%, 5 G.

Injection - See Restricted Benefits.

Ear Drops - See Restricted Benefits.

HYDROCORTISONE ACETATE

See Restricted Benefits.

HYDROCORTISONE with NEOMYCIN SULPHATE

Eye Drops (0.5%-0.5%), 5 ml.

Eye Ointment (0.5%-0.5%) 250 mg. capsule

(0.5%-0.5%), 4 G.

Ear Drops - See Restricted Benefits.

Ear Ointment - See Restricted Benefits.

‡1	2	1.23	SC
‡1	2	1.30	DH, KL, PT, SI
‡1	2	1.50	KL, PT, SI
		1.83	ET
‡1	2	1.37	SI
		1.70	GL, RL
‡1	2	1.43	KL, PT
‡1	2	1.86	KL, PT, SI
		2.23	ET, IQ
‡1	2	1.97	DH, KL, PT, SI
‡1	2	2.23	KL, PT, SI
		2.70	ET, IQ
‡1	..	0.97	HA, RL
‡1	..	0.99	DH, KL, PT
		1.10	CO, PF, UP
‡1	..	1.10	SI
‡1	..	1.63	KL, SI

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE SODIUM SUCCINATE See Restricted Benefits.			\$	
HYDROFLUMETHIAZIDE Oral Tablet 50 mg.	50	2	3.81	BC, BT, GL, SQ
HYDROGEN PEROXIDE SOLUTION Ear Drops P.L.	15 ml.	2	0.59	Extemp. (plus container)
†Solution 10 vol., 100 ml. (4 fl. oz.)	1	..	†0.20	WD(N)
			†0.23	FA
(with instructions for use)				WD(N)
				FA
10 vol., 200 ml. (8 fl. oz.)	1	..	†0.27	WD(N)
			†0.30	FA
(with instructions for use)				WD(N)
				FA
20 vol., 100 ml.	1	..	†0.26	DH, WD(N)
(with instructions for use)				DH, WD(N)
HYDROXOCOBALAMIN See Restricted Benefits.				
HYDROXYCHLOROQUINE Oral Tablet 200 mg.	100	2	4.43	WL
HYDROXYPROGESTERONE See Restricted Benefits.				

HYOSCINE HYDROBROMIDE

Oral Tablet 0.6 mg.

Eye Drops 0.25%, 15 ml.

100	2	0.83	DH, HY
11	2	2.70	AQ

HYOSCINE METHOBROMIDE

Oral Tablet 2.5 mg.

100	2	4.70	ET
		4.97	UP

ICHTHAMMOL

Ear Drops P.L.

Paint P.L.

Pessary, 5%

15 ml.	2	0.72	Extemp. (plus container)
25 ml.	1	0.83	Extemp. (plus container)
12	1	1.90	HY

ICHTHAMMOL and ZINC

Cream Oily P.L.

100 G.	1	1.07	Extemp. (plus container)

IDOXURIDINE

See Restricted Benefits.

IMIPRAMINE

See Restricted Benefits.

INDOMETHACIN

See Restricted Benefits.

INSULIN

Injection 20 Units per ml., 10 ml.

40 Units per ml., 5 ml.

40 Units per ml., 10 ml.

10	2	*3.70	BW, CS
10	2	*3.70	BW, GL
10	2	*7.00	BT, BW, CS, EV, GL, WP(NVW)

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
INSULIN - cont.			\$	
Injection 80 Units per ml., 5 ml.	10	2	*7.00	BT, BW, GL
80 Units per ml., 10 ml.	10	2	*12.00	BT, BW, CS, EV
160 Units per ml., 10 ml.	10	2	*21.50	CS
300 Units per ml., 5 ml.	10	2	*24.00	CS
Injection (specially purified)				
40 Units per ml., 10 ml.	10	2	*8.80	CS
INSULIN BIPHASIC				
Injection 40 Units per ml., 10 ml.	10	2	*12.00	EV
80 Units per ml., 10 ml.	10	2	*23.00	EV
INSULIN GLOBIN ZINC				
Injection 40 Units per ml., 5 ml.	10	2	*4.20	BT, BW
80 Units per ml., 5 ml.	10	2	*7.40	BW
INSULIN ISOPHANE (N.P.H)				
Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, GL
160 Units per ml., 10 ml.	10	2	*22.60	CS
Injection (specially purified)				
40 Units per ml., 10 ml.	10	2	*10.10	CS
INSULIN NEUTRAL				
Injection 40 Units per ml., 10 ml.	10	2	*9.00	BW, CS, EV
80 Units per ml., 10 ml.	10	2	*17.00	BW, CS, EV

INSULIN PROTAMINE ZINC

Injection 40 Units per ml., 5 ml.	10	2	*4.20	BT, BW
40 Units per ml., 10 ml.	10	2	*7.40	BT, BW, CS, EV, GL, WP(NVW)
80 Units per ml., 5 ml.	10	2	*7.40	BT, BW, GL
80 Units per ml., 10 ml.	10	2	*13.30	BW, CS, EV

INSULIN SPECIAL P (PIG)

Injection 40 Units per ml., 10 ml.	10	2	*10.60	CS

INSULIN ZINC SUSPENSION

(IZS)

Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL

INSULIN ZINC SUSPENSION (AMORPHOUS)

(Amorph IZS)

Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL

INSULIN ZINC SUSPENSION (CRYSTALLINE)

(Cryst IZS)

Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, EV, GL

INTESTINAL REPLACEMENT SOLUTION

See Intravenous Fluids

INTRAVENOUS FLUIDS

(1/2 litre and 1 litre) See Special Section.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
IDOCHLORHYDROXYQUINOLINE (Iochlorquin) Oral Tablet 250 mg.	100	2	\$ 1.97 2.07 (ex 500) 2.17 2.23 (ex M.P.)	DR CB DR CB
IPECACUANHA and OPIUM Mixture P.L.	200 ml.	4	1.12	Extemp. (plus container)
IPECACUANHA and SQUILL Mixture for Children P.L.	100 ml.	4	0.73	Extemp. (plus container)
IRON DEXTRAN Injection 2 ml. 5 ml.	5 5		3.90 6.50	FC FC
IRON OXIDE SACCHARATED Injection I.V. Equivalent to 20 mg. Elemental Iron per ml., 5 ml.	5	..	2.07	EV
IRON POLYMALTOSE COMPLEX Oral Tablet 40 mg. (Iron) Injection 100 mg. (Iron) in 2 ml.	100 5	2 ..	1.17 4.17	SI SI
IRON SORBITOL COMPLEX Injection, Trivalent Iron 2 ml.	5	..	4.30	AP

ISONIAZID

See Restricted Benefits.

ISOPRENALINE HYDROCHLORIDE

Oral Tablet 10 mg.	100	2	1.43	KL, WL
Inhalation 1 in 200, 15 ml.	1	1	0.63	WL
Injection 1 in 5,000, 1 ml.	5	..	4.14	WL
Tablet (sustained release) - See Restricted Benefits.				

ISOPRENALINE SULPHATE

Oral Tablet 20 mg.	100	2	1.90	BW, KL
Inhalation, Solution 10 mg. per ml., 7 ml.	1	1	0.73	BW
Inhalation, metered aerosol spray, replacement pack				
2 mg. per ml., 15 ml. (300 dose)	‡1	..	2.70	BS, RK
10 mg. per ml., 15 ml. (300 dose)	‡1	..	2.77	RK

ISOPROPAMIDE IODIDE

Oral Tablet 5 mg.	100	2	4.87	SK
			(ex 500)	
			5.23	SK
			(ex M.P.)	

ISOTHIPENDYL HYDROCHLORIDE

Oral Tablet 4 mg.	50	2	1.30	IC

KANAMYCIN

Ear Drops 1%, 10 ml.	‡1	..	1.30	BC
Eye Drops 1%, 10 ml.	‡1	..	1.43	BC
Injections - See Restricted Benefits.				

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
KANAMYCIN - cont. Capsule - See Restricted Benefits. Solution - See Restricted Benefits.			\$	
KAOLIN Dusting Powder Compound P.L.	100 G.	1	0.70	Extemp. (plus container)
KAOLIN and OPIUM Mixture P.L.	200 ml.	4	0.91	Extemp. (plus container)
LANATOSIDE-C Oral Tablet 0.25 mg.	100	2	1.70 1.77 2.15 (ex 500) 1.98 2.37 (ex M.P.)	PT SP(NWS) SZ PT, SP(NWS) SZ
LEVORPHANOL See Restricted Benefits.				
LINCOMYCIN See Restricted Benefits.				
LIOTHYRONINE See Restricted Benefits.				

LYPRESSIN

See Restricted Benefits.

MAGENTA

Paint P.L.

25 ml. 1 0.80 Extemp. (plus container)

MAGNESIUM-ALUMINIUM HYDROXIDE

Oral Tablet 375 mg.

100 2 1.39 SI

Mixture 375 mg. per 5 ml., 360 ml.

‡1 2 1.50 SI

MAGNESIUM and CALCIUM CARBONATE

Internal Powder P.L.

100 G. 2 0.80 Extemp. (plus container)

MAGNESIUM HYDROXIDE MIXTURE

‡Mixture 200 ml.

1 4 ‡0.30 DH

(with instructions for use)

DH

MAGNESIUM SULPHATE

‡Crystals 400 G. (16 oz.)

1 .. ‡0.18 FA, WD(N)

(with instructions for use)

FA, WD(N)

Paste 100 G. (4 oz.)

‡1 1 0.74 FA

50 G. (2 oz.)

‡1 1 0.54 DH

0.55 FA

Mixture for Children P.L.

100 ml. 4 0.62 Extemp. (plus container)

MAGNESIUM TRISILICATE

Oral Tablet 600 mg.

100 2 1.10 DH

Mixture P.L.

200 ml. 4 0.70 Extemp. (plus container)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MANNITOL See Intravenous Fluids			\$	
MEBHYDROLIN Oral Tablet 50 mg.	50	1	1.45 (ex 250)	FB
			1.57 (ex M.P.)	FB
150 mg. (sustained release)	50	1	3.63	FB
Oral Paediatric Suspension 50 mg. per 5 ml., 100 ml.	‡1	4	1.02	FB
MECAMYLAMINE Oral Tablet 2.5 mg.	100	2	2.30	MK
10 mg.	100	2	7.90	MK
MECLASTINE Oral Tablet 1 mg.	50	1	3.33	SZ
MECLOZINE Oral Tablet 25 mg.	50	1	1.77	BD
Syrup 12.5 mg. per 5 ml., 100 ml.	‡1	4	1.17	BD
MEDROXYPROGESTERONE See Restricted Benefits.				

MELPHALAN

See Restricted Benefits.

MENTHOL and BENZOIN

Inhalation P.L.

50 ml. 1 1.16 Extemp. (plus container)

MENTHOL and EUCALYPTUS

Inhalation P.L.

50 ml. 1 0.71 Extemp. (plus container)

MENTHOL and PINE

Inhalation P.L.

50 ml. 1 0.81 Extemp. (plus container)

MEPACRINE HYDROCHLORIDE

Oral Tablet 100 mg.

100 2 1.05 IC

MEPENZOLATE

Oral Tablet 25 mg.

100 2 3.63 SI

MEPHENTERMINE

Injection 10 ml.

1 .. 2.41 WY

MEPYRAMINE

Oral Tablet 50 mg.

50 1 0.83 MB

100 mg.

50 1 1.10 MB

Paediatric Elixir 25 mg. per 5 ml., 125 ml.

11 4 0.70 MB

Injection 2.5%, 2 ml.

10 .. 1.37 MB

MERCAPTOMERIN SODIUM

Injection 1.4 G. in 10 ml.

3 .. *5.79 WY

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MERCAPTOPURINE See Restricted Benefits.			\$	
MERSALYL Injection 1 ml.	10	..	*1.58 1.63 *1.64 *1.74	EV AD, SI BD, FH DH
2 ml.	10	..	*1.84 1.86 1.93 *1.96 *1.98	EV, FH AD, SI BL DH BT, VR
MESTANOLONE See Restricted Benefits.				
METARAMINOL Injection 10 mg. in 1 ml.	3	..	*1.50	MK
METFORMIN Oral Tablet 500 mg.	100	2	8.33	RN
500 mg. (sustained release)	100	2	8.34	DF
METHACYCLINE See Restricted Benefits.				

METHADONE				
Oral Tablet 5 mg.	25	..	0.70	BW
10 mg.	25	..	0.83	BW
Injection 10 mg. in 1 ml.	5	..	1.07	BW
METHANDIENONE				
See Restricted Benefits.				
METHAQUALONE				
Oral Tablet 150 mg.	25	..	0.91	PT
			0.95	BT, KL, LF, MC, RL, SI
Oral Capsule 150 mg.	25	..	0.95	KL
METHAZOLAMIDE				
Oral Tablet 50 mg.	50	4	*6.62	LE
METHDILAZINE				
Oral Tablet 4 mg.	50	1	1.43	BD, MJ
8 mg.	50	1	1.55	BD, MJ
			(ex 250)	
			1.70	BD, MJ
			(ex M.P.)	
Paediatric Syrup 4 mg. per 5 ml., 100 ml.	‡1	4	1.17	BD, MJ
METHENAMINE MANDELATE				
Oral Tablet 250 mg.	100	2	1.43	HA, WW
500 mg.	100	1	2.17	WW
1 G.	100	1	3.50	WW
Oral Paediatric Suspension				
500 mg. per 5 ml., 200 ml.	‡1	1	2.43	WW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
METHENOLONE ACETATE See Restricted Benefits.			\$	
METHICILLIN See Restricted Benefits.				
METHOIN Oral Tablet 100 mg.	200	1	2.73	SZ
METHOTREXATE See Restricted Benefits.				
METHOXAMINE HYDROCHLORIDE Injection 20 mg. in 1 ml.	3	..	*1.24	BW
METHSUXIMIDE Oral Capsule 300 mg.	200	1	7.90	PD
METHYCLOTHIAZIDE Oral Tablet 2.5 mg.	50	2	2.17	AB
5 mg.	50	2	2.81	AB
			(ex 250)	
			3.17	AB
			(ex M.P.)	
METHYLAMPHETAMINE See Restricted Benefits				

METHYLCELLULOSE
Eye Drops 0.5%, 15 ml.

1	6	1.01	IQ, KL, SI

METHYLDOPA
Oral Tablet 250 mg.

100	2	6.02 (ex 500)	MK
		6.63 (ex M.P.)	MK

METHYLERGOMETRINE
Oral Tablet 0.125 mg.
Injection 0.2 mg. in 1 ml.

25	1	2.27	SZ
5	..	1.34	SZ

METHYL PHENOBARBITONE
Oral Tablet 30 mg.

200	1	0.90	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
200	1	1.21	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
200	1	2.41	AD, DH, KL, MG, RT(V), RY, SI, WL

60 mg.

200 mg.

METHYL SALICYLATE
Liniment P.L.
Liniment Compound P.L.

100 ml.	1	1.08	Extemp. (plus container)
100 ml.	1	1.40	Extemp. (plus container)

METRONIDAZOLE
Oral Tablet 200 mg.

21	1	2.75 (ex 100)	MB
		2.83 (ex M.P.)	MB

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MILK POWDER-SYNTHETIC See Restricted Benefits.			\$	
MORPHINE with ATROPINE				
Injection - Morphine Sulphate with Atropine Sulphate				
10 mg.-400 micrograms in 1 ml.	5	..	1.02	FH
			1.07	BL
			1.09	BT, DH
10 mg.-500 micrograms in 1 ml.	5	..	1.09	DH
15 mg.-400 micrograms in 1 ml.	5	..	1.02	AD, FH, KL, SI
			1.07	BL
			1.09	BT, DH
15 mg.-600 micrograms in 1 ml.	5	..	1.02	FH
			1.07	BL
			1.09	BT, DH
MORPHINE with HYOSCINE				
Injection - Morphine Sulphate with Hyoscine Hydrobromide				
15 mg.-600 micrograms in 1 ml.	5	..	1.10	FH
			1.14	BL
MORPHINE SULPHATE				
Hypo. or Oral Tablet 30 mg. (solvent required)	20	..	0.90	FA

Injection 10 mg. in 1 ml.	5	..	0.97	AD, FH, KL, SI
			1.02	BL, BT, DH
15 mg. in 1 ml.	5	..	0.97	AD, FH, KL, SI
			1.02	BL, BT, DH
20 mg. in 1 ml.	5	..	0.97	FH, KL
			1.02	BL, DH
30 mg. in 1 ml.	5	..	0.97	FH, KL
			1.02	BL, BT, DH
30 mg. per ml., 10 ml.	1	..	0.97	FA
MORPHINE with TACRINE				
Injection 15 mg.-13 mg. in 1.5 ml.	5	..	1.97	WH
30 mg.-13 mg. in 1.5 ml.	5	..	2.03	WH
15 mg.-30 mg. in 1.5 ml.	5	..	2.50	WH
30 mg.-30 mg. in 1.5 ml.	5	..	2.63	WH
Tablet - See Restricted Benefits.				
MUSTINE				
See Restricted Benefits.				
NALIDIXIC ACID				
See Restricted Benefits.				
NALORPHINE				
Injection 10 mg. in 1 ml.	5	1	2.10	BW
1 mg. per ml., 5 ml.	1	..	1.21	BW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
NANDROLONE DECANOATE See Restricted Benefits.			\$	
NANDROLONE PHENYLPROPIONATE See Restricted Benefits.				
NATAMYCIN Vaginal Tablets 25 mg., 20 Oral Tablet - See Restricted Benefits.	‡1	..	3.77	BP
NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base) 10 ml. Powder - See Restricted Benefits. Tablet - See Restricted Benefits.	‡1	2	0.97	DH, KL, SI
NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORTI- SONE ACETATE See Restricted Benefits.				
NEOMYCIN with KAOLIN Oral Tablet 150 mg. - 1.5 G.	10	..	1.50	KL

NEOMYCIN SULPHATE MIXTURE

Mixture 300 mg. per 20 ml.

with adsorbent, 100 ml.

‡1	..	1.87	LF, PR, PT
		1.90	KL, SI
		2.10	DH, LY, MK, MR, NS, UP, VR, WL, WY

NEOMYCIN UNDECENOATE

with BACITRACIN

See Restricted Benefits.

NEOSTIGMINE

Oral Tablet 15 mg.

Injection 0.5 mg. in 1 ml.

2.5 mg. in 1 ml.

2.5 mg. per ml., 5 ml.

Eye Drops 3%, 7.5 ml.

100	2	2.50	RO
5	3	0.83	RO
5	3	1.30	RO
1	1	0.97	RO
‡1	6	1.41	RO

NICLOSAMIDE

Oral Tablet 500 mg.

4	..	1.77	FB

NICOTINIC ACID

See Restricted Benefits.

NICOTINYL ALCOHOL

Oral Tablet 25 mg.

100	2	1.37	RO

NICOUMALONE

Oral Tablet 4 mg.

50	2	3.37	GE

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
NITRAZEPAM See Restricted Benefits.			\$	
NITROFURANTOIN See Restricted Benefits.				
NITROMIN See Restricted Benefits.				
NORADRENALINE Injection 1 in 1,000, 2 ml.	5	..	2.30	FH
			3.37	WL
1 in 10,000, 2 ml.	5	..	3.43	WL
NORTRIPTYLINE See Restricted Benefits.				
NUTRAMIGEN See Restricted Benefits.				
NYSTATIN Vaginal Tablets 100,000 Units, 15 Tablets - See Restricted Benefits.	‡1	1	2.14	GP, SQ
OCTATROPINE METHYLBROMIDE Oral Tablet 10 mg.	100	2	2.97	EN
Paediatric Elixir 5 mg. per 5 ml., 100 ml.	‡1	4	1.43	EN

OESTRADIOL BENZOATE

Injection 2 mg. in 1 ml.

5 1 2.63 BD, KL

OESTRADIOL DIPROPIONATE

Injection 5 mg. in 1 ml.

5 1 3.63 CB

OESTRONE

Pessary 1,000 Units

12 1 1.87 OR

1.90 BD

10,000 Units

12 1 3.07 OR

OILY CREAM

Cream P.L.

100 G. 1 1.09 Extemp. (plus container)

ORCIPRENALINE

Oral Tablet 20 mg.

100 2 3.58 BY

(ex 500)

4.03 BY

(ex M.P.)

Inhalation, Solution for use in

NEBULISER 5%, 7.5 ml.

‡1 .. 1.30 BY

Inhalation, Solution for use in

RESPIRATOR 2%, 75 ml.

‡1 .. 3.90 BY

Inhalation, metered aerosol spray,
replacement pack, 15 mg. per ml.,

15 ml. (300 dose)

‡1 .. 2.77 BY

ORPHENADRINE CITRATE

Oral Tablet 100 mg.

100 2 4.03 RK

Injection 30 mg. per ml., 2 ml.

5 .. 2.57 RK

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ORPHENADRINE HYDROCHLORIDE Oral Tablet 50 mg.	100	2	\$ 3.37	RK
OXYCODONE See Restricted Benefits.				
OXYMESTERONE See Restricted Benefits.				
OXYMETHOLONE See Restricted Benefits.				
OXYPHENCYCLIMINE Oral Tablet 10 mg.	100	2	6.11 (ex 500)	PF
			6.97 (ex M.P.)	PF
OXYPHENONIUM BROMIDE Oral Tablet 5 mg.	100	2	2.47	PT
			2.70	CB
10 mg.	100	2	4.15	PT
			4.57	CB

OXYTETRACYCLINE				
Ophthalmic Suspension 1%, 6 ml.	‡1	2	1.01	PF
Tablets - See Restricted Benefits.				
Capsules - See Restricted Benefits.				
Drops - See Restricted Benefits.				
Injections - See Restricted Benefits.				
Suspensions - See Restricted Benefits.				
OXYTETRACYCLINE with HYDROCORTISONE				
Eye/Ear Suspension 0.5%-1.5%., 5 ml.	‡1	..	1.63	PF
OXYTETRACYCLINE (BUFFERED) with NYSTATIN				
See Restricted Benefits.				
OXYTETRACYCLINE with POLYMYXIN B				
Eye Ointment 0.5%-10,000 Units per G., 4 G.	‡1	..	0.61	PF
OXYTOCIN				
Injection 2 Units in 2 ml.	5	..	0.97	SZ
5 Units in 1 ml.	5	..	1.21	SZ
10 Units in 1 ml.	5	..	1.66	PD, SZ
OXYTOCIN with ERGOMETRINE				
Injection 5 Units and 0.5 mg. in 1 ml.	5	..	1.23	SZ
PANCREATIN CONCENTRATE				
See Restricted Benefits.				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PANCREATIN ENZYME See Restricted Benefits.			\$	
PANCRELIPASE See Restricted Benefits				
PAPAVERETUM Oral Tablet 10 mg.	20	..	0.61 0.70	HY RO
Injection 10 mg. in 1 ml.	5	..	1.02	BL
20 mg. in 1 ml.	5	..	0.97 1.02 1.03	FH BL, BT RO
PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20 mg.-0.43 mg. in 1 ml.	5	..	1.02 1.07	FH BL, BT, RO
PAPAVERINE HYDROCHLORIDE Injection 20 mg. in 1 ml.	5	..	1.02	KL
120 mg. in 10 ml.	5	..	1.63	FH, KL
PAPUAN BLACK SNAKE ANTIVENENE Injection 3,000 Units	6	..	*95.52	CS
PARA-AMINOSALICYLIC ACID See Restricted Benefits.				

PARACETAMOL

See Restricted Benefits.

PARACETAMOL with CODEINE PHOSPHATE

and SODIUM PENTOBARBITONE

See Restricted Benefits.

PARAFFIN LIQUID

†Liquid Paraffin

200 ml. (8 fl. oz.)

(with instructions for use)

Emulsions - See Restricted Benefits.

PARALDEHYDE

Injection 5 ml.

10 ml.

PARAMETHADIONE

Oral Capsule 300 mg.

PARAMETHASONE

See Restricted Benefits.

1	4	†0.23	WD(N)
		†0.26	RT(V)
		†0.27	DH
			WD(N)
			RT(V)
			DH
5	1	1.25	FH
		1.33	BL
		1.34	DH
5	1	1.63	FH
		1.74	BL, DH
200	1	13.43	AB

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PEMPIDINE			\$	
Oral Tablet 5 mg.	100	2	*3.18	IC, MB
10 mg.	100	2	*5.36	IC
PENICILLAMINE				
See Restricted Benefits.				
PENICILLINASE				
Injection 800,000 Units (solvent required)	1	..	11.30	RK
Injection Set containing 800,000 Units and 1 ml. of solvent	1	..	10.30	CS
PENICILLIN BENETHAMINE COMPOUND				
Benethamine Penicillin 500 mg.(500,000 Units); Procaine Penicillin 250 mg.(250,000 Units); Sodium Penicillin 300 mg.(500,000 Units).				
Injection - Vial (solvent required)	1	..	0.99	GL
Injection - Set containing vial and 2 ml. water for injection	1	..	1.07	GL
PENICILLIN, BENZATHINE				
See Restricted Benefits.				

PENICILLIN BENZATHINE COMPOUND

Benzathine Penicillin 450 mg.(600,000 Units);
 Procaine Penicillin 300 mg.(300,000 Units);
 Potassium Penicillin 187 mg.(300,000 Units).
 Injection set containing 1 vial and 2 ml.
 water for injection

1 .. 1.23 WY

PENICILLIN, BENZYL

(Penicillin G.)

Injection

60 mg.(100,000 Units.) (solvent required)

5 .. *1.25 GL, SI

120 mg.(200,000 Units.) (solvent required)

5 .. *1.30 GL, SI

300 mg.(500,000 Units.) (solvent required)

5 .. *1.75 BT, CS, DH, EV, GL, SI

600 mg.(1,000,000 Units.) (solvent required)

5 .. *1.90 BT, CS, DH, DL, EV, GL, SI

900 mg.(1,500,000 Units.) (solvent required)

5 .. *2.85 DH, EV, GL, SI

Set containing 1 vial 300 mg.(500,000 Units)

and 2 ml. water for injection.

5 .. *2.10 BT, DH, EV, GL

Set containing 1 vial 600 mg.(1,000,000 Units)

and 2 ml. water for injection

5 .. *2.25 BT, DH, EV, GL

Injection

Set containing 1 vial 900 mg.(1,500,000 Units)

and 2 ml. water for injection.

5 .. *3.10 DH, GL

Capsules - See Restricted Benefits.

Tablets - See Restricted Benefits.

Injections - 3 G.(5,000,000 Units) and 6 G.

(10,000,000 Units) - See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENICILLIN, PHENOXYMETHYL (Penicillin V)			\$	
Oral Tablet 125 mg.	16	..	0.98 (ex 100)	AB, CS, DH, DL, FM, GL, HY, IP, KL, LY, PF, PT, SI
			1.07 (ex M.P.)	AB, CS, DH, DL, FM, GL, HY, IP, KL, LY, PF, PT, SI
250 mg.	16	..	1.51	SL(N)
			1.52 (ex 100)	AB, CS, DH, DL, FA, FM, GL, HY, IP, KL, LF, LY, MZ(NVSW), PR, PT, SI, VR
			1.53	SL(N)
			1.63 (ex M.P.)	AB, CS, DH, DL, FA, FM, GL, HY, IP, KL, LF, LY, MZ(NVSW), PR, PT, SI, VR
Oral Capsule 125 mg.	16	..	1.07	CS, DH, DL, FA, FM, GL, KL, LY, SI, SU(N)
250 mg.	16	..	1.52 (ex 100)	AB, BT, CS, DH, DL, FA, FM GL, IP, KL, LY, PF, PT, SI, SU(N), VR
			1.63 (ex M.P.)	AB, BT, CS, DH, DL, FA, FM, GL, IP, KL, LY, PF, PT, SI, SU(N), VR
Oral Paediatric Sachet 125 mg.	16	..	1.74	LY
			2.07	KL
Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	11	..	1.69	AB, BT, CS, DH, DL, FA, GL, KL, MJ, PF, PR, SI, SL(N), VR, WY

Oral Suspension 250 mg. per 5 ml., 100 ml.	\$1	..	2.43	AB
Injection set containing 1 vial 480 mg. (800,000 Units) and 2 ml. water for injection	1	..	2.43	KL
PENICILLIN PROCAINE				
(Aqueous Suspension) Injection				
600 mg.(600,000 Units)	5	..	*2.70	BT
			*2.85	FA
900 mg.(900,000 Units)	5	..	*2.90	CS, EV, GL, SI
1 G.(1,000,000 Units)	5	..	*3.35	BT, DH, EV, FA, GL, SI
1.5 G.(1,500,000 Units)	5	..	*3.90	CS, DH, EV, FA, GL, SI, VR
(Crystalline) Injection				
300 mg.(300,000 Units) (solvent required)	5	..	*1.75	CS
900 mg.(900,000 Units) (solvent required)	5	..	*2.55	CS, SI
1.5 G.(1,500,000 Units) (solvent required)	5	..	*3.75	CS, SI
Set containing 1 vial 300 mg.(300,000 Units) and 1 vial water for injection	5	..	*2.15	CS
Set containing 1 vial 900 mg.(900,000 Units) and 1 vial water for injection	5	..	*2.90	CS
Set containing 1 vial 1.5 G.(1,500,000 Units) and 1 vial water for injection	5	..	*4.10	CS
PENICILLIN PROCAINE FORTIFIED				
Injection				
360 mg.(400,000 Units) (solvent required)	5	..	*1.75	CS, SI
1.08G.(1,200,000 Units) (solvent required)	5	..	*3.15	CS, SI
Set containing 1 vial 360 mg.(400,000 Units) and 1 vial water for injection	5	..	*2.10	CS
Set containing 1 vial 1.08 G.(1,200,000 Units) and 1 vial water for injection	5	..	*3.50	CS

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENICILLIN with STREPTOMYCIN See Restricted Benefits.			\$	
PENTAERYTHRITOL TETRANITRATE (Penthritol) Oral Tablet 20 mg.	100	2	0.90 0.93 (ex 500) 0.97 (ex M.P.)	LF, WW HY, WL HY, LF, WL, WW
80 mg. (sustained release)	100	2	1.44 (ex 500) 1.50 (ex M.P.)	WW WW
PENTHIENATE Oral Tablet 5 mg.	100	2	4.10	WL
PENTOBARBITONE COMPOUND Oral Tablet, A.P.F. Capsule Formula	25	..	1.02	CO
Oral Capsule, A.P.F.	25	..	0.87 0.94 (ex 100) 0.95 1.02 (ex M.P.)	PT PD PT PD

PENTOBARBITONE SODIUM

Oral Tablet 30 mg.

50 mg.

100 mg.

Oral Capsule 30 mg.

50 mg.

100 mg.

100	1	0.77	HY, RY
		0.83	DH, QE(QNVS)
		0.90	KL, PR
100	1	0.83	MG
		0.87	PT
		0.90	DH, KL, PR, QE(QNVS)
25	..	0.54	PT, RY, SL(N)
		0.57	KL, PR, QE(QNVS), TO
		0.62	MG
		0.63	SU(N)
		0.66	AD, BW, DH, FA, HY, RD
			RT(V), SI
100	1	1.57	LF
100	1	1.82	AV, FA, KL, LF, PT
		1.94	AB
25	..	0.66	PT, RY
		0.67	MG
		0.70	LF, PR
		0.79	FA, KL, PD, RT(V)
		0.82	AB
		(ex 100)	
		0.67	PT, RY
		0.70	PR
		0.77	KL, MG
		0.78	LF
		0.82	PD
		0.89	AB, FA, RT(V)
		(ex M.P.)	

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENTOBARBITONE SODIUM with ACETYL- SALICYLIC ACID and CODEINE PHOSPHATE See Restricted Benefits.				
PENTOLINIUM TARTRATE Injection 5 mg. per ml., 10 ml.	1	1	1.03	MB
PERITONEAL DIALYSIS SOLUTION Injection with 1.5% Dextrose, 1 litre	20	1	*33.70	BX
Injection with 7% Dextrose, 1 litre	20	1	*33.70	BX
PERTUSSIS VACCINE (Per/Vac) Injection 20,000 million in 0.5 ml.	3	1	*1.50	CS
PETHIDINE Injection 50 mg. in 1 ml.	5	..	0.90 0.91 0.95 0.97	WO AD, FH, KL, SI BL, BW BT, DH
50 mg. per ml., 2 ml.	5	..	1.01 1.02 1.07 1.09	WO AD, FH, KL, SI BL, BW BT, DH
50 mg. per ml., 10 ml.	1	..	1.03	KL
50 mg. per ml., 50 ml.	1	..	2.09	DH, KL, RO

PETHIDINE with LEVALLORPHAN
See Restricted Benefits.

PETHIDINE with SCOPOLAMINE
Injection 100 mg.-0.43 mg. in 2 ml.

PHENAZOPYRIDINE HYDROCHLORIDE
Oral Tablet 100 mg.

PHENETHICILLIN

Oral Tablet 125 mg.
250 mg.

Oral Capsule 125 mg.
250 mg.

Oral Paediatric Suspension
125 mg. per 5 ml., 100 ml.

PHENFORMIN

Oral Tablet 25 mg.
Oral Capsule 50 mg.

PHENINDAMINE

Oral Tablet 25 mg.

5	..	1.07 1.14	FH, KL BT, BW
50	1	1.21	WW
16	..	1.07	CS, SI
16	..	1.52	CS, SI
		(ex 100)	
		1.63	CS, SI
		(ex M.P.)	
16	..	1.07	CS, SI
16	..	1.52	CS, SI
		(ex 100)	
		1.63	CS, SI
		(ex M.P.)	
‡1	..	1.69	CS, SI
100	2	4.03	WW
100	1	8.03	WW
50	2	1.13	RO

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENINDIONE			\$	
Oral Tablet 10 mg.	100	2	2.97	PT
			3.63	EV
50 mg.	100	2	3.50	WP (NVW)
			3.77	PT
			5.23	EV
PHENIRAMINE				
Oral Tablet 10 mg.	50	1	0.94	AH
50 mg.	50	1	1.43	AH
			(ex 250)	
			1.58	AH
			(ex M.P.)	
75 mg. (sustained release)	50	1	2.86	AH
Paediatric Syrup 15 mg. per 5 ml., 100 ml.	1	4	0.97	AH
Injection 25 mg. per ml., 2 ml.	5	1	1.42	AH
PHENOBARBITONE				
Oral Tablet 15 mg.	100	1	0.46	AD, BW, DH, FA, HY, KL, PR, RT(V), RY, SI, SL(N), TO
30 mg.	100	1	0.53	AD, DH, FA, HY, KL, PR, RT(V), RY, SI, SL(N), TO
			0.54	MG
			0.57	BK, BW, MB

Oral Tablet 60 mg.	25	..	*0.42	AD, DH, FA, HY, KL, RT(V), RY, SI, SL(N)
			*0.43	MG
			*0.46	BW, MB
100 mg.	25	..	*0.46	AD, DH, KL, RT(V), RY, SI, SL(N)
Elixir P.L.	100 ml.	4	0.94	Extemp. (plus container)
PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE Mixture P.L.	200 ml.	4	1.04	Extemp. (plus container)
PHENOBARBITONE SODIUM				
Oral Tablet 15 mg.	100	1	0.46	DH, FA, KL, RT(V), SL(N)
30 mg.	100	1	0.53	DH, FA, HY, KL, RT(V), SL(N)
60 mg.	25	..	*0.42	KL, RT(V), SL(N)
			*0.43	FA
100 mg.	25	..	*0.46	FA, KL
Injection 200 mg. in 1 ml.	5	..	0.94	EV
			*0.98	MB
			1.02	FH
			1.07	BL, FM
			1.09	DH
PHENOL with DEXTROSE and GLYCERIN				
Injection 2%-25%-30%, 30 ml.	1	..	2.63	BT

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENOLPHTHALEIN COMPOUND Oral Pill.	50	1	\$ 0.53 *0.59	HY, MG DH
PHENOXYBENZAMINE Oral Capsule 10 mg.	100	2	3.54	SK
PHENSUXIMIDE Oral Capsule 500 mg.	200	1	8.23	PD
PHENTHIMENTONIUM Oral Tablet 150 mg.	100	2	3.63	AP
PHENYLALANINE LOW CONTENT FORMULA See Restricted Benefits.				
PHENYLBUTAZONE See Restricted Benefits.				
PHENYLEPHRINE Injection 1%, 1 ml.	5	..	2.41	WL
Compound Ointment 2 oz.	‡1	1	1.30	WL
Compound Suppository	12	1	1.06	WL
Eye Drops 1/8%, 10 ml.	‡1	..	0.83	WL
10%, 5 ml.	‡1	..	1.14	WL
Sterile Ophthalmic Solution 10%, 1 ml.	5	..	3.70	WL

PHENYLMERCURIC NITRATE

Ear Drops P.L.

15 ml.	2	0.75	Extemp. (plus container)

PHENYTOIN

Oral Capsule 100 mg. (delayed release)

100	1	1.97	PD

Oral Paediatric Suspension

30 mg. per 5 ml., 500 ml.

‡1	1	2.57	PD

Oral Suspension 100 mg. per 5 ml., 500 ml.

‡1	1	2.87	PD

PHENYTOIN SODIUM

Injection 250 mg. with 5 ml. solvent

1	..	3.90	PD

Oral Tablet 100 mg.

200	1	1.50	DH, KL, RT(V), RY

Oral Capsule 30 mg.

200	1	1.77	PD

100 mg.

200	1	2.39	PT, RY

2.64 PD

(ex 1,000)

2.63 PT, RY

2.77 PD

(ex M.P.)

PHOLCODINE

Linctus 0.1%, 4 fl. oz.

‡1	4	0.86	CM, EV, GL, HY, RK

0.1%, 100 ml.

‡1	4	0.83	DH, FA, GP, KL, MG, VR,

WD(N)

Linctus P.L.

100 ml.	4	0.97	Extemp. (plus container)

Linctus for Children P.L.

100 ml.	4	0.81	Extemp. (plus container)

PTHALYLSULPHACETAMIDE

Oral Tablet 500 mg.

100	..	3.10	BS, KL, SC, VR

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PTHALYLSULPHATHIAZOLE				
Oral Tablet 500 mg.	100	..	1.43	KL, MB
Mixture for Children P.L.	100 ml.	4	1.30	Extemp. (plus container)
PHYSOSTIGMINE SALICYLATE				
Eye Drops 0.25%, 7.5 ml.	‡1	6	1.43	ET
0.25%, 15 ml.	‡1	6	1.50	IQ
0.5%, 7.5 ml.	‡1	6	1.59	ET
0.5%, 15 ml.	‡1	6	1.66	IQ
PHYTOMENADIONE				
See Restricted Benefits.				
PILOCARPINE HYDROCHLORIDE				
Eye Drops 0.5%, 15 ml.	‡1	6	0.99	ET
1%, 15 ml.	‡1	6	1.07	AQ, ET, KL
2%, 15 ml.	‡1	6	1.17	AQ, ET, KL
3%, 15 ml.	‡1	6	1.26	AQ, ET, KL
4%, 15 ml.	‡1	6	1.43	AQ, ET, KL
6%, 15 ml.	‡1	6	1.77	ET

PILOCARPINE NITRATE

Eye Drops 0.5%, 15 ml.	‡1	6	0.99	DH, ET, IQ, KL, SI
1%, 15 ml.	‡1	6	1.07	DH, ET, IQ, KL, SI
2%, 15 ml.	‡1	6	1.17	DH, ET, IQ, KL, SI
3%, 15 ml.	‡1	6	1.26	DH, ET, IQ, KL, SI
4%, 15 ml.	‡1	6	1.43	DH, ET, KL, SI
			1.50	IQ
6%, 15 ml.	‡1	6	1.77	ET, KL
Eye Drops (Polyvinyl Alcohol base)				
0.5%, 15 ml.	‡1	6	0.99	AG
1%, 15 ml.	‡1	6	1.07	AG
2%, 15 ml.	‡1	6	1.17	AG
3%, 15 ml.	‡1	6	1.26	AG
4%, 15 ml.	‡1	6	1.43	AG
6%, 15 ml.	‡1	6	1.77	AG

PIPENZOLATE

Oral Tablet 5 mg.	100	2	3.77	SI
Oral Solution 4 mg. per ml., 15 ml.	‡1	4	1.30	SI

PIPERAZINE ADIPATE

Oral Tablet 300 mg.	25	2	0.99	BD
Oral Granules, 20%, 100 G.	1	..	2.10	DF

PIPERAZINE PHOSPHATE

Oral Tablet 250 mg.	25	2	*0.92	GL
Oral Granules, 10 G.	1	..	1.23	RC

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PITUITARY, POSTERIOR LOBE See Restricted Benefits.			\$	
PLAGUE VACCINE (Plague/Vac) Injection 4,000 million in 1 ml.	2	..	*1.64	CS
PODOPHYLLIN Paint P.L.	25 ml.	1	0.98	Extemp. (plus container)
Strong P.L.	25 ml.	1	1.23	Extemp. (plus container)
POLYMYXIN B SULPHATE Ear Drops (Aqueous) 300,000 Units in 15 ml.	‡1	2	2.57 2.70	KL, SI BW
Set containing 300,000 Units and 15 ml. of solvent	‡1	2	\$2.95	ET
Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10 ml.	‡1	2	1.30	BW
Eye Drops 15,000 Units per ml., 5 ml.	‡1	2	1.63	IQ, SI
Set containing 75,000 Units and 5 ml. of solvent	‡1	2	\$1.95	ET
Powder - See Restricted Benefits.				

**POLYMYXIN B SULPHATE with
BACITRACIN and NEOMYCIN**

Eye Drops Set containing 50,000 Units
4,000 Units-50 mg. and 10 ml. solvent
Eye Ointment 5,000 Units-400 Units-5 mg.
per G., 4 G.

‡1	2	\$2.95	DH, ET
‡1	..	0.70	BW, DH, ET, GL, SI, UP

**POLYMYXIN B SULPHATE with NEOMYCIN
and GRAMICIDIN**

Eye Drops 5,000 Units - 2.5 mg.-0.025 mg.
per ml., 10 ml.

‡1	2	1.43	BW, DH

**POLYMYXIN B SULPHATE with
NEOMYCIN and HYDROCORTISONE**
See Restricted Benefits.

POLYOESTRADIOL
See Restricted Benefits.

POLYTHIAZIDE

Oral Tablet 1 mg.
2 mg.

50	2	2.17	PF
50	2	3.13	PF

POLYVINYL ALCOHOL

Eye Drops 1.4%, 15 ml.

‡1	6	1.90	AG

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
POTASSIUM			\$	
Oral Effervescent Tablet				
6.5 milli-equivalents of Potassium	100	2	1.37	HY, KL, PR, RT(V), RY
			1.50	LF, PT
25 milli-equivalents of Potassium	30	2	1.42	PT
			1.43	MJ
POTASSIUM - FREE MAINTENANCE SOLUTION				
See Intravenous Fluids.				
POTASSIUM CHLORIDE				
Oral Tablet 500 mg.	100	2	0.70	DH, ET, HY, KL, RT(V)
600 mg. (sustained release)	100	2	1.34	PT
			1.37	CB
Mixture P.L.	200 ml.	4	0.86	Extemp. (plus container)
Injection Standard Maintenance Fluids				
- See Intravenous Fluids				
POTASSIUM CITRATE				
Mixture P.L.	200 ml.	4	0.86	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)
POTASSIUM CITRATE and SODIUM BICARBONATE				
Mixture P.L.	200 ml.	4	0.76	Extemp. (plus container)
POTASSIUM IODIDE				
Mixture for Children P.L.	100 ml.	4	0.66	Extemp. (plus container)

POTASSIUM IODIDE and EPHEDRINE Mixture for Children P.L.	100 ml.	4	0.71	Extemp. (plus container)
POTASSIUM IODIDE and STRAMONIUM Mixture Compound P.L.	200 ml.	4	1.00	Extemp. (plus container)
POTASSIUM PERCHLORATE Oral Tablet 200 mg.	100	2	0.97	AD, SI
PREDNISOLONE Eye Drops 1%, 3 ml.	‡1	6	2.30	SC
Eye Ointment 0.5%, 4 G.	‡1	..	1.90	KL, PT
			2.30	CO, UP
Tablet - See Restricted Benefits.				
PREDNISOLONE ACETATE Eye Drops 0.5%, 5 ml.	‡1	6	2.43	CB
Injection - See Restricted Benefits.				
PREDNISOLONE METHYL Eye Ointment 0.1%, 4 G.	‡1	..	2.63	UP
Capsule - See Restricted Benefits.				
Tablets - See Restricted Benefits.				
PREDNISOLONE METHYL ACETATE See Restricted Benefits.				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE SODIUM PHOSPHATE			\$	
Eye-Ear Drops 0.5%, 2.5 ml.	‡1	6	2.17	MK
0.5%, 5 ml.	‡1	6	2.50	GL, MK
Eye Ointment 0.5%, 3 G.	‡1	..	2.30	GL
Retention Enema - See Restricted Benefits.				
Suppository - See Restricted Benefits.				
PREDNISOLONE SODIUM PHOSPHATE with NEOMYCIN				
See Restricted Benefits.				
PREDNISOLONE SODIUM SUCCINATE				
See Restricted Benefits.				
PREDNISOLONE TERTIARY BUTYL ACETATE				
See Restricted Benefits.				
PREDNISOLONE TRIMETHYLACETATE				
Eye Ointment 0.5%, 3 G.	‡1	..	1.50	CB
PREDNISONE				
See Restricted Benefits.				
PRIMAQUINE				
Oral Tablet Equivalent to 7.5 mg. base	30	1	1.07	IC
Equivalent to 15 mg. base	14	1	0.67	WL

PRIMIDONE

Oral Tablet 250 mg.

200

1

6.31

PT

6.97

IC

Oral Paediatric Suspension

125 mg. per 5 ml., 500 ml.

‡1

1

3.23

IC

PROBENECID

Oral Tablet 500 mg.

100

2

6.69

MC

8.30

MK, PT

(ex 500)

7.63

MC

9.50

MK, PT

(ex M.P.)

PROCAINAMIDE

Oral Tablet 250 mg.

100

2

6.30

SQ

Oral Capsule 250 mg.

100

2

6.30

SQ

Injection 100 mg. per ml., 10 ml.

1

..

1.57

SQ

PROCARBAZINE

See Restricted Benefits.

PROCHLORPERAZINE

Injection 12.5 mg. in 1 ml.

10

..

1.37

MB

PROCYCLIDINE

Oral Tablet 5 mg.

100

2

4.30

BW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PROGESTERONE See Restricted Benefits.			\$	
PROGUANIL Oral Tablet 100 mg.	100	2	1.14	IC
PROMETHAZINE Oral Tablet 10 mg.	50	1	0.92 (ex 250)	MB
			0.97 (ex M.P.)	MB
25 mg.	50	1	1.20	MC
			1.22 (ex 250)	MB
			1.30	MC
			1.37 (ex M.P.)	MB
Paediatric Elixir 5 mg. per 5 ml., 125 ml.	‡1	4	0.77	MB
Injection 2.5%, 2 ml.	10	..	1.50	MB

PROPANTHELINE BROMIDE

Oral Tablet 15 mg.

100 2 3.12 PT

3.56 SR

(ex 500)

3.50 PT

4.01 SR

(ex M.P.)

30 mg. (sustained release)

100 2 7.10 PT

7.17 SR

Injection 30 mg. in 1 ml. (solvent required)

5 .. 6.30 SR

PROPYLENE GLYCOL

Spray diluent - Propylene Glycol 10%,

Glycerin 2% in Normal Saline, 200 ml.

1 2 1.23 FA

PROPYLTHIOURACIL

Oral Tablet 25 mg.

100 2 1.50 ET

50 mg.

100 2 2.30 ET

PROTAMINE SULPHATE

Injection 1%, 5 ml.

5 .. 2.14 EV

1%, 10 ml.

5 .. 2.34 BT

PROTOVERATRINE A

Injection 1 ml.

10 .. *2.76 SZ

PROTRIPTYLINE

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PYRIDINE ALDOXIME METHIODIDE (P.A.M.)			\$	
Injection 500 mg.	5	..	2.30	FH
PYRIDOSTIGMINE See Restricted Benefits.				
PYRIDOXINE HYDROCHLORIDE				
Injection 50 mg. in 1 ml.	5	1	1.58	KL
			1.86	PD
			1.87	BL, DH, FM
50 mg. in 2 ml.	5	1	1.87	RO
50 mg. per ml., 5 ml.	1	1	1.63	KL
50 mg. per ml., 10 ml.	1	..	1.90	KL
			2.30	BX
Tablets - See Restricted Benefits.				
PYRIMETHAMINE See Restricted Benefits.				
QUINALBARBITONE SODIUM				
Oral Tablet 50 mg.	100	1	1.50	PT
100 mg.	25	..	0.70	PT, RY
			0.71	HY
			0.82	AD, DH, KL, RD, RT(V)
				SI

Oral Capsule 50 mg.	100	1	1.75	KL, LF, LY
100 mg.	25	..	0.84	DH
			0.86	PT, RY
			0.87	LF
			0.95	KL, LY
			(ex 100)	
			0.90	DH
			0.98	PT, RY
			0.99	LF
			1.13	KL, LY
			(ex M.P.)	
QUINETHAZONE				
Oral Tablet 50 mg.	50	2	3.05	LE
			(ex 250)	
			3.43	LE
			(ex M.P.)	
QUINIDINE BISULPHATE				
Oral Tablet 250 mg. (sustained release)	100	2	10.83	AP
QUINIDINE SULPHATE				
Oral Tablet 200 mg.	100	2	6.63	PT, QE(QNVS)
			7.10	BW, DH, FA, HY, KL, PR, RT(V), TO
QUININE BISULPHATE				
See Restricted Benefits.				
QUININE DIHYDROCHLORIDE				
See Restricted Benefits.				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
QUININE HYDROCHLORIDE See Restricted Benefits.			\$	
QUININE SULPHATE See Restricted Benefits.				
RAUWOLFIA ALKALOIDS				
Oral Capsule 50 mg.	100	2	2.83	CS
Oral Tablet 0.25 mg.	100	2	1.37	KL
2 mg.	100	2	2.46	RK
			(ex 500)	
			2.70	RK
			(ex M.P.)	
4 mg.	100	2	2.57	PV
50 mg.	100	2	2.25	LF, PT
			2.55	SQ
			(ex 500)	
			2.50	LF, PT
			2.83	SQ
			(ex M.P.)	
RED BACK SPIDER ANTIVENENE Injection 500 Units	2	..	*8.30	CS

RESERPINE				
Oral Tablet 0.25 mg.	100	2	0.83	ET, HA, HY, KL, RK, RY
			0.97	CB, VR
0.5 mg.	100	2	1.03	HA, KL
			1.23	CB
Injection 1 mg.	5	1	1.01	CB
2.5 mg.	5	1	1.63	CB
RESORCINOL				
Lotion Compound P.L.	200 ml.	2	1.00	Extemp. (plus container)
RESORCINOL and SULPHUR				
Compound Ointment P.L.	100 G.	1	1.08	Extemp. (plus container)
RIBOFLAVINE				
See Restricted Benefits.				
ROLITETRACYCLINE				
See Restricted Benefits.				
SACCHARIN or SACCHARIN SODIUM				
†Oral Tablets 30 mg., 500	1	1	†0.38	AD(N), SL(N)
			†0.41	HY
			†0.47	KL, RY
(with instructions for use)				AD(N), SL(N)
				HY
				KL, RY
	101			

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SALICYLAMIDE			\$	
Oral Tablet 500 mg.	100	2	0.93	PT
			0.99	KL
			1.03	HA, NS
			(ex 500)	
			0.99	PT
			1.03	KL
			1.07	HA, NS
			(ex M.P.)	
SALICYLIC ACID				
Dusting Powder Compound P.L.	100 G.	1	0.72	Extemp. (plus container)
Ear Drops P.L.	15 ml.	2	0.58	Extemp. (plus container)
Ointment P.L.	100 G.	1	1.30	Extemp. (plus container)
Paint P.L.	25 ml.	1	0.68	Extemp. (plus container)
SALICYLIC ACID and RESORCINOL				
Cream Aqueous P.L.	100 G.	1	1.01	Extemp. (plus container)
SALICYLIC ACID and SULPHUR				
Cream Aqueous P.L.	100 G.	1	0.99	Extemp. (plus container)
SALINE LACTATE SOLUTION				
See Intravenous Fluids				
SCHICK-TEST TOXIN and CONTROL				
Injection set containing 0.5 ml. Schick Test Toxin and 0.5 ml. Schick Control	1	..	1.37	CS

SEIDLITZ POWDER

†Compound Effervescent Powders, B.P.C., 12
(with instructions for use)

1

1

†0.66

DH, WD(N)

DH, WD(N)

SENEGA and AMMONIA

Mixture P.L.

200 ml.

4

0.98

Extemp. (plus container)

SENNA FRUIT

†2 oz.

(with instructions for use)

1

..

†0.33

SI

SI

†50 G.

(with instructions for use)

1

..

†0.27

DH

DH

SENNA FRUIT EXTRACT (STANDARDISED)

See Restricted Benefits.

SILVER NITRATE TOUGHENED

†1 stick

(with instructions for use)

1

..

†0.15

YF(QNVST)

YF(QNVST)

SILVER PROTEIN MILD

Eye Drops 10%, 15 ml.

†1

2

1.05

IQ

SIMPLE LINCTUS

Linctus P.L.

100 ml.

4

0.77

Extemp. (plus container)

SIMPLE OINTMENT

Ointment P.L.

100 G.

1

0.99

Extemp. (plus container)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SMALLPOX VACCINE Injection, Capillary Tube	1	..	\$ 0.98	CS
SOAP LINIMENT Liniment P.L.	100 ml.	1	0.96	Extemp. (plus container)
SODIUM AMINOSALICYLATE Mixture for Children P.L. Injection - See Restricted Benefits. Cachets - See Restricted Benefits. Tablets - See Restricted Benefits. Granules - See Restricted Benefits.	100 ml.	4	1.12	Extemp. (plus container)
SODIUM AMINOSALICYLATE with ISONIAZID See Restricted Benefits.				
SODIUM AUROTHIOMALATE Injection 1 mg. 2 mg. 5 mg. 10 mg. 20 mg. 50 mg. 100 mg. 200 mg.	1 1 1 1 1 5 5 1	3 3 3 3 3	0.53 0.54 0.55 0.59 0.61 *2.45 *3.25 1.21	MB MB MB MB MB MB MB MB

SODIUM BICARBONATE

Ear Drops P.L.

15 ml.	2	0.63	Extemp. (plus container)

SODIUM CALCIUMEDETATE

Oral Tablet 500 mg.

100	2	4.17	RK

Injection 200 mg. per ml., 5 ml.

5	..	*5.68	RK

SODIUM CHLORIDE

Oral Tablet 300 mg.

100	2	0.46	DH, FA, HY, KL, RT(V)

Injection (Normal Saline; Physiological Solution)

2 ml.

5	1	0.83	AD, FH, KL, SI
		0.86	BL, DH

5 ml.

5	1	0.91	AD, FH, KL
		0.95	BL

10 ml.

5	1	0.97	DH
		0.90	AD, SI
		0.94	CS
		1.07	FH, KL
		1.13	DH
		1.14	BL

10 ml. vial

2	1	*0.96	FH, PD

20 ml.

5	1	1.50	BL, DH, FH, KL

50 ml.

3	1	*2.31	DH, FH, KL

For 1/2 litre and 1 litre sizes, see
Intravenous Fluids.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM CHLORIDE and DEXTROSE See Intravenous Fluids			\$	
SODIUM CHLORIDE COMPOUND See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND and DEXTROSE See Intravenous Fluids				
SODIUM CITRATE Mixture P.L.	200 ml.	4	0.82	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.73	Extemp. (plus container)
SODIUM CITRO-TARTRATE Effervescent Granules 100 G.	‡1	4	1.50	PT
SODIUM EDETATE Injection 200 mg. per ml., 5 ml.	5	1	*6.40	RK
SODIUM FOLATE See Restricted Benefits.				
SODIUM LACTATE See Intravenous Fluids				
SODIUM LACTATE COMPOUND See Intravenous Fluids				

SODIUM LACTATE COMPOUND and DEXTROSE

See Intravenous Fluids

SODIUM SALICYLATE

Oral Tablet 300 mg.

100

2

0.77

AD, DH, HY, KL,

RT(V), SI, SL(N)

600 mg.

100

2

1.10

HY, KL

Oral Tablet (enteric coated) 300 mg.

100

2

1.10

DH, ET, KL, LY, PR,

QE(QNVS), RY, TO

500 mg.

100

2

1.23

ET, KL, PR, QE(QNVS), TO

600 mg.

100

2

1.37

DH, ET, KL, LY, PR,

QE(QNVS), RY, TO

Mixture P.L.

200 ml.

4

0.75

Extemp. (plus container)

SODIUM SULPHATE

See Intravenous Fluids

SODIUM TAUROGLYCOCHOLATE

Oral Tablet

100

1

0.99

WW

SORBIDE NITRATE

Oral Tablet 10 mg.

100

2

1.22

AY

Sublingual Tablet 5 mg.

100

2

1.22

AY

SOYA FORMULA

See Restricted Benefits.

SPIRAMYCIN

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SPIRIT INDUSTRIAL METHYLATED Ear Drops P.L.	15 ml.	2	\$ 0.57	Extemp. (plus container)
SPIRONOLACTONE See Restricted Benefits.				
STANDARD MAINTENANCE FLUID See Intravenous Fluids				
STANOLONE See Restricted Benefits.				
STANOZOLOL See Restricted Benefits.				
STAPHYLOCOCCUS TOXOID (FORMALINISED) (Sta/Tox)				
Injection Diluted 1 in 10 for use in initial injection 5 ml.	1	..	1.10	CS
Undiluted 5 ml.	1	..	2.17	CS
STILBOESTROL See Restricted Benefits.				
STREPTOMYCIN SULPHATE See Restricted Benefits.				

STREPTOMYCIN SULPHATE with
SULPHAGUANIDINE

Oral Tablet 62.5 mg.-500 mg.

16 .. 1.41 GL

SUCCINYLSULPHATHIAZOLE

Oral Tablet 500 mg.

100 .. 1.70 PT
1.90 MB

SUCCINYLSULPHATHIAZOLE with KAOLIN

Mixture 4 G. - 3 G. per 20 ml., 200 ml.

11 4 1.50 MK

SULPHACETAMIDE SODIUM

Eye Drops 10%, 15 ml.

11 2 1.03 AG, ET, IQ, KL, SI

15%, 15 ml.

11 2 1.07 AQ

20%, 15 ml.

11 2 1.10 DH, ET, IQ, KL, SI

Eye Ointment 10%, 60 gr.

11 .. 0.70 EV, SC

SULPHADIAZINE

Oral Tablet 300 mg.

40 1 1.07 AB, KL

500 mg.

40 1 0.94 PT, RT(V), RY, SL(N)

0.99 AD, DH, HY, KL, MG,

SI

1.03 MB

1.07 AB

SULPHADIAZINE SODIUM

Injection 4 ml.

5 .. *1.60 MB

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SULPHADIMETHOXINE			\$	
Oral Tablet 500 mg.	12	..	1.30	RO
SULPHADIMIDINE				
Oral Tablet 250 mg.	40	1	0.73	KL, MG
500 mg.	40	1	0.66	IP, PT, RY, SL(N)
			0.70	AD, KL, MG, SI
			0.73	DH, HY, IC
			(ex 200)	
			0.67	IP, PT, RY, SL(N)
			0.73	AD, KL, MG, SI
			0.77	DH, HY, IC
			(ex M.P.)	
Oral Suspension 500 mg. in 5 ml., 100 ml.	‡1	1	0.99	IC
SULPHADIMIDINE SODIUM				
Injection 1 G. in 3 ml.	5	..	1.17	IC
SULPHAFURAZOLE				
Oral Tablet 300 mg.	40	1	1.23	KL
			1.31	RO

500 mg.	40	1	1.42	KL
			1.49	AV, PT
			1.58	SU(N)
			1.69	RO
			(ex 200)	
			1.50	KL
			1.57	AV, PT
			1.74	RO, SU(N)
			(ex M.P.)	
Eye Drops 4%, 10 ml.	‡1	2	0.97	RO
Eye Ointment 4%, 5 G.	‡1	..	0.61	RO
Paediatric Syrup 500 mg. per 5 ml., 100 ml.	‡1	1	1.39	RO
SULPHAGUANIDINE				
Oral Tablet 500 mg.	100	..	0.99	PT, RY, SL(N)
			1.13	AD, DH, HY, KL, MG, PR, RT(V), SI
Oral Suspension 500 mg. per 5 ml. with adsorbent, 100 ml.	‡1	4	1.10	FM, NS
SULPHAMETHIZOLE				
Oral Tablet 100 mg.	30	1	0.83	AY, CA, HA, KL, WW
250 mg.	30	1	1.17	PT
			1.19	CA, KL
			1.23	HA
			1.25	AY, WW
			(ex 100)	
			1.18	PT
			1.21	CA, KL
			1.30	AY, HA, WW
(continued)	111		(ex M.P.)	

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SULPHAMETHIZOLE - cont.			\$	
Oral Tablet 500 mg.	30	1	1.94	PT
			1.96	AY, CA, HA, KL, WW
			(ex 100)	
			2.03	PT
			2.07	AY, CA, HA, KL, WW
			(ex M.P.)	
SULPHAMETHOXAZOLE				
Oral Tablet 500 mg.	20	1	1.10	RO
			(ex 100)	
			1.19	RO
			(ex M.P.)	
Syrup 500 mg. per 5 ml., 50 ml.	‡1	2	1.43	RO
SULPHAMETHOXYDIAZINE				
(S'methoxydiazine)				
Oral Tablet 500 mg.	12	..	1.63	FB, SC
SULPHAMETHOXYPYRIDAZINE				
(S'methopyrazine)				
Oral Tablet 500 mg.	12	..	1.90	LE, PD
SULPHAPHENAZOLE				
Oral Tablet 500 mg.	20	1	1.19	CB
Oral Paediatric Suspension 10%, 50 ml.	‡1	..	1.43	CB

SULPHAPYRIDINE Oral Tablet 500 mg.	100	..	1.90	MB
SULPHASALAZINE See Restricted Benefits.				
SULPHINPYRAZONE Oral Tablet 100 mg.	100	2	7.63	GE
SULPHONAMIDES, THREE MIXED Oral Tablet 250 mg.	40	1	0.97	MB
300 mg.	40	1	0.89	KL
330 mg.	40	1	1.10	ET
500 mg.	40	1	0.87	AD, HY, KL, SI, SL(N)
			1.07	MG
			1.10	MB
			1.13	ET, VR
SULPHUR Ointment P.L.	100 G.	1	1.13	Extemp. (plus container)
SULPHURATED LOTION Lotion P.L.	200 ml.	2	0.92	Extemp. (plus container)
SULTHIAME See Restricted Benefits.				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SURGICAL CEMENT Skin Bond Adhesive and Solvent - See Restricted Benefits. Cement, Adhesive and Solvent - See Colostomy and Ileostomy Preparations			\$	
SUSTANON See Restricted Benefits.				
SUXAMETHONIUM BROMIDE Injection 67 mg. (solvent required)	5	1	*1.84	MB
SUXAMETHONIUM CHLORIDE Injection 50 mg. per ml., 2 ml.	5	..	1.30	BW, GL
50 mg. per ml., 10 ml.	1	..	1.03	BW, GL
T.A.B. VACCINE (Anti-Typhoid-Paratyphoid) (T.A.B./Vac)				
Injection 0.5 ml.	3	..	*1.50	CS
10 ml.	1	..	3.30	CS
TACRINE Injection 10 mg., 2 ml.	5	1	1.70	WH
30 mg., 2 ml.	5	1	2.41	WH
TAIPAN ANTIVENENE Injection 3,000 Units	4	..	*183.98	CS

TESTOSTERONE

See Restricted Benefits.

TESTOSTERONE METHYL

See Restricted Benefits.

TESTOSTERONE OENANTHATE

See Restricted Benefits.

TESTOSTERONE PROPIONATE

See Restricted Benefits.

TETANUS ANTITOXIN

(Tet/Ser)

Injection Diluted 1-50,

15 Units in 0.5 ml.

1

..

1.10

CS

Injection 1,500 Units

5

1

*8.35

CS

10,000 Units

5

1

*33.05

CS

50,000 Units

5

..

*145.85

CS

Set containing 1,500 Units

and 15 Units diluted 1 in 50

1

..

2.71

BT, CS

Set containing 10,000 Units

and 15 Units diluted 1 in 50

1

..

7.65

CS

TETANUS ANTITOXIN (BOVINE)

See Restricted Benefits.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TETANUS IMMUNE GLOBULIN (HUMAN) See Restricted Benefits.			\$	
TETANUS TOXOID				
Injection (Purified Aluminium Phosphate Absorbed) 0.5 ml.	3	..	*1.38	BT, CS
5 ml.	1	..	2.57	CS
(Purified Aluminium Hydroxide Absorbed) 0.5 ml.	3	..	1.37	GL
TETRACYCLINE				
Eye Drops, Suspension, 1%, 6 ml.	‡1	2	0.94	LE
Eye Ointment, 1%, 4 G.	‡1	..	0.57	LE
Tablets - See Restricted Benefits.				
Capsules - See Restricted Benefits.				
Drops - See Restricted Benefits.				
Granules - See Restricted Benefits.				
Injections - See Restricted Benefits.				
Suspension - See Restricted Benefits.				
TETRACYCLINE (BUFFERED) See Restricted Benefits.				
TETRACYCLINE (BUFFERED) with AMPHOTERICIN B See Restricted Benefits.				

TETRACYCLINE (BUFFERED) with NYSTATIN
See Restricted Benefits.

THEOPHYLLINE

Elixir 80 mg. per 15 ml., 450 ml.

‡1 4 1.63 FA

80 mg. per 15 ml., 500 ml.

‡1 4 1.57 KL

THEOPHYLLINE with GLYCERYL
GUAIACOLATE

Oral Capsule 150 mg.-90 mg.

100 .. 2.43 MJ

Elixir 100 mg.- 60 mg. per 10 ml., 200 ml.

‡1 4 1.26 MJ

THIAMBUTOSINE

See Restricted Benefits.

THIETHYLPERAZINE

Injection 6.5 mg. in 1 ml.

10 .. *1.50 SZ

Suppository - See Restricted Benefits.

Tablet - See Restricted Benefits.

THIORIDAZINE

See Restricted Benefits.

THIOTEPA

Injection or Eye Drops 15 mg. (solvent required)

1 3 2.97 LE

THYROID

Oral Tablet 15 mg.

100 2 0.59 AD, DH, RT(V), SI

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
THYROID - cont.			\$	
Oral Tablet 30 mg.	100	2	0.67	AD, DH, RT(V), SI
			0.83	WW
60 mg.	100	2	0.77	AD, DH, RT(V), SI
			1.34	WW
125 mg.	100	2	0.97	AD, DH, RT(V), SI
THYROXINE SODIUM				
Oral Tablet 50 micrograms	100	2	0.61	BW, DH, FA, FM, GL, RT(V)
100 micrograms	100	2	0.79	BW, DH, EV, FA, FM, GL, RT(V)
300 micrograms	100	2	1.23	BW
TIEMONIUM IODIDE				
Oral Tablet 50 mg.	100	2	3.30	FM
Injection 5 mg. in 2 ml.	5	..	2.83	FM
TIGER SNAKE ANTIVENENE				
Injection 3,000 Units	2	1	*42.84	CS
TISSUE REPAIR SOLUTION - ACIDOSIS				
See Intravenous Fluids				
TISSUE REPAIR SOLUTION - ALKALOSIS				
See Intravenous Fluids				
TITANIUM DIOXIDE				
Paste P.L.	100 G.	1	0.85	Extemp. (plus container)

TOLAZAMIDE

Oral Tablet 250 mg.

100 2 6.97 UP

TOLAZOLINE

Oral Tablet 25 mg.

100 2 1.27 PT
 1.28 KL
 1.33 CB
 (ex 500)
 1.35 PT
 1.37 CB, KL
 (ex M.P.)

TOLBUTAMIDE

Oral Tablet 500 mg.

100 2 3.59 AH, BO
 (ex 500)
 3.70 AH, BO
 (ex M.P.)

1 G.

50 2 3.59 AH, BO

TRETAMINE

See Restricted Benefits.

TRIACETYLOLEANDOMYCIN

See Restricted Benefits.

TRIAMTERENE

Oral Tablet 100 mg.

50 2 4.30 SK

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TRICLOFOS			\$	
Oral Tablet 500 mg.	25	..	0.97	GL
Syrup 500 mg. per 5 ml., 100 ml.	1	4	1.50	GL
TRICYCLAMOL CHLORIDE				
Oral Tablet 50 mg.	100	2	5.63	BW
TRIDIHETHYL CHLORIDE				
Oral Tablet 25 mg.	100	2	4.30	LE
TRIFLUOPERAZINE				
See Restricted Benefits.				
TRIGLYDE				
See Restricted Benefits.				
TRIMEPRAZINE				
Oral Tablet 10 mg.	50	1	1.43	MB
Paediatric Syrup 7.5 mg. per 5 ml., 125 ml.	1	4	1.10	MB
TRIMETAPHAN				
See Restricted Benefits.				
TRIPLENNAMINE				
Oral Tablet 50 mg.	50	1	1.83	CB

TRIPROLIDINE

Oral Tablet 2.5 mg.	50	1	1.77	BW
Oral Capsule 2.5 mg.	50	1	1.77	BW
Paediatric Elixir 1 mg. per 5 ml., 100 ml.	‡1	4	0.86	BW

TROLNITRATE PHOSPHATE

Oral Tablet 2 mg.	100	2	1.77	PF
7 mg.	100	2	2.83	ET, PF

TROXIDONE

Oral Tablet 150 mg.	200	1	4.90	AB
Oral Capsule 300 mg.	200	1	*7.24	GA
			8.23	AB

TYPHOID VACCINE

Injection 0.5 ml.	3	1	*1.41	CS
10 ml.	1	..	3.37	CS

TYPHUS VACCINE

Injection 1 ml.	2	..	*7.34	CS

VASOPRESSIN

Injection B.P. 20 Units in 1 ml.	5	..	1.74	PD

VASOPRESSIN TANNATE

Oily Injection 5 Units in 1 ml.	10	1	*3.18	PD

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
VINBLASTINE See Restricted Benefits.			\$	
VINCRISTINE See Restricted Benefits.				
VIOMYCIN See Restricted Benefits.				
VIPRYNIUM EMBONATE (Viprynum)				
Oral Tablet 50 mg.	8	..	1.41	PD
Oral Suspension 10 mg. per ml., 1 fl.oz.	11	..	1.41	PD
VITAMINS COMPOUND See Restricted Benefits.				
WARFARIN				
Oral Tablet 2 mg.	50	2	3.17	EN
2.5 mg.	50	2	3.30	EN
5 mg.	50	2	3.37	EN, EV
7.5 mg.	50	2	4.14	EN
10 mg.	50	2	5.30	EN, EV
25 mg.	25	2	4.57	EN
Injection Set containing 50 mg. and 2 ml. solvent	5	..	9.35	EN

WATER FOR INJECTION

Injection 2 ml.

5 ml.

10 ml.

WOOL ALCOHOLS

†Ointment 4 oz.

(with instructions for use)

WOOL FAT, HYDROUS

†2 oz. tube or jar

(with instructions for use)

5	3	0.70	EV
		0.73	WO
		0.74	AD, PT, SI, SP(NWS)
		0.77	DH
		0.81	FH, KL
		0.85	BL
5	3	0.74	EV
		0.77	AD, SI, WO
		0.78	PT, SP(NWS)
		0.81	DH
		*0.85	CS
		0.85	KL
		0.89	FH
		0.94	BL
5	3	0.98	AD, EV, SI
		1.05	PT
		1.06	DH, FH, KL, SP(NWS)
		1.11	BL, CS
1	1	†1.01	EV
			EV
1	..	†0.23	WD(N)
		†0.26	HY
			WD(N)
			HY

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ZINC and ADRENALINE			\$	
Eye Drops P.L.	15 ml.	2	1.08	Extemp. (plus container)
ZINC and CASTOR OIL				
Ointment B.P. 2 oz.	2	1	0.76	ME(Q)
Ointment P.L.	100 G.	1	1.26	Extemp. (plus container)
ZINC OXIDE				
Cream Oily P.L.	100 G.	1	0.95	Extemp. (plus container)
Cream Weak P.L.	100 G.	1	0.83	Extemp. (plus container)
Dusting Powder Compound P.L.	100 G.	1	0.73	Extemp. (plus container)
Ointment P.L.	100 G.	1	1.03	Extemp. (plus container)
Paste Compound P.L.	100 G.	1	0.98	Extemp. (plus container)
ZINC and SALICYLIC ACID				
Paste P.L.	100 G.	1	0.95	Extemp. (plus container)
ZINC SULPHATE				
Eye Drops P.L.	15 ml.	2	1.04	Extemp. (plus container)
Lotion P.L.	200 ml.	2	0.65	Extemp. (plus container)

INTRAVENOUS FLUIDS FOR INJECTION

AMINO ACIDS with SORBITOL

30 G.-50 G. (300kcal) per litre, 1/2 litre	2	1	*10.96	PC
50 G.-100 G.(600 kcal) per litre, 1/2 litre	2	1	*12.88	PC
100 G.-100 G.(800 kcal) per litre, 1/2 litre	2	1	*17.84	PC

AMINO ACIDS with SORBITOL and ETHANOL

50 G.-100 G.-30 G.(850 kcal) per litre, 1/2 litre	2	1	*13.24	PC
50 G.-100 G.-50 G.(1,000 kcal) per litre, 1/2 litre	2	1	*14.16	PC

DARROW'S SOLUTION

1/2 litre	2	..	*2.44	OJ
			*2.76	BX, EV, FH, SJ(W)
1 litre	2	..	*2.96	OJ
			*3.18	BX, EV, GL, SJ(W)

DEXTRAN with DEXTROSE

Low molecular weight injection

10% - 5%, 500 ml.	10	..	*80.30	FC
			*87.00	MR

DEXTRAN in NORMAL SALINE

Low molecular weight injection

10%, 500 ml.	10	..	*80.30	FC
			*87.00	MR

INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXTROSE			\$	
5%, 1/2 litre	5	1	*5.65	OJ
			*6.45	BX, EV, FH, SJ(W)
5%, 1 litre	5	1	*6.95	OJ
			*7.50	BX, EV, FH, GL, SJ(W)
10%, 1/2 litre	2	1	*2.44	OJ
			*2.76	BX, EV, FH, SJ(W)
10%, 1 litre	2	1	*2.96	OJ
			*3.18	BX, EV, FH, GL, SJ(W)
20%, 1/2 litre	2	1	*2.76	BX, EV, FH, SJ(W)
20%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
25%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
25%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
50%, 1/2 litre	2	1	*2.76	FH, SJ(W)
GASTRIC REPLACEMENT SOLUTION				
1/2 litre	2	..	*3.10	BX, FH, SJ(W)
INTESTINAL REPLACEMENT SOLUTION				
1/2 litre	2	..	*3.10	FH, SJ(W)
MANNITOL				
10%, 1/2 litre	1	1	2.75	SJ(W)
			3.34	FH
10%, 1 litre	1	1	2.91	SJ(W)
			3.54	BX, FH
20%, 1/2 litre	1	1	3.54	BX, FH

POTASSIUM - FREE MAINTENANCE
SOLUTION

1/2 litre

2 .. *3.10 FH, SJ(W)

SALINE LACTATE SOLUTION

1/2 litre

2 .. *3.10 BX, FH, SJ(W)

SODIUM CHLORIDE

3%, 1/2 litre

2 1 *2.76 BX, FH, SJ(W)

3%, 1 litre

2 1 *3.18 BX, SJ(W)

5%, 1/2 litre

2 1 *2.76 FH, SJ(W)

5%, 1 litre

2 1 *3.18 BX, SJ(W)

(Normal Saline - Physiological Solution)

1/2 litre

2 1 *2.44 OJ
*2.76 BX, EV, FH, SJ(W)

1 litre

2 1 *2.96 OJ
*3.18 BX, EV, FH, GL, SJ(W)

SODIUM CHLORIDE COMPOUND

B.P.C. 1959

1/2 litre

4 1 *3.18 SJ(W)

*5.22 BX, EV, FH, OJ

1 litre

4 1 *6.06 BX, EV, FH, GL, OJ, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM CHLORIDE COMPOUND and DEXTROSE			\$	
5%, 1/2 litre	5	1	*6.45	FH, SJ(W)
5%, 1 litre	5	1	*7.50	BX, FH, SJ(W)
10%, 1 litre	3	1	*4.62	FH, SJ(W)
SODIUM CHLORIDE and DEXTROSE				
Dextrose in Normal Saline				
5%, 1/2 litre	2	1	*2.76	BX, EV, FH, SJ(W)
5%, 1 litre	2	1	*3.18	BX, EV, FH, GL, SJ(W)
10%, 1/2 litre	2	1	*2.76	BX, EV, FH, SJ(W)
10%, 1 litre	2	1	*3.18	BX, EV, FH, GL, SJ(W)
20%, 1/2 litre	2	1	*2.76	FH, SJ(W)
20%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
25%, 1/2 litre	2	1	*2.76	FH, SJ(W)
25%, 1 litre	2	1	*3.18	FH, SJ(W)
Dextrose in 1/2 strength Normal Saline				
2.5%, 1/2 litre	2	1	*2.76	BX, EV, FH, SJ(W)
Dextrose in 1/4 strength Normal Saline				
3.75%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
Dextrose in 1/5 strength Normal Saline				
4%, 1/2 litre	5	1	*5.65	OJ
			*6.45	BX, EV, SJ(W)
4%, 1 litre	5	1	*6.95	OJ
			*7.50	BX, EV, SJ(W)
4.3%, 1/2 litre	5	1	*6.45	FH
4.3%, 1 litre	5	1	*7.50	FH, GL

SODIUM LACTATE (Solution 1/6 Molar)			
1/2 litre	2	1	*2.76 BX, SJ(W)
1 litre	2	1	*3.18 BX, SJ(W)
SODIUM LACTATE COMPOUND			
1/2 litre	5	1	*3.90 SJ(W)
			*5.65 OJ
			*6.45 BX, EV, FH
1 litre	5	1	*6.95 OJ
			*7.50 BX, EV, FH, GL, SJ(W)
SODIUM LACTATE COMPOUND and DEXTROSE			
5%, 1/2 litre	2	1	*2.76 SJ(W)
5%, 1 litre	2	1	*3.18 BX, FH, SJ(W)
10%, 1/2 litre	2	1	*2.76 SJ(W)
10%, 1 litre	2	1	*3.18 FH, SJ(W)
SODIUM SULPHATE			
4.28%, 1/2 litre	2	1	*2.76 SJ(W)
4.28%, 1 litre	2	1	*3.18 FH, SJ(W)
STANDARD MAINTENANCE FLUID			
1/2 litre	6	..	*8.70 BX, SJ(W)
TISSUE REPAIR SOLUTION - ACIDOSIS			
1/2 litre	2	..	*3.10 BX, FH, SJ(W)
TISSUE REPAIR SOLUTION - ALKALOSIS			
1/2 litre	2	..	*3.10 FH, SJ(W)

SECTION 3 SCHEDULE OF BENEFITS - RESTRICTED BENEFITS - DECEMBER 1968

Attention is drawn to paragraph 10(d) of the explanatory notes, which provides for the endorsement of prescriptions for restricted pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec.Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

An asterisk (*) in front of an entry indicates an additional purpose in this issue.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ACETYLCYSTEINE			\$	
Fibrocystic disease				
Solution 20%, 10 ml.	5	3	10.55	BD, MJ
ACETYLSALICYLIC ACID				
For the treatment of pensioners only.				
Oral Tablet 150 mg.	100	2	0.70	KL
300 mg.	100	2	0.54	HY, KL, RY
Soluble 150 mg.	100	2	0.97	KL, NB
300 mg.	100	2	0.85	DH, MG, RT(V), RY, VR
			0.90	BW, KL, NB, RC
			0.91	HA
			(ex 500)	
			1.07	BW, DH, HA, KL, MG, NB,
			(ex M.P.)	RC, RT(V), RY, VR
ACETYLSALICYLIC ACID with PARACETAMOL and CAFFEINE				
For the treatment of pensioners only.				
Oral Tablet 225 mg.-150 mg.-30 mg.	100	2	0.67	RY
			0.69	RT(V)
			0.70	HY, KL, SI

ALDOSTERONE

Authority necessary to prescribe (See Notes)for-
Treatment of an acute crisis in -
Addison's disease;
Salt losing congenital adrenal hypoplasia.
Injection 500 micrograms

5

..

7.23

CB

ALLOPURINOL

Chronic gout not responding to other agents;
Gout associated with renal failure.
Oral Tablet 100 mg.

100

2

10.30

BW

ALOXIPRIN

For the treatment of pensioners for any
disease or purpose.
Oral Tablet 600 mg.

100

2

2.57

BS

ALUMINIUM ACETYSALICYLATE

For the treatment of pensioners only.
Oral Tablet 400 mg.

100

2

1.95

NS

AMITRIPTYLINE

For the treatment of pensioners for any disease
or purpose.

* * *

Maintenance treatment of a mental disorder in
a patient discharged from an approved hospital
at which he received treatment for a mental
disorder, and living in a place remote from an
approved hospital, with the authority of the
Commonwealth Director of Health.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMITRIPTYLINE - cont.			\$	
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
Oral Tablet 10 mg.	100	2	2.37	MK, NS, RO
25 mg.	100	2	4.30	MK, NS, RO
Injection 25 mg. per ml., 2 ml.	10	..	2.47	RO
AMPHETAMINE SULPHATE				
For the treatment of pensioners only.				
Oral Tablet 5 mg.	100	..	0.67	DH, FA, HY, KL, MG, QE(QNVS), RT(V), RY, TO
AMPHOTERICIN B				
Systemic fungal infection.				
Injection 50 mg. (solvent required)	1	..	4.23	SQ
AMPICILLIN				
Authority necessary to prescribe (See Notes)for- Acute life threatening infections in which clinical evidence indicates that ampicillin is the most appropriate therapeutic agent; Chronic bronchitis complicated by emphysema in patients when other therapeutic agents have failed;				

Gram-negative infections in pregnant women;
Infections in children in which penicillin and
sulphonamides are not effective;
Infections where positive bacteriological evidence
confirms that ampicillin is the MOST appropriate
therapeutic agent.

Oral Tablet 125 mg.	25	1	3.98	BR, CS
Oral Capsule 250 mg.	25	1	6.70	BR, CS
500 mg.	25	1	12.59	BR, CS
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	11	..	4.35	BR
Injection 100 mg. (solvent required)	5	..	*3.15	BR
250 mg. (solvent required)	5	..	*5.10	BR
500 mg. (solvent required)	5	..	*8.05	BR

ANEURINE HYDROCHLORIDE

For the treatment of pensioners only.

Oral Tablet 50 mg.	100	2	0.99	PT, RY, SL(N)
			1.10	AD, DH, FA, HY, KL, MG, PR, RT(V), SI
100 mg.	100	2	1.63	PT, RY, SL(N)
			1.70	DH, HY, KL, MG, PR, QE(QNVS), RT(V)

ASCORBIC ACID

For the treatment of pensioners only.

Oral Tablet 25 mg.	100	2	0.57	AD, DH, FA, HY, KL, PR, RT(V), RY, SI
50 mg.	100	2	0.73	AD, DH, FA, HY, KL, NY, PD, PR, RT(V), RY, SI, SL(N)

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ASCORBIC ACID - cont. Oral Tablet 500 mg.	100	..	\$ 2.50	HY, KL
BETAMETHASONE Intra-articular use.				
Injection 4 mg. in 1 ml.	5	..	*6.95	GL, SH
6 mg. in 1 ml.	5	..	9.97	SH
* * *				
Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute phase of herpes zoster; Acute rheumatic carditis; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Cushing's syndrome including hyperadrenocor- ticalism; Dermatomyositis; Encephalitis;				

Encephalomyelitis;
Giant cell thyroiditis proven by biopsy;
Guillain-Barres syndrome;
Hamman-Rich syndrome - diffuse interstitial
pulmonary fibrosis;
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
*Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Nodular nonsuppurative panniculitis (Christian-
Weber disease);
Oedema of the spinal cord following trauma
or infections;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BETAMETHASONE - cont. Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; *Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson syndrome; Still's disease in children under the age of sixteen years;			\$	

Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis; Ulcerative colitis proven by sigmoidoscopy or radiological report. Oral Tablet 0.5 mg.	30	..	2.43	GL, SH
BUCLOSAMIDE with SALICYLIC ACID For the treatment of diseases of the ear. Ointment 10% - 2%, 20 G.	‡1	..	1.15	AH
BUCLOSAMIDE with SALICYLIC ACID and HYDROCORTISONE For the treatment of diseases of the ear. Ointment 10% - 2% - 0.5%, 5 G.	‡1	..	1.10	AH
BUSULPHAN Treatment in neoplastic disease. Oral Tablet 0.5 mg.	100	2	2.57	BW
2 mg.	100	2	4.03	BW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CALCIFEROL For the treatment of pensioners for any disease or purpose. * * * Authority necessary to prescribe (See Notes)for- Chronic hypoparathyroid tetany; Hypoparathyroidism; Vitamin D-resistant rickets. Oral Tablet 1.25 mg. (50,000 Units) Oral Solution 15 mg. (600,000 Units) in 1.5 ml. alcoholic solution	 100 3	 2 ..	 2.41 1.50	 GL RL
CALCIUM AMINOSALICYLATE (Calcium PAS) Tuberculosis. Oral Tablet 500 mg. Cachet 1.5 G. 2 G.	 500 500 500	 2 2 2	 4.57 13.97 20.63	 KL, WA KL KL
CARBAMAZEPINE Epilepsy; Trigeminal neuralgia. Oral Tablet 200 mg.	 200	 1	 12.17	 GE
CHLORAMBUCIL Treatment in neoplastic disease. Oral Tablet 2 mg. 5 mg.	 100 100	 2 2	 *6.18 *9.90	 BW BW

CHLORAMPHENICOL

Bacterial meningitis;
 Rickettsial infections;
 Haemophilus influenzae infections;
 Intraocular infections;
 Salmonella septicaemia;
 Typhoid and paratyphoid;
 Other serious infections sensitive only to
 chloramphenicol.

Oral Tablet 250 mg.	16	..	1.63	PH
Oral Capsule 125 mg.	16	..	1.13	CS, KL, PD, PT
250 mg.	16	..	1.17	IP
			1.30	KL, PT
			1.36	CS, CW, EC, PD, PH
			(ex 100)	
			1.37	IP
			1.66	KL, PT
			1.70	CS, CW, EC, PD, PH
			(ex M.P.)	
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	‡1	..	1.86	EC, PD
Injection 250 mg. per ml., 2 ml.	5	..	3.06	PD
1 G. (solvent required)	3	..	*4.23	CW
			*4.89	EC, PD
Paediatric Injection 250 mg. (solvent required)	3	..	*3.03	PD

CHLOROTRIANISENE

Carcinoma of the prostate.
 Oral Tablet 24 mg.

30	2	4.06	ML

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLORPROMAZINE			\$	
For the treatment of pensioners for any disease or purpose.				
* * *				
Huntington's chorea with the authority of the Commonwealth Director of Health;				
Late stage malignancy with the authority of the Commonwealth Director of Health;				
Radiation sickness with the authority of the Commonwealth Director of Health;				
Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with authority of the Commonwealth Director of Health;				
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
Oral Tablet 10 mg.	100	2	1.13	KL
			1.17	MB, PT
25 mg.	100	2	1.54	KL
			1.61	MB, PT
			(ex 500)	

			1.57	KL
			1.63	MB, PT
			(ex M.P.)	
50 mg.	100	2	2.83	KL
			2.97	MB, PT
100 mg.	100	2	5.10	KL
			5.37	MB, PT
Injection 1%, 5 ml.	10	..	1.90	MB
2.5%, 1 ml.	10	..	1.23	MB
2.5%, 2 ml.	10	..	1.63	MB
Suppository 100 mg.	5	1	1.17	MB
Syrup 25 mg. per 5 ml., 125 ml.	‡1	4	0.94	KL
			0.97	MB
CHLORTETRACYCLINE				
Brucellosis;				
Herpes zoster ophthalmicus;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or				
trachoma where these cannot be treated				
safely and effectively by sulphonamides or				
penicillins.				
Pre-operative and post-operative therapy where				
there are reasonable grounds for believing				
that infection may occur.				
Oral Capsule 100 mg.	25	..	1.93	KL, LE
250 mg.	16	..	2.46	KL, LE, LF

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID			\$	
For the treatment of pensioners only.				
Oral Tablet 10 mg.-300 mg.	100	2	1.07	CA, HY, KL
			1.10	BW, EL
10 mg.-500 mg.	100	2	1.37	FA
Soluble 10 mg.-300 mg.	100	2	1.50	BW, CA, FM, KL, NB
10 mg.-500 mg.	100	2	1.61	FA
			1.66	RC
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID and PARACETAMOL				
For the treatment of pensioners only.				
Oral Tablet 8 mg.-250 mg.-250 mg.	100	2	0.95	HA
			0.96	RY
			0.98	RT(V)
			1.02	MG
			1.04	DH, HY
			1.09	SI
			1.17	BW, KL, PR, VR
			(ex 500)	
			0.97	HA, RY
			1.06	RT(V)
			1.09	MG
			1.10	HY, SI
			1.18	DH
			1.22	BW, KL, PR, VR
			(ex M.P.)	

10 mg.-250 mg.-250 mg.	100	2	1.35	WL
			1.37	SI
			1.41	WW
Soluble 8 mg.-250 mg.-250 mg.	100	2	1.38	HA, MG
			1.47	DH
			1.54	BW, KL
			(ex 500)	
			1.50	HA, MG
			1.58	BW, DH, KL
			(ex M.P.)	
CODEINE PHOSPHATE with ACETYLSALICYLIC ACID, PARACETAMOL and CAFFEINE				
For the treatment of pensioners only.				
Oral Tablet 12 mg.-250 mg.-150 mg.-15 mg.	100	2	1.77	GP
30mg.-225 mg.-150 mg.-30 mg.	50	..	1.47	WL
			1.53	GP
			1.54	BW
COD LIVER OIL				
For the treatment of pensioners and for children under the age of twelve years.				
†Emulsion 50%, 450 ml.	1	4	†0.57	DH, SL(N), WD(N)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
COLISTIN Gram-negative infections where NO other drug is effective. Pyocyaneus infection. Injection I.M. 150 mg. (solvent required)	5	..	\$ *34.45	WW
CORTICOTROPHIN (ACTH) Authority necessary to prescribe (See Notes)for- The prevention of side effects of corticosteroid therapy; Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exacerbations of multiple sclerosis; Acute exfoliative dermatitis; Acute phase of Bell's Palsy; Acute rheumatic carditis; Addison's disease or other forms of adrenocor- tical hypoplasia; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Cranial arteritis; Cushing's syndrome including hyperadrenocor- ticalism; Dermatomyositis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy;				

Guillain-Barres syndrome;
Hamman-Rich syndrome - diffuse interstitial
pulmonary fibrosis;
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
*Hypoplastic anaemia;
Hypsarrhythmia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
*Periarteritis;
Progressive transverse myelitis;
Pseudohermaphroditism;
Pulmonary eosinophilia;
Regional ileitis (Crohn's disease);

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CORTICOROPHIN - cont.			\$	
Reticulum cell sarcoma;				
Salaam convulsions;				
Sarcoidosis;				
Scleroderma;				
Severe reactions of the skin and mucosa following X-ray therapy;				
Splenic neutropenia;				
Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases;				
Status asthmaticus;				
Steroid therapy prior to operation for those patients under steroid therapy;				
Stevens Johnson syndrome;				
Still's disease in children under the age of sixteen years;				
Systemic lupus erythematosus;				
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Injection S.C. or I.M.				
10 Units (solvent required)	5	..	*3.10	AR
Set containing 10 Units and diluent	5	..	4.46	CS
Set containing 20 Units and diluent	5	..	8.07	CS
25 Units (solvent required)	5	..	*5.65	AR

40 Units (solvent required)	5	..	*8.30	AR
Gelatin Injection B.P.				
50 Units in 1 ml.	5	..	19.19	CS
20 Units per ml., 5 ml.	5	..	*26.30	AR, CK
40 Units per ml., 5 ml.	5	..	*40.05	AR
			*40.30	CK, SC
Zinc Hydroxide Injection B.P.				
20 Units per ml., 2 ml.	5	..	*10.95	OR
40 Units per ml., 5 ml.	5	..	*40.30	OR

CORTISONE ACETATE

Authority necessary to prescribe (See Notes)for-
 Acquired haemolytic anaemia;
 Acute disseminated encephalomyelitis;
 Acute exfoliative dermatitis;
 Acute exophthalmic ophthalmoplegia;
 Acute heart block complicating myocardial
 infarction;
 Acute rheumatic carditis;
 Addison's disease or other forms of adrenocor-
 tical hypoplasia;
 Adrenalectomy - total;
 Adrenogenital syndrome;
 Agranulocytosis;
 Behcet's syndrome;
 Benign intracranial hypertension;
 Cerebral oedema;
 Cerebral tumors;
 Cranial arteritis;
 Cushing's syndrome including hyperadrenocor-
 ticalism;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CORTISONE ACETATE - cont. Dermatomyositis; Encephalitis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy; Guillain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry; Hodgkin's disease; *Hypoplastic anaemia; Idiopathic hypercalcaemia; Inflammatory conditions of the uveal tract and retina; Interstitial keratitis due to syphilis or vernal conjunctivitis; Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia; Lymphosarcoma and follicular lymphoma; Malignancy treatment in conjunction with radiotherapy or chemotherapy; Meningitis; Metastatic breast cancer; Mycosis fungoides;			\$	

Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Oedema of the spinal cord following trauma
or infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
*Periarteritis;
Progressive transverse myelitis;
Pseudohermaphroditism;
Pulmonary eosinophilia;
Regional ileitis (Crohn's disease);
Reticulum cell sarcoma;
Sarcoidosis;
Scleroderma;
Severe reactions of the skin and mucosa follow-
ing X-ray therapy;
Sneddon and Wilkinsons subcorneal
pustular dermatosis;
Splenic neutropenia;
Sprue, tropical and non-tropical, and forms of
malabsorption associated with these diseases;
Status asthmaticus;
Steroid therapy prior to operation for those
patients under steroid therapy;
Stevens Johnson syndrome;
Still's disease in children under the age of
sixteen years;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CORTISONE ACETATE - cont.			\$	
Systemic lupus erythematosus;				
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet 5 mg.	50	..	1.97	PT
			2.37	MK
25 mg.	40	..	6.97	DH, KL, PT
			8.63	BT, ET, GL, MK, PD, RL
Injection 25 mg. per ml., 10 ml.	1	..	2.37	RL
CYANOCOBALAMIN				
(B12)				
Established megalocytic anaemias;				
Neuroblastoma;				
Subacute combined degeneration of the cord;				
Treatment in post gastrectomy.				
Injection 100 micrograms in 1 ml.	5	1	1.07	PT
			1.10	DH
			1.11	KL
			1.23	BT, GL
100 micrograms per ml., 10 ml.	1	..	1.30	PT
			1.37	DH, GL, KL, MJ, SU(N)

1,000 micrograms in 1 ml.

DEMETHYLCHLORTETRACYCLINE

(DMChlortetracycline)

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections;

Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Oral Capsule 150 mg.

Oral Paediatric Drops 60 mg. per ml., 10 ml.

Paediatric Syrup 75 mg. per 5 ml., 100 ml.

5

..

2.43

KL

*2.65

PT

*3.10

GL

3.30

DH

14

..

2.23

LE

(ex 100)

2.46

LE

(ex M.P.)

†1

..

1.02

LE

†1

..

2.07

LE

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEMETHYLCHLORTETRACYCLINE with NYSTATIN Broad spectrum antibiotic therapy of premature infants; Broad spectrum antibiotic treatment of patients under steroid therapy; Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis; A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for:- Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur. Oral Capsule 150 mg.-250,000 Units	14	..	2.46	LE
DEOXYCORTONE Addison's disease; Adrenalectomy-total.	24			

Oral Tablet 1 mg.	40	..	3.50	CB
			3.53	OR
5 mg.	20	..	6.70	CB
Aqueous Injection 5 mg. in 1 ml.	5	..	4.50	CB
10 mg. per ml., 5 ml.	1	..	*6.80	SC
			7.30	CB
Aqueous Suspension Injection 25 mg.	1	..	4.17	CB
Oily Injection 5 mg.	5	..	*3.98	SC
10 mg.	5	..	6.14	CB
10 mg. per ml., 10 ml.	1	..	11.43	CB
Implant 100 mg.	1	..	8.97	OR
DEXAMETHASONE				
Cerebral oedema;				
Intra-articular use.				
Injection 4 mg. in 1 ml.	5	..	7.79	MK
5 mg. in 1 ml.	5	..	*8.65	OR
4 mg. per ml., 2 ml.	5	..	*13.65	MK
* * *				
Authority necessary to prescribe (See Notes) for-				
Acquired haemolytic anaemia;				
Acute disseminated encephalomyelitis;				
Acute exfoliative dermatitis;				
Acute exophthalmic ophthalmoplegia;				
Acute heart block complicating myocardial				
infarction;				
Acute phase of herpes zoster;				
Acute rheumatic carditis;				
Adrenogenital syndrome;				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXAMETHASONE - cont. Agranulocytosis; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Cushing's syndrome including hyperadrenocorticalism; Dermatomyositis; Encephalitis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy; Guillain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry; Hodgkin's disease; *Hypoplastic anaemia; Idiopathic hypercalcaemia; Inflammatory conditions of the uveal tract and retina; Interstitial keratitis due to syphilis or vernal conjunctivitis; Keratoplasty; Leucine sensitive hypoglycaemia;			\$	

Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Nodular nonsuppurative panniculitis (Christian-
Weber disease);
Oedema of the spinal cord following trauma
or infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
*Periarteritis;
Progressive transverse myelitis;
Pseudohermaphroditism;
Pulmonary eosinophilia;
Regional ileitis (Crohn's disease);
Reticulum cell sarcoma;
Sarcoidosis;
Scleroderma;
Severe reactions of the skin and mucosa follow-
ing X-ray therapy;
Sneddon and Wilkinsons subcorneal pustular
dermatosis;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXAMETHASONE - cont.			\$	
Splenic neutropenia;				
Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases;				
Status asthmaticus;				
Steroid therapy prior to operation for those patients under steroid therapy;				
Stevens Johnson syndrome;				
Still's disease in children under the age of sixteen years;				
Systemic lupus erythematosus;				
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet 0.5 mg.	30	..	4.77 5.23 *5.23	PT LT, MK, OR, SC, SH RL
DEXAMPHETAMINE				
For the treatment of pensioners only.				
Oral Tablet 5 mg.	100	..	0.63	AD, DH, FA, HY, KL, MG, PR, RT(V), RY, SI, SL(N), TO
DEXTROMORAMIDE				
Treatment in neoplastic disease.				
Injection 5 mg. in 1 ml.	10	..	*2.56	FA
Oral Tablet 5 mg.	25	..	1.10	FA

DIAZEPAM

Epilepsy;

*Stiff-man syndrome;

Treatment in multiple sclerosis;

Upper motor neurone lesion.

Oral Tablet 2 mg.

100

2

3.06

RO

5 mg.

100

2

4.79

RO

* * *

Epilepsy;

Upper motor neurone lesion.

Oral Tablet 10 mg.

100

2

7.30

RO

Paediatric Syrup 2 mg. per 5 ml., 100 ml.

1

4

1.73

RO

* * *

*Cardioversion;

*Endoscopic examination;

Epilepsy;

*Intubation;

*Minor operative procedure;

*Premedication induction of anaesthesia;

Upper motor neurone lesion.

Injection 10 mg. in 2 ml.

5

..

2.22

RO

DIENOESTROL

Carcinoma of the prostate;

Mammary carcinoma;

For the treatment of pensioners for any disease or purpose.

Oral Tablet 0.3 mg.

100

2

0.59

AD, DH, HA, HY, KL, MG,
RT(V), SI, SL(N)

(continued)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DIENOESTROL - cont.			\$	
Oral Tablet 1 mg.	100	2	0.67	AD, DH, HA, HY, KL, MG, RT(V), SI, SL(N)
5 mg.	100	2	0.97	AD, DF, DH, HA, HY, KL, MG, RT(V), SI, SL(N)
10 mg.	100	2	1.57	DH, HA, HY, KL
* * *				
For the treatment of pensioners only.				
Cream 0.01%, 3 oz.	1	1	1.06	ET
DIHYDROTACHYSTEROL				
Parathyroid deficiency.				
Oral Capsule 0.125 mg.	100	1	10.37	WL
Oral Solution 0.25 mg. per ml., 15 ml.	1	..	3.69	WL
DILOXANIDE FUROATE				
Amoebic dysentery.				
Oral Tablet 500 mg.	30	..	*4.30	BT
DIMETHICONE				
For use with surgical appliances.				
Cream 10%, 50G.	1	..	1.03	IC
			1.06	HA
10%, 75 G.	1	..	0.89	PD
10%, 120 G.	1	..	0.97	FA
20%, 20 G.	1	..	1.06	SS

DIOCTYL SODIUM SULPHOSUCCINATE

with DANTHRON

For the treatment of pensioners only.

Oral Tablet 50 mg.-50 mg.

100	2	1.14	FM

DISODIUM STILBOESTROL DIPHOSPHATE

(Sod. Stilboestrol)

Carcinoma of the prostate.

Injection 50 mg. per ml., 5 ml.

Oral Tablet 100 mg.

10	..	8.74	MJ
100	2	18.17	MJ

DOXYCYCLINE

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections;

Any bacterial infections or actinomycosis or

trachoma where these cannot be treated

safely and effectively by sulphonamides or penicillins;

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Oral Capsule 100 mg.

Oral Paediatric Suspension

10 mg. per ml., 40 ml.

5	..	3.34	PF
† 1	..	2.46	PF

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ERYTHROMYCIN			\$	
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Mycoplasma pneumoniae (Eaton's Agent);				
Psittacosis;				
Rickettsial infections;				
Staphylococcal septicaemia or staphylococcal pneumonia;				
Any bacterial infections or spirochaetal infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Tablet 100 mg.	25	..	2.75	UP
125 mg.	25	..	2.75	AB, DL, LY
200 mg.	25	..	3.37	AB
250 mg.	16	..	3.47	AB, DL, LY, UP
			(ex 100)	
			3.83	AB, DL, LY, UP
			(ex M.P.)	
Oral Capsule 125 mg.	25	..	2.75	AB, DL, LY
250 mg.	16	..	3.47	AB, DL, FA, LY
			(ex 100)	
			3.83	AB, DL, FA, LY
			(ex M.P.)	

Oral Paediatric Drops 100 mg. per ml., 10 ml.	1	..	1.43	LY
Oral Paediatric Suspension				
100 mg. per 5 ml., 100 ml.	1	..	3.14	AB
125 mg. per 5 ml., 100 ml.	1	..	3.14	AB, DL, FA, LY
200 mg. per 5 ml., 100 ml.	1	..	3.71	AB
250 mg. per 5 ml., 100 ml.	1	..	5.43	DL, LY
Injection I.M. 50 mg. per ml., 2 ml.	5	..	5.91	AB
I.V. 1 G. in 50 ml. (solvent required)	1	..	6.70	LY
300 mg. in 10 ml.	5	..	*12.15	AB

ETHINYLOESTRADIOL

Pre-menopausal castration syndrome;

Telangiectasis - hereditary;

Turner's syndrome;

For the treatment of pensioners for any disease or purpose.

Oral Tablet 0.01 mg.	50	..	0.70	HY, KL, VR
			0.75	HA
			*0.76	BD, OR
0.02 mg.	50	..	*0.82	BD, OR
			0.89	HA, HY, KL
			0.94	VR
			*1.01	SC
0.05 mg.	50	..	*0.90	BD, OR
			1.10	HA, HY, KL, SH, VR
1 mg.	50	..	4.30	HA, HY, KL
			*4.43	OR
			*4.44	BD

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ETHIONAMIDE Tuberculosis. Oral Tablet 125 mg. (sugar coated)	500	1	\$ 35.23	MB
ETHISTERONE Turner's syndrome. Oral Tablet 5 mg.	50	..	2.83 3.10 *3.24	KL, PT, RT(V) SC BD, VR
10 mg.	50	..	5.10 *5.64	KL, PT, RT(V) BD, SC, VR
25 mg.	50	..	9.90 10.83 *10.96	KL, PT, RT(V) SC BD, VR
ETHYLOESTRENOL Authority necessary to prescribe (See Notes)for- Intermittent use for corticosteroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids. Oral Tablet 2 mg.	100	..	8.17	OR
FLUDROCORTISONE ACETATE Addison's disease or other forms of adreno- cortical hypoplasia; Adrenalectomy - total. Oral Tablet 0.1 mg. 1 mg.	100 30		4.41 10.54	SQ SQ

FLUOROURACIL

Treatment in neoplastic disease.

Injection 50 mg. per ml., 5 ml.

10

..

10.02

RO

FLUOXYMESTERONEFor intermittent use for corticosteroid-induced
osteoporosis with authority of the Common-
wealth Director of Health;

Castration syndrome (male)

(authority not required);

Mammary carcinoma (authority not required).

Oral Tablet 5 mg.

100

..

20.10

UP

FLUPHENAZINEFor the treatment of pensioners for any disease
or purpose.

* * *

Huntington's chorea with the authority of the
Commonwealth Director of Health;Late stage malignancy with the authority of
the Commonwealth Director of Health;Radiation sickness with the authority of the
Commonwealth Director of Health;Maintenance treatment of a mental disorder
in a patient discharged from an approved
hospital at which he received treatment for a
mental disorder, and living in a place remote
from an approved hospital, with authority of
the Commonwealth Director of Health.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FLUPHENAZINE - cont.			\$	
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
Oral Tablet 1 mg.	100	2	3.59	SQ
2.5 mg.	100	2	5.30	SQ
5 mg.	100	2	6.23	SQ
Elixir 0.5 mg. per ml., 60 ml.	‡1	4	1.82	SQ
Injection I.M. or I.V. 2.5 mg. per ml., 10 ml.	1	..	2.34	SQ
FLUPHENAZINE ENANTHATE				
For the treatment of pensioners for any disease or purpose;				
* * *				
Huntington's chorea with the authority of the Commonwealth Director of Health;				
Late stage malignancy with the authority of the Commonwealth Director of Health;				
Radiation sickness with the authority of the Commonwealth Director of Health;				

Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with authority of the Commonwealth Director of Health;
 For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.
 Injection I.M. 25 mg. in 1 ml.

5 .. 9.21 SQ

FOLIC ACID

Sprue or the sprue-like syndrome;
 Macrocytic anaemia.
 Oral Tablet 5 mg.

100 2 1.30 AD, ET, HY, KL, MG, PD,
 PR, PT, RT(V), RY, SL, TO

Injection 15 mg. in 1 ml.

10 .. 2.63 FH
 *3.16 ET

FRAMYCETIN

Bowel sterilisation preparatory to major surgery.
 Oral Tablet 250 mg.

20 .. 6.70 RL

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FUSIDIC ACID Authority necessary to prescribe (See Notes)for- Infections where positive bacteriological evidence confirms that fusidic acid is the ONLY appro- priate antibiotic.			\$	
Oral Tablet 250 mg. (enteric coated)	36	..	46.70	ET
Oral Suspension 40 mg. per ml., 90 ml.	1	..	18.79	ET
GOATS MILK Authority necessary to prescribe (See Notes)for- Cows milk allergy in children under the age of four (4) years.				
Dehydrated Powder 1/2 lb.	2	12	*3.20	GV
14 oz.	1	12	3.52	JM
1 lb.	1	12	4.00	CI
Whole (sterilised) 13 fl. oz.	10	12	*3.70	TM
GRISEOFULVIN Authority necessary to prescribe (See Notes)for- Use in severe tinea infections due to micro- sporum, trichophyton or epidermophyton species which have been proven by laboratory examination.				
Oral Tablet 125 mg.	100	..	8.30	GL, IC

HALIBUT LIVER OIL

For the treatment of pensioners only.

Oral Capsule 4,500 Units Vitamin A

6,000 Units Vitamin A

100

1

1.90

KL, MG, SL(N)

100

1

*1.80

CK

HALOPERIDOLFor the treatment of pensioners for any disease
or purpose.

* * *

Huntington's chorea with the authority of the
Commonwealth Director of Health;Late stage malignancy with the authority of the
Commonwealth Director of Health;Radiation sickness with the authority of the
Commonwealth Director of Health;Maintenance treatment of a mental disorder in
a patient discharged from an approved hospital
at which he received treatment for a mental
disorder, and living in a place remote from an
approved hospital, with the authority of the
Commonwealth Director of Health.For the treatment of a mental disorder in a
person who has been discharged from an
approved hospital at which he received treat-
ment for a mental disorder, on presentation of
a certificate from that hospital that the person
was a person for whose treatment that benefit
may be prescribed.

Injection 5 mg. in 1 ml.

10

..

8.97

SR

Oral Tablet 1.5 mg.

100

2

5.30

SR

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute rheumatic carditis; Addison's disease or other forms of adrenocor- tical hypoplasia; Adrenalectomy - total; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Cushing's syndrome including hyperadrenocor- ticalism; Dermatomyositis; Encephalitis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy; Guillain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease;			\$	

Henoch's purpura;
Hepatitis, progressive or continuing, proven by
 biopsy or biochemistry;
Hodgkin's disease;
*Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
 retina;
Interstitial keratitis due to syphilis or vernal
 conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
 radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Oedema of the spinal cord following trauma
 or infections;
Optic neuritis following removal of tumors of
 the brain;
Panhypopituitarism;
Pemphigus;
*Periarteritis;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE - cont. Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis; Ulcerative colitis proven by sigmoidoscopy or radiological report.			\$	

Injection I.V. (or Rectal Drip)				
5 mg. per ml., 20 ml.	1	..	3.30	PT
* * *				
For the treatment of diseases of the ear.				
Ear Drops 1%, 10 ml.	‡1	..	1.63	KL
HYDROCORTISONE with NEOMYCIN SULPHATE				
For the treatment of diseases of the ear.				
Ear Drops 1.5%-0.5%, 5 ml.	‡1	..	1.63	UP
Ear Ointment 1.5%-0.5%, 4 G.	‡1	..	1.63	UP
HYDROCORTISONE ACETATE				
Intra-articular use.				
Injection 25 mg. in 1 ml.	5	..	3.74	PT
			4.74	BT, MK, RL
			4.75	AB
HYDROCORTISONE SODIUM SUCCINATE				
Acute adrenal failure due to medical or surgical crises;				
Prophylaxis of adrenal insufficiency during and after major surgery for patients already on steroid therapy;				
Stevens Johnson syndrome.				
Injection set containing equivalent of 78.3 mg. hydrocortisone and solvent.	2	..	*7.90	RL
Injection set containing equivalent of 100 mg. hydrocortisone and solvent	2	..	*10.22	RM
			*12.24	NR
			*15.24	BT, GL, UP

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROXOCOBALAMIN Established megalocytic anaemias; Neuroblastoma; Subacute combined degeneration of the cord; Treatment in post gastrectomy; Injection 100 micrograms in 1 ml.	5	1	\$ 1.21	KL
1,000 micrograms in 1 ml.	5	..	1.23 *3.10	GL GL, KL
HYDROXYPROGESTERONE Endometrial carcinoma; Progesterone deficiency proved by hormonal assay of lateral wall smear. Injection 250 mg.	3	..	9.50 *9.51	SC RM
IDOXURIDINE Infections caused by Herpes simplex virus. Eye Drops 0.1%, 15 ml. Eye Ointment 0.5%, 5 G.	‡1 ‡1	2 ..	3.50 3.50	AG, SK SK
IMIPRAMINE For the treatment of pensioners for any disease or purpose. * * *				

Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health;

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

Oral Tablet 10 mg.

100

2

1.97

IP, KL

2.17

PT

2.43

GE

25 mg.

100

2

3.82

UW(NWS)

4.01

IP, KL

4.63

PT

5.10

GE

Injection I.M. 25 mg. in 2 ml.

10

..

3.83

GE

INDOMETHACIN

Acute attacks of gout;

Ankylosing spondylitis;

Osteoarthritis not responding to salicylates;

Psoriatic arthritis;

Reiter's syndrome;

Rheumatoid arthritis not responding to salicylates.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
INDOMETHACIN - cont. Oral Capsule 25 mg.	50	2	\$ 2.99 (ex 250) 3.37 (ex M.P.)	MK MK
* * * For the treatment of the same conditions in persons who cannot tolerate oral indomethacin. Suppository 100 mg.	5	..	1.43	MK
ISONIAZID Tuberculosis. Oral Tablet 50 mg.	200	2	*1.10 1.10 1.30 1.37 *1.76	AD, SI DH, HY, KL, RY ET HA RO
100 mg.	100	2	1.30 1.63	AD, DH, ET, HY, KL, RY, SI RO
ISOPRENALINE HYDROCHLORIDE For long term use in patients suffering from Stokes-Adams seizures due to heart block Oral Tablet 30 mg. (sustained release).	100	2	5.31	PN

KANAMYCIN

Authority necessary to prescribe (See Notes)for-
Infections where positive bacteriological evidence
confirms that kanamycin is the ONLY appro-
priate antibiotic.

Oral Capsule 250 mg.	16	..	5.10	BC
Oral Solution 100 mg. per ml., 30 ml.	‡1	..	3.90	BC
Injection 250 mg. in 2 ml.	5	..	*5.30	SI
500 mg. in 2 ml.	5	..	*7.65	BC
1 G. in 3 ml.	5	..	*12.30	BC, SI

LEVORPHANOL

Obstetric use;
Severe intractable pain.

Oral Tablet 1.5 mg.	50	..	*2.06	RO
Injection 2 mg. per ml., 1.1 ml.	5	..	1.03	RO

LINCOMYCIN

Osteomyelitis;
*Gram positive coccal infections where these
cannot be safely and effectively treated with
penicillin.

Oral Capsule 250 mg.	24	..	6.11	UP
500 mg.	12	..	6.11	UP
Paediatric Syrup 250 mg. per 5 ml., 60 ml.	‡1	..	4.74	UP
Injection 600 mg. in 2 ml.	5	..	*9.90	UP

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
LIOTHYRONINE			\$	
Myxoedema;				
Oral Tablet 20 micrograms.	50	..	1.26	GL
LYPRESSIN				
Diabetes insipidus.				
Nasal Spray 50 Units per ml., 5 ml.	4	2	*7.78	SZ
MEDROXYPROGESTERONE				
Adenocarcinoma of the uterus (endometrial carcinoma).				
Oral Tablet 2.5 mg.	25	..	3.63	UP
10 mg.	25	..	9.63	UP
* * *				
Adenocarcinoma of the body of the uterus; Hypernephroma.				
Oral Tablet 100 mg.	100	..	80.30	UP
* * *				
Adenocarcinoma of the uterus (endometrial carcinoma); Hypernephroma; Progesterone deficiency proved by hormonal assay of lateral wall smear.				
Injection 50 mg. in 1 ml.	1	..	4.17	UP
50 mg. per ml., 5 ml.	1	..	14.97	UP

MELPHALAN

Treatment in neoplastic disease.

Oral Tablet 2 mg.

5 mg.

100

2

*9.90

BW

100

2

*17.90

BW

MERCAPTOPURINE

Allergic angitis;

Lupus erythematosus;

Nephrosis or nephrotic syndrome;

Periarteritis;

Treatment in neoplastic disease.

Oral Tablet 50 mg.

50

1

14.30

BW

MESTANOLONE

For intermittent use for corticosteroid-induced
osteoporosis with authority of the Commonwealth
Director of Health;

For intermittent use for patients on long-term
treatment with corticosteroids with authority
of the Commonwealth Director of Health;

Mammary carcinoma (authority not required).

Oral Tablet 25 mg.

100

..

16.30

RL

METHACYCLINE

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
METHACYCLINE - cont.			\$	
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Tablet 75 mg.	14	..	1.90	GP
Oral Capsule 75 mg.	14	..	1.90	GP
150 mg.	14	..	3.02	GP
			(ex 100)	
			3.34	GP
			(ex M.P.)	
Oral Paediatric Suspension				
75 mg. per 5 ml., 100 ml.	‡1	..	2.46	GP
METHANDIENONE				
Authority necessary to prescribe (See Notes)for- Intermittent use for corticosteroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids.				
Oral Tablet 5 mg.	100	..	8.17	CB

METHENOLONE ACETATE

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced
osteoporosis;

Intermittent use for patients on long-term
treatment with corticosteroids.

Oral Tablet 1 mg.

5 mg.

100

..

*2.44

SC

100

..

*7.64

SC

METHICILLIN

Proven or suspected staphylococcal septicaemia
Injection 1 G. (solvent required)

5

1

*16.15

BR, CS

METHOTREXATE

Treatment in neoplastic disease.

Oral Tablet 2.5 mg.

100

..

14.30

LE

METHYLAMPHETAMINE

For the treatment of pensioners only.

Oral Tablet 5 mg.

100

..

0.99

PT, QE(QNVS)

1.23

KL

1.50

AB, BW, PH, VR

Injection 20 mg. per ml., 1.5 ml.

5

..

1.21

BW

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MILK POWDER - SYNTHETIC			\$	
Authority necessary to prescribe (See Notes)for- Galactosaemia;				
In children under the age of four years for conditions needing an extreme restriction of Lactose in diet.				
Low Lactose Compound Powder 14 oz.	1	12	2.20	TF
Authority necessary to prescribe (See Notes)for- Glucose-galactose malabsorption.				
Fructose Formula, Reduced Fat, Low Lactose Compound Powder 16 oz.	1	12	8.69	TF
MORPHINE with TACRINE				
Severe intractable pain.				
Oral Tablet 30 mg.-15 mg.	50	1	10.30	WH
MUSTINE				
Treatment in neoplastic disease.				
Injection 10 mg. (solvent required)	1	..	1.97	BT
NALIDIXIC ACID				
Urinary tract infections in which sulphonamides are ineffective.				
Oral Tablet 500 mg.	56	..	7.23	WL
Oral Paediatric Suspension				
50 mg. per ml., 200 ml.	‡1	..	2.90	WL

NANDROLONE DECANOATE

For intermittent use for corticosteroid-induced osteoporosis, with authority of the Commonwealth Director of Health;

For intermittent use for patients on long-term treatment with corticosteroids with authority of the Commonwealth Director of Health;

Mammary carcinoma (authority not required).

Injection 50 mg. in 1 ml.

1	..	6.23	OR

NANDROLONE PHENYLPROPIONATE

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced osteoporosis;

*Mammary carcinoma (authority not required).

Injection 25 mg. in 1 ml.

3	..	6.03	OR

NATAMYCIN

Monilia infections.

Oral Tablet 100 mg.

50	..	6.77	BP

NEOMYCIN

Bowel sterilisation preparatory to major surgery;

Encephalopathy, portal-systemic.

Oral Tablet 500 mg.

* * *

Authority necessary to prescribe (See Notes)for-
Intermittent use by inhalation in fibrocystic disease.

Powder 500 mg.

25	..	11.50	KL, PT
		12.30	ET, LF
40	1	*51.10	ET

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDRO- CORTISONE ACETATE *For the treatment of diseases of the ear. Ear Drops 0.1%-0.005%-0.05%-1%-0.02%, 15 ml.	‡1	..	1.38	WW
NEOMYCIN UNDECENOATE with BACITRACIN For the treatment of diseases of the ear. Ear Ointment 12 mg. (3.5 mg. base) - 400 Units per G., 10 G.	‡1	..	1.37	HA
NICOTINIC ACID For the treatment of pensioners only.				
Oral Tablet 25 mg.	100	2	0.50	HY, KL
50 mg.	100	2	0.63	AD, DH, HY, KL, MG, RT(V), SI
100 mg.	100	2	0.70	DH, HY, KL, RT(V)
250 mg.	100	2	0.97	AD, HY, KL, RT(V), SI
NITRAZEPAM Myoclonic epilepsy in children. Oral Tablet 5 mg.	200	1	6.70	RO

NITROFURANTOIN

Urinary tract infections.

Oral Tablet 50 mg.

100 mg.

Oral Paediatric Suspension

25 mg. per 5 ml., 200 ml.

NITROMIN

Treatment in neoplastic disease.

Injection 50 mg. (solvent required)

Oral Tablet 5 mg.

NORTRIPTYLINE

For the treatment of pensioners for any
disease or purpose.

* * *

25	1	2.36	IP
		3.11	SK
		(ex 100)	
		2.43	IP
		3.34	SK
		(ex M.P.)	
25	1	4.05	IP
		5.35	SK
		(ex 100)	
		4.57	IP
		5.79	SK
		(ex M.P.)	
1	..	2.74	SK
5	1	8.63	SI
100	2	11.63	SI

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
NORTRIPTYLINE - cont.			\$	
Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health.				
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
Oral Tablet 10 mg.	100	2	2.30	DL
25 mg.	100	2	4.03	DL
Oral Capsule 10 mg.	100	2	2.30	LY
25 mg.	100	2	4.03	LY
Paediatric Elixir 10 mg. per 5 ml., 100 ml.	‡1	4	1.30	DL, LY
NUTRAMIGEN				
Authority necessary to prescribe (See Notes)for- Cow's milk allergy in children under the age of four (4) years; Fibrocystic disease of the pancreas; Galactosaemia; Lactose intolerance.				
Powder 1 lb.	1	12	2.33	MJ

NYSTATIN

Monilia infections.

Oral Tablet 500,000 Units

50

..

6.77

GP, SQ

OXYCODONE

Treatment in neoplastic disease.

Injection 10 mg in 1 ml.

5

..

1.77

CK

Suppository 30 mg.

12

..

3.50

CK

OXYMESTERONE

Authority necessary to prescribe (See Notes)for-

Intermittent use for corticosteroid-induced
osteoporosis;Intermittent use for patients on long-term
treatment with corticosteroids.

Oral Tablet 5 mg.

100

..

*7.76

MB

OXYMETHOLONE

Authority necessary to prescribe (See Notes)for-

Aplastic anaemia;

Primary refractory anaemias.

Oral Tablet 5 mg.

100

..

7.77

PD

OXYTETRACYCLINE

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
OXYTETRACYCLINE - cont.			\$	
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Tablet 100 mg.	25	..	1.93	PF
250 mg.	16	..	2.46	PF
Oral Capsule 100 mg.	25	..	1.93	PF
250 mg.	16	..	2.11	IP
			2.19	PT, SP(NWS)
			2.24	HY, KL, PF, SU(N)
			(ex 100)	
			2.30	IP
			2.41	PT, SP(NWS)
			2.46	HY, KL, PF, SU(N)
			(ex M.P.)	
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	1	..	1.81	PT, SP(NWS)
			1.86	KL, PF
Injection I.M. 100 mg.	5	..	3.90	TS
			*4.05	PF
I.M. 250 mg.	5	..	*7.10	PF
I.V. 250 mg.	5	..	*7.10	PF

**OXYTETRACYCLINE (BUFFERED) with
NYSTATIN**

Broad spectrum antibiotic therapy of premature infants;

Broad spectrum antibiotic treatment of patients under steroid therapy;

Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis;

A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for :-

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections;

Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Oral Tablet 100 mg. - 125,000 Units

25

..

1.93

PF

Oral Capsule 250 mg. - 250,000 Units

16

..

2.46

KL, PF

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PANCREATIN CONCENTRATE			\$	
Fibrocystic disease;				
Pancreatico-duodenectomy;				
Pancreatic steatorrhoea.				
Oral Tablet 300 mg. (3 times B.P. strength)	200	2	*3.98	PD
Oral Powder 1 oz. (twice B.P. strength)	8	2	*9.90	PD
500 G. (5 times B.P. strength)	1	..	28.97	ST
PANCREATIN ENZYME				
(4 times USNF.XII strength)				
Fibrocystic disease;				
Pancreatico-duodenectomy;				
Pancreatic steatorrhoea.				
Oral Tablet 300 mg.	500	1	27.74	ET
Oral Powder 8 oz.	11	2	23.37	ET
PANCRELIPASE				
Fibrocystic disease;				
Pancreatico-duodenectomy;				
Pancreatic steatorrhoea.				
Oral Capsule 300 mg.	250	1	19.30	OR
PARA-AMINOSALICYLIC ACID				
Tuberculosis.				
Oral Tablet 500 mg.	500	2	4.73	DH, ET, KL

PARACETAMOL

For the treatment of pensioners only.

Oral Tablet 300 mg.

500 mg.

50

1

0.83

WL

50

1

0.81

KL, PR, PT, RT(V), SL(N)

0.89

CA, FM, RY, VR, WL

(ex 250)

0.90

KL, PR, PT, RT(V), SL(N)

0.94

CA, FM, RY, VR, WL

(ex M.P.)

Oral Suspension 120 mg. per 5 ml., 100 ml.

11

4

0.94

CA, KL, WL

PARACETAMOL with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE

For the treatment of pensioners only.

Oral Tablet 300 mg.-15 mg.-30 mg.

100

2

1.51

PT

1.62

DH

1.63

KL

1.71

MG

2.00

FM, WL

2.04

HY

2.11

AB

(ex 500)

1.63

PT

1.77

DH, KL

2.19

FM, MG, WL

2.23

HY

2.33

AB

(ex M.P.)

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PARAFFIN LIQUID			\$	
For the treatment of pensioners only.				
Emulsion P.L.	400 ml.	4	2.07	Extemp. (plus container)
†Emulsion 450 ml.	1	4	†0.72	WY
†Emulsion with Phenolphthalein 450 ml.	1	4	†0.65 †0.72	MG, SI, SL(N), WD(N) DH, FA, PR, WW, WY
PARAMETHASONE				
Authority necessary to prescribe (See Notes)for-				
Acquired haemolytic anaemia;				
Acute disseminated encephalomyelitis;				
Acute exfoliative dermatitis;				
Acute exophthalmic ophthalmoplegia;				
Acute heart block complicating myocardial infarction;				
Acute phase of herpes zoster;				
Acute rheumatic carditis;				
Addison's disease or other forms of adrenocor- tical hypoplasia;				
Adrenalectomy - total;				
Adrenogenital syndrome;				
Agranulocytosis;				
Behcet's syndrome;				
Benign intracranial hypertension;				
Cerebral oedema;				
Cerebral tumors;				
Cranial arteritis;				

Cushing's syndrome including hyperadrenocorticalism;
Dermatomyositis;
Encephalitis;
Encephalomyelitis;
Giant cell thyroiditis proven by biopsy;
Guillain-Barres syndrome;
Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis;
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by biopsy or biochemistry;
Hodgkin's disease;
*Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and retina;
Interstitial keratitis due to syphilis or vernal conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PARAMETHASONE Oedema of the spinal cord following trauma or infections; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; *Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson syndrome; Still's disease in children under the age of sixteen years;			\$	

Systemic lupus erythematosus;				
Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet 1 mg.	30	..	3.30	IC
2 mg.	30	..	4.30	IC, LY
PENICILLAMINE				
Authority necessary to prescribe (See Notes)for-				
Acute heavy metal intoxication;				
Cold agglutinin haemoglobinuria;				
Cystinosis;				
Cystinuria with calculus formation;				
Wilson's disease (Hepatolenticular degeneration).				
Oral Capsule 150 mg.	100	3	80.30	DL
250 mg.	100	3	*42.30	MK
PENICILLIN BENZATHINE				
Prevention of recurrent streptococcal infections including rheumatic fever.				
Oral Tablet 150 mg. (200,000 Units)	100	1	4.51 (ex 500)	CS, WY
			4.81 (ex M.P.)	CS, WY
Oral Capsule 150 mg. (200,000 Units)	100	1	4.81	CS

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENICILLIN BENZYL (Penicillin G)			\$	
Prevention of recurrent streptococcal infections including rheumatic fever.				
Oral Tablet 125 mg. (200,000 Units)	100	1	3.70	AB, GL
250 mg. (400,000 Units)	100	1	6.57	AB, GL
Oral Capsule 125 mg. (200,000 Units)	100	1	3.70	GL
250 mg. (400,000 Units)	100	1	6.57	AB, EV, GL
* * *				
Bacterial endocarditis or septicaemia.				
Injection				
3 G. (5,000,000 Units) (solvent required)	10	..	*13.90	CS, EV, GL, SI
* * *				
Bacterial endocarditis or septicaemia;				
*Gastrointestinal surgery.				
Injection				
6 G. (10,000,000 Units) (solvent required)	10	..	*23.50	CS, EV, GL, SI
PENICILLIN with STREPTOMYCIN				
Endocarditis due to streptococcus faecalis;				
Endocarditis due to streptococcus viridans.				
Injection Benzyl Penicillin, 300 mg. (500,000 Units)				
Streptomycin Sulphate 500 mg.				
1 vial (solvent required)	5	..	*2.50	GL
Set containing 1 vial and 2 ml. water for Injection	5	..	*2.85	GL

Injection Benzyl Penicillin 60 mg.(100,000 Units); Procaine Penicillin 300 mg.(300,000 Units); Streptomycin Sulphate 500 mg.				
1 vial (solvent required)	5	..	*2.50	GL, SI
Set containing 1 vial and 2 ml. water for injection	5	..	*2.85	GL
PENTOBARBITONE SODIUM with ACETYL - SALICYLIC ACID and CODEINE For the treatment of pensioners only. Oral Tablet 30 mg. - 300 mg. - 15 mg.	100	2	1.63	KL
PETHIDINE with LEVALLORPHAN For obstetric use only.				
Injection 50 mg.-0.625 mg. in 1 ml.	5	..	0.94	RO
50 mg.-0.625 mg. per ml., 2 ml.	5	..	1.21	RO
PHENYLALANINE LOW CONTENT FORMULA Authority necessary to prescribe (See Notes)for- Phenylketonuria.				
Granules 1 kg.	1	..	21.33	GL
Powder 2.5 lb.	1	..	10.67	MJ
3 lb.	1	..	19.93	TF

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENYLBUTAZONE			\$	
Acute attacks of gout;				
Ankylosing spondylitis;				
Osteoarthritis not responding to salicylates;				
Psoriatic arthritis;				
Reiter's syndrome;				
Rheumatoid arthritis not responding to salicylates.				
Oral Tablet 100 mg.	50	2	0.88 0.94 1.00 1.08 1.11 1.14 1.35 1.40 (ex 250) 0.97 1.07 1.17 1.23 1.42 1.47 (ex M.P.)	PT MG HY FM, KL, LF PR SU(N) GE VR MG, PT HY FM, KL, LF, PR SU(N) GE VR
Oral Capsule 100 mg.	50	2	1.07 1.21	HY KL

For the treatment of the following conditions
in persons who cannot tolerate oral
phenylbutazone -

Acute attacks of gout;

Ankylosing spondylitis;

Osteoarthritis not responding to salicylates;

Psoriatic arthritis;

Reiter's syndrome;

Rheumatoid arthritis not responding to
salicylates.

Injection 600 mg. in 3 ml.

Suppository 250 mg.

5	..	1.90	GE
5	..	1.26	GE

PHYTOMENADIONE

Antidote to anticoagulants.

Injection 1 mg.

10 mg.

Colloidal Solution for Injection

10 mg. in 1 ml.

10 mg. per ml., 5 ml.

3	..	0.99	RO
3	..	2.03	RO
3	..	*3.51	MK
3	..	*15.30	MK

PITUITARY, POSTERIOR LOBE

Diabetes insipidus.

Insufflation 30 Antidiuretic Unit Capsule

500 Antidiuretic Units

per G., 2 G. Phial

100	2	8.57	ST
3	2	*6.99	BP

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
POLYMYXIN B SULPHATE Authority necessary to prescribe (See Notes)for- Intermittent use by inhalation in fibrocystic disease. Vial of Powder 500,000 Units	20	..	\$ *58.90	BW
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE For the treatment of diseases of the ear. Ear Drops 10,000 Units - 3.5 mg. (base) -10 mg. per ml., 7 ml.	‡1	..	1.63	BW
POLYOESTRADIOL Carcinoma of the prostate. Injection set containing 40 mg. and 2 ml. solvent	1	..	5.30	AY
PREDNISOLONE Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute phase of herpes zoster; Acute rheumatic carditis; Adrenogenital syndrome;				

Agranulocytosis;
 Behcet's syndrome;
 Benign intracranial hypertension;
 Cerebral oedema;
 Cerebral tumors;
 Cranial arteritis;
 Cushing's syndrome including hyperadrenocorticalism;
 Dermatomyositis;
 Encephalitis;
 Encephalomyelitis;
 Giant cell thyroiditis proven by biopsy;
 Guillain-Barres syndrome;
 Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis;
 Hansen's disease;
 Henoch's purpura;
 Hepatitis, progressive or continuing proven by biopsy or biochemistry;
 Hodgkin's disease;
 *Hypoplastic anaemia;
 Idiopathic hypercalcaemia;
 Inflammatory conditions of the uveal tract and retina;
 Interstitial keratitis due to syphilis or vernal conjunctivitis;
 Keratoplasty;
 Leucine sensitive hypoglycaemia;
 Leukaemia;
 Lymphosarcoma and follicular lymphoma;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE - cont. Malignancy treatment in conjunction with radiotherapy or chemotherapy; Malignant exophthalmos; Meningitis; Metastatic breast cancer; Mycosis fungoides; Nephrosis or nephrotic syndrome; Neuromyelitis optica; Nodular nonsuppurative panniculitis (Christian-Weber disease); Oedema of the spinal cord following trauma or infections; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; *Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy;			\$	

Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis; Ulcerative colitis proven by sigmoidoscopy or radiological report. Oral Tablet 5 mg.	30	..	1.43 1.70 1.90	IP, MG, PT, RY KL, LF, RT(V) BT, HY, PD, PF, UP
PREDNISOLONE ACETATE Intra-articular use. Injection 10 mg. in 1 ml.	5	..	*5.05	SC

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE METHYL Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute phase of herpes zoster; Acute rheumatic carditis; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Cushing's syndrome including hyperadrenocor- ticalism; Dermatomyositis; Encephalitis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy; Guillain-Barres syndrome; Hamman-Rich syndrome - diffuse interstitial pulmonary fibrosis; Hansen's disease;			\$	

Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
*Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Malignant exophthalmos;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Nodular nonsuppurative panniculitis (Christian-
Weber disease);
Oedema of the spinal cord following trauma
or infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturers
PREDNISOLONE METHYL - cont. *Periarthritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa follow- ing X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis; Ulcerative colitis proven by sigmoidoscopy or radiological report.			\$	

Oral Tablet 4 mg.	30	..	8.57	UP
Oral Capsule 4 mg.	30	..	8.57	UP
PREDNISOLONE METHYL ACETATE				
Intra-articular use;				
Injection 40 mg. in 1 ml.	5	..	16.43	UP
PREDNISOLONE SODIUM PHOSPHATE				
Authority necessary to prescribe (See Notes)for-				
Proctitis proven by sigmoidoscopy;				
Ulcerative colitis proven by sigmoidoscopy or				
radiological report.				
Retention Enema 20 mg. in 100 ml.	7	..	14.77	GL
Suppository equivalent to 5 mg. Prednisolone	6	..	3.26	GL
PREDNISOLONE SODIUM PHOSPHATE				
with NEOMYCIN				
For treatment of diseases of the ear.				
Ear Drops 5 mg.-3.5 mg.(base) per ml., 5 ml.	11	..	1.63	GL
PREDNISOLONE SODIUM SUCCINATE				
Acute adrenal failure due to medical or				
surgical crisis;				
Prophylaxis of adrenal insufficiency during and				
after major surgery for patients already on				
steroid therapy;				
Stevens Johnson syndrome.				
Injection set containing 25 mg. and				
1 ml. diluent	2	..	*13.64	MQ

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE TERTIARY BUTYL ACETATE (Prednisolone TBA) Intra-articular use. Injection 20 mg. in 1 ml.	5	..	\$ 4.83	MK
PREDNISONE Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute phase of herpes zoster; Acute rheumatic carditis; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Cushing's syndrome including hyperadrenocor- ticalism; Dermatomyositis; Encephalitis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy;				

Guillain-Barres syndrome;
 Hamman-Rich syndrome - diffuse interstitial
 pulmonary fibrosis;
 Hansen's disease;
 Henoch's purpura;
 Hepatitis, progressive or continuing, proven by
 biopsy or biochemistry;
 Hodgkin's disease;
 *Hypoplastic anaemia;
 Idiopathic hypercalcaemia;
 Inflammatory conditions of the uveal tract and
 retina;
 Interstitial keratitis due to syphilis or vernal
 conjunctivitis;
 Keratoplasty;
 Leucine sensitive hypoglycaemia;
 Leukaemia;
 Lymphosarcoma and follicular lymphoma;
 Malignancy treatment in conjunction with
 radiotherapy or chemotherapy;
 Malignant exophthalmos;
 Meningitis;
 Metastatic breast cancer;
 Mycosis fungoides;
 Nephrosis or nephrotic syndrome;
 Neuromyelitis optica;
 Nodular nonsuppurative panniculitis (Christian-
 Weber disease);
 Oedema of the spinal cord following trauma
 or infections;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISONE - cont. Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; *Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Regional ileitis (Crohn's disease); Reticulum cell sarcoma; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa follow- ing X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis;			\$	

Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet 1 mg.	50	..	0.77	PT
5 mg.	30	..	1.43	IP, PR, RY
			1.70	HY, KL, LF, PT
			1.77	SU(N)
			1.90	PD, RL
PROCARBAZINE				
Treatment in neoplastic disease.				
Oral Capsule 50 mg.	100	..	6.97	RO
PROGESTERONE				
Progesterone deficiency proved by hormonal assay of lateral wall smear.				
Injection I.M. 25 mg.	3	..	2.70	DF, SC
PROTRIPTYLINE				
For the treatment of pensioners for any disease or purpose.				
* * *				
Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health.				

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PROTRIPTYLINE			\$	
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
Oral Tablet 5 mg.	100	2	3.63	MK
10 mg.	100	2	5.10	MK
PYRIDOSTIGMINE				
Myasthenia gravis.				
Oral Tablet 10 mg.	100	2	1.78	RO
60 mg.	100	2	*8.54	RO
180 mg.	100	..	15.42	RO
Injection 1 mg. in 1 ml.	5	1	*1.15	RO
PYRIDOXINE HYDROCHLORIDE				
Peripheral neuritis due to isoniazid therapy; Radiation sickness.				
Oral Tablet 25 mg.	25	..	1.21 *1.37	DH, HY, KL, RY ET
PYRIMETHAMINE				
Toxoplasmosis.				
Oral Tablet 25 mg.	100	..	*3.24	BW

QUININE BISULPHATE

For the treatment of pensioners for any disease
or purpose.

* * *

Dystrophia myotonica;

Malaria;

Myotonia atrophica;

Myotonia congenita.

Oral Tablet 300 mg.

100

2

4.30

BW, DH, FA, HY, KL

QUININE DIHYDROCHLORIDE

For the treatment of pensioner for any disease
or purpose.

* * *

Dystrophia myotonica;

Malaria;

Myotonia atrophica;

Myotonia congenita.

Oral Tablet 300 mg.

100

2

4.30

DH

QUININE HYDROCHLORIDE

For the treatment of pensioners for any disease
or purpose.

* * *

Dystrophia myotonica;

Malaria;

Myotonia atrophica;

Myotonia congenita.

Oral Tablet 300 mg.

100

2

4.30

DH

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
QUININE SULPHATE For the treatment of pensioners for any disease or purpose. * * * Dystrophia myotonica; Malaria; Myotonia atrophica; Myotonia congenita. Oral Tablet 300 mg.	100	2	\$ 4.10 4.30	PT, QE (QNVS) AD, DH, HY, KL, PR, SI, TO
RIBOFLAVINE For the treatment of pensioners only. Oral Tablet 5 mg.	100	2	0.70	DH, FM, KL, PR, RT(V)
ROLITETRACYCLINE Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Injection I.V. 110 mg.	5	..	*6.90	AH
I.V. 275 mg.	5	..	11.90	AH
I.V. 350 mg.	5	..	*11.90	BC
I.M. 150 mg.	5	..	*6.85	BC
			*6.90	AH
I.M. 350 mg.	5	..	*11.90	BC
			11.90	AH

SENNA FRUIT EXTRACT (STANDARDISED)

For the treatment of pensioners only.

Oral Tablet 7 mg.	100	2	1.23	RC

SODIUM AMINOSALICYLATE

(Sodium PAS)

Tuberculosis.

Oral Tablet 300 mg.	500	2	3.77	KL
500 mg.	500	2	3.90	DH, ET, KL, RY
			4.30	EV
Oral Cachet 1.5 G.	500	2	12.90	EV
			12.97	KL, WA
2 G.	500	2	18.97	KL
Oral Granules 50%, 350 G.	1	1	4.63	RL
50%, 400 G.	1	1	4.63	HY
96.4%, 500 G.	1	1	10.81	EV
Injection 20%, 10 ml.	5	..	1.93	KL

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM AMINOSALICYLATE with ISONIAZID Tuberculosis. Granules 6 G.-150 mg. per sachet	60	2	\$ 12.30	SN
SODIUM FOLATE Sprue or the sprue-like syndrome; Macrocytic anaemia. Injection 15 mg. per ml., 10 ml.	1	..	2.57	LE
SOYA FORMULA Authority necessary to prescribe (See Notes)for- Galactosaemia; Homocystinuria; Lactose intolerance; Milk allergy in children under the age of four (4) years. Liquid 13 fl. oz. Powder 1 lb.	3 1	12 12	*1.89 1.77	MJ MJ, WA
SPIRAMYCIN Staphylococcal septicaemia or staphylococcal pneumonia; Toxoplasmosis, active-serologically proven; Any gram-positive bacterial infections where these cannot be treated safely and effectively by sulphonamides or penicillins. Oral Tablet 250 mg. Oral Capsule 250 mg.	20 20		3.83 3.83	MB MB

SPIRONOLACTONE

Authority necessary to prescribe (See Notes)for-
Myasthenia gravis;
Supplement other diuretics when these have
proved inadequate.
Oral Tablet 25 mg.

100

..

15.83

SR

STANOLONE

For intermittent use for corticosteroid-induced
osteoporosis with authority of the Common-
wealth Director of Health;
For intermittent use for patients on long-term
treatment with corticosteroids with authority
of the Commonwealth Director of Health;
Mammary carcinoma (authority not required).
Oral Tablet 25 mg.

100

..

10.97

DF, MN

STANOZOLOL

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced
osteoporosis;
Intermittent use for patients on long-term
treatment with corticosteroids.
Oral Tablet 2 mg.

100

..

*6.70

WL

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
STILBOESTROL			25 ¢	
Carcinoma of the prostate;				
Mammary carcinoma;				
Telangiectasis - hereditary;				
For the treatment of pensioners for any disease or purpose.				
Oral Tablet 0.1 mg.	100	2	0.51	HY, KL
0.5 mg.	100	2	0.53	AD, DH, HA, HY, KL RT(V), SI
1 mg.	100	2	0.54	AD, DH, HY, KL, RT(V) SI, SL(N)
			0.57	HA
5 mg.	100	2	0.81	AD, DH, FA, HA, HY, KL, MG, RT(V), SI, SL(N)
10 mg.	100	2	1.23	DH, KL, RT(V)
Injection 5 mg.	5	..	1.07	KL
STREPTOMYCIN SULPHATE				
Bacillary dysentery not responding to sulphona- mides;				
Brucellosis;				
Chancroid;				
Endocarditis due to streptococcus faecalis;				
Endocarditis due to streptococcus viridans;				
Infections due to Friedlander bacillus;				
Infections due to haemophilus influenzae;				
Infections due to pseudomonas pyocyanea;				
Plague;				

Rat-bite fever - streptobacillus moniliformis;				
Salmonella infections;				
Surgical conditions of the bowel (pre-operative and post-operative);				
Surgical conditions of the thoracic organs;				
Tuberculosis;				
Tularaemia;				
Urinary tract infections which do not respond to sulphonamides.				
Injection 1 G. (solvent required)	5	3	*1.95	DH, EV, GL, SI
250,000 Units per ml., 4 ml.	5	3	*2.15	DL, GL
500,000 Units per ml., 2 ml.	5	3	*2.15	BT, EV, GL
1,000,000 Units in 3 ml.	5	3	*2.15	EV, GL
SULPHASALAZINE				
Ulcerative colitis.				
Oral Tablet 500 mg.	100	2	4.46	MR
SULTHIAME				
For use where other anti-convulsants have failed.				
Oral Tablet 50 mg.	200	1	4.57	FB
200 mg.	200	1	10.63	FB
SURGICAL CEMENT				
For use with surgical appliances.				
†Skin Bond Adhesive 4 fl. oz.	1	2	†2.25	DY
†Solvent 240 ml.	1	2	†1.65	LF

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SUSTANON			\$	
Klinefelter Reifenstein Albright syndrome; Mammary carcinoma; Castration syndrome, (male).				
Injection 100 mg.	1	..	2.57	OR
250 mg.	1	..	5.77	OR
TESTOSTERONE				
Klinefelter Reifenstein Albright syndrome; Mammary carcinoma; Castration syndrome, (male).				
Implant 100 mg.	1	..	4.97	OR
200 mg.	1	..	8.57	OR
TESTOSTERONE METHYL				
Klinefelter Reifenstein Albright syndrome; Mammary carcinoma; Castration syndrome, (male).				
Oral Tablet 25 mg.	100	2	4.74	KL, PR, PT
			5.10	HY
			6.30	ET
50 mg.	100	2	8.43	KL, PR, PT
			8.97	HY
			11.23	ET
Sublingual Tablet 25 mg.	100	..	10.94	CB

TESTOSTERONE OENANTHATE**(Testosterone Oen.)**

Klinefelter Reifenstein Albright syndrome;

Mammary carcinoma;

Castration syndrome, (male).

Injection 100 mg. in 1 ml.

250 mg. in 1 ml.

1	..	2.57	SC
1	..	5.77	SC

TESTOSTERONE PROPIONATE**(Testosterone Prop.)**

Klinefelter Reifenstein Albright syndrome;

Mammary carcinoma;

Castration syndrome, (male).

Injection 25 mg. in 1 ml.

10	..	3.90	KL
		*4.30	BD
		*4.33	SC
10	..	7.50	KL
		*8.04	BD, SC
1	..	7.39	KL, SC
3	..	*5.86	BD

50 mg. in 1 ml.

50 mg. per ml., 10 ml.

100 mg. in 2 ml.

TETANUS ANTITOXIN (BOVINE)

Patients who have previously received an injection of equine serum.

Injection set containing 1,500 units and 15 units diluted 1 in 50

5	1	*10.30	CS

Paediatric Syrup 125 mg. per 5 ml., 100 ml.	‡1	..	1.86	LE
Injection I.V. 100 mg. (solvent required)	5	..	*4.05	LE
I.V. 250 mg. (solvent required)	5	..	*7.10	LE
I.M. 100 mg. (solvent required)	5	..	*4.05	GP, LE
I.M. 250 mg. (solvent required)	5	..	*7.10	LE

TETRACYCLINE (BUFFERED)

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections.

Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Oral Capsule 100 mg.

25

..

1.93

AH, BC, CS

LE, SQ, UP

250 mg.

16

..

2.24

AH, BC, BT, CS, GP,

(ex 100)

LE, SQ, UP

2.46

AH, BC, BT, CS, GP,

(ex M.P.)

LE, SQ, UP

Paediatric Syrup 125 mg. per 5 ml., 100 ml.

‡1

..

1.86

AH, BC, GP, LE, UP

Oral Paediatric Drops 100 mg. per ml., 10 ml.

‡1

..

0.91

AH, BC, LE

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TETRACYCLINE (BUFFERED) with AMPHOTERICIN B Broad spectrum antibiotic therapy of premature infants; Broad spectrum antibiotic treatment of patients under steroid therapy; Broad spectrum antibiotic therapy of cases com- plicated by intestinal moniliasis; A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for:- Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur. Oral Paediatric Drops 100 mg.-20 mg. per ml., 10 ml. Paediatric Syrup 125 mg.- 25 mg. per 5 ml., 100 ml.			\$	
	‡1	..	0.91	SQ
	‡1	..	1.86	SQ

**TETRACYCLINE (BUFFERED) with
NYSTATIN**

Broad spectrum antibiotic therapy of premature infants;

Broad spectrum antibiotic treatment of patients under steroid therapy;

Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis;

A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for :-

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections;

Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Oral Capsule 100 mg.-125,000 Units

20

..

1.70

LE, SQ, UP

250 mg.-250,000 Units

16

..

2.24

BC, GP, LE, SQ, UP

(ex 100)

2.46

BC, GP, LE, SQ, UP

(ex M.P.)

Paediatric Syrup 125 mg.-125,000 Units

per 5 ml., 100 ml.

‡1

..

1.86

BC

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
THIAMBUTOSINE Hansen's disease. Oral Tablet 500 mg. Injection 20% (oily suspension) in 5 ml.	100 20	2 ..	\$ 2.10 5.10	CB CB
THIETHYLPERAZINE *Nausea resulting from cytotoxic therapy; Radiation sickness. Oral Tablet 6.5 mg. Suppository 6.5 mg.	25 6		0.97 0.97	SZ SZ
THIORIDAZINE For the treatment of pensioners for any disease or purpose; * * * Late stage malignancy with the authority of the Commonwealth Director of Health; Radiation sickness with the authority of the Commonwealth Director of Health; Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health;				

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

Oral Tablet 10 mg.	100	2	1.50	SZ
25 mg.	100	2	2.26	SZ
50 mg.	100	2	3.90	SZ
100 mg.	100	2	7.50	SZ
Oral Solution 3%, (30 mg. per ml.) 30 ml.	1	4	1.39	SZ

TRETAMINE

Treatment in neoplastic disease.

Oral Tablet 2.5 mg.	5	..	*1.55	IC
Injection 5 mg.	1	..	*3.39	IC

TRIACETYLOLEANDOMYCIN

Brucellosis;
 Intestinal amoebiasis;
 Leptospirosis;
 Lymphogranuloma venereum;
 Mycoplasma pneumoniae (Eaton's Agent);
 Psittacosis;
 Rickettsial infections;
 Staphylococcal septicaemia or staphylococcal pneumonia;

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TRIACETYLOLEANDOMYCIN - cont. Any bacterial infections or spirochaetal infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur. Oral Capsule 250 mg. Paediatric Suspension 125 mg. per 5 ml., 100ml	 16 11	 	 \$ 3.11 2.57	 PF, WY PF, WY
TRIFLUOPERAZINE For the treatment of pensioners for any disease or purpose. * * * Late stage malignancy with the authority of the Commonwealth Director of Health; Radiation sickness with the authority of the Commonwealth Director of Health; Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital, with the authority of the Commonwealth Director of Health;				

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

Oral Tablet 1 mg.

100	2	3.20 (ex 500)	SK

2 mg.

100	2	3.59 (ex M.P.)	SK
		4.67 (ex 500)	SK
		5.30 (ex M.P.)	SK

5 mg.

100	2	5.94	SK

Syrup 1 mg. per 5 ml., 100 ml.

†1	4	1.31	SK

TRIGYLDE

Authority necessary to prescribe (See Notes)for-Proven malabsorption.

Powder 1 lb.

1	12	2.43	MJ

TRIMETAPHAN

As a hypotensive in anaesthesia.

Injection set containing 250 mg. and 5 ml. water for injection

3	..	7.93	RO

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
VINBLASTINE Treatment in neoplastic disease. Injection 10 mg. (solvent required)	1	..	\$ 17.07	LY
VINCRISTINE Treatment in neoplastic disease. Injection 1 mg. 5 mg.	5 1		*65.05 51.35	LY LY
VIOMYCIN Tuberculosis. Injection 1 G. (solvent required)	5	3	16.95	PD, PF
VITAMINS COMPOUND For the treatment of pensioners only. Oral Tablet B.P.C. Capsule Formula	100	1	0.73 0.78	AD, KL, PT, RT(V), RY, SI, SL(N) BD, DH, GL, HY, MG, PH, PR, TO, VR
Oral Capsule B.P.C.	100	1	0.78	FA, PH

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ACRYLIC RESIN Solution 100 ml. Aerosol Spray	1	..	\$ 5.90 6.97	PT EV, WB
ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137 mg.-1.02 G. per 5 ml., 340 ml.	1	4	1.07	WY
BENZON Compound Tincture B.P.C. 35%, 167 ml. Aerosol Spray	1	..	2.59	LF
BISMUTH SUBGALLATE Powder 100 G. (4 oz.)	1	..	3.37	DH, EV
CHARCOAL Oral Tablet 300 mg.	100	2	0.83 1.03 1.17	AD, HY, QE(Q), RT(V) TO BW
CHLORAMINE Deodorant Tablet 120 mg.	500	..	1.69 1.79	DH PT
Powder 25 G. (1 oz.)	1	4	0.67 0.73	PT DH

DEODORANT DETERGENT SOLUTION

Solution

Terric N.8, 120 G.; Spearmint Oil 1.6 ml.;

Cetrimide B.P., 12 G.

16 fl. oz.

1 .. 1.37 IC

DIMETHICONE

Cream 10%, 50 G.

1 .. 1.03 IC

1.06 HA

10%, 75 G.

1 .. 0.89 PD

10%, 120 G.

1 .. 0.97 FA

20%, 20 G.

1 .. 1.06 SS

Solution 9.84%, 220 G. Aerosol Spray

1 .. 4.19 RK

5%, 340 ml. Aerosol Spray

1 .. 4.97 BT

10%, 180 ml. Aerosol Spray

1 .. 2.30 LF

SURGICAL CEMENT

†Adhesive Cement 2 oz. tube

1 2 †0.47 JA

†Skin Bond Adhesive 4 fl. oz.

1 2 †2.25 DY

†Solvent 240 ml.

1 2 †1.65 LF

TRAGACANTH INDIAN (GUM KARAYA)

†Powder 200 G.

1 .. †1.92 PT

†2.40 EV

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMINOCAPROIC ACID Oral Tablet 500 mg. Syrup 250 mg. per ml., 16 fl. oz. 250 mg. per ml., 20 ml. I.V. Injection 250 mg. per ml., 10 ml. Parenteral Injection 250 mg. per ml., 20 ml.			\$	
ANGIOTENSIN AMIDE Injection 0.5 mg. (solvent required) 2.5 mg. (solvent required)				
AZATHIOPRINE Oral Tablet 50 mg. 100 mg.				
BECLAMIDE Oral Tablet 500 mg.				
CARBENOXOLONE Oral Tablet 50 mg.				
CEPHALORIDINE Injection 250 mg. 500 mg. 1 G.				

CLOXACILLIN

Oral Capsule 250 mg.

Injection 250 mg.

Suspension 125 mg. per 5 ml., 100 ml.

CYCLOSERINE

Oral Tablet 250 mg.

Oral Capsule 250 mg.

DESFERRIOXAMINE

Injection 500 mg.

DITOPHAL

Liquid 250 ml.

FLUFENAMIC ACID

Oral Capsule 100 mg.

FOLINIC ACID

Injection 3 mg. in 1 ml.

GUANACLINE

Oral Tablet 30 mg.

HEXACHLOROPHANE

Lotion (3%) with Entsufoin 6 fl. oz.

Lotion (3%) with Terric N.8 4 fl. oz.

Soap Solution (1.5%) 10 fl. oz.

Solution (3%) with Chloroxylenol, 6 fl. oz.

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY.

Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
KITASAMYCIN Oral Tablet 100 mg. 200 mg. I.V. Injection set containing 200 mg. and 2 x 10 ml. ampoules of saline solution.			\$	
METHOTREXATE Injection 5 mg. 50 mg.				
METYRAPONE Oral Capsule 250 mg.				
ORCIPRENALINE Injection 0.5 mg.				
PARGYLINE Oral Tablet 10 mg. 25 mg.				
PROPRANOLOL Oral Tablet 10 mg. 40 mg. Injection 1 mg. per ml., 5 ml.				
PYRAZINAMIDE Oral Tablet 0.5 G.				

SULPHOMYXIN

Injection 500,000 Units

TETRACOSACTIDE

Injection set containing 250 micrograms and
2 ml. solution.

THYROTROPHIN

Injection 10 Units

TRASYLOL

Injection 25,000 K.I.U. in 5 ml.
100,000 K.I.U. in 10 ml.

VADRINE

Oral Tablet 500 mg.

SECTION 4

SCHEDULE OF BENEFITS

DRUGS AVAILABLE FOR EXTEMPORANEOUS PREPARATIONS

DECEMBER 1968

Drug	Drug
Acetone, B.P.C. (may only be prescribed as an additive)	ALCOHOLS
ACIDS	95%, B.P. (may only be prescribed as an additive)
Acetic, B.P.	90%, B.P. (may only be prescribed as an additive)
Acetic, Dilute, B.P.	Aloes, Powder, B.P.
Acetylsalicylic, B.P.	Aloin, B.P.C.
Benzoic, B.P.	Alum, B.P.
Boric, Crystal, B.P.	Aluminium Hydroxide Gel Dried B.P.
Boric, Powder, B.P.	Amaranth, B.P.C.'54
Citric, B.P.	Amethocaine Hydrochloride, B.P. (may only be prescribed as an additive)
Hydrochloric, B.P.	Aminacrine Hydrochloride, B.P.
Hydrochloric, Dilute, B.P.	Aminophylline, B.P.
Hydrocyanic, Dilute, B.P.C. 54	Ammoniated Mercury, B.P.
Hypophosphorous, Dilute, B.P.C.	AMMONIUM
Lactic, B.P.	Bicarbonate, B.P.C.
Oleic, B.P.	Bromide, B.P.C.
Phosphoric, B.P.	Chloride, B.P.
Phosphoric, Dilute, B.P.	Amylobarbitone B.P.
Salicylic, B.P.	Amylobarbitone Sodium B.P.
Stearic, B.P.C.	Application Benzyl Benzoate, B.P.
Sulphuric, Dilute, B.P.C.	Atropine, B.P.
Tannic, B.P.	Atropine Methonitrate, B.P.
Tartaric, B.P.	Atropine Sulphate, B.P.
Trichloroacetic, B.P.	
Acriflavine, B.P.C.	Balsam, Peru, B.P.C.
Adrenaline, B.P.	Balsam, Tolu, B.P.
Adrenaline Acid Tartrate, B.P.	
Agar, B.P.C. 54	

Beeswax White, B.P.
Beeswax Yellow, B.P.C.
Bentonite, B.P.
Benzocaine, B.P.
Benzyl Alcohol, B.P.
Benzyl Benzoate, B.P.
Bismuth Subgallate, B.P.C.
Borax, B.P.
Brilliant Green, B.P.
Butyl Aminobenzoate, B.P. 53

Caffeine, B.P.
Caffeine Citrate, B.P.C. 59
Caffeine and Sodium Benzoate, B.P.C. 54
Calamine, B.P.

CALCIUM

Carbonate, B.P.
Chloride, B.P.
Gluconate, B.P.
Hydroxide, B.P.
Lactate, B.P.
Phosphate, B.P.C.
Camphor, B.P.
(may only be prescribed as an additive)
Cetomacrogol Emulsifying Wax, B.P.C.
Cetostearyl Alcohol, B.P.
Cetrimide, B.P.
Chalk, Prepared, B.P.
Chloral Hydrate, B.P.
Chlorbutol, B.P.

Chlorhexidine Diacetate
(may only be prescribed in ear and eye drops)
Chlorhexidine Hydrochloride, B.P.
Chlorinated Lime, B.P.
Chlorocresol, B.P.
Chloroform, B.P.
(may only be prescribed as an additive)
Cocaine, B.P.
Cocaine Hydrochloride, B.P.
Codeine, B.P.C. 54
Codeine Phosphate, B.P.
Collodion Flexible, B.P.
Colophony, B.P.
Copper Sulphate, B.P.C.

CREAMS

Aqueous, A.P.F.
Aqueous, B.P.
Aqueous Emulsifying Wax, A.P.F. 55
Calamine Oily A.P.F.
Cetomacrogol, Aqueous, A.P.F.
Cetrimide Aqueous, A.P.F.
Cholesterol Oily, A.P.F. 55
Oily, B.P.
Zinc, B.P.
Zinc Oily, A.P.F.
Creosote, B.P.C. 59
Crystal Violet, B.P.

Dextrose, B.P.
(may only be prescribed as an additive)
Dextrose Monohydrate, B.P.
(may only be prescribed as an additive)

DRUG	DRUG
Dibutyl Phthalate, B.P.	Ferric Ammonium Citrate, B.P.
Dicophane, B.P.	FERROUS
Dimethyl Phthalate, B.P.	Gluconate, B.P.
Dithranol, B.P.	Sulphate, B.P.
Dusting Powder Absorbable, B.P.	Sulphate, Dried, B.P.
ELIXIR	Fluorescein Sodium, B.P.
Cascara, B.P.	Gelatin, B.P.
Emulsifying Wax, B.P.	Glycerin, B.P.
EMULSION	GLYCERINS
Paraffin Liquid, A.P.F.	Borax, B.P.C. 59
(may only be prescribed as pensioner benefit)	Boric Acid, B.P. 48
Ephedrine, B.P.C.	Ichthammol, B.P.C.
Ephedrine Hydrochloride, B.P.	Phenol, B.P.
	(not available for ear drops)
Ether Anaesthetic, B.P.	GUMS
(may only be prescribed as an additive)	Acacia, B.P.
Ether Solvent, B.P.	Tragacanth, B.P.
Eucalyptol, B.P.C.	
EXTRACTS	Homatropine Hydrobromide, B.P.
Cascara, Liquid, B.P.	Honey, Purified, B.P.C.
Ergot, Liquid, B.P. 14	(may only be prescribed as an additive)
Hamamelis, Liquid, B.P.C.	Hydrogen Peroxide, 20 Volume, B.P.
Hyoscyamus, Liquid, B.P.	
Ipecacuanha, Liquid, B.P.	Ichthammol, B.P.
Liquorice, Liquid, B.P.	INFUSIONS
Male Fern, B.P.	Buchu, Concentrated, B.P.C. 54, 1-7
Nux Vomica, Liquid, B.P.	Calumba, Concentrated, B.P. 48, 1-7
Stramonium, Liquid, B.P.	Clove, Concentrated, B.P.C. 54, 1-7
	Gentian Compound, Concentrated, B.P. 1-7

INFUSIONS - cont.

Senega, Concentrated, B.P.C., 1-7
Iodine, B.P.
Iodoform, B.P.C. 54
Isoprenaline Sulphate, B.P.

Kaolin, Heavy, B.P.
Kaolin, Light, B.P.

Lactose, B.P.
Lanette Wax S.X.
Lard, Benzoinated, B.P.C. 54

LINIMENTS

Camphor, B.P.
Iodine Compound, A.P.F. 55
Methyl Salicylate, A.P.F.
Methyl Salicylate Compound, A.P.F.
Soap Methylated, B.P.C.
Turpentine, B.P.

LOTIONS

Calamine, B.P.

Magenta, B.P.C.

MAGNESIUM

Carbonate, Heavy, B.P.
Carbonate, Light, B.P.
Oxide, Light, B.P.
Sulphate, B.P.
Sulphate, Dried, B.P.
Trisilicate, B.P.

Menthol, B.P.
Mercuric Chloride, B.P.
Methylcellulose, B.P.
Methylene Blue, B.P.

METHYL

Hydroxybenzoate, B.P.
Salicylate, B.P.

MIXTURES

Aluminium Hydroxide, A.P.F.
Magnesium Hydroxide, B.P.
Senna Compound, B.P.C. 59
Morphine Hydrochloride, B.P.
Morphine Sulphate, B.P.

MUCILAGES

Acacia, A.P.F.
Methylcellulose, A.P.F.
Tragacanth, B.P.

OILS

Almond Volatile Bitter, B.P.C. 59
Anise, B.P.
Arachis, B.P.
(may only be prescribed as an additive)
Cade, B.P.C.
Caraway, B.P.C.
(may only be prescribed as an additive)
Castor, B.P.
Citronella, B.P.C.
(may only be prescribed as an additive)
Clove, B.P.
Coconut, B.P.C. 49
Cod Liver, B.P.

Drug	Drug
OILS - cont. Cotton Seed, B.P. (may only be prescribed as an additive) Eucalyptus, B.P. Lavender, Spike, B.P.C. Maize, B.P. (may only be prescribed as an additive) Olive, B.P. (may only be prescribed as an additive) Peppermint, B.P. Pumilio Pine, B.P.C. Rosemary, B.P.C. Siberian Fir, B.P.C. 49 Theobroma, B.P. Turpentine, B.P.	OINTMENTS - cont. Paraffin, Yellow, B.P. Phenol, B.P. 48 Salicylic Acid, B.P. Simple, White, B.P. Simple, Yellow, B.P. Sulphur, B.P. Tar, B.P.C. 59 Wool Alcohols, B.P. Zinc, B.P. Zinc and Castor Oil, B.P.
OINTMENTS Ammoniated Mercury, B.P. Benzocaine and Adrenaline, A.P.F. Benzoic Acid Compound, A.P.F. Capsicum, B.P.C. Cod Liver Oil, A.P.F. Emulsifying, B.P. Gall and Opium, B.P.C. Hamamelis, B.P.C. Iodine, Non-staining, A.P.F. Iodine, Non-staining, B.P.C. Menthol Compound, A.P.F. Methyl Salicylate, B.P.C. Paraffin, White, B.P.	OPHTHALMIC Phosphate Buffers, A.P.F., 55 Cetrimide Chlorbutol Paraben Vehicles, A.P.F. 55 Cetrimide Chlorbutol Oily Paraben Thickened Oxymel, B.P.C. Oxymel of Squill, B.P.C. Paint Magenta, A.P.F. Papaverine Hydrochloride, B.P. Paracetamol, B.P. Paraffin Hard, B.P.

Paraffin Liquid, B.P.
Paraffin Liquid, Light, B.P.C.
Paraffin, Soft, White, B.P.
Paraffin, Soft, Yellow, B.P.
Paraldehyde, B.P.

PASTES

Zinc Compound, B.P.
Zinc and Salicylic Acid, B.P.
Pectin (Apple or Citrus)
Pentobarbitone Sodium, B.P.
Phenazone, B.P.C.
Phenobarbitone, B.P.
Phenobarbitone Sodium, B.P.
Phenol, B.P.

(not available for ear drops)

Phenol, Liquefied, B.P.

(not available for ear drops)

Phenolphthalein, B.P.
Phenylephrine Hydrochloride, B.P.
Phenylmercuric Nitrate, B.P.
Pholcodine, B.P.
Phthalylsulphathiazole, B.P.
Physostigmine, B.P.C.
Physostigmine Salicylate, B.P.
Pilocarpine Hydrochloride, B.P.C.
Pilocarpine Nitrate, B.P.
Podophyllum Resin, B.P.

POTASSIUM

Bromide, B.P.
Chlorate, B.P.C.
Chloride, B.P.
Citrate, B.P.

POTASSIUM - cont.

Hydroxide, B.P.
Iodide, B.P.
Nitrate, B.P.
Permanganate, B.P.

POWDERS

Hydroxybenzoate Compound, A.P.F.
Ipecacuanha and Opium, B.P.
Rhubarb, B.P.
Tragacanth Compound, B.P.
Procaine Hydrochloride, B.P.
Proflavine Hemisulphate, B.P.
Propylene Glycol, B.P.
Propyl Hydroxybenzoate, B.P.

Quinalbarbitone Sodium, B.P.

Quinidine Sulphate, B.P.

Resorcinol, B.P.

Saccharin Sodium, B.P.

(may only be prescribed as an additive)

Silver Nitrate, B.P.
Silver Protein, B.P.C.
Silver Protein, Mild, B.P.C.

SOAPS

Ethereal, A.P.F. 55
Soft, B.P.

SODIUM

Acid Phosphate, B.P.
Aminosalicylate, B.P.
Benzoate, B.P.
Bicarbonate, B.P.

Drug	Drug
SODIUM - cont. Bromide, B.P. Chloride, B.P. Citrate, B.P. Edetate, B.P.C. Hydroxide, B.P. Iodide, B.P. Metabisulphite, B.P. Nitrite, B.P.C. Phosphate, B.P. Salicylate, B.P. Sulphate, B.P. Thiosulphate B.P.C. (may only be prescribed as an additive) SOLUTIONS Adrenaline, B.P. Adrenaline Hydrochloride, B.P. 53 Aluminium Acetate, B.P.C. Amaranth, A.P.F. Amaranth, B.P.C. Amaranth, Compound, A.P.F. Ammonia, Dilute, B.P.C. Ammonia, Strong, B.P.C. Ammonium Acetate, Strong, B.P.C. Benedict's Qualitative, A.P.F. Benzalkonium Chloride 50%, B.P. Benzoic Acid, A.P.F. Benzoic Acid, B.P.C.	SOLUTIONS - cont. Burnt Sugar (may only be prescribed as an additive) Calcium Hydroxide, B.P. Carminc, A.P.F. (may only be prescribed as an additive) Chlorhexidine Gluconate, B.P. Coal Tar, B.P. Formaldehyde, B.P. Iodine Aqueous, B.P. Iodine, Simple, B.P.C. 59 Iodine, Weak, B.P. Lead Subacetate, Dilute, B.P. Lead Subacetate, Strong, B.P. Morphine Hydrochloride, B.P. Nasal, Concentrated, A.P.F. 56 Potassium Hydroxide, B.P. Sodium Chloride, B.P.C. Tartrazine, A.P.F. SPIRITS Ammonia, Aromatic, B.P.C. Anise, B.P.C. 49 Camphor, B.P.C. 59 Chloroform, B.P. Cinnamon, B.P.C. 49 Ether, Nitrous, B.P.C. 59 Methylated, Industrial (may only be prescribed as an additive) Peppermint, B.P.C.

Starch, B.P.
Streptomycin Sulphate, B.P.
(may only be prescribed in ear drops)
Succinylsulphathiazole, B.P.
Sucrose, B.P.
Sulphacetamide Sodium, B.P.
Sulphadiazine, B.P.
Sulphadimidine, B.P.
Sulphur, Precipitated, B.P.
Sulphur, Sublimed, B.P.C.
Sulphurated Potash, B.P.C.

SYRUPS

Aromatic, A.P.F.
Chloral, B.P.C.
Codeine Phosphate, B.P.C.
Ferrous Phosphate Compound B.P.C.
Ferrous Phosphate with Quinine
and Strychnine, B.P.C.
Ginger, B.P.
Glucose, Liquid, B.P.C.
Glycerophosphate Compound, A.P.F.
Golden, Acidified, A.P.F. 55
Lemon, A.P.F.
Lemon, B.P. 58
Lemon, Neutral, A.P.F.
Orange, B.P.
Pholcodine Citrate, B.P.C. 59
Raspberry, B.P.C.
Red, A.P.F.
Simple, B.P.
Squill B.P.C.
Tolu, B.P.

Talc, Purified, B.P.
Tar, B.P.
Tar, Coal, B.P.C.
Tar, Coal, Prepared, B.P.
Tartrazine, B.P.C. 54
Theophylline, B.P.
Theophylline Hydrate, B.P.
Thymol, B.P.
Thymol, Mouth Wash, Compound, A.P.F.

TINCTURES

Belladonna, B.P.
Benzoin, B.P.C.
Benzoin Compound, B.P.C.
Capsicum, B.P.C.
Cardamom, Aromatic, B.P.C.
Cardamom, Compound, B.P.
Catechu B.P.C.
Cochineal, B.P. 48
Colchicum, B.P.
Cudbear, A.P.F. 47
Gelsemium, B.P.C.
Gentian Compound, B.P.
Ginger, Strong, B.P.
Ginger, Weak, B.P.
Hyoscyamus, B.P.
Ipecacuanha, B.P.
Lemon, B.P. 58
Lobelia, Ethereal, B.P.C.
Myrrh, B.P.C.
Nux Vomica, B.P.
Opium, B.P.

DRUG	DRUG
TINCTURES - cont. Opium, Camphorated, B.P. Orange, B.P. Quillaia, B.P.C. Rhubarb Compound, B.P. Squill, B.P.C. Stramonium, B.P. Strophanthus, B.P. 48 Valerian, Ammoniated, B.P.C. Titanium Dioxide, B.P.C. Tragacanth Gel, A.P.F. Triethanolamine, B.P.C. Urethane, B.P. Vanillin, B.P.C. Vinegar of Squill, B.P.C.	Wool Alcohols, B.P. Wool Fat, B.P. Wool Fat, Hydrous, B.P. Xylene of commerce (may only be prescribed as an additive)
WATERS Anise, Concentrated, B.P.C., 1-39 Camphor, Concentrated, B.P.C. 49, 1-39 Chlorbutol, A.P.F. 55 Chloroform, Concentrated, B.P.C. 59, 1-39 Cinnamon, Concentrated, B.P.C., 1-39 For Injection, B.P. ‡ 100 ml. (extemporaneously prepared eye drops only) Peppermint, Concentrated, B.P., 1-39 Potable Purified or Distilled, B.P.	ZINC Gelatin, B.P. Oxide, B.P. Sulphate, B.P.

TABLE OF CODES, MAXIMUM METRIC QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty or No. of Units	Number of Repeats
10	Applications	200 ml.	2	34	Other Linctuses	100 ml.	4
11	Capsules	12	1	38	Liniments	100 ml.	1
12	Collodions	15 ml.	2	39	Lotions	200 ml.	2
35	Confections	100 G.	2	58	Magmas	100 ml. or 100 G.	1
13	Creams	100 G.	1	40	Mixtures	200 ml.	4
14	Draughts	200 ml.	4	41	Mixtures for Children	100 ml.	4
15	Ear Drops	15 ml.	2	30	Mouth Washes	200 ml.	1
16	Elixirs	100 ml.	4	60	Mucilages	100 ml.	..
17	Emulsions	400 ml.	4	42	Nasal Instillations	15 ml.	2
18	Enemas	100 ml.	1	43	Ointments, Waxes	100 G.	1
19	Extracts, Fluid	100 ml.	1	44	Paints	25 ml.	1
20	Eye Drops of Physostigmine	15 ml.	6	57	Parogens	100 ml.	2
21	Eye Drops of Pilocarpine	15 ml.	6	45	Pastes	100 G.	1
22	Other Eye Drops	15 ml.	2	46	Pessaries	12	1
23	Eye Lotions	200 ml.	1	47	Poultices	500 G.	1
24	Eye Ointments	5 G.	..	48	Powders, Dusting	100 G.	1
25	Gargles	200 ml.	4	49	Powders for internal use	100 G.	2
26	Gelatins	100 G.	1	50	Powders, Individual	12	1
27	Glycanths	100 G.	1	61	Powders, Irrigation	100 G.	1
28	Glycerins	100 ml.	1	51	Soaps	200 ml.	1
29	Inhalations	50 ml.	1	52	Solutions	200 ml.	2
37	Inhalations Solid	4 G.	1	59	Spirits	25 ml.	..
32	Irrigations	200 ml.	1	53	Sprays	15 ml.	2
33	Insufflations	25 G.	1	54	Suppositories	12	1
31	Injectons - Ampoules	5 amps.	1	55	Syrups	100 ml.	4
	Vials	1 vial	1	56	Tinctures	25 ml.	1
34	Linctuses of Codeine and Morphine	100 ml.	2	62	Unna's Paste	200 G.	..
34	Linctuses of Codeine and Morphine (for children)	100 ml.	4				

TABLE OF CODES, MAXIMUM IMPERIAL QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty or No. of Units	Number of Repeats
10	Applications	8 fl. oz.	2	34	Other Linctuses	4 fl. oz.	4
11	Capsules	12	1	38	Liniments	4 fl. oz.	1
12	Collodions	240 min.	2	39	Lotions	8 fl. oz.	2
35	Confections	4 oz.	2	58	Magmas	4 fl. oz. or 4 oz.	1
13	Creams	4 oz.	1	40	Mixtures	8 fl. oz.	4
14	Draughts	8 fl. oz.	4	41	Mixtures for Children	4 fl. oz.	4
15	Ear Drops	1/2 fl. oz.	2	30	Mouth Washes	8 fl. oz.	1
16	Elixirs	4 fl. oz.	4	60	Mucilages	4 fl. oz.	..
17	Emulsions	16 fl. oz.	4	42	Nasal Instillations	1/2 fl. oz.	2
18	Enemas	4 fl. oz.	1	43	Ointments, Waxes	4 oz.	1
19	Extracts, Fluid	4 fl. oz.	1	44	Paints	1 fl. oz.	1
20	Eye Drops of Physostigmine	240 min.	6	57	Parogens	4 fl. oz.	2
21	Eye Drops of Pilocarpine	240 min.	6	45	Pastes	4 oz.	1
22	Other Eye Drops	240 min.	1	46	Pessaries	12	1
23	Eye Lotions	8 fl. oz.	1	47	Poultices	1 lb.	1
24	Eye Ointments	60 gr.	..	48	Powders, Dusting	4 oz.	1
25	Gargles	8 fl. oz.	4	49	Powders for internal use	4 oz.	2
26	Gelatins	4 oz.	1	50	Powders, Individual	12	1
27	Glycanths	4 oz.	1	61	Powders, Irrigation	4 oz.	1
28	Glycerins	4 fl. oz.	1	51	Soaps	8 fl. oz.	1
29	Inhalations	2 fl. oz.	1	52	Solutions	8 fl. oz.	2
37	Inhalations, Solid	60 gr.	1	59	Spirits	1 fl. oz.	..
32	Irrigations	8 fl. oz.	1	53	Sprays	1/2 fl. oz.	2
33	Insufflations	1 oz.	1	54	Suppositories	12	1
31	Injectons - Ampoules	5 amps.	1	55	Syrups	4 fl. oz.	4
	Vials	1 vial.	1	56	Tinctures	1 fl. oz.	1
34	Linctuses of Codeine and Morphine	4 fl. oz.	2	62	Unna's Paste	8 oz.	..
34	Linctuses of Codeine and Morphine (for children)	4 fl. oz.	4				

SECTION 5 — PRESCRIBERS' LIST

DECEMBER 1968

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml and 2 Repeats)

BENZYL BENZOATE with DICOPHANE

Benzyl Benzoate	..	..	..	50 G
Dicophane	..	..	..	4 G
Emulsifying Wax	..	..	..	4 G
Purified Water to	..	..	..	200 ml

DICOPHANE

Dicophane	..	..	..	4 G
Emulsifying Wax	..	..	..	8 G
Xylene of commerce	..	..	..	30 ml
Citronella Oil	..	..	..	1 ml
Purified Water to	..	..	..	200 ml

CREAMS

(Maximum Quantity 100 G and 1 Repeat)

ALUMINIUM ACETATE, OILY

Aluminium Acetate Solution	..	..	..	5 ml
Zinc Oxide	..	..	..	20 G
Wool Fat	..	..	..	25 G
Arachis Oil	..	..	..	25 ml
Purified Water	..	..	..	27 1/2 ml

PRESCRIPTION

AQUEOUS

Emulsifying Wax	..	..	..	10 G
Hard Paraffin	..	..	..	6 G
Liquid Paraffin	..	..	..	27 G
Compound Hydroxybenzoate				
Powder, A.P.F.	..	..	..	100 mg
Purified Water to	..	..	..	100 G

BUFFERED, AQUEOUS

Sodium Phosphate	..	..	..	2.5 G
Citric Acid	..	..	..	500 mg
Compound Hydroxybenzoate				
Powder, A.P.F.	..	..	..	100 mg
Emulsifying Ointment	..	..	..	30 G
Purified Water to	..	..	..	100 G

CALAMINE, AQUEOUS

Calamine	..	..	..	4 G
Zinc Oxide	..	..	..	3 G
Emulsifying Wax	..	..	..	6 G
Arachis Oil	..	..	..	40 ml
Purified Water to	..	..	..	100 G

CALAMINE, OILY

Calamine	..	..	..	32 G
Oleic Acid	..	..	..	0.5 ml
Arachis Oil	..	..	..	21.5 ml
Wool Fat	..	..	..	17.5 G
Calcium Hydroxide Solution	..	..	..	30.5 ml

PRESCRIPTION

CREAMS—cont.

CETOMACROGOL, AQUEOUS

Cetomacrogol Emulsifying Wax	..	15 G
Liquid Paraffin	..	15 G
White Soft Paraffin	..	10 G
Glycerin	..	10 ml
Chlorocresol	..	100 mg
Purified Water to	..	100 G

CETRIMIDE, AQUEOUS

Cetrimide	..	500 mg
Cetostearyl Alcohol	..	5 G
Liquid Paraffin	..	50 G
Purified Water to	..	100 G

CHLORHEXIDINE, AQUEOUS

Chlorhexidine Gluconate Solution	..	5 ml
Cetomacrogol Emulsifying Wax	..	25 G
Liquid Paraffin	..	10 G
Purified Water to	..	100 G

COAL TAR and ZINC

Coal Tar, B.P.C.	..	1 G
Castor Oil	..	1 G
Zinc Cream	..	98 G

COLD

White Beeswax	..	20 G
Liquid Paraffin	..	60 G
Borax	..	1 G
Purified Water	..	19 G

PRESCRIPTION

GLYCERIN, OILY

Glycerin	..	20 G
Calcium Hydroxide Solution	..	32 ml
Arachis Oil	..	22 G
Wool Fat	..	26 G

ICHTHAMMOL and ZINC, OILY

Ichthammol	..	5 G
Cetostearyl Alcohol	..	3 G
Wool Fat	..	10 G
Oily Zinc Cream	..	82 G

OILY

Wool Alcohols Ointment	..	50 G
Purified Water	..	50 G

SALICYLIC ACID and RESORCINOL, AQUEOUS

Salicylic Acid	..	2 G
Resorcinol	..	2 G
Aqueous Cream, A.P.F. to	..	100 G

SALICYLIC ACID and SULPHUR, AQUEOUS

Salicylic Acid	..	2 G
Precipitated Sulphur	..	2 G
Spike Lavender Oil	..	0.5 ml
Aqueous Cream, A.P.F. to	..	100 G

PRESCRIPTION

CREAMS—cont.

ZINC, OILY

Zinc Oxide	..	..	..	..	32 G
Oleic Acid	..	..	..	..	0.5 ml
Arachis Oil	..	..	..	..	21.5 ml
Wool Fat	..	..	..	..	17.5 G
Calcium Hydroxide Solution	..	..	..	..	30.5 ml

ZINC, WEAK

Zinc Oxide	..	..	..	..	5 G
Oleic Acid	..	..	..	..	0.5 ml
Arachis Oil	..	..	..	..	38.5 ml
Wool Fat	..	..	..	..	25 G
Calcium Hydroxide Solution	..	..	..	..	34.5 ml

DUSTING POWDERS

(Maximum Quantity 100 G and 1 Repeat)

BORIC TALC

Boric Acid	..	..	..	..	5 G
Starch	..	..	..	..	10 G
Purified Talc	..	..	..	..	85 G

DICOPHANE

Dicophane	..	..	..	..	10 G
Calcium Carbonate	..	..	..	..	10 G
Light Kaolin	..	..	..	..	80 G

PRESCRIPTION

KAOLIN COMPOUND

Light Kaolin	..	..	..	..	25 G
Zinc Oxide	..	..	..	..	25 G
Purified Talc	..	..	..	..	50 G

SALICYLIC ACID, COMPOUND

Salicylic Acid	..	..	..	..	3 G
Boric Acid	..	..	..	..	5 G
Purified Talc	..	..	..	..	92 G

ZINC, COMPOUND

Boric Acid	..	..	..	..	5 G
Zinc Oxide	..	..	..	..	25 G
Purified Talc	..	..	..	..	35 G
Starch	..	..	..	..	35 G

EAR DROPS

(Maximum Quantity 15 ml and 2 Repeats)

ALUMINIUM ACETATE

Aluminium Acetate Solution	..	..	..	..	9 ml
Purified Water to	..	..	..	..	15 ml

BORIC ACID

Boric Acid	..	..	..	..	300 mg
Industrial Methylated Spirit	..	..	..	..	3 ml
Purified Water to	..	..	..	..	15 ml

PREScription

EAR DROPS—*cont.*

CHLORHEXIDINE

Chlorhexidine Diacetate	..	..	7.5 mg
Purified Water to	..	..	15 ml

HYDROGEN PEROXIDE

Hydrogen Peroxide Solution	..	..	3.75 ml
Purified Water to	..	..	15 ml

ICHTHAMMOL

Ichthammol	..	..	10 G
Glycerin	..	..	90 G

PHENYLMERCURIC NITRATE

Phenylmercuric Nitrate	..	..	15 mg
Propylene Glycol to	..	..	15 ml

SALICYLIC ACID

Salicylic Acid	..	..	300 mg
Industrial Methylated Spirit	..	..	7.5 ml
Purified Water to	..	..	15 ml

SODIUM BICARBONATE

Sodium Bicarbonate	..	..	600 mg
Glycerin	..	..	11.25 ml
Purified Water to	..	..	15 ml

SPIRIT

Industrial Methylated Spirit	..	..	7.5 ml
Purified Water to	..	..	15 ml

PREScription

ELIXIRS

(Maximum Quantity 100 ml and 4 Repeats)

EPHEDRINE

Ephedrine Hydrochloride	..	..	20 mg
Aromatic Syrup, A.P.F.	..	..	2 ml
Concentrated Chloroform Water	..	..	0.1 ml
Water to	..	..	5 ml

PHENOBARBITONE

Phenobarbitone	..	..	15 mg
Alcohol (90 per cent)	..	..	2 ml
Glycerin	..	..	1.5 ml
Aromatic Syrup, A.P.F. to	..	..	5 ml

EMULSION

(Maximum Quantity 400 ml and 4 Repeats)

LIQUID PARAFFIN

Liquid Paraffin	..	..	200 ml
Acacia	..	..	50 G
Saccharin Sodium	..	..	20 mg
Benzoic Acid Solution, A.P.F.	..	..	10 ml
Vanillin	..	..	200 mg
Chloroform	..	..	1 ml
Purified Water to	..	..	400 ml

(May be prescribed for pensioners only)

PRESCRIPTION

EYE DROPS

(Maximum Quantity 15 ml and 2 Repeats)

ZINC and ADRENALINE

Zinc Sulphate	..	..	..	..	37.5 mg
Adrenaline Solution	..	..	..	..	1.5 ml
Boric Acid	..	..	..	..	225 mg
Sodium Metabisulphite	..	..	..	..	7.5 mg
Chlorbutol	..	..	..	..	75 mg
Glycerin	..	..	..	..	0.15 ml
Water for Injection to	..	..	..	..	15 ml

ZINC SULPHATE

Zinc Sulphate	..	..	..	..	37.5 mg
Boric Acid	..	..	..	..	225 mg
Chlorbutol	..	..	..	..	75 mg
Glycerin	..	..	..	..	0.15 ml
Water for Injection to	..	..	..	..	15 ml

INHALATIONS

(Maximum Quantity 50 ml and 1 Repeat)

BENZOIN

Compound Benzoin Tincture B.P.C.	..	50 ml

MENTHOL and BENZOIN

Menthol	..	..	..	..	1 G
Compound Benzoin Tincture B.P.C. to	..	..	..	..	50 ml

PRESCRIPTION

MENTHOL and EUCALYPTUS

Menthol	..	..	..	..	1 G
Eucalyptus Oil	..	..	..	..	6.25 ml
Light Magnesium Carbonate	..	..	..	..	3.5 G
Water to	..	..	..	..	50 ml

MENTHOL and PINE

Menthol	..	..	..	..	1 G
Creosote	..	..	..	..	1 ml
Pumilio Pine Oil	..	..	..	..	2.5 ml
Industrial Methylated Spirit to	..	..	..	..	50 ml

LINCTUSES

(Except where shown, Maximum Quantity 100 ml and 4 Repeats)

CAMPHOR COMPOUND

Camphorated Opium Tincture	..	2 ml
Oxymel of Squill	..	1 ml
Syrup to	..	5 ml

CODEINE

(Maximum Quantity 100 ml and 2 Repeats)

Codeine Phosphate	..	..	..	..	25 mg
Water	..	..	..	..	1 ml
Glycerin	..	..	..	..	1 ml
Oxymel of Squill	..	..	..	..	2 ml
Syrup to	..	..	..	..	5 ml

PRESCRIPTION

LINCTUSES—cont.

PHOLCODINE

Pholcodine	..	..	..	..	5 mg
Citric Acid	..	..	..	..	50 mg
Chloroform Spirit	..	..	..	..	0.3 ml
Compound Amaranth Solution, A.P.F.	..	..	..	..	0.1 ml
Glycerin	..	..	..	..	1 ml
Syrup to	..	..	..	..	5 ml

SIMPLE

Citric Acid	..	..	..	..	200 mg
Chloroform Spirit	..	..	..	..	0.3 ml
Amaranth Solution, A.P.F.	..	..	..	..	0.1 ml
Concentrated Anise Water	..	..	..	..	0.1 ml
Syrup to	..	..	..	..	5 ml

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

CAMPHOR

Camphor	..	..	..	..	20 G
Arachis Oil	..	..	..	..	80 G

METHYL SALICYLATE

Methyl Salicylate	..	..	..	..	25 ml
Arachis Oil to	..	..	..	..	100 ml

PRESCRIPTION

METHYL SALICYLATE, COMPOUND

Menthol	..	..	..	..	4 G
Eucalyptus Oil	..	..	..	..	10 ml
Methyl Salicylate	..	..	..	..	25 ml
Arachis Oil to	..	..	..	..	100 ml

SOAP

Camphor	..	..	..	..	4 G
Oleic Acid	..	..	..	..	4 G
Potassium Hydroxide Solution, (5 per cent)	..	..	..	..	14 ml
Industrial Methylated Spirit	..	..	..	..	70 ml
Rosemary Oil	..	..	..	..	1.5 ml
Purified Water to	..	..	..	..	100 ml

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

CALAMINE

Calamine	..	..	..	..	30 G
Zinc Oxide	..	..	..	..	10 G
Bentonite	..	..	..	..	6 G
Sodium Citrate	..	..	..	..	1 G
Liquefied Phenol	..	..	..	..	1 ml
Glycerin	..	..	..	..	10 ml
Purified Water to	..	..	..	..	200 ml

LOTIONS—*cont.*

CALAMINE OILY

Calamine	..	..	..	..	10 G
Wool Fat	..	..	..	..	2 G
Arachis Oil	..	..	..	..	100 ml
Oleic Acid	..	..	..	..	1 ml
Calcium Hydroxide Solution to	..	..	..	..	200 ml

RESORCINOL COMPOUND

Resorcinol	..	..	..	..	5 G
Solvent Ether	..	..	..	..	5 ml
Castor Oil	..	..	..	..	5 ml
Spike Lavender Oil	..	..	..	..	0.2 ml
Industrial Methylated Spirit to	..	..	..	..	200 ml

SULPHURATED

Zinc Sulphate	..	..	..	..	10 G
Sulphurated Potash	..	..	..	..	10 G
Acetone	..	..	..	..	10 ml
Glycerin	..	..	..	..	10 ml
Spike Lavender Oil	..	..	..	..	0.4 ml
Purified Water to	..	..	..	..	200 ml

ZINC SULPHATE

Zinc Sulphate	..	..	..	..	2 G
Amaranth Solution, A.P.F.	..	..	..	..	2 ml
Purified Water to	..	..	..	..	200 ml

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

ACETYLSALICYLIC ACID

Acetylsalicylic Acid	..	..	..	..	500 mg
Compound Tragacanth Powder	..	..	..	..	200 mg
Orange Syrup	..	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

Additional drugs may be required to be prescribed with this mixture, and the following doses are considered suitable for addition to each 10 millilitre dose

Amylobarbitone	..	..	..	..	25 mg
Morphine Hydrochloride	..	..	..	..	10 mg

ACETYLSALICYLIC ACID and CODEINE

Codeine Phosphate	..	..	..	..	20 mg
Acetylsalicylic Acid	..	..	..	..	500 mg
Compound Tragacanth Powder	..	..	..	..	200 mg
Orange Syrup	..	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

PREScription

MIXTURES—cont.

ACETYSALICYLIC ACID and MORPHINE

Morphine Hydrochloride Solution	..	1 ml
Amaranth Solution A.P.F.	..	0.1 ml
Acetylsalicylic Acid	..	500 mg
Compound Tragacanth Powder	..	200 mg
Orange Syrup	..	1 ml
Concentrated Chloroform Water	..	0.25 ml
Water to	..	10 ml

**ACETYSALICYLIC ACID and
PHENOBARBITONE**

Phenobarbitone	..	20 mg
Acetylsalicylic Acid	..	500 mg
Compound Tragacanth Powder	..	200 mg
Orange Syrup	..	1 ml
Concentrated Chloroform Water	..	0.25 ml
Water to	..	10 ml

ALUMINIUM HYDROXIDE with BELLADONNA

Belladonna Tincture	..	0.5 ml
Mixture of Aluminium Hydroxide		
A.P.F. to	..	10 ml

PREScription

**ALUMINIUM HYDROXIDE with KAOLIN and
OPIUM**

Light Kaolin	..	2 G
Opium Tincture	..	0.3 ml
Mixture of Aluminium Hydroxide		
A.P.F. to	..	10 ml

ALUMINIUM HYDROXIDE with PROCAINE

Procaine Hydrochloride	..	100 mg
Mixture of Aluminium Hydroxide		
A.P.F. to	..	10 ml

AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium	..	20 mg
Ephedrine Hydrochloride	..	15 mg
Potassium Iodide	..	500 mg
Aminophylline	..	100 mg
Liquorice Liquid Extract	..	0.5 ml
Chloroform Water Concentrated	..	0.25 ml
Water to	..	10 ml

CAFFEINE, IODIDE and EPHEDRINE

Synonym: C.I.E. Mixture

Caffeine	..	150 mg
Sodium Iodide	..	500 mg
Ephedrine Hydrochloride	..	20 mg
Syrup Tolu	..	4 ml
Spirit of Aniseed	..	0.06 ml
Water to	..	10 ml

MIXTURES—*cont.*

CALCIUM ACETYSALICYLATE

Acetysalicylic Acid	..	..	..	550 mg
Calcium Hydroxide	..	..	..	155 mg
Neutral Syrup of Lemon	..	..	..	2 ml
Solution of Carmine	..	..	..	0.1 ml
Water to	..	..	..	10 ml

CHALK and KAOLIN

Chalk	..	..	..	..	1.5 G
Light Kaolin	..	..	..	..	2.5 G
Light Magnesium Carbonate	..	..	..	..	200 mg
Concentrated Chloroform Water	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

CHLORAL HYDRATE

Chloral Hydrate	..	..	..	..	1 G
Orange Syrup	..	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

FERROUS SULPHATE

Ferrous Sulphate	..	..	..	..	300 mg
Dextrose Monohydrate	..	..	..	..	1 G
Orange Syrup	..	..	..	..	1 ml
Citric Acid	..	..	..	..	50 mg
Concentrated Chloroform Water	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

GENTIAN ACID

Concentrated Compound Gentian Infusion	..	..	..	..	1.25 ml
Dilute Hydrochloric Acid	..	..	..	..	0.5 ml
Concentrated Chloroform Water	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

GENTIAN ALKALINE

Concentrated Compound Gentian Infusion	..	..	..	..	1.25 ml
Sodium Bicarbonate	..	..	..	..	500 mg
Concentrated Chloroform Water	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

IPECACUANHA and OPIUM

Synonym: Cough Mixture

Ipecacuanha Tincture	..	..	..	..	0.3 ml
Camphorated Opium Tincture	..	..	..	..	1.2 ml
Syrup Tolu	..	..	..	..	1.2 ml
Oxymel of Squill	..	..	..	..	1 ml
Chloroform Spirit	..	..	..	..	0.3 ml
Anise Water Concentrated	..	..	..	..	0.15 ml
Water to	..	..	..	..	10 ml

KAOLIN and OPIUM

Light Kaolin	..	..	..	..	2.5 G
Light Magnesium Carbonate	..	..	..	..	200 mg
Opium Tincture	..	..	..	..	0.5 ml
Concentrated Chloroform Water	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

PREScription

MIXTURES—cont.

MAGNESIUM TRISILICATE

Magnesium Trisilicate	..	..	1 G
Calcium Carbonate	..	..	500 mg
Light Magnesium Carbonate	..	..	500 mg
Concentrated Peppermint Water	..	..	0.25 ml
Water to	..	..	10 ml

PHENOBARBITONE with BELLADONNA,
PROCAINE and ALUMINIUM HYDROXIDE

Synonym: P.B.P.A. Mixture

Phenobarbitone Sodium	..	..	15 mg
Belladonna Tincture	..	..	0.6 ml
Procaine Hydrochloride	..	..	160 mg
Mixture of Aluminium Hydroxide	..	..	
A.P.F. to	..	..	10 ml

POTASSIUM CHLORIDE

Potassium Chloride	..	..	1 G
Lemon Syrup, A.P.F.	..	..	2 ml
Concentrated Chloroform Water	..	..	0.25 ml
Water to	..	..	10 ml

POTASSIUM CITRATE

Potassium Citrate	..	..	2 G
Citric Acid	..	..	400 mg
Lemon Syrup, A.P.F.	..	..	1 ml
Concentrated Chloroform Water	..	..	0.25 ml
Water to	..	..	10 ml

PREScription

POTASSIUM CITRATE and SODIUM
BICARBONATE

Potassium Citrate	..	..	1 G
Sodium Bicarbonate	..	..	750 mg
Orange Syrup	..	..	1 ml
Concentrated Chloroform Water	..	..	0.25 ml
Water to	..	..	10 ml

POTASSIUM IODIDE and STRAMONIUM,
COMPOUND

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	..	..	250 mg
Stramonium Tincture	..	..	0.5 ml
Lobelia Ethereal Tincture	..	..	0.5 ml
Aromatic Ammonia Spirit	..	..	0.5 ml
Liquorice Liquid Extract	..	..	0.5 ml
Concentrated Chloroform Water	..	..	0.25 ml
Water to	..	..	10 ml

SENEGA and AMMONIA

Ammonium Bicarbonate	..	..	250 mg
Camphorated Opium Tincture	..	..	1 ml
Liquorice Liquid Extract	..	..	0.5 ml
Concentrated Senega Infusion	..	..	0.5 ml
Concentrated Chloroform Water	..	..	0.25 ml
Water to	..	..	10 ml

MIXTURES—cont.

SODIUM CITRATE

Sodium Citrate	.. 2 G
Citric Acid	.. 400 mg
Lemon Syrup, A.P.F.	.. 1 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

SODIUM SALICYLATE

Sodium Salicylate	.. 1 G
Liquorice Liquid Extract	.. 0.25 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

DEXTROSE and GLYCERIN

Dextrose Monohydrate	.. 3 G
Glycerin to	.. 15 ml

EPHEDRINE

Ephedrine Hydrochloride	.. 150 mg
Chlorbutol	.. 75 mg
Sodium Chloride	.. 75 mg
Propylene Glycol	.. 0.75 ml
Purified Water to	.. 15 ml

OINTMENTS

(Maximum Quantity 100 G and 1 Repeat)

BENZOIC ACID, COMPOUND

Benzoic Acid	.. 6 G
Salicylic Acid	.. 3 G
Emulsifying Ointment	.. 91 G

EMULSIFYING

Emulsifying Wax	.. 30 G
White Soft Paraffin	.. 50 G
Liquid Paraffin	.. 20 G

HAMAMELIS, COMPOUND

Hamamelis Liquid Extract	.. 10 ml
Phenol	.. 2 G
Zinc Oxide	.. 10 G
Wool Fat	.. 50 G
Yellow Soft Paraffin to	.. 100 G

RESORCINOL and SULPHUR, COMPOUND

Resorcinol	.. 2 G
Precipitated Sulphur	.. 3 G
Salicylic Acid	.. 1 G
White Simple Ointment	.. 94 G

SALICYLIC ACID

Salicylic Acid	.. 2 G
Wool Alcohols Ointment	.. 98 G

PREScription

ointments—*cont.*

SIMPLE

Wool Fat	5 G
Hard Paraffin	5 G
Cetostearyl Alcohol	5 G
White Soft Paraffin	85 G

SULPHUR

Sublimed Sulphur	10 G
White Simple Ointment	90 G

ZINC and CASTOR OIL

Zinc Oxide	7.5 G
Castor Oil	50 G
Cetostearyl Alcohol	2 G
White Beeswax	10 G
Arachis Oil	30.5 G

ZINC OXIDE

Zinc Oxide	15 G
White Simple Ointment	85 G

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

ICHTHAMMOL

Ichthammol	10 G
Glycerin	90 G

PREScription

MAGENTA

Magenta	100 mg
Resorcinol	2 G
Phenol	1 G
Boric Acid	200 mg
Industrial Methylated Spirit	2 ml
Acetone	1 ml
Purified Water to	25 ml

PODOPHYLLIN

Podophyllum Resin	1.25 G
Compound Benzoin Tincture to	25 ml

PODOPHYLLIN, STRONG

Podophyllum Resin	3.75 G
Compound Benzoin Tincture to	25 ml

SALICYLIC ACID

Salicylic Acid	2.5 G
Flexible Collodion to	25 ml

PASTES

(Maximum Quantity 100 G and 1 Repeat)

COAL TAR

Coal Tar, B.P.C.	1 G
Castor Oil	1 G
Compound Zinc Paste	98 G

PRESCRIPTION

PASTES—cont.

DITHRANOL and ZINC

Dithranol	..	..	..	100 mg
Compound Zinc Paste	..	..	..	99.9 G

DITHRANOL and ZINC, STRONG

Dithranol	..	..	..	1 G
Compound Zinc Paste	..	..	..	99 G

TITANIUM DIOXIDE

Titanium Dioxide	..	..	..	20 G
Zinc Oxide	..	..	..	10 G
Calamine	..	..	..	10 G
Light Kaolin	..	..	..	10 G
Bentonite	..	..	..	1 G

Compound Hydroxybenzoate Powder

A.P.F.	..	..	..	100 mg
Glycerin	..	..	..	20 G
Purified Water to	..	..	..	100 G

ZINC, COMPOUND

Zinc Oxide	..	..	..	25 G
Starch	..	..	..	25 G
White Soft Paraffin	..	..	..	50 G

ZINC and SALICYLIC ACID

Salicylic Acid	..	..	..	2 G
Liquid Paraffin	..	..	..	2 G
Compound Zinc Paste	..	..	..	96 G

PRESCRIPTION

POWDERS

(Maximum Quantity 100 G and 2 Repeats)

ALUMINIUM and MAGNESIUM TRISILICATE

Dried Aluminium Hydroxide Gel	..	..	10 G
Magnesium Trisilicate	..	..	50 G
Light Kaolin	..	..	40 G

MAGNESIUM and CALCIUM CARBONATE

Calcium Carbonate	..	..	25 G
Heavy Magnesium Carbonate	..	..	25 G
Magnesium Trisilicate	..	..	50 G
Peppermint Oil	..	..	0.2 ml

SPRAY

(Maximum Quantity 15 ml and 2 Repeats)

ADRENALINE and ATROPINE

Adrenaline Acid Tartrate	..	..	135 mg
Atropine Methonitrate	..	..	15 mg
Sodium Chloride	..	..	90 mg
Chlorbutol	..	..	75 mg
Sodium Metabisulphite	..	..	15 mg
Propylene Glycol	..	..	0.75 ml
Purified Water, freshly boiled and cooled to	..	..	15 ml

SECTION 5 — PRESCRIBERS' LIST — CHILDREN'S SECTION

PRESCRIPTION

LINCTUS

(Maximum Quantity 100 ml and 4 Repeats)

PHOLCODINE

Pholcodine	..	..	..	..	2.5 mg
Citric Acid	..	..	..	..	25 mg
Chloroform Spirit	..	..	..	..	0.15 ml
Compound Amaranth Solution, A.P.F.	..	..	..	..	0.05 ml
Glycerin	..	..	..	..	0.5 ml
Syrup to	..	..	..	..	5 ml

MIXTURES

(Maximum Quantity 100 ml and 4 Repeats)

ACETYLSALICYLIC ACID

Acetylsalicylic Acid	..	..	..	..	150 mg
Compound Tragacanth Powder	..	..	..	..	100 mg
Raspberry Syrup	..	..	..	..	1 ml
Water to	..	..	..	..	5 ml

PRESCRIPTION

ALUMINIUM HYDROXIDE with KAOLIN

Light Kaolin	..	..	..	..	1 G
Aluminium Hydroxide Mixture to	..	..	..	..	5 ml

ATROPINE METHONITRATE

Atropine Methonitrate	..	..	..	..	0.5 mg
Lemon Syrup, A.P.F.	..	..	..	..	0.5 ml
Concentrated Chloroform Water	..	..	..	..	0.1 ml
Water to	..	..	..	..	5 ml

BELLADONNA

Belladonna Tincture	..	..	..	..	0.1 ml
Orange Syrup	..	..	..	..	1 ml
Glycerin	..	..	..	..	1 ml
Benzoic Acid Solution, A.P.F.	..	..	..	..	0.1 ml
Water to	..	..	..	..	5 ml

CHILDREN'S SECTION

MIXTURES—cont.

CALCIUM and KAOLIN

Calcium Carbonate	..	..	..	500 mg
Light Kaolin	..	..	..	1 G
Light Magnesium Carbonate	..	..	..	100 mg
Chloroform Spirit	..	..	..	0.1 ml
Concentrated Cinnamon Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

CHLORAL HYDRATE

Chloral Hydrate	..	..	..	250 mg
Orange Syrup	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

FERROUS GLUCONATE

Ferrous Gluconate	..	..	..	200 mg
Dextrose Monohydrate	..	..	..	500 mg
Orange Syrup	..	..	..	1 ml
Citric Acid	..	..	..	25 mg
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

FERROUS SULPHATE

Ferrous Sulphate	..	..	..	100 mg
Dextrose Monohydrate	..	..	..	500 mg
Orange Syrup	..	..	..	1 ml
Citric Acid	..	..	..	25 mg
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

IPECACUANHA and SQUILL

Ipecacuanha Tincture	..	..	..	0.1 ml
Camphorated Opium Tincture	..	..	..	0.3 ml
Oxymel of Squill	..	..	..	1 ml
Water to	..	..	..	5 ml

MAGNESIUM SULPHATE

Magnesium Sulphate	..	..	..	1 G
Light Magnesium Carbonate	..	..	..	200 mg
Concentrated Peppermint Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

PTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole	..	..	..	500 mg
Light Kaolin	..	..	..	300 mg
Compound Tragacanth Powder	..	..	..	50 mg
Raspberry Syrup	..	..	..	1 ml
Benzoic Acid Solution, A.P.F.	..	..	..	0.1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

POTASSIUM CITRATE

Potassium Citrate	..	..	..	1 G
Citric Acid	..	..	..	200 mg
Lemon Syrup, A.P.F.	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

PREScription

MIXTURES—*cont.*

POTASSIUM IODIDE

Potassium Iodide	..	..	..	100 mg
Liquorice Liquid Extract	..	..	..	0.25 ml
Aromatic Ammonia Spirit	..	..	..	0.1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

POTASSIUM IODIDE and EPHEDRINE

Potassium Iodide	..	..	..	100 mg
Ephedrine Hydrochloride	..	..	..	10 mg
Stramonium Tincture	..	..	..	0.2 ml
Aromatic Ammonia Spirit	..	..	..	0.1 ml
Liquorice Liquid Extract	..	..	..	0.2 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

PREScription

SODIUM AMINOSALICYLATE

Sodium Aminosalicylate	..	..	..	1 G
Liquorice Liquid Extract	..	..	..	0.25 ml
Orange Syrup	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

SODIUM CITRATE

Sodium Citrate	..	..	..	1 G
Citric Acid	..	..	..	200 mg
Lemon Syrup, A.P.F.	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

Section VI

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

**PART 3 ABBREVIATIONS OR SYNONYMS
FOR APPROVED NAMES**

PROPRIETARY INDEX

PART 1—PROPRIETARY NAMES INDEX

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
A.B. Elixir	KL	Theophylline
Abbecillin	AB	Penicillin products
Abbecillin G	AB	Penicillin products
Abbecillin-V	AB	Penicillin products
Abbecillin-VK	AB	Penicillin products
Abbecort	AB	Hydrocortisone Acetate
Acetophos	HY	Codeine Phosphate with Acetylsalicylic Acid
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin-V	LE	Tetracycline (Buffered) with Nystatin
Acluton	WP	Phenindione
Acode	KL	Codeine Phosphate with Acetylsalicylic Acid
Actal	WL	Aluminium Hydroxide Gel Dried
Actal Complex	WL	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Acthar	AR	Corticotrophin
Actidil	BW	Triprolidine
Actrapid	EV	Insulin Neutral
Adaben	KL	Benzocaine with Adrenaline
Adrenate	BW	Adrenaline Acid Tartrate
Adrox	RD	Aluminium Hydroxide Gel Dried
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Airbron	BD	Acetylcysteine
Akineton	KN	Biperiden
Albucid	SC	Sulphacetamide Sodium
Alcopar	BW	Bephenium Hydroxynaphthoate
Aldactone-A	SR	Spirocholactone
Aldocorten	CB	Aldosterone
Aldomet	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Alkeran	BW	Melphalan
Alkolac	GL	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Almacarb	BD	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Alox	KL	Aluminium Hydroxide Gel Dried
Alox Compound	KL	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Aminacyl	WA	P.A.S. Preparations
Aminofusin	PC	Amino Acids with Sorbitol and Ethanol
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminopt	SI	Aminacrine Hydrochloride
Amnosod	BW	Cyclobarbitone
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylosol	LF	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anagal	KL	Bismuth Subgallate
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	BD	Meclozine
Andrazide	ET	Isoniazid
Androphyllin	ET	Aminophylline
Androstralone	RL	Mestanolone
Anectine	BW	Suxamethonium Chloride
Angesil	DH	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Anginine Stabilised	BW	Glyceryl Trinitrate
Anoidal	HA	Benzalkonium Chloride
Ansolsen	MB	Pentolinium Tartrate
Anthiphen	MB	Dichlorophen
Anthisan	MB	Mepyramine
Antiderm	HY	Pyridoxine Hydrochloride
Anti- Hist	PT	Diphenylpyraline
Anti-Spas	PT	Benzhexol
Antistine	CB	Antazoline

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Antistine Privine	CB	Antazoline with Naphazoline
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aquacaine G	CS	Penicillin Procaine
Aquacaine G Fortified	CS	Penicillin Procaine Fortified
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascotin	FA	Codeine Phosphate with Acetylsalicylic Acid
Asopax	NS	Aluminium Acetylsalicylate
Aspalgin	FM	Codeine Phosphate with Acetylsalicylic Acid
Aspisol	KL	Acetylsalicylic Acid
Astrafer	AP	Dextriferron
A.T.10	WL	Dihydrotachysterol
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Austracol	CS	Chloramphenicol
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrawolf	CS	Rauwolfia Alkaloids
Aventyl	LY	Nortriptyline
Avil	AH	Pheniramine
Avilette	AH	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone

B

Bacomycin	SI	Polymyxin B Sulphate with Bacitracin and Neomycin
Bactylan	RL	Sodium Aminosalicylate
Badrin	KL	Amphetamine Sulphate
Bakramil	BK	Phenobarbitone
Baqual	KL	Quinalbarbitone Sodium
Barbeph	KL	Ephedrine Hydrochloride with Pheno- barbitone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Barbeph Forte	KL	Ephedrine Hydrochloride with Pheno- barbitone
Barbico	AB	Barbiturates Compound
Barbidein	DH	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Barbopent	BW	Pentobarbitone Sodium
Bayrena	FB	Sulphamethoxydiazine
Belgar	WW	Belladonna with Phenobarbitone
Belgar Forte	WW	Belladonna with Phenobarbitone
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadon	RO	Pyridoxine Hydrochloride
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Betamin	KL	Aneurine Hydrochloride
Betamin Forte	KL	Aneurine Hydrochloride
Beta Sol	FM	Aneurine Hydrochloride
Betnelan	GL	Betamethasone
Bicillin	WY	Penicillin Benzathine
Bicillin-V	WY	Penicillin Phenoxymethyl (Benzathine Salt)
Bidramine	AV	Diphenhydramine
Binesia	FA	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Biomycetin	CW	Chloramphenicol
Biomydrin	WW	Neomycin with Gramicidin, Thonzo- nium Bromide, Thonzylamine and Hydrocortisone Acetate
Bleph 10	AG	Sulphacetamide Sodium
Bobbamycin	SU	Oxytetracycline
Bonadorm	EV	Dichloralphenazone
Brevidil M	MB	Suxamethonium Bromide
Brinaldix	SZ	Clopamide
Brislox	BC	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Bristab	BC	Hydroflumethiazide
Bristacin-A	BC	Rolitetracycline
Bristurie	BC	Bendrofluazide
Bronkephrine	WL	Ethylnoradrenaline
Budoform	DR	Iodochlorhydroxyquinoline
Burco	BW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Burecosol	BW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butaphen	PR	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Butabarbital Sodium
Butoroid	VR	Phenylbutazone
Buzon	KL	Phenylbutazone

C

Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Cafergot Q	SZ	Ergotamine Tartrate with Caffeine
Calasco	CA	Codeine Phosphate with Acetylsalicylic Acid
Calcipas	KL	Calcium Aminosalicylate
Calcium Sandoz	SZ	Calcium Gluconate
Camoquin	PD	Amodiaquine
Cantil	SI	Mepenzolate
Caps-Pen V	BT	Penicillin Phenoxymethyl
Carbazole	PT	Carbimazole
Carbripen	PT	Pentobarbitone Compound
Carbital	PD	Pentobarbitone Compound
Cardilate	BW	Erythrityl Tetranitrate
Cardophyllin	HA	Aminophylline
Cardoxin	SU	Digoxin
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celontin	PD	Methsuximide
Cetamin	KL	Ascorbic Acid
Chlomin	KL	Chloramphenicol
Chlopex	KL	Chloramphenicol with Polymyxin B.
Chloradorm	KL	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chlorocort	PD	Chloramphenicol with Hydrocortisone
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chlorquin	PT	Chloroquine
Chlortet	LF	Chlortetracycline
Chlor Trimeton	SH	Chlorpheniramine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Choledyl	WW	Choline Theophyllinate
Chlotride	MK	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Ciba 1906 Depot	CB	Thiambutosine
Cilamycin	SI	Penicillin with Streptomycin
Cilicaine	SI	Penicillin Products
Cilicaine Forte	SI	Penicillin Products
Cilicaine Simplex	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Cillaphen	PR	Penicillin Phenoxymethyl
Citradex	GL	Vitamins Compound
Citrapen	DL	Penicillin Phenoxymethyl
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Clistin R-A	ET	Carbinoxamine
Clorstom	DH	Chloramine
Cobalomin	SU	Cyanocobalamin
Cobastab	BT	Cyanocobalamin
Co-Com	VR	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Codacet	BW	Codeine Phosphate with Acetylsalicylic Acid
Codaspren	SI	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Code Co.	HA	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Codelcortone T.B.A.	MK	Prednisolone Tertiary Butyl Acetate
Codelsol	MK	Prednisolone Sodium Phosphate
Codinol	PR	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Codiphen	GP	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codiphen Forte	GP	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codral Forte	BW	Codeine Phosphate with Acetylsalicylic Acid, Paracetamol and Caffeine
Codsol	KL	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colliron	EV	Ferric Hydroxide
Colliron	EV	Iron Oxide Saccharated
Collumina	EV	Aluminium Hydroxide Gel Dried

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Coloxyl with Danthron	FM	Dioctyl Sodium Sulphosuccinate with Danthron
Coly-Mycin	WW	Colistin
Coly-Mycin Otic	WW	Colistin with Neomycin
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline (Buffered) with Nystatin
Concordin	MK	Protriptyline
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cortelan	GL	Cortisone Acetate
Cortico-Gel	CK	Corticotrophin
Cortisyl	RL	Cortisone Acetate
Cortocaps	CK	Hydrocortisone with Neomycin
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrophin ZN	OR	Corticotrophin
Cotazym	OR	Pancrelipase
Cotin	KL	Ergotamine Tartate with Caffeine
Coumadin	EN	Warfarin
Cremomycin	MK	Neomycin Sulphate Mixture
Crystamycin	GL	Penicillin with Streptomycin
Crystapen G	GL	Penicillin Benzyl
Crystasol	GL	Penicillin with Streptomycin
Cuprimine	MK	Penicillamine
C.V.K.	GL	Penicillin Phenoxymethyl
C.V.L.	GL	Penicillin Phenoxymethyl
Cybal	KL	Cyclobarbitone
Cycladiene	DF	Dienoestrol
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen	GL	Cyanocobalamin

D

Dales	CI	Goats Milk
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Darenthin	BW	Bretylum Tosylate
Daricon	PF	Oxyphencyclimine
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Delta Cortril	PF	Prednisolone
Deltafluorene	LT	Dexamethasone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Delta-Stab	BT	Prednisolone
Depo-Medrol	UP	Prednisolone Methyl Acetate
Depo-Provera	UP	Medroxyprogesterone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Dermabase S	HA	Dimethicone
Dermafilm	PD	Dimethicone
Dermaline	HY	Dithranol
Deronil	SH	Dexamethasone
Desoxyn	AB	Methylamphetamine
Dexacortisyl	RL	Dexamethasone
Dexamine	KL	Dexamphetamine
Dexamphate	DH	Dexamphetamine
Dexa-Scheroson	SC	Dexamethasone
Dexasone	PT	Dexamethasone
D.F.P.	BT	Dyflos
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diacta	NS	Sulphaguanidine
Di-Ademil	SQ	Hydroflumethiazide
Dialoxin	LF	Digoxin
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	BX	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diazyl	AB	Sulphadiazine
Diazyl M	AB	Sulphadiazine
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Diginox	RD	Digoxin
Digitaline	NA	Digitoxin
Digitox	PT	Digitoxin
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene Suspension	BT	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Dijene Tablet	BT	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin DA	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Dihydromorphinone Hydrochloride
Dilosyn	BD	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Diminsuls	MG	Sulphadimidine
Dindevan	EV	Phenindione
Diodoquin	SR	Di-iodohydroxyquinoline
Di-Paralene	AB	Chlorcyclizine Hydrochloride
Diparcol	MB	Diethazine
Direma	DL	Hydrochlorothiazide
Direxiodo	DF	Di-iodohydroxyquinoline
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Distaquaine VK	DL	Penicillin Products

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Ditoin	KL	Phenytoin Sodium
Divermex	DF	Piperazine Adipate
Dixin	KL	Digitoxin
Doburil	BY	Cyclothiazide
D.O.C.A.	OR	Deoxycortone
Donnabarbital	FM	Belladonna with Phenobarbitone
Donnabarbital Forte	FM	Belladonna with Phenobarbitone
Donnatal	RS	Belladonna with Phenobarbitone
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Doxeprhin	PH	Methylamphetamine
D-Penamine	DL	Penicillamine
Drenamist	BS	Adrenaline
Dromoran	RO	Levorphanol
Durabolin	OR	Nandrolone Phenylpropionate
Duronitrin	ET	Trolnitrate Phosphate
Duro-Tuss	RK	Pholcodine
Dymadon	CA	Paracetamol
Dytac	SK	Triamterene

E

E.D.C.	NS	Ethylidene Dicumarin
Edeeril	MK	Ethacrynic Acid
Edrol	VR	Ethinylloestradiol
Efcortelan	GL	Hydrocortisone
Efkay	KL	Potassium
Elixophyllin	FA	Theophylline
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Eltroxin	GL	Thyroxine Sodium
Embequin	MB	Di-iodohydroxyquinoline
Emphet	VR	Methylamphetamine
EMU-V	UP	Erythromycin Preparations
Enamine	CA	Chlorpheniramine
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensobarb	HY	Phenobarbitone
Ensogran	HY	Sodium Aminosalicylate
Entacyl	BD	Piperazine Adipate
Entamycin	VR	Neomycin Sulphate Mixture
Enterfram	FC	Framycetin
Enterocid	BS	Phthalylsulphacetamide
Entero-Vioform	CB	Iodochlorhydroxyquinoline
Ephedrobarbital	FM	Ephedrine Hydrochloride with Pheno- barbitone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Pheno- barbitone
Epidione	GA	Troxidone
Epifrin	AG	Adrenaline
Eppy	ET	Adrenaline
Ergalan	BD	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergalan 'B'	BD	Ergotamine Tartrate with Caffeine
Ergodryl	PD	Ergotamine Tartrate with Caffeine Cit- rate and Diphenhydramine Hydro- chloride
Ergomine	PT	Ergometrine Maleate
Ergotart	PT	Ergotamine Tartrate
Ergotart-C	PT	Ergotamine Tartrate with Caffeine
Ergotrate	LY	Ergometrine Maleate
Ermalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Ertonyl	SH	Ethinylestradiol
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Estigyn	BD	Ethinylestradiol
Estradurin	AY	Polyestradiol
Estrasal	HY	Ethinylestradiol
Etaphylline	DF	Acepihylline
Ethamide	AG	Ethoxzolamide
Ethamolin	GL	Ethanolamine Oleate
Etherone	PT	Ethisterone
Ethidyne	EL	Codeine Phosphate with Acetylsalicylic Acid
Ethryn	FA	Erythromycin
Etin	KL	Ergotamine Tartrate
Eucerin	EV	Wool Alcohols
Eumydrin	WL	Atropine Methonitrate
Evacilin	EV	Penicillin Procaine
Eváctil	FA	Paraffin Liquid
EvrAMYcin	WY	Triacetyloleandomycin

F

Fabahistin	FB	Mebhydrolin
Fabahistin TR	FB	Mebhydrolin
Falcopen V	FA	Penicillin Products
Falcopen VK	FA	Penicillin Products
Famet	CA	Sulphamethizole
Fanatoin	IP	Nitrofurantoin
Fenallo	DH	Phenolphthalein Compound

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Fenbital	BW	Phenobarbitone
Fenostil	CB	Dimethindene
Fenostil Retard	CB	Dimethindene
Fergon	WL	Ferrous Gluconate
Ferrin 55	FA	Ferrous Gluconate
Ferri-Vita	HY	Ferrous Sulphate
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate
Ferromyn	CA	Ferrous Succinate
Ferronicum	SZ	Ferrous Gluconate
Ferrose	DH	Ferrous Gluconate
Ferrum	SI	Iron Polymaltose Complex
Hausmann		
Fersolate	GL	Ferrous Sulphate
Fibroxin	VR	Digoxin
Flagyl	MB	Metronidazole
Flebocortid	RM	Hydrocortisone Sodium Succinate
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folvite	LE	Sodium Folate
Fonurit	BZ	Acetazolamide
Fosco	HY	Ferrous Phosphate Compound
Framygen	GN	Framycetin
Fucidin	ET	Fusidic Acid
Fulcin Forte	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate

G

Galactomin	TF	Milk Powder—Synthetic
Formula 11		
Galactomin	TF	Milk Powder—Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Gardenal	MB	Phenobarbitone
Gardenal	MB	Phenobarbitone Sodium
Sodium		
Gastrogel	FM	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gastrox	GP	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Geloid	BW	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gelox Gel	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucomide	PT	Acetazolamide
Glaucon	MH	Adrenaline
Gluciron	MG	Ferrous Gluconate
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Gondafon	SC	Glymidine
Grisovin F.P.	GL	Griseofulvin
Guanimycin	GL	Streptomycin Sulphate with Sulphaguanidine
Gynergen	SZ	Ergotamine Tartrate

H

Haemofort	MJ	Ferrous Sulphate
Haemopan	PT	Phenindione
Haldrone	LY	Paramethasone
Halotestin	UP	Fluoxymesterone
Helmezine	GL	Piperazine Phosphate
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hetrazan	LE	Diethylcarbamazine
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride
Hibitane Concentrate 5%	IC	Chlorhexidine
Histalert	RK	Diphenylpyraline
Histostab	BT	Antazoline
Histryl	SK	Diphenylpyraline
Honvan	MJ	Disodium Stilboestrol Diphosphate
Hostacycline P	AH	Tetracycline (Buffered)
H.P. Acthar-Gel	AR	Corticotrophin
Hyalase	FC	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Acetylsalicylic Acid
Hycor	SI	Hydrocortisone
Hyd-Oint.	PT	Hydrocortisone
Hydrenox	BT	Hydroflumethiazide
Hydrid	VR	Mersalyl
Hydrocort	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone
Hydrocortisyl	RL	Hydrocortisone Sodium Succinate

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Hydrocortone	MK	Hydrocortisone Acetate
Hydrop	PT	Hydrocortisone
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hypertet	CI	Tetanus Immune Globulin (Human)
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Hysterg	VR	Ergometrine Maleate

I

Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Inapasade	SN	Sodium Aminosalicylate with Isoniazid
Indocid	MK	Indomethacin
Insoral	WW	Phenformin
Insoral TD	WW	Phenformin
Intracort	BT	Hydrocortisone Sodium Succinate
Iramil	KL	Imipramine
Ismelin	CB	Guanethidine
Isomist	BS	Isoprenaline Sulphate
Isordil	AY	Sorbide Nitrate
Isonitnyl	KL	Isoniazid
Isuprel	WL	Isoprenaline Hydrochloride

J

Jadit	AH	Buclosamide with Salicylic Acid
Jadit H	AH	Buclosamide with Salicylic Acid and Hydrocortisone
Jectofer	AP	Iron Sorbitol Complex
Johnson's Caus- tic Pencil	SL	Silver Nitrate Toughened

K

Kalicin	KL	Neomycin Sulphate Mixture
Kalicin	KL	Neomycin with Kaolin
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaomycin	UP	Neomycin Sulphate Mixture
Kaosan	PR	Neomycin Sulphate Mixture
Karagum	PT	Tragacanth Indian (Gum Karaya)
K-Eff	PR	Potassium
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kinaden	SC	Hyaluronidase

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Klortee	PT	Chloramine
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konakion	RO	Phytomenadione

L

Lanoside	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Largactil	MB	Chlorpromazine
Laroxyl	RO	Amitriptyline
Lasix	AH	Fruzemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demethylchlortetracycline
Lederstatin	LE	Demethylchlortetracycline with Nystatin
Lethidrone	BW	Nalorphine
Leukeran	BW	Chlorambucil
Levophed	WL	Noradrenaline
Lineocin	UP	Lincomycin
Lingraine	WL	Ergotamine Tartrate
Liquidoplast	PT	Acrylic Resin
Liquifilm Tears	AG	Polyvinyl Alcohol
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex in Saline	FC	Dextran in Normal Saline
Lomodex in Dextrose	FC	Dextran with Dextrose
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin Phenoxymethyl
Lubarol	DH	Paraffin Liquid
Luteocrin Depot	RM	Hydroxyprogesterone
Lutorial	VR	Ethisterone
Lycanol	FB	Glymidine
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethopropazine

M

M. & B. 693	MB	Sulphapyridine
Maalox	SI	Magnesium-Aluminium Hydroxide
Madribon	RO	Sulphadimethoxine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Magnoplasm	FA	Magnesium Sulphate
Mandaze	HA	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Mandelamine Hafgrams	WW	Methenamine Mandelate
Marevan	EV	Warfarin
Medihaler-Epi	RK	Adrenaline Acid Tartrate
Medihaler-Iso	RK	Isoprenaline Sulphate
Medihaler-Iso Forte	RK	Isoprenaline Sulphate
Medrol	UP	Prednisolone Methyl
Medsil	BT	Dimethicone
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Megimide	NS	Bemegride
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Melsedin	BT	Methaqualone
Mephobarbital	PH	Methyl Phenobarbitone
Mequilo	LF	Methaqualone
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metem Gel	CH	Aluminium Hydroxide Gel
Metestine	KL	Testosterone Methyl
Methamine	KL	Methylamphetamine
Methamphet	PT	Methylamphetamine
Methased	PT	Methaqualone
Methedrine	BW	Methylamphetamine
Methergin	SZ	Methylergometrine
Methopt	SI	Methylcellulose
Metilar	IC	Paramethasone
Metin	CS	Methicillin
Mevasine	MK	Mecamylamine
Meyenberg	JM	Goats Milk
Midicel	PD	Sulphamethoxypyridazine
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Milontin	PD	Phensuximide
Minafen	TF	Phenylalanine Low Content Formula
Minajel	MG	Aluminium Hydroxide Gel
Mogadon	RO	Nitrazepam
Monodral	WL	Penthienate
Mortha	WH	Morphine with Tacerine
Mucomyst	MJ	Acetylcysteine
Multisulpha	KL	Sulphonamides, Three Mixed
Multisulphettes	KL	Sulphonamides, Three Mixed

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Multivite Six	BD	Vitamins Compound
Mycardol	WL	Pentaerythritol Tetranitrate
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycort	DH	Hydrocortisone with Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Myleran	BW	Busulphan
Mylipen	GL	Penicillin Procaine
Mylodorm	GP	Amylobarbitone
Mylosed	VR	Amylobarbitone
Myocrisin	MB	Sodium Aurothiomalate
Mvsoline	IC	Primidone
Mysteclin-V	SQ	Tetracycline (Buffered) with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphoteri- cin B

N

Naclex	GL	Hydroflumethiazide
Napent	RD	Pentobarbitone Sodium
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
N.B.P.	DH	Polymyxin B Sulphate with Bacitracin and Neomycin
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembudeine	AB	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin
Neo-Avagat	ET	Hyoscine Methobromide
Neo-Benol	KL	Hydroxocobalamin
Neocodsol	KL	Codeine Phosphate with Acetylsalicylic Acid
Neo-Cortef	UP	Hydrocortisone with Neomycin Sul- phate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neo-Hombreol	OR	Testosterone
Neo-Hycor	SI	Hydrocortisone with Neomycin Sul- phate
Neohydrosone	KL	Hydrocortisone with Neomycin Sul- phate
Neokalin	MR	Neomycin Sulphate Mixture
Neolin	PT	Neomycin Sulphate Mixture

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Neomagma	WY	Neomycin Sulphate Mixture
Neomate	LF	Neomycin
Neo-Mercazole	BS	Carbimazole
Neomix	LF	Neomycin Sulphate Mixture
Neo-Naclex	GL	Bendrofluazide
Neo-Naclex-M	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Nephril	PF	Polythiazide
Neptazane	LE	Methazolamide
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutrapen	RK	Penicillinase
Neutratabs	HA	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Nilergex	IC	Isothipendyl Hydrochloride
Nivaquine	MB	Chloroquine
Nobecutane	EV	Acrylic Resin
Nollipyrin	KL	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Nordicort	NR	Hydrocortisone Sodium Succinate
Norflex	RK	Orphenadrine Citrate
Noshok Caustic Pencil	YF	Silver Nitrate, Toughened
Novosprin	VR	Acetylsalicylic Acid
Nuralin	CS	Insulin Neutral
Nuso	BW	Insulin Neutral

O

Octaflex	WB	Acrylic Resin
Oestramine	KL	Oestradiol Benzoate
Oestroform	BD	Oestradiol Benzoate
Oestroform	BD	Oestrone
Omnopon	RO	Papaveretum
Omnopon-	RO	Papaveretum with Hyoscine Hydro-
Scopolamine		bromide
Oncovin	LY	Vincristine
Optipen	CS	Phenethicillin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Optisone	HA	Hydrocortisone
Optocort	PT	Prednisolone
Orabolin	OR	Ethyloestrenol
Oradexon	OR	Dexamethasone
Oranabol	MB	Oxymesterone
Oratrol	AQ	Dichlorphenamide
Orisul	CB	Sulphaphenazole
Oroxine	BW	Thyroxine Sodium
Orpidan	SI	Chlorazanal
Orumvite	VR	Vitamins Compound
Osmitrol	BX	Mannitol
Ospolot	FB	Sulthiame
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B Sulphate (Aqueous Base)
Ovocyclin	CB	Oestradiol Dipropionate
Oxyclyne	HY	Oxytetracycline
Oxycycline	PT	Oxytetracycline
Oxymycin	KL	Oxytetracycline
Oxymycin-V	KL	Oxytetracycline (Buffered) with Nystatin

P

P2G Sclerosant	BT	Phenol, Dextrose and Glycerin
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	BS	Aloxiprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Pamine	UP	Hyoscine Methobromide
Panabarb	WL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panalgesic	WL	Codeine Phosphate with Acetylsali- cyclic Acid and Paracetamol
Panalgesic Co	WL	Codeine Phosphate with Acetylsali- cyclic Acid, Paracetamol and Caffeine
Pancillen	SU	Penicillin Phenoxymethyl
Pancrex "V"	ST	Pancreatin Concentrate
Panmycin	UP	Tetracycline
Panmycin KM	UP	Tetracycline (Buffered)
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline (Buffered)
Panteric	PD	Pancreatin Concentrate
Pantheline	PT	Propantheline Bromide
Panvit	PT	Vitamins Compound

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Parajel	SI	Paraffin Liquid
Paralax	PR	Paraffin Liquid
Paralgin	FM	Paracetamol
Paramisan	EV	Sodium Aminosalicylate
Sodium		
Paramul	MG	Paraffin Liquid
Paraxin	PH	Chloramphenicol
Parmol	KL	Paracetamol
Pasade	EV	Sodium Aminosalicylate
Pasalba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate
Pastamag	DH	Magnesium Sulphate
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Peganone	AB	Ethotoin
Penalco	CO	Pentobarbitone Compound
Penbarb	LF	Pentobarbitone Sodium
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Pencodine	KL	Pentobarbitone Sodium with Acetylsalic- ylic Acid and Codeine Phosphate
Penevan	EV	Penicillin Benzyl
Peniset	DH	Penicillin Benzyl
Peni-Vee-K	DH	Penicillin Phenoxymethyl
Penritol	LF	Pentaerythritol Tetranitrate
Pensig	SI	Phenethicillin
Pensol	GL	Penicillin Benzyl
Pentacode	MG	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentagen	HY	Pentaerythritol Tetranitrate
Pentalgin	FM	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentonal Co.	KL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Testosterone Methyl
Perazil	BW	Chlorcyclizine
Percorten	CB	Deoxycortone
Periactin	MK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petiscof	KL	Pethidine and Scopolamine

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Penicillin Phenoxymethyl
Phenabel	HY	Belladonna with Phenobarbitone
Phenabel Forte	HY	Belladonna with Phenobarbitone
Phenadon	LF	Belladonna with Phenobarbitone
Phenergan	MB	Promethazine
Phenodren	DH	Ephedrine Hydrochloride with Phenobarbitone
Phenybute	SU	Phenylbutazone
Pholcof	CM	Pholcodine
Pholcolin	DH	Pholcodine
Pholevan	EV	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Nitrate
Pimafucin	BP	Natamycin
Pipanol	WL	Benzhexol
Piptal	SI	Pipenzolate
Piriton	GL	Chlorpheniramine
Pitocin	PD	Oxytocin
Piton	BP	Pituitary, Posterior Lobe
Pitressin	PD	Vasopressin
Pitressin Tannate in Oil	PD	Vasopressin Tannate
Placemol	VR	Paracetamol
Placidyl	AB	Ethchlorvynol
Placyl	HA	Cyclobarbitone
Plaquenil	WL	Hydroxychloroquine
Plesmet	BP	Ferrous Aminoacetosulphate
Pluryl	ET	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Poldemycin	WL	Neomycin Sulphate Mixture
Polmix	KL	Polymyxin B Sulphate (aqueous)
Polyeral	BS	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Polyeral Gel	BS	Aluminium Hydroxide Gel with Magnesium Hydroxide
Polydro	HA	Polymyxin B Sulphate
Polyhaemen	GP	Ferrous Sulphate
Polytracin-N	GL	Polymyxin B Sulphate with Bacitracin and Neomycin
Potasol	RY	Potassium
Potavescent	PT	Potassium

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Potec	HY	Potassium
Pot-Forte	PT	Potassium
Pot-Instant	LF	Potassium
P.P.C.	PT	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Praenitron	PF	Trolnitate Phosphate
Praenitron Protracted	PF	Trolnitate Phosphate
Predonate	CO	Prednisolone
Predsol	GL	Prednisolone Sodium Phosphate
Predsol-N	GL	Prednisolone Sodium Phosphate with Neomycin
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primocort	SC	Deoxycortone
Primogyn C	SC	Ethinylloestradiol
Primoteston Depot	SC	Testosterone Oenanthate
Pripsen	RC	Piperazine Phosphate
Priscol	CB	Tolazoline
Pro-Banthine	SR	Propantheline Bromide
Proben	PT	Probenecid
Procillin A.S.	DH	Penicillin Procaine
Procyclomin	PT	Dicyclomine Hydrochloride
Prodigox	PT	Digoxin
Prodol	NB	Acetylsalicylic Acid
Prodol Co.	NB	Codeine Phosphate with Acetylsalicylic Acid
Proladone	CK	Oxycodone
Proloid	WW	Thyroid
Proluton	SC	Progesterone
Proluton C	SC	Ethisterone
Proluton Depot	SC	Hydroxyprogesterone
Promacid	KL	Chlorpromazine
Prominal	WL	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide
Propen-VK	PT	Penicillin Phenoxymethyl
Proquinal	PT	Quinalbarbitone Sodium
Prosobee	MJ	Soya Formula
Prostabillin	BT	Penicillin Procaine
Prostigmin	RO	Neostigmine
Protone	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin	DH	Acetylsalicylic Acid
Pularin	EV	Heparin
Purinethol	BW	Mercaptopurine
Purodigin	WY	Digitoxin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Puroverine	SZ	Protoveratrine A
P.V. Carpine	AG	Pilocarpine Nitrate
PVK	LY	Penicillin Phenoxymethyl
PVKL	LF	Penicillin Phenoxymethyl
P.V.O.	FM	Penicillin Phenoxymethyl
Pyribenzamine	CB	Tripelennamine
Pyridium	WW	Phenazopyridine Hydrochloride
Pyroxin	KL	Pyridoxine Hydrochloride

Q

Q.B.	DH	Quinalbarbitone Sodium
Q.T. Cement	JA	Surgical Cement
Quaalude	SI	Methaqualone
Quibron	MJ	Theophylline with Glyceryl Guaiacolate
Quillatone	RD	Quinalbarbitone Sodium
Quillatone M	RD	Quinalbarbitone Sodium
Quinaltone	LF	Quinalbarbitone Sodium
Quinidoxin	BW	Quinidine Sulphate
Quinsan	PR	Quinine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture

R

Rapitard	EV	Insulin Biphasic
Rastinon	AH	Tolbutamide
Raudixin	SQ	Rauwolfia Alkaloids
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Alkaloids
Rectinol	GP	Benzocaine with Adrenaline
Resedrex	HA	Reserpine
Resochin	FB	Chloroquine
Restal	HA	Amylobarbitone
Reverin	AH	Rolitetracycline
Rheomacrodex	MR	Dextran with Dextrose
10% Dextrose		
Rheomacrodex	MR	Dextran in Normal Saline
10% Saline		
Rhumax	PR	Sodium Salicylate
Rikospray	RK	Dimethicone
Silicone		
Rimifon	RO	Isoniazid
Robinul	RS	Glycopyrronium Bromide
Rondase	EV	Hyaluronidase
Randomycin	GP	Methacycline
Ronicol	RO	Nicotinyl Alcohol
Roulone	RL	Methaqualone
Rovamycin	MB	Spiramycin
Rubatone	HY	Phenylbutazone
Ryser	KL	Reserpine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
S		
Sacsol	LF	Surgical Cement
Salamide	HA	Salicylamide
Salazopyrin	MR	Sulphasalazine
Salco	NS	Chlorbenzol Disulphonamide
Salide	NS	Salicylamide
Samid	KL	Salicylamide
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scherisolon	SC	Prednisolone
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
Scoline	GL	Suxamethonium Chloride
Scorbettes	PR	Ascorbic Acid
Secergan	AP	Phenthimentonium
Seclomycin	GL	Penicillin with Streptomycin
Seclosol	GL	Penicillin with Streptomycin
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Sednaco	GL	Pholcodine
Sednotic	DL	Amylobarbitone
Senokot	RC	Senna Fruit Extract (Standardised)
Serenace	SR	Haloperidol
Serenol	PT	Rauwolfia Alkaloids
Serfia	KL	Rauwolfia Alkaloids
Serpasil	CB	Reserpine
Serpiloid	RK	Reserpine
Serpina	PV	Rauwolfia Alkaloids
Shigatox	FM	Sulphaguanidine
Silcon	FA	Dimethicone
Simeco	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Mixture		
Simeco Tablet	WY	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
Sleepinal	MC	Methaqualone
Slow-K	CB	Potassium Chloride
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium	RK	Sodium Edetate
Versenate		
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solacetyl	MG	Acetylsalicylic Acid
Solamal	DH	Belladonna with Phenobarbitone
Solcetas	BW	Acetylsalicylic Acid
Solcode	RC	Codeine Phosphate with Acetylsalicylic Acid
Solcodein	MG	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Solgesil	DH	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Solprin	RC	Acetylsalicylic Acid
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Dacortin	MQ	Prednisolone Sodium Succinate
Solupen	DL	Penicillin Benzyl
Solusal	HA	Acetylsalicylic Acid
Solusal Co.	HA	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Sol Viules	BT	Penicillin Benzyl
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Soneryl	MB	Butobarbitone
Span-K	PT	Potassium Chloride
Spastrex	PT	Oxyphenonium Bromide
Spastrex Retard	PT	Oxyphenonium Bromide
Steclin	SQ	Tetracycline
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Steraskin	PF	Hexachlorophane
Sterogyl-15	RL	Calciferol
Stovarsol	MB	Acetarsol
Stoxil	SK	Idoxuridine
Strepolin	GL	Streptomycin Sulphate
Streptaquine	DL	Streptomycin Sulphate
Streptevan	EV	Streptomycin Sulphate
Streptomagma	WY	Dihydrostreptomycin Sulphate with Atapulgite, Pectin and Hydrated Alumina Powder
Sulfasuxidine	MK	Succinylsulphathiazole with Kaolin
Sulfazole	PT	Sulphafurazole
Sulfisin	SU	Sulphafurazole
Sulphadiazinette	KL	Sulphadiazine
Sulpha-Dimerazole	VR	Sulphonamides, Three Mixed
Sulphalyl	KL	Phthalylsulphacetamide
Sulphamezathine	IC	Sulphadimidine
Sulphamezathine IC		Sulphadimidine Sodium

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Sulphatriad	MB	Sulphonamides, Three Mixed
Sus-Pen V	BT	Penicillin Phenoxymethyl
Sustanon '250'	OR	Sustanon
S.V.C.	MB	Acetarsol
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

T

Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
Talecid	SC	Phthalylsulphacetamide
Tao	GP	Triacetyloleandomycin
Tavegyl	SZ	Meclastine
Tebos	HY	Isoniazid
Tedrobarb	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tedrobarb Forte	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tedrobarb Mitis	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tegretol	GE	Carbamazepine
T.E.M.	IC	Tretamine
Tenormal	IC	Pempidine
Tenserp	VR	Reserpine
Tensilon	RO	Edrophonium
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terrastatin	PF	Oxytetracycline (Buffered) with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testomet	PT	Testosterone Methyl
Testoviron	SC	Testosterone Propionate
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetrastatin-V	GP	Tetracycline (Buffered) with Nystatin
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline (Buffered) with Nystatin
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole
Thendorm	KL	Methaqualone
Thephorin	RO	Phenindamine
Thiomerin	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Three Sulphas	AD	Sulphonamides, Three Mixed
Thypron	PH	Potassium Perchlorate

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Thyrine	DH	Thyroxine Sodium
Thyroxevan	EV	Thyroxine Sodium
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Toline	KL	Tolazoline
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Totacycline V	BT	Tetracycline (Buffered)
Tral	AB	Hexocyclium Methylsulphate
Tral M	AB	Hexocyclium Methylsulphate
Trescatyl	MB	Ethionamide
Triagin	HY	Glyceryl Trinitrate
Tricloryl	GL	Triclofos
Tricoloid	BW	Tricyclamol Chloride
Tridione	AB	Troxidone
Trimyxin	DH	Polymyxin B Sulphate with Neomycin and Gramicidin
Triplopen	GL	Penicillin Benethamine Compound
Triposol	GL	Penicillin Benethamine Compound
Trisil	DH	Magnesium Trisilicate
Trisulfa	ET	Sulphonamides, Three Mixed
Trisulfettes	ET	Sulphonamides, Three Mixed
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Tyrimide	SK	Isopropamide Iodide

U

Ultracortenol	CB	Prednisolone Acetate
Ultracortenol	CB	Prednisolone Trimethylacetate
Univite	PH	Vitamins Compound
Urogan	AV	Sulphafurazole
Urolin	KL	Sulphamethizole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole

V

VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Valpin	EN	Octatropine Methylbromide
Vanquin	PD	Viprynum Embonate
Vasitrin	DH	Glyceryl Trinitrate

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Vasylox	BW	Methoxamine Hydrochloride
Veecillin	MJ	Penicillin Phenoxymethyl
Veganin	WW	Codeine Phosphate with Acetylsalicylic Acid and Paracetamol
Velactin	WA	Soya Formula
Velbe	LY	Vinblastine
Venosol	FH	Mannitol
Veracolate	WW	Sodium Tauroglycocholate
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vicin	KL	Penicillin Phenoxymethyl
Viocin	PF	Viomycin
Viokase	ET	Pancreatin Enzyme (4 USNF XII)
Viraxacillin	VR	Penicillin Procaine
Visceralgin	FM	Tiemonium Iodide
V.P.V.	VR	Penicillin Phenoxymethyl

W

Winstroid	WL	Stanozolol
Wyamine Sulphate	WY	Mephentermine
Wydase	WY	Hyaluronidase

Y

Yomesan	FB	Niclosamide

Z

Zarontin	PD	Ethosuximide
Zephiran	WL	Benzalkonium Chloride
Zoline	PT	Tolazoline
Zyloprim	BW	Allopurinol

PART 2—TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott Laboratories—Injections
Antigen	Products manufactured by Antigen Ltd., Ireland. Marketed by World Agencies Pty. Ltd.
Dropster	Knoll—Eye drops and ear drops
Dulcets	Abbott Laboratories—Chewable tablets
Durules	Astra Pharmaceuticals—Sustained release tablets
Emplets	Parke Davis—Tablet preparations
Evanules	Evans—Injections
Filmtabs	Abbott Laboratories—Coated tablets
Gradumets	Abbott Laboratories—Sustained release tablets
Hamiltabs	Hamilton Laboratories—Tablet preparations
Hyperduric	Glaxo-Allenbury—Injections
Isojects	Pfizer Laboratories—Injectible preparations
Isopto	Alcon Laboratories Inc.—Eye drops
Parentosol	Mead-Johnson—Injections
Pedipac	Lilly—Sachet
Plabott	Otsuka Pharmaceutical Co., Japan—Intravenous fluids; marketed by Scott & Bowne (A'sia) Ltd.
Prestab	Ethnor—Tablet preparations
Pulvules	Lilly—Capsules
Repetabs	Schering Corporation—Long acting tablet preparations
Rox	Rocke Tompsitt—Preparations
Siguent	Sigma—Ointment preparations
Soluvac	Baxter-D.H.A.—Intravenous fluids
Sterivial	Parke-Davis—Injections
Sterop	Ethnor—Eye drops
Sustrels	G.P. Laboratories—Long acting tablet preparations
Tabloids	Burroughs Wellcome—Tablet preparations
Tastitabs	Pfizer Laboratories—Chewable tablet preparations
Transfusol	Evans—Intravenous fluids
Tri-Test	Wholesale Drug Co.—Preparations
Venosol	Farmer Hill—Intravenous fluids
Viules	Boots—Injections
Wellcome	Burroughs Wellcome—Preparations

PART 3—ABBREVIATIONS OR SYNONYMS FOR APPROVED NAMES

<i>Abbreviation or Synonym</i>	<i>Approved Name</i>
A.C.T.H.	Corticotrophin
Amorph I.Z.S.	Insulin Zinc Suspension (Amphorous)
B12	Cyanocobalamin
Bephenium	Bephenium Hydroxynaphthoate
Bretylum	Bretylum Tosylate
Calcium P.A.S.	Calcium Aminosalicylate
Cryst. I.Z.S.	Insulin Zinc Suspension (Crystalline)
Diodoquinoline	Di-iodohydroxyquinoline
Dip./Ser.	Diphtheria Antitoxin
Dip./Vac./P.T.A.P.	Diphtheria Vaccine (Purified Toxoid Aluminium Phosphate)
DMChlortetracycline	Demethylchlortetracycline
Feramacet	Ferrous Aminoacetosulphate
Gas./Ser.	Gas Gangrene Antitoxin—Mixed (Poly- valent)
Hexocyclium	Hexocyclium Methylsulphate
Iochlorquin	Iodochlorhydroxyquinoline
I.Z.S.	Insulin Zinc Suspension
Oed./Ser.	Gas Gangrene Antitoxin (Oedematiens)
P.A.M.	Pyridine Aldoxime Methiodide
Penicillin G.	Penicillin Benzyl
Penicillin V.	Penicillin Phenoxymethyl
Penthritol	Pentaerythritol Tetranitrate
Per./Vac.	Pertussis Vaccine
Plague/Vac.	Plague Vaccine
Prednisolone T.B.A.	Prednisolone Tertiary Butyl Acetate
Sep./Ser.	Gas Gangrene Antitoxin (Septicum)
S'methoxydiazine	Sulphamethoxydiazine
S'methopyrazine	Sulphamethoxypyridazine
Sod. Stilboestrol	Disodium Stilboestrol Diphosphate
Sodium P.A.S.	Sodium Aminosalicylate
Sta./Tox.	Staphylococcus Toxoid (Formalinised)
Testosterone Oen.	Testosterone Oenanthatate
Testosterone Prop.	Testosterone Propionate
Tet./Ser.	Tetanus Antitoxin
Triple Antigen	Diphtheria, Tetanus and Pertussis Vac- cine
Viprynum	Viprynum Embonate
Wel./Ser.	Gas Gangrene Antitoxin (Welchii)

POISONS INFORMATION CENTRES

The principal Poisons Information Centre in each State and Territory is as follows:—

Telephone No.

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Bridge Road,
Camperdown.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
34 0288

QUEENSLAND

Brisbane Children's Hospital,
Herston Road,
Herston.

Brisbane
5 0111

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
6 9351

WESTERN AUSTRALIA

Princess Margaret Hospital,
Thomas Street,
Subiaco.

Perth
8 2251

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
2 0521

NORTHERN TERRITORY

Darwin Hospital,
Darwin,
Northern Territory.

Darwin
2171

AUSTRALIAN CAPITAL TERRITORY

Canberra Community Hospital,
Canberra.

Canberra
48 9922

PAPUA AND NEW GUINEA

Port Moresby General Hospital,
Taurama Road,
Port Moresby.

Port Moresby
5191

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
of Health, Canberra.

This space for office use only:

Hospital:

Address:

P
O
I
S
O
NTime interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin Other (specify)

Result: Cured

Other (Specify)

Died

Date

Signature

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

M

Homicide

Sex:

O

Suicide

Date of
Poisoning:

D

Therapeutic
Misadventure

Other Accidental Cause

E

Allergy OR Idiosyncrasy

Signs and Symptoms:

Treatment:

This space for office use only:

Hospital:

Address:

Time interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin

Other (specify)

Result: Cured

Other (Specify)

Died

Date

Signature

Please send to National Poisons Service, Commonwealth Department
of Health, Canberra.

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

M
O
D
E

Homicide

Suicide

Sex:

Therapeutic
MisadventureDate of
Poisoning:

Other Accidental Cause

Allergy OR Idiosyncrasy

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
of Health, Canberra.

This space for office use only:

Hospital:

Address:

Time interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin

Other (specify)

Result: Cured

Other (Specify)

Died

Date

Signature

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

This space for office use only:

Age:

M
O
D
E

Homicide

Suicide

Sex:

Therapeutic
MisadventureDate of
Poisoning:

Other Accidental Cause

Allergy OR Idiosyncrasy

Signs and Symptoms:

Treatment:

Hospital:

Address:

P
O
I
S
O
NTime interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin

Other (specify)

Result: Cured

Other (Specify)

Died

Date _____

Signature

Please send to National Poisons Service, Commonwealth Department
of Health, Canberra.

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
of Health, Canberra.

This space for office use only:

Hospital:

Address:

P
O
I
S
O
NTime interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin Other (specify)

Result: Cured

Other (Specify)

Died

Date

Signature

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
of Health, Canberra.

This space for office use only:

Hospital:

Address:

P
O
I
S
O
NTime interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin Other (specify)

Result: Cured

Other (Specify)

Died

Date _____

Signature

Please record any additional information on back.

POISONING CASE REPORT

Name and/or
Identification No.

Age:

Sex:

Date of
Poisoning:

Signs and Symptoms:

Treatment:

Please send to National Poisons Service, Commonwealth Department
of Health, Canberra.

This space for office use only:

Hospital:

Address:

Time interval between ingestion
and Treatment (in Hours):

Trade Name:

Approved Name:

Type of Product:

Toxic Constituents (if known):

Amount Taken:

Gms.

Mls.

How Absorbed:

Ingestion Inhalation

Skin

Other (specify)

Result: Cured

Other (Specify)

Died

Date

Signature

Please record any additional information on back.

