


COMMONWEALTH OF AUSTRALIA



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS

AMENDMENTS TO THE PHARMACEUTICAL BENEFITS BOOK
AUGUST, 1969 EDITION FOR APPROVED CHEMISTS
NOVEMBER AMENDMENT

AMENDMENTS TO SECTION 1 - LEMON PAGES
MANUFACTURERS - ADDRESS AND CODE

Page No.	Manufacturer	Code
23	Add McGrath Laboratories 364 The Boulevard, Sutherland. N.S.W.	MW

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
52	1478	HYALURONIDASE Injection 150 I.U.(solvent required)	WY	\$ *3.65
53	2887 2888	HYDROCORTISONE Cream 1%, 30G Topical Ointment 1%, 30G	SL(N) SL(N)	1.42 1.42
59	1555	ISOPRENALINE HYDROCHLORIDE Inhalation 1 in 200, 15ml	WL	0.83

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment
23	1184	CHLOROQUINE Oral Tablet equivalent to 150mg Chloroquine base	2.90 Add DR
24	1190 1192	CHLORPHENIRAMINE Oral Tablet 4mg Paediatric Syrup 2mg per 5ml, 100ml	1.66 Add NB 0.90 Add NB
66	2628	METHAQUALONE HYDROCHLORIDE Oral Tablet 150mg	0.91 Add OD 0.95 Add MQ

Other Amendments to Section 2 - White Pages (cont.)

Page No.	Code No.	Approved Name and Form	Amendment
66	1614	METHDILAZINE Oral Tablet 4mg	1.43 Add BC
	1615	8mg	1.55 Add BC (ex 250) 1.70 Add BC (ex M.P.)
	2464	Paediatric Syrup 4mg per 5ml, 100ml	1.17 Add BC
102	1971	QUINIDINE SULPHATE Oral Tablet 200mg	5.50 Add MW(N)
119	2840	THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE Oral Tablet 130mg-24mg-8mg	Add 1.75 PT
120	2842	Oral Paediatric Suspension 65mg-12mg-4mg per 5ml, 100ml	1.21 Add KL
133	2283	SODIUM LACTATE (Solution 1/6 Molar) Intravenous Fluid for Injection, 1/2 litre	*2.76 Add VF

OTHER AMENDMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Amendment
4	2845	BETAMETHASONE Syrup 0.5mg per ml, 30ml	2.23 Add GL
43	1935	PREDNISONONE Oral Tablet 5mg	1.50 Add NB

PRICE AMENDMENT TO SECTION 6 - BLUE PAGES - STANDARD PACKS AND PRICES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
5	1478	Hyaluronidase Injection 150 I.U.	WY	1 @ 0.67

ADVANCE NOTICES

The following items will be deleted from the Schedule of Benefits
on 1 December, 1969.

Code No.	Approved Name and Form
SECTION 2	
1060	AMYLOBARBITONE SODIUM Injection 1G (solvent required)
1524	INSULIN Injection 40 Units per ml, 5ml
1860	PHENOL with DEXTROSE and GLYCERIN Injection 2%-25%-30%, 30ml
1884	PILOCARPINE NITRATE Eye Drops 0.5%, 15ml
1885	1%, 15ml
1886	2%, 15ml
1887	3%, 15ml
1888	4%, 15ml
1889	6%, 15ml
2003	SILVER PROTEIN MILD Eye Drops 10%, 15ml
SECTION 3	
1278	DEMETHYLCHLORTETRACYCLINE Oral Paediatric Drops 60mg per ml, 10ml
1280	DEOXYCORTONE Aqueous Injection 5mg in 1ml
1285	Oily Injection 10mg per ml, 10ml
2750	ERYTHROMYCIN Oral Paediatric Suspension 200mg per 5ml, 100ml
2396	METHACYCLINE Oral Capsule 75mg
2611	Oral Tablet 75mg

Advance Notices - continued

Code No.	Approved Name and Form

SECTION 3 (cont.)

1758	PARAMETHASONE Oral Tablet 2mg
2117	TESTOSTERONE PROPIONATE Injection 50mg per ml, 10ml
2129	TETRACYCLINE Injection I.V. 100mg (solvent required)
2130	I.V. 250mg (solvent required)
2131	I.M. 100mg (solvent required)
2138	Oral Paediatric Granules 75G

SECTION 3 - COLOSTOMY and ILEOSTOMY USE ONLY

2427	DIMETHICONE Solution 5%, 340ml Aerosol Spray

The following items will be replaced in the Schedule of Benefits on 1 December, 1969.

Code No.	Approved Name and Form

2819	CLOFIBRATE Oral Capsule 250mg - to be replaced by 500mg Capsule
2582	LINCOMYCIN Paediatric Syrup 250mg per 5ml, 60ml - to be replaced by 100ml pack

The following items will be excluded from the provisions governing high velocity items on 1 December, 1969.

Code No.	Approved Name and Form

1052	AMYLOBARBITONE Oral Tablet 100mg
2574	DEMETHYLCHLORTETRACYCLINE with NYSTATIN Oral Capsule 150mg-250,000 Units

AMENDMENTS TO THE PHARMACEUTICAL BENEFITS BOOK
AUGUST, 1969 EDITION FOR APPROVED CHEMISTS
OCTOBER AMENDMENT

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
53	2887	HYDROCORTISONE		\$
		Cream 1%, 30G	PT,SI	1.42
		Topical Ointment 1%, 30G	PT,SI	1.42
			PD	1.43

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment			
13	1092	ATROPINE SULPHATE				
	1093	Eye Drops 0.5%, 15ml	1.10	Add	IR	
		1%, 15ml	1.21	Add	IR	
25	Add	CHLORPROPAMIDE	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	2891	Oral Tablet 100mg	100	2	2.57	PF
26	1549	CLIOQUINOL				
		Oral Tablet 250mg	1.80	(ex 500)	Add KL	
			1.97	(ex MP)	Add KL	
43	1414	ETHOSUXIMIDE				
		Paediatric Syrup 250mg per 5ml	Delete	240ml		
			Add	250ml		
53	2887	HYDROCORTISONE				
		Cream 1%, 30G	1.50	Add	SL(N)	
	2888	Topical Ointment 1%, 30G	1.50	Add	SL(N)	
98	1951	PROMETHAZINE				
		Oral Tablet 25mg	Add	1.15 (ex 250)	PT	
				1.23 (ex MP)	PT	

Other Amendments to Section 2 - White Pages (cont.)

Page No.	Code No.	Approved Name and Form	Amendment			
99	1953	PROPANTHELINE BROMIDE Oral Tablet 15mg	3.12 (ex 500) Add KL 3.50 (ex MP) Add KL			
110	2036 2037	SODIUM SALICYLATE Oral Tablet 500mg 600mg	Add (enteric coated) Add (enteric coated)			
112	Add 2896	SULPHACETAMIDE SODIUM Eye Ointment 10%, 5G	Max. Qty. #1	No. of Rpts. ..	Dispensed Price for Max. Qty. 0.70	Manufacturer SP (NWS)
	2063	Eye Drops 10%, 15ml	1.03 Add DH			
120	2669 2563	THEOPHYLLINE with GUAIPHENESIN Oral Capsule 150mg-90mg Elixir 100mg-60mg per 10ml, 200ml	2.43 Add BC 1.26 Add BC			

OTHER AMENDMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Amendment			
41	1917	PREDNISOLONE Oral Tablet 5mg	1.50 Add RL			
51	2133 2134	TETRACYCLINE Oral Capsule 100mg 250mg	1.93 Add KL 2.24 (ex 100) Add KL 2.46 (ex MP) Add KL			

Other Amendments to Section 3 - Pink Pages - (cont.)

Page No.	Code No.	Approved Name and Form	Amendment
		TETRACYCLINE with NYSTATIN	
52	2150	Oral Capsule 100mg-125,000 Units	1.70 Add KL
	2151	250mg-250,000 Units	2.24 (ex 100) Add KL
			2.46 (ex MP) Add KL
		TETRACYCLINE (BUFFERED)	
52	2144	Oral Capsule 100mg	1.93 Add KL
	2145	250mg	2.24 (ex 100) Add KL
			2.46 (ex MP) Add KL

ADVANCE NOTICES

The following item will be replaced in the Schedule of Benefits at a later date.
Details of the necessary amendment will be advised later.

Code No.	Approved Name and Form

2819	CLOFIBRATE Oral Capsule 250mg

The following items will be excluded from the provisions governing high velocity items at a later date.

Code No.	Approved Name and Form

1052	AMYLOBARBITONE Oral Tablet 100mg

2574	DEMETHYLCHLORTETRACYCLINE with NYSTATIN Oral Capsule 150mg-250,000 Units

Previous notification of intention to exclude Pentobarbitone Sodium Oral Capsule 100mg from the provisions governing high velocity items is CANCELLED.

AMENDMENTS TO THE PHARMACEUTICAL BENEFITS BOOK
AUGUST, 1969 EDITION FOR APPROVED CHEMISTS
SEPTEMBER AMENDMENT

AMENDMENTS TO SECTION 1 - LEMON PAGES
MANUFACTURERS - ADDRESS AND CODE

Page No.	Manufacturer		Code
24	Add	Vifor, S.A., Geneva, Switzerland	VF

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		BORIC ACID		\$
17	1123	†Powder 100 G.	WD(N)	†0.17
		CASCARA		
20	1157	†Liquid Extract, B.P., 25 ml.	WD(N)	†0.21
		CASTOR OIL		
21	2803	†100 ml.	WD(N)	†0.30
		COD LIVER OIL		
27	2680	†Cod Liver Oil, B.P., 200 ml.	WD(N)	†0.41
		COLCHICINE		
28	1227	Oral Tablet 0.5 mg.	PR	2.67
		GLYCERIN		
49	2673	†Glycerin 100 ml.	WD(N)	†0.38

Price Adjustments to Section 2 - White Pages - continued

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		PARAFFIN LIQUID		\$
78	1748	†Liquid Paraffin 200 ml.	WD(N)	†0.22
		PROTAMINE SULPHATE		
100	1956	Injection 1%, 5 ml.	EV	2.97
	1957	1%, 10 ml.	BT	4.30

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		COLCHICINE	
28	1227	Oral Tablet 0.5 mg.	\$2.79 Add AV
		DICYCLOMINE HYDROCHLORIDE	
33	1304	Oral Tablet 10 mg.	Add \$2.12 (ex 500) KL \$2.30 (ex M.P.) KL
	1305	Paediatric Syrup 5 mg. per 5 ml., 100 ml.	Add \$1.37 KL
		DIGOXIN	
34	1322	Oral Tablet 250 micrograms	\$1.01 Add AV
		FERROUS AMINOACETOSULPHATE	
44	1423	Paediatric Syrup 4 fl.oz.	Delete item
		HYDROCORTISONE	
53	2888	Topical Ointment 1%, 30 G.	Add \$1.43 PT \$1.50 Add EV, GL
		PENICILLIN PROCAINE	
82	1793	Injection 1 G. (1,000,000 Units)	*\$3.35 Add VR

Other Amendments to Section 2 - White Pages - continued

Page No.	Code No.	Approved Name and Form	Amendment
		PENTOBARBITONE SODIUM	
84	1817	Oral Capsule 50 mg.	Add \$1.50 (ex 500) KL,NB,PT \$1.59 (ex 500) AV,LF \$1.67 (ex 500) FA \$1.69 (ex 500) AB
		PRIMIDONE	
97	1939	Oral Tablet 250 mg.	Add \$6.30 BZ
		INTRAVENOUS FLUIDS FOR INJECTION SODIUM CHLORIDE (Normal Saline - Physiological Solution)	
131	2263	1/2 litre	*\$2.76 Add VF(NWS)
	2264	1 litre	*\$3.18 Add VF(NWS)

OTHER AMENDMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		AMPICILLIN	
3	2646	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	\$4.35 Add CS
		LIGNOCAINE	
25	2876	(Injection) 10%, 5 ml.	Delete "Injection" Insert "For infusion"
		NORTRIPTYLINE	
31	2522	Oral Tablet 10 mg.	\$2.30 Add SQ
32	2523	25 mg.	\$4.03 Add SQ
		PHENYLBUTAZONE	
38	1867	Oral Tablet 100 mg.	\$0.88 (ex 250) Delete IP
39			\$0.97 (ex M.P.) Delete IP

Other Amendments to Section 3 - Pink Pages - continued

Page No.	Code No.	Approved Name and Form	Amendment
		THIAMINE HYDROCHLORIDE	
53	1069	Oral Tablet 50 mg.	Add \$0.97 AV
	1070	100 mg.	Add \$1.62 AV

ADVANCE NOTICES

The following items will be deleted from the Schedule of Benefits at a later date. Details of the necessary amendments will be advised later.

Code No.	Approved Name and Form
	SECTION 2
	PILOCARPINE NITRATE
1884	Eye Drops 0.5%, 15 ml.
1885	1%, 15 ml.
1886	2%, 15 ml.
1887	3%, 15 ml.
1888	4%, 15 ml.
1889	6%, 15 ml.
	Eye Drops (Polyvinyl Alcohol base)
2727	0.5%, 15 ml.
2728	1%, 15 ml.
2729	2%, 15 ml.
2730	3%, 15 ml.
2731	4%, 15 ml.
2732	6%, 15 ml.

SECTION 3

	DEOXYCORTONE
1285	Oily Injection 10 mg. per ml., 10 ml.
	ERYTHROMYCIN
2750	Oral Paediatric Suspension 200 mg. per 5 ml., 100 ml.

Advance Notices - continued

Code No.	Approved Name and Form
	METHACYCLINE
2611	Oral Tablet 75 mg.
	PARAMETHASONE
1758	Oral Tablet 2 mg.
	TESTOSTERONE PROPIONATE
2117	Injection 50 mg. per ml., 10 ml.
	HOSPITAL ONLY
	CLOXACILLIN
2461	Suspension 125 mg. per 5 ml., 100 ml.

The following item will be excluded from the provisions governing high velocity items at a later date.

Code No.	Approved Name and Form
	PENTOBARBITONE SODIUM
1818	Oral Capsule 100 mg.

AMENDMENTS TO THE PHARMACEUTICAL BENEFITS BOOK
AUGUST 1969 EDITION FOR APPROVED CHEMISTS
AUGUST AMENDMENT

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		AMYLOBARBITONE		\$
10	1052	Oral Tablet 100 mg.	HA	0.54 (ex 100)
		HYDROCORTISONE		
53	2887	Cream 1%, 30 G.	PD	1.43
		PENTOBARBITONE SODIUM		
84	1817	Oral Capsule 50 mg.	PT	1.79
		TYPHOID-CHOLERA VACCINE		
124	2871	Injection 1 ml.	CS	*1.50

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		FERROUS AMINOACETOSULPHATE	
44	2465	Pædiatric Syrup 100 ml.	0.97 Add CO
		GLUCOSE INDICATOR	
48	1448	†240 Test Dispenser	Delete †240 Test Dispenser Add †400 cm. Test Dispenser
		HYDROCORTISONE	
53	2887	Cream 1%, 30 G.	1.43 Add PT
		NEOMYCIN SULPHATE MIXTURE	
72	2433	300 mg. per 20 ml. with adsorbent, 100 ml.	1.90 Add NB

Other Amendments to Section 2 - White Pages (cont.)

Page No.	Code No.	Approved Name and Form	Amendment
		PENICILLIN PHENOXYMETHYL	
80	1786	Oral Tablet 125 mg.	0.98 (ex 100) Add NB 1.07 (ex M.P.) Add NB
81	1787	250 mg.	1.52 (ex 100) Add NB 1.63 (ex M.P.) Add NB
		PENTOBARBITONE SODIUM	
84	2707	Oral Tablet 50 mg.	Add 0.86 AV
	1817	Oral Capsule 50 mg.	1.82 Add NB
	1818	100 mg.	0.79 (ex 100) Add NB 0.77 (ex M.P.) Add NB
		PERITONEAL DIALYSIS SOLUTION	
85	2410	Injection with 1.5% Dextrose, 1 litre	*33.70 Add SJ(W)
	2411	Injection with 7% Dextrose, 1 litre	*33.70 Add SJ(W)
		PILOCARPINE HYDROCHLORIDE	
91	2779	Eye Drops 6%, 15 ml.	1.77 Add KL
		SULPHADIAZINE	
112	2068	Oral Tablet 500 mg.	0.99 Delete MG Delete 1.03 MB
		SULPHAGUANIDINE	
		Oral Suspension	
114	2695	500 mg. per 5 ml. with adsorbent, 100 ml.	1.10 Add SI

PRICE ADJUSTMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		HALIBUT LIVER OIL		\$
20	1464	Oral Capsule 6,000 Units Vitamin A	CK	1.79
		OXYTETRACYCLINE		
		Oral Paediatric Suspension		
33	1717	125 mg. per 5 ml., 100 ml.	KL,PF,PT,SP(NWS)	1.66

Price Adjustments to Section 3 - Pink Pages (cont.)

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
		PREDNISOLONE SODIUM SUCCINATE		\$
42	2439	Injection set containing 25 mg. and 1 ml. diluent	MQ	*10.80

OTHER AMENDMENTS TO SECTION 3 - PINK PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		IMIPRAMINE	
23	2421	Oral Tablet 25 mg.	Add 3.97 OD

PRICE AMENDMENT TO SECTION 6 - BLUE PAGES - STANDARD PACKS AND PRICES

Page No.	Code No.	Approved Name and Form	Brand	Amended Price
10	2871	Typhoid-Cholera Vaccine	CS	1 @ 0.60

OTHER AMENDMENTS TO SECTION 6 - BLUE PAGES - STANDARD PACKS AND PRICES

Page No.	Code No.	Approved Name and Form	Amendment
5	Delete		
	1464	Halibut Liver Oil 6,000 Units	120 @ 1.60 CK
8	2410	Peritoneal Dialysis Solution	
		1.5% Dextrose	1 @ 1.67 Add SJ(W)
	2411	7% Dextrose	1 @ 1.67 Add SJ(W)
8	2439	Prednisolone Sodium Succinate	
		Injection - Set	Delete 1 @ 6.67 MQ
			Add 3 @ 13.33 MQ

ADVANCE NOTICES

The following item will be deleted from the Schedule of Benefits on 1 September 1969.

Code No.	Approved Name and Form
1423	FERROUS AMINOACETOSULPHATE Paediatric Syrup, 4 fl.oz.

The following item will be included under the provisions governing high velocity items at rates based on the bulk pack size shown against the item on 1 September 1969.

Code No.	Approved Name and Form	Bulk Pack
1817	PENTOBARBITONE SODIUM Oral Capsule 50 mg.	500

ADDITIONAL AMENDMENT

SECTION 2 - WHITE PAGES

Page No.	Code No.	Approved Name and Form	Amendment
		GUANETHIDINE	
50	1461	Oral Tablet 10 mg.	Delete 3.78 (ex 500) UW(N)
51			Delete 4.10 (ex M.P.) UW(N)
51	1462	Oral Tablet 25 mg.	Delete 8.33 (ex 500) UW(N)
			Delete 9.37 (ex M.P.) UW(N)

PHARMACEUTICAL BENEFITS

Explanatory circular regarding the August 1969 issue of the Schedule of Benefits for Approved Chemists

This reprint of the Schedule of Benefits will take effect from 1 August 1969.

The B.P. 1968 and B.P.C. 1968 are official in Australia as from the same date.

Paragraphs 62, 119 (d), 126 (b) and 128 (b) of the Explanatory Notes have been amended.

Appended is a summary of other changes in this issue.

ADDITIONS—NEW ITEMS

Section 2

Choline Theophyllinate with Guaiphenesin
Sodium Nitroprusside
Typhoid-Cholera Vaccine

Intravenous Fluids for Injection

Casein Hydrolysate with Dextrose
Casein Hydrolysate with Laevulose and Alcohol
Invert Sugar

Section 3

Hydrocortisone with Propanediol Diacetate and Acetic Acid
Insect Allergen Extract (Honey Bee)
Lignocaine
Protein Hydrolysate Formula without Phenylalanine

ADDITIONS—NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2

Chloral Hydrate, mixture 230 mg./5 ml. 400 ml.
Chlorpheniramine, capsule 8 mg. (sustained release)
12 mg. (sustained release)
Dextrose, injection 25%, 25 ml.
Hydrocortisone, cream 1%, 30 G.
topical ointment 1%, 30 G.
Sulphamethizole, suspension
Theophylline with Guaiphenesin, 100 mg.-60 mg. capsule

Section 3

Ergotoxine Methanesulphonates, injection
Ethionamide, tablet 250 mg.

Natamycin, suspension 1%
Polymyxin B Sulphate with Bacitracin and Neomycin, eardrops
Tetracycline with Nystatin, tablet 250 mg.-250,000 units
paediatric syrup
Deodorant Detergent solution, lauryldimethyl benzyl ammonium chloride 15 G., Terric N8 150 G., in 600 ml. (Colostomy and Ileostomy only)

TRANSFER

Aluminium Hydroxide Gel with Kaolin mixture from Colostomy and Ileostomy to Section 2

DELETIONS

Section 2

Aminophylline, injection I.M. 480 mg./2 ml.
Chlorazanyl, tablets 25 mg. and 150 mg. (Orpidan)
Diethylcarbamazine, tablet 50 mg. (Hetrazan)
Hydrochlorothiazide, capsules 25 mg. and 50 mg. (Direma)
Piperazine Phosphate, tablet 250 mg. (Helmezine)
Theophylline, elixir 450 ml.
Sodium Lactate Compound and Dextrose 10%, $\frac{1}{2}$ litre

Section 3

Amphetamine Sulphate
Dexamphetamine
Erythromycin, suspension 100 mg./5 ml. 100 ml.
Mestanolone (Androstatone)
Methylamphetamine
Oxymesterone (Oranabol)

ALTERATIONS TO APPROVED NAMES

<i>From</i>	<i>To</i>
Acetylsalicylic Acid	Aspirin
Aneurine Hydrochloride	Thiamine Hydrochloride
Butabarbital Sodium	Secbutobarbitone
Dihydromorphenone Hydrochloride	Hydromorphone
Para-aminosalicylic Acid	Aminosalicylic Acid
Prednisolone Trimethylacetate	Prednisolone Pivalate
Sodium Edetate	Trisodium Edetate
Glyceryl Guaiacolate	Guaiphenesin
Water for Injection	Water for Injections
Tetracosactide	Tetracosactrin

ALTERATIONS

Repeats and Maximum Quantities

Clioquinol tablet now Nil repeats
Copper Sulphate diagnostic compound tablets now 3 repeats
Dichloralphenazone liquid now 4 repeats
Orciprenaline tablet now Nil repeats
Thiotepa injection now max. qty. of 2 with 1 repeat
Pyridoxine Hydrochloride max. qty. now 100

Metric Pack

Wool Fat, Hydrous now 50 G. tube or jar

Strengths

Chlorpheniramine tablet 8 mg. The sustained release form is now listed separately.
Homatropine Hydrobromide, hypromellose base eye-drops are now listed separately.
Hyaluronidase; the 1 mg./1,500 units and 3 mg./1,500 units injections are now listed as one strength of 1,500 I.U. The 500 unit strength is now 150 I.U.
Pilocarpine Hydrochloride, hypromellose base eye drops are now listed separately.

NOT FOR SALE

All Previous Editions Cancelled.

COMMONWEALTH OF AUSTRALIA.



SCHEDULE OF BENEFITS
for
APPROVED CHEMISTS

OPERATIVE FROM 1 AUGUST 1969

Department of Health.

CANBERRA, A.C.T

CONTENTS.

SECTION 1—LEMON PAGES

	Paragraphs
INTRODUCTION	
CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED	
A. PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS	
Schedule of Benefits	1-8
Prescriptions	9-11
Manner of Administration	12
Restrictions	13
Certificates for Prescribing Tranquillis- ing or Anti-depressant Drugs	14
Maximum Quantities and Repeats	15-20
Urgent Cases	21-22
Emergency Drug (Doctor's Bag) Sup- plies	23-26
B. SUPPLY OF BENEFITS—PROCEDURE BY CHEMISTS	
Prescriptions	27-29
Procedure when an Authority presented	30
Repeat Authorizations	31
Regulation 24	32
Receipts	33-34
C. CHARGES TO PATIENTS	
First Fifty Cents	35-40
After Hours	41
Delivery	42
Responsibility	43-44
D. MISCELLANEOUS	
Premises	45
Approved Doctors, Friendly Societies	46
Standards	47
References	48
Measures	49
Hours of Supply	50-51
Proper Stocks to be Kept	52
Statement of Stocks	53
Retention of Documents	54
Suspected Forgery	55
Sale Copies	56-58
CODING AND SUBMISSION OF PRESCRIPTIONS— PROCEDURE BY CHEMISTS	
A. INTRODUCTION	59-61
B. GENERAL	
Time for Lodgment of Claims	62

	Paragraphs
Documents to be Submitted	63
Completion of Claim Form	64-66
Prescription Identifying Numbers	67-68
Pharmacy Stamp	69
Serial Numbering of Prescriptions, Re- peat Authorizations and Emergency Drug (Doctor's Bag) Order Forms	70
Standard Formulae List of Extempor- aneous Preparations	71
Special Provisions Governing Payment of Extemporaneous Prescriptions Out- side the Standard Formulae List	72-78
C. PROVISION OF CODED INFORMATION BY CHEMIST	
Entering of Information	79
Code Numbers for Preparations which are Pre-priced	80-81
Code Numbers for Extemporaneous Pre- parations which are Not pre-priced	82
Coding Stamp	83-87
Coding of Ready Prepared Benefits	88
Coding of Extemporaneously Dispensed Benefits included in Standard Formu- lae List	89
Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List	90
Action to be taken when Chemist elects to be paid on an Average Price Basis	91
Action to be taken when Chemist elects to price non-priced Extemporaneous Preparations	92
Coding of Repeat Authorization Forms	93
Action by Chemist issuing the Repeat Authorization	94-95
Action by Chemist Dispensing a Repeat Authorization	96
Coding of Emergency Drug (Doctor's Bag) Order Forms	97
D. STATEMENT OF ACCOUNT	98-105
E. MISCELLANEOUS	
Private prescriptions—General Benefits priced at less than 50c	106

Paragraphs

PROVISIONS GOVERNING PAYMENTS TO CHEMISTS
FOR N.H.S. DISPENSING

A. GENERAL	107
B. READY PREPARED ITEMS AND P.L. ITEMS	
Price where maximum quantity pre- scribed (R.P. and P.L. Items)	108
Price where Broken Quantity Prescribed (R.P. Items)	109
Price for Unbranded Prescriptions	110
Packed Lines	111
Unbroken Packs to be Supplied	112
Wastage Table Percentage for Ready Prepared Preparations	113-114
Prescribers' List Items	115
C. EXTEMPORANEOUSLY PREPARED PRESCRIPTIONS	
Pricing Prescriptions Not Pre-priced	116-120
Miscellaneous Pricing Rules	121
Individual Powders, etc.	122-123
Pricing Prescriptions where additional ingredients have been added to a specified formula	124-128
D. PROVISIONS RELATING TO BULK PACKS	
High Velocity Items	129
Purchase Pack Size	130
Application to Brands	131-132
Loss on Bulk Packs	133-134
Conditions subject to which Loss Pay- ments will be made	135
Claims for Loss	136
E. GENERAL	
Professional Fees and Containers	137
Pricing Dates	138
Zone Allowances	139-140
Supplies of Stationery	141
Addresses of Commonwealth Department of Health Branch Offices	21
Manufacturers Address and Code	22-24
Supplies of Listed Brands—Distributors	25
Distributors—Addresses	26-29
Emergency Drug (Doctor's Bag) Supplies	30
Metric Conversion Table	31
Abbreviations or Synonyms for Approved Names	32

SECTION 2—WHITE PAGES

Schedule of Benefits

General and Pensioner Benefits	1-128
Intravenous Fluids	129-134
Container Prices and Professional Fee for Extemporaneous Benefits and Pre-priced Extemporaneous Preparations	135-168

SECTION 3—PINK PAGES

Schedule of Benefits

Restricted Benefits	1-56
Preparations Restricted to Colostomy and Ileos- tomy Use Only	58-59
Preparations Restricted to Use in Approved Hospitals Only	60-63

SECTION 4—GREEN PAGES

Schedule of Benefits—Drug Tariff

Tables of Maximum Quantities and Number of Re- peats for Extemporaneous Preparations	1-11 12-13

SECTION 5—OLD GOLD PAGES

PRESCRIBERS' LIST

PHARMACEUTICAL BENEFIT FORMULAE

Applications	1
Creams	1-2
Dusting Powders	2
Ear Drops	3
Elixirs	3
Emulsion	3
Eye Drops	3
Inhalations	4
Linctuses	4
Liniments	4
Lotions	4-5
Mixtures	5-7
Nasal Instillations	7
Ointments	7-8
Paints	8
Pastes	8-9
Powders	9
Spray	9

CHILDREN'S SECTION

Linctus	10
Mixtures	10-11

SECTION 6—BLUE PAGES

Container Prices and Professional Fee for Ready Prepared Benefits	1
Standard Packs and Prices (including Mark-up, but no Professional Fee) for items against the price of which an asterisk is shown in the Schedule of Benefits	2-10

INTRODUCTION

These notes are designed for the use of chemists. They describe the procedure by doctors in prescribing benefits and the procedures by chemists in supplying benefits. They go on to outline the action on the part of chemists in coding prescriptions for processing by computer and the submission by them of claims for payment. Finally the notes explain the pricing arrangements in accordance with which chemists' claims are processed for payment.

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

A. PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescribers' List items are listed in the Schedule of Benefits, Sections 2 and 3.
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in Section 4—(Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) The admixture of two or more ready prepared items listed in the Schedule of Benefits.
 - (b) The admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff—Section 4.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words "solvent required" are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., "Penicillin Benzyl, Injection 300 mg. amp. with 2 ml. water for injection".
6. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 15–20.
7. The Proprietary Index is available in a separate booklet which is issued to approved chemists.
8. Symbols used in the Schedule of Benefits.
 - (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed, except where the prescription bears specific instructions for use, in which case the item is to be labelled.
 - (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has

been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.

- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.

N.S.W. (N); VIC. (V); S.A. (S); W.A. (W);
Q'LD (Q); TAS. (T).

Prescriptions

9. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in some indelible form (ink or ball point pen) in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to "7 x 5". The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate, marking the duplicate with the word "Duplicate" (this is pre-printed on the standard prescription forms).
- (c) Set out the name and address of the patient, and, where the patient is a pensioner who holds an entitlement card, write the pension number. (Please note that the pension number is required and not the entitlement card number.) It is not necessary to write the pensioner's address on the prescription form, except where the provisions of State law regarding narcotic, specified or restricted drugs require the address to be written.
- (d) In the case of pharmaceutical benefits which are restricted in use, endorse the prescriptions with the words "specified purpose". Abbreviations such as "Spec.

Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease or purpose for a pensioner, the Pension Number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

- (e) If the benefit is a single drug, indicate the manner of administration.
- (f) Where a medical practitioner writes a prescription as a pharmaceutical benefit but does not specify a particular formula or brand for the item prescribed, the chemist when dispensing shall give priority to either the formula (if any) for that item specified in the Prescribers' List or to one of the ready prepared brands (if any) for that item included in the Schedule of Benefits.
- (g) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in own handwriting with the words "Regulation 24" (see also paragraph 20).
- (h) Mark the prescription "N.H.S.", date and sign it.

No objection will be raised to doctors writing more than one but no more than three prescriptions on a single sheet of paper provided each prescription is legible.

Prescribers' List formulations are now expressed in metric terms and made up to metric doses or quantities. Prescriptions consisting of or containing a Prescribers' List formula should therefore be written in the metric system.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

11. A prescription is not valid if the form—

- (a) Prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) Prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted).
- (c) Prescribes a narcotic drug for the medical practitioner writing the prescription.

Unless unduly inconvenient to the doctor, it would be appreciated if doctors could follow the practice of not writing prescriptions for benefit items on the same form as non-benefit items. This practice does not invalidate the prescription and if a prescription form contains both pharmaceutical benefit items and non-pharmaceutical benefit items, it may be accepted by the chemist. However to avoid

confusion to patients in such cases, the doctor should identify the non-benefit item, e.g., by an endorsement such as "non-benefit item", or "private prescription" or similar wording.

A particular application of these circumstances is where one prescription is for a "Specified Purpose" drug and the doctor has omitted to write "Specified Purpose" (or acceptable abbreviation) e.g., because the patient is not suffering from one of the allowable conditions. In such a case, identification of the item as a non-benefit will clearly indicate the doctor's intentions to both the patient and the chemist, and save inconvenience to all concerned.

Manner of Administration

12. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit.

Restrictions

13. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Commonwealth Director of Health. Full particulars of these drugs and the restrictions are listed as a separate section of the Schedule under "Restricted Benefit Section." Items restricted for use in "Approved Hospitals Only" are listed as a separate section in the "Restricted Benefit Section" of the Schedule. These items are not available in all approved hospitals and medical practitioners should ensure that the items are available at the particular hospital before prescribing. Items restricted to use for Ileostomy and Colostomy conditions are also listed as a separate section in the "Restricted Benefit Section." A reference to all other items listed in the Restricted Benefit Section is given in the Schedule of Benefits—Section 2. It is not necessary for the particular restriction to be identified on the prescription.

Certificates for prescribing Tranquillising or Anti-Depressant Drugs

14. Special arrangements apply in respect of the prescribing of certain tranquillising or anti-depressant drugs. Under these arrangements certificates for prescribing tranquillising or anti-depressant drugs are issued by approved hospitals in respect of patients who have been discharged after treatment (either as in-patients or out-patients) for mental disorders and who require continued treatment with these particular drugs.

These certificates are only applicable to those items against which this provision is listed in the restrictions (pink pages), and for the forms, brands, strengths and maximum quantities so listed. Any item not so listed may not be prescribed on these certificates.

The certificate is forwarded to the patient's medical practitioner.

On receipt of a certificate the medical practitioner may prescribe the particular drug as a pharmaceutical benefit for the patient provided the certificate number is endorsed on the prescription together with the words "specified purpose" (or suitable abbreviation).

Certificates are current for six months from the date of issue and during that time should be retained by the medical practitioner as a continuing authority to prescribe. It is not necessary to attach the certificate to the prescription.

Maximum Quantities and Repeats

15. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits. For other preparations, details are set out in the Tables of Maximum Quantities and Repeats—green pages.

The maximum quantity of items marked with a double dagger (‡) has been determined as a single pack and as explained in paragraph 8 unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

16. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 17–18). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

17. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

18. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

19.—(a) The written authority of the Commonwealth Director of Health to prescribe:

- (i) restricted drugs (paragraph 13); or
- (ii) increased maximum quantities (paragraph 17); or
- (iii) increased number of repeats (paragraph 18);

will be forwarded to the doctor on an Authority to Prescribe (Form PB15).

(b) Where authority is given to prescribe:

- (i) repeat supplies of restricted drugs; or

- (ii) repeat supplies of increased maximum quantities; or
- (iii) for the supply of a pharmaceutical benefit to be repeated more times than the number of repeats specified in the Schedule;

an Authority to Repeat (Form PB15a—pink) for each repeat authorized will also be forwarded with Form PB15.

(c) On receipt, the doctor writes the prescription on the original (white) form PB15 in the space provided for this purpose. The doctor will retain the yellow copy as his record, and hand all other copies including the original (white) copy and any pink copies (form PB15a) to the patient.

Note: In VICTORIA and TASMANIA the doctor writes the prescription in duplicate (a duplicate form PB15 is provided for this purpose). Both the original and duplicate forms PB15 are handed to the patient.

20. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription "Regulation 24", as certification that the above conditions have been satisfied.

Urgent Cases

21. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing and forward it to the chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

22. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 13). In such cases, the doctor must first obtain advice from the Commonwealth Director of

Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

23. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

24. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) order form (except Form P.B. 7A) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on an Emergency Drug (Doctor's Bag) order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present Doctor's Bag order form P.B. 7A to an approved chemist for their supplies. Special instructions are issued to these doctors.

25. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity. For example, if the doctor had 100 or more sulphonamide tablets on hand as portion of his Emergency Drug (Doctor's Bag) Supplies, further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than sulphonamides), e.g., different strengths of ampoule or tablet, is specified in the Schedule of Benefits, the doctor may obtain all or any of those strengths provided that the number of units required of each strength is the number in a listed manufacturer's pack and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity. For example, if there were five strengths of a tablet each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

26. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorized by him.

B SUPPLY OF BENEFITS—PROCEDURE BY CHEMISTS

Prescriptions

27. An approved chemist is authorized to supply a pharmaceutical benefit only upon the surrender of—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a repeat authorization presented with a duplicate prescription within six months of the date of the prescription.

Prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion. However, where a restriction is applied to the prescribing of a benefit, valid prescriptions written before the date of effect of the restriction may still be dispensed as benefits.

28—A. Before a benefit is supplied on presentation of a prescription the chemist is required to:—

- (i) mark his name and approval number on the prescription form and duplicate;
- (ii) allot a number which will identify the prescription and write that number on the form and duplicate; and,
- (iii) if more than one prescription has been written on the one form allot a separate number to each prescription.

B. When a benefit is supplied on presentation of a repeat authorization, the chemist shall mark his name and approval number in the space provided on the repeat authorization.

C. Before a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply except when supply under the provisions of Regulation 24 is authorized (see paragraph 32), or on a repeat authorization requiring further repeats, the chemist shall prepare a repeat authorization form in duplicate, showing:—

- (i) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (ii) on the first occasion of supply of the benefit, his approval number together with the identifying number allotted by him to the prescription and the date of the original prescription;
- (iii) on subsequent occasions of supply (except the final occasion of supply) the approval number and the prescription identifying number relating to the original supply and the date of the original prescription;
- (iv) if the prescription or repeat authorization is for a pensioner, the pension number appearing on the prescription;
- (v) if the prescription or repeat authorization is for a tranquilliser or anti-depressant drug for a person other than a pensioner, the Tranquilliser Certificate number appearing on the prescription.

D. At the time of supply of the benefit the completed repeat authorization together with duplicate of the prescription is to be issued to the person to whom the benefit is supplied.

E. Separate repeat authorizations are to be prepared in respect of each benefit and for solvents when an injectible solvent is prescribed. The procedure when an authority form is presented is set out in paragraph 30. The procedure to be followed in endorsing prescriptions and repeat forms is covered in "CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY CHEMISTS". (See page 9 of these notes).

29. Prescription forms which prescribe both pharmaceutical benefit items and non-pharmaceutical benefit items may be accepted. The non-benefit items will be supplied as private prescriptions and cancelled from the form.

Procedure when an Authority presented

30—A. When a benefit is ordered on an Authority to Prescribe (form PB15) the doctor will have written the prescription on only the original (white) copy of the Authority form. In this case the doctor is not required to write a duplicate prescription. The chemist will—

- (a) enter in the designated places on the Authority form—
 - (i) the serial number of the prescription;
 - (ii) code for brand of benefit ordered where the Department has, in the absence of prior knowledge of the prescriber's intention, omitted to endorse a brand in the appropriate coding space and one is specified in the prescription;
 - (iii) prescription number (reference to the relevant entry in the prescription book);
- (b) where a solvent has been prescribed for an injectible and there are no repeats ordered or all repeats have been previously supplied, a code stamp imprint will be placed on the front of the white form (PB15) and a separate serial number and code for the solvent entered thereon; and
- (c) obtain the signature of the patient or signature and address of the agent and date of supply.

B. Where repeat supplies are authorized on an Authority to Repeat, Forms PB15a (pink) equal to the number of repeats authorized will be supplied to the patient by the doctor. The patient will surrender one form to the chemist on each occasion supplies of the benefit are obtained. The chemist is not required to complete a Repeat Authorisation unless an injectible with solvent is prescribed. The chemist will:—

- (a) enter in the designated places on the authority form—
 - (i) the serial number of the prescription;

(ii) code for brand of benefit ordered where the Department has omitted to endorse a brand in the appropriate coding space and one is specified in the prescription;

(iii) prescription number (reference to the relevant entry in the prescription book); and

- (b) obtain the signature of the patient or signature and address of the agent and date of supply.

C. Where an injectible and required solvent are to be repeated, the chemist who makes the first supply should serially number and code the solvent on the front of a pink form (PB 15a) which he will retain. A repeat authorization form will be prepared and given to the patient together with the white and pink copies of the Authority to Prescribe (Forms PB 15 and PB 15a).

D. The chemist should claim for the quantity authorized and supplied. If no repeats have been authorized or if all repeats have been previously supplied, the chemist should claim on the white form PB15, otherwise the claim is made on the pink form PB15a and the white form with any remaining pink forms returned to the patient.

E. It should be noted that the chemist dispensing the last supply (or the only supply where no repeats are ordered) will not have a duplicate prescription. Also, as he does not have to make out Repeat Authorisations he will have no duplicate Repeat Authorisation for intermediate supplies. Particulars of each supply should therefore be entered in the chemist's prescription book if a record is required.

NOTE: In VICTORIA and TASMANIA the doctor is provided with a special duplicate copy of the form of authority (PB15) for use as a duplicate prescription. This duplicate authority will be used by the chemist for the same purposes and in the same manner as a duplicate prescription.

Repeat Authorizations

31. A benefit may be supplied on a repeat authorization only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

Regulation 24

32. Where a prescription is endorsed "Regulation 24" (see paragraph 20), a chemist is authorized to supply the benefit and the repeats of that benefit at the one time. He should not complete a repeat authorization form. Only one professional fee is payable for the total supply.

Receipts

33. Upon the supply to a person of a benefit by a chemist, that person shall sign and date a receipt for that benefit on the prescrip-

tion form or repeat authorization, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the prescription form or repeat authorization with his address. Not in any circumstances must a person give or a chemist demand a receipt until supply of the benefit has actually been made.

34. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the approved chemist must certify on the prescription or repeat authorization, as the case may be, that he has supplied the pharmaceutical benefit, the date on which the supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 21-22) or to a person who cannot read or write, or who is unable to write, the approved chemist should sign and date a statement on the prescription or repeat authorization, indicating the circumstances of supply.

C. CHARGES TO PATIENTS

First 50c

35. An approved chemist may in respect of each supply by him whether on a prescription or repeat authorization, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding 50c, except that a charge is not to be made for the supply of a pharmaceutical benefit on a prescription which shows the pension number as appearing on the P.M.S. Entitlement Card of the pensioner, or a repeat authorization on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one fifty cents charge may be made for each supply of the benefit.

36. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than 50c for each supply.
- (b) he will clearly indicate in any statement made by advertisement, notice or otherwise, that any offer to supply drugs or medicinal preparations without charge or at a reduced charge does not apply to the supply of pharmaceutical benefits.
- (c) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners in possession of a Pensioner Medical Service Entitlement Card) without charge or for a charge that is less than 50c for each supply.
- (d) he will not enter into an agreement or arrangement to pay rebates or refunds on the 50c fee, nor will he become an agent for a party to such agreements.

37. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 17), only 50c should be charged for each supply of the increased maximum quantity.

38. Where a doctor endorses a prescription "Regulation 24" (see paragraphs 20 and 32), the chemist should make a charge of 50c for the original prescription and 50c for each repeat that would normally be needed to make up the total supplies. For example if the prescription ordered two repeats, a charge of \$1.50 should be made on the patient.

39. Where a prescription is written for a benefit for which the dispensed price is less than 50c at the time of supply, the prescription should be dispensed as a private prescription, unless it has been written for a pensioner. This also applies to prescriptions endorsed "Regulation 24" (see paragraphs 20 and 32), and for which the price of the maximum quantity of the benefit is less than 50c.

40. Where a doctor has obtained an authority to prescribe an increased maximum quantity (see paragraph 17), and the increase in quantity takes the dispensed price to more than 50c, the prescription should be dispensed as a pharmaceutical benefit regardless of the price of the normal maximum quantity. In such cases the normal 50c charge may be made in respect of each supply.

After Hours

41. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged for each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Commonwealth. Allowable late fees are—

- (a) after trading hours but before 11 p.m.—25c.
- (b) between 11 p.m. and the commencement of trading hours on the next day—50c.

Delivery

42. A charge equal to the cost of delivering may be made if supply by delivery is made at or to a place other than the chemist's pharmacy.

Responsibility

43. It is the patient's responsibility to meet any charge lawfully demanded and a chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

44. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Commonwealth) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

D. MISCELLANEOUS

Premises

45. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

Approved Doctors, Friendly Societies

46. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly Society Dispensaries should follow the procedures subject to additional instructions made available to them.

Standards

47. A chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

- (a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Substances Act;
- (b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

48. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescribers' List are identified in this book by the letters B.P., B.P. 1963, B.P. 1958, B.P. 1953, B.P. 1948, B.P. 1914, B.P.C., B.P.C. 1963, B.P.C. 1959, B.P.C. 1954, B.P.C. 1949, A.P.F., A.P.F. 1955, A.P.F. 1947, or P.L. as appropriate.

Measures

49. Except where stated, weights and measures other than metric, represented or expressed in the Schedule of Benefits, or in a prescription, shall be deemed to be apothecary's weights and measures. When the abbreviation oz. is used in relation to extemporaneous preparations it refers to a 480 gr. ounce. A table of approximate equivalents of doses in the metric and imperial systems is given in this section.

Hours of Supply

50. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays

any charges applicable. When the prescription is marked "urgent" and initialled by the doctor, it is obligatory for the chemist to make supply at his pharmacy at any hour.

51. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

52. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

53. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

54. Without affecting the requirements of the law of a State in regard to dangerous or restricted drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorizations;
- (c) in the case of a chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

Suspected Forgery

55. If a chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Emergency Drug (Doctor's Bag) order forms particular requirements are set out in paragraph 24.

Sale Copies

56. Copies of the National Health Act and Regulations are available from the Commonwealth Sub-Treasury in each capital city.

57. Additional copies of the Proprietary Index and this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

58. Inquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

CODING AND SUBMISSION OF PRESCRIPTIONS— PROCEDURE BY CHEMISTS

A. INTRODUCTION

59. The pricing of valid prescriptions, repeat authorizations and Doctor's Bag Order forms and the calculation of the total amount payable for each claim are carried out by means of an electronic computer which operates on coded information provided by the approved chemist in respect of each pharmaceutical benefit supplied under the National Health Act.

60. The system is designed to enable approved chemists to prepare claims correctly with a minimum of work but it is, however, essential that the instructions be followed carefully and without modification. The inclusion in claims of incorrectly coded or otherwise defective prescriptions can be expected to interrupt processing and delay payments.

61. The interest and co-operation of approved chemists in ensuring that claims are always correctly prepared is invited and would substantially assist this Department to maintain a programme of prompt and satisfactory payments.

B. GENERAL

Time for Lodgment of Claims

62. Claims for pharmaceutical benefits must be lodged at the office of the Commonwealth Department of Health in your capital city within thirty days of the last day of the month in which the benefits were supplied, unless the approval of the Commonwealth Director of Health has been obtained otherwise. Claims for pharmaceutical benefits supplied more than six months prior to the date of claiming will not be accepted for computer processing, but will require manual pricing of prescriptions and preparation of tally sheets and claim forms by the chemist. *Chemists desiring to submit such claims should contact the office of the Commonwealth Director of Health for instructions regarding the preparation of the claims and the necessary forms.*

Documents to be Submitted

63. A Claim for pharmaceutical benefits consists of:

- (i) A completed claim form P.B.1 (Treasury Form 12).
- (ii) The originals of all prescriptions, repeat authorizations, as well as special authority prescriptions and special authority repeat forms for benefits supplied to the general public. These should be together in a separate bundle from the pensioner prescriptions.
- (iii) The originals of all prescriptions, repeat authorizations, as well as special authority prescriptions and special authority repeat forms for benefits supplied to pensioners. These should be together in a separate bundle from the general benefit prescriptions.

NOTE.—Generally, prescriptions in each bundle should be submitted in serial number order. The exception to this is where a chemist *has elected to price extemporaneously prepared prescriptions* (see paragraphs 72 and 90). These prescription forms should be placed at the back of the relevant bundle irrespective of serial numbers and the fact that other prescriptions may appear on the same form.

- (iv) The original orders for Emergency Drug (Doctor's Bag) supplies in a separate bundle.
- (v) Repeat authorizations for an injectible and the related solvent must be stapled together.

Completion of Claim Form

64. Particulars of claimant's name, approval number, address, reference number, zone and zone factor and month of dispensing should be entered in the spaces provided on the claim form P.B.1 (Treasury Form 12). It is important that these particulars agree entirely with the latest written information held by this Department; i.e., application for approval form or later letter. In the event of discrepancies, payment will necessarily be delayed pending clarification.

65. The numbers to be entered on the claim form are the first and last serial numbers given to items on the General and Pensioner Benefits and Emergency Drug (Doctor's Bag) forms respectively (see paragraph 70). The last numbers should be the total numbers of these categories.

66. Please note that no entry of the amount of the claim is required—this will be calculated by computer after the prescriptions have been individually priced.

Prescription Identifying Numbers

67. In addition to a serial number (see paragraph 70) each pharmaceutical benefit prescription dispensed must be given a number which identifies it specifically. Prescription book numbers are preferable

but any other series which will meet the purpose may be used, provided that the chemist's approval number is not a component of such numbers. Please note that these numbers are to be entered in the Coding Stamp (see paragraph 83), not in the Pharmacy Stamp as has been the general practice.

68. Further, in cases where a chemist allots an identifying number to a repeat authorization as distinct from the original prescription number allotted by the chemist issuing the repeat authorization, he should enter this new identifying number in the appropriate coding box pre-printed on the front of the form.

Pharmacy Stamp

69. Before supply of benefit each prescription form and repeat authorization form should be endorsed with the name of the approved person and his approval number. This information may be stamped, written or typed.

Serial Numbering of Prescriptions, Repeat Authorizations and Emergency Drug (Doctor's Bag) Order forms

70. Commencing at 1 for General Benefits, P1 for Pensioner Benefits and D1 for Emergency Drug (Doctor's Bag) supplies, each month serially number *each benefit item supplied* within each of these categories. It is important for identification purposes that all serial numbers for Pensioner Benefits are prefixed by the letter P, and it should be noted that each Doctor's Bag item should be given a serial number; e.g., if there are five items on the first Emergency Drug (Doctor's Bag) Order form dispensed for the month the first item on the second form dispensed for the month will be D6.

Standard Formulae List of Extemporaneous Preparations

71. Included in Section 2 is a comprehensive list of pre-priced extemporaneous preparations. The list is comprised of formulae taken from formulary in common use. This list is referred to in these notes as the Standard Formulae List. Each preparation is identified with a four figure code number.

Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List

72. An approved chemist may elect to price out these prescriptions. Once made, however, such an election cannot be varied for a period of three months and applies to all extemporaneously dispensed formulae for which there are no four-figure Codes in the Standard Formulae List.

73. Unless he so elects, the chemist will be paid at an average reimbursement rate for these prescriptions. Under this system, payment is made on the basis of an average 10G/ml. or unit rate applied to the category of preparation concerned, i.e., the price will be ascertained by multiplying the appropriate 10G/ml. or unit rate by the number of 10G/ml units supplied and adding container and professional fees. For example an 80 ml. mixture would be priced at

8 times the average 10 ml. rate for mixtures, plus container and professional fee. Notwithstanding that a chemist is accepting the average price for non-pre-priced prescriptions, he may price out "exceptional" prescriptions and code for reimbursement at that price (see paragraph 78).

74. The average 10G/ml. or unit rate may vary from month to month but the rate for a particular prescription will be that applying to the month in which it was dispensed.

75. By agreement with the Pharmacy Guild of Australia the average 10G/ml. or unit rates are determined as follows:

76. Each month the total number of 10G/ml. units of each type of pre-priced extemporaneous preparation claimed for will be ascertained for each State, together with the total values minus container and professional fees. From these figures an average 10G/ml. or unit rate will be calculated for each type of preparation for each State. This rate will be used as the rate for calculating prices for the prescriptions dispensed in the succeeding month. It should be noted that prescriptions ordering a combination of standard preparations also fall outside the scope of the Standard Formulae List and therefore are subject to this section.

77—(a) Any variant to a formula included in the Standard Formulae List (addition and deletion of an ingredient or variation of dose up or down) takes the formula dispensed outside the Standard Formulae List and it becomes subject to this section, i.e., it cannot be identified with the code number of the formula which it resembles.

(b) Where a chemist is accepting the average price for non-pre-priced prescriptions, and where an ingredient is added to a standard formula and the recovery price for the standard formula plus additive under the average price system is less than that for the standard formula alone, the chemist may code that prescription as though it were a standard formula item.

78. Exceptional prescriptions are those prescriptions which if priced out would have a value (including container and professional fee) equal to or greater than twice the recovery price (including container and professional fee) on an average price basis.

C. PROVISION OF CODED INFORMATION BY CHEMIST

79. The chemist will enter relevant information on each document he submits in support of his claim. The information to be entered will depend upon the type of document, i.e., original or repeat supply, Emergency Drug (Doctor's Bag) Order form, &c., and on the category of prescription, i.e., ready prepared or extemporaneously prepared. The chemist is not required to determine eligibility for minor or bulk pack payment nor is he required to endorse the prescription "Ex M.P." Bulk Pack eligibility will be assessed by the computer.

Code Numbers for Preparations which are Pre-priced

80. A unique four-figure code number is shown for:

- (i) each form and strength of every ready prepared benefit (Sections 2 and 3, Schedule of Benefits);
- (ii) each standard formula preparation listed in the Standard Formulae List.

81. An exception to this occurs in the use of packed lines where the presence or otherwise of "Directions for Use" affects the price. Two separate numbers are therefore shown for each packed line. The first code number is to be used where the prescriber has not included specific directions for use in his prescription, and the second will be used when such directions are included.

Code Numbers for Extemporaneous Preparations which are not Pre-priced

82. Two-figure code numbers representing each type of extemporaneous preparation, e.g., mixtures, ointments, &c., are shown in the Tables of Codes, Section 4 (green pages) of the Schedule. These two-figure codes are to be used by the chemist in coding those prescriptions where a doctor has either specified the individual ingredients of a preparation or ordered a combination of standard formulae or has varied in any way a preparation included in the Standard Formulae List, and the chemist has elected to accept an average price (see paragraph 73). Where the chemist has elected to price out such prescriptions then action as outlined in paragraph 90 should be taken.

Coding Stamp

83. One stamp is provided for coding both Ready Prepared Benefits and Extemporaneously Dispensed Benefits. This stamp provides spaces for coded information on original prescription forms. Repeat authorization forms and Emergency Drug (Doctor's Bag) Order forms currently on issue have printed coding spaces, and special authority prescriptions and special authority repeat forms are coded by this Department before issue to medical practitioners.

84. Stamp imprints should be placed preferably on the extreme left of the front side of the prescription form. Many doctors use prescription forms which provide space suitable for this purpose, but when there is insufficient area on the front of the form the stamp should be placed on the left-hand side on the back. It should be noted that coding stamps must be placed either all on the front or all on the back of an individual form. In no circumstances should the stamp imprint appear on both the back and front.

85. Doctors who so desire may obtain prescription forms which provide space for the coding stamp and for the patient's or agent's receipt on the face of the form.

86. Where there is insufficient space either on the front or the back of the form for the coding stamp, the coding should be on a slip of paper firmly attached to the form.

87. This stamp will be used for all pharmaceutical Benefits—

S	
C	
Q	
B	R
No.	

Coding of Ready Prepared Benefits

88. "S"—Serial Number (see paragraph 70)

"C"—Is the appropriate code number. All code numbers are shown in the Schedule of Benefits for Approved Chemists beside the Benefits to which they refer. These numbers range from 1000 to approximately 3000.

"Q"—Quantity. The number of units dispensed, e.g., capsules, tablets, tins, vials, tubes, &c., is to be entered in the stamp imprint. Only the appropriate number should be shown. The type of dispensing unit should not be specified.

For Regulation 24 prescriptions, the quantity actually supplied should be entered; that is, the total of the original quantity plus the quantities ordered as repeats. (Note next paragraph.)

The dispensed quantity of **PACKED LINES** and **PACKS NOT TO BE BROKEN** should never be expressed as a volume or weight but always in those terms in which the maximum quantity is expressed in column 3 of Part 2 or Part 3 of the Schedule; e.g. a prescription ordering 200 ml of a packed line should be coded with a quantity of "1" and not "200".

For all Regulation 24 prescriptions, the letter "X" should be entered on the stamp imprint immediately after the quantity.

"B"—Brand Ordered. Where a doctor orders a particular brand, either by proprietary name or brand, the code letters of the manufacturer should be entered beside the letter "B". **Where a particular brand is not ordered THIS SPACE MUST BE LEFT BLANK.**

"R"—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

"No."—Prescription identification number (see paragraph 67).

Coding of Extemporaneously Dispensed Benefits Included in the Standard Formulae List

89. "S"—Serial Number (see paragraph 70).

"C"—Code Number obtained from the Standard Formulae List where one is shown. These numbers range from 7000 to 9999.

"Q"—Quantity dispensed. In specifying the quantity of a standard formula for which a code appears in the Standard Formulae List the following rules should be adhered to:

- (a) Where the doctor orders a whole number of ounces that number is to be entered after the letter "Q" in the stamp imprint in plain figures (not Roman numerals). The ounce sign or similar identification should not be shown.
- (b) Where fractions of an ounce occur the quantity must be expressed as a decimal fraction of an ounce, e.g., 2 fluid ounces 240 minims is to be expressed as 2.5. An extemporaneously dispensed eye ointment of 60 grains will be shown as 0.125. No ounce or drachm sign should be used and no other means of expressed parts of an ounce will be acceptable to the system.
- (c) In the case of extemporaneous preparations ordered by number of units and not by weight or measure, such as extemporaneously prepared capsules, suppositories, pessaries and individually wrapped powders, the number of units supplied should be entered. Wastage where applicable will be calculated by the computer. Details of the type of unit dispensed should *not* be provided. The number of units only is required. Where the supply of a standard preparation is made under Regulation 24, the letter "X" should be entered after the quantity.
- (d) If quantities are prescribed in the metric system, the number of millilitres or grammes suffixed by ml. or G. should be entered.

"B"—This space must be left blank when coding Extemporaneously Dispensed Prescriptions.

"R"—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

"No."—Prescription Identification Number (see paragraph 67).

Coding of Extemporaneously Dispensed Benefits which are not Listed in the Standard Formulae List

90. In the case of formulae for which a code number is not shown claimants may elect either to receive an average 10G/ml. or unit rate

for the type of preparation with provision to price exceptional prescriptions (see paragraph 78) or to calculate the cost of ingredients, containers and professional fee manually (see paragraphs 72-77). These arrangements have been agreed between the Department and the Pharmacy Guild of Australia. No notice to the Department will be necessary if payment on the average reimbursement rate system is desired, but election must be made formally if the chemist desires to price these prescriptions individually before submission. Once made, such an election will apply to all non pre-priced extemporaneous preparations and cannot be altered for a period of three months. The chemist will notify the department when changing from "pricing elected" to "acceptance of average rate". It should be noted that prescriptions which call for a variation to one of the formulae listed in the Standard Formulae List or combinations of Standard Formulae fall into this category and are not to be identified with the code number of the formula in the Standard Formulae List which they resemble. Coding of Standard Formulae with additives for chemists accepting average rate, is covered in paragraph 77 (b).

Action to be taken when Chemist elects to be paid on an average price basis

91. (a) Coding of prescriptions to be reimbursed on an average price basis.

- (i) Enter the serial number, number of repeats ordered, (up to the allowable maximum) if any, and the prescription identifying number in the appropriate places on the stamp imprint.
- (ii) Enter the two-figure code for the type of preparation in the code number space [see the Tables of Codes, Section 4 (green pages) for these codes].
- (iii) Where the quantity prescribed is expressed in the metric system enter the number of millilitres or grammes suffixed by ml. or G. in the quantity space. Where the quantity prescribed is expressed in the imperial system, the number of ounces or units should be entered. Where a fraction of an ounce occurs, it should be expressed as a decimal fraction, e.g., 3 fluid ounces 240 minims should be entered as 3.5. No ounce sign or similar identification is necessary.
- (iv) Where a supply is made under the provisions of Regulation 24, the letter "X" should be entered after the quantity.

NOTE: The space following the letter "B" should be left blank.

(b) Coding of Exceptional Prescriptions as defined in Paragraph 78.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum) if any, and the prescription identifying number in the appropriate places in the stamp imprint.

- (ii) Enter the two-figure code for the type of preparation preceded by the letter "V" (indicating that this prescription is priced) in the code number space. [See the Table of Codes, Section 4 (green pages) for these codes].
- (iii) Enter the calculated price in the quantity space.
- (iv) Where the supply is made under the provisions of Regulation 24, the letter "X" should be entered after the price.

NOTE: The space following the letter "B" should be left blank.

Action to be taken when Chemist elects to price non-priced Extemporaneous Preparations

92. When the chemist has advised the Department of his election to price out these prescriptions he should price all prescriptions in this category in accordance with the pricing principles set out in "Provisions governing Payments to Chemists for N.H.S. dispensing" (page 15) and—

- (i) enter the serial number, number of repeats ordered, (up to the allowable maximum) if any, and the prescription identifying number in the appropriate sections of the stamp imprint,
- (ii) enter only the letter "V" in the code number space. This indicates that the prescription has been priced out.
- (iii) enter the price he has calculated in the quantity space.
- (iv) Where a supply is made under the provisions of Regulation 24, the letter "X" should be entered after the price.

N.B. No details of type or quantity of preparation are to be shown in the code stamp.

Coding of Repeat Authorization Forms

93. The chemist originating a repeat will not only complete the upper section of the form but will also enter details in the coding box. It will be the responsibility of the chemist dispensing the repeat authorization to ensure that the coding details are correct.

Action by Chemist Issuing the Repeat Authorization

94(a) The following information relating to the original prescription is to be entered in the spaces provided:

- (i) Approval number of chemist who dispensed the original prescription.
- (ii) Date of the original prescription.
- (iii) The prescription identification number assigned by the dispenser of the original prescription.
- (iv) The number of repeats ordered up to the allowable maximum.
- (v) The number of times the prescription has been dispensed.
- (vi) The code number, quantity and where applicable the brand of the benefit ordered.

(b) Where the number of a certificate for prescribing tranquilising or anti-depressant drugs is shown on a prescription, this number should also be noted on the repeat authorization.

95. Where a chemist dispenses a supply other than on the first occasion, the information in (i), (ii), (iii), and (iv), will be transcribed from the repeat authorization which he receives from the patient. These details would have been entered by the chemist who issued the form to the patient.

Action by Chemist Dispensing a Repeat Authorization

96. The chemist dispensing the supply will check the information entered in the stamp imprint. The dispensing chemist is responsible to ensure the correctness of these entries. It should be noted that:

- (a) The serial number allotted by the chemist to the repeat supplied is entered beside the letter "R" in the box at the top of the form.
- (b) The new identifying number of the Repeat Authorization is to be entered in the space marked "No." in the Coding Stamp Box on the front of the form. (See paragraph 68.).
- (c) When the chemist issuing the authorization has entered a code number (for the type of preparation) and quantity in the stamp and the dispensing chemist has elected to price such prescriptions instead of accepting the average price, the dispensing chemist should strike out the entries and replace them with "V" and the claimed price or *vice versa*.

Coding of Emergency Drug (Doctor's Bag) Order Forms

97. For each item ordered, enter the serial number, code number of the benefit, quantity supplied and the brand ordered, if any.

D. STATEMENT OF ACCOUNT

98. A Statement of Account will be forwarded in respect of each claim passed for payment. This gives, in addition to the details of payment, the price paid for each benefit or the reason for non-payment. Prescriptions are identified on the Statement of Account by the serial numbers allotted by the claimant and the Item Code number. In the case of non-pre-priced extemporaneously prepared benefits the letter "V" or the 2-digit code number for the type of preparation replaces the item code numbers according to whether the prescriptions have been paid on an average price or calculated price basis. Serial Numbers of Emergency Drug (Doctor's Bag) items will be prefixed by the letter "D", and the pensioner prescriptions by the letter "P".

99. The reason for non-payment of any item will be indicated by a Code letter. An explanation of the Code employed appears on the reverse side of the Statement of Account.

100. Prescriptions and repeat authorizations which are not acceptable for payment will be returned with the Statement of Account. Other prescriptions appearing on such forms will have been paid and

appropriately cancelled before being returned to the chemist. Where prescriptions are resubmitted they must be allotted an entirely new serial number and included as a normal part of the next claim.

101. If prescriptions from previous claims are the subject of adjustment to current claims, full details will be shown on the Statement of Account.

102. Where a correctly coded prescription has not been given a serial number by the claimant the serial number given to the preceding prescription will be used also as a means of reference to the second prescription, i.e., the serial number will appear twice on the Statement of Account with the appropriate prices or rejection codes relating to both prescriptions.

103. Should serial numbers be duplicated they will be shown on the Statement of Account as numbered by the claimant.

104. In the case of a serial number which has not been used or the relevant document not submitted the number will be printed on the Statement of Account together with a code signifying that the document has not been received.

105. The Statement of Account will include a statement reconciling the number of prescriptions claimed for by the chemist with the number of prescriptions for which payment has been made.

E. MISCELLANEOUS

Private Prescriptions—General Benefits Priced at Less than 50c

106. Particularly in the case of broken quantities and bulk pack items, chemists will not be in a position to determine whether prescriptions should be submitted for payment or dispensed privately. To overcome this difficulty, all prescriptions for the general public which otherwise qualify as pharmaceutical benefits should be submitted for payment. The computer is programmed to ensure that non-pensioner prescriptions priced at less than 50c are excluded so that the claim is not incorrectly adjusted by the payment of the price of the prescription and a deduction of 50c.

PROVISIONS GOVERNING PAYMENTS TO CHEMISTS FOR N.H.S. DISPENSING

A. GENERAL

107. The pricing principles are identical for prescriptions written for the general public and pensioners.

B. READY PREPARED ITEMS AND P.L. ITEMS

Price where Maximum Quantity Prescribed (R.P. and P.L. Items)

108. The price payable for a benefit is the amount shown in column 5 of the Schedule against that benefit subject to the following provisions—

(a) Bulk Rate Items (Where two prices are shown)

(i) Where 5 prescriptions and over of a particular brand are included in a month's claim, payment will be made at the bulk pack rate price for all prescriptions of that brand. Unbranded prescriptions will be counted with the brand of major usage for the purpose of arriving at the bulk rate qualification and the price payable will be the bulk price for that brand as at the date of dispensing.

(ii) Where 4 or less prescriptions of a particular brand have been included in a month's claim the minor pack rate is payable.

It should be noted that the computer has been programmed to determine bulk pack eligibility, so that there will be no need for chemists to count prescriptions for bulk pack items or endorse them in regard to supply from a minor pack.

(For special bulk rate provisions see paragraphs 129-136.)

(b) *Packed Lines*—Where the prescription bears specific instructions for use—the price is calculated in accordance with paragraph 111.

(c) *Injections with required solvent*—Where the words "solvent required" are included after the form of the benefit, the price payable is the sum of the listed prices for the item and the solvent less 30c (i.e., only one professional fee is payable). Prescribers must indicate volume and number of ampoules of solvent to be supplied.

Price where Broken Quantity Prescribed (R.P. Items)

109.—

(a) *Bulk rate items (where Bulk Pack Rate applies)*—The method used in ascertaining the price of a quantity other than a maximum quantity is the same as that which has been used in arriving at the price of a maximum quantity from a bulk pack. However, as the price shown in column 5 of Section 2 Schedule of Benefits (white pages), and Section 3 Schedule of Benefits (pink pages) for the maximum quantity already incorporates a breakage allowance, the following action is taken to ascertain the price of a quantity other than the maximum quantity—

(i) 30c and the container fee for the maximum quantity of that item are deducted from the amount shown in column 5 of the Schedule of Benefits.

(ii) the amount ascertained in (i) is multiplied by the quantity dispensed over the maximum quantity.

(iii) the amount ascertained in (ii) is added to the appropriate container fee and the professional fee of 30c.

(b) *Bulk Rate Items (where Minor Pack Rate applies)*—The price is ascertained in accordance with paragraphs 109 (e) or 109 (f) as applicable.

(c) *Packed Lines*—The price for the maximum quantity is payable, even when a lesser quantity is prescribed.

(d) *Packs not to be Broken*—Where items packed by the manufacturer under special conditions or for which the maximum quantity has been determined as a single pack are prescribed (see paragraph 112), maximum quantity is to be supplied and the price payable is that for the maximum quantity.

(e) *Ready Prepared Items where Standard Pack coincides with Maximum quantity*—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—

(i) 30c is deducted from the price shown in column 5 of the Schedule in relation to the benefit.

(ii) To the resultant amount is applied the appropriate wastage percentage ascertained from the Wastage Factor Table shown in paragraph 114.

(iii) The amount ascertained under (ii) is added to a professional fee of 30c and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 of the Schedule in relation to the maximum quantity of the benefit.

(f) *Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e., where an asterisk is shown against the price)*—In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 of the Schedule beside the price shown for the benefit concerned. In such cases the standard pack rate is set out in the Table shown in Section 6 (blue pages) of the Schedule. The price payable for the quantity supplied is ascertained as follows—

(i) To the standard pack rate is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 114.

(ii) The amount so ascertained is added to a professional fee of 30c and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the sum of the standard pack rate and 30c.

(g) No container fee is payable where the quantity of benefit ordered and supplied is more than the quantity contained in the standard or non-standard packs.

Price for Unbranded Prescriptions

110.—

(a) *Bulk Rate Items (where Bulk Pack Rate applies)*—

(i) Prescriptions which do not specify a brand are treated as if written for the brand of major usage (see paragraph 108 (a) (i)).

(ii) Where two or more brands equally qualify as the brand of major usage during the month, prescriptions which do not specify a brand are counted with that brand which is the lowest in price of these brands.

(iii) Where no prescriptions are written for a brand of the item during the month, unbranded prescriptions are payable at the lowest bulk pack rate shown in column 5 of the Schedule against that item.

(b) *Bulk Rate Items (where Minor Pack Rate applies)*—

Where the MINOR PACK rate applies (see paragraph 108 (a) (ii))—the lowest price shown in column 5 in relation to the minor pack price for that item is payable.

(c) *Other Ready Prepared Items*—Where a standard pack price applies—the lowest price shown in column 5 of the Schedule in relation to that item is payable.

Packed Lines

111. The undermentioned packed lines are expected to be supplied under the original label when prescribed in the maximum quantities shown in the Schedule of Benefits and therefore do not attract a professional fee. However, where the prescription bears specific instructions for use, then the item is to be labelled. The chemist will be paid the price shown in column 5 of the Schedule of Benefits multiplied by eight-ninths (8/9ths) plus 30c professional fee.

When the quantity ordered does not correspond with a pack size listed, then the price for the next higher original pack listed is payable, even when the prescription orders and the chemist dispenses a lesser quantity. This procedure also applies where the chemist's own pack is supplied.

Aluminium Hydroxide Gel. Mixture

Boric Acid Powder

Cascara Liquid Extract

Castor Oil

Cod Liver Oil
 Cod Liver Oil Emulsion
 Copper Sulphate Diagnostic Compound Tablets
 Ferrous Phosphate Compound Syrup
 Glucose Indicators
 Glycerin
 Glycerin Suppositories
 Hydrogen Peroxide Solution
 Magnesium Hydroxide Mixture (Milk of Magnesia)
 Magnesium Sulphate Crystals
 Paraffin, Liquid
 Paraffin, Emulsion
 Saccharin Tablets
 Seidlitz Powders
 Senna Fruit
 Silver Nitrate, Toughened
 Surgical Cement
 Tragacanth Indian (Gum Karaya)
 Wool Alcohols, Ointment
 Wool Fat, Hydrous (Lanolin)

These items are indicated by a dagger(†) in the Schedule of Benefits.

Unbroken Packs to be Supplied

112. The maximum quantity of certain forms of benefits such as eye drops and oral suspensions has been determined as a single pack corresponding to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack, the maximum quantity should be dispensed and claimed from the Commonwealth.

These items are indicated by a double dagger (‡) in the Schedule.

Wastage Table Percentage for Ready Prepared Prescriptions

113. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraph 109 (e) and (f) above).

114. The appropriate wastage table percentage is ascertained as follows:—

- (a) The percentage that the quantity supplied bears to the number contained in the standard pack is determined;
- (b) Where the percentage determined in sub-paragraph (a) coincides with a percentage listed in Column A of the Wastage Factor Table, the percentage used is the relative figure shown in Column B;
- (c) Where the percentage determined in sub-paragraph (a) does not coincide with a percentage in Column A, then the nearest upward percentage in Column A applies, and the percentage used is the relative figure shown in Column B.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in column A the next higher (i.e., 25%) is used.

Reading down from 25% to Column B, the wastage table percentage is found to be 38%.

WASTAGE FACTOR TABLE

Column A	5	10	15	20	25	30	35	40	45	50
Column B	10	18	26	32	38	44	50	54	58	62
Column A	55	60	65	70	75	80	85	90	95	100
Column B	66	70	74	78	82	86	90	94	98	100

Prescribers' List Items

115. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescribers' List is set out in the Schedule of Benefits, Sections 2 and 3. These prices are also shown in the Standard Formulae List.

C. EXTEMPOREANEOUSLY PREPARED PRESCRIPTIONS

Pricing Prescriptions Not Pre-priced

116. The following are the principles applied in determining the prices of all pre-priced extemporaneous formulae shown in the Schedule. They also apply where a chemist elects to price out extemporaneous prescriptions outside the Standard Formulae List.

117. The amount payable is ascertained as the sum of—

- (a) the recovery price of each ingredient as shown in the Schedule of Benefits (Drug Tariff);
- (b) the price of the appropriate container as shown in Section 2;
- (c) a professional fee of 55c.

Pricing Ingredients Written in the Metric System

118. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows—

- (a) determine the basic pricing unit relative to the quantity by reference to the following table:—

Quantity	Basic Pricing Unit
Up to 50 mg. (minimum price)	100 mg. price multiplied by 0.5
Over 50 mg. and up to and including 700 mg.	100 mg. price.
Over 700 mg. and up to and including 1 G.	price as 1 G.

<i>Quantity</i>	<i>Basic Pricing Unit</i>
Over 1 G. and up to and including 7 G.	1 G. price.
Over 7 G. and up to and including 10 G.	price as 10 G.
Over 10 G. and up to and including 80 G.	10 G. price.
Over 80 G. and up to and including 90 G.	price as 80 G.
Over 90 G.	100 G. price.
- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery price shown for the ingredient in the Drug Tariff—
- 100 G. price is 500 G. price divided by 5 or 1 kg. price divided by 10.
 10 G. price is 100 G. price plus 12½% divided by 10.
 1 G. price is 10 G. price plus 25% divided by 10.
 100 mg. price is 1 G. price plus 25% divided by 10.
- (c) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b), by the fraction that the quantity bears to the basic pricing unit.
- (d) for pricing purposes the quantity is to be taken to the next 50 milligrams or microlitres.

Pricing Ingredients Written in the Imperial System

119. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows—

- (a) determine the basic pricing unit relative to the quantity by reference to the following table:—

<i>Quantity</i>	<i>Basic Pricing Unit</i>
Up to and including 1 grain	1 grain price
Over 1 grain and up to and including 5 grains	5 grains price
Over 5 grains and up to and including 10 grains	10 grains price
Over 10 grains and up to and including 137 grains	1 drachm price
138 grains and up to and including 3.74 ounces	1 ounce price
Over 3.74 ounces	4 ounces price

- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery prices calculated from the price of the ingredient in the Drug Tariff.
- Ounce price is 10 G./ml. price multiplied by 3.
 Four ounce price is 100 G. price multiplied by 1.25.

Four fluid ounce price is 100 ml. price multiplied by 1.1.

Drachm price is ounce price divided by 7.

10 grain price is drachm price divided by 5.

5 grain price is drachm price divided by 9.5.

1 grain price is 5 grain price divided by 4.5.

- (c) where no 10 G./ml. price is shown, the ounce/fl. oz. price is the 1 G./ml. price multiplied by 24.

- (d) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b) by the fraction that the quantity bears to the basic pricing unit (except for the quantities from 120 grains to 137 grains inclusive which are priced at twice the drachm price, and from 10 grains to 12 grains inclusive which are priced as 12 grains).

120. Where a fraction of a grain occurs, the quantity is to be taken up to the next whole grain (i.e., 2.4 grains is taken as 3 grains). Where a fraction of a minim occurs the quantity is to be taken up to the next whole minim.

Miscellaneous Pricing Rules

121.—

- (a) The minimum recovery price for any ingredient is one cent.
- (b) Where a fraction of a cent occurs in any price for a quantity specified in the imperial system of weights and measures, that price is to be taken to the next cent upwards.
- (c) Where a fraction of a cent occurs in any price for a quantity specified in the metric system of weights and measures, that price is to be taken to the nearest cent, a half cent being taken up to the next cent.
- (d) The amount payable for a quantity of an ingredient or preparation shall not exceed the amount which would be payable for a greater amount of that ingredient or preparation.

Individual Powders, &c.

122. For individual powders, five per cent of the quantity supplied on a prescription is payable as an additional amount; (i.e., the price for 105% of the quantity supplied is payable).

123. For suppositories and pessaries where eleven or less are supplied on a prescription, the chemist will receive payment for an additional one. If twelve or more are supplied, the chemist will receive payment for an additional two.

Pricing Prescriptions where Additional Ingredients have been Added to a Specified Formula

124. The amount payable for a prescription which comprises a vehicle which is specified under a particular name, and an additional specified ingredient or ingredients, shall be calculated in accordance with paragraphs 125 to 128.

125. Where the vehicle is a single liquid ingredient and one or more solid ingredients are added, displacement of the vehicle by solids shall be disregarded and the amount payable shall be calculated in accordance with paragraph 117.

126. Where the vehicle is a single liquid ingredient and one or more liquids are added, the amounts payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 118 or 119; and
- (b) the recovery price of the quantity of the vehicle calculated in accordance with paragraph 118 or 119.

127. Where the vehicle is compounded from two or more ingredients, and one or more solid ingredients are added, displacement of the vehicle by the solids shall be disregarded and the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 118 or 119; and
- (b) the recovery price of each ingredient of the vehicle calculated in accordance with paragraph 118 or 119.

128. Where the vehicle is compounded from two or more ingredients, and one or more liquid ingredients are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients calculated in accordance with paragraph 118 or 119; and
- (b) the recovery price of the quantity of vehicle, this amount being the sum of the recovery prices for each ingredient of the vehicle in such quantity as calculated in accordance with paragraph 118 or 119.

D. PROVISIONS RELATING TO BULK RATES.

High Velocity Items

129. Special pricing arrangements apply to certain high velocity items. For each of these items, two sets of prices are shown—one ex Bulk Pack and one ex Minor Pack.

Purchase Pack Size

130. A chemist may buy in any pack size he chooses, but reimbursement for the supply of the specified drugs with high velocity turn-over is subject to the Bulk Rate pricing provisions.

Application to Brands

131. The Bulk Rate provisions take into account the different usages a chemist may have for different brands of an item to which the Bulk Rate provisions apply. Accordingly, a chemist may be

reimbursed at the Minor Pack rate for one brand of an item and at the Bulk Rate for another brand of the same item.

132. For the purposes of paragraph 108 (a) each prescription counts as one irrespective of quantity prescribed.

Loss on Bulk Packs

133. The Commonwealth, subject to the provisions set out in this section, will indemnify the chemist against loss on accepted "Bulk Rate" items directly due to—

- (a) the removal of the item from the list of items to which Bulk Rate prices apply;
- (b) out of date stock.

134. Commonwealth payments to chemists to cover any such loss shall be based on the following formula—

$$\frac{\text{Quantity held by chemist}}{\text{Quantity in Unbroken Bulk Pack}} \times \text{Actual cost to chemist of Bulk Pack}$$

These provisions apply to Bulk Packs purchased as from 1st February 1960.

Conditions Subject to Which Loss Payments will be Made

135. Payment of any amount for loss is subject to the following provisions—

- (a) The chemist must buy the item in the Bulk Pack;
- (b) The chemist must ensure, where possible, that all stocks of the bulk packs which he might purchase have expiry dates at least 6 months ahead of the date of purchase;
- (c) The Commonwealth's liability is limited in relation to each Pharmacy to the purchase, at cost, of one Bulk Pack of each of the items in respect of which loss has occurred;
- (d) The Commonwealth will not, under any circumstances, be liable for payment in respect of loss on stock for causes other than those shown in paragraph 133 above;
- (e) The Commonwealth shall take possession of any stock before a payment for loss is made in respect thereto.

Claims for Loss

136. Where after one month from the date of first supply from a Bulk Pack a chemist wishes to claim for loss on the remaining portion of that Bulk Pack, he should apply on Form PB12 to the Commonwealth Director of Health, setting out details of the code number, name and strength or size, size of pack and quantity remaining, date of purchase of Bulk Pack and date of first dispensing therefrom. Upon receipt of such application the Commonwealth Director of Health will advise the action to be taken with the residue

E. GENERAL

Professional Fees and Containers

137. The amounts payable by way of professional fees and container charges for both ready prepared and extemporaneously prepared preparations are set out in Sections 6 and 2 respectively of the Schedule.

Pricing Dates

138. For pricing purposes the operative dates are—

- (a) for extemporaneously prepared benefits—the first day of the month preceding the four monthly period during which the benefits are dispensed,
- (b) for ready prepared benefits—the first day of the month preceding the month during which the benefits are dispensed.
- (c) for containers—

- (i) for extemporaneously prepared benefits—the first day of the month preceding the four months during which the benefit is dispensed;
- (ii) for ready prepared benefits—the first day of January each year.

Zone Allowances

139. An additional amount is payable in respect of each pharmaceutical benefit supplied in specific zones throughout the Commonwealth. The zone allowance is ascertained by multiplying the number of prescriptions dispensed by an amount in cents per prescription.

140. Each chemist is notified of the zone allowance, if any, which applies to the prescriptions he dispenses.

Supplies of Stationery

141. Claim Forms, Repeat Authorizations, etc., are available from the Commonwealth Director of Health in each State.

FOR INFORMATION

Change of Address - Tasmanian Divisional Office

The Commonwealth Director of Health, Tasmania, has advised that the Divisional Office will be located at -

Kirksway House,
6 Kirksway Place,
Hobart, Tasmania. 7000

on and from 7th July, 1969. The postal address which is -

G.P.O. Box 919 J.,
Hobart, Tasmania. 7001

remains unchanged.

The new telephone number is -

Hobart - 20-2122.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH BRANCH OFFICES

NEW SOUTH WALES

Department of Health,
Commonwealth Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000 Telephone 28 8001

Commonwealth Director of Health—Dr. H. M. Franklands
After hours: Telephone 929 8494

Assistant Director (Medical)—Dr. B. E. Welton
After hours: Telephone 34 2011

Assistant Director (Pharmaceutical)—Mr. K. J. Kelly
After hours: Telephone 34 7207

VICTORIA

Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000 Telephone 662 2999

Commonwealth Director of Health—Dr R. C. Webb
After hours: Telephone 80 5333

Assistant Director (Medical)—Dr. A. M. V. Cocks
After hours: Telephone 96 2404

Assistant Director (Pharmaceutical)—Mr. L. L. Lock
After hours: Telephone 93 1322

QUEENSLAND

Department of Health,
Commonwealth Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Q'ld 4001 Telephone 31 0101

Commonwealth Director of Health—Dr. A. H. Humphry
After hours: Telephone 70 6037

Assistant Director (Pharmaceutical)—Mr. K. L. Bate
After hours: Telephone 91 1778

SOUTH AUSTRALIA

Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S. Aust. 5001 Telephone 51 7866

Commonwealth Director of Health—Dr. A. C. Green
After hours: Telephone 72 2930

Assistant Director (Pharmaceutical)—Mr. A. P. Brammall
After hours: Telephone 7 4956

WESTERN AUSTRALIA

Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W. Aust. 6000 Telephone 23 0391

Commonwealth Director of Health—Dr. J. B. Mathieson
After hours: Telephone Dr J. B. Mathieson 86 1262
Dr W. H. Young 86 4719

Assistant Director (Pharmaceutical)—Mr. A. T. Stocker
After hours: Telephone 8 3867

TASMANIA

Department of Health,
Stowell Avenue,
Hobart, Tas. 7001 Telephone 2 2661

Commonwealth Director of Health—Dr. C. W. Phillips
After hours: Telephone 5 2572

Inspection Pharmacist—Mr. W. E. V. Jack
After hours: Telephone 43 9157

NORTHERN TERRITORY

Department of Health,
Esplanade,
Darwin, N.T. 5794 Telephone 3821

Commonwealth Director of Health—Dr. W. A. Langsford
After hours: Telephone 2571

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty. Ltd.	AB	Calmic (Aust.) Pty. Ltd.	CA
Captain Cook Drive, Kurnell, N.S.W.		Bibby Street, Chiswick, N.S.W.	
Adam Drug Co.	AV	Cascade Chemicals	CM
88 Queen Street, Woollahra, N.S.W.		P.O. Box 106, Essendon, Vic. 3040	
Alcon Laboratories Inc., U.S.A.	AQ	C.F.C. Pharmaceuticals Pty. Ltd.	CO
Allergan Pharmaceuticals Pty Ltd	AG	9 Norton Street, Ashfield, N.S.W.	
7 West Street, North Sydney, N.S.W.		Chemos Pty. Ltd.	CH
Ames Company	AM	65 Park Road, Milton, Q'ld.	
4 Derby Street, Collingwood, Vic.		Ciba Co. Pty. Ltd.	CB
Armour Pharmaceutical Co. Ltd., England	AR	Orion Road, Lane Cove, N.S.W.	
Associated Drug Companies of Australia Pty. Ltd.	AD	Commonwealth Serum Laboratories	CS
221-229 Mitchell Road, St Peters, N.S.W.		45 Poplar Road, Parkville, Vic.	
Astra Pharmaceuticals (Australia) Pty. Ltd.	AP	Cophar, Gnosca, Switzerland	CW
815 Pacific Highway, Chatswood, N.S.W.		Crookes Laboratories Ltd., The, England	CK
Australian Hoechst Limited	AH	Cutter Laboratories, U.S.A.	CI
374-6 Whitehorse Road, Nunawading, Vic.		Denver Laboratories (Australia) Pty. Ltd.	DN
Ayerst Laboratories Pty. Ltd.	AY	9 Clarke Street, Crows Nest, N.S.W.	
Gregory Place, Parramatta, N.S.W.		Denyer Brothers	DY
Bakra Laboratories	BK	250 Pitt Street, Sydney, N.S.W.	
45 A'Beckett Street, Melbourne, Vic.		Difrex (Aust.) Laboratories	DF
Baxter-D.H.A. Laboratories Pty. Ltd.	BX	321 Pitt Street, Sydney, N.S.W.	
Rothschild Avenue, Rosebery, N.S.W.		Dista Products (Australia) Pty. Ltd.	DL
Beecham Research Pty. Ltd.	BR	Waratah Street & Wharf Road, Ermington, N.S.W.	
Chesterville Road, Moorabbin, Vic.		Dolder and Co., Switzerland	DR
Boehringer Ingelheim Pty. Ltd.	BY	Dome Laboratories	DO
504-520 Pacific Highway, St. Leonards, N.S.W.		4 Derby Street, Collingwood, Vic.	
Boehringer Mannheim GmbH, Germany	BO	Drug Houses of Australia	DH
Boots Pure Drug Co. (Aust.) Pty. Ltd.	BT	504 Bourke Street, Melbourne, Vic.	
Loyalty Road, North Rocks, N.S.W.		Endo Laboratories, Inc. U.S.A.	EN
Boucher & Muir Pty. Ltd.	BZ	Erba Carlo, S.p.A., Italy	EC
6-8 Mount Street, North Sydney, N.S.W.		Ethicals Ltd.	EL
Bristol Laboratories Pty. Ltd.	BC	180 Queen Street, Brisbane, Q'ld.	
30 Cross Street, Brookvale, N.S.W.		Ethnor Pty. Ltd.	ET
British Drug Houses (Australia) Pty. Ltd.	BD	12 Primrose Avenue, Rosebery, N.S.W.	
McCredie Road, Smithfield, N.S.W.		Evans Medical Australia (Pty.) Ltd.	EV
British Pharmaceuticals Pty. Ltd.	BP	Plough Court, Duffy Avenue, Thornleigh, N.S.W.	
34 Hotham Parade, Artarmon, N.S.W.		Farbenfabriken Bayer, A. G., West Germany	FB
British Schering Ltd.	BS	Farmer Hill Pty. Ltd.	FH
40-50 Clarence Street, Sydney, N.S.W.		187 William Street, Sydney, N.S.W.	
Bull Laboratory, David G.	BL	Faulding & Co. Ltd., F. H.	FA
19 Shierlaw Avenue, Canterbury, Vic.		James Place, Adelaide, S.A.	
Burroughs Wellcome & Co. (Aust.) Ltd.	BW	Fawns and McAllan Pty. Ltd.	FM
Cressy Street, Rosebery, N.S.W.		432 Mt. Dandenong Road, Croydon, Vic.	

<i>Manufacturer</i>	<i>Code</i>
Fisons Australia Pty. Ltd. A.D.C. House, 75-91 Pacific Highway, North Sydney, N.S.W.	FC
Frosst, Charles E. 576 St Kilda Road, Melbourne, Vic.	FR
Gamaprod Pty. Ltd. 169 Lygon Street, Carlton, Vic.	GA
Gedeon Richter Ltd, Hungary	GR
Geigy (Australasia) Pty. Ltd. ADC House, 77 Pacific Highway, North Sydney, N.S.W.	GE
Genatosan Ltd., England	GN
G. P. Laboratories 74-76 Mitchell Road, Alexandria, N.S.W.	GP
Glaxo-Allenburys (Australia) Pty. Ltd. 23-47 Villiers Street, North Melbourne, Vic.	GL
Griffiths-Hughes, E., Pty. Ltd. Buffalo Road, Gladesville, N.S.W.	GH
Grose Vale Goat Dairy and Dairy Products 55 Warrah Street, East Chatswood, N.S.W.	GV
Hamilton Laboratories Pty. Ltd. 217 Flinders Street, Adelaide, S.A.	HA
Harvey Pharmaceuticals Pty Ltd 231 Elizabeth Street, Croydon, N.S.W.	HY
Ioquin Company, The Captain Cook Drive, Kurnell, N.S.W.	IQ
Imperial Chemical Indust. of Australia & New Zealand Ltd. I.C.I. House, 1 Nicholson Street, Melbourne, Vic.	IC
Inter-Continental Pharmaceuticals (Australia) Pty. Ltd., 79 Old South Head Road, Bondi Junction, N.S.W.	IP
Irving, F. H. (Medical Products) Pty. Ltd. 363 George Street, Sydney, N.S.W.	IR
Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM
Jaede, H. W., Manufacturing Pty. Ltd Banksia Street, Bulleen, Vic.	JA
Kinfort Laboratories 31 Sirius Road, Lane Cove, N.S.W.	KF
Knoll Laboratories (Aust.) Pty. Ltd. 176 Princes Highway, Arncliffe, N.S.W.	KL
Knoll, A. G., Germany	KN
Lane Medicine Co., Pty. Ltd. 156 Barkly Avenue, Burnley, Vic.	LM
Langley Laboratories Pty. Ltd. 141 Blues Point Road, North Sydney, N.S.W.	LF
Lederle Laboratories Division Cyanamid-D.H.A., Pty. Ltd., 73-79 Parramatta Road, Camperdown, N.S.W.	LE

<i>Manufacturer</i>	<i>Code</i>
Lepetit (Pharmaceuticals) Pty. Ltd. 4th Floor, A.M.P. Building, North Sydney, N.S.W.	LT
Lilly (Australia) and Company, Eli Wharf Road, West Ryde, N.S.W.	LY
Mack Pharmaceuticals Pty. Ltd. 21 Buffalo Road, Gladesville, N.S.W.	MZ
Madland Laboratories Inc., U.S.A.	MH
Maw Son & Sons, S., England	ME
May and Baker (Aust.) Pty. Ltd. Paramount Road, West Footscray, Vic.	MB
McGloin Pty. Ltd., J. 150 Dean Street, Enfield, N.S.W.	MG
Mead Johnson Pty. Ltd. Caringbah, N.S.W.	MJ
Medical Research Pty. Ltd. Sirius Road, Lane Cove, N.S.W.	MR
Medichem Pharmaceuticals Pty. Ltd. 39 Arterial Road, St. Ives, N.S.W.	MC
Merck (Aust.) Pty. Ltd., E. 605 M.L.C. Building, North Sydney, N.S.W.	MQ
Merck, Sharp & Dohme (Aust.) Pty. Ltd. 62-68 Ferndell Street, South Granville, N.S.W.	MK
Merrell Wm. S. Company, 64 Seville Street, Fairfield, N.S.W.	ML
Muir & Neil Pty. Ltd. 479 Kent Street, Sydney, N.S.W.	MN
Nativelle Laboratories, France	NA
Nicholas Pty. Ltd. 699 Warrigal Road, Chadstone, Vic.	NS
Noel Bramble Laboratories 324 King George's Road, Beverly Hills, N.S.W.	NB
Nordia, Denmark	NR
Nyal Company 75-89 Atkins Road, Ermington, N.S.W.	NY
Ohio Drug Co. Pty. Ltd. 100 Clarence Street, Sydney N.S.W.	OD
Oppenheimer, Son & Co. Ltd., London	OP
Organon Laboratories Ltd., London	OR
Otsuka Pharmaceutical Co., Japan	OJ
Parke, Davis and Co. 32-40 Cawarra Road North, Caringbah, N.S.W.	PD
Pfizer Pty. Ltd. Wharf Road, West Ryde, N.S.W.	PF
Pfrimmer and Co., West Germany	PC
Pharmax Ltd., England	PN

<i>Manufacturer</i>	<i>Code</i>
Pharmedica Pty. Ltd.	PH
602-612 Botany Road, Alexandria, N.S.W.	
Phial Pty Ltd.	PY
7 West Street, North Sydney, N.S.W.	
Prosana Laboratories, Pty. Ltd.	PR
22 Daisy Street, Revesby, N.S.W.	
Protea Pharmaceuticals Pty. Ltd.	PT
13-19 Glebe Street, Glebe, N.S.W.	
Pro-Vita Products Pty. Ltd.	PV
Lennon Street, South Kensington, Vic.	
Queensland Ethicals	QE
Enterprise Street, Salisbury, Q'ld.	
Reckitts Pty. Ltd.	RC
44 Wharf Road, West Ryde, N.S.W.	
Richards Laboratory Pty. Ltd.	RD
Kings Road, Castle Hill, N.S.W.	
Richter of Milan	RM
Riker Laboratories Australia Pty. Ltd.	RK
9-15 Chilvers Road, Thornleigh, N.S.W.	
Robins, A. H., Pty. Ltd.	RS
65 The Boulevard, Caringbah, N.S.W.	
Roche Products Pty. Ltd.	RO
Inman Road, Dee Why, N.S.W.	
Rocke, Tomsitt & Co. Ltd.	RT
10 Griffiths Street, Richmond, Vic.	
Rona Laboratories Ltd., London, U.K.	RN
Rotary Tableting Corp. Pty. Ltd.	RY
432 Mt. Dandenong Road, Croydon, Vic.	
Roussel Pharmaceuticals (Pty.) Ltd.	RL
Christie Street, St Leonards, N.S.W.	
Salmond and Spraggon (Aust.) Pty. Ltd.	SS
104-108 Mount Street, North Sydney, N.S.W.	
Sandoz Ltd.	SZ
620 Harris Street, Ultimo, N.S.W.	
Sanitarium Health Food Co.	SA
148 Fox Valley Road, Wahroonga, N.S.W.	
Schering Corporation, U.S.A.	SH
Schering, A. G., Berlin	SC
Searle G. D. (Australia) Pty. Ltd.	SR
40 Miller Street, North Sydney, N.S.W.	
Sera Pty. Ltd.	SE
29 Hotham Parade, Artarmon, N.S.W.	
Sigma Co. Ltd.	SI
589-605 Collins Street, Melbourne, Vic.	
Smith, Kline & French Laboratories (Aust.) Ltd.	SK
Warringah Road, French's Forest, N.S.W.	

<i>Manufacturer</i>	<i>Code</i>
Smith and Nephew (Aust.) Pty. Ltd.	SN
Wellington Road, Clayton, Vic.	
Soul Pattinson (Laboratories) Pty. Ltd.	SL
158 Pitt Street, Sydney, N.S.W.	
South Pacific Pharmaceuticals Pty. Ltd.	SU
132 St. Johns Road, Glebe, N.S.W.	
SPOFA United Pharmaceutical Works, Czechoslovakia	SP
Squibb & Sons, E. R., Pty. Ltd.	SQ
Princes Highway, Noble Park, Vic.	
Stansen & Co. Pty. Ltd., A. E.	ST
500 Spencer Street, West Melbourne, Vic.	
St. Just Laboratories Ltd.	SJ
cnr. Harris and President Streets, Carlisle, W.A.	
Thilo & Co., West Germany	TH
Tongala Milk Products Pty. Ltd.	TM
177-199 Macaulay Road, North Melbourne, Vic.	
Toppin & Sons Pty. Ltd., R. D.	TO
9-15 Chilvers Road, Thornleigh, N.S.W.	
Trane Pharmacal Co.	TR
98 Collins Street, Melbourne, Vic.	
Trisept Pty. Ltd.	TS
St. Mary's, N.S.W.	
Trufood Ltd., England	TF
United Works of Pharmaceutical and Dietetic Products	UW
Hungary	
Upjohn Pty. Ltd.	UP
55-73 Kirby Street, Rydalmere, N.S.W.	
Virax Ethicals Ltd.	VR
77-79 Market Street, South Melbourne, Vic.	
Wander Limited, A., England	WA
Ward Blenkinsop & Co. Ltd., London, U.K.	WB
Warner & Co. Pty. Ltd., Wm. R.	WW
10-28 Biloela Street, Villawood, N.S.W.	
Weddel Pharmaceuticals, England	WP
Wholesale Drug Co. Ltd.	WD
221-229 Mitchell Road, St. Peters, N.S.W.	
Winthrop Laboratories	WL
75-89 Atkins Road, Ermington, N.S.W.	
Woods, H. W. Pty. Ltd.	WH
10 Clifford Street, Huntingdale, Vic.	
World Agencies Pty. Ltd.	WO
82-84 Sussex Street, Sydney, N.S.W.	
Wyeth Pharmaceuticals Pty. Ltd.	WY
Gregory Place, Parramatta, N.S.W.	
Young and Fennell Pty. Ltd.	YF
107 Kent Street, Sydney, N.S.W.	
Zyma S. A.	ZY
Orion Road, Lane Cove, N.S.W.	

SUPPLIES OF LISTED BRANDS – DISTRIBUTORS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	Tas.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	Tas.
AD ..	..	VS4	QQ1	SS2	WR1	TC1	MH ..	ND2	VD1	QD1	SD2	WD1	TD1
AG ..	..	..	QC2	SI1	WA1	TC1	MJ ..	..	..	QK1	SA1	WP2	..
AM ..	NS1	VS1	..	..	..	..	MN ..	..	VM1	QQ1	SS1	WB1	TC1
AP ..	..	VA1	QA1	SS2	WA2	TS1	MZ ..	..	VM2	..	SM1	WP2	..
AQ ..	..	VF4	..	..	..	..	NA ..	..	VG1	..	..	..	..
AR ..	NP1	..	..	..	..	TS1	NR ..	NA2	VN1	QC2	SS2	WP2	TC2
BD ..	..	..	QM1	..	..	..	NY ..	NS2	VS2	..	SS3	WS1	TS1
BO ..	NF1	VF4	QF2	SS2	WF1	TC1	OJ ..	NS5	VS3	QC2	SS6	WS3	..
BS ..	NG2	VG2	QG2	SG1	WG1	..	OP ..	NM2	..	..	..	..	..
BT ..	..	VB1	QB1	SB1	WB2	TB1	OR ..	NB1	VB3	QB3	SB2	WB3	..
BW ..	..	VB2	QB2	SD1	WP1	TS1	PC ..	NF1	VF4	QF2	SS2	WF1	TC1
BX ..	ND2	VD1	QD1	SD2	WD1	TD1	PD ..	..	VP1	QP1	SD1	WP1	TG1
BZ ..	..	..	..	SS1	WA1	..	PF ..	..	VP2	QP3	SP2	..	..
CI ..	NF3	VF2	QF1	SF1	WF2	..	PH ..	..	VS3	QC2	SS6	..	TS1
CK ..	NP2	VS5	QS1	SS1	WS4	..	PN ..	NA2	VV2	QC2	SM1	WA1	..
CW ..	NC3	..	..	..	..	..	PR ..	..	VP4	QP2	SS1	WA1	..
DH ..	ND2	VD1	QD1	SD2	WD1	TD1	PT ..	..	VS4	QQ2	SS1	WP2	TC1
DR ..	NS1	VC1	QQ1	SS2	WP2	..	QE ..	NC1	VC1	..	SS1	..	..
EC ..	ND2	VD1	QD1	SD2	WD1	TD1	RM ..	NE4	VE1	QC3	..	WA2	..
EN ..	NS6	..	..	..	..	..	RN ..	ND2	VD1	QD1	SD2	WD1	TD1
EV ..	..	VE2	QQ1	SP3	WK1	..	SA ..	..	VS6	QS2	SS7	WS5	TS2
FA ..	NF3	VF2	QF1	SF1	WF2	TF1	SC ..	NS3	..	..	..	..	..
FB ..	NF2	..	..	..	..	..	SH ..	NE3	..	..	..	..	..
FH ..	..	VF3	QW1	SF2	WF3	..	SI ..	NW2	..	QQ1	SS2	WR1	TC1
FM ..	NF1	..	QF2	SS2	WF1	TC1	SN ..	NE5	VE2	QQ1	SP3	WK1	..
GN ..	NF4	..	..	..	..	..	SP ..	NB2	..	..	SS1	WA1	..
GP ..	..	..	..	..	WC1	..	SQ ..	NS4	..	..	SS4	WS2	..
GR ..	NB2	..	..	SS1	WA1	..	TH ..	NP3	..	..	..	..	..
GV ..	NW2	VN1	QQ1	SJ1	WR1	TC1	TO ..	..	VT1	QT1	ST1	..	TS1
HA ..	NI1	..	..	..	..	..	TF ..	NM2	..	..	..	..	..
HY ..	..	VC1	QC2	SS1	WA1	..	TM ..	ND2	VD1	QD1	SD2	WD1	TD1
IP ..	..	VC1	QQ1	SS1	WA1	TC1	TR ..	ND2	VD1	QD1	SD2	WD1	TD1
JM ..	NS1	VS1	QC2	SP5	..	..	UP ..	..	VU1	QU1	SJ1	WM1	TG1
KL ..	..	VK1	QK2	SS5	..	..	UW ..	NB2	..	..	SS1	WA1	..
KN ..	NS3	..	..	..	..	..	WA ..	NC2	..	..	..	..	TS1
MC ..	NW2	VV1	QD1	SS5	WA1	TC2	WB ..	NP4	VP4	QP2	SS1	WA1	..
ME ..	..	..	QG1	..	..	..	WO ..	..	VW1	QW2	SW1	WW1	TC1
							WP ..	NW1	VH1	..	..	..	..

DISTRIBUTORS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES			
Ascot Pharmaceuticals Pty. Ltd.	NA2	Prosana Laboratories Pty. Ltd.	NP4
33 Myrtle Street, North Sydney		22 Daisy Street, Revesby	
Boucher and Muir	NB2	Salmond and Spraggon (Australia) Pty. Ltd.	NS6
6-8 Mount Street, North Sydney.		104-108 Mount Street, North Sydney	
British Pharmaceuticals	NB1	Schaffer & Co. (N.S.W.) Pty. Ltd.	NS1
8-12 Bathurst Street, Sydney		8 Shirlow Street, Marrickville.	
Cenvet Pty. Ltd.	NC3	Schering, Pty. Ltd.	NS3
79-81 Chandos Street, St. Leonards		61 Pine Street, Chippendale	
Ciba Co. Pty. Ltd., ...	NC2	Scott & Bowne (A'asia) Ltd.	NS5
Orion Road, Lane Cove.		602 Botany Road, Alexandria	
Commonwealth Drug Co. Pty. Ltd.	NC1	Squibb, E. R. and Son (Pty.) Ltd.	NS4
50-54 Kippax Street, Sydney		96-98 Buckland Street, Alexandria	
Drug Houses of Australia	ND2	Sterling Pharmaceuticals	NS2
750-800 Princes Highway, Tempe		75-89 Atkins Road, Ermington	
Easterbrook R. W. Pty. Ltd.	NE4	Weddel Pharmaceuticals Division	NW1
38 Chapel Street, Marrickville		W. Angliss and Co. (Aust.) Pty. Ltd.	
Essex Laboratories Pty. Ltd.	NE3	255-257 George Street, Sydney	
59-61 Lisbon Street, Fairfield		Wholesale Drug Co. Ltd.	NW2
Evans Medical Aust. (Pty.) Ltd.	NE5	221-229 Mitchell Road, St. Peters	
Duffy Avenue, Thornleigh.			
Faulding, F. H. & Co. Ltd.	NF3	VICTORIA	
249-259 Chalmers Street, Redfern		Astra Pharmaceuticals (Australia) Pty. Ltd.	VA1
Fawns & McAllan Pty. Ltd.	NF1	545 St. Kilda Road, St. Kilda.	
176 Day Street, Sydney		Boots Pure Drug Co. (Aust.) Pty. Ltd.	VB1
F.B.A. Pharmaceuticals (Aust.) Pty. Ltd.	NF2	33-35 Stewart Street, Richmond	
47 Wilson Street, Botany		British Pharmaceuticals Pty. Ltd.	VB3
Fison's Australia Pty. Ltd.	NF4	Cnr Cochranes Road and Lennox Street, Moorabbin	
A.D.C. House, 75-91 Pacific Highway, North Sydney		Burroughs Wellcome & Co. (Aust.) Ltd.	VB2
Gollin and Co. Ltd.	NG2	303-305 Albert Street, Brunswick	
40-50 Clarence Street, Sydney		Cambridge Laboratories Pty. Ltd.	VC1
International Pharmaceutical Co.	NI2	397 Little Lonsdale Street, Melbourne	
Macquarie Street, Parramatta.		C.F.C. Pharmaceuticals Pty. Ltd.	VC2
Irving, N.	NI1	15 James Street, Melbourne	
141 Buckland Street, Alexandria		Drug Houses of Australia	VD1
Martin & Co. (Surgical) Ltd.	NM1	504 Bourke Street, Melbourne	
382 Pacific Highway, Crows Nest		Easterbrook, R. W., Pty. Ltd.	VE1
Muir and Neil Pty. Ltd.	NM2	123 Camberwell Road, Camberwell	
479 Kent Street, Sydney		Evans Medical Australia (Pty.) Ltd.	VE2
Pearce William and Co. Pty. Ltd.	NP3	214 Graham Street, Port Melbourne.	
149 Castlereagh Street, Sydney		Farmer Hill (Victoria) Pty. Ltd.	VF3
Pharmedica Pty. Ltd.	NP1	77 Market Street, South Melbourne	
602-612 Botany Road, Alexandria		Faulding, F. H. & Co. Ltd.	VF2
Philips-Duphar Pty. Ltd.	NP2	129 Lonsdale Street, Melbourne	
72 Macquarie Street, Parramatta		Fawns and McAllan Pty. Ltd.	VF4
		432 Mt. Dandenong Road, Croydon.	

<i>Distributors and Agents</i>	<i>Code</i>
Gamaprod Pty. Ltd.	VG1
169 Lygon Street, Carlton	
Gollin and Co. Ltd.	VG2
58-72 Queens Bridge Street, South Melbourne.	
Harris Smith Supplies Co. Pty. Ltd.	VH1
1 Mayston Street, Melbourne	
Knoll Laboratories (Aust.) Pty. Ltd.	VK1
321 William Street, Melbourne.	
Mack Pharmaceuticals Pty. Ltd.	VM2
C/- Ponsford, Newman & Benson Ltd.	
291 Burwood Road, Hawthorn	
Muir & Neil Pty. Ltd.	VM1
46 Cliff Street, South Yarra	
Newman, L.K.J. & Co., Pty. Ltd.	VN1
25 Bay Road, Cheltenham.	
Parke, Davis & Co.	VP1
23 Kilpa Road, Moorabbin 3189	
Pfizer Pty. Ltd.	VP2
30 Abbotsford Road, Port Melbourne	
Phillips Southern Trading Pty. Ltd.	VP4
396 Flinders Lane, Melbourne	
Salmond & Spraggon (Aust.) Pty. Ltd.	VS5
198 Tooronga Road, East Hawthorn	
Sanitarium Health Food Co.	VS6
118 Union Street, Windsor	
Schaffer & Co. (Vic.) Pty. Ltd.	VS1
126 Bank Street, South Melbourne.	
Scott and Bowne (A'asia) Ltd.	VS3
C/- F. H. Stephens (Vic.) Pty. Ltd.,	
666 Footscray Road, West Melbourne.	
Sigma Co. Ltd.	VS4
589 Collins Street, Melbourne	
Sterling Pharmaceuticals Pty. Ltd.	VS2
Cato Street, Auburn	
Toppin, R. D. & Sons Pty. Ltd.	VT1
550-552 Latrobe Street, Melbourne	
Upjohn Pty. Ltd.	VU1
115 Leicester Street, Carlton	
Vandos Agencies Pty. Ltd.	VV1
807a Nepean Highway, East Brighton	
Virax Ethicals Ltd.	VV2
77-79 Market Street, South Melbourne.	
World Agencies Pty. Ltd.	VW1
310 Flinders Lane, Melbourne.	

<i>Distributors and Agents</i>	<i>Code</i>
QUEENSLAND	
Astra Pharmaceuticals (Australia) Pty. Ltd.	QA1
Evans Road, Rocklea	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	QB1
720 Kingsford Smith Drive, Hamilton	
British Pharmaceuticals Pty. Ltd.	QB3
189 Logan Road, Woolloongabba	
Burroughs Wellcome & Co. (Aust.) Ltd.	QB2
Cnr. Merivale and Peel Street, South Brisbane	
Campbell, M. H.	QC3
Gympie Road, Chermiside	
C.F.C. Pharmaceuticals Pty. Ltd.	QC1
17 Doggett Street, Fortitude Valley	
Cullum, T. G. Pty. Ltd.	QC2
96-100 Warren Street, Brisbane	
Drug Houses of Australia	QD1
405-423 Montague Road, West End	
Faulding, F. H. & Co. Ltd.	QF1
126-132 Barry Parade, Brisbane	
Fawns & McAllan Pty. Ltd.	QF2
30 Albert Street, Brisbane	
Gollin and Co. Ltd.	QG2
16 Hamilton Place, Bowen Hills	
Gradwell Bros.	QG1
42 Grenier Street, Valley	
Kenneth Mitchell Agencies Pty. Ltd.	QK1
96 Alfred Street, Valley	
Knoll Laboratories (Aust.) Pty. Ltd.	QK2
178 Barry Parade, Fortitude Valley	
MacLean, D. Pty. Ltd.	QM1
119-121 Charlotte Street, Brisbane	
Parke, Davis & Co. Ltd.	QP1
57-59 Longland Street, Valley	
Pfizer Pty. Ltd.	QP3
7-9 Merton Road, Woolloongabba	
Pharmac Distributors	QP2
Coopers Plains.	
Queensland Druggists Ltd.	QQ1
518-522 Stanley Street, South Brisbane	
Queensland Ethicals	QQ2
Enterprise Street, Salisbury	
Salmond & Spraggon (Aust.) Pty. Ltd.	QS1
63 Doggett Street, Fortitude Valley	
Sanitarium Health Food Co.	QS2
951 Ipswich Road, Moorooka	
Toppin, R. D. & Sons Pty. Ltd.	QT1
22 Thurlow Street, Newmarket	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Upjohn Company Pty. Ltd.	QU1	Simes Australia Pty. Ltd.	SS5
33 Coronation Drive, Milton		135 Magill Road, Stepney.	
Wickham Terrace Laboratories	QW1	Southern Drug Company	SS2
Wickham Terrace, Brisbane		180 Sturt Street, Adelaide	
World Agencies Pty. Ltd.	QW2	Squibb and Sons, E. R. (Pty.) Ltd.	SS4
483 Adelaide Street, Brisbane.		302 North Terrace, Adelaide	
SOUTH AUSTRALIA		Sterling Pharmaceuticals Pty. Ltd.	SS3
Adelaide Drug Co. Ltd.	SA1	150 Henley Beach Road, Torrensville	
Pirie Street, Adelaide		Toppin, R. D. & Sons Pty. Ltd.	ST1
Boots Pure Drug Co. (Aust.) Pty. Ltd.	SB1	Pine Court, Reid Avenue, Tranmere	
Henley Beach Road, Mile End		World Agencies Pty. Ltd.	SW1
British Pharmaceuticals Pty. Ltd.	SB2	205-217 Pirie Street, Adelaide.	
393 King William Street, Adelaide			
D and L Agencies Ltd.	SD1	WESTERN AUSTRALIA	
22-24 Louisa Street, Adelaide		Associated Medical and Dental Supply Co.	WA2
Drug Houses of Australia	SD2	176 Hay Street, Subiaco	
599 Port Road, West Croydon		Avery Guhl, Pty. Ltd.	WA1
Farmer Hill (South Aust.) Pty. Ltd.	SF2	369 William Street, Perth	
27 Leigh Street, Adelaide		Benjamin, R. D.	WB1
Faulding, F. H. & Co. Ltd.	SF1	30 James Street, Perth	
James Place, Adelaide		Boots Pure Drug Co. (Aust.) Pty. Ltd.	WB2
Gollin and Co. Ltd.	SG1	416 Newcastle Street, Perth	
14-18 Stephens Place, Adelaide		British Pharmaceuticals Pty. Ltd.	WB3
International Pharmaceutical Co.	SI1	260 Hay Street, Subiaco	
55 Jerningham Street, North Adelaide.		Claydon W. J. Pty. Ltd.	WC1
Mack Pharmaceuticals Pty. Ltd.	SM1	176 Hay Street, Subiaco	
C/- Ponsford, Newman & Benson Ltd.		Drug Houses of Australia	WD1
215 Pirie Street, Adelaide		589 Hay Street, Subiaco	
Magill, Peter & Co.	SM2	Ethico Distributors	WE1
55 Jerningham Street, North Adelaide.		119 Claisebrook Road, East Perth	
Parkinson, John & Co.	SP4	Farmer Hill (W.A.) Pty. Ltd.	WF3
22 Bentham Street, Adelaide		Cnr Harris & President Streets, Carlisle	
Pearce, J. J. C.	SJ1	Faulding, F. H. & Co. Ltd.	WF2
207 Currie Street, Adelaide		313 Murray Street, Perth	
Pfizer Pty. Ltd.	SP2	Fawns and McAllan Pty. Ltd.	WF1
12 Lloyd Street, St. Marys		13 Rokeby Road, Subiaco	
P.G.H. Industries (S.A.) Pty. Ltd.,	SP5	Gollin and Co. Ltd.	WG1
11 Harrison Road, Renown Park.		King and Murray Streets, Perth	
Pharmaceutical Supplies Ltd.	SP3	Hitchcock, H. L. and Co.	WH1
110 North Terrace, Adelaide.		112 Brisbane Street, Perth	
Sanitarium Health Food Co.	SS7	Kendall, E. D. and Son	WK1
73 Hackney Road, Hackney		20 Angrove Street, North Perth.	
Scott and Bowne (A'asia) Ltd.	SS6	Martin, G. & Son	WM1
C/- F. H. Stephens (S.A.) Pty. Ltd.,		83 Brisbane Street, Perth	
South Freight Yard, Mile End.		Pharmaceutical Distributors	WP1
Searcy, A. & Son Ltd.	SS1	48 King Street, Perth	
132 Gray Street, Adelaide			

<i>Distributors and Agents</i>	<i>Code</i>
Pharmax Pty. Ltd.	WP2
12 Aberdeen Street, Perth	
Rumbles Ltd.	WR1
12 Aberdeen Street, Perth	
Salmond & Spraggon (Aust.) Pty. Ltd.	WS4
8 Loftus Street, Perth	
Sanitarium Health Food Co.	WS5
77 Great Eastern Highway, Victoria Park	
Scott & Bowne (A'asia) Ltd.	WS3
450 Belmont Avenue, Kewdale	
Squibb and Sons, E. R. (Pty.) Ltd.	WS2
273 Hay Street, Perth	
Sterling Pharmaceuticals Pty. Ltd.	WS1
12 Graylands Road, Claremont	
World Agencies Pty Ltd.	WW1
12 Lindsay Street, Perth	

<i>Distributors and Agents</i>	<i>Code</i>
TASMANIA	
Boots Pure Drug Co. (Aust.) Pty. Ltd.	TB1
Glanville Avenue, Geilston Bay, Lindisfarne	
Cados (South) Pty. Ltd.	TC2
18 Watchorn Street, Hobart	
Cados (Tasmania) Pty. Ltd.	TC1
63 Cameron Street, Launceston	
Drug Houses of Australia	TD1
25 York Street, Launceston	
Faulding, F. H. & Co. Ltd.	TF1
179 Liverpool Street, Hobart	
Grounds, H. T.	TG1
101 Murray Street, Hobart	
Sanitarium Health Food Co.	TS2
Cnr Main and Derwent Park Roads, Moonah	
Sidwell & Co. Pty. Ltd.	TS1
70 Liverpool Street, Hobart	

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty.	Column 1 Item	Column 2 Form	Col. 3 Max. Qty.
Adrenaline Acid Tartrate	Injection, B.P. 1-1,000, 1 ml. 1-1,000, 10 ml.	5 1	Morphine with Atropine	Injection 1 ml.	5
Aminophylline	Injection, I.V.	5	Penicillin, Procaine, (Aqueous Suspension)	Injection	10
Chlorpromazine	Injection 2.5% 2 ml.	5	Pethidine	Injection 50 mg. in 1 ml. 50 mg./ml., 2 ml.	5 5
Digoxin	Injection 0.25 mg. per ml., 2 ml.	10	Phenobarbitone Sodium	Injection	5
Ethylnoradrenaline	Injection	5	Sulphadiazine or Sulphadimidine or Sulphonamides, Three Mixed	Tablet	100
Frusemide	Injection	5	Tetanus Antitoxin, 1,500 Units, 15 Units, Diluted 1-50	Injection—set	1
Heparin	Injection	1	Tetanus Antitoxin (Bovine) 1,500 Units, 15 Units, Diluted 1-50	Injection—set	1
Hydrocortisone Sodium Succinate	Injection	1	Tetanus Toxoid (Purified Aluminium Phosphate Adsorbed)	Injection 0.5 ml.	10
Metaraminol	Injection	1			
Morphine Sulphate	Injection 1 ml. Hypodermic Tablet	5 40			

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form

METRIC CONVERSION TABLE

Conversion Table The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>								<i>Milligrams</i>	<i>Grains</i>								<i>Milligrams</i>
15	..	..	..	..	..	..	..	1,000	1/12	..	..	..	..	..	..	..	5
12	..	..	..	..	..	..	..	800	1/15	..	..	..	..	..	..	..	4
10	..	..	..	..	..	..	..	600	1/20	..	..	..	..	..	..	..	3
8	..	..	..	..	..	..	..	500	1/24	}	..	..	..	..	..	..	2.5
7½	..	..	..	..	..	..	..	450	1/25		..	..	..	..	..	..	2
6	..	..	..	..	..	..	..	400	1/30	..	..	..	..	..	..	..	1.5
5	..	..	..	..	..	..	..	300	1/40	..	..	..	..	..	..	..	1.25
4	..	..	..	..	..	..	..	250	1/50	..	..	..	..	..	..	..	1
3	..	..	..	..	..	..	..	200	1/60	..	..	..	..	..	..	..	0.8
2½	..	..	..	..	..	..	..	150	1/75	}	..	..	..	..	..	..	0.6
2	..	..	..	..	..	..	..	125	1/80		..	..	..	..	..	..	0.5
1½	..	..	..	..	..	..	..	100	1/100	..	..	..	..	..	..	..	0.4
1¼	..	..	..	..	..	..	..	75	1/120	}	..	..	..	..	..	..	0.3
1	..	..	..	..	..	..	..	60	1/130		..	..	..	..	..	..	0.25
¾	..	..	..	..	..	..	..	50	1/150	}	..	..	..	..	..	..	0.2
⅔	..	..	..	..	..	..	..	40	1/160		..	..	..	..	..	..	0.15
½	..	..	..	..	..	..	..	30	1/200	..	..	..	..	..	..	..	0.125
⅓	..	..	..	..	..	..	..	25	1/240	..	..	..	..	..	..	..	0.1
¼	..	..	..	..	..	..	..	20	1/300	}	..	..	..	..	..	..	
⅕	..	..	..	..	..	..	..	15	1/320		..	..	..	..	..	..	
⅙	..	..	..	..	..	..	..	12.5	1/400	..	..	..	..	..	..	..	
⅛	..	..	..	..	..	..	..	10	1/480	}	..	..	..	..	..	..	
1/10	..	..	..	..	..	..	..	7.5	1/500		..	..	..	..	..	..	
	..	..	..	..	..	..	..	6	1/600	..	..	..	..	..	..	..	

1,000 MICROGRAMS (meg) = 1 MILLIGRAM (mg)

ABBREVIATIONS OR SYNONYMS FOR APPROVED NAMES

<i>Suggested Abbreviation</i>	<i>Approved Names</i>	<i>Suggested Abbreviation</i>	<i>Approved Names</i>
A.C.T.H.	Corticotrophin	Penicillin G.	Penicillin Benzyl
Amorph. I.Z.S.	Insulin Zinc Suspension (Amorphous)	Penicillin V.	Penicillin Phenoxymethyl
B.12	Cyanocobalamin	Penthritol	Pentaerythritol Tetranitrate
Bephenium	Bephenium Hydroxynaphthoate	Per/Vac.	Pertussis Vaccine (Phase 1)
Bretylum	Bretylum Tosylate	Plague/Vac.	Plague Vaccine
Calcium P.A.S.	Calcium Aminosalicylate	Prednisolone T.B.A.	Prednisolone Tertiary Butyl Acetate
Cryst. I.Z.S.	Insulin Zinc Suspension (Crystalline)	Sep./Ser.	Gas Gangrene Antitoxin (Septicum)
Diodoquinoline	Di-iodohydroxyquinoline	S'methoxydiazine	Sulphamethoxydiazine
Dip./Ser.	Diphtheria Antitoxin	S'methoxypyrazine	Sulphamethoxypyridazine
Dip./Vac./P.T.A.P.	Diphtheria Vaccine (Purified Toxoid)	Sod. Stilboestrol	Disodium Stilboestrol Diphosphate
	Aluminium Phosphate)	Sodium P.A.S.	Sodium Aminosalicylate
DMChlortetracycline	Demethylchlortetracycline	Sta./Tox.	Staphylococcus Toxoid (Formalinised)
Feramacet	Ferrous Aminoacetosulphate	Testosterone Oen.	Testosterone Oenanthat
Gas./Ser.	Gas Gangrene Antitoxin—Mixed (Polyvalent)	Testosterone Prop.	Testosterone Propionate
Hexocyclium	Hexocyclium Methylsulphate	Tet./Ser.	Tetanus Antitoxin
I.Z.S.	Insulin Zinc Suspension	Triple Antigen ..	Diphtheria, Tetanus and Pertussis Vaccine
Oed./Ser.	Gas Gangrene Antitoxin (Oedematiens)		
P.A.M.	Pyridine Aldoxime Methiodide	Viptyrium ..	Viptyrium Embonate
		Wel./Ser.	Gas Gangrene Antitoxin (Welchii)

SCHEDULE OF BENEFITS
Operative as from 1 August 1969

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.
- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
(N.S.W.....(N); VIC.....(V); QLD.....(Q); S.A.....(S); W.A.....(W); TAS.....(T).

SECTION 2 - SCHEDULE OF BENEFITS - UNRESTRICTED BENEFITS - AUGUST 1969

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ACEPIFYLLINE			\$	
2742	Oral Tablet 250 mg.	100	2	1.90	DF
2743	Paediatric Syrup 125 mg. per 5 ml., 500 ml.	‡1	4	2.37	DF
2445	Injection 500 mg. in 5 ml.	5	..	1.07	DF
	ACETARSOL				
1002	Oral Tablet 250 mg.	25	2	0.90	MB
1003	Compound Pessary 250 mg.	25	1	0.83	MB
	ACETAZOLAMIDE				
1004	Oral Tablet 250 mg.	50	4	4.99	PT
				5.07	BZ(NWS)
				5.50	LE
2376	Oral Capsule 500 mg. (sustained release)	50	2	10.97	LE
1005	Injection 500 mg.	1	..	3.35	LE
	ACETOHEXAMIDE				
1006	Oral Tablet 500 mg.	100	2	4.30	LY
	ACETYLCYSTEINE				
	See Restricted Benefits				
	ADRENALINE				
2434	Eye Drops 0.5%, 7.5 ml.	‡1	6	3.10	ET
1014	1%, 7.5 ml.	‡1	6	3.43	ET

1015	Eye Drops 2%, 10 ml.	‡1	6	6.63	AG, MH
2479	2% (100 mg. and 5 ml. diluent)	‡1	6	\$5.75	AQ
2786	Inhalation, metered aerosol spray replacement pack, 8.3 mg. per ml., 15 ml. (300 dose)	‡1	..	2.70	BS
ADRENALINE ACID TARTRATE					
2761	Inhalation, metered aerosol spray replacement pack, 7 mg. per ml., 15 ml. (300 dose)	‡1	..	2.70	RK
1016	Injection, B.P., 1 in 1,000, 1 ml.	5	1	0.78	GR(NWS)
				0.81	AD, FH, SI, WO
				0.83	KL
				0.85	BL, BT, BW, PD
1017	1 in 1,000, 10 ml.	1	1	0.70	BW, PD
1018	Solution, B.P., 1 in 1,000, 25 ml.	1	..	0.69	BW
1019	1 in 1,000, 1 fl. oz.	1	..	0.70	PD
1020	Solution 1 in 100, 7 ml.	1	1	0.69	BW, PD
ADRENALINE and ATROPINE					
7476	Spray P.L.	15 ml.	2	1.27	Extemp. (plus container)
ADRENALINE MUCATE					
1021	Injection, 1 in 1,000, 1 ml.	5	1	1.17	GL
ALDOSTERONE					
See Restricted Benefits.					
ALLOPURINOL					
See Restricted Benefits.					

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ALOXIPRIN see Restricted Benefits.			\$	
7477	ALUMINIUM and MAGNESIUM TRISILICATE Internal Powder P.L.	100 G.	2	0.89	Extemp. (plus container)
7655	ALUMINIUM ACETATE Cream Oily P.L.	100 G.	1	0.85	Extemp. (plus container)
7642	Ear Drops P.L.	15 ml.	2	0.61	Extemp. (plus container)
	ALUMINIUM ACETYLSALICYLATE See Restricted Benefits				
7379	ALUMINIUM HYDROXIDE with BELLADONNA Mixture P.L.	200 ml.	4	0.87	Extemp. (plus container)
7577	ALUMINIUM HYDROXIDE with KAOLIN Mixture for Children P.L.	100 ml.	4	0.73	Extemp. (plus container)
7380	ALUMINIUM HYDROXIDE with KAOLIN and OPIUM Mixture P.L.	200 ml.	4	1.02	Extemp. (plus container)
7381	ALUMINIUM HYDROXIDE with PROCAINE Mixture P.L.	200 ml.	4	0.93	Extemp. (plus container)

2797	ALUMINIUM HYDROXIDE GEL †Mixture 320 mg. per 5 ml., 360 ml.	1	2	†0.65	MG
				†0.69	WD(N)
				†0.84	CH(QNW)
				†0.98	DH, KL, PR, WY
2798	(with instructions for use)				MG WD(N) CH(QNW) DH, KL, PR, WY
1026	ALUMINIUM HYDROXIDE GEL DRIED Oral Tablet 300 mg.	100	2	1.23	EV, KL, RT(V), WL, WY
				1.30	HA, RD
2552	ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137 mg.-1.02 G. per 5 ml., 360 ml.	†1	2	1.15	WY
1029	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Oral Tablet 300 mg.-90 mg.	100	2	1.39	BC, WY
2576	200 mg.-200 mg.	100	2	1.29	PD
				(ex 500)	
				1.38	PD
2799	Mixture 300 mg.-100 mg. per 5 ml., 360 ml.	†1	2	(ex M.P.) 1.17	PR, WY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE - cont.				
	Oral Suspension				
2735	215 mg.-80 mg. per 5 ml., 360 ml.	‡1	2	1.50	BT, WY
2666	200 mg.-100 mg. per 5 ml., 360 ml.	‡1	2	1.50	BS
2575	200 mg.-200 mg. per 5 ml., 360 ml.	‡1	2	1.50	ML, PD
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZAINE				
	Oral Suspension				
2796	306 mg.-97.5 mg.-10 mg. per 5 ml., 360 ml.	‡1	2	1.77	WY
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE				
1031	Oral Tablet 250 mg.-500 mg.	100	2	1.43	WW
2849	Mixture 250 mg.-500 mg. per 4 ml., 360 ml.	‡1	2	1.50	WW
	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE				
1032	Oral Tablet 250 mg.-120 mg.-120 mg.	100	2	1.51 1.58 (ex 500) 1.63 (ex M.P.)	FA, HA, KL BW, FM, GP BW, FA, FM, GP, HA, KL
2553	Mixture 250 mg.-120 mg.-120 mg. per 5 ml., 250 ml.	‡1	4	1.07	FM

1033	ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Oral Tablet 375 mg.	100	2	1.57	BD, BS, BT, GL, WL, WY
				(ex 500)	
				1.70 (ex M.P.)	BD, BS, BT, GL, WL, WY
2577	ALUMINIUM SODIUM SILICATE Powder 100 G.	1	2	1.10	SC
1035	AMINACRINE HYDROCHLORIDE Eye Drops 3 mg. in 15 ml.	‡1	2	1.06	KL, SI
	AMINO ACIDS with SORBITOL See Intravenous Fluids				
	AMINO ACIDS with SORBITOL and ETHANOL See Intravenous Fluids				
2737	AMINOPHYLLINE Oral Tablet 60 mg. (enteric coated)	100	2	1.03	ET
1039	100 mg.	100	2	0.63	AD, BW, DH, FA, HA, KL, MG, RT(V), RY, SI, SL(N)
2463	125 mg. (enteric coated)	100	2	1.17	ET
1040	150 mg.	100	2	1.74	AB
1037	Injection I.M. 500 mg. in 2 ml.	5	..	1.10	WO
				1.13	FH
				1.21	BW, DH, HA

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1038	AMINOPHYLLINE - cont. Injection I.V. 250 mg. in 10 ml.	5	..	\$ 1.53 1.61	AD, DH, FH, KL, SI, WO HA
1041	Suppository 175 mg.	12	1	0.90	HA, KL
1042	250 mg.	12	1	1.21	DH, HA, KL
1043	400 mg.	12	1	1.21	HA, KL
2839	AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE Oral Capsule 130 mg.-25 mg.-25 mg.	100	2	2.10	KL, LY, PT
7382	AMINOPHYLLINE COMPOUND Mixture P.L.	200 ml.	4	0.91	Extemp. (plus container)
	AMINOSALICYLIC ACID See Restricted Benefits				
	AMITRIPTYLINE See Restricted Benefits.				
1044	AMMONIUM CHLORIDE Oral Tablet 500 mg.	100	3	0.97	QE(QNVS), RY
1045	AMODIAQUINE Oral Tablet equivalent to 150 mg. Amodiaquine base.	100	2	2.43	PD

AMPHOTERICIN B					
See Restricted Benefits.					
AMPICILLIN					
See Restricted Benefits.					
AMYLOBARBITONE					
1049	Oral Tablet 15 mg.	100	1	0.77	FA, HY, PT
				0.78	DL, FM, HA, KL, LY, RY
1050	30 mg.	100	1	0.79	FA, PT, RT(V), SL(N)
				0.83	HY, MG
				0.93	DL, FM, HA, KL, LY,
					RY, VR
1051	50 mg.	100	1	0.83	PT, RT(V), SL(N)
				0.87	FA, HY
				0.95	MG
				1.00	DL, FM, GP, HA, KL, LY,
				(ex 500)	RY, VR
				0.86	FA, PT, RT(V), SL(N)
				0.90	HY, MG
				1.05	DL, FM, GP, HA, KL, LY,
				(ex M.P.)	RY, VR

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1052	AMYLOBARBITONE - cont. Oral Tablet 100 mg.	25	..	\$ 0.47 0.49 0.53 0.54 (ex 100) 0.51 0.53 0.59 0.61 (ex M.P.)	PT, RT(V), SL(N) HA HY AD, DL, FA, FM, GP, KL, LY, RY, SI, VR PT, RT(V), SL(N) HA VR AD, DL, FA, FM, GP, HY, KL, LY, RY, SI
2652	AMYLOBARBITONE SODIUM Oral Capsule 50 mg.	100	1	1.47	AV, FM, KL, LY, NB
1056	200 mg.	25	..	0.84 1.07 (ex 100) 0.97 1.23 (ex M.P.)	LF, PT FA, FM, KL, LY, NB, VR LF, PT FA, FM, KL, LY, NB, VR
1058	Injection 250 mg. (solvent required)	5	..	*2.50	LY
1059	500 mg. (solvent required)	5	..	*3.65	LY
1060	1 G. (solvent required)	5	..	*9.65	LY
	ANTAZOLINE				
1073	Oral Tablet 100 mg.	50	1	1.37	CB
1072	Injection 100 mg. in 2 ml.	10	..	*2.16 *2.22	CB BT

1075	ANTAZOLINE with NAPHAZOLINE Eye Drops 10 ml.	1	2	0.83	CB
2812	ANTIVENENE - BLACK SNAKE Injection 18,000 Units	1	..	95.78	CS
1126	ANTIVENENE - BROWN SNAKE Injection 500 Units	2	1	*28.30	CS
2734	ANTIVENENE DEATH ADDER Injection 6,000 Units	1	..	59.07	CS
1980	ANTIVENENE - RED BACK SPIDER Injection 500 Units	2	..	*8.30	CS
2813	ANTIVENENE - SNAKE (POLYVALENT) Injection : Antivenenes - Brown Snake 500 Units; Tiger Snake 3,000 Units; Death Adder 6,000 Units; Taipan 12,000 Units; Black Snake 18,000 Units.	1	..	130.19	CS
2814	ANTIVENENE - TAIPAN Injection 12,000 Units	1	..	121.17	CS
2176	ANTIVENENE - TIGER SNAKE Injection 3,000 Units	2	1	*42.84	CS

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	AQUEOUS CREAM			\$	
7492	Cream P.L.	100 G.	1	0.93	Extemp. (plus container)
7491	Cream Buffered P.L.	100 G.	1	0.84	Extemp. (plus container)
	ASCORBIC ACID See Restricted Benefits.				
	ASPIRIN				
7496	Mixture P.L.	200 ml.	4	0.74	Extemp. (plus container)
7511	Mixture for Children P.L. Tablets - See Restricted Benefits.	100 ml.	4	0.82	Extemp. (plus container)
	ASPIRIN and CODEINE				
7447	Mixture P.L.	200 ml.	4	0.98	Extemp. (plus container)
	ASPIRIN and MORPHINE				
7446	Mixture P.L.	200 ml.	4	1.02	Extemp. (plus container)
	ASPIRIN with PARACETAMOL and CAFFEINE See Restricted Benefits.				
	ASPIRIN and PHENOBARBITONE				
7445	Mixture P.L.	200 ml.	4	0.78	Extemp. (plus container)
	ATROPINE				
1082	Eye Drops, Oily 1%, 15 ml.	‡1	2	1.30	IQ, SI

ATROPINE METHONITRATE					
1084	Oral Tablet 1 mg.	50	2	1.43	WL
1083	Oral Solution 0.6%, 15 ml.	1	..	0.97	WL
7512	Mixture for Children P.L.	100 ml.	4	0.83	Extemp. (plus container)
ATROPINE SULPHATE					
2704	Oral Tablet 600 micrograms	100	2	0.87	RY
1086	Hypo. Tablet 400 micrograms (solvent required)	20	1	0.63	FA
1087	600 micrograms (solvent required)	20	1	0.70	FA
1088	Injection 0.4 mg. in 1 ml.	5	1	0.86	FH, KL
				0.90	BL, DH
1089	0.6 mg. in 1 ml.	5	1	0.86	FH, KL
				0.90	BL, BT, DH
1090	0.6 mg. per ml., 10 ml.	1	..	0.97	DH, FA
1091	1.25 mg. in 1 ml.	5	1	0.86	FH, KL
				0.90	BL, DH
1092	Eye Drops 0.5%, 15 ml.	‡1	2	1.10	DH, ET, IQ, KL, SI
1093	1%, 15 ml.	‡1	2	1.21	DH, ET, IQ, KL, SI
1094	Eye Ointment 1%, 4 G.	‡1	..	0.63	PD
BACITRACIN					
1099	Eye Drops 15,000 Units and 15 ml. of solvent	‡1	2	\$1.99	ET
BARBITONE SODIUM					
1100	Oral Tablet 300 mg.	25	..	0.67	DH, KL
1101	500 mg.	25	..	0.70	DH, KL
BARBITURATES COMPOUND					
1102	Oral Capsule A.P.F. 1955	25	..	1.83	AB, KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	BELLADONNA			\$	
2706	Oral Tablet 45 mg.	100	2	1.03	RY
7513	Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)
	BELLADONNA with PHENOBARBITONE				
	Oral Tablet of prepared Belladonna Herb B.P. (or equivalent of Dry Extract of Belladonna) with Phenobarbitone.				
2423	30 mg.-20 mg.	100	2	0.86	LF, PT
				0.87	DH, FM, SI, TR, WW
2637	40 mg.-16 mg.	100	2	1.02	RS
2424	45 mg.-30 mg.	100	2	0.99	LF
				1.01	PT
				1.03	DH, FM, SI, TR, WW
2753	(sustained release) 120 mg.-48 mg.	100	2	2.30	RS
	BEMEGRIDE				
1104	Injection 5 mg. per ml., 30 ml.	5	..	10.51	NS
	BENDROFLUAZIDE				
1105	Oral Tablet 2.5 mg.	50	2	1.71	BC, BT, ET, GL
				(ex 250)	
				1.82	BC, BT, ET, GL
				(ex M.P.)	
1106	5 mg.	50	2	2.52	BC, BT, ET, GL
				(ex 250)	
				2.65	BC, BT, ET, GL
				(ex M.P.)	

2507	Oral Capsule 2.5 mg.	50	2	1.82	GL
2508	5 mg.	50	2	2.65	GL
BENZALKONIUM CHLORIDE					
1107	Compound Suppository	12	1	1.15	HA
				1.17	FA
1108	Solution 10%, 4 fl. oz.	1	..	0.87	WL
BENZHEXOL					
1109	Oral Tablet 2 mg.	100	2	1.81	PT
				1.89	LE, WL
1110	5 mg.	100	2	3.27	PT
				3.45	LE, WL
BENZOCAINE with ADRENALINE					
1111	Compound Ointment 2 oz.	1	1	1.30	GP
1112	Compound Suppository	12	1	1.06	GP
1113	Suppository A.P.F. 1955	12	1	1.30	KL
BENZOIC ACID					
9497	Compound Ointment P.L.	100 G.	1	1.24	Extemp. (plus container)
BENZOIN					
7485	Inhalation P.L.	50 ml.	1	1.05	Extemp. (plus container)
BENZTROPINE					
2362	Oral Tablet 2 mg.	100	..	4.57	MK

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1114	BENZYL BENZOATE Application 25%, 4 fl.oz.	‡1	2	\$ 0.83	MB
7668	BENZYL BENZOATE with DICOPHANE Application P.L.	200 ml.	2	1.17	Extemp. (plus container)
1115	BEPHENIUM HYDROXYNAPHTHOATE (Bephenium) Oral Sachet 5 G.	1	..	0.74	BW
1118	BETAMETHASONE Eye Drops 0.1%, 5 ml.	‡1	2	2.30	GL, SH
2377	Eye Ointment 0.1%, 3 G. Tablets - See Restricted Benefits. Syrup - See Restricted Benefits. Injections - See Restricted Benefits.	‡1	..	1.63	GL, SH
	BETAMETHASONE with CLIOQUINOL See Restricted Benefits.				
2416	BETHANIDINE Oral Tablet 10 mg.	100	2	2.97	BW
2712	25 mg.	100	2	6.30	BW
2544	BIPERIDEN Oral Tablet 2 mg.	100	2	3.19	KN

1122	BISMUTH SUBGALLATE	12	1	0.82	WW
	Compound Suppository			1.37	KL
	Powder - See Colostomy & Ileostomy				
	BORIC ACID				
7643	Ear Drops P.L.	15 ml.	2	0.58	Extemp. (plus container)
1123	†Powder 100 G.	1	..	†0.15	WD(N)
				†0.23	FA
				†0.26	DH
				†0.30	SI(V)
1124	(with instructions for use)				WD(N)
					FA
					DH
					SI(V)
	BORIC TALC				
7552	Dusting Powder P.L.	100 G.	1	0.73	Extemp. (plus container)
	BRETYLIUM TOSYLATE				
	(Bretylum)				
1125	Oral Tablet 200 mg.	100	2	8.63	BW
	BROMPHENIRAMINE				
2516	Oral Tablet 4 mg.	50	1	1.43	RS
2601	12 mg.	50	1	2.90	RS
2602	Syrup 2 mg. per 5 ml., 100 ml.	‡1	4	1.03	RS
	BUCCLOSAMIDE with SALICYLIC ACID				
	See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	BUCLOSAMIDE with SALICYLIC ACID and HYDROCORTISONE See Restricted Benefits.			\$	
	BUSULPHAN See Restricted Benefits.				
1133	BUTOBARBITONE Oral Tablet 100 mg.	25	..	0.51 0.52 (ex 100) 0.55 0.57 (ex M.P.)	PT AD, MB, SI PT AD, MB, SI
7384	CAFFEINE, IODIDE and EPHEDRINE Mixture, P.L.	200 ml.	4	1.37	Extemp. (plus container)
7658	CALAMINE Cream Aqueous P.L.	100 G.	1	0.77	Extemp. (plus container)
7659	Cream Oily P.L.	100 G.	1	1.10	Extemp. (plus container)
7629	Lotion P.L.	200 ml.	2	1.09	Extemp. (plus container)
7630	Lotion Oily P.L.	200 ml.	2	0.94	Extemp. (plus container)
	CALCIFEROL See Restricted Benefits.				

7383	CALCIUM ACETYLSALICYLATE Mixture P.L.	200 ml.	4	0.83	Extemp. (plus container)
	CALCIUM AMINOSALICYLATE See Restricted Benefits.				
1147	CALCIUM GLUCONATE Oral Tablet 600 mg.	100	2	0.70 0.77 0.83	KL, PR, RT(V), RY, SL(N) AD, DH, FA, SI, TO MG
1148	(Effervescent) equivalent to 4 G. Calcium Gluconate	100	2	5.70	SZ
1146	Injection 10%, 10 ml.	5	1	1.30	FH, SZ, TH
7514	CALCIUM and KAOLIN Mixture for Children P.L.	100 ml.	4	.066	Extemp. (plus container)
1149	CALCIUM LACTATE Oral Tablet 300 mg.	100	2	0.63	AD, DH, FA, KL, RT(V), RY, SI, SL(N), TO
7534	CAMPHOR Linctus Compound P.L.	100 ml.	4	0.85	Extemp. (plus container)
7884	Liniment P.L.	100 ml.	1	0.93	Extemp. (plus container)

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CARBACHOL			\$	
1151	Injection 0.25 mg. in 1 ml.	5	..	0.86	FH
	Eye Drops (Hypromellose base)				
2534	0.75%, 15 ml.	‡1	6	2.25	AQ
2535	1.5%, 15 ml.	‡1	6	2.34	AQ
2536	3%, 15 ml.	‡1	6	2.45	AQ
	CARBAMAZEPINE				
	See Restricted Benefits.				
	CARBIMAZOLE				
1153	Oral Tablet 5 mg.	100	2	1.97 2.63	PT BS
	CARBINOXAMINE				
1154	Oral Tablet 4 mg.	50	1	1.57	ET
2409	(sustained release) 12 mg.	50	1	3.63	ET
2736	Paediatric Elixir 4 mg. per 5 ml., 100 ml.	‡1	4	1.03	ET
	CASCARA				
1155	Oral Tablet 200 mg.	25	3	0.50	AD, DH, FA, RT(V), SI
1156	300 mg.	25	3	0.54	AD, DH, FA, RT(V), SI
	†Liquid Extract, B.P.				
1157	25 ml.	1	1	†0.20 †0.21	WD(N) DH

1158	(with instructions for use)				WD(N)
1159	50 ml.	1	1	†0.30	DH
1160	(with instructions for use)				DH, WD(N)
	CASEIN HYDROLYSATE and DEXTROSE See Intravenous Fluids.				
	CASEIN HYDROLYSATE with LAEVULOSE and ALCOHOL See Intravenous Fluids.				
	CASTOR OIL				
1161	†5 oz.	1	..	†0.33	DH, FA
1162	(with instructions for use)				DH, FA
2803	† 100 ml.	1	..	†0.27	WD(N)
2804	(with instructions for use)				WD(N)
	CETOMACROGOL				
7661	Cream Aqueous P.L.	100 G.	1	1.09	Extemp. (plus container)
	CETRIMIDE				
7660	Cream Aqueous P.L.	100 G.	1	1.18	Extemp. (plus container)
	CHALK and KAOLIN				
7498	Mixture P.L.	200 ml.	4	0.78	Extemp. (plus container)

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CHLORAL HYDRATE			\$	
2713	Elixir 1 G. per 10 ml., 200 ml.	‡1	4	1.50	KL, PT
2869	Mixture 230 mg. per 5 ml., 400 ml.	‡1	4	1.50	DH
7499	P.L.	200 ml.	4	0.79	Extemp. (plus container)
7515	Mixture for Children P.L.	100 ml.	4	0.68	Extemp. (plus container)
	CHLORAMBUCIL				
	See Restricted Benefits.				
	CHLORAMPHENICOL				
2395	Ear Drops 2%, 10 ml.	‡1	2	1.10	CW
1169	10%, 6 ml.	‡1	2	1.10	KL
				1.30	PD
1170	Eye Drops 25 mg. and 10 ml. solvent	‡1	2	\$1.68	PD
2360	0.5%, 10 ml.	‡1	2	1.10	KL
1171	Eye Ointment 1%, 4 G.	‡1	..	0.63	KL
				0.69	PD
1172	1%, 5 G.	‡1	..	0.69	EC
	Capsule - See Restricted Benefits.				
	Injection - See Restricted Benefits.				
	Suspension - See Restricted Benefits.				
	CHLORAMPHENICOL with HYDROCORTISONE				
2716	Eye Drops 12.5 mg.-25 mg. and 5 ml solvent	‡1	2	\$1.75	PD
2715	Eye Ointment 1%-0.5%, 4 G.	‡1	..	1.30	PD

CHLORAMPHENICOL with POLYMYXIN B					
1177	Eye Ointment 1%-5,000 Units per G., 4 G.,	‡1	..	0.63	KL
				0.69	PD
CHLORCYCLIZINE					
1180	Oral Tablet 50 mg.	50	1	1.67	PT
				1.70	AB, BW
2543	Oral Capsule 25 mg.	50	1	1.30	BW
2473	50 mg.	50	1	1.70	BW
CHLORHEXIDINE					
7490	Cream Aqueous P.L.	100 G.	1	1.08	Extemp. (plus container)
7487	Ear Drops P.L.	15 ml.	2	0.59	Extemp. (plus container)
1181	Solution 5%, 100 ml.	‡1	1	1.50	IC
CHLOROBENZOL DISULPHONAMIDE					
1182	Oral Tablet 100 mg.	50	2	1.79	NS
1183	200 mg.	50	2	3.15	NS
CHLOROQUINE					
1184	Oral Tablet equivalent to 150 mg. Chloroquine base.	100	2	2.90	KL, PT, RT(V)
				2.97	MB
				3.02	DH, ET, EV, FB, IC, WL
1185	Injection 40 mg. per ml., 2 ml.	5	1	*1.19	MB
1186	40 mg. per ml., 5 ml.	5	1	*1.84	MB

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1187	CHLOROTHIAZIDE Oral Tablet 500 mg.	50	2	\$ 2.64 (ex 250) 2.97 (ex M.P.)	MK MK
	CHLOROTRIANISENE See Restricted Benefits.				
1190	CHLORPHENIRAMINE Oral Tablet 4 mg.	50	1	1.66 1.74 1.77	KL, LF, OD, PT CA, SH GL
2860	8 mg.	50	1	2.17	CA
1191	8 mg. (sustained release)	50	1	1.86 2.15 (ex 250) 2.06 2.17 2.39 (ex M.P.)	GL, KL, LF, OD, PT SH KL, LF, OD, PT GL SH
2881	Oral Capsule 8 mg. (sustained release)	50	1	2.18	SK
2882	12 mg. (sustained release)	50	1	2.79	SK
1192	Paediatric Syrup 2 mg. per 5 ml., 100 ml.	1	4	0.90 0.97	KL GL
1189	Injection 10 mg. in 1 ml.	5	..	1.58	GL

	CHLORPROMAZINE				
	See Restricted Benefits.				
	CHLORPROPAMIDE				
1202	Oral Tablet 250 mg.	100	2	4.30	PF
	CHLORTETRACYCLINE				
1207	Eye Ointment 1%, 4 G.	‡1	..	0.54	KL
				0.57	LE
	Capsules - See Restricted Benefits.				
	CHLORTHALIDONE				
1584	Oral Tablet 50 mg.	50	2	2.87	GE
1208	100 mg.	50	2	4.24	GE
				(ex 250)	
				4.82	GE
				(ex M.P.)	
	CHOLERA-EL TOR COMBINED VACCINE				
2545	Injection 8,000 million organisms in 1 ml.	2	..	*1.10	CS
	CHOLINE THEOPHYLLINATE				
2788	Oral Tablet 100 mg.	100	2	2.43	WW
2789	200 mg.	100	2	2.97	WW
2787	Syrup 50 mg. per 5 ml., 500 ml.	‡1	4	1.90	WW
	CHOLINE THEOPHYLLINATE				
	with GUAIPHENESIN				
2866	Oral Tablet 200 mg.-100 mg.	100	2	2.97	WW

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CLEMIZOLE			\$	
1210	Oral Tablet 20 mg.	50	1	*1.58	SC
1212	Paediatric Syrup 100 ml.	‡1	4	0.97	SC
1211	Injection 1 ml.	3	..	0.97	SC
	CLIOQUINOL				
1549	Oral Tablet 250 mg.	100	..	1.80	PT
				1.97	DR
				2.07	CB
				(ex 500)	
				1.97	PT
				2.17	DR
				2.23	CB
				(ex M.P.)	
	CLOFIBRATE				
	See Restricted Benefits.				
	CLOPAMIDE				
2399	Oral Tablet 20 mg.	50	2	2.43	SZ
	CLOREXOLONE				
2880	Oral Tablet 10 mg.	50	2	1.97	MB
2297	25 mg.	50	2	2.37	MB
2298	50 mg.	50	2	2.97	MB
	COAL TAR				
7555	Paste P.L.	100 G.	1	0.99	Extemp. (plus container)

7662	COAL TAR and ZINC Cream P.L.	100 G.	1	0.96	Extemp. (plus container)
1213	COCAINE Eye Drops Oily 2%, 15 ml.	‡1	2	1.59	SI
1214	CODEINE PHOSPHATE Oral Tablet 30 mg.	25	3	0.83	DH, HY, KL, RT(V), RY
7495	Linctus P.L.	100 ml.	2	1.11	Extemp. (plus container)
	CODEINE PHOSPHATE with ASPIRIN See Restricted Benefits.				
	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL See Restricted Benefits.				
	CODEINE PHOSPHATE with ASPIRIN, PARACETAMOL and CAFFEINE See Restricted Benefits.				
1223	COD LIVER OIL †Cod Liver Oil, B.P. 8 fl.oz.	1	4	†0.45	FA, SI(V)
1224	(with instructions for use)				FA, SI(V)
2680	200 ml.	1	4	†0.40	WD(N)
				†0.44	DH
2681	(with instructions for use)				WD(N)
					DH
	Emulsion - See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form . . .	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1227	COLCHICINE Oral Tablet 0.5 mg.	100	2	\$ 2.67 2.70 2.79 2.83 2.89 2.97	PT, RT(V) DH EV BW, KF PR HY, KL, MR
7663	COLD CREAM Cream P.L.	100 G.	1	1.00	Extemp. (plus container)
	COLISTIN See Restricted Benefits.				
2756	COLISTIN with NEOMYCIN Ear Drops 3 mg.-3.3 mg. per ml., 10 ml.	‡1	2	1.50	WW
1228	COPPER SULPHATE ‡Diagnostic Compound Tablets, 36	1	3	‡0.68	AM
1229	(with instructions for use)				AM
	CORTICOTROPHIN See Restricted Benefits.				
1250	CORTISONE ACETATE Eye Drops 0.5%, 10 ml.	‡1	2	1.90	ET
1252	1%, 3 ml.	‡1	2	1.57	ET

1253	2.5%, 5 ml.	1	2	4.10	MK
1254	2.5%, 10 ml.	1	2	5.10	ET, MK
	Injectons - See Restricted Benefits.				
	Tablets - See Restricted Benefits.				
	CYANOCOBALAMIN				
	See Restricted Benefits.				
	CYCLOBARBITONE				
1263	Oral Tablet 200 mg.	25	..	0.82	MG, SL(N)
				0.90	HA
				1.10	BW, FB, KL
	CYCLOPENTHIAZIDE				
1264	Oral Tablet 0.5 mg.	50	2	2.37	CB
				(ex 250)	
				2.57	CB
				(ex M.P.)	
	CYCLOPHOSPHAMIDE				
1266	Oral Tablet 50 mg.	50	..	5.97	MJ
1265	Injection 100 mg. (solvent required)	10	..	10.43	MJ
2381	200 mg. (solvent required)	10	..	12.30	MJ
	CYCLOTHIAZIDE				
2426	Oral Tablet 5 mg.	50	2	2.81	BY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CYCRIMINE HYDROCHLORIDE			\$	
1267	Oral Tablet 1.25 mg.	100	2	3.50	LY
1268	2.5 mg.	100	2	5.43	LY
	CYPROHEPTADINE				
1269	Oral Tablet 4 mg.	50	2	1.72 (ex 250)	MK
				1.90 (ex M.P.)	MK
2810	Oral Capsule 4 mg.	50	2	1.90	FR
1270	Paediatric Syrup 1.2 mg. per 5 ml., 100 ml.	‡1	4	0.90	FR, MK
	DAPSONE				
1272	Oral Tablet 100 mg.	100	2	0.83	IC
	DARROW'S SOLUTION				
	See Intravenous Fluids				
	DEBRISOQUINE				
2740	Oral Tablet 10 mg.	100	2	3.23	RO
2741	20 mg.	100	2	4.57	RO
	DEMECARIUM BROMIDE				
2378	Eye Drops 0.1%, 5 ml.	‡1	6	1.66	AP
1274	0.25%, 5 ml.	‡1	6	1.79	AP
1275	0.5%, 5 ml.	‡1	6	2.07	AP

	DEMETHYLCHLORTETRACYCLINE See Restricted Benefits.				
	DEMETHYLCHLORTETRACYCLINE with NYSTATIN See Restricted Benefits.				
	DEOXYCORTONE See Restricted Benefits.				
1289	DESLANOSIDE Injection 0.2 mg. per ml., 2 ml.	5	1	1.13	SZ
	DEXAMETHASONE See Restricted Benefits.				
2759	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 0.5 mg.-5 mg.-0.05 mg. per G., 3 G.	‡1	2	1.37	RL
2781	DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 0.5 mg.(base)-5 mg.-0.05 mg. per ml., 5 ml.	‡1	2	1.50	RL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1295	DEXCHLORPHENIRAMINE Oral Tablet 2 mg.	50	1	\$ 1.41 (ex 250)	SH
				1.54 (ex M.P.)	SH
1296	6 mg. (sustained release)	50	1	2.95 (ex 250)	SH
				3.33 (ex M.P.)	SH
1297	Paediatric Syrup 2 mg. per 5 ml., 100 ml.	‡1	4	1.17	SH
1294	Injection 5 mg. in 1 ml.	5	..	1.23	SH
	DEXTRAN with DEXTROSE See Intravenous Fluids				
	DEXTRAN in NORMAL SALINE See Intravenous Fluids				
1300	DEXTRIFERRON Injection I.V. 5 ml.	5	..	3.63	AP
	DEXTROMORAMIDE See Restricted Benefits.				
2863	DEXTROSE Injection 25%, 25 ml. Injections - 1/2 litre and 1 litre - See Intravenous Fluids.	1	..	0.90	DH

7576	DEXTROSE and GLYCERIN Nasal Instillation P.L.	15 ml.	2	0.66	Extemp. (plus container)
	DIAZEPAM See Restricted Benefits.				
	DICHLORALPHENAZONE				
2603	Oral Tablet 650 mg.	25	..	0.97	EV
2820	Oral Liquid 225 mg. per 5 ml., 100 ml.	‡1	4	1.50	EV
	DICHLOROPHEN				
2540	Oral Tablet 500 mg.	18	..	0.90	MB
	DICHLORPHENAMIDE				
1303	Oral Tablet 50 mg.	50	4	5.10	AQ, MK
	DICOPHANE				
7669	Application P.L.	200 ml.	2	0.83	Extemp. (plus container)
9841	Dusting Powder P.L.	100 G.	1	0.81	Extemp. (plus container)
	DICYCLOMINE HYDROCHLORIDE				
1304	Oral Tablet 10 mg.	100	2	2.20 2.49 (ex 500) 2.43 2.77 (ex M.P.)	PT ML PT ML
1305	Paediatric Syrup 5 mg. per 5 ml., 100 ml.	‡1	4	1.43	ML

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DIENOESTROL See Restricted Benefits.			\$	
1311	DIETHAZINE Oral Tablet 50 mg.	100	2	1.03	MB
1312	250 mg.	100	2	*2.96	MB
1314	DIGITALIS, PREPARED Oral Tablet 30 mg.	100	2	0.83	DH, RT(V)
1315	60 mg.	100	2	0.97	DH, RT(V)
1316	DIGITOXIN Oral Tablet 100 micrograms	100	..	0.98 1.02	PT KL, NA, WY
2605	DIGOXIN Oral Tablet 62.5 micrograms	100	2	0.97	BW
1322	250 micrograms	100	2	0.73	FA, HY, LF, PT, RT(V), RY, SL(N)
				0.77	NA
				0.97	PR
				0.99	TO
				1.01	KL
				1.03	SU(N)
				1.13	BW, MG, RD, VR

1319	Oral Solution 500 micrograms per ml., 30 ml.	‡1	..	1.26	BW
1320	Oral Solution for Children 50 micrograms per ml., 50 ml.	‡1	2	1.37	BW
1321	Injection 250 micrograms per ml., 2 ml.	10	1	*1.98	BW
2537	Injection for Infants 50 micrograms in 2 ml.	10	1	*1.98	BW
DIHYDROERGOTAMINE					
1323	Injection 1 mg. in 1 ml.	5	..	1.63	SZ
DIHYDROSTREPTOMYCIN with KAOLIN, PECTIN and ALUMINIUM HYDROXIDE GEL Oral Suspension					
2422	317 mg.-3 G.-260 mg. per 30 ml., 100 ml.	‡1	..	1.43	WY
DIHYDROSTREPTOMYCIN SULPHATE with ATTAPULGITE, PECTIN and HYDRATED ALUMINA POWDER					
1327	Oral Tablet 150 mg.-350 mg.-45 mg.-70 mg.	16	..	1.28 (ex 100) 1.41 (ex M.P.)	WY WY
DIHYDROTACHYSTEROL See Restricted Benefits.					
DI-iodohydroxyquinoline (Diodoquinoline)					
1328	Oral Tablet 300 mg.	100	2	1.77	DF, MB
1329	650 mg.	100	2	3.50	SR

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DI-iodohydroxyquinoline - cont. (Diodoquinoline)			\$	
1331	Compound Vaginal Tablets 100 mg., 25	‡1	1	1.50	VR
				1.63	SR
1332	Effervescent Gynaecological Pessaries 200 mg., 20	‡1	1	1.63	DF
	DILOXANIDE FUROATE See Restricted Benefits.				
1334	DIMERCAPROL Injection 5%, 2 ml.	10	..	3.90	BT
	DIMETHICONE Creams - See Restricted Benefits. Solutions - See Colostomy and Ileostomy Preparations.				
2517	DIMETHINDENE Oral Tablet 1 mg.	50	1	1.50	CB
2518	2.5 mg. (sustained release)	50	1	2.70	CB
	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON See Restricted Benefits.				

DIPHENHYDRAMINE					
1336	Oral Capsule 50 mg.	50	1	1.23	PT
				1.26	PD
2780	Paediatric Elixir 12.5 mg. per 5 ml., 100 ml.	‡1	4	0.67	AV
1337	12.5 mg. per 5 ml., 115 ml.	‡1	4	0.70	PD
1335	Injection 10 mg. per ml., 10 ml.	1	1	1.43	PD
DIPHENYLPYRALINE					
1340	Oral Tablet 2.5 mg.	50	1	1.23	PT, RK
2551	5 mg. (sustained release)	50	1	2.17	PT, RK
1338	Oral Capsule 2.5 mg. (sustained release)	50	1	2.17	SK
1339	5 mg. (sustained release)	50	1	2.41	SK
				(ex 250)	
				2.70	SK
				(ex M.P.)	
2351	Paediatric Syrup 2.5 mg. per 5 ml., 100 ml.	‡1	4	1.03	RK, SK
DIPHTHERIA ANTITOXIN (Dip./Ser.)					
1342	Injection 1,000 Units	2	1	*3.24	CS
1343	4,000 Units	2	1	*8.16	CS
1344	10,000 Units	2	1	*18.64	CS
1345	20,000 Units	2	1	*34.22	CS
DIPHTHERIA and TETANUS VACCINE					
1341	Injection 0.5 ml.	3	..	*1.62	CS
				1.63	BT

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1346	DIPHTHERIA, TETANUS and PERTUSSIS VACCINE (Triple Antigen) Injection 0.5 ml.	3	..	\$ 1.30 *1.86 1.87	GL, PD CS BT
1350	DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY) Injection 0.5 ml.	1	..	0.63	CS
1348	DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) (Dip./Vac./PTAP) Injection 0.5 ml.	2	1	*1.18	CS
1349	Set containing 2 amps each 0.5 ml. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate)(diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. 0.5 ml. Purified Diphtheria Toxoid (diluted) for the skin test only.	1	..	1.23	CS
1351	DIPYRIDAMOLE Injection 5 mg. per ml., 2 ml.	5	..	1.46	BY
	DISODIUM STILBOESTROL DIPHOSPHATE See Restricted Benefits.				

DITHRANOL					
1357	Ointment 0.1%, 2 oz.	‡1	1	0.87	HY
2428	0.25%, 2 oz.	‡1	1	0.94	HY
2429	0.5%, 2 oz.	‡1	1	0.99	HY
1358	Strong, 1%, 2 oz.	‡1	1	1.10	HY
DITHRANOL and ZINC					
7556	Paste P.L.	100 G.	1	1.02	Extemp. (plus container)
7557	Paste Strong P.L.	100 G.	1	1.27	Extemp. (plus container)
DOXYCYCLINE					
See Restricted Benefits.					
ECOTHIOPATE IODIDE					
Eye Drops					
2405	0.06%, 3 mg. and 5 ml. of solvent	‡1	6	\$3.02	AY
1360	0.125%, 6.25 mg. and 5 ml. of solvent	‡1	6	\$3.42	AY
1361	0.25%, 12.5 mg. and 5 ml. of solvent	‡1	6	\$3.82	AY
EDROPHONIUM					
2519	Injection 10 mg. in 1 ml.	1	..	*0.86	RO
EMETINE					
1363	Injection 20 mg. in 1 ml.	10	..	2.70	KL
1364	30 mg. in 1 ml.	10	..	3.30	KL
1365	65 mg. in 1 ml.	5	..	3.30	KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1362	EMETINE AND BISMUTH IODIDE Oral Tablet 60 mg.	25	2	\$ 4.03	HY
7918	EMULSIFYING OINTMENT Ointment P.L.	100 G.	1	1.18	Extemp. (plus container)
1369	EPHEDRINE HYDROCHLORIDE Oral Tablet 15 mg.	100	2	0.59	AD, BW, DH, KL, RT(V), RY, SI
1370	30 mg.	100	2	0.70	AD, BW, DH, FA, KL, PR, RT(V), RY, SI, SL(N)
7493	Elixir P.L.	100 ml.	4	0.73	Extemp. (plus container)
7574	Nasal Instillation P.L.	15 ml.	2	0.61	Extemp. (plus container)
1366	Injection 30 mg. in 1 ml.	5	1	1.02	BL, KL
1367	50 mg. in 1 ml.	5	1	1.02	BL, KL
	EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE				
1372	Oral Tablet 15 mg.-15 mg.	100	2	0.70 0.86	KL FM, WW
1373	30 mg.-15 mg.	100	2	0.70 0.83 0.94	AD, KL, SI DH FM, WW
1374	30 mg.-30 mg.	100	2	0.77 0.99	KL FM, WW

	Paediatric Elixir				
1375	30 mg.-20 mg. per 5 ml., 100 ml.	11	4	1.19	FM
	Paediatric Syrup				
2614	30 mg.-20 mg. per 5 ml., 100 ml.	11	4	1.19	WW
	ERGOMETRINE MALEATE				
1380	Oral Tablet 0.2 mg.	25	3	1.63	PT
				1.67	LY, SP(NWS)
1381	0.5 mg.	25	3	3.66	PT, SP(NWS)
				4.03	BW, HY
1377	Injection 0.125 mg. in 1 ml.	5	..	1.13	FH
				1.21	BW
1378	0.2 mg. in 1 ml.	5	..	1.34	PT
				1.35	FH
1379	0.5 mg. in 1 ml.	5	..	1.31	PT
				1.35	SP(NWS)
				1.50	BL, DH, FH
				1.79	BW
	ERGOTAMINE TARTRATE				
1384	Oral Tablet 1 mg.	50	2	1.47	PT
				1.50	HY, KL
				2.27	SZ, WL
1382	Injection 0.25 mg. in 1 ml.	5	..	1.30	SZ
1383	0.5 mg. in 1 ml.	5	..	1.38	PT, SP(NWS)
				1.66	SZ

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1385	ERGOTAMINE TARTRATE with CAFFEINE Oral Tablet 1 mg.-100 mg.	50	2	\$ 2.30	KL, PT
1386	Compound Suppository	6	1	2.97 1.50	BD, SZ SZ
1387	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Oral Tablet 2 mg.-100 mg.-50 mg.	50	2	3.63	BW
1388	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Oral Capsule 1 mg.-100 mg.-25 mg.	50	2	3.63	PD
1389	ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Oral Tablet 1 mg.-100 mg.-10 mg.	50	2	3.53	BD
	ERGOTOXINE METHANESULPHONATES See Restricted Benefits.				
2591	ERYTHRITYL TETRANITRATE Oral Tablet 5 mg.	100	2	0.97	BW
	ERYTHROMYCIN See Restricted Benefits.				

2511	ETHACRYNIC ACID Oral Tablet 50 mg.	50	2	5.23	MK
1404	ETHANOLAMINE OLEATE Injection 5%, 2 ml.	5	1	0.85	GL
2739	ETHCHLORVYNOL Oral Capsule 500 mg.	25	..	1.21	AB
	ETHINYLOESTRADIOL See Restricted Benefits.				
	ETHIONAMIDE See Restricted Benefits.				
	ETHISTERONE See Restricted Benefits.				
1412	ETHOPROPAZINE Oral Tablet 50 mg.	100	2	*2.96	MB
1413	ETHOSUXIMIDE Oral Capsule 250 mg.	200	1	8.23	PD
1414	Paediatric Syrup 250 mg. per 5 ml., 240 ml.	‡1	4	2.70	PD
1415	ETHOTOIN Oral Tablet 500 mg.	200	1	8.97	AB

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1416	ETHOXZOLAMIDE Oral Tablet 125 mg.	50	4	\$ 6.06	AG, UP
1418	ETHYLIDENE DICOUMARIN Oral Tablet 100 mg.	100	2	6.57	NS
1419	ETHYLNORADRENALINE Injection 1 ml.	5	..	1.89	WL
	ETHYLOESTRENOL See Restricted Benefits.				
1421	FERRIC HYDROXIDE Colloidal Paediatric Solution 100 ml.	‡1	4	1.35	EV
	FERROUS AMINOACETOSULPHATE (Feramacet)				
1422	Oral Tablet equivalent to 50 mg. Ferrous Iron	100	2	0.97	BP, CO
1423	Paediatric Syrup 4 fl. oz.	‡1	4	0.97	CO
2465	100 ml.	‡1	4	0.97	BP
2688	FERROUS FUMARATE Oral Tablet 150 mg.	100	2	1.17	KL

FERROUS GLUCONATE					
1424	Oral Tablet 300 mg.	100	2	0.73	FA, RT(V), RY
				0.77	DH
				0.78	KL, MG, PR, TO
				0.83	HA, SZ, VR, WL
				(ex 500)	
				0.83	DH, FA, HA, KL, MG, PR
					RT(V), RY, TO, VR
				0.87	SZ, WL
				(ex M.P.)	
2726	Paediatric Elixir 6%, 100 ml.	‡1	4	1.07	WL
7516	Mixture for Children P.L.	100 ml.	4	0.79	Extemp. (plus container)
FERROUS PHOSPHATE COMPOUND					
1426	†Syrup 4 fl. oz.	1	4	†0.26	RT(V)
1427	(with instructions for use)				RT(V)
FERROUS SUCCINATE					
1428	Oral Capsule 150 mg.	100	2	1.27	CA
				(ex 500)	
				1.27	CA
				(ex M.P.)	
1429	Paediatric Elixir 150 mg. per 3.5 ml., 100 ml.	‡1	4	1.10	CA

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	FERROUS SULPHATE			\$	
1431	Oral Tablet 200 mg.	100	2	0.63	HY
				0.81	GL, GP
1432	300 mg.	100	2	0.81	HY
				0.83	DH, GP, MJ
2689	525 mg. (sustained release)	30	2	1.10	AB, PT
7500	Mixture P.L.	200 ml.	4	0.78	Extemp. (plus container)
7517	Mixture for Children P.L.	100 ml.	4	0.69	Extemp. (plus container)
1430	Oral Paediatric Drops 120 mg. per ml., 30 ml.	‡1	4	1.07	MJ
	FLUDROCORTISONE ACETATE				
	See Restricted Benefits.				
	FLUMETHASONE with CLIOQUINOL				
	See Restricted Benefits.				
	FLUOROURACIL				
	See Restricted Benefits.				
	FLUOXYMESTERONE				
	See Restricted Benefits.				
	FLUPHENAZINE				
	See Restricted Benefits.				
	FLUPHENAZINE ENANTHATE				
	See Restricted Benefits.				

	FOLIC ACID				
	See Restricted Benefits.				
	FRAMYCETIN				
	Mixture				
2698	300 mg. per 20 ml. with adsorbent, 100 ml.	‡1	..	1.95	FC
1439	Eye Ointment 0.5%, 3.5 G.	‡1	..	1.19	GN, RL
1440	Eye and Ear Drops 0.5%, 5 ml.	‡1	2	1.69	GN, RL
	Tablets - See Restricted Benefits.				
	FRUSEMIDE				
2412	Oral Tablet 40 mg.	50	2	4.52	AH
				(ex 250)	
				5.11	AH
				(ex M.P.)	
2413	Injection 20 mg. in 2 ml.	5	..	3.23	AH
	FUSIDIC ACID				
	See Restricted Benefits.				
	GAS GANGRENE ANTITOXIN (OEDEMATIENS)				
	(Oed/Ser)				
1441	Injection 10,000 Units	3	1	*28.02	CS
	GAS GANGRENE ANTITOXIN (SEPTICUM)				
	(Sep/Ser)				
1444	Injection 5,000 Units	2	1	*29.24	CS

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	GAS GANGRENE ANTITOXIN (WELCHII) (Wel/Ser)			\$	
1445	Injection 4,000 Units	3	1	*24.21	CS
1446	10,000 Units	10	1	*125.00	CS
	GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) (Gas/Ser) Injection				
2699	1 amp. containing 10,000 Units Welchii, 10,000 Units Oedematiens, 5,000 Units Septicum	2	1	*33.68	CS
	GASTRIC REPLACEMENT SOLUTION See Intravenous Fluids.				
	GENTIAN				
7501	Mixture, Acid, P.L.	200 ml.	4	0.75	Extemp. (plus container)
7502	Mixture, Alkaline, P.L.	200 ml.	4	0.73	Extemp. (plus container)
	GLUCAGON HYDROCHLORIDE				
1447	Injection 1 mg. with 1 ml. of diluent	1	..	2.81	LY
	GLUCOSE INDICATOR				
1448	†240 Test Dispenser	1	1	†2.40	LY
1449	(with instructions for use)				LY
2352	†Reagent Strips 100 strips	1	1	†2.10	AM
2353	(with instructions for use)				AM

GLUTETHIMIDE						
2696	Oral Tablet 125 mg.	100	1	1.98	KL	
				2.17	CB	
1452	250 mg.	25	..	0.91	KL	
				0.97	CB	
				(ex 100)		
				1.02	KL	
				1.10	CB	
				(ex M.P.)		
2805	500 mg.	25	..	1.14	KL	
				1.23	CB	
2848	Oral Capsule 125 mg.	100	1	1.98	KL	
2619	250 mg.	25	..	1.02	KL	
				1.10	CB	
2668	500 mg.	25	..	1.14	KL	
				1.23	CB	
GLYCERIN						
7664	Cream Oily P.L.	100 G.	1	0.87	Extemp. (plus container)	
2673	†Glycerin 100 ml.	1	1	†0.36	WD(N)	
				†0.42	DH	
2674	(with instructions for use)				WD(N)	
					DH	
1455	†Suppository for Adults	12	1	†0.45	DH	
				†0.50	FA	
1456	(with instructions for use)				DH	
					FA	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	GLYCERIN - cont.			\$	
1457	†Suppository for Children 1 G. Glycerin	12	1	†0.45 †0.50	DH FA DH FA
1458	(with instructions for use)				
1459	GLYCERYL TRINITRATE Oral Tablet 0.6 mg.	100	2	0.50	BW, DH, FA, HY
2492	GLYCOPYRRONIUM BROMIDE Oral Tablet 1 mg.	100	2	4.30	RS
2594	GLYMIDINE Oral Tablet 500 mg.	100	2	3.30	FB, SC
2641	1 G.	50	2	3.23	FB, SC
	GOATS' MILK See Restricted Benefits.				
	GRISEOFULVIN See Restricted Benefits.				
1461	GUANETHIDINE Oral Tablet 10 mg.	100	2	3.78 4.14 (ex 500)	UW(N) CB

				4.10	UW(N)
				4.47	CB
				(ex M.P.)	
1462	25 mg.	100	2	8.33	UW(N)
				9.14	CB
				(ex 500)	
				9.37	UW(N)
				10.27	CB
				(ex M.P.)	
2604	Injection 10 mg.	5	..	2.86	CB
	HALIBUT LIVER OIL				
	See Restricted Benefits.				
	HALOPERIDOL				
	See Restricted Benefits.				
	HAMAMELIS				
7570	Ointment Compound P.L.	100 G.	1	1.18	Extemp. (plus container)
	HEPARIN				
1466	Injection 1,000 Units per ml., 5 ml.	5	..	*3.10	BT, CS, EV, WP(NVW)
1467	5,000 Units in 1 ml.	5	..	*3.10	CS, EV
				*3.18	WP(NVW)
1468	5,000 Units per ml., 5 ml.	2	..	*3.64	BT, CS, DH, EV, WP(NVW)
1469	12,500 Units in 1 ml.	2	..	*2.30	BT, CS, EV

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	HEXOCYCLIUM METHYLSULPHATE			\$	
1471	Oral Tablet 25 mg.	100	2	4.50	AB
1472	(sustained release) 50 mg.	100	2	7.86	AB
	HOMATROPINE HYDROBROMIDE				
2541	Eye Drops 2%, 15 ml.	‡1	2	2.02	AG, KL
2542	5%, 15 ml.	‡1	2	2.34	AG, KL
	Eye Drops (Hypromellose base)				
2856	2%, 15 ml.	‡1	2	2.03	AQ
2857	5%, 15 ml.	‡1	2	2.37	AQ
	HYALURONIDASE				
1476	Injection 1,500 I.U. (solvent required)	5	1	3.53	FC
				4.06	EV
1478	150 I.U. (solvent required)	5	1	*4.10	WY
	HYDRARGAPHEN				
1481	Pessary 5 mg.	15	1	2.30	WB
	HYDROCHLOROTHIAZIDE				
1484	Oral Tablet 25 mg.	50	2	2.00	CB, GA, MK
				(ex 250)	
				2.19	CB, GA, MK
				(ex M.P.)	
1485	50 mg.	50	2	3.23	CB, GA, MK
				(ex 250)	
				3.54	CB, GA, MK
				(ex M.P.)	

HYDROCORTISONE						
1487	Eye Drops 0.5%, 2 ml.	\$1	2	1.23	SC	
1488	0.5%, 5 ml.	\$1	2	1.30	KL, SI	
1489	0.5%, 10 ml.	\$1	2	1.50	KL, SI	
				1.83	ET	
1490	1%, 3 ml.	\$1	2	1.37	SI	
				1.70	RL	
1491	1%, 5 ml.	\$1	2	1.43	KL	
1492	1%, 10 ml.	\$1	2	1.86	KL, SI	
				2.23	ET	
1493	2.5%, 5 ml.	\$1	2	1.97	KL, SI	
1494	2.5%, 10 ml.	\$1	2	2.23	KL, SI	
				2.70	ET	
1495	Eye Ointment 0.5%, 3 G.	\$1	..	0.97	RL	
1496	0.5%, 4 G.	\$1	..	0.99	DH, KL	
				1.10	PF, UP	
1497	0.5%, 5 G.	\$1	..	1.10	SI	
2441	1%, 5 G.	\$1	..	1.63	KL, SI	
2887	Cream 1%, 30 G.	\$1	..	1.50	DO, KL, PD, PF	
					PY, SI, SQ, UP, ZY	
2888	Topical Ointment 1%, 30 G.	\$1	..	1.50	KL, PD, SI, SQ	
					UP, ZY	
	Injection - See Restricted Benefits.					
	Ear Drops - See Restricted Benefits.					
HYDROCORTISONE ACETATE						
	See Restricted Benefits.					

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	HYDROCORTISONE with NEOMYCIN SULPHATE			\$	
2375	Eye Drops 0.5%-0.5%, 5 ml.	‡1	2	1.30	DH, KL, SI, UP
1500	Eye Ointment 0.5%-0.5%, 250 mg. capsule	12	..	1.23	CK
2472	0.5%-0.5%, 4 G.	‡1	..	1.17	KL, UP
2549	0.5%-0.5%, 5 G.	‡1	..	1.17	SI
	Ear Drops - See Restricted Benefits.				
	Ear Ointment - See Restricted Benefits.				
	HYDROCORTISONE with PROPANEDIOL DIACETATE and ACETIC ACID				
	See Restricted Benefits.				
	HYDROCORTISONE SODIUM SUCCINATE				
	See Restricted Benefits.				
	HYDROFLUMETHIAZIDE				
1503	Oral Tablet 50 mg.	50	2	3.81	BC, BT, SQ
	HYDROGEN PEROXIDE SOLUTION				
7644	Ear Drops P.L.	15 ml.	2	0.60	Extemp. (plus container)
1504	†Solution 10 vol., 100 ml.	1	..	†0.20	WD(N)
				†0.23	FA
1505	(with instructions for use)				WD(N)
					FA
1506	10 vol., 200 ml.	1	..	†0.27	WD(N)
				†0.30	FA
1507	(with instructions for use)				WD(N)
					FA

2675	20 vol., 100 ml.	1	..	†0.26	DH, WD(N)
2676	(with instructions for use)				DH, WD(N)
	HYDROMORPHONE				
1325	Oral Tablet 2.5 mg.	20	..	*0.96	KN
1324	Injection 1.1 ml.	5	..	1.03	KN
	HYDROXOCOBALAMIN				
	See Restricted Benefits.				
	HYDROXYCHLOROQUINE				
1512	Oral Tablet 200 mg.	100	2	4.43	WL
	HYDROXYPROGESTERONE				
	See Restricted Benefits.				
	HYOSCINE HYDROBROMIDE				
1520	Oral Tablet 0.6 mg.	100	2	0.83	DH
	Eye Drops (Hypromellose base)				
2782	0.25%, 15 ml.	‡1	2	2.70	AQ
	HYOSCINE METHOBROMIDE				
1521	Oral Tablet 2.5 mg.	100	2	4.70 4.73	ET UP
	ICHTHAMMOL				
7645	Ear Drops P.L.	15 ml.	2	0.72	Extemp. (plus container)
7562	Paint P.L.	25 ml.	1	0.83	Extemp. (plus container)
1522	Pessary 5%	12	1	1.90	HY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
7665	ICHTHAMMOL and ZINC Cream Oily P.L. IDOXURIDINE See Restricted Benefits. IMIPRAMINE See Restricted Benefits. INDOMETHACIN See Restricted Benefits. INFLUENZA VACCINE See Restricted Benefits. INSECT ALLERGEN EXTRACT See Restricted Benefits. INSULIN	100 G.	1	\$ 1.08	Extemp. (plus container)
1523	Injection 20 Units per ml., 10 ml.	10	2	*4.10	BW, CS
1524	40 Units per ml., 5 ml.	10	2	*4.10	BW
1525	40 Units per ml., 10 ml.	10	2	*7.00	WP(NVW)
				*7.40	BT, BW, CS, EV, GL
1526	80 Units per ml., 5 ml.	10	2	*7.40	BW, GL
1527	80 Units per ml., 10 ml.	10	2	*12.70	BT, BW, CS, EV
1529	160 Units per ml., 10 ml.	10	2	*28.20	CS
1530	300 Units per ml., 5 ml.	10	2	*35.30	CS

1531	Injection (specially purified) 40 Units per ml., 10 ml.	10	2	*21.10	CS
INSULIN BIPHASIC					
2580	Injection 40 Units per ml., 10 ml.	10	2	*12.60	EV
2581	80 Units per ml., 10 ml.	10	2	*24.00	EV
INSULIN GLOBIN ZINC					
1532	Injection 40 Units per ml., 5 ml.	10	2	*4.56	BW
1533	80 Units per ml., 5 ml.	10	2	*8.04	BW
INSULIN ISOPHANE (N.P.H.)					
1534	Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, GL
1535	80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, GL
1536	160 Units per ml., 10 ml.	10	2	*29.60	CS
1537	Injection (specially purified) 40 Units per ml., 10 ml.	10	2	*17.60	CS
INSULIN NEUTRAL					
2578	Injection 40 Units per ml., 10 ml.	10	2	*9.00	BW, CS, EV
2579	80 Units per ml., 10 ml.	10	2	*17.00	BW, CS, EV
INSULIN PROTAMINE ZINC					
1538	Injection 40 Units per ml., 5 ml.	10	2	*4.56	BW
1539	40 Units per ml., 10 ml.	10	2	*7.40	WP(NVW)
				*8.00	BT, BW, CS, EV, GL,
1540	80 Units per ml., 5 ml.	10	2	*8.00	BT, BW, GL
1541	80 Units per ml., 10 ml.	10	2	*15.00	BW, CS, EV

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1542	INSULIN SPECIAL P (PIG) Injection 40 Units per ml., 10 ml.	10	2	\$ *10.60	CS
1543	INSULIN ZINC SUSPENSION (IZS) Injection 40 Units per ml., 10 ml.	10	2	*9.40	BT, BW, CS, EV, GL
1544	80 Units per ml., 10 ml.	10	2	*17.90	BT, BW, CS, EV, GL
1545	INSULIN ZINC SUSPENSION (AMORPHOUS) (Amorph IZS) Injection 40 Units per ml., 10 ml.	10	2	*9.40	BT, BW, CS, EV, GL
1546	80 Units per ml., 10 ml.	10	2	*17.90	BT, BW, CS, EV, GL
1547	INSULIN ZINC SUSPENSION (CRYSTALLINE) (Cryst IZS) Injection 40 Units per ml., 10 ml.	10	2	*9.40	BT, BW, CS, EV, GL
1548	80 Units per ml., 10 ml.	10	2	*17.90	BT, BW, CS, EV, GL
	INTESTINAL REPLACEMENT SOLUTION See Intravenous Fluids				
	INTRAVENOUS FLUIDS (1/2 litre and 1 litre) See Special Section.				
	INVERT SUGAR See Intravenous Fluids.				

7378	IPECACUANHA and OPIUM Mixture P.L.	200 ml.	4	1.08	Extemp. (plus container)
7518	IPECACUANHA and SQUILL Mixture for Children P.L.	100 ml.	4	0.71	Extemp. (plus container)
1298	IRON DEXTRAN Injection 2 ml.	5	..	3.90	FC
1299	5 ml.	5	..	6.50	FC
2764	IRON POLYMALTOSE COMPLEX Oral Tablet 40 mg. (Iron)	100	2	1.17	SI
2593	Injection 100 mg. (Iron) in 2 ml.	5	..	4.17	SI
1552	IRON SORBITOL Injection, Trivalent Iron 2 ml.	5	..	4.30	AP
	ISONIAZID See Restricted Benefits.				
1557	ISOPRENALINE HYDROCHLORIDE Oral Tablet 10 mg.	100	2	1.43	KL, WL
1555	Inhalation 1 in 200, 15 ml.	1	1	0.63	WL
1556	Injection 1 in 5,000, 1 ml.	5	..	4.14	WL
	Tablet (sustained release) - See Restricted Benefits.				
1559	ISOPRENALINE SULPHATE Oral Tablet 20 mg.	100	2	1.87	PT
				1.90	BW, KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ISOPRENALINE SULPHATE - cont.			\$	
	Inhalation				
1558	Solution 10 mg. per ml., 7 ml.	1	1	0.73	BW
	Metered aerosol spray, replacement pack				
2745	2 mg. per ml., 15 ml. (300 dose)	‡1	..	2.70	BS, RK
2746	10 mg. per ml., 15 ml. (300 dose)	‡1	..	2.77	RK
	ISOPROPAMIDE IODIDE				
1560	Oral Tablet 5 mg.	100	2	4.87 (ex 500)	SK
				5.23 (ex M.P.)	SK
	ISOTHIPENDYL HYDROCHLORIDE				
1561	Oral Tablet 4 mg.	50	2	1.30	IC
	KANAMYCIN				
2638	Ear Drops 1%, 10 ml.	‡1	..	1.30	BC
2639	Eye Drops 1%, 10 ml.	‡1	..	1.43	BC
	Injectons - See Restricted Benefits.				
	Capsule - See Restricted Benefits.				
	Solution - See Restricted Benefits.				
	KAOLIN				
9847	Dusting Powder Compound P.L.	100 G.	1	0.75	Extemp. (plus container)

7503	KAOLIN and OPIUM Mixture P.L.	200 ml.	4	0.88	Extemp. (plus container)
1565	LANATOSIDE-C Oral Tablet 0.25 mg.	100	2	1.70 1.77 2.06 (ex 500) 1.98 2.26 (ex M.P.)	MQ, PT SP(NWS) SZ MQ, PT, SP(NWS) SZ
	LEVORPHANOL See Restricted Benefits.				
	LIGNOCAINE See Restricted Benefits.				
	LINCOMYCIN See Restricted Benefits.				
	LIOTHYRONINE See Restricted Benefits.				
	LYPRESSIN See Restricted Benefits.				
7565	MAGENTA Paint P.L.	25 ml. 61	1	0.80	Extemp. (plus container)

Code No.	Approved Name, Manner of Administration, Restriction and Form.	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MAGNESIUM-ALUMINIUM HYDROXIDE			\$	
2585	Oral Tablet 375 mg.	100	2	1.39	SI
2640	Mixture 375 mg. per 5 ml., 360 ml.	‡1	2	1.50	SI
	MAGNESIUM and CALCIUM CARBONATE				
7549	Internal Powder P.L.	100 G.	2	0.83	Extemp. (plus container)
	MAGNESIUM HYDROXIDE MIXTURE				
1572	‡Mixture 200 ml.	1	4	‡0.30	DH
1573	(with instructions for use)				DH
	MAGNESIUM SULPHATE				
1574	‡Crystals 400 G. (16 oz.)	1	..	‡0.18	FA, WD(N)
1575	(with instructions for use)				FA, WD(N)
7519	Mixture for Children P.L.	100 ml.	4	0.62	Extemp. (plus container)
1577	Paste 50 G.	‡1	1	0.54	DH
				0.55	FA
1576	100 G.	‡1	1	0.74	FA
	MAGNESIUM TRISILICATE				
1578	Oral Tablet 600 mg.	100	2	1.10	DH
7504	Mixture P.L.	200 ml.	4	0.69	Extemp. (plus container)
	MANNITOL				
	See Intravenous Fluids				

MEBHYDROLIN					
1579	Oral Tablet 50 mg.	50	1	1.45 (ex 250)	FB
				1.57 (ex M.P.)	FB
2406	150 mg. (sustained release)	50	1	3.22 (ex 250)	FB
				3.63 (ex M.P.)	FB
Oral Paediatric Suspension					
1580	50 mg. per 5 ml., 100 ml.	‡1	4	1.02	FB
MECAMYLAMINE					
1581	Oral Tablet 2.5 mg.	100	2	2.30	MK
1582	10 mg.	100	2	7.90	MK
MECLASTINE					
2785	Oral Tablet 1 mg.	50	1	3.33	SZ
MECLOZINE					
1583	Oral Tablet 25 mg.	50	1	1.59 (ex 250)	BD
				1.77 (ex M.P.)	BD
2490	Syrup 12.5 mg. per 5 ml., 100 ml.	‡1	4	1.17	BD
MEDROXYPROGESTERONE					
See Restricted Benefits.					

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MELPHALAN See Restricted Benefits.			\$	
7484	MENTHOL and BENZOIN Inhalation P.L.	50 ml.	1	1.06	Extemp. (plus container)
7494	MENTHOL and EUCALYPTUS Inhalation P.L.	50 ml.	1	0.72	Extemp. (plus container)
7483	MENTHOL and PINE Inhalation P.L.	50 ml.	1	0.82	Extemp. (plus container)
1591	MEPACRINE HYDROCHLORIDE Oral Tablet 100 mg.	100	2	1.05	IC
2515	MEPENZOLATE Oral Tablet 25 mg.	100	2	3.63	SI
1592	MEPHENTERMINE Injection 15 mg. per ml., 10 ml.	1	..	2.41	WY
1595	MEPYRAMINE Oral Tablet 50 mg.	50	1	0.83	MB
1596	100 mg.	50	1	1.10	MB
1594	Paediatric Elixir 25 mg. per 5 ml., 125 ml.	‡1	4	0.70	MB
1593	Injection 2.5%, 2 ml.	10	..	1.37	MB

1597	MERCAPTOMERIN SODIUM Injection 1.4 G. in 10 ml.	3	..	*5.79	WY
	MERCAPTOPURINE See Restricted Benefits.				
1601	MERSALYL Injection 1 ml.	10	..	*1.58 1.63 *1.64 *1.74	EV AD, SI BD, FH DH
1602	2 ml.	10	..	*1.84 1.86 1.93 *1.96 *1.98	EV, FH AD, SI BL DH BT, VR
1604	METARAMINOL Injection 10 mg. in 1 ml.	3	..	*1.50	MK
2430	METFORMIN Oral Tablet 500 mg.	100	2	8.33	RN
1605	500 mg. (sustained release)	100	2	8.34	DF
	METHACYCLINE See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	METHADONE			\$	
1608	Oral Tablet 5 mg.	25	..	0.70	BW
1609	10 mg.	25	..	0.83	BW
1606	Injection 10 mg. in 1 ml.	5	..	1.07	BW
	METHANDIENONE				
	See Restricted Benefits.				
	METHAQUALONE HYDROCHLORIDE				
2628	Oral Tablet 150 mg.	25	..	0.91	LF, PT
				0.95	AV, BT, KL, MC, RL, SI
2733	Oral Capsule 150 mg.	25	..	0.95	FR, KL
	METHAZOLAMIDE				
1613	Oral Tablet 50 mg.	50	4	*6.62	LE
	METHDILAZINE				
1614	Oral Tablet 4 mg.	50	1	1.43	BD, MJ
1615	8 mg.	50	1	1.55	BD, MJ
				(ex 250)	
				1.70	BD, MJ
				(ex M.P.)	
2464	Paediatric Syrup 4 mg. per 5 ml., 100 ml.	‡1	4	1.17	BD, MJ
	METHENAMINE MANDELATE				
1617	Oral Tablet 250 mg.	100	2	1.43	HA, WW
1618	500 mg.	100	1	2.17	WW
2690	1 G.	100	1	3.50	WW

2606	Oral Paediatric Suspension 500 mg. per 5 ml., 200 ml.	‡1	1	2.43	WW
	METHENOLONE ACETATE See Restricted Benefits.				
	METHICILLIN See Restricted Benefits.				
1621	METHOIN Oral Tablet 100 mg.	200	1	2.73	SZ
	METHOTREXATE See Restricted Benefits.				
1623	METHOXAMINE HYDROCHLORIDE Injection 20 mg. in 1 ml.	3	..	*1.24	BW
2398	METHSUXIMIDE Oral Capsule 300 mg.	200	1	7.90	PD
1624	METHYCLOTHIAZIDE Oral Tablet 2.5 mg.	50	2	2.17	AB
1625	5 mg.	50	2	2.81	AB
				(ex 250)	
				3.17	AB
				(ex M.P.)	
1628	METHYLCELLULOSE Eye Drops 0.5%, 15 ml	‡1	6	1.01	IQ, KL, SI

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1629	METHYLDOPA Oral Tablet 250 mg.	100	2	\$ 6.02 (ex 500) 6.63 (ex M.P.)	MK MK
1632	METHYLERGOMETRINE Oral Tablet 0.125 mg.	25	1	2.27	SZ
1631	Injection 0.2 mg. in 1 ml.	5	..	1.34	SZ
1633	METHYL PHENOBARBITONE Oral Tablet 30 mg.	200	1	0.90	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
1634	60 mg.	200	1	1.21	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
1635	200 mg.	200	1	2.41	AD, DH, KL, MG, RT(V), RY, SI, WL
7481	METHYL SALICYLATE Liniment P.L.	100 ml.	1	1.08	Extemp. (plus container)
7480	Liniment Compound P.L.	100 ml.	1	1.40	Extemp. (plus container)
	METHYSERGIDE See Restricted Benefits.				
1636	METRONIDAZOLE Oral Tablet 200 mg.	21	1	2.75 (ex 100)	MB

				2.83 (ex M.P.)	MB
	MILK POWDER-SYNTHETIC				
	See Restricted Benefits.				
	MORPHINE with ATROPINE				
	Injection - Morphine Sulphate with Atropine Sulphate				
1657	10 mg.-400 micrograms in 1 ml.	5	..	1.02	FH
				1.07	BL
				1.09	BT, DH
1658	10 mg.-500 micrograms in 1 ml.	5	..	1.09	DH
1659	15 mg.-400 micrograms in 1 ml.	5	..	1.02	AD, FH, KL, SI
				1.07	BL
				1.09	DH
1661	15 mg.-600 micrograms in 1 ml.	5	..	1.02	FH
				1.07	BL
				1.09	DH
	MORPHINE with HYOSCINE				
	Injection - Morphine Sulphate with Hyoscine Hydrobromide				
1662	15 mg.-600 micrograms in 1 ml.	5	..	1.10	FH
				1.14	BL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MORPHINE SULPHATE			\$	
1643	Hypo. or Oral Tablet 30 mg. (solvent required)	20	..	0.90	FA
1644	Injection 10 mg. in 1 ml.	5	..	0.97	AD, FH, KL, SI
				1.02	BL, BT, DH
1645	15 mg. in 1 ml.	5	..	0.97	AD, FH, KL, SI
				1.02	BL, BT, DH
1646	20 mg. in 1 ml.	5	..	0.97	FH, KL
				1.02	BL
1647	30 mg. in 1 ml.	5	..	0.97	FH, KL
				1.02	BL, BT, DH
1649	30 mg. per ml., 10 ml.	1	..	0.97	FA
	MORPHINE with TACRINE				
1663	Injection 15 mg.-13 mg. in 1.5 ml.	5	..	1.97	WH
1664	30 mg.-13 mg. in 1.5 ml.	5	..	2.03	WH
1665	15 mg.-30 mg. in 1.5 ml.	5	..	2.50	WH
1666	30 mg.-30 mg. in 1.5 ml.	5	..	2.63	WH
	Tablet - See Restricted Benefits.				
	MUSTINE				
	See Restricted Benefits.				
	NALIDIXIC ACID				
	See Restricted Benefits.				
	NALORPHINE				
1669	Injection 10 mg. in 1 ml.	5	1	2.10	BW
1670	1 mg. per ml., 5 ml.	1	..	1.21	BW

	NANDROLONE DECANOATE See Restricted Benefits.				
	NANDROLONE HEXANOYLPHENYLPROPIONATE See Restricted Benefits.				
	NANDROLONE PHENYLPROPIONATE See Restricted Benefits.				
2520	NATAMYCIN Vaginal Tablets 25 mg., 20 Oral Tablet - See Restricted Benefits. Suspension - See Restricted Benefits.	‡1	..	3.77	BP
1673	NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base) 10 ml. Powder - See Restricted Benefits. Tablet - See Restricted Benefits.	‡1	2	0.97	DH, KL, SI
	NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORTI- SONE ACETATE See Restricted Benefits.				
2568	NEOMYCIN with KAOLIN Oral Tablet 150 mg. - 1.5 G.	10	..	1.50	KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	NEOMYCIN SULPHATE MIXTURE			\$	
2433	Mixture 300 mg. per 20 ml. with adsorbent, 100 ml.	‡1	..	1.87 1.90 2.10	LF, PR, PT KL, SI DH, LY, MK, MR, NS, UP, VR, WY
	NEOMYCIN UNDECENOATE with BACITRACIN See Restricted Benefits.				
	NEOSTIGMINE				
1675	Oral Tablet 15 mg.	100	2	2.50	RO
1676	Injection 0.5 mg. in 1 ml.	5	3	0.83	RO
1677	2.5 mg. in 1 ml.	5	3	1.30	RO
1678	2.5 mg. per ml., 5 ml.	1	1	0.97	RO
1679	Eye Drops 3%, 7.5 ml.	‡1	6	1.41	RO
	NICLOSAMIDE				
1680	Oral Tablet 500 mg.	4	..	1.77	FB
	NICOTINIC ACID See Restricted Benefits.				
	NICOTINYL ALCOHOL				
2443	Oral Tablet 25 mg.	100	2	1.37	RO
	NICOUMALONE				
1688	Oral Tablet 4 mg.	50	2	3.37	GE

	NITRAZEPAM				
	See Restricted Benefits.				
	NITROFURANTOIN				
	See Restricted Benefits.				
	NITROMIN				
	See Restricted Benefits.				
1694	NORADRENALINE				
	Injection 1 in 1,000, 2 ml.	5	..	2.30	FH
				3.37	WL
1695	1 in 10,000, 2 ml.	5	..	3.43	WL
	NORTRIPTYLINE				
	See Restricted Benefits.				
	NUTRAMIGEN				
	See Restricted Benefits.				
1697	NYSTATIN				
	Vaginal Tablets 100,000 Units, 15	‡1	1	2.14	GP, SQ
	Tablets - See Restricted Benefits.				
2624	OCTATROPINE METHYLBROMIDE				
	Oral Tablet 10 mg.	100	2	2.97	EN
2760	Paediatric Elixir 5 mg. per 5 ml., 100 ml.	‡1	4	1.43	EN

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1698	OESTRADIOL BENZOATE Injection 2 mg. in 1 ml.	5	1	\$ 2.63	BD, KL
1699	OESTRADIOL DIPROPIONATE Injection 5 mg. in 1 ml.	5	1	3.63	CB
1700	OESTRONE Pessary 1,000 Units	12	1	1.87	OR
1701	10,000 Units	12	1	3.07	OR
9556	OILY CREAM Cream P.L.	100 G.	1	1.09	Extemp. (plus container)
2333	ORCIPRENALINE Oral Tablet 20 mg.	100	..	3.58 (ex 500) 4.03 (ex M.P.)	BY BY
2828	Syrup 10 mg. per 5 ml., 100 ml. Inhalation	‡1	4	1.26	BY
2332	Solution for use in NEBULISER 5%, 7.5 ml.	‡1	..	1.30	BY
2783	Solution for use in RESPIRATOR 2%, 75 ml.	‡1	..	3.90	BY
2784	Metered aerosol spray, replacement pack 15 mg. per ml., 15 ml. (300 dose)	‡1	..	2.77	BY

ORPHENADRINE CITRATE					
2776	Oral Tablet 100 mg.	100	2	4.03	RK
2777	Injection 30 mg. per ml., 2 ml.	5	..	2.57	RK
ORPHENADRINE HYDROCHLORIDE					
2627	Oral Tablet 50 mg.	100	2	3.37	RK
OXYCODONE					
See Restricted Benefits.					
OXYMETHOLONE					
See Restricted Benefits.					
OXYPHENCYCLIMINE					
1712	Oral Tablet 10 mg.	100	2	6.11	PF
				(ex 500)	
				6.97	PF
				(ex M.P.)	
OXYPHENONIUM BROMIDE					
1713	Oral Tablet 5 mg.	100	2	2.47	PT
				2.70	CB
1714	10 mg.	100	2	4.15	PT
				4.57	CB

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1725	OXYTETRACYCLINE Ophthalmic Suspension 1%, 6 ml. Tablets - See Restricted Benefits. Capsules - See Restricted Benefits. Drops - See Restricted Benefits. Injections - See Restricted Benefits. Suspensions - See Restricted Benefits.	‡1	2	1.01	PF
2806	OXYTETRACYCLINE with HYDROCORTISONE Eye/Ear Suspension 0.5%-1.5%., 5 ml.	‡1	..	1.63	PF
	OXYTETRACYCLINE (BUFFERED) with NYSTATIN See Restricted Benefits.				
1726	OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per G., 4 G.	‡1	..	0.61	PF
1727	OXYTOCIN Injection 2 Units in 2 ml.	5	..	0.97	SZ
1729	5 Units in 1 ml.	5	..	1.21	SZ
1730	10 Units in 1 ml.	5	..	1.66	PD, SZ
2400	OXYTOCIN with ERGOMETRINE Injection 5 Units and 0.5 mg. in 1 ml.	5	..	1.23	SZ

	PANCREATIN CONCENTRATE				
	See Restricted Benefits.				
	PANCREATIN ENZYME				
	See Restricted Benefits.				
	PANCRELIPASE				
	See Restricted Benefits				
	PAPAVERETUM				
1740	Oral Tablet 10 mg.	20	..	0.70	RO
1738	Injection 10 mg. in 1 ml.	5	..	1.02	BL
1739	20 mg. in 1 ml.	5	..	0.97	FH
				1.02	BL, BT
				1.03	RO
	PAPAVERETUM with HYOSCINE				
	HYDROBROMIDE				
1741	Injection 20 mg.-0.43 mg. in 1 ml.	5	..	1.02	FH
				1.07	BL, BT, RO
	PAPAVERINE HYDROCHLORIDE				
1742	Injection 20 mg. in 1 ml.	5	..	1.02	KL
1743	120 mg. in 10 ml.	5	..	1.63	FH, KL
	PARACETAMOL				
	See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PARACETAMOL with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE See Restricted Benefits.			\$	
1748	PARAFFIN LIQUID †Liquid Paraffin 200 ml.	1	4	†0.23 †0.26 †0.27	WD(N) RT(V) DH
1749	(with instructions for use)				WD(N) RT(V) DH
	Emulsions - See Restricted Benefits.				
1754	PARALDEHYDE Injection 5 ml.	5	1	1.25 1.33 1.34	FH BL DH
1755	10 ml.	5	1	1.63 1.74	FH BL, DH
1756	PARAMETHADIONE Oral Capsule 300 mg.	200	1	13.43	AB
	PARAMETHASONE See Restricted Benefits.				

1759	PEMPIDINE Oral Tablet 5 mg.	100	2	*3.18	MB
	PENICILLAMINE See Restricted Benefits.				
2355	PENICILLINASE Injection 800,000 Units (solvent required)	1	..	11.30	RK
1762	Injection Set containing 800,000 Units and 1 ml. of solvent	1	..	10.30	CS
	PENICILLIN BENETHAMINE COMPOUND Benethamine Penicillin 500 mg.(500,000 Units); Procaine Penicillin 250 mg.(250,000 Units); Sodium Penicillin 300 mg.(500,000 Units).				
1763	Injection - Vial (solvent required)	1	..	0.99	GL
1764	Injection - Set containing vial and 2 ml. water for injections	1	..	1.07	GL
	PENICILLIN, BENZATHINE See Restricted Benefits.				
	PENICILLIN BENZATHINE COMPOUND Benzathine Penicillin 450 mg.(600,000 Units); Procaine Penicillin 300 mg.(300,000 Units); Potassium Penicillin 187 mg.(300,000 Units).				
1767	Injection set containing 1 vial and 2 ml. water for injections	1	..	1.23	WY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENICILLIN, BENZYL (Penicillin G.) Injection			\$	
1772	60 mg.(100,000 Units) (solvent required)	5	..	*1.25	GL
1773	120 mg.(200,000 Units) (solvent required)	5	..	*1.30	GL
1774	300 mg.(500,000 Units) (solvent required)	5	..	*1.75	BT, CS, DH, EV, GL, SI
1775	600 mg.(1,000,000 Units) (solvent required)	5	..	*1.90	BT, CS, DH, EV, GL, SI
1776	900 mg.(1,500,000 Units) (solvent required)	5	..	*2.85	DH, EV, GL, SI
1777	Set containing 1 vial 300 mg.(500,000 Units) and 2 ml. water for injections	5	..	*2.10	BT, DH, EV, GL
1778	Set containing 1 vial 600 mg.(1,000,000 Units) and 2 ml. water for injections	5	..	*2.25	BT, DH, EV, GL
1779	Set containing 1 vial 900 mg.(1,500,000 Units) and 2 ml. water for injections	5	..	*3.10	DH, GL
	Capsules - See Restricted Benefits. Tablets - See Restricted Benefits. Injections - 3 G.(5,000,000 Units) and 6 G. (10,000,000 Units) - See Restricted Benefits.				
	PENICILLIN, PHENOXYMETHYL (Penicillin V)				
1786	Oral Tablet 125 mg.	16	..	0.98 (ex 100)	AB, CS, DH, FM, GL, IP, KL, LY, PF, PT, SI
				1.07 (ex M.P.)	AB, CS, DH, FM, GL, IP, KL, LY, PF, PT, SI
1787	250 mg.	16	..	1.46 1.51	LF SL(N)

				1.52 (ex 100)	AB, CS, DH, DL, FA, FM, GL, IP, KL, LY, MZ(NVSW), PR, PT, SI, VR
				1.53	LF, SL(N)
				1.63 (ex M.P.)	AB, CS, DH, DL, FA, FM, GL, IP, KL, LY, MZ(NVSW), PR, PT, SI, VR
1788	Oral Capsule 125 mg.	16	..	1.07	CS, DH, DL, FA, FM, GL, KL, LY, SI, SU(N)
1789	250 mg.	16	..	1.52 (ex 100)	AB, BT, CS, DH, DL, FA, FM GL, IP, KL, LY, PF, PT, SI, SU(N), VR
				1.63 (ex M.P.)	AB, BT, CS, DH, DL, FA, FM, GL, IP, KL, LY, PF, PT, SI, SU(N), VR
1784	Oral Paediatric Sachet 125 mg.	16	..	2.07	KL
2356	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	‡1	..	1.69	AB, BT, CS, DH, DL, FA, GL, KL, MJ, PF, PR, SI, SL(N), VR, WY
2354	Oral Suspension 250 mg. per 5 ml., 100 ml.	‡1	..	2.43	AB, FA, SI
1782	Injection set containing 1 vial 480 mg. (800,000 Units) and 2 ml. water for injections	1	..	2.43	KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENICILLIN PROCAINE			\$	
	(Aqueous Suspension Injection)				
1791	600 mg.(600,000 Units)	5	..	*2.70	BT
				*2.85	FA
1792	900 mg.(900,000 Units)	5	..	*2.90	CS, SI
1793	1 G.(1,000,000 Units)	5	..	*3.35	BT, DH, EV, FA, GL, SI
1794	1.5 G.(1,500,000 Units)	5	..	*3.90	CS, DH, EV, FA, GL, SI, VR
	(Crystalline) Injection				
1795	300 mg.(300,000 Units) (solvent required)	5	..	*1.75	CS
1796	900 mg.(900,000 Units) (solvent required)	5	..	*2.55	CS
1797	1.5 G.(1,500,000 Units) (solvent required)	5	..	*3.75	CS
1798	Set containing 1 vial 300 mg.(300,000 Units) and 1 vial water for injections	5	..	*2.15	CS
1799	Set containing 1 vial 900 mg.(900,000 Units) and 1 vial water for injections	5	..	*2.90	CS
1800	Set containing 1 vial 1.5 G.(1,500,000 Units) and 1 vial water for injections	5	..	*4.10	CS
	PENICILLIN PROCAINE FORTIFIED				
	Injection				
1801	360 mg.(400,000 Units) (solvent required)	5	..	*1.75	CS, SI
1802	1.08G.(1,200,000 Units) (solvent required)	5	..	*3.15	CS, SI
1803	Set containing 1 vial 360 mg.(400,000 Units) and 1 vial water for injections	5	..	*2.10	CS
1804	Set containing 1 vial 1.08 G.(1,200,000 Units) and 1 vial water for injections	5	..	*3.50	CS

PENICILLIN with STREPTOMYCIN					
See Restricted Benefits.					
PENTAERYTHRITOL TETRANITRATE					
(Penthritol)					
1810	Oral Tablet 20 mg.	100	2	0.80	LF
				0.90	WW
				0.93	WL
				(ex 500)	
				0.90	LF
				0.97	WL, WW
				(ex M.P.)	
1812	80 mg. (sustained release)	100	2	1.44	WW
				(ex 500)	
				1.50	WW
				(ex M.P.)	
PENTHIENATE					
1813	Oral Tablet 5 mg.	100	2	4.10	WL
PENTOBARBITONE COMPOUND					
1820	Oral Tablet, A.P.F. Capsule Formula	25	..	1.02	CO
1819	Oral Capsule, A.P.F.	25	..	0.87	PT
				0.94	PD
				(ex 100)	
				0.95	PT
				1.02	PD
				(ex M.P.)	

Code No.	Approved Name, Manner of Administration. Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1814	PENTOBARBITONE SODIUM Oral Tablet 30 mg.	100	1	\$ 0.77	RY
				0.83	DH, QE(QNVS)
				0.90	KL, PR
2707	50 mg.	100	1	0.83	MG
				0.87	PT, QE(QNVS)
				0.90	DH, KL, PR,
1815	100 mg.	25	..	0.54	PT, RT(V), RY, SL(N)
				0.57	AV, KL, PR, QE(QNVS), TO
				0.62	MG
				0.63	SU(N)
				0.66	AD, BW, DH, FA, RD, SI
1816	Oral Capsule 30 mg.	100	1	1.69	LF
1817	50 mg.	100	1	1.82	AV, FA, KL, LF, PT
				1.94	AB
1818	100 mg.	25	..	0.64	PR, RT(V)
				0.66	PT, RY
				0.67	LF
				0.79	AV, FA, KL, PD
				0.82	AB
				(ex 100)	
				0.67	LF, PT, RT(V), RY
				0.70	PR
				0.77	AV, KL
				0.82	PD
				0.89	AB, FA
				(ex M.P.)	

	PENTOBARBITONE SODIUM with ASPIRIN and CODEINE PHOSPHATE See Restricted Benefits.				
1821	PENTOLINIUM TARTRATE Injection 5 mg. per ml., 10 ml.	1	1	1.03	MB
2410	PERITONEAL DIALYSIS SOLUTION Injection with 1.5% Dextrose, 1 litre	20	1	*33.70	BX
2411	Injection with 7% Dextrose, 1 litre	20	1	*33.70	BX
1827	PERTUSSIS VACCINE (Per/Vac) Injection 20,000 million organisms in 0.5 ml.	3	1	*1.50	CS
1828	PETHIDINE Injection 50 mg. in 1 ml.	5	..	0.90 0.91 0.95 0.97	WO AD, FH, KL, SI BL, BW BT, DH
1829	50 mg. per ml., 2 ml.	5	..	1.01 1.02 1.07 1.09	WO AD, FH, KL, SI BL, BW BT, DH
1830	50 mg. per ml., 10 ml.	1	..	1.03	KL
1831	50 mg. per ml., 50 ml.	1	..	2.09	DH, KL, RO
	PETHIDINE with LEVALLORPHAN See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1834	PETHIDINE with SCOPOLAMINE Injection 100 mg.-0.43 mg. in 2 ml.	5	..	\$ 1.07 1.14	FH, KL BW
1836	PHENAZOPYRIDINE HYDROCHLORIDE Oral Tablet 100 mg.	50	1	1.21	WW
1839	PHENETHICILLIN Oral Tablet 125 mg.	16	..	1.07	CS, SI
1840	250 mg.	16	..	1.52 (ex 100) 1.63 (ex M.P.)	CS, SI CS, SI
1837	Oral Capsule 125 mg.	16	..	1.07	CS, SI
1838	250 mg.	16	..	1.52 (ex 100) 1.63 (ex M.P.)	CS, SI CS, SI
2374	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	‡1	..	1.69	CS, SI
1841	PHENFORMIN Oral Tablet 25 mg.	100	2	4.03	WW
2586	Oral Capsule 50 mg.	100	1	8.03	WW
1842	PHENINDAMINE Oral Tablet 25 mg.	50	2	1.13	RO

PHENINDIONE					
1843	Oral Tablet 10 mg.	100	2	2.97	PT
				3.63	EV
1844	50 mg.	100	2	3.50	WP(NVW)
				3.77	PT
				5.23	EV
PHENIRAMINE					
1846	Oral Tablet 10 mg.	50	1	0.94	AH
1847	50 mg.	50	1	1.43	AH
				(ex 250)	
				1.53	AH
				(ex M.P.)	
2775	(sustained release) 75 mg.	50	1	2.86	AH
1848	Paediatric Syrup 15 mg. per 5 ml., 100 ml.	‡1	4	0.97	AH
1845	Injection 25 mg. per ml., 2 ml.	5	1	1.42	AH
PHENOBARBITONE					
1849	Oral Tablet 15 mg.	100	1	0.46	AD, BW, DH, FA, HY, KL, RT(V), RY, SI, SL(N), TO
1850	30 mg.	100	1	0.53	AD, DH, FA, HY, KL, RT(V), RY, SI, SL(N), TO
				0.57	BK, BW, MB
1851	60 mg.	25	..	*0.42	AD, DH, FA, HY, KL, RT(V) RY, SI, SL(N)
				*0.46	BW, MB
1852	100 mg.	25	..	*0.46	AD, DH, KL, RT(V), RY, SI
7640	Elixir P.L.	100 ml.	4	0.86	Extemp. (plus container)

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
7385	PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE Mixture P.L.	200 ml.	4	\$ 1.05	Extemp. (plus container)
1856	PHENOBARBITONE SODIUM Oral Tablet 15 mg.	100	1	0.46	DH, FA, KL, RT(V)
1857	30 mg.	100	1	0.53	DH, FA, HY, KL, RT(V)
1858	60 mg.	25	..	*0.42	KL, RT(V)
				*0.43	FA
1859	100 mg.	25	..	*0.46	FA, KL
1853	Injection 200 mg. in 1 ml.	5	..	0.94	EV
				*0.98	MB
				1.02	FH
				1.07	BL, FM
				1.09	DH
1860	PHENOL with DEXTROSE and GLYCERIN Injection 2%-25%-30%, 30 ml.	1	..	2.63	BT
1861	PHENOLPHTHALEIN COMPOUND Oral Pill	50	1	0.53	MG
				*0.59	DH
1862	PHENOXYBENZAMINE Oral Capsule 10 mg.	100	2	3.54	SK
1863	PHENSUXIMIDE Oral Capsule 500 mg.	200	1	8.23	PD

2514	PHENTHIMENTONIUM Oral Tablet 150 mg.	100	2	3.63	AP
	PHENYLALANINE LOW CONTENT FORMULA See Restricted Benefits.				
	PHENYLBUTAZONE See Restricted Benefits.				
	PHENYLEPHRINE				
1868	Injection 1%, 1 ml.	5	..	2.41	WL
2455	Compound Ointment 2 oz.	‡1	1	1.30	WL
1869	Compound Suppository	12	1	1.06	WL
2456	Eye Drops 1/8%, 10 ml.	‡1	..	0.83	WL
2649	10%, 5 ml.	‡1	..	1.14	WL
	Eye Drops (Hypromellose base)				
2829	0.12%, 15 ml.	‡1	..	1.50	AQ
2457	Sterile Ophthalmic Solution 10%, 1 ml.	5	..	3.70	WL
	PHENYLMERCURIC NITRATE				
7648	Ear Drops P.L.	15 ml.	2	0.75	Extemp. (plus container)
	PHENYTOIN				
2460	Oral Capsule 100 mg. (delayed release)	100	1	1.97	PD
	Oral Paediatric Suspension				
2692	30 mg. per 5 ml., 500 ml.	‡1	1	2.57	PD
2691	Oral Suspension 100 mg. per 5 ml., 500 ml.	‡1	1	2.87	PD

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PHENYTOIN SODIUM			\$	
1872	Oral Tablet 100 mg.	200	1	1.50	DH, KL, RT(V), RY
1873	Oral Capsule 30 mg.	200	1	1.63	KL
				1.77	PD
1874	100 mg.	200	1	2.39	KL, PT, RY
				2.64	PD
				(ex 1,000)	
				2.63	KL, PT, RY
				2.77	PD
				(ex M.P.)	
1871	Injection 250 mg. with 5 ml. solvent	1	..	3.90	PD
	PHOLCODINE				
1875	Linctus 0.1%, 4 fl.oz.	‡1	4	0.86	HY
2466	0.1%, 100 ml.	‡1	4	0.83	AV, CM, DH, EV, FA, GL, GP, KL, MG, RK, VR, WD(N)
7482	Linctus P.L.	100 ml.	4	1.05	Extemp. (plus container)
7475	Linctus for Children P.L.	100 ml.	4	0.88	Extemp. (plus container)
	PTHALYLSULPHACETAMIDE				
1877	Oral Tablet 500 mg.	100	..	3.10	BS, KL, SC, VR
	PTHALYLSULPHATHIAZOLE				
1878	Oral Tablet 500 mg.	100	..	1.43	KL, MB
7520	Mixture for Children P.L.	100 ml.	4	1.31	Extemp. (plus container)

PHYSOSTIGMINE SALICYLATE					
2476	Eye Drops 0.25%, 7.5 ml.	‡1	6	1.43	ET
1879	0.25%, 15 ml.	‡1	6	1.50	IQ
2477	0.5%, 7.5 ml.	‡1	6	1.59	ET
1880	0.5%, 15 ml.	‡1	6	1.66	IQ
PHYTOMENADIONE					
See Restricted Benefits.					
PILOCARPINE HYDROCHLORIDE					
2778	Eye Drops 0.5%, 15 ml.	‡1	6	0.99	ET, KL
2595	1%, 15 ml.	‡1	6	1.07	ET, KL
2596	2%, 15 ml.	‡1	6	1.17	ET, KL
2597	3%, 15 ml.	‡1	6	1.26	ET, KL
2598	4%, 15 ml.	‡1	6	1.43	ET, KL
2779	6%, 15 ml.	‡1	6	1.77	ET, KL
Eye Drops (Hypromellose base)					
2852	1%, 15 ml.	‡1	6	1.07	AQ
2853	2%, 15 ml.	‡1	6	1.17	AQ
2854	3%, 15 ml.	‡1	6	1.26	AQ
2855	4%, 15 ml.	‡1	6	1.43	AQ
PILOCARPINE NITRATE					
1884	Eye Drops 0.5%, 15 ml.	‡1	6	0.99	DH, ET, IQ, KL, SI
1885	1%, 15 ml.	‡1	6	1.07	DH, ET, IQ, KL, SI
1886	2%, 15 ml.	‡1	6	1.17	DH, ET, IQ, KL, SI
1887	3%, 15 ml.	‡1	6	1.26	DH, ET, IQ, KL, SI
1888	4%, 15 ml.	‡1	6	1.43	DH, ET, KL, SI
				1.50	IQ
1889	6%, 15 ml.	‡1	6	1.77	ET, KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PILOCARPINE NITRATE - cont.			\$	
	Eye Drops (Polyvinyl Alcohol base)				
2727	0.5%, 15 ml.	‡1	6	0.99	AG
2728	1%, 15 ml.	‡1	6	1.07	AG
2729	2%, 15 ml.	‡1	6	1.17	AG
2730	3%, 15 ml.	‡1	6	1.26	AG
2731	4%, 15 ml.	‡1	6	1.43	AG
2732	6%, 15 ml.	‡1	6	1.77	AG
	PIPENZOLATE				
1890	Oral Tablet 5 mg.	100	2	3.77	SI
1891	Oral Solution 4 mg. per ml., 15 ml.	‡1	4	1.30	SI
	PIPERAZINE ADIPATE				
1892	Oral Tablet 300 mg.	25	2	0.99	BD
1893	Oral Granules, 20%, 100 G.	1	..	2.10	DF
	PIPERAZINE PHOSPHATE				
2489	Oral Granules, 10 G.	1	..	1.23	RC
	PITUITARY, POSTERIOR LOBE				
	See Restricted Benefits.				
	PLAGUE VACCINE				
	(Plague/Vac)				
1901	Injection 4,000 million organisms in 1 ml.	2	..	*1.64	CS

PODOPHYLLIN					
7566	Paint P.L.	25 ml.	1	0.93	Extemp. (plus container)
7567	Strong P.L.	25 ml.	1	1.18	Extemp. (plus container)
POLYMYXIN B SULPHATE					
Ear Drops (Aqueous)					
1902	300,000 Units in 15 ml.	‡1	2	2.57 2.70	KL, SI BW
1903	Set containing 300,000 Units and 15 ml. of solvent	‡1	2	\$2.95	ET
Ear Drops (Propylene Glycol Base)					
1904	10,000 Units per ml., 10 ml.	‡1	2	1.30	BW
Eye Drops					
1905	15,000 Units per ml., 5 ml.	‡1	2	1.63	KL, SI
1906	Set containing 75,000 Units and 5 ml. of solvent	‡1	2	\$1.95	ET
Powder - See Restricted Benefits.					
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN					
1909	Eye Drops Set containing 50,000 Units - 4,000 Units-50 mg. and 10 ml. solvent	‡1	2	\$2.95	DH, ET
1910	Eye Ointment 5,000 Units-400 Units-5 mg. per G., 4 G.	‡1	..	0.70	BW, DH, ET, GL, SI, UP
Ear Drops - See Restricted Benefits.					
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN					
1911	Eye Drops 5,000 Units-2.5 mg.-0.025 mg. per ml., 10 ml.	‡1	2	1.43	BW, DH

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE See Restricted Benefits.			\$	
	POLYOESTRADIOL See Restricted Benefits.				
1912	POLYTHIAZIDE Oral Tablet 1 mg.	50	2	2.17	PF
1913	2 mg.	50	2	3.13	PF
2682	POLYVINYL ALCOHOL Eye Drops 1.4%, 15 ml.	11	6	1.90	AG
2373	POTASSIUM Oral Effervescent Tablet 6.5 milli-equivalents of Potassium	100	2	1.37 1.50	KL, LF, PR, RT(V), RY PT
2592	25 milli-equivalents of Potassium	30	2	1.42 1.43	PT BC, MJ
	POTASSIUM - FREE MAINTENANCE SOLUTION See Intravenous Fluids.				
1914	POTASSIUM CHLORIDE Oral Tablet 500 mg.	100	2	0.70	DH, ET, KL, RT(V)
2642	600 mg. (sustained release)	100	2	1.34 1.37	PT CB

7505	Mixture P.L. Injection Standard Maintenance Fluids - See Intravenous Fluids	200 ml.	4	0.83	Extemp. (plus container)
POTASSIUM CITRATE					
7506	Mixture P.L.	200 ml.	4	0.85	Extemp. (plus container)
7521	Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)
POTASSIUM CITRATE and SODIUM BICARBONATE					
7507	Mixture P.L.	200 ml.	4	0.75	Extemp. (plus container)
POTASSIUM IODIDE					
7522	Mixture for Children P.L.	100 ml.	4	0.66	Extemp. (plus container)
POTASSIUM IODIDE and EPHEDRINE					
7523	Mixture for Children P.L.	100 ml.	4	0.71	Extemp. (plus container)
POTASSIUM IODIDE and STRAMONIUM					
7508	Mixture Compound P.L.	200 ml.	4	0.91	Extemp. (plus container)
POTASSIUM PERCHLORATE					
1915	Oral Tablet 200 mg.	100	2	0.97	AD, SI
PREDNISOLONE					
2361	Eye Drops 1%, 3 ml.	‡1	6	2.30	SC
1918	Eye Ointment 0.5%, 4 G.	‡1	..	1.90	KL, PT
				2.30	UP
	Tablet - See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2684	PREDNISOLONE ACETATE Eye Drops 0.5%, 5 ml. Injection - See Restricted Benefits.	‡1	6	\$ 2.43	CB
1927	PREDNISOLONE METHYL Eye Ointment 0.1%, 4 G. Capsule - See Restricted Benefits. Tablets - See Restricted Benefits.	‡1	..	2.63	UP
	PREDNISOLONE METHYL ACETATE See Restricted Benefits.				
1932	PREDNISOLONE PIVALATE Eye Ointment 0.5%, 3 G.	‡1	..	1.50	CB
1921	PREDNISOLONE SODIUM PHOSPHATE Eye-Ear Drops 0.5%, 2.5 ml.	‡1	6	2.17	MK
1922	0.5%, 5 ml.	‡1	6	2.50	GL, MK
1923	Eye Ointment 0.5%, 3 G. Retention Enema - See Restricted Benefits. Suppository - See Restricted Benefits.	‡1	..	2.30	GL
	PREDNISOLONE SODIUM PHOSPHATE with NEOMYCIN See Restricted Benefits.				

	PREDNISOLONE SODIUM SUCCINATE				
	See Restricted Benefits.				
	PREDNISOLONE TERTIARY BUTYL ACETATE				
	See Restricted Benefits.				
	PREDNISON				
	See Restricted Benefits.				
	PRIMAQUINE				
1937	Oral Tablet equivalent to 7.5 mg. base	30	1	1.07	IC
1938	equivalent to 15 mg. base	14	1	0.77	WL
	PRIMIDONE				
1939	Oral Tablet 250 mg.	200	1	6.31	KL, PT
				6.97	IC
	Oral Paediatric Suspension				
2616	125 mg. per 5 ml., 500 ml.	‡1	1	3.23	IC
	PROBENECID				
1940	Oral Tablet 500 mg.	100	2	6.69	KL, MC
				8.30	MK, PT
				(ex 500)	
				7.63	KL, MC
				9.50	MK, PT
				(ex M.P.)	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PROCAINAMIDE			\$	
2653	Oral Capsule 250 mg.	100	2	6.30	SQ
1941	Injection 100 mg. per ml., 10 ml.	1	..	1.57	SQ
	PROCARBAZINE				
	See Restricted Benefits.				
	PROCHLORPERAZINE				
2369	Injection 12.5 mg. in 1 ml.	10	..	1.37	MB
	PROCYCLIDINE				
1943	Oral Tablet 5 mg.	100	2	4.30	BW
	PROGESTERONE				
	See Restricted Benefits.				
	PROGUANIL				
1947	Oral Tablet 100 mg.	100	2	1.14	IC
	PROMETHAZINE				
1950	Oral Tablet 10 mg.	50	1	0.90	KL
				0.97	MB
1951	25 mg.	50	1	1.20	MC
				1.22	MB
				(ex 250)	
				1.30	MC
				1.37	MB
				(ex M.P.)	

1949	Paediatric Elixir 5 mg. per 5 ml., 125 ml.	‡1	4	0.73	KL
				0.77	AV, MB
1948	Injection 2.5%, 2 ml.	10	..	1.50	MB
	PROPANTHELINE BROMIDE				
1953	Oral Tablet 15 mg.	100	2	2.86	MC
				3.12	PT
				3.56	SR
				(ex 500)	
				2.97	MC
				3.50	PT
				4.01	SR
				(ex M.P.)	
2363	30 mg. (sustained release)	100	2	7.10	PT
				7.17	SR
1952	Injection 30 mg. in 1 ml. (solvent required)	5	..	6.30	SR
	PROPRANOLOL				
	See Restricted Benefits.				
	PROPYLENE GLYCOL				
2703	Spray diluent - Propylene Glycol 10%, Glycerin 2% in Normal Saline, 200 ml.	‡1	2	1.23	FA
	PROPYLTHIOURACIL				
1954	Oral Tablet 25 mg.	100	2	1.50	ET
1955	50 mg.	100	2	2.30	ET

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PROTAMINE SULPHATE			\$	
1956	Injection 1%, 5 ml.	5	..	2.14	EV
1957	1%, 10 ml.	5	..	2.34	BT
	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE See Restricted Benefits.				
	PROTRIPTYLINE See Restricted Benefits.				
	PYRIDINE ALDOXIME METHIODIDE (P.A.M.)				
2336	Injection 500 mg.	5	..	2.30	FH
	PYRIDOSTIGMINE See Restricted Benefits.				
	PYRIDOXINE HYDROCHLORIDE				
1961	Injection 50 mg. in 1 ml.	5	1	1.58	KL
				1.86	PD
				1.87	BL, DH, FM
1962	50 mg. in 2 ml.	5	1	1.87	RO
1963	50 mg. per ml., 5 ml.	1	1	1.63	KL
1964	50 mg. per ml., 10 ml.	1	..	1.90	KL
				2.30	BX
	Tablets - See Restricted Benefits.				

	PYRIMETHAMINE				
	See Restricted Benefits.				
	QUINALBARBITONE SODIUM				
1967	Oral Tablet 50 mg.	100	1	1.50	PT
1968	100 mg.	25	..	0.70	PT, RT(V), RY
				0.71	HY
				0.82	AD, DH, KL, RD, SI
1969	Oral Capsule 50 mg.	100	1	1.75	AV, KL, LF, LY
1970	100 mg.	25	..	0.83	LF
				0.84	DH
				0.86	PT, RY
				0.95	KL, LY
				(ex 100)	
				0.85	LF
				0.90	DH
				0.98	PT, RY
				1.13	KL, LY
				(ex M.P.)	
	QUINETHAZONE				
2337	Oral Tablet 50 mg.	50	2	3.05	LE
				(ex 250)	
				3.43	LE
				(ex M.P.)	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2623	QUINIDINE BISULPHATE Oral Tablet 250 mg. (sustained release)	100	2	\$ 10.83	AP
1971	QUINIDINE SULPHATE Oral Tablet 200 mg.	100	2	5.47 5.50 5.59 5.63 7.10	FA, PT, RT(V) DH QE(QNVS) DF BW, HY, KL, PR, TO
	QUININE BISULPHATE See Restricted Benefits.				
	QUININE DIHYDROCHLORIDE See Restricted Benefits.				
	QUININE HYDROCHLORIDE See Restricted Benefits.				
	QUININE SULPHATE See Restricted Benefits.				
1976	RAUWOLFIA ALKALOIDS Oral Tablet 0.25 mg.	100	2	1.37	KL
1977	2 mg.	100	2	2.46 (ex 500) 2.70 (ex M.P.)	RK RK

1978	4 mg.	100	2	2.57	PV
1979	50 mg.	100	2	2.15	LF
				2.25	PR, PT
				2.55	SQ
				(ex 500)	
				2.25	LF
				2.50	PR, PT
				2.83	SQ
				(ex M.P.)	
2510	Oral Capsule 50 mg.	100	2	2.83	CS
	RESERPINE				
1983	Oral Tablet 0.25 mg.	100	2	0.83	HA, KL, RK, RY
				0.97	CB, VR
1984	0.5 mg.	100	2	1.03	HA, KL
				1.23	CB
1981	Injection 1 mg.	5	1	1.01	CB
1982	2.5 mg.	5	1	1.63	CB
	RESORCINOL				
8793	Lotion Compound P.L.	200 ml.	2	0.99	Extemp. (plus container)
	RESORCINOL and SULPHUR				
9592	Compound Ointment P.L.	100 G.	1	1.08	Extemp. (plus container)
	RIBOFLAVINE				
	See Restricted Benefits.				
	ROLITETRACYCLINE				
	See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1991	SACCHARIN or SACCHARIN SODIUM †Oral Tablet 30 mg., 500	1	1	\$ †0.38 †0.41 †0.47	AD(N), SL(N) HY KL, RY
1992	(with instructions for use)				AD(N), SL(N) HY KL, RY
1993	SALICYLAMIDE Oral Tablet 500 mg.	100	2	0.93 0.99 1.03 (ex 500) 0.99 1.03 1.07 (ex M.P.)	PT KL HA, NS PT KL HA, NS
7553	SALICYLIC ACID Dusting Powder Compound P.L.	100 G.	1	0.73	Extemp. (plus container)
8185	Ear Drops P.L.	15 ml.	2	0.58	Extemp. (plus container)
7926	Ointment P.L.	100 G.	1	1.49	Extemp. (plus container)
7568	Paint P.L.	25 ml.	1	0.68	Extemp. (plus container)
7489	SALICYLIC ACID and RESORCINOL Cream Aqueous P.L.	100 G.	1	1.01	Extemp. (plus container)

7488	SALICYLIC ACID and SULPHUR Cream Aqueous P.L.	100 G.	1	1.00	Extemp. (plus container)
	SALINE LACTATE SOLUTION See Intravenous Fluids				
1994	SCHICK-TEST TOXIN and CONTROL Injection set containing 0.5 ml. Schick Test Toxin and 0.5 ml. Schick Control	1	..	1.37	CS
1129	SECBUTOBARBITONE Oral Tablet 15 mg.	100	1	1.03 (ex 500)	ET
				1.07 (ex M.P.)	ET
1130	30 mg.	100	1	1.19 (ex 500)	ET
				1.26 (ex M.P.)	ET
1131	50 mg.	100	1	1.53	ET
1132	100 mg.	25	..	0.97	ET
	SEIDLITZ POWDER				
1995	†Compound Effervescent Powders, B.P.C., 12	1	1	†0.66	DH, WD(N)
1996	(with instructions for use)				DH, WD(N)
7444	SENEGA and AMMONIA Mixture P.L.	200 ml.	4	0.91	Extemp. (plus container)

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SENNA FRUIT			\$	
1997	†2 oz.	1	..	†0.33	SI
1998	(with instructions for use)				SI
2677	†50 G.	1	..	†0.27	DH
2678	(with instructions for use)				DH
	SENNA FRUIT EXTRACT (STANDARDISED)				
	See Restricted Benefits.				
	SILVER NITRATE TOUGHENED				
2000	†1 stick	1	..	†0.15	YF(QNVST)
2001	(with instructions for use)				YF(QNVST)
	SILVER PROTEIN MILD				
2003	Eye Drops 10%, 15 ml.	†1	2	1.05	IQ
	SIMPLE LINCTUS				
7635	Linctus P.L.	100 ml.	4	0.83	Extemp. (plus container)
	SIMPLE OINTMENT				
7927	Ointment P.L.	100 G.	1	0.99	Extemp. (plus container)
	SMALLPOX VACCINE				
2004	Injection, Capillary Tube	1	..	0.98	CS
	SOAP LINIMENT				
7479	Liniment P.L.	100 ml.	1	1.09	Extemp. (plus container)

SODIUM AMINOSALICYLATE					
7524	Mixture for Children P.L.	100 ml.	4	1.12	Extemp. (plus container)
	Injection - See Restricted Benefits.				
	Cachets - See Restricted Benefits.				
	Tablets - See Restricted Benefits.				
	Granules - See Restricted Benefits.				
SODIUM AMINOSALICYLATE with ISONIAZID					
See Restricted Benefits.					
SODIUM AUROTHIOMALATE					
2013	Injection 1 mg.	1	3	0.53	MB
2014	2 mg.	1	3	0.54	MB
2015	5 mg.	1	3	0.55	MB
2016	10 mg.	1	3	0.59	MB
2017	20 mg.	1	3	0.61	MB
2018	50 mg.	5	..	*2.45	MB
2019	100 mg.	5	..	*3.25	MB
2020	200 mg.	1	..	1.21	MB
SODIUM BICARBONATE					
8194	Ear Drops P.L.	15 ml.	2	0.63	Extemp. (plus container)
SODIUM CALCIUMEDETATE					
2023	Oral Tablet 500 mg.	100	2	4.17	RK
2022	Injection 200 mg. per ml., 5 ml.	5	..	*5.68	RK

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SODIUM CHLORIDE			\$	
2030	Oral Tablet 300 mg.	100	2	0.46	DH, FA, KL, RT(V)
	Injection (Normal Saline; Physiological Solution)				
2024	2 ml.	5	1	0.83	AD, FH, KL, SI
				0.86	BL, DH
2025	5 ml.	5	1	0.91	AD, FH, KL
				0.95	BL
				0.97	DH
2026	10 ml.	5	1	0.90	AD, SI
				0.94	CS
				1.07	FH, KL
				1.13	DH
				1.14	BL
2027	10 ml. vial	2	1	*0.96	FH, PD
2028	20 ml.	5	1	1.50	BL, DH, FH, KL
2029	50 ml.	3	1	*2.31	DH, FH, KL
	For 1/2 litre and 1 litre sizes, see Intravenous Fluids.				
	SODIUM CHLORIDE and DEXTROSE				
	See Intravenous Fluids				
	SODIUM CHLORIDE COMPOUND				
	See Intravenous Fluids				
	SODIUM CHLORIDE COMPOUND and DEXTROSE				
	See Intravenous Fluids				

7509	SODIUM CITRATE				
	Mixture P.L.	200 ml.	4	0.85	Extemp. (plus container)
7525	Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)
SODIUM CITRO-TARTRATE					
2657	Effervescent Granules 100 G.	‡1	4	1.50	PT
SODIUM FOLATE					
See Restricted Benefits.					
SODIUM LACTATE					
See Intravenous Fluids					
SODIUM LACTATE COMPOUND					
See Intravenous Fluids					
SODIUM LACTATE COMPOUND and DEXTROSE					
See Intravenous Fluids					
SODIUM NITROPRUSSIDE					
2886	Diagnostic Tablet	100	..	1.90	AM
SODIUM SALICYLATE					
2034	Oral Tablet 300 mg.	100	2	0.77	AD, DH, HY, KL, RT(V), SI
2431	600 mg.	100	2	1.10	HY, KL
2035	(enteric coated) 300 mg.	100	2	1.23	DH, ET, KL, LY, PR, QE(QNVS), RY, TO
(continued)					

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SODIUM SALICYLATE - cont.			\$	
2036	Oral Tablet 500 mg.	100	2	1.43	ET, KL, PR, QE(QNVS), TO
2037	600 mg.	100	2	1.46	AV, DH, ET, HY, KL, LY, PR,
				(ex 500)	QE(QNVS), RY, TO
				1.57	AV, DH, ET, HY, KL, LY, PR,
				(ex M.P.)	QE(QNVS), RY, TO
7510	Mixture P.L.	200 ml.	4	0.74	Extemp. (plus container)
	SODIUM SULPHATE				
	See Intravenous Fluids				
	SODIUM TAUROGLYCOCHOLATE				
2038	Oral Tablet	100	1	0.99	WW
	SORBIDE NITRATE				
2587	Oral Tablet 10 mg.	100	2	1.22	AY
2588	Sublingual Tablet 5 mg.	100	2	1.22	AY
	SOYA FORMULA				
	See Restricted Benefits.				
	SPIRAMYCIN				
	See Restricted Benefits.				
	SPIRIT INDUSTRIAL METHYLATED				
7649	Ear Drops P.L.	15 ml.	2	0.57	Extemp. (plus container)

	SPIRONOLACTONE				
	See Restricted Benefits.				
	STANDARD MAINTENANCE FLUID				
	See Intravenous Fluids				
	STANOLONE				
	See Restricted Benefits.				
	STANOZOLOL				
	See Restricted Benefits.				
	STAPHYLOCOCCUS TOXOID (FORMALINISED)				
	(Sta/Tox)				
2045	Injection Diluted 1 in 10 for use in initial				
	injection 5 ml.	1	..	1.10	CS
2046	Undiluted 5 ml.	1	..	2.17	CS
	STILBOESTROL				
	See Restricted Benefits.				
	STREPTOMYCIN SULPHATE				
	See Restricted Benefits.				
	STREPTOMYCIN SULPHATE with				
	SULPHAGUANIDINE				
2059	Oral Tablet 62.5 mg.-500 mg.	16	..	1.41	GL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2060	SUCCINYLSULPHATHIAZOLE Oral Tablet 500 mg.	100	..	\$ 1.70 1.90	PT MB
2062	SUCCINYLSULPHATHIAZOLE with KAOLIN Mixture 4 G.-3 G. per 20 ml., 200 ml.	‡1	4	1.50	MK
2063	SULPHACETAMIDE SODIUM Eye Drops 10%, 15 ml.	‡1	2	1.03	AG, ET, IQ, KL, SI
2064	20%, 15 ml.	‡1	2	1.10	DH, ET, IQ, KL, SI
2513	Eye Drops (Hypromellose base) 15%, 15 ml.	‡1	2	1.07	AQ
2066	Eye Ointment 10%, 60 gr.	‡1	..	0.70	EV, SC
2067	SULPHADIAZINE Oral Tablet 300 mg.	40	1	1.07	AB, KL
2068	500 mg.	40	1	0.94 0.99 1.03 1.07	PT, RT(V), RY AD, DH, HY, KL, MG, SI MB AB
2069	SULPHADIAZINE SODIUM Injection 4 ml.	5	..	*1.60	MB

2070	SULPHADIMETHOXINE Oral Tablet 500 mg.	12	..	1.30	RO
2073	SULPHADIMIDINE Oral Tablet 250 mg.	40	1	0.73	KL, MG
2074	500 mg.	40	1	0.66	IP, PT, RY, SL(N)
				0.70	AD, KL, MG, SI
				0.73	DH, HY, IC,
				(ex 200)	
				0.67	IP, PT, RY, SL(N)
				0.73	AD, KL, MG, SI
				0.77	DH, HY, IC
				(ex M.P.)	
2072	Oral Suspension 500 mg. in 5 ml., 100 ml.	‡1	1	0.99	IC
2075	SULPHADIMIDINE SODIUM Injection 1 G. in 3 ml.	5	..	1.17	IC
2076	SULPHAFURAZOLE Oral Tablet 300 mg.	40	1	1.23	KL, OD
				1.31	RO
2077	500 mg.	40	1	1.15	MC, OD
				1.42	KL
				1.49	AV, PT
				1.58	SU(N)
				1.69	RO
				(ex 200)	
	(continued)				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2077	SULPHAFURAZOLE - cont. Oral Tablet 500 mg.			\$	
				1.23	MC, OD
				1.50	KL
				1.57	AV, PT
				1.74	RO, SU(N)
				(ex M.P.)	
2458	Paediatric Syrup 500 mg. per 5 ml., 100 ml.	‡1	1	1.39	RO
2078	Eye Drops 4%, 10 ml.	‡1	2	0.97	RO
2079	Eye Ointment 4%, 5 G.	‡1	..	0.61	RO
2080	SULPHAGUANIDINE Oral Tablet 500 mg.	100	..	0.99	PT, RT(V), RY, SL(N)
				1.13	AD, DH, HY, KL, MG, PR, SI
2695	Oral Suspension 500 mg. per 5 ml. with adsorbent, 100 ml.	‡1	4	1.10	FM, NS, WL
2082	SULPHAMETHIZOLE Oral Tablet 100 mg.	30	1	0.83	AY, CA, HA, KL, WW
				1.17	OD, PT
2083	250 mg.	30	1	1.19	CA, KL
				1.23	HA
				1.25	AY, WW
				(ex 100)	
				1.18	OD, PT
				1.21	CA, KL
				1.30	AY, HA, WW
				(ex M.P.)	

2084	Oral Tablet 500 mg.	30	1	1.94 1.96 (ex 100) 2.03 2.07 (ex M.P.)	OD, PT AY, CA, HA, KL, WW OD, PT AY, CA, HA, KL, WW
2862	Paediatric Suspension 100 mg. per 5 ml., 100ml.	‡1	1	1.53	WW
SULPHAMETHOXAZOLE					
2561	Oral Tablet 500 mg.	20	1	1.10 (ex 100) 1.19 (ex M.P.)	RO RO RO
2562	Syrup 500 mg. per 5 ml., 50 ml.	‡1	2	1.43	RO
SULPHAMETHOXYDIAZINE (S'methoxydiazine)					
2085	Oral Tablet 500 mg.	12	..	1.63	FB, SC
SULPHAMETHOXYPYRIDAZINE (S'methopyrazine)					
2088	Oral Tablet 500 mg.	12	..	1.90	LE, PD
SULPHAPHENAZOLE					
2090	Oral Tablet 500 mg.	20	1	1.19	CB
2091	Oral Paediatric Suspension 10%, 50 ml.	‡1	..	1.43	CB

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2092	SULPHAPYRIDINE Oral Tablet 500 mg.	100	..	\$ 1.90	MB
	SULPHASALAZINE See Restricted Benefits.				
2094	SULPHINPYRAZONE Oral Tablet 100 mg.	100	2	7.63	GE
	SULPHONAMIDES, THREE MIXED				
2095	Oral Tablet 250 mg.	40	1	0.97	MB
2096	300 mg.	40	1	0.89	KL
2097	330 mg.	40	1	1.10	ET
2098	500 mg.	40	1	0.87	AD, KL, SI, SL(N)
				1.07	MG
				1.10	MB
				1.13	ET, VR
7929	SULPHUR Ointment P.L.	100 G.	1	1.13	Extemp. (plus container)
7633	SULPHURATED LOTION Lotion P.L.	200 ml.	2	0.94	Extemp. (plus container)
	SULTHIAME See Restricted Benefits.				

SURGICAL CEMENT					
Skin Bond Adhesive and Solvent -					
See Restricted Benefits.					
Cement, Adhesive and Solvent - See Colostomy					
and Ileostomy Preparations					
SUSTANON					
See Restricted Benefits.					
SUXAMETHONIUM BROMIDE					
2102	Injection 67 mg. (solvent required)	5	1	*1.84	MB
SUXAMETHONIUM CHLORIDE					
2487	Injection 50 mg. per ml., 2 ml.	5	..	1.30	BW, GL
2103	50 mg. per ml., 10 ml.	1	..	1.03	BW, GL
TACRINE					
2106	Injection 10 mg., 2 ml.	5	1	1.70	WH
2107	30 mg., 2 ml.	5	1	2.41	WH
TESTOSTERONE					
See Restricted Benefits.					
TESTOSTERONE METHYL					
See Restricted Benefits.					
TESTOSTERONE OENANTHATE					
See Restricted Benefits.					

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TESTOSTERONE PROPIONATE See Restricted Benefits.			\$	
	TETANUS ANTITOXIN (Tet/Ser)				
2120	Injection Diluted 1-50, 15 Units in 0.5 ml.	1	..	1.10	CS
2121	1,500 Units	5	1	*8.35	CS
2122	10,000 Units	5	1	*33.05	CS
2123	50,000 Units	5	..	*145.85	CS
2124	Set containing 1,500 Units and 15 Units diluted 1 in 50	1	..	2.71	BT, CS
2491	Set containing 10,000 Units and 15 Units diluted 1 in 50	1	..	7.65	CS
	TETANUS ANTITOXIN (BOVINE) See Restricted Benefits.				
	TETANUS TOXOID Injection				
2127	(Purified Aluminium Phosphate Adsorbed) 0.5 ml.	3	..	*1.38	BT, CS
2128	5 ml.	1	..	2.57	CS
2772	(Purified Aluminium Hydroxide Adsorbed) 0.5 ml.	3	..	1.37	GL

	TETRACYCLINE				
2141	Eye Drops, Suspension, 1%, 6 ml.	‡1	2	0.94	LE
2142	Eye Ointment, 1%, 4 G.	‡1	..	0.57	LE
	Tablets - See Restricted Benefits.				
	Capsules - See Restricted Benefits.				
	Drops - See Restricted Benefits.				
	Granules - See Restricted Benefits.				
	Injections - See Restricted Benefits.				
	Suspension - See Restricted Benefits.				
	TETRACYCLINE with NYSTATIN				
	See Restr'cted Benefits.				
	TETRACYCLINE (BUFFERED)				
	See Restricted Benefits.				
	TETRACYCLINE (BUFFERED) with				
	AMPHOTERICIN B				
	See Restricted Benefits.				
	THEOPHYLLINE				
2613	Elixir 80 mg. per 15 ml., 500 ml.	‡1	4	1.57 1.63	KL FA
	THEOPHYLLINE with EPHEDRINE				
	HYDROCHLORIDE and PHENOBARBITONE				
2840	Oral Tablet 130 mg.-24 mg.-8 mg.	100	2	1.77	CO, FM, HA, KL, WL WW

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	THEOPHYLLINE with EPHEDRINE			\$	
2841	HYDROCHLORIDE and PHENOBARBITONE - cont. Oral Capsule 130 mg.-24 mg.-8 mg. Oral Paediatric Suspension	100	2	1.77	KL, LY
2842	65 mg.-12 mg.-4 mg. per 5 ml., 100 ml.	‡1	2	1.21	WW
	THEOPHYLLINE with GUAIPHENESIN				
2868	Oral Capsule 100 mg.-60 mg.	100	2	2.30	MJ
2669	150 mg.-90 mg.	100	2	2.43	MJ
2563	Elixir 100 mg.-60 mg. per 10 ml., 200 ml.	‡1	4	1.26	MJ
	THEOPHYLLINE with POTASSIUM IODIDE				
2834	Oral Liquid 80 mg.-130 mg. per 15 ml., 200 ml.	‡1	4	1.17	FA
	THIAMBUTOSINE See Restricted Benefits.				
	THIAMINE HYDROCHLORIDE				
1065	Injection 100 mg. in 1 ml.	5	1	1.63 1.74 1.77	KL FM DH
	Tablets - See Restricted Benefits.				
	THIETHYLPERAZINE				
2368	Injection 6.5 mg. in 1 ml. Suppository - See Restricted Benefits. Tablet - See Restricted Benefits.	10	..	*1.50	SZ

THIORIDAZINE					
See Restricted Benefits.					
THIOTEPA					
2345	Injection 15 mg. (solvent required)	2	1	*5.64	LE
2858	Eye Drops, set containing 15 mg. vial, 2 x 10 ml. ampoules sterile water, syringe with needle and 15 ml. dropper bottle	1	5	\$4.64	LE
THYROID					
2167	Oral Tablet 15 mg.	100	2	0.59	AD, DH, RT(V), SI
2168	Oral Tablet 30 mg.	100	2	0.67	AD, DH, RT(V), SI
				0.83	WW
2169	60 mg.	100	2	0.77	AD, DH, RT(V), SI
				1.34	WW
2171	125 mg.	100	2	0.97	AD, DH, RT(V), SI
THYROXINE SODIUM					
2174	Oral Tablet 50 micrograms	100	2	0.61	BW, DH, FA, FM, GL, RT(V)
2175	100 micrograms	100	2	0.79	BW, DH, EV, FA, FM, GL, RT(V)
2550	300 micrograms	100	2	1.23	BW
TIEMONIUM IODIDE					
2773	Oral Tablet 50 mg.	100	2	3.30	FM
2774	Injection 5 mg. in 2 ml.	5	..	2.83	FM
TISSUE REPAIR SOLUTION - ACIDOSIS					
See Intravenous Fluids					

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TISSUE REPAIR SOLUTION - ALKALOSIS See Intravenous Fluids			\$	
7478	TITANIUM DIOXIDE Paste P.L.	100 G.	1	0.85	Extemp. (plus container)
2720	TOLAZAMIDE Oral Tablet 250 mg.	100	2	6.97	UP
2177	TOLAZOLINE Oral Tablet 25 mg.	100	2	1.27 1.28 1.33 (ex 500) 1.35 1.37 (ex M.P.)	PT KL CB PT CB, KL
2178	TOLBUTAMIDE Oral Tablet 500 mg.	100	2	3.59 (ex 500) 3.70 (ex M.P.)	AH, BO AH, BO
2607	1 G.	50	2	3.59	AH, BO
	TRETAMINE See Restricted Benefits.				

	TRIACETYLOLEANDOMYCIN				
	See Restricted Benefits.				
	TRIAMTERENE				
2342	Oral Tablet 100 mg.	50	2	4.30	SK
	TRICLOFOS				
2770	Oral Tablet 500 mg.	25	..	0.97	GL
2771	Syrup 500 mg. per 5 ml., 100 ml.	‡1	4	1.50	GL
	TRICYCLAMOL CHLORIDE				
2181	Oral Tablet 50 mg.	100	2	5.63	BW
	TRIDIHEXETHYL CHLORIDE				
2366	Oral Tablet 25 mg.	100	2	4.30	LE
	TRIFLUOPERAZINE				
	See Restricted Benefits.				
	TRIGLYDE				
	See Restricted Benefits.				
	TRIMEPRAZINE				
2187	Oral Tablet 10 mg.	50	1	1.43	MB
2188	Paediatric Syrup 7.5 mg. per 5 ml., 125 ml.	‡1	4	1.10	MB
	TRIMETAPHAN				
	See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2190	TRIPLENNAMINE Oral Tablet 50 mg.	50	1	1.83	CB
2191	TRIPROLIDINE Oral Tablet 2.5 mg.	50	1	1.77	BW
2474	Oral Capsule 2.5 mg.	50	1	1.77	BW
2192	Paediatric Elixir 1 mg. per 5 ml., 100 ml.	‡1	4	0.86	BW
1354	TRISODIUM EDETATE Injection 200 mg. per ml., 5 ml.	5	1	*6.40	RK
2183	TROLNITRATE PHOSPHATE Oral Tablet 2 mg.	100	2	1.77	PF
2184	7 mg.	100	2	2.83	ET, PF
2193	TROXIDONE Oral Tablet 150 mg.	200	1	4.90	AB
2194	Oral Capsule 300 mg.	200	1	*7.24 8.23	GA AB
2800	TYPHOID VACCINE Injection 0.5 ml.	3	1	*1.41	CS
2801	10 ml.	1	..	3.37	CS
2871	TYPHOID-CHOLERA VACCINE Injection 1 ml.	2	..	*1.74	CS

2195	TYPHUS VACCINE Injection 1 ml.	2	..	*7.34	CS
2196	VASOPRESSIN Injection B.P. 20 Units in 1 ml.	5	..	1.74	PD
2197	VASOPRESSIN TANNATE Oily Injection 5 Units in 1 ml.	10	1	*3.18	PD
	VINBLASTINE See Restricted Benefits.				
	VINCRISTINE See Restricted Benefits.				
	VIOMYCIN See Restricted Benefits.				
2199	VIPRYNIUM EMBONATE (Viprynum) Oral Tablet 50 mg.	8	..	1.41	PD
2200	Oral Suspension 10 mg. per ml., 1 fl.oz.	11	..	1.41	PD
	VITAMINS COMPOUND See Restricted Benefits.				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	WARFARIN			\$	
2843	Oral Tablet 1 mg.	50	2	2.97	EV
2209	2 mg.	50	2	3.17	EN
2210	2.5 mg.	50	2	3.30	EN
2844	3 mg.	50	2	3.10	EV
2211	5 mg.	50	2	3.37	EN, EV
2212	7.5 mg.	50	2	4.14	EN
2213	10 mg.	50	2	5.30	EN, EV
2214	25 mg.	25	2	4.57	EN
	Injection				
2215	Set containing 50 mg. and 2 ml. solvent	5	..	9.35	EN
	WATER FOR INJECTIONS				
2216	Injection 2 ml.	5	3	0.70	EV
				0.73	WO
				0.74	AD, PT, SI, SP(NWS)
				0.77	DH
				0.81	FH, KL
				0.85	BL
2217	5 ml.	5	3	0.74	EV
				0.77	AD, SI, WO
				0.78	PT, SP(NWS)
				0.81	DH
				*0.85	CS
				0.85	KL
				0.89	FH
				0.94	BL

2218	Injection 10 ml.	5	3	0.98 1.05 1.06 1.11	AD, EV, SI PT DH, FH, KL, SP(NWS) BL, CS
WOOL ALCOHOLS					
2219	†Ointment 100 G.	1	1	†1.01	EV
2220	(with instructions for use)				EV
WOOL FAT, HYDROUS					
2221	†50 G. (2 oz.) tube or jar	1	..	†0.23 †0.26	WD(N) HY
2222	(with instructions for use)				WD(N) HY
ZINC and ADRENALINE					
2850	Eye Drops 0.25%-0.01%, 15 ml.	‡1	2	0.99	KL
7417	Eye Drops P.L.	15 ml.	2	1.10	Extemp. (plus container)
ZINC and CASTOR OIL					
2223	Ointment B.P. 2 oz.	2	1	0.76	ME(Q)
7899	Ointment P.L.	100 G.	1	1.26	Extemp. (plus container)
ZINC OXIDE					
7667	Cream Oily P.L.	100 G.	1	0.95	Extemp. (plus container)
7654	Cream Weak P.L.	100 G.	1	0.86	Extemp. (plus container)
7554	Dusting Powder Compound P.L.	100 G.	1	0.76	Extemp. (plus container)
7527	Ointment P.L.	100 G.	1	1.03	Extemp. (plus container)
7558	Paste Compound P.L.	100 G.	1	0.98	Extemp. (plus container)

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
7559	ZINC and SALICYLIC ACID Paste P.L.	100 G.	1	\$ 0.95	Extemp. (plus container)
2802	ZINC SULPHATE Eye Drops 0.25%, A.P.F. 15 ml.	‡1	2	0.97	KL
7416	Eye Drops P.L.	15 ml.	2	1.04	Extemp. (plus container)
8825	Lotion P.L.	200 ml.	2	0.65	Extemp. (plus container)

INTRAVENOUS FLUIDS FOR INJECTION

AMINO ACIDS with SORBITOL					
2766	30 G.-50 G. (300kcal) per litre, 1/2 litre	2	1	*10.96	PC
2631	50 G.-100 G.(600 kcal) per litre, 1/2 litre	2	1	*12.88	PC
2632	100 G.-100 G.(800 kcal) per litre, 1/2 litre	2	1	*17.84	PC
AMINO ACIDS with SORBITOL and ETHANOL					
2633	50 G.-100 G.-30 G.(850 kcal) per litre, 1/2 litre	2	1	*13.24	PC
2634	50 G.-100 G.-50 G.(1,000 kcal) per litre, 1/2 litre	2	1	*14.16	PC
CASEIN HYDROLYSATE and DEXTROSE					
2872	5%-5% (340 kcal) in 1 litre	2	..	*12.70	BX
CASEIN HYDROLYSATE with LAEVULOSE and ALCOHOL					
2873	5%-12.5%-2.4% (800 kcal) in 1 litre	2	..	*15.28	BX
DARROW'S SOLUTION					
2242	1/2 litre	2	..	*2.44	OJ
				*2.76	BX, FH, SJ(W)
2243	1 litre	2	..	*2.96	OJ
				*3.18	BX, GL, SJ(W)
DEXTRAN with DEXTROSE					
Low molecular weight injection					
2305	10% - 5%, 500 ml.	10	..	*80.30	FC
				*87.00	MR

INTRAVENOUS FLUIDS FOR INJECTION

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DEXTRAN in NORMAL SALINE			\$	
	Low molecular weight injection				
2306	10%, 500 ml.	10	..	*80.30 *87.00	FC MR
	DEXTROSE				
2244	5%, 1/2 litre	5	1	*5.65 *6.45	OJ BX, FH, SJ(W)
2245	5%, 1 litre	5	1	*6.95 *7.50	OJ BX, FH, GL, SJ(W)
2246	10%, 1/2 litre	2	1	*2.44 *2.76	OJ BX, FH, SJ(W)
2247	10%, 1 litre	2	1	*2.96 *3.18	OJ BX, FH, GL, SJ(W)
2248	20%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
2249	20%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
2250	25%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
2251	25%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
2252	50%, 1/2 litre	2	1	*2.76 *3.32	SJ(W) FH
	GASTRIC REPLACEMENT SOLUTION				
2253	1/2 litre	2	..	*3.10	BX, FH, SJ(W)
	INTESTINAL REPLACEMENT SOLUTION				
2254	1/2 litre	2	..	*3.10	FH, SJ(W)

INVERT SUGAR					
2864	10% (380 kcal) in 1 litre	2	1	*4.62	BX
MANNITOL					
2667	10%, 1/2 litre	1	1	2.75	SJ(W)
				3.34	FH
2589	10%, 1 litre	1	1	2.91	SJ(W)
				3.54	BX, FH
2590	20%, 1/2 litre	1	1	2.97	SJ(W)
				3.54	BX, FH
POTASSIUM - FREE MAINTENANCE SOLUTION					
2255	1/2 litre	2	..	*3.10	FH, SJ(W)
SALINE LACTATE SOLUTION					
2258	1/2 litre	2	..	*3.10	FH, SJ(W)
SODIUM CHLORIDE					
2259	3%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
2260	3%, 1 litre	2	1	*3.18	BX, SJ(W)
2261	5%, 1/2 litre	2	1	*2.76	FH, SJ(W)
2262	5%, 1 litre	2	1	*3.18	BX, SJ(W)
(Normal Saline - Physiological Solution)					
2263	1/2 litre	2	1	*2.44	OJ
				*2.76	BX, FH, SJ(W)
2264	1 litre	2	1	*2.96	OJ
				*3.18	BX, FH, GL, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	SODIUM CHLORIDE COMPOUND			\$	
	B.P.C. 1959				
2265	1/2 litre	4	1	*3.18	SJ(W)
				*5.22	BX, FH, OJ
2266	1 litre	4	1	*6.06	BX, FH, GL, OJ, SJ(W)
	SODIUM CHLORIDE COMPOUND and DEXTROSE				
2267	5%, 1/2 litre	5	1	*6.45	FH, SJ(W)
2268	5%, 1 litre	5	1	*7.50	BX, FH, SJ(W)
2269	10%, 1 litre	3	1	*4.62	FH, SJ(W)
	SODIUM CHLORIDE and DEXTROSE				
	Dextrose in Normal Saline				
2270	5%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
2271	5%, 1 litre	2	1	*3.18	BX, FH, GL, SJ(W)
2272	10%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
2273	10%, 1 litre	2	1	*3.18	BX, FH, GL, SJ(W)
2274	20%, 1/2 litre	2	1	*2.76	FH, SJ(W)
2275	20%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
2276	25%, 1/2 litre	2	1	*2.76	FH, SJ(W)
2277	25%, 1 litre	2	1	*3.18	FH, SJ(W)
	Dextrose in 1/2 strength Normal Saline				
2278	2.5%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
	Dextrose in 1/4 strength Normal Saline				
2279	3.75%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)

	Dextrose in 1/5 strength Normal Saline				
2280	4%, 1/2 litre	5	1	*5.65 *6.45	OJ BX, SJ(W)
2281	4%, 1 litre	5	1	*6.95 *7.50	OJ BX, SJ(W)
2480	4.3%, 1/2 litre	5	1	*6.45	FH
2282	4.3%, 1 litre	5	1	*7.50	FH, GL
	SODIUM LACTATE (Solution 1/6 Molar)				
2283	1/2 litre	2	1	*2.76	BX, SJ(W)
2284	1 litre	2	1	*3.18	BX, SJ(W)
	SODIUM LACTATE COMPOUND				
2285	1/2 litre	5	1	*3.90 *5.65	SJ(W) OJ
				*6.45	BX, FH
2286	1 litre	5	1	*6.95 *7.50	OJ BX, FH, GL, SJ(W)
	SODIUM LACTATE COMPOUND and DEXTROSE				
2287	5%, 1/2 litre	2	1	*2.76	SJ(W)
2288	5%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
2290	10%, 1 litre	2	1	*3.18	FH
	SODIUM SULPHATE				
2291	4.28%, 1/2 litre	2	1	*2.76	SJ(W)
2292	4.28%, 1 litre	2	1	*3.18	FH, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2293	STANDARD MAINTENANCE FLUID 1/2 litre	6	..	\$ *8.70	BX, SJ(W)
2294	TISSUE REPAIR SOLUTION - ACIDOSIS 1/2 litre	2	..	*3.10	FH, SJ(W)
2295	TISSUE REPAIR SOLUTION - ALKALOSIS 1/2 litre	2	..	*3.10	FH, SJ(W)

CONTAINER PRICES—EXTEMPORANEOUSLY PREPARED PREPARATIONS

AUGUST 1969

Container	Size	Prices (cents)					
		N.S.W.	Victoria	Queensland	South Aust.	West. Aust.	Tasmania
Dispensing Bottles	25ml	5	6	6	6	6	6
	50ml	7	7	8	7	7	8
	100ml	10	10	11	9	10	11
	200ml	11	12	12	11	12	12
	400ml	18	20	20	17	19	21
Poison Bottles	15ml	5	6	6	5	5	6
	25ml	6	7	7	6	6	7
	50ml	8	9	9	8	8	9
	100ml	10	11	11	10	10	12
	200ml	12	14	14	12	13	14
	400ml	18	21	21	18	20	22
Screw Cap Jars	15G	9	7	5	5	6	7
	25G	9	8	6	5	6	8
	50G	10	10	8	8	7	10
	100G	11	12	9	10	12	12
	200G	15	17	12	11	15	18
	400G	12	17	13	12	12	12
	800G	15	21	17	15	15	15
Dropper Containers	15ml polythene	10	10	10	10	11	10
	15ml glass	14	14	15	11	17	14
	25ml glass	14	15	16	12	18	15
Powder Cartons	..	3	3	3	3	3	3
Capsules, Empty	000	1.02	1.02	1.02	1.02	1.02	1.02
	00	0.87	0.87	0.87	0.87	0.87	0.87
	0	0.75	0.75	0.75	0.75	0.75	0.75
	1	0.66	0.66	0.66	0.66	0.66	0.66
	2	0.60	0.60	0.60	0.60	0.60	0.60
	3	0.60	0.60	0.60	0.60	0.60	0.60
	4	0.57	0.57	0.57	0.57	0.57	0.57
	5	0.54	0.54	0.54	0.54	0.54	0.54

Professional Fee for Extemporaneously Prepared Preparations—55c

KEY TO CODES OF SOURCES OF PRE-PRICED
EXTEMPORANEOUS PREPARATIONS - AUGUST 1969

ACH	Adelaide Children's Hospital
APF	Australian Pharmaceutical Formulary
BP	British Pharmacopoeia
BPC	British Pharmaceutical Codex
PL	Prescribers' List
QHP	Queensland Hospital Pharmacopoeia
QVMH	Queen Victoria Memorial Hospital - 1952
RAHP	Royal Adelaide Hospital Pharmacopoeia - 1952
RCHM	Royal Children's Hospital Melbourne - 1960
RMH	Royal Melbourne Hospital
SHF	Sydney Hospital Formulary - 1961

I N D E X

Applications	138	Magmas	151
Capsules	138	Mixtures	151
Creams	138	Mixtures for Children	156
Draughts	140	Mouth Washes	159
Ear Drops	140	Nasal Instillations	159
Elixirs	141	Ointments	160
Emulsions	142	Paints	162
Enemas	142	Parogen	163
Eye Drops of Physostigmine	142	Pastes	163
Eye Drops of Pilocarpine	142	Pessaries	164
Eye Drops - Others	143	Powders - Dusting	164
Eye Lotions	145	Powders - Internal	165
Eye Ointments	146	Powders - Individual	166
Gargles	146	Powders - Irrigation	166
Gelatins	146	Soaps	166
Glycanths	147	Solutions	166
Glycerins	147	Spirits	167
Inhalations	147	Sprays	167
Insufflations	148	Suppositories	167
Irrigations	148	Syrups	168
Linctuses	148	Tinctures	168
Liniments	149	Unna's Paste	168
Lotions	149		

PRE-PRICED EXTEMPORANEOUS PREPARATIONS - AUGUST 1969
(Container Rates to be added)

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>APPLICATIONS</u> MAXIMUM QUANTITY 200 ml. 2 Repeats		\$		<u>CAPSULES</u> MAXIMUM QUANTITY 12 Capsules 1 Repeat (Capsule and container rates to be added)		\$
7941	Acridlavine Emulsion (8 fl.oz.)	QVMH	1.05				
7465	Benzyl Benzoate	APF	1.51				
7942	" " (8 fl.oz.)	RMH	1.20	7964	Creosote 2 minims	BPC'59	0.62
7944	" " "	ACH	1.22	7965	" 3 minims	BPC'59	0.65
7668	Benzyl Benzoate with Dicophane	PL	1.17	7970	Male Fern Extract 15 minims	BP'58	1.39
7668	" " " "	APF	1.17	7969	" " " 30 minims	BP'58	2.22
7669	Dicophane	PL	0.83				
7669	"	APF	0.83		<u>CREAMS</u>		
7949	"	BPC	0.78		MAXIMUM QUANTITY 100 G. 1 Repeat		
7949	" (8 fl.oz.)	ACH	0.81				
7670	Dimethyl Phthalate	APF	1.60				
7950	" " (8 fl.oz.)	ACH	2.61	7655	Aluminium Acetate Oily	PL	0.85
	Menthol Solid (See Ointments)			7655	" " "	APF	0.85
7955	Phenolated Oil (8 fl.oz.)	BPC'49	1.06	7656	Aminacrine Aqueous	APF	1.28
7959	Salicylic Acid Oil (8 fl.oz.)	SHF	1.40	7492	Aqueous	PL	0.93
7960	Zinc Oil (8 fl.oz.)	SHF	1.21	7492	"	APF	0.93
				7913	"	BP	0.93

<u>CREAMS - cont.</u>							
7991	Barrier (4 oz.)	RCHM	0.82	8012	Cold Soft (4 oz.)	ACH'46	1.10
8030	Beeswax Oily (4 oz.)	APF'55	1.06	7845	Emulsifying Wax Aqueous (4 oz.)	APF'55	0.81
7491	Buffered Aqueous	PL	0.84	7664	Glycerin Oily	PL	0.87
7491	" "	APF	0.84	7664	" "	APF	0.87
7986	" " (4 oz.)	APF'55	0.90	7665	Ichthammol and Zinc Oily	PL	1.08
7995	Burns Emollient (4 oz.)	RCHM	1.09	7665	" " " "	APF	1.08
7657	Butylaminobenzoate Oily	APF	1.39	9556	Oily	PL	1.09
8002	Calamine	RAHP	0.82	9556	"	APF	1.09
7875	" (4 oz.)	BPC'63	0.75	8031	Oily Simple (4 oz.)	APF'55	0.94
7996	" "	ACH	0.90	8033	Penicillin Base (4 oz.)	RMH	0.84
7658	Calamine Aqueous	PL	0.77	8035	Proflavine (4 oz.)	BPC'59	0.92
7658	" "	APF	0.77	7489	Salicylic Acid and Resorcinol		
7377	" "	BPC	0.76		Aqueous	PL	1.01
7659	Calamine Oily	PL	1.10	7489	" " " " "	APF	1.01
7659	" "	APF	1.10	8038	Salicylic Acid and Sulphur (4 oz.)	APF'55	0.64
8007	Castor Oil (4 oz.)	ACH	0.98	8039	" " " " "	QVMH	0.87
7661	Cetomacrogol Aqueous	PL	1.09	7488	Salicylic Acid and Sulphur Aqueous	PL	1.00
7661	" "	APF	1.09	7488	" " " " "	APF	1.00
7876	Cetrimide (4 oz.)	BPC'63	1.34	8042	Sulphonated Wax (4 oz.)	QVMH	0.84
7660	Cetrimide Aqueous	PL	1.18	7666	Triethanolamine Aqueous	APF	0.75
7660	" "	APF	1.18	8052	Triethanolamine Hydrous (4 oz.)	RMH	0.90
7490	Chlorhexidine Aqueous	PL	1.08	7897	Zinc	BP	0.95
7490	" "	APF	1.08	8061	Zinc with Coal Tar 3% (4 oz.)	SHF	1.06
8008	Cholesterol (4 oz.)	RMH	0.99	7376	Zinc and Ichthammol	BPC	1.08
7662	Coal Tar and Zinc	PL	0.96	8064	" " " (4 oz.)	SHF	1.08
7662	" " " "	APF	0.96	8072	Zinc and Menthol (4 oz.)	SHF	1.14
7663	Cold	PL	1.00	7667	Zinc Oily	PL	0.95
7663	"	APF	1.00	7667	" "	APF	0.95
8009	"	RAHP	0.93	8074	Zinc Oxide (4 oz.)	BPC'49	0.88
				8075	Zinc Oxide and Castor Oil (4 oz.)	BPC'49	1.03

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>CREAMS - cont.</u>		\$		<u>EAR DROPS - cont</u>		\$
8076	Zinc Oxide and Ichthammol (4oz.)	BPC'63	1.22	7642	Aluminium Acetate	PL	0.61
8077	" " " " "	BPC'49	0.98	7642	" "	APF	0.61
8079	Zinc with Phenol (4oz.)	SHF	1.07	8117	" " (1/2 fl.oz.)	SHF	0.62
8083	Zinc Type (4oz.)	RMH	0.90	8119	Aminacrine (1/2 fl.oz.)	QVMH	0.64
7654	Zinc Weak	PL	0.86	8119	" "	RMH	0.64
7654	" "	APF	0.86	8121	Aminacrine Alcoholic (1/2 fl.oz.)	ACH'46	0.66
				8122	Aminacrine Aqueous (1/2 fl.oz.)	APF'55	0.65
				8124	Aminacrine Spirituous (1/2 fl.oz.)	APF'55	0.66
	<u>DRAUGHTS</u>			8127	Benzocaine Compound (1/2 fl.oz.)	APF'55	0.67
	MAXIMUM QUANTITY 200 ml.			7643	Boric Acid	PL	0.58
	4 Repeats			7643	" "	APF	0.58
8091	Chloral Hydrate (8fl.oz.)	BPC'54	0.67	8128	" " (1/2 fl.oz.)	ACH	0.60
8089	Chloral Hydrate and Potassium Bromide (8 fl.oz.)	BPC'54	0.71	8129	" " "	APF'55	0.60
8090	" " " " " "	APF'34	0.81	8130	" " "	SHF	0.63
7375	Male Fern	BPC	1.85	8133	" " "	BPC'63	0.57
7374	Paraldehyde	BPC	0.82	8138	Boric Acid in Spirit (1/2 fl.oz.)	RMH	0.57
8103	" (8 fl.oz.)	BPC'63	0.90	8141	" " " " "	QVMH	0.59
8101	" "	APF'34	0.88	8143	Chlorbutol Oily (1/2 fl.oz.)	APF'55	0.61
				7487	Chlorhexidine	PL	0.59
				7487	"	APF	0.59
	<u>EAR DROPS</u>			8144	Cocaine Hydrochloride Anaesthetic (1/2 fl.oz.)	ACH	8.70
	MAXIMUM QUANTITY 15 ml.			8144	" " " "	RMH	8.70
	2 Repeats			8145	Crystal Violet (1/2 fl.oz.)	APF'55	0.61
8115	Acetic Acid (1/2 fl.oz.)	RMH	0.58	8147	Crystal Violet Alcoholic (1/2 fl.oz.)	ACH	0.61
				8146	" " " "	ACH'46	0.59

<u>EAR DROPS - cont.</u>			
8148	Crystal Violet Aqueous (1/2 fl.oz.)	ACH	0.59
8149	" " " "	ACH'46	0.59
8150	Crystal Violet with Proflavine Hemisulphate (1/2 fl.oz.)	RMH	0.64
7644	Hydrogen Peroxide	PL	0.60
7644	" "	APF	0.60
8155	" "	BPC	0.59
8156	" " (1/2 fl.oz.)	SHF	0.61
7645	Ichthammol	PL	0.72
7645	"	APF	0.72
8157	" (1/2 fl.oz.)	SHF	0.65
8165	Phenazone	APF	0.65
7684	" (1/2 fl.oz.)	ACH	0.65
7684	" "	QVMH	0.65
7684	" "	RMH	0.65
7648	Phenylmercuric Nitrate	PL	0.75
7648	" "	APF	0.75
8177	Proflavine and Alcohol (1/2 fl.oz.)	ACH	0.63
8178	Proflavine Aqueous (1/2 fl.oz.)	ACH	0.63
8181	Resorcinol (1/2 fl.oz.)	BPC'49	0.60
8185	Salicylic Acid	PL	0.58
8185	" "	APF	0.58
8184	" " (1/2 fl.oz.)	ACH	0.59
8186	" " 2%, (1/2 fl.oz.)	SHF	0.59
8187	Salicylic Acid Spirit (1/2 fl.oz.)	QVMH	0.59
8188	Salicylic Acid and Sulphur (1/2 fl.oz.)	RMH	0.65

<u>EAR DROPS - cont.</u>			
8194	Sodium Bicarbonate	PL	0.63
8194	" "	APF	0.63
7373	" "	BPC	0.63
8192	" " (1/2 fl.oz.)	BPC'63	0.61
8195	" " "	ACH	0.64
8196	" " "	SHF	0.58
8197	Sodium Bicarbonate 5% with Glycerin (1/2 fl.oz.)	SHF	0.60
7649	Spirit	PL	0.57
7649	"	APF	0.57
8204	"	BPC	0.58
8206	Spirit 70%, (1/2 fl.oz.)	SHF	0.58
7464	Streptomycin	APF	1.08
8208	Sulphacetamide Sodium	APF	0.67
<u>ELIXIRS</u>			
MAXIMUM QUANTITY 100 ml. 4 Repeats			
7493	Ephedrine	PL	0.73
7641	"	APF	0.76
7463	Ephedrine and Phenobarbitone	APF	0.87
8213	" " " (4 fl.oz.)	QVMH	1.04
8214	" " "I.F.(4 fl.oz.)	QVMH	0.71
8216	Nux Vomica (4 fl.oz.)	APF'55	0.84
8217	Pentobarbitone Sodium (4 fl.oz.)	RMH	0.96
7640	Phenobarbitone	PL	0.86
7640	"	APF	0.86
8219	Simple (4 fl.oz.)	BPC'49	0.72

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>EMULSIONS</u> MAXIMUM QUANTITY 400 ml. 4 Repeats		\$		<u>EYE DROPS of PHYSOSTIGMINE</u> MAXIMUM QUANTITY 15 ml. 6 Repeats		\$
7462	Cod Liver Oil	APF	1.53	8252	Physostigmine (240 min.)	APF'55	3.29
7486	Liquid Paraffin	PL	1.79	8254	" 0.25% (240 min.)	SHF	3.29
7486	" "	APF	1.79	8255	" 0.5% "	SHF	5.81
8227	Liquid Paraffin with Agar and Phenolphthalein (16 fl.oz.)	RMH	1.75	7401	Physostigmine Oily 0.25%	APF	2.86
7461	Liquid Paraffin and Cascara	APF	1.95	7402	" " 0.5%	APF	5.14
7460	Liquid Paraffin and Phenolphthalein	APF	1.84	7403	" " 1%	APF	7.42
8230	Paraffin and Kaolin (16 fl.oz.)	APF'55	1.07	7877	" " (240 min.)	BPC'63	7.42
				8261	Physostigmine Salicylate 0.25% (240 min.)	QVMH	3.10
				8262	" " 0.5% (240 min.)	QVMH	5.62
	<u>ENEMAS</u> MAXIMUM QUANTITY 100 ml. 1 Repeat				<u>EYE DROPS of PILOCARPINE</u> MAXIMUM QUANTITY 15 ml. 6 Repeats		
8236	Magnesium Sulphate (4 fl.oz.)	QVMH	0.64	7371	Pilocarpine	BPC	1.90
8237	" " "	ACH	0.63	7863	" (240 min.)	BPC'63	1.31
8237	" " "	RMH	0.63	8263	" "	APF'55	1.13
8242	Soft Soap (4 fl.oz.)	ACH	0.57	7404	" 0.5%	APF	1.37
8244	Starch (4 fl.oz.)	QVMH	0.57	7405	" 1%	APF	1.54
8246	Starch and Opium (4 fl.oz.)	QVMH	0.62	7406	" 2%	APF	2.03
8247	Sucrose (4 fl.oz.)	RMH	0.58	7407	" 4%	APF	3.01
8247	" "	QVMH	0.58				

<u>EYE DROPS OF PILOCARPINE - cont.</u>			
7408	Pilocarpine Buffered 0.5%	APF	1.38
7409	" " 1%	APF	1.55
7410	" " 2%	APF	2.04
7411	" " 4%	APF	3.02
8267	Pilocarpine Nitrate 0.25%(240 min.)	QVMH	0.80
8268	" " 0.5%	QVMH	0.96
8269	Pilocarpine Nitrate and Eserine Salicylate (240 min.)	RMH	4.09
 <u>OTHER EYE DROPS</u>			
MAXIMUM QUANTITY 15 ml.			
2 Repeats			
7387	Adrenaline Strong	APF	2.78
7388	Amethocaine	APF	1.39
7370	"	BPC	0.71
7880	" (240 min.)	BPC'63	1.21
8278	" "	BPC'59	1.21
8280	" 0.5% (240 min.)	APF'55	0.94
7690	" " "	SHF	1.08
8283	Aminacrine (240 min.)	APF'55	0.83
8283	" "	SHF	0.83
7389	Atropine	APF	1.25
8286	" (240 min.)	ACH	0.85
8287	" 0.5% (240 min.)	SHF	0.93
7881	Atropine Methonitrate (240 min.)	BPC'63	1.63
8289	" " "	ACH	2.07
8290	" " "	SHF	1.63

<u>OTHER EYE DROPS - cont.</u>			
8291	Atropine Methonitrate (240 min.)	BPC'54	1.63
7390	Atropine Oily	APF	0.90
8292	" " (240 min.)	BPC'54	1.00
7686	Atropine Sulphate (240 min.)	APF'55	0.93
7369	" "	BPC	1.24
7879	" " (240 min.)	BPC'63	1.00
8295	" " 1% (240 min.)	SHF	1.01
8296	" " " "	QVMH	0.84
7372	Cocaine 2%	BPC	1.66
7878	Cocaine (240 min.)	BPC'63	1.36
8301	" "	BPC'59	1.36
8302	" 2% (240 min.)	RCHM	1.25
8305	Cocaine and Adrenaline (240 min.)	APF'55	0.91
8306	" " " "	RMH	0.87
8307	Cocaine, Adrenaline and Zinc (240 min.)	APF'55	0.93
8309	" " " " "	QVMH	0.77
8310	" " " " "	RMH	0.88
7855	Cocaine and Homatropine	BPC	1.75
8311	" " " (240 min.)	BPC'59	1.77
8312	" " " "	BPC'49	1.26
8313	Cocaine Hydrochloride (240 min.)	RMH	1.63
8314	Cocaine Oily (240 min.)	BPC'49	0.80
7391	Cocaine Strong	APF	2.72
8317	" " (240 min.)	APF'55	1.81
8317	" " "	SHF	1.81
7392	Cocaine Weak	APF	1.35
8318	" " (240 min.)	APF'55	1.13

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>OTHER EYE DROPS - cont.</u>		\$		<u>OTHER EYE DROPS - cont.</u>		\$
8318	Cocaine Weak (240 min.)	SHF	1.13	8342	Homatropine and Cocaine (240 min.)	QVMH	1.86
7393	Cocaine and Adrenaline	APF	1.30	8342	" " " "	RMH	1.86
7394	Cocaine, Adrenaline and Zinc	APF	1.31	8345	Homatropine 2% Cocaine 2%		
8320	Copper Sulphate (240 min.)	BPC'54	1.02		(240 min.)	SHF	2.02
7413	Disodium Edetate	APF	1.08	8347	Homatropine and Cocaine Aqueous		
8323	Ephedrine 1% (240 min.)	SHF	0.76		(240 min.)	ACH	1.86
8324	" 3% "	SHF	0.78	7399	Phenylephrine	APF	1.08
7395	Fluorescein	APF	1.04	7400	Phenylephrine Strong	APF	1.95
7856	"	BPC'68	1.06	8362	Potassium Iodide (240 min.)	SHF	0.76
8327	" (240 min.)	RCHM	1.04	8363	Proflavine (240 min.)	BPC'49	1.05
8328	" "	RMH	0.62	8366	Sedative (240 min.)	ACH	1.05
8329	" "	ACH	0.61	7685	Silver Nitrate (240 min.)	RMH	1.04
8330	" 2% (240 min.)	SHF	1.07	8367	" " "	BPC'54	0.78
8331	Fluorescein and Sodium Bicarbonate (240 min.)	QVMH	1.04	8368	" " 0.25% (240 min.)	QVMH	0.61
7396	Homatropine	APF	1.72	8371	" " 1% "	QVMH	0.64
7368	"	BPC	1.28	8373	" " 2% "	QVMH	0.68
7857	" (240 min.)	BPC'63	1.40	7412	Silver Protein Mild	APF	1.51
8332	" "	BPC'59	1.40	8389	" " " 10% (240 min.)	APF'55	1.20
8334	" "	ACH	0.99	8389	" " " " "	RMH	1.20
8336	" "	APF'55	1.02	8391	" " " 15% "	SHF	1.30
8337	" 1% (240 min.)	SHF	1.14	8390	" " " 20% "	SHF	1.40
8338	" 2% "	SHF	1.40	7414	Sulphacetamide	APF	1.14
7397	Homatropine and Cocaine	APF	2.04	7367	"	BPC	1.13
8339	" " " (240 min.)	APF'55	1.27	7860	" (240 min.)	BPC'63	0.81
				8377	" 30% (240 min.)	ACH	0.66

OTHER EYE DROPS - cont.				OTHER EYE DROPS - cont.			
7415	Sulphacetamide Strong	APF	1.32	8403	Zinc and Acid Boric (240 min.)	APF'55	0.78
7366	" " "	BPC	1.31	8403	" " " " "	SHF	0.78
7861	" " (240 min.)	BPC'63	0.95	8404	" " " " "	BPC'54	1.02
8382	" " "	BPC'49	1.22	8405	Zinc Sulphate, Boric Acid and		
8383	" " "	APF'55	0.97		Adrenaline (240 min.)	SHF	0.79
8383	" " "	SHF	0.97				
8384	" " "	BPC'59	0.94				
8385	Sulphacetamide Weak (240 min.)	BPC'59	0.80				
8386	" " "	APF'55	0.83				
8386	" " "	SHF	0.83				
8378	Sulphacetamide Sodium 20% (240 min.)						
		QVMH	0.72	8407	Adrenaline Compound (8 fl.oz.)	BPC'54	0.77
8379	" " 30%(240 min)	QVMH	0.79	7890	Alkaline (8 fl.oz.)	APF'55	0.64
7416	Zinc Sulphate	PL	1.04	8412	Borax Compound (8 fl.oz.)	SHF	0.64
7416	" "	APF	1.04	8413	" " "	BPC'54	0.64
7365	" "	BPC	1.04	8414	Boric Acid (8 fl.oz.)	SHF	0.66
7862	" " (240 min.)	BPC'63	1.03	8416	" " "	ACH	0.66
8395	" " "	BPC'59	1.02	8417	" " "	ACH'46	0.66
8396	" " "	APF'55	0.78	8418	Boric Acid and Zinc (8 fl.oz.)	ACH	0.97
8397	" " "	ACH	0.60	8419	" " " " "	SHF	0.66
8399	" " "	RMH	1.01	8420	" " " " "	APF'55	0.94
8400	" " "	QVMH	0.59	8421	" " " " "	ACH'46	0.97
7417	Zinc and Adrenaline	PL	1.10	8423	Citric Acid (8 fl.oz.)	SHF	0.66
7417	" " "	APF	1.10	8424	" " "	APF'55	0.66
8401	Zinc Sulphate and Adrenaline (240 min.)			8425	Glycerin (8 fl.oz.)	SHF	0.75
		BPC'54	1.18	8428	Saline (8 fl.oz.)	SHF	0.65
7364	" " " "	BPC	1.20	8431	Sodium Bicarbonate (8 fl.oz.)	ACH	0.64
7531	" " " (240 min.)	BPC'63	1.20	7363	" " "	BPC	0.62
				8431	" " (8 fl.oz.)	BPC'63	0.64

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>EYE LOTIONS - cont.</u>		\$		<u>EYE OINTMENTS - cont.</u>		\$
8432	Sodium Bicarbonate (8 fl.oz.)	SHF	0.63	8461	Sulphacetamide Summer Time Base (60 gr.)	ACH	0.63
8433	" " "	APF'55	0.63	8462	Sulphacetamide Winter Time Base (60 gr.)	ACH	0.63
8434	Sodium Bicarbonate Thickened (8 fl.oz.)	APF'55	0.66	8463	Sulphadiazine Summer Time Base (60 gr.)	ACH	0.62
8434	" " " "	SHF	0.66	8464	Sulphadiazine Winter Time Base (60 gr.)	ACH	0.62
8435	Sodium Chloride (8 fl.oz.)	BPC'54	0.64				
	<u>EYE OINTMENTS</u>				<u>GARGLES</u>		
	MAXIMUM QUANTITY 5 G.				MAXIMUM QUANTITY 200 ml.		
	No repeats				4 Repeats		
8446	Atropine and Cocaine (60 gr.)	BPC'49	0.83				
8447	Atropine Summer Time Base (60 gr.)	ACH	0.68	8467	Aspirin (8 fl.oz.)	SHF	0.74
8448	Atropine Winter Time Base(60 gr.)	ACH	0.68	8473	Borax Compound (8 fl.oz.)	APF'47	0.68
8449	Atropine Sulphate Strong 1%(60 gr.)	BPC'49	0.67	8476	Chlorine (8 fl.oz.)	BPC'54	0.60
8451	Boric Acid (60 gr.)	BPC'54	0.59	8492	Potassium Chlorate	RAHP	0.61
8452	" " "	BPC'49	0.58	8488	" " (8 fl.oz.)	SHF	0.76
8455	Ichthammol and Zinc Oxide (60gr.)	QVMH	0.59	8490	" " "	BPC'49	0.59
7882	Physostigmine (60 gr.)	BPC'63	3.10				
8456	Simple (60 gr.)	RMH	0.57		<u>GELATINS</u>		
8457	Simple Summer Time Base(60 gr.)	ACH	0.58		MAXIMUM QUANTITY 100 G.		
8458	Simple Winter Time Base (60 gr.)	ACH	0.58		1 Repeat		
8459	Sulphacetamide (60 gr.)	QVMH	0.60				
8460	" "	BPC'49	0.59	8532	Ichthammol (4 oz.)	BPC'49	1.06

<u>GELATINS - cont.</u>				<u>INHALATIONS</u>			
8530	Zinc Oxide and Ichthammol (4oz.)	BPC'59	0.96	MAXIMUM QUANTITY 50 ml. 1 Repeat			
<u>GLYCANTHS</u>				7485	Benzoin	PL	1.05
MAXIMUM QUANTITY 100 G. 1 Repeat				8566	Benzoin Compound (2 fl.oz.)	ACH	1.41
				8567	" " "	APF'55	1.45
8538	Adrenaline (4 oz.)	APF'55	1.46	8569	Creosote (2 fl.oz.)	BPC'54	0.90
8540	Adrenaline and Ephedrine (4 oz.)	APF'55	1.48	8572	Eucalyptus Compound (2 fl.oz.)	QVMH	1.59
8542	Aminacrine (4 oz.)	APF'55	1.08	8574	Eucalyptus and Pine (2 fl.oz.)	APF'55	0.74
8543	" "	QVMH	1.07	8577	Menthol (2 fl.oz.)	QVMH	0.96
8546	Crystal Violet Compound (4 oz.)	APF'55	1.13	8578	" "	SHF	0.81
8547	Ephedrine (4 oz.)	APF'55	1.06	8579	Menthol Compound (2 fl.oz.)	RMH	1.53
8550	Glycanth (4 oz.)	APF'55	0.95	8580	" " "	APF'55	0.97
7533	Phenylephrine	APF	1.02	7484	Menthol and Benzoin	PL	1.06
7532	Phenylmercuric Nitrate	APF	0.84	8581	Menthol and Compound Tincture of Benzoin (2 fl.oz.)	SHF	1.27
8554	" " (4 oz.)	APF'55	0.89	8582	Menthol and Eucalyptol (2 fl.oz.)	APF'55	1.00
8555	Tannic Acid (4 oz.)	QVMH	1.04	7494	Menthol and Eucalyptus	PL	0.72
8556	" " "	RMH	1.05	7638	" " "	APF	0.75
7639	Tragacanth Gel	APF	0.81	7362	" " "	BPC	0.71
<u>GLYCERINS</u>				8583	" " " (2 fl.oz.)	BPC'63	0.72
MAXIMUM QUANTITY 100 ml, 1 Repeat				7483	Menthol and Pine	PL	0.82
				7483	" " "	APF	0.82
				7459	Menthol Volatile	APF	1.66
8559	Ichthammol (4 fl.oz.)	RMH	1.15				
8561	Lead Subacetate (4 fl.oz.)	BPC'54	1.33				
8564	Tragacanth (4 fl.oz.)	BPC'49	1.88				

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>INSUFFLATIONS</u> MAXIMUM QUANTITY 25 G. 1 Repeat		\$		<u>LINCTUSES</u> MAXIMUM QUANTITY 100 ml. 4 Repeats except where shown.		\$
7637	Iodine	APF	0.66	8616	Acid (4 fl.oz.)	APF'55	0.95
8590	" (1 oz.)	ACH'46	0.64	8618	Camphorated Tincture of Opium (4 fl.oz.)	RMH	0.88
7694	Iodine and Boric Acid (1 oz.)	ACH	0.63	7534	Camphor Compound	PL	0.85
8592	" " " " "	SHF	0.64	7534	" "	APF	0.85
8595	" " " " "	BPC'49	0.66	8621	" " I.F. (4 fl.oz.)	APF'55	0.98
8596	Iodoform and Boric Acid (1 oz.)	BPC'49	0.96	7495	Codeine (2 Repeats)	PL	1.11
	<u>IRRIGATIONS</u> MAXIMUM QUANTITY 200 ml. 1 Repeat			7537	" "	APF	1.13
				8624	Codeine (2 Repeats) (4 fl.oz.)	QVMH	1.14
				8625	" " "	RMH	0.94
				7440	" I.F.	ACH	0.89
8599	Alcohol (8 fl.oz.)	ACH	0.63	8627	" " (4 fl.oz.)	APF'55	1.00
8600	Alkaline Nasal Wash (8 fl.oz.)	BPC'54	0.60	7536	Menthol	APF	0.83
8601	Alum (8 fl.oz.)	BPC'54	0.56	7535	Morphine (2 Repeats)	APF	0.92
8605	Borax and Soda Nasal Douche (8 fl.oz.)	RMH	0.57	8633	Pectoral (4 fl.oz.)	QVMH	0.68
8604	Lactic Acid (8 fl.oz.)	BPC'63	0.58	7482	Pholcodine	PL	1.05
8609	Tannic Acid (8 fl.oz.)	BPC'54	0.60	7482	"	APF	1.05
8610	Zinc Sulphate (8 fl.oz.)	BPC'59	0.58	7475	" C.F.	PL	0.88
				7475	" "	APF	0.88
				7635	Simple	PL	0.83
				7635	"	APF	0.83
				8635	Simple Acid (4 fl.oz.)	ACH'46	0.90
				8638	Squill Opiate	RAHP	0.93

<u>LINCTUSES - cont</u>			
8636	Squill Compound (4 fl.oz.)	APF'34	0.99
8636	" "	BPC	0.91
7361	Squill Opiate for Children	BPC	0.88
8639	" " " " (4 fl.oz.)	BPC'63	0.96
<u>LINIMENTS</u>			
MAXIMUM QUANTITY 100 ml.			
1 Repeat			
7884	Camphor	PL	0.93
7884	"	APF	0.93
8643	Chloroform (4 fl.oz.)	BPC'49	1.09
8645	Eucalyptus (4 fl.oz.)	RMH	0.95
8647	Family (4 fl.oz.)	APF'34	0.95
7481	Methyl Salicylate	PL	1.08
7481	" "	APF	1.08
8654	" "	BPC	1.08
8654	" " (4 fl.oz.)	APF'55	1.14
8654	" " "	QVMH	1.14
7480	Methyl Salicylate Compound	PL	1.40
7480	" " "	APF	1.40
8655	" " " (4 fl.oz.)	SHF	1.45
7479	Soap	PL	1.09
7479	"	APF	1.09
7818	Turpentine	APF	1.04
7419	"	BP	0.81
8657	" (4 fl.oz.)	SHF	1.08
8661	Turpentine Compound (4 fl.oz.)	ACH'46	1.00

<u>LOTIONS</u>			
MAXIMUM QUANTITY 200 ml.			
2 Repeats			
7883	Aluminium Acetate (8 fl.oz.)	BPC'63	1.43
8672	" " "	QVMH	0.85
8675	Aminacrine (8 fl.oz.)	APF'55	0.86
8682	Benzyl Benzoate (8 fl.oz.)	SHF	1.26
8687	Boric Acid (8 fl.oz.)	SHF	0.57
8688	" " "	ACH	0.57
8690	Boric Acid Wet Dressing (8 fl.oz.)	RMH	0.56
7629	Calamine	PL	1.09
7629	"	APF	1.09
7629	"	BP	1.09
7702	" (8 fl.oz.)	SHF	0.77
7915	" "	ACH'46	0.88
8692	" "	QVMH	0.85
8693	" "	RMH	0.84
8727	Calamine with Coal Tar (8 fl.oz.)	QVMH	0.90
8702	Calamine and Ichthammol (8 fl.oz.)	SHF	0.84
8704	Calamine and Menthol (8 fl.oz.)	SHF	0.95
8720	Calamine with Phenol (8 fl.oz.)	QVMH	0.89
8721	" " " "	SHF	0.81
8724	Calamine with Sulphur (8 fl.oz.)	QVMH	0.89
8726	" " " "	SHF	0.82
8699	Calamine Compound	RAHP	0.83
8701	" " (8 fl.oz.)	ACH'46	0.94

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>LOTIONS - cont.</u>		\$		<u>LOTIONS - cont.</u>		\$
7630	Calamine Oily	PL	0.94	8752	Lead	RAHP	0.85
7630	" "	APF	0.94	8753	"	BPC	0.66
8707	" " (8 fl.oz.)	SHF	0.95	8754	" (8 fl.oz.)	ACH	0.66
8708	" "	BPC	0.94	8758	Lead Evaporant (8 fl.oz.)	QVMH	0.61
8709	" " (8 fl.oz.)	QVMH	0.77	8760	Lead Evaporating	BPC	0.73
8710	" " "	RMH	1.05	8762	" " (8 fl.oz.)	BPC'54	0.71
8714	Calamine Oily with Ichthammol (8 fl.oz.)	SHF	1.02	8763	Lead and Glycerin (8 fl.oz.)	BPC'49	0.77
8716	Calamine Oily with Menthol (8 fl.oz.)	SHF	1.13	7631	Lead and Opium	APF	0.82
8718	Calamine Oily with Phenol(8 fl.oz.)	SHF	0.99	8766	" " "	RAHP	1.00
8732	Castor Oil Spirituous (8 fl.oz.)	RMH	0.83	8765	" " " (8 fl.oz.)	APF'34	0.73
8735	Coal Tar Alkaline (8 fl.oz.)	BPC'49	0.60	8769	Lead and Zinc (8 fl.oz.)	RMH	0.75
8736	Coal Tar and Lead (8 fl.oz.)	BPC'49	0.76	8780	Phenol (8 fl.oz.)	APF'55	0.68
8740	Copper and Zinc Sulphate	RAHP	1.03	8782	" "	BPC'54	0.61
8738	" " " " (8 fl.oz.)	ACH'46	0.64	8787	Proflavine Aqueous (8 fl.oz.)	ACH'46	0.77
8739	" " " " "	RMH	0.65	8788	Proflavine Hemisulphate (8 fl.oz.)	QVMH	0.79
8741	" " " " "	ACH	0.66	7699	Red (8 fl.oz.)	ACH'46	0.66
7360	" " " " "	BPC	0.65	8792	" "	APF'34	0.59
8741	" " " " (8 fl.oz.)	BPC'63	0.66	8793	Resorcinol Compound	PL	0.99
7920	Eusol	APF	0.68		" "	APF	0.99
8744	Evaporating (8 fl.oz.)	BPC'54	0.62	7633	Sulphurated	PL	0.94
8745	Formaldehyde (8 fl.oz.)	SHF	0.68		"	APF	0.94
8749	Hypochlorous Acid Compound (8 fl.oz.)	RMH	0.58	8803	"	RAHP	0.91
				8807	" (8 fl.oz.)	ACH'46	1.05
				8808	Sulphur Compound (8 fl.oz.)	BPC'49	0.96

<u>LOTIONS - cont.</u>				<u>MIXTURES - cont.</u>			
8783	Sulphurated Potash and Zinc (8 fl.oz.)	BPC'49	0.69	7381	Aluminium Hydroxide with Procaine Hydrochloride	PL	0.93
8784	" " " " "	ACH	1.05	7382	Aminophylline Compound	PL	0.91
8811	Tannic Acid and Aminacrine (8 fl.oz.)	APF'55	0.96	8878	Ammonia and Ipecacuanha	RAHP	0.88
8825	Zinc Sulphate	PL	0.65	7359	" " "	BPC	0.89
8825	" "	APF	0.65	8877	" " " (8 fl.oz.)	BPC'63	0.81
8825	" "	BPC	0.65	8879	Ammonia and Ipecacuanha Compound (8 fl.oz.)	BPC'54	0.88
8822	" "	RAHP	0.58	7595	Ammonium Acetate	APF	1.10
8823	" " (8 fl.oz.)	RMH	0.62	8889	Ammonium Bicarbonate (8 fl.oz.)	RMH	0.71
8826	Zinc Sulphate and Glycerin(8 fl.oz.)	RMH	1.07	7599	Ammonium Chloride	APF	0.95
<u>MAGMAS</u>				7886	" " (8 fl.oz.)	BPC'63	0.73
MAXIMUM QUANTITY 100 ml. or 100 G. 1 Repeat				8892	" " "	QVMH	0.82
8828	Bentonite (4 fl.oz.)	APF'55	0.64	7496	Aspirin	PL	0.74
8829	Methylcellulose (4 fl.oz.)	APF'55	1.09	7590	"	APF	0.79
8830	Methylcellulose Spirituous (4 fl.oz.)	APF'55	1.08	8836	"	RAHP	0.73
<u>MIXTURES</u>				7865	" (8 fl.oz.)	BPC'63	0.73
MAXIMUM QUANTITY 200 ml. 4 Repeats				8831	" "	QVMH	0.92
7379	Aluminium Hydroxide and Belladonna	PL	0.87	8832	" "	BPC'59	0.71
7594	Aluminium Hydroxide and Kaolin	APF	0.91	8833	" "	SHF	0.83
7380	Aluminium Hydroxide with Kaolin and Opium	PL	1.02	8838	Aspirin and Bromide (8 fl.oz.)	APF'55	0.82
				7447	Aspirin and Codeine	PL	0.98
				8847	Aspirin Ephedrine and Phenobarbitone (8 fl.oz.)	APF'55	0.93
				7446	Aspirin and Morphine	PL	1.02
				8850	" " " (8 fl.oz.)	APF'55	0.99
				8852	Aspirin Opium and Phenazone (8 fl.oz.)	SHF	0.93

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>MIXTURES</u> - cont.		\$		<u>MIXTURES</u> - cont.		\$
7445	Aspirin and Phenobarbitone	PL	0.78	7597	Chloral	APF	0.84
8859	" " " (8 fl.oz.)	APF'55	0.82	8957	"	RAHP	0.89
7592	Aspirin Soluble	APF	0.83	7357	"	BPC	0.77
8903	Asthma No. 1 (8 fl.oz.)	RMH	0.92	8953	" (8 fl.oz.)	BPC'63	0.78
8904	Asthma No. 2 (8 fl.oz.)	RMH	0.86	7598	Chloral and Bromide	APF	0.96
8907	Atropine Sulphate (8 fl.oz.)	QVMH	0.77	7499	Chloral Hydrate	PL	0.79
8909	Atropine Sulphate and			8955	" " (8 fl.oz.)	SHF	0.76
	Phenobarbitone (8 fl.oz.)	QVMH	0.75	8957	" " "	APF'55	0.93
8912	Buchu Compound (8 fl.oz.)	SHF	1.19	8959	Chloral Hydrate and Potassium		
7384	Caffeine, Iodide and Ephedrine	PL	1.37		Bromide (8 fl.oz.)	RMH	0.90
8931	" " " " (8 fl.oz.)	SHF	1.25	8960	" " " " " "	QVMH	0.82
7383	Calcium Acetylsalicylate	PL	0.83	8963	Codeine Compound (8 fl.oz.)	SHF	0.93
8935	Calcium Chloride (8 fl.oz.)	BPC'49	0.76	8968	Colchicum (8 fl.oz.)	BPC'54	0.81
8944	Carminative (8 fl.oz.)	RMH	0.69	8969	" "	APF'55	0.74
8945	Carminative of Sodium Bicarbonate			8976	Colchicum and Aspirin (8 fl.oz.)	APF'55	0.89
	Ammonium Bicarbonate and			8986	Cough	RAHP	0.94
	Magnesium Carbonate (8 fl.oz.)	RMH	0.70	8982	" (8 fl.oz.)	APF'34	0.85
8946	Cascara (8 fl.oz.)	SHF	1.18	8985	" "	QVMH	1.37
8947	" "	BPC'49	0.90	8987	Cough Sedative	RAHP	0.91
7358	Cascara and Belladonna	BPC	1.04	8988	Creosote and Potassium Iodide		
8948	" " " (8 fl.oz.)	BPC'63	0.93		(8 fl.oz.)	BPC'49	1.01
7498	Chalk and Kaolin	PL	0.78	7600	Ephedrine and Codeine	APF	0.93
7596	" " "	APF	0.84	7601	Ferric Ammonium Citrate	APF	0.83
8951	" " " (8 fl.oz.)	APF'55	0.80	8998	" " " (8 fl.oz.)	RMH	0.96
8951	" " " "	SHF	0.80	8999	" " " "	SHF	0.83
8952	Chalk and Opium (8 fl.oz.)	APF'34	1.10	9000	" " " "	APF'55	0.79

<u>MIXTURES</u> - cont.				<u>MIXTURES</u> - cont.			
7500	Ferrous Sulphate	PL	0.78	9022	Gentian Alkaline Simple (8 fl.oz.)	QVMH	0.72
7602	" "	APF	0.83	7350	Gentian and Rhubarb	BPC	0.88
7356	Gelsemium and Hyoscyamus Compound	BPC	0.81	9024	" " " (8 fl.oz.)	BPC'63	0.84
9004	" " " " (8 fl.oz.)	BPC'63	0.78	9026	Ginger (8 fl.oz.)	SHF	0.72
7501	Gentian Acid	PL	0.75	7695	Hydrochloric Acid Dilute (8 fl.oz.)	QVMH	0.87
7603	" "	APF	0.80	9029	" " " "	APF'55	1.22
9005	" "	RAHP	0.72	7605	Hydrochloric Acid	APF	1.16
7355	" "	BPC	0.75	9033	Ipecacuanha Alkaline (8 fl.oz.)	BPC'63	0.82
9007	" " (8 fl.oz.)	BPC'63	0.76	9034	" " "	BPC'54	1.01
7354	Gentian Acid and Nux Vomica	BPC	0.80	9036	Ipecacuanha and Camphorated Opium (8 fl.oz.)	SHF	1.05
9009	" " " " "(8fl.oz.)	BPC'63	0.82	7378	Ipecacuanha and Opium	PL	1.08
7502	Gentian Alkaline	PL	0.73	7349	Iron and Ammonium Citrate	BPC	0.81
7604	" "	APF	0.78	9039	" " " "	BPC'63	0.74
9010	" "	RAHP	0.69	9040	" " " "(8 fl.oz.)	QVMH	1.01
9012	" " (8 fl.oz.)	BPC'63	0.73	7900	Kaolin	RAHP	0.78
9013	" " "	SHF	0.83	7348	"	BPC	0.71
9014	" " "	APF'34	0.82	9050	" (8 fl.oz.)	BPC'63	0.69
9015	Gentian Alkaline with Cascara (8 fl.oz.)	SHF	0.91	9051	Kaolin Alkaline (8 fl.oz.)	APF'55	0.66
9016	Gentian Alkaline Compound	RAHP	0.83	7503	Kaolin and Opium	PL	0.88
9017	" " " (8 fl.oz.)	QVMH	0.86	7606	" " "	APF	0.94
7352	Gentian Alkaline with Nux Vomica	BPC	0.78	9055	Lobelia Compound (8 fl.oz.)	SHF	1.25
9019	" " " " " (8 fl.oz.)	BPC'63	0.80	9057	Lobelia and Stramonium (8 fl.oz.)	APF'55	0.92
7351	Gentian Alkaline with Pheno-barbitone	BPC	0.76	9058	Lobelia and Stramonium Compound	RAHP	0.95
9020	" " " " (8 fl.oz.)	BPC'63	0.76	7347	" " " "	BPC	0.89
				9059	" " " " (8 fl.oz.)	BPC'63	0.90
				9060	Magnesium Carbonate (8 fl.oz.)	APF'55	0.73

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>MIXTURES</u> - cont.		\$		<u>MIXTURES</u> - cont.		\$
7346	Magnesium Carbonate	BPC	0.66	7341	Nux Vomica Acid	BPC	0.68
9061	" " (8 fl.oz.)	BPC'63	0.64	9090	" " " (8 fl.oz.)	BPC'63	0.67
9063	Magnesium Carbonate Aromatic	RAHP	0.67	7340	Nux Vomica Alkaline	BPC	0.66
7345	" " "	BPC	0.65	9091	" " " (8 fl.oz.)	BPC'63	0.66
9064	" " " (8 fl.oz.)	BPC'63	0.66	9092	Opium	RAHP	0.77
9065	Magnesium Carbonate and Chalk			7608	Opium Camphorated	APF	1.01
	Sedative (8 fl.oz.)	SHF	0.73	7339	Opium Camphorated Compound	BPC	0.80
9067	Magnesium Sulphate (8 fl.oz.)	SHF	0.68	9097	" " " (8 fl.oz.)	BPC'63	0.79
9070	Magnesium Sulphate Acid (8 fl.oz.)	QVMH	0.78	7609	Paraldehyde	APF	0.97
9074	Magnesium Sulphate White	RAHP	0.71	9100	" (8 fl.oz.)	QVMH	1.09
7344	" " "	BPC	0.69	9101	" "	RMH	1.14
9075	" " " (8 fl.oz.)	BPC'63	0.68	9102	Phenazone (8 fl.oz.)	RMH	0.89
7504	Magnesium Trisilicate	PL	0.69	9104	Phenazone Compound (8 fl.oz.)	QVMH	1.29
7607	" "	APF	0.75	9105	Phenazone and Potassium Bromide		
7343	Magnesium Trisilicate and				(8 fl.oz.)	APF'34	0.81
	Belladonna	BPC	0.71	9106	" " " " "	BPC'49	0.80
9077	" " " " (8 fl.oz.)	BPC'63	0.72	7385	Phenobarbitone with Belladonna,		
9078	Magnesium Trisilicate Compound				Procaine and Aluminium		
	(8 fl.oz.)	APF'55	0.66		Hydroxide	PL	1.05
7342	" " "	BPC	0.62	9108	Phenobarbitone and Belladonna		
9078	" " " (8 fl.oz.)	BPC'63	0.66		Antacid (8 fl.oz.)	SHF	0.69
9078	" " " "	SHF	0.66	7610	Phenobarbitone and Bromide	APF	0.82
9079	Male Fern (8 fl.oz.)	QVMH	5.31	9110	" " "	RAHP	0.79
9086	Morphine and Aspirin	RAHP	0.93	9112	Phenobarbitone Compound (8 fl.oz.)	SHF	0.74
9088	Morphine, Aspirin			9113	" " "	QVMH	0.78
	and Gelsemium (8 fl.oz.)	QVMH	1.12				

<u>MIXTURES - cont.</u>			
9115	Phenobarbitone Sodium and Potassium Bromide (8 fl.oz.)	RMH	0.71
7611	Potassium Bromide	APF	0.76
7866	" " (8 fl.oz.)	BPC'63	0.72
9117	" " "	QVMH	0.74
9118	" " "	SHF	0.78
9124	Potassium Bromide and Chloral	RAHP	0.80
7505	Potassium Chloride	PL	0.83
7612	" "	APF	0.88
9131	" " (8 fl.oz.)	SHF	0.87
7506	Potassium Citrate	PL	0.85
7613	" "	APF	0.90
9141	" "	RAHP	0.69
9134	" " (8 fl.oz.)	QVMH	0.99
9136	" " "	RMH	0.89
9137	" " "	BPC'59	1.00
9139	" " "	SHF	0.67
7614	Potassium Citrate and Hyoscyamus	APF	0.89
9145	" " " "	RAHP	1.01
9148	" " " " (8 fl.oz.)	BPC'59	1.17
9146	" " " " "	QVMH	0.91
9152	" " " " "	RMH	0.96
9154	Potassium Citrate and Iodide (8 fl. oz.)	RMH	0.85

<u>MIXTURES - cont.</u>			
7507	Potassium Citrate and Sodium Bicarbonate	PL	0.75
7615	" " " " "	APF	0.80
7616	Potassium Iodide	APF	0.78
9159	" "	RAHP	0.75
9155	" " (8 fl.oz.)	SHF	0.66
9158	" " "	QVMH	0.95
9161	" " "	RMH	0.75
7338	Potassium Iodide Ammoniated	BPC	0.77
9166	" " " (8 fl.oz.)	BPC'63	0.73
9168	Potassium Iodide and Creosote (8 fl.oz.)	APF'47	0.82
7617	Potassium Iodide and Ephedrine	APF	0.80
9169	" " " " (8 fl.oz.)	QVMH	0.96
9170	Potassium Iodide, Ephedrine and Phenobarbitone (8 fl.oz.)	QVMH	1.16
9171	Potassium Iodide and Stramonium (8 fl.oz.)	QVMH	1.13
7508	Potassium Iodide and Stramonium Compound	PL	0.91
7618	" " " " "	APF	0.96
9179	Rhubarb Alkaline (8 fl.oz.)	SHF	0.84
7337	Rhubarb Compound	BPC	0.91
9180	" " (8 fl. oz.)	BPC'63	0.86
7619	Rhubarb and Soda	APF	0.84
9182	" " "	RAHP	0.72
9183	" " " (8 fl.oz.)	QVMH	1.38

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>MIXTURES</u> - cont.		\$		<u>MIXTURES</u> - cont.		\$
7336	Rhubarb and Soda Ammoniated	BPC	0.74	9224	Squill, Opium and Ammonia		
9187	" " " " (8 fl. oz.)	BPC'63	0.73		(8 fl.oz.)	QVMH	1.22
7335	Saline	BPC	0.76	7333	Stramonium and Potassium Iodide	BPC	0.76
9188	" (8 fl.oz.)	BPC'63	0.75	9227	" " " " (8 fl.oz.)	BPC'63	0.72
7444	Senega and Ammonia	PL	0.91	7624	Succinylsulphathiazole and Kaolin	APF	1.57
7620	" " "	APF	0.96	9236	Sulphuric Acid and Opium (8 fl.oz.)	APF'34	0.72
9191	" " "	RAHP	1.02	7625	Theophylline Compound	APF	1.01
9189	" " " (8 fl.oz.)	RMH	0.94	9240	Urethane (8 fl.oz.)	RMH	1.15
9190	" " " "	ACH	1.03				
9193	" " " "	APF'47	1.21		<u>MIXTURES FOR CHILDREN</u>		
9196	Senega, Ammonia and Lobelia	RAHP	1.13		MAXIMUM QUANTITY 100 ml.		
9197	Senega Compound (8 fl.oz.)	SHF	1.25		4 Repeats		
7621	Sodium Chloride and Bicarbonate	APF	0.74				
7509	Sodium Citrate	PL	0.85	7577	Aluminium Hydroxide and Kaolin	PL	0.73
7622	" " "	APF	0.90	7577	" " " "	APF	0.73
9207	" " (8 fl.oz.)	BPC'59	1.00	9250	Ammonium Bicarbonate Compound		
9208	" " "	BPC'49	0.73		(4 fl.oz.)	SHF	0.79
7510	Sodium Salicylate	PL	0.74	7511	Aspirin	PL	0.82
7623	" " "	APF	0.80	7472	"	APF	0.85
9218	" " "	RAHP	0.59	7423	"	ACH	0.69
9211	" " (8 fl.oz.)	SHF	0.72	9244	" (4 fl.oz.)	BPC'49	0.64
9215	" " "	QVMH	1.09	9257	Aspirin and Bromide (4 fl. oz.)	APF'55	0.71
9217	" " "	APF'55	0.75	7441	Asthma	ACH	0.83
7334	Sodium Salicylate Strong	BPC	0.68	7512	Atropine Methonitrate	PL	0.83
7873	" " " (8 fl.oz.)	BPC'63	0.70	7578	" "	APF	0.86
9222	Sodium Sulphate (8 fl.oz.)	RMH	0.66	7433	" "	ACH	0.91

<u>MIXTURES FOR CHILDREN - cont.</u>			
9259	Atropine Methonitrate (4 fl.oz.)	QVMH	0.90
9262	" " "	APF'55	1.04
9263	Atropine Sulphate (4 fl. oz.)	RCHM	0.71
9264	" " "	QVMH	0.71
9265	Atropine Sulphate and Phenobarbitone (4 fl. oz.)	QVMH	0.70
7513	Belladonna	PL	0.75
7471	"	APF	0.78
9267	" (4 fl. oz.)	BPC'49	0.71
9268	Belladonna Compound (4 fl. oz.)	SHF	0.66
9269	Belladonna and Ephedrine(4 fl.oz.)	BPC'49	0.75
9270	Belladonna and Ipecacuanha(4 fl.oz.)	BPC'49	0.77
7331	Calcium Carbonate Compound	BPC	0.63
9281	" " " (4 fl.oz.)	BPC'63	0.68
7514	Calcium and Kaolin	PL	0.66
7580	" " "	APF	0.69
9289	Carminative (4 fl. oz.)	APF'55	0.69
9293	Cascara and Belladonna (4 fl. oz.)	BPC'54	0.79
9294	Castor Oil (4 fl. oz.)	ACH'46	0.74
9295	" " "	QVMH	0.70
9296	Castor Oil and Opium (4 fl. oz.)	QVMH	0.74
7332	Chalk	BPC	0.64
9298	" (4 fl.oz.)	BPC'63	0.64
9299	Chalk and Catechu (4 fl. oz.)	BPC'49	0.76
7581	Chloral	APF	0.71
9301	Chloral and Bromide (4 fl. oz.)	APF'55	0.84
9306	Chloral and Potassium Bromide (4 fl.oz.)	BPC'63	0.80

<u>MIXTURES FOR CHILDREN - cont.</u>			
7515	Chloral Hydrate	PL	0.68
7436	" "	ACH	0.76
9304	" " (4 fl. oz.)	QVMH	0.72
7420	Cough Sedative	ACH	0.73
7434	Expectorant	ACH	0.84
7439	Ephedrine Compound	ACH	0.70
9323	Ferric Ammonium Citrate(4 fl.oz.)	APF'55	0.78
7516	Ferrous Gluconate	PL	0.79
7470	" "	APF	0.82
7435	" "	ACH	0.79
7517	Ferrous Sulphate	PL	0.69
7582	" "	APF	0.72
9331	Gentian Acid (4 fl.oz.)	BPC'49	0.65
9334	Gentian Alkaline (4 fl.oz.)	BPC'49	0.65
7330	Ipecacuanha	BPC	0.72
7867	" (4 fl.oz.)	BPC'63	0.77
9335	" "	BPC'59	0.83
9336	Ipecacuanha and Ammonia(4 fl.oz.)	BPC'59	0.74
9337	Ipecacuanha Ammoniated (4 fl.oz.)	BPC'49	0.80
7518	Ipecacuanha and Squill	PL	0.71
7583	" " "	APF	0.74
9342	" " " (4 fl.oz.)	QVMH	0.94
9345	" " " "	RCHM	0.89
9349	Iron and Ammonium Citrate (4 fl.oz.)	ACH	0.72
9350	" " " "	QVMH	0.64
9352	Kaolin (4 fl.oz.)	APF'55	0.65
9353	" "	BPC'49	0.63

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>MIXTURES FOR CHILDREN - cont.</u>				<u>MIXTURES FOR CHILDREN - cont.</u>		\$
7790	Magnesium Hydroxide	BP	0.80	9393	Potassium Citrate Alkaline(4 fl.oz.)	BPC'49	0.66
9358	" " (4 fl.oz.)	ACH	0.68	9394	Potassium Citrate and Belladonna		
7519	Magnesium Sulphate	PL	0.62		(4 fl.oz.)	SHF	0.68
7584	" "	APF	0.65	9395	" " " " "	BPC'49	0.70
9366	Phenazone and Bromide (4 fl.oz.)	APF '55	0.81	9397	Potassium Citrate, Bromide and		
9367	Phenazone and Potassium Bromide				Belladonna (4 fl.oz.)	QVMH	0.72
	(4 fl.oz.)	QVMH	0.77	7522	Potassium Iodide	PL	0.66
7437	Phenobarbitone	ACH	0.64	7586	" "	APF	0.69
7424	Phenobarbitone Compound	ACH	0.78	7443	" "	ACH	0.73
9369	Phenobarbitone Soluble (4 fl.oz.)	QVMH	0.65	7523	Potassium Iodide and Ephedrine	PL	0.71
7431	Pholcodine	ACH	0.91	7587	" " " "	APF	0.74
7520	Phthalylsulphathiazole	PL	1.31	9402	Potassium Iodide and Stramonium		
7469	"	APF	1.34		(4 fl.oz.)	QVMH	0.71
9372	" (4 fl.oz.)	QVMH	0.86	9403	" " " " "	APF'55	0.75
7438	Potassium Bromide	ACH	0.74	7329	Rhubarb Compound	BPC	0.69
9379	" " (4 fl.oz.)	BPC'59	0.67	9405	" " (4 fl.oz.)	BPC'63	0.77
9380	Potassium Bromide and Belladonna			7418	Rhubarb and Soda	ACH	0.68
	(4 fl.oz.)	BPC'54	0.71	9408	" " " (4 fl.oz.)	QVMH	0.63
7442	Potassium Bromide and Chloral	ACH	0.82	9409	" " " "	APF'55	0.73
9382	" " " "(4 fl.oz.)	QVMH	0.70	7524	Sodium Aminosalicylate	PL	1.12
9386	Potassium Chloride (4 fl.oz.)	ACH	0.69	7468	" "	APF	1.15
7521	Potassium Citrate	PL	0.75	7525	Sodium Citrate	PL	0.75
7585	" "	APF	0.78	7588	" "	APF	0.78
7428	" "	ACH	0.74	9414	Sodium Citrate and Sodium		
9388	" " (4 fl.oz.)	QVMH	0.71		Bicarbonate (4 fl.oz.)	QVMH	0.65
9392	" " "	BPC'59	0.81				

<u>MIXTURES FOR CHILDREN - cont.</u>				<u>NASAL INSTILLATIONS</u>			
9415	Sodium Salicylate (4 fl.oz.)	ACH	0.68	MAXIMUM QUANTITY 15 ml.			
9416	" " "	QVMH	0.73	2 Repeats			
9417	" " "	ACH'46	0.67				
9418	" " "	APF'55	0.69	9432	Adrenaline (1/2 fl.oz.)	APF'55	0.66
9419	Sodium Sulphate (4 fl.oz.)	ACH	0.68	9433	Adrenaline and Ephedrine(1/2 fl.oz.)	APF'55	0.69
9423	Squill and Ammonia (4 fl.oz.)	QVMH	0.86	9434	Aminacrine Hydrochloride(1/2 fl.oz.)	QVMH	0.64
7467	Succinylsulphathiazole	APF	1.18	9435	Aminacrine Hydrochloride and		
9425	Sulphadiazine (4 fl.oz.)	QVMH	1.03		Phenylephrine Hydrochloride		
7466	Sulphadimidine	APF	1.46		(1/2 fl.oz.)	RMH	0.78
7421	"	ACH	1.29	9440	Chlorbutol Oily (1/2 fl.oz.)	APF'55	0.61
9315	Whooping Cough (4 fl.oz)	QVMH	0.94	7576	Dextrose and Glycerin	PL	0.66
9317	" " "	APF'55	0.91	7576	" " "	APF	0.66
<u>MOUTH WASHES</u>				7574	Ephedrine	PL	0.61
MAXIMUM QUANTITY 200 ml.				7574	"	APF	0.61
1 Repeat				7889	"	RAHP	0.61
				9441	" (1/2 fl.oz.)	BPC'63	0.59
				9445	" "	QVMH	0.59
8510	Formaldehyde (8 fl.oz.)	BPC'59	0.63	9446	" 0.5%(1/2 fl.oz.)	SHF	0.75
8513	Hydrogen Peroxide (8 fl.oz.)	QVMH	0.67	9450	Ephedrine and Aminacrine		
8516	Phenol (8 fl.oz.)	RMH	0.72		(1/2 fl.oz.)	QVMH	0.65
8518	Phenol Alkaline (8 fl.oz)	BPC'63	0.68	9454	Ephedrine Oily (1/2 fl.oz.)	APF'55	0.64
7456	Thymol Compound	APF	1.37	7455	Phenylephrine	APF	0.64
8527	" " (8 fl.oz.)	QVMH	0.70	9467	Phenylephrine Aqueous (1/2 fl.oz.)	ACH	0.65
7627	Thymol Red	APF	1.17	7454	Phenylephrine Strong	APF	0.72
				9470	Silver Protein and Ephedrine	APF	0.77
				9472	Silver Protein Mild (1/2 fl.oz.)	APF'55	0.77
				9472	" " " "	SHF	0.77
				9473	Sulphadiazine Compound (1/2 fl.oz.)	APF'55	0.77

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>OINTMENTS</u>		\$		<u>OINTMENTS - cont.</u>		\$
	MAXIMUM QUANTITY 100 G.			9528	Camphor Hard (4 oz.)	BPC'49	0.87
	1 Repeat			9633	Castor Oil (4 oz.)	ACH	1.47
				9535	Cod Liver Oil	APF	1.07
9475	Adrenaline Anaesthetic (4 oz.)	QVMH	1.08	9533	" " " (4 oz.)	ACH'46	0.84
9477	Adrenaline and Chlorbutol (4 oz.)	RMH	2.84	9537	" " " "	QVMH	0.85
9631	Aseptic Surgical (4 oz.)	BPC'49	1.45	9539	Cod Liver Oil with Aminacrine	APF	1.18
9505	Benzocaine (4 oz.)	QVMH	1.26	9540	Cod Liver Oil and Yellow Soft		
7453	Benzocaine and Adrenaline	APF	2.26		Paraffin (4 oz.)	RMH	0.89
9507	" " "	RAHP	1.28	7452	Dithranol	APF	0.77
9506	Benzocaine Compound	BPC	1.84	9542	Dithranol Compound Strong(4 oz.)	APF'55	1.45
9497	Benzoic Acid Compound	PL	1.24	9543	Dithranol Compound Weak (4 oz.)	APF'55	1.17
9497	" " "	APF	1.24	7451	Dithranol Strong	APF	1.02
9497	" " "	BPC	1.24	9545	" " "	BP	1.02
9497	" " "	SHF	1.24	9545	" " (4 oz.)	BPC'49	1.11
9498	" " " (4 oz.)	ACH	0.89	7918	Emulsifying	PL	1.18
9501	Benzoic Acid Full Strength(4 oz.)	RCHM	0.91	7918	"	APF	1.18
9502	Benzoic Acid Half Strength (4 oz.)	RCHM	0.85	7918	"	BP	1.18
9503	Benzoic Acid and Salicylic Acid			9547	Emulsifying Hydrous (4 oz.)	QVMH	0.88
	(4 oz.)	QVMH	0.88	9548	Eucalyptus (4 oz.)	BPC'49	0.89
7887	Boric Acid (4 oz.)	BPC'63	1.52	9549	Formaldehyde (4 oz.)	RMH	1.03
9516	Boric Acid Yellow (4 oz.)	BPC'49	0.79	9550	Gall with Opium (4 oz.)	BPC'63	4.78
9519	B.O.Z. (4 oz.)	QHP	1.29	9551	Glycerin of Acid Boric (4 oz.)	QVMH	0.87
9521	Cade Oil (4 oz.)	ACH	1.16	9552	Glycerin of Lead Subacetate (4 oz.)	BPC'49	1.58
9522	" " "	BPC'49	1.16	9553	" " " " "	RMH	1.15
9526	Calamine (4 oz.)	BPC'63	0.81	7919	Hamamelis	BPC	1.81

<u>OINTMENTS - cont.</u>	
7570	Hamamelis Compound
7570	" "
9557	Hydrous Wool Fat
9559	Ichthammol
7921	Iodine Non Staining
9563	Iodine Non Staining with Methylsalicylate
9564	Iodine Stainless
9562	Iodine Stainless with Methylsalicylate
9565	Iodised (4 oz.)
9567	Iodised with Methylsalicylate(4 oz.)
9568	Kaolin (4 oz.)
9570	Lead Subacetate (4 oz.)
7571	Menthol Compound
7572	Menthol Solid Application
8587	Menthol Solid Inhalation
9576	Methyl Salicylate
9577	Methyl Salicylate Compound (4 oz.)
9578	Methyl Salicylate Dilute (4 oz.)
7924	Paraffin
9580	" (4 oz.)
9582	Parenol (4 oz.)
9586	Resorcinol (4 oz.)
9587	Resorcinol Compound (4 oz.)
9592	Resorcinol and Sulphur Compound
9592	" " " "
7926	Salicylic Acid
7926	" "

PL	1.18
APF	1.18
BPC	0.90
BPC	0.96
BPC	0.94
BPC	0.61
APF	1.32
APF	1.32
ACH	1.02
ACH	1.06
BPC'49	0.79
BPC'49	0.96
APF	1.42
APF	1.10
APF	1.11
BPC	1.40
APF'34	1.27
BPC'49	1.14
BP	1.32
QVMH	0.82
BPC'49	0.80
BPC'49	1.45
APF'55	1.36
PL	1.08
APF	1.08
PL	1.49
APF	1.49

<u>OINTMENTS - cont.</u>	
7926	Salicylic Acid
9604	Salicylic Acid and Sulphur
9595	" " " " (4 oz.)
9597	" " " " "
9598	" " " " "
9599	" " " " "
9600	" " " " "
7327	" " " " "
9602	" " " " (4 oz.)
9606	Salicylic Acid and Sulphur for Children (4 oz.)
9607	Salicylic Acid and Sulphur - Dilute (4 oz.)
9608	Salicylic Acid and Sulphur - Strong (4 oz.)
7927	Simple
7927	"
7927	"
9610	" (4 oz.)
7929	Sulphur
7929	"
7929	"
9612	Tannic Acid (4 oz.)
7450	Wool Alcohols
7930	" " (4 oz.)
7896	Zinc
7899	Zinc and Castor Oil
7899	" " " "
7899	" " " "
BP	1.49
RAHP	0.78
QVMH	0.88
ACH	0.82
APF'47	1.07
RMH	1.06
SHF	1.06
BPC	1.22
BPC'63	1.24
QVMH	0.87
RCHM	0.92
RCHM	0.93
PL	0.99
APF	0.99
BP	0.99
QVMH	0.84
PL	1.13
APF	1.13
BP	1.13
BPC'49	1.38
APF	1.05
BP	1.18
BP	1.03
PL	1.26
APF	1.26
BP	1.26

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>OINTMENTS</u> - cont.		\$		<u>PAINTS</u> - cont.		\$
7573	Zinc and Coal Tar	APF	0.77	9649	Chloral Camphorated (1 fl.oz.)	BPC'49	0.81
9613	Zinc and Lime (4 oz.)	QVMH	0.86	9651	Chloral Compound (1 fl.oz.)	BPC'49	1.14
9614	Zinc, Lime and Benzoin (4 oz.)	QVMH	0.90	9723	Clove, Menthol and Phenol		
9622	Zinc and Starch (4 oz.)	QVMH	0.79		Toothache Drops (1 fl.oz.)	RMH	2.04
7720	Zinc and Tar (4 oz.)	APF'55	0.82	9653	Crystal Violet (1 fl.oz.)	SHF	0.57
9623	" " " "	QVMH	0.92	9654	" " "	ACH	0.60
9624	" " " "	RCHM	0.90	7560	Crystal Violet Alcoholic	APF	0.61
9630	" " " "	RMH	1.19	7561	Crystal Violet Compound	APF	0.67
7527	Zinc Oxide	PL	1.03	9656	" " " (1 fl.oz.)	ACH	0.61
7527	" "	APF	1.03	9656	" " " "	BPC'54	0.61
9618	Zinc Oxide and Benzoin (4 oz.)	BPC'49	1.26	9657	Crystal Violet in Spirit (1 fl.oz.)	QVMH	0.62
				9658	Crystal Violet in Water (1 fl.oz.)	QVMH	0.58
	<u>PAINTS</u>			7562	Ichthammol	PL	0.83
	MAXIMUM QUANTITY 25 ml.			7562	"	APF	0.83
	1 Repeat			9663	" (1 fl.oz.)	ACH	0.73
				7563	Iodine	APF	0.64
9683	B.F.R. (1 fl.oz.)	RCHM	0.83	7564	Iodine Compound	APF	0.75
9635	Benzoic Acid Compound (1 fl.oz.)	ACH	0.62	7326	" "	BPC	0.73
9635	" " " "	ACH'46	0.62	9666	" "	RAHP	0.75
9637	Benzoin (1 fl.oz.)	ACH	0.74	9666	" " (1 fl.oz.)	BPC'63	0.75
9638	Blue (1 fl.oz.)	APF'55	0.63	9669	" " "	SHF	0.75
9639	Blue - Bonney's (1 fl.oz.)	ACH	0.63	9670	Iodine Ophthalmic (1 fl.oz.)	ACH	0.69
9639	" " " "	SHF	0.63	7565	Magenta	PL	0.80
9640	Blue Aqueous (1 fl.oz.)	ACH	0.62	7565	"	APF	0.80
7696	Brilliant Green (1 fl.oz.)	ACH	0.62	7325	"	BPC	0.68
9643	" " " "	QVMH	0.59	9671	" (1 fl.oz.)	ACH	0.70

<u>PAINTS - cont.</u>			
9671	Magenta (1 fl.oz.)	BPC'63	0.70
9671	" "	SHF	0.70
9672	Magenta and Resorcinol	RAHP	0.70
9673	" " " (1 fl.oz.)	APF'55	0.71
9675	" " " "	RMH	0.72
9681	Phenol and Camphor (1 fl.oz.)	QVMH	0.81
9682	" " " "	BPC'49	0.84
7566	Podophyllin	PL	0.93
7566	"	APF	0.93
9684	" (1 fl.oz.)	SHF	1.11
9685	" "	QVMH	1.21
9686	" "	BPC'49	1.27
9687	Podophyllin Alcoholic (1 fl.oz.)	ACH	1.11
7324	Podophyllin Compound	BPC	1.24
9688	" " (1 fl.oz.)	BPC'63	1.24
9689	Podophyllin Oily (1 fl.oz.)	ACH	1.27
9690	Podophyllin Resin (1 fl.oz.)	RMH	1.11
7567	Podophyllin Strong	PL	1.18
7567	" "	APF	1.18
9691	Potassium Iodine in Spirit (1 fl.oz.)	SHF	0.68
7568	Salicylic Acid	PL	0.68
7568	" "	APF	0.68
9699	" "	RAHP	0.69
9698	Salicylic Acid and Formalin (1 fl.oz.)	ACH	0.60
9701	Salicylic Acid Green (1 fl.oz.)	APF'55	0.64
9702	" " " "	QVMH	0.67

<u>PAINTS - cont.</u>			
9704	Silver Nitrate (1 fl.oz.)	RMH	1.01
9705	" " "	ACH'46	1.07
9706	" " "	ACH	1.05
9707	" " "	QVMH	1.07
9708	" " "	SHF	1.18
9710	" " 1% (1 fl.oz.)	SHF	0.68
9713	Silver Nitrate Ethereal	RAPH	1.04
9712	Silver Nitrate - for Eyes(1 fl.oz.)	SHF	0.74
9721	Tar and Benzoin (1 fl.oz.)	QVMH	0.70
9726	Violet Compound (1 fl.oz.)	QVMH	0.68
<u>PAROGEN</u>			
MAXIMUM QUANTITY 100 ml.			
2 Repeats			
9729	Analgesic (4 fl.oz.)	APF'34	1.46
<u>PASTES</u> (Unna's Excepted)			
MAXIMUM QUANTITY 100 G.			
1 Repeat			
9733	Aluminium Acetate (4 oz.)	ACH	1.17
7555	Coal Tar	PL	0.99
7555	" "	APF	0.99
9739	" "	RAHP	0.78
9739	" "	ACH	0.78
9738	" "	BPC	1.00
9744	Dithranol (4 oz.)	SHF	1.22

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>PASTES</u> - cont.		\$		<u>PASTES</u> - cont.		\$
7556	Dithranol and Zinc	PL	1.02	7559	Zinc Oxide and Salicylic Acid	PL	0.95
7556	" " "	APF	1.02	7559	" " " " "	APF	0.95
7557	Dithranol and Zinc Strong	PL	1.27	9773	" " " " "	BP	0.95
7557	" " " "	APF	1.27	9773	" " " " "(4 oz.)	BPC'49	1.05
9745	Kaolin (4 oz.)	QVMH	0.82				
9746	Magnesium Sulphate (4 oz.)	QVMH	0.94		<u>PESSARIES</u>		
9747	" "	BPC	0.87		MAXIMUM QUANTITY 12		
9749	" " (4 oz.)	ACH	0.78		1 Repeat		
9752	" " "	BPC'49	0.96				
9753	Resorcinol Compound (4 oz.)	BPC'49	1.59	9776	Aminacrine	APF'55	0.83
9754	Resorcinol Compound Mild (4 oz.)	BPC'49	1.20	9778	Crystal Violet	QVMH	0.84
7323	Resorcinol and Sulphur	BPC	1.21	9779	" "	APF'55	0.79
9755	" " " (4 oz.)	BPC'63	1.40	9780	Ichthammol	APF'55	0.77
9756	Stearic Acid (4 oz.)	BPC'54	0.67	9782	"	BPC	1.03
9757	Tannic Acid (4 oz.)	BPC'49	0.82	9783	Lactic Acid	QVMH	1.01
7478	Titanium Dioxide	PL	0.85	9785	" "	BPC	1.07
7478	" " "	APF	0.85	9785	" "	RMH	1.07
9760	Tragacanth Compound (4 oz.)	BPC'54	0.82	9786	Prorlavine Hemisulphate	BPC'49	1.12
9761	Zinc (4 oz.)	ACH	0.88				
9763	Zinc with Coal Tar (4 oz.)	ACH'46	0.94		<u>POWDERS DUSTING</u>		
7558	Zinc Compound	PL	0.98		MAXIMUM QUANTITY 100 G.		
7558	" "	APF	0.98		1 Repeat		
7558	" "	BP	0.98				
9767	Zinc Oxide (4 oz.)	RMH	0.88	9829	Astringent (4 oz.)	QVMH	0.78
7528	Zinc Oxide and Coal Tar (4 oz.)	BPC'59	0.80	7551	Benzocaine	APF	1.17
9772	Zinc Oxide and Iodoform (4 oz.)	BPC'49	2.31	9832	" (4oz.)	RMH	1.29

<u>POWDERS DUSTING - cont.</u>	
9834	Boric Acid and Starch (4 oz.)
7552	Boric Talc
7552	" " "
9835	" " (4 oz.)
7526	Chlorbutol Compound
9837	" " "
9841	Dicophane
9841	"
9841	"
9839	" (4 oz.)
9840	" " "
9845	Kaolin (4 oz.)
9847	Kaolin Compound
9847	" " "
7553	Salicylic Acid Compound
7553	" " "
7553	" " "
9853	" " " (4 oz.)
9854	" " " "
9856	Starch Compound (4 oz.)
9857	" " "
7554	Zinc Compound
7554	" " "
7554	" " "
9867	Zinc Oxide and Boric Acid (4 oz.)
9868	Zinc Oxide and Salicylic Acid
9869	Zinc Oxide and Starch (4 oz.)
9869	" " " " "

BPC'54	0.79
PL	0.73
APF	0.73
BPC'54	0.79
APF	1.02
RAHP	0.95
PL	0.81
APF	0.81
BPC	0.81
ACH'46	0.86
SHF	0.76
QVMH	0.79
PL	0.75
APF	0.75
PL	0.73
APF	0.73
BPC'63	0.73
ACH'46	1.10
ACH	0.80
ACH'46	0.80
ACH	0.80
PL	0.76
APF	0.76
BPC'63	0.76
BPC'49	0.79
BPC	0.79
BPC'49	0.79
QVMH	0.79

<u>POWDERS DUSTING - cont.</u>	
9870	Zinc Oxide and Starch Compound (4 oz.)
9872	" " " " " "
7888	Zinc Oxide and Talc (4 oz.)
9869	Zinc and Starch
9874	" " " (4 oz.)
9873	Zinc, Starch and Camphor (4 oz.)
<u>POWDERS - INTERNAL USE</u>	
MAXIMUM QUANTITY 100 G.	
2 Repeats	
7477	Aluminium and Magnesium Trisilicate
7477	" " " "
9795	Antacid (4 oz.)
9807	Calcium and Kaolin (4 oz.)
9808	Calcium and Magnesium with Soda (4 oz.)
9811	Chalk and Sodium Bicarbonate (4 oz.)
9812	Dextrose Effervescent (4 oz.)
9813	Kaolin and Calcium Compound (4 oz.)
9814	Kaolin and Calcium - A Compound (4 oz.)
9815	" " " - B Compound(4oz.)

BPC'49	0.79
RMH	0.81
RCHM	0.79
RAHP	0.75
QVMH	0.79
QVMH	0.84
PL	0.89
APF	0.89
APF'55	0.75
APF'55	0.77
QVMH	0.78
SHF	0.73
QVMH	0.82
QVMH	0.77
RMH	0.79
RMH	0.77

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>POWDERS - INTERNAL USE - cont.</u>		\$		<u>SOAPS</u>		\$
9816	Kaolin Compound (4 oz.)	BPC'63	0.81		MAXIMUM QUANTITY 200 ml.		
7547	" " "	APF	0.79		1 Repeat		
7549	Magnesium and Calcium Carbonate	PL	0.83				
7549	" " " "	APF	0.83	9887	Alcoholic (8 fl.oz.)	QVMH	1.19
9821	Magnesium Carbonate Compound	BPC	0.73	9890	Alcoholic Fresh (8 fl.oz.)	ACH'46	1.32
9824	Magnesium Trisilicate Compound	BPC	0.79	9891	Alcoholic Soap Shampoo (8 fl.oz.)	RMH	1.05
9826	Sodium Salicylate and Bicarbonate (4 oz.)	APF'55	0.91	9892	Ether (8 fl.oz.)	QVMH	0.75
				9893	" "	RMH	1.38
				7803	Ethereal (8 fl.oz.)	APF'55	1.38
	<u>POWDERS - INDIVIDUAL</u>			9896	Spirit (8 fl.oz.)	ACH	1.34
	MAXIMUM QUANTITY 12			9896	"	BPC	1.24
	1 Repeat			9897	Spirit Industrial Methylated (8 fl.oz.)	ACH	1.32
9881	Aspirin and Dover's Powder	APF'55	0.75	9897	" " "	BPC	1.22
				9901	Thymol	RAHP	1.19
	<u>POWDERS - IRRIGATION</u>				<u>SOLUTIONS</u>		
	MAXIMUM QUANTITY 100 G.				MAXIMUM QUANTITY 200 ml.		
	1 Repeat				2 Repeats		
7546	Alkaline Nasal Douche	APF	0.72				
8611	" " " (4 oz.)	SHF	0.75	9903	Aminacrine (8 fl.oz.)	BPC'49	0.85
8613	Borax Compound for Nasal Douche (4 oz.)	ACH	0.73	9908	Benedict's Qualitative	APF	1.11
8613	" " " " " "	BPC'59	0.73	7538	Calcium Hypochlorite	APF	0.68
8614	Ringer's Douche (4 oz.)	QVMH	0.91	9914	Calcium Hydroxide Saccharated (8 fl.oz.)	BPC'49	0.61

<u>SOLUTIONS - cont.</u>				<u>SPRAYS</u>			
MAXIMUM QUANTITY 25 ml.				MAXIMUM QUANTITY 15 ml.			
No Repeats				2 Repeats			
9915	Cetrimide (8 fl.oz.)	ACH	0.69				
7449	Cetrimide and Chlorhexidine	APF	0.82				
9916	Cetrimide Alcoholic (8 fl.oz.)	APF'55	0.86				
7700	Chlorbutol Water (8 fl.oz.)	ACH	0.67	9942	Adrenaline (1/2 fl.oz.)	BPC'54	0.63
7539	Eucalyptus Saponaceous	APF	1.33	9943	" "	APF'55	0.66
7691	Hypochlorous Acid (8 fl.oz.)	ACH'46	0.65	7476	Adrenaline and Atropine	PL	1.27
9920	" " "	ACH	0.89	7476	" " "	APF	1.27
7922	Iodine Aqueous - Lugol's	BP	2.05	9945	Adrenaline and Atropine Compound		
7923	Iodine Weak	BP	1.59		(1/2 fl.oz.)	BPC'54	2.69
9929	Methylene Blue (8 fl.oz.)	ACH	0.97	9946	Adrenaline and Ephedrine(1/2 fl.oz.)	APF'55	0.69
9930	" " "	SHF	3.14	9947	Adrenaline Strong (1/2 fl.oz.)	APF'55	2.32
9933	Phenol 1-20 (8 fl.oz.)	SHF	0.71	9952	Ephedrine (1/2 fl.oz.)	APF'55	0.61
9934	Potassium Permanganate (8 fl.oz.)	ACH'46	0.63	9955	Ephedrine Aqueous (1/2 fl.oz.)	BPC'49	0.59
9935	Proflavine (8 fl.oz.)	BPC'49	0.75	9961	Eucalyptol Compound (1/2 fl.oz.)	BPC'54	0.67
7540	Soap Alcoholic	APF	1.11	9963	Menthol and Thymol Compound		
9926	Sulphurated Lime (8 fl.oz.)	BPC'49	0.60		(1/2 fl.oz.)	BPC'54	0.63
9939	Trichloroacetic Acid (8 fl.oz.)	ACH	8.74				
9941	Zinc Sulphate (8 fl.oz.)	ACH	0.73				
<u>SPIRITS</u>				<u>SUPPOSITORIES</u>			
MAXIMUM QUANTITY 25 ml.				MAXIMUM QUANTITY 12			
No Repeats				1 Repeat			
				9966	Adrenaline	BPC'49	2.46
				9967	Adrenaline and Cocaine	BPC'49	2.94
8270	Anise Compound (1 fl.oz.)	APF'55	1.05	7871	Aminophylline	BPC	1.08
7701	Chloroform Concentrated (1 fl.oz.)	ACH	0.63	9968	"	ACH	0.81
8271	Ether (1 fl.oz.)	BP'53	0.61	9971	Benzocaine and Adrenaline	APF'55	2.51
8273	Tragacanth (1 fl.oz.)	APF'55	0.69	9976	Cocaine	BPC'54	1.24
				9978	Ichthammol	BPC'49	0.66

Code No.	ITEM	Reference	Max. Qty. Price	Code No.	ITEM	Reference	Max. Qty. Price
	<u>SUPPOSITORIES</u> - cont.		\$				
9981	Morphine	BPC	1.03				
9983	Tannic Acid	BPC'54	0.78				
	<u>SYRUPS</u>						
	MAXIMUM QUANTITY 100 ml.						
	4 Repeats						
9984	Aromatic (4 fl.oz.)	APF'55	0.85				
9984	" "	QVMH	0.85				
9985	Cascara Aromatic (4 fl.oz.)	BPC'49	1.13				
9987	Chloral	BPC	0.90				
9989	" (4 fl.oz.)	RMH	0.83				
9991	Codeine (4 fl.oz.)	ACH	1.40				
9993	Ipecacuanha (4 fl.oz.)	ACH	1.87				
	<u>TINCTURES</u>						
	MAXIMUM QUANTITY 25 ml.						
	1 Repeat						
9997	Chloroform Compound (1 fl.oz.)	BPC'49	0.69				
	<u>UNNA'S PASTE</u>						
	MAXIMUM QUANTITY 200 G.						
	No repeats						
7898	Gelatin Zinc	BP	2.17				

SECTION 3 - SCHEDULE OF BENEFITS - RESTRICTED BENEFITS AUGUST 1969

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2630	ACETYLCYSTEINE To be endorsed "S.P." Solution 20%, 10 ml.	5	3	\$ 10.55	BD, MJ
2583	ALDOSTERONE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Injection 500 micrograms	5	..	7.23	CB
2600	ALLOPURINOL To be endorsed "S.P." Oral Tablet 100 mg.	100	2	10.30	BW
2765	ALOXIPRIN To be endorsed with the pension number. Oral Tablet 600 mg.	100	2	2.57	BS
2504	ALUMINIUM ACETYLSALICYLATE To be endorsed with the pension number. Oral Tablet 400 mg.	100	2	1.95	NS
1744	AMINOSALICYLIC ACID To be endorsed "S.P." Oral Tablet 500 mg.	500	2	4.73	DH, ET, KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	AMITRIPTYLINE To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR to be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
2417	Oral Tablet 10 mg.	100	2	2.15 (ex 500)	MK, NS, RO
				2.37 (ex M.P.)	MK, NS, RO
2418	25 mg.	100	2	3.81 (ex 500)	MK, NS, RO
				4.30 (ex M.P.)	MK, NS, RO
2672	Injection 25 mg. per ml., 2 ml.	10	..	2.47	RO
	AMPHOTERICIN B To be endorsed "S.P."				
1047	Injection 50 mg. (solvent required)	1	..	4.23	SQ
	AMPICILLIN To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2462	Oral Tablet 125 mg.	25	1	3.98	BR, CS
1048	Oral Capsule 250 mg.	25	1	6.70	BR, CS
2671	500 mg.	25	1	12.59	BR, CS

Oral Paediatric Suspension					
2646	125 mg. per 5 ml., 100 ml.	1	..	4.35	BR
2644	Injection 100 mg. (solvent required)	5	..	*3.15	BR
2389	250 mg. (solvent required)	5	..	*5.10	BR
				5.10	CS
2390	500 mg. (solvent required)	5	..	8.03	CS
				*8.05	BR
ASCORBIC ACID					
To be endorsed with the pension number.					
1077	Oral Tablet 25 mg.	100	2	0.57	AD, DH, FA, HY, KL, PR, RT(V), RY, SI
1078	50 mg.	100	2	0.73	AD, DH, FA, HY, KL, NY, PD, PR, RT(V), RY, SI, SL(N)
1081	500 mg.	100	..	2.50	HY, KL
ASPIRIN					
To be endorsed with the pension number.					
1007	Oral Tablet 150 mg.	100	2	0.70	KL
1008	300 mg.	100	2	0.54	KL, RY
1009	Soluble 150 mg.	100	2	0.97	KL, NB
1010	300 mg.	100	2	0.85	DH, MG, RT(V), RY, VR
				0.90	BW, KL, NB, RC
				0.91	HA
				(ex 500)	
				1.07	BW, DH, HA, KL, MG, NB, RC, RT(V), RY, VR
				(ex M.P.)	

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1012	ASPIRIN with PARACETAMOL and CAFFEINE To be endorsed with the pension number. Oral Tablet 225 mg.-150 mg.-30 mg.	100	2	\$ 0.67 0.70	RT(V), RY KL, SI
1116	BETAMETHASONE To be endorsed "S.P."	5	..	*6.95	GL, SH
2694	Injection 4 mg. in 1 ml. 6 mg. in 1 ml. * * *	5	..	9.97	SH
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2815	Oral Tablet 0.25 mg.	30	..	1.10	GL
1117	0.5 mg.	30	..	1.63	GL, SH
2845	Syrup 0.5 mg. per ml., 30 ml.	‡1	..	2.23	SH
2816	BETAMETHASONE with CLIOQUINOL To be endorsed "S.P." Ear Ointment 0.1% - 3%, 5 G.	‡1	..	1.34	GL
2751	BUCLOSAMIDE with SALICYLIC ACID To be endorsed "S.P." Ointment 10%-2%, 20 G.	‡1	..	1.15	AH

BUCLOSAMIDE with SALICYLIC ACID and HYDROCORTISONE To be endorsed "S.P."					
2752	Ointment 10%-2%-0.5%, 5 G.	\$1	..	1.10	AH
BUSULPHAN To be endorsed "S.P."					
1127	Oral Tablet 0.5 mg.	100	2	2.57	BW
1128	2 mg.	100	2	4.03	BW
CALCIFEROL To be endorsed with the pension number OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
1134	Oral Tablet 1.25 mg. (50,000 Units)	100	2	2.41	GL
2500	Oral Solution 15 mg. (600,000 Units) in 1.5 ml. alcoholic solution	3	..	1.50	RL
CALCIUM AMINOSALICYLATE (Calcium PAS) To be endorsed "S.P."					
1139	Oral Tablet 500 mg.	500	2	4.57	KL
1137	Cachet 1.5 G.	500	2	13.97	KL
1138	2 G.	500	2	20.63	KL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CARBAMAZEPINE			\$	
2419	To be endorsed "S.P." Oral Tablet 200 mg.	200	1	12.17	GE
	CHLORAMBUCIL				
1163	To be endorsed "S.P." Oral Tablet 2 mg.	100	2	*6.18	BW
1164	5 mg.	100	2	*9.90	BW
	CHLORAMPHENICOL				
1173	To be endorsed "S.P." Oral Capsule 125 mg.	16	..	1.13	KL, PD, PT
1174	250 mg.	16	..	1.17	IP
				1.30	KL, PT
				1.36	CS, CW, EC, PD
				(ex 100)	
				1.37	IP
				1.66	KL, PT
				1.70	CS, CW, EC, PD
				(ex M.P.)	
2693	Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	‡1	..	1.86	EC, PD
1166	Injection 250 mg. per ml., 2 ml.	5	..	3.06	PD
1167	1 G. (solvent required)	3	..	*4.23	CW
				*4.89	EC, PD
2385	Paediatric Injection 250 mg. (solvent required)	3	..	*3.03	PD

CHLOROTRIANISENE					
To be endorsed "S.P."					
1188	Oral Tablet 24 mg.	30	2	4.06	ML
CHLORPROMAZINE					
To be endorsed with the pension number OR					
tranquilliser certificate number and "S.P." OR					
be endorsed "S.P." and be accompanied by an					
authority from the Commonwealth Director					
of Health.					
1196	Oral Tablet 10 mg.	100	2	1.13	KL, UW(NWS)
				1.17	MB, PT
1197	25 mg.	100	2	1.54	KL, NB, UW(NWS)
				1.61	MB, PT
				(ex 500)	
				1.57	KL, NB, UW(NWS)
				1.63	MB, PT
				(ex M.P.)	
1198	50 mg.	100	2	2.83	KL, NB, UW(NWS)
				2.97	MB, PT
1199	100 mg.	100	2	5.10	KL, NB, UW(NWS)
				5.37	MB, PT
1201	Syrup 25 mg. per 5 ml., 125 ml.	‡1	4	0.94	KL
				0.97	MB
1193	Injection 1%, 5 ml.	10	..	1.90	MB
1194	2.5%, 1 ml.	10	..	1.23	MB
1195	2.5%, 2 ml.	10	..	1.50	KL, UW(NWS)
				1.63	MB
1200	Suppository 100 mg.	5	1	1.17	MB

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CHLORTETRACYCLINE To be endorsed "S.P."			\$	
1204	Oral Capsule 100 mg.	25	..	1.93	LE
1205	250 mg.	16	..	2.46	KL, LE, LF
	CLOFIBRATE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2819	Oral Capsule 250 mg.	50	..	2.97	IC
	CODEINE PHOSPHATE with ASPIRIN To be endorsed with the pension number.				
1217	Oral Tablet 10 mg.-300 mg.	100	2	1.07	CA, KL
				1.10	BW, EL
2758	10 mg.-500 mg.	100	2	1.37	FA
1218	Soluble 10 mg.-300 mg.	100	2	1.50	BW, CA, FM, KL, NB
1219	10 mg.-500 mg.	100	2	1.49	FA
				1.53	RC
				(ex 500)	
				1.61	FA
				1.66	RC
				(ex M.P.)	
	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL To be endorsed with the pension number.				
1215	Oral Tablet 8 mg.-250 mg.-250 mg.	100	2	0.97	HA, RT(V), RY

				1.09	AD
				1.10	SI
				1.18	DH
				1.22	BW, KL, VR
1220	10 mg.-250 mg.-250 mg.	100	2	1.35	WL
				1.37	SI
1216	Soluble 8 mg.-250 mg.-250 mg.	100	2	1.50	HA
				1.58	BW, DH, KL
	CODEINE PHOSPHATE with ASPIRIN, PARACETAMOL and CAFFEINE To be endorsed with the pension number.				
1221	Oral Tablet 12 mg.-250 mg.-150 mg.-15 mg.	100	2	1.77	GP
1222	30 mg.-225 mg.-150 mg.-30 mg.	50	..	1.47	WL
				1.53	GP
				1.54	BW
	COD LIVER OIL For children and pensioners - to be endorsed "S.P." OR with the pension number.				
1225	†Emulsion 50%, 450 ml.	1	4	†0.57	DH, WD(N)
1226	(with instructions for use)				DH, WD(N)
	COLISTIN To be endorsed "S.P."				
2621	Injection I.M. 150 mg. (solvent required)	5	..	*34.45	WW

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	CORTICOTROPHIN (ACTH) To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Injection S.C. or I.M.			\$	
2357	10 Units (solvent required)	5	..	*3.10	AR
1230	Set containing 10 Units and diluent	5	..	4.46	CS
1231	Set containing 20 Units and diluent	5	..	8.07	CS
1232	25 Units (solvent required)	5	..	*5.65	AR
2538	40 Units (solvent required)	5	..	*8.30	AR
	Gelatin Injection B.P.				
1237	50 Units in 1 ml.	5	..	19.19	CS
1238	20 Units per ml., 5 ml.	5	..	*26.30	AR, CK, CS
1239	40 Units per ml., 5 ml.	5	..	*40.05	AR
		5	..	*40.30	CK, CS, SC
	Zinc Hydroxide Injection B.P.				
1242	40 Units per ml., 5 ml.	5	..	*40.30	OR
	CORTISONE ACETATE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1246	Oral Tablet 5 mg.	50	..	1.50	MK, PT
1247	25 mg.	40	..	4.46	PT
				4.50	BT, DH, ET, KL, MK, PD, RL

1243	Injection 25 mg. per ml., 10 ml.	1	..	2.37	RL
	CYANOCOBALAMIN (B12) To be endorsed "S.P."				
1258	Injection 100 micrograms in 1 ml.	5	1	1.07	PT
				1.10	DH
				1.11	KL
				1.23	BT, GL
1259	100 micrograms per ml., 10 ml.	1	..	1.30	PT
				1.37	DH, GL, KL, MJ, SU(N)
1262	1,000 micrograms in 1 ml.	5	..	2.43	KL
				*2.65	PT
				*3.10	GL
				3.30	DH
	DEMETHYLCHLORTETRACYCLINE (DMChlortetracycline) To be endorsed "S.P."				
1277	Oral Capsule 150 mg.	14	..	2.23	LE
				(ex 100)	
				2.46	LE
				(ex M.P.)	
1278	Oral Paediatric Drops 60 mg. per ml., 10 ml.	‡1	..	1.02	LE
1279	Paediatric Syrup 75 mg. per 5 ml., 100 ml.	‡1	..	2.07	LE

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	DEMETHYLCHLORTETRACYCLINE with NYSTATIN			\$	
2574	To be endorsed "S.P." Oral Capsule 150 mg.-250,000 Units	14	..	2.23 (ex 100)	LE
				2.46 (ex M.P.)	LE
	DEOXYCORTONE				
1287	To be endorsed "S.P." Oral Tablet 1 mg.	40	..	3.50	CB
				3.53	OR
1288	5 mg.	20	..	6.70	CB
1280	Aqueous Injection 5 mg. in 1 ml.	5	..	4.50	CB
1281	10 mg. per ml., 5 ml.	1	..	*6.80	SC
				7.30	CB
1282	Aqueous Suspension Injection 25 mg.	1	..	4.17	CB
1283	Oily Injection 5 mg.	5	..	*3.98	SC
1284	10 mg.	5	..	6.14	CB
1285	10 mg. per ml., 10 ml.	1	..	11.43	CB
1286	Imolant 100 mg.	1	..	8.97	OR
	DEXAMETHASONE				
	To be endorsed "S.P."				
2509	Injection 4 mg. in 1 ml.	5	..	*7.75	MK
1290	5 mg. in 1 ml.	5	..	*8.65	OR
1291	4 mg. per ml., 2 ml.	5	..	*13.65	MK

	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1292	Oral Tablet 0.5 mg.	30	..	4.77 5.23 *5.23	PT LT, MK, OR, SC, SH RL
	DEXTROMORAMIDE				
	To be endorsed "S.P."				
2702	Oral Tablet 5 mg.	25	..	1.10	FA
2701	Injection 5 mg. in 1 ml.	10	..	*2.56	FA
	DIAZEPAM				
	To be endorsed "S.P."				
2555	Oral Tablet 2 mg.	100	2	3.06	RO
2556	5 mg.	100	2	4.79	RO
2557	10 mg.	100	2	7.30	RO
2559	Paediatric Syrup 2 mg. per 5 ml., 100 ml.	‡1	4	1.73	RO
2558	Injection 10 mg. in 2 ml.	5	..	2.22	RO
	DIENOESTROL				
	To be endorsed with the pension number OR "S.P."				
1306	Oral Tablet 0.3 mg.	100	2	0.59	AD, DH, HA, KL, MG, RT(V), SI, SL(N)
1307	1 mg.	100	2	0.67	AD, DH, HA, KL, RT(V), SI, SL(N)
1308	5 mg.	100	2	0.97	AD, DF, DH, HA, KL, RT(V), SI, SL(N)

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1309	DIENOESTROL - cont. Oral Tablet 10 mg. * * *	100	2	\$ 1.57	DH, HA, KL
1310	To be endorsed with the pension number. Cream 0.01%, 85 G.	1	1	1.06	ET
1483	DIHYDROTACHYSTEROL To be endorsed "S.P." Oral Capsule 0.125 mg.	100	1	10.37	WL
1482	Oral Solution 0.25 mg. per ml., 15 ml.	1	..	3.69	WL
1333	DILOXANIDE FUROATE To be endorsed "S.P." Oral Tablet 500 mg.	30	..	*4.30	BT
2233	DIMETHICONE To be endorsed "S.P." Cream 10%, 50 G.	1	..	1.03	IC
2618	10%, 75 G.	1	..	1.06	HA
2234	10%, 120 G.	1	..	0.89	PD
2232	20%, 20 G.	1	..	0.97	FA
				1.06	SS
2710	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON To be endorsed with the pension number Oral Tablet 50 mg.-50 mg.	100	2	1.14	FM

DISODIUM STILBOESTROL DIPHOSPHATE					
(Sod. Stilboestrol)					
To be endorsed "S.P."					
1353	Oral Tablet 100 mg.	100	2	18.17	MJ
1352	Injection 50 mg. per ml., 5 ml.	10	..	8.74	MJ
DOXYCYCLINE					
To be endorsed "S.P."					
2708	Oral Capsule 100 mg.	5	..	3.34	PF
2709	Oral Paediatric Suspension 10 mg. per ml., 40 ml.	‡1	..	2.46	PF
ERGOTOXINE METHANESULPHONATES					
To be endorsed "S.P."					
2821	Sublingual Tablet 0.25 mg.	100	..	4.97	SZ
2822	Injection 0.3 mg. in 1 ml.	5	..	1.63	SZ
ERYTHROMYCIN					
To be endorsed "S.P."					
1400	Oral Tablet 125 mg.	25	..	2.51	DL, LY, UP
2749	200 mg.	25	..	3.06	AB
1401	250 mg.	16	..	3.16	AB, DL, LY, UP
				(ex 100)	
				3.47	AB, DL, LY, UP
				(ex M.P.)	
1402	Oral Capsule 125 mg.	25	..	2.43	KL
				2.51	AB, DL, LY

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ERYTHROMYCIN - cont.			\$	
1403	Oral Capsule 250 mg.	16	..	3.10	KL
				3.16	AB, DL, FA, LY
				(ex 100)	
				3.37	KL
				3.47	AB, DL, FA, LY
				(ex M.P.)	
2499	Oral Paediatric Drops 100 mg. per ml., 10 ml.	‡1	..	1.43	LY
	Oral Paediatric Suspension				
2425	125 mg. per 5 ml., 100 ml.	‡1	..	2.93	AB, DL, LY
2750	200 mg. per 5 ml., 100 ml.	‡1	..	3.46	AB
2610	250 mg. per 5 ml., 100 ml.	‡1	..	5.05	DL, LY
1395	Injection I.M. 50 mg. per ml., 2 ml.	5	..	5.91	AB
1397	I.V. 1 G. in 50 ml. (solvent required)	1	..	6.70	LY
1398	300 mg. in 10 ml.	5	..	*12.15	AB
	ETHINYLOESTRADIOL				
	To be endorsed with the pension number OR "S.P".				
1405	Oral Tablet 0.01 mg.	50	..	0.70	KL, VR
				0.75	HA
				*0.76	BD, OR
1406	0.02 mg.	50	..	*0.82	BD, OR
				0.89	HA, KL
				0.94	VR
				*1.01	SC
1407	0.05 mg.	50	..	*0.90	BD, OR
				1.10	HA, KL, SH, VR

1408	1 mg.	50	..	4.30	HA, KL
				*4.43	OR
				*4.44	BD
ETHIONAMIDE					
To be endorsed "S.P."					
2308	Oral Tablet 125 mg. (sugar coated)	500	1	35.23	MB
2883	250 mg. (enteric coated)	250	1	25.18	BZ(NWS)
ETHISTERONE					
To be endorsed "S.P."					
1409	Oral Tablet 5 mg.	50	..	2.83	KL, PT, RT(V)
				3.10	SC
				*3.24	VR
1410	10 mg.	50	..	5.10	KL, PT, RT(V)
				*5.64	SC, VR
1411	25 mg.	50	..	9.90	KL, PT
				10.83	SC
				*10.96	VR
ETHYLOESTRENOL					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2370	Oral Tablet 2 mg.	100	..	8.17	OR

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	FLUDROCORTISONE ACETATE			\$	
	To be endorsed "S.P."				
1433	Oral Tablet 0.1 mg.	100	..	4.41	SQ
1434	1 mg.	30	..	10.54	SQ
	FLUMETHASONE with CLIOQUINOL				
	To be endorsed "S.P."				
2823	Ear Drops 0.02%-1%, 7.5 ml.	1	..	1.63	CB
	FLUOROURACIL				
	To be endorsed "S.P."				
2521	Injection 50 mg. per ml., 5 ml.	10	..	10.02	RO
	FLUOXYMESTERONE				
	To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1435	Oral Tablet 5 mg.	100	..	20.10	UP
	FLUPHENAZINE				
	To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2659	Oral Tablet 1 mg.	100	2	3.59	SQ
2660	2.5 mg.	100	2	5.30	SQ

2661	5 mg.	100	2	6.23	SQ
2662	Elixir 0.5 mg. per ml., 60 ml.	‡1	4	1.82	SQ
2664	Injection 2.5 mg. per ml., 10 ml.	1	..	2.34	SQ
FLUPHENAZINE ENANTHATE					
To be endorsed with the tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2663	Injection 25 mg. in 1 ml.	5	..	9.21	SQ
FOLIC ACID					
To be endorsed "S.P."					
1437	Oral Tablet 5 mg.	100	2	1.30	AD, ET, HY, KL, MG, PD, PR, PT, RT(V), RY, SI
1436	Injection 15 mg. in 1 ml.	10	..	2.63 *3.16	FH, KL ET
FRAMYCETIN					
To be endorsed "S.P."					
2391	Oral Tablet 250 mg.	20	..	6.70	RL
FUSIDIC ACID					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
Oral Tablet (Sodium Salt)					
2312	250 mg. (enteric coated)	36	..	46.70	ET
Oral Suspension (Diethanolamine Salt)					
2311	40 mg. per ml., 90 ml.	‡1	..	18.79	ET

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	GOATS' MILK To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
2446	Dehydrated Powder 1/2 lb.	2	12	*3.20	GV
2655	14 oz.	1	12	3.52	JM
2654	1 lb.	1	12	4.00	CI
2656	Whole (sterilised) 14 fl. oz.	12	10	*4.68	TM
	GRISEOFULVIN To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1460	Oral Tablet 125 mg.	100	..	8.30	GL, IC
	HALIBUT LIVER OIL To be endorsed with the pension number.				
1463	Oral Capsule 4,500 Units Vitamin A	100	1	1.90	KL, MG, SL(N)
1464	6,000 Units Vitamin A	100	1	*1.80	CK
	HALOPERIDOL To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2767	Oral Tablet 1.5 mg.	100	2	5.30	SR
2768	Injection 5 mg. in 1 ml.	10	..	8.97	SR

HYDROCORTISONE					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
Injection I.V. (or Rectal Drip)					
1486	5 mg. per ml., 20 ml.	1	..	3.30	PT
	* * *				
To be endorsed "S.P."					
2793	Ear Drops 1%, 10 ml.	‡1	..	1.63	KL
HYDROCORTISONE with NEOMYCIN SULPHATE					
To be endorsed "S.P."					
2794	Ear Drops 1.5%-0.5%, 5 ml.	‡1	..	1.63	KL, UP
2795	Ear Ointment 1.5%-0.5%, 4 G.	‡1	..	1.63	KL, UP
HYDROCORTISONE with PROPANEDIOL DIACETATE and ACETIC ACID					
To be endorsed "S.P."					
2825	Ear Drops 1%-3%-2%, 7.5 ml.	‡1	..	1.63	DN
HYDROCORTISONE ACETATE					
To be endorsed "S.P."					
1498	Injection 25 mg. in 1 ml.	5	..	3.74	PT
				4.74	BT, MK, RL
				4.75	AB

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1501	HYDROCORTISONE SODIUM SUCCINATE			\$	
	To be endorsed "S.P."				
	Injection set containing equivalent of 100 mg. hydrocortisone and solvent.	2	..	*9.58	PT
				*9.74	NR
				*10.22	RM
				*15.24	BT, GL, UP
1510	HYDROXOCOBALAMIN				
	To be endorsed "S.P."				
	Injection 100 micrograms in 1 ml.	5	1	1.21	KL
1511				1.23	GL
	1,000 micrograms in 1 ml.	5	..	*3.10	GL, KL
1513	HYDROXYPROGESTERONE				
	To be endorsed "S.P."				
	Injection 250 mg.	3	..	9.50	SC
				*9.51	RM
2442	IDOXURIDINE				
	To be endorsed "S.P."				
	Eye Drops 0.1%, 15 ml.	‡1	2	3.50	AG, SK
2569	Eye Ointment 0.5%, 5 G.	‡1	..	3.50	SK

IMIPRAMINE					
To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2420	Oral Tablet 10 mg.	100	2	1.90	IP
				1.97	KL, NB, OD
				2.17	PT
				2.43	GE
2421	25 mg.	100	2	3.77	IP
				3.82	UW(NWS)
				4.01	KL, NB
				4.63	PT
				5.10	GE
2719	Injection I.M. 25 mg. in 2 ml.	10	..	3.83	GE
INDOMETHACIN					
To be endorsed "S.P."					
2454	Oral Capsule 25 mg.	50	2	2.99	MK
				(ex 250)	
				3.37	MK
				(ex M.P.)	
2757	Suppository 100 mg.	5	..	1.43	MK
INFLUENZA VACCINE					
To be endorsed with the pension number.					
2851	Injection 1 ml.	2	..	*2.56	CS

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	INSECT ALLERGEN EXTRACT To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
2884	Honey Bee injection set - strengths A, B, C each of 5 ml.	1	..	5.97	CS
2885	Honey Bee injection - D strength 5 ml.	1	..	5.30	CS
	ISONIAZID To be endorsed "S.P."				
1553	Oral Tablet 50 mg.	200	2	*1.10 1.10 1.37 *1.76	AD, SI DH, KL, RY HA RO
1554	100 mg.	100	2	1.30 1.63	AD, DH, KL, RY, SI RO
	ISOPRENALINE HYDROCHLORIDE To be endorsed "S.P."				
2744	Oral Tablet 30 mg. (sustained release)	100	2	5.31	PN
	KANAMYCIN To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2388	Oral Capsule 250 mg.	16	..	5.10	BC
2387	Oral Solution 100 mg. per ml., 30 ml.	1	..	3.90	BC

1562	Injection 250 mg. in 2 ml.	5	..	*5.30	SI
1563	500 mg. in 2 ml.	5	..	*7.65	BC
1564	1 G. in 3 ml.	5	..	*12.30	BC, SI
LEVORPHANOL					
To be endorsed "S.P."					
1569	Oral Tablet 1.5 mg.	50	..	*2.06	RO
1568	Injection 2 mg. per ml., 1.1 ml.	5	..	1.03	RO
LIGNOCAINE					
To be endorsed "S.P."					
2875	Injection 2%, 5 ml.	1	..	1.14	AP
2876	10%, 5 ml.	5	..	4.89	AP
LINCOMYCIN					
To be endorsed "S.P."					
2738	Oral Capsule 250 mg.	24	..	6.11	UP
2529	500 mg.	12	..	6.11	UP
2582	Paediatric Syrup 250 mg. per 5 ml., 60 ml.	‡1	..	4.74	UP
2530	Injection 600 mg. in 2 ml.	5	..	9.90	UP
LIOTHYRONINE					
To be endorsed "S.P."					
2318	Oral Tablet 20 micrograms	50	..	1.26	GL
LYPRESSIN					
To be endorsed "S.P."					
2401	Nasal Spray 50 Units per ml., 5 ml.	4	2	*7.78	SZ

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MEDROXYPROGESTERONE			\$	
	To be endorsed "S.P."				
2320	Oral Tablet 2.5 mg.	25	..	3.63	UP
2321	10 mg.	25	..	9.63	UP
2725	100 mg.	100	..	80.30	UP
2319	Injection 50 mg. in 1 ml.	1	..	4.17	UP
2539	50 mg. per ml., 5 ml.	1	..	14.97	UP
	MELPHALAN				
	To be endorsed "S.P."				
2547	Oral Tablet 2 mg.	100	2	*9.90	BW
2548	5 mg.	100	2	*17.90	BW
	MERCAPTOPURINE				
	To be endorsed "S.P."				
1598	Oral Tablet 50 mg.	50	1	14.30	BW
	METHACYCLINE				
	To be endorsed "S.P."				
2611	Oral Tablet 75 mg.	14	..	1.90	GP
2396	Oral Capsule 75 mg.	14	..	1.90	GP
2397	150 mg.	14	..	3.02	GP
				(ex 100)	
				3.34	GP
				(ex M.P.)	
	Oral Paediatric Suspension				
2498	75 mg. per 5 ml., 100 ml.	‡1	..	2.46	GP

	METHANDIENONE				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1610	Oral Tablet 5 mg.	100	..	8.17	CB
	METHENOLONE ACETATE				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1619	Oral Tablet 1 mg.	100	..	*2.44	SC
1620	5 mg.	100	..	*7.64	SC
	METHICILLIN				
	To be endorsed "S.P."				
2323	Injection 1 G. (solvent required)	5	1	*16.15	BR, CS
	METHOTREXATE				
	To be endorsed "S.P."				
1622	Oral Tablet 2.5 mg.	100	..	14.30	LE
	METHYSERGIDE				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2826	Oral Tablet 1 mg.	100	..	6.97	SZ

Code No.	Approved Name, Manner of Administration, and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	MILK POWDER - SYNTHETIC To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
1637	Low Lactose Compound Powder 397 G. (14 oz.)	1	12	2.20	TF
2685	Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454 G. (16 oz.)	1	12	8.69	TF
	MORPHINE with TACRINE To be endorsed "S.P."				
1667	Oral Tablet 30 mg.-15 mg.	50	1	10.30	WH
	MUSTINE To be endorsed "S.P."				
1668	Injection 10 mg. (solvent required)	1	..	1.97	BT
	NALIDIXIC ACID To be endorsed "S.P."				
2451	Oral Tablet 500 mg.	56	..	7.23	WL
2645	Oral Paediatric Suspension 50 mg. per ml., 200 ml.	‡1	..	2.90	WL
	NANDROLONE DECANOATE To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1671	Injection 50 mg. in 1 ml.	1	..	6.23	OR

2846	NANDROLONE HEXANOYLPHENYLPROPIONATE To be endorsed "S.P." OR be endorsed S.P." and be accompanied by an authority from the Commonwealth Director of Health. Injection 50 mg. (base) in 1 ml.	1	..	4.30	SI
	NANDROLONE PHENYLPROPIONATE To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Injection 25 mg. in 1 ml.	3	..	6.03	OR
2807 2877	NATAMYCIN To be endorsed "S.P." Oral Tablet 100 mg. Suspension 1%, 5 ml.	50 ‡1		6.77 1.97	BP BP
	NEOMYCIN To be endorsed "S.P." Oral Tablet 500 mg.	25	..	11.23 11.50	LF ET, KL, PT
2697	* * * To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Powder 500 mg.	40	1	*51.10	ET

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORTISONE ACETATE To be endorsed "S.P." Ear Drops			\$	
2658	0.1%-0.005%-0.05%-1%-0.02%, 15 ml.	‡1	..	1.38	WW
	NEOMYCIN UNDECENOATE with BACITRACIN To be endorsed "S.P." Ear Ointment				
2296	12 mg.(3.5 mg. base)-400 Units per G., 10 G.	‡1	..	1.37	HA
	NICOTINIC ACID To be endorsed with the pension number.				
1684	Oral Tablet 25 mg.	100	2	0.50	HY, KL
1685	50 mg.	100	2	0.63	AD, DH, HY, KL, MG, RT(V), SI
1686	100 mg.	100	2	0.70	DH, HY, KL, RT(V)
1687	250 mg.	100	2	0.97	AD, HY, KL, RT(V), SI
	NITRAZEPAM To be endorsed "S.P."				
2723	Oral Tablet 5 mg.	200	1	6.70	RO

NITROFURANTOIN					
To be endorsed "S.P."					
1689	Oral Tablet 50 mg.	25	1	2.36	IP
				3.11	SK
				(ex 100)	
				2.43	IP
				3.34	SK
				(ex M.P.)	
1690	100 mg.	25	1	4.05	IP
				5.35	SK
				(ex 100)	
				4.57	IP
				5.79	SK
				(ex M.P.)	
1691	Oral Paediatric Suspension 25 mg. per 5 ml., 200 ml.	‡1	..	2.74	SK
NITROMIN					
To be endorsed "S.P."					
1693	Oral Tablet 5 mg.	100	2	11.63	SI
1692	Injection 50 mg. (solvent required)	5	1	8.63	SI
NORTRIPTYLINE					
To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2522	Oral Tablet 10 mg.	100	2	2.30	DL
(continued)					

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	NORTRIPTYLINE - cont.			\$	
2523	Oral Tablet 25 mg.	100	2	4.03	DL
2525	Oral Capsule 10 mg.	100	2	2.30	LY
2526	25 mg.	100	2	4.03	LY
2524	Paediatric Elixir 10 mg. per 5 ml., 100 ml.	‡1	4	1.30	DL, LY
	NUTRAMIGEN				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2564	Powder 1 lb.	1	12	2.33	MJ
	NYSTATIN				
	To be endorsed "S.P."				
1696	Oral Tablet 500,000 Units	50	..	5.92 (ex 250)	GP, SQ
				6.77 (ex M.P.)	GP, SQ
	OXYCODONE				
	To be endorsed "S.P."				
2609	Injection 10 mg. in 1 ml.	5	..	1.77	CK
2481	Suppository 30 mg.	12	..	3.50	CK

OXYMETHOLONE					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2769	Oral Tablet 5 mg.	100	..	7.77	PD
OXYTETRACYCLINE					
To be endorsed "S.P."					
1715	Oral Tablet 100 mg.	25	..	1.93	PF
1716	250 mg.	16	..	2.46	PF
1723	Oral Capsule 100 mg.	25	..	1.93	PF
1724	250 mg.	16	..	2.11	IP
				2.19	PT, SP(NWS)
				2.24	KL, PF, SU(N)
				(ex 100)	
				2.30	IP
				2.41	PT, (SP(NWS)
				2.46	KL, PF, SU(N)
				(ex M.P.)	
Oral Paediatric Suspension					
1717	125 mg. per 5 ml., 100 ml.	‡1	..	1.81	PT, SP(NWS)
				1.86	KL, PF
1719	Injection I.M. 100 mg.	5	..	3.90	TS
				*4.05	PF
1720	I.M. 250 mg.	5	..	*7.10	PF
1721	I.V. 250 mg.	5	..	*7.10	PF

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	OXYTETRACYCLINE (BUFFERED) with NYSTATIN			\$	
	To be endorsed "S.P."				
2615	Oral Tablet 100 mg. - 125,000 Units	25	..	1.93	PF
2512	Oral Capsule 250 mg. - 250,000 Units	16	..	2.46	KL, PF
	PANCREATIN CONCENTRATE				
	To be endorsed "S.P."				
1734	Oral Tablet 300 mg. (3 times B.P. strength)	200	2	*3.98	PD
1732	Oral Powder 1 oz. (twice B.P. strength)	8	2	*9.90	PD
1733	500 G. (5 times B.P. strength)	1	..	28.97	ST
	PANCREATIN ENZYME				
	(4 times USNF. XII strength)				
	To be endorsed "S.P."				
1735	Oral Tablet 300 mg.	500	1	27.74	ET
1736	Oral Powder 8 oz.	‡1	2	23.37	ET
	PANCRELIPASE				
	To be endorsed "S.P."				
2497	Oral Capsule 300 mg.	250	1	19.30	OR
	PARACETAMOL				
	To be endorsed with the pension number.				
1745	Oral Tablet 300 mg.	50	1	0.83	KL, WL
1746	500 mg.	50	1	0.81	AV, KL, PR, PT, SL(N)
				0.89	CA, FM, RY, VR, WL
				(ex 250)	

				0.90	AV, KL, PR, PT, SL(N)
				0.94	CA, FM, RY, VR, WL
			(ex M.P.)		
1747	Oral Suspension 120 mg. per 5 ml., 100 ml.	‡1	4	0.94	CA, KL, WL
	PARACETAMOL with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE To be endorsed with the pension number.				
1835	Oral Tablet 300 mg.-15 mg.-30 mg.	100	2	1.51	PT
				1.62	DH
				1.63	KL
				1.71	MG
				2.00	FM, WL
				2.11	AB
			(ex 500)		
				1.63	PT
				1.77	DH, KL
				2.19	FM, MG, WL
				2.33	AB
			(ex M.P.)		
	PARAFFIN LIQUID To be endorsed with the pension number.				
7486	Emulsion P.L.	400 ml.	4	1.79	Extemp. (plus container)
1750	†Emulsion 450 ml.	1	4	†0.72	WY
1751	(with instructions for use)				WY
	(continued)				

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
1752	PARAFFIN LIQUID - cont. †Emulsion with Phenolphthalein 450 ml.	1	4	\$ †0.65 †0.72	MG, SI, WD(N) DH, FA, PR, WW, WY
1753	(with instructions for use)				MG, SI, WD(N) DH, FA, PR, WW, WY
1758	PARAMETHASONE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Oral Tablet 2 mg.	30	..	4.30	LY
2838	PENICILLAMINE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health. Oral Tablet 250 mg.	100	3	42.30	DL
1761	Oral Capsule 120 mg.	100	3	24.30	DL
2722	250 mg.	100	3	*42.30	MK
1766	PENICILLIN, BENZATHINE To be endorsed "S.P." Oral Tablet 150 mg. (200,000 Units)	100	1	4.51 (ex 500) 4.81 (ex M.P.)	CS, WY CS, WY
1765	Oral Capsule 150 mg. (200,000 Units)	100	1	4.81	CS

PENICILLIN, BENZYL

(Penicillin G.)

To be endorsed "S.P."

1768	Oral Tablet 125 mg. (200,000 Units)	100	1	3.70	AB, GL
1769	250 mg. (400,000 Units)	100	1	6.57	AB, GL
1770	Oral Capsule 125 mg. (200,000 Units)	100	1	3.70	GL
1771	250 mg. (400,000 Units)	100	1	6.57	AB, EV, GL
Injection					
2647	3 G. (5,000,000 Units) (solvent required)	10	..	*13.90	CS, EV, GL, SI
2648	6 G. (10,000,000 Units) (solvent required)	10	..	*23.50	CS, EV, GL, SI

PENICILLIN with STREPTOMYCIN

To be endorsed "S.P."

Injection Benzyl Penicillin 300 mg.
(500,000 Units); Streptomycin Sulphate 500 mg.

1805	1 vial (solvent required)	5	..	*2.50	GL
1806	Set containing 1 vial and 2 ml. water for injections	5	..	*2.85	GL
Injection Benzyl Penicillin 60 mg. (100,000 Units); Procaine Penicillin 300 mg. (300,000 Units); Streptomycin Sulphate 500 mg.					
1807	1 vial (solvent required)	5	..	*2.50	GL, SI
1808	Set containing 1 vial and 2 ml. water for injections	5	..	*2.85	GL

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PENTOBARBITONE SODIUM with ASPIRIN and CODEINE PHOSPHATE To be endorsed with the pension number.			\$	
2714	Oral Tablet 30 mg. - 300 mg. - 15 mg.	100	2	1.63	KL
	PETHIDINE with LEVALLORPHAN To be endorsed "S.P."				
1832	Injection 50 mg. - 0.625 mg. in 1 ml.	5	..	0.94	RO
1833	50 mg. -0.625 mg. per ml., 2 ml.	5	..	1.21	RO
	PHENYLALANINE LOW CONTENT FORMULA To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1864	Granules 1 kg.	1	..	21.33	GL
1865	Powder 2.5 lb.	1	..	10.67	MJ
1866	1.362 kg. (3 lb.)	1	..	19.93	TF
	PHENYLBUTAZONE To be endorsed "S.P."				
1867	Oral Tablet 100 mg.	50	2	0.88	IP, LF, PT
				0.94	MG
				1.00	HY
				1.07	AV
				1.08	FM, KL
				1.11	PR
				1.14	SU(N)
				1.30	GE, VR
		38	(ex 250)		

				0.97	IP, LF, MG, PT
				1.07	HY
				1.17	AV, FM, KL, PR
				1.23	SU(N)
				1.37	GE, VR
				(ex M.P.)	
2435	Oral Capsule 100 mg.	50	2	1.21	KL
2754	Injection 600 mg. in 3 ml.	5	..	1.90	GE
2755	Suppository 250 mg.	5	..	1.26	GE
PHYTOMENADIONE					
To be endorsed "S.P."					
1881	Injection 1 mg.	3	..	0.99	RO
1882	10 mg.	3	..	2.03	RO
Colloidal Solution for Injection					
2383	10 mg. in 1 ml.	3	..	*3.51	MK
2384	10 mg. per ml., 5 ml.	3	..	*15.30	MK
PITUITARY, POSTERIOR LOBE					
To be endorsed "S.P."					
Insufflation					
1899	30 Antidiuretic Unit Capsule	100	2	8.57	ST
1900	500 Antidiuretic Units per G., 2 G. Phial	3	2	*6.99	BP

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	POLYMYXIN B SULPHATE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
2392	Vial of Powder 500,000 Units	20	..	*58.90	BW
	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN To be endorsed "S.P."				
1908	Ear Drops 10,000 Units-500 Units-3.5 mg.(base) per ml., 15 ml.	‡1	..	1.50	ET
	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE To be endorsed "S.P."				
2790	Ear Drops 10,000 Units - 3.5 mg. (base) - 10 mg. per ml., 7 ml.	‡1	..	1.63	BW, KL
	POLYOESTRADIOL To be endorsed "S.P."				
2584	Injection set containing 40 mg. and 2 ml. solvent	1	..	5.30	AY

PREDNISOLONE					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
1917	Oral Tablet 5 mg.	30	..	1.37 1.43 1.50	IP LF, MG, PR, PT, RT(V), RY BT, HY, KL, PD, PF, UP
PREDNISOLONE ACETATE					
To be endorsed "S.P."					
1919	Injection 10 mg. in 1 ml.	5	..	*5.05	SC
PREDNISOLONE METHYL					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
1925	Oral Tablet 4 mg.	30	..	6.90	UP
1926	Oral Capsule 4 mg.	30	..	6.90	UP
PREDNISOLONE METHYL ACETATE					
To be endorsed "S.P."					
1928	Injection 40 mg. in 1 ml.	5	..	16.43	UP

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PREDNISOLONE SODIUM PHOSPHATE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
1920	Retention Enema 20 mg. in 100 ml.	7	..	14.77	GL
2554	Suppository equivalent to 5 mg. prednisolone	6	..	3.26	GL
	PREDNISOLONE SODIUM PHOSPHATE with NEOMYCIN To be endorsed "S.P."				
2792	Ear Drops 5 mg.-3.5 mg. (base) per ml., 5 ml.	‡1	..	1.63	GL
	PREDNISOLONE SODIUM SUCCINATE To be endorsed "S.P."				
2439	Injection set containing 25 mg. and 1 ml. diluent	2	..	*13.64	MQ
	PREDNISOLONE TERTIARY BUTYL ACETATE (Prednisolone TBA) To be endorsed "S.P."				
2471	Injection 20 mg. in 1 ml.	5	..	4.83	MK
	PREDNISONE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
1934	Oral Tablet 1 mg.	50	..	0.77	PT

1935	5 mg.	30	..	1.37 1.43 1.50	IP AV, LF, PR, PT, RY HY, KL, PD, RL, SU(N)
	PROCARBAZINE To be endorsed "S.P."				
2635	Oral Capsule 50 mg.	100	..	6.97	RO
	PROGESTERONE To be endorsed "S.P."				
1945	Injection I.M. 25 mg.	3	..	2.70	DF, SC
	PROPRANOLOL To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2565	Oral Tablet 10 mg.	50	..	2.59	IC
	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2874	Powder, 100 G. sachet, 2 kg.	‡1	..	75.20	MN

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	PROTRIPTYLINE To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.			\$	
2747	Oral Tablet 5 mg.	100	2	3.63	MK
2748	10 mg.	100	2	5.10	MK
2808	Oral Capsule 5 mg.	100	2	3.63	FR
2809	10 mg.	100	2	5.10	FR
	PYRIDOSTIGMINE To be endorsed "S.P."				
2724	Oral Tablet 10 mg.	100	2	1.78	RO
1959	60 mg.	100	2	*8.54	RO
2608	180 mg.	100	..	15.42	RO
1960	Injection 1 mg. in 1 ml.	5	1	*1.15	RO
	PYRIDOXINE HYDROCHLORIDE To be endorsed "S.P."				
1965	Oral Tablet 25 mg.	100	..	2.30	DH, ET, HY, KL, RY
	PYRIMETHAMINE To be endorsed "S.P."				
1966	Oral Tablet 25 mg.	100	..	*3.24	BW

	QUININE BISULPHATE					
	To be endorsed with the pension number OR "S.P."					
1972	Oral Tablet 300 mg.	100	2	4.30	BW, DH, FA, HY, KL, PT	
	QUININE DIHYDROCHLORIDE					
	To be endorsed with the pension number OR "S.P."					
1973	Oral Tablet 300 mg.	100	2	4.30	DH	
	QUININE HYDROCHLORIDE					
	To be endorsed with the pension number OR "S.P."					
1974	Oral Tablet 300 mg.	100	2	4.30	DH	
	QUININE SULPHATE					
	To be endorsed with the pension number OR "S.P."					
1975	Oral Tablet 300 mg.	100	2	4.10	PT, QE(QNVS)	
				4.30	AD, DH, HY, KL, PR, SI, TO	
	RIBOFLAVINE					
	To be endorsed with the pension number.					
1985	Oral Tablet 5 mg.	100	2	0.70	DH, FM, KL, PR, RT(V)	
	ROLITETRACYCLINE					
	To be endorsed "S.P."					
	I.V. Injection sets containing					
1986	110 mg. and 5 ml. solvent	5	..	*6.90	AH	
1987	275 mg. and 10 ml. solvent	5	..	*11.90	AH	
1988	350 mg. and 10 ml. solvent	5	..	*11.90	BC	
	(continued)					

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	ROLITETRACYCLINE - cont.			\$	
1989	I.M. Injection sets containing 150 mg. and 2 ml. solvent	5	..	*6.85	BC
				*6.90	AH
1990	350 mg. and 2 ml. solvent	5	..	*11.90	AH, BC
	SENNA FRUIT EXTRACT (STANDARDISED) To be endorsed with the pension number.				
1999	Oral Tablet 7 mg.	100	2	1.17 (ex 500)	RC
				1.23 (ex M.P.)	RC
	SODIUM AMINOSALICYLATE (Sodium PAS) To be endorsed "S.P."				
2008	Oral Tablet 300 mg.	500	2	3.77	KL
2009	500 mg.	500	2	3.90	DH, ET, KL, RY
				4.30	EV
2006	Oral Cachet 1.5 G.	500	2	12.90	EV
				12.97	KL, WA
2007	2 G.	500	2	18.97	KL
2010	Oral Granules 50%, 350 G.	1	1	4.63	RL
2011	50%, 400 G.	1	1	4.63	HY
2012	96.4%, 500 G.	1	1	10.81	EV
2005	Injection 20%, 10 ml.	5	..	1.93	KL

SODIUM AMINOSALICYLATE with ISONIAZID					
To be endorsed "S.P."					
2622	Granules 6 G.-150 mg. per sachet	60	2	12.30	SN
SODIUM FOLATE					
To be endorsed "S.P."					
2033	Injection 15 mg. per ml., 10 ml.	1	..	2.57	LE
SOYA FORMULA					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2039	Liquid 13 fl. oz.	3	12	*1.89	MJ
2837	15 fl. oz.	3	12	*1.83	SA
2041	Powder 1 lb.	1	12	1.77	MJ, WA
SPIRAMYCIN					
To be endorsed "S.P."					
2043	Oral Tablet 250 mg.	20	..	3.83	MB
2042	Oral Capsule 250 mg.	20	..	3.83	MB
SPIRONOLACTONE					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2339	Oral Tablet 25 mg.	100	..	15.83	SR

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	STANOLONE			\$	
	To be endorsed "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2044	Oral Tablet 25 mg.	100	..	10.97	DF, MN
	STANOZOLOL				
	To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2478	Oral Tablet 2 mg.	100	..	*6.70	WL
	STILBOESTROL				
	To be endorsed with the pension number OR "S.P."				
2049	Oral Tablet 0.1 mg.	100	2	0.51	KL
2050	0.5 mg.	100	2	0.53	AD, DH, HA, KL RT(V), SI
2051	1 mg.	100	2	0.54	AD, DH, KL, RT(V) SI, SL(N)
				0.57	HA
2052	5 mg.	100	2	0.81	AD, DH, FA, HA, KL MG, RT(V), SI, SL(N)
2053	10 mg.	100	2	1.23	DH, KL, RT(V)
2048	Injection 5 mg.	5	..	1.07	KL

STREPTOMYCIN SULPHATE					
To be endorsed "S.P."					
2054	Injection 1 G. (solvent required)	5	3	*1.95	DH, EV, GL, SI
2056	250,000 Units per ml., 4 ml.	5	3	*2.15	DL, GL
2057	500,000 Units per ml., 2 ml.	5	3	*2.15	BT, EV, GL
2058	1,000,000 Units in 3 ml.	5	3	*2.15	EV, GL
SULPHASALAZINE					
To be endorsed "S.P."					
2093	Oral Tablet 500 mg.	100	2	4.46	MR
SULTHIAME					
To be endorsed "S.P."					
2099	Oral Tablet 50 mg.	200	1	4.57	FB
2100	200 mg.	200	1	10.63	FB
SURGICAL CEMENT					
To be endorsed "S.P."					
2238	†Skin Bond Adhesive 4 fl. oz.	1	2	†2.25	DY
2239	(with instructions for use)				DY
2469	†Solvent 240 ml.	1	2	†1.65	LF
2470	(with instructions for use)				LF
SUSTANON					
To be endorsed "S.P."					
2670	Injection 100 mg.	1	..	2.57	OR
2101	250 mg.	1	..	5.77	OR

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TESTOSTERONE			\$	
	To be endorsed "S.P."				
2109	Implant 100 mg.	1	..	4.97	OR
2111	200 mg.	1	..	8.57	OR
	TESTOSTERONE METHYL				
	To be endorsed "S.P."				
2112	Oral Tablet 25 mg.	100	2	4.74	KL, PR, PT
				5.10	HY
				6.30	ET
2113	50 mg.	100	2	8.43	KL, PR, PT
				8.97	HY
				11.23	ET
2404	Sublingual Tablet 25 mg.	100	..	10.94	CB
	TESTOSTERONE OENANTHATE				
	(Testosterone Oen.)				
	To be endorsed "S.P."				
2599	Injection 100 mg. in 1 ml.	1	..	2.57	SC
2114	250 mg. in 1 ml.	1	..	5.77	SC
	TESTOSTERONE PROPIONATE				
	(Testosterone Prop.)				
	To be endorsed "S.P."				
2115	Injection 25 mg. in 1 ml.	10	..	3.90	KL
				*4.33	SC

2116	50 mg. in 1 ml.	10	..	7.50	KL
				*8.04	SC
2117	50 mg. per ml.. 10 ml.	1	..	7.39	KL, PD, SC
TETANUS ANTITOXIN (BOVINE)					
To be endorsed "S.P."					
2629	Injection set containing 1,500 Units and 15 Units diluted 1 in 50	5	1	*10.30	CS
TETRACYCLINE					
To be endorsed "S.P."					
2137	Oral Tablet 250 mg.	16	..	2.46	GP
2133	Oral Capsule 100 mg.	25	..	1.93	GP, LE, UP
2134	250 mg.	16	..	2.24	AH, BC, CS, GP, LE, SP(N)
				(ex 100)	UP
				2.46	AH, BC, CS, GP, LE, SP(N).
				(ex M.P.)	UP
2138	Oral Paediatric Granules 75 G.	1	..	1.63	LE
2139	Oral Paediatric Drops 100 mg. per ml., 10 ml.	1	..	0.83	LE, UP
2437	Paediatric Syrup 125 mg. per 5 ml., 100 ml.	1	..	1.66	LE
2129	Injection I.V. 100 mg. (solvent required)	5	..	*4.05	LE
2130	I.V. 250 mg. (solvent required)	5	..	*7.10	LE
2131	I.M. 100 mg. (solvent required)	5	..	*4.05	GP, LE
2403	I.M. 250 mg. (solvent required)	5	..	*7.10	LE

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	TETRACYCLINE with NYSTATIN			\$	
	To be endorsed "S.P."				
2831	Oral Tablet 250 mg. - 250,000 Units	16	..	2.46	SQ
2150	Oral Capsule 100 mg. - 125,000 Units	20	..	1.70	LE, SQ, UP
2151	250 mg. - 250,000 Units	16	..	2.24	BC, GP, LE, SQ, UP
				(ex 100)	
				2.46	BC, GP, LE, SQ, UP
				(ex M.P.)	
2475	Paediatric Syrup 125 mg. - 125,000 Units per 5 ml., 100 ml.	‡1	..	1.66	LE
	TETRACYCLINE (BUFFERED)				
	To be endorsed "S.P."				
2144	Oral Capsule 100 mg.	25	..	1.93	AH, BC, CS, LE, SQ
2145	250 mg.	16	..	2.24	AH, BC, CS, GP, LE, SP(N),
				(ex 100)	SQ, UP
				2.46	AH, BC, CS, GP, LE, SP(N),
				(ex M.P.)	SQ, UP
2438	Paediatric Syrup 125 mg. per 5 ml., 100 ml.	‡1	..	1.66	AH, BC, GP, LE, UP
2147	Oral Paediatric Drops 100 mg. per ml., 10 ml.	‡1	..	0.83	AH, BC, LE
	TETRACYCLINE (BUFFERED) with AMPHOTERICIN B				
	To be endorsed "S.P."				
	Oral Paediatric Drops				
2148	100 mg.-20 mg. per ml., 10 ml.	‡1	..	0.83	SQ

2149	Paediatric Syrup 125 mg.-25 mg. per 5 ml., 100 ml.	£1	..	1.66	SQ
	THIAMBUTOSINE To be endorsed "S.P."				
2162	Oral Tablet 500 mg.	100	2	2.10	CB
2651	Injection 20% (Oily suspension) in 5 ml.	20	..	5.10	CB
	THIAMINE HYDROCHLORIDE To be endorsed with the pension number.				
1069	Oral Tablet 50 mg.	100	2	0.99 1.10	PT, RT(V), RY, SL(N) AD, DH, FA, HY, KL, MG, PR, SI
1070	100 mg.	100	2	1.63 1.70	PT, QE(QNVS), RT(V), RY, SL(N) DH, HY, KL, MG, PR
	THIETHYLPERAZINE To be endorsed "S.P."				
2572	Oral Tablet 6.5 mg.	25	..	0.97	SZ
2573	Suppository 6.5 mg.	6	..	0.97	SZ
	THIORIDAZINE To be endorsed with the pension number OR tran- quilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				
2163	Oral Tablet 10 mg.	100	2	1.50	SZ
(continued)		53			

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2359	THIORIDAZINE - cont. Oral Tablet 25 mg.	100	2	\$ 2.05 (ex 500)	SZ
				2.26 (ex M.P.)	SZ
2164	50 mg.	100	2	3.90	SZ
2165	100 mg.	100	2	7.50	SZ
2402	Oral Solution 3%, (30 mg. per ml.) 30 ml.	‡1	4	1.39	SZ
2847	Injection 25 mg. per ml., 2 ml.	10	..	3.22	SZ
	TRETAMINE To be endorsed "S.P."				
2179	Oral Tablet 2.5 mg.	5	..	*1.55	IC
2570	Injection 5 mg.	1	..	*3.39	IC
	TRIACETYLOLEANDOMYCIN To be endorsed "S.P."				
2762	Oral Capsule 250 mg.	16	..	3.11	GP, WY
	Oral Paediatric Suspension				
2763	125 mg. per 5 ml., 100 ml.	‡1	..	2.57	GP, WY
	TRIFLUOPERAZINE To be endorsed with the pension number OR tranquilliser certificate number and "S.P." OR be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.				

2185	Oral Tablet 1 mg.	100	2	3.20 (ex 500)	MB, SK
				3.59 (ex M.P.)	MB, SK
2386	2 mg.	100	2	4.67 (ex 500)	MB, SK
				5.30 (ex M.P.)	MB, SK
2186	5 mg.	100	2	5.94	MB, SK
2571	Syrup 1 mg. per 5 ml., 100 ml.	1	4	1.31	SK
2835	Injection 1 mg. in 1 ml.	10	..	2.87	SK
2836	1 mg. per ml., 2 ml.	10	..	3.30	SK
TRIGLYDE					
To be endorsed "S.P." and be accompanied by an authority from the Commonwealth Director of Health.					
2686	Powder 1 lb.	1	12	2.43	MJ
TRIMETAPHAN					
To be endorsed "S.P."					
2189	Injection, Set containing 250 mg. and 5 ml. water for injections	3	..	7.93	RO
VINBLASTINE					
To be endorsed "S.P."					
2198	Injection 10 mg. (solvent required)	1	..	17.07	LY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
	VINCRIStINE			\$	
	To be endorsed "S.P."				
2371	Injection 1 mg.	5	..	*65.05	LY
2372	5 mg.	1	..	51.35	LY
	VIOMYCIN				
	To be endorsed "S.P."				
2348	Injection 1 G. (solvent required)	5	3	*16.95	PD, PF
	VITAMINS COMPOUND				
	To be endorsed with the pension number.				
2206	Oral Tablet, B.P.C. Capsule Formula	100	1	0.73	AD, KL, PT, RT(V), RY, SI, SL(N)
				0.78	BD, DH, GL, HY, MG, PR, TO, VR
2207	Oral Capsule B.P.C.	100	1	0.78	FA

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

(Prescriptions must be endorsed "S.P.")

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2224	ACRYLIC RESIN Solution 100 ml. Aerosol Spray	1	..	\$ 5.90 6.97	PT EV, WB
2683	BENZOIN Compound Tincture B.P.C. 35%, 167 ml. Aerosol Spray	1	..	2.59	LF
2227	BISMUTH SUBGALLATE Powder 100 G. (4 oz.)	1	..	3.37	DH, EV
2718	CHARCOAL Oral Tablet 300 mg.	500	1	2.43 2.77 2.97 4.30	AD, HY, QE(Q) TO RT(V) BW
2229	CHLORAMINE Deodorant Tablet 120 mg.	500	..	1.69 1.79	DH PT
2230	Powder 25 G. (1 oz.)	1	4	0.67 0.73	PT DH
2231	DEODORANT DETERGENT SOLUTION Solution Terric N. 8, 120 G.; Spearmint Oil, 1.6 ml.; Cetrimide, B.P., 12 G., 16 fl.oz.	1	..	1.37	IC

2879	Lauryldimethyl benzyl ammonium chloride 15G.; Terric N. 8, 150 G. in 600 ml.	1	..	1.70	LF
DIMETHICONE					
2235	Solution 9.84%, 220 G. Aerosol Spray	1	..	4.19	RK
2427	5%, 340 ml. Aerosol Spray	1	..	4.97	BT
2617	10%, 180 ml. Aerosol Spray	1	..	2.30	LF
SURGICAL CEMENT					
2236	†Adhesive Cement 2 oz. tube	1	2	†0.47	JA
2237	(with instructions for use)				JA
2238	†Skin Bond Adhesive 4 fl. oz.	1	2	†2.25	DY
2239	(with instructions for use)				DY
2469	†Solvent 240 ml.	1	2	†1.65	LF
2470	(with instructions for use)				LF
TRAGACANTH INDIAN (GUM KARAYA)					
2240	†Powder 200 G.	1	..	†1.92	PT
				†2.40	EV
2241	(with instructions for use)				PT
					EV

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2811	ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1 in 100 in 5% mannitol, 2 ml.			\$	
2482	AMINOCAPROIC ACID Oral Tablet 500 mg.				
2485	Syrup 250 mg. per ml., 16 fl. oz.				
2486	Oral Solution 250 mg. per ml., 20 ml.				
2483	I.V. Injection 250 mg. per ml., 10 ml.				
2484	250 mg. per ml., 20 ml.				
2531	ANGIOTENSIN AMIDE Injection 0.5 mg. (solvent required)				
2532	2.5 mg. (solvent required)				
2687	AZATHIOPRINE Oral Tablet 50 mg.				
2488	100 mg.				
2450	BECLAMIDE Oral Tablet 500 mg.				
2817	CAPREOMYCIN Injection 1 G. (solvent required)				
2818	CARBENICILLIN Injection 1 G. (solvent required)				

2620	CARBENOXOLONE Oral Tablet 50 mg.				
2493	CEPHALORIDINE Injection 250 mg.				
2494	500 mg.				
2643	1 G.				
2300	CLOXACILLIN Oral Capsule 250 mg.				
2461	Suspension 125 mg. per 5 ml., 100 ml.				
2299	Injection 250 mg. (solvent required)				
2303	CYCLOSERINE Oral Tablet 250 mg.				
2302	Oral Capsule 250 mg.				
2304	DESFERRIOXAMINE Injection 500 mg.				
2440	DITOPHAL Liquid 250 ml.				
2717	FLUFENAMIC ACID Oral Capsule 100 mg.				
2309	FOLINIC ACID Injection 3 mg. in 1 ml.				
2824	GENTAMICIN SULPHATE Injection 40 mg. (base) per ml., 2 ml.				

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Code No.	Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
2721	GUANACLINE Oral Tablet 30 mg.			\$	
2315	HEXACHLOROPHANE Lotion (3%) with Entsufof 6 fl. oz.				
2316	Lotion (3%) with Terric N.8 4 fl. oz.				
2317	Soap Solution (1.5%) 10 fl. oz.				
2711	Solution (3%) with Chloroxylenol 6 fl. oz.				
2447	KITASAMYCIN Oral Tablet 100 mg.				
2448	200 mg.				
2449	I.V. Injection set containing 200 mg. and 2 x 10 ml. ampoules of saline solution.				
2393	METHOTREXATE Injection 5 mg.				
2394	50 mg.				
2533	METYRAPONE Oral Capsule 250 mg.				
2331	ORCIPRENALINE Injection 0.5 mg.				
2452	PARGYLINE Oral Tablet 10 mg.				
2453	25 mg.				

	PROPRANOLOL
2566	Oral Tablet 40 mg.
2830	Injection 1 mg. in 1 ml.
2567	1 mg. per ml., 5 ml.
	PYRAZINAMIDE
2335	Oral Tablet 0.5 G.
	SULPHOMYXIN
2528	Injection 500,000 Units
	TETRACOSACTRIN
2636	Injection set containing 250 micrograms and 2 ml. solution
2832	1 mg. in 1 ml.
2833	2 mg. in 2 ml.
	THYROTROPHIN
2341	Injection 10 Units
	TRASYLOL
2527	Injection 25,000 K.I.U. in 5 ml.
2650	100,000 K.I.U. in 10 ml.
	VADRINE
2346	Oral Tablet 500 mg.

SECTION 4 - SCHEDULE OF BENEFITS - DRUG TARIFF - AUGUST 1969

Where liquids are purchased by weight, the recovery price includes the "Specific Gravity Factor".
A compounding fee (55c) is included in the recovery price for all items compounded from ingredients.

Drugs marked (a) and (b) :-

- (a) Where the quantity dispensed is greater than the quantity shown against items marked thus, the recovery price is:-

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \times \text{price shown.}$$

- (b) Items marked thus are packed sterile or are unstable. The recovery price is:

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \text{ taken to the next whole number} \times \text{price shown.}$$

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/ML.	10 G/ML.	Special		1G/ML.	10 G/ML.	Special
Acetone, BPC (may only be prescribed as an additive)	\$ 0.01	\$ 0.04	0.36:100 ml.	Adrenaline Acid Tartrate, BP	\$ 2.34	\$..	0.29:100 mg.
ACIDS				Agar, BPC 54	0.04	0.33	
Acetic, BP	0.01	0.02	0.21:100 ml.	ALCOHOLS			
Acetic, Dilute, BP	0.01	0.03	0.25:100 ml.	95%, BP	0.01	0.03	0.24:100 ml.
Benzoic, BP	0.01	0.08	0.68:100 G.	(may only be prescribed as an additive)			
Boric, Crystal, BP	0.01	0.03	0.24:100 G.	90%, BP	0.01	0.01	0.10:100 ml.
Boric, Powder, BP	0.01	0.02	0.15:100 G.	(may only be prescribed as an additive)			
Citric, BP	0.01	0.04	0.34:100 G.	Aloes, Powder, BP	0.01	0.10	0.86:100 G.
Hydrochloric, BP	0.01	0.04	0.37:100 ml.	Aloin, BPC	0.07	0.52	
Hydrochloric, Dilute, BP	0.01	0.03	0.29:100 ml.	Alum, BP	0.01	0.02	0.18:100 G.
Hydrocyanic, Dilute, BPC 54	0.07	0.52		Aluminium Hydroxide Gel Dried			
Hypophosphorous, Dilute, BPC 63	0.02	0.18	1.57:100 ml.	BP	0.01	0.11	0.95:100 G.
Lactic, BP	0.02	0.12	1.05:100 ml.	Amaranth, BPC 54	0.09	0.72	
Oleic, BP	0.01	0.08	0.70:100 ml.	Amethocaine Hydrochloride, BP(a)	1.90	..	
Phosphoric, BP	0.01	0.06	0.50:100 ml.	(may only be prescribed as an additive)			
Phosphoric, Dilute, BP 63	0.01	0.03	0.27:100 ml.	Aminacrine Hydrochloride, BP	0.77	..	0.10:100 mg.
Salicylic, BP	0.01	0.08	0.68:100 G.	Aminophylline, BP	0.04	0.33	
Stearic, BPC	0.01	0.03	0.28:100 G.	Ammoniated Mercury, BP	0.10	0.83	
Sulphuric, Dilute, BPC	0.01	0.03	0.28:100 ml.	AMMONIUM			
Tannic, BP	0.02	0.15	1.33:100 G.	Bicarbonate, BPC	0.01	0.03	0.26:100 G.
Tartaric, BP	0.01	0.04	0.38:100 G.	Bromide, BPC 63	0.01	0.04	0.35:100 G.
Trichloroacetic, BP	0.09	0.73		Chloride, BP	0.01	0.03	0.26:100 G.
Acridine, BPC 63	0.29	2.30	0.04:100 mg.	Amylobarbitone, BP	0.15	1.20	0.02:100 mg.
Adrenaline, BP (b)	1.71	..		Amylobarbitone Sodium BP	0.09	0.72	

Application Benzyl Benzoate, BP	0.01	0.05	0.48:100 ml.	Cetomacrogol Emulsifying Wax,			
Aspirin, BP	0.01	0.05	0.47:100 G.	BPC	0.02	0.13	1.15:100 G.
Atropine, BP (a)	1.71	..		Cetostearyl Alcohol, BP	0.01	0.09	0.79:100 G.
Atropine Methonitrate, BP (a)	3.61	..		Cetrimide, BP	0.03	0.27	
Atropine Sulphate, BP	1.19	..	0.15:100 mg.	Chalk, Prepared, BP	0.01	0.02	0.14:100 G.
				Chloral Hydrate, BP	0.01	0.07	0.65:100 G.
Balsam, Peru, BPC	0.08	0.61		Chlorbutol, BP	0.04	0.29	
Balsam, Tolu, BP	0.05	0.38		Chlorhexidine Diacetate	0.26	2.09	
Beeswax White, BP	0.02	0.14	1.25:100 G.	(may only be prescribed in ear			
Beeswax Yellow, BPC	0.01	0.08	0.72:100 G.	and eye drops)			
Bentonite, BP	0.01	0.02	0.17:100 G.	Chlorhexidine Hydrochloride, BP	0.31	2.50	
Benzocaine, BP	0.05	0.43		Chlorinated Lime, BP	0.01	0.04	0.38:100 G.
Benzyl Alcohol, BP	0.01	0.08	0.71:100 ml.	Chlorocresol, BP	0.05	0.43	
Benzyl Benzoate, BP	0.01	0.11	0.99:100 ml.	Chloroform, BP	0.01	0.05	0.43:100 ml.
Bismuth Subgallate, BPC	0.05	0.43		(may only be prepared as an			
Borax, BP	0.01	0.02	0.14:100 G.	additive)			
Brilliant Green, BP	0.09	0.68		Cocaine, BP	1.47	..	0.18:100 mg.
Butyl Aminobenzoate, BP 53	0.38	3.04		Cocaine Hydrochloride, BP	1.69	..	0.21:100 mg.
				Codeine, BPC 54	1.40	..	0.18:100 mg.
Caffeine, BP	0.03	0.24		Codeine Phosphate, BP	0.45	3.61	0.06:100 mg.
Caffeine Citrate, BPC 59	0.03	0.24		Collodion Flexible, BP	0.01	0.04	0.32:100 ml.
Caffeine and Sodium Benzoate, BPC54	0.02	0.17		Colophony, BP	0.01	0.05	0.40:100 G.
Calamine, BP	0.01	0.03	0.26:100 G.	Copper Sulphate, BPC	0.01	0.06	0.56:100 G.
CALCIUM				CREAMS			
Carbonate, BP	0.01	0.01	0.13:100 G.	Aqueous, APF	0.01	0.04	0.38:100 G.
Chloride, BP	0.01	0.09	0.78:100 G.	Aqueous, BP	0.01	0.04	0.38:100 G.
Gluconate, BP	0.01	0.09	0.81:100 G.	Aqueous Emulsifying Wax,			
Hydroxide, BP	0.01	0.02	0.16:100 G.	APF 55	0.01	0.03	0.27:100 G.
Lactate, BP	0.01	0.07	0.63:100 G.	Calamine Oily APF	0.01	0.06	0.55:100 G.
Phosphate, BPC	0.01	0.04	0.32:100 G.	Cetomacrogol, Aqueous, APF	0.01	0.06	0.54:100 G.
Camphor, BP	0.01	0.09	0.84:100 G.	Cetrimide Aqueous, APF	0.01	0.07	0.63:100 G.
(may only be prescribed as an							
additive)							

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/Ml.	10 G/Ml.	Special		1G/Ml.	10 G/Ml.	Special
CREAMS - cont.	\$	\$			\$	\$	
Cholesterol Oily, APF 55	0.01	0.04	0.34:100 G.	Ephedrine, BPC	0.28	2.20	0.04:100 mg.
Oily, BP	0.01	0.06	0.54:100 G.	Ephedrine Hydrochloride, BP	0.09	0.75	
Zinc, BP	0.01	0.05	0.40:100 G.	Ether Anaesthetic, BP	0.01	0.03	0.30:100 ml.
Zinc Oily, APF	0.01	0.05	0.40:100 G.	(may only be prescribed as an additive)			
Creosote, BPC 59	0.04	0.33		Ether solvent, BP	0.01	0.03	0.23:100 ml.
Crystal Violet, BP	0.08	0.63		Eucalyptol, BPC	0.04	0.31	
Dextrose, BP	0.01	0.02	0.14:100 G.	EXTRACTS			
(may only be prescribed as an additive)				Cascara, Liquid, BP	0.01	0.08	0.73:100 ml.
Dextrose Monohydrate, BP	0.01	0.03	0.26:100 G.	Ergot, Liquid, BP 14	0.04	0.28	2.53:100 ml.
(may only be prescribed as an additive)				Hamamelis, Liquid, BPC	0.04	0.28	
Dibutyl Phthalate, BP 63	0.02	0.14	1.20:100 ml.	Hyoscyamus, Liquid, BP	0.02	0.12	1.09:100 ml.
Dicophane, BP	0.01	0.09	0.84:100 G.	Ipecacuanha, Liquid, BP	0.16	1.24	
Dimethyl Phthalate, BP	0.01	0.09	0.82:100 ml.	Liquorice, Liquid, BP	0.01	0.06	0.53:100 ml.
Disodium Edetate, BP	0.10	0.81		Male Fern, BP	0.09	0.74	
Dithranol, BP	0.29	2.29	0.04:100 mg	Nux Vomica, Liquid, BP	0.02	0.15	1.34:100 ml.
				Stramonium, Liquid, BP	0.02	0.18	1.63:100 ml.
ELIXIR				Ferric Ammonium Citrate, BP	0.01	0.05	0.48:100 G.
Cascara, BP	0.01	0.10	0.87:100 ml.	FERROUS			
Emulsifying Wax, BP	0.01	0.08	0.72:100 G.	Gluconate, BP	0.03	0.27	
EMULSION				Sulphate, BP	0.01	0.06	0.56:100 G.
Paraffin Liquid, APF	0.01	0.03	0.31:100 ml.	Sulphate, Dried, BP	0.01	0.03	0.25:100 G.
(may only be prescribed as a pensioner benefit)				Fluorescein Sodium, BP	0.07	0.56	
				Gelatin, BP	0.01	0.08	
				Glycerin, BP	0.01	0.05	0.42:100 ml.

GLYCERINS			INFUSIONS - cont.		
Borax, BPC 59	0.01	0.08	0.73:100 ml.	Senega, Concentrated, BPC 63,	
Boric Acid, BP 48	0.01	0.09	0.83:100 ml.	1 in 8	0.02 0.15 1.32:100 ml.
Ichthammol, BPC	0.01	0.11	1.01:100 ml.	Iodine, BP	0.04 0.31
Phenol, BP	0.01	0.11	0.94:100 ml.	Iodoform, BPC 54	0.05 0.42
(not available for ear drops)				Isoprenaline Sulphate, BP	
GUMS					
Acacia, BP	0.01	0.06	0.51:100 G.	Kaolin, Heavy, BP	0.01 0.02 0.14:100 G.
Tragacanth, BP	0.04	0.32	2.87:100 G.	Kaolin, Light, BP	0.01 0.02 0.20:100 G.
Homatropine Hydrobromide, BP	1.82	..	0.23:100 mg.	Lactose, BP	0.01 0.01 0.13:100 G.
Honey, Purified, BPC (by volume)	0.01	0.01	0.07:100 ml.	Lanette Wax S.X.	0.01 0.10 0.87:100 G.
(may only be prescribed as an additive)				Lard, Benzoinated, BPC 54	0.01 0.06 0.54:100 G.
Honey, Purified, BPC (by weight)	0.01	0.01	0.09:100 G.	LINIMENTS	
(may only be prescribed as an additive)				Camphor, BP	0.01 0.04 0.38:100 ml.
Hydrogen Peroxide, 20 Volume, BP	0.01	0.04	0.33:100 ml.	Iodine Compound, APF 55	0.01 0.11 0.98:100 ml.
Ichthammol, BP	0.01	0.09	0.77:100 G.	Methyl Salicylate, APF	0.01 0.06 0.53:100 ml.
INFUSIONS				Methyl Salicylate Compound, APF	0.01 0.10 0.85:100 ml.
Buchu, Concentrated, BPC 54,				Soap Methylated, BPC	0.01 0.06 0.54:100 ml.
1 in 8	0.01	0.10	0.88:100 ml.	Turpentine, BP	0.01 0.03 0.26:100 ml.
Calumba, Concentrated, BP 48				LOTION	
1 in 8	0.01	0.10	0.85:100 ml.	Calamine, BP	0.01 0.03 0.27:100 ml.
Clove, Concentrated, BPC 54,				Magenta, BPC	0.06 0.50
1 in 8	0.02	0.17	1.48:100 ml.	MAGNESIUM	
Gentian Compound, Concentrated				Carbonate, Heavy, BP	0.01 0.03 0.24:100 G.
BP, 1 in 10	..	..		Carbonate, Light, BP	0.01 0.03 0.24:100 G.
Gentian Compound, Concentrated				Oxide, Light, BP	0.01 0.10 0.86:100 G.
BP 63, 1 in 8	0.01	0.05	0.41:100 ml.	Sulphate, BP	0.01 0.01 0.07:100 G.
Senega, Concentrated, BPC, 1 in 10	..	..		Sulphate, Dried, BP	0.01 0.02 0.18:100 G.
				Trisilicate, BP	0.01 0.03 0.31:100 G.
				Menthol, BP	0.08 0.60

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/Ml.	10 G/Ml.	Special		1G/Ml.	10 G/Ml.	Special
	\$	\$		OILS - cont.	\$	\$	
Mercuric Chloride, BP	0.07	0.52		Castor, BP	0.01	0.02	0.20:100 ml.
Methylcellulose, BP	0.05	0.36		Citronella, BPC	0.02	0.17	1.47:100 ml.
Methylene Blue, BP	0.09	0.68		(may only be prescribed as an additive)			
METHYL				Clove, BP	0.04	0.29	
Hydroxybenzoate, BP	0.06	0.50		Coconut, BPC 49	0.01	0.05	0.42:100 G.
Salicylate, BP	0.01	0.06	0.56:100 ml.	Cod Liver, BP	0.01	0.03	0.28:100 ml.
MIXTURES				Cotton Seed, BP	0.01	0.03	0.28:100 ml.
Aluminium Hydroxide, APF	0.01	0.02	0.14:100 ml.	(may only be prescribed as an additive)			
Magnesium Hydroxide, BP	0.01	0.03	0.25:100 ml.	Eucalyptus, BP	0.01	0.08	0.68:100 ml.
Senna Compound, BPC 59	0.01	0.06	0.55:100 ml.	Lavender, Spike, BPC	0.05	0.37	
Morphine Hydrochloride, BP	0.85	..	0.11:100 mg.	Maize, BP	0.01	0.01	0.10:100 ml.
Morphine Sulphate, BP	1.10	..	0.14:100 mg.	(may only be prescribed as an additive)			
MUCILAGES				Olive, BP	0.01	0.04	0.34:100 ml.
Acacia, APF (by weight)	0.01	0.04	0.35:100 G.	(may only be prescribed as an additive)			
Methylcellulose, APF	0.01	0.02	0.21:100 ml.	Peppermint, BP	0.06	0.51	
Tragacanth, BPC	0.01	0.02	0.20:100 ml.	Pumilio Pine, BPC	0.04	0.29	
OILS				Rosemary, BPC	0.05	0.38	
Almond Volatile Bitter, BPC 59	0.06	0.46		Siberian Fir, BPC 49	0.04	0.34	
Anise, BP	0.04	0.29		Theobroma, BP	0.02	0.15	1.35:100 G.
Arachis, BP	0.01	0.02	0.19:100 ml.	Turpentine, BP	0.01	0.05	0.45:100 ml.
(may only be prescribed as an additive)							
Cade, BPC	0.01	0.10	0.90:100 ml.				
Caraway, BPC	0.07	0.56					
(may only be prescribed as an additive)							

OINTMENTS

Ammoniated Mercury, BP
Benzocaine and Adrenaline, APF
Benzoic Acid Compound, APF
Capsicum, BPC
Cod Liver Oil, APF
Emulsifying, BP
Gall and Opium, BPC 63
Hamamelis, BPC
Iodine, Non-staining, APF
Iodine, Non-staining, BPC
Menthol Compound, APF
Methyl Salicylate, BPC
Paraffin, White, BP
Paraffin, Yellow, BP
Phenol, BP 48
Salicylic Acid, BP
Simple, White, BP
Simple, Yellow, BP
Sulphur, BP
Tar, BPC 59
Wool Alcohols, BP
Zinc, BP
Zinc and Castor Oil, BP

0.01 0.07 0.60:100 G.
0.02 0.19 1.71:100 G.
0.01 0.08 0.69:100 G.
0.02 0.19 1.71:100 G.
0.01 0.06 0.52:100 G.
0.01 0.07 0.63:100 G.
0.05 0.38 3.38:100 G.
0.02 0.14 1.26:100 G.
0.01 0.09 0.77:100 G.
0.01 0.03 0.30:100 G.
0.01 0.10 0.87:100 G.
0.01 0.10 0.85:100 G.
0.01 0.09 0.77:100 G.
0.01 0.09 0.77:100 G.
0.01 0.10 0.86:100 G.
0.01 0.11 0.94:100 G.
0.01 0.05 0.44:100 G.
0.01 0.05 0.44:100 G.
0.01 0.07 0.58:100 G.
0.02 0.17 1.52:100 G.
0.01 0.06 0.50:100 G.
0.01 0.05 0.48:100 G.
0.01 0.08 0.71:100 G.

OPHTHALMIC

Phosphate Buffers, APF 55
Cetrimide
Chlorbutol
Paraben

0.02 0.13 1.17:100 ml.
0.02 0.13 1.17:100 ml.
0.02 0.13 1.17:100 ml.

OPHTHALMIC

Vehicles, APF 55
Cetrimide
Chlorbutol
Oily
Paraben
Thickened
Oxymel, BPC
Oxymel of Squill, BPC

Paint Magenta, APF
Papaverine Hydrochloride, BP
Paracetamol, BP
Paraffin Hard, BP
Paraffin Liquid, BP
Paraffin Liquid, Light, BPC 63
Paraffin, Soft, White, BP
Paraffin, Soft, Yellow, BP
Paraldehyde, BP

PASTES

Zinc Compound, BP
Zinc and Salicylic Acid, BP
Pectin (Apple or Citrus)
Pentobarbitone Sodium, BP
Phenazone, BPC
Phenobarbitone, BP
Phenobarbitone Sodium, BP
Phenol, BP
(not available for ear drops)
Phenol, Liquefied, BP
(not available for ear drops)
Phenolphthalein, BP

0.02 0.13 1.17:100 ml.
0.02 0.13 1.17:100 ml.
.. ..
0.02 0.12 1.04:100 ml.
0.02 0.13 1.17:100 ml.
0.01 0.05 0.40:100 ml.
0.01 0.03 0.26:100 ml.
0.01 0.10 0.90:100 ml.
0.34 .. 0.04:100 mg.
0.04 0.32
0.01 0.02 0.19:100 G.
0.01 0.02 0.14:100 ml.
0.01 0.02 0.21:100 ml.
0.01 0.02 0.20:100 G.
0.01 0.02 0.18:100 G.
0.01 0.09 0.77:100 ml.
0.01 0.05 0.43:100 G.
0.01 0.05 0.40:100 G.
0.05 0.38
0.12 0.97
0.02 0.15 1.36:100 G.
0.04 0.31
0.04 0.31
0.01 0.08 0.72:100 G.
0.01 0.06 0.56:100 ml.
0.04 0.31

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/ML	10 G/ML	Special		1G/ML	10 G/ML	Special
Phenylephrine Hydrochloride, BP	\$ 0.61	\$..	0.08:100 mg	Quinalbarbitone Sodium, BP	\$ 0.19	\$ 1.48	
Phenylmercuric Nitrate, BP	0.43	..	0.05:100 mg	Quinidine Sulphate, BP	0.59	4.75	
Pholcodine, BP	1.33	10.62	0.17:100 mg	Resorcinol, BP	0.04	0.34	
Phthalylsulphathiazole, BP	0.06	0.47		Saccharin Sodium, BP	0.06	0.49	
Physostigmine, BPC (b)	..	..	2.28:64.8 mg	(may only be prescribed as an additive)			
Physostigmine Salicylate, BP (b)	..	..	2.52:64.8 mg	Silver Nitrate, BP	0.26	2.05	
Pilocarpine Hydrochloride, BPC(a)	..	..	1.53:324 mg	Silver Protein, BPC	0.16	1.26	
Pilocarpine Nitrate, BP	2.62	..	0.33:100 mg	Silver Protein, Mild, BPC	0.16	1.26	
Podophyllum Resin, BP	0.10	0.83		SOAPS			
POTASSIUM				Ethereal, APF 55	0.01	0.05	0.41:100 ml.
Bromide, BP	0.01	0.04	0.33:100 G.	Soft, BP	0.01	0.04	0.38:100 G.
Chlorate, BPC	0.01	0.05	0.46:100 G.	SODIUM			
Chloride, BP	0.01	0.06	0.51:100 G.	Acid Phosphate, BP	0.01	0.11	1.00:100 G.
Citrate, BP	0.01	0.04	0.32:100 G.	Aminosalicilate, BP	0.03	0.22	1.96:100 G.
Hydroxide, BP	0.01	0.08	0.72:100 G.	Benzoate, BP	0.01	0.08	0.70:100 G.
Iodide, BP	0.01	0.11	0.94:100 G.	Bicarbonate, BP	0.01	0.01	0.07:100 G.
Nitrate, BP	0.01	0.02	0.21:100 G.	Bromide, BP	0.01	0.04	0.33:100 G.
Permanganate, BP	0.01	0.03	0.30:100 G.	Chloride, BP	0.01	0.02	0.15:100 G.
POWDERS				Citrate, BP	0.01	0.04	0.33:100 G.
Hydroxybenzoate Compound, APF	0.10	0.76		Hydroxide, BP	0.01	0.09	0.76:100 G.
Ipecacuanha and Opium, BPC	0.04	0.34		Iodide, BP	0.05	0.36	
Rhubarb, BP	0.02	0.19	1.65:100 G.	Metabisulphite, BP	0.01	0.07	0.63:100 G.
Tragacanth Compound, BP	0.01	0.09	0.76:100 G.	Nitrite, BPC	0.04	0.30	
Procaine Hydrochloride, BP	0.05	0.39		Phosphate, BP	0.01	0.05	0.41:100 G.
Proflavine Hemisulphate, BP	0.43	3.41	0.05:100 mg				
Propyl Hydroxybenzoate, BP	0.09	0.75					
Propylene Glycol, BP	0.01	0.11	0.95:100 ml.				

SODIUM- cont.

Salicylate, BP	0.01	0.05	0.47:100 G.
Sulphate, BP	0.01	0.01	0.06:100 G.
Thiosulphate, BPC	0.01	0.01	0.11:100 G.
(may only be prescribed as an additive)			

SOLUTIONS

Adrenaline, BP	0.03	0.21	
Adrenaline Hydrochloride, BP 53	0.02	0.18	
Aluminium Acetate, BPC	0.01	0.05	0.40:100 ml.
Amaranth, APF	0.01	0.07	0.61:100 ml.
Amaranth, BPC	0.01	0.02	0.21:100 ml.
Amaranth, Compound, APF	0.01	0.11	0.97:100 ml.
Ammonia, Strong, BPC	0.01	0.03	0.23:100 ml.
Ammonia, Dilute, BPC	0.01	0.02	0.21:100 ml.
Ammonium Acetate, Strong BPC	0.01	0.08	0.72:100 ml.
Benedict's Qualitative, APF	0.01	0.03	0.28:100 ml.
Benzalkonium Chloride 50%, BP	0.01	0.10	0.86:100 ml.
Benzoic Acid, APF	0.01	0.10	0.87:100 ml.
Benzoic Acid, BPC	0.02	0.14	
Burnt Sugar	0.01	0.08	0.70:100 ml.
(may only be prescribed as an additive)			
Calcium Hydroxide, BP	0.01	0.02	0.14:100 ml.
Carmine, APF	0.04	0.29	2.57:100 ml.
(may only be prescribed as an additive)			
Chlorhexidine Gluconate, BP	0.03	0.26	2.27:100 ml.
Coal Tar, BP	0.01	0.05	0.47:100 ml.
Formaldehyde, BP	0.01	0.03	0.24:100 ml.
Iodine Aqueous, BP	0.01	0.08	0.75:100 ml.
Iodine, Simple, BPC 59	0.01	0.07	0.63:100 ml.

SOLUTIONS- cont.

Iodine, Weak, BP	0.01	0.06	0.52:100 ml.
Lead Subacetate, Dilute, BPC	0.01	0.02	0.15:100 ml.
Lead Subacetate, Strong, BPC	0.01	0.08	0.68:100 ml.
Morphine Hydrochloride, BP	0.02	0.13	1.12:100 ml.
Nasal, Concentrated, APF 55	0.02	0.12	1.04:100 ml.
Potassium Hydroxide, BP	0.01	0.05	0.41:100 ml.
Sodium Chloride, BPC	0.01	0.02	0.14:100 ml.
Tartrazine, APF	0.01	0.09	0.80:100 ml.
SPIRITS			
Ammonia, Aromatic, BPC	0.01	0.04	0.34:100 ml.
Anise, BPC 49	0.01	0.06	0.49:100 ml.
Camphor, BPC 59	0.01	0.07	0.62:100 ml.
Chloroform, BP	0.01	0.07	0.59:100 ml.
Cinnamon, BPC 49	0.01	0.11	0.95:100 ml.
Ether, Nitrous, BPC 59	0.01	0.10	0.89:100 ml.
Methylated, Industrial	0.01	0.01	0.09:100 ml.
(may only be prescribed as an additive)			
Peppermint, BPC	0.02	0.14	1.23:100 ml.
Starch, BP	0.01	0.02	0.15:100 G.
Streptomycin Sulphate, BP (b)	0.50	..	
(may only be prescribed in ear drops)			
Succinylsulphathiazole, BP	0.04	0.31	2.76:100 G.
Sucrose, BP	0.01	0.01	0.13:100 G.
Sulphacetamide Sodium, BP	0.06	0.44	
Sulphadiazine, BP	0.07	0.59	
Sulphadimidine, BP	0.07	0.59	

DRUG	RECOVERY PRICE			DRUG	RECOVERY PRICE		
	1G/Ml.	10 G/Ml.	Special		1G/Ml.	10 G/Ml.	Special
Sulphur, Precipitated, BP	\$ 0.01	\$ 0.03	0.23:100 G.	Talc, Purified, BP	\$ 0.01	\$ 0.02	0.14:100 G.
Sulphur, Sublimed, BPC	0.01	0.02	0.17:100 G.	Tar, BP (by weight)	0.01	0.03	0.29:100 G.
Sulphurated Potash, BPC	0.02	0.13	1.12:100 G.	Tar, Coal, BPC	0.01	0.02	0.20:100 G.
SYRUPS				Tar, Coal, Prepared, BP	0.01	0.04	0.35:100 G.
Aromatic, APF	0.01	0.03	0.30:100 ml.	Tartrazine, BPC 54	0.05	0.42	
Chloral, BPC	0.01	0.04	0.35:100 ml.	Theophylline, BP	0.05	0.40	
Codeine Phosphate, BPC	0.01	0.05	0.46:100 ml.	Theophylline Hydrate, BP	0.05	0.40	
Ferrous Phosphate Compound, BPC	0.01	0.04	0.32:100 ml.	Thymol, BP	0.05	0.43	
Ferrous Phosphate with Quinine and Strychnine, BPC	0.01	0.10	0.85:100 ml.	Thymol, Mouth Wash, Compound APF	0.01	0.05	0.41:100 ml.
Ginger, BPC	0.01	0.03	0.30:100 ml.	TINCTURES			
Glucose, Liquid, BPC 63	0.01	0.03	0.25:100 ml.	Belladonna, BP	0.01	0.05	0.46:100 ml.
Glycerophosphate Compound, APF	0.01	0.03	0.24:100 ml.	Benzoin, BPC	0.01	0.09	0.77:100 ml.
Golden, Acidified, APF 55	0.01	0.03	0.28:100 ml.	Benzoin Compound, BPC	0.01	0.10	0.92:100 ml.
Lemon, APF	0.01	0.03	0.29:100 ml.	Capsicum, BPC	0.01	0.08	0.75:100 ml.
Lemon, BP 58	0.01	0.03	0.29:100 ml.	Cardamom, Aromatic, BPC	0.01	0.11	0.94:100 ml.
Lemon, Neutral, APF	0.01	0.03	0.28:100 ml.	Cardamom, Compound, BP	0.01	0.06	0.52:100 ml.
Orange, BPC	0.01	0.03	0.31:100 ml.	Catechu, BPC	0.01	0.10	0.91:100 ml.
Pholcodine Citrate, BPC 59	0.01	0.06	0.56:100 ml.	Cochineal, BP 48	0.01	0.11	0.95:100 ml.
Raspberry, BPC	0.01	0.11	0.95:100 ml.	Colchicum, BP	0.01	0.07	0.66:100 ml.
Red, APF	0.01	0.05	0.47:100 ml.	Cudbear, APF 47	0.02	0.15	1.36:100 ml.
Simple, BP	0.01	0.02	0.14:100 ml.	Gelsemium, BPC	0.01	0.06	0.54:100 ml.
Squill, BPC	0.01	0.05	0.42:100 ml.	Gentian, Compound, BP	0.01	0.10	0.91:100 ml.
Tolu, BP	0.01	0.04	0.36:100 ml.	Ginger, Strong, BP	0.01	0.11	1.01:100 ml.
				Ginger, Weak, BP	0.01	0.04	0.39:100 ml.
				Hyoscyamus, BP	0.01	0.06	0.49:100 ml.
				Ipecacuanha, BP	0.03	0.20	1.77:100 ml.

TINCTURES - cont.

Lemon, BP 58	0.01	0.07	0.62:100 ml.
Lobelia, Ethereal, BPC	0.02	0.12	1.11:100 ml.
Myrrh, BPC	0.01	0.11	0.95:100 ml.
Nux Vomica, BP	0.01	0.06	0.56:100 ml.
Opium, BP	0.02	0.16	1.46:100 ml.
Opium, Camphorated, BP	0.01	0.04	0.39:100 ml.
Orange, BPC	0.01	0.06	0.52:100 ml.
Quillaia, BPC	0.01	0.09	0.82:100 ml.
Rhubarb, Compound, BP	0.01	0.11	1.00:100 ml.
Squill, BPC	0.01	0.07	0.66:100 ml.
Stramonium, BP	0.01	0.05	0.44:100 ml.
Strophanthus, BP 48	0.03	0.22	1.97:100 ml.
Valerian, Ammoniated, BPC 63	0.01	0.11	1.01:100 ml.
Titanium Dioxide, BPC	0.01	0.05	0.41:100 ml.
Tragacanth Gel, APF	0.01	0.04	0.32:100 G.
Triethanolamine, BPC	0.02	0.16	1.42:100 ml.
Urethane, BP 63	0.12	0.96	
Vanillin, BPC	0.12	0.94	
Vinegar of Squill, BPC	0.01	0.03	0.31:100 ml.

WATERS

Anise, Concentrated, BPC, 1 in 40	..	..	
Anise, Concentrated, BPC 63 1 in 40	0.01	0.07	0.60:100 ml.
Camphor, Concentrated, BPC 49			
1 in 40	0.01	0.07	0.60:100 ml.
Chlorbutol, APF 55	0.01	0.02	0.16:100 ml.
Chloroform, Concentrated, BPC 59			
1 in 40	0.01	0.04	0.39:100 ml.
Cinnamon, Concentrated, BPC,			
1 in 40	0.01	0.08	0.68:100 ml.

WATERS - cont.

For injections, BP ‡ 100 ml.	..	..	0.45:100 ml.
(extemporaneously prepared eye drops only)			
Peppermint, Concentrated, BP,			
1 in 40	0.01	0.04	0.38:100 ml.
Potable	..	..	
Purified or Distilled, BP	0.01	0.01	0.03:100 ml.
Wool Alcohols, BP	0.03	0.27	
Wool Fat, BP	0.01	0.05	0.40:100 G.
Wool Fat, Hydrous, BP	0.01	0.05	0.40:100 G.
Xylene of Commerce	0.01	0.03	0.29:100 G.
(may only be prescribed as an additive)			
ZINC			
Gelatin, BPC	0.01	0.09	0.81:100 G.
Oxide, BP	0.01	0.02	0.17:100 G.
Sulphate, BP	0.01	0.08	0.74:100 G.

TABLE OF CODES, MAXIMUM METRIC QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty. or No. of Units	Number of Repeats
10	Applications	200 ml.	2	34	Other Linctuses	100 ml.	4
11	Capsules	12	1	38	Liniments	100 ml.	1
12	Collodions	15 ml.	2	39	Lotions	200 ml.	2
35	Confections	100 G.	2	58	Magmas	100 ml. or 100 G.	1
13	Creams	100 G.	1	40	Mixtures	200 ml.	4
14	Draughts	200 ml.	4	41	Mixtures for Children	100 ml.	4
15	Ear Drops	15 ml.	2	30	Mouth Washes	200 ml.	1
16	Elixirs	100 ml.	4	60	Mucilages	100 ml.	..
17	Emulsions	400 ml.	4	42	Nasal Instillations	15 ml.	2
18	Enemas	100 ml.	1	43	Ointments, Waxes	100 G.	1
19	Extracts, Fluid	100 ml.	1	44	Paints	25 ml.	1
20	Eye Drops of Physostigmine	15 ml.	6	57	Parogens	100 ml.	2
21	Eye Drops of Pilocarpine	15 ml.	6	45	Pastes	100 G.	1
22	Other Eye Drops	15 ml.	2	46	Pessaries	12	1
23	Eye Lotions	200 ml.	1	47	Poultices	500 G.	1
24	Eye Ointments	5 G.	..	48	Powders, Dusting	100 G.	1
25	Gargles	200 ml.	4	49	Powders for internal use	100 G.	2
26	Gelatins	100 G.	1	50	Powders, Individual	12	1
27	Glycanths	100 G.	1	61	Powders, Irrigation	100 G.	1
28	Glycerins	100 ml.	1	51	Soaps	200 ml.	1
29	Inhalations	50 ml.	1	52	Solutions	200 ml.	2
37	Inhalations Solid	4 G.	1	59	Spirits	25 ml.	..
32	Irrigations	200 ml.	1	53	Sprays	15 ml.	2
33	Insufflations	25 G.	1	54	Suppositories	12	1
31	Injections - Ampoules	5 amps.	1	55	Syrups	100 ml.	4
	Vials	1 vial	1	56	Tinctures	25 ml.	1
34	Linctuses of Codeine and Morphine	100 ml.	2	62	Unna's Paste	200 G.	..
34	Linctuses of Codeine and Morphine (for children)	100 ml.	4				

TABLE OF CODES, MAXIMUM IMPERIAL QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty or No. of Units	Number of Repeats
10	Applications	8 fl. oz.	2	34	Other Linctuses	4 fl. oz.	4
11	Capsules	12	1	38	Liniments	4 fl. oz.	1
12	Collodions	240 min.	2	39	Lotions	8 fl. oz.	2
35	Confections	4 oz.	2	58	Magmas	4 fl. oz. or 4 oz.	1
13	Creams	4 oz.	1	40	Mixtures	8 fl. oz.	4
14	Draughts	8 fl. oz.	4	41	Mixtures for Children	4 fl. oz.	4
15	Ear Drops	1/2 fl. oz.	2	30	Mouth Washes	8 fl. oz.	1
16	Elixirs	4 fl. oz.	4	60	Mucilages	4 fl. oz.	..
17	Emulsions	16 fl. oz.	4	42	Nasal Instillations	1/2 fl. oz.	2
18	Enemas	4 fl. oz.	1	43	Ointments, Waxes	4 oz.	1
19	Extracts, Fluid	4 fl. oz.	1	44	Paints	1 fl. oz.	1
20	Eye Drops of Physostigmine	240 min.	6	57	Parogens	4 fl. oz.	2
21	Eye Drops of Pilocarpine	240 min.	6	45	Pastes	4 oz.	1
22	Other Eye Drops	240 min.	2	46	Pessaries	12	1
23	Eye Lotions	8 fl. oz.	1	47	Poultices	1 lb.	1
24	Eye Ointments	60 gr.	..	48	Powders, Dusting	4 oz.	1
25	Gargles	8 fl. oz.	4	49	Powders for internal use	4 oz.	2
26	Gelatins	4 oz.	1	50	Powders, Individual	12	1
27	Glycanths	4 oz.	1	61	Powders, Irrigation	4 oz.	1
28	Glycerins	4 fl. oz.	1	51	Soaps	8 fl. oz.	1
29	Inhalations	2 fl. oz.	1	52	Solutions	8 fl. oz.	2
37	Inhalations, Solid	60 gr.	1	59	Spirits	1 fl. oz.	..
32	Irrigations	8 fl. oz.	1	53	Sprays	1/2 fl. oz.	2
33	Insufflations	1 oz.	1	54	Suppositories	12	1
31	Injectons - Ampoules	5 amps.	1	55	Syrups	4 fl. oz.	4
	Vials	1 vial	1	56	Tinctures	1 fl. oz.	1
34	Linctuses of Codeine and Morphine	4 fl. oz.	2	62	Unna's Paste	8 oz.	..
34	Linctuses of Codeine and Morphine (for children)	4 fl. oz.	4				

SECTION 5 — PRESCRIBERS' LIST

AUGUST 1969

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml. and 2 Repeats)

7668 BENZYL BENZOATE with DICOPHANE

Benzyl Benzoate	50 G.
Dicophane	4 G.
Emulsifying Wax	4 G.
Purified Water to	200 ml.

7669 DICOPHANE

Dicophane	4 G.
Emulsifying Wax	8 G.
Xylene of commerce	30 ml.
Citronella Oil	1 ml.
Purified Water to	200 ml.

CREAMS

(Maximum Quantity 100 G. and 1 Repeat)

7655 ALUMINIUM ACETATE, OILY

Aluminium Acetate Solution	5 ml.
Zinc Oxide	20 G.
Wool Fat	25 G.
Arachis Oil	25 ml.
Purified Water	27 ml.

7492 AQUEOUS

Emulsifying Wax	10 G.
Hard Paraffin	6 G.
Liquid Paraffin	27 G.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Purified Water to	100 G.

7491 BUFFERED, AQUEOUS

Sodium Phosphate	2.5 G.
Citric Acid	500 mg.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Emulsifying Ointment	30 G.
Purified Water to	100 G.

PRESCRIPTION

7658 CALAMINE, AQUEOUS

Calamine	4 G.
Zinc Oxide	3 G.
Emulsifying Wax	6 G.
Arachis Oil	40 ml.
Purified Water to	100 G.

7659 CALAMINE, OILY

Calamine	32 G.
Oleic Acid	0.5 ml.
Arachis Oil	21.5 ml.
Wool Fat	17.5 G.
Calcium Hydroxide Solution	30.5 ml.

7661 CETOMACROGOL, AQUEOUS

Cetomacrogol Emulsifying Wax	15 G.
Liquid Paraffin	15 G.
White Soft Paraffin	10 G.
Glycerin	10 ml.
Chlorocresol	100 mg.
Purified Water to	100 G.

7660 CETRIMIDE, AQUEOUS

Cetrimide	500 mg.
Cetostearyl Alcohol	5 G.
Liquid Paraffin	50 G.
Purified Water to	100 G.

7490 CHLORHEXIDINE, AQUEOUS

Chlorhexidine Gluconate Solution	5 ml.
Cetomacrogol Emulsifying Wax	25 G.
Liquid Paraffin	10 G.
Purified Water to	100 G.

7662 COAL TAR and ZINC

Coal Tar, B.P.C.	1 G.
Castor Oil	1 G.
Zinc Cream	98 G.

PRESCRIPTION

CREAMS—cont.

7663 COLD

White Beeswax	20 G.
Liquid Paraffin	60 G.
Borax	1 G.
Purified Water	19 G.

7664 GLYCERIN, OILY

Glycerin	20 G.
Calcium Hydroxide Solution	32 ml.
Arachis Oil	22 G.
Wool Fat	26 G.

7665 ICHTHAMMOL and ZINC, OILY

Ichthammol	5 G.
Cetostearyl Alcohol	3 G.
Wool Fat	10 G.
Oily Zinc Cream	82 G.

9556 OILY

Wool Alcohols Ointment	50 G.
Purified Water	50 G.

7489 SALICYLIC ACID and RESORCINOL, AQUEOUS

Salicylic Acid	2 G.
Resorcinol	2 G.
Aqueous Cream, A.P.F. to	100 G.

7488 SALICYLIC ACID and SULPHUR, AQUEOUS

Salicylic Acid	2 G.
Precipitated Sulphur	2 G.
Spike Lavender Oil	0.5 ml.
Aqueous Cream, A.P.F. to	100 G.

PRESCRIPTION

7667 ZINC, OILY

Zinc Oxide	32 G.
Oleic Acid	0.5 ml.
Arachis Oil	21.5 ml.
Wool Fat	17.5 G.
Calcium Hydroxide Solution	30.5 ml.

7654 ZINC, WEAK

Zinc Oxide	5 G.
Oleic Acid	0.5 ml.
Arachis Oil	38.5 ml.
Wool Fat	25 G.
Calcium Hydroxide Solution	34.5 ml.

DUSTING POWDERS

(Maximum Quantity 100 G. and 1 Repeat)

7552 BORIC TALC

Boric Acid	5 G.
Starch	10 G.
Purified Talc	85 G.

9841 DICOPHANE

Dicophane	10 G.
Calcium Carbonate	10 G.
Light Kaolin	80 G.

9847 KAOLIN COMPOUND

Light Kaolin	25 G.
Zinc Oxide	25 G.
Purified Talc	50 G.

7553 SALICYLIC ACID, COMPOUND

Salicylic Acid	3 G.
Boric Acid	5 G.
Purified Talc	92 G.

7554 ZINC, COMPOUND

Boric Acid	5 G.
Zinc Oxide	25 G.
Purified Talc	35 G.
Starch	35 G.

PRESCRIPTION

EAR DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

7642 ALUMINIUM ACETATE

Aluminium Acetate Solution	9 ml.
Purified Water to	15 ml.

7643 BORIC ACID

Boric Acid	300 mg.
Industrial Methylated Spirit	3 ml.
Purified Water to	15 ml.

7487 CHLORHEXIDINE

Chlorhexidine Diacetate	7.5 mg.
Purified Water to	15 ml.

7644 HYDROGEN PEROXIDE

Hydrogen Peroxide Solution	3.75 ml.
Purified Water to	15 ml.

7645 ICHTHAMMOL

Ichthammol	10 G.
Glycerin	90 G.

7648 PHENYLMERCURIC NITRATE

Phenylmercuric Nitrate	15 mg.
Propylene Glycol to	15 ml.

8185 SALICYLIC ACID

Salicylic Acid	300 mg.
Industrial Methylated Spirit	7.5 ml.
Purified Water to	15 ml.

8194 SODIUM BICARBONATE

Sodium Bicarbonate	600 mg.
Glycerin	11.25 ml.
Purified Water to	15 ml.

7649 SPIRIT

Industrial Methylated Spirit	7.5 ml.
Purified Water to	15 ml.

PRESCRIPTION

ELIXIRS

(Maximum Quantity 100 ml. and 4 Repeats)

7493 EPHEDRINE

Ephedrine Hydrochloride	20 mg.
Aromatic Syrup, A.P.F.	2 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7640 PHENOBARBITONE

Phenobarbitone	15 mg.
Alcohol (90 per cent)	2 ml.
Glycerin	1.5 ml.
Aromatic Syrup, A.P.F. to	5 ml.

EMULSION

(Maximum Quantity 400 ml. and 4 Repeats)

7486 LIQUID PARAFFIN

Liquid Paraffin	200 ml
Acacia	50 G.
Saccharin Sodium	20 mg.
Benzoic Acid Solution, A.P.F.	10 ml.
Vanillin	200 mg.
Chloroform	1 ml.
Purified Water to	400 ml.

(May be prescribed for pensioners only)

EYE DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

7417 ZINC and ADRENALINE

Zinc Sulphate	37.5 mg.
Adrenaline Solution	1.5 ml.
Boric Acid	225 mg.
Sodium Metabisulphite	7.5 mg.
Chlorbutol	75 mg.
Glycerin	0.15 ml.
Water for Injections to	15 ml.

7416 ZINC SULPHATE

Zinc Sulphate	37.5 mg.
Boric Acid	225 mg.
Chlorbutol	75 mg.
Glycerin	0.15 ml.
Water for Injections to	15 ml.

PRESCRIPTION

INHALATIONS

(Maximum Quantity 50 ml. and 1 Repeat)

7485 BENZOIN

Compound Benzoin Tincture B.P.C. 50 ml.

7484 MENTHOL and BENZOIN

Menthol 1 G.
Compound Benzoin Tincture B.P.C. to 50 ml.

7494 MENTHOL and EUCALYPTUS

Menthol 1 G.
Eucalyptus Oil 6.25 ml.
Light Magnesium Carbonate 3.5 G.
Water to 50 ml.

7483 MENTHOL and PINE

Menthol 1 G.
Creosote 1 ml.
Pumilio Pine Oil 2.5 ml.
Industrial Methylated Spirit to 50 ml.

LINCTUSES

(Except where shown, Maximum Quantity 100 ml. and 4 Repeats)

7534 CAMPHOR COMPOUND

Camphorated Opium Tincture 2 ml.
Oxymel of Squill 1 ml.
Syrup to 5 ml.

7495 CODEINE

(Maximum Quantity 100 ml. and 2 Repeats)

Codeine Phosphate 25 mg.
Water 1 ml.
Glycerin 1 ml.
Oxymel of Squill 2 ml.
Syrup to 5 ml.

7482 PHOLCODINE

Pholcodine 5 mg.
Citric Acid 50 mg.
Chloroform Spirit 0.3 ml.
Compound Amaranth Solution, A.P.F. 0.1 ml.
Glycerin 1 ml.
Syrup to 5 ml.

PRESCRIPTION

7635 SIMPLE

Citric Acid 200 mg.
Chloroform Spirit 0.3 ml.
Amaranth Solution, A.P.F. 0.1 ml.
Concentrated Anise Water 0.1 ml.
Syrup to 5 ml.

LINIMENTS

(Maximum Quantity 100 ml. and 1 Repeat)

7884 CAMPHOR

Camphor 20 G.
Arachis Oil 80 G.

7481 METHYL SALICYLATE

Methyl Salicylate 25 ml.
Arachis Oil to 100 ml.

7480 METHYL SALICYLATE, COMPOUND

Menthol 4 G.
Eucalyptus Oil 10 ml.
Methyl Salicylate 25 ml.
Arachis Oil to 100 ml.

7479 SOAP

Camphor 4 G.
Oleic Acid 4 G.
Potassium Hydroxide Solution, (5 per cent) 14 ml.
Industrial Methylated Spirit 70 ml.
Rosemary Oil 1.5 ml.
Purified Water to 100 ml.

LOTIONS

(Maximum Quantity 200 ml. and 2 Repeats)

7629 CALAMINE

Calamine 30 G.
Zinc Oxide 10 G.
Bentonite 6 G.
Sodium Citrate 1 G.
Liquefied Phenol 1 ml.
Glycerin 10 ml.
Purified Water to 200 ml.

PRESCRIPTION

LOTIONS—cont.

7630 CALAMINE OILY

Calamine ..	10 G.
Wool Fat ..	2 G.
Arachis Oil ..	100 ml.
Oleic Acid ..	1 ml.
Calcium Hydroxide Solution to	200 ml.

8793 RESORCINOL COMPOUND

Resorcinol ..	5 G.
Solvent Ether ..	5 ml.
Castor Oil ..	5 ml.
Spike Lavender Oil ..	0.2 ml.
Industrial Methylated Spirit to	200 ml.

7633 SULPHURATED

Zinc Sulphate ..	10 G.
Sulphurated Potash ..	10 G.
Acetone ..	10 ml.
Glycerin ..	10 ml.
Spike Lavender Oil ..	0.4 ml.
Purified Water to	200 ml.

8825 ZINC SULPHATE

Zinc Sulphate ..	2 G.
Amaranth Solution, A.P.F. ..	2 ml.
Purified Water to	200 ml.

MIXTURES

(Maximum Quantity 200 ml. and 4 Repeats)

7379 ALUMINIUM HYDROXIDE with BELLADONNA

Belladonna Tincture ..	0.5 ml.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

7380 ALUMINIUM HYDROXIDE with KAOLIN and OPIUM

Light Kaolin ..	2 G.
Opium Tincture ..	0.3 ml.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

7381 ALUMINIUM HYDROXIDE with PROCAINE

Procaine Hydrochloride ..	100 mg.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

PRESCRIPTION

7382 AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium ..	20 mg.
Ephedrine Hydrochloride ..	15 mg.
Potassium Iodide ..	500 mg.
Aminophylline ..	100 mg.
Liquorice Liquid Extract ..	0.5 ml.
Chloroform Water Concentrated ..	0.25 ml.
Water to	10 ml.

7496 ASPIRIN

Aspirin ..	500 mg.
Compound Tragacanth Powder ..	200 mg.
Orange Syrup ..	1 ml.
Concentrated Chloroform Water ..	0.25 ml.
Water to	10 ml.

Additional drugs may be required to be prescribed with this mixture, and the following doses are considered suitable for addition to each 10 millilitre dose.

Amylobarbitone ..	25 mg.
Morphine Hydrochloride ..	10 mg.

7447 ASPIRIN and CODEINE

Codeine Phosphate ..	20 mg.
Aspirin ..	500 mg.
Compound Tragacanth Powder ..	200 mg.
Orange Syrup ..	1 ml.
Concentrated Chloroform Water ..	0.25 ml.
Water to	10 ml.

7446 ASPIRIN and MORPHINE

Morphine Hydrochloride Solution ..	1 ml.
Amaranth Solution, A.P.F. ..	0.1 ml.
Aspirin ..	500 mg.
Compound Tragacanth Powder ..	200 mg.
Orange Syrup ..	1 ml.
Concentrated Chloroform Water ..	0.25 ml.
Water to	10 ml.

7445 ASPIRIN and PHENOBARBITONE

Phenobarbitone ..	20 mg.
Aspirin ..	500 mg.
Compound Tragacanth Powder ..	200 mg.
Orange Syrup ..	1 ml.
Concentrated Chloroform Water ..	0.25 ml.
Water to	10 ml.

PREScription

MIXTURES—cont.

7384 CAFFEINE, IODIDE and EPHEDRINE

Synonym: C.I.E. Mixture.

Caffeine	150 mg.
Sodium Iodide	500 mg.
Ephedrine Hydrochloride	20 mg.
Syrup Tolu	4 ml.
Spirit of Aniseed	0.06 ml.
Water to	10 ml.

7383 CALCIUM ACETYSALICYLATE

Aspirin	550 mg.
Calcium Hydroxide	155 mg.
Neutral Syrup of Lemon	2 ml.
Solution of Carmine	0.1 ml.
Water to	10 ml.

7498 CHALK and KAOLIN

Chalk	1.5 G.
Light Kaolin	2.5 G.
Light Magnesium Carbonate	200 mg.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7499 CHLORAL HYDRATE

Chloral Hydrate	1 G.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7500 FERROUS SULPHATE

Ferrous Sulphate	300 mg.
Dextrose Monohydrate	1 G.
Orange Syrup	1 ml.
Citric Acid	50 mg.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

PREScription

7501 GENTIAN ACID

Concentrated Compound Gentian Infusion	1 ml.
Dilute Hydrochloric Acid	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7502 GENTIAN ALKALINE

Concentrated Compound Gentian Infusion	1 ml.
Sodium Bicarbonate	500 mg.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7378 IPECACUANHA and OPIUM

Synonym: Cough Mixture.

Ipecacuanha Tincture	0.3 ml.
Camphorated Opium Tincture	1.2 ml.
Syrup Tolu	1.2 ml.
Oxymel of Squill	1 ml.
Chloroform Spirit	0.3 ml.
Anise Water Concentrated	0.15 ml.
Water to	10 ml.

7503 KAOLIN and OPIUM

Light Kaolin	2.5 G.
Light Magnesium Carbonate	200 mg.
Opium Tincture	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7504 MAGNESIUM TRISILICATE

Magnesium Trisilicate	1 G.
Calcium Carbonate	500 mg.
Light Magnesium Carbonate	500 mg.
Concentrated Peppermint Water	0.25 ml.
Water to	10 ml.

7385 PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE

Synonym: P.B.P.A. Mixture.

Phenobarbitone Sodium	15 mg.
Belladonna Tincture	0.6 ml.
Procaine Hydrochloride	150 mg.
Mixture of Aluminium Hydroxide, A.P.F. to	10 ml.

PRESCRIPTION

MIXTURES—cont.

7505 POTASSIUM CHLORIDE

Potassium Chloride	1 G.
Lemon Syrup, A.P.F.	2 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7506 POTASSIUM CITRATE

Potassium Citrate	2 G.
Citric Acid	400 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7507 POTASSIUM CITRATE and SODIUM BICARBONATE

Potassium Citrate	1 G.
Sodium Bicarbonate	750 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7508 POTASSIUM IODIDE and STRAMONIUM, COMPOUND

Synonym: Lobelia and Stramonium Mixture.

Potassium Iodide	250 mg.
Stramonium Tincture	0.5 ml.
Lobelia Ethereal Tincture	0.5 ml.
Aromatic Ammonia Spirit	0.5 ml.
Liquorice Liquid Extract	0.5 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7444 SENECA and AMMONIA

Ammonium Bicarbonate	250 mg.
Camphorated Opium Tincture	1 ml.
Liquorice Liquid Extract	0.5 ml.
Concentrated Senega Infusion	0.4 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

7509 SODIUM CITRATE

Sodium Citrate	2 G.
Citric Acid	400 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

PRESCRIPTION

7510 SODIUM SALICYLATE

Sodium Salicylate	1 G.
Liquorice Liquid Extract	0.25 ml.
Concentrated Chloroform Water	0.25 ml.
Water to	10 ml.

NASAL INSTILLATIONS

(Maximum Quantity 15 ml. and 2 Repeats)

7576 DEXTROSE and GLYCERIN

Dextrose Monohydrate	3 G.
Glycerin to	15 ml.

7574 EPHEDRINE

Ephedrine Hydrochloride	150 mg.
Chlorbutol	75 mg.
Sodium Chloride	75 mg.
Propylene Glycol	0.75 ml.
Purified Water to	15 ml.

OINTMENTS

(Maximum Quantity 100 G. and 1 Repeat)

9497 BENZOIC ACID, COMPOUND

Benzoic Acid	6 G.
Salicylic Acid	3 G.
Emulsifying Ointment	91 G.

7918 EMULSIFYING

Emulsifying Wax	30 G.
White Soft Paraffin	50 G.
Liquid Paraffin	20 G.

7570 HAMAMELIS, COMPOUND

Hamamelis Liquid Extract	10 ml.
Phenol	2 G.
Zinc Oxide	10 G.
Wool Fat	50 G.
Yellow Soft Paraffin to	100 G.

PRESCRIPTION

OINTMENTS—cont.

9592 RESORCINOL and SULPHUR, COMPOUND

Resorcinol	2 G.
Precipitated Sulphur	3 G.
Salicylic Acid	1 G.
White Simple Ointment	94 G.

7926 SALICYLIC ACID

Salicylic Acid	2 G.
Wool Alcohols Ointment	98 G.

7927 SIMPLE

Wool Fat	5 G.
Hard Paraffin	5 G.
Cetostearyl Alcohol	5 G.
White Soft Paraffin	85 G.

7929 SULPHUR

Sublimed Sulphur	10 G.
White Simple Ointment	90 G.

7899 ZINC and CASTOR OIL

Zinc Oxide	7.5 G.
Castor Oil	50 G.
Cetostearyl Alcohol	2 G.
White Beeswax	10 G.
Arachis Oil	30.5 G.

7527 ZINC OXIDE

Zinc Oxide	15 G.
White Simple Ointment	85 G.

PAINTS

(Maximum Quantity 25 ml. and 1 Repeat)

7562 ICHTHAMMOL

Ichthammol	10 G.
Glycerin	90 G.

PRESCRIPTION

7565 MAGENTA

Magenta	100 mg.
Resorcinol	2 G.
Phenol	1 G.
Boric Acid	200 mg.
Industrial Methylated Spirit	2 ml.
Acetone	1 ml.
Purified Water to	25 ml.

7566 PODOPHYLLIN

Podophyllum Resin	1.25 G.
Compound Benzoin Tincture to	25 ml.

7567 PODOPHYLLIN, STRONG

Podophyllum Resin	3.75 G.
Compound Benzoin Tincture to	25 ml.

7568 SALICYLIC ACID

Salicylic Acid	2.5 G.
Flexible Collodion to	25 ml.

PASTES

(Maximum Quantity 100 G. and 1 Repeat)

7555 COAL TAR

Coal Tar, B.P.C.	1 G.
Castor Oil	1 G.
Compound Zinc Paste	98 G.

7556 DITHRANOL and ZINC

Dithranol	100 mg.
Compound Zinc Paste	99.9 G.

7557 DITHRANOL and ZINC, STRONG

Dithranol	1 G.
Compound Zinc Paste	99 G.

PREScription

PASTES—cont.

7478 TITANIUM DIOXIDE

Titanium Dioxide	20 G.
Zinc Oxide	10 G.
Calamine	10 G.
Light Kaolin	10 G.
Bentonite	1 G.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Glycerin	20 G.
Purified Water to	100 G.

7558 ZINC, COMPOUND

Zinc Oxide	25 G.
Starch	25 G.
White Soft Paraffin	50 G.

7559 ZINC and SALICYLIC ACID

Salicylic Acid	2 G.
Liquid Paraffin	2 G.
Compound Zinc Paste	96 G.

PREScription

POWDERS

(Maximum Quantity 100 G. and 2 Repeats)

7477 ALUMINIUM and MAGNESIUM TRISILICATE

Dried Aluminium Hydroxide Gel	10 G.
Magnesium Trisilicate	50 G.
Light Kaolin	40 G.

7549 MAGNESIUM and CALCIUM CARBONATE

Calcium Carbonate	25 G.
Heavy Magnesium Carbonate	25 G.
Magnesium Trisilicate	50 G.
Peppermint Oil	0.2 ml.

SPRAY

(Maximum Quantity 15 ml. and 2 Repeats)

7476 ADRENALINE and ATROPINE

Adrenaline Acid Tartrate	135 mg.
Atropine Methonitrate	15 mg.
Sodium Chloride	90 mg.
Chlorbutol	75 mg.
Sodium Metabisulphite	15 mg.
Propylene Glycol	0.75 ml.
Purified Water, freshly boiled and cooled to	15 ml.

SECTION 5 — PRESCRIBERS' LIST—CHILDREN'S SECTION

PRESCRIPTION

LINCTUS

(Maximum Quantity 100 ml. and 4 Repeats)

7475 PHOLCODINE

Pholcodine	2.5 mg.
Citric Acid	25 mg.
Chloroform Spirit	0.15 ml.
Compound Amaranth Solution, A.P.F.	0.05 ml.
Glycerin	0.5 ml.
Syrup to	5 ml.

MIXTURES

(Maximum Quantity 100 ml. and 4 Repeats)

7577 ALUMINIUM HYDROXIDE with KAOLIN

Light Kaolin	1 G.
Aluminium Hydroxide Mixture to	5 ml.

7511 ASPIRIN

Aspirin	150 mg.
Compound Tragacanth Powder	100 mg.
Raspberry Syrup	1 ml.
Water to	5 ml.

7512 ATROPINE METHONITRATE

Atropine Methonitrate	0.5 mg.
Lemon Syrup, A.P.F.	0.5 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

PRESCRIPTION

7513 BELLADONNA

Belladonna Tincture	0.1 ml.
Orange Syrup	1 ml.
Glycerin	1 ml.
Benzoic Acid Solution, A.P.F.	0.1 ml.
Water to	5 ml.

7514 CALCIUM and KAOLIN

Calcium Carbonate	500 mg.
Light Kaolin	1 G.
Light Magnesium Carbonate	100 mg.
Chloroform Spirit	0.1 ml.
Concentrated Cinnamon Water	0.1 ml.
Water to	5 ml.

7515 CHLORAL HYDRATE

Chloral Hydrate	250 mg.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7516 FERROUS GLUCONATE

Ferrous Gluconate	200 mg.
Dextrose Monohydrate	500 mg.
Orange Syrup	1 ml.
Citric Acid	25 mg.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

PREScription

MIXTURES—cont.

7517 FERROUS SULPHATE

Ferrous Sulphate	100 mg.
Dextrose Monohydrate	500 mg.
Orange Syrup	1 ml.
Citric Acid	25 mg.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7518 IPECACUANHA and SQUILL

Ipecacuanha Tincture	0.1 ml.
Camphorated Opium Tincture	0.3 ml.
Oxymel of Squill	1 ml.
Water to	5 ml.

7519 MAGNESIUM SULPHATE

Magnesium Sulphate	1 G.
Light Magnesium Carbonate	200 mg.
Concentrated Peppermint Water	0.1 ml.
Water to	5 ml.

7520 PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole	500 mg.
Light Kaolin	300 mg.
Compound Tragacanth Powder	50 mg.
Raspberry Syrup	1 ml.
Benzoic Acid Solution, A.P.F.	0.1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7521 POTASSIUM CITRATE

Potassium Citrate	1 G.
Citric Acid	200 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

PREScription

7522 POTASSIUM IODIDE

Potassium Iodide	100 mg
Liquorice Liquid Extract	0.25 ml.
Aromatic Ammonia Spirit	0.1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml

7523 POTASSIUM IODIDE and EPHEDRINE

Potassium Iodide	100 mg.
Ephedrine Hydrochloride	10 mg.
Stramonium Tincture	0.2 ml.
Aromatic Ammonia Spirit	0.1 ml.
Liquorice Liquid Extract	0.2 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7524 SODIUM AMINOSALICYLATE

Sodium Aminosalicylate	1 G.
Liquorice Liquid Extract	0.25 ml.
Orange Syrup	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7525 SODIUM CITRATE

Sodium Citrate	1 G.
Citric Acid	200 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

SECTION 6—CONTAINER PRICES, PROFESSIONAL FEES, STANDARD PACKS AND PRICES FOR READY PREPARED PREPARATIONS—AUGUST 1969

Container prices for ready prepared preparations

Class of Benefit When supplied in—	Container	Amount
Ampoules or Vials	100 G Screw Cap Jar	10c
Hypodermic Tablets	Vial	3c
Other Tablets and Pills	Tablet Containers—	
	Size 25	3c
	Size 50	4c
	Size 100	6c
Pessaries and Suppositories	50 G Screw Cap Jar	8c

Ready prepared professional fee—30c

STANDARD PACKS AND PRICES (INCLUDING MARK-UP, BUT WITHOUT PROFESSIONAL FEE) FOR ITEMS
AGAINST THE PRICE OF WHICH AN ASTERISK IS SHOWN IN THE LIST OF BENEFITS

(Apply wastage factor in calculating broken quantity prices)

Item No.	Name	Form	Price and Pack	Brand
			\$	
2644	Ampicillin	100 mg.	1 @ 0.57	BR
2389		250 mg.	1 @ 0.96	BR
2390		500 mg.	1 @ 1.55	BR
1058	Amylobarbitone Sodium	250 mg.	1 @ 0.44	LY
1059		500 mg.	1 @ 0.67	LY
1060		1 G.	1 @ 1.87	LY
1072	Antazoline	100 mg. in 2 ml.	5 @ 0.93	CB
			5 @ 0.96	BT
1126	Antivenene- Brown Snake	500 Units	1 @ 14.00	CS
1980	Antivenene - Red Back Spider	500 Units	1 @ 4.00	CS
2176	Antivenene - Tiger Snake	3,000 Units	1 @ 21.27	CS
1116	Betamethasone	4 mg. in 1 ml.	1 @ 1.33	GL, SH
1163	Chlorambucil	2 mg.	25 @ 1.47	BW
1164		5 mg.	25 @ 2.40	BW
2385	Chloramphenicol	250 mg.	1 @ 0.91	PD
1167		1 G.	1 @ 1.31	CW
			1 @ 1.53	EC, PD
1185	Chloroquine	2 ml.	10 @ 1.27	MB
1186		5 ml.	10 @ 2.33	MB
2545	Cholera-El Tor Combined Vaccine	8,000 M. in 1 ml.	1 @ 0.40	CS

1210	Clemizole	20 mg.	100 @	2.00	SC
2621	Colistin	I.M. 150 mg.	1 @	6.83	WW
1232, 1238, 1239,	Corticotrophin	Col. 5 price less	30c	Qty. dispensed	
			X		
1242, 2357, 2538		1		Max. Qty.	
1262	Cyanocobalamin	1,000 mcg.	1 @	0.47	PT
			1 @	0.56	GL
1281	Deoxycortone - Aqueous Injection	10 mg./ml., 5 ml.	5 @	20.00	SC
1283	- Oily Injection	5 mg.	4 @	2.67	SC
2509	Dexamethasone	4 mg. in 1 ml.	1 @	1.49	MK
1290		5 mg. in 1 ml.	1 @	1.67	OR
1291		4 mg./ml., 2 ml.	1 @	2.67	MK
1292		0.5 mg.	100 @	11.12	RL
2701	Dextromoramide	5 mg. in 1 ml.	5 @	1.13	FA
1312	Diethazine	250 mg.	50 @	1.33	MB
1321	Digoxin	250 mcg./ml., 2 ml.	5 @	0.84	BW
2537		50 mcg. in 2 ml.	5 @	0.84	BW
1333	Diloxanide Furoate	500 mg.	15 @	2.00	BT
1342	Diphtheria Antitoxin	1,000 Units	1 @	1.47	CS
1343		4,000 Units	1 @	3.93	CS
1344		10,000 Units	1 @	9.17	CS
1345		20,000 Units	1 @	16.96	CS
1341	Diphtheria and Tetanus Vaccine	0.5 ml.	1 @	0.44	CS

Item No.	Name	Form	Price and Pack	Brand
			\$	
1346	Diphtheria, Tetanus and Pertussis Vaccine	0.5 ml.	1 @ 0.52	CS
1348	Diphtheria Vaccine (P.T.A.P.)	0.5 ml.	1 @ 0.44	CS
2519	Edrophonium	10 mg. in 1 ml.	6 @ 1.44	RO
1398	Erythromycin	300 mg. in 10 ml.	1 @ 2.37	AB
1405	Ethinylestradiol	0.01 mg.	100 @ 0.67	BD, OR
1406		0.02 mg.	30 @ 0.40	SC
			100 @ 0.77	BD, OR
1407		0.05 mg.	100 @ 0.91	BD, OR
1408		1 mg.	25 @ 2.07	BD
			100 @ 6.60	OR
1409	Ethisterone	5 mg.	25 @ 1.47	VR
1410		10 mg.	25 @ 2.67	SC, VR
1411		25 mg.	25 @ 5.33	VR
1412	Ethopropazine	50 mg.	50 @ 1.33	MB
1436	Folic Acid	15 mg. in 1 ml.	5 @ 1.43	ET
1441	Gas Gangrene Antitoxin (Oedematiens)	10,000 Units	1 @ 9.24	CS
1444	Gas Gangrene Antitoxin (Septicum)	5,000 Units	1 @ 14.47	CS
1445	Gas Gangrene Antitoxin (Welchii)	4,000 Units	1 @ 7.97	CS
1446		10,000 Units	1 @ 12.47	CS
2699	Gas Gangrene Antitoxin - Mixed (Polyvalent)	25,000 Units	1 @ 16.69	CS

2446	Goats' Milk	Dehydrated Pdr. 1/2 lb.	1 @	1.60	GV
2656		Whole 14 fl. oz.	1 @	0.39	TM
1464	Halibut Liver Oil	6,000 Units	120 @	1.60	CK
1466	Heparin	1,000 Units/ml., 5 ml.	1 @	0.56	BT, CS, EV, WP
1467		5,000 Units in 1 ml.	1 @	0.56	CS, EV
			10 @	4.48	WP
1468		5,000 Units/ml., 5 ml.	1 @	1.67	BT, CS, DH, EV, WP
1469		12,500 Units in 1 ml.	1 @	1.00	BT, CS, EV
1478	Hyaluronidase	150 I.U.	1 @	0.76	WY
1501	Hydrocortisone Sodium Succinate	100 mg. Set	1 @	4.64	PT
			1 @	4.72	NR
			1 @	4.96	RM
			1 @	7.47	BT, GL, UP
1325	Hydromorphone	2.5 mg.	10 @	0.33	KN
1511	Hydroxocobalamin	1,000 mcg. in 1 ml.	1 @	0.56	GL, KL
1513	Hydroxyprogesterone	250 mg.	1 @	3.07	RM
2851	Influenza Vaccine	1 ml.	1 @	1.13	BW, CS
1523					
to					
1527,					
1529					
to					
1548					
and	All Insulins				
2578					
to					
2581					
			Col. 5 price X Qty. dispensed		
			Maximum Quantity		

Item No.	Name	Form	Price and Pack	Brand
2242 to 2255, 2258 to 2288, 2290 to 2295, 2305, 2306, 2480, 2631 to 2634, 2766, 2864, 2872, 2873	Intravenous Fluids for Injection		\$	
		Col. 5 price less 30c	Qty. dispensed	
		1	X	Max. Qty.
1553	Isoniazid	50 mg.	100 @ 0.40	AD, SI
			100 @ 0.73	RO
1562	Kanamycin	250 mg.	1 @ 1.00	SI
1563		500 mg.	1 @ 1.47	BC
1564		1 G.	1 @ 2.40	BC, SI
1569	Levorphanol	1.5 mg.	20 @ 0.67	RO
2401	Lypressin	50 Units per ml., 5 ml.	1 @ 1.87	SZ

2547	Melphalan	2 mg.	25 @	2.40	BW
2548		5 mg.	25 @	4.40	BW
1597	Mercaptomerin Sodium	1.4 G. in 10 ml.	1 @	1.83	WY
1601	Mersalyl	1 ml.	5 @	0.64	EV
			5 @	0.67	BD, FH
			5 @	0.72	DH
1602		2 ml.	5 @	0.77	EV, FH
			5 @	0.83	DH
			5 @	0.84	BT, VR
1604	Metaraminol	10 mg. in 1 ml.	1 @	0.40	MK
1613	Methazolamide	50 mg.	100 @	10.13	LE
1619	Methenolone Acetate	1 mg.	50 @	1.07	SC
1620		5 mg.	50 @	3.67	SC
2323	Methicillin	1 G.	1 @	3.17	BR, CS
1623	Methoxamine Hydrochloride	20 mg. in 1 ml.	5 @	1.20	BW
2697	Neomycin	500 mg. Powder	1 @	1.27	ET
1719	Oxytetracycline	I.M. 100 mg.	1 @	0.75	PF
1720		I.M. 250 mg.	1 @	1.36	PF
1721		I.V. 250 mg.	1 @	1.36	PF
1732	Pancreatin Concentrate	1 oz., Powder	1 @	1.20	PD
1734		300 mg.	100 @	1.84	PD
1759	Pempidine	5 mg.	50 @	1.44	MB
2722	Penicillamine	250 mg.	50 @	21.00	MK
1772					
to					
1779,					
and					
1791	Penicillins				
to					
1808,					
2647,					
2648					

Col. 5 price less 30c Qty. dispensed

X

1

Max. Qty.

Item No.	Name	Form	Price and Pack	Brand*
			\$	
2410	Peritoneal Dialysis Solution	1.5% Dextrose	1 @ 1.67	BX
2411		7% Dextrose	1 @ 1.67	BX
1827	Pertussis Vaccine	20,000 M. in 0.5 ml.	1 @ 0.40	CS
1851	Phenobarbitone	60 mg.	100 @ 0.24	AD, DH, FA, HY, KL, RT, RY, SI, SL
			100 @ 0.33	BW, MB
1852		100 mg.	100 @ 0.33	AD, DH, KL, RT, RY, SI
1853	Phenobarbitone Sodium	200 mg. in 1 ml.	10 @ 0.93	MB
1858		60 mg.	100 @ 0.24	KL, RT
			100 @ 0.27	FA
1859		100 mg.	100 @ 0.33	FA, KL
1861	Phenolphthalein Compound	Pill	100 @ 0.40	DH
2383	Phytomenadione	10 mg. in 1 ml.	1 @ 1.07	MK
2384		10 mg./ml., 5 ml.	1 @ 5.00	MK
1900	Pituitary, Posterior Lobe	2 G.	1 @ 2.23	BP
1901	Plague Vaccine	1 ml.	1 @ 0.67	CS
2392	Polymyxin B Sulphate	Powder 500,000 Units	1 @ 2.93	BW
1919	Prednisolone Acetate	10 mg in 1 ml.	3 @ 2.67	SC
2439	Prednisolone Sodium Succinate	Injection - Set	1 @ 6.67	MQ
1959	Pyridostigmine	60 mg.	150 @ 10.49	RO
1960		1 mg. in 1 ml.	6 @ 0.83	RO
1966	Pyrimethamine	25 mg.	50 @ 1.47	BW

1986	Rolitettracycline	I.V. 110 mg.	1 @	1.32	AH
1987		I.V. 275 mg.	1 @	2.32	AH
1988		I.V. 350 mg.	1 @	2.32	BC
1989		I.M. 150 mg.	1 @	1.31	BC
			1 @	1.32	AH
1990		I.M. 350 mg.	1 @	2.32	AH, BC
2018	Sodium Aurothiomalate	50 mg.	1 @	0.43	MB
2019		100 mg.	1 @	0.59	MB
2022	Sodium Calciumedetate	200 mg./ml., 5 ml.	6 @	5.87	RK
2027	Sodium Chloride (Physiological Solution)	10 ml. Vial	1 @	0.33	FH, PD
2029		50 ml.	1 @	0.67	BX, FH, KL
			Col: 5 Price X Qty. dispensed		
2039	Soya Formula	13 fl.oz.			
2837		15 fl.oz.			
2478	Stanozolol	2 mg.	50 @	3.20	WL
2054	Streptomycin Sulphate	1 G.	1 @	0.33	DH, EV, GL, SI
2056		250,000 Units/ml., 4 ml.	1 @	0.37	DL, GL
2057		500,000 Units/ml., 2 ml.	1 @	0.37	BT, EV, GL
2058		1,000,000 Units in 3 ml.	1 @	0.37	EV, GL
2069	Sulphadiazine Sodium	4 ml.	10 @	1.93	MB
2102	Suxamethonium Bromide	67 mg.	10 @	2.33	MB
2115	Testosterone Propionate	25 mg. in 1 ml.	3 @	1.15	SC
2116		50 mg. in 1 ml.	3 @	2.21	SC

Item No.	Name	Form	Price and Pack	Brand
			\$	
2121	Tetanus Antitoxin	1,500 Units	1 @ 1.61	CS
2122		10,000 Units	1 @ 6.55	CS
2123		50,000 Units	1 @ 29.11	CS
2629	Tetanus Antitoxin (Bovine)	1,500 Units	1 @ 2.00	CS
2127	Tetanus Toxoid (P.A.P.A.)	0.5 ml.	1 @ 0.36	BT, CS
2129	Tetracycline	I.V. 100 mg.	1 @ 0.75	LE
2130		I.V. 250 mg.	1 @ 1.36	LE
2131		I.M. 100 mg.	1 @ 0.75	GP, LE
2403		I.M. 250 mg.	1 @ 1.36	LE
2368	Thiethylperazine	6.5 mg. in 1 ml.	5 @ 0.60	SZ
2345	Thiotepa Injection	15 mg.	1 @ 2.67	LE
2179	Tretamine - Tablet	2.5 mg.	25 @ 3.80	IC
2570	- Injection	5 mg.	5 @ 9.33	IC
1354	Trisodium Edetate	200 mg./ml., 5 ml.	6 @ 6.67	RK
2194	Troxidone	300 mg.	100 @ 3.47	GA
2800	Typhoid Vaccine	0.5 ml.	1 @ 0.37	CS
2871	Typhoid - Cholera Vaccine	1 ml.	1 @ 0.72	CS
2195	Typhus Vaccine	1 ml.	1 @ 3.52	CS
2197	Vasopressin Tannate	5 Units in 1 ml.	5 @ 1.44	PD
2371	Vincristine	1 mg.	1 @ 12.95	LY
2348	Viomycin	1 G.	1 @ 3.33	PD, PF
2217	Water for Injections	5 ml.	1 @ 0.11	CS

COMMONWEALTH OF AUSTRALIA



DEPARTMENT OF HEALTH

PHARMACEUTICAL BENEFITS

AUGUST 1969

PHARMACEUTICAL BENEFITS

Explanatory circular regarding the August 1969 issue of the Schedule of Benefits for Medical Practitioners

This reprint of the Schedule of Benefits will take effect from 1 August 1969.

The B.P. 1968 and B.P.C. 1968 are official in Australia as from that date.

Appended is a summary of changes in this issue.

ADDITIONS—NEW ITEMS

Section 2

Choline Theophyllinate with Guaiphenesin
Sodium Nitroprusside
Typhoid-Cholera Vaccine

Intravenous Fluids for Injection

Casein Hydrolysate with Dextrose
Casein Hydrolysate with Laevulose and Alcohol
Invert Sugar

Section 3

Hydrocortisone with Propanediol Diacetate and
Acetic Acid
Insect Allergen Extract (Honey Bee)
Lignocaine
Protein Hydrolysate Formula without Phenylalanine

ADDITIONS—NEW FORM AND STRENGTHS OF EXISTING ITEMS

Section 2

Chloral Hydrate, mixture 230 mg./5 ml. 400 ml.
Chlorpheniramine, capsule 8 mg. (sustained release)
12 mg. (sustained release)

Dextrose, injection 25%, 25 ml.
Hydrocortisone, cream 1%, 30 G.
topical ointment 1%, 30 G.

Sulphamethizole, suspension
Theophylline with Guaiphenesin, capsule 100 mg.-
60 mg.
Thiotepa, eye drops set

Section 3

Ergotoxine Methanesulphonates, injection
Ethionamide, tablet 250 mg.
Natamycin, suspension 1%
Polymyxin B Sulphate with Bacitracin and Neomycin,
eardrops
Tetracycline with Nystatin, tablet 250 mg.-250,000
units
paediatric syrup
Deodorant Detergent solution, lauryldimethyl benzyl
ammonium chloride 15 G., Terric N8 150 G., in
600 ml. (Colostomy and Ileostomy only)

TRANSFER

From Section 3 to Section 2
Aluminium Hydroxide Gel with Kaolin mixture

DELETIONS

Section 2

Aminophylline, injection I.M. 480 mg./2 ml.
Chlorazani, tablets (Orpidan)
Diethylcarbamazine, tablet (Hetrazan)
Hydrochlorothiazide, capsules (Direma)
Piperazine Phosphate, tablet (Helmezine)
Theophylline, elixir 450 ml.
Sodium Lactate Compound and Dextrose 10%, $\frac{1}{2}$ litre

ALTERATIONS TO APPROVED NAMES

From

Acetylsalicylic Acid
Aneurine Hydrochloride
Butabarbital Sodium
Dihydromorphine Hydrochloride
Para-aminosalicylic Acid
Prednisolone Trimethylacetate
Sodium Edetate
Glycerol Guaiacolate
Water for Injection
Tetracosactide

To

Aspirin
Thiamine Hydrochloride
Secbutobarbitone
Hydromorphone
Aminosalicylic Acid
Prednisolone Pivalate
Trisodium Edetate
Guaiphenesin
Water for Injections
Tetracosactrin

RESTRICTIONS

(Additional purposes are indicated with an asterisk (*) in the schedule)

Calciferol
Ethylloestrenol
Fluoxymesterone
Nandrolone Decanoate

Section 3

Amphetamine Sulphate (Badrin)
Dexamphetamine (Dexamine, Dexamphetamine)
Erythromycin, suspension 100 mg/5 ml. 100 ml.
Mestanolone (Androstalone)
Methylamphetamine (Methedrine, Methamphetamine,
Methamine, Desoxyn, Doxephin, Emphet)
Oxymesterone (Oranabol)

Phytomenadione, 1 mg. injection
Propranolol
Pyridoxine Hydrochloride

Repeats and Maximum Quantities

Clioquinol tablet now Nil repeats
Copper Sulphate diagnostic compound tablet now
3 repeats

Dichloralphenazone liquid now 4 repeats
Orciprenaline tablet now Nil repeats
Thiotepa injection now max. qty. of 2 with 1 repeat
Pyridoxine Hydrochloride max. qty. now 100

Metric Pack

Wool Fat, Hydrous now 50 G. tube or jar

Strengths

Chlorpheniramine tablet 8 mg. The sustained release form is now listed separately.
Homatropine Hydrobromide, hypromellose base eye-drops are now listed separately.
Hyaluronidase; the 1 mg./1,500 units and 3 mg./1,500 units injections are now listed as one strength of 1,500 I.U. The 500 unit strength is now listed as 150 I.U.
Pilocarpine Hydrochloride, hypromellose base eye drops are now listed separately.

NOT FOR SALE

All Previous Editions Cancelled

COMMONWEALTH OF AUSTRALIA



SCHEDULE OF BENEFITS
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1 AUGUST 1969

Department of Health,
CANBERRA, A.C.T.

AUGUST 1969

42651

CONTENTS

SECTION 1—LEMON PAGES

Explanatory Notes—

	<i>paragraph</i>	<i>page</i>
Metric Conversion Table		4
Prescribing of Benefits—Procedure by Doctors—		
Schedule of Benefits	1- 8	5
Prescriptions	9-11	6- 8
Manner of Administration	12	8
Restrictions	13	8
Certificates for Prescribing Tranquillising or Anti-Depressant Drugs	14	8
Maximum Quantities and Repeats	15-20	9- 10
Urgent Cases	21-22	10- 11
Emergency Drug (Doctor's Bag) Supplies	23-26	11- 12
Poison Case Reporting	27-28	12
Poison Information Centres	29	12
Addresses of Commonwealth Department of Health Branch Offices		13- 14
Manufacturers—Address and Code		15- 19
List of Emergency Drug (Doctor's Bag) Supplies		20

SECTION 2—WHITE PAGES

Schedule of Benefits—

General and Pensioner Benefits	1-128
Intravenous Fluids	129-134

SECTION 3—PINK PAGES

Schedule of Benefits—Restricted Benefits	1-106
Preparations Restricted to Colostomy and Ileostomy Use Only	108-109
Preparations Restricted to Use in Approved Hospitals Only	110-113

SECTION 4—GREEN PAGES

Schedule of Benefits—Drug Tariff	1- 10
Tables of Maximum Quantities and Number of Repeats for Extemporaneous Preparations	11- 12

SECTION 5—OLD GOLD PAGES

Prescribers' List—Pharmaceutical Benefit Formulae	1- 16

SECTION 6—PROPRIETARY INDEX

Part 1—Proprietary Names Index	1- 27
Part 2—Trade Names Index	28
Part 3—Abbreviations or synonyms for approved names	29

ADDRESSES OF POISON INFORMATION CENTRES.

POISON CASE REPORT FORMS.

METRIC CONVERSION TABLE

Conversion Table

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>						<i>Milligrams</i>	<i>Grains</i>						<i>Milligrams</i>
15	..	..	..	..	..	1,000	1/10	..	..	..	..	..	6
12	..	..	..	..	..	800	1/12	..	..	..	..	..	5
10	..	..	..	..	..	600	1/15	..	..	..	..	..	4
8	..	..	..	..	..	500	1/20	..	..	..	..	..	3
7½	..	..	..	..	..	450	1/24	}	..	..	..	..	2.5
6	..	..	..	..	..	400	1/25						
5	..	..	..	..	..	300	1/30	..	..	..	..	..	2
4	..	..	..	..	..	250	1/40	..	..	..	..	..	1.5
3	..	..	..	..	..	200	1/50	..	..	..	..	..	1.25
2½	..	..	..	..	..	150	1/60	..	..	..	..	..	1
2	..	..	..	..	..	125	1/75	}	..	..	..	..	0.8
1½	..	..	..	..	..	100	1/80						
1¼	..	..	..	..	..	75	1/100	..	..	..	..	..	0.6
1	..	..	..	..	..	60	1/120	}	..	..	..	..	0.5
¾	..	..	..	..	..	50	1/130						
⅔	..	..	..	..	..	40	1/150	}	..	..	..	..	0.4
1/2	..	..	..	..	..	30	1/160						
2/5	..	..	..	..	..	25	1/200	..	..	..	..	..	0.3
1/3	..	..	..	..	..	20	1/240	..	..	..	..	..	0.25
1/4	..	..	..	..	..	15	1/300	}	..	..	..	..	0.2
1/5	..	..	..	..	..	12.5	1/320						
1/6	..	..	..	..	..	10	1/400	..	..	..	..	..	0.15
1/8	..	..	..	..	..	7.5	1/480	}	..	..	..	..	0.125
							1/500						
							1/600	..	..	..	..	..	0.1

1,000 MICROGRAMS (mcg) = 1 MILLIGRAM (mg)

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items and Prescribers' List items are listed in the Schedule of Benefits, Sections 2 and 3.
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in Section 4—(Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
 - (b) the admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff—Section 4.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Penicillin Benzyl, Injection 300 mg. amp. with 2 ml. water for injection'.
6. The schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 15-20.
7. The proprietary names of scheduled preparations are listed in the Proprietary Index which is included as Section 6.
8. Symbols used in the Schedule of Benefits.
 - (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
 - (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, in which case the item is to be labelled.
 - (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.

- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
 - (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
- N.S.W...(n); VIC...(v); S.A...(s); W.A...(w); Q'LD...(q); TAS...(t).

Prescriptions

9. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

10. Medical practitioners are requested to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in some indelible form (ink or ball point pen) in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 7" x 5". The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate marking the duplicate with the word 'Duplicate' (this is pre-printed on the standard prescription forms).
- (c) Set out the name and address of the patient, and, where the patient is a pensioner who holds an entitlement card, write the pension number. (Please note that the pension number is required and not the entitlement card number). It is not necessary to write the pensioner's address on the prescription form, except where the provisions of State law regarding narcotic, specified or restricted drugs require the address to be written.
- (d) In the case of pharmaceutical benefits which are restricted in use, endorse the prescription with the words 'specified purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, the Pension Number is sufficient identification and it is not necessary to endorse the prescription 'specified purpose'.
- (e) If the benefit is a single drug, indicate the manner of administration.

- (f) Where a medical practitioner writes a prescription as a pharmaceutical benefit, but does not specify a particular formula or brand for the item prescribed, the chemist, when dispensing shall give priority to either the formula (if any) for that item specified in the Prescribers' List or to one of the ready prepared brands (if any) for that item included in the Schedule of Benefits.
- (g) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in own handwriting with the words 'Regulation 24' (see also paragraph 20).
- (h) Mark the prescription 'N.H.S.', date and sign it.

No objection will be raised to doctors writing more than one but no more than three prescriptions on a single sheet of paper provided each prescription is legible.

Prescribers' List formulations are expressed in metric terms and made up to metric doses or quantities. Prescriptions consisting of or containing a Prescribers' List formula should therefore be written in the metric system.

Prescriptions for pharmaceutical benefits for more than one person should not be written on the one sheet of paper.

11. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) prescribes on the one form a benefit that is a dangerous drug and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted).
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

Unless unduly inconvenient to the doctor, it would be appreciated if doctors could follow the practice of not writing prescriptions for benefit items on the same form as non-benefit items. This practice does not invalidate the prescription and if a prescription form contains both pharmaceutical benefit items and non-pharmaceutical benefit items, it may be accepted by the chemist. However, to avoid confusion to patients in such cases, the doctor should identify the non-benefit item, e.g., by an endorsement such as 'non-benefit item', or 'private prescription' or similar wording.

A particular application of these circumstances is where one prescription is for a 'Specified Purpose' drug and the doctor has omitted to write 'Specified Purpose' (or acceptable abbreviation), e.g., because the patient is not suffering from one of the allowable conditions. In such a case, identification of the item as a non-benefit will clearly indicate the doctor's intentions to both the patient and the chemist, and save inconvenience to all concerned.

Manner of Administration

12. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit.

Restrictions

13. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Commonwealth Director of Health. Full particulars of these items and the restrictions are listed as a separate section of the Schedule under 'Restricted Benefit Section'. Items restricted for use in 'Approved Hospitals Only' are listed as a separate section in the 'Restricted Benefit Section' of the Schedule. These items are not available in all approved hospitals and medical practitioners should ensure that the items are available at the particular hospital before prescribing. Items restricted to use for Ileostomy and Colostomy conditions are also listed as a separate section in the 'Restricted Benefit Section'. A reference to all other items listed in the 'Restricted Benefit Section' is given in the Schedule of Benefits—Section 2. It is not necessary for the particular restriction to be identified on the prescription.

Certificates for Prescribing Tranquillising or Anti-Depressant Drugs

14. Special arrangements apply in respect of the prescribing of certain tranquillising or anti-depressant drugs. Under these arrangements certificates for prescribing tranquillising or anti-depressant drugs are issued by approved hospitals in respect of patients who have been discharged after treatment (either as in-patients or out-patients) for mental disorders and who require continued treatment with these particular drugs.

The certificate is forwarded to the patient's medical practitioner.

On receipt of a certificate the medical practitioner may prescribe the particular drug as a pharmaceutical benefit for the patient provided the certificate number is endorsed on the prescription together with the words 'specified purpose' (or suitable abbreviation).

These certificates are only applicable to those items against which this provision is listed in the restrictions (Pink pages), and for the forms, brands, strengths and maximum quantities so listed. Any item not so listed may not be prescribed on these certificates.

Certificates are current for six months from date of issue and during that time should be retained by the medical practitioner as a continuing authority to prescribe. It is not necessary to attach the certificate to the prescription.

Maximum Quantities and Repeats

15. The maximum quantity and number of repeats allowable are shown in columns 2 and 3 of the Schedule of Benefits. For other preparations, details are set out in the Tables of Maximum Quantities and Repeats—Green pages.

The maximum quantity of items marked with a double dagger (‡) has been determined as a single pack and as explained in paragraph 8 unbroken packs are supplied. It would therefore assist if these items are prescribed in original pack sizes.

For other items it is not necessary to prescribe the maximum quantity, either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated, he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

16. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 17-18). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

17. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

18. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

19.—(a) The written authority of the Commonwealth Director of Health to prescribe:

- (i) restricted drugs (paragraph 13); or
- (ii) increased maximum quantities (paragraph 17); or
- (iii) increased number of repeats (paragraph 18),

will be forwarded to the doctor on an Authority to Prescribe (Form PB 15);

(b) Where authority is given to prescribe:

- (i) repeat supplies of restricted drugs; or
- (ii) repeat supplies of increased maximum quantities; or

(iii) for the supply of a pharmaceutical benefit to be repeated more times than the number of repeats specified in the Schedule,

an Authority to Repeat (Form PB15a—pink) for each repeat authorised will also be forwarded with the Form PB15.

- (c) On receipt, the doctor writes the prescription on the original (white) Form PB15 in the space provided for this purpose. The doctor will retain the yellow copy as his record and hand all other copies including the original (white) and any pink copies (Form PB15a) to the patient.

Note.—In Victoria and Tasmania the doctor writes the prescription in duplicate (a duplicate Form PB15 is provided for this purpose). Both the original and duplicate Form PB15 are handed to the patient.

20. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is a resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

In these cases, the doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Urgent Cases

21. A pharmaceutical benefit may be supplied by a chemist before the prescription for that benefit has been surrendered to him, where, in cases of urgency, the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing and forward it to the chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which that chemist's premises are situated requires the prescription to be in writing.

22. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 13). In such cases the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

23. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

24. Supplies of these drugs may be obtained from an approved chemist upon the production of an official doctor's bag order form (except form PB7a) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain benefits not more than once per month. If the signature appearing on a doctor's bag order form is that of a doctor unknown to the chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present doctor's bag order form PB7a to an approved chemist for their supplies. Special instructions are issued to these doctors.

25. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity. For example, if the doctor had 100 or more sulphonamide tablets on hand as portion of his Emergency Drug (Doctor's Bag) Supplies further quantities of the drug could not be obtained until that number fell below 100. Further, if more than one strength of a listed form of emergency drug (other than sulphonamides), e.g., different strengths of ampoule, tablet or bottle, is specified in the Schedule of Benefits, the doctor may obtain all or any of those strengths, provided that the number of units required of each strength is the number in a listed manufacturer's pack, and that the sum total of all the strengths ordered does not exceed the allowable maximum quantity. For example, if there were five strengths of a tablet, each packed in bottles of 20, and the maximum allowable were 40, then not more than two strengths could be ordered. In the case of sulphonamides, a doctor may order in any one month only one of the sulpha drugs specified in the emergency drug list.

26. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorised by him.

Poison Case Reporting

27. In order to provide information for the National Poisons Register doctors are asked to send brief clinical reports on cases of poisoning to the National Poisons Service, Commonwealth Department of Health, Canberra. Report forms are included at the back of this book and should be torn out when required. Additional information may be written on the back of the form, or attached, and this applies particularly in fatal or unusual cases. Further supplies of the Poisoning Case Report forms are available from Commonwealth and State Health authorities.

28. In order to include all cases of poisoning and avoid duplication of reporting, the Poisoning Case Report form should be completed by hospital medical staff for all cases referred to hospital. Private practitioners are only asked to make reports on cases not referred to hospital, or when cases are referred to smaller hospitals without resident medical staff.

Addresses of Poison Information Centres

29. The principal Poison Information Centre in each State and Territory is listed at the back of this book.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH BRANCH OFFICES

NEW SOUTH WALES

Department of Health,
Commonwealth Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000 Telephone 28 8001

Commonwealth Director of Health—
Dr H. M. Franklands
After hours: Telephone 929 8494

Medical—Dr R. R. Bull—After hours: Telephone 969 8681
Dr W. Quinn —After hours: Telephone 92 0980

QUEENSLAND

Department of Health,
Commonwealth Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld. 4001 Telephone 31 0101

Commonwealth Director of Health—
Dr A. H. Humphry
After hours: Telephone 70 6037

VICTORIA

Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000 Telephone 662 2999

Commonwealth Director of Health—Dr R. C. Webb
After hours: Telephone 80 5333

Assistant Director (Medical)—Dr A. M. V. Cocks
After hours: Telephone 96 2404

SOUTH AUSTRALIA

Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S. Aust. 5001 Telephone 51 7866

Commonwealth Director of Health—Dr A. C. Green
After hours: Telephone 72 2930

WESTERN AUSTRALIA

Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W. Aust. 6000

Telephone 23 0391

Commonwealth Director of Health—Dr J. B. Mathieson
After hours: Telephone Dr J. B. Mathieson 86 1262
Dr W. H. Young 86 4719

TASMANIA

Department of Health,
Stowell Avenue,
Hobart, Tas. 7001

Telephone 2 2661

Commonwealth Director of Health—Dr C. W. Phillips
After hours: Telephone 5 2572

AUSTRALIAN CAPITAL TERRITORY

Department of Health,
A.C.T. Health Services Branch,
C.M.L. Building,
Darwin Place,

Canberra City, A.C.T. 2601 Telephone 49 8077

Commonwealth Director of Health—Dr A. Johnson
After hours: Telephone Dr M. Ryan—49 6351
Dr A. Johnson—51 1591

NORTHERN TERRITORY

Department of Health,
Esplanade,
Darwin, N.T. 5794

Telephone 3821

Commonwealth Director of Health—Dr W. A. Langsford
After hours: Telephone 2571

MANUFACTURERS - ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty Ltd	AB	Boots Pure Drug Co. (Aust.) Pty Ltd	BT
Captain Cook Drive, Kurnell, N.S.W.		Loyalty Road, North Rocks, N.S.W.	
Adam Drug Co.	AV	Boucher & Muir Pty Ltd	BZ
88 Queen Street, Woollahra, N.S.W.		6-8 Mount Street, North Sydney, N.S.W.	
Alcon Laboratories Inc., U.S.A.	AQ	Bristol Laboratories Pty Ltd	BC
Allergan Pharmaceuticals Pty Ltd	AG	30 Cross Street, Brookvale, N.S.W.	
7 West Street, North Sydney, N.S.W.		British Drug Houses (Australia) Pty Ltd	BD
Ames Company	AM	McCredie Road, Smithfield, N.S.W.	
4 Derby Street, Collingwood, Vic.		British Pharmaceuticals Pty Ltd	BP
Armour Pharmaceutical Co. Ltd, England	AR	34 Hotham Parade, Artarmon, N.S.W.	
Associated Drug Companies of Australia Pty Ltd	AD	British Schering Ltd	BS
221-229 Mitchell Road, St Peters, N.S.W.		40-50 Clarence Street,	
Astra Pharmaceuticals (Australia) Pty Ltd	AP	Sydney, N.S.W.	
815 Pacific Highway, Chatswood, N.S.W.		Bull Laboratory, David G.	BL
Australian Hoechst Limited	AH	19 Shierlaw Avenue, Canterbury, Vic.	
374-376 Whitehorse Road, Nunawading, Vic.		Burroughs Wellcome & Co. (Aust.) Ltd.	BW
Ayerst Laboratories Pty Ltd	AY	Cressy Street, Rosebery, N.S.W.	
Gregory Place, Parramatta, N.S.W.			
		Calmic (Aust.) Pty Ltd	CA
		Bibby Street, Chiswick, N.S.W.	
Bakra Laboratories	BK	Cascade Chemicals	CM
45 A'Beckett Street, Melbourne, Vic.		P.O. Box 106, Essendon, Vic. 3040	
Baxter-D.H.A. Laboratories Pty Ltd	BX	C.F.C. Pharmaceuticals Pty Ltd	CO
Rothschild Avenue, Rosebery, N.S.W.		9 Norton Street, Ashfield, N.S.W.	
Beecham Research Pty Ltd	BR	Chemos Pty Ltd	CH
Chesterville Road, Moorabbin, Vic.		65 Park Road, Milton, Q'ld	
Boehringer Ingelheim Pty. Ltd.	BY	Ciba Co. Pty Ltd	CB
504-520 Pacific Highway,		Orion Road, Lane Cove, N.S.W.	
St Leonards, N.S.W.		Commonwealth Serum Laboratories	CS
Boehringer, Mannheim, GmBH, Germany	BO	45 Poplar Road, Parkville, Vic.	

<i>Manufacturer</i>	<i>Code</i>
Cophar, Gnosca Switzerland	CW
Crookes Laboratories Ltd, The England	CK
Cutter Laboratories, U.S.A.	CI
Denver Laboratories (Australia) Pty Ltd 9 Clarke Street, Crows Nest, N.S.W.	DN
Denyer Brothers 250 Pitt Street, Sydney, N.S.W.	DY
Difrex (Aust.) Laboratories 321 Pitt Street, Sydney, N.S.W.	DF
Dista Products (Australia) Pty Ltd Waratah Street & Wharf Road, Ermington, N.S.W.	DL
Dome Laboratories 4 Derby Street, Collingwood, Vic.	DO
Dolder & Co., Switzerland	DR
Drug Houses of Australia 504 Bourke Street, Melbourne, Vic.	DH
Endo Laboratories, Inc. U.S.A.	EN
Erba Carlo S.p.A., Italy	EC
Ethicals Ltd 180 Queen Street, Brisbane, Q'ld	EL
Ethnor Pty Ltd 12 Primrose Avenue, Rosebery, N.S.W.	ET
Evans Medical Australia (Pty) Ltd Duffy Avenue, Thornleigh, N.S.W.	EV
Farbenfabriken Bayer, A. G. West Germany	FB
Farmer Hill Pty Ltd 187 William Street, Sydney, N.S.W.	FH

<i>Manufacturer</i>	<i>Code</i>
Faulding & Co. Ltd, F. H. James Place, Adelaide, S.A.	FA
Fawns and McAllan Pty Ltd 432 Mount Dandenong Road, Croydon, Vic.	FM
Fisons Australia Pty Ltd A.D.C. House, 75-91 Pacific Highway, North Sydney, N.S.W.	FC
Frosst, Charles E. 576 St Kilda Road, Melbourne, Vic.	FR
Gamaprod Pty Ltd 169 Lygon Street, Carlton, Vic.	GA
Gedeon Richter Ltd, Hungary	GR
Geigy (Australasia) Pty Ltd A.D.C. House, 77 Pacific Highway, North Sydney, N.S.W.	GE
Genatosan Ltd, England	GN
G.P. Laboratories 74-76 Mitchell Road, Alexandria, N.S.W.	GP
Glaxo-Allenburys (Australia) Pty Ltd 23-47 Villiers Street, North Melbourne, Vic.	GL
Griffiths Hughes, E., Pty Ltd Buffalo Road, Gladesville, N.S.W.	GH
Grose Vale Goat Dairy and Dairy Products 55 Warrah Street, East Chatswood, N.S.W.	GV
Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A.	HA
Harvey Pharmaceuticals Pty Ltd 231 Elizabeth Street, Croydon, N.S.W.	HY
Ioquin Company, The Captain Cook Drive, Kurnell, N.S.W.	IQ
Imperial Chemical Indust. of Aust. & N.Z. Ltd	IC

<i>Manufacturer</i>	<i>Code</i>
I.C.I. House, 1 Nicholson Street, Melbourne, Vic.	
Inter-Continental Pharmaceuticals (Australia) Pty. Ltd., 79 Old South Head Road, Bondi Junction, N.S.W.	IP
Irving F. H. (Medical Products) Pty. Ltd. .. 363 George Street, Sydney, N.S.W.	IR
Jackson-Mitchell Pharmaceuticals Inc. U.S.A. ..	JM
Jaede, H. W., Manufacturing Pty. Ltd. .. Banksia Street, Bulleen, Vic.	JA
Kinfort Laboratories .. 31 Sirius Road, Lane Cove, N.S.W.	KF
Knoll Laboratories (Aust.) Pty Ltd .. 176 Princes Highway, Arncliffe, N.S.W.	KL
Knoll, A. G., Germany ..	KN
Lane Medicine Co. Pty Ltd .. 156 Barkly Avenue, Burnley, Vic.	LM
Langley Laboratories Pty Ltd .. 141 Blues Point Road, North Sydney, N.S.W.	LF
Lederle Laboratories Division .. Cynamid-D.H.A. Pty Ltd 73-79 Parramatta Road, Camperdown, N.S.W.	LE
Lepetit (Pharmaceuticals) Pty Ltd .. A.M.P. Building, North Sydney, N.S.W.	LT
Lilly (Australia) and Company, Eli .. Wharf Road, West Ryde, N.S.W.	LY
Mack Pharmaceuticals Pty Ltd .. 21 Buffalo Road, Gladesville, N.S.W.	MZ
Madland Laboratories, Inc. U.S.A. ..	MH

<i>Manufacturer</i>	<i>Code</i>
Maw Son & Sons, S. England	ME
May and Baker (Aust.) Pty Ltd .. Paramount Road, West Footscray, Vic.	MB
McGloin Pty Ltd, J. 150 Dean Street, Enfield, N.S.W.	MG
Mead Johnson Pty Ltd Caringbah, N.S.W.	MJ
Medical Research Pty Ltd Sirius Road, Lane Cove, N.S.W.	MR
Medichem Pharmaceuticals Pty Ltd .. 39 Arterial Road, St Ives, N.S.W.	MC
Merck (Aust.) Pty Ltd, E. 605 M.L.C. Building, North Sydney, N.S.W.	MQ
Merck, Sharp & Dohme (Aust.) Pty Ltd .. 62-68 Ferndell Street, South Granville, N.S.W.	MK
Merrell, Wm S. Company 64 Seville Street, Fairfield, N.S.W.	ML
Muir & Neil Pty Ltd 479 Kent Street, Sydney, N.S.W.	MN
Nativelle Laboratories France	NA
Nicholas Pty Ltd 699 Warrigal Road, Chadstone, Vic.	NS
Noel Bramble Laboratories 324 King George's Road, Beverly Hills, N.S.W.	NB
Nordia, Denmark	NR
Nyal Company 75-89 Atkins Road, Ermington, N.S.W.	NY
Ohio Drug Co. Pty. Ltd.	OD
100 Clarence Street, Sydney, N.S.W.	
Oppenheimer, Son & Co. Ltd, London ..	OP

<i>Manufacturer</i>	<i>Code</i>
Organon Laboratories Ltd, London	OR
Otsuka Pharmaceutical Co., Japan	OJ
Parke, Davis and Co.	PD
32-40 Cawarra Road North, Caringbah, N.S.W. 2229	
Pfizer Pty Ltd	PF
Wharf Road, West Ryde, N.S.W.	
Pfrimmer & Co., West Germany	PC
Pharmax Ltd, England	PN
Pharmedica Pty Ltd	PH
602-612 Botany Road, Alexandria, N.S.W.	
Phial Pty Ltd	PY
7 West Street, North Sydney, N.S.W.	
Prosana Laboratories Pty. Ltd.	PR
22 Daisy Street, Revesby, N.S.W.	
Pro-Vita Products Pty Ltd	PV
Lennon Street, South Kensington, Vic.	
Protea Pharmaceuticals Pty Ltd	PT
13-19 Glebe Street, Glebe, N.S.W.	
Queensland Ethicals	QE
Enterprise Street, Salisbury, Q'd	
Reckitts Pty Ltd	RC
44 Wharf Road, West Ryde, N.S.W.	
Richards Laboratory Pty Ltd	RD
Kings Road, Castle Hill, N.S.W.	
Richter of Milan	RM
Riker Laboratories Australia Pty Ltd	BK
9-15 Chilvers Road, Thornleigh, N.S.W.	
Robins, A. H., Pty Ltd	RS
65 The Boulevard, Caringbah, N.S.W.	

<i>Manufacturer</i>	<i>Code</i>
Roche Products Pty Ltd	RO
Inman Road, Dee Why, N.S.W.	
Roche, Tomsitt & Co. Ltd.	RT
10 Griffiths Street, Richmond, Vic.	
Rona Laboratories Ltd, London, U.K.	RN
Rotary Tableting Corp. Pty Ltd	RY
432 Mt Dandenong Road, Croydon, Vic.	
Roussel Pharmaceuticals (Pty) Ltd	RL
Christie Street, St Leonards, N.S.W.	
Salmond and Spraggon (Aust.) Pty Ltd	SS
104-108 Mount Street, North Sydney, N.S.W.	
Sandoz Ltd	SZ
620 Harris Street, Ultimo, N.S.W.	
Sanitarium Health Food Co.	SA
148 Fox Valley Road, Wahroonga, N.S.W.	
Schering Corporation, U.S.A.	SH
Schering, A. G., Berlin	SC
Searle, G. D. (Australia) Pty Ltd	SR
40 Miller Street, North Sydney, N.S.W.	
Sera Pty Ltd	SE
29 Hotham Parade, Artarmon, N.S.W.	
Sigma Co. Ltd	SI
589-605 Collins Street, Melbourne, Vic.	
Smith, Kline & French Laboratories (Aust.) Ltd ..	SK
Warringah Road, French's Forest, N.S.W.	
Smith & Nephew (Aust.) Pty Ltd	SN
Wellington Road, Clayton, Vic.	
Soul Pattinson (Laboratories) Pty Ltd	SL
158 Pitt Street, Sydney, N.S.W.	
South Pacific Pharmaceuticals Pty Ltd	SU
132 St Johns Road, Glebe, N.S.W.	

<i>Manufacturer</i>	<i>Code</i>
SPOFA United Pharmaceutical Works	SP
Czechoslovakia	
Squibb & Sons, E. R., Pty Ltd	SQ
Princes Highway, Noble Park, Vic.	
Stansen & Co. Pty Ltd, A. E.	ST
500 Spencer Street, West Melbourne, Vic.	
St Just Laboratories Ltd	SJ
Cnr Harris and President Street, Carlisle, W.A.	
Thilo and Co., West Germany	TH
Tongala Milk Products Pty Ltd	TM
177-199 Macaulay Road, North Melbourne, Vic.	
Toppin & Sons Pty Ltd, R. D.	TO
9-15 Chilvers Road, Thornleigh, N.S.W.	
Trane Pharmacal Co.	TR
98 Collins Street, Melbourne, Vic.	
Trisept Pty Ltd	TS
St Mary's, N.S.W.	
Trufood Ltd, England	TF
United Works of Pharmaceutical and Diatetic Pro- ducts, Hungary	UW
Upjohn Pty Ltd	UP
55-73 Kirby Street, Rydalmere, N.S.W.	
Virax Ethicals Ltd	VR
77-79 Market Street, South Melbourne, Vic.	

<i>Manufacturer</i>	<i>Code</i>
Wander Limited, A., England	WA
Ward Blenkinsop and Co. Ltd	WB
London, U.K.	
Warner & Co. Pty Ltd, Wm R.	WW
10-28 Biloela Street, Villawood, N.S.W.	
Weddel Pharmaceuticals	WP
England	
Wholesale Drug Co. Ltd	WD
221-229 Mitchell Road, St Peters, N.S.W.	
Winthrop Laboratories	WL
75-89 Atkins Road, Ermington, N.S.W.	
Woods, H. W. Pty Ltd	WH
10 Clifford Street, Huntingdale, Vic.	
World Agencies Pty Ltd	WO
82-84 Sussex Street, Sydney, N.S.W.	
Wyeth Pharmaceuticals Pty Ltd	WY
Gregory Place, Parramatta, N.S.W.	
Young and Fennell Pty Ltd	YF
107 Kent Street, Sydney, N.S.W.	
Zyma, S. A.	ZY
Orion Road, Lane Cove, N.S.W.	

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Column 1 Item	Column 2 Form	Col. 3 Max. Qty	Column 1 Item	Column 2 Form	Col. 3 Max. Qty
Adrenaline Acid Tartrate	Injection, B.P. 1-1,000, 1 ml. 1-1,000, 10 ml.	5 1	Morphine with Atropine	Injection, 1 ml.	5
Aminophylline	Injection I.V.	5	Penicillin, Procaine, (Aqueous Suspension)	Injection	10
Chlorpromazine	Injection 2.5% 2 ml.	5	Pethidine	Injection 50 mg. in 1 ml. 50 mg./ml. 2 ml.	5 5
Digoxin	Injection 0.25 mg. per ml., 2 ml.	10	Phenobarbitone Sodium	Injection	5
Ethylnoradrenaline	Injection	5	Sulphadiazine	} Tablet	100
Fruzemide	Injection	5	or Sulphadimidine		
Heparin	Injection	1	or Sulphonamides, Three Mixed		
Hydrocortisone Sodium Succinate ..	Injection	1	Tetanus Antitoxin, 1,500 Units, 15 Units, Diluted 1-50	Injection—set	1
Metaraminol	Injection	1	Tetanus Antitoxin (Bovine), 1,500 Units, 15 Units, Diluted 1-50 ..	Injection—set	1
Morphine Sulphate	Injection, 1 ml. Hypodermic Tablet	5 40	Tetanus Toxoid, (Purified Alum- inium Phosphate Adsorbed) }	Injection 0.5 ml.	10

Special attention is drawn to the fact that only one Sulpha drug may be ordered in any one month.
No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS
Operative as from 1 August 1969

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.
- (d) A section sign (§) against the price of eye or ear drops indicates that the product is not preconstituted and that a special professional fee of 55c is included in the dispensed price.
- (e) Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
(N.S.W.....(N); VIC.....(V); QLD.....(Q); S.A.....(S); W.A.....(W); TAS.....(T).

SECTION 2 - SCHEDULE OF BENEFITS - UNRESTRICTED BENEFITS - AUGUST 1969

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ACEPIFYLLINE			\$	
Oral Tablet 250 mg.	100	2	1.90	DF
Paediatric Syrup 125 mg. per 5 ml., 500 ml.	‡1	4	2.37	DF
Injection 500 mg. in 5 ml.	5	..	1.07	DF
ACETARSOL				
Oral Tablet 250 mg.	25	2	0.90	MB
Compound Pessary 250 mg.	25	1	0.83	MB
ACETAZOLAMIDE				
Oral Tablet 250 mg.	50	4	4.99	PT
			5.07	BZ(NWS)
			5.50	LE
Oral Capsule 500 mg. (sustained release)	50	2	10.97	LE
Injection 500 mg.	1	..	3.35	LE
ACETOHEXAMIDE				
Oral Tablet 500 mg.	100	2	4.30	LY
ACETYLCYSTEINE				
See Restricted Benefits				
ADRENALINE				
Eye Drops 0.5%, 7.5 ml.	‡1	6	3.10	ET
1%, 7.5 ml.	‡1	6	3.43	ET

Eye Drops 2%, 10 ml.	\$1	6	6.63	AG, MH
2% (100 mg. and 5 ml. diluent)	\$1	6	\$5.75	AQ
Inhalation, metered aerosol spray replacement pack, 8.3 mg. per ml., 15 ml. (300 dose)	\$1	..	2.70	BS
ADRENALINE ACID TARTRATE				
Inhalation, metered aerosol spray replacement pack, 7 mg. per ml., 15 ml. (300 dose)	\$1	..	2.70	RK
Injection, B.P., 1 in 1,000, 1 ml.	5	1	0.78	GR(NWS)
			0.81	AD, FH, SI, WO
			0.83	KL
			0.85	BL, BT, BW, PD
1 in 1,000, 10 ml.	1	1	0.70	BW, PD
Solution, B.P., 1 in 1,000, 25 ml.	1	..	0.69	BW
1 in 1,000, 1 fl. oz.	1	..	0.70	PD
Solution 1 in 100, 7 ml.	1	1	0.69	BW, PD
ADRENALINE and ATROPINE				
Spray P.L.	15 ml.	2	1.27	Extemp. (plus container)
ADRENALINE MUCATE				
Injection, 1 in 1,000, 1 ml.	5	1	1.17	GL
ALDOSTERONE				
See Restricted Benefits.				
ALLOPURINOL				
See Restricted Benefits.				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ALOXIPRIN see Restricted Benefits.			\$	
ALUMINIUM and MAGNESIUM TRISILICATE Internal Powder P.L.	100 G.	2	0.89	Extemp. (plus container)
ALUMINIUM ACETATE Cream Oily P.L.	100 G.	1	0.85	Extemp. (plus container)
Ear Drops P.L.	15 ml.	2	0.61	Extemp. (plus container)
ALUMINIUM ACETYLSALICYLATE See Restricted Benefits				
ALUMINIUM HYDROXIDE with BELLADONNA Mixture P.L.	200 ml.	4	0.87	Extemp. (plus container)
ALUMINIUM HYDROXIDE with KAOLIN Mixture for Children P.L.	100 ml.	4	0.73	Extemp. (plus container)
ALUMINIUM HYDROXIDE with KAOLIN and OPIUM Mixture P.L.	200 ml.	4	1.02	Extemp. (plus container)
ALUMINIUM HYDROXIDE with PROCAINE Mixture P.L.	200 ml.	4	0.93	Extemp. (plus container)

ALUMINIUM HYDROXIDE GEL

†Mixture

320 mg. per 5 ml., 360 ml.

(with instructions for use)

1

2

†0.65

MG

†0.69

WD(N)

†0.84

CH(QNW)

†0.98

DH, KL, PR, WY

MG

WD(N)

CH(QNW)

DH, KL, PR, WY

ALUMINIUM HYDROXIDE GEL DRIED

Oral Tablet 300 mg.

100

2

1.23

EV, KL, RT(V), WL, WY

1.30

HA, RD

ALUMINIUM HYDROXIDE GEL

with KAOLIN

Mixture 137 mg.-1.02 G. per 5 ml., 360 ml.

†1

2

1.15

WY

ALUMINIUM HYDROXIDE GEL with MAGNESIUM
HYDROXIDE

Oral Tablet 300 mg.-90 mg.

100

2

1.39

BC, WY

200 mg.-200 mg.

100

2

1.29

PD

(ex 500)

1.38

PD

(ex M.P.)

Mixture 300 mg.-100 mg. per 5 ml., 360 ml.

†1

2

1.17

PR, WY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE - cont.				
Oral Suspension				
215 mg.-80 mg. per 5 ml., 360 ml.	‡1	2	1.50	BT, WY
200 mg.-100 mg. per 5 ml., 360 ml.	‡1	2	1.50	BS
200 mg.-200 mg. per 5 ml., 360 ml.	‡1	2	1.50	ML, PD
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZAINE				
Oral Suspension				
306 mg.-97.5 mg.-10 mg. per 5 ml., 360 ml.	‡1	2	1.77	WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE				
Oral Tablet 250 mg.-500 mg.	100	2	1.43	WW
Mixture 250 mg.-500 mg. per 4 ml., 360 ml.	‡1	2	1.50	WW
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE				
Oral Tablet 250 mg.-120 mg.-120 mg.	100	2	1.51	FA, HA, KL
			1.58	BW, FM, GP
			(ex 500)	
			1.63	BW, FA, FM, GP, HA,
			(ex M.P.)	KL
Mixture 250 mg.-120 mg.-120 mg. per 5 ml., 250 ml.	‡1	4	1.07	FM

ALUMINIUM HYDROXIDE-MAGNESIUM
CARBONATE CO-DRIED GEL

Oral Tablet 375 mg.

100	2	1.57 (ex 500)	BD, BS, BT, GL, WL, WY
		1.70 (ex M.P.)	BD, BS, BT, GL, WL, WY

ALUMINIUM SODIUM SILICATE

Powder 100 G.

1	2	1.10	SC

AMINACRINE HYDROCHLORIDE

Eye Drops 3 mg. in 15 ml.

‡1	2	1.06	KL, SI

AMINO ACIDS with SORBITOL

See Intravenous Fluids

AMINO ACIDS with SORBITOL and ETHANOL

See Intravenous Fluids

AMINOPHYLLINE

Oral Tablet 60 mg. (enteric coated)

100 mg.

100	2	1.03	ET
100	2	0.63	AD, BW, DH, FA, HA, KL, MG, RT(V), RY, SI, SL(N)

125 mg. (enteric coated)

100	2	1.17	ET

150 mg.

100	2	1.74	AB

Injection I.M. 500 mg. in 2 ml.

5	..	1.10	WO
		1.13	FH
		1.21	BW, DH, HA

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMINOPHYLLINE - cont.			\$	
Injection I.V. 250 mg. in 10 ml.	5	..	1.53	AD, DH, FH, KL, SI, WO
			1.61	HA
Suppository 175 mg.	12	1	0.90	HA, KL
250 mg.	12	1	1.21	DH, HA, KL
400 mg.	12	1	1.21	HA, KL
AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE				
Oral Capsule 130 mg.-25 mg.-25 mg.	100	2	2.10	KL, LY, PT
AMINOPHYLLINE COMPOUND				
Mixture P.L.	200 ml.	4	0.91	Extemp. (plus container)
AMINOSALICYLIC ACID				
See Restricted Benefits				
AMITRIPTYLINE				
See Restricted Benefits.				
AMMONIUM CHLORIDE				
Oral Tablet 500 mg.	100	3	0.97	QE(QNVS), RY
AMODIAQUINE				
Oral Tablet equivalent to 150 mg.				
Amodiaquine base.	100	2	2.43	PD

AMPHOTERICIN B

See Restricted Benefits.

AMPICILLIN

See Restricted Benefits.

AMYLOBARBITONE

Oral Tablet 15 mg.

100

1

0.77

FA, HY, PT

0.78

DL, FM, HA, KL, LY, RY

30 mg.

100

1

0.79

FA, PT, RT(V), SL(N)

0.83

HY, MG

0.93

DL, FM, HA, KL, LY,

RY, VR

50 mg.

100

1

0.83

PT, RT(V), SL(N)

0.87

FA, HY

0.95

MG

1.00

DL, FM, GP, HA, KL, LY,

(ex 500)

RY, VR

0.86

FA, PT, RT(V), SL(N)

0.90

HY, MG

1.05

DL, FM, GP, HA, KL, LY,

(ex M.P.)

RY, VR

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMYLOBARBITONE - cont.			\$	
Oral Tablet 100 mg.	25	..	0.47	PT, RT(V), SL(N)
			0.49	HA
			0.53	HY
			0.54	AD, DL, FA, FM, GP, KL,
			(ex 100)	LY, RY, SI, VR
			0.51	PT, RT(V), SL(N)
			0.53	HA
			0.59	VR
			0.61	AD, DL, FA, FM, GP, HY, KL,
			(ex M.P.)	LY, RY, SI
AMYLOBARBITONE SODIUM				
Oral Capsule 50 mg.	100	1	1.47	AV, FM, KL, LY, NB
200 mg.	25	..	0.84	LF, PT
			1.07	FA, FM, KL, LY, NB, VR
			(ex 100)	
			0.97	LF, PT
			1.23	FA, FM, KL, LY, NB, VR
			(ex M.P.)	
Injection 250 mg. (solvent required)	5	..	*2.50	LY
500 mg. (solvent required)	5	..	*3.65	LY
1 G. (solvent required)	5	..	*9.65	LY
ANTAZOLINE				
Oral Tablet 100 mg.	50	1	1.37	CB
Injection 100 mg. in 2 ml.	10	..	*2.16	CB
			*2.22	BT

ANTAZOLINE with NAPHAZOLINE Eye Drops 10 ml.	‡1	2	0.83	CB
ANTIVENENE - BLACK SNAKE Injection 18,000 Units	1	..	95.78	CS
ANTIVENENE - BROWN SNAKE Injection 500 Units	2	1	*28.30	CS
ANTIVENENE DEATH ADDER Injection 6,000 Units	1	..	59.07	CS
ANTIVENENE - RED BACK SPIDER Injection 500 Units	2	..	*8.30	CS
ANTIVENENE - SNAKE (POLYVALENT) Injection : Antivenenes - Brown Snake 500 Units; Tiger Snake 3,000 Units; Death Adder 6,000 Units; Taipan 12,000 Units; Black Snake 18,000 Units.	1	..	130.19	CS
ANTIVENENE - TAIPAN Injection 12,000 Units	1	..	121.17	CS
ANTIVENENE - TIGER SNAKE Injection 3,000 Units	2	1	*42.84	CS

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AQUEOUS CREAM			\$	
Cream P.L.	100 G.	1	0.93	Extemp. (plus container)
Cream Buffered P.L.	100 G.	1	0.84	Extemp. (plus container)
ASCORBIC ACID				
See Restricted Benefits.				
ASPIRIN				
Mixture P.L.	200 ml.	4	0.74	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.82	Extemp. (plus container)
Tablets - See Restricted Benefits.				
ASPIRIN and CODEINE				
Mixture P.L.	200 ml.	4	0.98	Extemp. (plus container)
ASPIRIN and MORPHINE				
Mixture P.L.	200 ml.	4	1.02	Extemp. (plus container)
ASPIRIN with PARACETAMOL and CAFFEINE				
See Restricted Benefits.				
ASPIRIN and PHENOBARBITONE				
Mixture P.L.	200 ml.	4	0.78	Extemp. (plus container)
ATROPINE				
Eye Drops, Oily 1%, 15 ml.	‡1	2	1.30	IQ, SI

ATROPINE METHONITRATE

Oral Tablet 1 mg.	50	2	1.43	WL
Oral Solution 0.6%, 15 ml.	1	..	0.97	WL
Mixture for Children P.L.	100 ml.	4	0.83	Extemp. (plus container)

ATROPINE SULPHATE

Oral Tablet 600 micrograms	100	2	0.87	RY
Hypo. Tablet 400 micrograms (solvent required)	20	1	0.63	FA
600 micrograms (solvent required)	20	1	0.70	FA
Injection 0.4 mg. in 1 ml.	5	1	0.86	FH, KL
			0.90	BL, DH
0.6 mg. in 1 ml.	5	1	0.86	FH, KL
			0.90	BL, BT, DH
0.6 mg. per ml., 10 ml.	1	..	0.97	DH, FA
1.25 mg. in 1 ml.	5	1	0.86	FH, KL
			0.90	BL, DH
Eye Drops 0.5%, 15 ml.	‡1	2	1.10	DH, ET, IQ, KL, SI
1%, 15 ml.	‡1	2	1.21	DH, ET, IQ, KL, SI
Eye Ointment 1%, 4 G.	‡1	..	0.63	PD

BACITRACIN

Eye Drops 15,000 Units and 15 ml. of solvent	‡1	2	\$1.99	ET

BARBITONE SODIUM

Oral Tablet 300 mg.	25	..	0.67	DH, KL
500 mg.	25	..	0.70	DH, KL

BARBITURATES COMPOUND

Oral Capsule A.P.F. 1955	25	..	1.83	AB, KL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BELLADONNA			\$	
Oral Tablet 45 mg.	100	2	1.03	RY
Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)
BELLADONNA with PHENOBARBITONE				
Oral Tablet of prepared Belladonna Herb B. P. (or equivalent of Dry Extract of Belladonna) with Phenobarbitone.				
30 mg.-20 mg.	100	2	0.86	LF, PT
			0.87	DH, FM, SI, TR, WW
40 mg.-16 mg.	100	2	1.02	RS
45 mg.-30 mg.	100	2	0.99	LF
			1.01	PT
			1.03	DH, FM, SI, TR, WW
(sustained release) 120 mg.-48 mg.	100	2	2.30	RS
BEMEGRIDE				
Injection 5 mg. per ml., 30 ml.	5	..	10.51	NS
BENDROFLUAZIDE				
Oral Tablet 2.5 mg.	50	2	1.71	BC, BT, ET, GL
			(ex 250)	
			1.82	BC, BT, ET, GL
			(ex M.P.)	
5 mg.	50	2	2.52	BC, BT, ET, GL
			(ex 250)	
			2.65	BC, BT, ET, GL
			(ex M.P.)	

Oral Capsule 2.5 mg.	50	2	1.82	GL
5 mg.	50	2	2.65	GL
BENZALKONIUM CHLORIDE				
Compound Suppository	12	1	1.15	HA
			1.17	FA
Solution 10%, 4 fl. oz.	11	..	0.87	WL
BENZHEXOL				
Oral Tablet 2 mg.	100	2	1.81	PT
			1.89	LE, WL
5 mg.	100	2	3.27	PT
			3.45	LE, WL
BENZOCAINE with ADRENALINE				
Compound Ointment 2 oz.	1	1	1.30	GP
Compound Suppository	12	1	1.06	GP
Suppository A.P.F. 1955	12	1	1.30	KL
BENZOIC ACID				
Compound Ointment P.L.	100 G.	1	1.24	Extemp. (plus container)
BENZOIN				
Inhalation P.L.	50 ml.	1	1.05	Extemp. (plus container)
BENZTROPINE				
Oral Tablet 2 mg.	100	..	4.57	MK

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BENZYL BENZOATE Application 25%, 4 fl.oz.	‡1	2	\$ 0.83	MB
BENZYL BENZOATE with DICOPHANE Application P.L.	200 ml.	2	1.17	Extemp. (plus container)
BEPHENIUM HYDROXYNAPHTHOATE (Bephenium) Oral Sachet 5 G.	1	..	0.74	BW
BETAMETHASONE Eye Drops 0.1%, 5 ml.	‡1	2	2.30	GL, SH
Eye Ointment 0.1%, 3 G.	‡1	..	1.63	GL, SH
Tablets - See Restricted Benefits.				
Syrup - See Restricted Benefits.				
Injections - See Restricted Benefits.				
BETAMETHASONE with CLIOQUINOL See Restricted Benefits.				
BETHANIDINE Oral Tablet 10 mg.	100	2	2.97	BW
25 mg.	100	2	6.30	BW
BIPERIDEN Oral Tablet 2 mg.	100	2	3.19	KN

BISMUTH SUBGALLATE				
Compound Suppository	12	1	0.82	WW
Powder - See Colostomy & Ileostomy			1.37	KL
BORIC ACID				
Ear Drops P.L.	15 ml.	2	0.58	Extemp. (plus container)
†Powder 100 G.	1	..	†0.15	WD(N)
			†0.23	FA
			†0.26	DH
			†0.30	SI(V)
(with instructions for use)				WD(N)
				FA
				DH
				SI(V)
BORIC TALC				
Dusting Powder P.L.	100 G.	1	0.73	Extemp. (plus container)
BRETILIUM TOSYLATE				
(Bretylum)				
Oral Tablet 200 mg.	100	2	8.63	BW
BROMPHENIRAMINE				
Oral Tablet 4 mg.	50	1	1.43	RS
12 mg.	50	1	2.90	RS
Syrup 2 mg. per 5 ml., 100 ml.	†1	4	1.03	RS
BUCLOSAMIDE with SALICYLIC ACID				
See Restricted Benefits.				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BUCLOSAMIDE with SALICYLIC ACID and HYDROCORTISONE See Restricted Benefits.			\$	
BUSULPHAN See Restricted Benefits.				
BUTOBARBITONE Oral Tablet 100 mg.	25	..	0.51 0.52 (ex 100) 0.55 0.57 (ex M.P.)	PT AD, MB, SI PT AD, MB, SI
CAFFEINE, IODIDE and EPHEDRINE Mixture, P.L.	200 ml.	4	1.37	Extemp. (plus container)
CALAMINE Cream Aqueous P.L.	100 G.	1	0.77	Extemp. (plus container)
Cream Oily P.L.	100 G.	1	1.10	Extemp. (plus container)
Lotion P.L.	200 ml.	2	1.09	Extemp. (plus container)
Lotion Oily P.L.	200 ml.	2	0.94	Extemp. (plus container)
CALCIFEROL See Restricted Benefits.				

CALCIUM ACETYSALICYLATE
Mixture P.L.

200 ml.

4

0.83

Extemp. (plus container)

CALCIUM AMINOSALICYLATE
See Restricted Benefits.

CALCIUM GLUCONATE
Oral Tablet 600 mg.

100

2

0.70

KL, PR, RT(V), RY, SL(N)

0.77

AD, DH, FA,

SI, TO

0.83

MG

(Effervescent) equivalent to

4 G. Calcium Gluconate

Injection 10%, 10 ml.

100

2

5.70

SZ

5

1

1.30

FH, SZ, TH

CALCIUM and KAOLIN
Mixture for Children P.L.

100 ml.

4

0.66

Extemp. (plus container)

CALCIUM LACTATE
Oral Tablet 300 mg.

100

2

0.63

AD, DH, FA, KL,

RT(V), RY, SI, SL(N), TO

CAMPBOR

Linctus Compound P.L.

Liniment P.L.

100 ml.

4

0.85

Extemp. (plus container)

100 ml.

1

0.93

Extemp. (plus container)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CARBACHOL			\$	
Injection 0.25 mg. in 1 ml.	5	..	0.86	FH
Eye Drops (Hypromellose base)				
0.75%, 15 ml.	†1	6	2.25	AQ
1.5%, 15 ml.	†1	6	2.34	AQ
3%, 15 ml.	†1	6	2.45	AQ
CARBAMAZEPINE				
See Restricted Benefits.				
CARBIMAZOLE				
Oral Tablet 5 mg.	100	2	1.97	PT
			2.63	BS
CARBINOXAMINE				
Oral Tablet 4 mg.	50	1	1.57	ET
(sustained release) 12 mg.	50	1	3.63	ET
Paediatric Elixir 4 mg. per 5 ml., 100 ml.	†1	4	1.03	ET
CASCARA				
Oral Tablet 200 mg.	25	3	0.50	AD, DH, FA, RT(V), SI
300 mg.	25	3	0.54	AD, DH, FA, RT(V), SI
†Liquid Extract, B.P.				
25 ml.	1	1	†0.20	WD(N)
			†0.21	DH

(with instructions for use)				WD(N)
50 ml.	1	1	†0.30	DH
(with instructions for use)				DH, WD(N)
				DH, WD(N)
CASEIN HYDROLYSATE				
and DEXTROSE				
See Intravenous Fluids.				
CASEIN HYDROLYSATE				
with LAEVULOSE and ALCOHOL				
See Intravenous Fluids.				
CASTOR OIL				
†5 oz.	1	..	†0.33	DH, FA
(with instructions for use)				DH, FA
† 100 ml.	1	..	†0.27	WD(N)
(with instructions for use)				WD(N)
CETOMACROGOL				
Cream Aqueous P.L.	100 G.	1	1.09	Extemp. (plus container)
CETRIMIDE				
Cream Aqueous P.L.	100 G.	1	1.18	Extemp. (plus container)
CHALK and KAOLIN				
Mixture P.L.	200 ml.	4	0.78	Extemp. (plus container)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLORAL HYDRATE			\$	
Elixir 1 G. per 10 ml., 200 ml.	‡1	4	1.50	KL, PT
Mixture 230 mg. per 5 ml., 400 ml.	‡1	4	1.50	DH
P.L.	200 ml.	4	0.79	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.68	Extemp. (plus container)
CHLORAMBUCIL				
See Restricted Benefits.				
CHLORAMPHENICOL				
Ear Drops 2%, 10 ml.	‡1	2	1.10	CW
10%, 6 ml.	‡1	2	1.10	KL
			1.30	PD
Eye Drops 25 mg. and 10 ml. solvent	‡1	2	\$1.68	PD
0.5%, 10 ml.	‡1	2	1.10	KL
Eye Ointment 1%, 4 G.	‡1	..	0.63	KL
			0.69	PD
1%, 5 G.	‡1	..	0.69	EC
Capsule - See Restricted Benefits.				
Injection - See Restricted Benefits.				
Suspension - See Restricted Benefits.				
CHLORAMPHENICOL with HYDROCORTISONE				
Eye Drops 12.5 mg.-25 mg. and 5 ml solvent	‡1	2	\$1.75	PD
Eye Ointment 1%-0.5%, 4 G.	‡1	..	1.30	PD

CHLORAMPHENICOL with POLYMYXIN B
 Eye Ointment 1%-5,000 Units per G., 4 G.,

‡1	..	0.63	KL
		0.69	PD

CHLORCYCLIZINE

Oral Tablet 50 mg.

50	1	1.67	PT
		1.70	AB, BW

Oral Capsule 25 mg.

50	1	1.30	BW

50 mg.

50	1	1.70	BW

CHLORHEXIDINE

Cream Aqueous P.L.

100 G.	1	1.08	Extemp. (plus container)

Ear Drops P.L.

15 ml.	2	0.59	Extemp. (plus container)

Solution 5%, 100 ml.

‡1	1	1.50	IC

CHLOROBENZOL DISULPHONAMIDE

Oral Tablet 100 mg.

50	2	1.79	NS

200 mg.

50	2	3.15	NS

CHLOROQUINE

Oral Tablet equivalent to 150 mg.

Chloroquine base.

100	2	2.90	KL, PT, RT(V)

2.97

MB

3.02

DH, ET, EV, FB, IC, WL

Injection 40 mg. per ml., 2 ml.

5	1	*1.19	MB

40 mg. per ml., 5 ml.

5	1	*1.84	MB

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLOROTHIAZIDE			\$	
Oral Tablet 500 mg.	50	2	2.64 (ex 250)	MK
			2.97 (ex M.P.)	MK
CHLOROTRIANISENE				
See Restricted Benefits.				
CHLORPHENIRAMINE				
Oral Tablet 4 mg.	50	1	1.66 1.74 1.77	KL, LF, OD, PT CA, SH GL
8 mg.	50	1	2.17	CA
8 mg. (sustained release)	50	1	1.86 2.15 (ex 250)	GL, KL, LF, OD, PT SH
			2.06 2.17 2.39 (ex M.P.)	KL, LF, OD, PT GL SH
Oral Capsule 8 mg. (sustained release)	50	1	2.18	SK
12 mg. (sustained release)	50	1	2.79	SK
Paediatric Syrup 2 mg. per 5 ml., 100 ml.	1	4	0.90 0.97	KL GL
Injection 10 mg. in 1 ml.	5	..	1.58	GL

CHLORPROMAZINE				
See Restricted Benefits.				
CHLORPROPAMIDE				
Oral Tablet 250 mg.	100	2	4.30	PF
CHLORTETRACYCLINE				
Eye Ointment 1%, 4 G.	‡1	..	0.54	KL
			0.57	LE
Capsules - See Restricted Benefits.				
CHLORTHALIDONE				
Oral Tablet 50 mg.	50	2	2.87	GE
100 mg.	50	2	4.24	GE
			(ex 250)	
			4.82	GE
			(ex M.P.)	
CHOLERA-EL TOR COMBINED VACCINE				
Injection 8,000 million organisms in 1 ml.	2	..	*1.10	CS
CHOLINE THEOPHYLLINATE				
Oral Tablet 100 mg.	100	2	2.43	WW
200 mg.	100	2	2.97	WW
Syrup 50 mg. per 5 ml., 500 ml.	‡1	4	1.90	WW
CHOLINE THEOPHYLLINATE				
with GUAIPHENESIN				
Oral Tablet 200 mg.-100 mg.	100	2	2.97	WW

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CLEMIZOLE			\$	
Oral Tablet 20 mg.	50	1	*1.58	SC
Paediatric Syrup 100 ml.	1	4	0.97	SC
Injection 1 ml.	3	..	0.97	SC
CLIOQUINOL				
Oral Tablet 250 mg.	100	..	1.80	PT
			1.97	DR
			2.07	CB
			(ex 500)	
			1.97	PT
			2.17	DR
			2.23	CB
			(ex M.P.)	
CLOFIBRATE				
See Restricted Benefits.				
CLOPAMIDE				
Oral Tablet 20 mg.	50	2	2.43	SZ
CLOREXOLONE				
Oral Tablet 10 mg.	50	2	1.97	MB
25 mg.	50	2	2.37	MB
50 mg.	50	2	2.97	MB
COAL TAR				
Paste P.L.	100 G.	1	0.99	Extemp. (plus container)

COAL TAR and ZINC

Cream P.L.

100 G.

1

0.96

Extemp. (plus container)

COCAINE

Eye Drops Oily 2%, 15 ml.

†1

2

1.59

SI

CODEINE PHOSPHATE

Oral Tablet 30 mg.

25

3

0.83

DH, HY, KL, RT(V), RY

Linctus P.L.

100 ml.

2

1.11

Extemp. (plus container)

CODEINE PHOSPHATE with ASPIRIN

See Restricted Benefits.

CODEINE PHOSPHATE with ASPIRIN
and PARACETAMOL

See Restricted Benefits.

CODEINE PHOSPHATE with ASPIRIN,
PARACETAMOL and CAFFEINE

See Restricted Benefits.

COD LIVER OIL

†Cod Liver Oil, B.P.

8 fl.oz.

1

4

†0.45

FA, SI(V)

(with instructions for use)

FA, SI(V)

200 ml.

1

4

†0.40

WD(N)

†0.44

DH

(with instructions for use)

WD(N)

DH

Emulsion - See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
COLCHICINE			\$	
Oral Tablet 0.5 mg.	100	2	2.67	PT, RT(V)
			2.70	DH
			2.79	EV
			2.83	BW, KF
			2.89	PR
			2.97	HY, KL, MR
COLD CREAM				
Cream P.L.	100 G.	1	1.00	Extemp. (plus container)
COLISTIN				
See Restricted Benefits.				
COLISTIN with NEOMYCIN				
Ear Drops 3 mg.-3.3 mg. per ml., 10 ml.	‡1	2	1.50	WW
COPPER SULPHATE				
‡Diagnostic Compound Tablets, 36 (with instructions for use)	1	3	‡0.68	AM AM
CORTICOTROPHIN				
See Restricted Benefits.				
CORTISONE ACETATE				
Eye Drops 0.5%, 10 ml.	‡1	2	1.90	ET
1%, 3 ml.	‡1	2	1.57	ET

2.5%, 5 ml.	\$1	2	4.10	MK
2.5%, 10 ml.	\$1	2	5.10	ET, MK
Injectons - See Restricted Benefits.				
Tablets - See Restricted Benefits.				
CYANOCOBALAMIN				
See Restricted Benefits.				
CYCLOBARBITONE				
Oral Tablet 200 mg.	25	..	0.82	MG, SL(N)
			0.90	HA
			1.10	BW, FB, KL
CYCLOPENTHIAZIDE				
Oral Tablet 0.5 mg.	50	2	2.37	CB
			(ex 250)	
			2.57	CB
			(ex M.P.)	
CYCLOPHOSPHAMIDE				
Oral Tablet 50 mg.	50	..	5.97	MJ
Injection 100 mg. (solvent required)	10	..	10.43	MJ
200 mg. (solvent required)	10	..	12.30	MJ
CYCLOTHIAZIDE				
Oral Tablet 5 mg.	50	2	2.81	BY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CYCRIMINE HYDROCHLORIDE			\$	
Oral Tablet 1.25 mg.	100	2	3.50	LY
2.5 mg.	100	2	5.43	LY
CYPROHEPTADINE				
Oral Tablet 4 mg.	50	2	1.72	MK
			(ex 250)	
			1.90	MK
			(ex M.P.)	
Oral Capsule 4 mg.	50	2	1.90	FR
Paediatric Syrup 1.2 mg. per 5 ml., 100 ml.	‡1	4	0.90	FR, MK
DAPSONE				
Oral Tablet 100 mg.	100	2	0.83	IC
DARROW'S SOLUTION				
See Intravenous Fluids				
DEBRISOQUINE				
Oral Tablet 10 mg.	100	2	3.23	RO
20 mg.	100	2	4.57	RO
DEMECARIUM BROMIDE				
Eye Drops 0.1%, 5 ml.	‡1	6	1.66	AP
0.25%, 5 ml.	‡1	6	1.79	AP
0.5%, 5 ml.	‡1	6	2.07	AP

DEMETHYLCHLORTETRACYCLINE

See Restricted Benefits.

DEMETHYLCHLORTETRACYCLINE with
NYSTATIN

See Restricted Benefits.

DEOXYCORTONE

See Restricted Benefits.

DESLANOSIDE

Injection 0.2 mg. per ml., 2 ml.

5 1 1.13 SZ

DEXAMETHASONE

See Restricted Benefits.

DEXAMETHASONE with FRAMYCETIN and
GRAMICIDIN

Ear Ointment

0.5 mg.-5 mg.-0.05 mg. per G., 3 G.

‡1 2 1.37 RL

DEXAMETHASONE METASULPHOBENZOATE
with FRAMYCETIN and GRAMICIDIN

Ear Drops

0.5 mg.(base)-5 mg.-0.05 mg. per ml., 5 ml.

‡1 2 1.50 RL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXCHLORPHENIRAMINE			\$	
Oral Tablet 2 mg.	50	1	1.41 (ex 250)	SH
			1.54 (ex M.P.)	SH
6 mg. (sustained release)	50	1	2.95 (ex 250)	SH
			3.33 (ex M.P.)	SH
Paediatric Syrup 2 mg. per 5 ml., 100 ml.	1	4	1.17	SH
Injection 5 mg. in 1 ml.	5	..	1.23	SH
DEXTRAN with DEXTROSE				
See Intravenous Fluids				
DEXTRAN in NORMAL SALINE				
See Intravenous Fluids				
DEXTRIFERRON				
Injection I.V. 5 ml.	5	..	3.63	AP
DEXTROMORAMIDE				
See Restricted Benefits.				
DEXTROSE				
Injection 25%, 25 ml.	1	..	0.90	DH
Injections - 1/2 litre and 1 litre - See Intravenous Fluids.				

DEXTROSE and GLYCERIN				
Nasal Instillation P.L.	15 ml.	2	0.66	Extemp. (plus container)
DIAZEPAM				
See Restricted Benefits.				
DICHLORALPHENAZONE				
Oral Tablet 650 mg.	25	..	0.97	EV
Oral Liquid 225 mg. per 5 ml., 100 ml.	‡1	4	1.50	EV
DICHLOROPHEN				
Oral Tablet 500 mg.	18	..	0.90	MB
DICHLORPHENAMIDE				
Oral Tablet 50 mg.	50	4	5.10	AQ, MK
DICOPHANE				
Application P.L.	200 ml.	2	0.83	Extemp. (plus container)
Dusting Powder P.L.	100 G.	1	0.81	Extemp. (plus container)
DICYCLOMINE HYDROCHLORIDE				
Oral Tablet 10 mg.	100	2	2.20	PT
			2.49	ML
			(ex 500)	
			2.43	PT
			2.77	ML
			(ex M.P.)	
Paediatric Syrup 5 mg. per 5 ml., 100 ml.	‡1	4	1.43	ML

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DIENOESTROL See Restricted Benefits.			\$	
DIETHAZINE				
Oral Tablet 50 mg.	100	2	1.03	MB
250 mg.	100	2	*2.96	MB
DIGITALIS, PREPARED				
Oral Tablet 30 mg.	100	2	0.83	DH, RT(V)
60 mg.	100	2	0.97	DH, RT(V)
DIGITOXIN				
Oral Tablet 100 micrograms	100	..	0.98	PT
			1.02	KL, NA, WY
DIGOXIN				
Oral Tablet 62.5 micrograms	100	2	0.97	BW
250 micrograms	100	2	0.73	FA, HY, LF, PT, RT(V), RY, SL(N)
			0.77	NA
			0.97	PR
			0.99	TO
			1.01	KL
			1.03	SU(N)
			1.13	BW, MG, RD, VR

Oral Solution 500 micrograms per ml., 30 ml.	‡1	..	1.26	BW
Oral Solution for Children				
50 micrograms per ml., 50 ml.	‡1	2	1.37	BW
Injection 250 micrograms per ml., 2 ml.	10	1	*1.98	BW
Injection for Infants 50 micrograms in 2 ml.	10	1	*1.98	BW
DIHYDROERGOTAMINE				
Injection 1 mg. in 1 ml.	5	..	1.63	SZ
DIHYDROSTREPTOMYCIN with KAOLIN, PECTIN and ALUMINIUM HYDROXIDE GEL				
Oral Suspension				
317 mg.-3 G.-260 mg. per 30 ml., 100 ml.	‡1	..	1.43	WY
DIHYDROSTREPTOMYCIN SULPHATE with ATTAPULGITE, PECTIN and HYDRATED ALUMINA POWDER				
Oral Tablet 150 mg.-350 mg.-45 mg.-70 mg.	16	..	1.28	WY
			(ex 100)	
			1.41	WY
			(ex M.P.)	
DIHYDROTACHYSTEROL				
See Restricted Benefits.				
DI-IODOHYDROXYQUINOLINE				
(Diodoquinoline)				
Oral Tablet 300 mg.	100	2	1.77	DF, MB
650 mg.	100	2	3.50	SR

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DI-iodohydroxyquinoline - cont. (Diodoquinoline)			\$	
Compound Vaginal Tablets 100 mg., 25	‡1	1	1.50	VR
			1.63	SR
Effervescent Gynaecological Pessaries 200 mg., 20	‡1	1	1.63	DF
DILOXANIDE FUROATE See Restricted Benefits.				
DIMERCAPROL Injection 5%, 2 ml.	10	..	3.90	BT
DIMETHICONE Creams - See Restricted Benefits. Solutions - See Colostomy and Ileostomy Preparations.				
DIMETHINDENE Oral Tablet 1 mg.	50	1	1.50	CB
2.5 mg. (sustained release)	50	1	2.70	CB
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON See Restricted Benefits.				

DIPHENHYDRAMINE

Oral Capsule 50 mg.	50	1	1.23	PT
			1.26	PD
Paediatric Elixir 12.5 mg. per 5 ml., 100 ml.	‡1	4	0.67	AV
12.5 mg. per 5 ml., 115 ml.	‡1	4	0.70	PD
Injection 10 mg. per ml., 10 ml.	1	1	1.43	PD

DIPHENYLPYRALINE

Oral Tablet 2.5 mg.	50	1	1.23	PT, RK
5 mg. (sustained release)	50	1	2.17	PT, RK
Oral Capsule 2.5 mg. (sustained release)	50	1	2.17	SK
5 mg. (sustained release)	50	1	2.41	SK
			(ex 250)	
			2.70	SK
			(ex M.P.)	
Paediatric Syrup 2.5 mg. per 5 ml., 100 ml.	‡1	4	1.03	RK, SK

DIPHThERIA ANTITOXIN

(Dip./Ser.)

Injection 1,000 Units	2	1	*3.24	CS
4,000 Units	2	1	*8.16	CS
10,000 Units	2	1	*18.64	CS
20,000 Units	2	1	*34.22	CS

DIPHThERIA and TETANUS VACCINE

Injection 0.5 ml.	3	..	*1.62	CS
			1.63	BT

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DIPHTHERIA, TETANUS and PERTUSSIS VACCINE (Triple Antigen)			\$	
Injection 0.5 ml.	3	..	1.30 *1.86 1.87	GL, PD CS BT
DIPHTHERIA TOXOID PURIFIED (DILUTED FOR SKIN TEST ONLY)				
Injection 0.5 ml.	1	..	0.63	CS
DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) (Dip./Vac./PTAP)				
Injection 0.5 ml.	2	1	*1.18	CS
Set containing 2 amps each 0.5 ml. Diphtheria Prophylactic (Purified Toxoid Aluminium Phosphate)(diluted) FOR IMMUNISATION OF ADULTS ONLY and 1 amp. 0.5 ml. Purified Diphtheria Toxoid (diluted) for the skin test only.	1	..	1.23	CS
DIPYRIDAMOLE				
Injection 5 mg. per ml., 2 ml.	5	..	1.46	BY
DISODIUM STILBOESTROL DIPHOSPHATE See Restricted Benefits.				

DITHRANOL

Ointment 0.1%, 2 oz.	‡1	1	0.87	HY
0.25%, 2 oz.	‡1	1	0.94	HY
0.5%, 2 oz.	‡1	1	0.99	HY
Strong, 1%, 2 oz.	‡1	1	1.10	HY

DITHRANOL and ZINC

Paste P.L.	100 G.	1	1.02	Extemp. (plus container)
Paste Strong P.L.	100 G.	1	1.27	Extemp. (plus container)

DOXYCYCLINE

See Restricted Benefits.

ECOTHIOPATE IODIDE

Eye Drops				
0.06%, 3 mg. and 5 ml. of solvent	‡1	6	\$3.02	AY
0.125%, 6.25 mg. and 5 ml. of solvent	‡1	6	\$3.42	AY
0.25%, 12.5 mg. and 5 ml. of solvent	‡1	6	\$3.82	AY

EDROPHONIUM

Injection 10 mg. in 1 ml.	1	..	*0.86	RO

EMETINE

Injection 20 mg. in 1 ml.	10	..	2.70	KL
30 mg. in 1 ml.	10	..	3.30	KL
65 mg. in 1 ml.	5	..	3.30	KL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
EMETINE AND BISMUTH IODIDE Oral Tablet 60 mg.	25	2	\$ 4.03	HY
EMULSIFYING OINTMENT Ointment P.L.	100 G.	1	1.18	Extemp. (plus container)
EPHEDRINE HYDROCHLORIDE Oral Tablet 15 mg.	100	2	0.59	AD, BW, DH, KL, RT(V), RY, SI
30 mg.	100	2	0.70	AD, BW, DH, FA, KL, PR, RT(V), RY, SI, SL(N)
Elixir P.L.	100 ml.	4	0.73	Extemp. (plus container)
Nasal Instillation P.L.	15 ml.	2	0.61	Extemp. (plus container)
Injection 30 mg. in 1 ml.	5	1	1.02	BL, KL
50 mg. in 1 ml.	5	1	1.02	BL, KL
EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE Oral Tablet 15 mg.-15 mg.	100	2	0.70 0.86	KL FM, WW
30 mg.-15 mg.	100	2	0.70 0.83 0.94	AD, KL, SI DH FM, WW
30 mg.-30 mg.	100	2	0.77 0.99	KL FM, WW

Paediatric Elixir				
30 mg.-20 mg. per 5 ml., 100 ml.	‡1	4	1.19	FM
Paediatric Syrup				
30 mg.-20 mg. per 5 ml., 100 ml.	‡1	4	1.19	WW
ERGOMETRINE MALEATE				
Oral Tablet 0.2 mg.	25	3	1.63	PT
			1.67	LY, SP(NWS)
0.5 mg.	25	3	3.66	PT, SP(NWS)
			4.03	BW, HY
Injection 0.125 mg. in 1 ml.	5	..	1.13	FH
			1.21	BW
0.2 mg. in 1 ml.	5	..	1.34	PT
			1.35	FH
0.5 mg. in 1 ml.	5	..	1.31	PT
			1.35	SP(NWS)
			1.50	BL, DH, FH
			1.79	BW
ERGOTAMINE TARTRATE				
Oral Tablet 1 mg.	50	2	1.47	PT
			1.50	HY, KL
			2.27	SZ, WL
Injection 0.25 mg. in 1 ml.	5	..	1.30	SZ
0.5 mg. in 1 ml.	5	..	1.38	PT, SP(NWS)
			1.66	SZ

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ERGOTAMINE TARTRATE with CAFFEINE			\$	
Oral Tablet 1 mg.-100 mg.	50	2	2.30	KL, PT
			2.97	BD, SZ
Compound Suppository	6	1	1.50	SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE				
Oral Tablet 2 mg.-100 mg.-50 mg.	50	2	3.63	BW
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE				
Oral Capsule 1 mg.-100 mg.-25 mg.	50	2	3.63	PD
ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE				
Oral Tablet 1 mg.-100 mg.-10 mg.	50	2	3.53	BD
ERGOTOXINE METHANESULPHONATES See Restricted Benefits.				
ERYTHRITYL TETRANITRATE				
Oral Tablet 5 mg.	100	2	0.97	BW
ERYTHROMYCIN See Restricted Benefits.				

ETHACRYNIC ACID Oral Tablet 50 mg.	50	2	5.23	MK
ETHANOLAMINE OLEATE Injection 5%, 2 ml.	5	1	0.85	GL
ETHCHLORVYNOL Oral Capsule 500 mg.	25	..	1.21	AB
ETHINYLOESTRADIOL See Restricted Benefits.				
ETHIONAMIDE See Restricted Benefits.				
ETHISTERONE See Restricted Benefits.				
ETHOPROPAZINE Oral Tablet 50 mg.	100	2	*2.96	MB
ETHOSUXIMIDE Oral Capsule 250 mg.	200	1	8.23	PD
Paediatric Syrup 250 mg. per 5 ml., 240 ml.	11	4	2.70	PD
ETHOTOIN Oral Tablet 500 mg.	200	1	8.97	AB

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ETHOXZOLAMIDE Oral Tablet 125 mg.	50	4	\$ 6.06	AG, UP
ETHYLIDENE DICOUMARIN Oral Tablet 100 mg.	100	2	6.57	NS
ETHYLNORADRENALINE Injection 1 ml.	5	..	1.89	WL
ETHYLOESTRENOL See Restricted Benefits.				
FERRIC HYDROXIDE Colloidal Paediatric Solution 100 ml.	‡1	4	1.35	EV
FERROUS AMINOACETOSULPHATE (Feramacet) Oral Tablet equivalent to 50 mg. Ferrous Iron	100	2	0.97	BP, CO
Paediatric Syrup 4 fl. oz.	‡1	4	0.97	CO
100 ml.	‡1	4	0.97	BP
FERROUS FUMARATE Oral Tablet 150 mg.	100	2	1.17	KL

FERROUS GLUCONATE

Oral Tablet 300 mg.

100

2

0.73

FA, RT(V), RY

0.77

DH

0.78

KL, MG, PR, TO

0.83

HA, SZ, VR, WL

(ex 500)

0.83

DH, FA, HA, KL, MG, PR

RT(V), RY, TO, VR

0.87

SZ, WL

(ex M.P.)

Paediatric Elixir 6%, 100 ml.

‡1

4

1.07

WL

Mixture for Children P.L.

100 ml.

4

0.79

Extemp. (plus container)

FERROUS PHOSPHATE COMPOUND

‡Syrup 4 fl. oz.

1

4

‡0.26

RT(V)

(with instructions for use)

RT(V)

FERROUS SUCCINATE

Oral Capsule 150 mg.

100

2

1.27

CA

(ex 500)

1.27

CA

(ex M.P.)

Paediatric Elixir 150 mg. per 3.5 ml., 100 ml.

‡1

4

1.10

CA

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FERROUS SULPHATE			\$	
Oral Tablet 200 mg.	100	2	0.63	HY
			0.81	GL, GP
300 mg.	100	2	0.81	HY
			0.83	DH, GP, MJ
525 mg. (sustained release)	30	2	1.10	AB, PT
Mixture P.L.	200 ml.	4	0.78	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.69	Extemp. (plus container)
Oral Paediatric Drops 120 mg. per ml., 30 ml.	‡1	4	1.07	MJ
FLUDROCORTISONE ACETATE				
See Restricted Benefits.				
FLUMETHASONE with CLIOQUINOL				
See Restricted Benefits.				
FLUOROURACIL				
See Restricted Benefits.				
FLUOXYMESTERONE				
See Restricted Benefits.				
FLUPHENAZINE				
See Restricted Benefits.				
FLUPHENAZINE ENANTHATE				
See Restricted Benefits.				

FOLIC ACID

See Restricted Benefits.

FRAMYCETIN

Mixture

300 mg. per 20 ml. with adsorbent, 100 ml.

\$1	..	1.95	FC

Eye Ointment 0.5%, 3.5 G.

\$1	..	1.19	GN, RL

Eye and Ear Drops 0.5%, 5 ml.

\$1	2	1.69	GN, RL

Tablets - See Restricted Benefits.

FRUSEMIDE

Oral Tablet 40 mg.

50	2	4.52	AH

(ex 250)

		5.11	AH

(ex M.P.)

Injection 20 mg. in 2 ml.

5	..	3.23	AH

FUSIDIC ACID

See Restricted Benefits.

GAS GANGRENE ANTITOXIN (OEDEMATIENS)

(Oed/Ser)

Injection 10,000 Units

3	1	*28.02	CS

GAS GANGRENE ANTITOXIN (SEPTICUM)

(Sep/Ser)

Injection 5,000 Units

2	1	*29.24	CS

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
GAS GANGRENE ANTITOXIN (WELCHII) (Wel/Ser)			\$	
Injection 4,000 Units	3	1	*24.21	CS
10,000 Units	10	1	*125.00	CS
GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) (Gas/Ser)				
Injection				
1 amp. containing 10,000 Units Welchii, 10,000 Units Oedematiens, 5,000 Units Septicum	2	1	*33.68	CS
GASTRIC REPLACEMENT SOLUTION See Intravenous Fluids.				
GENTIAN				
Mixture, Acid, P.L.	200 ml.	4	0.75	Extemp. (plus container)
Mixture, Alkaline, P.L.	200 ml.	4	0.73	Extemp. (plus container)
GLUCAGON HYDROCHLORIDE				
Injection 1 mg. with 1 ml. of diluent	1	..	2.81	LY
GLUCOSE INDICATOR				
†240 Test Dispenser (with instructions for use)	1	1	†2.40	LY LY
†Reagent Strips 100 strips (with instructions for use)	1	1	†2.10	AM AM

GLUTETHIMIDE

Oral Tablet 125 mg.

100 1 1.98 KL

2.17 CB

250 mg.

25 .. 0.91 KL

0.97 CB

(ex 100)

1.02 KL

1.10 CB

(ex M.P.)

500 mg.

25 .. 1.14 KL

1.23 CB

Oral Capsule 125 mg.

100 1 1.98 KL

250 mg.

25 .. 1.02 KL

1.10 CB

500 mg.

25 .. 1.14 KL

1.23 CB

GLYCERIN

Cream Oily P.L.

100 G. 1 0.87 Extemp. (plus container)

†Glycerin 100 ml.

1 1 †0.36 WD(N)

†0.42 DH

(with instructions for use)

WD(N)

DH

†Suppository for Adults

12 1 †0.45 DH

†0.50 FA

(with instructions for use)

DH

FA

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
GLYCERIN - cont.			\$	
†Suppository for Children				
1 G. Glycerin	12	1	†0.45	DH
			†0.50	FA
(with instructions for use)				DH
				FA
GLYCERYL TRINITRATE				
Oral Tablet 0.6 mg.	100	2	0.50	BW, DH, FA, HY
GLYCOPYRRONIUM BROMIDE				
Oral Tablet 1 mg.	100	2	4.30	RS
GLYMIDINE				
Oral Tablet 500 mg.	100	2	3.30	FB, SC
1 G.	50	2	3.23	FB, SC
GOATS' MILK				
See Restricted Benefits.				
GRISEOFULVIN				
See Restricted Benefits.				
GUANETHIDINE				
Oral Tablet 10 mg.	100	2	3.78	UW(N)
			4.14	CB
			(ex 500)	

			4.10	UW(N)
			4.47	CB
			(ex M.P.)	
25 mg.	100	2	8.33	UW(N)
			9.14	CB
			(ex 500)	
			9.37	UW(N)
			10.27	CB
			(ex M.P.)	
Injection 10 mg.	5	..	2.86	CB
HALIBUT LIVER OIL				
See Restricted Benefits.				
HALOPERIDOL				
See Restricted Benefits.				
HAMAMELIS				
Ointment Compound P.L.	100 G.	1	1.18	Extemp. (plus container)
HEPARIN				
Injection 1,000 Units per ml., 5 ml.	5	..	*3.10	BT, CS, EV, WP(NVW)
5,000 Units in 1 ml.	5	..	*3.10	CS, EV
			*3.18	WP(NVW)
5,000 Units per ml., 5 ml.	2	..	*3.64	BT, CS, DH, EV, WP(NVW)
12,500 Units in 1 ml.	2	..	*2.30	BT, CS, EV

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HEXOCYCLIUM METHYLSULPHATE			\$	
Oral Tablet 25 mg.	100	2	4.50	AB
(sustained release) 50 mg.	100	2	7.86	AB
HOMATROPINE HYDROBROMIDE				
Eye Drops 2%, 15 ml.	‡1	2	2.02	AG, KL
5%, 15 ml.	‡1	2	2.34	AG, KL
Eye Drops (Hypromellose base)				
2%, 15 ml.	‡1	2	2.03	AQ
5%, 15 ml.	‡1	2	2.37	AQ
HYALURONIDASE				
Injection 1,500 I.U. (solvent required)	5	1	3.53	FC
			4.06	EV
150 I.U. (solvent required)	5	1	*4.10	WY
HYDRARGAPHEN				
Pessary 5 mg.	15	1	2.30	WB
HYDROCHLOROTHIAZIDE				
Oral Tablet 25 mg.	50	2	2.00	CB, GA, MK
			(ex 250)	
			2.19	CB, GA, MK
			(ex M.P.)	
50 mg.	50	2	3.23	CB, GA, MK
			(ex 250)	
			3.54	CB, GA, MK
			(ex M.P.)	

HYDROCORTISONE

Eye Drops 0.5%, 2 ml.	‡1	2	1.23	SC
0.5%, 5 ml.	‡1	2	1.30	KL, SI
0.5%, 10 ml.	‡1	2	1.50	KL, SI
			1.83	ET
1%, 3 ml.	‡1	2	1.37	SI
			1.70	RL
1%, 5 ml.	‡1	2	1.43	KL
1%, 10 ml.	‡1	2	1.86	KL, SI
			2.23	ET
2.5%, 5 ml.	‡1	2	1.97	KL, SI
2.5%, 10 ml.	‡1	2	2.23	KL, SI
			2.70	ET
Eye Ointment 0.5%, 3 G.	‡1	..	0.97	RL
0.5%, 4 G.	‡1	..	0.99	DH, KL
			1.10	PF, UP
0.5%, 5 G.	‡1	..	1.10	SI
1%, 5 G.	‡1	..	1.63	KL, SI
Cream 1%, 30 G.	‡1	..	1.50	DO, KL, PD, PF
				PY, SI, SQ, UP, ZY
Topical Ointment 1%, 30 G.	‡1	..	1.50	KL, PD, SI, SQ
				UP, ZY
Injection - See Restricted Benefits.				
Ear Drops - See Restricted Benefits.				

HYDROCORTISONE ACETATE

See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE with NEOMYCIN SULPHATE			\$	
Eye Drops 0.5%-0.5%, 5 ml.	‡1	2	1.30	DH, KL, SI, UP
Eye Ointment 0.5%-0.5%, 250 mg. capsule	12	..	1.23	CK
0.5%-0.5%, 4 G.	‡1	..	1.17	KL, UP
0.5%-0.5%, 5 G.	‡1	..	1.17	SI
Ear Drops - See Restricted Benefits.				
Ear Ointment - See Restricted Benefits.				
HYDROCORTISONE with PROPANEDIOL DIACETATE and ACETIC ACID				
See Restricted Benefits.				
HYDROCORTISONE SODIUM SUCCINATE				
See Restricted Benefits.				
HYDROFLUMETHIAZIDE				
Oral Tablet 50 mg.	50	2	3.81	BC, BT, SQ
HYDROGEN PEROXIDE SOLUTION				
Ear Drops P.L.	15 ml.	2	0.60	Extemp. (plus container)
†Solution 10 vol., 100 ml.	1	..	†0.20	WD(N)
			†0.23	FA
(with instructions for use)				WD(N)
				FA
10 vol., 200 ml.	1	..	†0.27	WD(N)
			†0.30	FA
(with instructions for use)				WD(N)
				FA

20 vol., 100 ml. (with instructions for use)	1	..	†0.26	DH, WD(N) DH, WD(N)
HYDROMORPHONE				
Oral Tablet 2.5 mg.	20	..	*0.96	KN
Injection 1.1 ml.	5	..	1.03	KN
HYDROXOCOBALAMIN See Restricted Benefits.				
HYDROXYCHLOROQUINE Oral Tablet 200 mg.	100	2	4.43	WL
HYDROXYPROGESTERONE See Restricted Benefits.				
HYOSCINE HYDROBROMIDE Oral Tablet 0.6 mg.	100	2	0.83	DH
Eye Drops (Hypromellose base) 0.25%, 15 ml.	‡1	2	2.70	AQ
HYOSCINE METHOBROMIDE Oral Tablet 2.5 mg.	100	2	4.70 4.73	ET UP
ICHTHAMMOL Ear Drops P.L.	15 ml.	2	0.72	Extemp. (plus container)
Paint P.L.	25 ml.	1	0.83	Extemp. (plus container)
Pessary 5%	12	1	1.90	HY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ICHTHAMMOL and ZINC Cream Oily P.L.	100 G.	1	\$ 1.08	Extemp. (plus container)
IDOXURIDINE See Restricted Benefits.				
IMIPRAMINE See Restricted Benefits.				
INDOMETHACIN See Restricted Benefits.				
INFLUENZA VACCINE See Restricted Benefits.				
INSECT ALLERGEN EXTRACT See Restricted Benefits.				
INSULIN				
Injection 20 Units per ml., 10 ml.	10	2	*4.10	BW, CS
40 Units per ml., 5 ml.	10	2	*4.10	BW
40 Units per ml., 10 ml.	10	2	*7.00	WP(NVW)
			*7.40	BT, BW, CS, EV, GL
80 Units per ml., 5 ml.	10	2	*7.40	BW, GL
80 Units per ml., 10 ml.	10	2	*12.70	BT, BW, CS, EV
160 Units per ml., 10 ml.	10	2	*28.20	CS
300 Units per ml., 5 ml.	10	2	*35.30	CS

Injection (specially purified)				
40 Units per ml., 10 ml.	10	2	*21.10	CS
INSULIN BIPHASIC				
Injection 40 Units per ml., 10 ml.	10	2	*12.60	EV
80 Units per ml., 10 ml.	10	2	*24.00	EV
INSULIN GLOBIN ZINC				
Injection 40 Units per ml., 5 ml.	10	2	*4.56	BW
80 Units per ml., 5 ml.	10	2	*8.04	BW
INSULIN ISOPHANE (N.P.H.)				
Injection 40 Units per ml., 10 ml.	10	2	*9.00	BT, BW, CS, GL
80 Units per ml., 10 ml.	10	2	*17.00	BT, BW, CS, GL
160 Units per ml., 10 ml.	10	2	*29.60	CS
Injection (specially purified)				
40 Units per ml., 10 ml.	10	2	*17.60	CS
INSULIN NEUTRAL				
Injection 40 Units per ml., 10 ml.	10	2	*9.00	BW, CS, EV
80 Units per ml., 10 ml.	10	2	*17.00	BW, CS, EV
INSULIN PROTAMINE ZINC				
Injection 40 Units per ml., 5 ml.	10	2	*4.56	BW
40 Units per ml., 10 ml.	10	2	*7.40	WP(NVW)
			*8.00	BT, BW, CS, EV, GL,
80 Units per ml., 5 ml.	10	2	*8.00	BT, BW, GL
80 Units per ml., 10 ml.	10	2	*15.00	BW, CS, EV

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
INSULIN SPECIAL P (PIG)			\$	
Injection 40 Units per ml., 10 ml.	10	2	*10.60	CS
INSULIN ZINC SUSPENSION (IZS)				
Injection 40 Units per ml., 10 ml.	10	2	*9.40	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.90	BT, BW, CS, EV, GL
INSULIN ZINC SUSPENSION (AMORPHOUS) (Amorph IZS)				
Injection 40 Units per ml., 10 ml.	10	2	*9.40	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.90	BT, BW, CS, EV, GL
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Cryst IZS)				
Injection 40 Units per ml., 10 ml.	10	2	*9.40	BT, BW, CS, EV, GL
80 Units per ml., 10 ml.	10	2	*17.90	BT, BW, CS, EV, GL
INTESTINAL REPLACEMENT SOLUTION See Intravenous Fluids				
INTRAVENOUS FLUIDS (1/2 litre and 1 litre) See Special Section.				
INVERT SUGAR See Intravenous Fluids.				

IPECACUANHA and OPIUM Mixture P.L.	200 ml.	4	1.08	Extemp. (plus container)
IPECACUANHA and SQUILL Mixture for Children P.L.	100 ml.	4	0.71	Extemp. (plus container)
IRON DEXTRAN				
Injection 2 ml.	5	..	3.90	FC
5 ml.	5	..	6.50	FC
IRON POLYMALTOSE COMPLEX				
Oral Tablet 40 mg. (Iron)	100	2	1.17	SI
Injection 100 mg. (Iron) in 2 ml.	5	..	4.17	SI
IRON SORBITOL				
Injection, Trivalent Iron 2 ml.	5	..	4.30	AP
ISONIAZID				
See Restricted Benefits.				
ISOPRENALINE HYDROCHLORIDE				
Oral Tablet 10 mg.	100	2	1.43	KL, WL
Inhalation 1 in 200, 15 ml.	1	1	0.63	WL
Injection 1 in 5,000, 1 ml.	5	..	4.14	WL
Tablet (sustained release) - See Restricted Benefits.				
ISOPRENALINE SULPHATE				
Oral Tablet 20 mg.	100	2	1.87	PT
			1.90	BW, KL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ISOPRENALINE SULPHATE - cont.			\$	
Inhalation				
Solution 10 mg. per ml., 7 ml.	1	1	0.73	BW
Metered aerosol spray, replacement pack				
2 mg. per ml., 15 ml. (300 dose)	‡1	..	2.70	BS, RK
10 mg. per ml., 15 ml. (300 dose)	‡1	..	2.77	RK
ISOPROPAMIDE IODIDE				
Oral Tablet 5 mg.	100	2	4.87 (ex 500)	SK
			5.23 (ex M.P.)	SK
ISOTHIPENDYL HYDROCHLORIDE				
Oral Tablet 4 mg.	50	2	1.30	IC
KANAMYCIN				
Ear Drops 1%, 10 ml.	‡1	..	1.30	BC
Eye Drops 1%, 10 ml.	‡1	..	1.43	BC
Injections - See Restricted Benefits.				
Capsule - See Restricted Benefits.				
Solution - See Restricted Benefits.				
KAOLIN				
Dusting Powder Compound P.L.	100 G.	1	0.75	Extemp. (plus container)

KAOLIN and OPIUM

Mixture P.L.

200 ml.

4

0.88

Extemp. (plus container)

LANATOSIDE-C

Oral Tablet 0.25 mg.

100

2

1.70

MQ, PT

1.77

SP(NWS)

2.06

SZ

(ex 500)

1.98

MQ, PT, SP(NWS)

2.26

SZ

(ex M.P.)

LEVORPHANOL

See Restricted Benefits.

LIGNOCAINE

See Restricted Benefits.

LINCOMYCIN

See Restricted Benefits.

LIOTHYRONINE

See Restricted Benefits.

LYPRESSIN

See Restricted Benefits.

MAGENTA

Paint P.L.

25 ml.

1

0.80

Extemp. (plus container)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MAGNESIUM-ALUMINIUM HYDROXIDE			\$	
Oral Tablet 375 mg.	100	2	1.39	SI
Mixture 375 mg. per 5 ml., 360 ml.	‡1	2	1.50	SI
MAGNESIUM and CALCIUM CARBONATE				
Internal Powder P.L.	100 G.	2	0.83	Extemp. (plus container)
MAGNESIUM HYDROXIDE MIXTURE				
‡Mixture 200 ml. (with instructions for use)	1	4	‡0.30	DH DH
MAGNESIUM SULPHATE				
‡Crystals 400 G. (16 oz.) (with instructions for use)	1	..	‡0.18	FA, WD(N) FA, WD(N)
Mixture for Children P.L.	100 ml.	4	0.62	Extemp. (plus container)
Paste 50 G.	‡1	1	0.54	DH
			0.55	FA
100 G.	‡1	1	0.74	FA
MAGNESIUM TRISILICATE				
Oral Tablet 600 mg.	100	2	1.10	DH
Mixture P.L.	200 ml.	4	0.69	Extemp. (plus container)
MANNITOL				
See Intravenous Fluids				

MEBHYDROLIN

Oral Tablet 50 mg.

50 1 1.45 FB

(ex 250)

1.57 FB

(ex M.P.)

150 mg. (sustained release)

50 1 3.22 FB

(ex 250)

3.63 FB

(ex M.P.)

Oral Paediatric Suspension

50 mg. per 5 ml., 100 ml.

\$1 4 1.02 FB

MECAMYLAMINE

Oral Tablet 2.5 mg.

100 2 2.30 MK

10 mg.

100 2 7.90 MK

MECLASTINE

Oral Tablet 1 mg.

50 1 3.33 SZ

MECLOZINE

Oral Tablet 25 mg.

50 1 1.59 BD

(ex 250)

1.77 BD

(ex M.P.)

Syrup 12.5 mg. per 5 ml., 100 ml.

\$1 4 1.17 BD

MEDROXYPROGESTERONE

See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MELPHALAN See Restricted Benefits.			\$	
MENTHOL and BENZOIN Inhalation P.L.	50 ml.	1	1.06	Extemp. (plus container)
MENTHOL and EUCALYPTUS Inhalation P.L.	50 ml.	1	0.72	Extemp. (plus container)
MENTHOL and PINE Inhalation P.L.	50 ml.	1	0.82	Extemp. (plus container)
MEPACRINE HYDROCHLORIDE Oral Tablet 100 mg.	100	2	1.05	IC
MEPENZOLATE Oral Tablet 25 mg.	100	2	3.63	SI
MEPHENTERMINE Injection 15 mg. per ml., 10 ml.	1	..	2.41	WY
MEPYRAMINE Oral Tablet 50 mg.	50	1	0.83	MB
100 mg.	50	1	1.10	MB
Paediatric Elixir 25 mg. per 5 ml., 125 ml.	11	4	0.70	MB
Injection 2.5%, 2 ml.	10	..	1.37	MB

MERCAPTOMERIN SODIUM

Injection 1.4 G. in 10 ml.

3

..

*5.79

WY

MERCAPTOPURINE

See Restricted Benefits.

MERSALYL

Injection 1 ml.

10

..

*1.58

EV

1.63

AD, SI

*1.64

BD, FH

*1.74

DH

2 ml.

10

..

*1.84

EV, FH

1.86

AD, SI

1.93

BL

*1.96

DH

*1.98

BT, VR

METARAMINOL

Injection 10 mg. in 1 ml.

3

..

*1.50

MK

METFORMIN

Oral Tablet 500 mg.

100

2

8.33

RN

500 mg. (sustained release)

100

2

8.34

DF

METHACYCLINE

See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
METHADONE			\$	
Oral Tablet 5 mg.	25	..	0.70	BW
10 mg.	25	..	0.83	BW
Injection 10 mg. in 1 ml.	5	..	1.07	BW
METHANDIENONE				
See Restricted Benefits.				
METHAQUALONE HYDROCHLORIDE				
Oral Tablet 150 mg.	25	..	0.91	LF, PT
			0.95	AV, BT, KL, MC, RL, SI
Oral Capsule 150 mg.	25	..	0.95	FR, KL
METHAZOLAMIDE				
Oral Tablet 50 mg.	50	4	*6.62	LE
METHDILAZINE				
Oral Tablet 4 mg.	50	1	1.43	BD, MJ
8 mg.	50	1	1.55	BD, MJ
			(ex 250)	
			1.70	BD, MJ
			(ex M.P.)	
Paediatric Syrup 4 mg. per 5 ml., 100 ml.	‡1	4	1.17	BD, MJ
METHENAMINE MANDELATE				
Oral Tablet 250 mg.	100	2	1.43	HA, WW
500 mg.	100	1	2.17	WW
1 G.	100	1	3.50	WW

Oral Paediatric Suspension 500 mg. per 5 ml., 200 ml.	‡1	1	2.43	WW
METHENOLONE ACETATE See Restricted Benefits.				
METHICILLIN See Restricted Benefits.				
METHOIN Oral Tablet 100 mg.	200	1	2.73	SZ
METHOTREXATE See Restricted Benefits.				
METHOXAMINE HYDROCHLORIDE Injection 20 mg. in 1 ml.	3	..	*1.24	BW
METHSUXIMIDE Oral Capsule 300 mg.	200	1	7.90	PD
METHYCLOTHIAZIDE Oral Tablet 2.5 mg.	50	2	2.17	AB
5 mg.	50	2	2.81	AB
			(ex 250)	
			3.17	AB
			(ex M.P.)	
METHYLCELLULOSE Eye Drops 0.5%, 15 ml	‡1	6	1.01	IQ, KL, SI

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
METHYLDOPA			\$	
Oral Tablet 250 mg.	100	2	6.02 (ex 500)	MK
			6.63 (ex M.P.)	MK
METHYLERGOMETRINE				
Oral Tablet 0.125 mg.	25	1	2.27	SZ
Injection 0.2 mg. in 1 ml.	5	..	1.34	SZ
METHYL PHENOBARBITONE				
Oral Tablet 30 mg.	200	1	0.90	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
60 mg.	200	1	1.21	AD, DH, KL, MG, PH, RT(V), RY, SI, WL
200 mg.	200	1	2.41	AD, DH, KL, MG, RT(V), RY, SI, WL
METHYL SALICYLATE				
Liniment P.L.	100 ml.	1	1.08	Extemp. (plus container)
Liniment Compound P.L.	100 ml.	1	1.40	Extemp. (plus container)
METHYSERGIDE				
See Restricted Benefits.				
METRONIDAZOLE				
Oral Tablet 200 mg.	21	1	2.75 (ex 100)	MB

			2.83 (ex M.P.)	MB
MILK POWDER-SYNTHETIC				
See Restricted Benefits.				
MORPHINE with ATROPINE				
Injection - Morphine Sulphate with				
Atropine Sulphate				
10 mg.-400 micrograms in 1 ml.	5	..	1.02	FH
			1.07	BL
			1.09	BT, DH
10 mg.-500 micrograms in 1 ml.	5	..	1.09	DH
15 mg.-400 micrograms in 1 ml.	5	..	1.02	AD, FH, KL, SI
			1.07	BL
			1.09	DH
15 mg.-600 micrograms in 1 ml.	5	..	1.02	FH
			1.07	BL
			1.09	DH
MORPHINE with HYOSCINE				
Injection - Morphine Sulphate with				
Hyoscine Hydrobromide				
15 mg.-600 micrograms in 1 ml.	5	..	1.10	FH
			1.14	BL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
MORPHINE SULPHATE			\$	
Hypo. or Oral Tablet 30 mg. (solvent required)	20	..	0.90	FA
Injection 10 mg. in 1 ml.	5	..	0.97	AD, FH, KL, SI
			1.02	BL, BT, DH
15 mg. in 1 ml.	5	..	0.97	AD, FH, KL, SI
			1.02	BL, BT, DH
20 mg. in 1 ml.	5	..	0.97	FH, KL
			1.02	BL
30 mg. in 1 ml.	5	..	0.97	FH, KL
			1.02	BL, BT, DH
30 mg. per ml., 10 ml.	1	..	0.97	FA
MORPHINE with TACRINE				
Injection 15 mg.-13 mg. in 1.5 ml.	5	..	1.97	WH
30 mg.-13 mg. in 1.5 ml.	5	..	2.03	WH
15 mg.-30 mg. in 1.5 ml.	5	..	2.50	WH
30 mg.-30 mg. in 1.5 ml.	5	..	2.63	WH
Tablet - See Restricted Benefits.				
MUSTINE				
See Restricted Benefits.				
NALIDIXIC ACID				
See Restricted Benefits.				
NALORPHINE				
Injection 10 mg. in 1 ml.	5	1	2.10	BW
1 mg. per ml., 5 ml.	1	..	1.21	BW

NANDROLONE DECANOATE

See Restricted Benefits.

NANDROLONE HEXANOYLPHENYLPROPIONATE

See Restricted Benefits.

NANDROLONE PHENYLPROPIONATE

See Restricted Benefits.

NATAMYCIN

Vaginal Tablets 25 mg., 20

‡1

..

3.77

BP

Oral Tablet - See Restricted Benefits.

Suspension - See Restricted Benefits.

NEOMYCIN

Eye Drops 0.5% (0.35% Neomycin Base) 10 ml.

‡1

2

0.97

DH, KL, SI

Powder - See Restricted Benefits.

Tablet - See Restricted Benefits.

NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORTISONE ACETATE

See Restricted Benefits.

NEOMYCIN with KAOLIN

Oral Tablet 150 mg. - 1.5 G.

10

..

1.50

KL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
NEOMYCIN SULPHATE MIXTURE			\$	
Mixture				
300 mg. per 20 ml. with adsorbent, 100 ml.	‡1	..	1.87	LF, PR, PT
			1.90	KL, SI
			2.10	DH, LY, MK, MR, NS, UP, VR, WY.
NEOMYCIN UNDECENOATE with BACITRACIN				
See Restricted Benefits.				
NEOSTIGMINE				
Oral Tablet 15 mg.	100	2	2.50	RO
Injection 0.5 mg. in 1 ml.	5	3	0.83	RO
2.5 mg. in 1 ml.	5	3	1.30	RO
2.5 mg. per ml., 5 ml.	1	1	0.97	RO
Eye Drops 3%, 7.5 ml.	‡1	6	1.41	RO
NICLOSAMIDE				
Oral Tablet 500 mg.	4	..	1.77	FB
NICOTINIC ACID				
See Restricted Benefits.				
NICOTINYL ALCOHOL				
Oral Tablet 25 mg.	100	2	1.37	RO
NICOUMALONE				
Oral Tablet 4 mg.	50	2	3.37	GE

NITRAZEPAM

See Restricted Benefits.

NITROFURANTOIN

See Restricted Benefits.

NITROMIN

See Restricted Benefits.

NORADRENALINE

Injection 1 in 1,000, 2 ml.

5

..

2.30

FH

3.37

WL

1 in 10,000, 2 ml.

5

..

3.43

WL

NORTRIPTYLINE

See Restricted Benefits.

NUTRAMIGEN

See Restricted Benefits.

NYSTATIN

Vaginal Tablets 100,000 Units, 15

‡1

1

2.14

GP, SQ

Tablets - See Restricted Benefits.

OCTATROPINE METHYLBROMIDE

Oral Tablet 10 mg.

100

2

2.97

EN

Paediatric Elixir 5 mg. per 5 ml., 100 ml.

‡1

4

1.43

EN

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
OESTRADIOL BENZOATE Injection 2 mg. in 1 ml.	5	1	\$ 2.63	BD, KL
OESTRADIOL DIPROPIONATE Injection 5 mg. in 1 ml.	5	1	3.63	CB
OESTRONE Pessary 1,000 Units	12	1	1.87	OR
10,000 Units	12	1	3.07	OR
OILY CREAM Cream P.L.	100 G.	1	1.09	Extemp. (plus container)
ORCIPRENALINE Oral Tablet 20 mg.	100	..	3.58 (ex 500)	BY
			4.03 (ex M.P.)	BY
Syrup 10 mg. per 5 ml., 100 ml.	‡1	4	1.26	BY
Inhalation				
Solution for use in NEBULISER 5%, 7.5 ml.	‡1	..	1.30	BY
Solution for use in RESPIRATOR 2%, 75 ml.	‡1	..	3.90	BY
Metered aerosol spray, replacement pack 15 mg. per ml., 15 ml. (300 dose)	‡1	..	2.77	BY

ORPHENADRINE CITRATE				
Oral Tablet 100 mg.	100	2	4.03	RK
Injection 30 mg. per ml., 2 ml.	5	..	2.57	RK
ORPHENADRINE HYDROCHLORIDE				
Oral Tablet 50 mg.	100	2	3.37	RK
OXYCODONE				
See Restricted Benefits.				
OXYMETHOLONE				
See Restricted Benefits.				
OXYPHENCYCLIMINE				
Oral Tablet 10 mg.	100	2	6.11	PF
			(ex 500)	
			6.97	PF
			(ex M.P.)	
OXYPHENONIUM BROMIDE				
Oral Tablet 5 mg.	100	2	2.47	PT
			2.70	CB
10 mg.	100	2	4.15	PT
			4.57	CB

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
OXYTETRACYCLINE Ophthalmic Suspension 1%, 6 ml. Tablets - See Restricted Benefits. Capsules - See Restricted Benefits. Drops - See Restricted Benefits. Injections - See Restricted Benefits. Suspensions - See Restricted Benefits.	‡1	2	1.01	PF
OXYTETRACYCLINE with HYDROCORTISONE Eye/Ear Suspension 0.5%-1.5%, 5 ml.	‡1	..	1.63	PF
OXYTETRACYCLINE (BUFFERED) with NYSTATIN See Restricted Benefits.				
OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per G., 4 G.	‡1	..	0.61	PF
OXYTOCIN Injection 2 Units in 2 ml. 5 Units in 1 ml. 10 Units in 1 ml.	5 5 5		0.97 1.21 1.66	SZ SZ PD, SZ
OXYTOCIN with ERGOMETRINE Injection 5 Units and 0.5 mg. in 1 ml.	5	..	1.23	SZ

PANCREATIN CONCENTRATE

See Restricted Benefits.

PANCREATIN ENZYME

See Restricted Benefits.

PANCRELIPASE

See Restricted Benefits

PAPAVERTUM

Oral Tablet 10 mg.

20 .. 0.70 RO

Injection 10 mg. in 1 ml.

5 .. 1.02 BL

20 mg. in 1 ml.

5 .. 0.97 FH

1.02 BL, BT

1.03 RO

PAPAVERTUM with HYOSCINE

HYDROBROMIDE

Injection 20 mg.-0.43 mg. in 1 ml.

5 .. 1.02 FH

1.07 BL, BT, RO

PAPAVERINE HYDROCHLORIDE

Injection 20 mg. in 1 ml.

5 .. 1.02 KL

120 mg. in 10 ml.

5 .. 1.63 FH, KL

PARACETAMOL

See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PARACETAMOL with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE See Restricted Benefits.			\$	
PARAFFIN LIQUID †Liquid Paraffin 200 ml.	1	4	†0.23 †0.26 †0.27	WD(N) RT(V) DH
(with instructions for use)				WD(N) RT(V) DH
Emulsions - See Restricted Benefits.				
PARALDEHYDE Injection 5 ml.	5	1	1.25 1.33 1.34	FH BL DH
10 ml.	5	1	1.63 1.74	FH BL, DH
PARAMETHADIONE Oral Capsule 300 mg.	200	1	13.43	AB
PARAMETHASONE See Restricted Benefits.				

PEMPIDINE				
Oral Tablet 5 mg.	100	2	*3.18	MB
PENICILLAMINE				
See Restricted Benefits.				
PENICILLINASE				
Injection 800,000 Units (solvent required)	1	..	11.30	RK
Injection Set containing 800,000 Units and 1 ml. of solvent	1	..	10.30	CS
PENICILLIN BENETHAMINE COMPOUND				
Benethamine Penicillin 500 mg.(500,000 Units); Procaine Penicillin 250 mg.(250,000 Units); Sodium Penicillin 300 mg.(500,000 Units).				
Injection - Vial (solvent required)	1	..	0.99	GL
Injection - Set containing vial and 2 ml. water for injections	1	..	1.07	GL
PENICILLIN, BENZATHINE				
See Restricted Benefits.				
PENICILLIN BENZATHINE COMPOUND				
Benzathine Penicillin 450 mg.(600,000 Units); Procaine Penicillin 300 mg.(300,000 Units); Potassium Penicillin 187 mg.(300,000 Units).				
Injection set containing 1 vial and 2 ml. water for injections	1	..	1.23	WY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENICILLIN, BENZYL (Penicillin G.) Injection			\$	
60 mg.(100,000 Units) (solvent required)	5	..	*1.25	GL
120 mg.(200,000 Units) (solvent required)	5	..	*1.30	GL
300 mg.(500,000 Units) (solvent required)	5	..	*1.75	BT, CS, DH, EV, GL, SI
600 mg.(1,000,000 Units) (solvent required)	5	..	*1.90	BT, CS, DH, EV, GL, SI
900 mg.(1,500,000 Units) (solvent required)	5	..	*2.85	DH, EV, GL, SI
Set containing 1 vial 300 mg.(500,000 Units) and 2 ml. water for injections	5	..	*2.10	BT, DH, EV, GL
Set containing 1 vial 600 mg.(1,000,000 Units) and 2 ml. water for injections	5	..	*2.25	BT, DH, EV, GL
Set containing 1 vial 900 mg.(1,500,000 Units) and 2 ml. water for injections	5	..	*3.10	DH, GL
Capsules - See Restricted Benefits.				
Tablets - See Restricted Benefits.				
Injections - 3 G.(5,000,000 Units) and 6 G. (10,000,000 Units) - See Restricted Benefits.				
PENICILLIN, PHENOXYMETHYL (Penicillin V) Oral Tablet 125 mg.	16	..	0.98 (ex 100)	AB, CS, DH, FM, GL, IP, KL, LY, PF, PT, SI
			1.07 (ex M.P.)	AB, CS, DH, FM, GL, IP, KL, LY, PF, PT, SI
250 mg.	16	..	1.46 1.51	LF SL(N)

			1.52	AB, CS, DH, DL, FA, FM,
			(ex 100)	GL, IP, KL, LY,
				MZ(NVSW), PR, PT, SI, VR
			1.53	LF, SL(N)
			1.63	AB, CS, DH, DL, FA, FM,
			(ex M.P.)	GL, IP, KL, LY,
				MZ(NVSW), PR, PT, SI, VR
Oral Capsule 125 mg.	16	..	1.07	CS, DH, DL, FA, FM,
				GL, KL, LY, SI, SU(N)
250 mg.	16	..	1.52	AB, BT, CS, DH, DL, FA, FM
			(ex 100)	GL, IP, KL, LY, PF, PT, SI,
				SU(N), VR
			1.63	AB, BT, CS, DH, DL, FA, FM,
			(ex M.P.)	GL, IP, KL, LY, PF, PT,
				SI, SU(N), VR
Oral Paediatric Sachet 125 mg.	16	..	2.07	KL
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	11	..	1.69	AB, BT, CS, DH, DL, FA, GL,
				KL, MJ, PF, PR, SI, SL(N), VR,
				WY
Oral Suspension 250 mg. per 5 ml., 100 ml.	11	..	2.43	AB, FA, SI
Injection set containing 1 vial 480 mg.				
(800,000 Units) and 2 ml. water for injections	1	..	2.43	KL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENICILLIN PROCAINE			\$	
(Aqueous Suspension Injection)				
600 mg.(600,000 Units)	5	..	*2.70	BT
			*2.85	FA
900 mg.(900,000 Units)	5	..	*2.90	CS, SI
1 G.(1,000,000 Units)	5	..	*3.35	BT, DH, EV, FA, GL, SI
1.5 G.(1,500,000 Units)	5	..	*3.90	CS, DH, EV, FA, GL, SI, VR
(Crystalline) Injection				
300 mg.(300,000 Units) (solvent required)	5	..	*1.75	CS
900 mg.(900,000 Units) (solvent required)	5	..	*2.55	CS
1.5 G.(1,500,000 Units) (solvent required)	5	..	*3.75	CS
Set containing 1 vial 300 mg.(300,000 Units) and 1 vial water for injections	5	..	*2.15	CS
Set containing 1 vial 900 mg.(900,000 Units) and 1 vial water for injections	5	..	*2.90	CS
Set containing 1 vial 1.5 G.(1,500,000 Units) and 1 vial water for injections	5	..	*4.10	CS
PENICILLIN PROCAINE FORTIFIED				
Injection				
360 mg.(400,000 Units) (solvent required)	5	..	*1.75	CS, SI
1.08G.(1,200,000 Units) (solvent required)	5	..	*3.15	CS, SI
Set containing 1 vial 360 mg.(400,000 Units) and 1 vial water for injections	5	..	*2.10	CS
Set containing 1 vial 1.08 G.(1,200,000 Units) and 1 vial water for injections	5	..	*3.50	CS

PENICILLIN with STREPTOMYCIN

See Restricted Benefits.

PENTAERYTHRITOL TETRANITRATE

(Penthritol)

Oral Tablet 20 mg.

100	2	0.80	LF
		0.90	WW
		0.93	WL
		(ex 500)	
		0.90	LF
		0.97	WL, WW

80 mg. (sustained release)

100	2	(ex M.P.)	
		1.44	WW
		(ex 500)	
		1.50	WW
		(ex M.P.)	

PENTHIENATE

Oral Tablet 5 mg.

100	2	4.10	WL

PENTOBARBITONE COMPOUND

Oral Tablet, A.P.F. Capsule Formula

Oral Capsule, A.P.F.

25	..	1.02	CO
25	..	0.87	PT
		0.94	PD
		(ex 100)	
		0.95	PT
		1.02	PD
		(ex M.P.)	

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PENTOBARBITONE SODIUM			\$	
Oral Tablet 30 mg.	100	1	0.77	RY
			0.83	DH, QE(QNVS)
			0.90	KL, PR
50 mg.	100	1	0.83	MG
			0.87	PT, QE(QNVS)
			0.90	DH, KL, PR,
100 mg.	25	..	0.54	PT, RT(V), RY, SL(N)
			0.57	AV, KL, PR, QE(QNVS), TO
			0.62	MG
			0.63	SU(N)
			0.66	AD, BW, DH, FA, RD, SI
Oral Capsule 30 mg.	100	1	1.69	LF
50 mg.	100	1	1.82	AV, FA, KL, LF, PT
			1.94	AB
100 mg.	25	..	0.64	PR, RT(V)
			0.66	PT, RY
			0.67	LF
			0.79	AV, FA, KL, PD
			0.82	AB
			(ex 100)	
			0.67	LF, PT, RT(V), RY
			0.70	PR
			0.77	AV, KL
			0.82	PD
			0.89	AB, FA
			(ex M.P.)	

PENTOBARBITONE SODIUM with ASPIRIN
and CODEINE PHOSPHATE
See Restricted Benefits.

PENTOLINIUM TARTRATE

Injection 5 mg. per ml., 10 ml.

1	1	1.03	MB

PERITONEAL DIALYSIS SOLUTION

Injection with 1.5% Dextrose, 1 litre

20	1	*33.70	BX

Injection with 7% Dextrose, 1 litre

20	1	*33.70	BX

PERTUSSIS VACCINE

(Per/Vac)

Injection 20,000 million organisms in 0.5 ml.

3	1	*1.50	CS

PETHIDINE

Injection 50 mg. in 1 ml.

5	..	0.90	WO
		0.91	AD, FH, KL, SI
		0.95	BL, BW
		0.97	BT, DH

50 mg. per ml., 2 ml.

5	..	1.01	WO
		1.02	AD, FH, KL, SI
		1.07	BL, BW
		1.09	BT, DH

50 mg. per ml., 10 ml.

1	..	1.03	KL

50 mg. per ml., 50 ml.

1	..	2.09	DH, KL, RO

PETHIDINE with LEVALLORPHAN

See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PETHIDINE with SCOPOLAMINE			\$	
Injection 100 mg.-0.43 mg. in 2 ml.	5	..	1.07 1.14	FH, KL BW
PHENAZOPYRIDINE HYDROCHLORIDE				
Oral Tablet 100 mg.	50	1	1.21	WW
PHENETHICILLIN				
Oral Tablet 125 mg.	16	..	1.07	CS, SI
250 mg.	16	..	1.52	CS, SI
			(ex 100)	
			1.63	CS, SI
			(ex M.P.)	
Oral Capsule 125 mg.	16	..	1.07	CS, SI
250 mg.	16	..	1.52	CS, SI
			(ex 100)	
			1.63	CS, SI
			(ex M.P.)	
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	‡1	..	1.69	CS, SI
PHENFORMIN				
Oral Tablet 25 mg.	100	2	4.03	WW
Oral Capsule 50 mg.	100	1	8.03	WW
PHENINDAMINE				
Oral Tablet 25 mg.	50	2	1.13	RO

PHENINDIONE

Oral Tablet 10 mg.

50 mg.

PHENIRAMINE

Oral Tablet 10 mg.

50 mg.

(sustained release) 75 mg.

Paediatric Syrup 15 mg. per 5 ml., 100 ml.

Injection 25 mg. per ml., 2 ml.

PHENOBARBITONE

Oral Tablet 15 mg.

30 mg.

60 mg.

100 mg.

Elixir P.L.

100	2	2.97	PT
		3.63	EV
100	2	3.50	WP(NVW)
		3.77	PT
		5.23	EV
50	1	0.94	AH
50	1	1.43	AH
		(ex 250)	
		1.58	AH
		(ex M.P.)	
50	1	2.86	AH
1	4	0.97	AH
5	1	1.42	AH
100	1	0.46	AD, BW, DH, FA, HY, KL, RT(V), RY, SI, SL(N), TO
100	1	0.53	AD, DH, FA, HY, KL, RT(V), RY, SI, SL(N), TO
		0.57	BK, BW, MB
25	..	*0.42	AD, DH, FA, HY, KL, RT(V) RY, SI, SL(N)
		*0.46	BW, MB
25	..	*0.46	AD, DH, KL, RT(V), RY, SI
100 ml.	4	0.86	Extemp. (plus container)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENOBARBITONE with BELLADONNA PROCAINE and ALUMINIUM HYDROXIDE Mixture P.L.	200 ml.	4	\$ 1.05	Extemp. (plus container)
PHENOBARBITONE SODIUM				
Oral Tablet 15 mg.	100	1	0.46	DH, FA, KL, RT(V)
30 mg.	100	1	0.53	DH, FA, HY, KL, RT(V)
60 mg.	25	..	*0.42	KL, RT(V)
			*0.43	FA
100 mg.	25	..	*0.46	FA, KL
Injection 200 mg. in 1 ml.	5	..	0.94	EV
			*0.98	MB
			1.02	FH
			1.07	BL, FM
			1.09	DH
PHENOL with DEXTROSE and GLYCERIN				
Injection 2%-25%-30%, 30 ml.	1	..	2.63	BT
PHENOLPHTHALEIN COMPOUND				
Oral Pill	50	1	0.53	MG
			*0.59	DH
PHENOXYBENZAMINE				
Oral Capsule 10 mg.	100	2	3.54	SK
PHENSUXIMIDE				
Oral Capsule 500 mg.	200	1	8.23	PD

PHENTHIMENTONIUM				
Oral Tablet 150 mg.	100	2	3.63	AP
PHENYLALANINE LOW CONTENT FORMULA				
See Restricted Benefits.				
PHENYLBUTAZONE				
See Restricted Benefits.				
PHENYLEPHRINE				
Injection 1%, 1 ml.	5	..	2.41	WL
Compound Ointment 2 oz.	‡1	1	1.30	WL
Compound Suppository	12	1	1.06	WL
Eye Drops 1/8%, 10 ml.	‡1	..	0.83	WL
10%, 5 ml.	‡1	..	1.14	WL
Eye Drops (Hypromellose base)				
0.12%, 15 ml.	‡1	..	1.50	AQ
Sterile Ophthalmic Solution 10%, 1 ml.	5	..	3.70	WL
PHENYLMERCURIC NITRATE				
Ear Drops P.L.	15 ml.	2	0.75	Extemp. (plus container)
PHENYTOIN				
Oral Capsule 100 mg. (delayed release)	100	1	1.97	PD
Oral Paediatric Suspension				
30 mg. per 5 ml., 500 ml.	‡1	1	2.57	PD
Oral Suspension 100 mg. per 5 ml., 500 ml.	‡1	1	2.87	PD

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PHENYTOIN SODIUM			\$	
Oral Tablet 100 mg.	200	1	1.50	DH, KL, RT(V), RY
Oral Capsule 30 mg.	200	1	1.63	KL
			1.77	PD
100 mg.	200	1	2.39	KL, PT, RY
			2.64	PD
			(ex 1,000)	
			2.63	KL, PT, RY
			2.77	PD
			(ex M.P.)	
Injection 250 mg. with 5 ml. solvent	1	..	3.90	PD
PHOLCODINE				
Linctus 0.1%, 4 fl.oz.	‡1	4	0.86	HY
0.1%, 100 ml.	‡1	4	0.83	AV, CM, DH, EV, FA, GL, GP, KL, MG, RK, VR, WD(N)
Linctus P.L.	100 ml.	4	1.05	Extemp. (plus container)
Linctus for Children P.L.	100 ml.	4	0.88	Extemp. (plus container)
PHTHALYLSULPHACETAMIDE				
Oral Tablet 500 mg.	100	..	3.10	BS, KL, SC, VR
PHTHALYLSULPHATHIAZOLE				
Oral Tablet 500 mg.	100	..	1.43	KL, MB
Mixture for Children P.L.	100 ml.	4	1.31	Extemp. (plus container)

PHYSOSTIGMINE SALICYLATE

Eye Drops 0.25%, 7.5 ml.	‡1	6	1.43	ET
0.25%, 15 ml.	‡1	6	1.50	IQ
0.5%, 7.5 ml.	‡1	6	1.59	ET
0.5%, 15 ml.	‡1	6	1.66	IQ

PHYTOMENADIONE

See Restricted Benefits.

PILOCARPINE HYDROCHLORIDE

Eye Drops 0.5%, 15 ml.	‡1	6	0.99	ET, KL
1%, 15 ml.	‡1	6	1.07	ET, KL
2%, 15 ml.	‡1	6	1.17	ET, KL
3%, 15 ml.	‡1	6	1.26	ET, KL
4%, 15 ml.	‡1	6	1.43	ET, KL
6%, 15 ml.	‡1	6	1.77	ET
Eye Drops (Hypromellose base)				
1%, 15 ml.	‡1	6	1.07	AQ
2%, 15 ml.	‡1	6	1.17	AQ
3%, 15 ml.	‡1	6	1.26	AQ
4%, 15 ml.	‡1	6	1.43	AQ

PILOCARPINE NITRATE

Eye Drops 0.5%, 15 ml.	‡1	6	0.99	DH, ET, IQ, KL, SI
1%, 15 ml.	‡1	6	1.07	DH, ET, IQ, KL, SI
2%, 15 ml.	‡1	6	1.17	DH, ET, IQ, KL, SI
3%, 15 ml.	‡1	6	1.26	DH, ET, IQ, KL, SI
4%, 15 ml.	‡1	6	1.43	DH, ET, KL, SI
			1.50	IQ
6%, 15 ml.	‡1	6	1.77	ET, KL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PILOCARPINE NITRATE - cont.			\$	
Eye Drops (Polyvinyl Alcohol base)				
0.5%, 15 ml.	‡1	6	0.99	AG
1%, 15 ml.	‡1	6	1.07	AG
2%, 15 ml.	‡1	6	1.17	AG
3%, 15 ml.	‡1	6	1.26	AG
4%, 15 ml.	‡1	6	1.43	AG
6%, 15 ml.	‡1	6	1.77	AG
PIPENZOLATE				
Oral Tablet 5 mg.	100	2	3.77	SI
Oral Solution 4 mg. per ml., 15 ml.	‡1	4	1.30	SI
PIPERAZINE ADIPATE				
Oral Tablet 300 mg.	25	2	0.99	BD
Oral Granules, 20%, 100 G.	1	..	2.10	DF
PIPERAZINE PHOSPHATE				
Oral Granules, 10 G.	1	..	1.23	RC
PITUITARY, POSTERIOR LOBE				
See Restricted Benefits.				
PLAGUE VACCINE				
(Plague/Vac)				
Injection 4,000 million organisms in 1 ml.	2	..	*1.64	CS

PODOPHYLLIN

Paint P.L.

25 ml.

1

0.93

Extemp. (plus container)

Strong P.L.

25 ml.

1

1.18

Extemp. (plus container)

POLYMYXIN B SULPHATE

Ear Drops (Aqueous)

300,000 Units in 15 ml.

‡1

2

2.57

KL, SI

2.70

BW

Set containing 300,000 Units and 15 ml.

of solvent

‡1

2

\$2.95

ET

Ear Drops (Propylene Glycol Base)

10,000 Units per ml., 10 ml.

‡1

2

1.30

BW

Eye Drops

15,000 Units per ml., 5 ml.

‡1

2

1.63

KL, SI

Set containing 75,000 Units and 5 ml.

of solvent

‡1

2

\$1.95

ET

Powder - See Restricted Benefits.

POLYMYXIN B SULPHATE with

BACITRACIN and NEOMYCIN

Eye Drops Set containing 50,000 Units -

4,000 Units-50 mg. and 10 ml. solvent

‡1

2

\$2.95

DH, ET

Eye Ointment 5,000 Units-400 Units-5 mg.

per G., 4 G.

‡1

..

0.70

BW, DH, ET, GL, SI, UP

Ear Drops - See Restricted Benefits.

POLYMYXIN B SULPHATE with NEOMYCIN

and GRAMICIDIN

Eye Drops 5,000 Units-2.5 mg.-0.025 mg.

per ml., 10 ml.

‡1

2

1.43

BW, DH

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE See Restricted Benefits.			\$	
POLYOESTRADIOL See Restricted Benefits.				
POLYTHIAZIDE				
Oral Tablet 1 mg.	50	2	2.17	PF
2 mg.	50	2	3.13	PF
POLYVINYL ALCOHOL				
Eye Drops 1.4%, 15 ml.	1	6	1.90	AG
POTASSIUM				
Oral Effervescent Tablet				
6.5 milli-equivalents of Potassium	100	2	1.37	KL, LF, PR, RT(V), RY
			1.50	PT
25 milli-equivalents of Potassium	30	2	1.42	PT
			1.43	BC, MJ
POTASSIUM - FREE MAINTENANCE SOLUTION See Intravenous Fluids.				
POTASSIUM CHLORIDE				
Oral Tablet 500 mg.	100	2	0.70	DH, ET, KL, RT(V)
600 mg. (sustained release)	100	2	1.34	PT
			1.37	CB

Mixture P.L.	200 ml.	4	0.83	Extemp. (plus container)
Injection Standard Maintenance Fluids				
- See Intravenous Fluids				
POTASSIUM CITRATE				
Mixture P.L.	200 ml.	4	0.85	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)
POTASSIUM CITRATE and SODIUM BICARBONATE				
Mixture P.L.	200 ml.	4	0.75	Extemp. (plus container)
POTASSIUM IODIDE				
Mixture for Children P.L.	100 ml.	4	0.66	Extemp. (plus container)
POTASSIUM IODIDE and EPHEDRINE				
Mixture for Children P.L.	100 ml.	4	0.71	Extemp. (plus container)
POTASSIUM IODIDE and STRAMONIUM				
Mixture Compound P.L.	200 ml.	4	0.91	Extemp. (plus container)
POTASSIUM PERCHLORATE				
Oral Tablet 200 mg.	100	2	0.97	AD, SI
PREDNISOLONE				
Eye Drops 1%, 3 ml.	‡1	6	2.30	SC
Eye Ointment 0.5%, 4 G.	‡1	..	1.90	KL, PT
			2.30	UP
Tablet - See Restricted Benefits.				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PREDNISOLONE ACETATE			\$	
Eye Drops 0.5%, 5 ml.	‡1	6	2.43	CB
Injection - See Restricted Benefits.				
PREDNISOLONE METHYL				
Eye Ointment 0.1%, 4 G.	‡1	..	2.63	UP
Capsule - See Restricted Benefits.				
Tablets - See Restricted Benefits.				
PREDNISOLONE METHYL ACETATE				
See Restricted Benefits.				
PREDNISOLONE PIVALATE				
Eye Ointment 0.5%, 3 G.	‡1	..	1.50	CB
PREDNISOLONE SODIUM PHOSPHATE				
Eye-Ear Drops 0.5%, 2.5 ml.	‡1	6	2.17	MK
0.5%, 5 ml.	‡1	6	2.50	GL, MK
Eye Ointment 0.5%, 3 G.	‡1	..	2.30	GL
Retention Enema - See Restricted Benefits.				
Suppository - See Restricted Benefits.				
PREDNISOLONE SODIUM PHOSPHATE with NEOMYCIN				
See Restricted Benefits.				

PREDNISOLONE SODIUM SUCCINATE

See Restricted Benefits.

PREDNISOLONE TERTIARY BUTYL ACETATE

See Restricted Benefits.

PREDNISONE

See Restricted Benefits.

PRIMAQUINE

Oral Tablet equivalent to 7.5 mg. base
equivalent to 15 mg. base

30	1	1.07	IC
14	1	0.77	WL

PRIMIDONE

Oral Tablet 250 mg.

200	1	6.31	KL, PT
		6.97	IC

Oral Paediatric Suspension

125 mg. per 5 ml., 500 ml.

‡1	1	3.23	IC

PROBENECID

Oral Tablet 500 mg.

100	2	6.69	KL, MC
		8.30	MK, PT
		(ex 500)	
		7.63	KL, MC
		9.50	MK, PT
		(ex M.P.)	

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PROCAINAMIDE			\$	
Oral Capsule 250 mg.	100	2	6.30	SQ
Injection 100 mg. per ml., 10 ml.	1	..	1.57	SQ
PROCARBAZINE				
See Restricted Benefits.				
PROCHLORPERAZINE				
Injection 12.5 mg. in 1 ml.	10	..	1.37	MB
PROCYCLIDINE				
Oral Tablet 5 mg.	100	2	4.30	BW
PROGESTERONE				
See Restricted Benefits.				
PROGUANIL				
Oral Tablet 100 mg.	100	2	1.14	IC
PROMETHAZINE				
Oral Tablet 10 mg.	50	1	0.90	KL
			0.97	MB
25 mg.	50	1	1.20	MC
			1.22	MB
			(ex 250)	
			1.30	MC
			1.37	MB
			(ex M.P.)	

Paediatric Elixir 5 mg. per 5 ml., 125 ml.	‡1	4	0.73	KL
			0.77	AV, MB
Injection 2.5%, 2 ml.	10	..	1.50	MB
PROPANTHELINE BROMIDE				
Oral Tablet 15 mg.	100	2	2.86	MC
			3.12	PT
			3.56	SR
			(ex 500)	
			2.97	MC
			3.50	PT
			4.01	SR
			(ex M.P.)	
30 mg. (sustained release)	100	2	7.10	PT
			7.17	SR
Injection 30 mg. in 1 ml. (solvent required)	5	..	6.30	SR
PROPRANOLOL				
See Restricted Benefits.				
PROPYLENE GLYCOL				
Spray diluent - Propylene Glycol 10%, Glycerin 2% in Normal Saline, 200 ml.	‡1	2	1.23	FA
PROPYLTHIOURACIL				
Oral Tablet 25 mg.	100	2	1.50	ET
50 mg.	100	2	2.30	ET

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
PROTAMINE SULPHATE			\$	
Injection 1%, 5 ml.	5	..	2.14	EV
1%, 10 ml.	5	..	2.34	BT
PROTEIN HYDROLYSATE FORMULA				
without PHENYLALANINE				
See Restricted Benefits.				
PROTRIPTYLINE				
See Restricted Benefits.				
PYRIDINE ALDOXIME METHIODIDE				
(P.A.M.)				
Injection 500 mg.	5	..	2.30	FH
PYRIDOSTIGMINE				
See Restricted Benefits.				
PYRIDOXINE HYDROCHLORIDE				
Injection 50 mg. in 1 ml.	5	1	1.58	KL
			1.86	PD
			1.87	BL, DH, FM
50 mg. in 2 ml.	5	1	1.87	RO
50 mg. per ml., 5 ml.	1	1	1.63	KL
50 mg. per ml., 10 ml.	1	..	1.90	KL
			2.30	BX
Tablets - See Restricted Benefits.				

PYRIMETHAMINE

See Restricted Benefits.

QUINALBARBITONE SODIUM

Oral Tablet 50 mg.

100

1

1.50

PT

100 mg.

25

..

0.70

PT, RT(V), RY

0.71

HY

0.82

AD, DH, KL, RD, SI

Oral Capsule 50 mg.

100

1

1.75

AV, KL, LF, LY

100 mg.

25

..

0.83

LF

0.84

DH

0.86

PT, RY

0.95

KL, LY

(ex 100)

0.85

LF

0.90

DH

0.98

PT, RY

1.13

KL, LY

(ex M.P.)

QUINETHAZONE

Oral Tablet 50 mg.

50

2

3.05

LE

(ex 250)

3.43

LE

(ex M.P.)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
QUINIDINE BISULPHATE Oral Tablet 250 mg. (sustained release)	100	2	\$ 10.83	AP
QUINIDINE SULPHATE Oral Tablet 200 mg.	100	2	5.47 5.50 5.59 5.63 7.10	FA, PT, RT(V) DH QE(QNVS) DF BW, HY, KL, PR, TO
QUININE BISULPHATE See Restricted Benefits.				
QUININE DIHYDROCHLORIDE See Restricted Benefits.				
QUININE HYDROCHLORIDE See Restricted Benefits.				
QUININE SULPHATE See Restricted Benefits.				
RAUWOLFIA ALKALOIDS Oral Tablet 0.25 mg.	100	2	1.37	KL
2 mg.	100	2	2.46 (ex 500) 2.70	RK RK
			(ex M.P.)	

4 mg.	100	2	2.57	PV
50 mg.	100	2	2.15	LF
			2.25	PR, PT
			2.55	SQ
			(ex 500)	
			2.25	LF
			2.50	PR, PT
			2.83	SQ
			(ex M.P.)	
Oral Capsule 50 mg.	100	2	2.83	CS
RESERPINE				
Oral Tablet 0.25 mg.	100	2	0.83	HA, KL, RK, RY
			0.97	CB, VR
0.5 mg.	100	2	1.03	HA, KL
			1.23	CB
Injection 1 mg.	5	1	1.01	CB
2.5 mg.	5	1	1.63	CB
RESORCINOL				
Lotion Compound P.L.	200 ml.	2	0.99	Extemp. (plus container)
RESORCINOL and SULPHUR				
Compound Ointment P.L.	100 G.	1	1.08	Extemp. (plus container)
RIBOFLAVINE				
See Restricted Benefits.				
ROLITETRACYCLINE				
See Restricted Benefits.				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SACCHARIN or SACCHARIN SODIUM			\$	
†Oral Tablet 30 mg., 500	1	1	†0.38	AD(N), SL(N)
			†0.41	HY
			†0.47	KL, RY
(with instructions for use)				AD(N), SL(N)
				HY
				KL, RY
SALICYLAMIDE				
Oral Tablet 500 mg.	100	2	0.93	PT
			0.99	KL
			1.03	HA, NS
			(ex 500)	
			0.99	PT
			1.03	KL
			1.07	HA, NS
			(ex M.P.)	
SALICYLIC ACID				
Dusting Powder Compound P.L.	100 G.	1	0.73	Extemp. (plus container)
Ear Drops P.L.	15 ml.	2	0.58	Extemp. (plus container)
Ointment P.L.	100 G.	1	1.49	Extemp. (plus container)
Paint P.L.	25 ml.	1	0.68	Extemp. (plus container)
SALICYLIC ACID and RESORCINOL				
Cream Aqueous P.L.	100 G.	1	1.01	Extemp. (plus container)

SALICYLIC ACID and SULPHUR

Cream Aqueous P.L.

100 G.	1	1.00	Extemp. (plus container)

SALINE LACTATE SOLUTION

See Intravenous Fluids

SCHICK-TEST TOXIN and CONTROL

Injection set containing 0.5 ml. Schick Test

Toxin and 0.5 ml. Schick Control

1	..	1.37	CS

SECBUTOBARBITONE

Oral Tablet 15 mg.

100	1	1.03	ET

(ex 500)

		1.07	ET

(ex M.P.)

30 mg.

100	1	1.19	ET

(ex 500)

		1.26	ET

(ex M.P.)

50 mg.

100	1	1.53	ET

100 mg.

25	..	0.97	ET

SEIDLITZ POWDER

†Compound Effervescent Powders, B.P.C., 12
(with instructions for use)

1	1	†0.66	DH, WD(N)

DH, WD(N)

SENEGA and AMMONIA

Mixture P.L.

200 ml.	4	0.91	Extemp. (plus container)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SENNA FRUIT			\$	
†2 oz. (with instructions for use)	1	..	†0.33	SI SI
†50 G. (with instructions for use)	1	..	†0.27	DH DH
SENNA FRUIT EXTRACT (STANDARDISED) See Restricted Benefits.				
SILVER NITRATE TOUGHENED				
†1 stick (with instructions for use)	1	..	†0.15	YF(QNVST) YF(QNVST)
SILVER PROTEIN MILD Eye Drops 10%, 15 ml.	†1	2	1.05	IQ
SIMPLE LINCTUS Linctus P.L.	100 ml.	4	0.83	Extemp. (plus container)
SIMPLE OINTMENT Ointment P.L.	100 G.	1	0.99	Extemp. (plus container)
SMALLPOX VACCINE Injection, Capillary Tube	1	..	0.98	CS
SOAP LINIMENT Liniment P.L.	100 ml.	1	1.09	Extemp. (plus container)

SODIUM AMINOSALICYLATE

Mixture for Children P.L.

Injection - See Restricted Benefits.

Cachets - See Restricted Benefits.

Tablets - See Restricted Benefits.

Granules - See Restricted Benefits.

100 ml.

4

1.12

Extemp. (plus container)

SODIUM AMINOSALICYLATE with ISONIAZID

See Restricted Benefits.

SODIUM AUROTHIOMALATE

Injection 1 mg.

1

3

0.53

MB

2 mg.

1

3

0.54

MB

5 mg.

1

3

0.55

MB

10 mg.

1

3

0.59

MB

20 mg.

1

3

0.61

MB

50 mg.

5

..

*2.45

MB

100 mg.

5

..

*3.25

MB

200 mg.

1

..

1.21

MB

SODIUM BICARBONATE

Ear Drops P.L.

15 ml.

2

0.63

Extemp. (plus container)

SODIUM CALCIUMEDETATE

Oral Tablet 500 mg.

100

2

4.17

RK

Injection 200 mg. per ml., 5 ml.

5

..

*5.68

RK

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM CHLORIDE			\$	
Oral Tablet 300 mg.	100	2	0.46	DH, FA, KL, RT(V)
Injection (Normal Saline; Physiological Solution)				
2 ml.	5	1	0.83	AD, FH, KL, SI
			0.86	BL, DH
5 ml.	5	1	0.91	AD, FH, KL
			0.95	BL
			0.97	DH
10 ml.	5	1	0.90	AD, SI
			0.94	CS
			1.07	FH, KL
			1.13	DH
			1.14	BL
10 ml. vial	2	1	*0.96	FH, PD
20 ml.	5	1	1.50	BL, DH, FH, KL
50 ml.	3	1	*2.31	DH, FH, KL
For 1/2 litre and 1 litre sizes, see Intravenous Fluids.				
SODIUM CHLORIDE and DEXTROSE				
See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND				
See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND and DEXTROSE				
See Intravenous Fluids				

SODIUM CITRATE				
Mixture P.L.	200 ml.	4	0.85	Extemp. (plus container)
Mixture for Children P.L.	100 ml.	4	0.75	Extemp. (plus container)
SODIUM CITRO-TARTRATE				
Effervescent Granules 100 G.	‡1	4	1.50	PT
SODIUM FOLATE				
See Restricted Benefits.				
SODIUM LACTATE				
See Intravenous Fluids				
SODIUM LACTATE COMPOUND				
See Intravenous Fluids				
SODIUM LACTATE COMPOUND and DEXTROSE				
See Intravenous Fluids				
SODIUM NITROPRUSSIDE				
Diagnostic Tablet	100	..	1.90	AM
SODIUM SALICYLATE				
Oral Tablet 300 mg.	100	2	0.77	AD, DH, HY, KL, RT(V), SI
600 mg.	100	2	1.10	HY, KL
(enteric coated) 300 mg.	100	2	1.23	DH, ET, KL, LY, PR, QE(QNVS), RY, TO
(continued)				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM SALICYLATE - cont.			\$	
Oral Tablet 500 mg.	100	2	1.43	ET, KL, PR, QE(QNVS), TO
600 mg.	100	2	1.46	AV, DH, ET, HY, KL, LY, PR,
			(ex 500)	QE(QNVS), RY, TO
			1.57	AV, DH, ET, HY, KL, LY, PR,
			(ex M.P.)	QE(QNVS), RY, TO
Mixture P.L.	200 ml.	4	0.74	Extemp. (plus container)
SODIUM SULPHATE				
See Intravenous Fluids				
SODIUM TAUROGLYCOCHOLATE				
Oral Tablet	100	1	0.99	WW
SORBIDE NITRATE				
Oral Tablet 10 mg.	100	2	1.22	AY
Sublingual Tablet 5 mg.	100	2	1.22	AY
SOYA FORMULA				
See Restricted Benefits.				
SPIRAMYCIN				
See Restricted Benefits.				
SPIRIT INDUSTRIAL METHYLATED				
Ear Drops P.L.	15 ml.	2	0.57	Extemp. (plus container)

SPIRONOLACTONE

See Restricted Benefits.

STANDARD MAINTENANCE FLUID

See Intravenous Fluids

STANOLONE

See Restricted Benefits.

STANOZOLOL

See Restricted Benefits.

STAPHYLOCOCCUS TOXOID (FORMALINISED)

(Sta/Tox)

Injection Diluted 1 in 10 for use in initial

injection 5 ml.

1

..

1.10

CS

Undiluted 5 ml.

1

..

2.17

CS

STILBOESTROL

See Restricted Benefits.

STREPTOMYCIN SULPHATE

See Restricted Benefits.

STREPTOMYCIN SULPHATE with

SULPHAGUANIDINE

Oral Tablet 62.5 mg.-500 mg.

16

..

1.41

GL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SUCCINYLSULPHATHIAZOLE			\$	
Oral Tablet 500 mg.	100	..	1.70	PT
			1.90	MB
SUCCINYLSULPHATHIAZOLE with KAOLIN				
Mixture 4 G.-3 G. per 20 ml., 200 ml.	‡1	4	1.50	MK
SULPHACETAMIDE SODIUM				
Eye Drops 10%, 15 ml.	‡1	2	1.03	AG, ET, IQ, KL, SI
20%, 15 ml.	‡1	2	1.10	DH, ET, IQ, KL, SI
Eye Drops (Hypromellose base)				
15%, 15 ml.	‡1	2	1.07	AQ
Eye Ointment 10%, 60 gr.	‡1	..	0.70	EV, SC
SULPHADIAZINE				
Oral Tablet 300 mg.	40	1	1.07	AB, KL
500 mg.	40	1	0.94	PT, RT(V), RY
			0.99	AD, DH, HY, KL, MG,
				SI
			1.03	MB
			1.07	AB
SULPHADIAZINE SODIUM				
Injection 4 ml.	5	..	*1.60	MB

SULPHADIMETHOXINE

Oral Tablet 500 mg.

12 .. 1.30 RO

SULPHADIMIDINE

Oral Tablet 250 mg.

40 1 0.73 KL, MG

500 mg.

40 1 0.66 IP, PT, RY, SL(N)

0.70 AD, KL, MG, SI

0.73 DH, HY, IC,

(ex 200)

0.67 IP, PT, RY, SL(N)

0.73 AD, KL, MG, SI

0.77 DH, HY, IC

(ex M.P.)

Oral Suspension 500 mg. in 5 ml., 100 ml.

‡1 1 0.99 IC

SULPHADIMIDINE SODIUM

Injection 1 G. in 3 ml.

5 .. 1.17 IC

SULPHAFURAZOLE

Oral Tablet 300 mg.

40 1 1.23 KL, OD

1.31 RO

500 mg.

40 1 1.15 MC, OD

1.42 KL

1.49 AV, PT

1.58 SU(N)

1.69 RO

(ex 200)

(continued)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SULPHAFURAZOLE - cont.			\$	
Oral Tablet 500 mg.			1.23	MC, OD
			1.50	KL
			1.57	AV, PT
			1.74	RO, SU(N)
			(ex M.P	
Paediatric Syrup 500 mg. per 5 ml., 100 ml.	‡1	1	1.39	RO
Eye Drops 4%, 10 ml.	‡1	2	0.97	RO
Eye Ointment 4%, 5 G.	‡1	..	0.61	RO
SULPHAGUANIDINE				
Oral Tablet 500 mg.	100	..	0.99	PT, RT(V), RY, SL(N)
			1.13	AD, DH, HY, KL, MG, PR, SI
Oral Suspension				
500 mg. per 5 ml. with adsorbent, 100 ml.	‡1	4	1.10	FM, NS, WL
SULPHAMETHIZOLE				
Oral Tablet 100 mg.	30	1	0.83	AY, CA, HA, KL, WW
250 mg.	30	1	1.17	OD, PT
			1.19	CA, KL
			1.23	HA
			1.25	AY, WW
			(ex100)	
			1.18	OD, PT
			1.21	CA, KL
			1.30	AY, HA, WW
			(ex M.P.)	

Oral Tablet 500 mg.	30	1	1.94	OD, PT
			1.96	AY, CA, HA, KL, WW
			(ex 100)	
			2.03	OD, PT
			2.07	AY, CA, HA, KL, WW
			(ex M.P.)	
Paediatric Suspension 100 mg. per 5 ml., 100ml.	‡1	1	1.53	WW
SULPHAMETHOXAZOLE				
Oral Tablet 500 mg.	20	1	1.10	RO
			(ex 100)	
			1.19	RO
			(ex M.P.)	
Syrup 500 mg. per 5 ml., 50 ml.	‡1	2	1.43	RO
SULPHAMETHOXYDIAZINE				
(S'methoxydiazine)				
Oral Tablet 500 mg.	12	..	1.63	FB, SC
SULPHAMETHOXYPYRIDAZINE				
(S'methopyrazine)				
Oral Tablet 500 mg.	12	..	1.90	LE, PD
SULPHAPHENAZOLE				
Oral Tablet 500 mg.	20	1	1.19	CB
Oral Paediatric Suspension 10%, 50 ml.	‡1	..	1.43	CB

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SULPHAPYRIDINE			\$	
Oral Tablet 500 mg.	100	..	1.90	MB
SULPHASALAZINE				
See Restricted Benefits.				
SULPHINPYRAZONE				
Oral Tablet 100 mg.	100	2	7.63	GE
SULPHONAMIDES, THREE MIXED				
Oral Tablet 250 mg.	40	1	0.97	MB
300 mg.	40	1	0.89	KL
330 mg.	40	1	1.10	ET
500 mg.	40	1	0.87	AD, KL, SI, SL(N)
			1.07	MG
			1.10	MB
			1.13	ET, VR
SULPHUR				
Ointment P.L.	100 G.	1	1.13	Extemp. (plus container)
SULPHURATED LOTION				
Lotion P.L.	200 ml.	2	0.94	Extemp. (plus container)
SULTHIAME				
See Restricted Benefits.				

SURGICAL CEMENT

Skin Bond Adhesive and Solvent -

See Restricted Benefits.

Cement, Adhesive and Solvent - See Colostomy
and Ileostomy Preparations**SUSTANON**

See Restricted Benefits.

SUXAMETHONIUM BROMIDE

Injection 67 mg. (solvent required)

5 1 *1.84 MB

SUXAMETHONIUM CHLORIDE

Injection 50 mg. per ml., 2 ml.

5 .. 1.30 BW, GL

50 mg. per ml., 10 ml.

1 .. 1.03 BW, GL

TACRINE

Injection 10 mg., 2 ml.

5 1 1.70 WH

30 mg., 2 ml.

5 1 2.41 WH

TESTOSTERONE

See Restricted Benefits.

TESTOSTERONE METHYL

See Restricted Benefits.

TESTOSTERONE OENANTHATE

See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TESTOSTERONE PROPIONATE See Restricted Benefits.			\$	
TETANUS ANTITOXIN (Tet/Ser) Injection Diluted 1-50,				
15 Units in 0.5 ml.	1	..	1.10	CS
1,500 Units	5	1	*8.35	CS
10,000 Units	5	1	*33.05	CS
50,000 Units	5	..	*145.85	CS
Set containing 1,500 Units and 15 Units diluted 1 in 50	1	..	2.71	BT, CS
Set containing 10,000 Units and 15 Units diluted 1 in 50	1	..	7.65	CS
TETANUS ANTITOXIN (BOVINE) See Restricted Benefits.				
TETANUS TOXOID Injection (Purified Aluminium Phosphate Adsorbed)				
0.5 ml.	3	..	*1.38	BT, CS
5 ml.	1	..	2.57	CS
(Purified Aluminium Hydroxide Adsorbed) 0.5 ml.	3	..	1.37	GL

TETRACYCLINE

Eye Drops, Suspension, 1%, 6 ml.

\$1	2	0.94	LE

Eye Ointment, 1%, 4 G.

\$1	..	0.57	LE

Tablets - See Restricted Benefits.

Capsules - See Restricted Benefits.

Drops - See Restricted Benefits.

Granules - See Restricted Benefits.

Injections - See Restricted Benefits.

Suspension - See Restricted Benefits.

TETRACYCLINE with NYSTATIN

See Restricted Benefits.

TETRACYCLINE (BUFFERED)

See Restricted Benefits.

**TETRACYCLINE (BUFFERED) with
AMPHOTERICIN B**

See Restricted Benefits.

THEOPHYLLINE

Elixir 80 mg. per 15 ml., 500 ml.

\$1	4	1.57	KL

1.63	FA

THEOPHYLLINE with EPHEDRINE**HYDROCHLORIDE and PHENOBARBITONE**

Oral Tablet 130 mg.-24 mg.-8 mg.

100	2	1.77

CO, FM, HA, KL, WL
WW

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
THEOPHYLLINE with EPHEDRINE			\$	
HYDROCHLORIDE and PHENOBARBITONE - cont.				
Oral Capsule 130 mg.-24 mg.-8 mg.	100	2	1.77	KL, LY
Oral Paediatric Suspension				
65 mg.-12 mg.-4 mg. per 5 ml., 100 ml.	‡1	2	1.21	WW
THEOPHYLLINE with GUAIPHENESIN				
Oral Capsule 100 mg.-60 mg.	100	2	2.30	MJ
150 mg.-90 mg.	100	2	2.43	MJ
Elixir 100 mg.-60 mg. per 10 ml., 200 ml.	‡1	4	1.26	MJ
THEOPHYLLINE with POTASSIUM IODIDE				
Oral Liquid 80 mg.-130 mg. per 15 ml., 200ml.	‡1	4	1.17	FA
THIAMBUTOSINE				
See Restricted Benefits.				
THIAMINE HYDROCHLORIDE				
Injection 100 mg. in 1 ml.	5	1	1.63	KL
			1.74	FM
			1.77	DH
Tablets - See Restricted Benefits.				
THIETHYLPERAZINE				
Injection 6.5 mg. in 1 ml.	10	..	*1.50	SZ
Suppository - See Restricted Benefits.				
Tablet - See Restricted Benefits.				

THIORIDAZINE

See Restricted Benefits.

THIOTEPA

Injection 15 mg. (solvent required)

2

1

*5.64

LE

Eye Drops, set containing 15 mg. vial,

2 x 10 ml. ampoules sterile water,

syringe with needle and 15 ml. dropper bottle

1

5

\$4.64

LE

THYROID

Oral Tablet 15 mg.

100

2

0.59

AD, DH, RT(V), SI

Oral Tablet 30 mg.

100

2

0.67

AD, DH, RT(V), SI

0.83

WW

60 mg.

100

2

0.77

AD, DH, RT(V), SI

1.34

WW

125 mg.

100

2

0.97

AD, DH, RT(V), SI

THYROXINE SODIUM

Oral Tablet 50 micrograms

100

2

0.61

BW, DH, FA, FM, GL, RT(V)

100 micrograms

100

2

0.79

BW, DH, EV, FA, FM, GL, RT(V)

300 micrograms

100

2

1.23

BW

TIEMONIUM IODIDE

Oral Tablet 50 mg.

100

2

3.30

FM

Injection 5 mg. in 2 ml.

5

..

2.83

FM

TISSUE REPAIR SOLUTION - ACIDOSIS

See Intravenous Fluids

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TISSUE REPAIR SOLUTION - ALKALOSIS See Intravenous Fluids			\$	
TITANIUM DIOXIDE Paste P.L.	100 G.	1	0.85	Extemp. (plus container)
TOLAZAMIDE Oral Tablet 250 mg.	100	2	6.97	UP
TOLAZOLINE Oral Tablet 25 mg.	100	2	1.27 1.28 1.33 (ex 500) 1.35 1.37 (ex M.P.)	PT KL CB PT CB, KL
TOLBUTAMIDE Oral Tablet 500 mg.	100	2	3.59 (ex 500) 3.70 (ex M.P.)	AH, BO AH, BO
1 G.	50	2	3.59	AH, BO
TRETAMINE See Restricted Benefits.				

TRIACETYLOLEANDOMYCIN

See Restricted Benefits.

TRIAMTERENE

Oral Tablet 100 mg.

50 2 4.30 SK

TRICLOFOS

Oral Tablet 500 mg.

25 .. 0.97 GL

Syrup 500 mg. per 5 ml., 100 ml.

‡1 4 1.50 GL

TRICYCLAMOL CHLORIDE

Oral Tablet 50 mg.

100 2 5.63 BW

TRIDIHETHYL CHLORIDE

Oral Tablet 25 mg.

100 2 4.30 LE

TRIFLUOPERAZINE

See Restricted Benefits.

TRIGLYDE

See Restricted Benefits.

TRIMEPRAZINE

Oral Tablet 10 mg.

50 1 1.43 MB

Paediatric Syrup 7.5 mg. per 5 ml., 125 ml.

‡1 4 1.10 MB

TRIMETAPHAN

See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
TRIPELENNAMINE				
Oral Tablet 50 mg.	50	1	1.83	CB
TRIPROLIDINE				
Oral Tablet 2.5 mg.	50	1	1.77	BW
Oral Capsule 2.5 mg.	50	1	1.77	BW
Paediatric Elixir 1 mg. per 5 ml., 100 ml.	‡1	4	0.86	BW
TRISODIUM EDETATE				
Injection 200 mg. per ml., 5 ml.	5	1	*6.40	RK
TROLNITRATE PHOSPHATE				
Oral Tablet 2 mg.	100	2	1.77	PF
7 mg.	100	2	2.83	ET, PF
TROXIDONE				
Oral Tablet 150 mg.	200	1	4.90	AB
Oral Capsule 300 mg.	200	1	*7.24	GA
			8.23	AB
TYPHOID VACCINE				
Injection 0.5 ml.	3	1	*1.41	CS
10 ml.	1	..	3.37	CS
TYPHOID-CHOLERA VACCINE				
Injection 1 ml.	2	..	*1.74	CS

TYPHUS VACCINE

Injection 1 ml.

2 .. *7.34 CS

VASOPRESSIN

Injection B.P. 20 Units in 1 ml.

5 .. 1.74 PD

VASOPRESSIN TANNATE

Oily Injection 5 Units in 1 ml.

10 1 *3.18 PD

VINBLASTINE

See Restricted Benefits.

VINCRISTINE

See Restricted Benefits.

VIOMYCIN

See Restricted Benefits.

VIPRYNIUM EMBONATE

(Viprymium)

Oral Tablet 50 mg.

8 .. 1.41 PD

Oral Suspension 10 mg. per ml., 1 fl.oz.

11 .. 1.41 PD

VITAMINS COMPOUND

See Restricted Benefits.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
WARFARIN			\$	
Oral Tablet 1 mg.	50	2	2.97	EV
2 mg.	50	2	3.17	EN
2.5 mg.	50	2	3.30	EN
3 mg.	50	2	3.10	EV
5 mg.	50	2	3.37	EN, EV
7.5 mg.	50	2	4.14	EN
10 mg.	50	2	5.30	EN, EV
25 mg.	25	2	4.57	EN
Injection				
Set containing 50 mg. and 2 ml. solvent	5	..	9.35	EN
WATER FOR INJECTIONS				
Injection 2 ml.	5	3	0.70	EV
			0.73	WO
			0.74	AD, PT, SI, SP(NWS)
			0.77	DH
			0.81	FH, KL
			0.85	BL
5 ml.	5	3	0.74	EV
			0.77	AD, SI, WO
			0.78	PT, SP(NWS)
			0.81	DH
			*0.85	CS
			0.85	KL
			0.89	FH
			0.94	BL

Injection 10 ml.	5	3	0.98 1.05 1.06 1.11	AD, EV, SI PT DH, FH, KL, SP(NWS) BL, CS
WOOL ALCOHOLS				
†Ointment 100 G. (with instructions for use)	1	1	†1.01	EV EV
WOOL FAT, HYDROUS				
†50 G. (2 oz.) tube or jar (with instructions for use)	1	..	†0.23 †0.26	WD(N) HY WD(N) HY
ZINC and ADRENALINE				
Eye Drops 0.25%-0.01%, 15 ml.	†1	2	0.99	KL
Eye Drops P.L.	15 ml.	2	1.10	Extemp. (plus container)
ZINC and CASTOR OIL				
Ointment B.P.: 2 oz.	2	1	0.76	ME(Q)
Ointment P.L.	100 G.	1	1.26	Extemp. (plus container)
ZINC OXIDE				
Cream Oily P.L.	100 G.	1	0.95	Extemp. (plus container)
Cream Weak P.L.	100 G.	1	0.86	Extemp. (plus container)
Dusting Powder Compound P.L.	100 G.	1	0.76	Extemp. (plus container)
Ointment P.L.	100 G.	1	1.03	Extemp. (plus container)
Paste Compound P.L.	100 G.	1	0.98	Extemp. (plus container)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ZINC and SALICYLIC ACID			\$	
Paste P.L.	100 G.	1	0.95	Extemp. (plus container)
ZINC SULPHATE				
Eye Drops 0.25%, A.P.F. 15 ml.	1	2	0.97	KL
Eye Drops P.L.	15 ml.	2	1.04	Extemp. (plus container)
Lotion P.L.	200 ml.	2	0.65	Extemp. (plus container)

INTRAVENOUS FLUIDS FOR INJECTION

AMINO ACIDS with SORBITOL				
30 G.-50 G. (300kcal) per litre, 1/2 litre	2	1	*10.96	PC
50 G.-100 G.(600 kcal) per litre, 1/2 litre	2	1	*12.88	PC
100 G.-100 G.(800 kcal) per litre, 1/2 litre	2	1	*17.84	PC
AMINO ACIDS with SORBITOL and ETHANOL				
50 G.-100 G.-30 G.(850 kcal) per litre, 1/2 litre	2	1	*13.24	PC
50 G.-100 G.-50 G.(1,000 kcal) per litre, 1/2 litre	2	1	*14.16	PC
CASEIN HYDROLYSATE and DEXTROSE				
5%-5% (340 kcal) in 1 litre	2	..	*12.70	BX
CASEIN HYDROLYSATE with LAEVULOSE and ALCOHOL				
5%-12.5%-2.4% (800 kcal) in 1 litre	2	..	*15.28	BX
DARROW'S SOLUTION				
1/2 litre	2	..	*2.44	OJ
			*2.76	BX, FH, SJ(W)
1 litre	2	..	*2.96	OJ
			*3.18	BX, GL, SJ(W)
DEXTRAN with DEXTROSE				
Low molecular weight injection				
10% - 5%, 500 ml.	10	..	*80.30	FC
			*87.00	MR

INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXTRAN in NORMAL SALINE			\$	
Low molecular weight injection				
10%, 500 ml.	10	..	*80.30	FC
			*87.00	MR
DEXTROSE				
5%, 1/2 litre	5	1	*5.65	OJ
			*6.45	BX, FH, SJ(W)
5%, 1 litre	5	1	*6.95	OJ
			*7.50	BX, FH, GL, SJ(W)
10%, 1/2 litre	2	1	*2.44	OJ
			*2.76	BX, FH, SJ(W)
10%, 1 litre	2	1	*2.96	OJ
			*3.18	BX, FH, GL, SJ(W)
20%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
20%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
25%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
25%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
50%, 1/2 litre	2	1	*2.76	SJ(W)
			*3.32	FH
GASTRIC REPLACEMENT SOLUTION				
1/2 litre	2	..	*3.10	BX, FH, SJ(W)
INTESTINAL REPLACEMENT SOLUTION				
1/2 litre	2	..	*3.10	FH, SJ(W)

INVERT SUGAR				
10% (380 kcal) in 1 litre	2	1	*4.62	BX
MANNITOL				
10%, 1/2 litre	1	1	2.75	SJ(W)
			3.34	FH
10%, 1 litre	1	1	2.91	SJ(W)
			3.54	BX, FH
20%, 1/2 litre	1	1	2.97	SJ(W)
			3.54	BX, FH
POTASSIUM - FREE MAINTENANCE SOLUTION				
1/2 litre	2	..	*3.10	FH, SJ(W)
SALINE LACTATE SOLUTION				
1/2 litre	2	..	*3.10	FH, SJ(W)
SODIUM CHLORIDE				
3%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
3%, 1 litre	2	1	*3.18	BX, SJ(W)
5%, 1/2 litre	2	1	*2.76	FH, SJ(W)
5%, 1 litre	2	1	*3.18	BX, SJ(W)
(Normal Saline - Physiological Solution)				
1/2 litre	2	1	*2.44	OJ
			*2.76	BX, FH, SJ(W)
1 litre	2	1	*2.96	OJ
			*3.18	BX, FH, GL, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
SODIUM CHLORIDE COMPOUND			\$	
B.P.C. 1959				
1/2 litre	4	1	*3.18	SJ(W)
			*5.22	BX, FH, OJ
1 litre	4	1	*6.06	BX, FH, GL, OJ, SJ(W)
SODIUM CHLORIDE COMPOUND and DEXTROSE				
5%, 1/2 litre	5	1	*6.45	FH, SJ(W)
5%, 1 litre	5	1	*7.50	BX, FH, SJ(W)
10%, 1 litre	3	1	*4.62	FH, SJ(W)
SODIUM CHLORIDE and DEXTROSE				
Dextrose in Normal Saline				
5%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
5%, 1 litre	2	1	*3.18	BX, FH, GL, SJ(W)
10%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
10%, 1 litre	2	1	*3.18	BX, FH, GL, SJ(W)
20%, 1/2 litre	2	1	*2.76	FH, SJ(W)
20%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
25%, 1/2 litre	2	1	*2.76	FH, SJ(W)
25%, 1 litre	2	1	*3.18	FH, SJ(W)
Dextrose in 1/2 strength Normal Saline				
2.5%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)
Dextrose in 1/4 strength Normal Saline				
3.75%, 1/2 litre	2	1	*2.76	BX, FH, SJ(W)

Dextrose in 1/5 strength Normal Saline				
4%, 1/2 litre	5	1	*5.65	OJ
			*6.45	BX, SJ(W)
4%, 1 litre	5	1	*6.95	OJ
			*7.50	BX, SJ(W)
4.3%, 1/2 litre	5	1	*6.45	FH
4.3%, 1 litre	5	1	*7.50	FH, GL
SODIUM LACTATE (Solution 1/6 Molar)				
1/2 litre	2	1	*2.76	BX, SJ(W)
1 litre	2	1	*3.18	BX, SJ(W)
SODIUM LACTATE COMPOUND				
1/2 litre	5	1	*3.90	SJ(W)
			*5.65	OJ
			*6.45	BX, FH
1 litre	5	1	*6.95	OJ
			*7.50	BX, FH, GL, SJ(W)
SODIUM LACTATE COMPOUND and DEXTROSE				
5%, 1/2 litre	2	1	*2.76	SJ(W)
5%, 1 litre	2	1	*3.18	BX, FH, SJ(W)
10%, 1 litre	2	1	*3.18	FH
SODIUM SULPHATE				
4.28%, 1/2 litre	2	1	*2.76	SJ(W)
4.28%, 1 litre	2	1	*3.18	FH, SJ(W)

INTRAVENOUS FLUIDS FOR INJECTION

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
STANDARD MAINTENANCE FLUID 1/2 litre	6	..	\$ *8.70	BX, SJ(W)
TISSUE REPAIR SOLUTION - ACIDOSIS 1/2 litre	2	..	*3.10	FH, SJ(W)
TISSUE REPAIR SOLUTION - ALKALOSIS 1/2 litre	2	..	*3.10	FH, SJ(W)

SECTION 3 SCHEDULE OF BENEFITS - RESTRICTED BENEFITS - AUGUST 1969

Attention is drawn to paragraph 10(d) of the explanatory notes, which provides for the endorsement of prescriptions for restricted pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec.Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

An asterisk (*) in front of an entry indicates an additional purpose in this issue.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ACETYLCYSTEINE Fibrocystic disease. Solution 20%, 10 ml.	5	3	\$ 10.55	BD, MJ
ALDOSTERONE Authority necessary to prescribe (See Notes)for- Treatment of an acute crisis in - Addison's disease; Salt-losing congenital adrenal hypoplasia. Injection 500 micrograms	5	..	7.23	CB
ALLOPURINOL Chronic gout not responding to other agents; Gout associated with renal failure. Oral Tablet 100 mg.	100	2	10.30	BW
ALOXIPRIN For the treatment of pensioners only. Oral Tablet 600 mg.	100	2	2.57	BS
ALUMINIUM ACETYLSALICYLATE For the treatment of pensioners only. Oral Tablet 400 mg.	100	2	1.95	NS
AMINOSALICYLIC ACID Tuberculosis. Oral Tablet 500 mg.	500	2	4.73	DH, ET, KL

AMITRIPTYLINE

For the treatment of pensioners for any disease or purpose.

* * *

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

* * *

Authority necessary to prescribe (See Notes) for Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital.

Oral Tablet 10 mg.

100

2

2.15

MK, NS, RO

(ex 500)

2.37

MK, NS, RO

(ex M.P.)

25 mg.

100

2

3.81

MK, NS, RO

(ex 500)

4.30

MK, NS, RO

(ex M.P.)

Injection 25 mg. per ml., 2 ml.

10

..

2.47

RO

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
AMPHOTERICIN B			\$	
Systemic fungal infection.				
Injection 50 mg. (solvent required)	1	..	4.23	SQ
AMPICILLIN				
Authority necessary to prescribe (See Notes)for-				
Acute life threatening infections in which				
clinical evidence indicates that ampicillin				
is the most appropriate therapeutic agent;				
Chronic bronchitis complicated by emphysema				
in patients when other therapeutic agents				
have failed;				
Gram-negative infections in pregnant women;				
Infections in children in which penicillin and				
sulphonamides are not effective;				
Infections where positive bacteriological evidence				
confirms that ampicillin is the MOST appro-				
priate therapeutic agent.				
Oral Tablet 125 mg.	25	1	3.98	BR, CS
Oral Capsule 250 mg.	25	1	6.70	BR, CS
500 mg.	25	1	12.59	BR, CS
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	1	..	4.35	BR
Injection 100 mg. (solvent required)	5	..	*3.15	BR
250 mg. (solvent required)	5	..	*5.10	BR
			5.10	CS
500 mg. (solvent required)	5	..	8.03	CS
			*8.05	BR

ASCORBIC ACID

For the treatment of pensioners only.

Oral Tablet 25 mg.

100 2 0.57 AD, DH, FA, HY, KL,

PR, RT(V), RY, SI

50 mg.

100 2 0.73 AD, DH, FA, HY, KL,
NY, PD, PR, RT(V), RY,
SI, SL(N)

500 mg.

100 .. 2.50 HY, KL

ASPIRIN

For the treatment of pensioners only.

Oral Tablet 150 mg.

100 2 0.70 KL

300 mg.

100 2 0.54 KL, RY

Soluble 150 mg.

100 2 0.97 KL, NB

300 mg.

100 2 0.85 DH, MG, RT(V), RY, VR

0.90 BW, KL, NB, RC

0.91 HA

(ex 500)

1.07 BW, DH, HA, KL, MG, NB,

(ex M.P.) RC, RT(V), RY, VR

ASPIRIN with PARACETAMOL and CAFFEINE

For the treatment of pensioners only.

Oral Tablet 225 mg.-150 mg.-30 mg.

100 2 0.67 RT(V), RY

0.70 KL, SI

BETAMETHASONE

Intra-articular use.

Injection 4 mg. in 1 ml.

5 .. *6.95 GL, SH

6 mg. in 1 ml.

5 .. 9.97 SH

* * *

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BETAMETHASONE - cont. Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute phase of herpes zoster; Acute rheumatic carditis; Adrenogenital syndrome; Agranulocytosis; Angioneurotic oedema; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Christian-Weber Disease (nodular nonsuppurative panniculitis); Cranial arteritis; Crohn's disease (regional ileitis); Cushing's syndrome including hyperadrenocorticalism; Dermatitis herpetiformis; Dermatomyositis; Encephalitis; Encephalomyelitis;			\$	

Giant cell thyroiditis proven by biopsy;
Guillain-Barre syndrome;
Hamman-Rich syndrome (diffuse interstitial
pulmonary fibrosis);
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Oedema of the spinal cord following trauma
or infections;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BETAMETHASONE - cont. Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Reticulum cell sarcoma; Retroperitoneal fibrosis; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens-Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus;			\$	

Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Use in conjunction with other therapy;				
(a) in the treatment of chronic and recurrent asthma for the patient whose chronic asthma is severe enough to interfere seriously with his normal activities of life.				
(b) in the treatment of the severe asthmatic whose acute attack has been relieved by corticosteroids, but who relapses when corticosteroids are withdrawn.				
Oral Tablet 0.25 mg.	30	..	1.10	GL
0.5 mg.	30	..	1.63	GL, SH
Syrup 0.5 mg. per ml., 30 ml.	‡1	..	2.23	SH
BETAMETHASONE with CLIOQUINOL				
For the treatment of diseases of the ear.				
Ear Ointment 0.1%-3%, 5 G.	‡1	..	1.34	GL
BUCLOSAMIDE with SALICYLIC ACID				
For the treatment of diseases of the ear.				
Ointment 10%-2%, 20 G.	‡1	..	1.15	AH

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
BUCCLOSAMIDE with SALICYLIC ACID and HYDROCORTISONE For the treatment of diseases of the ear. Ointment 10%-2%-0.5%, 5 G.	\$1	..	\$ 1.10	AH
BUSULPHAN Treatment in neoplastic disease. Oral Tablet 0.5 mg.	100	2	2.57	BW
2 mg.	100	2	4.03	BW
CALCIFEROL For the treatment of pensioners for any disease or purpose. * * * Authority necessary to prescribe (See Notes) for- Chronic hypoparathyroid tetany; Hypoparathyroidism; *Post-gastrectomy osteomalacia; Vitamin D-resistant rickets.				
Oral Tablet 1.25 mg. (50,000 Units)	100	2	2.41	GL
Oral Solution 15 mg. (600,000 Units) in 1.5 ml. alcoholic solution	3	..	1.50	RL
CALCIUM AM(NOSALICYLATE (Calcium PAS) Tuberculosis.				
Oral Tablet 500 mg.	500	2	4.57	KL

Cachet 1.5 G.	500	2	13.97	KL
2 G.	500	2	20.63	KL
CARBAMAZEPINE				
Epilepsy;				
Trigeminal neuralgia.				
Oral Tablet 200 mg.	200	1	12.17	GE
CHLORAMBUCIL				
Treatment in neoplastic disease.				
Oral Tablet 2 mg.	100	2	*6.18	BW
5 mg.	100	2	*9.90	BW
CHLORAMPHENICOL				
Bacterial meningitis;				
Rickettsial infections;				
Haemophilus influenzae infections;				
Intraocular infections;				
Salmonella septicaemia;				
Typhoid and paratyphoid;				
Other serious infections sensitive only to chloramphenicol.				
Oral Capsule 125 mg.	16	..	1.13	KL, PD, PT
250 mg.	16	..	1.17	IP
			1.30	KL, PT
			1.36	CS, CW, EC, PD
			(ex 100)	
(continued)				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLORAMPHENICOL - cont.			\$	
Oral Capsule 250 mg.			1.37	IP
			1.66	KL, PT
			1.70	CS, CW, EC, PD
			(ex M.P.)	
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	11	..	1.86	EC, PD
Injection 250 mg. per ml., 2 ml.	5	..	3.06	PD
1 G. (solvent required)	3	..	*4.23	CW
			*4.89	EC, PD
Paediatric Injection 250 mg. (solvent required)	3	..	*3.03	PD
CHLOROTRIANISENE				
Carcinoma of the prostate.				
Oral Tablet 24 mg.	30	2	4.06	ML
CHLORPROMAZINE				
For the treatment of pensioners for any disease or purpose.				
* * *				
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
* * *				

Authority necessary to prescribe (See Notes)for¹

Huntington's chorea;

Late stage malignancy;

Radiation sickness;

Maintenance treatment of a mental disorder

in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital.

Oral Tablet 10 mg.

100

2

1.13

KL, UW(NWS)

1.17

MB, PT

25 mg.

100

2

1.54

KL, NB, UW(NWS)

1.61

MB, PT

(ex 500)

1.57

KL, NB, UW(NWS)

1.63

MB, PT

(ex M.P.)

50 mg.

100

2

2.83

KL, NB, UW(NWS)

2.97

MB, PT

100 mg.

100

2

5.10

KL, NB, UW(NWS)

5.37

MB, PT

Injection 1%, 5 ml.

10

..

1.90

MB

2.5%, 1 ml.

10

..

1.23

MB

2.5%, 2 ml.

10

..

1.50

KL, UW(NWS)

1.63

MB

Suppository 100 mg.

5

1

1.17

MB

Syrup 25 mg. per 5 ml., 125 ml.

†1

4

0.94

KL

0.97

MB

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CHLORTETRACYCLINE			\$	
Brucellosis;				
Herpes zoster ophthalmicus;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Capsule 100 mg.	25	..	1.93	LE
250 mg.	15	..	2.46	KL, LE, LF
CLOFIBRATE				
Authority necessary to prescribe (See notes)for- Hypercholesterolaemia with xanthomata.				
Oral Capsule 250 mg.	50	..	2.97	IC
CODEINE PHOSPHATE with ASPIRIN				
For the treatment of pensioners only.				
Oral Tablet 10 mg.-300 mg.	100	2	1.07	CA, KL
			1.10	BW, EL
10 mg.-500 mg.	100	2	1.37	FA

Soluble 10 mg.-300 mg.	100	2	1.50	BW, CA, FM, KL, NB
10 mg.-500 mg.	100	2	1.49	FA
			1.53	RC
			(ex 500)	
			1.61	FA
			1.66	RC
			(ex M.P.)	
CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL				
For the treatment of pensioners only.				
Oral Tablet 8 mg.-250 mg.-250 mg.	100	2	0.97	HA, RT(V), RY
			1.09	AD
			1.10	SI
			1.18	DH
			1.22	BW, KL, VR
10 mg.-250 mg.-250 mg.	100	2	1.35	WL
			1.37	SI
Soluble 8 mg.-250 mg.-250 mg.	100	2	1.50	HA
			1.58	BW, DH, KL
CODEINE PHOSPHATE with ASPIRIN, PARACETAMOL and CAFFEINE				
For the treatment of pensioners only.				
Oral Tablet 12 mg.-250 mg.-150 mg.-15 mg.	100	2	1.77	GP
30 mg.-225 mg.-150 mg.-30 mg.	50	..	1.47	WL
			1.53	GP
			1.54	BW

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
COD LIVER OIL For the treatment of pensioners and for children under the age of twelve years. †Emulsion 50%, 450 ml.	1	4	\$ †0.57	DH, WD(N)
COLISTIN Gram-negative infections where NO other drug is effective; Pyocyanus infection. Injection I.M. 150 mg. (solvent required)	5	..	*34.45	WW
CORTICOTROPHIN (ACTH) Authority necessary to prescribe (See Notes)for- The prevention of side effects of corticosteroid therapy; Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exacerbations of multiple sclerosis; Acute exfoliative dermatitis; Acute phase of Bell's palsy; Acute rheumatic carditis; Addison's disease or other forms of adrenocortical hypoplasia; Adrenogenital syndrome; Agranulocytosis; Behcet's syndrome;				

Cranial arteritis;
Crohn's disease (regional ileitis);
Cushing's syndrome including hyperadrenocorticalism;
Dermatomyositis;
Encephalomyelitis;
Giant cell thyroiditis proven by biopsy;
Guillain-Barre syndrome;
Hamman-Rich syndrome (diffuse interstitial pulmonary fibrosis);
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by biopsy or biochemistry;
Hodgkin's disease;
Hypoplastic anaemia;
Hypsarrhythmia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and retina;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Optic neuritis following removal of tumors of the brain;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CORTICOTROPHIN - cont. Panhypopituitarism; Pemphigus; Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Reticulum cell sarcoma; Salaam convulsions; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens-Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis;			\$	

Ulcerative colitis proven by sigmoidoscopy or radiological report.

Injection S.C. or I.M.

10 Units (solvent required)	5	..	*3.10	AR
25 Units (solvent required)	5	..	*5.65	AR
40 Units (solvent required)	5	..	*8.30	AR
Set containing 10 Units and diluent	5	..	4.46	CS
Set containing 20 Units and diluent	5	..	8.07	CS
Gelatin Injection B.P.				
50 Units in 1 ml.	5	..	19.19	CS
20 Units per ml., 5 ml.	5	..	*26.30	AR, CK, CS
40 Units per ml., 5 ml.	5	..	*40.05	AR
			*40.30	CK, CS, SC
Zinc Hydroxide Injection B.P.				
40 Units per ml., 5 ml.	5	..	*40.30	OR

CORTISONE ACETATE

Authority necessary to prescribe (See Notes)for-

Acquired haemolytic anaemia;

Acute disseminated encephalomyelitis;

Acute exfoliative dermatitis;

Acute exophthalmic ophthalmoplegia;

Acute heart block complicating myocardial infarction;

Acute rheumatic carditis;

Addison's disease or other forms of adrenocortical hypoplasia;

Adrenalectomy - total;

Adrenogenital syndrome;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
CORTISONE ACETATE - cont. Agranulocytosis; Angioneurotic oedema; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Crohn's disease (regional ileitis); Cushing's syndrome including hyperadreno- corticalism; Dermatitis herpetiformis; Dermatomyositis; Encephalitis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy; Guillain-Barre syndrome; Hamman-Rich syndrome (diffuse interstitial pulmonary fibrosis); Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry; Hodgkin's disease; Hypoplastic anaemia; Idiopathic hypercalcaemia; Inflammatory conditions of the uveal tract and retina;			\$	

Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Oedema of the spinal cord following trauma
or infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
Periarteritis;
Progressive transverse myelitis;
Pseudohermaphroditism;
Pulmonary eosinophilia;
Reticulum cell sarcoma;
Retroperitoneal fibrosis;
Sarcoidosis;
Scleroderma;
Severe reactions of the skin and mucosa
following X-ray therapy;

asthma is severe enough to interfere seriously with his normal activities of life;

- (b) in the treatment of the severe asthmatic whose acute attack has been relieved by corticosteroids, but who relapses when corticosteroids are withdrawn.

Oral Tablet 5 mg.

25 mg.,

50

..

1.50

MK, PT

40

..

4.46

PT

4.50

BT, DH, ET, KL, MK,
PD, RL

CYANOCOBALAMIN

(B12)

Established megalocytic anaemias;

Neuroblastoma;

Subacute combined degeneration of the cord;

Treatment in post-gastrectomy.

Injection 100 micrograms in 1 ml.

5

1

1.07

PT

1.10

DH

1.11

KL

1.23

BT, GL

100 micrograms per ml., 10 ml.

1

..

1.30

PT

1.37

DH, GL, KL, MJ, SU(N)

1,000 micrograms in 1 ml.

5

..

2.43

KL

*2.65

PT

*3.10

GL

3.30

DH

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEMETHYLCHLORTETRACYCLINE (DMChlortetracycline) Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.			\$	
Oral Capsule 150 mg.	14	..	2.23 (ex 100)	LE
			2.46 (ex M.P.)	LE
Oral Paediatric Drops 60 mg. per ml., 10 ml.	‡1	..	1.02	LE
Paediatric Syrup 75 mg. per 5 ml., 100 ml.	‡1	..	2.07	LE
DEMETHYLCHLORTETRACYCLINE with NYSTATIN Broad spectrum antibiotic therapy of premature infants; Broad spectrum antibiotic treatment of patients under steroid therapy;				

Broad spectrum antibiotic therapy of cases complicated by intestinal monilliasis;				
A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for:-				
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Capsule 150 mg.-250,000 Units	14	..	2.23 (ex 100).	LE
			2.46 (ex M.P.)	LE
DEOXYCORTONE				
Addison's disease;				
Adrenalectomy - total.				
Oral Tablet 1 mg.	40	..	3.50	CB
			3.53	OR
5 mg.	20	..	6.70	CB

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEOXYCORTONE - cont.			\$	
Aqueous Injection 5 mg. in 1 ml.	5	..	4.50	CB
10 mg. per ml., 5 ml.	1	..	*6.80	SC
			7.30	CB
Aqueous Suspension Injection 25 mg.	1	..	4.17	CB
Oily Injection 5 mg.	5	..	*3.98	SC
10 mg.	5	..	6.14	CB
10 mg. per ml., 10 ml.	1	..	11.43	CB
Implant 100 mg.	1	..	8.97	OR
DEXAMETHASONE				
Cerebral oedema;				
Intra-articular use.				
Injection 4 mg. in 1 ml.	5	..	*7.75	MK
5 mg. in 1 ml.	5	..	*8.65	OR
4 mg. per ml., 2 ml.	5	..	*13.65	MK
* * *				
Authority necessary to prescribe (See Notes)for-				
Acquired haemolytic anaemia;				
Acute disseminated encephalomyelitis;				
Acute exfoliative dermatitis;				
Acute exophthalmic ophthalmoplegia;				
Acute heart block complicating myocardial infarction;				
Acute phase of herpes zoster;				
Acute rheumatic carditis;				
Adrenogenital syndrome;				
Agranulocytosis;				

Angioneurotic oedema;
Behcet's syndrome;
Benign intracranial hypertension;
Cerebral oedema;
Cerebral tumors;
Christian-Weber disease (nodular
nonsuppurative panniculitis);
Cranial arteritis;
Crohn's disease (regional ileitis);
Cushing's syndrome including hyperadrenocor-
ticalism;
Dermatitis herpetiformis;
Dermatomyositis;
Encephalitis;
Encephalomyelitis;
Giant cell thyroiditis proven by biopsy;
Guillain-Barre syndrome;
Hamman-Rich syndrome (diffuse interstitial
pulmonary fibrosis);
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXAMETHASONE - cont. Interstitial keratitis due to syphilis or vernal conjunctivitis; Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia; Lymphosarcoma and follicular lymphoma; Malignancy treatment in conjunction with radiotherapy or chemotherapy; Meningitis; Metastatic breast cancer; Mycosis fungoides; Nephrosis or nephrotic syndrome; Neuromyelitis optica; Oedema of the spinal cord following trauma or infections; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Reticulum cell sarcoma; Retroperitoneal fibrosis; Sarcoidosis;			\$	

Scleroderma;
 Severe reactions of the skin and mucosa
 following X-ray therapy;
 Sneddon and Wilkinsons subcorneal pustular
 dermatosis;
 Splenic neutropenia;
 Sprue, tropical and non-tropical, and forms of
 malabsorption associated with these diseases;
 Status asthmaticus;
 Steroid therapy prior to operation for those
 patients under steroid therapy;
 Stevens-Johnson syndrome;
 Still's disease in children under the age of
 sixteen years;
 Systemic lupus erythematosus;
 Sympathetic ophthalmitis;
 Temporal arteritis;
 Thrombocytopenic purpura;
 Type II nephritis;
 Ulcerative colitis proven by sigmoidoscopy or
 radiological report.
 Oral Tablet 0.5 mg.

30

..

4.77

5.23

*5.23

PT

LT, MK, OR, SC, SH

RL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DEXTROMORAMIDE			\$	
Treatment in neoplastic disease.				
Oral Tablet 5 mg.	25	..	1.10	FA
Injection 5 mg. in 1 ml.	10	..	*2.56	FA
DIAZEPAM				
Epilepsy;				
Stiff-man syndrome;				
Treatment in multiple sclerosis;				
Upper motor neurone lesion.				
Oral Tablet 2 mg.	100	2	3.06	RO
5 mg.	100	2	4.79	RO
* * *				
Epilepsy;				
Upper motor neurone lesion.				
Oral Tablet 10 mg.	100	2	7.30	RO
Paediatric Syrup 2 mg. per 5 ml., 100 ml.	‡1	4	1.73	RO
* * *				
Cardioversion;				
Endoscopic examination;				
Epilepsy;				
Intubation;				
Minor operative procedure;				
Premedication induction of anaesthesia;				
Upper motor neurone lesion.				
Injection 10 mg. in 2 ml.	5	..	2.22	RO

DIENOESTROL

For the treatment of pensioners for any disease
or purpose.

* * *

Carcinoma of the prostate;
Mammary carcinoma.

Oral Tablet 0.3 mg.	100	2	0.59	AD, DH, HA, KL, MG, RT(V), SI, SL(N)
1 mg.	100	2	0.67	AD, DH, HA, KL, RT(V), SI, SL(N)
5 mg.	100	2	0.97	AD, DF, DH, HA, KL, RT(V), SI, SL(N)
10 mg.	100	2	1.57	DH, HA, KL

* * *

For the treatment of pensioners only.

Cream 0.01%, 85 G.	1	1	1.06	ET

DIHYDROTACHYSTEROL

Parathyroid deficiency.

Oral Capsule 0.125 mg.	100	1	10.37	WL
Oral Solution 0.25 mg. per ml., 15 ml.	1	..	3.69	WL

DILOXANIDE FUROATE

Amoebic dysentery.

Oral Tablet 500 mg.	30	..	*4.30	BT

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
DIMETHICONE			\$	
For use with surgical appliances.				
Cream 10%, 50 G.	1	..	1.03	IC
			1.06	HA
10%, 75 G.	1	..	0.89	PD
10%, 120 G.	1	..	0.97	FA
20%, 20 G.	1	..	1.06	SS
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON				
For the treatment of pensioners only.				
Oral Tablet 50 mg.-50 mg.	100	2	1.14	FM
DISODIUM STILBOESTROL DIPHOSPHATE (Sod. Stilboestrol)				
Carcinoma of the prostate.				
Oral Tablet 100 mg.	100	2	18.17	MJ
Injection 50 mg. per ml., 5 ml.	10	..	8.74	MJ
DOXYCYCLINE				
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				

Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Capsule 100 mg.	5	..	3.34	PF
Oral Paediatric Suspension				
10 mg. per ml., 40 ml.	‡1	..	2.46	PF
ERGOTOXINE METHANESULPHONATES				
For the treatment of patients who have suffered an attack of paralytic poliomyelitis.				
Sublingual Tablet 0.25 mg.	100	..	4.97	SZ
Injection 0.3 mg. in 1 ml.	5	..	1.63	SZ
ERYTHROMYCIN				
Brucellosis;				
Eaton's agent (mycoplasma pneumoniae);				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Staphylococcal septicaemia or staphylococcal pneumonia;				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ERYTHROMYCIN - cont.			\$	
Any bacterial infections or spirochaetal infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Tablet 125 mg.	25	..	2.51	DL, LY, UP
200 mg.	25	..	3.06	AB
250 mg.	16	..	3.16	AB, DL, LY, UP
			(ex 100)	
			3.47	AB, DL, LY, UP
			(ex M.P.)	
Oral Capsule 125 mg.	25	..	2.43	KL
	25	..	2.51	AB, DL, LY
250 mg.	16	..	3.10	KL
			3.16	AB, DL, FA, LY
			(ex 100)	
			3.37	KL
			3.47	AB, DL, FA, LY
			(ex M.P.)	
Oral Paediatric Drops 100 mg. per ml., 10 ml.	‡1	..	1.43	LY
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	‡1	..	2.93	AB, DL, LY
200 mg. per 5 ml., 100 ml.	‡1	..	3.46	AB
250 mg. per 5 ml., 100 ml.	‡1	..	5.05	DL, LY

Injection I.M. 50 mg. per ml., 2 ml.	5	..	5.91	AB
I.V. 1 G. in 50 ml. (solvent required)	1	..	6.70	LY
300 mg. in 10 ml.	5	..	*12.15	AB
ETHINYLOESTRADIOL				
For the treatment of pensioners for any disease or purpose.				
* * *				
Pre-menopausal castration syndrome;				
Telangiectasis - hereditary;				
Turner's syndrome.				
Oral Tablet 0.01 mg.	50	..	0.70	KL, VR
			0.75	HA
			*0.76	BD, OR
0.02 mg.	50	..	*0.82	BD, OR
			0.89	HA, KL
			0.94	VR
			*1.01	SC
0.05 mg.	50	..	*0.90	BD, OR
			1.10	HA, KL, SH, VR
1 mg.	50	..	4.30	HA, KL
			*4.43	OR
			*4.44	BD
ETHIONAMIDE				
Tuberculosis.				
Oral Tablet 125 mg. (sugar coated)	500	1	35.23	MB
250 mg. (enteric coated)	250	1	25.18	BZ (NWS)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
ETHISTERONE			\$	
Turner's syndrome.				
Oral Tablet 5 mg.	50	..	2.83	KL, PT, RT(V)
			3.10	SC
			*3.24	VR
10 mg.	50	..	5.10	KL, PT, RT(V)
			*5.64	SC, VR
25 mg.	50	..	9.90	KL, PT
			10.83	SC
			*10.96	VR
ETHYLOESTRENOL				
Authority necessary to prescribe (See Notes)for-				
Intermittent use for corticosteroid-induced				
osteoporosis;				
Intermittent use for patients on long-term				
treatment with corticosteroids;				
*Post-gastrectomy osteomalacia.				
Oral Tablet 2 mg.	100	..	8.17	OR
FLUDROCORTISONE ACETATE				
Addison's disease or other forms of adreno-				
cortical hypoplasia;				
Adrenalectomy - total.				
Oral Tablet 0.1 mg.	100	..	4.41	SQ
1 mg.	30	..	10.54	SQ

FLUMETHASONE with CLIOQUINOL

For the treatment of diseases of the ear.

Ear Drops 0.02%-1%, 7.5 ml.

1

..

1.63

CB

FLUOROURACIL

Treatment in neoplastic disease.

Injection 50 mg. per ml., 5 ml.

10

..

10.02

RO

FLUOXYMESTERONE

Castration syndrome (male);

Mammary carcinoma .

* * *

Authority necessary to prescribe (See Notes)for-

*Aplastic anaemia;

Intermittent use for corticosteroid -

induced osteoporosis;

*Primary refractory anaemias.

Oral Tablet 5 mg.

100

..

20.10

UP

FLUPHENAZINEFor the treatment of pensioners for any disease
or purpose.

* * *

For the treatment of a mental disorder in a
person who has been discharged from an
approved hospital at which he received treat-
ment for a mental disorder, on presentation
of a certificate from that hospital that the
person was a person for whose treatment
that benefit may be prescribed.

* * *

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FLUPHENAZINE - cont.			\$	
Authority necessary to prescribe (See Notes)for- Huntington's chorea; Late stage malignancy; Radiation sickness; Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital.				
Oral Tablet 1 mg.	100	2	3.59	SQ
2.5 mg.	100	2	5.30	SQ
5 mg.	100	2	6.23	SQ
Elixir 0.5 mg. per ml., 60 ml.	‡1	4	1.82	SQ
Injection I.M. or I.V. 2.5 mg. per ml., 10 ml.	1	..	2.34	SQ
FLUPHENAZINE ENANTHATE				
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
* * *				
Authority necessary to prescribe (See Notes)for- Huntington's chorea;				

Late stage malignancy; Radiation sickness; Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital. Injection I.M. 25 mg. in 1 ml.	5	..	9.21	SQ
FOLIC ACID				
Macrocytic anaemia; Proven folic acid deficiency; Sprue or the sprue-like syndrome. Oral Tablet 5 mg.	100	2	1.30	AD, ET, HY, KL, MG, PD, PR, PT, RT(V), RY, SI
Injection 15 mg. in 1 ml.	10	..	2.63 *3.16	FH, KL ET
FRAMYCETIN				
Bowel sterilisation preparatory to major surgery. Oral Tablet 250 mg.	20	..	6.70	RL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
FUSIDIC ACID			\$	
Authority necessary to prescribe (See Notes)for- Infections where positive bacteriological evidence confirms that fusidic acid is the ONLY appro- priate antibiotic.				
Oral Tablet (Sodium Salt) 250 mg. (enteric coated)	36	..	46.70	ET
Oral Suspension (Diethanolamine salt) 40 mg. per ml., 90 ml.	11	..	18.79	ET
GOATS' MILK				
Authority necessary to prescribe (See Notes)for- Cows' milk allergy in children under the age of four (4) years.				
Dehydrated Powder 1/2 lb.	2	12	*3.20	GV
14 oz.	1	12	3.52	JM
1 lb.	1	12	4.00	CI
Whole (sterilised) 14 fl.oz.	12	10	*4.68	TM
GRISEOFULVIN				
Authority necessary to prescribe (See Notes)for- Use in severe tinea infections due to micro- sporum, trichophyton or epidermophyton species which have been proven by laboratory examination.				
Oral Tablet 125 mg.	100	..	8.30	GL, IC

HALIBUT LIVER OIL

For the treatment of pensioners only.

Oral Capsule 4,500 Units Vitamin A	100	1	1.90	KL, MG, SL(N)
6,000 Units Vitamin A	100	1	*1.80	CK

HALOPERIDOL

For the treatment of pensioners for any disease or purpose.

* * *

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

* * *

Authority necessary to prescribe (See Notes)for-
Huntington's chorea;
Late stage malignancy;
Radiation sickness;
Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital.

Oral Tablet 1.5 mg.	100	2	5.30	SR
Injection 5 mg. in 1 ml.	10	..	8.97	SR

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE			\$	
For the treatment of diseases of the ear. Ear Drops 1%, 10 ml. * * *	‡1	..	1.63	KL
Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute rheumatic carditis; Addison's disease or other forms of adreno- cortical hypoplasia; Adrenalectomy - total Adrenogenital syndrome; Agranulocytosis; Angioneurotic oedema; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Cranial arteritis; Crohn's disease (regional ileitis); Cushing's syndrome including hyperadreno- corticalism; Dermatitis herpetiformis;				

Dermatomyositis;
Encephalitis;
Encephalomyelitis;
Giant cell thyroiditis proven by biopsy;
Guillain-Barre syndrome;
Hamman-Rich syndrome (diffuse interstitial pulmonary fibrosis);
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by biopsy or biochemistry;
Hodgkin's disease;
Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and retina;
Interstitial keratitis due to syphilis or vernal conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty.	No. of Rpts.	Dispensed Price for Max. Qty.	Manufacturer
HYDROCORTISONE - cont. Oedema of the spinal cord following trauma or infections; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Reticulum cell sarcoma; Retroperitoneal fibrosis; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens-Johnson syndrome; Still's disease in children under the age of sixteen years;			\$	

Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis; Ulcerative colitis proven by sigmoidoscopy or radiological report. Injection I.V. (or Rectal Drip) 5 mg. per ml., 20 ml.	1	..	3.30	PT
HYDROCORTISONE with NEOMYCIN SULPHATE				
For the treatment of diseases of the ear.				
Ear Drops 1.5%-0.5%, 5 ml.	‡1	..	1.63	KL, UP
Ear Ointment 1.5%-0.5%, 4 G.	‡1	..	1.63	KL, UP
HYDROCORTISONE with PROPANEDIOL DIACETATE and ACETIC ACID				
For the treatment of diseases of the ear.				
Ear Drops 1%-3%-2%, 7.5 ml.	‡1	..	1.63	DN
HYDROCORTISONE ACETATE				
Intra-articular use.				
Injection 25 mg. in 1 ml.	5	..	3.74 4.74 4.75	PT BT, MK, RL AB

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
HYDROCORTISONE SODIUM SUCCINATE Acute adrenal failure due to medical or surgical crises; Prophylaxis of adrenal insufficiency during and after major surgery for patients already on steroid therapy; Stevens-Johnson syndrome. Injection set containing equivalent of 100 mg. hydrocortisone and solvent	2	..	\$ *9.58 *9.74 *10.22 *15.24	PT NR RM BT, GL, UP
HYDROXOCOBALAMIN Established megalocytic anaemias; Neuroblastoma; Subacute combined degeneration of the cord; Treatment in post-gastrectomy. Injection 100 micrograms in 1 ml. 1,000 micrograms in 1 ml.	5 5	1 ..	1.21 1.23 *3.10	KL GL GL, KL
HYDROXYPROGESTERONE Endometrial carcinoma; Progesterone deficiency proved by hormonal assay of lateral wall smear. Injection 250 mg.	3	..	9.50 *9.51	SC RM

IDOXURIDINE

Infections caused by herpes simplex virus.

Eye Drops 0.1%, 15 ml.

Eye Ointment 0.5%, 5 G.

‡1	2	3.50	AG, SK
‡1	..	3.50	SK

IMIPRAMINE

For the treatment of pensioners for any disease or purpose.

* * *

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

* * *

Authority necessary to prescribe (See Notes) for Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital.

Oral Tablet 10 mg.

100	2	1.90	IP
		1.97	KL, NB, OD
		2.17	PT
		2.43	GE

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
IMIPRAMINE - cont.			\$	
Oral Tablet 25 mg.	100	2	3.77	IP
			3.82	UW(NWS)
			4.01	KL, NB
			4.63	PT
			5.10	GE
Injection I.M. 25 mg. in 2 ml.	10	..	3.83	GE
INDOMETHACIN				
Acute attacks of gout;				
Ankylosing spondylitis;				
Osteoarthritis not responding to salicylates;				
Psoriatic arthritis;				
Reiter's syndrome;				
Rheumatoid arthritis not responding to salicylates.				
Oral Capsule 25 mg.	50	2	2.99	MK
			(ex 250)	
			3.37	MK
			(ex M.P.)	
* * *				
For the treatment of the same conditions in persons who cannot tolerate oral indomethacin.				
Suppository 100 mg.	5	..	1.43	MK

INFLUENZA VACCINE

For the treatment of pensioners only.

Injection 1 ml.

2

..

*2.56

CS

INSECT ALLERGEN EXTRACT

Authority necessary to prescribe (See Notes)for-

Severe constitutional reaction to bee stings.

Honey Bee injection set - strengths A, B, C

each of 5 ml.

1

..

5.97

CS

Honey Bee injection - D strength, 5 ml.

1

..

5.30

CS

ISONIAZID

Tuberculosis.

Oral Tablet 50 mg.

200

2

*1.10

AD, SI

1.10

DH, KL, RY

1.37

HA

*1.76

RO

100 mg.

100

2

1.30

AD, DH, KL, RY, SI

1.63

RO

ISOPRENALINE HYDROCHLORIDE

For long term use in patients suffering from

Stokes-Adams seizures due to heart block.

Oral Tablet 30 mg. (sustained release)

100

2

5.31

PN

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
KANAMYCIN Authority necessary to prescribe (See Notes)for- Infections where positive bacteriological evidence confirms that kanamycin is the ONLY appro- priate antibiotic.			\$	
Oral Capsule 250 mg.	16	..	5.10	BC
Oral Solution 100 mg. per ml., 30 ml.	‡1	..	3.90	BC
Injection 250 mg. in 2 ml.	5	..	*5.30	SI
500 mg. in 2 ml.	5	..	*7.65	BC
1 G. in 3 ml.	5	..	*12.30	BC, SI
LEVORPHANOL Obstetric use; Severe intractable pain.				
Oral Tablet 1.5 mg.	50	..	*2.06	RO
Injection 2 mg. per ml., 1.1 ml.	5	..	1.03	RO
LIGNOCAINE Cardiac arrhythmias.				
Injection 2%, 5 ml.	1	..	1.14	AP
10%, 5 ml.	5	..	4.89	AP
LINCOMYCIN Osteomyelitis; Gram-positive coccal infections where these cannot be safely and effectively treated with penicillin.				

Oral Capsule 250 mg.	24	..	6.11	UP
500 mg.	12	..	6.11	UP
Paediatric Syrup 250 mg. per 5 ml., 60 ml.	11	..	4.74	UP
Injection 600 mg. in 2 ml.	5	..	9.90	UP
LIOETHYRONINE				
Myxoedema.				
Oral Tablet 20 micrograms	50	..	1.26	GL
LYPRESSIN				
Diabetes insipidus.				
Nasal Spray 50 Units per ml., 5 ml.	4	2	*7.78	SZ
MEDROXYPROGESTERONE				
Adenocarcinoma of the uterus (endometrial carcinoma).				
Oral Tablet 2.5 mg.	25	..	3.63	UP
10 mg.	25	..	9.63	UP
* * *				
Adenocarcinoma of the body of the uterus;				
Hypernephroma.				
Oral Tablet 100 mg.	100	..	80.30	UP
* * *				
Adenocarcinoma of the uterus (endometrial carcinoma);				
Hypernephroma;				
Progesterone deficiency proved by hormonal assay of lateral wall smear.				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
MEDROXYPROGESTERONE - cont.			\$	
Injection 50 mg. in 1 ml.	1	..	4.17	UP
50 mg. per ml., 5 ml.	1	..	14.97	UP
MELPHALAN				
Treatment in neoplastic disease.				
Oral Tablet 2 mg.	100	2	*9.90	BW
5 mg.	100	2	*17.90	BW
MERCAPTOPURINE				
Allergic angitis;				
Lupus erythematosus;				
Nephrosis or nephrotic syndrome;				
Periarteritis;				
Treatment in neoplastic disease.				
Oral Tablet 50 mg.	50	1	14.30	BW
METHACYCLINE				
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Oral Tablet 75 mg.	14	..	1.90	GP
Oral Capsule 75 mg.	14	..	1.90	GP
150 mg.	14	..	3.02	GP
			(ex 100)	
			3.34	GP
			(ex M.P.)	
Oral Paediatric Suspension				
75 mg. per 5 ml., 100 ml.	11	..	2.46	GP

METHANDIENONE

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced osteoporosis;
Intermittent use for patients on long-term treatment with corticosteroids.
Oral Tablet 5 mg.

100	..	8.17	CB

METHENOLONE ACETATE

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced osteoporosis;
Intermittent use for patients on long-term treatment with corticosteroids.
Oral Tablet 1 mg.
5 mg.

100	..	*2.44	SC
100	..	*7.64	SC

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
METHICILLIN Proven or suspected staphylococcal septicaemia. Injection 1 G. (solvent required)	5	1	\$ *16.15	BR, CS
METHOTREXATE Treatment in neoplastic disease. Oral Tablet 2.5 mg.	100	..	14.30	LE
METHYSERGIDE Authority necessary to prescribe (See Notes)for- Treatment of severe recalcitrant migraine where other treatment has failed. Oral Tablet 1 mg.	100	..	6.97	SZ
MILK POWDER - SYNTHETIC Authority necessary to prescribe (See Notes)for- Galactosaemia; Conditions needing an extreme restriction of lactose in diet in children under the age of four (4) years. Low Lactose Compound Powder 397 G. (14 oz.) * * *	1	12	2.20	TF
Authority necessary to prescribe (See Notes)for- Glucose-galactose malabsorption. Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454 G. (16 oz.)	1	12	8.69	TF

MORPHINE with TACRINE

Severe intractable pain.

Oral Tablet 30 mg.-15 mg.

50

1

10.30

WH

MUSTINE

Treatment in neoplastic disease.

Injection 10 mg. (solvent required)

1

..

1.97

BT

NALIDIXIC ACIDUrinary tract infections in which sulphonamides
are ineffective.

Oral Tablet 500 mg.

56

..

7.23

WL

Oral Paediatric Suspension

50 mg. per ml., 200 ml.

11

..

2.90

WL

NANDROLONE DECANOATE

Mammary carcinoma.

* * *

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced
osteoporosis;Intermittent use for patients on long-term
treatment with corticosteroids;

*Severe osteoporosis due to proven pancreatitis..

Injection 50 mg. in 1 ml.

1

..

6.23

OR

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
NANDROLONE HEXANOYLPHENYLPROPIONATE Mammary carcinoma. * * * Authority necessary to prescribe (See Notes)for- Intermittent use for corticosteroid-induced osteoporosis; Intermittent use for patients on long term treatment with corticosteroids. Injection 50 mg. in 1 ml.	1	..	4.30	SI
NANDROLONE PHENYLPROPIONATE Mammary carcinoma . * * * Authority necessary to prescribe (See Notes)for- Intermittent use for corticosteroid-induced osteoporosis. Injection 25 mg. in 1 ml.	3	..	6.03	OR
NATAMYCIN Monilia infections. Oral Tablet 100 mg. Suspension 1%, 5 ml.	50 ‡1		6.77 1.97	BP BP
NEOMYCIN Bowel sterilisation preparatory to major surgery; Encephalopathy, portal-systemic.				

Oral Tablet 500 mg.	25	..	11.23	LF
* * *			11.50	ET, KL, PT
Authority necessary to prescribe (See Notes)for- Intermittent use by inhalation in fibrocystic disease.				
Powder 500 mg.	40	1	*51.10	ET
NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDRO- CORTISONE ACETATE				
For the treatment of diseases of the ear.				
Ear Drops				
0.1%-0.005%-0.05%-1%-0.02%, 15 ml.	‡1	..	1.38	WW
NEOMYCIN UNDECENOATE with BACITRACIN				
For the treatment of diseases of the ear.				
Ear Ointment				
12 mg. (3.5 mg. base)-400 Units per G., 10 G.	‡1	..	1.37	HA
NICOTINIC ACID				
For the treatment of pensioners only.				
Oral Tablet 25 mg.	100	2	0.50	HY, KL
50 mg.	100	2	0.63	AD, DH, HY, KL, MG, RT(V), SI
100 mg.	100	2	0.70	DH, HY, KL, RT(V)
250 mg.	100	2	0.97	AD, HY, KL, RT(V), SI

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
NITRAZEPAM			\$	
Myoclonic epilepsy.				
Oral Tablet 5 mg.	200	1	6.70	RO
NITROFURANTOIN				
Urinary tract infections.				
Oral Tablet 50 mg.	25	1	2.36	IP
			3.11	SK
			(ex 100)	
			2.43	IP
			3.34	SK
			(ex M.P.)	
100 mg.	25	1	4.05	IP
			5.35	SK
			(ex 100)	
			4.57	IP
			5.79	SK
			(ex M.P.)	
Oral Paediatric Suspension				
25 mg. per 5 ml., 200 ml.	1	..	2.74	SK
NITROMIN				
Treatment in neoplastic disease.				
Oral Tablet 5 mg.	100	2	11.63	SI
Injection 50 mg. (solvent required)	5	1	8.63	SI

NORTRIPTYLINE

For the treatment of pensioners for any disease or purpose.

* * *

For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.

* * *

Authority necessary to prescribe (See Notes)for-
Maintenance treatment of a mental disorder in a patient discharged from an approved hospital at which he received treatment for a mental disorder, and living in a place remote from an approved hospital.

Oral Tablet 10 mg.	100	2	2.30	DL
25 mg.	100	2	4.03	DL
Oral Capsule 10 mg.	100	2	2.30	LY
25 mg.	100	2	4.03	LY
Paediatric Elixir 10 mg. per 5 ml., 100 ml.	‡1	4	1.30	DL, LY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
NUTRAMIGEN Authority necessary to prescribe (See Notes)for- Cows' milk allergy in children under the age of four (4) years; Fibrocystic disease of the pancreas; Galactosaemia; Lactose intolerance. Powder 1 lb.	1	12	\$ 2.33	MJ
NYSTATIN Monilia infections. Oral Tablet 500,000 Units	50	..	5.92 (ex 250) 6.77 (ex M.P.)	GP, SQ GP, SQ
OXYCODONE Treatment in neoplastic disease. Injection 10 mg in 1 ml. Suppository 30 mg.	5 12		1.77 3.50	CK CK
OXYMETHOLONE Authority necessary to prescribe (See Notes)for- Aplastic anaemia; Primary refractory anaemias. Oral Tablet 5 mg.	100	..	7.77	PD

OXYTETRACYCLINE

Brucellosis;
 Intestinal amoebiasis;
 Leptospirosis;
 Lymphogranuloma venereum;
 Psittacosis;
 Rickettsial infections;
 Any bacterial infections or actinomycosis or
 trachoma where these cannot be treated
 safely and effectively by sulphonamides or
 penicillins;
 Pre-operative and post-operative therapy where
 there are reasonable grounds for believing that
 infection may occur.

Oral Tablet 100 mg.	25	..	1.93	PF
250 mg.	16	..	2.46	PF
Oral Capsule 100 mg.	25	..	1.93	PF
250 mg.	16	..	2.11	IP
			2.19	PT, SP(NWS)
			2.24	KL, PF, SU(N)
			(ex 100)	
			2.30	IP
			2.41	PT, SP(NWS)
			2.46	KL, PF, SU(N)
			(ex M.P.)	
Oral Paediatric Suspension				
125 mg. per 5 ml., 100 ml.	11	..	1.81	PT, SP(NWS)
			1.86	KL, PF

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
OXYTETRACYCLINE - cont.			\$	
Injection I.M. 100 mg.	5	..	3.90	TS
			*4.05	PF
I.M. 250 mg.	5	..	*7.10	PF
I.V. 250 mg.	5	..	*7.10	PF
OXYTETRACYCLINE (BUFFERED) with NYSTATIN				
Broad spectrum antibiotic therapy of premature infants;				
Broad spectrum antibiotic treatment of patients under steroid therapy;				
Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis;				
A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for :-				
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Tablet 100 mg. - 125,000 Units	25	..	1.93	PF
Oral Capsule 250 mg. - 250,000 Units	16	..	2.46	KL, PF
PANCREATIN CONCENTRATE				
Fibrocystic disease;				
Pancreatico-duodenectomy;				
Pancreatic steatorrhoea.				
Oral Tablet 300 mg. (3 times B.P. strength)	200	2	*3.98	PD
Oral Powder 1 oz. (twice B.P. strength)	8	2	*9.90	PD
500 G. (5 times B.P. strength)	1	..	28.97	ST
PANCREATIN ENZYME				
(4 times USNF.XII strength)				
Fibrocystic disease;				
Pancreatico-duodenectomy;				
Pancreatic steatorrhoea.				
Oral Tablet 300 mg.	500	1	27.74	ET
Oral Powder 8 oz.	‡1	2	23.37	ET
PANCRELIPASE				
Fibrocystic disease;				
Pancreatico-duodenectomy;				
Pancreatic steatorrhoea.				
Oral Capsule 300 mg.	250	1	19.30	OR

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PARACETAMOL			\$	
For the treatment of pensioners only.				
Oral Tablet 300 mg.	50	1	0.83	KL, WL
500 mg.	50	1	0.81	AV, KL, PR, PT, SL(N)
			0.89	CA, FM, RY, VR, WL
			(ex 250)	
			0.90	AV, KL, PR, PT, SL(N)
			0.94	CA, FM, RY, VR, WL
			(ex M.P.)	
Oral Suspension 120 mg. per 5 ml., 100 ml.	1	4	0.94	CA, KL, WL
PARACETAMOL with CODEINE PHOSPHATE and SODIUM PENTOBARBITONE				
For the treatment of pensioners only.				
Oral Tablet 300 mg.-15 mg.-30 mg.	100	2	1.51	PT
			1.62	DH
			1.63	KL
			1.71	MG
			2.00	FM, WL
			2.11	AB
			(ex 500)	
			1.63	PT
			1.77	DH, KL
			2.19	FM, MG, WL
			2.33	AB
			(ex M.P.)	

PARAFFIN LIQUID

For the treatment of pensioners only.

Emulsion P.L.

†Emulsion 450 ml.

†Emulsion with Phenolphthalein 450 ml.

400 ml.

1

1

4

4

4

1.79

†0.72

†0.65

†0.72

Extemp. (plus container)

WY

MG, SI, WD(N)

DH, FA, PR, WW, WY

PARAMETHASONE

Authority necessary to prescribe (See Notes)for-

Acquired haemolytic anaemia;

Acute disseminated encephalomyelitis;

Acute exfoliative dermatitis;

Acute exophthalmic ophthalmoplegia;

Acute heart block complicating myocardial infarction;

Acute phase of herpes zoster;

Acute rheumatic carditis;

Addison's disease or other forms of adrenocortical hypoplasia;

Adrenalectomy - total;

Adrenogenital syndrome;

Agranulocytosis;

Angioneurotic oedema;

Behcet's syndrome;

Benign intracranial hypertension;

Cerebral oedema;

Cerebral tumors;

Cranial arteritis;

Crohn's disease (regional ileitis);

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PARAMETHASONE - cont. Cushing's syndrome including hyperadrenocorticalism; Dermatitis herpetiformis; Dermatomyositis; Encephalitis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy; Guillain-Barre syndrome; Hamman-Rich syndrome (diffuse interstitial pulmonary fibrosis); Hansen's disease; Henoch's purpura; Hepatitis, progressive or continuing, proven by biopsy or biochemistry; Hodgkin's disease; Hypoplastic anaemia; Idiopathic hypercalcaemia; Inflammatory conditions of the uveal tract and retina; Interstitial keratitis due to syphilis or vernal conjunctivitis; Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia; Lymphosarcoma and follicular lymphoma;			\$	

Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Oedema of the spinal cord following trauma or
infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;
Periarteritis;
Progressive transverse myelitis;
Pseudohermaphroditism;
Pulmonary eosinophilia;
Reticulum cell sarcoma;
Retroperitoneal fibrosis;
Sarcoidosis;
Scleroderma;
Severe reactions of the skin and mucosa
following X-ray therapy;
Sneddon and Wilkinsons subcorneal pustular
dermatosis;
Splenic neutropenia;
Sprue, tropical and non-tropical, and forms of
malabsorption associated with these diseases;
Status asthmaticus;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PARAMETHASONE - cont.			\$	
Steroid therapy prior to operation for those patients under steroid therapy; Stevens-Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis; Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Oral Tablet 2 mg.	30	..	4.30	LY
PENICILLAMINE				
Authority necessary to prescribe (See Notes)for-				
Acute heavy metal intoxication;				
Cold agglutinin haemoglobinuria;				
Cystinosis;				
Cystinuria with calculus formation;				
Wilson's disease (hepatolenticular degeneration).				
Oral Tablet 250 mg.	100	3	42.30	DL
Oral Capsule 120 mg.	100	3	24.30	DL
250 mg.	100	3	*42.30	MK

PENICILLIN BENZATHINE

Prevention of recurrent streptococcal infections
including rheumatic fever.

Oral Tablet 150 mg. (200,000 Units)	100	1	4.51 (ex 500)	CS, WY
			4.81 (ex M.P.)	CS, WY
Oral Capsule 150 mg. (200,000 Units)	100	1	4.81	CS

PENICILLIN BENZYL

(Penicillin G)

Prevention of recurrent streptococcal infections
including rheumatic fever.

Oral Tablet 125 mg. (200,000 Units)	100	1	3.70	AB, GL
250 mg. (400,000 Units)	100	1	6.57	AB, GL
Oral Capsule 125 mg. (200,000 Units)	100	1	3.70	GL
250 mg. (400,000 Units)	100	1	6.57	AB, EV, GL

* * *

Bacterial endocarditis or septicaemia.

Injection

3 G. (5,000,000 Units)(solvent required)	10	..	*13.90	CS, EV, GL, SI
* * *				

Bacterial endocarditis or septicaemia;

Gastrointestinal surgery.

Injection

6 G. (10,000,000 Units) (solvent required)	10	..	*23.50	CS, EV, GL, SI

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PENICILLIN with STREPTOMYCIN			\$	
Endocarditis due to streptococcus faecalis;				
Endocarditis due to streptococcus viridans.				
Injection Benzyl Penicillin 300 mg.(500,000 Units); Streptomycin Sulphate 500 mg.				
1 Vial (solvent required)	5	..	*2.50	GL
Set containing 1 vial and 2 ml. water for injections	5	..	*2.85	GL
Injection Benzyl Penicillin 60 mg.(100,000 Units); Procaine Penicillin 300 mg.(300,000 Units); Streptomycin Sulphate 500 mg.				
1 vial (solvent required)	5	..	*2.50	GL, SI
Set containing 1 vial and 2 ml. water for injections	5	..	*2.85	GL
PENTOBARBITONE SODIUM with ASPIRIN and CODEINE				
For the treatment of pensioners only.				
Oral Tablet 30 mg.-300 mg.-15 mg.	100	2	1.63	KL
PETHIDINE with LEVALLORPHAN				
For obstetric use only.				
Injection 50 mg.-0.625 mg. in 1 ml.	5	..	0.94	RO
50 mg.-0.625 mg. per ml., 2 ml.	5	..	1.21	RO

PHENYLALANINE LOW CONTENT FORMULA

Authority necessary to prescribe (See Notes)for-

Phenylketonuria.

Granules 1 kg.

Powder 2.5 lb.

1.362 kg.(3 lb.)

PHENYLBUTAZONE

Acute attacks of gout;

Ankylosing spondylitis;

Osteoarthritis not responding to salicylates;

Psoriatic arthritis;

Reiter's syndrome;

Rheumatoid arthritis not responding to salicylates.

Oral Tablet 100 mg.

50

2

0.88

IP, LF, PT

0.94

MG

1.00

HY

1.07

AV

1.08

FM, KL

1.11

PR

1.14

SU(N)

1.30

GE, VR

(ex 250)

0.97

IP, LF, MG, PT

1.07

HY

1.17

AV, FM, KL, PR

1.23

SU(N)

1.37

GE, VR

(ex M.P.)

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PHENYLBUTAZONE - cont.			\$	
Oral Capsule 100 mg. * * *	50	3	1.21	KL
For the treatment of the following conditions in persons who cannot tolerate oral phenylbutazone - Acute attacks of gout; Ankylosing spondylitis; Osteoarthritis not responding to salicylates; Psoriatic arthritis; Reiter's syndrome; Rheumatoid arthritis not responding to salicylates.				
Injection 600 mg. in 3 ml.	5	..	1.90	GE
Suppository 250 mg.	5	..	1.26	GE
PHYTOMENADIONE				
Antidote to anticoagulants; *Haemorrhagic disease of the new born; *Suspected cerebral trauma of the new born.				
Injection 1 mg. * * *	3	..	0.99	RO
Antidote to anticoagulants. Injection 10 mg.	3	..	2.03	RO
Colloidal Solution for Injection 10 mg. in 1 ml.	3	..	*3.51	MK
10 mg. per ml., 5 ml.	3	..	*15.30	MK

PITUITARY, POSTERIOR LOBE

Diabetes insipidus.

Insufflation

30 Antidiuretic Unit Capsule

500 Antidiuretic Units per G., 2 G. Phial

100	2	8.57	ST
3	2	*6.99	BP

POLYMYXIN B SULPHATE

Authority necessary to prescribe (See Notes)for-
Intermittent use by inhalation in fibrocystic
disease.

Vial of Powder 500,000 Units

20	..	*58.90	BW

POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN

For the treatment of diseases of the ear.

Ear Drops 10,000 Units-500 Units-

3.5 mg. (base) per ml., 15 ml.

‡1	..	1.50	ET

POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE

For the treatment of diseases of the ear.

Ear Drops 10,000 Units-3.5 mg.(base)-

10 mg. per ml., 7 ml.

‡1	..	1.63	BW, KL

PCLYOESTRADIOL

Carcinoma of the prostate.

Injection set containing 40 mg. and 2 ml. solvent

1	..	5.30	AY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PREDNISOLONE Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction; Acute phase of herpes zoster; Acute rheumatic carditis; Adrenogenital syndrome; Agranulocytosis; Angioneurotic oedema; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Christian-Weber disease (nodular nonsuppurative panniculitis); Cranial arteritis; Crohn's disease (regional ileitis); Cushing's syndrome including hyperadrenocorticalism; Dermatitis herpetiformis; Dermatomyositis; Encephalitis; Encephalomyelitis;			\$	

Giant cell thyroiditis proven by biopsy;
Guillain-Barre syndrome;
Hamman-Rich syndrome (diffuse interstitial
pulmonary fibrosis);
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing proven by
biopsy or biochemistry;
Hodgkin's disease;
Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or
vernal conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Malignant exophthalmos;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Oedema of the spinal cord following trauma
or infections;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PREDNISOLONE - cont. Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Reticulum cell sarcoma; Retroperitoneal fibrosis; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens-Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus;			\$	

Sympathetic ophthalmitis;				
Temporal arteritis;				
Thrombocytopenic purpura;				
Type II nephritis;				
Ulcerative colitis proven by sigmoidoscopy or radiological report;				
Use in conjunction with other therapy:				
(a) in the treatment of chronic and recurrent asthma for the patient whose chronic asthma is severe enough to interfere seriously with his normal activities of life.				
(b) in the treatment of the severe asthmatic whose acute attack has been relieved by corticosteroids but who relapses when corticosteroids are withdrawn.				
Oral Tablet 5 mg.	30	..	1.37 1.43 1.50	IP LF, MG, PR, PT, RT(V), RY BT, HY, KL, PD, PF, UP
PREDNISOLONE ACETATE				
Intra-articular use.				
Injection 10 mg. in 1 ml.	5	..	*5.05	SC
PREDNISOLONE METHYL				
Authority necessary to prescribe (See Notes)for-				
Acquired haemolytic anaemia;				
Acute disseminated encephalomyelitis;				
Acute exfoliative dermatitis;				
Acute exophthalmic ophthalmoplegia;				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PREDNISOLONE METHYL - cont. Acute heart block complicating myocardial infarction; Acute phase of herpes zoster; Acute rheumatic carditis; Adrenogenital syndrome; Agranulocytosis; Angioneurotic oedema; Behcet's syndrome; Benign intracranial hypertension; Cerebral oedema; Cerebral tumors; Christian-Weber disease (nodular nonsuppurative panniculitis); Cranial arteritis; Crohn's disease (regional ileitis); Cushing's syndrome including hyperadrenocorticalism; Dermatitis herpetiformis; Dermatomyositis; Encephalitis; Encephalomyelitis; Giant cell thyroiditis proven by biopsy; Guillain-Barre syndrome; Hamman-Rich syndrome (diffuse interstitial pulmonary fibrosis); Hansen's disease;			\$	

Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
Hypoplastic anaemia;
Idiopathic hypercalcaemia;
Inflammatory conditions of the uveal tract and
retina;
Interstitial keratitis due to syphilis or vernal
conjunctivitis;
Keratoplasty;
Leucine sensitive hypoglycaemia;
Leukaemia;
Lymphosarcoma and follicular lymphoma;
Malignancy treatment in conjunction with
radiotherapy or chemotherapy;
Malignant exophthalmos;
Meningitis;
Metastatic breast cancer;
Mycosis fungoides;
Nephrosis or nephrotic syndrome;
Neuromyelitis optica;
Oedema of the spinal cord following trauma
or infections;
Optic neuritis following removal of tumors of
the brain;
Panhypopituitarism;
Pemphigus;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PREDNISOLONE METHYL - cont. Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism; Pulmonary eosinophilia; Reticulum cell sarcoma; Retroperitoneal fibrosis; Sarcoidosis; Scleroderma; Severe reactions of the skin and mucosa following X-ray therapy; Sneddon and Wilkinsons subcorneal pustular dermatosis; Splenic neutropenia; Sprue, tropical and non-tropical, and forms of malabsorption associated with these diseases; Status asthmaticus; Steroid therapy prior to operation for those patients under steroid therapy; Stevens-Johnson syndrome; Still's disease in children under the age of sixteen years; Systemic lupus erythematosus; Sympathetic ophthalmitis; Temporal arteritis; Thrombocytopenic purpura; Type II nephritis;			\$	

Ulcerative colitis proven by sigmoidoscopy or radiological report;				
Use in conjunction with other therapy;				
(a) in the treatment of chronic and recurrent asthma for the patient whose chronic asthma is severe enough to interfere seriously with his normal activities of life;				
(b) in the treatment of the severe asthmatic whose acute attack has been relieved by corticosteroids, but who relapses when corticosteroids are withdrawn.				
Oral Tablet 4 mg.	30	..	6.90	UP
Oral Capsule 4 mg.	30	..	6.90	UP
PREDNISOLONE METHYL ACETATE				
Intra-articular use.				
Injection 40 mg. in 1 ml.	5	..	16.43	UP
PREDNISOLONE SODIUM PHOSPHATE				
Authority necessary to prescribe (See Notes)for-				
Proctitis proven by sigmoidoscopy;				
Ulcerative colitis proven by sigmoidoscopy or radiological report.				
Retention Enema 20 mg. in 100 ml.	7	..	14.77	GL
Suppository equivalent to 5 mg. prednisolone	6	..	3.26	GL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PREDNISOLONE SODIUM PHOSPHATE with NEOMYCIN For the treatment of diseases of the ear. Ear Drops 5 mg.-3.5 mg.(base) per ml., 5 ml.	‡1	..	\$ 1.63	GL
PREDNISOLONE SODIUM SUCCINATE Acute adrenal failure due to medical or surgical crises; Prophylaxis of adrenal insufficiency during and after major surgery for patients already on steroid therapy; Stevens-Johnson syndrome. Injection set containing 25 mg. and 1 ml. diluent	2	..	*13.64	MQ
PREDNISOLONE TERTIARY BUTYL ACETATE (Prednisolone TBA) Intra-articular use. Injection 20 mg. in 1 ml.	5	..	4.83	MK
PREDNISONONE Authority necessary to prescribe (See Notes)for- Acquired haemolytic anaemia; Acute disseminated encephalomyelitis; Acute exfoliative dermatitis; Acute exophthalmic ophthalmoplegia; Acute heart block complicating myocardial infarction;				

Acute phase of herpes zoster;
Acute rheumatic carditis;
Adrenogenital syndrome;
Agranulocytosis;
Angioneurotic oedema;
Behcet's syndrome;
Benign intracranial hypertension;
Cerebral oedema;
Cerebral tumors;
Christian-Weber disease (nodular nonsuppurative
panniculitis);
Cranial arteritis;
Crohn's disease (regional ileitis);
Cushing's syndrome including hyperadrenocor-
ticalism;
Dermatitis herpetiformis;
Dermatomyositis;
Encephalitis;
Encephalomyelitis;
Giant cell thyroiditis proven by biopsy;
Guillain-Barre syndrome;
Hamman-Rich syndrome (diffuse interstitial
pulmonary fibrosis);
Hansen's disease;
Henoch's purpura;
Hepatitis, progressive or continuing, proven by
biopsy or biochemistry;
Hodgkin's disease;
Hypoplastic anaemia;

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PREDNISONE - cont. Idiopathic hypercalcaemia; Inflammatory conditions of the uveal tract and retina; Interstitial keratitis due to syphilis or vernal conjunctivitis; Keratoplasty; Leucine sensitive hypoglycaemia; Leukaemia; Lymphosarcoma and follicular lymphoma; Malignancy treatment in conjunction with radiotherapy or chemotherapy; Malignant exophthalmos; Meningitis; Metastatic breast cancer; Mycosis fungoides; Nephrosis or nephrotic syndrome; Neuromyelitis optica; Oedema of the spinal cord following trauma or infections; Optic neuritis following removal of tumors of the brain; Panhypopituitarism; Pemphigus; Periarteritis; Progressive transverse myelitis; Pseudohermaphroditism;			\$	

Pulmonary eosinophilia;
Reticulum cell sarcoma;
Retroperitoneal fibrosis;
Sarcoidosis;
Scleroderma;
Severe reactions of the skin and mucosa
following X-ray therapy;
Sneddon and Wilkinsons subcorneal
pustular dermatosis;
Splenic neutropenia;
Sprue, tropical and non-tropical, and forms of
malabsorption associated with these diseases;
Status asthmaticus;
Steroid therapy prior to operation for those
patients under steroid therapy;
Stevens-Johnson syndrome;
Still's disease in children under the age of
sixteen years;
Systemic lupus erythematosus;
Sympathetic ophthalmitis;
Temporal arteritis;
Thrombocytopenic purpura;
Type II nephritis;
Ulcerative colitis proven by sigmoidoscopy or
radiological report.
Use in conjunction with other therapy:
(a) in the treatment of chronic and recurrent
asthma for the patient whose chronic
asthma is severe enough to interfere
seriously with his normal activities
of life.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PREDNISONE - cont.			\$	
(b) in the treatment of the severe asthmatic whose acute attack has been relieved by corticosteroids, but who relapses when corticosteroids are withdrawn.				
Oral Tablet 1 mg.	50	..	0.77	PT
5 mg.	30	..	1.37	IP
			1.43	AV, LF, PR, PT, RY
			1.50	HY, KL, PD, RL, SU(N)
PROCARBAZINE				
Treatment in neoplastic disease.				
Oral Capsule 50 mg.	100	..	6.97	RO
PROGESTERONE				
Progesterone deficiency proved by hormonal assay of lateral wall smear.				
Injection I.M. 25 mg.	3	..	2.70	DF, SC
PROPRANOLOL				
Authority necessary to prescribe (See Notes)for-				
*Idiopathic hypertrophic subaortic stenosis.				
Oral Tablet 10 mg.	50	..	2.59	IC

PROTEIN HYDROLYSATE FORMULA

without PHENYLALANINE

Authority necessary to prescribe (See Notes)for-
Phenylketonuria.

Powder 100 G. sachet, 2 kg.

‡1

..

75.20

MN

PROTRIPTYLINE

For the treatment of pensioners for any disease
or purpose.

* * *

For the treatment of a mental disorder in a
person who has been discharged from an
approved hospital at which he received treat-
ment for a mental disorder, on presentation
of a certificate from that hospital that the
person was a person for whose treatment
that benefit may be prescribed.

* * *

Authority necessary to prescribe (See Notes)for-

Maintenance treatment of a mental disorder
in a patient discharged from an approved
hospital at which he received treatment for a
mental disorder, and living in a place remote
from an approved hospital.

Oral Tablet 5 mg.

100

2

3.63

MK

10 mg.

100

2

5.10

MK

Oral Capsule 5 mg.

100

2

3.63

FR

10 mg.

100

2

5.10

FR

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
PYRIDOSTIGMINE			\$	
Myasthenia gravis.				
Oral Tablet 10 mg.	100	2	1.78	RO
60 mg.	100	2	*8.54	RO
180 mg.	100	..	15.42	RO
Injection 1 mg. in 1 ml.	5	1	*1.15	RO
PYRIDOXINE HYDROCHLORIDE				
*Homocystinuria;				
Peripheral neuritis due to isoniazid therapy;				
Radiation sickness.				
Oral Tablet 25 mg.	100	..	2.30	DH, ET, HY, KL, RY
PYRIMETHAMINE				
Malaria;				
Toxoplasmosis.				
Oral Tablet 25 mg.	100	..	*3.24	BW
QUININE BISULPHATE				
For the treatment of pensioners for any disease or purpose.				
* * *				
Dystrophia myotonica;				
Malaria;				
Myotonia atrophica;				
Myotonia congenita.				
Oral Tablet 300 mg.	100	2	4.30	BW, DH, FA, HY, KL, PT

QUININE DIHYDROCHLORIDE

For the treatment of pensioners for any disease
or purpose.

* * *

Dystrophia myotonica;

Malaria;

Myotonia atrophica;

Myotonia congenita;

Oral Tablet 300 mg.

100

2

4.30

DH

QUININE HYDROCHLORIDE

For the treatment of pensioners for any disease
or purpose.

* * *

Dystrophia myotonica;

Malaria;

Myotonia atrophica;

Myotonia congenita.

Oral Tablet 300 mg.

100

2

4.30

DH

QUININE SULPHATE

For the treatment of pensioners for any disease
or purpose.

* * *

Dystrophia myotonica;

Malaria;

Myotonia atrophica;

Myotonia congenita.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
QUININE SULPHATE - cont. Oral Tablet 300 mg.	100	2	\$ 4.10 4.30	PT, QE(QNVS) AD, DH, HY, KL, PR, SI, TO
RIBOFLAVINE For the treatment of pensioners only. Oral Tablet 5 mg.	100	2	0.70	DH, FM, KL, PR, RT(V)
ROLITETRACYCLINE Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur. I.V. Injection, sets containing 110 mg. and 5 ml. solvent 275 mg. and 10 ml. solvent 350 mg. and 10 ml. solvent	 5 5 5	 	 *6.90 *11.90 *11.90	 AH AH BC

I.M. Injection, sets containing				
150 mg. and 2 ml. solvent	5	..	*6.85	BC
			*6.90	AH
350 mg. and 2 ml. solvent	5	..	*11.90	AH, BC
SENNA FRUIT EXTRACT (STANDARDISED)				
For the treatment of pensioners only.				
Oral Tablet 7 mg.	100	2	1.17	RC
			(ex 500)	
			1.23	RC
			(ex M.P.)	
SODIUM AMINOSALICYLATE				
(Sodium PAS)				
Tuberculosis.				
Oral Tablet 300 mg.	500	2	3.77	KL
500 mg.	500	2	3.90	DH, ET, KL, RY
			4.30	EV
Oral Cachet 1.5 G.	500	2	12.90	EV
			12.97	KL, WA
2 G.	500	2	18.97	KL
Oral Granules 50%, 350 G.	1	1	4.63	RL
50%, 400 G.	1	1	4.63	HY
96.4%, 500 G.	1	1	10.81	EV
Injection 20%, 10 ml.	5	..	1.93	KL
SODIUM AMINOSALICYLATE with ISONIAZID				
Tuberculosis.				
Granules 6 G.-150 mg. per sachet	60	2	12.30	SN

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
SODIUM FOLATE			\$	
Macrocytic anaemia; Sprue or the sprue-like syndrome. Injection 15 mg. per ml., 10 ml.	1	..	2.57	LE
SOYA FORMULA				
Authority necessary to prescribe (See Notes)for- Galactosaemia; Homocystinuria; Lactose intolerance; Milk allergy in children under the age of four (4) years.				
Liquid 13 fl.oz.	3	12	*1.89	MJ
15 fl.oz.	3	12	*1.83	SA
Powder 1 lb.	1	12	1.77	MJ, WA
SPIRAMYCIN				
Staphylococcal septicaemia or staphylococcal pneumonia; Toxoplasmosis, active-serologically proven; Any gram-positive bacterial infections where these cannot be treated safely and effectively by sulphonamides or penicillins.				
Oral Tablet 250 mg.	20	..	3.83	MB
Oral Capsule 250 mg.	20	..	3.83	MB

SPIRONOLACTONE

Authority necessary to prescribe (See Notes)for-
Myasthenia gravis;
Supplementing other diuretics when these
have proved inadequate.
Oral Tablet 25 mg.

100

..

15.83

SR

STANOLONE

Mammary carcinoma.

* * *

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced
osteoporosis;
Intermittent use for patients on long-term
treatment with corticosteroids.
Oral Tablet 25 mg.

100

..

10.97

DF, MN

STANOZOLOL

Authority necessary to prescribe (See Notes)for-
Intermittent use for corticosteroid-induced
osteoporosis;
Intermittent use for patients on long-term
treatment with corticosteroids.
Oral Tablet 2 mg.

100

..

*6.70

WL

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
STILBOESTROL			\$	
For the treatment of pensioners for any disease or purpose.				
* * *				
Carcinoma of the prostate;				
Mammary carcinoma;				
Telangiectasis - hereditary.				
Oral Tablet 0.1 mg.	100	2	0.51	KL
0.5 mg.	100	2	0.53	AD, DH, HA, KL, RT(V), SI
1 mg.	100	2	0.54	AD, DH, KL, RT(V), SI, SL(N)
			0.57	HA
5 mg.	100	2	0.81	AD, DH, FA, HA, KL, MG, RT(V), SI, SL(N)
10 mg.	100	2	1.23	DH, KL, RT(V)
Injection 5 mg.	5	..	1.07	KL
STREPTOMYCIN SULPHATE				
Bacillary dysentery not responding to sulphonamides;				
Brucellosis;				
Chancroid;				
Endocarditis due to streptococcus faecalis;				
Endocarditis due to streptococcus viridans;				
Infections due to Friedlander bacillus;				
Infections due to haemophilus influenzae;				
Infections due to pseudomonas pyocyanea;				
Plague;				

Rat-bite fever (streptobacillus moniliformis);				
Salmonella infections;				
Surgical conditions of the bowel - pre-operative				
and post-operative;				
Surgical conditions of the thoracic organs;				
Tuberculosis;				
Tularaemia;				
Urinary tract infections which do not respond				
to sulphonamides.				
Injection 1 G. (solvent required)	5	3	*1.95	DH, EV, GL, SI
250,000 Units per ml., 4 ml.	5	3	*2.15	DL, GL
500,000 Units per ml., 2 ml.	5	3	*2.15	BT, EV, GL
1,000,000 Units in 3 ml.	5	3	*2.15	EV, GL
SULPHASALAZINE				
Ulcerative colitis.				
Oral Tablet 500 mg.	100	2	4.46	MR
SULTHIAME				
For use where other anticonvulsants have				
failed.				
Oral Tablet 50 mg.	200	1	4.57	FB
200 mg.	200	1	10.63	FB
SURGICAL CEMENT				
For use with surgical appliances.				
†Skin Bond Adhesive 4 fl. oz.	1	2	†2.25	DY
†Solvent 240 ml.	1	2	†1.65	LF

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
SUSTANON			\$	
Castration syndrome (male); Klinefelter Reifenstein Albright syndrome; Mammary carcinoma.				
Injection 100 mg.	1	..	2.57	OR
250 mg.	1	..	5.77	OR
TESTOSTERONE				
Castration syndrome (male); Klinefelter Reifenstein Albright syndrome; Mammary carcinoma.				
Implant 100 mg.	1	..	4.97	OR
200 mg.	1	..	8.57	OR
TESTOSTERONE METHYL				
Castration syndrome (male); Klinefelter Reifenstein Albright syndrome; Mammary carcinoma.				
Oral Tablet 25 mg.	100	2	4.74	KL, PR, PT
			5.10	HY
			6.30	ET
50 mg.	100	2	8.43	KL, PR, PT
			8.97	HY
			11.23	ET
Sublingual Tablet 25 mg.	100	..	10.94	CB

TESTOSTERONE OENANTHATE

(Testosterone Oen.)

Castration syndrome (male);
Klinefelter Reifenstein Albright syndrome;
Mammary carcinoma.

Injection 100 mg. in 1 ml.	1	..	2.57	SC
250 mg. in 1 ml.	1	..	5.77	SC

TESTOSTERONE PROPIONATE

(Testosterone Prop.)

Castration syndrome (male);
Klinefelter Reifenstein Albright syndrome;
Mammary carcinoma.

Injection 25 mg. in 1 ml.	10	..	3.90	KL
			*4.33	SC
50 mg. in 1 ml.	10	..	7.50	KL
			*8.04	SC
50 mg. per ml., 10 ml.	1	..	7.39	KL, PD, SC

TETANUS ANTITOXIN (BOVINE)

Patients who have previously received an
injection of equine serum.

Injection set containing 1,500 units and 15 units diluted 1 in 50	5	1	*10.30	CS

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
TETRACYCLINE			\$	
Brucellosis;				
Intestinal amoebiasis;				
Leptospirosis;				
Lymphogranuloma venereum;				
Psittacosis;				
Rickettsial infections;				
Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;				
Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Tablet 250 mg.	16	..	2.46	GP
Oral Capsule 100 mg.	25	..	1.93	GP, LE, UP
250 mg.	16	..	2.24	AH, BC, CS, GP, LE, SP(N),
			(ex 100)	UP
			2.46	AH, BC, CS, GP, LE, SP(N),
			(ex M.P.)	UP
Oral Paediatric Granules 75 G.	‡1	..	1.63	LE
Oral Paediatric Drops 100 mg. per ml., 10 ml.	‡1	..	0.83	LE, UP
Paediatric Syrup 125 mg. per 5 ml., 100 ml.	‡1	..	1.66	LE
Injection I.V. 100 mg. (solvent required)	5	..	*4.05	LE
I.V. 250 mg. (solvent required)	5	..	*7.10	LE
I.M. 100 mg. (solvent required)	5	..	*4.05	GP, LE
I.M. 250 mg. (solvent required)	5	..	*7.10	LE

TETRACYCLINE with NYSTATIN

Broad spectrum antibiotic therapy of premature infants;

Broad spectrum antibiotic treatment of patients under steroid therapy;

Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis;

A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for:-

Brucellosis;

Intestinal amoebiasis;

Leptospirosis;

Lymphogranuloma venereum;

Psittacosis;

Rickettsial infections;

Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins;

Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.

Oral Tablet 250 mg.-250,000 Units

Oral Capsule 100 mg.-125,000 Units

250 mg.-250,000 Units

Paediatric Syrup 125 mg.-125,000 Units
per 5 ml., 100 ml.

16

20

13

11

..

..

..

..

2.46

1.70

2.24

(ex100)

2.46

(ex M.P.)

1.66

SQ

LE, SQ, UP

BC, GP, LE, SQ, UP

BC, GP, LE, SQ, UP

LE

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
TETRACYCLINE (BUFFERED) Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.			\$	
Oral Capsule 100 mg.	25	..	1.93	AH, BC, CS, LE, SQ
250 mg.	16	..	2.24 (ex 100)	AH, BC, CS, GP, LE, SP(N), SQ, UP
			2.46 (ex M.P.)	AH, BC, CS, GP, LE, SP(N), SQ, UP
Paediatric Syrup 125 mg. per 5 ml., 100 ml.	11	..	1.66	AH, BC, GP, LE, UP
Oral Paediatric Drops 100 mg. per ml., 10 ml.	11	..	0.83	AH, BC, LE
TETRACYCLINE (BUFFERED) with AMPHOTERICIN B Broad spectrum antibiotic therapy of premature infants; Broad spectrum antibiotic treatment of patients under steroid therapy;				

Broad spectrum antibiotic therapy of cases complicated by intestinal moniliasis; A second or repeated course of broad spectrum antibiotic therapy in the treatment of patients for:- Brucellosis; Intestinal amoebiasis; Leptospirosis; Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Any bacterial infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur.				
Oral Paediatric Drops				
100 mg.-20 mg. per ml., 10 ml.	₹1	..	0.83	SQ
Paediatric Syrup				
125 mg.-25 mg. per 5 ml., 100 ml.	₹1	..	1.66	SQ
THIAMBUTOSINE				
Hansen's disease.				
Oral Tablet 500 mg.	100	2	2.10	CB
Injection 20% (oily suspension) in 5 ml.	20	..	5.10	CB

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
THIAMINE HYDROCHLORIDE			\$	
For the treatment of pensioners only.				
Oral Tablet 50 mg.	100	2	0.99 1.10	PT, RT(V), RY, SL(N) AD, DH, FA, HY, KL, MG, PR, SI
100 mg.	100	2	1.63 1.70	PT, QE(QNVS), RT(V), RY, SL(N) DH, HY, KL, MG, PR
THIETHYLPERAZINE				
Nausea resulting from cytotoxic therapy;				
Radiation sickness.				
Oral Tablet 6.5 mg.	25	..	0.97	SZ
Suppository 6.5 mg.	6	..	0.97	SZ
THIORIDAZINE				
For the treatment of pensioners for any disease or purpose.				
* * *				
For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treat- ment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				
* * *				

Authority necessary to prescribe (See Notes)for-				
Huntington's chorea;				
Late stage malignancy;				
Radiation sickness;				
Maintenance treatment of a mental disorder				
in a patient discharged from an approved				
hospital at which he received treatment for a				
mental disorder, and living in a place remote				
from an approved hospital.				
Oral Tablet 10 mg.	100	2	1.50	SZ
25 mg.	100	2	2.05	SZ
			(ex 500)	
			2.26	SZ
			(ex M.P.)	
50 mg.	100	2	3.90	SZ
100 mg.	100	2	7.50	SZ
Oral Solution 3%, (30 mg. per ml.) 30 ml.	1	4	1.39	SZ
Injection 25 mg. per ml., 2 ml.	10		3.22	SZ
TRETAMINE				
Treatment in neoplastic disease.				
Oral Tablet 2.5 mg.	5	..	*1.55	IC
Injection 5 mg.	1	..	*3.39	IC
TRIACETYLOLEANDOMYCIN				
Brucellosis;				
Eaton's agent (mycoplasma pneumoniae);				
Intestinal amoebiasis;				
Leptospirosis;				

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
TRIACETYLOLEANDOMYCIN - cont. Lymphogranuloma venereum; Psittacosis; Rickettsial infections; Staphylococcal septicaemia or staphylococcal pneumonia; Any bacterial infections or spirochaetal infections or actinomycosis or trachoma where these cannot be treated safely and effectively by sulphonamides or penicillins; Pre-operative and post-operative therapy where there are reasonable grounds for believing that infection may occur. Oral Capsule 250 mg. Oral Paediatric Suspension 125 mg. per 5 ml., 100 ml.	16 11		\$ 3.11 2.57	GP, WY GP, WY
TRIFLUOPERAZINE For the treatment of pensioners for any disease or purpose. * * * For the treatment of a mental disorder in a person who has been discharged from an approved hospital at which he received treatment for a mental disorder, on presentation of a certificate from that hospital that the person was a person for whose treatment that benefit may be prescribed.				

Authority necessary to prescribe (See Notes)for-
Huntington's chorea ;
Late stage malignancy;
Radiation sickness
Maintenance treatment of a mental disorder
in a patient discharged from an approved
hospital at which he received treatment for a
mental disorder, and living in a place remote
from an approved hospital.

Oral Tablet 1 mg.	100	2	3.20 (ex 500)	MB, SK
			3.59 (ex M.P.)	MB, SK
2 mg.	100	2	4.67 (ex 500)	MB, SK
			5.30 (ex M.P.)	MB, SK
5 mg.	100	2	5.94	MB, SK
Syrup 1 mg. per 5 ml., 100 ml.	11	4	1.31	SK
Injection 1 mg. in 1 ml.	10	..	2.87	SK
1 mg. per ml., 2 ml.	10	..	3.30	SK

TRIGLYDE

Authority necessary to prescribe (See Notes)for-
Proven malabsorption .
Powder 1 lb.

1	12	2.43	MJ

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
TRIMETAPHAN As a hypotensive in anaesthesia. Injection set containing 250 mg. and 5 ml. water for injections.	3	..	\$ 7.93	RO
VINBLASTINE Treatment in neoplastic disease. Injection 10 mg. (solvent required)	1	..	17.07	LY
VINCRISTINE Treatment in neoplastic disease. Injection 1 mg. 5 mg.	5 1		*65.05 51.35	LY LY
VIOMYCIN Tuberculosis. Injection 1 G. (solvent required)	5	3	*16.95	PD, PF
VITAMINS COMPOUND For the treatment of pensioners only. Oral Tablet B.P.C. Capsule Formula	100	1	0.73 0.78	AD, KL, PT, RT(V), RY, SI SL(N) BD, DH, GL, HY, MG, PR, TO, VR
Oral Capsule B.P.C.	100	1	0.78	FA

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

Approved Name, Manner of Administration, and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
ACRYLIC RESIN			\$	
Solution 100 ml. Aerosol Spray	1	..	5.90 6.97	PT EV, WB
BENZOIN				
Compound Tincture B.P.C. 35%, 167 ml. Aerosol Spray	1	..	2.59	LF
BISMUTH SUBGALLATE				
Powder 100 G. (4 oz.)	1	..	3.37	DH, EV
CHARCOAL				
Oral Tablet 300 mg.	500	1	2.43 2.77 2.97 4.30	AD, HY, QE(Q) TO RT(V) BW
CHLORAMINE				
Deodorant Tablet 120 mg.	500	..	1.69 1.79	DH PT
Powder 25 G. (1 oz.)	1	4	0.67 0.73	PT DH

DEODORANT DETERGENT SOLUTION

Solution

Terric N. 8, 120 G.; Spearmint Oil 1.6 ml.

Cetrimide B.P., 12 G., 16 fl.oz.

Lauryldimethyl benzyl ammonium chloride 15 G.;

Terric N. 8, 150 G. in 600 ml.

1

..

1.37

IC

1

..

1.70

LF

DIMETHICONE

Solution 9.84%, 220 G. Aerosol Spray

5%, 340 ml. Aerosol Spray

10%, 180 ml. Aerosol Spray

1

..

4.19

RK

1

..

4.97

BT

1

..

2.30

LF

SURGICAL CEMENT

†Adhesive Cement 2 oz. tube

†Skin Bond Adhesive 4 fl.oz.

†Solvent 240 ml.

1

2

†0.47

JA

1

2

†2.25

DY

1

2

†1.65

LF

TRAGACANTH INDIAN (GUM KARAYA)

†Powder 200 G.

1

..

†1.92

PT

†2.40

EV

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1-100 in 5%, mannitol, 2 ml.			\$	
AMINOCAPROIC ACID Oral Tablet 500 mg. Syrup 250 mg. per ml., 16 fl. oz. Oral Solution 250 mg. per ml., 20 ml. I.V. Injection 250 mg. per ml., 10 ml. Parenteral Injection 250 mg. per ml., 20 ml.				
ANGIOTENSIN AMIDE Injection 0.5 mg. (solvent required) 2.5 mg. (solvent required)				
AZATHIOPRINE Oral Tablet 50 mg. 100 mg.				
BECLAMIDE Oral Tablet 500 mg.				
CAPREOMYCIN Injection 1 G. (solvent required)				
CARBENICILLIN Injection 1 G. (solvent required)				

CARBENOXOLONE

Oral Tablet 50 mg.

CEPHALORIDINE

Injection 250 mg.

500 mg.

1 G.

CLOXACILLIN

Oral Capsule 250 mg.

Injection 250 mg. (solvent required)

Oral Suspension 125 mg. per 5 ml., 100 ml.

CYCLOSERINE

Oral Tablet 250 mg.

Oral Capsule 250 mg.

DEFERRIOXAMINE

Injection 500 mg.

DITOPHAL

Liquid 250 ml.

FLUFENAMIC ACID

Oral Capsule 100 mg.

FOLINIC ACID

Injection 3 mg. in 1 ml.

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY.

Approved Name, Manner of Administration, Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Manufacturer
GENTAMICIN SULPHATE Injection 40 mg. (base) per ml., 2 ml.			\$	
GUANACLINE Oral Tablet 30 mg.				
HEXACHLOROPHANE Lotion (3%) with Entsufof 6 fl.oz. Lotion (3%) with Terric N.8 4 fl.oz. Soap Solution (1.5%) 10 fl.oz. Solution (3%) with Chloroxylenol, 6 fl.oz.				
KITASAMYCIN Oral Tablet 100 mg. 200 mg. I.V. Injection set containing 200 mg. and 2 x 10 ml. ampoules of saline solution.				
METHOTREXATE Injection 5 mg. 50 mg.				
METYRAPONE Oral Capsule 250 mg.				
ORCIPRENALINE Injection 0.5 mg.				

PARGYLINE

Oral Tablet 10 mg.

25 mg.

PROPRANOLOL

Oral Tablet 40 mg.

Injection 1 mg. in 1 ml.

1 mg. per ml., 5 ml.

PYRAZINAMIDE

Oral Tablet 0.5 G.

SULPHOMYXIN

Injection 500,000 Units

TETRACOSACTRIN

Injection set containing 250 micrograms and

2 ml. solution

1 mg. in 1 ml.

2 mg. in 2 ml.

THYROTROPHIN

Injection 10 Units

TRASYLOL

Injection 25,000 K.I.U. in 5 ml.

100,000 K.I.U. in 10 ml.

VADRINE

Oral Tablet 500 mg.

SECTION 4

SCHEDULE OF BENEFITS

DRUGS AVAILABLE FOR EXTEMPORANEOUS PREPARATIONS

✓ AUGUST 1969

DRUG	DRUG
Acetone, BPC. (may only be prescribed as an additive)	ALCOHOLS 95%, BP (may only be prescribed as an additive) 90%, BP (may only be prescribed as an additive)
ACIDS	Aloes, Powder BP
Acetic, BP	Aloin, BPC
Acetic, Dilute, BP	Alum, BP
Benzoic, BP	Aluminium Hydroxide Gel Dried, BP
Boric, Crystal, BP	Amaranth, BPC 54
Boric, Powder, BP	Amethocaine Hydrochloride, BP (may only be prescribed as an additive)
Citric, BP	Aminacrine Hydrochloride, BP
Hydrochloric, BP	Aminophylline, BP
Hydrochloric, Dilute, BP	Ammoniated Mercury, BP
Hydrocyanic, Dilute, BPC 54	AMMONIUM
Hypophosphorous, Dilute, BPC 63	Bicarbonate, BPC
Lactic, BP	Bromide, BPC 63
Oleic, BP	Chloride, BP
Phosphoric, BP	Amylobarbitone, BP
Phosphoric, Dilute, BP 63	Amylobarbitone Sodium, BP
Salicylic, BP	Application Benzyl Benzoate, BP
Stearic, BPC	Aspirin, BP
Sulphuric, Dilute, BPC	Atropine, BP
Tannic, BP	Atropine Methonitrate, BP
Tartaric, BP	Atropine Sulphate, BP
Trichloroacetic, BP	
Acriflavine, BPC 63	Balsam, Peru, BPC
Adrenaline, BP	Balsam, Tolu, BP
Adrenaline Acid Tartrate, BP	
Agar, BPC 54	

Beeswax White, BP
Beeswax Yellow, BPC
Bentonite, BP
Benzocaine, BP
Benzyl Alcohol, BP
Benzyl Benzoate, BP
Bismuth Subgallate, BPC
Borax, BP
Brilliant Green, BP
Butyl-Aminobenzoate, BP 53

Caffeine, BP
Caffeine Citrate, BPC 59
Caffeine and Sodium Benzoate, BPC 54
Calamine, BP

CALCIUM

Carbonate, BP
Chloride, BP
Gluconate, BP
Hydroxide, BP
Lactate, BP
Phosphate, BPC

Camphor, BP

(may only be prescribed as an additive)

Cetomacrogol Emulsifying Wax, BPC
Cetostearyl Alcohol, BP
Cetrimide, BP
Chalk, Prepared, BP
Chloral Hydrate, BP
Chlorbutol, BP
Chlorhexidine Diacetate

(may only be prescribed in ear and eye drops)

Chlorhexidine Hydrochloride, BP
Chlorinated Lime, BP
Chlorocresol, BP
Chloroform, BP
(may only be prescribed as an additive)

Cocaine, BP
Cocaine Hydrochloride, BP
Codeine, BPC 54
Codeine Phosphate, BP
Collodion Flexible, BP
Colophony, BP
Copper Sulphate, BPC

CREAMS

Aqueous, APF
Aqueous, BP
Aqueous Emulsifying Wax, APF 55
Calamine Oily, APF
Cetomacrogol, Aqueous, APF
Cetrimide, Aqueous, APF
Cholesterol Oily, APF 55
Oily, BP
Zinc, BP
Zinc Oily, APF
Creosote, BPC 59
Crystal Violet, BP

Dextrose, BP
(may only be prescribed as an additive)
Dextrose Monohydrate, BP
(may only be prescribed as an additive)

DRUG	DRUG
Dibutyl Phthalate, BP 63	FERROUS
Dicophane, BP	Gluconate, BP
Dimethyl Phthalate, BP	Sulphate, BP
Disodium Edetate, BP	Sulphate, Dried, BP
Dithranol, BP	Fluorescein Sodium, BP
ELIXIR	Gelatin, BP
Cascara, BP	Glycerin, BP
Emulsifying Wax, BP	GLYCERINS
EMULSION	Borax, BPC 59
Paraffin Liquid, APF	Boric Acid, BP 48
(may only be prescribed as a pensioner benefit)	Ichthammol, BPC
Ephedrine, BPC	Phenol, BP
Ephedrine Hydrochloride, BP	(not available for ear drops)
Ether Anaesthetic, BP	GUMS
(may only be prescribed as an additive)	Acacia, BP
Ether Solvent, BP	Tragacanth, BP
Eucalyptol, BPC	Homatropine Hydrobromide, BP
EXTRACTS	Honey, Purified, BPC
Cascara, Liquid, BP	(may only be prescribed as an additive)
Ergot, Liquid, BP 14	Hydrogen Peroxide, 20 Volume, BP
Hamamelis, Liquid, BPC	Ichthammol, BP
Hyoscyamus, Liquid, BP	INFUSIONS
Ipecacuanha, Liquid, BP	Buchu, Concentrated, BPC 54, 1 in 8
Liquorice, Liquid, BP	Calumba, Concentrated, BP 48, 1 in 8
Male Fern, BP	Clove, Concentrated, BPC 54, 1 in 8
Nux Vomica, Liquid, BP	Gentian Compound, Concentrated, BP 1 in 10
Stramonium, Liquid, BP	Gentian Compound, Concentrated BP 63, 1 in 8
Ferric Ammonium Citrate, BP	

INFUSIONS - cont.

Senega Concentrated, BPC, 1 in 10
Senega, Concentrated, BPC 63, 1 in 8
Iodine, BP
Iodoform, BPC 54
Isoprenaline Sulphate, BP

Kaolin, Heavy, BP
Kaolin, Light, BP

Lactose, BP
Lanette Wax, S.X.
Lard, Benzoinated, BPC 54

LINIMENTS

Camphor, BP
Iodine Compound, APF 55
Methyl Salicylate, APF
Methyl Salicylate Compound, APF
Soap Methylated, BPC
Turpentine, BP

LOTION

Calamine, BP

Magenta, BPC

MAGNESIUM

Carbonate, Heavy, BP
Carbonate, Light, BP
Oxide, Light, BP
Sulphate, BP
Sulphate, Dried, BP
Trisilicate, BP
Menthol, BP

Mercuric Chloride, BP
Methylcellulose, BP
Methylene Blue, BP

METHYL

Hydroxybenzoate, BP
Salicylate, BP

MIXTURES

Aluminium Hydroxide, APF
Magnesium Hydroxide, BP
Senna Compound, BPC 59
Morphine Hydrochloride, BP
Morphine Sulphate, BP

MUCILAGES

Acacia, APF
Methylcellulose, APF
Tragacanth, BPC

OILS

Almond Volatile Bitter, BPC 59
Anise, BP
Arachis, BP
(may only be prescribed as an additive)
Cade, BPC
Caraway, BPC
(may only be prescribed as an additive)
Castor, BP
Citronella, BPC
(may only be prescribed as an additive)
Clove, BP
Coconut, BPC 49
Cod Liver, BP

Drug	Drug
OILS - cont. Cotton Seed, BP (may only be prescribed as an additive) Eucalyptus, BP Lavender, Spike, BPC Maize, BP (may only be prescribed as an additive) Olive, BP (may only be prescribed as an additive) Peppermint, BP Pumilio Pine, BPC Rosemary, BPC Siberian Fir, BPC 49 Theobroma, BP Turpentine, BP	OINTMENTS - cont. Paraffin, Yellow, BP Phenol, BP 48 Salicylic Acid, BP Simple, White, BP Simple, Yellow, BP Sulphur, BP Tar, BPC 59 Wool Alcohols, BP Zinc, BP Zinc and Castor Oil, BP OPHTHALMIC Phosphate Buffers, APF 55 Cetrimide Chlorbutol Paraben Vehicles, APF 55 Cetrimide Chlorbutol Oily Paraben Thickened Oxymel, BPC Oxymel of Squill, BPC Paint Magenta, APF Papaverine Hydrochloride, BP Paracetamol, BP Paraffin Hard, BP
OINTMENTS Ammoniated Mercury, BP Benzocaine and Adrenaline, APF Benzoic Acid Compound, APF Capsicum, BPC Cod Liver Oil, APF Emulsifying, BP Gall and Opium, BPC 63 Hamamelis, BPC Iodine, Non-staining, APF Iodine, Non-staining, BPC Menthol Compound, APF Methyl Salicylate, BPC Paraffin, White, BP	

Paraffin Liquid, BP
Paraffin Liquid, Light, BPC 63
Paraffin, Soft, White, BP
Paraffin, Soft, Yellow, BP
Paraldehyde, BP

PASTES

Zinc Compound, BP
Zinc and Salicylic Acid, BP
Pectin (Apple or Citrus)
Pentobarbitone Sodium, BP
Phenazone, BPC
Phenobarbitone, BP
Phenobarbitone Sodium, BP
Phenol, BP
(not available for ear drops)
Phenol, Liquefied, BP
(not available for ear drops)
Phenolphthalein, BP
Phenylephrine Hydrochloride, BP
Phenylmercuric Nitrate, BP
Pholcodine, BP
Phthalylsulphathiazole, BP
Physostigmine, BPC
Physostigmine Salicylate, BP
Pilocarpine Hydrochloride, BPC
Pilocarpine Nitrate, BP
Podophyllum Resin, BP

POTASSIUM

Bromide, BP
Chlorate, BPC
Chloride, BP
Citrate, BP

POTASSIUM - cont.

Hydroxide, BP
Iodide, BP
Nitrate, BP
Permanganate, BP

POWDERS

Hydroxybenzoate Compound, APF
Ipecacuanha and Opium, BPC
Rhubarb, BP
Tragacanth Compound, BP
Procaine Hydrochloride, BP
Proflavine Hemisulphate, BP
Propylene Glycol, BP
Propyl Hydroxybenzoate, BP

Quinalbarbitone Sodium, BP
Quinidine Sulphate, BP

Resorcinol, BP

Saccharin Sodium, BP
(may only be prescribed as an additive)

Silver Nitrate, BP
Silver Protein, BPC
Silver Protein, Mild, BPC

SOAPS

Ethereal, APF 55
Soft, BP

SODIUM

Acid Phosphate, BP
Aminosalicylate, BP
Benzoate, BP
Bicarbonate, BP

Drug	Drug
SODIUM - cont.	SOLUTIONS - cont.
Bromide, BP	Calcium Hydroxide, BP
Chloride, BP	Carminc, APF
Citrate, BP	(may only be prescribed as an additive)
Hydroxide, BP	Chlorhexidine Gluconate, BP
Iodide, BP	Coal Tar, BP
Metabisulphite, BP	Formaldehyde, BP
Nitrite, BPC	Iodine Aqueous, BP
Phosphate, BP	Iodine, Simple, BPC 59
Salicylate, BP	Iodine, Weak, BP
Sulphate, BP	Lead Subacetate, Dilute, BPC
Thiosulphate, BPC	Lead Subacetate, Strong, BPC
(may only be prescribed as an additive)	Morphine Hydrochloride, BP
SOLUTIONS	Nasal, Concentrated, APF 55
Adrenaline, BP	Potassium Hydroxide, BP
Adrenaline Hydrochloride, BP 53	Sodium Chloride, BPC
Aluminium Acetate, BPC	Tartrazine, APF
Amaranth, APF	SPIRITS
Amaranth, BPC	Ammonia, Aromatic, BPC
Amaranth, Compound, APF	Anise, BPC 49
Ammonia, Dilute, BPC	Camphor, BPC 59
Ammonia, Strong, BPC	Chloroform, BP
Ammonium Acetate, Strong, BPC	Cinnamon, BPC 49
Benedict's Qualitative, APF	Ether, Nitrous, BPC 59
Benzalkonium Chloride, 50%, BP	Methylated, Industrial
Benzoic Acid, APF	(may only be prescribed as an additive)
Benzoic Acid, BPC	Peppermint, BPC
Burnt Sugar	Starch, BP
(may only be prescribed as an additive)	Streptomycin Sulphate, BP
	(may only be prescribed in ear drops)

Succinylsulphathiazole, BP

Sucrose, BP

Sulphacetamide Sodium, BP

Sulphadiazine, BP

Sulphadimidine, BP

Sulphur, Precipitated, BP

Sulphur, Sublimed, BPC

Sulphurated Potash, BPC

SYRUPS

Aromatic, APF

Chloral, BPC

Codeine Phosphate, BPC

Ferrous Phosphate Compound, BPC

Ferrous Phosphate with Quinine
and Strychnine, BPC

Ginger, BPC

Glucose, Liquid, BPC 63

Glycerophosphate Compound, APF

Golden, Acidified, APF 55

Lemon, APF

Lemon, BP 58

Lemon, Neutral, APF

Orange, BPC

Pholcodine Citrate, BPC 59

Raspberry, BPC

Red, APF

Simple, BP

Squill, BPC

Tolu, BP

Talc, Purified, BP

Tar, BP

Tar, Coal, BPC

Tar, Coal, Prepared, BP

Tartrazine, BPC 54

Theophylline, BP

Theophylline Hydrate, BP

Thymol, BP

Thymol, Mouth Wash, Compound, APF

TINCTURES

Belladonna, BP

Benzoin, BPC

Benzoin, Compound, BPC

Capsicum, BPC

Cardamom, Aromatic, BPC

Cardamom, Compound, BP

Catechu, BPC

Cochineal, BP 48

Colchicum, BP

Cudbear, APF 47

Gelsemium, BPC

Gentian Compound, BP

Ginger, Strong, BP

Ginger, Weak, BP

Hyoscyamus, BP

Ipecacuanha, BP

Lemon, BP 58

Lobelia, Ethereal, BPC

Myrrh, BPC

Nux Vomica, BP

Opium, BP

DRUG	DRUG
TINCTURES - cont.	
Opium, Camphorated, BP	Wool Alcohols, BP
Orange, BPC	Wool Fat, BP
Quillaia, BPC	Wool Fat, Hydrous, BP
Rhubarb Compound, BP	
Squill, BPC	Xylene of commerce
Stramonium, BP	(may only be prescribed as an additive)
Strophanthus, BP 48	
Valerian, Ammoniated, BPC 63	ZINC
Titanium Dioxide, BPC	Gelatin, BPC
Tragacanth Gel, APF	Oxide, BP
Triethanolamine, BPC	Sulphate, BP
Urethane, BP 63	
Vanillin, BPC	
Vinegar of Squill, BPC	
WATERS	
Anise, Concentrated, BPC, 1 in 40	
Anise, Concentrated, BPC 63, 1 in 40	
Camphor, Concentrated, BPC 49, 1 in 40	
Chlorbutol, APF 55	
Chloroform, Concentrated, BPC 59, 1 in 40	
Cinnamon, Concentrated, BPC, 1 in 40	
For injections, BP ‡ 100 ml.	
(extemporaneously prepared eye drops only)	
Peppermint, Concentrated, BP, 1 in 40	
Potable	
Purified or Distilled, BP	

TABLE OF CODES, MAXIMUM METRIC QUANTITIES AND NUMBER OF REPEATS FOR

EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty or No. of Units	Number of Repeats
10	Applications	200 ml.	2	34	Other Linctuses	100 ml.	4
11	Capsules	12	1	38	Liniments	100 ml.	1
12	Collodions	15 ml.	2	39	Lotions	200 ml.	2
35	Confections	100 G.	2	58	Magmas	100 ml. or 100 G.	1
13	Creams	100 G.	1	40	Mixtures	200 ml.	4
14	Draughts	200 ml.	4	41	Mixtures for Children	100 ml.	4
15	Ear Drops	15 ml.	2	30	Mouth Washes	200 ml.	1
16	Elixirs	100 ml.	4	60	Mucilages	100 ml.	..
17	Emulsions	400 ml.	4	42	Nasal Instillations	15 ml.	2
18	Enemas	100 ml.	1	43	Ointments, Waxes	100 G.	1
19	Extracts, Fluid	100 ml.	1	44	Paints	25 ml.	1
20	Eye Drops of Physostigmine	15 ml.	6	57	Parogens	100 ml.	2
21	Eye Drops of Pilocarpine	15 ml.	6	45	Pastes	100 G.	1
22	Other Eye Drops	15 ml.	2	46	Pessaries	12	1
23	Eye Lotions	200 ml.	1	47	Poultices	500 G.	1
24	Eye Ointments	5 G.	..	48	Powders, Dusting	100 G.	1
25	Gargles	200 ml.	4	49	Powders for internal use	100 G.	2
26	Gelatins	100 G.	1	50	Powders, Individual	12	1
27	Glycanths	100 G.	1	61	Powders, Irrigation	100 G.	1
28	Glycerins	100 ml.	1	51	Soaps	200 ml.	1
29	Inhalations	50 ml.	1	52	Solutions	200 ml.	2
37	Inhalations Solid	4 G.	1	59	Spirits	25 ml.	..
32	Irrigations	200 ml.	1	53	Sprays	15 ml.	2
33	Insufflations	25 G.	1	54	Suppositories	12	1
31	Injectons - Ampoules	5 amps.	1	55	Syrups	100 ml.	4
	Vials	1 vial	1	56	Tinctures	25 ml.	1
34	Linctuses of Codeine and Morphine	100 ml.	2	62	Unna's Paste	200 G.	..
34	Linctuses of Codeine and Morphine (for children)	100 ml.	4				

TABLE OF CODES, MAXIMUM IMPERIAL QUANTITIES AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty or No. of Units	Number of Repeats	Code	Preparation	Maximum Qty or No. of Units	Number of Repeats
10	Applications	8 fl. oz.	2	34	Other Linctuses	4 fl. oz.	4
11	Capsules	12	1	38	Liniments	4 fl. oz.	1
12	Collodions	240 min.	2	39	Lotions	8 fl. oz.	2
35	Confections	4 oz.	2	58	Magmas	4 fl. oz. or 4 oz.	1
13	Creams	4 oz.	1	40	Mixtures	8 fl. oz.	4
14	Draughts	8 fl. oz.	4	41	Mixtures for Children	4 fl. oz.	4
15	Ear Drops	1/2 fl. oz.	2	30	Mouth Washes	8 fl. oz.	1
16	Elixirs	4 fl. oz.	4	60	Mucilages	4 fl. oz.	..
17	Emulsions	16 fl. oz.	4	42	Nasal Instillations	1/2 fl. oz.	2
18	Enemas	4 fl. oz.	1	43	Ointments, Waxes	4 oz.	1
19	Extracts, Fluid	4 fl. oz.	1	44	Paints	1 fl. oz.	1
20	Eye Drops of Physostigmine	240 min.	6	57	Parogens	4 fl. oz.	2
21	Eye Drops of Pilocarpine	240 min.	6	45	Pastes	4 oz.	1
22	Other Eye Drops	240 min.	1	46	Pessaries	12	1
23	Eye Lotions	8 fl. oz.	1	47	Poultices	1 lb.	1
24	Eye Ointments	60 gr.	..	48	Powders, Dusting	4 oz.	1
25	Gargles	8 fl. oz.	4	49	Powders for internal use	4 oz.	2
26	Gelatins	4 oz.	1	50	Powders, Individual	12	1
27	Glycanths	4 oz.	1	61	Powders, Irrigation	4 oz.	1
28	Glycerins	4 fl. oz.	1	51	Soaps	8 fl. oz.	1
29	Inhalations	2 fl. oz.	1	52	Solutions	8 fl. oz.	2
37	Inhalations, Solid	60 gr.	1	59	Spirits	1 fl. oz.	..
32	Irrigations	8 fl. oz.	1	53	Sprays	1/2 fl. oz.	2
33	Insufflations	1 oz.	1	54	Suppositories	12	1
31	Irjections - Ampoules	5 amps.	1	55	Syrups	4 fl. oz.	4
	Vials	1 vial.	1	56	Tinctures	1 fl. oz.	1
34	Linctuses of Codeine and Morphine	4 fl. oz.	2	62	Unna's Paste	8 oz.	..
34	Linctuses of Codeine and Morphine (for children)	4 fl. oz.	4				

SECTION 5 — PRESCRIBERS' LIST

AUGUST 1969

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml and 2 Repeats)

BENZYL BENZOATE with DICOPHANE

Benzyl Benzoate	..	..	..	50 G
Dicophane	..	..	..	4 G
Emulsifying Wax	..	..	..	4 G
Purified Water to	..	..	..	200 ml

DICOPHANE

Dicophane	..	..	..	4 G
Emulsifying Wax	..	..	..	8 G
Xylene of commerce	..	..	..	30 ml
Citronella Oil	..	..	..	1 ml
Purified Water to	..	..	..	200 ml

CREAMS

(Maximum Quantity 100 G and 1 Repeat)

ALUMINIUM ACETATE, OILY

Aluminium Acetate Solution	..	..	..	5 ml
Zinc Oxide	..	..	..	20 G
Wool Fat	..	..	..	25 G
Arachis Oil	..	..	..	25 ml
Purified Water	..	..	..	27 ml

PRESCRIPTION

AQUEOUS

Emulsifying Wax	..	..	..	10 G
Hard Paraffin	..	..	..	6 G
Liquid Paraffin	..	..	..	27 G
Compound Hydroxybenzoate				
Powder, A.P.F.	..	..	..	100 mg
Purified Water to	..	..	..	100 G

BUFFERED, AQUEOUS

Sodium Phosphate	..	..	..	2.5 G
Citric Acid	..	..	..	500 mg
Compound Hydroxybenzoate				
Powder, A.P.F.	..	..	..	100 mg
Emulsifying Ointment	..	..	..	30 G
Purified Water to	..	..	..	100 G

CALAMINE, AQUEOUS

Calamine	..	..	..	4 G
Zinc Oxide	..	..	..	3 G
Emulsifying Wax	..	..	..	6 G
Arachis Oil	..	..	..	40 ml
Purified Water to	..	..	..	100 G

CALAMINE, OILY

Calamine	..	..	..	32 G
Oleic Acid	..	..	..	0.5 ml
Arachis Oil	..	..	..	21.5 ml
Wool Fat	..	..	..	17.5 G
Calcium Hydroxide Solution	..	..	..	30.5 ml

PREScription

CREAMS—*cont.*

CETOMACROGOL, AQUEOUS

Cetomacrogol Emulsifying Wax	..	15 G
Liquid Paraffin	..	15 G
White Soft Paraffin	..	10 G
Glycerin	..	10 ml
Chlorocresol	..	100 mg
Purified Water to	..	100 G

CETRIMIDE, AQUEOUS

Cetrimide	..	500 mg
Cetostearyl Alcohol	..	5 G
Liquid Paraffin	..	50 G
Purified Water to	..	100 G

CHLORHEXIDINE, AQUEOUS

Chlorhexidine Gluconate Solution	..	5 ml
Cetomacrogol Emulsifying Wax	..	25 G
Liquid Paraffin	..	10 G
Purified Water to	..	100 G

COAL TAR and ZINC

Coal Tar, B.P.C.	..	1 G
Castor Oil	..	1 G
Zinc Cream	..	98 G

COLD

White Beeswax	..	20 G
Liquid Paraffin	..	60 G
Borax	..	1 G
Purified Water	..	19 G

PREScription

GLYCERIN, OILY

Glycerin	..	20 G
Calcium Hydroxide Solution	..	32 ml
Arachis Oil	..	22 G
Wool Fat	..	26 G

ICHTHAMMOL and ZINC, OILY

Ichthammol	..	5 G
Cetostearyl Alcohol	..	3 G
Wool Fat	..	10 G
Oily Zinc Cream	..	82 G

OILY

Wool Alcohols Ointment	..	50 G
Purified Water	..	50 G

SALICYLIC ACID and RESORCINOL, AQUEOUS

Salicylic Acid	..	2 G
Resorcinol	..	2 G
Aqueous Cream, A.P.F. to	..	100 G

SALICYLIC ACID and SULPHUR, AQUEOUS

Salicylic Acid	..	2 G
Precipitated Sulphur	..	2 G
Spike Lavender Oil	..	0.5 ml
Aqueous Cream, A.P.F. to	..	100 G

PRESCRIPTION

CREAMS—cont.

ZINC, OILY

Zinc Oxide	..	..	..	..	32 G
Oleic Acid	..	..	..	..	0.5 ml
Arachis Oil	..	..	..	..	21.5 ml
Wool Fat	..	..	..	..	17.5 G
Calcium Hydroxide Solution	..	..	..	..	30.5 ml

ZINC, WEAK

Zinc Oxide	..	..	..	..	5 G
Oleic Acid	..	..	..	..	0.5 ml
Arachis Oil	..	..	..	..	38.5 ml
Wool Fat	..	..	..	..	25 G
Calcium Hydroxide Solution	..	..	..	..	34.5 ml

DUSTING POWDERS

(Maximum Quantity 100 G and 1 Repeat)

BORIC TALC

Boric Acid	..	..	..	..	5 G
Starch	..	..	..	..	10 G
Purified Talc	..	..	..	..	85 G

DICOPHANE

Dicophane	..	..	..	..	10 G
Calcium Carbonate	..	..	..	..	10 G
Light Kaolin	..	..	..	..	80 G

PRESCRIPTION

KAOLIN COMPOUND

Light Kaolin	..	..	..	..	25 G
Zinc Oxide	..	..	..	..	25 G
Purified Talc	..	..	..	..	50 G

SALICYLIC ACID, COMPOUND

Salicylic Acid	..	..	..	..	3 G
Boric Acid	..	..	..	..	5 G
Purified Talc	..	..	..	..	92 G

ZINC, COMPOUND

Boric Acid	..	..	..	..	5 G
Zinc Oxide	..	..	..	..	25 G
Purified Talc	..	..	..	..	35 G
Starch	..	..	..	..	35 G

EAR DROPS

(Maximum Quantity 15 ml and 2 Repeats)

ALUMINIUM ACETATE

Aluminium Acetate Solution	..	..	..	..	9 ml
Purified Water to	..	..	..	..	15 ml

BORIC ACID

Boric Acid	..	..	..	..	300 mg
Industrial Methylated Spirit	..	..	..	..	3 ml
Purified Water to	..	..	..	..	15 ml

PRESCRIPTION

EAR DROPS—cont.

CHLORHEXIDINE

Chlorhexidine Diacetate	..	..	7.5 mg
Purified Water to	..	..	15 ml

HYDROGEN PEROXIDE

Hydrogen Peroxide Solution	..	..	3.75 ml
Purified Water to	..	..	15 ml

ICHTHAMMOL

Ichthammol	..	..	10 G
Glycerin	..	..	90 G

PHENYLMERCURIC NITRATE

Phenylmercuric Nitrate	..	..	15 mg
Propylene Glycol to	..	..	15 ml

SALICYLIC ACID

Salicylic Acid	..	..	300 mg
Industrial Methylated Spirit	..	..	7.5 ml
Purified Water to	..	..	15 ml

SODIUM BICARBONATE

Sodium Bicarbonate	..	..	600 mg
Glycerin	..	..	11.25 ml
Purified Water to	..	..	15 ml

SPIRIT

Industrial Methylated Spirit	..	..	7.5 ml
Purified Water to	..	..	15 ml

PRESCRIPTION

ELIXIRS

(Maximum Quantity 100 ml and 4 Repeats)

EPHEDRINE

Ephedrine Hydrochloride	..	..	20 mg
Aromatic Syrup, A.P.F.	..	..	2 ml
Concentrated Chloroform Water	..	..	0.1 ml
Water to	..	..	5 ml

PHENOBARBITONE

Phenobarbitone	..	..	15 mg
Alcohol (90 per cent)	..	..	2 ml
Glycerin	..	..	1.5 ml
Aromatic Syrup, A.P.F. to	..	..	5 ml

EMULSION

(Maximum Quantity 400 ml and 4 Repeats)

LIQUID PARAFFIN

Liquid Paraffin	..	..	200 ml
Acacia	..	..	50 G
Saccharin Sodium	..	..	20 mg
Benzoic Acid Solution, A.P.F.	..	..	10 ml
Vanillin	..	..	200 mg
Chloroform	..	..	1 ml
Purified Water to	..	..	400 ml

(May be prescribed for pensioners only)

PRESCRIPTION

EYE DROPS

(Maximum Quantity 15 ml and 2 Repeats)

ZINC and ADRENALINE

Zinc Sulphate	37.5 mg
Adrenaline Solution	1.5 ml
Boric Acid	225 mg
Sodium Metabisulphite	7.5 mg
Chlorbutol	75 mg
Glycerin	0.15 ml
Water for Injections to	15 ml

ZINC SULPHATE

Zinc Sulphate	37.5 mg
Boric Acid	225 mg
Chlorbutol	75 mg
Glycerin	0.15 ml
Water for Injections to	15 ml

INHALATIONS

(Maximum Quantity 50 ml and 1 Repeat)

BENZOIN

Compound Benzoin Tincture B.P.C. ..	50 ml

MENTHOL and BENZOIN

Menthol	1 G
Compound Benzoin Tincture B.P.C. to ..	50 ml

PRESCRIPTION

MENTHOL and EUCALYPTUS

Menthol	1 G
Eucalyptus Oil	6.25 ml
Light Magnesium Carbonate	3.5 G
Water to	50 ml

MENTHOL and PINE

Menthol	1 G
Creosote	1 ml
Pumilio Pine Oil	2.5 ml
Industrial Methylated Spirit to ..	50 ml

LINCTUSES

(Except where shown, Maximum Quantity 100 ml and 4 Repeats)

CAMPHOR COMPOUND

Camphorated Opium Tincture ..	2 ml
Oxymel of Squill	1 ml
Syrup to	5 ml

CODEINE

(Maximum Quantity 100 ml and 2 Repeats)

Codeine Phosphate	25 mg
Water	1 ml
Glycerin	1 ml
Oxymel of Squill	2 ml
Syrup to	5 ml

PREScription

LINCTUSES—*cont.*

PHOLCODINE

Pholcodine	..	..	..	..	5 mg
Citric Acid	..	..	..	..	50 mg
Chloroform Spirit	..	..	..	..	0.3 ml
Compound Amaranth Solution, A.P.F.	..	..	..	..	0.1 ml
Glycerin	..	..	..	..	1 ml
Syrup to	..	..	..	..	5 ml

SIMPLE

Citric Acid	..	..	..	..	200 mg
Chloroform Spirit	..	..	..	..	0.3 ml
Amaranth Solution, A.P.F.	..	..	..	..	0.1 ml
Concentrated Anise Water	..	..	..	..	0.1 ml
Syrup to	..	..	..	..	5 ml

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

CAMPBOR

Camphor	..	..	..	..	20 G
Arachis Oil	..	..	..	..	80 G

METHYL SALICYLATE

Methyl Salicylate	..	..	..	..	25 ml
Arachis Oil to	..	..	..	..	100 ml

PREScription

METHYL SALICYLATE, COMPOUND

Menthol	..	..	..	..	4 G
Eucalyptus Oil	..	..	..	..	10 ml
Methyl Salicylate	..	..	..	..	25 ml
Arachis Oil to	..	..	..	..	100 ml

SOAP

Camphor	..	..	..	..	4 G
Oleic Acid	..	..	..	..	4 G
Potassium Hydroxide Solution, (5 per cent)	..	..	..	..	14 ml
Industrial Methylated Spirit	..	..	..	..	70 ml
Rosemary Oil	..	..	..	..	1.5 ml
Purified Water to	..	..	..	..	100 ml

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

CALAMINE

Calamine	..	..	..	..	30 G
Zinc Oxide	..	..	..	..	10 G
Bentonite	..	..	..	..	6 G
Sodium Citrate	..	..	..	..	1 G
Liquefied Phenol	..	..	..	..	1 ml
Glycerin	..	..	..	..	10 ml
Purified Water to	..	..	..	..	200 ml

PREScription

LOTIONS—*cont.*

CALAMINE OILY

Calamine	..	..	..	..	10 G
Wool Fat	..	..	..	..	2 G
Arachis Oil	..	..	..	..	100 ml
Oleic Acid	..	..	..	..	1 ml
Calcium Hydroxide Solution to	..	..	..	..	200 ml

RESORCINOL COMPOUND

Resorcinol	..	..	..	..	5 G
Solvent Ether	..	..	..	..	5 ml
Castor Oil	..	..	..	..	5 ml
Spike Lavender Oil	..	..	..	..	0.2 ml
Industrial Methylated Spirit to	..	..	..	..	200 ml

SULPHURATED

Zinc Sulphate	..	..	..	..	10 G
sulphurated Potash	..	..	..	..	10 G
Acetone	..	..	..	..	10 ml
Glycerin	..	..	..	..	10 ml
Spike Lavender Oil	..	..	..	..	0.4 ml
Purified Water to	..	..	..	..	200 ml

ZINC SULPHATE

Zinc Sulphate	..	..	..	..	2 G
Amaranth Solution, A.P.F.	..	..	..	..	2 ml
Purified Water to	..	..	..	..	200 ml

PREScription

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

ALUMINIUM HYDROXIDE with BELLADONNA

Belladonna Tincture	..	..	..	..	0.5 ml
Mixture of Aluminium Hydroxide	..	..	..	..	10 ml
A.P.F. to	..	..	..	..	10 ml

ALUMINIUM HYDROXIDE with KAOLIN and OPIUM

Light Kaolin	..	..	..	..	2 G
Opium Tincture	..	..	..	..	0.3 ml
Mixture of Aluminium Hydroxide	..	..	..	..	10 ml
A.P.F. to	..	..	..	..	10 ml

ALUMINIUM HYDROXIDE with PROCAINE

Procaine Hydrochloride	..	..	..	..	100 mg
Mixture of Aluminium Hydroxide	..	..	..	..	10 ml
A.P.F. to	..	..	..	..	10 ml

AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium	..	..	..	..	20 mg
Ephedrine Hydrochloride	..	..	..	..	15 mg
Potassium Iodide	..	..	..	..	500 mg
Aminophylline	..	..	..	..	100 mg
Liquorice Liquid Extract	..	..	..	..	0.5 ml
Chloroform Water Concentrated	..	..	..	..	0.25 ml
Water to	..	..	..	..	10 ml

PREScription

MIXTURES—*cont.*

ASPIRIN

Aspirin	.. 500 mg
Compound Tragacanth Powder	.. 200 mg
Orange Syrup	.. 1 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

Additional drugs may be required to be prescribed with this mixture, and the following doses are considered suitable for addition to each 10 millilitre dose

Amylobarbitone	.. 25 mg
Morphine Hydrochloride	.. 10 mg

ASPIRIN and CODEINE

Codeine Phosphate	.. 20 mg
Aspirin	.. 500 mg
Compound Tragacanth Powder	.. 200 mg
Orange Syrup	.. 1 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

PREScription

ASPIRIN and MORPHINE

Morphine Hydrochloride Solution	.. 1 ml
Amaranth Solution A.P.F.	.. 0.1 ml
Aspirin	.. 500 mg
Compound Tragacanth Powder	.. 200 mg
Orange Syrup	.. 1 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

ASPIRIN and PHENOBARBITONE

Phenobarbitone	.. 20 mg
Aspirin	.. 500 mg
Compound Tragacanth Powder	.. 200 mg
Orange Syrup	.. 1 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

CAFFEINE, IODIDE and EPHEDRINE

Synonym: C.I.E. Mixture

Caffeine	.. 150 mg
Sodium Iodide	.. 500 mg
Ephedrine Hydrochloride	.. 20 mg
Syrup Tolu	.. 4 ml
Spirit of Aniseed	.. 0.06 ml
Water to	.. 10 ml

PREScription

MIXTURES—cont.

CALCIUM ACETYSALICYLATE

Aspirin	.. 550 mg
Calcium Hydroxide	.. 155 mg
Neutral Syrup of Lemon	.. 2 ml
Solution of Carmine	.. 0.1 ml
Water to	.. 10 ml

CHALK and KAOLIN

Chalk	.. 1.5 G
Light Kaolin	.. 2.5 G
Light Magnesium Carbonate	.. 200 mg
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

CHLORAL HYDRATE

Chloral Hydrate	.. 1 G
Orange Syrup	.. 1 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

FERROUS SULPHATE

Ferrous Sulphate	.. 300 mg
Dextrose Monohydrate	.. 1 G
Orange Syrup	.. 1 ml
Citric Acid	.. 50 mg
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

PREScription

GENTIAN ACID

Concentrated Compound Gentian Infusion	.. 1 ml
Dilute Hydrochloric Acid	.. 0.5 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

GENTIAN ALKALINE

Concentrated Compound Gentian Infusion	.. 1 ml
Sodium Bicarbonate	.. 500 mg
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

IPECACUANHA and OPIUM

Synonym: Cough Mixture

Ipecacuanha Tincture	.. 0.3 ml
Camphorated Opium Tincture	.. 1.2 ml
Syrup Tolu	.. 1.2 ml
Oxymel of Squill	.. 1 ml
Chloroform Spirit	.. 0.3 ml
Anise Water Concentrated	.. 0.15 ml
Water to	.. 10 ml

KAOLIN and OPIUM

Light Kaolin	.. 2.5 G
Light Magnesium Carbonate	.. 200 mg
Opium Tincture	.. 0.5 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

PREScription

MIXTURES—*cont.*

MAGNESIUM TRISILICATE

Magnesium Trisilicate	..	..	..	1 G
Calcium Carbonate	..	..	..	500 mg
Light Magnesium Carbonate	..	..	..	500 mg
Concentrated Peppermint Water	..	..	..	0.25 ml
Water to	..	..	..	10 ml

PHENOBARBITONE with BELLADONNA,
PROCAINE and ALUMINIUM HYDROXIDE

Synonym: P.B.P.A. Mixture

Phenobarbitone Sodium	..	..	..	15 mg
Belladonna Tincture	..	..	..	0.6 ml
Procaine Hydrochloride	..	..	..	150 mg
Mixture of Aluminium Hydroxide	..	..	..	
A.P.F. to	..	..	..	10 ml

POTASSIUM CHLORIDE

Potassium Chloride	..	..	..	1 G
Lemon Syrup, A.P.F.	..	..	..	2 ml
Concentrated Chloroform Water	..	..	..	0.25 ml
Water to	..	..	..	10 ml

POTASSIUM CITRATE

Potassium Citrate	..	..	..	2 G
Citric Acid	..	..	..	400 mg
Lemon Syrup, A.P.F.	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.25 ml
Water to	..	..	..	10 ml

PREScription

POTASSIUM CITRATE and SODIUM
BICARBONATE

Potassium Citrate	..	..	..	1 G
Sodium Bicarbonate	..	..	..	750 mg
Orange Syrup	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.25 ml
Water to	..	..	..	10 ml

POTASSIUM IODIDE and STRAMONIUM,
COMPOUND

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	..	..	..	250 mg
Stramonium Tincture	..	..	..	0.5 ml
Lobelia Etheral Tincture	..	..	..	0.5 ml
Aromatic Ammonia Spirit	..	..	..	0.5 ml
Liquorice Liquid Extract	..	..	..	0.5 ml
Concentrated Chloroform Water	..	..	..	0.25 ml
Water to	..	..	..	10 ml

SENEGA and AMMONIA

Ammonium Bicarbonate	..	..	..	250 mg
Camphorated Opium Tincture	..	..	..	1 ml
Liquorice Liquid Extract	..	..	..	0.5 ml
Concentrated Senega Infusion	..	..	..	0.4 ml
Concentrated Chloroform Water	..	..	..	0.25 ml
Water to	..	..	..	10 ml

PRESCRIPTION

MIXTURES—cont.

SODIUM CITRATE

Sodium Citrate	.. 2 G
Citric Acid	.. 400 mg
Lemon Syrup, A.P.F.	.. 1 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

SODIUM SALICYLATE

Sodium Salicylate	.. 1 G
Liquorice Liquid Extract	.. 0.25 ml
Concentrated Chloroform Water	.. 0.25 ml
Water to	.. 10 ml

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

DEXTROSE and GLYCERIN

Dextrose Monohydrate	.. 3 G
Glycerin to	.. 15 ml

EPHEDRINE

Ephedrine Hydrochloride	.. 150 mg
Chlorbutol	.. 75 mg
Sodium Chloride	.. 75 mg
Propylene Glycol	.. 0.75 ml
Purified Water to	.. 15 ml

PRESCRIPTION

OINTMENTS

(Maximum Quantity 100 G and 1 Repeat)

BENZOIC ACID, COMPOUND

Benzoic Acid	.. 6 G
Salicylic Acid	.. 3 G
Emulsifying Ointment	.. 91 G

EMULSIFYING

Emulsifying Wax	.. 30 G
White Soft Paraffin	.. 50 G
Liquid Paraffin	.. 20 G

HAMAMELIS, COMPOUND

Hamamelis Liquid Extract	.. 10 ml
Phenol	.. 2 G
Zinc Oxide	.. 10 G
Wool Fat	.. 50 G
Yellow Soft Paraffin to	.. 100 G

RESORCINOL and SULPHUR, COMPOUND

Resorcinol	.. 2 G
Precipitated Sulphur	.. 3 G
Salicylic Acid	.. 1 G
White Simple Ointment	.. 94 G

SALICYLIC ACID

Salicylic Acid	.. 2 G
Wool Alcohols Ointment	.. 98 G

PREScription

OINTMENTS—*cont.*

SIMPLE

Wool Fat	5 G
Hard Paraffin	5 G
Cetostearyl Alcohol	5 G
White Soft Paraffin	85 G

SULPHUR

Sublimed Sulphur	10 G
White Simple Ointment	90 G

ZINC and CASTOR OIL

Zinc Oxide	7.5 G
Castor Oil	50 G
Cetostearyl Alcohol	2 G
White Beeswax	10 G
Arachis Oil	30.5 G

ZINC OXIDE

Zinc Oxide	15 G
White Simple Ointment	85 G

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

ICHTHAMMOL

Ichthammol	10 G
Glycerin	90 G

PREScription

MAGENTA

Magenta	100 mg
Resorcinol	2 G
Phenol	1 G
Boric Acid	200 mg
Industrial Methylated Spirit	2 ml
Acetone	1 ml
Purified Water to	25 ml

PODOPHYLLIN

Podophyllum Resin	1.25 G
Compound Benzoin Tincture to	25 ml

PODOPHYLLIN, STRONG

Podophyllum Resin	3.75 G
Compound Benzoin Tincture to	25 ml

SALICYLIC ACID

Salicylic Acid	2.5 G
Flexible Collodion to	25 ml

PASTES

(Maximum Quantity 100 G and 1 Repeat)

COAL TAR

Coal Tar, B.P.C.	1 G
Castor Oil	1 G
Compound Zinc Paste	98 G

PRESCRIPTION

PASTES—cont.

DITHRANOL and ZINC

Dithranol	..	..	..	..	100 mg
Compound Zinc Paste	..	..	..	..	99.9 G

DITHRANOL and ZINC, STRONG

Dithranol	..	..	..	..	1 G
Compound Zinc Paste	..	..	..	..	99 G

TITANIUM DIOXIDE

Titanium Dioxide	..	..	..	..	20 G
Zinc Oxide	..	..	..	..	10 G
Calamine	..	..	..	..	10 G
Light Kaolin	..	..	..	..	10 G
Bentonite	..	..	..	..	1 G
Compound Hydroxybenzoate Powder					
A.P.F.	..	..	..	..	100 mg
Glycerin	..	..	..	..	20 G
Purified Water to	..	..	..	..	100 G

ZINC, COMPOUND

Zinc Oxide	..	..	..	..	25 G
Starch	..	..	..	..	25 G
White Soft Paraffin	..	..	..	..	50 G

ZINC and SALICYLIC ACID

Salicylic Acid	..	..	..	..	2 G
Liquid Paraffin	..	..	..	..	2 G
Compound Zinc Paste	..	..	..	..	96 G

PRESCRIPTION

POWDERS

(Maximum Quantity 100 G and 2 Repeats)

ALUMINIUM and MAGNESIUM TRISILICATE

Dried Aluminium Hydroxide Gel	..	..	..	..	10 G
Magnesium Trisilicate	..	..	..	..	50 G
Light Kaolin	..	..	..	..	40 G

MAGNESIUM and CALCIUM CARBONATE

Calcium Carbonate	..	..	..	..	25 G
Heavy Magnesium Carbonate	..	..	..	..	25 G
Magnesium Trisilicate	..	..	..	..	50 G
Peppermint Oil	..	..	..	..	0.2 ml

SPRAY

(Maximum Quantity 15 ml and 2 Repeats)

ADRENALINE and ATROPINE

Adrenaline Acid Tartrate	..	..	..	..	135 mg
Atropine Methonitrate	..	..	..	..	15 mg
Sodium Chloride	..	..	..	..	90 mg
Chlorbutol	..	..	..	..	75 mg
Sodium Metabisulphite	..	..	..	..	15 mg
Propylene Glycol	..	..	..	..	0.75 ml
Purified Water, freshly boiled and cooled to	..	..	..	..	15 ml

SECTION 5 — PRESCRIBERS' LIST — CHILDREN'S SECTION

PRESCRIPTION

LINCTUS

(Maximum Quantity 100 ml and 4 Repeats)

PHOLCODINE

Pholcodine	..	..	..	..	2.5 mg
Citric Acid	..	..	..	..	25 mg
Chloroform Spirit	..	..	..	..	0.15 ml
Compound Amaranth Solution, A.P.F.	..	..	..	..	0.05 ml
Glycerin	..	..	..	..	0.5 ml
Syrup to	..	..	..	..	5 ml

MIXTURES

(Maximum Quantity 100 ml and 4 Repeats)

ALUMINIUM HYDROXIDE with KAOLIN

Light Kaolin	..	..	..	..	1 G
Aluminium Hydroxide Mixture to	..	..	..	..	5 ml

PRESCRIPTION

ASPIRIN

Aspirin	..	..	..	..	150 mg
Compound Tragacanth Powder	..	..	..	..	100 mg
Raspberry Syrup	..	..	..	..	1 ml
Water to	..	..	..	..	5 ml

ATROPINE METHONITRATE ..

Atropine Methonitrate	..	..	..	..	0.5 mg
Lemon Syrup, A.P.F.	..	..	..	..	0.5 ml
Concentrated Chloroform Water	..	..	..	..	0.1 ml
Water to	..	..	..	..	5 ml

BELLADONNA

Belladonna Tincture	..	..	..	..	0.1 ml
Orange Syrup	..	..	..	..	1 ml
Glycerin	..	..	..	..	1 ml
Benzoic Acid Solution, A.P.F.	..	..	..	..	0.1 ml
Water to	..	..	..	..	5 ml

CHILDREN'S SECTION

PREScription

MIXTURES—cont.

CALCIUM and KAOLIN

Calcium Carbonate	..	..	..	500 mg
Light Kaolin	..	..	..	1 G
Light Magnesium Carbonate	..	..	..	100 mg
Chloroform Spirit	..	..	..	0.1 ml
Concentrated Cinnamon Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

CHLORAL HYDRATE

Chloral Hydrate	..	..	..	250 mg
Orange Syrup	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

FERROUS GLUCONATE

Ferrous Gluconate	..	..	..	200 mg
Dextrose Monohydrate	..	..	..	500 mg
Orange Syrup	..	..	..	1 ml
Citric Acid	..	..	..	25 mg
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

FERROUS SULPHATE

Ferrous Sulphate	..	..	..	100 mg
Dextrose Monohydrate	..	..	..	500 mg
Orange Syrup	..	..	..	1 ml
Citric Acid	..	..	..	25 mg
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

PREScription

IPECACUANHA and SQUILL

Ipecacuanha Tincture	..	..	..	0.1 ml
Camphorated Opium Tincture	..	..	..	0.3 ml
Oxymel of Squill	..	..	..	1 ml
Water to	..	..	..	5 ml

MAGNESIUM SULPHATE

Magnesium Sulphate	..	..	..	1 G
Light Magnesium Carbonate	..	..	..	200 mg
Concentrated Peppermint Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole	..	..	..	500 mg
Light Kaolin	..	..	..	300 mg
Compound Tragacanth Powder	..	..	..	50 mg
Raspberry Syrup	..	..	..	1 ml
Benzoic Acid Solution, A.P.F.	..	..	..	0.1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

POTASSIUM CITRATE

Potassium Citrate	..	..	..	1 G
Citric Acid	..	..	..	200 mg
Lemon Syrup, A.P.F.	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

CHILDREN'S SECTION

PREScription

MIXTURES—*cont.*

POTASSIUM IODIDE

Potassium Iodide	..	..	..	100 mg
Liquorice Liquid Extract	..	..	..	0.25 ml
Aromatic Ammonia Spirit	..	..	..	0.1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

POTASSIUM IODIDE and EPHEDRINE

Potassium Iodide	..	..	..	100 mg
Ephedrine Hydrochloride	..	..	..	10 mg
Stramonium Tincture	..	..	..	0.2 ml
Aromatic Ammonia Spirit	..	..	..	0.1 ml
Liquorice Liquid Extract	..	..	..	0.2 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

PREScription

SODIUM AMINOSALICYLATE

Sodium Aminosalicylate	..	..	..	1 G
Liquorice Liquid Extract	..	..	..	0.25 ml
Orange Syrup	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

SODIUM CITRATE

Sodium Citrate	..	..	..	1 G
Citric Acid	..	..	..	200 mg
Lemon Syrup, A.P.F.	..	..	..	1 ml
Concentrated Chloroform Water	..	..	..	0.1 ml
Water to	..	..	..	5 ml

Section VI

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

PART 3 ABBREVIATIONS OR SYNONYMS
FOR APPROVED NAMES

PROPRIETARY INDEX

PART 1—PROPRIETARY NAMES INDEX

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
A.B. Elixir	KL	Theophylline
Abbocillin	AB	Penicillin products
Abbocillin G	AB	Penicillin products
Abbocillin-V	AB	Penicillin products
Abbocillin-VK	AB	Penicillin products
Abbocort	AB	Hydrocortisone Acetate
Acetest	AM	Sodium Nitroprusside
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Achrostatin-V	LE	Tetracycline with Nystatin
Acuton	WP	Phenindione
Acode	KL	Codeine Phosphate with Aspirin
Actal	WL	Aluminium Hydroxide Gel Dried
Actal Complex	WL	Aluminium Hydroxide-Magnesium Car- bonate Co-Dried Gel
Acthar	AR	Corticotrophin
Actidil	BW	Triprolidine
Actrapid	EV	Insulin Neutral
Adaben	KL	Benzocaine with Adrenaline
Adaphol	AV	Pholcodine
Adasone	AV	Prednisone
Adrenate	BW	Adrenaline Acid Tartrate
Adrox	RD	Aluminium Hydroxide Gel Dried
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Airbron	BD	Acetylcysteine
Akineton	KN	Biperiden
Albucid	SC	Sulphacetamide Sodium
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Alcopar	BW	Bephenium Hydroxynaphthoate
Aldactone-A	SR	Spironolactone
Aldocorten	CB	Aldosterone
Aldomet	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Alkeran	BW	Melphalan
Alkolac	GL	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Allegron	DL	Nortriptyline

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Almacarb	BD	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Alox	KL	Aluminium Hydroxide Gel Dried
Alox Compound	KL	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Amesec	LY	Aminophylline with Ephedrine Hydro- chloride and Amylobarbitone
Amigen with Levugen	BX	Casein Hydrolysate with Laevulose and Alcohol
Amigen	BX	Casein Hydrolysate and Dextrose
Aminofusin	PC	Amino Acids with Sorbitol and Ethanol
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	NB	Amylobarbitone Sodium
Amylosol	LF	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anadur	SI	Nandrolone Hexanoylphenylpropionate
Anagal	KL	Bismuth Subgallate
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	BD	Meclozine
Ancosal	AV	Sodium Salicylate
Androphyllin	ET	Aminophylline
Anectine	BW	Suxamethonium Chloride
Angesil	DH	Codeine Phosphate with Aspirin and Paracetamol

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Anginine	BW	Glyceryl Trinitrate
Stabilised		
Anoidal	HA	Benzalkonium Chloride
Ansolsen	MB	Pentolinium Tartrate
Antegan	FR	Cyproheptadine
Anthiphen	MB	Dichlorophen
Anthisan	MB	Mepyramine
Antiderm	HY	Pyridoxine Hydrochloride
Anti- Hist	PT	Diphenylpyraline
Anti-Spas	PT	Benzhexol
Antistine	CB	Antazoline
Antistine Privine	CB	Antazoline with Naphazoline
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aquacaine G	CS	Penicillin Procaine
Aquacaine G Fortified	CS	Penicillin Procaine Fortified
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascotin	FA	Codeine Phosphate with Aspirin
Asmin	KL	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Asopax	NS	Aluminium Acetylsalicylate
Aspalgin	FM	Codeine Phosphate with Aspirin
Aspisol	KL	Aspirin
Astrafer	AP	Dextriferron
A.T.10	WL	Dihydrotachysterol
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Austracol	CS	Chloramphenicol
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrawolf	CS	Rauwolfia Alkaloids
Aventyl	LY	Nortriptyline
Avil	AH	Pheniramine
Avilette	AH	Pheniramine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Avlocor	IC	Chloroquine
Avlosulfon	IC	Dapsone
B		
Bacomycin	SI	Polymyxin B Sulphate with Bacitracin and Neomycin
Bactylan	RL	Sodium Aminosalicylate
Bakramil	BK	Phenobarbitone
Baqual	KL	Quinalbarbitone Sodium
Barbeph	KL	Ephedrine Hydrochloride with Phenobarbitone
Barbeph Forte	KL	Ephedrine Hydrochloride with Phenobarbitone
Barbico	AB	Barbiturates Compound
Barbidein	DH	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Barbopent	BW	Pentobarbitone Sodium
Bayrena	FB	Sulphamethoxydiazine
B.A.Z.	KL	Zinc and Adrenaline
Belgar	WW	Belladonna with Phenobarbitone
Belgar Forte	WW	Belladonna with Phenobarbitone
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadon	RO	Pyridoxine Hydrochloride
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate-C	GL	Betamethasone with Clioquinol
Bicillin	WY	Penicillin Benzathine
Bicillin-V	WY	Penicillin Phenoxymethyl (Benzathine Salt)
Bidramine	AV	Diphenhydramine
Binesia	FA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Biomeletin	CW	Chloramphenicol
Biomydrin	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bleph 10	AG	Sulphacetamide Sodium
Bobbamycin	SU	Oxytetracycline
Bonadorm	EV	Dichloralphenazone
Brevidil M	MB	Suxamethonium Bromide

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Brinaldix	SZ	Clopamide
Brislox	BC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Bristab	BC	Hydroflumethiazide
Bristacin-A	BC	Rolitetraacycline
Brista-K	BC	Potassium
Bristuric	BC	Bendrofluazide
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Budoform	DR	Clioquinol
Burco	BW	Codeine Phosphate with Aspirin and Paracetamol
Burcosol	BW	Codeine Phosphate with Aspirin and Paracetamol
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butaphen	PR	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbuto-barbitone
Butoroid	VR	Phenylbutazone
Buzon	KL	Phenylbutazone

C

Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Cafergot Q	SZ	Ergotamine Tartrate with Caffeine
Calasco	CA	Codeine Phosphate with Aspirin
Calcipas	KL	Calcium Aminosalicylate
Calcium Sandoz	SZ	Calcium Gluconate
Camoquin	PD	Amodiaquine
Cantil	SI	Mepenzolate
Caps-Pen V	BT	Penicillin Phenoxymethyl
Carbazole	PT	Carbimazole
Carbripen	PT	Pentobarbitone Compound
Carbital	PD	Pentobarbitone Compound
Cardilate	BW	Erythrityl Tetranitrate
Cardophyllin	HA	Aminophylline
Cardoxin	SU	Digoxin
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Celestone	SH	Betamethasone
Chronodose		
Celontin	PD	Methsuximide
Censtim	OD	Imipramine
Cetamin	KL	Ascorbic Acid
Chlomin	KL	Chloramphenicol
Chloplex	KL	Chloramphenicol with Polymyxin B.
Chloradorm	KL	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chlorocort	PD	Chloramphenicol with Hydrocortisone
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chlorquin	PT	Chloroquine
Chlortet	LF	Chlortetracycline
Chlor Trimeton	SH	Chlorpheniramine
Choledyl	WW	Choline Theophyllinate
Chlotride	MK	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Ciba 1906 Depot	CB	Thiambutosine
Cilamycin	SI	Penicillin with Streptomycin
Cilicaine	SI	Penicillin Products
Cilicaine Forte	SI	Penicillin Products
Cilicaine Simplex	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Cillaphen	PR	Penicillin Phenoxymethyl
Citradex	GL	Vitamins Compound
Citrapen	DL	Penicillin Phenoxymethyl
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Clistin R-A	ET	Carbinoxamine
Clorstom	DH	Chloramine
Cobalomin	SU	Cyanocobalamin
Cobastab	BT	Cyanocobalamin
Co-Com	VR	Codeine Phosphate with Aspirin and Paracetamol
Codacet	BW	Codeine Phosphate with Aspirin
Codaspren	SI	Codeine Phosphate with Aspirin and Paracetamol
Code Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Codelcortone T.B.A.	MK	Prednisolone Tertiary Butyl Acetate
Codelsol	MK	Prednisolone Sodium Phosphate

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Codiphen	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codiphen Forte	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codral Forte	BW	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codsol	KL	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colliron	EV	Ferric Hydroxide
Collumina	EV	Aluminium Hydroxide Gel Dried
Coloxyl with Danthron	FM	Dioctyl Sodium Sulphosuccinate with Danthron
Coly-Mycin	WW	Colistin
Coly-Mycin Otic	WW	Colistin with Neomycin
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortico-Gel	CK	Corticotrophin
Cortisyl	RL	Cortisone Acetate
Cortocaps	CK	Hydrocortisone with Neomycin
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrophin ZN	OR	Corticotrophin
Cotazym	OR	Pancrelipase
Cotin	KL	Ergotamine Tartate with Caffeine
Coumadin	EN	Warfarin
Cremomycin	MK	Neomycin Sulphate Mixture
Crystamycin	GL	Penicillin with Streptomycin
Crystapen G	GL	Penicillin Benzyl
Crystasol	GL	Penicillin with Streptomycin
Cuprimine	MK	Penicillamine
C.V.K.	GL	Penicillin Phenoxymethyl
C.V.L.	GL	Penicillin Phenoxymethyl
Cybal	KL	Cyclobarbitone
Cycladiene	DF	Dienoestrol
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen	GL	Cyanocobalamin

D

Dales	CI	Goats' Milk
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Darenthin	BW	Bretylum Tosylate

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Daricon	PF	Oxyphenecyclimine
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Delta Cortril	PF	Prednisolone
Deltafluorene	LT	Dexamethasone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Delta-Stab	BT	Prednisolone
Depo-Medrol	UP	Prednisolone Methyl Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermafilm	PD	Dimethicone
Dermaline	HY	Dithranol
Deronil	SH	Dexamethasone
Deseril	SZ	Methysergide
Dexacortisyl	RL	Dexamethasone
Dexa-Scheroson	SC	Dexamethasone
Dexasone	PT	Dexamethasone
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diacta	NS	Sulphaguanidine
Di-Ademil	SQ	Hydroflumethiazide
Dialoxin	LF	Digoxin
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	BX	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diazyl	AB	Sulphadiazine
Diazyl M	AB	Sulphadiazine
Dibenylene	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Diginox	RD	Digoxin
Digitaline	NA	Digitoxin
Digitox	PT	Digitoxin
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide Ge with Mag- nesium Hydroxide
Suspension		
Dijene	BT	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Tablet		
Dilantin	PD	Phenytoin
Dilantin DA	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone Hydrochloride
Dilosyn	BD	Methdilazine
Dimelor	LY	Acetohexamide

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Dimetane	RS	Brompheniramine
Diminsuls	MG	Sulphadimidine
Dindevan	EV	Phenindione
Diodoquin	SR	Di-iodohydroxyquinoline
Di-Paralene	AB	Chlorcyclizine Hydrochloride
Diparcol	MB	Diethazine
Direxiode	DF	Di-iodohydroxyquinoline
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Distaquaine VK	DL	Penicillin Products
Ditoin	KL	Phenytoin Sodium
Divermex	DF	Piperazine Adipate
Dixin	KL	Digitoxin
Doburil	BY	Cyclothiazide
D.O.C.A.	OR	Deoxycortone
Donnabarbital	FM	Belladonna with Phenobarbitone
Donnabarbital Forte	FM	Belladonna with Phenobarbitone
Donnatal	RS	Belladonna with Phenobarbitone
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Dormel	DH	Chloral Hydrate
Dormir	LF	Methaqualone Hydrochloride
D-Penamine	DL	Penicillamine
Drenamist	BS	Adrenaline
Dromoran	RO	Levorphanol
Durabolin	OR	Nandrolone Phenylpropionate
Duronitrin	ET	Trolnitrate Phosphate
Duro-Tuss	RK	Pholcodine
Dymadon	CA	Paracetamol
Dytac	SK	Triamterene

E

E.D.C.	NS	Ethylidene Dicumarin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinylloestradiol
Efal	KL	Aminophylline with Ephedrine Hydro- chloride and Amylobarbitone
Efcortelan	GL	Hydrocortisone
Efkay	KL	Potassium
Elixophyllin	FA	Theophylline
Elixophyllin-KI	FA	Theophylline with Potassium Iodide
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Elmidone	KL	Primidone
Eltroxin	GL	Thyroxine Sodium
Embequin	MB	Di-iodohydroxyquinoline
EMU-V	UP	Erythromycin Preparations

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Enamine	CA	Chlorpheniramine
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	HY	Sodium Salicylate
Ensobarb	HY	Phenobarbitone
Ensogran	HY	Sodium Aminosalicylate
Entacyl	BD	Piperazine Adipate
Entamycin	VR	Neomycin Sulphate Mixture
Enterfram	FC	Framycetin
Enterocid	BS	Phthalylsulphacetamide
Entero-Vioform	CB	Clioquinol
Ephedrobarbital	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital	FM	Ephedrine Hydrochloride with Pheno- barbitone
Forte		
Ephedrobarbital	FM	Ephedrine Hydrochloride with Pheno- barbitone
Mitis		
Ephedrobarbital	FM	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
-T		
Epidione	GA	Troxidone
Epifrin	AG	Adrenaline
Eppy	ET	Adrenaline
Ergalan	BD	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergalan 'B'	BD	Ergotamine Tartrate with Caffeine
Ergodryl	PD	Ergotamine Tartrate with Caffeine Cit- rate and Diphenhydramine Hydro- chloride
Ergomine	PT	Ergometrine Maleate
Ergotart	PT	Ergotamine Tartrate
Ergotart-C	PT	Ergotamine Tartrate with Caffeine
Ergotrate	LY	Ergometrine Maleate
Ermalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Ertonyl	SH	Ethinylestradiol
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Estigyn	BD	Ethinylestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepihylline
Ethamide	AG	Ethoxzolamide
Ethamolin	GL	Ethanolamine Oleate
Etherone	PT	Ethisterone
Ethidyne	EL	Codeine Phosphate with Aspirin
Ethryn	FA	Erythromycin
Etin	KL	Ergotamine Tartrate
Eucerin	EV	Wool Alcohols

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Eumydrin	WL	Atropine Methonitrate
Evacilin	EV	Penicillin Procaine
Evactil	FA	Paraffin Liquid
Evrามัย	WY	Triacetyloleandomycin

F

Fabadorm	FB	Cyclobarbitone
Fabahistin	FB	Mebhydrolin
Fabahistin TR	FB	Mebhydrolin
Falcopen	FA	Penicillin Phenoxymethyl
Falcopen V	FA	Penicillin Products
Falcopen VK	FA	Penicillin Products
Famet	CA	Sulphamethizole
Fanatoin	IP	Nitrofurantoin
Fenallo	DH	Phenolphthalein Compound
Fenbital	BW	Phenobarbitone
Fenostil	CB	Dimethindene
Fenostil Retard	CB	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate
Ferrin 55	FA	Ferrous Gluconate
Ferri-Vita	HY	Ferrous Sulphate
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate
Ferromyn	CA	Ferrous Succinate
Ferronicum	SZ	Ferrous Gluconate
Ferrose	DH	Ferrous Gluconate
Ferrum	SI	Iron Polymaltose Complex
Hausmann		
Fersolate	GI	Ferrous Sulphate
Fibroxin	VR	Digoxin
Flagyl	MB	Metronidazole
Flebocortid	RM	Hydrocortisone Sodium Succinate
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folvite	LE	Sodium Folate
Fonurit	BZ	Acetazolamide
Framygen	GN	Framycetin
Franol	WL	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Frin	AQ	Phenylephrine
Fucidin	ET	Fusidic Acid
Fulcin Forte	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
G		
Galactomin	TF	Milk Powder—Synthetic
Formula 17		
Galactomin	TF	Milk Powder—Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Gardenal	MB	Phenobarbitone
Gardenal Sodium	MB	Phenobarbitone Sodium
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gastrox	GP	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Geloid	BW	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gelox Gel	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucomide	PT	Acetazolamide
Glaucon	MH	Adrenaline
Gluciron	MG	Ferrous Gluconate
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Gludorm	KL	Glutethimide
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Guanimycin	GL	Streptomycin Sulphate with Sulphaguanidine
Gynergen	SZ	Ergotamine Tartrate

H

Haemofort	MJ	Ferrous Sulphate
Haemopan	PT	Phenindione
Haldrone	LY	Paramethasone
Halotestin	UP	Fluoxymesterone
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Hibitane Con- centrate 5%	IC	Chlorhexidine
Histaids	OD	Chlorpheniramine
Histalert	RK	Diphenylpyraline
Histostab	BT	Antazoline
Histryl	SK	Diphenylpyraline
Honvan	MJ	Disodium Stilboestrol Diphosphate
Hostacycline P	AH	Tetracycline (Buffered)
H.P. Acthar-Gel	AR	Corticotrophin
Hyalase	FC	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Aspirin
Hycor	SI	Hydrocortisone
Hydergine	SZ	Ergotoxine Methanesulphonates
Hyd-Oint.	PT	Hydrocortisone
Hydrenox	BT	Hydroflumethiazide
Hydrid	VR	Mersalyl
Hydrocort	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone
Hydrocortone	MK	Hydrocortisone Acetate
Hydrop	PT	Hydrocortisone
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hygroton 50	GE	Chlorthalidone
Hypertet	CI	Tetanus Immune Globulin (Human)
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate

I

Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Inapasade	SN	Sodium Aminosalicylate with Isoniazid
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoral	WW	Phenformin
Insoral TD	WW	Phenformin
Intracort	BT	Hydrocortisone Sodium Succinate
Iramil	KL	Imipramine
Ironate	KL	Ferrous Gluconate
Ismelin	CB	Guanethidine
Isolin	PT	Isoprenaline Sulphate
Isomist	BS	Isoprenaline Sulphate
Isordil	AY	Sorbide Nitrate
Isosed	HY	Amylobarbitone
Isotinyil	KL	Isoniazid
Isuprel	WL	Isoprenaline Hydrochloride

*Proprietary
Name**Manu-
facturer**Approved Name***J**

Jadit	AH	Buclosamide with Salicylic Acid
Jadit H	AH	Buclosamide with Salicylic Acid and Hydrocortisone
Jectofer	AP	Iron Sorbitol

K

Kalicin	KL	Neomycin Sulphate Mixture
Kalicin	KL	Neomycin with Kaolin
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaomagma	WY	Aluminium Hydroxide with Kaolin
Kaomycin	UP	Neomycin Sulphate Mixture
Kaosan	PR	Neomycin Sulphate Mixture
Karagum	PT	Tragacanth Indian (Gum Karaya)
K-Eff	PR	Potassium
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Klortee	PT	Chloramine
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konakion	RO	Phytomenadione

L

Lanimerck	MQ	Lanatoside-C
Lanoside	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Largactil	MB	Chlorpromazine
Laroxyl	RO	Amitriptyline
Lasix	AH	Frusemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demethylchlortetracycline
Lederstatin	LE	Demethylchlortetracycline with Nystatin
Lethidrone	BW	Nalorphine
Leukeran	BW	Chlorambucil
Levophed	WL	Noradrenaline
Lincocin	UP	Lincomycin
Lingraine	WL	Ergotamine Tartrate
Liquidoplast	PT	Acrylic Resin
Liquifilm Tears	AG	Polyvinyl Alcohol

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex in Saline	FC	Dextran in Normal Saline
Lomodex in Dextrose	FC	Dextran with Dextrose
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin Phenoxymethyl
Lubaryl	DH	Paraffin Liquid
Luteocrin Depot	RM	Hydroxyprogesterone
Lutorial	VR	Ethisterone
Lycanol	FB	Glymidine
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethiopropazine

M

M. & B. 693	MB	Sulphapyridine
Maalox	SI	Magnesium-Aluminium Hydroxide
Madribon	RO	Sulphadimethoxine
Magnoplasm	FA	Magnesium Sulphate
Mandaze	HA	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Mandelamine Hafgrams	WW	Methenamine Mandelate
Marevan	EV	Warfarin
Medihaler-Epi	RK	Adrenaline Acid Tartrate
Medihaler-Iso	RK	Isoprenaline Sulphate
Medihaler-Iso Forte	RK	Isoprenaline Sulphate
Medrol	UP	Prednisolone Methyl
Medsil	BT	Dimethicone
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Megimide	NS	Bemegride
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Melsedin	BT	Methaqualone Hydrochloride
Mephobarbital	PH	Methyl Phenobarbitone
Mequelon	FR	Methaqualone Hydrochloride
Merasylin	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metem Gel	CH	Aluminium Hydroxide Gel
Metestine	KL	Testosterone Methyl

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Methalon	AV	Methaqualone Hydrochloride
Methased	PT	Methaqualone Hydrochloride
Methergin	SZ	Methylergometrine
Methopt	SI	Methylcellulose
Metin	CS	Methicillin
Mevasine	MK	Mecamylamine
Meyenberg	JM	Goats Milk
Midicel	PD	Sulphamethoxypyridazine
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Milontin	PD	Phensuximide
Minafen	TF	Phenylalanine Low Content Formula
Minajel	MG	Aluminium Hydroxide Gel
Mogadon	RO	Nitrazepam
Monodral	WL	Penthienate
Mortha	WH	Morphine with Tacrine
Mucaine	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Multicin H	KL	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Multisulpha	KL	Sulphonamides, Three Mixed
Multisulphettes	KL	Sulphonamides, Three Mixed
Multivite Six	BD	Vitamins Compound
Mycardol	WL	Pentaerythritol Tetranitrate
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycort	DH	Hydrocortisone with Neomycin Sulphate
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Myleran	BW	Busulphan
Mylipen	GL	Penicillin Procaine
Mylodorm	GP	Amylobarbitone
Mylosed	VR	Amylobarbitone
Mycrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphoteri- cin B

N

Napent	RD	Pentobarbitone Sodium
Natigoxin	NA	Digoxin

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
N.B.P.	DH	Polymyxin B Sulphate with Bacitracin and Neomycin
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembudeine	AB	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin
Neo-Avagall	ET	Hyoscine Methobromide
Neo-Benol	KL	Hydroxocobalamin
Neocodsol	KL	Codeine Phosphate with Aspirin
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neo-Hombreol	OR	Testosterone
Neo-Hycor	SI	Hydrocortisone with Neomycin Sulphate
Neohydrosone	KL	Hydrocortisone with Neomycin Sulphate
Neokalin	MR	Neomycin Sulphate Mixture
Neolin	PT	Neomycin Sulphate Mixture
Neomagma	WY	Neomycin Sulphate Mixture
Neomate	LF	Neomycin
Neo-Mercazole	BS	Carbimazole
Neomix	LF	Neomycin Sulphate Mixture
Neo-Naclex	GL	Bendrofluazide
Neo-Naclex-M	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Nephрил	PF	Polythiazide
Neptazane	LE	Methazolamide
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutrapan	RK	Penicillinase

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Neutratabs	HA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Nilerger	IC	Isothipendyl Hydrochloride
Nivaquine	MB	Chloroquine
Nobecutane	EV	Acrylic Resin
Nollipyrin	KL	Codeine Phosphate with Aspirin and Paracetamol
Nordicort	NR	Hydrocortisone Sodium Succinate
Norflex	RK	Orphenadrine Citrate
Noshok Caustic Pencil	YF	Silver Nitrate, Toughened
Novosprin	VR	Aspirin
Nuralin	CS	Insulin Neutral
Nuso	BW	Insulin Neutral
Nutramigen Glucose	MJ	Nutramigen

O

Octaflex	WB	Acrylic Resin
Oestramine	KL	Oestradiol Benzoate
Oestroform	BD	Oestradiol Benzoate
Omnopon	RO	Papaveretum
Omnopon-Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Optipen	CS	Phenethicillin
Optisone	HA	Hydrocortisone
Optocort	PT	Prednisolone
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Oratrol	AQ	Dichlorphenamide
Orisul	CB	Sulphaphenazole
Oroxine	BW	Thyroxine Sodium
Orumvite	VR	Vitamins Compound
Osmitol	BX	Mannitol
Ospolot	FB	Sulthiame
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B Sulphate (Aqueous Base)
Ovocyclin	CB	Oestradiol Dipropionate
Oxycycline	PT	Oxytetracycline
Oxymycin	KL	Oxytetracycline
Oxymycin-V	KL	Oxytetracycline (Buffered) with Nystatin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
P		
P2G Sclerosant	BT	Phenol, Dextrose and Glycerin
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	BS	Aloxiiprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Pamine	UP	Hyoscine Methobromide
Panabarb	WL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panalgesic	WL	Codeine Phosphate with Aspirin and Paracetamol
Panalgesic Co.	WL	Codeine Phosphate with Aspirin, Para- cetamol and Caffeine
Pancillen	SU	Penicillin Phenoxymethyl
Pancrex "V"	ST	Pancreatin Concentrate
Panmycin KM	UP	Tetracycline (Buffered)
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Panteric	PD	Pancreatin Concentrate
Pantheline	PT	Propantheline Bromide
Panvit	PT	Vitamins Compound
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Parajel	SI	Paraffin Liquid
Paralax	PR	Paraffin Liquid
Paralgin	FM	Paracetamol
Paramisan Sodium	EV	Sodium Aminosalicylate
Paramul	MG	Paraffin Liquid
Parasin	AV	Paracetamol
Parmol	KL	Paracetamol
Pasade	EV	Sodium Aminosalicylate
Pasalba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate
Pastamag	DH	Magnesium Sulphate
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Peganone	AB	Ethotoin
Penalco	CO	Pentobarbitone Compound
Penbarb	LF	Pentobarbitone Sodium
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Pencodine	KL	Pentobarbitone Sodium with Aspirin and Codeine Phosphate
Penevan	EV	Penicillin Benzyl
Peniset	DH	Penicillin Benzyl
Peni-Vee-K	DH	Penicillin Phenoxymethyl
Penritol	LF	Pentaerythritol Tetranitrate
Pensig	SI	Phenethicillin
Pensol	GL	Penicillin Benzyl
Pentacode	MG	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentalgin	FM	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentonal Co.	KL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Testosterone Methyl
Perazil	BW	Chlorcyclizine
Percorten	CB	Deoxycortone
Periactin	MK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petiscol	KL	Pethidine and Scopolamine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Penicillin Phenoxymethyl
Phenadon	LF	Belladonna with Phenobarbitone
Phenased	HY	Phenobarbitone
Phenergan	MB	Promethazine
Phenodren	DH	Ephedrine Hydrochloride with Pheno- barbitone
Phenybute	SU	Phenylbutazone
Phiacort	PY	Hydrocortisone
Pholcof	CM	Pholcodine
Pholcolin	DH	Pholcodine
Pholevan	EV	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Nitrate
Pimafucin	BP	Natamycin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Pipanol	WL	Benzhexol
Piptal	SI	Pipenzolate
Piranex	KL	Chlorpheniramine
Piranex RA	KL	Chlorpheniramine
Piriton	GL	Chlorpheniramine
Pitocin	PD	Oxytocin
Piton	BP	Pituitary, Posterior Lobe
Pitressin	PD	Vasopressin
Pitressin Tannate in Oil	PD	Vasopressin Tannate
Placemol	VR	Paracetamol
Placidyl	AB	Ethchlorvynol
Placyl	HA	Cyclobarbitone
Plaquenil	WL	Hydroxychloroquine
Plegomazine	UW	Chlorpromazine
Plesmet	BP	Ferrous Aminoacetosulphate
Pluryl	ET	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Polmix	KL	Polymyxin B Sulphate
Polyceral	BS	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Polyceral Gel	BS	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Polycycline	BC	Tetracycline
Polydro	HA	Polymyxin B Sulphate
Polyhaemen	GP	Ferrous Sulphate
Polytracin-N	GL	Polymyxin B Sulphate with Bacitracin and Neomycin
Pomalin	WL	Sulphaguanidine
Potasol	RY	Potassium
Potavescent	PT	Potassium
Pot-Forte	PT	Potassium
Pot-Instant	LF	Potassium
P.P.C.	PT	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Praenitron	PF	Trolnitrate Phosphate
Praenitron	PF	Trolnitrate Phosphate
Protracted		
Predsol	GL	Prednisolone Sodium Phosphate
Predsol-N Otic	GL	Prednisolone Sodium Phosphate with Neomycin
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primocort	SC	Deoxycortone
Primogyn C	SC	Ethinylloestradiol
Primoteston	SC	Testosterone Oenanthate
Depot		

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Pripsen	RC	Piperazine Phosphate
Priscol	CB	Tolazoline
Pro-Banthine	SR	Propantheline Bromide
Proben	PT	Probenecid
Probexin	KL	Probenecid
Procalm	NB	Chlorpromazine
Procillin A.S.	DH	Penicillin Procaine
Procyclomin	PT	Dicyclomine Hydrochloride
Prodepress	NB	Imipramine
Prodigox	PT	Digoxin
Prodol	NB	Aspirin
Prodol Co.	NB	Codeine Phosphate with Aspirin
Progan	AV	Promethazine
Proladone	CK	Oxycodone
Proloid	WW	Thyroid
Proluton	SC	Progesterone
Proluton C	SC	Ethisterone
Proluton Depot	SC	Hydroxyprogesterone
Promacid	KL	Chlorpromazine
Prominal	WL	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide
Propen-VK	PT	Penicillin Phenoxymethyl
Proquinal	PT	Quinalbarbitone Sodium
Prosobee	MJ	Soya Formula
Prostabillin	BT	Penicillin Procaine
Prostigmin	RO	Neostigmine
Protasma	PT	Aminophylline with Ephedrine Hydro- chloride and Amylobarbitone
Prothazine	KL	Promethazine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin	DH	Aspirin
Pularin	EV	Heparin
Purinethol	BW	Mercaptopurine
Purodigin	WY	Digitoxin
P.V. Carpine	AG	Pilocarpine Nitrate
PVK	LY	Penicillin Phenoxymethyl
PVKL	LF	Penicillin Phenoxymethyl
P.V.O.	FM	Penicillin Phenoxymethyl
Pyribenzamine	CB	Tripeleennamine
Pyridium	WW	Phenazopyridine Hydrochloride
Pyroxin	KL	Pyridoxine Hydrochloride
Q		
Q.B.	DH	Quinalbarbitone Sodium
Q.T. Cement	JA	Surgical Cement
Qaalude	SI	Methaqualone Hydrochloride
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Quillatone	RD	Quinalbarbitone Sodium
Quillatone M	RD	Quinalbarbitone Sodium
Quinaltone	LF	Quinalbarbitone Sodium
Quinased	HY	Quinalbarbitone
Quinbar	AV	Quinalbarbitone Sodium
Quinidoxin	BW	Quinidine Sulphate
Quinsan	PR	Quinine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture

R

Rapitard	EV	Insulin Biphasic
Rastinon	AH	Tolbutamide
Raudixin	SQ	Rauwolfia Alkaloids
Rausan	PR	Rauwolfia Alkaloids
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Alkaloids
Rectinol	GP	Benzocaine with Adrenaline
Resedrex	HA	Reserpine
Resochin	FB	Chloroquine
Restal	HA	Amylobarbitone
Reverin	AH	Rolitetracycline
Rheomacrodex	MR	Dextran with Dextrose
10% Dextrose		
Rheomacrodex	MR	Dextran in Normal Saline
10% Saline		
Rhumax	PR	Sodium Salicylate
Rigenicid	BZ	Ethionamide
Rikospray	RK	Dimethicone
Silicone		
Rimifon	RO	Isoniazid
Robinul	RS	Glycopyrronium Bromide
Rondase	EV	Hyaluronidase
Randomycin	GP	Methacycline
Ronicol	RO	Nicotinyl Alcohol
Roulone	RL	Methaqualone Hydrochloride
Rovamycin	MB	Spiramycin
Rubatone	HY	Phenylbutazone
Ryser	KL	Reserpine

S

Sacsol	LF	Surgical Cement
Sacsweet	HY	Saccharin
Salamide	HA	Salicylamide
Salazopyrin	MR	Sulphasalazine
Salco	NS	Chlorbenzol Disulphonamide
Salide	NS	Salicylamide
Samid	KL	Salicylamide
Sanotensin	UW	Guanethidine
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Scherisolon	SC	Prednisolone Acetate
Scherisolon	SC	Prednisolone
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
Scoline	GL	Suxamethonium Chloride
Scorbettes	PR	Ascorbic Acid
Secergan	AP	Phenthimentionium
Seclomycin	GL	Penicillin with Streptomycin
Seclosol	GL	Penicillin with Streptomycin
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Sednaco	GL	Pholcodine
Sednotic	DL	Amylobarbitone
Senokot	RC	Senna Fruit Extract (Standardised)
Serenace	SR	Haloperidol
Serenol	PT	Rauwolfia Alkaloids
Serfia	KL	Rauwolfia Alkaloids
Serpasil	CB	Reserpine
Serpiloid	RK	Reserpine
Serpina	PV	Rauwolfia Alkaloids
Shigatox	FM	Sulphaguanidine
Silcon	FA	Dimethicone
Simeco	WY	Aluminium Hydroxide Gel with Mag-
Mixture		nesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide—Magnesium
		Carbonate Co-Dried Gel
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
Sleepinal	MC	Methaqualone Hydrochloride
Slow-K	CB	Potassium Chloride
Sobee	MJ	Soya Formula
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium	RK	Trisodium Edetate
Versenate		
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate
		with Framycetin and Gramicidin
Sofradex	RL	Dexamethasone with Framycetin and
Ointment		Gramicidin
Soframycin	RL	Framycetin
Solacetyl	MG	Aspirin
Solamal	DH	Belladonna with Phenobarbitone
Solcetas	BW	Aspirin
Solcode	RC	Codeine Phosphate with Aspirin
Solgesil	DH	Codeine Phosphate with Aspirin and
		Paracetamol
Solprin	RC	Aspirin
Solu-Cortef	UP	Hydrocortisone Sodium Succinate

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Solu-Dacortin	MQ	Prednisolone Sodium Succinate
Solupen	DL	Penicillin Benzyl
Solusal	HA	Aspirin
Solusal Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Sol Viules	BT	Penicillin Benzyl
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Soneryl	MB	Butobarbitone
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spastrex	PT	Oxyphenonium Bromide
Spastrex Retard	PT	Oxyphenonium Bromide
Steclin	SQ	Tetracycline
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Steraskin	PF	Hexachlorophane
Sterogyl-15	RL	Calciferol
Stovarsol	MB	Acetarsol
Stoxil	SK	Idoxuridine
Strepolin	GL	Streptomycin Sulphate
Streptaquaine	DL	Streptomycin Sulphate
Streptevan	EV	Streptomycin Sulphate
Streptomagma	WY	Dihydrostreptomycin Sulphate with At- tapulgate, Pectin and Hydrated Alu- mina Powder
Sulfagan	OD	Sulphafurazole
Sulfasuxidine	MK	Succinylsulphathiazole with Kaolin
Sulfazole	PT	Sulphafurazole
Sulfisin	SU	Sulphafurazole
Sulphadiazinette	KL	Sulphadiazine
Sulpha- Dimerazole	VR	Sulphonamides, Three Mixed
Sulphalyl	KL	Phthalylsulphacetamide
Sulpha- mezathine	IC	Sulphadimidine
Sulphamezathine	IC	Sulphadimidine Sodium
Sulphatriad	MB	Sulphonamides, Three Mixed
Sus-Pen V	BT	Penicillin Phenoxymethyl
Sustanon '250'	OR	Sustanon
S.V.C.	MB	Acetarsol
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

T

Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
T.A.G.	LF	Deodorant Detergent Solution
Talecid	SC	Phthalylsulphacetamide

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Tao	GP	Triacetyloleandomycin
Tavegyl	SZ	Meclastine
Tedral	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tedrobarb	WW	Ephedrine Hydrochloride with Phenobarbitone
Tedrobarb Forte	WW	Ephedrine Hydrochloride with Phenobarbitone
Tedrobarb Mitis	WW	Ephedrine Hydrochloride with Phenobarbitone
Tegretol	GE	Carbamazepine
Teldrin	SK	Chlorpheniramine
T.E.M.	IC	Tretamine
Tenserp	VR	Reserpine
Tensilon	RO	Edrophonium
Terfluzin	MB	Trifluoperazine
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terrastatin	PF	Oxytetracycline (Buffered) with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testomet	PT	Testosterone Methyl
Testoviron	SC	Testosterone Propionate
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetrastatin-V	GP	Tetracycline with Nystatin
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole
Thelix	CO	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thendorm	KL	Methaqualone Hydrochloride
Theophen	HA	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Theosec	LY	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiomerin	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Three Sulphas	AD	Sulphonamides, Three Mixed
Thyrine	DH	Thyroxine Sodium
Thyroxevan	EV	Thyroxine Sodium
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Toline	KL	Tolazoline
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Tral	AB	Hexocyclium Methylsulphate
Tral M	AB	Hexocyclium Methylsulphate
Travert	BX	Invert Sugar
Trescatyl	MB	Ethionamide
Triagin	HY	Glyceryl Trinitrate
Tricloryl	GL	Triclofos
Tricoloid	BW	Tricyclamol Chloride
Tridione	AB	Troxidone
Trimyxin	DH	Polymyxin B Sulphate with Neomycin and Gramicidin
Triplopen	GL	Penicillin Benethamine Compound
Triplosol	GL	Penicillin Benethamine Compound
Triptil	FR	Protriptyline
Trisil	DH	Magnesium Trisilicate
Trisulfa	ET	Sulphonamides, Three Mixed
Trisulfettes	ET	Sulphonamides, Three Mixed
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Tyrimide	SK	Isopropamide Iodide

U

Ultracortenol	CB	Prednisolone Acetate
Ultracortenol	CB	Prednisolone Pivalate
Urogan	AV	Sulphafurazole
Urolex	OD	Sulphamethizole
Urolin	KL	Sulphamethizole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole

V

VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Valpin	EN	Octatropine Methylbromide
Vanquin	PD	Vipryinium Embonate
Vasitrin	DH	Glyceryl Trinitrate
Vasogen Silicone	SS	Dimethicone
Vasopressin	SZ	Lypressin
Nasal Spray		
Vasylox	BW	Methoxamine Hydrochloride
Veecillin	MJ	Penicillin Phenoxymethyl

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Velactin	WA	Soya Formula
Velbe	LY	Vinblastine
Venocort	PT	Hydrocortisone Sodium Succinate
Venosol	FH	Mannitol
Veracolate	WW	Sodium Tauroglycocholate
Versotrane	WB	Hydrargaphen
Triple Strength		
Vibramycin	PF	Doxycycline
Vicin	KL	Penicillin Phenoxymethyl
Viocin	PF	Viomycin
Viokase	ET	Pancreatin Enzyme (4 USNF XII)
Viraxacillin	VR	Penicillin Procaine
Visceralgin	FM	Tiemonium Iodide
Vosol HC Otic	DN	Hydrocortisone with Propanediol Di- acetate and Acetic Acid
V.P.V.	VR	Penicillin Phenoxymethyl

W

Winstroid	WL	Stanozolol
Wyamine	WY	Mephentermine
Sulphate		
Wydase	WY	Hyaluronidase

X

Xylocard 100	AP	Lignocaine
Xylocard 500	AP	Lignocaine

Y

Yomesan	FB	Niclosamide

Z

Zarontin	PD	Ethosuximide
Zephiran	WL	Benzalkonium Chloride
Zoline	PT	Tolazoline
Zyloprim	BW	Allopurinol

PART 2—TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott Laboratories—Injections
Antigen	Products manufactured by Antigen Ltd., Ireland. Marketed by World Agencies Pty. Ltd.
Dropster	Knoll—Eye drops and ear drops
Dulcets	Abbott Laboratories—Chewable tablets
Durules	Astra Pharmaceuticals—Sustained release tablets
Emplets	Parke Davis—Tablet preparations
Evanules	Evans—Injections
Filmtabs	Abbott Laboratories—Coated tablets
Gradumets	Abbott Laboratories—Sustained release tablets
Hamiltabs	Hamilton Laboratories—Tablet preparations
Hermette	Bull Laboratories—Injections
Hyperduric	Glaxo-Allenbury—Injections
Isojects	Pfizer Laboratories—Injectible preparations
Isopto	Alcon Laboratories Inc.—Eye drops
Otsuka	Otsuka Pharmaceutical Co., Japan—Intra-venous fluids; marketed by Scott & Bowne (A'sia) Ltd.
Parentosol	Mead-Johnson—Injections
Pedipac	Lilly—Sachet
Prestab	Ethnor—Tablet preparations
Pulvules	Lilly—Capsules
Repetabs	Schering Corporation—Long acting tablet preparations
Rox	Rocke Tompsitt—Preparations
Siguent	Sigma—Ointment preparations
Soluvac	Baxter-D.H.A.—Intravenous fluids
Steriflex	Glaxo-Allenbury—Intravenous Fluids
Sterivial	Parke-Davis—Injections
Sterop	Ethnor—Eye drops
Sustrels	G.P. Laboratories—Long acting tablet preparations
Tabloids	Burroughs Wellcome—Tablet preparations
Tastitabs	Pfizer Laboratories—Chewable tablet preparations
Tri-Test	Wholesale Drug Co.—Preparations
Venosol	Farmer Hill—Intravenous fluids
Viules	Boots—Injections
Wellcome	Burroughs Wellcome—Preparations

PART 3—ABBREVIATIONS OR SYNONYMS FOR APPROVED NAMES

<i>Abbreviation or Synonym</i>	<i>Approved Name</i>
A.C.T.H.	Corticotrophin
Amorph I.Z.S.	Insulin Zinc Suspension (Amphorous)
B12	Cyanocobalamin
Bephenium	Bephenium Hydroxynaphthoate
Bretylum	Bretylum Tosylate
Calcium P.A.S.	Calcium Aminosalicylate
Cryst. I.Z.S.	Insulin Zinc Suspension (Crystalline)
Diodoquinoline	Di-iodohydroxyquinoline
Dip./Ser.	Diphtheria Antitoxin
Dip./Vac./P.T.A.P.	Diphtheria Vaccine (Purified Toxoid Aluminium Phosphate)
DMChlortetracycline	Demethylechlortetracycline
Feramacet	Ferrous Aminoacetosulphate
Gas./Ser.	Gas Gangrene Antitoxin—Mixed (Poly- valent)
Hexocyclium	Hexocyclium Methylsulphate
I.Z.S.	Insulin Zinc Suspension
Oed./Ser.	Gas Gangrene Antitoxin (Oedematiens)
P.A.M.	Pyridine Aldoxime Methiodide
Penicillin G.	Penicillin Benzyl
Penicillin V.	Penicillin Phenoxymethyl
Penthritol	Pentaerythritol Tetranitrate
Per./Vac.	Pertussis Vaccine
Plague/Vac.	Plague Vaccine
Prednisolone T.B.A.	Prednisolone Tertiary Butyl Acetate
Sep./Ser.	Gas Gangrene Antitoxin (Septicum)
S'methoxydiazine	Sulphamethoxydiazine
S'methopyrazine	Sulphamethoxypyridazine
Sod. Stilboestrol	Disodium Stilboestrol Diphosphate
Sodium P.A.S.	Sodium Aminosalicylate
Sta./Tox.	Staphylococcus Toxoid (Formalinised)
Testosterone Oen.	Testosterone Oenanthate
Testosterone Prop.	Testosterone Propionate
Tet./Ser.	Tetanus Antitoxin
Triple Antigen	Diphtheria, Tetanus and Pertussis Vac- cine
Viprynum	Viprynum Embonate
Wel./Ser.	Gas Gangrene Antitoxin (Welchii)

POISONS INFORMATION CENTRES

The principal Poisons Information Centre in each State and Territory is as follows:—

Telephone No.

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Bridge Road,
Camperdown.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
34 0288

QUEENSLAND

Brisbane Royal Children's Hospital,
Herston Road,
Herston.

Brisbane
5 0111

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
67 2351

WESTERN AUSTRALIA

Princess Margaret Hospital for Children,
Thomas Street,
Subiaco.

Perth
8 2251

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
2 0521

NORTHERN TERRITORY

Darwin Hospital,
Darwin,
Northern Territory.

Darwin
2171

AUSTRALIAN CAPITAL TERRITORY

Canberra Hospital,
Canberra.

Canberra
48 9922

PAPUA AND NEW GUINEA

Port Moresby General Hospital,
Taurama Road,
Port Moresby.

Port Moresby
5191

Patients Name or

Identification No.....Hospital or Doctor.....

Occupation.....Address or Postcode.....

	Years	Months
Age		
Sex (M or F)		
Date of Poisoning..		

POISON	AMOUNT

Official Use					

SIGNS AND SYMPTOMS

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1Inhalation ☐ 2Local ☐ 3Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5Therapeutic Misadventure ☐ 6Accidental ☐ 7Other (specify)..... ☐ 8

TREATMENT

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9Mildly Ill ☐ 10Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12Outpatient ☐ 13Surgery ☐ 14Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16RESULT: Cured.. .. ☐ 17Died ☐ 18Other.. .. ☐ 19

Signature.....

Please record any additional information on back.

Patients Name or

Identification No. Hospital or Doctor

Occupation..... Address or Postcode.....

	Years	Months
Age		

Sex (M or F)	

Date of Poisoning..			19

POISON	AMOUNT

Official Use					

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion	☐	1
Inhalation	☐	2
Local	☐	3
Other (specify).....	☐	4

MODE OF POISONING

Suicidal	☐	5
Therapeutic Misadventure	☐	6
Accidental	☐	7
Other (specify).....	☐	8

SEVERITY OF POISONING

Clinically Unaffected ..	☐	9
Mildly Ill	☐	10
Seriously Ill	☐	11

WHERE TREATED

Inpatient	☐	12
Outpatient	☐	13
Surgery	☐	14
Home	☐	15

KNOWN PREVIOUS EPISODES OF

POISONING	☐	16
RESULT: Cured.. ..	☐	17
Died	☐	18
Other.. ..	☐	19

SIGNS AND SYMPTOMS

TREATMENT

Signature.....

Please record any additional information on back.

Patients Name or

Identification No.....Hospital or Doctor.....

Occupation.....Address or Postcode.....

	Years	Months
Age		
Sex (M or F)		
Date of Poisoning..		

POISON	AMOUNT

Official Use					

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1Inhalation ☐ 2Local ☐ 3Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5Therapeutic Misadventure ☐ 6Accidental ☐ 7Other (specify)..... ☐ 8

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9Mildly Ill ☐ 10Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12Outpatient ☐ 13Surgery ☐ 14Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16RESULT: Cured.. .. ☐ 17Died ☐ 18Other.. .. ☐ 19

SIGNS AND SYMPTOMS

TREATMENT

Signature.....

Please record any additional information on back.

Patients Name or

Identification No. Hospital or Doctor

Occupation Address or Postcode

	Years	Months
Age		
Sex (M or F)		
Date of Poisoning ..		

POISON	AMOUNT

Official Use					

SIGNS AND SYMPTOMS

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1Inhalation ☐ 2Local ☐ 3Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5Therapeutic Misadventure ☐ 6Accidental ☐ 7Other (specify)..... ☐ 8

TREATMENT

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9Mildly Ill ☐ 10Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12Outpatient ☐ 13Surgery ☐ 14Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16RESULT: Cured.. .. ☐ 17Died ☐ 18Other.. .. ☐ 19

Signature.....

Please record any additional information on back.

Patients Name or

Identification No.....Hospital or Doctor.....

Occupation.....Address or Postcode.....

	Years	Months
Age		
Sex (M or F)		
Date of Poisoning..		19

POISON AMOUNT

Official Use

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1
 Inhalation ☐ 2
 Local ☐ 3
 Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5
 Therapeutic Misadventure ☐ 6
 Accidental ☐ 7
 Other (specify)..... ☐ 8

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9
 Mildly Ill ☐ 10
 Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12
 Outpatient ☐ 13
 Surgery ☐ 14
 Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16
 RESULT: Cured.. .. ☐ 17
 Died ☐ 18
 Other.. .. ☐ 19

SIGNS AND SYMPTOMS

TREATMENT

Signature.....

Please record any additional information on back.

Patients Name or

Identification No. Hospital or Doctor

Occupation Address or Postcode

	Years	Months
Age		

Sex (M or F)	

Date of Poisoning ..			19

POISON	AMOUNT

Official Use

SIGNS AND SYMPTOMS

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1Inhalation ☐ 2Local ☐ 3Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5Therapeutic Misadventure ☐ 6Accidental ☐ 7Other (specify)..... ☐ 8

TREATMENT

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9Mildly Ill ☐ 10Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12Outpatient ☐ 13Surgery ☐ 14Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16RESULT: Cured.. .. ☐ 17Died ☐ 18Other.. .. ☐ 19

Signature.....

Please record any additional information on back.

Patients Name or

Identification No.....Hospital or Doctor.....

Occupation.....Address or Postcode.....

	Years	Months
Age		

Sex (M or F)	

Date of Poisoning..			19

POISON	AMOUNT

Official Use					

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1Inhalation ☐ 2Local ☐ 3Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5Therapeutic Misadventure ☐ 6Accidental ☐ 7Other (specify)..... ☐ 8

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9Mildly Ill ☐ 10Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12Outpatient ☐ 13Surgery ☐ 14Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16RESULT: Cured.. .. ☐ 17Died ☐ 18Other.. .. ☐ 19

SIGNS AND SYMPTOMS

TREATMENT

Signature.....

Please record any additional information on back.



NATIONAL HEALTH ACT



PRESCRIBERS' LIST



Department of Health,
Canberra, A.C.T.

AUGUST 1969

BY AUTHORITY:

D. E. WILKINSON, Government Printer, Tasmania.



NATIONAL HEALTH ACT



PRESCRIBERS' LIST



Department of Health,
Canberra, A.C.T.

AUGUST 1969

CONTENTS

PHARMACEUTICAL BENEFITS FORMULAE	Page
Applications	1
Creams	1-4
Dusting Powders	4-5
Ear Drops	5-6
Elixirs	6
Emulsion	7
Eye Drops	7
Inhalations	7-8
Linctuses	8-9
Liniments	9
Lotions	10
Mixtures	11-16
Nasal Instillations	16
Ointments	17-18
Paints	18
Pastes	19
Powders	19-20
Spray	20
 CHILDREN'S SECTION	
Linctus	21
Mixtures	21-24

SECTION 5

PRESCRIBERS' LIST

The formulae set out in the following pages are a representative selection of extemporaneously prepared medicaments for use in the supply of Pharmaceutical Benefits under the National Health Act. Particular formulae suitable for children are grouped together and headed 'Children's Section'.

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml. and 2 Repeats)

7668 BENZYL BENZOATE with DICOPHANE

Benzyl Benzoate					50 G.
Dicophane					4 G.
Emulsifying Wax	..				4 G.
Purified Water to	..				200 ml.

7669 DICOPHANE

Dicophane					4 G.
Emulsifying Wax	..				8 G.
Xylene of commerce					30 ml.
Citronella Oil	..				1 ml.
Purified Water to	..				200 ml.

CREAMS

(Maximum Quantity 100 G. and 1 Repeat)

7655 ALUMINIUM ACETATE, OILY

Aluminium Acetate Solution		5 ml.
Zinc Oxide		20 G.
Wool Fat		25 G.
Arachis Oil		25 ml.
Purified Water		27 ml.

PRESCRIPTION

CREAMS—*cont.*

7492 AQUEOUS

Emulsifying Wax	10 G.
Hard Paraffin	6 G.
Liquid Paraffin	27 G.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Purified Water to	100 G.

7491 BUFFERED, AQUEOUS

Sodium Phosphate	2.5 G.
Citric Acid	500 mg.
Compound Hydroxybenzoate Powder, A.P.F.	100 mg.
Emulsifying Ointment	30 G.
Purified Water to	100 G.

7658 CALAMINE, AQUEOUS

Calamine	4 G.
Zinc Oxide	3 G.
Emulsifying Wax	6 G.
Arachis Oil	40 ml.
Purified Water to	100 G.

7659 CALAMINE, OILY

Calamine	32 G.
Oleic Acid	0.5 ml.
Arachis Oil	21.5 ml.
Wool Fat	17.5 G.
Calcium Hydroxide Solution	30.5 ml.

7661 CETOMACROGOL, AQUEOUS

Cetomacrogol Emulsifying Wax	15 G.
Liquid Paraffin	15 G.
White Soft Paraffin	10 G.
Glycerin	10 ml.
Chlorocresol	100 mg.
Purified Water to	100 G.

PRESCRIPTION

CREAMS—*cont.*

7660 CETRIMIDE, AQUEOUS

Cetrimide					500 mg.
Cetostearyl Alcohol					5 G.
Liquid Paraffin					50 G.
Purified Water to	..				100 G.

7490 CHLORHEXIDINE, AQUEOUS

Chlorhexidine Gluconate Solution					5 ml.
Cetomacrogol Emulsifying Wax					25 G.
Liquid Paraffin					10 G.
Purified Water to	..				100 G.

7662 COAL TAR and ZINC

Coal Tar, B.P.C.					1 G.
Castor Oil					1 G.
Zinc Cream					98 G.

7663 COLD

White Beeswax					20 G.
Liquid Paraffin					60 G.
Borax					1 G.
Purified Water					19 G.

7664 GLYCERIN, OILY

Glycerin	..				20 G.
Calcium Hydroxide Solution					32 ml.
Arachis Oil					22 G.
Wool Fat	..				26 G.

7665 ICHTHAMMOL and ZINC, OILY

Ichthammol					5 G.
Cetostearyl Alcohol					3 G.
Wool Fat	..				10 G.
Oily Zinc Cream					82 G.

9556 OILY

Wool Alcohols Ointment					50 G.
Purified Water					50 G.

PRESCRIPTION

CREAMS—*cont.*

**7489 SALICYLIC ACID and RESORCINOL,
AQUEOUS**

Salicylic Acid	2 G.
Resorcinol	2 G.
Aqueous Cream, A.P.F. to	100 G.

**7488 SALICYLIC ACID and SULPHUR,
AQUEOUS**

Salicylic Acid	2 G.
Precipitated Sulphur	2 G.
Spike Lavender Oil	0.5 ml.
Aqueous Cream, A.P.F. to	100 G.

7667 ZINC, OILY

Zinc Oxide	32 G.
Oleic Acid	0.5 ml.
Arachis Oil	21.5 ml.
Wool Fat	17.5 G.
Calcium Hydroxide Solution	30.5 ml.

7654 ZINC, WEAK

Zinc Oxide	5 G.
Oleic Acid	0.5 ml.
Arachis Oil	38.5 ml.
Wool Fat	25 G.
Calcium Hydroxide Solution	34.5 ml.

DUSTING POWDERS

(Maximum Quantity 100 G. and 1 Repeat)

7552 BORIC TALC

Boric Acid	5 G.
Starch	10 G.
Purified Talc	85 G.

9841 DICOPHANE

Dicophane	10 G.
Calcium Carbonate	10 G.
Light Kaolin	80 G.

PRESCRIPTION

DUSTING POWDERS—*cont.*

9847 KAOLIN COMPOUND

Light Kaolin	..				25 G.
Zinc Oxide					25 G.
Purified Talc	..				50 G.

7553 SALICYLIC ACID, COMPOUND

Salicylic Acid					3 G.
Boric Acid					5 G.
Purified Talc	..				92 G.

7554 ZINC, COMPOUND

Boric Acid					5 G.
Zinc Oxide					25 G.
Purified Talc	..				35 G.
Starch					35 G.

EAR DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

7642 ALUMINIUM ACETATE

Aluminium Acetate Solution		9 ml.
Purified Water to		15 ml.

7643 BORIC ACID

Boric Acid		300 mg.
Industrial Methylated Spirit		3 ml.
Purified Water to		15 ml.

7487 CHLORHEXIDINE

Chlorhexidine Diacetate		7.5 mg
Purified Water to		15 ml.

7644 HYDROGEN PEROXIDE

Hydrogen Peroxide Solution		3.75 ml.
Purified Water to		15 ml.

7645 ICHTHAMMOL

Ichthammol		10 G.
Glycerin		90 G.

PRESCRIPTION

EAR DROPS—*cont.*

7648 PHENYLMERCURIC NITRATE

Phenylmercuric Nitrate			15 mg.
Propylene Glycol to			15 ml.

8185 SALICYLIC ACID

Salicylic Acid	..			300 mg.
Industrial Methylated Spirit				7.5 ml.
Purified Water to	..			15 ml.

8194 SODIUM BICARBONATE

Sodium Bicarbonate				600 mg.
Glycerin	..			11.25 ml.
Purified Water to	..			15 ml.

7649 SPIRIT

Industrial Methylated Spirit			7.5 ml.
Purified Water to	..		15 ml.

ELIXIRS

(Maximum Quantity 100 ml. and 4 Repeats)

7493 EPHEDRINE

Ephedrine Hydrochloride			20 mg.
Aromatic Syrup, A.P.F.			2 ml.
Concentrated Chloroform Water			0.1 ml.
Water to	..		5 ml.

7640 PHENOBARBITONE

Phenobarbitone			15 mg.
Alcohol (90 per cent)	..		2 ml.
Glycerin	..		1.5 ml.
Aromatic Syrup, A.P.F. to			5 ml.

PREScription

EMULSION

(Maximum Quantity 400 ml. and 4 Repeats)

7486 LIQUID PARAFFIN

Liquid Paraffin					200 ml.
Acacia					50 G.
Saccharin Sodium	..				20 mg.
Benzoic Acid Solution, A.P.F.					10 ml.
Vanillin					200 mg.
Chloroform					1 ml.
Purified Water to	..				400 ml.

(May be prescribed for pensioners only)

EYE DROPS

(Maximum Quantity 15 ml. and 2 Repeats)

7417 ZINC and ADRENALINE

Zinc Sulphate					37.5 mg.
Adrenaline Solution					1.5 ml.
Boric Acid					225 mg.
Sodium Metabisulphite					7.5 mg.
Chlorbutol					75 mg.
Glycerin					0.15 ml.
Water for Injections to					15 ml.

7416 ZINC SULPHATE

Zinc Sulphate					37.5 mg.
Boric Acid					225 mg.
Chlorbutol					75 mg.
Glycerin					0.15 ml.
Water for Injections to					15 ml.

INHALATIONS

(Maximum Quantity 50 ml. and 1 Repeat)

7485 BENZOIN

Compound	Benzoin	Tincture	
B.P.C.			50 ml.

PRESCRIPTION

INHALATIONS—*cont.*

7484 MENTHOL and BENZOIN

Menthol						1 G.
Compound	Benzoin	Tincture				
B.P.C. to						50 ml.

7494 MENTHOL and EUCALYPTUS

Menthol						1 G.
Eucalyptus Oil						6.25 ml.
Light Magnesium Carbonate						3.5 G.
Water to	..					50 ml.

7483 MENTHOL and PINE

Menthol						1 G.
Creosote						1 ml.
Pumilio Pine Oil						2.5 ml.
Industrial Methylated Spirit to						50 ml.

LINCTUSES

Except where shown, Maximum Quantity 100 ml.
and 4 Repeats)

1534 CAMPHOR COMPOUND

Camphorated Opium Tincture						2 ml.
Oxymel of Squill						1 ml.
Syrup to						5 ml.

7495 CODEINE

(Maximum Quantity 100 ml. and 2 Repeats)

Codeine Phosphate						25 mg.
Water						1 ml.
Glycerin	..					1 ml.
Oxymel of Squill						2 ml.
Syrup to						5 ml.

7482 PHOLCODINE

Pholcodine						5 mg.
Citric Acid						50 mg.
Chloroform Spirit	..					0.3 ml.
Compound Amaranth Solution,						
A.P.F.	..					0.1 ml.
Glycerin	..					1 ml.
Syrup to	..					5 ml.

PRESCRIPTION

LINCTUSES—*cont.*

7635 SIMPLE

Citric Acid					200 mg.
Chloroform Spirit	..				0.3 ml.
Amaranth Solution, A.P.F.					0.1 ml.
Concentrated Anise Water					0.1 ml.
Syrup to	..				5 ml.

LINIMENTS

(Maximum Quantity 100 ml. and 1 Repeat)

7884 CAMPHOR

Camphor	..				20 G.
Arachis Oil					80 G.

7481 METHYL SALICYLATE

Methyl Salicylate	..				25 ml.
Arachis Oil to					100 ml.

7480 METHYL SALICYLATE, COMPOUND

Menthol					4 G.
Eucalyptus Oil					10 ml.
Methyl Salicylate					25 ml.
Arachis Oil to					100 ml.

7479 SOAP

Camphor	..				4 G.
Oleic Acid					4 G.
Potassium Hydroxide Solution, (5 per cent)					14 ml.
Industrial Methylated Spirit					70 ml.
Rosemary Oil	..				1.5 ml.
Purified Water to	..				100 ml.

PRESCRIPTION

LOTIONS

(Maximum Quantity 200 ml. and 2 Repeats)

7629 CALAMINE

Calamine ..						30 G.
Zinc Oxide ..						10 G.
Bentonite ..						6 G.
Sodium Citrate						1 G.
Liquefied Phenol						1 ml.
Glycerin ..						10 ml.
Purified Water to	..					200 ml.

7630 CALAMINE OILY

Calamine ..						10 G.
Wool Fat ..						2 G.
Arachis Oil						100 ml.
Oleic Acid						1 ml.
Calcium Hydroxide Solution to						200 ml.

8793 RESORCINOL COMPOUND

Resorcinol						5 G.
Solvent Ether						5 ml.
Castor Oil						5 ml.
Spike Lavender Oil						0.2 ml.
Industrial Methylated Spirit to						200 ml.

7633 SULPHURATED

Zinc Sulphate ..						10 G.
Sulphurated Potash						10 G.
Acetone						10 ml.
Glycerin ..						10 ml.
Spike Lavender Oil						0.4 ml.
Purified Water to	..					200 ml.

8825 ZINC SULPHATE

Zinc Sulphate						2 G.
Amaranth Solution, A.P.F.						2 ml.
Purified Water to	..					200 ml.

PRESCRIPTION

MIXTURES

(Maximum Quantity 200 ml. and 4 Repeats)

7379 ALUMINIUM HYDROXIDE with BELLADONNA

Belladonna Tincture		0.5 ml.
Mixture of Aluminium Hydroxide, A.P.F. to		10 ml.

7380 ALUMINIUM HYDROXIDE with KAOLIN and OPIUM

Light Kaolin		2 G.
Opium Tincture		0.3 ml.
Mixture of Aluminium Hydroxide, A.P.F. to		10 ml.

7381 ALUMINIUM HYDROXIDE with PROCAINE

Procaine Hydrochloride		100 mg.
Mixture of Aluminium Hydroxide, A.P.F. to		10 ml.

7382 AMINOPHYLLINE COMPOUND

Phenobarbitone Sodium		20 mg.
Ephedrine Hydrochloride		15 mg.
Potassium Iodide		500 mg.
Aminophylline		100 mg.
Liquorice Liquid Extract		0.5 ml.
Chloroform Water Concentrated	..	0.25 ml.
Water to		10 ml.

7496 ASPIRIN

Aspirin		500 mg.
Compound Tragacanth Powder		200 mg.
Orange Syrup		1 ml.
Concentrated Chloroform Water		0.25 ml.
Water to	..	10 ml.

PREScription

MIXTURES—*cont.*

Additional drugs may be required to be prescribed with this mixture, and the following doses are considered suitable for addition to each 10 millilitre dose.

Amylobarbitone				25 mg.
Morphine Hydrochloride				10 mg.

7447 ASPIRIN and CODEINE

Codeine Phosphate				20 mg.
Aspirin				500 mg.
Compound Tragacanth Powder	...			200 mg.
Orange Syrup				1 ml.
Concentrated Chloroform Water	..			0.25 ml.
Water to				10 ml.

7446 ASPIRIN and MORPHINE

Morphine Hydrochloride Solution				1 ml.
Amaranth Solution, A.P.F.				0.1 ml.
Aspirin				500 mg.
Compound Tragacanth Powder	...			200 mg.
Orange Syrup				1 ml.
Concentrated Chloroform Water	..			0.25 ml.
Water to				10 ml.

7445 ASPIRIN and PHENOBARBITONE

Phenobarbitone				20 mg.
Aspirin				500 mg.
Compound Tragacanth Powder	...			200 mg.
Orange Syrup				1 ml.
Concentrated Chloroform Water	..			0.25 ml.
Water to				10 ml.

PRESCRIPTION

MIXTURES—*cont.*

7384 CAFFEINE, IODIDE and EPHEDRINE

Synonym: C.I.E. Mixture.

Caffeine					150 mg.
Sodium Iodide					500 mg.
Ephedrine Hydrochloride					20 mg.
Syrup Tolu					4 ml.
Spirit of Aniseed					0.06 <i>ml.</i>
Water to					10 ml.

7383 CALCIUM ACETYLSALICYLATE

Aspirin					550 mg.
Calcium Hydroxide					155 mg.
Neutral Syrup of Lemon					2 ml.
Solution of Carmine					0.1 ml.
Water to					10 ml.

7498 CHALK and KAOLIN

Chalk					1.5 G.
Light Kaolin					2.5 G.
Light Magnesium Carbonate					200 mg.
Concentrated Chloroform Water					0.25 ml.
Water to	..				10 ml.

7499 CHLORAL HYDRATE

Chloral Hydrate					1 G.
Orange Syrup	..				1 ml.
Concentrated Chloroform Water					0.25 ml.
Water to	..				10 ml.

7500 FERROUS SULPHATE

Ferrous Sulphate	..				300 mg.
Dextrose Monohydrate	..				1 G.
Orange Syrup	..				1 ml.
Citric Acid					50 mg.
Concentrated Chloroform Water					0.25 ml.
Water to	..				10 ml.

PREScription

MIXTURES—*cont.*

7501 GENTIAN ACID

Concentrated Compound Gentian Infusion		1 ml.
Dilute Hydrochloric Acid		0.5 ml.
Concentrated Chloroform Water		0.25 ml.
Water to	..	10 ml.

7502 GENTIAN ALKALINE

Concentrated Compound Gentian Infusion		1 ml.
Sodium Bicarbonate		500 mg.
Concentrated Chloroform Water		0.25 ml.
Water to	..	10 ml.

7378 IPECACUANHA and OPIUM

Synonym: Cough Mixture.

Ipecacuanha Tincture		0.3 ml.
Camphorated Opium Tincture		1.2 ml.
Syrup Tolu		1.2 ml.
Oxymel of Squill		1 ml.
Chloroform Spirit		0.3 ml.
Anise Water Concentrated		0.15 ml.
Water to		10 ml.

7503 KAOLIN and OPIUM

Light Kaolin		2.5 G.
Light Magnesium Carbonate		200 mg.
Opium Tincture		0.5 ml.
Concentrated Chloroform Water		0.25 ml.
Water to	..	10 ml.

7504 MAGNESIUM TRISILICATE

Magnesium Trisilicate	..	1 G.
Calcium Carbonate		500 mg.
Light Magnesium Carbonate		500 mg.
Concentrated Peppermint Water		0.25 ml.
Water to	..	10 ml.

PRESCRIPTION

MIXTURES—*cont.*

**7385 PHENOBARBITONE with BELLADONNA,
PROCAINE and ALUMINIUM
HYDROXIDE**

Synonym: P.B.P.A. Mixture

Phenobarbitone Sodium ..			15 mg.
Belladonna Tincture			0.6 ml.
Procaine Hydrochloride			150 mg.
Mixture of Aluminium Hydroxide, A.P.F. to ..			10 ml.

7505 POTASSIUM CHLORIDE

Potassium Chloride			1 G.
Lemon Syrup, A.P.F.			2 ml.
Concentrated Chloroform	Water		0.25 ml.
Water to ..			10 ml.

7506 POTASSIUM CITRATE

Potassium Citrate ..			2 G.
Citric Acid			400 mg.
Lemon Syrup, A.P.F.			1 ml.
Concentrated Chloroform	Water		0.25 ml.
Water to ..			10 ml.

**7507 POTASSIUM CITRATE and SODIUM
BICARBONATE**

Potassium Citrate ..			1 G.
Sodium Bicarbonate			750 mg.
Orange Syrup ..			1 ml.
Concentrated Chloroform	Water		0.25 ml.
Water to ..			10 ml.

**7508 POTASSIUM IODIDE and STRAMONIUM,
COMPOUND**

Synonym: Lobelia and Stramonium Mixture.

Potassium Iodide			250 mg.
Stramonium Tincture			0.5 ml.
Lobelia Ethereal Tincture ..			0.5 ml.
Aromatic Ammonia Spirit ..			0.5 ml.
Liquorice Liquid Extract			0.5 ml.
Concentrated Chloroform	Water		0.25 ml.
Water to ..			10 ml.

PREScription

MIXTURES—*cont.*

7444 SENEGA and AMMONIA

Ammonium Bicarbonate			250 mg.
Camphorated Opium Tincture			1 ml.
Liquorice Liquid Extract			0.5 ml.
Concentrated Senega Infusion			0.4 ml.
Concentrated Chloroform Water	..		0.25 ml.
Water to			10 ml.

7509 SODIUM CITRATE

Sodium Citrate			2 G.
Citric Acid			400 mg.
Lemon Syrup, A.P.F.			1 ml.
Concentrated Chloroform Water			0.25 ml.
Water to	..		10 ml.

7510 SODIUM SALICYLATE

Sodium Salicylate	..		1 G.
Liquorice Liquid Extract			0.25 ml.
Concentrated Chloroform Water			0.25 ml.
Water to	..		10 ml.

NASAL INSTILLATIONS

(Maximum Quantity 15 ml. and 2 Repeats)

7576 DEXTROSE and GLYCERIN

Dextrose Monohydrate			3 G.
Glycerin to			15 ml.

7574 EPHEDRINE

Ephedrine Hydrochloride			150 mg.
Chlorbutol			75 mg.
Sodium Chloride			75 mg.
Propylene Glycol			0.75 ml.
Purified Water to	..		15 ml.

PRESCRIPTION

OINTMENTS

(Maximum Quantity 100 G. and 1 Repeat)

9497 BENZOIC ACID, COMPOUND

Benzoic Acid					6 G.
Salicylic Acid	..				3 G.
Emulsifying Ointment	..				91 G.

7918 EMULSIFYING

Emulsifying Wax	..				30 G.
White Soft Paraffin					50 G.
Liquid Paraffin					20 G.

7570 HAMAMELIS, COMPOUND

Hamamelis Liquid Extract					10 ml.
Phenol					2 G.
Zinc Oxide					10 G.
Wool Fat	..				50 G.
Yellow Soft Paraffin to	..				100 G.

9592 RESORCINOL and SULPHUR, COMPOUND

Resorcinol					2 G.
Precipitated Sulphur	..				3 G.
Salicylic Acid	..				1 G.
White Simple Ointment					94 G.

7926 SALICYLIC ACID

Salicylic Acid	..				2 G.
Wool Alcohols Ointment	...				98 G.

7927 SIMPLE

Wool Fat	..				5 G.
Hard Paraffin	..				5 G.
Cetostearyl Alcohol					5 G.
White Soft Paraffin					85 G.

7929 SULPHUR

Sublimed Sulphur	..				10 G.
White Simple Ointment					90 G.

PRESCRIPTION

OINTMENTS—*cont.*

7899 ZINC and CASTOR OIL

Zinc Oxide					7.5 G.
Castor Oil					50 G.
Cetostearyl Alcohol					2 G.
White Beeswax					10 G.
Arachis Oil					30.5 G.

7527 ZINC OXIDE

Zinc Oxide					15 G.
White Simple Ointment					85 G.

PAINTS

(Maximum Quantity 25 ml. and 1 Repeat)

7562 ICHTHAMMOL

Ichthammol					10 G.
Glycerin	..				90 G.

7565 MAGENTA

Magenta	..				100 mg.
Resorcinol					2 G.
Phenol					1 G.
Boric Acid					200 mg.
Industrial Methylated Spirit					2 ml.
Acetone					1 ml.
Purified Water to	..				25 ml.

7566 PODOPHYLLIN

Podophyllum Resin					1.25 G.
Compound Benzoin Tincture to					25 ml.

7567 PODOPHYLLIN, STRONG

Podophyllum Resin					3.75 G.
Compound Benzoin Tincture to					25 ml.

7568 SALICYLIC ACID

Salicylic Acid	..				2.5 G.
Flexible Collodion to					25 ml.

PRESCRIPTION

PASTES

(Maximum Quantity 100 G. and 1 Repeat)

7555 COAL TAR

Coal Tar, B.P.C.					1 G.
Castor Oil					1 G.
Compound Zinc Paste					98 G.

7556 DITHRANOL and ZINC

Dithranol	..					100 mg.
Compound Zinc Paste						99.9 G.

7557 DITHRANOL and ZINC, STRONG

Dithranol	..					1 G.
Compound Zinc Paste						99 G.

7478 TITANIUM DIOXIDE

Titanium Dioxide	..					20 G.
Zinc Oxide						10 G.
Calamine	..					10 G.
Light Kaolin	..					10 G.
Bentonite	..					1 G.
Compound Hydroxybenzoate Powder, A.P.F.	..					100 mg.
Glycerin	..					20 G.
Purified Water to	..					100 G.

7558 ZINC, COMPOUND

Zinc Oxide						25 G.
Starch						25 G.
White Soft Paraffin						50 G.

7559 ZINC and SALICYLIC ACID

Salicylic Acid	..					2 G.
Liquid Paraffin						2 G.
Compound Zinc Paste						96 G.

POWDERS

(Maximum Quantity 100 G. and 2 Repeats)

7477 ALUMINIUM and MAGNESIUM TRISILICATE

Dried Aluminium Hydroxide Gel	10 G.
Magnesium Trisilicate	 50 G.
Light Kaolin	 40 G.

PREScription

POWDERS—*cont.*

**7549 MAGNESIUM and CALCIUM
CARBONATE**

Calcium Carbonate				25 G.
Heavy Magnesium Carbonate				25 G.
Magnesium Trisilicate	..			50 G.
Peppermint Oil				0.2 ml.

SPRAY

(Maximum Quantity 15 ml. and 2 Repeats)

7476 ADRENALINE and ATROPINE

Adrenaline Acid Tartrate				135 mg.
Atropine Methonitrate	..			15 mg.
Sodium Chloride				90 mg.
Chlorbutol				75 mg.
Sodium Metabisulphite				15 mg.
Propylene Glycol				0.75 ml.
Purified Water, freshly boiled and cooled to				15 ml.

PRESCRIBERS' LIST

Children's Section

PRESCRIPTION

LINCTUS

(Maximum Quantity 100 ml. and 4 Repeats)

7475 PHOLCODINE

Pholcodine						2.5 mg.
Citric Acid						25 mg.
Chloroform Spirit	..					0.15 ml.
Compound Amaranth Solution,						
A.P.F.	..					0.05 ml.
Glycerin	..					0.5 ml.
Syrup to	..					5 ml.

MIXTURES

(Maximum Quantity 100 ml. and 4 Repeats)

7577 ALUMINIUM HYDROXIDE with KAOLIN

Light Kaolin	..					1 G.
Aluminium Hydroxide Mixture to						5 ml.

7511 ASPIRIN

Aspirin						150 mg.
Compound Tragacanth Powder						100 mg.
Raspberry Syrup	..					1 ml.
Water to	..					5 ml.

PRESCRIPTION

MIXTURES—*cont.*

7512 ATROPINE METHONITRATE

Atropine Methonitrate			0.5 mg.
Lemon Syrup, A.P.F.	..		0.5 ml.
Concentrated Chloroform Water			0.1 ml.
Water to	..		5 ml.

7513 BELLADONNA

Belladonna Tincture			0.1 ml.
Orange Syrup			1 ml.
Glycerin	..		1 ml.
Benzoic Acid Solution, A.P.F.			0.1 ml.
Water to	..		5 ml.

7514 CALCIUM and KAOLIN

Calcium Carbonate			500 mg.
Light Kaolin			1 G.
Light Magnesium Carbonate			100 mg.
Chloroform Spirit	..		0.1 ml.
Concentrated Cinnamon Water			0.1 ml.
Water to	..		5 ml.

7515 CHLORAL HYDRATE

Chloral Hydrate			250 mg.
Orange Syrup	..		1 ml.
Concentrated Chloroform Water			0.1 ml.
Water to	..		5 ml.

7516 FERROUS GLUCONATE

Ferrous Gluconate	..		200 mg.
Dextrose Monohydrate	..		500 mg.
Orange Syrup	..		1 ml.
Citric Acid			25 mg.
Concentrated Chloroform Water			0.1 ml.
Water to	..		5 ml.

7517 FERROUS SULPHATE

Ferrous Sulphate	..		100 mg.
Dextrose Monohydrate			500 mg.
Orange Syrup	..		1 ml.
Citric Acid			25 mg.
Concentrated Chloroform Water			0.1 ml.
Water to	..		5 ml.

PRESCRIPTION

MIXTURES—cont.

7518 IPECACUANHA and SQUILL

Ipecacuanha Tincture	0.1 ml.
Camphorated Opium Tincture	0.3 ml.
Oxymel of Squill	1 ml.
Water to	5 ml.

7519 MAGNESIUM SULPHATE

Magnesium Sulphate	1 G.
Light Magnesium Carbonate	200 mg.
Concentrated Peppermint Water	0.1 ml.
Water to	5 ml.

7520 PHTHALYLSULPHATHIAZOLE

Phthalylsulphathiazole	500 mg.
Light Kaolin	300 mg.
Compound Tragacanth Powder	50 mg.
Raspberry Syrup	1 ml.
Benzoic Acid Solution, A.P.F.	0.1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7521 POTASSIUM CITRATE

Potassium Citrate	1 G.
Citric Acid	200 mg.
Lemon Syrup, A.P.F.	1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

7522 POTASSIUM IODIDE

Potassium Iodide	100 mg.
Liquorice Liquid Extract	0.25 ml.
Aromatic Ammonia Spirit	0.1 ml.
Concentrated Chloroform Water	0.1 ml.
Water to	5 ml.

PREScription

MIXTURES—*cont.*

7523 POTASSIUM IODIDE and EPHEDRINE

Potassium Iodide				100 mg.
Ephedrine Hydrochloride				10 mg.
Stramonium Tincture	..			0.2 ml.
Aromatic Ammonia Spirit				0.1 ml.
Liquorice Liquid Extract				0.2 ml.
Concentrated Chloroform	Water			0.1 ml.
Water to	..			5 ml.

7524 SODIUM AMINOSALICYLATE

Sodium Aminosalicylate				1 G.
Liquorice Liquid Extract	..			0.25 ml.
Orange Syrup	..			1 ml.
Concentrated Chloroform	Water			0.1 ml.
Water to	..			5 ml.

7525 SODIUM CITRATE

Sodium Citrate				1 G.
Citric Acid				200 mg.
Lemon Syrup, A.P.F.				1 ml.
Concentrated Chloroform	Water			0.1 ml.
Water to	..			5 ml.





DEPARTMENT OF HEALTH

Pharmaceutical Benefits

**PROPRIETARY
INDEX**

AUGUST 1969



DEPARTMENT OF HEALTH

Pharmaceutical Benefits

**PROPRIETARY
INDEX**

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

PART 3 ABBREVIATIONS OR SYNONYMS
FOR APPROVED NAMES

PROPRIETARY INDEX

PART 1—PROPRIETARY NAMES INDEX

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
A.B. Elixir	KL	Theophylline
Abbocillin	AB	Penicillin products
Abbocillin G	AB	Penicillin products
Abbocillin-V	AB	Penicillin products
Abbocillin-VK	AB	Penicillin products
Abbocort	AB	Hydrocortisone Acetate
Acetest	AM	Sodium Nitroprusside
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Achrostatin-V	LE	Tetracycline with Nystatin
Acluton	WP	Phenindione
Acode	KL	Codeine Phosphate with Aspirin
Actal	WL	Aluminium Hydroxide Gel Dried
Actal Complex	WL	Aluminium Hydroxide-Magnesium Car- bonate Co-Dried Gel
Acthar	AR	Corticotrophin
Actidil	BW	Triprolidine
Actrapid	EV	Insulin Neutral
Adaben	KL	Benzocaine with Adrenaline
Adaphol	AV	Pholcodine
Adasone	AV	Prednisone
Adrenalate	BW	Adrenaline Acid Tartrate
Adrox	RD	Aluminium Hydroxide Gel Dried
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Airbron	BD	Acetylcysteine
Akineton	KN	Biperiden
Albucid	SC	Sulphacetamide Sodium
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Alcopar	BW	Bephenium Hydroxynaphthoate
Aldactone-A	SR	Spironolactone
Aldocorten	CB	Aldosterone
Aldomet	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Alkeran	BW	Melphalan
Alkolac	GL	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Allegron	DL	Nortriptyline

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Almacarb	BD	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Alox	KL	Aluminium Hydroxide Gel Dried
Alox Compound	KL	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Amesec	LY	Aminophylline with Ephedrine Hydro- chloride and Amylobarbitone
Amigen with Levugen	BX	Casein Hydrolysate with Laevulose and Alcohol
Amigen	BX	Casein Hydrolysate and Dextrose
Aminofusin	PC	Amino Acids with Sorbitol and Ethanol
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	NB	Amylobarbitone Sodium
Amylosol	LF	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anadur	SI	Nandrolone Hexanoylphenylpropionate
Anagal	KL	Bismuth Subgallate
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	BD	Meclozine
Ancosal	AV	Sodium Salicylate
Androphyllin	ET	Aminophylline
Anectine	BW	Suxamethonium Chloride
Angesil	DH	Codeine Phosphate with Aspirin and Paracetamol

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Anginine	BW	Glyceryl Trinitrate
Stabilised		
Anoidal	HA	Benzalkonium Chloride
Ansolysen	MB	Pentolinium Tartrate
Antegan	FR	Cyproheptadine
Anthiphen	MB	Dichlorophen
Anthisan	MB	Mepyramine
Antiderm	HY	Pyridoxine Hydrochloride
Anti- Hist	PT	Diphenylpyraline
Anti-Spas	PT	Benzhexol
Antistine	CB	Antazoline
Antistine Privine	CB	Antazoline with Naphazoline
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aquacaine G	CS	Penicillin Procaine
Aquacaine G	CS	Penicillin Procaine Fortified
Fortified		
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascotin	FA	Codeine Phosphate with Aspirin
Asmin	KL	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Asopax	NS	Aluminium Acetylsalicylate
Aspalgin	FM	Codeine Phosphate with Aspirin
Aspisol	KL	Aspirin
Astrafer	AP	Dextriferron
A.T.10	WL	Dihydrotachysterol
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Austracol	CS	Chloramphenicol
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrawolf	CS	Rauwolfia Alkaloids
Aventyl	LY	Nortriptyline
Avil	AH	Pheniramine
Avilette	AH	Pheniramine

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone
B		
Bacomycin	SI	Polymyxin B Sulphate with Bacitracin and Neomycin
Bactylan	RL	Sodium Aminosalicylate
Bakramil	BK	Phenobarbitone
Baqual	KL	Quinalbarbitone Sodium
Barbeph	KL	Ephedrine Hydrochloride with Pheno- barbitone
Barbeph Forte	KL	Ephedrine Hydrochloride with Pheno- barbitone
Barbico	AB	Barbiturates Compound
Barbidein	DH	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Barbopent	BW	Pentobarbitone Sodium
Bayrena	FB	Sulphamethoxydiazine
B.A.Z.	KL	Zinc and Adrenaline
Belgar	WW	Belladonna with Phenobarbitone
Belgar Forte	WW	Belladonna with Phenobarbitone
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadon	RO	Pyridoxine Hydrochloride
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate-C	GL	Betamethasone with Clioquinol
Bicillin	WY	Penicillin Benzathine
Bicillin-V	WY	Penicillin Phenoxymethyl (Benzathine Salt)
Bidramine	AV	Diphenhydramine
Binesia	FA	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Biomycetin	CW	Chloramphenicol
Biomydryn	WW	Neomycin with Gramicidin, Thonzon- ium Bromide, Thonzylamine and Hydrocortisone Acetate
Bleph 10	AG	Sulphacetamide Sodium
Bobbamycin	SU	Oxytetracycline
Bonadorm	EV	Dichloralphenazone
Brevidil M	MB	Suxamethonium Bromide

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Brinaldix	SZ	Clopamide
Brislox	BC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Bristab	BC	Hydroflumethiazide
Bristacin-A	BC	Rolitetracycline
Brista-K	BC	Potassium
Bristuric	BC	Bendrofluazide
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Budoform	DR	Clioquinol
Burco	BW	Codeine Phosphate with Aspirin and Paracetamol
Burcosol	BW	Codeine Phosphate with Aspirin and Paracetamol
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butaphen	PR	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbutobarbitone
Butoroid	VR	Phenylbutazone
Buzon	KL	Phenylbutazone

C

Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Cafergot Q	SZ	Ergotamine Tartrate with Caffeine
Calasco	CA	Codeine Phosphate with Aspirin
Calcipas	KL	Calcium Aminosalicylate
Calcium Sandoz	SZ	Calcium Gluconate
Camoquin	PD	Amodiaquine
Cantil	SI	Mepenzolate
Caps-Pen V	BT	Penicillin Phenoxymethyl
Carbazole	PT	Carbimazole
Carbripen	PT	Pentobarbitone Compound
Carbrital	PD	Pentobarbitone Compound
Cardilate	BW	Erythrityl Tetranitrate
Cardophyllin	HA	Aminophylline
Cardoxin	SU	Digoxin
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Celestone	SH	Betamethasone
Chronodose		
Celontin	PD	Methsuximide
Censtim	OD	Imipramine
Cetamin	KL	Ascorbic Acid
Chlomin	KL	Chloramphenicol
Chloplex	KL	Chloramphenicol with Polymyxin B.
Chloradorm	KL	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chlorocort	PD	Chloramphenicol with Hydrocortisone
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chlorquin	PT	Chloroquine
Chlortet	LF	Chlortetracycline
Chlor Trimeton	SH	Chlorpheniramine
Choledyl	WW	Choline Theophyllinate
Chlotride	MK	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Ciba 1906 Depot	CB	Thiambutosine
Cilamycin	SI	Penicillin with Streptomycin
Cilicaine	SI	Penicillin Products
Cilicaine Forte	SI	Penicillin Products
Cilicaine Simplex	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Cillaphen	PR	Penicillin Phenoxymethyl
Citradex	GL	Vitamins Compound
Citrapen	DL	Penicillin Phenoxymethyl
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Clistin R-A	ET	Carbinoxamine
Clorstom	DH	Chloramine
Cobalomin	SU	Cyanocobalamin
Cobastab	BT	Cyanocobalamin
Co-Com	VR	Codeine Phosphate with Aspirin and Paracetamol
Codacet	BW	Codeine Phosphate with Aspirin
Codaspren	SI	Codeine Phosphate with Aspirin and Paracetamol
Code Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Codelcortone T.B.A.	MK	Prednisolone Tertiary Butyl Acetate
Codelsol	MK	Prednisolone Sodium Phosphate

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Codiphen	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codiphen Forte	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codral Forte	BW	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codsol	KL	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colein	KL	Colchicine
Colgout	PT	Colchicine
Colliron	EV	Ferric Hydroxide
Collumina	EV	Aluminium Hydroxide Gel Dried
Coloxyl with Danthron	FM	Dioctyl Sodium Sulphosuccinate with Danthron
Coly-Mycin	WW	Colistin
Coly-Mycin Otic	WW	Colistin with Neomycin
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortico-Gel	CK	Corticotrophin
Cortisyl	RL	Cortisone Acetate
Cortocaps	CK	Hydrocortisone with Neomycin
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrophin ZN	OR	Corticotrophin
Cotazym	OR	Pancrelipase
Cotin	KL	Ergotamine Tartate with Caffeine
Coumadin	EN	Warfarin
Cremomycin	MK	Neomycin Sulphate Mixture
Crystamycin	GL	Penicillin with Streptomycin
Crystapen G	GL	Penicillin Benzyl
Crystasol	GL	Penicillin with Streptomycin
Cuprimine	MK	Penicillamine
C.V.K.	GL	Penicillin Phenoxymethyl
C.V.L.	GL	Penicillin Phenoxymethyl
Cybal	KL	Cyclobarbitone
Cycladiene	DF	Dienoestrol
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen	GL	Cyanocobalamin

D

Dales	CI	Goats' Milk
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Darenthin	BW	Bretylum Tosylate

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Daricon	PF	Oxyphencyclimine
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Delta Cortril	PF	Prednisolone
Deltafluorene	LT	Dexamethasone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Delta-Stab	BT	Prednisolone
Depo-Medrol	UP	Prednisolone Methyl Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermafilm	PD	Dimethicone
Dermaline	HY	Dithranol
Deronil	SH	Dexamethasone
Deseril	SZ	Methysergide
Dexacortisyl	RL	Dexamethasone
Dexa-Scheroson	SC	Dexamethasone
Dexasone	PT	Dexamethasone
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diacta	NS	Sulphaguanidine
Di-Ademil	SQ	Hydroflumethiazide
Dialoxin	LF	Digoxin
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	BX	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diazyl	AB	Sulphadiazine
Diazyl M	AB	Sulphadiazine
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Diginox	RD	Digoxin
Digitaline	NA	Digitoxin
Digitox	PT	Digitoxin
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene Suspension	BT	Aluminium Hydroxide Ge with Mag- nesium Hydroxide
Dijene Tablet	BT	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin DA	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone Hydrochloride
Dilosyn	BD	Methdilazine
Dimelor	LY	Acetohexamide

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Dimetane	RS	Brompheniramine
Diminsuls	MG	Sulphadimidine
Dindevan	EV	Phenindione
Diodoquin	SR	Di-iodohydroxyquinoline
Di-Paralene	AB	Chlorcyclizine Hydrochloride
Diparcol	MB	Diethazine
Direxioide	DF	Di-iodohydroxyquinoline
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Distaquaine VK	DL	Penicillin Products
Ditoin	KL	Phenytoin Sodium
Divermex	DF	Piperazine Adipate
Dixin	KL	Digitoxin
Doburil	BY	Cyclothiazide
D.O.C.A.	OR	Deoxycortone
Donnabarbital	FM	Belladonna with Phenobarbitone
Donnabarbital Forte	FM	Belladonna with Phenobarbitone
Donnatal	RS	Belladonna with Phenobarbitone
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Dormel	DH	Chloral Hydrate
Dormir	LF	Methaqualone Hydrochloride
D-Penamine	DL	Penicillamine
Drenamist	BS	Adrenaline
Dromoran	RO	Levorphanol
Durabolin	OR	Nandrolone Phenylpropionate
Duronitrin	ET	Trolnitrate Phosphate
Duro-Tuss	RK	Pholcodine
Dymadon	CA	Paracetamol
Dytac	SK	Triamterene

E

E.D.C.	NS	Ethylidene Dicumarin
Edecril	MK	Ethaerynic Acid
Edrol	VR	Ethinylloestradiol
Efal	KL	Aminophylline with Ephedrine Hydro- chloride and Amylobarbitone
Efcortelan	GL	Hydrocortisone
Efkay	KL	Potassium
Elixophyllin	FA	Theophylline
Elixophyllin-KI	FA	Theophylline with Potassium Iodide
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Elmidone	KL	Primidone
Eltroxin	GL	Thyroxine Sodium
Embequin	MB	Di-iodohydroxyquinoline
EMU-V	UP	Erythromycin Preparations

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Enamine	CA	Chlorpheniramine
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensamate	HY	Sodium Salicylate
Ensobarb	HY	Phenobarbitone
Ensogran	HY	Sodium Aminosalicylate
Entacyl	BD	Piperazine Adipate
Entamycin	VR	Neomycin Sulphate Mixture
Enterfram	FC	Framycetin
Enterocid	BS	Phthalylsulphacetamide
Entero-Vioform	CB	Clioquinol
Ephedrobarbital	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Pheno- barbitone
Ephedrobarbital -T	FM	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Epidione	GA	Troxidone
Epifrin	AG	Adrenaline
Eppy	ET	Adrenaline
Ergalan	BD	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergalan 'B'	BD	Ergotamine Tartrate with Caffeine
Ergodryl	PD	Ergotamine Tartrate with Caffeine Cit- rate and Diphenhydramine Hydro- chloride
Ergomine	PT	Ergometrine Maleate
Ergotart	PT	Ergotamine Tartrate
Ergotart-C	PT	Ergotamine Tartrate with Caffeine
Ergotrate	LY	Ergometrine Maleate
Ernalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Ertonyl	SH	Ethinylloestradiol
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Estigyn	BD	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepifylline
Ethamide	AG	Ethoxzolamide
Ethamolin	GL	Ethanolamine Oleate
Etherone	PT	Ethisterone
Ethidyne	EL	Codeine Phosphate with Aspirin
Ethryn	FA	Erythromycin
Etin	KL	Ergotamine Tartrate
Eucerin	EV	Wool Alcohols

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Eumydrin	WL	Atropine Methonitrate
Evacilin	EV	Penicillin Procaine
Evactil	FA	Paraffin Liquid
EvrAMYcin	WY	Triacetyloleandomycin

F

Fabadorm	FB	Cyclobarbitone
Fabahistin	FB	Mebhydrolin
Fabahistin TR	FB	Mebhydrolin
Falcopen	FA	Penicillin Phenoxymethyl
Falcopen V	FA	Penicillin Products
Falcopen VK	FA	Penicillin Products
Famet	CA	Sulphamethizole
Fanatoin	IP	Nitrofurantoin
Fenallo	DH	Phenolphthalein Compound
Fenbital	BW	Phenobarbitone
Fenostil	CB	Dimethindene
Fenostil Retard	CB	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate
Ferrin 55	FA	Ferrous Gluconate
Ferri-Vita	HY	Ferrous Sulphate
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate
Ferromyn	CA	Ferrous Succinate
Ferronicum	SZ	Ferrous Gluconate
Ferrose	DH	Ferrous Gluconate
Ferrum	SI	Iron Polymaltose Complex
Hausmann		
Fersolate	GI	Ferrous Sulphate
Fibroxin	VR	Digoxin
Flagyl	MB	Metronidazole
Flébocortid	RM	Hydrocortisone Sodium Succinate
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folvite	LE	Sodium Folate
Fonurit	BZ	Acetazolamide
Framygen	GN	Framycetin
Franol	WL	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Frin	AQ	Phenylephrine
Fucidin	ET	Fusidic Acid
Fulcin Forte	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate

*Proprietary
Name**Manu-
facturer**Approved Name***G**

Galactomin	TF	Milk Powder—Synthetic
Formula 17		
Galactomin	TF	Milk Powder—Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Gardenal	MB	Phenobarbitone
Gardenal	MB	Phenobarbitone Sodium
Sodium		
Gastrogel	FM	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gastrox	GP	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Geloid	BW	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Gelox Gel	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Mag- nesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucamide	PT	Acetazolamide
Glaucan	MH	Adrenaline
Gluciron	MG	Ferrous Gluconate
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Gludorm	KL	Glutethimide
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Guanimycin	GL	Streptomycin Sulphate with Sulphaguanidine
Gynergen	SZ	Ergotamine Tartrate

H

Haemofort	MJ	Ferrous Sulphate
Haemopan	PT	Phenindione
Haldron	LY	Paramethasone
Halotestin	UP	Fluoxymesterone
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Hibitane Con- centrate 5%	IC	Chlorhexidine
Histaids	OD	Chlorpheniramine
Histalert	RK	Diphenylpyraline
Histostab	BT	Antazoline
Histryl	SK	Diphenylpyraline
Honvan	MJ	Disodium Stilboestrol Diphosphate
Hostacycline P	AH	Tetracycline (Buffered)
H.P. Acthar-Gel	AR	Corticotrophin
Hyalase	FC	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Aspirin
Hycor	SI	Hydrocortisone
Hydergine	SZ	Ergotoxine Methanesulphonates
Hyd-Oint.	PT	Hydrocortisone
Hydrenox	BT	Hydroflumethiazide
Hydrid	VR	Mersalyl
Hydrocort	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone
Hydrocortone	MK	Hydrocortisone Acetate
Hydrop	PT	Hydrocortisone
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hygroton 50	GE	Chlorthalidone
Hypertet	CI	Tetanus Immune Globulin (Human)
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate

I

Iosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Inapasade	SN	Sodium Aminosalicylate with Isoniazid
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoral	WW	Phenformin
Insoral TD	WW	Phenformin
Intracort	BT	Hydrocortisone Sodium Succinate
Iramil	KL	Imipramine
Ironate	KL	Ferrous Gluconate
Ismelin	CB	Guanethidine
Isolin	PT	Isoprenaline Sulphate
Isomist	BS	Isoprenaline Sulphate
Isordil	AY	Sorbide Nitrate
Isosed	HY	Amylobarbitone
Isotinyt	KL	Isoniazid
Isuprel	WL	Isoprenaline Hydrochloride

*Proprietary
Name*

*Manu-
facturer*

Approved Name

J

Jadit	AH	Buclosamide with Salicylic Acid
Jadit H	AH	Buclosamide with Salicylic Acid and Hydrocortisone
Jectofer	AP	Iron Sorbitol

K

Kalicin	KL	Neomycin Sulphate Mixture
Kalicin	KL	Neomycin with Kaolin
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaomagma	WY	Aluminium Hydroxide with Kaolin
Kaomycin	UP	Neomycin Sulphate Mixture
Kaosan	PR	Neomycin Sulphate Mixture
Karagum	PT	Tragacanth Indian (Gum Karaya)
K-Eff	PR	Potassium
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Klortee	PT	Chloramine
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konakion	RO	Phytomenadione

L

Lanimerck	MQ	Lanatoside-C
Lanoside	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Largactil	MB	Chlorpromazine
Laroxyl	RO	Amitriptyline
Lasix	AH	Frusemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demethylehlortetracycline
Lederstatin	LE	Demethylehlortetracycline with Nystatin
Lethidrone	BW	Nalorphine
Leukeran	BW	Chlorambucil
Levophed	WL	Noradrenaline
Lincocin	UP	Lincomycin
Lingraine	WL	Ergotamine Tartrate
Liquidoplast	PT	Acrylic Resin
Liquifilm Tears	AG	Polyvinyl Alcohol

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex in Saline	FC	Dextran in Normal Saline
Lomodex in Dextrose	FC	Dextran with Dextrose
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin Phenoxymethyl
Lubarol	DH	Paraffin Liquid
Luteocrin Depot	RM	Hydroxyprogesterone
Lutorial	VR	Ethisterone
Lycanol	FB	Glymidine
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethiopropazine

M

M. & B. 693	MB	Sulphapyridine
Maalox	SI	Magnesium-Aluminium Hydroxide
Madribon	RO	Sulphadimethoxine
Magnoplasm	FA	Magnesium Sulphate
Mandaze	HA	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Mandelamine Hafgrams	WW	Methenamine Mandelate
Marevan	EV	Warfarin
Medihaler-Epi	RK	Adrenaline Acid Tartrate
Medihaler-Iso	RK	Isoprenaline Sulphate
Medihaler-Iso Forte	RK	Isoprenaline Sulphate
Medrol	UP	Prednisolone Methyl
Medsil	BT	Dimethicone
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Megimide	NS	Bemegride
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Melsedin	BT	Methaqualone Hydrochloride
Mephobarbital	PH	Methyl Phenobarbitone
Mequelon	FR	Methaqualone Hydrochloride
Merasylin	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metem Gel	CH	Aluminium Hydroxide Gel
Metestine	KL	Testosterone Methyl

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Methalon	AV	Methaqualone Hydrochloride
Methased	PT	Methaqualone Hydrochloride
Methergin	SZ	Methylergometrine
Methopt	SI	Methylcellulose
Metin	CS	Methicillin
Mevasine	MK	Mecamylamine
Meyenberg	JM	Goats Milk
Midicel	PD	Sulphamethoxypyridazine
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Milontin	PD	Phensuximide
Minafen	TF	Phenylalanine Low Content Formula
Minajel	MG	Aluminium Hydroxide Gel
Mogadon	RO	Nitrazepam
Monodral	WL	Penthienate
Mortha	WH	Morphine with Tacrine
Mucaine	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Multicin H	KL	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Multisulpha	KL	Sulphonamides, Three Mixed
Multisulphettes	KL	Sulphonamides, Three Mixed
Multivite Six	BD	Vitamins Compound
Mycardol	WL	Pentaerythritol Tetranitrate
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycort	DH	Hydrocortisone with Neomycin Sulphate
Mycostatin	SQ	Nystatin
Mylanda	PD	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Myleran	BW	Busulphan
Mylipen	GL	Penicillin Procaine
Mylodorm	GP	Amylobarbitone
Mylosed	VR	Amylobarbitone
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphoteri- cin B

N

Napent	RD	Pentobarbitone Sodium
Natigoxin	NA	Digoxin

<i>Proprietary Name</i>	<i>Manufacturer</i>	<i>Approved Name</i>
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
N.B.P.	DH	Polymyxin B Sulphate with Bacitracin and Neomycin
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembudeine	AB	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin
Neo-Avagall	ET	Hyoscine Methobromide
Neo-Benol	KL	Hydroxocobalamin
Neocodsol	KL	Codeine Phosphate with Aspirin
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neo-Hombreol	OR	Testosterone
Neo-Hycor	SI	Hydrocortisone with Neomycin Sulphate
Neohydrosone	KL	Hydrocortisone with Neomycin Sulphate
Neokalin	MR	Neomycin Sulphate Mixture
Neolin	PT	Neomycin Sulphate Mixture
Neomagma	WY	Neomycin Sulphate Mixture
Neomate	LF	Neomycin
Neo-Mercazole	BS	Carbimazole
Neomix	LF	Neomycin Sulphate Mixture
Neo-Naclex	GL	Bendrofluazide
Neo-Naclex-M	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Nephrl	PF	Polythiazide
Neptazane	LE	Methazolamide
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutrapen	RK	Penicillinase

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Neutratabs	HA	Aluminium Hydroxide Gel with Mag- nesium Trisilicate and Magnesium Hydroxide
Nilergex	IC	Isothipendyl Hydrochloride
Nivaquine	MB	Chloroquine
Nobecutane	EV	Acrylic Resin
Nollipyrin	KL	Codeine Phosphate with Aspirin and Paracetamol
Nordicort	NR	Hydrocortisone Sodium Succinate
Norflex	RK	Orphenadrine Citrate
Noshok Caustic Pencil	YF	Silver Nitrate, Toughened
Novosprin	VR	Aspirin
Nuralin	CS	Insulin Neutral
Nuso	BW	Insulin Neutral
Nutramigen Glucose	MJ	Nutramigen

O

Octaflex	WB	Acrylic Resin
Oestramine	KL	Oestradiol Benzoate
Oestroform	BD	Oestradiol Benzoate
Omnopon	RO	Papaveretum
Omnopon- Scopolamine	RO	Papaveretum with Hyoscine Hydro- bromide
Oncovin	LY	Vincristine
Optipen	CS	Phenethicillin
Optisone	HA	Hydrocortisone
Optocort	PT	Prednisolone
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Oratrol	AQ	Dichlorophenamide
Orisul	CB	Sulphaphenazole
Oroxine	BW	Thyroxine Sodium
Orumvite	VR	Vitamins Compound
Osmitol	BX	Mannitol
Ospolot	FB	Sulthiame
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B Sulphate (Aqueous Base)
Ovocyclin	CB	Oestradiol Dipropionate
Oxycycline	PT	Oxytetracycline
Oxymycin	KL	Oxytetracycline
Oxymycin-V	KL	Oxytetracycline (Buffered) with Nystatin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
P		
P2G Sclerosant	BT	Phenol, Dextrose and Glycerin
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	BS	Aloxiprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Pamine	UP	Hyoscine Methobromide
Panabarb	WL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panalgesic	WL	Codeine Phosphate with Aspirin and Paracetamol
Panalgesic Co.	WL	Codeine Phosphate with Aspirin, Para- cetamol and Caffeine
Pancillen	SU	Penicillin Phenoxymethyl
Pancrex "V"	ST	Pancreatin Concentrate
Panmycin KM	UP	Tetracycline (Buffered)
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Panteric	PD	Pancreatin Concentrate
Pantheline	PT	Propantheline Bromide
Panvit	PT	Vitamins Compound
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Parajel	SI	Paraffin Liquid
Paralax	PR	Paraffin Liquid
Paralgin	FM	Paracetamol
Paramisan	EV	Sodium Aminosalicylate
Sodium		
Paramul	MG	Paraffin Liquid
Parasin	AV	Paracetamol
Parmol	KL	Paracetamol
Pasade	EV	Sodium Aminosalicylate
Pasalba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate
Pastamag	DH	Magnesium Sulphate
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Phlecodine
Peganone	AB	Ethotoin
Penalco	CO	Pentobarbitone Compound
Penbarb	LF	Pentobarbitone Sodium
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Pencodine	KL	Pentobarbitone Sodium with Aspirin and Codeine Phosphate
Penevan	EV	Penicillin Benzyl
Peniset	DH	Penicillin Benzyl
Peni-Vee-K	DH	Penicillin Phenoxymethyl
Penritol	LF	Pentaerythritol Tetranitrate
Pensig	SI	Phenethicillin
Pensol	GL	Penicillin Benzyl
Pentacode	MG	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentalgin	FM	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentonal Co.	KL	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Testosterone Methyl
Perazil	BW	Chloreyclizine
Percorten	CB	Deoxycortone
Periactin	MK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perotysen	MB	Pempidine
Persantin	BY	Dipyridamole
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petisco	KL	Pethidine and Scopolamine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Penicillin Phenoxymethyl
Phenadon	LF	Belladonna with Phenobarbitone
Phenased	HY	Phenobarbitone
Phenergan	MB	Promethazine
Phenodren	DH	Ephedrine Hydrochloride with Pheno- barbitone
Phenylbute	SU	Phenylbutazone
Phiacort	PY	Hydrocortisone
Pholcof	CM	Pholcodine
Pholcolin	DH	Pholcodine
Pholevan	EV	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Nitrate
Pimafucin	BP	Natamycin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Pipanol	WL	Benzhexol
Piptal	SI	Pipenzolate
Piranex	KL	Chlorpheniramine
Piranex RA	KL	Chlorpheniramine
Piriton	GL	Chlorpheniramine
Pitocin	PD	Oxytocin
Piton	BP	Pituitary, Posterior Lobe
Pitressin	PD	Vasopressin
Pitressin Tannate in Oil	PD	Vasopressin Tannate
Placemol	VR	Paracetamol
Placidyl	AB	Ethchlorvynol
Placyl	HA	Cyclobarbitone
Plaquenil	WL	Hydroxychloroquine
Plegomazine	UW	Chlorpromazine
Plesmet	BP	Ferrous Aminoacetosulphate
Pluryl	ET	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Polmix	KL	Polymyxin B Sulphate
Polyeral	BS	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Polyeral Gel	BS	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Polycycline	BC	Tetracycline
Polydro	HA	Polymyxin B Sulphate
Polyhaemen	GP	Ferrous Sulphate
Polytracin-N	GL	Polymyxin B Sulphate with Bacitracin and Neomycin
Pomalin	WL	Sulphaguanidine
Potasol	RY	Potassium
Potavescent	PT	Potassium
Pot-Forte	PT	Potassium
Pot-Instant	LF	Potassium
P.P.C.	PT	Paracetamol with Codeine Phosphate and Sodium Pentobarbitone
Praenitron	PF	Trolnitrate Phosphate
Praenitron Protracted	PF	Trolnitrate Phosphate
Predsol	GL	Prednisolone Sodium Phosphate
Predsol-N Otic	GL	Prednisolone Sodium Phosphate with Neomycin
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primocort	SC	Deoxycortone
Primogyn C	SC	Ethinylloestradiol
Primoteston Depot	SC	Testosterone Oenanthate

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Pripsen	RC	Piperazine Phosphate
Priscol	CB	Tolazoline
Pro-Banthine	SR	Propantheline Bromide
Proben	PT	Probenecid
Probexin	KL	Probenecid
Procalm	NB	Chlorpromazine
Procillin A.S.	DH	Penicillin Procaine
Procyclomin	PT	Dicyclomine Hydrochloride
Prodepress	NB	Imipramine
Prodigox	PT	Digoxin
Prodol	NB	Aspirin
Prodol Co.	NB	Codeine Phosphate with Aspirin
Progan	AV	Promethazine
Proladone	CK	Oxycodone
Proloid	WW	Thyroid
Proluton	SC	Progesterone
Proluton C	SC	Ethisterone
Proluton Depot	SC	Hydroxyprogesterone
Promacid	KL	Chlorpromazine
Prominal	WL	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide
Propen-VK	PT	Penicillin Phenoxymethyl
Proquinal	PT	Quinalbarbitone Sodium
Prosobee	MJ	Soya Formula
Prostabillin	BT	Penicillin Procaine
Prostigmin	RO	Neostigmine
Protasma	PT	Aminophylline with Ephedrine Hydro- chloride and Amylobarbitone
Prothazine	KL	Promethazine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin	DH	Aspirin
Pularin	EV	Heparin
Purinethol	BW	Mercaptopurine
Purodigin	WY	Digitoxin
P.V. Carpine	AG	Pilocarpine Nitrate
PVK	LY	Penicillin Phenoxymethyl
PVKL	LF	Penicillin Phenoxymethyl
P.V.O.	FM	Penicillin Phenoxymethyl
Pyribenzamine	CB	Tripeleminamine
Pyridium	WW	Phenazopyridine Hydrochloride
Pyroxin	KL	Pyridoxine Hydrochloride
Q		
Q.B.	DH	Quinalbarbitone Sodium
Q.T. Cement	JA	Surgical Cement
Quaalude	SI	Methaqualone Hydrochloride
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Quillatone	RD	Quinalbarbitone Sodium
Quillatone M	RD	Quinalbarbitone Sodium
Quinaltone	LF	Quinalbarbitone Sodium
Quinased	HY	Quinalbarbitone
Quinbar	AV	Quinalbarbitone Sodium
Quinidoxin	BW	Quinidine Sulphate
Quinsan	PR	Quinine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture

R

Rapitard	EV	Insulin Biphasic
Rastinon	AH	Tolbutamide
Raudixin	SQ	Rauwolfia Alkaloids
Rausan	PR	Rauwolfia Alkaloids
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Alkaloids
Rectinol	GP	Benzocaine with Adrenaline
Resedrex	HA	Reserpine
Resochin	FB	Chloroquine
Restal	HA	Amylobarbitone
Reverin	AH	Rolitetracycline
Rheomacrodex	MR	Dextran with Dextrose
10% Dextrose		
Rheomacrodex	MR	Dextran in Normal Saline
10% Saline		
Rhumax	PR	Sodium Salicylate
Rigenicid	BZ	Ethionamide
Rikospray	RK	Dimethicone
Silicone		
Rimifon	RO	Isoniazid
Robinul	RS	Glycopyrronium Bromide
Rondase	EV	Hyaluronidase
Rondomycin	GP	Methacycline
Ronicol	RO	Nicotinyl Alcohol
Roulone	RL	Methaqualone Hydrochloride
Rovamycin	MB	Spiramycin
Rubatone	HY	Phenylbutazone
Ryser	KL	Reserpine

S

Sacsol	LF	Surgical Cement
Sacsweet	HY	Saccharin
Salamide	HA	Salicylamide
Salazopyrin	MR	Sulphasalazine
Salco	NS	Chlorbenzol Disulphonamide
Salide	NS	Salicylamide
Samid	KL	Salicylamide
Sanotensin	UW	Guanethidine
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Scherisolon	SC	Prednisolone Acetate
Scherisolon	SC	Prednisolone
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
Scoline	GL	Suxamethonium Chloride
Scorbettes	PR	Ascorbic Acid
Secergan	AP	Phenthimentonium
Seclomycin	GL	Penicillin with Streptomycin
Seclosol	GL	Penicillin with Streptomycin
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Sednaco	GL	Pholcodine
Sednotic	DL	Amylobarbitone
Senokot	RC	Senna Fruit Extract (Standardised)
Serenace	SR	Haloperidol
Serenol	PT	Rauwolfia Alkaloids
Serfia	KL	Rauwolfia Alkaloids
Serpasil	CB	Reserpine
Serpiloid	RK	Reserpine
Serpina	PV	Rauwolfia Alkaloids
Shigatox	FM	Sulphaguanidine
Silcon	FA	Dimethicone
Simeco	WY	Aluminium Hydroxide Gel with Mag- nesium Hydroxide
Mixture		
Simeco Tablet	WY	Aluminium Hydroxide—Magnesium Carbonate Co-Dried Gel
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
Sleepinal	MC	Methaqualone Hydrochloride
Slow-K	CB	Potassium Chloride
Sobee	MJ	Soya Formula
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium	RK	Trisodium Edetate
Versenate		
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex	RL	Dexamethasone with Framycetin and Gramicidin
Ointment		
Soframycin	RL	Framycetin
Solacetyl	MG	Aspirin
Solamal	DH	Belladonna with Phenobarbitone
Solcetas	BW	Aspirin
Solcode	RC	Codeine Phosphate with Aspirin
Solgesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Solprin	RC	Aspirin
Solu-Cortef	UP	Hydrocortisone Sodium Succinate

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Solu-Dacortin	MQ	Prednisolone Sodium Succinate
Solupen	DL	Penicillin Benzyl
Solusal	HA	Aspirin
Solusal Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Sol Viules	BT	Penicillin Benzyl
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Soneryl	MB	Butobarbitone
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spastrex	PT	Oxyphenonium Bromide
Spastrex Retard	PT	Oxyphenonium Bromide
Steclin	SQ	Tetracycline
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Steraskin	PF	Hexachlorophane
Sterogyl-15	RL	Calciferol
Stovarsol	MB	Acetarsol
Stoxil	SK	Idoxuridine
Strepolin	GL	Streptomycin Sulphate
Streptaquaine	DL	Streptomycin Sulphate
Streptevan	EV	Streptomycin Sulphate
Streptomagma	WY	Dihydrostreptomycin Sulphate with At- tapulgite, Pectin and Hydrated Alu- mina Powder
Sulfagan	OD	Sulphafurazole
Sulfasuxidine	MK	Succinylsulphathiazole with Kaolin
Sulfazole	PT	Sulphafurazole
Sulfisin	SU	Sulphafurazole
Sulphadiazinette	KL	Sulphadiazine
Sulpha- Dimerazole	VR	Sulphonamides, Three Mixed
Sulphalyl	KL	Phthalylsulphacetamide
Sulpha- mezathine	IC	Sulphadimidine
Sulphamezathine	IC	Sulphadimidine Sodium
Sulphatriad	MB	Sulphonamides, Three Mixed
Sus-Pen V	BT	Penicillin Phenoxymethyl
Sustanon '250'	OR	Sustanon
S.V.C.	MB	Acetarsol
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

T

Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
T.A.G.	LF	Deodorant Detergent Solution
Talecid	SC	Phthalylsulphacetamide

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Tao	GP	Triacetyloleandomycin
Tavegyl	SZ	Meclastine
Tedral	WW	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Tedrobarb	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tedrobarb Forte	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tedrobarb Mitis	WW	Ephedrine Hydrochloride with Pheno- barbitone
Tegretol	GE	Carbamazepine
Teldrin	SK	Chlorpheniramine
T.E.M.	IC	Tretamine
Tenserp	VR	Reserpine
Tensilon	RO	Edrophonium
Terfluzin	MB	Trifluoperazine
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terrastatin	PF	Oxytetracycline (Buffered) with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testomet	PT	Testosterone Methyl
Testoviron	SC	Testosterone Propionate
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline(Buffered)
Tetrastatin-V	GP	Tetracycline with Nystatin
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole
Thelix	CO	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Thendorm	KL	Methaqualone Hydrochloride
Theophen	HA	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Theosec	LY	Theophylline with Ephedrine Hydro- chloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiomerin	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Three Sulphas	AD	Sulphonamides, Three Mixed
Thyrine	DH	Thyroxine Sodium
Thyroxevan	EV	Thyroxine Sodium
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Toline	KL	Tolazoline
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Tral	AB	Hexocyclium Methylsulphate
Tral M	AB	Hexocyclium Methylsulphate
Travert	BX	Invert Sugar
Trescatyl	MB	Ethionamide
Triagin	HY	Glyceryl Trinitrate
Tricloryl	GL	Triclofos
Tricoloid	BW	Tricyclamol Chloride
Tridione	AB	Troxidone
Trimyxin	DH	Polymyxin B Sulphate with Neomycin and Gramicidin
Triplopen	GL	Penicillin Benethamine Compound
Triplosol	GL	Penicillin Benethamine Compound
Triptil	FR	Protriptyline
Trisil	DH	Magnesium Trisilicate
Trisulfa	ET	Sulphonamides, Three Mixed
Trisulfettes	ET	Sulphonamides, Three Mixed
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Tyrimide	SK	Isopropamide Iodide

U

Ultracortenol	CB	Prednisolone Acetate
Ultracortenol	CB	Prednisolone Pivalate
Urogan	AV	Sulphafurazole
Urolex	OD	Sulphamethizole
Urolin	KL	Sulphamethizole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole

V

VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Valpin	EN	Octatropine Methylbromide
Vanquin	PD	Vipryinium Embonate
Vasitrin	DH	Glyceryl Trinitrate
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Vasylox	BW	Methoxamine Hydrochloride
Veecillin	MJ	Penicillin Phenoxymethyl

<i>Proprietary Name</i>	<i>Manu- facturer</i>	<i>Approved Name</i>
Velactin	WA	Soya Formula
Velbe	LY	Vinblastine
Venocort	PT	Hydrocortisone Sodium Succinate
Venosol	FH	Mannitol
Veracolate	WW	Sodium Tauroglycocholate
Versotrane	WB	Hydrargaphen
Triple Strength		
Vibramycin	PF	Doxycycline
Vicin	KL	Penicillin Phenoxymethyl
Viocin	PF	Viomycin
Viokase	ET	Pancreatin Enzyme (4 USNF XII)
Viraxacillin	VR	Penicillin Procaine
Visceralgin	FM	Tiemonium Iodide
Vosol HC Otic	DN	Hydrocortisone with Propanediol Dia- cetate and Acetic Acid
V.P.V.	VR	Penicillin Phenoxymethyl

W

Winstroid	WL	Stanozolol
Wyamine Sulphate	WY	Mephentermine
Wydase	WY	Hyaluronidase

X

Xylocard 100	AP	Lignocaine
Xylocard 500	AP	Lignocaine

Y

Yomesan	FB	Niclosamide

Z

Zarontin	PD	Ethosuximide
Zephiran	WL	Benzalkonium Chloride
Zoline	PT	Tolazoline
Zyloprim	BW	Allopurinol

PART 2—TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott Laboratories—Injections
Antigen	Products manufactured by Antigen Ltd., Ireland. Marketed by World Agencies Pty. Ltd.
Dropster	Knoll—Eye drops and ear drops
Dulcets	Abbott Laboratories—Chewable tablets
Durules	Astra Pharmaceuticals—Sustained release tablets
Emplets	Parke Davis—Tablet preparations
Evanules	Evans—Injections
Filmtabs	Abbott Laboratories—Coated tablets
Gradumets	Abbott Laboratories—Sustained release tablets
Hamiltabs	Hamilton Laboratories—Tablet preparations
Hermette	Bull Laboratories—Injections
Hyperduric	Glaxo-Allenbury—Injections
Isojects	Pfizer Laboratories—Injectible preparations
Isopto	Alcon Laboratories Inc.—Eye drops
Otsuka	Otsuka Pharmaceutical Co., Japan—Intra-venous fluids; marketed by Scott & Bowne (A'sia) Ltd.
Parentosol	Mead-Johnson—Injections
Pedipac	Lilly—Sachet
Prestab	Ethnor—Tablet preparations
Pulvules	Lilly—Capsules
Repetabs	Schering Corporation—Long acting tablet preparations
Rox	Rocke Tomsitt—Preparations
Siguent	Sigma—Ointment preparations
Soluvac	Baxter-D.H.A.—Intravenous fluids
Steriflex	Glaxo-Allenbury—Intravenous Fluids
Sterivial	Parke-Davis—Injections
Sterop	Ethnor—Eye drops
Sustrels	G.P. Laboratories—Long acting tablet preparations
Tabloids	Burroughs Wellcome—Tablet preparations
Tastitabs	Pfizer Laboratories—Chewable tablet preparations
Tri-Test	Wholesale Drug Co.—Preparations
Venosol	Farmer Hill—Intravenous fluids
Viules	Boots—Injections
Wellcome	Burroughs Wellcome—Preparations

PART 3—ABBREVIATIONS OR SYNONYMS FOR APPROVED NAMES

<i>Abbreviation or Synonym</i>	<i>Approved Name</i>
A.C.T.H.	Corticotrophin
Amorph I.Z.S.	Insulin Zinc Suspension (Amphorous)
B12	Cyanocobalamin
Bephenium	Bephenium Hydroxynaphthoate
Bretylium	Bretylium Tosylate
Calcium P.A.S.	Calcium Aminosalicylate
Cryst. I.Z.S.	Insulin Zinc Suspension (Crystalline)
Diodoquinoline	Di-iodohydroxyquinoline
Dip./Ser.	Diphtheria Antitoxin
Dip./Vac./P.T.A.P.	Diphtheria Vaccine (Purified Toxoid Aluminium Phosphate)
DMChlortetracycline	Demethylchlortetracycline
Feramacet	Ferrous Aminoacetosulphate
Gas./Ser.	Gas Gangrene Antitoxin—Mixed (Poly- valent)
Hexocyclium	Hexocyclium Methylsulphate
I.Z.S.	Insulin Zinc Suspension
Oed./Ser.	Gas Gangrene Antitoxin (Oedematiens)
P.A.M.	Pyridine Aldoxime Methiodide
Penicillin G.	Penicillin Benzyl
Penicillin V.	Penicillin Phenoxymethyl
Penthritol	Pentaerythritol Tetranitrate
Per./Vac.	Pertussis Vaccine
Plague/Vac.	Plague Vaccine
Prednisolone T.B.A.	Prednisolone Tertiary Butyl Acetate
Sep./Ser.	Gas Gangrene Antitoxin (Septicum)
S'methoxydiazine	Sulphamethoxydiazine
S'methopyrazine	Sulphamethoxypyridazine
Sod. Stilboestrol	Disodium Stilboestrol Diphosphate
Sodium P.A.S.	Sodium Aminosalicylate
Sta./Tox.	Staphylococcus Toxoid (Formalinised)
Testosterone Oen.	Testosterone Oenanthate
Testosterone Prop.	Testosterone Propionate
Tet./Ser.	Tetanus Antitoxin
Triple Antigen	Diphtheria, Tetanus and Pertussis Vac- cine
Viprynum	Viprynum Embonate
Wel./Ser.	Gas Gangrene Antitoxin (Welchii)