



PHARMACEUTICAL BENEFITS

DECEMBER 1973 EDITION

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1973 Edition of the Schedule of Benefits for Approved Chemists

This reprint of the Schedule will take effect from 1 December 1973. All previous editions of the Schedule are cancelled.

Your attention is drawn to the following important alterations which have been incorporated in this issue of the Schedule:—

Paragraph 25 (b) of the Explanatory Notes concerning the supply of a benefit ordered on an authority to prescribe has been amended.

An alphabetical character has been included with each code for the pharmaceutical benefits published in this Schedule. The codes are now five character or three character and are to be used when prescriptions are being coded.

A Code Index booklet has been prepared and has been distributed with this edition of the Schedule of Benefits. The Code Index is a list of the ready prepared benefit and extemporaneously prepared benefit items published in the Schedule and it is arranged in numerical order.

An authority is no longer required to prescribe sodium cromoglycate as a pharmaceutical benefit. The item is now available as an unrestricted benefit.

All pharmaceutical benefit items which were previously listed with the manufacturers codes for Farmer Hill (FH) and St Just (SJ) are now listed with manufacturers code for Abbott Laboratories (AB).

ADDITIONS

Section 2—General Benefits

Gamma Benzene Hexachloride, 1%, 100G cream; 0.2%, 200ml head lotion; 1%, 200ml lotion concentrate (*Loxexane, Lorexane Concentrate*)
Poldine, 4mg tablet (*Naxton*)

Section 2—Restricted Benefits

Dexamphetamine, 5mg tablet (*SI Brand*)
Insect Allergen Extract—Bull Ant, injection set strength A,B,C, each 5ml and strength D, 5ml (*CS Brand*)

Section 4—Pre-priced Extemporaneous Preparations

Syrups: Codeine Phosphate, B.P.C.
Glycero-phosphate Compound, APF 1964

Section 4—Drug Tariff

Lignocaine Hydrochloride B.P.

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2—General Benefits

Ferrous Sulphate Dried, 320mg (delayed release) tablet, (*Slow-Fe*)
Penicillin Benzathine, 1.8g (solvent required) injection (*L.P.G.*)
Sodium Cromoglycate, 10mg (nasal insufflation) capsule (*Rynacrom*)
Theophylline, 125mg tablet (*Neulin*)

Section 2—Restricted Benefits

Cephalothin Sodium, 2g (solvent required) and 4g (solvent required) injections (*Keflin*)
Cloxacillin, 500mg capsule (*Austrastaph, Orbenin*)
Gentamicin Sulphate, 60mg (base) in 1.5mg injection (*Garamycin*)

Transfers

Restricted to Unrestricted

Lincomycin, 300mg in 1ml and 600mg in 2ml, injections (*Lincocin SS Paediatric and Lincocin*)
Sodium Cromoglycate, 20mg (inhalation) capsule, (*Intal Spincaps*)

DELETIONS

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES
Penicillin Procaine, 900mg injection

Section 2

Aspirin, 150mg tablet (*KL Brand*)
Calcium Aminosalicylate, 500mg tablet; 1.5g and 2g cachet (*Calcipas*)
Chlorthalidone, 100mg tablet (*Hygroton*)
Digoxin, 500mcg per ml, 30ml oral solution (*Lanoxin*)
Diphenhydramine, 10mg per ml, 10ml injection (*Benadryl*)
Ferrous Sulphate Dried, 160mg (delayed release) (*Slow-Fe*)
Glutethimide, 125mg capsule, (*Gludorm*)
Hydroxyprogesterone, 250mg injection (*Proluton-Depot*)
Mephentermine, 15mg per ml, 10ml injection (*Wyamine Sulphate*)
Papaverine Hydrochloride, 20mg in 1ml injection (*KL Brand*)
Peritoneal Dialysis Solution, injection with 7% Dextrose, 1 litre (*Dianeal, Diasol*)
Phenthimentionium, 150mg tablet (*Secergan*)
Pituitary, Posterior Lobe, 500 antidiuretic Units per g, 2g (*Piton*)
Tetanus Vaccine, 5ml injection (*CS Brand*)
Typhoid Vaccine, 10ml injection (*CS Brand*)

Section 4—Drug Tariff

Amethocaine Hydrochloride B.P.

Section 4—Types of Extemporaneous Preparations

Capsules

Powders, individual

Alterations

Maximum Quantity

Item	From	To
Griseofulvin , 500mg tablet (<i>Fulcin</i> 500 <i>Grisovin</i> 500)	25	28
Sodium Cromoglycate , 20mg capsule, (<i>Intal Spincaps</i>)	50	100

Repeats

Item	From	To
Alprenolol , 100mg tablet (<i>Aptin</i> , <i>Beta-card</i>)	1	2
Goat's Milk , 14oz, 1lb, 450g dehydrated powder; 14fl oz whole (sterilised) (<i>Meyenberg</i> , <i>Dale</i>)	10	20

Item	From	To
Medrysone , 1%, 5ml, eye drops (<i>HMS Liquifilm</i>)	2	6
Milk Powder—Synthetic , 14oz, 397g, 454g, Powder, (<i>Locasol</i> , <i>Galactomin Formula 17</i> and <i>Galactomin Formula 19</i>)	10	20
Nutramigen , 454g powder (<i>Nutramigen Glucose</i>)	10	20
Orciprenaline , 20mg tablet (<i>Alupent</i>) ..	Nil	2
Oxprenolol , 20mg and 40mg, tablet (<i>Trasicor</i>)	1	2
Practolol , 100mg tablet, (<i>Eraldin</i>) ..	1	2
Prindolol , 5mg tablet (<i>Visken</i>)	1	2
Propranolol , 10mg and 40mg tablet (<i>Inderal</i>)	1	2
Sodium Cromoglycate , 20mg capsule, (<i>Intal Spincaps</i>)	..	2
Soya Formula , 384ml and 425g liquid; 454g powder (<i>Isomil</i> , <i>Prosobee</i> , <i>Soyalac</i> , <i>Sobee</i>)	10	20

Manufacturers' Code

Approved Name	Proprietary Name	From	To
Chlorothiazide , 500mg tablet	<i>Chlotride</i>	MK	FR
Polymyxin B Sulphate with Bacitracin and Neomycin , 5000 Units-400 Units 5mg per g, 4g eye ointment	<i>Neosporin</i>	BW	CA
Polymyxin B Sulphate with Neomycin and Gramicidin , 5000 Units-2.5 mg-0.025mg per ml, 10ml Eye Drops	<i>Neosporin</i>	BW	CA

All items which were previously listed with the manufacturers code for Farmer Hill (FH) and St Just (SJ) are now listed with manufacturers code for Abbott Laboratories (AB).

Restrictions

Section 4—Drug Tariff

Chlorhexidine Acetate B.P.C.

Proprietary Name

Item	From	To	Mfr
Amino Acids with Sorbitol and Alcohol , 50g-100g-30g per litre, 500ml	<i>Aminofusin</i>	<i>Aminofusin</i> 850	PC
50g-100g-50g per litre, 500ml	<i>Aminofusin</i>	<i>Aminofusin</i> 1000	PC

APPROVED NAME

From To

Aluminium Acetylsalicylate	Aluminium Aspirin
Leucovorin	Calcium Folate
Pyridine Aldoxime Methiodide	Pralidoxime Iodide

MANUFACTURERS' PACK

Item	From	To
Benzalkonium Chloride , solution 4fl oz	114ml	
Cod Liver Oil (FA Brand) .. 8fl oz	200ml	
Triclofos , syrup 500mg per 5ml.. 100ml	200ml	

(Note new code number)

STRENGTH OF PREPARATION

Item	Proprietary Name	From	To
Ferrous Succinate—			
Capsule	Ferromyn	150mg	106mg
Elixir	Ferromyn	150mg per 5ml, 100ml	106mg per 5ml, 100ml

NOT FOR SALE

All Previous Editions Cancelled



SCHEDULE OF BENEFITS
for
APPROVED CHEMISTS

OPERATIVE FROM 1 DECEMBER 1973

to

31 MARCH 1974

Australian Department of Health,
CANBERRA, A.C.T.

CONTENTS

SECTION 1—LEMON PAGES

INTRODUCTION

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

A. PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

Schedule of Benefits	1- 7
Prescriptions	8- 10
Manner of Administration	11
Restrictions	12
Maximum Quantities and Repeats	13- 18
Urgent Cases	19- 20
Emergency Drug (Doctor's Bag) Supplies	21- 24

B. SUPPLY OF BENEFITS PROCEDURE BY APPROVED CHEMISTS

Prescriptions	25- 27
Procedure when an Authority presented	28
Repeat Authorisations	29
Regulation 24	30
Receipts	31- 32

C. CHARGES TO PATIENTS

Patient's contribution	33- 37
After Hours	38
Delivery	39
Responsibility	40- 41

D. MISCELLANEOUS

Premises	42
Approved Doctors, Friendly Societies	43
Standards	44
References	45
Measures	46
Hours of Supply	47- 48
Proper Stocks to be Kept	49
Statement of Stocks	50
Retention of Documents	51
Suspected Forgery	52
Sale Copies	53- 55

CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY APPROVED CHEMISTS

A. INTRODUCTION

B. GENERAL

Time of Lodgement of Claims	59
Documents to be submitted	60
Completion of Claim Form	61- 64
Prescription Identifying Number	65- 66
Pharmacy Stamp	67
Serial Numbering of Prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms	68
Standard Formulae List of Extemporaneous Preparations	69

Paragraphs

Special Provisions Governing Payment of Extemporaneous Prescriptions outside the Standard Formulae List

70- 76

C. PROVISION OF CODED INFORMATION BY APPROVED CHEMIST

Entering of Information	77
Codes for Preparations which are Pre-priced	78- 79
Codes for Extemporaneous Preparations which are Not Pre-priced	80
Coding Stamp	81- 85
Coding of Ready Prepared Benefits	86
Coding of Extemporaneously Dispensed Benefits included in Standard Formulae List	87
Glass Dropper Containers	88
Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List	89
Action to be taken when Approved Chemist elects to be paid on an Average Price Basis	90
Action to be taken when Approved Chemist elects to price non-pre-priced Extemporaneous Preparations	91
Coding of Repeat Authorisation Forms	92
Action by Approved Chemist issuing the Repeat Authorisation	93- 94
Action by Approved Chemist dispensing a Repeat Authorisation	95
Coding of Emergency Drug (Doctor's Bag) Order Forms	96

D. STATEMENT OF ACCOUNT

E. MISCELLANEOUS

Private prescriptions—General Benefits priced at less than the maximum appropriate amount	105

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMIST FOR N.H.S. DISPENSING

A. GENERAL

B. READY PREPARED ITEMS AND P.L. ITEMS

Price where maximum quantity prescribed (R.P. and P.L. Items)	107
Price where Broken Quantity Prescribed (R.P. items)	108
Price for Unbranded Prescriptions	109
Packed Lines	110
Unbroken Packs to be Supplied ..	111

	Paragraphs
Wastage Table Percentage for Ready Prepared Preparations ..	112-113
Prescribers' List Items	114

C. EXTEMPOREANEOUSLY PREPARED PRESCRIPTIONS

Pricing Prescriptions Not Pre-priced	115-119
Miscellaneous Pricing Rules	120
Suppositories and Pessaries	121
Pricing Prescriptions where additional ingredients have been added to a specified formula ..	122-126

D. PROVISIONS RELATING TO BULK PACKS

High Velocity Items	127
Purchase Pack Size	128
Application to Brands	129-130
Loss on Bulk Packs	131-132
Conditions subject to which Loss Payments will be made	133
Claims for Loss	134

E. GENERAL

Fees and Containers	135
Pricing Dates	136
Zone Allowances	137-138
Supplies of Stationery	139

Page

Addresses of Australian Department of Health Branch Offices	21
Manufacturers—Address and Code	22- 25
Supplies of Listed Brands—Distributors	26
Distributors Addresses	27- 30
Emergency Drug (Doctor's Bag) Supplies	31- 32

SECTION 2—WHITE PAGES

Schedule of Benefits	
General, Pensioner and Restricted Benefits	1- 90
Intravenous Fluids	91- 93

SECTION 3—PINK PAGES

Schedule of Benefits	
Preparations Restricted to Colostomy and Ileostomy Use Only	2
Preparations Restricted to Use in Approved Hospitals Only	3

SECTION 4—GREEN PAGES

Container Prices and Professional Fee for Extemporaneous Benefits. Pre-priced Extemporaneous Preparations	1- 10
Schedule of Benefits—Drug Tariff	11- 19
Table of Codes, Maximum Quantities and Number of Repeats for Extemporaneous Preparations ..	20

SECTION 5—GOLD PAGES

PRESCRIBERS' LIST

PHARMACEUTICAL BENEFIT FORMULAE

Applications	1
Creams	1- 2
Dusting Powders	2
Ear Drops	2
Elixirs	2
Emulsion	2
Eye Drops	3
Inhalations	3
Linctuses	3
Liniments	3
Lotions	3- 4
Mixtures	4- 5
Nasal Instillation	6
Ointments	6
Paints	6
Pastes	6- 7
Powders	7
Spray	7

CHILDREN'S SECTION

Mixtures	7- 8

SECTION 6—BLUE PAGES

Container Prices and Fees for Ready Prepared Benefits	1
Standard Packs and Prices (including Mark-up, but no Fees) for items against the price of which an asterisk is shown in the Schedule of Benefits	2- 7

PROPRIETARY INDEX

INTRODUCTION

These notes are designed for the use of approved chemists. They describe the procedure by doctors in prescribing benefits and the procedures by approved chemists in supplying benefits. They go on to outline the action on the part of approved chemists in coding prescriptions for processing by computer and the submission by them of claims for payment. Finally the notes explain the pricing arrangements in accordance with which approved chemists' claims are processed for payment.

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

A. PRESCRIBING OF BENEFITS— PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items are listed in the Schedule of Benefits, Sections 2 and 3.
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in Section 4—(Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) The admixture of two or more ready prepared items listed in the Schedule of Benefits.
 - (b) The admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff—Section 4.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Penicillin Benzyl, Injection 300 mg amp with 2ml water for injections'.
6. The Schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13-18.
7. Symbols used in the Schedule of Benefits.
See page 1, section 2 (white pages).

Prescriptions

8. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.
9. Medical Practitioners are required to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in indelible form (ink or ball point pen) in own hand-writing (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 7" x 5". The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate, marking the duplicate with the word 'Duplicate' (this is pre-printed on the standard prescription forms and on Authority to Prescribe Form PB 15).
- (c) Set out the name and address of the patient, and where the patient holds an S.H.B. (Subsidised Health Benefits) entitlement card write the number in the space provided or at the end of the second line provided for the patient's address. Where the patient is a pensioner who holds an entitlement card, write the pension number. EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the pensioner's or S.H.B. patient's address on the prescription form.
- (d) In the case of pharmaceutical benefits which are restricted in use, the prescription should be endorsed with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However where a prescription is written for a pensioner for a drug which is restricted to pensioners for any disease or purpose, it is not necessary to endorse the prescription 'Specified Purpose'.
- (e) If the benefit is a single drug, indicate the manner of administration.
- (f) Where a medical practitioner writes a prescription as a pharmaceutical benefit but does not specify a particular formula or brand for the item prescribed, the approved chemist when dispensing shall give priority to either the formula (if any) for that item specified in the Prescribers' List or to one of the ready prepared brands (if any) for that item included in the Schedule of Benefits.
- (g) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in own hand-writing with the words 'Regulation 24' (see also paragraph 18).

(b) Mark the form 'N.H.S.', date and sign it.

It is requested that doctors write no more than three prescriptions on any single form.

Prescribers' List formulations are now expressed in metric terms and made up to metric doses or quantities. Prescriptions consisting of or containing a Prescribers' List formula should therefore be written in the metric system.

Prescriptions for pharmaceutical benefits for more than one person shall not be written on the one sheet of paper.

10. A prescription is not valid if it—

- (a) Prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) Prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted).
- (c) Prescribes a narcotic drug for the medical practitioner writing the prescription.

To avoid confusing patients and the dispensing chemist, doctors should avoid writing prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a 'Specified Purpose' drug and the patient is not suffering from one of the allowable conditions, the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete the N.H.S. printed endorsement.

Manner of Administration

11. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit.

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Director of Health in the State concerned. Full particulars of these drugs and the restrictions are printed in red in the Schedule. It is not necessary for the particular restriction to be identified on the prescription. Items restricted for use in 'Approved Hospitals Only' are listed in Section 3 (Pink Pages) of the Schedule. These items are not available in all approved hospitals and medical practitioners should ensure that the items are available at the particular hospital before prescribing. Items restricted to use for Colostomy and Ileostomy conditions are also listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits. For other preparations, details

are set out in the Table of Maximum Quantities and Repeats—Green pages.

The maximum quantity of items marked with a double dagger (‡) has been determined as a single pack and as explained in paragraph 7 unbroken packs are supplied. It would assist therefore if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15-16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17.—(a) The written authority of the Director of Health to prescribe:

- (i) restricted drugs (paragraph 12); or
- (ii) increased maximum quantities (paragraph 15); or

(iii) increased number of repeats (paragraph 16), will be forwarded to the doctor on an Authority to Prescribe (Form PB15).

(b) On receipt, the doctor writes the prescription on the original (white) form PB15 in the space provided for this purpose. The doctor will retain the yellow copy as his record, and hand the original (white) copy and duplicate to the patient.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;

- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved chemist or approved medical practitioner; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Urgent Cases

19. A pharmaceutical benefit may be supplied by an approved chemist before the prescription for that benefit has been surrendered to him, where in cases of urgency, the doctor communicates the prescription to the approved chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by approved chemists where the law of the State in which that approved chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Director of Health in the particular State, by telephone or other means, that the authority will be issued and notify the approved chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) order form (except Form PB7A) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on an Emergency Drug (Doctor's Bag) order form is that of a doctor unknown to the approved chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present Doctor's Bag order form PB7A to an approved chemist for their supplies. Special instructions are issued to these doctors.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than the maximum quantity.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by a person authorised by him.

B. SUPPLY OF BENEFITS—PROCEDURE BY APPROVED CHEMISTS

Prescriptions

25. An approved chemist is authorised to supply a pharmaceutical benefit only upon the surrender of—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a benefit ordered on an Authority to Prescribe (Form PB15 *see below); or
- (c) a repeat authorisation presented with a duplicate prescription within six months of the date of the prescription.

Prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion. However, where a restriction is applied to the prescribing of a benefit valid prescriptions written before the date of effect of the restriction may still be dispensed as benefits.

26.—A. Before a benefit is supplied on presentation of a prescription the approved chemist is required to:—

- (i) mark his name and approval number on the prescription form and duplicate;
- (ii) allot a number which will identify the prescription and write that number on the form and duplicate; and
- (iii) if more than one prescription has been written on the one form allot a separate number to each prescription.

The National Health Act requires that a prescription must be written by a registered medical practitioner. In the event that the chemist cannot recognise the doctor's signature he should take all reasonable steps to satisfy himself that the prescription was written by a registered medical practitioner.

B. When a benefit is supplied on presentation of a repeat authorisation, the approved chemist shall mark his name and approval number in the space provided on the repeat authorisation.

C. Before a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply (when repeats are allowable) or on a repeat authorisation requiring further allowable repeats the approved chemist shall prepare a repeat authorisation.

**Dated by the prescribing medical practitioner within six months before the date of its presentation.*

tion form in duplicate, except when supply under the provisions of Regulation 24 is authorised (see paragraph 30).

The repeat authorisation form shall show:—

- (i) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (ii) on the first occasion of supply of the benefit, his approval number together with the identifying number allotted by him to the prescription and the date of the original prescription;
- (iii) on subsequent occasions of supply (except the final occasion of supply) the approval number and the prescription identifying number relating to the original supply and the date of the original prescription;
- (iv) if the prescription or repeat authorisation is for a pensioner or S.H.B. person, the pension number or S.H.B. entitlement number appearing on the prescription;
- (v) in the case of repeats on an Authority to Prescribe (Form PB15), the authority number should be endorsed on the repeat authorisation (Form PB13) in the space provided.

D. At the time of supply of the benefit the completed repeat authorisation together with duplicate of the prescription is to be issued to the person to whom the benefit is supplied.

E. Separate repeat authorisations are to be prepared in respect of each benefit and for solvents when an injectible solvent is prescribed. The procedure to be followed in endorsing prescriptions and repeat forms is covered in 'CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY APPROVED CHEMISTS'.

27. Prescription forms which prescribe both pharmaceutical benefit items and non-pharmaceutical benefit items may be accepted. The non-benefit items will be supplied as private prescriptions and cancelled from the form.

Procedure when an Authority is presented

28.—A. When a benefit is ordered on an Authority to Prescribe (form PB15) the doctor will have written the prescription on the original (white) and duplicate copies of the Authority form. The approved chemist will—

- (a) enter in the designated places on the Authority form—
 - (i) the serial number of the prescription;
 - (ii) code for brand of benefit ordered where the Department has, in the absence of prior knowledge of the prescriber's intention, omitted to endorse a brand in the appropriate coding space and one is specified in the prescription;

- (iii) prescription number (reference to the relevant entry in the prescription book);

- (b) Where a solvent has been prescribed for an injectible and there are no repeats ordered a code stamp imprint will be placed on the front of the white form (PB15) and a separate serial number and code for the solvent entered thereon; and
- (c) obtain the signature of the patient or signature and address of the agent and date of supply.

B. Repeats, when ordered and allowable on an Authority to Prescribe, will be handled in the same manner as those issued for standard N.H.S. prescriptions.

Repeat Authorisations

29. Where repeats are allowable a benefit may be supplied on a repeat authorisation only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

Regulation 24

30. Where a prescription is endorsed 'Regulation 24' (see paragraph 18), an approved chemist is authorised to supply the benefit and the repeats of that benefit at the one time. He should not complete a repeat authorisation form. An amount equivalent to one professional fee, one special purpose fee, and where applicable, one dangerous drug fee is payable for the total supply.

Receipts

31. Upon the supply to a person of a benefit by an approved chemist, that person shall sign and date a receipt for that benefit on the prescription form or repeat authorisation, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the prescription form or repeat authorisation with his address. Not in any circumstances must a person give or an approved chemist demand a receipt until supply of the benefit has actually been made.

32. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the approved chemist must certify on the prescription or repeat authorisation, as the case may be, that he has supplied the pharmaceutical benefit, the date on which the supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19-20) or to a person who cannot read or write, or who is unable to write, the approved chemist should sign and date a statement on the prescription or repeat authorisation, indicating the circumstances of supply.

C. CHARGES TO PATIENTS

Patient's Contribution

33. An approved chemist may in respect of each supply by him whether on a prescription or repeat authorisation, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding \$1 in respect of general patients and 50c in respect of a prescription which shows an S.H.B. entitlement number. A charge is not to be made for the supply of a pharmaceutical benefit on a prescription which shows the pension number as appearing on the P.M.S. entitlement card of a pensioner or a repeat authorisation on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one prescribed charge may be made for each supply of the benefit.

34. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than \$1 for general patients or 50c for persons with an S.H.B. entitlement for each supply;
- (b) he will clearly indicate in any statement made by advertisement, notice or otherwise, that any offer to supply drugs or medicinal preparations without charge or at a reduced charge does not apply to the supply of pharmaceutical benefits;
- (c) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge that is less than \$1 in respect of general patients and 50c in respect of patients with an S.H.B. entitlement;
- (d) he will not enter into an agreement or arrangement to pay rebates or refunds of the authorised prescription charges nor will he become a party to such agreements.

35. Where a doctor has obtained an authority from the Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15) the authorised prescribed charges should be made for each supply of the increased maximum quantity.

36. Where a doctor has endorsed a prescription 'Regulation 24' (see paragraphs 18 and 30) the approved chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of \$3 should be made to a general patient and \$1.50 to a patient with S.H.B. entitlement.

37. Where a prescription, other than a prescription for a pensioner, is written for a benefit for which the dispensed price at the date of supply is equal to or less than \$1 in respect of general patients and 50c in respect of patients with an S.H.B. entitlement, the

prescription should be dispensed at a private prescription. This also applies to prescriptions endorsed 'Regulation 24' (see paragraphs 18 and 30), and for which the price of the maximum quantity of the benefit is less than the authorised charges specified above.

After Hours

38. A late fee may be charged for the supply of pharmaceutical benefits outside normal trading hours. Only one late fee may be charged for each person at any one time, irrespective of the number of prescriptions presented. Late fees are recoverable from the patients concerned and not from the Department. Allowable late fees are—

- (a) after trading hours but before 11 p.m.—25c;
- (b) between 11 p.m. and the commencement of trading hours on the next day—50c.

Delivery

39. A charge equal to the cost of delivering may be made if supply by delivery is made at or to a place other than the approved chemist's pharmacy.

Responsibility

40. It is the patient's responsibility to meet any charge lawfully demanded and an approved chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

41. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Department) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

D. MISCELLANEOUS

Premises

42. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

Approved Doctors, Friendly Societies

43. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly Society Dispensaries should follow the procedures subject to additional instructions made available to them.

Standards

44. An approved chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

- (a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Goods Act;

- (b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

45. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescribers' List are identified in this book by the letters BP, BP 1968, BP 1963, BP 1958, BP 1953, BP 1948, BP 1914, BPC, BPC 1968, BPC 1963, BPC 1959, BPC 1954, BPC 1949, APF, APF 1969, APF 1964, APF 1955, APF 1947, or PL as appropriate.

Measures

46. Except where stated, weights and measures other than metric, represented or expressed in the Schedule of Benefits, or in a prescription, shall be deemed to be apothecary's weights and measures. When the abbreviation oz is used in relation to an extemporaneous preparation it refers to a 480 gr ounce.

Hours of Supply

47. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charge applicable. When the prescription is marked 'urgent' and initialled by the doctor, it is obligatory for the approved chemist to make supply at his pharmacy at any hour.

48. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

49. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

50. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

51. Without affecting the requirements of the law of a State in regard to drugs of addiction or restricted drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorisations;
- (c) in the case of an approved chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

Suspected Forgery

52. If an approved chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Emergency Drug (Doctor's Bag) order forms particular requirements are set out in paragraph 22.

Safe Copies

53. Copies of the National Health Act and Regulations are available from the Australian Government Sub-Treasury in each capital city.

54. Additional copies of this publication may be purchased from the Australian Department of Health in each capital city. Price and order form will be furnished upon inquiry.

55. Inquiries regarding pharmaceutical benefits may be made at the Office of the Director of Health in each capital city.

CODING AND SUBMISSION OF PRESCRIPTIONS—

PROCEDURE BY APPROVED CHEMISTS

A. INTRODUCTION

56. The pricing of valid prescriptions, repeat authorisations and Doctor's Bag Order forms and the calculation of the total amount payable for each claim are carried out by means of an electronic computer which operates on coded information provided by the approved chemist in respect of each pharmaceutical benefit supplied under the National Health Act.

57. The system is designed to enable approved chemists to prepare claims correctly with a minimum of work but it is, however, essential that the instructions be followed carefully and without modification. The inclusion in claims of incorrectly coded or otherwise defective prescriptions can be expected to interrupt processing and delay payments.

58. The interest and co-operation of approved chemists in ensuring that claims are always correctly prepared is invited and would substantially assist this Department to maintain a programme of prompt and satisfactory payments.

B. GENERAL

Time for Lodgment of Claims

59. Claims for pharmaceutical benefits must be lodged at the office of the Australian Department of Health in your capital city within thirty days of the last day of the month in which the benefits were supplied, unless the approval of the Director of Health has been obtained otherwise. Claims for pharmaceutical benefits supplied more than six months prior to the date of claiming will not be accepted for computer processing, but will require manual pricing of prescriptions and preparation of tally sheets and claim forms by the chemist. *Approved chemists desiring to submit such claims should contact the office of the Director of Health for instructions regarding the preparation of the claims and the necessary forms.*

Documents to be Submitted

60. A claim for pharmaceutical benefits consists of:

- (i) A completed claim form PB1 (Treasury Form 12).
- (ii) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to the general public. These should be together in a separate bundle from the pensioner prescriptions.
- (iii) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to pensioners. These should be together in a separate bundle from the general benefit prescriptions.

NOTE.—Generally, prescriptions in each bundle should be submitted in serial number order. The exception to this is where an approved chemist *has elected to price* extemporaneously prepared prescriptions (see paragraphs 70 and 89). These prescription forms should be placed at the back of the relevant bundle irrespective of serial numbers and the fact that other prescriptions may appear on the same form.

- (iv) The original orders for Emergency Drug (Doctor's Bag) supplies in a separate bundle.
- (v) Repeat authorisations for an injectible and the related solvent must be stapled together.

Completion of Claim Form

61. Particulars of claimant's name, approval number, address, reference number, zone and zone factor and month of dispensing should be entered in the spaces provided on the claim form PB1 (Treasury Form 12). It is important that these particulars agree entirely with the latest written information held by this Department, i.e., application for approval form or later letter. In the event of discrepancies, payment will necessarily be delayed pending clarification.

62. The numbers to be entered on the claim form are the first and last serial numbers given to items on the General and Pensioner Benefits and Emergency

Drug (Doctor's Bag) forms respectively (see paragraph 68). The last numbers should be the total numbers of these categories.

63. Please note that no entry of the amount of the claim is required—this will be calculated by computer after the prescriptions have been individually priced.

64. The declaration on the claim form must be signed by the approved person unless an authority for another person to do so has been sent by the approved person to the Director of Health in the State concerned.

Prescription Identifying Numbers

65. In addition to a serial number (see paragraph 68) each pharmaceutical benefit prescription dispensed must be given a number which identifies it specifically. Prescription book numbers are preferable but any other series which will meet the purpose may be used, provided that the chemist's approval number is not a component of such numbers. Please note that these numbers are to be entered in the Coding Stamp (see paragraph 81).

66. Further, in cases where an approved chemist allots an identifying number to a repeat authorisation as distinct from the original prescription number allotted by the approved chemist issuing the repeat authorisation, he should enter this new identifying number in the appropriate coding box pre-printed on the front of the form.

Pharmacy Stamp

67. Before supply of a benefit each prescription form, repeat authorisation form and authority to prescribe form should be endorsed with the name of the approved person and his approval number. This information may be stamped, written or typed.

Serial Numbering of Prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms

68. Prescriptions dispensed each month should be serially numbered commencing at—

- (a) 1 for general prescriptions (which may include prescriptions dispensed for S.H.B. persons). For the S.H.B. prescriptions the serial number should be prefixed by the letter 'H'.
- (b) P1 for pensioner benefits; and
- (c) D1 for Emergency Drug (Doctor's Bag) supplies.

Each Doctor's Bag item should be given a serial number e.g., if there are five items on the first form dispensed for the month the first item on the second form dispensed for the month will be D6.

Standard Formulae List of Extemporaneous Preparations

69. Included in Section 4 is a comprehensive list of pre-priced extemporaneous preparations. The list is comprised of formulae taken from formulary in

common use. This list is referred to in these notes as the Standard Formulae List. Each preparation is identified with a five-character code.

Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List

70. An approved chemist may elect to price out these prescriptions. Once made, however, such an election cannot be varied for a period of three months and applies to all extemporaneously dispensed formulae for which there are no five-character codes in the Standard Formulae List.

71. Unless he so elects, the approved chemist will be paid at an average reimbursement rate for these prescriptions. Under this system, payment is made on the basis of an average 10g/ml or unit rate applied to the category of preparation concerned, i.e., the price will be ascertained by multiplying the appropriate 10g/ml or unit rate by the number of 10g/ml units supplied and adding container and professional fees. For example an 80ml mixture would be priced at eight times the average 10ml rate for mixtures, plus container and professional fee. Notwithstanding that an approved chemist is accepting the average price for non-pre-priced prescriptions, he may price out 'exceptional' prescriptions and code for reimbursement at that price (see paragraph 76).

72. The average 10g/ml or unit rate may vary from month to month but the rate for a particular prescription will be that applying to the month in which it was dispensed.

73. By agreement with the Pharmacy Guild of Australia the average 10g/ml or unit rates are determined as in paragraph 74.

74. Each month the total number of 10g/ml or units of each type of pre-priced extemporaneous preparation claimed for will be ascertained for each State, together with the total values minus container and professional fees. From these figures an average 10g/ml or unit rate will be calculated for each type of preparation for each State. This rate will be used as the rate for calculating prices for the prescriptions dispensed in the succeeding month. It should be noted that prescriptions ordering a combination of standard preparations also fall outside the scope of the Standard Formulae List and therefore are subject to this section.

75.—(a) Any variant to a formula included in the Standard Formulae List (addition and deletion of an ingredient or variation of dose up or down) takes the formula dispensed outside the Standard Formulae List and it becomes subject to this section, i.e., it cannot be identified with the code of the formula which it resembles.

(b) Where an approved chemist is accepting the average price for non-pre-priced prescriptions, and where an ingredient is added to a standard formula and the recovery price for the standard formula plus additive under the average price system is less than that for the standard formula alone, the approved chemist may code that prescription as though it were a standard formula item.

76. Exceptional prescriptions are those prescriptions which if priced out would have a value (including container and professional fee) equal to or greater than twice the recovery price (including container and professional fee) on an average price basis.

C. PROVISION OF CODED INFORMATION BY AN APPROVED CHEMIST

77. The approved chemist will enter relevant information on each document he submits in support of his claim. The information to be entered will depend upon the type of document, i.e., original or repeat supply, Emergency Drug (Doctor's Bag) Order form, etc., and on the category of prescription, i.e., ready prepared or extemporaneously prepared. The approved chemist is not required to determine eligibility for minor or bulk pack payment nor is he required to endorse the prescription 'Ex M.P.'. Bulk Pack eligibility will be assessed by the computer.

Codes for Preparations which are Pre-priced

78. A unique five-character code (e.g. 1001Q) is shown for:

- (i) each form and strength of every ready prepared benefit (Sections 2 and 3, Schedule of Benefits);
- (ii) each standard formula preparation listed in the Standard Formulae List.

79. An exception to this occurs in the use of packed lines where the presence or otherwise of 'Directions for Use' affects the price. Two separate codes are therefore shown for each packed line. The first code is to be used where the prescriber has not included specific directions for use in his prescription, and the second will be used when such directions are included.

Codes for Extemporaneous Preparations which are not pre-priced

80. Three-character codes representing each type of extemporaneous preparation, e.g., mixtures, ointments etc., are shown in the Table of Codes, Section 4 (green pages) of the Schedule. These three-character codes are to be used by the approved chemist in coding those prescriptions where a doctor has either specified the individual ingredients of a preparation or ordered a combination of standard formulae or has varied in any way a preparation included in the Standard Formulae List, and the approved chemist has elected to accept an average price (see paragraph 71). Where the approved chemist has elected to price out such prescriptions then action as outlined in paragraph 89 should be taken.

Coding Stamp

81. One stamp is provided for coding both Ready Prepared Benefits and Extemporaneously Dispensed Benefits. This Stamp provides spaces for coded information on original prescription forms. Repeat authorisation forms and Emergency Drug (Doctor's Bag) Order forms currently on issue have printed coding spaces, and special authority prescriptions are coded by this Department before issue to medical practitioners.

82. Stamp imprints should be placed preferably on the extreme left of the front side of the prescription form. Many doctors use prescription forms which provide space suitable for this purpose, but when there is insufficient area on the front of the form the stamp should be placed on the left hand side on the back. It should be noted that coding stamps must be placed either all on the front or all on the back of an individual form. In no circumstances should the stamp imprint appear on both the back and front.

83. Doctors who so desire may obtain prescription forms which provide space for the coding stamp and for the patient's or agent's receipt on the face of the form.

84. Where there is insufficient space either on the front or the back of the form for the coding stamp, the coding should be on a slip of paper firmly attached to the form.

85. This stamp will be used for all pharmaceutical benefits—

S
C
Q
B R
No.

Coding of Ready Prepared Benefits

86. 'S'—Serial Number (see paragraph 68).

'C'—Is the appropriate code. All codes are shown in the Schedule of Benefits for Approved Chemists beside the benefits to which they refer. These numbers range from 1001Q to 3200K.

'Q'—Quantity. The number of units dispensed, e.g., capsules, tablets, tins, vials, tubes, etc., is to be entered in the stamp imprint. Only the appropriate number should be shown. The type of dispensing unit should not be specified.

For Regulation 24 prescriptions, the quantity actually supplied should be entered; that is, the total of the original quantity plus the quantities ordered as repeats. (Note next paragraph).

The dispensed quantity of PACKED LINES and PACKS NOT TO BE BROKEN should never be expressed as a volume or weight but always in those terms in which the maximum quantity is expressed in column 3 of Section 2 or Section 3 of the Schedule; e.g., a prescription ordering 200 ml of a packed line should be coded with a quantity of '1' and not '200'.

For all Regulation 24 prescriptions, the letter 'X' should be entered on the stamp imprint immediately after the quantity.

'B'—Brand Ordered. Where a doctor orders a particular brand either by proprietary name or brand, the code letters of the manufacturer

should be entered beside the letter 'B'. Where a particular brand is not ordered THIS SPACE MUST BE LEFT BLANK.

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

'No.'—Prescription identification number (see paragraph 65).

Coding of Extemporaneously Dispensed Benefits Included in the Standard Formulae List

87. 'S' Serial Number (see paragraph 68).

'C' Code obtained from the Standard Formulae List where one is shown. These codes range from 7300F to 9987P.

'Q'—Quantity dispensed. In specifying the quantity of a standard formula for which a code appears in the Standard Formulae List the following rules should be adhered to:

(a) Where the doctor orders a whole number of ounces that number is to be entered after the letter 'Q' in the stamp imprint in plain figures (not Roman numerals). The ounce sign or similar identification should not be shown.

(b) Where fractions of an ounce occur the quantity must be expressed as a decimal fraction of an ounce, e.g., 2 fluid ounces 240 minims is to be expressed as 2.5. An extemporaneously dispensed eye ointment of 60 grains will be shown as 0.125. No ounce or drachm sign should be used and no other means of expressed parts of an ounce will be acceptable to the system.

(c) In the case of extemporaneous preparations ordered by number of units and not by weight or measure, such as extemporaneously prepared suppositories and pessaries the number of units supplied should be entered. Wastage where applicable will be calculated by the computer. Details of the type of unit dispensed should not be provided. The number of units only is required. Where the supply of a standard preparation is made under Regulation 24, the letter 'X' should be entered after the quantity.

(d) If quantities are prescribed in the metric system, the number of millilitres or grammes suffixed by ml or g should be entered.

'B'—This space must be left blank when coding extemporaneously dispensed prescriptions (except for provision made in paragraph 88).

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

'No.'—Prescription Identification Number (see paragraph 65).

Dropper Containers

88. Dispensed prices for extemporaneously prepared eye drops, ear drops and nose drops include the cost of a polythene dropper container. Where a glass dropper container is specified by the prescriber, payment for same should be claimed by placing the letter 'g' in the brand space of the coding stamp.

Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List

89. In the case of formulae for which a code is not shown claimants may elect either to receive an average 10g/ml or unit rate for the type of preparation with provision to price exceptional prescriptions (see paragraph 76) or to calculate the cost of ingredients, containers and professional fee manually (see paragraphs 70-75). These arrangements have been agreed between the Department and the Pharmacy Guild of Australia. No notice to the Department will be necessary if payment on the average reimbursement rate system is desired, but election must be made formally if the approved chemist desires to price these prescriptions individually before submission. Once made, such an election will apply to all non-pre-priced extemporaneous preparations and cannot be altered for a period of three months. The approved chemist will notify the Department when changing from 'pricing elected' to 'acceptance of average rate'. It should be noted that prescriptions which call for a variation to one of the formulae listed in the Standard Formulae List or combinations of Standard Formulae fall into this category and are not to be identified with the code of the formula in the Standard Formulae List which they resemble. Coding of Standard Formulae with additives for approved chemists accepting average rate, is covered in paragraph 75 (b).

Action to be taken when an Approved Chemist elects to be paid on an average price basis

90. (a) Coding of prescriptions to be reimbursed on an average price basis.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places on the stamp imprint.
- (ii) Enter the three-character code for the type of preparation in the code space. [See the Table of Codes, Section 4 (green pages) for these codes].
- (iii) Where the quantity prescribed is expressed in the metric system enter the number of millilitres or grammes suffixed by ml or g in the quantity space. Where the quantity prescribed is expressed in the imperial system, the number of ounces or

units should be entered. Where a fraction of an ounce occurs, it should be expressed as a decimal fraction e.g., 3 fluid ounces 240 minims should be entered as 3.5. No ounce sign or similar identification is necessary.

- (iv) Where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the quantity.

NOTE: The space following the letter 'B' should be left blank (except for provision made in paragraph 88).

(b) Coding of Exceptional Prescriptions as defined in paragraph 76.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places in the stamp imprint.
- (ii) Enter the three-character code for the type of preparation preceded by the letter 'V' (indicating that this prescription is priced) in the code space. [See the Table of Codes, Section 4 (green pages) for these codes].
- (iii) Enter the calculated price in the quantity space.
- (iv) Where the supply is made under the provisions of Regulation 24 the letter 'X' should be entered after the price.

NOTE: The space following the letter 'B' should be left blank (except for provision made in paragraph 88).

Action to be taken when an Approved Chemist elects to price non-pre-priced Extemporaneous Preparations

91. When the approved chemist has advised the Department of his election to price out these prescriptions he should price all prescriptions in this category in accordance with the pricing principles set out in 'Provisions governing Payments to Approved Chemists for N.H.S. dispensing' (page 15) and—

- (i) enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate sections of the stamp imprint;
- (ii) enter only the letter 'V' in the code space. This indicates that the prescription has been priced out;
- (iii) enter the price he has calculated in the quantity space;
- (iv) where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the price.

N.B. No details of type or quantity of preparation are to be shown in the code stamp.

Coding of Repeat Authorisation Forms

92. The approved chemist originating a repeat will not only complete the upper section of the form but will also enter details in the coding box. It will be the responsibility of the approved chemist dispensing the repeat authorisation to ensure that the coding details are correct.

Action by Approved Chemist Issuing the Repeat Authorisation

93. The following information relating to the original prescription is to be entered in the spaces provided:

- (i) Approval number of approved chemist who dispensed the original prescription.
- (ii) Date of the original prescription.
- (iii) The prescription identification number assigned by the dispenser of the original prescription.
- (iv) The number of repeats ordered up to the allowable maximum.
- (v) The number of times the prescription has been dispensed.
- (vi) The code, quantity and where applicable the brand of the benefit ordered.
- (vii) Repeats on Authority to Prescribe (Form PB15) should be endorsed with the authorisation number.

94. Where an approved chemist dispenses a supply other than on the first occasion, the information in (i), (ii), (iii), and (iv), will be transcribed from the repeat authorisation which he receives from the patient. These details would have been entered by the approved chemist who issued the form to the patient.

Action by Approved Chemist Dispensing a Repeat Authorisation

95. The approved chemist dispensing the supply will check the information entered in the stamp imprint. The dispensing approved chemist is responsible to ensure the correctness of these entries. It should be noted that:

- (a) The serial number allotted by the approved chemist to the repeat supplied as a \$1.00 general prescription is entered beside the letter 'R' in the box at the top of the form. For repeats supplied to S.H.B. patients, the letter 'H' is entered beside the 'R' in the box. Serial numbers issued in respect of repeats supplied for which an Authority to Prescribe is required must be prefixed with the letter 'A' in the case of general benefits, ('AH' in respect of prescriptions dispensed for S.H.B. persons), and with the letters 'AP' in the case of pensioner benefits.
- (b) The new identifying number of the Repeat Authorisation is to be entered in the space marked 'No.' in the Coding Stamp Box on the front of the form. (See paragraph 66).
- (c) When the approved chemist issuing the authorisation has entered a code number (for the type of preparation) and quantity in the stamp and the dispensing approved chemist has elected to price such prescriptions instead of accepting the average price, the dispensing approved chemist should strike out the entries and replace them with 'V' and the claimed price or *vice versa*.

Coding of Emergency Drug (Doctor's Bag) Order Forms

96. For each item ordered, enter the serial number, code of the benefit, quantity supplied and the brand ordered, if any.

D. STATEMENT OF ACCOUNT

97. A Statement of Account will be forwarded in respect of each claim passed for payment. This gives, in addition to the details of payment, the price paid for each benefit or the reason for non-payment. Prescriptions are identified on the Statement of Account by the serial numbers allotted by the claimant and the Item Code. In the case of non-pre-priced extemporaneously prepared benefits the letter 'V' or the three-character code for the type of preparation replaces the item codes according to whether the prescriptions have been paid on an average price or calculated price basis. Serial Numbers of Emergency Drug (Doctor's Bag) items will be prefixed by the letter 'D', for S.H.B. prescriptions by the letter 'H', and the pensioner prescriptions by the letter 'P'.

98. The reason for non-payment of any item will be indicated by a Code letter. An explanation of the Code employed appears on the reverse side of the Statement of Account.

99. Prescriptions and repeat authorisations which are not acceptable for payment will be returned with the Statement of Account. Other prescriptions appearing on such forms will have been paid and appropriately cancelled before being returned to the approved chemist. Where prescriptions are resubmitted they must be allotted an entirely new serial number and included as a normal part of the next claim.

100. If prescriptions from previous claims are the subject of adjustment to current claims, full details will be shown on the Statement of Account.

101. Where a correctly coded prescription has not been given a serial number by the claimant the serial number given to the preceding prescription will be used also as a means of reference to the second prescription, i.e., the serial number will appear twice on the Statement of Account with the appropriate prices or rejection codes relating to both prescriptions.

102. Should serial numbers be duplicated they will be shown on the Statement of Account as numbered by the claimant.

103. In the case of a serial number which has not been used or the relevant document not submitted the number will be printed on the Statement of Account together with a code signifying that the document has not been received.

104. The Statement of Account will include a statement reconciling the number of prescriptions claimed for by the approved chemist with the number of prescriptions for which payment has been made.

E. MISCELLANEOUS

Private Prescriptions—General Benefits priced at \$1 or less or S.H.B. prescriptions priced at 50c or less

105. Particularly in the case of broken quantities and bulk pack items, approved chemists will not be in a position to determine whether prescriptions should

be submitted for payment or dispensed privately. To overcome this difficulty, all prescriptions for the general public which otherwise qualify as pharmaceutical benefits should be submitted for payment. The computer is programmed to ensure that general benefit prescriptions priced at \$1 or less (50c in respect of prescriptions for persons with S.H.B. entitlement) are excluded.

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S.

DISPENSING

A. GENERAL

106. The pricing principles are identical for prescriptions written for the general public and pensioners.

B. READY PREPARED ITEMS AND P.L. ITEMS

Price where Maximum Quantity Prescribed (R.P. and P.L. Items)

107. The price payable for a benefit is the amount shown in column 5 of the Schedule against that benefit subject to the following provisions—

(a) *Bulk Rate Items (Where two prices are shown)*—

- (i) Where five prescriptions and over of a particular brand are included in a month's claim, payment will be made at the bulk pack rate price for all prescriptions of that brand. Unbranded prescriptions will be counted with the brand of major usage for the purpose of arriving at the bulk rate qualification and the price payable will be the bulk price for that brand as at the date of dispensing.
- (ii) Where four or less prescriptions of a particular brand have been included in a month's claim the minor pack rate is payable.

It should be noted that the computer has been programmed to determine bulk pack eligibility, so that there will be no need for approved chemists to count prescriptions for bulk pack items or endorse them in regard to supply from a minor pack.

For special bulk rate provisions see paragraphs 127-134.

- (b) *Packed Lines*—Where the prescription bears specific instructions for use, the price is calculated in accordance with paragraph 110.
- (c) *Injections with required solvent*—Where the words 'solvent required' are included after the form of the benefit, the price payable is the sum of the listed prices for the item and the solvent less 50c (i.e., only one professional fee is payable). Prescribers must indicate volume and number of ampoules of solvent to be supplied.

Price where Broken Quantity Prescribed (R.P. Items)

108.—

(a) *Bulk rate items (where Bulk Pack Rate applies)*—The method used in ascertaining the price of a quantity other than a maximum quantity is the same as that which has been used in arriving at the price of a maximum quantity from a bulk pack. However, as the price shown in column 5 of Section 2 Schedule of Benefits (white pages) for the maximum quantity already incorporates a breakage allowance, the following action is taken to ascertain the price of a quantity other than the maximum—

- (i) an amount equivalent to the professional fee and the container fee for the maximum quantity of that item is deducted from the amount shown in column 5 of the Schedule of Benefits.
- (ii) the amount ascertained in (i) is multiplied by the quantity dispensed over the maximum quantity.
- (iii) the amount ascertained in (ii) is added to the amount equivalent to the professional fee and the appropriate container fee.

(b) *Bulk Rate Items (where Minor Pack Rate applies)*—The price is ascertained in accordance with paragraph 108 (e) or 108 (f) as applicable.

(c) *Packed Lines*—The price for the maximum quantity is payable, even when a lesser quantity is prescribed.

(d) *Packs not to be Broken*—Where items packed by the manufacturer under special conditions or for which the maximum quantity has been determined as a single pack are prescribed (see paragraph 111), maximum quantity is to be supplied and the price payable is that for the maximum quantity.

(e) *Ready Prepared Items where Standard Pack coincides with Maximum quantity*—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—

- (i) an amount equivalent to the professional fee and where applicable the dangerous drug fee is deducted from the price shown in column 5 of the Schedule in relation to the benefit.
- (ii) To the resultant amount is applied the appropriate wastage percentage ascertained from the Wastage Factor Table shown in paragraph 113.
- (iii) The amount ascertained under (ii) is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 of the Schedule in relation to the maximum quantity of the benefit.

(f) *Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e., where an asterisk is shown against the price)*—In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 of the Schedule beside the price shown for the benefit concerned. In such cases the standard pack rate is set out in the Table shown in Section 6 (blue pages) of the Schedule. The price payable for the quantity supplied is ascertained as follows:—

(i) To the standard rate is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 113.

(ii) The amount so ascertained is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity which is less than the maximum quantity of the item exceed the dispensed price for the maximum quantity of that item.

(g) No container fee is payable where the quantity of benefit ordered and supplied is more than the quantity contained in the standard or non-standard packs.

Price for Unbranded Prescriptions

109.—

(a) *Bulk Rate Items (where Bulk Pack Rate applies)*—

(i) Prescriptions which do not specify a brand are treated as if written for the brand of major usage (see paragraph 107 (a) (i)).

(ii) Where two or more brands equally qualify as the brand of major usage during the month, prescriptions which do not specify a brand are counted with that brand which is the lowest in price of these brands.

(iii) Where no prescriptions are written for a brand of the item during the month, unbranded prescriptions are payable at the lowest bulk pack rate shown in column 5 of the Schedule against that item.

(b) *Bulk Rate Items (Where Minor Pack Rate applies)*—Where the MINOR PACK rate applies (see paragraph 107 (a) (ii)), the

lowest price shown in column 5 in relation to the minor pack price for that item is payable.

(c) *Other Ready Prepared Items*—Where a standard pack price applies, the lowest price shown in column 5 of the Schedule in relation to that item is payable.

Packed Lines

110. The undermentioned packed lines are expected to be supplied under the original label when prescribed in the maximum quantities shown in the Schedule of Benefits and therefore do not attract a professional fee. Where the prescription bears specific instructions for use, then the item is to be labelled. In such cases, payment will be made on the same basis as for other ready prepared items.

When the quantity ordered does not correspond with a pack size listed, then the price for the next higher original pack listed is payable, even when the prescription orders and the chemist dispenses a lesser quantity. This procedure also applies where the approved chemist's own pack is supplied.

Aluminium Hydroxide Gel Mixture
Boric Acid Powder
Cascara Liquid Extract
Cod Liver Oil
Cod Liver Oil Emulsion
Copper Sulphate Diagnostic Compound Tablets
Deodorant Concentrate
Ferrous Phosphate Compound Syrup
Glucose Indicators
Glucose and Ketone Indicator
Glycerin
Glycerin Suppositories
Hydrogen Peroxide Solution
Magnesium Sulphate Crystals
Paraffin, Liquid
Paraffin, Emulsion
Saccharin Tablets
Sterculia (Indian Tragacanth; Gum Karaya)
Surgical Cement
Wool Alcohols, Ointment
Wool Fat, Hydrous (Lanolin)

These items are indicated by a dagger (†) in the Schedule of Benefits.

Unbroken Packs to be Supplied

111. The maximum quantity of certain forms of benefits such as eye drops and oral suspensions has been determined as a single pack corresponding to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack, the maximum quantity should be dispensed and claimed from the Department.

These items are indicated by a double dagger (‡) in the Schedule.

Wastage Table Percentage for Ready Prepared Prescriptions

112. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraph 108 (e) and (f) above).

113. The appropriate wastage table percentage is ascertained as follows:—

- The percentage that the quantity supplied bears to the number contained in the standard pack is determined;
- Where the percentage determined in subparagraph (a) coincides with a percentage listed in Column A of the Wastage Factor Table, the percentage used is the relative figure shown in Column B;
- Where the percentage determined in subparagraph (a) does not coincide with a percentage in Column A, then the nearest upward percentage in Column A applies, and the percentage used is the relative figure shown in Column B.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in Column A the next higher (i.e., 25%) is used. Reading down from 25% to Column B, the wastage table percentage is found to be 38%.

WASTAGE FACTOR TABLE

Column A ..	5	10	15	20	25	30	35	40	45	50
Column B ..	10	18	26	32	38	44	50	54	58	62
Column A ..	55	60	65	70	75	80	85	90	95	100
Column B ..	66	70	74	78	82	86	90	94	98	100

Prescribers' List Items

114. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescribers' List is shown in the Standard Formulae List.

C. EXTEMPORANEOUSLY PREPARED PRESCRIPTIONS

Pricing Prescriptions Not Pre-priced

115. The following are the principles applied in determining the prices of all pre-priced extemporaneous formulae shown in the Schedule. They also apply where a chemist elects to price out extemporaneous prescriptions outside the Standard Formulae List.

116. The amount payable is ascertained as the sum of—

- the recovery price of each ingredient as shown in the Schedule of Benefits (Drug Tariff);

(b) the price of the appropriate container as shown in Section 4;

(c) a professional fee of 72c.

Pricing Ingredients Written in the Metric System

117. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows—

- determine the basic pricing unit relative to the quantity by reference to the following table:—

Quantity	Basic Pricing Unit
Up to 50mg (minimum price)	100mg price multiplied by 0.5
Over 50 mg and up to and including 700mg	100mg price
Over 700mg and up to and including 1g	price as 1g
Over 1g and up to and including 7g	1g price
Over 7g and up to and including 10g	price as 10g
Over 10g and up to and including 80g	10g price
Over 80g and up to and including 90g	price as 80g
Over 90g	100g price

- ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery price shown for the ingredient in the Drug Tariff—

100g price is 500g price divided by 5 or 1kg price divided by 10.

10g price is 100g price plus 12½% divided by 10.

1g price is 10g price plus 25% divided by 10.

100mg price is 1g price plus 25% divided by 10.

- ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b), by the fraction that the quantity bears to the basic pricing unit.

- for pricing purposes the quantity is to be taken to the next 50 milligrams or 0.5 millilitres.

Pricing Ingredients Written in the Imperial System

118. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows—

- (a) determine the basic pricing unit relative to the quantity by reference to the following table:—

Quantity	Basic Pricing Unit
Up to and including 1 grain	1 grain price
Over 1 grain and up to and including 5 grains	5 grains price
Over 5 grains and up to and including 10 grains	10 grains price
Over 10 grains and up to and including 137 grains	1 drachm price
138 grains and up to and including 3.74 ounces	1 ounce price
Over 3.74 ounces	4 ounces price

- (b) ascertain the recovery price of the basic pricing unit by the application of the following divisors to the recovery prices calculated from the price of the ingredient in the Drug Tariff—

Ounce price is 10g/ml price multiplied by 3.

Four ounce price is 100g price multiplied by 1.25.

Four fluid ounce price is 100ml price multiplied by 1.1.

Drachm price is ounce price divided by 7.

10 grain price is drachm price divided by 5.

5 grain price is drachm price divided by 9.5.

1 grain price is 5 grain price divided by 4.5.

- (c) where no 10g/ml price is shown, the ounce/fl. oz price is the 1g/ml price multiplied by 24.

- (d) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b) by the fraction that the quantity bears to the basic pricing unit (except for the quantities from 120 grains to 137 grains inclusive which are priced at twice the drachm price, and from 10 grains to 12 grains inclusive which are priced as 12 grains).

119. Where a fraction of a grain occurs, the quantity is to be taken up to the next whole grain (i.e., 2.4 grains is taken as 3 grains). Where a fraction of a minim occurs the quantity is to be taken up to the next whole minim.

Miscellaneous Pricing Rules

120.—

- (a) The minimum recovery price for any ingredient is one cent.
- (b) Where a fraction of a cent occurs in any price for a quantity specified in the imperial system of weights and measures, that price is to be taken to the next cent upwards.

- (c) Where a fraction of a cent occurs in any price for a quantity specified in the metric system of weights and measures, that price is to be taken to the nearest cent, a half cent being taken up to the next cent.

- (d) The amount payable for a quantity of an ingredient or preparation shall not exceed the amount which would be payable for a greater amount of that ingredient or preparation.

Suppositories and Pessaries

121. For suppositories and pessaries where eleven or less are supplied on a prescription, the approved chemist will receive payment for an additional one. If twelve or more are supplied, the approved chemist will receive payment for an additional two.

Pricing Prescriptions where Additional Ingredients have been Added to a Specified Formula

122. The amount payable for a prescription which comprises a vehicle which is specified under a particular name, and an additional specified ingredient or ingredients shall be calculated in accordance with paragraphs 123 and 126.

123. Where the vehicle is a single liquid ingredient and one or more solid ingredients are added, displacement of the vehicle by solids shall be disregarded and the amount payable shall be calculated in accordance with paragraph 116.

124. Where the vehicle is a single liquid ingredient and one or more liquids are added, the amounts payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 117 or 118; and
- (b) the recovery price of the quantity of the vehicle calculated in accordance with paragraph 117 or 118.

125. Where the vehicle is compounded from two or more ingredients and one or more solid ingredients are added, displacement of the vehicle by the solids shall be disregarded and the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 117 or 118; and
- (b) the recovery price of each ingredient of the vehicle calculated in accordance with paragraph 117 or 118.

126. Where the vehicle is compounded from two or more ingredients and one or more liquid ingredients are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 117 or 118; and

- (b) the recovery price of the quantity of vehicle, this amount being the sum of the recovery prices for each ingredient of the vehicle in such quantity as calculated in accordance with paragraph 117 or 118.

D. PROVISIONS RELATING TO BULK RATES

High Velocity Items

127. Special pricing arrangements apply to certain high velocity items. For each of these items, two sets of prices are shown—one ex Bulk Pack and one ex Minor Pack.

Purchase Pack Size

128. An approved chemist may buy in any pack size he chooses, but reimbursement for the supply of the specified drugs with high velocity turnover is subject to the Bulk Rate pricing provisions.

Application to Brands

129. The Bulk Rate provisions take into account the different usages an approved chemist may have for different brands of an item to which the Bulk Rate provisions apply. Accordingly, an approved chemist may be reimbursed at the Minor Pack rate for one brand of an item and at the Bulk Rate for another brand of the same item.

130. For the purposes of paragraph 107 (a) each prescription counts as one irrespective of quantity prescribed.

Loss on Bulk Packs

131. The Department, subject to the provisions set out in this section, will indemnify the approved chemist against loss on accepted 'Bulk Rate' items directly due to—

- (a) the removal of the item from the list of items to which Bulk Rate prices apply;
- (b) out of date stock.

132. Departmental payments to approved chemists to cover any such loss shall be based on the following formula—

$$\frac{\text{Quantity held by approved chemist}}{\text{Quantity in Unbroken Bulk Pack}} \times \frac{\text{Actual cost to approved chemist of Bulk Pack}}{\text{to chemist}}$$

Conditions Subject to Which Loss Payments will be made

133. Payment of any amount for loss is subject to the following provisions—

- (a) The approved chemist must buy the item in the Bulk Pack;
- (b) The approved chemist must ensure, where possible, that all stocks of bulk packs which he might purchase have expiry dates at least six months ahead of the date of purchase;
- (c) The Department's liability is limited in relation to each pharmacy to the purchase, at cost, of one Bulk Pack of each of the items in respect of which loss has occurred;

- (d) The Department will not, under any circumstances, be liable for payment in respect of loss on stock for causes other than those shown in paragraph 131 above;
- (e) The Department shall take possession of any stock before a payment for loss is made in respect thereto.

Claims for Loss

134. Where after one month from the date of first supply from a Bulk Pack an approved chemist wishes to claim for loss on the remaining portion of that Bulk Pack, he should apply on Form PB12 to the Director of Health, setting out details of the code number, name and strength or size, size of pack and quantity remaining, date of purchase of Bulk Pack and date of first dispensing therefrom. Upon receipt of such application the Director of Health will advise the action to be taken with the residue.

E. GENERAL

Fees and Containers

135. The amounts payable by way of professional fee, dangerous drug fee and container charges for ready prepared preparations are set out in Section 6 of the Schedule. An alpha code is used to identify each size of container. The relevant code is printed beside the bulk pack price of a bulk rate item in Section 2 to indicate the size of container for which reimbursement is being made. The professional fee and container charges for extemporaneously prepared preparations are set out in Section 4 of the Schedule.

Pricing Dates

136. For pricing purposes the operative dates are—

- (a) for extemporaneously prepared benefits—the first day of the month preceding the four monthly period during which the benefits are dispensed.
- (b) for ready prepared benefits—the first day of the month preceding the month during which the benefits are dispensed.
- (c) for containers—
 - (i) for extemporaneously prepared benefits—the first day of the month preceding the four months during which the benefit is dispensed;
 - (ii) for ready prepared benefits—the first day of January each year.

Zone Allowances

137. An additional amount is payable in respect of each pharmaceutical benefit in specific zones throughout Australia. The zone allowance is ascertained by multiplying the number of prescriptions dispensed by an amount in cents per prescription.

138. Each approved chemist is notified of the zone allowance, if any, which applies to the prescriptions he dispenses.

Supplies of Stationery

139. Claim Forms, Repeat Authorisations, etc., are available from the Director of Health in each State.

ADDRESSES OF AUSTRALIAN DEPARTMENT OF HEALTH BRANCH OFFICES

NEW SOUTH WALES

Australian Department of Health,
Australian Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000
Telephone 28 8001

Director of Health—
Dr R. R. Bull
After Hours: Telephone 969 8681
Assistant Director (Pharmaceutical)—
Mr K. J. Kelly
After hours: Telephone 34 7207

VICTORIA

Australian Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000.
Telephone 662 2999

Director of Health—
Dr R. C. Webb
After hours: Telephone 80 5333
Assistant Director (Medical)—
Dr E. C. R. Newton
After hours: Telephone 95 5815
Assistant Director (Pharmaceutical)—
Mr L. L. Lock
After hours: Telephone 93 1322

QUEENSLAND

Australian Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld. 4000
Telephone 25 0122

Postal Address—
G.P.O. Box 567, Brisbane, Qld. 4001
Director of Health—
Dr A. H. Humphry
After hours: Telephone 74 1037
Assistant Director (Medical)—
Dr H. B. Cumpston
After hours: Telephone 58 1696
Assistant Director (Pharmaceutical)—
Mr C. J. Massie
After hours: Telephone 30 1546

SOUTH AUSTRALIA

Australian Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S.A. 5000
Telephone 51 7400
Postal Address—
G.P.O. Box 2219, Adelaide, S.A. 5001
Director of Health—
Dr A. C. Green
After hours: Telephone 72 2930
Assistant Director (Pharmaceutical)—
Mr A. P. Brammall
After hours: Telephone 71 4956

WESTERN AUSTRALIA

Australian Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W.A. 6000
Telephone 23 0391
Postal Address—
G.P.O. Box M 970, Perth, W.A. 6001
Director of Health—
Dr J. B. Mathieson
After hours: Telephone—
Dr J. B. Mathieson 86 1262
Assistant Director (Pharmaceutical)—
Mr J. T. McDonough
After hours: Telephone 47 5326

TASMANIA

Australian Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000
Telephone 20 2122
Postal Address—
G.P.O. Box 919J, Hobart, Tas. 7001
Director of Health (Acting)—
Dr C. F. A. Younger
After hours: Telephone 62 2272
Assistant Director (Pharmaceutical)—
Mr J. R. Nolan
After hours: Telephone 34 1354

NORTHERN TERRITORY

Australian Department of Health,
Esplanade,
Darwin, N.T. 5794
Telephone 81 3821
Postal Address—
P.O. Box 147, Darwin, N.T. 5794
Director of Health—
Dr D. B. Travers
After hours: Telephone 81 2171

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	AB	Boucher and Muir Pty Ltd 118-124 Willoughby Road, Crows Nest, N.S.W. 2065	BZ
Adam Drug Co. 41 Barry Avenue, Mortdale, N.S.W. 2223	AV	Bramble Laboratories 326 King Georges Road, Beverley Hills, N.S.W. 2209	BB
Alcon Laboratories (Aust.) Pty Ltd 8 Wattle Road, Brookvale, N.S.W. 2100	AQ	Bristol Laboratories Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	BC
Allen and Hanburys Mountain Highway, Boronia, Vic. 3155	AH	British Pharmaceuticals Pty Ltd 34 Hotham Parade, Artarmon, N.S.W. 2064	BP
Allergan Pharmaceuticals Pty Ltd 32 Punch Street, Artarmon, N.S.W. 2064	AG	Bull Laboratories, David 11-15 Lexia Place, Mulgrave, Vic. 3170	BL
Ames Company Wellington Road, Mulgrave, Vic. 3170	AM	Burroughs Wellcome & Co. (Aust.) Ltd Cressy Street, Rosebery, N.S.W. 2018	BW
Armour Pharmaceutical Co. Ltd, England	AR	Calmic Pharmaceuticals Pty Ltd Cressy Street, Rosebery, N.S.W. 2018	CA
Associated Drug Companies of Australia Pty Ltd 221-229 Mitchell Road, Alexandria, N.S.W. 2015	AD	Cambridge Laboratories Pty Ltd 397 Little Lonsdale Street, Melbourne, Vic. 3000	CE
Astra Chemicals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	AP	C.F.C. Pharmaceuticals Pty Ltd 9 Norton Street, Ashfield, N.S.W. 2131	CO
Australian Pharmaceutical Industries Ltd 221-229 Mitchell Road, Alexandria, N.S.W. 2015	AA	Chemos Pty Ltd 65 Park Road, Milton, Q'ld. 4064	CH
Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	AY	Ciba Pharmaceuticals 46-48 Nicholson Street, St Leonards, N.S.W. 2065	CB
Bayer Pharmaceutical Company 46-67 Wilson Street, Botany, N.S.W. 2019	BN	Commonwealth Serum Laboratories 45 Poplar Road, Parkville, Vic. 3052	CS
Beecham Research Pty Ltd Chesterville Road, Moorabbin, Vic. 3189	BR	Cooper Laboratories Pty Ltd 176 Harbord Road, Brookvale, N.S.W. 2100	CP
Berk Pharmaceuticals (A'asia) Pty Ltd .. 6-8 Clarke Street, Crows Nest, N.S.W. 2065	BQ	Crookes, Laboratories Ltd, The England	CK
Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	BH	Denyer Brothers 250 Pitt Street, Sydney, N.S.W. 2000	DY
Boehringer Ingelheim Pty Ltd 50 Broughton Road, Artarmon, N.S.W. 2064	BY	Difrex (Aust.) Laboratories 321 Pitt Street, Sydney, N.S.W. 2000	DF
Boehringer Mannheim GmbH Germany	BO	Dista Products (Aust.) Pty Ltd Waratah Street and Wharf Road, Ermington, N.S.W. 2115	DL
Boots Company (Aust.) Pty Ltd, The Loyalty Road, North Rocks, N.S.W. 2151	BT	Dolder and Co., Switzerland Dome Laboratories Wellington Road, Mulgrave, Vic. 3170	DR DO

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Drug Houses of Australia 504 Bourke Street, Melbourne, Vic. 3000	DH	ICI Australia Ltd ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	IC
Endo Laboratories (Aust.) Pty Ltd Loyalty Road, North Rocks, N.S.W. 2151	EN	Inter-Continental Pharmaceuticals (Aust- ralia) Pty Ltd 79 Old South Head Road, Bondi Junction, N.S.W. 2022	IP
Erba Carlo, S.p.A., Italy	EC	Iloquin Company, The 8 Wattle Road, Brookvale, N.S.W. 2100	IQ
Ethicals Ltd 180 Queen Street Brisbane, Q'ld. 4000	EL	Irving, F. H. (Medical Products) Pty Ltd 363 George Street, Sydney, N.S.W. 2000	IR
Ethnor Pty Ltd 1-5 Khartoum Road, North Ryde, N.S.W. 2113	ET	Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM
Evans Medical Australia (Pty) Ltd Mountain Highway, Boronia, Vic. 3155	EV	Kinfort Laboratories 31 Sirius Road, Lane Cove, N.S.W. 2066	KF
Faulding & Co. Ltd, F. H. 48 Beans Road, Thebarton, S.A. 5031	FA	Knoll Laboratories (Aust.) Pty Ltd 176 Princes Highway, Arncliffe, N.S.W. 2205	KL
Fawns and McAllan Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136	FM	Knoll, A. G., Germany	KN
Fisons Pty Ltd 97 Pacific Highway, North Sydney, N.S.W. 2060	FC	Lancet Pharmaceuticals Pty Ltd 8 Hornsby Street, Hornsby, N.S.W. 2077	LP
Frosst, Charles E. 576 St Kilda Road, Melbourne, Vic. 3000	FR	Langley Laboratories Pty Ltd 116 Cabramatta Road, Cremorne, N.S.W. 2090	LF
Gamaprod Pty Ltd 169 Lygon Street, Carlton, Vic. 3053	GA	Lederle Laboratories Division Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W. 2065	LE
Gedeon Richter Ltd, Hungary	GR	Lilly (Aust.) and Company, Eli Wharf Road, West Ryde, N.S.W. 2114	LY
Geigy Pharmaceuticals 46-48 Nicholson Street, St Leonards, N.S.W. 2065	GE	May and Baker (M & B) Pty Ltd Paramount Road, Footscray West, Vic. 3012	MB
Glaxo Mountain Highway, Boronia, Vic. 3155	GL	McGloin Pty Ltd, J. 150 Dean Street, Enfield, N.S.W. 2136	MG
G. P. Laboratories Wharf Road, West Ryde, N.S.W. 2114	GP	McGrath Laboratories 364 The Boulevarde, Sutherland, N.S.W. 2232	MW
Grose Products (Aust.) Pty Ltd 51-55 Warrah Street, East Chatswood, N.S.W. 2067	GV	Mead Johnson Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	MJ
Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A. 5000	HA	Medical Research Pty Ltd 31 Sirius Road, Lane Cove, N.S.W. 2066	MR
Harvey Pharmaceuticals Pty Ltd 44 Wharf Road, West Ryde, N.S.W. 2114	HY		
Hoechst Australia Ltd 606 St Kilda Road, Melbourne, Vic. 3000	HP		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Medichem Pharmaceuticals Pty Ltd 39 Arterial Road, St Ives, N.S.W. 2075	MC	Reckitts Pty Ltd 44 Wharf Road, West Ryde, N.S.W. 2114	RC
Merck (Aust.) Pty Ltd, E. 605 M.L.C. Building, North Sydney, N.S.W. 2060	MQ	Richter of Milan	RM
Merck, Sharpe and Dohme (Aust.) Pty Ltd 62-68 Ferndell Street, South Granville, N.S.W. 2142	MK	Riker Laboratories Australia Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120.	RK
Merrell, Wm S. Company 64 Seville Street, Fairfield, N.S.W. 2165	ML	Robins, A. H. Pty Ltd 32 Punch Street, Artarmon, N.S.W. 2064	RS
Muir and Neil Pty Ltd 479 Kent Street, Sydney, N.S.W. 2000	MN	Roche Products Pty Ltd Inman Road, Dee Why, N.S.W. 2099	RO
Nativelle Laboratories, France	NA	Rocke, Tompsitt and Co. Ltd 10 Griffiths Street, Richmond, Vic. 3121	RT
Nestle Company (Aust.) Ltd, The 17 Foveaux Street, Sydney, N.S.W. 2000	NT	Rona Laboratories Ltd, London, U.K.	RN
Nicholas Pty Ltd 699 Warrigal Road, Chadstone, Vic. 3148	NS	Rorer (Aust.) Pty Ltd 79 Victoria Avenue, Chatswood, N.S.W. 2067	RG
Nordia, Denmark	NR	Ross Laboratories Captain Cook Drive, Kurnell, N.S.W. 2231	RD
Ohio Drug Co. Pty Ltd 100 Clarence Street, Sydney, N.S.W. 2000	OD	Rotary Tableting Corp. Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136	RY
Organon Laboratories Ltd, London	OR	Roussel Pharmaceuticals (Pty) Ltd 32 Cross Street, Brookvale, N.S.W. 2100	RL
Parke, Davis and Co. 32-40 Cawarra Road North, Caringbah, N.S.W. 2229	PD	Salmond and Spraggon (Aust.) Pty Ltd .. Loyalty Road, North Rocks, N.S.W. 2151	SS
Pfizer Pty Ltd Wharf Road, West Ryde, N.S.W. 2114	PF	Sandoz Australia Pty Ltd 54 Waterloo Road, North Ryde, N.S.W. 2113	SZ
Pfrimmer and Co., West Germany	PC	Sanitarium Health Food Co. 148 Fox Valley Road, Wahroonga, N.S.W. 2076	SA
Pharmacia (South Seas) Pty Ltd 31 Sirius Road, Lane Cove, N.S.W. 2066	PS	Sauter Laboratories (Aust.) Pty Ltd 60 Campbell Avenue, Dee Why, N.S.W. 2099	SU
Pharmax Ltd, England	PN	Schering Corporation, U.S.A. 11 Gibbon Road, Baulkham Hills, N.S.W. 2153	SH
Phial Pty Ltd 32 Punch Street, Artarmon, N.S.W. 2064	PY	Schering, A. G., Berlin	SC
Philips-Duphar Pty Ltd 95-99 York Street, Sydney, N.S.W. 2000	PI	Scott and Bowne (A'asia) Ltd 66-78 Talavera Road, North Ryde, N.S.W. 2113	SB
Prosana Laboratories Pty Ltd 22 Daisy Street, Revesby, N.S.W. 2212	PR	Searle, G. D. (Australia) Pty Ltd 1 McLaren Street, North Sydney, N.S.W. 2060	SR
Protea Pharmaceuticals Pty Ltd 13-19 Glebe Street, Glebe, N.S.W. 2037	PT	Sigma Co Ltd 589-605 Collins Street, Melbourne, Vic. 3000	SI
Queensland Ethicals Enterprise Street, Salisbury, Q'ld. 4107	QE		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Smith, Kline and French Laboratories (Aust.) Ltd Warringah Road, French's Forest, N.S.W. 2086	SK	Upjohn Pty Ltd 55-73 Kirby Street, Rydalmere, N.S.W. 2116	UP
Smith and Nephew (Aust.) Pty Ltd Wellington Road, Clayton, Vic. 3168	SN	Vifor, S. A. Geneva, Switzerland	VF
Soul Pattinson (Laboratories) Pty Ltd 158 Pitt Street, Sydney, N.S.W. 2000	SL	Virax Ethicals Ltd 77-79 Market Street, South Melbourne, Vic 3205	VR
SPOFA United Pharmaceutical Works Czechoslovakia	SP	Warner and Co. Pty Ltd, Wm R. 10-28 Biloela Street, Villawood, N.S.W. 2163	WW
Squibb and Sons, E. R., Pty Ltd Princes Highway, Noble Park, Vic. 3174	SQ	W. B. Pharmaceuticals, Ltd London, U.K.	WB
Stansen and Co. Pty Ltd, A. E. 121 Ricketts Road, Notting Hill, Vic. 3168	ST	Weddel Pharmaceuticals, England	WP
Syntex Pharmaceuticals Ltd 576 St Kilda Road, Melbourne, Vic. 3004	SD	Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W. 2115	WL
Tongala Milk Products Pty Ltd 17 Foveaux Street, Sydney, N.S.W. 2000	TM	Woods, H. W. Pty Ltd 10 Clifford Street, Huntingdale, Vic. 3166	WH
Toppin and Sons Pty Ltd, R. D. 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	TO	World Agencies Pty Ltd 55-61 Talavera Road, North Ryde, N.S.W. 2114	WO
Trane Pharmacal Co. 98 Collins Street, Melbourne, Vic. 3000	TR	Wyeth Pharmaceuticals Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	WY
Travenol Laboratories Pty Ltd Oakes Road, Old Toongabbie, N.S.W. 2146	TV	Zero Chemicals (Aust.) Pty Ltd Unit 3, 25 Hotham Parade, Artarmon, N.S.W. 2064	ZR
United Works of Pharmaceutical and Dietetic Products, Hungary	UW	Zyma, S. A. Orion Road, Lane Cove, N.S.W. 2066	ZY

SUPPLIES OF LISTED BRANDS — DISTRIBUTORS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.
AD ..	NA1	VS4	QQ1	SG2	WR1	TC1	MJ ..	..	..	QK1	SG2	WP2	..
AG ..	..	..	QC2	SS2	WA1	TG2	MN ..	NA1	VS4	QQ1	SS3	WP2	TC1
AH ..	NG1	VG3	QG1	SG1	WG1	..	MR ..	..	VM3	QM3	SS2	WP2	TC2
AM ..	..	VS1	..	SG2	..	..	NA ..	..	VG1	..	..	..	..
AP ..	..	VA1	..	SS2	WC2	TG2	NR ..	NA2	VN1	QC2	SS2	..	TC2
AQ ..	NA1	VS4	QK1	SS3	WP2	TC2	OR ..	NB1	VB3	QB3	SB2	WB3	..
AR ..	NF1	VF4	QF2	SS2	WF1	TC2	PC ..	NF1	VF4	QF2	SS2	..	TC1
AV ..	..	VS4	..	SS3	..	TM1	PD ..	..	VP1	QP1	SD1	WP1	TG2
BB ..	..	..	QB4	SS3	..	..	PF ..	..	VP2	QP3	SP2	WC1	..
BH ..	NS5	VM2	QM4	SM1	..	..	PI ..	..	VS5	QS1	SG2	..	..
BN ..	NB3	..	..	..	..	..	PN ..	NA2	VV2	QC2	SM2	WA1	TC2
BO ..	NF1	VF4	QF2	SS2	WF1	TC1	PR ..	..	VP4	QP2	SG2	WA1	..
BT ..	..	VB1	QB1	SB1	WB2	TB1	PS ..	..	VM3	QM3	SS2	WP2	TC2
BW ..	..	VB2	QB2	SD1	WP1	TG2	PT ..	..	VS4	QQ2	SG2	WP2	TC1
BZ ..	NB2	..	QQ1	SG2	WA1	TC2	QE ..	NA3	VC1	..	SG2	..	..
CA ..	NB4	VB2	QB2	SD1	WP1	TG2	RD ..	NA4	VA2	QA1	SA1	WA2	..
CE ..	NS1	..	QQ1	SS2	WP2	..	RM ..	..	VE1	QC3	..	WC2	..
CK ..	NP5	VS5	QS1	SG2	..	..	RN ..	NP5	VS4	QQ2	SD2	..	TC1
CO ..	..	VC1	QM1	SJ1	WH1	TG2	RS ..	..	..	..	..	WC2	..
DH ..	ND2	VD1	QD1	SD2	WD1	TD1	SA ..	..	VS6	QS2	SS7	WS5	TS2
DR ..	NS1	VC1	QQ1	SS2	WP2	..	SC ..	NS3	..	..	..	..	..
EC ..	ND2	VD1	QD1	SD2	WD1	TD1	SD ..	NF1	VF4	QF2	SS2	WF1	TC1
EN ..	NS6	..	..	SS1	WS4	..	SH ..	NE3	..	..	..	..	..
EV ..	NG1	VG3	QG1	SG1	WG1	..	SI ..	NA1	..	QQ1	SG2	WR1	TC2
FA ..	NF3	VF2	QF1	SF1	WF2	..	SN ..	NG1	VG3	QQ1	SP3	WG1	..
FM ..	NF1	..	QF2	SS2	WF1	TC1	SP ..	NB2	..	..	SG2	WA1	..
GL ..	NG1	VG3	QG1	SG1	WG1	..	SQ ..	NS4	..	..	SS4	WS2	..
GP ..	..	..	..	SP2	WC1	..	ST ..	NA2	..	..	..	..	..
GR ..	NB2	..	..	..	..	..	TM ..	..	VD1	QD1	SD2	..	TD1
GV ..	NW2	VN2	QW4	SL1	WC2	TC2	TO ..	..	VT1	QT1	ST1	..	TG2
HA ..	NI1	..	QM2	..	..	..	TR ..	..	VD1	QD1	SD2	WD1	TD1
IP ..	..	..	QQ1	..	WA1	TC1	TV ..	..	VD1	QD1	SD2	WD1	TD1
JM ..	NS1	VS1	QC2	..	..	..	UP ..	..	VU1	QU1	SP1	WM1	TG2
KL ..	..	VK1	QK2	SS5	..	..	UW ..	NB2	..	QQ1	SG2	WA1	TC2
KN ..	NS3	..	..	..	..	..	VF ..	NB2	..	..	SG2	..	..
LF ..	..	VW2	..	..	..	..	WB ..	NW3	VW1	QW2	SW1	WW1	TC2
LP ..	..	VC1	QQ1	SS2	WA1	TC2	WO ..	..	VW1	QW2	SW1	WW1	TC1
MC ..	..	VV1	QD1	SS5	..	TC2	WP ..	NW1	VH1	QW3	..	WC2	TA1
ME ..	..	..	QM1	..	..	..	ZR ..	ND1	..	QD1	..	..	..

DISTRIBUTORS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES			
Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell	NA4	Warrah Pty Ltd 51-55 Warrah Street, East Chatswood	NW2
Andrews Laboratories Pty Ltd 12 Primrose Avenue, Rosebery	NA3	Weddel Pharmaceuticals Division W. Angliss and Co. (Aust.) Pty Ltd 255-257 George Street, Sydney	NW1
Ascot Pharmaceuticals Pty Ltd 33 Myrtle Street, North Sydney	NA2	World Agencies Pty Ltd 55 Talavera Road, North Ryde	NW3
Australian Pharmaceutical Industries Ltd 221-229 Mitchell Road, Alexandria	NA1		
		VICTORIA	
Bayer Pharmaceutical Company 47 Wilson Street, Botany	NB3	Abbott Laboratories Pty Ltd 134-138 Mahoneys Road, Thomastown	VA2
Boucher and Muir 118-124 Willoughby Road, Crows Nest	NB2	Astra Chemicals Pty Ltd 545 St Kilda Road, St Kilda	VA1
British Pharmaceuticals 34 Hotham Parade, Artarmon	NB1	Boots Company (Aust.) Pty Ltd, The .. 24 Woorayl Street, Carnegie	VB1
Burroughs Wellcome & Co. (Aust.) Ltd .. Cressy Street, Rosebery	NB4	British Pharmaceuticals Pty Ltd 279 Edwardes Street, Reservoir	VB3
Drug Houses of Australia 750-800 Princes Highway, Tempe	ND2	Burroughs Wellcome and Co. (Aust.) Ltd 303-305 Albert Street, Brunswick	VB2
Essex Laboratories Pty Ltd 11 Gibbon Road, Baulkham Hills	NE3	Cambridge Laboratories Pty Ltd 397 Little Lonsdale Street, Melbourne	VC1
Faulding, F. H. and Co. Ltd 249-259 Chalmers Street, Redfern	NF3	Drug Houses of Australia 504 Bourke Street, Melbourne	VD1
Fawns and McAllan Pty Ltd 176 Day Street, Sydney	NF1	Easterbrook, R. W. Pty Ltd 123 Camberwell Road, Camberwell	VE1
Glaxo Australia Pty Ltd Duffy Avenue, Thornleigh	NG1	Faulding, F. H. and Co. Ltd 129 Lonsdale Street, Melbourne	VF2
Irving, N. 141 Buckland Street, Alexandria	NI1	Fawns and McAllan Pty Ltd 432 Mt Dandenong Road, Croydon	VF4
Muir and Neil Pty Ltd 479 Kent Street, Sydney	NM2	Gamaprod Pty Ltd 169 Lygon Street, Carlton	VG1
Protea Pharmaceuticals Pty Ltd 13-19 Glebe Street, Glebe	NP5	Glaxo Australia Pty Ltd Mountain Highway, Boronia	VG3
Salmond and Spraggon (Aust.) Pty Ltd .. Loyalty Road, North Rocks	NS6	Gollin and Co. Ltd 58-72 Queens Bridge Street, South Melbourne	VG2
Schaffer and Co. (N.S.W.) Pty Ltd 8 Shirlow Street, Marrickville	NS1	Harris Smith Supplies Pty Ltd 1 Mayston Street, Melbourne	VH1
Schering Pty Ltd Wood Street, Tempe	NS3	Knoll Laboratories (Aust.) Pty Ltd 321 William Street, Melbourne	VK1
Squibb, E. R. and Son (Pty) Ltd 96-98 Buckland Street, Alexandria	NS4		
Stenning Sinclair Pty Ltd 86 Parramatta Road, Camperdown	NS5		

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Medical Research Pty Ltd 279 Edwardes Street, Reservoir	VM3	British Pharmaceuticals Pty Ltd Cnr Edmonstone and Thompson Streets, Mayne	QB3
Melbourne Ostomy Supplies P.O. Box 76, Mentone	VM2	Burroughs Wellcome and Co. (Aust.) Ltd 43 Peel Street, South Brisbane	QB2
Naytura Ltd 23 Alex Avenue, Moorabbin	VN2	Campbell, M. H. 820 Gympie Road, Chermiside	QC3
Newman, L.K.J. and Co. Pty Ltd 325 Bay Road, Cheltenham	VN1	Cullum, T. G. Pty Ltd 96-100 Warren Street, Fortitude Valley	QC2
Parke, Davis and Co. 23 Kilpa Road, Moorabbin	VP1	Drug Houses of Australia 405-423 Montague Road, West End	QD1
Pfizer Pty Ltd 170 Abbotsford Street, North Melbourne	VP2	Faulding, F. H. and Co. Ltd 126-132 Barry Parade, Brisbane	QF1
Phillips Southern Trading Pty Ltd 401 Little Bourke Street, Melbourne	VP4	Fawns and McAllan Pty Ltd 65 Montpelier Road, Bowen Hills	QF2
Salmond and Spraggon (Aust.) Pty Ltd .. 675 Dandenong Road, Malvern	VS5	Glaxo Australia Pty Ltd 2 Thompson Street, Mayne	QG1
Sanitarium Health Food Co. 118 Union Street, Windsor	VS6	Kenneth Mitchell Agencies Pty Ltd 96 Alfred Street, Fortitude Valley	QK1
Schaffer and Co. (Vic.) Pty Ltd 126 Bank Street, South Melbourne	VS1	Knoll Laboratories (Aust.) Pty Ltd 178 Barry Parade, Fortitude Valley	QK2
Sigma Co. Ltd 589-605 Collins Street, Melbourne	VS4	MacLean Agencies 26 Merivale Street, South Brisbane	QM1
Toppin, R. D. and Sons Pty Ltd 14/541 St Kilda Road, Melbourne	VT1	Maley, G. P. 483 Adelaide Street, Brisbane	QM2
Upjohn Pty Ltd 115 Leicester Street, Carlton	VU1	Medical and Surgical Requisites Pty Ltd .. 10 Brookes Street, Bowen Hills	QM3
Vandos Agencies Pty Ltd 22 Wilson Street, South Yarra	VV1	Morris Surgical Pty Ltd 110 Edward Street, Brisbane	QM4
Virax Ethicals Ltd 77-79 Market Street, South Melbourne	VV2	Parke, Davis and Company 20-26 Glentanna Street, Kedron	QP1
Warner and Webster Pty Ltd 62 Glen Eira Road, Elsternwick	VW2	Pfizer Pty Ltd 1 Merton Road, Woolloongabba	QP3
World Agencies Pty Ltd 2 Gardiner Street, Brunswick	VW1	Prosana Laboratories Pty Ltd 673 Sherwood Road, Sherwood	QP2
QUEENSLAND			
Abbott Laboratories Pty Ltd 35 Lackey Avenue, Coorpooroo	QA1	Queensland Druggists Ltd 518-522 Stanley Street, South Brisbane	QQ1
Boots Company (Aust.) Pty Ltd, The 36 Brookes Street, Bowen Hills	QB1	Queensland Ethicals Enterprise Street, Salisbury North	QQ2
Brambles Pharmaceutical Distributors 136 Clough Street, Mount Gravatt	QB4	Salmond and Spraggon (Aust.) Pty Ltd .. 63 Doggett Street, Fortitude Valley	QS1

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Sanitarium Health Food Co. 951 Ipswich Road, Moorooka	QS2	Pharmaceutical Supplies Ltd 110 North Terrace, Adelaide	SP3
Toppin, R. D. and Sons Pty Ltd 22 Thurlow Street, Newmarket	QT1	Salmond and Spraggon (Aust.) Pty Ltd .. 207c Devonport Terrace, Prospect	SS1
Upjohn Company Pty Ltd 333 Coronation Drive, Milton	QU1	Sanitarium Health Food Co. 73 Hackney Road, Hackney	SS7
Warrah Pty Ltd 9 Toomey Street, West Chermside	QW4	Simes Australia Pty Ltd 135 Magill Road, Stepney	SS5
Weddel Pharmaceuticals c/o Redbank Meat Works Pty Ltd Melbourne Street, South Brisbane	QW3	Southern Drug Company 180 Sturt Street, Adelaide	SS2
World Agencies Pty Ltd 483 Adelaide Street, Brisbane	QW2	Squibb and Sons, E. R. (Pty) Ltd 302 North Terrace, Adelaide	SS4
		Summit Agencies Pty Ltd 132-6 Gray Street, Adelaide	SS3
		Toppin, R. D. and Sons Pty Ltd 132 Gray Street, Adelaide	ST1
		World Agencies Pty Ltd 205-217 Pirie Street, Adelaide	SW1
SOUTH AUSTRALIA		WESTERN AUSTRALIA	
Abbott Laboratories Pty Ltd 33 Henry Street, Stepney	SA1	Abbott Laboratories Pty Ltd Cnr Abbotsford Street and Railway Parade, West Leederville	WA2
Boots Company (Aust.) Pty Ltd, The 131 West Beach Road, Richmond	SB1	Avery Guhl Pty Ltd 369 William Street, Perth	WA1
British Pharmaceuticals Pty Ltd 130 Gilles Street, Adelaide	SB2	Boots Company (Aust.) Pty Ltd, The 402 Scarborough Beach Road, Osborne Park	WB2
D and L Agencies Ltd 22-24 Louisa Street, Adelaide	SD1	British Pharmaceuticals Pty Ltd 133 Scarborough Beach Road, Mt Hawthorn	WB3
Drug Houses of Australia 599 Port Road, West Croydon	SD2	Clayden, W. J. Pty Ltd 176 Hay Street, Subiaco	WC1
Faulding, F. H. and Co. Pty Ltd 48 Beans Road, Thebarton	SF1	Cottman, L. J. and Co. 176 Hay Street, Subiaco	WC2
G-Chem Co-op Ltd 132 Gray Street, Adelaide	SG2	Drug Houses of Australia 589 Hay Street, Subiaco	WD1
Glaxo Australia Pty Ltd 32 The Parade, Norwood	SG1	Faulding, F. H. and Co. Ltd 307-313 Murray Street, Perth	WF2
Lawall Agencies 22-24 Louisa Street, Adelaide	SL1	Fawns and McAllan Pty Ltd 13 Rokeby Road, Subiaco	WF1
MacGill, Peter and Co. 55 Jerningham Street, North Adelaide	SM2	Glaxo Australia Pty Ltd 100 Norma Road, Myaree	WG1
Malcolm McNeil Pty Ltd 229 Rundle Street Adelaide	SM1	Hitchcock and Co., H. L. 112 Brisbane Street, Perth	WH1
Pearce, J. J. C. 207 Currie Street, Adelaide	SP1		
Pfizer Pty Ltd 12 Lloyd Street, St Marys	SP2		

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Martin, G. and Son 83 Brisbane Street, Perth	WM1	Boots Company (Aust.) Pty Ltd, The Granville Avenue, Geilston Bay, Lindisfarne	TB1
Pharmaceutical Distributors 64 King Street, Perth	WP1	Cados (South) Pty Ltd 18 Watchorn Street, Hobart	TC2
Pharmax Pty Ltd 12 Aberdeen Street, Perth	WP2	Cados (North) Pty Ltd 63 Cameron Street, Launceston	TC1
Rumbles Ltd 26 Wheeler Street, Belmont	WR1	Drug Houses of Australia 25 York Street, Launceston	TD1
Salmond and Spraggon (Aust.) Pty Ltd .. 8 Loftus Street, Perth	WS4	Grounds and Bewglass Pty Ltd 17-19 Salamanca Place, Hobart	TG2
Sanitarium Health Food Co. 77 Burswood Road, Victoria Park	WS5	Grounds and Bewglass Pty Ltd 29 St John Street, Launceston	TG3
Squibb and Sons, E. R. (Pty) Ltd 6 Grasmere Avenue, City Beach	WS2	McCallum Lyppard Pty Ltd 6 Market Place, Hobart	TM1
World Agencies Pty Ltd c/o Bays Transport, 12 Graylands Road, Claremont	WW1	Sanitarium Health Food Co. Cnr Main and Derwent Park Roads, Moonah	TS2
TASMANIA			
Angliss, W. and Co. (Aust.) Pty Ltd 152 Macquarie Street, Hobart	TA1		

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Code No.</i>	<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
1016L	Adrenaline Injection BP	1 mg in 1 ml	Ampoule	5
1038P	Aminophylline Injection BP	250 mg in 10 ml	Ampoule	5
1195X	Chlorpromazine Injection BP	50 mg in 2 ml	Ampoule	5
2558P	Diazepam injection	10 mg in 2 ml	Ampoule	5
1321M	Digoxin Injection BP	500 micrograms in 2 ml	Ampoule	10
1419Q	Ethylnoradrenaline injection	2 mg in 1 ml	Ampoule	5
2413B	Frusemide injection	20 mg in 2 ml	Ampoule	5
1467F	Heparin Injection BP	5,000 units in 1 ml	Ampoule	1
or				
1466E	Heparin Injection BP	5,000 units in 5 ml	Vial	1
or				
1469H	Heparin Injection BP	12,500 units in 1 ml	Ampoule	1
or				
1468G	Heparin Injection BP	25,000 units in 5 ml	Vial	1
1501B	Hydrocortisone sodium succinate injection set	Equivalent to 100 mg hydrocortisone and 2 ml solvent	Vial and Ampoule	1 set
2875H	Lignocaine injection	100 mg in 5 ml	Ampoule	4
1604K	Metaraminol Injection BP	10 mg in 1 ml	Ampoule	1
1644M	Morphine Sulphate Injection BP	10 mg in 1 ml	Ampoule	5
or				
1645N	Morphine Sulphate Injection BP	15 mg in 1 ml	Ampoule	5
or				
1646P	Morphine Sulphate Injection BP	20 mg in 1 ml	Ampoule	5
or				
1647Q	Morphine Sulphate Injection BP	30 mg in 1 ml	Ampoule	5
1657F	Morphine sulphate with atropine sulphate injection	10 mg-400 mcg in 1 ml	Ampoule	5
or				
1659H	Morphine sulphate with atropine sulphate injection	15 mg-400 mcg in 1 ml	Ampoule	5
or				
1661K	Morphine sulphate with atropine sulphate injection	15 mg-600 mcg in 1 ml	Ampoule	5
1779P	Penicillin benzyl injection set	900 mg and 2 ml water for injections	Vial and Ampoule	10 sets
or				
1791G	Penicillin Procaine Injection BP	600 mg	Disposable syringe pack	10
or				
1793J	Penicillin Procaine Injection BP	1 g	Disposable syringe pack	10
or				
1794K	Penicillin Procaine Injection BP	1.5 g	Disposable syringe pack	10
1829G	Pethidine Injection BP	100 mg in 2 ml	Ampoule	5
2369Q	Prochlorperazine Injection BP	12.5 mg in 1 ml	Ampoule	10
2629J	Tetanus Antitoxin (Bovine) BP Injection Set	1,500 units and 15 units diluted 1 in 50	Ampoules	1 set

<i>Code No.</i>	<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
2124T	Tetanus Antitoxin (Equine) BP Injection Set	1,500 units and 15 units diluted 1 in 50	Ampoules	1 set
2127Y	Tetanus Vaccine BP (purified aluminium phosphate absorbed)	0.5 ml	Ampoule	10

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS

Operative as from 1 December 1973

SECTION 2

RESTRICTED BENEFITS

All restricted items are printed in red.

The maximum quantity and/or number of repeats in respect of any item shown in the Schedule may be varied by the Director of Health when issuing an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. Payment will be made on the basis of the price shown for that item in the Schedule. (See paragraphs 15, 16, and 35 of Section 1 - Explanatory Notes (1600 pages)).

SYMBOLS USED IN THE SCHEDULE

An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.

A dagger (/) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, in which case the item is to be labelled.

A double dagger (≠) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.

A gauge sign (#) against the price of an item indicates that the product is not preconstituted and that a special professional fee of 72¢ is included in the dispensed price.

Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.

N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W); Tas. - (T).

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2742H	ACEPIFYLLINE Tablet 250mg	100	2	2.10	Etaphylline DF
2743J	Paediatric Syrup 125mg per 5ml, 500ml	≠1	4	2.57	Etaphylline DF
2445Q	Injection 500mg in 5ml	5	..	1.27	Etaphylline DF
1004W	ACETAZOLAMIDE Tablet 250mg	50	6	5.19 5.27 5.70	Glaucomide PT Fonurit BZ (NWS) Diamox LE
2376C	Capsule 500mg (sustained release)	50	2	11.17	Diamox LE
1005X	Injection 500mg (solvent required)	1	..	3.55	Diamox LE
1006Y	ACETOHEXAMIDE Tablet 500mg	100	2	4.50	Dimelor LY
2811Y	ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2ml	2	..	* 10.36	Miochol IR
2630K	ACETYLCYSTEINE To be endorsed "S.P." Solution 20%, 10ml	5	3	10.75	Mucomyst MJ
2434D	ADRENALINE Eye Drops 0.5%, 7.5ml	≠1	6	3.17	Eppy ET Isopto Epinal AQ
3031M	0.5%, 10ml	≠1	6	3.30	Epifrin AG
1014J	1%, 7.5ml	≠1	6	3.50	Eppy ET Isopto Epinal AQ
2955M	1%, 10ml	≠1	6	3.63	Epifrin AG Glaucan AQ
1015K	2%, 10ml	≠1	6	6.83	Epifrin AG Glaucan AQ
2479L	2% (100mg and 5ml diluent)	≠1	6	#5.92	Lyophrin AQ
1016L	Injection BP 1mg in 1ml (1 in 1,000)	5	1	1.01 1.05	AB,GR(NWS),WO BL,KL,PD,SI
1017M	10mg in 10ml (1 in 1,000)	1	1	0.98	PD
1019P	Solution BP 0.1% (1 in 1,000), 28.5ml	1	..	0.98	PD
1020Q	Solution 1% (1 in 100), 7ml	1	1	1.03	PD
2761H	ADRENALINE ACID TARTRATE Inhalation, metered aerosol spray replacement pack, 7mg per ml, 15ml (300 dose)	≠1	..	2.90	Medihaler-Epi RK

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	ALGINIC ACID COMPOUND To be endorsed "S.P."					
1057P	Granules, 5g sachets, 24	≠1	4	3.43	Gaviscon	RC
3155C	Powder 45g	≠1	4	2.30	Gaviscon Infant	RC
2600W	ALLOPURINOL Tablet 100mg	100	2	(d)7.85 (ex 500) 8.37 (ex M.P.)	Zyloprim BW	BW
2765M	ALOXIPRIN Tablet 600mg	100	2	2.57	Palaprin Forte	NS
	ALPRENOLOL To be endorsed "S.P."					
2991K	Tablet 100mg	100	2	7.30	Aptin Betacard	AP BR
2905X	Injection 1mg per ml, 10ml	1	..	1.99	Aptin Betacard	AP BR
2504T	ALUMINIUM ASPIRIN Tablet 400mg	100	2	2.06	Asopax	NS
2797F	ALUMINIUM HYDROXIDE GEL Mixture 320mg per 5ml, 360ml	1	2	≠0.69 ≠0.90 ≠0.98	AA(N) Minajel Alox Alusorb Amphojel Gelox Metem	MG KL DH WY PR CH(Q)
2798G	(with instructions for use)					
1026B	ALUMINIUM HYDROXIDE GEL DRIED Tablet 300mg	100	2	1.43	Actal Alox Amphotabs HA	WL KL WY
2552H	ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1g per 5ml, 360ml	≠1	2	1.35	Kaogel Kaomagma	FA WY
1029E	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	1.59	Aludrox Brislox	WY BC
2576N	200mg-200mg	100	2	(h)1.48 (ex 500) 1.58 (ex M.P.)	Mylanta PD	PD
2799H	Mixture 300mg-100mg per 5ml, 360ml	≠1	2	1.37	Aludrox Milagel	WY PR
2735Y	Suspension 215mg-80mg per 5ml, 360ml	≠1	2	1.70	Dijene Simeco	BT WY
2666H	200mg-100mg per 5ml, 360ml	≠1	2	1.70	Polycral Gel	NS
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2575M	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE - cont. Suspension 200mg-200mg per 5ml, 360ml	≠1	2	1.70	Almacarb Brislox Merasyn Mylanta	AH BC ML PD
2796E	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZINE Suspension 306mg-97.5mg-10mg per 5ml, 360ml	≠1	2	1.97	Mucaine	WY
1031G	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg	100	2	1.63	Gelusil	WW
2849Y	Mixture 250mg-500mg per 4ml, 360ml	≠1	2	1.70	Gelusil	WW
1032H	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	(h)1.70 (ex 500)	Alox Compound Gastrogel Gastroid Neutratabs	KL FM BB HA
2980W	Mixture 250mg-120mg-120mg per 5ml, 360ml	≠1	2	1.83 (ex M.P.) 1.63	BB,FM,HA,KL Gastrogel	FM
1033J	ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	(h)1.76 (ex 500)	Actal Complex Almacarb Dijene Polycral Simeco	WL AH BT NS WY
2577P	ALUMINIUM SODIUM SILICATE Powder 100g	1	2	1.90 (ex M.P.) 1.30	AH,BT,NS,WL,WY Neutralon	SC
3016R	AMANTADINE HYDROCHLORIDE To be accompanied by an authority from the Director of Health. Capsule 100mg	100	..	18.74	Symmetrel	GE
2934K	AMBENONIUM CHLORIDE Tablet 10mg	100	2	4.70	Mytelase	WL
3109P	AMILORIDE Tablet 5mg	50	2	2.50	Midamor	MK
1035L	AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	≠1	2	1.35	Aminopt	SI

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	AMINO ACID FORMULA without PHENYL- ALANINE To be accompanied by an authority from the Director of Health.					
3073R	Powder 200g	#1	..	24.67	Aminogran	GL
3071P	250g	#1	..	32.33	PK AID I	MN
3072Q	250g	#1	..	37.48	PK AID II	MN
	AMINO ACIDS with SORBITOL See Intravenous Fluids					
	AMINO ACIDS with SORBITOL and ALCOHOL See Intravenous Fluids					
1039Q	AMINOPHYLLINE Tablet 100mg	100	2	0.93	Cardophyllin Carine AD,RT(V),SI	HA KL
2463P	125mg (enteric coated)	100	2	1.57	Androphyllin	ET
1040R	150mg	100	2	1.94	Glucophylline	AB
1037N	Injection I.M. 500mg in 2ml	5	..	1.30 1.33 1.41	WO AB Cardophyllin	HA
1038P	I.V. 250mg in 10ml	5	..	1.61 1.70 1.73 1.81	LP DH AB,WO Cardophyllin Carine SI	HA KL
1041T	Suppository 175mg	12	1	1.19	Cardophyllin Carine	HA KL
1042W	250mg	12	1	1.38 1.46	DH Cardophyllin Carine	HA KL
1043X	400mg	12	1	1.46	Cardophyllin Carine	HA KL
	AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE Tablet					
3117C	130mg-25mg-25mg	100	2	2.23	Phyline	CO
2957P	130mg-25mg-25mg (enteric coated)	100	2	2.57	Amesec	LY
2839K	Capsule 130mg-25mg-25mg	100	2	(d) 2.20 2.22 (ex 500) 2.30 (ex M.P.)	Protasma Amesec Efal KL,LY,PT	PT LY KL
	AMINOSALICYLIC ACID To be endorsed "S.P."					
1744T	Tablet 500mg	500	2	4.93	KL	

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2417F	AMITRIPTYLINE Tablet 10mg	50	1	(g) 1.46 (ex 250)	Laroxyl Saroten Tryptanol RO NS MK
				1.57 (ex M.P.)	MK,NS,RO
2418G	25mg	50	1	(g) 2.27 (ex 250)	Laroxyl Saroten Tryptanol RO NS MK
				2.50 (ex M.P.)	MK,NS,RO
3008H	Capsule 10mg	50	1	1.57	Elavil FR
3009J	25mg	50	1	2.50	Elavil FR
2989H	Mixture 10mg (base) in 5ml, 100ml	≠1	4	1.41	Elavil Tryptanol FR MK
2672P	Injection 25mg per ml, 2ml	10	..	2.67	Laroxyl RO
1044Y	AMMONIUM CHLORIDE Tablet 500mg	100	3	1.19	QE(QNVS),RY
1045B	AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	2	2.63	Camoquin PD
1047D	AMPHOTERICIN B To be endorsed "S.P." Injection 50mg (solvent required) * * *	1	..	4.43	Fungizone SQ
2930F	AMPHOTERICIN B Tablet 100mg	50	..	6.97	Fungilin SQ
2931G	Lozenge 10mg	20	..	1.77	Fungilin SQ
2932H	Suspension 100mg per ml, 24ml	≠1	..	2.77	Fungilin SQ
2933J	Vaginal Tablets 50mg, 15	≠1	1	2.34	Fungilin SQ
2462N	AMPICILLIN To be endorsed "S.P." Tablet 125mg	25	..	2.57	Austrapen Penbritin CS BR
1048E	Capsule 250mg	25	..	(c) 3.73 (ex 100)	Austrapen Penbritin CS BR
				3.91 (ex M.P.)	BR,CS
2671N	500mg	12	..	(b) 3.55 (ex 100)	Austrapen Penbritin CS BR
				3.77 (ex M.P.)	BR,CS
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
3061D	AMPICILLIN - cont. Powder for Syrup 125mg per 5ml, 100ml	#1	..	#2.75	Austrapen CS Penbritin BR
3123J	250mg per 5ml, 100ml	#1	..	#4.15	Austrapen Forte CS Penbritin Forte BR
2644E	Injection 100mg (solvent required)	5	1	3.09	Austrapen CS Penbritin BR
2389R	250mg (solvent required)	5	1	4.83	Austrapen CS Penbritin BR
2390T	500mg (solvent required)	5	1	7.47	Austrapen CS Penbritin BR
2977Q	1g (solvent required)	5	1	13.06	Austrapen CS Penbritin BR
1049F	AMYLOBARBITONE Tablet 15mg	100	1	0.97	Amylbarb PT Sedal FA
				0.98	Amal KL Amytal LY Neur-Amyl FM Restal HA
1050G	30mg	100	1	(b) 1.09 (ex 500)	Amal KL Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Restal HA Sedal FA
				1.13 (ex M.P.)	FA, FM, HA, KL, LY, PT, VR
1051H	50mg	100	1	(b) 1.16 (ex 500)	Amal KL Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Restal HA Sedal FA
				1.22 1.23 (ex M.P.)	FA, PT FM, HA, KL, LY, VR
1052J	100mg	25	..	0.71 0.73 0.79 0.81	Amylbarb PT Restal HA Mylosed VR Amal KL Amytal LY Neur-Amyl FM Sedal FA
2652N	AMYLOBARBITONE SODIUM Capsule 50mg	100	1	1.57	Amal Sodium KL Amsal AV Amylobeta BB Amytal Sodium LY Neur-Amyl Sodium FM
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1056N	AMYLOBARBITONE SODIUM - cont. Capsule 200mg	25	..	(b) 1.20 1.28 (ex 100)	Amylbarb Sodium PT Amylosol LF Amal Sodium KL Amylobeta BB Amytal Sodium LY Mylosed VR Neur-Amyl Sodium FM Sodium Sedal FA
1058Q	Injection 250mg (solvent required)	5	..	1.21 1.43 (ex M.P.)	LF,PT BB,FA,FM,KL,LY,VR
1059R	500mg (solvent required)	5	..	*2.70	Amytal Sodium LY
2531F	ANGIOTENSIN AMIDE Injection 0.5mg (solvent required)	5	..	*3.85	Amytal Sodium LY
2532G	2.5mg (solvent required)	5	..	2.50	Hypertensin CB
1075N	ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	#1	2	*9.70	Hypertensin CB
1980F	ANTIVENENE -RED BACK SPIDER Injection 500 Units	2	..	1.19	Antistine-Privine CB
1077Q	ASCORBIC ACID To be endorsed with the pension number Tablet 25mg	100	2	*8.50	CS
1078R	50mg	100	2	0.77 0.89	Ascorb "25" PT Cetamin KL AD,DH,RT(V),RY,SI
1081X	500mg	100	..	0.93 1.01	Ascorb "50" PT LP,SL(N) Cetamin KL Scorbettes PR AD,DH,RT(V),RY,SI
1008C	ASPIRIN Tablet 300mg	100	2	2.50 2.58 2.70	LP Colascor DH Cetamin KL Invite C AV
2968F	650mg (sustained release)	100	2	0.83	KL,RY
3110Q	ASPIRIN (BUFFERED) Tablet 325mg	100	2	(e)1.95 (ex 500) 2.06 (ex M.P.)	Bi-prin BT
1025Y	500mg	100	2	2.06	Bufferin BC
1009D	ASPIRIN (SOLUBLE) Tablet 150mg	100	2	2.57	Bufferin Forte BC
	(continued)			1.17	Aspisol KL Prodol BB

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1010E	ASPIRIN (SOLUBLE) - cont. Tablet 300mg	100	2	(h) 0.91 1.17 (ex 500)	SB Aspisol KL Novosprin VR Prodol BB Solcetas BW Solprin RC Solusal HA Talis Soluble NS DH,RT(V),RY
3113W	500mg ASPIRIN with PARACETAMOL and CAFFEINE To be endorsed with the pension number	100	2	1.21 1.27 1.33 (ex M.P.)	SB BW,DH,HA,RT(V) BB,KL,NS,RC,RY,VR
1012G	Tablet 225mg-150mg-30mg	100	2	1.63	Provoprin 500 DH
1082Y	ATROPINE Eye Drops Oily 1%, 15ml	1	2	1.50	Atroptol SI
1084C	ATROPINE METHONITRATE Tablet 1mg	50	2	1.63	Eumydrin WL
1083B	Oral Solution 0.6%, 15ml	1	..	1.19	Eumydrin WL
2704H	ATROPINE SULPHATE Tablet 600 micrograms	100	2	1.07	RY
1088G	Injection 0.4mg in 1ml	5	1	1.09 1.10	AB,LP BL,KL
1089H	0.6mg in 1ml	5	1	1.09 1.10	AB,LP BL,DH,KL
1091K	1.25mg in 1ml	5	1	1.09 1.10	AB,LP BL,KL
1092L	Eye Drops 0.5%, 15ml	1	2	1.30 1.46	IR Atropt ET,KL SI
1093M	1%,15ml	1	2	1.41 1.57	DH,IR,LP Atropt ET,KL SI
1094N	Eye Ointment 1%, 4g AZATHIOPRINE To be accompanied by an authority from the Director of Health.	1	..	1.14	PD
2687K	Tablet 50mg	100	..	28.50	Imuran BW
1100X	BARBITONE SODIUM Tablet 300mg	25	..	1.03	KL
1101Y	500mg	25	..	1.06	KL

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1102B	BARBITONE with PENTOBARBITONE and PHENOBARBITONE Capsule 250mg-100mg-30mg	25	..	2.03	Barbico KL	AB
2706K	BELLADONNA Tablet 45mg	100	2	1.23	RY	
2423M	BELLADONNA with PHENOBARBITONE Prepared Belladonna Herb BP (or equivalent of Dry Extract of Belladonna) with Phenobarbitone Tablet 30mg-20mg	100	2	1.19	Bellatran Phenadon Solamal Alkabarb Bellabarb Donnabarbital	PT LF DH SI TR FM
2637T	40mg-16mg	100	2	1.37	Donnatal	RS
2424N	45mg-30mg	100	2	1.19 1.21 1.23 1.37	Phenadon F Bellatran Forte Solamal Fort Alkabarb Forte Bellabarb Forte Donnabarbital Forte	LF PT DH SI TR FM
2753X	120mg-48mg (sustained release)	100	2	2.50	Donnatal-LA	RS
1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	(a) 1.90 (ex 250) 2.02 (ex M.P.)	Aprinox-M Bristuric Pluryl BC,BT,ET	BT BC ET
1106F	5mg	50	2	(b) 2.72 (ex 250) 2.85 (ex M.P.)	Aprinox Bristuric Neo-Naclex Pluryl BC,BT,ET,GL	BT BC GL ET
1107G	BENZALKONIUM CHLORIDE Compound Suppository	12	1	1.35	Anoidal Paxyl	HA FA
1108H	Solution 10%, 114ml	#1	..	1.19	Zephiran Concentrated	WL
1109J	BENZHEXOL Tablet 2mg	100	2	2.01 2.09	Anti-Spas Artane	PT LE
1110K	5mg	100	2	3.47 3.65	Anti-Spas Artane	PT LE
1111L	BENZOCAINE with ADRENALINE Compound Ointment 50g	1	1	1.50	Rectinol	GP
1112M	Compound Suppository	12	1	1.35	Rectinol	GP
1113N	Suppository 50mg-1mg	12	1	1.50	Adaben	KL

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2362H	BENZTROPINE Tablet 2mg	100	..	4.77	Cogentin	MK
3038X	Injection 2mg in 2ml	5	..	*3.95	Cogentin	MK
1114P	BENZYL BENZOATE Application 25%, 100ml	#1	2	1.30	Ascabiol	MB
2898M	BETAHISTINE HYDROCHLORIDE To be endorsed "S.P." Tablet 4mg	100	..	6.23	Serc	PT
2694T	BETAMETHASONE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health. Injection 6mg in 1ml	5	..	9.21	Celestone Chronodose	SH
1117T	BETAMETHASONE Tablet 0.5mg	30	..	(a) 1.63 (ex 100) 1.70 (ex M.P.)	Betnelan Celestone GL,SH	GL SH
2845R	Syrup 0.5mg per ml, 30ml	#1	..	2.43	Celestone	SH
1116R	Injection 4mg in 1ml	5	..	*7.15	Celestone	SH
1118W	Eye Drops 0.1%, 5ml	#1	2	2.50	Betnelan	GL
2377D	Eye Ointment 0.1%, 3g	#1	..	1.83	Celestone	SH
2816F	BETAMETHASONE with CLIOQUINOL Ear Ointment 0.1%-3%, 5g	#1	..	1.47	Betnovate Otic	GL
2998T	BETAMETHASONE VALERATE Cream 0.05%, 30g	#1	..	1.82	Betnovate 1/2 Celestone-V Half Strength	GL SH
1063Y	Gel 0.05%, 30g	#1	..	1.82	Betnovate 1/2	GL
2999W	Ointment 0.05%, 30g	#1	..	1.82	Betnovate 1/2 Celestone-V Half Strength	GL SH
1062X	BETHANECHOL To be endorsed "S.P." Tablet 10mg	50	1	2.63	Urecholine Uro-Carb	MK HA
1071J	Injection 5mg in 1ml	2	..	*1.84	Urecholine	MK
2416E	BETHANIDINE Tablet 10mg	100	2	3.17	Esbatal	BW
2712R	25mg	100	2	6.50	Esbatal	BW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2544X	BIPERIDEN Tablet 2mg	100	2	4.17	Akineton KN
2984C	BISMUTH SUBGALLATE Compound Ointment 50g	#1	1	1.50	Anusol WW
1122C	Compound Suppository Powder - See Colostomy & Ileostomy	12	1	1.23	Anusol WW
1123D	BORIC ACID Powder 100g	1	..	0.30 0.38	FA AA(N),DH,SI(V)
1124E	(with instructions for use)				
2516K	BROMPHENIRAMINE Tablet 4mg	50	1	1.63	Dimetane RS
2601X	12mg	50	1	3.10	Dimetane-LA RS
2602Y	Syrup 2mg per 5ml, 100ml	#1	4	1.23	Dimetane RS
	BUSULPHAN To be endorsed "S.P."				
1127H	Tablet 0.5mg	100	2	2.77	Myleran BW
1128J	2mg	100	2	4.23	Myleran BW
1133P	BUTOBARBITONE Tablet 100mg	25	..	(a) 0.71 0.75 (ex 100) 0.75 0.77 (ex M.P.)	Sonabarb PT Soneryl MB
	CALCIFEROL To be accompanied by an authority from the Director of Health.				
1134Q	Tablet 1.25mg (50,000 Units)	100	2	2.61	Ostelin High GL Potency
2500N	Oral Solution 15mg (600,000 Units) in 1.5ml alcoholic solution	3	..	2.23	Sterogyl-15 RL
	CALCIUM To be endorsed "S.P."				
2963Y	Compound Effervescent Tablet equivalent to 500mg calcium	100	2	5.90	Spar-Cal MJ
3122H	equivalent to 1g calcium	30	2	5.03	Sandocal 1000 SZ
	CALCIUM FOLINATE To be endorsed "S.P."				
2309M	Injection 3mg in 1ml	5	..	9.83	Leucovorin LE
1147J	CALCIUM GLUCONATE Tablet 600mg	100	2	1.13	AD,DH,KL,PR,RY,SI
1146H	Injection 10%, 10ml	5	1	1.50	Calcium-Sandoz SZ AB

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1149L	CALCIUM LACTATE Tablet 300mg	100	2	0.95	AD,DH,KL,SI,TO
2817G	CAPREOMYCIN To be endorsed "S.P." Injection 1g (solvent required)	5	..	*19.25	Caprocin LY
1151N	CARBACHOL Injection 0.25mg in 1ml	5	..	1.06	AB
2534J	Eye Drops 0.75%, 15ml	≠1	6	2.43	AQ
2535K	1.5%, 15ml	≠1	6	2.50	AQ
2536L	3%, 15ml	≠1	6	2.63	AQ
2419H	CARBAMAZEPINE To be endorsed "S.P." Tablet 200mg	200	1	12.85	Tegretol GE
2818H	CARBENICILLIN To be accompanied by an authority from the Director of Health. Injection 1g (solvent required)	5	..	18.90	Carbapen Pyopen CS BR
2620X	CARBENOXOLONE SODIUM To be accompanied by an authority from the Director of Health. Tablet 50mg	100	..	11.87	Biogastrone BQ
1153Q	CARBIMAZOLE Tablet 5mg	100	2	2.17 2.83	Carbazole PT Neo-Mercazole NS
1154R	CARBINOXAMINE Tablet 4mg	50	1	1.77	Clistin ET
2409T	12mg (sustained release)	50	1	3.83	Clistin R-A ET
3032N	Capsule 12mg (sustained release)	50	1	3.83	Histex SI
2736B	Paediatric Elixir 4mg per 5ml, 100ml	≠1	4	1.23	Clistin ET
1155T	CASCARA Tablet 200mg	25	3	0.87	RT(V)
1156W	300mg	25	3	0.98	RT(V),SI
1159B 1160C	Liquid Extract BP 50ml (with instructions for use)	1	1	0.53	AA(N)
	CASEIN HYDROLYSATE with LAEVULOSE and ALCOHOL See Intravenous Fluids				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	CEPHALEXIN To be accompanied by an authority from the Director of Health.					
3106L	Tablet 500mg	12	..	13.57	Keflex	LY
3058Y	Capsule 250mg	25	..	14.10	Ceporex Keflex Keforal	GL LY DL
3119E	500mg	12	..	13.57	Ceporex	GL
3094W	Granules for Syrup 125mg per 5ml, 100ml	#1	..	#7.55	Ceporex Keflex	GL LY
	CEPHALORIDINE To be accompanied by an authority from the Director of Health.					
2493F	Injection 250mg (solvent required)	5	..	*9.30	Ceporan	GL
2494G	500mg (solvent required)	5	..	*15.90	Ceporan	GL
2643D	1g (solvent required)	5	..	*29.90	Ceporan	GL
	CEPHALOTHIN SODIUM To be accompanied by an authority from the Director of Health.					
2964B	Injection 1g (solvent required)	5	..	*22.10	Keflin	LY
1135R	2g (solvent required)	1	..	9.02	Keflin	LY
1136T	4g (solvent required)	1	..	17.19	Keflin	LY
	CERATONIA To be endorsed "S.P."					
3036T	Powder 100g	#1	4	1.83	Nestargel	NT
3057X	135g	#1	4	2.30	Carobel	MN
2935L	CHLORAL HYDRATE Capsule 500mg	50	..	1.74 1.83	Lanchloral Chloradorm Chloralix Eudorm Noctec	LP KL RK VR SQ
2869B	Mixture 250mg per 5ml, 400ml	#1	4	1.70	Dormel	DH
2713T	1g per 10ml, 200ml	#1	4	1.70	Chloradorm Chloralix Noctec Syrup	KL RK SQ
	CHLORAMBUCIL To be accompanied by an authority from the Director of Health					
1163F	Tablet 2mg	100	2	*5.82	Leukeran	BW
1164G	5mg	100	2	*9.02	Leukeran	BW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	CHLORAMPHENICOL To be endorsed "S.P."				
1173R	Capsule 125mg	16	..	1.33	Chloromycetin PD
1174T	250mg	16	..	1.86 1.90	Chloramol PT Chlomin KL Chloromycetin PD Kemicetine EC
2693R	Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	2.06	Chloromycetin Palmitate PD
1166J	Injection 250mg per ml, 2ml	5	..	3.26	Chloromycetin PD
1167K	1g (solvent required)	3	..	*5.09	Chloromycetin Succinate PD EC
2385M	Paediatric Injection 250mg (solvent required) * * *	3	..	*3.23	Chloromycetin Succinate PD
1169M	CHLORAMPHENICOL Ear Drops 10%, 6ml	≠1	2	1.50	Chlomin KL Chloromycetin PD
1170N	Eye Drops 25mg and 10ml solvent	≠1	2	#1.85	Chloromycetin PD
2360F	0.5%, 10ml	≠1	2	1.37	Chlomin KL Chloroptic AG Opclor PD
1171P	Eye Ointment 1%, 4g	≠1	..	1.17	Chlomin KL Chloromycetin PD
1177Y	CHLORAMPHENICOL with POLYMYXIN B Eye Ointment 1%-5,000 Units per g,4g	≠1	..	1.19	Chlopex KL Chloromyxin PD
1180D	CHLORCYCLIZINE Tablet 50mg	50	1	1.87 1.90	PT Di-Paralene AB
1066D	CHLORHEXIDINE Solution 5%, 200ml	≠1	1	2.50	Hibitane Concentrate IC
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	2	3.10 3.22	Chlorquin PT Malaquin DR RT(V) Aralen WL Avloclor IC Nivaquine MB Resochin BN DH,ET,KL
1185J	Injection 40mg per ml, 2ml	5	1	*1.61	Nivaquine MB
1186K	40mg per ml, 5ml	5	1	*2.42	Nivaquine MB

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1187L	CHLOROTHIAZIDE Tablet 500mg	50	2	(c) 2.85 (ex 250) 3.17 (ex M.P.)	Chlotride FR
1188M	CHLOROTRIANISENE To be endorsed "S.P." Tablet 24mg	30	2	4.26	Tace ML
1190P	CHLORPHENIRAMINE Tablet 4mg	50	1	1.86 1.94 1.97	Allergex PT Chloramin LF Histaids OD Chlor-Trimeton SH Bramahist BB Piranex KL Piriton GL
1191Q	8mg (sustained release)	50	1	2.26 2.37	Chloramin LF Histaids OD Bramahist BB Chlor-Trimeton Repetabs SH Piranex RA KL Piriton Duolets GL
2921R	12mg (sustained release)	50	1	2.90	Piriton Spandets GL
2881P	Capsule 8mg (sustained release)	50	1	2.38	Teledrin SK
2882Q	12mg (sustained release)	50	1	2.99	Teledrin SK
1192R	Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	1.19	Bramahist BB Piranex KL Piriton GL
1189N	Injection 10mg in 1ml	5	..	1.78	Piriton GL
1196Y	CHLORPROMAZINE To be endorsed "S.P." Tablet 10mg	100	1	1.33	Largactil MB Plegomazine UW(NWS) Promacid KL Protran PT Serazone VR
1197B	25mg	100	1	(b) 1.58 (ex 500) 1.70 (ex M.P.)	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT Serazone VR BB, KL, MB, PT, UW(NWS), VR
1198C	50mg	100	1	2.90	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT
(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1199D	CHLORPROMAZINE - cont. Tablet 100mg	100	1	5.30	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT
1201F	Mixture 25mg per 5ml, 100ml	#1	4	1.19	Largactil MB Promacid KL
1194W	Injection BP, 25mg in 1ml	10	..	1.70	Largactil MB
1195X	50mg in 2ml	10	..	1.70 2.03	Plegomazine UW(NWS) Largactil MB Promacid KL
1200E	Suppository 100mg	5	1	1.43	Largactil MB
2891E	CHLORPROPAMIDE Tablet 100mg	100	2	2.97	Diabinese M PF
1202G	250mg	100	2	5.91	Diabinese PF
1055M	CHLORTETRACYCLINE To be endorsed with the pension number Ointment 3%, 15g * * *	#1	..	1.13	Aureomycin LE Chlortet LF
1205K	CHLORTETRACYCLINE Capsule 250mg	25	..	2.35	Aureomycin LE Chlortet LF
1584J	CHLORTHALIDONE Tablet 50mg	50	2	(a) 2.86 (ex 250) 3.19 (ex M.P.)	Hygroton GE
3021B	CHOLERA VACCINE Injection 1ml	2	..	*1.30	CS
2967E	CHOLESTYRAMINE To be accompanied by an authority from the Director of Health. Powder 50%, 378g	#1	..	10.34	Questran MJ
2788R	CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	2.63	Choledyl WW
2789T	200mg	100	2	(e) 2.90 (ex 500) 3.17 (ex M.P.)	Choledyl WW
2787Q	Syrup 50mg per 5ml, 500ml	#1	4	2.10	Choledyl WW
2866W	CHOLINE THEOPHYLLINATE with GUAIPHENESIN Tablet 200mg-100mg	100	2	3.17	Brondecon WW
2867X	Elixir 50mg-25mg per 5ml, 500ml	#1	4	2.23	Brondecon WW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2785N	CLEMASTINE Tablet 1mg	50	1	(a) 3.29 (ex 250) 3.53 (ex M.P.)	Tavegyl SZ	SZ
3017T	Mixture 0.25mg(base) per 5ml, 100ml	≠1	4	1.37	Tavegyl	SZ
3046H	Injection 2mg(base) in 2ml	5	..	1.90	Tavegyl	SZ
1210Q	CLEMIZOLE Tablet 20mg	50	1	*1.78	Allercur	SC
1212T	Paediatric Syrup 100ml	≠1	4	1.19	Allercur	SC
	CLINDAMYCIN To be endorsed "S.P."					
3137D	Capsule 75mg	25	..	4.10	Dalacin C	UP
3138E	150mg	25	..	7.30	Dalacin C	UP
3030L	CLIOQUINOL Cream 1%, 30G	≠1	..	1.23	Vioform	CB
	CLOFIBRATE To be accompanied by an authority from the Director of Health.					
2892F	Capsule 500mg	50	..	5.57	Atromid-S	IC
3141H	CLONIDINE Tablet 150 micrograms	100	2	7.17	Catapres	BY
3142J	Injection 150 micrograms in 1ml	5	..	2.77	Catapres	BY
2399G	CLOPAMIDE Tablet 20mg	50	2	2.77	Brinaldix	SZ
2880N	CLOREXOLONE Tablet 10mg	50	2	2.17	Nefrolan	MB
2297X	25mg	50	2	2.57	Nefrolan	MB
2298Y	50mg	50	2	3.17	Nefrolan	MB
	CLOXACILLIN To be accompanied by an authority from the Director of Health.					
2300C	Capsule 250mg	25	..	8.30	Austrastaph Orbenin	CS BR
1120Y	500mg	12	..	7.99	Austrastaph Orbenin	CS BR
2936M	Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#5.83	Austrastaph Orbenin	CS BR
2299B	Injection 250mg (solvent required)	5	..	6.83	Austrastaph Orbenin	CS BR

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1214X	CODEINE PHOSPHATE Tablet 30mg	25	..	1.69 1.75	LP DH,KL,RT(V),RY
1217C	CODEINE PHOSPHATE with ASPIRIN To be endorsed with the pension number Tablet 10mg-300mg	100	2	1.30 1.54	Ethidyne Acode EL KL
2758E	10mg-500mg	100	2	1.75	Ascotin FA
1218D	Soluble 10mg-300mg	100	2	1.83	Aspalgin Codacet Neocodsol Prodol Co FM CA KL BB
1219E	10mg-500mg	100	2 (h)	1.90 (ex 500) 2.07 (ex M.P.)	Hycodin Solcode FA,RC FA,RC
1215Y	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL To be endorsed with the pension number Tablet 8mg-250mg-250mg	100	2	1.47 1.61 1.67	RY RT(V) Anagesil Burco Co-Com Code-Co Nollipyrin AD DH CA VR HA KL
1220F	10mg-250mg-250mg	100	2	1.78	Codaspren Panalgescic SI WL
1216B	Soluble 8mg-250mg-250mg	100	2	2.02 2.03	Solusal Co Burcosol Codsol Solgesil HA CA KL DH
1221G	CODEINE PHOSPHATE with ASPIRIN, PARACETAMOL and CAFFEINE To be endorsed with the pension number Tablet 12mg-250mg-150mg-15mg	100	2	2.19	Codiphen GP
1222H	30mg-225mg-150mg-30mg	50	.. (d)	1.90 (ex 250) 2.03 (ex M.P.)	Codiphen Forte Codral Forte BW,GP GP BW
2680C	COD LIVER OIL /Cod Liver Oil BP 200ml	1	4	/0.48 /0.54	FA DH
2681D	(with instructions for use)				
1225L 1226M	/Emulsion 50%, 450ml (with instructions for use)	1	4	/0.96	Elliott's Clinic DH

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	COLASPASE To be endorsed "S.P."				
3111R	Injection 10,000 Units (solvent required)	10	1	*116.00	Crasnitin MB
1227N	COLCHICINE Tablet 0.5mg	100	2	2.87 2.90 2.99 3.03 3.17	Colgout LP,PR,RT(V) PT DH Coluric AV BW,KF Colcin KL MR
	COLISTIN To be endorsed "S.P."				
2621Y	Injection 150mg (solvent required)	5	..	*34.65	Coly-Mycin WW
2756C	COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per ml, 10ml	≠1	2	1.70	Coly-Mycin WW
1228P 1229Q	COPPER SULPHATE /Diagnostic Compound Tablets, 36 (with instructions for use)	1	3	/0.68	Clinitest AM
1246N	CORTISONE ACETATE Tablet 5mg	50	..	1.70	Cortate PT Cortone MK
1247P	25mg	30	..	2.50	Cortate PT DH,KL,PD
1243K	Injection 25mg per ml, 10ml	1	..	5.83	Cortisyl RL
	CYANOCOBALAMIN To be endorsed "S.P."				
1258F	Injection 100 micrograms in 1ml	5	1	1.23 1.30	Panalamine LP PT Benol Forte KL Cytamen 100 GL
1262K	1,000 micrograms in 1ml	5	..	2.30 2.63	Panalamine 1000 LP PT Benol 1000 KL Cytamen 1000 GL
1263L	CYCLOBARBITONE Tablet 200mg	25	..	1.30	Amnosed BW Fabadorm BN Placyl HA
1264M	CYCLOPENTHIAZIDE Tablet 0.5mg	50	2	(a) 2.56 (ex 250) 2.77 (ex M.P.)	Navidrex CB
1266P	CYCLOPHOSPHAMIDE To be accompanied by an authority from the Director of Health. Tablet 50mg (continued)	50	..	6.17	Endoxan-Asta MJ

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1265N	CYCLOPHOSPHAMIDE - cont. Injection 100mg (solvent required)	5	1	7.99	Endoxan-Asta MJ
2381H	200mg (solvent required)	5	1	8.23	Endoxan-Asta MJ
1079T	500mg (solvent required)	2	1	*5.56	Endoxan-Asta MJ
1080W	1g (solvent required)	1	1	4.50	Endoxan-Asta MJ
	CYCLOSERINE To be endorsed "S.P."				
2302E	Capsule 250mg	250	2	49.39	Closina LY
2426Q	CYCLOTHIAZIDE Tablet 5mg	50	2	3.17	Doburil BY
1267Q	CYCRIMINE HYDROCHLORIDE Tablet 1.25mg	100	2	3.70	Pagitane LY
1268R	2.5mg	100	2	5.63	Pagitane LY
	CYPROHEPTADINE To be endorsed "S.P."				
1269T	Tablet 4mg	50	1	(b) 2.03 (ex 250) 2.23 (ex M.P.)	Periactin MK
2810X	Capsule 4mg	50	1	2.23	Antegan FR
3190X	8mg (sustained release)	50	1	3.17	Antegan SR FR
1270W	Paediatric Syrup 1.2mg per 5ml, 100ml	1	4	1.23	Antegan FR Periactin MK
	CYTARABINE To be endorsed "S.P."				
2910E	Injection set containing 100mg and 5ml solvent.	10	1	*70.90	Cytosar UP
1272Y	DAPSONE Tablet 100mg	100	2	1.03	Avlosulfon IC
	DARROW'S SOLUTION See Intravenous Fluids				
	DAUNORUBICIN To be endorsed "S.P."				
3114X	I.V. infusion 20mg (base)	10	1	*97.80	Cerubidin MB
2740F	DEBRISOQUINE Tablet 10mg	100	2	(b) 3.39 (ex 500) 3.57 (ex M.P.)	Declinax RO
2741G	20mg	100	2	4.95	Declinax RO
2378E	DEMECARIUM BROMIDE Eye Drops 0.1%, 5ml (continued)	1	6	1.87	Tosmilen AP

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1274C	DEMECARIUM BROMIDE - cont. Eye Drops 0.25%, 5ml	≠1	6	1.99	Tosmilen	AP
1275D	0.5%, 5ml	≠1	6	2.27	Tosmilen	AP
1277F	DEMETHYLCHLORTETRACYCLINE Capsule 150mg	21	..	2.62	Ledermycin	LE
2574L	DEMETHYLCHLORTETRACYCLINE with NYSTATIN Capsule 150mg-250,000 Units	21	..	2.62	Lederstatin	LE
2304G	DEFERRIOXAMINE MESYLATE To be endorsed "S.P." Injection 500mg (solvent required)	10	..	28.50	Desferal	CB
2972K	DESIPRAMINE Tablet 25mg	50	1	3.43	Pertofran	GE
1289W	DESLANOSIDE Injection 0.2mg per ml, 2ml	5	1	1.33	Cedilanid	SZ
1292B	DEXAMETHASONE Tablet 0.5mg	30	..	1.83	Dexmethsone Oradexon KL	PT OR
3006F	Cream 0.04%, 30g	≠1	..	1.82	Oradexon	OR
2509C	Injection 4mg in 1ml	5	..	*7.15	Decadron Decasone	MK FR
1290X	5mg in 1ml	5	..	8.83	Oradexon	OR
1291Y	4mg per ml, 2ml	5	..	*12.50	Decadron Decasone	MK FR
2759F	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 0.5mg-5mg-0.05mg per g, 3g	≠1	..	1.69	Sofradex	RL
2781J	DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 0.5mg(base)-5mg-0.05mg per ml, 8ml	≠1	2	1.82	Sofradex	RL
1165H	DEXAMPHETAMINE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	..	1.60	SI	
1295E	DEXCHLORPHENIRAMINE Tablet 2mg	50	1	(a) 1.60 (ex 250) 1.74 (ex M.P.)	Polaramine SH	SH
1296F	6mg (sustained release)	50	1	(b) 3.02 (ex 250) 3.38 (ex M.P.)	Polaramine SH	SH
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1297G	DEXCHLORPHENIRAMINE - cont. Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	1.37	Polaramine	SH
1294D	Injection 5mg in 1ml	5	..	1.43	Polaramine	SH
	DEXTRAN 40 See Intravenous Fluids					
	DEXTRAN 70 See Intravenous Fluids					
1300K	DEXTRIFERRON Injection I.V. 5ml	5	..	3.83	Astrafer	AP
	DEXTROMORAMIDE To be endorsed "S.P."					
2702F	Tablet 5mg	25	..	1.80	Palfium	FA
2701E	Injection 5mg in 1ml	10	..	*4.94	Palfium	FA
1024X	Suppository 10mg	10	..	2.88	Palfium	FA
3039Y	DEXTROSE Injection 20%, 10ml	5	..	1.83	BL	
3040B	50%, 10ml	5	..	1.97	BL	
	500ml and 1 litre Injections - See Intravenous Fluids					
	DEXTROSE POLYMER To be accompanied by an authority from the Director of Health.					
3134Y	Powder (non-dialysed) 2.5kg	≠1	..	9.72	Gastro-Caloreen	MN
3161J	DIAZEPAM Tablet 2mg	50	1	(b)1.60 (ex 250) 1.73 (ex M.P.)	Valium RO	RO
3162K	5mg	50	1	(b)2.23 (ex 250) 2.46 (ex M.P.)	Valium RO	RO
2559Q	Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	2.01	Valium	RO
2558P	Injection 10mg in 2ml	5	..	2.53	Valium	RO
	DIAZOXIDE To be endorsed "S.P."					
3068L	Injection 300mg in 20 ml	1	..	8.63	Hyperstat I.V.	SH
3018W	DIBENZEPIN Tablet 80mg	50	1	2.97	Noveril	SZ
2603B	DICHLORALPHENAZONE Tablet 650mg	50	..	1.83	Bonadorm	AH
2820K	Oral Liquid 225mg per 5ml, 100ml	≠1	4	1.70	Bonadorm	AH

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1303N	DICHLORPHENAMIDE Tablet 50mg	50	6	5.30	Daranide MK Oratrol AQ
2900P	DICYCLOMINE with DOXYLAMINE and PYRIDOXINE To be endorsed "S.P."				
2900P	Tablet 10mg-10mg-10mg	30	1	(a) 2.24 (ex 150) 2.37 (ex M.P.)	Debendox ML
1304P	DICYCLOMINE HYDROCHLORIDE Tablet 10mg	100	2	(c) 2.39 2.68 (ex 500) 2.63 2.97 (ex M.P.)	Dicycol OD Procyclomin PT Diclomyl KL Merbentyl ML
1305Q	Paediatric Syrup 5mg per 5ml, 100ml	≠1	4	1.57	Diclomyl KL Merbentyl ML
1306R	DIENOESTROL Tablet 0.3mg	100	2	0.79	AD,HA,KL,RT(V)
1307T	1mg	100	2	0.87	AD,HA,KL,RT(V),SL(N)
1308W	5mg	100	2	1.17	AD,HA,KL
1309X	10mg	100	2	1.77	HA,KL
1310Y	Cream 0.01%, 85g	1	...	1.35	ET
1314E	DIGITALIS, PREPARED Tablet 30mg	100	2	1.03	DH
1315F	60mg	100	2	1.17	DH
2605D	DIGOXIN Tablet 62.5 micrograms	100	2	1.19	Lanoxin-PG BW
1322N	250 micrograms	100	2	(c) 1.17 1.27 (ex 500)	Prodigox PT LP,RY Cardiox AV Digolan KL Fibroxin VR Lanoxin BW Natigoxin NA FA,PR,RT(V),TO
3164M	-Oral Solution for Children 50 micrograms per ml, 100ml	≠1	2	1.19 1.33 (ex M.P.) 2.43	LP,PT,RY AV,BW,FA,KL,NA,PR,RT(V), TO,VR Lanoxin BW
1321M	Injection BP 500 micrograms in 2ml	10	1	*2.50	Lanoxin BW
2537M	Injection for Infants 50 micrograms in 2ml	10	1	*2.42	Lanoxin BW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2937N	DIHYDROCODEINE TARTRATE Linctus 0.19%, 100ml	#1	2	1.03	Fortuss Paracodin Rikodeine	GP KN RK
1323P	DIHYDROERGOTAMINE Injection 1mg in 1ml	5	..	1.83	Dihydergot	SZ
2821L	DIHYDROERGOTOXINE MESYLATE To be endorsed "S.P."					
2821L	Sublingual Tablet 0.25mg	100	..	5.79	Hydergine	SZ
2822M	Injection 0.3mg in 1ml	5	..	2.02	Hydergine	SZ
2422L	DIHYDROSTREPTOMYCIN with KAOLIN, PECTIN and ALUMINIUM HYDROXIDE GEL Suspension 317mg-3g-260mg per 30ml, 100ml	#1	..	1.63	Streptomagma	WY
1327W	DIHYDROSTREPTOMYCIN SULPHATE with ATTAPULGITE, PECTIN and HYDRATED ALUMINA POWDER Tablet 150mg-350mg-45mg-70mg	16	..	(b) 1.49 (ex 100) 1.61 (ex M.P.)	Streptomagma WY	WY
1483C	DIHYDROTACHYSTEROL To be endorsed "S.P."					
1483C	Capsule 0.125mg	100	1	10.57	A.T.10	WL
1482B	Oral Solution 0.25mg per ml, 15ml	1	..	3.89	A.T.10	WL
1331C	DI-iodoHYDROXYQUINOLINE Compound Vaginal Tablets 100mg, 25	#1	1	1.70 2.10	VAAM-D.H.Q. Floraquin	VR SR
1332D	Effervescent Gynaecological Pessaries 200mg, 20	#1	1	1.83	Direxiode	DF
1333E	DILOXANIDE FUROATE Tablet 500mg	30	..	*4.50	Furamide	BT
1334F	DIMERCAPROL Injection 5%, 2ml	10	..	4.10	B.A.L.	BT
2233M	DIMETHICONE To be endorsed "S.P."					
2233M	Cream 10%, 50g	1	..	1.23 1.26	Siopel Dermabase-S	IC HA
2618T	10%, 75g	1	..	1.14 1.19	Silcon Dermafilm	FA PD
2232L	20%, 20g	1	..	1.26	Vasogen Silicone	SS
	Solutions - See Colostomy and Ileostomy					
2517L	DIMETHINDENE Tablet 1mg	50	1	1.70	Fenostil	CB
2518M	2.5mg (sustained release)	50	1	2.90	Fenostil Retard	CB

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
3165N	DIMETHISTERONE with ETHINYLOESTRADIOL Pack containing 16 tablets of ethinyl- oestradiol 100 micrograms and 5 tablets dimethisterone with ethinyl- oestradiol 25mg - 100 micrograms	2	2	*2.34	Ovin MJ
	DIOCTYL SODIUM SULPHOSUCCINATE To be endorsed with the pension number				
3066J	Tablet 50mg	100	2	1.30	Coloxyl 50 FM
3067K	120mg	100	2	1.94	Coloxyl 120 FM
	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON To be endorsed with the pension number				
2710P	Tablet 50mg-50mg	100	2	(d) 1.36 (ex 500) 1.41 (ex M.P.)	Coloxyl with Danthron FM
1336H	DIPHENHYDRAMINE Capsule 50mg	50	1	1.43 1.46	Alergicap PT Benadryl PD
2780H	Paediatric Elixir 12.5mg per 5ml, 100ml	≠1	4	1.19	Benadryl PD Bidramine AV
1340M	DIPHENYLPYRALINE Tablet 2.5mg	50	1	1.43	Allerzine VR Anti-Hist PT Histalert RK
2551G	5mg (sustained release)	50	1	2.37	Allerzine VR Anti-Hist PT Histalert S.R. RK
1338K	Capsule 2.5mg (sustained release)	50	1	2.37	Histryl SK
1339L	5mg (sustained release)	50	1	(d)2.44 (ex 250) 2.66 (ex M.P.)	Histryl SK
2351R	Paediatric Syrup 2.5mg per 5ml, 100ml	≠1	4	1.23	Histalert RK Histryl SK
1342P	DIPHThERIA ANTITOXIN Injection 1,000 Units	2	1	*3.44	CS
1344R	10,000 Units	2	1	*18.84	CS
	DIPHThERIA and TETANUS VACCINE For immunisation of children up to the age of 8 years.				
1341N	Injection 0.5ml	3	..	*1.82	CS
	For immunisation of adults and children over the age of 8 years.				
3019X	Injection 0.5ml	3	..	*1.82	CS

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1346W	DIPHTHERIA, TETANUS and PERTUSSIS VACCINE Injection 0.5ml	3	..	2.03 *2.06	PD CS	
1348Y	DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) For immunisation of children up to the age of 8 years. Injection 0.5ml	2	1	*1.38	CS	
3020Y	DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years. Injection 0.5ml	2	..	*1.20	CS	
3140G	DIPYRIDAMOLE To be endorsed "S.P." Tablet 100mg	100	2	13.05	Persantin	BY
1022T	DOXEPIN Tablet 10mg	50	1	1.90	Quitaxon	FM
1023W	25mg	50	1	2.83	Quitaxon	FM
1011F	Capsule 10mg	50	1	1.90	Sinequan	PF
1013H	25mg	50	1	2.83	Sinequan	PF
2709N	DOXYCYCLINE To be endorsed "S.P." Suspension 10mg per ml, 40ml * * *	#1	..	2.66	Doxin Vibramycin	GP PF
2708M	DOXYCYCLINE Capsule 100mg	7	..	(f)3.83 (ex 42) 4.11 (ex M.P.)	Doxin Vibramycin GP,PF	GP PF
3193C	Powder 100mg (base) for preparation of infusion	5	..	16.50	Vibramycin	PF
2405N	ECOTHIOPATE IODIDE Eye Drops 0.06%, 3mg and 5ml solvent	#1	6	#4.03	Phospholine Iodide	AY
1360N	0.125%, 6.25mg and 5ml solvent	#1	6	#4.43	Phospholine Iodide	AY
1361P	0.25%, 12.5mg and 5ml solvent	#1	6	#4.97	Phospholine Iodide	AY
2992L	ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	#1	..	1.43	Repalyte	DH

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	ELECTROLYTE REPLACEMENT SOLUTION see Intravenous Fluids				
1365W	EMETINE Injection 65mg in 1ml	5	..	3.50	KL
1362Q	EMETINE AND BISMUTH IODIDE Tablet 60mg	36	1	5.83	BW
1369C	EPHEDRINE HYDROCHLORIDE Tablet 15mg	100	2	0.79 0.90	LP AD, KL, RT (V), RY
1370D	30mg	100	2	1.01 1.03	LP AD, KL, RY, SI
1366X	Injection 30mg in 1ml	5	1	1.22	KL
1367Y	50mg in 1ml	5	1	1.22	KL
	Elixir PL - See Section 4				
1372F	EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE Tablet 15mg-15mg	100	2	1.06	Ephedrobarbital Mitis FM
1373G	30mg-15mg	100	2	1.14	Ephedrobarbital FM
1374H	30mg-30mg	100	2	1.19	Ephedrobarbital Forte FM
1375J	Elixir 30mg-20mg per 5ml, 100ml	#1	4	1.39	Ephedrobarbital FM
	EPICILLIN To be endorsed "S.P."				
3116B	Capsule 125mg	25	..	2.57	Dexacillin SQ
3069M	250mg	25	..	3.91	Dexacillin SQ
3070N	500mg	12	..	3.77	Dexacillin SQ
3085J	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#2.75	Dexacillin SQ
3086K	250mg per 5ml, 100ml	#1	..	#4.15	Dexacillin SQ
1380P	ERGOMETRINE MALEATE Tablet 0.2mg	25	..	1.83 1.87	Ergomine Ergotrate SP (NWS) PT LY
1381Q	0.5mg	25	..	3.86 4.23	Ergomine SP (NWS) PT Ermalate BW
1377L	Injection 0.125mg in 1ml	5	..	1.33	AB
1379N	0.5mg in 1ml	5	..	1.55 1.57 1.70 1.90 1.99	SP (NWS) DH AB BL Ermalate BW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1384W	ERGOTAMINE TARTRATE Tablet 1mg	50	2	2.47 2.57	Etin Gynergen Lingraine	KL SZ WL
1383T	Injection 0.5mg in 1ml	5	..	1.58 1.86	SP(NWS) Gynergen	SZ
1385X	ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	3.17	Cafergot Cotin	SZ KL
1386Y	Compound Suppository	6	2	1.85	Cafergot PB	SZ
1387B	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	3.83	Migral	BW
1389D	ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Tablet 1mg-100mg-10mg	50	2	3.73	Ergalan	AH
1388C	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	(c) 3.42 (ex 250) 3.83 (ex M.P.)	Ergodryl PD	PD
2591J	ERYTHRITYL TETRANITRATE Tablet 5mg	100	2	1.19	Cardilate	BW
1400Q	ERYTHROMYCIN Tablet 125mg	25	..	2.31	EMU-V	UP
2749Q	200mg	25	..	2.87	Erythrocin	AB
1401R	250mg	25	..	(c) 3.43 (ex 150)	EMU-V Erythrocin Ethryn	UP AB FA
				3.61 (ex M.P.)	AB,FA,UP	
1402T	Capsule 125mg	25	..	2.31	Erythrocin	AB
1403W	250mg	25	..	(c) 3.43 (ex 150)	E-Mycin Eratrex Erostin Erythrocin Ethryn	PT BC KL AB FA
				3.61 (ex M.P.)	AB,BC,FA,KL,PT	
2499M	Paediatric Drops 100mg per ml, 10ml	#1	..	1.53	Ilosone	LY
2425P	Paediatric Suspension 125mg per 5ml, 100ml	#1	..	2.75	Eratrex Eromycin Erostin Erythrocin Ilosone Pediamycin	BC DL KL AB LY RD
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2610J	ERYTHROMYCIN - cont. Paediatric Suspension 250mg per 5ml, 100ml	#1	..	4.57	Erythrocin	AB
1395K	Injection I.M. 50mg per ml, 2ml	5	..	6.11	Erythrocin	AB
1397M	I.V. 1g in 50ml (solvent required)	1	..	6.90	Ilotycin	LY
1398N	300mg in 10ml	5	..	*12.35	Erythrocin	AB
2511E	ETHACRYNIC ACID To be endorsed "S.P"	50	2	5.43	Edecril	MK
1404X	ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	1.05	Ethamolin	GL
2739E	ETHCHLORVYNOL Capsule 500mg	25	..	1.41	Placidyl	AB
1405Y	ETHINYLOESTRADIOL Tablet 0.01mg	100	1	1.17	Edrol Estigyn Lynoral HA	VR AH OR
1406B	0.02mg	100	1	1.43	Edrol Estigyn Lynoral HA	VR AH OR
1407C	0.05mg	100	1	*1.52 1.53	Ertonyl Edrol Estigyn Lynoral HA	SH VR AH OR
1408D	1mg	100	1	5.78	Estigyn Lynoral HA,KL	AH OR
1412H	ETHOPROPAZINE Tablet 50mg	100	2	*3.30	Lysivane	MB
1413J	ETHOSUXIMIDE Capsule 250mg	200	1	8.43	Zarontin	PD
1414K	Paediatric Syrup 250mg per 5ml, 250ml	#1	4	2.90	Zarontin	PD
1415L	ETHOTOIN Tablet 500mg	200	1	9.17	Peganone	AB
1416M	ETHOXZOLAMIDE Tablet 125mg	50	6	6.26	Cardrase	UP
1418P	ETHYLIDENE DICOUMARIN Tablet 100mg	100	2	6.77	E.D.C.	NS
1419Q	ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	2.09	Bronkephrine	WL

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	ETHYLOESTRENOL To be accompanied by an authority from the Director of Health.				
2370R	Tablet 2mg	100	..	8.37	Orabolin OR
	ETHYNODIOL DIACETATE with ETHINYL-OESTRADIOL Tablet				
3166P	500 micrograms - 50 micrograms, 21	2	2	*2.34	Ovulen 0.5/50 SR
3167Q	1mg - 50 micrograms, 21	2	2	*2.34	Ovulen 1/50 SR
3168R	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	*2.34	Eduleen SR
	ETHYNODIOL DIACETATE with MESTRANOL Tablet				
3169T	500 micrograms - 100 micrograms, 21	2	2	*2.34	Ovulen 0.5 SR
3170W	1mg - 100 micrograms, 21	2	2	*2.34	Ovulen 1 SR
3171X	2mg - 100 micrograms, 21	2	2	*2.34	Ovulen 2 SR
	FERRIC HYDROXIDE Colloidal Paediatric Solution 100ml	≠1	4	1.55	Colliron AH
	FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron	100	2	1.30	Ferro-Chel Plesmet CO BP
2465R	Paediatric Syrup 100ml	≠1	4	1.30	Ferro-Chel Plesmet CO BP
	FERROUS FUMARATE Tablet 150mg	100	2	1.37	Fumiron KL
	FERROUS GLUCONATE Tablet 300mg	100	2	1.22	Fergon WL Ferro G HA Glucohaem VR Ironate KL RT(V),RY
2726L	Paediatric Elixir 6%, 100ml	≠1	4	1.27	Fergon WL
	FERROUS PHOSPHATE COMPOUND Syrup 100ml (with instructions for use)	1	4	≠0.45	DH
	FERROUS SUCCINATE Capsule 106mg	100	2	(d) 1.34 (ex 500) 1.38 (ex M.P.)	Ferromyn CA CA
1429F	Paediatric Elixir 106mg per 5ml, 100ml	≠1	4	1.30	Ferromyn CA
1430G	FERROUS SULPHATE Paediatric Drops 120mg per ml, 30ml	≠1	4	1.27	Haemofort MJ

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1432J	FERROUS SULPHATE DRIED Tablet 300mg	100	2	1.03	Haemofort MJ
1150M	320mg (delayed release)	30	2	1.30	Slow-Fe ZY
3056W	320mg (sustained release)	30	2	1.30	Sorbifer AP
2689M	350mg (sustained release)	30	2	(a) 1.18 1.26 (ex 150) 1.30 (ex M.P.)	Feritard PT Ferro-Gradumets AB AB,PT
3100E	Capsule 320mg (delayed release)	30	2	1.30	Fespan SK
	FERROUS SULPHATE DRIED with FOLIC ACID To be endorsed "S.P."				
3150T	Tablet 270mg-300 micrograms (delayed release)	30	2	1.43	Feritard Folic PT
3160H	270mg-300 micrograms (sustained release)	30	2	1.43	F.G.F. AB
3149R	Capsule 270mg-300 micrograms (delayed release)	30	2	1.43	Fefol 2 SK
3195E	FLUCLOROLONE ACETONIDE Cream 0.025%, 30g	≠1	..	1.82	Topilar SD
	FLUDROCORTISONE ACETATE To be endorsed "S.P."				
1433K	Tablet 0.1mg	100	..	4.61	Florinef SQ
1434L	1mg	30	..	10.74	Florinef SQ
2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	≠1	..	1.83	Locacorten Vioform CB
3002B	FLUMETHASONE PIVALATE Cream 0.02%, 30g	≠1	..	1.82	Locacorten CB
3003C	Ointment 0.02%, 30g	≠1	..	1.82	Locacorten CB
3004D	FLUOCINOLONE ACETONIDE Cream 0.01%, 30g	≠1	..	1.82	Synalar 01 IC
3005E	Ointment 0.01%, 30g	≠1	..	1.82	Synalar 01 IC
3000X	FLUOCORTOLONE ESTERS Cream 0.2%, 30g	≠1	..	1.82	Ultralan-D SC
3001Y	Ointment 0.2%, 30g	≠1	..	1.82	Ultralan-D SC
	FLUOROURACIL To be endorsed "S.P."				
2521Q	Injection 50mg per ml, 5ml	10	..	10.63	RO

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	FLUOXYMESTERONE To be endorsed "S.P." OR be accompan- ied by an authority from the Director of Health.					
1435M	Tablet 5mg	100	..	20.30	Halotestin	UP
	FLUPHENAZINE To be endorsed "S.P."					
2659Y	Tablet 1mg	100	1	3.79	Anatensol	SQ
2660B	2.5mg	100	1	5.50	Anatensol	SQ
2661C	5mg	100	1	6.43	Anatensol	SQ
2662D	Elixir 0.5mg per ml, 60ml	#1	4	2.02	Anatensol	SQ
	FLUPHENAZINE DECANOATE To be endorsed "S.P."					
1046C	Injection 12.5mg in 0.5ml	5	..	7.70	Modecate	SQ
3098C	25mg in 1ml	5	..	13.83	Modecate	SQ
1001Q	50mg in 2ml	5	..	24.23	Modecate	SQ
	FLUPHENAZINE ENANTHATE To be endorsed "S.P."					
2663E	Injection 25mg in 1ml	5	..	9.41	Anatensol Enanthate	SQ
	FLURANDRENOLONE					
3007G	Cream 0.025%, 30g	#1	..	1.82	Haelan	DL
1036M	Ointment 0.025%, 30g	#1	..	1.82	Haelan	DL
	FOLIC ACID To be endorsed "S.P."					
2958Q	Tablet 0.5mg	100	..	1.19 1.23 1.30	LP,PT Folettes Millafol AD,ET,KL,SI	FM PD
1437P	5mg	100	2	1.42 1.43 1.50	PT PR Folasic AD,ET,KL,LP,PD,RT(V), RY,SI	AV
1436N	Injection 15mg in 1ml	10	..	*2.90 *3.36	AB ET	
	FRAMYCETIN To be endorsed "S.P."					
2391W	Tablet 250mg	20	..	6.90	Soframycin	RL
3079C	Injection 500mg (solvent required) * * *	1	2	6.33	Soframycin	RL

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2698B	FRAMYCETIN Mixture 300mg per 20ml with adsorbent, 100ml	#1	..	2.15	Enterfram	FC
1439R	Eye Ointment 0.5%, 3.5g	#1	..	1.39 1.45	Framygen Soframycin	FC RL
1440T	Eye and Ear Drops 0.5%, 5ml	#1	2	1.89	Framygen Soframycin	FC RL
2412Y	FRUSEMIDE To be endorsed "S.P." Tablet 40mg	50	2	(b) 4.77 (ex 250) 5.41 (ex M.P.)	Lasix HP	HP
	* * *					
2413B	FRUSEMIDE Injection 20mg in 2ml	5	..	3.66	Lasix	HP
	FUSIDIC ACID To be accompanied by an authority from the Director of Health.					
2312Q	Tablet (Sodium Salt) 250mg (enteric coated)	36	..	46.90	Fucidin	ET
2311P	Suspension (Diethanolamine Salt) 40mg per ml, 90ml	#1	..	18.99	Fucidin	ET
1175W	GAMMA BENZENE HEXACHLORIDE Cream 1%, 100g	#1	..	1.63	Lorexane	IC
1176X	Head Lotion 0.2%, 200ml	#1	..	1.83	Lorexane	IC
1178B	Lotion Concentrate 1%, 200ml	#1	..	2.50	Lorexane Concentrate	IC
1441W	GAS GANGRENE ANTITOXIN (OEDEMATIENS) Injection 10,000 Units	3	1	*28.22	CS	
1444B	GAS GANGRENE ANTITOXIN (SEPTICUM) Injection 5,000 Units	2	1	*29.44	CS	
1446D	GAS GANGRENE ANTITOXIN (WELCHII) Injection 10,000 Units	10	1	*125.20	CS	
2699C	GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection: 1 amp containing 10,000 Units Welchii; 10,000 Units Oedema- tians; 5,000 Units Septicum	2	1	*33.88	CS	
	GASTRIC REPLACEMENT SOLUTION See Intravenous Fluids					
	GENTAMICIN SULPHATE To be accompanied by an authority from the Director of Health.					
1067E	Injection 10mg (base) in 1ml	5	..	9.83	Garamycin	SH
1068F	40mg (base) in 1ml	5	..	17.17	Garamycin	SH
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1168L	GENTAMICIN SULPHATE - cont. Injection 60mg (base) in 1.5ml	5	..	22.17	Garamycin	SH
2824P	80mg (base) in 2ml	5	..	*27.15	Cidomycin Garamycin	RL SH
29390	GLIBENCLAMIDE Tablet 5mg	100	2	11.77	Daonil Euglucon	HP FM
1447E	GLUCAGON HYDROCHLORIDE Injection 1mg with 1ml diluent	1	..	3.97	LY	
2909D	GLUCOSE INDICATOR To be endorsed "S.P." 25 Blood Test Strips * * *	1	..	7.17	Dextrostix	AM
1448F	GLUCOSE INDICATOR /400cm Test Dispenser	1	1	/2.40	Tes-Tape	LY
1449G	(with instructions for use)					
2352T	/Reagent Strips 100 strips	1	1	/2.10	Clinistix	AM
2353W	(with instructions for use)					
3104J	/Reagent Strips 100 strips	1	1	/2.18	Diastix	AM
3105K	(with instructions for use)					
3107M	GLUCOSE and KETONE INDICATOR /Reagent Strips 50 strips	1	1	/1.58	Keto-Diastix	AM
3108N	(with instructions for use)					
2696X	GLUTETHIMIDE Tablet 125mg	50	..	(b) 1.40 (ex 250) 1.50 (ex M.P.)	Doriden Sed CB	CB
1452K	250mg	25	..	1.30	Doriden Gludorm	CB KL
2805P	500mg	25	..	1.43	Doriden Forte	CB
2619W	Capsule 250mg	25	..	1.30	Gludorm	KL
2668K	500mg	25	..	1.43	Doriden Forte	CB
2673Q	GLYCERIN /Glycerin 100ml	1	1	/0.51	DH	
2674R	(with instructions for use)					
3135B	/Suppositories 1g, 12	1	1	/0.66	FA	
3136C	(with instructions for use)					
1459T	GLYCERYL TRINITRATE Tablet 0.6mg	100	2	0.90	Anginine Stabilised	BW
2492E	GLYCOPYRRONIUM BROMIDE Tablet 1mg	100	2	4.50	Robinul	RS

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2594M	GLYMIDINE Tablet 500mg	100	2	3.77	Gondafon SC
2641B	1g	50	2	3.70	Gondafon SC
2655R	GOATS' MILK To be accompanied by an authority from the Director of Health. Dehydrated Powder 14oz	2	20	*8.72	Meyenberg JM
1027C	1 lb	2	20	*9.86	GV
2654Q	450g	2	20	*9.92	Dale CE
2656T	Whole (sterilised) 14fl oz	12	20	*5.40	TM
1460W	GRISEOFULVIN To be accompanied by an authority from the Director of Health. Tablet 125mg	100	..	7.17	Fulcin 125 Grisovin IC GL
2982Y	500mg	28	..	6.90	Fulcin 500 Grisovin 500 IC GL
1461X	GUANETHIDINE Tablet 10mg	100	2	(b) 4.45 (ex 500) 5.03 (ex M.P.)	Ismelin CB
1462Y	25mg	100	2	(c) 9.87 (ex 500) 11.30 (ex M.P.)	Ismelin CB
1463B	HALIBUT LIVER OIL To be endorsed with the pension number Capsule 4,500 Units Vitamin A	100	1	2.10	CK,KL,MG,SL(N)
1464C	6,000 Units Vitamin A	100	1	2.10	PT
3010K	HALOPERIDOL To be endorsed "S.P." Tablet 0.5mg	100	1	3.67	Serenace SR
2767P	1.5mg	100	1	5.50	Serenace SR
2768Q	Injection 5mg in 1ml	10	..	9.17	Serenace SR
1467F	HEPARIN Injection BP, 5,000 Units in 1ml	5	5	3.30 *3.30 *3.38	Pularin CS WP(NVW) AH
1466E	5,000 Units in 5ml	5	5	*3.30	Pularin BT,CS,WP(NVW) AH
1469H	12,500 Units in 1ml	2	5	*2.50	CS
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1468G	HEPARIN - cont. Injection BP, 25,000 Units in 5ml	2	5	*3.84	Pularin BT,CS,WP (NVW)	AH
1076P	35,000 Units in 35ml	12	5	*32.54	CS	
3153Y	125,000 Units in 5ml	1	5	7.83	Pularin BT,CS	AH
3124K	HEXAMINE HIPPURATE Tablet 1g	100	2	7.10	Hiprex	RK
1472L	HEXOCYCLIUM METHYLSULPHATE Tablet 50mg (sustained release)	100	2	8.06	Tra1	AB
2986E	75mg (sustained release)	100	2	8.77	Tra1	AB
2541R	HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15ml	#1	2	2.22 2.23	AG,KL,LP AQ	
2542T	5%, 15ml	#1	2	2.54 2.57	AG,KL AQ	
1476Q	HYALURONIDASE Injection 1,500 I.U. (solvent required)	5	1	3.73	Hyalase	FC
1481Y	HYDRARGAPHEN Pessary 5mg	15	1	2.50	Versotrane Triple Strength	WB
1484D	HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	2.39	Dichlotride Esidrex Neo-Flumen	MK CB GA
1485E	50mg	50	2	(b) 3.43 (ex 250)	Dichlotride Esidrex Neo-Flumen	MK CB GA
				3.74 (ex M.P.)	CB,GA,MK	
2793B	HYDROCORTISONE Ear Drops 1%, 10ml	#1	..	1.83	Hydrosone	KL
1487G	Eye Drops 0.5%, 2ml	#1	2	1.43	Scheroson F Ophthalmicum	SC
1488H	0.5%, 5ml	#1	2	1.50	Hycor Hydrosone	SI KL
1489J	0.5%, 10ml	#1	2	2.03	Hycor Hydrosone	SI KL
1490K	1%, 3ml	#1	2	1.57	Hycor	SI
1491L	1%, 5ml	#1	2	1.63	Hydrosone	KL
1492M	1%, 10ml	#1	2	2.43	Hycor Hydrosone	SI KL
1493N	2.5%, 5ml	#1	2	2.17	Hycor Hydrosone	SI KL

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1494P	HYDROCORTISONE - cont. Eye Drops 2.5%, 10ml	#1	2	2.90	Hycor SI Hydrosone KL
1496R	Eye Ointment 0.5%, 4g	#1	..	1.30	Cortef UP Cortril PF Hydrosone KL
1497T	0.5%, 5g	#1	..	1.30	Hycor SI
2441L	1%, 5g	#1	..	1.83	Hycor SI Hydrosone KL
2887Y	Cream 1%, 30g	#1	..	1.62 1.70	Adacor AV Cortef UP Cort-Dome DO Cortril PF Dermacort PD Hydrosone KL Hynax VR Phiacort PY Procort PR Sigmacort SI Squibb-HC SQ HA,LP
2888B	Topical Ointment 1%, 30g	#1	..	1.62 1.70	Cortef UP Dermacort "O" PD Hydrosone KL Hynax VR Procort PR Sigmacort SI Squibb-HC SQ HA,LP
2794C	HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5ml	#1	..	1.83	Neo-Cortef UP
2795D	Ear Ointment 1.5%-0.5%, 4g	#1	..	1.83	Neo-Cortef UP Neohydrosone KL
1498W	HYDROCORTISONE ACETATE To be endorsed "S.P." Injection 25mg in 1ml	5	..	3.17 3.43	Hysone-A PT Hydrocort BT Hydrocortisyl RL Hydrocortone MK
1501B	HYDROCORTISONE SODIUM SUCCINATE To be endorsed "S.P." Injection Set containing equivalent of 100mg hydrocortisone and 2ml solvent	2	..	*9.16 *9.78 *9.94 *10.42	Venocort PT Efcortelan GL Nordicort NR Flebocortid RM Intracort BT Solu-Cortef UP
1503D	HYDROFLUMETHIAZIDE Tablet 50mg	50	2	4.01	Di-Ademil SQ Hydrenox BT

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1504E 1505F	HYDROGEN PEROXIDE SOLUTION Solution 10 vol, 100ml (with instructions for use)	1	..	70.29	FA	
1506G 1507H	10 vol, 200ml (with instructions for use)	1	..	70.33	FA	
2675T 2676W	20 vol, 100ml (with instructions for use)	1	..	70.38	DH	
1324Q	HYDROMORPHONE Injection 1.1ml	5	..	1.80	Dilaudid	KN
1510L	HYDROXOCOBALAMIN To be endorsed "S.P." Injection 100 micrograms in 1ml	5	1	1.30	Neo-Benol 100 Neo-Cytamen	KL GL
1511M	1,000 micrograms in 1ml	5	..	2.63	Neo-Benol 1000 Neo-Cytamen	KL GL
1512N	HYDROXYCHLOROQUINE Tablet 200mg	100	2	4.63	Plaquenil	WL
3041C	HYOSCINE BUTYLBROMIDE Tablet 10mg	100	2	(b) 3.85 (ex 500) 4.18 (ex M.P.)	Buscopan BY	BY
3042D	Injection 20mg in 1ml	5	..	1.83	Buscopan	BY
2782K	HYOSCINE HYDROBROMIDE Eye Drops 0.25%, 15ml	71	2	2.90	AQ	
1521C	HYOSCINE METHOBROMIDE Tablet 2.5mg	100	2	4.93	Pamine	UP
2956N	HYPROMELLOSE Eye Drops 0.5%, 15ml	71	6	1.30	Isopto Tears Lacril Methopt IQ, KL	AQ AG SI
3198H	IBUPROFEN To be endorsed "S.P." Tablet 200mg	50	2	2.90	Brufen	BT
2442M	IDOXURIDINE To be endorsed "S.P." Eye Drops 0.1%, 15ml	71	2	3.70	Herplex Stoxil	AG SK
2569F	Eye Ointment 0.5%, 5g	71	..	3.70	Stoxil	SK
2420J	IMIPRAMINE Tablet 10mg	50	1	(g) 1.62 (ex 250)	Imiprin Iramil Prodepress Tofranil	PT KL BB GE
	(continued)			1.73 (ex M.P.)	BB, GE, KL, PT	

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2421K	IMIPRAMINE - cont. Tablet 25mg	50	1	(g) 2.64 (ex 250)	Imiprin PT Iramil KL Melipramine UW Prodepress BB Tofranil GE
				2.86 (ex M.P.)	BB,GE,KL,PT,UW
2719D	Injection I.M. 25mg in 2ml	10	..	4.03	Tofranil GE
2454E	INDOMETHACIN Capsule 25mg	50	2	(c) 3.06 (ex 250) 3.42 (ex M.P.)	Indocid MK
2757D	Suppository 100mg	10	2	(g) 2.98 (ex 50) 3.17 (ex M.P.)	Indocid MK
	INFLUENZA VACCINE To be endorsed with the pension number				
2851C	Injection 1ml	2	..	*2.40	CS
	INSECT ALLERGEN EXTRACT - BULL ANT To be endorsed "S.P."				
1141C	Injection Set - strengths A,B,C each of 5ml	1	..	8.86	CS
1142D	Strength D, 5ml	1	..	7.43	CS
	INSECT ALLERGEN EXTRACT - HONEY BEE To be endorsed "S.P."				
2884T	Injection Set - strengths A,B,C each of 5ml	1	..	8.86	CS
2885W	Strength D, 5ml	1	..	7.43	CS
	INSECT ALLERGEN EXTRACT - JUMPER ANT To be endorsed "S.P."				
3022C	Injection Set - strengths A,B,C each of 5ml	1	..	8.86	CS
3023D	Strength D, 5ml	1	..	7.43	CS
	INSECT ALLERGEN EXTRACT - PAPER WASP To be endorsed "S.P."				
2959R	Injection Set - strengths A,B,C each of 5ml	1	..	8.86	CS
2960T	Strength D, 5ml	1	..	7.43	CS
1523E	INSULIN Injection 20 Units per ml, 10ml (continued)	10	2	*6.10	BW,CS

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1525G	INSULIN - cont. Injection 40 Units per ml, 10ml	10	2	*10.00 *11.20	BT,WP (NVW) AH,BW,CS	
1527J	80 Units per ml, 10ml	10	2	*16.90 *19.10	BT AH,BW,CS	
1529L	160 Units per ml, 10ml	10	2	*42.30	CS	
1530M	300 Units per ml, 5ml	10	2	*52.90	CS	
1531N	(specially purified) 40 Units per ml, 10ml	10	2	*31.90	CS	
2580T	INSULIN BIPHASIC Injection 40 Units per ml, 10ml	10	2	*18.90	Rapitard-Novo	AH
2581W	80 Units per ml, 10ml	10	2	*36.00	Rapitard-Novo	AH
1532P	INSULIN GLOBIN ZINC Injection 40 Units per ml, 5ml	10	2	*6.90	BW	
1533Q	80 Units per ml, 5ml	10	2	*12.00	BW	
1534R	INSULIN ISOPHANE (N.P.H.) Injection 40 Units per ml, 10ml	10	2	*11.60 *13.10	BT,WP AH,BW,CS	
1535T	80 Units per ml, 10ml	10	2	*22.30 *25.10	BT,WP AH,BW,CS	
1536W	160 Units per ml, 10ml	10	2	*44.40	CS	
1537X	(specially purified) 40 Units per ml, 10ml	10	2	*26.40	CS	
2578Q	INSULIN NEUTRAL Injection 40 Units per ml, 10ml	10	2	*13.50	Actrapid-Novo Nuso	AH BW
2579R	80 Units per ml, 10ml	10	2	*25.50	Actrapid-Novo Nuso	AH BW
1539B	INSULIN PROTAMINE ZINC Injection 40 Units per ml, 10ml	10	2	*10.70 *12.00	BT,WP (NVW) AH,BW,CS	
1540C	80 Units per ml, 5ml	10	2	*10.70	BT	
1541D	80 Units per ml, 10ml	10	2	*22.40	AH,BW,CS	
1542E	INSULIN SPECIAL P (PIG) Injection 40 Units per ml, 10ml	10	2	*15.20	CS	
1543F	INSULIN ZINC SUSPENSION Injection 40 Units per ml, 10ml	10	2	*12.40 *14.00	BT AH,BW,CS	
1544G	80 Units per ml, 10ml	10	2	*23.90 *26.80	BT AH,BW,CS	
1545H	INSULIN ZINC SUSPENSION (AMORPHOUS) Injection 40 Units per ml, 10ml (continued)	10	2	*12.40 *14.00	BT AH,BW,CS	

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1546J	INSULIN ZINC SUSPENSION (AMORPHOUS) - cont. Injection 80 Units per ml, 10ml	10	2	*23.90 *26.80	BT AH, BW, CS
1547K	INSULIN ZINC SUSPENSION (CRYSTALLINE) Injection 40 Units per ml, 10ml	10	2	*12.40 *14.00	BT AH, BW, CS
1548L	80 Units per ml, 10ml	10	2	*23.90 *26.80	BT AH, BW, CS
	INTESTINAL REPLACEMENT SOLUTION See Intravenous Fluids				
	INTRAVENOUS FLUIDS (500ml and 1 litre) - See Special Section				
	INVERT SUGAR See Intravenous Fluids				
1298H	IRON DEXTRAN Injection 2ml	5	..	4.10	Imferon FC
1299J	5ml	5	..	6.70	Imferon FC
2764L	IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	1.37	Ferrum H SI
2593L	Injection 100mg (Iron) in 2ml	5	..	4.50	Ferrum H SI
1552Q	IRON SORBITOL Injection, Trivalent Iron 2ml	5	..	4.50	Jectofer AP
	ISONIAZID To be endorsed "S.P."				
1553R	Tablet 50mg	200	2	1.30 1.57	RY Isotiny1 HA KL
1554T	100mg	100	2	1.50 1.65	RY Isotiny1 KL
	ISOPRENALINE HYDROCHLORIDE To be endorsed "S.P."				
2744K	Tablet 30mg (sustained release) * * *	100	2	5.51	Saventrine PN
1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	1.63	Isuprel WL
1555W	Inhalation 1 in 200, 15ml	1	1	1.19	Isuprel WL
1556X	Injection 1 in 5,000, 1ml	5	..	4.34	Isuprel WL
2953K	1 in 5,000, 5ml	5	..	6.63	Isuprel WL
1559C	ISOPRENALINE SULPHATE Tablet 20mg (continued)	100	2	2.10	Neo-Epine BW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1558B	ISOPRENALINE SULPHATE - cont. Inhalation Solution 10mg per ml, 7ml	1	1	1.14	Neo-Epineine Spray No.1	BW
2745L	Metered aerosol spray replacement pack 2mg per ml, 15ml (300 dose)	#1	..	2.90	Medihaler-Iso	RK
3089N	4mg per ml, 7.5ml (300 dose)	#1	..	2.90	Iso-Autohaler	RK
2746M	10mg per ml, 15ml (300 dose)	#1	..	2.97	Medihaler-Iso Forte	RK
1560D	ISOPROPAMIDE IODIDE Tablet 5mg	100	2	(b) 5.05 (ex 500) 5.43 (ex M.P.)	Tyrimide SK	SK
	KANAMYCIN To be endorsed "S.P."					
3101F	Injection 30mg in 1ml	5	..	2.43	Kanasig	SI
1562F	250mg in 2ml	5	..	5.50	Kanasig	SI
1563G	500mg in 2ml	5	..	7.83 *7.85	Kanasig Kantrex	SI BC
1564H	1g in 3ml	5	..	12.50 *12.50	Kanasig Kantrex	SI BC
	* * *					
2638W	KANAMYCIN Ear Drops 1%, 10ml	#1	..	1.50	Kantrex	BC
2639X	Eye Drops 1%, 10ml	#1	..	1.63	Kantrex	BC
2988G	KAOLIN with PECTIN Mixture 5.91g-132mg per 30ml, 360ml	#1	2	1.35	Kaopectate	UP
	LACTULOSE To be endorsed "S.P."					
3064G	Mixture 50%, 340ml LAEVULOSE See Intravenous Fluids	#1	4	5.17	Duphalac	PI
1565J	LANATOSIDE-C Tablet 0.25mg	100	2	(b) 1.88 1.95 2.07 (ex 500) 2.18 2.27 (ex M.P.)	Lanimerck Lanocide SP(NWS) Cedilanid MQ,PT,SP(NWS) SZ	MQ PT SZ
	LEVODOPA To be accompanied by an authority from the Director of Health.					
3143K	Tablet 100mg	50	..	2.30	Larodopa	RO
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
3144L	LEVODOPA - cont. Tablet 250mg	100	..	6.83	Larodopa	RO
3014P	500mg	250	..	29.83	Larodopa	RO
3076X	Capsule 100mg	50	..	2.30	Syndopa	FA
3077Y	250mg	100	..	6.83	Larodopa Levopa Syndopa	RO PT FA
3078B	500mg	250	..	29.83	Larodopa Levopa Syndopa	RO PT FA
	LIGNOCAINE To be endorsed "S.P."					
2875H	Injection 100mg in 5ml	≠2	..	2.17	Xylocard 100	AP
2876J	Infusion 500mg in 5ml	5	..	5.09	Xylocard 500	AP
	LINCOMYCIN To be endorsed "S.P."					
2738D	Capsule 250mg	24	..	4.82	Lincocin	UP
2529D	500mg	20	..	7.09	Lincocin	UP
2911F	Paediatric Syrup 250mg per 5ml, 100ml * * *	≠1	..	4.50	Lincocin	UP
	LINCOMYCIN					
3084H	Injection 300mg in 1ml	5	..	3.43	Lincocin SS. Paediatric	UP
2530E	600mg in 2ml	5	..	5.57	Lincocin	UP
	LIOTHYRONINE To be endorsed "S.P."					
2318B	Tablet 20 micrograms	50	..	1.46	Tertroxin	GL
	LITHIUM CARBONATE To be accompanied by an authority from the Director of Health.					
3059B	Tablet 250mg	100	2	1.63	Lithicarb	PT
3060C	300mg	100	2	1.75	DH	
	LYNOESTRENOL with MESTRANOL					
3172Y	Tablet 1mg - 100 micrograms, 22	2	2	*2.34	Microcyclin Ovostat	CB OR
3173B	2.5mg - 75 micrograms, 22	2	2	*2.34	Anacyclin Lyndiol 2.5	CB OR
	LYPRESSIN To be endorsed "S.P."					
2401J	Nasal Spray 50 Units per ml, 5ml	4	2	*8.78	Vasopressin	SZ

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2585C	MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	1.59	Maalox	RG
2640Y	Mixture 375mg per 5ml, 360ml	≠1	2	1.70	Maalox	RG
1574W 1575X	MAGNESIUM SULPHATE /Crystals 400g (with instructions for use)	1	..	/0.23	FA	
1577B	Paste 50g	≠1	1	0.83	Magnoplasm	FA
1576Y	100g	≠1	1	0.99	Magnoplasm	FA
	MANNITOL See Intravenous Fluids					
2966D	MEBEVERINE HYDROCHLORIDE Tablet 50mg	100	2	4.03	Colofac	PI
1579D	MEBHIDROLIN Tablet 50mg	50	1	(b)1.65 (ex 250) 1.77 (ex M.P.)	Fabahistin BN	BN
2406P	150mg (sustained release)	50	1	(c)3.43 (ex 250) 3.83 (ex M.P.)	Fabahistin TR BN	BN
1580E	Paediatric Suspension 50mg per 5ml, 100ml	≠1	4	1.37	Fabahistin	BN
1581F	MECAMYLAMINE Tablet 2.5mg	100	2	2.50	Mevasine	MK
1582G	10mg	100	2	8.10	Mevasine	MK
1583H	MECLOZINE Tablet 25mg	50	1	(a)1.78 (ex 250) 1.97 (ex M.P.)	Ancolan AH	AH
2490C	Syrup 12.5mg per 5ml, 100ml MEDROXYPROGESTERONE To be endorsed "S.P."	≠1	4	1.37	Ancolan	AH
2320D	Tablet 2.5mg	25	..	3.50	Provera	UP
2321E	10mg	25	..	8.90	Provera	UP
2725K	100mg	100	2	72.50	Provera	UP
2319C	Injection 50mg in 1ml	1	..	3.97	Depo-Provera	UP
3118D	150mg in 1ml	1	..	9.62	Depo-Provera	UP
2539P	50mg per ml, 5ml	1	..	13.70	Depo-Provera	UP
3197G	MEDRYSONE Eye Drops 1%, 5ml	≠1	6	2.70	HMS Liquifilm	AG

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	MEGESTROL ACETATE with ETHINYL-OESTRADIOL To be endorsed "S.P."				
3174C	Pack containing 16 tablets - 100 micrograms - 100 micrograms, 7 tablets 1mg - 100 micrograms and 5 inert tablets	2	2	*2.34	Serial C AH
3175D	Pack containing 16 tablets of ethinyl oestradiol 100 micrograms, 5 tablets of megestrol acetate with ethinyl- oestradiol 1mg - 100 micrograms and 7 inert tablets	2	2	*2.34	Serial 28 AH
	MELPHALAN To be endorsed "S.P."				
2547C	Tablet 2mg	100	2	*10.10	Alkeran BW
2548D	5mg	100	2	*18.10	Alkeran BW
1591R	MEPACRINE HYDROCHLORIDE Tablet 100mg	100	2	1.51	IC
2515J	MEPENZOLATE Tablet 25mg	100	2	4.17	Cantil SI
1597C	MERCAPTOMERIN SODIUM Injection 1.4g in 10ml	3	..	*5.99	Thiomerein Sodium WY
	MERCAPTOPURINE To be endorsed "S.P."				
1598D	Tablet 50mg	50	1	14.50	Purinethol BW
1602H	MERSALYL Injection 2ml	10	..	*2.10 2.17	DH SI
1604K	METARAMINOL Injection 10mg in 1ml	3	..	*1.70	Aramine MK
2430X	METFORMIN Tablet 500mg	100	2	8.53	Glucophage RN
1605L	500mg (sustained release)	100	2	8.54	Diabex S.R. DF
	METHACYCLINE To be endorsed "S.P."				
2498L	Suspension 75mg per 5ml, 100ml * * *	71	..	2.66	Randomycin GP
2397E	METHACYCLINE Capsule 150mg	21	..	4.30	Randomycin GP
2901Q	300mg	11	..	(b) 4.02 (ex 66) 4.30 (ex M.P.)	Randomycin GP GP
1608P	METHADONE Tablet 5mg	25	..	1.47	Physeptone BW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1609Q	METHADONE - cont. Tablet 10mg	25	..	1.64	Physeptone EW
1606M	Injection 10mg in 1ml	5	..	1.80	Physeptone EW
	METHANDIENONE To be accompanied by an authority from the Director of Health.				
1610R	Tablet 5mg	100	..	8.37	Dianabol CB
2628H	METHAQUALONE Tablet 150mg	25	..	1.19	Dormir LF Melsedin BT Methalone AV Methased PT Oblioser GA Quaalude RG Sleepinal MC Thendorm KL OD
2920Q	250mg	25	..	1.27	Melsedin BT Methased PT Quaalude RG Thendorm Forte KL
2733W	Capsule 150mg	25	..	1.19	Mequelon FR Thendorm KL
2897L	250mg	25	..	1.27 1.37	Thendorm Forte KL Mequelon FR
1614Y	METHDILAZINE Tablet 4mg	50	1	1.63	Bristaline BC Dilosyn AH Tacaryl MJ
1615B	8mg	50	1	(b) 1.75 (ex 250) 1.90 (ex M.P.)	Bristaline BC Dilosyn AH Tacaryl MJ AH, BC, MJ
2464Q	Paediatric Syrup 4mg per 5ml, 100ml	≠1	4	1.37	Bristaline BC Dilosyn AH Tacaryl MJ
1617D	METHENAMINE MANDELATE Tablet 250mg	100	2	1.62 1.63	Methendalate 250 FT Mandaze HA Mandelamine WW
1618E	500mg	100	2	2.35 2.37	Methendalate 500 PT Mandelamine WW Hafgrams
2690N	1g	100	2	3.70	Mandelamine WW
2606E	Paediatric Suspension 500mg per 5ml, 200ml	≠1	1	2.63	Mandelamine WW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	METHENOLONE ACETATE To be accompanied by an authority from the Director of Health.					
1619F	Tablet 1mg	100	..	*2.76	Primobolan	SC
1620G	5mg	100	..	*8.24	Primobolan	SC
	METHICILLIN To be endorsed "S.P."					
2323G	Injection 1g (solvent required)	5	1	*16.35	Celbenin Metin	BR CS
	METHOIN					
1621H	Tablet 100mg	200	1	3.17	Mesantoin	SZ
	METHOTREXATE To be accompanied by an authority from the Director of Health.					
1622J	Tablet 2.5mg	100	..	13.17	LE	
2393Y	Injection 5mg (solvent required)	5	..	*11.50	LE	
2394B	50mg (solvent required)	5	..	*53.15	LE	
	METHOXAMINE HYDROCHLORIDE					
1623K	Injection 20mg in 1ml	3	..	*1.44	Vasylox	BW
	METHSUXIMIDE					
2398F	Capsule 300mg	200	1	8.10	Celontin	PD
	METHYCLOTHIAZIDE					
1624L	Tablet 2.5mg	50	2	2.37	Enduron-M	AB
1625M	5mg	50	2	(b)3.01 (ex 250) 3.37 (ex M.P.)	Enduron AB	AB
	METHYLDOPA					
3194D	Tablet 125mg	100	2	4.23	Aldomet-M	MK
1629R	250mg	100	2	(d)5.72 (ex 500) 6.46 (ex M.P.)	Aldomet MK	MK
	METHYLERGOMETRINE					
1632X	Tablet 0.125mg	25	1	2.47	Methergin	SZ
1631W	Injection 0.2mg in 1ml	5	..	1.54	Methergin	SZ
	METHYL PHENOBARBITONE					
1633Y	Tablet 30mg	200	1	1.19	Prominal Promitone RY	WL KL
1634B	60mg	200	1	1.41	Prominal Promitone RY	WL KL
1635C	200mg	200	1	2.61	Prominal Promitone RY	WL KL

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1927K	METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	#1	..	2.10	Medrol	UP
	METHYLPREDNISOLONE ACETATE To be endorsed "S.P."					
1928L	Injection 40mg in 1ml * * *	5	..	16.63	Depo-Medrol	UP
	To be accompanied by an authority from the Director of Health.					
3013N	Retention Enema 40mg, 6 * * *	#1	..	17.17	Medrol Enpak	UP
2997R	METHYLPREDNISOLONE ACETATE Cream 0.25%, 30g	#1	..	1.82	Medrol	UP
2981X	METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1ml	5	..	*12.50	Solu-Medrol	UP
	METHYLTESTOSTERONE To be endorsed S.P."					
3151W	Tablet 5mg	100	2	1.83 1.97	Testomet Metestine ET	PT KL
2112E	25mg	100	2	4.94	Metestine Testomet ET,PR	KL PT
2113F	50mg	100	2	8.63	Metestine Testomet ET,PR	KL PT
2404M	Sublingual Tablet 25mg	100	..	11.14	Perandren	CB
	METHYSERGIDE To be endorsed "S.P."					
2826R	Tablet 1mg	100	..	8.09	Deseril	SZ
1636D	METRONIDAZOLE Tablet 200mg	21	1	(b)2.84 (ex 105) 3.03 (ex M.P.)	Flagyl MB	MB
	MILK POWDER - SYNTHETIC To be accompanied by an authority from the Director of Health.					
3092R	Low Calcium Compound Powder 14oz	2	20	*7.26	Locasol	MN
1637E	Low Lactose Compound Powder 397g (14oz)	2	20	*7.12	Galactomin Formula 17	MN
2685H	Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g (16oz)	2	20	*16.18	Galactomin Formula 19	MN
3037W	MINOCYCLINE Capsule 100mg	11	..	4.30	Minomycin	LE

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	MORPHINE with TACRINE To be endorsed "S.P."				
1667R	Tablet 30mg-15mg * * *	50	..	11.00	Mortha WH
1663M	MORPHINE with TACRINE Injection 15mg-13mg in 1.5ml	5	..	2.67	Mortha WH
1664N	30mg-13mg in 1.5ml	5	..	2.73	Mortha WH
1665P	15mg-30mg in 1.5ml	5	..	3.20	Mortha WH
1666Q	30mg-30mg in 1.5ml	5	..	3.33	Mortha WH
	MORPHINE SULPHATE				
1644M	Injection 10mg in 1ml	5	..	1.69 1.72	AB,BL,KL,LP DH,SI
1645N	15mg in 1ml	5	..	1.69 1.72	AB,BL,KL,LP DH,SI
1646P	20mg in 1ml	5	..	1.69	BL, KL
1647Q	30mg in 1ml	5	..	1.69	AB,BL, KL
	MORPHINE SULPHATE with ATROPINE SULPHATE				
1657F	Injection 10mg-400 micrograms in 1ml	5	..	1.72	AB,BL
1659H	15mg-400 micrograms in 1ml	5	..	1.72 1.77	AB,BL KL
1661K	15mg-600 micrograms in 1ml	5	..	1.72	AB,BL
	MUSTINE To be endorsed "S.P."				
1668T	Injection 10mg (solvent required)	1	..	2.17	BT
	NALIDIXIC ACID To be endorsed "S.P."				
2451B	Tablet 500mg	56	..	7.17	Negram WL
2645F	Paediatric Suspension 50mg per ml, 200ml	71	..	3.10	Negram WL
	NALORPHINE				
3196F	Injection 1mg in 1ml	5	..	2.03	Lethidrone BW
1669W	10mg in 1ml	5	1	2.30	Lethidrone BW
	NANDROLONE DECANOATE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health.				
1671Y	Injection 50mg in 1ml	1	..	6.17	Deca-Durabolin OR
	NANDROLONE HEXANOYLPHENYLPROPIONATE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health.				
2846T	Injection 50mg (base) in 1ml	1	..	4.50	Anadur SI

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	NANDROLONE PHENYLPROPIONATE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health.				
1672B	Injection 25mg in 1ml	3	..	5.83	Durabolin OR
2807R	NATAMYCIN Tablet 100mg	50	..	6.97	Pimafucin BP
2877K	Suspension 1%, 5ml	#1	..	2.17	Pimafucin BP
2520P	Vaginal Tablets 25mg, 20	#1	..	3.97	Pimafucin BP
2954L	NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE Ear Ointment 1%-0.35%(base)-1%, 5g	#1	..	1.57	Pimafucort Otic BP
2325J	NEOMYCIN To be endorsed "S.P." Tablet 500mg	25	..	11.43 11.70	Neomate LF Neosulf PT ET, KL
	* * *				
	To be accompanied by an authority from the Director of Health.				
2697Y	Powder 500mg * * *	40	..	*51.30	ET
1673C	NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base) 10ml	#1	2	1.27	Neopt SI KL
2658X	NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORT- ISONE ACETATE Ear Drops 0.1%-0.005%-0.05%-1%-0.02%, 15ml	#1	..	1.58	Biomydrin WW
2568E	NEOMYCIN with KAOLIN Tablet 150mg-1.5g	10	..	1.70	Kalicin KL
2433C	NEOMYCIN SULPHATE MIXTURE Mixture 300mg per 20ml with adsorbent, 100ml	#1	..	2.30	Cefrocyn FR Cremomycin MK Entamycin VR Gastromycin DH Kalicin KL Kaomycin UP Komin SI Neobram BB Neogastrin NS Quintress-N LY
2296W	NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg(3.5mg base)- 400 Units per g, 10g	#1	..	1.62	Nemdyn HA

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1675E	NEOSTIGMINE Tablet 15mg	100	2	2.70	Prostigmin RO
1676F	Injection 0.5mg in 1ml	5	3	1.19	Prostigmin RO
1677G	2.5mg in 1ml	5	3	1.50	Prostigmin RO
1679J	Eye Drops 3%, 7.5ml	#1	6	1.61	Prostigmin RO
1680K	NICLOSAMIDE Tablet 500mg NICOTINIC ACID To be endorsed with the pension number	4	..	2.17	Yomesan BN
1684P	Tablet 25mg	100	2	0.70 0.83	LP KL
1685Q	50mg	100	2	0.83 0.93	LP AD,DH,KL,MG,RT(V),SI
1686R	100mg	100	2	1.02	DH,KL,RT(V)
1687T	250mg	100	2	1.17 1.38	LP AD,KL,RT(V),SI
1688W	NICOUMALONE Tablet 4mg	50	2	3.57	Sintrom GE
2723H	NITRAZEPAM Tablet 5mg	25	..	(b) 1.40 (ex 150) 1.42 (ex M.P.)	Mogadon RO
	NITROFURANTOIN To be endorsed "S.P."				
1689X	Tablet 50mg	25	1	3.54	Furadantin SK
1690Y	100mg	25	1	(a) 5.19 (ex 100) 5.59 (ex M.P.)	Furadantin SK
1691B	Paediatric Suspension 25mg per 5ml, 200ml	#1	..	2.94	Furadantin SK
	NITROMIN To be endorsed "S.P."				
1693D	Tablet 5mg	100	2	11.83	RC
1692C	Injection 50mg (solvent required)	5	1	8.83	RC
1695F	NORADRENALINE Injection 1 in 10,000, 2ml	5	..	3.63	Levophed WL
1694E	Infusion 1 in 1,000, 2ml NORETHISTERONE To be endorsed "S.P."	5	..	3.57	Levophed WL
2993M	Tablet 5mg	30	5	3.77	Primolut-N SC

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
3176E	NORETHISTERONE with MESTRANOL Tablet 1mg - 50 micrograms, 21	2	2	*2.34	Norinyl-1 Ortho-Novum 1/50	SD ET
3177F	1mg - 80 micrograms, 21	2	2	*2.34	Ortho-Novum 1/80	ET
3178G	2mg - 100 micrograms, 21	2	2	*2.34	Norinyl-2 Ortho-Novum 2	SD ET
3179H	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	*2.34	Norinyl 1/28	SD
	NORETHISTERONE ACETATE To be endorsed "S.P."					
2865T	Tablet 10mg	100	1	17.83	SH420	SC
	NORETHISTERONE ACETATE with ETHINYL- OESTRADIOL					
3180J	Tablet 1mg - 50 micrograms, 21	2	2	*2.34	Minovlar	SC
3181K	3mg - 50 micrograms, 21	2	2	*2.34	Gynovlar	SC
3182L	4mg - 50 micrograms, 21	2	2	*2.34	Anovlar	SC
3183M	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	*2.34	Minovlar ED Orlest	SC PD
3184N	Pack containing 21 tablets 2.5mg - 50 micrograms and 7 inert tablets	2	2	*2.34	Norlestrin	PD
	NORETHYNODREL with MESTRANOL					
3185P	Tablet 2.5mg - 100 micrograms, 20	2	2	*2.34	Conovid-E	SR
	NORGESTREL with ETHINYLOESTRADIOL					
3186Q	Tablet 250 micrograms - 50 micrograms, 21	2	2	*2.34	Neogynon Nordiol 21	SC WY
3187R	500 micrograms - 50 micrograms, 21	2	2	*2.34	Eugynon Ovral	SC WY
3188T	Pack containing 21 tablets - 250 micrograms - 50 micrograms and 7 inert tablets	2	2	*2.34	Neogynon ED Nordiol 28	SC WY
3189W	Pack containing 21 tablets - 500 micrograms - 50 micrograms and 7 inert tablets	2	2	*2.34	Eugynon ED Ovral 28	SC WY
	NORTRIPTYLINE					
2522R	Tablet 10mg	50	1	(g) 1.51 (ex 250)	Allegron Nortab	DL SQ
				1.63 (ex M.P.)	DL, SQ	
2523T	25mg	50	1	(g) 2.38 (ex 250)	Allegron Nortab	DL SQ
				2.63 (ex M.P.)	DL, SQ	
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2525X	NORTRIPTYLINE - cont. Capsule 10mg	50	1	1.63	Aventyl	LY
2526Y	25mg	50	1	(g) 2.38 (ex 250) 2.63 (ex M.P.)	Aventyl LY	LY
2524W	Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	1.41	Allegron Aventyl	DL LY
2564Y	NUTRAMIGEN To be accompanied by an authority from the Director of Health. Powder 454g	2	20	*6.80	Nutramigen Glucose	MJ
1696G	NYSTATIN Tablet 500,000 Units	50	..	(d) 6.16 (ex 250) 6.97 (ex M.P.)	Diastatin Mycostatin Nilstat GP, LE, SQ	GP SQ LE
3033P	Mixture 100,000 Units per ml, 24ml	≠1	..	2.77	Mycostatin Nilstat	SQ LE
1697H	Vaginal Tablets 100,000 Units, 15	≠1	1	2.34	Diastatin Mycostatin Nilstat	GP SQ LE
3163L	Vaginal Cream 100,000 Units per 4g, 60g	≠1	1	2.34	Mycostatin	SQ
3102G	100,000 Units per 5g, 75g	≠1	1	2.34	Nilstat	LE
2624D	OCTATROPINE METHYLBROMIDE Tablet 10mg	100	2	3.17	Valpin	EN
2760G	Paediatric Elixir 5mg per 5ml, 100ml	≠1	4	1.63	Valpin	EN
1061W	OESTRADIOL VALERATE Injection 10mg in 1ml	3	..	4.77	Primogyn-Depot	SC
1700L	OESTRONE Pessary 1,000 Units	12	1	2.07	Kolpon	OR
1701M	10,000 Units	12	1	3.27	Kolpon	OR
2333T	ORCIPRENALINE Tablet 20mg	100	2	(d) 3.91 (ex 500) 4.33 (ex M.P.)	Alupent BY	BY
2828W	Syrup 10mg per 5ml, 100ml	≠1	4	1.57	Alupent	BY
2332R	Inhalation Solution for use in NEBULISER 5%, 7.5ml	≠1	..	1.58	Alupent	BY
2783L	for use in RESPIRATOR 2%, 75ml	≠1	..	4.39	Alupent	BY
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2784M	ORCIPRENALINE - cont. Inhalation, metered aerosol spray replacement pack, 15mg per ml, 15ml (300 dose)	#1	..	3.03	Alupent	BY
2776D	ORPHENADRINE CITRATE Tablet 100mg	100	2	(d) 3.99 (ex 500) 4.23 (ex M.P.)	Norflex RK	RK
2777E	Injection 30mg per ml, 2ml	5	..	2.77	Norflex	RK
2627G	ORPHENADRINE HYDROCHLORIDE Tablet 50mg	100	2	3.57	Disipal	RK
3132W	OXAZEPAM Tablet 15mg	50	1	1.63	Serepax	WY
3133X	30mg	50	1	2.30	Serepax	WY
	OXPRENOLOL To be endorsed "S.P."					
2942W	Tablet 20mg	100	2	5.25	Trasicor	CB
2961W	40mg	100	2	7.30	Trasicor	CB
2941T	Injection 2mg (solvent required)	5	..	4.58	Trasicor	CB
	OXYCODONE To be endorsed "S.P."					
2609H	Injection 10mg in 1ml	5	..	2.47	Proladone	CK
2481N	Suppository 30mg	12	..	4.20	Proladone	CK
	OXYMETHOLONE To be accompanied by an authority from the Director of Health.					
2769R	Tablet 5mg	100	..	7.97	Adroyd	PD
2902R	50mg	100	..	65.50	Anapolon	SD
2903T	100mg	100	..	130.50	Adroyd	PD
3024E	OXYPHENCYCLIMINE Tablet 5mg	100	2	4.17	Spazamin	GP
1712D	10mg	100	2	(b) 6.29 (ex 500) 7.17 (ex M.P.)	Daricon Spazamin GP, PF	PF GP
1713E	OXYPHENONIUM BROMIDE Tablet 5mg	100	2	2.67	Antrenyl	CB
1714F	10mg	100	2	4.35	Antrenyl Duplex	CB

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	OXYTETRACYCLINE To be endorsed "S.P."				
1723Q	Capsule 100mg	25	..	1.90	Terramycin PF
1717J	Suspension 125mg per 5ml, 100ml * * *	#1	..	1.86	Terramycin PF
	To be endorsed with the pension number				
1064B	Ointment 3%, 15g * * *	#1	..	1.13	Terramycin PF
1724R	OXYTETRACYCLINE Capsule 250mg	25	..	(c) 2.25 (ex 150)	Bramcyccline BB Oxycycline PT Oxymycin KL Terramycin PF
				2.35 (ex M.P.)	BB, KL, PF, PT
1719L	Injection I.M. 100mg	5	..	*4.25	Terramycin PF Vendarcin BP
1720M	I.M. 250mg	5	..	*7.30	Terramycin PF Vendarcin BP
1721N	I.V. 250mg	5	..	*7.30	Terramycin PF Vendarcin BP
1725T	Ophthalmic Suspension 1%, 6ml	#1	2	1.21	Terramycin PF
2806Q	OXYTETRACYCLINE with HYDROCORTISONE Ear Suspension 0.5%-1.5%, 5ml	#1	..	1.83	Terra-Cortril PF
2512F	OXYTETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	2.35	Oxymycin-V KL Terrastatin PF
1726W	OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per g, 4g	#1	..	0.94	Terramycin PF
1727X	OXYTOCIN Injection 2 Units in 2ml	5	..	1.19	Syntocinon SZ
1729B	5 Units in 1ml	5	..	1.41	Syntocinon SZ
1730C	10 Units in 1ml	5	..	1.86	Pitocin PD Syntocinon SZ
2400H	OXYTOCIN with ERGOMETRINE Injection 5 Units and 0.5mg in 1ml	5	..	1.63	Syntometrine SZ
	PANCREATIN CONCENTRATE To be endorsed "S.P."				
1734G	Tablet 300mg (3 times BP strength)	200	2	*4.18	Panteric PD
1732E	Powder 30g (twice BP strength)	8	2	*11.38	PD
1733F	500g (5 times BP strength)	1	..	29.17	Pancrex "V" ST

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	PANCREATIN ENZYME (4 times USNF.XII strength) To be endorsed "S.P."				
1735H	Tablet 325mg	500	1	32.06	Viokase ET
1736J	Powder 227g	≠1	2	24.37	Viokase ET
	PANCRELIPASE To be endorsed "S.P."				
2497K	Capsule 300mg	250	1	19.50	Cotazym OR
1740N	PAPAVERETUM Tablet 10mg	20	..	1.40	Omnopon RO
1738L	Injection 10mg in 1ml	5	..	1.72	BL
1739M	20mg in 1ml	5	..	1.69 1.73	AB Omnopon BL RO
1741P	PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-0.43mg in 1ml	5	..	1.72 1.77	AB Omnopon- Scopolamine BL RO
1743R	PAPAVERINE HYDROCHLORIDE Injection 120mg in 10ml	5	..	1.83	AB
1745W	PARACETAMOL Tablet 300mg	50	1	1.03	Panadol Paediatric Parmol Junior WL KL
1746X	500mg	50	1 (d)	1.16 (ex 250)	Ceetamol PT Dymadon CA Panacete PR Panadol WL Paralgin FM Parasin AV Parmol KL Placemol VR RY
				1.14 1.22 (ex M.P.)	AV, PR, PT, VR CA, FM, KL, RY, WL
1747Y	Mixture 120mg per 5ml, 100ml	≠1	4	1.14	Dymadon CA Panadol WL Parmol KL Tempra MJ
	PARAFFIN LIQUID To be endorsed with the pension number				
1750D	Emulsion 500ml	1	4	≠0.93	Petrolagar WY
1751E	(with instructions for use)				
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1752F	PARAFFIN LIQUID - cont. /Emulsion with Phenolphthalein 500ml	1	4	/0.93	Agarol WW Evactil FA Lubarol DH Petrolagar with WY Phenolphthalein
1753G	(with instructions for use) * * *				
1748B	PARAFFIN LIQUID /Liquid Paraffin 200ml	1	4	/0.36 /0.38	AA(N) DH
1749C	(with instructions for use)				
1754H	PARALDEHYDE Injection 5ml	5	1	1.57	BL
1755J	10ml	5	1	2.03	BL
1756K	PARAMETHADIONE Capsule 300mg	200	1	13.63	Paradione AB
1758M	PARAMETHASONE Tablet 2mg	30	..	1.83	Metilar SD
1759N	PEMPIDINE Tablet 5mg	100	2	*3.38	Perolysen MB
	PENICILLAMINE To be accompanied by an authority from the Director of Health.				
2838J	Tablet 250mg	100	3	42.50	D-Penamine DL
1761Q	Capsule 120mg	100	3	24.50	D-Penamine DL
2722G	250mg	100	3	*42.50	Cuprimine MK
	PENICILLINASE Injection Set containing				
1762R	0.8megaU and 1ml solvent	1	..	10.50	Compenase CS
2355Y	0.8megaU and 2ml water for injections	1	..	11.50	Neutrapen RK
	PENICILLIN BENETHAMINE COMPOUND Benethamine Penicillin 470mg; Procaine Penicillin 250mg; Sodium Penicillin 300mg.				
1763T	Injection - Vial (solvent required)	1	..	1.19	Triplopen GL
	PENICILLIN BENZATHINE To be endorsed "S.P."				
1766Y	Tablet 150mg	100	1	(e) 4.67 (ex 500) 4.91 (ex M.P.)	Bicillin WY Dulcepen G AB L.P.G. CS AB,CS,WY
1765X	Capsule 150mg * * *	100	1	4.91	L.P.G. CS

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1140B	PENICILLIN BENZATHINE - cont. Injection 1.8g (solvent required)	1	..	2.17	L.F.G. CS
	PENICILLIN BENZATHINE COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Potassium Penicillin 187mg.				
1767B	Injection set containing 1 vial and 2ml water for injections	1	..	1.43	Bicillin All-Purpose WY
	PENICILLIN BENZYL To be endorsed "S.P."				
2647H	Injection 3g (solvent required)	10	..	*14.10	AH,CS,GL
2648J	6g (solvent required)	10	..	*23.70	AH,CS,GL
	* * *				
1768C	PENICILLIN BENZYL Tablet 125mg	25	..	1.59	Abbocillin G AB
1769D	250mg	25	..	2.38	Abbocillin G AB
1771F	Capsule 250mg	25	..	2.38	Abbocillin G AB
	Injection				
1774J	300mg (solvent required)	5	1	1.97	CS
1775K	600mg (solvent required)	5	1	2.10	Crystapen GL AH,CS
1776L	900mg (solvent required)	5	1	3.03	Crystapen GL
1778N	Set containing 1 vial 600mg and 2ml water for injections	5	1	*2.45	Pensol GL
1779P	Set containing 1 vial 900mg and 2ml water for injections	5	1	*3.30	Pensol GL
1788D	PENICILLIN PHENOXYMETHYL Capsule 125mg	25	..	1.53	Cilicaine-VK SI Falcopen-VK FA L.P.V. CS PVK LY P.V.O. FM
1789E	250mg	25	..	(c) 2.12 (ex 150)	Abbocillin-VK AB Adacillin AV Cilicaine-VK SI Distaquaine-VK DL Falcopen-VK FA L.P.V. CS Propen-VK PT PVK LY P.V.O. FM Vicin KL V.P.V. VR
				2.25 (ex M.P.)	AB,AV,CS,DL,FA,FM,KL, LY,PT,SI,VR
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2965C	PENICILLIN PHENOXYMETHYL - cont. Capsule 500mg	12	..	2.06 2.18	P.V.O Cilicaine-VK Falcopen VK FM SI FA
1786B	Tablet 125mg	25	.. (a)	1.40 (ex 150)	Abbocillin-V Bramcillin L.P.V. PVK P.V.O. AB, BB, CS, FM, LY BB CS LY FM
1787C	250mg	25	.. (b)	1.53 (ex M.P.) 2.11 (ex 150)	Abbocillin-VK Bramcillin Cilicaine-VK Cillaphen Distaquaine-VK Falcopen-VK Lanpen L.P.V. Pen-Cilin V Peni-Vee-K Propen-VK PVK P.V.O. Vicin V.P.V. AB, BB, CS, FM, LY AB BB SI PR DL FA LP CS LF DH PT LY FM KL VR
3028J	500mg	12	..	2.06	Vicin 500 KL
1784X	Paediatric Sachet 125mg, 25	≠1	..	2.66	Vicin KL
2356B	Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	1.75	Abbocillin-V Cilicaine V Falcopen-V Flavopen L.P.V. Peni-Vee Pfipen V Vicin V.P.V. AB SI FA GP CS DH PF KL VR
2354X	Suspension 250mg per 5ml, 100ml	≠1	..	2.42	Abbocillin-V Cilicaine V Falcopen V Flavopen L.P.V. Aqueous Forte Peni-Vee Pfipen V AB SI FA GP CS DH PF
1782T	Injection set containing 1 vial 480mg and 2ml water for injections	1	..	2.63	Vicin 800 KL
1791G	PENICILLIN PROCAINE Injection BP, 600mg (continued)	5	..	*3.45	Aquacillin FA

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1792H	PENICILLIN PROCAINE - cont. Injection BP, 900mg	5	..	3.10	Aquacaine G CS Cilicaine SI
1793J	1g	5	..	*4.35 4.37	Cilicaine SI Megacillin FA Megapen BT
1794K	1.5g	5	..	4.10 *4.65	Aquacaine G CS Aquacillin FA Cilicaine SI
1795L	Crystalline Injection 300mg (solvent required)	5	..	1.97	Aquacaine G CS
1796M	900mg (solvent required)	5	..	2.77	Aquacaine G CS
1797N	1.5g (solvent required)	5	..	3.97	Aquacaine G CS
1801T	PENICILLIN PROCAINE FORTIFIED Injection 360mg (solvent required)	5	..	*1.95	Aquacaine G Fortified CS
1802W	1.08g (solvent required)	5	..	*3.35	Aquacaine G Fortified CS
1810G	PENTAERYTHRITOL TETRANITRATE Tablet 20mg	100	2 (d)	1.20 (ex 500)	Mycardol Twenty WL Penritol LF Pentathryn KL Peritrate WW
				1.19 (ex M.P.)	KL,LF,WL,WW
1812J	80mg (sustained release)	100	2 (e)	1.64 (ex 500)	Peritrate WW
				1.70 (ex M.P.)	WW
2943X	PENTAZOCINE Injection 30mg in 1ml	5	..	2.43	Fortral WL
2944Y	60mg in 2ml	5	..	4.23	Fortral WL
	NOTE: Pentazocine is classed as a dangerous drug (S8) in certain States. Payment will include the appropriate fee where applicable.				
1813K	PENTHIENATE Tablet 5mg	100	2	4.30	Monodral WL
1814L	PENTOBARBITONE SODIUM Tablet 30mg	100	1	1.09 1.10	QE (QNVS) Petab KL Somnital PR RY
2707L	50mg	50	..	0.90	Penbon AV Petab KL Somnital PR AD,DH,PT,QE (QNVS)
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1815M	PENTOBARBITONE SODIUM - cont. Tablet 100mg	25	..	0.74 0.77 0.86	LP,PT,RT(V) Penbon Somnital AD,QE(QNVS),TO Barbopent Petab Sodepent DH,RY AV PR BW KL MG
1817P	Capsule 50mg	50	..	(b) 1.19 (ex 250) 1.22 1.23 1.30 (ex M.P.)	Nembutal Penbon Pentone Pentobeta Petab PT PT FA AB,AV,EB,KL AB AV FA BB KL
1818Q	100mg	25	..	(b) 1.20 (ex 100) 1.19 1.22 (ex M.P.)	Nembutal Penbarb Penbon Pentobeta Pentone Petab LP,PT,RY LF AB,AV,BB,FA,KL,LP PT,RY AB LF AV BB FA KL
1821W	PENTOLINIUM TARTRATE Injection 5mg per ml, 10ml	1	1	2.03	Ansolysen MB
	PERICYAZINE To be endorsed "S.P."				
3052P	Tablet 2.5mg	100	1	2.37	Neulactil MB
3053Q	10mg	100	1	5.43	Neulactil MB
3055T	Mixture 2.5mg per 5ml, 100ml	1	4	1.37	Neulactil MB
2410W	PERITONEAL DIALYSIS SOLUTION Injection with 1.5% Dextrose, 1 litre	20	1	*33.90	Dianeal Diasol TV AB
3192B	Injection with 4.25% Dextrose, 1 litre	20	1	*33.90	Dianeal TV
1827E	PERTUSSIS VACCINE Injection 20,000 million organisms in 0.5ml	3	1	*1.70	CS
1828F	PETHIDINE Injection BP, 50mg in 1ml	5	..	1.63 1.65 1.67	LP Pethoid AB BL,DH,KL,SI BW
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1829G	PETHIDINE - cont. Injection BP, 100mg in 2ml	5	..	1.69 1.72 1.77 1.79	LP AB Pethoid BL,DH,KL,SI	BW
1830H	500mg in 10ml	1	..	1.73	KL	
1834M	PETHIDINE with HYOSCINE Injection 100mg-0.43mg in 2ml	5	..	1.77	Petisco1	KL
1832K	PETHIDINE with LEVALLORPHAN Injection 50mg-0.625mg in 1ml	5	..	1.69	Pethilorfan	RO
1833L	50mg-0.625mg per ml, 2ml	5	..	1.91	Pethilorfan	RO
1839T	PHENETHICILLIN Tablet 125mg	25	..	1.65	Optipen Pensig	CS SI
1840W	250mg	25	..	(b) 2.28 (ex 150) 2.45 (ex M.P.)	Optipen Pensig CS,SI	CS SI
1837Q	Capsule 125mg	25	..	1.65	Optipen Pensig	CS SI
1838R	250mg	25	..	(c) 2.29 (ex 150) 2.45 (ex M.P.)	Optipen Pensig CS,SI	CS SI
3088M	500mg	12	..	2.37	Optipen Pensig	CS SI
3120F	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#1.87	Optipen Pensig 125	CS SI
3121G	250mg per 5ml, 100ml	#1	..	#2.62	Pensig 250	SI
1841X	PHENFORMIN Tablet 25mg	100	2	4.23	Insoral	WW
2586D	Capsule 50mg	100	1	8.23	Insoral TD	WW
1842Y	PHENINDAMINE Tablet 25mg	50	1	1.33	Thephorin	RO
1843B	PHENINDIONE Tablet 10mg	100	2	3.83	Dindevan	AH
1844C	50mg	100	2	5.43	Dindevan	AH
1846E	PHENIRAMINE Tablet 10mg	50	1	1.19	Avilettes	HP
1847F	50mg	50	1	(b) 1.71 (ex 250) 1.86 (ex M.P.)	Avil HP	HP
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2775C	PHENIRAMINE - cont. Tablet 75mg (sustained release)	50	1	(c) 2.90 (ex 250) 3.22 (ex M.P.)	Avil Retard HP
1848G	Paediatric Syrup 15mg per 5ml, 100ml	≠1	4	1.19	Avil HP
1845D	Injection 25mg per ml, 2ml	5	1	1.67	Avil HP
1849H	PHENOBARBITONE Tablet 15mg	100	1	0.77	AD, KL, RT(V), RY
1850J	30mg	100	1	0.86	AD, KL, RT(V), RY, SI
1851K	60mg	25	..	*0.72	AD, KL, RT(V), RY
1852L	100mg	25	..	*0.77	AD, KL, RT(V), RY
	Elixir PL - See Section 4				
1856Q	PHENOBARBITONE SODIUM Tablet 15mg	100	1	0.77	KL
1857R	30mg	100	1	0.86	KL
1858T	60mg	25	..	*0.72	KL
1859W	100mg	25	..	*0.77	KL
1853M	Injection 200mg in 1ml	5	..	1.22 1.27 1.29	AB FM BL, DH
1861Y	PHENOLPHTHALEIN COMPOUND Pill	50	1	0.85	Phenaloïn MG
1863C	PHENSUXIMIDE Capsule 500mg PHENYLALANINE LOW CONTENT FORMULA To be accompanied by an authority from the Director of Health.	200	1	8.43	Milontin PD
1864D	Granules 1kg	1	..	24.00	Cymogran GL
1865E	Powder 2.5lb	1	..	12.33	Lofenalac MJ
1867G	PHENYLBUTAZONE Tablet 100mg	50	2	(b) 1.19 1.27 1.28 1.31 1.42 1.43 (ex 250) 1.25 1.26 1.37 1.46 1.47 (ex M.P.)	Butacal LF Butazone PT Butarex AV Butalan LP Butalgin FM Butaphen PR Butoroid VR Buzon KL Butazolidin GE PT LF AV, FM, LP, PR KL, VR GE
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2435E	PHENYLBUTAZONE - cont. Capsule 100mg	50	2	1.51	Buzon KL
2754Y	Injection 600mg in 3ml	5	..	2.10	Butazolidin GE
2755B	Suppository 250mg	10	2	2.10 2.30	Butoz HA Butazolidin GE
2455F	PHENYLEPHRINE Compound Ointment 60g	≠1	1	1.50	Hemorex WL
1869J	Compound Suppository	12	1	1.26	Hemorex WL
2456G	Eye Drops 1/8%, 10ml	≠1	2	1.19	Neo-Synephrine WL
2829X	0.12%, 15ml	≠1	2	1.55	Isopto Frin AQ Prefrin AG
2649K	10%, 5ml	≠1	..	1.34	Neo-Synephrine WL
2457H	Sterile Ophthalmic Solution 10%, 1ml	5	..	3.90	Neo-Synephrine WL
2692Q	PHENYTOIN Paediatric Suspension 30mg per 5ml, 500ml	≠1	1	2.77	Dilantin PD
2691P	Suspension 100mg per 5ml, 500ml	≠1	1	3.07	Dilantin Forte PD
1872M	PHENYTOIN SODIUM Tablet 100mg	200	1	1.70	Ditoin KL RY
1873N	Capsule 30mg	200	1	1.97	Dilantin Sodium PD Ditoin KL
1874P	100mg	200	1	(e) 2.63 2.72 2.73 (ex 1,000) 2.83 2.97 (ex M.P.)	Phentoin PT RY Ditoin KL Dilantin Sodium PD PT,RY KL,PD
3035R	Injection 100mg with 2.2ml solvent	1	..	3.38	Dilantin Sodium PD
1871L	250mg with 5ml solvent	1	..	4.10	Dilantin Sodium PD
2466T	PHOLCODINE Linctus 0.1%, 100ml	≠1	2	1.03	Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin Red DH Pholtrate MG Pholtussin KL Sedlingtus VR Tussinol GP AA(N),PR,SI(V)
1877T	PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	3.30	Sulphalyl KL Talecid SC Thalacet VR

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1878W	PHTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	1.70	Phthazol Thalazole	KL MB
2476H	PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 7.5ml	#1	6	2.57	ET	
1879X	0.25%, 15ml	#1	6	2.67	IQ	
2477J	0.5%, 7.5ml	#1	6	2.97	ET	
1880Y	0.5%, 15ml	#1	6	3.10	IQ	
	PHYTOMENADIONE To be endorsed "S.P."					
1881B	Injection 1mg	5	..	1.65	Konaktion	RO
1882C	10mg	5	..	3.38	Konaktion	RO
2383K	Colloidal Solution for Injection 10mg in 1ml	5	..	*5.85	Aquamephyton	MK
2384L	10mg per ml, 5ml	5	..	*25.50	Aquamephyton	MK
2778F	PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15ml	#1	6	1.19 1.41	Miocarpine Isopto Carpine Pilopt P.V. Carpine ET, IQ, KL	IR AQ SI AG
2595N	1%, 15ml	#1	6	1.27 1.50	Miocarpine DH, LP Isopto Carpine Pilopt P.V. Carpine ET, IQ, KL	IR AQ SI AG
2596P	2%, 15ml	#1	6	1.37 1.59	Miocarpine DH, LP Isopto Carpine Pilopt P.V. Carpine ET, IQ, KL	IR AQ SI AG
2597Q	3%, 15ml	#1	6	1.46 1.69	Miocarpine LP Isopto Carpine Pilopt P.V. Carpine ET, IQ, KL	IR AQ SI AG
2598R	4%, 15ml	#1	6	1.63 1.79	Miocarpine DH Isopto Carpine Pilopt P.V. Carpine ET, IQ, KL	IR AQ SI AG
2779G	6%, 15ml	#1	6	2.13	Isopto Carpine Pilopt P.V. Carpine ET, KL	AQ SI AG

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
1085D	PILOCARPINE NITRATE Eye Drops 1%, 15ml	#1	6	1.50	Pilopt-N	SI
1086E	2%, 15ml	#1	6	1.59	Pilopt-N	SI
1087F	3%, 15ml	#1	6	1.69	Pilopt-N	SI
1095P	4%, 15ml	#1	6	1.79	Pilopt-N	SI
1096Q	6%, 15ml	#1	6	2.13	Pilopt-N	SI
1890L	PIPENZOLATE Tablet 5mg	100	2	4.17	Piptal	SI
1891M	Oral Solution 4mg per ml, 15ml	#1	4	1.62	Piptal	SI
1892N	PIPERAZINE ADIPATE Tablet 300mg	25	2	1.19	Entacyl	AH
1893P	Granules 20%, 100g	1	1	2.30	Divermex	DF
2489B	PIPERAZINE PHOSPHATE Granules 10g	1	1	1.50	Pripsen	RC
1899Y	PITUITARY, POSTERIOR LOBE To be endorsed "S.P." Insufflation 30 Antidiuretic Unit Capsule	100	2	8.77	Di-Sipidin	ST
3074T	PIZOTIFEN MALATE To be endorsed "S.P." Tablet 0.5mg (base)	100	..	8.09	Sandomigran	SZ
1901C	PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	*1.84	CS	
1119X	POLDINE Tablet 4mg	100	2	3.77	Nacton	BR
2392X	POLYMYXIN B SULPHATE To be accompanied by an authority from the Director of Health. Vial of Powder 500,000 Units * * *	20	..	*59.10	Aerosporin	BW
1902D	POLYMYXIN B SULPHATE Ear Drops (Aqueous) 300,000 Units in 15ml	#1	2	2.10	Otopol Polmix	BW KL
1904F	Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	#1	2	1.50	Aerosporin	CA
1905G	Eye Drops 15,000 Units per ml, 5ml	#1	2	1.97	Polmix SI	KL
1908K	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg(base) per ml, 15ml (continued)	#1	..	1.70	Neotracin	ET

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1909L	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN - cont. Eye Drops Set containing 50,000 Units -4,000 Units-50mg and 10ml solvent	#1	2	#3.12	N.B.P. Neotracin DH ET
1910M	Eye Ointment 5,000 Units-400 Units-5mg per g, 4g	#1	..	1.03	Mycitracin UP Neosporin CA
2791X	POLYMYXIN B SULPHATE with LIGNOCAINE Ear Drops 10,000 Units-50mg per ml, 10ml	#1	..	1.57	Lignosporin CA
1911N	POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg-0.025mg per ml, 10ml	#1	2	1.63	Neosporin CA Trimyxin DH
2790W	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg(base)- 10mg per ml, 7ml	#1	..	1.83	Aerocortin CA Multicin H KL
2584B	POLYOESTRADIOL To be endorsed "S.P." Injection set containing 40mg and 2ml solvent	1	..	5.50	Estradurin AY
2682E	POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	#1	6	2.10	Liquifilm Tears AG
2373X	POTASSIUM Effervescent Tablet 6.5mEq K ⁺	100	2	1.90	Potavescent PT
2592K	25mEq K ⁺	30	2	(h) 1.70 (ex 150)	Brista-K BC K-Lyte MJ
				1.77 (ex M.P.)	BC,MJ
	POTASSIUM-FREE MAINTENANCE SOLUTION See Intravenous Fluids				
1914R	POTASSIUM CHLORIDE Tablet 500mg	100	2	0.90	KL,RT(V)
2642C	600mg (sustained release)	100	2	(e) 1.86 (ex 500)	K-San PR Slow-K ZY Span-K PT
				1.97 (ex M.P.)	PR,PT,ZY
3191Y	Effervescent Tablet 6.5mEq K ⁺ and 6.5mEq Cl ⁻	100	2	1.97	Kloref LP
3012M	14mEq K ⁺ and 8mEq Cl ⁻	30	2	1.63	Chlorvescent PT Klor-Lyte MJ
1097R	Sterile Solution 0.746g in 10ml (7.46%) for preparation of injection	5	..	1.30	AB
2975N	Sterile Solution 1g in 10ml (10%) for preparation of injection	5	..	1.46	AB
	(continued)				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	POTASSIUM CHLORIDE - cont. Injection Standard Maintenance Fluids See Intravenous Fluids				
	PRACTOLOL To be endorsed "S.P."				
3050M	Tablet 100mg	100	2	11.97	Eraldin IC
3051N	Injection 2mg per ml, 5ml	1	..	2.90	Eraldin IC
2336Y	PRALIDOXIME IODIDE Injection 500mg	5	..	2.50	AB
3152X	PREDNISOLONE Tablet 1mg	100	..	1.50	Panafcortelone PT
1917X	5mg	30	.. (a)	1.13	Panafcortelone PT
				1.14	IP Prelone LF
				1.23 (ex 150)	LP Adnisolone AV Delta-Cortef UP Deltacortril PF Deltasolone KL Paracortol PD Precortisyl RL Solone FM MG,PR,RT(V)
				1.30	IP,LF,PT
				1.37 (ex M.P.)	AV,FM,KL,LP,MG,PD, PF,PR,RL,RT(V),UP
2951H	Capsule 5mg	30	..	1.37	Deltasolone KL
1918Y	Eye Ointment 0.5%, 4g	≠1	..	2.10	Delta-Cortef UP Deltasolone KL Optocort PT
	PREDNISOLONE ACETATE To be endorsed "S.P."				
1919B	Injection 10mg in 1ml * * *	5	..	*5.15	Scherisolon SC
2684G	PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	≠1	6	2.63	Sterofrin AQ Ultracortenol CB
	PREDNISOLONE ACETATE with PHENYL- EPHRINE To be endorsed "S.P."				
3112T	Eye Drops 1%-0.12%, 10ml	≠1	..	3.43	Prednefrin Forte AG
	PREDNISOLONE SODIUM PHOSPHATE To be endorsed "S.P."				
3095X	Injection 20mg in 1ml * * *	2	..	*7.80	Predsol GL
	To be accompanied by an authority from the Director of Health.				

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1920C	PREDNISOLONE SODIUM PHOSPHATE - cont. Retention Enema 20mg in 100ml	7	..	14.97	Predsol GL
2554K	Suppository equivalent to 5mg prednisolone * * *	6	..	3.46	Predsol GL
1921D	PREDNISOLONE SODIUM PHOSPHATE Eye-Ear Drops 0.5%, 2.5ml	≠1	6	2.37	Codelsol MK
1922E	0.5%, 5ml	≠1	6	2.70	Codelsol MK Predsol GL
1923F	Eye Ointment 0.5%, 3g	≠1	..	2.10	Predsol GL
2439J	PREDNISOLONE SODIUM SUCCINATE To be endorsed "S.P." Injection set containing 25mg and 1ml diluent	2	..	*11.03	Solu-Dacortin MQ
3099D	PREDNISOLONE STEAGLATE Tablet 6.65mg	30	..	1.50	Sintisone DH
2471C	PREDNISOLONE TERTIARY BUTYL ACETATE To be endorsed "S.P." Injection 20mg in 1ml	5	..	5.03	Codelcortone TBA MK
1934T	PREDNISON Tablet 1mg	100	..	1.50	Panafcort PT
1935W	5mg	30	..	(a) 1.13 1.14 1.23 (ex 150)	Panafcort PT IP Presone LF LP Adasone AV Decortisyl RL Deltasone KL Propred BB Sone FM PD,PR
2952J	Capsule 5mg	30	..	1.30 1.37 (ex M.P.) 1.37	IP,LF,PT AV,BB,FM,KL,LP,PD, PR,RL Deltasone KL
1937Y	PRIMAQUINE Tablet equivalent to 7.5mg base	30	1	1.27	IC
1938B	equivalent to 15mg base	14	1	1.19	WL
1939C	PRIMIDONE Tablet 250mg	200	1	4.50	Elmidone KL Midone PT Mysoline IC
2616Q	Paediatric Suspension 125mg per 5ml, 500ml	≠1	1	2.26	Mysoline IC

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	PRINDOLOL To be endorsed "S.P."					
3062E	Tablet 5mg	100	2	7.19	Visken	SZ
3063F	Injection 1mg in 5ml	5	..	4.77	Visken	SZ
1940D	PROBENECID Tablet 500mg	100	2	(e) 6.93 (ex 500)	Benemid Proben Probexin Ureclid	MK PT KL FR
				7.83 (ex M.P.)	FR, KL, MK, PT	
2653P	PROCAINAMIDE Capsule 250mg	100	2	5.30	Pronestyl	SQ
1074M	375mg	100	2	6.50	Pronestyl	SQ
1941E	Injection 100mg per ml, 10ml	1	..	1.77	Pronestyl	SQ
	PROCARBAZINE To be endorsed "S.P."					
2635Q	Capsule 50mg	100	..	7.43	Natulan	RO
2893G	PROCHLORPERAZINE Tablet 5mg	50	..	(a) 1.34 (ex 250)	Anti-Naus Compazine Stemetil	PT SK MB
				1.43 (ex M.P.)	MB, PT, SK	
2369Q	Injection 12.5mg in 1ml	10	..	1.57	Stemetil	MB
2894H	Suppository 5mg	5	..	1.30	Compazine Stemetil	SK MB
2895J	25mg	5	..	1.57	Compazine Stemetil	SK MB
1943G	PROCYCLIDINE Tablet 5mg	100	2	4.50	Kemadrin	BW
1947L	PROGUANIL Tablet 100mg	100	2	1.34	Paludrine	IC
1950P	PROMETHAZINE Tablet 10mg	50	1	(a) 1.18 (ex 250)	Phenergan Prothazine	MB KL
				1.21 (ex M.P.)	KL, MB	
1951Q	25mg	50	1	(a) 1.30 1.34 (ex 250)	Meth-Zine Phenergan Prothazine MC	PT MB KL
				1.43 1.50 (ex M.P.)	PT KL, MB, MC	
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1949N	PROMETHAZINE - cont. Mixture 5mg per 5ml, 100ml	≠1	4	1.19	Phenergan MB Progan AV Prothazine KL
1948M	Injection 2.5%, 2ml	10	..	2.03	Phenergan MB
3049L	PROMETHAZINE THEOCLATE To be endorsed "S.P." Tablet 25mg	30	1	1.50	Avomine MB
1953T	PROPANTHELINE BROMIDE Tablet 15mg	100	2	(a) 3.01 (ex 500)	Pantheline PT Pro-Banthine SR KL
2363J	30mg (sustained release)	100	2	3.38 (ex M.P.)	KL,PT,SR
1952R	Injection 30mg in 1ml (solvent required)	5	..	6.43	Pantheline Retard PT Pro-Banthine PA SR
2565B	PROPRANOLOL To be endorsed "S.P." Tablet 10mg	100	2	6.50	Pro-Banthine SR
2566C	40mg	100	2	3.74	Inderal IC
2830Y	Injection 1mg in 1ml	5	..	6.97	Inderal IC
2703G	PROPYLENE GLYCOL Spray diluent - Propylene Glycol 10%, Glycerin 2% in Normal Saline, 200ml	≠1	2	*2.53	Inderal IC
1954W	PROPYLTHIOURACIL Tablet 25mg	100	2	1.90	FA
1955X	50mg	100	2	1.70	ET
2994N	PROSCILLARIDIN To be endorsed "S.P." Tablet 0.25mg	100	2	2.50	ET
1957B	PROTAMINE SULPHATE Injection 1%, 10ml	5	..	3.43	Talusin KN
2874G	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE To be accompanied by an authority from the Director of Health. Powder, 100g sachet, 2kg	≠1	..	4.50	BT
2747N	PROTRIPTYLINE Tablet 5mg	50	1	89.33	Albumaid XP MN
2748P	10mg (continued)	50	1	2.59	Concordin MK
				3.43	Concordin MK

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2808T	PROTRIPTYLINE - cont. Capsule 5mg	50	1	2.59	Triptil	FR
2809W	10mg	50	1	3.43	Triptil	FR
3044F	PSEUDOEPHEDRINE HYDROCHLORIDE Tablet 30mg	100	2	1.57 1.78	Tussaphed Sudafed-M	KL CA
3043E	60mg	100	2 (c)	1.88 2.16 (ex 500) 2.03 2.37 (ex M.P.)	Tussaphed Sudafed KL CA	KL CA
3045G	Mixture 30mg per 5ml, 100ml	≠1	4	1.19	Sudafed Tussaphed	CA KL
3047J	PYRANTEL EMBONATE Tablet 125mg(base)	6	..	1.66	Combantrin	GP
3048K	Mixture 50mg(base) per ml, 12ml	≠1	..	1.66	Combantrin	JP
2724J	PYRIDOSTIGMINE Tablet 10mg	100	2	2.02	Mestinon	RO
1959D	60mg	100	2	8.77	Mestinon	RO
2608G	180mg (sustained release)	100	..	15.97	Mestinon	RO
1960E	Injection 1mg in 1ml	5	1	*1.35	Mestinon	RO
	PYRIDOXINE HYDROCHLORIDE To be endorsed "S.P."					
1965K	Tablet 25mg	100	..	2.43 2.50	DH Pydox Pyroxin RY	PT KL
	* * *					
1961F	PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1ml	5	1	1.78 2.06 2.07	Pyroxin Hexavibex BL,DH,FM	KL PD
1963H	50mg per ml, 5ml	1	1	1.83	Pyroxin	KL
1964J	50mg per ml, 10ml	1	..	2.10	Pyroxin	KL
1966L	PYRIMETHAMINE Tablet 25mg	100	..	*3.44	Daraprim	BW
1968N	QUINALBARBITONE SODIUM Tablet 100mg	25	..	0.90	RY	
1969P	Capsule 50mg	50	..	1.30	Quinaltone Quinbar Seconal Sodium	LF AV LY
1970Q	100mg	25	..	1.21 1.26	Proquinal Quinaltone RY Seconal Sodium	PT LF LY

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2337B	QUINETHAZONE Tablet 50mg	50	2	(b) 3.25 (ex 250) 3.63 (ex M.P.)	Aquamox LE	LE
2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	10.01	Kinidin	AP
1971R	QUINIDINE SULPHATE Tablet 200mg	100	2	5.67 5.70 5.79 5.83 6.37 7.30	DH,FA,LP,PT,RT(V) Quinid TO QE (QNVS) DF Cardoquin KL,PR Quinidoxin	MW(N) AV BW
3080D	300mg (sustained release)	100	2	8.63	Quinidex	RS
1972T	QUININE BISULPHATE Tablet 300mg	100	2	4.50 4.90	DH,FA,PT Bi-Quinate Quinbisan BW,LP	KL PR
1974X	QUININE HYDROCHLORIDE Tablet 300mg	100	2	4.50	DH	
1975Y	QUININE SULPHATE Tablet 300mg	100	2	4.50 5.03 5.30	DH,LP,PT QE (QNVS) Quinate Quinsan AD,SI,TO	KL PR
1976B	RAUWOLFIA ALKALOIDS Tablet 0.25mg	100	2	1.57	Serfia	KL
1977C	2mg	100	2	(b) 2.64 (ex 500) 2.90 (ex M.P.)	Rauwiloid RK	RK
1979E	RAUWOLFIA SERPENTINA Tablet 50mg	100	2	(c) 2.34 2.44 2.74 (ex 500) 2.45 2.70 3.03 (ex M.P.)	Rawlina Rausan Serenol Raudixin LF PR,PT SQ	LF PR PT SQ
2510D	Capsule 50mg	100	2	3.03	Austrawolf	CS
1983J	RESERPINE Tablet 0.25mg	100	2	1.19	Resedrex Ryser Serpasil Tenserp RY	HA KL CB VR
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
1981G	RESERPINE - cont. Injection 1mg	5	1	1.21	Serpasil CB
1982H	2.5mg	5	1	1.83	Serpasil CB
1985L	RIBOFLAVINE To be endorsed with the pension number Tablet 5mg	100	2	0.90	FM, KL, RT (V)
1986M	ROLITETRACYCLINE I.V. Injection sets containing 110mg and 5ml solvent	5	..	*7.10	Reverin HP
1987N	275mg and 10ml solvent	5	..	*12.10	Reverin HP
1988P	350mg and 10ml solvent	5	..	*12.10	Bristacin-A BC
1989Q	I.M. Injection sets containing 150mg and 2ml solvent	5	..	*7.05 *7.10	Bristacin-A BC Reverin HP
1990R	350mg and 2ml solvent	5	..	*12.10	Bristacin-A BC Reverin HP
1991T	SACCHARIN or SACCHARIN SODIUM Tablets 30mg, 500	1	1	0.47	AD(N), KL
1992W	(with instructions for use)				
1098T	SALBUTAMOL Tablet 4mg	100	..	4.77	Ventolin AH
1103C	Syrup 2mg per 5ml, 100ml	#1	4	1.59	Ventolin AH
3087L	Inhalation, metered aerosol spray replacement pack, 20mg in 17g (200 dose)	#1	..	3.03	Ventolin AH
1993X	SALICYLAMIDE Tablet 500mg	100	2	1.22 1.27	PT Salamide HA Salide NS Samid KL
	SALINE LACTATE SOLUTION See Intravenous Fluids				
1994Y	SCHICK-TEST TOXIN and CONTROL Injection set containing 0.5ml Schick Test Toxin and 0.5ml Schick Control	1	..	1.57	CS
1129K	SECBUTOBARBITONE Tablet 15mg	100	1	1.27	Butisol Sodium ET
1130L	30mg	100	1	(b) 1.37 (ex 500) 1.46 (ex M.P.)	Butisol Sodium ET ET
1131M	50mg	100	1	1.73	Butisol Sodium ET
1132N	100mg	25	..	1.17	Butisol Sodium ET

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	SENNA FRUIT EXTRACT (STANDARDISED) To be endorsed with the pension number					
1999F	Tablet 7mg	100	2	(c) 1.41 (ex 500) 1.50 (ex M.P.)	Senokot RC	RC
2004L	SMALLPOX VACCINE Injection, Capillary Tube	1	..	1.19	CS	
2945B	SODIUM ACID CITRATE Mixture 5.5g per 20ml, 500ml	≠1	4	1.57	Citralka	PD
	SODIUM AMINOSALICYLATE To be endorsed "S.P."					
2008Q	Tablet 300mg	500	2	3.97	Pasan	KL
2009R	500mg	500	2	4.10	Pasalba Pasan	RY KL
2006N	Cachet 1.5g	500	2	13.17	Pasan	KL
2007P	2g	500	2	19.17	Pasan	KL
	SODIUM AMINOSALICYLATE WITH ISONIAZID To be endorsed "S.P."					
2622B	Granules 6g-150mg per sachet, 60	≠1	2	12.50	Inapasade	SN
2013Y	SODIUM AUROTHIOMALATE Injection 1mg	5	..	*2.45	Myocrisin	MB
2015C	5mg	5	..	*2.65	Myocrisin	MB
2016D	10mg	5	..	*3.05	Myocrisin	MB
2017E	20mg	5	..	*3.25	Myocrisin	MB
2018F	50mg	5	..	*3.95	Myocrisin	MB
3015	SODIUM BICARBONATE Injection 8.4%, 100ml 4.2%, 500ml - See Intravenous Fluids	5	..	*10.50	AB	
2023L	SODIUM CALCIUMEDETATE Tablet 500mg	100	2	4.37	Calcium Disodium Versenate	RK
2022K	Injection 200mg per ml, 5ml	5	..	*5.88	Calcium Disodium Versenate	RK
2030W	SODIUM CHLORIDE Tablet 300mg	100	2	0.83	KL,RT(V)	
2024M	Injection (Normal Saline; Physiological Solution) 2ml	5	1	0.97 1.03 1.06	LP AB BL,KL	
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2025N	SODIUM CHLORIDE - cont. Injection (Normal Saline; Physiological Solution) 5ml	5	1	1.06 1.11 1.15	LP AB BL, KL	
2026P	10ml	5	1	1.14 1.21 1.27 1.34	CS LP AB BL, KL	
2028R	20ml	5	1	1.70	AB, BL, KL	
2029T	50ml	3	1	*2.51	AB, KL	
	1 litre size - See Intravenous Fluids					
	SODIUM CHLORIDE and DEXTROSE See Intravenous Fluids					
	SODIUM CHLORIDE COMPOUND See Intravenous Fluids					
	SODIUM CHLORIDE COMPOUND and DEXTROSE See Intravenous Fluids					
2657W	SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	1.90 2.03 2.23	Dex-Cit Citralyte Citavescent	DH MJ PT
1121B	SODIUM CROMOGLYCAT Capsule 10mg (Nasal Insufflation)	100	2	9.17	Rynacrom	FC
2878L	20mg (Inhalation)	100	2	16.23	Intal Spincaps	FC
	SODIUM LACTATE See Intravenous Fluids					
	SODIUM LACTATE COMPOUND See Intravenous Fluids					
	SODIUM LACTATE COMPOUND and DEXTROSE See Intravenous Fluids					
2886X	SODIUM NITROPRUSSIDE Diagnostic Tablet	100	..	2.10	Acetest	AM
2034C	SODIUM SALICYLATE Tablet 300mg	100	2	0.97	KL	
2431Y	600mg	100	2	1.30	KL	
2035D	300mg (enteric coated)	100	2	1.43	Ensalate Rhumax DH, ET, KL, LY, QE (QNVS), RY	RC PR
2036E	500mg (enteric coated)	100	2	1.63	Ensalate Rhumax ET, KL, QE (QNVS)	RC PR
	(continued)					

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty. \$	Proprietary Name and Manufacturer
2037F	SODIUM SALICYLATE - cont. Tablet 600mg (enteric coated)	100	2	(e) 1.70 (ex 500)	Ancosal AV Ensalate RC Rhumax PR DH,ET,KL,LY,QE(QNVS)
				1.77 (ex M.P.)	AV,DH,ET,KL,LY,PR, QE(QNVS),RC
2038G	SODIUM TAUROGLYCOCHOLATE with PHENOLPHTHALEIN Compound Tablet	100	1	1.19	Veracolate WW
2587E	SORBIDE NITRATE Tablet 10mg	100	2	(c) 1.52 (ex 500)	Isordil AY Isotrate PD AY,PD
				1.57 (ex M.P.)	
2588F	Sublingual Tablet 5mg	100	2	1.43	Isordil AY Isotrate PD
	SOYA FORMULA To be accompanied by an authority from the Director of Health.				
2039H	Liquid 384ml	5	20	*3.15	Isomil RD Prosobee MJ
2837H	425g	5	20	*3.05	Soyalac SA
2041K	Powder 454g	2	20	*3.54	Sobee MJ
3090P	SPECTINOMYCIN Injection 2g with 3.2ml diluent	1	..	5.17	Trobicin UP
3091Q	4g with 6.5ml diluent	1	..	9.17	Trobicin UP
	SPIRONOLACTONE To be accompanied by an authority from the Director of Health.				
2339D	Tablet 25mg	100	..	10.59	Aldactone SR
	STANDARD MAINTENANCE FLUID See Intravenous Fluids				
	STANOLONE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health.				
2044N	Tablet 25mg	100	..	11.17 11.97	Protona DF Anabolex MN
	STANOZOLOL To be accompanied by an authority from the Director of Health.				
2478K	Tablet 2mg	100	..	*6.90	Winstroid WL

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2045P	STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml	1	..	1.30	CS	
2046Q	Undiluted 5ml	1	..	2.37	CS	
2049W	STILBOESTROL Tablet 0.1mg	100	2	0.83	KL	
2050X	0.5mg	100	2	0.85	AD,HA,KL,RT(V)	
2051Y	1mg	100	2	0.87	AD,HA,KL,RT(V)	
2052B	5mg	100	2	1.11 1.13 1.14	DH HA AD,KL,MG,RT(V),SI	
2053C	10mg	100	2	1.51 1.58	DH KL,RT(V)	
2048T	Injection 5mg	5	..	1.27	KL	
	STILBOESTROL DIPHOSPHATE To be endorsed "S.P."					
1353F	Tablet 100mg	100	2	15.70	Honvan	MJ
1352E	Injection 50mg per ml, 5ml	10	..	7.67	Honvan	MJ
2054D	STREPTOMYCIN SULPHATE Injection 1g (solvent required)	5	3	2.17	GL	
2056F	250,000 Units per ml, 4ml	5	3	2.37	Streptaquine	DL
2057G	500,000 Units per ml, 2ml	5	3	2.37	Strepolin 50% BT	GL
2058H	1,000,000 Units in 3ml	5	3	2.37	Strepolin 33-1/3% Streptevan	GL AH
2060K	SUCCINYL SULPHATHIAZOLE Tablet 500mg	100	..	1.90 2.10	PT MB	
2063N	SULPHACETAMIDE SODIUM Eye Drops 10%, 15ml	≠1	2	1.46	Acetopt Bleph 10 ET,IQ,KL	SI AG
2513G	15%, 15ml	≠1	2	1.50	Isopto Cetamide	AQ
2064P	20%, 15ml	≠1	2	1.54	Acetopt ET,IQ,KL	SI
2896K	Eye Ointment 10%, 5g	≠1	..	0.90	SP(NWS)	
2067T	SULPHADIAZINE Tablet 300mg	40	2	1.27	Diazyl	AB
2068W	500mg	40	2	1.19 1.27	AD,DH,PT,RT(V),RY KL	
2069X	SULPHADIAZINE SODIUM Injection 4ml	5	..	*2.04	MB	

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2070Y	SULPHADIMETHOXINE Tablet 500mg	12	..	1.55	Madribon RO
2073D	SULPHADIMIDINE Tablet 250mg	40	2	1.19	KL
2074E	500mg	40	2	1.19	S-Dimidine PT
				1.22	MG
				1.23	AD
					Sulphamezathine IC
					KL,RY
2072C	Suspension 500mg in 5ml, 100ml	#1	1	1.35	Sulphamezathine IC
2076G	SULPHAFURAZOLE Tablet 300mg	40	2	1.30	Gantrisin RO
					Sulfagan OD
					KL
2077H	500mg	40	2 (d)	1.39	Sulfagan OD
					MC
				1.62	Gantrisin RO
				(ex 200)	Sulfazoie PT
					Urogan AV
					KL
				1.43	MC,OD
				1.70	AV,KL,PT,RO
				(ex M.P.)	
2458J	Paediatric Syrup 500mg per 5ml, 100ml	#1	1	1.59	Gantrisin RO
2078J	Eye Drops 4%, 10ml	#1	2	1.19	Gantrisin RO
2079K	Eye Ointment 4%, 5g	#1	..	0.81	Gantrisin RO
2082N	SULPHAMETHIZOLE Tablet 100mg	40	2	1.23	Famet CA
					Urolin KL
					Urolucosil WW
2083P	250mg	40	2	1.77	PT
				1.83	Famet CA
					Urolex OD
					Urolin KL
					Urolucosil WW
					Uroz HA
2084Q	500mg	40	2 (g)	2.77	PT
				2.85	Famet CA
				(ex 200)	Thiosulfil AY
					Urolex OD
					Urolin KL
					Urolucosil WW
					Uroz HA
				2.97	PT
				3.03	AY,CA,HA,KL,OD,WW
				(ex M.P.)	
2862P	Paediatric Suspension 100mg per 5ml, 100ml	#1	1	1.73	Urolucosil WW

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2561T	SULPHAMETHOXAZOLE Tablet 500mg	20	1	(b) 1.35 (ex 100) 1.43 (ex M.P.)	Gantanol RO	RO
2562W	Syrup 500mg per 5ml, 50ml	#1	2	1.67	Gantanol	RO
2085R	SULPHAMETHOXYDIAZINE Tablet 500mg	12	..	1.97	Bayrena Kirocid	BN SC
2088X	SULPHAMETHOXYPYRIDAZINE Tablet 500mg	12	..	2.10	Lederkyn Midicel	LE PD
2090B	SULPHAPHENAZOLE Tablet 500mg	20	1	1.39	Orisul	CB
2092D	SULPHAPYRIDINE Tablet 500mg	100	..	2.23	M&B 693	MB
	SULPHASALAZINE To be endorsed "S.P."					
2093E	Tablet 500mg	100	2	5.30	Salazopyrin	PS
2987F	SULPHASYMAZINE Tablet 500mg	20	1	2.39	Prosul	LE
2094F	SULPHINPYRAZONE Tablet 100mg	100	2	7.83	Anturan	GE
2099L	SULTHIAME Tablet 50mg	200	1	5.43	Ospolot	BN
2100M	200mg	200	1	11.79	Ospolot	BN
	SURGICAL CEMENT To be endorsed "S.P."					
2238T	✓Skin Bond Adhesive 4fl oz	1	2	✓2.85	DY	
2239W	(with instructions for use)					
2469Y	✓Solvent 240ml	1	2	✓1.65	Sacso1	LF
2470B	(with instructions for use)					
3145M	✓Solvent 568ml	1	..	✓3.29	Zoff	SN
3146N	(with instructions for use)					
	TACRINE					
2106W	Injection 10mg, 2ml	5	1	1.90	T.H.A.	WH
2107X	30mg, 2ml	5	1	2.61	T.H.A.	WH
	TERBUTALINE SULPHATE					
1028D	Tablet 5mg	100	..	4.77	Bricanyl	AP
1030F	Elixir 0.3mg per ml, 100ml	#1	4	1.59	Bricanyl	AP
1034K	Injection 0.5mg in 1ml	5	..	1.90	Bricanyl	AP
	TESTOSTERONE To be endorsed "S.P."					
2111D	Implant 200mg	1	..	8.77	Neo-Hombreol	OR

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
	TESTOSTERONE ENANTHATE To be endorsed "S.P."				
2599T	Injection 100mg in 1ml	1	..	2.77	Primoteston Depot SC
2114G	250mg in 1ml	1	..	5.97	Primoteston Depot SC
	TESTOSTERONE ESTERS To be endorsed "S.P."				
2670M	Injection 100mg	1	..	2.77	Sustanon "100" OR
2101N	250mg	1	..	5.97	Sustanon "250" OR
	TESTOSTERONE PROPIONATE To be endorsed "S.P."				
2115H	Injection 25mg in 1ml	10	..	*4.53 4.53	Testoviron SC Testine KL
2116J	50mg in 1ml	10	..	8.23 *8.24	Testine KL Testoviron SC
	TETANUS ANTITOXIN (BOVINE) To be endorsed "S.P."				
2629J	Injection BP Set containing 1,500 Units and 15 Units diluted 1 in 50	5	1	*10.50	CS
	TETANUS ANTITOXIN (EQUINE) Injection BP				
2120N	Diluted 1-50, 15 Units in 0.5ml	1	..	1.30	CS
2121P	1,500 Units in 1ml	5	1	*8.55	CS
2122Q	10,000 Units in 5ml	5	1	*33.25	CS
2123R	50,000 Units in 10ml	5	..	*146.05	CS
2124T	Set containing 1,500 Units and 15 Units diluted 1 in 50	1	..	2.91	BT,CS
	TETANUS VACCINE Injection BP				
2127Y	(Purified Aluminium Phosphate Adsorbed) 0.5ml	3	..	*1.58	CS
	TETRACOSACTRIN To be accompanied by an authority from the Director of Health.				
3083G	Injection 0.5mg in 1ml	5	..	9.83	Cortrosyn Depot OR Synacthen Depot CB
2832C	1mg in 1ml	5	..	15.17	Cortrosyn Depot OR Synacthen Depot CB
2636R	I.V. Infusion Set containing 250 micrograms and 2ml solvent	5	..	*12.95	Synacthen CB
	TETRACYCLINE To be endorsed "S.P."				
2133G	Capsule 100mg (continued)	25	..	1.90	Achromycin LE Panmycin P UP

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2437G	TETRACYCLINE - cont. Syrup 125mg per 5ml, 100ml * * *	≠1	..	1.86	Achromycin LE
2134H	TETRACYCLINE Capsule 250mg	25	.. (c)	2.25 (ex 150)	Achromycin LE Australamycin CS Hostacycline HP Panmycin P UP Polycycline BC Quadracyclin KL Quatrax VR Tetracyclin GP Tetramykoin BZ
				2.35 (ex M.P.)	BC, BZ, CS, GP, HP, KL, LE, UP, VR
2403L	Injection I.M. 250mg (solvent required)	5	..	*12.10	Achromycin LE
	TETRACYCLINE with NYSTATIN To be endorsed S.P."				
2150E	Capsule 100mg-125,000 Units	25	..	1.90	Achrostatin LE Comycin UP Mysteclin-V SQ
2475G	Syrup 125mg-125,000 Units per 5ml, 100ml * * *	≠1	..	1.86	Achrostatin LE
2831B	TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	2.35	Mysteclin SQ
2151F	Capsule 250mg-250,000 Units	25	.. (c)	2.25 (ex 150)	Achrostatin LE Comycin UP Mysteclin-V SQ Quadrastatin KL Tetrex-F BC
				2.35 (ex M.P.)	BC, KL, LE, SQ, UP
	TETRACYCLINE (BUFFERED) To be endorsed "S.P."				
2144W	Capsule 100mg	25	..	1.90	Achromycin-V LE Australamycin-V CS Hostacycline-P HP
2438H	Syrup 125mg per 5ml, 100ml * * *	≠1	..	1.86	Achromycin-V LE Hostacycline-P HP Panmycin KM UP Tetrex BC

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2145X	TETRACYCLINE (BUFFERED) - cont. Capsule 250mg	25	..	(c) 2.25 (ex 150)	Achromycin-V LE Australamycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Quadracyclin-V KL Steclin-V SQ Tetracap PT Tetracyn-V GP Tetramykoin-V BZ Tetrex BC
	TETRACYCLINE (BUFFERED) with AMPHOTERICIN B To be endorsed "S.P."			2.35 (ex M.P.)	BC, BZ, CS, FM, GP, HP, KL, LE, PT, SQ, UP
2149D	Syrup 125mg-25mg per 5ml, 100ml	≠1	..	1.86	Mysteclin-V Improved SQ
1143E	THEOPHYLLINE Tablet 125mg	100	2	2.63	Nuelin RK
2613M	Elixir 80mg per 15ml, 500ml	≠1	4	1.83	A.B. KL Elixophyllin CP
2840L	THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE Tablet 130mg-24mg-8mg	100	2	(c) 1.80 1.82 1.85 (ex 500) 1.95 1.97 (ex M.P.)	Panasma PT Asmin KL Ephedrobarbital-T FM Thelix CO Franol WL Tedral WW Theophen HA PT CO, FM, HA, KL, WL, WW
2946C	180mg-48mg-25mg (sustained release)	100	..	2.77	Tedral S.A. WW
2841M	Capsule 130mg-24mg-8mg	100	2	1.97	Asmin KL Theosec LY
2842N	Paediatric Suspension 65mg-12mg-4mg per 5ml, 100ml	≠1	2	1.41	Asmin KL Tedral WW
2868Y	THEOPHYLLINE with GUAIPHENESIN Capsule 100mg-60mg	100	2	2.50	Quibron-C MJ
2669L	150mg-90mg	100	2	(e) 2.44 (ex 500) 2.63 (ex M.P.)	Bristasma BC Entair AH Quibron MJ AH, BC, MJ
2985D	Elixir 150mg-90mg per 15ml, 500ml	≠1	4	2.23	Bristasma BC Entair AH Quibron MJ

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2976P	THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	#1	4	2.23	Elixophyllin-KI	CP
2947D	THIABENDAZOLE Tablet 500mg	8	1	1.19	Mintezol	MK
2162T	THIAMBUTOSINE Tablet 500mg	100	2	4.42	Ciba 1906	CB
1069G	THIAMINE HYDROCHLORIDE To be endorsed with the pension number	100	2	1.19 1.30 1.43 1.47	SL(N) LP Invite-B Betamin AD,DH,PR,PT,RT(V),RY, SI	AV KL
1070H	100mg	100	2	1.83 1.90 2.17 2.23	QE(QNVS), SL(N) LP,RT(V) Invite-B Betamin PR,PT,RY	AV KL
	* * *					
1065C	THIAMINE HYDROCHLORIDE Injection 100mg in 1ml	5	1	1.70 1.94 1.95 1.97	LP Beta-Sol Betamin Forte DH	FM KL
2572J	THIETHYLPERAZINE Tablet 6.5mg	50	..	1.63	Torecan	SZ
2368P	Injection 6.5mg in 1ml	10	..	*1.84	Torecan	SZ
2573K	Suppository 6.5mg	5	..	1.23	Torecan	SZ
3159G	THIOPROPAZATE To be accompanied by an authority from the Director of Health.	100	1	5.38	Dartalan	SR
2163W	THIORIDAZINE To be endorsed "S.P."	100	1	1.82	Melleril	SZ
2359E	25mg	100	1 (c)	2.41 (ex 500) 2.66 (ex M.P.)	Melleril SZ	SZ
2164X	50mg	100	1	4.46	Melleril	SZ
2165Y	100mg	100	1	8.42	Melleril	SZ
2402K	Oral Solution 3%(30mg per ml), 30ml	#1	4	1.70	Melleril	SZ
2847W	Injection 25mg per ml, 2ml	10	..	3.71	Melleril	SZ
2345K	THIOTEPA Injection 15mg (solvent required) (continued)	2	1	*5.84	LE	

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2858K	THIOTEPA - cont. Eye Drops Set containing 15mg vial, 2 x 10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	1	5	#4.81	LE	
2167C	THYROID Tablet 15mg	100	2	0.89 0.91	AD RT(V),SI	
2168D	30mg	100	2	1.01	AD,RT(V),SI	
2169E	60mg	100	2	1.13 1.14 1.18	AD RT(V),SI DH	
2171G	125mg	100	2	1.17 1.18	RT(V) AD,SI	
2174K	THYROXINE SODIUM Tablet 50 micrograms	100	2	0.81	Oroxine Thyroxinal RT(V)	BW FM
2175L	100 micrograms	100	2	0.99	Oroxine Thyroxinal RT(V)	BW FM
2550F	300 micrograms	100	2	1.43	Oroxine	BW
2773Y	TIEMONIUM IODIDE Tablet 50mg	100	2	(c) 3.14 (ex 500) 3.50 (ex M.P.)	Visceralgin FM	FM
2922T	Syrup 2mg per ml, 100ml	#1	4	1.63	Visceralgin	FM
2774B	Injection 5mg in 2ml	5	..	3.03	Visceralgin	FM
	TISSUE REPAIR SOLUTION - ACIDOSIS See Intravenous Fluids					
	TISSUE REPAIR SOLUTION - ALKALOSIS See Intravenous Fluids					
2720E	TOLAZAMIDE Tablet 250mg	100	2	7.17	Tolinase	UP
2178P	TOLBUTAMIDE Tablet 500mg	100	2	(e) 3.31 (ex 500) 3.43 (ex M.P.)	Artosin Rastinon BO,HP	BO HP
2607F	1g	50	2	3.43	Artosin Rastinon	BO HP
2990J	TRIAMCINOLONE ACETONIDE To be endorsed "S.P." Injection 10mg in 1ml * * *	5	..	5.50	Kenacort-A10	SQ

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2995P	TRIAMCINOLONE ACETONIDE - cont. Cream 0.05%, 30g	#1	..	1.82	Kenalone SQ
2996Q	Ointment 0.05%, 30g	#1	..	1.82	Kenalone SQ
2973L	TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Cream 0.1%-0.25%(base)-0.025%- 500,000 Units in 5g	#1	..	1.57	Kenacomb Otic SQ
2974M	Ear Ointment 0.1%-0.25%(base)-0.025%- 500,000 Units in 5g	#1	..	1.57	Kenacomb Otic SQ
2342G	TRIAMTERENE Tablet 100mg	50	2	4.50	Dytac SK
2770T	TRICLOFOS Tablet 500mg	50	..	1.83	Tricloryl GL
1145G	Syrup 500mg per 5ml, 200ml	#1	4	1.83	Tricloryl GL
2366M	TRIDIHEXETHYL CHLORIDE Tablet 25mg	100	2	4.50	Pathilon LE
2185B	TRIFLUOPERAZINE To be endorsed "S.P." Tablet 1mg	100	1	3.25	Calmazine PT Stelazine SK Terfluzin MB
2386N	2mg	100	1	4.57	Calmazine PT Stelazine SK Terfluzin MB
2186C	5mg	100	1	5.07	Calmazine PT Stelazine SK Terfluzin MB
2571H	Syrup 1mg per 5ml, 100ml	#1	4	1.51	Stelazine SK
2835F	Injection 1mg in 1ml	10	..	3.07	Stelazine SK
2836G	1mg per ml, 2ml	10	..	3.50	Stelazine SK
2686J	TRIGLYCERIDES, MEDIUM CHAIN To be accompanied by an authority from the Director of Health. Compound Powder 454g	2	10	*4.86	Triglyde MJ
3129Q	Oil 1 litre	#1	2	6.00	MCT Oil MJ
2187D	TRIMEPRAZINE Tablet 10mg	50	1	1.63	Vallergan MB
2188E	Mixture 7.5mg per 5ml, 100ml	#1	4	1.23	Vallergan MB
2189F	TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	8.37	Arfonad RO

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	TRIMETHOPRIM with SULPHAMETHOXAZOLE To be endorsed "S.P."					
2949F	Tablet 80mg-400mg	20	..	(b) 3.53 (ex 100) 3.77 (ex M.P.)	Bactrim Septtrin BW,RO	RO BW
3200K	Capsule 80mg-400mg	20	..	3.77	Trib	SU
3103H	Suspension 40mg-200mg per 5ml, 100ml	≠1	..	2.77	Bactrim Septtrin	RO BW
2969G	TRIMIPRAMINE Tablet 10mg	50	1	1.63	Surmontil	MB
2970H	25mg	50	1	2.63	Surmontil	MB
2191H	TRIPROLIDINE Tablet 2.5mg	50	1	1.97	Actidil	CA
2192J	Paediatric Elixir 1mg per 5ml, 100ml	≠1	4	1.19	Actidil	CA
1354G	TRISODIUM EDETATE Injection 200mg per ml, 5ml	5	1	*6.60	Sodium Versenate	RK
2183X	TROLNITRATE PHOSPHATE Tablet 2mg	100	2	1.97	Praenitron	PF
2184Y	7mg	100	2	(d) 2.77 (ex 500) 3.03 (ex M.P.)	Duronitrin Praenitron Protracted ET,PF	ET PF
2193K	TROXIDONE Tablet 150mg	200	1	5.10	Tridione	AB
2194L	Capsule 300mg	200	1	8.43	Tridione	AB
2800J	TYPHOID VACCINE Injection 0.5ml	3	1	*1.61	CS	
2195M	TYPHUS VACCINE Injection 1ml	2	..	*7.54	CS	
2196N	VASOPRESSIN Injection BP 20 Units in 1ml	5	..	2.90	Pitressin	PD
2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*4.50	Pitressin Tannate	PD
	VERAPAMIL To be endorsed "S.P."					
1060T	Injection 5mg in 2ml	5	..	2.50	Isoptin	KN
	VINBLASTINE To be endorsed "S.P."					
2198Q	Injection 10mg (solvent required)	1	..	17.27	Velbe	LY

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
	VINCRISTINE To be endorsed "S.P."					
2371T	Injection set containing 1mg and 10 ml solvent	5	..	*65.25	Oncovin	LY
2372W	5mg and 10 ml solvent	1	..	51.55	Oncovin	LY
	VIOMYCIN To be endorsed "S.P."					
2348N	Injection 1g (solvent required)	5	3	*17.15	Viocin PD	PF
2199R	VIPRYNIUM EMBONATE Tablet 50mg	8	1	1.61	Vanquin	PD
2200T	Suspension 10mg per 1ml, 30ml	#1	1	1.61	Vanquin	PD
	VITAMIN SUPPLEMENT To be accompanied by an authority from the Director of Health.					
3156D	Tablet	100	2	3.17	Ketovite	ST
3157E	Liquid 100ml	#1	2	1.78	Ketovite	ST
	VITAMINS COMPOUND To be endorsed with the pension number					
2206D	Tablet, BPC Capsule Formula	100	1	0.93 0.95 0.98	Panvit RY, TO AD Citradex Hexaplex Multivite Six Orumvite Sixavite DH, RT(V), SI	PT GL PR AH VR KL
2207E	Capsule BPC	100	1	(d) 1.10 (ex 500) 1.17 (ex M.P.)	Gerovit FA	FA
2843P	WARFARIN Tablet 1mg	50	2	3.17	Coumadin Marevan	EN AH
2209G	2mg	50	2	3.37	Coumadin	EN
2210H	2.5mg	50	2	3.50	Coumadin	EN
2844Q	3mg	50	2	3.30	Marevan	AH
2211J	5mg	50	2	3.57	Coumadin Marevan	EN AH
2212K	7.5mg	50	2	4.34	Coumadin	EN
2213L	10mg	50	2	5.50	Coumadin Marevan	EN AH
2215N	Injection Set containing 50mg and 2ml solvent	5	..	9.55	Coumadin	EN

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2216P	WATER FOR INJECTIONS Injection 2ml	5	3	0.93 0.94 0.97 1.01 1.05	WO SP (NWS) DH AB BL, KL, SI	
2217Q	5ml	5	3	0.97 0.98 *1.05 1.09 1.14	WO SP (NWS) CS AB BL, KL, SI	
2218R	10ml	5	3	1.26 1.31	AB, DH, SP (NWS) BL, CS, KL, SI	
2219T	WOOL ALCOHOLS					
2220W	ƒOintment 100g (with instructions for use)	1	1	ƒ1.01	Eucerin	AH
2221X	WOOL FAT, HYDROUS					
2222Y	ƒ50g tube or jar (with instructions for use)	1	..	ƒ0.59	AA(N)	
2850B	ZINC and ADRENALINE Eye Drops 0.25%-0.01%, 15ml	ƒ1	2	1.19	B.A.Z.	KL
3154B	ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15ml	ƒ1	2	1.62	Prefrin-Z Zincfrin	AG AQ
2802L	ZINC SULPHATE Eye Drops 0.25%, APF 15ml	ƒ1	2	1.19	KL	

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer	
2766N	AMINO ACIDS with SORBITOL 30g-50g (300 kcal) per litre, 500ml	2	1	*13.30	Aminofusin Standard	PC
2631L	50g-100g (600 kcal) per litre, 500ml	2	1	*15.44	Aminofusin 600	PC
2632M	100g-100g (800 kcal) per litre, 500ml	2	1	*20.96	Aminofusin Forte	PC
2633N	AMINO ACIDS with SORBITOL and ALCOHOL 50g-100g-30g (850 kcal) per litre, 500ml	2	1	*15.78	Aminofusin 850	PC
2634P	50g-100g-50g (1,000 kcal) per litre, 500ml	2	1	*16.84	Aminofusin 1000	PC
2873F	CASEIN HYDROLYSATE with LAEVULOSE and ALCOHOL 5%-12.5%-2.4% (800 kcal) in 1 litre	2	..	*15.52	Amigen with Levugen	TV
2243C	DARROW'S SOLUTION 1 litre	2	..	*3.38	AB,TV	
2305H	DEXTRAN 40 10% with 5% dextrose, 500ml	10	..	*80.50 *87.20	Lomodex Rheomacrodex	FC PS
2306J	10% with 0.9% sodium chloride, 500ml	10	..	*80.50 *87.20	Lomodex Rheomacrodex	FC PS
3081E	DEXTRAN 70 6% with 5% dextrose, 500ml	10	..	*52.10	Macrodex	PS
3082F	10% with 5% dextrose, 500ml	10	..	*68.90	Macrodex	PS
3011L	6% with 0.9% sodium chloride, 500ml	10	..	*52.10	Macrodex	PS
2245E	DEXTROSE 5%, 1 litre	5	1	*7.70	AB,TV	
2247G	10%, 1 litre	5	1	*7.70	AB,TV	
2249J	20%, 1 litre	2	1	*3.38	AB,TV	
2251L	25%, 1 litre	2	1	*3.38	AB,TV	
2252M	50%, 500ml	2	1	*3.52	AB	
3199J	ELECTROLYTE REPLACEMENT SOLUTION 1 litre	2	1	*3.64	Plasma-Lyte 148	TV
2253N	GASTRIC REPLACEMENT SOLUTION 500ml	2	..	*3.30	AB,TV	
2254P	INTESTINAL REPLACEMENT SOLUTION 500ml	2	..	*3.30	AB	
2864R	INVERT SUGAR 10% (380 kcal) in 1 litre	2	1	*4.84	Travert	TV
3025F	LAEVULOSE 10%, 1 litre	2	1	*6.24	Laevosan Levugen AB	CA TV
	(continued)					

INTRAVENOUS FLUIDS FOR INJECTION

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
3026G	LAEVULOSE - cont. 20%, 1 litre	2	1	*9.30	Laevosan Levugen AB Laevosan CA TV
3027H	40%, 500ml	2	1	*9.30	Laevosan CA
2589G	MANNITOL 10%, 1 litre	1	1	3.74	Osmitrol AB TV
2590H	20%, 500ml	1	1	3.74	Osmitrol AB TV
2255Q	POTASSIUM-FREE MAINTENANCE SOLUTION 500ml	2	..	*3.30	AB
2258W	SALINE LACTATE SOLUTION 500ml	2	..	*3.30	AB
3029K	SODIUM BICARBONATE 4.2%, 500ml	1	1	2.03	AB
2260Y	SODIUM CHLORIDE 3%, 1 litre	2	1	*3.38	AB,TV
2262C	5%, 1 litre	2	1	*3.38	TV
2264E	(Normal Saline - Physiological Solution) 1 litre	5	1	*7.70	AB,TV,VF (NWS)
2266G	SODIUM CHLORIDE COMPOUND BPC 1959 1 litre	4	1	*6.26	AB,TV
2268J	SODIUM CHLORIDE COMPOUND and DEXTROSE 5%, 1 litre	5	1	*7.70	AB
2271M	SODIUM CHLORIDE AND DEXTROSE Dextrose in Normal Saline 5%, 1 litre	2	1	*3.38	AB,TV
2273P	10%, 1 litre	2	1	*3.38	AB,TV
2275R	20%, 1 litre	2	1	*3.38	AB,TV
2277W	25%, 1 litre	2	1	*3.38	AB
2278X	Dextrose in 1/2 strength Normal Saline 2.5%, 500ml	5	1	*6.65	AB,TV
2279Y	Dextrose in 1/4 strength Normal Saline 3.75%, 500ml	5	1	*6.65	AB,TV
2281C	Dextrose in 1/5 strength Normal Saline 4%, 1 litre	5	1	*7.70	AB,TV
2282D	4.3%, 1 litre	5	1	*7.70	AB
2284F	SODIUM LACTATE (Solution 1/6 Molar) 1 litre	5	1	*7.70	AB,TV,VF (NWS)
2286H	SODIUM LACTATE COMPOUND 1 litre	5	1	*7.70	AB,TV

INTRAVENOUS FLUIDS FOR INJECTION

93

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Proprietary Name and Manufacturer
2288K	SODIUM LACTATE COMPOUND and DEXTROSE 5%, 1 litre	2	1	*3.38	AB,TV
2290M	10%, 1 litre	2	1	*3.38	AB
2293Q	STANDARD MAINTENANCE FLUID 500ml	6	..	*8.90	AB,TV
2294R	TISSUE REPAIR SOLUTION - ACIDOSIS 500ml	2	..	*3.30	AB
2295T	TISSUE REPAIR SOLUTION - ALKALOSIS 500ml	2	..	*3.30	AB

SECTION 3 - SCHEDULE OF BENEFITS
DECEMBER 1973

Preparations Restricted to Colostomy
and Ileostomy Use Only
and
Preparations Restricted to Use in
Approved Hospitals Only

A dagger (†) in front of the form of an item and in the price column indicates a packed line which will be supplied under the original label when prescribed except where the prescription bears specific instructions for use.

PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY
(Prescriptions must be endorsed "S.P.")

2

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
				S	
2224C	ACRYLIC RESIN Solution 100ml Aerosol Spray	1	..	5.17 6.10 7.17	Octaflex WB Liquidoplast PT Nobecutane AH
2978R	170g Aerosol Spray	1	..	2.63	Aeroplast PD
2683F	BENZOIN Compound Tincture BPC 35%, 167ml Aerosol Spray	1	..	2.79	LF
2227F	BISMUTH SUBGALLATE Powder 100g	1	..	3.57	EV
2718C	CHARCOAL Tablet 300mg	500	1	4.50	Char-Bon LF QE(QNVS),TO
2229H	CHLORAMINE Deodorant Tablet 120mg	500	..	2.50	Klortee PT
2230J	Powder 25g	1	4	0.87	Klortee PT
3125L 3126M	DEODORANT CONCENTRATE /Liquid 15ml (with instructions for use)	1	..	/1.73	Zerodor ZR
3127N 3128P	0.5fl oz (with instructions for use)	1	..	/1.73	Banish DY
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 15g; "TERIC" N8, 150g in 600ml	1	..	1.90	T.A.G. LF
2235P	DIMETHICONE Solution 9.84%, 220g Aerosol Spray	1	..	4.37	Rikospray Silicone RK
2617R	10%, 180ml Aerosol Spray	1	..	2.50	LF
3148Q	POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	#1	..	9.93	Stomahesive Set SQ
2240X	STERCULIA (Indian Tragacanth; Gum Karaya) /Powder 200g	1	..	/1.92 /2.40	Karagum PT EV
2241Y	(with instructions for use)				
3147P	Discs, 12	#1	..	4.43 4.77	DY AB, BH
3158F	Squares, 6	#1	..	7.83	BH
2950G	VINYL PYRROLIDONE and VINYL ACETATE with BENZOCAINE Aerosol Spray 12%-12%-0.5%, 121ml	1	..	3.17	Spray-On-Band LF

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY

Code No.	Approved Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	AMINOCAPROIC ACID			\$	
2486W	Oral Solution 250mg per ml, 20ml	10	..		
2483Q	I.V. Injection 250mg per ml, 10ml	10	..		
	DROPERIDOL				
2938P	Injection 10mg in 2ml	5	..		
	HEPARIN CALCIUM				
	Injection				
1053K	12,500 I.U. in 0.5ml	2	..		
1054L	25,000 I.U. in 1ml	2	..		
	HYDROCORTISONE SODIUM SUCCINATE				
	Injection sets containing				
3096Y	equivalent of 250mg hydrocortisone	1	..		
	and solvent				
3097B	equivalent of 500mg hydrocortisone	1	..		
	and solvent				
	HYDROXYUREA				
3093T	Capsule 500mg	100	..		
	MAPHENIDE ACETATE				
2940R	Cream 11.2%, 454g	#1	..		
	METYRAPONE				
2533H	Capsule 250mg	50	..		
	PLASMA SUBSTITUTE				
2908C	I.V. Infusion 3.5%, 500ml	5	..		
	PYRAZINAMIDE				
2335X	Tablet 0.5g	500	..		
	STREPTOKINASE				
	Injection				
3130R	100,000 I.U. (solvent required)	2	..		
2906Y	250,000 I.U. (solvent required)	2	..		
2962X	600,000 I.U. (solvent required)	5	..		
2907B	750,000 I.U. (solvent required)	5	..		
	THYROTROPHIN				
2341F	Injection 10 Units	1	..		
	VANCOMYCIN				
3131T	Injection 500mg (solvent required)	5	..		

SECTION 4 — SCHEDULE OF BENEFITS

DECEMBER 1973

Container Rates — Extemporaneously Prepared Preparations

Pre-priced Extemporaneous Preparations

Drug Tariff

CONTAINER PRICES—EXTEMPORANEOUSLY PREPARED PREPARATIONS

DECEMBER 1973

Container	Size	Prices (cents)					
		N.S.W.	Victoria	Queensland	South Aust	West Aust	Tasmania
Dispensing Bottles ..	25ml	9	9	9	8	9	7
	50ml	11	11	12	9	10	9
	100ml	15	14	14	13	14	13
	200ml	18	16	16	17	17	17
	400ml	27	26	29	23	27	27
Poison Bottles ..	15ml	9	9	10	6	11	7
	25ml	11	10	10	8	13	8
	50ml	12	13	14	10	13	11
	100ml	17	16	16	13	14	15
	200ml	20	19	20	16	20	16
	400ml	29	27	29	22	27	24
Screw Cap Jars ..	15G	12	10	9	8	9	9
	25G	14	10	10	10	10	8
	50G	15	15	13	13	13	10
	100G	18	19	15	14	16	14
	200G	23	25	17	15	19	23
	400G	26	24	18	17	25	45
	800G	52	52	52	52	52	52
Dropper Containers	15ml polythene	12	12	13	10	12	11
	15ml glass	21	22	26	15	16	17

Professional Fee for Extemporaneously Prepared Preparations 72c

Special Note:

Purified Water BP is the minimum requirement for water in all extemporaneous preparations

PRE-PRICED EXTEMPORANEOUS PREPARATIONS
DECEMBER 1973
(Container rates to be added)

INDEX

	Page		Page
Applications	4	Liniments	6
Creams	4	Lotions	6
Draught	4	Mixtures	6
Dusting Powders	4	Mixtures for Children	7
Ear Drops	4	Mouth Washes	8
Elixirs	5	Nasal Instillations	8
Emulsions	5	Ointments	8
Eye Drops -		Paints	9
Cocaine	5	Pastes	9
Physostigmine	5	Pessaries	9
Pilocarpine	5	Powders - Internal	9
Others	5	Powder - Irrigation	9
Eye Lotions	5	Soaps	9
Gargle	5	Solutions	9
Gels	5	Sprays	9
Glycerins	5	Suppositories	10
Inhalations	5	Syrup	10
Inhalations - Solid	6	Tinctures	10
Insufflation	6	Unna's Paste	10
Linctuses	6		

KEY TO REFERENCES

ACH	Adelaide Children's Hospital
APF	Australian Pharmaceutical Formulary
BP	British Pharmacopoeia
BPC	British Pharmaceutical Codex
PL	Prescribers' List
QHF	Queensland Hospital Formulary
QVMH	Queen Victoria Memorial Hospital - 1957
RAHP	Royal Adelaide Hospital Pharmacopoeia - 1952
RMH	Royal Melbourne Hospital
SHF	Sydney Hospital Formulary - 1961

Code No.	Item	Reference	Max. Qty Price	Code No.	Item	Reference	Max. Qty Price
	<u>APPLICATIONS</u> MAXIMUM QUANTITY 200ml 2 Repeats		\$		<u>DRAUGHT</u> MAXIMUM QUANTITY 200ml 4 Repeats		\$
7465X	Benzyl Benzoate	APF	1.84	7374D	Paraldehyde	BPC	1.38
7668N	Benzyl Benzoate with Dicophane	PL & APF	2.04		<u>DUSTING POWDERS</u> MAXIMUM QUANTITY 100g 1 Repeat		
7669P	Dicophane	PL, APF & BPC	1.49				
7670Q	Dimethyl Phthalate Menthol Solid (See Ointments)	APF	3.88	7551K	Benzocaine	APF64	2.49
	<u>COLLODIONS</u> See under PAINTS			7552L	Boric Talc	APF64	1.30
	<u>CREAMS</u> MAXIMUM QUANTITY 100g 1 Repeat			7526D	Chlorbutol Compound	APF64	1.71
7655X	Aluminium Acetate Oily	PL & APF	1.28	9837R	Dicophane	RAHP	1.89
7656Y	Aminacrine Aqueous	APF64	1.87	9841Y	Dicophane	PL, APF & BPC	1.59
7322J	Aqueous	PL, APF & BP	1.47	7553M	Salicylic Acid Compound	APF64 & BPC63	1.38
7891H	Buffered Aqueous	PL & APF	1.26	7473H	Talc	APF	1.20
8002E	Calamine	RAHP	1.25	7554N		APF64 & BPC63	1.41
7320G	Calamine Aqueous	PL & APF	1.10	9868J	Zinc and Salicylic Acid	BPC	1.67
7377G		BPC	1.04	9869K	Zinc and Starch	RAHP	1.37
7659D	Calamine Oily	PL & APF	1.75	7458M	Zinc, Starch and Talc	PL, APF & BPC	1.30
7319F	Cetomacrogol Aqueous	PL & APF	1.82		<u>EAR DROPS</u> MAXIMUM QUANTITY 15ml 2 Repeats		
7660E	Cetrimide Aqueous	PL & APF	1.70	7544C	Acetic Acid	APF	0.74
7490F	Chlorhexidine Aqueous	PL & APF	1.45	7642F	Aluminium Acetate	PL & APF	0.85
7318E	Coal Tar and Zinc Oily	PL & APF	1.42	7317D	Boric Acid	PL & APF	0.77
7663H	Cold	PL & APF	1.76	7643G		APF64	0.76
8009M		RAHP	1.56	7487C	Chlorhexidine	PL & APF	0.77
7664J	Glycerin Oily	PL & APF	1.24	7645J	Ichthammol	PL & APF	1.11
7665K	Ichthammol and Zinc Oily	PL & APF	1.72	7316C	Phenylmercuric Nitrate	PL & APF	1.27
9556Y	Oily	PL & APF	1.62	7315B	Salicylic Acid	PL & APF	0.78
7892J	Salicylic Acid and Resorcinol Aqueous	PL & APF	1.74	8185T		APF64	0.77
7893K	Salicylic Acid and Sulphur Aqueous	PL & APF	1.63	7314Y	Sodium Bicarbonate	PL, APF & BPC	0.79
7666L	Triethanolamine Aqueous	APF	1.68	7313X	Spirit	PL & APF	0.75
7897P	Zinc	BP	1.41	7649N		APF64	0.74
7376F	Zinc and Ichthammol	BPC	1.72	8204T	Spirit	BPC	0.74
7667M	Zinc Oily	PL & APF	1.41	7464W	Streptomycin	APF64	1.25
7654W	Zinc Weak	PL & APF64	1.26	7545D	Sulphacetamide	APF	1.05
					<u>ELIXIRS</u> MAXIMUM QUANTITY 100ml 4 Repeats		
				7569J	Amylobarbitone	APF	1.35

(Container rates to be added)

5

Code No.	Item	Reference	Max. Qty Price	Code No.	Item	Reference	Max. Qty Price
7312W	<u>ELIXIRS - cont.</u> Ephedrine	PL & APF	\$ 1.05		<u>OTHER EYE DROPS</u> MAXIMUM QUANTITY 15ml 2 Repeats		\$
7463T	Ephedrine and Phenobarbitone	APF	1.52	7387T	Adrenaline Strong	APF	4.95
7311T	Phenobarbitone	PL & APF	1.18	7575Q	Atropine	APF	2.38
	<u>EMULSIONS</u> MAXIMUM QUANTITY 400ml 4 Repeats			7390Y	Atropine Oily	APF	1.32
7462R	Cod Liver Oil	APF64	2.39	7369W	Atropine Sulphate	BPC	2.34
7486B	Liquid Paraffin	APF	3.24	7646K	Disodium Edetate	APF	2.02
7461Q	Liquid Paraffin and Cascara	APF	3.73	7395F	Fluorescein	APF	1.86
7460P	Liquid Paraffin and Phenolphthalein	APF	3.47	7856L		BPC	1.88
	<u>EXTRACTS, FLUID</u> See Cascara - Sec. 2 (White Pages)			7396G	Homatropine	APF	6.14
	<u>EYE DROPS OF COCAINE</u> MAXIMUM QUANTITY 15ml No Repeats			7368T		BPC	6.10
7372B	Cocaine 2%	BPC	2.60	7650P	Phenylephrine	APF	1.91
7321H	Cocaine and Homatropine	BPC	6.87	7651Q	Phenylephrine Strong	APF	3.62
7589K	Cocaine Strong	APF	3.82	7412D	Silver Protein Mild	APF	2.78
7593P	Cocaine Weak	APF	2.19	7414F	Sulphacetamide	APF	2.18
7626J	Cocaine and Adrenaline	APF	2.12	7367R		BPC	2.15
7636X	Cocaine Adrenaline and Zinc	APF	2.13	7415G	Sulphacetamide Strong	APF	2.75
7647L	Homatropine and Cocaine	APF	6.88	7366Q		BPC	2.72
	<u>EYE DROPS OF PHYSOSTIGMINE</u> MAXIMUM QUANTITY 15ml 6 Repeats			7416H	Zinc Sulphate	APF	1.82
7652R	Physostigmine	APF	7.63	7365P		BPC	1.86
7401M	0.25%	APF	3.59	7417J	Zinc and Adrenaline	APF	1.88
7402N	0.5%	APF	6.40	7364N	Zinc Sulphate and Adrenaline	BPC	5.29
7403P	1%	APF	9.21		<u>EYE LOTIONS</u> MAXIMUM QUANTITY 200ml 1 Repeat		
	<u>EYE DROPS OF PILOCARPINE</u> MAXIMUM QUANTITY 15ml 6 Repeats			8416Y	Boric Acid	ACH	2.89
7371Y	Pilocarpine	BPC	2.89	7363M	Sodium Bicarbonate	BPC	2.85
7653T	0.5%	APF	2.56		<u>GARGLE</u> MAXIMUM QUANTITY 200ml 4 Repeats		
7675Y	1%	APF	2.93	8492Y	Potassium Chlorate	RAHP	1.00
9515T	2%	APF	4.04		<u>GELS</u> MAXIMUM QUANTITY 100g 1 Repeat		
9571R	4%	APF	6.22	7533L	Phenylephrine	APF64	1.50
9928M	Pilocarpine Buffered	APF	2.61	7532K	Phenylmercuric Nitrate	APF	1.23
9898Y	0.5%	APF	2.98		<u>GLYCERINS</u> MAXIMUM QUANTITY 100ml 1 Repeat		
9810H	1%	APF	4.09	8069Q	Borax	BPC 59	2.64
7703K	2%	APF	6.28	8070R	Ichthammol	BPC	3.05
	4%	APF			<u>INHALATIONS</u> MAXIMUM QUANTITY 50ml 1 Repeat		
				7485Y	Benzoin	PL	1.57
				8567X	Benzoin Compound	APF55	2.06
				8574G	Eucalyptus and Pine	APF55	0.97
				8578L	Menthol	SHF	1.07
				7484X	Menthol and Benzoin	PL	1.69

Code No.	Item	Reference	Max. Qty Price	Code No.	Item	Reference	Max. Qty Price
7310R	<u>INHALATIONS - cont.</u> Menthol and Eucalyptus	PL, APF & BPC	s 0.96		<u>LOTIONS</u> MAXIMUM QUANTITY 200ml 2 Repeats		s
7309Q	Menthol and Pine	PL & APF	1.19	7709R	Aluminium Acetate	APF	0.90
8580N	Menthol Compound	APF55	1.36	8688G	Boric Acid	ACH	0.91
	<u>INHALATIONS - SOLID</u> MAXIMUM QUANTITY 4g 1 Repeat			7629M	Calamine	PL, APF & BP	1.62
8071T	Menthol Solid	APF 64	0.80	8699W	Calamine Compound	RAHP	1.36
8072W	Menthol Crystals	BP	1.20	7630N	Calamine Oily	PL, APF &	
	<u>INSUFFLATION</u> MAXIMUM QUANTITY 25g 1 Repeat			7538R	Eusol	BPC	1.39
7637Y	Iodine	APF	1.13	7710T	Formaldehyde	APF	0.91
	<u>LINCTUSES</u> MAXIMUM QUANTITY 100ml 2 Repeats			8752P	Lead	RAHP	1.24
7534M	Camphor Compound	PL & APF64	1.32	8753Q	Lead	BPC	1.06
8621R	Camphor Compound I.F.	APF55	1.74	8760C	Lead Evaporating	BPC	1.15
7537Q	Codeine	PL & APF	2.06	7631P	Lead and Opium	APF64	1.54
7440N	Codeine I.F.	ACH	1.73	8766J	Resorcinol Compound	RAHP	1.62
8627C	Menthol	APF55	1.88	8793T	Resorcinol Compound	PL & APF	1.63
7536P	Morphine	APF64	1.18	7711W	Resorcinol and Sulphur	APF	1.70
7535N	Morphine	APF64	1.24	7712X	Salicylic Acid and Coal Tar	APF	1.34
7308P	Simple	PL, APF & BPC	1.18	7713Y	Salicylic Acid and Mercuric Chloride	APF	1.24
8638P	Squill Opiate	RAHP	1.85	7633R	Sulphurated	PL & APF	1.84
8639Q	Squill Opiate I.F.	BPC63	1.38	8803H	Sulphurated Potash with Zinc	RAHP	2.19
8636M	Squill Compound	BPC	1.76	8783G	Zinc Sulphate	BPC49	1.29
7361K	Squill Opiate for Children	BPC	1.24	8825L		APF64 & BPC	0.99
	<u>LINIMENTS</u> MAXIMUM QUANTITY 100ml 1 Repeat			8822H		RAHP	0.96
7884Y	Camphor	PL, APF & BP	1.61		<u>MIXTURES</u> MAXIMUM QUANTITY 200ml 4 Repeats		
7481R	Methyl Salicylate	PL, APF & BPC	1.61	7304K	Aluminium Hydroxide and Belladonna	PL & APF	1.27
7480Q	Methyl Salicylate Compound	PL & APF	1.96	7714B	Aluminium Hydroxide and Kaolin	APF	1.34
7307N	Soap	PL, APF & BPC	1.73	7594Q	Aluminium Hydroxide with Kaolin and Opium	APF64	1.32
7818L	Turpentine	APF64	1.90	7380K	Aluminium Hydroxide and Phenobarbitone	APF55	1.61
7419L		BP	1.27	7721J	Aluminium Hydroxide and Phenobarbitone	APF	1.17
				7731X	Aluminium Hydroxide, Phenobarbitone and Belladonna	PL & APF	1.34
				7381L	Aluminium Hydroxide with Procaine	APF64	1.32
				7382M	Aminophylline Compound	PL	1.50
				8878G	Ammonia and Ipecacuanha	RAHP	1.31
				7359H	Ammonium Acetate	BPC	1.30
				759SR	Ammonium Chloride	APF64	1.87
				759Y	Aspirin	APF	1.57
				7305L	Aspirin	PL & APF	1.25
				8836C	Aspirin Soluble	RAHP	1.03
				7592N	Aspirin Soluble	APF64	1.17

Code No.	Item	Reference	Max. Qty Price	Code No.	Item	Reference	Max. Qty Price
	<u>MIXTURES - cont.</u>		\$		<u>MIXTURES - cont.</u>		\$
8903N	Asthma No. 1	RMH	1.58	7340H	Nux Vomica Alkaline	BPC	1.00
8904P	Asthma No. 2	RMH	1.70	9092M	Opium	RAHP	1.31
7384P	Caffeine, Iodide and Ephedrine	PL	2.75	7608K	Opium Camphorated	APF64	1.73
7732Y	Calcium Carbonate Compound	APF	1.24	7339G	Opium Camphorated Compound	BPC	1.27
7358G	Cascara and Belladonna	BPC	1.97	7733B	Paraaldehyde	APF	1.47
7303J	Chalk and Kaolin	PL & APF	1.18	7385Q	Phenobarbitone with Belladonna, Procaine and Aluminium Hydroxide	PL	1.59
8957K	Chloral	RAHP	1.55	7612P	Potassium Chloride	PL & APF	2.12
7357F		BPC	1.09	7300F	Potassium Citrate	PL & APF	1.49
7597W	Chloral	PL & APF	1.28	9141D		RAHP	1.18
8986Y	Cough	RAHP	1.55	7734C	Potassium Citrate and Hyoscyamus	APF	1.63
7600B	Ephedrine and Codeine	APF	1.67	7614R	Potassium Citrate and Hyoscyamus	APF64	1.37
7601C	Ferric Ammonium Citrate	APF	1.37	9145H		RAHP	1.79
7349T	Ferric Ammonium Citrate	BPC	1.51	9910N	Potassium Citrate and Sodium Bicarbonate	PL & APF	1.22
9970R	Ferrous Sulphate	PL & APF	1.32	7616W	Potassium Iodide	APF	1.19
7603E	Gentian Acid	PL & APF	1.11	9159C		RAHP	1.27
7355D		BPC	1.10	7338F	Potassium Iodide Ammoniated	BPC	1.25
9005Y		RAHP	1.11	7617X	Potassium Iodide and Ephedrine	APF	1.23
7354C	Gentian Acid and Nux Vomica	BPC	1.23	7618Y	Potassium Iodide and Stramonium Compound	PL & APF	1.58
7604F	Gentian Alkaline	PL & APF	1.07	7337E	Rhubarb Compound	BPC	1.48
9010F		RAHP	1.03	7619B	Rhubarb and Soda	APF	1.41
9016M	Gentian Alkaline Compound	RAHP	1.42	9182G		RAHP	1.11
7352Y	Gentian Alkaline with Nux Vomica	BPC	1.19	7336D	Rhubarb and Soda Ammoniated	BPC	1.02
7351X	Gentian Alkaline with Phenobarbitone	BPC	1.10	7620C	Senega and Ammonia	PL & APF	1.42
7350W	Gentian and Rhubarb	BPC	1.33	9191R		RAHP	1.41
7605G	Hydrochloric Acid	APF	2.50	9196B	Senega, Ammonia and Lobelia	RAHP	1.62
7302H	Ipecacuanha and Opium	PL & APF	1.90	7621D	Sodium Chloride and Bicarbonate	APF64	1.05
7348R	Kaolin	BPC	1.28	9895T	Sodium Citrate	PL & APF	1.81
7900T		RAHP	1.29	7623F	Sodium Salicylate	PL & APF	1.29
9051J	Kaolin Light-Alkaline	APF55	1.01	9218E		RAHP	1.37
7301G	Kaolin and Opium	PL & APF	1.50	7334B	Sodium Salicylate Strong	BPC	1.21
7347Q	Lobelia and Stramonium Compound	BPC	1.45	7333Y	Stramonium and Potassium Iodide	BPC	1.26
9058R		RAHP	1.65	7743M	Succinylsulphathiazole and Kaolin	APF	4.05
7346P	Magnesium Carbonate	BPC	0.97	7625H	Theophylline Compound	APF 64	1.69
9060W		APF55	1.10		<u>MIXTURES FOR CHILDREN</u> MAXIMUM QUANTITY 100ml 4 Repeats		
7345N	Magnesium Carbonate Aromatic	BPC	1.05	7426W	Aluminium Hydroxide and Kaolin	PL & APF	1.03
9063B		RAHP	1.12	7472G	Aspirin	PL & APF	1.18
7344M	Magnesium Sulphate	BPC	0.99				
9074N	Magnesium Sulphate White	RAHP	1.04				
7607J	Magnesium Trisilicate	PL & APF	1.07				
7342K		BPC	1.00				
7343L	Magnesium Trisilicate and Belladonna	BPC	1.13				
9086F	Morphine and Aspirin	RAHP	1.42				
7341J	Nux Vomica Acid	BPC	1.03				

Code No.	Item	Reference	Max. Qty Price	Code No.	Item	Reference	Max. Qty Price
	<u>MIXTURES FOR CHILDREN</u> <u>- cont.</u>		\$		<u>NASAL INSTILLATIONS</u> <u>- cont.</u>		\$
7423Q	Aspirin	ACH	0.96	7574P	Ephedrine	PL & APF	0.84
7441P	Asthma	ACH	1.31	7889F		RAHP	0.79
7852G	Atropine Methonitrate	PL & APF	1.12	9454N	Ephedrine Oily	APF55	0.91
7433F		ACH	1.09	7455J	Phenylephrine	APF	0.90
7471F	Belladonna	PL & APF	1.23	7454H	Phenylephrine Strong	APF	1.05
7331W	Calcium Carbonate Compound	BPC	0.85	9472M	Silver Protein	APF55	1.22
7427X	Calcium and Kaolin	PL & APF	0.93	9470K	Silver Protein and Ephedrine	APF	1.13
7332X	Chalk	BPC	0.85		<u>OINTMENTS</u> MAXIMUM QUANTITY 100g 1 Repeat		
7581B	Chloral	PL & APF	1.09	7453G	Benzocaine and Adrenaline	APF	3.86
7436J		ACH	1.30	9506H	Benzocaine Compound	BPC	3.44
7420M	Cough Sedative	ACH	1.17	9497W	Benzoic Acid Compound	PL, BPC, APF & SHF	1.85
7434G	Expectorant	ACH	1.29			QHF	1.89
7439M	Ephedrine Compound	ACH	0.94	9519B	B.O.Z.	APF64	2.08
7470E	Ferrous Gluconate	PL & APF	1.50	9535W	Cod Liver Oil	BP & APF	1.23
7435H		ACH	1.33	9539C	Cod Liver Oil with Aminacrine	BP & APF64	1.66
9964K	Ferrous Sulphate	PL & APF	1.12	7452F	Dithranol	PL, APF & BP	1.86
7330T	Ipecacuanha	BPC	1.17	7451E	Dithranol Strong	BPC	2.26
7583D	Ipecacuanha and Squill	PL & APF	1.05	7918R	Emulsifying	APF64	2.16
7790B	Magnesium Hydroxide	BP	1.25	7919T	Hamamelis	BPC	1.57
7429B	Magnesium Sulphate	PL & APF	1.70	7570K	Hamamelis Compound	BPC	1.68
7584E		APF64	0.83	9557B	Hydrous Wool Fat	BPC	1.72
7437K	Phenobarbitone	ACH	0.81	9559D	Ichthammol	BPC	1.71
7430C	Phthalylsulphathiazole	APF	2.38	7921X	Iodine Non Staining	APF64	2.18
7859P	Potassium Citrate	PL & APF	1.21	9563H	Iodine Non Staining with Methylsalicylate	APF64	2.14
7428Y		ACH	1.01	9564J	Iodine Stainless	APF64	2.91
7586G	Potassium Iodide	PL & APF	0.97	9562G	Iodine with Methylsalicylate	APF64	1.94
7443R		ACH	1.14	7571L	Menthol Compound	APF64	1.86
7587H	Potassium Iodide and Ephedrine	PL & APF	1.07	7572M	Menthol Solid	APF64	1.94
7329R	Rhubarb Compound	BPC	1.07		Application	APF64	1.86
7418K	Rhubarb and Soda	ACH	1.01	8587Y	Menthol Solid	APF64	2.14
7588J	Sodium Citrate	PL & APF	1.37		Inhalation	APF64	2.62
7467B	Succinylsulphathiazole	APF64	1.97	9576B	Methyl Salicylate	BP	2.61
7466Y	Sulphadimidine	APF	2.45	9577C	Methyl Salicylate Compound	APF34	1.98
7421N		ACH	2.25	7924C	Paraffin	BP	1.90
	<u>MOUTH WASHES</u> MAXIMUM QUANTITY 200ml 1 Repeat			9592W	Resorcinol and Sulphur Compound	PL & APF	1.86
7456K	Thymol Compound	APF	2.04	7926E	Salicylic Acid	PL & APF	2.62
7872H	Thymol Red	APF	1.79	8022F		BP	2.61
7627K		APF64	1.77	7327P	Salicylic Acid and Sulphur	BPC	1.78
	<u>NASAL INSTILLATIONS</u> MAXIMUM QUANTITY 15ml 2 Repeats			9604L		RAHP	1.35
7576R	Dextrose and Glycerin	PL & APF	0.90	7927F	Simple	PL, APF & BP	1.60

Code No.	Item	Reference	Max. Qty Price	Code No.	Item	Reference	Max. Qty Price
7929H	<u>OINTMENTS - cont.</u>				<u>PASTES - cont.</u>		
8060F	Sulphur	APF64	\$ 1.58	9767C	Zinc Oxide	RMH	\$ 1.45
7450D	Wool Alcohols	BP	2.02	7559W	Zinc Oxide and Salicylic Acid	PL & APF	1.68
7896N	Zinc	BP	1.98	9773J		BP	1.61
7899R	Zinc and Castor Oil	PL, APF & BP	2.08		<u>PESSARIES</u>		
7573N	Zinc and Coal Tar	APF	1.26		MAXIMUM QUANTITY 12		
7527E	Zinc Oxide	PL & APF	1.60		1 Repeat		
	<u>PAINTS</u>			9778P	Crystal Violet	QVMH	1.52
	MAXIMUM QUANTITY 25ml			9782W	Ichthammol	BPC	1.60
	1 Repeat			9783X	Lactic Acid	QVMH	1.48
				9785B		BPC	1.80
7780L	Cetrimide and Chlorhexidine	APF	0.80		<u>POWDERS - INTERNAL USE</u>		
7815H	Coal Tar	APF	1.00		MAXIMUM QUANTITY 100g		
7825W	Crystal Violet				2 Repeats		
7561Y	Alcoholic	APF	0.82	9795M	Antacid	APF55	1.19
7561Y	Crystal Violet Compound	APF64	0.92	7477M	Aluminium and Magnesium Trisilicate	PL & APF	1.42
7842R	Formaldehyde and Salicylic Acid	APF	0.99	7547F	Kaolin Compound	APF	1.31
7562B	Ichthammol	PL & APF	1.37	7549H	Magnesium and Calcium Carbonate	PL & APF	1.34
7563C	Iodine	APF64	0.94	9821X	Magnesium Carbonate Compound	BPC	1.25
7564D	Iodine Compound	APF	1.03	9824C	Magnesium Trisilicate Compound	BPC	1.23
7326N		BPC	1.02		<u>POWDER - IRRIGATION</u>		
9666R		RAHP	1.02		MAXIMUM QUANTITY 100g		
9771G	Magenta	PL & APF	1.20		1 Repeat		
7565E		APF64	1.17	7546E	Alkaline Nasal Douche	APF	1.46
7325M		BPC	1.07		<u>SOAPS</u>		
9672C	Magenta and Resorcinol	RAHP	1.07		MAXIMUM QUANTITY 200ml		
7566F	Podophyllin	PL & APF	1.46		1 Repeat		
7324L	Podophyllin Compound	BPC	2.09	9896W	Spirit	BPC	3.26
7567G	Podophyllin Strong	PL & APF	2.09	9897X	Spirit Industrial	BPC	3.26
7568H	Salicylic Acid	PL & APF	1.25		Methylated	RAHP	2.86
9699L		RAHP	1.23	9901D	Thymol		
	<u>PASTES (Unna's Excepted)</u>				<u>SOLUTIONS</u>		
	MAXIMUM QUANTITY 100g				MAXIMUM QUANTITY 200ml		
	1 Repeat				2 Repeats		
7555P	Coal Tar	PL & APF	1.59	7827Y	Aluminium Acetate	BPC	2.88
9739N		RAHP & ACH	1.36	7538R	Calcium Hypochlorite	APF	0.91
7556Q	Dithranol and Zinc	PL & APF	1.65	7539T	Eucalyptus Saponaceous	APF64	3.47
7557R	Dithranol and Zinc Strong	APF64	2.07	7922Y	Iodine Aqueous-Lugol's	BP	3.88
9747B	Magnesium Sulphate	BPC	2.10	7923B	Iodine Weak	BP	3.06
7323K	Resorcinol and Sulphur	BPC	2.17	9930P	Methylene Blue	SHF	4.55
7422P	Titanium Dioxide	PL & APF	2.05	7540W	Soap Alcoholic	APF	2.81
7558T	Zinc Compound	PL, APF & BP	1.59		<u>SPRAYS</u>		
					MAXIMUM QUANTITY 15ml		
					2 Repeats		
				7848C	Adrenaline Strong	APF	4.23
				7425T	Adrenaline and Atropine	PL & APF	4.47

Code No.	Item	Reference	Max. Qty Price	Code No.	Item	Reference	Max. Qty Price
	<u>SUPPOSITORIES</u> MAXIMUM QUANTITY 12 1 Repeat		\$				\$
7871G	Aminophylline	BPC	2.17				
9968P		ACH	1.61				
9981H	Morphine	BPC	1.68				
	<u>SYRUP</u> MAXIMUM QUANTITY 100ml 4 Repeats						
9987P	Chloral	BPC	1.40				
7378H	Codeine Phosphate	BPC	1.87				
7379J	Glycerophosphate Co.	APF64	1.29				
	<u>TINCTURES</u> MAXIMUM QUANTITY 25ml 1 Repeat						
8073X	Belladonna	BP	0.94				
8074Y	Myrrh	BPC	1.14				
8075B	Stramonium	BP	0.92				
	<u>UNNA'S PASTE</u> MAXIMUM QUANTITY 200G No Repeats						
7898Q	Gelatin Zinc	BPC	3.94				

SECTION 4 - SCHEDULE OF BENEFITS

DRUG TARIFF

Where liquids are purchased by weight, the recovery price includes the "Specific Gravity Factor".

A compounding fee (72¢) is included in the recovery price for all items compounded from ingredients.

Drugs marked (a) and (b) :-

- (a) Where the quantity dispensed is greater than the quantity shown against items marked thus, the recovery price is :-

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \times \text{price shown}$$

- (b) Items marked thus are packed sterile or are unstable.
The recovery price is :-

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \text{ taken to next whole number} \times \text{price shown.}$$

DECEMBER 1973

Drug	Standard	Recovery Price		
		IG/MI	IOG/MI	Basic Pricing Unit
		\$	\$	\$
Acetone (use as additive only)	BPC	0.01	0.10	0.87:100 ml
ACIDS				
Acetic	BP	0.01	0.11	0.93:100 ml
Acetic Dilute	BP	0.01	0.09	0.76:100 ml
Ascorbic (use as ingredient of Mixtures of Ferrous Sulphate APF and PL)	BP	0.07	0.58	0.01:100 mg
Benzoic	BP	0.07	0.58	0.01:100 mg
Boric Crystal	BP	0.02	0.16	1.44:100 g
Boric Powder	BP	0.02	0.14	1.20:100 g
Citric	BP	0.02	0.18	1.64:100 g
Hydrochloric	BP	0.03	0.21	1.83:100 ml
Hydrochloric Dilute	BP	0.01	0.07	0.61:100 ml
Hypophosphorous Dilute	BPC 63	0.08	0.61	5.40:100 ml
Lactic	BP	0.08	0.61	5.40:100 ml
Oleic	BP	0.09	0.70	6.23:100 ml
Salicylic	BP	0.05	0.36	3.20:100 g
Stearic	BPC	0.05	0.41	3.63:100 g
Tannic	BP	0.07	0.56	4.98:100 g
Tartaric	BP	0.05	0.43	3.82:100 g
Trichloroacetic	BP	0.26	2.10	
Acriflavine	BPC 63	0.50	..	0.06:100 mg
Adrenaline (b)	BP	3.04	..	
Adrenaline Acid Tartrate (b)	BP	3.42	..	
ALCOHOLS				
95% (use as additive only)	BP	0.01	0.05	0.42:100 ml
90% (use as additive only)	BP	0.01	0.02	0.16:100 ml
Alum	BP	0.01	0.07	0.61:100 g
Aluminium Hydroxide Gel Dried	BP	0.03	0.20	1.79:100 g
Amaranth	BPC 54	0.18	1.40	
Aminacrine Hydrochloride	BP	1.36	..	0.17:100 mg
Aminophylline	BP	0.08	0.66	
Ammoniated Mercury	BP	0.17	1.36	
AMMONIUM				
Bicarbonate	BPC	0.01	0.08	0.73:100 g
Chloride	BP	0.02	0.15	1.30:100 g
Amylobarbitone	BP	0.32	2.56	0.04:100 mg
Amylobarbitone Sodium	BP	0.22	1.76	
Application Benzyl Benzoate	BP	0.02	0.14	1.27:100 ml
Aspirin	BP	0.01	0.11	1.02:100 g
Atropine (a)	BP	2.89	..	
Atropine Methonitrate (a)	BP	3.72	..	
Atropine Sulphate	BP	2.92	..	0.37:100 mg
Beeswax White	BP	0.05	0.43	3.83:100 g
Bentonite BP, sterilised		0.01	0.05	0.48:100 g
Benzocaine	BP	0.17	1.32	
Benzyl Benzoate	BP	0.03	0.22	1.96:100 ml
Bismuth Subgallate (use as additive only)	BPC	0.08	0.60	5.38:100 g
Borax	BP	0.02	0.14	1.20:100 g
Brilliant Green	BP	0.22	1.73	
Caffeine	BP	0.06	0.48	
Caffeine and Sodium Benzoate	BPC 54	0.11	0.84	
Caffeine Citrate	BPC 59	0.06	0.48	
Calamine	BP	0.01	0.07	0.59:100 g
CALCIUM				
Carbonate	BP	0.01	0.04	0.36:100 g
Chloride	BP	0.07	0.58	5.12:100 g

Drug	Standard	Recovery Price		
		IG/MI	IOG/MI	Basic Pricing Unit
CALCIUM - cont.		\$	\$	\$
Gluconate	BP	0.05	0.43	3.84:100 g
Hydroxide	BP	0.02	0.14	1.28:100 g
Lactate	BP	0.03	0.20	1.79:100 g
Camphor	BP	0.02	0.15	1.32:100 g
(use as additive only)				
Cetomacrogol Emulsifying Wax	BPC	0.03	0.21	1.85:100 g
Cetostearyl Alcohol	BP	0.02	0.17	1.49:100 g
Cetrimide	BP	0.07	0.54	
Chalk Prepared	BP	0.01	0.03	0.30:100 g
Chloral Hydrate	BP	0.02	0.12	1.11:100 g
Chlorbutol	BP	0.07	0.58	
Chlorhexidine Acetate	BPC	0.46	3.65	
(use as additive only)				
Chlorinated Lime	BP	0.01	0.07	0.60:100 g
Chlorocresol	BP	0.17	1.37	
Chloroform	BP	0.01	0.10	0.90:100 ml
(use as additive only)				
Clioquinol	BP	..	..	2.11:3.5 g
Cocaine	BP	2.22	..	0.28:100 mg
Cocaine Hydrochloride	BP	2.02	..	0.25:100 mg
Codeine Phosphate	BP	1.25	..	0.16:100 mg
Collodion Flexible	BP	0.02	0.16	1.44:100 ml
CREAMS				
Aqueous	APF	0.01	0.08	0.75:100 g
Aqueous	APF 64	0.01	0.07	0.60:100 g
Aqueous	BP	0.01	0.08	0.75:100 g
Aqueous Emulsifying Wax	APF 55	0.01	0.05	0.41:100 g
Calamine Oily	APF	0.02	0.12	1.03:100 g
Cetomacrogol Aqueous	APF	0.02	0.12	1.10:100 g
Cetomacrogol Aqueous	APF 64	0.01	0.08	0.67:100 g
Cetrimide Aqueous	APF	0.01	0.11	0.98:100 g
Oily	BP	0.01	0.10	0.90:100 g
Zinc	BP	0.01	0.08	0.69:100 g
Zinc Oily	APF	0.01	0.08	0.69:100 g
Creosote	BPC 59	0.08	0.63	
Crystal Violet	BP	0.12	0.92	
Dextrose Monohydrate	BP	0.02	0.17	1.52:100 g
(use as additive only)				
Dicophane	BP	0.05	0.43	3.84:100 g
Dimethyl Phthalate	BP	0.03	0.25	2.18:100 ml
Disodium Edetate	BP	0.38	3.06	
Dithranol	BP	0.49	3.88	0.06:100 mg
ELIXIR				
Cascara	BP	0.03	0.26	2.30:100 ml
Emulsifying Wax	BP	0.02	0.14	1.28:100 g
EMULSION				
Paraffin Liquid	APF	0.01	0.07	0.63:100 ml
(may only be prescribed as a pensioner benefit)				
Ephedrine	BPC	0.60	..	0.08:100 mg
Ephedrine Hydrochloride	BP	0.16	1.29	
Ether Anaesthetic	BP	0.01	0.05	0.47:100 ml
(use as additive only)				
Ether Solvent	BP	0.01	0.06	0.51:100 ml
(use as additive only)				
Eucalyptol	BPC	0.07	0.54	
(use as additive only)				
EXTRACTS				
Cascara Liquid	BP	0.02	0.15	1.29:100 ml
Hamamelis Liquid	BPC	0.08	0.61	

Drug	Standard	Recovery Price		
		IG/MI	IOG/MI	Basic Pricing Unit
		\$	\$	\$
EXTRACTS - cont.				
Hyoscyamus Liquid	BP	0.03	0.20	1.76:100 ml
Ipecacuanha Liquid	BP	0.23	1.81	
Liquorice Liquid	BP	0.02	0.14	1.23:100 ml
Nux Vomica Liquid	BP	0.07	0.56	4.98:100 ml
Stramonium Liquid	BP	0.08	0.63	5.57:100 ml
Ferric Ammonium Citrate	BP	0.02	0.17	1.49:100 g
FERROUS				
Gluconate	BP	0.08	0.61	
Sulphate	BP	0.06	0.51	4.55:100 g
Sulphate Dried	BP	0.02	0.13	1.15:100 g
Fluorescein Sodium	BP	0.14	1.14	
Gelatin	BP	0.01	0.10	
Glycerin	BP	0.01	0.08	0.75:100 ml
GLYCERINS				
Borax	BPC 59	0.03	0.22	1.92:100 ml
Ichthammol	BPC	0.03	0.26	2.33:100 ml
GUMS				
Acacia	BP	0.02	0.15	1.36:100 g
Tragacanth	BP	0.08	0.64	5.66:100 g
Homatropine Hydrobromide (b)	BP	..	..	2.16:250 mg
Honey Purified (by volume)	BPC	0.01	0.03	0.24:100 ml
(use as additive only)				
Honey Purified (by weight)	BPC	0.01	0.02	0.18:100 g
(use as additive only)				
Hypromellose 4500	BPC	..	..	
(use as additive only)				
Ichthammol	BP	0.04	0.28	2.47:100 g
INFUSIONS				
Buchu Concentrated 1 in 8	BPC 54	0.03	0.24	2.14:100 ml
Gentian Compound Concentrated 1 in 10	BP	0.01	0.11	1.01:100 ml
Senega Concentrated 1 in 10	BPC	0.03	0.23	2.08:100 ml
Iodine	BP	0.11	0.89	
Isoprenaline Sulphate	BP	..	..	
Kaolin Light	BP	0.01	0.05	0.42:100 g
Lactose	BP	0.01	0.02	0.16:100 g
Lanette Wax S.X.		0.02	0.16	1.38:100 g
Lignocaine Hydrochloride	BP	0.50	..	0.06:100 mg
LINIMENTS				
Camphor	BP	0.01	0.10	0.89:100 ml
Iodine Compound	APF 55	0.02	0.17	1.47:100 ml
Methyl Salicylate	APF	0.01	0.10	0.89:100 ml
Methyl Salicylate Compound	APF	0.02	0.14	1.24:100 ml
Soap	BPC	0.02	0.12	1.03:100 ml
Turpentine	BP	0.01	0.06	0.55:100 ml
LOTION				
Calamine	BP	0.01	0.05	0.45:100 ml
Magenta	BPC	0.16	1.25	
MAGNESIUM				
Carbonate Heavy	BP	0.01	0.08	0.70:100 g
Carbonate Light	BP	0.01	0.08	0.70:100 g
Oxide Light	BP	0.02	0.18	1.58:100 g
Sulphate	BP	0.01	0.01	0.09:100 g
Sulphate Dried	BP	0.02	0.14	1.28:100 g
Trisilicate	BP	0.01	0.06	0.54:100 g

Drug	Standard	Recovery Price		
		1G/MI	10G/MI	Basic Pricing Unit
Menthol	BP	\$ 0.12	\$ 0.98	\$
Mercuric Chloride	BPC	0.15	1.22	
Methylcellulose	BP	0.07	0.58	
(use as additive only)				
Methylene Blue	BP	0.19	1.53	
METHYL				
Hydroxybenzoate	BP	0.30	2.43	
Salicylate	BP	0.01	0.11	0.95:100 ml
MIXTURES				
Aluminium Hydroxide	APF	0.01	0.02	0.20:100 ml
Magnesium Hydroxide	BP	0.01	0.06	0.53:100 ml
Morphine Hydrochloride	BP	1.25	..	0.16:100 mg
Morphine Sulphate	BP	1.74	..	0.22:100 mg
MUCILAGES				
Acacia (by weight)	APF	0.01	0.09	0.81:100 g
Methylcellulose	APF	0.01	0.03	0.29:100 ml
Tragacanth	BPC	0.01	0.03	0.30:100 ml
OILS				
Almond Volatile Bitter	BPC 59	0.10	0.76	
Anise	BP	0.07	0.57	
Arachis	BP	0.01	0.03	0.30:100 ml
(use as additive only)				
Cade	BPC	0.08	0.65	5.76:100 ml
Castor	BP	0.01	0.04	0.37:100 ml
(use as additive only)				
Citronella	BPC	0.08	0.60	5.38:100 ml
(use as additive only)				
Clove	BP	0.08	0.67	
Coconut	BPC 49	0.01	0.06	0.57:100 g
Cod Liver	BP	0.01	0.05	0.40:100 ml
Eucalyptus	BP	0.01	0.11	0.95:100 ml
(use as additive only)				
Lavender Spike	BPC	0.08	0.64	
Lemon Terpeneless	BPC	0.26	2.11	
Maize	BP	0.01	0.05	0.40:100 ml
(use as additive only)				
Olive	BP	0.01	0.04	0.37:100 ml
(use as additive only)				
Peppermint	BP	0.10	0.80	
(use as additive only)				
Pumilio Pine	BPC	0.10	0.78	
Rosemary	BPC	0.10	0.76	
Siberian Fir	BPC 49	0.08	0.67	
Theobroma	BP	0.06	0.46	4.09:100 g
Turpentine	BP	0.01	0.10	0.87:100 ml
(use as additive only)				
OINTMENTS				
Ammoniated Mercury	BP	0.02	0.12	1.10:100 g
Benzocaine and Adrenaline	APF	0.04	0.35	3.14:100 g
Benzoic Acid Compound	APF	0.02	0.13	1.13:100 g
Capsicum	BPC	0.04	0.31	2.75:100 g
Cod Liver Oil	APF 64	0.02	0.14	1.20:100 g
Colophony	BPC 59	0.03	0.26	2.27:100 g
Emulsifying	BP	0.02	0.13	1.14:100 g
Gall and Opium	BPC 63	0.07	0.57	5.03:100 g
Hamamelis	BPC	0.02	0.17	1.54:100 g
Iodine Non-staining	APF 64	0.02	0.16	1.46:100 g
Iodine Non-staining	BPC	0.01	0.11	1.00:100 g
Menthol Compound	APF 64	0.03	0.25	2.19:100 g
Methyl Salicylate	BPC	0.02	0.16	1.42:100 g
Paraffin White	BP	0.02	0.13	1.18:100 g
Paraffin Yellow	BP	0.02	0.16	1.46:100 g

Drug	Standard	Recovery Price		
		1G/MI	10G/MI	Basic Pricing Unit
		\$	\$	\$
OINTMENTS - cont.				
Phenol	BP 48	0.02	0.16	1.44:100 g
Salicylic Acid	BP	0.03	0.21	1.89:100 g
Simple White	BP	0.01	0.10	0.88:100 g
Simple Yellow	BP	0.02	0.13	1.12:100 g
Sulphur	BP	0.02	0.15	1.30:100 g
Wool Alcohols	BP	0.03	0.21	1.84:100 g
Zinc	BP	0.02	0.14	1.26:100 g
Zinc and Castor Oil	BP	0.02	0.15	1.36:100 g
OPHTHALMIC PHOSPHATE				
BUFFERS				
Cetrimide	APF 55	0.03	0.21	1.91:100 ml
Chlorbutol	APF 55	0.03	0.21	1.91:100 ml
Paraben	APF 55	0.03	0.21	1.91:100 ml
OPHTHALMIC VEHICLES				
Cetrimide	APF 55	0.03	0.21	1.91:100 ml
Chlorbutol	APF 55	0.03	0.21	1.91:100 ml
Oily	APF 55	..	..	
Paraben	APF 55	0.03	0.21	1.91:100 ml
Thickened	APF 55	0.03	0.21	1.91:100 ml
Oxymel	BPC	..	..	
Oxymel of Squill	BPC	0.01	0.08	0.67:100 ml
Oxyphenonium Bromide		3.38	..	0.42:100 mg
(extemporaneously prepared eye drops only)				
Paint Magenta	APF	0.02	0.19	1.68:100 ml
Paint Magenta	APF 64	0.02	0.18	1.60:100 ml
Paracetamol	BP	0.08	0.61	
Paraffin Hard	BP	0.01	0.05	0.48:100 g
Paraffin Liquid	BP	0.01	0.02	0.20:100 ml
(pensioner benefit only when prescribed as an ingredient of Emulsion Paraffin Liquid, APF)				
Paraffin Liquid Light	BPC 63	0.02	0.15	1.36:100 ml
Paraffin Soft White	BP	0.01	0.06	0.49:100 g
Paraffin Soft Yellow	BP	0.01	0.05	0.45:100 g
Paraldehyde	BP	0.03	0.21	1.90:100 ml
PASTES				
Zinc Compound	BP	0.01	0.10	0.87:100 g
Zinc and Salicylic Acid	BP	0.01	0.10	0.89:100 g
Pectin (Apple or Citrus)		0.10	0.76	
Pentobarbitone Sodium	BP	0.24	1.90	
Phenobarbitone	BP	0.08	0.65	
Phenobarbitone Sodium	BP	0.08	0.64	
Phenol	BP	0.07	0.58	5.12:100 g
(not available for ear drops)				
Phenol Liquefied	BP	0.02	0.18	1.61:100 ml
(not available for ear drops)				
Phenolphthalein	BP	0.19	1.51	
Phenylephrine Hydrochloride	BP	1.20	..	0.15:100 mg
Phenylmercuric Nitrate	BP	1.22	..	0.15:100 mg
Phthalylsulphathiazole	BP	0.14	1.10	
Physostigmine (b)	BPC	..	..	2.81:64.8 mg
Physostigmine Salicylate (b)	BP	..	..	2.88:64.8 mg
Pilocarpine Hydrochloride (a)	BPC	..	..	2.38:324 mg
Pilocarpine Nitrate	BP	4.81	..	0.60:100 mg
Podophyllum Resin	BP	0.25	2.03	
POTASSIUM				
Chlorate	BPC	0.05	0.38	3.41:100 g
Chloride	BP	0.05	0.43	3.84:100 g
Citrate	BP	0.01	0.07	0.62:100 g
Iodide	BP	0.04	0.29	2.54:100 g
Permanganate	BP	0.01	0.07	0.65:100 g

Drug	Standard	Recovery Price		
		IG/MI	IOG/MI	Basic Pricing Unit
		\$	\$	\$
POWDERS				
Hydroxybenzoate Compound	APF	0.15	1.19	
Rhubarb	BP	0.04	0.29	2.55:100 g
Tragacanth Compound	BP	0.02	0.13	1.19:100 g
Procaine Hydrochloride	BP	0.10	0.76	
Proflavine Hemisulphate	BP	0.49	3.92	0.06:100 mg
Propyl Hydroxybenzoate	BP	0.40	3.20	
Propylene Glycol	BP	0.06	0.46	4.05:100 ml
Quinalbarbitone Sodium	BP	0.24	1.92	
Resorcinol	BP	0.10	0.81	
Saccharin Sodium (use as additive only)	BP	0.16	1.26	
Silver Nitrate	BP	0.46	3.65	
Silver Protein	BPC	0.31	2.51	
Silver Protein Mild	BPC	0.31	2.51	
SOAPS				
Ethereal	APF 55	0.01	0.08	0.73:100 ml
Soft	BP	0.03	0.20	1.77:100 g
SODIUM				
Acid Phosphate	BP	0.04	0.28	2.46:100 g
Benzoate	BP	0.03	0.20	1.77:100 g
Bicarbonate	BP	0.01	0.03	0.24:100 g
Chloride	BP	0.01	0.05	0.42:100 g
Citrate	BP	0.02	0.15	1.29:100 g
Iodide	BP	0.08	0.60	
Metabisulphite	BP	0.02	0.18	1.56:100 g
Phosphate	BP	0.03	0.21	1.88:100 g
Salicylate	BP	0.02	0.18	1.61:100 g
Sulphate	BP	0.01	0.01	0.12:100 g
Thiosulphate (use as additive only)	BPC	..	..	
SOLUTIONS				
Adrenaline	BP	0.03	0.26	
Aluminium Acetate	BPC	0.02	0.12	1.08:100 ml
Amaranth	APF	0.05	0.38	3.41:100 ml
Amaranth	APF 64	0.02	0.16	1.42:100 ml
Amaranth	BPC	0.01	0.04	0.37:100 ml
Amaranth Compound	APF	0.05	0.43	3.84:100 ml
Ammonia Strong	BPC	0.01	0.10	0.93:100 ml
Ammonia Dilute	BPC	0.01	0.06	0.51:100 ml
Ammonium Acetate Strong	BPC	0.02	0.15	1.32:100 ml
Benzalkonium Chloride 50%	BP	0.02	0.18	1.60:100 ml
Benzoic Acid	APF	0.03	0.20	1.78:100 ml
Benzoic Acid	BPC	0.05	0.39	
Burnt Sugar (use as additive only)	BPC 59	0.02	0.18	1.60:100 ml
Calcium Hydroxide	BP	0.01	0.02	0.19:100 ml
Carmine (use as additive only)	APF	0.09	0.72	6.40:100 ml
Chlorhexidine Gluconate (use as additive only)	BP	0.03	0.26	2.27:100 ml
Coal Tar	BP	0.02	0.15	1.35:100 ml
Formaldehyde	BP	0.01	0.05	0.43:100 ml
Iodine Aqueous	BP	0.02	0.18	1.58:100 ml
Iodine Simple	BPC 59	0.02	0.15	1.30:100 ml
Iodine Weak	BP	0.02	0.13	1.17:100 ml
Lead Subacetate Dilute	BPC	0.01	0.03	0.26:100 ml
Lead Subacetate Strong	BPC	0.07	0.58	5.12:100 ml
Morphine Hydrochloride	BP	0.03	0.26	2.28:100 ml
Potassium Hydroxide	BP	0.02	0.16	1.44:100 ml

Drug	Standard	Recovery Price		
		IG/MI	IOG/MI	Basic Pricing Unit
		\$	\$	\$
SOLUTIONS - cont.				
Sodium Chloride	BPC	0.01	0.02	0.18:100 ml
Tartrazine	APF	0.08	0.64	5.69:100 ml
SPIRITS				
Ammonia Aromatic	BPC	0.01	0.11	0.96:100 ml
Anise	BPC 49	0.01	0.10	0.86:100 ml
Camphor	BPC 59	0.02	0.16	1.44:100 ml
Chloroform	BP	0.02	0.14	1.20:100 ml
Lemon	APF	0.03	0.24	2.11:100 ml
Methylated Industrial (use as additive only)	BP	0.01	0.01	0.12:100 ml
Peppermint	BPC	0.03	0.20	1.77:100 ml
Starch	BP	0.01	0.08	0.74:100 g
Streptomycin Sulphate (b) (may only be prescribed in ear drops)	BP	0.50	..	
Succinylsulphathiazole	BP	0.09	0.71	6.34:100 g
Sucrose	BP	0.01	0.03	0.30:100 g
Sulphacetamide Sodium	BP	0.19	1.49	
Sulphadiazine	BP	0.22	1.77	
Sulphadimidine	BP	0.15	1.20	
Sulphur Precipitated	BP	0.02	0.14	1.20:100 g
Sulphur Sublimed	BPC	0.01	0.05	0.40:100 g
Sulphurated Potash	BPC	0.03	0.25	2.24:100 g
SYRUPS				
Aromatic	APF	0.01	0.05	0.42:100 ml
Aromatic	APF 64	0.01	0.05	0.48:100 ml
Chloral	BPC	0.01	0.09	0.76:100 ml
Codeine Phosphate	BPC	0.02	0.14	1.23:100 ml
Ferrous Phosphate Compound	BPC	0.01	0.08	0.73:100 ml
Ginger	BPC	0.02	0.14	1.28:100 ml
Glycerophosphate Compound	APF 64	0.01	0.06	0.57:100 ml
Golden Acidified	APF 55	0.01	0.10	0.90:100 ml
Lemon	APF	0.01	0.11	1.01:100 ml
Lemon Neutral	APF	0.01	0.04	0.37:100 ml
Orange	BPC	0.01	0.11	1.02:100 ml
Orange	APF	0.01	0.11	1.02:100 ml
Pholcodine Citrate (use as additive only)	BPC 59	0.01	0.11	0.94:100 ml
Raspberry	BPC	0.02	0.18	1.60:100 ml
Red	APF	0.02	0.16	1.39:100 ml
Simple	BP	0.01	0.02	0.21:100 ml
Squill	BPC	0.02	0.12	1.03:100 ml
Tolu	BP	0.02	0.14	1.28:100 ml
Talc Purified BP, sterilised		0.01	0.05	0.45:100 g
Tar (by weight)	BP	0.02	0.16	1.44:100 g
Tar Coal	BPC	0.01	0.07	0.58:100 g
Tar Coal Prepared	BP	0.03	0.23	2.05:100 g
Tartrazine	BPC 54	0.16	1.31	
Theophylline	BP	0.11	0.91	
Theophylline Hydrate	BP	0.11	0.91	
Thymol	BP	0.11	0.84	
Thymol Mouth Wash Compound	APF	0.01	0.07	0.66:100 ml
TINCTURES				
Belladonna	BP	0.02	0.13	1.11:100 ml
Benzoin Compound	BPC	0.02	0.17	1.49:100 ml
Cardamom Aromatic	BPC	0.03	0.22	1.97:100 ml
Cardamom Compound	BP	0.02	0.14	1.24:100 ml
Catechu	BPC	0.05	0.43	3.84:100 ml
Cochineal	BP 48	0.03	0.23	2.07:100 ml
Gelsemium	BPC	0.05	0.41	3.63:100 ml
Ginger Strong	BP	0.03	0.21	1.83:100 ml
Ginger Weak	BP	0.01	0.07	0.64:100 ml

Drug	Standard	Recovery Price		
		IG/MI	IOG/MI	Basic Pricing Unit
		\$	\$	\$
TINCTURES - cont.				
Hyoscyamus	BP	0.02	0.16	1.45:100 ml
Ipecacuanha	BP	0.04	0.28	2.51:100 ml
Lemon	BP 58	0.02	0.18	1.62:100 ml
Lobelia Ethereal	BPC	0.02	0.19	1.70:100 ml
Myrrh	BPC	0.03	0.21	1.90:100 ml
Nux Vomica	BP	0.02	0.14	1.27:100 ml
Opium	BP	0.05	0.41	3.64:100 ml
Opium Camphorated	BP	0.01	0.09	0.83:100 ml
Orange	BPC	0.02	0.12	1.04:100 ml
Quillaia	BPC	0.02	0.19	1.71:100 ml
Rhubarb Compound	BP	0.02	0.19	1.65:100 ml
Squill	BPC	0.02	0.16	1.40:100 ml
Stramonium	BP	0.02	0.12	1.10:100 ml
Titanium Dioxide	BPC	0.06	0.46	4.05:100 g
Triethanolamine	BPC	0.02	0.17	1.48:100 ml
Vanillin	BPC	0.24	1.92	
WATERS				
Anise Concentrated 1 in 40 (use as additive only)	BPC	0.02	0.14	1.27:100 ml
Anise Concentrated 1 in 40 (use as additive only)	BPC 63	0.02	0.15	1.30:100 ml
Camphor Concentrated 1 in 40	BPC 49	0.02	0.14	1.20:100 ml
Chlorbutol	APF 55	0.01	0.02	0.21:100 ml
Chloroform Concentrated 1 in 40	BPC 59	0.01	0.08	0.71:100 ml
Cinnamon Concentrated 1 in 40 (use as additive only)	BPC	0.02	0.17	1.54:100 ml
For injections $\neq$ 100 ml (extemporaneously prepared eye drops only)	BP	..	..	1.05:100 ml
Peppermint Concentrated 1 in 40 (use as additive only)	BP	0.01	0.11	1.01:100 ml
Purified	BP	0.01	0.01	0.03:100 ml
Wool Alcohols	BP	0.08	0.66	
Wool Fat	BP	0.01	0.10	0.93:100 g
Wool Fat Hydrous	BP	0.02	0.12	1.10:100 g
Xylene of Commerce (use as additive only)	BPC	0.01	0.10	0.89:100 ml
ZINC				
Gelatin	BPC	0.03	0.20	1.75:100 g
Oxide	BP	0.01	0.05	0.46:100 g
Sulphate	BP	0.08	0.60	5.38:100 g

TABLE OF CODES, MAXIMUM QUANTITIES
AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Qty. or No. of Units	No. of Repeats
10	Applications	200ml	2
13	Creams	100g	1
14	Draughts	200ml	4
48	Dusting Powders	100g	1
15	Ear Drops	15ml	2
16	Elixirs	100ml	4
17	Emulsions	400ml	4
18	Enemas	100ml	1
19	Eye Drops of Cocaine	15ml	..
20	Eye Drops of Physostigmine	15ml	6
21	Eye Drops of Pilocarpine	15ml	6
22	Other Eye Drops	15ml	2
23	Eye Lotions	200ml	1
25	Gargles	200ml	4
27	Gels	100g	1
28	Glycerins	100ml	1
29	Inhalations	50ml	1
37	Inhalations Solid	4g	1
32	Irrigations	200ml	1
33	Insufflations	25g	1
34	Linctuses	100ml	2
38	Liniments	100ml	1
39	Lotions	200ml	2
40	Mixtures	200ml	4
41	Mixtures for Children	100ml	4
30	Mouth Washes	200ml	1
42	Nasal Instillations	15ml	2
43	Ointments, Waxes	100g	1
44	Paints	25ml	1
45	Pastes	100g	1
46	Pessaries	12	1
49	Powders for internal use	100g	2
61	Powders, Irrigation	100g	1
51	Soaps	200ml	1
52	Solutions	200ml	2
59	Spirits	25ml	..
53	Sprays	15ml	2
54	Suppositories	12	1
55	Syrups	100ml	4
56	Tinctures	25ml	1
62	Unna's Paste	200g	..

SECTION 5 — PRESCRIBERS' LIST

DECEMBER 1973

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml and 2 Repeats)

7668N BENZYL BENZOATE with DICOPHANE (APF)

Benzyl Benzoate	50	g
Dicophane	4	g
Emulsifying Wax	4	g
Purified Water to	200	ml

7669P DICOPHANE (APF, BPC)

Dicophane	4	g
Emulsifying Wax	8	g
Xylene of Commerce	30	ml
Citronella Oil	1	ml
Purified Water to	200	ml

CREAMS

(Maximum Quantity 100 g and 1 Repeat)

7655X ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution	5	ml
Zinc Oxide	20	g
Wool Fat	25	g
Arachis Oil	25	ml
Purified Water	27	ml

7322J AQUEOUS (APF, BP)

Emulsifying Ointment	30	g
Chlorocresol	100	mg
Purified Water to	100	g

7891H BUFFERED, AQUEOUS (APF) (Buffered BPC)

Sodium Phosphate	2.5	g
Citric Acid	500	mg
Chlorocresol	100	mg
Emulsifying Ointment	30	g
Purified Water to	100	g

7320G CALAMINE, AQUEOUS (APF)

Calamine	4	g
Zinc Oxide	3	g
Cetomacrogol Emulsifying Wax	6	g
Arachis Oil	30	g
Purified Water to	100	g

7659D CALAMINE, OILY (APF)

Calamine	32	g
Oleic Acid	0.5	ml
Arachis Oil	21.5	ml
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	ml

PRESCRIPTION

7319F CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax	15	g
Liquid Paraffin	10	g
White Soft Paraffin	10	g
Chlorocresol	150	mg
Purified Water to	100	g

7660E CETRIMIDE, AQUEOUS (APF) (Cetrimide BPC)

Cetrimide	500	mg
Cetostearyl Alcohol	5	g
Liquid Paraffin	50	g
Purified Water to	100	g

7490F CHLORHEXIDINE, AQUEOUS (APF) (Chlorhexidine BPC)

Chlorhexidine Gluconate Solution	5	ml
Cetomacrogol Emulsifying Wax	25	g
Liquid Paraffin	10	g
Purified Water to	100	g

7318E COAL TAR and ZINC, OILY (APF)

Coal Tar, BPC	1	g
Castor Oil	1	g
Zinc Cream Oily, APF	98	g

7663H COLD (APF)

White Beeswax	20	g
Liquid Paraffin	60	g
Borax	1	g
Purified Water	19	g

7664J GLYCERIN, OILY (APF)

Glycerin	20	g
Calcium Hydroxide Solution	32	ml
Arachis Oil	22	g
Wool Fat	26	g

7665K ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol	5	g
Cetostearyl Alcohol	3	g
Wool Fat	10	g
Oily Zinc Cream	82	g

9556Y OILY (APF)

Wool Alcohols Ointment, APF	50	g
Purified Water	50	g

7892J SALICYLIC ACID and RESORCINOL AQUEOUS (APF)

Salicylic Acid	2	g
Resorcinol	2	g
Aqueous Cream, APF to	100	g

7893K SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

Salicylic Acid	2	g
Precipitated Sulphur	2	g
Spike Lavender Oil	0.5	ml
Aqueous Cream, APF to	100	g

PRESCRIPTION

CREAMS—continued

7667M ZINC, OILY (APF)

Zinc Oxide	32	g
Oleic Acid	0.5	ml
Arachis Oil	21.5	ml
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	ml

7654W ZINC, WEAK (PL)

Zinc Oxide	5	g
Oleic Acid	0.5	ml
Arachis Oil	38.5	ml
Wool Fat	25	g
Calcium Hydroxide Solution	34.5	ml

DUSTING POWDERS

(Maximum Quantity 100 g and 1 Repeat)

9841Y DICOPHANE (APF, BPC)

Dicophane	10	g
Calcium Carbonate	10	g
Light Kaolin	80	g

7458M ZINC, STARCH and TALC (APF, BPC)

Zinc Oxide	25	g
Starch	25	g
Purified Talc, sterilised	50	g

EAR DROPS

(Maximum Quantity 15 ml and 2 Repeats)

7642F ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution	9	ml
Purified Water to	15	ml

7643G BORIC ACID (APF)

Boric Acid	300	mg
Alcohol (90 per cent)	3	ml
Purified Water to	15	ml

7487C CHLORHEXIDINE (APF)

Chlorhexidine Acetate	7.5	mg
Purified Water to	15	ml

7645J ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerin	90	g

PRESCRIPTION

7316C PHENYLMERCURIC NITRATE (APF)

Phenylmercuric Nitrate	15	mg
Propylene Glycol	7.5	ml
Purified Water to	15	ml

8185T SALICYLIC ACID (APF)

Salicylic Acid	300	mg
Alcohol (90 per cent)	7.5	ml
Purified Water to	15	ml

7314Y SODIUM BICARBONATE (APF, BPC)

Sodium Bicarbonate	750	mg
Glycerin	4.5	ml
Purified Water to	15	ml

7649N SPIRIT (APF)

Alcohol (90 per cent)	7.5	ml
Purified Water to	15	ml

ELIXIRS

(Maximum Quantity 100 ml and 4 Repeats)

7312W EPHEDRINE (APF)

Ephedrine Hydrochloride	20	mg
Aromatic Syrup, APF	2	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7311T PHENOBARBITONE (APF)

Phenobarbitone	15	mg
Alcohol (90 per cent)	2	ml
Glycerin	1.5	ml
Aromatic Syrup, APF	1	ml
Purified Water to	5	ml

INHALATIONS

(Maximum Quantity 50 ml and 1 Repeat)

7485Y BENZOIN (PL)

Compound Benzoïn Tincture BPC	50	ml

7484X MENTHOL and BENZOIN (PL)

Menthol	1	g
Compound Benzoïn Tincture BPC		
to	50	ml

7310R MENTHOL and EUCALYPTUS (APF, BPC)

Menthol	1	g
Eucalyptus Oil	5	ml
Light Magnesium Carbonate	3.5	g
Purified Water to	50	ml

7309Q MENTHOL and PINE (APF)

Menthol	1	g
Pumilio Pine Oil	2.5	ml
Alcohol (90 per cent) to	50	ml

PREScription

LINCTUSES

(Maximum Quantity 100 ml and 2 Repeats)

7534M CAMPHOR COMPOUND (PL)

Camphorated Opium Tincture	2	ml
Oxymel of Squill	1	ml
Syrup to	5	ml

7537Q CODEINE (APF)

Codeine Phosphate	25	mg
Purified Water	1	ml
Glycerin	1	ml
Oxymel of Squill	2	ml
Syrup to	5	ml

7308P SIMPLE (APF, BPC)

Citric Acid	125	mg
Chloroform Spirit	0.3	ml
Amaranth Solution	0.075	ml
Concentrated Anise Water	0.05	ml
Syrup to	5	ml

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

7884Y CAMPHOR (APF, BP)

Camphor	20	g
Arachis Oil	80	g

7481R METHYL SALICYLATE (APF, BPC)

Methyl Salicylate	25	ml
Arachis Oil to	100	ml

7480Q METHYL SALICYLATE, COMPOUND (APF)

Menthol	4	g
Eucalyptus Oil	10	ml
Methyl Salicylate	25	ml
Arachis Oil to	100	ml

7479P SOAP (APF, BPC)

Camphor	4	g
Oleic Acid	4	g
Potassium Hydroxide Solution (5 per cent)	14	ml
Alcohol (90 per cent)	70	ml
Rosemary Oil	1.5	ml
Purified Water to	100	ml

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

7629M CALAMINE (APF, BP)

Calamine	30	g
Zinc Oxide	10	g
Bentonite, sterilised	6	g
Sodium Citrate	1	g
Liquefied Phenol	1	ml
Glycerin	10	ml
Purified Water to	200	ml

PREScription

7630N CALAMINE, OILY (APF, BPC)

Calamine	10	g
Wool Fat	2	g
Arachis Oil	100	ml
Oleic Acid	1	ml
Calcium Hydroxide Solution to	200	ml

8793T RESORCINOL COMPOUND (APF)

Resorcinol	5	g
Solvent Ether	5	ml
Castor Oil	5	ml
Spike Lavender Oil	0.2	ml
Alcohol (90 per cent) to	200	ml

7633R SULPHURATED (APF)

Zinc Sulphate	10	g
Sulphurated Potash	10	g
Acetone	10	ml
Glycerin	10	ml
Spike Lavender Oil	0.4	ml
Purified Water to	200	ml

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

7304K ALUMINIUM HYDROXIDE and BELLADONNA (APF)

Belladonna Tincture	0.5	ml
Citric Acid	100	mg
Aluminium Hydroxide Mixture, APF to	10	ml

7731X ALUMINIUM HYDROXIDE with PHENOBARBITONE and BELLADONNA (APF)

Phenobarbitone Sodium	20	mg
Purified Water	0.1	ml
Citric Acid	150	mg
Belladonna Tincture	0.5	ml
Aluminium Hydroxide Mixture, APF to	10	ml

7382M AMINOPHYLLINE COMPOUND (PL)

Phenobarbitone Sodium	20	mg
Ephedrine Hydrochloride	15	mg
Potassium Iodide	500	mg
Aminophylline	100	mg
Liquorice Liquid Extract	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

PRESCRIPTION

MIXTURES—continued

7305L ASPIRIN (APF)

Aspirin	500	mg
Compound Tragacanth Powder	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7384P CAFFEINE, IODIDE and EPHEDRINE (PL)

Synonym: C.I.E. Mixture

Caffeine	150	mg
Sodium Iodide	500	mg
Ephedrine Hydrochloride	20	mg
Syrup Tolu	4	ml
Spirit of Aniseed	0.06	ml
Purified Water to	10	ml

7303J CHALK and KAOLIN (APF)

Chalk	1.5	g
Light Kaolin	2.5	g
Potash Alum	10	mg
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7597W CHLORAL (APF)

Chloral Hydrate	1	g
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

9970R FERROUS SULPHATE (APF)

Ferrous Sulphate	300	mg
Ascorbic Acid	10	mg
Orange Syrup, APF	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7603E GENTIAN ACID (APF)

Concentrated Compound Gentian Infusion	1	ml
Dilute Hydrochloric Acid	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7604F GENTIAN ALKALINE (APF)

Concentrated Compound Gentian Infusion	1	ml
Sodium Bicarbonate	500	mg
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

PRESCRIPTION

7302H IPECACUANHA and OPIUM (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture	0.3	ml
Camphorated Opium Tincture	1.2	ml
Tolu Syrup	1.2	ml
Oxymel of Squill	1	ml
Chloroform Spirit	0.3	ml
Concentrated Anise Water	0.15	ml
Purified Water to	10	ml

7301G KAOLIN and OPIUM (APF)

Light Kaolin	2.5	g
Potash Alum	10	mg
Opium Tincture	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7607J MAGNESIUM TRISILICATE (APF)

Magnesium Trisilicate	1	g
Calcium Carbonate	500	mg
Light Magnesium Carbonate	500	mg
Concentrated Peppermint Water	0.25	ml
Purified Water to	10	ml

7385Q PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE (PL)

Synonym: P.B.P.A. Mixture

Phenobarbitone Sodium	15	mg
Belladonna Tincture	0.6	ml
Procaine Hydrochloride	150	mg
Aluminium Hydroxide Mixture, APF to	10	ml

7612P POTASSIUM CHLORIDE (APF)

Potassium Chloride	1	g
Lemon Syrup, APF	2	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7300F POTASSIUM CITRATE (APF)

Potassium Citrate	2	g
Citric Acid	400	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.2	ml
Purified Water to	10	ml

9910N POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate	1	g
Sodium Bicarbonate	750	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.2	ml
Purified Water to	10	ml

PREScription

MIXTURES—continued

7618Y POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	250	mg
Stramonium Tincture	0.5	ml
Lobelia Etheral Tincture	0.5	ml
Aromatic Ammonia Spirit	0.5	ml
Liquorice Liquid Extract	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7620C SENECA and AMMONIA (APF)

Ammonium Bicarbonate	250	mg
Camphorated Opium Tincture	1	ml
Liquorice Liquid Extract	0.5	ml
Concentrated Senega Infusion	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

9895T SODIUM CITRATE (APF)

Sodium Citrate	2	g
Citric Acid	400	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.2	ml
Purified Water to	10	ml

7623F SODIUM SALICYLATE (APF)

Sodium Salicylate	1	g
Liquorice Liquid Extract	0.25	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

7576R DEXTROSE and GLYCERIN (APF)

Dextrose Monohydrate	3	g
Glycerin to	15	ml

7574P EPHEDRINE (APF)

Ephedrine Hydrochloride	150	mg
Chlorbutol	75	mg
Sodium Chloride	75	mg
Propylene Glycol	0.75	ml
Purified Water to	15	ml

PREScription

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

9497W BENZOIC ACID, COMPOUND (APF, BPC)

Benzoic Acid	6	g
Salicylic Acid	3	g
Emulsifying Ointment	91	g

7918R EMULSIFYING (APF, BP)

Emulsifying Wax	30	g
White Soft Paraffin	50	g
Liquid Paraffin	20	g

9592W RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol	2	g
Precipitated Sulphur	3	g
Salicylic Acid	1	g
White Simple Ointment	94	g

7926E SALICYLIC ACID (APF)

Salicylic Acid	2	g
Wool Alcohols Ointment	98	g

7927F SIMPLE (APF, BP)

(White Simple Ointment)

Wool Fat	5	g
Hard Paraffin	5	g
Cetostearyl Alcohol	5	g
White Soft Paraffin	85	g

7899R ZINC and CASTOR OIL (APF, BP)

Zinc Oxide	7.5	g
Castor Oil	50	g
Cetostearyl Alcohol	2	g
White Beeswax	10	g
Arachis Oil	30.5	g

7527E ZINC (APF, BP)

Zinc Oxide	15	g
White Simple Ointment	85	g

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

7562B ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerin	90	g

7565E MAGENTA (APF)

Magenta	100	mg
Resorcinol	2	g
Phenol	1	g
Boric Acid	200	mg
Alcohol (90 per cent)	2	ml
Acetone	1	ml
Purified Water to	25	ml

PRESCRIPTION

PAINTS—continued

7566F	PODOPHYLLIN (APF)		
	Podophyllum Resin	1.25	g
	Compound Benzoin Tincture to	25	ml

7567G PODOPHYLLIN, STRONG (APF)

(Podophyllin, Compound BPC)

	Podophyllum Resin	3.75	g
	Compound Benzoin Tincture to	25	ml

7568H SALICYLIC ACID (APF)

	Salicylic Acid	2.5	g
	Flexible Collodion to	25	ml

PASTES

(Maximum Quantity 100 g and 1 Repeat)

7555P COAL TAR (APF)

	Coal Tar, BPC	1	g
	Castor Oil	1	g
	Compound Zinc Paste	98	g

7556Q DITHRANOL and ZINC (APF)

	Dithranol	100	mg
	Compound Zinc Paste	99.9	g

7422P TITANIUM DIOXIDE (APF)

	Titanium Dioxide	20	g
	Calamine	25	g
	Light Kaolin	10	g
	Bentonite, sterilised	1	g
	Compound Hydroxybenzoate		
	Powder, APF	100	mg
	Glycerin	20	g
	Purified Water to	100	g

7558T ZINC, COMPOUND (APF, BP)

	Zinc Oxide	25	g
	Starch	25	g
	White Soft Paraffin	50	g

PRESCRIPTION

7559W ZINC and SALICYLIC ACID (APF)

	Salicylic Acid	2	g
	Liquid Paraffin	2	g
	Compound Zinc Paste	96	g

POWDERS

(Maximum Quantity 100 g and 2 Repeats)

7477M ALUMINIUM and MAGNESIUM TRISILICATE (APF)

	Dried Aluminium Hydroxide Gel	10	g
	Magnesium Trisilicate	50	g
	Light Kaolin	40	g

7549H MAGNESIUM and CALCIUM CARBONATE (APF)

	Calcium Carbonate	25	g
	Heavy Magnesium Carbonate	25	g
	Magnesium Trisilicate	50	g
	Peppermint Oil	0.2	ml

SPRAY

(Maximum Quantity 15 ml and 4 Repeats)

7425T ADRENALINE and ATROPINE (APF)

	Adrenaline Acid Tartrate	135	mg
	Atropine Methonitrate	15	mg
	Chlorbutol	75	mg
	Sodium Metabisulphite	15	mg
	Propylene Glycol	0.75	ml
	Purified Water, freshly boiled and cooled to	15	ml

SECTION 5 — PRESCRIBERS' LIST — CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100 ml and 4 Repeats)

7426W ALUMINIUM HYDROXIDE with KAOLIN (APF)

Light Kaolin	1	g
Sodium Citrate	5	mg
Aluminium Hydroxide Mixture, APF to	5	ml

7472G ASPIRIN (APF)

Aspirin	150	mg
Compound Tragacanth Powder	100	mg
Raspberry Syrup	1	ml
Purified Water to	5	ml

7852G ATROPINE METHONITRATE (APF)

Atropine Methonitrate	0.5	mg
Lemon Syrup, APF	0.5	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7471F BELLADONNA (APF)

Belladonna Tincture	0.1	ml
Orange Syrup, APF	1	ml
Glycerin	1	ml
Benzoic Acid Solution, APF	0.1	ml
Purified Water to	5	ml

7427X CALCIUM and KAOLIN (APF)

Calcium Carbonate	500	mg
Light Kaolin	1	g
Potash Alum	5	mg
Chloroform Spirit	0.1	ml
Concentrated Cinnamon Water	0.1	ml
Purified Water to	5	ml

7581B CHLORAL HYDRATE (APF)

Chloral Hydrate	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7470E FERROUS GLUCONATE (APF)

Ferrous Gluconate	200	mg
Dextrose Monohydrate	500	mg
Orange Syrup, APF	1	ml
Citric Acid	25	mg
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

PRESCRIPTION

9964K FERROUS SULPHATE (APF)

Ferrous Sulphate	100	mg
Ascorbic Acid	5	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7583D IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture	0.1	ml
Camphorated Opium Tincture	0.3	ml
Oxymel of Squill	1	ml
Purified Water to	5	ml

7429B MAGNESIUM SULPHATE (APF)

Magnesium Sulphate	2	g
Raspberry Syrup	2.5	ml
Concentrated Chloroform Water	0.04	ml
Purified Water to	5	ml

7859P POTASSIUM CITRATE (APF)

Potassium Citrate	1	g
Citric Acid	200	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7586G POTASSIUM IODIDE (APF)

Potassium Iodide	100	mg
Liquorice Liquid Extract	0.25	ml
Aromatic Ammonia Spirit	0.1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7587H POTASSIUM IODIDE and EPHEDRINE (APF)

Potassium Iodide	100	mg
Ephedrine Hydrochloride	10	mg
Stramonium Tincture	0.2	ml
Aromatic Ammonia Spirit	0.1	ml
Liquorice Liquid Extract	0.2	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7588J SODIUM CITRATE (APF)

Sodium Citrate	1	g
Citric Acid	200	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

**SECTION 6 — CONTAINER PRICES, FEES, STANDARD PACKS AND
PRICES, FOR READY PREPARED PREPARATIONS
DECEMBER 1973**

Container prices for ready prepared preparations

VIALS	Container Sizes and Prices				
	15 ml (a)	25 ml (b)	45 ml (c)	75 ml (d)	150 ml (e)
	3c	4c	5c	8c	10c
CARTONS	Small (f)		Medium (g)		Large (h)
	2c		4c		5c

Quantities less than maximum—

Injectibles 150 ml
 Other items 25 ml
 (The 25 ml is the most commonly used size.)

Fees—

Ready prepared professional fee 50c

Dangerous drug fee 50c

NOTE:—Standard packs and prices (including mark up, but without professional fee and dangerous drug fee) are for items against the price of which an asterisk (*) is shown in the Schedule.

Code No.	Approved Name	Form	Pack and Price	Manufacturer
2811Y	Acetylcholine Chloride	1%, 2ml	1 @ \$ 4.93	IR
2766N	Amino Acids with Sorbitol	300 kcal	1 @ 6.40	PC
2631L		600 kcal	1 @ 7.47	PC
2632M		800 kcal	1 @ 10.23	PC
2633N	Amino Acids with Sorbitol and Alcohol	850 kcal	1 @ 7.64	PC
2634P		1,000 kcal	1 @ 8.17	PC
1058Q	Amylobarbitone Sodium	250mg	1 @ 0.44	LY
1059R		500mg	1 @ 0.67	LY
2532G	Angiotensin Amide	2.5mg	10 @ 14.67	CB
1980F	Antivenene - Red Back Spider	500 Units	1 @ 4.00	CS
3038X	Benztropine	2mg in 2ml	1 @ 0.69	MK
1116R	Betamethasone	4mg in 1ml	1 @ 1.33	SH
1071J	Bethanechol	5mg in 1ml	1 @ 0.67	MK
2817G	Capreomycin	1g	1 @ 3.75	LY
2873F	Casein Hydrolysate with Laevulose and Alcohol	800 kcal	1 @ 7.51	TV
2493F	Cephaloridine	250mg	1 @ 1.76	GL
2494G		500mg	1 @ 3.08	GL
2643D		1g	1 @ 5.88	GL
2964B	Cephalothin Sodium	1g	1 @ 4.32	LY
1163F	Chlorambucil	2mg	25 @ 1.33	BW
1164G		5mg	25 @ 2.13	BW
2385M	Chloramphenicol	250mg	1 @ 0.91	PD
1167K		1g	1 @ 1.53	EC, PD
1185J	Chloroquine	2ml	10 @ 1.63	MB
1186K		5ml	10 @ 2.93	MB
3021B	Cholera Vaccine	1ml	1 @ 0.40	CS
1210Q	Clemizole	20mg	100 @ 2.00	SC
3111R	Colaspase	10,000 Units	1 @ 11.55	MB
2621Y	Colistin	150mg	1 @ 6.83	WW
1079T	Cyclophosphamide	500mg	1 @ 2.53	MJ
2910E	Cytarabine	100mg set	1 @ 7.04	UP
2243C	Darrow's Solution	1 litre	1 @ 1.44	AB, TV
3114X	Daunorubicin	20mg	1 @ 9.73	MB
2509C	Dexamethasone	4mg in 1ml	1 @ 1.33	FR, MK
1291Y		4mg/ml, 2ml	1 @ 2.40	FR, MK
2305H	Dextran 40	10%-5%, 500ml	1 @ 8.00	FC
			1 @ 8.67	PS
2306J		10%-0.9%, 500ml	1 @ 8.00	FC
			1 @ 8.67	PS
3081E	Dextran 70	6%-5%, 500ml	1 @ 5.16	PS
3082F		10%-5%, 500ml	1 @ 6.84	PS
3011L		6%-0.9%, 500ml	1 @ 5.16	PS
2701E	Dextromoramide	5mg in 1ml	5 @ 1.97	FA
2245E	Dextrose	5%, 1 litre	1 @ 1.44	AB, TV
2247G		10%, 1 litre	1 @ 1.44	AB, TV
2249J		20%, 1 litre	1 @ 1.44	AB, TV
2251L		25%, 1 litre	1 @ 1.44	AB, TV
2252M		50%, 500ml	1 @ 1.51	AB
1321M	Digoxin	500mcg in 2ml	5 @ 1.00	BW
2537M		50mcg in 2ml	5 @ 0.96	BW
1333E	Diloxanide Furoate	500mg	15 @ 2.00	BT
3165N	Dimethisterone with Ethinyl-oestradiol	Tablet-Pack	1 @ 0.92	MJ
1342P	Diphtheria Antitoxin	1,000 Units	1 @ 1.47	CS
1344R		10,000 Units	1 @ 9.17	CS
1341N	Diphtheria and Tetanus Vaccine	0.5ml	1 @ 0.44	CS
3019X		0.5ml	1 @ 0.44	CS
1346W	Diphtheria, Tetanus and Pertussis Vaccine	0.5ml	1 @ 0.52	CS

Code No.	Approved Name	Form	Pack and Price	Manufacturer
1348Y	Diphtheria Vaccine (P.T.A.P.)	0.5ml	1 @ \$ 0.44	CS
3020Y	Diphtheria Vaccine (P.T.A.P.) Diluted for Adults	0.5ml	1 @ 0.35	CS
3199J	Electrolyte Replacement Solution	1 litre	1 @ 1.57	TV
1398N	Erythromycin	300mg in 10ml	1 @ 2.37	AB
1407C	Ethinylloestradiol	0.05mg	50 @ 0.51	SH
1412H	Ethiopropazine	50mg	50 @ 1.40	MB
3166P	Ethinodiol Diacetate with Ethinyl- oestradiol	500mcg - 50mcg	1 @ 0.92	SR
3167Q		1mg - 50mcg	1 @ 0.92	SR
3168R		Tablet-Pack	1 @ 0.92	SR
3169T	Ethinodiol Diacetate with Mestr- anol	500mcg-100mcg	1 @ 0.92	SR
3170W		1mg - 100mcg	1 @ 0.92	SR
3171X		2mg - 100mcg	1 @ 0.92	SR
1436N	Folic Acid	15mg in 1ml	5 @ 1.20	AB
			5 @ 1.43	ET
1441W	Gas Gangrene Antitoxin (Oedematiens)	10,000 Units	1 @ 9.24	CS
1444B	Gas Gangrene Antitoxin (Septicum)	5,000 Units	1 @ 14.47	CS
1446D	Gas Gangrene Antitoxin (Welchii)	10,000 Units	1 @ 12.47	CS
2699C	Gas Gangrene Antitoxin - Mixed (Polyvalent)	25,000 Units	1 @ 16.69	CS
2253N	Gastric Replacement Solution	500ml	1 @ 1.40	AB,TV
2824P	Gentamicin Sulphate	80mg in 1ml	1 @ 5.33	RL,SH
2655R	Goats' Milk	Powder 14oz	1 @ 4.36	JM
1027C		Powder 1 lb	1 @ 4.93	GV
2654Q		Powder 450g	1 @ 4.96	CE
2656T		14 fl oz	1 @ 0.45	TM
1467F	Heparin	5,000 Units in 1ml	1 @ 0.56	CS
			10 @ 4.48	WP
1466E		5,000 Units in 5ml	1 @ 0.56	AH,BT,CS,WP
1469H		12,500 Units in 1ml	1 @ 1.00	CS
1468G		25,000 Units in 5ml	1 @ 1.67	AH,BT,CS,WP
1076P		35,000 Units in 35ml	1 @ 2.67	CS
1501B	Hydrocortisone Sodium Succinate	100mg Set	1 @ 4.33	PT
			1 @ 4.64	GL
			1 @ 4.72	NR
			1 @ 4.96	BT,RM,UP
2851C	Influenza Vaccine	1ml	1 @ 0.95	CS
1523E	Insulin	20 Units per ml, 10ml	1 @ 0.61	BW,CS
1525G		40 Units per ml, 10ml	1 @ 1.00	BT,WP
			1 @ 1.12	AH,BW,CS
1527J		80 Units per ml, 10ml	1 @ 1.69	BT
			1 @ 1.91	AH,BW,CS
1529L		160 Units per ml, 10ml	1 @ 4.23	CS
1530M		300 Units per ml, 5ml	1 @ 5.29	CS
1531N		40 Units per ml, 10ml	1 @ 3.19	CS

Code No.	Approved Name	Form	Pack and Price	Manufacturer
2580T	Insulin Biphasic	40 Units per ml, 10ml	1 @ \$ 1.89	AH
2581W		80 Units per ml, 10ml	1 @ 3.60	AH
1532P	Insulin Globin Zinc	40 Units per ml, 5ml	1 @ 0.69	BW
1533Q		80 Units per ml, 5ml	1 @ 1.20	BW
1534R	Insulin Isophane (N.P.H.)	40 Units per ml, 10ml	1 @ 1.16 1 @ 1.31	BT,WP AH,BW,CS
1535T		80 Units per ml, 10ml	1 @ 2.23 1 @ 2.51	BT,WP AH,BW,CS
1536W		160 Units per ml, 10ml	1 @ 4.44	CS
1537X		40 Units per ml, 10ml	1 @ 2.64	CS
2578Q	Insulin Neutral	40 Units per ml, 10ml	1 @ 1.35	AH,BW
2579R		80 Units per ml, 10ml	1 @ 2.55	AH,BW
1539B	Insulin Protamine Zinc	40 Units per ml, 10ml	1 @ 1.07 1 @ 1.20	BT,WP AH,BW,CS
1540C		80 Units per ml, 5ml	1 @ 1.07	BT
1541D		80 Units per ml, 10ml	1 @ 2.24	AH,BW,CS
1542E		40 Units per ml, 10ml	1 @ 1.52	CS
1543F	Insulin Zinc Suspension	40 Units per ml, 10ml	1 @ 1.24 1 @ 1.40	BT AH,BW,CS
1544G		80 Units per ml, 10ml	1 @ 2.39 1 @ 2.68	BT AH,BW,CS
1545H	Insulin Zinc Suspension (Amorphous)	40 Units per ml, 10ml	1 @ 1.24 1 @ 1.40	BT AH,BW,CS
1546J		80 Units per ml, 10ml	1 @ 2.39 1 @ 2.68	BT AH,BW,CS
1547K	Insulin Zinc Suspension (Crystalline)	40 Units per ml, 10ml	1 @ 1.24 1 @ 1.40	BT AH,BW,CS
1548L		80 Units per ml, 10ml	1 @ 2.39 1 @ 2.68	BT AH,BW,CS
2254P	Intestinal Replacement Solution	500ml	1 @ 1.40	AB,TV
2864R		1 litre	1 @ 2.17	TV
1563G	Kanamycin	500mg	1 @ 1.47	BC
1564H		1g	1 @ 2.40	BC
3025F	Laevulose	10%, 1 litre	1 @ 2.87	AB,CA,TV
3026G		20%, 1 litre	1 @ 4.40	AB,CA,TV
3027H	Lynoestrenol with Mestranol	40%, 500ml	1 @ 4.40	CA
3172Y		1mg-100mcg	1 @ 0.92	CB,OR
3173B	Lypressin	2.5mg - 75mcg	1 @ 0.92	CB,OR
2401J		50 Units per ml, 5ml	1 @ 2.07	SZ

Code No.	Approved Name	Form	Pack and Price	Manufacturer
2589G	Mannitol	10%, 1 litre	1 @ \$ 3.24	AB,TV
2590H		20%, 500ml	1 @ 3.24	AB,TV
3174C	Megestrol Acetate with Ethinyl- oestradiol	Tablet-Pack	1 @ 0.92	AH
3175D		Tablet-Pack	1 @ 0.92	AH
2547C	Melphalan	2mg	25 @ 2.40	BW
2548D		5mg	25 @ 4.40	BW
1597C	Mercaptomerin Sodium	1.4g in 10ml	1 @ 1.83	WY
1602H	Mersalyl	2ml	5 @ 0.80	DH
1604K	Metaraminol	10mg in 1ml	1 @ 0.40	MK
1619F	Methenolone Acetate	1mg	50 @ 1.13	SC
1620G		5mg	50 @ 3.87	SC
2323G	Methicillin	1g	1 @ 3.17	BR,CS
2393Y	Methotrexate	5mg	1 @ 2.20	LE
2394B		50mg	1 @ 10.53	LE
1623K	Methoxamine Hydrochloride	20mg in 1ml	5 @ 1.20	BW
2981X	Methylprednisolone Sodium Succinate	40mg (base) in 1ml	1 @ 2.40	UP
3092R	Milk Powder - Synthetic	14oz	1 @ 3.63	MN
1637E		397g	1 @ 3.56	MN
2685H		454g	1 @ 8.09	MN
2697Y	Neomycin	500mg Powder	1 @ 1.27	ET
3176E	Norethisterone with Mestranol	1mg - 50mcg	1 @ 0.92	ET,SD
3177F		1mg - 80mcg	1 @ 0.92	ET
3178G		2mg - 100mcg	1 @ 0.92	ET,SD
3179H		Tablet-Pack	1 @ 0.92	SD
3180J	Norethisterone Acetate with Ethinylloestradiol	1mg - 50mcg	1 @ 0.92	SC
3181K		3mg - 50mcg	1 @ 0.92	SD
3182L		4mg - 50mcg	1 @ 0.92	SC
3183M		Tablet-Pack	1 @ 0.92	PD,SC
3184N		Tablet-Pack	1 @ 0.92	PD
3185P	Norethynodrel with Mestranol	2.5mg - 100mcg	1 @ 0.92	SR
3186Q	Norgestrel with Ethinylloestradiol	250mcg - 50mcg	1 @ 0.92	SC,WY
3187R		500mcg - 50mcg	1 @ 0.92	SC,WY
3188T		Tablet-Pack	1 @ 0.92	SC,WY
3189W		Tablet-Pack	1 @ 0.92	SC,WY
2564Y	Nutramigen	454g	1 @ 3.40	MJ
1719L	Oxytetracycline	I.M. 100mg	1 @ 0.75	BP,PF
1720M		I.M. 250mg	1 @ 1.36	BP,PF
1721N		I.V. 250mg	1 @ 1.36	BP,PF
1732E	Pancreatin Concentrate	30g Powder	1 @ 1.36	PD
1734G		300mg	100 @ 1.84	PD
1759N	Pempidine	5mg	50 @ 1.44	MB
2722G	Penicillamine	250mg	50 @ 21.00	MK
1778N	Penicillin Benzyl	600mg and 2ml	1 @ 0.39	GL
1779P		900mg and 2ml	1 @ 0.56	GL
2647H		3g	1 @ 1.36	AH,CS,GL,SI
2648J		6g	1 @ 2.32	AH,CS,GL,SI
1791G	Penicillin Procaine	600mg	1 @ 0.59	FA
1793J		1g	1 @ 0.77	FA,SI
1794K		1.5g	1 @ 0.83	FA,SI
1801T	Penicillin Procaine Fortified	360mg	1 @ 0.29	CS,SI
1802W		1.08g	1 @ 0.57	CS,SI
2410W	Peritoneal Dialysis Solution	1.5% Dextrose	1 @ 1.67	AB,TV
3192B		4.25% Dextrose	1 @ 1.67	TV
1827E	Pertussis Vaccine	20,000M in 0.5ml	1 @ 0.40	CS
1851K	Phenobarbitone	60mg	100 @ 0.47	AD,KL,RT,RY
1852L		100mg	100 @ 0.60	AD,KL,RT,RY,SI

Code No.	Approved Name	Form	Pack and Price	Manufacturer
1858T	Phenobarbitone Sodium	60mg	100 @ \$ 0.47	KL
1859W		100mg	100 @ 0.60	KL
2383K	Phytomenadione	10mg in 1ml	1 @ 1.07	MK
2384L		10mg/ml, 5ml	1 @ 5.00	MK
1901C	Plague Vaccine	1ml	1 @ 0.67	CS
2392X	Polymyxin B Sulphate - Powder	500,000 Units	1 @ 2.93	BW
2255Q	Potassium - Free Maintenance Solution	500ml	1 @ 1.40	AB
1919B	Prednisolone Acetate	10mg in 1ml	1 @ 0.93	SC
3095X	Prednisolone Sodium Phosphate	20mg in 1ml	5 @ 13.33	GL
2439J	Prednisolone Sodium Succinate	Injection Set	3 @ 13.33	MQ
2830Y	Propranolol	1mg in 1ml	10 @ 3.12	IC
1960E	Pyridostigmine	1mg in 1ml	6 @ 0.88	RO
1966L	Pyrimethamine	25mg	50 @ 1.47	BW
1986M	Rolitetracycline	I.V. 110mg	1 @ 1.32	HP
1987N		I.V. 275mg	1 @ 2.32	HP
1988P		I.V. 350mg	1 @ 2.32	BC
1989Q		I.M. 150mg	1 @ 1.31	BC
			1 @ 1.32	HP
1990R		I.M. 350mg	1 @ 2.32	BC,HP
2258W	Saline Lactate Solution	500ml	1 @ 1.40	AB
2013Y	Sodium Aurothiomalate	1mg	1 @ 0.39	MB
2015C		5mg	1 @ 0.43	MB
2016D		10mg	1 @ 0.51	MB
2017E		20mg	1 @ 0.55	MB
2018F		50mg	1 @ 0.69	MB
3015Q	Sodium Bicarbonate	8.4%, 100ml	1 @ 2.00	AB
3029K		4.2%, 500ml	1 @ 1.53	AB
2022K	Sodium Calciumedetate	200mg/ml, 5ml	6 @ 5.87	RK
2260Y	Sodium Chloride	3%, 1 litre	1 @ 1.44	AB,TV
2262C		5%, 1 litre	1 @ 1.44	TV
2264E		1 litre	1 @ 1.44	AB,TV,VF
2029T	Sodium Chloride (Physiological Solution)	50ml	1 @ 0.67	AB,KL
2266G	Sodium Chloride Compound BPC1959	1 litre	1 @ 1.44	AB,TV
2268J	Sodium Chloride Compound and Dextrose	5%, 1 litre	1 @ 1.44	AB
2271M	Sodium Chloride and Dextrose	5%, 1 litre	1 @ 1.44	AB,TV
2273P		10%, 1 litre	1 @ 1.44	AB,TV
2275R		20%, 1 litre	1 @ 1.44	AB,TV
2277W		25%, 1 litre	1 @ 1.44	AB
2278X		2.5%, 500ml	1 @ 1.23	AB,TV
2279Y		3.75%, 500ml	1 @ 1.23	AB,TV
2281C		4%, 1 litre	1 @ 1.44	AB,TV
2282D		4.3%, 1 litre	1 @ 1.44	AB
2284F	Sodium Lactate	1 litre	1 @ 1.44	AB,TV,VF
2286H	Sodium Lactate Compound	1 litre	1 @ 1.44	AB,TV
2288K	Sodium Lactate Compound and Dextrose	5%, 1 litre	1 @ 1.44	AB,TV
2290M		10%, 1 litre	1 @ 1.44	AB
2039H	Soya Formula	384ml	1 @ 0.63	MJ,RD
2837H		425g	1 @ 0.61	SA
2041K		454g	1 @ 1.77	MJ
2293Q	Standard Maintenance Fluid	500ml	1 @ 1.40	AB,TV
2478K	Stanozolol	2mg	50 @ 3.20	WL
2069X	Sulphadiazine Sodium	4ml	10 @ 2.32	MB
2115H	Testosterone Propionate	25mg in 1ml	3 @ 1.15	SC
2116J		50mg in 1ml	3 @ 2.21	SC
2629J	Tetanus Antitoxin (Bovine)	1,500 Units	1 @ 2.00	CS

Code No.	Approved Name	Form	Pack and Price	Manufacturer
			\$	
2121P	Tetanus Antitoxin (Equine)	1,500 Units in 1ml	1 @ 1.61	CS
2122Q		10,000 Units in 5ml	1 @ 6.55	CS
2123R		50,000 Units in 10ml	1 @ 29.11	CS
2127Y	Tetanus Vaccine (P.A.P.A.)	0.5ml	1 @ 0.36	CS
2636R	Tetracosactrin	250mcg I.V.	1 @ 2.49	CB
2403L	Tetracycline	I.M. 250mg	1 @ 2.32	LE
2368P	Thiethylperazine	6.5mg in 1ml	5 @ 0.67	SZ
2345K	Thiotepa Injection	15mg	1 @ 2.67	LE
2294R	Tissue Repair Solution - Acidosis	500ml	1 @ 1.40	AB
2295T	Tissue Repair Solution - Alkalosis	500ml	1 @ 1.40	AB
2686J	Triglycerides, Medium Chain	454g	1 @ 2.43	MJ
1354G	Trisodium Edetate	200mg/ml, 5ml	6 @ 6.67	RK
2800J	Typhoid Vaccine	0.5ml	1 @ 0.37	CS
2195M	Typhus Vaccine	1ml	1 @ 3.52	CS
2197P	Vasopressin Tannate	5 Units in 1ml	5 @ 2.00	PD
2371T	Vincristine	1mg	1 @ 12.95	LY
2348N	Viomycin	1g	1 @ 3.33	PD,PF
2217Q	Water for Injections	5ml	1 @ 0.11	CS

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

**(H) Preparations restricted to use in approved
hospitals only**

**(C & I) Preparations restricted to colostomy and
ileostomy use only**

Proprietary Name	Manu- fac- turer	Approved Name
A.B.	KL	Theophylline
Abbocillin	AB	Penicillin Products
Abbocillin G	AB	Penicillin Benzyl
Abbocillin-V	AB	Penicillin Phenoxymethyl
Abbocillin-VK	AB	Penicillin Phenoxymethyl
Acetest	AM	Sodium Nitroprusside
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Acode	KL	Codeine Phosphate with Aspirin
Actal	WL	Aluminium Hydroxide Gel Dried
Actal Complex	WL	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Actidil	CA	Tripolidine
Actrapid-Novo	AH	Insulin Neutral
Adaben	KL	Benzocaine with Adrenaline
Adacillin	AV	Penicillin Phenoxymethyl
Adacor	AV	Hydrocortisone
Adaphol	AV	Pholcodine
Adasone	AV	Prednisone
Adnisolone	AV	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	CA	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aeroplast	PD	Acrylic Resin (C & I)
Aerosporin	BW	Polymyxin B Sulphate
Aerosporin	CA	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Akineton	KN	Biperiden
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Allerzine	VR	Diphenylpyraline
Almacarb	AH	Aluminium Hydroxide Gel with Magnesium Hydroxide
Almacarb Suspension		
Almacarb Tablet	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Alox Mixture	KL	Aluminium Hydroxide Gel
Alox Tablet	KL	Aluminium Hydroxide Gel Dried
Alox Compound	KL	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide

Proprietary Name	Manu- fac- turer	Approved Name
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Amesec	LY	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Amigen with Levugen	TV	Casein Hydrolysate with Laevulose and Alcohol
Aminofusin	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin 850	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin 1000	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminogran	GL	Amino Acid Formula without Phenylalanine
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	BB	Amylobarbitone Sodium
Amylosol	LF	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anacyclin	CB	Lynoestrenol with Mestranol
Anadur	SI	Nandrolone Hexanoylphenylpropionate
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	AH	Meclozine
Ancosal	AV	Sodium Salicylate
Androphyllin	ET	Aminophylline
Angesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Anginine Stabilised	BW	Glyceryl Trinitrate
Anoidal	HA	Benzalkonium Chloride
Anovlar	SC	Norethisterone Acetate with Ethinyl-oestradiol
Ansolysen	MB	Pentolinium Tartrate
Antegan	FR	Cyproheptadine
Antegan SR	FR	Cyproheptadine
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine Maleate
Anti-Spas	PT	Benzhexol

Proprietary Name	Manu- fac- turer	Approved Name
Antistine Privine	CB	Antazoline with Naphazoline
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine G	CS	Penicillin Procaine
Aquacaine G Fortified	CS	Penicillin Procaine Fortified
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascorb "25"	PT	Ascorbic Acid
Ascorb "50"	PT	Ascorbic Acid
Ascotin	FA	Codeine Phosphate with Aspirin
Asmin	KL	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Asopax	NS	Aluminium Aspirin
Aspalgin	FM	Codeine Phosphate with Aspirin
Aspisol	KL	Aspirin (Soluble)
Astrafer	AP	Dextriferron
A.T.10	WL	Dihydrotachysterol
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Austrawolf	CS	Rauwolfia Serpentina
Aventyl	LY	Nortriptyline
Avil	HP	Pheniramine
Avil Retard	HP	Pheniramine
Avilettes	HP	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
B		
Bactrim	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol

Proprietary Name	Manu- fac- turer	Approved Name
Banish	DY	Deodorant Concentrate (C & I)
Barbico	AB	Barbitone with Pentobarbitone and Phenobarbitone
Barbopent	BW	Pentobarbitone Sodium
Bayrena	BN	Sulphamethoxydiazine
B.A.Z.	KL	Zinc and Adrenaline
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol 1000	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Betacard	BR	Alprenolol
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate 1/2	GL	Betamethasone Valerate
Betnovate Otic	GL	Betamethasone with Clioquinol
Bicillin	WY	Penicillin Benzathine
Bicillin All Purpose	WY	Penicillin Benzathine Compound
Bidramine	AV	Diphenhydramine
Biogastrone	BQ	Carbenoxolone Sodium
Biomydrin	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bi-prin	BT	Aspirin
Bi-Quinate	KL	Quinine Bisulphate
Bleph 10	AG	Sulphacetamide Sodium
Bonadorm	AH	Dichloralphenazone
Bramahist	BB	Chlorpheniramine
Bramcillin	BB	Penicillin Phenoxymethyl
Bramcycline	BB	Oxytetracycline
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Clopamide
Brislox	BC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Bristacin-A	BC	Rolitettracycline
Brista-K	BC	Potassium
Bristaline	BC	Methdilazine
Bristasma	BC	Theophylline with Guaiphenesin
Bristuric	BC	Bendrofluazide
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin Forte	BC	Aspirin (Buffered)
Burco	CA	Codeine Phosphate with Aspirin and Paracetamol

Proprietary Name	Manu- fac- turer	Approved Name
Burcosol	CA	Codeine Phosphate with Aspirin and Paracetamol
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalan	LP	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butaphen	PR	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbutobarbitone
Butoroid	VR	Phenylbutazone
Butoz	HA	Phenylbutazone
Buzon	KL	Phenylbutazone
C		
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium (H)
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Camoquin	PD	Amodiaquine
Cantil	SI	Mepenzolate
Caprocin	LY	Capreomycin
Carbapen	CS	Carbenicillin
Carbazole	PT	Carbimazole
Cardilate	BW	Erythrityl Tetranitrate
Cardiox	AV	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	AV	Quinidine Sulphate
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Carobel	MN	Ceratonia
Catapres	BY	Clonidine
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Cefrocyn	FR	Neomycin Sulphate Mixture
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone Chronodose	SH	Betamethasone
Celestone-V Half Strength	SH	Betamethasone Valerate
Celontin	PD	Methsuximide
Ceporan	GL	Cephaloridine
Ceporex	GL	Cephalexin
Cerubidin	MB	Daunorubicin
Cetamin	KL	Ascorbic Acid

Proprietary Name	Manu- fac- turer	Approved Name
Char-Bon	LF	Charcoal (C & I)
Chlomin	KL	Chloramphenicol
Chlopex	KL	Chloramphenicol with Polymyxin B
Chloradorm	KL	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromycetin Succinate	PD	Chloramphenicol
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlortet	LF	Chlortetracycline
Chlor Trimeton	SH	Chlorpheniramine
Chlor Trimeton Repetab	SH	Chlorpheniramine
Chlorvescent	PT	Potassium Chloride
Choledyl	WW	Choline Theophyllinate
Chlotride	FR	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Cidomycin	RL	Gentamicin Sulphate
Cilicaine	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Cillaphen	PR	Penicillin Phenoxymethyl
Citradex	GL	Vitamins Compound
Citralka	PD	Sodium Acid Citrate
Citralyte	MJ	Sodium Citro-Tartrate
Citrapen	DL	Penicillin Phenoxymethyl
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Clistin R-A	ET	Carbinoxamine
Closina	LY	Cycloserine
Co-Com	VR	Codeine Phosphate with Aspirin and Paracetamol
Codacet	CA	Codeine Phosphate with Aspirin
Codaspren	SI	Codeine Phosphate with Aspirin and Paracetamol
Code-Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Codelcortone	MK	Prednisolone Tertiary Butyl Acetate
T.B.A.		
Codelsol	MK	Prednisolone Sodium Phosphate
Codiphen	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine

Proprietary Name	Manu- fac- turer	Approved Name
Codiphen Forte	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codral Forte	BW	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codsol	KL	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colascor	DH	Ascorbic Acid
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colliron	AH	Ferric Hydroxide
Colofac	PI	Mebeverine Hydrochloride
Coloxyl 50	FM	Diocetyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diocetyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diocetyl Sodium Sulphosuccinate with Danthron
Coluric	AV	Colchicine
Coly-Mycin Injection	WW	Colistin
Coly-Mycin Ear Drops	WW	Colistin with Neomycin
Combantrin	GP	Pyrantel Embonate
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortisyl	RL	Cortisone Acetate
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrosyn Depot	OR	Tetracosactrin
Cotazym	OR	Pancrelipase
Cotin	KL	Ergotamine Tartrate with Caffeine
Coumadin	EN	Warfarin
Crasnitin	MB	Colaspase
Cremomycin	MK	Neomycin Sulphate Mixture
Crystapen	GL	Penicillin Benzyl
Cuprimine	MK	Penicillamine
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar	UP	Cytarabine
D		
Dalacin C	UP	Clindamycin
Dale	CE	Goats' Milk
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide

Proprietary Name	Manufacturer	Approved Name
Daraprim	BW	Pyrimethamine
Daricon	PF	Oxyphencyclimine
Dartalan	SR	Thiopropazate
Debendox	ML	Dicyclomine with Doxylamine and Pyridoxine
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decasone	FR	Dexamethasone
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Deltacortril	PF	Prednisolone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermafilm	PD	Dimethicone
Deseril	SZ	Methysergide
Desferal	CB	Desferrioxamine
Dexacillin	SQ	Epicillin
Dex-Cit	DH	Sodium Citro-Tartrate
Dexamethsone	PT	Dexamethasone
Dextrostix	AM	Glucose Indicator
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diabinese M	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	TV	Peritoneal Dialysis Solution
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator
Diazyl	AB	Sulphadiazine
Dichlotride	MK	Hydrochlorothiazide
Diclomyl	KL	Dicyclomine Hydrochloride
Dicycol	OD	Dicyclomine Hydrochloride
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene Suspension	BT	Aluminium Hydroxide Gel with Magnesium Hydroxide
Dijene Tablet	BT	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Forte	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone
Dilosyn	AH	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Dindevan	AH	Phenindione

Proprietary Name	Manufacturer	Approved Name
Di-Paralene	AB	Chlorcyclizine
Direxiode	DF	Di-iodohydroxyquinoline
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Distaquaine VK	DL	Penicillin Products
Ditoin	KL	Phenytoin Sodium
Divermex	DF	Piperazine Adipate
Doburil	BY	Cyclothiazide
Donnabarbital	FM	Belladonna with Phenobarbitone
Donnabarbital Forte	FM	Belladonna with Phenobarbitone
Donnatal	RS	Belladonna with Phenobarbitone
Donnatal-LA	RS	Belladonna with Phenobarbitone
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Dormel	DH	Chloral Hydrate
Dormir	LF	Methaqualone
Doxin	GP	Doxycycline
D-Penamamine	DL	Penicillamine
Droleptan	ET	Droperidol (H)
Dulcepen G	AB	Penicillin Benzathine
Duphalac	PI	Lactulose
Durabolin	OR	Nandrolone Phenylpropionate
Duronitrin	ET	Trolnitrate Phosphate
Duro-Tuss	RK	Pholcodine
Dymadon	CA	Paracetamol
Dytac	SK	Triamterene
E		
E.D.C.	NS	Ethylidene Dicoumarin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinylloestradiol
Edulen	SR	Ethinodiol Diacetate with Ethinyl-oestradiol
Efal	KL	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid (H)
Elavil	FR	Amitriptyline
Elixophyllin	CP	Theophylline
Elixophyllin-KI	CP	Theophylline with Potassium Iodide
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Elmidone	KL	Primidone
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide

Proprietary Name	Manu- fac- turer	Approved Name
Ensalate	RC	Sodium Salicylate
Entacyl	AH	Piperazine Adipate
Entair	AH	Theophylline with Guaiphenesin
Entamycin	VR	Neomycin Sulphate Mixture
Enterfram	FC	Framycetin
Ephedrobarbital	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital-T	FM	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Epifrin	AG	Adrenaline
Eppy	ET	Adrenaline
Eraldin	IC	Practolol
Eratrex	BC	Erythromycin
Ergalan	AH	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergomine	PT	Ergometrine Maleate
Ergotrate	LY	Ergometrine Maleate
Ermalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Ertonyl	SH	Ethinylloestradiol
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepifylline
Ethamolin	GL	Ethanolamine Oleate
Ethidyne	EL	Codeine Phosphate with Aspirin
Ethryn	FA	Erythromycin
Etin	KL	Ergotamine Tartrate
Eucerin	AH	Wool Alcohols
Eudorm	VR	Chloral Hydrate
Euglucon	FM	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Eumydrin	WL	Atropine Methonitrate
Evactil	FA	Paraffin Liquid
F		
Fabadorm	BN	Cyclobarbitone
Fabahistin	BN	Mebhydrolin
Fabahistin TR	BN	Mebhydrolin
Falcopen V	FA	Penicillin Phenoxymethyl
Falcopen VK	FA	Penicillin Phenoxymethyl
Famet	CA	Sulphamethizole

Proprietary Name	Manufacturer	Approved Name
Fefol 2	SK	Ferrous Sulphate Dried with Folic Acid
Fenostil	CB	Dimethindene
Fenostil Retard	CB	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate Dried
Ferromyn	CA	Ferrous Succinate
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Fibroxin	VR	Digoxin
Flagyl	MB	Metronidazole
Flavopen	GP	Penicillin Phenoxymethyl
Flebocortid	RM	Hydrocortisone Sodium Succinate
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folasic	AV	Folic Acid
Polettes	FM	Folic Acid
Fonurit	BZ	Acetazolamide
Fortral	WL	Pentazocine
Fortuss	GP	Dihydrocodeine Tartrate
Framygen	FC	Framycetin
Franol	WL	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Fucidin	ET	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungilin	SQ	Amphotericin B
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
G		
Galactomin	MN	Milk Powder - Synthetic
Formula 17		
Galactomin	MN	Milk Powder - Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastro-Caloreen	MN	Dextrose Polymer
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastroid	BB	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gaviscon	RC	Alginic Acid Compound

Proprietary Name	Manu- fac- turer	Approved Name
Gaviscon Infant	RC	Alginic Acid Compound
Gelox	PR	Aluminium Hydroxide Gel
Celusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucomide	PT	Acetazolamide
Glaucon	AQ	Adrenaline
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Gludorm	KL	Glutethimide
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gynergen	SZ	Ergotamine Tartrate
Gynovlar	SC	Norethisterone Acetate with Ethinyl- oestradiol
H		
Haelan	DL	Flurandrenolone
Haemaccel	HP	Plasma Substitute (H)
Haemofort	MJ	Ferrous Sulphate
Haemofort	MJ	Ferrous Sulphate Dried
Halotestin	UP	Fluoxymesterone
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride
Hibitane Concentrate	IC	Chlorhexidine
Hiprex	RK	Hexamine Hippurate
Histaids	OD	Chlorpheniramine
Histalert	RK	Diphenylpyraline
Histalert S.R.	RK	Diphenylpyraline
Histex	SI	Carbinoxamine
Histryl	SK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	MJ	Stilboestrol Diphosphate
Hostacycline	HP	Tetracycline
Hostacycline P	HP	Tetracycline (Buffered)
Hyalase	FC	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Aspirin
Hycor	SI	Hydrocortisone
Hydergine	SZ	Dihydroergotoxine Mesylate
Hydracycline	FM	Tetracycline (Buffered)
Hydrea	SQ	Hydroxyurea (H)
Hydrenox	BT	Hydroflumethiazide
Hydrocort	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone Acetate
Hydrocortone	MK	Hydrocortisone Acetate
Hydrosone	KL	Hydrocortisone

Proprietary Name	Manufacturer	Approved Name
Hygroton	GE	Chlorthalidone
Hynax	VR	Hydrocortisone
Hyperstat I.V.	SH	Diazoxide
Hypertensin	CB	Angiotensin Amide
Hysone-A	PT	Hydrocortisone Acetate
I		
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imferon-D	FC	Iron Dextran
Imiprin	PT	Imipramine
Imuran	BW	Azathioprine
Inapasade	SN	Sodium Aminosalicylate with Isoniazid
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoval	WW	Phenformin
Insoval TD	WW	Phenformin
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	AV	Thiamine Hydrochloride
Invite-C	AV	Ascorbic Acid
Intracort	BT	Hydrocortisone Sodium Succinate
Iramil	KL	Imipramine
Ironate	KL	Ferrous Gluconate
Ismelin	CB	Guanethidine
Iso-Autohaler	RK	Isoprenaline Sulphate
ISOMIL	RD	Soya Formula
Isoptin	KN	Verapamil
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Epinal	AQ	Adrenaline
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Sorbide Nitrate
Isotinyll	KL	Isoniazid
Isotrate	PD	Sorbide Nitrate
Isuprel	WL	Isoprenaline Hydrochloride
J		
Jectofer	AP	Iron Sorbitol
K		
Kabikinase	FA	Streptokinase (H)
Kalycin	KL	Neomycin Sulphate Mixture
Kalycin	KL	Neomycin with Kaolin
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide Gel with Kaolin
Kaomagma	WY	Aluminium Hydroxide Gel with Kaolin

Proprietary Name	Manu- fac- turer	Approved Name
Kaomycin	UP	Neomycin Sulphate Mixture
Kaopectate	UP	Kaolin with Pectin
Karagum	PT	Sterculia (C & I)
Keflex	LY	Cephalexin
Keflin	LY	Cephalothin Sodium
Keforal	DL	Cephalexin
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Kloref	LP	Potassium Chloride
Klor-Lyte	MJ	Potassium Chloride
Klortee	PT	Chloramine (C & I)
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konakion	RO	Phytomenadione
K-san	PR	Potassium Chloride
L		
Lacril	AG	Hypromellose
Laevosan	CA	Laevulose
Lanchloral	LP	Chloral Hydrate
Lanimerck	MQ	Lanatoside-C
Lanocide	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanpen	LP	Penicillin Phenoxymethyl
Lantuss	LP	Pholcodine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amitriptyline
Lasix	HP	Fruzemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demethylchlortetracycline
Lederstatin	LE	Demethylchlortetracycline with Nystatin
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Levopa	PT	Levodopa
Levophed	WL	Noradrenaline
Levugen	TV	Laevulose
Lignosporin	CA	Polymyxin B Sulphate with Lignocaine
Lincocin	UP	Lincomycin
Lincocin 55	UP	Lincomycin

Proprietary Name	Manufacturer	Approved Name
Lingraine	WL	Ergotamine Tartrate
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone Pivalate
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane	IC	Gamma Benzene Hexachloride
Concentrate		
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin Phenoxymethyl
L.P.V. Aqueous	CS	Penicillin Phenoxymethyl
Forte		
Lubarol	DH	Paraffin Liquid
Lyndiol 2.5	OR	Lynoeestrenol with Mestranol
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethopropazine
		M
M & B 693	MB	Sulphapyridine
Maalox	RG	Magnesium-Aluminium Hydroxide
Macrodex	MR	Dextran 70
Madribon	RO	Sulphadimethoxine
Magnoplasm	FA	Magnesium Sulphate
Malaquin	DR	Chloroquine
Mandaze	HA	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Hafgrams		
Marevan	AH	Warfarin
MCT Oil	MJ	Triglycerides, Medium Chain
Medihaler-Epi	RK	Adrenaline Acid Tartrate
Medihaler-Iso	RK	Isoprenaline Sulphate
Medihaler-Iso	RK	Isoprenaline Sulphate
Forte		
Medrol	UP	Methylprednisolone
Medrol	UP	Methylprednisolone Acetate
Medrol Enpak	UP	Methylprednisolone Acetate
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Melsedin	BT	Methaqualone
Mequelon	FR	Methaqualone
Merasyn	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide

Proprietary Name	Manu- fac- turer	Approved Name
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinson	RO	Pyridostigmine
Metem	CH	Aluminium Hydroxide Gel
Metestine	KL	Methyltestosterone
Methalone	AV	Methaqualone
Methased	PT	Methaqualone
Methendalate 250	PT	Methenamine Mandelate
Methendalate 500	PT	Methenamine Mandelate
Methergin	SZ	Methylergometrine
Methopt	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metilar	SD	Paramethasone
Metin	CS	Methicillin
Metopirone	CB	Metyrapone (H)
Mevasine	MK	Mecamylamine
Meyenberg	JM	Goat's Milk
Microcyclin	CB	Lynoestrenol with Mestranol
Midamor	MK	Amiloride
Midicel	PD	Sulphamethoxypyridazine
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Magnesium Hydroxide
Millafol	PD	Folic Acid
Milontin	PD	Phensuximide
Minajel	MG	Aluminium Hydroxide Gel
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyl- oestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyl- oestradiol
Mintezol	MK	Thiabendazole
Miocarpine	IR	Pilocarpine Hydrochloride
Miochol	IR	Acetylcholine Chloride
Modecate	SQ	Fluphenazine Decanoate
Mogadon	RO	Nitrazepam
Monodral	WL	Penthienate
Mortha	WH	Morphine with Tacrine
Mucaine	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Multicin H	KL	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Multivite Six	AH	Vitamins Compound
Mycardol Twenty	WL	Pentaerythritol Tetranitrate
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin

Proprietary Name	Manu- fac- turer	Approved Name
Mylanta	PD	Aluminium Hydroxide Gel with Magnesium Hydroxide
Myleran	BW	Busulphan
Mylosed	VR	Amylobarbitone
Mylosed	VR	Amylobarbitone Sodium
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphotericin B
Mytelase	WL	Amibenonium Chloride
		N
Nacton	BR	Poldine
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
N.B.P.	DH	Polymyxin B Sulphate with Bacitracin and Neomycin
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Benol	KL	Hydroxocobalamin
Neobram	BB	Neomycin Sulphate Mixture
Neocodsol	KL	Codeine Phosphate with Aspirin
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neogynon	SC	Norgestrel with Ethinyloestradiol
Neogynon ED	SC	Norgestrel with Ethinyloestradiol
Neo-Hombreol	OR	Testosterone
Neohydrosone	KL	Hydrocortisone with Neomycin Sulphate
Neomate	LF	Neomycin
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	CA	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	CA	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin

Proprietary Name	Manufacturer	Approved Name
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutrapen	RK	Penicillinase
Neutratabs	HA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Nilstat	LE	Nystatin
Nivaquine	MB	Chloroquine
Nobecutane	AH	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nollipyrin	KL	Codeine Phosphate with Aspirin and Paracetamol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordiol 21	WY	Norgestrel with Ethinyloestradiol
Nordiol 28	WY	Norgestrel with Ethinyloestradiol
Norflex	RK	Orphenadrine Citrate
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl 1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyl- oestradiol
Nortab	SQ	Nortriptyline
Noveril	SZ	Dibenzepin
Novosprin	VR	Aspirin (Soluble)
Nuelin	RK	Theophylline
Nuso	BW	Insulin Neutral
Nutramigen	MJ	Nutramigen
Glucose		
O		
Oblioser	GA	Methaqualone
Octaflex	WB	Acrylic Resin (C & I)
Omnopon	RO	Papaveretum
Omnopon- Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Opclor	PD	Chloramphenicol
Optipen	CS	Phenethicillin
Optocort	PT	Prednisolone
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Oratrol	AQ	Dichlorophenamide
Orbenin	BR	Cloxacillin
Orisul	CB	Sulphaphenazole
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Orumvite	VR	Vitamins Compound
Osmitol	TV	Mannitol

Proprietary Name	Manufacturer	Approved Name
Ospolot	BN	Sulthiame
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B Sulphate
Ovin	MJ	Dimethisterone with Ethinyloestradiol
Ovostat	OR	Lynoestrenol with Mestranol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovral 28	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5	SR	Ethynodiol Diacetate with Mestranol
Ovulen 1	SR	Ethynodiol Diacetate with Mestranol
Ovulen 2	SR	Ethynodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyl-oestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyl-oestradiol
Oxycycline	PT	Oxytetracycline
Oxymycin	KL	Oxytetracycline
Oxymycin-V	KL	Oxytetracycline with Nystatin
P		
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Pamine	UP	Hyoscine Methobromide
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panalgesic	WL	Codeine Phosphate with Aspirin and Paracetamol
Panasma	PT	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Pancrex "V"	ST	Pancreatin Concentrate
Panmycin KM	UP	Tetracycline (Buffered)
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Panteric	PD	Pancreatin Concentrate
Pantheline	PT	Propantheline Bromide
Pantheline Retard	PT	Propantheline Bromide
Panvit	PT	Vitamins Compound
Paracodin	KN	Dihydrocodeine Tartrate
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Paralgin	FM	Paracetamol
Parasin	AV	Paracetamol
Parmol	KL	Paracetamol
Parmol Junior	KL	Paracetamol
Pasalba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate

Proprietary Name	Manu- fac- turer	Approved Name
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Pediamycin	RD	Erythromycin
Peganone	AB	Ethotoin
Penbarb	LF	Pentobarbitone Sodium
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pen-Cilin V	LF	Penicillin Phenoxymethyl
Peni-Vee	DH	Penicillin Phenoxymethyl
Peni-Vee-K	DH	Penicillin Phenoxymethyl
Penritol	LF	Pentaerythritol Tetranitrate
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Pensol	GL	Penicillin Benzyl
Pentathryn	KL	Pentaerythritol Tetranitrate
Pentobeta	BB	Pentobarbitone Sodium
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Methyltestosterone
Periactin	MK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole
Pertofran	GE	Desipramine
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petiscol	KL	Pethidine with Hyoscine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Penicillin Phenoxymethyl
Phenadon	LF	Belladonna with Phenobarbitone
Phenadon F	LF	Belladonna with Phenobarbitone
Phenaloin	MG	Phenolphthalein Compound
Phenergan	MB	Promethazine
Phentoin	PT	Phenytoin Sodium
Phiacort	PY	Hydrocortisone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Phyline	CO	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pilopt-N	SI	Pilocarpine Nitrate
Pimafulcin	BP	Natamycin

Proprietary Name	Manufacturer	Approved Name
Pimafucort Otic	BP	Natamycin, Neomycin Sulphate and Hydrocortisone
Piptal	SI	Pipenzolate
Piranex	KL	Chlorpheniramine
Piranex RA	KL	Chlorpheniramine
Piriton	GL	Chlorpheniramine
Piriton Duolets	GL	Chlorpheniramine
Piriton Spandets	GL	Chlorpheniramine
Pitocin	PD	Oxytocin
Pitressin	PD	Vasopressin
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	MN	Amino Acid Formula without Phenylalanine
PK AID II	MN	Amino Acid Formula without Phenylalanine
Placemol	VR	Paracetamol
Placidyl	AB	Ethchlorvynol
Placyl	HA	Cyclobarbitone
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plegomazine	UW	Chlorpromazine
Plesmet	BP	Ferrous Aminoacetosulphate
Pluryl	ET	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Polmix	KL	Polymyxin B Sulphate
Polycral	NS	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Polycral Gel	NS	Aluminium Hydroxide Gel with Magnesium Hydroxide
Polycycline	BC	Tetracycline
Potavescent	PT	Potassium
Praenitron	PF	Trolnitrate Phosphate
Praenitron Protracted	PF	Trolnitrate Phosphate
Precortisyl	RL	Prednisolone
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primogyn-Depot	SC	Oestradiol Valerate
Primolut-N	SC	Norethisterone
Primoteston Depot	SC	Testosterone Enanthate
Pripsen	RC	Piperazine Phosphate
Pro-Banthine	SR	Propantheline Bromide
Pro-Banthine PA	SR	Propantheline Bromide
Proben	PT	Probenecid
Probexin	KL	Probenecid
Procalm	BB	Chlorpromazine
Procort	PR	Hydrocortisone
Procyclomin	PT	Dicyclomine Hydrochloride
Prodepress	BB	Imipramine

Proprietary Name	Manu- fac- turer	Approved Name
Prodigox	PT	Digoxin
Prodol	BB	Aspirin (Soluble)
Prodol Co.	BB	Codeine Phosphate with Aspirin
Progan	AV	Promethazine
Proladone	CK	Oxycodone
Promacid	KL	Chlorpromazine
Prominal	WL	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide
Propen-VK	PT	Penicillin Phenoxymethyl
Propred	BB	Prednisone
Proquinal	PT	Quinalbarbitone Sodium
Prosobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prosul	LE	Sulphasymazine
Protasma	PT	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Prothazine	KL	Promethazine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin 500	DH	Aspirin (Soluble)
Pularin	AH	Heparin
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Penicillin Phenoxymethyl
P.V.O.	FM	Penicillin Phenoxymethyl
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	KL	Pyridoxine Hydrochloride
		Q
Quaalude	RG	Methaqualone
Quadracyclin	KL	Tetracycline
Quadracyclin V	KL	Tetracycline (Buffered)
Quadrastatin	KL	Tetracycline with Nystatin
Quatrax	VR	Tetracycline
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin
Quinaltone	LF	Quinalbarbitone Sodium
Quinate	KL	Quinine Sulphate
Quinbar	AV	Quinalbarbitone Sodium
Quinbisan	PR	Quinine Bisulphate
Quinid	MW	Quinidine Sulphate
Quinidex	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinsan	PR	Quinine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture
Quitaxon	FM	Doxepin

Proprietary Name	Manufacturer	Approved Name
R		
Rapitard-Novo	AH	Insulin Biphasic
Rastinon	HP	Tolbutamide
Raudixin	SQ	Rauwolfia Serpentina
Rausan	PR	Rauwolfia Serpentina
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Serpentina
Rectinol	GP	Benzocaine with Adrenaline
Repalyte	DH	Electrolyte Replacement (Oral)
Resedrex	HA	Reserpine
Resochin	BN	Chloroquine
Restal	HA	Amylobarbitone
Reverin	HP	Rolitetracycline
Rheomacrodex	MR	Dextran 40
Rhumax	PR	Sodium Salicylate
Rikodeine	RK	Dihydrocodeine Tartrate
Rikospray Silicone	RK	Dimethicone (C & I)
Robinul	RS	Glycopyrronium Bromide
Randomycin	GP	Methacycline
Rynacrom	FC	Sodium Cromoglycate
Ryser	KL	Reserpine
S		
Sacsol	LF	Surgical Cement
Salamide	HA	Salicylamide
Salazopyrin	PS	Sulphasalazine
Salide	NS	Salicylamide
Samid	KL	Salicylamide
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
Scorbettes	PR	Ascorbic Acid
S-Dimidine	PT	Sulphadimidine
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Senokot	RC	Senna Fruit Extract (Standardised)
Septrin	BW	Trimethoprim with Sulphamethoxazole
Serazone	VR	Chlorpromazine
Serc	PT	Betahistine Hydrochloride
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
Serenol	PT	Rauwolfia Serpentina
Serfia	KL	Rauwolfia Alkaloids
Serial C	AH	Megestrol Acetate with Ethinyl- oestradiol

Proprietary Name	Manufacturer	Approved Name
Serial 28	AH	Megestrol Acetate with Ethinyl- oestradiol
Serpasil	CB	Reserpine
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Simeco Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Sinequan	PF	Doxepin
Sintisone	DH	Prednisolone Steaglate
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
Sleepinal	MC	Methaqualone
Slow-Fe	ZY	Ferrous Sulphate Dried
Slow-K	ZY	Potassium Chloride
Sobee	MJ	Soya Formula
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium Versenate	RK	Trisodium Edetate
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solamal	DH	Belladonna with Phenobarbitone
Solamal Fort	DH	Belladonna with Phenobarbitone
Solcetas	BW	Aspirin (Soluble)
Solcode	RC	Codeine Phosphate with Aspirin
Solgesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Solone	FM	Prednisolone
Solprin	RC	Aspirin (Soluble)
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Dacortin	MQ	Prednisolone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Solusal	HA	Aspirin (Soluble)
Solusal Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Sone	FM	Prednisone
Soneryl	MB	Butobarbitone
Sorbifer	AP	Ferrous Sulphate Dried
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spazamin	GP	Oxyphencyclimine
Spray-On-Band	LF	Vinyl Pyrrolidone and Vinyl Acetate with Benzocaine (C & I)

Proprietary Name	Manu- fac- turer	Approved Name
Squibb-HC	SQ	Hydrocortisone
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Calciferol
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Strepolin	GL	Streptomycin Sulphate
Streptaquine	DL	Streptomycin Sulphate
Streptevan	AH	Streptomycin Sulphate
Streptomagma Suspension	WY	Dihydrostreptomycin with Kaolin, Pectin and Aluminium Hydroxide Gel
Streptomagma Tablet	WY	Dihydrostreptomycin Sulphate with Attapul- gite, Pectin and Hydrated Alumina Powder
Streptase	HP	Streptokinase (H)
Sudafed	CA	Pseudoephedrine Hydrochloride
Sudafed-M	CA	Pseudoephedrine Hydrochloride
Sulfagan	OD	Sulphafurazole
Sulfazole	PT	Sulphafurazole
Sulphalyl	KL	Phthalylsulphacetamide
Sulphamylon	WL	Maphenide Acetate (H)
Sulphamezathine	IC	Sulphadimidine
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen	CB	Tetracosactrin
Synacthen Depot	CB	Tetracosactrin
Synalar 01	IC	Fluocinolone Acetonide
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
T		
Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
T.A.G.	LF	Deodorant Detergent Solution (C & I)
Talecid	SC	Phthalylsulphacetamide
Talis Soluble	NS	Aspirin (Soluble)
Talusin	KN	Proscillaridin
Tavegyl	SZ	Clemastine
Tedral	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tedral S.A.	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tegretol	GE	Carbamazepine
Teledrin	SK	Chlorpheniramine
Tempra	MJ	Paracetamol
Tenserp	VR	Reserpine
Terfluzin	MB	Trifluoperazine

Proprietary Name	Manu- fac- turer	Approved Name
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terramycin	PF	Oxytetracycline with Polymyxin B
Terrastatin	PF	Oxytetracycline with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetracap	PT	Tetracycline (Buffered)
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetramykoin-V	BZ	Tetracycline (Buffered)
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole
Thelix	CO	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thendorm	KL	Methaqualone
Thendorm Forte	KL	Methaqualone
Theophen	HA	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Theosec	LY	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiomerin Sodium	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium
Thytropar	AR	Thyrotrophin (H)
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Topilar	SD	Fluclorolone Acetonide
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Tral	AB	Hexocyclium Methylsulphate
Trasicor	CB	Oxprenolol
Travert	TV	Invert Sugar
Trib	SU	Trimethoprim with Sulphamethoxazole
Tricloryl	GL	Triclofos
Tridione	AB	Troxidone
Triglyde	MJ	Triglycerides, Medium Chain
Trimyxin	DH	Polymyxin B Sulphate with Neomycin and Gramicidin
Triplopen	GL	Penicillin Benethamine Compound
Triptil	FR	Protriptyline
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline

Proprietary Name	Manufacturer	Approved Name
Tussaphed	KL	Pseudoephedrine Hydrochloride
Tussinol	GP	Pholcodine
Tyrimide	SK	Isopropamide Iodide
U		
Ultracortenol	CB	Prednisolone Acetate
Ultralan-D	SC	Fluocortolone Esters
Urecholine	MK	Bethanechol
Urecid	FR	Probenecid
Uro-Carb	HA	Bethanechol
Urogan	AV	Sulphafurazole
Urolex	OD	Sulphamethizole
Urolin	KL	Sulphamethizole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole
V		
VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Valpin	EN	Octatropine Methylbromide
Vancocin	LY	Vancomycin (H)
Vanquin	PD	Viprynum Embonate
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Vasylox	BW	Methoxamine Hydrochloride
Velbe	LY	Vinblastine
Vendarcin	BP	Oxytetracycline
Venocort	PT	Hydrocortisone Sodium Succinate
Ventolin	AH	Salbutamol
Veracolate	WW	Sodium Tauroglycocholate with Phenolphthalein
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vicin	KL	Penicillin Phenoxymethyl
Vicin 500	KL	Penicillin Phenoxymethyl
Viocin	PF	Viomycin
Vioform	CB	Clioquinol
Viokase	ET	Pancreatin Enzyme (4 X USNF XII)
Visceralgin	FM	Tiemonium Iodide
Visken	SZ	Prindolol
V.P.V.	VR	Penicillin Phenoxymethyl
W		
Winstroid	WL	Stanozolol

Proprietary Name	Manu- fac- turer	Approved Name
Xylocard 100 Xylocard 500	AP AP	X Lignocaine Lignocaine
		Y Niclosamide
Yomesan Zarontin Zephiran Concentrated Zerodor Zincfrin Zoff Zyloprim	BN	Z
	PD	Ethosuximide
	WL	Benzalkonium Chloride
	ZR	Deodorant Concentrate (C & I)
	AQ	Zinc Sulphate with Phenylephrine
	SN BW	Surgical Cement (C & I) Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Antigen	Antigen Ltd., Ireland - Preparations; marketed by World Agencies Pty Ltd
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dropster	Knoll Laboratories - Eye and ear drops
Dulcets	Abbott A'asia - Chewable tablets
Duolets	Glaxo - Sustained release tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitt & Colman - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Evanules	Allen & Hanburys - Injections
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous fluids
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratory - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Nuseals	Lilly - Enteric coated tablets
Orgaject	Organon - Injections
Parentosol	Mead-Johnson - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Repetabs	Schering Corporation - Sustained release tablets
Rox	Rocke Tomsitt - Preparations
Siguent	Sigma - Ointment preparations
Solupac	Travenol Laboratories - Intravenous fluids
Solupac	Travenol Laboratories - Intravenous fluids
Spansules	Smith, Kline & French - Sustained release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Sustrels	G.P. Laboratories - Sustained release tablets
Tabloid	Burroughs Wellcome - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Aust. Pharm. Industries - Preparations
Venosol	Farmer Hill - Intravenous fluids
Viules	Boots - Injections
Wellcome	Burroughs Wellcome - Preparations

Pharmaceutical Benefits

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1973 Edition of the Schedule of Benefits for Medical Practitioners

The reprint of the Schedule will take effect from 1 December 1973.

All previous editions of the Schedule are cancelled.

Your attention is drawn to the following important alterations which have been incorporated in this issue of the Schedule.

An authority is no longer required to prescribe sodium cromoglycate as a pharmaceutical benefit. The item is now available as an unrestricted benefit.

Goats' Milk, Nutramigen and Soya Formula are now available for the cows' milk allergy in children under six years of age. An increased number of repeats is now allowed for each of these items.

Explanatory notes have been included in the Schedule to clarify the new restrictions applicable to ethyloestrenol, methandienone, methenolone acetate, nandrolone decanoate, nandrolone hexanoylphenylpropionate, nandrolone phenylpropionate, stanolone, stanozolol and tetracosactrin. A note concerning increased maximum quantities and/or repeats for penicillin phenoxymethyl has also been included.

All pharmaceutical benefit items which were previously listed with the manufacturers codes for Farmer Hill (FH) and St Just (SJ) are now listed with manufacturers code for Abbott Laboratories (AB).

ADDITIONS

Section 2 General Benefits

Gamma Benzene Hexachloride, 1%, 100G cream; 0.2%, 200ml head lotion; 1%, 200ml lotion concentrate (*Lorexane, Lorexane Concentrate*)

Poldine, 4mg tablet (*Nacton*)

Section 2—Restricted Benefits

Dexamphetamine, 5mg tablet (*SI Brand*)—See Note on page 5 of this circular.

Insect Allergen Extract—**BULL ANT**, injection set strength A, B, C each 5ml and strength D, 5ml (*CS Brand*)

Section 4—Pre-priced Extemporaneous Preparations

Syrups: Codeine Phosphate, B.P.C.

Glycerophosphate Compound, APF 1964

Drugs Available for Extemporaneous Preparations—Green Pages

Lignocaine Hydrochloride, B.P.

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2—General Benefits

Ferrous Sulphate Dried, 320mg (delayed release) tablet, (*Slow-Fe*)
Penicillin Benzathine, 1.8g (solvent required) injection (*L.P.G.*)
Sodium Cromoglycate, 10mg (nasal insufflation) capsule (*Rynacrom*)
Theophylline, 125mg tablet (*Nuelin*)

Section 2—Restricted Benefits

Cephalothin Sodium, 2g (solvent required) and 4g (solvent required) injections (*Keftin*)
Cloxacillin, 500mg capsule (*Austrastaph, Orbenin*)
Gentamicin Sulphate, 60mg (base) in 1.5ml injection (*Garamycin*)

TRANSFERS

Restricted to Unrestricted

Lincomycin, 300mg in 1ml and 600mg in 2ml, injections (*Lincocin SS Paediatric and Lincocin*)
Sodium Cromoglycate, 20mg (inhalation) capsule, (*Intal Spincaps*)

DELETIONS

Emergency Drug (Doctor's Bag) Supplies

Penicillin Procaine, 900mg injection

Section 2

Aspirin, 150mg tablet (*KL Brand*)
Calcium Aminosalicylate, 500mg tablet; 1.5g and 2g cachet (*Calcipas*)
Chlorthalidone, 100mg tablet (*Hygroton*)
Digoxin, 500mcg per ml, 30ml oral solution (*Lanoxin*)
Diphenhydramine, 10mg per ml, 10ml injection (*Benadryl*)
Ferrous Sulphate Dried, 160mg (delayed release) (*Slow-Fe*)
Glutethimide, 125mg capsule, (*Gludorm*)
Hydroxyprogesterone, 250mg injection (*Proluton-Depot*)
Mephentermine, 15mg per ml, 10ml injection (*Wyamine Sulphate*)
Papaverine Hydrochloride, 20mg in 1 ml injection (*KL Brand*)
Peritoneal Dialysis Solution, injection with 7% Dextrose, 1 litre (*Dianeal, Diasol*)
Phenthimentionium, 150mg tablet (*Secergan*)
Pituitary, Posterior Lobe, 500 antidiuretic Units per g, 2g (*Piton*)
Tetanus Vaccine, 5ml injection (*CS Brand*)
Typhoid Vaccine, 10ml injection (*CS Brand*)

Drugs Available for Extemporaneous Preparations—Green Pages

Amethocaine Hydrochloride, B.P.

Types of Extemporaneous Preparations:

Capsules

Powders, individual

ALTERATIONS

Maximum Quantity

Item	From	To
Griseofulvin, 500mg tablet (<i>Fulcin 500, Grisovin 500</i>)	25	28
Sodium Cromoglycate, 20mg capsule, (<i>Intal Spincap</i>)	50	100

Repeats

Item	From	To
Alprenolol, 100mg tablet (<i>Aptin, Betacard</i>)	1	2
Goat's Milk, 14oz, 1lb, 450g dehydrated powder; 14fl oz whole (sterilised) (<i>Meyenberg, Dale</i>)	10	20
Medrysone, 1%, 5ml, eye drops (<i>HMS Liquifilm</i>)	2	6
Nutramigen, 454g powder (<i>Nutramigen Glucose</i>)	10	20
Orciprenaline, 20mg tablet (<i>Alupent</i>)	Nil	2
Oxprenolol, 20mg and 40mg, tablet (<i>Trasicor</i>)	1	2
Practolol, 100mg tablet (<i>Eraldin</i>)	1	2
Prindolol, 5mg tablet (<i>Visken</i>)	1	2
Propranolol, 10mg and 40mg tablet (<i>Inderal</i>)	1	2
Sodium Cromoglycate, 20mg capsule (<i>Intal Spincaps</i>)	..	2
Soya Formula, 384ml and 425g liquid; 454g powder (<i>Isomil, Prosobee, Soyalac, Sobee</i>)	10	20

Manufacturers' Code

Approved Name	Proprietary Name	From	To
Chlorothiazide, 500mg tablet	<i>Chlotride</i>	MK	FR
Polymyxin B Sulphate with Bacitracin and Neomycin, 5000 Units, 400 Units, 5mg per g, 4g eye ointment	<i>Neosporin</i>	BW	CA
Polymyxin B Sulphate with Neomycin and Gramicidin, 5000 Units, 2.5mg, 0.025mg per ml, 10ml Eye Drops	<i>Neosporin</i>	BW	CA

All items which were previously listed with the manufacturers codes for Farmer Hill (FH) and St Just (SJ) are now listed with manufacturers code for Abbott Laboratories (AB).

Restrictions

Section 2

- Alprenolol, 100mg tablet (*Aptin, Betacard*)
 Azathioprine, 50mg tablet (*Imuran*)
 Chlorambucil, 2mg and 5mg tablets (*Leukeran*)
 Chlorpromazine, 10mg, 25mg, 50mg and 100mg tablets; 25mg per 5 ml, 100ml mixture; 25mg in 1ml; 50mg in 2 ml injections and 100mg suppository (Largactil, Plegomazine, Procalm, Promacid, Protran, Serazone)
 Clindamycin, 75mg and 150mg capsules (*Dalacin C*)
 Cloxacillin, 250mg capsule; 125mg per 5 ml, 100ml powder for syrup, 250mg (solvent required) injection (*Austrastaph, Orbenin*)
 Cyclophosphamide, 50mg tablet; 100mg (solvent required); 200mg (solvent required), 500mg (solvent required), 1g (solvent required) injections (*Endoxan-Asta*)
 Ethyloestrenol, 2mg tablet (*Orabolin*)
 Fludrocortisone Acetate, 0.1mg and 1mg tablets (*Florinef*)

Fluphenazine, 1mg, 2.5mg and 5mg tablets, 0.5mg per ml, 60ml elixir (*Anatensol*)
Fluphenazine Decanoate, 12.5mg in 0.5ml; 25mg in 1ml and 50mg in 2ml injections (*Modecate*)
Fluphenazine Enanthate, I.M. 25mg in 1ml injection (*Anatensol Enanthate*)
Goats' Milk, 14oz, 1lb, 450g, Dehydrated powder; 14 fl oz whole (sterilised) (*Meyenberg, Dale*,)
Lincomycin, 250mg, 500mg capsule; 250mg per 5ml, 100ml syrup (*Lincocin*)
Megestrol Acetate with Ethinyloestradiol, Pack containing 16 tablets 100mcg-100mcg, 7 tablets 1mg-100mcg and 5 inert tablets (*Serial C*)
 Pack containing 16 tablets of ethinyloestradiol 100mcg, 5 tablets of megestrol acetate with ethinyloestradiol 1mg-100 micrograms and 7 inert tablets (*Serial 28*)
Methandienone, 5mg tablet (*Dianabol*)
Methenolone Acetate, 1mg and 5mg tablets (*Primobolan*)
Methotrexate, 2.5mg tablet, 5mg (solvent required) and 50mg (solvent required) injections (*LE Brand*)
Milk Powder—Synthetic, low calcium compound powder 14oz (*Locasol*)
Nandrolone Decanoate, 50mg in 1ml injection (*Deca-Durabolin*)
Nandrolone Hexanoylphenylpropionate, 50mg in 1ml injection (*Anadur*)
Nandrolone Phenylpropionate, 25mg in 1ml injection (*Durabolin*)
Nutramigen, 454g powder (*Nutramigen Glucose*)
Oxprenolol, 20mg and 40mg tablet (*Trasicor*)
Pericyazine, 2.5mg and 10mg tablets, 2.5mg per 5ml, 100ml mixture (*Neulactil*)
Prindolol, 5mg tablet (*Visken*)
Propranolol, 10mg and 40mg tablet (*Inderal*)
Soya Formula, 384ml, 425g liquid (*Isomil, Prosobee, Soyalac*) 454g powder (*Sobee*)
Stanolone, 25mg tablet (*Protona, Anabolex*)
Stanozolol, 2mg tablet (*Winstroid*)
Tetracosactrin, 0.5mg in 1ml and 1mg in 1ml injections, I.V. infusion set containing 250mcg and 2ml solvent (*Synacthen, Synacthen Depot, Cortrosyn Depot*)
Thioridazine, 10mg, 25mg, 50mg and 100mg tablet; oral solution 3% (30mg per ml) 30ml; 25mg per ml, 2ml injection (*Melleril*)
Trifluoperazine, 1mg, 2mg, 5mg tablet, 1mg per 5 ml, 100ml syrup, 1mg in 1ml and 1mg per ml, 2ml injections (*Calmazine, Stelazine, Terfluzin*)

Drugs Used in Extemporaneous Preparations—Green Pages

Chlorhexidine Acetate B.P.C.

		Proprietary Name		
Item	From	To	Mfr	
Amino Acids with Sorbitol and Alcohol				
50g-100g-30g per litre, 500ml	Aminofusin	Aminofusin 850	PC	
50g-100g-50g per litre, 500ml ..	Aminofusin	Aminofusin 1000	PC	
		Approved Name		
From		To		
Aluminium Acetylsalicylate ..	Aluminium Aspirin			
Leucovorin	Calcium Folate			
Pyridine Aldoxime Methiodide ..	Pralidoxime Iodide			

Manufacturers' Pack

<i>Item</i>	<i>From</i>	<i>To</i>
Benzalkonium Chloride , solution	4 fl oz	114ml
Cod Liver Oil (FA Brand)	8 fl oz	200m
Triclofos , syrup 500mg per 5ml (Note new code number)	100ml	200ml

Strength of Preparation

<i>Item</i>	<i>Proprietary Name</i>	<i>From</i>	<i>To</i>
Ferrous Succinate—			
Capsule	Ferromyn	150mg	106mg
Elixir	Ferromyn	150mg per 5ml, 100ml	106mg per 5ml, 100ml

NOTE: Dexamphetamine tablets 5mg with a maximum quantity of 100 and no repeat are now available, authority required, for—

‘Brain damage syndrome in children; Narcolepsy.’

‘Brain damage syndrome in children’ is to be interpreted as ‘hyperkinetic brain damage syndrome in children and the entry in the Schedule of Benefits will be altered accordingly at the next reprint.

NOT FOR SALE

All Previous Editions Cancelled



SCHEDULE OF BENEFITS
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1 DECEMBER 1973
to
31 MARCH 1974

Australian Department of Health,
CANBERRA, A.C.T.

83980

CONTENTS

SECTION 1—LEMON PAGES

	<i>paragraph</i>	<i>page</i>
Metric Conversion Tables		4- 5
Explanatory Notes—		
Prescribing of Benefits—Procedure by Doctors—		
Schedule of Benefits	1- 8	6
Prescriptions	9-12	6- 8
Manner of Administration	13	8
Restrictions	14	8
Maximum Quantities and Repeats	15-20	9- 10
Urgent Cases	21-22	10
Emergency Drug (Doctor's Bag)		
Supplies	23-26	10- 11
Poison Case Reporting	27-28	11
Addresses of Poisons Information Centres	29	12
Addresses of Australian Department of Health Central Office and Branch Offices		13- 14
Manufacturers—Address and Code		15- 21
List of Emergency Drug (Doctor's Bag) Supplies		22- 23

SECTION 2—WHITE PAGES

Schedule of Benefits—		
General, Pensioner and Restricted Benefits —		1-125
Intravenous Fluids		126-128

SECTION 3—PINK PAGES

Schedule of Benefits—		
Preparations Restricted to Colostomy and Ileostomy Use Only		2- 3
Preparations Restricted to Use in Approved Hospitals Only		5

SECTION 4—GREEN PAGES

Schedule of Benefits—Drug Tariff	1- 6
Table of Maximum Quantities and Number of Repeats for Extemporaneous Preparations	7
Prescribers' List Items	9- 15

SECTION 5—OLD GOLD PAGES

Prescribers' List—Pharmaceutical Benefit Formulae	1- 19

PROPRIETARY INDEX

Part 1—Proprietary Names Index	—	—	—
Part 2—Trade Names Index	—	—	—

page

2- 29
30

POISONING CASE REPORT FORMS

METRIC CONVERSION TABLE

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>	<i>Milligrams</i>	<i>Grains</i>	<i>Milligrams</i>
15	1,000	1/12	5
12	800	1/15	4
10	600	1/20	3
8	500	1/24 } 1/25 }	2.5
7½	450	1/30	2
6	400	1/40	1.5
5	300	1/50	1.25
4	250	1/60	1
3	200	1/75 } 1/80 }	0.8
2½	150	1/100	0.6
2	125	1/120 } 1/130 }	0.5
1½	100	1/150 } 1/160 }	0.4
1¼	75	1/200	0.3
1	60	1/240	0.25
¾	50	1/300 } 1/320 }	0.2
⅔	40	1/400	0.15
½	30	1/480 } 1/500 }	0.125
⅓	25	1/600	0.1
¼	20		
⅓	15		
⅕	12.5		
⅙	10		
⅛	7.5		
1/10	6		

1,000 MICROGRAMS (mcg) = 1 MILLIGRAM (mg)

Approximate Equivalents per Pound Body-Weight of Doses per Kilogram Body-Weight

<i>Milligrams per kilogram body-weight</i>	<i>Milligrams per pound body-weight</i>	<i>Milligrams per kilogram body-weight</i>	<i>Milligrams per pound body-weight</i>
0.1 — — — — —	0.05	50 — — — — —	23
0.25 — — — — —	0.1	60 — — — — —	27
1.0 — — — — —	0.45	70 — — — — —	32
1.5 — — — — —	0.7	75 — — — — —	34
2.0 — — — — —	0.9	80 — — — — —	36
2.5 — — — — —	1.0	90 — — — — —	41
3 — — — — —	1.4	100 — — — — —	45
4 — — — — —	1.8	120 — — — — —	54
5 — — — — —	2.3	150 — — — — —	68
6 — — — — —	2.7	200 — — — — —	91
7 — — — — —	3.2	220 — — — — —	100
8 — — — — —	3.6	250 — — — — —	110
9 — — — — —	4.0	300 — — — — —	135
10 — — — — —	4.5	400 — — — — —	180
15 — — — — —	7	500 — — — — —	225
20 — — — — —	9	600 — — — — —	270
25 — — — — —	11	700 — — — — —	320
30 — — — — —	14	800 — — — — —	360
40 — — — — —	18	900 — — — — —	410
45 — — — — —	20	1 gramme — — — — —	450

Conversion Factor*

To convert milligrams per kilogram to milligrams per pound, multiply by 0.45.

* This factor is approximate but sufficiently accurate for dosage purposes.

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items are listed in Sections 2 and 3 of the Schedule of Benefits.
3. The benefit items and additives which may be used in extemporaneous preparations are listed in Section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this Section it is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
 - (b) the admixture of a ready prepared item and a drug or drugs listed in Section 4 of the Schedule of Benefits.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Penicillin Benzyl, Injection 300 mg amp with 2 ml water for injections'.
6. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes—paragraphs 15-20.
7. A proprietary name index of ready prepared items is included after Section 5.
8. Symbols used in the Schedule of Benefits:
See page 1, section 2 (white pages).

Prescriptions

9. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

10. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

11. Medical practitioners are required by National Health Act legislation to observe the following rules when writing prescriptions for pharmaceutical benefits:

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 7" x 5". The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient, and where the patient holds an S.H.B. (Subsidised Health Benefits) entitlement card write the number in the space provided or at the end of the second line provided for the patient's address. Where the patient is a pensioner who holds an entitlement card write the pension number. EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the pensioner's or S.H.B. patient's address on the prescription form.
- (d) In the case of pharmaceutical benefits which are restricted in use, the prescription should be endorsed with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However, where a prescription is written for a pensioner for a drug which is restricted to pensioners for any disease or purpose it is not necessary to endorse the prescription 'Specified Purpose'.
- (e) If the benefit is a single drug, the manner of administration must be indicated.
- (f) Where a medical practitioner writes a prescription for a pharmaceutical benefit, but does not specify a particular formula or brand for the item prescribed, the chemist, when dispensing, shall give priority to either the formula, if any, for that item which is specified in the Prescribers' List (Section 5) or to one of the ready prepared brands, if any, for that item included in Section 2.
- (g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time the prescription must be endorsed in own handwriting with the words 'Regulation 24'. Further details are available in paragraph 20.
- (h) Mark the prescription form 'N.H.S.', date and sign it.

A doctor may write up to three prescriptions on a single sheet of paper, provided each prescription is legible.

The Prescribers' List formulations are expressed in metric terms and made up to metric doses or quantities. Prescriptions consisting of or containing a Prescribers' List formula should be written in the metric system.

Prescriptions for pharmaceutical benefits for more than one person must not be written on the one sheet of paper.

12. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted.
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

To avoid confusing patients and the dispensing chemist, doctors should avoid writing prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a 'Specified Purpose' drug and the patient is not suffering from one of the allowable conditions the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete the N.H.S. printed endorsement. Likewise the 'N.H.S.' printed endorsement should be deleted where a prescription, other than a prescription for a pensioner, is written for a benefit for which the dispensed price is equal to or less than \$1 in respect of general patients and 50c in respect of patients with an S.H.B. entitlement. These prescriptions may be dispensed as private prescriptions.

Manner of Administration

13. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way.

Restrictions

14. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Director of Health in the State concerned. Full particulars of these items and their restrictions are printed in red in Section 2 (White Pages) of the Schedule. Items restricted for use in 'Approved Hospitals Only' are listed in Section 3 (Pink Pages) of the Schedule. These items are not available in all approved hospitals, and medical practitioners should ensure that the items are available at the particular hospital before prescribing.

Pharmaceutical benefits which are restricted to use for Colostomy and Ileostomy conditions are also listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

15. The allowable maximum quantity and number of repeats are shown in columns 2 and 3 of Sections 2 and 3. For other preparations, details are set out in the Table of Maximum Quantities and Repeats—Green Pages.

The maximum quantity of items marked with a double dagger (≠) has been determined as a single pack. Unbroken packs are to be supplied (see paragraph 8).

It would be appreciated if these items were prescribed in original pack sizes.

For other items, the quantity prescribed by a medical practitioner should be that which he believes is necessary for the proper treatment of his patient, provided that the maximum quantity is not exceeded.

If a medical practitioner requires a prescription to be repeated, he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

16. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 17-18). A benefit shall not be supplied more than the number of times specified in the prescription.

17. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Director of Health, direct the supply of more than the maximum quantity which would otherwise be allowed.

18. When it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

19.—(a) The written authority of the Director of Health to prescribe:

- (i) restricted drugs (paragraph 14); or
- (ii) increased maximum quantities (paragraph 17); or
- (iii) increased number of repeats (paragraph 18), will be forwarded to the doctor on an Authority to Prescribe (Form PB15).

(b) On receipt, the prescription is to be written by the doctor in the space provided for this purpose. The original and duplicate are to be handed to the patient and the green copy is retained by the doctor.

20. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit is insufficient for the medical treatment of the person for whom it is prescribed;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Where a prescription is endorsed 'Regulation 24' the chemist will make the appropriate charge (except to pensioners) for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats a charge of \$3 would be made to a general patient and \$1.50 to a patient with S.H.B. entitlement.

Urgent Cases

21. In urgent cases, a chemist can supply a benefit before the prescription is surrendered to him, if the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

22. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 14). In such cases the doctor must first obtain advice from the Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

23. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

24. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) order form (except form PB7a) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present Doctor's Bag order form PB7a to an approved chemist for their supplies. Special instructions are issued to these doctors.

25. The maximum number of units of each listed form of Emergency Drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity.

26. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the benefits supplied under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorised by him.

Poison Case Reporting

27. In order to provide information for the National Poisons Register doctors are asked to send brief clinical reports on cases of poisoning to the National Poisons Service, Australian Department of Health, Canberra. Report forms are included at the back of this book and should be torn out when required. Additional information may be written on the back of the form, or attached, and this applies particularly in fatal or unusual cases. Further supplies of the Poisoning Case Report forms are available from Federal and State Health authorities.

28. In order to include all cases of poisoning and avoid duplication of reporting, the Poisoning Case Report form should be completed by hospital medical staff for all cases referred to hospital. Private practitioners are only asked to make reports on cases not referred to hospital, or when cases are referred to smaller hospitals without resident medical staff.

ADDRESSES OF POISONS INFORMATION CENTRES

29. The principal Poisons Information Centre in each State and Territory is as follows:—

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Bridge Road,
Camperdown.

Telephone No.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
347 5522

QUEENSLAND

Brisbane Royal Children's Hospital,
Herston Road,
Herston.

Brisbane
52 0111

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
67 2351

WESTERN AUSTRALIA

Princess Margaret Hospital for Children,
Thomas Street,
Subiaco.

Perth
81 3222

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
23 0521

NORTHERN TERRITORY

Darwin Hospital,
Darwin,
Northern Territory.

Darwin
81 2171

AUSTRALIAN CAPITAL TERRITORY

Canberra Hospital,
Canberra.

Canberra
48 9922

PAPUA AND NEW GUINEA

Port Moresby General Hospital,
Taurama Road,
Port Moresby.

Port Moresby
5 5566

ADDRESSES OF AUSTRALIAN DEPARTMENT OF HEALTH OFFICES

Note: All applications for authority to prescribe should be forwarded to the appropriate Branch Office.

CENTRAL OFFICE

Director-General,
Australian Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

BRANCH OFFICES

NEW SOUTH WALES

Australian Department of Health,
Australian Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000

Telephone 28 8001

Director of Health—Dr R. R. Bull

After hours: Telephone 969 8681

Medical—Dr W. Quinn

After hours: Telephone 92 0980

VICTORIA

Australian Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000

Telephone 662 2999

Director of Health—Dr R. C. Webb

After hours: Telephone 80 5333

Assistant Director (Medical)—Dr E. C. R. Newton

After hours: Telephone 95 5815

QUEENSLAND

Australian Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld. 4000

Telephone 25 0122

G.P.O. Box 567, Brisbane, Qld. 4001

Director of Health—Dr A. H. Humphry

After hours: Telephone 74 1037

Assistant Director (Medical)—Dr H. B. Cumpston

After hours: Telephone 58 1696

SOUTH AUSTRALIA

Australian Department of Health,
A.M.P. Building,

1 King William Street,
Adelaide, S. Aust. 5000

Telephone 51 7400

G.P.O. Box 2219, Adelaide, S. Aust. 5001

Director of Health—Dr A. C. Green

After hours: Telephone 272 2930

WESTERN AUSTRALIA

Australian Department of Health,
Victoria Centre,

2-6 St George's Terrace,
Perth, W. Aust. 6000

Telephone 23 0391

G.P.O. Box M970, Perth, W. Aust. 6001

Director of Health—Dr J. B. Mathieson

After hours: Telephone Dr J. B. Mathieson 86 1262

TASMANIA

Australian Department of Health,
Kirksway House, 6 Kirksway Place,
Hobart, Tas. 7000

Telephone 20 2122

G.P.O. Box 919 J, Hobart, Tas. 7001

Director of Health (Acting)—Dr C. F. A. Younger

After hours: Telephone 62 2272

AUSTRALIAN CAPITAL TERRITORY

Australian Department of Health,
A.C.T. Health Services Branch,
C.M.L. Building,
Darwin Place,

Canberra City, A.C.T. 2601

Telephone 49 8077

P.O. Box 825, Canberra City, A.C.T. 2601

Director of Health—Dr R. H. C. Wells

After hours: Telephone Dr M. Ryan 49 6351

Assistant Director (Medical)—Dr H. C. Anderson

After hours: Telephone 95 8895

NORTHERN TERRITORY

Australian Department of Health,
Esplanade,

Darwin, N.T. 5794

Telephone 81 3821

P.O. Box 147, Darwin, N.T. 5794

Director of Health—Dr D. B. Travers

After hours: Telephone 81 2171

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty Ltd	AB
Captain Cook Drive, Kurnell, N.S.W. 2231	
Adam Drug Co.	AV
41 Barry Avenue, Mortdale, N.S.W. 2223	
Alcon Laboratories (Australia) Pty Ltd	AQ
8 Wattle Road, Brookvale, N.S.W. 2100	
Allen and Hanburys	AH
Mountain Highway, Boronia, Vic. 3155	
Allergan Pharmaceuticals Pty Ltd	AG
32 Punch Street, Artarmon, N.S.W. 2064	
Ames Company	AM
Wellington Road, Mulgrave, Vic. 3170	
Armour Pharmaceutical Co. Ltd, England	AR
Associated Drug Companies of Australia Pty Ltd	AD
221-229 Mitchell Road, Alexandria, N.S.W. 2015	
Astra Chemicals Pty Ltd	AP
10-14 Khartoum Road, North Ryde, N.S.W. 2113	
Australian Pharmaceutical Industries Ltd	AA
221-229 Mitchell Road, Alexandria, N.S.W. 2015	
Ayerst Laboratories Pty Ltd	AY
Gregory Place, Parramatta, N.S.W. 2150	
Bayer Pharmaceutical Company	BN
47-67 Wilson Street, Botany, N.S.W. 2019	
Beecham Research Pty Ltd	BR
Chesterville Road, Moorabbin, Vic. 3189	
Berk Pharmaceuticals (Australasia) Pty Ltd	BQ
6-8 Clarke Street, Crows Nest, N.S.W. 2065	
Biopharm Pty Ltd	BH
109 Willis Street, Hampton, Vic. 3188	
Boehringer Ingelheim Pty Ltd	BY
50 Broughton Road, Artarmon, N.S.W. 2064	
Boehringer, Mannheim, GmBH, Germany	BO
Boots Company (Australia) Pty Ltd, The	BT
Loyalty Road, North Rocks, N.S.W. 2151	
Boucher & Muir Pty Ltd	BZ
118-124 Willoughby Road, Crows Nest, N.S.W. 2065	
Bramble Laboratories	BB
326 King Georges Road, Beverley Hills, N.S.W. 2209	
Bristol Laboratories Pty Ltd	BC
345 Pacific Highway, Crows Nest, N.S.W. 2065	
British Pharmaceuticals Pty Ltd	BP
34 Hotham Parade, Artarmon, N.S.W. 2064	

<i>Manufacturer</i>	<i>Code</i>
Bull Laboratories, David 11-15 Lexia Place, Mulgrave, Vic. 3170	BL
Burroughs Wellcome & Co. (Aust.) Ltd ... Cressy Street, Rosebery, N.S.W. 2018	BW
Calmic Pharmaceuticals Pty Ltd ... Cressy Street, Rosebery, N.S.W. 2018	CA
Cambridge Laboratories Pty Ltd ... 397 Little Lonsdale Street, Melbourne, Vic. 3000	CE
C.F.C. Pharmaceuticals Pty Ltd ... 9 Norton Street, Ashfield, N.S.W. 2131	CO
Chemos Pty Ltd ... 65 Park Road, Milton, Qld. 4064	CH
Ciba Pharmaceuticals ... 46-48 Nicholson Street, St Leonards, N.S.W. 2065	CB
Commonwealth Serum Laboratories ... 45 Poplar Road, Parkville, Vic. 3052	CS
Cooper Laboratories Pty Ltd ... 176 Harbord Road, Brookvale, N.S.W. 2100	CP
Crookes Laboratories Ltd, The, England	CK
Denyer Brothers ... 250 Pitt Street, Sydney, N.S.W. 2000	DY
Difrex (Aust.) Laboratories ... 321 Pitt Street, Sydney, N.S.W. 2000	DF
Dista Products (Australia) Pty Ltd ... Waratah Street & Wharf Road, Ermington, N.S.W. 2115	DL
Dolder & Co., Switzerland	DR
Dome Laboratories ... Wellington Road, Mulgrave, Vic. 3170	DO
Drug Houses of Australia ... 504 Bourke Street, Melbourne, Vic. 3000	DH
Endo Laboratories (Aust.) Pty Ltd ... Loyalty Road, North Rocks, N.S.W. 2151	EN
Erba Carlo S.p.A, Italy	EC
Ethicals Ltd ... 180 Queen Street, Brisbane, Q'd, 4000	EL
Ethnor Pty Ltd ... 1-5 Khartoum Road, North Ryde, N.S.W. 2113	ET
Evans Medical Australia (Pty) Ltd ... Mountain Highway, Boronia, Vic. 3155	EV
Faulding & Co. Ltd, F.H. ... 48 Beans Road, Thebarton, S.A. 5031	FA

<i>Manufacturer</i>	<i>Code</i>
Fawns and McAllan Pty Ltd — — — — — 432 Mount Dandenong Road, Croydon, Vic. 3136	FM
Fisons Pty Ltd — — — — — 97 Pacific Highway, North Sydney, N.S.W. 2060	FC
Frosst, Charles E. — — — — — 576 St Kilda Road, Melbourne, Vic. 3000	FR
Gamaprod Pty Ltd — — — — — 169 Lygon Street, Carlton, Vic. 3053	GA
Gedeon Richter Ltd, Hungary — — — — —	GR
Geigy Pharmaceuticals — — — — — 46-48 Nicholson Street, St Leonards, N.S.W. 2065	GE
Glaxo — — — — — Mountain Highway, Boronia, Vic. 3155	GL
G.P. Laboratories — — — — — Wharf Road, West Ryde, N.S.W. 2114	GP
Grose Products (Aust.) Pty Ltd 51-55 Warrah Street, Chatswood, N.S.W. 2067	GV
Hamilton Laboratories Pty Ltd — — — — — 217 Flinders Street, Adelaide, S.A. 5000	HA
Harvey Pharmaceuticals Pty Ltd — — — — — 44 Wharf Road, West Ryde, N.S.W. 2114	HY
Hoechst Australia Ltd — — — — — 606 St Kilda Road, Melbourne, Vic. 3000	HP
ICI Australia Ltd — — — — — ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	IC
Inter-Continental Pharmaceuticals (Australia) Pty Ltd 79 Old South Head Road, Bondi Junction, N.S.W. 2022	IP
Ioquin Company, The — — — — — 8 Wattle Road, Brookvale, N.S.W. 2100	IQ
Irving F. H. (Medical Products) Pty Ltd — — — — — 363 George Street, Sydney, N.S.W. 2000	IR
Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM
Kinfort Laboratories 31 Sirius Road, Lane Cove, N.S.W. 2066	KF
Knoll Laboratories (Aust.) Pty Ltd 176 Princes Highway, Arncliffe, N.S.W. 2205	KL
Knoll, A. G., Germany	KN

<i>Manufacturer</i>	<i>Code</i>
Lancet Pharmaceuticals Pty Ltd 2077 8 Hornsby Street, Hornsby, N.S.W.	LP
Langley Laboratories Pty Ltd 2090 116 Cabramatta Road, Cremorne, N.S.W.	LF
Lederle Laboratories Division Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W.	LE
Lilly (Australia) and Company, Eli ... Wharf Road, West Ryde, N.S.W.	LY
May and Baker (M & B) Pty Ltd 3012 Paramount Road, Footscray West, Vic.	MB
McGloin Pty Ltd, J. 2136 150 Dean Street, Enfield, N.S.W.	MG
McGrath Laboratories 2232 364 The Boulevarde, Sutherland, N.S.W.	MW
Mead Johnson Pty Ltd 2065 345 Pacific Highway, Crows Nest, N.S.W.	MJ
Medical Research Pty Ltd 2066 31 Sirius Road, Lane Cove, N.S.W.	MR
Medichem Pharmaceuticals Pty Ltd 39 Arterial Road, St Ives, N.S.W.	MC
Merck (Aust.) Pty Ltd, E. 2060 605 M.L.C. Building, North Sydney, N.S.W.	MQ
Merck, Sharp & Dohme (Aust.) Pty Ltd ... 62-68 Ferndell Street, South Granville, N.S.W.	MK
Merrell, Wm S. Company 2165 64 Seville Street, Fairfield, N.S.W.	ML
Muir & Neil Pty Ltd 2000 479 Kent Street, Sydney, N.S.W.	MN
Nativelle Laboratories, France	NA
Nestle Company (Aust.) Ltd, The 17 Foveaux Street, Sydney, N.S.W.	NT
Nicholas Pty Ltd 3148 699 Warrigal Road, Chadstone, Vic.	NS
Nordia, Denmark	NR
Ohio Drug Co. Pty Ltd 2000 100 Clarence Street, Sydney, N.S.W.	OD
Organon Laboratories Ltd, London	OR
Parke, Davis and Co. 2229 32-40 Cawarra Road North, Caringbah, N.S.W.	PD
Pfizer Pty Ltd 2114 Wharf Road, West Ryde, N.S.W.	PF

Manufacturer

Code

Pfrimmer & Co., West Germany	PC
Pharmacia (South Seas) Pty Ltd	PS
31 Sirius Road, Lane Cove, N.S.W. 2066	
Pharmax Ltd, England	PN
Phial Pty Ltd	PY
32 Punch Street, Artarmon, N.S.W. 2064	
Philips-Duphar Pty Ltd	PI
95-99 York Street, Sydney, N.S.W. 2000	
Prosana Laboratories Pty Ltd	PR
22 Daisy Street, Revesby, N.S.W. 2212	
Protea Pharmaceuticals Pty Ltd	PT
13-19 Glebe Street, Glebe, N.S.W. 2037	
Queensland Ethicals	QE
Enterprise Street, Salisbury, Q'd 4107	
Reckitts Pty Ltd	RC
44 Wharf Road, West Ryde, N.S.W. 2114	
Richter of Milan	RM
Riker Laboratories Australia Pty Ltd	RK
9-15 Chilvers Road, Thornleigh, N.S.W. 2120	
Robins, A. H., Pty Ltd	RS
32 Punch Street, Artarmon, N.S.W. 2064	
Roche Products Pty Ltd	RO
Inman Road, Dee Why, N.S.W. 2099	
Rocke, Tomsitt & Co. Ltd	RT
10 Griffiths Street, Richmond, Vic. 3121	
Rona Laboratories Ltd, London, U.K.	RN
Rorer (Aust.) Pty Ltd	RG
79 Victoria Avenue, Chatswood, N.S.W. 2067	
Ross Laboratories	RD
Captain Cook Drive, Kurnell, N.S.W. 2231	
Rotary Tableting Corp. Pty Ltd	RY
432 Mt Dandenong Road, Croydon, Vic. 3136	
Roussel Pharmaceuticals (Pty) Ltd	RL
32 Cross Street, Brookvale, N.S.W. 2100	
Salmond and Spraggon (Aust.) Pty Ltd	SS
Loyalty Road, North Rocks, N.S.W. 2151	
Sandoz Australia Pty Ltd	SZ
54 Waterloo Road, North Ryde, N.S.W. 2113	
Sanitarium Health Food Co.	SA
148 Fox Valley Road, Wahroonga, N.S.W. 2076	
Sauter Laboratories (Aust.) Pty Ltd	SU
60 Campbell Avenue, Dee Why, N.S.W. 2099	
Schering Corporation, U.S.A.	SH
11 Gibbon Road, Baulkham Hills, N.S.W. 2153	

<i>Manufacturer</i>	<i>Code</i>
Schering, A. G., Berlin — — — — —	SC
Scott and Bowne (Australasia) Ltd — — — — —	SB
66-78 Talavera Road, North Ryde, N.S.W. 2113	
Searle, G. D. (Australia) Pty Ltd — — — — —	SR
1 McLaren Street, North Sydney, N.S.W. 2060	
Sigma Co. Ltd — — — — —	SI
589-605 Collins Street, Melbourne, Vic. 3000	
Smith, Kline & French Laboratories (Aust.) Ltd — — — — —	SK
Warringah Road, French's Forest, N.S.W. 2086	
Smith & Nephew (Aust.) Pty Ltd — — — — —	SN
Wellington Road, Clayton, Vic. 3168	
Soul Pattinson (Laboratories) Pty Ltd — — — — —	SL
158 Pitt Street, Sydney, N.S.W. 2000	
SPOFA United Pharmaceutical Works, Czechoslovakia — — — — —	SP
Squibb & Sons, E. R. Pty Ltd — — — — —	SQ
Princes Highway, Noble Park, Vic. 3174	
Stansen & Co. Pty Ltd, A. E. — — — — —	ST
121 Ricketts Road, Notting Hill, Vic. 3168	
Syntex Pharmaceuticals Ltd	SD
576 St Kilda Road, Melbourne, Vic. 3004	
Tongala Milk Products Pty Ltd — — — — —	TM
17 Foveaux Street, Sydney, N.S.W. 2000	
Toppin & Sons Pty Ltd, R. D. — — — — —	TO
9-15 Chilvers Road, Thornleigh, N.S.W. 2120	
Trane Pharmacal Co. — — — — —	TR
98 Collins Street, Melbourne, Vic. 3000	
Travenol Laboratories Pty Ltd — — — — —	TV
Oakes Road, Old Toongabbie, N.S.W. 2146	
United Works of Pharmaceutical and Dietetic Products, Hungary — — — — —	UW
Upjohn Pty Ltd — — — — —	UP
55-73 Kirby Street, Rydalmere, N.S.W. 2116	
Vifor, S. A., Geneva, Switzerland — — — — —	VF
Virax Ethicals Ltd — — — — —	VR
77-79 Market Street, South Melbourne, Vic. 3205	
Warner & Co. Pty Ltd, Wm R.	WW
10-28 Biloela Street, Villawood, N.S.W. 2163	
W. B. Pharmaceuticals Ltd, London, England	WB
Weddel Pharmaceuticals, England	WP

<i>Manufacturer</i>	<i>Code</i>
Winthrop Laboratories — — — — —	WL
75-89 Atkins Road, Ermington, N.S.W. 2115	
Woods, H. W. Pty Ltd — — — — —	WH
10 Clifford Street, Huntingdale, Vic. 3166	
World Agencies Pty Ltd — — — — —	WO
55-61 Talavera Road, North Ryde, N.S.W. 2114	
Wyeth Pharmaceuticals Pty Ltd — — — — —	WY
Gregory Place, Parramatta, N.S.W. 2150	
Zero Chemicals (Aust.) Pty Ltd — — — — —	ZR
Unit 3, 25 Hotham Parade, Artarmon, N.S.W. 2064	
Zyma, S. A. — — — — —	ZY
Orion Road, Lane Cove, N.S.W. 2066	

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Adrenaline Injection BP — —	1 mg in 1 ml	Ampoule	5
Aminophylline Injection BP — —	250 mg in 10 ml	Ampoule	5
Chlorpromazine Injection BP — —	50 mg in 2 ml	Ampoule	5
Diazepam injection — — — —	10 mg in 2 ml	Ampoule	5
Digoxin Injection BP — — — —	500 micrograms in 2 ml	Ampoule	10
Ethylnoradrenaline injection — —	2 mg in 1 ml	Ampoule	5
Frusemide injection — — — —	20 mg in 2 ml	Ampoule	5
Heparin Injection BP — — — —	5,000 units in 1 ml	Ampoule	1
<i>or</i>			
Heparin Injection BP — — — —	5,000 units in 5 ml	Vial	1
<i>or</i>			
Heparin Injection BP — — — —	12,500 units in 1 ml	Ampoule	1
<i>or</i>			
Heparin Injection BP — — — —	25,000 units in 5 ml	Vial	1
Hydrocortisone sodium succinate injection set — — — —	Equivalent to 100 mg hydrocortisone and 2 ml solvent	Vial and Ampoule	1 set
Lignocaine injection — — — —	100 mg in 5 ml	Ampoule	4
Metaraminol Injection BP — —	10 mg in 1 ml	Ampoule	1
Morphine Sulphate Injection BP — — — — — — — —	10 mg in 1 ml	Ampoule	5
<i>or</i>			
Morphine Sulphate Injection BP — — — — — — — —	15 mg in 1 ml	Ampoule	5
<i>or</i>			
Morphine Sulphate Injection BP — — — — — — — —	20 mg in 1 ml	Ampoule	5
<i>or</i>			
Morphine Sulphate Injection BP — — — — — — — —	30 mg in 1 ml	Ampoule	5
Morphine sulphate with atropine sulphate injection — —	10 mg-400 mcg in 1 ml	Ampoule	5
<i>or</i>			
Morphine sulphate with atropine sulphate injection — —	15 mg-400 mcg in 1 ml	Ampoule	5

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES—continued

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
<i>or</i> Morphine sulphate with atropine sulphate injection — — —	15 mg-600 mcg in 1 ml	Ampoule	5
Penicillin benzyl injection set ..	900 mg and 2 ml Water for Injections	Vial and Ampoule	10 sets
<i>or</i> Penicillin Procaine Injection BP — — — — —	600 mg	Disposable syringe pack	10
<i>or</i> Penicillin Procaine Injection BP — — — — —	1g	Disposable syringe pack	10
<i>or</i> Penicillin Procaine Injection BP — — — — —	1.5 g	Disposable syringe pack	10
Pethidine Injection BP	100 mg in 2 ml	Ampoule	5
Prochlorperazine Injection BP	12.5 mg in 1 ml	Ampoule	10
Tetanus Antitoxin (Bovine) BP Injection Set — — — —	1,500 units and 15 units diluted 1 in 50	Ampoules	1 set
Tetanus Antitoxin (Equine) BP Injection Set — — — —	1,500 units and 15 units diluted 1 in 50	Ampoules	1 set
Tetanus Vaccine BP (purified aluminium phosphate adsorbed) — — — — —	0.5 ml	Ampoule	10

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

+ SCHEDULE OF BENEFITS +

Operative from 1 December 1973

SECTION 2

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) in front of a restriction indicates an additional or amended purpose in this issue.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which will be supplied under the original label when prescribed unless the prescription bears specific instructions for use.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack will be supplied.
- (d) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
- (e) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated.
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S);
W.A. - (W); Tas. - (T).

Attention is drawn to paragraph 11(d) of the explanatory notes which provides for the endorsement of prescriptions for pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to a disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

The maximum quantity and/or number of repeats in respect of any item shown in the Schedule may be varied by the Director of Health when issuing an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. (See paragraphs 17 and 18 of Section 1 - Explanatory Notes (Lemon pages)).

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACEPIFYLLINE				
Tablet 250mg	100	2	2.10	Etaphylline DF
Paediatric Syrup 125mg per 5ml, 500ml	≠1	4	2.57	Etaphylline DF
Injection 500mg in 5ml	5	..	1.27	Etaphylline DF
ACETAZOLAMIDE				
Tablet 250mg	50	6	5.19 5.27 5.70	Glaucomide PT Fonurit BZ(NWS) Diamox LE
Capsule 500mg (sustained release)	50	2	11.17	Diamox LE
Injection 500mg (solvent required)	1	..	3.55	Diamox LE
ACETOHEXAMIDE				
Tablet 500mg	100	2	4.50	Dimelor LY
ACETYLCHOLINE CHLORIDE				
Ophthalmic Solution 1%, 2ml	2	..	10.36	Miochol IR
ACETYLCYSTEINE				
Cystic fibrosis (mucoviscidosis)				
Solution 20%, 10ml	5	3	10.75	Mucomyst MJ
ADRENALINE				
Eye Drops 0.5%, 7.5ml	≠1	6	3.17	Eppy ET Isopto Epinal AQ
0.5%, 10ml	≠1	6	3.30	Epifrin AG
1%, 7.5ml	≠1	6	3.50	Eppy ET Isopto Epinal AQ
1%, 10ml	≠1	6	3.63	Epifrin AG Glaucan AQ
2%, 10ml	≠1	6	6.83	Epifrin AG Glaucan AQ
2% (100mg and 5ml diluent)	≠1	6	#5.92	Lyophrin AQ
Solution BP 0.1% (1 in 1,000), 28.5ml (continued)	1	..	0.98	PD

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ADRENALINE - cont. Solution 1% (1 in 100), 7ml	1	1	1.03	PD
Injection BP 1mg in 1ml (1 in 1,000)	5	1	1.01 1.05	AB, GR(NWS), WO BL, KL, PD, SI
10mg in 10ml (1 in 1,000)	1	1	0.98	PD
ADRENALINE ACID TARTRATE Inhalation, metered aerosol spray replacement pack, 7mg per ml, 15ml (300 dose)	≠1	..	2.90	Medihaler-Epi RK
ALGINIC ACID COMPOUND Reflux Oesophagitis.				
Granules, 5g sachets, 24 * * *	≠1	4	3.43	Gaviscon RC
Oesophageal reflux in infants.				
Powder 45g	≠1	4	2.30	Gaviscon Infant RC
ALLOPURINOL Tablet 100mg	100	2	8.37	Zyloprim BW
ALOXIPRIN Tablet 600mg	100	2	2.57	Palaprin Forte NS
ALPRENOLOL Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure and not responding to other therapeutic agents; *Treatment of hypertensive disease which is not responding adequately to other therapy.				
Tablet 100mg * * *	100	2	7.30	Aptin Betacard AP BR
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ALPRENOLOL - cont. Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure, and not responding to other therapeutic agents.				
Injection 1mg per ml, 10ml	1	..	1.99	Aptin AP Betacard BR
ALUMINIUM ASPIRIN Tablet 400mg	100	2	2.06	Asopax NS
ALUMINIUM HYDROXIDE GEL /Mixture 320mg per 5ml, 360ml	1	2	/0.69 /0.90 /0.98	AA(N) Minajel MG Alox KL Alusorb DH Amphojel WY Gelox PR Metem CH(Q)
ALUMINIUM HYDROXIDE GEL DRIED Tablet 300mg	100	2	1.43	Actal WL Alox KL Amphotabs WY HA
ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1g per 5ml, 360ml	≠1	2	1.35	Kaogel FA Kaomagma WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	1.59	Aludrox WY Brislox BC
200mg-200mg	100	2	1.58	Mylanta PD
Mixture 300mg-100mg per 5ml, 360ml	≠1	2	1.37	Aludrox WY Milagel PR
Suspension 215mg-80mg per 5ml, 360ml	≠1	2	1.70	Dijene BT Simeco WY
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE - cont. 200mg-100mg per 5ml, 360ml	#1	2	1.70	Polycral Gel NS
200mg-200mg per 5ml, 360ml	#1	2	1.70	Almacarb AH Brislox BC Merasyn ML Mylanta PD
ALUMINIUM HYDROXIDE GEL WITH MAGNESIUM HYDROXIDE and OXETHAZAINE Suspension 306mg-97.5mg-10mg per 5ml, 360ml	#1	2	1.97	Mucaine WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg	100	2	1.63	Gelusil WW
Mixture 250mg-500mg per 4ml, 360ml	#1	2	1.70	Gelusil WW
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	1.83	Alox Compound KL Gastrogel FM Gastroid BB Neutratabs HA
Mixture 250mg-120mg-120mg per 5ml, 360ml	#1	2	1.63	Gastrogel FM
ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	1.90	Actal Complex WL Almacarb AH Dijene BT Polycral NS Simeco WY
ALUMINIUM SODIUM SILICATE Powder 100g	1	2	1.30	Neutralon SC
AMANTADINE HYDROCHLORIDE Authority required. Parkinson's disease which is not drug induced.				
Capsule 100mg	100	..	18.74	Symmetrel GE
AMBENONIUM CHLORIDE Tablet 10mg	100	2	4.70	Mytelase WL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMILORIDE Tablet 5mg	50	2	2.50	Midamor MK
AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	#1	2	1.35	Aminopt SI
AMINO ACID FORMULA without PHENYLALANINE Authority required. Phenylketonuria.				
Powder 200g	#1	..	24.67	Aminogran GL
250g	#1	..	32.33	PK AID I MN
250g	#1	..	37.48	PK AID II MN
AMINO ACIDS with SORBITOL See Intravenous Fluids				
AMINO ACIDS with SORBITOL and ALCOHOL See Intravenous Fluids				
AMINOPHYLLINE Tablet 100mg	100	2	0.93	Cardophyllin HA Carine KL AD,RT(V),SI
125mg (enteric coated)	100	2	1.57	Androphyllin ET
150mg	100	2	1.94	Glucophylline AB
Injection I.V. 250mg in 10ml	5	..	1.61 1.70 1.73 1.81	LP DH AB,WO Cardophyllin HA Carine KL SI
I.M. 500mg in 2ml	5	..	1.30 1.33 1.41	WO AB Cardophyllin HA
Suppository 175mg	12	1	1.19	Cardophyllin HA Carine KL
250mg	12	1	1.38 1.46	DH Cardophyllin HA Carine KL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINOPHYLLINE - cont. Suppository 400mg	12	1	1.46	Cardophyllin HA Carine KL
AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE Tablet 130mg-25mg-25mg	100	2	2.23	Phyline CO
130mg-25mg-25mg (enteric coated)	100	2	2.57	Amesec LY
Capsule 130mg-25mg-25mg	100	2	2.30	Amesec LY Efal KL Protasma PT
AMINOSALICYLIC ACID Tuberculosis.				
Tablet 500mg	500	2	4.93	KL
AMITRIPTYLINE Tablet 10mg	50	1	1.57	Laroxyl RO Saroten NS Tryptanol MK
25mg	50	1	2.50	Laroxyl RO Saroten NS Tryptanol MK
Capsule 10mg	50	1	1.57	Elavil FR
25mg	50	1	2.50	Elavil FR
Mixture 10mg (base) in 5ml, 100ml	1	4	1.41	Elavil FR Tryptanol MK
Injection 25mg per ml, 2ml	10	..	2.67	Laroxyl RO
AMMONIUM CHLORIDE Tablet 500mg	100	3	1.19	QE(QNVS), RY
AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	2	2.63	Camoquin PD
AMPHOTERICIN B Mycoses, systemic.				
Injection 50mg (solvent required) * * *	1	..	4.43	Fungizone SQ
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMPHOTERICIN B - cont.					
Tablet 100mg	50	..	6.97	Fungilin	SQ
Suspension 100mg per ml, 24ml	#1	..	2.77	Fungilin	SQ
Lozenge 10mg	20	..	1.77	Fungilin	SQ
Vaginal Tablets 50mg, 15	#1	1	2.34	Fungilin	SQ
AMPICILLIN					
Infections by susceptible organisms where these cannot be safely and effectively treated with sulphonamides, oral forms of benzyl penicillin, phenoxy-methylpenicillin or phenethicillin;					
Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evidence shows the organism to be sensitive to ampicillin or where the patient is sensitive to sulphonamides.					
Tablet 125mg	25	..	2.57	Austrapen Penbritin	CS BR
Capsule 250mg	25	..	3.91	Austrapen Penbritin	CS BR
500mg	12	..	3.77	Austrapen Penbritin	CS BR
Powder for Syrup					
125mg per 5ml, 100ml	#1	..	#2.75	Austrapen Penbritin	CS BR
250mg per 5ml, 100ml	#1	..	#4.15	Austrapen Forte Penbritin Forte	CS BR
Injection					
100mg (solvent required)	5	1	3.09	Austrapen Penbritin	CS BR
250mg (solvent required)	5	1	4.83	Austrapen Penbritin	CS BR
500mg (solvent required)	5	1	7.47	Austrapen Penbritin	CS BR
1g (solvent required)	5	1	13.06	Austrapen Penbritin	CS BR

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMYLOBARBITONE				
Tablet 15mg	100	1	0.97 0.98	Amylbarb PT Sedal FA Amal KL Amytal LY Neur-Amyl FM Restal HA
30mg	100	1	1.13	Amal KL Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Restal HA Sedal FA
50mg	100	1	1.22 1.23	Amylbarb PT Sedal FA Amal KL Amytal LY Mylosed VR Neur-Amyl FM Restal HA
100mg	25	..	0.71 0.73 0.79 0.81	Amylbarb PT Restal HA Mylosed VR Amal KL Amytal LY Neur-Amyl FM Sedal FA
AMYLOBARBITONE SODIUM Capsule 50mg	100	1	1.57	Amal Sodium KL Amsal AV Amylobeta BB Amytal Sodium LY Neur-Amyl Sodium FM
200mg	25	..	1.21 1.43	Amylbarb PT Sodium LF Amylosol LF Amal Sodium KL Amylobeta BB Amytal Sodium LY Mylosed VR Neur-Amyl Sodium FM Sodium Sedal FA
Injection 250mg (solvent required)	5	..	2.70	Amytal Sodium LY
500mg (solvent required)	5	..	3.85	Amytal Sodium LY

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ANGIOTENSIN AMIDE Injection				
0.5mg (solvent required)	5	..	2.50	Hypertensin CB
2.5mg (solvent required)	5	..	9.70	Hypertensin CB
ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	≠1	2	1.19	Antistine- Privine CB
ANTIVENENE - RED BACK SPIDER Injection 500 Units	2	..	8.50	CS
ASCORBIC ACID For pensioners for any disease or purpose.				
Tablet 25mg	100	2	0.77 0.89	Ascorb "25" PT Cetamin KL AD, DH, RT(V), RY, SI
50mg	100	2	0.93 1.01	Ascorb "50" PT LP, SL(N) KL Cetamin PR Scorbettes PR AD, DH, RT(V), RY, SI
500mg	100	..	2.50 2.58 2.70	LP Colascor DH Cetamin KL Invite C AV
ASPIRIN Tablet 300mg	100	2	0.83	KL, RY
650mg (sustained release)	100	2	2.06	Bi-prin BT
ASPIRIN (BUFFERED) Tablet 325mg	100	2	2.06	Bufferin BC
500mg	100	2	2.57	Bufferin Forte BC
ASPIRIN (SOLUBLE) Tablet 150mg	100	2	1.17	Aspisol KL Prodol BB
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ASPIRIN (SOLUBLE) - cont. Tablet 300mg	100	2	1.21 1.27	SB Solcetas BW Solusal HA DH, RT(V)
			1.33	Aspisol KL Novosprin VR Prodol BB Solprin RC Talis Soluble NS RY
500mg	100	2	1.63	Provoprin 500 DH
ASPIRIN with PARACETAMOL and CAFFEINE For pensioners for any disease or purpose.				
Tablet 225mg-150mg-30mg	100	2	1.03	KL, RT(V), RY, SI
ATROPINE Eye Drops Oily 1%, 15ml	≠1	2	1.50	Atroptol SI
ATROPINE METHONITRATE Tablet 1mg	50	2	1.63	Eumydrin WL
Oral Solution 0.6%, 15ml	1	..	1.19	Eumydrin WL
ATROPINE SULPHATE Tablet 600 micrograms	100	2	1.07	RY
Injection 0.4mg in 1ml	5	1	1.09 1.10	AB, LP BL, KL
0.6mg in 1ml	5	1	1.09 1.10	AB, LP BL, DH, KL
1.25mg in 1ml	5	1	1.09 1.10	AB, LP BL, KL
Eye Drops 0.5%, 15ml	≠1	2	1.30 1.46	IR Atropt SI ET, KL
1%, 15ml	≠1	2	1.41 1.57	DH, IR, LP Atropt SI ET, KL
Eye Ointment 1%, 4g	≠1	..	1.14	PD

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AZATHIOPRINE Authority required. Anaemia, autoimmune haemolytic; Arthritis, rheumatoid with vasculitis or visceral compli- cations; *Continuing azathioprine therapy after discharge from an approved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Nephritis; Nephrotic syndrome; Organ transplant; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 50mg	100	..	28.50	Imuran BW
BARBITONE SODIUM Tablet 300mg	25	..	1.03	KL
500mg	25	..	1.06	KL
BARBITONE with PENTOBARBITONE and PHENOBARBITONE Capsule 250mg-100mg-30mg	25	..	2.03	Barbico AB KL
BELLADONNA Tablet 45mg	100	2	1.23	RY
BELLADONNA with PHENOBARBITONE Prepared Belladonna Herb BP (or equivalent of Dry Extract of Belladonna) with Phenobarbitone Tablet 30mg-20mg	100	2	1.19	Bellatran PT Phenadon LF Solamal DH
			1.21	Alkabarb SI Bellabarb TR Donnabarbital FM
40mg-16mg	100	2	1.37	Donnatal RS
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BELLADONNA with PHENOBARBITONE - cont. Tablet 45mg-30mg	100	2	1.19 1.21 1.23 1.37	Phenadon F LF Bellatran PT Forte DI Solamal Fort DI Alkabarb SI Forte SI Bellabarb TR Forte TR Donnabarbitol FM Forte FM
120mg-48mg (sustained release)	100	2	2.50	Donnatal-LA RS
BENDROFLUAZIDE Tablet 2.5mg	50	2	2.02	Aprinox-M BT Bristuric BC Pluryl ET
5mg	50	2	2.85	Aprinox BT Bristuric BC Neo-Naclex GL Pluryl ET
BENZALKONIUM CHLORIDE Compound Suppository	12	1	1.35	Anoidal HA Paxyl FA
Solution 10%, 114ml	1	1	1.19	Zephiran Conc- entrated WL
BENZHEXOL Tablet 2mg	100	2	2.01 2.09	Anti-Spas PT Artane LE
5mg	100	2	3.47 3.65	Anti-Spas PT Artane LE
BENZOCAINE with ADRENALINE Compound Ointment 50g	1	1	1.50	Rectinol GP
Compound Suppository	12	1	1.35	Rectinol GP
Suppository 50mg-1mg	12	1	1.50	Adaben KL
BENZTROPINE Tablet 2mg	100	2	4.77	Cogentin MK
Injection 2mg in 2ml	5	2	3.95	Cogentin MK
BENZYL BENZOATE Application 25%, 100ml	1	2	1.30	Ascabiol MB

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETAHISTINE HYDROCHLORIDE Meniere's syndrome.				
Tablet 4mg	100	..	6.23	Serc PT
BETAMETHASONE Alopecia areata; Granulomata dermal; Intra-articular use; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoïd; Uveitis. * * *				
Authority required. Prophylactic therapy pre- and post-operatively for those pat- ients undergoing or recently subjected to steroid therapy.				
Injection 6mg in 1ml	5	..	9.21	Celestone SH
BETAMETHASONE * *				Chronodose
Tablet 0.5mg	30	..	1.70	Betnelan GL
Syrup 0.5mg per ml, 30ml	#1	..	2.43	Celestone SH
Injection 4mg in 1ml	5	..	7.15	Celestone SH
Eye Drops 0.1%, 5ml	#1	2	2.50	Betnelan GL
Eye Ointment 0.1%, 3g	#1	..	1.83	Celestone SH
BETAMETHASONE with CLIOQUINOL Ear Ointment 0.1%-3%, 5g	#1	..	1.47	Betnovate GL
				Otic
BETAMETHASONE VALERATE Cream 0.05%, 30g	#1	..	1.82	Betnovate 1/2 GL
				Celestone-V Half Strength SH
Gel 0.05%, 30g	#1	..	1.82	Betnovate 1/2 GL
Ointment 0.05%, 30g	#1	..	1.82	Betnovate 1/2 GL
				Celestone-V Half Strength SH
BETHANECHOL Urinary retention due to a neurogenic atonic bladder.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price s	Proprietary Name and Manufacturer
BETHANECHOL - cont. Tablet 10mg	50	1	2.63	Urecholine MK Uro-Carb HA
Injection 5mg in 1ml	2	..	1.84	Urecholine MK
BETHANIDINE Tablet 10mg	100	2	3.17	Esbatal BW
25mg	100	2	6.50	Esbatal BW
BIPERIDEN Tablet 2mg	100	2	4.17	Akineton KN
BISMUTH SUBGALLATE Compound Ointment 50g	#1	1	1.50	Anusol WW
Compound Suppository	12	1	1.23	Anusol WW
Powder-See Colostomy & Ileostomy				
BORIC ACID /Powder 100g	1	..	/0.30 /0.38	FA AA(N),DH,SI(V)
BROMPHENIRAMINE Tablet 4mg	50	1	1.63	Dimetane RS
12mg	50	1	3.10	Dimetane-LA RS
Syrup 2mg per 5ml, 100ml	#1	4	1.23	Dimetane RS
BUSULPHAN Treatment in malignant neoplasia.				
Tablet 0.5mg	100	2	2.77	Myleran BW
2mg	100	2	4.23	Myleran BW
BUTOBARBITONE Tablet 100mg	25	..	0.75 0.77	Sonabarb PT Soneryl MB
CALCIFEROL Authority required. Hypoparathyroidism; Osteomalacia following gastrect- omy or severe steatorrhoea; Vitamin D-resistant rickets.				
Tablet 1.25mg (50,000 Units)	100	2	2.61	Ostel.in High GL Potency
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CALIFEROL - cont. Oral Solution 15mg (600,000Units) in 1.5ml alcoholic solution	3	..	2.23	Sterogy1-15 RL
CALCIUM Hypocalcaemia; Hypoparathyroidism; Osteoporosis.				
Compound Effervescent Tablet equivalent to 500mg calcium	100	2	5.90	Spar-Cal MJ
equivalent to 1g calcium	30	2	5.03	Sandocal 1000 SZ
CALCIUM FOLINATE Antidote to folic acid antagonists.				
Injection 3mg in 1ml	5	..	9.83	Leucovorin LE
CALCIUM GLUCONATE Tablet 600mg	100	2	1.13	AD,DH,KL,PR, RY,SI
Injection 10%, 10ml	5	1	1.50	Calcium Sandoz AB SZ
CALCIUM LACTATE Tablet 300mg	100	2	0.95	AD,DH,KL,SI,TO
CAPREOMYCIN Tuberculosis.				
Injection 1g (solvent required)	5	..	19.25	Caprocin LY
CARBACHOL Injection 0.25mg in 1ml	5	..	1.06	AB
Eye Drops 0.75%, 15ml	≠1	6	2.43	AQ
1.5%, 15ml	≠1	6	2.50	AQ
3%, 15ml	≠1	6	2.63	AQ
CARBAMAZEPINE Epilepsy; Trigeminal neuralgia.				
Tablet 200mg	200	1	12.85	Tegretol GE

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CARBENICILLIN Authority required. Infections where positive bacteriological evidence confirms that carbenicillin is the most appropriate therapeutic agent.				
Injection 1g (solvent required)	5	..	18.90	Carbapen Pyopen CS BR
CARBENOXOLONE SODIUM Authority required. Gastric ulcer, proven.				
Tablet 50mg	100	..	11.87	Biogastrone BQ
CARBIMAZOLE Tablet 5mg	100	2	2.17 2.83	Carbazole PT Neo-Mercazole NS
CARBINOXAMINE Tablet 4mg	50	1	1.77	Clistin ET
12mg (sustained release)	50	1	3.83	Clistin R-A ET
Capsule 12mg (sustained release)	50	1	3.83	Histex SI
Paediatric Elixir 4mg per 5ml, 100ml	≠1	4	1.23	Clistin ET
CASCARA Tablet 200mg	25	3	0.87	RT(V)
300mg	25	3	0.98	RT(V), SI
/Liquid Extract BP 50ml	1	1	/0.53	AA(N)
CASEIN HYDROLYSATE with LAEVULOSE and ALCOHOL See Intravenous Fluids.				
CEPHALEXIN Authority required. Infections where positive bacteriological evidence confirms that cephalixin is the most appropriate therapeutic agent.				
Tablet 500mg	12	..	13.57	Keflex LY
Capsule 250mg	25	..	14.10	Ceporex GL Keflex LY Keforal DL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHALEXIN - cont. Capsule 500mg	12	..	13.57	Ceporex	GL
Granules for Syrup 125mg per 5ml, 100ml	≠1	..	#7.55	Ceporex Keflex	GL LY
CEPHALORIDINE Authority required. Infections where positive bacteriological evidence confirms that cephaloridine is the most appropriate therapeutic agent.					
Injection 250mg (solvent required)	5	..	9.30	Ceporan	GL
500mg (solvent required)	5	..	15.90	Ceporan	GL
1g (solvent required)	5	..	29.90	Ceporan	GL
CEPHALOTHIN SODIUM Authority required. Infections where positive bacteriological evidence confirms that cephalothin sodium is the most appropriate therapeutic agent.					
Injection 1g (solvent required)	5	..	22.10	Keflin	LY
2g (solvent required)	1	..	9.02	Keflin	LY
4g (solvent required)	1	..	17.19	Keflin	LY
CERATONIA Oesophageal reflux in infants.					
Powder 100g	≠1	4	1.83	Nestargel	NT
135g	≠1	4	2.30	Carobel	MN
CHLORAL HYDRATE Capsule 500mg	50	..	1.74 1.83	Lanchloral Chloradorm Chloralix Eudorm Noctec Dormel	LP KL RK VR SQ DH
Mixture 250mg per 5ml, 400ml	≠1	4	1.70	Dormel	DH
1g per 10ml, 200ml	≠1	4	1.70	Chloradorm Chloralix Noctec Syrup	KL RK SQ

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price S	Proprietary Name and Manufacturer
CHLORAMBUCIL Authority required. Anaemia, autoimmune, haemolytic; Arthritis, rheumatoid with vasculitis or visceral compli- cations; *Continuing chlorambucil therapy after discharge from an app- roved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease, including leukaemia; Nephritis; Nephrotic syndrome; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 2mg	100	2	5.82	Leukeran BW
5mg	100	2	9.02	Leukeran BW
CHLORAMPHENICOL Bacterial meningitis; Rickettsioses; Intraocular infections; Typhoid; Other serious infections where positive bacteriological evi- dence confirms that chloram- phenicol is the ONLY appropri- ate antibiotic.				
Capsule 125mg	16	..	1.33	Chloromycetin PD
250mg	16	..	1.86	Chloramol PT
			1.90	Chlomin KL
				Chloromycetin PD
				Kemeticine EC
Paediatric Suspension 125mg per 5ml, 100ml	#1	..	2.06	Chloromycetin Palmitate PD
Injection 250mg per ml, 2ml	5	..	3.26	Chloromycetin PD
1g (solvent required) (continued)	3	..	5.09	Chloromycetin Succinate PD EG

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price s	Proprietary Name and Manufacturer
CHLORAMPHENICOL - cont. Paediatric Injection 250mg (solvent required) * * *	3	..	3.23	Chloromycetin Succinate PD
CHLORAMPHENICOL Ear Drops 10%, 6ml	#1	2	1.50	Chlomin KL Chloromycetin PD
Eye Drops 25mg and 10ml solvent 0.5%, 10ml	#1	2	#1.85	Chloromycetin PD
	#1	2	1.37	Chlomin KL Chloroptic AG Opclor PD
Eye Ointment 1%, 4g	#1	..	1.17	Chlomin KL Chloromycetin PD
CHLORAMPHENICOL with POLYMYXIN B Eye Ointment 1%-5,000 Units per g, 4g	#1	..	1.19	Chlopex KL Chloromyxin PD
CHLORCYCLIZINE Tablet 50mg	50	1	1.87	PT
			1.90	Di-Paralene AB
CHLORHEXIDINE Solution 5%, 200ml	#1	1	2.50	Hibitane Concentrate IC
CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	2	3.10	Chlorquin PT Malaquin DR RT(V)
			3.22	Aralen WL Avloclor IC Nivaquine MB Resochin BN DH,ET,KL
Injection 40mg per ml, 2ml	5	1	1.61	Nivaquine MB
40mg per ml, 5ml	5	1	2.42	Nivaquine MB
CHLOROTHIAZIDE Tablet 500mg	50	2	3.17	Chlotride FR
CHLOROTRIANISENE Carcinoma of the prostate.				
Tablet 24mg	30	2	4.26	Tace ML

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORPHENIRAMINE				
Tablet 4mg	50	1	1.86	Allergex PT Chloramin LF Histoids OD
			1.94	Chlor-Trimeton SH
			1.97	Bramahist BB Piranex KL Piriton GL
8mg (sustained release)	50	1	2.26	Chloramin LF Histoids OD
			2.37	Bramahist BB Chlor-Trimeton SH Repetabs SH Piranex RA KL Piriton GL Duolets GL
12mg (sustained release)	50	1	2.90	Piriton GL Spandets GL
Capsule 8mg (sustained release)	50	1	2.38	Teledrin SK
12mg (sustained release)	50	1	2.99	Teledrin SK
Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	1.19	Bramahist BB Piranex KL Piriton GL
Injection 10mg in 1ml	5	..	1.78	Piriton GL
CHLORPROMAZINE				
Hereditary chorea(Huntington's);				
*Hyperactive states of organic or toxic delirium;				
Malignant neoplasia(late stage);				
Radiation sickness;				
Severe conduct disorders of children;				
Major psychoses including:-				
*Major organic psychoses includ- ing arteriopathic dementia;				
*Manic - depressive psychosis;				
Paranoid states;				
Schizophrenia;				
*Senile dementia.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORPROMAZINE - cont. Tablet 10mg	100	1	1.33	Largactil MB Plegomazine UW(NWS) Promacid KL Protran PT Serazone VR
25mg	100	1	1.70	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT Serazone VR
50mg	100	1	2.90	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT
100mg	100	1	5.30	Largactil MB Plegomazine UW(NWS) Procalm BB Promacid KL Protran PT
Mixture 25mg per 5ml, 100ml	≠1	4	1.19	Largactil MB Promacid KL
Injection BP, 25mg in 1ml	10	..	1.70	Largactil MB
50mg in 2ml	10	..	1.70	Plegomazine UW(NWS)
			2.03	Largactil MB Promacid KL
Suppository 100mg	5	1	1.43	Largactil MB
CHLORPROPAMIDE Tablet 100mg	100	2	2.97	Diabinese M PF
250mg	100	2	5.91	Diabinese PF
CHLORTETRACYCLINE For pensioners for any disease or purpose.				
Ointment 3%, 15g * * *	≠1	..	1.13	Aureomycin LE

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORTETRACYCLINE Capsule 250mg	25	..	2.35	Aureomycin LE Chlortet LF
CHLORTHALIDONE Tablet 50mg	50	2	3.19	Hygroton GE
CHOLERA VACCINE Injection 1ml	2	..	1.30	CS
CHOLESTYRAMINE Authority required. Bile salt malabsorption associated with ileal resection or proven ileal disease; Initial treatment of proven hyperbetalipoproteinaemia (Type II) not responding to other therapy; <u>NOTE:</u> Evidence of a positive diagnosis of hyperbetalipoproteinaemia (Type II) established by laboratory tests is required A second or subsequent course of treatment for proven hyperbetalipoproteinaemia (Type II) in patients who respond to treatment with cholestyramine but do not respond to other therapy; Pruritis associated with partial biliary obstruction not responding to other therapy.				
Powder 50%, 378g	≠1	..	10.34	Questran MJ
CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	2.63	Choledyl WW
200mg	100	2	3.17	Choledyl WW
Syrup 50mg per 5ml, 500ml	≠1	4	2.10	Choledyl WW
CHOLINE THEOPHYLLINATE with GUAIPHENESIN Tablet 200mg-100mg	100	2	3.17	Brondecon WW
Elixir 50mg-25mg per 5ml, 500ml	≠1	4	2.23	Brondecon WW
CLEMASTINE Tablet 1mg (continued)	50	1	3.53	Tavegyl SZ

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CLEMASTINE - cont.					
Mixture					
0.25mg(base) per 5ml, 100ml	#1	4	1.37	Tavegyl	SZ
Injection 2mg (base) in 2ml	5	..	1.90	Tavegyl	SZ
CLEMIZOLE					
Tablet 20mg	50	1	1.78	Allercur	SC
Paediatric Syrup 100ml	#1	4	1.19	Allercur	SC
CLINDAMYCIN					
Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin;					
Capsule 75mg	25	..	4.10	Dalacin C	UP
150mg	25	..	7.30	Dalacin C	UP
CLIOQUINOL					
Cream 1%, 30g	#1	..	1.23	Vioform	CB
CLOFIBRATE					
Authority required.					
Diabetic retinopathy (exudative).					
Initial treatment of hyperlipid- aemia not responding to dietary therapy;					
NOTE: An acceptable level of hyp- erlipidaemia for the issue of an authority for initial treatment is a demonstrated serum cholest- erol level in excess of 300mg per 100ml, or 250mg per 100ml in cases of familial disease (in parents or siblings) or a fast- ing serum triglyceride level in excess of 200mg per 100ml, foll- owing dietary therapy for an adequate period (8 weeks).					
A second or subsequent course of treatment for hyperlipidaemia where significant lowering of serum cholesterol subsequent to initial treatment has been est- ablished by laboratory report.					
Capsule 500mg	50	..	5.57	Atromid-S	IC

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLONIDINE				
Tablet 150 micrograms	100	2	7.17	Catapres BY
Injection 150 micrograms in 1ml	5	..	2.77	Catapres BY
CLOPAMIDE				
Tablet 20mg	50	2	2.77	Brinaldix SZ
CLOREXOLONE				
Tablet 10mg	50	2	2.17	Nefrolan MB
25mg	50	2	2.57	Nefrolan MB
50mg	50	2	3.17	Nefrolan MB
CLOXACILLIN				
Authority required.				
*Infections where bacteriologic- al evidence confirms the pres- ence of penicillin - resistant staphylococci; Osteomyelitis.				
Capsule 250mg	25	..	8.30	Austrastaph CS Orbenin BR
500mg	12	..	7.99	Austrastaph CS Orbenin BR
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#5.83	Austrastaph CS Orbenin BR
Injection 250mg (solvent required)	5	..	6.83	Austrastaph CS Orbenin BR
CODEINE PHOSPHATE				
Tablet 30mg	25	..	1.69 1.75	LP DH, KL, RT(V), RY
CODEINE PHOSPHATE with ASPIRIN For pensioners for any disease or purpose.				
Tablet 10mg-300mg	100	2	1.30 1.54	Ethidyne EL Acode KL
10mg-500mg	100	2	1.75	Ascotin FA
Soluble 10mg-300mg	100	2	1.83	Aspalgin FM Codacet CA Neocodsol KL Prodol Co. BB
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CODEINE PHOSPHATE with ASPIRIN -cont. Tablet Soluble 10mg-500mg	100	2	2.07	Hycodin Solcode FA RC
CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL For pensioners for any disease or purpose. Tablet 8mg-250mg-250mg	100	2	1.47 1.61 1.67	RY RT(V) Angesil Burco Co-Com Code-Co Nollipyrin AD DH CA VR HA KL
10mg-250mg-250mg	100	2	1.78	Codaspren Panalgesic SI WL
Soluble 8mg-250mg-250mg	100	2	2.02 2.03	Solusal Co Burcosol Codsol Solgesil HA CA KL DH
CODEINE PHOSPHATE with ASPIRIN, PARACETAMOL and CAFFEINE For pensioners for any disease or purpose. Tablet 12mg-250mg-150mg-15mg	100	2	2.19	Codiphen GP
30mg-225mg-150mg-30mg	50	..	2.03	Codiphen Forte Codral Forte GP BW
COD LIVER OIL /Cod Liver Oil BP 200ml	1	4	0.48 0.54	FA DH
/Emulsion 50%, 450ml	1	4	0.96	Elliott's Clinic DH
COLASPASE Acute leukaemia; Malignant neoplasia. Injection 10,000 Units (solvent required)	10	1	116.00	Crasnitin MB

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
COLCHICINE Tablet 0.5mg	100	2	2.87 2.90 2.99 3.03 3.17	Colgout PT LP, PR, RT(V) DH Coluric AV BW, KF Colcin KL MR
COLISTIN Gram-negative infections where NO other drug is effective; Pyocyanus infection. Injection 150mg (solvent required)				
COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per ml, 10ml	#1	2	1.70	Coly-Mycin WW
COPPER SULPHATE Diagnostic Compound Tablets, 36	1	3	0.68	Clinitest AM
CORTISONE ACETATE Tablet 5mg	50	..	1.70	Cortate PT Cortone MK
25mg	30	..	2.50	Cortate PT DH, KL, PD
Injection 25mg per ml, 10ml	1	..	5.83	Cortisyl RL
CYANOCOBALAMIN Neuroblastoma; Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy treatment; subacute combined degeneration of the cord).				
Injection 100 micrograms in 1ml	5	1	1.23 1.30	Panalamine PT LP Benol Forte KL Cytamen 100 GL
1,000 micrograms in 1ml	5	..	2.30 2.63	Panalamine PT 1000 LP Benol 1000 KL Cytamen 1000 GL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CYCLOBARBITONE Tablet 200mg	25	..	1.30	Amnosed Fabadorm Placyl	BW BN HA
CYCLOPENTHIAZIDE Tablet 0.5mg	50	2	2.77	Navidrex	CB
CYCLOPHOSPHAMIDE Authority required. Anaemia, autoimmune, haemolytic; Arthritis, rheumatoid with vasculitis or visceral compli- cations; *Continuing cyclophosphamide therapy after discharge from an approved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease including leukaemia; Nephritis; Nephrotic syndrome; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.					
Tablet 50mg	50	..	6.17	Endoxan-Asta	MJ
Injection 100mg (solvent required)	5	1	7.99	Endoxan-Asta	MJ
200mg (solvent required)	5	1	8.23	Endoxan-Asta	MJ
500mg (solvent required)	2	1	5.56	Endoxan-Asta	MJ
1g (solvent required)	1	1	4.50	Endoxan-Asta	MJ
CYCLOSERINE Tuberculosis.					
Capsule 250mg	250	2	49.39	Closina	LY
CYCLOTHIAZIDE Tablet 5mg	50	2	3.17	Doburil	BY
CYCRIMINE HYDROCHLORIDE Tablet 1.25mg (continued)	100	2	3.70	Pagitane	LY

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CYCRIMINE HYDROCHLORIDE - cont. Tablet 2.5mg	100	2	5.63	Pagitane LY
CYPROHEPTADINE Allergic dermatoses; Allergic rhinitis; Migraine.				
Tablet 4mg	50	1	2.23	Periactin MK
Capsule 4mg	50	1	2.23	Antegan FR
8mg (sustained release)	50	1	3.17	Antegan SR FR
Paediatric Syrup 1.2mg per 5ml, 100ml	≠1	4	1.23	Antegan FR Periactin MK
CYTARABINE Acute leukaemia; Malignant neoplasia.				
Injection set containing 100mg and 5ml solvent	10	1	70.90	Cytosar UP
DAPSONE Tablet 100mg	100	2	1.03	Avlosulfon IC
DARROW'S SOLUTION See Intravenous Fluids.				
DAUNORUBICIN Acute leukaemia; Malignant neoplasia.				
I.V. Infusion 20mg (base)	10	1	97.80	Cerubidin MB
DEBRISOQUINE Tablet 10mg	100	2	3.57	Declinax RO
20mg	100	2	4.95	Declinax RO
DEMECARIUM BROMIDE Eye Drops 0.1%, 5ml	≠1	6	1.87	Tosmilen AP
0.25%, 5ml	≠1	6	1.99	Tosmilen AP
0.5%, 5ml	≠1	6	2.27	Tosmilen AP
DEMETHYLCHLORTETRACYCLINE Capsule 150mg	21	..	2.62	Ledermycin LE

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEMETHYLCHLORTETRACYCLINE with NYSTATIN Capsule 150mg-250,000 Units	21	..	2.62	Lederstatin LE
DEFERRIOXAMINE MESYLATE Acute iron poisoning; Hepatolenticular degeneration. Injection 500mg (solvent required)	10	..	28.50	Desferal CB
DESIPRAMINE Tablet 25mg	50	1	3.43	Pertofran GE
DESLANOSIDE Injection 0.2mg per ml, 2ml	5	1	1.33	Cedilanid SZ
DEXAMETHASONE Tablet 0.5mg	30	..	1.83	Dexamethsone PT Oradexon OR KL
Cream 0.04%, 30g	#1	..	1.82	Oradexon OR
Injection 4mg in 1ml	5	..	7.15	Decadron MK Decasone FR
5mg in 1ml	5	..	8.83	Oradexon OR
4mg per ml, 2ml	5	..	12.50	Decadron MK Decasone FR
DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 0.5mg-5mg-0.05mg per g, 3g	#1	..	1.69	Sofradex RL
DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 0.5mg(base)-5mg-0.05mg per ml, 8ml	#1	2	1.82	Sofradex RL
DEXAMPHETAMINE Authority required Brain damage syndrome in child- ren; Narcolepsy. Tablet 5mg	100	..	1.60	SI

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DEXCHLORPHENIRAMINE					
Tablet 2mg	50	1	1.74	Polaramine	SH
6mg (sustained release)	50	1	3.38	Polaramine	SH
Paediatric Syrup					
2mg per 5ml, 100ml	≠1	4	1.37	Polaramine	SH
Injection 5mg in 1ml	5	..	1.43	Polaramine	SH
DEXTRAN 40					
See Intravenous Fluids.					
DEXTRAN 70					
See Intravenous Fluids.					
DEXTRIFERRON					
Injection I.V.5ml	5	..	3.83	Astrafer	AP
DEXTROMORAMIDE					
Treatment in malignant neoplasia.					
Tablet 5mg	25	..	1.80	Palfium	FA
Injection 5mg in 1ml	10	..	4.94	Palfium	FA
Suppository 10mg	10	..	2.88	Palfium	FA
DEXTROSE					
Injection 20%, 10ml	5	..	1.83	BL	
50%, 10ml	5	..	1.97	BL	
500ml and 1 litre Injections -					
See Intravenous Fluids					
DEXTROSE POLYMER					
Authority required.					
Phenylketonuria.					
Powder (non-dialysed) 2.5kg	≠1	..	9.72	Gastro-Caloreen	MN
DIAZEPAM					
Tablet 2mg	50	1	1.73	Valium	RO
5mg	50	1	2.46	Valium	RO
Paediatric Syrup					
2mg per 5ml, 100ml	≠1	4	2.01	Valium	RO
(continued)					

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIAZEPAM - cont. Injection 10mg in 2ml	5	..	2.53	Valium RO
<u>Note:</u> Authorities for increased maximum quantities and/or additional repeats of DIAZEPAM will be granted only for the treatment of: Epilepsy; Hereditary chorea (Huntington's); Malignant neoplasia (late stage); Motor neurone lesion; Multiple sclerosis; Stiff-man syndrome.				
DIAZOXIDE Hypertensive crisis. Injection 300mg in 20ml	1	..	8.63	Hyperstat I.V.SH
DIBENZEPIN Tablet 80mg	50	1	2.97	Noveril SZ
DICHLORALPHENAZONE Tablet 650mg	50	..	1.83	Bonadorm AH
Oral Liquid 225mg per 5ml, 100ml	≠1	4	1.70	Bonadorm AH
DICHLORPHENAMIDE Tablet 50mg	50	6	5.30	Daranide MK Oratrol AQ
DICYCLOMINE with DOXYLAMINE and PYRIDOXINE Vomiting in pregnancy. Tablet 10mg-10mg-10mg	30	1	2.37	Debendox ML
DICYCLOMINE HYDROCHLORIDE Tablet 10mg	100	2	2.63	Dicycol OD Procyclomin PT
			2.97	Diclomyl KL Merbentyl ML
Paediatric Syrup 5mg per 5ml, 100ml	≠1	4	1.57	Diclomyl KL Merbentyl ML
DIENOESTROL Tablet 0.3mg	100	2	0.79	AD, HA, KL, RT (V)
1mg (continued)	100	2	0.87	AD, HA, KL, RT (V), SL (N)

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIENOESTROL - cont.				
Tablet 5mg	100	2	1.17	AD, HA, KL
10mg	100	2	1.77	HA, KL
Cream 0.01%, 85g	1	..	1.35	ET
DIGITALIS, PREPARED				
Tablet 30mg	100	2	1.03	DH
60mg	100	2	1.17	DH
DIGOXIN				
Tablet 62.5 micrograms	100	2	1.19	Lanoxin-PG BW
250 micrograms	100	2	1.19	Prodigox PT
			1.33	LP, RY AV
				Cardiox KL
				Digolan VR
				Fibroxin BW
				Lanoxin NA
				Natigoxin FA, PR, RT(V), TO
Oral Solution for Children				
50 micrograms per ml, 100ml	≠1	2	2.43	Lanoxin BW
Injection BP				
500 micrograms in 2ml	10	1	2.50	Lanoxin BW
Injection for Infants				
50 micrograms in 2ml	10	1	2.42	Lanoxin BW
DIHYDROCODEINE TARTRATE				
Linctus 0.19%, 100ml	≠1	2	1.03	Fortuss GP
				Paracodin KN
				Rikodeine RK
DIHYDROERGOTAMINE				
Injection 1mg in 1ml	5	..	1.83	Dihydergot SZ
DIHYDROERGOTOXINE MESYLATE				
For the treatment of patients who have suffered an attack of paralytic poliomyelitis.				
Sublingual Tablet 0.25mg	100	..	5.79	Hydergine SZ
Injection 0.3mg in 1ml	5	..	2.02	Hydergine SZ

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIHYDROSTREPTOMYCIN with KAOLIN, PECTIN and ALUMINIUM HYDROXIDE GEL Suspension 317mg-3g-260mg per 30ml, 100ml	≠1	..	1.63	Streptomagma WY
DIHYDROSTREPTOMYCIN SULPHATE with ATTAPULGITE, PECTIN and HYDRATED ALUMINA POWDER Tablet 150mg-350mg-45mg-70mg	16	..	1.61	Streptomagma WY
DIHYDROTACHYSTEROL Hypoparathyroidism.				
Capsule 0.125mg	100	1	10.57	A.T.10 WL
Oral Solution 0.25mg per ml, 15ml	1	..	3.89	A.T.10 WL
DI-iodohydroxyquinoline Compound Vaginal Tablets 100mg, 25	≠1	1	1.70 2.10	VAAM-D.H.Q. VR Floraquin SR
Effervescent Gynaecological Pessaries 200mg, 20	≠1	1	1.83	Direxiode DF
DILOXANIDE FUROATE Tablet 500mg	30	..	4.50	Furamide BT
DIMERCAPROL Injection 5%, 2ml	10	..	4.10	B.A.L. BT
DIMETHICONE For use with surgical appliances.				
Cream 10%, 50g	1	..	1.23 1.26	Siopel IC Dermabase-S HA
10%, 75g	1	..	1.14 1.19	Silcon HA Dermafilm PD
20%, 20g	1	..	1.26	Vasogen SS Silicone
Solutions - See Colostomy and Ileostomy				
DIMETHINDENE Tablet 1mg	50	1	1.70	Fenostil CB
2.5mg (sustained release)	50	1	2.90	Fenostil Retard CB

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIMETHISTERONE with ETHINYL- OESTRADIOL Pack containing 16 tablets of ethinyloestradiol 100 micrograms and 5 tablets dimethisterone with ethinyloestradiol 25mg - 100 micrograms	2	2	2.34	Ovin	MJ
DIOCTYL SODIUM SULPHOSUCCINATE For pensioners for any disease or purpose.					
Tablet 50mg	100	2	1.30	Coloxyl 50	FM
120mg	100	2	1.94	Coloxyl 120	FM
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON For pensioners for any disease or purpose.					
Tablet 50mg-50mg	100	2	1.41	Coloxyl with Danthron	FM
DIPHENHYDRAMINE Capsule 50mg	50	1	1.43	Alergicap	PT
Paediatric Elixir 12.5mg per 5ml, 100ml	50	1	1.46	Benadryl	PD
	71	4	1.19	Benadryl Bidramine	PD AV
DIPHENYLPYRALINE Tablet 2.5mg	50	1	1.43	Allerzine Anti-Hist Histalert	VR PT RK
5mg (sustained release)	50	1	2.37	Allerzine Anti-Hist Histalert-SR	VR PT RK
Capsule 2.5mg (sustained release)	50	1	2.37	Histryl	SK
5mg (sustained release)	50	1	2.66	Histryl	SK
Paediatric Syrup 2.5mg per 5ml, 100ml	71	4	1.23	Histalert Histryl	RK SK
DIPHThERIA ANTITOXIN Injection 1,000 Units	2	1	3.44	CS	
10,000 Units	2	1	18.84	CS	

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price s	Proprietary Name and Manufacturer
DIPHTHERIA and TETANUS VACCINE For immunisation of children up to the age of 8 years.				
Injection 0.5ml	3	..	1.82	CS
For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	3	..	1.82	CS
DIPHTHERIA, TETANUS and PER- TUSSIS VACCINE				
Injection 0.5ml	3	..	2.03 2.06	PD CS
DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) For immunisation of children up to the age of 8 years.				
Injection 0.5ml	2	1	1.38	CS
DIPHTHERIA VACCINE (PURIFIED TOXOID ALUMINIUM PHOSPHATE) DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	2	..	1.20	CS
DIPYRIDAMOLE Supplementing anticoagulants in- Biopsy proven glomeruloneph- ritis; Microangiopathic renal disease; Renal allograft; Patients with cardiac prosthesis.				
Tablet 100mg	100	2	13.05	Persantin BY
DOXEPIN				
Tablet 10mg	50	1	1.90	Quitaxon FM
25mg	50	1	2.83	Quitaxon FM
Capsule 10mg	50	1	1.90	Sinequan PF
25mg	50	1	2.83	Sinequan PF

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DOXYCYCLINE Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Suspension 10mg per ml, 40ml * * *	#1	..	2.66	Doxin GP Vibramycin PF
DOXYCYCLINE Capsule 100mg	7	..	4.11	Doxin GP Vibramycin PF
Powder 100mg (base) for prepar- ation of infusion.	5	..	16.50	Vibramycin PF
ECOTHIOPATE IODIDE Eye Drops 0.06%, 3mg and 5ml solvent	#1	6	#4.03	Phospholine AY Iodide
0.125%, 6.25mg and 5ml solvent	#1	6	#4.43	Phospholine AY Iodide
0.25%, 12.5mg and 5ml solvent	#1	6	#4.97	Phospholine AY Iodide
ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	#1	..	1.43	Repalyte DH
ELECTROLYTE REPLACEMENT SOLUTION see Intravenous Fluids.				
EMETINE Injection 65mg in 1ml	5	..	3.50	KL
EMETINE AND BISMUTH IODIDE Tablet 60mg	36	1	5.83	BW
EPHEDRINE HYDROCHLORIDE Tablet 15mg	100	2	0.79 0.90	LP AD, KL, RT (V), RY
30mg	100	2	1.01 1.03	LP AD, KL, RY, SI
Injection 30mg in 1ml	5	1	1.22	KL
50mg in 1ml	5	1	1.22	KL
Elixir PL - See Section 4				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE Tablet 15mg-15mg	100	2	1.06	Ephedrobarb- ital Mitis FM
30mg-15mg	100	2	1.14	Ephedrobarb- ital FM
30mg-30mg	100	2	1.19	Ephedrobarb- ital Forte FM
Elixir 30mg-20mg per 5ml, 100ml	≠1	4	1.39	Ephedrobarb- ital FM
EPICILLIN Infections by susceptible organ- isms where these cannot be safely and effectively treated with sulphonamides, oral forms of benzyl penicillin, phenoxy- methyl penicillin or phenethic- illin; Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evi- dence shows the organism to be sensitive to epicillin or where the patient is sensitive to sulphonamides.				
Capsule 125mg	25	..	2.57	Dexacillin SQ
250mg	25	..	3.91	Dexacillin SQ
500mg	12	..	3.77	Dexacillin SQ
Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#2.75	Dexacillin SQ
250mg per 5ml, 100ml	≠1	..	#4.15	Dexacillin SQ
ERGOMETRINE MALEATE Tablet 0.2mg	25	..	1.83 1.87	Ergomine PT Ergotrate LY SP(NWS)
0.5mg	25	..	3.86 4.23	Ergomine PT SP(NWS) Ernalate BW
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ERGOMETRINE MALEATE - cont. Injection 0.125mg in 1ml	5	..	1.33	AB
0.5mg in 1ml	5	..	1.55	SP (NWS)
			1.57	DH
			1.70	AB
			1.90	BL
			1.99	Ermalate BW
ERGOTAMINE TARTRATE Tablet 1mg	50	2	2.47	Etin KL
			2.57	Gynergen SZ
				Lingraine WL
Injection 0.5mg in 1ml	5	..	1.58	SP (NWS)
			1.86	Gynergen SZ
ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	3.17	Cafergot SZ
				Cotin KL
Compound Suppository	6	2	1.85	Cafergot PB SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	3.83	Migral BW
ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Tablet 1mg-100mg-10mg	50	2	3.73	Ergalan AH
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	3.83	Ergodryl PD
ERYTHRITYL TETRANITRATE Tablet 5mg	100	2	1.19	Cardilate BW
ERYTHROMYCIN Tablet 125mg	25	..	2.31	EMU-V UP
200mg	25	..	2.87	Erythrocin AB
250mg	25	..	3.61	EMU-V UP
				Erythrocin AB
				Ethryn FA
Capsule 125mg	25	..	2.31	Erythrocin AB
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ERYTHROMYCIN - cont. Capsule 250mg	25	..	3.61	E-Mycin PT Eratrex BC Erostin KL Erythrocin AB Ethryn FA
Paediatric Drops 100mg per ml, 10ml	≠1	..	1.53	Ilosone LY
Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	2.75	Eratrex BC Eromycin DL Erostin KL Erythrocin AB Ilosone LY Pediacyclin RD
250mg per 5ml, 100ml	≠1	..	4.57	Erythrocin AB
Injection I.M. 50mg per ml, 2ml	5	..	6.11	Erythrocin AB
I.V.1g in 50ml (solvent required)	1	..	6.90	Ilotycin LY
300mg in 10ml	5	..	12.35	Erythrocin AB
ETHACRYNIC ACID Fluid retention associated with heart failure, cirrhosis of the liver or nephrotic syndrome; Fluid retention associated with other conditions and not resp- onding to thiazides.				
Tablet 50mg	50	2	5.43	Edecril MK
ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	1.05	Ethamolin GL
ETHCHLORVYNOL Capsule 500mg	25	..	1.41	Placidyl AB
ETHINYLOESTRADIOL Tablet 0.01mg	100	1	1.17	Edrol VR Estigyn AH Lynoral OR HA
0.02mg	100	1	1.43	Edrol VR Estigyn AH Lynoral OR HA
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETHINYLOESTRADIOL - cont. Tablet 0.05mg	100	1	1.52 1.53	Ertonyl SH Edrol VR Estigyn AH Lynoral OR HA
1mg	100	1	5.78	Estigyn AH Lynoral OR HA, KL
ETHOPROPAZINE Tablet 50mg	100	2	3.30	Lysivane MB
ETHOSUXIMIDE Capsule 250mg	200	1	8.43	Zarontin PD
Paediatric Syrup 250mg per 5ml, 250ml	1	4	2.90	Zarontin PD
ETHOTOIN Tablet 500mg	200	1	9.17	Peganone AB
ETHOXZOLAMIDE Tablet 125mg	50	6	6.26	Cardrase UP
ETHYLIDENE DICOUMARIN Tablet 100mg	100	2	6.77	E.D.C. NS
ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	2.09	Bronkephrine WL
ETHYLOESTRENOL Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids; *Intermittent use for the relief of pain due to osteoporosis. (NOTE: Certification that prev- ious treatment with this drug afforded relief of pain should accompany a second or subseq- uent application for authority for this purpose); NOTE: Intermittent use means approximately three weeks treat- ment in each three months. Osteomalacia following gastrect- omy.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETHYLOESTRENOL - cont. Tablet 2mg	100	..	8.57	Orabolin OR
ETHYNODIOL DIACETATE with ETHINYL- OESTRADIOL Tablet 500 micrograms- 50 micrograms, 21	2	2	2.34	Ovulen 0.5/50 SR
1mg - 50 micrograms, 21	2	2	2.34	Ovulen 1/50 SR
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	2.34	Edulen SR
ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms - 100 micrograms, 21	2	2	2.34	Ovulen 0.5 SR
1mg - 100 micrograms, 21	2	2	2.34	Ovulen 1 SR
2mg - 100 micrograms, 21	2	2	2.34	Ovulen 2 SR
FERRIC HYDROXIDE Colloidal Paediatric Solution 100ml	≠1	4	1.55	Colliron AH
FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron	100	2	1.30	Ferro-Chel Plesmet CO BP
Paediatric Syrup 100ml	≠1	4	1.30	Ferro-Chel Plesmet CO BP
FERROUS FUMARATE Tablet 150mg	100	2	1.37	Fumiron KL
FERROUS GLUCONATE Tablet 300mg	100	2	1.22	Fergon Ferro G Glucohaem Ironate RT(V),RY WL HA VR KL
Paediatric Elixir 6%, 100ml	≠1	4	1.27	Fergon WL
FERROUS PHOSPHATE COMPOUND /Syrup 100ml	1	4	0.45	DH

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FERROUS SUCCINATE Capsule 106mg	100	2	1.38	Ferromyn CA
Paediatric Elixir 106mg per 5ml, 100ml	≠1	4	1.30	Ferromyn CA
FERROUS SULPHATE Paediatric Drops 120mg per ml, 30ml	≠1	4	1.27	Haemofort MJ
FERROUS SULPHATE DRIED Tablet 300mg	100	2	1.03	Haemofort MJ
320mg (delayed release)	30	2	1.30	Slow-Fe ZY
320mg (sustained release)	30	2	1.30	Sorbifer AP
350mg (sustained release)	30	2	1.30	Feritard PT
				Ferro-Gradumets AB
Capsule 320mg (delayed release)	30	2	1.30	Fespan SK
FERROUS SULPHATE DRIED with FOLIC ACID Prophylactic use in pregnancy.				
Tablet 270mg-300 micrograms (delayed release)	30	2	1.43	Feritard Folic PT
Tablet 270mg-300 micrograms (sustained release)	30	2	1.43	F.G.F. AB
Capsule 270mg-300 micrograms (delayed release)	30	2	1.43	Fefol 2 SK
FLUCLOROLONE ACETONIDE Cream 0.025%, 30g	1	..	1.82	Topilar SD
FLUDROCORTISONE ACETATE Adrenal cortical hypoplasia including Addison's disease; Adrenalectomy - total; Orthostatic hypotension; *Salt-losing congenital adreno- cortical hyperplasia.				
Tablet 0.1mg	100	..	4.61	Florinef SQ
1mg	30	..	10.74	Florinef SQ

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUPHENAZINE - cont.					
Tablet 1mg	100	1	3.79	Anatensol	SQ
2.5mg	100	1	5.50	Anatensol	SQ
5mg	100	1	6.43	Anatensol	SQ
Elixir 0.5mg per ml, 60ml	¶1	4	2.02	Anatensol	SQ
FLUPHENAZINE DECANOATE					
Hereditary chorea(Huntington's);					
*Hyperactive states of organic or toxic delirium;					
Malignant neoplasia(late stage);					
Radiation sickness;					
Major psychoses including:-					
*Major organic psychoses includ- ing arteriopathic dementia;					
*Manic-depressive psychosis;					
Paranoid states;					
Schizophrenia;					
*Senile dementia.					
Injection 12.5mg in 0.5ml	5	..	7.70	Modecate	SQ
25mg in 1ml	5	..	13.83	Modecate	SQ
50mg in 2ml	5	..	24.23	Modecate	SQ
FLUPHENAZINE ENANTHATE					
Hereditary chorea(Huntington's);					
*Hyperactive states of organic or toxic delirium;					
Malignant neoplasia(late stage);					
Radiation sickness;					
Major psychoses including:-					
*Major organic psychoses includ- ing arteriopathic dementia;					
*Manic-depressive psychosis;					
Paranoid states;					
Schizophrenia;					
*Senile dementia.					
Injection I.M. 25mg in 1ml	5	..	9.41	Anatensol Enanthate	SQ
FLURANDRENOLONE					
Cream 0.025%, 30g	¶1	..	1.82	Haelan	DL
Ointment 0.025%, 30g	¶1	..	1.82	Haelan	DL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FOLIC ACID Cystic fibrosis; Folic acid deficiency, proven; Sprue or the sprue-like syndrome				
Tablet 5mg	100	2	1.42 1.43 1.50	PT PR Folasic AV AD, ET, KL, LP, PD, RT(V), RY, SI
Injection 15mg in 1ml	10	..	2.90 3.36	AB ET
* * *				
Cystic fibrosis; Pregnancy.				
Tablet 0.5mg	100	..	1.19 1.23 1.30	LP, PT Folettes FM Millafol PD AD, ET, KL, SI
FRAMYCETIN Bowel sterilisation preparatory to major surgery.				
Tablet 250mg	20	..	6.90	Soframycin RL
* * *				
Sub-conjunctival injection in the treatment of serious ocular inflammation.				
Injection 500mg (solvent required) * * *	1	2	6.33	Soframycin RL
FRAMYCETIN Mixture 300mg per 20ml with adsorbent, 100ml	≠1	..	2.15	Enterfram FC
Eye Ointment 0.5%, 3.5g	≠1	..	1.39 1.45	Framygen FC Soframycin RL
Eye/Ear Drops 0.5%, 5ml	≠1	2	1.89	Framygen FC Soframycin RL
FRUSEMIDE Fluid retention associated with heart failure, cirrhosis of the liver or nephrotic syndrome; Fluid retention associated with other conditions and not resp- onding to thiazides.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FRUSEMIDE - cont. Tablet 40mg * * *	50	2	5.41	Lasix HP
FRUSEMIDE Injection 20mg in 2ml	5	..	3.66	Lasix HP
FUSIDIC ACID Authority required. For use in combination with another antibiotic in the treatment of proven serious staphylococcal infections.				
Tablet (Sodium salt) 250mg (enteric coated)	36	..	46.90	Fucidin ET
Suspension (Diethanolamine salt) 40mg per ml, 90ml	#1	..	18.99	Fucidin ET
GAMMA BENZENE HEXACHLORIDE Cream 1%, 100g	#1	..	1.63	Lorexane IC
Head Lotion 0.2%, 200ml	#1	..	1.83	Lorexane IC
Lotion Concentrate 1%, 200ml	#1	..	2.50	Lorexane Concentrate IC
GAS GANGRENE ANTITOXIN (OEDEMATIENS) Injection 10,000 Units	3	1	28.22	CS
GAS GANGRENE ANTITOXIN (SEPTICUM) Injection 5,000 Units	2	1	29.44	CS
GAS GANGRENE ANTITOXIN (WELCHII) Injection 10,000 Units	10	1	125.20	CS
GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection - 1 amp containing: 10,000 Units Welchii; 10,000 Units Oedematiens; 5,000 Units Septicum	2	1	33.88	CS
GASTRIC REPLACEMENT SOLUTION See Intravenous Fluids				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GENTAMICIN SULPHATE Authority required. Infections where positive bacteriological evidence confirms that gentamicin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.				
Injection 10mg (base) in 1ml	5	..	9.83	Garamycin SH
40mg (base) in 1ml	5	..	17.17	Garamycin SH
60mg (base) in 1.5ml	5	..	22.17	Garamycin SH
80mg (base) in 2ml	5	..	27.15	Cidomycin RL Garamycin SH
GLIBENCLAMIDE Tablet 5mg	100	2	11.77	Daonil HP Euglucon FM
GLUCAGON HYDROCHLORIDE Injection 1mg with 1ml diluent	1	..	3.97	LY
GLUCOSE INDICATOR Diabetes mellitus where blood sugar levels cannot be determined to be within a satisfactory range by urine testing; Hypoglycaemia of infancy.				
25 Blood Test Strips * * *	1	..	7.17	Dextrostix AM
GLUCOSE INDICATOR #400cm Test Dispenser	1	1	/2.40	Tes-Tape LY
#100 Reagent Strips	1	1	/2.10	Clinistix AM
#100 Reagent Strips	1	1	/2.18	Diastix AM
GLUCOSE and KETONE INDICATOR #50 Reagent Strips	1	1	/1.58	Keto-Diastix AM
GLUTETHIMIDE Tablet 125mg	50	..	1.50	Doriden Sed CB
250mg	25	..	1.30	Doriden CB Gludorm KL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GLUTETHIMIDE - cont. Tablet 500mg	25	..	1.43	Doriden Forte CB
Capsule 250mg	25	..	1.30	Gludorm KL
500mg	25	..	1.43	Doriden Forte CB
GLYCERIN /Glycerin 100ml	1	1	0.51	DH
/Suppositories 1g, 12	1	1	0.66	FA
GLYCERYL TRINITRATE Tablet 0.6mg	100	2	0.90	Anginine Stabilised BW
GLYCOPYRRONIUM BROMIDE Tablet 1mg	100	2	4.50	Robinul RS
GLYMIDINE Tablet 500mg	100	2	3.77	Gondafon SC
1g	50	2	3.70	Gondafon SC
GOATS' MILK Authority required. *Cows' milk allergy in children under the age of six (6) years. NOTE: Milk allergy means eczema, asthma or severe gastro-intest- inal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk and recurrence on subsequent feeding with cows' milk.				
Dehydrated Powder 14oz	2	20	8.72	Meyenberg JM
1 lb	2	20	9.86	GV
450g	2	20	9.92	Dalc CE
Whole (sterilised) 14fl oz	12	20	5.40	TM
GRISEOFULVIN Authority required. Use in severe tinea infections due to microsporum, tricho- phyton or epidermophyton species which have been proven by laboratory examination or Wood's Light.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GRISEOFULVIN - cont. Tablet 125mg	100	..	7.17	Fulcin 125 IC Grisovin GL
500mg	28	..	6.90	Fulcin 500 IC Grisovin 500 GL
GUANETHIDINE Tablet 10mg	100	2	5.03	Ismelin CB
25mg	100	2	11.30	Ismelin CB
HALIBUT LIVER OIL For pensioners for any disease or purpose.				
Capsule 4,500 Units Vitamin A	100	1	2.10	CK, KL, MG, SL (N)
6,000 Units Vitamin A	100	1	2.10	PT
HALOPERIDOL Hereditary chorea (Huntington's); Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses; Manic psychoses; Paranoid states; Schizophrenia.				
Tablet 0.5mg	100	1	3.67	Serenace SR
1.5mg	100	1	5.50	Serenace SR
Injection 5mg in 1ml	10	..	9.17	Serenace SR
HEPARIN Injection BP 5,000 Units in 1ml	5	5	3.30	Pularin AH CS
5,000 Units in 5ml	5	5	3.38 3.30	WP (NVW) Pularin AH BT, CS, WP (NVW)
12,500 Units in 1ml	2	5	2.50	CS
25,000 Units in 5ml	2	5	3.84	Pularin AH BT, CS, WP (NVW)
35,000 Units in 35ml	12	5	32.54	CS
125,000 Units in 5ml	1	5	7.83	Pularin AH BT, CS

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HEXAMINE HIPPURATE Tablet 1g	100	2	7.10	Hiprex RK
HEXOCYCLUM METHYLSULPHATE Tablet 50mg (sustained release)	100	2	8.06	Tra1 AB
75mg (sustained release)	100	2	8.77	Tra1 AB
HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15ml	#1	2	2.22 2.23	AG,KL,LP AQ
5%, 15ml	#1	2	2.54 2.57	AG,KL AQ
HYALURONIDASE Injection 1,500 I.U. (solvent required)	5	1	3.73	Hyalase FC
HYDRARGAPHEN Pessary 5mg	15	1	2.50	Versotrane Tri- ple Strength WB
HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	2.39	Dichlotride MK Esidrex CB Neo-Flumen GA
50mg	50	2	3.74	Dichlotride MK Esidrex CB Neo-Flumen GA
HYDROCORTISONE Ear Drops 1%, 10ml	#1	..	1.83	Hydrosone KL
Eye Drops 0.5%, 2ml	#1	2	1.43	Scheroson F Ophthalmicum SC
0.5%, 5ml	#1	2	1.50	Hycor SI Hydrosone KL
0.5%, 10ml	#1	2	2.03	Hycor SI Hydrosone KL
1%, 3ml	#1	2	1.57	Hycor SI
1%, 5ml	#1	2	1.63	Hydrosone KL
1%, 10ml	#1	2	2.43	Hycor SI Hydrosone KL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE - cont.				
Eye Drops 2.5%, 5ml	#1	2	2.17	Hycor SI Hydrosone KL
2.5%, 10ml	#1	2	2.90	Hycor SI Hydrosone KL
Eye Ointment 0.5%, 4g	#1	..	1.30	Cortef UP Cortril PF Hydrosone KL
0.5%, 5g	#1	..	1.30	Hycor SI
1%, 5g	#1	..	1.83	Hycor SI Hydrosone KL
Cream 1%, 30g	#1	..	1.62	Adacor AV Cortef UP 1.70 Cort-Dome DO Cortril PF Dermacort PD Hydrosone KL Hynax VR Phiacort PY Procort PR Sigmacort SI Squibb-HC SQ HA,LP
Topical Ointment 1%, 30g	#1	..	1.62 1.70	Cortef UP Dermacort "O" PD Hydrosone KL Hynax VR Procort PR Sigmacort SI Squibb-HC SQ HA,LP
HYDROCORTISONE with NEOMYCIN SULPHATE				
Ear Drops 1.5%-0.5%, 5ml	#1	..	1.83	Neo-Cortef UP
Ear Ointment 1.5%-0.5%, 4g	#1	..	1.83	Neo-Cortef UP Neohydrosone KL
HYDROCORTISONE ACETATE				
Alopecia areata; Granulomata, dermal; Intra-articular use; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE ACETATE - cont. Injection 25mg in 1ml	5	..	3.17 3.43	Hysone-A PT Hydrocort BT Hydrocortisyl RL Hydrocortone NK
HYDROCORTISONE SODIUM SUCCINATE Acute medical or surgical crises; Prophylactic therapy before, during and after surgical pro- cedures for patients requiring or recently subjected to ster- oid therapy.				
Injection set containing equi- valent of 100mg hydrocortisone and 2ml solvent	2	..	9.16 9.78 9.94 10.42	Venocort PT Efcortelan GL Nordicort NR Flebocortid RM Intracort BT Solu-Cortef UP
HYDROFLUMETHIAZIDE Tablet 50mg	50	2	4.01	Di-Ademil SQ Hydrenox BT
HYDROGEN PEROXIDE SOLUTION /Solution 10 vol, 100ml	1	..	0.29	FA
10 vol, 200ml	1	..	0.33	FA
20 vol, 100ml	1	..	0.38	DH
HYDROMORPHONE Injection 1.1ml	5	..	1.80	Dilaudid KN
HYDROXOCOBALAMIN Neuroblastoma; Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy; subacute combined degeneration of the cord).				
Injection 100 micrograms in 1ml	5	1	1.30	Neo-Benol 100 KL Neo-Cytamen GL
1,000 micrograms in 1ml	5	..	2.63	Neo-Benol 1000 KL Neo-Cytamen GL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
HYDROXYCHLOROQUINE Tablet 200mg	100	2	4.63	Plaquenil	WL
HYOSCINE BUTYLBROMIDE Tablet 10mg	100	2	4.18	Buscopan	BY
Injection 20mg in 1ml	5	..	1.83	Buscopan	BY
HYOSCINE HYDROBROMIDE Eye Drops 0.25%, 15ml	≠1	2	2.90	AQ	
HYOSCINE METHOBROMIDE Tablet 2.5mg	100	2	4.93	Pamine	UP
HYPROMELLOSE Eye Drops 0.5%, 15ml	≠1	6	1.30	Isopto Tears Lacril Methopt IQ, KL	AQ AG SI
IBUPROFEN Rheumatoid arthritis where sali- cylates are contraindicated or ineffective; Osteoarthritis where salicylates are contraindicated or ineffect- ive.					
Tablet 200mg	50	2	2.90	Brufen	BT
IDOXURIDINE Infections caused by herpes simplex virus.					
Eye Drops 0.1%, 15ml	≠1	2	3.70	Herplex Stoxil	AG SK
Eye Ointment 0.5%, 5g	≠1	..	3.70	Stoxil	SK
IMIPRAMINE Tablet 10mg	50	1	1.73	Imiprin Iramil Prodepress Tofranil	PT KL BB GE
25mg	50	1	2.86	Imiprin Iramil Melipramine Prodepress Tofranil	PT KL UW BB GE
Injection I.M. 25mg in 2ml	10	..	4.03	Tofranil	GE

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INDOMETHACIN Capsule 25mg	50	2	3.42	Indocid MK
Suppository 100mg	10	2	3.17	Indocid MK
INFLUENZA VACCINE For pensioners only.				
Injection 1ml	2	..	2.40	CS
INSECT ALLERGEN EXTRACT - BULL ANT Severe constitutional reaction to bull ant stings				
Injection Set - strengths A,B,C each 5ml	1	..	8.86	CS
Strength D, 5ml	1	..	7.43	CS
INSECT ALLERGEN EXTRACT - HONEY BEE Severe constitutional reaction to bee stings.				
Injection Set - strengths A,B,C each 5ml	1	..	8.86	CS
Strength D, 5ml	1	..	7.43	CS
INSECT ALLERGEN EXTRACT - JUMPER ANT Severe constitutional reaction to jumper ant stings.				
Injection Set - strengths A,B,C each 5ml	1	..	8.86	CS
Strength D, 5ml	1	..	7.43	CS
INSECT ALLERGEN EXTRACT - PAPER WASP Severe constitutional reaction to wasp stings.				
Injection Set - strengths A,B,C each 5ml	1	..	8.86	CS
Strength D, 5ml	1	..	7.43	CS

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN				
Injection				
20 Units per ml, 10ml	10	2	6.10	BW,CS
40 Units per ml, 10ml	10	2	10.00 11.20	BT,WP(NVW) AH,BW,CS
80 Units per ml, 10ml	10	2	16.90 19.10	BT AH,BW,CS
160 Units per ml, 10ml	10	2	42.30	CS
300 Units per ml, 5ml	10	2	52.90	CS
(specially purified) 40 Units per ml, 10ml	10	2	31.90	CS
INSULIN BIPHASIC				
Injection 40 Units per ml, 10ml	10	2	18.90	Rapitard-Novo AH
80 Units per ml, 10ml	10	2	36.00	Rapitard-Novo AH
INSULIN GLOBIN ZINC				
Injection 40 Units per ml, 5ml	10	2	6.90	BW
80 Units per ml, 5ml	10	2	12.00	BW
INSULIN ISOPHANE (N.P.H.)				
Injection				
40 Units per ml, 10ml	10	2	11.60 13.10	BT,WP AH,BW,CS
80 Units per ml, 10ml	10	2	22.30 25.10	BT,WP AH,BW,CS
160 Units per ml, 10ml	10	2	44.40	CS
Injection (specially purified) 40 Units per ml, 10ml	10	2	26.40	CS
INSULIN NEUTRAL				
Injection 40 Units per ml, 10ml	10	2	13.50	Actrapid-Novo AH Nuso BW
80 Units per ml, 10ml	10	2	25.50	Actrapid-Novo AH Nuso BW
INSULIN PROTAMINE ZINC				
Injection				
40 Units per ml, 10ml	10	2	10.70 12.00	BT,WP(NVW) AH,BW,CS
80 Units per ml, 5ml	10	2	10.70	BT
80 Units per ml, 10ml	10	2	22.40	AH,BW,CS

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN SPECIAL P (PIG) Injection 40 Units per ml, 10ml	10	2	15.20	CS
INSULIN ZINC SUSPENSION Injection 40 Units per ml, 10ml	10	2	12.40 14.00	BT AH, BW, CS
80 Units per ml, 10ml	10	2	23.90 26.80	BT AH, BW, CS
INSULIN ZINC SUSPENSION (AMORPHOUS) Injection 40 Units per ml, 10ml	10	2	12.40 14.00	BT AH, BW, CS
80 Units per ml, 10ml	10	2	23.90 26.80	BT AH, BW, CS
INSULIN ZINC SUSPENSION (CRYSTALLINE) Injection 40 Units per ml, 10ml	10	2	12.40 14.00	BT AH, BW, CS
80 Units per ml, 10ml	10	2	23.90 26.80	BT AH, BW, CS
INTESTINAL REPLACEMENT SOLUTION See Intravenous Fluids.				
INTRAVENOUS FLUIDS 500ml and 1 litre - See Special Section				
INVERT SUGAR See Intravenous Fluids.				
IRON DEXTRAN Injection 2ml	5	..	4.10	Imferon FC
5ml	5	..	6.70	Imferon FC
IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	1.37	Ferrum H SI
Injection 100mg (Iron) in 2ml	5	..	4.50	Ferrum H SI
IRON SORBITOL Injection, Trivalent Iron 2ml	5	..	4.50	Jectofer AP

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ISONIAZID Tuberculosis.				
Tablet 50mg	200	2	1.30 1.57	RY Isotiny1 HA KL
100mg	100	2	1.50 1.65	RY Isotiny1 KL
ISOPRENALINE HYDROCHLORIDE Stokes-Adams syndrome.				
Tablet 30mg (sustained release) * * *	100	2	5.51	Saventrine PN
ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	1.63	Isuprel WL
Inhalation 1 in 200, 15ml	1	1	1.19	Isuprel WL
Injection 1 in 5,000, 1ml	5	..	4.34	Isuprel WL
1 in 5,000, 5ml	5	..	6.63	Isuprel WL
ISOPRENALINE SULPHATE Tablet 20mg	100	2	2.10	Neo-Epinine BW
Inhalation Solution 10mg per ml, 7ml	1	1	1.14	Neo-Epinine Spray No.1 BW
Inhalation, metered aerosol spray replacement pack 2mg per ml, 15ml (300 dose)	≠1	..	2.90	Medihaler-Iso RK
4mg per ml, 7.5ml (300 dose)	≠1	..	2.90	Iso-Autohaler RK
10mg per ml, 15ml (300 dose)	≠1	..	2.97	Medihaler-Iso Forte RK
ISOPROPAMIDE IODIDE Tablet 5mg	100	2	5.43	Tyrimide SK
KANAMYCIN Infections where positive bact- eriological evidence confirms that kanamycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.				
Injection 30mg in 1ml	5	..	2.43	Kanasig SI

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
KANAMYCIN - cont.					
Injection 250mg in 2ml	5	..	5.50	Kanasig	SI
500mg in 2ml	5	..	7.83	Kanasig	SI
			7.85	Kantrex	BC
1g in 3ml	5	..	12.50	Kanasig	SI
				Kantrex	BC
KANAMYCIN * *					
Ear Drops 1%, 10ml	#1	..	1.50	Kantrex	BC
Eye Drops 1%, 10ml	#1	..	1.63	Kantrex	BC
KAOLIN with PECTIN					
Mixture					
5.91g-132mg per 30ml, 360ml	#1	2	1.35	Kaopectate	UP
LACTULOSE					
Hepatic coma or precoma (chronic porto-systemic encephalopathy).					
Mixture 50%, 340ml	#1	4	5.17	Duphalac	PI
LAEVULOSE					
See Intravenous Fluids					
LANATOSIDE-C					
Tablet 0.25mg	100	2	2.18	Lanimerck	MQ
				Lanocide	PT
				SP (NWS)	
			2.27	Cedilanid	SZ
LEVODOPA					
Authority required.					
Treatment of Parkinson's disease.					
Tablet 100mg	50	..	2.30	Larodopa	RO
250mg	100	..	6.83	Larodopa	RO
500mg	250	..	29.83	Larodopa	RO
Capsule 100mg	50	..	2.30	Syndopa	FA
250mg	100	..	6.83	Larodopa	RO
				Levopa	PT
				Syndopa	FA
500mg	250	..	29.83	Larodopa	RO
				Levopa	PT
				Syndopa	FA

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LIGNOCAINE Cardiac arrhythmias.				
Injection 100mg in 5ml	#2	..	2.17	Xylocard 100 AP
Infusion 500mg in 5ml	5	..	5.09	Xylocard 500 AP
LINCOMYCIN *Anaerobic infections; Osteomyelitis.				
Capsule 250mg	24	..	4.82	Lincocin UP
500mg	20	..	7.09	Lincocin UP
Paediatric Syrup 250mg per 5ml, 100ml * * *	#1	..	4.50	Lincocin UP
LINCOMYCIN Injection 300mg in 1ml	5	..	3.43	Lincocin SS Paediatric UP
600mg in 2ml	5	..	5.57	Lincocin UP
LIOTHYRONINE Myxoedema				
Tablet 20 micrograms	50	..	1.46	Tertroxin GL
LITHIUM CARBONATE Authority required. Manic depression.				
Tablet 250mg	100	2	1.63	Lithicarb PT
300mg	100	2	1.75	DH
LYNOESTRENOL with MESTRANOL Tablet				
1mg - 100 micrograms, 22	2	2	2.34	Microcyclin CB Ovostat OR
2.5mg - 75 micrograms, 22	2	2	2.34	Anacyclin CB Lyndiol 2.5 OR
LYPRESSIN Diabetes insipidus.				
Nasal Spray 50 Units per ml, 5ml	4	2	8.78	Vasopressin SZ

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	1.59	Maalox RG
Mixture 375mg per 5ml, 360ml	≠1	2	1.70	Maalox RG
MAGNESIUM SULPHATE Crystals 400g	1	..	0.23	FA
Paste 50g	≠1	1	0.83	Magnoplasm FA
100g	≠1	1	0.99	Magnoplasm FA
MANNITOL See Intravenous Fluids.				
MEBEVERINE HYDROCHLORIDE Tablet 50mg	100	2	4.03	Colofac PI
MEBHYDROLIN Tablet 50mg	50	1	1.77	Fabahistin BN
150mg (sustained release)	50	1	3.83	Fabahistin-TR BN
Paediatric Suspension 50mg per 5ml, 100ml	≠1	4	1.37	Fabahistin BN
MECAMYLAMINE Tablet 2.5mg	100	2	2.50	Mevasine MK
10mg	100	2	8.10	Mevasine MK
MECLOZINE Tablet 25mg	50	1	1.97	Ancolan AH
Syrup 12.5mg per 5ml, 100ml	≠1	4	1.37	Ancolan AH
MEDROXYPROGESTERONE Precocious puberty; Turner's syndrome.				
Tablet 2.5mg	25	..	3.50	Provera UP
10mg	25	..	8.90	Provera UP
* * *				
Carcinoma of the breast; Carcinoma of the endometrium; Hypernephroma.				
Tablet 100mg	100	2	72.50	Provera UP
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MEDROXYPROGESTERONE - cont. Carcinoma of the endometrium. Hypernephroma.				
Injection 50mg in 1ml	1	..	3.97	Depo-Provera UP
50mg per ml, 5ml * * *	1	..	13.70	Depo-Provera UP
Carcinoma of the endometrium; Hypernephroma; Precocious puberty.				
Injection 150mg in 1ml	1	..	9.62	Depo-Provera UP
MEDRYSONE Eye Drops 1%, 5ml	#1	6	2.70	HMS Liquifilm AG
MEGESTROL ACETATE with ETHINYL- OESTRADIOL *Fertility control in females with severe acne or severe hirsutism where the condition has been aggravated by other oral contraceptives; Sexual infantilism in females; *Stein-Leventhal syndrome				
Pack containing 16 tablets 100 micrograms - 100 micrograms, 7 tablets 1mg - 100 micrograms and 5 inert tablets	2	2	2.34	Serial C AH
Pack containing 16 tablets of ethinylloestradiol 100 micrograms, 5 tablets of megestrol acetate with ethinylloestradiol 1mg - 100 micrograms and 7 inert tablets	2	2	2.34	Serial 28 AH
MELPHALAN Treatment in malignant neoplasia.				
Tablet 2mg	100	2	10.10	Alkeran BW
5mg	100	2	18.10	Alkeran BW
MEPACRINE HYDROCHLORIDE Tablet 100mg	100	2	1.51	IC
MEPENZOLATE Tablet 25mg	100	2	4.17	Cantil SI

Approved Name, Restriction
Manner of Administration and Form

Max.
Qty

No.
of
Rpts

Price
\$

Proprietary Name
and
Manufacturer

MERCAPTOMERIN SODIUM
Injection 1.4g in 10ml

3

..

5.99

Thiomerin
Sodium

WY

MERCAPTOPURINE

Allergic granulomatous angiitis;
Lupus erythematosus;
Nephrotic syndrome;
Periarteritis (nodosa);
Treatment in malignant neoplasia.

Tablet 50mg

50

1

14.50

Purinethol

BW

MERSALYL

Injection 2ml

10

..

2.10

DH

2.17

SI

METARAMINOL

Injection 10mg in 1ml

3

..

1.70

Aramine

MK

METFORMIN

Tablet 500mg

100

2

8.53

Glucophage

RN

500mg (sustained release)

100

2

8.54

Diabex S.R.

DF

METHACYCLINE

Conditions where a tetracycline
is the only appropriate anti-
biotic;
Patients over the age of eight
(8) years who are unable to
swallow capsules and tablets.

Suspension 75mg per 5ml, 100ml

*

*

*

71

..

2.66

Rondomycin

GP

METHACYCLINE

Capsule 150mg

21

..

4.30

Rondomycin

GP

300mg

11

..

4.30

Rondomycin

GP

METHADONE

Tablet 5mg

25

..

1.47

Physeptone

BW

10mg

25

..

1.64

Physeptone

BW

Injection 10mg in 1ml

5

..

1.80

Physeptone

BW

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHANDIENONE Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids. *Intermittent use for the relief of pain due to osteoporosis. (NOTE: Certification that prev- ious treatment with this drug afforded relief of pain should accompany a second or subse- quent application for authority for this purpose.); NOTE: Intermittent use means approximately three weeks treat- ment in each three months.				
Tablet 5mg	100	..	8.37	Dianabol CB
METHAQUALONE Tablet 150mg	25	..	1.19	Dormir LF Melsedin BT Methalone AV Methased PT Oblioser GA Quaalude RG Sleepinal MC Thendorm KL OD
250mg	25	..	1.27	Melsedin BT Methased PT Quaalude RG Thendorm KL Forte
Capsule 150mg	25	..	1.19	Mequelon FR Thendorm KL
250mg	25	..	1.27	Thendorm KL Forte KL 1.37 Mequelon FR
METHDILAZINE Tablet 4mg	50	1	1.63	Bristaline BC Dilosyn AH Tacaryl MJ
8mg	50	1	1.90	Bristaline BC Dilosyn AH Tacaryl MJ
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHDILAZINE - cont. Paediatric Syrup 4mg per 5ml, 100ml	≠1	4	1.37	Bristaline BC Dilosyn AH Tacaryl MJ
METHENAMINE MANDELATE Tablet 250mg	100	2	1.62	Methendalate 250 PT
			1.63	Mandaze HA Mandelamine WW
500mg	100	2	2.35	Methendalate 500 PT
			2.37	Mandelamine Hafgrams WW
1g	100	2	3.70	Mandelamine WW
Paediatric Suspension 500mg per 5ml, 200ml	≠1	1	2.63	Mandelamine WW
METHENOLONE ACETATE Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids. *Intermittent use for the relief of pain due to osteoporosis. (NOTE: Certification that prev- ious treatment with this drug afforded relief of pain should accompany a second or subseq- uent application for authority for this purpose.); NOTE: Intermittent use means approximately three weeks treat- ment in each three months.				
Tablet 1mg	100	..	2.76	Primobolan SC
5mg	100	..	8.24	Primobolan SC
METHICILLIN Septicaemia, staphylococcal, suspected or proven.				
Injection 1g (solvent required)	5	1	16.35	Colbenin BR Metin CS

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METHOIN Tablet 100mg	200	1	3.17	Mesantoin	SZ
METHOTREXATE Authority required. *Continuing methotrexate therapy after discharge from an approved hospital; Malignant neoplasia; Pemphigus vulgaris; Psoriasis, severe, generalised;					
Tablet 2.5mg	100	..	13.17	LE	
Injection 5mg (solvent required)	5	..	11.50	LE	
50mg (solvent required)	5	..	53.15	LE	
METHOXAMINE HYDROCHLORIDE Injection 20mg in 1ml	3	..	1.44	Vasylox	BW
METHSUXIMIDE Capsule 300mg	200	1	8.10	Celontin	PD
METHYCLOTHIAZIDE Tablet 2.5mg	50	2	2.37	Enduron-M	AB
5mg	50	2	3.37	Enduron	AB
METHYLDOPA Tablet 125mg	100	2	4.23	Aldomet-M	MK
250mg	100	2	6.46	Aldomet	MK
METHYLERGOMETRINE Tablet 0.125mg	25	1	2.47	Methergin	SZ
Injection 0.2mg in 1ml	5	..	1.54	Methergin	SZ
METHYL PHENOBARBITONE Tablet 30mg	200	1	1.19	Prominal Promitone RY	WL KL
60mg	200	1	1.41	Prominal Promitone RY	WL KL
200mg	200	1	2.61	Prominal Promitone RY	WL KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	#1	..	2.10	Medrol UP
METHYLPREDNISOLONE ACETATE Intra-articular use.				
Injection 40mg in 1ml * * *	5	..	16.63	Depo-Medrol UP
Authority required. Colitis, ulcerative, proven by sigmoidoscopy or radiological report; Proctitis proven by sigmoid- oscopy.				
Retention Enema 40mg, 6 * * *	#1	..	17.17	Medrol Enpak UP
METHYLPREDNISOLONE ACETATE Cream 0.25%, 30g	#1	..	1.82	Medrol UP
METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1ml	5	..	12.50	Solu-Medrol UP
METHYLTESTOSTERONE Hypogonadism in children				
Tablet 5mg	100	2	1.83 1.97	Testomet PT Metestine KL ET
* * *				
Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Tablet 25mg	100	2	4.94	Metestine KL Testomet PT ET, PR
50mg	100	2	8.63	Metestine KL Testomet PT ET, PR
Sublingual Tablet 25mg	100	..	11.14	Perandren CB

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYSERGIDE Carcinoid syndrome; Migraine, severe recalcitrant, when other treatment has failed.				
Tablet 1mg	100	..	8.09	Deseril SZ
METRONIDAZOLE Tablet 200mg	21	1	3.03	Flagyl MB
MILK POWDER - SYNTHETIC Authority required. Hypercalcaemia in children under the age of two (2) years; Osteopetrosis Low Calcium Compound Powder 14oz * * *	2	20	7.26	Locasol MN
Authority required. Galactosaemia; Conditions needing an extreme restriction of lactose in diet in children under the age of four (4) years. Low Lactose Compound Powder 397g (14oz) * * *	2	20	7.12	Galactomin Formula 17 MN
Authority required. Glucose-galactose malabsorption. Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g (16oz)	2	20	16.18	Galactomin Formula 19 MN
MINOCYCLINE Capsule 100mg	11	..	4.30	Minomycin LE
MORPHINE with TACRINE Severe intractable pain.				
Tablet 30mg-15mg * * *	50	..	11.00	Mortha WH
MORPHINE with TACRINE Injection 15mg-13mg in 1.5ml	5	..	2.67	Mortha WH
30mg-13mg in 1.5ml	5	..	2.73	Mortha WH
15mg-30mg in 1.5ml	5	..	3.20	Mortha WH
30mg-30mg in 1.5ml	5	..	3.33	Mortha WH

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MORPHINE SULPHATE				
Injection 10mg in 1ml	5	..	1.69 1.72	AB,BL,KL,LP DH,SI
15mg in 1ml	5	..	1.69 1.72	AB,BL,KL,LP DH,SI
20mg in 1ml	5	..	1.69	BL,KL
30mg in 1ml	5	..	1.69	AB,BL,KL
MORPHINE SULPHATE with ATROPINE SULPHATE				
Injection				
10mg-400 micrograms in 1ml	5	..	1.72	AB,BL
15mg-400 micrograms in 1ml	5	..	1.72 1.77	AB,BL KL
15mg-600 micrograms in 1ml	5	..	1.72	AB,BL
MUSTINE				
Treatment in malignant neoplasia.				
Injection				
10mg (solvent required)	1	..	2.17	BT
NALIDIXIC ACID				
Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evi- dence shows the organism to be sensitive to nalidixic acid or where the patient is sensitive to sulphonamides.				
Tablet 500mg	56	..	7.17	Negram WL
Paediatric Suspension				
50mg per ml, 200ml	≠1	..	3.10	Negram WL
NALORPHINE				
Injection 1mg in 1ml	5	..	2.03	Lethidrone BW
10mg in 1ml	5	1	2.30	Lethidrone BW

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NANDROLONE DECANOATE Carcinoma of the breast. * * * Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids; *Intermittent use for the relief of pain due to osteoporosis. (NOTE: Certification that prev- ious treatment with this drug afforded relief of pain should accompany a second or subseq- uent application for authority for this purpose.); NOTE: Intermittent use means approximately three weeks treat- ment in each three months. Severe osteoporosis due to proven pancreatitis. Injection 50mg in 1ml	1	..	6.17	Deca- Durabolin OR
NANDROLONE HEXANOYLPHENYL- PROPIONATE Carcinoma of the breast. * * * Authority required. Intermittent use for cortico- steroid-induced osteoporosis; Intermittent use for patients on long term treatment with corticosteroids; *Intermittent use for the relief of pain due to osteoporosis. (NOTE: Certification that prev- ious treatment with this drug afforded relief of pain should accompany a second or subseq- uent application for authority for this purpose.); NOTE: Intermittent use means approximately three weeks treat- ment in each three months. Injection 50mg in 1ml	1	..	4.50	Anadur SI

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NANDROLONE PHENYLPROPIONATE Carcinoma of the breast. * * *				
Authority required. Intermittent use for cortico-steroid-induced osteoporosis; *Intermittent use for the relief of pain due to osteoporosis. (NOTE: Certification that previous treatment with this drug afforded relief of pain should accompany a second or subsequent application for authority for this purpose.); NOTE: Intermittent use means approximately three weeks treatment in each three months.				
Injection 25mg in 1ml	3	..	5.85	Durabolin OR
NATAMYCIN Tablet 100mg	50	..	6.97	Pimafucin BP
Suspension 1%, 5ml	#1	..	2.17	Pimafucin BP
Vaginal Tablets 25mg, 20	#1	..	3.97	Pimafucin BP
NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE Ear Ointment 1%-0.35%(base)-1%, 5g	#1	..	1.57	Pimafucort Otic BP
NEOMYCIN Bowel sterilisation preparatory to major surgery; Encephalopathy, hepatic; Enteropathogenic E. Coli infections in infants.				
Tablet 500mg	25	..	11.43 11.70	Neomate LF Neosulf PT ET, KL
* * * Authority required. Use by inhalation in cystic fibrosis (mucoviscidosis).				
Powder 500mg * * *	40	..	51.30	ET
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NEOMYCIN - cont.				
Eye Drops 0.5%(0.35% Neomycin Base) 10ml	#1	2	1.27	Neopt KL SI
NEOMYCIN with GRAMICIDIN, THONZ- ONIUM BROMIDE, THONZYLAMINE and HYDROCORTISONE ACETATE Ear Drops 0.1%-0.005%-0.05%-1%- 0.02%, 15ml	#1	..	1.58	Biomydrin WW
NEOMYCIN with KAOLIN Tablet 150mg-1.5g	10	..	1.70	Kalicin KL
NEOMYCIN SULPHATE MIXTURE Mixture 300mg per 20ml with adsorbent, 100ml	#1	..	2.30	Cefrocyn FR Cremomycin MK Entamycin VR Gastromycin DH Kalicin KL Kaomycin UP Komin SI Neobram BB Neogastrin NS Quintress-N LY
NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg(3.5mg base)- 400 Units per g, 10g	#1	..	1.62	Nemdyn HA
NEOSTIGMINE Tablet 15mg	100	2	2.70	Prostigmin RO
Injection 0.5mg in 1ml	5	3	1.19	Prostigmin RO
2.5mg in 1ml	5	3	1.50	Prostigmin RO
Eye Drops 3%, 7.5ml	#1	6	1.61	Prostigmin RO
NICLOSAMIDE Tablet 500mg	4	..	2.17	Yomesan BN
NICOTINIC ACID For pensioners for any disease or purpose.				
Tablet 25mg	100	2	0.70 0.83	LP KL
50mg	100	2	0.83 0.93	LP AD, DH, KL, MG RT(V), SI
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NICOTINIC ACID - cont. Tablet 100mg 250mg	100 100	2 2	1.02 1.17 1.38	DH, KL, RT (V) LP AD, KL, RT (V), SI
NICOUMALONE Tablet 4mg	50	2	3.57	Sintrom GE
NITRAZEPAM Tablet 5mg	25	..	1.42	Mogadon RO
NOTE: Authority to prescribe an increased maximum quantity and/or repeats should be sought for treatment of epilepsy.				
NITROFURANTOIN Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evidence shows the organism to be sensitive to nitrofurantoin or where the patient is sensitive to sulphonamides. Tablet 50mg 100mg Paediatric Suspension 25mg per 5ml, 200ml				
Tablet 50mg	25	1	3.54	Furadantin SK
100mg	25	1	5.59	Furadantin SK
Paediatric Suspension 25mg per 5ml, 200ml	#1	..	2.94	Furadantin SK
NITROMIN Treatment in malignant neoplasia. Tablet 5mg Injection 50mg (solvent required)				
Tablet 5mg	100	2	11.83	RC
Injection 50mg (solvent required)	5	1	8.83	RC
NORADRENALINE Injection 1 in 10,000, 2ml Infusion 1 in 1,000, 2ml				
Injection 1 in 10,000, 2ml	5	..	3.63	Levophed WL
Infusion 1 in 1,000, 2ml	5	..	3.57	Levophed WL
NORETHISTERONE Endometriosis; Metropathia haemorrhagica; Precocious puberty; Turner's syndrome.				

Approved Name, Restriction
Manner of Administration and Form

Max.
Qty

No.
of
Rpts

Price
\$

Proprietary Name
and
Manufacturer

NORETHISTERONE - cont. Tablet 5mg	30	5	3.77	Primolut-N	SC
NORETHISTERONE with MESTRANOL Tablet 1mg - 50 micrograms, 21	2	2	2.34	Norinyl-1 Ortho-Novum 1/50	SD ET
1mg - 80 micrograms, 21	2	2	2.34	Ortho-Novum 1/80	ET
2mg - 100 micrograms, 21	2	2	2.34	Norinyl-2 Ortho-Novum 2	SD ET
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	2.34	Norinyl 1/28	SD
NORETHISTERONE ACETATE Carcinoma of the breast. Tablet 10mg	100	1	17.85	SH420	SC
NORETHISTERONE ACETATE with ETHINYLOESTRADIOL Tablet 1mg - 50 micrograms, 21	2	2	2.34	Minovlar	SC
3mg - 50 micrograms, 21	2	2	2.34	Gynovlar	SC
4mg - 50 micrograms, 21	2	2	2.34	Anovlar	SC
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	2.34	Minovlar ED Orlest	SC PD
Pack containing 21 tablets 2.5mg - 50 micrograms and 7 inert tablets	2	2	2.34	Norlestrin	PD
NORETHYNODREL with MESTRANOL Tablet 2.5mg - 100 micrograms, 20	2	2	2.34	Conovid-E	SR
NORGESTREL with ETHINYL- OESTRADIOL Tablet 250 micrograms - 50 micrograms, 21	2	2	2.34	Neogynon Nordiol 21	SC WY
500 micrograms - 50 micrograms, 21	2	2	2.34	Eugynon Ovral	SC WY

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORGESTREL with ETHINYL- OESTRADIOL - cont. Pack containing 21 tablets 250 micrograms - 50 micrograms and 7 inert tablets	2	2	2.34	Neogynon ED SC Nordiol 28 WY
Pack containing 21 tablets 500 micrograms - 50 micrograms and 7 inert tablets	2	2	2.34	Eugynon ED SC Ovral 28 WY
NORTRIPTYLINE Tablet 10mg	50	1	1.63	Allegron DL Nortab SQ
25mg	50	1	2.63	Allegron DL Nortab SQ
Capsule 10mg	50	1	1.63	Aventyl LY
25mg	50	1	2.63	Aventyl LY
Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	1.41	Allegron DL Aventyl LY
NUTRAMIGEN Authority required. *Cows' milk allergy in children under the age of six (6) years; Cystic fibrosis (mucoviscidosis) Galactosaemia; Lactose intolerance. NOTE: Milk allergy means eczema, asthma or severe gastro-intest- inal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk and rec- urrence on subsequent feeding with cows' milk.				
Powder 454g	2	20	6.80	Nutramigen Glucose MJ
NYSTATIN Tablet 500,000 Units	50	..	6.97	Diastatin GP Mycostatin SQ Nilstat LE
Mixture 100,000 Units per ml, 24ml	≠1	..	2.77	Mycostatin SQ Nilstat LE
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price s	Proprietary Name and Manufacturer
NYSTATIN - cont.				
Vaginal Tablets 100,000 Units, 15	≠1	1	2.34	Diastatin GP Mycostatin SQ Nilstat LE
Vaginal Cream				
100,000 Units per 4g, 60g	≠1	1	2.34	Mycostatin SQ
100,000 Units per 5g, 75g	≠1	1	2.34	Nilstat LE
OCTATROPINE METHYLBROMIDE				
Tablet 10mg	100	2	3.17	Valpin EN
Paediatric Elixir				
5mg per 5ml, 100ml	≠1	4	1.63	Valpin EN
OESTRADIOL VALERATE				
Injection 10mg in 1ml	3	..	4.77	Primogyn-Depot SC
OESTRONE				
Pessary 1,000 Units	12	1	2.07	Kolpon OR
10,000 Units	12	1	3.27	Kolpon OR
ORCIPRENALINE				
Tablet 20mg	100	2	4.33	Alupent BY
Syrup 10mg per 5ml, 100ml	≠1	4	1.57	Alupent BY
Inhalation Solution				
for use in NEBULISER 5%, 7.5ml	≠1	..	1.58	Alupent BY
Inhalation Solution				
for use in RESPIRATOR 2%, 75ml	≠1	..	4.39	Alupent BY
Inhalation, metered aerosol				
spray replacement pack, 15mg				
per ml, 15ml (300 dose)	≠1	..	3.03	Alupent BY
ORPHENADRINE CITRATE				
Tablet 100mg	100	2	4.23	Norflex RK
Injection 30mg per ml, 2ml	5	..	2.77	Norflex RK
ORPHENADRINE HYDROCHLORIDE				
Tablet 50mg	100	2	3.57	Disipal RK

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
OXAZEPAM				
Tablet 15mg	50	1	1.63	Serepax WY
30mg	50	1	2.30	Serepax WY
<u>NOTE:</u> Authorities for increased maximum quantities and/or additional repeats of OXAZEPAM will be granted only for the treatment of: Hereditary chorea (Huntington's); Malignant neoplasia (late stage); Multiple sclerosis.				
OXPRENOLOL				
Dissecting aneurysm (aortic); Idiopathic hypertrophic sub-aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure and not responding to other therapeutic agents.				
Injection 2mg (solvent required) * * *	5	..	4.58	Trasicor CB
Dissecting aneurysm (aortic); Idiopathic hypertrophic sub-aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure and not responding to other therapeutic agents; *Treatment of hypertensive disease which is not responding adequately to other therapy.				
Tablet 20mg	100	2	5.25	Trasicor CB
40mg	100	2	7.30	Trasicor CB

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXYCODONE					
Treatment in malignant neoplasia.					
Injection 10mg in 1ml	5	.	2.47	Proladone	CK
Suppository 30mg	12	.	4.20	Proladone	CK
OXYMETHOLONE					
Authority required. Aplastic anaemias, proven; Myelosclerosis.					
Tablet 5mg	100	.	7.97	Adroyd	PD
50mg	100	.	65.50	Anapolon	SD
100mg	100	.	30.50	Adroyd	PD
OXYPHENCYCLIMINE					
Tablet 5mg	100	2	4.17	Spazamin	GP
10mg	100	2	7.17	Daricon Spazamin	PF GP
OXYPHENONIUM BROMIDE					
Tablet 5mg	100	2	2.67	Antrenyl	CB
10mg	100	2	4.35	Antrenyl Duplex	CB
OXYTETRACYCLINE					
Conditions where a tetracycline is the only appropriate anti- biotic.					
Capsule 100mg * * *	25	.	1.90	Terramycin	PF
Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.					
Suspension 125mg per 5ml, 100ml * * *	≠1	..	1.86	Terramycin	PF
For pensioners for any disease or purpose.					
Ointment 3%, 15g * * *	≠1	..	1.13	Terramycin	PF

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name, and Manufacturer
OXYTETRACYCLINE Capsule 250mg	25	..	2.35	Bramcyccline BB Oxycycline PT Oxymycin KL Terramycin PF
Injection I.M. 100mg	5	..	4.25	Terramycin PF Vendarcin BP
I.M. 250mg	5	..	7.30	Terramycin PF Vendarcin BP
I.V. 250mg	5	..	7.30	Terramycin PF Vendarcin BP
Ophthalmic Suspension 1%, 6ml	≠1	2	1.21	Terramycin PF
OXYTETRACYCLINE with HYDROCORTI- SONE Ear Suspension 0.5%-1.5%, 5ml	≠1	..	1.83	Terra- Cortril PF
OXYTETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	2.35	Oxymycin-V KL Terrastatin PF
OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per g, 4g	≠1	..	0.94	Terramycin PF
OXYTOCIN Injection 2 Units in 2ml	5	..	1.19	Syntocinon SZ
5 Units in 1ml	5	..	1.41	Syntocinon SZ
10 Units in 1ml	5	..	1.86	Pitocin PD Syntocinon SZ
OXYTOCIN with ERGOMETRINE Injection 5 Units and 0.5mg in 1ml	5	..	1.63	Syntometrine SZ
PANCREATIN CONCENTRATE Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.				
Tablet 300mg (3 times BP strength)	200	2	4.18	Panteric PD
Powder 30g (twice BP strength)	8	2	11.38	PD
500g (5 times BP strength)	1	..	29.17	Pancrex "V" ST

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PANCREATIN ENZYME (4 times USNF.XII strength) Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.				
Tablet 325mg	500	1	32.06	Viokase ET
Powder 227g	≠1	2	24.37	Viokase ET
PANCRELIPASE Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.				
Capsule 300mg	250	1	19.50	Cotazym OR
PAPAVERETUM Tablet 10mg	20	..	1.40	Omnopon RO
Injection 10mg in 1ml	5	..	1.72	BL
20mg in 1ml	5	..	1.69 1.73	AB Omnopon BL RO
PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-0.43mg in 1ml	5	..	1.72 1.77	AB Omnopon- Scopolamine BL RO
PAPAVERINE HYDROCHLORIDE Injection 120mg in 10ml	5	..	1.83	AB
PARACETAMOL Mixture 120mg per 5ml, 100ml	≠1	4	1.14	Dymadon CA Panadol WL Parmol KL Tempra MJ
Tablet 300mg	50	1	1.03	Panadol Paediatric WL Parmol Junior KL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PARACETAMOL - cont. Tablet 500mg	50	1	1.14	Ceetamol PT Panacete PR Parasin AV Placemol VR Dymadon CA Panadol WL Paralgin FM Parmol KL RY
PARAFFIN LIQUID For pensioners for any disease or purpose.				
/Emulsion 500ml	1	4	/0.93	Petrolagar WY
/Emulsion with Phenolphthalein 500ml	1	4	/0.93	Agarol WW Evactil FA Lubarol DH Petrolagar with Phenolphth- alein WY
* * *				
PARAFFIN LIQUID /Liquid Paraffin 200ml	1	4	/0.36 /0.38	AA(N) DH
PARALDEHYDE Injection 5ml	5	1	1.57	BL
10ml	5	1	2.03	BL
PARAMETHADIONE Capsule 300mg	200	1	13.63	Paradione AB
PARAMETHASONE Tablet 2mg	30	..	1.83	Metilar SD
PEMPIDINE Tablet 5mg	100	2	3.38	Perolysen MB
PENICILLAMINE Authority required. Acute heavy metal intoxication; Cystinosis; Cystinuria with calculus form- ation; Haemoglobinuria, paroxysmal cold; Wilson's disease (hepatolent- icular degeneration).				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENICILLAMINE - cont.				
Tablet 250mg	100	3	42.50	D-Penaminate DL
Capsule 120mg	100	3	24.50	D-Penaminate DL
250mg	100	3	42.50	Cupprimine MK
PENICILLINASE				
Injection sets containing 0.8megaU and 1ml solvent	1	..	10.50	Compenase CS
0.8megaU and 2ml water for injections	1	..	11.50	Neutrapen RK
PENICILLIN BENETHAMINE COMPOUND				
Benethamine Penicillin 470mg; Procaine Penicillin 250mg; Sodium Penicillin 300mg. Injection vial (solvent required)	1	..	1.19	Triplopen GL
PENICILLIN BENZATHINE				
Prophylaxis of recurrent strept- ococcal infections (including rheumatic fever).				
Tablet 150mg	100	1	4.91	Bicillin WY Dulcepen G AB L.P.G. CS
Capsule 150mg * * *	100	1	4.91	L.P.G. CS
PENICILLIN BENZATHINE				
Injection 1.8g (solvent required)	1	..	2.17	L.P.G. CS
PENICILLIN BENZATHINE COMPOUND				
Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Potassium Penicillin 187mg. Injection set containing 1 vial and 2ml water for injections	1	..	1.43	Bicillin All WY Purpose
PENICILLIN BENZYL				
Endocarditis, bacterial; Septicaemia, bacterial.				
Injection 3g (solvent required) * * *	10	..	14.10	AM,CS,GL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENICILLIN BENZYL - cont. Endocarditis, bacterial; Gastrointestinal surgery; Septicaemia, bacterial. Injection 6g (solvent required) * * *	10	..	23.70	AH,CS,GL
PENICILLIN BENZYL Tablet 125mg	25	..	1.59	Abbocillin G AB
250mg	25	..	2.38	Abbocillin G AB
Capsule 250mg	25	..	2.38	Abbocillin G AB
Injection 300mg (solvent required)	5	1	1.97	CS
600mg (solvent required)	5	1	2.10	Crystapen GL AH,CS
900mg (solvent required)	5	1	3.03	Crystapen GL
Set containing 1 vial 600mg and 2ml water for injections	5	1	2.45	Pensol GL
Set containing 1 vial 900mg and 2ml water for injections	5	1	3.30	Pensol GL
PENICILLIN PHENOXYMETHYL <u>NOTE:</u> Authority to prescribe increased maximum quantity and/ or repeats should be sought for prophylaxis of recurrent strept- ococcal infections (including rheumatic fever.)				
Capsule 125mg	25	..	1.53	Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
250mg	25	..	2.25	Abbocillin-VK AB Adacillin AV Cilicaine-VK SI Distaquaine V-K DL Falcopen VK FA L.P.V. CS Propen-VK PT PVK LY P.V.O. FM Vicin KL V.P.V. VR
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price ₹	Proprietary Name and Manufacturer
PENICILLIN PHENOXYMETHYL - cont.				
Capsule 500mg	12	..	2.06 2.18	P.V.O. FM Cilicaine-VK SI Falcopen VK FA
Tablet 125mg	25	..	1.53	Abbocillin AB Bramcillin BB L.P.V. CS PVK LY P.V.O. FM
250mg	25	..	2.25	Abbocillin-VK AB Bramcillin BB Cilicaine-VK SI Cillaphen PR Distaquaine V-K DL Falcopen VK FA Lanpen LP L.P.V. CS Pen-Cilin V LF Peni-Vee K DH Propen-VK PT PVK LY P.V.O. FM Vicin KL V.P.V. VR
500mg	12	..	2.06	Vicin 500 KL
Suspension 250mg per 5ml, 100ml	≠1	..	2.42	Abbocillin-V AB Cilicaine-V SI Falcopen V FA Flavopen GP L.P.V. Aqueous Forte CS Peni-Vee DH Pfipen V PF
Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	1.75	Abbocillin-V AB Cilicaine-V SI Falcopen V FA Flavopen GP L.P.V. CS Peni-Vee DH Pfipen V PF Vicin KL V.P.V. VR
Paediatric Sachet 125mg, 25	≠1	..	2.66	Vicin KL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENICILLIN PHENOXYMETHYL - cont. Injection set containing 1 vial 480mg and 2ml water for injections	1	..	2.63	Vicin-800 KL
PENICILLIN PROCAINE Injection BP 600mg	5	..	3.45	Aquacillin FA
900mg	5	..	3.10	Aquacaine G CS Cilicaine SI
1g	5	..	4.35 4.37	Cilicaine SI Megacillin FA Megapen BT
1.5g	5	..	4.10 4.65	Aquacaine G CS Aquacillin FA Cilicaine SI
Crystalline Injection 300mg (solvent required)	5	..	1.97	Aquacaine G CS
900mg (solvent required)	5	..	2.77	Aquacaine G CS
1.5g (solvent required)	5	..	3.97	Aquacaine G CS
PENICILLIN PROCAINE FORTIFIED Injection 360mg (solvent required)	5	..	1.95	Aquacaine G CS Fortified
1.08g (solvent required)	5	..	3.35	Aquacaine G CS Fortified
PENTAERYTHRITOL TETRANITRATE Tablet 20mg	100	2	1.19	Mycardol WL Twenty LF Penritol KL Pentathryn WW Peritrate
80mg (sustained release)	100	2	1.70	Peritrate WW
PENTAZOCINE Injection 30mg in 1ml	5	..	2.43	Fortral WL
60mg in 2ml	5	..	4.23	Fortral WL
PENTHIENATE Tablet 5mg	100	2	4.30	Monodral WL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price s	Proprietary Name and Manufacturer	
PERICYAZINE - cont.					
Tablet 2.5mg	100	1	2.37	Neulactil	MB
10mg	100	1	5.43	Neulactil	MB
Mixture 2.5mg per 5ml, 100ml	#1	4	1.37	Neulactil	MB
PERITONEAL DIALYSIS SOLUTION					
Injection					
with 1.5% Dextrose, 1 litre	20	1	33.90	Dianeal	TV
				Diasol	AB
with 4.25% Dextrose, 1 litre	20	1	33.90	Dianeal	TV
PERTUSSIS VACCINE					
Injection 20,000 million organisms in 0.5ml	3	1	1.70	CS	
PETHIDINE					
Injection BP, 50mg in 1ml	5	..	1.63	LP	
			1.65	Pethoid	BW
			1.67	AB	
				BL,DH,KL,SI	
100mg in 2ml	5	..	1.69	LP	
			1.72	AB	
			1.77	Pethoid	BW
			1.79	BL,DH,KL,SI	
500mg in 10ml	1	..	1.73	KL	
PETHIDINE with HYOSCINE					
Injection 100mg-0.43mg per 2ml	5	..	1.77	Petisco1	KL
PETHIDINE with LEVALLORPHAN					
Injection					
50mg-0.625mg in 1ml	5	..	1.69	Pethilorfan	RO
50mg-0.625mg per ml, 2ml	5	..	1.91	Pethilorfan	RO
PHENETHICILLIN					
Tablet 125mg	25	..	1.65	Optipen	CS
				Pensig	SI
250mg	25	..	2.45	Optipen	CS
				Pensig	SI
Capsule 125mg	25	..	1.65	Optipen	CS
				Pensig	SI
250mg	25	..	2.45	Optipen	CS
				Pensig	SI
(continued)					

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENETHICILLIN - cont.					
Capsule 500mg	12	..	2.37	Optipen	CS
				Pensig	SI
Powder for Syrup					
125mg per 5ml, 100ml	≠1	..	#1.87	Optipen	CS
				Pensig 125	SI
250mg per 5ml, 100ml	≠1	..	#2.62	Pensig 250	SI
PHENFORMIN					
Tablet 25mg	100	2	4.23	Insoral	WW
Capsule 50mg	100	1	8.23	Insoral TD	WW
PHENINDAMINE					
Tablet 25mg	50	1	1.33	Thephorin	RO
PHENINDIONE					
Tablet 10mg	100	2	3.83	Dindevan	AH
50mg	100	2	5.43	Dindevan	AH
PHENIRAMINE					
Tablet 10mg	50	1	1.19	Avilettes	HP
50mg	50	1	1.86	Avil	HP
75mg (sustained release)	50	1	3.22	Avil Retard	HP
Paediatric Syrup					
15mg per 5ml, 100ml	≠1	4	1.19	Avil	HP
Injection 25mg per ml, 2ml	5	1	1.67	Avil	HP
PHENOBARBITONE					
Tablet 15mg	100	1	0.77	AD, KL, RT (V), RY	
30mg	100	1	0.86	AD, KL, RT (V), RY, SI	
60mg	25	..	0.72	AD, KL, RT (V), RY	
100mg	25	..	0.77	AD, KL, RT (V), RY	
Elixir PL - See Section 4					
PHENOBARBITONE SODIUM					
Tablet 15mg	100	1	0.77	KL	
30mg	100	1	0.86	KL	
60mg	25	..	0.72	KL	
(continued)					

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENOBARBITONE SODIUM - cont. Tablet 100mg	25	..	0.77	KL	
Injection 200mg. in 1ml	5	..	1.22 1.27 1.29	AB FM BL, DH	
PHENOLPHTHALEIN COMPOUND Pill	50	1	0.85	Phenaloin	MG
PHENSUXIMIDE Capsule 500mg	200	1	8.43	Milontin	PD
PHENYLALANINE LOW CONTENT FORMULA Authority required. Phenylketonuria.					
Granules 1kg	1	..	24.00	Cymogran	GL
Powder 2.5lb	1	..	12.33	Lofenalac	MJ
PHENYLBUTAZONE Tablet 100mg	50	2	1.25 1.26 1.37	Butazone Butacal Butalan	PT LF LP
				Butalgin	FM
				Butaphen	PR
				Butarex	AV
			1.46	Butoroid	VR
				Buzon	KL
			1.47	Butazolidin	GE
Capsule 100mg	50	2	1.51	Buzon	KL
Injection 600mg in 3ml	5	..	2.10	Butazolidin	GE
Suppository 250mg	10	2	2.10 2.30	Butoz Butazolidin	HA GE
PHENYLEPHRINE Compound Ointment 60g	≠1	1	1.50	Hemorex	WL
Compound Suppository	12	1	1.26	Hemorex	WL
Eye Drops 1/8%, 10ml	≠1	2	1.19	Neo- Synephrine	WL
0.12%, 15ml	≠1	2	1.55	Isopto Frin Prefrin	AQ AG
10%, 5ml	≠1	..	1.34	Neo- Synephrine	WL
Sterile Ophthalmic Solution 10%, 1ml	5	..	3.90	Neo- Synephrine	WL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENYTOIN				
Paediatric Suspension 30mg per 5ml, 500ml	#1	1	2.77	Dilantin PD
Suspension 100mg per 5ml, 500ml	#1	1	3.07	Dilantin Forte PD
PHENYTOIN SODIUM				
Tablet 100mg	200	1	1.70	Ditoin RY KL
Capsule 30mg	200	1	1.97	Dilantin Sodium PD Ditoin KL
100mg	200	1	2.83	Phentoin RY PT
			2.97	Dilantin Sodium PD Ditoin KL
Injection				
100mg with 2.2ml solvent	1	..	3.38	Dilantin Sodium PD
250mg with 5ml solvent	1	..	4.10	Dilantin Sodium PD
PHOLCODINE				
Linctus 0.1%, 100ml	#1	2	1.03	Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin Red DH Pholtrate MG Pholtussin KL Sedlingtus VR Tussinol GP AA(N),PR,SI(V)
PHTHALYLSULPHACETAMIDE				
Tablet 500mg	100	..	3.30	Sulphalyl KL Talecid SC Thalacet VR
PHTHALYLSULPHATHIAZOLE				
Tablet 500mg	100	..	1.70	Phthazol KL Thalazole MB
PHYSOSTIGMINE SALICYLATE				
Eye Drops 0.25%, 7.5ml	#1	6	2.57	ET
0.25%, 15ml	#1	6	2.67	IQ
(continued)				

(continued)

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PILOCARPINE HYDROCHLORIDE - cont. Eye Drops 3%, 15 ml	#1	6	1.46	Miocarpine IR LP
			1.69	Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET, IQ, KL
4%, 15ml	#1	6	1.63	Miocarpine IR DH
			1.79	Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET, IQ, KL
6%, 15ml	#1	6	2.13	Isopto Carpine AQ Pilopt SI P.V. Carpine AG ET, KL
PILOCARPINE NITRATE Eye Drops 1%, 15ml	#1	6	1.50	Pilopt-N SI
2%, 15ml	#1	6	1.59	Pilopt-N SI
3%, 15ml	#1	6	1.69	Pilopt-N SI
4%, 15ml	#1	6	1.79	Pilopt-N SI
6%, 15ml	#1	6	2.13	Pilopt-N SI
PIPENZOLATE Tablet 5mg	100	2	4.17	Piptal SI
Oral Solution 4mg per ml, 15ml	#1	4	1.62	Piptal SI
PIPERAZINE ADIPATE Tablet 300mg	25	2	1.19	Entacyl AH
Granules 20%, 100g	1	1	2.30	Divermex DF
PIPERAZINE PHOSPHATE Granules 10g	1	1	1.50	Priipsen RC
PITUITARY, POSTERIOR LOBE Diabetes insipidus.				
Insufflation 30 Antidiuretic Unit Capsule	100	2	8.77	Di-Sipidin ST

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PIZOTIFEN MALATE Migraine, severe recalcitrant, when other treatment has failed				
Tablet 0.5mg (base)	100	..	8.09	Sandomigran SZ
PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	1.84	CS
POLDINE Tablet 4mg	100	2	3.77	Nacton BR
POLYMYXIN B SULPHATE Authority required. Use by inhalation in cystic fibrosis (mucoviscidosis).				
Vial of Powder 500,000 Units * * *	20	..	59.10	Aerosporin BW
POLYMYXIN B SULPHATE Ear Drops (Aqueous) 300,000 Units in 15ml	≠1	2	2.10	Otopol BW Polmix KL
Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	≠1	2	1.50	Aerosporin CA
Eye Drops 15,000 Units per ml, 5ml	≠1	2	1.97	Polmix KL SI
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg(base) per ml, 15ml	≠1	..	1.70	Neotracin ET
Eye Drops set containing 50,000 Units-4,000 Units-50mg and 10ml solvent	≠1	2	#3.12	N.B.P. DH Neotracin ET
Eye Ointment 5,000 Units- 400 Units-5mg per g, 4g	≠1	..	1.03	Mycitracin UP Neosporin CA
POLYMYXIN B SULPHATE with LIGNOCAINE Ear Drops 10,000 Units-50mg per ml, 10ml	≠1	..	1.57	Lignosporin CA
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg- 0.025mg per ml, 10ml	≠1	2	1.63	Neosporin CA Trimyxin DH

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)-10mg per ml, 7ml	#1	..	1.83	Aerocortin Multiclin H CA KL
POLYOESTRADIOL Carcinoma of the breast; Carcinoma of the prostate. Injection set containing 40mg and 2ml solvent	1	..	5.50	Estradurin AY
POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	#1	6	2.10	Liquifilm Tears AG
POTASSIUM Effervescent Tablet 6.5mEq K ⁺	100	2	1.90	Potavescent PT
25mEq K ⁺	30	2	1.77	Brista-K K-Lyte BC MJ
POTASSIUM-FREE MAINTENANCE SOLUTION See Intravenous Fluids.				
POTASSIUM CHLORIDE Tablet 500mg	100	2	0.90	KL,RT(V)
600mg (sustained release)	100	2	1.97	K-san PR Slow-K ZY Span-K PT
Effervescent Tablet 6.5mEq K ⁺ and 6.5mEq Cl ⁻	100	2	1.97	Kloref LP
14mEq K ⁺ and 8mEq Cl ⁻	30	2	1.63	Chlorvescent PT Klor-Lyte MJ
Sterile Solution 0.746g in 10ml (7.46%) for preparation of injection.	5	..	1.30	AB
Sterile Solution 1g in 10ml(10%) for preparation of injection	5	..	1.46	AB
Injection Standard Maintenance Fluids - See Intravenous Fluids				
PRACTOLOL Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias;				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PRACTOLOL - cont. Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac fail- ure, and not responding to other therapeutic agents.				
Tablet 100mg	100	2	11.97	Eraldin IC
Injection 2mg per ml, 5ml	1	..	2.90	Eraldin IC
PRALIDOXIME IODIDE Injection 500mg	5	..	2.50	AB
PREDNISOLONE Tablet 1mg	100	..	1.50	Panafcort- elone PT
5mg	30	..	1.30	Panafcort- elone PT Prelone LF IP
			1.37	Adnisolone AV Delta-Cortef UP Deltacortril PF Deltasolone KL Paracortol PD Precortisyl RL Solone FM LP, MG, PR, RT (V)
Capsule 5mg	30	..	1.37	Deltasolone KL
Eye Ointment 0.5%, 4g	#1	..	2.10	Delta-Cortef UP Deltasolone KL Optocort PT
PREDNISOLONE ACETATE Intra-articular use.				
Injection 10mg in 1ml * * *	5	..	5.15	Scherisolon SC
PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	#1	6	2.63	Sterofrin AQ Ultracortenol CB
PREDNISOLONE ACETATE with PHENYLEPHRINE Corneal grafts; Uveitis.				
Eye Drops 1%-0.12%, 10ml	#1	..	3.43	Prednefrin Forte AG

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PREDNISOLONE SODIUM PHOSPHATE Acute medical or surgical crises; Prophylactic therapy before, during and after surgical pro- cedures for patients requiring or recently subjected to steroid therapy.				
Injection 20mg in 1ml * * *	2	..	7.80	Predsol GL
Authority required. Colitis, ulcerative, proven by sigmoidoscopy or radiological report; Proctitis proven by sigmoid- oscopy.				
Retention Enema 20mg in 100ml	7	..	14.97	Predsol GL
Suppository Equivalent to 5mg prednisolone * * *	6	..	3.46	Predsol GL
PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 2.5ml	#1	6	2.37	Codelsol MK
0.5%, 5ml	#1	6	2.70	Codelsol MK Predsol GL
Eye Ointment 0.5%, 3g	#1	..	2.10	Predsol GL
PREDNISOLONE SODIUM SUCCINATE Acute medical or surgical crises; Prophylactic therapy before, during and after surgical pro- cedures for patients requiring or recently subjected to steroid therapy.				
Injection set containing 25mg and 1ml diluent	2	..	11.03	Solu-Dacortin MQ
PREDNISOLONE STEAGLATE Tablet 6.65mg	30	..	1.50	Sintisone DH
PREDNISOLONE TERTIARY BUTYL ACETATE Intra-articular use.				
Injection 20mg in 1ml	5	..	5.03	Codelcortone TBA MK

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PREDNISONE				
Tablet 1mg	100	..	1.50	Panafcort PT
5mg	30	..	1.30	Panafcort PT
				Presone LF
			1.37	Adasone AV
				Decortisyl RL
				Deltasone KL
				Propred BB
				Sone FM
				LP,PD,PR
Capsule 5mg	30	..	1.37	Deltasone KL
PRIMAQUINE				
Tablet equivalent to 7.5mg base	30	1	1.27	IC
equivalent to 15mg base	14	1	1.19	WL
PRIMIDONE				
Tablet 250mg	200	1	4.50	Elmidone KL
				Midone PT
				Mysoline IC
Paediatric Suspension				
125mg per 5ml, 500ml	#1	1	2.26	Mysoline IC
PRINDOLOL				
Dissecting aneurysm (aortic);				
Idiopathic hypertrophic sub-				
aortic stenosis;				
Right ventricular outflow tract				
obstruction;				
Serious arrhythmias;				
Thyrotoxicosis;				
Frequent disabling angina with-				
out evidence of cardiac fail-				
ure, and not responding to				
other therapeutic agents.				
Injection 1mg in 5ml	5	..	4.77	Visken SZ
* * *				
Dissecting aneurysm (aortic);				
Idiopathic hypertrophic sub-				
aortic stenosis;				
Right ventricular outflow tract				
obstruction;				
Serious arrhythmias;				
Thyrotoxicosis;				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PRINDOLOL - cont. Frequent disabling angina with- out evidence of cardiac fail- ure, and not responding to other therapeutic agents; *Treatment of hypertensive disease which is not responding adequately to other therapy.				
Tablet 5mg	100	2	7.19	Visken SZ
PROBENECID Tablet 500mg	100	2	7.83	Benemid MK Proben PT Probexin KL Urecid FR
PROCAINAMIDE Capsule 250mg	100	2	5.30	Pronestyl SQ
375mg	100	2	6.50	Pronestyl SQ
Injection 100mg per ml, 10ml	1	..	1.77	Pronestyl SQ
PROCARBAZINE Treatment in malignant neoplasia.				
Capsule 50mg	100	..	7.43	Natulan RO
PROCHLORPERAZINE Tablet 5mg	50	..	1.43	Anti-Naus PT Compazine SK Stemetil MB
Injection 12.5mg in 1ml	10	..	1.57	Stemetil MB
Suppository 5mg	5	..	1.30	Compazine SK Stemetil MB
25mg	5	..	1.57	Compazine SK Stemetil MB
PROCYCLIDINE Tablet 5mg	100	2	4.50	Kemadrin BW
PROGUANIL Tablet 100mg	100	2	1.34	Paludrine IC
PROMETHAZINE Tablet 10mg	50	1	1.21	Phenergan MB Prothazine KL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROMETHAZINE - cont. Tablet 25mg	50	1	1.43 1.50	Meth-Zine PT Phenergan MB Prothazine KL MC
Mixture 5mg per 5ml, 100ml	≠1	4	1.19	Phenergan MB Progan AV Prothazine KL
Injection 2.5%, 2ml	10	..	2.03	Phenergan MB
PROMETHAZINE THEOCLATE Vomiting in pregnancy. Tablet 25mg	30	1	1.50	Avomine MB
PROPANTHELINE BROMIDE Tablet 15mg	100	2	3.38	Pantheline PT Pro-Banthine SR KL
30mg (sustained release)	100	2	6.43	Pantheline PT Retard Pro-Banthine SR PA
Injection 30mg in 1ml (solvent required)	5	..	6.50	Pro-Banthine SR
PROPRANOLOL Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure and not responding to other therapeutic agents.				
Injection 1mg in 1ml * * *	5	..	2.53	Inderal IC
Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis;				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROPRANOLOL - cont. Frequent disabling angina with- out evidence of cardiac failure, and not responding to other therapeutic agents; *Treatment of hypertensive disease which is not responding adequately to other therapy.					
Tablet 10mg	100	2	3.74	Inderal	IC
40mg	100	2	6.97	Inderal	IC
PROPYLENE GLYCOL Spray Diluent Propylene Glycol 10%, Glycerin 2% in Normal Saline, 200ml	#1	2	1.90	FA	
PROPYLTHIOURACIL Tablet 25mg	100	2	1.70	ET	
50mg	100	2	2.50	ET	
PROSCILLARIDIN Patients intolerant to oral forms of prepared digitalis, digoxin and lanatoside-C.					
Tablet 0.25mg	100	2	3.43	Falusin	KN
PROTAMINE SULPHATE Injection 1%, 10ml	5	..	4.50	BT	
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Authority required. Phenylketonuria.					
Powder 100g sachet, 2kg	#1	..	89.33	Albumaid XP	MN
PROTRIPTYLINE Tablet 5mg	50	1	2.59	Concordin	MK
10mg	50	1	3.43	Concordin	NK
Capsule 5mg	50	1	2.59	Triptil	FR
10mg	50	1	3.43	Triptil	FR
PSEUDOEPHEDRINE HYDROCHLORIDE Tablet 30mg	100	2	1.57	Tussaphed	KL
(continued)			1.78	Sudafed-M	CA

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PSEUDOEPHEDRINE HYDROCHLORIDE - cont.				
Tablet 60mg	100	2	2.03 2.37	Tussaphed KL Sudafed CA
Mixture 30mg per 5ml, 100ml	≠1	4	1.19	Sudafed CA Tussaphed KL
PYRANTEL EMBONATE Tablet 125mg(base)	6	..	1.66	Combantrin GP
Mixture 50mg(base) per ml, 12ml	≠1	..	1.66	Combantrin GP
PYRIDOSTIGMINE Tablet 10mg	100	2	2.02	Mestinon RO
60mg	100	2	8.77	Mestinon RO
180mg (sustained release)	100	..	15.97	Mestinon RO
Injection 1mg in 1ml	5	1	1.35	Mestinon RO
PYRIDOXINE HYDROCHLORIDE Homocystinuria; Peripheral neuritis due to ison- iazid therapy, prophylaxis or treatment; Primary hyperoxaluria; Pyridoxine-responsive anaemia, proven; Pyridoxine-responsive convuls- ions; Radiation sickness; Sideroblastic (refractory) anaemia.				
Tablet 25mg	100	..	2.43 2.50	DH Pydox PT Pyroxin KL RY
* * *				
PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1ml	5	1	1.78 2.06 2.07	Pyroxin KL Hexavibex PD BL,DH,FM
50mg per ml, 5ml	1	1	1.83	Pyroxin KL
50mg per ml, 10ml	1	..	2.10	Pyroxin KL
PYRIMETHAMINE Tablet 25mg	100	..	3.44	Daraprim BW

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
QUINALBARBITONE SODIUM Tablet 100mg	25	..	0.90	RY
Capsule 50mg	50	..	1.30	Quinaltone LF Quinbar AV Seconal LY Sodium
100mg	25	..	1.21	Proquinal PT Quinaltone LF RY
			1.26	Seconal LY Sodium
QUINETHAZONE Tablet 50mg	50	2	3.63	Aquamox LE
QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	10.01	Kinidin AP
QUINIDINE SULPHATE Tablet 200mg	100	2	5.67	DH, FA, LP, PT, RT(V)
			5.70	Quinid MW(N) TO
			5.79	QE (QNVS)
			5.83	DF
			6.37	Cardoquin AV KL, PR
			7.30	Quinidoxin BW
300mg (sustained release)	100	2	8.63	Quinidex RS
QUININE BISULPHATE Tablet 300mg	100	2	4.50	DH, FA, PT
			4.90	Bi-Quinate KL Quinbisan PR BW, LP
QUININE HYDROCHLORIDE Tablet 300mg	100	2	4.50	DH
QUININE SULPHATE Tablet 300mg	100	2	4.50	DH, LP, PT
			5.03	QE (QNVS)
			5.30	Quinate KL Quinsan PR AD, SI, TO
RAUWOLFIA ALKALOIDS Tablet 0.25mg	100	2	1.57	Serfia KL
2mg	100	2	2.90	Rauwiloid RK

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
RAUWOLFIA SERPENTINA Tablet 50mg	100	2	2.45 2.70 3.03	Rawlina LF Rausan PR Serenol PT Raudixin SQ
Capsule 50mg	100	2	3.03	Austrawolf CS
RESERPINE Tablet 0.25mg	100	2	1.19	Resedrex HA Ryser KL Serpasil CB Tenserp VR RY
Injection 1mg	5	1	1.21	Serpasil CB
2.5mg	5	1	1.83	Serpasil CB
RIBOFLAVINE For pensioners for any disease or purpose.				
Tablet 5mg	100	2	0.90	FM, KL, RT(V)
ROLITETRACYCLINE I.V. Injection sets containing 110mg and 5ml solvent	5	..	7.10	Reverin HP
275mg and 10ml solvent	5	..	12.10	Reverin HP
350mg and 10ml solvent	5	..	12.10	Bristacin-A BC
I.M. Injection sets containing 150mg and 2ml solvent	5	..	7.05 7.10	Bristacin-A BC Reverin HP
350mg and 2ml solvent	5	..	12.10	Bristacin-A BC Reverin IIP
SACCHARIN or SACCHARIN SODIUM /Tablets 30mg, 500	1	1	40.47	AD(N), KL
SALBUTAMOL Tablet 4mg	100	..	4.77	Ventolin AH
Syrup 2mg per 5ml, 100ml	1	4	1.59	Ventolin AH
Inhalation, metered aerosol spray replacement pack, 20mg in 17g (200 dose)	1	..	3.03	Ventolin AH

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SALICYLAMIDE Tablet 500mg	100	2	1.22 1.27	PT Salamide Salide Samid HA NS KL
SALINE LACTATE SOLUTION See Intravenous Fluids				
SCHICK TEST TOXIN and CONTROL Injection set containing 0.5ml Schick Test Toxin and 0.5ml Schick Control	1	..	1.57	CS
SECBUTOBARBITONE Tablet 15mg	100	1	1.27	Butisol Sodium ET
30mg	100	1	1.46	Butisol Sodium ET
50mg	100	1	1.73	Butisol Sodium ET
100mg	25	..	1.17	Butisol Sodium ET
SENNA FRUIT EXTRACT (STANDARDISED) For pensioners for any disease or purpose.				
Tablet 7mg	100	2	1.50	Senokot RC
SMALLPOX VACCINE Injection, Capillary Tube	1	..	1.19	CS
SODIUM ACID CITRATE Mixture 5.5g per 20ml, 500ml	1	4	1.57	Citralka PD
SODIUM AMINOSALICYLATE Tuberculosis.				
Tablet 300mg	500	2	3.97	Pasan KL
500mg	500	2	4.10	Pasalba Pasan RY KL
Cachet 1.5g	500	2	13.17	Pasan KL
2g	500	2	19.17	Pasan KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM AMINOSALICYLATE with ISONIAZID Tuberculosis.				
Granules 6g-150mg per sachet, 60	#1	2	12.50	Inapasade SN
SODIUM AUROTHIOMALATE Injection 1mg	5	..	2.45	Myocrisin MB
5mg	5	..	2.65	Myocrisin MB
10mg	5	..	3.05	Myocrisin MB
20mg	5	..	3.25	Myocrisin MB
50mg	5	..	3.95	Myocrisin MB
SODIUM BICARBONATE Injection 8.4%, 100ml	5	..	10.50	AB
4.2%, 500ml - See Intravenous Fluids				
SODIUM CALCIUMEDETATE Tablet 500mg	100	2	4.37	Calcium Disodium Versenate RK
Injection 200mg per ml, 5ml	5	..	5.88	Calcium Disodium Versenate RK
SODIUM CHLORIDE Tablet 300mg	100	2	0.83	KL,RT(V)
Injection (Normal Saline; Physiological Solution) 2ml	5	1	0.97 1.03 1.06	LP AB BL,KL
5ml	5	1	1.06 1.11 1.15	LP AB BL,KL
10ml	5	1	1.14 1.21 1.27 1.34	CS LP AB BL,KL
20ml	5	1	1.70	AB,BL,KL
50ml	3	1	2.51	AB,KL
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CHLORIDE - cont. 1 Litre size - See Intravenous Fluids				
SODIUM CHLORIDE and DEXTROSE See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND and DEXTROSE See Intravenous Fluids				
SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	1.90 2.03 2.23	Dex-Cit DH Citralyte MJ Citavescent PT
SODIUM CROMOGLYCATe Capsule 10mg (Nasal Insufflation)	100	2	9.17	Rynacrom FC
20mg (Inhalation)	100	2	16.23	Intal Spincaps FC
SODIUM LACTATE See Intravenous Fluids				
SODIUM LACTATE COMPOUND See Intravenous Fluids				
SODIUM LACTATE COMPOUND and DEXTROSE See Intravenous Fluids				
SODIUM NITROPRUSSIDE Diagnostic Tablet	100	..	2.10	Acetest AM
SODIUM SALICYLATE Tablet 300mg	100	2	0.97	KL
600mg	100	2	1.30	KL
300mg (enteric coated)	100	2	1.43	Ensalate RC Rhumax PR DH,ET,KL,LY, QE(QNVS),RY
500mg (enteric coated)	100	2	1.63	Ensalate RC Rhumax PR ET,KL,QE(QNVS)
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM SALICYLATE - cont. Tablet 600mg (enteric coated)	100	2	1.77	Ancosal Ensalate Rhumax DH,ET,KL,LY, QE(QNVS) AV RC PR
SODIUM TAUROGLYCOCHOLATE with PHENOLPHTHALEIN Compound Tablet	100	1	1.19	Veracolate WW
SORBIDE NITRATE Tablet 10mg	100	2	1.57	Isordil Isotrate AY PD
Sublingual Tablet 5mg	100	2	1.43	Isordil Isotrate AY PD
SOYA FORMULA Authority required. Galactosaemia; Homocystinuria; Lactose intolerance; *Cows' milk allergy in children under the age of six (6) years. Note: Milk allergy means eczema, asthma or severe gastro-intest- inal upset demonstrated to be due to cows' milk by relief on withdrawal of cows' milk and recurrence on subsequent feeding with cows' milk.				
Liquid 384ml	5	20	3.15	Isomil Prosobee RD MJ
425g	5	20	3.05	Soyalac SA
Powder 454g	2	20	3.54	Sobee MJ
SPECTINOMYCIN Injection 2g with 3.2ml diluent	1	..	5.17	Trobicin UP
4g with 6.5ml diluent	1	..	9.17	Trobicin UP
SPIRONOLACTONE Authority required. Myasthenia gravis; Primary hyperaldosteronism; Supplementing other diuretics where these have proved inadequate.				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SPIRONOLACTONE - cont. Tablet 25mg	100	..	10.59	Aldactone
STANDARD MAINTENANCE FLUID See Intravenous Fluids				
STANOLONE Carcinoma of the breast. * * *				
Authority required. Intermittent use for cortico-steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids; *Intermittent use for the relief of pain due to osteoporosis. (NOTE: Certification that previous treatment with this drug afforded relief of pain should accompany a second or subsequent application for authority for this purpose); NOTE: Intermittent use means approximately three weeks treatment in each three months.				
Tablet 25mg	100	..	11.17 11.97	Protona DF Anabolex MN
STANZOLOL Authority required. Intermittent use for cortico-steroid-induced osteoporosis; Intermittent use for patients on long-term treatment with corticosteroids; *Intermittent use for the relief of pain due to osteoporosis. (NOTE: Certification that previous treatment with this drug afforded relief of pain should accompany a second or subsequent application for authority for this purpose); NOTE: Intermittent use means approximately three weeks treatment in each three months.				
Tablet 2mg	100	..	6.90	Winstroid WL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml	1	..	1.30	CS
Undiluted 5ml	1	..	2.37	CS
STILBOESTROL Tablet 0.1mg	100	2	0.83	KL
0.5mg	100	2	0.85	AD, HA, KL, RT (V)
1mg	100	2	0.87	AD, HA, KL, RT (V)
5mg	100	2	1.11 1.13 1.14	DH HA AD, KL, MG, RT (V), SI
10mg	100	2	1.51 1.58	DH KL, RT (V)
Injection 5mg	5	..	1.27	KL
STILBOESTROL DIPHOSPHATE Carcinoma of the prostate.				
Tablet 100mg	100	2	15.70	Honvan MJ
Injection 50mg per ml, 5ml	10	..	7.67	Honvan MJ
STREPTOMYCIN SULPHATE Injection 1g (solvent required)	5	3	2.17	GL
250,000 Units per ml, 4ml	5	3	2.37	Streptaquaine DL
500,000 Units per ml, 2ml	5	3	2.37	Strepolin 50% GL BT
1,000,000 Units in 3ml	5	3	2.37	Strepolin 33% GL Streptevan AH
SUCCINYLSULPHATHIAZOLE Tablet 500mg	100	..	1.90 2.10	PT MB
SULPHACETAMIDE SODIUM Eye Drops 10%, 15ml	≠1	2	1.46	Acetopt SI Bleph 10 AG ET, IQ, KL
15%, 15ml	≠1	2	1.50	Isopto Cetamide AQ
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHACETAMIDE SODIUM - cont. Eye Drops 20%, 15ml	≠1	2	1.54	Acetopt ET, IQ, KL SI
Eye Ointment 10%, 5g	≠1	..	0.90	SP (NWS)
SULPHADIAZINE Tablet 300mg	40	2	1.27	Diazyl AB
500mg	40	2	1.19	AD, DH, PT, RT (V), RY
			1.27	KL
SULPHADIAZINE SODIUM Injection 4ml	5	..	2.04	MB
SULPHADIMETHOXINE Tablet 500mg	12	..	1.55	Madribon RO
SULPHADIMIDINE Tablet 250mg	40	2	1.19	KL
500mg	40	2	1.19	S-Dimidine PT MG
			1.22	AD
			1.23	Sulpha- mezathine IC KL, RY
Suspension 500mg in 5ml, 100ml	≠1	1	1.35	Sulpha- mezathine IC
SULPHAFURAZOLE Tablet 300mg	40	2	1.30	Gantrisin RO Sulfagan OD KL
500mg	40	2	1.43	Sulfagan OD MC
			1.70	Gantrisin RO Sulfazole PT Urogan AV KL
Paediatric Syrup 500mg per 5ml, 100ml	≠1	1	1.59	Gantrisin RO
Eye Drops 4%, 10ml	≠1	2	1.19	Gantrisin RO
Eye Ointment 4%, 5g	≠1	..	0.81	Gantrisin RO
SULPHAMETHIZOLE Tablet 100mg	40	2	1.23	Famet CA Urolin KL Urolucosil WW
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHAMETHIZOLE - cont.				
Tablet 250mg	40	2	1.77 1.83	PT Famet Urolex Urolin Urolucosil Uroz
				CA OD KL WW HA
500mg	40	2	2.97 3.03	PT Famet Thiosulfil Urolex Urolin Urolucosil Uroz
				CA AY OD KL WW HA
Paediatric Suspension 100mg per 5ml, 100ml	#1	1	1.73	Urolucosil
				WW
SULPHAMETHOXAZOLE				
Tablet 500mg	20	1	1.43	Gantanol
				RO
Syrup 500mg per 5ml, 50ml	#1	2	1.67	Gantanol
				RO
SULPHAMETHOXYDIAZINE				
Tablet 500mg	12	..	1.97	Bayrena Kirocid
				BN SC
SULPHAMETHOXYPYRIDAZINE				
Tablet 500mg	12	..	2.10	Lederkyn Midicel
				LE PD
SULPHAPHENAZOLE				
Tablet 500mg	20	1	1.39	Orisul
				CB
SULPHAPYRIDINE				
Tablet 500mg	100	..	2.23	M&B 693
				MB
SULPHASALAZINE				
Ulcerative colitis.				
Tablet 500mg	100	2	5.30	Salazopyrin
				PS
SULPHASYMAZINE				
Tablet 500mg	20	1	2.39	Prosul
				LE
SULPHINPYRAZONE				
Tablet 100mg	100	2	7.83	Anturan
				GE
SULTHIAME				
Tablet 50mg	200	1	5.43	Ospolot
				BN
200mg	200	1	11.79	Ospolot
				BN

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SURGICAL CEMENT For use with surgical appliances				
/Skin Bond Adhesive 4fl oz	1	2	/2.85	DY
/Solvent 240ml	1	2	/1.65	Sacsol LF
568ml	1	..	/3.29	Zoff SN
TACRINE Injection 10mg, 2ml	5	1	1.90	T.H.A. WH
30mg, 2ml	5	1	2.61	T.H.A. WH
TERBUTALINE SULPHATE Tablet 5mg	100	..	4.77	Bricanyl AP
Elixir 0.3mg per ml, 100ml	1	4	1.59	Bricanyl AP
Injection 0.5mg in 1ml	5	..	1.90	Bricanyl AP
TESTOSTERONE Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Implant 200mg	1	..	8.77	Neo-Hombreol OR
TESTOSTERONE ENANTHATE Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 100mg in 1ml	1	..	2.77	Primoteston Depot SC
250mg in 1ml	1	..	5.97	Primoteston Depot SC
TESTOSTERONE ESTERS Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 100mg	1	..	2.77	Sustanon"100" OR
250mg	1	..	5.97	Sustanon"250" OR

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TESTOSTERONE PROPIONATE Carcinoma of the breast; Eunuchism; Eunuchoidism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 25mg in 1ml	10	.	4.53	Testine KL Testoviron SC
50mg in 1ml	10	.	8.23 8.24	Testine KL Testoviron SC
TETANUS ANTITOXIN (BOVINE) Patients who have previously received an injection of equine serum.				
Injection BP Set containing 1,500 Units and 15 Units diluted 1 in 50	5	1	10.50	CS
TETANUS ANTITOXIN (EQUINE) Injection BP Diluted 1-50, 15 Units in 0.5ml 1,500 Units in 1ml 10,000 Units in 5ml 50,000 Units in 10ml Set containing 1,500 Units and 15 Units diluted 1 in 50	1 5 5 5 1	.. 1 1 1	1.30 8.55 33.25 146.05 2.91	CS CS CS CS BT,CS
TETANUS VACCINE Injection BP (Purified Aluminium Phosphate Adsorbed) 0.5ml	3	..	1.58	CS
TETRACOSACTRIN Authority required. Hypsarrhythmia; *Multiple sclerosis, acute exacerbation; Patients who are being withdrawn from long-term corticosteroid therapy. *Severe asthma in children where there is evidence of growth suppression produced by corticosteroids;				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACOSACTRIN - cont. NOTE: Evidence of growth suppression means that height measurements over a period of many months demonstrate growth has been retarded to the extent that the height is now in the lower percentiles for age; *Status asthmaticus; NOTE: Status asthmaticus means a severe paroxysm of bronchial asthma lasting more than 24 hours which has proved resistant to recognised therapy and where life is endangered.				
Injection 0.5mg in 1ml	5	..	9.83	Cortrosyn Depot OR Synacthen Depot CB
1mg in 1ml	5	..	15.17	Cortrosyn Depot OR Synacthen Depot CB
I.V. Infusion Set containing 250 micrograms and 2ml solvent	5	..	12.95	Synacthen CB
TETRACYCLINE Conditions where a tetracycline is the only appropriate anti-biotic.				
Capsule 100mg * * *	25	..	1.90	Achromycin LE Panmycin P UP
Conditions where a tetracycline is the only appropriate anti-biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Syrup 125mg per 5ml, 100ml * * *	#1	..	1.86	Achromycin LE

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE Capsule 250mg	25	..	2.35	Achromycin LE Australamycin CS Hostacycline HP Panmycin P UP Polycycline BC Quadracyclin KL Quatrax VR Tetracyclin GP Tetramykoin BZ
Injection I.M. 250mg (solvent required)	5	..	12.10	Achromycin LE
TETRACYCLINE with NYSTATIN Conditions where a tetracycline is the only appropriate anti- biotic.				
Capsule 100mg-125,000 Units	25	..	1.90	Achrostatin LE Comycin UP Mysteclin-V SQ
* * *				
Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Syrup 125mg-125,000 Units per 5ml, 100ml	#1	..	1.86	Achrostatin LE
* * *				
TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	2.35	Mysteclin SQ
Capsule 250mg-250,000 Units	25	..	2.35	Achrostatin LE Comycin UP Mysteclin-V SQ Quadrastatin KL Tetrex-F BC
TETRACYCLINE (BUFFERED) Conditions where a tetracycline is the only appropriate anti- biotic.				
Capsule 100mg	25	..	1.90	Achromycin-V LE Australamycin-V CS Hostacycline-P HP
* * *				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE (BUFFERED) - cont. Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Syrup 125mg per 5ml, 100ml	#1	..	1.86	Achromycin-V LE Hostacycline-P HP Panmycin KM UP Tetrex BC
* * * TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	2.35	Achromycin-V LE Australmycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Quadracyclin V KL Steclin-V SQ Tetracap PT Tetracyc-V GP Tetramykoin-V BZ Tetrex BC
TETRACYCLINE (BUFFERED) with AMPHOTERICIN B Conditions where a tetracycline is the only appropriate anti- biotic; Patients over the age of eight (8) years who are unable to swallow capsules and tablets.				
Syrup 125mg-25mg per 5ml, 100ml	#1	..	1.86	Mysteclin-V SQ Improved
THEOPHYLLINE Tablet 125mg	100	2	2.63	Nuclin RK
Elixir 80mg per 15ml, 500ml	#1	4	1.83	A.B. KL Elixophyllin CP

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE Tablet 130mg-24mg-8mg	100	2	1.95 1.97	Panasma PT Asmin KL Ephedrobarb-ital-T FM Franol WL Tedral WW Thelix CO Theophen HA
180mg-48mg-25mg (sustained release)	100	..	2.77	Tedral S.A. WW
Capsule 130mg-24mg-8mg	100	2	1.97	Asmin KL Theosec LY
Paediatric Suspension 65mg-12mg-4mg per 5ml, 100ml	≠1	2	1.41	Asmin KL Tedral WW
THEOPHYLLINE with GUAIPHENESIN Capsule 100mg-60mg	100	2	2.50	Quibron-C MJ
150mg-90mg	100	2	2.63	Bristasma BC Entair AH Quibron MJ
Elixir 150mg-90mg per 15ml, 500ml	≠1	4	2.23	Bristasma BC Entair AH Quibron MJ
THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	≠1	4	2.23	Elixophyllin-KI CP
THIABENDAZOLE Tablet 500mg	8	1	1.19	Mintezol MK
THIAMBUTOSINE Tablet 500mg	100	2	4.42	Ciba 1906 CB
THIAMINE HYDROCHLORIDE For pensioners for any disease or purpose.				
Tablet 50mg	100	2	1.19 1.30 1.43 1.47	SL(N) LP Invite-B AV Betamin KL AD, DH, PR, PT, RT(V), RY, SI
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THIAMINE HYDROCHLORIDE - cont. Tablet 100mg	100	2	1.83 1.90 2.17 2.23	QE(QNVS),SL(N) LP,RT(V) Invite-B AV Betamin KL PR,PT,RY
THIAMINE HYDROCHLORIDE Injection 100mg in 1ml	5	1	1.70 1.94 1.95 1.97	LP Beta-Sol FM Betamin Forte KL DH
THIETHYLPERAZINE Tablet 6.5mg	50	..	1.63	Torecan SZ
Suppository 6.5mg	5	..	1.23	Torecan SZ
Injection 6.5mg in 1ml	10	..	1.84	Torecan SZ
THIOPROPAZATE Authority required. Hereditary chorea (Huntington's) Oral dyskinesia; Phenothiazine-induced choreo- athetosis	100	1	5.38	Dartalan SR
THIORIDAZINE Hereditary chorea(Huntington's); *Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- *Major organic psychoses includ- ing arteriopathic dementia; *Manic - depressive psychosis; Paranoid states; Schizophrenia; *Senile dementia;	100	1	1.82	Melleril SZ
Tablet 10mg	100	1	2.66	Melleril SZ
25mg	100	1	4.46	Melleril SZ
50mg	100	1	8.42	Melleril SZ
100mg	100	1		
(continued)				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THIORIDAZINE - cont.				
Oral Solution				
3% (30mg per ml) 30ml	≠1	4	1.70	Melleril SZ
Injection 25mg per ml, 2ml	10	..	3.71	Melleril SZ
THIOTEPA				
Injection				
15mg (solvent required)	2	1	5.84	LE
Eye Drops, set containing 15mg vial, 2 x 10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	1	5	#4.81	LE
THYROID				
Tablet 15mg	100	2	0.89 0.91	AD RT(V), SI
30mg	100	2	1.01	AD, RT(V), SI
60mg	100	2	1.13 1.14 1.18	AD RT(V), SI DH
125mg	100	2	1.17 1.18	RT(V) AD, SI
THYROXINE SODIUM				
Tablet 50 micrograms	100	2	0.81	Oroxine BW Thyroxinal FM RT(V)
100 micrograms	100	2	0.99	Oroxine BW Thyroxinal FM RT(V)
300 micrograms	100	2	1.43	Oroxine BW
TIEMONIUM IODIDE				
Tablet 50mg	100	2	3.50	Visceralgin FM
Syrup 2mg per ml, 100ml	≠1	4	1.63	Visceralgin FM
Injection 5mg in 2ml	5	..	3.03	Visceralgin FM
TISSUE REPAIR SOLUTION - ACIDOSIS See Intravenous Fluids				
TISSUE REPAIR SOLUTION -ALKALOSIS See Intravenous Fluids				

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TOLAZAMIDE Tablet 250mg	100	2	7.17	Tolinase UP
TOLBUTAMIDE Tablet 500mg	100	2	3.43	Artosin BO Rastinon HP
1g	50	2	3.43	Artosin BO Rastinon HP
TRIAMCINOLONE ACETONIDE Alopecia areata; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid.				
Injection 10mg in 1ml * * *	5	..	5.50	Kenacort-A10 SQ
TRIAMCINOLONE ACETONIDE Cream 0.05%, 30g	¶1	..	1.82	Kenalone SQ
Ointment 0.05%, 30g	¶1	..	1.82	Kenalone SQ
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Cream 0.1%-0.25%(base)- 0.025%-500,000 Units in 5g	¶1	..	1.57	Kenacomb Otic SQ
Ear Ointment 0.1%-0.25%(base)- 0.025%-500,000 Units in 5g	¶1	..	1.57	Kenacomb Otic SQ
TRIAMTERENE Tablet 100mg	50	2	4.50	Dytac SK
TRICLOFOS Tablet 500mg	50	..	1.83	Tricloryl GL
Syrup 500mg per 5ml, 200ml	¶1	4	1.83	Tricloryl GL
TRIDIHEXETHYL CHLORIDE Tablet 25mg	100	2	4.50	Pathilon LE

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIFLUOPERAZINE Hereditary chorea (Huntington's); *Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- *Major organic psychoses includ- ing arteriopathic dementia; *Manic - depressive psychosis; Paranoid states; Schizophrenia; *Senile dementia.				
Tablet 1mg	100	1	3.25	Calmazine PT Stelazine SK Terfluzin MB
2mg	100	1	4.57	Calmazine PT Stelazine SK Terfluzin MB
5mg	100	1	5.07	Calmazine PT Stelazine SK Terfluzin MB
Syrup 1mg per 5ml, 100ml	1	4	1.51	Stelazine SK
Injection 1mg in 1ml	10	..	3.07	Stelazine SK
1mg per ml, 2ml	10	..	3.50	Stelazine SK
TRIGLYCERIDES, MEDIUM CHAIN Authority required. Proven malabsorption.				
Compound Powder 454g	2	10	4.86	Triglyde MJ
Oil 1 litre	1	2	6.00	NCT Oil MJ
TRIMEPRAZINE Tablet 10mg	50	1	1.63	Vallergan MB
Mixture 7.5mg per 5ml, 100ml	1	4	1.23	Vallergan MB
TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	8.37	Arfonad RO

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIMETHOPRIM with SULPHAMETHOXA- ZOLE Infections by susceptible organ- isms where these cannot be safely and effectively treated with other sulphonamides, oral forms of benzyl penicillin, phenoxymethylpenicillin or phenethicillin; Urinary tract infections where other sulphonamide treatment has proved ineffective and where positive bacteriological evidence shows the organism to be sensitive to trimethoprim with sulphamethoxazole; Ocular surgery.				
Tablet 80mg-400mg	20	..	3.77	Bactrim RO Septrin BW
Capsule 80mg-400mg	20	..	3.77	Trib SU
Suspension 40mg-200mg per 5ml, 100ml	≠1	..	2.77	Bactrim RO Septrin BW
TRIMIPRAMINE Tablet 10mg	50	1	1.63	Surmontil MB
25mg	50	1	2.63	Surmontil MB
TRIPROLIDINE Tablet 2.5mg	50	1	1.97	Actidil CA
Paediatric Elixir 1mg per 5ml, 100ml	≠1	4	1.19	Actidil CA
TRISODIUM EDETATE Injection 200mg per ml, 5ml	5	1	6.60	Sodium Versenate RK
TROLNITRATE PHOSPHATE Tablet 2mg	100	2	1.97	Praenitron PF
7mg	100	2	3.03	Duronitrin ET Praenitron Protracted PF
TROXIDONE Tablet 150mg	200	1	5.10	Tridione AB
Capsule 300mg	200	1	8.43	Tridione AB

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TYPHOID VACCINE Injection 0.5ml	3	1	1.61	CS
TYPHUS VACCINE Injection 1ml	2	..	7.54	CS
VASOPRESSIN Injection BP, 20 Units in 1ml	5	..	2.90	Pitressin PD
VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	4.50	Pitressin Tannate PD
VERAPAMIL Cardiac arrhythmias				
Injection 5mg in 2ml	5	..	2.50	Isoptin KN
VINBLASTINE Treatment in malignant neoplasia				
Injection 10mg (solvent required)	1	..	17.27	Velbe LY
VINCRISTINE Treatment in malignant neoplasia				
Injection set containing 1mg and 10ml solvent	5	..	65.25	Oncovin LY
5mg and 10ml solvent	1	..	51.55	Oncovin LY
VIOMYCIN Tuberculosis.				
Injection 1g (solvent required)	5	3	17.15	Viocin PD PF
VIPRYNIUM EMBONATE Tablet 50mg	8	1	1.61	Vanquin PD
Suspension 10mg per ml, 30ml	≠1	1	1.61	Vanquin PD
VITAMINS COMPOUND For pensioners for any disease or purpose.				
Tablet, BPC Capsule Formula	100	1	0.93	Panvit RY, TO PT
			0.95	AD
			0.98	Citradex GL
				Hexaplex PR
				Multivite Six AH
				Orumvite VR
				Sixavite KL
(continued)				DH, RT (V), SI

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
VITAMINS COMPOUND - cont. Capsule BPC	100	1	1.17	Gerovit	FA
VITAMIN SUPPLEMENT Authority required. Galactosacmia; Persistent monosaccharide intol- erance; Phenylketonuria; Tyrosinosis, hereditary.					
Tablet	100	2	3.17	Ketovite	ST
Liquid 100ml	≠1	2	1.78	Ketovite	ST
WARFARIN Tablet 1mg	50	2	3.17	Coumadin Marevan	EN AH
2mg	50	2	3.37	Coumadin	EN
2.5mg	50	2	3.50	Coumadin	EN
3mg	50	2	3.30	Marevan	AH
5mg	50	2	3.57	Coumadin Marevan	EN AH
7.5mg	50	2	4.34	Coumadin	EN
10mg	50	2	5.50	Coumadin Marevan	EN AH
Injection set containing 50mg and 2ml solvent	5	..	9.55	Coumadin	EN
WATER FOR INJECTIONS Injection 2ml	5	3	0.93 0.94 0.97 1.01 1.05	WO SP(NWS) DH AB BL, KL, SI	
5ml	5	3	0.97 0.98 1.05 1.09 1.14	WO SP(NWS) CS AB BL, KL, SI	
10ml	5	3	1.26 1.31	AB, DH, SP(NWS) BL, CS, KL, SI	

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
WOOL ALCOHOLS Ointment 100g	1	1	1.01	Eucerin AH
WOOL FAT, HYDROUS 50g tube or jar	1	..	0.59	AA(N)
ZINC and ADRENALINE Eye Drops 0.25%-0.01%, 15ml	1	2	1.19	B.A.Z. KL
ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15ml	1	2	1.62	Prefrin-Z AG Zincfrin AQ
ZINC SULPHATE Eye Drops 0.25%, APF 15ml	1	2	1.19	KL

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMINO ACIDS with SORBITOL					
30g-50g(300 kcal) per litre, 500ml	2	1	13.30	Aminofusin Standard	PC
50g-100g(600 kcal) per litre, 500ml	2	1	15.44	Aminofusin 600	PC
100g-100g(800 kcal) per litre, 500ml	2	1	20.96	Aminofusin Forte	PC
AMINO ACIDS with SORBITOL and ALCOHOL					
50g-100g-30g(850 kcal) per litre, 500ml	2	1	15.78	Aminofusin 850	PC
50g-100g-50g(1,000 kcal) per litre, 500ml	2	1	16.84	Aminofusin 1000	PC
CASEIN HYDROLYSATE with LAEV- ULOSE and ALCOHOL					
5%-12.5%-2.4%(800 kcal) in 1 litre	2	..	15.52	Amigen with Levugen	TV
DARROW'S SOLUTION					
1 litre	2	..	3.38	AB,TV	
DEXTRAN 40					
10% with 5% dextrose, 500ml	10	..	80.50 87.20	Lomodex Rheomacrodex	FC PS
10% with 0.9% sodium chloride, 500ml	10	..	80.50 87.20	Lomodex Rheomacrodex	FC PS
DEXTRAN 70					
6% with 5% dextrose, 500ml	10	..	52.10	Macrodex	PS
10% with 5% dextrose, 500ml	10	..	68.90	Macrodex	PS
6% with 0.9% sodium chloride, 500ml	10	..	52.10	Macrodex	PS
DEXTROSE					
5%, 1 litre	5	1	7.70	AB,TV	
10%, 1 litre	5	1	7.70	AB,TV	
20%, 1 litre	2	1	3.38	AB,TV	
25%, 1 litre	2	1	3.38	AB,TV	
50%, 500ml	2	1	3.52	AB	

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price s	Proprietary Name and Manufacturer
ELECTROLYTE REPLACEMENT SOLUTION 1 litre	2	1	3.64	Plasma - Lyte 148 TV
GASTRIC REPLACEMENT SOLUTION 500ml	2	..	3.30	AB,TV
INTESTINAL REPLACEMENT SOLUTION 500ml	2	..	3.30	AB
INVERT SUGAR 10%(380 kcal) in 1 litre	2	1	4.84	Travert TV
LAEVULOSE 10%, 1 litre	2	1	6.24	Laevosan Levugen AB CA TV
20%, 1 litre	2	1	9.30	Laevosan Levugen AB CA TV
40%, 500ml	2	1	9.30	Laevosan CA
MANNITOL 10%, 1 litre	1	1	3.74	Osmitrol AB TV
20%, 500ml	1	1	3.74	Osmitrol AB TV
POTASSIUM-FREE MAINTENANCE SOLUTION 500ml	2	..	3.30	AB
SALINE LACTATE SOLUTION 500ml	2	..	3.30	AB
SODIUM BICARBONATE 4.2%, 500ml	1	1	2.03	AB
SODIUM CHLORIDE 3%, 1 litre	2	1	3.38	AB,TV
5%, 1 litre	2	1	3.38	TV
(Normal Saline - Physiological Solution) 1 litre	5	1	7.70	AB,TV,VF(NWS)
SODIUM CHLORIDE COMPOUND BPC 1959 1 litre	4	1	6.26	AB,TV

INTRAVENOUS FLUIDS FOR INJECTION

128

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CHLORIDE COMPOUND and DEXTROSE 5%, 1 litre	5	1	7.70	AB
SODIUM CHLORIDE and DEXTROSE Dextrose in Normal Saline 5%, 1 litre	2	1	3.38	AB,TV
10%, 1 litre	2	1	3.38	AB,TV
20%, 1 litre	2	1	3.38	AB,TV
25%, 1 litre	2	1	3.38	AB
Dextrose in 1/2 strength Normal Saline 2.5%, 500ml	5	1	6.65	AB,TV
Dextrose in 1/4 strength Normal Saline 3.75%, 500ml	5	1	6.65	AB,TV
Dextrose in 1/5 strength Normal Saline 4%, 1 litre	5	1	7.70	AB,TV
4.3%, 1 litre	5	1	7.70	AB
SODIUM LACTATE (Solution 1/6 Molar) 1 litre	5	1	7.70	AB,TV,VF(NWS)
SODIUM LACTATE COMPOUND 1 litre	5	1	7.70	AB,TV
SODIUM LACTATE COMPOUND and DEXTROSE 5%, 1 litre	2	1	3.38	AB,TV
10%, 1 litre	2	1	3.38	AB
STANDARD MAINTENANCE FLUID 500ml	6	..	8.90	AB,TV
TISSUE REPAIR SOLUTION - ACIDOSIS 500ml	2	..	3.30	AB
TISSUE REPAIR SOLUTION - ALKALOSIS 500ml	2	..	3.30	AB

SECTION 3 - SCHEDULE OF BENEFITS
DECEMBER 1973

Preparations Restricted to Colostomy
and Ileostomy Use Only

Preparations Restricted to Use in
Approved Hospitals Only

A dagger (†) in front of the form of an item and in the price column indicates a packed line which will be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.

2 PREPARATIONS RESTRICTED TO COLOSTOMY AND ILEOSTOMY USE ONLY

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACRYLIC RESIN				
Solution 100ml Aerosol Spray	1	..	5.17	Octaflex WB
			6.10	Liquidoplast PT
			7.17	Nobecutane AH
170g Aerosol Spray	1	..	2.63	Aeroplast PD
BENZOIN				
Compound Tincture BPC				
35%, 167ml Aerosol Spray	1	..	2.79	LF
BISMUTH SUBGALLATE				
Powder 100g	1	..	3.57	EV
CHARCOAL				
Tablet 300mg	500	1	4.50	Char-Bon LF QE(QNVS),TO
CHLORAMINE				
Deodorant Tablet 120mg	500	..	2.50	Klortee PT
Powder 25g	1	4	0.87	Klortee PT
DEODORANT CONCENTRATE				
/Liquid 15ml	1	..	/1.73	Zerodor ZR
0.5fl oz	1	..	/1.73	Banish DY
DEODORANT DETERGENT SOLUTION				
Solution, Lauryldimethyl benzyl ammonium chloride 15g; "TERIC" N.8, 150g in 600ml	1	..	1.90	T.A.G. LF
DIMETHICONE				
Solution				
9.84%, 220g Aerosol Spray	1	..	4.37	Rikospray RK Silicone
10%, 180ml Aerosol Spray	1	..	2.50	LF
POLYISOBUTYLENE				
Compound Adhesive Wafers with Adhesive Discs, 5	#1	..	9.93	Stomahesive SQ Set
STERCULIA				
(Indian Tragacanth; Gum Karaya)				
/Powder 200g	1	..	/1.92 /2.40	Karagum PT EV
(continued)				

Private Hospitals Approved under Section 94
of the National Health Act 1953-1973

New South Wales

Alanbrook Private Hospital, 4 Hale Road, Mosman.
Bromalan Private Hospital, 3 Everton Road, Strathfield.
Mount St. Margaret Hospital, Victoria Road, Ryde.
St. John of God Hospital, Grantham Street, Burwood.
St. John of God Hospital, Belmont Park, Richmond.
St. Margaret's Children's Hospital, Albion Street, Darlinghurst.
The Sydney Sanitarium and Hospital, Fox Valley Road, Wahroonga.

Victoria

Warburton Sanitarium and Hospital, Warburton.

Queensland

Mater Misericordiae Hospital, South Brisbane.

South Australia

Calvary Hospital, Strangways Terrace, North Adelaide.
Home for Incurables, Fullarton.
Memorial Hospital Inc, Pennington Terrace, North Adelaide.

Western Australia

St. John of God Hospital, Subiaco.
The Mount Hospital, 253 St. Georges Terrace, Perth.

Australian Capital Territory

John James Memorial Hospital.

PREPARATIONS RESTRICTED TO USE IN APPROVED HOSPITALS ONLY 5

Approved Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINOCAPROIC ACID				
Oral Solution				
250mg per ml, 20ml	10	..		
I.V. Injection				
250mg per ml, 10ml	10	..		
DROPERIDOL				
Injection 10mg in 2ml	5	..		
HEPARIN CALCIUM				
Injection				
12,500 I.U. in 0.5ml	2	..		
25,000 I.U. in 1ml	2	..		
HYDROCORTISONE SODIUM SUCCINATE				
Injection sets containing				
equivalent of 250mg hydrocort-				
isone and solvent	1	..		
equivalent of 500mg hydrocort-				
isone and solvent	1	..		
HYDROXYUREA				
Capsule 500mg	100	..		
MAPHENIDE ACETATE				
Cream 11.2%, 454g	1	..		
METYRAPONE				
Capsule 250mg	50	..		
PLASMA SUBSTITUTE				
I.V. Infusion 3.5%, 500ml	5	..		
PYRAZINAMIDE				
Tablet 0.5g	500	..		
STREPTOKINASE				
Injection				
100,000 I.U.(solvent required)	2	..		
250,000 I.U.(solvent required)	2	..		
600,000 I.U.(solvent required)	5	..		
750,000 I.U.(solvent required)	5	..		
THYROTROPHIN				
Injection 10 Units	1	..		
VANCOMYCIN				
Injection				
500mg (solvent required)	5	..		

SCHEDULE OF BENEFITS
DRUGS AVAILABLE FOR EXTEMPORANEOUS
PREPARATIONS

DECEMBER 1973

Drug	Drug
Acetone BPC (use as additive only)	Benzyl Benzoate BP
ACIDS	Bismuth Subgallate BPC (use as additive only)
Acetic BP	Borax BP
Acetic Dilute BP	Brilliant Green BP
Ascorbic BP	
(Use as ingredient of Mixtures of Ferrous Sulphate APF and PL)	Caffeine BP
Benzoic BP	Caffeine Citrate BPC 59
Boric Crystal BP	Caffeine and Sodium Benzoate BPC 54
Boric Powder BP	Calamine BP
Citric BP	CALCIUM
Hydrochloric BP	Carbonate BP
Hydrochloric Dilute BP	Chloride BP
Hypophosphorous Dilute BPC 63	Gluconate BP
Lactic BP	Hydroxide BP
Oleic BP	Lactate BP
Salicylic BP	Camphor BP (use as additive only)
Stearic BPC	Cetomacrogol Emulsifying Wax BPC
Tannic BP	Cetostearyl Alcohol BP
Tartaric BP	Cetrimide BP
Trichloroacetic BP	Chalk Prepared BP
Acridine BPC 63	Chloral Hydrate BP
Adrenaline BP	Chlorbutol BP
Adrenaline Acid Tartrate BP	Chlorhexidine Acetate (use as additive only)
ALCOHOLS	Chlorinated Lime BP
95% BP (use as additive only)	Chlorocresol BP
90% BP (use as additive only)	Chloroform BP (use as additive only)
Alum BP	Clioquinol BP
Aluminium Hydroxide Gel Dried BP	Cocaine BP
Amaranth BPC 54	Cocaine Hydrochloride BP
Aminacrine Hydrochloride BP	Codeine Phosphate BP
Aminophylline BP	Collodion Flexible BP
Ammoniated Mercury BP	CREAMS
AMMONIUM	Aqueous APF
Bicarbonate BPC	Aqueous APF 64
Chloride BP	Aqueous BP
Amylobarbitone BP	Aqueous Emulsifying Wax APF 55
Amylobarbitone Sodium BP	Calamine Oily APF
Application Benzyl Benzoate BP	Cetomacrogol Aqueous APF
Aspirin BP	Cetomacrogol Aqueous APF 64
Atropine BP	Cetrimide Aqueous APF
Atropine Methonitrate BP	Oily BP
Atropine Sulphate BP	Zinc BP
	Zinc Oily APF
Beeswax White BP	Creosote BPC 59
Bentonite BP, sterilised	Crystal Violet BP
Benzocaine BP	

Drug	Drug
Dextrose Monohydrate BP (use as additive only)	Ichthammol BP
Dicophane BP	INFUSIONS
Dimethyl Phthalate BP	Buchu Concentrated BPC 54
Disodium Edetate BP	1 in 8
Dithranol BP	Gentian Compound Concentrated
	BP 1 in 10
ELIXIR	Senega Concentrated BPC
Cascara BP	1 in 10
Emulsifying Wax BP	Iodine BP
EMULSION	Isoprenaline Sulphate BP
Paraffin Liquid APF	
(may only be prescribed as a	Kaolin Light BP
pensioner benefit)	
Ephedrine BPC	Lactose BP
Ephedrine Hydrochloride BP	Lanette Wax S.X.
Ether Anaesthetic BP	Lignocaine Hydrochloride BP
(use as additive only)	LINIMENTS
Ether Solvent BP	Camphor BP
(use as additive only)	Iodine Compound APF 55
Eucalyptol BPC	Methyl Salicylate APF
(use as additive only)	Methyl Salicylate Compound APF
EXTRACTS	Soap BPC
Cascara Liquid BP	Turpentine BP
Hamamelis Liquid BPC	LOTION
Hyoscyamus Liquid BP	Calamine BP
Ipecacuanha Liquid BP	
Liquorice Liquid BP	Magenta BPC
Nux Vomica Liquid BP	MAGNESIUM
Stramonium Liquid BP	Carbonate Heavy BP
	Carbonate Light BP
Ferric Ammonium Citrate BP	Oxide Light BP
FERROUS	Sulphate BP
Gluconate BP	Sulphate Dried BP
Sulphate BP	Trisilicate BP
Sulphate Dried BP	Menthol BP
Fluorescein Sodium BP	Mercuric Chloride BPC
	Methylcellulose BP
Gelatin BP	(use as additive only)
Glycerin BP	Methylene Blue BP
GLYCERINS	METHYL
Borax BPC 59	Hydroxybenzoate BP
Ichthammol BPC	Salicylate BP
GUMS	MIXTURES
Acacia BP	Aluminium Hydroxide APF
Tragacanth BP	Magnesium Hydroxide BP
	Morphine Hydrochloride BP
Homatropine Hydrobromide BP	Morphine Sulphate BP
Honey Purified BPC	MUCILAGES
(use as additive only)	Acacia APF
Hypromellose 4500 BPC	Methylcellulose APF
(use as additive only)	Tragacanth BPC

Drug	Drug
OILS	OINTMENTS - cont.
Almond Volatile Bitter BPC 59	Zinc and Castor Oil BP
Anise BP	OPHTHALMIC
Arachis BP	Phosphate Buffers APF 55
(use as additive only)	Cetrimide
Cade BPC	Chlorbutol
Castor BP	Paraben
(use as additive only)	Vehicles APF 55
Citronella BPC	Cetrimide
(use as additive only)	Chlorbutol
Clove BP	Oily
Coconut BPC 49	Paraben
Cod Liver BP	Thickened
Eucalyptus BP	Oxymel BPC
(use as additive only)	Oxymel of Squill BPC
Lavender Spike BPC	Oxyphenonium Bromide
Lemon Terpeneless BPC	(extemporaneously prepared
Maize BP	eye drops only)
(use as additive only)	Paint Magenta APF
Olive BP	Paint Magenta APF 64
(use as additive only)	Paracetamol BP
Peppermint BP	Paraffin Hard BP
(use as additive only)	Paraffin Liquid BP
Pumilio Pine BPC	(pensioner benefit only when
Rosemary BPC	prescribed as an ingredient
Siberian Fir BPC 49	of Emulsion Paraffin Liquid
Theobroma BP	APF)
Turpentine BP	Paraffin Liquid Light BPC 63
(use as additive only)	Paraffin Soft White BP
OINTMENTS	Paraffin Soft Yellow BP
Ammoniated Mercury BP	Paraldehyde BP
Benzocaine and Adrenaline APF	PASTES
Benzoic Acid Compound APF	Zinc Compound BP
Capsicum BPC	Zinc and Salicylic Acid BP
Cod Liver Oil APF 64	Pectin (Apple or Citrus)
Colophony BPC 59	Pentobarbitone Sodium BP
Emulsifying BP	Phenobarbitone BP
Gall and Opium BPC 63	Phenobarbitone Sodium BP
Hamamelis BPC	Phenol BP
Iodine Non-staining APF 64	(not available for ear drops)
Iodine Non-staining BPC	Phenol Liquefied BP
Menthol Compound APF 64	(not available for ear drops)
Methyl Salicylate BPC	Phenolphthalein BP
Paraffin White BP	Phenylephrine Hydrochloride BP
Paraffin Yellow BP	Phenylmercuric Nitrate BP
Phenol BP 48	Phthalylsulphathiazole BP
Salicylic Acid BP	Physostigmine BPC
Simple White BP	Physostigmine Salicylate BP
Simple Yellow BP	Pilocarpine Hydrochloride BPC
Sulphur BP	Pilocarpine Nitrate BP
Wool Alcohols BP	
Zinc BP	

Drug	Drug
Podophyllum Resin BP POTASSIUM Chlorate BPC Chloride BP Citrate BP Iodide BP Permanganate BP POWDERS Hydroxybenzoate Compound APF Rhubarb BP Tragacanth Compound BP Procaine Hydrochloride BP Proflavine Hemisulphate BP Propylene Glycol BP Propyl Hydroxybenzoate BP Quinalbarbitone Sodium BP Resorcinol BP Saccharin Sodium BP (use as additive only) Silver Nitrate BP Silver Protein BPC Silver Protein Mild BPC SOAPS Ethereal APF 55 Soft BP SODIUM Acid Phosphate BP Benzoate BP Bicarbonate BP Chloride BP Citrate BP Iodide BP Metabisulphite BP Phosphate BP Salicylate BP Sulphate BP Thiosulphate BPC (use as additive only)	SOLUTIONS - cont. Benzoic Acid APF Benzoic Acid BPC Burnt Sugar BPC 59 (use as additive only) Calcium Hydroxide BP Carmine APF (use as additive only) Chlorhexidine Gluconate BP (use as additive only) Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Simple BPC 59 Iodine Weak BP Lead Subacetate Dilute BPC Lead Subacetate Strong BPC Morphine Hydrochloride BP Potassium Hydroxide BP Sodium Chloride BPC Tartrazine APF SPIRITS Ammonia Aromatic BPC Anise BPC 49 Camphor BPC 59 Chloroform BP Lemon APF Methylated Industrial BP (use as additive only) Peppermint BPC Starch BP Streptomycin Sulphate BP (may only be prescribed in ear drops) Succinylsulphathiazole BP Sucrose BP Sulphacetamide Sodium BP Sulphadiazine BP Sulphadimidine BP Sulphur Precipitated BP Sulphur Sublimed BPC Sulphurated Potash BPC
SOLUTIONS Adrenaline BP Aluminium Acetate BPC Amaranth APF Amaranth APF 64 Amaranth BPC Amaranth Compound APF Ammonia Dilute BPC Ammonia Strong BPC Ammonium Acetate Strong BPC Benzalkonium Chloride 50% BP	SYRUPS Aromatic APF Aromatic APF 64 Chloral BPC Codeine Phosphate BPC Ferrous Phosphate Compound BPC Ginger BPC Glycerophosphate Compound APF 64 Golden Acidified APF 55

Drug	Drug
SYRUPS - cont. Lemon APF Lemon Neutral APF Orange BPC Orange APF Pholcodine Citrate BPC 59 (use as additive only) Raspberry BPC Red APF Simple BP Squill BPC Tolu BP Talc Purified BP, sterilised Tar BP Tar Coal BPC Tar Coal Prepared BP Tartrazine BPC 54 Theophylline BP Theophylline Hydrate BP Thymol BP Thymol Mouth Wash Compound APF TINCTURES Belladonna BP Benzoin Compound BPC Cardamom Aromatic BPC Cardamom Compound BP Catechu BPC Cochineal BP 48 Gelsemium BPC Ginger Strong BP Ginger Weak BP Hyoscyamus BP Ipecacuanha BP Lemon BP 58 Lobelia Ethereal BPC Myrrh BPC Nux Vomica BP Opium BP Opium Camphorated BP Orange BPC Quillaia BPC Rhubarb Compound BP Squill BPC Stramonium BP Titanium Dioxide BPC Triethanolamine BPC Vanillin BPC WATERS Anise Concentrated BPC 1 in 40 (use as additive only)	WATERS - cont. Anise Concentrated BPC 63 1 in 40 (use as additive only) Camphor Concentrated BPC 1 in 40 Chlorbutol APF 55 Chloroform Concentrated BPC 59 1 in 40 Cinnamon Concentrated BPC 1 in 40 (use as additive only) For injections BP $\neq$ 100ml (extemporaneously prepared eye drops only) Peppermint Concentrated BP 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP Xylene of commerce (use as additive only) ZINC Gelatin BPC Oxide BP Sulphate BP

TABLE OF MAXIMUM QUANTITIES AND
NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Preparation	Maximum Quantity or No. of Units	No. of Repeats
Applications	200ml	2
Creams	100g	1
Draughts	200ml	4
Dusting Powders	100g	1
Ear Drops	15ml	2
Elixirs	100ml	4
Emulsions	400ml	4
Enemas	100ml	1
Eye Drops		
Cocaine	15ml	..
Physostigmine	15ml	6
Pilocarpine	15ml	6
Others	15ml	2
Eye Lotions	200ml	1
Gargles	200ml	4
Gels	100g	1
Glycerins	100ml	1
Inhalations	50ml	1
Inhalations Solid	4g	1
Irrigations	200ml	1
Insufflations	25g	1
Linctuses	100ml	2
Liniments	100ml	1
Lotions	200ml	2
Mixtures	200ml	4
Mixtures for Children	100ml	4
Mouth Washes	200ml	1
Nasal Instillations	15ml	2
Ointments, Waxes	100g	1
Paints	25ml	1
Pastes	100g	1
Pessaries	12	1
Powders		
for internal use	100g	2
for Irrigation	100g	1
Soaps	200ml	1
Solutions	200ml	2
Spirits	25ml	..
Sprays	15ml	2
Suppositories	12	1
Syrups	100ml	4
Tinctures	25ml	1
Unna's Paste	200g	..

SECTION 4

SCHEDULE OF BENEFITS
PRESCRIBERS' LIST ITEMS

DECEMBER 1973

Preparation	Dose	Maximum Quantity	Rpts
ADRENALINE and ATROPINE Spray		15 ml	2
ALUMINIUM and MAGNESIUM TRISILICATE Internal Powder		100 g	2
ALUMINIUM ACETATE Cream Oily		100 g	1
Ear Drops		15 ml	2
ALUMINIUM HYDROXIDE and BELLADONNA Mixture	10 ml	200 ml	4
ALUMINIUM HYDROXIDE with KAOLIN Mixture for Children	5 ml	100 ml	4
ALUMINIUM HYDROXIDE with PHENOBARBITONE and BELLADONNA Mixture	10 ml	200 ml	4
AMINOPHYLLINE COMPOUND Mixture	10 ml	200 ml	4
AQUEOUS CREAM Cream		100 g	1
Cream Buffered		100 g	1
ASPIRIN Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
ATROPINE METHONITRATE Mixture for Children	5 ml	100 ml	4
BELLADONNA Mixture for Children	5 ml	100 ml	4
BENZOIC ACID Ointment Compound		100 g	1
BENZOIN Inhalation		50 ml	1
BENZYL BENZOATE with DICOPHANE Application		200 ml	2
BORIC ACID Ear Drops		15 ml	2
CAFFEINE, IODIDE and EPHEDRINE Mixture	10 ml	200 ml	4

PRESCRIBERS' LIST ITEMS

11

Preparation	Dose	Maximum Quantity	Rpts
CALAMINE			
Cream Aqueous		100 g	1
Cream Oily		100 g	1
Lotion		200 ml	2
Lotion Oily		200 ml	2
CALCIUM and KAOLIN			
Mixture for Children	5 ml	100 ml	4
CAMPHOR			
Linctus Compound	5 ml	100 ml	2
Liniment		100 ml	1
CETOMACROGOL			
Cream Aqueous		100 g	1
CETRIMIDE			
Cream Aqueous		100 g	1
CHALK and KAOLIN			
Mixture	10 ml	200 ml	4
CHLORAL			
Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
CHLORHEXIDINE			
Cream Aqueous		100 g	1
Ear Drops		15 ml	2
COAL TAR			
Paste		100 g	1
COAL TAR and ZINC			
Cream		100 g	1
CODEINE PHOSPHATE			
Linctus	10 ml	100 ml	2
COLD CREAM			
Cream		100 g	1
DEXTROSE and GLYCERIN			
Nasal Instillation		15 ml	2
DICOPHANE			
Application		200 ml	2
Dusting Powder		100 g	1
DITHRANOL and ZINC			
Paste		100 g	1

Preparation	Dose	Maximum Quantity	Rpts
EMULSIFYING OINTMENT Ointment		100 g	1
EPHEDRINE HYDROCHLORIDE Elixir	5 ml	100 ml	4
Nasal Instillation		15 ml	2
FERROUS GLUCONATE Mixture for Children	5 ml	100 ml	4
FERROUS SULPHATE Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
GENTIAN Mixture, Acid	10 ml	200 ml	4
Mixture, Alkaline	10 ml	200 ml	4
GLYCERIN Cream Oily		100 g	1
ICHTHAMMOL Ear Drops		15 ml	2
Paint		25 ml	1
ICHTHAMMOL and ZINC Cream Oily		100 g	1
IPECACUANHA and OPIUM Mixture	10 ml	200 ml	4
IPECACUANHA and SQUILL Mixture for Children	5 ml	100 ml	4
KAOLIN and OPIUM Mixture	10 ml	200 ml	4
MAGENTA Paint		25 ml	1
MAGNESIUM and CALCIUM CARBONATE Powder Internal		100 g	2
MAGNESIUM SULPHATE Mixture for Children	5 ml	100 ml	4
MAGNESIUM TRISILICATE Mixture	10 ml	200 ml	4
MENTHOL and BENZOIN Inhalation		50 ml	1

PRESCRIBERS' LIST ITEMS

13

Preparation	Dose	Maximum Quantity	Rpts
MENTHOL and EUCALYPTUS Inhalation		50 ml	1
MENTHOL and PINE Inhalation		50 ml	1
METHYL SALICYLATE Liniment		100 ml	1
Liniment Compound		100 ml	1
OILY CREAM Cream		100 g	1
PHENOBARBITONE Elixir	5 ml	100 ml	4
PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE Mixture	10 ml	200 ml	4
PHENYLMERCURIC NITRATE Ear Drops		15 ml	2
PODOPHYLLIN Paint		25 ml	1
Paint, Strong		25 ml	1
POTASSIUM CHLORIDE Mixture	10 ml	200 ml	4
POTASSIUM CITRATE Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
POTASSIUM CITRATE and SODIUM BICARBONATE Mixture	10 ml	200 ml	4
POTASSIUM IODIDE Mixture for Children	5 ml	100 ml	4
POTASSIUM IODIDE and EPHEDRINE Mixture for Children	5 ml	100 ml	4
POTASSIUM IODIDE and STRAMONIUM Mixture Compound	10 ml	200 ml	4
RESORCINOL Lotion Compound		200 ml	2
RESORCINOL and SULPHUR Ointment Compound		100 g	1

Preparation	Dose	Maximum Quantity	Rpts
SALICYLIC ACID			
Ear Drops		15 ml	2
Ointment		100 g	1
Paint		25 ml	1
SALICYLIC ACID and RESORCINOL			
Cream Aqueous		100 g	1
SALICYLIC ACID and SULPHUR			
Cream Aqueous		100 g	1
SENEGA and AMMONIA			
Mixture	10 ml	200 ml	4
SIMPLE LINCTUS			
Linctus	5 ml	100 ml	2
SIMPLE OINTMENT			
Ointment		100 g	1
SOAP LINIMENT			
Liniment		100 ml	1
SODIUM BICARBONATE			
Ear Drops		15 ml	2
SODIUM CITRATE			
Mixture	10 ml	200 ml	4
Mixture for Children	5 ml	100 ml	4
SODIUM SALICYLATE			
Mixture	10 ml	200 ml	4
SPIRIT INDUSTRIAL METHYLATED			
Ear Drops		15 ml	2
SULPHURATED LOTION			
Lotion		200 ml	2
TALC			
Dusting Powder		100 g	1
TITANIUM DIOXIDE			
Paste		100 g	1
ZINC and CASTOR OIL			
Ointment		100 g	1

PRESCRIBERS' LIST ITEMS

15

Preparation	Dose	Maximum Quantity	Rpts
ZINC			
Cream Oily		100 g	1
Cream Weak		100 g	1
Dusting Powder Compound		100 g	1
Ointment		100 g	1
Paste Compound		100 g	1
ZINC and SALICYLIC ACID			
Paste		100 g	1

SECTION 5 — PRESCRIBERS' LIST

DECEMBER 1973

PRESCRIPTION

APPLICATIONS

(Maximum Quantity 200 ml and 2 Repeats)

BENZYL BENZOATE with DICOPHANE (APF)

Benzyl Benzoate								50	g
Dicophane	..							4	g
Emulsifying Wax								4	g
Purified Water to								200	ml

DICOPHANE (APF, BPC)

Dicophane	..							4	g
Emulsifying Wax								8	g
Xylene of Commerce								30	ml
Citronella Oil								1	ml
Purified Water to								200	ml

CREAMS

(Maximum Quantity 100 g and 1 Repeat)

ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution								5	ml
Zinc Oxide								20	g
Wool Fat								25	g
Arachis Oil								25	ml
Purified Water								27	ml

AQUEOUS (APF, BP)

Emulsifying Ointment								30	g
Chlorocresol								100	mg
Purified Water to								100	g

BUFFERED, AQUEOUS (APF)

(Buffered BPC)

Sodium Phosphate								2.5	g
Citric Acid								500	mg
Chlorocresol								100	mg
Emulsifying Ointment								30	g
Purified Water to								100	g

PRESCRIPTION

CREAMS—cont.

CALAMINE, AQUEOUS (APF)

Calamine									4	g
Zinc Oxide									3	g
Cetomacrogol Emulsifying Wax									6	g
Arachis Oil									30	g
Purified Water to									100	g

CALAMINE, OILY (APF)

Calamine									32	g
Oleic Acid	..								0.5	ml
Arachis Oil									21.5	ml
Wool Fat									17.5	g
Calcium Hydroxide Solution									30.5	ml

CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax									15	g
Liquid Paraffin									10	g
White Soft Paraffin									10	g
Chlorocresol									150	mg
Purified Water to									100	g

CETRIMIDE, AQUEOUS (APF)

(Cetrimide BPC)

Cetrimide									500	mg
Cetostearyl Alcohol									5	g
Liquid Paraffin	..								50	g
Purified Water to									100	g

CHLORHEXIDINE, AQUEOUS (APF)

(Chlorhexidine BPC)

Chlorhexidine Gluconate Solution									5	ml
Cetomacrogol Emulsifying Wax									25	g
Liquid Paraffin									10	g
Purified Water to									100	g

COAL TAR and ZINC, OILY (APF)

Coal Tar, BPC									1	g
Castor Oil	..								1	g
Zinc Cream Oily, APF									98	g

COLD (APF)

White Beeswax									20	g
Liquid Paraffin	..								60	g
Borax									1	g
Purified Water									19	g

PRESCRIPTION

CREAMS—cont.

GLYCERIN, OILY (APF)

Glycerin										20	g
Calcium Hydroxide Solution										32	ml
Arachis Oil										22	g
Wool Fat										26	g

ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol										5	g
Cetostearyl Alcohol										3	g
Wool Fat										10	g
Oily Zinc Cream										82	g

OILY (APF)

Wool Alcohols Ointment, APF										50	g
Purified Water										50	g

SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

Salicylic Acid										2	g
Resorcinol										2	g
Aqueous Cream, APF to										100	g

SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

Salicylic Acid										2	g
Precipitated Sulphur										2	g
Spike Lavender Oil										0.5	ml
Aqueous Cream, APF to										100	g

ZINC, OILY (APF)

Zinc Oxide										32	g
Oleic Acid										0.5	ml
Arachis Oil										21.5	ml
Wool Fat										17.5	g
Calcium Hydroxide Solution										30.5	ml

ZINC, WEAK (PL)

Zinc Oxide										5	g
Oleic Acid										0.5	ml
Arachis Oil										38.5	ml
Wool Fat										25	g
Calcium Hydroxide Solution										34.5	ml

PRESCRIPTION

DUSTING POWDERS

(Maximum Quantity 100 g and 1 Repeat)

DICOPHANE (APF, BPC)

Dicophane	10	g
Calcium Carbonate	10	g
Light Kaolin	80	g

ZINC, STARCH and TALC (APF, BPC)

Zinc Oxide	25	g
Starch ..	25	g
Purified Talc, sterilised	50	g

EAR DROPS

(Maximum Quantity 15 ml and 2 Repeats)

ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution	9	ml
Purified Water to	15	ml

BORIC ACID (APF)

Boric Acid	300	mg
Alcohol (90 per cent)	3	ml
Purified Water to	15	ml

CHLORHEXIDINE (APF)

Chlorhexidine Acetate	7.5	mg
Purified Water to	15	ml

ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerin	90	g

PHENYLMERCURIC NITRATE (APF)

Phenylmercuric Nitrate	15	mg
Propylene Glycol	7.5	ml
Purified Water to	15	ml

SALICYLIC ACID (APF)

Salicylic Acid	300	mg
Alcohol (90 per cent)	7.5	ml
Purified Water to	15	ml

EAR DROPS—*cont.*

SODIUM BICARBONATE (APF, BPC)

Sodium Bicarbonate							750	mg
Glycerin							4.5	ml
Purified Water to							15	ml

SPIRIT (APF)

Alcohol (90 per cent)							7.5	ml
Purified Water to							15	ml

ELIXIRS

(Maximum Quantity 100 ml and 4 Repeats)

EPHEDRINE (APF)

Ephedrine Hydrochloride							20	mg
Aromatic Syrup, APF							2	ml
Concentrated Chloroform Water							0.1	ml
Purified Water to							5	ml

PHENOBARBITONE (APF)

Phenobarbitone							15	mg
Alcohol (90 per cent)							2	ml
Glycerin							1.5	ml
Aromatic Syrup, APF							1	ml
Purified Water to							5	ml

INHALATIONS

(Maximum Quantity 50 ml and 1 Repeat)

BENZOIN (PL)

Compound Benzoïn Tincture BPC							50	ml

MENTHOL and BENZOIN (PL)

Menthol							1	g
Compound Benzoïn Tincture BPC to							50	ml

INHALATIONS—*cont.*

MENTHOL and EUCALYPTUS (APF, BPC)

Menthol									1	g
Eucalyptus Oil									5	ml
Light Magnesium Carbonate									3.5	g
Purified Water to									50	ml

MENTHOL and PINE (APF)

Menthol									1	g
Pumilio Pine Oil									2.5	ml
Alcohol (90 per cent) to									50	ml

LINCTUSES

(Maximum Quantity 100 ml and 2 Repeats)

CAMPBOR COMPOUND (PL)

Camphorated Opium Tincture									2	ml
Oxymel of Squill									1	ml
Syrup to									5	ml

CODEINE (APF)

Codeine Phosphate									25	mg
Purified Water									1	ml
Glycerin									1	ml
Oxymel of Squill									2	ml
Syrup to									5	ml

SIMPLE (APF, BPC)

Citric Acid									125	mg
Chloroform Spirit									0.3	ml
Amaranth Solution									0.075	ml
Concentrated Anise Water									0.05	ml
Syrup to									5	ml

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

CAMPBOR (APF, BP)

Camphor									20	g
Arachis Oil									80	g

PRESCRIPTION

LINIMENTS—cont.

METHYL SALICYLATE (APF, BPC)

Methyl Salicylate									25	ml
Arachis Oil to									100	ml

METHYL SALICYLATE, COMPOUND (APF)

Menthol									4	g
Eucalyptus Oil									10	ml
Methyl Salicylate									25	ml
Arachis Oil to									100	ml

SOAP (APF, BPC)

Camphor									4	g
Oleic Acid									4	g
Potassium Hydroxide Solution (5 per cent)									14	ml
Alcohol (90 per cent)									70	ml
Rosemary Oil									1.5	ml
Purified Water to									100	ml

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

CALAMINE (APF, BP)

Calamine									30	g
Zinc Oxide									10	g
Bentonite, sterilised									6	g
Sodium Citrate									1	g
Liquefied Phenol									1	ml
Glycerin									10	ml
Purified Water to									200	ml

CALAMINE OILY (APF, BPC)

Calamine									10	g
Wool Fat									2	g
Arachis Oil									100	ml
Oleic Acid									1	ml
Calcium Hydroxide Solution to									200	ml

RESORCINOL COMPOUND (APF)

Resorcinol									5	g
Solvent Ether									5	ml
Castor Oil									5	ml
Spike Lavender Oil									0.2	ml
Alcohol (90 per cent) to									200	ml

LOTIONS—*cont.*

SULPHURATED (APF)

Zinc Sulphate									10	g
Sulphurated Potash									10	g
Acetone									10	ml
Glycerin									10	ml
Spike Lavender Oil									0.4	ml
Purified Water to									200	ml

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

ALUMINIUM HYDROXIDE and BELLADONNA (APF)

Belladonna Tincture									0.5	ml
Citric Acid									100	mg
Aluminium Hydroxide Mixture, APF to									10	ml

ALUMINIUM HYDROXIDE with PHENOBARBITONE and BELLADONNA (APF)

Phenobarbitone Sodium									20	mg
Purified Water									0.1	ml
Citric Acid									150	mg
Belladonna Tincture									0.5	ml
Aluminium Hydroxide Mixture, APF to									10	ml

AMINOPHYLLINE COMPOUND (PL)

Phenobarbitone Sodium									20	mg
Ephedrine Hydrochloride									15	mg
Potassium Iodide									500	mg
Aminophylline									100	mg
Liquorice Liquid Extract									0.5	ml
Concentrated Chloroform Water									0.25	ml
Purified Water to									10	ml

ASPIRIN (APF)

Aspirin									500	mg
Compound Tragacanth Powder									250	mg
Orange Syrup, APF									1	ml
Concentrated Chloroform Water									0.25	ml
Purified Water to									10	ml

PRESCRIPTION

MIXTURES—*cont.*

CAFFEINE, IODIDE and EPHEDRINE (PL)

Synonym: C.I.E. Mixture

Caffeine		150	mg
Sodium Iodide		500	mg
Ephedrine Hydrochloride		20	mg
Syrup Tolu		4	ml
Spirit of Aniseed		0.06	ml
Purified Water to		10	ml

CHALK and KAOLIN (APF)

Chalk		1.5	g
Light Kaolin		2.5	g
Potash Alum		10	mg
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

CHLORAL (APF)

Chloral Hydrate		1	g
Orange Syrup, APF		1	ml
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

FERROUS SULPHATE (APF)

Ferrous Sulphate		300	mg
Ascorbic Acid		10	mg
Orange Syrup, APF		0.5	ml
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

GENTIAN ACID (APF)

Concentrated Compound Gentian Infusion		1	ml
Dilute Hydrochloric Acid		0.5	ml
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

GENTIAN ALKALINE (APF)

Concentrated Compound Gentian Infusion		1	ml
Sodium Bicarbonate		500	mg
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

MIXTURES—*cont.*

IPECACUANHA and OPIUM (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture								0.3	ml
Camphorated Opium Tincture								1.2	ml
Tolu Syrup								1.2	ml
Oxymel of Squill								1	ml
Chloroform Spirit								0.3	ml
Concentrated Anise Water								0.15	ml
Purified Water to								10	ml

KAOLIN and OPIUM (APF)

Light Kaolin								2.5	g
Potash Alum								10	mg
Opium Tincture								0.5	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

MAGNESIUM TRISILICATE (APF)

Magnesium Trisilicate								1	g
Calcium Carbonate								500	mg
Light Magnesium Carbonate								500	mg
Concentrated Peppermint Water								0.25	ml
Purified Water to								10	ml

PHENOBARBITONE with BELLADONNA, PROCAINE and ALUMINIUM HYDROXIDE (PL)

Synonym: P.B.P.A. Mixture

Phenobarbitone Sodium								15	mg
Belladonna Tincture								0.6	ml
Procaine Hydrochloride								150	mg
Aluminium Hydroxide Mixture, APF to								10	ml

POTASSIUM CHLORIDE (APF)

Potassium Chloride								1	g
Lemon Syrup, APF								2	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

PRESCRIPTION

MIXTURES—cont.

POTASSIUM CITRATE (APF)

Potassium Citrate								2	g
Citric Acid								400	mg
Lemon Syrup, APF								1	ml
Concentrated Chloroform Water								0.2	ml
Purified Water to								10	ml

POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate								1	g
Sodium Bicarbonate								750	mg
Orange Syrup, APF								1	ml
Concentrated Chloroform Water								0.2	ml
Purified Water to								10	ml

POTASSIUM IODIDE and STRAMONIUM COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide								250	mg
Stramonium Tincture								0.5	ml
Lobelia Ethereal Tincture								0.5	ml
Aromatic Ammonia Spirit								0.5	ml
Liquorice Liquid Extract								0.5	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

SENEGA and AMMONIA (APF)

Ammonium Bicarbonate								250	mg
Camphorated Opium Tincture								1	ml
Liquorice Liquid Extract								0.5	ml
Concentrated Senega Infusion								0.5	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

SODIUM CITRATE (APF)

Sodium Citrate								2	g
Citric Acid								400	mg
Lemon Syrup, APF								1	ml
Concentrated Chloroform Water								0.2	ml
Purified Water to								10	ml

SODIUM SALICYLATE (APF)

Sodium Salicylate								1	g
Liquorice Liquid Extract								0.25	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

DEXTROSE AND GLYCERIN (APF)

Dextrose Monohydrate									3	g
Glycerin to									15	ml

EPHEDRINE (APF)

Ephedrine Hydrochloride									150	mg
Chlorbutol									75	mg
Sodium Chloride									75	mg
Propylene Glycol									0.75	ml
Purified Water to									15	ml

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

BENZOIC ACID COMPOUND (APF, BPC)

Benzoic Acid									6	g
Salicylic Acid									3	g
Emulsifying Ointment									91	g

EMULSIFYING (APF, BP)

Emulsifying Wax									30	g
White Soft Paraffin									50	g
Liquid Paraffin									20	g

RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol									2	g
Precipitated Sulphur									3	g
Salicylic Acid									1	g
White Simple Ointment									94	g

SALICYLIC ACID (APF)

Salicylic Acid									2	g
Wool Alcohols Ointment									98	g

SIMPLE (APF, BP)

(White Simple Ointment)

Wool Fat									5	g
Hard Paraffin									5	g
Cetostearyl Alcohol									5	g
White Soft Paraffin									85	g

OINTMENTS—*cont.*

ZINC and CASTOR OIL (APF, BP)

Zinc Oxide									7.5	g
Castor Oil									50	g
Cetostearyl Alcohol									2	g
White Beeswax									10	g
Arachis Oil									30.5	g

ZINC (APF, BP)

Zinc Oxide									15	g
White Simple Ointment									85	g

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

ICHTHAMMOL (APF)

Ichthammol									10	g
Glycerin									90	g

MAGENTA (APF)

Magenta									100	mg
Resorcinol									2	g
Phenol									1	g
Boric Acid									200	mg
Alcohol (90 per cent)									2	ml
Acetone									1	ml
Purified Water to									25	ml

PODOPHYLLIN (APF)

Podophyllum Resin									1.25	g
Compound Benzoin Tincture to									25	ml

PODOPHYLLIN, STRONG (APF)

(Podophyllin, Compound BPC)

Podophyllum Resin									3.75	g
Compound Benzoin Tincture to									25	ml

SALICYLIC ACID (APF)

Salicylic Acid									2.5	g
Flexible Collodion to									25	ml

PRESCRIPTION

PASTES

(Maximum Quantity 100 g and 1 Repeat)

COAL TAR (APF)

Coal Tar, BPC									1	g
Castor Oil									1	g
Compound Zinc Paste									98	g

DITHRANOL and ZINC (APF)

Dithranol									100	mg
Compound Zinc Paste									99.9	g

TITANIUM DIOXIDE (APF)

Titanium Dioxide									20	g
Calamine									25	g
Light Kaolin									10	g
Bentonite, sterilised									1	g
Compound Hydroxybenzoate Powder APF									100	mg
Glycerin									20	g
Purified Water to									100	g

ZINC, COMPOUND (APF, BP)

Zinc Oxide									25	g
Starch									25	g
White Soft Paraffin									50	g

ZINC and SALICYLIC ACID (APF)

Salicylic Acid									2	g
Liquid Paraffin									2	g
Compound Zinc Paste									96	g

POWDERS

(Maximum Quantity 100 g and 2 Repeats)

ALUMINIUM and MAGNESIUM TRISILICATE (APF)

Dried Aluminium Hydroxide Gel									10	g
Magnesium Trisilicate									50	g
Light Kaolin									40	g

MAGNESIUM and CALCIUM CARBONATE (APF)

Calcium Carbonate									25	g
Heavy Magnesium Carbonate									25	g
Magnesium Trisilicate									50	g
Peppermint Oil									0.2	ml

PREScription

SPRAY

(Maximum Quantity 15 ml and 2 Repeats)

ADRENALINE and ATROPINE (APF)

Adrenaline Acid Tartrate							135	mg
Atropine Methonitrate							15	mg
Chlorbutol							75	mg
Sodium Metabisulphite							15	mg
Propylene Glycol							0.75	ml
Purified Water, freshly boiled and cooled, to							15	ml

SECTION 5 — PRESCRIBERS' LIST

CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100 ml and 4 Repeats)

ALUMINIUM HYDROXIDE with KAOLIN (APF)

Light Kaolin									1	g
Sodium Citrate									5	mg
Aluminium Hydroxide Mixture, APF to									5	ml

ASPIRIN (APF)

Aspirin									150	mg
Compound Tragacanth Powder									100	mg
Raspberry Syrup									1	ml
Purified Water to									5	ml

ATROPINE METHONITRATE (APF)

Atropine Methonitrate									0.5	mg
Lemon Syrup, APF									0.5	ml
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

BELLADONNA (APF)

Belladonna Tincture									0.1	ml
Orange Syrup, APF									1	ml
Glycerin									1	ml
Benzoic Acid Solution, APF									0.1	ml
Purified Water to									5	ml

CALCIUM and KAOLIN (APF)

Calcium Carbonate									500	mg
Light Kaolin									1	g
Potash Alum									5	mg
Chloroform Spirit									0.1	ml
Concentrated Cinnamon Water									0.1	ml
Purified Water to									5	ml

CHLORAL HYDRATE (APF)

Chloral Hydrate									250	mg
Orange Syrup, APF									1	ml
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

MIXTURES—*cont.*

FERROUS GLUCONATE (APF)

Ferrous Gluconate								200	mg
Dextrose Monohydrate								500	mg
Orange Syrup, APF								1	ml
Citric Acid								25	mg
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

FERROUS SULPHATE (APF)

Ferrous Sulphate								100	mg
Ascorbic Acid								5	mg
Orange Syrup, APF								1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture								0.1	ml
Camphorated Opium Tincture								0.3	ml
Oxymel of Squill								1	ml
Purified Water to								5	ml

MAGNESIUM SULPHATE (APF)

Magnesium Sulphate								2	g
Raspberry Syrup								2.5	ml
Concentrated Chloroform Water								0.04	ml
Purified Water to								5	ml

POTASSIUM CITRATE (APF)

Potassium Citrate								1	g
Citric Acid								200	mg
Lemon Syrup, APF								1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

POTASSIUM IODIDE (APF)

Potassium Iodide								100	mg
Liquorice Liquid Extract								0.25	ml
Aromatic Ammonia Spirit								0.1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

MIXTURES—*cont.*

POTASSIUM IODIDE and EPHEDRINE (APF)

Potassium Iodide								100	mg
Ephedrine Hydrochloride								10	mg
Stramonium Tincture								0.2	ml
Aromatic Ammonia Spirit								0.1	ml
Liquorice Liquid Extract								0.2	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

SODIUM CITRATE (APF)

Sodium Citrate								1	g
Citric Acid								200	mg
Lemon Syrup, APF								1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(H) Preparations restricted to use in approved hospitals only

(C & I) Preparations restricted to colostomy and ileostomy use only

DECEMBER 1973

Proprietary Name	Manufacturer	Approved Name
A.B.	KL	Theophylline
Abbecillin	AB	Penicillin Products
Abbecillin G	AB	Penicillin Benzyl
Abbecillin-V	AB	Penicillin Phenoxymethyl
Abbecillin-VK	AB	Penicillin Phenoxymethyl
Acetest	AM	Sodium Nitroprusside
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Acode	KL	Codeine Phosphate with Aspirin
Actal	WL	Aluminium Hydroxide Gel Dried
Actal Complex	WL	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Actidil	CA	Triprolidine
Actrapid-Novo	AH	Insulin Neutral
Adaben	KL	Benzocaine with Adrenaline
Adacillin	AV	Penicillin Phenoxymethyl
Adacor	AV	Hydrocortisone
Adaphol	AV	Pholcodine
Adasone	AV	Prednisone
Adnisolone	AV	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	CA	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aeroplast	PD	Acrylic Resin (C & I)
Aerosporin	BW	Polymyxin B Sulphate
Aerosporin	CA	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Akineton	KN	Biperiden
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkabarb	SI	Belladonna with Phenobarbitone
Alkabarb Forte	SI	Belladonna with Phenobarbitone
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Allerzine	VR	Diphenylpyraline
Almacarb	AH	Aluminium Hydroxide Gel with Magnesium Hydroxide
Suspension		
Almacarb Tablet	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Alox Mixture	KL	Aluminium Hydroxide Gel
Alox Tablet	KL	Aluminium Hydroxide Gel Dried
Alox Compound	KL	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide

Proprietary Name	Manufacturer	Approved Name
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amal Sodium	KL	Amylobarbitone Sodium
Amesec	LY	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Amigen with Levugen	TV	Casein Hydrolysate with Laevulose and Alcohol
Aminofusin	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin 850	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin 1000	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminogran	GL	Amino Acid Formula without Phenylalanine
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	BB	Amylobarbitone Sodium
Amylosol	LF	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anabolex	MN	Stanolone
Anacyclin	CB	Lyncestrenol with Mestranol
Anadur	SI	Nandrolone Hexanoylephenylpropionate
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	AH	Meclozine
Ancosal	AV	Sodium Salicylate
Androphyllin	ET	Aminophylline
Angesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Anginine Stabilised	BW	Glycerol Trinitrate
Anoidal	HA	Benzalkonium Chloride
Anovlar	SC	Norethisterone Acetate with Ethinyl-oestradiol
Ansolysen	MB	Pentolinium Tartrate
Antegan	FR	Cyproheptadine
Antegan SR	FR	Cyproheptadine
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine Maleate
Anti-Spas	PT	Benzhexol

Proprietary Name	Manufacturer	Approved Name
Antisthine Privine	CB	Antazoline with Naphazoline
Antrenyl	CB	Oxyphenonium Bromide
Antrenyl Duplex	CB	Oxyphenonium Bromide
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine G	CS	Penicillin Procaine
Aquacaine G Fortified	CS	Penicillin Procaine Fortified
Aquacillin	FA	Penicillin Procaine
Aquamephyton	MK	Phytomenadione
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Aramine	MK	Metaraminol
Arfonad	RO	Trimetaphan
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascorb "25"	PT	Ascorbic Acid
Ascorb "50"	PT	Ascorbic Acid
Ascotin	FA	Codeine Phosphate with Aspirin
Asmin	KL	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Asopax	NS	Aluminium Aspirin
Aspalgin	FM	Codeine Phosphate with Aspirin
Aspisol	KL	Aspirin (Soluble)
Astrafer	AP	Dextriferron
A.T.10	WL	Dihydrotachysterol
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Atroptol	SI	Atropine
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Austrawolf	CS	Rauwolfia Serpentina
Aventyl	LY	Nortriptyline
Avil	HP	Pheniramine
Avil Retard	HP	Pheniramine
Avillettes	HP	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
		B
Bactrim	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol

Proprietary Name	Manufacturer	Approved Name
Banish	DY	Deodorant Concentrate (C & I)
Barbico	AB	Barbitone with Pentobarbitone and Phenobarbitone
Barbopent	BW	Pentobarbitone Sodium
Bayrena	BN	Sulphamethoxydiazine
B.A.Z.	KL	Zinc and Adrenaline
Bellabarb	TR	Belladonna with Phenobarbitone
Bellabarb Forte	TR	Belladonna with Phenobarbitone
Bellatran	PT	Belladonna with Phenobarbitone
Bellatran Forte	PT	Belladonna with Phenobarbitone
Benadryl	PD	Diphenhydramine
Benemid	MK	Probenecid
Benol 1000	KL	Cyanocobalamin
Benol Forte	KL	Cyanocobalamin
Betacard	BR	Alprenolol
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate 1/2	GL	Betamethasone Valerate
Betnovate Otic	GL	Betamethasone with Clioquinol
Bicillin	WY	Penicillin Benzathine
Bicillin A11	WY	Penicillin Benzathine Compound
Purpose		
Bidramine	AV	Diphenhydramine
Biogastrene	BQ	Carbenoxolone Sodium
Biomydrin	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bi-prin	BT	Aspirin
Bi-Quinate	KL	Quinine Bisulphate
Bleph 10	AG	Sulphacetamide Sodium
Bonadorm	AH	Dichloralphenazone
Bramahist	BB	Chlorpheniramine
Bramcillin	BB	Penicillin Phenoxymethyl
Bramcycline	BB	Oxytetracycline
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Clopamide
Brislox	BC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Bristacin-A	BC	Rolitettracycline
Brista-K	BC	Potassium
Bristaline	BC	Methdilazine
Bristasma	BC	Theophylline with Guaiphenesin
Bristuric	BC	Bendrofluazide
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin Forte	BC	Aspirin (Buffered)
Burco	CA	Codeine Phosphate with Aspirin and Paracetamol

Proprietary Name	Manufacturer	Approved Name
Burcosol	CA	Codeine Phosphate with Aspirin and Paracetamol
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalan	LP	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butaphen	PR	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazoludin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbutobarbitone
Butoroid	VR	Phenylbutazone
Butoz	HA	Phenylbutazone
Buzon	KL	Phenylbutazone
		C
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium (H)
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Camoquin	PD	Amodiaquine
Cantil	SI	Mepenzolate
Caprocin	LY	Capreomycin
Carbapen	CS	Carbenicillin
Carbazole	PT	Carbimazole
Cardilate	BW	Erythrityl Tetranitrate
Cardiox	AV	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	AV	Quinidine Sulphate
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Carobel	MN	Ceratonia
Catapres	BY	Clonidine
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Cefrocyn	FR	Neomycin Sulphate Mixture
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporan	GL	Cephaloridine
Ceporex	GL	Cephalexin
Cerubidin	MB	Daunorubicin
Cetamin	KL	Ascorbic Acid

Proprietary Name	Manufacturer	Approved Name
Char-Bon	LF	Charcoal (C & I)
Chlomin	KL	Chloramphenicol
Chlopex	KL	Chloramphenicol with Polymyxin B
Chloradorm	KL	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromycetin Succinate	PD	Chloramphenicol with Polymyxin B
Chloromycin	AG	Chloramphenicol
Chloroptic	PT	Chloroquine
Chlorquin	LF	Chlortetracycline
Chlortet	SH	Chlorpheniramine
Chlor Trimeton	SH	Chlorpheniramine
Chlor Trimeton Repetab	PT	Potassium Chloride
Chlorvescent	WW	Choline Theophyllinate
Choledyl	FR	Chlorothiazide
Chlotride	CB	Thiambutosine
Ciba 1906	RL	Gentamicin Sulphate
Cidomycin	SI	Penicillin Products
Cilicaine	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	PR	Penicillin Phenoxymethyl
Cillaphen	GL	Vitamins Compound
Citradex	PD	Sodium Acid Citrate
Citralka	MJ	Sodium Citro-Tartrate
Citralyte	DL	Penicillin Phenoxymethyl
Citrapen	PT	Sodium Citro-Tartrate
Citravescent	AM	Glucose Indicator
Clinistix	AM	Copper Sulphate
Clinitest	ET	Carbinoxamine
Clistin	ET	Carbinoxamine
Clistin R-A	LY	Cycloserine
Closina	VR	Codeine Phosphate with Aspirin and Paracetamol
Co-Com	CA	Codeine Phosphate with Aspirin
Codacet	SI	Codeine Phosphate with Aspirin and Paracetamol
Codaspren	HA	Codeine Phosphate with Aspirin and Paracetamol
Code-Co.	MK	Prednisolone Tertiary Butyl Acetate
Codelcortone T.B.A.	MK	Prednisolone Sodium Phosphate
Codelsol	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codiphen		

Proprietary Name	Manufacturer	Approved Name
Codiphen Forte	GP	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codral Forte	BW	Codeine Phosphate with Aspirin, Paracetamol and Caffeine
Codsol	KL	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colascor	DH	Ascorbic Acid
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colliron	AH	Ferric Hydroxide
Colofac	PI	Mebeverine Hydrochloride
Coloxyl 50	FM	Diethyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diethyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diethyl Sodium Sulphosuccinate with Danthron
Coluric	AV	Colchicine
Coly-Mycin Injection	WW	Colistin
Coly-Mycin Ear Drops	WW	Colistin with Neomycin
Combantrin	GP	Pyrantel Embonate
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortisyl	RL	Cortisone Acetate
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrosyn Depot	OR	Tetracosactrin
Cotazym	OR	Pancrelipase
Cotin	KL	Ergotamine Tartrate with Caffeine
Coumadin	EN	Warfarin
Crasnitin	MB	Colaspase
Cremomycin	MK	Neomycin Sulphate Mixture
Crystapen	GL	Penicillin Benzyl
Cuprimine	MK	Penicillamine
Cymogran	GL	Phenylalanine Low Content Formula
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar	UP	Cytarabine
		D
Dalacin C	UP	Clindamycin
Dale	CE	Goats' Milk
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide

Proprietary Name	Manufacturer	Approved Name
Daraprim	BW	Pyrimethamine
Daricon	PF	Oxyphencyclimine
Dartalan	SR	Thiopropazate
Debendox	ML	Dicyclomine with Doxylamine and Pyridoxine
Decadron	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decasone	FR	Dexamethasone
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Deltacortril	PF	Prednisolone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermafilm	PD	Dimethicone
Deseril	SZ	Methysergide
Desferal	CB	Desferrioxamine
Dexacillin	SQ	Epicillin
Dex-Cit	DH	Sodium Citro-Tartrate
Dexamethsone	PT	Dexamethasone
Dextrostix	AM	Glucose Indicator
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diabinese M	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Diamox	IE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	TV	Peritoneal Dialysis Solution
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator
Diazyl	AB	Sulphadiazine
Dichlotride	MK	Hydrochlorothiazide
Diclomyl	KL	Dicyclomine Hydrochloride
Dicycol	OD	Dicyclomine Hydrochloride
Digolan	KL	Digoxin
Dihydergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide Gel with Magnesium Hydroxide
Suspension		
Dijene Tablet	BT	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Forte	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone
Dilosyn	AH	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Dindevan	AH	Phenindione

Proprietary Name	Manufacturer	Approved Name
Di-Paralene	AB	Chlorcyclozine
Direxiode	DF	Di-iodohydroxyquinoline
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Distaquaine VK	DL	Penicillin Products
Ditoin	KL	Phenytoin Sodium
Divermex	DF	Piperazine Adipate
Doburil	BY	Cyclothiazide
Donnabarbital	FM	Belladonna with Phenobarbitone
Donnabarbital Forte	FM	Belladonna with Phenobarbitone
Donnatal	RS	Belladonna with Phenobarbitone
Donnatal-LA	RS	Belladonna with Phenobarbitone
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Dormel	DH	Chloral Hydrate
Dormir	LF	Methaqualone
Doxin	GP	Doxycycline
D-Penamine	DL	Penicillamine
Droleptan	ET	Droperidol (H)
Dulcepen G	AB	Penicillin Benzathine
Duphalac	PI	Lactulose
Durabolin	OR	Nandrolone Phenylpropionate
Duronitrin	ET	Trolnitrate Phosphate
Duro-Tuss	RK	Pholcodine
Dymadon	CA	Paracetamol
Dytac	SK	Triamterene
E		
E.D.C.	NS	Ethylidene Dicoumarin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinylloestradiol
Eduleu	SR	Ethynodiol Diacetate with Ethinylloestradiol
Efal	KL	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid (H)
Elavil	FR	Amitriptyline
Elixophyllin	CP	Theophylline
Elixophyllin-KI	CP	Theophylline with Potassium Iodide
Elliott's Clinic Emulsion	DH	Cod Liver Oil
Elmidone	KL	Primidone
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide

Proprietary Name	Manufacturer	Approved Name
Ensalate	RC	Sodium Salicylate
Entacyl	AH	Piperazine Adipate
Entair	AH	Theophylline with Guaiphenesin
Entamycin	VR	Neomycin Sulphate Mixture
Enterfram	FC	Framycetin
Ephedrobarbital	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital-T	FM	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Epifrin	AG	Adrenaline
Eppy	ET	Adrenaline
Eraldin	IC	Practolol
Eratrex	BC	Erythromycin
Ergalan	AH	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergomine	PT	Ergometrine Maleate
Ergotrate	LY	Ergometrine Maleate
Ermalate	BW	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Ertonyl	SH	Ethinylloestradiol
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepifylline
Ethamolin	GL	Ethanolamine Oleate
Ethidyne	EL	Codeine Phosphate with Aspirin
Ethryn	FA	Erythromycin
Etin	KL	Ergotamine Tartrate
Eucerin	AH	Wool Alcohols
Eudorm	VR	Chloral Hydrate
Euglucon	FM	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Eumydrin	WL	Atropine Methonitrate
Evactil	FA	Paraffin Liquid
F		
Fabadorm	BN	Cyclobarbitone
Fabahistin	BN	Mebhydrolin
Fabahistin TR	BN	Mebhydrolin
Falcopen V	FA	Penicillin Phenoxymethyl
Falcopen VK	FA	Penicillin Phenoxymethyl
Famet	CA	Sulphamethizole

Proprietary Name	Manufacturer	Approved Name
Fefol 2	SK	Ferrous Sulphate Dried with Folic Acid
Fenostil	CB	Dimethindene
Fenostil Retard	CB	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Chel	CO	Ferrous Aminoacetosulphate
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate Dried
Ferromyn	CA	Ferrous Succinate
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Fibroxin	VR	Digoxin
Flagyl	MB	Metronidazole
Flavopen	GP	Penicillin Phenoxymethyl
Flebocortid	RM	Hydrocortisone Sodium Succinate
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Folasic	AV	Folic Acid
Folettes	FM	Folic Acid
Fonurit	BZ	Acetazolamide
Fortral	WL	Pentazocine
Fortuss	GP	Dihydrocodeine Tartrate
Framygen	FC	Framycetin
Franol	WL	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Fucidin	ET	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungilin	SQ	Amphotericin B
Fungizone	SQ	Amphotericin B
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
G		
Galactomin Formula 17	MN	Milk Powder - Synthetic
Galactomin Formula 19	MN	Milk Powder - Synthetic
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastro-Caloreen	MN	Dextrose Polymer
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastroid	BB	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastromycin	DH	Neomycin Sulphate Mixture
Gaviscon	RC	Alginate Acid Compound

Proprietary Name	Manufacturer	Approved Name
Gaviscon Infant	RC	Alginic Acid Compound
Gelox	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Gerovit	FA	Vitamins Compound
Glaucomide	PT	Acetazolamide
Glaucon	AQ	Adrenaline
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucophylline	AB	Aminophylline
Gludorm	KL	Glutethimide
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gynergen	SZ	Ergotamine Tartrate
Gynovlar	SC	Norethisterone Acetate with Ethinyl-oestradiol
H		
Haelan	DL	Flurandrenolone
Haemaccel	HP	Plasma Substitute (H)
Haemofort	MJ	Ferrous Sulphate
Haemofort	MJ	Ferrous Sulphate Dried
Halotestin	UP	Fluoxymesterone
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hexaplex	PR	Vitamins Compound
Hexavibex	PD	Pyridoxine Hydrochloride
Hibitane Concentrate	IC	Chlorhexidine
Hiprex	RK	Hexamine Hippurate
Histaids	OD	Chlorpheniramine
Histalert	RK	Diphenylpyraline
Histalert S.R.	RK	Diphenylpyraline
Histex	SI	Carbinoxamine
Histryl	SK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	MJ	Stilboestrol Diphosphate
Hostacycline	HP	Tetracycline
Hostacycline P	HP	Tetracycline (Buffered)
Hyalase	FC	Hyaluronidase
Hycodin	FA	Codeine Phosphate with Aspirin
Hycor	SI	Hydrocortisone
Hydergine	SZ	Dihydroergotoxine Mesylate
Hydracycline	FM	Tetracycline (Buffered)
Hydrea	SQ	Hydroxyurea (H)
Hydrenox	BT	Hydroflumethiazide
Hydrocort	BT	Hydrocortisone Acetate
Hydrocortisyl	RL	Hydrocortisone Acetate
Hydrocortone	MK	Hydrocortisone Acetate
Hydrosone	KL	Hydrocortisone

Proprietary Name	Manufacturer	Approved Name
Hygroton	GE	Chlorthalidone
Hynax	VR	Hydrocortisone
Hyperstat I.V.	SH	Diazoxide
Hypertensin	CB	Angiotensin Amide
Hysone-A	PT	Hydrocortisone Acetate
I		
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imferon-D	FC	Iron Dextran
Imiprin	PT	Imipramine
Imuran	BW	Azathioprine
Inapasade	SN	Sodium Aminosalicylate with Isoniazid
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoral	WW	Phenformin
Insoral TD	WW	Phenformin
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	AV	Thiamine Hydrochloride
Invite-C	AV	Ascorbic Acid
Intracort	BT	Hydrocortisone Sodium Succinate
Iramil	KL	Imipramine
Ironate	KL	Ferrous Gluconate
Ismelin	CB	Guanethidine
Iso-Autohaler	RK	Isoprenaline Sulphate
Isomil	RD	Soya Formula
Isoptin	KN	Verapamil
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Epinal	AQ	Adrenaline
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Sorbide Nitrate
Isotinyll	KL	Isoniazid
Isotrate	PD	Sorbide Nitrate
Isuprel	WL	Isoprenaline Hydrochloride
J		
Jectofer	AP	Iron Sorbitol
K		
Kabikinase	FA	Streptokinase (H)
Kalycin	KL	Neomycin Sulphate Mixture
Kalicin	KL	Neomycin with Kaolin
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide Gel with Kaolin
Kaomagma	WY	Aluminium Hydroxide Gel with Kaolin

Proprietary Name	Manufacturer	Approved Name
Kaomycin	UP	Neomycin Sulphate Mixture
Kaopectate	UP	Kaolin with Pectin
Karagum	PT	Sterculia (C & I)
Keflex	LY	Cephalexin
Keflin	LY	Cephalothin Sodium
Keforal	DL	Cephalexin
Kemadrin	BW	Procyclidine
Kemicetine	EC	Chloramphenicol
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Kloref	LP	Potassium Chloride
Klor-Lyte	MJ	Potassium Chloride
Klortee	PT	Chloramine (C & I)
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Komin	SI	Neomycin Sulphate Mixture
Konakion	RO	Phytomenadione
K-san	PR	Potassium Chloride
		L
Lacril	AG	Hypromellose
Laevosan	CA	Laevulose
Lanchloral	LP	Chloral Hydrate
Lanimerck	MQ	Lanatoside-C
Lanocide	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanpen	LP	Penicillin Phenoxymethyl
Lantuss	LP	Pholcodine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amitriptyline
Lasix	HP	Fruzemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demethylchlortetracycline
Lederstatin	LE	Demethylchlortetracycline with Nystatin
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Levopa	PT	Levodopa
Levophed	WL	Noradrenaline
Levugen	TV	Laevulose
Lignosporin	CA	Polymyxin B Sulphate with Lignocaine
Lincocin	UP	Lincomycin
Lincocin 55	UP	Lincomycin

Proprietary Name	Manufacturer	Approved Name
Lingraine	WL	Ergotamine Tartrate
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone Pivalate
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane	IC	Gamma Benzene Hexachloride
Concentrate		
L.P.G.	CS	Penicillin Benzathine
L.P.V.	CS	Penicillin Phenoxymethyl
L.P.V. Aqueous	CS	Penicillin Phenoxymethyl
Forte		
Lubarol	DH	Paraffin Liquid
Lyndiol 2.5	OR	Lynoestrenol with Mestranol
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethopropazine
		M
M & B 693	MB	Sulphapyridine
Maalox	RG	Magnesium-Aluminium Hydroxide
Macrodex	MR	Dextran 70
Madribon	RO	Sulphadimethoxine
Magnoplasm	FA	Magnesium Sulphate
Malaquin	DR	Chloroquine
Mandaze	HA	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Mandelamine	WW	Methenamine Mandelate
Hafgrams		
Marevan	AH	Warfarin
MCT Oil	MJ	Triglycerides, Medium Chain
Medihaler-Epi	RK	Adrenaline Acid Tartrate
Medihaler-Iso	RK	Isoprenaline Sulphate
Medihaler-Iso	RK	Isoprenaline Sulphate
Forte		
Medrol	UP	Methylprednisolone
Medrol	UP	Methylprednisolone Acetate
Medrol Enpak	UP	Methylprednisolone Acetate
Megacillin	FA	Penicillin Procaine
Megapen	BT	Penicillin Procaine
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Melsedin	BT	Methaqualone
Mequelon	FR	Methaqualone
Merasyn	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide

Proprietary Name	Manufacturer	Approved Name
Merbentyl	ML	Dicyclomine Hydrochloride
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metem	CH	Aluminium Hydroxide Gel
Metestine	KL	Methyltestosterone
Methalone	AV	Methaqualone
Methased	PT	Methaqualone
Methendalate 250	PT	Methenamine Mandelate
Methendalate 500	PT	Methenamine Mandelate
Methergin	SZ	Methylergometrine
Methopt	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metilar	SD	Paramethasone
Metin	CS	Methicillin
Metopirone	CB	Metyrapone (II)
Mevasine	MK	Mecamylamine
Meyenberg	JM	Goat's Milk
Microcyclin	CB	Lynoeostrenol with Mestranol
Midamor	MK	Amiloride
Midicel	PD	Sulphamethoxypyridazine
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Magnesium Hydroxide
Millafol	PD	Folic Acid
Milontin	PD	Phensuximide
Minajel	MG	Aluminium Hydroxide Gel
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyl-oestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyl-oestradiol
Mintezol	MK	Thiabendazole
Miocarpine	IR	Pilocarpine Hydrochloride
Miochol	IR	Acetylcholine Chloride
Moderate	SQ	Fluphenazine Decanoate
Mogadon	RO	Nitrazepam
Monodral	WL	Penthienate
Mortha	WH	Morphine with Tacrine
Mucaine	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Multicin H	KL	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Multivite Six	AH	Vitamins Compound
Mycardol Twenty	WL	Pentaerythritol Tetranitrate
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin

Proprietary Name	Manufacturer	Approved Name
Mylanta	PD	Aluminium Hydroxide Gel with Magnesium Hydroxide
Myleran	BW	Busulphan
Mylosed	VR	Amylobarbitone
Mylosed	VR	Amylobarbitone Sodium
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphotericin B
Mytelase	WL	Amibenonium Chloride
		N
Nacton	BR	Poldine
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
N.B.P.	DH	Polymyxin B Sulphate with Bacitracin and Neomycin
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Benol	KL	Hydroxocobalamin
Neobram	BB	Neomycin Sulphate Mixture
Neocodsol	KL	Codeine Phosphate with Aspirin
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogastrin	NS	Neomycin Sulphate Mixture
Neogynon	SC	Norgestrel with Ethinyloestradiol
Neogynon ED	SC	Norgestrel with Ethinyloestradiol
Neo-Hombreol	OR	Testosterone
Neohydrosone	KL	Hydrocortisone with Neomycin Sulphate
Neomate	LF	Neomycin
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	CA	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	CA	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin

Proprietary Name	Manufacturer	Approved Name
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutrapen	RK	Penicillinase
Neutratabs	HA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Nilstat	LE	Nystatin
Nivaquine	MB	Chloroquine
Nobecutane	AH	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nollipyrin	KL	Codeine Phosphate with Aspirin and Paracetamol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordiol 21	WY	Norgestrel with Ethinyloestradiol
Nordiol 28	WY	Norgestrel with Ethinyloestradiol
Norflex	RK	Orphenadrine Citrate
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl 1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyl-oestradiol
Nortab	SQ	Nortriptyline
Noveril	SZ	Dibenzepin
Novosprin	VR	Aspirin (Soluble)
Nuelin	RK	Theophylline
Nuso	BW	Insulin Neutral
Nutramigen	MJ	Nutramigen
Glucose		
		0
Oblioser	GA	Methaqualone
Octaflex	WB	Acrylic Resin (C & I)
Omnopon	RO	Papaveretum
Omnopon-Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Opclor	PD	Chloramphenicol
Optipen	CS	Phenethicillin
Optocort	PT	Prednisolone
Orabolin	OR	Ethyloestrenol
Oradexon	OR	Dexamethasone
Oratrol	AQ	Dichlorophenamide
Orbenin	BR	Cloxacillin
Orisul	CB	Sulphaphenazole
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Orumvite	VR	Vitamins Compound
Osmitol	TV	Mannitol

Proprietary Name	Manufacturer	Approved Name
Ospolot	BN	Sulthiame
Ostelin High Potency	GL	Calciferol
Otopol	BW	Polymyxin B Sulphate
Ovin	MJ	Dimethisterone with Ethinyloestradiol
Ovostat	OR	Lynoeestrenol with Mestranol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovral 28	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5	SR	Ethynodiol Diacetate with Mestranol
Ovulen 1	SR	Ethynodiol Diacetate with Mestranol
Ovulen 2	SR	Ethynodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyl-oestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyl-oestradiol
Oxycycline	PT	Oxytetracycline
Oxymycin	KL	Oxytetracycline
Oxymycin-V	KL	Oxytetracycline with Nystatin
P		
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Pamine	UP	Hyoscine Methobromide
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panalgesic	WL	Codeine Phosphate with Aspirin and Paracetamol
Panasma	PT	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Pancrex "V"	ST	Pancreatin Concentrate
Panmycin KM	UP	Tetracycline (Buffered)
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Panteric	PD	Pancreatin Concentrate
Pantheline	PT	Propantheline Bromide
Pantheline Retard	PT	Propantheline Bromide
Panvit	PT	Vitamins Compound
Paracodin	KN	Dihydrocodeine Tartrate
Paracortol	PD	Prednisolone
Paradione	AB	Paramethadione
Paralgin	FM	Paracetamol
Parasin	AV	Paracetamol
Parmol	KL	Paracetamol
Parmol Junior	KL	Paracetamol
Pasaiba	RY	Sodium Aminosalicylate
Pasan	KL	Sodium Aminosalicylate

Proprietary Name	Manufacturer	Approved Name
Pathilon	LE	Tridihexethyl Chloride
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Pediamycin	RD	Erythromycin
Peganone	AB	Ethotoin
Penbarb	LF	Pentobarbitone Sodium
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pen-Cilin V	LF	Penicillin Phenoxymethyl
Peni-Vee	DH	Penicillin Phenoxymethyl
Peni-Vee-K	DH	Penicillin Phenoxymethyl
Penritol	LF	Pentaerythritol Tetranitrate
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Pensol	GL	Penicillin Benzyl
Pentathryn	KL	Pentaerythritol Tetranitrate
Pentobeta	BB	Pentobarbitone Sodium
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Methyltestosterone
Periactin	MK	Cyproheptadine
Peritrate	WW	Pentaerythritol Tetranitrate
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole
Pertofran	GE	Desipramine
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petiscol	KL	Pethidine with Hyoscine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Penicillin Phenoxymethyl
Phenadon	LF	Belladonna with Phenobarbitone
Phenadon F.	LF	Belladonna with Phenobarbitone
Phenaloin	MG	Phenolphthalein Compound
Phenergan	MB	Promethazine
Phentoin	PT	Phenytoin Sodium
Phiacort	PY	Hydrocortisone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Phyline	CO	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pilopt-N	SI	Pilocarpine Nitrate
Pimafucin	BP	Natamycin

Proprietary Name	Manufacturer	Approved Name
Pimafucort Otic	BP	Natamycin, Neomycin Sulphate and Hydrocortisone
Piptal	SI	Pipenzolate
Piranex	KL	Chlorpheniramine
Piranex RA	KL	Chlorpheniramine
Piriton	GL	Chlorpheniramine
Piriton Duolets	GL	Chlorpheniramine
Piriton Spandets	GL	Chlorpheniramine
Pitocin	PD	Oxytocin
Pitressin	PD	Vasopressin
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	MN	Amino Acid Formula without Phenylalanine
PK AID II	MN	Amino Acid Formula without Phenylalanine
Placemol	VR	Paracetamol
Placidyl	AB	Ethchlorvynol
Placyl	HA	Cyclobarbitone
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plegomazine	UW	Chlorpromazine
Plesmet	BP	Ferrous Aminoacetosulphate
Pluryl	ET	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Polmix	KL	Polymyxin B Sulphate
Polycral	NS	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Polycral Gel	NS	Aluminium Hydroxide Gel with Magnesium Hydroxide
Polycycline	BC	Tetracycline
Potavescent	PT	Potassium
Praenitron	PF	Trolnitrate Phosphate
Praenitron Protracted	PF	Trolnitrate Phosphate
Precortisyl	RL	Prednisolone
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primogyn-Depot	SC	Oestradiol Valerate
Primolut-N	SC	Norethisterone
Primoteston Depot	SC	Testosterone Enanthate
Pripsen	RC	Piperazine Phosphate
Pro-Banthine	SR	Propantheline Bromide
Pro-Banthine PA	SR	Propantheline Bromide
Proben	PT	Probenecid
Probexin	KL	Probenecid
Procalm	BB	Chlorpromazine
Procort	PR	Hydrocortisone
Procyclomin	PT	Dicyclomine Hydrochloride
Prodepress	BB	Imipramine

Proprietary Name	Manufacturer	Approved Name
Prodigox	PT	Digoxin
Prodol	BB	Aspirin (Soluble)
Prodol Co.	BB	Codeine Phosphate with Aspirin
Progan	AV	Promethazine
Proladone	CK	Oxycodone
Promacid	KL	Chlorpromazine
Prominal	WL	Methyl Phenobarbitone
Promitone	KL	Methyl Phenobarbitone
Pronestyl	SQ	Procainamide
Propen-VK	PT	Penicillin Phenoxymethyl
Propred	BB	Prednisone
Proquinal	PT	Quinalbarbitone Sodium
Prosobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prosul	LE	Sulphasymazine
Protasma	PT	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Prothazine	KL	Promethazine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin 500	DH	Aspirin (Soluble)
Pularin	AH	Heparin
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Penicillin Phenoxymethyl
P.V.O.	FM	Penicillin Phenoxymethyl
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	KL	Pyridoxine Hydrochloride
Q		
Quaalude	RG	Methaqualone
Quadracyclin	KL	Tetracycline
Quadracyclin V	KL	Tetracycline (Buffered)
Quadrastatin	KL	Tetracycline with Nystatin
Quatrax	VR	Tetracycline
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin
Quinaltone	LF	Quinalbarbitone Sodium
Quinate	KL	Quinine Sulphate
Quinbar	AV	Quinalbarbitone Sodium
Quinbisan	PR	Quinine Bisulphate
Quinid	NW	Quinidine Sulphate
Quinidex	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinsan	PR	Quinine Sulphate
Quintress-N	LY	Neomycin Sulphate Mixture
Quitaxon	FM	Doxepin

Proprietary Name	Manufacturer	Approved Name
R		
Rapitard-Novo	AIH	Insulin Biphasic
Rastinon	HP	Tolbutamide
Raudixin	SQ	Rauwolfia Serpentina
Rausan	PR	Rauwolfia Serpentina
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Serpentina
Rectinol	GP	Benzocaine with Adrenaline
Repalyte	DH	Electrolyte Replacement (Oral)
Resedrex	HA	Reserpine
Resochin	BN	Chloroquine
Restal	HA	Amylobarbitone
Reverin	HP	Rolitetraacycline
Rheomacrodex	MR	Dextran 40
Rhumax	PR	Sodium Salicylate
Rikodeine	RK	Dihydrocodeine Tartrate
Rikospray Silicone	RK	Dimethicone (C & I)
Robinul	RS	Glycopyrronium Bromide
Rondomycin	GP	Methacycline
Rynacrom	FC	Sodium Cromoglycate
Ryser	KL	Reserpine
S		
Sacsol	LF	Surgical Cement
Salamide	HA	Salicylamide
Salazopyrin	PS	Sulphasalazine
Salide	NS	Salicylamide
Samid	KL	Salicylamide
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
Scorbettes	PR	Ascorbic Acid
S-Dimidine	PT	Sulphadimidine
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Senokot	RC	Senna Fruit Extract (Standardised)
Septrin	BW	Trimethoprim with Sulphamethoxazole
Serazone	VR	Chlorpromazine
Serc	PT	Bethahistine Hydrochloride
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
Serenol	PT	Rauwolfia Serpentina
Serfia	KL	Rauwolfia Alkaloids
Serial C	AH	Megestrol Acetate with Ethinyl- oestradiol

Proprietary Name	Manufacturer	Approved Name
Serial 28	AH	Megestrol Acetate with Ethinyl-oestradiol
Serpasil	CB	Reserpine
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Simeco Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Sinequan	PF	Doxepin
Sintisone	DH	Prednisolone Steaglate
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Sixavite	KL	Vitamins Compound
Sleepinal	MC	Methaqualone
Slow-Fe	ZY	Ferrous Sulphate Dried
Slow-K	ZY	Potassium Chloride
Sobee	MJ	Soya Formula
Sodepent	MG	Pentobarbitone Sodium
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium Versenate	RK	Trisodium Edetate
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solamal	DH	Belladonna with Phenobarbitone
Solamal Fort	DH	Belladonna with Phenobarbitone
Solcetas	BW	Aspirin (Soluble)
Solcode	RC	Codeine Phosphate with Aspirin
Solgesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Solone	FM	Prednisolone
Solprin	RC	Aspirin (Soluble)
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Dacortin	NQ	Prednisolone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Solusal	HA	Aspirin (Soluble)
Solusal Co.	HA	Codeine Phosphate with Aspirin and Paracetamol
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Sone	FM	Prednisone
Soneryl	MB	Butobarbitone
Sorbifer	AP	Ferrous Sulphate Dried
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spazamin	GP	Oxyphenyclimine
Spray-On-Band	LF	Vinyl Pyrrolidone and Vinyl Acetate with Benzocaine (C & I)

Proprietary Name	Manufacturer	Approved Name
Squibb-HC	SQ	Hydrocortisone
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Calciferol
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptolin	GL	Streptomycin Sulphate
Streptaquaine	DL	Streptomycin Sulphate
Streptevan	AH	Streptomycin Sulphate
Streptomagma Suspension	WY	Dihydrostreptomycin with Kaolin, Pectin and Aluminium Hydroxide Gel
Streptomagma Tablet	WY	Dihydrostreptomycin Sulphate with Attapulgit, Pectin and Hydrated Alumina Powder
Streptase	HP	Streptokinase (H)
Sudafed	CA	Pseudoephedrine Hydrochloride
Sudafed-M	CA	Pseudoephedrine Hydrochloride
Sulfagan	OD	Sulphafurazole
Sulfazole	PT	Sulphafurazole
Sulphalyl	KL	Phthalylsulphacetamide
Sulphamylon	WL	Maphenide Acetate (H)
Sulphamezathine	IC	Sulphadimidine
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen	CB	Tetracosactrin
Synacthen Depot	CB	Tetracosactrin
Synalar 01	IC	Fluocinolone Acetonide
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
T		
Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
T.A.G.	LF	Deodorant Detergent Solution (C & I)
Talecid	SC	Phthalylsulphacetamide
Talis Soluble	NS	Aspirin (Soluble)
Talusin	KN	Proscillaridin
Tavegyl	SZ	Clemastine
Tedral	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tedral S.A.	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tegretol	GE	Carbamazepine
Teledrin	SK	Chlorpheniramine
Tempa	MJ	Paracetamol
Tenserp	VR	Reserpine
Terfluzin	MB	Trifluoperazine

Proprietary Name	Manufacturer	Approved Name
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terramycin	PF	Oxytetracycline with Polymyxin B
Terrastatin	PF	Oxytetracycline with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testine	KL	Testosterone Propionate
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetracap	PT	Tetracycline (Buffered)
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetramykoin-V	BZ	Tetracycline (Buffered)
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thalazole	MB	Phthalylsulphathiazole
Thelix	CO	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thendorm	KL	Methaqualone
Thendorm Forte	KL	Methaqualone
Theophen	HA	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Theosec	LY	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiomerin Sodium	WY	Mercaptomerin Sodium
Thiosulfil	AY	Sulphamethizole
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium
Thytropar	AR	Thyrotrophin (H)
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Topilar	SD	Fluclorolone Acetonide
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Tral	AB	Hexocyclium Methylsulphate
Trasicor	CB	Oxprenolol
Travert	TV	Invert Sugar
Trib	SU	Trimethoprim with Sulphamethoxazole
Tricloryl	GL	Triclofos
Tridione	AB	Troxidone
Triglyde	MJ	Triglycerides, Medium Chain
Trimyxin	DH	Polymyxin B Sulphate with Neomycin and Gramicidin
Triplopen	GL	Penicillin Benethamine Compound
Triptil	FR	Protriptyline
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline

Proprietary Name	Manufacturer	Approved Name
Tussaphed	KL	Pseudoephedrine Hydrochloride
Tussinol	GP	Pholcodine
Tyrimide	SK	Isopropamide Iodide
U		
Ultracortenol	CB	Prednisolone Acetate
Ultralan-D	SC	Fluocortolone Esters
Urecholine	NK	Bethanechol
Urecid	FR	Probenecid
Uro-Carb	HA	Bethanechol
Urogan	AV	Sulphafurazole
Urolex	OD	Sulphamethizole
Urolin	KL	Sulphamethizole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole
V		
VAAM-D.H.Q.	VR	Di-iodohydroxyquinoline
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Valpin	EN	Octatropine Methylbromide
Vancocin	LY	Vancomycin (II)
Vanquin	PD	Viprynum Embonate
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Vasylox	BW	Methoxamine Hydrochloride
Velbe	LY	Vinblastine
Vendarcin	BP	Oxytetracycline
Venocort	PT	Hydrocortisone Sodium Succinate
Ventolin	AH	Salbutamol
Veracolate	WW	Sodium Tauroglycocholate with Phenolphthalein
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vicin	KL	Penicillin Phenoxymethyl
Vicin 500	KL	Penicillin Phenoxymethyl
Viocin	PF	Viomycin
Vioform	CB	Clioquinol
Viokase	ET	Pancreatin Enzyme (4 X USNF XII)
Visceralgin	FM	Tiemonium Iodide
Visken	SZ	Prindolol
V.P.V.	VR	Penicillin Phenoxymethyl
W		
Winstroid	WL	Stanozolol

Proprietary Name	Manufacturer	Approved Name
X		
Xylocard 100	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Y		
Yomesan	BN	Niclosamide
Z		
Zarontin	PD	Ethosuximide
Zephiran	WL	Benzalkonium Chloride
Concentrated		
Zerodor	ZR	Deodorant Concentrate (C & I)
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement (C & I)
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Antigen	Antigen Ltd., Ireland - Preparations; marketed by World Agencies Pty Ltd
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dropster	Knoll Laboratories - Eye and ear drops
Dulcets	Abbott A'asia - Chewable tablets
Duolets	Glaxo - Sustained release tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitt & Colman - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Evanules	Allen & Hanburys - Injections
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous fluids
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratory - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Nuseals	Lilly - Enteric coated tablets
Orgaject	Organon - Injections
Parentosol	Mead-Johnson - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Repetabs	Schering Corporation - Sustained release tablets
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Solupac	Travenol Laboratories - Intravenous fluids
Solupac	Travenol Laboratories - Intravenous fluids
Spansules	Smith, Kline & French - Sustained release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Sustrels	G.P. Laboratories - Sustained release tablets
Tabloid	Burroughs Wellcome - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Aust. Pharm. Industries - Preparations
Venosol	Farmer Hill - Intravenous fluids
Viules	Boots - Injections
Wellcome	Burroughs Wellcome - Preparations

POISONING CASE REPORT

In Confidence

Patient's Name or

Identification No.

Hospital or Doctor

Occupation

Address or Postcode

Years Months

Age

Sex (M or F)

Date of Poisoning .. 19

POISON AMOUNT

Official Use

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1

Inhalation ☐ 2

Local ☐ 3

Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5

Therapeutic Misadventure ☐ 6

Accidental ☐ 7

Other (specify)..... ☐ 8

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9

Mildly Ill ☐ 10

Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12

Outpatient ☐ 13

Surgery ☐ 14

Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16

RESULT: Cured.. .. ☐ 17

Died ☐ 18

Other.. .. ☐ 19

SIGNS AND SYMPTOMS

TREATMENT

Signature.....

Please record any additional information on back.

POISONING CASE REPORT

In Confidence

Patient's Name or Identification No. Hospital or Doctor

Occupation Address or Postcode

Age Years Months

Sex (M or F)

Date of Poisoning ..

		19

POISON AMOUNT

Official Use

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1
 Inhalation ☐ 2
 Local ☐ 3
 Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5
 Therapeutic Misadventure ☐ 6
 Accidental ☐ 7
 Other (specify)..... ☐ 8

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9
 Mildly Ill ☐ 10
 Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12
 Outpatient ☐ 13
 Surgery ☐ 14
 Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16
 RESULT: Cured.. .. ☐ 17
 Died ☐ 18
 Other.. .. ☐ 19

SIGNS AND SYMPTOMS

TREATMENT

Signature

Please record any additional information on back.

POISONING CASE REPORT

In Confidence

Patient's Name or Identification No. Hospital or Doctor

Occupation Address or Postcode

Age Years Months

Sex (M or F)

Date of Poisoning ..

		19

POISON AMOUNT

Official Use

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1
 Inhalation ☐ 2
 Local ☐ 3
 Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5
 Therapeutic Misadventure ☐ 6
 Accidental ☐ 7
 Other (specify)..... ☐ 8

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9
 Mildly Ill ☐ 10
 Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12
 Outpatient ☐ 13
 Surgery ☐ 14
 Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16
 RESULT: Cured.. .. ☐ 17
 Died ☐ 18
 Other.. .. ☐ 19

SIGNS AND SYMPTOMS

TREATMENT

Signature.....

Please record any additional information on back.

POISONING CASE REPORT

In Confidence

Patient's Name or
Identification No.

Hospital or Doctor.....

Occupation.....

Address or Postcode.....

Age Years Months

Sex (M or F)

Date of Poisoning ..

		19

POISON AMOUNT

Official Use

(Please tick appropriate boxes)

HOW ABSORBED

Ingestion ☐ 1
 Inhalation ☐ 2
 Local ☐ 3
 Other (specify)..... ☐ 4

MODE OF POISONING

Suicidal ☐ 5
 Therapeutic Misadventure ☐ 6
 Accidental ☐ 7
 Other (specify)..... ☐ 8

SEVERITY OF POISONING

Clinically Unaffected .. ☐ 9
 Mildly Ill ☐ 10
 Seriously Ill ☐ 11

WHERE TREATED

Inpatient ☐ 12
 Outpatient ☐ 13
 Surgery ☐ 14
 Home ☐ 15

KNOWN PREVIOUS EPISODES OF

POISONING ☐ 16

RESULT: Cured.. .. ☐ 17

Died ☐ 18

Other.. .. ☐ 19

SIGNS AND SYMPTOMS

TREATMENT

Signature.....

Please record any additional information on back.

