



PHARMACEUTICAL BENEFITS

DECEMBER 1976 EDITION

PLEASE RETAIN THIS AMENDMENT AS AMENDMENTS ARE NOT CUMULATIVE

AMENDMENTS OF THE SCHEDULE OF BENEFITS DECEMBER 1976 EDITION FOR APPROVED CHEMISTS
OPERATIVE FROM 1 JANUARY 1977

PROFESSIONAL FEES

The professional fees for ready-prepared and extemporaneously-prepared pharmaceutical benefits have recently been increased by 6 cents effective from 1 July 1975 and by 5 cents effective from 1 January 1977.

The previous professional fees (i.e. 84 cents and \$1.06) are still incorporated, where applicable, in the prices published in the December 1976 issue of the Schedule of Benefits and the December 1976 issue of the Extemporaneously Prepared Benefits Booklet. The December 1976 to March 1977 amendments to the Schedule of Benefits and the February 1977 issue of the Extemporaneously Prepared Benefits Booklet also incorporate the previous fees.

The professional fees will be adjusted in all publications effective 1 April 1977.

NEW ITEMS

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Prop Name and Mfr
SECTION 2					\$	
32	1235B	HEPARIN CALCIUM Injection 5,000 Units in 0.5ml	5	5	*7.49	CS
48	1699K	NYSTATIN Capsule 500,000 Units	50	..	6.95	Mycostatin SQ

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
30	2412Y	FRUSEMIDE Tablet 40mg	50	2	4.53	Aquamide RL Lasix HP
38	2744K	ISOPRENALINE HYDROCHLORIDE Tablet 30mg(sustained release)	100	2	8.84	Saventrine PN
	1556X	Injection 1 in 5,000, 1ml	5	..	5.51	Isuprel WL
	2953K	1 in 5,000, 5ml	5	..	7.84	Isuprel WL

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment
17	2301D	CLOXACILLIN Injection 500mg (solvent required)	5	..	11.11 Add Orbenin BR

Other Amendments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment
32	1053K	HEPARIN CALCIUM Injection 12,500 Units in 0.5ml	2	..	Add *6.14 CS
68	2076G	SULPHAFURAZOLE Tablet 300mg	40	2	2.44 Delete Gantrisin RO Add Gantrisin SU
	2077H	500mg	40	2	2.84 Delete Gantrisin RO Add Gantrisin SU
	2458J	Paediatric Syrup 500mg per 5ml, 100ml	≠1	1	2.91 Delete Gantrisin RO Add Gantrisin SU
	2078J	Eye Drops 4%, 10ml	≠1	2	2.04 Delete Gantrisin RO Add Gantrisin SU
	2079K	Eye Ointment 4%, 5g	≠1	..	1.77 Delete Gantrisin RO Add Gantrisin SU
69	2561T	SULPHAMETHOXAZOLE Tablet 500mg	20	1	2.33 Delete Gantanol RO Add Gantanol SU
	2562W	Syrup 500mg per 5ml, 50ml	≠1	2	2.17 Delete Gantanol RO Add Gantanol SU

OTHER AMENDMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name	Form	Amendment
3	1235B	Heparin Calcium	5,000 Units in 0.5ml	1 @ 1.33 CS
	1053K	Heparin Calcium	12,500 Units in 0.5ml	1 @ 2.65 CS

ADVANCE NOTICES

The following items will be deleted from the Schedule of Benefits as from 1 April 1977.

Code	Name and Form
1769D	BENZYL PENICILLIN Tablet 250mg
2696X	GLUTETHIMIDE Tablet 125mg
1452K	250mg
2805P	500mg
2668K	Capsule 500mg
3010K	HALOPERIDOL Tablet 500 micrograms
1506G	HYDROGEN PEROXIDE SOLUTION /Solution 10vol, 200ml
1507H	(with instructions for use)

PLEASE RETAIN THIS AMENDMENT AS AMENDMENTS ARE NOT CUMULATIVE

AMENDMENTS OF THE SCHEDULE OF BENEFITS
DECEMBER 1976 EDITION FOR APPROVED CHEMISTS

OPERATIVE FROM 1 MARCH 1977

PROFESSIONAL FEES

The professional fees for ready-prepared and extemporaneously-prepared pharmaceutical benefits have recently been increased by 6 cents effective from 1 July 1975 and by 5 cents effective from 1 January 1977.

The previous professional fees (i.e. 84 cents and \$1.06) are incorporated, where applicable, in the prices published in the December 1976 issue of the Schedule of Benefits and the December 1976 issue of the Extemporaneously Prepared Benefits Booklet. The December 1976 to March 1977 amendments of the Schedule of Benefits and the February 1977 issue of the Extemporaneously Prepared Benefits Booklet also incorporate the previous fees.

The professional fees will be adjusted in all publications effective 1 April 1977.

PLEASE RETAIN THIS AMENDMENT AS AMENDMENTS ARE NOT CUMULATIVE

AMENDMENTS OF THE SCHEDULE OF BENEFITS DECEMBER 1976 EDITION FOR APPROVED CHEMISTS

OPERATIVE FROM 1 MARCH 1977

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
3	2797F	ALUMINIUM HYDROXIDE GEL /Mixture 320mg per 5ml, 360ml	1	2	/1.58	Alusorb DH Amphojel WY Gelox PR Minajel MG
3	2552H	ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1g per 5ml, 360ml	#1	2	2.24	Kaogel FA Kaomagma WY
3	2799H	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Mixture 300mg-100mg per 5ml, 360ml	#1	2	2.24	Aludrox WY Milagel PR
3	2735Y	Suspension 215mg-80mg per 5ml, 360ml	#1	2	2.24	Dijene BT Simeco WY
	2575M	200mg-200mg per 5ml, 360ml	#1	2	2.24	Almacarb AH Merasyn ML Mylanta PD Sodexol SC
3	2849Y	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Mixture 250mg-500mg per 4ml, 360ml	#1	2	2.24	Gelusil WW
3	2980W	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Mixture 250mg-120mg-120mg per 5ml, 360ml	#1	2	2.24	Gastrogel FM
20	2740F	DEBRISOQUINE Tablet 10mg	100	2	5.64	Declinax RO
	2741G	20mg	100	2	7.51	Declinax RO
21	3161J	DIAZEPAM Tablet 2mg	50	..	1.91	Ducene SU Valium RO
	3162K	5mg	50	..	2.44	Ducene SU Valium RO

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
						\$
27	3166P	ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms,21	2	2	*2.92	Ovulen 0.5/50 SR
	3167Q	1mg - 50 micrograms, 21	2	2	*2.92	Ovulen 1/50 SR
	2447T	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*2.92	Ovulen 0.5/50-28 SR
	3168R	Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	*2.92	Edulen SR
27	3169T	ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms-100 micrograms,21	2	2	*2.92	Ovulen 0.5 SR
	3170W	1mg-100 micrograms,21	2	2	*2.92	Ovulen 1 SR
	3171X	2mg-100 micrograms,21	2	2	*2.92	Ovulen 2 SR
29	2521Q	FLUOROURACIL Injection 50mg per ml, 5ml	10	..	22.17	RO
40	1301L	LYNOESTRENOL with ETHINYL- OESTRADIOL Tablet 1mg-50 micrograms,22	2	2	*2.92	Ovostat 22 OR
	1302M	Pack containing 22 tablets 1mg- 50 micrograms and 6 inert tablets	2	2	*2.92	Ovostat 28 OR
40	3172Y	LYNOESTRENOL with MESTRANOL Tablet 1mg-100 micrograms,22	2	2	*2.92	Microcyclin CB
	3173B	2.5mg-75 micrograms,22	2	2	*2.92	Anacyclin CB Lyndiol 2.5 OR
40	2640Y	MAGNESIUM-ALUMINIUM HYDROXIDE Mixture 375mg per 5ml, 360ml	#1	2	2.24	Maalox RG
45	1675E	NEOSTIGMINE Tablet 15mg	100	2	4.31	Prostigmin RO
46	1676F	Injection 500 micrograms in 1ml	5	3	2.04	Prostigmin RO
	1677G	2.5mg in 1ml	5	3	2.31	Prostigmin RO
	1679J	Eye Drops 3%, 7.5ml	#1	6	2.97	Prostigmin RO
46	2723H	NITRAZEPAM Tablet 5mg	25	..	1.91	Dormicum SU Mogadon RO

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
46	1967M	NORETHISTERONE Tablet 350 micrograms, 28	2	2	*2.92	Micronor ET Noriday SD
46	3176E	NORETHISTERONE with MESTRANOL Tablet 1mg-50 micrograms, 21	2	2	*2.92	Norinyl-1 SD Ortho-Novum 1/50 ET
47	3177F	1mg-80 micrograms, 21	2	2	*2.92	Ortho-Novum 1/80 ET
	3178G	2mg-100 micrograms, 21	2	2	*2.92	Norinyl-2 SD Ortho-Novum 2 ET
	3179H	Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	*2.92	Norinyl 1/28 SD
47	3180J	NORETHISTERONE ACETATE with ETHINYLOESTRADIOL Tablet 1mg-50 micrograms, 21	2	2	*2.92	Minovlar SC
	3181K	3mg-50 micrograms, 21	2	2	*2.92	Gynovlar SC
	3182L	4mg-50 micrograms, 21	2	2	*2.92	Anovlar SC
	3183M	Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	*2.92	Minovlar ED SC Orlest PD
	3184N	Pack containing 21 tablets 2.5mg-50 micrograms and 7 inert tablets	2	2	*2.92	Norlestrin PD
47	3185P	NORETHYNODREL with MESTRANOL Tablet 2.5mg-100 micrograms, 21	2	2	*2.92	Conovid-E SR
47	2913H	NORGESTREL Tablet 30 micrograms, 28	2	2	*2.92	Microlut 28 SC Microval 28 WY
47	1393H	NORGESTREL with ETHINYLOESTRADIOL Tablet 150 micrograms-30 micrograms, 21	2	2	*2.92	Microgynon 30 SC Nordette 21 WY
	3186Q	250 micrograms-50 micrograms, 21	2	2	*2.92	Neogynon SC Nordiol 21 WY
	1442X	500 micrograms-50 micrograms, 20	2	2	*2.92	Duoluton SC
	3187R	500 micrograms-50 micrograms, 21	2	2	*2.92	Eugynon SC Ovral WY
	1394J	Pack containing 21 tablets 150 micrograms-30 micrograms and 7 inert tablets	2	2	*2.92	Microgynon 30 ED SC Nordette 28 WY

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
						\$
		NORGESTREL with ETHINYLOESTRADIOL - cont. Tablet				
47	3188T	Pack containing 21 tablets 250 micrograms-50 micrograms and 7 inert tablets	2	2	*2.92	Neogynon ED SC Nordiol 28 WY
48	3189W	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*2.92	Eugynon ED SC Ovral 28 WY
		PAPAVERTUM				
50	1740N	Tablet 10mg	20	..	2.74	Omnopon RO
	1739M	Injection 20mg in 1ml	5	..	2.67	Omnopon RO AB
		PAPAVERTUM with HYOSCINE HYDROBROMIDE Injection				
50	1741P	20mg-430 micrograms in 1ml	5	..	2.74	Omnopon- Scopolamine RO
		PHENINDAMINE				
53	1842Y	Tablet 25mg	50	2	1.91	Thephorin RO
		PHYTOMENADIONE				
57	1881B	Injection 1mg	5	..	2.97	Konakion RO
	1882C	10mg	5	..	4.84	Konakion RO
		PROCARBAZINE				
61	2635Q	Capsule 50mg	100	..	14.17	Natulan RO
		PYRIDOSTIGMINE				
63	2724J	Tablet 10mg	100	2	4.04	Mestinon RO
	1959D	60mg	100	2	13.51	Mestinon RO
	2608G	180mg (sustained release)	100	1	19.51	Mestinon RO
	1960E	Injection 1mg in 1ml	5	1	2.44	Mestinon RO
		TRIMETAPHAN				
76	2189F	Injection set containing 250mg and 5ml water for injections	3	..	12.84	Arfonad RO

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment
		DIAZEPAM			
21	3161J	Tablet 2mg	50	..	Add 1.91 Pro-Pam PT
	3162K	5mg	50	..	Add 2.04 Pro-Pam PT

Other Amendments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment
HEPARIN					
32	1468G	Injection BP 25,000 Units in 5ml	2	5	*8.84 Delete AH
	3153Y	125,000 Units in 5ml	1	5	16.84 Delete AH
PHENIRAMINE					
54	1846E	Tablet 10mg	50	2	1.64 Add Fenamine FM
	1847F	50mg	50	2	2.09 Add Fenamine FM
	1848G	Paediatric Syrup 15mg per 5ml, 100ml	≠1	4	1.77 Add Fenamine FM
PRICE ADJUSTMENTS TO SECTION 6 - STANDARD PACKS AND PRICES					

Page No.	Code	Name and Form	Amended Price		
			\$		
3	3166P	Ethinodiol Diacetate with Ethinyloestradiol 500mcg-50mcg	1 @	1.04	SR
	3167Q	1mg-50mcg	1 @	1.04	SR
	2447T	Tablet-Pack	1 @	1.04	SR
	3168R	Tablet-Pack	1 @	1.04	SR
3	3169T	Ethinodiol Diacetate with Mestranol 500mcg-100mcg	1 @	1.04	SR
	3170W	1mg-100mcg	1 @	1.04	SR
	3171X	2mg-100mcg	1 @	1.04	SR
5	1301L	Lynoeestrenol with Ethinyloestradiol 1mg-50mcg	1 @	1.04	OR
	1302M	Tablet-Pack	1 @	1.04	OR
5	3172Y	Lynoeestrenol with Mestranol 1mg-100mcg	1 @	1.04	CB
	3173B	2.5mg-75mcg	1 @	1.04	CB,OR
5	1967M	Norethisterone 350mcg	1 @	1.04	ET,SD
5	3176E	Norethisterone with Mestranol 1mg-50mcg	1 @	1.04	ET,SD
	3177F	1mg-80mcg	1 @	1.04	ET
	3178G	2mg-100mcg	1 @	1.04	ET,SD
	3179H	Tablet-Pack	1 @	1.04	SD

Price Adjustments to Section 6 - Standard Packs and Prices - (cont.)

Page No.	Code	Name and Form	Amended Price
			\$
5	3180J	Norethisterone Acetate with Ethinyloestradiol 1mg-50mcg	1 @ 1.04 SC
	3181K	3mg-50mcg	1 @ 1.04 SC
	3182L	4mg-50mcg	1 @ 1.04 SC
	3183M	Tablet-Pack	1 @ 1.04 PD,SC
	3184N	Tablet-Pack	1 @ 1.04 PD
5	3185P	Norethynodrel with Mestranol 2.5mg-100mcg	1 @ 1.04 SR
5	2913H	Norgestrel 30mcg	1 @ 1.04 SC,WY
6	1393H	Norgestrel with Ethinyloestradiol 150mcg-30mcg	1 @ 1.04 SC,WY
	3186Q	250mcg-50mcg	1 @ 1.04 SC,WY
	1442X	500mcg-50mcg	1 @ 1.04 SC
	3187R	500mcg-50mcg	1 @ 1.04 SC,WY
	1394J	Tablet-Pack	1 @ 1.04 SC,WY
	3188T	Tablet-Pack	1 @ 1.04 SC,WY
	3189W	Tablet-Pack	1 @ 1.04 SC,WY

OTHER AMENDMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name	Form	Amendment
3	1468G	Heparin	25,000 Units in 5ml	1 @ 4.00 Delete AH

ADVANCE NOTICES

The following items may be deleted from the Schedule of Benefits at a future date. Details of the necessary amendments will be advised later.

Code	Name and Form
3117C	AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE Tablet 130mg-25mg-25mg (Phyline CO)
2391W	FRAMYCETIN Tablet 250mg
2641B	GLYMIDINE Tablet 1g

PLEASE RETAIN THIS AMENDMENT AS AMENDMENTS ARE NOT CUMULATIVE

AMENDMENTS OF THE SCHEDULE OF BENEFITS DECEMBER 1976 EDITION FOR APPROVED CHEMISTS
OPERATIVE FROM 1 FEBRUARY 1977

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
5	1038P	AMINOPHYLLINE Injection I.V. 250mg in 10ml	5	..	2.97	Carine KL AB,LP,SI
11	2984C	BISMUTH SUBGALLATE Compound Ointment 50g	≠1	1	2.11	Anusol WW
	1122C	Compound Suppositories, 12	≠1	1	2.11	Anusol WW
13	2935L	CHLORAL HYDRATE Capsule 500mg	50	..	2.31	Chloradorm KL Lanchloral LP Noctec SQ
14	2713T	Mixture 1g per 10ml, 200ml	≠1	4	2.24	Chloradorm KL Chloralix RK Elix-Nocte Forte AV Noctec Syrup SQ
16	2967E	CHOLESTYRAMINE Powder 50%, 378g	2	..	*24.04	Questran MJ
18	1219E	CODEINE PHOSPHATE with ASPIRIN Tablet Soluble 8mg-500mg	100	2	2.61	Solcode RC
18	1216B	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL Tablet Soluble 8mg-250mg-250mg	100	2	2.61	Solgesil DH
21	2702F	DEXTROMORAMIDE Tablet 5mg	25	..	2.81	Palfium FA
	1024X	Suppositories 10mg, 10	≠1	..	5.34	Palfium FA
21	1144F	DEXTROPROPOXYPHENE HYDROCHLORIDE with PARACETAMOL Tablet 32.5mg-325mg	50	1	1.96	Di-Gesic DL
	1236C	Capsule 32.5mg-325mg	50	1	1.96	Capadex FM
22	3164M	DIGOXIN Oral Solution for Children 50 micrograms per ml, 100ml	≠1	2	3.31	Lanoxin BW
	1321M	Injection BP 500 micrograms in 2ml	5	1	3.51	Lanoxin BW
	2537M	Injection for Infants 50 micrograms in 2ml	5	1	3.97	Lanoxin BW

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
29	1046C	FLUPHENAZINE DECANOATE Injection 12.5mg in 0.5ml	5	..	10.84	Modecate SQ
	3098C	25mg in 1ml	5	..	18.51	Modecate SQ
	1001Q	50mg in 2ml	5	..	25.84	Modecate SQ
29	2663E	FLUPHENAZINE ENANTHATE Injection 25mg in 1ml	5	..	10.64	Anatensol Enanthate SQ
33	1618E	HEXAMINE MANDELATE Tablet 500mg	100	2	3.37	Mandelamine Hafgrams WW
	2690N	1g	100	2	5.24	Mandelamine WW
40	1577B	MAGNESIUM SULPHATE Paste 50g	#1	1	1.71	Magnoplasm FA
	1576Y	100g	#1	1	2.09	Magnoplasm FA
42	1606M	METHADONE Injection 10mg in 1ml	5	..	4.01	Physeptone BW
45	3196F	NALORPHINE Injection 1mg in 1ml	5	..	4.64	Lethidrone BW
	1669W	10mg in 1ml	5	1	5.97	Lethidrone BW
48	2564Y	NUTRAMIGEN Powder 500g	2	20	*12.94	Glucose Nutramigen MJ
48	3163L	NYSTATIN Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	#1	1	2.91	Mycostatin SQ
	3102G	100,000 Units per 5g, 75g (15 doses)	#1	1	2.91	Diastatin GP Nilstat LE
51	1747Y	PARACETAMOL Mixture 120mg per 5ml, 100ml	#1	4	1.77	Dymadon BW Panadol WL Paraspen FC Parmol KL Tempra MJ
52	2410W	PERITONEAL DIALYSIS SOLUTION Injection with 1.5% Anhydrous Dextrose, 1 litre	20	1	*54.24	Diasol AB
	3192B	with 4.25% Anhydrous Dextrose, 1 litre	20	1	*54.24	Diasol AB

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
53	2856H	PHENELZINE Tablet 15mg	50	1	4.31	Nardil WW
56	1865E	PHENYLALANINE LOW CONTENT FORMULA Powder 2.5lb	2	2	*41.34	Lofenalac MJ
58	1911N	POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg- 25 micrograms per ml, 10ml	≠1	2	2.57	Neosporin BW
62	2703G	PROPYLENE GLYCOL Spray diluent - Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200ml	≠1	2	2.71	FA
66	2035D	SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	2.44	QE(NQ)
	2037F	600mg (enteric coated)	100	2	3.04	QE(NQ)
67	2041K	SOYA FORMULA Powder 454g	2	20	*6.14	Sobee MJ
69	2469Y	SURGICAL CEMENT /Solvent 240ml	1	2	/2.25	Sacsol LF
75	2990J	TRIAMCINOLONE ACETONIDE Injection 10mg in 1ml	5	..	9.51	Kenacort-A10 SQ
75	2686J	TRIGLYCERIDES, MEDIUM CHAIN Compound Powder 454g	2	10	*11.74	Triglyde MJ

INTRAVENOUS FLUIDS FOR INJECTION

79	2252M	DEXTROSE INJECTION 50%, 500ml	2	1	*6.18	AB
79	3029K	SODIUM BICARBONATE 4.2%, 500ml	1	1	3.17	AB
80	2275R	SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE 0.9%-20%, 1 litre	2	1	*6.18	AB
	2282D	0.18%-4.3%, 1 litre	5	1	*14.19	AB
80	2293Q	STANDARD MAINTENANCE FLUID 500ml	6	..	*14.82	AB

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment
5	1038P	AMINOPHYLLINE Injection I.V. 250mg in 10ml	5	..	Delete Cardophyllin HA
	1037N	I.M. 500mg in 2ml	5	..	2.44 Delete Cardophyllin HA
8	1025Y	ASPIRIN (BUFFERED) Tablet 500mg	100	2	2.91 Delete Bufferin Forte BC Add Bufferin 500 BC
61	1793J	PROCAINE PENICILLIN Injection BP, 1g	5	..	6.71 Delete Megacillin FA Add Aquacillin FA
75	2118L	TRIAMCINOLONE ACETONIDE Ointment 0.02%, 100g	#1	..	2.44 Add Aristocort 0.02% LE

PRICE ADJUSTMENTS TO SECTION 3

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
2	2683F	BENZOIN Compound Tincture BPC 35%, 167ml Aerosol Spray	1	..	4.31	LF
2	2617R	DIMETHICONE Solution 10%, 180ml Aerosol Spray	1	..	4.31	LF
2	3148Q	POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	10.04	Stomahesive Set SQ
2	2950G	POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121ml	1	..	4.55	Spray-On-Bande LF

PRICE ADJUSTMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price
			\$
2	2967E	Cholestyramine 50%, 378g	1 @ 11.60 MJ
3	2252M	Dextrose Injection 50%, 500ml	1 @ 2.67 AB
6	2564Y	Nutramigen, 500g	1 @ 6.47 MJ

Price Adjustments to Section 6 - Standard Packs and Prices - (cont.)

Page No.	Code	Name and Form	Amended Price
			\$
6	2410W	Peritoneal Dialysis Solution 1.5% Anhydrous Dextrose, 1 litre	1 @ 2.67 AB
	3192B	4.25% Anhydrous Dextrose, 1 litre	1 @ 2.67 AB
6	1865E	Phenylalanine Low Content Formula, 2.5lb	1 @ 20.67 MJ
7	2275R	Sodium Chloride Injection and Anhydrous Dextrose 0.9%-20%, 1 litre	1 @ 2.67 AB
	2282D	0.18%-4.3%, 1 litre	1 @ 2.67 AB
7	2041K	Soya Formula, 454g	1 @ 3.07 MJ
7	2293Q	Standard Maintenance Fluid, 500ml	1 @ 2.33 AB
7	2686J	Triglycerides, Medium Chain, 454g	1 @ 5.87 MJ

ADVANCE NOTICES

The following item will be deleted from the Schedule of Benefits as from 1 April 1977.

Code	Name and Form
2769R	OXYMETHOLONE Tablet 5mg

The following items may be deleted from the Schedule of Benefits at a later date. Details of the necessary amendments will be advised later.

Code	Name and Form
2709N	DOXYCYCLINE Suspension 10mg per ml, 40ml
2498L	METHACYCLINE Suspension 75mg per 5ml, 100ml
1717J	OXYTETRACYCLINE Suspension 125mg per 5ml, 100ml
2133G	TETRACYCLINE Capsule 100mg
2437G	Syrup 125mg per 5ml, 100ml
2150E	TETRACYCLINE with NYSTATIN Capsule 100mg-125,000 Units
2475G	Syrup 125mg-125,000 Units per 5ml, 100ml
2144W	TETRACYCLINE (BUFFERED) Capsule 100mg
2438H	Syrup 125mg per 5ml, 100ml
2149D	TETRACYCLINE (BUFFERED) with AMPHOTERICIN Syrup 125mg-25mg per 5ml, 100ml

The following item will have an alteration of pack size as from 1 April 1977.

Code	Name and Form
2967E	CHOLESTYRAMINE Powder 50% From 378g to 9g sachets, 50

PLEASE RETAIN THIS AMENDMENT
CUMULATIVE AMENDMENTS HAVE BEEN DISCONTINUED

AMENDMENTS TO THE SCHEDULE OF BENEFITS
DECEMBER 1976 EDITION FOR APPROVED CHEMISTS

OPERATIVE FROM 1 DECEMBER 1976

PROFESSIONAL FEES

The professional fees for ready-prepared and extemporaneously-prepared pharmaceutical benefits have been increased by 6 cents effective from 1 July 1975.

As from 29 October 1976 claims processed will include the new professional fees of 90 cents for ready-prepared items and \$1.12 for extemporaneously-prepared items, where applicable. Retrospective adjustments for the increased professional fees are being paid as soon as practicable.

The previous professional fees (i.e. 84 cents and \$1.06) are still incorporated, where applicable, in the prices published in the December 1976 issue of the Schedule of Benefits, the December 1976 amendment and the December 1976 issue of the Extemporaneously Prepared Benefits Booklet. The January to March 1977 amendments to the Schedule of Benefits and the February 1977 issue of the Extemporaneously Prepared Benefits Booklet will also incorporate the previous fees.

The professional fees will be adjusted in all publications effective 1 April 1977.

AMENDMENTS TO THE SCHEDULE OF BENEFITS
DECEMBER 1976 EDITION FOR APPROVED CHEMISTS

OPERATIVE FROM 1 DECEMBER 1976

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
2	1016L	ADRENALINE Injection BP 1mg in 1ml (1 in 1,000)	5	1	1.96	AB,BL,KL,SI
5	1045B	AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	2	5.77	Camoquin PD
8	1088G	ATROPINE SULPHATE Injection 400 micrograms in 1ml	5	1	1.91	AB,BL,KL,LP
	1089H	600 micrograms in 1ml	5	1	1.91	AB,BL,KL,LP
	1091K	1.25mg in 1ml	5	1	1.93	AB,BL,KL,LP
	1092L	Eye Drops 0.5%, 15ml	≠1	2	2.24	Atropt SI
	1093M	1%, 15ml	≠1	2	2.24	Atropt SI KL,LP
9	1767B	BENZATHINE PENICILLIN COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg. Injection set containing 1 vial and 2ml water for injections	1	..	2.71	Bicillin All-Purpose WY
15	1192R	CHLORPHENIRAMINE Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	1.77	Bramahist BB Piriton GL
21	3040B	DEXTROSE INJECTION 50%, 10ml	5	..	3.64	BL
25	1378M	ERGOMETRINE MALEATE Injection 250 micrograms in 1ml	5	..	2.31	BL
26	1388C	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	4.11	Ergodryl PD
34	1497T	HYDROCORTISONE Eye Ointment 0.5%, 5g	≠1	..	2.17	Hycor SI
	2441L	1%, 5g	≠1	..	2.31	Hycor SI Hydrosone KL

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
44	1644M	MORPHINE SULPHATE Injection 10mg in 1ml	5	..	2.51	AB,BL,KL,LP,SI
	1645N	15mg in 1ml	5	..	2.61	AB,BL,KL,LP,SI
	1646P	20mg in 1ml	5	..	2.87	BL
	1647Q	30mg in 1ml	5	..	2.94	AB,BL,KL
44	1661K	MORPHINE SULPHATE with ATROPINE SULPHATE Injection 15mg-600 micrograms in 1ml	5	..	2.67	BL
45	1673C	NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base) 10ml #1	#1	2	2.17	Neopt SI
49	2828W	ORCIPRENALINE Syrup 10mg per 5ml, 100ml	#1	4	2.11	Alupent BY
51	1754H	PARALDEHYDE Injection 5ml	5	1	3.17	BL
	1755J	10ml	5	1	3.64	BL
52	1828F	PETHIDINE Injection BP, 50mg in 1ml	5	..	2.41	Pethoid BW AB,BL,KL,LP,SI
	1829G	100mg in 2ml	5	..	2.46	Pethoid BW AB,BL,KL,LP,SI
61	1793J	PROCAINE PENICILLIN Injection BP, 1g	5	..	6.71	Aquacaine CS Cilicaine SI Megacillin FA
	1794K	1.5g	5	..	7.11	Aquacaine CS Aquacillin FA Cilicaine SI
62	1948M	PROMETHAZINE Injection 50mg in 2ml	10	..	3.11	BL
66	2024M	SODIUM CHLORIDE INJECTION 0.9%, 2ml	5	1	1.87	AB,BL,LP
	2025N	0.9%, 5ml	5	1	2.07	AB,BL,LP
	2026P	0.9%, 10ml	5	1	2.40	AB,BL,KL,LP
67	2587E	SORBIDE NITRATE Tablet 10mg	100	2	2.17	Isordil AY Isotrate PD
	2588F	Sublingual Tablet 5mg	100	2	2.04	Isordil AY Isotrate PD

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr
					\$	
67	2050X	STILBOESTROL Tablet 500 micrograms	100	2	1.72	DH,HA
	2052B	5mg	100	2	2.04	DH,HA,KL,RT(V),SI
	2053C	10mg	100	2	2.31	DH,KL,RT(V)
76	2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*16.18	Pitressin Tannate PD
77	2216P	WATER FOR INJECTIONS Injection 2ml	5	3	1.80	AB,BL,KL,LP,SI
	2217Q	5ml	5	3	1.93	AB,BL,KL,LP,SI
	2218R	10ml	5	3	2.17	AB,BL,KL,LP,SI
77	2221X	WOOL FAT, HYDROUS /50g tube or jar	1	..	/0.90	DH

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment
52	1817P	PENTOBARBITONE SODIUM Capsule 50mg	50	..	1.55 Delete Nembutal AB

PRICE ADJUSTMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price
7	2197P	Vasopressin Tannate	\$ 5 @ 7.67 PD

CORRIGENDUM

Add the following entry to the Proprietary Index:

Randomycin - GP - Methacycline

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1976 edition of the Schedule of Benefits for Approved Chemists

The reprint of the schedule will take effect from 1 December 1976 and all previous editions of the schedule are cancelled.

Your attention is drawn to the following important alterations which have been incorporated in this issue of the schedule.

Please note alterations to paragraphs 58, 60 and 67 which refer to the time for lodgement of a claim, the completion of the claim form and the serial numbering of prescriptions, repeat authorisations and emergency drug (doctor's bag) order forms.

Paragraph 38 has been amended in accordance with the new arrangements which apply to the supply of pharmaceutical benefits at a time outside normal trading hours.

The restrictions which applied to the prescribing of certain laxatives as pharmaceutical benefits have been altered. These items are now listed in section 2 as well as in section 3 and prescriptions for these items must be endorsed 'S.P.'.

The entries for Insulin Isophane Special P (Pig) and Insulin Special P (Pig) are now located under the headings Insulin Isophane (N.P.H.) and Insulin respectively.

Section 3 of the schedule of benefits is now printed in red ink on white paper and section 5 in black ink on green paper.

ADVANCE NOTICE

The following item will be deleted from the schedule of benefits as from 1 April 1977.

Iron Dextran, 5ml injection

The following items may be deleted from the schedule of benefits at a later date.

Benzylpenicillin, 250mg tablet

Glutethimide, 125mg, 250mg, 500mg tablets and 500mg capsule

Haloperidol, 500 micrograms tablet

ADDITIONS

NEW ITEMS

Section 2—Restricted Benefits

Cephazolin Sodium, 500mg and 1g injections (*Kefzol*)

Cephadrine, 250mg and 500mg capsules, 125mg per 5ml, 100ml and 250mg per 5ml, 100ml powders for syrup, 250mg, 500mg and 1g injections (*Eskacef*, *Velosef*)

Clonazepam, 500 micrograms and 2mg tablets, 1mg and 1ml solvent, injection set (*Rivotril*)

Diphemanil Methylsulphate, 2%, 50g dusting powder (*Prantal*)

Prazosin Hydrochloride, 1mg (base) and 2mg (base) tablets (*Minipress*)

Section 2—General Benefits

Azatadine Maleate, 1mg tablet (*Zadine*)

Belladonna Alkaloids (Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydrobromide), 103.7 micrograms—19.4 micrograms—6.5 micrograms tablet (*Donnatal*); 103.7 micrograms—19.4 micrograms—6.5 micrograms per 5ml, 100ml elixir (*Donnalix*)

Insect Allergen Extract—Mosquito, injection set—strengths A,B,C,D each 5ml; injection set—strengths A,B,C each 5ml; injection strength D, 5ml

Thiabendazole, 500mg tablet (*Mintezol*)

Section 2—Intravenous Fluids

Amino Acids with Alcohol, Vitamins and Electrolytes, 5%—5%, 500ml (*Aminofusin A 5% with Alcohol*)

Amino Acids with Vitamins and Electrolytes, 5%, 500ml (*Aminofusin 5%*); 10%, 500ml (*Aminofusin 10%*)

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2—Restricted Benefits

Propranolol, 160mg tablet (*Inderal*)

Sodium Nitroprusside, 50mg infusion (*Nipride*)

Section 2—General Benefits

Biperiden, 5mg in 1ml injection (*Akineton*)

Bufexamac, 5%, 45g ointment (*Parfenac*)

DELETION OF FULL ITEMS

Section 2

Belladonna with Phenobarbitone, 30mg—20mg 40mg—16mg, 45mg—30mg and 120mg—48mg (sustained release) tablets (*Alkabarb*, *Alkabarb Forte*, *Bellabarb*, *Bellabarb Forte*, *Bellatran*, *Bellatran Forte*, *Donnabarbitol*, *Donnabarbitol Forte*, *Donnatal*, *Donnatal—LA*, *Phenadon*, *Phenadon F*, *Solamal Fort*)

Ferric Hydroxide, 100ml colloidal paediatric solution (*Colliron*)

Ferrous Succinate, 106mg capsule and 106mg per 5ml, 100ml paediatric elixir (*Ferromyn*)

Mersalyl, 2ml injection

DELETION OF FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2

Aminophylline, 150mg tablet (*Glucophylline*)

Cephaloridine, 250mg injection (*Ceporan*)

Cyproheptadine, 4mg capsule (*Antegan*)
 Glucose Indicator, blood test strips (*Dextrostix*)
 Hydroxocobalamin, 100 micrograms in 1ml
 injection (*Neo-Cytamen*)
 Isoprenaline Sulphate, 10mg per ml, 7ml
 inhalation solution (*Neo-Epinephrine Spray No. 1*)
 Phenethicillin, 500mg tablet (*Optipen*)
 Phenylephrine, 1/8%, 10ml eye drops (*Neo-*
Synephrine)
 Physostigmine Salicylate, 0.25%, 7.5ml and
 0.5%, 7.5ml eye drops
 Potassium Chloride, 500mg tablet
 Rauwolfia Serpentina, 50mg capsule (*Austra-*
wolf)
 Sulphacetamide Sodium, 10%, 5g eye ointment
 Trimeprazine, 7.5mg per 5ml, 100ml mixture
 (*Vallergan*)

ALTERATIONS

Restrictions

Bisacodyl, 10mg suppositories (*Durolax*)
 Dioctyl Sodium Sulphosuccinate, 50mg tablet
 (*Coloxyl 50*); 120mg tablet (*Coloxyl 120*)
 Dioctyl Sodium Sulphosuccinate with Biso-
 codyl, 100mg—10mg suppositories (*Coloxyl*)
 Dioctyl Sodium Sulphosuccinate with Dan-
 throne, 50mg—50mg tablet (*Formulax, Coloxyl*
with Danthrone)
 Glycerol, 1g suppositories
 Paraffin Liquid, 500ml emulsion (*Petrolagar*);
 500ml emulsion with phenolphthalein (*Agarol*),
Lubarol, Petrolagar with Phenolphthalein)

Maximum Quantities

Section 2

Item	From	To
Lypressin, 50 Units per ml, 5ml nasal spray (<i>Vasopressin</i>) ..	4	10
Metoclopramide Hydrochloride, 10mg in 2ml injection (<i>Maxolon</i>) ..	5	10
Procainamide, 100mg per ml, 10ml injection (<i>Pronestyl</i>) ..	1	2

Repeats

Section 2

Item	From	To
Calcium, compound effervescent tablet equivalent to 500mg calcium (<i>Cal-tab, Spar-Cal</i>); compound effervescent tablet equivalent to 1g calcium (<i>Sandocal 1000</i>) ..	2	5
Guanethidine, 10mg and 25mg tablets ..	2	1
Mecamylamine, 2.5mg and 10mg tablets (<i>Mevazine</i>) ..	2	1
Pempidine, 5mg tablet (<i>Perolysen</i>) ..	2	1
Pyridostigmine, 180mg (sustained release) tablet (<i>Mestinon</i>) ..	0	1
Rauwolfia Alkaloids, 2mg tablet (<i>Rauwiloid</i>) ..	2	1
Rauwolfia Serpentina, 50mg tablet <i>Raudixin, Rawlina, Serenol</i>) ..	2	1
Reserpine, 250 micrograms tablet (<i>Resedrez, Serpasil, Tenserp</i>) ..	2	1

Reserpine, 1mg and 2.5mg injections
 (*Serpasil*) .. 1 0
 Salbutamol, for use in RESPIR-
 ATOR 0.5%, 10ml inhalation solu-
 tion (*Ventolin*) .. 0 2

Manufacturers' Codes

Section 2

Item	Proprietary Name	From	To
Aminophylline, 100mg tablet ..	..	AD	DH
Ephedrine Hydro- chloride, 15mg and 30mg tablets ..	..	AD	DH
Folic Acid, 5mg and 500 micrograms tab- lets ..	..	AD	DH
Nicotinic Acid, 250mg tablet ..	..	AD	DH
Paracetamol, 500mg tablet and 120mg per 5ml, 100ml mixture ..	<i>Dymadon</i>	CA	BW
Phenobarbitone, 15mg, 60mg and 100mg tab- lets ..	..	AD	DH
Polymyxin B Sul- phate, 10,000 Units per ml, 10ml (pro- pylene glycol base) ear drops ..	<i>Aerosporin</i>	CA	BW
Polymyxin B Sul- phate with Baci- tracin and Neomy- cin, 5,000 Units—400 Units—5mg per g, 4g eye ointment ..	<i>Neosporin</i>	CA	BW
Polymyxin B Sul- phate with Ligno- caine, 10,000 Units— 50mg per ml, 10ml ear drops ..	<i>Lignosporin</i>	CA	BW
Polymyxin B Sul- phate with Neomy- cin and Gramicidin, 5,000 Units—2.5mg— 25 micrograms per ml, 10ml eye drops ..	<i>Neosporin</i>	CA	BW
Polymyxin B Sul- phate with Neomy- cin and Hydro- cortisone, 10,000 Units—3.5mg (base)— 10mg per ml, 7ml ear drops ..	<i>Aerocortin</i>	CA	BW
Pseudoephedrine Hydrochloride, 30mg and 60mg tab- lets; ..	<i>Sudafed-M, Sudafed</i>	CA	BW
30mg per 5ml, 100ml, mixture ..	<i>Sudafed</i>	CA	BW
Stillboestrol, 500 micro- grams and 1mg tablet ..	..	AD	DH
Sulphadimidine, 500mg tablet ..	..	AD	DH
Thiamine Hydro- chloride, 50mg tab- let ..	..	AD	DH
Thyroid, 15mg, 30mg and 125mg tablets ..	..	AD	DH

Tripolidine, 2.5mg tablet and 1mg per 5ml, 100ml paediatric elixir	<i>Actidil</i>	CA	BW
Wool Fat, Hydrous, 50g tube or jar		AA	DH

ALTERATIONS

Pack Sizes

Section 2

<i>Item</i>	<i>From</i>	<i>To</i>
Alginic Acid Compound, powder	45g	100g

Section 3

<i>Item</i>	<i>From</i>	<i>To</i>
Deodorant Detergent Solu- tion (TAGG)	600ml	500ml

NOT FOR SALE

All Previous Additions Cancelled



SCHEDULE OF BENEFITS
for
APPROVED CHEMISTS

OPERATIVE FROM 1 DECEMBER 1976

Australian Department of Health,
CANBERRA, A.C.T.

	Paragraphs
CONTENTS	
SECTION 1—LEMON PAGES	
INTRODUCTION	
CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED	
A. PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS	
Schedule of Benefits	1- 7
Prescriptions	8- 10
Manner of Administration	11
Restrictions	12
Maximum Quantities and Repeats	13- 18
Urgent Cases	19- 20
Emergency Drug (Doctor's Bag) Supplies	21- 24
B. SUPPLY OF BENEFITS—PROCEDURE BY APPROVED CHEMISTS	
Prescriptions	25- 27
Procedure when an Authority is presented	28
Repeat Authorisations	29
Regulation 24	30
Receipts	31- 32
C. CHARGES TO PATIENTS	
Patient's contribution	33- 37
After Hours	38
Delivery	39
Responsibility	40- 41
D. MISCELLANEOUS	
Premises	42
Approved Doctors, Friendly Societies	43
Standards	44
References	45
Hours of Supply	46- 47
Proper Stocks to be Kept	48
Statement of Stocks	49
Retention of Documents	50
Suspected Forgery	51
Sale Copies	52- 54
CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY APPROVED CHEMISTS	
A. INTRODUCTION	55- 57
B. GENERAL	
Time for Lodgment of Claims	58
Documents to be submitted	59
Completion of Claim Form	60- 63
Prescription Identifying Number	64- 65
Pharmacy Stamp	66
Serial Numbering of Prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms	67
Standard Formulae List of Extemporaneous Preparations	68

Special Provisions Governing Payment for Extemporaneous Prescriptions outside the Standard Formulae List	69- 75
C. PROVISION OF CODED INFORMATION BY APPROVED CHEMIST	
Entering of Information	76
Codes for Preparations which are Pre-priced	77- 78
Codes for Extemporaneous Preparations which are not Pre-priced	79
Coding Stamp	80- 84
Coding of Ready Prepared Benefits	85
Coding of Extemporaneously Dispensed Benefits included in Standard Formulae List	86
Dropper Containers	87
Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List	88
Action to be taken when Approved Chemist elects to be paid on an Average Price Basis	89
Action to be taken when Approved Chemist elects to price non-pre-priced Extemporaneous Preparations	90
Coding of Repeat Authorisation Forms	91
Action by Approved Chemist issuing the Repeat Authorisation	92- 93
Action by Approved Chemist dispensing a Repeat Authorisation	94
Coding of Emergency Drug (Doctor's Bag) Order Forms	95
D. STATEMENT OF ACCOUNT	96-103
PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMIST FOR N.H.S. DISPENSING	
A. GENERAL	104
B. READY PREPARED ITEMS AND P.L. ITEMS	
Price where maximum quantity prescribed (R.P. and P.L. Items)	105
Price where Broken Quantity Prescribed (R.P. Items)	106
Price for Unbranded Prescriptions	107
Packed Lines	108
Unbroken Packs to be Supplied	109
Wastage Table Percentage for Ready Prepared Preparations	110-111
Prescribers' List Items	112

	Paragraphs	
C. EXTEMPORANEOUSLY PREPARED PRESCRIPTIONS		
Pricing Prescriptions Not Pre-priced	113-114	
Pricing of ingredients	115	
Miscellaneous Pricing Rules	116	
Pricing Prescriptions where additional ingredients have been added to a specified formula	117-121	
D. GENERAL		
Fees and Containers	122	
Pricing Dates	123	
Zone Allowances	124-125	
Supplies of Stationery	126	
	Page	
Addresses of Australian Department of Health Branch Offices	19	
Manufacturers—Address and Code	20-23	
Supplies of Listed Brands—Distributors	24	
Distributors—Addresses	25-28	
Emergency Drug (Doctor's Bag) Supplies	29	

SECTION 2—WHITE PAGES

SCHEDULE OF BENEFITS

General, Pensioner and Restricted Benefits	1-78
Intravenous Fluids	79-80

SECTION 3—WHITE PAGES

SCHEDULE OF BENEFITS

Preparations Available for Colostomy and Ileostomy Use	2- 3
Preparations Available for Use by Paraplegic and Quadriplegic Patients	4- 5

SECTION 4—GREEN PAGES

Schedule of Benefits—Drugs available for Extemporaneous Preparations	1- 6
Table of Codes, Maximum Quantities and Number of Repeats for Extemporaneous Preparations ..	7

SECTION 5—GREEN PAGES

PRESCRIBERS' LIST

PHARMACEUTICAL BENEFIT FORMULAE

Creams	1- 2
Dusting Powders	2
Ear Drops	2
Elixirs	2
Inhalations	2
Linctuses	3
Liniments	3
Lotions	3
Mixtures	3- 5
Nasal Instillations	5
Ointments	5
Paints	5- 6
Pastes	6
Powders	6

CHILDREN'S SECTION

Mixtures	7
------------------	---

SECTION 6—BLUE PAGES

Container Prices and Fees for Ready Prepared Benefits	1
Standard Packs and Prices (including Mark-up, but no Fees) for items against the price of which an asterisk is shown in the Schedule of Benefits	2- 7

PROPRIETARY INDEX

INTRODUCTION

These notes are designed for the use of approved chemists. They describe the procedure by doctors in prescribing benefits and the procedures by approved chemists in supplying benefits. They go on to outline the action on the part of approved chemists in coding prescriptions for processing by computer and the submission by them of claims for payment. Finally the notes explain the pricing arrangements in accordance with which approved chemists' claims are processed for payment.

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

A. PRESCRIBING OF BENEFITS— PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items are listed in the Schedule of Benefits, Sections 2 and 3.
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in section 4—(Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) The admixture of two or more ready prepared items listed in the Schedule of Benefits.
 - (b) The admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff—Section 4.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Benzylpenicillin Injection 300 mg amp with 2 ml water for injections'.
6. The Schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13–18.
7. Symbols used in the Schedule of Benefits.
See page 1, section 2 (white pages).

Prescriptions

8. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.
9. Medical Practitioners are required to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in indelible form (ink or ball point pen) in own hand-writing (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 18 cm x 12 cm. The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate, marking the duplicate with the word 'Duplicate' (this is pre-printed on the standard prescription forms and on Authority to Prescribe Form PB 15).
- (c) Set out the name and address of the patient, and, where the patient is a pensioner who holds an entitlement card, write the pension number. EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the pensioner's address on the prescription form.
- (d) In the case of pharmaceutical benefits which are restricted in use, the prescription should be endorsed with the words 'Specified Purpose' by the medical practitioner. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However where a prescription is written for a pensioner for a drug which is restricted to pensioners, it is not necessary to endorse the prescription 'Specified Purpose'.
- (e) If the benefit is a single drug, indicate the manner of administration.
- (f) Where a medical practitioner writes a prescription as a pharmaceutical benefit but does not specify a particular formula or brand for the item prescribed, the approved chemist when dispensing shall give priority to either the formula (if any) for that item specified in the Prescribers' List or to one of the ready prepared brands (if any) for that item included in the Schedule of Benefits.
- (g) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in own hand-writing with the words 'Regulation 24' (see also paragraph 18).
- (h) Mark the form 'N.H.S.', date and sign it.

It is requested that doctors write no more than three prescriptions on any single form.

Prescriptions for pharmaceutical benefits for more than one person shall not be written on the one sheet of paper.

10. A prescription is not valid if it—

- (a) Prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) Prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted.)
- (c) Prescribes a narcotic drug for the medical practitioner writing the prescription.

To avoid confusing patients and the dispensing chemist, doctors should avoid writing prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a 'Specified Purpose' drug and the patient is not suffering from one of the allowable conditions, the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete the N.H.S. printed endorsement.

Manner of Administration

11. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit.

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Director of Health in the State concerned. Full particulars of these drugs and the restrictions are printed in red in the Schedule. It is not necessary for the particular restriction to be identified on the prescription. Items available for use for Colostomy and Ileostomy conditions as well as items available for use by Paraplegic and Quadraplegic patients are listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits. For other preparations, details are set out in the Table of Maximum Quantities and Repeats—Green pages.

The maximum quantity of items marked with a double dagger (≠) has been determined as a single pack and as explained in page 1, Section 2 (white pages) unbroken packs are supplied. It would assist therefore if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15–16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17.—(a) The written authority of the Director of Health to prescribe:

- (i) restricted drugs (paragraph 12); or
- (ii) increased maximum quantities (paragraph 15); or

(iii) increased number of repeats (paragraph 16), will be forwarded to the doctor on an Authority to Prescribe (Form PB15).

(b) On receipt, the doctor writes the prescription on the original (white) form PB15 in the space provided for this purpose. The doctor will retain the yellow copy as his record, and hand the original (white) copy and duplicate to the patient.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;

- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved chemist or approved medical practitioner; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Urgent Cases

19. A pharmaceutical benefit may be supplied by an approved chemist before the prescription for that benefit has been surrendered to him, where in cases of urgency, the doctor communicates the prescription to the approved chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by approved chemists where the law of the State in which that approved chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Director of Health in the particular State, by telephone or other means, that the authority will be issued and notify the approved chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) order form (except Form PB7A) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on an Emergency Drug (Doctor's Bag) order form is that of a doctor unknown to the approved chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present Doctor's Bag Order form PB7A to an approved chemist for their supplies. Special instructions are issued to these doctors.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than the maximum quantity.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by a person authorised by him.

B. SUPPLY OF BENEFITS—PROCEDURE BY APPROVED CHEMISTS

Prescriptions

25. An approved chemist is authorised to supply a pharmaceutical benefit only upon the surrender of—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a benefit ordered on an Authority to Prescribe (Form PB15) which has been dated by the prescribing medical practitioner within six months before the date of its presentation; or
- (c) a repeat authorisation presented with a duplicate prescription within six months of the date of the prescription.

A pharmaceutical benefit may not be supplied to the same person more than once on any one day, except where a prescription is endorsed 'Regulation 24'.

Prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion. However, where a restriction is applied to the prescribing of a benefit valid prescriptions written before the date of effect of the restriction may still be dispensed as benefits.

26.—A. Before a benefit is supplied on presentation of a prescription the approved chemist is required to:—

- (i) mark his name and approval number on the prescription form and duplicate;
- (ii) allot a number which will identify the prescription and write that number on the form and duplicate; and
- (iii) if more than one prescription has been written on the one form allot a separate number to each prescription.

The National Health Act requires that a prescription must be written by a registered medical practitioner. In the event that the chemist cannot recognise the doctor's signature he should take all reasonable steps to satisfy himself that the prescription was written by a registered medical practitioner.

B. When a benefit is supplied on presentation of a repeat authorisation, the approved chemist shall mark his name and approval number in the space provided on the repeat authorisation.

C. Before a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply (when repeats are allowable) or on a repeat authorisation requiring further allowable repeats the approved chemist shall prepare a repeat authorisation form in duplicate, except when supply under the provisions of Regulation 24 is authorised (see paragraph 30).

The repeat authorisation form shall show:—

- (i) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (ii) on the first occasion of supply of the benefit, his approval number, together with the identifying number allotted by him to the prescription and the date of the original prescription;
- (iii) on subsequent occasions of supply (except the final occasion of supply) the approval number and the prescription identifying number relating to the original supply and the date of the original prescription;
- (iv) if the prescription or repeat authorisation is for a pensioner, the pension number appearing on the prescription;
- (v) in the case of repeats on an Authority to Prescribe (Form PB15), the authority number should be endorsed on the repeat authorisation (Form PB13) in the space provided.

D. At the time of supply of the benefit the completed repeat authorisation together with duplicate of the prescription is to be issued to the person to whom the benefit is supplied.

E. Separate repeat authorisations are to be prepared in respect of each benefit and for solvents when an injectible solvent is prescribed. The procedure to be followed in endorsing prescriptions and repeat forms is covered in 'CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY APPROVED CHEMISTS'.

27. Prescription forms which prescribe both pharmaceutical benefit items and non-pharmaceutical benefit items may be accepted. The non-benefit items will be supplied as private prescriptions and cancelled from the form.

Procedure when an Authority is presented

28.—A. When a benefit is ordered on an Authority to Prescribe (Form PB15) the doctor will have written the prescription on the original (white) and duplicate copies of the Authority form. The approved chemist will—

- (a) enter in the designated places on the Authority form—
 - (i) the serial number of the prescription;
 - (ii) code for brand of benefit ordered where the Department has, in the absence of prior knowledge, of the prescriber's intention,

omitted to endorse a brand in the appropriate coding space and one is specified in the prescription;

- (iii) prescription number (reference to the relevant entry in the prescription book);
- (b) Where a solvent has been prescribed for an injectible and there are no repeats ordered a code stamp imprint will be placed on the front of the white form (PB15) and a separate serial number and code for the solvent entered thereon; and
- (c) obtain the signature of the patient or signature and address of the agent and date of supply.

B. Repeats, when ordered and allowable on an Authority to Prescribe, will be handled in the same manner as those issued for standard N.H.S. prescriptions.

Repeat Authorisations

29. Where repeats are allowable a benefit may be supplied on a repeat authorisation only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

Regulation 24

30. Where a prescription is endorsed 'Regulation 24' (see paragraph 18), an approved chemist is authorised to supply the benefit and the repeats of that benefit at the one time. He should not complete a repeat authorisation form. An amount equivalent to one professional fee and where applicable, one dangerous drug fee is payable for the total supply.

Receipts

31. Upon the supply to a person of a benefit by an approved chemist, that person shall sign and date a receipt for that benefit on the prescription form or repeat authorisation, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the prescription form or repeat authorisation with his address. Not in any circumstances must a person give or an approved chemist demand a receipt until supply of the benefit has actually been made.

32. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the approved chemist must certify on the prescription or repeat authorisation, as the case may be, that he has supplied the pharmaceutical benefit, the date on which the supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19–20) or to a person who cannot read or write, or who is unable to write, the approved chemist should sign and date a statement on the prescription or repeat authorisation, indicating the circumstances of supply.

C. CHARGES TO PATIENTS

Patient's Contribution

33. An approved chemist may in respect of each supply by him whether on a prescription or repeat authorisation, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding \$2 in respect of general patients. A charge is not to be made for the supply of a pharmaceutical benefit on a prescription which shows the pension number as appearing on the P.M.S. entitlement card of a pensioner or a repeat authorisation on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one prescribed charge may be made for each supply of the benefit.

34. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than \$2 for general patients for each supply;
- (b) he will clearly indicate in any statement made by advertisement, notice or otherwise, that any offer to supply drugs or medicinal preparations without charge or at a reduced charge does not apply to the supply of pharmaceutical benefits;
- (c) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge that is less than \$2 in respect of general patients;
- (d) he will not enter into an agreement or arrangement to pay rebates or refunds of the authorised prescription charges nor will he become a party to such agreements.

35. Where a doctor has obtained an authority from the Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15) the authorised prescribed charges should be made for each supply of the increased maximum quantity.

36. Where a doctor has endorsed a prescription 'Regulation 24' (see paragraphs 18 and 30) the approved chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of \$6 should be made to a general patient.

37. A prescription, other than a prescription for a pensioner, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$2, is not a prescription for a pharmaceutical benefit. This

also applies to prescriptions endorsed 'Regulation 24' (see paragraphs 18 and 30), for which the price of the maximum quantity of the benefit is less than the authorised charges specified above.

After Hours

38. A charge not exceeding \$2 may be made when an approved chemist is required to return to his approved premises in order to supply a pharmaceutical benefit or pharmaceutical benefits at a time outside normal trading hours. Only one \$2 charge may be made on the one occasion, irrespective of the number of benefits supplied. The charge is recoverable from the patients concerned and not from the Department.

Delivery

39. A charge equal to the cost of delivering may be made if supply by delivery is made at or to a place other than the approved chemist's pharmacy.

Responsibility

40. It is the patient's responsibility to meet any charge lawfully demanded and an approved chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

41. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Department) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

D. MISCELLANEOUS

Premises

42. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

Approved Doctors, Friendly Societies

43. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly Society Dispensaries should follow the procedures subject to additional instructions made available to them.

Standards

44. An approved chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

(a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Goods Act;

(b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

45. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescribers' List are identified in this book by the letters BP, BP 1968, BP 1963, BP 1958, BP 1953, BP 1948, BP 1914, BPC, BPC 1968, BPC 1963, BPC 1959, BPC 1954, BPC 1949, APF, APF 1969, APF 1964, APF 1955, APF 1947, or PL as appropriate.

Hours of Supply

46. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charge applicable. When the prescription is marked 'urgent' and initialled by the doctor, it is obligatory for the approved chemist to make supply at his pharmacy at any hour.

47. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

48. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

49. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

50. Without affecting the requirements of the law of a State in regard to drugs of addiction or restricted drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorisations
- (c) in the case of an approved chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

Suspected Forgery

51. If an approved chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Emergency Drug (Doctor's Bag) order forms particular requirements are set out in paragraph 22.

Sale Copies

52. Copies of the National Health Act and Regulations are available from the Australian Government Publishing Service in each capital city.

53. Additional copies of this publication may be purchased from the Australian Department of Health in each capital city. Price and order form will be furnished upon inquiry.

54. Inquiries regarding pharmaceutical benefits may be made at the Office of the Director of Health in each capital city.

CODING AND SUBMISSION OF PRESCRIPTIONS—

PROCEDURE BY APPROVED CHEMISTS A. INTRODUCTION

55. The pricing of valid prescriptions, repeat authorisations and Doctor's Bag order forms and the calculation of the total amount payable for each claim are carried out by means of an electronic computer which operates on coded information provided by the approved chemist in respect of each pharmaceutical benefit supplied under the National Health Act.

56. The system is designed to enable approved chemists to prepare claims correctly with a minimum of work but it is, however, essential that the instructions be followed carefully and without modification. The inclusion in claims of incorrectly coded or otherwise defective prescriptions can be expected to interrupt processing and delay payments.

57. The interest and co-operation of approved chemists in ensuring that claims are always correctly prepared is invited and would substantially assist this Department to maintain a programme of prompt and satisfactory payments.

B. GENERAL

Time for Lodgment of Claims

58. Claims for pharmaceutical benefits may be lodged at the office of the Australian Department of Health in your capital city at any time during the month and should comprise approximately one month's dispensing. Claims for pharmaceutical benefits supplied more than six months prior to the date of claiming will not be accepted for computer processing, but will require manual pricing of prescriptions and preparation of tally sheets and claim forms by the chemist. *Approved chemists desiring to submit such claims should contact the office of the Director of Health for instructions regarding the preparation of the claims and the necessary forms.*

Documents to be Submitted

59. A claim for pharmaceutical benefits consists of:

- (i) A completed claim form PB1.
- (ii) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to the general public. These should be together in a separate bundle from the pensioner prescriptions.
- (iii) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to pensioners. These should be together in a separate bundle from the general benefit prescriptions.

NOTE.—Generally, prescriptions in each bundle should be submitted in serial number order. The exception to this is where an approved chemist *has elected to price* extemporaneously prepared prescriptions (see paragraphs 69 and 88). These prescription forms should be placed at the back of the relevant bundle irrespective of serial numbers and the fact that other prescriptions may appear on the same form.

- (iv) The original orders for Emergency Drug (Doctor's Bag) supplies in a separate bundle.
- (v) Repeat authorisations for an injectible and the related solvent must be stapled together.

Completion of Claim Form

60. Particulars of claimant's name, address of approved premises, approval number, zone number, zone factor and chemist's reference month should be entered in the spaces provided on the claim form PB1. It is important that these particulars agree entirely with the latest written information held by this Department, i.e., application for approval form or later letter. In the event of discrepancies, payment will necessarily be delayed pending clarification.

61. The numbers to be entered on the claim form are the first and last serial numbers given to items on the General and Pensioner Benefits and Emergency

Drug (Doctor's Bag) forms respectively (see paragraph 67). The last numbers should be the total numbers of these categories.

62. Please note that no entry of the amount of the claim is required—this will be calculated by computer after the prescriptions have been individually priced.

63. The declaration on the claim form must be signed by the approved person unless an authority for another person to do so has been sent by the approved person to the Director of Health in the State concerned.

Prescription Identifying Numbers

64. In addition to a serial number (see paragraph 67) each pharmaceutical benefit prescription dispensed must be given a number which identifies it specifically. Prescription book numbers are preferable but any other series which will meet the purpose may be used, provided that the chemist's approval number is not a component of such numbers. Please note that these numbers are to be entered in the Coding Stamp (see paragraph 80).

65. Further, in cases where an approved chemist allots an identifying number to a repeat authorisation as distinct from the original prescription number allotted by the approved chemist issuing the repeat authorisation, he should enter this new identifying number in the appropriate coding box pre-printed on the front of the form.

Pharmacy Stamp

66. Before supply of a benefit each prescription form, repeat authorisation form and authority to prescribe form should be endorsed with the name of the approved person and his approval number. This information may be stamped, written or typed.

Serial Numbering of Prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms

67. Within each claim, prescriptions dispensed should be serially numbered commencing at—

- (a) 1 for general prescriptions;
- (b) P1 for pensioner benefits; and
- (c) D1 for Emergency Drug (Doctors Bag) supplies.

Each Doctor's Bag item should be given a serial number, e.g., if there are five items on the first form in the claim the first item on the second form in the claim will be D6.

Standard Formulae List of Extemporaneous Preparations

68. Included in the booklet—Extemporaneously Prepared Benefits—is a comprehensive list of pre-priced extemporaneous preparations. The list is comprised of formulae taken from formulary in common use. This list is referred to in these notes as the Standard Formulae List. Each preparation is identified with a five-character code.

Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List

69. An approved chemist may elect to price out these prescriptions. Once made, however, such an election cannot be varied for a period of three months and applies to all extemporaneously dispensed formulae for which there are no five-character codes in the Standard Formulae List.

70. Unless he so elects, the approved chemist will be paid at an average reimbursement rate for these prescriptions. Under this system, payment is made on the basis of an average 10 g/ml rate applied to the category of preparation concerned, i.e., the price will be ascertained by multiplying the appropriate 10 g/ml rate by the number of 10 g/ml units supplied and adding container and professional fees. For example, an 80 ml mixture would be priced at eight times the average 10 ml rate for mixtures, plus container and professional fee. Notwithstanding that an approved chemist is accepting the average price for non-pre-priced prescriptions, he may price out 'exceptional' prescriptions and code for reimbursement at that price (see paragraph 75).

71. The average 10 g/ml rate may vary from month to month but the rate for a particular prescription will be that applying to the month in which it was dispensed.

72. By agreement with the Pharmacy Guild of Australia the average 10 g/ml rate is determined as in paragraph 73.

73. Each month the total number of 10 g/ml units of each type of pre-priced extemporaneous preparation claimed for will be ascertained for each State, together with the total values minus container and professional fees. From these figures an average 10 g/ml rate will be calculated for each type of preparation for each State. This rate will be used as the rate for calculating prices for the prescriptions dispensed in the succeeding month. It should be noted that prescriptions ordering a combination of standard preparations also fall outside the scope of the Standard Formulae List and therefore are subject to this section.

74.—(a) Any variant to a formula included in the Standard Formulae List (addition and deletion of an ingredient or variation of dose up or down) takes the formula dispensed outside the Standard Formulae List and it becomes subject to this section, i.e., it cannot be identified with the code of the formula which it resembles.

(b) Where an approved chemist is accepting the average price for non-pre-priced prescriptions, and where an ingredient is added to a standard formula and the recovery price for the standard formula plus additive under the average price system is less than that for the standard formula alone, the approved chemist may code that prescription as though it were a standard formula item.

75. Exceptional prescriptions are those prescriptions which if priced out would have a value (including container and professional fee) equal to or greater than twice the recovery price of the ingredients on an average price basis, plus a container fee and a professional fee.

C. PROVISION OF CODED INFORMATION BY AN APPROVED CHEMIST

Entering of Information

76. The approved chemist will enter relevant information on each document he submits in support of his claim. The information to be entered will depend upon the type of document, i.e., original or repeat supply, Emergency Drug (Doctor's Bag) Order form, etc., and on the category of prescription, i.e., ready prepared or extemporaneously prepared.

Codes for Preparations which are Pre-priced

77. A unique five-character code (e.g. 1001Q) is shown for:

- (i) each form and strength of every ready prepared benefit (Sections 2 and 3, Schedule of Benefits);
- (ii) each standard formula preparation listed in the Standard Formulae List.

78. An exception to this occurs in the use of packed lines where the presence or otherwise of 'Directions for Use' affects the price. Two separate codes are therefore shown for each packed line. The first code is to be used where the prescriber has not included specific directions for use in his prescription, and the second will be used when such directions are included.

Codes for Extemporaneous Preparations which are not Pre-priced

79. Three-character codes representing each type of extemporaneous preparation, e.g., mixtures, ointments, etc., are shown in the Table of Codes, Section 4 (green pages) of the Schedule. These three-character codes are to be used by the approved chemist in coding those prescriptions where a doctor has either specified the individual ingredients of a preparation or ordered a combination of standard formulae or has varied in any way a preparation included in the Standard Formulae List, and the approved chemist has elected to accept an average price (see paragraph 70). Where the approved chemist has elected to price out such prescriptions then action as outlined in paragraph 88 should be taken.

Coding Stamp

80. One stamp is provided for coding both Ready Prepared Benefits and Extemporaneously Dispensed Benefits. This stamp provides spaces for coded information on original prescription forms. Repeat authorisation forms and Emergency Drug (Doctor's Bag) Order forms currently on issue have printed coding spaces, and special authority prescriptions are coded by this Department before issue to medical practitioners.

81. Stamp imprints should be placed preferably on the extreme left of the front side of the prescription form. Many doctors use prescription forms which provide space suitable for this purpose, but when there is insufficient area on the front of the form the stamp should be placed on the left hand side on the back. It should be noted that coding stamps must be placed either **all on the front or all on the back** of an individual form. **In no circumstances should the stamp imprint appear on both the back and front.**

82. Doctors who so desire may obtain prescription forms which provide space for the coding stamp and for the patient's or agent's receipt on the face of the form.

83. Where there is insufficient space either on the front or the back of the form for the coding stamp, the coding should be on a slip of paper firmly attached to the form.

84. This stamp will be used for all pharmaceutical benefits—

S
C
Q
B R
No.

Coding of Ready Prepared Benefits

85. 'S'—Serial Number (see paragraph 67).

'C'—Is the appropriate code. All codes are shown in the Schedule of Benefits for Approved Chemists beside the benefits to which they refer. These numbers range from 1001Q to 3200K.

'Q'—Quantity. The number of units dispensed, e.g., capsules, tablets, tins, vials, tubes, etc., is to be entered in the stamp imprint. Only the appropriate number should be shown. The type of dispensing unit should not be specified.

For Regulation 24 prescriptions, the quantity actually supplied should be entered; that is, the total of the original quantity plus the quantities ordered as repeats. (Note next paragraph.)

The dispensed quantity of **PACKED LINES** and **PACKS NOT TO BE BROKEN** should never be expressed as a volume or weight but always in those terms in which the maximum quantity is expressed in column 3 of Section 2 or Section 3 of the Schedule; e.g., a prescription ordering 200 ml of a packed line should be coded with a quantity of '1' and not '200'.

For all Regulation 24 prescriptions, the letter 'X' should be entered on the stamp imprint immediately after the quantity.

'B'—Brand Ordered. Where a doctor orders a particular brand either by proprietary name or brand, the code letters of the manufacturer

should be entered beside the letter 'B'. Where a particular brand is **not** ordered **THIS SPACE MUST BE LEFT BLANK.**

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, **including those cases where supply has been made under Regulation 24.**

'No.'—Prescription identification number (see paragraph 64).

Coding of Extemporaneously Dispensed Benefits included in the Standard Formulae List

86. 'S' Serial Number (see paragraph 67).

'C' Code obtained from the Standard Formulae List where one is shown. These codes range from 7300F to 9987P.

'Q' Quantity. The number of millilitres or grammes should be entered.

Where the supply of a standard preparation is made under Regulation 24, the quantity actually supplied followed by the letter 'X' should be entered.

'B'—This space must be left blank when coding extemporaneously dispensed prescriptions (except for provision made in paragraph 87).

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, **including those cases where supply has been made under Regulation 24.**

'No.'—Prescription Identification Number (see paragraph 64).

Dropper Containers

87. Dispensed prices for extemporaneously prepared eye drops, ear drops and nose drops include the cost of a polythene dropper container. Where a glass dropper container is specified by the prescriber or considered necessary by the approved chemist, the prescription should be endorsed accordingly and payment for same should be claimed by placing the letter 'g' in the brand space of the coding stamp.

Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List

88. In the case of formulae for which a code is not shown claimants may elect either to receive an average 10 g/ml rate for the type of preparation with provision to price exceptional prescriptions (see paragraph 75) or to calculate the cost of ingredients, containers and professional fee manually (see paragraphs 69–74). These arrangements have been agreed between the Department and the Pharmacy Guild of Australia.

No notice to the Department will be necessary if payment on the average reimbursement rate system is desired, but election must be made formally if the approved chemist desires to price these prescriptions individually before submission. Once made, such an election will apply to all non-pre-priced extemporaneous preparations and cannot be altered for a period of three months. The approved chemist will notify the Department when changing from 'pricing elected' to 'acceptance of average rate'. It should be noted that prescriptions which call for a variation to one of the formulae listed in the Standard Formulae List or combinations of Standard Formulae fall into this category and are not to be identified with the code of the formula in the Standard Formulae List which they resemble. Coding of Standard Formulae with additives for approved chemists accepting average rate, is covered in paragraph 74 (b).

Action to be taken when an Approved Chemist elects to be paid on an Average Price Basis

89. (a) Coding of prescriptions to be reimbursed on an average price basis.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places on the stamp imprint.
- (ii) Enter the three-character code for the type of preparation in the code space [See the Table of Codes, Section 4 (green pages) for these codes.]
- (iii) Enter the number of millilitres or grammes.
- (iv) Where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the quantity.

NOTE: The space following the letter 'B' should be left blank (except for provision made in paragraph 87).

(b) Coding of Exceptional Prescriptions as defined in paragraph 75.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places in the stamp imprint.
- (ii) Enter the three-character code for the type of preparation preceded by the letter 'V' (indicating that this prescription is priced) in the code space. [See the Table of Codes, Section 4 (green pages) for these codes.]
- (iii) Enter the calculated price in the quantity space.
- (iv) Where the supply is made under the provisions of Regulation 24 the letter 'X' should be entered after the price.

NOTE: The space following the letter 'B' should be left blank (except for provision made in paragraph 87).

Action to be taken when an Approved Chemist elects to price non-pre-priced Extemporaneous Preparations

90. When the approved chemist has advised the Department of his election to price out these prescriptions he should price all prescriptions in this category in accordance with the pricing principles set out in 'Provisions governing Payments to Approved Chemists for N.H.S. dispensing' (page 16) and—

- (i) enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate sections of the stamp imprint;
- (ii) enter only the letter 'V' in the code space. This indicates that the prescription has been priced out;
- (iii) enter the price he has calculated in the quantity space;
- (iv) where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the price.

N.B. No details of type or quantity of preparation are to be shown in the code stamp.

Coding of Repeat Authorisation Forms

91. The approved chemist originating a repeat will not only complete the upper section of the form but will also enter details in the coding box. It will be the responsibility of the approved chemist dispensing the repeat authorisation to ensure that the coding details are correct.

Action by Approved Chemist Issuing the Repeat Authorisation

92. The following information relating to the original prescription is to be entered in the spaces provided:

- (i) Approval number of approved chemist who dispensed the original prescription.
- (ii) Date of the original prescription.
- (iii) The prescription identification number assigned by the dispenser of the original prescription.
- (iv) The number of repeats ordered up to the allowable maximum.
- (v) The number of times the prescription has been dispensed.
- (vi) The code, quantity and where applicable the brand of the benefit ordered.
- (vii) Repeats on Authority to Prescribe (Form PB15) should be endorsed with the authority number.

93. Where an approved chemist dispenses a supply other than on the first occasion, the information in (i), (ii), (iii), and (iv), will be transcribed from the repeat authorisation which he receives from the patient. These details would have been entered by the approved chemist who issued the form to the patient.

Action by Approved Chemist Dispensing a Repeat Authorisation

94. The approved chemist dispensing the supply will check the information entered in the stamp imprint. The dispensing approved chemist is responsible to ensure the correctness of these entries. It should be noted that:

- (a) The serial number allotted by the approved chemist to the repeat supplied as a \$2 general prescription is entered beside the letter 'R' in the box at the top of the form. Serial numbers issued in respect of repeats supplied for which an Authority to Prescribe is required must be prefixed with the letter 'A' in the case of general benefits, and with the letters 'AP' in the case of pensioner benefits.
- (b) The new identifying number of the Repeat Authorisation is to be entered in the space marked 'No.' in the Coding Stamp Box on the front of the form. (See paragraph 65.)
- (c) When the approved chemist issuing the authorisation has entered a code number (for the type of preparation) and quantity in the stamp and the dispensing approved chemist has elected to price such prescriptions instead of accepting the average price, the dispensing approved chemist should strike out the entries and replace them with 'V' and the claimed price or *vice versa*.

Coding of Emergency Drug (Doctor's Bag) Order Forms

95. For each item ordered, enter the serial number, code of the benefit, quantity supplied and the brand ordered, if any.

D. STATEMENT OF ACCOUNT

96. A Statement of Account will be forwarded in respect of each claim passed for payment. This gives, in addition to the details of payment, the price paid for each benefit or the reason for non-payment. Prescriptions are identified on the Statement of Account by the serial numbers allotted by the claimant and the Item Code. In the case of non-pre-priced extemporaneously prepared benefits the letter 'V' or the three-character code for the type of preparation replaces the item codes according to whether the prescriptions have been paid on an average price or calculated price basis. Serial Numbers of Emergency Drug (Doctor's Bag) items will be prefixed by the letter 'D' and the pensioner prescriptions by the letter 'P'.

97. The reason for non-payment of any item will be indicated by a Code letter. An explanation of the Code employed appears on the reverse side of the Statement of Account.

98. Prescriptions and repeat authorisations which are not acceptable for payment will be returned with the Statement of Account. Other prescriptions appearing on such forms will have been paid and appropriately cancelled before being returned to the approved chemist. Where prescriptions are resubmitted they must be allotted an entirely new serial number and included as a normal part of the next claim.

99. If prescriptions from previous claims are the subject of adjustment to current claims, full details will be shown on the Statement of Account.

100. Where a correctly coded prescription has not been given a serial number by the claimant the serial number given to the preceding prescription will be used also as a means of reference to the second prescription, i.e., the serial number will appear twice on the Statement of Account with the appropriate prices or rejection codes relating to both prescriptions.

101. Should serial numbers be duplicated they will be shown on the Statement of Account as numbered by the claimant.

102. In the case of a serial number which has not been used or the relevant document not submitted the number will be printed on the Statement of Account together with a code signifying that the document has not been received.

103. The Statement of Account will include a statement reconciling the number of prescriptions claimed for by the approved chemist with the number of prescriptions for which payment has been made.

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S.

DISPENSING

A. GENERAL

104. The pricing principles are identical for prescriptions written for the general public and pensioners.

B. READY PREPARED ITEMS AND P.L. ITEMS

Price where Maximum Quantity Prescribed (R.P. and P.L. Items)

105. The price payable for a benefit is the amount shown in column 5 of the Schedule against that benefit subject to the following provisions—

- (a) *Packed Lines*—Where the prescription bears specific instructions for use, the price is calculated in accordance with paragraph 109.

- (b) *Injections with required solvent*—Where the words 'solvent required' are included after the form of the benefit, the price payable is the sum of the listed prices for the item and the solvent less a professional fee (i.e., only one professional fee is payable). Prescribers must indicate volume and number of ampoules of solvent to be supplied.

Price where Broken Quantity Prescribed (R.P. Items)

106.—

- (a) *Packed Lines*—The price for the maximum quantity is payable, even when a lesser quantity is prescribed.
- (b) *Packs not to be broken*—Where items packed by the manufacturer under special conditions or for which the maximum quantity has been determined as a single pack are prescribed (see paragraph 109), maximum quantity should be supplied and the price payable is that for the maximum quantity.
- (c) *Ready Prepared Items where Standard Pack coincides with Maximum Quantity*—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—

- (i) an amount equivalent to the professional fee and where applicable the dangerous drug fee is deducted from the price shown in column 5 of the Schedule in relation to the benefit.
- (ii) To the resultant amount is applied the appropriate wastage percentage ascertained from the Wastage Factor Table shown in paragraph 111.
- (iii) The amount ascertained under (ii) is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 of the Schedule in relation to the maximum quantity of the benefit.

- (d) *Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e., where an asterisk is shown against the price)*—In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 of the Schedule beside the price shown for the benefit concerned. In such cases the standard pack rate is set out in the

Table shown in Section 6 (blue pages) of the Schedule. The price payable for the quantity supplied is ascertained as follows:—

- (i) To the standard rate is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 111.
- (ii) The amount so ascertained is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity which is less than the maximum quantity of the item exceed the dispensed price for the maximum quantity of that item.

- (e) No container fee is payable where the quantity of benefit ordered and supplied is more than the quantity contained in the standard or non-standard packs.

Price for Unbranded Prescriptions

107. Where a standard pack price applies, the lowest price shown in column 5 of the Schedule in relation to that item is payable.

Packed Lines

108. The undermentioned packed lines are expected to be supplied under the original label when prescribed in the maximum quantities shown in the Schedule of Benefits and therefore do not attract a professional fee. Where the prescription bears specific instructions for use, then the item is to be labelled. In such cases, payment will be made on the same basis as for other ready prepared items.

When the quantity ordered does not correspond with a pack size listed, then the price for the next higher original pack listed is payable, even when the prescription orders and the chemist dispenses a lesser quantity. This procedure also applies where the approved chemist's own pack is supplied.

Aluminium Hydroxide Gel Mixture
Boric Acid Powder
Copper Sulphate Diagnostic Compound Tablets
Deodorant Concentrate
Glucose Indicators
Glucose and Ketone Indicator
Glycerol
Hydrogen Peroxide Solution
Paraffin, Emulsion
Saccharin Tablets
Sterculia (Indian Tragacanth; Gum Karaya)
Surgical Cement
Wool Alcohols, Ointment
Wool Fat, Hydrous (Lanolin)

These items are indicated by a dagger (†) in the Schedule of Benefits.

Unbroken Packs to be Supplied

109. The maximum quantity of certain forms of benefits such as eye drops and oral suspensions has been determined as a single pack corresponding to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack, the maximum quantity should be dispensed and claimed from the Department.

These items are indicated by a double dagger (≠) in the Schedule.

Wastage Table Percentage for Ready Prepared Preparations

110. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraph 106 (c) and (d) above.)

111. The appropriate wastage table percentage is ascertained as follows:—

- The percentage that the quantity supplied bears to the number contained in the standard pack is determined;
- Where the percentage determined in subparagraph (a) coincides with a percentage listed in Column A of the Wastage Factor Table, the percentage used is the relative figure shown in Column B;
- Where the percentage determined in subparagraph (a) does not coincide with a percentage in Column A, then the nearest upward percentage in Column A applies, and the percentage used is the relative figure shown in Column B.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in Column A the next higher (i.e., 25%) is used. Reading down from 25% to Column B, the wastage table percentage is found to be 38%.

WASTAGE FACTOR TABLE

Column A	5	10	15	20	25	30	35	40	45	50
Column B	10	18	26	32	38	44	50	54	58	62
Column A	55	60	65	70	75	80	85	90	95	100
Column B	66	70	74	78	82	86	90	94	98	100

Prescribers' List Items

112. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescribers' List is shown in the Standard Formulae List.

C. EXTEMPOREANEOUSLY PREPARED PRESCRIPTIONS

Pricing Prescriptions Not Pre-priced

113. The following are the principles applied in determining the prices of all pre-priced extemporaneous formulae shown in the booklet—'Extemporaneously Prepared Benefits'. They also apply where a chemist elects to price out extemporaneous prescriptions outside the Standard Formulae List.

114. The amount payable is ascertained as the sum of—

- the recovery price of each ingredient as shown in the booklet—'Extemporaneously prepared Benefits';
- the price of the appropriate container as shown in the booklet—'Extemporaneously Prepared Benefits';
- a professional fee as shown on page 15 of the booklet—'Extemporaneously Prepared Benefits'.

Pricing of Ingredients

115. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows—

- determine the basic pricing unit relative to the quantity by reference to the following table:—

Quantity	Basic Pricing Unit
Up to 50 mg (minimum price)	100 mg price multiplied by 0.5
Over 50 mg and up to and including 700 mg	100 mg price
Over 700 mg and up to and including 1 g	price as 1 g
Over 1 g and up to and including 7 g	1 g price
Over 7 g and up to and including 10 g ..	price as 10 g
Over 10 g and up to and including 80 g ..	10 g price
Over 80 g and up to and including 90 g ..	price as 80 g
Over 90 g	100 g price

- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery price shown for the ingredient in the Drug Tariff—

100 g price is 500 g price divided by 5
or 1 kg price divided by 10.

10 g price is 100 g price plus 12½%
divided by 10.

1 g price is 10 g price plus 25% divided
by 10.

100 mg price is 1 g price plus 25%
divided by 10.

- (c) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b), by the fraction that the quantity bears to the basic pricing unit.
(d) for pricing purposes the quantity is to be taken to the next 50 milligrams or 0.05 millilitres.

Miscellaneous Pricing Rules

116.—

- (a) The minimum recovery price for any ingredient is one cent.
(b) Where a fraction of a cent occurs in a price that price is to be taken to the nearest cent, a half cent being taken up to the next cent.
(c) The amount payable for a quantity of an ingredient or preparation shall not exceed the amount which would be payable for a greater amount of that ingredient or preparation.

Pricing Prescriptions where Additional Ingredients have been Added to a Specified Formula

117. The amount payable for a prescription which comprises a vehicle which is specified under a particular name, and an additional specified ingredient or ingredients shall be calculated in accordance with paragraphs 118 and 121.

118. Where the vehicle is a single liquid ingredient and one or more solid ingredients are added, displacement of the vehicle by solids shall be disregarded and the amount payable shall be calculated in accordance with paragraph 114.

119. Where the vehicle is a single liquid ingredient and one or more liquids are added, the amounts payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 115; and

- (b) the recovery price of the quantity of the vehicle calculated in accordance with paragraph 115.

120. Where the vehicle is compounded from two or more ingredients and one or more solid ingredients are added, displacement of the vehicle by the solids shall be disregarded and the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 115; and
(b) the recovery price of each ingredient of the vehicle calculated in accordance with paragraph 115.

121. Where the vehicle is compounded from two or more ingredients and one or more liquid ingredients are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 115; and
(b) the recovery price of the quantity of vehicle, this amount being the sum of the recovery prices for each ingredient of the vehicle in such quantity as calculated in accordance with paragraph 115.

D. GENERAL

Fees and Containers

122. The amounts payable by way of professional fee, dangerous drug fee and container charges for ready prepared preparations are set out in Section 6 of the Schedule. The professional fee and container charges for extemporaneously prepared preparations are set out in the booklet—'Extemporaneously Prepared Benefits'.

Pricing Dates

123. For pricing purposes the operative dates are—

- (a) for extemporaneously prepared benefits—the first day of every second month commencing February each year for benefits supplied as from the first day of the fourth succeeding month.
(b) for ready prepared benefits—the first day of the month preceding the month during which the benefits are dispensed.
(c) for containers—
(i) for extemporaneously prepared benefits—the first day of April, August and December each year for benefits supplied as from the first day of the fourth succeeding month.
(ii) for ready prepared benefits—the first day of January each year.

Zone Allowances

124. An additional amount is payable in respect of each pharmaceutical benefit in specific zones throughout Australia. The zone allowance is ascertained by multiplying the number of prescriptions dispensed by an amount in cents per prescription.

125. Each approved chemist is notified of the zone allowance, if any, which applies to the prescriptions he dispenses.

Supplies of Stationery

126. Claim Forms, Repeat Authorisations, etc., are available from the Director of Health in each State.

ADDRESSES OF AUSTRALIAN DEPARTMENT OF HEALTH BRANCH OFFICES

NEW SOUTH WALES

Australian Department of Health,
Australian Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000
Telephone 232 8000

Director of Health—
Dr R. R. Bull
After hours: Telephone 969 8681

Assistant Director (Pharmaceutical)—
Mr K. J. Kelly
After hours: Telephone 34 7207

VICTORIA

Australian Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000
Telephone 662 2999

Director of Health—
Dr R. C. Webb
After hours: Telephone 80 5333

Assistant Director (Medical)—
Dr E. C. R. Newton
After hours: Telephone 95 5815

Assistant Director (Pharmaceutical)—
Mr L. L. Lock
After hours: Telephone 93 1322

QUEENSLAND

Australian Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld. 4000
Telephone 225 0122

Postal Address—
G.P.O. Box 567, Brisbane, Qld. 4001

Director of Health, (Acting)—
Dr H. C. Anderson

Assistant Director (Medical)—
Dr J. R. Meyers
After hours: Telephone 399 5857

Assistant Director (Pharmaceutical)—
Mr C. J. Massie
After hours: Telephone 30 1546

SOUTH AUSTRALIA

Australian Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S.A. 5000
Telephone 51 7400

Postal Address—
G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—
Dr A. C. Green
After hours: Telephone 297 5463

Assistant Director (Pharmaceutical)—
Mr B. G. Foster
After hours: Telephone 278 6016

WESTERN AUSTRALIA

Australian Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W.A. 6000
Telephone 23 0391

Postal Address—
G.P.O. Box M970, Perth W.A. 6001

Director of Health—
Dr W. J. Wilmot
After hours: Telephone 95 1150

Assistant Director (Pharmaceutical) —
Mr J. T. McDonough
After hours: Telephone 47 5326

TASMANIA

Australian Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000
Telephone 20 2122

Postal Address—
G.P.O. Box 919J, Hobart, Tas. 7001

Director of Health—
Dr P. Hallett
After hours: Telephone 47 8660

Medical—
Dr C. F. A. Younger
After hours: Telephone 62 2272

Assistant Director (Pharmaceutical)—
Mr J. R. Nolan
After hours: Telephone 34 1354

NORTHERN TERRITORY

Australian Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794
Telephone 80 2911

Postal Address—
P.O. Box 147, Darwin, N.T. 5794

Director of Health—
Dr C. H. Gurd
After hours: Telephone 81 2509

MANUFACTURERS—ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	AB	Bramble Laboratories 326 King Georges Road, Beverley Hills, N.S.W. 2209	BB
Adam Drug Co. 41 Barry Avenue, Mortdale, N.S.W. 2223	AV	Bristol Laboratories Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	BC
Alcon Laboratories (Aust.) Pty Ltd 8 Wattle Road, Brookvale, N.S.W. 2100	AQ	Bull Laboratories, David 11-15 Lexia Place, Mulgrave, Vic. 3170	BL
Allen and Hanburys 1061 Mountain Highway, Boronia, Vic. 3155	AH	Burroughs Wellcome & Co. (Aust) Ltd Cressy Street, Rosebery, N.S.W. 2018	BW
Allergan Pharmaceuticals Pty Ltd .. 32 Punch Street Artarmon, N.S.W. 2064	AG	Cambridge Laboratories Pty Ltd 397 Little Lonsdale Street, Melbourne, Vic. 3000	CE
Ames Company .. Wellington Road, Mulgrave, Vic. 3170	AM	C.F.C. Pharmaceuticals Pty Ltd 9 Norton Street, Ashfield, N.S.W. 2131	CO
Armour Pharmaceutical Co. Ltd, England	AR	Ciba Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	CB
Astra Chemicals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	AP	Commercial Goat Milk Producers Co- operative Ltd 72a Maroondah Highway, Croydon, Vic. 3136	CG
Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	AY	Commonwealth Serum Laboratories 45 Poplar Road, Parkville, Vic. 3052	CS
Bayer Pharmaceutical Company 46-67 Wilson Street, Botany, N.S.W. 2019	BN	Cooper Laboratories Pty Ltd .. 176 Harbord Road, Brookvale, N.S.W. 2100	CP
Beecham Research Pty Ltd Chesterville Road, Moorabbin, Vic. 3189	BR	Crookes, Laboratories Ltd, The England	CK
Berk Pharmaceuticals Division of U.S.V. Australia Pty Ltd .. 172-178 Princes Highway, Arncliffe, N.S.W. 2205	BQ	Denyer Brothers .. 250 Pitt Street, Sydney, N.S.W. 2000	DY
Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	BH	Difrex (Aust.) Laboratories 321 Pitt Street, Sydney, N.S.W. 2000	DF
Boehringer Ingelheim Pty Ltd 50 Broughton Road, Artarmon, N.S.W. 2064	BY	Dista Products (Aust.) Pty Ltd Waratah Street and Wharf Road, Ermington, N.S.W. 2115	DL
Boehringer Mannheim GmbH Germany	BO	Dolder and Co., Switzerland	DR
Boots Company (Aust.) Pty Ltd, The Loyalty Road, North Rocks, N.S.W. 2151	BT	Dome Laboratories Wellington Road, Mulgrave, Vic. 3170	DO
Boucher and Muir Pty Ltd 118-124 Willoughby Road, Crows Nest, N.S.W. 2065	BZ	Drug Houses of Australia 31 Henderson Street, Turrella, N.S.W. 2205	DH

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Endo Laboratories (Aust.) Pty Ltd 448 Pacific Highway, Artarmon, N.S.W. 2064	EN	ICI Australia Ltd ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	IC
Erba Carlo, S.p.A., Italy	EC	Ioquin Company, The 8 Wattle Road, Brookvale, N.S.W. 2100	IQ
Ethnor Pty Ltd 1-5 Khartoum Road, North Ryde, N.S.W. 2113	ET	Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM
Evans Medical Australia (Pty) Ltd 1061 Mountain Highway, Boronia, Vic. 3155	EV	Knoll Laboratories Division of U.S.V. Australia Pty Ltd .. 172-178 Princes Highway, Arncliffe, N.S.W. 2205	KL
Faulding & Co. Ltd, F. H. 48 Beans Road, Thebarton, S.A. 5031	FA	Knoll, A. G., Germany	KN
Fawns and McAllan Pty Ltd .. 432 Mt Dandenong Road, Croydon, Vic. 3136	FM	Lancet Pharmaceutical Limited 8 Hornsby Street, Hornsby, N.S.W. 2077	LP
Fisons Pty Ltd 97 Pacific Highway, North Sydney, N.S.W. 2060	FC	Langley Laboratories Pty Ltd 116 Cabramatta Road, Cremorne, N.S.W. 2090	LF
Frosst, Charles E. 576 St Kilda Road, Melbourne, Vic. 3000	FR	Lederle Laboratories Division Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W. 2065	LE
Gamaprod Pty Ltd 169 Lygon Street, Carlton, Vic. 3053	GA	Lilly (Aust.) and Company, Eli Wharf Road, West Ryde, N.S.W. 2114	LY
Gedeon Richter Ltd, Hungary	GR	May & Baker Australia Pty Ltd Paramount Road, Footscray West, Vic. 3012	MB
Geigy Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	GE	McGloin Pty Ltd, J. 150 Dean Street, Enfield, N.S.W. 2136	MG
Gist-Brocades Australia Pty Ltd ADC Building, 77 Pacific Highway, North Sydney, N.S.W. 2060	GB	Mead Johnson 345 Pacific Highway, Crows Nest, N.S.W. 2065	MJ
Glaxo 1061 Mountain Highway, Boronia, Vic. 3155	GL	Medical Research Pty Ltd 31 Sirius Road, Lane Cove, N.S.W. 2066	MR
G.P. Laboratories Wharf Road, West Ryde, N.S.W. 2114	GP	Medichem Pharmaceuticals Pty Ltd 30 Thorby Avenue, Leichhardt, N.S.W. 2040	MC
Grose Products (Aust.) Pty Ltd 51-55 Warrah Street, East Chatswood, N.S.W. 2067	GV	Merck, Sharp and Dohme (Aust.) Pty Ltd 62-68 Ferndell Street, South Granville, N.S.W. 2142	MK
Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A. 5000	HA	Merrell, Wm S. Company 9 Help Street, Chatswood, N.S.W. 2067	ML
Hoechst Australia Ltd 606 St Kilda Road, Melbourne, Vic. 3000	HP		
Hollister Incorporated Captain Cook Drive, Kurnell, N.S.W. 2231	HO		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Muir and Neil Pty Ltd 479 Kent Street, Sydney, N.S.W. 2000	MN	Robins, A. H. Pty Ltd 4 Charles Street, Canterbury, N.S.W. 2193	RS
Nativelle Laboratories, France ..	NA	Roche Products Pty Ltd .. Inman Road, Dee Why, N.S.W. 2099	RO
Nestle Company (Aust.) Ltd, The .. 17 Fovcaux Street, Sydney, N.S.W. 2000	NT	Rocke, Tomsitt and Co. Ltd 10 Griffiths Street, Richmond, Vic. 3121	RT
Nicholas Pty Ltd 699 Warrigal Road, Chadstone, Vic. 3148	NS	Rona Laboratories Ltd, London, U.K.	RN
Nordia, Denmark	NR	Rorer (Aust.) Pty Ltd 79 Victoria Avenue, Chatswood, N.S.W. 2067	RG
Ohio Drug Co. Pty Ltd 100 Clarence Street, Sydney, N.S.W. 2000	OD	Ross Laboratories Captain Cook Drive, Kurnell, N.S.W. 2231	RD
Organon (Australia) Pty Ltd .. 34 Hotham Parade, Artarmon, N.S.W. 2064	OR	Rotary Tableting Corp. Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136	RY
Parke, Davis and Co. 32-40 Cawarra Road North, Caringbah, N.S.W. 2229	PD	Roussel Pharmaceuticals Pty Ltd Gladstone Road, Castle Hill, N.S.W. 2154	RL
Pfizer Pty Ltd Wharf Road, West Ryde, N.S.W. 2114	PF	Salmond and Spraggon (Aust.) Pty Ltd Loyalty Road, North Rocks, N.S.W. 2151	SS
Pfimmer and Co., West Germany ..	PC	Sandoz Australia Pty Ltd 54 Waterloo Road, North Ryde, N.S.W. 2113	SZ
Pharmacia (South Seas) Pty Ltd Cnr Khartoum and Talavera Roads, North Ryde, N.S.W. 2113	PS	Sanitarium Health Food Co. 148 Fox Valley Road, Wahroonga, N.S.W. 2076	SA
Pharmax Ltd, England	PN	Sauter Laboratories (Aust.) Pty Ltd 60 Campbell Avenue, Dee Why, N.S.W. 2099	SU
Philips-Duphar Pty Ltd 4 Sirus Road, Lane Cove, N.S.W. 2066	PI	Schering Corporation, U.S.A. 11 Gibbon Road, Baulkham Hills, N.S.W. 2153	SH
Prosana Laboratories Pty Ltd .. 22 Daisy Street, Revesby, N.S.W. 2212	PR	Schering, A. G., Berlin	SC
Protea Pharmaceuticals Pty Ltd 13-19 Glebe Street, Glebe, N.S.W. 2037	PT	Searle Laboratories Mainline Building, 8 West Street, North Sydney, N.S.W. 2060	SR
Queensland Ethicals .. Enterprise Street, Salisbury, Qld. 4107	QE	Sigma Co. Ltd P.O. Box 144, Clayton, Vic. 3168	SI
Reckitts Pty Ltd 44 Wharf Road, West Ryde, N.S.W. 2114	RC	Smith Kline and French Laboratories (Aust.) Ltd Warringah Road, French's Forest, N.S.W. 2086	SK
Riker Laboratories Australia Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	RK		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Smith and Nephew (Aust.) Pty Ltd Wellington Road, Clayton, Vic. 3168	SN	Upjohn Pty Ltd 55-73 Kirby Street, Rydalmere, N.S.W. 2116	UP
SPOFA United Pharmaceutical Works Czechoslovakia	SP	Vifor, S. A., Geneva, Switzerland	VF
Squibb and Sons, E. R., Pty Ltd Princes Highway, Noble Park, Vic. 3174	SQ	Virax Ethicals Ltd 77-79 Market Street, South Melbourne, Vic. 3205	VR
Stansen and Co. Pty Ltd, A. E. 121 Ricketts Road, Notting Hill, Vic. 3168	ST	Warner and Co. Pty Ltd, Wm R. 103 Miller Street, North Sydney, N.S.W. 2060	WW
Syntex Pharmaceuticals Ltd Funds of Australia Building, 10th Floor, 275 Alfred Street North, North Sydney, N.S.W. 2060	SD	W. B. Pharmaceuticals Ltd London, U.K.	WB
		Weddel Pharmaceuticals 213-219 Miller Street, North Sydney, N.S.W. 2060	WP
Tongala Milk Products Pty Ltd 17 Foveaux Street, Sydney, N.S.W. 2000	TM	Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W. 2115	WL
Toppin and Sons Pty Ltd, R. D. 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	TO	Woods, H. W. Pty Ltd 10 Clifford Street, Huntingdale, Vic. 3166	WH
Trane Pharmacal Co. 98 Collins Street, Melbourne, Vic. 3000	TR	Wyeth Pharmaceuticals Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	WY
Travenol Laboratories Pty Ltd Oakes Road, Old Toongabbie, N.S.W. 2146	TV	Zero Chemicals (Aust.) Pty Ltd Unit 3, 25 Hotham Parade, Artarmon, N.S.W. 2064	ZR
United Works of Pharmaceutical and Dietetic Products, Hungary ..	UW	Zyma Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	ZY

SUPPLIES OF LISTED BRANDS—DISTRIBUTORS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.
AG ..	..	..	QC2	SS2	WA1	TG2	MJ ..	..	..	QK1	SS3	WP2	..
AH ..	NG1	VG3	QG1	SG1	WG1	..	MN ..	NA1	VS4	QQ1	SS3	WP2	TC1
AM ..	..	VS1	..	..	..	..	MR ..	..	VM3	QM3	SS2	WP2	TC2
AP ..	..	VA1	..	SS2	WC2	TG2	NA ..	..	VG1	..	..	..	..
AQ ..	NA1	VS4	QK1	SS3	WP2	TC2	NR ..	NA2	VN1	QC2	SS2	..	TC2
AR ..	NF1	VF4	QF2	SS2	WF1	TC2	OR ..	..	VO1	..	..	..	..
AV ..	..	VS4	..	..	..	TM1	PC ..	NF1	VF4	QF2	SS2	..	TC1
BB ..	..	..	QB4	..	..	..	PD ..	..	VP1	QP1	SD1	WP1	TG2
BH ..	NS5	VM2	QM4	SM1	..	..	PF ..	..	VP2	QP3	SP2	WP3	..
BN ..	NB3	..	..	..	..	..	PI ..	..	..	..	SS3	WD2	..
BO ..	NF1	VF4	QF2	SS2	WF1	TC1	PN ..	NP5	VS4	QQ2	SS3	WP2	TC1
BQ ..	NU1	VU2	QU2	SU1	WU1	..	PR ..	..	VP4	QP2	SS3	WA1	..
BT ..	..	VB1	QB1	SB1	WB2	TB1	PS ..	..	VP3	QM3	SS2	WP2	TC2
BW ..	..	VB2	QB2	SD1	WP1	TG2	PT ..	..	VS4	QQ2	SS3	WP2	TC1
BE ..	NB2	..	QQ1	..	WA1	TC2	QE ..	NP5	..	..	..	..	..
CE ..	NS1	..	QQ1	SS2	WP2	..	RD ..	NA4	VA2	QA1	SA1	WA2	..
CK ..	NP5	VS5	QS1	..	..	..	RM ..	..	..	..	..	WC2	..
CO ..	..	VC1	QM1	..	WH1	TG2	RN ..	NR1	..	..	..	..	..
DR ..	NS1	VC1	QQ1	SS2	WP2	..	RS ..	..	..	..	..	WC2	..
EC ..	NA1	VS4	QQ1	SS3	WR1	TC2	SA ..	..	VS6	QS2	SS7	WS5	TS2
EN ..	NS6	..	..	SS1	WS4	..	SC ..	NS3	..	..	..	..	..
EV ..	NG1	VG3	QG1	SG1	WG1	..	SD ..	NF1	VF4	QF2	SS2	WF1	TC1
FA ..	NF3	VF2	QF1	SF1	WF2	..	SH ..	NE3	..	..	..	..	..
FM ..	NF1	..	QF2	SS2	WF1	TC1	SI ..	NA1	..	QQ1	SS3	WR1	TC2
GL ..	NG1	VG3	QG1	SG1	WG1	..	SN ..	NG1	VG3	QQ1	..	WG1	..
GP ..	..	..	..	SP2	WC1	..	SP ..	NB2	..	..	..	WA1	..
GR ..	NB2	..	..	..	..	..	SQ ..	NS4	..	..	SS4	WS2	..
GV ..	NW2	VS4	QQ1	SL1	WC2	TC2	ST ..	NA2	..	..	..	..	..
HA ..	NI1	..	QM2	..	..	..	TO ..	..	VT1	QT1	ST1	..	TG2
JM ..	NS1	VS1	QC2	..	..	..	TR ..	..	VR1	..	..	..	..
KL ..	NU1	VU2	QU2	SU1	WU1	..	UP ..	..	VU1	QU1	..	WM1	TG2
KN ..	NS3	..	..	..	..	..	UW ..	NB2	..	QQ1	SS3	WA1	TC2
LF ..	..	VW2	..	..	..	..	VF ..	NB2	..	..	..	..	..
LP ..	..	VR1	QQ1	SS2	WA1	TC2	WB ..	..	..	..	..	..	TC2
MC ..	..	VV1	..	SS5	..	TC2	WP ..	NW1	VA3	QW3	SA2	WC2	TA1
ME ..	..	..	QM1	..	..	..	ZR ..	ND1	..	..	..	..	..

DISTRIBUTORS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES			
Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell	NA4	Stenning Sinclair Pty Ltd 86 Parramatta Road, Camperdown	NS5
Andrews Laboratories Pty Ltd 12 Primrose Avenue, Rosebery	NA3	USV Australia Pty Ltd 172-178 Princes Highway, Arncliffe	NU1
Ascot Pharmaceuticals Pty Ltd 33 Myrtle Street, North Sydney	NA2	Warrah Pty Ltd 51-55 Warrah Street, East Chatswood	NW2
Australian Pharmaceutical Industries Ltd 221-229 Mitchell Road, Alexandria	NA1	Weddel Pharmaceuticals 213-219 Miller Street, North Sydney	NW1
Bayer Pharmaceutical Company 47 Wilson Street, Botany	NB3		
Boucher and Muir 118-124 Willoughby Road, Crows Nest	NB2	VICTORIA	
Burroughs Wellcome & Co. (Aust.) Ltd Cressy Street, Rosebery	NB4	Abbott Laboratories Pty Ltd 134-138 Mahoneys Road, Thomastown	VA2
Essex Laboratories Pty Ltd 11 Gibbon Road, Baulkham Hills	NE3	Angliss W. and Co. (Aust.) Pty Ltd Lynch Street, Footscray	VA3
Faulding, F. H. and Co. Ltd 249-259 Chalmers Street, Redfern	NF3	Astra Chemicals Pty Ltd 545 St Kilda Road, St Kilda	VA1
Fawns and McAllan Pty Ltd 176 Day Street, Sydney	NF1	Boots Company (Aust.) Pty Ltd, The 24 Woorayl Street, Carnegie	VB1
Glaxo Australia Pty Ltd 10 Byfield Street, North Ryde	NG1	Burroughs Wellcome and Co. (Aust.) Ltd 303-305 Albert Street, Brunswick	VB2
Irving, N. 141 Buckland Street, Alexandria	NI1	Cambridge Laboratories Pty Ltd 397 Little Lonsdale Street, Melbourne	VC1
Muir and Neil Pty Ltd 479 Kent Street, Sydney	NM2	Faulding, F. H. and Co. Ltd 129 Lonsdale Street, Melbourne	VF2
Protea Pharmaceuticals Pty Ltd 13-19 Glebe Street, Glebe	NP5	Fawns and McAllan Pty Ltd 432 Mt Dandenong Road, Croydon	VF4
Riker Laboratories Australia Pty Ltd 9-15 Chilvers Road, Thornleigh	NR1		
Salmond and Spraggon (Aust.) Pty Ltd Loyalty Road, North Rocks	NS6	Gamaprod Pty Ltd 169 Lygon Street, Carlton	VG1
Schaffer and Co. (N.S.W.) Pty Ltd 8 Shirlow Street, Marrickville	NS1	Glaxo Australia Pty Ltd 1061 Mountain Highway, Boronia	VG3
Schering Pty Ltd Wood Street, Tempe	NS3	Gollin and Co. Ltd 58-72 Queens Bridge Street, South Melbourne	VG2
Squibb, E. R. and Son (Pty) Ltd 96-98 Buckland Street, Alexandria	NS4		

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Medical Research Pty Ltd 279 Edwardes Street, Reservoir	VM3	Boots Company (Aust.) Pty Ltd, The 36 Brookes Street, Bowen Hills	QB1
Melbourne Ostomy Supplies P.O. Box 76, Mentone	VM2	Brambles Pharmaceutical Distributors 136 Clough Street, Mount Gravatt	QB4
Naytura Ltd 23 Alex Avenue, Moorabbin	VN2	Burroughs Wellcome and Co. (Aust.) Ltd 43 Peel Street, South Brisbane	QB2
Newman, L. K. J. and Co. Pty Ltd 325 Bay Road, Cheltenham	VN1	Cullum, T. G. Pty Ltd 96-100 Warren Street, Fortitude Valley	QC2
Organon (Australia) Pty Ltd 279 Edwardes Street, Reservoir	VO1	Faulding, F. H. and Co. Ltd 126-132 Barry Parade, Brisbane	QF1
Parke, Davis and Co. 23 Kilpa Road, Moorabbin	VP1	Fawns and McAllan Pty Ltd .. 65 Montpelier Road, Bowen Hills	QF2
Pfizer Pty Ltd 13 Capella Crescent, Moorabbin	VP2	Glaxo Australia Pty Ltd 2 Thompson Street, Mayne	QG1
Pharmacia (South Seas) Pty Ltd 279 Edwardes Street, Reservoir	VP3	Kenneth Mitchell Agencies Pty Ltd 96 Alfred Street, Fortitude Valley	QK1
Philips Southern Trading Pty Ltd .. 23 Slater Parade, East Keilor	VP4	MacLean Agencies 26 Merivale Street, South Brisbane	QM1
Rocke, Tomsitt and Co. Ltd .. 10 Griffith Street, Richmond	VR1	Maley, G. P. 483 Adelaide Street, Brisbane	QM2
Salmond and Spraggon (Aust.) Pty Ltd 675 Dandenong Road, Malvern	VS5	Medical and Surgical Requisites Pty Ltd 182 Logan Road, Buranda	QM3
Sanitarium Health Food Co. 118 Union Street, Windsor	VS6	Morris Surgical Pty Ltd 110 Edward Street, Brisbane	QM4
Schaffer and Co. (Vic.) Pty Ltd 126 Bank Street, South Melbourne	VS1	Parke, Davis and Company 20-26 Glentanna Street, Kedron	QP1
Sigma Co. Ltd P.O. Box 144, Clayton	VS4	Pfizer Pty Ltd 1 Merton Road, Woolloongabba	QP3
Toppin, R. D. and Sons Pty Ltd Cnr Blackburn and Ferntree Gully Roads, Mount Waverley	VT1	Prosana Laboratories Pty Ltd .. 673 Sherwood Road, Sherwood	QP2
Upjohn Pty Ltd .. 115 Leicester Street, Carlton	VU1	Queensland Druggists Ltd 160 Wecker Road, Mt Gravatt	QQ1
USV Australia Pty Ltd 694 Glenferrie Road, Hawthorn	VU2	Queensland Ethicals .. Enterprise Street, Salisbury North	QQ2
Vandos Agencies Pty Ltd 22 Wilson Street, South Yarra	VV1	Redbank Meat Works Pty Ltd 149-157 Melbourne Street, South Brisbane	QW3
Virax Ethicals Ltd 77-79 Market Street, South Melbourne	VV2	Salmond and Spraggon (Aust.) Pty Ltd 63 Doggett Street, Fortitude Valley	QS1
Warner and Webster Pty Ltd .. 62 Glen Eira Road, Elsternwick	VW2		
QUEENSLAND			
Abbott Laboratories Pty Ltd .. 35 Lackey Avenue, Coorparoo	QA1		

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Sanitarium Health Food Co. 951 Ipswich Road, Moorooka	QS2	Sanitarium Health Food Co. 73 Hackney Road, Hackney	SS7
Toppin, R. D. and Sons Pty Ltd 29 Samford Road, Alderley	QT1	Simes Australia Pty Ltd 135 Magill Road, Stepney	SS5
Upjohn Company Pty Ltd 333 Coronation Drive, Milton	QU1	Southern Drug Company 180 Sturt Street, Adelaide	SS2
USV Australia Pty Ltd Room 9, 331 Logan Road, Stones Corner	QU2	Squibb and Sons, E. R. (Pty) Ltd 302 North Terrace, Adelaide	SS4
Warrah Pty Ltd 9 Toomey Street, West Chermide	QW4	Summit Agencies Pty Ltd Milner Street, Hindmarsh	SS3
SOUTH AUSTRALIA		Toppin, R. D. and Sons Pty Ltd 6 Plymouth Avenue, Darlington	ST1
Abbott Laboratories Pty Ltd 33 Henry Street, Stepney	SA1	USV Australia Pty Ltd Room 44, Paringa Building, 13-15 Hindley Street, Adelaide	SU1
Angliss, W. and Co. (Aust.) Pty Ltd 15 Grote Street, Adelaide	SA2	WESTERN AUSTRALIA	
Boots Company (Aust.) Pty Ltd, The 131 West Beach Road, Richmond	SB1	Abbott Laboratories Pty Ltd 1 Gloucester Street, Victoria Park	WA2
D and L Agencies Ltd 22-24 Louisa Street, Adelaide	SD1	Avery Guhl Pty Ltd 369 William Street, Perth	WA1
Faulding, F. H. and Co. Pty Ltd 48 Beans Road, Thebarton	SF1	Boots Company (Aust.) Pty Ltd, The 15 Gladstone Street, East Perth	WB2
Glaxo Australia Pty Ltd 32 The Parade, Norwood	SG1	Burroughs Wellcome & Co. (Aust.) Ltd 21 Ballantyne Road, Kewdale	WB1
Lawall Agencies 22-24 Louisa Street, Adelaide	SL1	Clayden, W. J. Pty Ltd 93 York Street, Subiaco	WC1
MacGill, Peter and Co. 55 Jerningham Street, North Adelaide	SM2	Cottman, L. J. Pty Ltd 93 York Street, Subiaco	WC2
Malcolm McNeil Pty Ltd 229 Rundle Street, Adelaide	SM1	Faulding F. H. and Co. Ltd 493-495 Abernethy Road, Kewdale	WF2
Pfizer Pty Ltd 12 Lloyd Street, St Marys	SP2	Fawns and McAllan Pty Ltd 112 Churchill Avenue, Subiaco	WF1
Salmond and Spraggon (Aust.) Pty Ltd 207c Devonport Terrace, Prospect	SS1	Glaxo Australia Pty Ltd 100 Norma Road, Myaree	WG1
		Hitchcock and Co., H. L. 112 Brisbane Street, Perth	WH1
		Martin, G. and Son 83 Brisbane Street, Perth	WM1

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Pfizer Pty Ltd 9 Milford Street, East Victoria Park	WP3	TASMANIA	
Pharmaceutical Distributors 64 King Street, Perth	WP1	Angliss, W. and Co. (Aust.) Pty Ltd 152 Macquarie Street, Hobart	TA1
Pharmax Pty Ltd 12 Aberdeen Street, Perth	WP2	Boots Company (Aust.) Pty Ltd, The Granville Avenue, Geilston Bay, Lindisfarne	TB1
Rumbles Ltd 26 Wheeler Street, Belmont	WR1	Cados (South) Pty Ltd 18 Watchorn Street, Hobart	TC2
Salmond and Spraggon (Aust.) Pty Ltd 8 Loftus Street, Perth	WS4	Cados (North) Pty Ltd 63 Cameron Street, Launceston	TC1
Sanitarium Health Food Co. 77 Burswood Road, Victoria Park	WS5	Grounds and Bewglass Pty Ltd 150-160 Main Road, Moonah	TG2
Squibb and Sons, E. R. (Pty) Ltd 36 Outram Street, West Perth	WS2	Grounds and Bewglass Pty Ltd 29 St John Street, Launceston	TG3
USV Australia Pty Ltd 324 Charles Street, North Perth	WU1	McCallum Lyppard Pty Ltd 6 Market Place, Hobart	TM1
Westralian Drug Co. Pty Ltd .. 260 Hay Street, Subiaco	WD2	Sanitarium Health Food Co. Cnr Main and Derwent Park Roads, Moonah	TS2

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Code	Name of Pharmaceutical Benefit	Strength and Volume	Form	Maximum Quantity
1016L	Adrenaline Injection BP	1 mg in 1 ml	Ampoule	5
1038P	Aminophylline Injection BP	250 mg in 10 ml	Ampoule	5
1089H	Atropine Sulphate Injection BP	600 micrograms in 1 ml	Ampoule	5
1195X	Chlorpromazine Injection BP	50 mg in 2 ml	Ampoule	10
3040B	Dextrose Injection BP	50%, 10 ml	Ampoule	5
2558P	Diazepam injection	10 mg in 2 ml	Ampoule	5
1321M	Digoxin Injection BP	500 micrograms in 2 ml	Ampoule	5
1378M	Ergometrine Injection BP	250 micrograms in 1 ml	Ampoule	5
1395K	Erythromycin I.M. injection	100 mg in 2 ml	Ampoule	5
or	or			
1720M	Oxytetracycline hydrochloride I.M. injection	250 mg in 5 ml	Vial	5
2413B	Frusemide Injection BP	20 mg in 2 ml	Ampoule	5
1467F	Heparin Injection BP	5,000 units in 1 ml	Ampoule	1
or	or			
1468G	Heparin Injection BP	25,000 units in 5 ml	Vial	1
1501B	Hydrocortisone sodium succinate injection set	Equivalent to 100 mg hydrocortisone and 2 ml solvent	Vial and Ampoule	2 sets
or	or			
3096Y	Hydrocortisone sodium succinate injection set	Equivalent to 250 mg hydrocortisone and solvent	Vial and Ampoule	1 set
2875H	Lignocaine injection	100 mg in 5 ml	Ampoule	4
1645N	Morphine Sulphate Injection BP	15 mg in 1 ml	Ampoule	5
or	or			
1647Q	Morphine Sulphate Injection BP	30 mg in 1 ml	Ampoule	5
1661K	Morphine sulphate with atropine sulphate injection	15 mg-600 micrograms in 1 ml	Ampoule	5
1829G	Pethidine Injection BP	100 mg in 2 ml	Ampoule	5
1794K	Procaine Penicillin Injection BP	1.5 g	Disposable syringe pack	10
1206L	Metoclopramide hydrochloride injection	10 mg in 2 ml	Ampoule	10
or	or			
2369Q	Prochlorperazine injection	12.5 mg in 1 ml	Ampoule	10
or	or			
2368P	Thiethylperazine injection	6.5 mg (base) in 1 ml	Ampoule	10
1948M	Promethazine injection BP	50 mg in 2 ml	Ampoule	10
1239F	Terbutaline sulphate injection	100 micrograms in 1 ml	Ampoule	5
or	or			
1034K	Terbutaline sulphate injection	500 micrograms in 1 ml	Ampoule	5
2127Y	Tetanus Vaccine, Adsorbed	0.5 ml	Ampoule	10

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS

Operative as from 1 December 1976

SECTION 2

RESTRICTED BENEFITS

All restricted items are printed in red.

The maximum quantity and/or number of repeats in respect of any item shown in the Schedule may be varied by the Director of Health when issuing an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. Payment will be made on the basis of the price shown for that item in the Schedule. (See paragraphs 15,16, and 35 of Section 1 - Explanatory Notes (lemon pages)).

SYMBOLS USED IN THE SCHEDULE

An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.

A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, in which case the item is to be labelled.

A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack should be supplied.

A gauge sign (#) against the price of an item indicates that the product is not preconstituted and that a special professional fee of \$1.06 is included in the dispensed price.

Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W);
Tas. - (T).

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2742H	ACEPIFYLLINE Tablet 250mg	100	2	\$ 2.84	Etaphylline	DF
2743J	Paediatric Syrup 125mg per 5ml, 500ml	≠1	4	2.91	Etaphylline	DF
2445Q	Injection 500mg in 5ml	5	..	1.61	Etaphylline	DF
1004W	ACETAZOLAMIDE Tablet 250mg	50	6	6.01 6.04	Glaucomide Diamox	PT LE
2376C	Capsule 500mg (sustained release)	50	2	11.51	Diamox	LE
1005X	Injection 500mg (solvent required)	1	..	5.51	Diamox	LE
1006Y	ACETOHEXAMIDE Tablet 500mg	100	2	6.17	Dimelor	LY
2811Y	ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2ml	2	..	*10.70	Miochol	CP
2630K	ACETYLCYSTEINE To be endorsed "S.P." Solution 20%, 10ml	5	3	11.09	Mucomyst	MJ
2434D	ADRENALINE Eye Drops 0.5%, 7.5ml	≠1	6	3.51	Epinal Eppy	AQ ET
3031M	0.5%, 10ml	≠1	6	3.64	Epifrin	AG
1014J	1%, 7.5ml	≠1	6	3.84	Epinal Eppy	AQ ET
2955M	1%, 10ml	≠1	6	3.97	Epifrin Glaucan	AG AQ
1015K	2%, 10ml	≠1	6	7.17	Epifrin Glaucan	AG AQ
2479L	2%, (100mg and 5ml diluent)	≠1	6	#6.26	Lyophrin	AQ
1016L	Injection BP 1mg in 1ml (1 in 1,000)	5	1	1.88	AB,BL,KL,SI	
1057P	ALGINIC ACID COMPOUND To be accompanied by an authority from the Director of Health. Granules, 4g sachets, 24	≠1	12	3.77	Gaviscon	RC
3155C	Powder 100g	≠1	12	3.77	Gaviscon Infant	RC
2600W	ALLOPURINOL Tablet 100mg	100	2	6.84	Progout Zyloprim	PT BW
2765M	ALOXIPRIN Tablet 600mg	100	2	2.91	Palaprin Forte	NS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ALPRENOLOL To be endorsed "S.P."			\$		
2991K	Tablet 100mg	100	2	6.97	Aptin Betacard	AP BR
2905X	Injection 1mg per ml, 10ml	1	..	2.33	Aptin Betacard	AP BR
2797F	ALUMINIUM HYDROXIDE GEL Mixture 320mg per 5ml, 360ml	1	2	1.32 1.50	Minajel Alusorb Amphojel Gelox	MG DH WY PR
2798G	(with instructions for use)					
1026B	ALUMINIUM HYDROXIDE GEL DRIED Tablet 300mg	100	2	2.37	Actal Amphotabs	WL WY
2552H	ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1g per 5ml, 360ml	1	2	2.17	Kaogel Kaomagma	FA WY
1029E	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	2.37	Aludrox	WY
2576N	200mg-200mg	100	2	2.37	Mylanta	PD
2799H	Mixture 300mg-100mg per 5ml, 360ml	1	2	2.17	Aludrox Milagel	WY PR
2735Y	Suspension 215mg-80mg per 5ml, 360ml	1	2	2.17	Dijene Simeco	BT WY
2575M	200mg-200mg per 5ml, 360ml	1	2	2.17	Almacarb Merasyn Mylanta Sodexol	AH ML PD SC
2796E	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZINE Suspension 306mg-97.5mg-10mg per 5ml, 360ml	1	2	2.31	Mucaine	WY
1031G	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg	100	2	2.37	Gelusil	WW
2849Y	Mixture 250mg-500mg per 4ml, 360ml	1	2	2.17	Gelusil	WW
1032H	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	2.37	Gastrogel Gastroid Neutratabs	FM BB HA
2980W	Mixture 250mg-120mg-120mg per 5ml, 360ml	1	2	2.17	Gastrogel	FM

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1033J	ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	\$ 2.37	Almacarb Dijene Simeco	AH BT WY
2577P	ALUMINIUM SODIUM SILICATE Powder 100g	1	2	1.97	Neutralon	SC
3016R	AMANTADINE HYDROCHLORIDE To be endorsed "S.P."					
3016R	Capsule 100mg	100	1	19.08	Symmetrel	GE
2934K	AM BENONIUM CHLORIDE Tablet 10mg	100	2	8.19	Mytelase	WL
3109P	AMILORIDE Tablet 5mg	50	2	2.97	Midamor	MK
1035L	AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	≠1	2	2.04	Aminopt	SI
	AMINO ACID FORMULA without PHENYL- ALANINE To be endorsed "S.P."					
3073R	Powder 200g	2	2	*53.34	Aminogran	GL
3071P	250g	2	2	*94.66	PK AID I	MN
3072Q	250g	2	2	*117.34	PK AID II	MN
	AMINO ACIDS with ALCOHOL, VITAMINS and ELECTROLYTES See Intravenous Fluids					
	AMINO ACIDS with SORBITOL See Intravenous Fluids					
	AMINO ACIDS with SORBITOL and ALCOHOL See Intravenous Fluids					
	AMINO ACIDS with VITAMINS and ELECTROLYTES See Intravenous Fluids					
	AMINOCAPROIC ACID To be endorsed "S.P."					
2486W	Oral Solution 250mg per ml, 20ml	10	..	11.37	Ekaprol	DF
2483Q	Injection I.V. 250mg per ml, 10ml	10	..	7.19	Ekaprol	DF
1039Q	AMINOPHYLLINE Tablet 100mg	100	2	1.84	Cardophyllin Carine DH,RT(V),SI	HA KL
2463P	125mg (enteric coated)	100	2	2.84	Androphyllin	ET
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1038P	AMINOPHYLLINE - cont. Injection I.V. 250mg in 10ml	5	..	\$ 2.44	Cardophyllin Carine AB,LP,SI	HA KL
1037N	I.M. 500mg in 2ml	5	..	2.44	Cardophyllin AB	HA
1152P	Suppositories 100mg, 12	#1	1	1.96	Cardophyllin	HA
1041T	175mg, 12	#1	1	1.96	Cardophyllin	HA
1042W	250mg, 12	#1	1	2.17	Cardophyllin	HA
1043X	400mg, 12	#1	1	2.17	Cardophyllin	HA
3117C	AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE Tablet 130mg-25mg-25mg	100	2	2.57	Phyline	CO
2957P	130mg-25mg-25mg (enteric coated)	100	2	3.17	Amesec	LY
2839K	Capsule 130mg-25mg-25mg	100	2	2.57	Amesec Protasma	LY PT
2417F	AMITRIPTYLINE Tablet 10mg	50	2	1.80	Laroxyl Saroten Tryptanol	SU NS MK
2418G	25mg	50	2	2.57	Laroxyl Saroten Tryptanol	SU NS MK
3008H	Capsule 10mg	50	2	1.87	Elavil	FR
3009J	25mg	50	2	2.76	Elavil	FR
2989H	Mixture 10mg (base) in 5ml, 100ml	#1	4	1.75	Elavil Tryptanol	FR MK
2672P	Injection 25mg per ml, 2ml	10	..	4.57	Laroxyl	SU
1044Y	AMMONIUM CHLORIDE Tablet 500mg	100	3	2.17	RY	
1045B	AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	2	5.51	Camoquin	PD
1884E	AMOXYCILLIN Capsule 250mg	20	..	4.00	Amoxil Moxacin	BR CS
1886G	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.90	Amoxil Moxacin	BR CS
2930F	AMPHOTERICIN Tablet 100mg	50	..	7.31	Fungilin	SQ
2931G	Lozenge 10mg (continued)	20	..	2.31	Fungilin	SQ

+ 6						+	
Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer		
2932H	AMPHOTERICIN - cont. Suspension 100mg per ml, 24ml	≠1	..	\$ 3.11	Fungilin	SQ	
1047D	Injection 50mg (solvent required)	1	..	4.77	Fungizone	SQ	
2927C	Cream 3%, 15g	≠1	..	2.57	Fungilin	SQ	
2929E	Ointment 3%, 15g	≠1	..	2.57	Fungilin	SQ	
2933J	Pessaries 50mg, 15	≠1	1	2.68	Fungilin	SQ	
2928D	Vaginal Cream 100mg per 4g, 60g (15 doses)	≠1	1	2.77	Fungilin	SQ	
2462N	AMPICILLIN Tablet 125mg	25	..	2.60	Austrapen Penbritin	CS BR	
1048E	Capsule 250mg	25	..	3.61	Austrapen Bristin Penbritin	CS BC BR	
2671N	500mg	12	1	3.36	Austrapen Bristin Penbritin	CS BC BR	
3061D	Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#2.93	Austrapen Bristin Penbritin	CS BC BR	
3123J	250mg per 5ml, 100ml	≠1	..	#4.20	Austrapen Forte Bristin Penbritin Forte	CS BC BR	
2644E	Injection 100mg (solvent required)	5	1	4.04	Austrapen Penbritin	CS BR	
2389R	250mg (solvent required)	5	1	5.17	Austrapen Bristin Penbritin	CS BC BR	
2390T	500mg (solvent required)	5	1	7.81	Austrapen Bristin Penbritin	CS BC BR	
2977Q	1g (solvent required)	5	1	13.40	Austrapen Bristin Penbritin	CS BC BR	
1049F	AMYLOBARBITONE Tablet 15mg	50	..	*1.23	Amylbarb Amytal Neur-Amyl Restal Sedal	PT LY FM HA FA	
	(continued)						

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1050G	AMYOLOBARBITONE - cont. Tablet 30mg	50	..	\$ *1.29	Amal KL Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Restal HA Sedal FA
1051H	50mg	50	..	*1.32	Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Restal HA Sedal FA
1052J	100mg	25	..	1.05 1.07 1.13 1.15	Amylbarb PT Restal HA Mylosed VR Amytal LY Neur-Amyl FM Sedal FA
2652N	AMYOLOBARBITONE SODIUM Capsule 50mg	50	..	*1.56	Amsal AV Amytal Sodium LY Neur-Amyl Sodium FM
1056N	200mg	25	..	1.55 1.64	Amylbarb Sodium PT Amylobeta BB Amytal Sodium LY Mylosed VR Neur-Amyl Sodium FM Sodium Sedal FA
1058Q	Injection 250mg (solvent required)	5	..	*6.84	Amytal Sodium LY
1059R	500mg (solvent required)	5	..	*8.84	Amytal Sodium LY
2531F	ANGIOTENSIN AMIDE Injection 500 micrograms (solvent required)	5	..	2.84	Hypertensin CB
2532G	2.5mg (solvent required)	5	..	*10.10	Hypertensin CB
1075N	ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	#1	2	1.77	Antistine-Privine ZY
1980F	ANTIVENENE - RED BACK SPIDER Injection 500 Units	2	..	*17.38	CS
1078R	ASCORBIC ACID To be endorsed with the pension number. Tablet 50mg	100	2	1.61 1.64	Ascorb "50" PT DH,LP,RT(V),RY
1008C	ASPIRIN Tablet 300mg	100	2	1.32	KL,RY
1230R	650mg (enteric coated) (continued)	100	2	3.44	Ecotrin SK Rhusal GP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2968F	ASPIRIN - cont. Tablet 650mg (includes 350mg sustained release)	100	2	\$ 2.44	Bi-prin BT
3110Q	ASPIRIN (BUFFERED) Tablet 325mg	100	2	2.40	Bufferin BC
1025Y	500mg	100	2	2.91	Bufferin Forte BC
1010E	ASPIRIN (SOLUBLE) Tablet 300mg	100	2	1.57 1.75	Novosprin VR Prodol BB Solprin RC Solusal HA DH,RY
3113W	500mg	100	2	1.97	Provoprin 500 DH
1084C	ATROPINE METHONITRATE Tablet 1mg	50	2	2.83	Eumydrin WL
1083B	Oral Solution 0.6%, 15ml	1	..	2.48	Eumydrin WL
2704H	ATROPINE SULPHATE Tablet 600 micrograms	100	2	1.77	RY
1088G	Injection 400 micrograms in 1ml	5	1	1.84	AB,BL,KL,LP
1089H	600 micrograms in 1ml	5	1	1.84	AB,BL,KL,LP
1091K	1.25mg in 1ml	5	1	1.88	AB,BL,KL,LP
1092L	Eye Drops 0.5%, 15ml	≠1	2	2.17	Atropt SI
1093M	1%, 15ml	≠1	2	2.17	Atropt SI KL,LP
1094N	Eye Ointment 1%, 4g	≠1	..	3.77	PD
1251W	AZATADINE MALEATE Tablet 1mg	50	2	2.44	Zadine SH
2687K	AZATHIOPRINE To be accompanied by an authority from the Director of Health. Tablet 50mg	100	..	34.17	Imuran BW
2729P	BACLOFEN To be accompanied by an authority from the Director of Health. Tablet 10mg	100	..	20.84	Lioresal CB
2730Q	25mg	100	..	43.51	Lioresal CB
1650W	BECLOMETHASONE DIPROPIONATE To be endorsed "S.P." Inhalation, metered aerosol spray 50 micrograms per dose (200 dose)	≠1	2	7.77	Aldecin SH Becotide AH
	* * *				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1651X	BECLOMETHASONE DIPROPIONATE Cream 0.0125%, 30g	≠1	1	\$ 2.16	Propaderm	AH
1652Y	Ointment 0.0125%, 30g	≠1	1	2.16	Propaderm	AH
2705J	BELLADONNA Prepared Belladonna Herb BP Tablet 30mg	100	2	2.01	Atrobel	FM
2706K	45mg	100	2	2.09	Atrobel	FM
2916L	BELLADONNA ALKALOIDS Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydrobromide Tablet 103.7 micrograms - 19.4 micrograms - 6.5 micrograms	100	2	2.04	Donnatab	RS
2915K	Elixir 103.7 micrograms - 19.4 micrograms - 6.5 micrograms per 5ml, 100ml	≠1	4	2.04	Donnalix	RS
1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	2.29	Aprinox-M Pluryl	BT SK
1106F	5mg	50	2	3.08	Aprinox Neo-Naclex Pluryl	BT GL SK
1107G	BENZALKONIUM CHLORIDE Compound Suppositories, 12	≠1	1	1.91	Anoidal Paxyl	HA FA
1108H	Solution 10%, 114ml	≠1	..	2.31	Zephiran Concentrated	WL
1140B	BENZATHINE PENICILLIN Injection 1.8g (solvent required)	1	..	2.51	L.P.G.	CS
1767B	BENZATHINE PENICILLIN COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg. Injection set containing 1 vial and 2ml water for injections	1	..	2.17	Bicillin All-Purpose	WY
1109J	BENZHEXOL Tablet 2mg	100	2	2.73 2.77	Anti-Spas Artane	PT LE
1110K	5mg	100	2	4.41 4.44	Anti-Spas Artane	PT LE
1111L	BENZOCAINE with ADRENALINE Compound Ointment 50g	1	1	2.11	Rectinol	GP
1112M	Compound Suppositories, 12	≠1	1	2.11	Rectinol	GP
2362H	BENZTROPINE Tablet 2mg	100	..	5.11	Cogentin	MK
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3038X	BENZTROPINE - cont. Injection 2mg in 2ml	5	..	\$ *6.49	Cogentin MK
1114P	BENZYL BENZOATE Application 25%, 200ml	≠1	2	2.84	Benzemul DH MG
1769D	BENZYL PENICILLIN Tablet 250mg	25	1	2.72	Abbocillin G AB
1774J	Injection 300mg (solvent required)	5	1	3.64	CS
1775K	600mg (solvent required)	5	1	3.77	Crystapen CS GL
1776L	900mg (solvent required)	5	1	4.84	Crystapen GL
2647H	3g (solvent required)	10	..	*22.14 *22.18	Crystapen CS GL
2648J	6g (solvent required)	10	..	*30.14	Crystapen CS GL
2694T	BETAMETHASONE To be endorsed "S.P." Injection 6mg in 1ml * * *	5	..	9.55	Celestone Chronodose SH
1117T	BETAMETHASONE Tablet 500 micrograms	30	2	1.96	Betnelan Celestone GL SH
1116R	Injection 4mg (base) in 1ml	5	..	*7.49	Celestone SH
1118W	Eye Drops 0.1%, 5ml	≠1	2	2.84	Betnelan GL
2377D	Eye Ointment 0.1%, 3g	≠1	..	2.17	Celestone SH
2816F	BETAMETHASONE with CLIOQUINOL Ear Ointment 0.1%-3%, 5g	≠1	2	2.01	Betnovate Otic GL
2812B	BETAMETHASONE VALERATE Cream 0.02% 100g	≠1	..	2.44	Celestone-M SH
2998T	0.05%, 30g	≠1	1	2.16	Betnovate 1/2 Celestone-V GL Half Strength SH
1063Y	Gel 0.05%, 30g	≠1	1	2.16	Betnovate 1/2 GL
2999W	Ointment 0.05%, 30g	≠1	1	2.16	Betnovate 1/2 Celestone-V GL Half Strength SH
1062X	BETHANECHOL Tablet 10mg	50	1	3.33	Urecholine Uro-Carb MK HA
1071J	Injection 5mg in 1ml	2	..	*2.18	Urecholine MK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2416E	BETHANIDINE Tablet 10mg	100	2	\$ 3.51	Esbatal	BW
2712R	25mg	100	2	6.84	Esbatal	BW
2544X	BIPERIDEN Tablet 2mg	100	2	5.51	Akineton	KN
2543W	Injection 5mg in 1ml	5	..	2.84	Akineton	KN
1260H	BISACODYL To be endorsed "S.P." Suppositories 10mg, 5	≠1	..	1.53	Durolax	BY
2984C	BISMUTH SUBGALLATE Compound Ointment 50g	≠1	1	2.04	Anusol	WW
1122C	Compound Suppositories, 12	≠1	1	2.04	Anusol	WW
2315W	BLEOMYCIN To be endorsed "S.P." Injection 15mg (solvent required)	10	..	320.84	Blenoxane	BC
1123D	BORIC ACID Powder 100g	1	..	40.59	FA	
1124E	(with instructions for use)					
2516K	BROMPHENIRAMINE Tablet 4mg	50	2	2.04	Dimetane	RS
2602Y	Syrup 2mg per 5ml, 100ml	≠1	4	1.77	Dimetane	RS
2201W	BUFEXAMAC Cream 5%, 45g	≠1	1	2.16	Parfenac	LE
2202X	Ointment 5%, 45g	≠1	1	2.16	Parfenac	LE
1128J	BUSULPHAN Tablet 2mg	100	2	11.77	Myleran	BW
1133P	BUTOBARBITONE Tablet 100mg	25	..	*1.51	Sonabarb	PT
1134Q	CALCIFEROL To be accompanied by an authority from the Director of Health. Tablet 1.25mg (50,000 Units)	100	2	4.84	Ostelin High Potency	GL
2500N	Oral Solution 15mg (600,000 Units) in 1.5ml alcoholic solution	3	..	2.57	Sterogyl-15	RL
2963Y	CALCIUM To be accompanied by an authority from the Director of Health. Compound Effervescent Tablet equivalent to 500mg calcium	100	5	6.12 6.24	Cal-tab Spar-Cal	HA MJ
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3122H	CALCIUM - cont. Compound Effervescent Tablet equivalent to 1g calcium	30	5	\$ 5.37	Sandocal 1000	SZ
2309M	CALCIUM FOLINATE To be endorsed "S.P." Injection 3mg in 1ml	5	..	12.84	Leucovorin	LE
1146H	CALCIUM GLUCONATE Injection 10%, 10ml	5	1	2.77	Calcium-Sandoz	SZ
2817G	CAPREOMYCIN Injection 1g (solvent required)	5	..	*19.59	Caprocin	LY
2534J	CARBACHOL Eye Drops 0.75%, 15ml	≠1	6	2.77	AQ	
2535K	1.5%, 15ml	≠1	6	2.84	AQ	
2536L	3%, 15ml	≠1	6	2.97	AQ	
2419H	CARBAMAZEPINE Tablet 200mg	200	1	14.97	Tegretol	GE
2818H	CARBENICILLIN To be accompanied by an authority from the Director of Health. Injection 1g (solvent required)	5	..	19.24	Carbapen Pyopen	CS BR
2819J	5g (solvent required)	5	..	83.64	Carbapen Pyopen	CS BR
2620X	CARBENOXOLONE SODIUM To be endorsed "S.P." Tablet 50mg	100	..	11.84	Biogastrone	BQ
1153Q	CARBIMAZOLE Tablet 5mg	100	2	2.51 3.17	Carbazole Neo-Mercazole	PT NS
1154R	CARBINOXAMINE Tablet 4mg	50	2	2.11	Clistin	ET
3106L	CEPHALEXIN To be accompanied by an authority from the Director of Health. Tablet 500mg	12	..	10.52	Keflex	LY
3058Y	Capsule 250mg	25	..	10.93	Ceporex Keflex	GL LY
3119E	500mg	12	..	10.52	Ceporex Keflex	GL LY
3094W	Granules for Syrup 125mg per 5ml, 100ml	≠1	..	#6.46	Ceporex Keflex	GL LY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	CEPHALORIDINE To be endorsed "S.P."			\$		
2494G	Injection 500mg (solvent required)	5	..	*16.24	Ceporan Loridine	GL DL
2643D	1g (solvent required)	5	..	*30.24	Ceporan Loridine	GL DL
	CEPHALOTHIN SODIUM To be endorsed "S.P."					
2964B	Injection 1g (solvent required)	5	..	*22.44	Ceporacin Keflin	GL LY
1135R	2g (solvent required)	1	..	9.36	Keflin	LY
1136T	4g (solvent required)	1	..	17.53	Keflin	LY
	CEPHAZOLIN SODIUM To be endorsed "S.P."					
1256D	Injection 500mg (solvent required)	5	..	*20.49	Kefzol	DL
1257E	1g (solvent required)	5	..	*38.89	Kefzol	DL
	CEPHRADINE To be accompanied by an authority from the Director of Health.					
1653B	Capsule 250mg	25	..	10.93	Eskacef Velosef	SK SQ
1654C	500mg	12	..	10.52	Eskacef Velosef	SK SQ
1655D	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#6.46	Eskacef Velosef	SK SQ
1656E	250mg per 5ml, 100ml	#1	..	#10.80	Eskacef Velosef	SK SQ
	* * *					
	To be endorsed "S.P."					
1894Q	Injection 250mg (solvent required)	5	..	9.64	Eskacef Velosef	SK SQ
1895R	500mg (solvent required)	5	..	16.24	Eskacef Velosef	SK SQ
1896T	1g (solvent required)	5	..	30.24	Eskacef Velosef	SK SQ
3057X	CERATONIA Powder 135g	#1	4	3.85	Carobel	MN
2935L	CHLORAL HYDRATE Capsule 500mg (continued)	50	..	2.24	Chloradorm Lanchloral Noctec	KL LP SQ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2869B	CHLORAL HYDRATE - cont. Mixture 250mg per 5ml, 400ml	≠1	4	\$ 2.17	Dormel DH
2713T	1g per 10ml, 200ml	≠1	4	2.17	Chloradorm KL Chloralix RK Elix-Nocte Forte AV Noctec Syrup SQ
	CHLORAMBUCIL To be accompanied by an authority from the Director of Health.				
1163F	Tablet 2mg	100	2	*19.52	Leukeran BW
1164G	5mg	100	2	*30.16	Leukeran BW
	CHLORAMPHENICOL To be endorsed "S.P."				
1174T	Capsule 250mg	16	..	2.97 3.24	Chloramol PT Chloromycetin PD
2693R	Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	3.37	Chloromycetin Palmitate PD
1167K	Injection 1g (solvent required)	3	..	*7.23	Chloromycetin Succinate PD
	* * *				
1169M	CHLORAMPHENICOL Ear Drops 10%, 6ml	≠1	2	2.17	Chlomin KL Chloromycetin PD
2360F	Eye Drops 0.5%, 10ml	≠1	2	2.17	Chlomin KL Chloromycetin (Opclor) PD Chloroptic AG Chlorsig SI
1171P	Eye Ointment 1%, 4g	≠1	..	1.91	Chlomin KL Chloromycetin PD
	CHLORAMPHENICOL with POLYMYXIN B Eye Ointment				
1177Y	1%-5,000 Units per g, 4g	≠1	..	1.91	Chloromycin PD
1180D	CHLORCYCLIZINE Tablet 50mg	50	2	2.21	PT
1066D	CHLORHEXIDINE Solution 5%, 200ml	≠1	1	2.84	Hibitane Concentrate IC
	CHLORMETHIAZOLE To be endorsed "S.P."				
1410F	Capsule 192mg	50	..	6.17	Hemineurin AP
1409E	Solution 0.8% for I.V. Infusion, 500ml	1	..	11.83	Hemineurin AP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	2	\$ 3.44 3.52 3.56	RT(V) Chlorquin Aralen Avloclor Nivaquine Resochin DH,ET PT WL IC MB BN
1185J	Injection 40mg per ml, 2ml	5	1	*2.48	Nivaquine MB
1187L	CHLOROTHIAZIDE Tablet 500mg	50	2	3.11 3.19	Diuret Chlotride Diubram Diurone PT FR BB KL
1188M	CHLOROTRIANISENE To be endorsed "S.P." Tablet 24mg	30	2	4.60	Tace ML
1190P	CHLORPHENIRAMINE Tablet 4mg	50	2	2.20 2.31	Allergex Chloramin Bramahist Histoids Piriton PT LF BB OD GL
1193T	Capsule 4mg	50	2	2.31	Teledrin-P SK
1192R	Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	1.75	Bramahist Piriton BB GL
1189N	Injection 10mg in 1ml	5	..	2.84	Piriton GL
1196Y	CHLORPROMAZINE To be endorsed "S.P." Tablet 10mg	100	1	2.11 2.17	Protran Largactil Serazone PT MB VR
1197B	25mg	100	1	2.24 2.31	Protran Largactil Procalm Promacid Serazone PT MB BB KL VR
1198C	50mg	100	1	3.24	Largactil Procalm Promacid Protran MB BB KL PT
1199D	100mg	100	1	5.24	Largactil Procalm Promacid Protran MB BB KL PT
1201F	Mixture 25mg per 5ml, 100ml (continued)	≠1	4	2.04	Largactil Promacid MB KL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1194W	CHLORPROMAZINE - cont. Injection BP, 25mg in 1ml	10	..	\$ 3.51	Largactil MB
1195X	50mg in 2ml	10	..	3.64	Largactil MB Promacid KL
1200E	Suppositories 100mg, 5	≠1	1	2.31	Largactil MB
2891E	CHLORPROPAMIDE Tablet 100mg	100	2	3.31	Diabinese M PF
1202G	250mg	100	2	6.25	Diabinese PF
1205K	CHLORTETRACYCLINE Capsule 250mg	25	..	2.69	Chlortet LF
1055M	Ointment 3%, 15g	≠1	..	1.91	Aureomycin LE
1585K	CHLORTHALIDONE Tablet 25mg	50	2	2.51	Hygroton GE
3021B	CHOLERA VACCINE Injection 1ml	2	..	*2.70	CS
2967E	CHOLESTYRAMINE To be accompanied by an authority from the Director of Health.	2	..	*22.70	Questran MJ
2788R	CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	2.97	Choledyl WW
2789T	200mg	100	2	3.36	Choledyl WW
2787Q	Syrup 50mg per 5ml, 500ml	≠1	4	2.57	Choledyl WW
2866W	CHOLINE THEOPHYLLINATE with GUAIPHENESIN Tablet 200mg-100mg	100	2	3.51	Brondecon WW
2867X	Elixir 50mg-25mg per 5ml, 500ml	≠1	4	2.71	Brondecon WW
3017T	CLEMASTINE Mixture 250 micrograms (base) per 5ml, 100ml	≠1	4	1.77	Tavegyl SZ
3046H	Injection 2mg(base) in 2ml	5	..	2.24	Tavegyl SZ
1210Q	CLEMIZOLE Tablet 20mg	50	2	*2.14	Allercur SC
1212T	Paediatric Syrup 100ml	≠1	4	1.53	Allercur SC
3137D	CLINDAMYCIN To be endorsed "S.P.". Capsule 75mg	25	..	4.27	Dalacin C UP
3138E	150mg	25	..	7.31	Dalacin C UP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3030L	CLIOQUINOL Cream 1%, 30g CLOFIBRATE To be accompanied by an authority from the Director of Health.	#1	..	\$ 1.91	Cremo-Quin Vioform	HA CB
2892F	Capsule 500mg CLONAZEPAM To be endorsed "S.P."	100	2	9.51	Atromid-S Liprinal Lostat	IC MJ PD
1805B	Tablet 500 micrograms	200	1	6.17	Rivotril	RO
1806C	2mg	200	1	10.17	Rivotril	RO
1807D	Injection set containing 1mg and 1ml solvent	5	..	2.84	Rivotril	RO
3141H	CLONIDINE Tablet 150 micrograms	100	2	7.17	Catapres	BY
3142J	Injection 150 micrograms in 1ml	5	..	3.11	Catapres	BY
2399G	CLOPAMIDE Tablet 20mg	50	2	3.64	Brinaldix	SZ
2880N	CLOREXOLONE Tablet 10mg	50	2	2.51	Nefrolan	MB
2297X	25mg	50	2	2.91	Nefrolan	MB
2298Y	50mg	50	2	3.51	Nefrolan	MB
2300C	CLOXACILLIN To be accompanied by an authority from the Director of Health. Capsule 250mg	25	..	8.64	Austrastaph Orbenin	CS BR
1120Y	500mg	12	..	8.33	Austrastaph Orbenin	CS BR
2936M	Powder for Syrup 125mg per 5ml, 100ml * * *	#1	..	#6.21	Austrastaph Orbenin	CS BR
2299B	CLOXACILLIN Injection 250mg (solvent required)	5	..	7.17	Austrastaph Orbenin	CS BR
2301D	500mg (solvent required)	5	..	11.11	Austrastaph	CS
1214X	CODEINE PHOSPHATE Tablet 30mg	25	..	2.91	DH,KL,LP,RT(V),RY	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	CODEINE PHOSPHATE with ASPIRIN To be endorsed with the pension number.			\$	
1218D	Tablet Soluble 8mg-300mg	100	2	2.61	Aspalgin FM
1219E	8mg-500mg	100	2	2.57	Solcode RC
	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL To be endorsed with the pension number.				
1215Y	Tablet 8mg-250mg-250mg	100	2	2.16	RY
1216B	Soluble 8mg-250mg-250mg * * *	100	2	2.57	Solgesil DH
	To be endorsed "S.P."				
1222H	Tablet 30mg-225mg-150mg	100	1	*7.24	Codiphen Forte GP Codral Forte BW
	NOTE: This latter item is classed as a dangerous drug (S8) in the Australian Capital Territory. Payment will include the appropriate fee.				
3111R	COLASPASE Injection 10,000 Units (solvent required)	10	1	*262.84	Crasnitin MB
1227N	COLCHICINE Tablet 500 micrograms	100	2	3.21 3.33 3.37 3.51	Colgout PT DH,PR,RT(V) Coluric AV BW Colcin KL LP,MR
	COLISTIN To be endorsed "S.P."				
2621Y	Injection 150mg (solvent required)	5	..	*34.99	Coly-Mycin WW
2756C	COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per ml, 10ml	1	2	2.17	Coly-Mycin WW
1228P 1229Q	COPPER SULPHATE Diagnostic Compound Tablets, 36 (with instructions for use)	1	3	1.05	Clinitest AM
1246N	CORTISONE ACETATE Tablet 5mg	50	1	2.31	Cortate PT Cortone MK
1247P	25mg	30	2	3.24	Cortate PT
1258F	CYANOCOBALAMIN To be endorsed "S.P." Injection 100 micrograms in 1ml	5	1	2.76 2.84	Panalamine Cytamen 100 LP
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1262K	CYANOCOBALAMIN - cont. Injection 1mg in 1ml	5	..	\$ 3.16 3.24	Panalamine 1000 PT Cytamen 1000 GL LP
1255C	CYCLIZINE Tablet 50mg	50	1	2.17	Marzine BW
1263L	CYCLOBARBITONE Tablet 200mg	25	..	1.64	Amnosed BW
1264M	CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	2.97	Navidrex CB
	CYCLOPHOSPHAMIDE To be accompanied by an authority from the Director of Health.				
1266P	Tablet 50mg	50	..	5.93	Endoxan-Asta MJ
1265N	Injection 100mg (solvent required)	5	1	10.84	Endoxan-Asta MJ
2381H	200mg (solvent required)	5	1	11.51	Endoxan-Asta MJ
1079T	500mg (solvent required)	2	1	*6.18	Endoxan-Asta MJ
1080W	1g (solvent required)	1	1	4.84	Endoxan-Asta MJ
2302E	CYCLOSERINE Capsule 250mg	250	2	56.84	Closina LY
2426Q	CYCLOTHIAZIDE Tablet 5mg	50	2	3.51	Doburil BY
1267Q	CYCRIMINE HYDROCHLORIDE Tablet 1.25mg	100	2	4.84	Pagitane LY
1268R	2.5mg	100	2	6.84	Pagitane LY
1269T	CYPROHEPTADINE Tablet 4mg	50	2	2.36	Periactin FR
1270W	Paediatric Syrup 1.2mg per 5ml, 100ml	≠1	4	1.77	Periactin FR
	* * *				
	CYPROHEPTADINE To be endorsed "S.P."				
1798P	Tablet 4mg	100	2	*3.88	Periactin FR
2910E	CYTARABINE Injection set containing 100mg and 5ml solvent	10	1	*80.84	Cytosar UP
1272Y	DAPSONE Tablet 100mg	100	2	2.45	Avlosulfon IC
3114X	DAUNORUBICIN I.V. infusion 20mg (base)	10	1	*184.84	Cerubidin MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2740F	DEBRISOQUINE Tablet 10mg	100	2	\$ 4.97	Declinax	RO
2741G	20mg	100	2	6.84	Declinax	RO
2378E	DEMECARIUM BROMIDE Eye Drops 0.1%, 5ml	≠1	6	3.51	Tosmilin	AP
1274C	0.25%, 5ml	≠1	6	3.51	Tosmilin	AP
1275D	0.5%, 5ml	≠1	6	3.51	Tosmilin	AP
1277F	DEMECLOCYCLINE Capsule 150mg	21	..	2.96	Ledermycin	LE
2304G	DESFERRIOXAMINE MESYLATE Injection 500mg (solvent required)	10	..	40.84	Desferal	CB
2972K	DESIPRAMINE Tablet 25mg	50	2	3.77	Pertofran	GE
1289W	DESLANOSIDE Injection 200 micrograms per ml, 2ml	5	1	2.04	Cedilanid	SZ
2508B	DEXAMETHASONE To be endorsed "S.P." Injection 120mg in 5ml * * *	1	..	31.44	Decadron Shock Pak Decasone Shock Pak	MK FR
1292B	DEXAMETHASONE Tablet 500 micrograms	30	2	2.17	Dexamethsone Oradexon KL	PT OR
3006F	Cream 0.04%, 30g	≠1	1	2.16	Oradexon	OR
2509C	Injection 4mg in 1ml	5	..	*7.49	Decadron Decasone	MK FR
1290X	5mg in 1ml	5	..	9.17	Oradexon	OR
1291Y	8mg in 2ml	5	..	*12.84	Decadron Decasone	MK FR
2759F	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 500 micrograms-5mg-50 micrograms per g, 5g	≠1	2	2.03	Sofradex	RL
2781J	DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms (base)-5mg-50 micro- grams per ml, 8ml	≠1	2	2.24	Sofradex	RL
1165H	DEXAMPHETAMINE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	..	2.94	SI	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1295E	DEXCHLORPHENIRAMINE Tablet 2mg	50	2	\$ 2.04	Polaramine	SH
1297G	Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	1.77	Polaramine	SH
	DEXTRAN 40 See Intravenous Fluids					
	DEXTRAN 70 See Intravenous Fluids					
	DEXTROMORAMIDE To be endorsed "S.P."					
2702F	Tablet 5mg	25	..	2.51	Palfium	FA
2701E	Injection 5mg in 1ml	10	..	*7.74	Palfium	FA
1024X	Suppositories 10mg, 10	≠1	..	4.94	Palfium	FA
	DEXTROPROPOXYPHENE HYDROCHLORIDE with PARACETAMOL					
1144F	Tablet 32.5mg-325mg	50	1	1.91	Di-Gesic	DL
1236C	Capsule 32.5mg-325mg	50	1	1.91	Capadex	FM
3040B	DEXTROSE INJECTION 50%, 10ml	5	..	3.51	BL	
	500ml and 1 litre Injections - See Intravenous Fluids					
	DEXTROSE POLYMER To be endorsed "S.P."					
3134Y	Powder (non-dialysed) 2.5kg	≠1	2	19.67	Gastro-Caloreen	MN
	DIAZEPAM					
3161J	Tablet 2mg	50	..	1.93	Ducene Valium	SU RO
3162K	5mg	50	..	2.57	Ducene Valium	SU RO
2559Q	Paediatric Syrup 2mg per 5ml, 100ml	≠1	..	2.44	Valium	RO
2558P	Injection 10mg in 2ml	5	..	3.57	Valium	RO
	DIAZOXIDE					
3068L	Injection 300mg in 20ml	1	..	11.75	Hyperstat I.V.	SH
	DIBENZEPIN					
3018W	Tablet 80mg	50	2	3.31	Noveril	SZ
	DICHLORPHENAMIDE					
1303N	Tablet 50mg	50	6	5.64	Daranide Oratrol	MK AQ
	DICYCLOMINE with DOXYLAMINE and PYRIDOXINE To be endorsed "S.P."					
2900P	Tablet 10mg-10mg-10mg	30	1	2.61	Debendox	ML

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1309X	DIENOESTROL Tablet 10mg	100	2	\$ 2.84	HA	
1310Y	Cream 0.01%, 85g	1	1	2.17	ET	
2605D	DIGOXIN Tablet 62.5 micrograms	100	2	2.01	Lanoxin-PG	BW
1322N	250 micrograms	100	2	2.12	Cardiox Lanoxin Natigoxin FA,LP,RT(V),RY	AV BW NA
3164M	Oral Solution for Children 50 micrograms per ml, 100ml	≠1	2	3.11	Lanoxin	BW
1321M	Injection BP 500 micrograms in 2ml	5	1	2.84	Lanoxin	BW
2537M	Injection for Infants 50 micrograms in 2ml	5	1	2.77	Lanoxin	BW
2937N	DIHYDROCODEINE TARTRATE Linctus 0.19%, 100ml	≠1	2	1.64	Fortuss Paracodin Rikodeine	GP KN RK
1323P	DIHYDROERGOTAMINE Injection 1mg in 1ml	5	..	2.44	Dihydergot	SZ
	DIHYDROTACHYSTEROL To be accompanied by an authority from the Director of Health.					
1483C	Capsule 125 micrograms	100	1	10.91	A.T.10	WL
1482B	Oral Solution 250 micrograms per ml, 15ml	1	..	8.84	A.T.10	WL
1331C	DI-iodohydroxyquinoline Compound Pessaries 100mg, 25	≠1	1	2.44	Floraquin	SR
1333E	DILOXANIDE FUROATE Tablet 500mg	30	..	*4.84	Furamide	BT
1334F	DIMERCAPROL Injection 5%, 2ml	10	..	7.47	B.A.L.	BT
	DIMETHICONE To be endorsed "S.P."					
2233M	Cream 10%, 50g	1	..	1.64	Dermabase-S Siopel	HA IC
2618T	10%, 75g	1	..	1.51	Silcon	FA
2232L	20%, 20g	1	..	1.68	Vasogen Silicone	SS
	Solutions - See Colostomy and Ileostomy					
2517L	DIMETHINDENE Tablet 1mg	50	2	2.04	Fenostil	ZY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	DIOCTYL SODIUM SULPHOSUCCINATE To be endorsed "S.P."			\$		
3066J	Tablet 50mg	100	2	1.88	Coloxyl 50	FM
3067K	120mg	100	2	2.44	Coloxyl 120	FM
	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL To be endorsed "S.P."					
1125F	Suppositories 100mg-10mg, 5	≠1	..	1.53	Coloxyl	FM
	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON To be endorsed "S.P."					
2710P	Tablet 50mg-50mg	100	2	1.85 2.03	Formulax Coloxyl with Danthron	HP FM
	DIPHEMANIL METHYLSULPHATE To be endorsed "S.P."					
1209P	Dusting powder 2%, 50g	≠1	..	2.57	Prantal	SH
	DIPHENHYDRAMINE					
1336H	Capsule 50mg	50	2	2.13 2.17	Alergicap Benadryl	PT PD
	Paediatric Elixir					
2780H	12.5mg per 5ml, 100ml	≠1	4	1.77	Benadryl Bidramine	PD AV
	DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE					
2501P	Tablet 2.5mg-25 micrograms	20	..	2.04	Lomotil	SR
2502Q	Liquid 2.5mg-25 micrograms per 5ml, 60ml	1	..	2.04	Lomotil	SR
	DIPHENYLPYRALINE					
1340M	Tablet 2.5mg	50	2	2.04	Allerzine Anti-Hist Histalert	VR PT RK
1337J	Capsule 2.5mg	50	2	2.04	Histryl-P	SK
2351R	Paediatric Syrup 2.5mg per 5ml, 100ml	≠1	4	1.77	Histalert Histryl	RK SK
	DIPHThERIA ANTITOXIN					
1342P	Injection 1,000 Units	2	1	*6.84	CS	
1344R	10,000 Units	2	1	*28.84	CS	
	DIPHThERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years.					
1341N	Injection 0.5ml	3	..	*3.48	CS	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.			\$		
3019X	Injection 0.5ml	3	..	*3.72	CS	
1346W	DIPHTHERIA, TETANUS and PERTUSSIS VACCINE, ADSORBED Injection 0.5ml	3	..	*3.63 3.64	CS PD	
1348Y	DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years. Injection 0.5ml	2	1	*2.84	CS	
3020Y	DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years. Injection 0.5ml	2	..	*2.70	CS	
3140G	DIPYRIDAMOLE To be endorsed "S.P." Tablet 100mg	100	2	14.17	Persantin	BY
1022T	DOXEPIN Tablet 10mg	50	2	2.17	Quitaxon	FM
1023W	25mg	50	2	3.07	Quitaxon	FM
1011F	Capsule 10mg	50	2	2.17	Sinequan	PF
1013H	25mg	50	2	3.07	Sinequan	PF
2708M	DOXYCYCLINE Capsule 100mg	7	..	3.64	Doxin Vibramycin	GP PF
2709N	Suspension 10mg per ml, 40ml	#1	..	3.00	Vibramycin	PF
3193C	Powder 100mg (base) for preparation of infusion	5	..	16.84	Vibramycin	PF
2938P	DROPERIDOL To be endorsed "S.P." Injection 10mg in 2ml	5	..	5.64	Droleptan	ET
1359M	ECOTHIOPATE IODIDE Eye Drops 0.03%, 1.5mg and 5ml solvent	#1	6	#4.13	Phospholine Iodide	AY
2405N	0.06%, 3mg and 5ml solvent	#1	6	#4.37	Phospholine Iodide	AY
1360N	0.125%, 6.25mg and 5ml solvent	#1	6	#4.77	Phospholine Iodide	AY
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1361P	ECOTHIOPATE IODIDE - cont. Eye Drops 0.25%, 12.5mg and 5ml solvent	¶1	6	\$ #5.31	Phospholine Iodide AY
2992L	ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	¶1	..	2.17	Repalyte DH
	ELECTROLYTE REPLACEMENT SOLUTION see Intravenous Fluids				
1362Q	EMETINE AND BISMUTH IODIDE Tablet 60mg	36	1	6.17	BW
1369C	EPHEDRINE HYDROCHLORIDE Tablet 15mg	100	2	1.64	DH,KL,LP,RT(V),RY
1370D	30mg	100	2	1.80	DH,KL,LP,RY,SI
	Elixir PL - See Booklet (Extemporan- eously Prepared Benefits)				
1372F	EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE Tablet 15mg-15mg	100	2	1.68	Ephedrobarbital Mitis FM
1373G	30mg-15mg	100	2	1.77	Ephedrobarbital FM
1374H	30mg-30mg	100	2	1.85	Ephedrobarbital Forte FM
1375J	Elixir 30mg-20mg per 5ml, 100ml	¶1	4	1.77	Ephedrobarbital FM
3116B	EPICILLIN Capsule 125mg	25	..	2.61	Dexacillin SQ
3069M	250mg	25	..	3.76	Dexacillin SQ
3070N	500mg	12	1	3.48	Dexacillin SQ
3085J	Powder for Syrup 125mg per 5ml, 100ml	¶1	..	#2.93	Dexacillin SQ
3086K	250mg per 5ml, 100ml	¶1	..	#4.20	Dexacillin SQ
1594X	Injection 250mg (solvent required)	5	1	5.17	Dexacillin SQ
1595Y	500mg (solvent required)	5	1	7.81	Dexacillin SQ
1596B	1g (solvent required)	5	1	13.40	Dexacillin SQ
1380P	ERGOMETRINE MALEATE Tablet 200 micrograms	25	..	2.17 2.21	Ergomine Ergotrate SP(N) PT LY
1381Q	500 micrograms	25	..	4.20	Ergomine SP(N) PT
1378M	Injection 250 micrograms in 1ml	5	..	2.24	BL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1384W	ERGOTAMINE TARTRATE Tablet 1mg	50	2	\$ 3.24	Gynergen Lingraine	SZ WL
1383T	Injection 500 micrograms in 1ml	5	..	2.20	Gynergen SP(N)	SZ
1385X	ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	3.77	Cafergot	SZ
1386Y	Compound Suppositories, 6	≠1	2	2.47	Cafergot PB	SZ
1387B	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	4.17	Migral	BW
1389D	ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Tablet 1mg-100mg-10mg	50	2	4.07	Ergalan	AH
1388C	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	4.04	Ergodryl	PD
1400Q	ERYTHROMYCIN Tablet 125mg	25	..	2.65	EMU-V	UP
2749Q	200mg	25	..	3.21	Erythrocin	AB
1401R	250mg	25	..	3.81	EMU-V Erythrocin Ethryn	UP AB FA
1402T	Capsule 125mg	25	..	2.65	Erythrocin	AB
1403W	250mg	25	..	3.59 3.81	E-Mycin Bram-Mycin Eratrex Erostin Erythrocin Ethryn	PT BB BC KL AB FA
2499M	Paediatric Drops 100mg per ml, 10ml	≠1	..	2.35	Ilosone	LY
2425P	Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	3.09	Eratrex Eromycin Erythrocin Ilosone	BC DL AB LY
2610J	250mg per 5ml, 100ml	≠1	..	4.91	Eratrex Erythrocin	BC AB
1395K	Injection I.M. 100mg in 2ml	5	..	6.84	Erythrocin	AB
1398N	Infusion I.V. 300mg	5	..	*20.84	Erythrocin	AB
1397M	1g	1	..	12.17	Erythrocin Ilotycin	AB LY
2511E	ETHACRYNIC ACID Tablet 50mg	50	2	5.77	Edecril	MK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1271X	ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	\$ 3.20	Ethamolin	GL
1405Y	ETHINYLOESTRADIOL Tablet 10 micrograms	100	1	1.51	Edrol Estigyn Lynoral Primogyn C	VR AH OR SC
1406B	20 micrograms	100	1	1.77	Edrol Estigyn Lynoral Primogyn C	VR AH OR SC
1407C	50 micrograms	100	1	2.04	Edrol Estigyn Lynoral Primogyn C	VR AH OR SC
1408D	1mg	100	1	6.12	Estigyn Lynoral	AH OR
1412H	ETHOPROPAZINE Tablet 50mg	100	2	3.64	Lysivane	MB
1413J	ETHOSUXIMIDE Capsule 250mg	200	1	11.77	Zarontin	PD
1414K	Paediatric Syrup 250mg per 5ml, 250ml	1	4	3.97	Zarontin	PD
1416M	ETHOXZOLAMIDE Tablet 125mg	50	6	8.17	Cardrase	UP
1419Q	ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	3.17	Bronkephrine	WL
2370R	ETHYLOESTRENOL To be accompanied by an authority from the Director of Health. Tablet 2mg	100	1	8.71	Orabolin	OR
3166P	ETHYNODIOL DIACETATE with ETHINYL- OESTRADIOL Tablet 500 micrograms - 50 micrograms, 21	2	2	*2.84	Ovulen 0.5/50	SR
3167Q	1mg - 50 micrograms, 21	2	2	*2.84	Ovulen 1/50	SR
2447T	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*2.84	Ovulen 0.5/50-28	SR
3168R	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	*2.84	Edulen	SR
3169T	ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms - 100 micrograms, 21	2	2	*2.84	Ovulen 0.5	SR
3170W	1mg - 100 micrograms, 21	2	2	*2.84	Ovulen 1	SR
3171X	2mg - 100 micrograms, 21	2	2	*2.84	Ovulen 2	SR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1422W	FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron	100	2	\$ 1.77	Plesmet	AV
2465R	Paediatric Syrup 100ml	≠1	4	1.91	Plesmet	AV
2688L	FERROUS FUMARATE Tablet 150mg	100	2	1.77	Bramiron Fumiron	BB KL
1424Y	FERROUS GLUCONATE Tablet 300mg	100	2	1.69	Fergon Ferro G Glucohaem RT(V),RY	WL HA VR
2726L	Paediatric Elixir 6%, 100ml	≠1	4	1.91	Fergon	WL
1150M	FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	1.69	Slow-Fe	CB
2689M	350mg (sustained release)	30	2	1.67 1.69	Feritard Ferro-Gradumets	PT AB
3100E	Capsule 320mg (delayed release)	30	2	1.69	Fespan	SK
3150T	FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	1.84	Feritard Folic	PT
3160H	270mg-300 micrograms (sustained release)	30	2	1.84	F.G.F.	AB
3149R	Capsule 270mg-300 micrograms (delayed release)	30	2	1.84	Fefol 2	SK
3195E	FLUCLOROLONE ACETONIDE Cream 0.025%, 30g	≠1	1	2.16	Topilar	SD
1433K	FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	..	4.95	Florinef	SQ
1434L	1mg	30	..	11.08	Florinef	SQ
2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	≠1	..	2.17	Locacorten Vioform	CB
3002B	FLUMETHASONE PIVALATE Cream 0.02%, 30g	≠1	1	2.16	Locacorten	CB
3003C	Ointment 0.02%, 30g	≠1	1	2.16	Locacorten	CB
3004D	FLUOCINOLONE ACETONIDE Cream 0.01%, 30g	≠1	1	2.16	Synalar 01	IC
3005E	Ointment 0.01%, 30g	≠1	1	2.16	Synalar 01	IC
3000X	FLUOCORTOLONE ESTERS Cream 0.2%, 30g	≠1	1	2.16	Ultralan-D	SC
3001Y	Ointment 0.2%, 30g (continued)	≠1	1	2.16	Ultralan-D	SC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2803M	FLUOCORTOLONE ESTERS - cont. Ointment (Anhydrous) 0.2%, 30g	≠1	1	\$ 2.16	Ultralan-D Fatty	SC
1204J	FLUOROMETHOLONE Eye Drops 0.1%, 5ml	≠1	6	3.17	FML Liquifilm	AG
2521Q	FLUOROURACIL Injection 50mg per ml, 5ml	10	..	19.51	RO	
1435M	FLUOXYMESTERONE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health. Tablet 5mg	100	1	18.67	Halotestin	UP
2659Y	FLUPHENAZINE To be endorsed "S.P." Tablet 1mg	100	1	4.13	Anatensol	SQ
2660B	2.5mg	100	1	5.84	Anatensol	SQ
2661C	5mg	100	1	6.77	Anatensol	SQ
2662D	Elixir 500 micrograms per ml, 60ml	≠1	4	2.36	Anatensol	SQ
1046C	FLUPHENAZINE DECANOATE To be endorsed "S.P." Injection 12.5mg in 0.5ml	5	..	10.17	Modecate	SQ
3098C	25mg in 1ml	5	..	18.44	Modecate	SQ
1001Q	50mg in 2ml	5	..	25.64	Modecate	SQ
2663E	FLUPHENAZINE ENANTHATE To be endorsed "S.P." Injection 25mg in 1ml	5	..	10.44	Anatensol Enanthate	SQ
3007G	FLURANDRENOLONE Cream 0.025%, 30g	≠1	1	2.16	Haelan	DL
1036M	Ointment 0.025%, 30g	≠1	1	2.16	Haelan	DL
1437P	FOLIC ACID To be endorsed "S.P." Tablet 5mg	100	2	1.83 1.84	DH,PT Folasic ET,KL,LP,PR,RT(V), RY,SI	AV
1436N	Injection 15mg in 1ml * * *	10	..	*3.70	AB	
2958Q	FOLIC ACID Tablet 500 micrograms	100	..	1.69 1.71	DH,PT Folettes KL,LP,SI	FM

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	FRAMYCETIN To be endorsed "S.P."			\$	
2391W	Tablet 250mg * * *	20	1	7.24	Soframycin RL
3079C	FRAMYCETIN Injection 500mg (solvent required)	1	2	6.67	Soframycin RL
1439R	Eye Ointment 0.5%, 5g	≠1	..	1.84	Soframycin RL
1440T	Eye and Ear Drops 0.5%, 8ml	≠1	2	2.35	Soframycin RL
	FRUSEMIDE To be endorsed "S.P."				
2415D	Tablet 500mg * * *	50	2	44.84	Lasix High Dose HP
2414C	FRUSEMIDE Tablet 20mg	50	2	3.77	Aquamide M RL Lasix-M HP
2412Y	40mg	50	2	4.84	Aquamide RL Lasix HP
2413B	Injection 20mg in 2ml	5	..	4.00	Aquamide RL Lasix HP
	FUSIDIC ACID To be accompanied by an authority from the Director of Health.				
2312Q	Tablet (Sodium Salt) 250mg (enteric coated)	36	..	47.24	Fucidin SK
2311P	Suspension 50mg per ml, 90ml	≠1	..	20.84	Fucidin SK
1175W	GAMMA BENZENE HEXACHLORIDE Cream 1%, 200g	≠1	2	2.71	Lorexane IC
1176X	Head Lotion 0.2%, 200ml	≠1	..	2.17	Lorexane IC
1178B	Lotion Concentrate 1%, 200ml	≠1	..	2.84	Lorexane Concentrate IC
1441W	GAS GANGRENE ANTITOXIN (OEDEMATIENS) Injection 10,000 Units	3	1	*52.83	CS
1446D	GAS GANGRENE ANTITOXIN (PERFRINGENS) Injection 10,000 Units	10	1	*180.84	CS
1444B	GAS GANGRENE ANTITOXIN (SEPTICUM) Injection 5,000 Units	2	1	*38.18	CS
2699C	GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection: 1 amp containing 10,000 Units Perfringens; 10,000 Units Oedematiens; 5,000 Units Septicum	2	1	*42.18	CS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	GENTAMICIN SULPHATE To be accompanied by an authority from the Director of Health.			\$	
1067E	Injection 10mg (base) in 1ml	5	..	10.17	Cidomycin RL Garamycin SH
1068F	40mg (base) in 1ml	5	..	17.51	Cidomycin RL Garamycin SH
1168L	60mg (base) in 1.5ml	5	..	22.51	Cidomycin RL Garamycin SH
2824P	80mg (base) in 2ml	5	..	*27.49	Cidomycin RL Garamycin SH
2939Q	GLIBENCLAMIDE Tablet 5mg	100	2	12.11	Daonil HP Euglucon FM
1447E	GLUCAGON HYDROCHLORIDE Injection 1mg (anhydrous glucagon) with 1ml diluent	1	..	5.51	LY
1448F	GLUCOSE INDICATOR /4m Test Dispenser	1	2	/2.85	Tes-Tape LY
1449G	(with instructions for use)				
2352T	/Reagent Strips 100 strips	1	2	/2.10	Clinistix AM
2353W	(with instructions for use)				
3104J	/Reagent Strips 100 strips	1	2	/2.18	Diastix AM
3105K	(with instructions for use)				
3107M	GLUCOSE and KETONE INDICATOR /Reagent Strips 100 strips	1	2	/2.79	Keto-Diastix AM
3108N	(with instructions for use)				
2696X	GLUTETHIMIDE Tablet 125mg	50	..	1.79	Doriden Sed CB
1452K	250mg	25	..	1.84	Doriden CB
2805P	500mg	25	..	1.91	Doriden Forte CB
2668K	Capsule 500mg	25	..	1.91	Doriden Forte CB
3135B	GLYCEROL To be endorsed "S.P."	1	1	/1.35	FA
3136C	/Suppositories 1g, 12 (with instructions for use)				
	* * *				
2673Q	GLYCEROL /Glycerol 100ml	1	1	/0.93	DH
2674R	(with instructions for use)				
1459T	GLYCERYL TRINITRATE Tablet 600 micrograms	100	2	1.91	Anginine Stabilised BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2594M	GLYMIDINE Tablet 500mg	100	2	\$ 4.11	Gondafon	SC
2641B	1g	50	2	4.04	Gondafon	SC
	GOATS' MILK To be accompanied by an authority from the Director of Health.					
1027C	Dehydrated Powder 1 lb	2	20	*9.92	GV	
2654Q	450g	2	20	*9.68 *9.92	Caprilac Dale	CG CE
2656T	Whole (sterilised) 375ml	12	20	*8.04	TM	
	GRISEOFULVIN To be accompanied by an authority from the Director of Health.					
1460W	Tablet 125mg	100	..	7.51	Fulcin 125 Grisovin	IC GL
2982Y	500mg	28	..	7.24	Fulcin 500 Grisovin 500	IC GL
	GUANETHIDINE					
1461X	Tablet 10mg	100	1	5.24	Ismelin	CB
1462Y	25mg	100	1	10.91	Ismelin	CB
	HALOPERIDOL To be endorsed "S.P."					
3010K	Tablet 500 micrograms	100	1	4.01	Serenace	SR
2767P	1.5mg	100	1	5.84	Serenace	SR
2768Q	Injection 5mg in 1ml	10	..	9.51	Serenace	SR
	HEPARIN					
1467F	Injection BP, 5,000 Units in 1ml	5	5	*7.49 7.51	CS,WP AH	
1468G	25,000 Units in 5ml	2	5	*8.84	AH,BT,CS,WP	
1076P	35,000 Units in 35ml	12	5	*96.84	CS	
3153Y	125,000 Units in 5ml	1	5	16.84	AH,BT,CS	
	HEPARIN CALCIUM					
1234Y	Injection 5,000 Units in 0.2ml	5	5	7.51	Calciparine	PF
1053K	12,500 Units in 0.5ml	2	..	6.17	Calciparine	DF
1054L	25,000 Units in 1ml	2	..	*8.84 8.84	CS Calciparine	DF
	HEXAMINE HIPPURATE					
3124K	Tablet 1g	100	2	7.44	Hiprex	RK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1617D	HEXAMINE MANDELATE Tablet 250mg	100	2	\$ 2.24	Mandaze Mandelamine HA WW
1618E	500mg	100	2	3.11	Mandelamine Hafgrams WW
2690N	1g	100	2	4.97	Mandelamine WW
2606E	Paediatric Suspension 500mg per 5ml, 200ml	#1	1	3.37	Mandelamine WW
2541R	HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15ml	#1	2	2.56 2.57	AG AQ,LP
2542T	5%, 15ml	#1	2	2.88 2.91	AG AQ
1476Q	HYALURONIDASE Injection 1,500 I.U. (solvent required)	5	1	4.07	Hyalase FC
1640H	HYDRALLAZINE HYDROCHLORIDE Tablet 25mg	100	2	4.17	Apresoline CB
1639G	50mg	100	2	6.44	Apresoline CB
1481Y	HYDRARGAPHEN Pessaries 5mg, 15	#1	1	3.11	Versotrane Triple Strength WB
1484D	HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	2.73	Dichlotride Esidrex MK Neo-Flumen CB GA
1485E	50mg	50	2	3.97	Dichlotride Esidrex MK Neo-Flumen CB GA
1487G	HYDROCORTISONE Eye Drops 0.5%, 2ml	#1	2	1.77	Scheroson F Ophthalmicum SC
1488H	0.5%, 5ml	#1	2	2.04	Hycor SI
1489J	0.5%, 10ml	#1	2	2.37	Hycor SI
1490K	1%, 3ml	#1	2	2.04	Hycor SI
1491L	1%, 5ml	#1	2	1.97	Hydrosone KL
1492M	1%, 10ml	#1	2	2.77	Hycor SI Hydrosone KL
1493N	2.5%, 5ml	#1	2	2.64	Hycor SI
1494P	2.5%, 10ml	#1	2	3.24	Hycor SI
1496R	Eye Ointment 0.5%, 4g	#1	..	1.84	Cortef UP Cortril PF Hydrosone KL
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1497T	HYDROCORTISONE - cont. Eye Ointment 0.5%, 5g	#1	..	\$ 2.04	Hycor	SI
2441L	1%, 5g	#1	..	2.24	Hycor Hydrosone	SI KL
2887Y	Cream 1%, 30g	#1	1	2.04 2.11	Cort-Dome Adacor Cortef Dermacort Hydrosone Hynax Phiacort Procort Sigmacort Squibb-HC HA,LP	DO AV UP PD KL VR RS PR SI SQ
2888B	Topical Ointment 1%, 30g	#1	1	2.11	Adacor Cortef Dermacort "O" Hynax Procort Sigmacort Squibb-HC HA,LP	AV UP PD VR PR SI SQ
2794C	HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5ml	#1	..	2.17	Neo-Cortef	UP
2795D	Ear Ointment 1.5%-0.5%, 4g	#1	2	2.17	Neo-Cortef	UP
1498W	HYDROCORTISONE ACETATE To be endorsed "S.P." Injection 25mg in 1ml	5	..	3.68 *3.79	Hysone-A Hydrocortone	PT MK
3097B	HYDROCORTISONE SODIUM SUCCINATE To be endorsed "S.P." Injection Set containing equivalent of 500mg hydrocortisone and solvent * * *	1	..	12.57	Solu-Cortef	UP
1501B	HYDROCORTISONE SODIUM SUCCINATE Injection Set containing equivalent of 100mg hydrocortisone and 2ml solvent	2	..	*6.18	Efcortelan Nordicort Solu-Cortef Venocort	GL NR UP PT
3096Y	Set containing equivalent of 250mg hydrocortisone and solvent	1	..	6.71	Solu-Cortef	UP
1503D	HYDROFLUMETHIAZIDE Tablet 50mg	50	2	4.35	Di-Ademil Hydrenox	SQ BT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1504E 1505F	HYDROGEN PEROXIDE SOLUTION Solution 10 vol, 100ml (with instructions for use)	1	..	\$ /0.53	FA	
1506G 1507H	10 vol, 200ml (with instructions for use)	1	..	/0.59	FA	
1324Q	HYDROMORPHONE Injection 1.1ml	5	..	2.27	Dilaudid	KN
1511M	HYDROXOCOBALAMIN To be endorsed "S.P." Injection 1mg in 1ml	5	..	3.24	Neo-Cytamen	GL
1512N	HYDROXYCHLOROQUINE Tablet 200mg	100	2	5.51	Plaquenil	WL
3093T	HYDROXYUREA Capsule 500mg	100	..	19.44	Hydrea	SQ
3042D	HYOSCINE BUTYLBROMIDE Injection 20mg in 1ml	5	..	2.57	Buscopan	BY
2782K	HYOSCINE HYDROBROMIDE Eye Drops 0.25%, 15ml	#1	2	3.24	AQ	
2956N	HYPROMELLOSE Eye Drops 0.5%, 15ml	#1	6	2.01 2.04	IQ Isopto Tears Lacril Methopt KL	AQ AG SI
3198H	IBUPROFEN To be endorsed "S.P." Tablet 200mg	50	2	2.88	Brufen	BT
2442M	IDOXURIDINE To be endorsed "S.P." Eye Drops 0.1%, 15ml	#1	2	4.04	Herplex Stoxil	AG SK
2569F	Eye Ointment 0.5%, 5g * * *	#1	..	4.04	Stoxil	SK
2567D	IDOXURIDINE Topical Ointment 0.5%, 5g	#1	..	2.05	Stoxil	SK
2420J	IMIPRAMINE Tablet 10mg	50	2	1.92	Imiprin Iramil Prodepress Tofranil	PT KL BB GE
2421K	25mg	50	2	2.71 2.80	Imiprin Iramil Melipramine Prodepress Somipra Tofranil	PT KL UW(N) BB LF GE
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2719D	IMIPRAMINE - cont. Injection I.M. 25mg in 2ml	10	..	\$ 4.37	Tofranil	GE
2454E	INDOMETHACIN Capsule 25mg	50	2	3.84	Indocid	MK
2757D	Suppository 100mg	20	2	*7.50	Indocid	MK
	INFLUENZA VACCINE To be endorsed with the pension number or be endorsed "S.P."					
2851C	Injection 1ml	1	..	2.84	CS	
	INSECT ALLERGEN EXTRACT - BULL ANT Injection					
1141C	Set - strengths A,B,C, each 5ml	1	..	30.17	CS	
1139Y	Set - strengths A,B,C,D each 5ml	1	..	42.17	CS	
1142D	Strength D, 5ml	1	..	12.84	CS	
	INSECT ALLERGEN EXTRACT - HONEY BEE Injection					
2884T	Set - strengths A,B,C each 5ml	1	..	30.17	CS	
2883R	Set - strengths A,B,C,D each 5ml	1	..	42.17	CS	
2885W	Strength D, 5ml	1	..	12.84	CS	
	INSECT ALLERGEN EXTRACT - JUMPER ANT Injection					
3022C	Set - strengths A,B,C each 5ml	1	..	30.17	CS	
3034Q	Set - strengths A,B,C,D each 5ml	1	..	42.17	CS	
3023D	Strength D, 5ml	1	..	12.84	CS	
	INSECT ALLERGEN EXTRACT - MOSQUITO Injection					
1473M	Set - strengths A,B,C each 5ml	1	..	30.17	CS	
1474N	Set - strengths A,B,C,D each 5ml	1	..	42.17	CS	
1475P	Strength D, 5ml	1	..	12.84	CS	
	INSECT ALLERGEN EXTRACT - PAPER WASP Injection					
2959R	Set - strengths A,B,C each 5ml	1	..	30.17	CS	
2948E	Set - strengths A,B,C,D each 5ml	1	..	42.17	CS	
2960T	Strength D, 5ml	1	..	12.84	CS	
	INSULIN					
1523E	Injection 20 Units per ml, 10ml	10	2	*24.00	CS	
1525G	40 Units per ml, 10ml	10	2	*27.30	Novo BT,BW,CS,WP	AH
1527J	80 Units per ml, 10ml	10	2	*40.00	Novo BT,BW,CS	AH
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1529L	INSULIN - cont. Injection 160 Units per ml, 10ml	10	2	\$ *100.00	CS
1530M	300 Units per ml, 5ml	10	2	*100.00	CS
1531N	(specially purified) 40 Units per ml, 10ml	10	2	*76.70	CS
1542E	(Porcine) 40 Units per ml, 10ml	10	2	*40.00	CS
2580T	INSULIN BIPHASIC Injection 40 Units per ml, 10ml	10	2	*34.00	Rapitard-Novo AH
2581W	80 Units per ml, 10ml	10	2	*64.00	Rapitard-Novo AH
1534R	INSULIN ISOPHANE (N.P.H.) Injection 40 Units per ml, 10ml	10	2	*34.00	AH,BT,BW,CS,WP
1535T	80 Units per ml, 10ml	10	2	*48.00	AH,BT,BW,CS,WP
1536W	160 Units per ml, 10ml	10	2	*110.00	CS
1537X	(specially purified) 40 Units per ml, 10ml	10	2	*60.70	CS
1549M	(Porcine) 40 Units per ml, 10ml	10	2	*60.00	CS
1550N	(Porcine) 80 Units per ml, 10ml	10	2	*113.30	CS
2578Q	INSULIN NEUTRAL Injection 40 Units per ml, 10ml	10	2	*27.50	Actrapid-Novo AH
2579R	80 Units per ml, 10ml	10	2	*51.30	Actrapid-Novo AH
1517W	INSULIN NEUTRAL SPECIALLY PURIFIED To be endorsed "S.P." Injection 40 Units per ml, 10ml	10	2	*33.30	Actrapid M.C. NovoAH
1518X	80 Units per ml, 10ml	10	2	*61.30	Actrapid M.C. NovoAH
1539B	INSULIN PROTAMINE ZINC Injection 40 Units per ml, 10ml	10	2	*28.00	BT,BW,CS,WP
1541D	80 Units per ml, 10ml	10	2	*42.70	BW,CS
1543F	INSULIN ZINC SUSPENSION Injection 40 Units per ml, 10ml	10	2	*27.30	Novo BT,BW,CS AH
1544G	80 Units per ml, 10ml	10	2	*38.70	Novo BT,BW,CS AH
1515R	INSULIN ZINC SUSPENSION SPECIALLY PURIFIED To be endorsed "S.P." Injection 40 Units per ml, 10ml	10	2	*37.30	Monotard M.C. NovoAH
1516T	80 Units per ml, 10ml	10	2	*66.70	Monotard M.C. NovoAH

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1545H	INSULIN ZINC SUSPENSION (AMORPHOUS) Injection 40 Units per ml, 10ml	10	2	\$ *27.30	Novo BT,BW,CS	AH
1546J	80 Units per ml, 10ml	10	2	*40.00	Novo BT,BW,CS	AH
1519Y	INSULIN ZINC SUSPENSION (AMORPHOUS) SPECIALLY PURIFIED To be endorsed "S.P." Injection 40 Units per ml, 10ml	10	2	*37.30	Semilente M.C. Novo	AH
1520B	80 Units per ml, 10ml	10	2	*66.70	Semilente M.C. Novo	AH
1547K	INSULIN ZINC SUSPENSION (CRYSTALLINE) Injection 40 Units per ml, 10ml	10	2	*38.70	Novo BT,BW,CS	AH
1548L	80 Units per ml, 10ml	10	2	*53.30	Novo BT,BW,CS	AH
	INTRAVENOUS FLUIDS (500ml and 1 litre) See Special Section					
1298H	IRON DEXTRAN Injection 2ml	5	..	4.44	Imferon	FC
1299J	5ml	5	..	7.04	Imferon	FC
2764L	IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	1.77	Ferrum H	SI
2593L	Injection 100mg (Iron) in 2ml	5	..	4.84	Ferrum H	SI
1552Q	IRON SORBITOL Injection I.M. Trivalent Iron 2ml	5	..	4.84	Jectofer	AP
1553R	ISONIAZID Tablet 50mg	200	2	2.17	HA,RY	
1554T	100mg	100	2	2.17	Isotiny1 RY	KL
1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	2.44	Isuprel	WL
2744K	30mg (sustained release)	100	2	7.04	Saventrine	PN
1555W	Inhalation 1 in 200, 15ml	1	1	2.44	Isuprel	WL
1556X	Injection 1 in 5,000, 1ml	5	..	4.68	Isuprel	WL
2953K	1 in 5,000, 5ml	5	..	6.97	Isuprel	WL
1559C	ISOPRENALINE SULPHATE Tablet 20mg	100	2	2.44	Neo-Epinine	BW
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ISOPRENALINE SULPHATE - cont. Metered aerosol spray replacement pack			\$		
2745L	2mg per ml, 15ml (300 dose)	#1	..	3.24	Medihaler-Iso	RK
3089N	4mg per ml, 7.5ml (300 dose)	#1	..	3.24	Iso-Autohaler	RK
	KANAMYCIN To be endorsed "S.P."					
3101F	Injection 30mg in 1ml	5	1	4.31	Kanasig	SI
1562F	250mg in 2ml	5	..	7.51	Kanasig	SI
1563G	500mg in 2ml	5	..	9.17 *9.19	Kanasig Kantrex	SI BC
1564H	1g in 3ml	5	..	*12.84 12.84	Kantrex Kanasig	BC SI
	* * *					
	KANAMYCIN					
2638W	Ear Drops 1%, 10ml	#1	..	2.17	Kantrex	BC
2639X	Eye Drops 1%, 10ml	#1	..	2.17	Kantrex	BC
	KAOLIN with PECTIN					
2988G	Mixture 5.91g-132mg per 30ml, 360ml	#1	2	2.07	Kaopectate	UP
	LACTULOSE To be endorsed "S.P."					
3064G	Mixture 50%, 500ml	#1	4	7.51	Duphalac	PI
	LANATOSIDE-C					
1565J	Tablet 250 micrograms	100	2	2.57 2.71	Lanocide Cedilanid	PT SZ
	LEVODOPA To be accompanied by an authority from the Director of Health.					
3143K	Tablet 100mg	50	..	3.31	Larodopa	RO
3144L	250mg	100	..	8.44	Larodopa	RO
3014P	500mg	250	..	28.84	Larodopa	RO
3076X	Capsule 100mg	50	..	4.68	Syndopa	FA
3077Y	250mg	100	..	7.17 8.84	Levopa Larodopa Syndopa	PT RO FA
3078B	500mg	250	..	27.51 28.84	Levopa Larodopa Syndopa	PT RO FA

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	LEVODOPA with CARBIDOPA To be accompanied by an authority from the Director of Health.			\$		
1244L	Tablet 100mg-10mg	100	..	12.84	Sinemet M	MK
1245M	250mg-25mg	100	..	23.51	Sinemet	MK
	LIGNOCAINE To be endorsed "S.P."					
2875H	Injection 100mg in 5ml	≠2	..	3.44	Xylocard 100	AP
2876J	Infusion 500mg in 5ml	5	..	5.43	Xylocard 500	AP
	LINCOMYCIN To be endorsed "S.P."					
2911F	Paediatric Syrup 250mg per 5ml, 100ml	≠1	..	4.84	Lincocin	UP
3084H	Injection 300mg in 1ml	5	..	5.91	Lincocin SS Paediatric	UP
2530E	600mg in 2ml	5	..	7.24	Lincocin	UP
2318B	LIOETHYRONINE Tablet 20 micrograms	50	2	1.83	Tertroxin	GL
3059B	LITHIUM CARBONATE To be endorsed "S.P."					
	Tablet 250mg	100	2	2.57	Lithicarb Manialith DH	PT MN
1301L	LYNOESTRENOL with ETHINYLOESTRADIOL Tablet 1mg-50 micrograms, 22	2	2	*2.84	Ovostat 22	OR
1302M	Pack containing 22 tablets 1mg - 50 micrograms and 6 inert tablets	2	2	*2.84	Ovostat 28	OR
3172Y	LYNOESTRENOL with MESTRANOL Tablet 1mg - 100 micrograms, 22	2	2	*2.84	Microcyclin	CB
3173B	2.5mg - 75 micrograms, 22	2	2	*2.84	Anacyclin Lyndiol 2.5	CB OR
2401J	LYPRESSIN Nasal Spray 50 Units per ml, 5ml	10	2	*34.14	Vasopressin	SZ
2585C	MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	2.37	Maalox	RG
2640Y	Mixture 375mg per 5ml, 360ml	≠1	2	2.17	Maalox	RG
1577B	MAGNESIUM SULPHATE Paste 50g	≠1	1	1.47	Magnoplasm	FA
1576Y	100g	≠1	1	1.60	Magnoplasm	FA
	MANNITOL See Intravenous Fluids					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	MAPHENIDE ACETATE To be endorsed "S.P."			\$	
2940R	Cream 11.2%, 454g	≠1	..	12.17	Sulfamylon WL
1579D	MEBHYDROLIN Tablet 50mg	50	2	2.11	Fabahistin BN
1580E	Paediatric Suspension 50mg per 5ml, 100ml	≠1	4	1.77	Fabahistin BN
1581F	MECAMEYLAMINE Tablet 2.5mg	100	1	2.84	Mevasine MK
1582G	10mg	100	1	8.44	Mevasine MK
1583H	MECLOZINE Tablet 25mg	50	2	2.17	Ancolan AH
2490C	Syrup 12.5mg per 5ml, 100ml	≠1	4	1.77	Ancolan AH
	MEDROXYPROGESTERONE To be endorsed "S.P."				
2320D	Tablet 2.5mg	25	..	3.84	Provera UP
2321E	10mg	25	..	9.24	Provera UP
2725K	100mg	100	2	65.64	Provera UP
2319C	Injection 50mg in 1ml	1	..	3.96	Depo-Provera UP
3118D	150mg in 1ml	1	..	9.05	Depo-Provera UP
3197G	MEDRYSONE Eye Drops 1%, 5ml	≠1	6	3.17	HMS Liquifilm AG
1823Y	MEFRUSIDE Tablet 25mg	50	2	3.57	Baycaron BN
2547C	MELPHALAN Tablet 2mg	100	2	*26.96	Alkeran BW
2548D	5mg	100	2	*45.12	Alkeran BW
1598D	MERCAPTOPYRINE Tablet 50mg	50	1	*21.64	Purinethol BW
2430X	METFORMIN Tablet 500mg	100	2	8.87	Glucophage RN
1605L	500mg (sustained release)	100	2	8.88	Diabex S.R. DF
2397E	METHACYCLINE Capsule 150mg	21	..	3.64	Randomycin WW
2901Q	300mg	11	..	3.64	Randomycin WW
2498L	Suspension 75mg per 5ml, 100ml	≠1	..	3.00	Randomycin GP
1608P	METHADONE Tablet 5mg	25	..	*2.41	Physeptone BW
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1609Q	METHADONE - cont. Tablet 10mg	25	..	\$ *2.62	Physeptone BW
1606M	Injection 10mg in 1ml	5	..	2.99	Physeptone BW
	METHANDIENONE To be accompanied by an authority from the Director of Health.				
1610R	Tablet 5mg	100	1	9.11	Dianabol CB
1614Y	METHDILAZINE Tablet 4mg	50	2	2.04	Dilosyn Tacaryl AH MJ
1615B	8mg	50	2	2.19	Dilosyn Tacaryl AH MJ
2464Q	Paediatric Syrup 4mg per 5ml, 100ml * * *	1	4	1.71	Dilosyn Tacaryl AH MJ
	METHDILAZINE To be endorsed "S.P."				
1612W	Tablet 4mg	100	2	*3.24	Dilosyn Tacaryl AH MJ
1613X	8mg	100	2	*3.54	Dilosyn Tacaryl AH MJ
	METHENOLONE ACETATE To be accompanied by an authority from the Director of Health.				
1619F	Tablet 1mg	100	1	*3.10	Primobolan SC
1620G	5mg	100	1	*8.58	Primobolan SC
	METHICILLIN To be endorsed "S.P."				
2323G	Injection 1g (solvent required)	5	1	*16.69	Celbenin Metin BR CS
1621H	METHOIN Tablet 100mg	200	1	5.64	Mesantoin SZ
	METHOTREXATE To be accompanied by an authority from the Director of Health.				
1622J	Tablet 2.5mg	100	..	15.51	LE
2393Y	Injection 5mg (solvent required)	5	..	*16.19	LE
2394B	50mg (solvent required)	5	..	*53.49	LE
2398F	METHSUXIMIDE Capsule 300mg	200	1	12.17	Celontin PD

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1624L	METHYLCLOTHIAZIDE Tablet 2.5mg	50	2	\$ 2.71	Enduron-M	AB
1625M	5mg	50	2	3.51	Enduron	AB
3194D	METHYLDOPA Tablet 125mg	100	2	5.37	Aldomet-M	MK
1629R	250mg	100	2	7.17	Aldomet	MK
1632X	METHYLERGOMETRINE Tablet 125 micrograms	25	1	2.81	Methergin	SZ
1633Y	METHYLPHENOBARBITONE To be endorsed "S.P." Tablet 30mg	200	1	2.31	Prominal RY	WL
1634B	60mg	200	1	2.71	Prominal RY	WL
1635C	200mg	200	1	5.12	Prominal RY	WL
1927K	METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	#1	..	2.44	Medrol	UP
1928L	METHYLPREDNISOLONE ACETATE To be endorsed "S.P." Injection 40mg in 1ml	5	..	14.17	Depo-Medrol	UP
3013N	Retention Enema 40mg, 6 * *	#1	..	17.51	Medrol Enpak	UP
2997R	METHYLPREDNISOLONE ACETATE Cream 0.25%, 30g	#1	1	2.16	Medrol	UP
2981X	METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1ml	5	..	*12.84	Solu-Medrol	UP
3151W	METHYLTESTOSTERONE To be endorsed "S.P." Tablet 5mg	100	2	2.77	Testomet ET	PT
2112E	25mg	100	2	6.44	Testomet ET,PR	PT
2113F	50mg	100	2	10.44	Testomet ET,PR	PT
2404M	Sublingual Tablet 25mg	100	..	12.84	Perandren	CB
2826R	METHYSERGIDE To be endorsed "S.P." Tablet 1mg	100	2	12.84	Deseril	SZ
1206L	METOCLOPRAMIDE HYDROCHLORIDE Injection 10mg in 2ml	10	..	3.51	Maxolon	BR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1636D	METRONIDAZOLE Tablet 200mg	21	1	\$ 3.28	Flagyl MB
	MILK POWDER - SYNTHETIC To be accompanied by an authority from the Director of Health.				
3092R	Low Calcium Compound Powder 14oz	2	20	*10.78	Locasol MN
1637E	Low Lactose Compound Powder 397g (14oz)	2	20	*10.78	Galactomin Formula 17 MN
2685H	Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g (16oz)	2	20	*40.00	Galactomin Formula 19 MN
3037W	MINOCYCLINE Capsule 100mg	11	..	3.64	Minomycin LE
	MITHRAMYCIN To be endorsed "S.P."				
1924G	Injection 2.5mg (solvent required)	5	..	*94.99	Mithracin PF
	MORPHINE with TACRINE To be endorsed "S.P."				
1667R	Tablet 30mg-15mg * * *	50	..	11.34	Mortha WH
1663M	MORPHINE with TACRINE Injection 15mg-13mg in 1.5ml	5	..	3.01	Mortha WH
1664N	30mg-13mg in 1.5ml	5	..	3.07	Mortha WH
1665P	15mg-30mg in 1.5ml	5	..	3.54	Mortha WH
1666Q	30mg-30mg in 1.5ml	5	..	3.67	Mortha WH
1644M	MORPHINE SULPHATE Injection 10mg in 1ml	5	..	2.49	AB,BL,KL,LP,SI
1645N	15mg in 1ml	5	..	2.54	AB,BL,KL,LP,SI
1646P	20mg in 1ml	5	..	2.81	BL
1647Q	30mg in 1ml	5	..	2.87	AB,BL,KL
1661K	MORPHINE SULPHATE with ATROPINE SULPHATE Injection 15mg-600 micrograms in 1ml	5	..	2.61	BL
1668T	MUSTINE Injection 10mg (solvent required)	1	..	3.33	BT
	NALIDIXIC ACID To be endorsed "S.P."				
2451B	Tablet 500mg	56	..	7.51	Negram WL
2645F	Paediatric Suspension 50mg per ml, 200ml	#1	..	4.71	Negram WL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3196F	NALORPHINE Injection 1mg in 1ml	5	..	\$ 4.17	Lethidrone	BW
1669W	10mg in 1ml	5	1	4.84	Lethidrone	BW
	NANDROLONE DECANOATE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health.					
1671Y	Injection 50mg in 1ml	1	1	7.24	Deca-Durabolin	OR
	NANDROLONE PHENYLPROPIONATE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health.					
1672B	Injection 25mg in 1ml	3	1	6.57	Durabolin	OR
1317H	NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15ml	≠1	2	2.04	Albalon Liquifilm	AG
2807R	NATAMYCIN Tablet 100mg	50	..	7.31	Pimafucin	GB
2877K	Suspension 1%, 5ml	≠1	..	2.51	Pimafucin	GB
2519N	Ointment 20mg per g, 15g	≠1	..	2.57	Pimafucin	GB
2520P	Pessaries 25mg, 20	≠1	..	4.31	Pimafucin	GB
	NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE					
2954L	Ear Ointment 1%-0.35%(base)-1%, 5g	≠1	2	1.91	Pimafucort Otic	GB
	NEOMYCIN To be endorsed "S.P."					
2325J	Tablet 500mg	25	1	8.84	Neomate Neosulf ET KL	LF PT
	* * *			12.04		
	NEOMYCIN Eye Drops					
1673C	0.5% (0.35% Neomycin Base) 10ml	≠1	2	2.11	Neopt	SI
	NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORT- ISONE ACETATE					
2658X	Ear Drops 0.1%-0.005%-0.05%-1%-0.02%, 15ml	≠1	..	2.17	Biomydrin	WW
	NEOMYCIN UNDECENOATE with BACITRACIN ZINC					
2296W	Ear Ointment 12mg(3.5mg base)- 400 Units per g, 10g	≠1	..	2.04	Nemdyn	HA
1675E	NEOSTIGMINE Tablet 15mg	100	2	3.17	Prostigmin	RO
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1676F	NEOSTIGMINE - cont. Injection 500 micrograms in 1ml	5	3	\$ 1.60	Prostigmin	RO
1677G	2.5mg in 1ml	5	3	1.84	Prostigmin	RO
1679J	Eye Drops 3%, 7.5ml	≠1	6	2.16	Prostigmin	RO
1680K	NICLOSAMIDE Tablet 500mg * * *	4	..	2.51	Yomesan	BN
1681L	NICLOSAMIDE To be endorsed "S.P." Tablet 500mg	16	..	*7.52	Yomesan	BN
1684P	NICOTINIC ACID To be endorsed with the pension number. Tablet 25mg	100	2	1.59	DH,KL,LP	
1685Q	50mg	100	2	1.64	DH,KL,LP,RT(V),SI	
1686R	100mg	100	2	1.77	DH,KL,RT(V)	
1687T	250mg	100	2	2.17	DH,LP	
1688W	NICOUMALONE Tablet 4mg	50	2	3.91	Sintrom	GE
2723H	NITRAZEPAM Tablet 5mg	25	..	1.88	Dormicum Mogadon	SU RO
1689X	NITROFURANTOIN To be endorsed "S.P." Tablet 50mg	25	1	3.88	Furadantin	SK
1690Y	100mg	25	1	5.80	Furadantin	SK
1691B	Paediatric Suspension 25mg per 5ml, 200ml	≠1	..	3.28	Furadantin	SK
1695F	NORADRENALINE Injection 1 in 10,000, 2ml	5	..	5.21	Levophed	WL
1694E	Infusion 1 in 1,000, 2ml	5	..	6.04	Levophed	WL
2993M	NORETHISTERONE To be endorsed "S.P." Tablet 5mg * * *	30	5	3.77	Primolut-N	SC
1967M	NORETHISTERONE Tablet 350 micrograms, 28	2	2	*2.84	Micronor Noriday	ET SD
3176E	NORETHISTERONE with MESTRANOL Tablet 1mg - 50 micrograms, 21 (continued)	2	2	*2.84	Norinyl-1 Ortho-Novum 1/50	SD ET

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3177F	NORETHISTERONE with MESTRANOL - cont. Tablet 1mg - 80 micrograms, 21	2	2	\$ *2.84	Ortho-Novum 1/80	ET
3178G	2mg - 100 micrograms, 21	2	2	*2.84	Norinyl-2 Ortho-Novum 2	SD ET
3179H	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets NORETHISTERONE ACETATE To be endorsed "S.P."	2	2	*2.84	Norinyl 1/28	SD
1182F	Tablet 2.5mg	30	5	3.17	Norlutin-A Primolut Nor	PD SC
2865T	10mg	100	2	18.17	SH420	SC
3180J	NORETHISTERONE ACETATE with ETHINYL- OESTRADIOL Tablet 1mg - 50 micrograms, 21	2	2	*2.84	Minovlar	SC
3181K	3mg - 50 micrograms, 21	2	2	*2.84	Gynovlar	SC
3182L	4mg - 50 micrograms, 21	2	2	*2.84	Anovlar	SC
3183M	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	*2.84	Minovlar ED Orlest	SC PD
3184N	Pack containing 21 tablets 2.5mg - 50 micrograms and 7 inert tablets	2	2	*2.84	Norlestrin	PD
3185P	NORETHYNODREL with MESTRANOL Tablet 2.5mg - 100 micrograms, 21	2	2	*2.84	Conovid-E	SR
2913H	NORGESTREL Tablet 30 micrograms, 28	2	2	*2.84	Microlut 28 Microval 28	SC WY
1393H	NORGESTREL with ETHINYLOESTRADIOL Tablet 150 micrograms - 30 micrograms, 21	2	2	*2.84	Microgynon 30 Nordette 21	SC WY
3186Q	250 micrograms - 50 micrograms, 21	2	2	*2.84	Neogynon Nordiol 21	SC WY
1442X	500 micrograms - 50 micrograms, 20	2	2	*2.84	Duoluton	SC
3187R	500 micrograms - 50 micrograms, 21	2	2	*2.84	Eugynon Ovral	SC WY
1394J	Pack containing 21 tablets 150 micrograms - 30 micrograms and 7 inert tablets	2	2	*2.84	Microgynon 30 ED Nordette 28	SC WY
3188T	Pack containing 21 tablets 250 micrograms - 50 micrograms and 7 inert tablets	2	2	*2.84	Neogynon ED Nordiol 28	SC WY
(continued)						

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3189W	NORGESTREL with ETHINYLOESTRADIOL - cont. Pack containing 21 tablets 500 micrograms - 50 micrograms and 7 inert tablets	2	2	\$ *2.84	Eugynon ED Ovral 28	SC WY
2522R	NORTRIPTYLINE Tablet 10mg	50	2	1.88	Allegron Nortab	DL SQ
2523T	25mg	50	2	2.73	Allegron Nortab	DL SQ
2525X	Capsule 10mg	50	2	1.88	Aventyl	LY
2526Y	25mg	50	2	2.73	Aventyl	LY
2524W	Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	1.75	Allegron Aventyl	DL LY
2564Y	NUTRAMIGEN To be accompanied by an authority from the Director of Health. Powder 500g	2	20	*11.74	Glucose Nutramigen	MJ
1696G	NYSTATIN Tablet 500,000 Units	50	..	6.95	Diastatin Mycostatin Nilstat	GP SQ LE
3033P	Mixture 100,000 Units per ml, 24ml	≠1	..	3.11	Diastatin Mycostatin Nilstat	GP SQ LE
1698J	Cream 100,000 Units per g, 15g	≠1	..	2.44	Mycostatin Nilstat	SQ LE
1179C	Ointment 100,000 Units per g, 15g	≠1	..	2.44	Mycostatin Nilstat	SQ LE
1697H	Pessaries 100,000 Units, 15	≠1	1	2.68	Diastatin Mycostatin Nilstat	GP SQ LE
3163L	Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	≠1	1	2.77	Mycostatin	SQ
3102G	100,000 Units per 5g, 75g (15 doses)	≠1	1	2.77	Diastatin Nilstat	GP LE
1061W	OESTRADIOL VALERATE Injection 10mg in 1ml	3	..	5.11	Primogyn-Depot	SC
1700L	OESTRONE Pessaries 1,000 Units, 12	≠1	1	2.71	Kolpon	OR
1701M	10,000 Units, 12	≠1	1	4.04	Kolpon	OR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2333T	ORCIPRENALINE Tablet 20mg	100	2	\$ 5.11	Alupent	BY
2828W	Syrup 10mg per 5ml, 100ml	≠1	4	1.97	Alupent	BY
2332R	Inhalation Solution for use in NEBULISER 5%, 7.5ml	≠1	..	2.04	Alupent	BY
2783L	for use in RESPIRATOR 2%, 75ml	≠1	..	6.17	Alupent	BY
2784M	Inhalation, metered aerosol spray replacement pack, 15mg per ml, 15ml (300 dose)	≠1	1	3.57	Alupent	BY
	ORPHENADRINE HYDROCHLORIDE To be endorsed "S.P."					
2627G	Tablet 50mg	100	2	3.91	Disipal	RK
3132W	OXAZEPAM Tablet 15mg	50	..	1.97	Serepax	WY
3133X	30mg	50	..	2.57	Serepax	WY
	OXPRENOLOL To be endorsed "S.P."					
2942W	Tablet 20mg	100	2	4.89	Trasicor	CB
2961W	40mg	100	2	6.97	Trasicor	CB
2941T	Injection 2mg (solvent required)	5	..	4.92	Trasicor	CB
	OXYCODONE To be endorsed "S.P."					
2609H	Injection 10mg in 1ml	6	..	4.81	Proladone	CK
2481N	Suppositories 30mg, 12	≠1	..	4.81	Proladone	CK
	OXYMETHOLONE To be accompanied by an authority from the Director of Health.					
2769R	Tablet 5mg	100	..	8.31	Adroyd	PD
2902R	50mg	100	..	65.84	Anapolon	SD
2903T	100mg	100	..	130.84	Adroyd	PD
1724R	OXYTETRACYCLINE Capsule 250mg	25	..	2.60	Bramcycline Oxycycline Terramycin	BB PT PF
1717J	Suspension 125mg per 5ml, 100ml	≠1	..	2.20	Terramycin	PF
1719L	Injection I.M. 100mg	5	..	*4.59	Terramycin Vendarcin	PF GB
1720M	I.M. 250mg	5	..	*7.64	Vendarcin	GB
1721N	I.V. 250mg (continued)	5	..	*7.64	Vendarcin	GB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1064B	OXYTETRACYCLINE - cont. Ointment 3%, 15g	#1	..	\$ 1.91	Terramycin	PF
2806Q	OXYTETRACYCLINE with HYDROCORTISONE Ear Suspension 0.5%-1.5%, 5ml	#1	..	2.17	Terra-Cortril	PF
2512F	OXYTETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	2.69	Terrastatin	PF
1726W	OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per g, 4g	#1	..	1.84	Terramycin	PF
1727X	OXYTOCIN Injection 2 Units in 2ml	5	..	2.00	Syntocinon	SZ
1729B	5 Units in 1ml	5	..	2.16	Syntocinon	SZ
1730C	10 Units in 1ml	5	..	2.57	Syntocinon	SZ
2400H	OXYTOCIN with ERGOMETRINE Injection 5 Units and 500 micrograms in 1ml	5	..	2.71	Syntometrine	SZ
1733F	PANCREATIN To be endorsed "S.P." Powder 500g	1	..	29.51	Pancrex "V"	ST
1735H	PANCREATIN ENZYME (4 times USNF.XIII strength) To be endorsed "S.P." Tablet 325mg	500	1	30.84	Viokase	RS
1736J	Powder 227g	#1	2	23.51	Viokase	RS
2497K	PANCRELIPASE To be endorsed "S.P." Capsule 300mg	250	1	22.17	Cotazym	OR
1740N	PAPAVERTUM Tablet 10mg	20	..	2.22	Omnopon	RO
1739M	Injection 20mg in 1ml	5	..	2.27	Omnopon AB	RO
1741P	PAPAVERTUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1ml	5	..	2.34	Omnopon- Scopolamine	RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1746X	PARACETAMOL Tablet 500mg	50	1	\$ 1.71 1.76	Ceetamol PT Bramcetamol BB Dymadon BW Langesic LP Panacete PR Parasin AV Parmol KL Placemol VR Tempra MJ Panamax WL Paralgin FM
1747Y	Mixture 120mg per 5ml, 100ml	71	4	1.69	Dymadon BW Panadol WL Paraspen FC Parmol KL Tempra MJ
	PARAFFIN LIQUID To be endorsed "S.P."				
1750D	/Emulsion 500ml	1	4	/1.95	Petrolagar WY
1751E	(with instructions for use)				
1752F	/Emulsion with Phenolphthalein, 500ml	1	4	/1.95	Agarol WW Lubarol DH Petrolagar with Phenolphthalein WY
1753G	(with instructions for use)				
	PARALDEHYDE				
1754H	Injection 5ml	5	1	3.04	BL
1755J	10ml	5	1	3.51	BL
	PARAMETHASONE				
1758M	Tablet 2mg	30	2	2.17	Metilar SD
	PEMPIDINE				
1759N	Tablet 5mg	100	1	*4.26	Perolysen MB
	PENICILLAMINE To be accompanied by an authority from the Director of Health.				
2838J	Tablet 250mg	100	3	42.84	D-Penamine DL
1761Q	Capsule 120mg	100	3	24.84	D-Penamine DL
2722G	250mg	100	3	*42.84	Cuprimine MK
	PENICILLINASE				
1762R	Injection Set containing 0.8megaU and 1ml solvent	1	..	15.51	Compenase CS
	PENTAZOCINE				
2944Y	Injection 60mg in 2ml	5	..	4.57	Fortral WL
	NOTE: Pentazocine is classed as a dangerous drug (S8) in certain States. Payment will include the appropriate fee where applicable.				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1814L	PENTOBARBITONE SODIUM Tablet 30mg	50	..	\$ *1.27	Somnital QE (NQ), RY PR
2707L	50mg	50	..	1.24	Penbon Somnital DH, PT, QE (NQ) AV PR
1815M	100mg	25	..	1.29	Penbon Petab Somnital DH, LP, PT, QE (NQ), RT (V), RY, TO AV KL PR
1817P	Capsule 50mg	50	..	1.55	Nembutal Penbon Pentone PT AB AV FA
1818Q	Capsule 100mg	25	..	1.53	Nembutal Penbon Pentobeta Pentone PT, RY AB AV BB FA
1821W	PENTOLINIUM TARTRATE Injection 5mg per ml, 10ml	1	1	4.31	Ansolysen MB
3052P	PERICYAZINE To be endorsed "S.P." Tablet 2.5mg	100	1	2.71	Neulactil MB
3053Q	10mg	100	1	5.77	Neulactil MB
3055T	Mixture 2.5mg per 5ml, 100ml	≠1	4	2.31	Neulactil MB
2410W	PERITONEAL DIALYSIS SOLUTION Injection with 1.5% Anhydrous Dextrose, 1 litre	20	1	*49.84	Diasol AB
2889C	with 1.5% Anhydrous Dextrose, 2 litres	20	1	*78.24	Dianeal TV
3192B	with 4.25% Anhydrous Dextrose, 1 litre	20	1	*49.84	Diasol AB
2890D	with 4.25% Anhydrous Dextrose, 2 litres	20	1	*78.24	Dianeal TV
1827E	PERTUSSIS VACCINE Injection 20,000 million organisms in 0.5ml	3	1	*6.24	CS
1828F	PETHIDINE Injection BP, 50mg in 1ml	5	..	2.34	Pethoid AB, BL, KL, LP, SI BW
1829G	100mg in 2ml	5	..	2.41	Pethoid AB, BL, KL, LP, SI BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1833L	PETHIDINE with LEVALLORPHAN Injection 50mg-625 micrograms per ml, 2ml	5	..	\$ 2.41	Pethilorfan RO
2856H	PHENELZINE To be endorsed "S.P." CAUTION: This drug is a monoamine oxidase inhibitor and should not be used with sympathomimetic amines. Precautions should be taken with diet and additional medication. Tablet 15mg	50	1	4.17	Nardil WW
1839T	PHENETHICILLIN Tablet 125mg	25	1	2.11	Optipen CS Pensig SI
1840W	250mg	25	1	2.60	Optipen CS Pensig SI
1837Q	Capsule 125mg	25	1	2.11	Optipen CS Pensig SI
1838R	250mg	25	1	2.60	Optipen CS Pensig SI
3088M	500mg	12	1	2.53	Optipen CS Pensig SI
3120F	Powder for Syrup 125mg per 5ml, 100ml	#1	1	#2.54	Optipen CS Pensig 125 SI
3121G	250mg per 5ml, 100ml * * *	#1	1	#3.20	Pensig 250 SI
1706T	PHENETHICILLIN To be endorsed "S.P." Tablet 125mg	50	5	*3.38	Optipen CS Pensig SI
1707W	250mg	50	5	*4.36	Optipen CS Pensig SI
1708X	Capsule 125mg	50	5	*3.38	Optipen CS Pensig SI
1709Y	250mg	50	5	*4.36	Optipen CS Pensig SI
1841X	PHENFORMIN Tablet 25mg	100	2	4.57	Insoral BQ
2586D	Capsule 50mg	100	1	8.57	Insoral TD BQ
1842Y	PHENINDAMINE Tablet 25mg	50	2	1.67	Thephorin RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1843B	PHENINDIONE Tablet 10mg	100	2	\$ 4.17	Dindevan AH
1844C	50mg	100	2	5.77	Dindevan AH
1846E	PHENIRAMINE Tablet 10mg	50	2	1.64	Avilettes HP
1847F	50mg	50	2	2.09	Avil HP
1848G	Paediatric Syrup 15mg per 5ml, 100ml	1	4	1.77	Avil HP
1845D	Injection 25mg per ml, 2ml	5	1	2.01	Avil HP
1849H	PHENOBARBITONE To be endorsed "S.P." Tablet 15mg	200	1	1.91	DH, KL, RT (V), RY
1850J	30mg	200	1	2.04	DH, KL, RT (V), RY, SI
1851K	60mg	200	1	2.17	DH, KL, RT (V), RY
1852L	100mg Elixir PL - See Booklet (Extemporan- eously Prepared Benefits)	200	1	2.44	DH, RT (V), RY
1853M	PHENOBARBITONE SODIUM Injection 200mg in 1ml	5	..	2.24	BL, FM
1788D	PHENOXYMETHYLPENICILLIN Capsule 125mg	25	1	2.04	Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
1789E	Capsule 250mg	25	1	2.49	Abbocillin-VK AB Adacillin AV Cilicaine-VK SI Falcopen VK FA Lanpen LP L.P.V. CS Propen-VK PT PVK LY P.V.O. FM Vicin KL V.P.V. VR
2965C	500mg	12	1	2.32	Cilicaine-VK SI Falcopen VK FA L.P.V. CS P.V.O. FM
1786B	Tablet 125mg	25	1	2.04	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1787C	PHENOXYMETHYLPENICILLIN - cont. Tablet 250mg	25	1	\$ 2.49	Abbocillin-VK AB Adacillin AV Bramcillin BB Cilicaine-VK SI Falcopen VK FA Lanpen LP L.P.V. CS Pen-Cilin V LF Propen-VK PT PVK LY P.V.O. FM Vicin KL V.P.V. VR
3028J	500mg	12	1	2.32	Abbocillin-VK AB L.P.V. CS PVK LY P.V.O. FM
2356B	Paediatric Suspension 125mg per 5ml, 100ml	#1	1	2.37	Abbocillin-V AB Cilicaine V SI Falcopen V FA Flavopen GP L.P.V. CS Pfpipen V PF
2354X	Suspension 250mg per 5ml, 100ml	#1	1	2.97	Abbocillin-V AB Cilicaine V SI Falcopen V FA Flavopen GP L.P.V. Aqueous Forte CS Pfpipen V PF
	* * *				
	PHENOXYMETHYLPENICILLIN To be endorsed "S.P."				
1702N	Tablet 125mg	50	5	*3.24	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
1703P	250mg	50	5	*4.14	Abbocillin-VK AB Adacillin AV Bramcillin BB Cilicaine-VK SI Falcopen VK FA Lanpen LP L.P.V. CS Pen-Cilin V LF Propen-VK PT PVK LY P.V.O. FM V.P.V. VR Vicin KL
	(continued)			4.15	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1704Q	PHENOXYMETHYLPENICILLIN - cont. Capsule 125mg	50	5	\$ *3.24	Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
1705R	250mg	50	5	*4.14	Abbecillin-VK AB Adacillin AV Cilicaine-VK SI Falcopen VK FA Lanpen LP L.P.V. CS Propen-VK PT PVK LY P.V.O. FM V.P.V. VR Vicin KL
1863C	PHENSUXIMIDE Capsule 500mg	200	1	13.51	Milontin PD
1865E	PHENYLALANINE LOW CONTENT FORMULA To be endorsed "S.P." Powder 2.5lb	2	2	*36.00	Lofenalac MJ
1867G	PHENYLBUTAZONE Tablet 100mg	50	2	2.15 2.17	Butacal LF Butazone PT Butalan LP Butalgin FM Butarex AV Butazolidin GE Butoroid VR Buzon KL
2435E	Capsule 100mg	50	2	2.17	Buzon KL
2754Y	Injection 600mg in 3ml	5	..	3.11	Butazolidin GE
2755B	Suppositories 250mg, 10	≠1	2	3.24	Butazolidin GE Butoz HA
2455F	PHENYLEPHRINE Compound Ointment 60g	≠1	1	2.11	Hemorex WL
1869J	Compound Suppositories, 12	≠1	1	2.11	Hemorex WL
2829X	Eye Drops 0.12%, 15ml	≠1	2	2.04	Isopto Frin AQ Prefrin AG
2649K	10%, 5ml	≠1	..	2.97	Neo-Synephrine WL
2692Q	PHENYTOIN Paediatric Suspension 30mg per 5ml, 500ml	≠1	3	3.71	Dilantin PD
2691P	Suspension 100mg per 5ml, 500ml	≠1	1	4.11	Dilantin Forte PD
1872M	PHENYTOIN SODIUM Tablet 100mg (continued)	200	1	3.17	RY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1873N	PHENYTOIN SODIUM - cont. Capsule 30mg	200	1	\$ 4.17	Dilantin Sodium PD
1874P	100mg	200	1	4.44 4.57	Phentoin PT Dilantin Sodium PD RY
3035R	Injection 100mg with 2.2ml solvent	1	..	4.71	Dilantin Sodium PD
1871L	250mg with 5ml solvent	1	..	5.91	Dilantin Sodium PD
2466T	PHOLCODINE Linctus 0.1%, 100ml	≠1	2	1.56 1.64	Pholtrate MG Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin Red DH Pholtussin KL Sedlingtus VR Tussinol GP PR,RT(V),SI(V)
1877T	PHTHALYLSULPHACETAMIDE Tablet 500mg	100	..	3.24	Talecid SC Thalacet VR
1878W	PHTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	2.84	Phthazol KL
1879X	PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15ml	≠1	6	3.51	IQ
1880Y	0.5%, 15ml	≠1	6	3.91	IQ
1881B	PHYTOMENADIONE Injection 1mg	5	..	2.31	Konakion RO
1882C	10mg	5	..	3.72	Konakion RO
2383K	Colloidal Solution for Injection 10mg in 1ml	5	..	*6.19	Aquamephyton MK
2778F	PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15ml	≠1	6	2.04 2.11	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG
2595N	1%, 15ml	≠1	6	2.11 2.17	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL,LP
2596P	2%, 15ml	≠1	6	2.24 2.31	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL,LP
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2597Q	PILOCARPINE HYDROCHLORIDE - cont. Eye Drops 3%, 15ml	#1	6	\$ 2.31 2.37	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG LP
2598R	4%, 15ml	#1	6	2.44 2.51	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL
2779G	6%, 15ml	#1	6	2.97	Isopto Carpine AQ Pilopt SI P.V. Carpine AG
1183G	PIPERAZINE PHOSPHATE Powder 10g sachets, 2	#1	..	1.84	Pripsen RC
1899Y	PITUITARY, POSTERIOR LOBE Insufflation 30 Antidiuretic Unit Capsule	100	2	9.11	Di-Sipidin ST
3074T	PIZOTIFEN MALATE To be endorsed "S.P." Tablet 500 micrograms(base)	100	2	8.05	Sandomigran SZ
1901C	PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	*4.58	CS
2908C	PLASMA SUBSTITUTE I.V. Infusion 3.5%, 500ml	5	..	*38.69	Haemacel HP
1904F	POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	#1	2	2.17	Aerosporin BW
1908K	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg(base) per ml, 15ml	#1	..	2.17	Neotracin ET
1909L	Eye Drops Set containing 50,000 Units - 4,000 Units-50mg and 10ml solvent	#1	2	#3.46	Neotracin ET
1910M	Eye Ointment 5,000 Units-400 Units-5mg per g, 4g	#1	..	1.91	Mycitracin UP Neosporin BW
2791X	POLYMYXIN B SULPHATE with LIGNOCAINE Ear Drops 10,000 Units-50mg per ml, 10ml	#1	2	2.17	Lignosporin BW
1911N	POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg-25 micrograms per ml, 10ml	#1	2	2.44	Neosporin BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2790W	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)- 10mg per ml, 7ml POLYOESTRADIOL To be endorsed "S.P."	#1	2	\$ 2.17	Aerocortin BW
2584B	Injection set containing 40mg and 2ml solvent	1	..	5.84	Estradurin AY
2682E	POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	#1	6	2.64	Liquifilm Tears AG
2373X	POTASSIUM Effervescent Tablet 6.5mEq K ⁺	100	2	2.64	Potavescent PT
2592K	25mEq K ⁺	30	2	2.71	K-Lyte MJ
2642C	POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	2.44	K-San PR K-Supp WL Slow-K CB Span-K PT
3191Y	Effervescent Tablet 6.5mEq K ⁺ and 6.5mEq Cl ⁻	100	2	2.31	Kloref LP
3012M	14mEq K ⁺ and 8mEq Cl ⁻	30	2	2.31	Chlorvescent PT
2625E	Elixir 1.5g per 15ml, 500ml	#1	2	2.64	Kay Ciel CP
1097R	Sterile Solution 0.746g in 10ml (7.46%) for preparation of injection	5	..	3.51	AB
2975N	Sterile Solution 1g in 10ml (10%) for preparation of injection	5	..	3.51	AB
2336Y	Injection Standard Maintenance Fluids - See Intravenous Fluids PRALIDOXIME IODIDE Injection 500mg PRAZOSIN HYDROCHLORIDE To be endorsed "S.P."	5	..	8.84	AB
1479W	Tablet 1mg (base)	100	..	6.17	Minipress PF
1480X	2mg (base)	100	..	8.84	Minipress PF
3152X	PREDNISOLONE Tablet 1mg	100	1	2.31	Panafcortelone PT
1917X	5mg	30	2	1.59 1.60	Panafcortelone PT Adnisolone AV Delta-Cortef UP Deltasolone KL Precortisyl RL Prelone LF Solone FM
	(continued)				LP, PR, RT (V)

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1916W	PREDNISOLONE - cont. Tablet 25mg	30	1	\$ 3.51	Panafcortelone Solone	PT FM
1918Y	Eye Ointment 0.5%, 4g	#1	..	2.44	Delta-Cortef Optocort	UP PT
1919B	PREDNISOLONE ACETATE To be endorsed "S.P." Injection 10mg in 1ml * * *	5	..	*5.49	Scherisolone	SC
2684G	PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	#1	6	2.97	Sterofrin Ultracortenol	AQ ZY
3112T	PREDNISOLONE ACETATE with PHENYL- EPHRINE To be endorsed "S.P." Eye Drops 1%-0.12%, 10ml	#1	..	3.77	Prednefrin Forte	AG
1920C	PREDNISOLONE SODIUM PHOSPHATE To be endorsed "S.P." Retention Enema 20mg in 100ml	7	..	14.65	Predsol	GL
2554K	Suppositories equivalent to 5mg prednisolone, 10 * * *	#1	..	5.53	Predsol	GL
1922E	PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5ml	#1	6	3.04	Codelsol Predsol	MK GL
1923F	Eye Ointment 0.5%, 3g	#1	..	2.44	Predsol	GL
3099D	PREDNISOLONE STEAGLATE Tablet 6.65mg	30	2	1.84	Sintisone	EC
2471C	PREDNISOLONE TERTIARYBUTYLACETATE To be endorsed "S.P." Injection 20mg in 1ml	5	..	6.71	Codelcortone TBA	MK
1934T	PREDNISON Tablet 1mg	100	1	2.31	Panafcort	PT
1935W	5mg	30	2	1.59 1.60	Panafcort Adasone Decortisyl Deltasone Presone Propred Sone LP, PR	PT AV RL KL LF BB FM
1936X	25mg	30	1	3.51	Panafcort Sone	PT FM
1937Y	PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	4.29	IC	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1939C	PRIMIDONE Tablet 250mg	200	1	\$ 4.84	Midone Mysoline	PT IC
2616Q	Paediatric Suspension 125mg per 5ml, 500ml	≠1	1	2.60	Mysoline	IC
	PRINDOLOL To be endorsed "S.P."					
3062E	Tablet 5mg	100	2	6.97	Visken	SZ
3063F	Injection 1mg in 5ml	5	..	5.11	Visken	SZ
1940D	PROBENECID Tablet 500mg	100	2	7.91 7.93	Proben Benemid	PT FR
2653P	PROCAINAMIDE Capsule 250mg	100	2	5.37	Pronestyl	SQ
1074M	375mg	100	2	6.84	Pronestyl	SQ
1941E	Injection 100mg per ml, 10ml	2	..	*4.14	Pronestyl	SQ
1791G	PROCAINE PENICILLIN Injection BP, 600mg	5	..	4.84	Aquacillin	FA
1793J	1g	5	..	6.44	Aquacaine Cilicaine Megacillin	CS SI FA
1794K	1.5g	5	..	6.84	Aquacaine Aquacillin Cilicaine	CS FA SI
1795L	Crystalline Injection 300mg (solvent required)	5	..	4.31	Aquacaine G	CS
1796M	900mg (solvent required)	5	..	4.84	Aquacaine G	CS
1797N	1.5g (solvent required)	5	..	6.17	Aquacaine G	CS
1802W	PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	5.51	Aquacaine G Fortified	CS
2635Q	PROCARBAZINE Capsule 50mg	100	..	12.04	Natulan	RO
2893G	PROCHLORPERAZINE Tablet 5mg	50	1	2.03 2.04	Anti-Naus Compazine Stemetil	PT SK MB
2369Q	Injection 12.5mg in 1ml	10	..	3.77	Compazine Stemetil	SK MB
2894H	Suppositories 5mg, 5	≠1	..	2.17	Compazine Stemetil	SK MB
2895J	25mg, 5	≠1	..	2.57	Compazine Stemetil	SK MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1943G	PROCYCLIDINE Tablet 5mg	100	2	\$ 4.84	Kemadrin BW
1947L	PROGUANIL Tablet 100mg	100	2	3.53	Paludrine IC
1950P	PROMETHAZINE Tablet 10mg	50	2	1.91	Phenergan MB Prothazine KL
1951Q	25mg	50	2	2.03 2.04	Meth-Zine PT MC Phenergan MB Prothazine KL
1949N	Mixture 5mg per 5ml, 100ml	≠1	4	1.77	Phenergan MB Progan AV Prothazine KL
1948M	Injection 50mg in 2ml	10	..	3.04	BL
3049L	PROMETHAZINE THEOCLATE Tablet 25mg	30	1	2.36	Avomine MB
2899N	PROPRANOLOL To be accompanied by an authority from the Director of Health. Tablet 160mg * * *	100	2	20.84	Inderal IC
	To be endorsed "S.P."				
2565B	Tablet 10mg	100	2	3.97	Inderal IC
2566C	40mg	100	2	6.97	Inderal IC
2830Y	Injection 1mg in 1ml	5	..	*2.93	Inderal IC
2703G	PROPYLENE GLYCOL Spray diluent-Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200ml	≠1	2	2.51	FA
1954W	PROPYLTHIOURACIL Tablet 25mg	100	2	3.24	ET
1955X	50mg	100	2	3.64	ET
2994N	PROSCILLARIDIN Tablet 250 micrograms	100	2	4.17	Talusin KN
1957B	PROTAMINE SULPHATE Injection 1%, 10ml	5	..	5.64	BT
2874G	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE To be endorsed "S.P." Powder, 100g sachet, 2kg	≠1	2	119.27	Albumaid XP MN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2747N	PROTRIPTYLINE Tablet 5mg	50	2	\$ 2.84	Concordin	MK
2748P	10mg	50	2	3.64	Concordin	MK
2808T	Capsule 5mg	50	2	2.84	Triptil	FR
2809W	10mg	50	2	3.64	Triptil	FR
3044F	PSEUDOEPHEDRINE HYDROCHLORIDE Tablet 30mg	100	2	2.17	Sudafed-M	BW
3043E	60mg	100	2	2.71	Sudafed	BW
3045G	Mixture 30mg per 5ml, 100ml	#1	4	1.88	Sudafed	BW
3047J	PYRANTEL EMBONATE Tablet 125mg (base)	6	..	2.17	Combantrin	GP
3048K	Mixture 50mg (base) per ml, 12ml	#1	..	2.17	Combantrin	GP
2335X	PYRAZINAMIDE Tablet 500mg	500	..	55.75	Zinamide	MK
2724J	PYRIDOSTIGMINE Tablet 10mg	100	2	3.77	Mestinon	RO
1959D	60mg	100	2	12.17	Mestinon	RO
2608G	180mg (sustained release)	100	1	16.31	Mestinon	RO
1960E	Injection 1mg in 1ml	5	1	1.91	Mestinon	RO
1965K	PYRIDOXINE HYDROCHLORIDE To be endorsed "S.P." Tablet 25mg	100	..	2.84	Pydox Pyroxin DH,RY	PT KL
	* * *					
1961F	PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1ml	5	1	2.12 2.41	Pyroxin BL,FM	KL
1964J	50mg per ml, 10ml	1	..	2.44	Pyroxin	KL
1966L	PYRIMETHAMINE Tablet 25mg	50	..	2.84	Daraprim	BW
1968N	QUINALBARBITONE SODIUM Tablet 100mg	25	..	1.24	RY	
1969P	Capsule 50mg	50	..	1.64	Quinbar Seconal Sodium	AV LY
1970Q	100mg	25	..	1.55 1.60	Proquinal RY Seconal Sodium	PT LY
2337B	QUINETHAZONE Tablet 50mg	50	2	3.80	Aquamox	LE

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	\$ 13.51	Kinidin AP
1971R	QUINIDINE SULPHATE Tablet 200mg	100	2	12.77 12.84	DH,PT Cardoquin Quincardine Quinidoxin FA,KL,LP,PR, QE(NQ),RT(V),TO AV FM BW
3080D	300mg (sustained release)	100	2	18.57	Quinidex RS
1972T	QUININE BISULPHATE Tablet 300mg	50	..	6.44 6.84	DH,PT Biquin Bi-Quinate Quinbisan BW,FA,LP AV KL PR
1975Y	QUININE SULPHATE Tablet 300mg	50	..	6.71 6.84	DH,PT,QE(NQ) Adaquin Quinate Quinoctal Quinsan LP,SI,TO AV KL FM PR
1977C	RAUWOLFIA ALKALOIDS Tablet 2mg	100	1	3.11	Rauwiloid RK
1979E	RAUWOLFIA SERPENTINA Tablet 50mg	100	1	2.79 3.04 3.09	Rawlina Serenol Raudixin LF PT SQ
1983J	RESERPINE Tablet 250 micrograms	100	1	2.44	Resedrex Serpasil Tenserp RY HA CB VR
1981G	Injection 1mg	5	..	2.84	Serpasil CB
1982H	2.5mg	5	..	3.24	Serpasil CB
1985L	RIBOFLAVINE To be endorsed with the pension number. Tablet 5mg	100	2	1.64	FM,KL,RT(V)
1986M	ROLITETRACYCLINE I.V. Injection sets containing 110mg and 5ml solvent	5	..	*7.44	Reverin HP
1987N	275mg and 10ml solvent	5	..	*12.44	Reverin HP
1988P	350mg and 10ml solvent	5	..	*12.44	Bristacin-A BC
1989Q	I.M. Injection sets containing 150mg and 2ml solvent	5	..	*7.44	Reverin HP
1990R	350mg and 2ml solvent	5	..	*12.44	Bristacin-A Reverin BC HP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1991T 1992W	SACCHARIN or SACCHARIN SODIUM Tablets 30mg, 500 (with instructions for use)	1	1	\$ 1.04	DH,FA	
1098T	SALBUTAMOL Tablet 4mg	100	2	5.11	Ventolin	AH
1103C	Syrup 2mg per 5ml, 300ml	1	4	3.24	Ventolin	AH
2002J	Inhalation Solution For use in RESPIRATOR 0.5%, 10ml	1	2	3.51	Ventolin	AH
3087L	Inhalation, metered aerosol spray 100 micrograms per dose (200 dose)	1	2	3.37	Ventolin	AH
1993X	SALICYLAMIDE Tablet 500mg	100	2	2.17	PT	
1994Y	SCHICK-TEST TOXIN and CONTROL Injection set containing 0.5ml Schick-Test Toxin and 0.5ml Schick Control	1	..	1.91	CS	
1129K	SECBUTOBARBITONE Tablet 15mg	50	..	*1.38	Butisol Sodium	ET
1130L	30mg	50	..	*1.47	Butisol Sodium	ET
1131M	50mg	50	..	*1.66	Butisol Sodium	ET
1132N	100mg	25	..	1.51	Butisol Sodium	ET
2004L	SMALLPOX VACCINE Injection, Capillary Tube	1	..	2.44	CS	
2945B	SODIUM ACID CITRATE Mixture 5.5g per 20ml, 500ml	1	4	2.84	Citralka	PD
2009R	SODIUM AMINOSALICYLATE Tablet 500mg	500	2	11.51	Pasalba	RY
2013Y	SODIUM AUROTHIOMALATE Injection 1mg	5	..	*4.84	Myocrisin	MB
2015C	5mg	5	..	*5.19	Myocrisin	MB
2016D	10mg	5	..	*5.89	Myocrisin	MB
2017E	20mg	5	..	*6.59	Myocrisin	MB
2018F	50mg	5	..	*8.49	Myocrisin	MB
3015Q	SODIUM BICARBONATE Injection 8.4%, 100ml 4.2%, 500ml - See Intravenous Fluids	5	..	*10.84	AB	
2023L	SODIUM CALCIUMDEETATE Tablet 500mg	100	2	6.17	Calcium Disodium Versenate	RK
2022K	Injection 200mg per ml, 5ml	6	..	7.51	Calcium Disodium Versenate	RK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2024M	SODIUM CHLORIDE INJECTION 0.9%, 2ml	5	1	\$ 1.80	AB,BL,LP	
2025N	0.9%, 5ml	5	1	1.97	AB,BL,LP	
2026P	0.9%, 10ml	5	1	2.31	AB,BL,KL,LP	
	1 litre size - See Intravenous Fluids					
	SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE See Intravenous Fluids					
	SODIUM CHLORIDE COMPOUND See Intravenous Fluids					
2657W	SODIUM CITRO-TARTRATE Effervescent Granules 100g	≠1	4	2.71	Citravescent Dex-Cit Urade Ural Sachets	PT RC WW AB
1121B	SODIUM CROMOGLYCAT Capsule 10mg (Nasal Insufflation)	100	2	9.91	Rynacrom	FC
2878L	20mg (Inhalation)	100	2	17.37	Intal Spincaps	FC
	SODIUM LACTATE See Intravenous Fluids					
	SODIUM LACTATE COMPOUND See Intravenous Fluids					
	SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE See Intravenous Fluids					
	SODIUM NITROPRUSSIDE To be endorsed "S.P."					
1100X	Infusion 50mg * * *	10	..	40.84	Nipride	RO
2886X	SODIUM NITROPRUSSIDE Diagnostic Tablet	100	..	2.44	Acetest	AM
2035D	SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	2.24 2.44	QE (NQ) Ensalate Rhumax DH,KL,RY	RC PR
2036E	500mg (enteric coated)	100	2	2.71	Rhumax KL	PR
2037F	600mg (enteric coated)	100	2	2.44 3.04	QE (NQ) Ancosal Ensalate Rhumax DH,KL	AV RC PR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2587E	SORBIDE NITRATE Tablet 10mg	100	2	\$ 2.04	Isordil Isotrate	AY PD
2588F	Sublingual Tablet 5mg	100	2	1.91	Isordil Isotrate	AY PD
	SOYA FORMULA To be accompanied by an authority from the Director of Health.					
2039H	Liquid 384ml	5	20	*4.00	Isomil ProSobee	RD MJ
2837H	425g	5	20	*3.05	Soyalac	SA
2041K	Powder 454g	2	20	*5.34	Sobee	MJ
3090P	SPECTINOMYCIN Injection 2g with 3.2ml diluent	1	..	5.51	Trobicin	UP
3091Q	4g with 6.5ml diluent	1	..	9.51	Trobicin	UP
	SPIRONOLACTONE To be endorsed "S.P."					
2339D	Tablet 25mg	100	..	9.41	Aldactone	SR
	STANDARD MAINTENANCE FLUID See Intravenous Fluids					
	STANOLONE To be endorsed "S.P." OR be accompanied by an authority from the Director of Health.					
2044N	Tablet 25mg	100	1	12.31	Protona	DF
2045P	STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml	1	..	2.84	CS	
2046Q	Undiluted 5ml	1	..	3.11	CS	
	STILBOESTROL					
2050X	Tablet 500 micrograms	100	2	1.51	DH, HA	
2051Y	1mg	100	2	1.80	DH, HA, KL	
2052B	5mg	100	2	1.91	DH, HA, KL, RT(V), SI	
2053C	10mg	100	2	2.04	DH, KL, RT(V)	
	STILBOESTROL DIPHOSPHATE To be endorsed "S.P."					
1353F	Tablet 100mg	100	2	16.04	Honvan	MJ
1352E	Injection 250mg in 5ml	10	..	10.17	Honvan	MJ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	STREPTOKINASE To be endorsed "S.P."			\$	
3130R	Injection 100,000 I.U. (solvent required)	2	..	*45.30	Kabikinase FA
2906Y	250,000 I.U. (solvent required)	2	..	*75.08 *79.70	Streptase HP Kabikinase FA
2962X	600,000 I.U. (solvent required)	5	..	*404.04	Kabikinase FA
2907B	750,000 I.U. (solvent required)	5	..	*475.24	Streptase HP
2054D	STREPTOMYCIN SULPHATE Injection 1g (solvent required)	5	3	4.84	GL
2058H	1,000,000 Units in 3ml	5	3	3.51	Strepolin 33-1/3% GL
2060K	SUCCINYLSULPHATHIAZOLE Tablet 500mg	100	..	2.64	PT
2063N	SULPHACETAMIDE SODIUM Eye Drops 10%, 15ml	≠1	2	2.01 2.04	IQ Acetopt SI Bleph 10 AG KL
2513G	15%, 15ml	≠1	2	2.04	Isopto Cetamide AQ
2064P	20%, 15ml	≠1	2	2.01 2.04	IQ Acetopt SI
2068W	SULPHADIAZINE Tablet 500mg	40	2	2.01 2.04	PT DH,RY
2069X	SULPHADIAZINE SODIUM Injection 4ml	5	..	*4.52	MB
2074E	SULPHADIMIDINE Tablet 500mg	40	2	2.01 2.04	S-Dimidine PT DH Sulphamezathine IC KL,RY
2072C	Suspension 500mg in 5ml, 100ml	≠1	1	2.61	Sulphamezathine IC
2076G	SULPHAFURAZOLE Tablet 500mg	40	2	2.44	Gantrisin RO
2077H	500mg	40	2	2.57 2.71 2.84	MC Sulfazole PT Urogan AV Gantrisin RO
2458J	Paediatric Syrup 500mg per 5ml, 100ml	≠1	1	2.91	Gantrisin RO
2078J	Eye Drops 4%, 10ml	≠1	2	2.04	Gantrisin RO
2079K	Eye Ointment 4%, 5g	≠1	..	1.77	Gantrisin RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2082N	SULPHAMETHIZOLE Tablet 100mg	40	2	\$ 2.12	Urolucosil WW
2083P	250mg	40	2	2.44 2.57	PT Urolucosil WW Uroz HA
2084Q	500mg	40	2	2.97 3.05 3.51	PT Thiosulfil AY Urolucosil WW Uroz HA
2862P	Paediatric Suspension 100mg per 5ml, 100ml	1	1	2.32	Urolucosil WW
2561T	SULPHAMETHOXAZOLE Tablet 500mg	20	1	2.33	Gantanol RO
2562W	Syrup 500mg per 5ml, 50ml	1	2	2.17	Gantanol RO
2085R	SULPHAMETHOXYDIAZINE Tablet 500mg	12	..	2.31	Kirocid SC
2088X	SULPHAMETHOXYPYRIDAZINE Tablet 500mg	12	..	2.44	Lederkyn LE
2090B	SULPHAPHENAZOLE Tablet 500mg	20	1	1.73	Orisul CB
2092D	SULPHAPYRIDINE Tablet 500mg	100	..	5.31	M&B 693 MB
2093E	SULPHASALAZINE Tablet 500mg	100	2	7.04	Salazopyrin PS
2096H	500mg (enteric coated)	100	2	7.51	Salazopyrin-EN PS
2987F	SULPHASYMAZINE Tablet 500mg	20	1	3.37	Prosul LE
2094F	SULPHINPYRAZONE Tablet 100mg	100	2	8.17	Anturan GE
2099L	SULTHIAME Tablet 50mg	200	1	5.77	Ospolot BN
2100M	200mg	200	1	12.13	Ospolot BN
	SURGICAL CEMENT To be endorsed "S.P."				
2238T 2239W	/Skin Bond Adhesive 4fl oz (with instructions for use)	1	2	/3.00	DY
2467W 2468X	/Solvent 227ml (with instructions for use)	1	2	/2.33	Unisolve DY
2469Y 2470B	/Solvent 240ml (with instructions for use)	1	2	/1.88	Sacsol LF
3145M 3146N	/Solvent 400ml (with instructions for use)	1	..	/2.81	Zoff SN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2106W	TACRINE Injection 10mg, 2ml	5	1	\$ 2.24	T.H.A.	WH
2107X	30mg, 2ml	5	1	2.95	T.H.A.	WH
1028D	TERBUTALINE SULPHATE Tablet 5mg	100	2	5.11	Bricanyl Feevone	AP AP
1030F	Elixir 300 micrograms per ml, 300ml	≠1	4	3.24	Bricanyl Feevone	AP AP
1239F	Injection 100 micrograms in 1ml	5	..	3.24	Bricanyl	AP
1034K	500 micrograms in 1ml	5	..	3.51	Bricanyl Feevone	AP AP
1240G	Inhalation, metered aerosol spray 250 micrograms per dose (400 dose)	≠1	1	5.64	Bricanyl Feevone	AP AP
	TESTOSTERONE ENANTHATE To be endorsed "S.P."					
2599T	Injection 100mg in 1ml	1	2	*4.07	Primoteston Depot	SC
2114G	250mg in 1ml	1	2	5.84	Primoteston Depot	SC
	TESTOSTERONE ESTERS To be endorsed "S.P."					
2670M	Injection 100mg	1	2	3.37	Sustanon "100"	OR
2101N	250mg	1	2	6.71	Sustanon "250"	OR
	TESTOSTERONE PROPIONATE To be endorsed "S.P."					
2115H	Injection 25mg in 1ml	10	..	*4.87	Testoviron	SC
2116J	50mg in 1ml	10	..	*8.58	Testoviron	SC
2127Y	TETANUS VACCINE, ADSORBED Injection 0.5ml	3	..	*3.12	CS	
	TETRACOSACTRIN To be accompanied by an authority from the Director of Health.					
3083G	Injection 500 micrograms in 1ml	5	..	9.71	Cortrosyn Depot Synacthen Depot	OR CB
2832C	1mg in 1ml	5	..	14.77	Cortrosyn Depot Synacthen Depot	OR CB
2636R	I.V. Infusion 250 micrograms in 1ml	5	..	*15.49	Synacthen	CB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2133G	TETRACYCLINE Capsule 100mg	25	..	\$ 2.37	Panmycin P UP
2134H	250mg	25	..	2.71	Achromycin LE Australmycin CS Hostacycline HP Hydracycline Plain FM Panmycin P UP Quatrax VR Tetracyclin GP Tetramykoin BZ(N) Tetrex-P BC
2437G	Syrup 125mg per 5ml, 100ml * * *	#1	..	2.20	Achromycin LE
2135J	TETRACYCLINE To be endorsed "S.P." Capsule 250mg	50	5	*4.58	Achromycin LE Australmycin CS Hostacycline HP Hydracycline Plain FM Panmycin P UP Quatrax VR Tetracyclin GP Tetramykoin BZ(N) Tetrex-P BC
2831B	TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	2.91	Mysteclin SQ
2150E	Capsule 100mg-125,000 Units	25	..	2.37	Achrostatin LE Comycin UP Mysteclin-V SQ
2151F	250mg-250,000 Units	25	..	2.91	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
2475G	Syrup 125mg-125,000 Units per 5ml, 100ml * * *	#1	..	2.20	Achrostatin LE
2827T	TETRACYCLINE with NYSTATIN To be endorsed "S.P." Tablet 250mg-250,000 Units	50	5	*4.98	Mysteclin SQ
2152G	Capsule 250mg-250,000 Units	50	5	4.97 *4.98	Mysteclin-V SQ Achrostatin LE Comycin UP Tetrex-F BC
2144W	TETRACYCLINE (BUFFERED) Capsule 100mg	25	..	2.37	Achromycin-V LE Australmycin-V CS Hostacyclin -P HP
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2145X	TETRACYCLINE (BUFFERED) - cont. Capsule 250mg	25	..	\$ 2.71	Achromycin-V LE Australamycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetracap PT Tetracyn-V GP Tetrex BC
2438H	Syrup 125mg per 5ml, 100ml * * *	#1	..	2.20	Achromycin-V LE Hostacycline-P HP Panmycin KM UP
2146Y	TETRACYCLINE (BUFFERED) To be endorsed "S.P." Capsule 250mg	50	5	4.57 *4.58	Steclin-V SQ Achromycin-V LE Australamycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Tetracap PT Tetracyn-V GP Tetrex BC
2149D	TETRACYCLINE (BUFFERED) with AMPHOTERICIN Syrup 125mg-25mg per 5ml, 100ml	#1	..	2.20	Mysteclin-V SQ Improved
2611K	THEOPHYLLINE Tablet 50mg	100	2	2.24	Nuelin Paediatric RK
1143E	125mg	100	2	3.04	Nuelin RK
2612L	Capsule 200mg	100	2	3.37	Elixophyllin CP
2613M	Elixir 80mg per 15ml, 500ml	#1	4	2.44	A.B. KL Elixophyllin CP
2840L	THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE Tablet 130mg-24mg-8mg	100	2	2.31 2.55 2.57	Thelix CO Panasma PT Ephedrobarbital-T FM Franol WL Tedral WW Theophen HA
2946C	180mg-48mg-25mg (sustained release)	100	..	3.17	Tedral S.A. WW
2841M	Capsule 130mg-24mg-8mg	100	2	2.31	Theosec LY
2842N	Paediatric Suspension 65mg-12mg-4mg per 5ml, 100ml	#1	2	1.93	Tedral WW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2868Y	THEOPHYLLINE with GUAIPHENESIN Capsule 100mg-60mg	100	2	\$ 2.84	Quibron-C	MJ
2669L	150mg-90mg	100	2	2.97	Quibron	MJ
2985D	Elixir 150mg-90mg per 15ml, 500ml	≠1	4	2.71	Quibron	MJ
2976P	THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	≠1	4	2.64	Elixophyllin-KI	CP
2947D	THIABENDAZOLE Tablet 500mg	8	1	2.17	Mintezol	MK
2162T	THIAMBUTOSINE Tablet 500mg	100	2	4.76	Ciba 1906	CB
1069G	THIAMINE HYDROCHLORIDE To be endorsed with the pension number. Tablet 50mg	100	2	2.04	Betamin Invite B DH,LP,PR,PT,RT(V),RY	KL AV
1070H	100mg	100	2	2.51 2.57	Invite-B Betamin LP,PR,PT,QE(NQ), RT(V),RY	AV KL
	* * *					
1065C	THIAMINE HYDROCHLORIDE Injection 100mg in 1ml	5	1	2.28 2.31	Beta-Sol Betamin Forte LP	FM KL
2572J	THIETHYLPERAZINE Tablet 6.5mg (base)	50	1	2.17	Torecan	SZ
2368P	Injection 6.5mg (base) in 1ml	10	..	*3.24	Torecan	SZ
2573K	Suppositories 6.5mg (base), 5	≠1	..	1.57	Torecan	SZ
1233X	THIOGUANINE To be endorsed "S.P." Tablet 40mg	25	1	26.17	Lanvis	BW
3159G	THIOPROPAZATE To be endorsed "S.P." Tablet 5mg	100	1	5.72	Dartalan	SR
2163W	THIORIDAZINE To be endorsed "S.P." Tablet 10mg	100	1	2.16	Melleril	SZ
2359E	25mg	100	1	2.89	Melleril	SZ
2164X	50mg	100	1	4.80	Melleril	SZ
2165Y	100mg	100	1	8.76	Melleril	SZ
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2402K	THIORIDAZINE - cont. Oral Solution 3%(30mg per ml), 30ml	#1	4	\$ 2.24	Melleril	SZ
2847W	Injection 25mg per ml, 2ml	10	..	4.65	Melleril	SZ
2345K	THIOTEPA Injection 15mg (solvent required)	2	1	*7.78	LE	
2858K	Eye Drops Set containing 15mg vial, 2 x 10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	1	5	#7.06	LE	
2167C	THYROID Tablet 15mg	100	2	1.51	DH	
2168D	30mg	100	2	1.64	DH, RT(V), SI	
2169E	60mg	100	2	1.71	DH, RT(V), SI	
2171G	125mg	100	2	1.91	DH, RT(V)	
2174K	THYROXINE SODIUM Tablet 50 micrograms	100	2	1.64	Oroxine Thyroxinal RT(V)	BW FM
2175L	100 micrograms	100	2	1.77	Oroxine Thyroxinal RT(V)	BW FM
2173J	200 micrograms	100	2	1.91	Oroxine Thyroxinal	BW FM
	TOBRAMYCIN SULPHATE To be accompanied by an authority from the Director of Health.					
1355H	Injection 40mg	5	..	*18.39	Nebcin	LY
1356J	80mg	5	..	*28.84	Nebcin	LY
2720E	TOLAZAMIDE Tablet 250mg	100	2	7.51	Tolinase	UP
2178P	TOLBUTAMIDE Tablet 500mg	100	2	3.68	Artosin Rastinon	BO HP
2607F	1g	50	2	3.77	Artosin Rastinon	BO HP
	TRANLYCYPROMINE To be endorsed "S.P." CAUTION: This drug is a monoamine oxidase inhibitor and should not be used with sympathomimetic amines. Precautions should be taken with diet and additional medication.					
2444P	Tablet 10mg	50	1	4.31	Parnate	SK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	TRIAMCINOLONE ACETONIDE To be endorsed "S.P."			\$		
2990J	Injection 10mg in 1ml * * *	5	..	8.84	Kenacort-A10	SQ
2117K	TRIAMCINOLONE ACETONIDE Cream 0.02%, 100g	#1	..	2.44	Aristocort 0.02% Kenalone 0.02%	LE SQ
2995P	0.05%, 30g	#1	1	2.16	Aristocort 0.05% Kenalone	LE SQ
2118L	Ointment 0.02%, 100g	#1	..	2.44	Kenalone 0.02%	SQ
2996Q	0.05%, 30g	#1	1	2.16	Kenalone	SQ
2971J	TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Drops 0.1%-0.25% (base)-0.025%- 100,000 Units per g, 7.5ml	#1	2	2.17	Kenacomb Otic	SQ
2973L	Ear Cream 0.1%-0.25%(base)-0.025%- 500,000 Units in 5g	#1	2	2.01	Kenacomb Otic	SQ
2974M	Ear Ointment 0.1%-0.25%(base)- 0.025%-500,000 Units in 5g	#1	2	2.01	Kenacomb Otic	SQ
2342G	TRIAMTERENE Tablet 100mg	50	2	4.84	Dytac	SK
1145G	TRICLOFOS Syrup 500mg per 5ml, 200ml	#1	4	2.17	Tricloryl	GL
2185B	TRIFLUOPERAZINE To be endorsed "S.P." Tablet 1mg	100	1	3.59	Calmazine Stelazine Terfluzin	PT SK MB
2386N	2mg	100	1	4.91	Calmazine Stelazine Terfluzin	PT SK MB
2186C	5mg	100	1	5.41	Calmazine Stelazine Terfluzin	PT SK MB
2571H	Syrup 1mg per 5ml, 100ml	#1	4	1.85	Stelazine	SK
2835F	Injection 1mg in 1ml	10	..	4.44	Stelazine	SK
2836G	1mg per ml, 2ml	10	..	4.84	Stelazine	SK
2686J	TRIGLYCERIDES, MEDIUM CHAIN To be accompanied by an authority from the Director of Health. Compound Powder 454g	2	10	*10.66	Triglyde	MJ
2679B	Protein Hydrolysate Compound Powder 454G	2	10	*14.14	Pregestimil	MJ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2187D	TRIMEPRAZINE Tablet 10mg	50	2	\$ 2.31	Vallergan	MB
2189F	TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	12.44	Arfonad	RO
2949F	TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	20	..	3.72	Bactrim Septrin	RO BW
3200K	Capsule 80mg-400mg	20	..	3.72	Bactrim Septrin Trib	RO BW SU
3103H	Suspension 40mg-200mg per 5ml, 100ml	≠1	..	3.08	Bactrim Septrin Trib	RO BW SU
2970H	TRIMIPRAMINE Tablet 25mg	50	2	2.80	Surmontil	MB
1570P	TRIOXYSALEN To be endorsed "S.P." Tablet 5mg	100	..	20.84	Trisoralen	PT
2191H	TRIPROLIDINE Tablet 2.5mg	50	2	2.31	Actidil	BW
2192J	Paediatric Elixir 1mg per 5ml, 100ml	≠1	4	1.77	Actidil	BW
1354G	TRISODIUM EDETATE Injection 200mg per ml, 5ml	6	1	10.17	Sodium Versenate	RK
2194L	TROXIDONE Capsule 300mg	200	1	8.77	Tridione	AB
2800J	TYPHOID VACCINE Injection 0.5ml	3	1	*3.48	CS	
2195M	TYPHUS VACCINE Injection 1ml	2	..	*21.64	CS	
1293C	UREA Cream 10%, 100g	≠1	2	3.84	Aquacare H.P. Calmurid	AG PS
3131T	VANCOMYCIN To be endorsed "S.P." Injection 500mg (solvent required)	5	..	*42.49	Vancocin	LY
2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*14.70	Pitressin Tannate	PD
1248Q	VERAPAMIL HYDROCHLORIDE To be endorsed "S.P." Tablet 40mg	100	2	6.44	Isoptin	KN
1060T	Injection 5mg in 2ml	5	..	3.24	Isoptin	KN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2198Q	VINBLASTINE Injection 10mg (solvent required)	1	..	\$ 17.61	Velbe	LY
2371T	VINCRISTINE Injection set containing 1mg and 10ml solvent	5	..	*74.19	Oncovin	LY
2372W	5mg and 10ml solvent	1	..	64.17	Oncovin	LY
2199R	VIPRYNIUM EMBONATE Tablet 50mg	8	1	2.17	Vanquin	PD
2200T	Suspension 10mg per ml, 30ml	≠1	1	2.17	Vanquin	PD
	VITAMIN SUPPLEMENT To be accompanied by an authority from the Director of Health.					
3156D	Tablet	100	2	3.51	Ketovite	ST
3157E	Liquid 100ml	≠1	2	2.12	Ketovite	ST
2843P	WARFARIN Tablet 1mg	50	2	3.51	Coumadin Marevan	EN AH
2209G	2mg	50	2	3.71	Coumadin	EN
2210H	2.5mg	50	2	3.84	Coumadin	EN
2844Q	3mg	50	2	3.64	Marevan	AH
2211J	5mg	50	2	3.91	Coumadin Marevan	EN AH
2212K	7.5mg	50	2	4.68	Coumadin	EN
2213L	10mg	50	2	5.84	Coumadin Marevan	EN AH
2215N	Injection Set containing 50mg and 2ml solvent	5	..	9.89	Coumadin	EN
2216P	WATER FOR INJECTIONS Injection 2ml	5	3	1.72	AB,BL,BZ (NQTW) KL,LP,SI	
2217Q	5ml	5	3	1.84	AB,BL,BZ (NQTW) KL,LP,SI	
2218R	10ml	5	3	2.04	AB,BL,BZ (NQTW) KL,LP,SI	
2219T	WOOL ALCOHOLS Ointment 100g	1	1	≠1.01	Eucerin	SN
2220W	(with instructions for use)					
2221X	WOOL FAT, HYDROUS 50g tube or jar	1	..	≠0.74	DH	
2222Y	(with instructions for use)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2850B	ZINC and ADRENALINE Eye Drops 0.25%-0.01%, 15ml	≠1	2	\$ 1.96	B.A.Z. KL
3154B	ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15ml	≠1	2	2.04	Prefrin-Z AG Zincfrin AQ
2802L	ZINC SULPHATE Eye Drops 0.25%, APF 15ml	≠1	2	1.96	KL

INTRAVENOUS FLUIDS FOR INJECTION

79

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2330P	AMINO ACIDS with ALCOHOL, VITAMINS and ELECTROLYTES 5%-5%, 500ml	2	1	\$ *17.18	Aminofusin A 5% with Alcohol	PC
2766N	AMINO ACIDS with SORBITOL 30g-50g (300 kcal) per litre, 500ml	2	1	*13.64	Aminofusin Standard	PC
2631L	50g-100g (600 kcal) per litre, 500ml	2	1	*15.78	Aminofusin 600	PC
2632M	100g-100g (800 kcal) per litre, 500ml	2	1	*21.30	Aminofusin Forte	PC
2633N	AMINO ACIDS with SORBITOL and ALCOHOL 50g-100g-30g (850 kcal) per litre, 500ml	2	1	*16.12	Aminofusin 850	PC
2634P	50g-100g-50g (1,000 kcal) per litre, 500ml	2	1	*17.18	Aminofusin 1000	PC
2328M	AMINO ACIDS with VITAMINS and ELECTROLYTES 5%, 500ml	2	1	*15.78	Aminofusin 5%	PC
2329N	10%, 500ml	2	1	*21.30	Aminofusin 10%	PC
2305H	DEXTRAN 40 10% with 5% anhydrous dextrose, 500ml	10	..	*80.84 *100.84	Lomodex Rheomacrodex	FC PS
2306J	10% with 0.9% sodium chloride, 500ml	10	..	*80.84 *100.84	Lomodex Rheomacrodex	FC PS
3081E	DEXTRAN 70 6% with 5% anhydrous dextrose, 500ml	10	..	*60.84	Macrodex	PS
3082F	10% with 5% anhydrous dextrose, 500ml	10	..	*69.24	Macrodex	PS
3011L	6% with 0.9% sodium chloride, 500ml	10	..	*60.84	Macrodex	PS
2245E	DEXTROSE INJECTION 5%, 1 litre	5	1	*12.49	AB, TV	
2247G	10%, 1 litre	5	1	*14.19	AB, TV	
2249J	20%, 1 litre	2	1	*6.18	AB, TV	
2251L	25%, 1 litre	2	1	*6.18	AB, TV	
2252M	50%, 500ml	2	1	*5.06	AB	
3199J	ELECTROLYTE REPLACEMENT SOLUTION 1 litre	2	1	*6.18	Normosol R Plasma-Lyte 148	AB TV
2589G	MANNITOL 10%, 1 litre	1	1	4.08	AB	
2590H	20%, 500ml	1	1	4.08	AB	
3029K	SODIUM BICARBONATE 4.2%, 500ml	1	1	2.95	AB	

INTRAVENOUS FLUIDS FOR INJECTION

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2264E	SODIUM CHLORIDE INJECTION 0.9%, 1 litre	5	1	\$ *11.49 *12.49	VF(N) AB,TV
2260Y	3%, 1 litre	2	1	*6.18	AB,TV
2262C	5%, 1 litre	2	1	*6.18	TV
2266G	SODIUM CHLORIDE COMPOUND BPC 1959 1 litre	4	1	*11.52	AB,TV
2271M	SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE 0.9%-5%, 1 litre	2	1	*6.18	AB,TV
2273P	0.9%-10%, 1 litre	2	1	*6.18	AB,TV
2275R	0.9%-20%, 1 litre	2	1	*5.74	AB
2278X	0.45%-2.5%, 500ml	5	1	*12.49	AB,TV
2279Y	0.225%-3.75%, 500ml	5	1	*12.49	AB,TV
2281C	0.18%-4%, 1 litre	5	1	*12.49	AB,TV
2282D	0.18%-4.3%, 1 litre	5	1	*13.09	AB
2284F	SODIUM LACTATE (Solution 1/6 Molar) 1 litre	5	1	*13.09 *14.19	VF(N) AB
2286H	SODIUM LACTATE COMPOUND 1 litre	5	1	*12.49	AB,TV
2288K	SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE 5%, 1 litre	2	1	*6.18	AB,TV
2293Q	STANDARD MAINTENANCE FLUID 500ml	6	..	*13.50	AB

SECTION 3 - SCHEDULE OF BENEFITS

DECEMBER 1976

Preparations available for Colostomy
and Ileostomy use

Preparations available for use by Paraplegic
and Quadriplegic patients

A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, in which case the item is to be labelled.

A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack should be supplied.

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

2

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2224C	ACRYLIC RESIN Solution 100ml Aerosol Spray	1	..	\$ 6.44 6.68 7.51	Liquidoplast PT Octaflex WB Nobecutane AH
2683F	BENZOIN Compound Tincture BPC 35%, 167ml Aerosol Spray	1	..	3.77	LF
2718C	CHARCOAL Tablet 300mg	500	1	9.51	Char-Bon LF QE(NQ),TO
2229H	CHLORAMINE Deodorant Tablet 120mg	500	..	4.51	Klortee PT
2230J	Powder 25g	1	4	2.04	Klortee PT
3125L 3126M	DEODORANT CONCENTRATE /Liquid 15ml (with instructions for use)	1	..	/1.73	Zerodor ZR
3127N 3128P	0.5fl oz (with instructions for use)	1	..	/1.59	Banish DY
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "Teric" N8, 125g in 500ml	1	..	2.71	TAGG LF
2233M	DIMETHICONE Cream 10%, 50g				
2618T	10%, 75g				
2232L	20%, 20g				
	See Section 2 * * *				
2235P	Solution 9.84%, 200g Aerosol Spray	1	..	4.71	Rikospray Silicone RK
2617R	10%, 180ml Aerosol Spray	1	..	3.51	LF
3148Q	POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	9.91	Stomahesive Set SQ
2950G	POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121ml	1	..	3.77	Spray-On-Bande LF
2326K	SODIUM CARBOXYMETHYLCELLULOSE with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	#1	..	2.04	Orabase SQ
2327L	Powder 33.3%-33.3%-33.3%, 15g	#1	..	2.04	Orahesive SQ

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

3

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	STERCULIA (Indian Tragacanth; Gum Karaya)			\$	
3147P	Discs, 12	#1	5	5.77 6.17	DY BH, HO
2256R	Discs, Compound, 10	#1	5	7.51	Colly-seels DY
2240X	/Powder 200g	#1	..	/2.25 /2.40	Karagum PT EV
2241Y	(with instructions for use)				
3158F	Squares, 6	#1	5	11.51	BH
	SURGICAL CEMENT				
2238T	/Skin Bond Adhesive 4fl oz				
2239W	(with instructions for use)				
2467W	/Solvent 227ml				
2468X	(with instructions for use)				
2469Y	/Solvent 240ml				
2470B	(with instructions for use)				
3145M	/Solvent 400ml				
3146N	(with instructions for use)				
	See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
(Prescriptions must be endorsed "S.P.")

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "Teric" N8, 125g in 500ml * * *	1	..	\$ 2.71	TAGG LF
1260H	BISACODYL Suppositories 10mg, 5 See Section 2				
2233M	DIMETHICONE Cream 10%, 50g				
2618T	10%, 75g				
2232L	20%, 20g See Section 2				
3066J	DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50mg				
3067K	120mg See Section 2				
1125F	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL Suppositories 100mg-10mg, 5 See Section 2				
2710P	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50mg-50mg See Section 2				
1209P	DIPHEMANIL METHYLSULPHATE Dusting powder 2%, 50g See Section 2				
3135B	GLYCEROL /Suppositories 1g, 12				
3136C	(with instructions for use) See Section 2				
1750D	PARAFFIN LIQUID /Emulsion 500ml				
1751E	(with instructions for use)				
1752F	/Emulsion with Phenolphthalein, 500ml				
1753G	(with instructions for use) See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
(Prescriptions must be endorsed "S.P.")

5

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	SURGICAL CEMENT			\$	
2238T	/Skin Bond Adhesive 4fl oz				
2239W	(with instructions for use)				
2467W	/Solvent 227ml				
2468X	(with instructions for use)				
2469Y	/Solvent 240ml				
2470B	(with instructions for use)				
3145M	/Solvent 400ml				
3146N	(with instructions for use)				
	See Section 2				

SECTION 4

SCHEDULE OF BENEFITS DRUGS AVAILABLE FOR EXTEMPORANEOUS PREPARATIONS

DECEMBER 1976

Drug	Drug
Acetone BPC (use as additive only)	Benzyl Benzoate BP
ACIDS	Borax BP
Acetic BP	Brilliant Green BP
Acetic Dilute BP	Caffeine BP
Ascorbic BP	Caffeine Citrate BPC 59
(use as ingredient of Mixtures of Ferrous Sulphate APF and PL)	Calamine BP
Benzoic BP	CALCIUM
Boric Crystal BP	Carbonate BP
Boric Powder BP	Gluconate BP
Citric BP	Hydroxide BP
Hydrochloric BP	Camphor BP
Hydrochloric Dilute BP	(use as additive only)
Lactic BP	Cetomacrogol Emulsifying Wax BP
Oleic BP	Cetostearyl Alcohol BP
Salicylic BP	Cetrimide BP
Stearic BPC	Chalk BP
Tannic BP	Chloral Hydrate BP
Trichloroacetic BP	Chlorbutol BP
Acriflavine BPC 63	Chlorhexidine Acetate BP*
Adrenaline BP	(use as additive only)
Adrenaline Acid Tartrate BP	Chlorinated Lime BPC
ALCOHOLS	Chlorocresol BP
95% BP	Chloroform BP
(use as additive only)	(use as additive only)
90% BP	Cineole BPC
(use as additive only)	(use as additive only)
Alum, Potash BP	Clioquinol BP
Aluminium Hydroxide Gel BP	Cocaine BP
Aluminium Hydroxide Gel Dried BP	Cocaine Hydrochloride BP
Amaranth BPC 54	Codeine Phosphate BP
Aminacrine Hydrochloride BP 68	Collodion Flexible BP
Aminophylline BP	CREAMS
Ammoniated Mercury BP	Aqueous APF
AMMONIUM	Aqueous APF 64
Bicarbonate BPC	Aqueous BP
Chloride BP	Aqueous Emulsifying Wax APF 55
Amylobarbitone BP	Calamine Oily APF
Amylobarbitone Sodium BP	Cetomacrogol Aqueous APF
Application Benzyl Benzoate BP	Cetomacrogol Aqueous APF 69
Aspirin BP	Cetrimide Aqueous APF
Atropine BPC	Oily BP
Atropine Methonitrate BP	Zinc BP
Atropine Sulphate BP	Zinc Oily APF
	Creosote BPC 59
	Crystal Violet BP
Beeswax White BP	
Bentonite BP, sterilised	Dextrose BP
Benzocaine BP	(use as additive only)
	Disodium Edetate BP

Drug	Drug
Dithranol BP	Lactose BP
Emulsifying Wax BP	Lignocaine Hydrochloride BP
Ephedrine BPC	LINIMENTS
Ephedrine Hydrochloride BP	Camphor BP
Ether Anaesthetic BP	Iodine Compound APF 55
(use as additive only)	Methyl Salicylate APF
Ether Solvent BP	Methyl Salicylate Compound APF
(use as additive only)	Soap BPC
EXTRACTS	Turpentine BP
Hamamelis Liquid BPC	Lotion Calamine BP
Hyoscyamus Liquid BPC	
Ipecacuanha Liquid BP	Magenta BPC
Liquorice Liquid BP	MAGNESIUM
Nux Vomica Liquid BP	Carbonate Heavy BP
Stramonium Liquid BP 68	Carbonate Light BP
	Oxide Light BP
Ferric Ammonium Citrate BP	Sulphate BP
FERROUS	(may only be prescribed for other than oral use)
Gluconate BP	Sulphate Dried BP
Sulphate BP	(may only be prescribed for other than oral use)
Sulphate Dried BP	Trisilicate BP
Gelatin BP	Menthol BP
GLYCERINS	Mercuric Chloride BPC
Borax BPC 59	Methylcellulose 20 BPC
Ichthammol BPC	(use as an additive in applic- ations, creams, ear drops, eye drops, liniments, lotions, nasal instillations, ointments, paints, pastes)
Glycerol BP	Methylcellulose 4500 BPC
GUMS	(use as an additive in applic- ations, creams, ear drops, eye drops, liniments, lotions, nasal instillations, ointments, paints, pastes)
Acacia BP	Methylene Blue BP
Tragacanth BP	METHYL
Homatropine Hydrobromide BP	Hydroxybenzoate BP
Honey Purified BPC	Salicylate BP
(use as additive only)	MIXTURE
Hypromellose 4500 BPC	Magnesium Hydroxide BP
(use as additive only)	Morphine Hydrochloride BP
Ichthammol BPC	Morphine Sulphate BP
INFUSIONS	MUCILAGES
Buchu Concentrated BPC 54	Acacia APF
1 in 8	Methylcellulose APF
Gentian Compound Concentrated	Tragacanth BPC
BP 1 in 10	
Senega Concentrated BPC	
1 in 10	
Iodine BP	
Isoprenaline Sulphate BP	
Kaolin, Light or Kaolin, Light (Natural) BP	

Drug	Drug
OILS Anise BP Arachis BP (use as additive only) Cade BPC Castor BP (use as additive only) Citronella BPC (use as additive only) Clove BP Coconut BPC Eucalyptus BP (use as additive only) Lavender Spike BPC 68 Lemon Terpeneless BPC Linseed BP 63 (use as additive only) Maize BP (use as additive only) Olive BP (use as additive only) Peppermint BP (use as additive only) Pumilio Pine BPC Rosemary BPC Siberian Fir BPC 49 Turpentine BP (use as additive only) OINTMENTS Ammoniated Mercury BP Benzocaine and Adrenaline APF Benzoic Acid Compound APF Capsicum BPC Colophony BPC 59 Emulsifying BP Hamamelis BPC Iodine Non-staining APF 64 Iodine Non-staining BPC 68 Menthol Compound APF 64 Methyl Salicylate BPC Paraffin White BPC Paraffin Yellow BPC Salicylic Acid BP Simple White BP Simple Yellow BP Sulphur BP Wool Alcohols BP Zinc BP Zinc and Castor Oil BP Oxymel BPC	Oxyphenonium Bromide (extemporaneously prepared eye drops only) Paint Magenta APF Paracetamol BP Paraffin Hard BP Paraffin Liquid BP (may only be prescribed for other than oral use) Paraffin Liquid Light BPC 63 Paraffin Soft White BP Paraffin Soft Yellow BP Paraldehyde BP PASTES Zinc Compound BP Zinc and Salicylic Acid BP Pectin (Apple or Citrus) Pentobarbitone Sodium BP Phenobarbitone BP Phenobarbitone Sodium BP Phenol BP (not available for ear drops) Phenol Liquefied BP (not available for ear drops) Phenylephrine Hydrochloride BP Phenylmercuric Nitrate BP Phthalylsulphathiazole BP Physostigmine BPC Physostigmine Salicylate BP Pilocarpine Hydrochloride BPC Pilocarpine Nitrate BP Podophyllum Resin BP POTASSIUM Chlorate BPC Chloride BP Citrate BP Iodide BP Permanganate BP POWDERS Hydroxybenzoate Compound APF Rhubarb BP Tragacanth Compound BP Procaine Hydrochloride BP Proflavine Hemisulphate BPC Propylene Glycol BP Propyl Hydroxybenzoate BP Quinalbarbitone Sodium BP Resorcinol BP

Drug	Drug
Saccharin Sodium BP (use as additive only) Silver Nitrate BP Silver Protein BPC 68 Silver Protein Mild BPC 68 SOAPS Ethereal APF 55 Soft BP SODIUM Acid Phosphate BP Benzoate BP Bicarbonate BP Chloride BP Citrate BP Iodide BP Metabisulphite BP Phosphate BP Salicylate BP Sulphate BP Thiosulphate BPC (use as additive only) SOLUTIONS Adrenaline BP Aluminium Acetate BPC Amaranth APF Amaranth APF 69 Amaranth APF 64 Amaranth BPC Amaranth Compound APF Ammonia Dilute BPC Ammonia Strong BPC Ammonium Acetate Strong BPC Benzalkonium Chloride 50% BP Benzoic Acid APF Benzoic Acid BPC Calcium Hydroxide BPC Caramel APF (use as additive only) Chlorhexidine Gluconate BP (use as additive only) Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Simple BPC 59 Iodine Weak BP Lead Subacetate Dilute BPC Lead Subacetate Strong BPC Morphine Hydrochloride BPC Potassium Hydroxide BP Sodium Chloride BPC Tartrazine APF	SPIRITS Ammonia Aromatic BPC Anise BPC 49 Camphor BPC 59 Camphor Compound APF Chloroform BP Lemon APF Methylated Industrial BP (use as additive only) Peppermint BPC Squill Oxymer BPC Starch BP Streptomycin Sulphate BP (may only be prescribed in ear drops) Succinylsulphathiazole BP Sucrose BP Sulphacetamide Sodium BP Sulphadiazine BP Sulphadimidine BP Sulphur Precipitated BP Sulphur Sublimed BPC Sulphurated Potash BPC SYRUPS Aromatic APF Aromatic APF 69 Chloral BPC 68 Codeine Phosphate BPC Ferrous Phosphate Compound BPC 68 Ginger BPC Glycerophosphate Compound APF 64 Golden Acidified APF 55 Lemon APF Lemon APF 69 Lemon Neutral APF Lemon Neutral APF 69 Orange BPC, APF 69 Orange APF Pholcodine Citrate BPC 59 (use as additive only) Raspberry BPC Red APF Red APF 69 Squill BPC Syrup BP Tolu BPC Talc Purified BP, sterilised Tar BP

Drug	Drug
Tar Coal BPC Tar Coal Prepared BP Tartrazine BPC 54 Theophylline BP Theophylline Hydrate BP Thymol BP Thymol Mouth Wash Compound APF Thymol Red Mouth Wash APF	WATERS - cont. Peppermint Concentrated BP 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP
TINCTURES Belladonna BP Benzoin Compound BPC Cardamom Aromatic BPC 68 Cardamom Compound BP Catechu BPC Gelsemium BPC Ginger Strong BP Ginger Weak BP Hyoscyamus BP Ipecacuanha BP Lobelia Ethereal BPC Myrrh BPC Nux Vomica BP Opium BP Opium Camphorated BP Orange BPC 68 Quillaia BPC Rhubarb Compound BP Squill BPC Stramonium BP Titanium Dioxide BPC Triethanolamine BPC	Xylene of Commerce BPC 49 (use as additive only) ZINC Oxide BP Sulphate BP
WATERS Anise Concentrated BPC 1 in 40 (use as additive only) Anise Concentrated BPC 63 1 in 40 (use as additive only) Camphor Concentrated BPC 49 1 in 40 Chlorbutol APF 55 Chloroform Concentrated APF 1 in 40 Cinnamon Concentrated BPC 1 in 40 (use as additive only) For injections BP ≠ 100ml (extemporaneously prepared eye drops and eye lotions)	

TABLE OF CODES, MAXIMUM QUANTITIES
AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Quantity	No. of Repeats
10M	Applications	200ml	2
13Q	Creams	100g	1
48M	Dusting Powders	100g	1
15T	Ear Drops	15ml	2
16W	Elixirs	100ml	4
19B	Eye Drops of Cocaine	15ml	..
20C	Eye Drops of Physostigmine	15ml	6
21D	Eye Drops of Pilocarpine	15ml	6
22E	Other Eye Drops	15ml	2
23F	Eye Lotions	200ml	1
25H	Gargles	200ml	4
28L	Glycerins	100ml	1
29M	Inhalations	50ml	1
37Y	Inhalations Solid	4g	1
34T	Linctuses	100ml	2
38B	Liniments	100ml	1
39C	Lotions	200ml	2
40D	Mixtures	200ml	4
41E	Mixtures for Children	100ml	4
30N	Mouth Washes	200ml	1
42F	Nasal Instillations	15ml	2
43G	Ointments, Waxes	100g	1
44H	Paints	25ml	1
45J	Pastes	100g	1
49N	Powders for internal use	100g	2
61F	Powders, Irrigation	100g	1
51Q	Soaps	200ml	1
52R	Solutions	200ml	2
55X	Syrups	100ml	4
56Y	Tinctures	25ml	1

PRESCRIPTION

PRESCRIPTION

CREAMS

(Maximum Quantity 100 g and 1 Repeat)

7525X ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution	5	ml
Zinc Oxide	20	g
Wool Fat	25	g
Arachis Oil	25	ml
Purified Water, freshly boiled and cooled	27	ml

7322J AQUEOUS (APF, BP)

Emulsifying Ointment	30	g
Chlorocresol	100	mg
Purified Water, freshly boiled and cooled to	100	g

7503X BUFFERED, AQUEOUS (APF)

Sodium Phosphate	2.5	g
Citric Acid	500	mg
Chlorocresol	100	mg
Emulsifying Ointment	30	g
Glycerol	5	ml
Purified Water, freshly boiled and cooled to	100	g

7320G CALAMINE, AQUEOUS (APF)

Calamine	4	g
Zinc Oxide	3	g
Cetomacrogol Emulsifying Wax	6	g
Arachis Oil	30	g
Purified Water, freshly boiled and cooled to	100	g

7659D CALAMINE, OILY (APF)

Calamine	32	g
Oleic Acid	0.5	ml
Arachis Oil	21.5	ml
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	ml

7496M CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax	15	g
Liquid Paraffin	10	g
White Soft Paraffin	10	g
Chlorocresol	150	mg
Glycerol	5	ml
Purified Water, freshly boiled and cooled to	100	g

7660E CETRIMIDE, AQUEOUS (APF)
(Cetrimide BPC)

Cetrimide	500	mg
Cetostearyl Alcohol	5	g
Liquid Paraffin	50	g
Purified Water, freshly boiled and cooled to	100	g

7490F CHLORHEXIDINE, AQUEOUS (APF)
(Chlorhexidine BPC)

Chlorhexidine Gluconate Solution	5	ml
Cetomacrogol Emulsifying Wax	25	g
Liquid Paraffin	10	g
Purified Water, freshly boiled and cooled to	100	g

7318E COAL TAR and ZINC, OILY (APF)

Coal Tar, BPC	1	g
Castor Oil	1	g
Zinc Cream Oily, APF	98	g

7499Q COLD (APF)

White Beeswax	17	g
Liquid Paraffin	45	g
Borax	1	g
Purified Water, freshly boiled and cooled	37	g

7664J GLYCEROL, OILY (APF)

Glycerol	20	g
Calcium Hydroxide Solution	32	ml
Arachis Oil	22	g
Wool Fat	26	g

7665K ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol	5	g
Cetostearyl Alcohol	3	g
Wool Fat	10	g
Zinc Cream Oily APF	82	g

9556Y OILY (APF)

Wool Alcohols Ointment, APF	50	g
Purified Water, freshly boiled and cooled	50	ml

7892J SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

Salicylic Acid	2	g
Resorcinol	2	g
Aqueous Cream, APF to	100	g

7893K SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

Salicylic Acid	2	g
Precipitated Sulphur	2	g
Spike Lavender Oil	0.5	ml
Aqueous Cream, APF to	100	g

7667M ZINC, OILY (APF)

Zinc Oxide	32	g
Oleic Acid	0.5	ml
Arachis Oil	21.5	ml
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	ml

PRESCRIPTION

CREAMS—*continued*

7654W ZINC, WEAK (PL)

Zinc Oxide	5	g
Oleic Acid	0.5	ml
Arachis Oil	38.5	ml
Wool Fat	25	g
Calcium Hydroxide Solution	34.5	ml

DUSTING POWDERS

(Maximum Quantity 100 g and 1 Repeat)

7458M ZINC, STARCH and TALC (APF, BPC)

Zinc Oxide	25	g
Starch	25	g
Purified Talc, sterilised	50	g

EAR DROPS

(Maximum Quantity 15 ml and 2 Repeats)

7642F ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution	9	ml
Purified Water, freshly boiled and cooled to	15	ml

7317D BORIC ACID (APF)

Boric Acid	300	mg
Alcohol (90 per cent)	3	ml
Purified Water, freshly boiled and cooled to	15	ml

7487C CHLORHEXIDINE (APF)

Chlorhexidine Acetate	7.5	mg
Purified Water, freshly boiled and cooled to	15	ml

7645J ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

7316C PHENYLMERCURIC NITRATE (APF)

Phenylmercuric Nitrate	15	mg
Propylene Glycol	7.5	ml
Purified Water, freshly boiled and cooled to	15	ml

7315B SALICYLIC ACID (APF)

Salicylic Acid	300	mg
Alcohol (90 per cent)	7.5	ml
Purified Water, freshly boiled and cooled to	15	ml

7314Y SODIUM BICARBONATE (APF, BPC)

Sodium Bicarbonate	750	mg
Glycerol	4.5	ml
Purified Water, freshly boiled and cooled to	15	ml

PRESCRIPTION

7313X SPIRIT (APF)

Alcohol (90 per cent)	7.5	ml
Purified Water, freshly boiled and cooled to	15	ml

ELIXIRS

(Maximum Quantity 100 ml and 4 Repeats)

7946F EPHEDRINE (APF)

Ephedrine Hydrochloride	20	mg
Aromatic Syrup, APF	2	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7948H PHENOBARBITONE (APF)

Phenobarbitone	15	mg
Alcohol (90 per cent)	2	ml
Glycerol	1.5	ml
Aromatic Syrup, APF	1	ml
Purified Water to	5	ml

INHALATIONS

(Maximum Quantity 50 ml and 1 Repeat)

7485Y BENZOIN (PL)

Benzoïn Tincture, Compound BPC	50	ml
--------------------------------	----	----

8577K BENZOIN, COMPOUND (PL)

Menthol	1	g
Oil of Siberian Fir	2.5	ml
Benzoïn Tincture, Compound BPC to	50	ml

7484X BENZOIN and MENTHOL (PL) (APF)

Menthol	1	g
Benzoïn Tincture, Compound BPC to	50	ml

8576J MENTHOL, COMPOUND (PL)

Menthol	1	g
Creosote	1	ml
Oil of Siberian Fir	2	ml
Alcohol (90 per cent) to	50	ml

7310R MENTHOL and EUCALYPTUS (BPC)

Menthol	1	g
Eucalyptus Oil	5	ml
Light Magnesium Carbonate	3.5	g
Purified Water to	50	ml

7309Q MENTHOL and PINE (APF)

Menthol	1	g
Pumilio Pine Oil	2.5	ml
Alcohol (90 per cent) to	50	ml

PRESCRIPTION

LINCTUSES

(Maximum Quantity 100 ml and 2 Repeats)

7494K CAMPHOR, COMPOUND (APF)

Compound Camphor Spirit	1	ml
Squill Oxymel	1	ml
Glycerol	1.5	ml
Tolu Syrup to	5	ml

8618N CODEINE (APF)

Codeine Phosphate	25	mg
Purified Water	0.5	ml
Glycerol	1	ml
Squill Oxymel	2	ml
Syrup to	5	ml

8620Q SIMPLE (APF)

Citric Acid	125	mg
Concentrated Chloroform Water	0.15	ml
Amaranth Solution	0.075	ml
Concentrated Anise Water	0.05	ml
Syrup to	5	ml

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

7484Y CAMPHOR (APF, BP)

Camphor	20	g
Arachis Oil	80	g

7481R METHYL SALICYLATE (APF, BPC)

Methyl Salicylate	25	ml
Arachis Oil to	100	ml

7480Q METHYL SALICYLATE, COMPOUND (APF)

Menthol	4	g
Eucalyptus Oil	10	ml
Methyl Salicylate	25	ml
Arachis Oil to	100	ml

7307N SOAP (APF, BPC)

Camphor	4	g
Oleic Acid	4	g
Potassium Hydroxide Solution (5 per cent)	14	ml
Alcohol (90 per cent)	70	ml
Rosemary Oil	1.5	ml
Purified Water to	100	ml

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

7629M CALAMINE (APF, BP)

Calamine	30	g
Zinc Oxide	10	g
Bentonite, sterilised	6	g
Sodium Citrate	1	g
Liquefied Phenol	1	ml
Glycerol	10	ml
Purified Water, freshly boiled and cooled to	200	ml

PRESCRIPTION

7630N CALAMINE, OILY (APF, BPC)

Calamine	10	g
Wool Fat	2	g
Arachis Oil	100	ml
Oleic Acid	1	ml
Calcium Hydroxide Solution to	200	ml

8793T RESORCINOL, COMPOUND (APF)

Resorcinol	5	g
Solvent Ether	5	ml
Castor Oil	5	ml
Spike Lavender Oil	0.2	ml
Alcohol (90 per cent) to	200	ml

7633R SULPHURATED (APF)

Zinc Sulphate	10	g
Sulphurated Potash	10	g
Acetone	10	ml
Glycerol	10	ml
Spike Lavender Oil	0.4	ml
Purified Water, freshly boiled and cooled to	200	ml

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

7901W ALUMINIUM HYDROXIDE and BELLADONNA (APF)

Belladonna Tincture	0.5	ml
Citric Acid	100	mg
Concentrated Chloroform Water	0.2	ml
Aluminium Hydroxide Gel to	10	ml

7382M AMINOPHYLLINE COMPOUND (PL)

Phenobarbitone Sodium	20	mg
Ephedrine Hydrochloride	15	mg
Potassium Iodide	500	mg
Aminophylline	100	mg
Liquorice Liquid Extract	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7905C ASPIRIN (APF)

Aspirin	500	mg
Compound Tragacanth Powder	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7384P CAFFEINE, IODIDE and EPHEDRINE (PL)

Synonym: C.I.E. Mixture

Caffeine	150	mg
Sodium Iodide	500	mg
Ephedrine Hydrochloride	20	mg
Tolu Syrup	4	ml
Spirit of Aniseed	0.06	ml
Purified Water to	10	ml

PRESCRIPTION

MIXTURES—continued

7303J CHALK and KAOLIN (APF)

Chalk	1.5	g
Light Kaolin or Light Kaolin (Natural)	2.5	g
Potash Alum	10	mg
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7906D CHLORAL (APF)

Chloral Hydrate	1	g
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7908F FERROUS SULPHATE (APF)

Ferrous Sulphate	300	mg
Ascorbic Acid	10	mg
Orange Syrup, APF	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7603E GENTIAN, ACID (PL)

Concentrated Compound Gentian Infusion	1	ml
Dilute Hydrochloric Acid	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7604F GENTIAN, ALKALINE (APF)

Concentrated Compound Gentian Infusion	1	ml
Sodium Bicarbonate	500	mg
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7492H IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture	0.25	ml
Compound Camphor Spirit	1	ml
Tolu Syrup	1	ml
Squill Oxymel	1	ml
Concentrated Chloroform Water	0.15	ml
Concentrated Anise Water	0.15	ml
Purified Water to	10	ml

7301G KAOLIN and OPIUM (APF)

Light Kaolin or Light Kaolin (Natural)	2.5	g
Potash Alum	10	mg
Opium Tincture	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

PRESCRIPTION

7909G MAGNESIUM TRISILICATE (APF)

Magnesium Trisilicate	1	g
Calcium Carbonate	500	mg
Light Magnesium Carbonate	500	mg
Concentrated Peppermint Water	0.25	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7910H POTASSIUM CHLORIDE (APF)

Potassium Chloride	1	g
Lemon Syrup, APF	2	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7911J POTASSIUM CITRATE (APF)

Potassium Citrate	2	g
Citric Acid	400	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.2	ml
Purified Water to	10	ml

7932L POTASSIUM CITRATE and SODIUM
BICARBONATE (APF)

Potassium Citrate	1	g
Sodium Bicarbonate	750	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.2	ml
Purified Water to	10	ml

7618Y POTASSIUM IODIDE and STRAMONIUM,
COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	250	mg
Stramonium Tincture	0.5	ml
Lobelia Tincture, Ethereal	0.5	ml
Aromatic Ammonia Spirit	0.5	ml
Liquorice Liquid Extract	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7491G SENEGA and AMMONIA (APF)

Ammonium Bicarbonate	250	mg
Compound Camphor Spirit	1	ml
Liquorice Liquid Extract	0.5	ml
Concentrated Senega Infusion	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7933M SODIUM CITRATE (APF)

Sodium Citrate	2	g
Citric Acid	400	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.2	ml
Purified Water to	10	ml

PRESCRIPTION

MIXTURES—continued**7623F SODIUM SALICYLATE (APF)**

Sodium Salicylate	1	g
Liquorice Liquid Extract	0.25	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

7576R DEXTROSE and GLYCEROL (APF)

Dextrose	3	g
Glycerol to	15	ml

7574P EPHEDRINE (APF)

Ephedrine Hydrochloride	150	mg
Chlorbutol	75	mg
Sodium Chloride	75	mg
Propylene Glycol	0.75	ml
Purified Water, freshly boiled and cooled to	15	ml

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

9497W BENZOIC ACID, COMPOUND (APF, BPC)

Benzoic Acid in fine powder	6	g
Salicylic Acid in fine powder	3	g
Emulsifying Ointment	91	g

7918R EMULSIFYING (APF, BP)

Emulsifying Wax	30	g
White Soft Paraffin	50	g
Liquid Paraffin	20	g

9592W RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol	2	g
Precipitated Sulphur	3	g
Salicylic Acid	1	g
White Simple Ointment	94	g

7926E SALICYLIC ACID (APF)

Salicylic Acid	2	g
Wool Alcohols Ointment APF	98	g

PRESCRIPTION

7927F SIMPLE (APF, BP)

(White Simple Ointment)

Wool Fat	5	g
Hard Paraffin	5	g
Cetostearyl Alcohol	5	g
White Soft Paraffin	85	g

7899R ZINC and CASTOR OIL (APF, BP)

Zinc Oxide	7.5	g
Castor Oil	50	g
Cetostearyl Alcohol	2	g
White Beeswax	10	g
Arachis Oil	30.5	g

7896N ZINC OXIDE (APF)

(Zinc BP)

Zinc Oxide	15	g
White Simple Ointment	85	g

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

7562B ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

9771G MAGENTA (APF)

Magenta	100	mg
Resorcinol	2	g
Phenol	1	g
Boric Acid	200	mg
Alcohol (90 per cent)	2	ml
Acetone	1	ml
Purified Water to	25	ml

7566F PODOPHYLLIN (APF)

Podophyllum Resin	1.25	g
Benzoin Tincture, Compound to ..	25	ml

7567G PODOPHYLLIN, STRONG (APF)

(Podophyllin, Compound BPC)

Podophyllum Resin	3.75	g
Benzoin Tincture, Compound to ..	25	ml

7568H SALICYLIC ACID (APF)

Salicylic Acid	2.5	g
Flexible Collodion to	25	ml

PASTES

(Maximum Quantity 100 g and 1 Repeat)

7555P COAL TAR and ZINC (APF)

Coal Tar, BPC	1	g
Castor Oil	1	g
Compound Zinc Paste	98	g

PRESCRIPTION

PAINTS—*continued*

9740P DITHRANOL and ZINC (APF)

Dithranol	100	mg
Zinc and Salicylic Acid Paste ..	99.9	g

9742R TITANIUM DIOXIDE (APF)

Titanium Dioxide	20	g
Calamine	25	g
Light Kaolin or Light Kaolin (Natural)	10	g
Bentonite, sterilised	1	g
Chlorocresol	100	mg
Glycerol	15	g
Purified Water, freshly boiled and cooled to	100	g

7558T ZINC, COMPOUND (APF, BP)

Zinc Oxide	25	g
Starch	25	g
White Soft Paraffin	50	g

PRESCRIPTION

7559W ZINC and SALICYLIC ACID (APF)

Salicylic Acid	2	g
Liquid Paraffin	2	g
Compound Zinc Paste	96	g

POWDERS

(Maximum Quantity 100 g and 2 Repeats)

7477M ALUMINIUM and MAGNESIUM
TRISILICATE (APF)

Dried Aluminium Hydroxide Gel	10	g
Magnesium Trisilicate	50	g
Light Kaolin or Light Kaolin (Natural)	40	g

7549H MAGNESIUM and CALCIUM CARBONATE
(APF)

Calcium Carbonate	25	g
Heavy Magnesium Carbonate	25	g
Magnesium Trisilicate	50	g
Peppermint Oil	0.2	ml

SECTION 5 — PRESCRIBERS' LIST — CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100 ml and 4 Repeats)

7782N ALUMINIUM HYDROXIDE and KAOLIN (APF)

Light Kaolin or Light Kaolin (Natural)	1	g
Sodium Citrate	5	mg
Concentrated Chloroform Water ..	0.1	ml
Aluminium Hydroxide Gel to	5	ml

7783P ASPIRIN (APF)

Aspirin	150	mg
Compound Tragacanth Powder	100	mg
Raspberry Syrup	1	ml
Concentrated Chloroform Water ..	0.1	ml
Purified Water to	5	ml

7784Q ATROPINE METHONITRATE (APF)

Atropine Methonitrate	0.5	mg
Lemon Syrup, APF	0.5	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7785R BELLADONNA (APF)

Belladonna Tincture	0.1	ml
Orange Syrup, APF	1	ml
Glycerol	1	ml
Benzoic Acid Solution, APF	0.1	ml
Purified Water to	5	ml

7786T CALCIUM and KAOLIN (APF)

Calcium Carbonate	500	mg
Light Kaolin or Light Kaolin (Natural)	1	g
Potash Alum	5	mg
Concentrated Chloroform Water ..	0.1	ml
Purified Water to	5	ml

7787W CHLORAL (APF)

Chloral Hydrate	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

PRESCRIPTION

7788X FERROUS GLUCONATE (APF)

Ferrous Gluconate	200	mg
Dextrose	500	mg
Orange Syrup, APF	1	ml
Citric Acid	25	mg
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7789Y FERROUS SULPHATE (APF)

Ferrous Sulphate	100	mg
Ascorbic Acid	5	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7493J IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture	0.1	ml
Compound Camphor Spirit	0.25	ml
Squill Oxygel	1	ml
Purified Water to	5	ml

7791C POTASSIUM CITRATE (APF)

Potassium Citrate	1	g
Citric Acid	200	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7586G POTASSIUM IODIDE (APF)

Potassium Iodide	100	mg
Liquorice Liquid Extract	0.25	ml
Aromatic Ammonia Spirit	0.1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7587H POTASSIUM IODIDE and EPHEDRINE (APF)

Potassium Iodide	100	mg
Ephedrine Hydrochloride	10	mg
Stramonium Tincture	0.2	ml
Aromatic Ammonia Spirit	0.1	ml
Liquorice Liquid Extract	0.2	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7792D SODIUM CITRATE (APF)

Sodium Citrate	1	g
Citric Acid	200	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

SECTION 6 — CONTAINER PRICES, FEES, STANDARD PACKS AND PRICES, FOR READY PREPARED PREPARATIONS DECEMBER 1976

CONTAINER PRICES FOR QUANTITIES OF READY PREPARED PREPARATIONS LESS THAN MAXIMUM

Injectibles 150 ml vial, 16c

Other items 25 ml vial, 6c

(The 25 ml is the most commonly used size)

Fees—

Ready prepared professional fee 84c

Dangerous drug fee 50c

NOTE:—Standard packs and prices (including mark up, but without professional fee and dangerous drug fee) are for items against the price of which an asterisk (*) is shown in the Schedule.

(Apply wastage factor in calculating broken quantity prices)

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2811Y	Acetylcholine Chloride	1%, 2ml	1 @ 4.93	CP
3073R	Amino Acid Formula without Phenylalanine	200g	1 @ 26.67	GL
3071P		250g	1 @ 47.33	MN
3072Q		250g	1 @ 58.67	MN
2330P	Amino Acids with Alcohol, Vitamins and Electrolytes	5%-5%, 500ml	1 @ 8.17	PC
2766N	Amino Acids with Sorbitol	300 kcal	1 @ 6.40	PC
2631L		600 kcal	1 @ 7.47	PC
2632M		800 kcal	1 @ 10.23	PC
2633N	Amino Acids with Sorbitol and Alcohol	850 kcal	1 @ 7.64	PC
2634P		1,000 kcal	1 @ 8.17	PC
2328M	Amino Acids with Vitamins and Electrolytes	5%, 500ml	1 @ 7.47	PC
2329N		10%, 500ml	1 @ 10.23	PC
1049F	Amylobarbitone	15mg	100 @ 0.53	FA, FM, HA, LY, PT
1050G		30mg	100 @ 0.63	FA, FM, HA, KL, LY, PT, VR
1051H		50mg	100 @ 0.68	FA, FM, HA, LY, PT, VR
2652N	Amylobarbitone Sodium	50mg	100 @ 1.07	AV, FM, LY
1058Q		250mg	1 @ 1.20	LY
1059R		500mg	1 @ 1.60	LY
2532G	Angiotensin Amide	2.5mg	10 @ 14.67	CB
1980F	Antivenene - Red Back Spider	500 Units	1 @ 8.27	CS
3038X	Benzotropine	2mg in 2ml	1 @ 1.13	MK
2647H	Benzylpenicillin	3g	1 @ 2.13	GL
			5 @ 10.67	CS
2648J		6g	1 @ 2.93	CS, GL
1116R	Betamethasone	4mg in 1ml	1 @ 1.33	SH
1071J	Bethanechol	5mg in 1ml	1 @ 0.67	MK
1133P	Butobarbitone	100mg	100 @ 1.60	PT
2817G	Capreomycin	1g	1 @ 3.75	LY
2494G	Cephaloridine	500mg	1 @ 3.08	DL, GL
2643D		1g	1 @ 5.88	DL, GL
2964B	Cephalothin Sodium	1g	1 @ 4.32	GL, LY
1256D	Cephazolin Sodium	500mg	1 @ 3.93	DL
1257E		1g	1 @ 7.61	DL
1163F	Chlorambucil	2mg	25 @ 4.67	BW
1164G		5mg	25 @ 7.33	BW
1167K	Chloramphenicol	1g	1 @ 2.13	PD
1185J	Chloroquine	2ml	10 @ 2.39	MB
3021B	Cholera Vaccine	1ml	1 @ 0.93	CS
2967E	Cholestyramine	50%, 378g	1 @ 10.93	MJ
1210Q	Clemizole	20mg	100 @ 2.00	SC
1222H	Codeine Phosphate with Aspirin and Paracetamol	30mg - 225mg - 150mg	50 @ 3.20	BW, GP
3111R	Colaspase	10,000 Units	1 @ 26.20	MB
2621Y	Colistin	150mg	1 @ 6.83	WW
1079T	Cyclophosphamide	500mg	1 @ 2.67	MJ
1798P	Cyproheptadine	4mg	50 @ 1.52	FR
2910E	Cytarabine	100mg set	1 @ 8.00	UP
3114X	Daunorubicin	20mg	1 @ 18.40	MB
2509C	Dexamethasone	4mg in 1ml	1 @ 1.33	FR, MK
1291Y		8mg in 2ml	1 @ 2.40	FR, MK

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2305H	Dextran 40	10%-5%, 500ml	1 @ 8.00	FC
2306J		10%-0.9%, 500ml	1 @ 10.00	PS
3081E	Dextran 70	6%-5%, 500ml	1 @ 8.00	FC
3082F		10%-5%, 500ml	1 @ 10.00	PS
3011L		6%-0.9%, 500ml	1 @ 6.00	PS
2701E	Dextromoramide	5mg in 1ml	1 @ 6.84	PS
2245E	Dextrose Injection	5%, 1 litre	1 @ 6.00	PS
2247G		10%, 1 litre	5 @ 3.20	FA
2249J		20%, 1 litre	1 @ 2.33	AB,TV
2251L		25%, 1 litre	1 @ 2.67	AB,TV
2252M		50%, 500ml	1 @ 2.67	AB,TV
1333E	Diloxanide Furoate	500mg	1 @ 2.11	AB
1342P	Diphtheria Antitoxin	1,000 Units	15 @ 2.00	BT
1344R		10,000 Units	1 @ 3.00	CS
1341N	Diphtheria and Tetanus Vaccine Adsorbed	0.5ml	1 @ 14.00	CS
3019X	Diphtheria and Tetanus Vaccine Adsorbed, Diluted for Adult Use	0.5ml	1 @ 0.88	CS
1346W	Diphtheria, Tetanus and Pertussis Vaccine, Adsorbed	0.5ml	1 @ 0.96	CS
1348Y	Diphtheria Vaccine, Adsorbed	0.5ml	1 @ 0.93	CS
3020Y	Diphtheria Vaccine, Adsorbed Diluted for Adult Use	0.5ml	1 @ 1.00	CS
3199J	Electrolyte Replacement Solution	1 litre	1 @ 0.93	CS
1398N	Erythromycin	300mg	1 @ 2.67	AB,TV
3166P	Ethynodiol Diacetate with Ethinyl- oestradiol	500mcg - 50mcg	1 @ 4.00	AB
3167Q		1mg - 50mcg	1 @ 1.00	SR
2447T		Tablet-Pack	1 @ 1.00	SR
3168R		Tablet-Pack	1 @ 1.00	SR
3169T	Ethynodiol Diacetate with Mestranol	500mcg-100mcg	1 @ 1.00	SR
3170W		1mg - 100mcg	1 @ 1.00	SR
3171X		2mg - 100mcg	1 @ 1.00	SR
1436N	Folic Acid	15mg in 1ml	5 @ 1.43	AB
1441W	Gas Gangrene Antitoxin (Oedematiens)	10,000 Units	1 @ 17.33	CS
1446D	Gas Gangrene Antitoxin (Perfring.)	10,000 Units	1 @ 18.00	CS
1444B	Gas Gangrene Antitoxin (Septicum)	5,000 Units	1 @ 18.67	CS
2699C	Gas Gangrene Antitoxin - Mixed (Polyvalent)	25,000 Units	1 @ 20.67	CS
2824P	Gentamicin Sulphate	80mg in 2ml	1 @ 5.33	RL,SH
1027C	Goats' Milk	Powder 1 lb	1 @ 4.96	GV
2654Q		Powder 450g	1 @ 4.84	CG
2656T		375ml	1 @ 4.96	CE
1467F	Heparin	5,000 Units in 1ml	1 @ 0.67	TM
1468G		25,000 Units in 5ml	1 @ 1.33	CS,WP
1076P		35,000 Units in 35ml	1 @ 4.00	AH,BT,CS, WP
1054L	Heparin Calcium	25,000 Units in 1ml	1 @ 8.00	CS
1498W	Hydrocortisone Acetate	25mg in 1ml	1 @ 4.00	CS
			1 @ 0.59	MK

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1501B	Hydrocortisone Sodium Succinate	100mg Set	1 @ 2.67	GL,NR,PT, UP
2757D	Indomethacin	100mg	10 @ 3.33	MK
1523E	Insulin	20 Units per ml, 10ml	1 @ 2.40	CS
1525G		40 Units per ml, 10ml	1 @ 2.73	AH,BT,BW, CS,WP
1527J		80 Units per ml, 10ml	1 @ 4.00	AH,BT,BW, CS
1529L		160 Units per ml, 10ml	1 @ 10.00	CS
1530M		300 Units per ml, 5ml	1 @ 10.00	CS
1531N	(Specially Purified)	40 Units per ml, 10ml	1 @ 7.67	CS
1542E	(Porcine)	40 Units per ml, 10ml	1 @ 4.00	CS
2580T	Insulin Biphasic	40 Units per ml, 10ml	1 @ 3.40	AH
2581W		80 Units per ml, 10ml	1 @ 6.40	AH
1534R	Insulin Isophane (N.P.H.)	40 Units per ml, 10ml	1 @ 3.40	AH,BT,BW, CS,WP
1535T		80 Units per ml, 10ml	1 @ 4.80	AH,BT,BW, CS,WP
1536W		160 Units per ml, 10ml	1 @ 11.00	CS
1537X	(Specially Purified)	40 Units per ml, 10ml	1 @ 6.07	CS
1549M	(Porcine)	40 Units per ml, 10ml	1 @ 6.00	CS
1550N		80 Units per ml, 10ml	1 @ 11.33	CS
2578Q	Insulin Neutral	40 Units per ml, 10ml	1 @ 2.75	AH
2579R		80 Units per ml, 10ml	1 @ 5.13	AH
1517W	Insulin Neutral Specially Purified	40 Units per ml, 10ml	1 @ 3.33	AH
1518X		80 Units per ml, 10ml	1 @ 6.13	AH
1539B	Insulin Protamine Zinc	40 Units per ml, 10ml	1 @ 2.80	BT,BW,CS, WP
1541D		80 Units per ml, 10ml	1 @ 4.27	BW,CS
1543F	Insulin Zinc Suspension	40 Units per ml, 10ml	1 @ 2.73	AH,BT,BW, CS
1544G		80 Units per ml, 10ml	1 @ 3.87	AH,BT,BW, CS
1515R	Insulin Zinc Suspension Specially Purified	40 Units per ml, 10ml	1 @ 3.73	AH
1516T		80 Units per ml, 10ml	1 @ 6.67	AH

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1545H	Insulin Zinc Suspension (Amorphous)	40 Units per ml, 10ml	1 @ 2.73	AH,BT,BW, CS
1546J		80 Units per ml, 10ml	1 @ 4.00	AH,BT,BW, CS
1519Y	Insulin Zinc Suspension (Amorphous) Specially Purified	40 Units per ml, 10ml	1 @ 3.73	AH
1520B		80 Units per ml, 10ml	1 @ 6.67	AH
1547K	Insulin Zinc Suspension (Crystalline)	40 Units per ml, 10ml	1 @ 3.87	AH,BT,BW,CS
1548L		80 Units per ml, 10ml	1 @ 5.33	AH,BT,BW,CS
1563G	Kanamycin	500mg	1 @ 1.67	BC
1564H		1g	1 @ 2.40	BC
1301L	Lynoeostrenol with Ethinyl- oestradiol	1mg-50mcg Tablet-Pack	1 @ 1.00	OR
1302M		1mg-100mcg	1 @ 1.00	OR
3172Y	Lynoeostrenol with Mestranol	2.5mg - 75mcg	1 @ 1.00	CB
3173B		50 Units per ml, 5ml	1 @ 3.33	CB,OR
2401J	Lypressin			SZ
2547C	Melphalan	2mg	25 @ 6.53	BW
2548D		5mg	25 @ 11.07	BW
1598D	Mercaptopurine	50mg	25 @ 10.40	BW
1608P		5mg	100 @ 2.67	BW
1609Q	Methdilazine	10mg	100 @ 3.20	BW
1612W		4mg	50 @ 1.20	AH,MJ
1613X	Methenolone Acetate	8mg	50 @ 1.35	AH,MJ
1619F		1mg	50 @ 1.13	SC
1620G	Methicillin	5mg	50 @ 3.87	SC
2323G		1g	1 @ 3.17	BR,CS
2393Y	Methotrexate	5mg	1 @ 3.07	LE
2394B		50mg	1 @ 10.53	LE
2981X	Methylprednisolone Sodium Succinate	40mg (base) in 1ml	1 @ 2.40	UP
3092R		14oz	1 @ 5.39	MN
1637E	Milk Powder - Synthetic	397g	1 @ 5.39	MN
2685H		454g	1 @ 20.00	MN
1924G	Mithramycin	2.5mg	1 @ 18.83	PF
1681L		500mg	4 @ 1.67	BN
1967M	Norethisterone	350mcg	1 @ 1.00	ET,SD
3176E		1mg - 50mcg	1 @ 1.00	ET,SD
3177F	Norethisterone with Mestranol	1mg - 80mcg	1 @ 1.00	ET
3178G		2mg - 100mcg	1 @ 1.00	ET,SD
3179H	Norethisterone Acetate with Ethinylloestradiol	Tablet-Pack	1 @ 1.00	SD
3180J		1mg - 50mcg	1 @ 1.00	SC
3181K		3mg - 50mcg	1 @ 1.00	SC
3182L		4mg - 50mcg	1 @ 1.00	SC
3183M		Tablet-Pack	1 @ 1.00	PD,SC
3184N		Tablet-Pack	1 @ 1.00	PD
3185P	Norethynodrel with Mestranol	2.5mg - 100mcg	1 @ 1.00	SR
2913H		30mcg	1 @ 1.00	SC,WY

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1393H	Norgestrel with Ethinyloestradiol	150mcg-30mcg	1 @ 1.00	SC,WY
3186Q		250mcg - 50mcg	1 @ 1.00	SC,WY
1442X		500mcg - 50mcg	1 @ 1.00	SC
3187R		500mcg - 50mcg	1 @ 1.00	SC,WY
1394J		Tablet-Pack	1 @ 1.00	SC,WY
3188T		Tablet-Pack	1 @ 1.00	SC,WY
3189W	Nutramigen	Tablet-Pack	1 @ 1.00	SC,WY
2564Y		500g	1 @ 5.87	MJ
1719L	Oxytetracycline	I.M. 100mg	1 @ 0.75	GB,PF
1720M		I.M. 250mg	1 @ 1.36	GB
1721N		I.V. 250mg	1 @ 1.36	GB
1759N	Pempidine	5mg	50 @ 1.71	MB
2722G	Penicillamine	250mg	50 @ 21.00	MK
1814L	Pentobarbitone Sodium	30mg	100 @ 0.60	PR, QE, RY
2410W	Peritoneal Dialysis Solution	1.5% Anhydrous		
		Dextrose 1 litre	1 @ 2.45	AB
2889C		1.5% Anhydrous		
		Dextrose 2 litres	1 @ 3.87	TV
3192B		4.25% Anhydrous		
	Pertussis Vaccine	Dextrose 1 litre	1 @ 2.45	AB
2890D		4.25% Anhydrous		
		Dextrose 2 litres	1 @ 3.87	TV
1827E	Phenethicillin	20,000M in 0.5ml	1 @ 1.80	CS
1706T		125mg	25 @ 1.27	CS,SI
1707W	Phenoxymethylpenicillin	250mg	25 @ 1.76	CS,SI
1708X		125mg	25 @ 1.27	CS,SI
1709Y		250mg	25 @ 1.76	CS,SI
1702N		125mg	25 @ 1.20	AB,CS,FM, LY
1703P		250mg	25 @ 1.65	AB,AV,BB, CS,FA,FM, LF,LP,LY, PT,SI,VR
1704Q		125mg	25 @ 1.20	CS,FA,FM, LY,SI
1705R		250mg	25 @ 1.65	AB,AV,CS, FA,FM,LP, LY,PT,SI, VR
1865E	Phenylalanine Low Content Formula	2.51b	1 @ 18.00	MJ
2383K	Phytomenadione	10mg in 1ml	1 @ 1.07	MK
1901C	Plague Vaccine	1ml	1 @ 1.87	CS
2908C	Plasma Substitute	3.5%, 500ml	1 @ 7.57	HP
1919B	Prednisolone Acetate	10mg in 1ml	1 @ 0.93	SC
1941E	Procainamide	100mg per ml, 10ml	1 @ 1.65	SQ
2830Y	Propranolol	1mg in 1ml	10 @ 3.12	IC
1986M	Rolitetracycline	I.V. 110mg	1 @ 1.32	HP
1987N		I.V. 275mg	1 @ 2.32	HP
1988P		I.V. 350mg	1 @ 2.32	BC
1989Q		I.M. 150mg	1 @ 1.32	HP
1990R		I.M. 350mg	1 @ 2.32	BC,HP
1129K	Secbutobarbitone	15mg	100 @ 0.77	ET
1130L		30mg	100 @ 0.92	ET
1131M		50mg	100 @ 1.23	ET
2013Y	Sodium Aurothiomalate	1mg	1 @ 0.80	MB

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2015C	Sodium Aurothiomalate	5mg	1 @ 0.87	MB
2016D		10mg	1 @ 1.01	MB
2017E		20mg	1 @ 1.15	MB
2018F		50mg	1 @ 1.53	MB
3015Q	Sodium Bicarbonate	8.4%, 100ml	1 @ 2.00	AB
2260Y	Sodium Chloride Injection	3%, 1 litre	1 @ 2.67	AB,TV
2262C		5%, 1 litre	1 @ 2.67	TV
2264E		0.9%, 1 litre	1 @ 2.13	VF
			1 @ 2.33	AB,TV
2266G	Sodium Chloride Compound BPC1959	1 litre	1 @ 2.67	AB,TV
2271M	Sodium Chloride Injection and Anhydrous Dextrose	0.9%-5%, 1 litre	1 @ 2.67	AB,TV
2273P		0.9%-10%, 1 litre	1 @ 2.67	AB,TV
2275R		0.9%-20%, 1 litre	1 @ 2.45	AB
2278X		0.45%-2.5%, 500ml	1 @ 2.33	AB,TV
2279Y		0.225%-3.75%, 500ml	1 @ 2.33	AB,TV
2281C		0.18%-4%, 1 litre	1 @ 2.33	AB,TV
2282D		0.18%-4.3%, 1 litre	1 @ 2.45	AB
2284F	Sodium Lactate	1 litre	1 @ 2.45	VF
			1 @ 2.67	AB
			1 @ 2.33	AB,TV
2286H	Sodium Lactate Compound	1 litre		
2288K	Sodium Lactate Compound and Anhydrous Dextrose	5%, 1 litre	1 @ 2.67	AB,TV
2039H	Soya Formula	384ml	1 @ 0.80	MJ,RD
2837H		425g	1 @ 0.61	SA
2041K		454g	1 @ 2.67	MJ
2293Q	Standard Maintenance Fluid	500ml	1 @ 2.11	AB
3130R	Streptokinase	100,000 I.U.	1 @ 22.23	FA
2906Y		250,000 I.U.	1 @ 37.12	HP
			1 @ 39.43	FA
2962X		600,000 I.U.	1 @ 80.64	FA
2907B		750,000 I.U.	1 @ 94.88	HP
2069X	Sulphadiazine Sodium	4ml	10 @ 5.67	MB
2599T	Testosterone Enanthate	100mg in 1ml	3 @ 6.13	SC
2115H	Testosterone Propionate	25mg in 1ml	3 @ 1.15	SC
2116J		50mg in 1ml	3 @ 2.21	SC
2127Y	Tetanus Vaccine, Adsorbed	0.5ml	1 @ 0.76	CS
2636R	Tetracosactrin	250mcg I.V.	1 @ 2.93	CB
2135J	Tetracycline	250mg	25 @ 1.87	BC,BZ,CS, FM,GP,HP, LE,UP,VR
2827T	Tetracycline with Nystatin	250mg-250,000 Units	25 @ 2.07	SQ
2152G		250mg-250,000 Units	25 @ 2.07	BC,LE,UP
2146Y	Tetracycline (Buffered)	250mg	25 @ 1.87	BC,BZ,CS, FM,GP,HP, LE,PT,UP
2368P	Thiethylperazine	6.5mg (base) in 1ml	5 @ 1.20	SZ
2345K	Thiotepa	15mg	1 @ 3.47	LE
1355H	Tobramycin Sulphate	40mg	1 @ 3.51	LY
1356J		80mg	1 @ 5.60	LY
2686J	Triglycerides, Medium Chain	454g	1 @ 5.33	MJ
2679B		454g	1 @ 7.07	MJ
2800J	Typhoid Vaccine	0.5ml	1 @ 0.88	CS
2195M	Typhus Vaccine	1ml	1 @ 10.40	CS

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
3131T	Vancomycin Hydrochloride	500mg	1 @ 8.33	LY
2197P	Vasopressin Tannate	5 Units in 1ml	5 @ 6.93	PD
2371T	Vincristine	1mg	1 @ 14.67	LY

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and
ileostomy use

(P & Q) Preparations available for use by paraplegic
and quadriplegic patients

Proprietary Name	Manufacturer	Name
A.B.	KL	Theophylline
Abbocillin	AB	Penicillin Products
Abbocillin G	AB	Benzylpenicillin
Abbocillin-V	AB	Phenoxymethylpenicillin
Abbocillin-VK	AB	Phenoxymethylpenicillin
Acetest	AM	Sodium Nitroprusside
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actal	WL	Aluminium Hydroxide Gel Dried
Actidil	BW	Triprolidine
Actrapid M.C. Novo	AH	Insulin Neutral Specially Purified
Actrapid-Novo	AH	Insulin Neutral
Adacillin	AV	Phenoxymethylpenicillin
Adacor	AV	Hydrocortisone
Adaphol	AV	Pholcodine
Adaquin	AV	Quinine Sulphate
Adasone	AV	Prednisone
Adnisolone	AV	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Akineton	KN	Biperiden
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Allergicap	PT	Diphenhydramine
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Allerzine	VR	Diphenylpyraline
Almacarb Suspension	AH	Aluminium Hydroxide Gel with Magnesium Hydroxide
Almacarb Tablet	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amesec	LY	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Aminofusin	PC	Amino Acids with Sorbitol and Alcohol

Proprietary Name	Manu- fac- turer	Name
Aminofusin 5%	PC	Amino Acids with Vitamins and Electrolytes
Aminofusin 10%	PC	Amino Acids with Vitamins and Electrolytes
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin 850	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin 1000	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin A 5% with Alcohol	PC	Amino Acids with Alcohol, Vitamins and Electrolytes
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminogran	GL	Amino Acid Formula without Phenylalanine
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	BB	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anacyclin	CB	Lynoeestrenol with Mestranol
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	AH	Meclozine
Ancosal	AV	Sodium Salicylate
Androphyllin	ET	Aminophylline
Anginine Stabilised	BW	Glyceryl Trinitrate
Anoidal	HA	Benzalkonium Chloride
Anovlar	SC	Norethisterone Acetate with Ethinyl- oestradiol
Ansolysen	MB	Pentolinium Tartrate
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anuran	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Apresoline	CB	Hydrallazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine	CS	Procaine Penicillin
Aquacaine G	CS	Procaine Penicillin
Aquacaine G Fortified	CS	Procaine Penicillin Fortified

Proprietary Name	Manu- fac- turer	Name
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquamephyton	MK	Phytomenadione
Aquamide	RL	Frusemide
Aquamide M	RL	Frusemide
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Arfonad	RO	Trimetaphan
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T.10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Aventyl	LY	Nortriptyline
Avil	HP	Pheniramine
Avilettes	HP	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
B		
Bactrim	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Baycaron	BN	Mefruside
B.A.Z.	KL	Zinc and Adrenaline
Becotide	AH	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Betacard	BR	Alprenolol
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate 1/2	GL	Betamethasone Valerate
Betnovate Otic	GL	Betamethasone with Clioquinol
Bicillin All Purpose	WY	Benzathine Penicillin Compound

Proprietary Name	Manu- fac- turer	Name
Bidramine	AV	Diphenhydramine
Biogastrone	BQ	Carbenoxolone Sodium
Biomydrin	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydro- cortisone Acetate
Bi-prin	BT	Aspirin
Biquin	AV	Quinine Bisulphate
Bi-Quinate	KL	Quinine Bisulphate
Blenoxane	BC	Bleomycin
Bleph 10	AG	Sulphacetamide Sodium
Bramahist	BB	Chlorpheniramine
Bramcetamol	BB	Paracetamol
Bramcillin	BB	Phenoxymethylpenicillin
Bramcycline	BB	Oxytetracycline
Bramiron	BB	Ferrous Fumarate
Bram-Mycin	BB	Erythromycin
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Clopamide
Bristacin-A	BC	Rolitettracycline
Bristin	BC	Ampicillin
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin Forte	BC	Aspirin (Buffered)
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalan	LP	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbutobarbitone
Butoroid	VR	Phenylbutazone
Butoz	HA	Phenylbutazone
Buzon	KL	Phenylbutazone
C		
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Cal-tab	HA	Calcium
Camoquin	PD	Amodiaquine
Capadex	FM	Dextropropoxyphene Hydrochloride with Paracetamol

Proprietary Name	Manu- fac- turer	Name
Caprilac	CG	Goats' Milk
Caprocin	LY	Capreomycin
Carbapen	CS	Carbenicillin
Carbazole	PT	Carbimazole
Cardiox	AV	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	AV	Quinidine Sulphate
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Carobel	MN	Ceratonia
Catapres	BY	Clonidine
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celestone-M	SH	Betamethasone Valerate
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporan	GL	Cephaloridine
Ceporex	GL	Cephalexin
Cerubidin	MB	Daunorubicin
Char-Bon	LF	Charcoal (C & I)
Chlomin	KL	Chloramphenicol
Chloradorm	KL	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromycetin	PD	Chloramphenicol
Succinate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlortet	LF	Chlortetracycline
Chlorvescent	PT	Potassium Chloride
Choledyl	WW	Choline Theophyllinate
Chlotride	FR	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Cidomycin	RL	Gentamicin Sulphate
Cilicaine	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Citralka	PD	Sodium Acid Citrate

Proprietary Name	Manufacturer	Name
Citrapen	DL	Phenoxymethylpenicillin
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Closina	LY	Cycloserine
Codelcortone T.B.A.	MK	Prednisolone Tertiarybutylacetate
Codelsol	MK	Prednisolone Sodium Phosphate
Codiphen Forte	GP	Codeine Phosphate with Aspirin and Paracetamol
Codral Forte	BW	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colly-seels	DY	Sterculia (C & I)
Coloxyl	FM	Diethyl Sodium Sulphosuccinate with Bisacodyl
Coloxyl 50	FM	Diethyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diethyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diethyl Sodium Sulphosuccinate with Danthron
Coluric	AV	Colchicine
Coly-Mycin Injection	WW	Colistin
Coly-Mycin Ear Drops	WW	Colistin with Neomycin
Combantrin	GP	Pyrantel Embonate
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrosyn Depot	OR	Tetracosactrin
Cotazym	OR	Pancrelipase
Coumadin	EN	Warfarin
Crasnitin	MB	Colaspase
Cremo-Quin	HA	Clioquinol
Crystapen	GL	Benzylpenicillin
Cuprimine	MK	Penicillamine
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar	UP	Cytarabine

Proprietary Name	Manu- fac- turer	Name
D		
Dalacin C	UP	Clindamycin
Dale	CE	Goats' Milk
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Debendox	ML	Dicyclomine with Doxylamine and Pyridoxine
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decasone	FR	Dexamethasone
Decasone Shock Pak	FR	Dexamethasone
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "0"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Desferal	CB	Desferrioxamine
Dexacillin	SQ	Epicillin
Dex-Cit	RC	Sodium Citro-Tartrate
Dexamethsone	PT	Dexamethasone
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diabinese M	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	TV	Peritoneal Dialysis Solution
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator
Dichlotride	MK	Hydrochlorothiazide
Diclomyl	KL	Dicyclomine Hydrochloride
Di-Gesic	DL	Dextropropoxyphene Hydrochloride with Paracetamol
Dihydergot	SZ	Dihydroergotamine
Dijene Suspension	BT	Aluminium Hydroxide Gel with Magnesium Hydroxide
Dijene Tablet	BT	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Forte	PD	Phenytoin

Proprietary Name	Manu- fac- turer	Name
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone
Dilosyn	AH	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Dindevan	AH	Phenindione
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Diubram	BB	Chlorothiazide
Diuret	PT	Chlorothiazide
Diurone	KL	Chlorothiazide
Doburil	BY	Cyclothiazide
Donnalix	RS	Belladonna Alkaloids
Donnatab	RS	Belladonna Alkaloids
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Dormel	DH	Chloral Hydrate
Dormicum	SU	Nitrazepam
Doxin	GP	Doxycycline
D-Penamine	DL	Penicillamine
Droleptan	ET	Droperidol
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	PI	Lactulose
Durabolin	OR	Nandrolone Phenylpropionate
Durolax	BY	Bisacodyl
Duro-Tuss	RK	Pholcodine
Dymadon	BW	Paracetamol
Dytac	SK	Triamterene
E		
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinyloestradiol
Edulen	SR	Ethinodiol Diacetate with Ethinyl- oestradiol
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elavil	FR	Amitriptyline
Elix-Nocte Forte	AV	Chloral Hydrate
Elixophyllin	CP	Theophylline
Elixophyllin-KI	CP	Theophylline with Potassium Iodide
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate

Proprietary Name	Manu- fac- turer	Name
Ephedrobarbital	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital-T	FM	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Epifrin	AG	Adrenaline
Epinal	AQ	Adrenaline
Eppy	ET	Adrenaline
Eratrex	BC	Erythromycin
Ergalan	AH	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergomine	PT	Ergometrine Maleate
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Eskacef	SK	Cephhradine
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepifylline
Ethamolin	GL	Ethanolamine Oleate
Ethryn	FA	Erythromycin
Eucerin	SN	Wool Alcohols
Euglucon	FM	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Eumydrin	WL	Atropine Methonitrate
F		
Fabahistin	BN	Mebhydrolin
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Feevone	AP	Terbutaline Sulphate
Fefol 2	SK	Ferrous Sulphate Dried with Folic Acid
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried

Proprietary Name	Manu- fac- turer	Name
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Flavopen	GP	Phenoxymethylpenicillin
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
FML Liquifilm	AG	Fluorometholone
Folasic	AV	Folic Acid
Folettes	FM	Folic Acid
Formulax	HP	Diocetyl Sodium Sulphosuccinate with Danthron
Fortral	WL	Pentazocine
Fortuss	GP	Dihydrocodeine Tartrate
Franol	WL	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Fucidin	SK	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
G		
Galactomin Formula 17	MN	Milk Powder - Synthetic
Galactomin Formula 19	MN	Milk Powder - Synthetic
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastro-Caloreen	MN	Dextrose Polymer
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastroid	BB	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gaviscon	RC	Alginic Acid Compound
Gaviscon Infant	RC	Alginic Acid Compound
Gelox	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Glaucomide	PT	Acetazolamide
Glaucan	AQ	Adrenaline
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucose Nutramigen	MJ	Nutramigen
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin

Proprietary Name	Manu- fac- turer	Name
Gynergen	SZ	Ergotamine Tartrate
Gynovlar	SC	Norethisterone Acetate with Ethinyloestradiol
		H
Haelan	DL	Flurandrenolone
Haemaccel	HP	Plasma Substitute
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histaids	OD	Chlorpheniramine
Histalert	RK	Diphenylpyraline
Histryl	SK	Diphenylpyraline
Histryl-P	SK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	MJ	Stilboestrol Diphosphate
Hostacycline	HP	Tetracycline
Hostacycline P	HP	Tetracycline (Buffered)
Hyalase	FC	Hyaluronidase
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydracycline Plain	FM	Tetracycline
Hydrea	SQ	Hydroxyurea
Hydrenox	BT	Hydroflumethiazide
Hydrocortone	MK	Hydrocortisone Acetate
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hynax	VR	Hydrocortisone
Hyperstat I.V.	SH	Diazoxide
Hypertensin	CB	Angiotensin Amide
Hysone-A	PT	Hydrocortisone Acetate
		I
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imferon-D	FC	Iron Dextran
Imiprin	PT	Imipramine
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoral	BQ	Phenformin
Insoral TD	BQ	Phenformin
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	AV	Thiamine Hydrochloride

Proprietary Name	Manu- fac- turer	Name
Iramil	KL	Imipramine
Ismelin	CB	Guanethidine
Iso-Autohaler	RK	Isoprenaline Sulphate
Isomil	RD	Soya Formula
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Sorbide Nitrate
Isotiny1	KL	Isoniazid
Isotrate	PD	Sorbide Nitrate
Isuprel	WL	Isoprenaline Hydrochloride
J		
Jectofer	AP	Iron Sorbitol
K		
Kabikinase	FA	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide Gel with Kaolin
Kaomagma	WY	Aluminium Hydroxide Gel with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karagum	PT	Sterculia (C & I)
Kay Ciel	CP	Potassium Chloride
Keflex	LY	Cephalexin
Keflin	LY	Cephalothin Sodium
Kefzol	DL	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Kloref	LP	Potassium Chloride
Klortee	PT	Chloramine (C & I)
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
K-Supp	WL	Potassium Chloride

Proprietary Name	Manufacturer	Name
		L
Lacril	AG	Hypromellose
Lanchloral	LP	Chloral Hydrate
Langesic	LP	Paracetamol
Lanocide	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanpen	LP	Phenoxymethylpenicillin
Lantuss	LP	Pholcodine
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	SU	Amitriptyline
Lasix	HP	Furosemide
Lasix-M	HP	Furosemide
Lasix High Dose	HP	Furosemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demeclocycline
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Levopa	PT	Levodopa
Levophed	WL	Noradrenaline
Lignosporin	BW	Polymyxin B Sulphate with Lignocaine
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CB	Baclofen
Liprinal	MJ	Clofibrate
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone Pivalate
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane Concentrate	IC	Gamma Benzene Hexachloride
Loridine	DL	Cephaloridine
Lostat	PD	Clofibrate
L.P.G.	CS	Benzathine Penicillin
L.P.V.	CS	Phenoxymethylpenicillin
L.P.V. Aqueous Forte	CS	Phenoxymethylpenicillin

Proprietary Name	Manu- fac- turer	Name
Lubarol	DH	Paraffin Liquid
Lyndiol 2.5	OR	Lynoestrenol with Mestranol
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethopropazine
		M
M & B 693	MB	Sulphapyridine
Maalox	RG	Magnesium-Aluminium Hydroxide
Macrodex	PS	Dextran 70
Magnoplasm	FA	Magnesium Sulphate
Mandaze	HA	Hexamine Mandelate
Mandelamine	WW	Hexamine Mandelate
Mandelamine Hafgrams	WW	Hexamine Mandelate
Manialith	MN	Lithium Carbonate
Marevan	AH	Warfarin
Marzine	BW	Cyclizine
Maxolon	BR	Metoclopramide Hydrochloride
Medihaler-Iso	RK	Isoprenaline Sulphate
Medrol	UP	Methylprednisolone
Medrol	UP	Methylprednisolone Acetate
Medrol Enpak	UP	Methylprednisolone Acetate
Megacillin	FA	Procaine Penicillin
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Merasyn	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Methergin	SZ	Methylergometrine
Methopt	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metilar	SD	Paramethasone
Metin	CS	Methicillin
Mevasine	MK	Mecamylamine
Microcyclin	CB	Lynoestrenol with Mestranol
Microgynon 30	SC	Norgestrel with Ethinylloestradiol
Microgynon 30 ED	SC	Norgestrel with Ethinylloestradiol
Microlut 28	SC	Norgestrel
Micronor	ET	Norethisterone
Microval 28	WY	Norgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Magnesium Hydroxide
Milontin	PD	Phensuximide
Minajel	MG	Aluminium Hydroxide Gel

Proprietary Name	Manu- fac- turer	Name
Minipress	PF	Prazosin Hydrochloride
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyl- oestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyl- oestradiol
Mintezol	MK	Thiabendazole
Miochol	CP	Acetylcholine Chloride
Mithracin	PF	Mithramycin
Modecate	SQ	Fluphenazine Decanoate
Mogadon	RO	Nitrazepam
Monotard M.C. Novo	AH	Insulin Zinc Suspension Specially Purified
Mortha	WH	Morphine with Tacrine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Magnesium Hydroxide
Myleran	BW	Busulphan
Mylosed	VR	Amylobarbitone
Mylosed	VR	Amylobarbitone Sodium
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphotericin
Mytelase	WL	Amibenonium Chloride
N		
Nardil	WW	Phenelzine
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogynon	SC	Norgestrel with Ethinyloestradiol

Proprietary Name	Manu- fac- turer	Name
Neogynon ED	SC	Norgestrel with Ethinyloestradiol
Neomate	LF	Neomycin
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulactil	MB	Pericyazine
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutratabs	HA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nivaquine	MB	Chloroquine
Nobecutane	AH	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nordette 21	WY	Norgestrel with Ethinyloestradiol
Nordette 28	WY	Norgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordirol 21	WY	Norgestrel with Ethinyloestradiol
Nordirol 28	WY	Norgestrel with Ethinyloestradiol
Noriday	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl 1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyl- oestradiol
Norlutin-A	PD	Norethisterone Acetate
Normosol R	AB	Electrolyte Replacement Solution
Nortab	SQ	Nortriptyline
Noveril	SZ	Dibenzepin
Novosprin	VR	Aspirin (Soluble)
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
O		
Octaflex	WB	Acrylic Resin (C & I)
Omnopon	RO	Papaveretum
Omnopon- Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Opclor	PD	Chloramphenicol

Proprietary Name	Manu- fac- turer	Name
Optipen	CS	Phenethicillin
Optocort	PT	Prednisolone
Orabase	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orabolin	OR	Ethynloestrenol
Oradexon	OR	Dexamethasone
Orahesive	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Oratrol	AQ	Dichlorphenamide
Orbenin	BR	Cloxacillin
Orisul	CB	Sulphaphenazole
Orlest	PD	Norethisterone Acetate with Ethynloestradiol
Oroxine	BW	Thyroxine Sodium
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin High Potency	GL	Calciferol
Ovostat 22	OR	Lynoeestrenol with Ethynloestradiol
Ovostat 28	OR	Lynoeestrenol with Ethynloestradiol
Ovral	WY	Norgestrel with Ethynloestradiol
Ovral 28	WY	Norgestrel with Ethynloestradiol
Ovulen 0.5	SR	Ethynodiol Diacetate with Mestranol
Ovulen 1	SR	Ethynodiol Diacetate with Mestranol
Ovulen 2	SR	Ethynodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethynloestradiol
Ovulen 0.5/50-28	SR	Ethynodiol Diacetate with Ethynloestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethynloestradiol
Oxycycline	PT	Oxytetracycline
P		
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	NS	Aloxiprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panamax	WL	Paracetamol
Panasma	PT	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Pancrex "V"	ST	Pancreatin
Panmycin KM	UP	Tetracycline (Buffered)

Proprietary Name	Manu- fac- turer	Name
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	AV	Paracetamol
Paraspen	FC	Paracetamol
Parfenac	LE	Bufexamac
Parmol	KL	Paracetamol
Parnate	SK	Tranylcypromine
Pasalba	RY	Sodium Aminosalicylate
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pen-Cilin V	LF	Phenoxymethylpenicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Pentobeta	BB	Pentobarbitone Sodium
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Methyltestosterone
Periactin	FR	Cyproheptadine
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole
Pertofran	GE	Desipramine
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Phenoxymethylpenicillin
Phenergan	MB	Promethazine
Phentoin	PT	Phenytoin Sodium
Phiacort	RS	Hydrocortisone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Phyline	CO	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafucin	GB	Natamycin
Pimafucort Otic	GB	Natamycin, Neomycin Sulphate and Hydro- cortisone
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate

Proprietary Name	Manu- fac- turer	Name
PK AID I	MN	Amino Acid Formula without Phenylalanine
PK AID II	MN	Amino Acid Formula without Phenylalanine
Placemol	VR	Paracetamol
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	AV	Ferrous Aminoacetosulphate
Pluryl	SK	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Potavescent	PT	Potassium
Prantal	SH	Diphemanil Methylsulphate
Precortisyl	RL	Prednisolone
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn-Depot	SC	Oestradiol Valerate
Primolut-N	SC	Norethisterone
Primolut Nor	SC	Norethisterone Acetate
Primoteston Depot	SC	Testosterone Enanthate
Pripsen	RC	Piperazine Phosphate
Proben	PT	Probenecid
Procalm	BB	Chlorpromazine
Procort	PR	Hydrocortisone
Prodepress	BB	Imipramine
Prodol	BB	Aspirin (Soluble)
Progan	AV	Promethazine
Progout	PT	Allopurinol
Proladone	CK	Oxycodone
Promacid	KL	Chlorpromazine
Prominal	WL	Methylphenobarbitone
Pronestyl	SQ	Procainamide
Propaderm	AH	Beclomethasone Dipropionate
Propen-VK	PT	Phenoxymethylpenicillin
Propred	BB	Prednisone
Proquinal	PT	Quinalbarbitone Sodium
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prosul	LE	Sulphasymazine
Protasma	PT	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Prothazine	KL	Promethazine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin 500	DH	Aspirin (Soluble)
Purinethol	BW	Mercaptopurine

Proprietary Name	Manu- fac- turer	Name
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	KL	Pyridoxine Hydrochloride
Q		
Quatrax	VR	Tetracycline
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin
Quinate	KL	Quinine Sulphate
Quinbar	AV	Quinalbarbitone Sodium
Quinbisan	PR	Quinine Bisulphate
Quincardine	FM	Quinidine Sulphate
Quinidex	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinoctal	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate
Quitaxon	FM	Doxepin
R		
Rapitard-Novo	AH	Insulin Biphasic
Rastinon	HP	Tolbutamide
Raudixin	SQ	Rauwolfia Serpentina
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Serpentina
Rectinol	GP	Benzocaine with Adrenaline
Repalyte	DH	Electrolyte Replacement (Oral)
Resedrex	HA	Reserpine
Resochin	BN	Chloroquine
Restal	HA	Amylobarbitone
Reverin	HP	Rolitettracycline
Rheomacrodex	PS	Dextran 40
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Rikodeine	RK	Dihydrocodeine Tartrate
Rikospray Silicone	RK	Dimethicone (C & I)
Rivotril	RO	Clonazepam
Randomycin	WW	Methacycline
Rynacrom	FC	Sodium Cromoglycate
S		
Sacsol	LF	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine
Sandocal 1000	SZ	Calcium

Proprietary Name	Manu- fac- turer	Name
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
S-Dimidine	PT	Sulphadimidine
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Semilente M.C.	AH	Insulin Zinc Suspension (Amorphous)
Novo		Specially Purified
Septtrin	BW	Trimethoprim with Sulphamethoxazole
Serazone	VR	Chlorpromazine
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
Serenol	PT	Rauwolfia Serpentina
Serpasil	CB	Reserpine
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Simeco Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Sinemet	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintisone	EC	Prednisolone Steaglate
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Slow-Fe	CB	Ferrous Sulphate Dried
Slow-K	CB	Potassium Chloride
Sobee	MJ	Soya Formula
Sodexol	SC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium Versenate	RK	Trisodium Edetate
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solgesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Solone	FM	Prednisolone
Solprin	RC	Aspirin (Soluble)
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Solusal	HA	Aspirin (Soluble)

Proprietary Name	Manu- fac- turer	Name
Somipra	LF	Imipramine
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Sone	FM	Prednisone
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spray-On-Bande	LF	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Calciferol
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptolin 33-1/3%	GL	Streptomycin Sulphate
Streptase	HP	Streptokinase
Sudafed	BW	Pseudoephedrine Hydrochloride
Sudafed-M	BW	Pseudoephedrine Hydrochloride
Sulfazole	PT	Sulphafurazole
Sulfamylon	WL	Maphenide Acetate
Sulphamezathine	IC	Sulphadimidine
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen	CB	Tetracosactrin
Synacthen Depot	CB	Tetracosactrin
Synalar 01	IC	Fluocinolone Acetonide
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
T		
Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
TAGG	LF	Deodorant Detergent Solution (C & I) (P & Q)
Talecid	SC	Phthalylsulphacetamide
Talusin	KN	Proscillaridin
Tavegyl	SZ	Clemastine
Tedral	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tedral S.A.	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tegretol	GE	Carbamazepine
Teledrin-P	SK	Chlorpheniramine
Temptra	MJ	Paracetamol

Proprietary Name	Manu- fac- turer	Name
Tenserp	VR	Reserpine
Terfluzin	MB	Trifluoperazine
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terramycin	PF	Oxytetracycline with Polymyxin B
Terrastatin	PF	Oxytetracycline with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetracap	PT	Tetracycline (Buffered)
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
Tetrex-P	BC	Tetracycline
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thelix	CO	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Theophen	HA	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Theosec	LY	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiosulfil	AY	Sulphamethizole
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Topilar	SD	Fluclorolone Acetonide
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Trasicor	CB	Oxprenolol
Trib	SU	Trimethoprim with Sulphamethoxazole
Tricloryl	GL	Triclofos
Tridione	AB	Troxidone
Triglyde	MJ	Triglycerides, Medium Chain
Triptil	FR	Protriptyline
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
U		
Ultracortenol	ZY	Prednisolone Acetate
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Unisolve	DY	Surgical Cement

Proprietary Name	Manu- fac- turer	Name
Urade	WW	Sodium Citro-Tartrate
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol
Uro-Carb	HA	Bethanechol
Urogran	AV	Sulphafurazole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole
		V
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vanquin	PD	Viprynum Embonate
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Velbe	LY	Vinblastine
Velosef	SQ	Cephradine
Vendarcin	GB	Oxytetracycline
Venocort	PT	Hydrocortisone Sodium Succinate
Ventolin	AH	Salbutamol
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vicin	KL	Phenoxymethylpenicillin
Vioform	CB	Clioquinol
Viokase	RS	Pancreatin Enzyme (4 X USNF XIII)
Visken	SZ	Prindolol
V.P.V.	VR	Phenoxymethylpenicillin
		X
Xylocard 100	AP	Lignocaine
Xylocard 500	AP	Lignocaine
		Y
Yomesan	BN	Niclosamide
		Z
Zadine	SH	Azatadine Maleate
Zarontin	PD	Ethosuximide
Zephiran Concentrated	WL	Benzalkonium Chloride
Zerodor	ZR	Deodorant Concentrate (C & I)
Zinamide	MK	Pyrazinamide
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dropster	Knoll Laboratories - Eye and ear drops
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitts - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Evanules	Allen & Hanburys - Injections
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous fluids
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratories - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Orgaject	Organon - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith, Kline & French - Delayed release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Tabloid	Burroughs Wellcome - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Aust. Pharm. Industries - Preparations
Venosol	Farmer Hill - Intravenous fluids
Viaflex	Travenol Laboratories - Intravenous fluids
Viules	Boots - Injections
Wellcome	Burroughs Wellcome - Preparations



Pharmaceutical Benefits

DECEMBER 1976 EDITION

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1976 edition of the Schedule of Benefits for Medical Practitioners.

The reprint of the schedule will take effect from 1 December 1976 and all previous editions of the schedule are cancelled.

Your attention is drawn to the following important alterations which have been incorporated in this issue of the schedule.

Authorities for increased maximum quantities and/or repeats of DIAZEPAM may now be granted for the treatment of—

Disabling spasticity;
Malignant neoplasia (late stage).

Section 3 of the schedule is now printed in red ink on white paper and section 5 in black ink on green paper.

The laxatives which are available as pharmaceutical benefits for paraplegic and quadriplegic patients may now be prescribed as benefits for patients who are receiving the Supplementary Intensive Nursing Home Care Benefit.

ADVANCE NOTICE

The following item will be deleted from the schedule of benefits as from 1 April 1977.

Iron Dextran, 5ml injection

The following items may be deleted from the schedule of benefits at a later date.

Benzylpenicillin, 250mg tablet

Glutethimide, 125mg, 250mg, 500mg tablets and 500mg capsule.

Haloperidol, 500 micrograms tablet

ADDITIONS

NEW ITEMS

Section 2—Restricted Benefits

Cephazolin Sodium, 500mg and 1g injections (*Kefzol*)

Cephadrine, 250mg and 500mg capsules, 125mg per 5ml, 100ml and 250mg per 5ml, 100ml powders for syrup, 250mg, 500mg and 1g injections (*Eskacef, Velosef*)

Clonazepam, 500 micrograms and 2mg tablets, 1mg and 1ml solvent, injection set (*Rivotril*)

Diphepanil Methylsulphate, 2%, 50g dusting powder (*Prantal*)

Prazosin Hydrochloride, 1mg (base) and 2mg (base) tablets
(*Minipress*)

Section 2—General Benefits

Azatadine Maleate, 1mg tablet (*Zadine*)

Belladonna Alkaloids (Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydrobromide), 103.7 micrograms—19.4 micrograms—6.5 micrograms tablet (*Donnatab*); 103.7 micrograms—19.4 micrograms—6.5 micrograms per 5ml, 100ml elixir (*Donnalix*)

Insect Allergen Extract—Mosquito, injection set—strengths A,B,C,D each 5ml; injection set—strengths A,B,C each 5ml; injection strength D, 5ml

Thiabendazole, 500mg tablet (*Mintezol*)

Section 2—Intravenous Fluids

Amino Acids with Alcohol, Vitamins and Electrolytes, 5%—5%, 500ml (*Aminofusin A 5% with Alcohol*)

Amino Acids with Vitamins and Electrolytes, 5%, 500ml (*Aminofusin 5%*); 10%, 500ml (*Aminofusin 10%*)

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2—Restricted Benefits

Propranolol, 160mg tablet (*Inderal*)

Sodium Nitroprusside, 50mg infusion (*Nipride*)

Section 2—General Benefits

Biperiden, 5mg in 1ml injection (*Akineton*)

Bufexamac, 5%, 45g ointment (*Parfenac*)

DELETION OF FULL ITEMS

Section 2

Belladonna with Phenobarbitone, 30mg—20mg, 40mg—16mg, 45mg—30mg and 120mg—48mg (sustained release) tablets (*Alkabarb*, *Alkabarb Forte*, *Bellabarb*, *Bellabarb Forte*, *Bellatran*, *Bellatran Forte*, *Donnabarbitol*, *Donnabarbitol Forte*, *Donnatal*, *Donnatal-LA*, *Phenadon*, *Phenadon F*, *Solamal Fort*)

Ferric Hydroxide, 100ml colloidal paediatric solution (*Colliron*)

Ferrous Succinate, 106mg capsule and 106mg per 5ml, 100ml paediatric elixir (*Ferromyn*)

Mersalyl, 2ml injection

DELETION OF FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2

Aminophylline, 150mg tablet (*Glucophylline*)

Cephaloridine, 250mg injection (*Ceporan*)

Cyproheptadine, 4mg capsule (*Antegan*)

Glucose Indicator, blood test strips (*Dextrostix*)

Hydroxocobalamin, 100 micrograms in 1ml injection (*Neo-Cytamen*)

Isoprenaline Sulphate, 10mg per ml, 7ml inhalation solution (*Neo-Epenine Spray No. 1*)

Phenethicillin, 500mg tablet (*Optipen*)

Phenylephrine, 1/8%, 10ml eye drops (*Neo-Synephrine*)
 Physostigmine Salicylate, 0.25%, 7.5ml and 0.5%, 7.5ml eye drops
 Potassium Chloride, 500mg tablet
 Rauwolfia Serpentina, 50mg capsule (*Austrawolf*)
 Sulphacetamide Sodium, 10%, 5g eye ointment
 Trimeprazine, 7.5mg per 5ml, 100ml mixture (*Vallergan*)

ALTERATIONS

Restrictions

Bisacodyl, 10mg suppositories (*Durolax*)
 Chlormethiazole, 192mg capsule and 0.8% solution for I.V. infusion, 500ml (*Hemineurin*)
 Dioctyl Sodium Sulphosuccinate, 50mg tablet (*Coloxyl 50*); 120mg tablet (*Coloxyl 120*)
 Dioctyl Sodium Sulphosuccinate with Bisacodyl, 100mg—10mg suppositories (*Coloxyl*)
 Dioctyl Sodium Sulphosuccinate with Danthron, 50mg—50mg tablet (*Formulax, Coloxyl with Danthron*)
 Glycerol, 1g suppositories
 Paraffin Liquid, 500ml emulsion (*Petrolagar*); 500ml emulsion with phenolphthalein (*Agarol, Lubarol, Petrolagar with Phenolphthalein*)
 Propranolol, 10mg and 40mg tablets (*Inderal*)

Maximum Quantities

Section 2

Item	From	To
Lypressin, 50 Units per ml, 5ml nasal spray (<i>Vasopressin</i>)	4	10
Metoclopramide Hydrochloride, 10mg in 2ml injection (<i>Maxolon</i>)	5	10
Procainamide, 100mg per ml, 10ml injection (<i>Pronestyl</i>)	1	2

Repeats

Section 2

Item	From	To
Calcium, compound effervescent tablet equivalent to 500mg calcium (<i>Cal-tab, Spar-Cal</i>); compound effervescent tablet equivalent to 1g calcium (<i>Sandocal 1000</i>)	2	5
Guanethidine, 10mg and 25mg tablets	2	1
Mecamylamine, 2.5mg and 10mg tablets (<i>Mevasine</i>)	2	1
Pempidine, 5mg tablet (<i>Perolysen</i>)	2	1
Pyridostigmine, 180mg (sustained release) tablet (<i>Mestinon</i>)	0	1
Rauwolfia Alkaloids, 2mg tablet (<i>Rauwiloid</i>)	2	1
Rauwolfia Serpentina, 50mg tablet (<i>Raudixin, Rawlina, Serenol</i>)	2	1
Reserpine, 250 micrograms tablet (<i>Resedrex, Serpasil, Tenserp</i>)	2	1
Reserpine, 1mg and 2.5mg injections (<i>Serpasil</i>)	1	0
Salbutamol, for use in RESPIRATOR 0.5%, 10ml inhalation solution (<i>Ventolin</i>)	0	2

Manufacturers' Codes

Section 2

<i>Item</i>	<i>Proprietary Name</i>	<i>From</i>	<i>To</i>
Aminophylline, 100mg tablet ..	..	AD	DH
Ephedrine Hydrochloride, 15mg and 30mg tablets	..	AD	DH
Folic Acid, 5mg and 500 micrograms tablets	..	AD	DH
Nicotinic Acid, 250mg tablet ..	..	AD	DH
Paracetamol, 500mg tablet and 120mg per 5ml, 100ml mixture ..	<i>Dymadon</i>	CA	BW
Phenobarbitone, 15mg, 60mg and 100mg tablets	..	AD	DH
Polymyxin B Sulphate, 10,000 Units per ml, 10ml (propylene glycol base) ear drops	<i>Aerosporin</i>	CA	BW
Polymyxin B Sulphate with Bacitracin and Neomycin, 5,000 Units—400 Units—5mg per g, 4g eye ointment	<i>Neosporin</i>	CA	BW
Polymyxin B Sulphate with Lignocaine, 10,000 Units—50mg per ml, 10ml ear drops	<i>Lignosporin</i>	CA	BW
Polymyxin B Sulphate with Neomycin and Gramicidin, 5,000 Units—2.5mg—25 micrograms per ml, 10ml eye drops	<i>Neosporin</i>	CA	BW
Polymyxin B Sulphate with Neomycin and Hydrocortisone, 10,000 Units—3.5mg (base)—10mg per ml, 7ml ear drops	<i>Aerocortin</i>	CA	BW
Pseudoephedrine Hydrochloride, 30mg and 60mg tablets;	<i>Sudafed-M, Sudafed</i>	CA	BW
30mg per 5ml, 100ml mixture ..	<i>Sudafed</i>	CA	BW
Stilboestrol, 500 micrograms and 1mg tablets	..	AD	DH
Sulphadimidine, 500mg tablet ..	..	AD	DH
Thiamine Hydrochloride, 50mg tablet	..	AD	DH
Thyroid, 15mg, 30mg and 125mg tablets	..	AD	DH
Tripolidine, 2.5mg tablet and 1mg per 5ml, 100ml paediatric elixir ..	<i>Actidil</i>	CA	BW
Wool Fat, Hydrous, 50g tube or jar ..	..	AA	DH

ALTERATIONS

Pack Sizes

Section 2

<i>Item</i>	<i>From</i>	<i>To</i>
Alginate Acid Compound, powder	45g	100g

Section 3

<i>Item</i>	<i>From</i>	<i>To</i>
Deodorant Detergent Solution (TAGG)	600ml	500ml

CORRIGENDUM

Please note that the entry for Copper Sulphate compound diagnostic tablets on page 27, Section 2 (White Pages) should be amended as follows:—

Pack Size—36

No. of Repeats—3

Price—†\$1.05

NOT FOR SALE

All Previous Editions Cancelled



SCHEDULE OF BENEFITS
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1 DECEMBER 1976

Australian Department of Health,
CANBERRA, A.C.T.

11847 B

T. J. HUGHES, Government Printer, Tasmania

CONTENTS

SECTION 1—LEMON PAGES	<i>Paragraph</i>	<i>Page</i>
Metric Conversion Tables	...	4-5
Explanatory Notes—		
Prescribing of Benefits—Procedure by Doctors—		
Schedule of Benefits	1-8	6
Prescriptions	9-13	6-8
Manner of Administration	14	8
Restrictions	15	8
Explanatory and Warning Statements	16	9
Maximum Quantities and Repeats	17-22	9-10
Urgent Cases	23-24	10
Emergency Drug (Doctor's Bag) Supplies	25-28	11
Addresses of Poisons Information Centres	29	12
Addresses of Australian Department of Health Central Office and Branch Offices		13-14
Manufacturers—Address and Code		15-21
List of Emergency Drug (Doctor's Bag) Supplies		22-23
SECTION 2—WHITE PAGES		
Schedule of Benefits—		
General, Pensioner and Restricted Benefits		1-118
Intravenous Fluids		119-121
SECTION 3—WHITE PAGES		
Schedule of Benefits—		
Preparations available for Colostomy and Ileostomy Use		1-3
Preparations Available for Use by Paraplegic and Quadriplegic Patients		4-5
SECTION 4—GREEN PAGES		
Schedule of Benefits—Drugs available for extemporaneous preparations		1-6
Table of Maximum Quantities and Number of Repeats for Extemporaneous Preparations		7
SECTION 5—GREEN PAGES		
Prescribers' List—Pharmaceutical Benefits Formulae		1-17

PROPRIETARY INDEX

Page

Part 1—Proprietary Names Index	2-25
Part 2—Trade Names Index	26

METRIC CONVERSION TABLE

The following Table gives the approximate equivalents in the metric and imperial systems. These equivalents are for the convenience of prescribers in translating doses from one system to the other, and are not sufficiently accurate for pharmaceutical or other purposes.

<i>Grains</i>	<i>Milligrams</i>	<i>Grains</i>	<i>Milligrams</i>
15	1 000	1/12	5
12	800	1/15	4
10	600	1/20	3
8	500	1/24 }	2.5
7½	450	1/25 }	
6	400	1/30	2
5	300	1/40	1.5
4	250	1/50	1.25
3	200	1/60	1
2½	150	1/75 }	0.8
2	125	1/80 }	
1½	100	1/100	0.6
1¼	75	1/120 }	0.5
1	60	1/130 }	
¾	50	1/150 }	0.4
⅔	40	1/160 }	
1/2	30	1/200	0.3
2/5	25	1/240	0.25
1/3	20	1/300 }	0.2
1/4	15	1/320 }	
1/5	12.5	1/400	0.15
1/6	10	1/480 }	0.125
1/8	7.5	1/500 }	
1/10	6	1/600	0.1

1 000 Micrograms = 1 Milligram (mg)

Approximate Equivalents per Pound Body-Weight of Doses per Kilogram Body-Weight

<i>Milligrams per kilogram body-weight</i>	<i>Milligrams per pound body-weight</i>	<i>Milligrams per kilogram body-weight</i>	<i>Milligrams per pound body-weight</i>
0.1	0.05	50	23
0.25	0.1	60	27
1.0	0.45	70	32
1.5	0.7	75	34
2.0	0.9	80	36
2.5	1.0	90	41
3	1.4	100	45
4	1.8	120	54
5	2.3	150	68
6	2.7	200	91
7	3.2	220	100
8	3.6	250	110
9	4.0	300	135
10	4.5	400	180
15	7	500	225
20	9	600	270
25	11	700	320
30	14	800	360
40	18	900	410
45	20	1 gramme	450

Conversion Factor*

To convert milligrams per kilogram to milligrams per pound, multiply by 0.45.

* This factor is approximate but sufficiently accurate for dosage purposes.

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items are listed in Sections 2 and 3 of the Schedule of Benefits.
3. The benefit items and additives which may be used in extemporaneous preparations are listed in Section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this Section it is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
 - (b) the admixture of a ready prepared item and a drug or drugs listed in Section 4 of the Schedule of Benefits.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Benzylpenicillin, Injection 300 mg amp with 2 ml water for injections'.
6. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes—paragraphs 15-20.
7. A proprietary name index of ready prepared items is included after Section 5.

8. Symbols used in the Schedule of Benefits:
See page 1, Section 2 (White Pages).

Prescriptions

9. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

10. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

11. With regard to METHADONE, notification or approval of the appropriate State Health Authority or officer is required in all States for therapeutic use for a period exceeding two months (eight weeks in Victoria). Prior approval of appropriate State Health Authority or officer is required in all States for the treatment of DRUG DEPENDENT PERSONS with methadone OR ANY OTHER DRUG OF ADDICTION.

12. Medical practitioners are required by National Health Act legislation to observe the following rules when writing prescriptions for pharmaceutical benefits:

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 18 cm $\times$ 12 cm. The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient, and where the patient is a pensioner who holds an entitlement card write the pension number. EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the pensioner's address on the prescription form.
- (d) In the case of pharmaceutical benefits which are restricted in use, the prescription should be endorsed with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However, where a prescription is written for a pensioner for a drug which is restricted to pensioners it is not necessary to endorse the prescription 'Specified Purpose'.
- (e) If the benefit is a single drug, the manner of administration must be indicated.
- (f) Where a medical practitioner writes a prescription for a pharmaceutical benefit, but does not specify a particular formula or brand for the item prescribed, the chemist, when dispensing, shall give priority to either the formula, if any, for that item which is specified in the Prescribers' List (Section 5) or to one of the ready prepared brands, if any, for that item included in Section 2.
- (g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time the prescription must be endorsed in own handwriting with the words 'Regulation 24'. Further details are available in paragraph 20.
- (h) Mark the prescription form 'N.H.S.', date and sign it.

A doctor may write up to three prescriptions on a single sheet of paper, provided each prescription is legible.

Prescriptions for pharmaceutical benefits for more than one person must not be written on the one sheet of paper.

13. A prescription is not valid if the form—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;
- (b) prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted;
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

To avoid confusing patients and the dispensing chemist, doctors should avoid writing prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a 'Specified Purpose' drug and the patient is not suffering from one of the allowable conditions the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete the N.H.S. printed endorsement. Likewise the 'N.H.S.' printed endorsement should be deleted where a prescription, other than a prescription for a pensioner, is written for a benefit for which the dispensed price is equal to or less than \$2 in respect of general patients. These prescriptions may be dispensed as private prescriptions.

Manner of Administration

14. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way.

Restrictions

15. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Director of Health in the State concerned. Full particulars of these items and their restrictions are printed in red in Section 2 (White Pages) of the Schedule.

Pharmaceutical benefits which are available for use for Colostomy and Ileostomy conditions as well as pharmaceutical benefits which are available for use by paraplegic and quadriplegic patients are listed in Section 3 of the Schedule.

Explanatory and Warning Statements

16. The use of 'Note' in Section 2 (White Pages) of the Schedule is reserved for explanatory purposes in relation to the prescribing of some drugs as pharmaceutical benefits.

The use of 'Caution' in Section 2 (White Pages) of the Schedule is reserved for the purpose of warning of adverse reactions or precautions associated with the use of a drug. The absence of a cautionary note does not necessarily imply that significant adverse reactions will not be encountered.

Maximum Quantities and Repeats

17. The allowable maximum quantity and number of repeats are shown in columns 2 and 3 of Sections 2 and 3. For other preparations, details are set out in the Table of Maximum Quantities and Repeats (Green Pages).

The maximum quantity of items marked with a double dagger ($\ddagger$) has been determined as a single pack. Unbroken packs are to be supplied (see page 1, Section 2—White Pages).

It would be appreciated if these items were prescribed in original pack sizes.

For other items, the quantity prescribed by a medical practitioner should be that which he believes is necessary for the proper treatment of his patient, provided that the maximum quantity is not exceeded.

If a medical practitioner requires a prescription to be repeated, he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

18. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 19-20). A benefit shall not be supplied more than the number of times specified in the prescription.

19. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Director of Health, direct the supply of more than the maximum quantity which would otherwise be allowed.

20. When it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

- 21.—(a) The written authority of the Director of Health to prescribe:
 (i) restricted drugs (paragraph 14); or
 (ii) increased maximum quantities (paragraph 17); or
 (iii) increased number of repeats (paragraph 18),
will be forwarded to the doctor on an Authority to Prescribe (Form PB15).
- (b) On receipt, the prescription is to be written by the doctor in the space provided for this purpose. The original and duplicate are to be handed to the patient and the green copy is retained by the doctor.

22. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit is insufficient for the medical treatment of the person for whom it is prescribed;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Where a prescription is endorsed 'Regulation 24' the chemist will make the appropriate charge (except to pensioners) for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats a charge of \$6 would be made to a general patient.

Urgent Cases

23. In urgent cases, a chemist can supply a benefit before the prescription is surrendered to him, if the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

24. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 15). In such cases the doctor must first obtain advice from the Director of Health in the particular State, by telephone or other means, that the

authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt, to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

25. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

26. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) order form (except form PB7a) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present Doctor's Bag order form PB7a to an approved chemist for their supplies. Special instructions are issued to these doctors.

27. The maximum number of units of each listed form of Emergency Drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than that maximum quantity.

28. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the benefits supplied under this provision must be given on the order form. The receipt may be signed by the doctor himself or by any person authorised by him.

ADDRESSES OF POISONS INFORMATION CENTRES

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Bridge Road,
Camperdown.

Telephone No.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
347 5522

QUEENSLAND

Brisbane Royal Children's Hospital,
Herston Road,
Herston.

Brisbane
52 0111

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
267 4999
Ext. 117 or 119

WESTERN AUSTRALIA

Princess Margaret Hospital for Children,
Thomas Street,
Subiaco.

Perth
81 0222
Ext. 397

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
38 8485

NORTHERN TERRITORY

Darwin Hospital,
Darwin,
Northern Territory.

Darwin
81 2171

AUSTRALIAN CAPITAL TERRITORY

Canberra Hospital,
Canberra.

Canberra
48 9922

ADDRESSES OF AUSTRALIAN DEPARTMENT OF HEALTH OFFICES

NOTE: All applications for authority to prescribe should be forwarded to the appropriate Branch Office.

CENTRAL OFFICE

Director-General,
Australian Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

BRANCH OFFICES NEW SOUTH WALES

Australian Department of Health,
Australian Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000

Telephone 232 8000

Director of Health—
Dr R. R. Bull

After hours: Telephone 969 8681

Medical—
Dr W. Quinn

After hours: Telephone 92 0980

VICTORIA

Australian Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000

Telephone 662 2999

Director of Health—
Dr R. C. Webb

After hours: Telephone 80 5333

Assistant Director (Medical)—
Dr E. C. R. Newton

After hours: Telephone 95 5815

QUEENSLAND

Australian Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld 4000
G.P.O. Box 567, Brisbane, Qld 4001

Telephone 225 0122

Director of Health (Acting)
Dr H. C. Anderson

Assistant Director (Medical)—
Dr J. R. Meyers

After hours: Telephone 399 5857

SOUTH AUSTRALIA

Australian Department of Health,

A.M.P. Building,

1 King William Street,

Adelaide, S.A. 5000

Telephone 51 7400

G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—

Dr A. C. Green

After hours: Telephone 297 5463

Assistant Director (Medical)—

Dr C. L. Dubberley

After hours: Telephone 79 4477

WESTERN AUSTRALIA

Australian Department of Health,

Victoria Centre,

2-6 St George's Terrace,

Perth, W.A. 6000

Telephone 23 0391

G.P.O. Box M970, Perth, W.A. 6001

Director of Health—

Dr W. J. Wilmot

After hours: Telephone 95 1150

TASMANIA

Australian Department of Health,

Kirksway House,

6 Kirksway Place,

Hobart, Tas. 7000

Telephone 20 2122

G.P.O. Box 919J, Hobart, Tas. 7001

Director of Health—

Dr P. Hallett

After hours: Telephone 47 8660

Medical—

Dr C. F. A. Younger

After hours: Telephone 62 2272

NORTHERN TERRITORY

Australian Department of Health,

M.L.C. Building,

Smith Street,

Darwin, N.T. 5794

Telephone 80 2911

P.O. Box 147, Darwin, N.T. 5794

Director of Health—

Dr C. H. Gurd

After hours: Telephone 81 2509

CAPITAL TERRITORY HEALTH COMMISSION

C.M.L. Building,

Darwin Place,

Canberra City, A.C.T. 2601

Telephone 49 8077

P.O. Box 825, Canberra City, A.C.T. 2601

Applications for authority to prescribe—

Dr R. A. McGregor

After hours: Telephone 95 6461

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	AB
Adam Drug Co. 41 Barry Avenue, Mortdale, N.S.W. 2223	AV
Alcon Laboratories (Australia) Pty Ltd 8 Wattle Road, Brookvale, N.S.W. 2100	AQ
Allen and Hanburys 1061 Mountain Highway, Boronia, Vic. 3155	AH
Allergan Pharmaceuticals Pty Ltd 32 Punch Street, Artarmon, N.S.W. 2064	AG
Ames Company Wellington Road, Mulgrave, Vic. 3170	AM
Armour Pharmaceutical Co. Ltd, England	AR
Astra Chemicals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	AP
Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	AY
Bayer Pharmaceutical Company 47-67 Wilson Street, Botany, N.S.W. 2019	BN
Beecham Research Pty Ltd Chesterville Road, Moorabbin, Vic. 3189	BR
Berk Pharmaceuticals Division of U.S.V. Australia Pty Ltd 172-178 Princes Highway, Arncliffe, N.S.W. 2205	BQ
Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	BH
Boehringer Ingelheim Pty Ltd 50 Broughton Road, Artarmon, N.S.W. 2064	BY
Boehringer, Mannheim, GmbH, Germany	BO
Boots Company (Australia) Pty Ltd, The Loyalty Road, North Rocks, N.S.W. 2151	BT
Boucher & Muir Pty Ltd 118-124 Willoughby Road, Crows Nest, N.S.W. 2065	BZ
Bramble Laboratories 326 King Georges Road, Beverley Hills, N.S.W. 2209	BB
Bristol Laboratories Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	BC

<i>Manufacturer</i>	<i>Code</i>
Bull Laboratories, David 11-15 Lexia Place, Mulgrave, Vic. 3170	BL
Burroughs Wellcome & Co. (Aust.) Ltd Cressy Street, Rosebery, N.S.W. 2018	BW
Cambridge Laboratories Pty Ltd 397 Little Lonsdale Street, Melbourne, Vic. 3000	CE
C.F.C. Pharmaceuticals Pty Ltd 9 Norton Street, Ashfield, N.S.W. 2131	CO
Ciba Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	CB
Commercial Goat Milk Producers Co-operative Ltd 72a Maroondah Highway, Croydon, Vic. 3136	CG
Commonwealth Serum Laboratories 45 Poplar Road, Parkville, Vic. 3052	CS
Cooper Laboratories Pty Ltd 176 Harbord Road, Brookvale, N.S.W. 2100	CP
Crookes Laboratories Ltd, The, England	CK
Denyer Brothers 250 Pitt Street, Sydney, N.S.W. 2000	DY
Difrex (Aust.) Laboratories 321 Pitt Street, Sydney, N.S.W. 2000	DF
Dista Products (Australia) Pty Ltd Waratah Street & Wharf Road, Ermington, N.S.W. 2115	DL
Dolder & Co., Switzerland	DR
Dome Laboratories Wellington Road, Mulgrave, Vic. 3170	DO
Drug Houses of Australia 31 Henderson Street, Turrella, N.S.W. 2205	DH
Endo Laboratories (Aust.) Pty Ltd 448 Pacific Highway, Artarmon, N.S.W. 2064	EN
Erba Carlo S.p.A., Italy	EC
Ethnor Pty Ltd 1-5 Khartoum Road, North Ryde, N.S.W. 2113	ET
Evans Medical Australia (Pty) Ltd 1061 Mountain Highway, Boronia, Vic. 3155	EV
Faulding & Co. Ltd, F. H. 48 Beans Road, Thebarton, S.A. 5031	FA

<i>Manufacturer</i>	<i>Code</i>
Fawns and McAllan Pty Ltd 432 Mount Dandenong Road, Croydon, Vic. 3136	FM
Fisons Pty Ltd 97 Pacific Highway, North Sydney, N.S.W. 2060	FC
Frosst, Charles E. 576 St Kilda Road, Melbourne, Vic. 3000	FR
Gamaprod Pty Ltd .. 169 Lygon Street, Carlton, Vic. 3053	GA
Gedeon Richter Ltd, Hungary	GR
Geigy Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	GE
Gist-Brocades Australia Pty Ltd A.D.C. Building, 77 Pacific Highway, North Sydney, N.S.W. 2060	GB
Glaxo .. 1061 Mountain Highway, Boronia, Vic. 3155	GL
G.P. Laboratories Wharf Road, West Ryde, N.S.W. 2114	GP
Grose Products (Aust.) Pty Ltd 51-55 Warrah Street, Chatswood, N.S.W. 2067	GV
Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A. 5000	HA
Hoechst Australia Ltd 606 St Kilda Road, Melbourne, Vic. 3000	HP
Hollister Incorporated Captain Cook Drive, Kurnell, N.S.W. 2231	HO
ICI Australia Ltd ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	IC
Ioquin Company, The 8 Wattle Road, Brookvale, N.S.W. 2100	IQ
Jackson-Mitchell Pharmaceuticals Inc., U.S.A.	JM
Knoll Laboratories Division of U.S.V. Australia Pty Ltd 172-178 Princes Highway, Arncliffe, N.S.W. 2205	KL
Knoll, A. G., Germany	KN

<i>Manufacturer</i>	<i>Code</i>
Lancet Pharmaceutical Limited 8 Hornsby Street, Hornsby, N.S.W. 2077	LP
Langley Laboratories Pty Ltd 116 Cabramatta Road, Cremorne, N.S.W. 2090	LF
Lederle Laboratories Division Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W. 2065	LE
Lilly (Australia) and Company, Eli Wharf Road, West Ryde, N.S.W. 2114	LY
May & Baker Australia Pty Ltd Paramount Road, Footscray West, Vic. 3012	MB
McGloin Pty Ltd, J. 150 Dean Street, Enfield, N.S.W. 2136	MG
Mead Johnson 345 Pacific Highway, Crows Nest, N.S.W. 2065	MJ
Medical Research Pty Ltd 31 Sirius Road, Lane Cove, N.S.W. 2066	MR
Medichem Pharmaceuticals Pty Ltd 30 Thorby Avenue, Leichardt, N.S.W. 2040	MC
Merck, Sharp & Dohme (Aust.) Pty Ltd 62-68 Ferndell Street, South Granville, N.S.W. 2142	MK
Merrell, Wm S. Company 9 Help Street, Chatswood, N.S.W. 2067	ML
Muir & Neil Pty Ltd 479 Kent Street, Sydney, N.S.W. 2000	MN
Nativelle Laboratories, France	NA
Nestle Company (Aust.) Ltd, The 17 Foveaux Street, Sydney, N.S.W. 2000	NT
Nicholas Pty Ltd 699 Warrigul Road, Chadstone, Vic. 3148	NS
Nordia, Denmark	NR
Ohio Drug Co. Pty Ltd 100 Clarence Street, Sydney, N.S.W. 2000	OD
Organon (Australia) Pty Ltd 34 Hotham Parade, Artarmon, N.S.W. 2064	OR
Parke, Davis and Co. 32-40 Cawarra Road North, Caringbah, N.S.W. 2229	PD
Pfizer Pty Ltd Wharf Road, West Ryde, N.S.W. 2114	PF

<i>Manufacturer</i>	<i>Code</i>
Pfrimmer & Co., West Germany	PC
Pharmacia (South Seas) Pty Ltd	PS
Cnr Khartoum & Talavera Roads, North Ryde, N.S.W. 2113	
Pharmax Ltd, England	PN
Philips-Duphar Pty Ltd	PI
4 Sirius Road, Lane Cove, N.S.W. 2066	
Prosana Laboratories Pty Ltd	PR
22 Daisy Street, Revesby, N.S.W. 2212	
Protea Pharmaceuticals Pty Ltd	PT
13-19 Glebe Street, Glebe, N.S.W. 2037	
Queensland Ethicals	QE
Enterprise Street, Salisbury, Q'ld 4107	
Reckitts Pty Ltd	RC
44 Wharf Road, West Ryde, N.S.W. 2114	
Riker Laboratories Australia Pty Ltd	RK
9-15 Chilvers Road, Thornleigh, N.S.W. 2120	
Robins, A. H. Pty Ltd	RS
4 Charles Street, Canterbury, N.S.W. 2193	
Roche Products Pty Ltd	RO
Inman Road, Dee Why, N.S.W. 2099	
Rocke, Tompsitt & Co. Ltd	RT
10 Griffiths Street, Richmond, Vic. 3121	
Rona Laboratories Ltd, London, U.K.	RN
Rorer (Aust.) Pty Ltd	RG
79 Victoria Avenue, Chatswood, N.S.W. 2067	
Ross Laboratories	RD
Captain Cook Drive, Kurnell, N.S.W. 2231	
Rotary Tableting Corp. Pty Ltd	RY
432 Mt Dandenong Road, Croydon, Vic. 3136	
Roussel Pharmaceuticals Pty Ltd	RL
Gladstone Road, Castle Hill, N.S.W. 2154	
Salmond and Spraggon (Aust.) Pty Ltd	SS
Loyalty Road, North Rocks, N.S.W. 2151	
Sandoz Australia Pty Ltd	SZ
54 Waterloo Road, North Ryde, N.S.W. 2113	
Sanitarium Health Food Co.	SA
148 Fox Valley Road, Wahroonga, N.S.W. 2076	
Sauter Laboratories (Aust.) Pty Ltd	SU
60 Campbell Avenue, Dee Why, N.S.W. 2099	

<i>Manufacturer</i>	<i>Code</i>
Schering Corporation, U.S.A.	SH
11 Gibbon Road, Baulkham Hills, N.S.W. 2153	
Schering, A. G., Berlin	SC
Searl Laboratories ..	SR
Mainline Building, 8 West Street, North Sydney, N.S.W. 2060	
Sigma Co. Ltd	SI
P.O. Box 144, Clayton, Vic. 3168	
Smith Kline & French Laboratories (Aust.) Ltd	SK
Warringah Road, French's Forest, N.S.W. 2086	
Smith & Nephew (Aust.) Pty Ltd	SN
Wellington Road, Clayton, Vic. 3168	
SPOFA United Pharmaceutical Works, Czechoslovakia	SP
Squibb & Sons, E. R. Pty Ltd	SQ
Princes Highway, Noble Park, Vic. 3174	
Stansen & Co. Pty Ltd, A. E.	ST
121 Ricketts Road, Notting Hill, Vic. 3168	
Syntex Pharmaceuticals Ltd	SD
Funds of Australia Building, Tenth Floor, 275 Alfred Street North, North Sydney, N.S.W. 2060	
Tongala Milk Products Pty Ltd	TM
17 Fovereaux Street, Sydney, N.S.W. 2000	
Toppin & Sons Pty Ltd, R. D.	TO
9-15 Chilvers Road, Thornleigh, N.S.W. 2120	
Trane Pharmacal Co.	TR
98 Collins Street, Melbourne, Vic. 3000	
Travenol Laboratories Pty Ltd	TV
Oakes Road, Old Toongabbie, N.S.W. 2146	
United Works of Pharmaceutical and Dietetic Products, Hungary ..	UW
Upjohn Pty Ltd	UP
55-73 Kirby Street, Rydalmere, N.S.W. 2116	
Vifor, S. A., Geneva, Switzerland	VF
Virax Ethicals Ltd	VR
77-79 Market Street, South Melbourne, Vic. 3205	
Warner & Co. Pty Ltd, Wm R.	WW
103 Miller Street, North Sydney, N.S.W. 2060	
W.B. Pharmaceuticals Ltd, London, U.K.	WB
Weddel Pharmaceuticals ..	WP
213-219 Miller Street, North Sydney, N.S.W. 2060	

<i>Manufacturer</i>	<i>Code</i>
Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W. 2115	WL
Woods, H. W. Pty Ltd 10 Clifford Street, Huntingdale, Vic. 3166	WH
Wyeth Pharmaceuticals Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	WY
Zero Chemicals (Aust.) Pty Ltd Unit 3, 25 Hotham Parade, Artarmon, N.S.W. 2064	ZR
Zyma Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	ZY

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Adrenaline Injection BP	1 mg in 1 ml	Ampoule	5
Aminophylline Injection BP ..	250 mg in 10 ml	Ampoule	5
Atropine Sulphate Injection BP	600 micrograms in 1 ml	Ampoule	5
Chlorpromazine Injection BP	50 mg in 2 ml	Ampoule	10
Dextrose Injection BP	50%, 10 ml	Ampoule	5
Diazepam injection	10 mg in 2 ml	Ampoule	5
Digoxin Injection BP	500 micrograms in 2 ml	Ampoule	5
Ergometrine Injection BP	250 micrograms in 1 ml	Ampoule	5
Erythromycin I.M. injection	100 mg in 2 ml	Ampoule	5
<i>or</i>			
Oxytetracycline hydrochloride I.M. injection	250 mg in 5 ml	Vial	5
Frusemide Injection BP	20 mg in 2 ml	Ampoule	5
Heparin Injection BP	5 000 units in 1 ml	Ampoule	1
<i>or</i>			
Heparin Injection BP	25 000 units in 5 ml	Vial	1
Hydrocortisone sodium succinate injection set	Equivalent to 100 mg hydrocortisone and 2 ml solvent	Vial and Ampoule	2 sets
<i>or</i>			
Hydrocortisone sodium succinate injection set	Equivalent to 250 mg hydrocortisone and solvent	Vial and Ampoule	1 set
Lignocaine injection	100 mg in 5 ml	Ampoule	4
Morphine Sulphate Injection BP	15 mg in 1 ml	Ampoule	5
<i>or</i>			
Morphine Sulphate Injection BP	30 mg in 1 ml	Ampoule	5
Morphine sulphate with atropine sulphate injection	15 mg-600 micrograms in 1 ml	Ampoule	5

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES—*continued*

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Pethidine Injection BP	100 mg in 2 ml	Ampoule	5
Procaine Penicillin Injection BP	1.5 g	Disposable syringe pack	10
Metoclopramide hydrochloride injection	10 mg in 2 ml	Ampoule	10
or			
Prochlorperazine injection	12.5 mg in 1 ml	Ampoule	10
or			
Thiethylperazine injection	6.5 mg (base) in 1 ml	Ampoule	10
Promethazine Injection BP ..	50 mg in 2 ml	Ampoule	10
Terbutaline sulphate injection	100 micrograms in 1 ml	Ampoule	5
or			
Terbutaline sulphate injection	500 micrograms in 1 ml	Ampoule	5
Tetanus Vaccine Adsorbed	0.5 ml	Ampoule	10

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS

Operative from 1 December 1976

SECTION 2

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) in front of a restriction indicates an additional or amended purpose in this issue.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which will be supplied under the original label when prescribed unless the prescription bears specific instructions for use.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack should be supplied.
- (d) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
- (e) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated.
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S);
W.A. - (W); Tas. - (T).

Attention is drawn to paragraph 12(d) of the explanatory notes which provides for the endorsement of prescriptions for pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to a disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

The maximum quantity and/or number of repeats in respect of any item shown in the Schedule may be varied by the Director of Health when issuing an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. (See paragraphs 19 and 20 of Section 1 - Explanatory Notes (Lemon pages)).

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACEPIFYLLINE Tablet 250mg	100	2	2.84	Etaphylline DF
Paediatric Syrup 125mg per 5ml, 500ml	#1	4	2.91	Etaphylline DF
Injection 500mg in 5ml	5	..	1.61	Etaphylline DF
ACETAZOLAMIDE Tablet 250mg	50	6	6.01 6.04	Glaucomide PT Diamox LE
Capsule 500mg (sustained release)	50	2	11.51	Diamox LE
Injection 500mg (solvent required)	1	..	5.51	Diamox LE
ACETOHEXAMIDE Tablet 500mg	100	2	6.17	Dimelor LY
ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2ml	2	..	10.70	Miochol CP
ACETYLCYSTEINE Bronchiectasis; Cystic fibrosis(mucoviscidosis). Solution 20%, 10ml	5	3	11.09	Mucomyst MJ
ADRENALINE Eye Drops 0.5%, 7.5ml	#1	6	3.51	Epinal AQ Eppy ET
0.5%, 10ml	#1	6	3.64	Epifrin AG
1%, 7.5ml	#1	6	3.84	Epinal AQ Eppy ET
1%, 10ml	#1	6	3.97	Epifrin AG Glaucan AQ
2%, 10ml	#1	6	7.17	Epifrin AG Glaucan AQ
2% (100mg and 5ml diluent)	#1	6	#6.26	Lyophrin AQ
Injection BP 1mg in 1ml (1 in 1,000)	5	1	1.88	AB,BL,KL,SI

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALGINIC ACID COMPOUND Authority required. Cardio-oesophageal reflux. <u>NOTE: Increased maximum quantities and/or additional repeats will not be authorised.</u>					
Granules, 4g sachets, 24	#1	12	3.77	Gaviscon	RC
Powder 100g	#1	12	3.77	Gaviscon Infant	RC
ALLOPURINOL Tablet 100mg	100	2	6.84	Progout Zyloprim	PT BW
ALOXIPRIN Tablet 600mg	100	2	2.91	Palaprin Forte	NS
ALPRENOLOL Dissecting aneurysm (aortic); Hypertension; Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure.					
Tablet 100mg * * *	100	2	6.97	Aptin Betacard	AP BR
Dissecting aneurysm (aortic); Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure.					
Injection 1mg per ml, 10ml	1	..	2.33	Aptin Betacard	AP BR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ALUMINIUM HYDROXIDE GEL Mixture 320mg per 5ml, 360ml	1	2	1.32 1.50	Minajel MG Alusorb DH Amphojel WY Gelox PR
ALUMINIUM HYDROXIDE GEL DRIED Tablet 300mg	100	2	2.37	Actal WL Amphotabs WY
ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1g per 5ml, 360ml	#1	2	2.17	Kaogel FA Kaomagma WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	2.37	Aludrox WY
200mg-200mg	100	2	2.37	Mylanta PD
Mixture 300mg-100mg per 5ml, 360ml	#1	2	2.17	Aludrox WY Milagel PR
Suspension 215mg-80mg per 5ml, 360ml	#1	2	2.17	Dijene BT Simeco WY
200mg-200mg per 5ml, 360ml	#1	2	2.17	Almacarb AH Merasy ML Mylanta PD Sodexol SC
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZINE Suspension 306mg-97.5mg-10mg per 5ml, 360ml	#1	2	2.31	Mucaine WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg	100	2	2.37	Gelusil WW
Mixture 250mg-500mg per 4ml, 360ml	#1	2	2.17	Gelusil WW
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	2.37	Gastrogel FM Gastroid BB Neutratabs HA
Mixture 250mg-120mg-120mg per 5ml, 360ml	#1	2	2.17	Gastrogel FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	2.37	Almacarb Dijene Simeco	AH BT WY
ALUMINIUM SODIUM SILICATE Powder 100g	1	2	1.97	Neutralon	SC
AMANTADINE HYDROCHLORIDE Parkinson's disease which is not drug induced. Capsule 100mg	100	1	19.08	Symmetrel	GE
AMBENONIUM CHLORIDE Tablet 10mg	100	2	8.19	Mytelase	WL
AMILORIDE Tablet 5mg	50	2	2.97	Midamor	MK
AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	#1	2	2.04	Aminopt	SI
AMINO ACID FORMULA without PHENYLALANINE Phenylketonuria. Powder 200g	2	2	53.34	Aminogran	GL
250g	2	2	94.66	PK AID I	MN
250g	2	2	117.34	PK AID II	MN
AMINO ACIDS with ALCOHOL, VITAMINS and ELECTROLYTES See Intravenous Fluids					
AMINO ACIDS with SORBITOL See Intravenous Fluids					
AMINO ACIDS with SORBITOL and ALCOHOL See Intravenous Fluids					
AMINO ACIDS with VITAMINS and ELECTROLYTES See Intravenous Fluids					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINOCAPROIC ACID				
Treatment in hospital of severe haemorrhage associated with excessive fibrinolysis.				
Oral Solution 250mg per ml, 20ml	10	..	11.37	Ekaprol DF
Injection I.V. 250mg per ml, 10ml	10	..	7.19	Ekaprol DF
AMINOPHYLLINE				
Tablet 100mg	100	2	1.84	Cardophyllin HA Carine KL DH,RT(V),SI
125mg (enteric coated)	100	2	2.84	Androphyllin ET
Injection I.V. 250mg in 10ml	5	..	2.44	Cardophyllin HA Carine KL AB,LP,SI
I.M. 500mg in 2ml	5	..	2.44	Cardophyllin HA AB
Suppositories 100mg, 12	#1	1	1.96	Cardophyllin HA
175mg, 12	#1	1	1.96	Cardophyllin HA
250mg, 12	#1	1	2.17	Cardophyllin HA
400mg, 12	#1	1	2.17	Cardophyllin HA
AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE				
Tablet 130mg-25mg-25mg	100	2	2.57	Phyline CO
130mg-25mg-25mg (enteric coated)	100	2	3.17	Amesec LY
Capsule 130mg-25mg-25mg	100	2	2.57	Amesec LY Protasma PT
AMITRIPTYLINE				
Tablet 10mg	50	2	1.80	Laroxyl SU Saroten NS Tryptanol MK
25mg	50	2	2.57	Laroxyl SU Saroten NS Tryptanol MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMITRIPTYLINE - cont.					
Capsule 10mg	50	2	1.87	Elavil	FR
25mg	50	2	2.76	Elavil	FR
Mixture 10mg (base) in 5ml, 100ml	#1	4	1.75	Elavil Tryptanol	FR MK
Injection 25mg per ml, 2ml	10	..	4.57	Laroxyl	SU
AMMONIUM CHLORIDE					
Tablet 500mg	100	3	2.17	RY	
AMODIAQUINE					
Tablet equivalent to 150mg Amodiaquine base	100	2	5.51	Camoquin	PD
AMOXYCILLIN					
Capsule 250mg	20	..	4.00	Amoxil Moxacin	BR CS
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.90	Amoxil Moxacin	BR CS
AMPHOTERICIN					
Tablet 100mg	50	..	7.31	Fungilin	SQ
Suspension 100mg per ml, 24ml	#1	..	3.11	Fungilin	SQ
Lozenge 10mg	20	..	2.31	Fungilin	SQ
Injection 50mg (solvent required)	1	..	4.77	Fungizone	SQ
Cream 3%, 15g	#1	..	2.57	Fungilin	SQ
Ointment 3%, 15g	#1	..	2.57	Fungilin	SQ
Pessaries 50mg, 15	#1	1	2.68	Fungilin	SQ
Vaginal Cream 100mg per 4g, 60g (15 doses)	#1	1	2.77	Fungilin	SQ
AMPICILLIN					
Tablet 125mg	25	..	2.60	Austrapen Penbritin	CS BR
Capsule 250mg	25	..	3.61	Austrapen Bristin Penbritin	CS BC BR
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMPICILLIN - cont. Capsule 500mg	12	1	3.36	Austrapen CS Bristin BC Penbritin BR
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#2.93	Austrapen CS Bristin BC Penbritin BR
Powder for Syrup 250mg per 5ml, 100ml	#1	..	#4.20	Austrapen Forte CS Bristin BC Penbritin Forte BR
Injection 100mg (solvent required)	5	1	4.04	Austrapen CS Penbritin BR
250mg (solvent required)	5	1	5.17	Austrapen CS Bristin BC Penbritin BR
500mg (solvent required)	5	1	7.81	Austrapen CS Bristin BC Penbritin BR
1g (solvent required)	5	1	13.40	Austrapen CS Bristin BC Penbritin BR
AMYLOBARBITONE Tablet 15mg	50	..	1.23	Amylbarb PT Amytal LY Neur-Amyl FM Restal HA Sedal FA
30mg	50	..	1.29	Amal KL Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Restal HA Sedal FA

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMYLOBARBITONE - cont. Tablet 50mg	50	..	1.32	Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Restal HA Sedal FA
100mg	25	..	1.05 1.07 1.13 1.15	Amylbarb PT Restal HA Mylosed VR Amytal LY Neur-Amyl FM Sedal FA
AMYLOBARBITONE SODIUM Capsule 50mg	50	..	1.56	Amsal AV Amytal LY Sodium FM Neur-Amyl
200mg	25	..	1.55 1.64	Amylbarb PT Sodium BB Amytal LY Sodium VR Mylosed FM Neur-Amyl Sodium Sedal FA
Injection 250mg (solvent required)	5	..	6.84	Amytal LY Sodium
500mg (solvent required)	5	..	8.84	Amytal LY Sodium
ANGIOTENSIN AMIDE Injection 500 micrograms (solvent required)	5	..	2.84	Hypertensin CB
2.5mg (solvent required)	5	..	10.10	Hypertensin CB
ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	#1	2	1.77	Antistine- Privine ZY
ANTIVENENE - RED BACK SPIDER Injection 500 Units	2	..	17.38	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ASCORBIC ACID For pensioners.				
Tablet 50mg	100	2	1.61 1.64	Ascorb "50" PT DH,LP,RT(V),RY
ASPIRIN Tablet 300mg	100	2	1.32	KL,RY
650mg (enteric coated)	100	2	3.44	Ecotrin SK Rhusal GP
650mg (includes 350mg sustained release)	100	2	2.44	Bi-prin BT
ASPIRIN (BUFFERED) Tablet 325mg	100	2	2.40	Bufferin BC
500mg	100	2	2.91	Bufferin Forte BC
ASPIRIN (SOLUBLE) Tablet 300mg	100	2	1.57 1.75	Novosprin VR Prodol BB Solprin RC Solusal HA DH,RY
500mg	100	2	1.97	Provoprin 500DH
ATROPINE METHONITRATE Tablet 1mg	50	2	2.83	Eumydrin WL
Oral Solution 0.6%, 15ml	1	..	2.48	Eumydrin WL
ATROPINE SULPHATE Tablet 600 micrograms	100	2	1.77	RY
Injection 400 micrograms in 1ml	5	1	1.84	AB,BL,KL,LP
600 micrograms in 1ml	5	1	1.84	AB,BL,KL,LP
1.25mg in 1ml	5	1	1.88	AB,BL,KL,LP
Eye Drops 0.5%, 15ml	≠1	2	2.17	Atropt SI
1%, 15ml	≠1	2	2.17	Atropt KL,LP SI
Eye Ointment 1%, 4g	≠1	..	3.77	PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AZATADINE MALEATE Tablet 1mg	50	2	2.44	Zadine SH
AZATHIOPRINE Authority required. Anaemia, autoimmune haemolytic; Arthritis, rheumatoid with vasculitis or visceral complications; Continuing azathioprine therapy after discharge from an approved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Nephritis; Nephrotic syndrome; Organ transplant; Pemphigus vulgaris; Polyarteritis nodosa; Pyoderma gangrenosum; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 50mg	100	..	34.17	Imuran BW
BACLOFEN Authority required. Spasticity due to multiple sclerosis or spinal cord lesions.				
Tablet 10mg	100	..	20.84	Lioresal CB
25mg	100	..	43.51	Lioresal CB
BECLOMETHASONE DIPROPIONATE Chronic intractable asthma requiring maintenance corticosteroids.				
Inhalation, metered aerosol spray, 50 micrograms per dose(200 dose)	#1	2	7.77	Aldecin SH Becotide AH
* * *				
BECLOMETHASONE DIPROPIONATE Cream 0.0125%, 30g	#1	1	2.16	Propaderm AH
Ointment 0.0125%, 30g	#1	1	2.16	Propaderm AH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BELLADONNA				
Prepared Belladonna Herb BP				
Tablet 30mg	100	2	2.01	Atrobel FM
45mg	100	2	2.09	Atrobel FM
BELLADONNA ALKALOIDS				
Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydro- bromide				
Tablet 103.7 micrograms-19.4 micrograms -6.5 micrograms	100	2	2.04	Donnatab RS
Elixir 103.7 micrograms-19.4 micrograms-6.5 micrograms per 5ml, 100ml	¶1	4	2.04	Donnalix RS
BENDROFLUAZIDE				
Tablet 2.5mg	50	2	2.29	Aprinox-M BT Pluryl SK
5mg	50	2	3.08	Aprinox BT Neo-Naclex GL Pluryl SK
BENZALKONIUM CHLORIDE				
Compound Suppositories, 12	¶1	1	1.91	Anoidal HA Paxyl FA
Solution 10%, 114ml	¶1	..	2.31	Zephiran Con- centrated WL
BENZATHINE PENICILLIN				
Injection 1.8g (solvent required)	1	..	2.51	L.P.G. CS
BENZATHINE PENICILLIN COMPOUND				
Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg. Injection set containing 1 vial and 2ml water for injections	1	..	2.17	Bicillin All - Purpose WY
BENZHEXOL				
Tablet 2mg	100	2	2.73 2.77	Anti-Spas PT Artane LE
5mg	100	2	4.41 4.44	Anti-Spas PT Artane LE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BENZOCAINE with ADRENALINE Compound Ointment 50g	1	1	2.11	Rectinol GP
Compound Suppositories, 12	≠1	1	2.11	Rectinol GP
BENZTROPINE Tablet 2mg	100	..	5.11	Cogentin MK
Injection 2mg in 2ml	5	..	6.49	Cogentin MK
BENZYL BENZOATE Application 25%, 200ml	≠1	2	2.84	Benzemul MG DH
BENZYL PENICILLIN Tablet 250mg	25	1	2.72	Abbocillin G AB
Injection 300mg (solvent required)	5	1	3.64	CS
600mg (solvent required)	5	1	3.77	Crystapen GL CS
900mg (solvent required)	5	1	4.84	Crystapen GL
3g (solvent required)	10	..	22.14 22.18	Crystapen GL CS
6g (solvent required)	10	..	30.14	Crystapen GL CS
BETAMETHASONE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Uveitis.				
Injection 6mg in 1ml * * *	5	..	9.55	Celestone SH Chronodose
BETAMETHASONE Tablet 500 micrograms	30	2	1.96	Betnelan GL Celestone SH
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
BETAMETHASONE - cont. Injection 4mg (base) in 1ml	5	..	7.49	Celestone	SH
Eye Drops 0.1%, 5ml	#1	2	2.84	Betnelan	GL
Eye Ointment 0.1%, 3g	#1	..	2.17	Celestone	SH
BETAMETHASONE with CLIOQUINOL Ear Ointment 0.1%-3%, 5g	#1	2	2.01	Betnovate Otic	GL
BETAMETHASONE VALERATE Cream 0.02%, 100g	#1	..	2.44	Celestone-M	SH
0.05%, 30g	#1	1	2.16	Betnovate 1/2GL Celestone-V Half Strength	SH
Gel 0.05%, 30g	#1	1	2.16	Betnovate 1/2GL	
Ointment 0.05%, 30g	#1	1	2.16	Betnovate 1/2GL Celestone-V Half Strength	SH
BETHANECHOL Tablet 10mg	50	1	3.33	Urecholine Uro-Carb	MK HA
Injection 5mg in 1ml	2	..	2.18	Urecholine	MK
BETHANIDINE Tablet 10mg	100	2	3.51	Esbatal	BW
25mg	100	2	6.84	Esbatal	BW
BIPERIDEN Tablet 2mg	100	2	5.51	Akineton	KN
Injection 5mg in 1ml	5	..	2.84	Akineton	KN
BISACODYL For use by paraplegic and quadriplegic patients; *For use by patients who are receiving the Supplementary Intensive Nursing Home Care Benefit.					
Suppositories 10mg, 5	#1	..	1.53	Durolax	BY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BISMUTH SUBGALLATE Compound Ointment 50g	#1	1	2.04	Anusol WW
Compound Suppositories, 12	#1	1	2.04	Anusol WW
BLEOMYCIN Squamous cell carcinoma; Choriocarcinoma of the testis; Embryonal cell carcinoma of the testis; Lymphoma.				
Injection 15mg (solvent required)	10	..	320.84	Blenoxane BC
BORIC ACID Powder 100g	1	..	40.59	FA
BROMPHENIRAMINE Tablet 4mg	50	2	2.04	Dimetane RS
Syrup 2mg per 5ml, 100ml	#1	4	1.77	Dimetane RS
BUFEXAMAC Cream 5%, 45g	#1	1	2.16	Parfenac LE
Ointment 5%, 45g	#1	1	2.16	Parfenac LE
BUSULPHAN Tablet 2mg	100	2	11.77	Myleran BW
BUTOBARBITONE Tablet 100mg	25	..	1.51	Sonabarb PT
CALCIFEROL Authority required. *Hypocalcaemia; Hypoparathyroidism; Osteomalacia following gastrect- omy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets.				
Tablet 1.25mg (50,000 Units)	100	2	4.84	Ostelin High Potency GL
Oral Solution 15mg(600,000Units) in 1.5ml alcoholic solution	3	..	2.57	Sterogyl-15 RL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CALCIUM					
Authority required. Hypocalcaemia; Osteoporosis.					
Compound Effervescent Tablet equivalent to 500mg calcium	100	5	6.12 6.24	Cal-tab Spar-Cal	HA MJ
Compound Effervescent Tablet equivalent to 1g calcium	30	5	5.37	Sandocal 1000	SZ
CALCIUM FOLINATE					
Antidote to folic acid antag- onists.					
Injection 3mg in 1ml	5	..	12.84	Leucovorin	LE
CALCIUM GLUCONATE					
Injection 10%, 10ml	5	1	2.77	Calcium - Sandoz	SZ
CAPREOMYCIN					
Injection 1g (solvent required)	5	..	19.59	Caprocin	LY
CARBACHOL					
Eye Drops 0.75%, 15ml	#1	6	2.77	AQ	
1.5%, 15ml	#1	6	2.84	AQ	
3%, 15ml	#1	6	2.97	AQ	
CARBAMAZEPINE					
Tablet 200mg	200	1	14.97	Tegretol	GE
CARBENICILLIN					
Authority required. Infections where positive bact- eriological evidence confirms that carbenicillin is the most appropriate therapeutic agent.					
Injection 1g (solvent required)	5	..	19.24	Carbapen Pyopen	CS BR
5g (solvent required)	5	..	83.64	Carbapen Pyopen	CS BR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CARBENOXOLONE SODIUM Gastric ulcer, proven.				
Tablet 50mg	100	..	11.84	Biogastrone BQ
CARBIMAZOLE Tablet 5mg	100	2	2.51 3.17	Carbazole PT Neo-MercazoleNS
CARBINOXAMINE Tablet 4mg	50	2	2.11	Clistin ET
CEPHALEXIN Authority required. Infections where positive bacteriological evidence confirms that cephalixin is the most appropriate therapeutic agent.				
Tablet 500mg	12	..	10.52	Keflex LY
Capsule 250mg	25	..	10.93	Ceporex GL Keflex LY
Capsule 500mg	12	..	10.52	Ceporex GL Keflex LY
Granules for Syrup 125mg per 5ml, 100ml	#1	..	#6.46	Ceporex GL Keflex LY
CEPHALORIDINE Infections where positive bacteriological evidence confirms that cephaloridine is the most appropriate therapeutic agent.				
Injection 500mg (solvent required)	5	..	16.24	Ceporan GL Loridine DL
1g (solvent required)	5	..	30.24	Ceporan GL Loridine DL
CEPHALOTHIN SODIUM Infections where positive bacteriological evidence confirms that cephalothin sodium is the most appropriate therapeutic agent.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CEPHALOTHIN SODIUM - cont.				
Injection 1g (solvent required)	5	..	22.44	Ceporacin GL Keflin LY
2g (solvent required)	1	..	9.36	Keflin LY
4g (solvent required)	1	..	17.53	Keflin LY
CEPHAZOLIN SODIUM				
Infections where positive bacteriological evidence confirms that cephalozin sodium is the most appropriate therapeutic agent.				
Injection 500mg (solvent required)	5	..	20.49	Kefzol DL
1g (solvent required)	5	..	38.89	Kefzol DL
CEPHRADINE				
Authority required.				
Infections where positive bacteriological evidence confirms that cephradine is the most appropriate therapeutic agent.				
Capsule 250mg	25	..	10.93	Eskacef SK Velosef SQ
500mg	12	..	10.52	Eskacef SK Velosef SQ
Powder for Syrup				
125mg per 5ml, 100ml	#1	..	#6.46	Eskacef SK Velosef SQ
250mg per 5ml, 100ml	#1	..	#10.80	Eskacef SK Velosef SQ
* * *				
Infections where positive bacteriological evidence confirms that cephradine is the most appropriate therapeutic agent.				
Injection 250mg (solvent required)	5	..	9.64	Eskacef SK Velosef SQ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHRADINE - cont. Injection 500mg (solvent required)	5	..	16.24	Eskacef Velosef	SK SQ
1g (solvent required)	5	..	30.24	Eskacef Velosef	SK SQ
CERATONIA Powder 135g	#1	4	3.85	Carobel	MN
CHLORAL HYDRATE Capsule 500mg	50	..	2.24	Chloradorm Lanchloral Noctec	KL LP SQ
Mixture 250mg per 5ml, 400ml	#1	4	2.17	Dormel	DH
1g per 10ml, 200ml	#1	4	2.17	Chloradorm Chloralix Elix-Nocte Forte Noctec Syrup	KL RK AV SQ
CHLORAMBUCIL Authority required. Anaemia, autoimmune, haemolytic; Arthritis, rheumatoid with vasculitis or visceral compli- cations; Continuing chlorambucil therapy after discharge from an app- roved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease, including leukaemia; Nephritis; Nephrotic syndrome; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.					
Tablet 2mg	100	2	19.52	Leukeran	BW
5mg	100	2	30.16	Leukeran	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORAMPHENICOL Bacterial meningitis; Rickettsioses; Intraocular infections; Typhoid; Other serious infections where positive bacteriological evidence confirms that chloramphenicol is the ONLY appropriate antibiotic. CAUTION: Chloramphenicol may cause aplastic anaemia.				
Capsule 250mg	16	..	2.97 3.24	Chloramol PT ChloromycetinPD
Paediatric Suspension 125mg per 5ml, 100ml	#1	..	3.37	Chloromycetin Palmitate PD
Injection 1g (solvent required) * * *	3	..	7.23	Chloromycetin Succinate PD
CHLORAMPHENICOL Ear Drops 10%, 6ml	#1	2	2.17	Chlomin KL ChloromycetinPD
Eye Drops 0.5%, 10ml	#1	2	2.17	Chlomin KL Chloromycetin (Opclor) PD Chloroptic AG Chlorsig SI
Eye Ointment 1%, 4g	#1	..	1.91	Chlomin KL ChloromycetinPD
CHLORAMPHENICOL with POLYMYXIN B Eye Ointment 1%-5,000 Units per g, 4g	#1	..	1.91	Chloromycin PD
CHLORCYCLIZINE Tablet 50mg	50	2	2.21	PT
CHLORHEXIDINE Solution 5%, 200ml	#1	1	2.84	Hibitane Concentrate IC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORMETHIAZOLE				
*Short-term hospital use for alcohol or drug withdrawal therapy;				
*Status epilepticus.				
CAUTION: The risk of drug dependence is high.				
Capsule 192mg	50	..	6.17	Hemineurin AP
Solution 0.8% for I.V. Infusion, 500ml	1	..	11.83	Hemineurin AP
CHLOROQUINE				
Tablet equivalent to 150mg (approx.) Chloroquine base	100	2	3.44	RT(V)
			3.52	Chlorquin PT
			3.56	Aralen WL
				Avlocior IC
				Nivaquine MB
				Resochin BN
				DH,ET
Injection 40mg per ml, 2ml	5	1	2.48	Nivaquine MB
CHLOROTHIAZIDE				
Tablet 500mg	50	2	3.11	Diuret PT
			3.19	Chlotride FR
				Diubram BB
				Diurone KL
CHLOROTRIANISENE				
Carcinoma of the prostate.				
Tablet 24mg	30	2	4.60	Tace ML
CHLORPHENIRAMINE				
Tablet 4mg	50	2	2.20	Allergex PT
				Chloramin LF
			2.31	Bramahist BB
				Histoids OD
				Piriton GL
Capsule 4mg	50	2	2.31	Teledrin-P SK
Paediatric Syrup 2mg per 5ml, 100ml	#1	4	1.75	Bramahist BB
				Piriton GL
Injection 10mg in 1ml	5	..	2.84	Piriton GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORPROMAZINE				
Chorea;				
Hyperactive states of organic or toxic delirium;				
Malignant neoplasia(late stage);				
Radiation sickness;				
Severe conduct disorders of children;				
Major psychoses including:-				
Major organic psychoses includ- ing arteriopathic dementia;				
Manic depressive psychosis;				
Paranoid states;				
Schizophrenia;				
Senile dementia.				
Tablet 10mg	100	1	2.11 2.17	Protran PT Largactil MB Serazone VR
25mg	100	1	2.24 2.31	Protran PT Largactil MB Procalm BB Promacid KL Serazone VR
50mg	100	1	3.24	Largactil MB Procalm BB Promacid KL Protran PT
100mg	100	1	5.24	Largactil MB Procalm BB Promacid KL Protran PT
Mixture 25mg per 5ml, 100ml	≠1	4	2.04	Largactil MB Promacid KL
Injection BP, 25mg in 1ml	10	..	3.51	Largactil MB
50mg in 2ml	10	..	3.64	Largactil MB Promacid KL
Suppositories 100mg, 5	≠1	1	2.31	Largactil MB
CHLORPROPAMIDE				
Tablet 100mg	100	2	3.31	Diabinese M PF
250mg	100	2	6.25	Diabinese PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORTETRACYCLINE				
Capsule 250mg	25	..	2.69	Chlortet LF
Ointment 3%, 15g	#1	..	1.91	Aureomycin LE
CHLORTHALIDONE				
Tablet 25mg	50	2	2.51	Hygroton GE
CHOLERA VACCINE				
Injection 1ml	2	..	2.70	CS
CHOLESTYRAMINE				
Authority required. Bile salt malabsorption associated with ileal resection or proven ileal disease; Pruritus associated with partial biliary obstruction not responding to other therapy; Treatment of hypercholesterolaemia; <u>NOTE:</u> Hypercholesterolaemia means an initial serum cholesterol level in excess of 7.75mmol/l (300mg per 100ml) which fails to fall below 6.75mmol/l (260mg per 100ml) with diet or other drug therapy. (Relevant levels should be submitted with application for an authority.)				
Powder 50%, 378g	2	..	22.70	Questran MJ
CHOLINE THEOPHYLLINATE				
Tablet 100mg	100	2	2.97	Choledyl WW
200mg	100	2	3.36	Choledyl WW
Syrup 50mg per 5ml, 500ml	#1	4	2.57	Choledyl WW
CHOLINE THEOPHYLLINATE with GUAIPHENESIN				
Tablet 200mg-100mg	100	2	3.51	Brondecon WW
Elixir 50mg-25mg per 5ml, 500ml	#1	4	2.71	Brondecon WW
CLEMASTINE				
Mixture 250 micrograms (base) per 5ml, 100ml	#1	4	1.77	Tavegyl SZ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLEMASTINE - cont. Injection 2mg (base) in 2ml	5	..	2.24	Tavegy1 SZ
CLEMIZOLE Tablet 20mg	50	2	2.14	Allercur SC
Paediatric Syrup 100ml	1	4	1.53	Allercur SC
CLINDAMYCIN Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin. <u>CAUTION:</u> Clindamycin is associa- ted with a significant incidence of pseudomembranous colitis.				
Capsule 75mg	25	..	4.27	Dalacin C UP
150mg	25	..	7.31	Dalacin C UP
CLIOQUINOL Cream 1%, 30g	1	..	1.91	Cremo-Quin HA Vioform CB
CLOFIBRATE Authority required. Diabetic retinopathy (exudative); Initial treatment of hyperlipid- aemia not responding to dietary therapy; <u>NOTE:</u> An acceptable level of hyp- erlipidaemia for the issue of an authority for initial treatment is a fasting (for a minimum of 12 hours) serum triglyceride level in excess of 2.25 mmol/l (200mg per 100ml) following dietary therapy for an adequate period (8 weeks); or an initial serum cholesterol level in excess of 7.75mmol/l (300mg per 100ml) failing to fall below 6.75mmol/l (260mg per 100ml) with adequate dietary therapy. (Relevant levels should be sub- mitted with application for an authority.)				

(continued)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CLOFIBRATE - cont.					
A second or subsequent course of treatment for hyperlipidaemia where significant lowering of serum triglyceride and/or serum cholesterol subsequent to initial treatment has been established by laboratory report. (Relevant levels should be submitted with application for an authority.)					
Capsule 500mg	100	2	9.51	Atromid-S Liprinal Lostat	IC MJ PD
CLONAZEPAM					
Epilepsy.					
Tablet 500 micrograms	200	1	6.17	Rivotril	RO
2mg	200	1	10.17	Rivotril	RO
Injection set containing 1mg and 1ml solvent	5	..	2.84	Rivotril	RO
CLONIDINE					
Tablet 150 micrograms	100	2	7.17	Catapres	BY
Injection 150 micrograms in 1ml	5	..	3.11	Catapres	BY
CLOPAMIDE					
Tablet 20mg	50	2	3.64	Brinaldix	SZ
CLOREXOLONE					
Tablet 10mg	50	2	2.51	Nefrolan	MB
25mg	50	2	2.91	Nefrolan	MB
50mg	50	2	3.51	Nefrolan	MB
CLOXACILLIN					
Authority required. Infections where bacteriological evidence confirms the presence of penicillin-resistant staphylococci; Osteomyelitis.					
Capsule 250mg (continued)	25	..	8.64	Austrastaph Orbenin	CS BR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLOXACILLIN - cont. Capsule 500mg	12	..	8.33	Austrastaph CS Orbenin BR
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#6.21	Austrastaph CS Orbenin BR
* * *				
CLOXACILLIN Injection 250mg (solvent required)	5	..	7.17	Austrastaph CS Orbenin BR
500mg (solvent required)	5	..	11.11	Austrastaph CS
CODEINE PHOSPHATE Tablet 30mg	25	..	2.91	DH, KL, LP, RT(V), RY
CODEINE PHOSPHATE with ASPIRIN For pensioners.				
Tablet Soluble 8mg-300mg	100	2	2.61	Aspalgin FM
8mg-500mg	100	2	2.57	Solcode RC
CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL For pensioners.				
Tablet 8mg-250mg-250mg	100	2	2.16	RY
Tablet Soluble 8mg-250mg-250mg	100	2	2.57	Solgesil DH
* * *				
Malignant neoplasia.				
Tablet 30mg-225mg-150mg	100	1	7.24	Codiphen GP Forte Codral Forte BW
COLASPASE Injection 10,000 Units (solvent required)	10	1	26284	Crasnitin MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
COLCHICINE Tablet 500 micrograms	100	2	3.21 3.33 3.37 3.51	Colgout PT DH, PR, RT (V) Coluric AV BW Colcin KL LP, MR
COLISTIN Gram-negative infections where NO other drug is effective; Pyocyanus infection.				
Injection 150mg (solvent required)	5	..	34.99	Coly-Mycin WW
COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per ml, 10ml	#1	2	2.17	Coly-Mycin WW
COPPER SULPHATE Diagnostic Compound Tablets, 100	1	..	2.10	Clinitest AM
CORTISONE ACETATE Tablet 5mg	50	1	2.31	Cortate PT Cortone MK
25mg	30	2	3.22	Cortate PT
CYANOCOBALAMIN Neuroblastoma; Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy treatment; subacute combined degeneration of the cord).				
Injection 100 micrograms in 1ml	5	1	2.76 2.84	Panalamine PT Cytamen 100 GL LP
1mg in 1ml	5	..	3.16 3.24	Panalamine PT 1000 Cytamen 1000 GL LP
CYCLIZINE Tablet 50mg	50	1	2.17	Marzine BW
CYCLOBARBITONE Tablet 200mg	25	..	1.64	Amnosed BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	2.97	Navidrex CB
CYCLOPHOSPHAMIDE Authority required. Anaemia, autoimmune, haemolytic; Arthritis, rheumatoid with vasculitis or visceral compli- cations; Continuing cyclophosphamide therapy after discharge from an approved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease including leukaemia; Nephritis; Nephrotic syndrome; Pemphigus vulgaris; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 50mg	50	..	5.93	Endoxan-Asta MJ
Injection 100mg (solvent required)	5	1	10.84	Endoxan-Asta MJ
200mg (solvent required)	5	1	11.51	Endoxan-Asta MJ
500mg (solvent required)	2	1	6.18	Endoxan-Asta MJ
1g (solvent required)	1	1	4.84	Endoxan-Asta MJ
CYCLOSERINE Capsule 250mg	250	2	56.84	Closina LY
CYCLOTHIAZIDE Tablet 5mg	50	2	3.51	Doburil BY
CYCRIMINE HYDROCHLORIDE Tablet 1.25mg	100	2	4.84	Pagitane LY
2.5mg	100	2	6.84	Pagitane LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CYPROHEPTADINE Prevention of migraine.					
Tablet 4mg * * *	100	2	3.88	Periactin	FR
CYPROHEPTADINE Tablet 4mg	50	2	2.36	Periactin	FR
Paediatric Syrup 1.2mg per 5ml, 100ml	≠1	4	1.77	Periactin	FR
CYTARABINE Injection set containing 100mg and 5ml solvent	10	1	80.84	Cytosar	UP
DAPSONE Tablet 100mg	100	2	2.45	Avlosulfon	IC
DAUNORUBICIN I.V. Infusion 20mg (base)	10	1	184.84	Cerubidin	MB
DEBRISOQUINE Tablet 10mg	100	2	4.97	Declinax	RO
20mg	100	2	6.84	Declinax	RO
DEMECARIUM BROMIDE Eye Drops 0.1%, 5ml	≠1	6	3.51	Tosmilen	AP
0.25%, 5ml	≠1	6	3.51	Tosmilen	AP
0.5%, 5ml	≠1	6	3.51	Tosmilen	AP
DEMECLOCYCLINE Capsule 150mg	21	..	2.96	Ledermycin	LE
DEFERRIOXAMINE MESYLATE Injection 500mg (solvent required)	10	..	40.84	Desferal	CB
DESIPRAMINE Tablet 25mg	50	2	3.77	Pertofran	GE
DESLANOSIDE Injection 200 micrograms per ml, 2ml	5	1	2.04	Cedilanid	SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXAMETHASONE For use in a hospital. Injection 120mg in 5ml * * *	1	..	31.44	Decadron Shock Pak MK Decasone Shock Pak FR
DEXAMETHASONE Tablet 500 micrograms Cream 0.04%, 30g Injection 4mg in 1ml 5mg in 1ml 8mg in 2ml	30	2	2.17	Dexmethsone PT Oradexon OR KL Oradexon OR Decadron MK Decasone FR Oradexon OR Decadron MK Decasone FR
DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 500 micrograms- 5mg-50 micrograms per g, 5g	#1	2	2.03	Sofradex RL
DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms(base)- 5mg-50 micrograms per ml, 8ml	#1	2	2.24	Sofradex RL
DEXAMPHETAMINE Authority required. Hyperkinetic brain damage syn- drome in children; Narcolepsy. Tablet 5mg	100	..	2.94	SI
DEXCHLORPHENIRAMINE Tablet 2mg Paediatric Syrup 2mg per 5ml, 100ml	50	2	2.04	Polaramine SH
DEXTRAN 40 See Intravenous Fluids.	#1	4	1.77	Polaramine SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DEXTRAN 70 See Intravenous Fluids.					
DEXTROMORAMIDE Treatment in malignant neoplasia.					
Tablet 5mg	25	..	2.51	Palfium	FA
Injection 5mg in 1ml	10	..	7.74	Palfium	FA
Suppositories 10mg, 10	#1	..	4.94	Palfium	FA
DEXTROPROPOXYPHENE HYDROCHLORIDE with PARACETAMOL					
Tablet 32.5mg-325mg	50	1	1.91	Di-Gesic	DL
Capsule 32.5mg-325mg	50	1	1.91	Capadex	FM
DEXTROSE INJECTION 50%, 10ml	5	..	3.51	BL	
500ml and 1 litre Injections - See Intravenous Fluids					
DEXTROSE POLYMER Infants who require tube feeding for swallowing defects; Phenylketonuria.					
Powder (non-dialysed) 2.5kg	#1	2	19.67	Gastro- Caloreen	MN
DIAZEPAM Tablet 2mg	50	..	1.93	Ducene Valium	SU RO
5mg	50	..	2.57	Ducene Valium	SU RO
Paediatric Syrup 2mg per 5ml, 100ml	#1	..	2.44	Valium	RO
Injection 10mg in 2ml	5	..	3.57	Valium	RO
NOTE: Authorities for increased maximum quantities and/or repeats of DIAZEPAM will be granted only for the treatment of:					
Disabling spasticity; Malignant neoplasia (late stage).					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIAZOXIDE Injection 300mg in 20ml	1	..	11.75	Hyperstat I.V. SH
DIBENZEPIN Tablet 80mg	50	2	3.31	Noveril SZ
DICHLORPHENAMIDE Tablet 50mg	50	6	5.64	Daranide MK Oratrol AQ
DICYCLOMINE with DOXYLAMINE and PYRIDOXINE Vomiting in pregnancy. Tablet 10mg-10mg-10mg	30	1	2.61	Debendox ML
DIENOESTROL Tablet 10mg	100	2	2.84	HA
Cream 0.01%, 85g	1	1	2.17	ET
DIGOXIN Tablet 62.5 micrograms	100	2	2.01	Lanoxin-PG BW
250 micrograms	100	2	2.12	Cardiox AV Lanoxin BW Natigoxin NA FA,LP,RT(V),RY
Oral Solution for Children 50 micrograms per ml, 100ml	#1	2	3.11	Lanoxin BW
Injection BP 500 micrograms in 2ml	5	1	2.84	Lanoxin BW
Injection for Infants 50 micrograms in 2ml	5	1	2.77	Lanoxin BW
DIHYDROCODEINE TARTRATE Linctus 0.19%, 100ml	#1	2	1.64	Fortuss GP Paracodin KN Rikodeine RK
DIHYDROERGOTAMINE Injection 1mg in 1ml	5	..	2.44	Dihydergot SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIHYDROTACHYSTEROL Authority required. Hypoparathyroidism; Osteomalacia following gastrectomy, severe steatorrhea or renal failure; Vitamin D-resistant rickets.					
Capsule 125 micrograms	100	1	10.91	A.T.10	WL
Oral Solution 250 micrograms per ml, 15ml	1	..	8.84	A.T.10	WL
DI-iodohydroxyquinoline Compound Pessaries 100mg, 25	#1	1	2.44	Floraquin	SR
DILOXANIDE FUROATE Tablet 500mg	30	..	4.84	Furamide	BT
DIMERCAPROL Injection 5%; 2ml	10	..	7.47	B.A.L.	BT
DIMETHICONE For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.					
Cream 10%, 50g	1	..	1.64	Dermabase-S Siopel	HA IC
10%, 75g	1	..	1.51	Silcon	FA
20%, 20g	1	..	1.68	Vasogen Silicone	SS
Solutions - See Colostomy and Ileostomy					
DIMETHINDENE Tablet 1mg	50	2	2.04	Fenostil	ZY
DIOCTYL SODIUM SULPHOSUCCINATE For use by paraplegic and quadriplegic patients; *For use by patients who are receiving the Supplementary Intensive Nursing Home Care Benefit.					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIOCTYL SODIUM SULPHOSUCCINATE - cont.				
Tablet 50mg	100	2	1.88	Coloxyl 50 FM
120mg	100	2	2.44	Coloxyl 120 FM
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL For use by paraplegic and quadriplegic patients; *For use by patients who are receiving the Supplementary Intensive Nursing Home Care Benefit.				
Suppositories 100mg-10mg, 5	#1	..	1.53	Coloxyl FM
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON For use by paraplegic and quadriplegic patients; *For use by patients who are receiving the Supplementary Intensive Nursing Home Care Benefit.				
Tablet 50mg-50mg	100	2	1.85 2.03	Formulax HP Coloxyl with FM Danthron
DIPHEMANIL METHYLSULPHATE For use by amputees; For use by paraplegic and quadriplegic patients.				
Dusting powder 2%, 50g	#1	..	2.57	Prantal SH
DIPHENHYDRAMINE Capsule 50mg	50	2	2.13 2.17	Alergicap PT Benadryl PD
Paediatric Elixir 12.5mg per 5ml, 100ml	#1	4	1.77	Benadryl PD Bidramine AV
DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25 micrograms	20	..	2.04	Lomotil SR
Liquid 2.5mg-25 micrograms per 5ml, 60ml	1	..	2.04	Lomotil SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPHENYLPYRALINE Tablet 2.5mg	50	2	2.04	Allerzine VR Anti-Hist PT Histalert RK
Capsule 2.5mg	50	2	2.04	Histryl-P SK
Paediatric Syrup 2.5mg per 5ml, 100ml	1	4	1.77	Histalert RK Histryl SK
DIPHTHERIA ANTITOXIN Injection 1,000 Units	2	1	6.84	CS
10,000 Units	2	1	28.84	CS
DIPHTHERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years.				
Injection 0.5ml	3	..	3.48	CS
DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	3	..	3.72	CS
DIPHTHERIA, TETANUS and PERTUSSIS VACCINE, ADSORBED Injection 0.5ml	3	..	3.63 3.64	CS PD
DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years.				
Injection 0.5ml	2	1	2.84	CS
DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	2	..	2.70	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIPYRIDAMOLE Supplementing anticoagulants in:- Biopsy proven glomerulonephritis; Microangiopathic renal disease; Renal allograft; Patients with cardiac prosthesis.					
Tablet 100mg	100	2	14.17	Persantin	BY
DOXEPIN Tablet 10mg	50	2	2.17	Quitaxon	FM
25mg	50	2	3.07	Quitaxon	FM
Capsule 10mg	50	2	2.17	Sinequan	PF
25mg	50	2	3.07	Sinequan	PF
DOXYCYCLINE Capsule 100mg	7	..	3.64	Doxin Vibramycin	GP PF
Suspension 10mg per ml, 40ml	#1	..	3.00	Vibramycin	PF
Powder 100mg (base) for preparation of infusion	5	..	16.84	Vibramycin	PF
DROPERIDOL For use in a hospital.					
Injection 10mg in 2ml	5	..	5.64	Droleptan	ET
ECOTHIOPATE IODIDE Eye Drops 0.03%, 1.5mg and 5ml solvent	#1	6	#4.13	Phospholine Iodide	AY
0.06%, 3mg and 5ml solvent	#1	6	#4.37	Phospholine Iodide	AY
0.125%, 6.25mg and 5ml solvent	#1	6	#4.77	Phospholine Iodide	AY
0.25%, 12.5mg and 5ml solvent	#1	6	#5.31	Phospholine Iodide	AY
ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	#1	..	2.17	Repalyte	DH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ELECTROLYTE REPLACEMENT SOLUTION See Intravenous Fluids.				
EMETINE and BISMUTH IODIDE Tablet 60mg	36	1	6.17	BW
EPHEDRINE HYDROCHLORIDE Tablet 15mg	100	2	1.64	DH, KL, LP, RT(V), RY
30mg	100	2	1.80	DH, KL, LP, RY, SI
EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE Tablet 15mg-15mg	100	2	1.68	Ephedrobarb- ital Mitis FM
30mg-15mg	100	2	1.77	Ephedrobarb- ital FM
30mg-30mg	100	2	1.85	Ephedrobarb- ital Forte FM
Elixir 30mg-20mg per 5ml, 100ml	#1	4	1.77	Ephedrobarb- ital FM
EPICILLIN Capsule 125mg	25	..	2.61	Dexacillin SQ
250mg	25	..	3.76	Dexacillin SQ
500mg	12	1	3.48	Dexacillin SQ
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#2.93	Dexacillin SQ
250mg per 5ml, 100ml	#1	..	#4.20	Dexacillin SQ
Injection 250mg (solvent required)	5	1	5.17	Dexacillin SQ
500mg (solvent required)	5	1	7.81	Dexacillin SQ
1g (solvent required)	5	1	13.40	Dexacillin SQ
ERGOMETRINE MALEATE Tablet 200 micrograms	25	..	2.17 2.21	Ergomine PT Ergotrate LY SP(N)
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ERGOMETRINE MALEATE - cont. Tablet 500 micrograms	25	..	4.20	Ergomine SP(N) PT
Injection 250 micrograms in 1ml	5	..	2.24	BL
ERGOTAMINE TARTRATE Tablet 1mg	50	2	3.24	Gynergen SZ Lingraine WL
Injection 500 micrograms in 1ml	5	..	2.20	Gynergen SZ SP(N)
ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	3.77	Cafergot SZ
Compound Suppositories, 6	#1	2	2.47	Cafergot PB SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	4.17	Migral BW
ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Tablet 1mg-100mg-10mg	50	2	4.07	Ergalan AH
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	4.04	Ergodryl PD
ERYTHROMYCIN Tablet 125mg	25	..	2.65	EMU-V UP
200mg	25	..	3.21	Erythrocin AB
250mg	25	..	3.81	EMU-V UP Erythrocin AB Ethryn FA
Capsule 125mg	25	..	2.65	Erythrocin AB
250mg	25	..	3.59 3.81	E-Mycin PT Bram-Mycin BB Eratrex BC Erostin KL Erythrocin AB Ethryn FA
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ERYTHROMYCIN - cont.					
Paediatric Drops 100mg per ml, 10ml	#1	..	2.35	Ilosone	LY
Paediatric Suspension 125mg per 5ml, 100ml	#1	..	3.09	Eratrex Eromycin Erythrocin Ilosone	BC DL AB LY
250mg per 5ml, 100ml	#1	..	4.91	Eratrex Erythrocin	BC AB
Injection I.M. 100mg in 2ml	5	..	6.84	Erythrocin	AB
Infusion I.V. 300mg	5	..	20.84	Erythrocin	AB
1g	1	..	12.17	Erythrocin Ilotycin	AB LY
ETHACRYNIC ACID					
NOTE: Ethacrynic acid is not the diuretic of choice in un- complicated hypertension.					
Tablet 50mg	50	2	5.77	Edecril	MK
ETHANOLAMINE OLEATE					
Injection 5%, 2ml	5	1	3.20	Ethamolin	GL
ETHINYLOESTRADIOL					
Tablet 10 micrograms	100	1	1.51	Edrol Estigyn Lynoral Primogyn C	VR AH OR SC
20 micrograms	100	1	1.77	Edrol Estigyn Lynoral Primogyn C	VR AH OR SC
50 micrograms	100	1	2.04	Edrol Estigyn Lynoral Primogyn C	VR AH OR SC
1mg	100	1	6.12	Estigyn Lynoral	AH OR
ETHOPROPAZINE					
Tablet 50mg	100	2	3.64	Lysivane	MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETHOSUXIMIDE Capsule 250mg	200	1	11.77	Zarontin PD
Paediatric Syrup 250mg per 5ml, 250ml	1	4	3.97	Zarontin PD
ETHOXZOLAMIDE Tablet 125mg	50	6	8.17	Cardrase UP
ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	3.17	Bronkephrine WL
ETHYLOESTRENOL Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. NOTE: An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 2mg	100	1	8.71	Orabolin OR
ETHYNODIOL DIACETATE with ETHINYL- OESTRADIOL Tablet 500 micrograms-50 micrograms, 21	2	2	2.84	Ovulen 0.5/50SR
1mg - 50 micrograms, 21	2	2	2.84	Ovulen 1/50 SR
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	2.84	Ovulen 0.5/50 -28 SR
Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	2.84	Edulen SR
ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms - 100 micrograms, 21	2	2	2.84	Ovulen 0.5 SR
1mg - 100 micrograms, 21	2	2	2.84	Ovulen 1 SR
2mg - 100 micrograms, 21	2	2	2.84	Ovulen 2 SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg. Ferrous Iron	100	2	1.77	Plesmet	AV
Paediatric Syrup 100ml	≠1	4	1.91	Plesmet	AV
FERROUS FUMARATE Tablet 150mg	100	2	1.77	Bramiron Fumiron	BB KL
FERROUS GLUCONATE Tablet 300mg	100	2	1.69	Fergon Ferro G Glucohaem RT(V),RY	WL HA VR
Paediatric Elixir 6%, 100ml	≠1	4	1.91	Fergon	WL
FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	1.69	Slow-Fe	CB
350mg (sustained release)	30	2	1.67 1.69	Feritard Ferro- Gradumets	PT AB
Capsule 320mg (delayed release)	30	2	1.69	Fespan	SK
FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	1.84	Feritard Folic	PT
Tablet 270mg-300 micrograms (sustained release)	30	2	1.84	F.G.F.	AB
Capsule 270mg-300 micrograms (delayed release)	30	2	1.84	Fefol 2	SK
FLUCLOROLONE ACETONIDE Cream 0.025%, 30g	≠1	1	2.16	Topilar	SD
FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	..	4.95	Florinef	SQ
1mg	30	..	11.08	Florinef	SQ
FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	≠1	..	2.17	Locacorten Vioform	CB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FLUMETHASONE PIVALATE Cream 0.02%, 30g	#1	1	2.16	Locacorten CB
Ointment 0.02%, 30g	#1	1	2.16	Locacorten CB
FLUOCINOLONE ACETONIDE Cream 0.01%, 30g	#1	1	2.16	Synalar 01 IC
Ointment 0.01%, 30g	#1	1	2.16	Synalar 01 IC
FLUOCORTOLONE ESTERS Cream 0.2%, 30g	#1	1	2.16	Ultralan-D SC
Ointment 0.2%, 30g	#1	1	2.16	Ultralan-D SC
Ointment (Anhydrous) 0.2%, 30g	#1	1	2.16	Ultralan-D Fatty SC
FLUOROMETHOLONE Eye Drops 0.1%, 5ml	#1	6	3.17	FML LiquifilmAG
FLUOROURACIL Injection 50mg per ml, 5ml	10	..	19.51	RO
FLUOXYMESTERONE Carcinoma of the breast; Hypogonadism. * * *				
Authority required. Aplastic anaemias, proven; Osteoporosis. NOTE: An authority for three months' treatment of osteo- porosis will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 5mg	100	1	18.67	Halotestin UP
FLUPHENAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia;				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUPHENAZINE - cont.					
Manic depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1mg	100	1	4.13	Anatensol	SQ
2.5mg	100	1	5.84	Anatensol	SQ
5mg	100	1	6.77	Anatensol	SQ
Elixir 500 micrograms per ml, 60ml	≠1	4	2.36	Anatensol	SQ
FLUPHENAZINE DECANOATE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Injection 12.5mg in 0.5ml	5	..	10.17	Modecate	SQ
25mg in 1ml	5	..	18.44	Modecate	SQ
50mg in 2ml	5	..	25.64	Modecate	SQ
FLUPHENAZINE ENANTHATE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Injection I.M. 25mg in 1ml	5	..	10.44	Anatensol Enanthate	SQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FLURANDRENOLONE				
Cream 0.025%, 30g	#1	1	2.16	Haelan DL
Ointment 0.025%, 30g	#1	1	2.16	Haelan DL
FOLIC ACID				
Cystic fibrosis; Folic acid deficiency, proven; Haemolytic anaemia, chronic; Sprue or the sprue-like syndrome.				
Tablet 5mg	100	2	1.83 1.84	DH,PT Folasic AV ET,KL,LP,PR, RT(V),RY,SI
Injection 15mg in 1ml * * *	10	..	3.70	AB
FOLIC ACID				
Tablet 500 micrograms	100	..	1.69 1.71	DH,PT Folettes FM KL,LP,SI
FRAMYCETIN				
Acute leukaemia during induction of remission with chemotherapy; Bowel sterilisation preparatory to major surgery.				
Tablet 250mg * * *	20	1	7.24	Soframycin RL
FRAMYCETIN				
Injection 500mg (solvent required)	1	2	6.67	Soframycin RL
<u>CAUTION: Framycetin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.</u> * * *				
Eye Ointment 0.5%, 5g	#1	..	1.84	Soframycin RL
Eye/Ear Drops 0.5%, 8ml	#1	2	2.35	Soframycin RL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FRUSEMIDE Renal failure.				
Tablet 500mg * * *	50	2	44.84	Lasix High Dose HP
FRUSEMIDE NOTE: Frusemide is not the diuretic of choice in uncomplicated hypertension.				
Tablet 20mg	50	2	3.77	Aquamide M RL Lasix-M HP
40mg * * *	50	2	4.84	Aquamide RL Lasix HP
Injection 20mg in 2ml	5	..	4.00	Aquamide RL Lasix HP
FUSIDIC ACID Authority required. For use in combination with another antibiotic in the treatment of proven serious staphylococcal infections.				
Tablet (Sodium salt) 250mg (enteric coated)	36	..	47.24	Fucidin SK
Suspension 50mg per ml, 90ml	#1	..	20.84	Fucidin SK
GAMMA BENZENE HEXACHLORIDE Cream 1%, 200g	#1	2	2.71	Lorexane IC
Head Lotion 0.2%, 200ml	#1	..	2.17	Lorexane IC
Lotion Concentrate 1%, 200ml	#1	..	2.84	Lorexane Concentrate IC
GAS GANGRENE ANTITOXIN (OEDEMATIENS) Injection 10,000 Units	3	1	52.83	CS
GAS GANGRENE ANTITOXIN (PERFRINGENS) Injection 10,000 Units	10	1	180.84	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GAS GANGRENE ANTITOXIN (SEPTICUM) Injection 5,000 Units	2	1	38.18	CS	
GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection - 1 amp containing: 10,000 Units Perfringens; 10,000 Units Oedematiens; 5,000 Units Septicum.	2	1	42.18	CS	
GENTAMICIN SULPHATE Authority required. Infections where positive bact- eriological evidence confirms that gentamicin is the MOST appropriate antibiotic; Septicaemia, suspected or proven. <u>CAUTION:</u> Gentamicin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.					
Injection 10mg (base) in 1ml	5	..	10.17	Cidomycin Garamycin	RL SH
40mg (base) in 1ml	5	..	17.51	Cidomycin Garamycin	RL SH
60mg (base) in 1.5ml	5	..	22.51	Cidomycin Garamycin	RL SH
80mg (base) in 2ml	5	..	27.49	Cidomycin Garamycin	RL SH
GLIBENCLAMIDE Tablet 5mg	100	2	12.11	Daonil Euglucon	HP FM
GLUCAGON HYDROCHLORIDE Injection 1mg (anhydrous glucagon) with 1ml diluent	1	..	5.51	LY	
GLUCOSE INDICATOR /4m Test Dispenser	1	2	/2.85	Tes-Tape	LY
/100 Reagent Strips	1	2	/2.10	Clinistix	AM
/100 Reagent Strips	1	2	/2.18	Diastix	AM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GLUCOSE and KETONE INDICATOR /100 Reagent Strips	1	2	/2.79	Keto-Diastix AM
GLUTETHIMIDE Tablet 125mg	50	..	1.79	Doriden Sed CB
250mg	25	..	1.84	Doriden CB
500mg	25	..	1.91	Doriden Forte CB
Capsule 500mg	25	..	1.91	Doriden Forte CB
GLYCEROL For use by paraplegic and quadriplegic patients; *For use by patients who are receiving the Supplementary Intensive Nursing Home Care Benefit.				
/Suppositories 1g, 12	1	1	/1.35	FA
* * *				
GLYCEROL /Glycerol 100ml	1	1	/0.93	DH
GLYCERYL TRINITRATE Tablet 600 micrograms	100	2	1.91	Anginine Stabilised BW
GLYCIDINE Tablet 500mg	100	2	4.11	Gondafon SC
1g	50	2	4.04	Gondafon SC
GOATS' MILK Authority required. Cows' milk allergy in infants under the age of eighteen (18) months. NOTE: Milk allergy means eczema, asthma or severe gastro-intest- inal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on sub- sequent feeding with cows' milk.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GOATS' MILK - cont. Since cows' milk allergy is not always permanent a further challenge with cows' milk should be made each three months. Age of patient to be shown on application for authority.				
Dehydrated Powder 1 lb 450g	2	20	9.92 9.68 9.92	GV Caprilac CG Dale CE
Whole (Sterilised) 375ml	12	20	8.04	TM
GRISEOFULVIN Authority required. Use in recalcitrant tinea infections due to <i>Microsporum</i> , <i>Trichophyton</i> or <i>Epidermophyton</i> species proven by pathology testing or, in the case of the scalp, by pathology testing or by Wood's Light examination; Kerion.				
Tablet 125mg 500mg	100	..	7.51 7.24	Fulcin 125 IC Grisovin GL Fulcin 500 IC Grisovin 500 GL
GUANETHIDINE Tablet 10mg 25mg	100	1	5.24 10.91	Ismelin CB Ismelin CB
HALOPERIDOL Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia. (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HALOPERIDOL - cont.				
Tablet 500 micrograms	100	1	4.01	Serenace SR
1.5mg	100	1	5.84	Serenace SR
Injection 5mg in 1ml	10	..	9.51	Serenace SR
HEPARIN				
Injection BP				
5,000 Units in 1ml	5	5	7.49 7.51	CS,WP AH
25,000 Units in 5ml	2	5	8.84	AH,BT,CS,WP
35,000 Units in 35ml	12	5	96.84	CS
125,000 Units in 5ml	1	5	16.84	AH,BT,CS
HEPARIN CALCIUM				
Injection 5,000 Units in 0.2ml	5	5	7.51	Calciparine DF
12,500 Units in 0.5ml	2	..	6.17	Calciparine DF
25,000 Units in 1ml	2	..	8.84	Calciparine DF CS
HEXAMINE HIPPURATE				
Tablet 1g	100	2	7.44	Hiprex RK
HEXAMINE MANDELATE				
Tablet 250mg	100	2	2.24	Mandaze HA Mandelamine WW
500mg	100	2	3.11	Mandelamine Hafgrams WW
1g	100	2	4.97	Mandelamine WW
Paediatric Suspension				
500mg per 5ml, 200ml	≠1	1	3.37	Mandelamine WW
HOMATROPINE HYDROBROMIDE				
Eye Drops 2%, 15ml	≠1	2	2.56 2.57	AG AQ,LP
5%, 15ml	≠1	2	2.88 2.91	AG AQ
HYALURONIDASE				
Injection				
1,500 I.U. (solvent required)	5	1	4.07	Hyalase FC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDRALLAZINE HYDROCHLORIDE Tablet 25mg	100	2	4.17	Apresoline CB
50mg	100	2	6.44	Apresoline CB
HYDRARGAPHEN Pessaries 5mg, 15	#1	1	3.11	Versotrane Tri- ple StrengthWB
HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	2.73	Dichlotride MK Esidrex CB Neo-Flumen GA
50mg	50	2	3.97	Dichlotride MK Esidrex CB Neo-Flumen GA
HYDROCORTISONE Eye Drops 0.5%, 2ml	#1	2	1.77	Scheroson F OphthalmicumSC
0.5%, 5ml	#1	2	2.04	Hycor SI
0.5%, 10ml	#1	2	2.37	Hycor SI
1%, 3ml	#1	2	2.04	Hycor SI
1%, 5ml	#1	2	1.97	Hydrosone KL
1%, 10ml	#1	2	2.77	Hycor SI Hydrosone KL
2.5%, 5ml	#1	2	2.64	Hycor SI
2.5%, 10ml	#1	2	3.24	Hycor SI
Eye Ointment 0.5%, 4g	#1	..	1.84	Cortef UP Cortril PF Hydrosone KL
0.5%, 5g	#1	..	2.04	Hycor SI
1%, 5g	#1	..	2.24	Hycor SI Hydrosone KL
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE - cont. Cream 1%, 30g	#1	1	2.04 2.11	Cort-Dome DO Adacor AV Cortef UP Dermacort PD Hydrosone KL Hynax VR Phiacort RS Procort PR Sigmacort SI Squibb-HC SQ HA, LP
Topical Ointment 1%, 30g	#1	1	2.11	Adacor AV Cortef UP Dermacort "O" PD Hynax VR Procort PR Sigmacort SI Squibb-HC SQ HA, LP
HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5ml	#1	..	2.17	Neo-Cortef UP
Ear Ointment 1.5%-0.5%, 4g	#1	2	2.17	Neo-Cortef UP
HYDROCORTISONE ACETATE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid.				
Injection 25mg in 1ml	5	..	3.68 3.79	Hysone-A PT Hydrocortone MK
HYDROCORTISONE SODIUM SUCCINATE For use in a hospital.				
Injection set containing equi- valent of 500mg hydrocortisone and solvent. * * *	1	..	12.57	Solu-Cortef UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE SODIUM SUCCINATE Injection set containing equi- valent of 100mg hydrocortisone and 2ml solvent	2	..	6.18	Efcortelan GL Nordicort NR Solu-Cortef UP Venocort PT
Injection set containing equi- valent of 250mg hydrocortisone and solvent	1	..	6.71	Solu-Cortef UP
HYDROFLUMETHIAZIDE Tablet 50mg	50	2	4.35	Di-Ademil SQ Hydrenox BT
HYDROGEN PEROXIDE SOLUTION Solution 10 vol, 100ml	1	..	0.53	FA
10 vol, 200ml	1	..	0.59	FA
HYDROMORPHONE Injection 1.1ml	5	..	2.27	Dilaudid KN
HYDROXOCOBALAMIN Neuroblastoma; Pernicious anaemia and other proven vitamin B12 deficiencies (Post-gastrectomy; subacute combined degeneration of the cord).				
Injection 1mg in 1ml	5	..	3.24	Neo-Cytamen GL
HYDROXYCHLOROQUINE Tablet 200mg	100	2	5.51	Plaquenil WL
HYDROXYUREA Capsule 500mg	100	..	19.44	Hydrea SQ
HYOSCINE BUTYLBROMIDE Injection 20mg in 1ml	5	..	2.57	Buscopan BY
HYOSCINE HYDROBROMIDE Eye Drops 0.25%, 15ml	#1	2	3.24	AQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYPROMELLOSE Eye Drops 0.5%, 15ml	#1	6	2.01 2.04	IQ Isopto Tears AQ Lacril AG Methopt SI KL
IBUPROFEN Rheumatoid arthritis where sali- cylates are contraindicated or ineffective; Osteoarthritis where salicylates are contraindicated or ineffect- ive. Tablet 200mg	50	2	2.88	Brufen BT
IDOXURIDINE Infections caused by herpes simplex virus or by vaccinia virus. Eye Drops 0.1%, 15ml	#1	2	4.04	Herplex AG Stoxil SK
Eye Ointment 0.5%, 5g * * *	#1	..	4.04	Stoxil SK
IDOXURIDINE Topical Ointment 0.5%, 5g	#1	..	2.05	Stoxil SK
IMIPRAMINE Tablet 10mg	50	2	1.92	Imiprin PT Iramil KL Prodepress BB Tofranil GE
25mg	50	2	2.71 2.80	Imiprin PT Iramil KL Melipramine UW(N) Prodepress BB Somipra LF Tofranil GE
Injection I.M. 25mg in 2ml	10	..	4.37	Tofranil GE
INDOMETHACIN Capsule 25mg	50	2	3.84	Indocid MK
Suppository 100mg	20	2	7.50	Indocid MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INFLUENZA VACCINE For pensioners; Persons with chronic pulmonary disease and/or chronic heart disease or persons with other serious debilitating diseases; Children over one and under five years of age. Injection 1ml	1	..	2.84	CS
INSECT ALLERGEN EXTRACT - BULL ANT Injection Sets strengths A,B,C each 5ml	1	..	30.17	CS
strengths A,B,C,D each 5ml	1	..	42.17	CS
Injection strength D, 5ml	1	..	12.84	CS
INSECT ALLERGEN EXTRACT - HONEY BEE Injection Sets strengths A,B,C each 5ml	1	..	30.17	CS
strengths A,B,C,D each 5ml	1	..	42.17	CS
Injection strength D, 5ml	1	..	12.84	CS
INSECT ALLERGEN EXTRACT - JUMPER ANT Injection Sets strengths A,B,C each 5ml	1	..	30.17	CS
strengths A,B,C,D each 5ml	1	..	42.17	CS
Injection strength D, 5ml	1	..	12.84	CS
INSECT ALLERGEN EXTRACT - MOSQUITO Injection Sets strengths A,B,C each 5ml	1	..	30.17	CS
strengths A,B,C,D each 5ml	1	..	42.17	CS
Injection strength D, 5ml	1	..	12.84	CS
INSECT ALLERGEN EXTRACT - PAPER WASP Injection Sets strengths A,B,C each 5ml	1	..	30.17	CS
strengths A,B,C,D each 5ml	1	..	42.17	CS
Injection strength D, 5ml	1	..	12.84	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN				
Injection 20 Units per ml, 10ml	10	2	24.00	CS
40 Units per ml, 10ml	10	2	27.30	Novo AH BT, BW, CS, WP
80 Units per ml, 10ml	10	2	40.00	Novo AH BT, BW, CS
160 Units per ml, 10ml	10	2	100.00	CS
300 Units per ml, 5ml	10	2	100.00	CS
Injection (specially purified) 40 Units per ml, 10ml	10	2	76.70	CS
Injection (Porcine) 40 Units per ml, 10ml	10	2	40.00	CS
INSULIN BIPHASIC				
Injection 40 Units per ml, 10ml	10	2	34.00	Rapitard-NovoAH
80 Units per ml, 10ml	10	2	64.00	Rapitard-NovoAH
INSULIN ISOPHANE (N.P.H.)				
Injection 40 Units per ml, 10ml	10	2	34.00	AH, BT, BW, CS, WP
80 Units per ml, 10ml	10	2	48.00	AH, BT, BW, CS, WP
160 Units per ml, 10ml	10	2	110.00	CS
Injection (specially purified) 40 Units per ml, 10ml	10	2	60.70	CS
Injection (Porcine) 40 Units per ml, 10ml	10	2	60.00	CS
80 Units per ml, 10ml	10	2	113.30	CS
INSULIN NEUTRAL				
Injection 40 Units per ml, 10ml	10	2	27.50	Actrapid-NovoAH
80 Units per ml, 10ml	10	2	51.30	Actrapid-NovoAH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN NEUTRAL SPECIALLY PURIFIED Insulin resistance due to anti- bodies or disabling local reactions.				
Injection 40 Units per ml, 10ml	10	2	33.30	Actrapid M.C. Novo AH
80 Units per ml, 10ml	10	2	61.30	Actrapid M.C. Novo AH
INSULIN PROTAMINE ZINC				
Injection 40 Units per ml, 10ml	10	2	28.00	BT,BW,CS,WP
80 Units per ml, 10ml	10	2	42.70	BW,CS
INSULIN ZINC SUSPENSION				
Injection 40 Units per ml, 10ml	10	2	27.30	Novo AH BT,BW,CS
80 Units per ml, 10ml	10	2	38.70	Novo AH BT,BW,CS
INSULIN ZINC SUSPENSION SPECIALLY PURIFIED Insulin resistance due to anti- bodies or disabling local reactions.				
Injection 40 Units per ml, 10ml	10	2	37.30	Monotard M.C. Novo AH
80 Units per ml, 10ml	10	2	66.70	Monotard M.C. Novo AH
INSULIN ZINC SUSPENSION (AMORPHOUS)				
Injection 40 Units per ml, 10ml	10	2	27.30	Novo AH BT,BW,CS
80 Units per ml, 10ml	10	2	40.00	Novo AH BT,BW,CS
INSULIN ZINC SUSPENSION (AMORPHOUS) SPECIALLY PURIFIED Insulin resistance due to anti- bodies or disabling local reactions.				
Injection 40 Units per ml, 10ml	10	2	37.30	Semilente M.C. Novo AH
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ZINC SUSPENSION (AMORPHOUS) SPECIALLY PURIFIED - cont. Injection 80 Units per ml, 10ml	10	2	66.70	Semilente M.C. Novo AH
INSULIN ZINC SUSPENSION (CRYSTALLINE) Injection 40 Units per ml, 10ml	10	2	38.70	Novo BT,BW,CS AH
80 Units per ml, 10ml	10	2	53.30	Novo BT,BW,CS AH
INTRAVENOUS FLUIDS 500ml and 1 litre - See Special Section				
IRON DEXTRAN Injection 2ml	5	..	4.44	Imferon FC
5ml	5	..	7.04	Imferon FC
IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	1.77	Ferrum H SI
Injection 100mg (Iron) in 2ml	5	..	4.84	Ferrum H SI
IRON SORBITOL Injection I.M. Trivalent Iron 2ml	5	..	4.84	Jectofer AP
ISONIAZID Tablet 50mg	200	2	2.17	HA,RY
100mg	100	2	2.17	Isotiny1 RY KL
ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	2.44	Isuprel WL
30mg (sustained release)	100	2	7.04	Saventrine PN
Inhalation 1 in 200, 15ml	1	1	2.44	Isuprel WL
Injection 1 in 5,000, 1ml	5	..	4.68	Isuprel WL
1 in 5,000, 5ml	5	..	6.97	Isuprel WL
ISOPRENALINE SULPHATE Tablet 20mg	100	2	2.44	Neo-Epinine BW
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ISOPRENALINE SULPHATE - cont.				
Inhalation, metered aerosol spray replacement pack 2mg per ml, 15ml (300 dose)	#1	..	3.24	Medihaler-IsoRK
4mg per ml, 7.5ml (300 dose)	#1	..	3.24	Iso-AutohalerRK
KANAMYCIN				
Infections where positive bact- eriological evidence confirms that kanamycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.				
CAUTION: Kanamycin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.				
Injection 30mg in 1ml	5	1	4.31	Kanasig SI
250mg in 2ml	5	..	7.51	Kanasig SI
500mg in 2ml	5	..	9.17 9.19	Kanasig SI Kantrex BC
1g in 3ml	5	..	12.84	Kanasig SI Kantrex BC
* * *				
KANAMYCIN				
Ear Drops 1%, 10ml	#1	..	2.17	Kantrex BC
Eye Drops 1%, 10ml	#1	..	2.17	Kantrex BC
KAOLIN with PECTIN				
Mixture 5.91g-132mg per 30ml, 360ml	#1	2	2.07	Kaopectate UP
LACTULOSE				
Hepatic coma or precoma (chronic porto-systemic encephalopathy).				
Mixture 50%, 500ml	#1	4	7.51	Duphalac PI
LANATOSIDE-C				
Tablet 250 micrograms	100	2	2.57 2.71	Lanocide PT Cedilanid SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LEVODOPA				
Authority required.				
Treatment of Parkinson's disease.				
NOTE: Authority will be granted only for therapy initiated by or at the direction of a neurologist or a consultant physician.				
Tablet 100mg	50	..	3.31	Larodopa RO
250mg	100	..	8.44	Larodopa RO
500mg	250	..	28.84	Larodopa RO
Capsule 100mg	50	..	4.68	Syndopa FA
250mg	100	..	7.17 8.84	Levopa PT Larodopa RO Syndopa FA
500mg	250	..	27.51 28.84	Levopa PT Larodopa RO Syndopa FA
LEVODOPA with CARBIDOPA				
Authority required.				
Treatment of Parkinson's disease.				
NOTE: Authority will be granted only for therapy initiated by or at the direction of a neurologist or a consultant physician.				
Tablet 100mg-10mg	100	..	12.84	Sinemet M MK
250mg-25mg	100	..	23.51	Sinemet MK
LIGNOCAINE				
Cardiac arrhythmias.				
Injection 100mg in 5ml	2	..	3.44	Xylocard 100 AP
Infusion 500mg in 5ml	5	..	5.43	Xylocard 500 AP

Name, Restriction
Manner of Administration and Form

Max.
Qty

No.
of
Rpts

Price
\$

Proprietary Name
and
Manufacturer

LINCOMYCIN

Osteomyelitis.

CAUTION: Lincomycin is associat-
ed with a significant incidence
of pseudomembranous colitis.

Paediatric Syrup

250mg per 5ml, 100ml

1

..

4.84

Lincocin

UP

Gram-negative anaerobic infect-
ions;

Gram-positive coccal infections
where these cannot be safely
and effectively treated with a
penicillin.

CAUTION: Lincomycin is associat-
ed with a significant incidence
of pseudomembranous colitis.

Injection 300mg in 1ml

5

..

5.91

Lincocin SS
Paediatric

UP

600mg in 2ml

5

..

7.24

Lincocin

UP

LIOTHYRONINE

Tablet 20 micrograms

50

2

1.83

Tertroxin

GL

LITHIUM CARBONATE

Manic depression.

Tablet 250mg

100

2

2.57

Lithicarb
Manialith
DH

PT
MN

LYNOESTRENOL with ETHINYLOESTRADIOL

Tablet 1mg - 50 micrograms, 22

2

2

2.84

Ovostat 22

OR

Pack containing 22 tablets

1mg - 50 micrograms and 6 inert
tablets

2

2

2.84

Ovostat 28

OR

LYNOESTRENOL with MESTRANOL

Tablet 1mg - 100 micrograms, 22

2

2

2.84

Microcyclin

CB

2.5mg - 75 micrograms, 22

2

2

2.84

Anacyclin
Lyndiol 2.5

CB
OR

LYPRESSIN

Nasal Spray 50 Units per ml, 5ml

10

2

34.14

Vasopressin

SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	2.37	Maalox	RG
Mixture 375mg per 5ml, 360ml	#1	2	2.17	Maalox	RG
MAGNESIUM SULPHATE Paste 50g	#1	1	1.47	Magnoplasm	FA
100g	#1	1	1.60	Magnoplasm	FA
MANNITOL See Intravenous Fluids.					
MAPHENIDE ACETATE Treatment in a hospital, of burns.					
Cream 11.2%, 454g	#1	..	12.17	Sulfamylon	WL
MEBHYDROLIN Tablet 50mg	50	2	2.11	Fabahistin	BN
Paediatric Suspension 50mg per 5ml, 100ml	#1	4	1.77	Fabahistin	BN
MECAMYLAMINE Tablet 2.5mg	100	1	2.84	Mevasine	MK
10mg	100	1	8.44	Mevasine	MK
MECLOZINE Tablet 25mg	50	2	2.17	Ancolan	AH
Syrup 12.5mg per 5ml, 100ml	#1	4	1.77	Ancolan	AH
MEDROXYPROGESTERONE Precocious puberty; Turner's syndrome.					
Tablet 2.5mg * * *	25	..	3.84	Provera	UP
Malignant neoplasia; Precocious puberty; Turner's syndrome.					
Tablet 10mg * * *	25	..	9.24	Provera	UP
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MEDROXYPROGESTERONE - cont. Malignant neoplasia.				
Tablet 100mg * * *	100	2	65.64	Provera UP
Malignant neoplasia; Precocious puberty.				
Injection 50mg in 1ml	1	..	3.96	Depo-Provera UP
150mg in 1ml	1	..	9.05	Depo-Provera UP
MEDRYSONE Eye Drops 1%, 5ml	#1	6	3.17	HMS LiquifilmAG
MEFRUSIDE NOTE: Mefruside is not the diuretic of choice in uncomplicated hypertension.				
Tablet 25mg	50	2	3.57	Baycaron BN
MELPHALAN Tablet 2mg	100	2	26.96	Alkeran BW
5mg	100	2	45.12	Alkeran BW
MERCAPTOPURINE Tablet 50mg	50	1	21.64	Purinethol BW
METFORMIN Tablet 500mg	100	2	8.87	Glucophage RN
500mg (sustained release)	100	2	8.88	Diabex S.R. DF
METHACYCLINE Capsule 150mg	21	..	3.64	Randomycin WW
300mg	11	..	3.64	Randomycin WW
Suspension 75mg per 5ml, 100ml	#1	..	3.00	Randomycin GP
METHADONE Tablet 5mg	25	..	2.41	Physeptone BW
10mg	25	..	2.62	Physeptone BW
Injection 10mg in 1ml	5	..	2.99	Physeptone BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHANDIENONE Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for three months' treatment will be limit- ed to the maximum quantity and repeats shown in this schedule.				
Tablet 5mg	100	1	9.11	Dianabol CB
METHDILAZINE Prevention of migraine.				
Tablet 4mg	100	2	3.24	Dilosyn AH Tacaryl MJ
8mg	100	2	3.54	Dilosyn AH Tacaryl MJ
* * *				
METHDILAZINE Tablet 4mg	50	2	2.04	Dilosyn AH Tacaryl MJ
8mg	50	2	2.19	Dilosyn AH Tacaryl MJ
Paediatric Syrup 4mg per 5ml, 100ml	1	4	1.71	Dilosyn AH Tacaryl MJ
METHENOLONE ACETATE Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for three months' treatment will be limit- ed to the maximum quantity and repeats shown in this schedule.				
Tablet 1mg	100	1	3.10	Primobolan SC
5mg	100	1	8.58	Primobolan SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHICILLIN Septicaemia, staphylococcal, suspected or proven. Injection 1g (solvent required)	5	1	16.69	Celbenin BR Metin CS
METHOIN Tablet 100mg	200	1	5.64	Mesantoin SZ
METHOTREXATE Authority required. Continuing methotrexate therapy after discharge from an approved hospital; Malignant neoplasia; Pemphigus vulgaris; Severe intractable or extensive psoriasis. Tablet 2.5mg Injection 5mg (solvent required) 50mg (solvent required)	 100 5 5	 	 15.51 16.19 53.49	LE LE LE
METHSUXIMIDE Capsule 300mg	200	1	12.17	Celontin PD
METHYCLOTHIAZIDE Tablet 2.5mg 5mg	 50 50	 2 2	 2.71 3.51	Enduron-M AB Enduron AB
METHYLDOPA Tablet 125mg 250mg	 100 100	 2 2	 5.37 7.17	Aldomet-M MK Aldomet MK
METHYLERGOMETRINE Tablet 125 micrograms	25	1	2.81	Methergin SZ
METHYLPHENOBARBITONE Epilepsy. Tablet 30mg	 200	 1	 2.31	Prominal WL RY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYLPHENOBARBITONE - cont. Tablet 60mg	200	1	2.71	Prominal RY WL
200mg	200	1	5.12	Prominal RY WL
METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	¶1	..	2.44	Medrol UP
METHYLPREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration; Intrathecal use.				
Injection 40mg in 1ml * * *	5	..	14.17	Depo-Medrol UP
Proctitis; Ulcerative colitis.				
Retention Enema 40mg, 6 * * *	¶1	..	17.51	Medrol Enpak UP
METHYLPREDNISOLONE ACETATE Cream 0.25%, 30g	¶1	1	2.16	Medrol UP
METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1ml	5	..	12.84	Solu-Medrol UP
METHYLTESTOSTERONE Hypogonadism in children.				
Tablet 5mg * * *	100	2	2.77	Testomet ET PT
Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Tablet 25mg	100	2	6.44	Testomet ET,PR PT
50mg	100	2	10.44	Testomet ET,PR PT
Sublingual Tablet 25mg	100	..	12.84	Perandren CB

Name, Restriction
Manner of Administration and Form

Max.
Qty

No.
of
Rpts

Price
\$

Proprietary Name
and
Manufacturer

METHYSERGIDE

Carcinoid syndrome;
Prevention of disabling migraine
when other treatment has failed.

Tablet 1mg

100 2 12.84 Deseril SZ

METOCLOPRAMIDE HYDROCHLORIDE

Injection 10mg in 2ml

10 .. 3.51 Maxolon BR

METRONIDAZOLE

Tablet 200mg

21 1 3.28 Flagyl MB

MILK POWDER - SYNTHETIC

Authority required.

Hypercalcaemia in children under
the age of two (2) years;
Osteopetrosis.

Low Calcium Compound Powder 14oz

* * * 2 20 10.78 Locasol MN

Authority required.

Galactosaemia;
Conditions needing an extreme
restriction of lactose in diet
in children under the age of
four (4) years.

Low Lactose Compound Powder
397g (14oz)

2 20 10.78 Galactomin
Formula 17 MN

* * *

Authority required.

Glucose-galactose malabsorption.

Fructose Formula, Reduced Fat,
Low Lactose Compound Powder
454g (16oz)

2 20 40.00 Galactomin
Formula 19 MN

MINOCYCLINE

Capsule 100mg

11 .. 3.64 Minomycin LE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MITHRAMYCIN For use in a hospital for - inoperable testicular neoplasm; symptomatic hypercalcaemia and hypercalcinuria associated with advanced neoplasia.				
Injection 2.5mg (solvent required)	5	..	94.99	Mithracin PF
MORPHINE with TACRINE Severe intractable pain.				
Tablet 30mg-15mg * * *	50	..	11.34	Mortha WH
MORPHINE with TACRINE Injection 15mg-13mg in 1.5ml	5	..	3.01	Mortha WH
30mg-13mg in 1.5ml	5	..	3.07	Mortha WH
15mg-30mg in 1.5ml	5	..	3.54	Mortha WH
30mg-30mg in 1.5ml	5	..	3.67	Mortha WH
MORPHINE SULPHATE Injection 10mg in 1ml	5	..	2.49	AB,BL,KL,LP,SI
15mg in 1ml	5	..	2.54	AB,BL,KL,LP,SI
20mg in 1ml	5	..	2.81	BL
30mg in 1ml	5	..	2.87	AB,BL,KL
MORPHINE SULPHATE with ATROPINE SULPHATE Injection 15mg-600 micrograms in 1ml	5	..	2.61	BL
MUSTINE Injection 10mg (solvent required)	1	..	3.33	BT
NALIDIXIC ACID Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evi- dence shows the organism to be sensitive to nalidixic acid or where the patient is sensitive to sulphonamides.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NALIDIXIC ACID - cont. Tablet 500mg	56	..	7.51	Negram WL
Paediatric Suspension 50mg per ml, 200ml	#1	..	4.71	Negram WL
NALORPHINE Injection 1mg in 1ml	5	..	4.17	Lethidrone BW
10mg in 1ml	5	1	4.84	Lethidrone BW
NANDROLONE DECANOATE Carcinoma of the breast. * * *				
Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 50mg in 1ml	1	1	7.24	Deca- Durabolin OR
NANDROLONE PHENYLPROPIONATE Carcinoma of the breast. * * *				
Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 25mg in 1ml	3	1	6.57	Durabolin OR
NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15ml	#1	2	2.04	Albalon Liquifilm AG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NATAMYCIN Tablet 100mg	50	..	7.31	Pimafucin GB
Suspension 1%, 5ml	#1	..	2.51	Pimafucin GB
Ointment 20mg per g, 15g	#1	..	2.57	Pimafucin GB
Pessaries 25mg, 20	#1	..	4.31	Pimafucin GB
NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE Ear Ointment 1%-0.35%(base)-1%, 5g	#1	2	1.91	Pimafucort Otic GB
NEOMYCIN Acute leukaemia during induction of remission with chemotherapy; Bowel sterilisation preparatory to major surgery; Encephalopathy, hepatic; Enteropathogenic <i>E. Coli</i> infections in infants. <u>CAUTION: Neomycin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.</u>				
Tablet 500mg	25	1	8.84	Neomate LF Neosulf PT ET
* * *			12.04	KL
NEOMYCIN Eye Drops 0.5%(0.35% Neomycin Base) 10ml	#1	2	2.11	Neopt SI
NEOMYCIN with GRAMICIDIN, THONZ- ONIUM BROMIDE, THONZYLAMINE and HYDROCORTISONE ACETATE Ear Drops 0.1%-0.005%-0.05%-1%- 0.02%, 15ml	#1	..	2.17	Biomydrin WW
NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg(3.5mg base)- 400 Units per g, 10g	#1	..	2.04	Nemdyn HA

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NEOSTIGMINE				
Tablet 15mg	100	2	3.17	Prostigmin RO
Injection 500 micrograms in 1ml	5	3	1.60	Prostigmin RO
2.5mg in 1ml	5	3	1.84	Prostigmin RO
Eye Drops 3%, 7.5ml	1	6	2.16	Prostigmin RO
NICLOSAMIDE				
Hymenolepiasis nana.				
Tablet 500mg * * *	16	..	7.52	Yomesan BN
NICLOSAMIDE				
Tablet 500mg	4	..	2.51	Yomesan BN
NICOTINIC ACID				
For pensioners.				
Tablet 25mg	100	2	1.59	DH,KL,LP
50mg	100	2	1.64	DH,KL,LP,RT(V) SI
100mg	100	2	1.77	DH,KL,RT(V)
250mg	100	2	2.17	DH,LP
NICOUMALONE				
Tablet 4mg	50	2	3.91	Sintrom GE
NITRAZEPAM				
Tablet 5mg	25	..	1.88	Dormicum SU Mogadon RO
NOTE: Authority to prescribe an increased maximum quantity and/or repeats of NITRAZEPAM should be sought for treatment of epilepsy.				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NITROFURANTOIN					
Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evi- dence shows the organism to be sensitive to nitrofurantoin or where the patient is sensitive to sulphonamides.					
Tablet 50mg	25	1	3.88	Furadantin	SK
100mg	25	1	5.80	Furadantin	SK
Paediatric Suspension 25mg per 5ml, 200ml	1	..	3.28	Furadantin	SK
NORADRENALINE					
Injection 1 in 10,000, 2ml	5	..	5.21	Levophed	WL
Infusion 1 in 1,000, 2ml	5	..	6.04	Levophed	WL
NORETHISTERONE					
Endometriosis; Metropathia haemorrhagica; Precocious puberty; Turner's syndrome.					
Tablet 5mg * * *	30	5	3.77	Primolut-N	SC
NORETHISTERONE					
Tablet 350 micrograms, 28	2	2	2.84	Micronor Noriday	ET SD
NORETHISTERONE with MESTRANOL					
Tablet 1mg - 50 micrograms, 21	2	2	2.84	Norinyl-1 Ortho-Novum 1/50	SD ET
1mg - 80 micrograms, 21	2	2	2.84	Ortho-Novum 1/80	ET
2mg - 100 micrograms, 21	2	2	2.84	Norinyl-2 Ortho-Noyum2	SD ET
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	2.84	Norinyl 1/28	SD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORETHISTERONE ACETATE Endometriosis; Metropathia haemorrhagica; Precocious puberty; Turner's syndrome.				
Tablet 2.5mg * * *	30	5	3.17	Norlutin-A PD Primolut Nor SC
Carcinoma of the breast; Carcinoma of the endometrium.				
Tablet 10mg	100	2	18.17	SH420 SC
NORETHISTERONE ACETATE with ETHINYLOESTRADIOL				
Tablet 1mg - 50 micrograms, 21	2	2	2.84	Minovlar SC
3mg - 50 micrograms, 21	2	2	2.84	Gynovlar SC
4mg - 50 micrograms, 21	2	2	2.84	Anovlar SC
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	2.84	Minovlar ED SC Orlest PD
Pack containing 21 tablets 2.5mg- 50 micrograms and 7 inert tablets	2	2	2.84	Norlestrin PD
NORETHYNODREL with MESTRANOL				
Tablet 2.5mg - 100 micrograms, 21	2	2	2.84	Conovid-E SR
NORGESTREL				
Tablet 30 micrograms, 28	2	2	2.84	Microlut 28 SC Microval 28 WY
NORGESTREL with ETHINYLOESTRADIOL				
Tablet 150 micrograms - 30 micrograms, 21	2	2	2.84	Microgynon 30SC Nordette 21 WY
250 micrograms - 50 micrograms, 21	2	2	2.84	Neogynon SC Nordiol 21 WY
500 micrograms - 50 micrograms, 20	2	2	2.84	Duoluton SC
500 micrograms - 50 micrograms, 21	2	2	2.84	Eugynon SC Ovral WY
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORGESTREL with ETHINYLOESTRADIOL - cont.				
Pack containing 21 tablets 150 micrograms - 30 micrograms and 7 inert tablets	2	2	2.84	Microgynon 30 ED SC Nordette 28 WY
Pack containing 21 tablets 250 micrograms - 50 micrograms and 7 inert tablets	2	2	2.84	Neogynon ED SC Nordiol 28 WY
Pack containing 21 tablets 500 micrograms - 50 micrograms and 7 inert tablets	2	2	2.84	Eugynon ED SC Ovral 28 WY
NORTRIPTYLINE				
Tablet 10mg	50	2	1.88	Allegron DL Nortab SQ
25mg	50	2	2.73	Allegron DL Nortab SQ
Capsule 10mg	50	2	1.88	Aventyl LY
25mg	50	2	2.73	Aventyl LY
Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	1.75	Allegron DL Aventyl LY
NUTRAMIGEN				
Authority required. Cows' milk allergy in infants under the age of eighteen (18) months; Cystic fibrosis (mucoviscidosis); Galactosaemia; Lactose intolerance.				
NOTE: Milk allergy means eczema, asthma or severe gastro-intest- inal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on subseq- uent feeding with cows' milk.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NUTRAMIGEN - cont. Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months. Age of patient to be shown on application for authority.				
Powder 500g	2	20	11.74	Glucose Nutramigen MJ
NYSTATIN Tablet 500,000 Units	50	..	6.95	Diastatin GP Mycostatin SQ Nilstat LE
Mixture 100,000 Units per ml, 24ml	#1	..	3.11	Diastatin GP Mycostatin SQ Nilstat LE
Cream 100,000 Units per g, 15g	#1	..	2.44	Mycostatin SQ Nilstat LE
Ointment 100,000 Units per g, 15g	#1	..	2.44	Mycostatin SQ Nilstat LE
Pessaries 100,000 Units, 15	#1	1	2.68	Diastatin GP Mycostatin SQ Nilstat LE
Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	#1	1	2.77	Mycostatin SQ
100,000 Units per 5g, 75g (15 doses)	#1	1	2.77	Diastatin GP Nilstat LE
OESTRADIOL VALERATE Injection 10mg in 1ml	3	..	5.11	Primogyn- Depot SC
OESTRONE Pessaries, 1,000 Units, 12	#1	1	2.71	Kolpon OR
10,000 Units, 12	#1	1	4.04	Kolpon OR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ORCIPRENALINE Tablet 20mg	100	2	5.11	Alupent BY
Syrup 10mg per 5ml, 100ml	#1	4	1.97	Alupent BY
Inhalation Solution for use in NEBULISER 5%, 7.5ml	#1	..	2.04	Alupent BY
Inhalation Solution for use in RESPIRATOR 2%, 75ml	#1	..	6.17	Alupent BY
Inhalation, metered aerosol spray replacement pack, 15mg per ml, 15ml (300 dose)	#1	1	3.57	Alupent BY
ORPHENADRINE HYDROCHLORIDE Parkinsonism. Tablet 50mg	100	2	3.91	Disipal RK
OXAZEPAM Tablet 15mg	50	..	1.97	Serepax WY
30mg	50	..	2.57	Serepax WY
NOTE: No authorities will be granted for increased maximum quantities and/or repeats for OXAZEPAM.				
OXPRENOLOL Dissecting aneurysm (aortic); Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure.				
Injection 2mg (solvent required) * * *	5	..	4.92	Trasicor CB
Dissecting aneurysm (aortic); Hypertension; Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction;				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXYPRENOLOL - cont. Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure.					
Tablet 20mg	100	2	4.89	Trasicor	CB
40mg	100	2	6.97	Trasicor	CB
OXYCODONE Treatment in malignant neoplasia.					
Injection 10mg in 1ml	6	..	4.81	Proladone	CK
Suppositories 30mg, 12	#1	..	4.81	Proladone	CK
OXYMETHOLONE Authority required. Aplastic anaemias, proven; Myelosclerosis.					
Tablet 5mg	100	..	8.31	Adroyd	PD
50mg	100	..	65.84	Anapolon	SD
100mg	100	..	130.84	Adroyd	PD
OXYTETRACYCLINE Capsule 250mg	25	..	2.60	Bramcycline Oxycycline Terramycin	BB PT PF
Suspension 125mg per 5ml, 100ml	#1	..	2.20	Terramycin	PF
Injection I.M. 100mg	5	..	4.59	Terramycin Vendarcin	PF GB
I.M. 250mg	5	..	7.64	Vendarcin	GB
I.V. 250mg	5	..	7.64	Vendarcin	GB
Ointment 3%, 15g	#1	..	1.91	Terramycin	PF
OXYTETRACYCLINE with HYDROCORTISONE Ear Suspension 0.5%-1.5%, 5ml	#1	..	2.17	Terra- Cortril	PF
OXYTETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	2.69	Terrastatin	PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per g, 4g	#1	..	1.84	Terramycin PF
OXYTOCIN Injection 2 Units in 2ml	5	..	2.00	Syntocinon SZ
5 Units in 1ml	5	..	2.16	Syntocinon SZ
10 Units in 1ml	5	..	2.57	Syntocinon SZ
OXYTOCIN with ERGOMETRINE Injection 5 Units and 500 micrograms in 1ml	5	..	2.71	Syntometrine SZ
PANCREATIN Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.				
Powder 500g	1	..	29.51	Pancrex "V" ST
PANCREATIN ENZYME (4 times USNF.XIII strength) Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.				
Tablet 325mg	500	1	30.84	Viokase RS
Powder 227g	#1	2	23.51	Viokase RS
PANCRELIPASE Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.				
Capsule 300mg	250	1	22.17	Cotazym OR
PAPAVERTUM Tablet 10mg	20	..	2.22	Omnopon RO
Injection 20mg in 1ml	5	..	2.27	Omnopon AB RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1ml	5	..	2.34	Omnopon- Scopolamine RO
PARACETAMOL Tablet 500mg	50	1	1.71 1.76	Ceetamol PT Bramcetamol BB Dymadon BW Langesic LP Panacete PR Parasin AV Parmol KL Placemol VR Tempra MJ
			1.84	Panamax WL Paralgin FM
Mixture 120mg per 5ml, 100ml	#1	4	1.69	Dymadon BW Panadol WL Paraspen FC Parmol KL Tempra MJ
PARAFFIN LIQUID For use by paraplegic and quadriplegic patients; *For use by patients who are receiving the Supplementary Intensive Nursing Home Care Benefit.				
/Emulsion 500ml	1	4	/1.95	Petrolagar WY
/Emulsion with Phenolphthalein, 500ml	1	4	/1.95	Agarol WW Lubarol DH Petrolagar with Phenolphthalein WY
PARALDEHYDE Injection 5ml	5	1	3.04	BL
10ml	5	1	3.51	BL
PARAMETHASONE Tablet 2mg	30	2	2.17	Metilar SD
PEMPIDINE Tablet 5mg	100	1	4.26	Perolysen MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENICILLAMINE Authority required. Acute heavy metal intoxication; Cystinosis; Cystinuria with calculus formation; Haemoglobinuria, paroxysmal cold; Wilson's disease (hepatolenticular degeneration).				
Tablet 250mg	100	3	42.84	D-Penamine DL
Capsule 120mg	100	3	24.84	D-Penamine DL
250mg	100	3	42.84	Cuprimine MK
PENICILLINASE Injection set containing 0.8megaU and 1ml solvent	1	..	15.51	Compenase CS
PENTAZOCINE NOTE: Authorities for increased maximum quantities and/or repeats of PENTAZOCINE will be granted only for the treatment of late-stage malignant neoplasia.				
Injection 60mg in 2ml	5	..	4.57	Fortral WL
PENTOBARBITONE SODIUM Tablet 30mg	50	..	1.27	Somnital QE (NQ), RY PR
50mg	50	..	1.24	Penbon Somnital DH, PT, QE (NQ) AV PR
100mg	25	..	1.29	Penbon Petab Somnital DH, LP, PT, QE (NQ) RT (V), RY, TO AV KL PR
Capsule 50mg	50	..	1.55	Nembutal Penbon Pentone PT AB AV FA
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENTOBARBITONE SODIUM - cont. Capsule 100mg	25	..	1.53	Nembutal AB Penbon AV Pentobeta BB Pentone FA PT,RY
PENTOLINIUM TARTRATE Injection 5mg per ml, 10ml	1	1	4.31	Ansolysen MB
PERICYAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 2.5mg	100	1	2.71	Neulactil MB
10mg	100	1	5.77	Neulactil MB
Mixture 2.5mg per 5ml, 100ml	#1	4	2.31	Neulactil MB
PERITONEAL DIALYSIS SOLUTION Injection with 1.5% Anhydrous Dextrose, 1 litre	20	1	49.84	Diasol AB
with 1.5% Anhydrous Dextrose, 2 litres	20	1	78.24	Dianeal TV
with 4.25% Anhydrous Dextrose 1 litre	20	1	49.84	Diasol AB
with 4.25% Anhydrous Dextrose 2 litres	20	1	78.24	Dianeal TV
PERTUSSIS VACCINE Injection 20,000 million organisms in 0.5ml	3	1	6.24	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PETHIDINE				
Injection BP, 50mg in 1ml	5	..	2.34	Pethoid BW AB,BL,KL,LP,SI
100mg in 2ml	5	..	2.41	Pethoid BW AB,BL,KL,LP,SI
PETHIDINE with LEVALLORPHAN				
Injection 50mg-625 micrograms per ml, 2ml	5	..	2.41	Pethilorfan RO
PHENELZINE				
Depressive illness resistant to treatment with tricyclic anti- depressants or electro- convulsive therapy; Obsessive compulsive neurosis. CAUTION: This drug is a mono- amine oxidase inhibitor and should not be used with sympathomimetic amines. Precautions should be taken with diet and additional medication.				
Tablet 15mg	50	1	4.17	Nardil WW
PHENETHICILLIN				
Prophylaxis of recurrent strept- ococcal infections (including rheumatic fever).				
Tablet 125mg	50	5	3.38	Optipen CS Pensig SI
250mg	50	5	4.36	Optipen CS Pensig SI
Capsule 125mg	50	5	3.38	Optipen CS Pensig SI
250mg	50	5	4.36	Optipen CS Pensig SI
* * *				
PHENETHICILLIN				
Tablet 125mg	25	1	2.11	Optipen CS Pensig SI
250mg (continued)	25	1	2.60	Optipen CS Pensig SI

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENETHICILLIN - cont.					
Capsule 125mg	25	1	2.11	Optipen Pensig	CS SI
250mg	25	1	2.60	Optipen Pensig	CS SI
500mg	12	1	2.53	Optipen Pensig	CS SI
Powder for Syrup 125mg per 5ml, 100ml	¶1	1	#2.54	Optipen Pensig 125	CS SI
250mg per 5ml, 100ml	¶1	1	#3.20	Pensig 250	SI
PHENFORMIN					
Tablet 25mg	100	2	4.57	Insoral	BQ
Capsule 50mg	100	1	8.57	Insoral TD	BQ
PHENINDAMINE					
Tablet 25mg	50	2	1.67	Thephorin	RO
PHENINDIONE					
Tablet 10mg	100	2	4.17	Dindevan	AH
50mg	100	2	5.77	Dindevan	AH
PHENIRAMINE					
Tablet 10mg	50	2	1.64	Avilettes	HP
50mg	50	2	2.09	Avil	HP
Paediatric Syrup 15mg per 5ml, 100ml	¶1	4	1.77	Avil	HP
Injection 25mg per ml, 2ml	5	1	2.01	Avil	HP
PHENOBARBITONE					
Epilepsy.					
Tablet 15mg	200	1	1.91	DH, KL, RT(V), RY	
30mg	200	1	2.04	DH, KL, RT(V), RY, SI	
60mg	200	1	2.17	DH, KL, RT(V), RY	
100mg	200	1	2.44	DH, RT(V), RY	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOBARBITONE SODIUM Injection 200mg in 1ml	5	..	2.24	BL, FM
PHENOXYMETHYLPENICILLIN Prophylaxis of recurrent strept- ococcal infections (including rheumatic fever).				
Tablet 125mg	50	5	3.24	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
250mg	50	5	4.14	Abbocillin-VKAB Adacillin AV Bramcillin BB Cilicaine-VK SI Falcopen-VK FA Lanpen LP L.P.V. CS Pen-Cilin V LF Propen-VK PT PVK LY P.V.O. FM V.P.V. VR 4.15 Vicin KL
Capsule 125mg	50	5	3.24	Cilicaine-VK SI Falcopen-VK FA L.P.V. CS PVK LY P.V.O. FM
250mg	50	5	4.14	Abbocillin-VKAB Adacillin AV Cilicaine-VK SI Falcopen-VK FA Lanpen LP L.P.V. CS Propen-VK PT PVK LY P.V.O. FM V.P.V. VR 4.15 Vicin KL
* * *				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN				
Tablet 125mg	25	1	2.04	Abbecillin-V AB L.P.V. CS PVK LY P.V.O. FM
250mg	25	1	2.49	Abbecillin-VKAB Adacillin AV Bramcillin BB Cilicaine-VK SI Falcopen VK FA Lanpen LP L.P.V. CS Pen-Cilin V LF Propen-VK PT PVK LY P.V.O. FM Vicin KL V.P.V. VR
500mg	12	1	2.32	Abbecillin-VKAB L.P.V. CS PVK LY P.V.O. FM
Capsule 125mg	25	1	2.04	Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
250mg	25	1	2.49	Abbecillin-VKAB Adacillin AV Cilicaine-VK SI Falcopen VK FA Lanpen LP L.P.V. CS Propen-VK PT PVK LY P.V.O. FM Vicin KL V.P.V. VR
500mg	12	1	2.32	Cilicaine-VK SI Falcopen VK FA L.P.V. CS P.V.O. FM
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont. Paediatric Suspension 125mg per 5ml, 100ml	#1	1	2.37	Abbocillin-V AB Cilicaine-V SI Falcopen V FA Flavopen GP L.P.V. CS Pfipen V PF
Suspension 250mg per 5ml, 100ml	#1	1	2.97	Abbocillin-V AB Cilicaine-V SI Falcopen V FA Flavopen GP L.P.V. Aqueous Forte CS Pfipen V PF
PHENSUXIMIDE Capsule 500mg	200	1	13.51	Milontin PD
PHENYLALANINE LOW CONTENT FORMULA Phenylketonuria.				
Powder 2.5lb	2	2	36.00	Lofenalac MJ
PHENYLBUTAZONE Tablet 100mg	50	2	2.15	Butacal LF Butazone PT
			2.17	Butalan LP Butalgin FM Butarex AV Butazolidin GE Butoroid VR Buzon KL
Capsule 100mg	50	2	2.17	Buzon KL
Injection 600mg in 3ml	5	..	3.11	Butazolidin GE
Suppositories 250mg, 10	#1	2	3.24	Butazolidin GE Butoz HA
PHENYLEPHRINE Compound Ointment 60g	#1	1	2.11	Hemorex WL
Compound Suppositories, 12	#1	1	2.11	Hemorex WL
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENYLEPHRINE - cont. Eye Drops 0.12%, 15ml	#1	2	2.04	Isopto Frin AQ Prefrin AG
10%, 5ml	#1	..	2.97	Neo- Synephrine WL
PHENYTOIN Paediatric Suspension 30mg per 5ml, 500ml	#1	3	3.71	Dilantin PD
Suspension 100mg per 5ml, 500ml	#1	1	4.11	Dilantin Forte PD
PHENYTOIN SODIUM Tablet 100mg	200	1	3.17	RY
Capsule 30mg	200	1	4.17	Dilantin Sodium PD
100mg	200	1	4.44 4.57	Phentoin PT Dilantin Sodium PD RY
Injection 100mg with 2.2ml solvent	1	..	4.71	Dilantin Sodium PD
250mg with 5ml solvent	1	..	5.91	Dilantin Sodium PD
PHOLCODINE Linctus 0.1%, 100ml	#1	2	1.56 1.64	Pholtrate MG Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin RedDH Pholtussin KL Sedlingtus VR Tussinol GP PR,RT(V),SI(V)
PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	3.24	Talecid SC Thalacet VR
PTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	2.84	Phthazol KL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHYSOSTIGMINE SALICYLATE				
Eye Drops 0.25%, 15ml	#1	6	3.51	IQ
0.5%, 15ml	#1	6	3.91	IQ
PHYTOMENADIONE				
Injection 1mg	5	..	2.31	Konakion RO
10mg	5	..	3.72	Konakion RO
Colloidal Solution for Injection 10mg in 1ml	5	..	6.19	Aquamephyton MK
PILOCARPINE HYDROCHLORIDE				
Eye Drops 0.5%, 15ml	#1	6	2.04 2.11	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG
1%, 15ml	#1	6	2.11 2.17	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL,LP
2%, 15ml	#1	6	2.24 2.31	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL,LP
3%, 15ml	#1	6	2.31 2.37	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG LP
4%, 15ml	#1	6	2.44 2.51	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PILOCARPINE HYDROCHLORIDE - cont. Eye Drops 6%, 15ml	#1	6	2.97	Isopto Carpine AQ Piloft SI P.V. Carpine AG
PIPERAZINE PHOSPHATE Powder 10g sachets, 2	#1	..	1.84	Pripsen RC
PITUITARY, POSTERIOR LOBE Insufflation 30 Antidiuretic Unit Capsule	100	2	9.11	Di-Sipidin ST
PIZOTIFEN MALATE Prevention of migraine. Tablet 500 micrograms (base)	100	2	8.05	Sandomigran SZ
PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	4.58	CS
PLASMA SUBSTITUTE I.V. Infusion 3.5%, 500ml	5	..	38.69	Haemaccel HP
POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	#1	2	2.17	Aerosporin BW
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units 3.5mg(base) per ml, 15ml	#1	..	2.17	Neotracin ET
Eye Drops set containing 50,000 Units-4,000 Units-50mg and 10ml solvent	#1	2	#3.46	Neotracin ET
Eye Ointment 5,000 Units - 400 Units-5mg per g, 4g	#1	..	1.91	Mycitracin UP Neosporin BW
POLYMYXIN B SULPHATE with LIGNOCAINE Ear Drops 10,000 Units-50mg per ml, 10ml	#1	2	2.17	Lignosporin BW
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg- 25 micrograms per ml, 10ml	#1	2	2.44	Neosporin BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)-10mg per ml, 7ml	#1	2	2.17	Aerocortin BW
POLYOESTRADIOL Carcinoma of the breast; Carcinoma of the prostate.				
Injection set containing 40mg and 2ml solvent	1	..	5.84	Estradurin AY
POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	#1	6	2.64	Liquifilm Tears AG
POTASSIUM Effervescent Tablet 6.5mEq K ⁺	100	2	2.64	Potavescent PT
25mEq K ⁺	30	2	2.71	K-Lyte MJ
POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	2.44	K-San PR K-Supp WL Slow-K CB Span-K PT
Effervescent Tablet 6.5mEq K ⁺ and 6.5mEq Cl ⁻	100	2	2.31	Kloref LP
14mEq K ⁺ and 8mEq Cl ⁻	30	2	2.31	Chlorvescent PT
Elixir 1.5g per 15ml, 500ml	#1	2	2.64	Kay Ciel CP
Sterile Solution 0.746g in 10ml (7.46%) for preparation of injection	5	..	3.51	AB
Sterile Solution 1g in 10ml(10%) for preparation of injection	5	..	3.51	AB
Injection Standard Maintenance Fluid - See Intravenous Fluids.				
PRALIDOXIME IODIDE Injection 500mg	5	..	8.84	AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PRAZOSIN HYDROCHLORIDE Supplementing beta-blockade in the treatment of hypertension.				
Tablet 1mg (base)	100	..	6.17	Minipress PF
2mg (base)	100	..	8.84	Minipress PF
PREDNISOLONE Tablet 1mg	100	1	2.31	Panafcort- elone PT
5mg	30	2	1.59	Panafcort- elone PT
			1.60	Adnisolone AV
				Delta-Cortef UP
				Deltasolone KL
				Precortisyl RL
				Prelone LF
				Solone FM
				LP,PR,RT(V)
25mg	30	1	3.51	Panafcort- elone PT
				Solone FM
Eye Ointment 0.5%, 4g	#1	..	2.44	Delta-Cortef UP
				Optocort PT
PREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration.				
Injection 10mg in 1ml * * *	5	..	5.49	Scherisolon SC
PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	#1	6	2.97	Sterofrin AQ
				UltracortenolZY
PREDNISOLONE ACETATE with PHENYLEPHRINE Corneal grafts; Uveitis.				
Eye Drops 1%-0.12%, 10ml	#1	..	3.77	Prednefrin Forte AG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PREDNISOLONE SODIUM PHOSPHATE Proctitis; Ulcerative colitis.					
Retention Enema 20mg in 100ml	7	..	14.65	Predsol	GL
Suppositories equivalent to 5mg prednisolone, 10 * * *	#1	..	5.53	Predsol	GL
PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5ml	#1	6	3.04	Codelsol Predsol	MK GL
Eye Ointment 0.5%, 3g	#1	..	2.44	Predsol	GL
PREDNISOLONE STEAGLATE Tablet 6.65mg	30	2	1.84	Sintisone	EC
PREDNISOLONE TERTIARYBUTYLACETATE For local intra-articular or peri-articular infiltration.					
Injection 20mg in 1ml	5	..	6.71	Codelcortone TBA	MK
PREDNISON Tablet 1mg	100	1	2.31	Panafcort	PT
5mg	30	2	1.59 1.60	Panafcort Adasone Decortisyl Deltasone Presone Propred Sone LP,PR	PT AV RL KL LF BB FM
25mg	30	1	3.51	Panafcort Sone	PT FM
PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	4.29	IC	
PRIMIDONE Tablet 250mg	200	1	4.84	Midone Mysoline	PT IC
Paediatric Suspension 125mg per 5ml, 500ml	#1	1	2.60	Mysoline	IC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PRINDOLOL Dissecting aneurysm (aortic); Hypertension; Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure.					
Tablet 5mg * * *	100	2	6.97	Visken	SZ
Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure.					
Injection 1mg in 5ml	5	..	5.11	Visken	SZ
PROBENECID Tablet 500mg	100	2	7.91 7.93	Proben Benemid	PT FR
PROCAINAMIDE Capsule 250mg	100	2	5.37	Pronestyl	SQ
375mg	100	2	6.84	Pronestyl	SQ
Injection 100mg per ml, 10ml	2	..	4.14	Pronestyl	SQ
PROCAINE PENICILLIN Injection BP 600mg	5	..	4.84	Aquacillin	FA
1g	5	..	6.44	Aquacaine Cilicaine Megacillin	CS SI FA
1.5g	5	..	6.84	Aquacaine Aquacillin Cilicaine	CS FA SI
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROCAINE PENICILLIN - cont. Crystalline Injection 300mg (solvent required)	5	..	4.31	Aquacaine G CS
900mg (solvent required)	5	..	4.84	Aquacaine G CS
1.5g (solvent required)	5	..	6.17	Aquacaine G CS
PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	5.51	Aquacaine G Fortified CS
PROCARBAZINE Capsule 50mg	100	..	12.04	Natulan RO
PROCHLORPERAZINE Tablet 5mg	50	1	2.03 2.04	Anti-Naus PT Compazine SK Stemetil MB
Injection 12.5mg in 1ml	10	..	3.77	Compazine SK Stemetil MB
Suppositories 5mg, 5	#1	..	2.17	Compazine SK Stemetil MB
25mg, 5	#1	..	2.57	Compazine SK Stemetil MB
PROCYCLIDINE Tablet 5mg	100	2	4.84	Kemadrin BW
PROGUANIL Tablet 100mg	100	2	3.53	Paludrine IC
PROMETHAZINE Tablet 10mg	50	2	1.91	Phenergan MB Prothazine KL
25mg	50	2	2.03 2.04	Meth-Zine PT MC Phenergan MB Prothazine KL
Mixture 5mg per 5ml, 100ml	#1	4	1.77	Phenergan MB Progan AV Prothazine KL
Injection 50mg in 2ml	10	..	3.04	BL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROMETHAZINE THEOCLATE Tablet 25mg	30	1	2.36	Avomine MB
PROPRANOLOL Authority required. Hypertension not responding to 160mg or less of propranolol daily; Frequent disabling angina without evidence of cardiac failure, not responding to 160mg or less of propranolol daily.				
Tablet 160mg * * *	100	2	20.84	Inderal IC
*Benign essential tremor (not Parkinsonian tremor); Dissecting aneurysm (aortic); Hypertension; Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure.				
Tablet 10mg	100	2	3.97	Inderal IC
40mg * * *	100	2	6.97	Inderal IC
Dissecting aneurysm (aortic); Idiopathic hypertrophic sub- aortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina with- out evidence of cardiac failure.				
Injection 1mg in 1ml	5	..	2.93	Inderal IC
PROPYLENE GLYCOL Spray Diluent Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200ml	#1	2	2.51	FA

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROPYLTHIOURACIL Tablet 25mg	100	2	3.24	ET
50mg	100	2	3.64	ET
PROSCILLARIDIN Tablet 250 micrograms	100	2	4.17	Talusin KN
PROTAMINE SULPHATE Injection 1%, 10ml	5	..	5.64	BT
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Phenylketonuria.				
Powder 100g sachet, 2kg	#1	2	11927	Albumaid XP MN
PROTRIPTYLINE Tablet 5mg	50	2	2.84	Concordin MK
10mg	50	2	3.64	Concordin MK
Capsule 5mg	50	2	2.84	Triptil FR
10mg	50	2	3.64	Triptil FR
PSEUDOEPHEDRINE HYDROCHLORIDE Tablet 30mg	100	2	2.17	Sudafed-M BW
60mg	100	2	2.71	Sudafed BW
Mixture 30mg per 5ml, 100ml	#1	4	1.88	Sudafed BW
PYRANTEL EMBONATE Tablet 125mg (base)	6	..	2.17	Combantrin GP
Mixture 50mg (base) per ml, 12ml	#1	..	2.17	Combantrin GP
PYRAZINAMIDE Tablet 500mg	500	..	55.75	Zinamide MK
PYRIDOSTIGMINE Tablet 10mg	100	2	3.77	Mestinon RO
60mg	100	2	12.17	Mestinon RO
180mg (sustained release)	100	1	16.31	Mestinon RO
Injection 1mg in 1ml	5	1	1.91	Mestinon RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PYRIDOXINE HYDROCHLORIDE Homocystinuria; Peripheral neuritis due to isoniazid therapy, prophylaxis or treatment; Primary hyperoxaluria; Pyridoxine-responsive anaemia, proven; Pyridoxine-responsive convulsions; Radiation sickness; Sideroblastic (refractory) anaemia.				
Tablet 25mg	100	..	2.84	Pydox Pyroxin DH,RY PT KL
* * *				
PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1ml	5	1	2.12 2.41	Pyroxin BL,FM KL
50mg per ml, 10ml	1	..	2.44	Pyroxin KL
PYRIMETHAMINE Tablet 25mg	50	..	2.84	Daraprim BW
QUINALBARBITONE SODIUM Tablet 100mg	25	..	1.24	RY
Capsule 50mg	50	..	1.64	Quinbar Seconal Sodium AV LY
100mg	25	..	1.55 1.60	Proquinal RY PT Seconal Sodium LY
QUINETHAZONE Tablet 50mg	50	2	3.80	Aquamox LE
QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	13.51	Kinidin AP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
QUINIDINE SULPHATE Tablet 200mg	100	2	12.77 12.84	DH,PT Cardoquin AV Quincardine FM Quinidoxin BW FA,KL,LP,PR, QE,(NQ),RT(V), TO
300mg (sustained release)	100	2	18.57	Quinidex RS
QUININE BISULPHATE Tablet 300mg	50	..	6.44 6.84	DH,PT Biquin AV Bi-Quinate KL Quinbisan PR BW,FA,LP
QUININE SULPHATE Tablet 300mg	50	..	6.71 6.84	DH,PT,QE(NQ) Adaquin AV Quinate KL Quinocetl FM Quinsan PR LP,SI,TO
RAUWOLFIA ALKALOIDS Tablet 2mg	100	1	3.11	Rauwiloid RK
RAUWOLFIA SERPENTINA Tablet 50mg	100	1	2.79 3.04 3.09	Rawlina LF Serenol PT Raudixin SQ
RESERPINE Tablet 250 micrograms	100	1	2.44	Resedrex HA Serpasil CB Tenserp VR RY
Injection 1mg	5	..	2.84	Serpasil CB
2.5mg	5	..	3.24	Serpasil CB
RIBOFLAVINE For pensioners. Tablet 5mg	100	2	1.64	FM,KL,RT(V)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ROLITETRACYCLINE				
I.V. Injection sets containing 110mg and 5ml solvent	5	..	7.44	Reverin HP
275mg and 10ml solvent	5	..	12.44	Reverin HP
350mg and 10ml solvent	5	..	12.44	Bristacin-A BC
I.M. Injection sets containing 150mg and 2ml solvent	5	..	7.44	Reverin HP
350mg and 2ml solvent	5	..	12.44	Bristacin-A BC Reverin HP
SACCHARIN or SACCHARIN SODIUM Tablets 30mg, 500	1	1	1.04	DH, FA
SALBUTAMOL				
Tablet 4mg	100	2	5.11	Ventolin AH
Syrup 2mg per 5ml, 300ml	#1	4	3.24	Ventolin AH
Inhalation Solution, for use in RESPIRATOR, 0.5%, 10ml	#1	2	3.51	Ventolin AH
Inhalation, metered aerosol spray, 100 micrograms per dose (200 dose)	#1	2	3.37	Ventolin AH
SALICYLAMIDE Tablet 500mg	100	2	2.17	PT
SCHICK-TEST TOXIN and CONTROL Injection set containing 0.5ml Schick-Test Toxin and 0.5ml Schick Control	1	..	1.91	CS
SECBUTOBARBITONE Tablet 15mg	50	..	1.38	Butisol Sodium ET
30mg	50	..	1.47	Butisol Sodium ET
50mg	50	..	1.66	Butisol Sodium ET
100mg	25	..	1.51	Butisol Sodium ET

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SMALLPOX VACCINE Injection, Capillary Tube	1	..	2.44	CS
SODIUM ACID CITRATE Mixture 5.5g per 20ml, 500ml	#1	4	2.84	Citralka PD
SODIUM AMINOSALICYLATE Tablet 500mg	500	2	11.51	Pasalba RY
SODIUM AUROTHIOMALATE Injection 1mg	5	..	4.84	Myocrisin MB
5mg	5	..	5.19	Myocrisin MB
10mg	5	..	5.89	Myocrisin MB
20mg	5	..	6.59	Myocrisin MB
50mg	5	..	8.49	Myocrisin MB
SODIUM BICARBONATE Injection 8.4%, 100ml	5	..	10.84	AB
4.2%, 500ml - See Intravenous Fluids				
SODIUM CALCIUMDEETATE Tablet 500mg	100	2	6.17	Calcium Disodium Versenate RK
Injection 200mg per ml, 5ml	6	..	7.51	Calcium Disodium Versenate RK
SODIUM CHLORIDE INJECTION 0.9%, 2ml	5	1	1.80	AB,BL,LP
0.9%, 5ml	5	1	1.97	AB,BL,LP
0.9%, 10ml	5	1	2.31	AB,BL,KL,LP
1 Litre size - See Intravenous Fluids				
SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND See Intravenous Fluids				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	2.71	Citravescent PT Dex-Cit RC Urade WW Ural Sachets AB
SODIUM CROMOGLYCAT Capsule 10mg (Nasal Insufflation)	100	2	9.91	Rynacrom FC
20mg (Inhalation)	100	2	17.37	Intal Spincaps FC
SODIUM LACTATE See Intravenous Fluids				
SODIUM LACTATE COMPOUND See Intravenous Fluids				
SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE See Intravenous Fluids				
SODIUM NITROPRUSSIDE For use in a hospital.				
Infusion 50mg * * *	10	..	40.84	Nipride RO
SODIUM NITROPRUSSIDE Diagnostic Tablet	100	..	2.44	Acetest AM
SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	2.24 2.44	QE(NQ) Ensulate RC Rhumax PR DH,KL,RY
500mg (enteric coated)	100	2	2.71	Rhumax PR KL
600mg (enteric coated)	100	2	2.44 3.04	QE(NQ) Ancosal AV Ensulate RC Rhumax PR DH,KL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SORBIDE NITRATE				
Tablet 10mg	100	2	2.04	Isordil AY Isotrate PD
Sublingual Tablet 5mg	100	2	1.91	Isordil AY Isotrate PD
SOYA FORMULA				
Authority required. Galactosaemia; Homocystinuria; Lactose intolerance; Cows' milk allergy in infants under the age of eighteen (18) months.				
NOTE: Milk allergy means eczema, asthma or severe gastro-intestinal upset demonstrated to be due to cows' milk by relief on with- drawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk.				
Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months.				
Age of patient to be shown on application for authority.				
Liquid 384ml	5	20	4.00	Isomil RD ProSobee MJ
425g	5	20	3.05	Soyalac SA
Powder 454g	2	20	5.34	Sobee MJ
SPECTINOMYCIN				
Injection 2g with 3.2ml diluent	1	..	5.51	Trobicin UP
4g with 6.5ml diluent	1	..	9.51	Trobicin UP
SPIRONOLACTONE				
Myasthenia gravis; Primary hyperaldosteronism; Secondary hyperaldosteronism; Supplementing other diuretics where these have proved inadequate.				
Tablet 25mg	100	..	9.41	Aldactone SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STANDARD MAINTENANCE FLUID See Intravenous Fluids				
STANOLONE Carcinoma of the breast. * * *				
Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 25mg	100	1	12.31	Protona DF
STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml	1	..	2.84	CS
Undiluted 5ml	1	..	3.11	CS
STILBOESTROL Tablet 500 micrograms	100	2	1.51	DH,HA
1mg	100	2	1.80	DH,HA,KL
5mg	100	2	1.91	DH,HA,KL, RT(V),SI
10mg	100	2	2.04	DH,KL,RT(V)
STILBOESTROL DIPHOSPHATE Carcinoma of the prostate.				
Tablet 100mg	100	2	16.04	Honvan MJ
Injection 250mg in 5ml	10	..	10.17	Honvan MJ
STREPTOKINASE For use in a hospital.				
Injection 100,000 I.U. (solvent required)	2	..	45.30	Kabikinase FA
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STREPTOKINASE - cont.				
Injection				
250,000 I.U. (solvent required)	2	..	75.08 79.70	Streptase HP Kabikinase FA
600,000 I.U. (solvent required)	5	..	404.04	Kabikinase FA
750,000 I.U. (solvent required)	5	..	475.24	Streptase HP
STREPTOMYCIN SULPHATE				
CAUTION: Streptomycin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.				
Injection 1g (solvent required)	5	3	4.84	GL
1,000,000 Units in 3ml	5	3	3.51	Strepolin 33-1/3% GL
SUCCINYLSULPHATHIAZOLE				
Tablet 500mg	100	..	2.64	PT
SULPHACETAMIDE SODIUM				
Eye Drops 10%, 15ml	#1	2	2.01 2.04	IQ Acetopt SI Bleph 10 AG KL
15%, 15ml	#1	2	2.04	Isopto Cetamide AQ
20%, 15ml	#1	2	2.01 2.04	IQ Acetopt SI
SULPHADIAZINE				
Tablet 500mg	40	2	2.01 2.04	PT DH,RY
SULPHADIAZINE SODIUM				
Injection 4ml	5	..	4.52	MB
SULPHADIMIDINE				
Tablet 500mg	40	2	2.01 2.04	S-Dimidine PT DH Sulpha- IC mezathine KL,RY
Suspension 500mg in 5ml, 100ml	#1	1	2.61	Sulpha- IC mezathine

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHAFURAZOLE				
Tablet 300mg	40	2	2.44	Gantrisin RO
500mg	40	2	2.57	MC
			2.71	Sulfazole PT
				Urogan AV
			2.84	Gantrisin RO
Paediatric Syrup				
500mg per 5ml, 100ml	≠1	1	2.91	Gantrisin RO
Eye Drops 4%, 10ml	≠1	2	2.04	Gantrisin RO
Eye Ointment 4%, 5g	≠1	..	1.77	Gantrisin RO
SULPHAMETHIZOLE				
Tablet 100mg	40	2	2.12	Urolucosil WW
250mg	40	2	2.44	PT
			2.57	Urolucosil WW
				Uroz HA
500mg	40	2	2.97	PT
			3.05	Thiosulfil AY
			3.51	Urolucosil WW
				Uroz HA
Paediatric Suspension				
100mg per 5ml, 100ml	≠1	1	2.32	Urolucosil WW
SULPHAMETHOXAZOLE				
Tablet 500mg	20	1	2.33	Gantanol RO
Syrup 500mg per 5ml, 50ml	≠1	2	2.17	Gantanol RO
SULPHAMETHOXYDIAZINE				
Tablet 500mg	12	..	2.31	Kirocid SC
SULPHAMETHOXYPYRIDAZINE				
Tablet 500mg	12	..	2.44	Lederkyn LE
SULPHAPHENAZOLE				
Tablet 500mg	20	1	1.73	Orisul CB
SULPHAPYRIDINE				
Tablet 500mg	100	..	5.31	M&B 693 MB
SULPHASALAZINE				
Tablet 500mg	100	2	7.04	Salazopyrin PS
500mg (enteric coated)	100	2	7.51	Salazopyrin-EN PS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SULPHASYMAZINE Tablet 500mg	20	1	3.37	Prosul	LE
SULPHINPYRAZONE Tablet 100mg	100	2	8.17	Anturan	GE
SULTHIAME Tablet 50mg	200	1	5.77	Ospolot	BN
200mg	200	1	12.13	Ospolot	BN
SURGICAL CEMENT For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.					
/Skin Bond Adhesive 4fl oz	1	2	/3.00	DY	
/Solvent 227ml	1	2	/2.33	Unisolve	DY
240ml	1	2	/1.88	Sacsol	LF
400ml	1	..	/2.81	Zoff	SN
TACRINE Injection 10mg, 2ml	5	1	2.24	T.H.A.	WH
30mg, 2ml	5	1	2.95	T.H.A.	WH
TERBUTALINE SULPHATE Tablet 5mg	100	2	5.11	Bricanyl Feevone	AP AP
Elixir 300 micrograms per ml, 300ml	/1	4	3.24	Bricanyl Feevone	AP AP
Injection 100 micrograms in 1ml	5	..	3.24	Bricanyl	AP
500 micrograms in 1ml	5	..	3.51	Bricanyl Feevone	AP AP
Inhalation, metered aerosol spray, 250 micrograms per dose (400 dose)	/1	1	5.64	Bricanyl Feevone	AP AP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TESTOSTERONE ENANTHATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 100mg in 1ml	1	2	4.07	Primoteston Depot SC
250mg in 1ml	1	2	5.84	Primoteston Depot SC
TESTOSTERONE ESTERS Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 100mg	1	2	3.37	Sustanon"100"OR
250mg	1	2	6.71	Sustanon"250"OR
TESTOSTERONE PROPIONATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 25mg in 1ml	10	..	4.87	Testoviron SC
50mg in 1ml	10	..	8.58	Testoviron SC
TETANUS VACCINE, ADSORBED Injection 0.5ml				
	3	..	3.12	CS
TETRACOSACTRIN Authority required. Children who need long-term corticosteroid therapy but who are in danger of growth suppression as a result; NOTE: Growth suppression may occur in patients treated with tetracosactrin. This availability should not be interpreted as indicating that tetracosactrin is preferable to corticosteroids in childhood. Age of child is to be stated on the application for authority.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACOSACTRIN - cont. Hypsarrhythmia; Multiple sclerosis, acute exacerbation; (An authority for up to 10 ampoules may be issued for this purpose). Patients who are being withdrawn from long-term corticosteroid therapy; (An authority for up to 5 ampoules may be issued for this purpose). Status asthmaticus; <u>NOTE:</u> Status asthmaticus means a severe paroxysm of bronchial asthma lasting more than 24 hours which has proved resist- ant to recognised therapy and where life is endangered. (An authority for up to 5 ampoules may be issued for this purpose). *Ulcerative colitis, proven, not responding to parenteral corticosteroids.				
Injection 500 micrograms in 1ml	5	..	9.71	Cortrosyn Depot OR Synacthen Depot CB
1mg in 1ml	5	..	14.77	Cortrosyn Depot OR Synacthen Depot CB
I.V. Infusion 250 micrograms in 1ml	5	..	15.49	Synacthen CB
TETRACYCLINE				
Capsule 100mg	25	..	2.37	Panmycin P UP
250mg	25	..	2.71	Achromycin LE Australmycin CS Hostacycline HP Hydracycline Plain FM Panmycin P UP Quatrax VR Tetracycline GP TetramykoinBZ (N) Tetrex-P BC
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE - cont. Syrup 125mg per 5ml, 100ml * * *	#1	..	2.20	Achromycin LE
TETRACYCLINE Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne. Capsule 250mg	50	5	4.58	Achromycin LE Australamycin CS Hostacycline HP Hydracycline Plain FM Panmycin P UP Quatrax VR Tetracyclon GP Tetramykoin BZ(N) Tetrex-P BC
TETRACYCLINE with NYSTATIN Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne. Tablet 250mg - 250,000 Units	50	5	4.98	Mysteclin SQ
Capsule 250mg - 250,000 Units	50	5	4.97 4.98	Mysteclin-V SQ Achrostatin LE Comycin UP Tetrex-F BC
* * *				
TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	2.91	Mysteclin SQ
Capsule 100mg - 125,000 Units	25	..	2.37	Achrostatin LE Comycin UP Mysteclin-V SQ
250mg - 250,000 Units	25	..	2.91	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
Syrup 125mg - 125,000 Units per 5ml, 100ml	#1	..	2.20	Achrostatin LE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE (BUFFERED) Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	4.57	Steclin-V SQ
			4.58	Achromycin-V LE
				Austramycin-VCS
				Hostacycline-P
				HP
				Hydracycline FM
				Panmycin M UP
				Tetracap PT
				Tetracyn-V GP
				Tetrex BC
* * *				
TETRACYCLINE (BUFFERED)				
Capsule 100mg	25	..	2.37	Achromycin-V LE
				Austramycin-VCS
				Hostacycline-P
				HP
250mg	25	..	2.71	Achromycin-V LE
				Austramycin-VCS
				Hostacycline-P
				HP
				Hydracycline FM
				Panmycin M UP
				Steclin-V SQ
				Tetracap PT
				Tetracyn-V GP
				Tetrex BC
Syrup 125mg per 5ml, 100ml	#1	..	2.20	Achromycin-V LE
				Hostacycline-P
				HP
				Panmycin KM UP
TETRACYCLINE (BUFFERED) with AMPHOTERICIN				
Syrup 125mg-25mg per 5ml, 100ml	#1	..	2.20	Mysteclin-V
				Improved SQ
THEOPHYLLINE				
Tablet 50mg	100	2	2.24	Nuelin
				Paediatric RK
125mg (continued)	100	2	3.04	Nuelin RK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THEOPHYLLINE - cont. Capsule 200mg	100	2	3.37	Elixophyllin CP
Elixir 80mg per 15ml, 500ml	¶1	4	2.44	A.B. KL Elixophyllin CP
THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE Tablet 130mg-24mg-8mg	100	2	2.31 2.55 2.57	Thelix CO Panasma PT Ephedrobarb-ital-T FM Franol WL Tedral WW Theophen HA
180mg-48mg-25mg (sustained release)	100	..	3.17	Tedral S.A. WW
Capsule 130mg-24mg-8mg	100	2	2.31	Theosec LY
Paediatric Suspension 65mg-12mg-4mg per 5ml, 100ml	¶1	2	1.93	Tedral WW
THEOPHYLLINE with GUAIPHENESIN Capsule 100mg-60mg	100	2	2.84	Quibron-C MJ
150mg-90mg	100	2	2.97	Quibron MJ
Elixir 150mg-90mg per 15ml, 500ml	¶1	4	2.71	Quibron MJ
THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	¶1	4	2.64	Elixophyllin-KI CP
THIABENDAZOLE Tablet 500mg	8	1	2.17	Mintezol MK
THIAMBUTOSINE Tablet 500mg	100	2	4.76	Ciba 1906 CB
THIAMINE HYDROCHLORIDE For pensioners. Tablet 50mg	100	2	2.04	Betamin KL Invite-B AV DH,LP,PR,PT, RT(V),RY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THIAMINE HYDROCHLORIDE - cont. Tablet 100mg	100	2	2.51 2.57	Invite-B AV Betamin KL LP, PR, PT, QE (NQ), RT (V), RY
* * *				
THIAMINE HYDROCHLORIDE Injection 100mg in 1ml	5	1	2.28 2.31	Beta-Sol FM Betamin ForteKL LP
THIETHYLPERAZINE Tablet 6.5mg (base)	50	1	2.17	Torecan SZ
Injection 6.5mg (base) in 1ml	10	..	3.24	Torecan SZ
Suppositories 6.5mg (base), 5	#1	..	1.57	Torecan SZ
THIOGUANINE Leukaemia.				
Tablet 40mg	25	1	26.17	Lanvis BW
THIOPROPAZATE Chorea; Drug induced dystonias.				
Tablet 5mg	100	1	5.72	Dartalan SR
THIORIDAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 10mg	100	1	2.16	Melleril SZ
25mg	100	1	2.89	Melleril SZ
50mg (continued)	100	1	4.80	Melleril SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THIORIDAZINE - cont.				
Tablet 100mg	100	1	8.76	Melleril SZ
Oral Solution				
3% (30mg per ml) 30ml	1	4	2.24	Melleril SZ
Injection 25mg per ml, 2ml	10	..	4.65	Melleril SZ
THIOTEPA				
Injection 15mg (solvent required)	2	1	7.78	LE
Eye Drops, set containing 15mg vial, 2 x 10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	1	5	#7.06	LE
THYROID				
Tablet 15mg	100	2	1.51	DH
30mg	100	2	1.64	DH,RT(V),SI
60mg	100	2	1.71	DH,RT(V),SI
125mg	100	2	1.91	DH,RT(V)
THYROXINE SODIUM				
Tablet 50 micrograms	100	2	1.64	Oroxine BW Thyroxinal FM RT(V)
100 micrograms	100	2	1.77	Oroxine BW Thyroxinal FM RT(V)
200 micrograms	100	2	1.91	Oroxine BW Thyroxinal FM
TOBRAMYCIN SULPHATE				
Authority required.				
Infections where positive bact- eriological evidence confirms that tobramycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.				
CAUTION: Tobramycin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TOBRAMYCIN SULPHATE - cont. Injection 40mg	5	..	18.39	Nebcin	LY
80mg	5	..	28.84	Nebcin	LY
TOLAZAMIDE Tablet 250mg	100	2	7.51	Tolinase	UP
TOLBUTAMIDE Tablet 500mg	100	2	3.68	Artosin Rastinon	BO HP
1g	50	2	3.77	Artosin Rastinon	BO HP
TRANLYCYPROMINE Depressive illness resistant to treatment with tricyclic anti- depressants or electro- convulsive therapy; Obsessive compulsive neurosis. <u>CAUTION:</u> This drug is a mono- amine oxidase inhibitor and should not be used with sym- pathomimetic amines. Pre- cautions should be taken with diet and additional medication.					
Tablet 10mg	50	1	4.31	Parnate	SK
TRIAMCINOLONE ACETONIDE Alopecia areata; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid.					
Injection 10mg in 1ml * * *	5	..	8.84	Kenacort-A10	SQ
TRIAMCINOLONE ACETONIDE Cream 0.02%, 100g	#1	..	2.44	Aristocort 0.02% Kenalone 0.02%	LE SQ
0.05%, 30g	#1	1	2.16	Aristocort 0.05% Kenalone	LE SQ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIAMCINOLONE ACETONIDE - cont. Ointment 0.02%, 100g	#1	..	2.44	Kenalone 0.02% SQ
0.05%, 30g	#1	1	2.16	Kenalone SQ
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Drops 0.1%-0.25% (base) - 0.025%-100,000 Units per g, 7.5ml	#1	2	2.17	Kenacomb OticSQ
Ear Cream 0.1%-0.25%(base)- 0.025%-500,000 Units in 5g	#1	2	2.01	Kenacomb OticSQ
Ear Ointment 0.1%-0.25%(base)- 0.025%-500,000 Units in 5g	#1	2	2.01	Kenacomb OticSQ
TRIAMTERENE Tablet 100mg	50	2	4.84	Dytac SK
TRICLOFOS Syrup 500mg per 5ml, 200ml	#1	4	2.17	Tricloryl GL
TRIFLUOPERAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 1mg	100	1	3.59	Calmazine PT Stelazine SK Terfluzin MB
2mg	100	1	4.91	Calmazine PT Stelazine SK Terfluzin MB
5mg	100	1	5.41	Calmazine PT Stelazine SK Terfluzin MB
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TRIFLUOPERAZINE - cont.					
Syrup 1mg per 5ml, 100ml	1	4	1.85	Stelazine	SK
Injection 1mg in 1ml	10	..	4.44	Stelazine	SK
1mg per ml, 2ml	10	..	4.84	Stelazine	SK
TRIGLYCERIDES, MEDIUM CHAIN					
Authority required.					
Patients requiring a ketogenic diet for intractable childhood epilepsy;					
Proven malabsorption.					
Compound Powder 454g * * *	2	10	10.66	Triglyde	MJ
Authority required.					
Cystic fibrosis;					
Multiple disaccharidase defic- iency.					
Protein Hydrolysate Compound Powder 454g	2	10	14.14	Pregestimil	MJ
TRIMEPRAZINE					
Tablet 10mg	50	2	2.31	Vallergan	MB
TRIMETAPHAN					
Injection set containing 250mg and 5ml water for injections	3	..	12.44	Arfonad	RO
TRIMETHOPRIM with SULPHAMETHOXAZOLE					
Tablet 80mg-400mg	20	..	3.72	Bactrim Septrin	RO BW
Capsule 80mg-400mg	20	..	3.72	Bactrim Septrin Trib	RO BW SU
Suspension					
40mg-200mg per 5ml, 100ml	1	..	3.08	Bactrim Septrin Trib	RO BW SU
TRIMIPRAMINE					
Tablet 25mg	50	2	2.80	Surmontil	MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIOXYSALEN Vitiligo.				
Tablet 5mg	100	..	20.84	Trisoralen PT
TRIPROLIDINE				
Tablet 2.5mg	50	2	2.31	Actidil BW
Paediatric Elixir 1mg per 5ml, 100ml	≠1	4	1.77	Actidil BW
TRISODIUM EDETATE				
Injection 200mg per ml, 5ml	6	1	10.17	Sodium Versenate RK
TROXIDONE				
Capsule 300mg	200	1	8.77	Tridione AB
TYPHOID VACCINE				
Injection 0.5ml	3	1	3.48	CS
TYPHUS VACCINE				
Injection 1ml	2	..	21.64	CS
UREA				
Cream 10%, 100g	≠1	2	3.84	Aquacare H.P. AG Calmurid PS
VANCOMYCIN				
For use in a hospital.				
Injection 500mg (solvent required)	5	..	42.49	Vancocin LY
VASOPRESSIN TANNATE				
Oily Injection 5 Units in 1ml	10	1	14.70	Pitressin Tannate PD
VERAPAMIL HYDROCHLORIDE				
Cardiac arrhythmias.				
Tablet 40mg	100	2	6.44	Isoptin KN
Injection 5mg in 2ml	5	..	3.24	Isoptin KN
VINBLASTINE				
Injection 10mg (solvent required)	1	..	17.61	Velbe LY
VINCRIStINE				
Injection set containing 1mg and 10ml solvent	5	..	74.19	Oncovin LY
5mg and 10ml solvent	1	..	64.17	Oncovin LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
VIPRYNIUM EMBONATE					
Tablet 50mg	8	1	2.17	Vanquin	PD
Suspension 10mg per ml, 30ml	≠1	1	2.17	Vanquin	PD
VITAMIN SUPPLEMENT					
Authority required.					
Galactosaemia;					
Persistent monosaccharide intolerance;					
Phenylketonuria;					
Tyrosinosis, hereditary.					
Tablet	100	2	3.51	Ketovite	ST
Liquid 100ml	≠1	2	2.12	Ketovite	ST
WARFARIN					
Tablet 1mg	50	2	3.51	Coumadin Marevan	EN AH
2mg	50	2	3.71	Coumadin	EN
2.5mg	50	2	3.84	Coumadin	EN
3mg	50	2	3.64	Marevan	AH
5mg	50	2	3.91	Coumadin Marevan	EN AH
7.5mg	50	2	4.68	Coumadin	EN
10mg	50	2	5.84	Coumadin Marevan	EN AH
Injection set containing 50mg and 2ml solvent	5	..	9.89	Coumadin	EN
WATER FOR INJECTIONS					
Injection 2ml	5	3	1.72	AB,BL,BZ(NQTW), KL,LP,SI	
5ml	5	3	1.84	AB,BL,BZ(NQTW), KL,LP,SI	
10ml	5	3	2.04	AB,BL,BZ(NQTW), KL,LP,SI	
WOOL ALCOHOLS					
Ointment 100g	1	1	≠1.01	Eucerin	SN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
WOOL FAT, HYDROUS #50g tube or jar	1	..	/0.74	DH
ZINC AND ADRENALINE Eye Drops 0.25%-0.01%, 15ml	#1	2	1.96	B.A.Z. KL
ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15ml	#1	2	2.04	Prefrin-Z AG Zincfrin AQ
ZINC SULPHATE Eye Drops 0.25%, APF 15ml	#1	2	1.96	KL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINO ACIDS with ALCOHOL, VITAMINS and ELECTROLYTES 5%-5%, 500ml	2	1	17.18	Aminofusin A 5% with Alcohol PC
AMINO ACIDS with SORBITOL 30g-50g(300 kcal) per litre, 500ml	2	1	13.64	Aminofusin Standard PC
50g-100g(600 kcal) per litre, 500ml	2	1	15.78	Aminofusin 600 PC
100g-100g(800 kcal) per litre, 500ml	2	1	21.30	Aminofusin Forte PC
AMINO ACIDS with SORBITOL and ALCOHOL 50g-100g-30g(850 kcal) per litre, 500ml	2	1	16.12	Aminofusin 850 PC
50g-100g-50g(1,000 kcal) per litre, 500ml	2	1	17.18	Aminofusin 1000 PC
AMINO ACIDS with VITAMINS and ELECTROLYTES 5%, 500ml	2	1	15.78	Aminofusin 5% PC
10%, 500ml	2	1	21.30	Aminofusin 10% PC
DEXTRAN 40 10% with 5% anhydrous dextrose, 500ml	10	..	80.84 100.84	Lomodex FC Rheomacrodex PS
10% with 0.9% sodium chloride, 500ml	10	..	80.84 100.84	Lomodex FC Rheomacrodex PS
DEXTRAN 70 6% with 5% anhydrous dextrose, 500ml	10	..	60.84	Macrodex PS
10% with 5% anhydrous dextrose, 500ml	10	..	69.24	Macrodex PS
6% with 0.9% sodium chloride, 500ml	10	..	60.84	Macrodex PS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXTROSE INJECTION				
5%, 1 litre	5	1	12.49	AB,TV
10%, 1 litre	5	1	14.19	AB,TV
20%, 1 litre	2	1	6.18	AB,TV
25%, 1 litre	2	1	6.18	AB,TV
50%, 500ml	2	1	5.06	AB
ELECTROLYTE REPLACEMENT SOLUTION				
1 litre	2	1	6.18	Normosol R AB Plasma - Lyte 148 TV
MANNITOL				
10%, 1 litre	1	1	4.08	AB
20%, 500ml	1	1	4.08	AB
SODIUM BICARBONATE				
4.2%, 500ml	1	1	2.95	AB
SODIUM CHLORIDE INJECTION				
0.9%, 1 litre	5	1	11.49 12.49	VF(N) AB,TV
3%, 1 litre	2	1	6.18	AB,TV
5%, 1 litre	2	1	6.18	TV
SODIUM CHLORIDE COMPOUND BPC 1959				
1 litre	4	1	11.52	AB,TV
SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE				
0.9%-5%, 1 litre	2	1	6.18	AB,TV
0.9%-10%, 1 litre	2	1	6.18	AB,TV
0.9%-20%, 1 litre	2	1	5.74	AB
0.45%-2.5%, 500ml	5	1	12.49	AB,TV
0.225%-3.75%, 500ml	5	1	12.49	AB,TV
0.18%-4%, 1 litre	5	1	12.49	AB,TV
0.18%-4.3%, 1 litre	5	1	13.09	AB

INTRAVENOUS FLUIDS FOR INJECTION

121

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM LACTATE (Solution 1/6 Molar) 1 litre	5	1	13.09 14.19	VF(N) AB
SODIUM LACTATE COMPOUND 1 litre	5	1	12.49	AB,TV
SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE 5%, 1 litre	2	1	6.18	AB,TV
STANDARD MAINTENANCE FLUID 500ml	6	..	13.50	AB

SECTION 3 - SCHEDULE OF BENEFITS
DECEMBER 1976

Preparations Available for Colostomy
and Ileostomy Use

Preparations Available for Use by Paraplegic
and Quadriplegic Patients

A dagger (†) in front of the form of an item and in the price column indicates a packed line which will be supplied under the original label when prescribed except where the prescription bears specific instructions for use, then the item is to be labelled.

2 PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions to be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACRYLIC RESIN Solution 100ml Aerosol Spray	1	..	6.44 6.68 7.51	Liquidoplast PT Octaflex WB Nobecutane AH
BENZOIN Compound Tincture BPC 35%, 167ml Aerosol Spray	1	..	3.77	LF
CHARCOAL Tablet 300mg	500	1	9.51	Char-Bon LF QE(NQ),TO
CHLORAMINE Deodorant Tablet 120mg	500	..	4.51	Klortee PT
Powder 25g	1	4	2.04	Klortee PT
DEODORANT CONCENTRATE /Liquid 15ml	1	..	/1.73	Zerodor ZR
0.5fl oz	1	..	/1.59	Banish DY
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "Teric" N8, 125g in 500ml	1	..	2.71	TAGG LF
DIMETHICONE Cream 10%, 50g				
10%, 75g				
20%, 20g				
See Section 2 * * *				
Solution 9.84%, 200g Aerosol Spray	1	..	4.71	Rikospray Silicone RK
10%, 180ml Aerosol Spray	1	..	3.51	LF
POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	/1	5	9.91	Stomahesive Set SQ

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121ml	1	..	3.77	Spray-On- Bande LF
SODIUM CARBOXYMETHYLCELLULOSE with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	#1	..	2.04	Orabase SQ
Powder 33.3%-33.3%-33.3%, 15g	#1	..	2.04	Orahesive SQ
STERCULIA (Indian Tragacanth; Gum Karaya) Discs, 12	#1	5	5.77 6.17	DY BH, HO
Discs, Compound, 10	#1	5	7.51	Colly-seels DY
/Powder 200g	1	..	/2.25 /2.40	Karagum PT EV
Squares, 6	#1	5	11.51	BH
SURGICAL CEMENT /Skin Bond Adhesive 4fl oz /Solvent 227ml 240ml 400ml See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLÉGIC PATIENTS

4 (Prescriptions to be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "Teric" N8, 125g in 500ml * * *	1	..	2.71	TAGG LF
BISACODYL Suppositories 10mg, 5				
See Section 2				
DIMETHICONE Cream 10%, 50g 10%, 75g 20%, 20g				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50mg 120mg				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL Suppositories 100mg-10mg, 5				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50mg-50mg				
See Section 2				
DIPHEMANIL METHYLSULPHATE Dusting Powder 2%, 50g				
See Section 2				
GLYCEROL Suppositories 1g, 12				
See Section 2				

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PARAFFIN LIQUID /Emulsion 500ml /Emulsion with Phenolphthalein, 500ml				
See Section 2				
SURGICAL CEMENT /Skin Bond Adhesive 4fl oz /Solvent 227ml 240ml 400ml				
See Section 2				

SECTION 4

SCHEDULE OF BENEFITS
DRUGS AVAILABLE FOR EXTEMPORANEOUS
PREPARATIONS

DECEMBER 1976

Drug	Drug
Acetone BPC (use as additive only)	Benzyl Benzoate BP
ACIDS	Borax BP
Acetic BP	Brilliant Green BP
Acetic Dilute BP	Caffeine BP
Ascorbic BP	Caffeine Citrate BPC 59
(use as ingredient of Mixtures of Ferrous Sulphate APF and PL)	Calamine BP
Benzoic BP	CALCIUM
Boric Crystal BP	Carbonate BP
Boric Powder BP	Gluconate BP
Citric BP	Hydroxide BP
Hydrochloric BP	Camphor BP
Hydrochloric Dilute BP	(use as additive only)
Lactic BP	Cetomacrogol Emulsifying Wax BP
Oleic BP	Cetostearyl Alcohol BP
Salicylic BP	Cetrimide BP
Stearic BPC	Chalk BP
Tannic BP	Chloral Hydrate BP
Trichloroacetic BP	Chlorbutol BP
Acriflavine BPC 63	Chlorhexidine Acetate BP
Adrenaline BP	(use as additive only)
Adrenaline Acid Tartrate BP	Chlorinated Lime BPC
ALCOHOLS	Chlorocresol BP
95% BP	Chloroform BP
(use as additive only)	(use as additive only)
90% BP	Cineole BPC
(use as additive only)	(use as additive only)
Alum, Potash BP	Clioquinol BP
Aluminium Hydroxide Gel BP	Cocaine BP
Aluminium Hydroxide Gel Dried BP	Cocaine Hydrochloride BP
Amaranth BPC 54	Codeine Phosphate BP
Aminacrine Hydrochloride BP 68	Collodion Flexible BP
Aminophylline BP	CREAMS
Ammoniated Mercury BP	Aqueous APF
AMMONIUM	Aqueous APF 64
Bicarbonate BPC	Aqueous BP
Chloride BP	Aqueous Emulsifying Wax APF 55
Amylobarbitone BP	Calamine Oily APF
Amylobarbitone Sodium BP	Cetomacrogol Aqueous APF
Application Benzyl Benzoate BP	Cetomacrogol Aqueous APF 69
Aspirin BP	Cetrimide Aqueous APF
Atropine BPC	Oily BP
Atropine Methonitrate BP	Zinc BP
Atropine Sulphate BP	Zinc Oily APF
	Creosote BPC 59
	Crystal Violet BP
Beeswax White BP	
Bentonite BP, sterilised	Dextrose BP
Benzocaine BP	(use as additive only)
	Disodium Edetate BP

Drug	Drug
Dithranol BP	Lactose BP
Emulsifying Wax BP	Lignocaine Hydrochloride BP
Ephedrine BPC	LINIMENTS
Ephedrine Hydrochloride BP	Camphor BP
Ether Anaesthetic BP	Iodine Compound APF 55
(use as additive only)	Methyl Salicylate APF
Ether Solvent BP	Methyl Salicylate Compound APF
(use as additive only)	Soap BPC
EXTRACTS	Turpentine BP
Hamamelis Liquid BPC	Lotion Calamine BP
Hyoscyamus Liquid BPC	Magenta BPC
Ipecacuanha Liquid BP	MAGNESIUM
Liquorice Liquid BP	Carbonate Heavy BP
Nux Vomica Liquid BP	Carbonate Light BP
Stramonium Liquid BP 68	Oxide Light BP
Ferric Ammonium Citrate BP	Sulphate BP
FERROUS	(may only be prescribed for
Gluconate BP	other than oral use)
Sulphate BP	Sulphate Dried BP
Sulphate Dried BP	(may only be prescribed for
Gelatin BP	other than oral use)
GLYCERINS	Trisilicate BP
Borax BPC 59	Menthol BP
Ichthammol BPC	Mercuric Chloride BPC
Glycerol BP	Methylcellulose 20 BPC
GUMS	(use as an additive in applic-
Acacia BP	ations, creams, ear drops,
Tragacanth BP	eye drops, liniments,
Homatropine Hydrobromide BP	lotions, nasal instillations,
Honey Purified BPC	ointments, paints, pastes)
(use as additive only)	Methylcellulose 4500 BPC
Hypromellose 4500 BPC	(use as an additive in applic-
(use as additive only)	ations, creams, ear drops,
Ichthammol BPC	eye drops, liniments,
INFUSIONS	lotions, nasal instillations,
Buchu Concentrated BPC 54	ointments, paints, pastes)
1 in 8	Methylene Blue BP
Gentian Compound Concentrated	METHYL
BP 1 in 10	Hydroxybenzoate BP
Senega Concentrated BPC	Salicylate BP
1 in 10	MIXTURE
Iodine BP	Magnesium Hydroxide BP
Isoprenaline Sulphate BP	Morphine Hydrochloride BP
Kaolin, Light or Kaolin,	Morphine Sulphate BP
Light (Natural) BP	MUCILLAGES
	Acacia APF
	Methylcellulose APF
	Tragacanth BPC

Drug	Drug
OILS Anise BP Arachis BP (use as additive only) Cade BPC Castor BP (use as additive only) Citronella BPC (use as additive only) Clove BP Coconut BPC Eucalyptus BP (use as additive only) Lavender Spike BPC 68 Lemon Terpeneless BPC Linseed BP 63 (use as additive only) Maize BP (use as additive only) Olive BP (use as additive only) Peppermint BP (use as additive only) Pumilio Pine BPC Rosemary BPC Siberian Fir BPC 49 Turpentine BP (use as additive only) OINTMENTS Ammoniated Mercury BP Benzocaine and Adrenaline APF Benzoic Acid Compound APF Capsicum BPC Colophony BPC 59 Emulsifying BP Hamamelis BPC Iodine Non-staining APF 64 Iodine Non-staining BPC 68 Menthol Compound APF 64 Methyl Salicylate BPC Paraffin White BPC Paraffin Yellow BPC Salicylic Acid BP Simple White BP Simple Yellow BP Sulphur BP Wool Alcohols BP Zinc BP Zinc and Castor Oil BP Oxymel BPC	Oxyphenonium Bromide (extemporaneously prepared eye drops only) Paint Magenta APF Paracetamol BP Paraffin Hard BP Paraffin Liquid BP (may only be prescribed for other than oral use) Paraffin Liquid Light BPC 63 Paraffin Soft White BP Paraffin Soft Yellow BP Paraldehyde BP PASTES Zinc Compound BP Zinc and Salicylic Acid BP Pectin (Apple or Citrus) Pentobarbitone Sodium BP Phenobarbitone BP Phenobarbitone Sodium BP Phenol BP (not available for ear drops) Phenol Liquefied BP (not available for ear drops) Phenylephrine Hydrochloride BP Phenylmercuric Nitrate BP Phthalylsulphathiazole BP Physostigmine BPC Physostigmine Salicylate BP Pilocarpine Hydrochloride BPC Pilocarpine Nitrate BP Podophyllum Resin BP POTASSIUM Chlorate BPC Chloride BP Citrate BP Iodide BP Permanganate BP POWDERS Hydroxybenzoate Compound APF Rhubarb BP Tragacanth Compound BP Procaine Hydrochloride BP Proflavine Hemisulphate BPC Propylene Glycol BP Propyl Hydroxybenzoate BP Quinalbarbitone Sodium BP Resorcinol BP

Drug	Drug
Saccharin Sodium BP (use as additive only) Silver Nitrate BP Silver Protein BPC 68 Silver Protein Mild BPC 68 SOAPS Ethereal APF 55 Soft BP SODIUM Acid Phosphate BP Benzoate BP Bicarbonate BP Chloride BP Citrate BP Iodide BP Metabisulphite BP Phosphate BP Salicylate BP Sulphate BP Thiosulphate BPC (use as additive only) SOLUTIONS Adrenaline BP Aluminium Acetate BPC Amaranth APF Amaranth APF 69 Amaranth APF 64 Amaranth BPC Amaranth Compound APF Ammonia Dilute BPC Ammonia Strong BPC Ammonium Acetate Strong BPC Benzalkonium Chloride 50% BP Benzoic Acid APF Benzoic Acid BPC Calcium Hydroxide BPC Caramel APF (use as additive only) Chlorhexidine Gluconate BP (use as additive only) Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Simple BPC 59 Iodine Weak BP Lead Subacetate Dilute BPC Lead Subacetate Strong BPC Morphine Hydrochloride BPC Potassium Hydroxide BP Sodium Chloride BPC Tartrazine APF	SPIRITS Ammonia Aromatic BPC Anise BPC 49 Camphor BPC 59 Camphor Compound APF Chloroform BP Lemon APF Methylated Industrial BP (use as additive only) Peppermint BPC Squill Oxymer BPC Starch BP Streptomycin Sulphate BP (may only be prescribed in ear drops) Succinylsulphathiazole BP Sucrose BP Sulphacetamide Sodium BP Sulphadiazine BP Sulphadimidine BP Sulphur Precipitated BP Sulphur Sublimed BPC Sulphurated Potash BPC SYRUPS Aromatic APF Aromatic APF 69 Chloral BPC 68 Codeine Phosphate BPC Ferrous Phosphate Compound BPC 68 Ginger BPC Glycerophosphate Compound APF 64 Golden Acidified APF 55 Lemon APF Lemon APF 69 Lemon Neutral APF Lemon Neutral APF 69 Orange BPC, APF 69 Orange APF Pholcodine Citrate BPC 59 (use as additive only) Raspberry BPC Red APF Red APF 69 Squill BPC Syrup BP Tolu BPC Talc Purified BP, sterilised Tar BP

Drug	Drug
Tar Coal BPC Tar Coal Prepared BP Tartrazine BPC 54 Theophylline BP Theophylline Hydrate BP Thymol BP Thymol Mouth Wash Compound APF Thymol Red Mouth Wash APF TINCTURES Belladonna BP Benzoin Compound BPC Cardamom Aromatic BPC 68 Cardamom Compound BP Catechu BPC Gelsemium BPC Ginger Strong BP Ginger Weak BP Hyoscyamus BP Ipecacuanha BP Lobelia Ethercal BPC Myrrh BPC Nux Vomica BP Opium BP Opium Camphorated BP Orange BPC 68 Quillaia BPC Rhubarb Compound BP Squill BPC Stramonium BP Titanium Dioxide BPC Triethanolamine BPC	WATERS - cont. Peppermint Concentrated BP 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP Xylene of Commerce BPC 49 (use as additive only) ZINC Oxide BP Sulphate BP
WATERS Anise Concentrated BPC 1 in 40 (use as additive only) Anise Concentrated BPC 63 1 in 40 (use as additive only) Camphor Concentrated BPC 49 1 in 40 Chlorbutol APF 55 Chloroform Concentrated APF 1 in 40 Cinnamon Concentrated BPC 1 in 40 (use as additive only) For injections BP ≠ 100ml (extemporaneously prepared eye drops and eye lotions)	

TABLE OF MAXIMUM QUANTITIES AND
NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Preparation	Maximum Quantity	No. of Repeats
Applications	200ml	2
Creams	100g	1
Dusting Powders	100g	1
Ear Drops	15ml	2
Elixirs	100ml	4
Eye Drops		
Cocaine	15ml	..
Physostigmine	15ml	6
Pilocarpine	15ml	6
Others	15ml	2
Eye Lotions	200ml	1
Gargles	200ml	4
Glycerins	100ml	1
Inhalations	50ml	1
Inhalations Solid	4g	1
Linctuses	100ml	2
Liniments	100ml	1
Lotions	200ml	2
Mixtures	200ml	4
Mixtures for Children	100ml	4
Mouth Washes	200ml	1
Nasal Instillations	15ml	2
Ointments, Waxes	100g	1
Paints	25ml	1
Pastes	100g	1
Powders		
for internal use	100g	2
for Irrigation	100g	1
Soaps	200ml	1
Solutions	200ml	2
Syrups	100ml	4
Tinctures	25ml	1

SECTION 5 — PRESCRIBERS' LIST

1

DECEMBER 1976

PRESCRIPTION

CREAMS

(Maximum Quantity 100 g and 1 Repeat)

ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution	5	ml
Zinc Oxide	20	g
Wool Fat	25	g
Arachis Oil	25	ml
Purified Water, freshly boiled and cooled	27	ml

AQUEOUS (APF, BP)

Emulsifying Ointment	30	g
Chlorocresol	100	mg
Purified Water, freshly boiled and cooled to	100	g

BUFFERED, AQUEOUS (APF)

Sodium Phosphate	2.5	g
Citric Acid	500	mg
Chlorocresol	100	mg
Glycerol	5	ml
Emulsifying Ointment	30	g
Purified Water, freshly boiled and cooled to	100	g

CALAMINE, AQUEOUS (APF)

Calamine	4	g
Zinc Oxide	3	g
Cetomacrogol Emulsifying Wax	6	g
Arachis Oil	30	g
Purified Water, freshly boiled and cooled to	100	g

CALAMINE, OILY (APF)

Calamine	32	g
Oleic Acid	0.5	ml
Arachis Oil	21.5	ml
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	ml

CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax	15	g
Liquid Paraffin	10	g
White Soft Paraffin	10	g
Chlorocresol	150	mg
Glycerol	5	ml
Purified Water, freshly boiled and cooled to	100	g

CETRIMIDE, AQUEOUS (APF)
(Cetrimide BPC)

[illegible]

Chlorhexidine Gluconate Solution						5	ml
Cetomacrogol Emulsifying Wax						25	g
Liquid Paraffin						10	g
Purified water, freshly boiled and cooled to						100	g

[illegible]

White Beeswax	17	g
Liquid Paraffin	45	g
Borax	1	g
Purified Water, freshly boiled and cooled	37	g

[illegible][illegible]

Wool Alcohols Ointment, APF					50	g
Purified Water, freshly boiled and cooled					50	ml

BORIC ACID (APF)

[illegible]

CHLORHEXIDINE (APF)

Chlorhexidine Acetate						7.5 mg
Purified Water, freshly boiled and cooled to						15 ml

ICHTHAMMOL (APF)

[illegible]

PHENYLMERCURIC NITRATE (APF)

Phenylmercuric Nitrate		15	mg
Propylene Glycol		7·5	ml
Purified Water, freshly boiled and cooled to		15	ml

SALICYLIC ACID (APF)

Salicylic Acid		300	mg
Alcohol (90 per cent)		7·5	ml
Purified Water, freshly boiled and cooled to		15	ml

SODIUM BICARBONATE (APF, BPC)

Sodium Bicarbonate ..	750	mg
Glycerol	4.5	ml
Purified Water, freshly boiled and cooled to	15	ml

SPIRIT (APF)

Alcohol (90 per cent)	7.5 ml
Purified Water, freshly boiled and cooled to	15 ml

ELIXIRS

(Maximum Quantity 100 ml and 4 Repeats)

EPHEDRINE (APF)

[illegible]

(Maximum Quantity 100 ml and 2 Repeats)

CAMPBOR, COMPOUND (APF)

[illegible]

CODEINE (APF)

[illegible]

SIMPLE (APF)

[illegible]

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

CAMPHOR (APF, BP)

[illegible]

METHYL SALICYLATE (APF, BPC)

[illegible]

METHYL SALICILATE, COMPOUND (APF)

[illegible]

PREScription

LINIMENTS—continued

SOAP (APF, BPC)

[illegible]

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

CALAMINE (APF, BP)

Calamine		30	g
Zinc Oxide		10	g
Bentonite, sterilised		6	g
Sodium Citrate		1	g
Liquefied Phenol		1	ml
Glycerol		10	ml
Purified Water, freshly boiled and cooled to		200	ml

CALAMINE OILY (APF, BPC)

[illegible]

RESORCINOL, COMPOUND (APF)

Resorcinol		5	g
Solvent Ether		5	ml
Castor Oil		5	ml
Spike Lavender Oil		0.2	ml
Alcohol (90 per cent)	to	200	ml

SULPHURATED (APF)

[illegible]

(Maximum Quantity 200 ml and 4 Repeats)

ALUMINIUM HYDROXIDE and BELLADONNA (APF)

[illegible]

AMINOPHYLLINE COMPOUND (PL)

[illegible]

ASPIRIN (APF)

[illegible]

CAFFEINE, IODIDE and EPHEDRINE (PL)

Synonym: C.I.E. Mixture

[illegible]

CHALK and KAOLIN (APF)

[illegible]

PREScription

MIXTURES—continued

CHLORAL (APF)

[illegible]

FERROUS SULPHATE (APF)

[illegible]

GENTIAN, ACID (PL)

Concentrated Compound Gentian Infusion					1	ml
Dilute Hydrochloric Acid					0.5	ml
Concentrated Chloroform Water					0.25	ml
Purified Water to					10	ml

GENTIAN, ALKALINE (APF)

Concentrated Compound Gentian Infusion				1	ml
Sodium Bicarbonate	..			500	mg
Concentrated Chloroform Water				0.25	ml
Purified Water to				10	ml

IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture						0.25	ml
Compound Camphor Spirit						1	ml
Tolu Syrup						1	ml
Squill Oxymel						1	ml
Concentrated Chloroform Water						0.15	ml
Concentrated Anise Water						0.15	ml
Purified Water to						10	ml

KAOLIN and OPIUM (APF)

Light Kaolin or Light Kaolin (Natural)	2.5	g
Potash Alum	10	mg
Opium Tincture	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

MAGNESIUM TRISILICATE (APF)

[illegible]

POTASSIUM CHLORIDE (APF)

[illegible]

POTASSIUM CITRATE (APF)

Potassium Citrate					g
Citric Acid ..					mg
Lemon Syrup, APF					ml
Concentrated Chloroform Water					ml
Purified Water to					ml

POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate		1	g
Sodium Bicarbonate		750	mg
Orange Syrup, APF		1	ml
Concentrated Chloroform Water		0·2	ml
Purified Water to		10	ml

POTASSIUM IODIDE and STRAMONIUM COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

[illegible]

PREScription

MIXTURES—continued

SENEGA and AMMONIA (APF)

[illegible]

SODIUM CITRATE (APF)

Sodium Citrate	2	g
Citric Acid	400	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.2	ml
Purified Water to	10	ml

SODIUM SALICYLATE (APF)

[illegible]

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

DEXTROSE AND GLYCEROL (APF)

[illegible]

EPHEDRINE (APF)

Ephedrine Hydrochloride		150	mg
Chlorbutol ..		75	mg
Sodium Chloride		75	mg
Propylene Glycol		0·75	ml
Purified Water, freshly boiled and cooled to		15	ml

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

BENZOIC ACID COMPOUND (APF, BPC)

Benzoic Acid in fine powder						6	g
Salicylic in fine powder						3	g
Emulsifying Ointment						91	g

PRESCRIPTION

PAINTS—continued

MAGENTA (APF)

[illegible]

PODOPHYLLIN (APF)

Podophyllum Resin	1.25 g
Benzoin Tincture, Compound to	25 ml

PODOPHYLLIN, STRONG (APF)

(Podophyllin, Compound BPC)

Podophyllum Resin	3.75 g
Benzoin Tincture, Compound to	25 ml

SALICYLIC ACID (APF)

[illegible]

PASTES

(Maximum Quantity 100 g and 1 Repeat)

COAL TAR and ZINC (APF)

Coal Tar, BPC	1	g
Castor Oil	1	g
Compound Zinc Paste	98	g

DITHRANOL and ZINC (APF)

[illegible]

TITANIUM DIOXIDE (APF)

[illegible]

PREScription

PASTES—continued

ZINC, COMPOUND (APF, BP)

[illegible]

ZINC and SALICYLIC ACID (APF)

[illegible]

POWDERS

(Maximum Quantity 100 g and 2 Repeats)

ALUMINIUM and MAGNESIUM TRISILICATE (APF)

Dried Aluminium Hydroxide Gel					10	g
Magnesium Trisilicate					50	g
Light Kaolin or Light Kaolin (Natural)					40	g

MAGNESIUM and CALCIUM CARBONATE (APF)

[illegible]

SECTION 5 — PRESCRIBERS' LIST

CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100 ml and 4 Repeats)

ALUMINIUM HYDROXIDE and KAOLIN (APF)

Light Kaolin or Light Kaolin (Natural)	1	g
Sodium Citrate	5	mg
Concentrated Chloroform Water	0.1	ml
Aluminium Hydroxide Gel to	5	ml

ASPIRIN (APF)

Aspirin	150	mg
Compound Tragacanth Powder	100	mg
Raspberry Syrup	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

ATROPINE METHONITRATE (APF)

Atropine Methonitrate	0.5	mg
Lemon Syrup, APF	0.5	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

BELLADONNA (APF)

Belladonna Tincture	0.1	ml
Orange Syrup, APF	1	ml
Glycerol	1	ml
Benzoic Acid Solution, APF	0.1	ml
Purified Water to	5	ml

CALCIUM and KAOLIN (APF)

Calcium Carbonate	500	mg
Light Kaolin or Light Kaolin (Natural)	1	g
Potash Alum	5	mg
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

CHLORAL (APF)

Chloral Hydrate	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

CHILDREN'S SECTION

PRESCRIPTION

MIXTURES—continued

FERROUS GLUCONATE (APF)

Ferrous Gluconate								200	mg
Dextrose								500	mg
Orange Syrup, APF								1	ml
Citric Acid	..							25	mg
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

FERROUS SULPHATE (APF)

Ferrous Sulphate								100	mg
Ascorbic Acid								5	mg
Orange Syrup, APF								1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture								0.1	ml
Compound Camphor Spirit								0.25	ml
Squill Oxymel								1	ml
Purified Water to								5	ml

POTASSIUM CITRATE (APF)

Potassium Citrate								1	g
Citric Acid								200	mg
Lemon Syrup, APF								1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

POTASSIUM IODIDE (APF)

Potassium Iodide								100	mg
Liquorice Liquid Extract								0.25	ml
Aromatic Ammonia Spirit								0.1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

POTASSIUM IODIDE and EPHEDRINE (APF)

Potassium Iodide								100	mg
Ephedrine Hydrochloride	..							10	mg
Stramonium Tincture								0.2	ml
Aromatic Ammonia Spirit								0.1	ml
Liquorice Liquid Extract								0.2	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

 PRESCRIPTION

 MIXTURES—*continued*

SODIUM CITRATE (APF)

Sodium Citrate	1	g
Citric Acid	200	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and
ileostomy use

(P & Q) Preparations available for use by paraplegic
and quadriplegic patients

Proprietary Name	Manufacturer	Name
A.B.	KL	Theophylline
Abbecillin	AB	Penicillin Products
Abbecillin G	AB	Benzylpenicillin
Abbecillin-V	AB	Phenoxymethylpenicillin
Abbecillin-VK	AB	Phenoxymethylpenicillin
Acetest	AM	Sodium Nitroprusside
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actal	WL	Aluminium Hydroxide Gel Dried
Actidil	BW	Triprolidine
Actrapid M.C. Novo	AH	Insulin Neutral Specially Purified
Actrapid-Novo	AH	Insulin Neutral
Adacillin	AV	Phenoxymethylpenicillin
Adacor	AV	Hydrocortisone
Adaphol	AV	Pholcodine
Adaquin	AV	Quinine Sulphate
Adasone	AV	Prednisone
Adnisolone	AV	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Akineton	KN	Biperiden
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Allerzine	VR	Diphenylpyraline
Almacarb Suspension	AH	Aluminium Hydroxide Gel with Magnesium Hydroxide
Almacarb Tablet	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amesec	LY	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Aminofusin	PC	Amino Acids with Sorbitol and Alcohol

Proprietary Name	Manufacturer	Name
Aminofusin 5%	PC	Amino Acids with Vitamins and Electrolytes
Aminofusin 10%	PC	Amino Acids with Vitamins and Electrolytes
Aminofusin 600	PC	Amino Acids with Sorbitol
Aminofusin 850	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin 1000	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin A 5% with Alcohol	PC	Amino Acids with Alcohol, Vitamins and Electrolytes
Aminofusin Forte	PC	Amino Acids with Sorbitol
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminogran	GL	Amino Acid Formula without Phenylalanine
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	BB	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anacyclin	CB	Lynoestrenol with Mestranol
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	AH	Meclozine
Ancosal	AV	Sodium Salicylate
Androphyllin	ET	Aminophylline
Anginine	BW	Glyceryl Trinitrate
Stabilised		
Anoidal	HA	Benzalkonium Chloride
Anovlar	SC	Norethisterone Acetate with Ethinyl-oestradiol
Ansolysen	MB	Pentolinium Tartrate
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Apresoline	CB	Hydrallazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine	CS	Procaine Penicillin
Aquacaine G	CS	Procaine Penicillin
Aquacaine G Fortified	CS	Procaine Penicillin Fortified

Proprietary Name	Manufacturer	Name
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquamephyton	MK	Phytomenadione
Aquamide	RL	Frusemide
Aquamide M	RL	Frusemide
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Arfonad	RO	Trimetaphan
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T.10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Aventyl	LY	Nortriptyline
Avil	HP	Pheniramine
Avilettes	HP	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
B		
Bactrim	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Baycaron	BN	Mefruside
B.A.Z.	KL	Zinc and Adrenaline
Becotide	AH	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Betacard	BR	Alprenolol
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate 1/2	GL	Betamethasone Valerate
Betnovate Otic	GL	Betamethasone with Clioquinol
Bicillin All Purpose	WY	Benzathine Penicillin Compound

Proprietary Name	Manufacturer	Name
Bidramine	AV	Diphenhydramine
Biogastrone	BQ	Carbenoxolone Sodium
Biomydrin	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bi-prin	BT	Aspirin
Biquin	AV	Quinine Bisulphate
Bi-Quinate	KL	Quinine Bisulphate
Blenoxane	BC	Bleomycin
Bleph 10	AG	Sulphacetamide Sodium
Bramahist	BB	Chlorpheniramine
Bramcetamol	BB	Paracetamol
Bramcillin	BB	Phenoxymethylpenicillin
Bramcycline	BB	Oxytetracycline
Bramiron	BB	Ferrous Fumarate
Bram-Mycin	BB	Erythromycin
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Cloпамide
Bristacin-A	BC	Rolitetraсycline
Bristin	BC	Ampicillin
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin Forte	BC	Aspirin (Buffered)
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalan	LP	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbutobarbitone
Butoroid	VR	Phenylbutazone
Butoz	HA	Phenylbutazone
Buzon	KL	Phenylbutazone
C		
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Cal-tab	HA	Calcium
Camoquin	PD	Amodiaquine
Capadex	FM	Dextropropoxyphene Hydrochloride with Paracetamol

Proprietary Name	Manufacturer	Name
Caprilac	CG	Goats' Milk
Caprocin	LY	Capreomycin
Carbapen	CS	Carbenicillin
Carbazole	PT	Carbimazole
Cardiox	AV	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	AV	Quinidine Sulphate
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Carobel	MN	Ceratonia
Catapres	BY	Clonidine
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celestone-M	SH	Betamethasone Valerate
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporan	GL	Cephaloridine
Ceporex	GL	Cephalexin
Cerubidin	MB	Daunorubicin
Char-Bon	LF	Charcoal (C & I)
Chlomin	KL	Chloramphenicol
Chloradorm	KL	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloramol	PT	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromycetin	PD	Chloramphenicol
Succinate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlortet	LF	Chlortetracycline
Chlorvescent	PT	Potassium Chloride
Choledyl	WW	Choline Theophyllinate
Chlotride	FR	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Cidomycin	RL	Gentamicin Sulphate
Cilicaine	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Citralka	PD	Sodium Acid Citrate

Proprietary Name	Manufacturer	Name
Citrapen	DL	Phenoxyethylpenicillin
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Closina	LY	Cycloserine
Codelcortone	MK	Prednisolone Tertiarybutylacetate
T.B.A.		
Codelsol	MK	Prednisolone Sodium Phosphate
Codiphen Forte	GP	Codeine Phosphate with Aspirin and Paracetamol
Codral Forte	BW	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colly-seels	DY	Sterculia (C & I)
Coloxyl	FM	Diethyl Sodium Sulphosuccinate with Bisacodyl
Coloxyl 50	FM	Diethyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diethyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diethyl Sodium Sulphosuccinate with Danthron
Coluric	AV	Colchicine
Coly-Mycin	WW	Colistin
Injection		
Coly-Mycin	WW	Colistin with Neomycin
Ear Drops		
Combantrin	GP	Pyrantel Embonate
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrosyn Depot	OR	Tetracosactrin
Cotazym	OR	Pancrelipase
Coumadin	EN	Warfarin
Crasnitin	MB	Colaspase
Crema-Quin	HA	Clioquinol
Crystapen	GL	Benzylpenicillin
Cuprimine	MK	Penicillamine
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar	UP	Cytarabine

Proprietary Name	Manufacturer	Name
		D
Dalacin C	UP	Clindamycin
Dale	CE	Goats' Milk
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Debendox	ML	Dicyclomine with Doxylamine and Pyridoxine
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decasone	FR	Dexamethasone
Decasone Shock Pak	FR	Dexamethasone
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "O"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Desferal	CB	Desferrioxamine
Dexacillin	SQ	Epicillin
Dex-Cit	RC	Sodium Citro-Tartrate
Dexamethasone	PT	Dexamethasone
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diabinese M	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	TV	Peritoneal Dialysis Solution
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator
Dichlotride	MK	Hydrochlorothiazide
Diclomyl	KL	Dicyclomine Hydrochloride
Di-Gesic	DL	Dextropropoxyphene Hydrochloride with Paracetamol
Dihydergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide Gel with Magnesium Hydroxide
Dijene Suspension		
Dijene Tablet	BT	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Forte	PD	Phenytoin

Proprietary Name	Manufacturer	Name
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone
Dilosyn	AH	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Dindevan	AH	Phenindione
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Diubram	BB	Chlorothiazide
Diuret	PT	Chlorothiazide
Diurone	KL	Chlorothiazide
Doburil	BY	Cyclothiazide
Donnalix	RS	Belladonna Alkaloids
Donnatab	RS	Belladonna Alkaloids
Doriden	CB	Glutethimide
Doriden Forte	CB	Glutethimide
Doriden Sed	CB	Glutethimide
Dormel	DH	Chloral Hydrate
Dormicum	SU	Nitrazepam
Doxin	GP	Doxycycline
D-Penamine	DL	Penicillamine
Droleptan	ET	Droperidol
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	PI	Lactulose
Durabolin	OR	Nandrolone Phenylpropionate
Durolax	BY	Bisacodyl
Duro-Tuss	RK	Pholcodine
Dymadon	BW	Paracetamol
Dytac	SK	Triamterene
E		
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinylloestradiol
Edulen	SR	Ethinodiol Diacetate with Ethinylloestradiol
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elavil	FR	Amitriptyline
Elix-Nocte Forte	AV	Chloral Hydrate
Elixophyllin	CP	Theophylline
Elixophyllin-KI	CP	Theophylline with Potassium Iodide
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate

Proprietary Name	Manu- fac- turer	Name
Ephedrobarbital	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital-T	FM	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Epifrin	AG	Adrenaline
Epinal	AQ	Adrenaline
Eppy	ET	Adrenaline
Eratrex	BC	Erythromycin
Ergalan	AH	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergomine	PT	Ergometrine Maleate
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Eskacef	SK	Cephadrine
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepifylline
Ethamolin	GL	Ethanolamine Oleate
Ethryn	FA	Erythromycin
Eucerin	SN	Wool Alcohols
Euglucon	FM	Glibenclamide
Eugnon	SC	Norgestrel with Ethinylloestradiol
Eugnon-ED	SC	Norgestrel with Ethinylloestradiol
Eumydrin	WL	Atropine Methonitrate
		F
Fabahistin	BN	Mebhydrolin
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Feevone	AP	Terbutaline Sulphate
Fefol 2	SK	Ferrous Sulphate Dried with Folic Acid
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro G	HA	Ferrous Gluconate
Ferro-Gradumet	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried

Proprietary Name	Manufacturer	Name
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Flavopen	GP	Phenoxyethylpenicillin
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
FML Liquifilm	AG	Fluorometholone
Folasic	AV	Folic Acid
Folettes	FM	Folic Acid
Formulax	HP	Diethyl Sodium Sulphosuccinate with Danthron
Fortral	WL	Pentazocine
Fortuss	GP	Dihydrocodeine Tartrate
Franol	WL	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Fucidin	SK	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
G		
Galactomin	MN	Milk Powder - Synthetic
Formula 17		
Galactomin	MN	Milk Powder - Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastro-Caloreen	MN	Dextrose Polymer
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastroid	BB	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gaviscon	RC	Alginic Acid Compound
Gaviscon Infant	RC	Alginic Acid Compound
Gelox	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Glaucomide	PT	Acetazolamide
Glaucan	AQ	Adrenaline
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucose	MJ	Nutramigen
Nutramigen		
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin

Proprietary Name	Manufacturer	Name
Gynergen	SZ	Ergotamine Tartrate
Gynovlar	SC	Norethisterone Acetate with Ethinyloestradiol
		H
Haelan	DL	Flurandrenolone
Haemaccel	HP	Plasma Substitute
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histaids	OD	Chlorpheniramine
Histalert	RK	Diphenylpyraline
Histryl	SK	Diphenylpyraline
Histryl-P	SK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	MJ	Stilboestrol Diphosphate
Hostacycline	HP	Tetracycline
Hostacycline P	HP	Tetracycline (Buffered)
Hyalase	FC	Hyaluronidase
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydracycline Plain	FM	Tetracycline
Hydrea	SQ	Hydroxyurea
Hydrenox	BT	Hydroflumethiazide
Hydrocortone	MK	Hydrocortisone Acetate
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hynax	VR	Hydrocortisone
Hyperstat I.V.	SH	Diazoxide
Hypertensin	CB	Angiotensin Amide
Hysone-A	PT	Hydrocortisone Acetate
		I
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imferon-D	FC	Iron Dextran
Imiprin	PT	Imipramine
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoral	BQ	Phenformin
Insoral TD	BQ	Phenformin
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	AV	Thiamine Hydrochloride

Proprietary Name	Manufacturer	Name
Iramil	KL	Imipramine
Ismelin	CB	Guanethidine
Iso-Autohaler	RK	Isoprenaline Sulphate
Isomil	RD	Soya Formula
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Sorbide Nitrate
Isotiny1	KL	Isoniazid
Isotrate	PD	Sorbide Nitrate
Isuprel	WL	Isoprenaline Hydrochloride
J		
Jectofer	AP	Iron Sorbitol
K		
Kabikinase	FA	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide Gel with Kaolin
Kaomagma	WY	Aluminium Hydroxide Gel with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karagum	PT	Sterculia (C & I)
Kay Ciel	CP	Potassium Chloride
Keflex	LY	Cephalexin
Keflin	LY	Cephalothin Sodium
Kefzol	DL	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Kloref	LP	Potassium Chloride
Klortee	PT	Chloramine (C & I)
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
K-Supp	WL	Potassium Chloride

Proprietary Name	Manu- fac- turer	Name
		L
Lacril	AG	Hypromellose
Lanchloral	LP	Chloral Hydrate
Langesic	LP	Paracetamol
Lanocide	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanpen	LP	Phenoxymethylpenicillin
Lantuss	LP	Pholcodine
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	SU	Amitriptyline
Lasix	HP	Frusemide
Lasix-M	HP	Frusemide
Lasix High Dose	HP	Frusemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demeclocycline
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Levopa	PT	Levodopa
Levophed	WL	Noradrenaline
Lignosporin	BW	Polymyxin B Sulphate with Lignocaine
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CB	Baclofen
Liprinal	MJ	Clofibrate
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone Pivalate
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane	IC	Gamma Benzene Hexachloride
Concentrate		
Loridine	DL	Cephaloridine
Lostat	PD	Clofibrate
L.P.G.	CS	Benzathine Penicillin
L.P.V.	CS	Phenoxymethylpenicillin
L.P.V. Aqueous	CS	Phenoxymethylpenicillin
Forte		

Proprietary Name	Manufacturer	Name
Lubarol	DH	Paraffin Liquid
Lyndiol 2.5	OR	Lynoestrenol with Mestranol
Lynoral	OR	Ethinylloestradiol
Lyophrin	AQ	Adrenaline
Lysivane	MB	Ethopropazine
		M
M & B 693	MB	Sulphapyridine
Maalox	RG	Magnesium-Aluminium Hydroxide
Macrodex	PS	Dextran 70
Magnoplasma	FA	Magnesium Sulphate
Mandaze	HA	Hexamine Mandelate
Mandelamine	WW	Hexamine Mandelate
Mandelamine	WW	Hexamine Mandelate
Hafgrams		
Manialith	MN	Lithium Carbonate
Marevan	AH	Warfarin
Marzine	BW	Cyclizine
Maxolon	BR	Metoclopramide Hydrochloride
Medihaler-Iso	RK	Isoprenaline Sulphate
Medrol	UP	Methylprednisolone
Medrol	UP	Methylprednisolone Acetate
Medrol Enpak	UP	Methylprednisolone Acetate
Megacillin	FA	Procaine Penicillin
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Merasyn	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide
Mesantoin	SZ	Methoin
Mestion	RO	Pyridostigmine
Methergin	SZ	Methylergometrine
Methopt	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metilar	SD	Paramethasone
Metin	CS	Methicillin
Mevasine	MK	Mecamylamine
Microcyclin	CB	Lynoestrenol with Mestranol
Microgynon 30	SC	Norgestrel with Ethinylloestradiol
Microgynon 30 ED	SC	Norgestrel with Ethinylloestradiol
Microlut 28	SC	Norgestrel
Micronor	ET	Norethisterone
Microval 28	WY	Norgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Magnesium Hydroxide
Milontin	PD	Phensuximide
Minajel	MG	Aluminium Hydroxide Gel

Proprietary Name	Manufacturer	Name
Minipress	PF	Prazosin Hydrochloride
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyl- oestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyl- oestradiol
Mintezol	MK	Thiabendazole
Miochol	CP	Acetylcholine Chloride
Mithracin	PF	Mithramycin
Moderate	SQ	Fluphenazine Decanoate
Mogadon	RO	Nitrazepam
Monotard M.C. Novo	AH	Insulin Zinc Suspension Specially Purified
Mortha	WH	Morphine with Tacrine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Magnesium Hydroxide
Myleran	BW	Busulphan
Mylosed	VR	Amylobarbitone
Mylosed	VR	Amylobarbitone Sodium
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mysteclin-V Improved	SQ	Tetracycline (Buffered) with Amphotericin
Mytelase	WL	Ambenonium Chloride
N		
Nardil	WW	Phenelzine
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neo-Flumen	GA	Hydrochlorothiazide
Neogynon	SC	Norgestrel with Ethinylloestradiol

Proprietary Name	Manufacturer	Name
Neogynon ED	SC	Norgestrel with Ethinyloestradiol
Neomate	LF	Neomycin
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulactil	MB	Pericyazine
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Neutratabs	HA	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nivaquine	MB	Chloroquine
Nobecutane	AH	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nordette 21	WY	Norgestrel with Ethinyloestradiol
Nordette 28	WY	Norgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordirol 21	WY	Norgestrel with Ethinyloestradiol
Nordirol 28	WY	Norgestrel with Ethinyloestradiol
Noriday	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl 1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyl-oestradiol
Norlutin-A	PD	Norethisterone Acetate
Normosol R	AB	Electrolyte Replacement Solution
Nortab	SQ	Nortriptyline
Noveril	SZ	Dibenzepin
Novosprin	VR	Aspirin (Soluble)
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
		0
Octaflex	WB	Acrylic Resin (C & I)
Omnopon	RO	Papaveretum
Omnopon-Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Opclor	PD	Chloramphenicol

Proprietary Name	Manu- fac- turer	Name
Optipen	CS	Phenethicillin
Optocort	PT	Prednisolone
Orabase	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Orahesive	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Oratrol	AQ	Dichlorophenamide
Orbenin	BR	Cloxacillin
Orisul	CB	Sulphaphenazole
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin High Potency	GL	Calciferol
Ovostat 22	OR	Lynoeestrenol with Ethinyloestradiol
Ovostat 28	OR	Lynoeestrenol with Ethinyloestradiol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovral 28	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5	SR	Ethynodiol Diacetate with Mestranol
Ovulen 1	SR	Ethynodiol Diacetate with Mestranol
Ovulen 2	SR	Ethynodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 0.5/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Oxycycline	PT	Oxytetracycline
P		
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Panacete	PR	Paracetamol
Panadol	WL	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panamax	WL	Paracetamol
Panasma	PT	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Pancrex "V"	ST	Pancreatin
Panmycin KM	UP	Tetracycline (Buffered)

Proprietary Name	Manufacturer	Name
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	AV	Paracetamol
Paraspen	FC	Paracetamol
Parfenac	LE	Bufexamac
Parmol	KL	Paracetamol
Parnate	SK	Tranylcypromine
Pasalba	RY	Sodium Aminosalicylate
Paxyl	FA	Benzalkonium Chloride
Pectolin	FA	Pholcodine
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pen-Cilin V	LF	Phenoxymethylpenicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Pentobeta	BB	Pentobarbitone Sodium
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Methyltestosterone
Periactin	FR	Cyproheptadine
Perolysen	MB	Pemphidine
Persantin	BY	Dipyridamole
Pertofran	GE	Desipramine
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Petrolagar	WY	Paraffin Liquid
Petrolagar with Phenolphthalein	WY	Paraffin Liquid
Pfipen V	PF	Phenoxymethylpenicillin
Phenergan	MB	Promethazine
Phentoin	PT	Phenytoin Sodium
Phiacort	RS	Hydrocortisone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Phyline	CO	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Physeptone	BW	Mehtadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafucin	GB	Natamycin
Pimafucort Otic	GB	Natamycin, Neomycin Sulphate and Hydrocortisone
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate

Proprietary Name	Manufacturer	Name
PK AID I	MN	Amino Acid Formula without Phenylalanine
PK AID II	MN	Amino Acid Formula without Phenylalanine
Placemol	VR	Paracetamol
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	AV	Ferrous Aminoacetosulphate
Pluryl	SK	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Potavescent	PT	Potassium
Prantal	SH	Diphenamil Methylsulphate
Precortisyl	RL	Prednisolone
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn-Depot	SC	Oestradiol Valerate
Primolut-N	SC	Norethisterone
Primolut Nor	SC	Norethisterone Acetate
Primoteston Depot	SC	Testosterone Enanthate
Pripsen	RC	Piperazine Phosphate
Proben	PT	Probenecid
Procalm	BB	Chlorpromazine
Procort	PR	Hydrocortisone
Prodepress	BB	Imipramine
Prodol	BB	Aspirin (Soluble)
Progan	AV	Promethazine
Progout	PT	Allopurinol
Proladone	CK	Oxycodone
Promacid	KL	Chlorpromazine
Prominal	WL	Methylphenobarbitone
Pronestyl	SQ	Procainamide
Propaderm	AH	Beclomethasone Dipropionate
Propen-VK	PT	Phenoxymethylpenicillin
Propred	BB	Prednisone
Proquinal	PT	Quinalbarbitone Sodium
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prosul	LE	Sulphasymazine
Protasma	PT	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Prothazine	KL	Promethazine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin 500	DH	Aspirin (Soluble)
Purinethol	BW	Mercaptopurine

Proprietary Name	Manu- fac- turer	Name
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	KL	Pyridoxine Hydrochloride
Q		
Quatrax	VR	Tetracycline
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin
Quinate	KL	Quinine Sulphate
Quinbar	AV	Quinalbarbitone Sodium
Quinbisan	PR	Quinine Bisulphate
Quincardine	FM	Quinidine Sulphate
Quinidex	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinocet	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate
Quitaxon	FM	Doxepin
R		
Rapitard-Novo	AH	Insulin Biphasic
Rastinon	HP	Tolbutamide
Raudixin	SQ	Rauwolfia Serpentina
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Serpentina
Rectinol	GP	Benzocaine with Adrenaline
Repalyte	DH	Electrolyte Replacement (Oral)
Resedrex	HA	Reserpine
Resochin	BN	Chloroquine
Restal	HA	Amylobarbitone
Reverin	HP	Rolitetraacycline
Rheomacrodex	PS	Dextran 40
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Rikodeine	RK	Dihydrocodeine Tartrate
Rikospray Silicone	RK	Dimethicone (C & I)
Rivotril	RO	Clonazepam
Rondomycin	WW	Methacycline
Rynacrom	FC	Sodium Cromoglycate
S		
Sacsol	LF	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine
Sandocal 1000	SZ	Calcium

Proprietary Name	Manu- fac- turer	Name
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
S-Dimidine	PT	Sulphadimidine
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Semilente M.C.	AH	Insulin Zinc Suspension (Amorphous)
Novo		Specially Purified
Septrin	BW	Trimethoprim with Sulphamethoxazole
Serazone	VR	Chlorpromazine
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
Serenol	PT	Rauwolfia Serpentina
Serpasil	CB	Reserpine
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Simeco Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Sinemet	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintisona	EC	Prednisolone Steaglate
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Slow-Fe	CB	Ferrous Sulphate Dried
Slow-K	CB	Potassium Chloride
Sobee	MJ	Soya Formula
Sodexol	SC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Sodium Sedal	FA	Amylobarbitone Sodium
Sodium Versenate	RK	Trisodium Edetate
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solgesil	DH	Codeine Phosphate with Aspirin and Paracetamol
Solone	FM	Prednisolone
Solprin	RC	Aspirin (Soluble)
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Solusal	HA	Aspirin (Soluble)

Proprietary Name	Manufacturer	Name
Somipra	LF	Imipramine
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Sone	FM	Prednisone
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spray-On-Bande	LF	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Calciferol
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptolin 33-1/3%	GL	Streptomycin Sulphate
Streptase	HP	Streptokinase
Sudafed	BW	Pseudoephedrine Hydrochloride
Sudafed-M	BW	Pseudoephedrine Hydrochloride
Sulfazole	PT	Sulphafurazole
Sulfamylon	WL	Maphenide Acetate
Sulphamezathine	IC	Sulphadimidine
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen	CB	Tetracosactrin
Synacthen Depot	CB	Tetracosactrin
Synalar 01	IC	Fluocinolone Acetonide
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
T		
Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
TAGG	LF	Deodorant Detergent Solution (C & I) (P & Q)
Talecid	SC	Phthalylsulphacetamide
Talusin	KN	Proscillaridin
Tavegyl	SZ	Clemastine
Tedral	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tedral S.A.	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tegretol	GE	Carbamazepine
Teledrin-P	SK	Chlorpheniramine
Tempra	MJ	Paracetamol

Proprietary Name	Manufacturer	Name
Tenserp	VR	Reserpine
Terfluzin	MB	Trifluoperazine
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terramycin	PF	Oxytetracycline with Polymyxin B
Terrastatin	PF	Oxytetracycline with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetracap	PT	Tetracycline (Buffered)
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
Tetrex-P	BC	Tetracycline
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Thelix	CO	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Theophen	HA	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Theosec	LY	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiosulfil	AY	Sulphamethizole
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Topilar	SD	Fluclorolone Acetonide
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Trasicor	CB	Oxprenolol
Trib	SU	Trimethoprim with Sulphamethoxazole
Tricloryl	GL	Triclofos
Tridione	AB	Troxidone
Triglyde	MJ	Triglycerides, Medium Chain
Triptil	FR	Protriptyline
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
		U
Ultracortenol	ZY	Prednisolone Acetate
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Unisolve	DY	Surgical Cement

Proprietary Name	Manufacturer	Name
Urade	WW	Sodium Citro-Tartrate
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol
Uro-Carb	HA	Bethanechol
Urogon	AV	Sulphafurazole
Urolucosil	WW	Sulphamethizole
Uroz	HA	Sulphamethizole
V		
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vanquin	PD	Viprynum Embonate
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Velbe	LY	Vinblastine
Velosef	SQ	Cephhradine
Vendarcin	GB	Oxytetracycline
Venocort	PT	Hydrocortisone Sodium Succinate
Ventolin	AH	Salbutamol
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vicin	KL	Phenoxymethylpenicillin
Vioform	CB	Clioquinol
Viokase	RS	Pancreatin Enzyme (4 X USNF XIII)
Visken	SZ	Prindolol
V.P.V.	VR	Phenoxymethylpenicillin
X		
Xylocard 100	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Y		
Yomesan	BN	Niclosamide
Z		
Zadine	SH	Azatadine Maleate
Zarontin	PD	Ethosuximide
Zephiran Concentrated	WL	Benzalkonium Chloride
Zerodor	ZR	Deodorant Concentrate (C & I)
Zinamide	MK	Pyrazinamide
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dropster	Knoll Laboratories - Eye and ear drops
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitts - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Evanules	Allen & Hanburys - Injections
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous fluids
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratories - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Orgaject	Organon - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith, Kline & French - Delayed release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Tabloid	Burroughs Wellcome - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Aust. Pharm. Industries - Preparations
Venosol	Farmer Hill - Intravenous fluids
Viaflex	Travenol Laboratories - Intravenous fluids
Viules	Boots - Injections
Wellcome	Burroughs Wellcome - Preparations

