



PHARMACEUTICAL BENEFITS

DECEMBER 1977 EDITION

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF BENEFITS

DECEMBER 1977 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY/FEBRUARY/MARCH

AMENDMENTS TO SECTION 1 - LEMON PAGES
MANUFACTURERS - ADDRESS AND CODE

Page No.	Manufacturer	Code	Amendment Effective
22	Add Owen Laboratories 8 Wattle Road, Brookvale, N.S.W. 2100	OL	1/2/78

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
4	1039Q	AMINOPHYLLINE Tablet 100mg	100	2	2.27	Cardophyllin HA Carine KL DH,RT,SI	1/1/78 1/1/78 1/1/78
5	1152P	Suppositories 100mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1041T	175mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1042W	250mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1043X	400mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
9	1107G	BENZALKONIUM CHLORIDE Compound Suppositories, 12	1	1	2.48	Paxyl FA	1/12/77
10	2984C	BISMUTH SUBGALLATE Compound Ointment 50g	1	1	2.48	Anusol WW	1/1/78
	1122C	Compound Suppositories, 12	1	1	2.48	Anusol WW	1/1/78
11	1123D	BORIC ACID Powder 100g	1	..	0.68	FA	1/3/78
14	1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	4.20	Nivaquine MB	1/12/77
16	3141H	CLONIDINE Tablet 150 micrograms	100	2	7.74	Catapres BY	1/1/78
17	1215Y	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL Tablet 8mg-250mg-250mg	100	2	2.84	RY	1/12/77
22	1331C	DI- IODOHYDROXYQUINOLINE Compound Pessaries 100mg, 25	1	1	2.91	Floraquin SR	1/1/78

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
22	2618T	DIMETHICONE Cream 10%, 75g	1	..	1.87	Silcon FA	1/3/78
23	2501P	DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25micrograms	20	..	2.35	Lomotil SR	1/1/78
	2502Q	Liquid 2.5mg-25micrograms per 5ml, 60ml	1	..	2.35	Lomotil SR	1/1/78
26	1271X	ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	4.80	Ethamolin GL	1/12/77
26	1413J	ETHOSUXIMIDE Capsule 250mg	200	1	12.54	Zarontin PD	1/1/78
	1414K	Paediatric Syrup 250mg per 5ml, 250ml	≠1	4	4.27	Zarontin PD	1/1/78
28	2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	≠1	..	2.47	Locacorten Vioform CB	1/12/77
32	1467F	HEPARIN Injection BP 5,000 Units in 1ml	5	5	7.74	WP	1/2/78
39	2318B	LIOTHYRONINE Tablet 20 micrograms	100	1	*3.05 2.80	Tertroxin GL Tertroxin GL	1/12/77 1/2/78
39	3059B	LITHIUM CARBONATE Tablet 250mg	100	2	3.07	Lithicarb PT Manialith MN DH	1/12/77 1/12/77 1/12/77
42	2398F	METHSUXIMIDE Capsule 300mg	200	1	13.34	Celontin PD	1/1/78
45	2296W	NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg (3.5mg base)-400 units per g, 10g	≠1	..	2.35	Nemdyn HA	1/1/78
47	2524W	NORTRIPTYLINE Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	2.07	Allegron DL Aventyl LY	1/12/77 1/12/77
52	2856H	PHENELZINE Tablet 15mg	50	1	4.74	Nardil WW	1/1/78
55	1863C	PHENSUXIMIDE Capsule 500mg	200	1	14.54	Milontin PD	1/1/78
56	1878W	PHTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	3.20	Phthazol KL	1/12/77

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
57	2908C	PLASMA SUBSTITUTE I.V. Infusion 3.5%, 500ml	5	..	*41.07	Haemaccel HP	1/1/78
61	2369Q	PROCHLORPERAZINE Injection 12.5mg in 1ml	10	..	4.27	Compazine SK Stemetil MB	1/12/77 1/12/77
62	3047J	PYRANTEL EMBONATE Tablet 125mg (base)	6	..	2.67	Combantrin GP	1/12/77
	3048K	Mixture 50mg(base) per ml, 12ml	≠1	..	2.67	Combantrin GP	1/12/77
64	1991T	SACCHARIN or SACCHARIN SODIUM /Tablets 30mg, 500	1	1	/1.23	DH,FA	1/12/77
64	3087L	SALBUTAMOL Inhalation, metered aerosol spray 100 micro- grams per dose (200 dose)	≠1	2	3.80	Ventolin AH	1/1/78
66	2050X	STILBOESTROL Tablet 500 micrograms	100	2	2.03	DH,HA	1/1/78
	2051Y	1mg	100	2	2.14	DH,HA,KL	1/1/78
	2052B	5mg	100	2	2.34	DH,HA,KL,RT,SI	1/1/78
68	3145M	SURGICAL CEMENT /Solvent 400ml	1	..	/3.69	Zoff SN	1/12/77
72	2167C	THYROID Tablet 15mg	100	2	1.94	DH	1/1/78
	2168D	30mg	100	2	2.00	DH,RT,SI	1/1/78
	2169E	60mg	100	2	2.07	DH,RT,SI	1/1/78
	2171G	125mg	100	2	2.27	DH,RT	1/1/78
73	1145G	TRICLOFOS Syrup 500mg per 5ml, 200ml	≠1	4	2.47	Tricloryl GL	1/12/77
76	2219T	WOOL ALCOHOLS /Ointment 100g	1	1	/1.28	Eucerin SN	1/12/77
76	2221X	WOOL FAT, HYDROUS /50g tube or jar	1	..	/1.10	DH	1/12/77
INTRAVENOUS FLUIDS FOR INJECTION							
77	2305H	DEXTRAN 40 10% with 5% anhydrous dextrose, 500ml	12	..	*129.11 149.07	Lomodex FC Rheomacrodex PS	1/1/78 1/12/77
	2306J	10% with 0.9% sodium chloride, 500ml	12	..	*129.11 149.07	Lomodex FC Rheomacrodex PS	1/1/78 1/12/77

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Amended Price	Prop. Name and Mfr	Price Effective
				\$		
77	3081E	DEXTRAN 70 6% with 5% anhydrous dextrose, 500ml	12 ..	93.07	Macrodex PS	1/12/77
	3082F	10% with 5% anhydrous dextrose, 500ml	12 ..	83.15	Macrodex PS	1/12/77
	3011L	6% with 0.9% sodium chloride, 500ml	12 ..	93.07	Macrodex PS	1/12/77

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Amendment	Amendment Effective
7	2652N	AMYLOBARBITONE SODIUM Capsule 50mg	50 ..	*1.79 Delete Amsal AV	1/12/77
45	2519N	NATAMYCIN Cream 20mg per g, 15g	≠1 1	Note change of form name from ointment to cream	1/3/78
51	1814L	PENTOBARBITONE SODIUM Tablet 30mg	50 ..	*1.50 Delete Somnital PR	1/12/77
	2707L	50mg	50 ..	1.47 Delete Somnital PR	1/12/77
	1815M	100mg	25 ..	1.52 Delete Somnital PR	1/12/77
51	1818Q	Capsule 100mg	25 ..	1.76 Delete Nembutal AB	1/1/78
63	1972T	QUININE BISULPHATE Tablet 300mg	50 ..	7.27 Add Myoquin FM	1/12/77
75	1293C	UREA Cream 10%, 100g	≠1 2	Add 4.07 Nutraplus AQ Delete Nutraplus AQ Add Nutraplus OL	1/12/77 1/2/78 1/2/78

PRICE ADJUSTMENTS TO SECTION 3 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Amended Price	Prop. Name and Mfr	Price Effective
				\$		
3	3158F	STERCULIA (Indian Tragacanth; Gum Karaya) Squares, 6	≠1 5	13.34	BH	1/1/78

PRICE ADJUSTMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price	Price Effective
			\$	
4	2318B	Liothyronine 20 micrograms	50 @ 0.99 GL	1/12/77
6	2908C	Plasma Substitute 3.5%, 500ml	1 @ 8.00 HP	1/1/78

INTRAVENOUS FLUIDS FOR INJECTION

7	2305H	Dextran 40 10%-5%, 500ml	1 @ 10.67 FC	1/1/78
	2306J	10%-0.9%, 500ml	1 @ 10.67 FC	1/1/78

OTHER AMENDMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Form	Amendment	Amendment Effective
2	2652N	Amylobarbitone Sodium	50mg	100 @ 1.07 Delete AV	1/12/77
3	Delete 1467F	Heparin	5,000U	1 @ 1.33 WP	1/2/78
4	Delete 2318B	Liothyronine	20mcg	50 @ 0.99 GL	1/2/78
5	1814L	Pentobarbitone Sodium	30mg	100 @ 0.60 Delete PR	1/12/77

INTRAVENOUS FLUIDS FOR INJECTION

7	2305H	Dextran 40 10%-5%,	500ml	Delete 1 @ 12.33 PS	1/12/77
	2306J	10%-0.9%,	500ml	Delete 1 @ 12.33 PS	1/12/77
7	3081E	Dextran 70 6%-5%,	500ml	Delete entry	1/12/77
	3082F	10%-5%,	500ml	Delete entry	1/12/77
	3011L	6%-0.9%,	500ml	Delete entry	1/12/77

ADVANCE NOTICES

DELETION OF ITEMS

The following items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form

SECTION 2

1031G	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg
2849Y	Mixture 250mg-500mg per 4ml, 375ml

Advance Notices (Deletion of Items) - (cont.)

The following items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form
SECTION 2	
3073R	AMINO ACID FORMULA WITHOUT PHENYLALANINE Powder 200g (This item will be replaced by two separate items as from 1 April 1978)
1402T	ERYTHROMYCIN Capsule 125mg
1422W	FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron
1434L	FLUDROCORTISONE ACETATE Tablet 1mg
3063F	PINDOLOL Injection 1mg in 5ml (This item will be replaced by PINDOLOL Injection 400 micrograms in 2 ml)
1923F	PREDNISOLONE SODIUM PHOSPHATE Eye Ointment 0.5%, 3g
1986M	ROLITETRACYCLINE I.V. Injection set containing 110mg and 5ml solvent
2044N	STANOLONE Tablet 25mg
2162T	THIAMBUTOSINE Tablet 500mg

INTRAVENOUS FLUIDS FOR INJECTION

3082F	DEXTRAN 70 10% with 5% anhydrous dextrose, 500ml

SECTION 4

OXYPHENONIUM BROMIDE

DELETION OF BRANDS ONLY

The following brands of items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form	Proprietary Name and Manufacturer
1010E	ASPIRIN (SOLUBLE) Tablet 300mg	DH
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	DH
1408D	ETHINYLOESTRADIOL Tablet 1mg	Estigyn AH
1424Y	FERROUS GLUCONATE Tablet 300mg	Glucohaem VR RT
2887Y	HYDROCORTISONE Cream 1%, 30g	Hynax VR
3077Y	LEVODOPA Capsule 250mg	Larodopa RO
1815M	PENTOBARBITONE SODIUM Tablet 100mg	TO

Advance Notices (Deletion of Brands) - (cont.)

The following brands of items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form	Proprietary Name and Manufacturer
1787C	PHENOXYMETHYLPENICILLIN Tablet 250mg	V.P.V. VR
1789E	Capsule 250mg	V.P.V. VR
1703P	Tablet 250mg	V.P.V. VR
1705R	Capsule 250mg	V.P.V. VR
1867G	PHENYLBUTAZONE Tablet 100mg	Butoroid VR
1877T	PHTHALYLSULPHACETAMIDE Tablet 500mg	Thalacet VR
1983J	RESERPINE Tablet 250 micrograms	Tenserp VR
2053C	STILBOESTROL Tablet 10mg	DH
INTRAVENTOUS FLUIDS FOR INJECTION		
2284F	SODIUM LACTATE 1 Litre	AB

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF BENEFITS

DECEMBER 1977 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY/FEBRUARY

AMENDMENTS TO SECTION 1 - LEMON PAGES
MANUFACTURERS - ADDRESS AND CODE

Page No.	Manufacturer	Code	Amendment Effective
22	Add Owen Laboratories 8 Wattle Road, Brookvale, N.S.W. 2100	OL	1/2/78

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
4	1039Q	AMINOPHYLLINE Tablet 100mg	100	2	2.27	Cardophyllin HA Carine KL DH,RT,SI	1/1/78 1/1/78 1/1/78
5	1152P	Suppositories 100mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1041T	175mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1042W	250mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1043X	400mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
9	1107G	BENZALKONIUM CHLORIDE Compound Suppositories,12	1	1	2.48	Paxyl FA	1/12/77
10	2984C	BISMUTH SUBGALLATE Compound Ointment 50g	1	1	2.48	Anusol WW	1/1/78
	1122C	Compound Suppositories,12	1	1	2.48	Anusol WW	1/1/78
14	1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	4.20	Nivaquine MB	1/12/77
16	3141H	CLONIDINE Tablet 150 micrograms	100	2	7.74	Catapres BY	1/1/78
17	1215Y	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL Tablet 8mg-250mg-250mg	100	2	2.84	RY	1/12/77
22	1331C	DI-iodohydroxyquinoline Compound Pessaries 100mg, 25	1	1	2.91	Floraquin SR	1/1/78

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
23	2501P	DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25micrograms	20	..	2.35	Lomotil SR	1/1/78
	2502Q	Liquid 2.5mg-25micrograms per 5ml, 60ml	1	..	2.35	Lomotil SR	1/1/78
26	1271X	ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	4.80	Ethamolin GL	1/12/77
26	1413J	ETHOSUXIMIDE Capsule 250mg	200	1	12.54	Zarontin PD	1/1/78
	1414K	Paediatric Syrup 250mg per 5ml, 250ml	≠1	4	4.27	Zarontin PD	1/1/78
28	2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	≠1	..	2.47	Locacorten Vioform CB	1/12/77
32	1467F	HEPARIN Injection BP 5,000 Units in 1ml	5	5	7.74	WP	1/2/78
39	2318B	LIOETHYRONINE Tablet 20 micrograms	100	1	*3.05 2.80	Tertroxin GL Tertroxin GL	1/12/77 1/2/78
39	3059B	LITHIUM CARBONATE Tablet 250mg	100	2	3.07	Lithicarb PT Manialith MN DH	1/12/77 1/12/77 1/12/77
42	2398F	METHSUXIMIDE Capsule 300mg	200	1	13.34	Celontin PD	1/1/78
45	2296W	NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg (3.5mg base)-400 units per g, 10g	≠1	..	2.35	Nemdyn HA	1/1/78
47	2524W	NORTRIPTYLINE Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	2.07	Allegron DL Aventyl LY	1/12/77 1/12/77
52	2856H	PHENELZINE Tablet 15mg	50	1	4.74	Nardil WW	1/1/78
55	1863C	PHENSUXIMIDE Capsule 500mg	200	1	14.54	Milontin PD	1/1/78
56	1878W	PHTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	3.20	Phthazol KL	1/12/77
57	2908C	PLASMA SUBSTITUTE I.V. Infusion 3.5%, 500ml	5	..	*41.07	Haemaccel HP	1/1/78

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
61	2369Q	PROCHLORPERAZINE Injection 12.5mg in 1ml	10	..	4.27	Compazine SK Stemetil MB	1/12/77 1/12/77
62	3047J	PYRANTEL EMBONATE Tablet 125mg (base)	6	..	2.67	Combantrin GP	1/12/77
	3048K	Mixture 50mg(base) per ml, 12ml	#1	..	2.67	Combantrin GP	1/12/77
64	1991T	SACCHARIN or SACCHARIN SODIUM /Tablets 30mg, 500	1	1	/1.23	DH,FA	1/12/77
64	3087L	SALBUTAMOL Inhalation, metered aerosol spray 100 micro- grams per dose (200 dose)	#1	2	3.80	Ventolin AH	1/1/78
66	2050X	STILBOESTROL Tablet 500 micrograms	100	2	2.03	DH,HA	1/1/78
	2051Y	1mg	100	2	2.14	DH,HA,KL	1/1/78
	2052B	5mg	100	2	2.34	DH,HA,KL,RT,SI	1/1/78
68	3145M	SURGICAL CEMENT /Solvent 400ml	1	..	/3.69	Zoff SN	1/12/77
72	2167C	THYROID Tablet 15mg	100	2	1.94	DH	1/1/78
	2168D	30mg	100	2	2.00	DH,RT,SI	1/1/78
	2169E	60mg	100	2	2.07	DH,RT,SI	1/1/78
	2171G	125mg	100	2	2.27	DH,RT	1/1/78
73	1145G	TRICLOFOS Syrup 500mg per 5ml, 200ml	#1	4	2.47	Tricloryl GL	1/12/77
76	2219T	WOOL ALCOHOLS /Ointment 100g	1	1	/1.28	Eucerin SN	1/12/77
76	2221X	WOOL FAT, HYDROUS /50g tube or jar	1	..	/1.10	DH	1/12/77
		INTRAVENOUS FLUIDS FOR INJECTION					
77	2305H	DEXTRAN 40 10% with 5% anhydrous dextrose, 500ml	12	..	149.07	Rheomacrodex PS	1/12/77
	2306J	10% with 0.9% sodium chloride, 500ml	12	..	149.07	Rheomacrodex PS	1/12/77

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
77	3081E	DEXTRAN 70 6% with 5% anhydrous dextrose, 500ml	12	..	93.07	Macrodex PS	1/12/77
	3082F	10% with 5% anhydrous dextrose, 500ml	12	..	83.15	Macrodex PS	1/12/77
	3011L	6% with 0.9% sodium chloride, 500ml	12	..	93.07	Macrodex PS	1/12/77

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amendment	Amendment Effective
7	2652N	AMYLOBARBITONE SODIUM Capsule 50mg	50	..	*1.79 Delete Amsal AV	1/12/77
51	1814L	PENTOBARBITONE SODIUM Tablet 30mg	50	..	*1.50 Delete Somnital PR	1/12/77
	2707L	50mg	50	..	1.47 Delete Somnital PR	1/12/77
	1815M	100mg	25	..	1.52 Delete Somnital PR	1/12/77
	1818Q	Capsule 100mg	25	..	1.76 Delete Nembutal AB	1/1/78
63	1972T	QUININE BISULPHATE Tablet 300mg	50	..	7.27 Add Myoquin FM	1/12/77
75	1293C	UREA Cream 10%, 100g	#1	2	Add 4.07 Nutraplus AQ Delete Nutraplus AQ Add Nutraplus OL	1/12/77 1/2/78 1/2/78

PRICE ADJUSTMENTS TO SECTION 3 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
3	3158F	STERCULIA (Indian Tragacanth; Gum Karaya) Squares, 6	#1	5	13.34	BH	1/1/78

PRICE ADJUSTMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price	Price Effective
				\$
4	2318B	Liothyronine 20 micrograms	50 @ 0.99 GL	1/12/77
6	2908C	Plasma Substitute 3.5%, 500ml	1 @ 8.00 HP	1/1/78

OTHER AMENDMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Form	Amendment	Amendment Effective
2	2652N	Amylobarbitone Sodium	50mg	100 @ 1.07 Delete AV	1/12/77
3	Delete 1467F	Heparin	5,000U	1 @ 1.33 WP	1/2/78
4	Delete 2318B	Liothyronine	20mcg	50 @ 0.99 GL	1/2/78
5	1814L	Pentobarbitone Sodium	30mg	100 @ 0.60 Delete PR	1/12/77

INTRAVENOUS FLUIDS FOR INJECTION

7	2305H	Dextran 40 10%-5%,	500ml	Delete 1 @ 12.33 PS	1/12/77
	2306J	10%-0.9%,	500ml	Delete 1 @ 12.33 PS	1/12/77
7	3081E	Dextran 70 6%-5%,	500ml	Delete entry	1/12/77
	3082F	10%-5%,	500ml	Delete entry	1/12/77
	3011L	6%-0.9%,	500ml	Delete entry	1/12/77

ADVANCE NOTICES

DELETION OF ITEMS

The following items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form
1031G	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg
2849Y	Mixture 250mg-500mg per 4ml, 375ml
1402T	ERYTHROMYCIN Capsule 125mg
1422W	FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron
1434L	FLUDROCORTISONE ACETATE Tablet 1mg
1986M	ROLITETRACYCLINE I.V. Injection set containing 110mg and 5ml solvent
2162T	THIAMBUTOSINE Tablet 500mg

INTRAVENOUS FLUIDS FOR INJECTION

3082F	DEXTRAN 70 10% with 5% anhydrous dextrose, 500ml

SECTION 4

OXYPHENONIUM BROMIDE

DELETION OF BRAND ONLY

The following brands of items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form	Proprietary Name and Manufacturer
1010E	ASPIRIN (SOLUBLE) Tablet 300mg	DH
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	DH
1408D	ETHINYLOESTRADIOL Tablet 1mg	Estigyn AH
1424Y	FERROUS GLUCONATE Tablet 300mg	Glucohaem VR RT
2887Y	HYDROCORTISONE Cream 1%, 30g	Hynax VR
3077Y	LEVODOPA Capsule 250mg	Larodopa RO
1815M	PENTOBARBITONE SODIUM Tablet 100mg	TO
2053C	STILBOESTROL Tablet 10mg	DH
INTRA VENOUS FLUIDS FOR INJECTION		
2284F	SODIUM LACTATE 1 Litre	AB

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF BENEFITS

DECEMBER 1977 EDITION FOR APPROVED CHEMISTS

DECEMBER

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
9	1107G	BENZALKONIUM CHLORIDE Compound Suppositories, 12 #1	12	#1	1	2.48 Paxyl FA	1/12/77
14	1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	4.20	Nivaquine MB	1/12/77
17	1215Y	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL Tablet 8mg-250mg-250mg	100	2	2.84	RY	1/12/77
26	1271X	ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	4.80	Ethamolin GL	1/12/77
28	2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	#1	..	2.47	Locacorten Vioform CB	1/12/77
39	3059B	LITHIUM CARBONATE Tablet 250mg	100	2	3.07	Lithicarb PT Manialith MN DH	1/12/77 1/12/77 1/12/77
47	2524W	NORTRIPTYLINE Paediatric Elixir 10mg per 5ml, 100ml	#1	4	2.07	Allegron DL Aventyl LY	1/12/77 1/12/77
56	1878W	PHTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	3.20	Phthazol KL	1/12/77
61	2369Q	PROCHLORPERAZINE Injection 12.5mg in 1ml	10	..	4.27	Compazine SK Stemetil MB	1/12/77 1/12/77
62	3047J	PYRANTEL EMBONATE Tablet 125mg (base)	6	..	2.67	Combantrin GP	1/12/77
	3048K	Mixture 50mg (base) per ml, 12ml	#1	..	2.67	Combantrin GP	1/12/77
64	1991T	SACCHARIN or SACCHARIN SODIUM /Tablets 30mg, 500	1	1	/1.23	DH, FA	1/12/77
68	3145M	SURGICAL CEMENT /Solvent 400ml	1	..	/3.69	Zoff SN	1/12/77
73	1145G	TRICLOFOS Syrup 500mg per 5ml, 200ml	#1	4	2.47	Tricloryl GL	1/12/77

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
76	2219T	WOOL ALCOHOLS Ointment 100g	1	1	~~1.28~~	Eucerin SN	1/12/77
76	2221X	WOOL FAT, HYDROUS 50g tube or jar	1	..	~~1.10~~	DH	1/12/77

INTRAVENOUS FLUIDS FOR INJECTION

77	2305H	DEXTRAN 40 10% with 5% anhydrous dextrose, 500ml	12	..	149.07	Rheomacrodex PS	1/12/77
	2306J	10% with 0.9% sodium chloride, 500ml	12	..	149.07	Rheomacrodex PS	1/12/77
77	3081E	DEXTRAN 70 6% with 5% anhydrous dextrose, 500ml	12	..	93.07	Macrodex PS	1/12/77
	3082F	10% with 5% anhydrous dextrose, 500ml	12	..	83.15	Macrodex PS	1/12/77
	3011L	6% with 0.9% sodium chloride, 500ml	12	..	93.07	Macrodex PS	1/12/77

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amendment	Amendment Effective
7	2652N	AMYLOBARBITONE SODIUM Capsule 50mg	50	..	*1.79 Delete Amsal AV	1/12/77
51	1814L	PENTOBARBITONE SODIUM Tablet 30mg	50	..	*1.50 Delete Somnital PR	1/12/77
	2707L	50mg	50	..	1.47 Delete Somnital PR	1/12/77
	1815M	100mg	25	..	1.52 Delete Somnital PR	1/12/77
63	1972T	QUININE BISULPHATE Tablet 300mg	50	..	7.27 Add Myoquin FM	1/12/77
75	1293C	UREA Cream 10%, 100g	~~1~~	2	Add 4.07 Nutraplus AQ	1/12/77

OTHER AMENDMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Form	Amendment	Amendment Effective
2	2652N	Amylobarbitone Sodium	50mg	10Q @ 1.07 Delete AV	1/12/77
5	1814L	Pentobarbitone Sodium	30mg	100 @ 0.60 Delete PR	1/12/77

INTRAVENOUS FLUIDS FOR INJECTION

7	2305H	Dextran 40 10%-5%,	500ml	Delete 1 @ 12.33 PS	1/12/77
	2306J	10%-0.9%,	500ml	Delete 1 @ 12.33 PS	1/12/77
7	3081E	Dextran 70 6%-5%,	500ml	Delete entry	1/12/77
	3082F	10%-5%,	500ml	Delete entry	1/12/77
	3011L	6%-0.9%,	500ml	Delete entry	1/12/77

ADVANCE NOTICES

DELETION OF ITEMS

The following items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form
1402T	ERYTHROMYCIN Capsule 125mg
1422W	FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron

DELETION OF BRAND ONLY

The following brand of an item will be deleted from the Schedule of Benefits as from 1 January 1978.

Code	Name and Form	Proprietary Name and Manufacturer
1818Q	PENTOBARBITONE SODIUM Capsule 100mg	Nembutal AB

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF BENEFITS

DECEMBER 1977 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY

PRICE ADJUSTMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
4	1039Q	AMINOPHYLLINE Tablet 100mg	100	2	2.27	Cardophyllin HA Carine KL DH,RT,SI	1/1/78 1/1/78 1/1/78
5	1152P	Suppositories 100mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1041T	175mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1042W	250mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
	1043X	400mg, 12	1	1	2.60	Cardophyllin HA	1/1/78
9	1107G	BENZALKONIUM CHLORIDE Compound Suppositories,12	1	1	2.48	Paxyl FA	1/12/77
10	2984C	BISMUTH SUBGALLATE Compound Ointment 50g	1	1	2.48	Anusol WW	1/1/78
	1122C	Compound Suppositories,12	1	1	2.48	Anusol WW	1/1/78
14	1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	4.20	Nivaquine MB	1/12/77
16	3141H	CLONIDINE Tablet 150 micrograms	100	2	7.74	Catapres BY	1/1/78
17	1215Y	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL Tablet 8mg-250mg-250mg	100	2	2.84	RY	1/12/77
22	1331C	DI-iodohydroxyquinoline Compound Pessaries 100mg, 25	1	1	2.91	Floraquin SR	1/1/78
23	2501P	DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25micrograms	20	..	2.35	Lomotil SR	1/1/78
	2502Q	Liquid 2.5mg-25micrograms per 5ml, 60ml	1	..	2.35	Lomotil SR	1/1/78
26	1271X	ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	4.80	Ethamolin GL	1/12/77
	1413J	ETHOSUXIMIDE Capsule 250mg	200	1	12.54	Zarontin PD	1/1/78
	1414K	Paediatric Syrup 250mg per 5ml, 250ml	1	4	4.27	Zarontin PD	1/1/78

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
28	2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	¥1	..	2.47	Locacorten Vioform CB	1/12/77
39	2318B	LIOTHYRONINE Tablet 20 micrograms	100	1	*3.05	Tertroxin GL	<u>1/12/77</u>
39	3059B	LITHIUM CARBONATE Tablet 250mg	100	2	3.07	Lithicarb PT Manialith MN DH	1/12/77 1/12/77 1/12/77
42	2398F	METHSUXIMIDE Capsule 300mg	200	1	13.34	Celontin PD	1/1/78
45	2296W	NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg (3.5mg base)-400 units per g, 10g	¥1	..	2.35	Nemdyn HA	1/1/78
47	2524W	NORTRIPTYLINE Paediatric Elixir 10mg per 5ml, 100ml	¥1	4	2.07	Allegron DL Aventyl LY	1/12/77 1/12/77
52	2856H	PHENELZINE Tablet 15mg	50	1	4.74	Nardil WW	1/1/78
55	1863C	PHENSUXIMIDE Capsule 500mg	200	1	14.54	Milontin PD	1/1/78
56	1878W	PHTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	3.20	Phthazol KL	1/12/77
57	2908C	PLASMA SUBSTITUTE I.V. Infusion 3.5%, 500ml	5	..	*41.07	Haemaccel HP	1/1/78
61	2369Q	PROCHLORPERAZINE Injection 12.5mg in 1ml	10	..	4.27	Compazine SK Stemetil MB	1/12/77 1/12/77
62	3047J	PYRANTEL EMBONATE Tablet 125mg (base)	6	..	2.67	Combantrin GP	1/12/77
	3048K	Mixture 50mg(base) per ml, 12ml	¥1	..	2.67	Combantrin GP	1/12/77
64	1991T	SACCHARIN or SACCHARIN SODIUM ¥Tablets 30mg, 500	1	1	¥1.23	DH,FA	1/12/77
	3087L	SALBUTAMOL Inhalation, metered aerosol spray 100 micro- grams per dose (200 dose)	¥1	2	3.80	Ventolin AH	1/1/78
66	2050X	STILBOESTROL Tablet 500 micrograms	100	2	2.03	DH,HA	1/1/78
	2051Y	1mg	100	2	2.14	DH,HA,KL	1/1/78

Price Adjustments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
66	2052B	STILBOESTROL - cont. Tablet 5mg	100	2	2.34	DH,HA,KL,RT,SI	1/1/78
68	3145M	SURGICAL CEMENT /Solvent 400ml	1	..	/3.69	Zoff SN	1/12/77
72	2167C	THYROID Tablet 15mg	100	2	1.94	DH	1/1/78
	2168D	30mg	100	2	2.00	DH,RT,SI	1/1/78
	2169E	60mg	100	2	2.07	DH,RT,SI	1/1/78
	2171G	125mg	100	2	2.27	DH,RT	1/1/78
73	1145G	TRICLOFOS Syrup 500mg per 5ml, 200ml	1	4	2.47	Tricloryl GL	1/12/77
76	2219T	WOOL ALCOHOLS /Ointment 100g	1	1	/1.28	Eucerin SN	1/12/77
76	2221X	WOOL FAT, HYDROUS /50g tube or jar	1	..	/1.10	DH	1/12/77

INTRAVENOUS FLUIDS FOR INJECTION

77	2305H	DEXTRAN 40 10% with 5% anhydrous dextrose, 500ml	12	..	149.07	Rheomacrodex PS	1/12/77
	2306J	10% with 0.9% sodium chloride, 500ml	12	..	149.07	Rheomacrodex PS	1/12/77
77	3081E	DEXTRAN 70 6% with 5% anhydrous dextrose, 500ml	12	..	93.07	Macrodex PS	1/12/77
	3082F	10% with 5% anhydrous dextrose, 500ml	12	..	83.15	Macrodex PS	1/12/77
	3011L	6% with 0.9% sodium chloride, 500ml	12	..	93.07	Macrodex PS	1/12/77

OTHER AMENDMENTS TO SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amendment	Amendment Effective
7	2652N	AMYLOBARBITONE SODIUM Capsule 50mg	50	..	*1.79 Delete Amsal AV	1/12/77
51	1814L	PENTOBARBITONE SODIUM Tablet 30mg	50	..	*1.50 Delete Somnital PR	1/12/77
	2707L	50mg	50	..	1.47 Delete Somnital PR	1/12/77
	1815M	100mg	25	..	1.52 Delete Somnital PR	1/12/77

Other Amendments to Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amendment	Amendment Effective
51	1818Q	PENTOBARBITONE SODIUM - cont. Capsule 100mg	25	..	1.76 Delete Nembutal AB	1/1/78
63	1972T	QUININE BISULPHATE Tablet 300mg	50	..	7.27 Add Myoquin FM	1/12/77
75	1293C	UREA Cream 10%, 100g	#1	2	Add 4.07 Nutraplus AQ	1/12/77

PRICE ADJUSTMENTS TO SECTION 3 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
3	3158F	STERCULIA (Indian Tragacanth; Gum Karaya) Squares, 6	#1	5	13.34	BH	1/1/78

PRICE ADJUSTMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price	Price Effective
			\$	
4	2318B	Liothyronine 20 micrograms	50 @ 0.99 GL	<u>1/12/77</u>
6	2908C	Plasma Substitute 3.5%, 500ml	1 @ 8.00 HP	1/1/78

OTHER AMENDMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Form	Amendment	Amendment Effective
2	2652N	Amylobarbitone Sodium	50mg	100 @ 1.07 Delete AV	1/12/77
5	1814L	Pentobarbitone Sodium	30mg	100 @ 0.60 Delete PR	1/12/77

INTRAVENOUS FLUIDS FOR INJECTION

7	2305H	Dextran 40 10%-5%,	500ml	Delete 1 @ 12.33 PS	1/12/77
	2306J	10%-0.9%,	500ml	Delete 1 @ 12.33 PS	1/12/77
7	3081E	Dextran 70 6%-5%,	500ml	Delete entry	1/12/77
	3082F	10%-5%,	500ml	Delete entry	1/12/77
	3011L	6%-0.9%,	500ml	Delete entry	1/12/77

ADVANCE NOTICES
DELETION OF ITEMS

The following items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form
SECTION 2	
1402T	ERYTHROMYCIN Capsule 125mg
1422W	FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron
SECTION 4	
	OXYPHENONIUM BROMIDE

DELETION OF BRAND ONLY

The following brands of items will be deleted from the Schedule of Benefits as from 1 April 1978.

Code	Name and Form	Proprietary Name and Manufacturer
1010E	ASPIRIN (SOLUBLE) Tablet 300mg	DH
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	DH
1408D	ETHINYLOESTRADIOL Tablet 1mg	Estigyn AH
1424Y	FERROUS GLUCONATE Tablet 300mg	Glucohaem VR
2887Y	HYDROCORTISONE Cream 1%, 30g	Hynax VR
2053C	STILBOESTROL Tablet 10mg	DH

INTRAVENOUS FLUIDS FOR INJECTION

2284F	SODIUM LACTATE 1 Litre	AB

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1977 edition of the Schedule of Benefits for Approved Chemists

The reprint of the Schedule will take effect from 1 December 1977 and all previous editions of the schedule are cancelled.

Your attention is drawn to the following important alterations which have been incorporated in this issue of the schedule.

Paragraph 28 of the explanatory notes (Section 1—lemon pages) has been revised. This paragraph relates to the procedure when an authority prescription is presented and outlines the coding requirements to be followed by approved chemists.

Zone allowance has been replaced by the Isolated Pharmacy Allowance (IPA), see paragraph 124 (Section 1—lemon pages).

The availability of Roche, Tompsitt (RT) products has been extended from Victoria to all States.

ADVANCE NOTICE

The following item may be deleted from the Schedule of Benefits at a future date.

Fludrocortisone Acetate, 1mg tablet (*Florinef*)

SUMMARY OF CHANGES

ADDITIONS

NEW ITEMS

Section 2—Restricted Benefits

Metoprolol, 100mg tablet (*Betaloc*, *Lopresor*)

Miconazole Nitrate, 2%, 20g cream (*Daktarin*)

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2—Restricted Benefits

Cephalexin, granules for syrup, 250mg per 5ml, 100ml (*Keflex*)

Haloperidol, 5mg tablet (*Serenace*)

Penicillamine, 125mg tablet (*D-Penaminate*)

Triglycerides, Medium Chain, oil 1 litre (*MCT Oil*)

Section 2—General Benefits

Cloxacillin, 1g injection (*Austrastaph*, *Orbenin*)

Fluocortolone Esters, 0.08%, 100g cream (*Topodil*); 0.08%, 100g ointment (*Topodil*)

Lignocaine, 300mg in 3ml, I.M. injection (*Xylocard* 300 I.M.)

Nystatin, 100 000 Units per g, 15g gel (*Mycostatin*)

Peritoneal Dialysis Solution, with 0.5% Anhydrous Dextrose, 2 litres, injection (*Dianeal*); with 2.5% Anhydrous Dextrose, 2 litres, injection (*Dianeal*)

Triamcinolone Acetonide, 0.02%, 45g cream (*Aristocort* 0.02%)

DELETION OF FULL ITEMS

Section 2

Betamethasone with Clioquinol, 0.1%—3%, 5g ear ointment (*Betnovate Otic*) (Item discontinued by manufacturer)

Emetine and Bismuth Iodide, 60mg tablet (Item discontinued by manufacturer)

Paraffin Liquid, 500ml emulsion (*Petrolagar*); 500ml emulsion with Phenolphthalein (*Agarol*, *Lubarol*, *Petrolagar with Phenolphthalein*)

Trisodium Edetate, 200mg per ml, 5ml injection (*Sodium Versenate*)

Section 3—Preparations available for Paraplegic and Quadriplegic patients

Paraffin Liquid, 500ml emulsion (*Petrolagar*); 500ml emulsion with Phenolphthalein (*Agarol*, *Lubarol*, *Petrolagar with Phenolphthalein*)

DELETION OF FORMS AND STRENGTHS OF EXISTING ITEMS

Section 1—Emergency Drug (Doctor's Bag) Supplies

Oxytetracycline hydrochloride, 250mg in 5ml I.M. injection (*Vendarcin*)

Section 2

Ergometrine Maleate, 500 micrograms tablet (*Ergomine*) (Item discontinued by manufacturer)

Lincomycin, 250mg per 5ml, 100ml paediatric syrup (*Lincocin*)

Oxytetracycline, 250mg I.M. injection (*Vendarcin*)

Rolitetracycline, 350mg and 10ml solvent, injection (*Bristacin-A*) (Item discontinued by manufacturer)

Sodium Calcium Edetate, 200mg per ml, 5ml injection (*Calcium Disodium Versenate*)

Sodium Nitroprusside, diagnostic tablet (*Acetest*)

Soya Formula, 454g powder (*Sobee*) (Item discontinued by manufacturer)

Streptomycin Sulphate, 1 000 000 Units in 3ml injection (*Strepolin* 33 1/3%) (Item discontinued by manufacturer)

ALTERATIONS

Restrictions

Section 2

Fluoxymesterone, 5mg tablet (*Halotestin*)

Gentamicin Sulphate, 10mg (base), 40mg (base), 60mg (base) and 80mg (base) injections (*Cidomycin*, *Garamycin*)

Levodopa with Carbidopa, 100mg—10mg tablet (*Sinemet M*); 250mg—25mg tablet (*Sinemet*)

Nandrolone Decanoate, 50mg in 1ml injection
(*Deca-Durabolin*)
Nandrolone Phenylpropionate, 25mg in 1ml injection
(*Durabolin*)
Stanolone, 25mg tablet (*Protona*)

Maximum Quantities

Section 2

Item	From	To
Liothyronine, 20 micrograms tablet (<i>Tertroxin</i>)	50	100
Testosterone Enanthate, 100mg in 1ml and 250mg in 1ml injections (<i>Primoteston Depot</i>)	1	2

Repeats

Section 2

Item	From	To
Levodopa with Carbidopa, 100mg— 10mg tablet (<i>Sinemet M</i>); 250mg— 25mg tablet (<i>Sinemet</i>)	0	1
Liothyronine, 20 micrograms tablet (<i>Tertroxin</i>)	2	1
Prednisolone Acetate with Phenylephrine, 1%—0.12%, 10ml eye drops (<i>Prednefrin Forte</i>)	0	2
Trioxysalen, 5mg tablet (<i>Trisoralen</i>) ..	0	2

Pack Sizes

Section 2

Item	From	To
Aluminium Hydroxide Gel, 320mg per 5ml, mixture (<i>Alusorb</i> , <i>Amphojel</i> , <i>Gelox</i> , <i>Minajel</i>) ..	360ml	375ml
Aluminium Hydroxide Gel with Kaolin, 137mg—1g per 5ml, mixture (<i>Kaogel</i> , <i>Kaomagma</i>)	360ml	375ml
Aluminium Hydroxide Gel with Magnesium Hydroxide, 300mg— 100mg per 5ml, mixture (<i>Aludrox</i> , <i>Milagel</i>); 215mg—80mg per 5ml, suspension (<i>Dijene</i> , <i>Simeco</i>); 200mg—200mg per 5ml, suspension (<i>Merasyn</i> , <i>Mylanta</i> , <i>Sodexol</i>) ..	360ml	375ml
Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine, 306mg—97.5mg— 10mg per 5ml, suspension (<i>Mucaine</i>)	360ml	375ml
Aluminium Hydroxide Gel with Magnesium Trisilicate, 250mg— 500mg per 4ml, mixture (<i>Gelusil</i>) ..	360ml	375ml

Item	From	To
Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide, 250mg— 120mg—120mg per 5ml, mixture (<i>Gastrogel</i>)	360ml	375ml
Kaolin with Pectin, 5.91g—132mg per 30ml, mixture (<i>Kaopectate</i>) ..	360ml	375ml
Magnesium—Aluminium Hydroxide, 375mg per 5ml, mixture (<i>Maalox</i>)	360ml	375ml
Pancreatin Enzyme, powder (<i>Viokase</i>)	227g	250g

Manufacturers' Codes

Section 2

Item	Prop. Name	From	To
Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide, 250mg— 120mg—120mg tablet ..	<i>Gastroid</i>	BB	ME
Amylobarbitone Sodium 200mg capsule	<i>Amylobeta</i>	BB	ME
Chlorothiazide, 500mg tablet	<i>Diubram</i>	BB	ME
Chlorpheniramine, 4mg tablet and 2mg per 5ml, 100ml paediatric syrup ..	<i>Bramahist</i>	BB	ME
Chlorpromazine, 25mg, 50mg and 100mg tablets ..	<i>Procalm</i>	BB	ME
Erythromycin 250mg capsule	<i>Bram-Mycin</i>	BB	ME
Ferrous Fumarate, 150mg tablet	<i>Bramiron</i>	BB	ME
Imipramine, 10mg and 25mg tablets	<i>Prodepress</i>	BB	ME
Oxytetracycline, 250mg capsule	<i>Bramcycline</i>	BB	ME
Paracetamol, 500mg tablet	<i>Bramcetamol</i>	BB	ME
Pentobarbitone Sodium, 100mg capsule	<i>Pentobeta</i>	BB	ME
Phenoxymethylpenicillin, 250mg tablet	<i>Bramcillin</i>	BB	ME
Prednisone, 5mg tablet ..	<i>Propred</i>	BB	ME

TRANSFERS

Section 2

Restricted to Unrestricted

Lignocaine, 100mg in 5ml injection (*Xylocard 100*);
500mg in 5ml infusion (*Xylocard 500*)

NOT FOR SALE

All Previous Editions Cancelled



SCHEDULE OF BENEFITS
for
APPROVED CHEMISTS

OPERATIVE FROM 1 DECEMBER 1977

Commonwealth Department of Health,
CANBERRA, A.C.T.

CONTENTS

SECTION 1—LEMON PAGES

INTRODUCTION

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

A. PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

Schedule of Benefits	1- 7
Prescriptions	8- 10
Manner of Administration	11
Restrictions	12
Maximum Quantities and Repeats	13- 18
Urgent Cases	19- 20
Emergency Drug (Doctor's Bag) Supplies	21- 24

B. SUPPLY OF BENEFITS—PROCEDURE BY APPROVED CHEMISTS

Prescriptions	25- 27
Procedure when an Authority is presented	28
Repeat Authorisations	29
Regulation 24	30
Receipts	31- 32

C. CHARGES TO PATIENTS

Patient's contribution	33- 37
After Hours	38
Delivery	39
Responsibility	40- 41

D. MISCELLANEOUS

Premises ..	42
Approved Doctors, Friendly Societies	43
Standards	44
References	45
Hours of Supply	46- 47
Proper Stocks to be Kept	48
Statement of Stocks	49
Retention of Documents	50
Suspected Forgery	51
Sale Copies	52- 54

CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY APPROVED CHEMISTS

A. INTRODUCTION

B. GENERAL

Time for Lodgment of Claims	58
Documents to be submitted	59
Completion of Claim Form	60- 63
Prescription Identifying Number Pharmacy Stamp	64- 65
Serial Numbering of Prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms	66
Standard Formulae List of Extemporaneous Preparations	67
	68

Special Provisions Governing Payment for Extemporaneous Prescriptions outside the Standard Formulae List

69- 75

C. PROVISION OF CODED INFORMATION BY APPROVED CHEMIST

Entering of Information	76
Codes for Preparations which are Pre-priced ..	77- 78
Codes for Extemporaneous Preparations which are not Pre-priced ..	79
Coding Stamp	80- 84
Coding of Ready Prepared Benefits	85
Coding of Extemporaneously Dispensed Benefits included in Standard Formulae List	86
Dropper Containers	87
Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List	88
Action to be taken when Approved Chemist elects to be paid on an Average Price Basis	89
Action to be taken when Approved Chemist elects to price non-pre-priced Extemporaneous Preparations	90
Coding of Repeat Authorisation Forms ..	91
Action by Approved Chemist issuing the Repeat Authorisation	92- 93
Action by Approved Chemist dispensing a Repeat Authorisation	94
Coding of Emergency Drug (Doctor's Bag) Order Forms	95

D. STATEMENT OF ACCOUNT

96-103

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMIST FOR N.H.S. DISPENSING

A. GENERAL

104

B. READY PREPARED ITEMS AND P.L. ITEMS

Price where maximum quantity prescribed (R.P. and P.L. Items)	105
Price where Broken Quantity Prescribed (R.P. Items)	106
Price for Unbranded Prescriptions	107
Packed Lines	108
Unbroken Packs to be Supplied	109
Wastage Table Percentage for Ready Prepared Preparations ..	110-111
Prescribers' List Items	112

	Paragraphs
C. EXTEMPORANEOUSLY PREPARED PRESCRIPTIONS	
Pricing Prescriptions Not Priced	113-114
Pricing of ingredients	115
Miscellaneous Pricing Rules	116
Pricing Prescriptions where additional ingredients have been added to a specified formula	117-121

D. GENERAL

Fees and Containers	122
Pricing Dates	123
Isolated Pharmacy Allowance	124
Supplies of Stationery	125

Page

Addresses of Commonwealth Department of Health Branch Offices	19
Manufacturers—Address and Code	20-23
Supplies of Listed Brands—Distributors	24
Distributors—Addresses	25-28
Emergency Drug (Doctor's Bag) Supplies	29

SECTION 2—WHITE PAGES

SCHEDULE OF BENEFITS

General, Pensioner and Restricted Benefits	1-76
Intravenous Fluids	77-78

SECTION 3—WHITE PAGES

SCHEDULE OF BENEFITS

Preparations Available for Colostomy and Ileostomy Use	2- 3
Preparations Available for Use by Paraplegic and Quadriplegic Patients	4

SECTION 4—GREEN PAGES

Schedule of Benefits—Drugs available for Extemporaneous Preparations	1- 6
Table of Codes, Maximum Quantities and Number of Repeats for Extemporaneous Preparations ..	7

SECTION 5—GREEN PAGES

PRESCRIBERS' LIST

PHARMACEUTICAL BENEFIT FORMULAE

Creams	1- 2
Dusting Powders	2
Ear Drops	2
Elixirs	2
Inhalations	2
Linctuses	3
Liniments	3
Lotions	3
Mixtures	3- 5
Nasal Instillations	5
Ointments	5
Paints	5- 6
Pastes	6
Powders	6

CHILDREN'S SECTION

Mixtures	7

SECTION 6—BLUE PAGES

Container Prices and Fees for Ready Prepared Benefits	1
Standard Packs and Prices (including Mark-up, but no Fees) for items against the price of which an asterisk is shown in the Schedule of Benefits	2- 7

PROPRIETARY INDEX

INTRODUCTION

These notes are designed for the use of approved chemists. They describe the procedure by doctors in prescribing benefits and the procedures by approved chemists in supplying benefits. They go on to outline the action on the part of approved chemists in coding prescriptions for processing by computer and the submission by them of claims for payment. Finally the notes explain the pricing arrangements in accordance with which approved chemists' claims are processed for payment.

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

A. PRESCRIBING OF BENEFITS— PROCEDURE BY DOCTORS

1. All pharmaceutical benefits are listed in this book.
2. Ready prepared items are listed in the Schedule of Benefits, Sections 2 and 3.
3. The drug tariff comprising all benefit items and additives which may be used in extemporaneous preparations is listed in section 4—(Green pages). Any restriction which applies to the use of a drug listed in this section is indicated against the item.
4. The following admixtures are not pharmaceutical benefits:
 - (a) The admixture of two or more ready prepared items listed in the Schedule of Benefits.
 - (b) The admixture of a ready prepared item and a drug or drugs listed in the Drug Tariff—Section 4.
5. The Schedule of ready prepared items includes the form, manner of administration and brand in which these items may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Benzylpenicillin Injection 300 mg amp with 2 ml water for injections'.
6. The Schedule also shows the maximum quantity and the number of repeats. Further details may be found in these notes—paragraphs 13–18.
7. Symbols used in the Schedule of Benefits.
See page 1, section 2 (white pages).

Prescriptions

8. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner.

9. Medical Practitioners are required to observe the following rules when writing prescriptions as pharmaceutical benefits—

CARE MUST BE TAKEN THAT THE PROVISIONS OF STATE LAW ARE DULY COMPLIED WITH, PARTICULARLY WITH REGARD TO PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

- (a) Write the prescription in indelible form (ink or ball point pen) in own hand-writing (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form obtained from the printer nominated by the Department or on paper as near as convenient to 18 cm x 12 cm. The name and address of the medical practitioner should be shown.
- (b) Write the prescription in duplicate, marking the duplicate with the word 'Duplicate' (this is pre-printed on the standard prescription forms and on Authority to Prescribe Form PB 15).
- (c) Set out the name and address of the patient, and, where the patient is a pensioner who holds an entitlement card, write the pension number. EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the pensioner's address on the prescription form.
- (d) In the case of pharmaceutical benefits which are restricted in use, the prescription should be endorsed with the words 'Specified Purpose' by the medical practitioner. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However where a prescription is written for a pensioner for a drug which is restricted to pensioners, it is not necessary to endorse the prescription 'Specified Purpose'.
- (e) If the benefit is a single drug, indicate the manner of administration.
- (f) Where a medical practitioner writes a prescription as a pharmaceutical benefit but does not specify a particular formula or brand for the item prescribed, the approved chemist when dispensing shall give priority to either the formula (if any) for that item specified in the Prescribers' List or to one of the ready prepared brands (if any) for that item included in the Schedule of Benefits.
- (g) When directing the supply, on the one occasion, of the maximum quantity and repeats of a pharmaceutical benefit, endorse the prescription in own hand-writing with the words 'Regulation 24' (see also paragraph 18).
- (b) Mark the form 'N.H.S.', date and sign it.

It is requested that doctors write no more than three prescriptions on any single form.

Prescriptions for pharmaceutical benefits for more than one person shall not be written on the one sheet of paper.

10. A prescription is not valid if it—

- (a) Prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner.
- (b) Prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. (If no repeats of either item are ordered, the prescription may be accepted.)
- (c) Prescribes a narcotic drug for the medical practitioner writing the prescription.

To avoid confusing patients and the dispensing chemist, doctors should avoid writing prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a 'Specified Purpose' drug and the patient is not suffering from one of the allowable conditions, the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete the N.H.S. printed endorsement.

Manner of Administration

11. Where a particular manner of administration is indicated in the Schedule, no other manner of administration may be directed in a prescription for that benefit.

Restrictions

12. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Director of Health in the State concerned. Full particulars of these drugs and the restrictions are printed in red in the Schedule. It is not necessary for the particular restriction to be identified on the prescription. Items available for use for Colostomy and Ileostomy conditions as well as items available for use by Paraplegic and Quadraplegic patients are listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

13. The maximum quantity and number of repeats allowable are shown in columns 3 and 4 of the Schedule of Benefits. For other preparations, details are set out in the Table of Maximum Quantities and Repeats—Green pages.

The maximum quantity of items marked with a double dagger (≠) has been determined as a single pack and as explained in page 1, Section 2 (white pages) unbroken packs are supplied. It would assist therefore if these items are prescribed in original pack sizes.

For other items, it is not necessary to prescribe the maximum quantity either for the original or a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

If a medical practitioner requires a prescription to be repeated he should show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

14. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 15-16). A benefit shall not be supplied a number of times greater than the number specified in the prescription.

15. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

16. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

17.—(a) The written authority of the Director of Health to prescribe:

- (i) restricted drugs (paragraph 12); or
 - (ii) increased maximum quantities (paragraph 15);
- or**

(iii) increased number of repeats (paragraph 16), will be forwarded to the doctor on an Authority to Prescribe (Form PB15).

(b) On receipt, the doctor writes the prescription on the original (white) form PB15 in the space provided for this purpose. The doctor will retain the green copy as his record, and hand the original (white) copy and duplicate to the patient.

18. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;

(b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved chemist or approved medical practitioner; and

(c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Urgent Cases

19. A pharmaceutical benefit may be supplied by an approved chemist before the prescription for that benefit has been surrendered to him, where in cases of urgency, the doctor communicates the prescription to the approved chemist by telephone or other means. *In such cases the doctor must reduce the prescription to writing and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by approved chemists where the law of the State in which that approved chemist's premises are situated requires the prescription to be in writing.

20. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 12). In such cases, the doctor must first obtain advice from the Director of Health in the particular State, by telephone or other means, that the authority will be issued and notify the approved chemist accordingly when communicating the prescriptions. *The doctor must subsequently obtain the written authority and forward it, within 24 hours of its receipt to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

21. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

22. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) order form (except Form PB7A) in duplicate, signed by the doctor personally. Each order form is valid only during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on an Emergency Drug (Doctor's Bag) order form is that of a doctor unknown to the approved chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form. Doctors approved to supply pharmaceutical benefits under Section 92 of the National Health Act must not present Doctor's Bag Order form PB7A to an approved chemist for their supplies. Special instructions are issued to these doctors.

23. The maximum number of units of each listed form of emergency drug may be obtained at the one time, but only if the quantity of the drug that the doctor has on hand is less than the maximum quantity.

24. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. A receipt for the supply of benefits under this provision must be given on the order form. The receipt may be signed by the doctor himself or by a person authorised by him.

B. SUPPLY OF BENEFITS—PROCEDURE BY APPROVED CHEMISTS

Prescriptions

25. An approved chemist is authorised to supply a pharmaceutical benefit only upon the surrender of—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a benefit ordered on an Authority to Prescribe (Form PB15) which has been dated by the prescribing medical practitioner within six months before the date of its presentation; or
- (c) a repeat authorisation presented with a duplicate prescription within six months of the date of the prescription.

A pharmaceutical benefit may not be supplied to the same person more than once on any one day, except where a prescription is endorsed 'Regulation 24'.

Prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion. However, where a restriction is applied to the prescribing of a benefit valid prescriptions written before the date of effect of the restriction may still be dispensed as benefits.

26.—A. Before a benefit is supplied on presentation of a prescription the approved chemist is required to:—

- (i) mark his name and approval number on the prescription form and duplicate;
- (ii) allot a number which will identify the prescription and write that number on the form and duplicate; and
- (iii) if more than one prescription has been written on the one form allot a separate number to each prescription.

The National Health Act requires that a prescription must be written by a registered medical practitioner. In the event that the chemist cannot recognise the doctor's signature he should take all reasonable steps to satisfy himself that the prescription was written by a registered medical practitioner.

B. When a benefit is supplied on presentation of a repeat authorisation, the approved chemist shall mark his name and approval number in the space provided on the repeat authorisation.

C. Before a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply (when repeats are allowable) or on a repeat authorisation requiring further allowable repeats the approved chemist shall prepare a repeat authorisation form in duplicate, except when supply under the provisions of Regulation 24 is authorised (see paragraph 30).

The repeat authorisation form shall show:—

- (i) the number of times the benefit has been directed to be supplied and the number of times supply has been made;
- (ii) on the first occasion of supply of the benefit, his approval number, together with the identifying number allotted by him to the prescription and the date of the original prescription;
- (iii) on subsequent occasions of supply (except the final occasion of supply) the approval number and the prescription identifying number relating to the original supply and the date of the original prescription;
- (iv) if the prescription or repeat authorisation is for a pensioner, the pension number appearing on the prescription;
- (v) in the case of repeats on an Authority to Prescribe (Form PB15), the authority number should be endorsed on the repeat authorisation (Form PB13) in the space provided.

D. At the time of supply of the benefit the completed repeat authorisation together with duplicate of the prescription is to be issued to the person to whom the benefit is supplied.

E. Separate repeat authorisations are to be prepared in respect of each benefit and for solvents when an injectible solvent is prescribed. The procedure to be followed in endorsing prescriptions and repeat forms is covered in 'CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY APPROVED CHEMISTS'.

27. Prescription forms which prescribe both pharmaceutical benefit items and non-pharmaceutical benefit items may be accepted. The non-benefit items will be supplied as private prescriptions and cancelled from the form.

Procedure when an Authority is presented

28.—A. When a benefit is ordered on an Authority to Prescribe (Form PB15) the doctor will have written the prescription on the original (white) and duplicate copies of the Authority form. The approved chemist will—

- (a) enter in the designated places on the Authority form the information listed in paragraphs 84-90 except that the quantity (Q) and the number of repeats (R) should not exceed the quantity and number of repeats authorised;

(b) where a solvent has been prescribed for an injectible a diagonal line should be drawn through the pre-printed coding box on the Form PB15 and two code stamp imprints placed on the back of the form. One coding box should be used for the injectible item and the other for the solvent.

- (c) obtain the signature of the patient or signature and address of the agent and date of supply.

B. Repeats, when ordered and allowable on an Authority to Prescribe, will be handled in the same manner as those issued for standard N.H.S. prescriptions.

Repeat Authorisations

29. Where repeats are allowable a benefit may be supplied on a repeat authorisation only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

Regulation 24

30. Where a prescription is endorsed 'Regulation 24' (see paragraph 18), an approved chemist is authorised to supply the benefit and the repeats of that benefit at the one time. He should not complete a repeat authorisation form. An amount equivalent to one professional fee and where applicable, one dangerous drug fee is payable for the total supply.

Receipts

31. Upon the supply to a person of a benefit by an approved chemist, that person shall sign and date a receipt for that benefit on the prescription form or repeat authorisation, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the prescription form or repeat authorisation with his address. Not in any circumstances must a person give or an approved chemist demand a receipt until supply of the benefit has actually been made.

32. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the approved chemist must certify on the prescription or repeat authorisation, as the case may be, that he has supplied the pharmaceutical benefit, the date on which the supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 19-20) or to a person who cannot read or write, or who is unable to write, the approved chemist should sign and date a statement on the prescription or repeat authorisation, indicating the circumstances of supply.

C. CHARGES TO PATIENTS

Patient's Contribution

33. An approved chemist may in respect of each supply by him whether on a prescription or repeat authorisation, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding \$2 in respect of general patients. A charge is not to be made for the supply of a pharmaceutical benefit on a prescription which shows the pension number as appearing on the P.M.S. entitlement card of a pensioner or a repeat authorisation on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one prescribed charge may be made for each supply of the benefit.

34. The approval of a chemist is subject to the conditions that—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than \$2 for general patients for each supply;
- (b) he will clearly indicate in any statement made by advertisement, notice or otherwise, that any offer to supply drugs or medicinal preparations without charge or at a reduced charge does not apply to the supply of pharmaceutical benefits;
- (c) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge that is less than \$2 in respect of general patients;
- (d) he will not enter into an agreement or arrangement to pay rebates or refunds of the authorised prescription charges nor will he become a party to such agreements.

35. Where a doctor has obtained an authority from the Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 15) the authorised prescribed charges should be made for each supply of the increased maximum quantity.

36. Where a doctor has endorsed a prescription 'Regulation 24' (see paragraphs 18 and 30) the approved chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of \$6 should be made to a general patient.

37. A prescription, other than a prescription for a pensioner, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$2, is not a prescription for a pharmaceutical benefit. This

also applies to prescriptions endorsed 'Regulation 24' (see paragraphs 18 and 30), for which the price of the maximum quantity of the benefit is less than the authorised charges specified above.

After Hours

38. A charge not exceeding \$2 may be made when an approved chemist is required to return to his approved premises in order to supply a pharmaceutical benefit or pharmaceutical benefits at a time outside normal trading hours. Only one \$2 charge may be made on the one occasion, irrespective of the number of benefits supplied. The charge is recoverable from the patients concerned and not from the Department.

Delivery

39. A charge equal to the cost of delivering may be made if supply by delivery is made at or to a place other than the approved chemist's pharmacy.

Responsibility

40. It is the patient's responsibility to meet any charge lawfully demanded and an approved chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

41. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Department) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

D. MISCELLANEOUS

Premises

42. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

Approved Doctors, Friendly Societies

43. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly Society Dispensaries should follow the procedures subject to additional instructions made available to them.

Standards

44. An approved chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are—

(a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Goods Act;

(b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

45. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescribers' List are identified in this book by the letters BP, BP 1968, BP 1963, BP 1958, BP 1953, BP 1948, BP 1914, BPC, BPC 1968, BPC 1963, BPC 1959, BPC 1954, BPC 1949, APF, APF 1969, APF 1964, APF 1955, APF 1947, or PL as appropriate.

Hours of Supply

46. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charge applicable. When the prescription is marked 'urgent' and initialled by the doctor, it is obligatory for the approved chemist to make supply at his pharmacy at any hour.

47. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

48. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

49. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

50. Without affecting the requirements of the law of a State in regard to drugs of addiction or restricted drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorisations;
- (c) in the case of an approved chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

Suspected Forgery

51. If an approved chemist is not satisfied that the signature on a prescription form is that of a medical practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Emergency Drug (Doctor's Bag) order forms particular requirements are set out in paragraph 22.

Sale Copies

52. Copies of the National Health Act and Regulations are available from the Australian Government Publishing Service in each capital city.

53. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

54. Inquiries regarding pharmaceutical benefits may be made at the Office of the Director of Health in each capital city.

CODING AND SUBMISSION OF PRESCRIPTIONS—

PROCEDURE BY APPROVED CHEMISTS A. INTRODUCTION

55. The pricing of valid prescriptions, repeat authorisations and Doctor's Bag order forms and the calculation of the total amount payable for each claim are carried out by means of an electronic computer which operates on coded information provided by the approved chemist in respect of each pharmaceutical benefit supplied under the National Health Act.

56. The system is designed to enable approved chemists to prepare claims correctly with a minimum of work but it is, however, essential that the instructions be followed carefully and without modification. The inclusion in claims of incorrectly coded or otherwise defective prescriptions can be expected to interrupt processing and delay payments.

57. The interest and co-operation of approved chemists in ensuring that claims are always correctly prepared is invited and would substantially assist this Department to maintain a programme of prompt and satisfactory payments.

B. GENERAL

Time for Lodgment of Claims

58. Claims for pharmaceutical benefits may be lodged at the office of the Commonwealth Department of Health in your capital city at any time during the month and should comprise approximately one month's dispensing. Claims for pharmaceutical benefits supplied more than six months prior to the date of claiming will not be accepted for computer processing, but will require manual pricing of prescriptions and preparation of tally sheets and claim forms by the chemist. *Approved chemists desiring to submit such claims should contact the office of the Director of Health for instructions regarding the preparation of the claims and the necessary forms.*

Documents to be Submitted

59. A claim for pharmaceutical benefits consists of:

- (i) A completed claim form PB1.
- (ii) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to the general public. These should be together in a separate bundle from the pensioner prescriptions.
- (iii) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to pensioners. These should be together in a separate bundle from the general benefit prescriptions.

NOTE.—Generally, prescriptions in each bundle should be submitted in serial number order. The exception to this is where an approved chemist *has elected to price extemporaneously prepared prescriptions* (see paragraphs 69 and 88). These prescription forms should be placed at the back of the relevant bundle irrespective of serial numbers and the fact that other prescriptions may appear on the same form.

- (iv) The original orders for Emergency Drug (Doctor's Bag) supplies in a separate bundle.
- (v) Repeat authorisations for an injectible and the related solvent must be stapled together.

Completion of Claim Form

60. Particulars of claimant's name, address of approved premises, approval number, and chemist's reference month should be entered in the spaces provided on the claim form PB1. It is important that these particulars agree entirely with the latest written information held by this Department, i.e., application for approval form or later letter. In the event of discrepancies, payment will necessarily be delayed pending clarification.

61. The numbers to be entered on the claim form are the first and last serial numbers given to items on the General and Pensioner Benefits and Emergency

Drug (Doctor's Bag) forms respectively (see paragraph 67). The last numbers should be the total numbers of these categories.

62. Please note that no entry of the amount of the claim is required—this will be calculated by computer after the prescriptions have been individually priced.

63. The declaration on the claim form must be signed by the approved person unless an authority for another person to do so has been sent by the approved person to the Director of Health in the State concerned.

Prescription Identifying Numbers

64. In addition to a serial number (see paragraph 67) each pharmaceutical benefit prescription dispensed must be given a number which identifies it specifically. Prescription book numbers are preferable but any other series which will meet the purpose may be used, provided that the chemist's approval number is not a component of such numbers. Please note that these numbers are to be entered in the Coding Stamp (see paragraph 80).

65. Further, in cases where an approved chemist allots an identifying number to a repeat authorisation as distinct from the original prescription number allotted by the approved chemist issuing the repeat authorisation, he should enter this new identifying number in the appropriate coding box pre-printed on the front of the form.

Pharmacy Stamp

66. Before supply of a benefit each prescription form, repeat authorisation form and authority to prescribe form should be endorsed with the name of the approved person and his approval number. This information may be stamped, written or typed.

Serial Numbering of Prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms

67. Within each claim, prescriptions dispensed should be serially numbered commencing at—

- (a) 1 for general prescriptions;
- (b) P1 for pensioner benefits; and
- (c) D1 for Emergency Drug (Doctors Bag) supplies.

Each Doctor's Bag item should be given a serial number, e.g., if there are five items on the first form in the claim the first item on the second form in the claim will be D6.

Standard Formulae List of Extemporaneous Preparations

68. Included in the booklet—Extemporaneously Prepared Benefits—is a comprehensive list of pre-priced extemporaneous preparations. The list is comprised of formulae taken from formulary in common use. This list is referred to in these notes as the Standard Formulae List. Each preparation is identified with a five-character code.

Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List

69. An approved chemist may elect to price out these prescriptions. Once made, however, such an election cannot be varied for a period of three months and applies to all extemporaneously dispensed formulae for which there are no five-character codes in the Standard Formulae List.

70. Unless he so elects, the approved chemist will be paid at an average reimbursement rate for these prescriptions. Under this system, payment is made on the basis of an average 10 g/ml rate applied to the category of preparation concerned, i.e., the price will be ascertained by multiplying the appropriate 10 g/ml rate by the number of 10 g/ml units supplied and adding container and professional fees. For example, an 80 ml mixture would be priced at eight times the average 10 ml rate for mixtures, plus container and professional fee. Notwithstanding that an approved chemist is accepting the average price for non-priced prescriptions, he may price out 'exceptional' prescriptions and code for reimbursement at that price (see paragraph 75).

71. The average 10 g/ml rate may vary from month to month but the rate for a particular prescription will be that applying to the month in which it was dispensed.

72. By agreement with the Pharmacy Guild of Australia the average 10 g/ml rate is determined as in paragraph 73.

73. Each month the total number of 10 g/ml units of each type of pre-priced extemporaneous preparation claimed for will be ascertained for each State, together with the total values minus container and professional fees. From these figures an average 10 g/ml rate will be calculated for each type of preparation for each State. This rate will be used as the rate for calculating prices for the prescriptions dispensed in the succeeding month. It should be noted that prescriptions ordering a combination of standard preparations also fall outside the scope of the Standard Formulae List and therefore are subject to this section.

74.—(a) Any variant to a formula included in the Standard Formulae List (addition and deletion of an ingredient or variation of dose up or down) takes the formula dispensed outside the Standard Formula List and it becomes subject to this section, i.e., it cannot be identified with the code of the formula which it resembles.

(b) Where an approved chemist is accepting the average price for non-pre-priced prescriptions, and where an ingredient is added to a standard formula and the recovery price for the standard formula plus additive under the average price system is less than that for the standard formula alone, the approved chemist may code that prescription as though it were a standard formula item.

75. An exceptional prescription is a prescription for an extemporaneously prepared pharmaceutical benefit which is not included in the Standard Formulae List and for which the price of the ingredients calculated in accordance with basic pricing rules (paragraphs 113-121) is twice or more than twice the recovery price of the ingredients calculated on an average price basis (paragraph 70).

C. PROVISION OF CODED INFORMATION BY AN APPROVED CHEMIST

Entering of Information

76. The approved chemist will enter relevant information on each document he submits in support of his claim. The information to be entered will depend upon the type of document, i.e., original or repeat supply, Emergency Drug (Doctor's Bag) Order form, etc., and on the category of prescription, i.e., ready prepared or extemporaneously prepared.

Codes for Preparations which are Pre-priced

77. A unique five-character code (e.g. 1001Q) is shown for:

- (i) each form and strength of every ready prepared benefit (Sections 2 and 3, Schedule of Benefits);
- (ii) each standard formula preparation listed in the Standard Formulae List.

78. An exception to this occurs in the use of packed lines where the presence or otherwise of 'Directions for Use' affects the price. Two separate codes are therefore shown for each packed line. The first code is to be used where the prescriber has not included specific directions for use in his prescription, and the second will be used when such directions are included.

Codes for Extemporaneous Preparations which are not Pre-priced

79. Three-character codes representing each type of extemporaneous preparation, e.g., mixtures, ointments, etc., are shown in the Table of Codes, Section 4 (green pages) of the Schedule. These three-character codes are to be used by the approved chemist in coding those prescriptions where a doctor has either specified the individual ingredients of a preparation or ordered a combination of standard formulae or has varied in any way a preparation included in the Standard Formulae List, and the approved chemist has elected to accept an average price (see paragraph 70). Where the approved chemist has elected to price out such prescriptions then action as outlined in paragraph 88 should be taken.

Coding Stamp

80. One stamp is provided for coding both Ready Prepared Benefits and Extemporaneously Dispensed Benefits. This stamp provides spaces for coded information on original prescription forms. Repeat authorisation forms and Emergency Drug (Doctor's Bag) Order forms currently on issue have printed coding spaces, and special authority prescriptions are coded by this Department before issue to medical practitioners.

81. Stamp imprints should be placed preferably on the extreme left of the front side of the prescription form. Many doctors use prescription forms which provide space suitable for this purpose, but when there is insufficient area on the front of the form the stamp should be placed on the left hand side on the back. It should be noted that coding stamps must be placed either **all on the front or all on the back** of an individual form. **In no circumstances should the stamp imprint appear on both the back and front.**

82. Doctors who so desire may obtain prescription forms which provide space for the coding stamp and for the patient's or agent's receipt on the face of the form.

83. Where there is insufficient space either on the front or the back of the form for the coding stamp, the coding should be on a slip of paper firmly attached to the form.

84. This stamp will be used for all pharmaceutical benefits—

S
C
Q
B R
No.

Coding of Ready Prepared Benefits

85. 'S'—Serial Number (see paragraph 67).

'C'—Is the appropriate code. All codes are shown in the Schedule of Benefits for Approved Chemists beside the benefits to which they refer. These numbers range from 1001Q to 3200K.

'Q'—Quantity. The number of units dispensed, e.g., capsules, tablets, tins, vials, tubes, etc., is to be entered in the stamp imprint. Only the appropriate number should be shown. The type of dispensing unit should not be specified.

For Regulation 24 prescriptions, the quantity actually supplied should be entered; that is, the total of the original quantity plus the quantities ordered as repeats. (Note next paragraph.)

The dispensed quantity of **PACKED LINES** and **PACKS NOT TO BE BROKEN** should never be expressed as a volume or weight but always in those terms in which the maximum quantity is expressed in column 3 of Section 2 or Section 3 of the Schedule; e.g., a prescription ordering 200 ml of a packed line should be coded with a quantity of '1' and not '200'.

For all Regulation 24 prescriptions, the letter 'X' should be entered on the stamp imprint immediately after the quantity.

'B'—Brand Ordered. Where a doctor orders a particular brand either by proprietary name or brand, the code letters of the manufacturer

should be entered beside the letter 'B'. Where a particular brand is **not** ordered **THIS SPACE MUST BE LEFT BLANK.**

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, **including those cases where supply has been made under Regulation 24.**

'No.'—Prescription identification number (see paragraph 64).

Coding of Extemporaneously Dispensed Benefits included in the Standard Formulae List

86. 'S' Serial Number (see paragraph 67).

'C' Code obtained from the Standard Formulae List where one is shown. These codes range from 7300F to 9987P.

'Q' Quantity. The number of millilitres or grammes should be entered.

Where the supply of a standard preparation is made under Regulation 24, the quantity actually supplied followed by the letter 'X' should be entered.

'B'—This space must be left blank when coding extemporaneously dispensed prescriptions (except for provision made in paragraph 87).

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, **including those cases where supply has been made under Regulation 24.**

'No.'—Prescription Identification Number (see paragraph 64).

Dropper Containers

87. Dispensed prices for extemporaneously prepared eye drops, ear drops and nose drops include the cost of a polythene dropper container. Where a glass dropper container is specified by the prescriber or considered necessary by the approved chemist, the prescription should be endorsed accordingly and payment for same should be claimed by placing the letter 'g' in the brand space of the coding stamp.

Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List

88. In the case of formulae for which a code is not shown claimants may elect either to receive an average 10 g/ml rate for the type of preparation with provision to price exceptional prescriptions (see paragraph 75) or to calculate the cost of ingredients, containers and professional fee manually (see paragraphs 69–74). These arrangements have been agreed between the Department and the Pharmacy Guild of Australia.

No notice to the Department will be necessary if payment on the average reimbursement rate system is desired, but election must be made formally if the approved chemist desires to price these prescriptions individually before submission. Once made, such an election will apply to all non-pre-priced extemporaneous preparations and cannot be altered for a period of three months. The approved chemist will notify the Department when changing from 'pricing elected' to 'acceptance of average rate'. It should be noted that prescriptions which call for a variation to one of the formulae listed in the Standard Formulae List or combinations of Standard Formulae fall into this category and are not to be identified with the code of the formula in the Standard Formulae List which they resemble. Coding of Standard Formulae with additives for approved chemists accepting average rate, is covered in paragraph 74 (b).

Action to be taken when an Approved Chemist elects to be paid on an Average Price Basis

89. (a) Coding of prescriptions to be reimbursed on an average price basis.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places on the stamp imprint.
- (ii) Enter the three-character code for the type of preparation in the code space [See the Table of Codes, Section 4 (green pages) for these codes.]
- (iii) Enter the number of millilitres or grammes.
- (iv) Where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the quantity.

NOTE: The space following the letter 'B' should be left blank (except for provision made in paragraph 87).

(b) Coding of Exceptional Prescriptions as defined in paragraph 75.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places in the stamp imprint.
- (ii) Enter the three-character code for the type of preparation preceded by the letter 'V' (indicating that this prescription is priced) in the code space. [See the Table of Codes, Section 4 (green pages) for these codes.]
- (iii) Enter the calculated price in the quantity space.
- (iv) Where the supply is made under the provisions of Regulation 24 the letter 'X' should be entered after the price.

NOTE: The space following the letter 'B' should be left blank (except for provision made in paragraph 87).

Action to be taken when an Approved Chemist elects to price non-pre-priced Extemporaneous Preparations

90. When the approved chemist has advised the Department of his election to price out these prescriptions he should price all prescriptions in this category in accordance with the pricing principles set out in 'Provisions governing Payments to Approved Chemists for N.H.S. dispensing' (page 16) and—

- (i) enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate sections of the stamp imprint;
- (ii) enter only the letter 'V' in the code space. This indicates that the prescription has been priced out;
- (iii) enter the price he has calculated in the quantity space;
- (iv) where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the price.

N.B. No details of type or quantity of preparation are to be shown in the code stamp.

Coding of Repeat Authorisation Forms

91. The approved chemist originating a repeat will not only complete the upper section of the form but will also enter details in the coding box. It will be the responsibility of the approved chemist dispensing the repeat authorisation to ensure that the coding details are correct.

Action by Approved Chemist Issuing the Repeat Authorisation

92. The following information relating to the original prescription is to be entered in the spaces provided:

- (i) Approval number of approved chemist who dispensed the original prescription.
- (ii) Date of the original prescription.
- (iii) The prescription identification number assigned by the dispenser of the original prescription.
- (iv) The number of repeats ordered up to the allowable maximum.
- (v) The number of times the prescription has been dispensed.
- (vi) The code, quantity and where applicable the brand of the benefit ordered.
- (vii) Repeats on Authority to Prescribe (Form PB15) should be endorsed with the authority number.

93. Where an approved chemist dispenses a supply other than on the first occasion, the information in (i), (ii), (iii), and (iv), will be transcribed from the repeat authorisation which he receives from the patient. These details would have been entered by the approved chemist who issued the form to the patient.

Action by Approved Chemist Dispensing a Repeat Authorisation

94. The approved chemist dispensing the supply will check the information entered in the stamp imprint. The dispensing approved chemist is responsible to ensure the correctness of these entries. It should be noted that:

- (a) The serial number allotted by the approved chemist to the repeat supplied as a \$2 general prescription is entered beside the letter 'R' in the box at the top of the form. Serial numbers issued in respect of repeats supplied for which an Authority to Prescribe is required must be prefixed with the letter 'A' in the case of general benefits, and with the letters 'AP' in the case of pensioner benefits.
- (b) The new identifying number of the Repeat Authorisation is to be entered in the space marked 'No.' in the Coding Stamp Box on the front of the form. (See paragraph 65.)
- (c) When the approved chemist issuing the authorisation has entered a code number (for the type of preparation) and quantity in the stamp and the dispensing approved chemist has elected to price such prescriptions instead of accepting the average price, the dispensing approved chemist should strike out the entries and replace them with 'V' and the claimed price or *vice versa*.

Coding of Emergency Drug (Doctor's Bag) Order Forms

95. For each item ordered, enter the serial number, code of the benefit, quantity supplied and the brand ordered, if any.

D. STATEMENT OF ACCOUNT

96. A Statement of Account will be forwarded in respect of each claim passed for payment. This gives, in addition to the details of payment, the price paid for each benefit or the reason for non-payment. Prescriptions are identified on the Statement of Account by the serial numbers allotted by the claimant and the Item Code. In the case of non-pre-priced extemporaneously prepared benefits the letter 'V' or the three-character code for the type of preparation replaces the item codes according to whether the prescriptions have been paid on an average price or calculated price basis. Serial Numbers of Emergency Drug (Doctor's Bag) items will be prefixed by the letter 'D' and the pensioner prescriptions by the letter 'P'.

97. The reason for non-payment of any item will be indicated by a Code letter. An explanation of the Code employed appears on the reverse side of the Statement of Account.

98. Prescriptions and repeat authorisations which are not acceptable for payment will be returned with the Statement of Account. Other prescriptions appearing on such forms will have been paid and appropriately cancelled before being returned to the approved chemist. Where prescriptions are resubmitted they must be allotted an entirely new serial number and included as a normal part of the next claim.

99. If prescriptions from previous claims are the subject of adjustment to current claims, full details will be shown on the Statement of Account.

100. Where a correctly coded prescription has not been given a serial number by the claimant the serial number given to the preceding prescription will be used also as a means of reference to the second prescription, i.e., the serial number will appear twice on the Statement of Account with the appropriate prices or rejection codes relating to both prescriptions.

101. Should serial numbers be duplicated they will be shown on the Statement of Account as numbered by the claimant.

102. In the case of a serial number which has not been used or the relevant document not submitted the number will be printed on the Statement of Account together with a code signifying that the document has not been received.

103. The Statement of Account will include a statement reconciling the number of prescriptions claimed for by the approved chemist with the number of prescriptions for which payment has been made.

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S.

DISPENSING

A. GENERAL

104. The pricing principles are identical for prescriptions written for the general public and pensioners.

B. READY PREPARED ITEMS AND P.L. ITEMS

Price where Maximum Quantity Prescribed (R.P. and P.L. Items)

105. The price payable for a benefit is the amount shown in column 5 of the Schedule against that benefit subject to the following provisions—

- (a) *Packed Lines*—Where the prescription bears specific instructions for use, the price is calculated in accordance with paragraph 109.

- (b) *Injections with required solvent*—Where the words 'solvent required' are included after the form of the benefit, the price payable is the sum of the listed prices for the item and the solvent less a professional fee (i.e., only one professional fee is payable). Prescribers must indicate volume and number of ampoules of solvent to be supplied.

Price where Broken Quantity Prescribed (R.P. Items)

106.—

- (a) *Packed Lines*—The price for the maximum quantity is payable, even when a lesser quantity is prescribed.
- (b) *Packs not to be broken*—Where items packed by the manufacturer under special conditions or for which the maximum quantity has been determined as a single pack are prescribed (see paragraph 109), maximum quantity should be supplied and the price payable is that for the maximum quantity.
- (c) *Ready Prepared Items where Standard Pack coincides with Maximum Quantity*—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—

- (i) an amount equivalent to the professional fee and where applicable the dangerous drug fee is deducted from the price shown in column 5 of the Schedule in relation to the benefit.
- (ii) To the resultant amount is applied the appropriate wastage percentage ascertained from the Wastage Factor Table shown in paragraph 111.
- (iii) The amount ascertained under (ii) is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 of the Schedule in relation to the maximum quantity of the benefit.

- (d) *Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e., where an asterisk is shown against the price)*—In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 of the Schedule beside the price shown for the benefit concerned. In such cases the standard pack rate is set out in the

Table shown in Section 6 (blue pages) of the Schedule. The price payable for the quantity supplied is ascertained as follows:—

- (i) To the standard rate is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 111.
- (ii) The amount so ascertained is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity which is less than the maximum quantity of the item exceed the dispensed price for the maximum quantity of that item.

- (e) No container fee is payable where the quantity of benefit ordered and supplied is more than the quantity contained in the standard or non-standard packs.

Price for Unbranded Prescriptions

107. Where a standard pack price applies, the lowest price shown in column 5 of the Schedule in relation to that item is payable.

Packed Lines

108. The undermentioned packed lines are expected to be supplied under the original label when prescribed in the maximum quantities shown in the Schedule of Benefits and therefore do not attract a professional fee. Where the prescription bears specific instructions for use, then the item is to be labelled. In such cases, payment will be made on the same basis as for other ready prepared items.

When the quantity ordered does not correspond with a pack size listed, then the price for the next higher original pack listed is payable, even when the prescription orders and the chemist dispenses a lesser quantity. This procedure also applies where the approved chemist's own pack is supplied.

Aluminium Hydroxide Gel Mixture
Boric Acid Powder
Copper Sulphate Diagnostic Compound Tablets
Deodorant Concentrate
Glucose Indicators
Glucose and Ketone Indicator
Glycerol
Hydrogen Peroxide Solution
Saccharin Tablets
Sterculia (Indian Tragacanth; Gum Karaya)
Surgical Cement
Wool Alcohols, Ointment
Wool Fat, Hydrous (Lanolin)

These items are indicated by a dagger (†) in the Schedule of Benefits.

Unbroken Packs to be Supplied

109. The maximum quantity of certain forms of benefits such as eye drops and oral suspensions has been determined as a single pack corresponding to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack, the maximum quantity should be dispensed and claimed from the Department.

These items are indicated by a double dagger (‡) in the Schedule.

Wastage Table Percentage for Ready Prepared Preparations

110. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraph 106 (c) and (d) above.)

111. The appropriate wastage table percentage is ascertained as follows:—

- The percentage that the quantity supplied bears to the number contained in the standard pack is determined;
- Where the percentage determined in subparagraph (a) coincides with a percentage listed in Column A of the Wastage Factor Table, the percentage used is the relative figure shown in Column B;
- Where the percentage determined in subparagraph (a) does not coincide with a percentage in Column A, then the nearest upward percentage in Column A applies, and the percentage used is the relative figure shown in Column B.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in Column A the next higher (i.e., 25%) is used. Reading down from 25% to Column B, the wastage table percentage is found to be 38%.

WASTAGE FACTOR TABLE

Column A	5	10	15	20	25	30	35	40	45	50
Column B	10	18	26	32	38	44	50	54	58	62
Column A	55	60	65	70	75	80	85	90	95	100
Column B	66	70	74	78	82	86	90	94	98	100

Prescribers' List Items

112. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescribers' List is shown in the Standard Formulae List.

C. EXTEMPOREANOUSLY PREPARED PRESCRIPTIONS

Pricing Prescriptions Not Pre-priced

113. The following are the principles applied in determining the prices of all pre-priced extemporaneous formulae shown in the booklet—'Extemporaneously Prepared Benefits'. They also apply where a chemist elects to price out extemporaneous prescriptions outside the Standard Formulae List.

114. The amount payable is ascertained as the sum of—

- the recovery price of each ingredient as shown in the booklet—'Extemporaneously prepared Benefits';
- the price of the appropriate container as shown in the booklet—'Extemporaneously Prepared Benefits';
- a professional fee as shown on page 15 of the booklet—'Extemporaneously Prepared Benefits'.

Pricing of Ingredients

115. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows—

- determine the basic pricing unit relative to the quantity by reference to the following table:—

Quantity	Basic Pricing Unit
Up to 50 mg (minimum price)	100 mg price multiplied by 0.5
Over 50 mg and up to and including 700 mg	100 mg price
Over 700 mg and up to and including 1 g	price as 1 g
Over 1 g and up to and including 7 g	1 g price
Over 7 g and up to and including 10 g ..	price as 10 g
Over 10 g and up to and including 80 g ..	10 g price
Over 80 g and up to and including 90 g ..	price as 80 g
Over 90 g	100 g price

- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery price shown for the ingredient in the Drug Tariff—

100 g price is 500 g price divided by 5 or 1 kg price divided by 10.

10 g price is 100 g price plus 12½% divided by 10.

1 g price is 10 g price plus 25% divided by 10.

100 mg price is 1 g price plus 25% divided by 10.

- (c) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b), by the fraction that the quantity bears to the basic pricing unit.

- (d) for pricing purposes the quantity is to be taken to the next 50 milligrams or 0.05 millilitres.

Miscellaneous Pricing Rules

116.—

- (a) The minimum recovery price for any ingredient is one cent.
- (b) Where a fraction of a cent occurs in a price that price is to be taken to the nearest cent, a half cent being taken up to the next cent.
- (c) The amount payable for a quantity of an ingredient or preparation shall not exceed the amount which would be payable for a greater amount of that ingredient or preparation.

Pricing Prescriptions where Additional Ingredients have been Added to a Specified Formula

117. The amount payable for a prescription which comprises a vehicle which is specified under a particular name, and an additional specified ingredient or ingredients shall be calculated in accordance with paragraphs 118 and 121.

118. Where the vehicle is a single liquid ingredient and one or more solid ingredients are added, displacement of the vehicle by solids shall be disregarded and the amount payable shall be calculated in accordance with paragraph 114.

119. Where the vehicle is a single liquid ingredient and one or more liquids are added, the amounts payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 115; and

- (b) the recovery price of the quantity of the vehicle calculated in accordance with paragraph 115.

120. Where the vehicle is compounded from two or more ingredients and one or more solid ingredients are added, displacement of the vehicle by the solids shall be disregarded and the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 115; and
- (b) the recovery price of each ingredient of the vehicle calculated in accordance with paragraph 115.

121. Where the vehicle is compounded from two or more ingredients and one or more liquid ingredients are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 115; and
- (b) the recovery price of the quantity of vehicle, this amount being the sum of the recovery prices for each ingredient of the vehicle in such quantity as calculated in accordance with paragraph 115.

D. GENERAL

Fees and Containers

122. The amounts payable by way of professional fee, dangerous drug fee and container charges for ready prepared preparations are set out in Section 6 of the Schedule. The professional fee and container charges for extemporaneously prepared preparations are set out in the booklet—‘Extemporaneously Prepared Benefits’.

Pricing Dates

123. For pricing purposes the operative dates are—

- (a) for extemporaneously prepared benefits—the first day of every second month commencing February each year for benefits supplied as from the first day of the fourth succeeding month.
- (b) for ready prepared benefits—the first day of the month preceding the month during which the benefits are dispensed.
- (c) for containers—

- (i) for extemporaneously prepared benefits—the first day of April, August and December each year for benefits supplied as from the first day of the fourth succeeding month.
- (ii) for ready prepared benefits—the first day of January each year.

Isolated Pharmacy Allowance (IPA)

124. Approved chemists providing a pharmaceutical service in isolated areas may apply for IPA on the basis of economic need. Application forms may be obtained from the Assistant Director-General, Pharmaceutical Benefits Branch, Department of Health, P.O. Box 100, Woden, A.C.T. 2606.

Approved chemists eligible to receive IPA will be—

- (i) those where the pharmacy is more than 25 kilometres from the nearest pharmacy and who are able to demonstrate the need for

such allowance on the basis of economic need; and

- (ii) those where the pharmacy can be demonstrated to be 'isolated' on a basis other than distance (e.g., on an island, intervening mountain range, no roads) and where economic need can be demonstrated.

Supplies of Stationery

125. Claim Forms, Repeat Authorisations, etc., are available from the Director of Health in each State.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH BRANCH OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000
Telephone 232 8000

Director of Health—
Dr R. R. Bull
After hours: Telephone 969 8681
Assistant Director (Pharmaceutical) (Acting)—
Mr R. W. Goggins
After hours: Telephone 86 4541

VICTORIA

Commonwealth Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000
Telephone 662 2999

Director of Health—
Dr R. C. Webb
After hours: Telephone 80 5333
Assistant Director (Medical)—
Dr E. C. R. Newton
After hours: Telephone 95 5815
Assistant Director (Pharmaceutical)—
Mr L. L. Lock
After hours: Telephone 93 1322

QUEENSLAND

Commonwealth Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld. 4000
Telephone 225 0122

Postal Address—
G.P.O. Box 567, Brisbane, Qld. 4001
Director of Health, (Acting)—
Dr H. C. Anderson
Assistant Director (Medical)—
Dr J. R. Meyers
After hours: Telephone 399 5857
Assistant Director (Pharmaceutical)—
Mr C. J. Massie
After hours: Telephone 30 1546

SOUTH AUSTRALIA

Commonwealth Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S.A. 5000
Telephone 51 7400
Postal Address—
G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—
Dr A. C. Green
Assistant Director (Pharmaceutical)—
Mr B. G. Foster
After hours: Telephone 278 6016

WESTERN AUSTRALIA

Commonwealth Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W.A. 6000
Telephone 23 0391

Postal Address—
G.P.O. Box M970, Perth W.A. 6001
Director of Health—
Dr W. J. Wilmot
After hours: Telephone 95 1150
Assistant Director (Medical)—
Dr A. Brazowski
After hours: Telephone 47 4754
Assistant Director (Pharmaceutical) —
Mr J. T. McDonough
After hours: Telephone 47 5326

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000
Telephone 20 2122

Postal Address—
G.P.O. Box 919J, Hobart, Tas. 7001
Director of Health—
Dr P. Hallett
After hours: Telephone 47 8660

Medical—
Dr C. F. A. Younger
After hours: Telephone 62 2272
Assistant Director (Pharmaceutical) (Acting)—
Mr W. M. Murton
After hours: Telephone 29 6749

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794
Telephone 80 2911

Postal Address—
P.O. Box 147, Darwin, N.T. 5794
Director of Health—
Dr C. H. Gurd
After hours: Telephone 81 2509

MANUFACTURERS—ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	AB	Bristol Laboratories Pty Ltd 345 Pacific Highway, Crowns Nest, N.S.W. 2065	BC
Adam Drug Co. 41 Barry Avenue, Mortdale, N.S.W. 2223	AV	Bull Laboratories, David 11-15 Lexia Place, Mulgrave, Vic. 3170	BL
Alcon Laboratories (Aust.) Pty Ltd 8 Wattle Road, Brookvale, N.S.W. 2100	AQ	Burroughs Wellcome & Co. (Aust) Ltd 53 Phillips Street, Cabarita, N.S.W. 2137	BW
Allen and Hanburys 1061 Mountain Highway, Boronia, Vic. 3155	AH	Cambridge Laboratories Pty Ltd 397 Little Lonsdale Street, Melbourne, Vic. 3000	CE
Allergan Pharmaceuticals Pty Ltd .. 32 Punch Street Artarmon, N.S.W. 2064	AG	Ciba Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	CB
Ames Company .. Wellington Road, Mulgrave, Vic. 3170	AM	Commercial Goat Milk Producers Co- operative Ltd 72a Maroondah Highway, Croydon, Vic. 3136	CG
Armour Pharmaceutical Co. Ltd, England	AR	Commonwealth Serum Laboratories 45 Poplar Road, Parkville, Vic. 3052	CS
Astra Chemicals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	AP	Cooper Laboratories Pty Ltd .. 176 Harbord Road, Brookvale, N.S.W. 2100	CP
Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	AY	Crookes, Laboratories Ltd, The England	CK
Bayer Pharmaceutical Company 46-67 Wilson Street, Botany, N.S.W. 2019	BN	Denyer Brothers .. 250 Pitt Street, Sydney, N.S.W. 2000	DY
Beecham Research Laboratories 6 Winterton Road, Clayton, Vic 3168	BR	Difrex (Aust.) Laboratories 13-19 Glebe Street, Glebe, N.S.W. 2037	DF
Berk Pharmaceuticals Division of U.S.V. Australia Pty Ltd .. 172-178 Princes Highway, Arncliffe, N.S.W. 2205	BQ	Dista Products (Aust.) Pty Ltd Waratah Street and Wharf Road, Ermington, N.S.W. 2115	DL
Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	BH	Dolder and Co., Switzerland .. Dome Laboratories Wellington Road, Mulgrave, Vic. 3170	DR DO
Boehringer Ingelheim Pty Ltd 50 Broughton Road, Artarmon, N.S.W. 2064	BY	Drug Houses of Australia 31 Henderson Street, Turrella, N.S.W. 2205	DH
Boehringer Mannheim GmbH Germany	BO	Edwards Instrument Company .. 29 Bellingham Street, Narellan, N.S.W. 2567	ED
Boots Company (Aust.) Pty Ltd, The Loyalty Road, North Rocks, N.S.W. 2151	BT		
Boucher and Muir Pty Ltd 118-124 Willoughby Road, Crowns Nest, N.S.W. 2065	BZ		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Endo Laboratories (Aust.) Pty Ltd 448 Pacific Highway, Artarmon, N.S.W. 2064	EN	Iloquin Company, The 8 Wattle Road, Brookvale, N.S.W. 2100	IQ
Erba Carlo, S.p.A., Italy	EC	Jackson-Mitchell Pharmaceuticals Inc. U.S.A.	JM
Ethnor Pty Ltd 1-5 Khartoum Road, North Ryde, N.S.W. 2113	ET	Knoll Laboratories Division of U.S.V. Australia Pty Ltd .. 172-178 Princes Highway, Arncliffe, N.S.W. 2205	KL
Evans Medical Australia (Pty) Ltd 1061 Mountain Highway, Boronia, Vic. 3155	EV	Knoll, AG., Germany Wood Street, Tempe, N.S.W. 2044	KN
Faulding & Co. Ltd, F. H. 48 Beans Road, Thebarton, S.A. 5031	FA	Lancet Pharmaceutical Limited 8 Hornsby Street, Hornsby, N.S.W. 2077	LP
Fawns and McAllan Pty Ltd .. 432 Mt Dandenong Road, Croydon, Vic. 3136	FM	Langley Laboratories Pty Ltd ... 116 Cabramatta Road, Cremorne, N.S.W. 2090	LF
Fisons Pty Ltd 97 Pacific Highway, North Sydney, N.S.W. 2060	FC	Lederle Laboratories Division Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W. 2065	LE
Frosst, Charles E. 576 St Kilda Road, Melbourne, Vic. 3000	FR	Lilly (Aust.) and Company, Eli Wharf Road, West Ryde, N.S.W. 2114	LY
Geigy Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	GE	May & Baker Australia Pty Ltd Paramount Road, Footscray West, Vic. 3012	MB
Gist-Brocades Australia Pty Ltd ADC Building, 77 Pacific Highway, North Sydney, N.S.W. 2060	GB	McGloin Pty Ltd, J. 150 Dean Street, Enfield, N.S.W. 2136	MG
Glaxo 1061 Mountain Highway, Boronia, Vic. 3155	GL	Mead Johnson 345 Pacific Highway, Crows Nest, N.S.W. 2065	MJ
G.P. Laboratories Wharf Road, West Ryde, N.S.W. 2114	GP	Medac Pharmaceutical Laboratories 326 King Georges Road, Beverly Hills, N.S.W. 2209	ME
Grose Products (Aust.) Pty Ltd 51-55 Warrah Street, East Chatswood, N.S.W. 2067	GV	Medical Research Pty Ltd 31 Sirius Road, Lane Cove, N.S.W. 2066	MR
Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A. 5000	HA	Medichem Pharmaceuticals Pty Ltd 30 Thorby Avenue, Leichhardt, N.S.W. 2040	MC
Hoechst Australia Ltd 606 St Kilda Road, Melbourne, Vic. 3000	HP	Merck, Sharp and Dohme (Aust.) Pty Ltd 62-68 Ferndell Street, South Granville, N.S.W. 2142	MK
Hollister Incorporated, U.S.A.	HO	Merrell, Wm S. Company 9 Help Street, Chatswood, N.S.W. 2067	ML
Hunter Valley Sharpe Pty Ltd 168 Willoughby Road, Crows Nest, N.S.W. 2065	HS		
ICI Australia Ltd ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	IC		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Muir and Neil Pty Ltd 479 Kent Street, Sydney, N.S.W. 2000	MN	Robins, A. H. Pty Ltd 4 Charles Street, Canterbury, N.S.W. 2193	RS
Nativelle Laboratories, France ..	NA	Roche Products Pty Ltd .. Inman Road, Dee Why, N.S.W. 2099	RO
Nestle Company (Aust.) Ltd, The .. 17 Foveaux Street, Sydney, N.S.W. 2000	NT	Rocke, Tomsitt and Co. Ltd 10 Griffiths Street, Richmond, Vic. 3121	RT
Nicholas Pty Ltd 699 Warrigal Road, Chadstone, Vic. 3148	NS	Rona Laboratories Ltd, London, U.K	RN
Nordia, Denmark	NR	Rorer (Aust.) Pty Ltd 79 Victoria Avenue, Chatswood, N.S.W. 2067	RG
Novo Laboratories Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	NO	Ross Laboratories Captain Cook Drive, Kurnell, N.S.W. 2231	RD
Ohio Drug Co. Pty Ltd 100 Clarence Street, Sydney, N.S.W. 2000	OD	Rotary Tableting Corp. Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136	RY
Organon (Australia) Pty Ltd .. 34 Hotham Parade, Artarmon, N.S.W. 2064	OR	Roussel Pharmaceuticals Pty Ltd Gladstone Road, Castle Hill, N.S.W. 2154	RL
Parke, Davis and Co. 32-40 Cawarra Road North, Caringbah, N.S.W. 2229	PD	Salmond and Spraggon (Aust.) Pty Ltd Loyalty Road, North Rocks, N.S.W. 2151	SS
Pfizer Pty Ltd Wharf Road, West Ryde, N.S.W. 2114	PF	Sandoz Australia Pty Ltd 54 Waterloo Road, North Ryde, N.S.W. 2113	SZ
Pfrimmer and Co., West Germany ..	PC	Sanitarium Health Food Co. 148 Fox Valley Road, Wahroonga, N.S.W. 2076	SA
Pharmacia (South Seas) Pty Ltd Cnr Khartoum and Talavera Roads, North Ryde, N.S.W. 2113	PS	Sauter Laboratories (Aust.) Pty Ltd 60 Campbell Avenue, Dee Why, N.S.W. 2099	SU
Pharmax Ltd, England	PN	Schering Corporation, U.S.A. 11 Gibbon Road, Baulkham Hills, N.S.W. 2153	SH
Philips-Duphar Pty Ltd 4 Sirus Road, Lane Cove, N.S.W. 2066	PI	Schering, AG., Berlin Wood Street, Tempe, N.S.W. 2044	SC
Prosana Laboratories Pty Ltd .. 22 Daisy Street, Revesby, N.S.W. 2212	PR	Searle Laboratories Mainline Building, 8 West Street, North Sydney, N.S.W. 2060	SR
Protea Pharmaceuticals Pty Ltd 13-19 Glebe Street, Glebe, N.S.W. 2037	PT	Sigma Co. Ltd P.O. Box 144, Clayton, Vic. 3168	SI
Queensland Ethicals .. Enterprise Street, Salisbury, Qld. 4107	QE	Smith Kline and French Laboratories (Aust.) Ltd Warringah Road, French's Forest, N.S.W. 2086	SK
Reckitts Pty Ltd 44 Wharf Road, West Ryde, N.S.W. 2114	RC		
Riker Laboratories Australia Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	RK		

<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>
Smith and Nephew (Aust.) Pty Ltd Wellington Road, Clayton, Vic. 3168	SN	Upjohn Pty Ltd 55-73 Kirby Street, Rydalmere, N.S.W. 2116	UP
Squibb and Sons, E. R., Pty Ltd Princes Highway, Noble Park, Vic. 3174	SQ	Vifor, S. A., Geneva, Switzerland	VF
Stansen and Co. Pty Ltd, A. E. 121 Ricketts Road, Notting Hill, Vic. 3168	ST	Virax Ethicals Ltd 77-79 Market Street, South Melbourne, Vic. 3205	VR
Syntex Pharmaceuticals Ltd Funds of Australia Building, 10th Floor, 275 Alfred Street North, North Sydney, N.S.W. 2060	SD	Warner and Co. Pty Ltd, Wm R. 103 Miller Street, North Sydney, N.S.W. 2060	WW
Tongala Milk Products Pty Ltd 17 Foveaux Street, Sydney, N.S.W. 2000	TM	W. B. Pharmaceuticals Ltd London, U.K.	WB
Toppin and Sons Pty Ltd, R. D. 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	TO	Weddel Pharmaceuticals 213-219 Miller Street, North Sydney, N.S.W. 2060	WP
Trane Pharmacal Co. 98 Collins Street, Melbourne, Vic. 3000	TR	Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W. 2115	WL
Travenol Laboratories Pty Ltd Oakes Road, Old Toongabbie, N.S.W. 2146	TV	Woods, H. W. Pty Ltd 10 Clifford Street, Huntingdale, Vic. 3166	WH
United Works of Pharmaceutical and Dietetic Products, Hungary ..	UW	Wyeth Pharmaceuticals Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	WY
		Zero Chemicals (Aust.) Pty Ltd 17 Carlyle Road, East Lindfield, N.S.W. 2070	ZR
		Zyma Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	ZY

SUPPLIES OF LISTED BRANDS—DISTRIBUTORS

BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.	BRAND	N.S.W.	VIC.	QLD.	S.A.	W.A.	TAS.
AG ..	..	..	QC2	SS2	WA1	TG2	MJ ..	..	..	QK1	SS3	WP2	..
AH ..	NG1	VG3	QG1	SG1	WG1	..	MN ..	NA1	VS4	QQ1	SS3	WP2	TC1
AM ..	..	VS1	..	..	..	..	MR ..	..	VM3	QM3	SS2	WP2	TC2
AP ..	..	VA1	..	SS2	WC2	TG2	NA ..	..	VG1	..	..	..	..
AQ ..	NC1	VS4	QK1	SS3	WP2	TC2	NR ..	NA2	VN1	QC2	SS2	..	TC2
AR ..	NF1	VF4	QF2	SS2	WF1	TC2	OR ..	..	VO1	..	..	..	..
AV ..	..	VS4	..	..	..	TM1	PC ..	NF1	VF4	QF2	SS2	..	TC1
BH ..	NS5	VM2	QM4	SM1	..	..	PD ..	..	VP1	QP1	SW1	WP1	TG2
BN ..	NB3	..	..	..	..	..	PF ..	..	VP2	QP3	SP2	WP3	..
BO ..	NF1	VF4	QF2	SS2	WF1	TC1	PI ..	..	..	..	SS3	WD2	..
BQ ..	NU1	VU2	QU2	SU1	WU1	..	PN ..	NP5	VS4	QQ2	SS3	WP2	TC1
BT ..	..	VB1	QB1	SB1	WB2	TB1	PR ..	..	VP4	QP2	SS3	WA1	..
BW ..	..	VB2	QB2	..	WP1	TG2	PS ..	..	VP3	QM3	SS2	WP2	TC2
BZ ..	NB2	..	QQ1	..	WA1	TC2	PT ..	..	VS4	QQ2	SS3	WP2	TC1
CE ..	NS1	..	QQ1	SS2	WP2	..	QE ..	NP5	..	..	..	..	..
CK ..	NP5	VS5	QS1	..	..	..	RD ..	NA4	VA2	QA1	SA1	WA2	..
DR ..	NS1	VC1	QQ1	SS2	WP2	..	RM ..	..	..	..	..	WC2	..
EC ..	NA1	VS4	QQ1	SS3	WR1	TC2	RN ..	NR1	..	..	..	..	..
ED ..	NA1	VS4	QQ1	SS6	WA1	TC2	RS ..	..	..	..	..	WC2	..
EN ..	NS6	..	..	SS1	WS4	..	RT ..	NC1	VR1	QC2	SS2	WP2	TT1
EV ..	NG1	VG3	QG1	SG1	WG1	..	SA ..	..	VS6	QS2	SS7	WS5	TS2
FA ..	NF3	VF2	QF1	SF1	WF2	..	SC ..	NS3	..	..	..	..	..
FM ..	NF1	..	QF2	SS2	WF1	TC1	SD ..	NF1	VF4	QF2	SS2	WF1	TC1
GL ..	NG1	VG3	QG1	SG1	WG1	..	SH ..	NE3	..	..	..	..	..
GP ..	..	..	..	SP2	WC1	..	SI ..	NA1	..	..	SS3	WR1	TC2
GV ..	NW2	VS4	QQ1	SL1	WC2	TC2	SN ..	NG1	VG3	QQ1	..	WG1	..
HA ..	NI1	..	QM2	..	..	..	SQ ..	NS4	..	..	SS4	WS2	..
HO ..	NA4	VA2	QA1	SA1	WA2	..	ST ..	NA2	..	..	..	..	..
HS ..	NA1	VS4	QQ1	SS2	WR1	TC2	TO ..	..	VT1	QT1	ST1	..	TG2
JM ..	NS1	VS1	QC2	..	..	..	TR ..	..	VR1	..	..	..	..
KL ..	NU1	VU2	QU2	SU1	WC2	..	UP ..	..	VU1	QU1	..	WM1	TG2
KN ..	NS3	..	..	..	..	..	UW ..	NB2	..	QQ1	SS3	WA1	TC2
LF ..	..	VW2	..	..	..	..	VF ..	NB2	..	..	..	..	..
LP ..	..	VR1	QQ1	SS2	WA1	TC2	WB ..	..	..	..	..	..	TC2
MC ..	..	VV1	..	SS5	..	TC2	WP ..	NW1	VA3	QW3	SA2	WC2	TA1
ME ..	..	..	QB4	..	..	..	ZR ..	NA3	..	..	..	..	..

DISTRIBUTORS — ADDRESSES

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
NEW SOUTH WALES			
Abbott Laboratories Pty Ltd	NA4	Stenning Sinclair Pty Ltd	NS5
Captain Cook Drive, Kurnell		86 Parramatta Road, Camperdown	
Andrews Laboratories Pty Ltd	NA3	USV Australia Pty Ltd	NU1
12 Primrose Avenue, Rosebery		172-178 Princes Highway, Arncliffe	
Ascot Pharmaceuticals Pty Ltd	NA2	Warrah Pty Ltd	NW2
33 Myrtle Street, North Sydney		51-55 Warrah Street, East Chatswood	
Australian Pharmaceutical Industries Ltd	NA1	Weddel Pharmaceuticals	NW1
221-229 Mitchell Road, Alexandria		213-219 Miller Street, North Sydney	
Bayer Pharmaceutical Company	NB3		
47 Wilson Street, Botany			
Boucher and Muir	NB2		
118-124 Willoughby Road,			
Crows Nest			
Burroughs Wellcome & Co. (Aust.) Ltd	NB4		
53 Phillips Street, Cabarita			
Californian Laboratories Pty Ltd	NC1		
54 North Parade, Campsie			
Essex Laboratories Pty Ltd	NE3		
11 Gibbon Road, Baulkham Hills			
Faulding, F. H. and Co. Ltd	NF3		
249-259 Chalmers Street, Redfern			
Fawns and McAllan Pty Ltd	NF1		
176 Day Street, Sydney			
Glaxo Australia Pty Ltd	NG1		
10 Byfield Street, North Ryde			
Irving, N.	NI1		
141 Buckland Street, Alexandria			
Muir and Neil Pty Ltd	NM2		
479 Kent Street, Sydney			
Protea Pharmaceuticals Pty Ltd	NP5		
13-19 Glebe Street, Glebe			
Riker Laboratories Australia Pty Ltd	NR1		
9-15 Chilvers Road, Thornleigh			
Salmond and Spraggon (Aust.) Pty Ltd	NS6		
Loyalty Road, North Rocks			
Schaffer and Co. (N.S.W.) Pty Ltd	NS1		
8 Shirlow Street, Marrickville			
Schering Pty Ltd	NS3		
Wood Street, Tempe			
Squibb, E. R. and Son (Pty) Ltd	NS4		
96-98 Buckland Street, Alexandria			
		VICTORIA	
		Abbott Laboratories Pty Ltd	VA2
		134-138 Mahoneys Road,	
		Thomastown	
		Angliss W. and Co. (Aust.) Pty Ltd	VA3
		Lynch Street, Footscray	
		Astra Chemicals Pty Ltd	VA1
		567 Doncaster Road, Doncaster	
		Boots Company (Aust.) Pty Ltd, The	VB1
		24 Woorsayl Street, Carnegie	
		Burroughs Wellcome and Co. (Aust.) Ltd	VB2
		303-305 Albert Street, Brunswick	
		Cambridge Laboratories Pty Ltd	VC1
		397 Little Lonsdale Street,	
		Melbourne	
		Faulding, F. H. and Co. Ltd	VF2
		Miles Street, Mulgrave	
		Fawns and McAllan Pty Ltd	VF4
		432 Mt Dandenong Road, Croydon	
		Gamaprod Pty Ltd	VG1
		169 Lygon Street, Carlton	
		Glaxo Australia Pty Ltd	VG3
		1061 Mountain Highway, Boronia	
		Gollin and Co. Ltd	VG2
		58-72 Queens Bridge Street,	
		South Melbourne	

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Medical Research Pty Ltd 279 Edwardes Street, Reservoir	VM3	Boots Company (Aust.) Pty Ltd, The 36 Brookes Street, Bowen Hills	QB1
Melbourne Ostomy Supplies P.O. Box 76, Mentone	VM2	Brambles Pharmaceutical Distributors 136 Clough Street, Mount Gravatt	QB4
Naytura Ltd 23 Alex Avenue, Moorabbin	VN2	Burroughs Wellcome and Co. (Aust.) Ltd 43 Peel Street, South Brisbane	QB2
Newman, L. K. J. and Co. Pty Ltd 325 Bay Road, Cheltenham	VN1	Cullum, T. G. Pty Ltd 96-100 Warren Street, Fortitude Valley	QC2
Organon (Australia) Pty Ltd 279 Edwardes Street, Reservoir	VO1	Faulding, F. H. and Co. Ltd 126-132 Barry Parade, Brisbane	QF1
Parke, Davis and Co. 23 Kilpa Road, Moorabbin	VP1	Fawns and McAllan Pty Ltd 65 Montpelier Road, Bowen Hills	QF2
Pfizer Pty Ltd 13 Capella Crescent, Moorabbin	VP2	Glaxo Australia Pty Ltd 2 Thompson Street, Mayne	QG1
Pharmacia (South Seas) Pty Ltd 279 Edwardes Street, Reservoir	VP3	Kenneth Mitchell Agencies Pty Ltd 96 Alfred Street, Fortitude Valley	QK1
Philips Southern Trading Pty Ltd .. 23 Slater Parade, East Keilor	VP4	MacLean Agencies 26 Merivale Street, South Brisbane	QM1
Rocke, Tomsitt and Co. Ltd .. 10 Griffiths Street, Richmond	VR1	Maley, G. P. 483 Adelaide Street, Brisbane	QM2
Salmond and Spraggon (Aust.) Pty Ltd 675 Dandenong Road, Malvern	VS5	Medical and Surgical Requisites Pty Ltd 182 Logan Road, Buranda	QM3
Sanitarium Health Food Co. 118 Union Street, Windsor	VS6	Morris Surgical Pty Ltd 110 Edward Street, Brisbane	QM4
Schaffer and Co. (Vic.) Pty Ltd 126 Bank Street, South Melbourne	VS1	Parke, Davis and Company 20-26 Glentanna Street, Kedron	QP1
Sigma Co. Ltd P.O. Box 144, Clayton	VS4	Pfizer Pty Ltd 1 Merton Road, Woolloongabba	QP3
Toppin, R. D. and Sons Pty Ltd Cnr Blackburn and Ferntree Gully Roads, Mount Waverley	VT1	Prosana Laboratories Pty Ltd .. 673 Sherwood Road, Sherwood	QP2
Upjohn Pty Ltd .. 115 Leicester Street, Carlton	VU1	Queensland Druggists Ltd 160 Wecker Road, Mt Gravatt	QQ1
USV Australia Pty Ltd 694 Glenferrie Road, Hawthorn	VU2	Queensland Ethicals .. Enterprise Street, Salisbury North	QQ2
Vandos Agencies Pty Ltd 22 Wilson Street, South Yarra	VV1	Redbank Meat Works Pty Ltd 149-157 Melbourne Street, South Brisbane	QW3
Virax Ethicals Ltd 77-79 Market Street, South Melbourne	VV2	Salmond and Spraggon (Aust.) Pty Ltd 63 Doggett Street, Fortitude Valley	QS1
Warner and Webster Pty Ltd .. 62 Glen Eira Road, Elsternwick	VW2		
QUEENSLAND			
Abbott Laboratories Pty Ltd .. 35 Lackey Avenue, Coorpooroo	QA1		

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Sanitarium Health Food Co. 951 Ipswich Road, Moorooka	QS2	Southern Drug Company 180 Sturt Street, Adelaide	SS2
Toppin, R. D. and Sons Pty Ltd 29 Samford Road, Alderley	QT1	Squibb and Sons, E. R. (Pty) Ltd 307 North Terrace, Adelaide	SS4
Upjohn Company Pty Ltd 333 Coronation Drive, Milton	QU1	Summit Agencies Pty Ltd 19 Taminga Street, Regency Park	SS3
USV Australia Pty Ltd Room 9, 331 Logan Road, Stones Corner	QU2	Surgical and Medical Pty Ltd 2a Close Street, Rose Park	SS6
Warrah Pty Ltd 9 Toomey Street, West Chermside	QW4	Toppin, R. D. and Sons Pty Ltd 19 Taminga Street, Regency Park	ST1
		USV Australia Pty Ltd Room 44, Paringa Building, 13-15 Hindley Street, Adelaide	SU1
		Wellcome Australasia Ltd 89 Grange Road, Allenby Gardens	SW1
SOUTH AUSTRALIA		WESTERN AUSTRALIA	
Abbott Laboratories Pty Ltd 33 Henry Street, Stepney	SA1	Abbott Laboratories Pty Ltd 1 Gloucester Street, Victoria Park	WA2
Angliss, W. and Co. (Aust.) Pty Ltd 15 Grote Street, Adelaide	SA2	Avery Guhl Pty Ltd 369 William Street, Perth	WA1
Boots Company (Aust.) Pty Ltd, The 131 West Beach Road, Richmond	SB1	Boots Company (Aust.) Pty Ltd, The 15 Gladstone Street, East Perth	WB2
Faulding, F. H. and Co. Pty Ltd 48 Beans Road, Thebarton	SF1	Burroughs Wellcome & Co. (Aust.) Ltd 21 Ballantyne Road, Kewdale	WB1
Glaxo Australia Pty Ltd 32 The Parade, Norwood	SG1	Clayden, W. J. Pty Ltd 93 York Street, Subiaco	WC1
Lawall Agencies 22-24 Louisa Street, Adelaide	SL1	Cottman, L. J. Pty Ltd 93 York Street, Subiaco	WC2
Malcolm McNeil Pty Ltd 48 West Beach Road, Keswick	SM1	Faulding F. H. and Co. Ltd 493-495 Abernethy Road, Kewdale	WF2
Pfizer Pty Ltd 12 Lloyd Street, St Marys	SP2	Fawns and McAllan Pty Ltd 112 Churchill Avenue, Subiaco	WF1
Salmond and Spraggon (Aust.) Pty Ltd 207c Devonport Terrace, Prospect	SS1	Glaxo Australia Pty Ltd 100 Norma Road, Myaree	WG1
Sanitarium Health Food Co. 73 Hackney Road, Hackney	SS7	Hitchcock and Co., H. L. 112 Brisbane Street, Perth	WH1
Simes Australia Pty Ltd 5 George Street, Stepney	SS5	Martin, G. and Son 83 Brisbane Street, Perth	WM1

<i>Distributors and Agents</i>	<i>Code</i>	<i>Distributors and Agents</i>	<i>Code</i>
Pfizer Pty Ltd 9 Milford Street, East Victoria Park	WP3	TASMANIA	
Pharmaceutical Distributors 64 King Street, Perth	WP1	Angliss, W. and Co. (Aust.) Pty Ltd 152 Macquarie Street, Hobart	TA1
Pharmax Pty Ltd 12 Aberdeen Street, Perth	WP2	Boots Company (Aust.) Pty Ltd, The Granville Avenue, Geilston Bay, Lindisfarne	TB1
Rumbles Ltd 26 Wheeler Street, Belmont	WR1	Cados (South) Pty Ltd 18 Watchorn Street, Hobart	TC2
Salmond and Spraggon (Aust.) Pty Ltd 8 Loftus Street, Perth	WS4	Cados (North) Pty Ltd 63 Cameron Street, Launceston	TC1
Sanitarium Health Food Co. 77 Burswood Road, Victoria Park	WS5	Grounds and Bewglass Pty Ltd 150-160 Main Road, Moonah	TG2
Squibb and Sons, E. R. (Pty) Ltd 36 Outram Street, West Perth	WS2	Grounds and Bewglass Pty Ltd 29 St John Street, Launceston	TG3
Westralian Drug Co. Pty Ltd .. 260 Hay Street, Subiaco	WD2	McCallum Lyppard Pty Ltd 6 Market Place, Hobart	TM1
		Sanitarium Health Food Co. Cnr Main and Derwent Park Roads, Moonah	TS2
		Tasdrug Pty Ltd 18 Wellington Street, North Hobart	TT1

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Code	Name of Pharmaceutical Benefit	Strength and Volume	Form	Maximum Quantity
1016L	Adrenaline Injection BP	1 mg in 1 ml	Ampoule	5
1038P	Aminophylline Injection BP	250 mg in 10 ml	Ampoule	5
1089H	Atropine Sulphate Injection BP	600 micrograms in 1 ml	Ampoule	5
1195X	Chlorpromazine Injection BP	50 mg in 2 ml	Ampoule	10
3040B	Dextrose Injection BP	50%, 10 ml	Ampoule	5
2558P	Diazepam injection	10 mg in 2 ml	Ampoule	5
1321M	Digoxin Injection BP	500 micrograms in 2 ml	Ampoule	5
1378M	Ergometrine Injection BP	250 micrograms in 1 ml	Ampoule	5
1395K	Erythromycin I.M. injection	100 mg in 2 ml	Ampoule	5
2413B	Fruzemide Injection BP	20 mg in 2 ml	Ampoule	5
1467F	Heparin Injection BP	5,000 units in 1 ml	Ampoule	1
or	or			
1468G	Heparin Injection BP	25,000 units in 5 ml	Vial	1
1501B	Hydrocortisone sodium succinate injection set	Equivalent to 100 mg hydrocortisone and 2 ml solvent	Vial and Ampoule	2 sets
or	or			
3096Y	Hydrocortisone sodium succinate injection set	Equivalent to 250 mg hydrocortisone and solvent	Vial and Ampoule	1 set
2875H	Lignocaine injection	100 mg in 5 ml	Ampoule	4
1645N	Morphine Sulphate Injection BP	15 mg in 1 ml	Ampoule	5
or	or			
1647Q	Morphine Sulphate Injection BP	30 mg in 1 ml	Ampoule	5
1661K	Morphine sulphate with atropine sulphate injection	15 mg-600 micrograms in 1 ml	Ampoule	5
1829G	Pethidine Injection BP	100 mg in 2 ml	Ampoule	5
1794K	Procaine Penicillin Injection BP	1.5 g	Disposable syringe pack	10
1206L	Metoclopramide hydrochloride injection	10 mg in 2 ml	Ampoule	10
or	or			
2369Q	Prochlorperazine injection	12.5 mg in 1 ml	Ampoule	10
or	or			
2368P	Thiethylperazine injection	6.5 mg (base) in 1 ml	Ampoule	10
1948M	Promethazine injection BP	50 mg in 2 ml	Ampoule	10
1239F	Terbutaline sulphate injection	100 micrograms in 1 ml	Ampoule	5
or	or			
1034K	Terbutaline sulphate injection	500 micrograms in 1 ml	Ampoule	5
2127Y	Tetanus Vaccine, Adsorbed	0.5 ml	Ampoule	10

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS

Operative as from 1 December 1977

SECTION 2

RESTRICTED BENEFITS

All restricted items are printed in red.

A straight line is drawn between entries for different forms and strengths of an item to clearly indicate the different restrictions which apply to these various forms and strengths.

The maximum quantity and/or number of repeats in respect of any item shown in the Schedule may be varied by the Director of Health when issuing an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. Payment will be made on the basis of the price shown for that item in the Schedule. (See paragraphs 15,16, and 35 of Section 1 - Explanatory Notes (1600 pages)).

SYMBOLS USED IN THE SCHEDULE

An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.

A dagger (†) in front of the form of an item and in the price column indicates a packed line which is to be supplied under the original label when prescribed except where the prescription bears specific instructions for use, in which case the item is to be labelled.

A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack should be supplied.

A gauge sign (#) against the price of an item indicates that the product is not preconstituted and that a special professional fee of \$1.29 is included in the dispensed price.

Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W);
Tas. - (T).

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2742H	ACEPIFYLLINE Tablet 250mg	100	2	\$ 3.27	Etaphylline	DF
2743J	Paediatric Syrup 125mg per 5ml, 500ml	≠1	4	3.14	Etaphylline	DF
2445Q	Injection 500mg in 5ml	5	..	3.20	Etaphylline	DF
1004W	ACETAZOLAMIDE Tablet 250mg	50	6	6.24 6.27	Glaucomide Diamox	PT LE
2376C	Capsule 500mg (sustained release)	50	2	11.74	Diamox	LE
1005X	Injection 500mg (solvent required)	1	..	5.74	Diamox	LE
1006Y	ACETOHEXAMIDE Tablet 500mg	100	2	6.40	Dimelor	LY
2811Y	ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2ml	2	..	*10.93	Miochol	CP
2630K	ACETYLCYSTEINE To be endorsed "S.P." Solution 20%, 10ml	5	3	11.32	Mucomyst	MJ
2434D	ADRENALINE Eye Drops 0.5%, 7.5ml	≠1	6	3.74	Epinal Eppy	AQ ET
3031M	0.5%, 10ml	≠1	6	3.87	Epifrin	AG
1014J	1%, 7.5ml	≠1	6	4.07	Epinal Eppy	AQ ET
2955M	1%, 10ml	≠1	6	4.20	Epifrin Glaucan	AG AQ
1015K	2%, 10ml	≠1	6	7.40	Epifrin Glaucan	AG AQ
1016L	Injection BP 1mg in 1ml (1 in 1,000)	5	1	2.19	AB,BL,KL,SI	
1057P	ALGINIC ACID COMPOUND To be accompanied by an authority from the Director of Health. Granules, 4g sachets, 24	≠1	12	4.00	Gaviscon	RC
3155C	Powder 100g	≠1	12	4.00	Gaviscon Infant	RC
2600W	ALLOPURINOL Tablet 100mg	100	2	7.07	Progout Zyloprim	PT BW
2604C	300mg	30	2	6.47	Progout Zyloprim	PT BW
2765M	ALOXIPRIN Tablet 600mg	100	2	3.14	Palaprin Forte	NS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ALPRENOLOL To be endorsed "S.P."			\$		
2991K	Tablet 100mg	100	2	7.74	Aptin Betacard	AP BR
2905X	Injection 1mg per ml, 10ml	1	..	2.56	Aptin Betacard	AP BR
2797F	ALUMINIUM HYDROXIDE GEL Mixture 320mg per 5ml, 375ml	1	2	1.65	Alusorb Amphojel Gelox Minajel	DH WY PR MG
2798G	(with instructions for use)					
1026B	ALUMINIUM HYDROXIDE GEL DRIED Tablet 300mg	100	2	2.60	Actal Amphotabs	WL WY
2552H	ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1g per 5ml, 375ml	1	2	2.54	Kaogel Kaomagma	FA WY
1029E	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	2.60	Aludrox	WY
2576N	200mg-200mg	100	2	2.60	Mylanta	PD
2799H	Mixture 300mg-100mg per 5ml, 375ml	1	2	2.54	Aludrox Milagel	WY PR
2735Y	Suspension 215mg-80mg per 5ml, 375ml	1	2	2.54	Dijene Simeco	BT WY
2575M	200mg-200mg per 5ml, 375ml	1	2	2.54	Merasyn Mylanta Sodexol	ML PD SC
2796E	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZAINE Suspension 306mg-97.5mg-10mg per 5ml, 375ml	1	2	2.54	Mucaine	WY
1031G	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg	100	2	2.60	Gelusil	WW
2849Y	Mixture 250mg-500mg per 4ml, 375ml	1	2	2.54	Gelusil	WW
1032H	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	2.60	Gastrogel Gastroid	FM ME
2980W	Mixture 250mg-120mg-120mg per 5ml, 375ml	1	2	2.54	Gastrogel	FM

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1033J	ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	\$ 2.60	Almacarb Dijene Simeco AH BT WY
2577P	ALUMINIUM SODIUM SILICATE Powder 100g	1	2	2.27	Neutralon SC
3016R	AMANTADINE HYDROCHLORIDE To be endorsed "S.P." Capsule 100mg	100	1	19.74 20.27	Antadine Symmetrel EN GE
2934K	AMBENONIUM CHLORIDE Tablet 10mg	100	2	8.42	Mytelase WL
3109P	AMILORIDE Tablet 5mg	50	2	3.34	Midamor MK
1035L	AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	#1	2	2.40	Aminopt SI
3073R	AMINO ACID FORMULA without PHENYL- ALANINE To be endorsed "S.P." Powder 200g	2	2	*53.34	Aminogran GL
3071P	250g	2	2	*106.66	PK AID I MN
3072Q	250g	2	2	*131.34	PK AID II MN
	AMINO ACIDS with ALCOHOL, VITAMINS and ELECTROLYTES See Intravenous Fluids				
	AMINO ACIDS with SORBITOL See Intravenous Fluids				
	AMINO ACIDS with VITAMINS and ELECTROLYTES See Intravenous Fluids				
	AMINOCAPROIC ACID To be endorsed "S.P."				
2486W	Oral Solution 250mg per ml, 20ml	10	..	17.07	Ekaprol DF
2483Q	Injection I.V. 250mg per ml, 10ml	10	..	9.07	Ekaprol DF
1039Q	AMINOPHYLLINE Tablet 100mg	100	2	2.14	Cardophyllin Carine DH,RT,SI HA KL
2463P	125mg (enteric coated)	100	2	3.27	Androphyllin ET
1038P	Injection I.V. 250mg in 10ml	5	..	3.47	Carine AB,LP,SI KL
1037N	I.M. 500mg in 2ml (continued)	5	..	3.20	AB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1152P	AMINOPHYLLINE - cont. Suppositories 100mg, 12	≠1	1	\$ 2.40	Cardophyllin	HA
1041T	175mg, 12	≠1	1	2.40	Cardophyllin	HA
1042W	250mg, 12	≠1	1	2.40	Cardophyllin	HA
1043X	400mg, 12	≠1	1	2.40	Cardophyllin	HA
2957P	AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE Tablet 130mg-25mg-25mg (enteric coated)	100	2	3.40	Amesec	LY
2839K	Capsule 130mg-25mg-25mg	100	2	2.80	Amesec	LY
2417F	AMITRIPTYLINE Tablet 10mg	50	2	2.03 2.06	Saroten Laroxyl Tryptanol	NS SU MK
2418G	25mg	50	2	2.80	Laroxyl Saroten Tryptanol	SU NS MK
3008H	Capsule 10mg	50	2	2.10	Elavil	FR
3009J	25mg	50	2	2.99	Elavil	FR
2989H	Mixture 10mg (base) in 5ml, 100ml	≠1	4	2.07	Elavil Tryptanol	FR MK
2672P	Injection 25mg per ml, 2ml	10	..	5.20	Laroxyl	SU
1044Y	AMMONIUM CHLORIDE Tablet 500mg	100	3	2.80	RY	
1045B	AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	..	6.00	Camoquin	PD
1884E	AMOXYCILLIN Capsule 250mg	20	..	4.23	Amoxil Moxacin	BR CS
1886G	Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#4.14	Amoxil Moxacin	BR CS
2930F	AMPHOTERICIN Tablet 100mg	50	..	7.54	Fungilin	SQ
2931G	Lozenge 10mg	20	..	2.54	Fungilin	SQ
2932H	Suspension 100mg per ml, 24ml	≠1	..	3.34	Fungilin	SQ
1047D	Injection 50mg (solvent required)	1	..	5.00	Fungizone	SQ
2927C	Cream 3%, 15g	≠1	1	2.80	Fungilin	SQ
2929E	Ointment 3%, 15g	≠1	1	2.80	Fungilin	SQ
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2933J	AMPHOTERICIN - cont. Pessaries 50mg, 15	#1	1	\$ 2.91	Fungilin	SQ
2928D	Vaginal Cream 100mg per 4g, 60g (15 doses)	#1	1	3.00	Fungilin	SQ
2462N	AMPICILLIN Tablet 125mg	25	..	2.83	Austrapen Penbritin	CS BR
1048E	Capsule 250mg	25	..	3.84	Austrapen Bristin Penbritin	CS BC BR
2671N	500mg	12	1	3.59	Austrapen Bristin Penbritin	CS BC BR
3061D	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.17	Austrapen Bristin Penbritin	CS BC BR
3123J	250mg per 5ml, 100ml	#1	..	#4.44	Austrapen Forte Bristin Penbritin Forte	CS BC BR
2644E	Injection 100mg (solvent required)	5	1	4.27	Austrapen Penbritin	CS BR
2389R	250mg (solvent required)	5	1	5.40	Austrapen Bristin Penbritin	CS BC BR
2390T	500mg (solvent required)	5	1	8.04	Austrapen Bristin Penbritin	CS BC BR
2977Q	1g (solvent required)	5	1	13.63	Austrapen Bristin Penbritin	CS BC BR
1049F	AMYLOBARBITONE Tablet 15mg	50	..	*1.46	Amylbarb Amytal Neur-Amyl Sedal	PT LY FM FA
1050G	30mg	50	..	*1.52	Amal Amylbarb Amytal Mylosed Neur-Amyl Sedal	KL PT LY VR FM FA
1051H	50mg	50	..	*1.55	Amylbarb Amytal Mylosed Neur-Amyl Sedal	PT LY VR FM FA
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1052J	AMYLOBARBITONE - cont. Tablet 100mg	25	..	\$ 1.28 1.36 1.38	Amylbarb PT Mylosed VR Amytal LY Neur-Amyl FM Sedal FA
2652N	AMYLOBARBITONE SODIUM Capsule 50mg	50	..	*1.79	Amsal AV Amytal Sodium LY Neur-Amyl Sodium FM
1056N	200mg	25	..	1.78 1.87	Amylbarb Sodium PT Amylobeta ME Amytal Sodium LY Mylosed VR Neur-Amyl Sodium FM Sodium Sedal FA
1058Q	Injection 250mg (solvent required)	5	..	*7.07	Amytal Sodium LY
1059R	500mg (solvent required)	5	..	*9.07	Amytal Sodium LY
2531F	ANGIOTENSIN AMIDE Injection 500 micrograms (solvent required)	5	..	3.07	Hypertensin CB
2532G	2.5mg (solvent required)	5	..	*10.34	Hypertensin CB
1075N	ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	#1	2	2.20	Antistine-Privine ZY
1980F	ANTIVENENE - RED BACK SPIDER Injection 500 Units	2	..	*18.67	CS
1078R	ASCORBIC ACID To be endorsed with the pension number. Tablet 50mg	100	2	1.84 1.87	Ascorb "50" PT DH,LP,RT,RY
1008C	ASPIRIN Tablet 300mg	100	2	1.87	KL,RY
1230R	650mg (enteric coated)	100	2	3.74	Ecotrin SK Rhusal GP Winsprin WL
1231T	650mg (sustained release)	100	2	3.14	S.R.A. BT
2968F	650mg (includes 350mg sustained release)	100	2	2.67	Bi-prin BT
3110Q	ASPIRIN (BUFFERED) Tablet 325mg	100	2	2.63	Bufferin BC
1025Y	500mg	100	2	3.14	Bufferin 500 BC
1010E	ASPIRIN (SOLUBLE) Tablet 300mg	100	2	1.80 1.98	Novosprin VR Adasol AV Solprin RC Solusal HA DH,RY
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3113W	ASPIRIN (SOLUBLE) - cont. Tablet 500mg	100	2	\$ 2.20	Provoprin 500	DH
1084C	ATROPINE METHONITRATE Tablet 1mg	50	2	3.06	Eumydrin	WL
1083B	Oral Solution 0.6%, 15ml	1	..	2.94	Eumydrin	WL
2704H	ATROPINE SULPHATE Tablet 600 micrograms	100	2	2.14	RY	
1088G	Injection 400 micrograms in 1ml	5	1	2.14	AB,BL,KL,LP	
1089H	600 micrograms in 1ml	5	1	2.14	AB,BL,KL,LP	
1091K	1.25mg in 1ml	5	1	2.16	AB,BL,KL,LP	
1092L	Eye Drops 0.5%, 15ml	≠1	2	2.47	Atropt	SI
1093M	1%, 15ml	≠1	2	2.47	Atropt KL,LP	SI
1094N	Eye Ointment 1%, 4g	≠1	..	4.00	PD	
1251W	AZATADINE MALEATE Tablet 1mg	50	2	2.67	Zadine	SH
2687K	AZATHIOPRINE To be accompanied by an authority from the Director of Health. Tablet 50mg	100	..	37.07	Imuran	BW
2729P	BACLOFEN To be accompanied by an authority from the Director of Health. Tablet 10mg	100	..	23.74	Lioresal	CB
2730Q	25mg	100	..	43.74	Lioresal	CB
1650W	BECLOMETHASONE DIPROPIONATE To be endorsed "S.P." Inhalation, metered aerosol spray 50 micrograms per dose (200 dose)	≠1	2	8.00	Aldecin Becotide	SH AH
1651X	BECLOMETHASONE DIPROPIONATE Cream 0.0125%, 30g	≠1	1	2.39	Propaderm	AH
1652Y	Ointment 0.0125%, 30g	≠1	1	2.39	Propaderm	AH
2705J	BELLADONNA Prepared Belladonna Herb BP Tablet 30mg	100	2	2.24	Atrobel	FM
2706K	45mg	100	2	2.32	Atrobel	FM

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	BELLADONNA ALKALOIDS Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydrobromide			\$		
2916L	Tablet 103.7 micrograms - 19.4 micrograms - 6.5 micrograms	100	2	2.27	Donnatab	RS
2915K	Elixir 103.7 micrograms - 19.4 micrograms - 6.5 micrograms per 5ml, 100ml	≠1	4	2.27	Donnalix	RS
1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	2.52	Aprinox-M Pluryl	BT SK
1106F	5mg	50	2	3.31	Aprinox Neo-Naclex Pluryl	BT GL SK
1107G	BENZALKONIUM CHLORIDE Compound Suppositories, 12	≠1	1	2.34	Paxyl	FA
1108H	Solution 10%, 114ml	≠1	..	2.67	Zephiran Concentrated	WL
1140B	BENZATHINE PENICILLIN Injection 1.8g (solvent required)	1	..	2.74	L.P.G.	CS
	BENZATHINE PENICILLIN COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg.					
1767B	Injection set containing 1 vial and 2ml water for injections	1	..	2.94	Bicillin All-Purpose	WY
1109J	BENZHEXOL Tablet 2mg	100	2	2.96 3.00	Anti-Spas Artane	PT LE
1110K	5mg	100	2	4.64 4.67	Anti-Spas Artane	PT LE
1111L	BENZOCAINE with ADRENALINE Compound Ointment 50g	1	1	2.48	Rectinol	GP
1112M	Compound Suppositories, 12	≠1	1	2.48	Rectinol	GP
2362H	BENZTROPINE Tablet 2mg	100	..	5.34	Cogentin	MK
3038X	Injection 2mg in 2ml	5	..	*7.42	Cogentin	MK
1114P	BENZYL BENZOATE Application 25%, 200ml	≠1	2	3.07	Benzemul DH	MG
1774J	BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	3.87	CS	
1775K	600mg (solvent required)	5	1	4.00	Crystapen CS	GL
1776L	900mg (solvent required) (continued)	5	1	5.07	Crystapen	GL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2647H	BENZYL PENICILLIN - cont. Injection 3g (solvent required)	10	..	\$ *22.37 *22.41	Crystapen CS	GL
2648J	6g (solvent required)	10	..	*30.37	Crystapen CS	GL
2694T	BETAMETHASONE To be endorsed "S.P." Injection 6mg in 1ml	5	..	9.78	Celestone Chronodose	SH
1117T	BETAMETHASONE Tablet 500 micrograms	30	2	2.19	Betnelan Celestone	GL SH
1116R	Injection 4mg (base) in 1ml	5	..	*7.92	Celestone	SH
1118W	Eye Drops 0.1%, 5ml	#1	2	3.07	Betnelan	GL
2377D	Eye Ointment 0.1%, 3g	#1	..	2.40	Celestone	SH
2812B	BETAMETHASONE VALERATE Cream 0.02% 100g	#1	..	2.67	Celestone-M	SH
2998T	0.05%, 30g	#1	1	2.39	Betnovate 1/2 Celestone-V Half Strength	GL SH
1063Y	Gel 0.05%, 30g	#1	1	2.39	Betnovate 1/2	GL
2999W	Ointment 0.05%, 30g	#1	1	2.39	Betnovate 1/2 Celestone-V Half Strength	GL SH
1062X	BETHANECHOL Tablet 10mg	50	1	3.83	Urecholine Uro-Carb	MK HA
1071J	Injection 5mg in 1ml	2	..	*2.97	Urecholine	MK
2416E	BETHANIDINE Tablet 10mg	100	2	3.74	Esbatal	BW
2712R	25mg	100	2	7.07	Esbatal	BW
2544X	BIPERIDEN Tablet 2mg	100	2	6.00	Akineton	KN
2543W	Injection 5mg in 1ml	5	..	3.14	Akineton	KN
1260H	BISACODYL To be endorsed "S.P." Suppositories 10mg, 5	#1	..	1.87	Durolax	BY
2984C	BISMUTH SUBGALLATE Compound Ointment 50g	#1	1	2.34	Anusol	WW
1122C	Compound Suppositories, 12	#1	1	2.34	Anusol	WW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	BLEOMYCIN To be endorsed "S.P."			\$	
2315W	Injection 15mg (solvent required)	10	..	347.74	Blenoxane BC
1123D 1124E	BORIC ACID /Powder 100g (with instructions for use)	1	..	40.59	FA
2516K	BROMPHENIRAMINE Tablet 4mg	50	2	2.27	Dimetane RS
2602Y	Syrup 2mg per 5ml, 100ml	1	4	2.00	Dimetane RS
2201W	BUFEXAMAC Cream 5%, 45g	1	1	2.39	Parfenac LE
2202X	Ointment 5%, 45g	1	1	2.39	Parfenac LE
1128J	BUSULPHAN Tablet 2mg	100	2	13.34	Myleran BW
1133P	BUTOBARBITONE Tablet 100mg	25	..	*1.74	Sonabarb PT
	CALCIFEROL To be accompanied by an authority from the Director of Health.				
1134Q	Tablet 1.25mg (50,000 Units)	100	2	5.07	Ostelin High Potency GL
2500N	Oral Solution 15mg (600,000 Units) in 1.5ml alcoholic solution	3	..	2.80	Sterogyl-15 RL
	CALCIUM To be accompanied by an authority from the Director of Health.				
2963Y	Compound Effervescent Tablet equivalent to 500mg calcium	100	5	6.94	Cal-tab Spar-Cal HA MJ
3122H	equivalent to 1g calcium	30	5	5.74	Sandocal 1000 SZ
	CALCIUM FOLINATE To be endorsed "S.P."				
2309M	Injection 3mg in 1ml	5	..	15.74	Leucovorin LE
1146H	CALCIUM GLUCONATE Injection 10%, 10ml	5	1	3.34	Calcium-Sandoz SZ
2817G	CAPREOMYCIN Injection 1g (solvent required)	5	..	*19.82	Caprocin LY
2534J	CARBACHOL Eye Drops 0.75%, 15ml	1	6	3.00	AQ
2535K	1.5%, 15ml	1	6	3.07	AQ
2536L	3%, 15ml	1	6	3.20	AQ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2419H	CARBAMAZEPINE Tablet 200mg	200	1	\$ 16.80	Tegretol GE
2818H	CARBENICILLIN To be accompanied by an authority from the Director of Health. Injection 1g (solvent required)	5	..	19.47	Carbapen Pyopen CS BR
2819J	5g (solvent required)	5	..	83.87	Carbapen Pyopen CS BR
2620X	CARBENOXOLONE SODIUM To be endorsed "S.P." Tablet 50mg	100	..	12.07	Biogastrone BQ
1153Q	CARBIMAZOLE Tablet 5mg	100	2	2.74 3.40	Carbazole PT Neo-Mercazole NS
1154R	CARBINOXAMINE Tablet 4mg	50	2	2.34	Clistin ET
3106L	CEPHALEXIN To be accompanied by an authority from the Director of Health. Tablet 500mg	12	..	10.75	Keflex LY
3058Y	Capsule 250mg	25	..	11.16	Keflex LY
3119E	500mg	12	..	10.75	Keflex LY
3094W	Granules for Syrup 125mg per 5ml, 100ml	#1	..	#6.70	Keflex LY
3095X	250mg per 5ml, 100ml	#1	..	#11.04	Keflex LY
2494G	CEPHALORIDINE To be endorsed "S.P." Injection 500mg (solvent required)	5	..	*16.47	Ceporan GL
2643D	1g (solvent required)	5	..	*30.47	Ceporan GL
2964B	CEPHALOTHIN SODIUM To be endorsed "S.P." Injection 1g (solvent required)	5	..	*22.67	Ceporacin GL Keflin LY
1135R	2g (solvent required)	1	..	9.59	Keflin LY
1136T	4g (solvent required)	1	..	17.76	Keflin LY
1256D	CEPHAZOLIN SODIUM To be endorsed "S.P." Injection 500mg (solvent required)	5	..	*20.72	Kefzol LY
1257E	1g (solvent required)	5	..	*39.12	Kefzol LY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	CEPHRADINE To be accompanied by an authority from the Director of Health.			\$	
1653B	Capsule 250mg	25	..	11.16	Eskacef Velosef SK SQ
1654C	500mg	12	..	10.75	Eskacef Velosef SK SQ
1655D	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#6.70	Eskacef Velosef SK SQ
1656E	250mg per 5ml, 100ml	#1	..	#11.04	Eskacef Velosef SK SQ
	To be endorsed "S.P."				
1894Q	Injection 250mg (solvent required)	5	..	9.87	Eskacef Velosef SK SQ
1895R	500mg (solvent required)	5	..	16.47	Eskacef Velosef SK SQ
1896T	1g (solvent required)	5	..	30.47	Eskacef Velosef SK SQ
3057X	CERATONIA Powder 135g	#1	4	4.40	Carobel MN
2935L	CHLORAL HYDRATE Capsule 500mg	50	..	2.54	Chloradorm Noctec KL SQ
2869B	Mixture 250mg per 5ml, 400ml	#1	4	2.47	Dormel DH
2713T	1g per 10ml, 200ml	#1	4	2.47	Chloradorm Chloralix KL RK Elix-Nocte Forte AV Noctec Syrup SQ
	CHLORAMBUCIL To be accompanied by an authority from the Director of Health.				
1163F	Tablet 2mg	100	2	*22.95	Leukeran BW
1164G	5mg	100	2	*34.67	Leukeran BW
	CHLORAMPHENICOL To be endorsed "S.P."				
1174T	Capsule 250mg	16	..	3.47	Chloromycetin PD
2693R	Paediatric Suspension 125mg per 5ml, 100ml	#1	..	3.60	Chloromycetin Palmitate PI
1167K	Injection 1g (solvent required)	3	..	*8.27	Chloromycetin Succinate PI
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1169M	CHLORAMPHENICOL - cont. Ear Drops 10%, 6ml	≠1	2	\$ 2.47	Chlomin Chloromycetin KL PD
2360F	Eye Drops 0.5%, 10ml	≠1	2	2.47	Chlomin Chloromycetin Chloroptic Chlorsig KL PD AG SI
1171P	Eye Ointment 1%, 4g	≠1	..	2.20	Chlomin Chloromycetin KL PD
1177Y	CHLORAMPHENICOL with POLYMYXIN B Eye Ointment 1%-5,000 Units per g, 4g	≠1	..	2.20	Chloromycin PD
1180D	CHLORCYCLIZINE Tablet 50mg	50	2	2.44	PT
1066D	CHLORHEXIDINE Solution 5%, 200ml	≠1	1	3.07	Hibitane Concentrate IC
1410F	CHLORMETHIAZOLE To be endorsed "S.P." Capsule 192mg	50	..	6.40	Hemineurin AP
1409E	Solution 0.8% for I.V. Infusion, 500ml	1	..	12.06	Hemineurin AP
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	3.67 3.75 3.79 4.20	RT Chlorquin Avloclor Nivaquine DH Aralen Resochin ET PT IC MB WL BN
1185J	Injection 40mg per ml, 2ml	5	1	*3.72	Nivaquine MB
1187L	CHLOROTHIAZIDE Tablet 500mg	50	2	3.34 3.42	Diuret Chlotride Diubram Diurone PT FR ME KL
1188M	CHLOROTRIANISENE To be endorsed "S.P." Tablet 24mg	30	2	4.83	Tace ML
1190P	CHLORPHENIRAMINE Tablet 4mg	50	2	2.43 2.54	Allergex Chloramin Bramahist Histaid Piriton PT LF ME OD GL
1193T	Capsule 4mg (continued)	50	2	2.54	Teledrin-P SK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1192R	CHLORPHENIRAMINE - cont. Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	\$ 2.00	Bramahist	ME
1196Y	CHLORPROMAZINE To be endorsed "S.P." Tablet 10mg	100	1	2.34 2.40	Protran Largactil Serazone	PT MB VR
1197B	25mg	100	1	2.47 2.54	Protran Largactil Procalm Promacid Serazone	PT MB ME KL VR
1198C	50mg	100	1	3.47	Largactil Procalm Promacid Protran	MB ME KL PT
1199D	100mg	100	1	5.47	Largactil Procalm Promacid Protran	MB ME KL PT
1201F	Mixture 25mg per 5ml, 100ml	≠1	4	2.27	Largactil Promacid	MB KL
1194W	Injection BP, 25mg in 1ml	10	..	3.74	Largactil	MB
1195X	50mg in 2ml	10	..	3.87	Largactil Promacid	MB KL
1200E	Suppositories 100mg, 5	≠1	1	2.54	Largactil	MB
2891E	CHLORPROPAMIDE Tablet 100mg	100	2	3.87	Diabinese M	PF
1202G	250mg	100	2	6.48	Diabinese	PF
1205K	CHLORTETRACYCLINE Capsule 250mg	25	..	2.92	Chlortet	LF
1055M	Ointment 3%, 15g	≠1	..	2.24	Aureomycin	LE
1585K	CHLORTHALIDONE Tablet 25mg	50	2	2.74	Hygroton	GE
3021B	CHOLERA VACCINE Injection 1ml	2	..	*3.31	CS	
2967E	CHOLESTYRAMINE To be accompanied by an authority from the Director of Health. Powder 50%, 9g sachets, 50	2	..	*31.47	Questran	MJ
2788R	CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	3.20	Choledyl	WW
2789T	200mg	100	2	3.59	Choledyl	WW
2787Q	Syrup 50mg per 5ml, 500ml	≠1	4	2.80	Choledyl	WW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2866W	CHOLINE THEOPHYLLINATE with GUAIPHENESIN Tablet 200mg-100mg	100	2	\$ 3.74	Brondecon	WW
2867X	Elixir 50mg-25mg per 5ml, 500ml	≠1	4	2.94	Brondecon	WW
3017T	CLEMASTINE Mixture 250 micrograms (base) per 5ml, 100ml	≠1	4	2.00	Tavegyl	SZ
3046H	Injection 2mg (base) in 2ml	5	..	2.80	Tavegyl	SZ
1210Q	CLEMIZOLE Tablet 20mg	50	2	*2.37	Allercur	SC
1212T	Paediatric Syrup 100ml	≠1	4	2.00	Allercur	SC
3137D	CLINDAMYCIN To be endorsed "S.P." Capsule 75mg	25	..	4.50	Dalacin C	UP
3138E	150mg	25	..	7.54	Dalacin C	UP
3139F	Granules for Syrup 75mg per 5ml, 100ml	≠1	..	#6.04	Dalacin C	UP
3030L	CLIOQUINOL Cream 1%, 30g	≠1	..	2.14	Cremo-Quin Vioform	HA CB
2892F	CLOFIBRATE To be accompanied by an authority from the Director of Health. Capsule 500mg	100	2	9.74	Atromid-S Liprinal Lostat	IC MJ PD
1805B	CLONAZEPAM To be endorsed "S.P." Tablet 500 micrograms	200	1	6.40	Rivotril	RO
1806C	2mg	200	1	10.40	Rivotril	RO
1807D	Injection 1mg in 2ml (set containing solution 1mg in 1ml and 1ml diluent)	5	..	3.07	Rivotril	RO
3141H	CLONIDINE Tablet 150 micrograms	100	2	7.40	Catapres	BY
3142J	Injection 150 micrograms in 1ml	5	..	3.50	Catapres	BY
2399G	CLOPAMIDE Tablet 20mg	50	2	3.87	Brinaldix	SZ
2880N	CLORENOLONE Tablet 10mg	50	2	2.74	Nefrolan	MB
2297X	25mg	50	2	3.14	Nefrolan	MB
2298Y	50mg	50	2	3.74	Nefrolan	MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	CLOXACILLIN To be accompanied by an authority from the Director of Health.			\$	
2300C	Capsule 250mg	25	..	8.87	Austrastaph Orbenin CS BR
1120Y	500mg	12	..	8.56	Austrastaph Orbenin CS BR
2936M	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#6.45	Austrastaph Orbenin CS BR
2299B	CLOXACILLIN Injection 250mg (solvent required)	5	..	7.40	Austrastaph Orbenin CS BR
2301D	500mg (solvent required)	5	..	11.34	Austrastaph Orbenin CS BR
1420R	1g (solvent required)	5	..	18.74	Austrastaph Orbenin CS BR
1214X	CODEINE PHOSPHATE Tablet 30mg	25	..	3.14	DH,KL,LP,RT,RY
1218D	CODEINE PHOSPHATE with ASPIRIN To be endorsed with the pension number. Tablet Soluble 8mg-300mg	100	2	2.84	Aspalgin FM
1219E	8mg-500mg	100	2	2.84	Solcode RC
1215Y	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL To be endorsed with the pension number. Tablet 8mg-250mg-250mg	100	2	2.39	RY
1222H	To be endorsed "S.P." Tablet 30mg-225mg-150mg	100	1	*7.47	Codiphen Forte GP Codral Forte BW
3111R	NOTE: This latter item is classed as a dangerous drug (S8) in the Australian Capital Territory. Payment will include the appropriate fee. COLASPASE Injection 10,000 Units (solvent required)	10	1	*381.07	Crasnitin MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1227N	COLCHICINE Tablet 500 micrograms	100	2	\$ 3.44 3.56 3.60 3.74	Colgout PT DH, PR, RT Coluric AV BW Colcin KL LP, MR
	COLJSTIN To be endorsed "S.P."				
2621Y	Injection 150mg (solvent required)	5	..	*35.22	Coly-Mycin WW
2756C	COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per ml, 10ml	1	2	2.40	Coly-Mycin WW
1228P	COPPER SULPHATE Diagnostic Compound Tablets, 36	1	3	1.13	Clinitest AM
1229Q	(with instructions for use)				
1246N	CORTISONE ACETATE Tablet 5mg	50	1	2.74 2.80	Cortate PT Cortone MK
1247P	25mg	30	2	3.74	Cortate PT
	CYANOCOBALAMIN To be endorsed "S.P."				
1258F	Injection 100 micrograms in 1ml	5	1	2.99 3.07	Panalamine PT Cytamen 100 GL LP
1262K	1mg in 1ml	5	..	3.39 3.47	Panalamine 1000 PT Cytamen 1000 GL LP
1255C	CYCLIZINE Tablet 50mg	50	1	2.40	Marzine BW
1263L	CYCLOBARBITONE Tablet 200mg	25	..	1.87	Amnosed BW
1264M	CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	3.20	Navidrex CB
	CYCLOPHOSPHAMIDE To be accompanied by an authority from the Director of Health.				
1266P	Tablet 50mg	50	..	7.07	Endoxan-Asta MJ
1265N	Injection 100mg (solvent required)	5	1	12.27	Endoxan-Asta MJ
2381H	200mg (solvent required)	5	1	13.07	Endoxan-Asta MJ
1079T	500mg (solvent required)	2	1	*7.47	Endoxan-Asta MJ
1080W	1g (solvent required)	1	1	5.47	Endoxan-Asta MJ
2302E	CYCLOSERINE Capsule 250mg	250	2	57.07	Closina LY
2426Q	CYCLOTHIAZIDE Tablet 5mg	50	2	3.74	Doburil BY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1267Q	CYCRIMINE HYDROCHLORIDE Tablet 1.25mg	100	2	\$ 5.07	Pagitane	LY
1268R	2.5mg	100	2	7.07	Pagitane	LY
1269T	CYPROHEPTADINE Tablet 4mg	50	2	2.59	Periactin	FR
1270W	Paediatric Syrup 1.2mg per 5ml, 100ml	≠1	4	2.00	Periactin	FR
1798P	CYPROHEPTADINE To be endorsed "S.P." Tablet 4mg	100	2	*4.11	Periactin	FR
2910E	CYTARABINE Injection set containing 100mg and 5ml solvent	10	1	*81.07	Cytosar	UP
1272Y	DAPSONE Tablet 100mg	100	2	2.68	Avlosulfon	IC
3114X	DAUNORUBICIN I.V. infusion 20mg (base)	10	1	*267.77	Cerubidin	MB
2740F	DEBRISOQUINE Tablet 10mg	100	2	5.87	Declinax	RO
2741G	20mg	100	2	7.74	Declinax	RO
2378E	DEMECARIUM BROMIDE Eye Drops 0.1%, 5ml	≠1	6	4.27	Tosmilen	AP
1274C	0.25%, 5ml	≠1	6	4.80	Tosmilen	AP
1275D	0.5%, 5ml	≠1	6	6.00	Tosmilen	AP
1277F	DEMECLOCYCLINE Capsule 150mg	21	..	3.19	Ledermycin	LE
2304G	DESFERRIOXAMINE MESYLATE Injection 500mg (solvent required)	10	..	41.07	Desferal	CB
2972K	DESIPRAMINE Tablet 25mg	50	2	4.00	Pertofran	GE
1289W	DESLANOSIDE Injection 200 micrograms per ml, 2ml	5	1	2.67	Cedilanid	SZ
2508B	DEXAMETHASONE To be endorsed "S.P." Injection 120mg in 5ml	1	..	31.67	Decadron Shock Pak Decasone Shock Pak	MK FR
1292B	DEXAMETHASONE Tablet 500 micrograms	30	2	2.60 2.67	Dexamethsone Oradexon KL	PT OR
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2507Y	DEXAMETHASONE - cont. Tablet 4mg	30	1	\$ 7.07	Dexmethsone	PT
3006F	Cream 0.04%, 30g	≠1	1	2.39	Oradexon	OR
2509C	Injection 4mg in 1ml	5	..	*8.42	Decadron Decasone	MK FR
1290X	5mg in 1ml	5	..	11.07	Oradexon	OR
1291Y	8mg in 2ml	5	..	*13.72	Decadron Decasone	MK FR
2759F	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 500 micrograms-5mg-50 micrograms per g, 5g	≠1	2	2.35	Sofradex	RL
2781J	DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms(base)-5mg-50 micro- grams per ml, 8ml	≠1	2	2.47	Sofradex	RL
1165H	DEXAMPHETAMINE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	..	3.17	SI	
1295E	DEXCHLORPHENIRAMINE Tablet 2mg	50	2	2.27	Polaramine	SH
1297G	Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	2.00	Polaramine	SH
	DEXTRAN 40 See Intravenous Fluids					
	DEXTRAN 70 See Intravenous Fluids					
	DEXTROMORAMIDE To be endorsed "S.P."					
2702F	Tablet 5mg	25	..	3.04	Palfium	FA
2701E	Injection 5mg in 1ml	10	..	*7.97	Palfium	FA
1024X	Suppositories 10mg, 10	≠1	..	5.57	Palfium	FA
1144F	DEXTROPROPOXYPHENE HYDROCHLORIDE with PARACETAMOL Tablet 32.5mg-325mg	50	1	2.23	Di-Gesic	DL
1236C	Capsule 32.5mg-325mg	50	1	2.23	Capadex	FM
3040B	DEXTROSE INJECTION 50%, 10ml	5	..	3.87	BL	
	500ml and 1 litre Injections - See Intravenous Fluids					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3161J	DIAZEPAM Tablet 2mg	50	..	\$ 2.14	Ducene Lorinon Pro-Pam Valium	SU HP PT RO
3162K	5mg	50	..	2.27 2.34 2.47	Pro-Pam Ducene Lorinon Valium	PT SU HP RO
2559Q	Paediatric Syrup 2mg per 5ml, 100ml	≠1	..	2.67	Valium	RO
2558P	Injection 10mg in 2ml	5	..	3.11 3.80	BL Valium	RO
3068L	DIAZOXIDE Injection 300mg in 20ml	1	..	11.98	Hyperstat I.V.	SH
3018W	DIBENZEPIN Tablet 80mg	50	2	3.54	Noveril	SZ
1303N	DICHLORPHENAMIDE Tablet 50mg	50	6	6.27 6.67	Oratrol Daramide	AQ MK
2900P	DICYCLOMINE with DOXYLAMINE and PYRIDOXINE To be endorsed "S.P."					
	Tablet 10mg-10mg-10mg	30	1	3.00	Debendox	ML
1309X	DIENOESTROL Tablet 10mg	100	2	3.20	HA	
1310Y	Cream 0.01%, 85g	1	1	2.60	ET	
2605D	DIGOXIN Tablet 62.5 micrograms	100	2	2.31	Lanoxin-PG	BW
1322N	250 micrograms	100	2	2.35 2.40	Natigoxin Cardiox Lanoxin RT,RY	NA AV BW
3164M	Oral Solution for Children 50 micrograms per ml, 100ml	≠1	2	3.54	Lanoxin	BW
1321M	Injection BP 500 micrograms in 2ml	5	1	3.74	Lanoxin	BW
2537M	Injection for Infants 50 micrograms in 2ml	5	1	4.20	Lanoxin	BW
2937N	DIHYDROCODEINE TARTRATE Linctus 0.19%, 100ml	≠1	2	1.94	Fortuss Paracodin Rikodeine	GP KN RK
1323P	DIHYDROERGOTAMINE Injection 1mg in 1ml	5	..	3.07	Dihydergot	SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	DIHYDROTACHYSTEROL To be accompanied by an authority from the Director of Health.			\$	
1483C	Capsule 125 micrograms	100	1	11.14	A.T.10 WL
1331C	DI- IODOHYDROXYQUINOLINE Compound Pessaries 100mg, 25	≠1	1	2.67	Floraquin SR
1333E	DILOXANIDE FUROATE Tablet 500mg	30	..	*6.93	Furamide BT
1334F	DIMERCAPROL Injection 5%, 2ml	10	..	11.87	B.A.L. BT
	DIMETHICONE To be endorsed "S.P."				
2233M	Cream 10%, 50g	1	..	1.87	Dermabase-S HA Siopel IC
2618T	10%, 75g	1	..	1.74	Silcon FA
2232L	20%, 20g	1	..	1.91	Vasogen Silicone SS
	Solutions - See Colostomy and Ileostomy				
2517L	DIMETHINDENE Tablet 1mg	50	2	2.27	Fenostil ZY
	DIOCTYL SODIUM SULPHOSUCCINATE To be endorsed "S.P."				
3066J	Tablet 50mg	100	2	2.26	Coloxyl 50 FM
3067K	120mg	100	2	2.83	Coloxyl 120 FM
	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL To be endorsed "S.P."				
1125F	Suppositories 100mg-10mg, 5	≠1	..	1.87	Coloxyl FM
	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON To be endorsed "S.P."				
2710P	Tablet 50mg-50mg	100	2	2.40	Coloxyl with Danthron FM
	DIPHEMANIL METHYLSULPHATE To be endorsed "S.P."				
1209P	Dusting Powder 2%, 50g	≠1	..	2.95	Prantal SH
1336H	DIPHENHYDRAMINE Capsule 50mg	50	2	2.36 2.40	Alergicap PT Benadryl PD
2780H	Paediatric Elixir 12.5mg per 5ml, 100ml	≠1	4	2.00	Benadryl PD Bidramine AV

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2501P	DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25mg micrograms	20	..	\$ 2.27	Lomotil	SR
2502Q	Liquid 2.5mg-25 micrograms per 5ml, 60ml	1	..	2.27	Lomotil	SR
1340M	DIPHENYLPYRALINE Tablet 2.5mg	50	2	2.27	Allerzine Anti-Hist Histalert	VR PT RK
1337J	Capsule 2.5mg	50	2	2.27	Histryl-P	SK
2351R	Paediatric Syrup 2.5mg per 5ml, 100ml	1	4	2.00	Histalert Histryl	RK SK
1342P	DIPHTHERIA ANTITOXIN Injection 1,000 Units	2	1	*7.73	CS	
1344R	10,000 Units	2	1	*31.73	CS	
1341N	DIPHTHERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years. Injection 0.5ml	3	..	*4.28	CS	
3019X	DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years. Injection 0.5ml	3	..	*4.34	CS	
1346W	DIPHTHERIA, TETANUS and PERTUSSIS. VACCINE, ADSORBED Injection 0.5ml	3	..	*4.46 4.47	CS PD	
1348Y	DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years. Injection 0.5ml	2	1	*3.47	CS	
3020Y	DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years. Injection 0.5ml	2	..	*3.33	CS	
3140G	DIPYRIDAMOLE To be endorsed "S.P." Tablet 100mg	100	2	15.66	Persantin	BY
1022T	DOXEPIIN Tablet 10mg	50	2	2.40	Quitaxon	FM
1023W	25mg (continued)	50	2	3.30	Quitaxon	FM

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1011F	DOXEPIN - cont. Capsule 10mg	50	2	\$ 2.40	Sinequan	PF
1013H	25mg	50	2	3.30	Sinequan	PF
2708M	DOXYCYCLINE Capsule 100mg	7	..	3.87	Doxin Vibramycin	GP PF
3193C	Powder 100mg (base) for preparation of infusion	5	..	17.07	Vibramycin	PF
2938P	DROPERIDOL To be endorsed "S.P." Injection 10mg in 2ml	5	..	5.87	Droleptan	ET
1359M	ECOTHIOPATE IODIDE Eye Drops 0.03%, 1.5mg and 5ml solvent	#1	6	#4.76	Phospholine Iodide	AY
2405N	0.06%, 3mg and 5ml solvent	#1	6	#4.89	Phospholine Iodide	AY
1360N	0.125%, 6.25mg and 5ml solvent	#1	6	#5.22	Phospholine Iodide	AY
1361P	0.25%, 12.5mg and 5ml solvent	#1	6	#5.76	Phospholine Iodide	AY
2992L	ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	#1	..	2.40	Repalyte	DH
1369C	ELECTROLYTE REPLACEMENT SOLUTION See Intravenous Fluids EPHEDRINE HYDROCHLORIDE Tablet 15mg	100	2	2.07	DH, KL, RT, RY	
1370D	30mg	100	2	2.20	DH, KL, LP, RY, SI	
1372F	Elixir PL - See Booklet (Extemporan- eously Prepared Benefits) EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE Tablet 15mg-15mg	100	2	2.07	Ephedrobarbital Mitis	FM
1373G	30mg-15mg	100	2	2.14	Ephedrobarbital	FM
1374H	30mg-30mg	100	2	2.20	Ephedrobarbital Forte	FM
1375J	Elixir 30mg-20mg per 5ml, 100ml	#1	4	2.16	Ephedrobarbital	FM
3069M	EPICILLIN Capsule 250mg	25	..	3.99	Dexacillin	SQ
3070N	500mg	12	1	3.71	Dexacillin	SQ
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	EPICILLIN - cont.			\$	
3085J	Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#3.17	Dexacillin SQ
3086K	250mg per 5ml, 100ml	≠1	..	#4.44	Dexacillin SQ
1594X	Injection 250mg (solvent required)	5	1	5.40	Dexacillin SQ
1595Y	500mg (solvent required)	5	1	8.04	Dexacillin SQ
1596B	1g (solvent required)	5	1	13.63	Dexacillin SQ
1380P	ERGOMETRINE MALEATE Tablet 200 micrograms	25	..	2.44	Ergotrate LY
1378M	Injection 250 micrograms in 1ml	5	..	2.54	BL
1384W	ERGOTAMINE TARTRATE Tablet 1mg	50	2	3.60	Gynergen SZ Lingraine WL
1383T	Injection 500 micrograms in 1ml	5	..	2.64	Gynergen SZ
1385X	ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	4.00	Cafergot SZ
1386Y	Compound Suppositories, 6	≠1	2	2.94	Cafergot PB SZ
1387B	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	4.40	Migral BW
1389D	ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Tablet 1mg-100mg-10mg	50	2	4.30	Ergalan AH
1388C	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	4.34	Ergodryl PD
1400Q	ERYTHROMYCIN Tablet 125mg	25	..	3.07	EMU-V UP
2749Q	200mg	25	..	3.44	Erythrocin AB
1401R	250mg	25	..	4.04	EMU-V UP Erythrocin AB Ethryn FA
1402T	Capsule 125mg	25	..	2.88	Erythrocin AB
1403W	250mg	25	..	3.82 4.04	E-Mycin PT Bram-Mycin ME Eratrex BC Erostin KL Eryc FA Erythrocin AB Ethryn FA
2499M	(Paediatric Drops 100mg per ml, 10ml (continued))	≠1	..	2.58	Ilosone LY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2425P	ERYTHROMYCIN - cont. Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	\$ 3.32	Eratrex Eromycin Erythrocin Ilosone BC DL AB LY
2610J	250mg per 5ml, 100ml	≠1	..	5.14	Erythrocin AB
1395K	Injection I.M. 100mg in 2ml	5	..	7.07	Erythrocin AB
1398N	Infusion I.V. 300mg	5	..	*21.07	Erythrocin AB
1397M	1g	1	..	12.40	Erythrocin Ilotycin AB LY
2511E	ETHACRYNIC ACID Tablet 50mg	50	2	6.00	Edecril MK
1271X	ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	3.43	Ethamolin GL
1405Y	ETHINYLOESTRADIOL Tablet 10 micrograms	100	1	2.40	Edrol Estigyn Lynoral Primogyn C VR AH OR SC
1406B	20 micrograms	100	1	2.54	Edrol Estigyn Lynoral Primogyn C VR AH OR SC
1407C	50 micrograms	100	1	2.67	Edrol Estigyn Lynoral Primogyn C VR AH OR SC
1408D	1mg	100	1	6.35	Estigyn Lynoral AH OR
1412H	ETHOPROPAZINE Tablet 50mg	100	2	3.87	Lysivane MB
1413J	ETHOSUXIMIDE Capsule 250mg	200	1	12.00	Zarontin PD
1414K	Paediatric Syrup 250mg per 5ml, 250ml	≠1	4	4.20	Zarontin PD
1416M	ETHOXZOLAMIDE Tablet 125mg	50	6	10.40	Cardrase UP
1419Q	ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	3.74	Bronkephrine WL
2370R	ETHYLOESTRENOL To be accompanied by an authority from the Director of Health. Tablet 2mg	100	1	10.40	Orabolin OR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	ETHYNODIOL DIACETATE with ETHINYL- OESTRADIOL Tablet			\$	
3166P	500 micrograms - 50 micrograms, 21	2	2	*3.15	Ovulen 0.5/50 SR
3167Q	1mg - 50 micrograms, 21	2	2	*3.15	Ovulen 1/50 SR
2447T	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*3.15	Ovulen 0.5/50-28 SR
3168R	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	*3.15	Ovulen 1/50-28 SR
	ETHYNODIOL DIACETATE with MESTRANOL Tablet				
3169T	500 micrograms - 100 micrograms, 21	2	2	*3.15	Ovulen 0.5 SR
3170W	1mg - 100 micrograms, 21	2	2	*3.15	Ovulen 1 SR
3171X	2mg - 100 micrograms, 21	2	2	*3.15	Ovulen 2 SR
	FENOTEROL HYDROBROMIDE				
1313D	Inhalation, metered aerosol spray 200 micrograms per dose (300 dose)	≠1	1	4.74	Berotec BY
	FERROUS AMINOACETOSULPHATE				
1422W	Tablet equivalent to 50mg Ferrous Iron	100	2	2.00	Plesmet AV
2465R	Paediatric Syrup 100ml	≠1	4	2.14	Plesmet AV
	FERROUS FUMARATE				
2688L	Tablet 150mg	100	2	2.00	Bramiron Fumiron ME KL
	FERROUS GLUCONATE				
1424Y	Tablet 300mg	100	2	1.92 2.07	Glucohaem Fergon VR RT,RY WL
2726L	Paediatric Elixir 6%, 100ml	≠1	4	2.14	Fergon WL
	FERROUS SULPHATE DRIED				
1150M	Tablet 320mg (delayed release)	30	2	2.07	Slow-Fe CB
2689M	350mg (sustained release)	30	2	2.04 2.07	Feritard PT Ferro-Gradumets AB
3100E	Capsule 320mg (delayed release)	30	2	2.07	Fespan SK
	FERROUS SULPHATE DRIED with FOLIC ACID Tablet				
3150T	270mg-300 micrograms (delayed release)	30	2	2.14	Feritard Folic PT
3160H	270mg-300 micrograms (sustained release)	30	2	2.14	F.G.F. AB
3149R	Capsule 270mg-300 micrograms (delayed release)	30	2	2.14	Fefol 2 SK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3195E	FLUCLOROLONE ACETONIDE Cream 0.025%, 30g	≠1	1	\$ 2.39	Topilar	SD
1073L	FLUCYTOSINE To be endorsed "S.P." Tablet 500mg	100	..	59.74	Ancotil	RO
1433K	FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	..	5.18	Florinef	SQ
1434L	1mg	30	..	11.31	Florinef	SQ
2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	≠1	..	2.40	Locacorten Vioform	CB
3002B	FLUMETHASONE PIVALATE Cream 0.02%, 30g	≠1	1	2.39	Locacorten	CB
3003C	Ointment 0.02%, 30g	≠1	1	2.39	Locacorten	CB
3004D	FLUOCINOLONE ACETONIDE Cream 0.01%, 30g	≠1	1	2.39	Synalar 01	IC
3005E	Ointment 0.01%, 30g	≠1	1	2.39	Synalar 01	IC
2677X	FLUOCORTOLONE ESTERS Cream 0.08%, 100g	≠1	..	2.67	Topodil	SC
3000X	0.2%, 30g	≠1	1	2.39	Ultralan-D	SC
2678Y	Ointment 0.08%, 100g	≠1	..	2.67	Topodil	SC
3001Y	0.2%, 30g	≠1	1	2.39	Ultralan-D	SC
2803M	Ointment (Anhydrous) 0.2%, 30g	≠1	1	2.39	Ultralan-D Fatty	SC
1204J	FLUOROMETHOLONE Eye Drops 0.1%, 5ml	≠1	6	3.40	FML Liquifilm	AG
2521Q	FLUOROURACIL Injection 50mg per ml, 5ml	10	..	22.40	RO	
1435M	FLUOXYMESTERONE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	1	18.90	Halotestin	UP
2659Y	FLUPHENAZINE To be endorsed "S.P." Tablet 1mg	100	1	4.36	Anatenso1	SQ
2660B	2.5mg	100	1	6.07	Anatenso1	SQ
2661C	5mg	100	1	7.00	Anatenso1	SQ
2662D	Elixir 500 micrograms per ml, 60ml	≠1	4	2.59	Anatenso1	SQ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	FLUPHENAZINE DECANOATE To be endorsed "S.P."			\$		
1046C	Injection 12.5mg in 0.5ml	5	..	11.40	Modecate	SQ
3098C	25mg in 1ml	5	..	19.20	Modecate	SQ
1001Q	50mg in 2ml	5	..	26.74	Modecate	SQ
	FLUPHENAZINE ENANTHATE To be endorsed "S.P."					
2663E	Injection 25mg in 1ml	5	..	11.07	Anatensol Enanthate	SQ
3007G	FLURANDRENOLONE Cream 0.025%, 30g	≠1	1	2.39	Haelan	DL
1036M	Ointment 0.025%, 30g	≠1	1	2.39	Haelan	DL
	FOLIC ACID To be endorsed "S.P."					
1437P	Tablet 5mg	100	2	2.18 2.20	DH,PT Folasic ET,KL,LP,PR,RT, RY,SI	AV
1436N	Injection 15mg in 1ml	10	..	*5.87	AB	
	FOLIC ACID					
2958Q	Tablet 500 micrograms	100	..	1.99 2.00	DH,PT Folettes KL,LP,SI	FM
	FRAMYCETIN					
3079C	Injection 500mg (solvent required)	1	2	6.90	Soframycin	RL
1439R	Eye Ointment 0.5%, 5g	≠1	..	2.20	Soframycin	RL
1440T	Eye and Ear Drops 0.5%, 8ml	≠1	2	2.58	Soframycin	RL
	FRUSEMIDE To be endorsed "S.P."					
2415D	Tablet 500mg	50	2	45.07	Lasix High Dose	HP
	FRUSEMIDE					
2414C	Tablet 20mg	50	2	2.80 3.20	Urex-M Aquamide M Lasix-M	FM RL HP
2412Y	40mg	50	2	3.07 3.20 3.47	Urex Uremide Aquamide Frusid Lasix	FM PT RL RO HP
2413B	Injection 20mg in 2ml	5	..	4.23	Aquamide Lasix	RL HP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	FUSIDIC ACID To be accompanied by an authority from the Director of Health.			\$		
2312Q	Tablet (Sodium Salt) 250mg (enteric coated)	36	..	47.47	Fucidin	SK
2311P	Suspension 50mg per ml, 90ml	#1	..	21.07	Fucidin	SK
1175W	GAMMA BENZENE HEXACHLORIDE Cream 1%, 200g	#1	2	2.94	Lorexane	IC
1176X	Head Lotion 0.2%, 200ml	#1	..	2.40	Lorexane	IC
1178B	Lotion Concentrate 1%, 200ml	#1	..	3.07	Lorexane Concentrate	IC
1441W	GAS GANGRENE ANTITOXIN (OEDEMATIENS) Injection 10,000 Units	3	1	*57.08	CS	
1446D	GAS GANGRENE ANTITOXIN (PERFRINGENS) Injection 10,000 Units	10	1	*193.07	CS	
1444B	GAS GANGRENE ANTITOXIN (SEPTICUM) Injection 5,000 Units	2	1	*40.53	CS	
2699C	GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection: 1 amp containing 10,000 Units Perfringens; 10,000 Units Oedematiens; 5,000 Units Septicum	2	1	*45.07	CS	
	GENTAMICIN SULPHATE To be endorsed "S.P." or be accompanied by an authority from the Director of Health.					
1067E	Injection 10mg (base) in 1ml	5	..	10.40	Cidomycin Garamycin	RL SH
1068F	40mg (base) in 1ml	5	..	17.74	Cidomycin Garamycin	RL SH
1168L	60mg (base) in 1.5ml	5	..	22.74	Cidomycin Garamycin	RL SH
2824P	80mg (base) in 2ml	5	..	*27.72	Cidomycin Garamycin	RL SH
2939Q	GLIBENCLAMIDE Tablet 5mg	100	2	12.34	Daonil Euglucon	HP FM
1447E	GLUCAGON HYDROCHLORIDE Injection 1mg (anhydrous glucagon) with 1ml diluent	1	..	5.74	LY	
1448F 1449G	GLUCOSE INDICATOR /4m Test Dispenser (with instructions for use)	1	2	/2.99	Tes-Tape	LY
2352T 2353W	/Reagent Strips 100 strips (with instructions for use)	1	2	/2.18	Clinistix	AM
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3104J 3105K	GLUCOSE INDICATOR - cont. /Reagent Strips 100 strips (with instructions for use)	1	2	\$ /2.30	Diastix AM
3107M 3108N	GLUCOSE and KETONE INDICATOR /Reagent Strips 100 strips (with instructions for use)	1	2	/2.79	Keto-Diastix AM
3135B 3136C	GLYCEROL To be endorsed "S.P." /Suppositories 1g, 10 (with instructions for use)	1	1	/1.35	FA
2673Q 2674R	GLYCEROL /Glycerol 100ml (with instructions for use)	1	1	/0.99	DH
1459T	GLYCERYL TRINITRATE Tablet 600 micrograms	100	2	2.14	Anginine Stabilised BW
2594M	GLYMIDINE Tablet 500mg	100	2	6.40	Gondafon SC
1027C	GOATS' MILK To be accompanied by an authority from the Director of Health. Dehydrated Powder 1 lb	2	20	*9.92	GV
2654Q	450g	2	20	*9.68 *9.92	Caprilac CG Dale CE
2656T	Whole (sterilised) 375ml	12	20	*7.56 *8.04	Caprilac CG TM
1460W	GRISEOFULVIN To be accompanied by an authority from the Director of Health. Tablet 125mg	100	..	7.74	Fulcin 125 IC Grisovin GL
2982Y	500mg	28	..	7.47	Fulcin 500 IC Grisovin 500 GL
1461X	GUANETHIDINE Tablet 10mg	100	1	5.47	Ismelin CB
1462Y	25mg	100	1	11.14	Ismelin CB
2767P	HALOPERIDOL To be endorsed "S.P." Tablet 1.5mg	100	1	6.07	Serenace SR
2770T	5mg	50	..	9.07	Serenace SR
2768Q	Injection 5mg in 1ml	10	..	9.74	Serenace SR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1467F	HEPARIN Injection BP, 5,000 Units in 1ml	5	5	\$ *7.72 7.74	WP AH,CS	
1468G	25,000 Units in 5ml	2	5	*9.07	BT,CS,WP	
1076P	35,000 Units in 35ml	12	5	*97.07	CS	
3153Y	125,000 Units in 5ml	1	5	19.07	BT,CS	
1234Y	HEPARIN CALCIUM Injection 5,000 Units in 0.2ml	5	5	7.74	Calciparine	DF
1235B	5,000 Units in 0.5ml	5	5	*7.72	CS	
1053K	12,500 Units in 0.5ml	2	..	*7.07 7.07	CS Calciparine	DF
1054L	25,000 Units in 1ml	2	..	*9.07 9.07	CS Calciparine	DF
3124K	HEXAMINE HIPPURATE Tablet 1g	100	2	7.67	Hiprex	RK
1617D	HEXAMINE MANDELATE Tablet 250mg	100	2	2.47	Mandelamine	WW
1618E	500mg	100	2	3.60	Mandelamine Hafgrams	WW
2690N	1g	100	2	5.47	Mandelamine	WW
2606E	Paediatric Suspension 500mg per 5ml, 200ml	#1	1	3.60	Mandelamine	WW
2541R	HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15ml	#1	2	2.79 2.80	AG AQ,LP	
2542T	5%, 15ml	#1	2	3.11 3.14	AG AQ	
1476Q	HYALURONIDASE Injection 1,500 I.U. (solvent required)	5	1	4.30	Hyalase	FC
1640H	HYDRALLAZINE HYDROCHLORIDE Tablet 25mg	100	2	4.80	Apresoline	CB
1639G	50mg	100	2	7.07	Apresoline	CB
1481Y	HYDRARGAPHEN Pessaries 5mg, 15	#1	1	3.60	Versotrane Triple Strength	WB
1484D	HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	2.96	Dichlotride Esidrex	MK CB
1485E	50mg	50	2	4.20	Dichlotride Esidrex	MK CB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	HYDROCHLOROTHIAZIDE with AMILORIDE To be endorsed "S.P."			\$	
1486F	Tablet 50mg-5mg	30	1	3.39	Moduretic MK
	HYDROCHLOROTHIAZIDE with TRIAMTERENE To be endorsed "S.P."				
1280J	Tablet 25mg-50mg	30	1	3.39	Dyazide SK
1487G	HYDROCORTISONE Eye Drops 0.5%, 2ml	#1	2	2.20	Scheroson F Ophthalmicum SC
1488H	0.5%, 5ml	#1	2	2.40	Hycor SI
1489J	0.5%, 10ml	#1	2	2.67	Hycor SI
1490K	1%, 3ml	#1	2	2.34	Hycor SI
1491L	1%, 5ml	#1	2	2.54	Hydrosone KL
1492M	1%, 10ml	#1	2	3.00	Hycor Hydrosone SI KL
1493N	2.5%, 5ml	#1	2	2.94	Hycor SI
1494P	2.5%, 10ml	#1	2	3.47	Hycor SI
1496R	Eye Ointment 0.5%, 4g	#1	..	2.34	Cortef UP Cortril PF Hydrosone KL
1497T	0.5%, 5g	#1	..	2.47	Hycor SI
2441L	1%, 5g	#1	..	2.60	Hycor SI Hydrosone KL
2887Y	Cream 1%, 30g	#1	1	2.27 2.39	Cort-Dome DO Adacor AV Cortef UP Dermacort PD Hydrosone KL Hynax VR Phiacort RS Procort PR Sigmacort SI Squibb-HC SQ LP
2888B	Topical Ointment 1%, 30g	#1	1	2.39	Adacor AV Cortef UP Dermacort "O" PD Hynax VR Procort PR Sigmacort SI Squibb-HC SQ LP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	HYDROCORTISONE with NEOMYCIN SULPHATE			\$		
2794C	Ear Drops 1.5%-0.5%, 5ml	≠1	..	2.47	Neo-Cortef	UP
2795D	Ear Ointment 1.5%-0.5%, 4g	≠1	2	2.40	Neo-Cortef	UP
	HYDROCORTISONE ACETATE To be endorsed "S.P."					
1498W	Injection 25mg in 1ml	5	..	4.27 *4.42	Hysone-A Hydrocortone	PT MK
	HYDROCORTISONE SODIUM SUCCINATE To be endorsed "S.P."					
3097B	Injection Set containing equivalent of 500mg hydrocortisone and solvent	1	..	12.80	Solu-Cortef	UP
	HYDROCORTISONE SODIUM SUCCINATE Injection					
1501B	Set containing equivalent of 100mg hydrocortisone and 2ml solvent	2	..	*6.41	Efcortelan Nordicort Solu-Cortef Venocort	GL NR UP PT
3096Y	Set containing equivalent of 250mg hydrocortisone and solvent	1	..	6.94	Solu-Cortef	UP
1503D	HYDROFLUMETHIAZIDE Tablet 50mg	50	2	4.58	Di-Ademil Hydrenox	SQ BT
1504E	HYDROGEN PEROXIDE SOLUTION Solution 10 vol, 100ml	1	..	≠0.53	FA	
1505F	(with instructions for use)					
1324Q	HYDROMORPHONE Injection 1.1ml	5	..	2.50	Dilaudid	KN
	HYDROXOCOBALAMIN To be endorsed "S.P."					
1511M	Injection 1mg in 1ml	5	..	3.47	Neo-Cytamen	GL
1512N	HYDROXYCHLOROQUINE Tablet 200mg	100	..	5.74	Plaquenil	WL
3093T	HYDROXYUREA Capsule 500mg	100	..	21.07	Hydrea	SQ
3042D	HYOSCINE BUTYLBROMIDE Injection 20mg in 1ml	5	..	3.07	Buscopan	BY
2782K	HYOSCINE HYDROBROMIDE Eye Drops 0.25%, 15ml	≠1	2	3.47	AQ	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2956N	HYPROMELLOSE Eye Drops 0.5%, 15ml	#1	6	\$ 2.27 2.31	IQ Isopto Tears Lacril Methopt KL AQ AG SI
3198H	IBUPROFEN To be endorsed "S.P." Tablet 200mg	50	2	3.11	Brufen BT
2442M	IDOXURIDINE To be endorsed "S.P." Eye Drops 0.1%, 15ml	#1	2	4.27	Herplex Stoxil AG SK
2569F	Eye Ointment 0.5%, 5g	#1	..	4.27	Stoxil SK
2567D	IDOXURIDINE Topical Ointment 0.5%, 5g	#1	..	2.28	Stoxil SK
2420J	IMIPRAMINE Tablet 10mg	50	2	2.15	Imiprin Iramil Prodepress Tofranal PT KL ME GE
2421K	25mg	50	2	2.94 3.03	Imiprin Iramil Melipramine Prodepress Somipra Tofranal PT KL UW(N) ME LF GE
2719D	Injection I.M. 25mg in 2ml	10	..	4.60	Tofranal GE
2454E	INDOMETHACIN Capsule 25mg	50	2	4.19	Indocid MK
2757D	Suppository 100mg	20	2	*8.01	Indocid MK
2851C	INFLUENZA VACCINE To be endorsed with the pension number OR be endorsed "S.P." Injection 1ml	1	..	3.34	CS
1141C	INSECT ALLERGEN EXTRACT - BULL ANT Injection Set - strengths A,B,C each 5ml	1	..	30.40	CS
1139Y	Set - strengths A,B,C,D each 5ml	1	..	42.40	CS
1138X	Strength C, 5ml	1	..	11.74	CS
1142D	Strength D, 5ml	1	..	13.07	CS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	INSECT ALLERGEN EXTRACT - HONEY BEE Injection			\$	
2884T	Set - strengths A,B,C each 5ml	1	..	30.40	CS
2883R	Set - strengths A,B,C,D each 5ml	1	..	42.40	CS
2870C	Strength C, 5ml	1	..	11.74	CS
2885W	Strength D, 5ml	1	..	13.07	CS
	INSECT ALLERGEN EXTRACT - JUMPER ANT Injection				
3022C	Set - strengths A,B,C each 5ml	1	..	30.40	CS
3034Q	Set - strengths A,B,C,D each 5ml	1	..	42.40	CS
3025F	Strength C, 5ml	1	..	11.74	CS
3023D	Strength D, 5ml	1	..	13.07	CS
	INSECT ALLERGEN EXTRACT - MOSQUITO Injection				
1473M	Set - strengths A,B,C each 5ml	1	..	30.40	CS
1474N	Set - strengths A,B,C,D each 5ml	1	..	42.40	CS
1471K	Strength C, 5ml	1	..	11.74	CS
1475P	Strength D, 5ml	1	..	13.07	CS
	INSECT ALLERGEN EXTRACT - PAPER WASP Injection				
2959R	Set - strengths A,B,C each 5ml	1	..	30.40	CS
2948E	Set - strengths A,B,C,D each 5ml	1	..	42.40	CS
2919P	Strength C, 5ml	1	..	11.74	CS
2960T	Strength D, 5ml	1	..	13.07	CS
	INSULIN				
1523E	Injection 20 Units per ml, 10ml	10	2	*26.70	CS
1525G	40 Units per ml, 10ml	10	2	*29.30	Novo BT,BW,CS,WP NO
1527J	80 Units per ml, 10ml	10	2	*42.70	Novo BT,BW,CS NO
1529L	160 Units per ml, 10ml	10	2	*106.70	CS
1530M	300 Units per ml, 5ml	10	2	*106.70	CS
1531N	(specially purified) 40 Units per ml, 10ml	10	2	*83.30	CS
1542E	(Porcine) 40 Units per ml, 10ml	10	2	*44.00	CS
	INSULIN BIPHASIC				
2580T	Injection 40 Units per ml, 10ml	10	2	*37.70	Rapitard-Novo NO
2581W	80 Units per ml, 10ml	10	2	*70.70	Rapitard-Novo NO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1534R	INSULIN ISOPHANE (N.P.H.) Injection 40 Units per ml, 10ml	10	2	\$ *36.70	AH,BT,BW,CS,WP
1535T	80 Units per ml, 10ml	10	2	*53.30	AH,BT,BW,CS,WP
1536W	160 Units per ml, 10ml	10	2	*120.00	CS
1537X	(specially purified) 40 Units per ml, 10ml	10	2	*65.30	CS
1549M	(Porcine) 40 Units per ml, 10ml	10	2	*63.30	CS
1550N	(Porcine) 80 Units per ml, 10ml	10	2	*113.30	CS
2578Q	INSULIN NEUTRAL Injection 40 Units per ml, 10ml	10	2	*29.90	Actrapid-Novo NO
2579R	80 Units per ml, 10ml	10	2	*56.50	Actrapid-Novo NO
1517W	INSULIN NEUTRAL SPECIALLY PURIFIED Injection 40 Units per ml, 10ml	10	2	*37.60	Actrapid M.C. NovoNO
1518X	80 Units per ml, 10ml	10	2	*68.00	Actrapid M.C. NovoNO
1539B	INSULIN PROTAMINE ZINC Injection 40 Units per ml, 10ml	10	2	*30.70	BT,BW,CS,WP
1541D	80 Units per ml, 10ml	10	2	*46.70	BW,CS
1543F	INSULIN ZINC SUSPENSION (Lente) Injection 40 Units per ml, 10ml	10	2	*30.00	Lente Novo BT,BW,CS NO
1544G	80 Units per ml, 10ml	10	2	*42.70	Lente Novo BT,BW,CS NO
1515R	INSULIN ZINC SUSPENSION SPECIALLY PURIFIED Injection 40 Units per ml, 10ml	10	2	*42.40	Monotard M.C. NovoNO
1516T	80 Units per ml, 10ml	10	2	*74.70	Monotard M.C. NovoNO
1545H	INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente) Injection 40 Units per ml, 10ml	10	2	*29.30	Semilente Novo BT,BW,CS NO
1546J	80 Units per ml, 10ml	10	2	*42.70	Semilente Novo BT,BW,CS NO
1519Y	INSULIN ZINC SUSPENSION (AMORPHOUS) SPECIALLY PURIFIED Injection 40 Units per ml, 10ml	10	2	*42.40	Semilente M.C. Novo NO
1520B	80 Units per ml, 10ml	10	2	*74.70	Semilente M.C. Novo NO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente)			\$		
1547K	Injection 40 Units per ml, 10ml	10	2	*42.70	Ultralente Novo BT,BW,CS	NO
1548L	80 Units per ml, 10ml	10	2	*53.30	Ultralente Novo BT,BW,CS	NO
	INTRAVENOUS FLUIDS (500ml and 1 litre) See Special Section					
	IRON DEXTRAN					
1298H	Injection 2ml	5	..	4.67	Imferon	FC
	IRON POLYMALTOSE COMPLEX					
2764L	Tablet 40mg (Iron)	100	2	2.07	Ferrum H	SI
2593L	Injection 100mg (Iron) in 2ml	5	..	5.07	Ferrum H	SI
	IRON SORBITOL					
1552Q	Injection I.M. Trivalent Iron 2ml	5	..	5.07	Jectofer	AP
	ISONIAZID					
1553R	Tablet 50mg	200	2	2.40	RY	
1554T	100mg	100	2	2.40	Isotiny1 RY	KL
	ISOPRENALINE HYDROCHLORIDE					
1557Y	Tablet 10mg	100	2	2.67	Isuprel	WL
2744K	30mg (sustained release)	100	2	9.07	Saventrine	PN
1555W	Inhalation 1 in 200, 15ml	1	1	2.67	Isuprel	WL
1556X	Injection 1 in 5,000, 1ml	5	..	5.74	Isuprel	WL
2953K	1 in 5,000, 5ml	5	..	8.07	Isuprel	WL
	ISOPRENALINE SULPHATE					
1559C	Tablet 20mg	100	2	2.67	Neo-Epinine	BW
	Inhalation, metered aerosol spray replacement pack					
2745L	2mg per ml, 15ml (300 dose)	≠1	..	3.47	Medihaler-Iso	RK
3089N	4mg per ml, 7.5ml (300 dose)	≠1	..	3.47	Iso-Autohaler	RK
	KANAMYCIN					
	To be endorsed "S.P."					
3101F	Injection 30mg in 1ml	5	1	5.07	Kanasig	SI
1562F	250mg in 2ml	5	..	8.67	Kanasig	SI
1563G	500mg in 2ml	5	..	*10.67 10.67	Kantrex Kanasig	BC SI
1564H	1g in 3ml	5	..	*13.87 13.87	Kantrex Kanasig	BC SI
	KAOLIN with PECTIN					
2988G	Mixture 5.91g-132mg per 30ml, 375ml	≠1	2	2.54	Kaopectate	UP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	LACTULOSE To be endorsed "S.P."			\$	
3064G	Mixture 50%, 500ml	≠1	4	8.27	Duphalac PI
1565J	LANATOSIDE-C Tablet 250 micrograms	100	2	2.80 2.94	Lanocide PT Cedilanid SZ
	LEVODOPA To be endorsed "S.P."				
3143K	Tablet 100mg	50	1	4.00	Larodopa RO
3144L	250mg	100	2	8.67	Larodopa RO
3014P	500mg	250	1	29.07	Larodopa RO
3076X	Capsule 100mg	50	1	4.91	Syndopa FA
3077Y	250mg	100	2	9.07	Larodopa RO Syndopa FA
3078B	500mg	250	1	29.07	Larodopa RO Syndopa FA
	LEVODOPA with CARBIDOPA To be endorsed "S.P."				
1244L	Tablet 100mg-10mg	100	1	15.07	Sinemet M MK
1245M	250mg-25mg	100	1	27.74	Sinemet MK
	LIGNOCAINE				
2875H	Injection 100mg in 5ml	≠2	..	3.67	Xylocard 100 AP
2861N	I.M. 300mg in 3ml	1	..	4.00	Xylocard 300 I.M. AP
2876J	Infusion 500mg in 5ml	5	..	5.66	Xylocard 500 AP
	LINCOMYCIN To be endorsed "S.P."				
3084H	Injection 300mg in 1ml	5	..	6.54	Lincocin SS UP Paediatric
2530E	600mg in 2ml	5	..	8.00	Lincocin UP
2318B	LIOTHYRONINE Tablet 20 micrograms	100	1	2.80	Tertroxin GL
	LITHIUM CARBONATE To be endorsed "S.P."				
3059B	Tablet 250mg	100	2	2.80	Lithicarb PT Manialith MN DH
1301L	LYNOESTRENOL with ETHINYLOESTRADIOL Tablet 1mg-50 micrograms, 22	2	2	*3.15	Ovostat 22 OR
1302M	Pack containing 22 tablets 1mg - 50 micrograms and 6 inert tablets	2	2	*3.15	Ovostat 28 OR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3172Y	LYNOESTRENOL with MESTRANOL Tablet 1mg - 100 micrograms, 22	2	2	\$ *3.15	Microcyclin CB
3173B	2.5mg - 75 micrograms, 22	2	2	*3.15	Anacyclin CB Lyndiol 2.5 OR
2401J	LYPRESSIN Nasal Spray 50 Units per ml, 5ml	10	2	*39.47	Vasopressin SZ
2585C	MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	2.60	Maalox RG
2640Y	Mixture 375mg per 5ml, 375ml	#1	2	2.54	Maalox RG
1577B	MAGNESIUM SULPHATE Paste 50g	#1	1	1.94	Magnoplasm FA
1576Y	100g	#1	1	2.32	Magnoplasm FA
	MANNITOL See Intravenous Fluids				
	MAPHENIDE ACETATE To be endorsed "S.P."				
2940R	Cream 11.2%, 454g	#1	..	14.40	Sulfamylon WL
1579D	MEBHYDROLIN Tablet 50mg	50	2	2.34	Fabahistin BN
1580E	Paediatric Suspension 50mg per 5ml, 100ml	#1	4	2.00	Fabahistin BN
1581F	MECAMLAMINE Tablet 2.5mg	100	1	3.07	Mevasine MK
1582G	10mg	100	1	8.67	Mevasine MK
1583H	MECLOZINE Tablet 25mg	50	2	2.40	Ancolan AH
2490C	Syrup 12.5mg per 5ml, 100ml	#1	4	2.00	Ancolan AH
	MEDROXYPROGESTERONE To be endorsed "S.P."				
2320D	Tablet 2.5mg	25	..	4.07	Provera UP
2321E	10mg	25	..	9.47	Provera UP
2725K	100mg	100	2	70.40	Provera UP
2319C	Injection 50mg in 1ml	1	..	4.40	Depo-Provera UP
3118D	150mg in 1ml	1	..	9.28	Depo-Provera UP
3197G	MEDRYSONE Eye Drops 1%, 5ml	#1	6	3.40	HMS Liquifilm AG
1823Y	MEFRUSIDE Tablet 25mg	50	2	3.80	Baycaron BN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2547C	MELPHALAN Tablet 2mg	100	2	\$ *30.39	Alkeran	BW
2548D	5mg	100	2	*51.75	Alkeran	BW
1598D	MERCAPTOPYRINE Tablet 50mg	50	1	*24.93	Purinethol	BW
	METFORMIN To be accompanied by an authority from the Director of Health.					
2430X	Tablet 500mg	100	2	9.10	Glucophage	RN
1605L	500mg (sustained release)	100	2	9.11	Diabex S.R.	DF
2397E	METHACYCLINE Capsule 150mg	21	..	3.87	Rondomycin	WW
2901Q	300mg	11	..	3.87	Rondomycin	WW
	METHADONE To be endorsed "S.P."					
1608P	Tablet 5mg	25	..	*2.64	Physeptone	BW
1609Q	10mg	25	..	*2.85	Physeptone	BW
1606M	Injection 10mg in 1ml	5	..	4.24	Physeptone	BW
	METHANDIENONE To be accompanied by an authority from the Director of Health.					
1610R	Tablet 5mg	100	1	9.34	Dianabol	CB
1614Y	METHDILAZINE Tablet 4mg	50	2	2.27	Dilosyn Tacaryl	AH MJ
1615B	8mg	50	2	2.42	Dilosyn Tacaryl	AH MJ
2464Q	Paediatric Syrup 4mg per 5ml, 100ml	≠1	4	1.94	Dilosyn Tacaryl	AH MJ
	METHDILAZINE To be endorsed "S.P."					
1612W	Tablet 4mg	100	2	*3.47	Dilosyn Tacaryl	AH MJ
1613X	8mg	100	2	*3.77	Dilosyn Tacaryl	AH MJ
	METHENOLONE ACETATE To be accompanied by an authority from the Director of Health.					
1619F	Tablet 1mg	100	1	*4.27	Primobolan	SC
1620G	5mg	100	1	*10.67	Primobolan	SC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	METHICILLIN To be endorsed "S.P."			\$		
2323G	Injection 1g (solvent required)	5	1	16.94	Celbenin Metin	BR CS
1621H	METHOIN Tablet 100mg	200	1	6.54	Mesantoin	SZ
	METHOTREXATE To be accompanied by an authority from the Director of Health.					
1622J	Tablet 2.5mg	100	..	18.40	LE	
2393Y	Injection 5mg (solvent required)	5	..	*21.07	LE	
2394B	50mg (solvent required)	5	..	*61.07	LE	
2398F	METHSUXIMIDE Capsule 300mg	200	1	12.40	Celontin	PD
1624L	METHYCLOTHIAZIDE Tablet 2.5mg	50	2	2.94	Enduron-M	AB
1625M	5mg	50	2	3.74	Enduron	AB
3194D	METHYLDOPA Tablet 125mg	100	2	5.87	Aldomet-M	MK
1629R	250mg	100	2	8.14	Aldomet	MK
1632X	METHYLERGOMETRINE Tablet 125 micrograms	25	1	3.26	Methergin	SZ
	METHYLPHENOBARBITONE To be endorsed "S.P."					
1633Y	Tablet 30mg	200	1	2.60	Prominal RY	WL
1634B	60mg	200	1	3.07	Prominal RY	WL
1635C	200mg	200	1	5.35	Prominal RY	WL
1927K	METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	≠1	..	2.67	Medrol	UP
	METHYLPREDNISOLONE ACETATE To be endorsed "S.P."					
1928L	Injection 40mg in 1ml	5	..	14.40	Depo-Medrol	UP
3013N	Retention Enema 40mg, 6	≠1	..	17.74	Medrol Enpak	UP
2997R	METHYLPREDNISOLONE ACETATE Cream 0.25%, 30g	≠1	1	2.39	Medrol	UP
2981X	METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1ml	5	..	*14.42	Solu-Medrol	UP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	METHYLTESTOSTERONE To be endorsed "S.P."			\$		
3151W	Tablet 5mg	100	2	3.44 3.47	Testomet ET	PT
2112E	25mg	100	2	7.00 7.07	Testomet ET,PR	PT
2113F	50mg	100	2	10.94 11.07	Testomet ET,PR	PT
2404M	Sublingual Tablet 25mg	100	..	13.07	Perandren	CB
	METHYSERGIDE To be endorsed "S.P."					
2826R	Tablet 1mg	100	2	14.60	Deseril	SZ
1206L	METOCLOPRAMIDE HYDROCHLORIDE Injection 10mg in 2ml	10	..	3.74	Maxolon Primperan	BR BQ
	METOPROLOL To be accompanied by an authority from the Director of Health.					
1325R	Tablet 100mg	50	2	8.40	Betaloc Lopresor	AP GE
1636D	METRONIDAZOLE Tablet 200mg	21	1	3.51	Flagyl	MB
	MICONAZOLE NITRATE To be endorsed "S.P."					
1276E	Cream 2%, 20g	≠1	..	3.74	Daktarin	ET
	MILK POWDER - COWS' MILK, PROCESSED To be accompanied by an authority from the Director of Health.					
1285P	Lactose-Predigested Powder 1.25kg	1	20	6.53	Digestelact	HS
	MILK POWDER - SYNTHETIC To be accompanied by an authority from the Director of Health.					
3092R	Low Calcium Compound Powder 14oz	2	20	*12.00	Locasol	MN
1637E	Low Lactose Compound Powder 397g (14oz)	2	20	*12.00	Galactomin Formula 17	MN
2685H	Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g (16oz)	2	20	*44.80	Galactomin Formula 19	MN
3037W	MINOCYCLINE Capsule 100mg	11	..	3.87	Minomycin	LE

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	MITHRAMYCIN To be endorsed "S.P."			\$	
1924G	Injection 2.5mg (solvent required)	5	..	*95.22	Mithracin PF
	MORPHINE with TACRINE To be endorsed "S.P."				
1667R	Tablet 30mg-15mg	50	..	11.57	Mortha WH
	MORPHINE with TACRINE				
1663M	Injection 15mg-13mg in 1.5ml	5	..	3.24	Mortha WH
1664N	30mg-13mg in 1.5ml	5	..	3.30	Mortha WH
1665P	15mg-30mg in 1.5ml	5	..	3.77	Mortha WH
1666Q	30mg-30mg in 1.5ml	5	..	3.90	Mortha WH
	MORPHINE SULPHATE				
1644M	Injection 10mg in 1ml	5	..	2.74	AB,BL,KL,LP,SI
1645N	15mg in 1ml	5	..	2.84	AB,BL,KL,LP,SI
1646P	20mg in 1ml	5	..	3.10	BL
1647Q	30mg in 1ml	5	..	3.17	AB,BL,KL
	MORPHINE SULPHATE with ATROPINE SULPHATE				
1661K	Injection 15mg-600 micrograms in 1ml	5	..	2.90	BL
	MUSTINE				
1668T	Injection 10mg (solvent required)	1	..	5.06	BT
	NALIDIXIC ACID To be endorsed "S.P."				
2451B	Tablet 500mg	56	..	7.74	Negram WL
2645F	Paediatric Suspension 50mg per ml, 200ml	≠1	..	4.94	Negram WL
	NALORPHINE				
3196F	Injection 1mg in 1ml	5	..	4.87	Lethidrone BW
1669W	10mg in 1ml	5	1	6.20	Lethidrone BW
	NANDROLONE DECANOATE To be accompanied by an authority from the Director of Health.				
1671Y	Injection 50mg in 1ml	1	1	8.54	Deca-Durabolin OR
	NANDROLONE PHENYLPROPIONATE To be accompanied by an authority from the Director of Health.				
1672B	Injection 25mg in 1ml	3	1	7.47	Durabolin OR
1317H	NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15ml	≠1	2	2.27	Albalon Liquifilm AG

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NATAMYCIN			\$		
2807R	Tablet 100mg	50	..	7.54	Pimafucin	GB
2877K	Suspension 1%, 5ml	≠1	..	2.74	Pimafucin	GB
2519N	Ointment 20mg per g, 15g	≠1	1	2.80	Pimafucin	GB
2520P	Pessaries 25mg, 20	≠1	..	4.54	Pimafucin	GB
2954L	NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE Ear Ointment 1%-0.35%(base)-1%, 5g	≠1	2	2.14	Pimafucort Otic	GB
	NEOMYCIN To be endorsed "S.P."					
2325J	Tablet 500mg	25	1	9.07	Neomate	LF
				12.27	Neosulf ET KL	PT
1673C	NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base) 10ml	≠1	2	2.40	Neopt	SI
2658X	NEOMYCIN with GRAMICIDIN, THONZONIUM BROMIDE, THONZYLAMINE and HYDROCORT- ISONE ACETATE Ear Drops 0.1%-0.005%-0.05%-1%-0.02%, 15ml	≠1	..	2.40	Biomydrin	WW
2296W	NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg(3.5mg base)- 400 Units per g, 10g	≠1	..	2.27	Nemdyn	HA
1675E	NEOSTIGMINE Tablet 15mg	100	2	4.54	Prostigmin	RO
1676F	Injection 500 micrograms in 1ml	5	3	2.27	Prostigmin	RO
1677G	2.5mg in 1ml	5	3	2.54	Prostigmin	RO
1679J	Eye Drops 3%, 7.5ml	≠1	6	3.20	Prostigmin	RO
1680K	NICLOSAMIDE Tablet 500mg	4	..	2.74	Yomesan	BN
1681L	NICLOSAMIDE To be endorsed "S.P." Tablet 500mg	16	..	*7.75	Yomesan	BN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NICOTINIC ACID To be endorsed with the pension number.			\$		
1684P	Tablet 25mg	100	2	2.07	DH, KL, LP	
1685Q	50mg	100	2	2.14	DH, KL, LP, RT, SI	
1686R	100mg	100	2	2.20	DH, KL, RT	
1687T	250mg	100	2	2.40	DH, LP	
1688W	NICOUMALONE Tablet 4mg	50	2	4.14	Sintrom	GE
2723H	NITRAZEPAM Tablet 5mg	25	..	2.14	Dormicum Mogadon	PT RO
	NITROFURANTOIN To be endorsed "S.P."					
1689X	Tablet 50mg	25	1	4.11	Furadantin	SK
1690Y	100mg	25	1	6.03	Furadantin	SK
1691B	Paediatric Suspension 25mg per 5ml, 200ml	≠1	..	3.51	Furadantin	SK
1695F	NORADRENALINE Injection 1 in 10,000, 2ml	5	..	5.44	Levophed	WL
1694E	Infusion 1 in 1,000, 2ml	5	..	6.40	Levophed	WL
	NORETHISTERONE To be endorsed "S.P."					
2993M	Tablet 5mg	30	5	4.00	Primolut-N	SC
1967M	NORETHISTERONE Tablet 350 micrograms, 28	2	2	*3.15	Micronor Noriday	ET SD
3176E	NORETHISTERONE with MESTRANOL Tablet 1mg - 50 micrograms, 21	2	2	*3.15	Norinyl-1 Ortho-Novum 1/50	SD ET
3177F	1mg - 80 micrograms, 21	2	2	*3.15	Ortho-Novum 1/80	ET
3178G	2mg - 100 micrograms, 21	2	2	*3.15	Norinyl-2 Ortho-Novum 2	SD ET
3179H	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	*3.15	Norinyl 1/28	SD
	NORETHISTERONE ACETATE To be endorsed "S.P."					
1182F	Tablet 2.5mg	30	5	3.40	Primolut Nor	SC
2865T	10mg	100	2	18.40	SH420	SC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NORETHISTERONE ACETATE with ETHINYL- OESTRADIOL			\$		
3180J	Tablet 1mg - 50 micrograms, 21	2	2	*3.15	Minovlar	SC
3181K	3mg - 50 micrograms, 21	2	2	*3.15	Gynovlar	SC
3182L	4mg - 50 micrograms, 21	2	2	*3.15	Anovlar	SC
3183M	Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	*3.15	Minovlar ED Orlest	SC PD
3184N	Pack containing 21 tablets 2.5mg - 50 micrograms and 7 inert tablets	2	2	*3.15	Norlestrin	PD
3185P	NORETHYNODREL with MESTRANOL Tablet 2.5mg - 100 micrograms, 21	2	2	*3.15	Conovid-E	SR
2913H	NORGESTREL Tablet 30 micrograms, 28	2	2	*3.15	Microlut 28 Microval 28	SC WY
1393H	NORGESTREL with ETHINYLOESTRADIOL Tablet 150 micrograms - 30 micrograms, 21	2	2	*3.15	Microgynon 30 Nordette 21	SC WY
3186Q	250 micrograms - 50 micrograms, 21	2	2	*3.15	Neogynon Nordiol 21	SC WY
1442X	500 micrograms - 50 micrograms, 20	2	2	*3.15	Duoluton	SC
3187R	500 micrograms - 50 micrograms, 21	2	2	*3.15	Eugynon Ovral	SC WY
1394J	Pack containing 21 tablets 150 micrograms - 30 micrograms and 7 inert tablets	2	2	*3.15	Microgynon 30 ED Nordette 28	SC WY
3188T	Pack containing 21 tablets 250 micrograms - 50 micrograms and 7 inert tablets	2	2	*3.15	Neogynon ED Nordiol 28	SC WY
3189W	Pack containing 21 tablets 500 micrograms - 50 micrograms and 7 inert tablets	2	2	*3.15	Eugynon ED Ovral 28	SC WY
2522R	NORTRIPTYLINE Tablet 10mg	50	2	2.11	Allegron Nortab	DL SQ
2523T	25mg	50	2	2.96	Allegron Nortab	DL SQ
2525X	Capsule 10mg	50	2	2.11	Aventyl	LY
2526Y	25mg	50	2	2.96	Aventyl	LY
2524W	Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	1.98	Allegron Aventyl	DL LY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	NUTRAMIGEN To be accompanied by an authority from the Director of Health.			\$	
2564Y	Powder 500g	2	20	*15.20	Glucose Nutramigen MJ
1696G	NYSTATIN Tablet 500,000 Units	50	..	7.18	Diastatin Mycostatin Nilstat GP SQ LE
1699K	Capsule 500,000 Units	50	..	7.18	Mycostatin SQ
3033P	Mixture 100,000 Units per ml, 24ml	≠1	..	3.34	Mycostatin Nilstat SQ LE
1698J	Cream 100,000 Units per g, 15g	≠1	1	2.67	Mycostatin Nilstat SQ LE
1318J	Gel 100,000 Units per g, 15g	≠1	1	2.67	Mycostatin SQ
1179C	Ointment 100,000 Units per g, 15g	≠1	1	2.67	Mycostatin Nilstat SQ LE
1697H	Pessaries 100,000 Units, 15	≠1	1	2.91	Diastatin Mycostatin Nilstat GP SQ LE
3163L	Vaginal Cream 100,000 Units per 4g,60g (15 doses)	≠1	1	3.14	Mycostatin SQ
3102G	100,000 Units per 5g,75g (15 doses)	≠1	1	3.14	Diastatin Nilstat GP LE
1061W	OESTRADIOL VALERATE Injection 10mg in 1ml	3	..	7.07	Primogyn-Depot SC
1700L	OESTRONE Pessaries 1,000 Units, 12	≠1	1	3.34	Kolpon OR
1701M	10,000 Units, 12	≠1	1	4.94	Kolpon OR
2333T	ORCIPRENALINE Tablet 20mg	100	2	5.34	Alupent BY
2828W	Syrup 10mg per 5ml, 300ml	≠1	4	3.60	Alupent BY
2332R	Inhalation Solution for use in NEBULISER 5%, 7.5ml	≠1	..	2.27	Alupent BY
2783L	for use in RESPIRATOR 2%, 75ml	≠1	..	6.40	Alupent BY
2784M	Inhalation, metered aerosol spray replacement pack, 15mg per ml, 15ml (300 dose)	≠1	1	4.00	Alupent BY
2627G	ORPHENADRINE HYDROCHLORIDE To be endorsed "S.P." Tablet 50mg	100	2	4.14	Disipal RK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3132W	OXAZEPAM Tablet 15mg	50	..	\$ 2.16	Serepax	WY
3133X	30mg	50	..	2.54	Serepax	WY
	OXPRENOLOL To be endorsed "S.P."					
2942W	Tablet 20mg	100	2	5.40	Trasicor	CB
2961W	40mg	100	2	7.74	Trasicor	CB
2941T	Injection 2mg (solvent required)	5	..	5.15	Trasicor	CB
	OXYCODONE To be endorsed "S.P."					
2609H	Injection 10mg in 1ml	6	..	5.04	Proladone	CK
2481N	Suppositories 30mg, 12	#1	..	5.04	Proladone	CK
	OXYMETHOLONE To be accompanied by an authority from the Director of Health.					
2902R	Tablet 50mg	100	..	66.07	Anapolon	SD
2903T	100mg	100	..	131.07	Adroyd	PD
1724R	OXYTETRACYCLINE Capsule 250mg	25	..	3.00	Bramcycline Oxycycline Terramycin	ME PT PF
1064B	Ointment 3%, 15g	#1	..	2.24	Terramycin	PF
2806Q	OXYTETRACYCLINE with HYDROCORTISONE Ear Suspension 0.5%-1.5%, 5ml	#1	..	2.40	Terra-Cortril	PF
2512F	OXYTETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	3.14	Terrastatin	PF
1726W	OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per g, 4g	#1	..	2.07	Terramycin	PF
1727X	OXYTOCIN Injection 2 Units in 2ml	5	..	2.35	Syntocinon	SZ
1729B	5 Units in 1ml	5	..	2.52	Syntocinon	SZ
1730C	10 Units in 1ml	5	..	3.00	Syntocinon	SZ
2400H	OXYTOCIN with ERGOMETRINE Injection 5 Units and 500 micrograms in 1ml	5	..	3.15	Syntometrine	SZ
1733F	PANCREATIN To be endorsed "S.P." Powder 500g	1	..	29.74	Pancrex "V"	ST

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PANCREATIN ENZYME (4 times USNF.XIII strength) To be endorsed "S.P."			\$	
1735H	Tablet 325mg	500	1	31.07	Viokase RS
1736J	Powder 250g	#1	2	23.74	Viokase RS
	PANCRELIPASE To be endorsed "S.P."				
2497K	Capsule 300mg	250	1	27.74	Cotazym OR
1740N	PAPAVERETUM Tablet 10mg	20	..	2.97	Omnopon RO
1739M	Injection 20mg in 1ml	5	..	2.90	Omnopon AB RO
1741P	PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1ml	5	..	2.97	Omnopon- Scopolamine RO
1746X	PARACETAMOL Tablet 500mg	50	1	1.94 1.99	Ceetamol PT PCL DH Bramcetamol ME Dymadon BW Langesic LP Panacete PR Parasin AV Parmol KL Placemol VR Temptra MJ 2.07 Panamax WL Paralgin FM
1747Y	Mixture 120mg per 5ml, 100ml	#1	4	2.00	Dymadon BW Panamax WL Paraspen FC Parmol KL Temptra MJ
1754H	PARALDEHYDE Injection 5ml	5	1	3.40	BL
1758M	PARAMETHASONE Tablet 2mg	30	2	2.40	Metilar SD
1759N	PEMPIDINE Tablet 5mg	100	1	*4.49	Perolysen MB
	PENICILLAMINE To be accompanied by an authority from the Director of Health.				
2721F	Tablet 125mg	100	3	25.07	D-Penamine DL
2838J	250mg	100	3	43.07	D-Penamine DL
2722G	Capsule 250mg	100	3	*43.07	Cuprimine MK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PENICILLINASE			\$	
1762R	Injection Set containing 0.8megaU and 1ml solvent	1	..	16.67	Compenase CS
	PENTAZOCINE				
2944Y	Injection 60mg in 2ml	5	..	4.80	Fortral WL
	NOTE: Pentazocine is classed as a dangerous drug (S8) in certain States. Payment will include the appropriate fee where applicable.				
	PENTOBARBITONE SODIUM				
1814L	Tablet 30mg	50	..	*1.50	Somnital QE(NQ),RY PR
2707L	50mg	50	..	1.47	Penbon Somnital DH,PT,QE(NQ) AV PR
1815M	100mg	25	..	1.52	Penbon Peta Somnital DH,LP,PT,QE(NQ), RT,RY,TO AV KL PR
1817P	Capsule 50mg	50	..	1.78	Penbon AV(NQSVW) PT
1818Q	100mg	25	..	1.76	Nembutal AB Penbon AV Pentobeta ME Pentone FA PT,RY
	PENTOLINIUM TARTRATE				
1821W	Injection 5mg per ml, 10ml	1	1	4.54	Ansolyzen MB
	PERICYAZINE				
	To be endorsed "S.P."				
3052P	Tablet 2.5mg	100	1	2.94	Neulactil MB
3053Q	10mg	100	1	6.00	Neulactil MB
3055T	Mixture 2.5mg per 5ml, 100ml	#1	4	2.54	Neulactil MB
	PERITONEAL DIALYSIS SOLUTION				
	Injection				
2407Q	with 0.5% Anhydrous Dextrose, 2 litres	20	1	*94.47	Dianeal TV
2410W	with 1.5% Anhydrous Dextrose, 1 litre	20	1	*54.47	Diasol AB
2889C	with 1.5% Anhydrous Dextrose, 2 litres	20	1	*94.47	Dianeal TV
2408R	with 2.5% Anhydrous Dextrose, 2 litres	20	1	*94.47	Dianeal TV
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PERITONEAL DIALYSIS SOLUTION - cont. Injection			\$	
3192B	with 4.25% Anhydrous Dextrose, 1 litre	20	1	*54.47	Diasol AB
2890D	with 4.25% Anhydrous Dextrose, 2 litres	20	1	*94.47	Dianeal TV
	PERTUSSIS VACCINE Injection				
1827E	20,000 million organisms in 0.5ml	3	1	*7.28	CS
	PETHIDINE Injection BP, 50mg in 1ml	5	..	2.64	Pethoid AB,BL,KL,LP,SI BW
1829G	100mg in 2ml	5	..	2.69	Pethoid AB,BL,KL,LP,SI BW
	PETHIDINE with LEVALLORPHAN Injection				
1833L	50mg-625 micrograms per ml, 2ml	5	..	2.64	Pethilorfan RO
	PHENELZINE To be endorsed "S.P." CAUTION: This drug is a monoamine oxidase inhibitor and should not be used with sympathomimetic amines. Precautions should be taken with diet and additional medication.				
2856H	Tablet 15mg	50	1	4.54	Nardil WW
	PHENETHICILLIN Tablet 125mg	25	1	2.34	Optipen CS Pensig SI
1840W	250mg	25	1	2.83	Optipen CS Pensig SI
1837Q	Capsule 125mg	25	1	2.34	Optipen CS Pensig SI
1838R	250mg	25	1	2.83	Optipen CS Pensig SI
3088M	500mg	12	1	2.76	Optipen CS Pensig SI
3120F	Powder for Syrup 125mg per 5ml, 100ml	#1	1	#2.78	Optipen CS Pensig 125 SI
3121G	250mg per 5ml, 100ml	#1	1	#3.44	Pensig 250 SI
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PHENETHICILLIN - cont. To be endorsed "S.P."			\$	
1706T	Tablet 125mg	50	5	*3.61	Optipen Pensig CS SI
1707W	250mg	50	5	*4.59	Optipen Pensig CS SI
1708X	Capsule 125mg	50	5	*3.61	Optipen Pensig CS SI
1709Y	250mg	50	5	*4.59	Optipen Pensig CS SI
	PHENFORMIN To be accompanied by an authority from the Director of Health.				
1841X	Tablet 25mg	100	2	4.80	Insoral BQ
2586D	Capsule 50mg	100	1	8.80	Insoral TD BQ
1842Y	PHENINDAMINE Tablet 25mg	50	2	2.14	Thephorin RO
1843B	PHENINDIONE Tablet 10mg	100	2	4.40	Dindevan AH
1844C	50mg	100	2	6.00	Dindevan AH
1846E	PHENIRAMINE Tablet 10mg	50	2	2.00	Avilettes Fenamine-M HP FM
1847F	50mg	50	2	2.32	Avil Fenamine HP FM
1848G	Paediatric Syrup 15mg per 5ml, 100ml	≠1	4	2.00	Avil Fenamine HP FM
1845D	Injection 25mg per ml, 2ml	5	1	2.24	Avil HP
	PHENOBARBITONE To be endorsed "S.P."				
1849H	Tablet 15mg	200	1	2.20	DH,KL,RT,RY
1850J	30mg	200	1	2.47	DH,KL,RT,RY,SI
1851K	60mg	200	1	2.67	DH,KL,RT,RY
1852L	100mg	200	1	3.07	DH,RT,RY
	Elixir PL - See Booklet (Extemporan- eously Prepared Benefits)				
1853M	PHENOBARBITONE SODIUM Injection 200mg in 1ml	5	..	2.47	BL,FM

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1786B	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	\$ 2.27	Abbocillin-V L.P.V. PVK P.V.O.	AB CS LY FM
1787C	250mg	25	1	2.72	Abbocillin-VK Adacillin Bramcillin Cilicaine-VK Falcopen VK L.P.V. Pen-Cilin V PVK P.V.O. V.P.V. KL	AB AV ME SI FA CS LF LY FM VR
3028J	500mg	12	1	2.55	Abbocillin-VK L.P.V. PVK P.V.O.	AB CS LY FM
1788D	Capsule 125mg	25	1	2.27	Cilicaine-VK Falcopen VK L.P.V. PVK P.V.O.	SI FA CS LY FM
1789E	250mg	25	1	2.72	Abbocillin-VK Adacillin Cilicaine-VK Falcopen VK L.P.V. PVK P.V.O. V.P.V. KL	AB AV SI FA CS LY FM VR
2965C	500mg	12	1	2.55	Cilicaine-VK Falcopen VK L.P.V. P.V.O.	SI FA CS FM
2356B	Paediatric Suspension 125mg per 5ml, 100ml	#1	1	2.60	Abbocillin-V Cilicaine V Falcopen V L.P.V. Pfipen V	AB SI FA CS PF
2354X	Suspension 250mg per 5ml, 100ml	#1	1	3.20	Abbocillin-V Cilicaine V Falcopen V L.P.V. Aqueous Forte Pfipen V	AB SI FA CS PF
(continued)						

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PHENOXYMETHYLPENICILLIN - cont. To be endorsed "S.P."			\$	
1702N	Tablet 125mg	50	5	*3.47	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
1703P	250mg	50	5	*4.37	Abbocillin-VK AB Adacillin AV Bramcillin ME Cilicaine-VK SI Falcopen VK FA L.P.V. CS Pen-Cilin V LF PVK LY P.V.O. FM V.P.V. VR
				4.38	KL
1704Q	Capsule 125mg	50	5	*3.47	Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
1705R	250mg	50	5	*4.37	Abbocillin-VK AB Adacillin AV Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM V.P.V. VR
				4.38	KL
1863C	PHENSUXIMIDE Capsule 500mg	200	1	13.74	Milontin PD
	PHENYLALANINE LOW CONTENT FORMULA To be endorsed "S.P."				
1865E	Powder 2.5lb	2	2	*60.00	Lofenalac MJ
1867G	PHENYLBUTAZONE Tablet 100mg	50	2	2.38	Butacal LF Butazone PT Butalgin FM Butarex AV Butoroid VR Buzon KL
				2.40	
1868H	100mg (enteric coated)	50	2	2.40	Butazolidin GE
2435E	Capsule 100mg	50	2	2.40	Buzon KL
2754Y	Injection 600mg in 3ml	5	..	3.34	Butazolidin GE
2755B	Suppositories 250mg, 20	≠1	2	5.72	Butazolidin GE

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2455F	PHENYLEPHRINE Compound Ointment 60g	≠1	1	\$ 2.48	Hemorex WL
1869J	Compound Suppositories, 12	≠1	1	2.48	Hemorex WL
2829X	Eye Drops 0.12%, 15ml	≠1	2	2.27	Isopto Frin AQ Prefrin AG
2649K	10%, 5ml	≠1	..	3.20	Neo-Synephrine WL
1249R	PHENYTOIN Tablet 50mg	100	1	3.74	Dilantin Infatabs PD
2692Q	Paediatric Suspension 30mg per 5ml, 500ml	≠1	3	4.20	Dilantin PD
2691P	Suspension 100mg per 5ml, 500ml	≠1	1	4.60	Dilantin Forte PD
1872M	PHENYTOIN SODIUM Tablet 100mg	200	1	3.74	RY
1873N	Capsule 30mg	200	1	4.67	Dilantin Sodium PD
1874P	100mg	200	1	5.07	Dilantin Sodium PD RY
3035R	Injection 100mg in 2ml	1	..	4.94	Dilantin Sodium PD
1871L	250mg with 5ml solvent	1	..	6.14	Dilantin Sodium PD
2466T	PHOLCODINE Linctus 0.1%, 100ml	≠1	2	1.79 1.94	Pholtrate MG Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin Red DH Pholtussin KL Sedlingtus VR Tussinol GP PR,RT,SI(V)
1877T	PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	3.47	Talecid SC Thalacet VR
1878W	PTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	3.07	Phthazol KL
1879X	PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15ml	≠1	6	3.74	IQ
1880Y	0.5%, 15ml	≠1	6	4.14	IQ
1881B	PHYTOMENADIONE Injection 1mg	5	..	3.20	Konakion RO
1882C	10mg	5	..	5.07	Konakion RO
2383K	Colloidal Solution for Injection 10mg in 1ml	5	..	*6.72	Aquamephyton MK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2778F	PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15ml	≠1	6	\$ 2.34 2.40	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG
2595N	1%, 15ml	≠1	6	2.40 2.47	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL,LP
2596P	2%, 15ml	≠1	6	2.54 2.60	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL,LP
2597Q	3%, 15ml	≠1	6	2.60 2.67	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG LP
2598R	4%, 15ml	≠1	6	2.74 2.80	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL
2779G	6%, 15ml	≠1	6	3.34	Isopto Carpine AQ Pilopt SI P.V. Carpine AG
	PINDOLOL To be endorsed "S.P."				
3062E	Tablet 5mg	100	2	7.74	Visken SZ
3063F	Injection 1mg in 5ml	5	..	5.34	Visken SZ
1183G	PIPERAZINE PHOSPHATE Powder 10g sachets, 2	≠1	..	2.07	Pripsen RC
1899Y	PITUITARY, POSTERIOR LOBE Insufflation 30 Antidiuretic Unit Capsule	100	2	9.34	Di-Sipidin ST
	PIZOTIFEN MALATE To be endorsed "S.P."				
3074T	Tablet 500 micrograms(base)	100	2	8.28	Sandomigran SZ
1901C	PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	*5.47	CS
2908C	PLASMA SUBSTITUTE I.V. Infusion 3.5%, 500ml	5	..	*38.92	Haemacel HP
1904F	POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	≠1	2	2.40	Aerosporin BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1908K	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg(base) per ml, 15ml	#1	..	\$ 2.47	Neotracin ET
1909L	Eye Drops Set containing 50,000 Units - 4,000 Units-50mg and 10ml solvent	#1	2	#3.69	Neotracin ET
1910M	Eye Ointment 5,000 Units-400 Units-5mg per g, 4g	#1	..	2.27	Mycitracin UP Neosporin BW
2791X	POLYMYXIN B SULPHATE with LIGNOCAINE Ear Drops 10,000 Units-50mg per ml, 10ml	#1	2	2.40	Lignosporin BW
1911N	POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg-25 micrograms per ml, 10ml	#1	2	2.80	Neosporin BW
2790W	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg(base)- 10mg per ml, 7ml	#1	2	2.40	Aerocortin BW
2584b	POLYOESTRADIOL To be endorsed "S.P." Injection set containing 40mg and 2ml solvent	1	..	6.07	Estradurin AY
2682E	POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	#1	6	2.87	Liquifilm Tears AG
2373X	POTASSIUM Effervescent Tablet 6.5mEq K ⁺	100	2	3.07	Potavescent PT
2592K	25mEq K ⁺	30	2	3.20	K-Lyte MJ
2642C	POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	2.67	K-San PR Slow-K CB Span-K PT
3191Y	Effervescent Tablet 6.5mEq K ⁺ and 6.5mEq Cl ⁻	100	2	2.54	Kloref LP
3012M	14mEq K ⁺ and 8mEq Cl ⁻	30	2	2.67	Chlorvescent PT
2625E	Elixir 1.5g per 15ml, 500ml	#1	2	2.87	Kay Ciel CP
1097R	Sterile Solution 0.746g in 10ml (7.46%) for preparation of injection	5	..	3.74	AB
2975N	Sterile Solution 1g in 10ml (10%) for preparation of injection	5	..	3.74	AB
	Injection Standard Maintenance Fluids - See Intravenous Fluids				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2336Y	PRALIDOXIME IODIDE Injection 500mg	5	..	\$ 13.07	AB
	PRAZOSIN HYDROCHLORIDE To be endorsed "S.P."				
1479W	Tablet 1mg (base)	100	..	6.80	Minipress PF
1480X	2mg (base)	100	..	9.74	Minipress PF
3152X	PREDNISOLONE Tablet 1mg	100	1	2.80	Panafcortelone PT
1917X	5mg	30	2	1.86 1.87	Panafcortelone PT Adnisolone AV Delta-Cortef UP Deltasolone KL Precortisyl RL Prelone LF Solone FM PR,RT
1916W	25mg	30	1	3.87	Panafcortelone PT Precortisyl RL Solone FM
1918Y	Eye Ointment 0.5%, 4g	#1	..	2.67	Delta-Cortef UP Optocort PT
	PREDNISOLONE ACETATE To be endorsed "S.P."				
1919B	Injection 10mg in 1ml	5	..	*6.42	Scherisolon SC
2684G	PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	#1	6	3.20	Sterofrin AQ Ultracortenol ZY
	PREDNISOLONE ACETATE with PHENYL- EPHRINE To be endorsed "S.P."				
3112T	Eye Drops 1%-0.12%, 10ml	#1	2	4.40	Prednefrin Forte AG
	PREDNISOLONE SODIUM PHOSPHATE To be endorsed "S.P."				
1920C	Retention Enema 20mg in 100ml	7	..	14.88	Predsol GL
2554K	Suppositories equivalent to 5mg prednisolone, 10	#1	..	5.76	Predsol GL
1922E	PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5ml	#1	6	3.27	Codelsol MK Predsol GL
1923F	Eye Ointment 0.5%, 3g	#1	..	2.67	Predsol GL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3099D	PREDNISOLONE STEAGLATE Tablet 6.65mg	30	2	\$ 2.07	Sintisone EC
2471C	PREDNISOLONE TERTIARYBUTYLACETATE To be endorsed "S.P." Injection 20mg in 1ml	5	..	7.60	Codelcortone TBA MK
1934T	PREDNISON Tablet 1mg	100	1	2.80	Panafcort PT
1935W	5mg	30	2	1.86 1.87	Panafcort PT Adasone AV Decortisyl RL Deltasone KL Presone LF Propred ME Sone FM LP,PR
1936X	25mg	30	1	3.87	Panafcort PT Sone FM
1937Y	PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	4.52	IC
1939C	PRIMIDONE Tablet 250mg	200	1	5.07	Midone PT Mysoline IC
2616Q	Paediatric Suspension 125mg per 5ml, 500ml	#1	1	2.83	Mysoline IC
1940D	PROBENECID Tablet 500mg	100	2	8.14 8.16	Proben PT Benemid FR
2653P	PROCAINAMIDE Capsule 250mg	100	2	5.60	Pronestyl SQ
1074M	375mg	100	2	7.07	Pronestyl SQ
1941E	Injection 100mg per ml, 10ml	2	..	*4.93	Pronestyl SQ
1791G	PROCAINE PENICILLIN Injection BP, 600mg	5	..	5.07	Aquacillin FA
1793J	1g	5	..	7.54	Aquacaine CS Aquacillin FA Cilicaine SI
1794K	1.5g	5	..	7.94	Aquacaine CS Aquacillin FA Cilicaine SI
1796M	Crystalline Injection 900mg (solvent required)	5	..	5.07	Aquacaine G CS
1797N	1.5g (solvent required)	5	..	6.40	Aquacaine G CS
1802W	PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	5.74	Aquacaine G Fortified CS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2635Q	PROCARBAZINE Capsule 50mg	100	..	\$ 14.40	Natulan	RO
2893G	PROCHLORPERAZINE Tablet 5mg	50	1	2.26 2.27	Anti-Naus Compazine Stemetil	PT SK MB
2369Q	Injection 12.5mg in 1ml	10	..	4.00 4.14	Stemetil Compazine	MB SK
2894H	Suppositories 5mg, 5	≠1	..	2.40	Compazine Stemetil	SK MB
2895J	25mg, 5	≠1	..	2.80	Compazine Stemetil	SK MB
1943G	PROCYCLIDINE Tablet 5mg	100	2	5.07	Kemadrin	BW
1947L	PROGUANIL Tablet 100mg	100	2	3.76	Paludrine	IC
1950P	PROMETHAZINE Tablet 10mg	50	2	2.14	Phenergan Prothazine	MB KL
1951Q	25mg	50	2	2.26 2.27	Meth-Zine MC Phenergan Prothazine	PT MB KL
1949N	Mixture 5mg per 5ml, 100ml	≠1	4	2.00	Progan Prothazine	AV KL
1948M	Injection 50mg in 2ml	10	..	3.34	BL	
3049L	PROMETHAZINE THEOCLATE Tablet 25mg	30	1	2.59	Avomine	MB
2899N	PROPRANOLOL To be accompanied by an authority from the Director of Health. Tablet 160mg	100	2	23.74	Inderal	IC
2565B	To be endorsed "S.P." Tablet 10mg	100	2	4.20	Inderal	IC
2566C	40mg	100	2	7.74	Inderal	IC
2830Y	Injection 1mg in 1ml	5	..	*3.17	Inderal	IC
2703G	PROPYLENE GLYCOL Spray diluent-Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200ml	≠1	2	2.94	FA	
1954W	PROPYLTHIOURACIL Tablet 25mg	100	2	3.74	ET	
1955X	50mg	100	2	3.87	ET	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2994N	PROSCILLARIDIN Tablet 250 micrograms	100	2	\$ 4.87	Talusin KN
1957B	PROTAMINE SULPHATE Injection 1%, 10ml	5	..	10.34	BT
2874G	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE To be endorsed "S.P."				
2874G	Powder, 100g sachet, 2kg	#1	2	133.33	Albumaid XP MN
2747N	PROTRIPTYLINE Tablet 5mg	50	2	3.07	Concordin MK
2748P	10mg	50	2	3.87	Concordin MK
2808T	Capsule 5mg	50	2	3.07	Triptil FR
2809W	10mg	50	2	3.87	Triptil FR
3044F	PSEUDOEPHEDRINE HYDROCHLORIDE Tablet 30mg	100	2	2.40	Sudafed-M BW
3043E	60mg	100	2	2.94	Sudafed BW
3045G	Mixture 30mg per 5ml, 100ml	#1	4	2.11	Sudafed BW
3047J	PYRANTEL EMBONATE Tablet 125mg(base)	6	..	2.63	Combantrin GP
3048K	Mixture 50mg(base) per ml, 12ml	#1	..	2.63	Combantrin GP
2335X	PYRAZINAMIDE Tablet 500mg	500	..	61.60	Zinamide MK
2724J	PYRIDOSTIGMINE Tablet 10mg	100	2	4.27	Mestinon RO
1959D	60mg	100	2	13.74	Mestinon RO
2608G	180mg (sustained release)	100	1	19.74	Mestinon RO
1960E	Injection 1mg in 1ml	5	1	2.67	Mestinon RO
1965K	PYRIDOXINE HYDROCHLORIDE To be endorsed "S.P."				
1965K	Tablet 25mg	100	..	3.07	Pydox Pyroxin DH,RY PT KL
1961F	PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1ml	5	1	2.35 2.64	Pyroxin BL,FM KL
1964J	50mg per ml, 10ml	1	..	2.67	Pyroxin KL
1966L	PYRIMETHAMINE Tablet 25mg	50	..	3.07	Daraprim BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1968N	QUINALBARBITONE SODIUM Tablet 100mg	25	..	\$ 1.47	RY
1969P	Capsule 50mg	50	..	1.87	Quinbar Seconal Sodium AV LY
1970Q	100mg	25	..	1.78 1.83	Proquinal RY PT Seconal Sodium LY
2337B	QUINETHAZONE Tablet 50mg	50	2	4.03	Aquamox LE
2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	14.07	Kinidin AP
1971R	QUINIDINE SULPHATE Tablet 200mg	100	2	13.20 13.34	DH,PT Cardoquin AV Quincardine FM Quinidoxin BW FA,KL,PR,QE(NQ), RT,TO
3080D	300mg (sustained release)	100	2	19.20	Quinidex LA RS
1972T	QUININE BISULPHATE Tablet 300mg	50	..	7.20 7.27	DH,PT Biquin AV Bi-Quinate KL Quinbisian PR BW,FA,LP,SI
1975Y	QUININE SULPHATE Tablet 300mg	50	..	7.20 7.27	DH,PT Adaquin AV Quinate KL Quinocetal FM Quinsan PR LP,QE(NQ),SI,TO
1977C	RAUWOLFIA ALKALOIDS Tablet 2mg	100	1	3.34	Rauwiloid RK
1979E	RAUWOLFIA SERPENTINA Tablet 50mg	100	1	3.02 3.27 3.32	Rawlina LF Serenol PT Raudixin SQ
1983J	RESERPINE Tablet 250 micrograms	100	1	2.67	Serpasil CB Tenserp VR RY
1981G	Injection 1mg	5	..	3.07	Serpasil CB
1982H	2.5mg	5	..	3.47	Serpasil CB
1985L	RIBOFLAVINE To be endorsed with the pension number. Tablet 5mg	100	2	2.00	FM,KL,RT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ROLITETRACYCLINE			\$		
1986M	I.V. Injection sets containing 110mg and 5ml solvent	5	..	*7.67	Reverin	HP
1987N	275mg and 10ml solvent	5	..	*12.67	Reverin	HP
1989Q	I.M. Injection sets containing 150mg and 2ml solvent	5	..	*7.67	Reverin	HP
1990R	350mg and 2ml solvent	5	..	*12.67	Reverin	HP
1991T	SACCHARIN or SACCHARIN SODIUM					
1992W	/Tablets 30mg, 500 (with instructions for use)	1	1	/1.11	DH,FA	
1098T	SALBUTAMOL Tablet 4mg	100	2	5.34	Ventolin	AH
1103C	Syrup 2mg per 5ml, 300ml	≠1	4	3.47	Ventolin	AH
2002J	Inhalation Solution For use in RESPIRATOR 0.5%, 10ml	≠1	2	3.74	Ventolin	AH
3087L	Inhalation, metered aerosol spray 100 micrograms per dose (200 dose)	≠1	2	3.60	Ventolin	AH
1993X	SALICYLAMIDE Tablet 500mg	100	2	2.40	PT	
1994Y	SCHICK-TEST TOXIN and CONTROL Injection set containing 0.5ml Schick-Test Toxin and 0.5ml Schick Control	1	..	2.14	CS	
1129K	SECBUTOBARBITONE Tablet 15mg	50	..	*1.61	Butisol Sodium	ET
1130L	30mg	50	..	*1.70	Butisol Sodium	ET
1131M	50mg	50	..	*1.89	Butisol Sodium	ET
1132N	100mg	25	..	1.74	Butisol Sodium	ET
2004L	SMALLPOX VACCINE Injection, Capillary Tube	1	..	2.94	CS	
2945B	SODIUM ACID CITRATE Mixture 5.5g per 20ml, 500ml	≠1	4	3.07	Citralka	PD
2009R	SODIUM AMINOSALICYLATE Tablet 500mg	500	2	11.74	Pasalba	RY
2013Y	SODIUM AUROTHIOMALATE Injection 1mg	5	..	*5.62	Myocrisin	MB
2015C	5mg	5	..	*6.22	Myocrisin	MB
2016D	10mg	5	..	*8.52	Myocrisin	MB
2017E	20mg	5	..	*9.07	Myocrisin	MB
2018F	50mg	5	..	*12.12	Myocrisin	MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3015Q	SODIUM BICARBONATE Injection 8.4%, 100ml 4.2%, 500ml - See Intravenous Fluids	5	..	\$ *13.92	AB
2023L	SODIUM CALCIUMEDETATE Tablet 500mg	100	2	6.40	Calcium Disodium Versenate RK
2024M	SODIUM CHLORIDE INJECTION 0.9%, 2ml	5	1	2.10	AB,BL,LP
2025N	0.9%, 5ml	5	1	2.30	AB,BL,LP
2026P	0.9%, 10ml 1 litre size - See Intravenous Fluids	5	1	2.63	AB,BL,KL,LP
	SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE See Intravenous Fluids				
	SODIUM CHLORIDE COMPOUND See Intravenous Fluids				
2657W	SODIUM CITRO-TARTRATE Effervescent Granules 100g	≠1	4	3.07	Citravescent PT Dex-Cit RC Urade WW Ural Sachets AB
1121B	SODIUM CROMOGLYCATE Capsule 10mg (Nasal Insufflation)	100	2	10.14	Rynacrom FC
2878L	20mg (Inhalation)	100	2	17.87	Intal Spincaps FC
	SODIUM LACTATE See Intravenous Fluids				
	SODIUM LACTATE COMPOUND See Intravenous Fluids				
	SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE See Intravenous Fluids				
	SODIUM NITROPRUSSIDE To be endorsed "S.P."				
1100X	Infusion 50mg	10	..	41.07	Nipride RO
2035D	SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	2.67	Ensalate RC Rhumax PR DH,KL,QE(NQ),RY
2036E	500mg (enteric coated)	100	2	2.94	Rhumax PR KL
2037F	600mg (enteric coated)	100	2	3.27	Ancosal AV Ensalate RC Rhumax PR DH,KL,QE(NQ)

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2587E	SORBIDE NITRATE Tablet 10mg	100	2	\$ 2.47	Isordil Isotrate	AY PD
2588F	Sublingual Tablet 5mg	100	2	2.34	Isordil Sublingual Isotrate Sublingual	AY PD
	SOYA FORMULA To be accompanied by an authority from the Director of Health.					
2040J	Liquid 375ml	5	20	*4.00	ProSobee	MJ
2039H	384ml	5	20	*4.00	Isomil	RD
2837H	425g	5	20	*3.05	Soyalac	SA
3090P	SPECTINOMYCIN Injection 2g with 3.2ml diluent	1	..	6.67	Trobicin	UP
3091Q	4g with 6.5ml diluent	1	..	11.07	Trobicin	UP
	SPIRONOLACTONE To be endorsed "S.P."					
2339D	Tablet 25mg	100	..	9.64	Aldactone	SR
	STANDARD MAINTENANCE FLUID See Intravenous Fluids					
	STANOLONE To be accompanied by an authority from the Director of Health.					
2044N	Tablet 25mg	100	1	12.54	Protona	DF
2045P	STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml	1	..	3.34	CS	
2046Q	Undiluted 5ml	1	..	3.60	CS	
2050X	STILBOESTROL Tablet 500 micrograms	100	2	1.95	DH,HA	
2051Y	1mg	100	2	2.03	DH,HA,KL	
2052B	5mg	100	2	2.27	DH,HA,KL,RT,SI	
2053C	10mg	100	2	2.80	DH,KL,RT	
	STILBOESTROL DIPHOSPHATE To be endorsed "S.P."					
1353F	Tablet 100mg	100	2	17.74	Honvan	MJ
1352E	Injection 250mg in 5ml	10	..	12.27	Honvan	MJ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	STREPTOKINASE To be endorsed "S.P."			\$	
3130R	Injection 100,000 I.U. (solvent required)	2	..	*45.53	Kabikinase FA
2906Y	250,000 I.U. (solvent required)	2	..	*75.31 *79.93	Streptase HP Kabikinase FA
2962X	600,000 I.U. (solvent required)	5	..	*404.27	Kabikinase FA
2907B	750,000 I.U. (solvent required)	5	..	*475.47	Streptase HP
2054D	STREPTOMYCIN SULPHATE Injection 1g (solvent required)	5	3	5.07	GL
2060K	SUCCINYL SULPHATHIAZOLE Tablet 500mg	100	..	2.87	PT
2063N	SULPHACETAMIDE SODIUM Eye Drops 10%, 15ml	≠1	2	2.38 2.40	IQ Acetopt Bleph 10 KL SI AG
2513G	15%, 15ml	≠1	2	2.40	Isopto Cetamide AQ
2064P	20%, 15ml	≠1	2	2.38 2.40	IQ Acetopt SI
2068W	SULPHADIAZINE Tablet 500mg	40	2	2.38 2.40	DH,PT RY
2069X	SULPHADIAZINE SODIUM Injection 4ml	5	..	*5.29	MB
2074E	SULPHADIMIDINE Tablet 500mg	40	2	2.24 2.27	S-Dimidine PT DH Sulphamezathine IC KL,RY
2072C	Suspension 500mg in 5ml, 100ml	≠1	1	2.84	Sulphamezathine IC
2076G	SULPHAFURAZOLE Tablet 300mg	40	2	2.67	Gantrisin SU
2077H	500mg	40	2	2.80 2.94 3.07	MC Sulfazole PT Urogan AV Gantrisin SU
2458J	Paediatric Syrup 500mg per 5ml, 100ml	≠1	1	3.27	Gantrisin SU
2078J	Eye Drops 4%, 10ml	≠1	2	2.40	Gantrisin SU
2079K	Eye Ointment 4%, 5g	≠1	..	2.14	Gantrisin SU
2082N	SULPHAMETHIZOLE Tablet 100mg (continued)	40	2	2.35	Urolucosil WW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2083P	SULPHAMETHIZOLE - cont. Tablet 250mg	40	2	\$ 2.67 2.80	PT Urolucosil WW
2084Q	500mg	40	2	3.67 3.80	PT Thiosulfil AY Urolucosil WW
2862P	Paediatric Suspension 100mg per 5ml, 100ml	≠1	1	2.55	Urolucosil WW
2561T	SULPHAMETHOXAZOLE Tablet 500mg	20	1	2.60	Gantanol SU
2562W	Syrup 500mg per 5ml, 50ml	≠1	2	2.54	Gantanol SU
2085R	SULPHAMETHOXYDIAZINE Tablet 500mg	12	..	2.67	Kiroid SC
2088X	SULPHAMETHOXYPYRIDAZINE Tablet 500mg	12	..	2.67	Lederkyn LE
2090B	SULPHAPHENAZOLE Tablet 500mg	20	1	1.96	Orisul CB
2092D	SULPHAPYRIDINE Tablet 500mg	100	..	5.54	M&B 693 MB
2093E	SULPHASALAZINE Tablet 500mg	100	2	8.14	Salazopyrin PS
2096H	500mg (enteric coated)	100	2	9.07	Salazopyrin-EN PS
2987F	SULPHASYMAZINE Tablet 500mg	20	1	3.60	Prosul LE
2094F	SULPHINPYRAZONE Tablet 100mg	100	2	9.07	Anturan GE
2099L	SULTHIAME Tablet 50mg	200	1	6.40	Ospolot BN
2100M	200mg	200	1	13.07	Ospolot BN
	SURGICAL CEMENT To be endorsed "S.P."				
2238T	≠Skin Bond Adhesive 4fl oz	1	2	≠3.90	DY
2239W	(with instructions for use)				
2467W	≠Solvent 227ml	1	2	≠3.23	Unisolve DY
2468X	(with instructions for use)				
2469Y	≠Solvent 240ml	1	2	≠2.25	Sacsol LF
2470B	(with instructions for use)				
3145M	≠Solvent 400ml	1	..	≠2.81	Zoff SN
3146N	(with instructions for use)				
2106W	TACRINE Injection 10mg, 2ml	5	1	2.47	T.H.A. WH
2107X	30mg, 2ml	5	1	3.18	T.H.A. WH

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1028D	TERBUTALINE SULPHATE Tablet 5mg	100	2	\$ 5.74	Bricanyl AP
1030F	Elixir 300 micrograms per ml, 300ml	≠1	4	3.60	Bricanyl AP
1239F	Injection 100 micrograms in 1ml	5	..	4.00	Bricanyl AP
1034K	500 micrograms in 1ml	5	..	4.14	Bricanyl AP
1240G	Inhalation, metered aerosol spray 250 micrograms per dose (400 dose)	≠1	1	6.14	Bricanyl AP
	TESTOSTERONE ENANTHATE To be endorsed "S.P."				
2599T	Injection 100mg in 1ml	2	2	*6.75	Primoteston Depot SC
2114G	250mg in 1ml	2	2	*14.41	Primoteston Depot SC
	TESTOSTERONE ESTERS To be endorsed "S.P."				
2670M	Injection 100mg	1	2	4.14	Sustanon "100" OR
2101N	250mg	1	2	8.00	Sustanon "250" OR
	TESTOSTERONE PROPIONATE To be endorsed "S.P."				
2115H	Injection 25mg in 1ml	10	..	*6.67	Testoviron SC
2116J	50mg in 1ml	10	..	*10.87	Testoviron SC
2127Y	TETANUS VACCINE, ADSORBED Injection 0.5ml	3	..	*3.86	CS
	TETRACOSACTRIN To be accompanied by an authority from the Director of Health.				
3083G	Injection 500 micrograms in 1ml	5	..	10.40	Cortrosyn Depot OR Synacthen Depot CB
2832C	1mg in 1ml	5	..	15.74	Cortrosyn Depot OR Synacthen Depot CB
2636R	I.V. Infusion 250 micrograms in 1ml	5	..	*15.72	Synacthen CB
2134H	TETRACYCLINE Capsule 250mg	25	..	3.00	Achromycin LE Australamycin CS Hostacycline HP Hydracycline Plain FM Panmycin P UP Quatrax VR Tetracyn GP Tetramykoin BZ(N) Tetrex-P BC
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	TETRACYCLINE - cont. To be endorsed "S.P."			\$	
2135J	Capsule 250mg	50	5	*4.93	Achromycin LE Australmycin CS Hostacycline HP Hydracycline Plain FM Panmycin P UP Quatrax VR Tetracyc GP Tetramykoin BZ (N) Tetrex-P BC
2831B	TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	3.14	Mysteclin SQ
2151F	Capsule 250mg-250,000 Units	25	..	3.14	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
	TETRACYCLINE with NYSTATIN To be endorsed "S.P."				
2827T	Tablet 250mg-250,000 Units	50	5	*5.21	Mysteclin SQ
2152G	Capsule 250mg-250,000 Units	50	5	5.20 *5.21	Mysteclin-V SQ Achrostatin LE Comycin UP Tetrex-F BC
2145X	TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	3.00	Achromycin-V LE Australmycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetracyc-V GP Tetrex BC
	TETRACYCLINE (BUFFERED) To be endorsed "S.P."				
2146Y	Capsule 250mg	50	5	4.92 *4.93	Steclin-V SQ Achromycin-V LE Australmycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Tetracyc-V GP Tetrex BC
2611K	THEOPHYLLINE Tablet 50mg	100	2	2.47	Nuelin Paediatric RK
1143E	125mg	100	2	3.27	Nuelin RK
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2612L	THEOPHYLLINE - cont. Capsule 200mg	100	2	\$ 3.60	Elixophyllin	CP
2613M	Elixir 80mg per 15ml, 500ml	≠1	4	2.67	A.B. Elixophyllin	KL CP
2840L	THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE Tablet 130mg-24mg-8mg	100	2	2.78 2.80	Panasma Ephedrobarbital-T Tedral	PT FM WW
2946C	180mg-48mg-25mg(sustained release)	100	..	3.40	Tedral S.A.	WW
2841M	Capsule 130mg-24mg-8mg	100	2	2.54	Theosec	LY
2842N	Paediatric Suspension 65mg-12mg-4mg per 5ml, 100ml	≠1	2	2.16	Tedral	WW
2868Y	THEOPHYLLINE with GUAIPHENESIN Capsule 100mg-60mg	100	2	3.07	Quibron-C	MJ
2669L	150mg-90mg	100	2	3.20	Quibron	MJ
2985D	Elixir 150mg-90mg per 15ml, 500ml	≠1	4	2.94	Quibron	MJ
2976P	THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	≠1	4	2.87	Elixophyllin-KI	CP
2947D	THIABENDAZOLE Tablet 500mg	16	..	*4.81	Mintezol	MK
2162T	THIAMBUTOSINE Tablet 500mg	100	2	4.99	Ciba 1906	CB
1069G	THIAMINE HYDROCHLORIDE To be endorsed with the pension number. Tablet 50mg	100	2	2.27	Betamin Invite B DH,LP,PR,PT,RT,RY	KL AV
1070H	100mg	100	2	2.74 2.80	Invite-B Betamin LP,PR,PT,QE(NQ), RT,RY	AV KL
1065C	THIAMINE HYDROCHLORIDE Injection 100mg in 1ml	5	1	2.51 2.54	Beta-Sol Betamin Forte LP	FM KL
2572J	THIETHYLPERAZINE Tablet 6.5mg (base)	50	1	2.40	Torecan	SZ
2368P	Injection 6.5mg (base) in 1ml	10	..	*3.87	Torecan	SZ
2573K	Suppositories 6.5mg (base), 5	≠1	..	1.88	Torecan	SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	THIOGUANINE To be endorsed "S.P."			\$	
1233X	Tablet 40mg	25	1	27.94	Lanvis BW
	THIOPROPAZATE To be endorsed "S.P."				
3159G	Tablet 5mg	100	1	5.95	Dartalan SR
	THIORIDAZINE To be endorsed "S.P."				
2163W	Tablet 10mg	100	1	2.47	Melleril SZ
2359E	25mg	100	1	3.27	Melleril SZ
2164X	50mg	100	1	5.03	Melleril SZ
2165Y	100mg	100	1	8.99	Melleril SZ
2402K	Oral Solution 3%(30mg per ml), 30ml	1	4	2.59	Melleril SZ
2847W	Injection 25mg per ml, 2ml	10	..	5.07	Melleril SZ
	THIOTEPA				
2345K	Injection 15mg (solvent required)	2	1	*11.21	LE
	Eye Drops				
2858K	Set containing 15mg vial, 2 x 10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	1	5	#10.62	LE
	THYROID				
2167C	Tablet 15mg	100	2	1.74	DH
2168D	30mg	100	2	1.87	DH,RT,SI
2169E	60mg	100	2	1.94	DH,RT,SI
2171G	125mg	100	2	2.14	DH,RT
	THYROXINE SODIUM				
2174K	Tablet 50 micrograms	100	2	2.00	Oroxine Thyroxinal RT BW FM
2175L	100 micrograms	100	2	2.11	Oroxine Thyroxinal RT BW FM
2173J	200 micrograms	100	2	2.27	Oroxine Thyroxinal BW FM
	TINIDAZOLE				
1465D	Tablet 500mg	4	..	3.70	Fasigyn PF
	TOBRAMYCIN SULPHATE To be accompanied by an authority from the Director of Health.				
1355H	Injection 40mg	5	..	*18.62	Nebcin LY
1356J	80mg	5	..	*29.07	Nebcin LY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2720E	TOLAZAMIDE Tablet 250mg	100	2	\$ 8.40	Tolinase UP
2178P	TOLBUTAMIDE Tablet 500mg	100	2	3.91	Artosin BO Rastinon HP
2607F	1g	50	2	4.00	Artosin BO Rastinon HP
	TRANYLCYPROMINE To be endorsed "S.P." CAUTION: This drug is a monoamine oxidase inhibitor and should not be used with sympathomimetic amines. Precautions should be taken with diet and additional medication.				
2444P	Tablet 10mg	50	1	4.74	Parnate SK
	TRIAMCINOLONE ACETONIDE To be endorsed "S.P."				
2990J	Injection 10mg in 1ml	5	..	9.74	Kenacort-A10 SQ
2119M	TRIAMCINOLONE ACETONIDE Cream 0.02%, 45g	#1	..	2.39	Aristocort 0.02% LE
2117K	0.02%, 100g	#1	..	2.67	Aristocort 0.02% LE Kenalone 0.02% SQ
2995P	0.05%, 30g	#1	1	2.39	Aristocort 0.05% LE Kenalone SQ
2118L	Ointment 0.02%, 100g	#1	..	2.67	Aristocort 0.02% LE Kenalone 0.02% SQ
2996Q	0.05%, 30g	#1	1	2.39	Aristocort 0.05% LE Kenalone SQ
2971J	TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Drops 0.1%-0.25% (base)-0.025%- 100,000 Units per g, 7.5ml	#1	2	2.47	Kenacomb Otic SQ
2973L	Ear Cream 0.1%-0.25%(base)-0.025%- 500,000 Units in 5g	#1	2	2.35	Kenacomb Otic SQ
2974M	Ear Ointment 0.1%-0.25%(base)- 0.025%-500,000 Units in 5g	#1	2	2.35	Kenacomb Otic SQ
2342G	TRIAMTERENE Tablet 100mg	50	2	4.78	Dytac SK
1145G	TRICLOFOS Syrup 500mg per 5ml, 200ml	#1	4	2.40	Tricloryl GL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	TRIFLUOPERAZINE To be endorsed "S.P."			\$	
2185B	Tablet 1mg	100	1	3.82	Calmazine PT Stelazine SK Terfluzin MB
2386N	2mg	100	1	5.14	Calmazine PT Stelazine SK Terfluzin MB
2186C	5mg	100	1	5.64	Calmazine PT Stelazine SK Terfluzin MB
2571H	Syrup 1mg per 5ml, 100ml	≠1	4	2.08	Stelazine SK
2835F	Injection 1mg in 1ml	10	..	4.67	Stelazine SK
2836G	1mg per ml, 2ml	10	..	5.07	Stelazine SK
	TRIGLYCERIDES, MEDIUM CHAIN To be accompanied by an authority from the Director of Health.				
2686J	Compound Powder 500g	2	10	*12.66	Triglyde MJ
2679B	Protein Hydrolysate Compound Powder 454g	2	10	*16.80	Pregestimil MJ
3129Q	Oil 1 litre	≠1	5	13.33	MCT Oil MJ
2187D	TRIMEPRAZINE Tablet 10mg	50	2	2.54	Vallergan MB
2189F	TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	13.07	Arfonad RO
2949F	TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	20	..	3.95	Bactrim RO Septrin BW
3200K	Capsule 80mg-400mg	20	..	3.95	Bactrim RO Septrin BW Trib PT
3103H	Suspension 40mg-200mg per 5ml, 100ml	≠1	..	3.31	Bactrim RO Septrin BW Trib PT
2970H	TRIMIPRAMINE Tablet 25mg	50	2	3.03	Surmontil MB
	TRIOXYSALEN To be endorsed "S.P."				
1570P	Tablet 5mg	100	2	21.07	Trisoralen PT
2191H	TRIPROLIDINE Tablet 2.5mg	50	2	2.54	Actidil BW
2192J	Paediatric Elixir 1mg per 5ml, 100ml	≠1	4	2.00	Actidil BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2194L	TROXIDONE Capsule 300mg	200	1	\$ 10.40	Tridione	AB
2800J	TYPHOID VACCINE Injection 0.5ml	3	1	*4.19	CS	
2195M	TYPHUS VACCINE Injection 1ml	2	..	*24.01	CS	
1293C	UREA Cream 10%, 100g	#1	2	4.74	Aquacare H.P. Calmurid	AG PS
3131T	VANCOMYCIN To be endorsed "S.P." Injection 500mg (solvent required)	5	..	*42.72	Vancocin	LY
2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*17.61	Pitressin Tannate	PD
1248Q	VERAPAMIL HYDROCHLORIDE To be endorsed "S.P." Tablet 40mg	100	2	7.40	Isoptin	KN
1060T	Injection 5mg in 2ml	5	..	4.00	Isoptin	KN
2198Q	VINBLASTINE Injection 10mg (solvent required)	1	..	18.88	Velbe	LY
2371T	VINCRIStINE Injection set containing 1mg and 10ml solvent	5	..	*80.62	Oncovin	LY
2372W	5mg and 10ml solvent	1	..	69.20	Oncovin	LY
2199R	VIPRYNIUM EMBONATE Tablet 50mg	8	1	2.67	Vanquin	PD
2200T	Suspension 10mg per ml, 30ml	#1	1	2.67	Vanquin	PD
3156D	VITAMIN SUPPLEMENT To be accompanied by an authority from the Director of Health. Tablet	100	2	3.74	Ketovite	ST
3157E	Liquid 100ml	#1	2	2.35	Ketovite	ST
2843P	WARFARIN Tablet 1mg	50	2	3.74	Coumadin Marevan	EN AH
2209G	2mg	50	2	3.94	Coumadin	EN
2210H	2.5mg	50	2	4.07	Coumadin	EN
2844Q	3mg	50	2	3.87	Marevan	AH
2211J	5mg	50	2	4.14	Coumadin Marevan	EN AH
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2212K	WARFARIN - cont. Tablet 7.5mg	50	2	\$ 4.91	Coumadin EN
2213L	10mg	50	2	6.07	Coumadin EN Marevan AH
2216P	WATER FOR INJECTIONS Injection 2ml	5	3	1.95 2.03	BZ (NQTW) AB, BL, KL, LP, SI
2217Q	5ml	5	3	2.07 2.16	BZ (NQTW) AB, BL, KL, LP, SI
2218R	10ml	5	3	2.27 2.40	BZ (NQTW) AB, BL, KL, LP, SI
2219T	WOOL ALCOHOLS Ointment 100g	1	1	1.01	Eucerin SN
2220W	(with instructions for use)				
2221X	WOOL FAT, HYDROUS 50g tube or jar	1	..	0.90	DH
2222Y	(with instructions for use)				
2850B	ZINC and ADRENALINE Eye Drops 0.25%-0.01%, 15ml	1	2	2.27	B.A.Z. KL
3154B	ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15ml	1	2	2.27	Prefrin-Z AG Zincfrin AQ
2802L	ZINC SULPHATE Eye Drops 0.25%, APF 15ml	1	2	2.27	KL

INTRA-VEINUS FLUIDS FOR INJECTION

77

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2330P	AMINO ACIDS with ALCOHOL, VITAMINS and ELECTROLYTES 5%-5%, 500ml	2	1	\$ *22.93	Aminofusin A 5% with Alcohol PC
2766N	AMINO ACIDS with SORBITOL 30g-50g (300 kcal) per litre, 500ml	2	1	*18.67	Aminofusin Standard PC
2328M	AMINO ACIDS with VITAMINS and ELECTROLYTES 5%, 500ml	2	1	*21.33	Aminofusin 5% PC
2329N	10%, 500ml	2	1	*27.73	Aminofusin 10% PC
2305H	DEXTRAN 40 10% with 5% anhydrous dextrose,500ml	12	..	*97.07 *149.03	Lomodex Rheomacrodex FC PS
2306J	10% with 0.9% sodium chloride,500ml	12	..	*97.07 *149.03	Lomodex Rheomacrodex FC PS
3081E	DEXTRAN 70 6% with 5% anhydrous dextrose,500ml	12	..	*93.11	Macrodex PS
3082F	10% with 5% anhydrous dextrose,500ml	12	..	*83.15	Macrodex PS
3011L	6% with 0.9% sodium chloride,500ml	12	..	*93.11	Macrodex PS
2245E	DEXTROSE INJECTION 5%, 1 litre	5	1	*13.72	AB,TV
2247G	10%, 1 litre	5	1	*15.72	AB,TV
2249J	20%, 1 litre	2	1	*6.93	AB,TV
2251L	25%, 1 litre	2	1	*6.93	AB,TV
2252M	50%, 500ml	2	1	*6.41	AB
3199J	ELECTROLYTE REPLACEMENT SOLUTION 1 litre	2	1	*6.93	Normosol R Plasma-Lyte 148 AB TV
2589G	MANNITOL 10%, 1 litre	1	1	4.31	AB
2590H	20%, 500ml	1	1	4.31	AB
3029K	SODIUM BICARBONATE 4.2%, 500ml	1	1	3.87	AB
2264E	SODIUM CHLORIDE INJECTION 0.9%, 1 litre	5	1	*11.72 *13.72	VF(N) AB,TV
2260Y	3%, 1 litre	2	1	*6.93	AB,TV
2262C	5%, 1 litre	2	1	*6.93	TV
2266G	SODIUM CHLORIDE COMPOUND BPC 1959 1 litre	4	1	*12.79	AB,TV

INTRAVENOUS FLUIDS FOR INJECTION

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE			\$	
2271M	0.9%-5%, 1 litre	2	1	*6.93	AB,TV
2273P	0.9%-10%, 1 litre	2	1	*6.93	AB,TV
2275R	0.9%-20%, 1 litre	2	1	*6.93	AB
2278X	0.45%-2.5%, 500ml	5	1	*13.72	AB,TV
2279Y	0.225%-3.75%, 500ml	5	1	*13.72	AB,TV
2281C	0.18%-4%, 1 litre	5	1	*13.72	AB,TV
2282D	0.18%-4.3%, 1 litre	5	1	*15.72	AB
2284F	SODIUM LACTATE (Solution 1/6 Molar) 1 litre	5	1	*13.32 *15.72	VF(N) AB
2286H	SODIUM LACTATE COMPOUND 1 litre	5	1	*13.72	AB,TV
2288K	SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE 5%, 1 litre	2	1	*6.93	AB,TV
2293Q	STANDARD MAINTENANCE FLUID 500ml	6	..	*16.25	AB

SECTION 3 - SCHEDULE OF BENEFITS

DECEMBER 1977

Preparations available for Colostomy
and Ileostomy use

Preparations available for use by Paraplegic
and Quadriplegic patients

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2224C	ACRYLIC RESIN Solution 100ml Aerosol Spray	1	..	6.67 6.91 7.74	Liquidoplast Octaflex Nobecutane	PT WB AH
2683F	BENZOIN Compound Tincture BPC 35%, 167ml Aerosol Spray	1	..	4.54	LF	
2718C	CHARCOAL Tablet 300mg	500	1	9.74	Char-Bon QE(NQ),TO	LF
2229H	CHLORAMINE Deodorant Tablet 120mg	500	..	4.74	Klortee	PT
2230J	Powder 25g	1	4	2.27	Klortee	PT
3125L 3126M	DEODORANT CONCENTRATE Liquid 15ml (with instructions for use)	1	..	1.73	Zerodor	ZR
3127N 3128P	0.5fl oz (with instructions for use)	1	..	1.88	Banish	DY
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500ml	1	..	2.94	TAGG	LF
2235P	DIMETHICONE Solution 9.84%, 200g Aerosol Spray	1	..	4.94	Rikospray SiliconeRK	
2617R	10%, 180ml Aerosol Spray	1	..	4.54	LF	
2233M	Cream 10%, 50g					
2618T	10%, 75g					
2232L	20%, 20g					
	See Section 2					
3148Q	POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	1	5	10.67	Stomahesive Set	SQ
2950G	POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121ml	1	..	4.78	Spray-On-Bande	LF
2326K	SODIUM CARBOXYMETHYLCELLULOSE with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	1	..	2.27	Orabase	SQ
2327L	Powder 33.3%-33.3%-33.3%, 15g	1	..	2.27	Orahesive	SQ

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

3

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3147P	STERCULIA (Indian Tragacanth; Gum Karaya) Discs, 12	#1	5	6.20 6.40	Coloplast DY BH ED
2257T	Discs, 20	#1	5	9.60	HO
2256R	Discs, Compound, 10	#1	5	7.74	Colly-seels DY
2240X	1/2 Powder 200g	#1	..	1/2 2.25	Karagum PT
2241Y	(with instructions for use)				
3158F	Squares, 6	#1	5	11.74	BH
	SURGICAL CEMENT				
2238T	1/2 Skin Bond Adhesive 4fl oz				
2239W	(with instructions for use)				
2467W	1/2 Solvent 227ml				
2468X	(with instructions for use)				
2469Y	1/2 Solvent 240ml				
2470B	(with instructions for use)				
3145M	1/2 Solvent 400ml				
3146N	(with instructions for use)				
	See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
(Prescriptions must be endorsed "S.P.")

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500ml	1	..	2.94	TAGG LF
1260H	BISACODYL Suppositories 10mg, 5 See Section 2				
2233M	DIMETHICONE Cream 10%, 50g				
2618T	10%, 75g				
2232L	20%, 20g See Section 2				
3066J	DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50mg				
3067K	120mg See Section 2				
1125F	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL Suppositories 100mg-10mg, 5 See Section 2				
2710P	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50mg-50mg See Section 2				
1209P	DIPHEMANIL METHYLSULPHATE Dusting Powder 2%, 50g See Section 2				
3135B	GLYCEROL /Suppositories 1g, 10				
3136C	(with instructions for use) See Section 2				
2238T	SURGICAL CEMENT /Skin Bond Adhesive 4fl oz				
2239W	(with instructions for use)				
2467W	/Solvent 227ml				
2468X	(with instructions for use)				
2469Y	/Solvent 240ml				
2470B	(with instructions for use)				
3145M	/Solvent 400ml				
3146N	(with instructions for use) See Section 2				

SECTION 4

SCHEDULE OF BENEFITS
DRUGS AVAILABLE FOR EXTEMPORANEOUS
PREPARATIONS

DECEMBER 1977

Drug	Drug
Acetone BPC (use as additive only)	Benzyl Benzoate BP
ACIDS	Borax BP
Acetic BP	Brilliant Green BP
Acetic Dilute BP	Caffeine BP
Ascorbic BP	Caffeine Citrate BPC 59
(use as ingredient of Mixtures of Ferrous Sulphate APF and PL)	Calamine BP
Benzoic BP	CALCIUM
Boric Crystal BP	Carbonate BP
Boric Powder BP	Gluconate BP
Citric BP	Hydroxide BP
Hydrochloric BP	Camphor BP
Hydrochloric Dilute BP	(use as additive only)
Lactic BP	Cetomacrogol Emulsifying Wax BP
Oleic BP	Cetostearyl Alcohol BP
Salicylic BP	Cetrimide BP
Stearic BPC	Chalk BP
Tannic BP	Chloral Hydrate BP
Trichloroacetic BP	Chlorbutol BP
Acriflavine BPC 63	Chlorhexidine Acetate BPC
Adrenaline BP	(use as additive only)
Adrenaline Acid Tartrate BP	Chlorinated Lime BPC
ALCOHOLS	Chlorocresol BP
95% BP	Chloroform BP
(use as additive only)	(use as additive only)
90% BP	Cineole BPC
(use as additive only)	(use as additive only)
Alum BP	Clioquinol BP
Aluminium Hydroxide Gel BP	Cocaine BP
Aluminium Hydroxide Gel Dried BP	Cocaine Hydrochloride BP
Amaranth BPC 54	Codeine Phosphate BP
Aminacrine Hydrochloride BP 68	Collodion Flexible BP
Aminophylline BP	CREAMS
Ammoniated Mercury BP	Aqueous APF
AMMONIUM	Aqueous APF 64
Bicarbonate BPC	Aqueous BP
Chloride BP	Aqueous Emulsifying Wax APF 55
Amylobarbitone BP	Calamine Oily APF
Amylobarbitone Sodium BP	Cetomacrogol Aqueous APF
Application Benzyl Benzoate BP	Cetomacrogol Aqueous APF 69
Aspirin BP	Cetrimide Aqueous APF
Atropine BPC	Oily BP
Atropine Methonitrate BP	Zinc BP
Atropine Sulphate BP	Zinc Oily APF
Beeswax White BP	Creosote BPC 59
Bentonite BP, sterilised	Crystal Violet BP
Benzocaine BP	Dextrose BP
	(use as additive only)
	Disodium Edetate BP

Drug	Drug
Dithranol BP	Lactose BP
Emulsifying Wax BP	Lignocaine Hydrochloride BP
Ephedrine BPC	LINIMENTS
Ephedrine Hydrochloride BP	Camphor BP
Ether Anaesthetic BP	Iodine Compound APF 55
(use as additive only)	Methyl Salicylate APF
Ether Solvent BP	Methyl Salicylate Compound APF
(use as additive only)	Soap BPC
EXTRACTS	Turpentine BP
Hamamelis Liquid BPC	Lotion Calamine BP
Hyoscyamus Liquid BPC	
Ipecacuanha Liquid BP	Magenta BPC
Liquorice Liquid BP	MAGNESIUM
Nux Vomica Liquid BP	Carbonate Heavy BP
Stramonium Liquid BP 68	Carbonate Light BP
	Oxide Light BP
Ferric Ammonium Citrate BP	Sulphate BP
FERROUS	(may only be prescribed for
Gluconate BP	other than oral use)
Sulphate BP	Sulphate Dried BP
Sulphate Dried BP	(may only be prescribed for
	other than oral use)
Gelatin BP	Trisilicate BP
GLYCERINS	Menthol BP
Borax BPC 59	Mercuric Chloride BPC
Ichthammol BPC	Methylcellulose 20 BPC
Glycerol BP	(use as an additive in applic-
GUMS	ations, creams, ear drops,
Acacia BP	eye drops, liniments,
Tragacanth BP	lotions, nasal instillations,
	ointments, paints, pastes)
Homatropine Hydrobromide BP	Methylcellulose 4500 BPC
Honey Purified BPC	(use as an additive in applic-
(use as additive only)	ations, creams, ear drops,
Hypromellose 4500 BPC	eye drops, liniments,
(use as additive only)	lotions, nasal instillations,
	ointments, paints, pastes)
Ichthammol BPC	Methylene Blue BP
INFUSIONS	Methyl Hydroxybenzoate BP
Buchu Concentrated BPC 54	Methyl Salicylate BP
1 in 8	MIXTURE
Gentian Compound Concentrated	Magnesium Hydroxide BP
BP 1 in 10	Morphine Hydrochloride BP
Senega Concentrated BPC	Morphine Sulphate BP
1 in 10	MUCILAGES
Iodine BP	Acacia APF
Isoprenaline Sulphate BP	Methylcellulose APF
	Tragacanth BPC
Kaolin, Light or Kaolin,	
Light (Natural) BP	

Drug	Drug
OILS Anise BP Arachis BP (use as additive only) Cade BPC Castor BP (use as additive only) Citronella BPC (use as additive only) Clove BP Coconut BPC Eucalyptus BP (use as additive only) Lavender Spike BPC 68 Lemon Terpeneless BPC Linseed BP 63 (use as additive only) Maize BP (use as additive only) Olive BP (use as additive only) Peppermint BP (use as additive only) Pumilio Pine BPC Rosemary BPC Siberian Fir BPC 49 Turpentine BP (use as additive only) OINTMENTS Ammoniated Mercury BP Benzocaine and Adrenaline APF Benzoic Acid Compound APF Capsicum BPC Colophony BPC 59 Emulsifying BP Hamamelis BPC Iodine Non-staining APF 64 Iodine Non-staining BPC 68 Menthol Compound APF 64 Methyl Salicylate BPC Paraffin White BPC Paraffin Yellow BPC Salicylic Acid BP Simple White BP Simple Yellow BP Sulphur BP Wool Alcohols BP Zinc BP Zinc and Castor Oil BP Oxymel BPC	Oxyphenonium Bromide (extemporaneously prepared eye drops only) Paint Magenta APF Paracetamol BP Paraffin Hard BP Paraffin Liquid BP (may only be prescribed for other than oral use) Paraffin Liquid Light BPC 63 Paraffin Soft White BP Paraffin Soft Yellow BP Paraldehyde BP PASTES Zinc Compound BP Zinc and Salicylic Acid BP Pectin (Apple or Citrus) Pentobarbitone Sodium BP Phenobarbitone BP Phenobarbitone Sodium BP Phenol BP (not available for ear drops) Phenol Liquefied BP (not available for ear drops) Phenylephrine Hydrochloride BP Phenylmercuric Nitrate BP Phthalylsulphathiazole BP Physostigmine BPC Physostigmine Salicylate BP Pilocarpine Hydrochloride BPC Pilocarpine Nitrate BP Podophyllum Resin BP POTASSIUM Chlorate BPC Chloride BP Citrate BP Iodide BP Permanganate BP POWDERS Hydroxybenzoate Compound APF Rhubarb BP Tragacanth Compound BP Procaine Hydrochloride BP Proflavine Hemisulphate BPC Propylene Glycol BP Propyl Hydroxybenzoate BP Quinalbarbitone Sodium BP Resorcinol BP

Drug	Drug
Saccharin Sodium BP (use as additive only) Silver Nitrate BP Silver Protein BPC 68 Silver Protein Mild BPC 68 SOAPS Ethereal APF 55 Soft BP SODIUM Acid Phosphate BP Benzoate BP Bicarbonate BP Chloride BP Citrate BP Iodide BP Metabisulphite BP Phosphate BP Salicylate BP Sulphate BP Thiosulphate BPC (use as additive only) SOLUTIONS Adrenaline BP Aluminium Acetate BPC Amaranth APF Amaranth APF 69 Amaranth APF 64 Amaranth BPC Amaranth Compound APF Ammonia Dilute BPC Ammonia Strong BPC Ammonium Acetate Strong BPC Benzalkonium Chloride 50% BP Benzoic Acid APF Benzoic Acid BPC Calcium Hydroxide BPC Caramel APF (use as additive only) Chlorhexidine Gluconate BP (use as additive only) Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Simple BPC 59 Iodine Weak BP Lead Subacetate Dilute BPC Lead Subacetate Strong BPC Morphine Hydrochloride BPC Potassium Hydroxide BP Sodium Chloride BPC Tartrazine APF	SPIRITS Ammonia Aromatic BPC Anise BPC 49 Camphor BPC 59 Camphor Compound APF Chloroform BP Lemon APF Methylated Industrial BP (use as additive only) Peppermint BPC Squill Oxymel BPC Starch BP Streptomycin Sulphate BP (may only be prescribed in ear drops) Succinylsulphathiazole BP Sucrose BP Sulphacetamide Sodium BP Sulphadiazine BP Sulphadimidine BP Sulphur Precipitated BP Sulphur Sublimed BPC Sulphurated Potash BPC SYRUPS Aromatic APF Aromatic APF 69 Chloral BPC 68 Codeine Phosphate BPC Ferrous Phosphate Compound BPC 68 Ginger BPC Glycerophosphate Compound APF 64 Golden Acidified APF 55 Lemon APF Lemon APF 69 Lemon Neutral APF Lemon Neutral APF 69 Orange BPC, APF 69 Orange APF Pholcodine Citrate BPC 59 (use as additive only) Raspberry BPC Red APF Red APF 69 Squill BPC Syrup BP Tolu BPC

Drug	Drug
Talc Purified BP, sterilised Tar BP Tar Coal BPC Tar Coal Prepared BP Tartrazine BPC 54 Theophylline BP Theophylline Hydrate BP Thymol BP Thymol Mouth Wash Compound APF Thymol Red Mouth Wash APF TINCTURES Belladonna BP Benzoin Compound BPC Cardamom Aromatic BPC 68 Cardamom Compound BP Catechu BPC Gelsemium BPC Ginger Strong BP Ginger Weak BP Hyoscyamus BP Ipecacuanha BP Lobelia Ethereal BPC Myrrh BPC Nux Vomica BP Opium BP Opium Camphorated BP Orange BPC 68 Quillaia BPC Rhubarb Compound BP Squill BPC Stramonium BP Titanium Dioxide BPC Triethanolamine BPC	WATERS - cont. Peppermint Concentrated BP 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP Xylene of Commerce BPC 49 (use as additive only) ZINC Oxide BP Sulphate BP
WATERS Anise Concentrated BPC 1 in 40 (use as additive only) Anise Concentrated BPC 63 1 in 40 (use as additive only) Camphor Concentrated BPC 49 1 in 40 Chlorbutol APF 55 Chloroform Concentrated APF 1 in 40 Cinnamon Concentrated BPC 1 in 40 (use as additive only) For injections BP ≠ 100ml (extemporaneously prepared eye drops and eye lotions)	

TABLE OF CODES, MAXIMUM QUANTITIES
AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Quantity	No. of Repeats
10M	Applications	200ml	2
13Q	Creams	100g	1
48M	Dusting Powders	100g	1
15T	Ear Drops	15ml	2
16W	Elixirs	100ml	4
19B	Eye Drops of Cocaine	15ml	..
20C	Eye Drops of Physostigmine	15ml	6
21D	Eye Drops of Pilocarpine	15ml	6
22E	Other Eye Drops	15ml	2
23F	Eye Lotions	200ml	1
25H	Gargles	200ml	4
28L	Glycerins	100ml	1
29M	Inhalations	50ml	1
37Y	Inhalations Solid	4g	1
34T	Linctuses	100ml	2
38B	Liniments	100ml	1
39C	Lotions	200ml	2
40D	Mixtures	200ml	4
41E	Mixtures for Children	100ml	4
30N	Mouth Washes	200ml	1
42F	Nasal Instillations	15ml	2
43G	Ointments, Waxes	100g	1
44H	Paints	25ml	1
45J	Pastes	100g	1
49N	Powders for internal use	100g	2
61F	Powders, Irrigation	100g	1
51Q	Soaps	200ml	1
52R	Solutions	200ml	2
55X	Syrups	100ml	4
56Y	Tinctures	25ml	1

SECTION 5—PRESCRIBERS' LIST

1
DECEMBER 1977

PRESCRIPTION

CREAMS

(Maximum Quantity 100 g and 1 Repeat)

7655X ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution	5	ml
Zinc Oxide	20	g
Wool Fat	25	g
Arachis Oil	25	ml
Purified Water, freshly boiled and cooled	27	ml

7322J AQUEOUS (APF, BP)

Emulsifying Ointment	30	g
Chlorocresol	100	mg
Purified Water, freshly boiled and cooled to	100	g

7503X BUFFERED, AQUEOUS (APF)

Sodium Phosphate	2.5	g
Citric Acid	500	mg
Chlorocresol	100	mg
Emulsifying Ointment	30	g
Glycerol	5	ml
Purified Water, freshly boiled and cooled to	100	g

7320G CALAMINE, AQUEOUS (APF)

Calamine	4	g
Zinc Oxide	3	g
Cetomacrogol Emulsifying Wax	6	g
Arachis Oil	30	g
Purified Water, freshly boiled and cooled to	100	g

7659D CALAMINE, OILY (APF)

Calamine	32	g
Oleic Acid	0.5	ml
Arachis Oil	21.5	ml
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	ml

7496M CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax	15	g
Liquid Paraffin	10	g
White Soft Paraffin	10	g
Chlorocresol	150	mg
Glycerol	5	ml
Purified Water, freshly boiled and cooled to	100	g

7660E CETRIMIDE, AQUEOUS (APF) (Cetrimide BPC)

Cetrimide	500	mg
Cetostearyl Alcohol	5	g
Liquid Paraffin	50	g
Purified Water, freshly boiled and cooled to	100	g

PRESCRIPTION

7490F CHLORHEXIDINE, AQUEOUS (APF) (Chlorhexidine BPC)

Chlorhexidine Gluconate Solution	5	ml
Cetomacrogol Emulsifying Wax	25	g
Liquid Paraffin	10	g
Purified Water, freshly boiled and cooled to	100	g

7318E COAL TAR and ZINC, OILY (APF)

Coal Tar, BPC	1	g
Castor Oil	1	g
Zinc Cream Oily, APF	98	g

7499Q COLD (APF)

White Beeswax	17	g
Liquid Paraffin	45	g
Borax	1	g
Purified Water, freshly boiled and cooled	37	g

7664J GLYCEROL, OILY (APF)

Glycerol	20	g
Calcium Hydroxide Solution	32	ml
Arachis Oil	22	g
Wool Fat	26	g

7665K ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol	5	g
Cetostearyl Alcohol	3	g
Wool Fat	10	g
Zinc Cream Oily APF	82	g

9556Y OILY (APF)

Wool Alcohols Ointment, APF	50	g
Purified Water, freshly boiled and cooled	50	ml

7892J SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

Salicylic Acid	2	g
Resorcinol	2	g
Aqueous Cream, APF to	100	g

7893K SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

Salicylic Acid	2	g
Precipitated Sulphur	2	g
Spike Lavender Oil	0.5	ml
Aqueous Cream, APF to	100	g

7667M ZINC, OILY (APF)

Zinc Oxide	32	g
Oleic Acid	0.5	ml
Arachis Oil	21.5	ml
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	ml

PRESCRIPTION

CREAMS—continued

7654W ZINC, WEAK (PL)

Zinc Oxide	5	g
Oleic Acid	0.5	ml
Arachis Oil	38.5	ml
Wool Fat	25	g
Calcium Hydroxide Solution	34.5	ml

DUSTING POWDERS

(Maximum Quantity 100 g and 1 Repeat)

7458M ZINC, STARCH and TALC (APF, BPC)

Zinc Oxide	25	g
Starch	25	g
Purified Talc, sterilised	50	g

EAR DROPS

(Maximum Quantity 15 ml and 2 Repeats)

7642F ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution	9	ml
Purified Water, freshly boiled and cooled to	15	ml

7317D BORIC ACID (APF)

Boric Acid	300	mg
Alcohol (90 per cent)	3	ml
Purified Water, freshly boiled and cooled to	15	ml

7487C CHLORHEXIDINE (APF)

Chlorhexidine Acetate	7.5	mg
Purified Water, freshly boiled and cooled to	15	ml

7645J ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

7316C PHENYLMERCURIC NITRATE (APF)

Phenylmercuric Nitrate	15	mg
Propylene Glycol	7.5	ml
Purified Water, freshly boiled and cooled to	15	ml

7315B SALICYLIC ACID (APF)

Salicylic Acid	300	mg
Alcohol (90 per cent)	7.5	ml
Purified Water, freshly boiled and cooled to	15	ml

7314Y SODIUM BICARBONATE (APF, BPC)

Sodium Bicarbonate	750	mg
Glycerol	4.5	ml
Purified Water, freshly boiled and cooled to	15	ml

PRESCRIPTION

7313X SPIRIT (APF)

Alcohol (90 per cent)	7.5	ml
Purified Water, freshly boiled and cooled to	15	ml

ELIXIRS

(Maximum Quantity 100 ml and 4 Repeats)

7946F EPHEDRINE (APF)

Ephedrine Hydrochloride	20	mg
Aromatic Syrup, APF	2	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7948H PHENOBARBITONE (APF)

Phenobarbitone	15	mg
Alcohol (90 per cent)	2	ml
Glycerol	1.5	ml
Aromatic Syrup, APF	1	ml
Purified Water to	5	ml

INHALATIONS

(Maximum Quantity 50 ml and 1 Repeat)

7485Y BENZOIN (PL)

Benzoin Tincture, Compound BPC	50	ml

8577K BENZOIN, COMPOUND (PL)

Menthol	1	g
Oil of Siberian Fir	2.5	ml
Benzoin Tincture, Compound BPC to	50	ml

7484X BENZOIN and MENTHOL (PL) (APF)

Menthol	1	g
Benzoin Tincture, Compound BPC to	50	ml

8576J MENTHOL, COMPOUND (PL)

Menthol	1	g
Creosote	1	ml
Oil of Siberian Fir	2	ml
Alcohol (90 per cent) to	50	ml

7310R MENTHOL and EUCALYPTUS (BPC)

Menthol	1	g
Eucalyptus Oil	5	ml
Light Magnesium Carbonate	3.5	g
Purified Water to	50	ml

7309Q MENTHOL and PINE (APF)

Menthol	1	g
Pumilio Pine Oil	2.5	ml
Alcohol (90 per cent) to	50	ml

PRESCRIPTION

LINCTUSES

(Maximum Quantity 100 ml and 2 Repeats)

7494K CAMPHOR, COMPOUND (APF)

Compound Camphor Spirit	1	ml
Squill Oxymel	1	ml
Glycerol	1.5	ml
Tolu Syrup to	5	ml

8618N CODEINE (APF)

Codeine Phosphate	25	mg
Purified Water	0.5	ml
Glycerol	1	ml
Squill Oxymel	2	ml
Syrup to	5	ml

8620Q SIMPLE (APF)

Citric Acid	125	mg
Concentrated Chloroform Water	0.15	ml
Amaranth Solution	0.075	ml
Concentrated Anise Water	0.05	ml
Syrup to	5	ml

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

7884Y CAMPHOR (APF, BP)

Camphor	20	g
Arachis Oil	80	g

7481R METHYL SALICYLATE (APF, BPC)

Methyl Salicylate	25	ml
Arachis Oil to	100	ml

7480Q METHYL SALICYLATE, COMPOUND (APF)

Menthol	4	g
Eucalyptus Oil	10	ml
Methyl Salicylate	25	ml
Arachis Oil to	100	ml

7307N SOAP (APF, BPC)

Camphor	4	g
Oleic Acid	4	g
Potassium Hydroxide Solution (5 per cent)	14	ml
Alcohol (90 per cent)	70	ml
Rosemary Oil	1.5	ml
Purified Water to	100	ml

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

7629M CALAMINE (APF, BP)

Calamine	30	g
Zinc Oxide	10	g
Bentonite, sterilised	6	g
Sodium Citrate	1	g
Liquefied Phenol	1	ml
Glycerol	10	ml
Purified Water, freshly boiled and cooled to	200	ml

PRESCRIPTION

7630N CALAMINE, OILY (APF, BPC)

Calamine	10	g
Wool Fat	2	g
Arachis Oil	100	ml
Oleic Acid	1	ml
Calcium Hydroxide Solution to	200	ml

8793T RESORCINOL, COMPOUND (APF)

Resorcinol	5	g
Solvent Ether	5	ml
Castor Oil	5	ml
Spike Lavender Oil	0.2	ml
Alcohol (90 per cent) to	200	ml

7633R SULPHURATED (APF)

Zinc Sulphate	10	g
Sulphurated Potash	10	g
Acetone	10	ml
Glycerol	10	ml
Spike Lavender Oil	0.4	ml
Purified Water, freshly boiled and cooled to	200	ml

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

7901W ALUMINIUM HYDROXIDE and BELLADONNA (APF)

Belladonna Tincture	0.5	ml
Citric Acid	100	mg
Concentrated Chloroform Water	0.2	ml
Aluminium Hydroxide Gel to	10	ml

7382M AMINOPHYLLINE COMPOUND (PL)

Phenobarbitone Sodium	20	mg
Ephedrine Hydrochloride	15	mg
Potassium Iodide	500	mg
Aminophylline	100	mg
Liquorice Liquid Extract	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7905C ASPIRIN (APF)

Aspirin	500	mg
Compound Tragacanth Powder	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

7384P CAFFEINE, IODIDE and EPHEDRINE (PL)

Synonym: C.I.E. Mixture

Caffeine	150	mg
Sodium Iodide	500	mg
Ephedrine Hydrochloride	20	mg
Tolu Syrup	4	ml
Spirit of Aniseed	0.06	ml
Purified Water to	10	ml

PRESCRIPTION			PRESCRIPTION		
MIXTURES—continued			7909G MAGNESIUM TRISILICATE (APF)		
7303J CHALK and KAOLIN (APF)			Magnesium Trisilicate 1 g		
Chalk 1.5 g			Calcium Carbonate 500 mg		
Light Kaolin or Light Kaolin (Natural) 2.5 g			Light Magnesium Carbonate 500 mg		
Potash Alum 10 mg			Concentrated Peppermint Water 0.25 ml		
Concentrated Chloroform Water 0.25 ml			Concentrated Chloroform Water .. 0.25 ml		
Purified Water to 10 ml			Purified Water to 10 ml		
7906D CHLORAL (APF)			7910H POTASSIUM CHLORIDE (APF)		
Chloral Hydrate 1 g			Potassium Chloride 1 g		
Orange Syrup, APF 1 ml			Lemon Syrup, APF 2 ml		
Concentrated Chloroform Water 0.25 ml			Concentrated Chloroform Water 0.25 ml		
Purified Water to 10 ml			Purified Water to 10 ml		
7908F FERROUS SULPHATE (APF)			7911J POTASSIUM CITRATE (APF)		
Ferrous Sulphate 300 mg			Potassium Citrate 2 g		
Ascorbic Acid 10 mg			Citric Acid 400 mg		
Orange Syrup, APF 0.5 ml			Lemon Syrup, APF 1 ml		
Concentrated Chloroform Water 0.25 ml			Concentrated Chloroform Water 0.2 ml		
Purified Water to 10 ml			Purified Water to 10 ml		
7603E GENTIAN, ACID (PL)			7932L POTASSIUM CITRATE and SODIUM BICARBONATE (APF)		
Concentrated Compound Gentian Infusion 1 ml			Potassium Citrate 1 g		
Dilute Hydrochloric Acid 0.5 ml			Sodium Bicarbonate 750 mg		
Concentrated Chloroform Water 0.25 ml			Orange Syrup, APF 1 ml		
Purified Water to 10 ml			Concentrated Chloroform Water 0.2 ml		
7604F GENTIAN, ALKALINE (APF)			Purified Water to 10 ml		
Concentrated Compound Gentian Infusion 1 ml			7618Y POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)		
Sodium Bicarbonate 500 mg			Synonym: Lobelia and Stramonium Mixture		
Concentrated Chloroform Water 0.25 ml			Potassium Iodide 250 mg		
Purified Water to 10 ml			Stramonium Tincture 0.5 ml		
7492H IPECACUANHA and SQUILL (APF)			Lobelia Tincture, Ethereal .. 0.5 ml		
Synonym: Cough Mixture			Aromatic Ammonia Spirit 0.5 ml		
Ipecacuanha Tincture 0.25 ml			Liquorice Liquid Extract 0.5 ml		
Compound Camphor Spirit 1 ml			Concentrated Chloroform Water 0.25 ml		
Tolu Syrup 1 ml			Purified Water to 10 ml		
Squill Oxymel 1 ml			7491G SENEGA and AMMONIA (APF)		
Concentrated Chloroform Water 0.15 ml			Ammonium Bicarbonate 250 mg		
Concentrated Anise Water 0.15 ml			Compound Camphor Spirit 1 ml		
Purified Water to 10 ml			Liquorice Liquid Extract 0.5 ml		
7301G KAOLIN and OPIUM (APF)			Concentrated Senega Infusion 0.5 ml		
Light Kaolin or Light Kaolin (Natural) 2.5 g			Concentrated Chloroform Water 0.25 ml		
Potash Alum 10 mg			Purified Water to 10 ml		
Opium Tincture 0.5 ml			7933M SODIUM CITRATE (APF)		
Concentrated Chloroform Water 0.25 ml			Sodium Citrate 2 g		
Purified Water to 10 ml			Citric Acid 400 mg		
			Lemon Syrup, APF 1 ml		
			Concentrated Chloroform Water 0.2 ml		
			Purified Water to 10 ml		

PRESCRIPTION

MIXTURES—continued**7623F SODIUM SALICYLATE (APF)**

Sodium Salicylate	1	g
Liquorice Liquid Extract	0.25	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

7576R DEXTROSE and GLYCEROL (APF)

Dextrose	3	g
Glycerol to	15	ml

7574P EPHEDRINE (APF)

Ephedrine Hydrochloride	150	mg
Chlorbutol	75	mg
Sodium Chloride	75	mg
Propylene Glycol	0.75	ml
Purified Water, freshly boiled and cooled to	15	ml

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

9497W BENZOIC ACID, COMPOUND (APF, BPC)

Benzoic Acid in fine powder	6	g
Salicylic Acid in fine powder ..	3	g
Emulsifying Ointment	91	g

7918R EMULSIFYING (APF, BP)

Emulsifying Wax	30	g
White Soft Paraffin	50	g
Liquid Paraffin	20	g

9592W RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol	2	g
Precipitated Sulphur	3	g
Salicylic Acid	1	g
White Simple Ointment	94	g

7926E SALICYLIC ACID (APF)

Salicylic Acid	2	g
Wool Alcohols Ointment APF	98	g

PRESCRIPTION

7927F SIMPLE (APF, BP)

(White Simple Ointment)

Wool Fat	5	g
Hard Paraffin	5	g
Cetostearyl Alcohol	5	g
White Soft Paraffin	85	g

7899R ZINC and CASTOR OIL (APF, BP)

Zinc Oxide	7.5	g
Castor Oil	50	g
Cetostearyl Alcohol	2	g
White Beeswax	10	g
Arachis Oil	30.5	g

7896N ZINC OXIDE (APF)

(Zinc BP)

Zinc Oxide	15	g
White Simple Ointment	85	g

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

7562B ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

9771G MAGENTA (APF)

Magenta	100	mg
Resorcinol	2	g
Phenol	1	g
Boric Acid	200	mg
Alcohol (90 per cent)	2	ml
Acetone	1	ml
Purified Water to	25	ml

7566F PODOPHYLLIN (APF)

Podophyllum Resin	1.25	g
Benzoïn Tincture, Compound to ..	25	ml

7567G PODOPHYLLIN, STRONG (APF)

(Podophyllin, Compound BPC)

Podophyllum Resin	3.75	g
Benzoïn Tincture, Compound to ..	25	ml

7568H SALICYLIC ACID (APF)

Salicylic Acid	2.5	g
Flexible Collodion to	25	ml

PASTES

(Maximum Quantity 100 g and 1 Repeat)

7555P COAL TAR and ZINC (APF)

Coal Tar, BPC	1	g
Castor Oil	1	g
Compound Zinc Paste	98	g

PRESCRIPTION

PAINTS—*continued*

9740P DITHRANOL and ZINC (APF)

Dithranol	100	mg
Zinc and Salicylic Acid Paste ..	99.9	g

9742R TITANIUM DIOXIDE (APF)

Titanium Dioxide	20	g
Calamine	25	g
Light Kaolin or Light Kaolin (Natural)	10	g
Bentonite, sterilised	1	g
Chlorocresol	100	mg
Glycerol	15	g
Purified Water, freshly boiled and cooled to	100	g

7558T ZINC, COMPOUND (APF, BP)

Zinc Oxide	25	g
Starch	25	g
White Soft Paraffin	50	g

PRESCRIPTION

7559W ZINC and SALICYLIC ACID (APF)

Salicylic Acid	2	g
Liquid Paraffin	2	g
Compound Zinc Paste	96	g

POWDERS

(Maximum Quantity 100 g and 2 Repeats)

7477M ALUMINIUM and MAGNESIUM
TRISILICATE (APF)

Dried Aluminium Hydroxide Gel	10	g
Magnesium Trisilicate	50	g
Light Kaolin or Light Kaolin (Natural)	40	g

7549H MAGNESIUM and CALCIUM CARBONATE
(APF)

Calcium Carbonate	25	g
Heavy Magnesium Carbonate	25	g
Magnesium Trisilicate	50	g
Peppermint Oil	0.2	ml

SECTION 5 — PRESCRIBERS' LIST — CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100 ml and 4 Repeats)

7782N ALUMINIUM HYDROXIDE and KAOLIN (APF)

Light Kaolin or Light Kaolin (Natural)	1	g
Sodium Citrate	5	mg
Concentrated Chloroform Water ..	0.1	ml
Aluminium Hydroxide Gel to	5	ml

7783P ASPIRIN (APF)

Aspirin	150	mg
Compound Tragacanth Powder	100	mg
Raspberry Syrup	1	ml
Concentrated Chloroform Water ..	0.1	ml
Purified Water to	5	ml

7784Q ATROPINE METHONITRATE (APF)

Atropine Methonitrate	0.5	mg
Lemon Syrup, APF	0.5	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7785R BELLADONNA (APF)

Belladonna Tincture	0.1	ml
Orange Syrup, APF	1	ml
Glycerol	1	ml
Benzoic Acid Solution, APF	0.1	ml
Purified Water to	5	ml

7786T CALCIUM and KAOLIN (APF)

Calcium Carbonate	500	mg
Light Kaolin or Light Kaolin (Natural)	1	g
Potash Alum	5	mg
Concentrated Chloroform Water ..	0.1	ml
Purified Water to	5	ml

7787W CHLORAL (APF)

Chloral Hydrate	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

PRESCRIPTION

7788X FERROUS GLUCONATE (APF)

Ferrous Gluconate	200	mg
Dextrose	500	mg
Orange Syrup, APF	1	ml
Citric Acid	25	mg
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7789Y FERROUS SULPHATE (APF)

Ferrous Sulphate	100	mg
Ascorbic Acid	5	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7493J IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture	0.1	ml
Compound Camphor Spirit	0.25	ml
Squill Oxymel	1	ml
Purified Water to	5	ml

7791C POTASSIUM CITRATE (APF)

Potassium Citrate	1	g
Citric Acid	200	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7786G POTASSIUM IODIDE (APF)

Potassium Iodide	100	mg
Liquorice Liquid Extract	0.25	ml
Aromatic Ammonia Spirit	0.1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

7587H POTASSIUM IODIDE and EPHEDRINE (APF)

Potassium Iodide	100	mg
Ephedrine Hydrochloride	10	mg
Stramonium Tincture	0.2	ml
Aromatic Ammonia Spirit	0.1	ml
Liquorice Liquid Extract	0.2	ml
Concentrated Chloroform Water ...	0.1	ml
Purified Water to	5	ml

7792D SODIUM CITRATE (APF)

Sodium Citrate	1	g
Citric Acid	200	mg
Lemon Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

SECTION 6 — CONTAINER PRICES, FEES, STANDARD PACKS AND PRICES, FOR READY PREPARED PREPARATIONS DECEMBER 1977

CONTAINER PRICES FOR QUANTITIES OF READY PREPARED PREPARATIONS LESS THAN MAXIMUM

Injectibles 150 ml vial, 17c

Other items 25 ml vial, 6c

(The 25 ml is the most commonly used size)

Fees—

Ready prepared professional fee \$1.07

Dangerous drug fee 50c

NOTE:—Standard packs and prices (including mark up, but without professional fee and dangerous drug fee) are for items against the price of which an asterisk (*) is shown in the Schedule.

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2811Y	Acetylcholine Chloride	1%, 2ml	1 @ 4.93	CP
3073R	Amino Acid Formula without Phenylalanine	200g	1 @ 26.67	GL
3071P		250g	1 @ 53.33	MN
3072Q		250g	1 @ 65.67	MN
1049F	Amylobarbitone	15mg	100 @ 0.53	FA, FM, LY, PT
1050G		30mg	100 @ 0.63	FA, FM, KL, LY, PT, VR
1051H		50mg	100 @ 0.68	FA, FM, LY, PT, VR
2652N	Amylobarbitone Sodium	50mg	100 @ 1.07	AV, FM, LY
1058Q		250mg	1 @ 1.20	LY
1059R		500mg	1 @ 1.60	LY
2532G	Angiotensin Amide	2.5mg	10 @ 14.67	CB
1980F	Antivenene - Red Back Spider	500 Units	1 @ 8.80	CS
3038X	Benztropine	2mg in 2ml	1 @ 1.27	MK
2647H	Benzylpenicillin	3g	1 @ 2.13	GL
			5 @ 10.67	CS
2648J		6g	1 @ 2.93	CS, GL
1116R	Betamethasone	4mg in 1ml	1 @ 1.37	SH
1071J	Bethanechol	5mg in 1ml	1 @ 0.95	MK
1133P	Butobarbitone	100mg	100 @ 1.60	PT
2817G	Capreomycin	1g	1 @ 3.75	LY
2494G	Cephaloridine	500mg	1 @ 3.08	GL
2643D		1g	1 @ 5.88	GL
2964B	Cephalothin Sodium	1g	1 @ 4.32	GL, LY
1256D	Cephazolin Sodium	500mg	1 @ 3.93	LY
1257E		1g	1 @ 7.61	LY
1163F	Chlorambucil	2mg	25 @ 5.47	BW
1164G		5mg	25 @ 8.40	BW
1167K	Chloramphenicol	1g	1 @ 2.40	PD
1185J	Chloroquine	2ml	10 @ 4.00	MB
3021B	Cholera Vaccine	1ml	1 @ 1.12	CS
2967E	Cholestyramine	50%, 9g sachets	1 @ 15.20	MJ
1210Q	Clemizole	20mg	100 @ 2.00	SC
1222H	Codeine Phosphate with Aspirin and Paracetamol	30mg - 225mg - 150mg	50 @ 3.20	BW, GP
3111R	Colaspase	10,000 Units	1 @ 38.00	MB
2621Y	Colistin	150mg	1 @ 6.83	WW
1079T	Cyclophosphamide	500mg	1 @ 3.20	MJ
1798P	Cyproheptadine	4mg	50 @ 1.52	FR
2910E	Cytarabine	100mg set	1 @ 8.00	UP
3114X	Daunorubicin	20mg	1 @ 26.67	MB
2509C	Dexamethasone	4mg in 1ml	1 @ 1.47	FR, MK
1291Y		8mg in 2ml	1 @ 2.53	FR, MK
2701E	Dextromoramide	5mg in 1ml	5 @ 3.20	FA
1333E	Diloxanide Furoate	500mg	15 @ 2.93	BT
1342P	Diphtheria Antitoxin	1,000 Units	1 @ 3.33	CS
1344R		10,000 Units	1 @ 15.33	CS
1341N	Diphtheria and Tetanus Vaccine Adsorbed	0.5ml	1 @ 1.07	CS
3019X	Diphtheria and Tetanus Vaccine Adsorbed, Diluted for Adult Use	0.5ml	1 @ 1.09	CS
1346W	Diphtheria, Tetanus and Pertussis Vaccine, Adsorbed	0.5ml	1 @ 1.13	CS
1348Y	Diphtheria Vaccine, Adsorbed	0.5ml	1 @ 1.20	CS
3020Y	Diphtheria Vaccine, Adsorbed Diluted for Adult Use	0.5ml	1 @ 1.13	CS

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1398N	Erythromycin	300mg	1 @ 4.00	AB
3166P	Ethinodiol Diacetate with Ethinyl- oestradiol	500mcg - 50mcg	1 @ 1.04	SR
3167Q		1mg - 50mcg	1 @ 1.04	SR
2447T		Tablet-Pack	1 @ 1.04	SR
3168R		Tablet-Pack	1 @ 1.04	SR
3169T	Ethinodiol Diacetate with Mestr- anol	500mcg-100mcg	1 @ 1.04	SR
3170W		1mg - 100mcg	1 @ 1.04	SR
3171X		2mg - 100mcg	1 @ 1.04	SR
1436N	Folic Acid	15mg in 1ml	5 @ 2.40	AB
1441W	Gas Gangrene Antitoxin (Oedematiens)	10,000 Units	1 @ 18.67	CS
1446D	Gas Gangrene Antitoxin (Perfring.)	10,000 Units	1 @ 19.20	CS
1444B	Gas Gangrene Antitoxin (Septicum)	5,000 Units	1 @ 19.73	CS
2699C	Gas Gangrene Antitoxin - Mixed (Polyvalent)	25,000 Units	1 @ 22.00	CS
2824P	Gentamicin Sulphate	80mg in 2ml	1 @ 5.33	RL,SH
1027C	Goats' Milk	Powder 1 lb	1 @ 4.96	GV
2654Q		Powder 450g	1 @ 4.84	CG
			1 @ 4.96	CE
2656T		375ml	1 @ 0.63	CG
			1 @ 0.67	TM
1467F	Heparin	5,000 Units in 1ml	1 @ 1.33	WP
1468G		25,000 Units in 5ml	1 @ 4.00	BT,CS,WP
1076P		35,000 Units in 35ml	1 @ 8.00	CS
1235B	Heparin Calcium	5,000 Units in 0.5ml	1 @ 1.33	CS
1053K		12,500 Units in 0.5ml	1 @ 3.00	CS
1054L		25,000 Units in 1ml	1 @ 4.00	CS
1498W	Hydrocortisone Acetate	25mg in 1ml	1 @ 0.67	MK
1501B	Hydrocortisone Sodium Succinate	100mg Set	1 @ 2.67	GL,NR,PT,UP
2757D	Indomethacin	100mg	10 @ 3.47	MK
1523E	Insulin	20 Units per ml, 10ml	1 @ 2.67	CS
1525G		40 Units per ml, 10ml	1 @ 2.93	BT,BW,CS,NO, WP
1527J		80 Units per ml, 10ml	1 @ 4.27	BT,BW,CS,NO
1529L		160 Units per ml, 10ml	1 @ 10.67	CS
1530M		300 Units per ml, 5ml	1 @ 10.67	CS
1531N	(Specially Purified)	40 Units per ml, 10ml	1 @ 8.33	CS
1542E	(Porcine)	40 Units per ml, 10ml	1 @ 4.40	CS
2580T	Insulin Biphasic	40 Units per ml, 10ml	1 @ 3.77	NO
2581W		80 Units per ml, 10ml	1 @ 7.07	NO

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1534R	Insulin Isophane (N.P.H.)	40 Units per ml, 10ml	1 @ 3.67	AH,BT,BW,CS, WP
1535T		80 Units per ml, 10ml	1 @ 5.33	AH,BT,BW,CS, WP
1536W		160 Units per ml, 10ml	1 @ 12.00	CS
1537X	(specially purified)	40 Units per ml, 10ml	1 @ 6.53	CS
1549M	(Porcine)	40 Units per ml, 10ml	1 @ 6.33	CS
1550N		80 Units per ml, 10ml	1 @ 11.33	CS
2578Q	Insulin Neutral	40 Units per ml, 10ml	1 @ 2.99	NO
2579R		80 Units per ml, 10ml	1 @ 5.65	NO
1517W	Insulin Neutral Specially Purified	40 Units per ml, 10ml	1 @ 3.76	NO
1518X		80 Units per ml, 10ml	1 @ 6.80	NO
1539B	Insulin Protamine Zinc	40 Units per ml, 10ml	1 @ 3.07	BT,BW,CS,WP
1541D		80 Units per ml, 10ml	1 @ 4.67	BW,CS
1543F	Insulin Zinc Suspension	40 Units per ml, 10ml	1 @ 3.00	BT,BW,CS,NO
1544G		80 Units per ml, 10ml	1 @ 4.27	BT,BW,CS,NO
1515R	Insulin Zinc Suspension Specially Purified	40 Units per ml, 10ml	1 @ 4.24	NO
1516T		80 Units per ml, 10ml	1 @ 7.47	NO
1545H	Insulin Zinc Suspension (Amorphous)	40 Units per ml, 10ml	1 @ 2.93	BT,BW,CS,NO
1546J	Insulin Zinc Suspension (Amorphous)	80 Units per ml, 10ml	1 @ 4.27	BT,BW,CS,NO
1519Y	Insulin Zinc Suspension (Amorphous) Specially Purified	40 Units per ml, 10ml	1 @ 4.24	NO
1520B		80 Units per ml, 10ml	1 @ 7.47	NO
1547K	Insulin Zinc Suspension (Crystalline)	40 Units per ml, 10ml	1 @ 4.27	BT,BW,CS,NO
1548L		80 Units per ml, 10ml	1 @ 5.33	BT,BW,CS,NO
1563G	Kanamycin	500mg	1 @ 1.92	BC
1564H		1g	1 @ 2.56	BC
1301L	Lynoestrenol with Ethinyl- oestradiol	1mg-50mcg	1 @ 1.04	OR
1302M		Tablet-Pack	1 @ 1.04	OR
3172Y	Lynoestrenol with Mestranol	1mg-100mcg	1 @ 1.04	CB
3173B		2.5mg - 75mcg	1 @ 1.04	CB,OR
2401J	Lypressin	50 Units per ml, 5ml	1 @ 3.84	SZ

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2547C	Melphalan	2mg	25 @ 7.33	BW
2548D		5mg	25 @ 12.67	BW
1598D	Mercaptopurine	50mg	25 @ 11.93	BW
1608P	Methadone	5mg	100 @ 2.67	BW
1609Q		10mg	100 @ 3.20	BW
1612W	Methdilazine	4mg	50 @ 1.20	AH,MJ
1613X		8mg	50 @ 1.35	AH,MJ
1619F	Methenolone Acetate	1mg	50 @ 1.60	SC
1620G		5mg	50 @ 4.80	SC
2393Y	Methotrexate	5mg	1 @ 4.00	LE
2394B		50mg	1 @ 12.00	LE
2981X	Methylprednisolone Sodium Succinate	40mg (base) in 1ml	1 @ 2.67	UP
3092R	Milk Powder - Synthetic	14oz	1 @ 6.00	MN
1637E		397g	1 @ 6.00	MN
2685H		454g	1 @ 22.40	MN
1924G	Mithramycin	2.5mg	1 @ 18.83	PF
1681L	Niclosamide	500mg	4 @ 1.67	BN
1967M	Norethisterone	350mcg	1 @ 1.04	ET,SD
3176E	Norethisterone with Mestranol	1mg - 50mcg	1 @ 1.04	ET,SD
3177F		1mg - 80mcg	1 @ 1.04	ET
3178G		2mg - 100mcg	1 @ 1.04	ET,SD
3179H		Tablet-Pack	1 @ 1.04	SD
3180J	Norethisterone Acetate with Ethinyloestradiol	1mg - 50mcg	1 @ 1.04	SC
3181K		3mg - 50mcg	1 @ 1.04	SC
3182L		4mg - 50mcg	1 @ 1.04	SC
3183M		Tablet-Pack	1 @ 1.04	PD,SC
3184N		Tablet-Pack	1 @ 1.04	PD
3185P	Norethynodrel with Mestranol	2.5mg - 100mcg	1 @ 1.04	SR
2913H	Norgestrel	30mcg	1 @ 1.04	SC,WY
1393H	Norgestrel with Ethinyloestradiol	150mcg-30mcg	1 @ 1.04	SC,WY
3186Q		250mcg - 50mcg	1 @ 1.04	SC,WY
1442X		500mcg - 50mcg	1 @ 1.04	SC
3187R		500mcg - 50mcg	1 @ 1.04	SC,WY
1394J		Tablet-Pack	1 @ 1.04	SC,WY
3188T	Norgestrel with Ethinyloestradiol	Tablet-Pack	1 @ 1.04	SC,WY
3189W		Tablet-Pack	1 @ 1.04	SC,WY
2564Y	Nutramigen	500g	1 @ 7.60	MJ
1759N	Pempidine	5mg	50 @ 1.71	MB
2722G	Penicillamine	250mg	50 @ 21.00	MK
1814L	Pentobarbitone Sodium	30mg	100 @ 0.60	PR,QE,RY
2407Q	Peritoneal Dialysis Solution	0.5% Anhydrous Dextrose 2 litres	1 @ 4.67	TV
2410W		1.5% Anhydrous Dextrose 1 litre	1 @ 2.67	AB
2889C		1.5% Anhydrous Dextrose 2 litres	1 @ 4.67	TV
2408R		2.5% Anhydrous Dextrose 2 litres	1 @ 4.67	TV
3192B		4.25% Anhydrous Dextrose 1 litre	1 @ 2.67	AB
2890D		4.25% Anhydrous Dextrose 2 litres	1 @ 4.67	TV
1827E	Pertussis Vaccine	20,000M in 0.5ml	1 @ 2.07	CS
1706T	Phenethicillin	125mg	25 @ 1.27	CS,SI
1707W		250mg	25 @ 1.76	CS,SI
1708X		125mg	25 @ 1.27	CS,SI
1709Y		250mg	25 @ 1.76	CS,SI
1702N	Phenoxymethylpenicillin	125mg	25 @ 1.20	AB,CS,FM,LY

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1703P	Phenoxymethylpenicillin	250mg	25 @ 1.65	AB,AV,BB,CS FA,FM,LF,LY, SI,VR
1704Q		125mg	25 @ 1.20	CS,FA,FM,LY, SI
1705R		250mg	25 @ 1.65	AB,AV,CS,FA, FM,LY,SI,VR
1865E	Phenylalanine Low Content Formula	2.51b	1 @ 30.00	MJ
2383K	Phytomenadione	10mg in 1ml	1 @ 1.13	MK
1901C	Plague Vaccine	1ml	1 @ 2.20	CS
2908C	Plasma Substitute	3.5%, 500ml	1 @ 7.57	HP
1919B	Prednisolone Acetate	10mg in 1ml	1 @ 1.07	SC
1941E	Procainamide	100mg per ml, 10ml	1 @ 1.93	SQ
2830Y	Propranolol	1mg in 1ml	10 @ 3.12	IC
1986M	Rolitetracycline	I.V. 110mg	1 @ 1.32	HP
1987N		I.V. 275mg	1 @ 2.32	HP
1989Q		I.M. 150mg	1 @ 1.32	HP
1990R		I.M. 350mg	1 @ 2.32	HP
1129K	Secbutobarbitone	15mg	100 @ 0.77	ET
1130L		30mg	100 @ 0.92	ET
1131M		50mg	100 @ 1.23	ET
2013Y	Sodium Aurothiomalate	1mg	1 @ 0.91	MB
2015C		5mg	1 @ 1.03	MB
2016D		10mg	1 @ 1.49	MB
2017E		20mg	1 @ 1.60	MB
2018F		50mg	1 @ 2.21	MB
3015Q	Sodium Bicarbonate	8.4%, 100ml	1 @ 2.57	AB
2040J	Soya Formula	375ml	1 @ 0.80	MJ
2039H		384ml	1 @ 0.80	RD
2837H		425g	1 @ 0.61	SA
3130R	Streptokinase	100,000 I.U.	1 @ 22.23	FA
2906Y		250,000 I.U.	1 @ 37.12	HP
2962X		600,000 I.U.	1 @ 39.43	FA
2907B		750,000 I.U.	1 @ 80.64	FA
2069X	Sulphadiazine Sodium	4ml	1 @ 94.88	HP
2599T	Testosterone Enanthate	100mg in 1ml	10 @ 6.53	MB
2114G		250mg in 1ml	3 @ 7.07	SC
2115H	Testosterone Propionate	25mg in 1ml	1 @ 6.67	SC
2116J		50mg in 1ml	3 @ 1.60	SC
2127Y	Tetanus Vaccine, Adsorbed	0.5ml	3 @ 2.80	CS
2636R	Tetracosactrin	250mcg I.V.	1 @ 0.93	CB
2135J	Tetracycline	250mg	1 @ 2.93	BC,BZ,CS,FM, GP,HP,LE,UP, VR
2827T	Tetracycline with Nystatin	250mg-250,000 Units	25 @ 1.93	SQ
2152G		250mg-250,000 Units	25 @ 2.07	BC,LE,UP
2146Y	Tetracycline (Buffered)	250mg	25 @ 1.93	BC,CS,FM,GP, HP,LE,UP
2947D	Thiabendazole	500mg	8 @ 1.87	MK
2368P	Thiethylperazine	6.5mg (base) in 1ml	5 @ 1.40	SZ
2345K	Thiotepa	15mg	1 @ 5.07	LE

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1355H	Tobramycin Sulphate	40mg	1 @ 3.51	LY
1356J		80mg	1 @ 5.60	LY
2686J	Triglycerides, Medium Chain	500g	1 @ 6.33	MJ
2679B		454g	1 @ 8.40	MJ
2800J	Typhoid Vaccine	0.5ml	1 @ 1.04	CS
2195M	Typhus Vaccine	1ml	1 @ 11.47	CS
3131T	Vancomycin Hydrochloride	500mg	1 @ 8.33	LY
2197P	Vasopressin Tannate	5 Units in 1ml	5 @ 8.27	PD
2371T	Vincristine	1mg	1 @ 15.91	LY
INTRAVENOUS FLUIDS FOR INJECTION				
2330P	Amino Acids with Alcohol, Vitamins and Electrolytes	5%-5%, 500ml	1 @ 10.93	PC
2766N	Amino Acids with Sorbitol	300 kcal	1 @ 8.80	PC
2328M	Amino Acids with Vitamins and Electrolytes	5%, 500ml	1 @ 10.13	PC
2329N		10%, 500ml	1 @ 13.33	PC
2305H	Dextran 40	10%-5%, 500ml	1 @ 8.00	FC
			1 @ 12.33	PS
2306J	Dextran 40	10%-0.9%, 500ml	1 @ 8.00	FC
			1 @ 12.33	PS
3081E	Dextran 70	6%-5%, 500ml	1 @ 7.67	PS
3082F		10%-5%, 500ml	1 @ 6.84	PS
3011L		6%-0.9%, 500ml	1 @ 7.67	PS
2245E	Dextrose Injection	5%, 1 litre	1 @ 2.53	AB,TV
2247G		10%, 1 litre	1 @ 2.93	AB,TV
2249J		20%, 1 litre	1 @ 2.93	AB,TV
2251L		25%, 1 litre	1 @ 2.93	AB,TV
2252M		50%, 500ml	1 @ 2.67	AB
3199J	Electrolyte Replacement Solution	1 litre	1 @ 2.93	AB,TV
2260Y	Sodium Chloride Injection	3%, 1 litre	1 @ 2.93	AB,TV
2262C		5%, 1 litre	1 @ 2.93	TV
2264E		0.9%, 1 litre	1 @ 2.13	VF
			1 @ 2.53	AB,TV
2266G	Sodium Chloride Compound BPC1959	1 litre	1 @ 2.93	AB,TV
2271M	Sodium Chloride Injection and Anhydrous Dextrose	0.9%-5%, 1 litre	1 @ 2.93	AB,TV
2273P		0.9%-10%, 1 litre	1 @ 2.93	AB,TV
2275R		0.9%-20%, 1 litre	1 @ 2.93	AB
2278X		0.45%-2.5%, 500ml	1 @ 2.53	AB,TV
2279Y		0.225%-3.75%, 500ml	1 @ 2.53	AB,TV
2281C		0.18%-4%, 1 litre	1 @ 2.53	AB,TV
2282D		0.18%-4.3%, 1 litre	1 @ 2.93	AB
2284F	Sodium Lactate	1 litre	1 @ 2.45	VF
			1 @ 2.93	AB
2286H	Sodium Lactate Compound	1 litre	1 @ 2.53	AB,TV
2288K	Sodium Lactate Compound and Anhydrous Dextrose	5%, 1 litre	1 @ 2.93	AB,TV
2293Q	Standard Maintenance Fluid	500ml	1 @ 2.53	AB

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and
ileostomy use

(P & Q) Preparations available for use by paraplegic
and quadriplegic patients

Proprietary Name	Manu- fac- turer	Name
Abbocillin	AB	Penicillin Products
Abbocillin-V	AB	Phenoxymethylpenicillin
Abbocillin-VK	AB	Phenoxymethylpenicillin
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actal	WL	Aluminium Hydroxide Gel Dried
Actidil	BW	Triprolidine
Actrapid M.C. Novo	NO	Insulin Neutral Specially Purified
Actrapid-Novo	NO	Insulin Neutral
Adacillin	AV	Phenoxymethylpenicillin
Adacor	AV	Hydrocortisone
Adaphol	AV	Pholcodine
Adaquin	AV	Quinine Sulphate
Adasol	AV	Aspirin (Soluble)
Adasone	AV	Prednisone
Adnisolone	AV	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Akineton	KN	Biperiden
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Alfercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Allerzine	VR	Diphenylpyraline
Almacarb Tablet	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amesec	LY	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Aminofusin	PC	Amino Acids with Sorbitol and Alcohol
Aminofusin 5%	PC	Amino Acids with Vitamins and Electrolytes
Aminofusin 10%	PC	Amino Acids with Vitamins and Electrolytes

Proprietary Name	Manu- fac- turer	Name
Aminofusin A 5% with Alcohol	PC	Amino Acids with Alcohol, Vitamins and Electrolytes
Aminofusin Standard	PC	Amino Acids with Sorbitol
Aminogran	GL	Amino Acid Formula without Phenylalanine
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	ME	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anacyclin	CB	Lynoestrenol with Mestranol
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	AH	Meclozine
Ancosal	AV	Sodium Salicylate
Ancotil	RO	Flucytosine
Androphyllin	ET	Aminophylline
Anginine Stabilised	BW	Glyceryl Trinitrate
Anovlar	SC	Norethisterone Acetate with Ethinyl- oestradiol
Ansolysen	MB	Pentolinium Tartrate
Antadine	EN	Amantadine Hydrochloride
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Apresoline	CB	Hydrallazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine	CS	Procaine Penicillin
Aquacaine G	CS	Procaine Penicillin
Aquacaine G Fortified	CS	Procaine Penicillin Fortified
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquamephyton	MK	Phytomenadione
Aquamide	RL	Frusemide
Aquamide M	RL	Frusemide
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Arfonad	RO	Trimetaphan

Proprietary Name	Manu- fac- turer	Name
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T.10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Aventyl	LY	Nortriptyline
Avil	HP	Pheniramine
Avilettes	HP	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
B		
Bactrim	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Baycaron	BN	Mefruside
B.A.Z.	KL	Zinc and Adrenaline
Becotide	AH	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Berotec	BY	Fenoterol Hydrobromide
Betacard	BR	Alprenolol
Betaloc	AP	Metoprolol
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate 1/2	GL	Betamethasone Valerate
Bicillin All Purpose	WY	Benzathine Penicillin Compound
Bidramine	AV	Diphenhydramine
Biogastrone	BQ	Carbenoxolone Sodium
Biomydrin	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bi-prin	BT	Aspirin
Biquin	AV	Quinine Bisulphate

Proprietary Name	Manu- fac- turer	Name
Bi-Quinate	KL	Quinine Bisulphate
Blenoxane	BC	Bleomycin
Bleph 10	AG	Sulphacetamide Sodium
Bramahist	ME	Chlorpheniramine
Bramcetamol	ME	Paracetamol
Bramcillin	ME	Phenoxymethylpenicillin
Bramcycline	ME	Oxytetracycline
Bramiron	ME	Ferrous Fumarate
Bram-Mycin	ME	Erythromycin
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Cloпамide
Bristin	BC	Ampicillin
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin 500	BC	Aspirin (Buffered)
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbutobarbitone
Butoroid	VR	Phenylbutazone
Buzon	KL	Phenylbutazone
C		
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Cal-tab	HA	Calcium
Camoquin	PD	Amodiaquine
Capadex	FM	Dextropropoxyphene Hydrochloride with Paracetamol
Caprilac	CG	Goats' Milk
Caprocin	LY	Capreomycin
Carbapen	CS	Carbenicillin
Carbazole	PT	Carbimazole
Cardiox	AV	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	AV	Quinidine Sulphate
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Carobel	MN	Ceratonina

Proprietary Name	Manu- fac- turer	Name
Catapres	BY	Clonidine
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celestone-M	SH	Betamethasone Valerate
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporan	GL	Cephaloridine
Cerubidin	MB	Daunorubicin
Char-Bon	LF	Charcoal (C & I)
Chlomin	KL	Chloramphenicol
Chloradorm	KL	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromycetin	PD	Chloramphenicol
Succinate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlortet	LF	Chlortetracycline
Chlorvescent	PT	Potassium Chloride
Choledyl	WW	Choline Theophyllinate
Chlotride	FR	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Cidomycin	RL	Gentamicin Sulphate
Cilicaine	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Citralka	PD	Sodium Acid Citrate
Citrapen	DL	Phenoxymethylpenicillin
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Closina	LY	Cycloserine
Codelcortone	MK	Prednisolone Tertiarybutylacetate
T.B.A.		
Codelsol	MK	Prednisolone Sodium Phosphate
Codiphen Forte	GP	Codeine Phosphate with Aspirin and Paracetamol

Proprietary Name	Manu- fac- turer	Name
Codral Forte	BW	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colly-seels	DY	Sterculia (C & I)
Coloplast	ED	Sterculia (C & I)
Coloxyl	FM	Diethyl Sodium Sulphosuccinate with Bisacodyl
Coloxyl 50	FM	Diethyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diethyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diethyl Sodium Sulphosuccinate with Danthron
Coluric	AV	Colchicine
Coly-Mycin Injection	WW	Colistin
Coly-Mycin Ear Drops	WW	Colistin with Neomycin
Combantrin	GP	Pyrantel Embonate
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrosyn Depot	OR	Tetracosactrin
Cotazym	OR	Pancrelipase
Coumadin	EN	Warfarin
Crasnitin	MB	Colaspase
Crema-Quin	HA	Clioquinol
Crystapen	GL	Benzylpenicillin
Cuprimine	MK	Penicillamine
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar	UP	Cytarabine
D		
Daktarin	ET	Miconazole Nitrate
Dalacin C	UP	Clindamycin
Dale	CE	Goats' Milk
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Debendox	ML	Dicyclomine with Doxylamine and Pyridoxine

Proprietary Name	Manu- fac- turer	Name
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decasone	FR	Dexamethasone
Decasone Shock Pak	FR	Dexamethasone
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "O"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Desferal	CB	Desferrioxamine
Dexacillin	SQ	Epicillin
Dex-Cit	RC	Sodium Citro-Tartrate
Dexmethsone	PT	Dexamethasone
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diabinese M	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	TV	Peritoneal Dialysis Solution
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator
Dichlotride	MK	Hydrochlorothiazide
Diclomyl	KL	Dicyclomine Hydrochloride
Di-Gesic	DL	Dextropropoxyphene Hydrochloride with Paracetamol
Digestelact	HS	Milk Powder - Cows' Milk, Processed
Dihydergot	SZ	Dihydroergotamine
Dijene Suspension	BT	Aluminium Hydroxide Gel with Magnesium Hydroxide
Dijene Tablet	BT	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Forte	PD	Phenytoin
Dilantin Infatabs	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone
Dilosyn	AH	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Dindevan	AH	Phenindione
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe

Proprietary Name	Manu- fac- turer	Name
Diubram	ME	Chlorothiazide
Diuret	PT	Chlorothiazide
Diurone	KL	Chlorothiazide
Doburil	BY	Cyclothiazide
Donnalix	RS	Belladonna Alkaloids
Donnatab	RS	Belladonna Alkaloids
Dormel	DH	Chloral Hydrate
Dormicum	PT	Nitrazepam
Doxin	GP	Doxycycline
D-Penamine	DL	Penicillamine
Droleptan	ET	Droperidol
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	PI	Lactulose
Durabolin	OR	Nandrolone Phenylpropionate
Durolax	BY	Bisacodyl
Duro-Tuss	RK	Pholcodine
Dyazide	SK	Hydrochlorothiazide with Triamterene
Dymadon	BW	Paracetamol
Dytac	SK	Triamterene
E		
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinyloestradiol
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elavil	FR	Amitriptyline
Elix-Nocte Forte	AV	Chloral Hydrate
Elixophyllin	CP	Theophylline
Elixophyllin-KI	CP	Theophylline with Potassium Iodide
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate
Ephedrobarbital	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital-T	FM	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Epifrin	AG	Adrenaline
Epinal	AQ	Adrenaline
Eppy	ET	Adrenaline
Eratrex	BC	Erythromycin

Proprietary Name	Manu- fac- turer	Name
Ergalan	AH	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Eskacef	SK	Cephadrine
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepihylline
Ethamolin	GL	Ethanolamine Oleate
Ethryn	FA	Erythromycin
Eucerin	SN	Wool Alcohols
Euglucon	FM	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Eumydrin	WL	Atropine Methonitrate
F		
Fabahistin	BN	Mebhydrolin
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Fasigyn	PF	Tinidazole
Fefol 2	SK	Ferrous Sulphate Dried with Folic Acid
Fenamine	FM	Pheniramine
Fenamine-M	FM	Pheniramine
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Gradumet	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
FML Liquifilm	AG	Fluorometholone
Folasic	AV	Folic Acid
Folettes	FM	Folic Acid
Fortral	WL	Pentazocine
Fortuss	GP	Dihydrocodeine Tartrate
Frusid	RO	Frusemide
Fucidin	SK	Fusidic Acid

Proprietary Name	Manu- fac- turer	Name
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
		G
Galactomin	MN	Milk Powder - Synthetic
Formula 17		
Galactomin	MN	Milk Powder - Synthetic
Formula 19		
Gantanol	SU	Sulphamethoxazole
Gantrisin	SU	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastroid	ME	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gaviscon	RC	Alginic Acid Compound
Gaviscon Infant	RC	Alginic Acid Compound
Gelox	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Glaucomide	PT	Acetazolamide
Glauccon	AQ	Adrenaline
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucose	MJ	Nutramigen
Nutramigen		
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gynergen	SZ	Ergotamine Tartrate
Gynovlar	SC	Norethisterone Acetate with Ethinyloestradiol
		H
Haelan	DL	Flurandrenolone
Haemaccel	HP	Plasma Substitute
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histaids	OD	Chlorpheniramine

Proprietary Name	Manu- fac- turer	Name
Histalert	RK	Diphenylpyraline
Histryl	SK	Diphenylpyraline
Histryl-P	SK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	MJ	Stilboestrol Diphosphate
Hostacycline	HP	Tetracycline
Hostacycline P	HP	Tetracycline (Buffered)
Hyalase	FC	Hyaluronidase
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydracycline Plain	FM	Tetracycline
Hydrea	SQ	Hydroxyurea
Hydrenox	BT	Hydroflumethiazide
Hydrocortone	MK	Hydrocortisone Acetate
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hynax	VR	Hydrocortisone
Hyperstat I.V.	SH	Diazoxide
Hypertensin	CB	Angiotensin Amide
Hysone-A	PT	Hydrocortisone Acetate
I		
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoral	BQ	Phenformin
Insoral TD	BQ	Phenformin
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	AV	Thiamine Hydrochloride
Iramil	KL	Imipramine
Ismelin	CB	Guanethidine
Iso-Autohaler	RK	Isoprenaline Sulphate
Isomil	RD	Soya Formula
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Sorbide Nitrate
Isordil Sublingual	AY	Sorbide Nitrate
Isotiny1	KL	Isoniazid
Isotrate	PD	Sorbide Nitrate
Isotrate Sublingual	PD	Sorbide Nitrate
Isuprel	WL	Isoprenaline Hydrochloride

Proprietary Name	Manu- fac- turer	Name
J		
Jectofer	AP	Iron Sorbitol
K		
Kabikinase	FA	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide Gel with Kaolin
Kaomagma	WY	Aluminium Hydroxide Gel with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karagum	PT	Sterculia (C & I)
Kay Ciel	CP	Potassium Chloride
Keflex	LY	Cephalexin
Keflin	LY	Cephalothin Sodium
Kefzol	LY	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Kloref	LP	Potassium Chloride
Klortee	PT	Chloramine (C & I)
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
L		
Lacril	AG	Hypromellose
Langesic	LP	Paracetamol
Lanocide	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lantuss	LP	Pholcodine
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	SU	Amitriptyline
Lasix	HP	Frusemide
Lasix-M	HP	Frusemide
Lasix High Dose	HP	Frusemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demeclocycline

Proprietary Name	Manu- fac- turer	Name
Lente Novo	NO	Insulin Zinc Suspension
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Levophed	WL	Noradrenaline
Lignosporin	BW	Polymyxin B Sulphate with Lignocaine
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CB	Baclofen
Liprinal	MJ	Clofibrate
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone Pivalate
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Lopresor	GE	Metoprolol
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane	IC	Gamma Benzene Hexachloride
Concentrate		
Lorinon	HP	Diazepam
Lostat	PD	Clofibrate
L.P.G.	CS	Benzathine Penicillin
L.P.V.	CS	Phenoxymethylpenicillin
L.P.V. Aqueous	CS	Phenoxymethylpenicillin
Forte		
Lyndiol 2.5	OR	Lynoestrenol with Mestranol
Lynoral	OR	Ethinylloestradiol
Lysivane	MB	Ethopropazine
		M
M & B 693	MB	Sulphapyridine
Maalox	RG	Magnesium-Aluminium Hydroxide
Macrodex	PS	Dextran 70
Magnoplasm	FA	Magnesium Sulphate
Mandelamine	WW	Hexamine Mandelate
Mandelamine	WW	Hexamine Mandelate
Hafgrams		
Manialith	MN	Lithium Carbonate
Marevan	AH	Warfarin
Marzine	BW	Cyclizine
Maxolon	BR	Metoclopramide Hydrochloride
MCT Oil	MJ	Triglycerides, Medium Chain

Proprietary Name	Manu- fac- turer	Name
Medihaler-Iso	RK	Isoprenaline Sulphate
Medrol	UP	Methylprednisolone
Medrol	UP	Methylprednisolone Acetate
Medrol Enpak	UP	Methylprednisolone Acetate
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Merasylin	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Methergin	SZ	Methylergometrine
Methopt	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metilar	SD	Paramethasone
Metin	CS	Methicillin
Mevasine	MK	Mecamylamine
Microcycin	CB	Lynoeestrenol with Mestranol
Microgynon 30	SC	Norgestrel with Ethinyloestradiol
Microgynon 30 ED	SC	Norgestrel with Ethinyloestradiol
Microlut 28	SC	Norgestrel
Micronor	ET	Norethisterone
Microval 28	WY	Norgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Magnesium Hydroxide
Milontin	PD	Phensuximide
Minajel	MG	Aluminium Hydroxide Gel
Minipress	PF	Prazosin Hydrochloride
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyl-oestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyl-oestradiol
Mintezol	MK	Thiabendazole
Miochol	CP	Acetylcholine Chloride
Mithracin	PF	Mithramycin
Modecate	SQ	Fluphenazine Decanoate
Moduretic	MK	Hydrochlorothiazide with Amiloride
Mogadon	RO	Nitrazepam
Monotard M.C. Novo	NO	Insulin Zinc Suspension Specially Purified
Mortha	WH	Morphine with Tacrine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin

Proprietary Name	Manu- fac- turer	Name
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Magnesium Hydroxide
Myleran	BW	Busulphan
Mylosed	VR	Amylobarbitone
Mylosed	VR	Amylobarbitone Sodium
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mytelase	WL	Ambenonium Chloride
N		
Nardil	WW	Phenelzine
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neogynon	SC	Norgestrel with Ethinyloestradiol
Neogynon ED	SC	Norgestrel with Ethinyloestradiol
Neomate	LF	Neomycin
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulactil	MB	Pericyazine
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nivaquine	MB	Chloroquine
Nobecutane	AH	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate

Proprietary Name	Manu- fac- turer	Name
Nordette 21	WY	Norgestrel with Ethinyloestradiol
Nordette 28	WY	Norgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordirol 21	WY	Norgestrel with Ethinyloestradiol
Nordirol 28	WY	Norgestrel with Ethinyloestradiol
Noriday	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl 1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyl- oestradiol
Normosol R	AB	Electrolyte Replacement Solution
Nortab	SQ	Nortriptyline
Noveril	SZ	Dibenzepin
Novosprin	VR	Aspirin (Soluble)
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
		0
Octaflex	WB	Acrylic Resin (C & I)
Omnopon	RO	Papaveretum
Omnopon- Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Optipen	CS	Phenethicillin
Optocort	PT	Prednisolone
Orabase	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Orahesive	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Oratrol	AQ	Dichlorphenamide
Orbenin	BR	Cloxacillin
Orisul	CB	Sulphaphenazole
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin High Potency	GL	Calciferol
Ovostat 22	OR	Lynoeestrenol with Ethinyloestradiol
Ovostat 28	OR	Lynoeestrenol with Ethinyloestradiol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovral 28	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5	SR	Ethinodiol Diacetate with Mestranol
Ovulen 1	SR	Ethinodiol Diacetate with Mestranol

Proprietary Name	Manu- fac- turer	Name
Ovulen 2	SR	Ethynodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 0.5/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Oxycycline	PT	Oxytetracycline
		P
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	NS	Aloxiprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Panacete	PR	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panamax	WL	Paracetamol
Panasma	PT	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Pancrex "V"	ST	Pancreatin
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	AV	Paracetamol
Paraspen	FC	Paracetamol
Parfenac	LE	Bufexamac
Parmol	KL	Paracetamol
Parnate	SK	Tranlylcypromine
Pasalba	RY	Sodium Aminosalicylate
Paxyl	FA	Benzalkonium Chloride
PCL	DH	Paracetamol
Pectolin	FA	Pholcodine
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pen-Cilin V	LF	Phenoxymethylpenicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Pentobeta	ME	Pentobarbitone Sodium
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Methyltestosterone
Periactin	FR	Cyproheptadine
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole

Proprietary Name	Manu- fac- turer	Name
Pertofran	GE	Desipramine
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Pfipen V	PF	Phenoxymethylpenicillin
Phenergan	MB	Promethazine
Phiacort	RS	Hydrocortisone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafucin	GB	Natamycin
Pimafucort Otic	GB	Natamycin, Neomycin Sulphate and Hydro- cortisone
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	MN	Amino Acid Formula without Phenylalanine
PK AID II	MN	Amino Acid Formula without Phenylalanine
Placemol	VR	Paracetamol
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	AV	Ferrous Aminoacetosulphate
Pluryl	SK	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Potavescent	PT	Potassium
Prantal	SH	Diphemaniol Methylsulphate
Precortisyl	RL	Prednisolone
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn-Depot	SC	Oestradiol Valerate
Primolut-N	SC	Norethisterone
Primolut Nor	SC	Norethisterone Acetate
Primoteston Depot	SC	Testosterone Enanthate
Primperan	BQ	Metoclopramide Hydrochloride
Pripsen	RC	Piperazine Phosphate
Proben	PT	Probenecid
Procalm	ME	Chlorpromazine
Procort	PR	Hydrocortisone
Prodepress	ME	Imipramine
Progan	AV	Promethazine

Proprietary Name	Manu- fac- turer	Name
Progout	PT	Allopurinol
Proladone	CK	Oxycodone
Promacid	KL	Chlorpromazine
Prominal	WL	Methylphenobarbitone
Pronestyl	SQ	Procainamide
Propaderm	AH	Beclomethasone Dipropionate
Pro-Pam	PT	Diazepam
Propred	ME	Prednisone
Proquinal	PT	Quinalbarbitone Sodium
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prosul	LE	Sulphasymazine
Prothazine	KL	Promethazine
Protona	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin 500	DH	Aspirin (Soluble)
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	KL	Pyridoxine Hydrochloride
Q		
Quatrax	VR	Tetracycline
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin
Quinate	KL	Quinine Sulphate
Quinbar	AV	Quinalbarbitone Sodium
Quinbisan	PR	Quinine Bisulphate
Quincardine	FM	Quinidine Sulphate
Quinidex LA	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinoctal	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate
Quitaxon	FM	Doxepin
R		
Rapitard-Novo	NO	Insulin Biphasic
Rastinon	HP	Tolbutamide
Raudixin	SQ	Rauwolfia Serpentina
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Serpentina
Rectinol	GP	Benzocaine with Adrenaline
Repalyte	DH	Electrolyte Replacement (Oral)
Resochin	BN	Chloroquine

Proprietary Name	Manu- fac- turer	Name
Reverin	HP	Rolitettracycline
Rheomacrodex	PS	Dextran 40
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Rikodeine	RK	Dihydrocodeine Tartrate
Rikospray Silicone	RK	Dimethicone (C & I)
Rivotril	RO	Clonazepam
Randomycin	WW	Methacycline
Rynacrom	FC	Sodium Cromoglycate
		S
Sacsol	LF	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
S-Dimidine	PT	Sulphadimidine
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Semilente Novo	NO	Insulin Zinc Suspension (Amorphous)
Semilente M.C.	NO	Insulin Zinc Suspension (Amorphous)
Novo		Specially Purified
Septrin	BW	Trimethoprim with Sulphamethoxazole
Serazone	VR	Chlorpromazine
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
Serenol	PT	Rauwolfia Serpentina
Serpasil	CB	Reserpine
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Simeco Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Sinemet	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintisone	EC	Prednisolone Steaglate
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Slow-Fe	CB	Ferrous Sulphate Dried
Slow-K	CB	Potassium Chloride

Proprietary Name	Manu- fac- turer	Name
Sodexol	SC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Sodium Sedal	FA	Amylobarbitone Sodium
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solone	FM	Prednisolone
Solprin	RC	Aspirin (Soluble)
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Solusal	HA	Aspirin (Soluble)
Somipra	LF	Imipramine
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Sone	FM	Prednisone
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spray-On-Bande	LF	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
S.R.A.	BT	Aspirin
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Calciferol
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptase	HP	Streptokinase
Sudafed	BW	Pseudoephedrine Hydrochloride
Sudafed-M	BW	Pseudoephedrine Hydrochloride
Sulfazole	PT	Sulphafurazole
Sulfamylon	WL	Maphenide Acetate
Sulphamezathine	IC	Sulphadimidine
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen	CB	Tetracosactrin
Synacthen Depot	CB	Tetracosactrin
Synalar 01	IC	Fluocinolone Acetonide
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

Proprietary Name	Manufacturer	Name
T		
Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
TAGG	LF	Deodorant Detergent Solution (C & I) (P & Q)
Talecid	SC	Phthalylsulphacetamide
Talusin	KN	Proscillaridin
Tavegyl	SZ	Clemastine
Tedral	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tedral S.A.	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tegretol	GE	Carbamazepine
Teledrin-P	SK	Chlorpheniramine
Tempra	MJ	Paracetamol
Tenserp	VR	Reserpine
Terfluzin	MB	Trifluoperazine
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terramycin	PF	Oxytetracycline with Polymyxin B
Terrastatin	PF	Oxytetracycline with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
Tetrex-P	BC	Tetracycline
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Theosec	LY	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiosulfil	AY	Sulphamethizole
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Topilar	SD	Fluclorolone Acetonide
Topodil	SC	Fluocortolone Esters
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Trasicor	CB	Oxprenolol
Trib	PT	Trimethoprim with Sulphamethoxazole
Tricloryl	GL	Triclofos
Tridione	AB	Troxidone


Proprietary Name	Manu- fac- turer	Name
Triglyde	MJ	Triglycerides, Medium Chain
Triptil	FR	Protriptyline
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
U		
Ultracortenol	ZY	Prednisolone Acetate
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Ultralente Novo	NO	Insulin Zinc Suspension (Crystalline)
Unisolve	DY	Surgical Cement
Urade	WW	Sodium Citro-Tartrate
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol
Uremide	PT	Frusemide
Urex	FM	Frusemide
Urex-M	FM	Frusemide
Uro-Carb	HA	Bethanechol
Urogan	AV	Sulphafurazole
Urolucosil	WW	Sulphamethizole
V		
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vanquin	PD	Viprynum Embonate
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Velbe	LY	Vinblastine
Velosef	SQ	Cephradine
Venocort	PT	Hydrocortisone Sodium Succinate
Ventolin	AH	Salbutamol
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vioform	CB	Clioquinol
Viokase	RS	Pancreatin Enzyme (4 X USNF XIII)
Visken	SZ	Pindolol
V.P.V.	VR	Phenoxymethylpenicillin
W		
Winsprin	WL	Aspirin

Proprietary Name	Manu- fac- turer	Name
		X
Xylocard 100	AP	Lignocaine
Xylocard 300 I.M.	AP	Lignocaine
Xylocard 500	AP	Lignocaine
		Y
Yomesan	BN	Niclosamide
		Z
Zadine	SH	Azatadine Maleate
Zarontin	PD	Ethosuximide
Zephiran Concentrated	WL	Benzalkonium Chloride
Zerodor	ZR	Deodorant Concentrate (C & I)
Zinamide	MK	Pyrazinamide
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dropster	Knoll Laboratories - Eye and ear drops
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitts - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Evanules	Allen & Hanburys - Injections
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous fluids
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratories - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Novo	Novo Laboratories - Insulin products
Orgaject	Organon - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith, Kline & French - Delayed release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Tabloid	Burroughs Wellcome - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Aust. Pharm. Industries - Preparations
Venosol	Farmer Hill - Intravenous fluids
Viaflex	Travenol Laboratories - Intravenous fluids
Viules	Boots - Injections
Wellcome	Burroughs Wellcome - Preparations





Pharmaceutical Benefits

DECEMBER 1977 EDITION

ADVANCE NOTICE

PENTOBARBITONE SODIUM Capsule 100mg

The Abbott Laboratories Pty Ltd brand of this item (Nembutal-AB) will be removed from the Schedule of Benefits with effect from 1 January 1978.

Other brands of this item will continue to be available as benefits.

TUBERCULOSIS

The National Tuberculosis Advisory Council wants all doctors to know -

- . Tuberculosis still exists in Australia
- . 1496 active cases were reported in 1976

NSW	VIC	QLD	SA	WA	TAS	NT	ACT
633	342	220	101	104	41	36	19

- . The decrease in case finding community-wide X-ray surveys places increased diagnostic responsibility on the doctor.
- . All patients with a cough of a month's duration should have a chest X-ray or be referred to a chest clinic.
- . All cases of tuberculosis or suspected tuberculosis must be notified to the relevant State Health Authority.

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1977 edition of the Schedule of Benefits for Medical Practitioners.

The reprint of the schedule will take effect on 1 December 1977 and all previous editions of the schedule are cancelled. Please note that the Explanatory Notes (Lemon Pages) have been revised.

ADVANCE NOTICE

The following item may be deleted from the Schedule of Benefits at a future date.

Fludrocortisone Acetate, 1mg tablet (*Florinef*)

SUMMARY OF CHANGES

ADDITIONS

NEW ITEMS

Section 2—Restricted Benefits

Metoprolol, 100mg tablet (*Betaloc, Lopresor*)

Miconazole Nitrate, 2%, 20g cream (*Daktarin*)

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2—Restricted Benefits

Cephalexin, granules for syrup, 250mg per 5ml, 100ml (*Keflex*)

Haloperidol, 5mg tablet (*Serenace*)

Penicillamine, 125mg tablet (*D-Penamine*)

Triglycerides, Medium Chain, oil 1 litre (*MCT Oil*)

Section 2—General Benefits

Cloxacillin, 1g injection (*Austrastaph, Orbenin*)

Fluocortolone Esters, 0.08%, 100g cream (*Topodil*); 0.08%, 100g ointment (*Topodil*)

Lignocaine, 300mg in 3ml, I.M. injection (*Xylocard 300 I.M.*)

Nystatin, 100 000 Units per g, 15g gel (*Mycostatin*)

Peritoneal Dialysis Solution, with 0.5% Anhydrous Dextrose, 2 litres, injection (*Dianeal*); with 2.5% Anhydrous Dextrose, 2 litres, injection (*Dianeal*)

Triamcinolone Acetonide, 0.02%, 45g cream (*Aristocort 0.02%*)

DELETION OF FULL ITEMS

Section 2

Betamethasone with Chloquinol, 0.1%—3%, 5g ear ointment (*Betnovate Otic*) (Item discontinued by manufacturer)

Emetine and Bismuth Iodide, 60mg tablet (Item discontinued by manufacturer)

Paraffin Liquid, 500ml emulsion (*Petrolagar*); 500ml emulsion with Phenolphthalein (*Agarol*, *Lubarol*, *Petrolagar with Phenolphthalein*)
Trisodium Edetate, 200mg per ml, 5ml injection (*Sodium Versenate*)

Section 3—Preparations available for Paraplegic and Quadriplegic patients

Paraffin Liquid, 500ml emulsion (*Petrolagar*); 500ml emulsion with Phenolphthalein (*Agarol*, *Lubarol*, *Petrolagar with Phenolphthalein*)

DELETION OF FORMS AND STRENGTHS OF EXISTING ITEMS

Section 1—Emergency Drug (Doctor's Bag) Supplies

Oxytetracycline hydrochloride, 250mg in 5ml I.M. injection (*Vendarcin*)

Section 2

Ergometrine Maleate, 500 micrograms tablet (*Ergomine*) (Item discontinued by manufacturer)

Lincocycin, 250mg per 5ml, 100ml paediatric syrup (*Lincocin*)

Oxytetracycline, 250mg I.M. injection (*Vendarcin*)

Rolitetracycline, 350mg and 10ml solvent, injection (*Bristacin-A*) (Item discontinued by manufacturer)

Sodium Calcium Edetate, 200mg per ml, 5ml injection (*Calcium Disodium Versenate*)

Sodium Nitroprusside, diagnostic tablet (*Acetest*)

Soya Formula, 454g powder (*Sobee*) (Item discontinued by manufacturer)

Streptomycin Sulphate, 1 000 000 Units in 3ml injection (*Strepolin* 33 1/3%) (Item discontinued by manufacturer)

ALTERATIONS

Restrictions

Section 2

Alginic Acid Compound, 4g sachet, granules (*Gaviscon*)

Cephaloridine, 500mg and 1g injections (*Ceporan*)

Fluoxymesterone, 5mg tablet (*Halotestin*)

Gentamicin Sulphate, 10mg (base), 40mg (base), 60mg (base) and 80mg (base) injections (*Cidomycin*, *Garamycin*)

Levodopa with Carbidopa, 100mg—10mg tablet (*Sinemet M*); 250mg—25mg tablet (*Sinemet*)

Methicillin, 1g injection (*Celbenin*, *Metin*)

Methylprednisolone Acetate, 40mg in 1ml injection (*Depo-Medrol*)

Nandrolone Decanoate, 50mg in 1ml injection (*Deca-Durabolin*)

Nandrolone Phenylpropionate, 25mg in 1ml injection (*Durabolin*)

Phenelzine, 15mg tablet (*Nardil*)

Stanolone, 25mg tablet (*Protona*)

Tranylcypromine, 10mg tablet (*Parnate*)

Vancomycin, 500mg injection (*Vancocin*)

Maximum Quantities

Section 2

Item	From	To
Liothyronine , 20 micrograms tablet (<i>Tertroxin</i>)	50	100
Testosterone Enanthate , 100mg in 1ml and 250mg in 1ml injections (<i>Primoteston Depot</i>)	1	2

Repeats

Section 2

Item	From	To
Levodopa with Carbidopa , 100mg—10mg tablet (<i>Sinemet M</i>); 250mg—25mg tablet (<i>Sinemet</i>) ..	0	1
Liothyronine , 20 micrograms tablet (<i>Tertroxin</i>) ..	2	1
Prednisolone Acetate with Phenylephrine , 1%—0.12%, 10ml eye drops (<i>Prednefrin Forte</i>).. ..	0	2
Trioxysalen , 5mg tablet (<i>Trisoralen</i>)	0	2

Pack Sizes

Section 2

Item	From	To
Aluminium Hydroxide Gel , 320mg per 5ml, mixture (<i>Alusorb</i> , <i>Amphojel</i> , <i>Gelox</i> , <i>Minajel</i>) ..	360ml	375ml
Aluminium Hydroxide Gel with Kaolin , 137mg—1g per 5ml, mixture (<i>Kaogel</i> , <i>Kaomagma</i>).. ..	360ml	375ml
Aluminium Hydroxide Gel with Magnesium Hydroxide , 300mg—100mg per 5ml, mixture (<i>Aludrox</i> , <i>Milagel</i>); 215mg—80mg per 5ml, suspension (<i>Dijene</i> , <i>Simeco</i>); 200mg—200mg per 5ml, suspension (<i>Merasyne</i> , <i>Mylanta</i> , <i>Sodexol</i>).. ..	360ml	375ml
Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine , 306mg—97.5mg—10mg per 5ml, suspension (<i>Mucaine</i>)	360ml	375ml
Aluminium Hydroxide Gel with Magnesium Trisilicate , 250mg—500mg per 4ml, mixture (<i>Gelusil</i>)	360ml	375ml
Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide , 250mg—120mg—120mg per 5ml, mixture (<i>Gastrogel</i>)	360ml	375ml
Kaolin with Pectin , 5.91g—132mg per 30ml, mixture (<i>Kaopectate</i>)	360ml	375ml
Magnesium—Aluminium Hydroxide , 375mg per 5ml, mixture (<i>Maalox</i>)	360ml	375ml
Pancreatin Enzyme , powder (<i>Viokase</i>)	227g	250g

Manufacturers' Codes

Section 2

<i>Item</i>	<i>Prop. Name</i>	<i>From</i>	<i>To</i>
Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide, 250mg—120mg—120mg tablet	<i>Gastroid</i>	BB	ME
Amylobarbitone Sodium, 200mg capsule	<i>Amylobeta</i>	BB	ME
Chlorothiazide, 500mg tablet	<i>Diubram</i>	BB	ME
Chlorpheniramine, 4mg tablet and 2mg per 5ml, 100ml paediatric syrup	<i>Bramahist</i>	BB	ME
Chlorpromazine, 25mg, 50mg and 100mg tablets	<i>Procalm</i>	BB	ME
Erythromycin, 250mg capsule ..	<i>Bram-Mycin</i>	BB	ME
Ferrous Fumarate, 150mg tablet ..	<i>Bramiron</i>	BB	ME
Imipramine, 10mg and 25mg tablets ..	<i>Prodepress</i>	BB	ME
Oxytetracycline, 250mg capsule ..	<i>Bramcycline</i>	BB	ME
Paracetamol, 500mg tablet	<i>Bramcetamol</i>	BB	ME
Pentobarbitone Sodium, 100mg capsule	<i>Pentobeta</i>	BB	ME
Phenoxymethylpenicillin, 250mg tablet	<i>Bramcillin</i>	BB	ME
Prednisone, 5mg tablet	<i>Propred</i>	BB	ME

TRANSFERS

Section 2

Restricted to Unrestricted

Lignocaine, 100mg in 5ml injection (Xylocard 100); 500mg in 5ml infusion (Xylocard 500)

NOT FOR SALE

All Previous Editions Cancelled



SCHEDULE OF BENEFITS
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1 DECEMBER 1977

Commonwealth Department of Health,
CANBERRA, A.C.T.

21588 B

T. J. HUGHES, Government Printer, Tasmania

CONTENTS

SECTION 1—LEMON PAGES

Paragraph Page

Explanatory Notes—

Prescribing of Benefits—Procedure by Doctors—

Schedule of Benefits	1-9	4
Explanatory and Warning Statements	10-11	4
Prescriptions	12-20	5-6
Manner of Administration	21	6
Restrictions	22-23	6-7
Maximum Quantities and Repeats	24-33	7-8
Authority to Prescribe	34-35	8
Urgent Cases	36-37	8-9
Emergency Drug (Doctor's Bag) Supplies	38-41	9
Enquiries	42	9
Addresses of Poisons Information Centres		10

Addresses of Commonwealth Department of Health Central Office and Branch Offices	11-12
Manufacturers—Address and Code	13-19
List of Emergency Drug (Doctor's Bag) Supplies	20-21

SECTION 2—WHITE PAGES

Schedule of Benefits—

General, Pensioner and Restricted Benefits	1-119
Intravenous Fluids	120-121

SECTION 3—WHITE PAGES

Schedule of Benefits—

Preparations available for Colostomy and Ileostomy Use	1-3
Preparations Available for Use by Paraplegic and Quadriplegic Patients	4-5

SECTION 4—GREEN PAGES

Schedule of Benefits—Drugs available for extemporaneous preparations	1-6
Table of Maximum Quantities and Number of Repeats for Extemporaneous Preparations	7

SECTION 5—GREEN PAGES

Prescribers' List—Pharmaceutical Benefits Formulae	1-17

PROPRIETARY INDEX

Page

Part 1—Proprietary Names Index	2-25
Part 2—Trade Names Index	26

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. Pharmaceutical benefits which may be prescribed by doctors are listed in this book.

2. Ready prepared items are listed in Sections 2 and 3 of the Schedule of Benefits. Restrictions apply to the prescribing of some items in Section 2 and all the items in Section 3. Further details may be found in these notes—paragraphs 22-23.

3. The Schedule of ready prepared items includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any listed brand of solvent may be ordered with the item. Such benefits should be written as one prescription, e.g., 'Benzylpenicillian, Injection 300 mg amp with 2 ml water for injections'.

4. The Schedule also showed the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes—paragraphs 24-33.

5. The benefit items and additives which may be used in extemporaneous preparations are listed in Section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this Section it is indicated against the item.

6. The following admixtures are not pharmaceutical benefits:—

- (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
- (b) the admixture of a ready prepared item and a drug or drugs listed in Section 4 of the Schedule of Benefits.

7. Section 5—Prescribers' List (Green Pages) consists of a list of formulae in common use.

8. A proprietary name index of ready prepared items is included after Section 5.

9. Symbols used in the Schedule of Benefits are explained on page 1, Section 2 (White Pages).

Explanatory and Warning Statements

10. The use of 'Note' in Section 2 (White Pages) of the Schedule is reserved for explanatory purposes in relation to the prescribing of some drugs as pharmaceutical benefits.

11. The use of 'Caution' in Section 2 (White Pages) of the Schedule is reserved for the purpose of warning of adverse reactions or precautions associated with the use of a drug. The absence of a cautionary note does not necessarily imply that significant adverse reactions will not be encountered.

Prescriptions

12. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that drug and must not be written for any other purpose. The prescription is valid only when it is written by a registered medical practitioner.

13. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

14. With regard to METHADONE, notification or approval of the appropriate State Health Authority or officer is required in all States for therapeutic use for a period exceeding two months (eight weeks in Victoria). Prior approval of the appropriate State Health Authority or officer is required in all States for the treatment of DRUG DEPENDENT PERSONS with methadone OR ANY OTHER DRUG OF ADDICTION.

15. Medical practitioners are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm x 12 cm. The name and address of the medical practitioner must be shown and 'N.H.S.' endorsed at the top.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient, and where the patient is a pensioner who holds a Pensioner Health Benefits Card write the pension number. EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OF RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the pensioner's address on the prescription form.
- (d) The pharmaceutical benefit must be identified in the prescription by such particulars as are necessary for the complete identification of that benefit.
- (e) In the case of pharmaceutical benefits which are restricted in use, the prescription must be endorsed with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However, where a prescription is written for a pensioner for a drug which is restricted to pensioners it is not necessary to endorse the prescription 'Specified Purpose'.

(f) If the benefit is a single drug, the manner of administration must be indicated.

(g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time the prescription must be endorsed in own handwriting with the words 'Regulation 24'. Further details are available in paragraphs 28-29.

(b) Date and sign the prescription.

16. A doctor may write up to three prescriptions on a single prescription form, provided each prescription is legible.

17. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

18. A prescription is not valid if the form—

(a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;

(b) prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted;

(c) prescribes a narcotic drug for the medical practitioner writing the prescription.

19. Where a medical practitioner writes a prescription for a pharmaceutical benefit, but does not specify a particular formula or brand for the item prescribed, the chemist, when dispensing, shall give priority to either the formula, if any, for that item which is specified in the Prescribers' List (Section 5) or to one of the ready prepared brands, if any, for that item included in Section 2.

20. To avoid confusing patients and the dispensing chemist, doctors should not write prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a 'Specified Purpose' drug and the patient is not suffering from one of the allowable conditions the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete N.H.S. from the top of the form.

Manner of Administration

21. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way, e.g., an ophthalmic preparation may not be prescribed for topical use.

Restrictions

22. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition, or with the written authority of the Commonwealth Director of Health in the State concerned. Full particulars of these items and their restrictions are printed in red in Section 2 (White Pages) of the Schedule.

23. Pharmaceutical benefits which are available for use for colostomy and ileostomy conditions as well as pharmaceutical benefits which are available for use by paraplegic and quadriplegic patients are listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

24. For ready prepared preparations, the allowable maximum quantity and number of repeats are shown in the second and third columns of Sections 2 and 3. For other preparations, details are set out in the Table of Maximum Quantities and Repeats (Green Pages).

25. Where the maximum quantity of an item is marked with a double dagger (‡), the maximum quantity has been determined as a single pack. In such instances, chemists are required to supply unbroken packs (see page 1, Section 2 White Pages). It would be appreciated if these items were prescribed in original pack sizes.

26. For other items, the quantity prescribed by a medical practitioner should be that which he believes is necessary for the proper treatment of his patient, provided that the maximum quantity is not exceeded.

27. If a medical practitioner requires a prescription to be repeated, he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

28. A pharmaceutical benefit may not be supplied to the same person more than once on any one day except that a doctor may direct that the original supply and repeat supplies of a benefit be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit is insufficient for the medical treatment of the person for whom it is prescribed;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24' as certification that the above conditions have been satisfied.

29. Where a prescription is endorsed 'Regulation 24' the chemist will make the appropriate charge (except to pensioners) for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription orders two repeats, three patient contributions would be charged to a patient other than an eligible pensioner.

30. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority from the Commonwealth Director of Health (see paragraphs 32-35).

31. The normal maximum quantity and number of repeats for pharmaceutical benefit items are recommended by the Pharmaceutical Benefits Advisory Committee (PBAC). For the treatment of an acute condition the PBAC recommends a maximum quantity which will provide sufficient medication for the treatment of the condition; for the treatment of chronic conditions the PBAC recommends sufficient, at normal dosage levels, for one month's treatment and two repeats.

32. However, special provisions exist to assist chronically ill patients who require larger quantities of drugs and/or continuous treatment. In most cases under these provisions a doctor may, if he considers it to be in his patient's interest, apply to the Commonwealth Director of Health in his State for authority to prescribe a quantity in excess of the listed maximum quantity and/or number of repeats.

33. Normally a quantity sufficient for approximately one month's treatment at the higher dosage levels and two repeats may be authorised by the Director. This quantity would then be sufficient for approximately three months' treatment. One patient contribution is payable for each supply of a benefit item obtained under this arrangement.

Authority to Prescribe

34. Where the written authority of the Commonwealth Director of Health is required to prescribe:

- (i) restricted drugs (paragraph 20); or
- (ii) increased maximum quantities (paragraphs 32, 33); and/or
- (iii) increased number of repeats (paragraphs 32, 33),

application should be made on Form PB 10. The Authority to Prescribe (Form PB 15) is then forwarded to the doctor by the Director.

35. On receipt of the Form PB 15, the prescription is to be written by the doctor in the space provided for this purpose. The original and duplicate are to be handed to the patient and the green copy is retained by the doctor.

Urgent Cases

36. In urgent cases, a chemist can supply a benefit before the prescription is surrendered to him, if the doctor communicates the prescription to the chemist by telephone or other means. In such cases the doctor must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication. This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

37. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 22). In such cases the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. The doctor must subsequently submit a form PB 10, obtain the written authority and forward it, within 24 hours of its receipt, to the approved chemist who supplied the benefit.

Emergency Drug (Doctor's Bag) Supplies

38. Doctors are entitled to obtain certain pharmaceutical benefits for emergency use. These emergency supplies are not available to ship's doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

39. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) Order Form (Form PB 7) in duplicate, signed by the doctor personally. Each order form is valid during the month printed thereon and each doctor may obtain the benefits not more often than once per month. (Doctors approved to supply pharmaceutical benefits under section 92 of the National Health Act are to use Form PB 7a which must not be presented to an approved chemist for supplies. Special instructions are issued to these doctors.)

40. The maximum quantity listed against the Emergency Drug items permitted to be obtained at the one time may be ordered provided the quantity of the item that the doctor has on hand is less than the maximum quantity.

41. A doctor may also specify on the order form any listed brand of a benefit. If this brand is not available, the doctor should be requested to specify in the order another listed brand which is available, and to initial the alteration. A receipt for the benefits supplied under this provision must be given on the order form. The receipt may be signed by the doctor himself or by a person authorised by him.

Enquiries

42. Any enquiries regarding the Pharmaceutical Benefits Scheme or requests for Departmental publications or stationery other than N.H.S. standard prescription pads should be made to the Commonwealth Director of Health in the capital city of your State. Orders for N.H.S. prescription pads should be forwarded to the Director-General of Health, Canberra.

ADDRESSES OF POISONS INFORMATION CENTRES

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Bridge Road,
Camperdown.

Telephone No.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
347 5522

QUEENSLAND

Brisbane Royal Children's Hospital,
Herston Road,
Herston.

Brisbane
52 0111

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
267 4999
Ext. 117 or 119

WESTERN AUSTRALIA

Princess Margaret Hospital for Children,
Thomas Street,
Subiaco.

Perth
81 0222
Ext. 397

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
38 8485

NORTHERN TERRITORY

Darwin Hospital,
Darwin,
Northern Territory.

Darwin
81 2171

AUSTRALIAN CAPITAL TERRITORY

Canberra Hospital,
Canberra.

Canberra
48 9922

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

NOTE: All applications for authority to prescribe should be forwarded to the appropriate Branch Office.

CENTRAL OFFICE

Director-General,
Commonwealth Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

BRANCH OFFICES NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000

Telephone 232 8000

Director of Health—

Dr R. R. Bull

After hours: Telephone 969 8681

Medical—

Dr W. Quinn

After hours: Telephone 92 0980

VICTORIA

Commonwealth Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000

Telephone 662 2999

Director of Health—

Dr R. C. Webb

After hours: Telephone 80 5333

Assistant Director (Medical)—

Dr E. C. R. Newton

After hours: Telephone 95 5815

QUEENSLAND

Commonwealth Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld 4000

Telephone 225 0122

G.P.O. Box 567, Brisbane, Qld 4001

Director of Health (Acting)

Dr H. C. Anderson

Assistant Director (Medical)—

Dr J. R. Meyers

After hours: Telephone 399 5857

SOUTH AUSTRALIA

Commonwealth Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S.A. 5000
G.P.O. Box 2219, Adelaide, S.A. 5001
Director of Health—
Dr A. C. Green
Assistant Director (Medical)—
Dr C. L. Dubberley

Telephone 51 7400

After hours: Telephone 79 4477

WESTERN AUSTRALIA

Commonwealth Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W.A. 6000
G.P.O. Box M970, Perth, W.A. 6001
Director of Health—
Dr W. J. Wilmot
Assistant Director (Medical)—
Dr A. Brazowski

Telephone 23 0391

After hours: Telephone 95 1150

After hours: Telephone 47 4754

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000
G.P.O. Box 919J, Hobart, Tas. 7001
Director of Health—
Dr P. Hallett
Medical—
Dr C. F. A. Younger

Telephone 20 2122

After hours: Telephone 47 8660

After hours: Telephone 62 2272

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794
P.O. Box 147, Darwin, N.T. 5794
Director of Health—
Dr C. H. Gurd

Telephone 80 2911

After hours: Telephone 81 2509

CAPITAL TERRITORY HEALTH COMMISSION

C.M.L. Building,
Darwin Place,
Canberra City, A.C.T. 2601
P.O. Box 825, Canberra City, A.C.T. 2601
Applications for authority to prescribe—
Dr H. Turner

Telephone 45 1211

After hours: Telephone 86 1106

MANUFACTURERS — ADDRESS AND CODE

<i>Manufacturer</i>	<i>Code</i>
Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	AB
Adam Drug Co. 41 Barry Avenue, Mortdale, N.S.W. 2223	AV
Alcon Laboratories (Australia) Pty Ltd 8 Wattle Road, Brookvale, N.S.W. 2100	AQ
Allen and Hanburys 1061 Mountain Highway, Boronia, Vic. 3155	AH
Allergan Pharmaceuticals Pty Ltd 32 Punch Street, Artarmon, N.S.W. 2064	AG
Ames Company Wellington Road, Mulgrave, Vic. 3170	AM
Armour Pharmaceutical Co. Ltd, England	AR
Astra Chemicals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	AP
Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	AY
Bayer Pharmaceutical Company 47-67 Wilson Street, Botany, N.S.W. 2019	BN
Beecham Research Laboratories 6 Winterton Road, Clayton, Vic. 3168	BR
Berk Pharmaceuticals Division of U.S.V. Australia Pty Ltd 172-178 Princes Highway, Arncliffe, N.S.W. 2205	BQ
Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	BH
Boehringer Ingelheim Pty Ltd 50 Broughton Road, Artarmon, N.S.W. 2064	BY
Boehringer, Mannheim, GmbH, Germany	BO
Boots Company (Australia) Pty Ltd, The Loyalty Road, North Rocks, N.S.W. 2151	BT
Boucher & Muir Pty Ltd 118-124 Willoughby Road, Crows Nest, N.S.W. 2065	BZ
Bristol Laboratories Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	BC

*Manufacturer**Code*

Bull Laboratories, David	BL
11-15 Lexia Place, Mulgrave, Vic. 3170	
Burroughs Wellcome & Co. (Aust.) Ltd	BW
53 Phillips Street, Cabarita, N.S.W. 2137	
Cambridge Laboratories Pty Ltd	CE
397 Little Lonsdale Street, Melbourne, Vic. 3000	
Ciba Pharmaceuticals	CB
14 Orion Road, Lane Cove, N.S.W. 2066	
Commercial Goat Milk Producers Co-operative Ltd	CG
72a Maroondah Highway, Croydon, Vic. 3136	
Commonwealth Serum Laboratories	CS
45 Poplar Road, Parkville, Vic. 3052	
Cooper Laboratories Pty Ltd	CP
176 Harbord Road, Brookvale, N.S.W. 2100	
Crookes Laboratories Ltd, The, England	CK
Denyer Brothers	DY
250 Pitt Street, Sydney, N.S.W. 2000	
Difrex (Aust.) Laboratories	DF
13-19 Glebe Street, Glebe, N.S.W. 2037	
Dista Products (Australia) Pty Ltd	DL
Waratah Street & Wharf Road, Ermington, N.S.W. 2115	
Dolder & Co., Switzerland	DR
Dome Laboratories	DO
Wellington Road, Mulgrave, Vic. 3170	
Drug Houses of Australia	DH
31 Henderson Street, Turrella, N.S.W. 2205	
Edwards Instrument Company	ED
29 Bellingham Street, Narellan, N.S.W. 2567	
Endo Laboratories (Aust.) Pty Ltd	EN
448 Pacific Highway, Artarmon, N.S.W. 2064	
Erba Carlo S.p.A., Italy	EC
Ethnor Pty Ltd	ET
1-5 Khartoum Road, North Ryde, N.S.W. 2113	
Evans Medical Australia (Pty) Ltd	EV
1061 Mountain Highway, Boronia, Vic. 3155	
Faulding & Co. Ltd, F. H.	FA
48 Beans Road, Thebarton, S.A. 5031	

<i>Manufacturer</i>	<i>Code</i>
Fawns and McAllan Pty Ltd 3136 432 Mount Dandenong Road, Croydon, Vic.	FM
Fisons Pty Ltd 2060 97 Pacific Highway, North Sydney, N.S.W.	FC
Frosst, Charles E. 3000 576 St Kilda Road, Melbourne, Vic.	FR
Geigy Pharmaceuticals 2066 14 Orion Road, Lane Cove, N.S.W.	GE
Gist-Brocades Australia Pty Ltd A.D.C. Building, 77 Pacific Highway, North Sydney, N.S.W. 2060	GB
Glaxo 3155 1061 Mountain Highway, Boronia, Vic.	GL
G.P. Laboratories 2114 Wharf Road, West Ryde, N.S.W.	GP
Grose Products (Aust.) Pty Ltd 2067 51-55 Warrah Street, Chatswood, N.S.W.	GV
Hamilton Laboratories Pty Ltd 5000 217 Flinders Street, Adelaide, S.A.	HA
Hoechst Australia Ltd 3000 606 St Kilda Road, Melbourne, Vic.	HP
Hollister Incorporated, U.S.A.	HO
Hunter Valley Sharpe Pty Ltd 168 Willoughby Road, Crows Nest, N.S.W. 2065	HS
ICI Australia Ltd 3000 ICI House, 1 Nicholson Street, Melbourne, Vic.	IC
Ioquin Company, The 2100 8 Wattle Road, Brookvale, N.S.W.	IQ
Jackson-Mitchell Pharmaceuticals Inc., U.S.A.	JM
Knoll Laboratories Division of U.S.V. Australia Pty Ltd 2205 172-178 Princes Highway, Arncliffe, N.S.W.	KL
Knoll, AG., Germany 2044 Wood Street, Tempe, N.S.W.	KN

<i>Manufacturer</i>	<i>Code</i>
Lancet Pharmaceutical Limited 8 Hornsby Street, Hornsby, N.S.W. 2077	LP
Langley Laboratories Pty Ltd 116 Cabramatta Road, Cremorne, N.S.W. 2090	LF
Lederle Laboratories Division Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W. 2065	LE
Lilly (Australia) and Company, Eli Wharf Road, West Ryde, N.S.W. 2114	LY
May & Baker Australia Pty Ltd Paramount Road, Footscray West, Vic. 3012	MB
McGloin Pty Ltd, J. 150 Dean Street, Enfield, N.S.W. 2136	MG
Mead Johnson 345 Pacific Highway, Crows Nest, N.S.W. 2065	MJ
Medac Pharmaceutical Laboratories 326 King Georges Road, Beverley Hills, N.S.W. 2209	ME
Medical Research Pty Ltd 31 Sirius Road, Lane Cove, N.S.W. 2066	MR
Medichem Pharmaceuticals Pty Ltd 30 Thorby Avenue, Leichardt, N.S.W. 2040	MC
Merck, Sharp & Dohme (Aust.) Pty Ltd 62-68 Ferndell Street, South Granville, N.S.W. 2142	MK
Merrell, Wm S. Company 9 Help Street, Chatswood, N.S.W. 2067	ML
Muir & Neil Pty Ltd 479 Kent Street, Sydney, N.S.W. 2000	MN
Nativelle Laboratories, France	NA
Nestle Company (Aust.) Ltd, The 17 Foveaux Street, Sydney, N.S.W. 2000	NT
Nicholas Pty Ltd 699 Warrigul Road, Chadstone, Vic. 3148	NS
Nordia, Denmark	NR
Novo Laboratories Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	NO
Ohio Drug Co. Pty Ltd 100 Clarence Street, Sydney, N.S.W. 2000	OD
Organon (Australia) Pty Ltd 34 Hotham Parade, Artarmon, N.S.W. 2064	OR
Parke, Davis and Co. 32-40 Cawarra Road North, Caringbah, N.S.W. 2229	PD
Pfizer Pty Ltd Wharf Road, West Ryde, N.S.W. 2114	PF

Pfrimmer & Co., West Germany	PC
Pharmacia (South Seas) Pty Ltd	PS
Cnr Khartoum & Talavera Roads, North Ryde, N.S.W.	2113
Pharmax Ltd, England	PN
Philips-Duphar Pty Ltd	PI
4 Sirius Road, Lane Cove, N.S.W.	2066
Prosana Laboratories Pty Ltd	PR
22 Daisy Street, Revesby, N.S.W.	2212
Protea Pharmaceuticals Pty Ltd	PT
13-19 Glebe Street, Glebe, N.S.W.	2037
Queensland Ethicals	QE
Enterprise Street, Salisbury, Q'ld	4107
Reckitts Pty Ltd	RC
44 Wharf Road, West Ryde, N.S.W.	2114
Riker Laboratories Australia Pty Ltd	RK
9-15 Chilvers Road, Thornleigh, N.S.W.	2120
Robins, A. H. Pty Ltd	RS
4 Charles Street, Canterbury, N.S.W.	2193
Roche Products Pty Ltd	RO
Inman Road, Dee Why, N.S.W.	2099
Rocke, Tompsitt & Co. Ltd	RT
10 Griffiths Street, Richmond, Vic.	3121
Rona Laboratories Ltd, London, U.K.	RN
Rorer (Aust.) Pty Ltd	RG
79 Victoria Avenue, Chatswood, N.S.W.	2067
Ross Laboratories	RD
Captain Cook Drive, Kurnell, N.S.W.	2231
Rotary Tableting Corp. Pty Ltd	RY
432 Mt Dandenong Road, Croydon, Vic.	3136
Roussel Pharmaceuticals Pty Ltd	RL
Gladstone Road, Castle Hill, N.S.W.	2154
Salmond and Spraggon (Aust.) Pty Ltd	SS
Loyalty Road, North Rocks, N.S.W.	2151
Sandoz Australia Pty Ltd	SZ
54 Waterloo Road, North Ryde, N.S.W.	2113
Sanitarium Health Food Co.	SA
148 Fox Valley Road, Wahroonga, N.S.W.	2076
Sauter Laboratories (Aust.) Pty Ltd	SU
60 Campbell Avenue, Dee Why, N.S.W.	2099

Manufacturer

Code

Schering Corporation, U.S.A.	SH
11 Gibbon Road, Baulkham Hills, N.S.W. 2153	
Schering, AG., Berlin	SC
Wood Street, Tempe, N.S.W. 2044	
Searl Laboratories	SR
Mainline Building, 8 West Street, North Sydney, N.S.W. 2060	
Sigma Co. Ltd	SI
P.O. Box 144, Clayton, Vic. 3168	
Smith Kline & French Laboratories (Aust.) Ltd	SK
Warringah Road, French's Forest, N.S.W. 2086	
Smith & Nephew (Aust.) Pty Ltd	SN
Wellington Road, Clayton, Vic. 3168	
Squibb & Sons, E. R. Pty Ltd	SQ
Princes Highway, Noble Park, Vic. 3174	
Stansen & Co. Pty Ltd, A. E.	ST
121 Ricketts Road, Notting Hill, Vic. 3168	
Syntex Pharmaceuticals Ltd	SD
Funds of Australia Building, Tenth Floor, 275 Alfred Street North, North Sydney, N.S.W. 2060	
Tongala Milk Products Pty Ltd	TM
17 Foveraux Street, Sydney, N.S.W. 2000	
Toppin & Sons Pty Ltd, R. D.	TO
9-15 Chilvers Road, Thornleigh, N.S.W. 2120	
Trane Pharmacal Co.	TR
98 Collins Street, Melbourne, Vic. 3000	
Travenol Laboratories Pty Ltd	TV
Oakes Road, Old Toongabbie, N.S.W. 2146	
United Works of Pharmaceutical and Dietetic Products, Hungary	UW
Upjohn Pty Ltd	UP
55-73 Kirby Street, Rydalmere, N.S.W. 2116	
Vifor, S. A., Geneva, Switzerland	VF
Virax Ethicals Ltd	VR
77-79 Market Street, South Melbourne, Vic. 3205	
Warner & Co. Pty Ltd, Wm R.	WW
103 Miller Street, North Sydney, N.S.W. 2060	
W.B. Pharmaceuticals Ltd, London, U.K.	WB
Weddel Pharmaceuticals	WP
213-219 Miller Street, North Sydney, N.S.W. 2060	

<i>Manufacturer</i>	<i>Code</i>
Winthrop Laboratories 2115	WL
75-89 Atkins Road, Ermington, N.S.W.	
Woods, H. W. Pty Ltd 3166	WH
10 Clifford Street, Huntingdale, Vic.	
Wyeth Pharmaceuticals Pty Ltd 2150	WY
Gregory Place, Parramatta, N.S.W.	
Zero Chemicals (Aust.) Pty Ltd 2070	ZR
17 Carlyle Road, East Lindfield, N.S.W.	
Zyma Pharmaceuticals 2066	ZY
14 Orion Road, Lane Cove, N.S.W.	

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Adrenaline Injection BP	1 mg in 1 ml	Ampoule	5
Aminophylline Injection BP ..	250 mg in 10 ml	Ampoule	5
Atropine Sulphate Injection BP	600 micrograms in 1 ml	Ampoule	5
Chlorpromazine Injection BP	50 mg in 2 ml	Ampoule	10
Dextrose Injection BP	50%, 10 ml	Ampoule	5
Diazepam injection	10 mg in 2 ml	Ampoule	5
Digoxin Injection BP	500 micrograms in 2 ml	Ampoule	5
Ergometrine Injection BP	250 micrograms in 1 ml	Ampoule	5
Erythromycin I.M. injection	100 mg in 2 ml	Ampoule	5
Fruzemide Injection BP	20 mg in 2 ml	Ampoule	5
Heparin Injection BP	5 000 units in 1 ml	Ampoule	1
<i>or</i>			
Heparin Injection BP	25 000 units in 5 ml	Vial	1
Hydrocortisone sodium succinate injection set	Equivalent to 100 mg hydrocortisone and 2 ml solvent	Vial and Ampoule	2 sets
<i>or</i>			
Hydrocortisone sodium succinate injection set	Equivalent to 250 mg hydrocortisone and solvent	Vial and Ampoule	1 set
Lignocaine injection	100 mg in 5 ml	Ampoule	4
Morphine Sulphate Injection BP	15 mg in 1 ml	Ampoule	5
<i>or</i>			
Morphine Sulphate Injection BP	30 mg in 1 ml	Ampoule	5
Morphine sulphate with atropine sulphate injection	15 mg-600 micrograms in 1 ml	Ampoule	5

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES—continued

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Pethidine Injection BP	100 mg in 2 ml	Ampoule	5
Procaine Penicillin Injection BP	1.5 g	Disposable syringe pack	10
Metoclopramide hydrochloride injection	10 mg in 2 ml	Ampoule	10
or			
Prochlorperazine injection	12.5 mg in 1 ml	Ampoule	10
or			
Thiethylperazine injection	6.5 mg (base) in 1 ml	Ampoule	10
Promethazine Injection BP ..	50 mg in 2 ml	Ampoule	10
Terbutaline sulphate injection	100 micrograms in 1 ml	Ampoule	5
or			
Terbutaline sulphate injection	500 micrograms in 1 ml	Ampoule	5
Tetanus Vaccine Adsorbed	0.5 ml	Ampoule	10

No professional fee is payable for the above items when supplied on presentation of a Doctor's Bag Order Form.

SECTION 2 - SCHEDULE OF BENEFITS

Operative from 1 December 1977

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) in front of a restriction indicates an additional or amended purpose in this issue.
- (b) A dagger (†) in front of the form of an item and in the price column indicates a packed line which will be supplied under the original label when prescribed unless the prescription bears specific instructions for use.
- (c) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's original pack should be supplied.
- (d) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
- (e) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated.
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S);
W.A. - (W); Tas. - (T).

A straight line is drawn between entries for different forms and strengths of an item to clearly indicate the different restrictions which apply to these various forms and strengths.

Attention is drawn to paragraph 15(e) of the explanatory notes which provides for the endorsement of prescriptions for pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to a disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

The maximum quantity and/or number of repeats in respect of any item shown in the Schedule may be varied by the Director of Health when issuing an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. (See paragraphs 32 and 33 of Section 1 - Explanatory Notes (Lemon pages)).

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ACEPIFYLLINE					
Tablet 250mg	100	2	3.27	Etaphylline	DF
Paediatric Syrup					
125mg per 5ml, 500ml	1	4	3.14	Etaphylline	DF
Injection 500mg in 5ml	5	..	3.20	Etaphylline	DF
ACETAZOLAMIDE					
Tablet 250mg	50	6	6.24 6.27	Glaucomide Diamox	PT LE
Capsule					
500mg (sustained release)	50	2	11.74	Diamox	LE
Injection					
500mg (solvent required)	1	..	5.74	Diamox	LE
ACETOHEXAMIDE					
Tablet 500mg	100	2	6.40	Dimelor	LY
ACETYLCHOLINE CHLORIDE					
Ophthalmic Solution 1%, 2ml	2	..	10.93	Miochol	CP
ACETYLCYSTEINE					
Bronchiectasis; Cystic fibrosis(mucoviscidosis).					
Solution 20%, 10ml	5	3	11.32	Mucomyst	MJ
ADRENALINE					
Eye Drops					
0.5%, 7.5ml	1	6	3.74	Epinal Eppy	AQ ET
0.5%, 10ml	1	6	3.87	Epifrin	AG
1%, 7.5ml	1	6	4.07	Epinal Eppy	AQ ET
1%, 10ml	1	6	4.20	Epifrin Glaucan	AG AQ
2%, 10ml	1	6	7.40	Epifrin Glaucan	AG AQ
Injection BP					
1mg in 1ml (1 in 1,000)	5	1	2.19	AB,BL,KL,SI	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALGINIC ACID COMPOUND Authority required. *Cardio-oesophageal reflux not responding to antacid therapy. <u>NOTE: Increased maximum quantities and/or additional repeats will not be authorised.</u> Granules, 4g sachets, 24	#1	12	4.00	Gaviscon	RC
Authority required. Cardio-oesophageal reflux. <u>NOTE: Increased maximum quantities and/or additional repeats will not be authorised.</u> Powder 100g	#1	12	4.00	Gaviscon Infant	RC
ALLOPURINOL Tablet 100mg	100	2	7.07	Progout Zyloprim	PT BW
300mg	30	2	6.47	Progout Zyloprim	PT BW
ALOXIPRIN Tablet 600mg	100	2	3.14	Palaprin Forte	NS
ALPRENOLOL Dissecting aneurysm (aortic); Hypertension; Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrototoxicosis; Frequent disabling angina without evidence of cardiac failure. Tablet 100mg	100	2	7.74	Aptin Betacard	AP BR
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ALPRENOLOL - cont. Dissecting aneurysm (aortic); Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrototoxicosis; Frequent disabling angina without evidence of cardiac failure.				
Injection 1mg per ml, 10ml	1	..	2.56	Aptin AP Betacard BR
ALUMINIUM HYDROXIDE GEL Mixture 320mg per 5ml, 375ml	1	2	1.65	Alusorb DH Amphojel WY Gelox PR Minajel MG
ALUMINIUM HYDROXIDE GEL DRIED Tablet 300mg	100	2	2.60	Actal WL Amphotabs WY
ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1g per 5ml, 375ml	#1	2	2.54	Kaogel FA Kaomagma WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	2.60	Aludrox WY
200mg-200mg	100	2	2.60	Mylanta PD
Mixture 300mg-100mg per 5ml, 375ml	#1	2	2.54	Aludrox WY Milagel PR
Suspension 215mg-80mg per 5ml, 375ml	#1	2	2.54	Dijene BT Simeco WY
200mg-200mg per 5ml, 375ml	#1	2	2.54	Merasyn ML Mylanta PD Sodexol SC
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZAINE Suspension 306mg-97.5mg-10mg per 5ml, 375ml	#1	2	2.54	Mucaine WY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE Tablet 250mg-500mg	100	2	2.60	Gelusil	WW
Mixture 250mg-500mg per 4ml, 375ml	≠1	2	2.54	Gelusil	WW
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	2.60	Gastrogel Gastroid	FM ME
Mixture 250mg-120mg-120mg per 5ml, 375ml	≠1	2	2.54	Gastrogel	FM
ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	2.60	Almacarb Dijene Simeco	AH BT WY
ALUMINIUM SODIUM SILICATE Powder 100g	1	2	2.27	Neutralon	SC
AMANTADINE HYDROCHLORIDE Parkinson's disease which is not drug induced.					
Capsule 100mg	100	1	19.74 20.27	Antadine Symmetrel	EN GE
AMBENONIUM CHLORIDE Tablet 10mg	100	2	8.42	Mytelase	WL
AMILORIDE Tablet 5mg	50	2	3.34	Midamor	MK
AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	≠1	2	2.40	Aminopt	SI
AMINO ACID FORMULA without PHENYLALANINE Phenylketonuria.					
Powder 200g	2	2	53.34	Aminogran	GL
250g	2	2	106.66	PK AID I	MN
250g	2	2	131.34	PK AID II	MN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMINO ACIDS with ALCOHOL, VITAMINS and ELECTROLYTES See Intravenous Fluids					
AMINO ACIDS with SORBITOL See Intravenous Fluids					
AMINO ACIDS with VITAMINS and ELECTROLYTES See Intravenous Fluids					
AMINOCAPROIC ACID Treatment in hospital of severe haemorrhage associated with excessive fibrinolysis.					
Oral Solution 250mg per ml, 20ml	10	..	17.07	Ekaprol	DF
Injection I.V. 250mg per ml, 10ml	10	..	9.07	Ekaprol	DF
AMINOPHYLLINE Tablet 100mg	100	2	2.14	Cardophyllin Carine DH,RT,SI	HA KL
125mg (enteric coated)	100	2	3.27	Androphyllin	ET
Injection I.V. 250mg in 10ml	5	..	3.47	Carine AB,LP,SI	KL
I.M. 500mg in 2ml	5	..	3.20	AB	
Suppositories 100mg, 12	≠1	1	2.40	Cardophyllin	HA
175mg, 12	≠1	1	2.40	Cardophyllin	HA
250mg, 12	≠1	1	2.40	Cardophyllin	HA
400mg, 12	≠1	1	2.40	Cardophyllin	HA
AMINOPHYLLINE with EPHEDRINE HYDROCHLORIDE and AMYLOBARBITONE Tablet 130mg-25mg-25mg(enteric coated)	100	2	3.40	Amesec	LY
Capsule 130mg-25mg-25mg	100	2	2.80	Amesec	LY
AMITRIPTYLINE Tablet 10mg	50	2	2.03 2.06	Saroten Laroxyl Tryptanol	NS SU MK
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMITRIPTYLINE - cont. Tablet 25mg	50	2	2.80	Laroxyl SU Saroten NS Tryptanol MK
Capsule 10mg	50	2	2.10	Elavil FR
25mg	50	2	2.99	Elavil FR
Mixture 10mg (base) in 5ml, 100ml	#1	4	2.07	Elavil FR Tryptanol MK
Injection 25mg per ml, 2ml	10	..	5.20	Laroxyl SU
AMMONIUM CHLORIDE Tablet 500mg	100	3	2.80	RY
AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	..	6.00	Camoquin PD
AMOXYCILLIN Capsule 250mg	20	..	4.23	Amoxil BR Moxacin CS
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#4.14	Amoxil BR Moxacin CS
AMPHOTERICIN Tablet 100mg	50	..	7.54	Fungilin SQ
Suspension 100mg per ml, 24ml	#1	..	3.34	Fungilin SQ
Lozenge 10mg	20	..	2.54	Fungilin SQ
Injection 50mg (solvent required)	1	..	5.00	Fungizone SQ
Cream 3%, 15g	#1	1	2.80	Fungilin SQ
Ointment 3%, 15g	#1	1	2.80	Fungilin SQ
Pessaries 50mg, 15	#1	1	2.91	Fungilin SQ
Vaginal Cream 100mg per 4g, 60g (15 doses)	#1	1	3.00	Fungilin SQ
AMPICILLIN Tablet 125mg	25	..	2.83	Austrapen CS Penbritin BR
Capsule 250mg	25	..	3.84	Austrapen CS Bristin BC Penbritin BR
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMPICILLIN - cont. Capsule 500mg	12	1	3.59	Austrapen CS Bristin BC Penbritin BR
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.17	Austrapen CS Bristin BC Penbritin BR
Powder for Syrup 250mg per 5ml, 100ml	#1	..	#4.44	Austrapen CS Forte BC Bristin BC Penbritin BR Forte BR
Injection 100mg (solvent required)	5	1	4.27	Austrapen CS Penbritin BR
250mg (solvent required)	5	1	5.40	Austrapen CS Bristin BC Penbritin BR
500mg (solvent required)	5	1	8.04	Austrapen CS Bristin BC Penbritin BR
1g (solvent required)	5	1	13.63	Austrapen CS Bristin BC Penbritin BR
AMYLOBARBITONE Tablet 15mg	50	..	1.46	Amylbarb PT Amytal LY Neur-Amyl FM Sedal FA
30mg	50	..	1.52	Amal KL Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Sedal FA
50mg	50	..	1.55	Amylbarb PT Amytal LY Mylosed VR Neur-Amyl FM Sedal FA
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMYLOBARBITONE - cont. Tablet 100mg	25	..	1.28 1.36 1.38	Amylbarb PT Mylosed VR Amytal LY Neur-Amyl FM Sedal FA
AMYLOBARBITONE SODIUM Capsule 50mg	50	..	1.79	Amsal AV Amytal LY Sodium FM Neur-Amyl
200mg	25	..	1.78 1.87	Amylbarb PT Sodium ME Amytal LY Sodium VR Mylosed FM Neur-Amyl FA Sodium Sedal
Injection 250mg (solvent required)	5	..	7.07	Amytal LY Sodium
500mg (solvent required)	5	..	9.07	Amytal LY Sodium
ANGIOTENSIN AMIDE Injection 500 micrograms (solvent required)	5	..	3.07	Hypertensin CB
2.5mg (solvent required)	5	..	10.34	Hypertensin CB
ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	≠1	2	2.20	Antistine-Privine ZY
ANTIVENENE - RED BACK SPIDER Injection 500 Units	2	..	18.67	CS
ASCORBIC ACID For pensioners. Tablet 50mg	100	2	1.84 1.87	Ascorb "50" PT DH,LP,RT,RY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ASPIRIN				
Tablet 300mg	100	2	1.87	KL,RY
650mg (enteric coated)	100	2	3.74	Ecotrin SK Rhusal GP Winsprin WL
650mg (sustained release)	100	2	3.14	S.R.A. BT
650mg (includes 350mg sustained release)	100	2	2.67	Bi-prin BT
ASPIRIN (BUFFERED)				
Tablet 325mg	100	2	2.63	Bufferin BC
500mg	100	2	3.14	Bufferin 500 BC
ASPIRIN (SOLUBLE)				
Tablet 300mg	100	2	1.80 1.98	Novosprin VR Adasol AV Solprin RC Solusal HA DH,RY
500mg	100	2	2.20	Provoprin 500 DH
ATROPINE METHONITRATE				
Tablet 1mg	50	2	3.06	Eumydrin WL
Oral Solution 0.6%, 15ml	1	..	2.94	Eumydrin WL
ATROPINE SULPHATE				
Tablet 600 micrograms	100	2	2.14	RY
Injection 400 micrograms in 1ml	5	1	2.14	AB,BL,KL,LP
600 micrograms in 1ml	5	1	2.14	AB,BL,KL,LP
1.25mg in 1ml	5	1	2.16	AB,BL,KL,LP
Eye Drops 0.5%, 15ml	≠1	2	2.47	Atropt SI
1%, 15ml	≠1	2	2.47	Atropt KL,LP SI
Eye Ointment 1%, 4g	≠1	..	4.00	PD
AZATADINE MALEATE				
Tablet 1mg	50	2	2.67	Zadine SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AZATHIOPRINE Authority required. Anaemia, autoimmune haemolytic; Arthritis, rheumatoid with vascu- litis or visceral complications; Continuing azathioprine therapy after discharge from an approved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Nephritis; Nephrotic syndrome; Organ transplant; Pemphigus vulgaris; Polyarteritis nodosa; Pyoderma gangrenosum; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 50mg	100	..	37.07	Imuran BW
BACLOFEN Authority required. Spasticity due to multiple sclerosis or spinal cord lesions.				
Tablet 10mg	100	..	23.74	Lioresal CB
25mg	100	..	43.74	Lioresal CB
BECLOMETHASONE DIPROPIONATE Chronic intractable asthma requiring maintenance corticosteroids.				
Inhalation, metered aerosol spray, 50 micrograms per dose(200 dose)	#1	2	8.00	Aldecin Becotide SH AH
BECLOMETHASONE DIPROPIONATE Cream 0.0125%, 30g	#1	1	2.39	Propaderm AH
Ointment 0.0125%, 30g	#1	1	2.39	Propaderm AH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BELLADONNA Prepared Belladonna Herb BP				
Tablet 30mg	100	2	2.24	Atrobel FM
45mg	100	2	2.32	Atrobel FM
BELLADONNA ALKALOIDS Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydro- bromide				
Tablet 103.7 micrograms-19.4 micrograms -6.5 micrograms	100	2	2.27	Donnatab RS
Elixir 103.7 micrograms-19.4 micrograms-6.5 micrograms per 5ml, 100ml	1	4	2.27	Donnalix RS
BENDROFLUAZIDE Tablet 2.5mg	50	2	2.52	Aprinox-M BT Pluryl SK
5mg	50	2	3.31	Aprinox BT Neo-Naclex GL Pluryl SK
BENZALKONIUM CHLORIDE Compound Suppositories, 12	1	1	2.34	Paxyl FA
Solution 10%, 114ml	1	..	2.67	Zephiran Con- centrated WL
BENZATHINE PENICILLIN Injection 1.8g (solvent required)	1	..	2.74	L.P.G. CS
BENZATHINE PENICILLIN COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg.				
Injection set containing 1 vial and 2ml water for injections	1	..	2.94	Bicillin All - Purpose WY
BENZHEXOL Tablet 2mg	100	2	2.96 3.00	Anti-Spas PT Artane LE
5mg	100	2	4.64 4.67	Anti-Spas PT Artane LE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BENZOCAINE with ADRENALINE Compound Ointment 50g	1	1	2.48	Rectinol GP
Compound Suppositories, 12	≠1	1	2.48	Rectinol GP
BENZTROPINE Tablet 2mg	100	..	5.34	Cogentin MK
Injection 2mg in 2ml	5	..	7.42	Cogentin MK
BENZYL BENZOATE Application 25%, 200ml	≠1	2	3.07	Benzemul DH MG
BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	3.87	CS
600mg (solvent required)	5	1	4.00	Crystapen CS GL
900mg (solvent required)	5	1	5.07	Crystapen GL
3g (solvent required)	10	..	22.37 22.41	Crystapen CS GL
6g (solvent required)	10	..	30.37	Crystapen CS GL
BETAMETHASONE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Necrobiosis lipoidica; Uveitis.				
Injection 6mg in 1ml	5	..	9.78	Celestone Chronodose SH
BETAMETHASONE Tablet 500 micrograms	30	2	2.19	Betnelan Celestone GL SH
Injection 4mg (base) in 1ml (continued)	5	..	7.92	Celestone SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETAMETHASONE - cont.				
Eye Drops 0.1%, 5ml	#1	2	3.07	Betnelan GL
Eye Ointment 0.1%, 3g	#1	..	2.40	Celestone SH
BETAMETHASONE VALERATE				
Cream 0.02%, 100g	#1	..	2.67	Celestone-M SH
0.05%, 30g	#1	1	2.39	Betnovate 1/2GL Celestone-V Half Strength SH
Gel 0.05%, 30g	#1	1	2.39	Betnovate 1/2GL
Ointment 0.05%, 30g	#1	1	2.39	Betnovate 1/2GL Celestone-V Half Strength SH
BETHANECHOL				
Tablet 10mg	50	1	3.83	Urecholine MK Uro-Carb HA
Injection 5mg in 1ml	2	..	2.97	Urecholine MK
BETHANIDINE				
Tablet 10mg	100	2	3.74	Esbatal BW
25mg	100	2	7.07	Esbatal BW
BIPERIDEN				
Tablet 2mg	100	2	6.00	Akineton KN
Injection 5mg in 1ml	5	..	3.14	Akineton KN
BISACODYL				
For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes.				
Suppositories 10mg, 5	#1	..	1.87	Durolax BY
BISMUTH SUBGALLATE				
Compound Ointment 50g	#1	1	2.34	Anusol WW
Compound Suppositories, 12	#1	1	2.34	Anusol WW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BLEOMYCIN Squamous cell carcinoma; Choriocarcinoma of the testis; Embryonal cell carcinoma of the testis; Lymphoma. Injection 15mg (solvent required)	10	..	347.74	Blenoxane BC
BORIC ACID Powder 100g	1	..	0.59	FA
BROMPHENIRAMINE Tablet 4mg	50	2	2.27	Dimetane RS
Syrup 2mg per 5ml, 100ml	1	4	2.00	Dimetane RS
BUFEXAMAC Cream 5%, 45g	1	1	2.39	Parfenac LE
Ointment 5%, 45g	1	1	2.39	Parfenac LE
BUSULPHAN Tablet 2mg	100	2	13.34	Myleran BW
BUTOBARBITONE Tablet 100mg	25	..	1.74	Sonabarb PT
CALCIFEROL Authority required. Hypocalcaemia; Hypoparathyroidism; Osteomalacia following gastrect- omy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets. Tablet 1.25mg (50,000 Units)	100	2	5.07	Ostelin High Potency GL
Oral Solution 15mg (600,000 Units) in 1.5ml alcoholic solution	3	..	2.80	Sterogyl-15 RL
CALCIUM Authority required. Hypocalcaemia; Osteoporosis. Compound Effervescent Tablet equivalent to 500mg calcium (continued)	100	5	6.94	Cal-tab Spar-Cal HA MJ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CALCIUM - cont. Compound Effervescent Tablet equivalent to 1g calcium	30	5	5.74	Sandocal 1000 SZ
CALCIUM FOLINATE Antidote to folic acid antag- onists. Injection 3mg in 1ml	5	..	15.74	Leucovorin LE
CALCIUM GLUCONATE Injection 10%, 10ml	5	1	3.34	Calcium - Sandoz SZ
CAPREOMYCIN Injection 1g (solvent required)	5	..	19.82	Caprocin LY
CARBACHOL Eye Drops 0.75%, 15ml	1	6	3.00	AQ
1.5%, 15ml	1	6	3.07	AQ
3%, 15ml	1	6	3.20	AQ
CARBAMAZEPINE Tablet 200mg	200	1	16.80	Tegretol GE
CARBENICILLIN Authority required. Infections where positive bact- eriological evidence confirms that carbenicillin is the most appropriate therapeutic agent; Septicaemia, suspected or proven. Injection 1g (solvent required)	5	..	19.47	Carbapen Pyopen CS BR
5g (solvent required)	5	..	83.87	Carbapen Pyopen CS BR
CARBENOXOLONE SODIUM Gastric ulcer, proven. Tablet 50mg	100	..	12.07	Biogastrone BQ
CARBIMAZOLE Tablet 5mg	100	2	2.74 3.40	Carbazole PT Neo-Mercazole NS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CARBINOXAMINE Tablet 4mg	50	2	2.34	Clistin	ET
CEPHALEXIN Authority required. Infections where positive bacteriological evidence confirms that cephalixin is the most appropriate therapeutic agent.					
Tablet 500mg	12	..	10.75	Keflex	LY
Capsule 250mg	25	..	11.16	Keflex	LY
500mg	12	..	10.75	Keflex	LY
Granules for Syrup 125mg per 5ml, 100ml	#1	..	#6.70	Keflex	LY
250mg per 5ml, 100ml	#1	..	#11.04	Keflex	LY
CEPHALORIDINE *Endophthalmitis; Infections where positive bacteriological evidence confirms that cephaloridine is the most appropriate therapeutic agent.					
Injection 500mg (solvent required)	5	..	16.47	Ceporan	GL
1g (solvent required)	5	..	30.47	Ceporan	GL
CEPHALOTHIN SODIUM Infections where positive bacteriological evidence confirms that cephalothin sodium is the most appropriate therapeutic agent.					
Injection 1g (solvent required)	5	..	22.67	Ceporacin Keflin	GL LY
2g (solvent required)	1	..	9.59	Keflin	LY
4g (solvent required)	1	..	17.76	Keflin	LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHAZOLIN SODIUM					
Infections where positive bacteriological evidence confirms that cephalosporin sodium is the most appropriate therapeutic agent.					
Injection 500mg (solvent required)	5	..	20.72	Kefzol	LY
1g (solvent required)	5	..	39.12	Kefzol	LY
CEPHRADINE					
Authority required.					
Infections where positive bacteriological evidence confirms that cephradine is the most appropriate therapeutic agent.					
Capsule 250mg	25	..	11.16	Eskacef Velosef	SK SQ
500mg	12	..	10.75	Eskacef Velosef	SK SQ
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#6.70	Eskacef Velosef	SK SQ
250mg per 5ml, 100ml	#1	..	#11.04	Eskacef Velosef	SK SQ
Infections where positive bacteriological evidence confirms that cephradine is the most appropriate therapeutic agent.					
Injection 250mg (solvent required)	5	..	9.87	Eskacef Velosef	SK SQ
500mg (solvent required)	5	..	16.47	Eskacef Velosef	SK SQ
1g (solvent required)	5	..	30.47	Eskacef Velosef	SK SQ
CERATONIA					
Powder 135g	#1	4	4.40	Carobel	MN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORAL HYDRATE				
Capsule 500mg	50	..	2.54	Chloradorm KL Noctec SQ
Mixture 250mg per 5ml, 400ml	#1	4	2.47	Dormel DH
1g per 10ml, 200ml	#1	4	2.47	Chloradorm KL Chloralix RK Elix-Nocte Forte AV Noctec Syrup SQ
CHLORAMBUCIL				
Authority required. Anaemia, autoimmune, haemolytic; Arthritis, rheumatoid with vasculitis or visceral compli- cations; Continuing chlorambucil therapy after discharge from an app- roved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease, including leukaemia; Nephritis; Nephrotic syndrome; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 2mg	100	2	22.95	Leukeran BW
5mg	100	2	34.67	Leukeran BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORAMPHENICOL Bacterial meningitis; Rickettsioses; Intraocular infections; Typhoid; Other serious infections where positive bacteriological evidence confirms that chloramphenicol is the ONLY appropriate antibiotic. <u>CAUTION</u> : Chloramphenicol may cause aplastic anaemia.				
Capsule 250mg	16	..	3.47	Chloromycetin PD
Paediatric Suspension 125mg per 5ml, 100ml	#1	..	3.60	Chloromycetin Palmitate PD
Injection 1g (solvent required)	3	..	8.27	Chloromycetin Succinate PD
CHLORAMPHENICOL Ear Drops 10%, 6ml	#1	2	2.47	Chlomin KL Chloromycetin PD
Eye Drops 0.5%, 10ml	#1	2	2.47	Chlomin KL Chloromycetin PD Chloroptic AG Chlorsig SI
Eye Ointment 1%, 4g	#1	..	2.20	Chlomin KL Chloromycetin PD
CHLORAMPHENICOL with POLYMYXIN B Eye Ointment 1%-5,000 Units per g, 4g	#1	..	2.20	Chloromycin PD
CHLORCYCLIZINE Tablet 50mg	50	2	2.44	PT
CHLORHEXIDINE Solution 5%, 200ml	#1	1	3.07	Hibitane Concentrate IC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORMETHIAZOLE Short-term hospital use for alcohol or drug withdrawal therapy; Status epilepticus. CAUTION: The risk of drug dependence is high.				
Capsule 192mg	50	..	6.40	Hemineurin AP
Solution 0.8% for I.V. Infusion, 500ml	1	..	12.06	Hemineurin AP
CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	3.67	RT
			3.75	Chlorquin PT
			3.79	Avloclor IC
				Nivaquine MB
				DH
			4.20	Aralen WL
				Resochin BN
				ET
Injection 40mg per ml, 2ml	5	1	3.72	Nivaquine MB
CHLOROTHIAZIDE Tablet 500mg	50	2	3.34	Diuret PT
			3.42	Chlotride FR
				Diubram ME
				Diurone KL
CHLOROTRIANISENE Carcinoma of the prostate.				
Tablet 24mg	30	2	4.83	Tace ML
CHLORPHENIRAMINE Tablet 4mg	50	2	2.43	Allergex PT
				Chloramin LF
			2.54	Bramahist ME
				Histaids OD
				Piriton GL
Capsule 4mg	50	2	2.54	Teledrin-P SK
Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	2.00	Bramahist ME

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHLORPROMAZINE					
Chorea;					
Hyperactive states of organic or toxic delirium;					
Malignant neoplasia(late stage);					
Radiation sickness;					
Severe conduct disorders of children;					
Major psychoses including:-					
Major organic psychoses includ- ing arteriopathic dementia;					
Manic depressive psychosis;					
Paranoid states;					
Schizophrenia;					
Senile dementia.					
Tablet 10mg	100	1	2.34	Protran	PT
			2.40	Largactil	MB
				Serazone	VR
25mg	100	1	2.47	Protran	PT
			2.54	Largactil	MB
				Procalm	ME
				Promacid	KL
				Serazone	VR
50mg	100	1	3.47	Largactil	MB
				Procalm	ME
				Promacid	KL
				Protran	PT
100mg	100	1	5.47	Largactil	MB
				Procalm	ME
				Promacid	KL
				Protran	PT
Mixture 25mg per 5ml, 100ml	#1	4	2.27	Largactil	MB
				Promacid	KL
Injection BP, 25mg in 1ml	10	..	3.74	Largactil	MB
50mg in 2ml	10	..	3.87	Largactil	MB
				Promacid	KL
Suppositories 100mg, 5	#1	1	2.54	Largactil	MB
CHLORPROPAMIDE					
Tablet 100mg	100	2	3.87	Diabinese M	PF
250mg	100	2	6.48	Diabinese	PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHLORTETRACYCLINE					
Capsule 250mg	25	..	2.92	Chlortet	LF
Ointment 3%, 15g	¶1	..	2.24	Aureomycin	LE
CHLORTHALIDONE					
Tablet 25mg	50	2	2.74	Hygroton	GE
CHOLERA VACCINE					
Injection 1ml	2	..	3.31	CS	
CHOLESTYRAMINE					
Authority required. Bile salt malabsorption associated with ileal resection or proven ileal disease; Pruritus associated with partial biliary obstruction not responding to other therapy; Treatment of hypercholesterolaemia. <u>NOTE:</u> Hypercholesterolaemia means an initial serum cholesterol level in excess of 7.75mmol/l (300mg per 100ml) which fails to fall below 6.75mmol/l (260mg per 100ml) with diet or other drug therapy. (Relevant levels should be submitted with application for an authority.)					
Powder 50%, 9g sachets, 50	2	..	31.47	Questran	MJ
CHOLINE THEOPHYLLINATE					
Tablet 100mg	100	2	3.20	Choledyl	WW
200mg	100	2	3.59	Choledyl	WW
Syrup 50mg per 5ml, 500ml	¶1	4	2.80	Choledyl	WW
CHOLINE THEOPHYLLINATE with GUAIPHENESIN					
Tablet 200mg-100mg	100	2	3.74	Brondecon	WW
Elixir 50mg-25mg per 5ml, 500ml	¶1	4	2.94	Brondecon	WW
CLEMASTINE					
Mixture 250 micrograms (base) per 5ml, 100ml	¶1	4	2.00	Tavegyl	SZ
Injection 2mg (base) in 2ml	5	..	2.80	Tavegyl	SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLEMIZOLE Tablet 20mg	50	2	2.37	Allercur SC
Paediatric Syrup 100ml	#1	4	2.00	Allercur SC
CLINDAMYCIN Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin. <u>CAUTION:</u> Clindamycin is associa- ted with a significant incidence of pseudomembranous colitis.				
Capsule 75mg	25	..	4.50	Dalacin C UP
150mg	25	..	7.54	Dalacin C UP
Granules for Syrup 75mg per 5ml, 100ml	#1	..	#6.04	Dalacin C UP
CLIOQUINOL Cream 1%, 30g	#1	..	2.14	Cremo-Quin HA Vioform CB
CLOFIBRATE Authority required. Diabetic retinopathy (exudative); Initial treatment of hyperlipid- aemia not responding to dietary therapy. <u>NOTE:</u> An acceptable level of hyp- erlipidaemia for the issue of an authority for initial treatment is a fasting (for a minimum of 12 hours) serum triglyceride level in excess of 2.25 mmol/l (200mg per 100ml) following dietary therapy for an adequate period (8 weeks); or an initial serum cholesterol level in excess of 7.75mmol/l (300mg per 100ml) failing to fall below 6.75mmol/l (260mg per 100ml) with adequate dietary therapy. (Relevant levels should be sub- mitted with application for an authority.)				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CLOFIBRATE - cont. A second or subsequent course of treatment for hyperlipidaemia where significant lowering of serum triglyceride and/or serum cholesterol subsequent to initial treatment has been established by laboratory report. (Relevant levels should be submitted with application for an authority.)					
Capsule 500mg	100	2	9.74	Atromid-S Liprinal Lostat	IC MJ PD
CLONAZEPAM Epilepsy.					
Tablet 500 micrograms	200	1	6.40	Rivotril	RO
2mg	200	1	10.40	Rivotril	RO
Injection 1mg in 2ml (set containing solution 1mg in 1ml and 1ml diluent)	5	..	3.07	Rivotril	RO
CLONIDINE					
Tablet 150 micrograms	100	2	7.40	Catapres	BY
Injection 150 micrograms in 1ml	5	..	3.50	Catapres	BY
CLOPAMIDE					
Tablet 20mg	50	2	3.87	Brinaldix	SZ
CLOREXOLONE					
Tablet 10mg	50	2	2.74	Nefrolan	MB
25mg	50	2	3.14	Nefrolan	MB
50mg	50	2	3.74	Nefrolan	MB
CLOXACILLIN					
Authority required. Infections due to penicillin-resistant staphylococci; Osteomyelitis.					
Capsule 250mg	25	..	8.87	Austrastaph Orbenin	CS BR
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLOXACILLIN - cont. Capsule 500mg	12	..	8.56	Austrastaph CS Orbenin BR
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#6.45	Austrastaph CS Orbenin BR
CLOXACILLIN Injection 250mg (solvent required)	5	..	7.40	Austrastaph CS Orbenin BR
500mg (solvent required)	5	..	11.34	Austrastaph CS Orbenin BR
1g (solvent required)	5	..	18.74	Austrastaph CS Orbenin BR
CODEINE PHOSPHATE Tablet 30mg	25	..	3.14	DH,KL,LP,RT,RY
CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL Malignant neoplasia.				
Tablet 30mg-225mg-150mg	100	1	7.47	Codiphen Forte GP Codral Forte BW
For pensioners only.				
Tablet 8mg-250mg-250mg	100	2	2.39	RY
CODEINE PHOSPHATE with ASPIRIN For pensioners only.				
Tablet Soluble 8mg-300mg	100	2	2.84	Aspalgin FM
8mg-500mg	100	2	2.84	Solcode RC
COLASPASE Injection 10,000 Units (solvent required)	10	1	381.07	Crasnitin MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
COLCHICINE Tablet 500 micrograms	100	2	3.44 3.56 3.60 3.74	Colgout PT DH,PR,RT Coluric AV BW Colcin KL LP,MR
COLISTIN Gram-negative infections where NO other drug is effective; Pyocyanus infection.				
Injection 150mg (solvent required)	5	..	35.22	Coly-Mycin WW
COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per ml, 10ml	71	2	2.40	Coly-Mycin WW
COPPER SULPHATE /Diagnostic Compound Tablets, 36	1	3	1.13	Clinitest AM
CORTISONE ACETATE Tablet 5mg	50	1	2.74 2.80	Cortate PT Cortone MK
25mg	30	2	3.74	Cortate PT
CYANOCOBALAMIN Neuroblastoma; Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy treatment; subacute combined degeneration of the cord).				
Injection 100 micrograms in 1ml	5	1	2.99 3.07	Panalamine PT Cytamen 100 GL LP
1mg in 1ml	5	..	3.39 3.47	Panalamine PT 1000 Cytamen 1000 GL LP
CYCLIZINE Tablet 50mg	50	1	2.40	Marzine BW
CYCLOBARBITONE Tablet 200mg	25	..	1.87	Amnosed BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	3.20	Navidrex CB
CYCLOPHOSPHAMIDE Authority required. Anaemia, autoimmune, haemolytic; Arthritis, rheumatoid with vasculitis or visceral compli- cations; Continuing cyclophosphamide therapy after discharge from an approved hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease including leukaemia; Nephritis; Nephrotic syndrome; Pemphigus vulgaris; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 50mg	50	..	7.07	Endoxan-Asta MJ
Injection 100mg (solvent required)	5	1	12.27	Endoxan-Asta MJ
200mg (solvent required)	5	1	13.07	Endoxan-Asta MJ
500mg (solvent required)	2	1	7.47	Endoxan-Asta MJ
1g (solvent required)	1	1	5.47	Endoxan-Asta MJ
CYCLOSERINE Capsule 250mg	250	2	57.07	Closina LY
CYCLOTHIAZIDE Tablet 5mg	50	2	3.74	Doburil BY
CYCRIMINE HYDROCHLORIDE Tablet 1.25mg	100	2	5.07	Pagitane LY
2.5mg	100	2	7.07	Pagitane LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CYPROHEPTADINE Prevention of migraine.					
Tablet 4mg	100	2	4.11	Periactin	FR
CYPROHEPTADINE Tablet 4mg	50	2	2.59	Periactin	FR
Paediatric Syrup 1.2mg per 5ml, 100ml	#1	4	2.00	Periactin	FR
CYTARABINE Injection set containing 100mg and 5ml solvent	10	1	81.07	Cytosar	UP
DAPSONE Tablet 100mg	100	2	2.68	Avlosulfon	IC
DAUNORUBICIN I.V. Infusion 20mg (base)	10	1	267.77	Cerubidin	MB
DEBRISOQUINE Tablet 10mg	100	2	5.87	Declinax	RO
20mg	100	2	7.74	Declinax	RO
DEMECARIUM BROMIDE Eye Drops 0.1%, 5ml	#1	6	4.27	Tosmilen	AP
0.25%, 5ml	#1	6	4.80	Tosmilen	AP
0.5%, 5ml	#1	6	6.00	Tosmilen	AP
DEMECLOCYCLINE Capsule 150mg	21	..	3.19	Ledermycin	LE
DESFERRIOXAMINE MESYLATE Injection 500mg (solvent required)	10	..	41.07	Desferal	CB
DESIPRAMINE Tablet 25mg	50	2	4.00	Pertofran	GE
DESLANOSIDE Injection 200 micrograms per ml, 2ml	5	1	2.67	Cedilanid	SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXAMETHASONE For use in a hospital. Injection 120mg in 5ml	1	..	31.67	Decadron Shock Pak MK Decasone Shock Pak FR
DEXAMETHASONE Tablet 500 micrograms 4mg	30	2	2.60 2.67	Dexamethsone PT Oradexon OR KL
Cream 0.04%, 30g	#1	1	2.39	Dexamethsone PT Oradexon OR
Injection 4mg in 1ml	5	..	8.42	Decadron MK Decasone FR
5mg in 1ml	5	..	11.07	Oradexon OR
8mg in 2ml	5	..	13.72	Decadron MK Decasone FR
DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 500 micrograms- 5mg-50 micrograms per g, 5g	#1	2	2.35	Sofradex RL
DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms(base)- 5mg-50 micrograms per ml, 8ml	#1	2	2.47	Sofradex RL
DEXAMPHETAMINE Authority required. Hyperkinetic brain damage syn- drome in children; Narcolepsy. Tablet 5mg	100	..	3.17	SI
DEXCHLORPHENIRAMINE Tablet 2mg	50	2	2.27	Polaramine SH
Paediatric Syrup 2mg per 5ml, 100ml	#1	4	2.00	Polaramine SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXTRAN 40 See Intravenous Fluids.				
DEXTRAN 70 See Intravenous Fluids.				
DEXTROMORAMIDE Treatment in malignant neoplasia.				
Tablet 5mg	25	..	3.04	Palfium FA
Injection 5mg in 1ml	10	..	7.97	Palfium FA
Suppositories 10mg, 10	≠1	..	5.57	Palfium FA
DEXTROPROPOXYPHENE HYDROCHLORIDE with PARACETAMOL				
Tablet 32.5mg-325mg	50	1	2.23	Di-Gesic DL
Capsule 32.5mg-325mg	50	1	2.23	Capadex FM
DEXTROSE INJECTION 50%, 10ml	5	..	3.87	BL
500ml and 1 litre Injections - See Intravenous Fluids				
DIAZEPAM Tablet 2mg	50	..	2.14	Ducene SU Lorinon HP Pro-Pam PT Valium RO
5mg	50	..	2.27 2.34 2.47	Pro-Pam PT Ducene SU Lorinon HP Valium RO
Paediatric Syrup 2mg per 5ml, 100ml	≠1	..	2.67	Valium RO
Injection 10mg in 2ml	5	..	3.11 3.80	BL Valium RO
NOTE: Authorities for increased maximum quantities and/or repeats of DIAZEPAM will be granted only for the treatment of: Disabling spasticity; Malignant neoplasia (late stage).				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIAZOXIDE Injection 300mg in 20ml	1	..	11.98	Hyperstat I.V. SH
DIBENZEPIN Tablet 80mg	50	2	3.54	Noveril SZ
DICHLORPHENAMIDE Tablet 50mg	50	6	6.27 6.67	Oratrol Daramide AQ MK
DICYCLOMINE with DOXYLAMINE and PYRIDOXINE Vomiting in pregnancy. Tablet 10mg-10mg-10mg	30	1	3.00	Debendox ML
DIENOESTROL Tablet 10mg	100	2	3.20	HA
Cream 0.01%, 85g	1	1	2.60	ET
DIGOXIN Tablet 62.5 micrograms	100	2	2.31	Lanoxin-PG BW
250 micrograms	100	2	2.35 2.40	Natigoxin Cardiox Lanoxin RT,RY NA AV BW
Oral Solution for Children 50 micrograms per ml, 100ml	#1	2	3.54	Lanoxin BW
Injection BP 500 micrograms in 2ml	5	1	3.74	Lanoxin BW
Injection for Infants 50 micrograms in 2ml	5	1	4.20	Lanoxin BW
DIHYDROCODEINE TARTRATE Linctus 0.19%, 100ml	#1	2	1.94	Fortuss Paracodin Rikodeine GP KN RK
DIHYDROERGOTAMINE Injection 1mg in 1ml	5	..	3.07	Dihydergot SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIHYDROTACHYSTEROL Authority required. Hypoparathyroidism; Osteomalacia following gastrectomy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets.					
Capsule 125 micrograms	100	1	11.14	A.T.10	WL
DI-iodohydroxyquinoline Compound Pessaries 100mg, 25	1	1	2.67	Floraquin	SR
DILOXANIDE FUROATE Tablet 500mg	30	..	6.93	Furamide	BT
DIMERCAPROL Injection 5%, 2ml	10	..	11.87	B.A.L.	BT
DIMETHICONE For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances. Cream 10%, 50g	1	..	1.87	Dermabase-S Siopel	HA IC
10%, 75g	1	..	1.74	Silcon	FA
20%, 20g	1	..	1.91	Vasogen Silicone	SS
Solutions - See Colostomy and Ileostomy					
DIMETHINDENE Tablet 1mg	50	2	2.27	Fenostil	ZY
DIOCTYL SODIUM SULPHOSUCCINATE For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes.					
Tablet 50mg	100	2	2.26	Coloxyl 50	FM
120mg	100	2	2.83	Coloxyl 120	FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes.				
Suppositories 100mg-10mg, 5	#1	..	1.87	Coloxyl FM
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes.				
Tablet 50mg-50mg	100	2	2.40	Coloxyl with Danthron FM
DIPHEMANIL METHYLSULPHATE For use by amputees; For use by paraplegic and quadriplegic patients.				
Dusting Powder 2%, 50g	#1	..	2.95	Prantal SH
DIPHENHYDRAMINE Capsule 50mg	50	2	2.36 2.40	Alergicap PT Benadryl PD
Paediatric Elixir 12.5mg per 5ml, 100ml	#1	4	2.00	Benadryl PD Bidramine AV
DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25 micrograms	20	..	2.27	Lomotil SR
Liquid 2.5mg-25 micrograms per 5ml, 60ml	1	..	2.27	Lomotil SR
DIPHENYLPYRALINE Tablet 2.5mg	50	2	2.27	Allerzine VR Anti-Hist PT Histalert RK
Capsule 2.5mg (continued)	50	2	2.27	Histryl-P SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPHENYLPYRALINE - cont. Paediatric Syrup 2.5mg per 5ml, 100ml	1	4	2.00	Histalert RK Histeryl SK
DIPHTHERIA ANTITOXIN Injection 1,000 Units	2	1	7.73	CS
10,000 Units	2	1	31.73	CS
DIPHTHERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years.				
Injection 0.5ml	3	..	4.28	CS
DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	3	..	4.34	CS
DIPHTHERIA, TETANUS and PERTUSSIS VACCINE, ADSORBED Injection 0.5ml	3	..	4.46 4.47	CS PD
DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years.				
Injection 0.5ml	2	1	3.47	CS
DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	2	..	3.33	CS
DIPYRIDAMOLE Supplementing anticoagulants in:- Biopsy proven glomerulonephritis; Microangiopathic renal disease; Renal allograft; Patients with cardiac prosthesis.				
Tablet 100mg	100	2	15.66	Persantin BY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DOXEPIN					
Tablet 10mg	50	2	2.40	Quitaxon	FM
25mg	50	2	3.30	Quitaxon	FM
Capsule 10mg	50	2	2.40	Sinequan	PF
25mg	50	2	3.30	Sinequan	PF
DOXYCYCLINE					
Capsule 100mg	7	..	3.87	Doxin Vibramycin	GP PF
Powder 100mg (base) for prepar- ation of infusion	5	..	17.07	Vibramycin	PF
DROPERIDOL					
For use in a hospital.					
Injection 10mg in 2ml	5	..	5.87	Droleptan	ET
ECOTHIOPATE IODIDE					
Eye Drops					
0.03%, 1.5mg and 5ml solvent	#1	6	#4.76	Phospholine Iodide	AY
0.06%, 3mg and 5ml solvent	#1	6	#4.89	Phospholine Iodide	AY
0.125%, 6.25mg and 5ml solvent	#1	6	#5.22	Phospholine Iodide	AY
0.25%, 12.5mg and 5ml solvent	#1	6	#5.76	Phospholine Iodide	AY
ELECTROLYTE REPLACEMENT (ORAL)					
Powder for Solution, 40g sachet, 6	#1	..	2.40	Repalyte	DH
ELECTROLYTE REPLACEMENT SOLUTION					
See Intravenous Fluids.					
EPHEDRINE HYDROCHLORIDE					
Tablet 15mg	100	2	2.07	DH, KL, RT, RY	
30mg	100	2	2.20	DH, KL, LP, RY, SI	
EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE					
Tablet 15mg-15mg	100	2	2.07	Ephedrobarb- ital Mitis	FM
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
EPHEDRINE HYDROCHLORIDE with PHENOBARBITONE - cont. Tablet 30mg-15mg	100	2	2.14	Ephedrobarb-ital FM
30mg-30mg	100	2	2.20	Ephedrobarb-ital Forte FM
Elixir 30mg-20mg per 5ml, 100ml	#1	4	2.16	Ephedrobarb-ital FM
EPICILLIN Capsule 250mg	25	..	3.99	Dexacillin SQ
500mg	12	1	3.71	Dexacillin SQ
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.17	Dexacillin SQ
250mg per 5ml, 100ml	#1	..	#4.44	Dexacillin SQ
Injection 250mg (solvent required)	5	1	5.40	Dexacillin SQ
500mg (solvent required)	5	1	8.04	Dexacillin SQ
1g (solvent required)	5	1	13.63	Dexacillin SQ
ERGOMETRINE MALEATE Tablet 200 micrograms	25	..	2.44	Ergotrate LY
Injection 250 micrograms in 1ml	5	..	2.54	BL
ERGOTAMINE TARTRATE Tablet 1mg	50	2	3.60	Gynergen SZ Lingraine WL
Injection 500 micrograms in 1ml	5	..	2.64	Gynergen SZ
ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	4.00	Cafergot SZ
Compound Suppositories, 6	#1	2	2.94	Cafergot PB SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	4.40	Migral BW
ERGOTAMINE TARTRATE with CAFFEINE and MECLOZINE HYDROCHLORIDE Tablet 1mg-100mg-10mg	50	2	4.30	Ergalan AH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	4.34	Ergodryl PD
ERYTHROMYCIN Tablet 125mg	25	..	3.07	EMU-V UP
200mg	25	..	3.44	Erythrocin AB
250mg	25	..	4.04	EMU-V UP Erythrocin AB Ethryn FA
Capsule 125mg	25	..	2.88	Erythrocin AB
250mg	25	..	3.82 4.04	E-Mycin PT Bram-Mycin ME Eratrex BC Erostin KL Eryc FA Erythrocin AB Ethryn FA
Paediatric Drops 100mg per ml, 10ml	#1	..	2.58	Ilosone LY
Paediatric Suspension 125mg per 5ml, 100ml	#1	..	3.32	Eratrex BC Eromycin DL Erythrocin AB Ilosone LY
250mg per 5ml, 100ml	#1	..	5.14	Erythrocin AB
Injection I.M. 100mg in 2ml	5	..	7.07	Erythrocin AB
Infusion I.V. 300mg	5	..	21.07	Erythrocin AB
1g	1	..	12.40	Erythrocin AB Ilotycin LY
ETHACRYNIC ACID NOTE: Ethacrynic acid is not the diuretic of choice in un- complicated hypertension.				
Tablet 50mg	50	2	6.00	Edecril MK
ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	3.43	Ethamolin GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ETHINYLOESTRADIOL Tablet 10 micrograms	100	1	2.40	Edrol	VR
				Estigyn	AH
				Lynoral	OR
				Primogyn C	SC
20 micrograms	100	1	2.54	Edrol	VR
				Estigyn	AH
				Lynoral	OR
				Primogyn C	SC
50 micrograms	100	1	2.67	Edrol	VR
				Estigyn	AH
				Lynoral	OR
				Primogyn C	SC
1mg	100	1	6.35	Estigyn	AH
				Lynoral	OR
ETHOPROPAZINE Tablet 50mg	100	2	3.87	Lysivane	MB
ETHOSUXIMIDE Capsule 250mg	200	1	12.00	Zarontin	PD
Paediatric Syrup 250mg per 5ml, 250ml	#1	4	4.20	Zarontin	PD
ETHOXZOLAMIDE Tablet 125mg	50	6	10.40	Cardrase	UP
ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	3.74	Bronkephrine	WL
ETHYLOESTRENOL Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.					
Tablet 2mg	100	1	10.40	Orabolin	OR
ETHYNODIOL DIACETATE with ETHINYL- OESTRADIOL Tablet 500 micrograms-50 micrograms, 21 (continued)	2	2	3.15	Ovulen 0.5/50	SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETHYNODIOL DIACETATE with ETHINYL- OESTRADIOL - cont. Tablet 1mg - 50 micrograms, 21	2	2	3.15	Ovulen 1/50 SR
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	3.15	Ovulen 0.5/50 -28 SR
Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	3.15	Ovulen 1/50 -28 SR
ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms - 100 micrograms, 21	2	2	3.15	Ovulen 0.5 SR
1mg - 100 micrograms, 21	2	2	3.15	Ovulen 1 SR
2mg - 100 micrograms, 21	2	2	3.15	Ovulen 2 SR
FENOTEROL HYDROBROMIDE Inhalation, metered aerosol spray, 200 micrograms per dose (300 dose)	≠1	1	4.74	Berotec BY
FERROUS AMINOACETOSULPHATE Tablet equivalent to 50mg Ferrous Iron	100	2	2.00	Plesmet AV
Paediatric Syrup 100ml	≠1	4	2.14	Plesmet AV
FERROUS FUMARATE Tablet 150mg	100	2	2.00	Bramiron ME Fumiron KL
FERROUS GLUCONATE Tablet 300mg	100	2	1.92 2.07	Glucohaem VR Fergon WL RT,RY
Paediatric Elixir 6%, 100ml	≠1	4	2.14	Fergon WL
FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	2.07	Slow-Fe CB
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FERROUS SULPHATE DRIED - cont. Tablet 350mg (sustained release)	30	2	2.04 2.07	Feritard PT Ferro-Gradumets AB
Capsule 320mg (delayed release)	30	2	2.07	Fespan SK
FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	2.14	Feritard Folic PT
Tablet 270mg-300 micrograms (sustained release)	30	2	2.14	F.G.F. AB
Capsule 270mg-300 micrograms (delayed release)	30	2	2.14	Fefol 2 SK
FLUCLOROLONE ACETONIDE Cream 0.025%, 30g	#1	1	2.39	Topilar SD
FLUCYTOSINE Invasive or systemic fungal infections such as candidiasis, cryptococcosis and chromoblastomycosis. NOTE: Not to be used in superficial fungal infections such as vaginal candidiasis because of the risk of inducing drug-resistant strains.				
Tablet 500mg	100	..	59.74	Ancotil RO
FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	..	5.18	Florinef SQ
1mg	30	..	11.31	Florinef SQ
FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	#1	..	2.40	Locacorten Vioform CB
FLUMETHASONE PIVALATE Cream 0.02%, 30g	#1	1	2.39	Locacorten CB
Ointment 0.02%, 30g	#1	1	2.39	Locacorten CB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FLUOCINOLONE ACETONIDE Cream 0.01%, 30g	#1	1	2.39	Synalar 01 IC
Ointment 0.01%, 30g	#1	1	2.39	Synalar 01 IC
FLUOCORTOLONE ESTERS Cream 0.08%, 100g	#1	..	2.67	Topodil SC
0.2%, 30g	#	1	2.39	Ultralan-D SC
Ointment 0.08%, 100g	#1	..	2.67	Topodil SC
0.2%, 30g	#1	1	2.39	Ultralan-D SC
Ointment (Anhydrous) 0.2%, 30g	#1	1	2.39	Ultralan-D Fatty SC
FLUOROMETHOLONE Eye Drops 0.1%, 5ml	#1	6	3.40	FML LiquifilmAG
FLUOROURACIL Injection 50mg per ml, 5ml	10	..	22.40	RO
FLUOXYMESTERONE Authority required. Aplastic anaemias, proven; *Carcinoma of the breast; *Hypogonadism; Osteoporosis. <u>NOTE:</u> An authority for three months' treatment of osteo- porosis will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 5mg	100	1	18.90	Halotestin UP
FLUPHENAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 1mg (continued)	100	1	4.36	Anatensol SQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUPHENAZINE - cont.					
Tablet 2.5mg	100	1	6.07	Anatensol	SQ
5mg	100	1	7.00	Anatensol	SQ
Elixir 500 micrograms per ml, 60ml	≠1	4	2.59	Anatensol	SQ
FLUPHENAZINE DECANOATE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Injection 12.5mg in 0.5ml	5	..	11.40	Modocate	SQ
25mg in 1ml	5	..	19.20	Modocate	SQ
50mg in 2ml	5	..	26.74	Modocate	SQ
FLUPHENAZINE ENANTHATE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Injection I.M. 25mg in 1ml	5	..	11.07	Anatensol Enanthate	SQ
FLURANDRENOLONE					
Cream 0.025%, 30g	≠1	1	2.39	Haelan	DL
Ointment 0.025%, 30g	≠1	1	2.39	Haelan	DL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FOLIC ACID Cystic fibrosis; Folic acid deficiency, proven; Haemolytic anaemia, chronic; Sprue or the sprue-like syndrome.				
Tablet 5mg	100	2	2.18 2.20	DH,PT Folasic ET,KL,LP,PR, RT,RY,SI AV
Injection 15mg in 1ml	10	..	5.87	AB
FOLIC ACID Tablet 500 micrograms	100	..	1.99 2.00	DH,PT Folettes KL,LP,SI FM
FRAMYCETIN Injection 500mg (solvent required)	1	2	6.90	Soframycin RL
CAUTION: Framycetin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.				
Eye Ointment 0.5%, 5g	≠1	..	2.20	Soframycin RL
Eye/Ear Drops 0.5%, 8ml	≠1	2	2.58	Soframycin RL
FRUSEMIDE Renal failure.				
Tablet 500mg	50	2	45.07	Lasix High Dose HP
FRUSEMIDE NOTE: Frusemide is not the diuretic of choice in uncomplicated hypertension.				
Tablet 20mg	50	2	2.80 3.20	Urex-M Aquamide M Lasix-M FM RL HP
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FRUSEMIDE - cont. Tablet 40mg	50	2	3.07 3.20 3.47	Urex FM Uremide PT Aquamide RL Frusid RO Lasix HP
Injection 20mg in 2ml	5	..	4.23	Aquamide RL Lasix HP
FUSIDIC ACID Authority required. For use in combination with another antibiotic in the treatment of proven serious staphylococcal infections.				
Tablet (Sodium salt) 250mg (enteric coated)	36	..	47.47	Fucidin SK
Suspension 50mg per ml, 90ml	#1	..	21.07	Fucidin SK
GAMMA BENZENE HEXACHLORIDE Cream 1%, 200g	#1	2	2.94	Lorexane IC
Head Lotion 0.2%, 200ml	#1	..	2.40	Lorexane IC
Lotion Concentrate 1%, 200ml	#1	..	3.07	Lorexane Concentrate IC
GAS GANGRENE ANTITOXIN (OEDEMATIENS) Injection 10,000 Units	3	1	57.08	CS
GAS GANGRENE ANTITOXIN (PERFRINGENS) Injection 10,000 Units	10	1	193.07	CS
GAS GANGRENE ANTITOXIN (SEPTICUM) Injection 5,000 Units	2	1	40.53	CS
GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection - 1 amp containing: 10,000 Units Perfringens; 10,000 Units Oedematiens; 5,000 Units Septicum.	2	1	45.07	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GENTAMICIN SULPHATE Authority required. Infections where positive bacteriological evidence confirms that gentamicin is the MOST appropriate antibiotic; Septicaemia, suspected or proven. <u>*Endophthalmitis.</u> <u>CAUTION:</u> Gentamicin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired. Injection 10mg (base) in 1ml 40mg (base) in 1ml 60mg (base) in 1.5ml 80mg (base) in 2ml	5	..	10.40	Cidomycin RL Garamycin SH Cidomycin RL Garamycin SH Cidomycin RL Garamycin SH Cidomycin RL Garamycin SH
GLIBENCLAMIDE Tablet 5mg	100	2	12.34	Daonil HP Euglucon FM
GLUCAGON HYDROCHLORIDE Injection 1mg (anhydrous glucagon) with 1ml diluent	1	..	5.74	LY
GLUCOSE INDICATOR 4m Test Dispenser 100 Reagent Strips 100 Reagent Strips	1	2	2.99 2.18 2.30	Tes-Tape LY Clinistix AM Diastix AM
GLUCOSE and KETONE INDICATOR 100 Reagent Strips	1	2	2.79	Keto-Diastix AM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GLYCEROL For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes.				
/Suppositories 1g, 10	1	1	/1.35	FA
GLYCEROL /Glycerol 100ml	1	1	/0.99	DH
GLYCERYL TRINITRATE Tablet 600 micrograms	100	2	2.14	Anginine Stabilised BW
GLYCIDINE Tablet 500mg	100	2	6.40	Gondafon SC
GOATS' MILK Authority required. Cows' milk allergy in children under the age of two (2) years. <u>NOTE:</u> Milk allergy means eczema, asthma or severe gastro-intest- inal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on sub- sequent feeding with cows' milk. Since cows' milk allergy is not always permanent a further challenge with cows' milk should be made each three months. Age of patient to be shown on application for authority.				
Dehydrated Powder 1 lb	2	20	9.92	GV
450g	2	20	9.68 9.92	Caprilac CG Dale CE
Whole (Sterilised) 375ml	12	20	7.56 8.04	Caprilac CG TM

46

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GRISEOFULVIN				
Authority required.				
Use in recalcitrant tinea infections due to <i>Microsporum</i> , <i>Trichophyton</i> or <i>Epidermophyton</i> species proven by pathology testing or, in the case of the scalp, by pathology testing or by Wood's Light examination; Kerion.				
Tablet 125mg	100	..	7.74	Fulcin 125 IC Grisovin GL
500mg	28	..	7.47	Fulcin 500 IC Grisovin 500 GL
GUANETHIDINE				
Tablet 10mg	100	1	5.47	Ismelin CB
25mg	100	1	11.14	Ismelin CB
HALOPERIDOL				
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 1.5mg	100	1	6.07	Serenace SR
Injection 5mg in 1ml	10	..	9.74	Serenace SR
For use in a hospital for acute schizophrenia or mania.				
Tablet 5mg	50	..	9.07	Serenace SR
HEPARIN				
Injection BP	5	5	7.72	WP
5,000 Units in 1ml			7.74	AH,CS
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HEPARIN - cont. Injection BP				
25,000 Units in 5ml	2	5	9.07	BT,CS,WP
35,000 Units in 35ml	12	5	97.07	CS
125,000 Units in 5ml	1	5	19.07	BT,CS
HEPARIN CALCIUM Injection 5,000 Units in 0.2ml	5	5	7.74	Calciparine DF
5,000 Units in 0.5ml	5	5	7.72	CS
12,500 Units in 0.5ml	2	..	7.07	Calciparine DF CS
25,000 Units in 1ml	2	..	9.07	Calciparine DF CS
HEXAMINE HIPPURATE Tablet 1g	100	2	7.67	Hiprex RK
HEXAMINE MANDELATE Tablet 250mg	100	2	2.47	Mandelamine WW
500mg	100	2	3.60	Mandelamine Hafgrams WW
1g	100	2	5.47	Mandelamine WW
Paediatric Suspension 500mg per 5ml, 200ml	≠1	1	3.60	Mandelamine WW
HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15ml	≠1	2	2.79 2.80	AG AQ,LP
5%, 15ml	≠1	2	3.11 3.14	AG AQ
HYALURONIDASE Injection 1,500 I.U. (solvent required)	5	1	4.30	Hyalase FC
HYDRALLAZINE HYDROCHLORIDE Tablet 25mg	100	2	4.80	Apresoline CB
50mg	100	2	7.07	Apresoline CB
HYDRARGAPHEN Pessaries 5mg, 15	≠1	1	3.60	Versotrane Tri- ple Strength WB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	2.96	Dichlotride MK Esidrex CB
50mg	50	2	4.20	Dichlotride MK Esidrex CB
HYDROCHLOROTHIAZIDE with AMILORIDE Cardiac failure. <u>NOTE:</u> This pack is designed for once daily therapy. Supplementary potassium should not be used. This preparation is not the drug of choice in uncomplicated hypertension.				
Tablet 50mg-5mg	30	1	3.39	Moduretic MK
<u>NOTE:</u> No authorities will be granted for increased maximum quantities and/or repeats of this preparation.				
HYDROCHLOROTHIAZIDE with TRIAMTERENE Cardiac failure. <u>NOTE:</u> This pack is designed for once daily therapy. Supplementary potassium should not be used. This preparation is not the drug of choice in uncomplicated hypertension.				
Tablet 25mg-50mg	30	1	3.39	Dyazide SK
<u>NOTE:</u> No authorities will be granted for increased maximum quantities and/or repeats of this preparation.				
HYDROCORTISONE Eye Drops 0.5%, 2ml	#1	2	2.20	Scheroson F OphthalmicumSC
0.5%, 5ml	#1	2	2.40	Hycor SI
0.5%, 10ml	#1	2	2.67	Hycor SI
1%, 3ml	#1	2	2.34	Hycor SI
1%, 5ml (continued)	#1	2	2.54	Hydrosone KL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
HYDROCORTISONE - cont.					
Eye Drops 1%, 10ml	#1	2	3.00	Hycor	SI
				Hydrosone	KL
2.5%, 5ml	#1	2	2.94	Hycor	SI
2.5%, 10ml	#1	2	3.47	Hycor	SI
Eye Ointment 0.5%, 4g	#1	..	2.34	Cortef	UP
				Cortril	PF
				Hydrosone	KL
0.5%, 5g	#1	..	2.47	Hycor	SI
1%, 5g	#1	..	2.60	Hycor	SI
				Hydrosone	KL
Cream 1%, 30g	#1	1	2.27	Cort-Dome	DO
			2.39	Adacor	AV
				Cortef	UP
				Dermacort	PD
				Hydrosone	KL
				Hynax	VR
				Phiacort	RS
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
				LP	
Topical Ointment 1%, 30g	#1	1	2.39	Adacor	AV
				Cortef	UP
				Dermacort "O"	PD
				Hynax	VR
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
				LP	
HYDROCORTISONE with NEOMYCIN SULPHATE					
Ear Drops 1.5%-0.5%, 5ml	#1	..	2.47	Neo-Cortef	UP
Ear Ointment 1.5%-0.5%, 4g	#1	2	2.40	Neo-Cortef	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE ACETATE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid.				
Injection 25mg in 1ml	5	..	4.27 4.42	Hysone-A PT Hydrocortone MK
HYDROCORTISONE SODIUM SUCCINATE For use in a hospital.				
Injection set containing equi- valent of 500mg hydrocortisone and solvent.	1	..	12.80	Solu-Cortef UP
HYDROCORTISONE SODIUM SUCCINATE Injection set containing equi- valent of 100mg hydrocortisone and 2ml solvent	2	..	6.41	Efcortelan GL Nordicort NR Solu-Cortef UP Venocort PT
Injection set containing equi- valent of 250mg hydrocortisone and solvent	1	..	6.94	Solu-Cortef UP
HYDROFLUMETHIAZIDE Tablet 50mg	50	2	4.58	Di-Ademil SQ Hydrenox BT
HYDROGEN PEROXIDE SOLUTION Solution 10 vol, 100ml	1	..	0.53	FA
HYDROMORPHONE Injection 1.1ml	5	..	2.50	Dilaudid KN
HYDROXOCOBALAMIN Neuroblastoma; Pernicious anaemia and other proven vitamin B12 deficiencies (Post-gastrectomy; subacute combined degeneration of the cord).				
Injection 1mg in 1ml	5	..	3.47	Neo-Cytamen GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROXYCHLOROQUINE Tablet 200mg	100	..	5.74	Plaquenil WL
HYDROXYUREA Capsule 500mg	100	..	21.07	Hydrea SQ
HYOSCINE BUTYLBROMIDE Injection 20mg in 1ml	5	..	3.07	Buscopan BY
HYOSCINE HYDROBROMIDE Eye Drops 0.25%, 15ml	#1	2	3.47	AQ
HYPROMELLOSE Eye Drops 0.5%, 15ml	#1	6	2.27 2.31	IQ Isopto Tears AQ Lacril AG Methopt SI KL
IBUPROFEN Rheumatoid arthritis where sali- cylates are contraindicated or ineffective; Osteoarthritis where salicylates are contraindicated or ineffect- ive. Tablet 200mg	50	2	3.11	Brufen BT
IDOXURIDINE Infections caused by herpes simplex virus or by vaccinia virus. Eye Drops 0.1%, 15ml	#1	2	4.27	Herplex AG Stoxil SK
Eye Ointment 0.5%, 5g	#1	..	4.27	Stoxil SK
IDOXURIDINE Topical Ointment 0.5%, 5g	#1	..	2.28	Stoxil SK
IMIPRAMINE Tablet 10mg	50	2	2.15	Imiprin PT Iramil KL Prodepress ME Tofranil GE
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
IMIPRAMINE - cont. Tablet 25mg	50	2	2.94 3.03	Imiprin PT Iramil KL Melipramine UW(N)
Injection I.M. 25mg in 2ml	10	..	4.60	Tofranil GE
INDOMETHACIN Capsule 25mg	50	2	4.19	Indocid MK
Suppository 100mg	20	2	8.01	Indocid MK
INFLUENZA VACCINE For pensioners; Persons with chronic pulmonary disease and/or chronic heart disease or persons with other serious debilitating diseases.				
Injection 1ml	1	..	3.34	CS
INSECT ALLERGEN EXTRACT - BULL ANT Injection Sets strengths A,B,C each 5ml	1	..	30.40	CS
strengths A,B,C,D each 5ml	1	..	42.40	CS
Injection strength C, 5ml	1	..	11.74	CS
strength D, 5ml	1	..	13.07	CS
INSECT ALLERGEN EXTRACT - HONEY BEE Injection Sets strengths A,B,C each 5ml	1	..	30.40	CS
strengths A,B,C,D each 5ml	1	..	42.40	CS
Injection strength C, 5ml	1	..	11.74	CS
strength D, 5ml	1	..	13.07	CS
INSECT ALLERGEN EXTRACT - JUMPER ANT Injection Sets strengths A,B,C each 5ml	1	..	30.40	CS
strengths A,B,C,D each 5ml (continued)	1	..	42.40	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSECT ALLERGEN EXTRACT - JUMPER ANT - cont.				
Injection strength C, 5ml	1	..	11.74	CS
strength D, 5ml	1	..	13.07	CS
INSECT ALLERGEN EXTRACT - MOSQUITO Injection Sets				
strengths A,B,C each 5ml	1	..	30.40	CS
strengths A,B,C,D each 5ml	1	..	42.40	CS
Injection strength C, 5ml	1	..	11.74	CS
strength D, 5ml	1	..	13.07	CS
INSECT ALLERGEN EXTRACT - PAPER WASP Injection Sets				
strengths A,B,C each 5ml	1	..	30.40	CS
strengths A,B,C,D each 5ml	1	..	42.40	CS
Injection strength C, 5ml	1	..	11.74	CS
strength D, 5ml	1	..	13.07	CS
INSULIN				
Injection 20 Units per ml, 10ml	10	2	26.70	CS
40 Units per ml, 10ml	10	2	29.30	Novo BT,BW,CS,WP NO
80 Units per ml, 10ml	10	2	42.70	Novo BT,BW,CS NO
160 Units per ml, 10ml	10	2	106.70	CS
300 Units per ml, 5ml	10	2	106.70	CS
Injection (specially purified) 40 Units per ml, 10ml	10	2	83.30	CS
Injection (Porcine) 40 Units per ml, 10ml	10	2	44.00	CS
INSULIN BIPHASIC				
Injection 40 Units per ml, 10ml	10	2	37.70	Rapitard-NovoNO
80 Units per ml, 10ml	10	2	70.70	Rapitard-NovoNO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ISOPHANE (N.P.H.)				
Injection 40 Units per ml, 10ml	10	2	36.70	AH,BT,BW,CS,WP
80 Units per ml, 10ml	10	2	53.30	AH,BT,BW,CS,WP
160 Units per ml, 10ml	10	2	120.00	CS
Injection (specially purified)				
40 Units per ml, 10ml	10	2	65.30	CS
Injection (Porcine)				
40 Units per ml, 10ml	10	2	63.30	CS
80 Units per ml, 10ml	10	2	113.30	CS
INSULIN NEUTRAL				
Injection 40 Units per ml, 10ml	10	2	29.90	Actrapid-NovoNO
80 Units per ml, 10ml	10	2	56.50	Actrapid-NovoNO
INSULIN NEUTRAL SPECIALLY PURIFIED				
Injection 40 Units per ml, 10ml	10	2	37.60	Actrapid M.C. Novo NO
80 Units per ml, 10ml	10	2	68.00	Actrapid M.C. Novo NO
INSULIN PROTAMINE ZINC				
Injection 40 Units per ml, 10ml	10	2	30.70	BT,BW,CS,WP
80 Units per ml, 10ml	10	2	46.70	BW,CS
INSULIN ZINC SUSPENSION (Lente)				
Injection 40 Units per ml, 10ml	10	2	30.00	Lente Novo NO BT,BW,CS
80 Units per ml, 10ml	10	2	42.70	Lente Novo NO BT,BW,CS
INSULIN ZINC SUSPENSION SPECIALLY PURIFIED				
Injection 40 Units per ml, 10ml	10	2	42.40	Monotard M.C. Novo NO
80 Units per ml, 10ml	10	2	74.70	Monotard M.C. Novo NO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente) Injection 40 Units per ml, 10ml	10	2	29.30	Semilente Novo BT, BW, CS NO
80 Units per ml, 10ml	10	2	42.70	Semilente Novo BT, BW, CS NO
INSULIN ZINC SUSPENSION (AMORPHOUS) SPECIALLY PURIFIED Injection 40 Units per ml, 10ml	10	2	42.40	Semilente M.C. Novo NO
80 Units per ml, 10ml	10	2	74.70	Semilente M.C. Novo NO
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente) Injection 40 Units per ml, 10ml	10	2	42.70	Ultralente Novo BT, BW, CS NO
80 Units per ml, 10ml	10	2	53.30	Ultralente Novo BT, BW, CS NO
INTRAVENOUS FLUIDS 500ml and 1 litre - See Special Section				
IRON DEXTRAN Injection 2ml	5	..	4.67	Imferon FC
IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	2.07	Ferrum H SI
Injection 100mg (Iron) in 2ml	5	..	5.07	Ferrum H SI
IRON SORBITOL Injection I.M. Trivalent Iron 2ml	5	..	5.07	Jectofer AP
ISONIAZID Tablet 50mg	200	2	2.40	RY
100mg	100	2	2.40	Isotiny1 RY KL
ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	2.67	Isuprel WL
30mg (sustained release) (continued)	100	2	9.07	Saventrine PN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ISOPRENALINE HYDROCHLORIDE - cont.					
Inhalation 1 in 200, 15ml	1	1	2.67	Isuprel	WL
Injection 1 in 5,000, 1ml	5	..	5.74	Isuprel	WL
1 in 5,000, 5ml	5	..	8.07	Isuprel	WL
ISOPRENALINE SULPHATE					
Tablet 20mg	100	2	2.67	Neo-Epineine	BW
Inhalation, metered aerosol spray replacement pack					
2mg per ml, 15ml (300 dose)	≠1	..	3.47	Medihaler-Iso	RK
4mg per ml, 7.5ml (300 dose)	≠1	..	3.47	Iso-Autohaler	RK
KANAMYCIN					
Infections where positive bact- eriological evidence confirms that kanamycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.					
CAUTION: Kanamycin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.					
Injection 30mg in 1ml	5	1	5.07	Kanasig	SI
250mg in 2ml	5	..	8.67	Kanasig	SI
500mg in 2ml	5	..	10.67	Kanasig Kantrex	SI BC
1g in 3ml	5	..	13.87	Kanasig Kantrex	SI BC
KAOLIN with PECTIN					
Mixture					
5.91g-132mg per 30ml, 375ml	≠1	2	2.54	Kaopectate	UP
LACTULOSE					
Hepatic coma or precoma (chronic porto-systemic encephalopathy).					
Mixture 50%, 500ml	≠1	4	8.27	Duphalac	PI
LANATOSIDE-C					
Tablet 250 micrograms	100	2	2.80 2.94	Lanocide Cedilanid	PT SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
LEVODOPA Treatment of Parkinson's disease. Tablet 100mg	50	1	4.00	Larodopa	RO
250mg	100	2	8.67	Larodopa	RO
500mg	250	1	29.07	Larodopa	RO
Capsule 100mg	50	1	4.91	Syndopa	FA
250mg	100	2	9.07	Larodopa Syndopa	RO FA
500mg	250	1	29.07	Larodopa Syndopa	RO FA
LEVODOPA with CARBIDOPA Treatment of Parkinson's disease. Tablet 100mg-10mg	100	1	15.07	Sinemet M	MK
250mg-25mg	100	1	27.74	Sinemet	MK
LIGNOCAINE Injection 100mg in 5ml	#2	..	3.67	Xylocard 100	AP
I.M. 300mg in 3ml	1	..	4.00	Xylocard 300 I.M.	AP
Infusion 500mg in 5ml	5	..	5.66	Xylocard 500	AP
LINCOMYCIN Gram-negative anaerobic infections; Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin. <u>CAUTION:</u> Lincomycin is associated with a significant incidence of pseudomembranous colitis.					
Injection 300mg in 1ml	5	..	6.54	Lincocin SS Paediatric	UP
600mg in 2ml	5	..	8.00	Lincocin	UP
LIOTHYRONINE Tablet 20 micrograms	100	1	2.80	Tertroxin	GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LITHIUM CARBONATE Manic depression.				
Tablet 250mg	100	2	2.80	Lithicarb PT Manialith MN DH
LYNOESTRENOL with ETHINYLOESTRADIOL Tablet 1mg - 50 micrograms, 22	2	2	3.15	Ovostat 22 OR
Pack containing 22 tablets 1mg - 50 micrograms and 6 inert tablets	2	2	3.15	Ovostat 28 OR
LYNOESTRENOL with MESTRANOL Tablet 1mg - 100 micrograms, 22	2	2	3.15	Microcyclin CB
2.5mg - 75 micrograms, 22	2	2	3.15	Anacyclin CB Lyndiol 2.5 OR
LYPRESSIN Nasal Spray 50 Units per ml, 5ml	10	2	39.47	Vasopressin SZ
MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	2.60	Maalox RG
Mixture 375mg per 5ml, 375ml	#1	2	2.54	Maalox RG
MAGNESIUM SULPHATE Paste 50g	#1	1	1.94	Magnoplasm FA
100g	#1	1	2.32	Magnoplasm FA
MANNITOL See Intravenous Fluids.				
MAPHENIDE ACETATE Treatment in a hospital, of burns.				
Cream 11.2%, 454g	#1	..	14.40	Sulfamylon WL
MEBHYDROLIN Tablet 50mg	50	2	2.34	Fabahistin BN
Paediatric Suspension 50mg per 5ml, 100ml	#1	4	2.00	Fabahistin BN
MECAMYLAMINE Tablet 2.5mg	100	1	3.07	Mevasine MK
10mg	100	1	8.67	Mevasine MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
MECLOZINE					
Tablet 25mg	50	2	2.40	Ancolan	AH
Syrup 12.5mg per 5ml, 100ml	#1	4	2.00	Ancolan	AH
MEDROXYPROGESTERONE					
Precocious puberty; Turner's syndrome.					
Tablet 2.5mg	25	..	4.07	Provera	UP
Malignant neoplasia; Precocious puberty; Turner's syndrome.					
Tablet 10mg	25	..	9.47	Provera	UP
Malignant neoplasia.					
Tablet 100mg	100	2	70.40	Provera	UP
Malignant neoplasia; Precocious puberty.					
Injection 50mg in 1ml	1	..	4.40	Depo-Provera	UP
150mg in 1ml	1	..	9.28	Depo-Provera	UP
MEDRYSONE					
Eye Drops 1%, 5ml	#1	6	3.40	HMS Liquifilm	AG
MEFRUSIDE					
NOTE: Mefruside is not the diuretic of choice in uncomplicated hypertension.					
Tablet 25mg	50	2	3.80	Baycaron	BN
MELPHALAN					
Tablet 2mg	100	2	30.39	Alkeran	BW
5mg	100	2	51.75	Alkeran	BW
MERCAPTOPURINE					
Tablet 50mg	50	1	24.93	Purinethol	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METFORMIN Authority required. Maturity onset diabetes in patients under 65 years of age not satisfactorily controlled by diet and other drugs and in whom the risk of lactic acidosis is negligible. [Recent serum creatinine level is to be stated in each application for an authority. Authorities will not be granted where the serum creatinine level is in excess of 0.11mmol/l (1.2mg per 100ml).] [1 mmol = 1000 micromoles].				
WARNING: This drug may cause lactic acidosis, which can prove fatal. Contraindications include renal disease, liver disease, hypertension, cardiovascular disease, pregnancy, excessive alcohol intake and hypoxaemia.				
Tablet 500mg	100	2	9.10	Glucophage RN
500mg (sustained release)	100	2	9.11	Diabex S.R. DF
METHACYCLINE Capsule 150mg	21	..	3.87	Rondomycin WW
300mg	11	..	3.87	Rondomycin WW
METHADONE Disabling pain associated with malignant neoplasia or self-limiting disorders of short duration not responding to non-narcotic analgesics. NOTE: Dependence on this drug is a present social problem.				
Tablet 5mg	25	..	2.64	Physeptone BW
10mg	25	..	2.85	Physeptone BW
Injection 10mg in 1ml	5	..	4.24	Physeptone BW
NOTE: Authorities for increased maximum quantities and/or repeats of METHADONE will be granted only for the treatment of late-stage malignant neoplasia.				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METHANDIENONE Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. NOTE: An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule. Tablet 5mg	100	1	9.34	Dianabol	CB
METHDILAZINE Prevention of migraine. Tablet 4mg 8mg	100	2	3.47	Dilosyn Tacaryl	AH MJ
METHDILAZINE Tablet 4mg 8mg Paediatric Syrup 4mg per 5ml, 100ml	50	2	2.27	Dilosyn Tacaryl	AH MJ
METHENOLONE ACETATE Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. NOTE: An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule. Tablet 1mg 5mg	50	2	2.42	Dilosyn Tacaryl	AH MJ
Tablet 1mg 5mg	100	1	4.27	Primobolan	SC
	100	1	10.67	Primobolan	SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METHICILLIN *Endophthalmitis; Septicaemia, staphylococcal, suspected or proven. Injection 1g (solvent required)	5	1	16.94	Celbenin Metin	BR CS
METHOIN Tablet 100mg	200	1	6.54	Mesantoin	SZ
METHOTREXATE Authority required. Continuing methotrexate therapy after discharge from an approved hospital; Malignant neoplasia; Pemphigus vulgaris; Severe intractable or extensive psoriasis. Tablet 2.5mg	100	..	18.40	LE	
Injection 5mg (solvent required)	5	..	21.07	LE	
50mg (solvent required)	5	..	61.07	LE	
METHSUXIMIDE Capsule 300mg	200	1	12.40	Celontin	PD
METHYCLOTHIAZIDE Tablet 2.5mg	50	2	2.94	Enduron-M	AB
5mg	50	2	3.74	Enduron	AB
METHYLDOPA Tablet 125mg	100	2	5.87	Aldomet-M	MK
250mg	100	2	8.14	Aldomet	MK
METHYLERGOMETRINE Tablet 125 micrograms	25	1	3.26	Methergin	SZ
METHYLPHENOBARBITONE Epilepsy. Tablet 30mg	200	1	2.60	Prominal RY	WL
60mg	200	1	3.07	Prominal RY	WL
200mg	200	1	5.35	Prominal RY	WL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	#1	..	2.67	Medrol UP
METHYLPREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration.				
Injection 40mg in 1ml	5	..	14.40	Depo-Medrol UP
Proctitis; Ulcerative colitis.				
Retention Enema 40mg, 6	#1	..	17.74	Medrol Enpak UP
METHYLPREDNISOLONE ACETATE Cream 0.25%, 30g	#1	1	2.39	Medrol UP
METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1ml	5	..	14.42	Solu-Medrol UP
METHYLTESTOSTERONE Hypogonadism in children.				
Tablet 5mg	100	2	3.44 3.47	Testomet ET PT
Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Tablet 25mg	100	2	7.00 7.07	Testomet ET,PR PT
50mg	100	2	10.94 11.07	Testomet ET,PR PT
Sublingual Tablet 25mg	100	..	13.07	Perandren CB
METHYSERGIDE Carcinoid syndrome; Prevention of disabling migraine when other treatment has failed.				
Tablet 1mg	100	2	14.60	Deseril SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METOCLOPRAMIDE HYDROCHLORIDE Injection 10mg in 2ml	10	..	3.74	Maxolon BR Primperan BQ
METOPROLOL Authority required. Frequent disabling angina without evidence of cardiac failure. <u>CAUTION:</u> Adverse reactions to this new drug should be reported.				
Tablet 100mg	50	2	8.40	Betaloc AP Lopresor GE
METRONIDAZOLE Tablet 200mg	21	1	3.51	Flagyl MB
MICONAZOLE NITRATE Cutaneous candidiasis; Dermatomycosis; Pityriasis versicolor.				
Cream 2%, 20g	#1	..	3.74	Daktarin ET
MILK POWDER - COWS' MILK, PROCESSED Authority required. Lactose intolerance.				
Lactose-Predigested Powder 1.25kg	1	20	6.53	Digestelact HS
MILK POWDER - SYNTHETIC Authority required. Hypercalcaemia in children under the age of two (2) years; Osteopetrosis.				
Low Calcium Compound Powder 14oz	2	20	12.00	Locasol MN
Authority required. Galactosaemia; Conditions needing an extreme restriction of lactose in diet in children under the age of four (4) years.				
Low Lactose Compound Powder 397g (14oz)	2	20	12.00	Galactomin Formula 17 MN
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MILK POWDER - SYNTHETIC - cont. Authority required. Glucose-galactose malabsorption.				
Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g (16oz)	2	20	44.80	Galactomin Formula 19 MN
MINOCYCLINE Capsule 100mg	11	..	3.87	Minomycin LE
MITHRAMYCIN For use in a hospital for - inoperable testicular neoplasm; symptomatic hypercalcaemia and hypercalcinuria associated with advanced neoplasia.				
Injection 2.5mg (solvent required)	5	..	95.22	Mithracin PF
MORPHINE with TACRINE Severe intractable pain.				
Tablet 30mg-15mg	50	..	11.57	Mortha WH
MORPHINE with TACRINE Injection 15mg-13mg in 1.5ml	5	..	3.24	Mortha WH
30mg-13mg in 1.5ml	5	..	3.30	Mortha WH
15mg-30mg in 1.5ml	5	..	3.77	Mortha WH
30mg-30mg in 1.5ml	5	..	3.90	Mortha WH
MORPHINE SULPHATE Injection 10mg in 1ml	5	..	2.74	AB,BL,KL,LP,SI
15mg in 1ml	5	..	2.84	AB,BL,KL,LP,SI
20mg in 1ml	5	..	3.10	BL
30mg in 1ml	5	..	3.17	AB,BL,KL
MORPHINE SULPHATE with ATROPINE SULPHATE Injection 15mg-600 micrograms in 1ml	5	..	2.90	BL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MUSTINE Injection 10mg (solvent required)	1	..	5.06	BT
NALIDIXIC ACID Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evi- dence shows the organism to be sensitive to nalidixic acid or where the patient is sensitive to sulphonamides.				
Tablet 500mg	56	..	7.74	Negram WL
Paediatric Suspension 50mg per ml, 200ml	#1	..	4.94	Negram WL
NALORPHINE Injection 1mg in 1ml	5	..	4.87	Lethidrone BW
10mg in 1ml	5	1	6.20	Lethidrone BW
NANDROLONE DECANOATE Authority required. *Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids.				
NOTE: An authority for three months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 50mg in 1ml	1	1	8.54	Deca- Durabolin OR
NANDROLONE PHENYLPROPIONATE Authority required. *Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NANDROLONE PHENYLPROPIONATE - cont. <u>NOTE:</u> An authority for three months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule. Injection 25mg in 1ml	3	1	7.47	Durabolin OR
NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15ml	#1	2	2.27	Albalon Liquifilm AG
NATAMYCIN Tablet 100mg	50	..	7.54	Pimafucin GB
Suspension 1%, 5ml	#1	..	2.74	Pimafucin GB
Ointment 20mg per g, 15g	#1	1	2.80	Pimafucin GB
Pessaries 25mg, 20	#1	..	4.54	Pimafucin GB
NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE Ear Ointment 1%-0.35%(base)-1%, 5g	#1	2	2.14	Pimafucort Otic GB
NEOMYCIN Acute leukaemia during induction of remission with chemotherapy; Bowel sterilisation preparatory to major surgery; Encephalopathy, hepatic; Enteropathogenic <i>E. Coli</i> infections in infants. <u>CAUTION:</u> Neomycin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.				
Tablet 500mg	25	1	9.07	Neomate Neosulf ET KL LF PT
			12.27	
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NEOMYCIN - cont. Eye Drops 0.5%(0.35% Neomycin Base) 10ml	#1	2	2.40	Neopt SI
NEOMYCIN with GRAMICIDIN, THONZ- ONIUM BROMIDE, THONZYLAMINE and HYDROCORTISONE ACETATE Ear Drops 0.1%-0.005%-0.05%-1%- 0.02%, 15ml	#1	..	2.40	Biomydrin WW
NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg(3.5mg base)- 400 Units per g, 10g	#1	..	2.27	Nemdyn HA
NEOSTIGMINE Tablet 15mg	100	2	4.54	Prostigmin RO
Injection 500 micrograms in 1ml 2.5mg in 1ml	5	3	2.27	Prostigmin RO
	5	3	2.54	Prostigmin RO
Eye Drops 3%, 7.5ml	#1	6	3.20	Prostigmin RO
NICLOSAMIDE Hymenolepiasis nana. Tablet 500mg	16	..	7.75	Yomesan BN
NICLOSAMIDE Tablet 500mg	4	..	2.74	Yomesan BN
NICOTINIC ACID For pensioners.	100	2	2.07	DH,KL,LP
Tablet 25mg	100	2	2.14	DH,KL,LP,RT, SI
50mg	100	2	2.20	DH,KL,RT
100mg	100	2	2.40	DH,LP
250mg	50	2	4.14	Sintrom GE
NICOUMALONE Tablet 4mg				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NITRAZEPAM Tablet 5mg	25	..	2.14	Dormicum PT Mogadon RO
NOTE: Authority to prescribe an increased maximum quantity and/or repeats of NITRAZEPAM should be sought for treatment of epilepsy.				
NITROFURANTOIN Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evidence shows the organism to be sensitive to nitrofurantoin or where the patient is sensitive to sulphonamides.				
Tablet 50mg	25	1	4.11	Furadantin SK
100mg	25	1	6.03	Furadantin SK
Paediatric Suspension 25mg per 5ml, 200ml	≠1	..	3.51	Furadantin SK
NORADRENALINE Injection 1 in 10,000, 2ml	5	..	5.44	Levophed WL
Infusion 1 in 1,000, 2ml	5	..	6.40	Levophed WL
NORETHISTERONE Benign mammary dysplasia; Endometriosis; Metropathia haemorrhagica; Precocious puberty; Turner's syndrome.				
Tablet 5mg	30	5	4.00	Primolut-N SC
NORETHISTERONE Tablet 350 micrograms, 28	2	2	3.15	Micronor ET Noriday SD
NORETHISTERONE with MESTRANOL Tablet 1mg - 50 micrograms, 21	2	2	3.15	Norinyl-1 SD Ortho-Novum 1/50 ET
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORETHISTERONE with MESTRANOL - cont.				
Tablet 1mg- 80 micrograms, 21	2	2	3.15	Ortho-Novum 1/80 ET
2mg- 100 micrograms, 21	2	2	3.15	Norinyl-2 SD Ortho-Novum 2 ET
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	3.15	Norinyl 1/28 SD
NORETHISTERONE ACETATE Endometriosis; Metropathia haemorrhagica; Precocious puberty; Turner's syndrome.				
Tablet 2.5mg	30	5	3.40	Primolut Nor SC
Carcinoma of the breast; Carcinoma of the endometrium.				
Tablet 10mg	100	2	18.40	SH420 SC
NORETHISTERONE ACETATE with ETHINYLOESTRADIOL				
Tablet 1mg - 50 micrograms, 21	2	2	3.15	Minovlar SC
3mg - 50 micrograms, 21	2	2	3.15	Gynovlar SC
4mg - 50 micrograms, 21	2	2	3.15	Anovlar SC
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	3.15	Minovlar ED SC Orlest PD
Pack containing 21 tablets 2.5mg- 50 micrograms and 7 inert tablets	2	2	3.15	Norlestrin PD
NORETHYNODREL with MESTRANOL Tablet 2.5mg - 100 micrograms, 21	2	2	3.15	Conovid-E SR
NORGESTREL Tablet 30 micrograms, 28	2	2	3.15	Microlut 28 SC Microval 28 WY
NORGESTREL with ETHINYLOESTRADIOL Tablet 150 micrograms - 30 micrograms, 21	2	2	3.15	Microgynon30 SC Nordette 21 WY
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORGESTREL with ETHINYLOESTRADIOL - cont. Tablet				
250 micrograms - 50 micrograms, 21	2	2	3.15	Neogynon SC Nordiol 21 WY
500 micrograms - 50 micrograms, 20	2	2	3.15	Duoluton SC
500 micrograms - 50 micrograms, 21	2	2	3.15	Eugynon SC Ovral WY
Pack containing 21 tablets 150 micrograms - 30 micrograms and 7 inert tablets	2	2	3.15	Microgynon 30 ED SC Nordette 28 WY
Pack containing 21 tablets 250 micrograms - 50 micrograms and 7 inert tablets	2	2	3.15	Neogynon ED SC Nordiol 28 WY
Pack containing 21 tablets 500 micrograms - 50 micrograms and 7 inert tablets	2	2	3.15	Eugynon ED SC Ovral 28 WY
NORTRIPTYLINE Tablet 10mg	50	2	2.11	Allegron DL Nortab SQ
25mg	50	2	2.96	Allegron DL Nortab SQ
Capsule 10mg	50	2	2.11	Aventyl LY
25mg	50	2	2.96	Aventyl LY
Paediatric Elixir 10mg per 5ml, 100ml	≠1	4	1.98	Allegron DL Aventyl LY
NUTRAMIGEN Authority required. Cows' milk allergy in children under the age of two (2) years; Cystic fibrosis (mucoviscidosis); Galactosaemia; Lactose intolerance.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NUTRAMIGEN - cont.				
NOTE: Milk allergy means eczema, asthma or severe gastro-intestinal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk.				
Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months.				
Age of patient to be shown on application for authority.				
Powder 500g	2	20	15.20	Glucose Nutramigen MJ
NYSTATIN				
Tablet 500,000 Units	50	..	7.18	Diastatin GP Mycostatin SQ Nilstat LE
Capsule 500,000 Units	50	..	7.18	Mycostatin SQ
Mixture				
100,000 Units per ml, 24ml	#1	..	3.34	Mycostatin SQ Nilstat LE
Cream 100,000 Units per g, 15g	#1	1	2.67	Mycostatin SQ Nilstat LE
Gel 100,000 Units per g, 15g	#1	1	2.67	Mycostatin SQ
Ointment 100,000 Units per g, 15g	#1	1	2.67	Mycostatin SQ Nilstat LE
Pessaries 100,000 Units, 15	#1	1	2.91	Diastatin GP Mycostatin SQ Nilstat LE
Vaginal Cream				
100,000 Units per 4g, 60g (15 doses)	#1	1	3.14	Mycostatin SQ
100,000 Units per 5g, 75g (15 doses)	#1	1	3.14	Diastatin GP Nilstat LE
OESTRADIOL VALERATE				
Injection 10mg in 1ml	3	..	7.07	Primogyn- Depot SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
OESTRONE				
Pessaries, 1,000 Units, 12	≠1	1	3.34	Kolpon OR
10,000 Units, 12	≠1	1	4.94	Kolpon OR
ORCIPRENALINE				
Tablet 20mg	100	2	5.34	Alupent BY
Syrup 10mg per 5ml, 300ml	≠1	4	3.60	Alupent BY
Inhalation Solution for use in NEBULISER 5%, 7.5ml	≠1	..	2.27	Alupent BY
Inhalation Solution for use in RESPIRATOR 2%, 75ml	≠1	..	6.40	Alupent BY
Inhalation, metered aerosol spray replacement pack, 15mg per ml, 15ml (300 dose)	≠1	1	4.00	Alupent BY
ORPHENADRINE HYDROCHLORIDE Parkinsonism.				
Tablet 50mg	100	2	4.14	Disipal RK
OXAZEPAM				
Tablet 15mg	50	..	2.16	Serepax WY
30mg	50	..	2.54	Serepax WY
NOTE: No authorities will be granted for increased maximum quantities and/or repeats for OXAZEPAM.				
OPXPRENOLOL				
Dissecting aneurysm (aortic); Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure.				
Injection 2mg (solvent required)	5	..	5.15	Trasicor CB
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
EXPRENOLOL - cont. Dissecting aneurysm (aortic); Hypertension; Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure.					
Tablet 20mg	100	2	5.40	Trasicor	CB
40mg	100	2	7.74	Trasicor	CB
OXYCODONE Treatment in malignant neoplasia.					
Injection 10mg in 1ml	6	..	5.04	Proladone	CK
Suppositories 30mg, 12	#1	..	5.04	Proladone	CK
OXYMETHOLONE Authority required. Aplastic anaemias, proven; Myelosclerosis.					
Tablet 50mg	100	..	66.07	Anapolon	SD
100mg	100	..	131.07	Adroyd	PD
OXYTETRACYCLINE Capsule 250mg	25	..	3.00	Bramcycline Oxycycline Terramycin	ME PT PF
Ointment 3%, 15g	#1	..	2.24	Terramycin	PF
OXYTETRACYCLINE with HYDROCORTISONE Ear Suspension 0.5%-1.5%, 5ml	#1	..	2.40	Terra- Cortril	PF
OXYTETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	3.14	Terrastatin	PF
OXYTETRACYCLINE with POLYMYXIN B Eye Ointment 0.5%-10,000 Units per g, 4g	#1	..	2.07	Terramycin	PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
OXYTOCIN Injection 2 Units in 2ml	5	..	2.35	Syntocinon SZ
5 Units in 1ml	5	..	2.52	Syntocinon SZ
10 Units in 1ml	5	..	3.00	Syntocinon SZ
OXYTOCIN with ERGOMETRINE Injection	5	..	3.15	Syntometrine SZ
5 Units and 500 micrograms in 1ml	5	..	3.15	Syntometrine SZ
PANCREATIN Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.	1	..	29.74	Pancrex "V" ST
Powder 500g	1	..	29.74	Pancrex "V" ST
PANCREATIN ENZYME (4 times USNF.XIII strength) Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.	500	1	31.07	Viokase RS
Tablet 325mg	500	1	31.07	Viokase RS
Powder 250g	#1	2	23.74	Viokase RS
PANCRELIPASE Cystic fibrosis(mucoviscidosis); Following pancreatico-duoden- ectomy; Steatorrhoea, pancreatic.	250	1	27.74	Cotazym OR
Capsule 300mg	250	1	27.74	Cotazym OR
PAPAVERETUM Tablet 10mg	20	..	2.97	Omnopon RO
Injection 20mg in 1ml	5	..	2.90	Omnopon AB RO
PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1ml	5	..	2.97	Omnopon-Scopolamine RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PARACETAMOL Tablet 500mg	50	1	1.94	Ceetamol PT PCL DH
			1.99	Bramcetamol ME Dymadon BW Langesic LP Panacete PR Parasin AV Parmol KL Placemol VR Tempra MJ
			2.07	Panamax WL Paralgin FM
Mixture 120mg per 5ml, 100ml	≠1	4	2.00	Dymadon BW Panamax WL Paraspen FC Parmol KL Tempra MJ
PARALDEHYDE Injection 5ml	5	1	3.40	BL
PARAMETHASONE Tablet 2mg	30	2	2.40	Metilar SD
PEMPIDINE Tablet 5mg	100	1	4.49	Perolysen MB
PENICILLAMINE Authority required. Acute heavy metal intoxication; Cystinosis; Cystinuria with calculus formation; Haemoglobinuria, paroxysmal cold; Wilson's disease (hepatolenticular degeneration).				
Tablet 125mg	100	3	25.07	D-Penamine DL
250mg	100	3	43.07	D-Penamine DL
Capsule 250mg	100	3	43.07	Cuprimine MK
PENICILLINASE Injection set containing 0.8megaU and 1ml solvent	1	..	16.67	Compenase CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENTAZOCINE				
NOTE: Authorities for increased maximum quantities and/or repeats of PENTAZOCINE will be granted only for the treatment of late-stage malignant neoplasia.				
Injection 60mg in 2ml	5	..	4.80	Fortral WL
PENTOBARBITONE SODIUM				
Tablet 30mg	50	..	1.50	Somnital PR QE (NQ), RY
50mg	50	..	1.47	Penbon AV Somnital PR DH, PT, QE (NQ)
100mg	25	..	1.52	Penbon AV Petaab KL Somnital PR DH, LP, PT, QE (NQ) RT, RY, TO
Capsule 50mg	50	..	1.78	Penbon AV (NQS VW) PT
100mg	25	..	1.76	Nembutal AB Penbon AV Pentobeta ME Pentone FA PT, RY
PENTOLINIUM TARTRATE				
Injection 5mg per ml, 10ml	1	1	4.54	Ansolyzen MB
PERICYAZINE				
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PERICYAZINE - cont.				
Tablet 2.5mg	100	1	2.94	Neulactil MB
10mg	100	1	6.00	Neulactil MB
Mixture 2.5mg per 5ml, 100ml	≠1	4	2.54	Neulactil MB
PERITONEAL DIALYSIS SOLUTION				
Injection				
with 0.5% Anhydrous Dextrose, 2 litres	20	1	94.47	Dianeal TV
with 1.5% Anhydrous Dextrose, 1 litre	20	1	54.47	Diasol AB
with 1.5% Anhydrous Dextrose, 2 litres	20	1	94.47	Dianeal TV
with 2.5% Anhydrous Dextrose, 2 litres	20	1	94.47	Dianeal TV
with 4.25% Anhydrous Dextrose, 1 litre	20	1	54.47	Diasol AB
with 4.25% Anhydrous Dextrose, 2 litres	20	1	94.47	Dianeal TV
PERTUSSIS VACCINE				
Injection 20,000 million organisms in 0.5ml	3	1	7.28	CS
PETHIDINE				
Injection BP, 50mg in 1ml	5	..	2.64	Pethoid BW AB,BL,KL,LP,SI
100mg in 2ml	5	..	2.69	Pethoid BW AB,BL,KL,LP,SI
PETHIDINE with LEVALLORPHAN				
Injection				
50mg-625 micrograms per ml, 2ml	5	..	2.64	Pethilorfan RO
PHENELZINE				
Depressive illness resistant to treatment with tricyclic anti- depressants or electroconvulsive therapy; *Phobic states.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENELZINE - cont. CAUTION: This drug is a monoamine oxidase inhibitor and should not be used with sympathomimetic amines. Precautions should be taken with diet and additional medication.					
Tablet 15mg	50	1	4.54	Nardil	WW
PHENETHICILLIN Prophylaxis of recurrent strept- ococcal infections (including rheumatic fever).					
Tablet 125mg	50	5	3.61	Optipen Pensig	CS SI
250mg	50	5	4.59	Optipen Pensig	CS SI
Capsule 125mg	50	5	3.61	Optipen Pensig	CS SI
250mg	50	5	4.59	Optipen Pensig	CS SI
PHENETHICILLIN Tablet 125mg	25	1	2.34	Optipen Pensig	CS SI
250mg	25	1	2.83	Optipen Pensig	CS SI
Capsule 125mg	25	1	2.34	Optipen Pensig	CS SI
250mg	25	1	2.83	Optipen Pensig	CS SI
500mg	12	1	2.76	Optipen Pensig	CS SI
Powder for Syrup 125mg per 5ml, 100ml	#1	1	#2.78	Optipen Pensig 125	CS SI
250mg per 5ml, 100ml	#1	1	#3.44	Pensig 250	SI

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENFORMIN					
Authority required.					
Maturity onset diabetes in patients under 65 years of age not satisfactorily controlled by diet and other drugs and in whom the risk of lactic acidosis is negligible. [Recent serum creatinine level is to be stated in each application for an authority. Authorities will not be granted where the serum creatinine level is in excess of 0.11mmol/l (1.2mg per 100ml).] [1mmol = 1000 micromoles].					
<u>WARNING:</u> This drug may cause lactic acidosis, which can prove fatal. Contraindications include renal disease, liver disease, hypertension, cardiovascular disease, pregnancy, excessive alcohol intake and hypoxaemia.					
Tablet 25mg	100	2	4.80	Insoral	BQ
Capsule 50mg	100	1	8.80	Insoral TD	BQ
PHENINDAMINE					
Tablet 25mg	50	2	2.14	Thephorin	RO
PHENINDIONE					
Tablet 10mg	100	2	4.40	Dindevan	AH
50mg	100	2	6.00	Dindevan	AH
PHENIRAMINE					
Tablet 10mg	50	2	2.00	Avilettes Fenamine-M	HP FM
50mg	50	2	2.32	Avil Fenamine	HP FM
Paediatric Syrup					
15mg per 5ml, 100ml	≠1	4	2.00	Avil Fenamine	HP FM
Injection 25mg per ml, 2ml					
	5	1	2.24	Avil	HP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOBARBITONE Epilepsy.				
Tablet 15mg	200	1	2.20	DH, KL, RT, RY
30mg	200	1	2.47	DH, KL, RT, RY, SI
60mg	200	1	2.67	DH, KL, RT, RY
100mg	200	1	3.07	DH, RT, RY
PHENOBARBITONE SODIUM Injection 200mg in 1ml	5	..	2.47	BL, FM
PHENOXYMETHYLPENICILLIN Prophylaxis of recurrent strept- ococcal infections (including rheumatic fever).				
Tablet 125mg	50	5	3.47	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
250mg	50	5	4.37	Abbocillin-VK Adacillin AB Bramcillin AV Cilicaine-VK ME Falcopen-VK SI L.P.V. FA Pen-Cilin V CS PVK LF P.V.O. LY V.P.V. FM VR 4.38 KL
Capsule 125mg	50	5	3.47	Cilicaine-VK SI Falcopen-VK FA L.P.V. CS PVK LY P.V.O. FM
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont. Capsule 250mg	50	5	4.37	Abbocillin-VK AB Adacillin AV Cilicaine-VK SI Falcopen-VK FA L.P.V. CS PVK LY P.V.O. FM V.P.V. VR 4.38 KL
PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	2.27	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
250mg	25	1	2.72	Abbocillin-VK AB Adacillin AV Bramcillin ME Cilicaine-VK SI Falcopen VK FA L.P.V. CS Pen-Cilin V LF PVK LY P.V.O. FM V.P.V. VR KL
500mg	12	1	2.55	Abbocillin-VK AB L.P.V. CS PVK LY P.V.O. FM
Capsule 125mg	25	1	2.27	Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
(Continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont. Capsule 250mg	25	1	2.72	Abbocillin-VK AB Adacillin AV Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM V.P.V. VR KL
500mg	12	1	2.55	Cilicaine-VK SI Falcopen VK FA L.P.V. CS P.V.O. FM
Paediatric Suspension 125mg per 5ml, 100ml	≠1	1	2.60	Abbocillin-V AB Cilicaine-V SI Falcopen V FA L.P.V. CS Pfipen V PF
Suspension 250mg per 5ml, 100ml	≠1	1	3.20	Abbocillin-V AB Cilicaine-V SI Falcopen V FA L.P.V. Aqueous Forte CS Pfipen V PF
PHENSUXIMIDE Capsule 500mg	200	1	13.74	Milontin PD
PHENYLALANINE LOW CONTENT FORMULA Phenylketonuria.				
Powder 2.5lb	2	2	60.00	Lofenalac MJ
PHENYLBUTAZONE Tablet 100mg	50	2	2.38	Butacal LF Butazone PT 2.40 Butalgin FM Butarex AV Butoroid VR Buzon KL
100mg. (enteric coated)	50	2	2.40	Butazolidin GE
Capsule 100mg	50	2	2.40	Buzon KL
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENYLBUTAZONE - cont.				
Injection 600mg in 3ml	5	..	3.34	Butazolidin GE
Suppositories 250mg, 20	#1	2	5.72	Butazolidin GE
PHENYLEPHRINE				
Compound Ointment 60g	#1	1	2.48	Hemorex WL
Compound Suppositories, 12	#1	1	2.48	Hemorex WL
Eye Drops 0.12%, 15ml	#1	2	2.27	Isopto Frin AQ Prefrin AG
10%, 5ml	#1	..	3.20	Neo-Synephrine WL
PHENYTOIN				
Tablet 50mg	100	1	3.74	Dilantin Infatabs PD
Paediatric Suspension 30mg per 5ml, 500ml	#1	3	4.20	Dilantin PD
Suspension 100mg per 5ml, 500ml	#1	1	4.60	Dilantin Forte PD
PHENYTOIN SODIUM				
Tablet 100mg	200	1	3.74	RY
Capsule 30mg	200	1	4.67	Dilantin Sodium PD
100mg	200	1	5.07	Dilantin Sodium RY PD
Injection 100mg in 2ml	1	..	4.94	Dilantin Sodium PD
250mg with 5ml solvent	1	..	6.14	Dilantin Sodium PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHOLCODINE Linctus 0.1%, 100ml	#1	2	1.79 1.94	Pholtrate MG Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin RedDH Pholtussin KL Sedlingtus VR Tussinol GP PR,RT,SI(V)
PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	3.47	Talecid SC Thalacet VR
PTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	3.07	Phthazol KL
PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15ml	#1	6	3.74	IQ
0.5%, 15ml	#1	6	4.14	IQ
PHYTOMENADIONE Injection 1mg	5	..	3.20	Konakion RO
10mg	5	..	5.07	Konakion RO
Colloidal Solution for Injection 10mg in 1ml	5	..	6.72	Aquamephyton MK
PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15ml	#1	6	2.34 2.40	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG
1%, 15ml	#1	6	2.40 2.47	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL,LP
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PILOCARPINE HYDROCHLORIDE - cont. Eye Drops 2%, 15ml	#1	6	2.54 2.60	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL,LP
3%, 15ml	#1	6	2.60 2.67	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG LP
4%, 15ml	#1	6	2.74 2.80	IQ Isopto Carpine AQ Pilopt SI P.V. Carpine AG KL
6%, 15ml	#1	6	3.34	Isopto Carpine AQ Pilopt SI P.V. Carpine AG
PINDOLOL Dissecting aneurysm (aortic); Hypertension; Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure.				
Tablet 5mg	100	2	7.74	Visken SZ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PINDOLOL - cont. Dissecting aneurysm (aortic); Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure.					
Injection 1mg in 5ml	5	..	5.34	Visken	SZ
PIPERAZINE PHOSPHATE Powder 10g sachets, 2	#1	..	2.07	Pripsen	RC
PITUITARY, POSTERIOR LOBE Insufflation 30 Antidiuretic Unit Capsule	100	2	9.34	Di-Sipidin	ST
PIZOTIFEN MALATE Prevention of migraine. Tablet 500 micrograms (base)	100	2	8.28	Sandomigran	SZ
PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	5.47	CS	
PLASMA SUBSTITUTE I.V. Infusion 3.5%, 500ml	5	..	38.92	Haemaccel	HP
POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	#1	2	2.40	Aerosporin	BW
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units 3.5mg(base) per ml, 15ml	#1	..	2.47	Neotracin	ET
Eye Drops set containing 50,000 Units-4,000 Units-50mg and 10ml solvent	#1	2	#3.69	Neotracin	ET
Eye Ointment 5,000 Units - 400 Units-5mg per g, 4g	#1	..	2.27	Mycitracin Neosporin	UP BW
POLYMYXIN B SULPHATE with LIGNOCAINE Ear Drops 10,000 Units-50mg, per ml, 10ml	#1	2	2.40	Lignosporin	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg- 25 micrograms per ml, 10ml	#1	2	2.80	Neosporin BW
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)-10mg per ml, 7ml	#1	2	2.40	Aerocortin BW
POLYOESTRADIOL Carcinoma of the breast; Carcinoma of the prostate. Injection set containing 40mg and 2ml solvent	1	..	6.07	Estradurin AY
POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	#1	6	2.87	Liquifilm Tears AG
POTASSIUM Effervescent Tablet 6.5mEq K ⁺	100	2	3.07	Potavescent PT
25mEq K ⁺	30	2	3.20	K-Lyte MJ
POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	2.67	K-San PR Slow-K CB Span-K PT
Effervescent Tablet 6.5mEq K ⁺ and 6.5mEq Cl ⁻	100	2	2.54	Kloref LP
14mEq K ⁺ and 8mEq Cl ⁻	30	2	2.67	Chlorvescent PT
Elixir 1.5g per 15ml, 500ml	#1	2	2.87	Kay Ciel CP
Sterile Solution 0.746g in 10ml (7.46%) for preparation of injection	5	..	3.74	AB
Sterile Solution 1g in 10ml(10%) for preparation of injection	5	..	3.74	AB
Injection Standard Maintenance Fluid - See Intravenous Fluids.				
PRALIDOXIME IODIDE Injection 500mg	5	..	13.07	AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PRAZOSIN HYDROCHLORIDE Supplementing beta-blockade in the treatment of hypertension.				
Tablet 1mg (base)	100	..	6.80	Minipress PF
2mg (base)	100	..	9.74	Minipress PF
PREDNISOLONE Tablet 1mg	100	1	2.80	Panafcort- elone PT
5mg	30	2	1.86	Panafcort- elone PT
			1.87	Adnisolone AV
				Delta-Cortef UP
				Deltasolone KL
				Precortisyl RL
				Prelone LF
				Solone FM
				PR, RT
25mg	30	1	3.87	Panafcort- elone PT
				Precortisyl RL
				Solone FM
Eye Ointment 0.5%, 4g	#1	..	2.67	Delta-Cortef UP
				Optocort PT
PREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration.				
Injection 10mg in 1ml	5	..	6.42	Scherisolon SC
PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	#1	6	3.20	Sterofrin AQ
				UltracortenolZY
PREDNISOLONE ACETATE with PHENYLEPHRINE Corneal grafts; Uveitis.				
Eye Drops 1%-0.12%, 10ml	#1	2	4.40	Prednefrin Forte AG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PREDNISOLONE SODIUM PHOSPHATE Proctitis; Ulcerative colitis.					
Retention Enema 20mg in 100ml	7	..	14.88	Predsol	GL
Suppositories equivalent to 5mg prednisolone, 10	#1	..	5.76	Predsol	GL
PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5ml	#1	6	3.27	Codelsol Predsol	MK GL
Eye Ointment 0.5%, 3g	#1	..	2.67	Predsol	GL
PREDNISOLONE STEAGLATE Tablet 6.65mg	30	2	2.07	Sintisone	EC
PREDNISOLONE TERTIARYBUTYLACETATE For local intra-articular or peri-articular infiltration.					
Injection 20mg in 1ml	5	..	7.60	Codelcortone TBA	MK
PREDNISONE Tablet 1mg	100	1	2.80	Panafcort	PT
5mg	30	2	1.86 1.87	Panafcort Adasone Decortisyl Deltasone Presone Propred Sone LP,PR	PT AV RL KL LF ME FM
25mg	30	1	3.87	Panafcort Sone	PT FM
PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	4.52	IC	
PRIMIDONE Tablet 250mg	200	1	5.07	Midone Mysoline	PT IC
Paediatric Suspension 125mg per 5ml, 500ml	#1	1	2.83	Mysoline	IC

Name, Restriction Manner of Administration and Form.	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROBENECID Tablet 500mg	100	2	8.14 8.16	Proben Benemid	PT FR
PROCAINAMIDE Capsule 250mg	100	2	5.60	Pronestyl	SQ
375mg	100	2	7.07	Pronestyl	SQ
Injection 100mg per ml, 10ml	2	..	4.93	Pronestyl	SQ
PROCAINE PENICILLIN Injection BP 600mg	5	..	5.07	Aquacillin	FA
1g	5	..	7.54	Aquacaine Aquacillin Cilicaine	CS FA SI
1.5g	5	..	7.94	Aquacaine Aquacillin Cilicaine	CS FA SI
Crystalline Injection 900mg (solvent required)	5	..	5.07	Aquacaine G	CS
1.5g (solvent required)	5	..	6.40	Aquacaine G	CS
PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	5.74	Aquacaine G Fortified	CS
PROCARBAZINE Capsule 50mg	100	..	14.40	Natulan	RO
PROCHLORPERAZINE Tablet 5mg	50	1	2.26 2.27	Anti-Naus Compazine Stemetil	PT SK MB
Injection 12.5mg in 1ml	10	..	4.00 4.14	Stemetil Compazine	MB SK
Suppositories 5mg, 5	#1	..	2.40	Compazine Stemetil	SK MB
25mg, 5	#1	..	2.80	Compazine Stemetil	SK MB
PROCYCLIDINE Tablet 5mg	100	2	5.07	Kemadrin	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROGUANIL Tablet 100mg	100	2	3.76	Paludrine IC
PROMETHAZINE Tablet 10mg	50	2	2.14	Phenergan MB Prothazine KL
25mg	50	2	2.26	Meth-Zine PT MC
			2.27	Phenergan MB Prothazine KL
Mixture 5mg per 5ml, 100ml	≠1	4	2.00	Progan AV Prothazine KL
Injection 50mg in 2ml	10	..	3.34	BL
PROMETHAZINE THEOCLATE Tablet 25mg	30	1	2.59	Avomine MB
PROPRANOLOL Benign essential tremor (not Parkinsonian tremor); Dissecting aneurysm (aortic); Hypertension; Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure.				
Tablet 10mg	100	2	4.20	Inderal IC
40mg	100	2	7.74	Inderal IC
Authority required. Hypertension where there is an inadequate response to not less than 160mg of propranolol daily; Frequent disabling angina without evidence of cardiac failure where there is an inadequate response to not less than 160mg of propranolol daily.				
Tablet 160mg	100	2	23.74	Inderal IC
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROPRANOLOL - cont. Dissecting aneurysm (aortic); Idiopathic hypertrophic subaortic stenosis; Right ventricular outflow tract obstruction; Serious arrhythmias; Thyrotoxicosis; Frequent disabling angina without evidence of cardiac failure.				
Injection 1mg in 1ml	5	..	3.17	Inderal IC
PROPYLENE GLYCOL Spray Diluent Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200ml	#1	2	2.94	FA
PROPYLTHIOURACIL Tablet 25mg	100	2	3.74	ET
50mg	100	2	3.87	ET
PROSCILLARIDIN Tablet 250 micrograms	100	2	4.87	Talusin KN
PROTAMINE SULPHATE Injection 1%, 10ml	5	..	10.34	BT
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Phenylketonuria.				
Powder 100g sachet, 2kg	#1	2	133.33	Albumaid XP MN
PROTRIPTYLINE Tablet 5mg	50	2	3.07	Concordin MK
10mg	50	2	3.87	Concordin MK
Capsule 5mg	50	2	3.07	Triptil FR
10mg	50	2	3.87	Triptil FR
PSEUDOEPHEDRINE HYDROCHLORIDE Tablet 30mg	100	2	2.40	Sudafed-M BW
60mg	100	2	2.94	Sudafed BW
Mixture 30mg per 5ml, 100ml	#1	4	2.11	Sudafed BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PYRANTEL EMBONATE Tablet 125mg (base)	6	..	2.63	Combantrin GP
Mixture 50mg (base) per ml, 12ml	#1	..	2.63	Combantrin GP
PYRAZINAMIDE Tablet 500mg	500	..	61.60	Zinamide MK
PYRIDOSTIGMINE Tablet 10mg	100	2	4.27	Mestinon RO
60mg	100	2	13.74	Mestinon RO
180mg (sustained release)	100	1	19.74	Mestinon RO
Injection 1mg in 1ml	5	1	2.67	Mestinon RO
PYRIDOXINE HYDROCHLORIDE Homocystinuria; Peripheral neuritis due to ison- iazid therapy, prophylaxis or treatment; Primary hyperoxaluria; Pyridoxine-responsive anaemia, proven; Pyridoxine-responsive convulsions; Radiation sickness; Sideroblastic (refractory) anaemia.				
Tablet 25mg	100	..	3.07	Pydox Pyroxin DH,RY PT KL
PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1ml	5	1	2.35 2.64	Pyroxin BL,FM KL
50mg per ml, 10ml	1	..	2.67	Pyroxin KL
PYRIMETHAMINE Tablet 25mg	50	..	3.07	Daraprim BW
QUINALBARBITONE SODIUM Tablet 100mg	25	..	1.47	RY
Capsule 50mg	50	..	1.87	Quinbar Seconal Sodium AV LY
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
QUINALBARBITONE SODIUM - cont. Capsule 100mg	25	..	1.78 1.83	Proquinal RY PT Seconal Sodium LY
QUINETHAZONE Tablet 50mg	50	2	4.03	Aquamox LE
QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	14.07	Kinidin AP
QUINIDINE SULPHATE Tablet 200mg	100	2	13.20 13.34	DH,PT Cardoquin AV Quincardine FM Quinidoxin BW FA,KL,PR, QE(NQ),RT,TO
300mg (sustained release)	100	2	19.20	Quinidex LA RS
QUININE BISULPHATE Tablet 300mg	50	..	7.20 7.27	DH,PT Biquin AV Bi-Quinate KL Quinbisan PR BW,FA,LP,SI
QUININE SULPHATE Tablet 300mg	50	..	7.20 7.27	DH,PT Adaquin AV Quinate KL Quinotal FM Quinsan PR LP,QE(NQ),SI,TO
RAUWOLFIA ALKALOIDS Tablet 2mg	100	1	3.34	Rauwiloid RK
RAUWOLFIA SERPENTINA Tablet 50mg	100	1	3.02 3.27 3.32	Rawlina LF Serenol PT Raudixin SQ
RESERPINE Tablet 250 micrograms	100	1	2.67	Serpasil CB Tenserp VR RY
Injection 1mg	5	..	3.07	Serpasil CB
2.5mg	5	..	3.47	Serpasil CB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
RIBOFLAVINE For pensioners.				
Tablet 5mg	100	2	2.00	FM,KL,RT
ROLITETRACYCLINE				
I.V. Injection sets containing 110mg and 5ml solvent	5	..	7.67	Reverin HP
275mg and 10ml solvent	5	..	12.67	Reverin HP
I.M. Injection sets containing 150mg and 2ml solvent	5	..	7.67	Reverin HP
350mg and 2ml solvent	5	..	12.67	Reverin HP
SACCHARIN or SACCHARIN SODIUM /Tablets 30mg, 500	1	1	1.11	DH,FA
SALBUTAMOL				
Tablet 4mg	100	2	5.34	Ventolin AH
Syrup 2mg per 5ml, 300ml	#1	4	3.47	Ventolin AH
Inhalation Solution, for use in RESPIRATOR, 0.5%, 10ml	#1	2	3.74	Ventolin AH
Inhalation, metered aerosol spray, 100 micrograms per dose (200 dose)	#1	2	3.60	Ventolin AH
SALICYLAMIDE				
Tablet 500mg	100	2	2.40	PT
SCHICK-TEST TOXIN and CONTROL				
Injection set containing 0.5ml Schick-Test Toxin and 0.5ml Schick Control	1	..	2.14	CS
SECBUTOBARBITONE				
Tablet 15mg	50	..	1.61	Butisol Sodium ET
30mg	50	..	1.70	Butisol Sodium ET
50mg	50	..	1.89	Butisol Sodium ET
100mg	25	..	1.74	Butisol Sodium ET

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SMALLPOX VACCINE Injection, Capillary Tube	1	..	2.94	CS
SODIUM ACID CITRATE Mixture 5.5g per 20ml, 500ml	#1	4	3.07	Citralca PD
SODIUM AMINOSALICYLATE Tablet 500mg	500	2	11.74	Pasalba RY
SODIUM AUROTHIOMALATE Injection 1mg	5	..	5.62	Myocrisin MB
5mg	5	..	6.22	Myocrisin MB
10mg	5	..	8.52	Myocrisin MB
20mg	5	..	9.07	Myocrisin MB
50mg	5	..	12.12	Myocrisin MB
SODIUM BICARBONATE Injection 8.4%, 100ml	5	..	13.92	AB
4.2%, 500ml - See Intravenous Fluids				
SODIUM CALCIUMEDETATE Tablet 500mg	100	2	6.40	Calcium Disodium Versenate RK
SODIUM CHLORIDE INJECTION 0.9%, 2ml	5	1	2.10	AB,BL,LP
0.9%, 5ml	5	1	2.30	AB,BL,LP
0.9%, 10ml	5	1	2.63	AB,BL,KL,LP
1 Litre size - See Intravenous Fluids				
SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE See Intravenous Fluids				
SODIUM CHLORIDE COMPOUND See Intravenous Fluids				
SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	3.07	Citrarescent PT Dex-Cit RC Urade WW Ural Sachets AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CROMOGLYCATE				
Capsule				
10mg (Nasal Insufflation)	100	2	10.14	Rynacrom FC
20mg (Inhalation)	100	2	17.87	Intal Spincaps FC
SODIUM LACTATE				
See Intravenous Fluids				
SODIUM LACTATE COMPOUND				
See Intravenous Fluids				
SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE				
See Intravenous Fluids				
SODIUM NITROPRUSSIDE				
For use in a hospital.				
Infusion 50mg	10	..	41.07	Nipride RO
SODIUM SALICYLATE				
Tablet 300mg (enteric coated)	100	2	2.67	Ensalate RC Rhumax PR DH,KL,QE(NQ),RY
500mg (enteric coated)	100	2	2.94	Rhumax PR KL
600mg (enteric coated)	100	2	3.27	Ancosal AV Ensalate RC Rhumax PR DH,KL,QE(NQ)
SORBIDE NITRATE				
Tablet 10mg	100	2	2.47	Isordil AY Isotrate PD
Sublingual Tablet 5mg	100	2	2.34	Isordil Sub-lingual AY Isotrate Sub-lingual PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SOYA FORMULA Authority required. Galactosaemia; Homocystinuria; Lactose intolerance; Cows' milk allergy in children under the age of two (2) years. <u>NOTE:</u> Milk allergy means eczema, asthma or severe gastro-intestinal upset demonstrated to be due to cows' milk by relief on with- drawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk. Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months. Age of patient to be shown on application for authority.					
Liquid 375ml	5	20	4.00	ProSobee	MJ
384ml	5	20	4.00	Isomil	RD
425g	5	20	3.05	Soyalac	SA
SPECTINOMYCIN					
Injection 2g with 3.2ml diluent	1	..	6.67	Trobicin	UP
4g with 6.5ml diluent	1	..	11.07	Trobicin	UP
SPIRONOLACTONE					
Myasthenia gravis; Primary hyperaldosteronism; Secondary hyperaldosteronism; Supplementing other diuretics where these have proved inadequate.					
Tablet 25mg	100	..	9.64	Aldactone	SR
STANDARD MAINTENANCE FLUID					
See Intravenous Fluids					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STANOLONE Authority required. *Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids. NOTE: An authority for three months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 25mg	100	1	12.54	Protona DF
STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml				
	1	..	3.34	CS
Undiluted 5ml	1	..	3.60	CS
STILBOESTROL Tablet 500 micrograms	100	2	1.95	DH, HA
1mg	100	2	2.03	DH, HA, KL
5mg	100	2	2.27	DH, HA, KL, RT, SI
10mg	100	2	2.80	DH, KL, RT
STILBOESTROL DIPHOSPHATE Carcinoma of the prostate.				
Tablet 100mg	100	2	17.74	Honvan MJ
Injection 250mg in 5ml	10	..	12.27	Honvan MJ
STREPTOKINASE For use in a hospital.				
Injection 100,000 I.U. (solvent required)	2	..	45.53	Kabikinase FA
250,000 I.U. (solvent required)	2	..	75.31 79.93	Streptase HP Kabikinase FA
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STREPTOKINASE - cont.				
Injection				
600,000 I.U. (solvent required)	5	..	404.27	Kabikinase FA
750,000 I.U. (solvent required)	5	..	475.47	Streptase HP
STREPTOMYCIN SULPHATE				
CAUTION: Streptomycin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.				
Injection 1g (solvent required)	5	3	5.07	GL
SUCCINYL SULPHATHIAZOLE				
Tablet 500mg	100	..	2.87	PT
SULPHACETAMIDE SODIUM				
Eye Drops 10%, 15ml	≠1	2	2.38	IQ
			2.40	Acetopt SI
				Bleph 10 AG
				KL
15%, 15ml	≠1	2	2.40	Isopto AQ
				Cetamide
20%, 15ml	≠1	2	2.38	IQ
			2.40	Acetopt SI
SULPHADIAZINE				
Tablet 500mg	40	2	2.38	DH, PT
			2.40	RY
SULPHADIAZINE SODIUM				
Injection 4ml	5	..	5.29	MB
SULPHADIMIDINE				
Tablet 500mg	40	2	2.24	S-Dimidine PT
			2.27	DH
				Sulpha- IC
				mezathine
				KL, RY
Suspension 500mg in 5ml, 100ml	≠1	1	2.84	Sulpha- IC
				mezathine
SULPHAFURAZOLE				
Tablet 300mg	40	2	2.67	Gantrisin SU
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHAFURAZOLE - cont.				
Tablet 500mg	40	2	2.80 2.94 3.07	MC Sulfazole PT Urogran AV Gantrisin SU
Paediatric Syrup 500mg per 5ml, 100ml	≠1	1	3.27	Gantrisin SU
Eye Drops 4%, 10ml	≠1	2	2.40	Gantrisin SU
Eye Ointment 4%, 5g	≠1	..	2.14	Gantrisin SU
SULPHAMETHIZOLE				
Tablet 100mg	40	2	2.35	Urolucosil WW
250mg	40	2	2.67 2.80	PT Urolucosil WW
500mg	40	2	3.67 3.80	PT Thiosulfil AY Urolucosil WW
Paediatric Suspension 100mg per 5ml, 100ml	≠1	1	2.55	Urolucosil WW
SULPHAMETHOXAZOLE				
Tablet 500mg	20	1	2.60	Gantanol SU
Syrup 500mg per 5ml, 50ml	≠1	2	2.54	Gantanol SU
SULPHAMETHOXYDIAZINE				
Tablet 500mg	12	..	2.67	Kirocid SC
SULPHAMETHOXYPYRIDAZINE				
Tablet 500mg	12	..	2.67	Lederkyn LE
SULPHAPHENAZOLE				
Tablet 500mg	20	1	1.96	Orisul CB
SULPHAPYRIDINE				
Tablet 500mg	100	..	5.54	M&B 693 MB
SULPHASALAZINE				
Tablet 500mg	100	2	8.14	Salazopyrin PS
500mg (enteric coated)	100	2	9.07	Salazopyrin- EN PS
SULPHASYMAZINE				
Tablet 500mg	20	1	3.60	Prosul LE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHINPYRAZONE Tablet 100mg	100	2	9.07	Anturan GE
SULTHIAME Tablet 50mg	200	1	6.40	Ospolot BN
200mg	200	1	13.07	Ospolot BN
SURGICAL CEMENT For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.				
/Skin Bond Adhesive 4fl oz	1	2	/3.90	DY
/Solvent 227ml	1	2	/3.23	Unisolve DY
240ml	1	2	/2.25	Sacsol LF
400ml	1	..	/2.81	Zoff SN
TACRINE Injection 10mg, 2ml	5	1	2.47	T.H.A. WH
30mg, 2ml	5	1	3.18	T.H.A. WH
TERBUTALINE SULPHATE Tablet 5mg	100	2	5.74	Bricanyl AP
Elixir 300 micrograms per ml, 300ml	/1	4	3.60	Bricanyl AP
Injection 100 micrograms in 1ml	5	..	4.00	Bricanyl AP
500 micrograms in 1ml	5	..	4.14	Bricanyl AP
Inhalation, metered aerosol spray, 250 micrograms per dose (400 dose)	/1	1	6.14	Bricanyl AP
TESTOSTERONE ENANTHATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Injection 100mg in 1ml	2	2	6.75	Primoteston Depot SC
250mg in 1ml	2	2	14.41	Primoteston Depot SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TESTOSTERONE ESTERS Carcinoma of the breast; Gigantism; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 100mg	1	2	4.14	Sustanon"100"OR
250mg	1	2	8.00	Sustanon"250"OR
TESTOSTERONE PROPIONATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 25mg in 1ml	10	..	6.67	Testoviron SC
50mg in 1ml	10	..	10.87	Testoviron SC
TETANUS VACCINE, ADSORBED Injection 0.5ml	3	..	3.86	CS
TETRACOSACTRIN Authority required. Children who need long-term corticosteroid therapy but who are in danger of growth suppression as a result; NOTE: Growth suppression may occur in patients treated with tetracosactrin. This availability should not be interpreted as indicating that tetracosactrin is preferable to corticosteroids in childhood. Age of child is to be stated on the application for authority. Hypsarrhythmia; Multiple sclerosis, acute exacerbation; (An authority for up to 10 ampoules may be issued for this purpose).				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACOSACTRIN - cont. Patients who are being withdrawn from long-term corticosteroid therapy; (An authority for up to 5 ampoules may be issued for this purpose). Status asthmaticus; <u>NOTE:</u> Status asthmaticus means a severe paroxysm of bronchial asthma lasting more than 24 hours which has proved resistant to recognised therapy and where life is endangered. (An authority for up to 5 ampoules may be issued for this purpose). Ulcerative colitis, proven, not responding to parenteral corticosteroids.				
Injection 500 micrograms in 1ml	5	..	10.40	Cortrosyn Depot OR Synacthen Depot CB
1mg in 1ml	5	..	15.74	Cortrosyn Depot OR Synacthen Depot CB
I.V. Infusion 250 micrograms in 1ml	5	..	15.72	Synacthen CB
TETRACYCLINE Capsule 250mg	25	..	3.00	Achromycin LE Australamycin CS Hostacycline HP Hydracycline Plain FM Panmycin P UP Quatrax VR Tetracycln GP Tetramykoin BZ(N) Tetrex-P BC
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE - cont. Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	4.93	Achromycin LE Australamycin CS Hostacycline HP Hydracycline Plain FM Panmycin P UP Quatrax VR Tetracyn GP Tetramykoin BZ(N) Tetrex-P BC
TETRACYCLINE with NYSTATIN Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Tablet 250mg - 250,000 Units	50	5	5.21	Mystecclin SQ
Capsule 250mg - 250,000 Units	50	5	5.20 5.21	Mystecclin-V SQ Achrostatin LE Comycin UP Tetrex-F BC
TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	3.14	Mystecclin SQ
Capsule 250mg - 250,000 Units	25	..	3.14	Achrostatin LE Comycin UP Mystecclin-V SQ Tetrex-F BC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE (BUFFERED) Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	4.92 4.93	Steclin-V SQ Achromycin-V LE Australamycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Tetracyn-V GP Tetrex BC
TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	3.00	Achromycin-V LE Australamycin-V CS Hostacycline-P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetracyn-V GP Tetrex BC
THEOPHYLLINE Tablet 50mg	100	2	2.47	Nuelin Paediatric RK
125mg	100	2	3.27	Nuelin RK
Capsule 200mg	100	2	3.60	Elixophyllin CP
Elixir 80mg per 15ml, 500ml	#1	4	2.67	A.B. KL Elixophyllin CP
THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE Tablet 130mg-24mg-8mg	100	2	2.78 2.80	Panasma PT Ephedrobarb- ital-T FM Tedral WW
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THEOPHYLLINE with EPHEDRINE HYDROCHLORIDE and PHENOBARBITONE - cont.				
Tablet 180mg-48mg-25mg (sustained release)	100	..	3.40	Tedral S.A. WW
Capsule 130mg-24mg-8mg	100	2	2.54	Theosec LY
Paediatric Suspension 65mg-12mg-4mg per 5ml, 100ml	≠1	2	2.16	Tedral WW
THEOPHYLLINE with GUAIPHENESIN Capsule 100mg-60mg	100	2	3.07	Quibron-C MJ
150mg-90mg	100	2	3.20	Quibron MJ
Elixir 150mg-90mg per 15ml, 500ml	≠1	4	2.94	Quibron MJ
THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	≠1	4	2.8	Elixophyllin- KI CP
THIABENDAZOLE Tablet 500mg	16	..	4.81	Mintezol MK
THIAMBUTOSINE Tablet 500mg	100	2	4.99	Ciba 1906 CB
THIAMINE HYDROCHLORIDE For pensioners.				
Tablet 50mg	100	2	2.27	Betamin KL Invite-B AV DH,LP,PR,PT, RT,RY
100mg	100	2	2.74 2.80	Invite-B AV Betamin KL LP,PR,PT,QE(NQ), RT,RY
THIAMINE HYDROCHLORIDE Injection 100mg in 1ml	5	1	2.51 2.54	Beta-Sol FM Betamin ForteKL LP
THIETHYLPERAZINE Tablet 6.5mg (base) (continued)	50	1	2.40	Torecan SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THIETHYLPERAZINE - cont.				
Injection 6.5mg (base) in 1ml	10	..	3.87	Torecan SZ
Suppositories 6.5mg (base), 5	#1	..	1.88	Torecan SZ
THIOGUANINE Leukaemia.				
Tablet 40mg	25	1	27.94	Lanvis BW
THIOPROPAZATE Chorea; Drug induced dystonias.				
Tablet 5mg	100	1	5.95	Dartalan SR
THIORIDAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 10mg	100	1	2.47	Melleril SZ
25mg	100	1	3.27	Melleril SZ
50mg	100	1	5.03	Melleril SZ
100mg	100	1	8.99	Melleril SZ
Oral Solution 3% (30mg per ml) 30ml	#1	4	2.59	Melleril SZ
Injection 25mg per ml, 2ml	10	..	5.07	Melleril SZ
THIOTEPA Injection 15mg (solvent required)	2	1	11.21	LE
Eye Drops, set containing 15mg vial, 2 x 10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	1	5	#10.62	LE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
THYROID					
Tablet 15mg	100	2	1.74	DH	
30mg	100	2	1.87	DH,RT,SI	
60mg	100	2	1.94	DH,RT,SI	
125mg	100	2	2.14	DH,RT	
THYROXINE SODIUM					
Tablet 50 micrograms	100	2	2.00	Oroxine Thyroxinal RT	BW FM
100 micrograms	100	2	2.11	Oroxine Thyroxinal RT	BW FM
200 micrograms	100	2	2.27	Oroxine Thyroxinal	BW FM
TINIDAZOLE					
Tablet 500mg	4	..	3.70	Fasigyn	PF
TOBRAMYCIN SULPHATE					
Authority required.					
Infections where positive bacteriological evidence confirms that tobramycin is the MOST appropriate antibiotic;					
Septicaemia, suspected or proven.					
CAUTION: Tobramycin can cause permanent deafness, giddiness or renal damage and this danger is greater where renal function is impaired.					
Injection 40mg	5	..	18.62	Nebcin	LY
80mg	5	..	29.07	Nebcin	LY
TOLAZAMIDE					
Tablet 250mg	100	2	8.40	Tolinase	UP
TOLBUTAMIDE					
Tablet 500mg	100	2	3.91	Artosin Rastinon	BO HP
1g	50	2	4.00	Artosin Rastinon	BO HP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRANLYCYPROMINE Depressive illness resistant to treatment with tricyclic antidepressants or electroconvulsive therapy; *Phobic states. <u>CAUTION:</u> This drug is a monoamine oxidase inhibitor and should not be used with sympathomimetic amines. Precautions should be taken with diet and additional medication. Tablet 10mg	50	1	4.74	Parnate SK
TRIAMCINOLONE ACETONIDE Alopecia areata; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Necrobiosis lipoidica. Injection 10mg in 1ml	5	..	9.74	Kenacort-A10 SQ
TRIAMCINOLONE ACETONIDE Cream 0.02%, 45g	#1	..	2.39	Aristocort 0.02% LE
0.02%, 100g	#1	..	2.67	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 30g	#1	1	2.39	Aristocort 0.05% LE Kenalone SQ
Ointment 0.02%, 100g	#1	..	2.67	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 30g	#1	1	2.39	Aristocort 0.05% LE Kenalone SQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Drops 0.1%-0.25% (base) - 0.025%-100,000 Units per g, 7.5ml	¶1	2	2.47	Kenacomb OticSQ	
Ear Cream 0.1%-0.25%(base)- 0.025%-500,000 Units in 5g	¶1	2	2.35	Kenacomb OticSQ	
Ear Ointment 0.1%-0.25%(base)- 0.025%-500,000 Units in 5g	¶1	2	2.35	Kenacomb OticSQ	
TRIAMTERENE Tablet 100mg	50	2	4.78	Dytac	SK
TRICLOFOS Syrup 500mg per 5ml, 200ml	¶1	4	2.40	Tricloryl	GL
TRIFLUOPERAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia(late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1mg	100	1	3.82	Calmazine Stelazine Terfluzin	PT SK MB
2mg	100	1	5.14	Calmazine Stelazine Terfluzin	PT SK MB
5mg	100	1	5.64	Calmazine Stelazine Terfluzin	PT SK MB
Syrup 1mg per 5ml, 100ml	¶1	4	2.08	Stelazine	SK
Injection 1mg in 1ml	10	..	4.67	Stelazine	SK
1mg per ml, 2ml	10	..	5.07	Stelazine	SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIGLYCERIDES, MEDIUM CHAIN Authority required. Patients requiring a ketogenic diet for intractable childhood epilepsy; Proven malabsorption.				
Compound Powder 500g	2	10	12.66	Triglyde MJ
Authority required. Patients requiring a ketogenic diet for intractable childhood epilepsy.				
Oil 1 litre	#1	5	13.33	MCT Oil MJ
Authority required. Cystic fibrosis; Multiple disaccharidase defic- iency.				
Protein Hydrolysate Compound Powder 454g	2	10	16.80	Pregestimil MJ
TRIMEPAZINE Tablet 10mg	50	2	2.54	Vallergan MB
TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	13.07	Arfonad RO
TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	20	..	3.95	Bactrim Septrin RO BW
Capsule 80mg-400mg	20	..	3.95	Bactrim Septrin RO BW PT
Suspension 40mg-200mg per 5ml, 100ml	#1	..	3.31	Bactrim Septrin RO BW PT
TRIMIPRAMINE Tablet 25mg	50	2	3.03	Surmontil MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIOXYSALEN Vitiligo.				
Tablet 5mg	100	2	21.07	Trisoralen PT
TRIPROLIDINE Tablet 2.5mg	50	2	2.54	Actidil BW
Paediatric Elixir 1mg per 5ml, 100ml	#1	4	2.00	Actidil BW
TROXIDONE Capsule 300mg	200	1	10.40	Tridione AB
TYPHOID VACCINE Injection 0.5ml	3	1	4.19	CS
TYPHUS VACCINE Injection 1ml	2	..	24.01	CS
UREA Cream 10%, 100g	#1	2	4.74	Aquacare H.P.AG Calmurid PS
VANCOMYCIN *Endophthalmitis; For use in a hospital.				
Injection 500mg (solvent required)	5	..	42.72	Vancocin LY
VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	17.61	Pitressin Tannate PD
VERAPAMIL HYDROCHLORIDE Cardiac arrhythmias.				
Tablet 40mg	100	2	7.40	Isoptin KN
Injection 5mg in 2ml	5	..	4.00	Isoptin KN
VINBLASTINE Injection 10mg (solvent required)	1	..	18.88	Velbe LY
VINCRIStINE Injection set containing 1mg and 10ml solvent	5	..	80.62	Oncovin LY
5mg and 10ml solvent	1	..	69.20	Oncovin LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
VIPRYNIUM EMBONATE				
Tablet 50mg	8	1	2.67	Vanquin PD
Suspension 10mg per ml, 30ml	#1	1	2.67	Vanquin PD
VITAMIN SUPPLEMENT				
Authority required. Galactosaemia; Persistent monosaccharide intolerance; Phenylketonuria; Tyrosinosis, hereditary.				
Tablet	100	2	3.74	Ketovite ST
Liquid 100ml	#1	2	2.35	Ketovite ST
WARFARIN				
Tablet 1mg	50	2	3.74	Coumadin EN Marevan AH
2mg	50	2	3.94	Coumadin EN
2.5mg	50	2	4.07	Coumadin EN
3mg	50	2	3.87	Marevan AH
5mg	50	2	4.14	Coumadin EN Marevan AH
7.5mg	50	2	4.91	Coumadin EN
10mg	50	2	6.07	Coumadin EN Marevan AH
WATER FOR INJECTIONS				
Injection 2ml	5	3	1.95 2.03	BZ(NQTW) AB,BL,KL,LP,SI
5ml	5	3	2.07 2.16	BZ(NQTW) AB,BL,KL,LP,SI
10ml	5	3	2.27 2.40	BZ(NQTW) AB,BL,KL,LP,SI
WOOL ALCOHOLS				
Ointment 100g	1	1	1.01	Eucerin SN
WOOL FAT, HYDROUS				
50g tube or jar	1	..	0.90	DH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ZINC AND ADRENALINE Eye Drops 0.25%-0.01%, 15ml	#1	2	2.27	B.A.Z.	KL
ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15ml	#1	2	2.27	Prefrin-Z Zincfrin	AG AQ
ZINC SULPHATE Eye Drops 0.25%, APF 15ml	#1	2	2.27	KL	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINO ACIDS with ALCOHOL, VITAMINS and ELECTROLYTES 5%-5%, 500ml	2	1	22.93	Aminofusin A 5% with Alcohol PC
AMINO ACIDS with SORBITOL 30g-50g(300 kcal) per litre, 500ml	2	1	18.67	Aminofusin Standard PC
AMINO ACIDS with VITAMINS and ELECTROLYTES 5%, 500ml	2	1	21.33	Aminofusin 5%PC
10%, 500ml	2	1	27.73	Aminofusin 10% PC
DEXTRAN 40 10% with 5% anhydrous dextrose, 500ml	12	..	97.07 149.03	Lomodex FC Rheomacrodex PS
10% with 0.9% sodium chloride, 500ml	12	..	97.07 149.03	Lomodex FC Rheomacrodex PS
DEXTRAN 70 6% with 5% anhydrous dextrose, 500ml	12	..	93.11	Macrodex PS
10% with 5% anhydrous dextrose, 500ml	12	..	83.15	Macrodex PS
6% with 0.9% sodium chloride, 500ml	12	..	93.11	Macrodex PS
DEXTROSE INJECTION 5%, 1 litre	5	1	13.72	AB,TV
10%, 1 litre	5	1	15.72	AB,TV
20%, 1 litre	2	1	6.93	AB,TV
25%, 1 litre	2	1	6.93	AB,TV
50%, 500ml	2	1	6.41	AB
ELECTROLYTE REPLACEMENT SOLUTION 1 litre	2	1	6.93	Normosol R AB Plasma - Lyte 148 TV

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MANNITOL				
10%, 1 litre	1	1	4.31	AB
20%, 500ml	1	1	4.31	AB
SODIUM BICARBONATE				
4.2%, 500ml	1	1	3.87	AB
SODIUM CHLORIDE INJECTION				
0.9%, 1 litre	5	1	11.72 13.72	VF(N) AB,TV
3%, 1 litre	2	1	6.93	AB,TV
5%, 1 litre	2	1	6.93	TV
SODIUM CHLORIDE COMPOUND BPC 1959				
1 litre	4	1	12.79	AB,TV
SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE				
0.9%-5%, 1 litre	2	1	6.93	AB,TV
0.9%-10%, 1 litre	2	1	6.93	AB,TV
0.9%-20%, 1 litre	2	1	6.93	AB
0.45%-2.5%, 500ml	5	1	13.72	AB,TV
0.225%-3.75%, 500ml	5	1	13.72	AB,TV
0.18%-4%, 1 litre	5	1	13.72	AB,TV
0.18%-4.3%, 1 litre	5	1	15.72	AB
SODIUM LACTATE				
(Solution 1/6 Molar) 1 litre	5	1	13.32 15.72	VF(N) AB
SODIUM LACTATE COMPOUND				
1 litre	5	1	13.72	AB,TV
SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE				
5%, 1 litre	2	1	6.93	AB,TV
STANDARD MAINTENANCE FLUID				
500ml	6	..	16.25	AB

SECTION 3 - SCHEDULE OF BENEFITS

DECEMBER 1977

Preparations Available for Colostomy
and Ileostomy Use

Preparations Available for Use by Paraplegic
and Quadriplegic Patients

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACRYLIC RESIN Solution 100ml Aerosol Spray	1	..	6.67 6.91 7.74	Liquidoplast PT Octaflex WB Nobecutane AH
BENZOIN Compound Tincture BPC 35%, 167ml Aerosol Spray	1	..	4.54	LF
CHARCOAL Tablet 300mg	500	1	9.74	Char-Bon LF QE(NQ),TO
CHLORAMINE Deodorant Tablet 120mg	500	..	4.74	Klortee PT
Powder 25g	1	4	2.27	Klortee PT
DEODORANT CONCENTRATE /Liquid 15ml	1	..	/1.73	Zerodor ZR
0.5fl oz	1	..	/1.88	Banish DY
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500ml	1	..	2.94	TAGG LF
DIMETHICONE Solution 9.84%, 200g Aerosol Spray	1	..	4.94	Rikospray Silicone RK
10%, 180ml Aerosol Spray	1	..	4.54	LF
Cream 10%, 50g				
10%, 75g				
20%, 20g				
See Section 2				
POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	10.67	Stomahesive Set SQ

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POLYVINYLPYRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121ml	1	..	4.78	Spray-On- Bande LF
SODIUM CARBOXYMETHYLCELLULOSE with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	#1	..	2.27	Orabase SQ
Powder 33.3%-33.3%-33.3%, 15g	#1	..	2.27	Orabase SQ
STERCULIA (Indian Tragacanth; Gum Karaya) Discs, 12	#1	5	6.20	Coloplast ED
			6.40	DY BH
Discs, 20	#1	5	9.60	HO
Discs, Compound, 10	#1	5	7.74	Colly-seels DY
/Powder 200g	1	..	2.25	Karagum PT
Squares, 6	#1	5	11.74	BH
SURGICAL CEMENT /Skin Bond Adhesive 4fl oz				
/Solvent 227ml				
240ml				
400ml				
See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC
PATIENTS (Prescriptions must be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500ml	1	..	2.94	TAGG LF
 BISACODYL Suppositories 10mg, 5				
See Section 2				
DIMETHICONE Cream 10%, 50g				
10%, 75g				
20%, 20g				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50mg				
120mg				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL- Suppositories 100mg-10mg, 5				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50mg-50mg				
See Section 2				
DIPHEMANIL METHYLSULPHATE Dusting Powder 2%, 50g				
See Section 2				
GLYCEROL Suppositories 1g, 10				
See Section 2				

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SURGICAL CEMENT /Skin Bond Adhesive 4fl oz /Solvent 227ml 240ml 400ml See Section 2				

SECTION 4

SCHEDULE OF BENEFITS
DRUGS AVAILABLE FOR EXTEMPORANEOUS
PREPARATIONS

DECEMBER 1977

Drug	Drug
Acetone BPC (use as additive only)	Benzyl Benzoate BP
ACIDS	Borax BP
Acetic BP	Brilliant Green BP
Acetic Dilute BP	Caffeine BP
Ascorbic BP	Caffeine Citrate BPC 59
(use as ingredient of Mixtures of Ferrous Sulphate APF and PL)	Calamine BP
Benzoic BP	CALCIUM
Boric Crystal BP	Carbonate BP
Boric Powder BP	Gluconate BP
Citric BP	Hydroxide BP
Hydrochloric BP	Camphor BP
Hydrochloric Dilute BP	(use as additive only)
Lactic BP	Cetomacrogol Emulsifying Wax BP
Oleic BP	Cetostearyl Alcohol BP
Salicylic BP	Cetrimide BP
Stearic BPC	Chalk BP
Tannic BP	Chloral Hydrate BP
Trichloroacetic BP	Chlorbutol BP
Acriflavine BPC 63	Chlorhexidine Acetate BPC (use as additive only)
Adrenaline BP	Chlorinated Lime BPC
Adrenaline Acid Tartrate BP	Chlorocresol BP
ALCOHOLS	Chloroform BP
95% BP	(use as additive only)
(use as additive only)	Cineole BPC
90% BP	(use as additive only)
(use as additive only)	Clioquinol BP
Alum BP	Cocaine BP
Aluminium Hydroxide Gel BP	Cocaine Hydrochloride BP
Aluminium Hydroxide Gel Dried BP	Codeine Phosphate BP
Amaranth BPC 54	Collodion Flexible BP
Aminacrine Hydrochloride BP 68	CREAMS
Aminophylline BP	Aqueous APF
Ammoniated Mercury BP	Aqueous APF 64
AMMONIUM	Aqueous BP
Bicarbonate BPC	Aqueous Emulsifying Wax APF 55
Chloride BP	Calamine Oily APF
Amylobarbitone BP	Cetomacrogol Aqueous APF
Amylobarbitone Sodium BP	Cetomacrogol Aqueous APF 69
Application Benzyl Benzoate BP	Cetrimide Aqueous APF
Aspirin BP	Oily BP
Atropine BPC	Zinc BP
Atropine Methonitrate BP	Zinc Oily APF
Atropine Sulphate BP	Creosote BPC 59
	Crystal Violet BP
Beeswax White BP	Dextrose BP
Bentonite BP, sterilised	(use as additive only)
Benzocaine BP	Disodium Edetate BP

Drug	Drug
Dithranol BP	Lactose BP
Emulsifying Wax BP	Lignocaine Hydrochloride BP
Ephedrine BPC	LINIMENTS
Ephedrine Hydrochloride BP	Camphor BP
Ether Anaesthetic BP	Iodine Compound APF 55
(use as additive only)	Methyl Salicylate APF
Ether Solvent BP	Methyl Salicylate Compound APF
(use as additive only)	Soap BPC
EXTRACTS	Turpentine BP
Hamamelis Liquid BPC	Lotion Calamine BP
Hyoscyamus Liquid BPC	
Ipecacuanha Liquid BP	Magenta BPC
Liquorice Liquid BP	MAGNESIUM
Nux Vomica Liquid BP	Carbonate Heavy BP
Stramonium Liquid BP 68	Carbonate Light BP
	Oxide Light BP
Ferric Ammonium Citrate BP	Sulphate BP
FERROUS	(may only be prescribed for
Gluconate BP	other than oral use)
Sulphate BP	Sulphate Dried BP
Sulphate Dried BP	(may only be prescribed for
	other than oral use)
Gelatin BP	Trisilicate BP
GLYCERINS	Menthol BP
Borax BPC 59	Mercuric Chloride BPC
Ichthammol BPC	Methylcellulose 20 BPC
Glycerol BP	(use as an additive in applic-
GUMS	ations, creams, ear drops,
Acacia BP	eye drops, liniments,
Tragacanth BP	lotions, nasal instillations,
	ointments, paints, pastes)
Homatropine Hydrobromide BP	Methylcellulose 4500 BPC
Honey Purified BPC	(use as an additive in applic-
(use as additive only)	ations, creams, ear drops,
Hypromellose 4500 BPC	eye drops, liniments,
(use as additive only)	lotions, nasal instillations,
	ointments, paints, pastes)
Ichthammol BPC	Methylene Blue BP
INFUSIONS	Methyl Hydroxybenzoate BP
Buchu Concentrated BPC 54	Methyl Salicylate BP
1 in 8	MIXTURE
Gentian Compound Concentrated	Magnesium Hydroxide BP
BP 1 in 10	Morphine Hydrochloride BP
Senega Concentrated BPC	Morphine Sulphate BP
1 in 10	MUCILAGES
Iodine BP	Acacia APF
Isoprenaline Sulphate BP	Methylcellulose APF
	Tragacanth BPC
Kaolin, Light or Kaolin,	
Light (Natural) BP	

Drug	Drug
OILS Anise BP Arachis BP (use as additive only) Cade BPC Castor BP (use as additive only) Citronella BPC (use as additive only) Clove BP Coconut BPC Eucalyptus BP (use as additive only) Lavender Spike BPC 68 Lemon Terpeneless BPC Linseed BP 63 (use as additive only) Maize BP (use as additive only) Olive BP (use as additive only) Peppermint BP (use as additive only) Pumilio Pine BPC Rosemary BPC Siberian Fir BPC 49 Turpentine BP (use as additive only) OINTMENTS Ammoniated Mercury BP Benzocaine and Adrenaline APF Benzoic Acid Compound APF Capsicum BPC Colophony BPC 59 Emulsifying BP Hamamelis BPC Iodine Non-staining APF 64 Iodine Non-staining BPC 68 Menthol Compound APF 64 Methyl Salicylate BPC Paraffin White BPC Paraffin Yellow BPC Salicylic Acid BP Simple White BP Simple Yellow BP Sulphur BP Wool Alcohols BP Zinc BP Zinc and Castor Oil BP Oxymel BPC	Oxyphenonium Bromide (extemporaneously prepared eye drops only) Paint Magenta APF Paracetamol BP Paraffin Hard BP Paraffin Liquid BP (may only be prescribed for other than oral use) Paraffin Liquid Light BPC 63 Paraffin Soft White BP Paraffin Soft Yellow BP Paraldehyde BP PASTES Zinc Compound BP Zinc and Salicylic Acid BP Pectin (Apple or Citrus) Pentobarbitone Sodium BP Phenobarbitone BP Phenobarbitone Sodium BP Phenol BP (not available for ear drops) Phenol Liquefied BP (not available for ear drops) Phenylephrine Hydrochloride BP Phenylmercuric Nitrate BP Phthalylsulphathiazole BP Physostigmine BPC Physostigmine Salicylate BP Pilocarpine Hydrochloride BPC Pilocarpine Nitrate BP Podophyllum Resin BP POTASSIUM Chlorate BPC Chloride BP Citrate BP Iodide BP Permanganate BP POWDERS Hydroxybenzoate Compound APF Rhubarb BP Tragacanth Compound BP Procaine Hydrochloride BP Proflavine Hemisulphate BPC Propylene Glycol BP Propyl Hydroxybenzoate BP Quinalbarbitone Sodium BP Resorcinol BP

Drug	Drug
Saccharin Sodium BP (use as additive only)	SPIRITS
Silver Nitrate BP	Ammonia Aromatic BPC
Silver Protein BPC 68	Anise BPC 49
Silver Protein Mild BPC 68	Camphor BPC 59
SOAPS	Camphor Compound APF
Ethereal APF 55	Chloroform BP
Soft BP	Lemon APF
SODIUM	Methylated Industrial BP (use as additive only)
Acid Phosphate BP	Peppermint BPC
Benzoate BP	Squill Oxymel BPC
Bicarbonate BP	Starch BP
Chloride BP	Streptomycin Sulphate BP (may only be prescribed in ear drops)
Citrate BP	Succinylsulphathiazole BP
Iodide BP	Sucrose BP
Metabisulphite BP	Sulphacetamide Sodium BP
Phosphate BP	Sulphadiazine BP
Salicylate BP	Sulphadimidine BP
Sulphate BP	Sulphur Precipitated BP
Thiosulphate BPC (use as additive only)	Sulphur Sublimed BPC
SOLUTIONS	Sulphurated Potash BPC
Adrenaline BP	SYRUPS
Aluminium Acetate BPC	Aromatic APF
Amaranth APF	Aromatic APF 69
Amaranth APF 69	Chloral BPC 68
Amaranth APF 64	Codeine Phosphate BPC
Amaranth BPC	Ferrous Phosphate Compound BPC 68
Amaranth Compound APF	Ginger BPC
Ammonia Dilute BPC	Glycerophosphate Compound APF 64
Ammonia Strong BPC	Golden Acidified APF 55
Ammonium Acetate Strong BPC	Lemon APF
Benzalkonium Chloride 50% BP	Lemon APF 69
Benzoic Acid APF	Lemon Neutral APF
Benzoic Acid BPC	Lemon Neutral APF 69
Calcium Hydroxide BPC	Orange BPC, APF 69
Caramel APF (use as additive only)	Orange APF
Chlorhexidine Gluconate BP (use as additive only)	Pholcodine Citrate BPC 59 (use as additive only)
Coal Tar BP	Raspberry BPC
Formaldehyde BP	Red APF
Iodine Aqueous BP	Red APF 69
Iodine Simple BPC 59	Squill BPC
Iodine Weak BP	Syrup BP
Lead Subacetate Dilute BPC	Tolu BPC
Lead Subacetate Strong BPC	
Morphine Hydrochloride BPC	
Potassium Hydroxide BP	
Sodium Chloride BPC	
Tartrazine APF	

Drug	Drug
Talc Purified BP, sterilised Tar BP Tar Coal BPC Tar Coal Prepared BP Tartrazine BPC 54 Theophylline BP Theophylline Hydrate BP Thymol BP Thymol Mouth Wash Compound APF Thymol Red Mouth Wash APF	WATERS - cont. Peppermint Concentrated BP 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP
TINCTURES Belladonna BP Benzoin Compound BPC Cardamom Aromatic BPC 68 Cardamom Compound BP Catechu BPC Gelsemium BPC Ginger Strong BP Ginger Weak BP Hyoscyamus BP Ipecacuanha BP Lobelia Ethereal BPC Myrrh BPC Nux Vomica BP Opium BP Opium Camphorated BP Orange BPC 68 Quillaia BPC Rhubarb Compound BP Squill BPC Stramonium BP Titanium Dioxide BPC Triethanolamine BPC	Xylene of Commerce BPC 49 (use as additive only) ZINC Oxide BP Sulphate BP
WATERS Anise Concentrated BPC 1 in 40 (use as additive only) Anise Concentrated BPC 63 1 in 40 (use as additive only) Camphor Concentrated BPC 49 1 in 40 Chlorbutol APF 55 Chloroform Concentrated APF 1 in 40 Cinnamon Concentrated BPC 1 in 40 (use as additive only) For injections BP ≠ 100ml (extemporaneously prepared eye drops and eye lotions)	

TABLE OF MAXIMUM QUANTITIES AND
NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Preparation	Maximum Quantity	No. of Repeats
Applications	200ml	2
Creams	100g	1
Dusting Powders	100g	1
Ear Drops	15ml	2
Elixirs	100ml	4
Eye Drops		
Cocaine	15ml	..
Physostigmine	15ml	6
Pilocarpine	15ml	6
Others	15ml	2
Eye Lotions	200ml	1
Gargles	200ml	4
Glycerins	100ml	1
Inhalations	50ml	1
Inhalations Solid	4g	1
Linctuses	100ml	2
Liniments	100ml	1
Lotions	200ml	2
Mixtures	200ml	4
Mixtures for Children	100ml	4
Mouth Washes	200ml	1
Nasal Instillations	15ml	2
Ointments, Waxes	100g	1
Paints	25ml	1
Pastes	100g	1
Powders		
for internal use	100g	2
for Irrigation	100g	1
Soaps	200ml	1
Solutions	200ml	2
Syrups	100ml	4
Tinctures	25ml	1

SECTION 5—PRESCRIBERS' LIST

1

DECEMBER 1977

PRESCRIPTION

CREAMS

(Maximum Quantity 100 g and 1 Repeat)

ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution	5	ml
Zinc Oxide	20	g
Wool Fat	25	g
Arachis Oil	25	ml
Purified Water, freshly boiled and cooled	27	ml

AQUEOUS (APF, BP)

Emulsifying Ointment	30	g
Chlorocresol	100	mg
Purified Water, freshly boiled and cooled to	100	g

BUFFERED, AQUEOUS (APF)

Sodium Phosphate	2.5	g
Citric Acid	500	mg
Chlorocresol	100	mg
Glycerol	5	ml
Emulsifying Ointment	30	g
Purified Water, freshly boiled and cooled to	100	g

CALAMINE, AQUEOUS (APF)

Calamine	4	g
Zinc Oxide	3	g
Cetomacrogol Emulsifying Wax	6	g
Arachis Oil	30	g
Purified Water, freshly boiled and cooled to	100	g

CALAMINE, OILY (APF)

Calamine	32	g
Oleic Acid	0.5	ml
Arachis Oil	21.5	ml
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	ml

CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax	15	g
Liquid Paraffin	10	g
White Soft Paraffin	10	g
Chlorocresol	150	mg
Glycerol	5	ml
Purified Water, freshly boiled and cooled to	100	g

CETRIMIDE, AQUEOUS (APF)
(Cetrimide BPC)

CHLORHEXIDINE, AQUEOUS (APF)
(Chlorhexidine BPC)

COAL TAR and ZINC, OILY (APF)

COLD (APF)

GLYCEROL, OILY (APF)

ICHTHAMMOL and ZINC, OILY (APF)

OILY (APF)

Wool Alcohols Ointment, APF					50	g
Purified Water, freshly boiled and cooled					50	ml

EAR DROPS—continued

BORIC ACID (APF)

[illegible]

CHLORHEXIDINE (APF)

Chlorhexidine Acetate						7.5	mg
Purified Water, freshly boiled and cooled to						15	ml

ICHTHAMMOL (APF)

[illegible]

PHENYLMERCURIC NITRATE (APF)

[illegible]

SALICYLIC ACID (APF)

Salicylic Acid		300	mg
Alcohol (90 per cent)		7.5	ml
Purified Water, freshly boiled and cooled to		15	ml

SODIUM BICARBONATE (APF, BPC)

Sodium Bicarbonate ..						750	mg
Glycerol						4.5	ml
Purified Water, freshly boiled and cooled to						15	ml

SPIRIT (APF)

Alcohol (90 per cent)	7.5 ml
Purified Water, freshly boiled and cooled to	15 ml

ELIXIRS

(Maximum Quantity 100 ml and 4 Repeats)

EPHEDRINE (APF)

[illegible]

PREScription

LINIMENTS—continued

SOAP (APF, BPC)

[illegible]

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

CALAMINE (APF, BP)

[illegible]

CALAMINE OILY (APF, BPC)

[illegible]

RESORCINOL, COMPOUND (APF)

[illegible]

SULPHURATED (APF)

[illegible]

 PRESCRIPTION

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

ALUMINIUM HYDROXIDE and BELLADONNA (APF)

Belladonna Tincture ..	0.5	ml
Citric Acid ..	100	mg
Concentrated Chloroform Water	0.2	ml
Aluminium Hydroxide Gel to	10	ml

AMINOPHYLLINE COMPOUND (PL)

Phenobarbitone Sodium	20	mg
Ephedrine Hydrochloride ..	15	mg
Potassium Iodide	500	mg
Aminophylline	100	mg
Liquorice Liquid Extract	0.5	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

ASPIRIN (APF)

Aspirin	500	mg
Compound Tragacanth Powder	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

CAFFEINE, IODIDE and EPHEDRINE (PL)

Synonym: C.I.E. Mixture

Caffeine	150	mg
Sodium Iodide	500	mg
Ephedrine Hydrochloride	20	mg
Tolu Syrup	4	ml
Spirit of Aniseed	0.06	ml
Purified Water to	10	ml

CHALK and KAOLIN (APF)

Chalk	1.5	g
Light Kaolin or Light Kaolin (Natural)	2.5	g
Potash Alum	10	mg
Concentrated Chloroform Water	0.25	ml
Purified Water to	10	ml

PREScription

MIXTURES—continued

MAGNESIUM TRISILICATE (APF)

[illegible]

POTASSIUM CHLORIDE (APF)

[illegible]

POTASSIUM CITRATE (APF)

[illegible]

POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate						1	g
Sodium Bicarbonate						750	mg
Orange Syrup, APF						1	ml
Concentrated Chloroform Water						0.2	ml
Purified Water to						10	ml

POTASSIUM IODIDE and STRAMONIUM COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

[illegible]

Benzoic Acid in fine powder						6	g
Salicylic Acid in fine powder						3	g
Emulsifying Ointment						91	g

PRESCRIPTION

OINTMENTS—continued

EMULSIFYING (APF, BP)

[illegible]

RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol	2	g
Precipitated Sulphur	3	g
Salicylic Acid	1	g
White Simple Ointment	94	g

SALICYLIC ACID (APF)

[illegible]

SIMPLE (APF, BP)

(White Simple Ointment)

Wool Fat	5	g
Hard Paraffin	5	g
Cetostearyl Alcohol	5	g
White Soft Paraffin	85	g

ZINC and CASTOR OIL (APF, BP)

Zinc Oxide ..	7.5	g
Castor Oil ..	50	g
Cetostearyl Alcohol ..	2	g
White Beeswax ..	10	g
Arachis Oil ..	30.5	g

ZINC OXIDE (APF)

(ZINC BP)

[illegible]

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

ICHTHAMMOL (APF)

[illegible]

PREScription

PAINTS—continued

MAGENTA (APF)

[illegible]

PODOPHYLLIN (APF)

Podophyllum Resin	1.25 g
Benzoin Tincture, Compound to	25 ml

PODOPHYLLIN, STRONG (APF)

(Podophyllin, Compound BPC)

[illegible]

SALICYLIC ACID (APF)

[illegible]

PASTES

(Maximum Quantity 100 g and 1 Repeat)

COAL TAR and ZINC (APF)

Coal Tar, BPC	1	g
Castor Oil	1	g
Compound Zinc Paste	98	g

DITHRANOL and ZINC (APF)

[illegible]

TITANIUM DIOXIDE (APF)

[illegible]

PREScription

PASTES—continued

ZINC, COMPOUND (APF, BP)

[illegible]

ZINC and SALICYLIC ACID (APF)

[illegible]

POWDERS

(Maximum Quantity 100 g and 2 Repeats)

ALUMINIUM and MAGNESIUM TRISILICATE (APF)

Dried Aluminium Hydroxide Gel				10	g
Magnesium Trisilicate				50	g
Light Kaolin or Light Kaolin (Natural)				40	g

MAGNESIUM and CALCIUM CARBONATE (APF)

[illegible]

SECTION 5 — PRESCRIBERS' LIST

CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100 ml and 4 Repeats)

ALUMINIUM HYDROXIDE and KAOLIN (APF)

Light Kaolin or Light Kaolin (Natural)	1	g
Sodium Citrate	5	mg
Concentrated Chloroform Water	0.1	ml
Aluminium Hydroxide Gel to	5	ml

ASPIRIN (APF)

Aspirin	150	mg
Compound Tragacanth Powder	100	mg
Raspberry Syrup	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

ATROPINE METHONITRATE (APF)

Atropine Methonitrate	0.5	mg
Lemon Syrup, APF	0.5	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

BELLADONNA (APF)

Belladonna Tincture	0.1	ml
Orange Syrup, APF	1	ml
Glycerol	1	ml
Benzoic Acid Solution, APF	0.1	ml
Purified Water to	5	ml

CALCIUM and KAOLIN (APF)

Calcium Carbonate	500	mg
Light Kaolin or Light Kaolin (Natural)	1	g
Potash Alum	5	mg
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

CHLORAL (APF)

Chloral Hydrate	250	mg
Orange Syrup, APF	1	ml
Concentrated Chloroform Water	0.1	ml
Purified Water to	5	ml

CHILDREN'S SECTION

MIXTURES—continued

FERROUS GLUCONATE (APF)

Ferrous Gluconate								200	mg
Dextrose								500	mg
Orange Syrup, APF								1	ml
Citric Acid	..							25	mg
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

FERROUS SULPHATE (APF)

Ferrous Sulphate								100	mg
Ascorbic Acid								5	mg
Orange Syrup, APF								1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture								0.1	ml
Compound Camphor Spirit								0.25	ml
Squill Oxymer								1	ml
Purified Water to								5	ml

POTASSIUM CITRATE (APF)

Potassium Citrate								1	g
Citric Acid								200	mg
Lemon Syrup, APF								1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

POTASSIUM IODIDE (APF)

Potassium Iodide								100	mg
Liquorice Liquid Extract								0.25	ml
Aromatic Ammonia Spirit								0.1	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

POTASSIUM IODIDE and EPHEDRINE (APF)

Potassium Iodide								100	mg
Ephedrine Hydrochloride	..							10	mg
Stramonium Tincture								0.2	ml
Aromatic Ammonia Spirit								0.1	ml
Liquorice Liquid Extract								0.2	ml
Concentrated Chloroform Water								0.1	ml
Purified Water to								5	ml

 PRESCRIPTION

 MIXTURES—*continued*

SODIUM CITRATE (APF)

Sodium Citrate ..									1	g
Citric Acid									200	mg
Lemon Syrup, APF ..									1	ml
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and
ileostomy use

(P & Q) Preparations available for use by paraplegic
and quadriplegic patients

Proprietary Name	Manu- fac- turer	Name
Abbocillin	AB	Penicillin Products
Abbocillin-V	AB	Phenoxyethylpenicillin
Abbocillin-VK	AB	Phenoxyethylpenicillin
Acetest	AM	Sodium Nitroprusside
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin-V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actal	WL	Aluminium Hydroxide Gel Dried
Actidil	BW	Triprolidine
Actrapid M.C. Novo	NO	Insulin Neutral Specially Purified
Actrapid-Novo	NO	Insulin Neutral
Adacillin	AV	Phenoxyethylpenicillin
Adacor	AV	Hydrocortisone
Adaphol	AV	Pholcodine
Adaquin	AV	Quinine Sulphate
Adasol	AV	Aspirin (Soluble)
Adasone	AV	Prednisone
Adnisolone	AV	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Agarol	WW	Paraffin Liquid
Akineton	KN	Biperiden
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spiroinolactone
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alergicap	PT	Diphenhydramine
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Allerzine	VR	Diphenylpyraline
Almacarb	AH	Aluminium Hydroxide Gel with Magnesium Hydroxide
Suspension		
Almacarb Tablet	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Amal	KL	Amylobarbitone
Amesec	LY	Aminophylline with Ephedrine Hydrochloride and Amylobarbitone
Aminofusin	PC	Amino Acids with Sorbitol and Alcohol

Proprietary Name	Manufacturer	Name
Aminofuslin 5%	PC	Amino Acids with Vitamins and Electrolytes
Aminofuslin 10%	PC	Amino Acids with Vitamins and Electrolytes
Aminofuslin A 5% with Alcohol	PC	Amino Acids with Alcohol, Vitamins and Electrolytes
Aminofuslin Standard	PC	Amino Acids with Sorbitol
Aminogran	GL	Amino Acid Formula without Phenylalanine
Aminopt	SI	Aminacrine Hydrochloride
Amnosed	BW	Cyclobarbitone
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amsal	AV	Amylobarbitone Sodium
Amylbarb	PT	Amylobarbitone
Amylbarb Sodium	PT	Amylobarbitone Sodium
Amylobeta	BB	Amylobarbitone Sodium
Amytal	LY	Amylobarbitone
Amytal Sodium	LY	Amylobarbitone Sodium
Anacyclin	CB	Lynoeestrenol with Mestranol
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	AH	Meclozine
Ancosal	AV	Sodium Salicylate
Ancotil	RO	Flucytosine
Androphyllin	ET	Aminophylline
Anginine Stabilised	BW	Glyceryl Trinitrate
Anovlar	SC	Norethisterone Acetate with Ethinyl- oestradiol
Ansolysen	MB	Pentolinium Tartrate
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	GE	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Apresoline	CB	Hydrallazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine	CS	Procaine Penicillin
Aquacaine G	CS	Procaine Penicillin
Aquacaine G Fortified	CS	Procaine Penicillin Fortified
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquamephyton	MK	Phytomenadione
Aquamide	RL	Frusemide
Aquamide M	RL	Frusemide

Proprietary Name	Manu- fac- turer	Name
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Artosin	BO	Tolbutamide
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T.10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Aventyl	LY	Nortriptyline
Avil	HP	Pheniramine
Avilettes	HP	Pheniramine
Avloclor	IC	Chloroquine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
B		
Bactrim	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Baycaron	BN	Mefruside
B.A.Z.	KL	Zinc and Adrenaline
Becotide	AH	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Berotec	BY	Fenoterol Hydrobromide
Betacard	BR	Alprenolol
Betaloc	AP	Metoprolol
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnelan	GL	Betamethasone
Betnovate 1/2	GL	Betamethasone Valerate
Bicillin All Purpose	WY	Benzathine Penicillin Compound
Bidramine	AV	Diphenhydramine
Biogastrone	BQ	Carbenoxolone Sodium
Biomydryn	WW	Neomycin with Gramicidin, Thonzonium Bromide, Thonzylamine and Hydrocortisone Acetate
Bi-prin	BT	Aspirin
Biquin	AV	Quinine Bisulphate

Proprietary Name	Manu- fac- turer	Name
B1-Quinate	KL	Quinine Bisulphate
Blenoxane	BC	Bleomycin
Bleph 10	AG	Sulphacetamide Sodium
Bramahist	ME	Chlorpheniramine
Bramcetamol	ME	Paracetamol
Bramcillin	ME	Phenoxymethylpenicillin
Bramcycline	ME	Oxytetracycline
Bramiron	ME	Ferrous Fumarate
Bram-Mycin	ME	Erythromycin
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Clopamide
Bristin	BC	Ampicillin
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin 500	BC	Aspirin (Buffered)
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butarex	AV	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butisol Sodium	ET	Secbutobarbitone
Butoroid	VR	Phenylbutazone
Buzon	KL	Phenylbutazone
C		
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Cal-tab	HA	Calcium
Camoquin	PD	Amodiaquine
Capadex	FM	Dextropropoxyphene Hydrochloride with Paracetamol
Caprilac	CG	Goats' Milk
Caprocin	LY	Capreomycin
Carbapen	CS	Carbenicillin
Carbazole	PT	Carbimazole
Cardiox	AV	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	AV	Quinidine Sulphate
Cardrase	UP	Ethoxzolamide
Carine	KL	Aminophylline
Carobel	MN	Ceratonia

Proprietary Name	Manufacturer	Name
Catapres	BY	Clonidine
Cedilanid	SZ	Deslanoside
Cedilanid	SZ	Lanatoside-C
Ceetamol	PT	Paracetamol
Celbenin	BR	Methicillin
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celestone-M	SH	Betamethasone Valerate
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporan	GL	Cephaloridine
Cerubidin	MB	Daunorubicin
Char-Bon	LF	Charcoal (C & I)
Chlomin	KL	Chloramphenicol
Chloradorm	KL	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromycetin	PD	Chloramphenicol
Succinate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlortet	LF	Chlortetracycline
Chlorvescent	PT	Potassium Chloride
Choledyl	WW	Choline Theophyllinate
Chlotride	FR	Chlorothiazide
Ciba 1906	CB	Thiambutosine
Cidomycin	RL	Gentamicin Sulphate
Cilicaine	SI	Penicillin Products
Cilicaine V	SI	Penicillin Products
Cilicaine VK	SI	Penicillin Products
Citralka	PD	Sodium Acid Citrate
Citrapen	DL	Phenoxymethylpenicillin
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator
Clinitest	AM	Copper Sulphate
Clistin	ET	Carbinoxamine
Closina	LY	Cycloserine
Codelcortone	MK	Prednisolone Tertiarybutylacetate
T.B.A.		
Codelsol	MK	Prednisolone Sodium Phosphate
Codiphen Forte	GP	Codeine Phosphate with Aspirin and Paracetamol

Proprietary Name	Manufacturer	Name
Codral Forte	BW	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colly-seels	DY	Sterculia (C & I)
Coloplast	ED	Sterculia (C & I)
Coloxyl	FM	Diethyl Sodium Sulphosuccinate with Bisacodyl
Coloxyl 50	FM	Diethyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diethyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diethyl Sodium Sulphosuccinate with Danthron
Coluric	AV	Colchicine
Coly-Mycin Injection	WW	Colistin
Coly-Mycin Ear Drops	WW	Colistin with Neomycin
Combantrin	GP	Pyrantel Embonate
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Cortate	PT	Cortisone Acetate
Cort-Dome	DO	Hydrocortisone
Cortef	UP	Hydrocortisone
Cortone	MK	Cortisone Acetate
Cortril	PF	Hydrocortisone
Cortrosyn Depot	OR	Tetracosactrin
Cotazym	OR	Pancrelipase
Coumadin	EN	Warfarin
Crasnitin	MB	Colaspase
Crema-Quin	HA	Clioquinol
Crystapen	GL	Benzylpenicillin
Cuprimine	MK	Penicillamine
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar	UP	Cytarabine
D		
Daktarin	ET	Miconazole Nitrate
Dalacin C	UP	Clindamycin
Dale	CE	Goats' Milk
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Debendox	ML	Dicyclomine with Doxylamine and Pyridoxine

Proprietary Name	Manu- fac- turer	Name
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Decasone	FR	Dexamethasone
Decasone Shock Pak	FR	Dexamethasone
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
Delta-Cortef	UP	Prednisolone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "O"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Desferal	CB	Desferrioxamine
Dexacillin	SQ	Epicillin
Dex-Cit	RC	Sodium Citro-Tartrate
Dexamethsone	PT	Dexamethasone
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diabinese M	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Dianeal	TV	Peritoneal Dialysis Solution
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator
Dichlotride	MK	Hydrochlorothiazide
Diclomyl	KL	Dicyclomine Hydrochloride
Di-Gesic	DL	Dextropropoxyphene Hydrochloride with Paracetamol
Digestelact	HS	Milk Powder - Cows' Milk, Processed
Dihydergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide Gel with Magnesium Hydroxide
Suspension		
Dijene Tablet	BT	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Forte	PD	Phenytoin
Dilantin Infatabs	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilaudid	KN	Hydromorphone
Dilosyn	AH	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Dimedvan	AH	Phenindione
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe

Proprietary Name	Manu- fac- turer	Name
Diubram	ME	Chlorothiazide
Diuret	PT	Chlorothiazide
Diurone	KL	Chlorothiazide
Doburil	BY	Cyclothiazide
Donnalix	RS	Belladonna Alkaloids
Donnatab	RS	Belladonna Alkaloids
Dormel	DH	Chloral Hydrate
Dormicum	PT	Nitrazepam
Doxin	GP	Doxycycline
D-Penamine	DL	Penicillamine
Droleptan	ET	Droperidol
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	PI	Lactulose
Durabolin	OR	Nandrolone Phenylpropionate
Durolax	BY	Bisacodyl
Duro-Tuss	RK	Pholcodine
Dyazide	SK	Hydrochlorothiazide with Triamterene
Dymadon	BW	Paracetamol
Dytac	SK	Triamterene
E		
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
Edrol	VR	Ethinyloestradiol
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elavil	FR	Amitriptyline
Elix-Nocte Forte	AV	Chloral Hydrate
Elixophyllin	CP	Theophylline
Elixophyllin-KI	CP	Theophylline with Potassium Iodide
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endoxan-Asta	MJ	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate
Ephedrobarbital	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Forte	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital Mitis	FM	Ephedrine Hydrochloride with Phenobarbitone
Ephedrobarbital-T	FM	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Epifrin	AG	Adrenaline
Epinal	AQ	Adrenaline
Eppy	ET	Adrenaline
Eratrex	BC	Erythromycin

Proprietary Name	Manu- fac- turer	Name
Ergalan	AH	Ergotamine Tartrate with Caffeine and Meclozine Hydrochloride
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	KL	Erythromycin
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Eskacef	SK	Cephadrine
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyoestradiol
Etaphylline	DF	Acepifylline
Ethamolin	GL	Ethanolamine Oleate
Ethryn	FA	Erythromycin
Eucerin	SN	Wool Alcohols
Euglucon	FM	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Eumydrin	WL	Atropine Methonitrate
F		
Fabahistin	BN	Mebhydrolin
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Fasigyn	PF	Tinidazole
Fefol 2	SK	Ferrous Sulphate Dried with Folic Acid
Fenamine	FM	Pheniramine
Fenamine-M	FM	Pheniramine
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Gradumet	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
FML Liquifilm	AG	Fluorometholone
Folasic	AV	Folic Acid
Folettes	FM	Folic Acid
Fortral	WL	Pentazocine
Fortuss	GP	Dihydrocodeine Tartrate
Frusid	RO	Frusemide
Fucidin	SK	Fusidic Acid

Proprietary Name	Manu- fac- turer	Name
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	SK	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
G		
Galactomin	MN	Milk Powder - Synthetic
Formula 17		
Galactomin	MN	Milk Powder - Synthetic
Formula 19		
Gantanol	SU	Sulphamethoxazole
Gantrisin	SU	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gastroid	ME	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gaviscon	RC	Alginic Acid Compound
Gaviscon Infant	RC	Alginic Acid Compound
Gelox	PR	Aluminium Hydroxide Gel
Gelusil	WW	Aluminium Hydroxide Gel with Magnesium Trisilicate
Glaucomide	PT	Acetazolamide
Glaucan	AQ	Adrenaline
Glucohaem	VR	Ferrous Gluconate
Glucophage	RN	Metformin
Glucose	MJ	Nutramigen
Nutramigen		
Gondafon	SC	Glymidine
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Cynergex	SZ	Ergotamine Tartrate
Gynovlar	SC	Norethisterone Acetate with Ethinyloestradiol
H		
Haelan	DL	Flurandrenolone
Haemaccel	HP	Plasma Substitute
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histaids	OD	Chlorpheniramine

Proprietary Name	Manufacturer	Name
Histalert	RK	Diphenylpyraline
Histryl	SK	Diphenylpyraline
Histryl-P	SK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	MJ	Stilboestrol Diphosphate
Hostacycline	HP	Tetracycline
Hostacycline P	HP	Tetracycline (Buffered)
Hyalase	FC	Hyaluronidase
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydracycline Plain	FM	Tetracycline
Hydrea	SQ	Hydroxyurea
Hydrenox	BT	Hydroflumethiazide
Hydrocortone	MK	Hydrocortisone Acetate
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hynax	VR	Hydrocortisone
Hyperstat I.V.	SH	Diazoxide
Hypertensin	CB	Angiotensin Amide
Hysone-A	PT	Hydrocortisone Acetate
I		
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Insoral	BQ	Phenformin
Insoral TD	BQ	Phenformin
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	AV	Thiamine Hydrochloride
Iramil	KL	Imipramine
Ismelin	CB	Guanethidine
Iso-Autohaler	RK	Isoprenaline Sulphate
Isomil	RD	Soya Formula
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Sorbide Nitrate
Isordil Sublingual	AY	Sorbide Nitrate
Isotinyll	KL	Isoniazid
Isotrate	PD	Sorbide Nitrate
Isotrate Sublingual	PD	Sorbide Nitrate
Isuprel	WL	Isoprenaline Hydrochloride

Proprietary Name	Manufacturer	Name
J		
Jectofer	AP	Iron Sorbitol
K		
Kabikinase	FA	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide Gel with Kaolin
Kaomagma	WY	Aluminium Hydroxide Gel with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karagum	PT	Sterculia (C & I)
Kay Ciel	CP	Potassium Chloride
Keflex	LY	Cephalexin
Keflin	LY	Cephalothin Sodium
Kefzol	LY	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Kloreif	LP	Potassium Chloride
Klortee	PT	Chloramine (C & I)
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
L		
Lacril	AG	Hypromellose
Langesic	LP	Paracetamol
Lanocide	PT	Lanatoside-C
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lantuss	LP	Pholcodine
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	SU	Amitriptyline
Lasix	HP	Fruzemide
Lasix-M	HP	Fruzemide
Lasix High Dose	HP	Fruzemide
Lederkyn	LE	Sulphamethoxypyridazine
Ledermycin	LE	Demeclocycline

Proprietary Name	Manufacturer	Name
Lente Novo	NO	Insulin Zinc Suspension
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Levophed	WL	Noradrenaline
Lignosporin	BW	Polymyxin B Sulphate with Lignocaine
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CB	Baclofen
Liprinal	MJ	Clofibrate
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone Pivalate
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Lopresor	GE	Metoprolol
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane	IC	Gamma Benzene Hexachloride
Concentrate		
Lorinon	HP	Diazepam
Lostat	PD	Clofibrate
L.P.G.	CS	Benzathine Penicillin
L.P.V.	CS	Phenoxyethylpenicillin
L.P.V. Aqueous	CS	Phenoxyethylpenicillin
Forte		
Lyndiol 2.5	OR	Lynoeestrenol with Mestranol
Lynoral	OR	Ethinylloestradiol
Lysivane	MB	Ethopropazine
		M
M & B 693	MB	Sulphapyridine
Maalox	RG	Magnesium-Aluminium Hydroxide
Macrodex	PS	Dextran 70
Magnoplasm	FA	Magnesium Sulphate
Mandelamine	WW	Hexamine Mandelate
Mandelamine	WW	Hexamine Mandelate
Hafgrams		
Manialith	MN	Lithium Carbonate
Marevan	AH	Warfarin
Marzine	BW	Cyclizine
Maxolon	BR	Metoclopramide Hydrochloride
MCT Oil	MJ	Triglycerides, Medium Chain

Proprietary Name	Manu- fac- turer	Name
Medihaier-Iso	RK	Isoprenaline Sulphate
Medrol	UP	Methylprednisolone
Medrol	UP	Methylprednisolone Acetate
Medrol Enpak	UP	Methylprednisolone Acetate
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Merasyn	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide
Mesantoin	SZ	Methoin
Mestion	RO	Pyridostigmine
Methergin	SZ	Methylethergometrine
Methopt	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metilar	SD	Paramethasone
Metin	CS	Methicillin
Mevasine	MK	Mecamylamine
Microcyclin	CB	Lynoeestrenol with Mestranol
Microgynon 30	SC	Norgestrel with Ethinyloestradiol
Microgynon 30 ED	SC	Norgestrel with Ethinyloestradiol
Microlut 28	SC	Norgestrel
Micronor	ET	Norethisterone
Microval 28	WY	Norgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milagel	PR	Aluminium Hydroxide Gel with Magnesium Hydroxide
Milontin	PD	Phensuximide
Minajel	MG	Aluminium Hydroxide Gel
Minipress	PF	Prazosin Hydrochloride
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyl-oestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyl-oestradiol
Mintezol	MK	Thiabendazole
Miochol	CP	Acetylcholine Chloride
Mithracin	PF	Mithramycin
Modecate	SQ	Fluphenazine Decanoate
Moduretic	MK	Hydrochlorothiazide with Amiloride
Mogadon	RO	Nitrazepam
Monotard M.C. Novo	NO	Insulin Zinc Suspension Specially Purified
Mortha	WH	Morphine with Tacrine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin

Proprietary Name	Manu- fac- turer	Name
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Magnesium Hydroxide
Myleran	BW	Busulphan
Mylosed	VR	Amylobarbitone
Mylosed	VR	Amylobarbitone Sodium
Myocrisin	MB	Sodium Aurothiomalate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mytelase	WL	Ambenonium Chloride
N		
Nardil	WW	Phenelzine
Natigoxin	NA	Digoxin
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nembutal	AB	Pentobarbitone Sodium
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neo-Cytamen	GL	Hydroxocobalamin
Neo-Epinine	BW	Isoprenaline Sulphate
Neogynon	SC	Norgestrel with Ethinyloestradiol
Neogynon ED	SC	Norgestrel with Ethinyloestradiol
Neomate	LF	Neomycin
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulactil	MB	Pericyazine
Neur-Amyl	FM	Amylobarbitone
Neur-Amyl Sodium	FM	Amylobarbitone Sodium
Neutralon	SC	Aluminium Sodium Silicate
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nivaquine	MB	Chloroquine
Nobecutane	AH	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate

Proprietary Name	Manufacturer	Name
Nordette 21	WY	Norgestrel with Ethinyloestradiol
Nordette 28	WY	Norgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordirol 21	WY	Norgestrel with Ethinyloestradiol
Nordirol 28	WY	Norgestrel with Ethinyloestradiol
Noriday	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl 1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyl- oestradiol
Normosol R	AB	Electrolyte Replacement Solution
Nortab	SQ	Nortriptyline
Noveril	SZ	Dibenzepin
Novosprin	VR	Aspirin (Soluble)
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
		0
Octaflex	WB	Acrylic Resin (C & I)
Omnopon	RO	Papaveretum
Omnopon- Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Optipen	CS	Phenethicillin
Optocort	PT	Prednisolone
Orabase	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Orahesive	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Oratrol	AQ	Dichlorphenamide
Orbenin	BR	Cloxacillin
Orisul	CB	Sulphaphenazole
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin High Potency	GL	Calciferol
Ovostat 22	OR	Lynoestrenol with Ethinyloestradiol
Ovostat 28	OR	Lynoestrenol with Ethinyloestradiol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovral 28	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5	SR	Ethinodiol Diacetate with Mestranol
Ovulen 1	SR	Ethinodiol Diacetate with Mestranol

Proprietary Name	Manufacturer	Name
Ovulen 2	SR	Ethynodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 0.5/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Oxycycline	PT	Oxytetracycline
P		
Pagitan	LY	Cycrimine Hydrochloride
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Panacete	PR	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panamax	WL	Paracetamol
Panasma	PT	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Pancrex "V"	ST	Pancreatin
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	AV	Paracetamol
Paraspen	FC	Paracetamol
Parfenac	LE	Bufexamac
Parmol	KL	Paracetamol
Parnate	SK	Tranlylcypromine
Pasalba	RY	Sodium Aminosalicylate
Paxyl	FA	Benzalkonium Chloride
PCL	DH	Paracetamol
Pectolin	FA	Pholcodine
Penbon	AV	Pentobarbitone Sodium
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pen-Cilin V	LF	Phenoxyethylpenicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Pentobeta	ME	Pentobarbitone Sodium
Pentone	FA	Pentobarbitone Sodium
Perandren	CB	Methyltestosterone
Periactin	FR	Cyproheptadine
Perolysen	MB	Pempidine
Persantin	BY	Dipyridamole

Proprietary Name	Manu- fac- turer	Name
Pertofran	GE	Desipramine
Petab	KL	Pentobarbitone Sodium
Pethilorfan	RO	Pethidine and Levallorphan
Pethoid	BW	Pethidine
Pfipen V	PF	Phenoxymethylpenicillin
Phenergan	MB	Promethazine
Phiacort	RS	Hydrocortisone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Pholtussin	KL	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafucin	GB	Natamycin
Pimafucort Otic	GB	Natamycin, Neomycin Sulphate and Hydro- cortisone
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	MN	Amino Acid Formula without Phenylalanine
PK AID II	MN	Amino Acid Formula without Phenylalanine
Placemol	VR	Paracetamol
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	AV	Ferrous Aminoacetosulphate
Pluryl	SK	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Potavescent	PT	Potassium
Prantal	SH	Diphemanil Methylsulphate
Precortisyl	RL	Prednisolone
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn-Depot	SC	Oestradiol Valerate
Primolut-N	SC	Norethisterone
Primolut Nor	SC	Norethisterone Acetate
Primoteston Depot	SC	Testosterone Enanthate
Primperan	BQ	Metoclopramide Hydrochloride
Pripsen	RC	Piperazine Phosphate
Proben	PT	Probenecid
Procalm	ME	Chlorpromazine
Procort	PR	Hydrocortisone
Prodepress	ME	Imipramine
Progan	AV	Promethazine

Proprietary Name	Manu- fac- turer	Name
Progout	PT	Allopurinol
Proladone	CK	Oxycodone
Promacid	KL	Chlorpromazine
Prominal	WL	Methylphenobarbitone
Pronestyl.	SQ	Procainamide
Propaderm	AH	Beclomethasone Dipropionate
Pro-Pam	PT	Diazepam
Propred	ME	Prednisone
Proquinal	PT	Quinalbarbitone Sodium
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prosul	LE	Sulphasymazine
Prothazine	KL	Promethazine
Protonea	DF	Stanolone
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Provoprin 500	DH	Aspirin (Soluble)
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	KL	Pyridoxine Hydrochloride
Q		
Quatrax	VR	Tetracycline
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quibron-C	MJ	Theophylline with Guaiphenesin
Quinate	KL	Quinine Sulphate
Quinbar	AV	Quinalbarbitone Sodium
Quinbisan	PR	Quinine Bisulphate
Quincardine	FM	Quinidine Sulphate
Quinidex LA	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinoctal	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate
Quitaxon	FM	Doxepin
R		
Rapitard-Novo	NO	Insulin Biphasic
Rastinon	HP	Tolbutamide
Raudixin	SQ	Rauwolfia Serpentina
Rauwiloid	RK	Rauwolfia Alkaloids
Rawlina	LF	Rauwolfia Serpentina
Rectinol	GP	Benzocaine with Adrenaline
Repalyte	DH	Electrolyte Replacement (Oral)
Resochin	BN	Chloroquine

Proprietary Name	Manufacturer	Name
Reverin	HP	Rolitettracycline
Rheomacrodex	PS	Dextran 40
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Rikodeine	RK	Dihydrocodeine Tartrate
Rikospray Silicone	RK	Dimethicone (C & I)
Rivotril	RO	Clonazepam
Rondomycin	WW	Methacycline
Rynacrom	FC	Sodium Cromoglycate
S		
Sacsol	LF	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scheroson F	SC	Hydrocortisone
Ophthalmicum		
S-Dimidine	PT	Sulphadimidine
Seconal Sodium	LY	Quinalbarbitone Sodium
Sedal	FA	Amylobarbitone
Sedlingtus	VR	Pholcodine
Semilente Novo	NO	Insulin Zinc Suspension (Amorphous)
Semilente M.C.	NO	Insulin Zinc Suspension (Amorphous)
Novo		Specially Purified
Septtrin	BW	Trimethoprim with Sulphamethoxazole
Serazone	VR	Chlorpromazine
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
Serenol	PT	Rauwolfia Serpentina
Serpasil	CB	Reserpine
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Simeco Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Sinemet	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintisone	EC	Prednisolone Steaglate
Sintrom	GE	Nicoumalone
Siopel	IC	Dimethicone
Slow-Fe	CB	Ferrous Sulphate Dried
Slow-K	CB	Potassium Chloride

Proprietary Name	Manu- fac- turer	Name
Sodexol	SC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Sodium Sedal	FA	Amylobarbitone Sodium
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solone	FM	Prednisolone
Solprin	RC	Aspirin (Soluble)
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Solusal	HA	Aspirin (Soluble)
Somipra	LF	Imipramine
Somnital	PR	Pentobarbitone Sodium
Sonabarb	PT	Butobarbitone
Sone	FM	Prednisone
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spray-On-Bande	LF	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
S.R.A.	BT	Aspirin
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Calciferol
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptase	HP	Streptokinase
Sudafed	BW	Pseudoephedrine Hydrochloride
Sudafed-M	BW	Pseudoephedrine Hydrochloride
Sulfazole	PT	Sulphafurazole
Sulfamylon	WL	Maphenide Acetate
Sulphamezathine	IC	Sulphadimidine
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen	CB	Tetracosactrin
Synacthen Depot	CB	Tetracosactrin
Synalar 01	IC	Fluocinolone Acetonide
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

Proprietary Name	Manu- fac- turer	Name
T		
Tacaryl	MJ	Methdilazine
Tace	ML	Chlorotrianisene
TAGG	LF	Deodorant Detergent Solution (C & I) (P & Q)
Talecid	SC	Phthalylsulphacetamide
Talusin	KN	Proscillaridin
Tavegyl	SZ	Clemastine
Tedral	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tedral S.A.	WW	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Tegretol	GE	Carbamazepine
Teledrin-P	SK	Chlorpheniramine
Tempra	MJ	Paracetamol
Tenserp	VR	Reserpine
Terfluzin	MB	Trifluoperazine
Terra-Cortril	PF	Oxytetracycline with Hydrocortisone
Terramycin	PF	Oxytetracycline
Terramycin	PF	Oxytetracycline with Polymyxin B
Terrastatin	PF	Oxytetracycline with Nystatin
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetracyn	GP	Tetracycline
Tetracyn-V	GP	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
Tetrex-P	BC	Tetracycline
T.H.A.	WH	Tacrine
Thalacet	VR	Phthalylsulphacetamide
Theosec	LY	Theophylline with Ephedrine Hydrochloride and Phenobarbitone
Thephorin	RO	Phenindamine
Thiosulfil	AY	Sulphamethizole
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Topilar	SD	Fluclorolone Acetonide
Topodil	SC	Fluocortolone Esters
Torecan	SZ	Thiethylperazine
Tosmilen	AP	Demecarium Bromide
Trasicor	CB	Oxprenolol
Trib	PT	Trimethoprim with Sulphamethoxazole
Tricloryl	GL	Triclofos
Tridione	AB	Troxidone

Proprietary Name	Manufacturer	Name
Triglyde	MJ	Triglycerides, Medium Chain
Triptil	FR	Protriptyline
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
		U
Ultracortenol	ZY	Prednisolone Acetate
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Ultralente Novo	NO	Insulin Zinc Suspension (Crystalline)
Unisolve	DY	Surgical Cement
Urade	WW	Sodium Citro-Tartrate
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol
Uremide	PT	Frusemide
Urex	FM	Frusemide
Urex-M	FM	Frusemide
Uro-Carb	HA	Bethanechol
Urogan	AV	Sulphafurazole
Urolucosil	WW	Sulphamethizole
		V
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vanquin	PD	Viprynum Embonate
Vasogen Silicone	SS	Dimethicone
Vasopressin Nasal Spray	SZ	Lypressin
Velbe	LY	Vinblastine
Velosef	SQ	Cephadrine
Venocort	PT	Hydrocortisone Sodium Succinate
Ventolin	AH	Salbutamol
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vioform	CB	Clioquinol
Viokase	RS	Pancreatin Enzyme (4 X USNF XIII)
Visken	SZ	Pindolol
V.P.V.	VR	Phenoxyethylpenicillin
		W
Winsprin	WL	Aspirin

Proprietary Name	Manu- fac- turer	Name
X		
Xylocard 100	AP	Lignocaine
Xylocard 300 I.M.	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Y		
Yomesan	BN	Niclosamide
Z		
Zadine	SH	Azatadine Maleate
Zarontin	PD	Ethosuximide
Zephiran	WL	Benzalkonium Chloride
Concentrated		
Zerodor	ZR	Deodorant Concentrate (C & I)
Zinamide	MK	Pyrazinamide
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dropster	Knoll Laboratories - Eye and ear drops
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitts - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Evanules	Allen & Hanburys - Injections
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous fluids
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratories - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Novo	Novo Laboratories - Insulin products
Orgaject	Organon - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith, Kline & French - Delayed release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Tabloid	Burroughs Wellcome - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Aust. Pharm. Industries - Preparations
Venosol	Farmer Hill - Intravenous fluids
Viaflex	Travenol Laboratories - Intravenous fluids
Viules	Boots - Injections
Wellcome	Burroughs Wellcome - Preparations

