



PHARMACEUTICAL BENEFITS

DECEMBER 1980

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF BENEFITS

DECEMBER 1980 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY/FEBRUARY/MARCH

SPECIAL NOTICE

Clofibrate will continue to be a pharmaceutical benefit and from 1 December 1980 the listing is as follows:-

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Prop. Name and Mfr	Amendment Effective
					\$		
CLOFIBRATE							
To be accompanied by an authority from the Director of Health.							
15	2892F	Capsule 500mg	100	..	9.51 9.70	Arterioflexin PT Atromid-S IC Lostat PD	1/12/80 1/12/80 1/12/80

NEW ITEMS - SECTION 3

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Prop. Name and Mfr	Amendment Effective
					\$		
		STERCULIA (Indian Tragacanth; Gum Karaya)					
3	2259X	Powder 71g	#1	..	4.76	DY	1/12/80

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
4	3071P	AMINO ACID FORMULA without PHENYLALANINE Powder 250g	2	2	*146.26	PK AID I MN	1/3/81
	1450H	Food Supplement Powder 500g	1	1	113.76	Aminogran F.S. GL	1/2/81
5	1058Q	AMYLOBARBITONE SODIUM Injection 250mg (solvent required)	5	..	*10.01	Amytal Sodium LY	1/12/80
	1059R	500mg (solvent required)	5	..	*11.26	Amytal Sodium LY	1/12/80
13	1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	4.76	Nivaquine MB	1/12/80
	1185J	Injection 40mg per ml, 2ml	5	1	*5.32	Nivaquine MB	1/1/81

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
\$							
18	3114X	DAUNORUBICIN I.V. Infusion 20mg (base)	10	1	*313.76	Cerubidin MB	1/1/81
19	1165H	DEXAMPHETAMINE Tablet 5mg	100	...	3.74	SI	1/2/81
24	1395K	ERYTHROMYCIN Injection I.M. 100mg in 2ml	5	..	7.39	Erythrocin AB	1/1/81
24	1407C	ETHINYLOESTRADIOL Tablet 50 micrograms	100	1	3.76	Estigyn AH	1/2/81
28	2673Q	GLYCEROL 100ml	1	1	2.56	DH	1/12/80
33	2851C	INFLUENZA VACCINE Injection (Trivalent) 1ml	1	..	5.01	CS	1/3/81
33	1141C	INSECT ALLERGEN EXTRACT - BULL ANT Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
	1139Y	Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
	1138X	Strength C, 5ml	1	..	14.07	CS	1/2/81
	1142D	Strength D, 5ml	1	..	14.89	CS	1/2/81
33	2884T	INSECT ALLERGEN EXTRACT - HONEY BEE Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
	2883R	Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
	2870C	Strength C, 5ml	1	..	14.07	CS	1/2/81
	2885W	Strength D, 5ml	2	..	*28.52	CS	1/2/81
33	3022C	INSECT ALLERGEN EXTRACT - JUMPER ANT Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
	3034Q	Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
	3025F	Strength C, 5ml	1	..	14.07	CS	1/2/81
	3023D	Strength D, 5ml	1	..	14.89	CS	1/2/81

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
33	1473M	INSECT ALLERGEN EXTRACT - MOSQUITO Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
		1474N Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
		1471K Strength C, 5ml	1	..	14.07	CS	1/2/81
34	1475P	Strength D, 5ml	1	..	14.89	CS	1/2/81
34	2959R	INSECT ALLERGEN EXTRACT - PAPER WASP Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
		2948E Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
		2919P Strength C, 5ml	1	..	14.07	CS	1/2/81
		2960T Strength D, 5ml	1	..	14.89	CS	1/2/81
36	1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	3.39	Isuprel WL	1/12/80
		1555W Inhalation 1 in 200,15ml	#1	1	3.32	Isuprel WL	1/12/80
36	1562F	KANAMYCIN Injection 250mg in 2ml	5	..	11.26	Kanasig SI	1/2/81
36	3143K	LEVODOPA Tablet 100mg	50	2	5.17	Larodopa RO	1/3/81
38	2401J	LYPRESSIN Nasal Spray 50 Units per ml, 5ml	10	2	*48.16	Vasopressin SZ	1/12/80
39	1610R	METHANDIENONE Tablet 5mg	100	1	12.14	Dianabol CB	1/12/80
41	1283M	MILK POWDER - COWS' MILK, PROCESSED Lactose-Predigested Powder Infant Formula 500g	2	..	*9.14 *9.64	De-Lact Infant SJ De-Lact Infant SJ	1/12/80 1/3/81
		1284N Lactose-Predigested Powder 500g	2	20	*9.14 *9.64	Digestelact SJ Digestelact SJ	1/12/80 1/3/81
42	1451J	MINERAL MIXTURE Powder 250g	#1	..	14.70	Aminogran M.M. GL	1/2/81

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
NEOSTIGMINE							
43	1676F	Injection 500 micrograms in 1ml	5	3	2.76	Prostigmin RO	1/2/81
	1677G	2.5mg in 1ml	5	3	3.14	Prostigmin RO	1/2/81
NITROFURANTOIN							
44	1691B	Paediatric Suspension 25mg per 5ml, 200ml	≠1	..	4.01	Furadantin NW	1/1/81
PAPAVERETUM							
48	1740N	Tablet 10mg	20	..	3.74	Omnopon RO	1/2/81
	1739M	Injection 20mg in 1ml	5	..	3.61	Omnopon RO	1/2/81
PAPAVERETUM with HYOSCINE HYDROBROMIDE							
48	1741P	Injection 20mg-430 micrograms in 1ml	5	..	3.74	Omnopon-Scopolamine RO	1/2/81
PHENYLBUTAZONE							
52	2754Y	Injection 600mg in 3ml	5	..	4.82	Butazolidin GE	1/12/80
PHENYTOIN							
52	1249R	Tablet 50mg	200	1	6.01	Dilantin Infatabs PD	1/2/81
PROCAINE PENICILLIN							
56	1791G	Injection, B.P. 600mg	5	..	5.70	Aquacillin FA	1/1/81
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE							
58	2874G	Powder, 200g satchet, 2kg	≠1	2	266.26	Albumaid XP MN	1/3/81
PYRAZINAMIDE							
58	2335X	Tablet 500mg	500	..	68.76	Zinamide MK	1/2/81
PYRIDOSTIGMINE							
58	2724J	Tablet 10mg	100	2	5.26	Mestinon RO	1/2/81
	1959D	60mg	100	2	15.01	Mestinon RO	1/2/81
	2608G	180mg (sustained release)	100	1	21.26	Mestinon RO	1/2/81
PYRIMETHAMINE with SULFADOXINE							
59	1958C	Tablet 25mg-500mg	12	..	6.26	Fansidar RO	1/1/81
ROLITETRACYCLINE							
60	1987N	I.V. Injection set containing 275mg and 10ml solvent	5	..	*14.41	Reverin HP	1/1/81
	1990R	I.M. Injection set containing 350mg and 2ml solvent	5	..	*14.41	Reverin HP	1/1/81
SURGICAL CEMENT							
64	2469Y	Solvent 240ml	≠1	2	3.95	Sacsol LF	1/1/81

Price Adjustments of Section 2 - White Pages cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
67	2858K	THIOTEPA Eye Drops Set containing 15mg vial, 2x10ml ampoules sterile water, syringe with needle and 15ml dropper bottle #1	1	5	#11.27	LE	1/12/80
69	2189F	TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	16.26	Arfonad RO	1/12/80
70	2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*20.02	Pitressin Tannate PD	1/12/80
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY							
76	3369H	PROCAINE PENICILLIN Injection, B.P. 600mg	5	..	5.70	Aquacillin FA	1/1/81

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment	Amendment Effective
3	2157M	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Suspension 200mg-200mg per 5ml, 500ml	#1	4	3.39 Add Gelusil WW	1/12/80
7	1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	Add 2.70 Benzide M PT	1/1/81
	1106F	5mg	50	2	Add 3.51 Benzide PT	1/1/81
29	1235B	HEPARIN CALCIUM Injection 5,000 Units in 0.5ml	5	5	Add 7.70 GL	1/2/81
31	2881P	HYDROCORTISONE Cream 1%, 50g	#1	1	3.51 Add Dermacort PD	1/1/81
	2882Q	Topical Ointment 1%, 50g	#1	1	3.51 Add Dermacort "O" PD	1/1/81
40	1629R	METHYLDOPA Tablet 250mg	100	2	Add 8.01 Dimal PT	1/1/81
46	1699K	NYSTATIN Capsule 500,000 Units	50	..	7.30 Add Nilstat LE	1/3/81
58	2899N	PROPRANOLOL Tablet 160mg	50	2	Add 10.01 Cardinol PT	1/2/81

PRICE ADJUSTMENTS OF SECTION 3 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
\$							
2	3165N	POLYISOBUTYLENE Compound Adhesive Discs, 5	#1	5	10.89	ReliaSeal BJ	1/12/80
3	2256R	STERCULIA Discs, Compound, 10	#1	5	9.07	Colly-seels DY	1/12/80
	3158F	Squares, 6	#1	5	16.26	BH	1/12/80

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price	Price Effective
\$				
2	3071P	Amino Acid Formula without Phenylalanine Powder 250g	1 @ 72.50 MN	1/3/81
2	1058Q	Amylobarbitone Sodium 250mg	1 @ 1.75 LY	1/12/80
	1059R	500mg	1 @ 2.00 LY	1/12/80
2	1185J	Chloroquine 2ml	10 @ 6.25 MB	1/1/81
2	3114X	Daunorubicin 20mg	1 @ 31.25 MB	1/1/81
3	2885W	Insect Allergen Extract - Honey Bee, Strength D	1 @ 13.63 CS	1/2/81
4	2401J	Lypressin 50 Units per ml, 5ml	1 @ 4.69 SZ	1/12/80
4	1283M	Milk Powder - Cows' Milk Processed 500g	1 @ 3.94 SJ 1 @ 4.19 SJ	1/12/80 1/3/81
	1284N	500g	1 @ 3.94 SJ 1 @ 4.19 SJ	1/12/80 1/3/81
5	1987N	Rolitetracycline I.V. 275mg	1 @ 2.63 HP	1/1/81
	1990R	I.M. 350mg	1 @ 2.63 HP	1/1/81
6	2197P	Vasopressin Tannate 5 Units in 1ml	5 @ 9.38 PD	1/12/80

ADVANCE NOTICES

DELETIONS

The following items will be deleted from the Schedule of Benefits as from 1 April 1981.

Code	Name and Form
------	---------------

SECTION 2

1006Y	ACETOHEXAMIDE Tablet 500mg
3057X	CERATONIA Powder 135g
1369C	EPHEDRINE HYDROCHLORIDE Tablet 15mg
1370D	30mg
3079C	FRAMYCETIN Injection 500mg (solvent required)
1487G	HYDROCORTISONE Eye Drops 0.5%, 2ml.
1491L	1%, 5ml
1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg
1555W	Inhalation 1 in 200, 15ml
1556X	Injection 1 in 5,000, 1ml
2953K	1 in 5,000, 5ml
1621H	METHOIN Tablet 100mg
1695F	NORADRENALINE Injection 1 in 10,000, 2ml
1694E	Infusion 1 in 1,000, 2ml
2592K	POTASSIUM Effervescent Tablet 25mEq K ⁺
1981G	RESERPINE Injection 1mg
1982H	2.5mg
2004L	SMALLPOX VACCINE Injection, Capillary Tube
2085R	SULPHAMETHOXYDIAZINE Tablet 500mg
2088X	SULPHAMETHOXYPYRIDAZINE Tablet 500mg

SECTION 4

Acid Tannic BP
 Aluminium Hydroxide Gel BP (ready prepared preparations will remain listed)
 Aluminium Hydroxide Gel Dried BP (ready prepared preparations will remain listed)
 Amaranth BPC 54
 Aminacrine Hydrochloride BP 68
 Atropine BPC
 Atropine Methonitrate BP (ready prepared preparations will remain listed)
 Brilliant Green BP
 Caffeine BP
 Caffeine Citrate BPC 59

Advance Notices - Deletion of items (cont.)

Code	Name and Form
Cineole BPC	
Cocaine BP	
Creosote BPC 59	
Disodium Edetate BP	
Ferric Ammonium Citrate BP	
Glycerin Borax BPC 59	
Infusion Buchu Concentrated BPC 54	
Linctus Camphor Compound APF (a ready prepared preparation will remain listed)	
Linctus Codeine APF (a ready prepared preparation will remain listed)	
Mercuric Chloride BPC	
Mixture Senega and Ammonia APF (a ready prepared preparation will remain listed)	
Morphine Sulphate BP	
Oil Citronella BPC	
Oil Lemon Terpeneless BPC	
Oil Linseed BP 63	
Ointment Benzocaine and Adrenaline APF (a ready prepared preparation will remain listed)	
Ointment Capsicum BPC	
Ointment Iodine Non-staining APF 64	
Ointment Iodine Non-staining BPC 68	
Paraldehyde BP	
Physostigmine BPC	
Powder Hydroxybenzoate Compound APF 74	
Powder Rhubarb BP	
Silver Protein Mild BPC 68	
Sodium Acid Phosphate BP	
Solution Benzalkonium Chloride 50% BP	
Solution Lead Subacetate Dilute BPC	
Solution Lead Subacetate Strong BPC	
Solution Potassium Hydroxide BP	
Succinylsulphathiazole BP (a ready prepared preparation will remain listed)	
Sucrose BP	
Sulphadiazine BP (a ready prepared preparation will remain listed)	
Syrup Ginger BPC	
Syrup Glycerophosphate Compound APF 64 (a ready prepared preparation will remain listed)	
Tar BP	
Tartrazine BPC 54	
Tincture Cardamom Aromatic BPC 68	
Tincture Cardamom Compound BP	
Tincture Catechu BPC	
Tincture Gelsemium BPC	
Tincture Ginger Strong BP	
Tincture Ginger Weak BP	
Tincture Myrrh BPC	
Tincture Rhubarb Compound BP	
Water Cinnamon Concentrated BPC 1 in 40	

The following brands of items will be deleted from the Schedule of Benefits as from 1 April 1981.

Code	Name and Form	Proprietary Name and Manufacturer
SECTION 2		
1197B	CHLORPROMAZINE Tablet 25mg	Procaïm NK
1292B	DEXAMETHASONE Tablet 500 micrograms	KL
1405Y	ETHINYLOESTRADIOL Tablet 10 micrograms	Primogyn C SC
1407C	50 micrograms	Primogyn C SC
1067E	GENTAMICIN SULPHATE Injection 10mg (base) in 1ml	Cidomycin RL
1492M	HYDROCORTISONE Eye Drops 1%, 10ml	Hydrosone KL
2441L	Eye Ointment 1%, 5g	Hydrosone KL
1498W	HYDROCORTISONE ACETATE Injection 25mg in 1ml	Hydrocortone MK
2420J	IMIPRAMINE Tablet 10mg	Prodepress NK
1917X	PREDNISOLONE Tablet 5mg	Precortisyl RL
1935W	PREDNISONE Tablet 5mg	Decortisyl RL
1950P	PROMETHAZINE Tablet 10mg	Prothazine KL

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF BENEFITS

DECEMBER 1980 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY/FEBRUARY

SPECIAL NOTICE

Clofibrate will continue to be a pharmaceutical benefit and from 1 December 1980 the listing is as follows:-

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Dispensed Price for Max. Qty	Prop. Name and Mfr	Amendment Effective
		CLOFIBRATE		\$		
		To be accompanied by an authority from the Director of Health.				
15	2892F	Capsule 500mg	100 ..	9.51 9.70	Arterioflexin PT Atromid-S IC Lostat PD	1/12/80 1/12/80 1/12/80

NEW ITEMS - SECTION 3

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Dispensed Price for Max. Qty	Prop. Name and Mfr	Amendment Effective
		STERCULIA		\$		
		(Indian Tragacanth; Gum Karaya)				
3	2259X	Powder 71g	#1 ..	4.76	DY	1/12/80

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Amended Price	Prop. Name and Mfr	Price Effective
		AMINO ACID FORMULA		\$		
		without PHENYLALANINE				
4	1450H	Food Supplement Powder 500g	#1 1	113.76	Aminogran F.S. GL	1/2/81
		AMYLOBARBITONE SODIUM				
		Injection				
5	1058Q	250mg (solvent required)	5 ..	*10.01	Amytal Sodium LY	1/12/80
	1059R	500mg (solvent required)	5 ..	*11.26	Amytal Sodium LY	1/12/80
		CHLOROQUINE				
13	1184H	Tablet equivalent to 150mg (approx.) Chloroquine base	100 ..	4.76	Nivaquine MB	1/12/80
		Injection				
	1185J	40mg per ml, 2ml	5 1	*5.32	Nivaquine MB	1/1/81

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
\$							
18	3114X	DAUNORUBICIN I.V. Infusion 20mg (base)	10	1	*313.76	Cerubidin MB	1/1/81
19	1165H	DEXAMPHETAMINE Tablet 5mg	100	..	3.74	SI	1/2/81
24	1395K	ERYTHROMYCIN Injection I.M. 100mg in 2ml	5	..	7.39	Erythrocin AB	1/1/81
24	1407C	ETHINYLOESTRADIOL Tablet 50 micrograms	100	1	3.76	Estigyn AH	1/2/81
28	2673Q	GLYCEROL 100ml	1	1	2.56	DH	1/12/80
33	1141C	INSECT ALLERGEN EXTRACT - BULL ANT Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
	1139Y	Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
	1138X	Strength C, 5ml	1	..	14.07	CS	1/2/81
	1142D	Strength D, 5ml	1	..	14.89	CS	1/2/81
33	2884T	INSECT ALLERGEN EXTRACT - HONEY BEE Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
	2883R	Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
	2870C	Strength C, 5ml	1	..	14.07	CS	1/2/81
	2885W	Strength D, 5ml	2	..	*28.52	CS	1/2/81
33	3022C	INSECT ALLERGEN EXTRACT - JUMPER ANT Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
	3034Q	Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
	3025F	Strength C, 5ml	1	..	14.07	CS	1/2/81
	3023D	Strength D, 5ml	1	..	14.89	CS	1/2/81

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
33	1473M	INSECT ALLERGEN EXTRACT - MOSQUITO Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
	1474N	Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
	1471K	Strength C, 5ml	1	..	14.07	CS	1/2/81
34	1475P	Strength D, 5ml	1	..	14.89	CS	1/2/81
34	2959R	INSECT ALLERGEN EXTRACT - PAPER WASP Injection Set - strengths A,B,C each 5ml	1	..	35.64	CS	1/2/81
	2948E	Set - strengths A,B,C,D each 5ml	1	..	49.39	CS	1/2/81
	2919P	Strength C, 5ml	1	..	14.07	CS	1/2/81
	2960T	Strength D, 5ml	1	..	14.89	CS	1/2/81
36	1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	3.39	Isuprel WL	1/12/80
	1555W	Inhalation 1 in 200, 15ml	#1	1	3.32	Isuprel WL	1/12/80
36	1562F	KANAMYCIN Injection 250mg in 2ml	5	..	11.26	Kanasig SI	1/2/81
38	2401J	LYPRESSIN Nasal Spray 50 Units per ml, 5ml	10	2	*48.16	Vasopressin SZ	1/12/80
39	1610R	METHANDIENONE Tablet 5mg	100	1	12.14	Dianabol CB	1/12/80
41	1283M	MILK POWDER - COWS' MILK, PROCESSED Lactose-Predigested Powder Infant Formula 500g	2	..	*9.14	De-Lact Infant SJ	1/12/80
	1284N	Lactose-Predigested Powder 500g	2	20	*9.14	Digestelact SJ	1/12/80
42	1451J	MINERAL MIXTURE Powder 250g	#1	..	14.70	Aminogran M.M. GL	1/2/81
43	1676F	NEOSTIGMINE Injection 500 micrograms in 1ml	5	3	2.76	Prostigmin RO	1/2/81
	1677G	2.5mg in 1ml	5	3	3.14	Prostigmin RO	1/2/81

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
44	1691B	NITROFURANTOIN Paediatric Suspension 25mg per 5ml, 200ml	#1	..	4.01	Furadantin NW	1/1/81
48	1740N	PAPAVERTUM Tablet 10mg	20	..	3.74	Omnopon RO	1/2/81
	1739M	Injection 20mg in 1ml	5	..	3.61	Omnopon RO	1/2/81
48	1741P	PAPAVERTUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micro-grams in 1ml	5	..	3.74	Omnopon- Scopolamine RO	1/2/81
52	2754Y	PHENYLBUTAZONE Injection 600mg in 3ml	5	..	4.82	Butazolidin GE	1/12/80
52	1249R	PHENYTOIN Tablet 50mg	200	1	6.01	Dilantin Infatabs PD	1/2/81
56	1791G	PROCAINE PENICILLIN Injection, B.P. 600mg	5	..	5.70	Aquacillin FA	1/1/81
58	2335X	PYRAZINAMIDE Tablet 500mg	500	..	68.76	Zinamide MK	1/2/81
58	2724J	PYRIDOSTIGMINE Tablet 10mg	100	2	5.26	Mestinon RO	1/2/81
	1959D	60mg	100	2	15.01	Mestinon RO	1/2/81
	2608G	180mg (sustained release)	100	1	21.26	Mestinon RO	1/2/81
59	1958C	PYRIMETHAMINE with SULFADOXINE Tablet 25mg-500mg	12	..	6.26	Fansidar RO	1/1/81
60	1987N	ROLITETRACYCLINE I.V. Injection set containing 275mg and 10ml solvent	5	..	*14.41	Reverin HP	1/1/81
	1990R	I.M. Injection set containing 350mg and 2ml solvent	5	..	*14.41	Reverin HP	1/1/81
64	2469Y	SURGICAL CEMENT Solvent 240ml	#1	2	3.95	Sacsol LF	1/1/81
67	2858K	THIOTEPA Eye Drops Set containing 15mg vial, 2x10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	#1	5	#11.27	LE	1/12/80

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
\$							
69	2189F	TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	16.26	Arfonad RO	1/12/80
70	2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*20.02	Pitressin Tannate PD	1/12/80
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY							
76	3369H	PROCAINE PENICILLIN Injection, B.P. 600mg	5	..	5.70	Aquacillin FA	1/1/81

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amendment	Amendment Effective
3	2157M	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Suspension 200mg-200mg per 5ml, 500ml	¥1	4	3.39 Add Gelusil WW	1/12/80
7	1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	Add 2.70 Benzide M PT	1/1/81
	1106F	5mg	50	2	Add 3.51 Benzide PT	1/1/81
29	1235B	HEPARIN CALCIUM Injection 5,000 Units in 0.5ml	5	5	Add 7.70 GL	1/2/81
31	2881P	HYDROCORTISONE Cream 1%, 50g	¥1	1	3.51 Add Dermacort PD	1/1/81
	2882Q	Topical Ointment 1%, 50g	¥1	1	3.51 Add Dermacort "O" PD	1/1/81
40	1629R	METHYLDOPA Tablet 250mg	100	2	Add 8.01 Dimal PT	1/1/81
58	2899N	PROPRANOLOL Tablet 160mg	50	2	Add 10.01 Cardinol PT	1/2/81

PRICE ADJUSTMENTS OF SECTION 3 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
\$							
2	3165N	POLYISOBUTYLENE Compound Adhesive Discs, 5	¥1	5	10.89	ReliaSeal BJ	1/12/80
3	2256R	STERCULIA Discs, Compound, 10	¥1	5	9.07	Colly-seels DY	1/12/80
	3158F	Squares, 6	¥1	5	16.26	BH	1/12/80

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price	Price Effective
			\$	
2	1058Q	Amylobarbitone Sodium 250mg	1 @ 1.75 LY	1/12/80
	1059R	500mg	1 @ 2.00 LY	1/12/80
2	1185J	Chloroquine 2ml	10 @ 6.25 MB	1/1/81
2	3114X	Daunorubicin 20mg	1 @ 31.25 MB	1/1/81
3	2885W	Insect Allergen Extract - Honey Bee, Strength D	1 @ 13.63 CS	1/2/81
4	2401J	Lypressin 50 Units per ml, 5ml	1 @ 4.69 SZ	1/12/80
4	1283M	Milk Powder - Cows' Milk Processed 500g	1 @ 3.94 SJ	1/12/80
	1284N	500g	1 @ 3.94 SJ	1/12/80
5	1987N	Rolitetracycline I.V. 275mg	1 @ 2.63 HP	1/1/81
	1990R	I.M. 350mg	1 @ 2.63 HP	1/1/81
6	2197P	Vasopressin Tannate 5 Units in 1ml	5 @ 9.38 PD	1/12/80

ADVANCE NOTICES

DELETIONS

The following items will be deleted from the Schedule of Benefits as from 1 April 1981.

Code	Name and Form
SECTION 2	
1006Y	ACETOHEXAMIDE Tablet 500mg
3057X	CERATONIA Powder 135g
1369C	EPHEDRINE HYDROCHLORIDE Tablet 15mg
1370D	30mg
3079C	FRAMYCETIN Injection 500mg (solvent required)
1487G	HYDROCORTISONE Eye Drops 0.5%, 2ml
1491L	1%, 5ml
1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg
1555W	Inhalation 1 in 200, 15ml
1556X	Injection 1 in 5,000, 1ml
2953K	1 in 5,000, 5ml
1621H	METHOIN Tablet 100mg

Advance Notices - Deletion of items (cont.)

Code	Name and Form
1695F	NORADRENALINE Injection 1 in 10,000, 2ml
1694E	Infusion 1 in 1,000, 2ml
2592K	POTASSIUM Effervescent Tablet 25mEq K ⁺
1981G	RESERPINE Injection 1mg
1982H	2.5mg
2004L	SMALLPOX VACCINE Injection, Capillary Tube
2085R	SULPHAMETHOXYDIAZINE Tablet 500mg
2088X	SULPHAMETHOXYPYRIDAZINE Tablet 500mg

SECTION 4

Acid Tannic BP
 Aluminium Hydroxide Gel BP (ready prepared preparations will remain listed)
 Aluminium Hydroxide Gel Dried BP (ready prepared preparations will remain listed)
 Amaranth BPC 54
 Aminacrine Hydrochloride BP 68
 Atropine BPC
 Atropine Methonitrate BP (ready prepared preparations will remain listed)
 Brilliant Green BP
 Caffeine BP
 Caffeine Citrate BPC 59
 Cineole BPC
 Cocaine BP
 Creosote BPC 59
 Disodium Edetate BP
 Ferric Ammonium Citrate BP
 Glycerin Borax BPC 59
 Infusion Buchu Concentrated BPC 54
 Linctus Camphor Compound APF (a ready prepared preparation will remain listed)
 Linctus Codeine APF (a ready prepared preparation will remain listed)
 Mercuric Chloride BPC
 Mixture Senega and Ammonia APF (a ready prepared preparation will remain listed)
 Morphine Sulphate BP
 Oil Citronella BPC
 Oil Lemon Terpeneless BPC
 Oil Linseed BP 63
 Ointment Benzocaine and Adrenaline APF
 (a ready prepared preparation will remain listed)
 Ointment Capsicum BPC
 Ointment Iodine Non-staining APF 64
 Ointment Iodine Non-staining BPC 68
 Paraldehyde BP
 Physostigmine BPC
 Powder Hydroxybenzoate Compound APF 74
 Powder Rhubarb BP
 Silver Protein Mild BPC 68
 Sodium Acid Phosphate BP
 Solution Benzalkonium Chloride 50% BP
 Solution Lead Subacetate Dilute BPC
 Solution Lead Subacetate Strong BPC
 Solution Potassium Hydroxide BP

Advance Notices - Deletion of items (cont.)

Succinylsulphathiazole BP (a ready prepared preparation will remain listed)
 Sucrose BP
 Sulphadiazine BP (a ready prepared preparation will remain listed)
 Syrup Ginger BPC
 Syrup Glycerophosphate Compound APF 64
 (a ready prepared preparation will remain listed)
 Tar BP
 Tartrazine BPC 54
 Tincture Cardamom Aromatic BPC 68
 Tincture Cardamom Compound BP
 Tincture Catechu BPC
 Tincture Gelsemium BPC
 Tincture Ginger Strong BP
 Tincture Ginger Weak BP
 Tincture Myrrh BPC
 Tincture Rhubarb Compound BP
 Water Cinnamon Concentrated BPC 1 in 40

The following brands of items will be deleted from the Schedule of Benefits as from 1 April 1981.

Code	Name and Form	Proprietary Name and Manufacturer
SECTION 2		
1197B	CHLORPROMAZINE Tablet 25mg	Procalm NK
1292B	DEXAMETHASONE Tablet 500 micrograms	KL
1405Y	ETHINYLOESTRADIOL Tablet 10 micrograms	Primogyn C SC
1407C	50 micrograms	Primogyn C SC
1492M	HYDROCORTISONE Eye Drops 1%, 10ml	Hydrosone KL
2441L	Eye Ointment 1%, 5g	Hydrosone KL
1498W	HYDROCORTISONE ACETATE Injection 25mg in 1ml	Hydrocortone MK
2420J	IMIPRAMINE Tablet 10mg	Prodepress NK
1917X	PREDNISOLONE Tablet 5mg	Precortisyl RL
1935W	PREDNISONE Tablet 5mg	Decortisyl RL
1950P	PROMETHAZINE Tablet 10mg	Prothazine KL

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF BENEFITS

DECEMBER 1980 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY

SPECIAL NOTICE

Clofibrate will continue to be a pharmaceutical benefit and from 1 December 1980 the listing is as follows:-

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Dispensed Price for Max. Qty	Prop. Name and Mfr	Amendment Effective
		CLOFIBRATE		\$		
		To be accompanied by an authority from the Director of Health.				
15	2892F	Capsule 500mg	100 ..	9.51 9.70	Arterioflexin PT Atromid-S IC Lostat PD	1/12/80 1/12/80 1/12/80

NEW ITEMS - SECTION 3

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Dispensed Price for Max. Qty	Prop. Name and Mfr	Amendment Effective
		STERCULIA		\$		
		(Indian Tragacanth; Gum Karaya)				
3	2259X	Powder 71g	1 ..	4.76	DY	1/12/80

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Amended Price	Prop. Name and Mfr	Price Effective
		AMYLOBARBITONE SODIUM		\$		
		Injection				
5	1058Q	250mg (solvent required)	5 ..	*10.01	Amytal Sodium LY	1/12/80
	1059R	500mg (solvent required)	5 ..	*11.26	Amytal Sodium LY	1/12/80
		CHLOROQUINE				
		Tablet equivalent to 150mg (approx.)				
13	1184H	Chloroquine base	100 ..	4.76	Nivaquine MB	1/12/80
		Injection				
	1185J	40mg per ml, 2ml	5 1	*5.32	Nivaquine MB	1/1/81
		DAUNORUBICIN				
		I.V. Infusion				
18	3114X	20mg (base)	10 1	*313.76	Cerubidin MB	1/1/81

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
24	1395K	ERYTHROMYCIN Injection I.M. 100mg in 2ml	5	..	7.39	Erythrocin AB	1/1/81
28	2673Q	GLYCEROL 100ml	≠1	1	2.56	DH	1/12/80
36	1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	3.39	Isuprel WL	1/12/80
	1555W	Inhalation 1 in 200,15ml	≠1	1	3.32	Isuprel WL	1/12/80
38	2401J	LYPRESSIN Nasal Spray 50 Units per ml, 5ml	10	2	*48.16	Vasopressin SZ	1/12/80
39	1610R	METHANDIENONE Tablet 5mg	100	1	12.14	Dianabol CB	1/12/80
41	1283M	MILK POWDER - COWS' MILK, PROCESSED Lactose-Predigested Powder Infant Formula 500g	2	..	*9.14	De-Lact Infant SJ	1/12/80
	1284N	Lactose-Predigested Powder 500g	2	20	*9.14	Digestelact SJ	1/12/80
44	1691B	NITROFURANTOIN Paediatric Suspension 25mg per 5ml, 200ml	≠1	..	4.01	Furadantin NW	1/1/81
52	2754Y	PHENYLBUTAZONE Injection 600mg in 3ml	5	..	4.82	Butazolidin GE	1/12/80
56	1791G	PROCAINE PENICILLIN Injection, B.P. 600mg	5	..	5.70	Aquacillin FA	1/1/81
59	1958C	PYRIMETHAMINE with SULFADOXINE Tablet 25mg-500mg	12	..	6.26	Fansidar RO	1/1/81
60	1987N	ROLITETRACYCLINE I.V. Injection set containing 275mg and 10ml solvent	5	..	*14.41	Reverin HP	1/1/81
	1990R	I.M. Injection set containing 350mg and 2ml solvent	5	..	*14.41	Reverin HP	1/1/81
64	2469Y	SURGICAL CEMENT Solvent 240ml	≠1	2	3.95	Sacsol LF	1/1/81
67	2858K	THIOTEPA Eye Drops Set containing 15mg vial, 2x10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	≠1	5	#11.27	LE	1/12/80

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
69	2189F	TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	16.26	Arfonad RO	1/12/80
70	2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*20.02	Pitressin Tannate PD	1/12/80
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY							
76	3369H	PROCAINE PENICILLIN Injection, B.P. 600mg	5	..	5.70	Aquacillin FA	1/1/81

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amendment	Amendment Effective
3	2157M	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Suspension 200mg-200mg per 5ml, 500ml	1	4	3.39 Add Gelusil WW	1/12/80
7	1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	Add 2.70 Benzide M PT	1/1/81
	1106F	5mg	50	2	Add 3.51 Benzide PT	1/1/81
31	2881P	HYDROCORTISONE Cream 1%, 50g	1	1	3.51 Add Dermacort PD	1/1/81
	2882Q	Topical Ointment 1%, 50g	1	1	3.51 Add Dermacort "O" PD	1/1/81
40	1629R	METHYLDOPA Tablet 250mg	100	2	Add 8.01 Dimal PT	1/1/81

PRICE ADJUSTMENTS OF SECTION 3 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
2	3165N	POLYISOBUTYLENE Compound Adhesive Discs, 5	1	5	10.89	ReliaSeal BJ	1/12/80
3	2256R	STERCULIA Discs, Compound, 10	1	5	9.07	Colly-seels DY	1/12/80
	3158F	Squares, 6	1	5	16.26	BH	1/12/80

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price	Price Effective
			\$	
2	1058Q	Amylobarbitone Sodium 250mg	1 @ 1.75 LY	1/12/80
	1059R	500mg	1 @ 2.00 LY	1/12/80
2	1185J	Chloroquine 2ml	10 @ 6.25 MB	1/1/81
2	3114X	Daunorubicin 20mg	1 @ 31.25 MB	1/1/81
4	2401J	Lypressin 50 Units per ml, 5ml	1 @ 4.69 SZ	1/12/80
4	1283M	Milk Powder - Cows' Milk Processed 500g	1 @ 3.94 SJ	1/12/80
	1284N	500g	1 @ 3.94 SJ	1/12/80
5	1987N	Rolitetracycline I.V. 275mg	1 @ 2.63 HP	1/1/81
	1990R	I.M. 350mg	1 @ 2.63 HP	1/1/81
6	2197P	Vasopressin Tannate 5 Units in 1ml	5 @ 9.38 PD	1/12/80

ADVANCE NOTICES

DELETIONS

The following items will be deleted from the Schedule of Benefits as from 1 April 1981.

Code	Name and Form
SECTION 2	
3057X	CERATONIA Powder 135g
1369C	EPHEDRINE HYDROCHLORIDE Tablet 15mg
1370D	30mg
3079C	FRAMYCETIN Injection 500mg (solvent required)
1487G	HYDROCORTISONE Eye Drops 0.5%, 2ml
1491L	1%, 5ml
1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg
1555W	Inhalation 1 in 200, 15ml
1556X	Injection 1 in 5,000, 1ml
2953K	1 in 5,000, 5ml
1621H	METHOIN Tablet 100mg
1695F	NORADRENALINE Injection 1 in 10,000, 2ml
1694E	Infusion 1 in 1,000, 2ml

Advance Notices - Deletion of items (cont.)

Code	Name and Form
2592K	POTASSIUM Effervescent Tablet 25mEq K ⁺
1981G	RESERPINE Injection 1mg
1982H	2.5mg
2004L	SMALLPOX VACCINE Injection, Capillary Tube
2085R	SULPHAMETHOXYDIAZINE Tablet 500mg
2088X	SULPHAMETHOXPYRIDAZINE Tablet 500mg

SECTION 4

Acid Tannic BP
 Aluminium Hydroxide Gel BP (ready prepared preparations will remain listed)
 Aluminium Hydroxide Gel Dried BP (ready prepared preparations will remain listed)
 Amaranth BPC 54
 Aminacrine Hydrochloride BP 68
 Atropine BPC
 Atropine Methonitrate BP (ready prepared preparations will remain listed)
 Brilliant Green BP
 Caffeine BP
 Caffeine Citrate BPC 59
 Cineole BPC
 Cocaine BP
 Creosote BPC 59
 Disodium Edetate BP
 Ferric Ammonium Citrate BP
 Glycerin Borax BPC 59
 Infusion Buchu Concentrated BPC 54
 Linctus Camphor Compound APF (a ready prepared preparation will remain listed)
 Linctus Codeine APF (a ready prepared preparation will remain listed)
 Mercuric Chloride BPC
 Mixture Senega and Ammonia APF (a ready prepared preparation will remain listed)
 Morphine Sulphate BP
 Oil Citronella BPC
 Oil Lemon Terpeneless BPC
 Oil Linseed BP 63
 Ointment Benzocaine and Adrenaline APF
 (a ready prepared preparation will remain listed)
 Ointment Capsicum BPC
 Ointment Iodine Non-staining APF 64
 Ointment Iodine Non-staining BPC 68
 Paraldehyde BP
 Physostigmine BPC
 Powder Hydroxybenzoate Compound APF 74
 Powder Rhubarb BP
 Silver Protein Mild BPC 68
 Sodium Acid Phosphate BP
 Solution Benzalkonium Chloride 50% BP
 Solution Lead Subacetate Dilute BPC
 Solution Lead Subacetate Strong BPC
 Solution Potassium Hydroxide BP
 Succinylsulphathiazole BP (a ready prepared preparation will remain listed)
 Sucrose BP
 Sulphadiazine BP (a ready prepared preparation will remain listed)
 Syrup Ginger BPC

Advance Notices - Deletion of items (cont.)

Syrup Glycerophosphate Compound APF 64
(a ready prepared preparation will remain listed)

Tar BP

Tartrazine BPC 54

Tincture Cardamom Aromatic BPC 68

Tincture Cardamom Compound BP

Tincture Catechu BPC

Tincture Gelsemium BPC

Tincture Ginger Strong BP

Tincture Ginger Weak BP

Tincture Myrrh BPC

Tincture Rhubarb Compound BP

Water Cinnamon Concentrated BPC 1 in 40

The following brands of items will be deleted from the Schedule of Benefits as from 1 April 1981.

Code	Name and Form	Proprietary Name and Manufacturer
SECTION 2		
1197B	CHLORPROMAZINE Tablet 25mg	Procalm NK
1292B	DEXAMETHASONE Tablet 500 micrograms	KL
1405Y	ETHINYLOESTRADIOL Tablet 10 micrograms	Primogyn C SC
1407C	50 micrograms	Primogyn C SC
1492M	HYDROCORTISONE Eye Drops 1%, 10ml	Hydrosone KL
2441L	Eye Ointment 1%, 5g	Hydrosone KL
1498W	HYDROCORTISONE ACETATE Injection 25mg in 1ml	Hydrocortone MK
2420J	IMIPRAMINE Tablet 10mg	Prodepress NK
1917X	PREDNISOLONE Tablet 5mg	Precortisyl RL
1935W	PREDNISONE Tablet 5mg	Decortisyl RL
1950P	PROMETHAZINE Tablet 10mg	Prothazine KL

AMENDMENTS OF PROPRIETARY INDEX - DECEMBER 1980 EDITION

Effective 1 January 1981

ADDITIONS

Benzide PT Bendrofluazide
Benzide M PT Bendrofluazide
Dimal PT Methyldopa

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF BENEFITS

DECEMBER 1980 EDITION FOR APPROVED CHEMISTS

DECEMBER

SPECIAL NOTICE

Clofibrate will continue to be a pharmaceutical benefit and from 1 December 1980 the listing is as follows:-

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Dispensed Price for Max. Qty	Prop. Name and Mfr	Amendment Effective
		CLOFIBRATE		\$		
		To be accompanied by an authority from the Director of Health.				
15	2892F	Capsule 500mg	100 ..	9.51 9.70	Arterioflexin PT Atromid-S IC Lostat PD	1/12/80 1/12/80 1/12/80

NEW ITEMS - SECTION 3

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Dispensed Price for Max. Qty	Prop. Name and Mfr	Amendment Effective
		STERCULIA		\$		
		(Indian Tragacanth; Gum Karaya)				
3	2259X	Powder 71g	1 ..	4.76	DY	1/12/80

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty Rpts	Amended Price	Prop. Name and Mfr	Price Effective
		AMYLOBARBITONE SODIUM		\$		
		Injection				
5	1058Q	250mg (solvent required)	5 ..	*10.01	Amytal Sodium LY	1/12/80
	1059R	500mg (solvent required)	5 ..	*11.26	Amytal Sodium LY	1/12/80
		CHLOROQUINE				
13	1184H	Tablet equivalent to 150mg (approx.) Chloroquine base	100 ..	4.76	Nivaquine MB	1/12/80
		GLYCEROL				
28	2673Q	100ml	1	2.56	DH	1/12/80
		ISOPRENALINE HYDROCHLORIDE				
36	1557Y	Tablet 10mg	100 2	3.39	Isuprel WL	1/12/80
	1555W	Inhalation 1 in 200,15ml	1 1	3.32	Isuprel WL	1/12/80
		LYPRESSIN				
		Nasal Spray				
38	2401J	50 Units per ml, 5ml	10 2	*48.16	Vasopressin SZ	1/12/80

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
\$							
39	1610R	METHANDIENONE Tablet 5mg	100	1	12.14	Dianabol CB	1/12/80
41	1283M	MILK POWDER - COWS' MILK, PROCESSED Lactose-Predigested Powder Infant Formula 500g	2	..	*9.14	De-Lact Infant SJ	1/12/80
	1284N	Lactose-Predigested Powder 500g	2	20	*9.14	Digestelact SJ	1/12/80
52	2754Y	PHENYLBUTAZONE Injection 600mg in 3ml	5	..	4.82	Butazolidin GE	1/12/80
67	2858K	THIOTEPA Eye Drops Set containing 15mg vial, 2x10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	1	5	#11.27	LE	1/12/80
69	2189F	TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	16.26	Arfonad RO	1/12/80
70	2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*20.02	Pitressin Tannate PD	1/12/80

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amendment	Amendment Effective
3	2157M	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Suspension 200mg-200mg per 5ml, 500ml	#1	4	3.39 Add Gelusil WW	1/12/80

PRICE ADJUSTMENTS OF SECTION 3 - WHITE PAGES

Page No.	Code	Name and Form	Max.No. of Qty	Rpts	Amended Price	Prop. Name and Mfr	Price Effective
\$							
2	3165N	POLYISOBUTYLENE Compound Adhesive Discs, 5	#1	5	10.89	ReliaSeal BJ	1/12/80
3	2256R	STERCULIA Discs, Compound, 10	#1	5	9.07	Colly-seels DY	1/12/80
	3158F	Squares, 6	#1	5	16.26	BH	1/12/80

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price	Price Effective
			\$	
2	1058Q	Amylobarbitone Sodium 250mg	1 @ 1.75 LY	1/12/80
	1059R	500mg	1 @ 2.00 LY	1/12/80
4	2401J	Lypressin 50 Units per ml, 5ml	1 @ 4.69 SZ	1/12/80
4	1283M	Milk Powder - Cows' Milk Processed 500g	1 @ 3.94 SJ	1/12/80
	1284N	500g	1 @ 3.94 SJ	1/12/80
6	2197P	Vasopressin Tannate 5 Units in 1ml	5 @ 9.38 PD	1/12/80

ADVANCE NOTICES

DELETIONS

The following items will be deleted from the Schedule of Benefits as from 1 April 1981.

Code	Name and Form
SECTION 2	
3057X	CERATONIA Powder 135g
1369C	EPHEDRINE HYDROCHLORIDE Tablet 15mg
1370D	30mg
3079C	FRAMYCETIN Injection 500mg (solvent required)
1491L	HYDROCORTISONE Eye Drops 1%, 5ml
1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg
1555W	Inhalation 1 in 200, 15ml
1556X	Injection 1 in 5,000, 1ml
2953K	1 in 5,000, 5ml
1621H	METHOIN Tablet 100mg
1695F	NORADRENALINE Injection 1 in 10,000, 2ml
1694E	Infusion 1 in 1,000, 2ml
1981G	RESERPINE Injection 1ml
1982H	2.5mg
2004L	SMALLPOX VACCINE Injection, Capillary Tube
2085R	SULPHAMETHOXYDIAZINE Tablet 500mg
2088X	SULPHAMETHOXPYRIDAZINE Tablet 500mg

SECTION 4

Acid Tannic BP
Aluminium Hydroxide Gel BP (ready prepared preparations will remain listed)
Aluminium Hydroxide Gel Dried BP (ready prepared preparations will remain listed)
Amaranth BPC 54
Aminacrine Hydrochloride BP 68
Atropine BPC
Atropine Methonitrate BP (ready prepared preparations will remain listed)
Brilliant Green BP
Caffeine BP
Caffeine Citrate BPC 59
Cineole BPC
Cocaine BP
Creosote BPC 59
Disodium Edetate BP
Ferric Ammonium Citrate BP
Glycerin Borax BPC 59
Infusion Buchu Concentrated BPC 54
Linctus Camphor Compound APF (a ready prepared preparation will remain listed)
Linctus Codeine APF (a ready prepared preparation will remain listed)
Mercuric Chloride BPC
Mixture Senega and Ammonia APF (a ready prepared preparation will remain listed)
Morphine Sulphate BP
Oil Citronella BPC
Oil Lemon Terpeneless BPC
Oil Linseed BP 63
Ointment Benzocaine and Adrenaline APF
(a ready prepared preparation will remain listed)
Ointment Capsicum BPC
Ointment Iodine Non-staining APF 64
Ointment Iodine Non-staining BPC 68
Paraldehyde BP
Physostigmine BPC
Powder Hydroxybenzoate Compound APF 74
Powder Rhubarb BP
Silver Protein Mild BPC 68
Sodium Acid Phosphate BP
Solution Benzalkonium Chloride 50% BP
Solution Lead Subacetate Dilute BPC
Solution Lead Subacetate Strong BPC
Solution Potassium Hydroxide BP
Succinylsulphathiazole BP (a ready prepared preparation will remain listed)
Sucrose BP
Sulphadiazine BP (a ready prepared preparation will remain listed)
Syrup Ginger BPC
Syrup Glycerophosphate Compound APF 64
(a ready prepared preparation will remain listed)
Tar BP
Tartrazine BPC 54
Tincture Cardamom Aromatic BPC 68
Tincture Cardamom Compound BP
Tincture Catechu BPC
Tincture Gelsemium BPC
Tincture Ginger Strong BP
Tincture Ginger Weak BP
Tincture Myrrh BPC
Tincture Rhubarb Compound BP
Water Cinnamon Concentrated BPC 1 in 40

The following brands of items will be deleted from the Schedule of Benefits as from 1 April 1981.

Code	Name and Form	Proprietary Name and Manufacturer
SECTION 2		
1197B	CHLORPROMAZINE Tablet 25mg	Procalm NK
1292B	DEXAMETHASONE Tablet 500 micrograms	KL
1492M	HYDROCORTISONE Eye Drops 1%, 10ml	Hydrosone KL
2441L	Eye Ointment 1%, 5g	Hydrosone KL
1498W	HYDROCORTISONE ACETATE Injection 25mg in 1ml	Hydrocortone MK
2420J	IMIPRAMINE Tablet 10mg	Prodepress NK
1917X	PREDNISOLONE Tablet 5mg	Precortisyl RL
1935W	PREDNISONONE Tablet 5mg	Decortisyl RL
1950P	PROMETHAZINE Tablet 10mg	Prothazine KL

AMENDMENTS OF PROPRIETARY INDEX - DECEMBER 1980 EDITION

Effective 1 December 1980

ADDITIONS

Arterioflexin PT Clofibrate
 Atromid-S IC Clofibrate
 Gelusil WW Aluminium Hydroxide Gel with Magnesium Hydroxide
 Lostat PD Clofibrate

AMENDMENTS OF CODE INDEX - DECEMBER 1980 EDITION

Effective 1 December 1980

ADDITIONS

2259X Sterculia
 2892F Clofibrate

DELETIONS RECOMMENDED BY THE PHARMACEUTICAL BENEFITS ADVISORY COMMITTEE

Items deleted from the Schedule of Benefits from 1 December 1980 on the recommendation of the Pharmaceutical Benefits Advisory Committee (PBAC) include —

Dextropropoxyphene with Paracetamol tablet (*Di-Gesic, Paradex*) and capsule (*Capadex*)

The PBAC has had discussions with representatives of various medical Colleges and Societies and received advice from the Poisons Schedule (Standing) Committee of the National Health and Medical Research Council concerning the increasing incidence of misadventure and death associated with the apparent misuse of dextropropoxyphene.

The PBAC considers that in view of these disadvantages and lack of demonstrated therapeutic advantage over other analgesics, the widespread use of dextropropoxyphene in the community cannot be justified and it recommended the deletion of compound analgesic preparations containing dextropropoxyphene from the pharmaceutical benefits list.

Compound bronchodilator/barbiturate formulations

Following advice from the Thoracic Society of Australia and the Australian College of Paediatrics supporting the proposal that items containing various mixtures of aminophylline, theophylline and/or ephedrine with a barbiturate be deleted from the list of benefits, the PBAC recommended the deletion of all such preparations including *Amesec, Ephedrobarbital, Panasma, Tedral* and *Theosec* products.

The Committee considers that barbiturates cause respiratory depression and may therefore endanger patients suffering from respiratory diseases such as bronchitis or asthma. This recommendation is also in line with the widely held medical view that where more than one potent substance is prescribed for a patient the dose of each individual drug should be able to be titrated or adjusted independently of the patient's other medication.

Goats' Milk

While in the past goats' milk has been given to infants with cows' milk allergy, many of the proteins which may cause allergy are common to both these milks. The PBAC is of the opinion that there is no indication for the use of goats' milk which is not adequately covered by alternative foods (e.g. soya formula) and, after discussion with representatives of the Royal Australian College of General Practitioners and the Australian College of Paediatrics, has recommended the deletion of goats' milk from the list of benefits.

Full details of the above items appear under the heading 'Deletion of Full Items' in the Summary of Changes on page 1 of the Explanatory Circular in this Schedule of Benefits.

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1980 edition of the Schedule of Benefits for Approved Chemists.

The reprint of the Schedule will take effect on 1 December 1980 and all previous editions of the Schedule are cancelled.

Your attention is drawn to the following:—

From 1 November 1980 the entitlement to receive Pharmaceutical Benefits free of charge was extended to certain Social Security sickness benefit recipients and their dependants under the same conditions as applicable to the holders of Pensioner Health Benefits Cards. Where in Section 2 a prescription is required to be endorsed with the pension number, a 'pensioner' for this purpose shall now include the holder of a valid Health Benefits Card and his or her dependants, and the prescription should be endorsed with the Benefit Number shown on the Health Benefits Card (See lemon pages 16 (c)).

Stilboestrol Diphosphate, 100mg tablet and 250mg in 5ml injection (*Honvan*) is now listed as Fosfestrol Tetrasodium.

SUMMARY OF CHANGES

ADDITIONS

NEW ITEMS

Section 2 — Restricted Benefits

Atenolol, 50mg tablet (*Tenormin*)
Pyrimethamine with Dapsone, 12.5mg-100mg tablet (*Maloprim*)
Sulindac, 100mg tablet (*Clinoril*)

Section 2 — Unrestricted Benefits

Difenoxin Hydrochloride with Atropine Sulphate, 500 micrograms-20 micrograms (*Lyspafen*)
Temazepam, 10mg capsule (*Euhypnos*, *Normison*)

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2 — Restricted Benefits

Verapamil Hydrochloride, 80mg tablet (*Isoptin*)

Section 2 — Unrestricted Benefits

Aminophylline, 105mg per 5ml, 500ml, oral liquid (*Somophyllin*)
Pilocarpine Hydrochloride with Adrenaline, 6%-0.5%, 15ml (*E-Carpine*)
Prazosin Hydrochloride, 5mg (base) tablet (*Minipress*)

NEW BRANDS OF EXISTING ITEMS

Section 2 — Restricted Benefits

Penicillamine, 125mg and 250mg tablets (*Perdolat*, *KN*)
Thiamine Hydrochloride, 100mg tablet (*Thiminone*, *LF*)

DELETION OF FULL ITEMS

Section 2 — Restricted Benefits

Clofibrate, 500mg capsule (*Arterioflexin*, *Atromid-S*, *Liprinal*, *Lastat*)
Colestipol Hydrochloride, 5g sachets, 120 (*Colestid*)
Goats' Milk, 1lb and 500g, dehydrated powder (*Dale*); 375ml whole (sterilised)

Nalidixic Acid, 500mg tablet and 50mg per ml, 200ml, paediatric suspension (*Negram*)

Section 2 — Unrestricted Benefits

Aminophylline with Ephedrine Hydrochloride and Amylobarbitone, 130mg-25mg-25mg tablet (enteric coated) and 130mg-25mg-25mg capsule (*Amesec*)
Amylobarbitone, 15mg, 30mg, 50mg and 100mg tablets (*Amylbarb*, *Amytal*, *Neur-Amyl*, *Amal*)
Butobarbitone, 100mg tablet (*Sonabarb*)
Carbinoxamine, 4mg tablet (*Clistin*) (Item discontinued by manufacturer)
Cycloserine, 250mg capsule (*Closina*) (Item discontinued by manufacturer)
Demecarium Bromide, 0.25%, 5ml and 0.5%, 5ml eye drops (*Tosmilen*) (Item discontinued by manufacturer)
Desferrioxamine Mesylate, 500mg (solvent required), injection (*Desferal*)
Deslanoside, 200 micrograms per ml, 2ml injection (*Cedilanid*) (Item discontinued by manufacturer)
Dextropropoxyphene Hydrochloride with Paracetamol, 32.5mg-325mg tablet (*Di-Gesic*, *Paradex*) and 32.5mg-325mg capsule (*Capadex*)
Ephedrine Hydrochloride with Phenobarbitone, 15mg-15mg tablet (*Ephedrobarbital Mitis*); 30mg-15mg tablet (*Ephedrobarbital*); 30mg-30mg tablet (*Ephedrobarbital Forte*); and 30mg-20mg per 5ml, 100mg elixir (*Ephedrobarbital*)
Gas Gangrene Antitoxin (Oedematiens) 10 000 units injection (Item discontinued by manufacturer)
Gas Gangrene Antitoxin (Perfringens) 10 000 units injection (Item discontinued by manufacturer)
Gas Gangrene Antitoxin (Septicum) 5 000 units injection (Item discontinued by manufacturer)
Lyncestrenol with Ethinyloestradiol, tablet 1mg-50mg, 22 (*Ovostat 22*); Pack containing 22 tablets 1mg-50 micrograms and 6 inert tablets (*Ovostat 28*) (Items discontinued by manufacturer)

Mecamylamine, 2.5mg and 10mg tablets (*Mevasine*)
 Pentobarbitone Sodium, 30mg, 50mg, and 100mg tablets
 (*Penbon, Petab*); 100mg capsule (*Penbon, Pentobeta,
 Pentone*)
 Plasma Substitute, 3.5%, 500ml, I.V. infusion
 (*Haemaccel*)
 Pseudoephedrine Hydrochloride, 30mg tablet (*Sudafed-
 M*); 60mg tablet (*Sudafed*); and 30mg per 5ml, 100ml
 mixture (*Sudafed*)
 Quinalbarbitone Sodium, 100mg tablet and capsule
 (*Proquinal, Seconal Sodium*)
 Rauwolfia Alkaloids, 2mg tablet (*Rauwiloid*)
 Rauwolfia Serpentina, 50mg tablet (*Rawlina, Raudixin*)
 Secbutobarbitone, 15mg, 30mg, 50mg and 100mg tablets
 (*Butisol Sodium*)
 Theophylline with Ephedrine Hydrochloride and
 Phenobarbitone, 130mg-24mg-8mg tablet
 (*Ephedrobarbital T, Panasma, Tedral*); 180mg-48mg-
 25mg tablet (sustained release) (*Tedral S.A.*); and
 130mg-24mg-8mg capsule (*Theosec*)

Section 4 — Drugs Available for Extemporaneous Preparations

Amylobarbitone BP
 Amylobarbitone Sodium BP
 Ephedrine BP
 EXTRACT

Nux Vomica Liquid BP
 Pentobarbitone Sodium BP
 TINCTURE

Nux Vomica BP

Section 5 — Prescribers' List

Ephedrine Elixir (APF)
 Phenobarbitone Elixir (APF)
 Aminophylline Compound Mixture (PL)
 Caffeine, Iodide and Ephedrine Mixture (PL)

Section 5 — Prescribers' List Children's Section

Potassium Iodide and Ephedrine Mixture (APF)

DELETION OF FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2 — Restricted Benefits

Codeine Phosphate with Aspirin and Paracetamol, 8mg-
 250mg-250mg tablet
 Insulins, Purified, 40 Units per ml, 10ml, 80 Units per
 ml, 10ml, all forms

Section 2 — Unrestricted Benefits

Aminophylline, 125mg tablet (enteric coated)
 (*Androphyllin*) (Item discontinued by manufacturer)
 Amitriptyline, 10mg capsule (*Elavil*) (Item
 discontinued by manufacturer)

Ampicillin, 125mg tablet (*Penbritin*) (Item discontinued
 by manufacturer)
 Amylobarbitone Sodium, 50mg capsule (*Neur-Amyl
 Sodium*)
 Betamethasone Valerate, 0.02%, 45g cream (*Celestone-M*)
 (Item discontinued by manufacturer)
 Insulins, 20 Units per ml, 10ml, 40 Units per ml, 10ml,
 80 Units per ml, 10ml and 160 Units per ml, 10ml,
 all forms
 Phytomenadione, 10mg in 1ml, colloidal solution for
 injection (*Aquamephyton*) (Item discontinued by
 manufacturer)
 Protriptyline, 5mg and 10mg capsules (*Triptil*) (Item
 discontinued by manufacturer)
 Reserpine, 250 micrograms tablet (*Serpasil*)
 Theophylline with Guaiphenesin, 100mg-60mg capsule
 (*Quibron-C*) (Item discontinued by manufacturer)

ALTERATIONS

Restrictions

Section 2

Phenelzine, 15mg tablet (*Nardil*) (S.P. to Authority
 required)
 Timolol, 0.25%, 5ml and 0.5%, 5ml eye drops
 (*Timoptol*) (Authority required to S.P.)
 Tranlycypromine, 10mg tablet (*Parnate*) (S.P. to
 Authority required)
 Verapamil Hydrochloride, 40mg tablet (*Isoptin*) (Auth-
 ority required to S.P.)

Maximum Quantities and Number of Repeats

Section 2

	From		To	
	Qty	Rpts	Qty	Rpts
Amphotericin, 100mg per ml, 24ml suspension (<i>Fungilin</i>)	≠ 1	NIL	≠ 1	1
Dimercaprol, 5%, 2ml injection (<i>B.A.L.</i>)	10	NIL	12	NIL
Glucagon Hydrochloride, 1 I.U. with diluent, injection (<i>Novo</i>)	1	NIL	1	1
Nystatin, 100 000 units per ml, 24ml mixture (<i>Myocostatin, Nilstat</i>)	≠ 1	NIL	≠ 1	1
Verapamil Hydrochloride, 40mg tablet (<i>Isoptin</i>)	100	NIL	100	2

Manufacturers' Codes

Section 2

	From	To
Paracetamol, 500mg tablet (<i>Langesic</i>)	LP	BT

NOT FOR SALE

All Previous Editions Cancelled



SCHEDULE OF BENEFITS

for

APPROVED CHEMISTS

OPERATIVE FROM 1 DECEMBER 1980

Commonwealth Department of Health,
CANBERRA, A.C.T.

T. J. HUGHES, Government Printer, Tasmania

CONTENTS

SECTION 1 — LEMON PAGES

INTRODUCTION	Paragraphs
THE SCHEDULE	1- 13
CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED	
A. PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS AND DENTISTS	
Prescriptions	15- 18
Manner of Administration	19
Restrictions	20
Maximum Quantities and Repeats	21- 25
Authority to Prescribe	26- 28
Regulation 24	29
Urgent Cases	30- 31
Emergency Drug (Doctor's Bag) Supplies	32- 33
B. SUPPLY OF BENEFITS—PROCEDURE BY APPROVED CHEMISTS	
Prescriptions	34- 42
Deferred Supply	43- 45
Repeat Authorisations	46- 52
Procedure when an Authority is presented	53- 54
Regulation 24	55
Receipts	56- 57
Emergency Drug (Doctor's Bag) Supplies	58- 60
Urgent Cases	61
C. CHARGES TO PATIENTS	
Patient contribution	62- 66
After Hours	67
Delivery	68
Responsibility	69- 70
D. MISCELLANEOUS	
Premises	71
Approved Doctor's Friendly Societies	72
Standards	73
References	74
Hours of Supply	75- 76
Proper Stocks to be Kept	77
Statement of Stocks	78
Retention of Documents	79
Suspected Forgery	80
Sale Copies	81- 82
Supplies of Stationery	83
Enquiries	84

CODING AND SUBMISSION OF PRESCRIPTIONS — PROCEDURE BY APPROVED CHEMISTS	Paragraphs
A. INTRODUCTION	85- 87
B. GENERAL	
Pensioner Benefits	88
Time for Lodgment of Claims	89
Documents to be submitted	90
Completion of Claim Form	91- 94
Prescription Identifying Number	95- 96
Pharmacy Stamp	97
Serial Numbering of Prescriptions. Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms	98
Standard Formulae List of Extemporaneous Preparations	99
Special Provisions Governing Payment for Extemporaneous Prescriptions outside the Standard Formulae List	100-106
C. PROVISION OF CODED INFORMATION BY APPROVED CHEMISTS	
Entering of Information	107
Codes for Preparations which are Pre-priced	108
Codes for Extemporaneous Preparations which are not Pre-priced	109
Coding Stamp	110-113
Coding of Ready Prepared Benefits	114
Coding of Extemporaneously Dispensed Benefits included in Standard Formulae List	115
Dropper Containers	116
Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List	117
Action to be taken when Approved Chemist elects to be paid on an Average Price Basis	118
Action to be taken when Approved Chemist elects to price non-pre-priced Extemporaneous Preparations	119
Coding of Repeat Authorisation Forms	120
Coding of Repeat Authorisation Forms used for Deferred Supply	121
Action by Approved Chemist dispensing a Repeat Authorisation	122
Coding of Emergency Drug (Doctor's Bag) Order Forms	123

	Paragraphs	
D. STATEMENT OF ACCOUNT		124-131
PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S. DISPENSING		
A. READY PREPARED ITEMS		
Price where maximum quantity prescribed (R.P. items)		132
Price where Broken Quantity Prescribed (R.P. items)		133
Price for Unbranded Prescriptions		134
Unbroken Packs to be Supplied		135
Wastage Table Percentage for Ready Prepared Preparations		136-137
Prescribers' List Items		138
B. EXTEMPOREANEOUSLY PREPARED PRESCRIPTIONS		
Pricing Prescriptions Not Pre-priced		139-140
Pricing of ingredients		141
Miscellaneous Pricing Rules		142
Pricing Prescriptions where additional ingredients have been added to a specified formula		143-147
C. GENERAL		
Pricing Principles		148
Fees and Containers		149
Pricing Dates		150
Isolated Pharmacy Allowance		151-152
	Page	
Address of Commonwealth Department of Health Branch Offices		21
Index of Manufacturers' Codes		22-25
Emergency Drug (Doctor's Bag) Supplies		26

SECTION 2 — WHITE PAGES

SCHEDULE OF BENEFITS

General, Pensioner and Restricted Benefits		1-71
Intravenous Fluids		72-73
Preparations which may be prescribed by Participating Dental Practitioners for Dental Treatment Only		74-77

SECTION 3 — WHITE PAGES

SCHEDULE OF BENEFITS

Preparations available for Colostomy and Ileostomy Use		2- 3
Preparations Available for Use by Paraplegic and Quadriplegic Patients		4

SECTION 4 — GREEN PAGES

Schedule of Benefits — Drugs available for Extemporaneous Preparations		1- 6
Table of Codes, Maximum Quantities and Number of repeats for Extemporaneous Preparations		7

SECTION 5 — GREEN PAGES

PRESCRIBERS' LIST

PHARMACEUTICAL BENEFIT FORMULAE

Creams		1- 2
Dusting Powder		2
Ear Drops		2
Inhalations		2
Linctus		3
Liniments		3
Lotions		3
Mixtures		3- 4
Nasal Instillations		4
Ointments		4- 5
Paints		5
Pastes		5
Powders		5

CHILDREN'S SECTION

Mixtures		6
----------	------	---

SECTION 6 — BLUE PAGES

Container Prices and Fees for Ready Prepared Benefits		1
Standard Packs and Prices (including Mark-up, but no Fees) for items against the price of which an asterisk is shown in the Schedule of Benefits		2- 6

INTRODUCTION

These notes are designed for the use of approved chemists. They describe the procedures by doctors and dentists in prescribing benefits and the procedures by approved chemists in supplying benefits. They go on to outline the action on the part of approved chemists in coding prescriptions for processing by computer and the submission by them of claims for payment. Finally the notes explain the pricing arrangements in accordance with which approved chemists' claims are processed for payment.

THE SCHEDULE OF BENEFITS

1. Pharmaceutical benefits which may be prescribed by doctors are listed in this book. The schedule also includes a list of pharmaceutical benefits which may be prescribed by participating dental practitioners for dental treatment only. These items are listed in Section 2 after the Intravenous Fluids for Injection.

2. Ready prepared items are listed in sections 2 and 3 of the Schedule and each form and strength is identified by a unique five-character code. (See also paragraph 108). Restrictions apply to the prescribing of certain items in section 2 and all of the items in section 3. Further details may be found in these notes — paragraphs 16 (d) and 20.

3. The Schedule of ready prepared items includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g., 'Benzylpenicillin Injection, 300mg amp with 2ml water for injections'.

4. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes — paragraphs 21-29.

5. The drugs which may be used in extemporaneous preparations are listed in section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this section it is indicated against the item. Prices of these drugs are published in a separate booklet — Extemporaneously Prepared Benefits — which includes the following:—

- (i) table of codes, maximum quantities and number of repeats for extemporaneous preparations;
- (ii) container prices; and
- (iii) a list of Standard Formulae preparations and prices (see paragraph 99).

6. The following admixtures are not pharmaceutical benefits:—

- (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
- (b) the admixture of a ready prepared item and a drug or drugs listed in section 4 of the Schedule of Benefits.

7. Formulae in common use are listed in section 5 — Prescribers' List (Green Pages).

8. Container prices, fees, standard packs and prices for ready prepared preparations are listed in section 6 (Blue Pages).

9. A proprietary name index of ready prepared items is published in a separate booklet.

10. Also published in the booklet is a code index of ready prepared and extemporaneously prepared pharmaceutical benefits.

11. Symbols used in the Schedule of Benefits are explained on page 1, section 2 (White Pages).

12. Price changes and other amendments are advised each month so that the information in the Schedule may be updated regularly.

13. To facilitate coding, a separate list of the more frequently used N.H.S. items and relevant codes for ready reference is provided with each reprint of the Schedule.

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

14. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

A. PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS AND DENTISTS

Prescriptions

15. A prescription ordering a pharmaceutical benefit may be written only for the medical or dental treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner or a participating dental practitioner.

16. Medical practitioners and dental practitioners are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The standard prescription forms supplied by the Department to participating dentists have a blue margin to distinguish them from the forms supplied to medical practitioners. The name and address of the medical practitioner or dental practitioner must be shown and 'N.H.S.' endorsed at the top. Each dentist is also required to endorse each prescription with the D.P. number in the appropriate space. Doctors who have obtained the approval to record prescriptions in other than their own handwriting will endorse the prescriptions 'Regulation 19 (1) (a) approval obtained'.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient, and where the patient—
- (i) is a pensioner who holds a valid Pensioner Health Benefits Card—write the pension number on the prescription;
 - (ii) is a sickness benefit recipient who holds a valid Health Benefits Card—write the sickness benefit number on the prescription. EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the address of the pensioner or sickness beneficiary on the form.
- (d) In the case of pharmaceutical benefits which are restricted in use, the prescription must be endorsed in the doctor's own handwriting with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However, where a prescription is written for a pensioner for a drug which is restricted to pensioners it is not necessary to endorse the prescription 'Specified Purpose'.
- (e) Where the words 'solvent required', are included after the form of a benefit, the doctor or dentist must specify the volume and number of ampoules of solvent to be supplied (see paragraph 132).
 - (f) The pharmaceutical benefit must be identified in the prescription by such particulars as are necessary for the complete identification of that benefit.
 - (g) If the benefit is a single drug, the manner of administration must be indicated.
 - (h) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time, the prescription must be endorsed in the doctor's own handwriting with the words 'Regulation 24'. Further details are available in paragraphs 29 and 55.
 - (i) Date and sign the prescription.
17. Prescriptions for pharmaceutical benefits for more than one person may not be written on the one prescription form.
18. A prescription is not a valid pharmaceutical benefit prescription if:—
- (a) the medical practitioner prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;
 - (b) the medical practitioner prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted;
 - (c) the medical practitioner prescribes a narcotic drug for the medical practitioner writing the prescription;
 - (d) the dental practitioner prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same dental practitioner.

Manner of Administration

19. Where a particular manner of administration is indicated in the Schedule of Benefits, the item may not be supplied as a pharmaceutical benefit for administration in any other way, e.g. an ophthalmic preparation prescribed for topical use.

Restrictions

20. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition and, where specified with the written authority of the Commonwealth Director of Health in the State concerned. Particulars of these drugs and the relevant restriction endorsements which are required on prescriptions are printed in red in the Schedule. It is not necessary for the particular restriction to be identified on the prescription. Items available for use for Colostomy and Ileostomy conditions as well as items available for use by Paraplegic and Quadriplegic patients are listed in section 3 of the Schedule. Where in Section 2 a prescription is required to be endorsed with a pension number, a pensioner for these purposes shall include:—

- (i) a pensioner who holds a valid Pensioner Health Benefits Card;
- (ii) a sickness benefit recipient who holds a valid Health Benefits Card.

Maximum Quantities and Repeats

21. For ready prepared preparations, the allowable maximum quantity and number of repeats are shown in the third and fourth columns of sections 2 and 3. For other preparations, details are set out in the Table of Maximum Quantities and Repeats (Green Pages).

22. The maximum quantity of an item marked with a double dagger (‡) has been determined as a single pack. As explained on page 1, section 2 (White Pages), irrespective of the quantity prescribed, the standard pack must be supplied.

23. For other items, it is not necessary to prescribe the maximum quantity if the medical or dental practitioner considers a lesser quantity is sufficient for the patient's needs.

24. If a medical practitioner requires a prescription to be repeated he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

25. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 26, 27).

Authority to Prescribe

26. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

27. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

28.—

(a) The written authority of the Director of Health to prescribe:—

- (i) restricted drugs (paragraph 20); or
- (ii) increased maximum quantities (paragraph 26); and/or
- (iii) increased number of repeats (paragraph 27),

will be forwarded to the doctor on an Authority to Prescribe (Form PB15) or to the Doctor or the patient on an Authority Prescription (Form PB86).

(b) When the authority is given on form PB15 the doctor will write the prescription in the space provided on the form for this purpose.

Regulation 24

29. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that:—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved chemist or approved medical practitioner; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Urgent Cases

30. In cases of urgency, a doctor or dentist may communicate a prescription to an approved chemist by telephone or other means. In such cases the doctor or dentist must reduce the prescription to writing and forward it within 24 hours of such communication to the approved chemist who made the supply. For further details see paragraph 61.

31. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 20). In such cases, the doctor must first obtain advice from the Director in the particular State, by telephone or other means, that the authority will be issued and notify the approved chemist accordingly when communicating the prescriptions. The doctor must subsequently obtain the written authority, write the prescription in the space provided and forward the completed form within 24 hours of its receipt to the approved chemist who supplied the benefit.

Emergency Drug (Doctor's Bag) Supplies

32. Certain pharmaceutical benefits are provided free to doctors for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

33. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the doctor personally. Doctors approved to supply pharmaceutical benefits under section 92 of the National Health Act are to use Form PB7A which must not be presented to an approved chemist for their supplies. Special instructions are issued to these doctors.

B. SUPPLY OF BENEFITS — PROCEDURE BY APPROVED CHEMISTS

34. An approved chemist is authorised to supply a pharmaceutical benefit only upon the surrender of:—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a benefit ordered on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15) which has been dated by the prescribing medical practitioner within six months before the date of its presentation; or

- (c) a repeat authorisation presented with a duplicate prescription within six months of the date of the prescription.

35. A pharmaceutical benefit may not be supplied to the same person more than once on any one day, except where a prescription is endorsed 'Regulation 24' (see paragraph 55).

36. The National Health Act requires that a prescription must be written by a registered medical practitioner or a participating dental practitioner. In the event that the chemist cannot recognise the doctor's or dentist's signature he should take all reasonable steps to satisfy himself that the prescription was written by a registered medical practitioner or a participating dental practitioner.

37. Prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion.

38. Where restrictions are removed or applied with regard to the prescribing of a benefit, valid prescriptions written before the date of effect of the restriction changes may still be dispensed as benefits.

39. Where the maximum quantity and/or number of repeats of an item are altered, the quantities and repeats which have been prescribed on valid prescriptions written before the date of effect of the alterations may be dispensed.

40. Before a benefit is supplied on presentation of a prescription the approved chemist is required to:—

- (i) mark his name and approval number on the prescription form and duplicate;
- (ii) allot a number which will identify the prescription and write that number on the form and duplicate; and
- (iii) if more than one prescription has been written on the one form allot a separate number to each prescription.

41. Prescription forms on which are prescribed both pharmaceutical benefit items and non-pharmaceutical benefit items may be accepted. The non-benefit items will be supplied as private prescriptions and cancelled from the form.

42. A benefit shall not be supplied a number of times greater than the number specified in the prescription.

Deferred Supply

43. When a patient presents a prescription form, in duplicate, ordering more than one benefit item, and does not require the supply of one or more of the benefit items at the same time as other benefit items

prescribed on the form, a separate repeat authorisation for each deferred item must be prepared in duplicate and the words 'Original Supply Deferred' must be stamped across the relevant item on the original and duplicate of the prescription form. The duplicate must be stamped in such a manner as to not render the duplicate illegible. DEFERRED ITEMS MUST NOT BE CODED ON THE ORIGINAL PRESCRIPTION FORM.

44. The repeat authorisation, Form PB13, when it is used for a deferred supply of an original prescription item, is to be prepared and issued in the same manner as is required for the normal authorisation of repeats except that:—

- (i) '0' is to be inserted in the space for 'No. of times already dispensed';
- (ii) if no repeats are ordered, '0' is to be inserted in the space for 'No. of Repeats Authorised'.

45. The supply of a benefit on a repeat authorisation form which has been prepared for deferred supply is to be regarded as the first occasion of supply. If repeats have been directed the normal procedure in regard to repeat authorisations will apply at the time of first supply. (See paragraph 121 regarding the coding of the repeat authorisation form which has been prepared for deferred supply, when the deferred supply has been made.)

Repeat Authorisations

46. Where repeats are allowable a benefit may be supplied on a repeat authorisation only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

47. Repeat prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion.

48. However, where changes to restrictions, maximum quantities and/or number of repeats occur (as for original prescriptions, paragraphs 38, 39), repeat authorisations which relate to valid prescriptions written before the date of effect of the alterations, may be dispensed as benefits.

49. When a benefit is supplied on presentation of a repeat authorisation, the approved chemist shall mark his name and approval number in the space provided on the repeat authorisation.

50. Before a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply (when repeats are allowable) or on a repeat

authorisation requiring further allowable repeats the approved chemist shall prepare a repeat authorisation form in duplicate, except when supply under the provisions of Regulation 24 is authorised (see paragraph 55).

The repeat authorisation form shall show:—

- (i) the number of times the benefit has been directed to be repeated and the number of times supply has been made;
- (ii) on the first occasion of supply of the benefit, his approval number, together with the identifying number allotted by him to the prescription and the date of the original prescription;
- (iii) on subsequent occasions of supply the approval number and the prescription identifying number relating to the original supply and the date of the original prescription;
- (iv) if the prescription or repeat authorisation is for a pensioner, the pension number appearing on the prescription;
- (v) in the case of repeats on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15), the authority number should be endorsed on the repeat authorisation (Form PB13) in the space provided.

51. At the time of supply of the benefit the completed repeat authorisation together with duplicate of the prescription is to be issued to the person to whom the benefit is supplied.

52. Separate repeat authorisations are to be prepared in respect of an injectable benefit which requires a solvent, and the solvent when a solvent is prescribed. The procedure to be followed in endorsing prescriptions and repeat forms is covered in 'CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY APPROVED CHEMISTS'.

Procedure when an Authority is presented

53. When a benefit is ordered on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15) the doctor will have written the prescription on the original (white) and duplicate copies of the authority form. The approved chemist will:—

- (a) enter in the designated places on the Authority form the information listed in paragraphs 115–120 except that the quantity (Q) and the number of repeats (R) should not exceed the quantity and number of repeats authorised.

(b) where a solvent has been prescribed for an injectible a diagonal line should be drawn through the pre-printed coding box on the Form PB86 or Form PB15 and two code stamp imprints placed on the back of the form. One coding box should be used for the injectible item and the other for the solvent.

(c) obtain the signature of the patient or signature and address of the agent and date of supply.

54. Repeats, when ordered and allowable on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15), will be handled in the same manner as repeats for other N.H.S. prescriptions.

Regulation 24

55. Where a prescription is endorsed 'Regulation 24' (see paragraph 29), an approved chemist is authorised to supply the benefit and the repeats of that benefit at the one time. He should not complete a repeat authorisation form. An amount equivalent to one professional fee and where applicable, one dangerous drug fee is payable for the total supply. With regard to patient contribution for 'Regulation 24' supply, see paragraph 65.

Receipts

56. Upon the supply to a person of a benefit by an approved chemist, that person shall sign and date a receipt for that benefit on the prescription form or repeat authorisation, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the prescription form or repeat authorisation with his address. Not in any circumstances must a person give or an approved chemist demand a receipt until supply of the benefit has actually been made.

57. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the approved chemist must certify on the prescription or repeat authorisation, as the case may be, that he has supplied the pharmaceutical benefit, the date on which the supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 30, 31 and 61) or to a person who cannot read or write, or who is unable to write, the approved chemist should sign and date a statement on the prescription or repeat authorisation, certifying that he has supplied the benefit and indicating the circumstances of supply.

Emergency Drug (Doctor's Bag) Supplies

58. Certain pharmaceutical benefit items may be supplied to medical practitioners on receipt of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the doctor personally. These items are listed at the end of section 1 (Lemon Pages) of the Schedule. Each order form is valid during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on an Emergency Drug (Doctor's Bag) Order Form is that of a doctor unknown to the approved chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

59. The quantity of emergency drug items which may be supplied at the one time must not exceed those quantities specified in the list shown in section 1 (Lemon Pages).

60. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. On supply of the benefits ordered on the order form, a receipt for the benefits must be signed by either the doctor himself or by a person authorised by him.

Urgent Cases

61. A pharmaceutical benefit may be supplied by an approved chemist before the prescription for that benefit has been surrendered to him, where in cases of urgency, the doctor or dentist communicates the prescription to the approved chemist by telephone or other means. This provision does not apply to prescriptions for supply by approved chemists where the law of the State in which that approved chemist's premises are situated requires the prescription to be in writing. This provision also applies to drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as pharmaceutical benefits.

C. CHARGES TO PATIENTS

Patient Contribution

62. An approved chemist may in respect of each supply by him whether on a prescription or repeat authorisation, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding \$2.75 in respect of general patients. A charge is not to be made for the supply of a pharmaceutical benefit on a prescription on which the prescribing medical or dental practitioner has written

the pension number or a repeat authorisation on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one prescribed charge may be made for each supply of the benefit.

63. The approval of a chemist is subject to the conditions that:—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than \$2.75 to general patients for each supply;
- (b) he will clearly indicate in any statement made by advertisement, notice or otherwise, that any offer to supply drugs or medicinal preparations without charge or at a reduced charge does not apply to the supply of pharmaceutical benefits;
- (c) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge that is less than \$2.75 in respect of general patients;
- (d) he will not enter into an agreement or arrangement to pay rebates or refunds of the authorised prescription charges nor will he become a party to such agreements.

64. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 26) the authorised prescribed charges should be made for each supply of the increased maximum quantity.

65. Where a doctor has endorsed a prescription 'Regulation 24' (see paragraphs 29 and 55) the approved chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of \$8.25 should be made to a general patient.

66. A prescription, other than a prescription for a pensioner, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$2.75 is not a prescription for a pharmaceutical benefit. This also applies to prescriptions endorsed 'Regulation 24' (see paragraphs 29 and 55), for which the price of the total quantity of the benefit supplied is less than the authorised charge specified in paragraph 65.

After Hours

67. A charge not exceeding \$2 may be made when an approved chemist is required to return to his approved premises in order to supply a pharmaceutical benefit or pharmaceutical benefits at a time outside normal trading hours. Only one \$2 charge may be made on the one occasion, irrespective of the number of benefits supplied. The charge is recoverable from the patient concerned and not from the Department.

Delivery

68. A charge equal to the cost of delivering may be made if supply by delivery is made at or to a place other than the approved chemist's pharmacy.

Responsibility

69. It is the patient's responsibility to meet any charge lawfully demanded and an approved chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

70. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Department) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

D. MISCELLANEOUS

Premises

71. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

Approved Doctors, Friendly Societies

72. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly Society Pharmacies should follow the procedures subject to additional instructions made available to them.

Standards

73. An approved chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are:—

- (a) in the case of British Pharmacopoeia or British Pharmaceutical Codex drugs or medicinal preparations, those standards set out in the Therapeutic Goods Act;
- (b) in the case of drugs or medicinal preparations contained in the Australian Pharmaceutical Formulary, or earlier editions of the British Pharmacopoeia or British Pharmaceutical Codex, those standards specified in the particular edition in relation to the drug or medicinal preparation.

References

74. Monographs in the British Pharmacopoeia and previous editions, the British Pharmaceutical Codex, and the Australian Pharmaceutical Formulary, and items listed in the Prescribers' List are identified in this book by the letters BP, BP 1968, BP 1963, BP 1958, BP 1953, BP 1948, BPC, BPC 1968, BPC 1963, BPC 1959, BPC 1954, BPC 1949, APF, APF 1969, APF 1964, APF 1955, APF 1947, or PL as appropriate.

Hours of Supply

75. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charge applicable. When the prescription is marked 'urgent' and initialled by the doctor or dentist who wrote the prescription, it is obligatory for the approved chemist to make supply at his pharmacy at any hour.

76. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

77. An approved chemist shall, as far as practicable keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

78. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

79. Without affecting the requirements of the law of a State in regard to drugs of addiction or restricted drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied:—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorisations;

(c) in the case of an approved chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and

(d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

Suspected Forgery

80. If an approved chemist is not satisfied that the signature on a prescription form is that of a medical practitioner or dental practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Emergency Drug (Doctor's Bag) order forms particular requirements are set out in paragraphs 33 and 58.

Sale Copies

81. Copies of the National Health Act and Regulations are available from the Australian Government Publishing Service in each capital city.

82. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

Supplies of Stationery

83. Claim Forms, Repeat Authorisations, etc., are available from the Commonwealth Director of Health in each capital city.

Enquiries

84. Enquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

CODING AND SUBMISSION OF PRESCRIPTIONS PROCEDURE BY APPROVED CHEMISTS

A. INTRODUCTION

85. The pricing of valid prescriptions, repeat authorisations and Doctor's Bag order forms and the calculation of the total amount payable for each claim are carried out by means of an electronic computer which operates on coded information provided by the approved chemist in respect of each pharmaceutical benefit supplied under the National Health Act.

86. The system is designed to enable approved chemists to prepare claims correctly with a minimum of work but it is, however, essential that the instructions be followed carefully and without modification. The inclusion in claims of incorrectly coded or otherwise defective prescriptions can be expected to interrupt processing and delay payments.

87. The interest and co-operation of approved chemists in ensuring that claims are always correctly prepared is invited and would substantially assist this Department to maintain a programme of prompt and satisfactory payments.

B. GENERAL

Pensioner Benefits

88. All references in these notes to 'pensioner' shall include:—

- (i) a pensioner who holds a valid Pensioner Health Benefits Card;
- (ii) a sickness benefit recipient who holds a valid Health Benefits Card.

Time for Lodgment of Claims

89. Claims for pharmaceutical benefits may be lodged at the office of the Commonwealth Department of Health in your capital city at any time during the month and should comprise approximately one month's dispensing. Claims for pharmaceutical benefits supplied more than six months prior to the date of claiming will not be accepted for computer processing, but will require manual pricing of prescriptions and preparation of tally sheets and claim forms by the chemist. Approved chemists desiring to submit such claims should contact the office of the Director of Health for instructions regarding the preparation of the claims and the necessary forms.

Documents to be submitted

90. A claim for pharmaceutical benefits consists of:—

- (i) A completed claim form PB1.
- (ii) Where applicable a completed Form PB 42 — Isolated Pharmacy Allowance — claim for payment (see paragraphs 151, 152).
- (iii) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to the general public. These should be together in a separate bundle from the pensioner prescriptions.
- (iv) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to pensioners. These should be together in a separate bundle from the general benefit prescriptions.

NOTE:— Generally, prescriptions in each bundle should be submitted in serial number order. The exception to this is where an approved chemist has elected to price extemporaneously prepared prescriptions (see paragraphs 100, 117).

These prescription forms should be placed at the back of the relevant bundle irrespective of serial numbers and the fact that other prescriptions may appear on the same form.

- (v) The original orders for Emergency Drug (Doctor's Bag) supplies in a separate bundle.
- (vi) Repeat authorisations for an injectible item and the related solvent must bear consecutive serial numbers and must be stapled together.

Completion of Claim Form

91. Particulars of claimant's name, address of approved premises, approval number and chemist's reference month should be entered in the spaces provided on the claim form PB1. It is important that these particulars agree entirely with the latest written information held by this Department, i.e., application for approval form or later letter. In the event of discrepancies, payment will necessarily be delayed pending clarification.

92. The numbers to be entered on the claim form are the first and last serial numbers given to items on the General and Pensioner Benefits and Emergency Drug (Doctor's Bag) forms respectively (see paragraph 98). The last numbers should be the total numbers of these categories.

93. Please note that no entry of the amount of the claim is required — this will be calculated by computer after the prescriptions have been individually priced.

94. The declaration on the claim form must be signed by the approved person unless an authority for another person to do so has been sent by the approved person to the Commonwealth Director of Health in the State concerned.

Prescription Identifying Numbers

95. In addition to a serial number (see paragraph 98), each pharmaceutical benefit prescription dispensed must be given a number which identifies it specifically. Prescription book numbers are preferable but any other series which will meet the purpose may be used, provided that the chemist's approval number is not a component of such numbers. Please note that these numbers are to be entered in the Coding Stamp imprint (see paragraphs 110, 113).

96. Further, in cases where an approved chemist allots an identifying number to a repeat authorisation as distinct from the original prescription number allotted by the approved chemist issuing the repeat authorisation, he should enter this new identifying number in the appropriate coding box pre-printed on the front of the form.

Pharmacy Stamp

97. Before supply of a benefit, each prescription form, repeat authorisation form and authority to prescribe form should be endorsed with the name of the approved person and his approval number. This information may be stamped, written or typed.

Serial numbering of Prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms

98. Within each claim, prescriptions dispensed should be serially numbered commencing at:—

- (a) 1 for general prescriptions;
- (b) P1 for pensioner benefits; and
- (c) D1 for Emergency Drug (Doctor's Bag) supplies.

Each Doctor's Bag item should be given a serial number, e.g., if there are five items on the first form in the claim the first item on the second form in the claim will be D6.

Standard Formulae List of Extemporaneous Preparations

99. Included in the booklet — Extemporaneously Prepared Benefits — is a comprehensive list of pre-priced extemporaneous preparations. The list is comprised of formulae taken from formulary in common use. This list is referred to in these notes as the Standard Formulae List. Each preparation is identified with a unique five-character code.

Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List

100. Where an approved chemist elects to price out these prescriptions formal advice is required by the Department. Once made, however, such an election cannot be varied for a period of three months and applies to all extemporaneously dispensed formulae for which there are no five-character codes in the Standard Formulae List.

101. Unless he so elects, the approved chemist will be paid at an average reimbursement rate for these prescriptions. Under this system, payment is made on the basis of an average 10g/ml rate applied to the category of preparation concerned, i.e., the price will be ascertained by multiplying the appropriate 10g/ml rate by the number of 10g/ml units supplied and adding container and professional fees. For example, an 80ml mixture would be priced at eight times the average 10ml rate for mixtures, plus container and professional fee. Notwithstanding that an approved chemist is accepting the average price for non-pre-priced prescriptions, he may price out 'exceptional' prescriptions and code for reimbursement at that price (see paragraph 106).

102. The average 10g/ml rate may vary from month to month but the rate for a particular prescription will be that applicable for the month in which it was supplied. The current month's average 10g/ml rates are printed on the last page of the Statement of Account (see paragraphs 124-131).

103. By agreement with the Pharmacy Guild of Australia the average 10g/ml rate is determined as in paragraph 104.

104. Each month the total number of 10g/ml units of each type of pre-priced extemporaneous preparation claimed for will be ascertained for each State, together with the total values minus container and professional fees. From these figures an average 10g/ml rate will be calculated for each type of preparation for each State. This rate will be used as the rate for calculating prices for the prescriptions supplied in the succeeding month. It should be noted that prescriptions ordering a combination of standard preparations also fall outside the scope of the Standard Formulae List and therefore are subject to this section.

105.—

(a) Any variant to a formula included in the Standard Formulae List (addition and deletion of an ingredient or variation of dose up or down) takes the formula dispensed outside the Standard Formulae List and it becomes subject to this section, i.e., it cannot be identified with the code of the formula which it resembles.

(b) Where an approved chemist is accepting the average price of non-pre-priced prescriptions, and where an ingredient is added to a standard formula and the recovery price for the standard formula plus additive under the average price system is less than that for the standard formula alone, the approved chemist may code that prescription as though it were a standard formula item.

106. An exceptional prescription is a prescription for an extemporaneously prepared pharmaceutical benefit which is not included in the Standard Formulae List and for which the price of the ingredients calculated in accordance with basic pricing rules (paragraphs 139-147) is twice or more than twice the recovery price of the ingredients calculated on an average price basis (paragraph 101).

C. PROVISION OF CODED INFORMATION BY AN APPROVED CHEMIST

Entering of Information

107. The approved chemist will enter relevant information on each document he submits in support of his claim. The information to be entered will depend upon the type of document, i.e., original or repeat supply, Emergency Drug (Doctor's Bag) order form, etc., and on the category of prescription, i.e., ready prepared or extemporaneously prepared.

Codes for Preparations which are Pre-priced

108. A unique five-character code (e.g. 1001Q) is shown for:—

- (i) each form and strength of every ready prepared benefit (sections 2 and 3, Schedule of Benefits);
- (ii) each standard formula preparation listed in the Standard Formulae List.

Pharmaceutical benefit items which may be prescribed by participating dental practitioners are listed in a group at the end of Section 2 and a separate series of codes has been allocated to them. Only those pharmaceutical benefit items prescribed by dental practitioners should be coded with the appropriate codes published in this section.

Codes for Extemporaneous Preparations which are not Pre-Priced

109. Three-character codes representing each type of extemporaneous preparation, e.g., mixtures, ointments, etc., are shown in the Table of Codes, section 4 (Green Pages) of the Schedule. These three-character codes are to be used by the approved chemist in coding those prescriptions where a doctor has either specified the individual ingredients of a preparation or ordered a combination of standard formulae or has varied in any way a preparation included in the Standard Formulae List, and the approved chemist has not elected to price out his prescriptions. Where the approved chemist has elected to price out such prescriptions then action as outlined in paragraph 117 should be taken.

Coding Stamp

110. One stamp is provided for coding both Ready Prepared Benefits and Extemporaneously Dispensed Benefits. This stamp provides spaces for coded information on original prescription forms. Where a chemist chooses to type or machine print coding information directly on to the prescription form, the

use of the stamp is unnecessary provided the requirements of paragraph 112 are observed. Repeat authorisation forms, Emergency Drug (Doctor's Bag) Order forms and Authority to Prescribe forms currently on issue have printed coding spaces.

111. Stamp imprints should be placed preferably on the extreme left of the front side of the prescription form. Many doctors as well as dentists use prescription forms which provide space suitable for this purpose, but when there is insufficient area on the front of the form the stamp should be placed on the left hand side on the back. It should be noted that coding stamps must be placed either all on the front or all on the back of an individual form. In no circumstances should the stamp imprint appear on both the back and front. Chemists are asked to avoid stamping or writing over the unique identifying number pre-printed above the letters 'N.H.S.' on the N.H.S. prescription forms supplied to medical practitioners or over the 'D.P. No.' box on N.H.S. dental prescription forms supplied to dental practitioners by the Commonwealth.

112. Where the coding stamp is not used (see paragraph 110) typed or machine printed coding information must conform to the following conditions:—

- (a) The information should be typed or printed in the same area on the prescription form as that designated for the coding stamp (see paragraph 111).
- (b) The information should be provided in the same order and position as that shown in the stamp and labelled in a similar manner i.e. 'S', 'C', 'Q', 'B', 'R' and 'No.'.

113. This stamp will be used for all pharmaceutical benefits —

S	
C	
Q	
B	R
No.	

Coding of Ready Prepared Benefits

114.—

'S'—Serial Number (see paragraph 98).

'C'—Is the appropriate code. All codes are shown in the Schedule of Benefits for Approved Chemists beside the benefits to which they refer. These numbers range from 1001Q to 3395Q.

'Q'—Quantity. The number of units dispensed, e.g., capsules, tablets, tins, vials, tubes, etc., is to be entered in the stamp imprint. Only the appropriate number should be shown. The type of dispensing unit should not be specified.

For regulation 24 prescriptions, the quantity actually supplied should be entered; that is the total of the original quantity plus the quantities ordered as repeats. (Note next paragraph.)

The dispensed quantity of PACKS NOT TO BE BROKEN should never be expressed as a volume or weight but always in those terms in which the maximum quantity is expressed in column 3 of section 2 or section 3 of the Schedule; e.g., a prescription ordering 200ml of a pack not to be broken should be coded with a quantity of '1' and not '200'.

For all Regulation 24 prescriptions, the letter 'X' should be entered on the stamp imprint immediately after the quantity.

'B'—Brand Ordered. Where a doctor or dentist orders a particular brand either by proprietary name or brand, the code letters of the manufacturer whose brand is ordered should be entered beside the letter 'B'. Where a particular brand is not ordered THIS SPACE MUST BE LEFT BLANK.

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

'No.'—Prescription identification number (see paragraph 95).

Coding of Extemporaneously Dispensed Benefits included in the Standard Formulae List

115.—

'S'—Serial Number (see paragraph 98).

'C'—Code obtained from the Standard Formulae List where one is shown. These codes range from 7300F to 9987P.

'Q'—Quantity. The number of millilitres or grammes should be entered.

Where the supply of a standard preparation is made under Regulation 24, the quantity actually supplied followed by the letter 'X' should be entered.

'B'—This space must be left blank when coding extemporaneously dispensed prescriptions (except for provision made in paragraph 116).

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

'No.'—Prescription identification number (see paragraph 95).

Dropper Containers

116. Dispersed prices for extemporaneously prepared eye drops, ear drops and nasal instillations include the cost of a polythene dropper container. Where a glass dropper container is specified by the prescriber or considered necessary by the approved chemist, the prescription should be endorsed accordingly and payment for same should be claimed by placing the letter 'g' in the brand space of the coding stamp.

Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List

117. In the case of a formulae for which a code is not shown claimants will receive an average 10g/ml rate for the type of preparation with provision to price exceptional prescriptions (see paragraph 106) or the claimants may elect to calculate the cost of ingredients, containers and professional fee manually (see paragraphs 100–105). These arrangements have been agreed between the Department and the Pharmacy Guild of Australia.

Action to be taken where an Approved Chemist is to be paid on an Average Price Basis

118.—

(a) Coding of prescriptions to be reimbursed on an average price basis.

(i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places on the stamp imprint.

(ii) Enter the three-character code for the type of preparation in the code space (see the Table of Codes, section 4 [Green Pages] for these codes).

(iii) Enter the number of millilitres or grammes.

- (iv) Where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the quantity.

NOTE:—The space following the letter 'B' should be left blank (except for provision made in paragraph 116).

(b) Coding of Exceptional Prescriptions as defined in paragraph 106.

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places in the stamp imprint.
- (ii) Enter the three-character code for the type of preparation preceded by the letter 'V' (indicating that this prescription is priced) in the code space. (See the Table of Codes, section 4 [Green Pages] for these codes.)
- (iii) Enter the calculated price in the quantity space.
- (iv) Where the supply is made under the provisions of Regulation 24 the letter 'X' should be entered after the price.

NOTE:—The space following the letter 'B' should be left blank (except for provision made in paragraph 116).

Action to be taken when an Approved Chemist elects to price non-pre-priced Extemporaneous Preparations

119. When the approved chemist has advised the Department of his election to price out these prescriptions he should price all prescriptions in this category in accordance with the pricing principles set out in 'Provisions governing Payments to Approved Chemists for N.H.S. dispensing' (paragraphs 139-147) and:—

- (i) enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate sections of the stamp imprint;
- (ii) enter only the letter 'V' in the code space. This indicates that the prescription has been priced out;
- (iii) enter the price he has calculated in the quantity space;

- (iv) where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the price.

NOTE:—No details of type or quantity of preparation are to be shown in the code stamp.

Coding of Repeat Authorisation Forms

120. The approved chemist originating a repeat will enter on the form the information set out in paragraph 50 together with the code, quantity and where applicable the brand of the benefit ordered.

Coding of Repeat Authorisation Forms Used for Deferred Supply

121. An approved chemist who has supplied a benefit on the presentation of a repeat authorisation form which has been prepared for deferred supply should code the form in the same manner as a normal repeat authorisation except that the serial number allotted by the approved chemist in respect of a benefit supplied as a general benefit is to be preceded by the letter 'D' and the letters 'DP' in the case of a pensioner benefit.

Action by Approved Chemist Dispensing a Repeat Authorisation

122. It is the responsibility of the chemist dispensing a repeat supply to ensure the details of the coding on the repeat authorisation form are correct. It should be noted that:—

- (a) The serial number allotted by the approved chemist to the repeat supplied as a \$2.75 general prescription is entered beside the letter 'R' in the box at the top of the form. Serial numbers issued in respect of repeats supplied for which an Authority to Prescribe is required must be prefixed with the letter 'A' in the case of general benefits, and the letters 'AP' in the case of pensioner benefits.
- (b) The new identifying number of the Repeat Authorisation is to be entered in the space marked 'No.' in the Coding Stamp Box on the front of the form. (See paragraph 96.)
- (c) When the approved chemist issuing the authorisation has entered a code number (for the type of preparation) and quantity in the stamp and the dispensing approved chemist has elected to price such prescriptions instead of accepting the average price, the dispensing approved chemist should strike out the entries and replace them with 'V' and the claimed price or vice versa.

Coding of Emergency Drug (Doctor's Bag) Order Forms

123. For each item ordered, enter the serial number, code of the benefit, quantity supplied and the brand ordered, if any.

D. STATEMENT OF ACCOUNT

124. A Statement of Account will be forwarded in respect of each claim passed for payment. This gives, in addition to the details of payment, the price paid for each benefit or the reason for non-payment. Prescriptions are identified on the Statement of Account by the serial numbers allotted by the claimant and the item code. In the case of non-priced extemporaneously prepared benefits the letter 'V' or the three-character code for the type of preparation replaces the item codes according to whether the prescriptions have been paid on the average price or calculated price basis. Serial numbers of Emergency Drug (Doctor's Bag) items will be prefixed by the letter 'D' and the pensioner prescriptions by the letter 'P'.

125. The reason for non-payment of any item will be indicated by a code letter. An explanation of the code employed appears on the reverse side of the Statement of Account.

126. Prescriptions and repeat authorisations which are not acceptable for payment will be returned with the Statement of Account. Other prescriptions appearing on such forms will have been paid and appropriately cancelled before being returned to the approved chemist. Where prescriptions are resubmitted they must be allotted an entirely new serial number and included as a normal part of the next claim.

127. If prescriptions from previous claims are the subject of adjustment to current claims, full details will be shown on the Statement of Account.

128. Where a correctly coded prescription has not been given a serial number by the claimant, the serial number given to the preceding prescription will be used also as a means of reference to the second prescription, i.e., the serial number will appear twice on the Statement of Account with the appropriate prices or rejection codes relating to both prescriptions.

129. Should serial numbers be duplicated they will be shown on the Statement of Account as numbered by the claimant.

130. In the case of a serial number which has not been used or the relevant document not submitted the number will be printed on the Statement of Account together with a code signifying that the document has not been received.

131. The Statement of Account will include a statement reconciling the number of prescriptions claimed for by the approved chemist with the number of prescriptions for which payment has been made.

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S. DISPENSING

A. READY PREPARED ITEMS

Price where Maximum Quantity Prescribed (Ready Prepared Items)

132. The price payable for a benefit is the amount shown in column 5 of the Schedule against the benefit subject to the following provision:—

Injectors with required solvent—Where the words 'solvent required' are included after the form of the benefit, the price payable is the sum of the listed prices for the item and the solvent less a professional fee (i.e., only one professional fee is payable). Prescribers must indicate volume and number of ampoules of solvent to be supplied.

Price where Broken Quantity Prescribed (R.P. Items)

133.—

(a) Packs not to be broken—Where items packed by the manufacturer under special conditions or for which the maximum quantity has been determined as a single pack are prescribed (see paragraph 135), maximum quantity should be supplied and the price payable is that for the maximum quantity.

(b) Ready Prepared Items where Standard Pack coincides with Maximum Quantity—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows—

(i) an amount equivalent to the professional fee and where applicable the dangerous drug fee is deducted from the price shown in column 5 of the Schedule in relation to the benefit.

(ii) To the resultant amount is applied the appropriate wastage percentage ascertained from the Wastage Factor Table shown in paragraph 137.

- (iii) The amount ascertained under (ii) is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 of the Schedule in relation to the maximum quantity of the benefit.

- (c) Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e. where an asterisk is shown against the price) — In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 of the Schedule beside the price shown for the benefit concerned. In such cases the standard pack rate is set out in the Table shown in section 6 (Blue Pages) of the Schedule. The price payable for the quantity supplied is ascertained as follows:—

- (i) To the standard rate is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 137.

- (ii) The amount so ascertained is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity which is less than the maximum quantity of the item exceed the dispensed price for the maximum quantity of that item.

- (d) No container fee is payable where the quantity of benefit ordered and supplied is more than the quantity contained in the standard or non-standard packs.

Price for Unbranded Prescriptions

134. Where a standard pack price applies, the lowest price for the relevant State shown in column 5 of the Schedule in relation to that item is payable.

Unbroken Packs to be Supplied (‡)

135. The maximum quantity of certain forms of benefits such as eye drops and oral suspensions has been determined as a single pack corresponding to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack, the maximum quantity should be dispensed and claimed from the Department. These items are indicated by a double dagger (‡) in the Schedule.

Wastage Table Percentage for Ready Prepared Preparations

136. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraph 133 (b) and (c) above.)

137. The appropriate wastage table percentage is ascertained as follows:—

- (a) The percentage that the quantity supplied bears to the number contained in the standard pack is determined;
- (b) Where the percentage determined in subparagraph (a) coincides with a percentage listed in Column A of the Wastage Factor Table, the percentage used is the relative figure shown in Column B;
- (c) Where the percentage determined in subparagraph (a) does not coincide with a percentage in Column A, then the nearest upward percentage in Column A applies, and the percentage used is the relative figure shown in Column B.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in Column A the next higher (i.e. 25%) is used. Reading down from 25% to Column B, the wastage table percentage is found to be 38%.

Wastage factor table

Column A	5	10	15	20	25	30	35	40	45	50
Column B	10	18	26	32	38	44	50	54	58	62
Column A	55	60	65	70	75	80	85	90	95	100
Column B	66	70	74	78	82	86	90	94	98	100

Prescribers' List Items

138. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescribers' List is shown in the Standard Formulae List.

B. EXTEMPORANEOUSLY PREPARED PRESCRIPTIONS

Pricing Prescriptions Not Pre-Priced

139. The following are the principles applied in determining the prices of all pre-priced extemporaneous formulæ shown in the booklet — 'Extemporaneously Prepared Benefits'. They also apply where a chemist elects to price out extemporaneous prescriptions outside the Standard Formulæ List.

140. The amount payable is ascertained as the sum of:—

- (a) the recovery price of each ingredient as shown in the booklet — 'Extemporaneously Prepared Benefits';
- (b) the price of the appropriate container as shown in the booklet — 'Extemporaneously Prepared Benefits';
- (c) a professional fee as shown on page 18 of the booklet — 'Extemporaneously Prepared Benefits'.

Pricing of Ingredients

141. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows:—

- (a) determine the basic pricing unit relative to the quantity by reference to the following table:—

<i>Quantity</i>	<i>Basic Pricing Unit</i>
Up to 50mg (minimum price)	100mg price multiplied by 0.5
Over 50mg and up to and including 700mg	100mg price
Over 700mg and up to and including 1g	price as 1g
Over 1g and up to and including 7g	1g price
Over 7g and up to and including 10g	price as 10g
Over 10g and up to and including 80g	10g price
Over 80g and up to and including 90g	price as 80g
Over 90g	100g price

- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery price shown for the ingredient in the Drug Tariff —

100g price is 500g price divided by 5 or
1kg price divided by 10.

10g price is 100g price plus 12½%
divided by 10.

1g price is 10g price plus 25% divided
by 10.

100mg price is 1g price plus 25%
divided by 10.

- (c) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b), by the fraction that the quantity bears to the basic pricing unit.
- (d) for pricing purposes the quantity is to be taken to the next 50 milligrams or 0.05 millilitres.

Miscellaneous Pricing Rules

142.—

- (a) The minimum recovery price for any ingredient is one cent.
- (b) Where a fraction of a cent occurs in a price that price is to be taken to the nearest cent, a half cent being taken up to the next cent.
- (c) The amount payable for a quantity of an ingredient or preparation shall not exceed the amount which would be payable for a greater amount of that ingredient or preparation.

Pricing Prescriptions where Additional Ingredients have been added to a Specified Formula

143. The amount payable for a prescription which comprises a vehicle which is specified under a particular name, and an additional specified ingredient or ingredients shall be calculated in accordance with paragraphs 144 to 147.

144. Where the vehicle is a single liquid ingredient and one or more solid ingredients are added, displacement of the vehicle by solids shall be disregarded and the amount payable shall be calculated in accordance with paragraph 141.

145. Where the vehicle is a single liquid ingredient and one or more liquids are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 141; and
- (b) the recovery price of the quantity of the vehicle calculated in accordance with paragraph 141.

146. Where the vehicle is compounded from two or more ingredients and one or more solid ingredients are added, displacement of the vehicle by the solid ingredients shall be disregarded and the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 141; and
- (b) the recovery price of each ingredient of the vehicle calculated in accordance with paragraph 141.

147. Where the vehicle is compounded from two or more ingredients and one or more liquid ingredients are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 141; and
- (b) the recovery price of the quantity of vehicle, this amount being the sum of the recovery prices for each ingredient of the vehicle in such quantity as calculated in accordance with paragraph 141.

C. GENERAL

Pricing Principles

148. The pricing principles are identical for prescriptions written for the general public and pensioners.

Fees and Containers

149. The amounts payable by way of professional fee, dangerous drug fee and container charges for ready prepared preparations are set out in section 6 of the Schedule. The professional fee and container charges for extemporaneously prepared preparations are set out in the booklet—'Extemporaneously Prepared Benefits'.

Pricing Dates

150. For pricing purposes the operative dates are:—

- (a) for extemporaneously prepared benefits — the first day of every second month commencing February each year for benefits supplied as from the first day of the fourth succeeding month.
- (b) for ready prepared benefits — the first day of the month preceding the month during which the benefits are dispensed.
- (c) for containers:—
 - (i) for extemporaneously prepared benefits — the first day of April, August and December each year for benefits supplied as from the first day of the fourth succeeding month.
 - (ii) for ready prepared benefits — the first day of January each year for benefits supplied as from the first day of April in that year.

Isolated Pharmacy Allowance (IPA)

151. Approved chemists providing a pharmaceutical service in isolated areas may apply for IPA on the basis of economic need. Application forms may be obtained from the Assistant Director-General, Pharmaceutical Benefits Branch, Department of Health, P.O. Box 100, Woden, A.C.T., 2606.

152. Approved chemists eligible to receive IPA will be:—

- (i) those where the pharmacy is more than 25 kilometres from the nearest pharmacy and who are able to demonstrate the need for such allowance on the basis of economic need;
- (ii) those where the pharmacy can be demonstrated to be 'isolated' on a basis other than distance (e.g. on an island, intervening mountain range, no roads) and where economic need can be demonstrated.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH DIVISIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000
Telephone 232 8000

Director of Health—
Dr R. R. Bull
After hours: Telephone 969 8681
Assistant Director (Pharmaceutical)—
Mr R. W. Goggins
After hours: Telephone 86 4541

VICTORIA

Commonwealth Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000
Telephone 662 2999

Director of Health—
Dr R. C. Webb
After hours: Telephone 80 5333
Assistant Director (Medical)—
Dr E. C. R. Newton
After hours: Telephone 555 5815
Assistant Director (Pharmaceutical)—
Mr B. G. Foster
After hours: Telephone 560 4237

QUEENSLAND

Commonwealth Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld 4000
Telephone 225 0122

Postal Address—
G.P.O. Box 567, Brisbane, Qld 4001
Director of Health—
Dr Peter E. R. Ulrich
Assistant Director (Medical)—
Dr J. R. Meyers
After hours: Telephone 399 5857
Assistant Director (Pharmaceutical)—
Mr C. J. Massie
After hours: Telephone 30 1546

SOUTH AUSTRALIA

Commonwealth Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S.A. 5000
Telephone 216 3911

Postal Address—
G.P.O. Box 2219, Adelaide, S.A. 5001
Director of Health—
Dr A. C. Green
Assistant Director (Pharmaceutical)—
Mr M. G. Wallace
After hours: Telephone 339 3932

WESTERN AUSTRALIA

Commonwealth Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W.A. 6000
Telephone 323 5711

Postal Address—
G.P.O. Box M970, Perth, W.A. 6001
Director of Health—
Dr W. J. Wilmot
After hours: Telephone (096) 24 2276
Assistant Director (Medical) (Acting)—
Dr W. G. Smart
After hours: Telephone 381 7863
Assistant Director (Pharmaceutical)—
Mr J. T. McDonough
After hours: Telephone 447 5326

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000
Telephone 20 5011

Postal Address—
G.P.O. Box 919J, Hobart, Tas. 7001
Director of Health—
Dr C. F. A. Younger
After hours: Telephone 62 2272
Assistant Director (Pharmaceutical)—
Mr W. M. Murton
After hours: Telephone 29 6749

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794
Telephone 80 2911

Postal Address—
P.O. Box 147, Darwin, N.T. 5794
Director of Health—
Dr F. H. Stewart
After hours: Telephone 81 2036

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	BR	Beecham Research Laboratories 6 Winterton Road, Clayton, Vic. 3168
AG	Allergan Pharmaceuticals Pty Ltd 5 George Place, Artarmon, N.S.W. 2064	BT	The Boots Company (Aust.) Pty Ltd Loyalty Road, North Rocks, N.S.W. 2151
AH	Allen and Hanburys 1061 Mountain Highway, Boronia, Vic. 3155	BW	Wellcome Australia Ltd 53 Phillips Street, Cabarita, N.S.W. 2137
AM	Ames Company Division of Miles Laboratories Australia Pty Ltd Wellington Road, Mulgrave, Vic. 3170	BY	Boehringer Ingelheim Pty Ltd 50 Broughton Road, Artarmon, N.S.W. 2064
AP	Astra Pharmaceuticals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	BZ	Boucher and Muir Pty Ltd 118-124 Willoughby Road, Crows Nest, N.S.W. 2065
AQ	Alcon Laboratories (Aust.) Pty Ltd 8 Wattle Road, Brookvale, N.S.W. 2100	CB	Ciba Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066
AV	Adam Drug Co. 41 Barry Avenue, Mortdale, N.S.W. 2223	CP	Cooper Laboratories Pty Ltd 1 Dumic Place, Dee Why, N.S.W. 2099
AY	Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	CS	Commonwealth Serum Laboratories 45 Poplar Road, Parkville, Vic. 3052
BC	Bristol Laboratories Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	DF	Difrex (Aust.) Laboratories 13-19 Glebe Street, Glebe, N.S.W. 2037
BF	Barnes-Hind Pty Ltd 7 Dickson Avenue, Artarmon, N.S.W. 2064	DH	Drug Houses of Australia 31 Henderson Street, Turrella, N.S.W. 2205
BH	Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	DL	Dista Products (Australia) & Company Waratah Street and Wharf Road, Ermington, N.S.W. 2115
BJ	Barrere Surgical Co. P.O. Box A84, Sydney South, N.S.W. 2000	DY	Denyer Brothers 250 Pitt Street, Sydney, N.S.W. 2000
BL	David Bull Laboratories 11-15 Lexia Place, Mulgrave, Vic. 3170	EC	Erba Carlo, S.p.A., Italy Australian Distributor, Sigma Co. Ltd
BN	Bayer Pharmaceutical Company 46-67 Wilson Street, Botany, N.S.W. 2019	ED	Edwards Instrument Company 29 Bellingham Street, Narellan, N.S.W. 2567
BO	Boehringer Mannheim Australia Pty Ltd 6-8 Byfield Street, North Ryde, N.S.W. 2113	EN	Endo Laboratories (Australia) Pty Limited 7-9 Merriwa Street, Gordon, N.S.W. 2072
BQ	Berk Pharmaceuticals Division of U.S.V. Australia Pty Ltd 172-178 Princes Highway, Arncliffe, N.S.W. 2205	ET	Ethnor Pty Ltd 1-5 Khartoum Road, North Ryde, N.S.W. 2113

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
FA	F. H. Faulding & Co. Ltd 62 Dew Street, Thebarton, S.A. 5031	KN	Knoll, A. G., Germany Wood Street, Tempe, N.S.W. 2044
FC	Fisons Pty Ltd 61 Lavender Street, Milsons Point, N.S.W. 2061	LE	Lederle Laboratories Division Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W. 2065
FM	Fawns and McAllan Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136	LF	Langly Laboraatories Pty Ltd 116 Cabramatta Road, Cremorne, N.S.W. 2090
FR	Charles E. Frosst (Australia) Pty Ltd 54-68 Ferndell Street, South Granville, N.S.W. 2142	LP	Lancet Pharmaceutical Ltd 21 Loyalty Road, North Rocks, N.S.W. 2151
GB	Gist-Brocades Australia Pty Ltd 88 Hotham Parade, Artarmon, N.S.W. 2064	LY	Eli Lilly (Aust.) and Company Wharf Road, West Ryde, N.S.W. 2114
GE	Geigy Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	MB	May & Baker Australia Pty Ltd Paramount Road, Footscray West, Vic. 3012
GL	Glaxo 1061 Mountain Highway, Boronia, Vic. 3155	MF	Medex Pty Ltd 44-46 Chippen Street, Chippendale, N.S.W. 2008
GP	G.P. Laboratories Wharf Road, West Ryde, N.S.W. 2114	MG	J. McGloin Pty Ltd 20 Forrester Street, Kingsgrove, N.S.W. 2208
HA	Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A. 5000	MJ	Mead Johnson 345 Pacific Highway, Crows Nest, N.S.W. 2065
HO	Hollister Incorporated, U.S.A. Australian Distributor, Abbott Laboratories Pty Ltd	MK	Merck, Sharp and Dohme (Aust.) Pty Ltd 62-68 Ferndell Street, South Granville, N.S.W. 2142
HP	Hoechst Australia Ltd 606 St Kilda Road, Melbourne, Vic. 3000	ML	Wm S. Merrell Company 9 Help Street, Chatswood, N.S.W. 2067
IC	ICI Australia Operations Pty Ltd ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	MN	Muir and Neil Pty Ltd 479 Kent Street, Sydney, N.S.W. 2000
IQ	The Ioquin Company 8 Wattle Road, Brookvale, N.S.W. 2100	MR	Medical Research Pty Ltd 4 Byfield Street, North Ryde, N.S.W. 2113
JP	Janssen Pharmaceutica Pty Ltd 4 Sirius Road, Lane Cove, N.S.W. 2066	NE	Norgine Pty Ltd Suite 36, 65 Queens Road, Melbourne, Vic. 3004
KL	Knoll Laboratories Division of U.S.V. Australia Pty Ltd 172-178 Princes Highway, Arncliffe, N.S.W. 2205	NK	New York Pharmaceuticals 326 King Georges Road, Beverly Hills, N.S.W. 2209

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
NO	Novo Laboratories Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	RN	Rona Laboratories Ltd, London, U.K. Australian Distributor Riker Laboratories Australia Pty Ltd
NR	Nordia, Denmark Australian Distributor, Ascot Pharmaceuticals Pty Ltd 33 Myrtle Street, North Sydney, N.S.W. 2060	RO	Roche Products Pty Ltd Inman Road, Dee Why, N.S.W. 2099
NS	Nicholas Pty Ltd 699 Warrigal Road, Chadstone, Vic 3148	RS	A. H. Robins Pty Ltd 4 Charles Street, Canterbury, N.S.W. 2193
NW	Norwich-Eaton Pty Ltd Lombard House, 781 Pacific Highway, Chatswood, N.S.W. 2067	RT	Rocke, Tomsitt and Co. Ltd 10 Griffiths Street, Richmond, Vic. 3121
OL	Owen Laboratories 8 Wattle Road, Brookvale, N.S.W. 2100	RY	Rotary Tableting Corp. Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136
OR	Organon (Aust.) Pty Ltd 34 Hotham Parade, Artarmon, N.S.W. 2064	SA	Sanitarium Health Food Co. 148 Fox Valley Road, Wahroonga, N.S.W. 2076
PD	Parke, Davis and Co. 32-40 Cawarra Road, Caringbah, N.S.W. 2229	SC	Schering, AG., Berlin Wood Street, Tempe, N.S.W. 2044
PF	Pfizer Pty Ltd Wharf Road, West Ryde, N.S.W. 2114	SD	Syntex Pharmaceuticals Ltd Funds of Australia Building, 10th Floor, 275 Alfred Street North, North Sydney, N.S.W. 2060
PN	Pharmax Ltd, England Australian Distributor, Protea Pharmaceuticals Pty Ltd	SH	Schering Corporation, U.S.A. 11 Gibbon Road, Baulkham Hills, N.S.W. 2153
PR	Prosana Laboratories Pty Ltd 22 Daisy Street, Revesby, N.S.W. 2212	SI	Sigma Co. Ltd P.O. Box 144, Clayton, Vic. 3168
PS	Pharmacia (South Seas) Pty Ltd Cnr Khartoum and Talavera Roads, North Ryde, N.S.W. 2113	SJ	Sharpe Laboratories Pty Ltd 24 Punch Street, Artarmon, N.S.W. 2064
PT	Protea Pharmaceuticals Pty Ltd 13-19 Glebe Street, Glebe, N.S.W. 2037	SK	Smith Kline and French Laboratories (Aust.) Ltd Warringah Road, French's Forest, N.S.W. 2086
QE	Queensland Ethicals Enterprise Street, Salisbury, Qld 4107	SL	Soul Pattinson Laboratories Pty Ltd 20 Forrester Street, Kingsgrove, N.S.W. 2208
RC	Reckitts Pty Ltd 44 Wharf Road, West Ryde, N.S.W. 2114	SN	Smith & Nephew (Aust.) Pty Ltd Wellington Road, Clayton, Vic. 3168
RD	Ross Laboratories Captain Cook Drive, Kurnell, N.S.W. 2231	SQ	E. R. Squibb and Sons Pty Ltd Princes Highway, Noble Park, Vic. 3174
RK	Riker Laboratories Australia Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120		
RL	Roussel Pharmaceuticals Pty Ltd Gladstone Road, Castle Hill, N.S.W. 2154		

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
SR	Searle Laboratories Mainline Building, 8 West Street, North Sydney, N.S.W. 2060	VF	Vifor, S.A., Geneva, Switzerland Australian Distributor, Boucher and Muir Pty Ltd
SS	Salmond and Spraggon (Aust.) Pty Ltd Loyalty Road, North Rocks, N.S.W. 2151	WB	W. B. Pharmaceuticals Ltd London, U.K.
ST	A. E. Stansen and Co. Pty Ltd 121 Ricketts Road, Notting Hill, Vic. 3168	WH	H. W. Woods Pty Ltd 10 Clifford Street, Huntingdale, Vic. 3166
SU	Sauter Laboratories (Aust.) Pty Ltd 60 Campbell Avenue, Dee Why, N.S.W. 2099	WL	Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W. 2115
SZ	Sandoz Australia Pty Ltd 54 Waterloo Road, North Ryde, N.S.W. 2113	WP	Weddel Pharmaceuticals 213-219 Miller Street, North Sydney, N.S.W. 2060
TO	R. D. Toppin & Sons Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	WW	Wm. R. Warner 32-40 Cawarra Road, Caringbah, N.S.W. 2229
TV	Travenol Laboratories Pty Ltd Oakes Road, Old Toongabbie, N.S.W. 2146	WY	Wyeth Pharmaceuticals Pty Ltd Gregory Place, Parramatta, N.S.W. 2150
UP	Upjohn Pty Ltd 55-73 Kirby Street, Rydalmere, N.S.W. 2116	ZR	Zero Chemicals (Aust.) Pty Ltd 17 Carlyle Road, East Lindfield, N.S.W. 2070
UW	United Works of Pharmaceutical and Dietetic Products, Hungary Australian Distributor, Boucher and Muir Pty Ltd	ZY	Zyma Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Code</i>	<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
1016L	Adrenaline Injection BP	1mg in 1ml	Ampoule	5
1038P	Aminophylline injection I.V.	250mg in 10ml	Ampoule	5
1089H	Atropine sulphate injection	600 micrograms in 1ml	Ampoule	5
1195X	Chlorpromazine Injection BP	50mg in 2ml	Ampoule	10
3040B	Dextrose injection	50%, 10ml	Ampoule	5
2558P	Diazepam injection	10mg in 2ml	Ampoule	5
1321M	Digoxin Injection BP	500 micrograms in 2ml	Ampoule	5
1378M	Ergometrine Maleate injection	250 micrograms in 1ml	Ampoule	5
1395K	Erythromycin injection I.M.	100mg in 2ml	Ampoule	5
2413B	Frusemide injection	20mg in 2ml	Ampoule	5
1467F	Heparin Sodium Injection BP	5 000 units in 1ml	Ampoule	1
<i>or</i>	<i>or</i>			
1468G	Heparin Sodium Injection BP	25 000 units in 5ml	Ampoule	1
1501B	Hydrocortisone sodium succinate injection	Equivalent to 100mg hydrocortisone and 2ml solvent	Injection Set	2 sets
<i>or</i>	<i>or</i>			
3096Y	Hydrocortisone sodium succinate injection	Equivalent to 250mg hydrocortisone and solvent	Injection Set	1 set
2875H	Lignocaine injection	100mg in 5ml	Ampoule	4
<i>or</i>	<i>or</i>			
2861N	Lignocaine injection I.M.	300mg in 3ml	Disposable syringe pack	1
1645N	Morphine sulphate injection	15mg in 1ml	Ampoule	5
<i>or</i>	<i>or</i>			
1647Q	Morphine sulphate injection	30mg in 1ml	Ampoule	5
1661K	Morphine sulphate with atropine sulphate injection	15mg-600 micrograms in 1ml	Ampoule	5
1829G	Pethidine Injection BP	100mg in 2ml	Ampoule	5
1794K	Procaine Penicillin Injection BP	1.5g	Disposable syringe pack	10
1206L	Metoclopramide hydrochloride injection	10mg in 2ml	Ampoule	10
<i>or</i>	<i>or</i>			
2369Q	Prochlorperazine injection	12.5mg in 1ml	Ampoule	10
<i>or</i>	<i>or</i>			
2368P	Thiethylperazine injection	6.5mg (base) in 1ml	Ampoule	10
1948M	Promethazine injection	50mg in 2ml	Ampoule	10
1239F	Terbutaline sulphate injection	100 micrograms in 1ml	Ampoule	5
<i>or</i>	<i>or</i>			
1034K	Terbutaline sulphate injection	500 micrograms in 1ml	Ampoule	5
2127Y	Tetanus Vaccine, Adsorbed	0.5ml	Ampoule	10

NOTE: Only those brands of benefits listed in section 2 (white pages) may be ordered on a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS

Operative as from 1 December 1980

SECTION 2

RESTRICTED BENEFITS

All restricted items are printed in red.

A straight line is drawn between entries for different forms and strengths of an item to clearly indicate the different restrictions which apply to these various forms and strengths.

The maximum quantity and/or number of repeats in respect of an item shown in the Schedule may be varied by the Director of Health when issuing an authority prescription (Form PB86) or an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. Payment will be made on the basis of the price shown for that item in the Schedule. (See paragraphs 26,27 and 64 of Section 1 - Explanatory Notes (lemon pages).)

SYMBOLS USED IN THE SCHEDULE

An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.

A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.

A gauge sign (#) against the price of an item indicates that the product is not preconstituted and that a special professional fee of \$1.89 is included in the dispensed price.

Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S);
W.A. - (W); Tas. - (T).

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2742H	ACEPIFYLLINE Tablet 250mg	100	2	\$ 3.64	Etaphylline	DF
2743J	Paediatric Syrup 125mg per 5ml, 500ml	≠1	4	3.51	Etaphylline	DF
2445Q	Injection 500mg in 5ml	5	..	3.57	Etaphylline	DF
1004W	ACETAZOLAMIDE Tablet 250mg	50	6	6.42 6.45	Glaucomide Diamox	PT LE
2376C	Capsule 500mg (sustained release)	50	2	12.01	Diamox	LE
1005X	Injection 500mg (solvent required)	1	..	5.95	Diamox	LE
1006Y	ACETOHEXAMIDE Tablet 500mg	100	2	6.65	Dimelor	LY
2811Y	ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2ml	2	..	*10.84	Miochol	CP
2630K	ACETYLCYSTEINE To be endorsed "S.P." Solution 20%, 10ml	5	3	17.76	Mucomyst	MJ
2434D	ADRENALINE Eye Drops 0.5%, 7.5ml	≠1	6	4.07	Epinal Eppy/N	AQ BF
3031M	0.5%, 10ml	≠1	6	4.20	Epifrin	AG
1014J	1%, 7.5ml	≠1	6	4.39	Epinal Eppy/N	AQ BF
2955M	1%, 10ml	≠1	6	4.51	Epifrin Glaucon	AG AQ
1015K	2%, 10ml	≠1	6	7.51	Epifrin Glaucon	AG AQ
1016L	Injection BP 1mg in 1ml (1 in 1,000)	5	1	2.62	AB,BL,KL,SI	
2600W	ALLOPURINOL Tablet 100mg	100	2	6.32	Pro gout Zyloprim	PT BW
2604C	300mg	30	2	6.01	Pro gout Zyloprim	PT BW
2601X	Capsule 100mg	100	2	5.51	Capurate-100	FM
2603B	300mg	30	2	5.34	Capurate-300	FM
2765M	ALOXIPRIN Tablet 600mg	100	2	3.51	Palaprin Forte	NS
2991K	ALPRENOLOL Tablet 100mg	100	2	8.07	Aptin Betacard	AP BR
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2905X	ALPRENOLOL - cont. Injection 1mg per ml, 10ml	1	..	\$ 2.97	Aptin	AP
2153H	ALUMINIUM HYDROXIDE GEL Mixture 320mg per 5ml, 500ml	≠1	4	3.39	Alusorb Amphojel Gelox Minajel	DH WY PR MG
1026B	ALUMINIUM HYDROXIDE GEL DRIED Tablet 300mg	100	2	3.07	Actal Amphotabs	WL WY
2552H	ALUMINIUM HYDROXIDE GEL with KAOLIN Mixture 137mg-1g per 5ml, 375ml	≠1	2	3.01	Kaogel Kaomagma	FA WY
1029E	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	3.07	Aludrox	WY
2576N	200mg-200mg	100	2	3.07	Mylanda	PD
2155K	Mixture 300mg-100mg per 5ml, 500ml	≠1	4	3.39	Aludrox	WY
2156L	Suspension 215mg-80mg per 5ml, 500ml	≠1	4	3.39	Dijene Simeco	BT WY
2157M	200mg-200mg per 5ml, 500ml	≠1	4	3.39	Alucone Merasyne Mylanda Sodexol	DH ML PD SC
2158N	ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZINE Suspension 306mg-97.5mg-10mg per 5ml, 500ml	≠1	4	3.39	Mucaine	WY
1032H	ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	3.07	Gastrogel	FM
2159P	Mixture 250mg-120mg-120mg per 5ml, 500ml	≠1	4	3.39	Gastrogel	FM
1033J	ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	3.07	Almacarb Dijene Simeco	AH BT WY
2577P	ALUMINIUM SODIUM SILICATE Powder 100g	≠1	2	3.07	Neutralon	SC
3016R	AMANTADINE HYDROCHLORIDE To be endorsed "S.P." Capsule 100mg	100	2	19.07 19.57	Antadine Symmetrel	EN GE

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2934K	AMBENONIUM CHLORIDE Tablet 10mg	100	2	\$ 9.07	Mytelase	WL
3109P	AMILORIDE Tablet 5mg	50	2	3.70	Midamor	MK
1035L	AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	≠1	2	2.95	Aminopt	SI
3071P	AMINO ACID FORMULA without PHENYLALANINE Powder 250g	2	2	*136.52	PK AID I	MN
3072Q	250g	2	2	*179.02	PK AID II	MN
1450H	Food Supplement Powder 500g	≠1	1	101.51	Aminogran F.S.	GL
	AMINOCAPROIC ACID To be endorsed "S.P."					
2486W	Oral Solution 250mg per ml, 20ml	10	..	16.57	Ekaprol	DF
2483Q	Injection I.V. 250mg per ml, 10ml	10	..	9.07	Ekaprol	DF
1039Q	AMINOPHYLLINE Tablet 100mg	100	2	2.80	Cardophyllin SI	HA
1040R	Oral Liquid 105mg per 5ml, 500ml	≠1	4	3.51	Somophyllin	FC
1038P	Injection I.V. 250mg in 10ml	5	..	3.82	Carine AB,LP,SI	KL
1037N	I.M. 500mg in 2ml	5	..	3.57	AB	
1152P	Suppositories 100mg, 12	≠1	1	3.14	Cardophyllin	HA
1041T	175mg, 12	≠1	1	3.14	Cardophyllin	HA
1042W	250mg, 12	≠1	1	3.14	Cardophyllin	HA
1043X	400mg, 12	≠1	1	3.14	Cardophyllin	HA
2417F	AMITRIPTYLINE Tablet 10mg	50	2	2.50	Laroxyl Tryptanol	RO MK
2418G	25mg	50	2	3.20	Laroxyl Saroten Tryptanol	RO NS MK
3009J	Capsule 25mg	50	2	3.37	Elavil	FR
2989H	Mixture 10mg (base) in 5ml, 100ml	≠1	4	2.51	Tryptanol	MK
2672P	Injection 25mg per ml, 2ml	10	..	5.95	Laroxyl	RO
1044Y	AMMONIUM CHLORIDE Tablet 500mg	100	3	3.70	RY	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1045B	AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	..	\$ 6.20	Camoquin	PD
1884E	AMOXYCILLIN Capsule 250mg	20	..	4.54	Amoxil Moxacin	BR CS
1886G	Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#4.87	Amoxil Moxacin	BR CS
2930F	AMPHOTERICIN Tablet 100mg	50	..	7.64	Fungilin	SQ
2931G	Lozenge 10mg	20	..	2.95	Fungilin	SQ
2932H	Suspension 100mg per ml, 24ml	≠1	1	3.70	Fungilin	SQ
1047D	Injection 50mg (solvent required)	1	..	5.26	Fungizone	SQ
2927C	Cream 3%, 15g	≠1	1	3.20	Fungilin	SQ
2929E	Ointment 3%, 15g	≠1	1	3.20	Fungilin	SQ
2933J	Pessaries 50mg, 15	≠1	1	3.30	Fungilin	SQ
2928D	Vaginal Cream 100mg per 4g, 60g (15 doses)	≠1	1	3.39	Fungilin	SQ
1048E	AMPICILLIN Capsule 250mg	25	..	4.17	Austrapen Penbritin	CS BR
2671N	500mg	12	1	3.94	Austrapen Penbritin	CS BR
3061D	Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#3.96	Austrapen Penbritin	CS BR
3123J	250mg per 5ml, 100ml	≠1	..	#5.15	Austrapen Forte Penbritin Forte	CS BR
2644E	Injection 100mg (solvent required)	5	1	5.32	Austrapen	CS
2389R	250mg (solvent required)	5	1	5.95	Austrapen Bristin Penbritin	CS BC BR
2390T	500mg (solvent required)	5	1	8.11	Austrapen Bristin Penbritin	CS BC BR
2977Q	1g (solvent required)	5	1	13.35	Austrapen Bristin Penbritin	CS BC BR
1058Q	AMYLOBARBITONE SODIUM Injection 250mg (solvent required)	5	..	*7.76	Amytal Sodium	LY
1059R	500mg (solvent required)	5	..	*9.66	Amytal Sodium	LY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1075N	ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	≠1	2	\$ 2.89	Antistine-Privine ZY
1980F	ANTIVENOM - RED BACK SPIDER Injection 500 Units	2	..	*27.76	CS
1078R	ASCORBIC ACID To be endorsed with the pension number. Tablet 50mg	100	2	2.45	Ascorb "50" DH, FM, LP PT
1008C	ASPIRIN Tablet 300mg	100	2	2.57	FM
1230R	650mg (enteric coated)	100	2	4.07	Ecotrin Rhusal Winsprin SK GP WL
1231T	650mg (sustained release)	100	2	3.51	S.R.A. BT
2968F	650mg (includes 350mg sustained release)	100	2	3.26	Bi-prin BT
3110Q	ASPIRIN (BUFFERED) Tablet 325mg	100	2	3.04	Bufferin BC
1025Y	500mg	100	2	3.51	Bufferin 500 BC
1010E	ASPIRIN (SOLUBLE) Tablet 300mg	100	2	2.64	Solprin Solusal FM RC HA
1081X	ATENOLOL To be endorsed "S.P." Tablet 50mg	30	2	8.14	Tenormin IC
1084C	ATROPINE METHONITRATE Tablet 1mg	50	2	3.44	Eumydrin WL
1083B	Oral Solution 0.6%, 15ml	≠1	..	3.32	Eumydrin WL
2704H	ATROPINE SULPHATE Tablet 600 micrograms	100	2	2.87	RY
1088G	Injection 400 micrograms in 1ml	5	1	2.57	AB, BL, KL, LP
1089H	600 micrograms in 1ml	5	1	2.57	AB, BL, KL, LP
1091K	1.2mg in 1ml	5	1	2.60 2.61	AB, LP BL, KL
1092L	Eye Drops 0.5%, 15ml	≠1	2	3.01	Atropt SI
1093M	1%, 15ml	≠1	2	3.07	Atropt KL SI
1094N	Eye Ointment 1%, 4g	≠1	..	4.39	PD

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1251W	AZATADINE MALEATE Tablet 1mg	50	2	\$ 3.07	Zadine	SH
1252X	Syrup 500 micrograms per 5ml, 100ml	≠1	4	2.51	Zadine	SH
2687K	AZATHIOPRINE To be accompanied by an authority from the Director of Health. Tablet 50mg	100	..	50.51	Imuran	BW
2729P	BACLOFEN To be accompanied by an authority from the Director of Health. Tablet 10mg	100	..	24.51	Lioresal	CB
2730Q	25mg	100	..	45.89	Lioresal	CB
1650W	BECLOMETHASONE DIPROPIONATE To be endorsed "S.P." Inhalation, metered aerosol spray 50 micrograms per dose (200 dose)	≠1	2	8.07	Aldecin Becotide	SH AH
2705J	BELLADONA ALKALOIDS Hyoscyamine Hydrobromide, Atropine Sulphate and Hyoscine Hydrobromide Tablet 101.1 micrograms-14.8 micrograms-10.7 micrograms	100	2	2.80	Atrobel	FM
2706K	Tablet 151.6 micrograms-22.2 micrograms-16.0 micrograms Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydrobromide	100	2	2.89	Atrobel FORTE	FM
2916L	Tablet 103.7 micrograms-19.4 micrograms-6.5 micrograms	100	2	2.80	Donnatab	RS
1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	2.94	Aprinox-M Pluryl	BT SK
1106F	5mg	50	2	3.67	Aprinox Neo-Naclex Pluryl	BT GL SK
1107G	BENZALKONIUM CHLORIDE Compound Suppositories, 12	≠1	1	3.01	Paxyl	FA
1108H	Solution 10%, 125ml	≠1	..	3.14	Zephiran Concentrated	WL
1126G	BENZATHINE PENICILLIN Injection 1.8g in 5ml	1	..	3.45	L.P.G.	CS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	BENZATHINE PENICILLIN COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg.			\$	
1767B	Injection set containing 1 vial and 2ml water for injections	1	..	3.32	Bicillin All-Purpose WY
1109J	BENZHEXOL Tablet 2mg	100	2	3.70 3.76	Anti-Spas Artane PT LE
1110K	5mg	100	2	4.92 4.95	Anti-Spas Artane PT LE
1111L	BENZOCAINE with ADRENALINE Compound Ointment 50g	≠1	1	3.01	Rectinol GP
1112M	Compound Suppositories, 12	≠1	1	3.01	Rectinol GP
2362H	BENZTROPINE Tablet 2mg	30	2	*3.23	Cogentin MK
3038X	Injection 2mg in 2ml	5	..	7.51	Cogentin MK
1114P	BENZYL BENZOATE Application 25% w/v, 200ml	≠1	2	3.39 3.45	Benzemul Ascabiol DH MG MB
1774J	BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	4.14	CS
1775K	600mg (solvent required)	5	1	4.26 4.32	CS Crystapen GL
2647H	3g (solvent required)	10	..	*21.52 *21.66	CS Crystapen GL
2648J	6g (solvent required)	10	..	*29.06	CS
2694T	BETAMETHASONE To be endorsed "S.P." Injection 6mg in 1ml	5	..	10.01	Celestone Chronodose SH
1117T	BETAMETHASONE Tablet 500 micrograms	30	2	2.62	Celestone SH
1116R	Injection 4mg (base) in 1ml	5	..	*8.01	Celestone SH
2377D	Eye Ointment 0.1%, 3g	≠1	..	2.82	Celestone SH
1115Q	BETAMETHASONE DIPROPIONATE Cream 0.05%, 15g	≠1	1	2.47	Diprosone SH
1119X	Ointment 0.05%, 15g	≠1	1	2.47	Diprosone SH

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
				\$	
2812B	BETAMETHASONE VALERATE Cream 0.02%, 100g	≠1	..	3.32	Betnovate 1/5 Celestone-M GL SH
2813C	0.05%, 15g	≠1	1	2.47	Betnovate 1/2 Celestone-V GL Half Strength SH
2814D	Gel 0.05%, 15g	≠1	1	2.47	Betnovate 1/2 GL
2820K	Ointment 0.02%, 100g	≠1	..	3.32	Celestone-M SH
2815E	0.05%, 15g	≠1	1	2.47	Betnovate 1/2 GL Celestone-V Half Strength SH
1062X	BETHANECHOL Tablet 10mg	50	1	4.16	Urecholine MK Uro-Carb HA
1071J	Injection 5mg in 1ml	2	..	*3.36	Urecholine MK
2416E	BETHANIDINE Tablet 10mg	100	2	4.07	Esbatal BW
2712R	25mg	100	2	7.20	Esbatal BW
2544X	BIPERIDEN Tablet 2mg	100	2	6.32	Akineton KN
2543W	Injection 5mg in 1ml	5	..	3.57	Akineton KN
	BISACODYL To be endorsed "S.P."				
1260H	Suppositories 10mg, 5	≠1	..	2.39	Durolax BY
2984C	BISMUTH SUBGALLATE Compound Ointment 50g	≠1	1	3.01	Anusol WW
1122C	Compound Suppositories, 12	≠1	1	3.01	Anusol WW
	BLEOMYCIN To be endorsed "S.P."				
2315W	Injection 15mg (solvent required)	10	..	370.26	Blenoxane BC
2516K	BROMPHENIRAMINE Tablet 4mg	50	2	2.80	Dimetane RS
2602Y	Syrup 2mg per 5ml, 100ml	≠1	4	2.51	Dimetane RS
2201W	BUFEXAMAC Cream 5%, 45g	≠1	1	3.32	Parfenac LE
2202X	Ointment 5%, 45g	≠1	1	3.32	Parfenac LE
1128J	BUSULPHAN Tablet 2mg	100	2	20.51	Myleran BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	CALCIFEROL To be accompanied by an authority from the Director of Health.			\$	
1134Q	Tablet 1.25mg (50,000 Units)	100	..	5.32	Ostelin High Potency GL
2500N	Oral Solution 15mg (600,000 Units) in 1.5ml alcoholic solution	3	..	3.76	Sterogyl-15 RL
	CALCIUM To be accompanied by an authority from the Director of Health.				
2963Y	Compound Effervescent Tablet equivalent to 500mg calcium	100	5	8.89	Cal-tab Spar-Cal HA MJ
3122H	equivalent to 1g calcium	30	5	5.95	Sandocal 1000 SZ
	CALCIUM FOLINATE To be endorsed "S.P."				
2309M	Injection 3mg in 1ml	5	..	15.32	Leucovorin LE
1146H	CALCIUM GLUCONATE Injection 10%, 10ml	5	1	5.57	Calcium-Sandoz SZ
1151N	CAMPBOR COMPOUND Linctus APF, 100ml	≠1	2	2.51 2.54 2.56 2.64	MG Campholinct SI TO PR, QE(NQ) DH
2817G	CAPREOMYCIN Injection 1g (solvent required)	5	..	*20.91	Caprocin LY
2534J	CARBACHOL Eye Drops 0.75%, 15ml	≠1	6	3.39	AQ
2535K	1.5%, 15ml	≠1	6	3.45	AQ
2536L	3%, 15ml	≠1	6	3.57	AQ
2422L	CARBAMAZEPINE Tablet 100mg	200	1	9.64	Tegretol GE
2419H	200mg	200	1	16.82 17.57	Convuline PT Tegretol GE
	CARBENICILLIN To be endorsed "S.P."				
2818H	Injection 1g (solvent required)	5	..	18.82	Carbapen Pyopen CS BR
2819J	5g (solvent required)	6	..	94.75	Carbapen Pyopen CS BR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	CARBENOXOLONE SODIUM To be endorsed "S.P."			\$		
2620X	Tablet 50mg	100	..	11.89	Biogastrone	SN
1153Q	CARBIMAZOLE Tablet 5mg	100	2	3.64 3.76	Carbazole Neo-Mercazole	PT NS
	CEPHALEXIN To be accompanied by an authority from the Director of Health.					
3058Y	Capsule 250mg	25	..	11.02	Keflex	LY
3119E	500mg	12	..	10.65	Keflex	LY
3094W	Granules for Syrup 125mg per 5ml, 100ml	#1	..	#7.27	Keflex	LY
3095X	250mg per 5ml, 100ml	#1	..	#11.34	Keflex	LY
	CEPHALORIDINE To be endorsed "S.P."					
2494G	Injection 500mg (solvent required)	5	..	*16.01	Ceporan	GL
2643D	1g (solvent required)	5	..	*29.16	Ceporan	GL
	CEPHALOTHIN SODIUM To be endorsed "S.P."					
2964B	Injection 1g (solvent required)	5	..	*21.81	Ceporacin Keflin Neutral	GL LY
1135R	2g (solvent required)	1	..	9.56	Keflin Neutral	LY
1136T	4g (solvent required)	1	..	17.22	Keflin Neutral	LY
	CEPHAZOLIN SODIUM To be endorsed "S.P."					
1256D	Injection 500mg (solvent required)	5	..	*20.01	Kefzol	LY
1257E	1g (solvent required)	5	..	*37.26	Kefzol	LY
	CEPHRADINE To be accompanied by an authority from the Director of Health.					
1653B	Capsule 250mg	25	..	11.04	Eskacef Velosef	SK SQ
1654C	500mg	12	..	10.65	Eskacef Velosef	SK SQ
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
				\$	
1655D	CEPHRADINE - cont. Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#7.27	Eskacef SK Velosef SQ
1656E	250mg per 5ml, 100ml	≠1	..	#11.34	Eskacef SK Velosef SQ

	To be endorsed "S.P."				
1894Q	Injection 250mg (solvent required)	5	..	9.82	Eskacef SK Velosef SQ
1895R	500mg (solvent required)	5	..	16.01	Eskacef SK Velosef SQ
1896T	1g (solvent required)	5	..	29.14	Eskacef SK Velosef SQ
3057X	CERATONIA Powder 135g	≠1	4	8.39	Carobel MN
2935L	CHLORAL HYDRATE Capsule 500mg	50	..	3.07	Chloradorm KL Noctec SQ
2869B	Mixture 250mg per 5ml, 500ml	≠1	4	3.14	Dormel DH
2713T	1g per 10ml, 200ml	≠1	4	2.89	Chloradorm KL Chloralix RK Elix-Nocte Forte AV Noctec Syrup SQ
	CHLORAMBUCIL To be accompanied by an authority from the Director of Health.				
1163F	Tablet 2mg	100	..	*34.02	Leukeran BW
1164G	5mg	100	..	*50.02	Leukeran BW
	CHLORAMPHENICOL To be endorsed "S.P."				
1174T	Capsule 250mg	16	..	3.82	Chloromycetin PD
2693R	Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	3.95	Chloromycetin PD Palmitate
1167K	Injection 1g (solvent required)	3	..	*12.96	Chloromycetin PD Succinate

1170N	CHLORAMPHENICOL Ear Drops 10%, 5ml	≠1	2	2.95	Chloromycetin PD
1169M	10%, 6ml	≠1	2	2.95	Chlomin KL
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2360F	CHLORAMPHENICOL - cont. Eye Drops 0.5%, 10ml	≠1	2	\$ 2.95	Chlomin KL Chloromycetin PD Chloroptic AG Chlorsig SI
1171P	Eye Ointment 1%, 4g	≠1	..	2.70	Chlomin KL Chloromycetin PD Chlorsig SI
1177Y	CHLORAMPHENICOL with POLYMYXIN B Eye Ointment 1%-5,000 Units per g, 4g	≠1	..	2.70	Chloromycin PD
1180D	CHLORCYCLIZINE Tablet 50mg	50	2	2.86	PT
1066D	CHLORHEXIDINE Solution 5%, 200ml	≠1	1	3.70	Hibitane Concentrate IC
1410F	CHLORMETHIAZOLE To be accompanied by an authority from the Director of Health. Capsule 192mg	50	..	6.57	Hemineurin AP
1409E	Solution 0.8% for I.V. Infusion, 500ml	1	..	11.87	Hemineurin AP
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	4.51 4.76	Nivaquine MB Aralen WL Chlorquin PT
1185J	Injection 40mg per ml, 2ml	5	1	*3.96	Nivaquine MB
1187L	CHLOROTHIAZIDE Tablet 500mg	50	2	3.70 3.77	Diuret PT Azide FM Chlotride FR Diubram MF Diurone KL
1188M	CHLOROTRIANISENE To be endorsed "S.P." Tablet 24mg	30	2	5.10	Tace ML
1190P	CHLORPHENIRAMINE Tablet 4mg	50	2	2.94 2.95	Allergex PT Bramahist MF Chloramin LF Piriton GL
1193T	Capsule 4mg	50	2	2.95	Teledrin-P SK
1192R	Paediatric Syrup 2mg per 5ml, 100ml	≠1	4	2.51	Bramahist MF

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	CHLORPROMAZINE To be endorsed "S.P."			\$	
1196Y	Tablet 10mg	100	1	2.81 2.82	Protran PT Largactil MB
1197B	25mg	100	1	2.94 2.95	Protran PT Largactil MB Procalm NK Promacid KL
1198C	50mg	100	1	3.82	Largactil MB Promacid KL Protran PT
1199D	100mg	100	1	5.70	Largactil MB Promacid KL Protran PT
1201F	Mixture 25mg per 5ml, 100ml	≠1	4	2.70	Largactil MB Promacid KL
1194W	Injection BP, 25mg in 1ml	10	..	4.07	Largactil MB
1195X	50mg in 2ml	10	..	4.20	Largactil MB Promacid KL
1200E	Suppositories 100mg, 5	≠1	1	2.95	Largactil MB
2891E	CHLORPROPAMIDE Tablet 100mg	100	2	4.20	Diabinese M PF
1202G	250mg	100	2	6.39 6.65	Promide PT Diabinese PF
1072K	CHLORTETRACYCLINE Cream 3%, 15g	≠1	..	2.80	Aureomycin LE
1055M	Ointment 3%, 15g	≠1	..	2.80	Aureomycin LE
1585K	CHLORTHALIDONE Tablet 25mg	50	2	3.14 3.31	Urid PT Hygroton GE
3021B	CHOLERA VACCINE Injection 1ml	2	..	*4.26	CS
2967E	CHOLESTYRAMINE To be accompanied by an authority from the Director of Health. Powder, 9g sachet (equivalent to 4g cholestyramine), 50	2	..	*33.26	Questran MJ
2788R	CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	3.57	Choledyl WW
2789T	200mg	100	2	3.94	Choledyl WW
2787Q	Syrup 50mg per 5ml, 500ml	≠1	4	3.26	Choledyl WW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	CHOLINE THEOPHYLLINATE with GUAIPHENESIN			\$		
2866W	Tablet 200mg-100mg	100	2	4.07	Brondecon	WW
2867X	Elixir 50mg-25mg per 5ml, 500ml	≠1	4	3.39	Brondecon	WW
	CIMETIDINE To be accompanied by an authority from the Director of Health.					
1156W	Tablet 200mg	150	1	42.51	Tagamet	SK
	CLEMIZOLE					
1210Q	Tablet 20mg	50	2	2.80	Allercur	SC
1212T	Syrup, equivalent to 21mg base per 5ml, 100ml	≠1	4	2.51	Allercur	SC
	CLINDAMYCIN To be endorsed "S.P."					
3137D	Capsule 75mg	25	..	4.79	Dalacin C	UP
3138E	150mg	25	..	7.64	Dalacin C	UP
3139F	Granules for Syrup 75mg per 5ml, 100ml	≠1	..	#6.65	Dalacin C	UP
	CLIOQUINOL					
3030L	Cream 1%, 30g	≠1	..	2.76	Vioform	CB
	CLONAZEPAM To be endorsed "S.P."					
1805B	Tablet 500 micrograms	200	1	7.20	Rivotril	RO
1806C	2mg	200	1	10.95	Rivotril	RO
1807D	Injection 1mg in 2ml (set containing solution 1mg in 1ml and 1ml diluent)	5	..	3.45	Rivotril	RO
	CLONIDINE					
3141H	Tablet 150 micrograms	100	2	8.20	Catapres	BY
3142J	Injection 150 micrograms in 1ml	5	..	4.39	Catapres	BY
	CLOPAMIDE					
2399G	Tablet 20mg	50	2	4.20	Brinaldix	SZ
	CLOREXOLONE					
2880N	Tablet 10mg	50	2	3.14	Nefrolan	MB
2297X	25mg	50	2	3.51	Nefrolan	MB
2298Y	50mg	50	2	4.07	Nefrolan	MB
	CLOTRIMAZOLE					
1017M	Cream 1%, 20g	≠1	1	4.07	Canesten	BN
1018N	Pessaries 100mg, 6	≠1	..	4.75	Canesten	BN
1019P	Vaginal Cream 1%, 35g	≠1	..	4.70	Canesten	BN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	CLOXACILLIN To be accompanied by an authority from the Director of Health.			\$	
2300C	Capsule 250mg	25	..	8.89	Austrastaph Orbenin CS BR
1120Y	500mg	12	..	8.60	Austrastaph Orbenin CS BR
2936M	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#7.04	Austrastaph Orbenin CS BR
2299B	CLOXACILLIN Injection 250mg (solvent required)	5	..	7.51	Austrastaph Orbenin CS BR
2301D	500mg (solvent required)	5	..	11.20	Austrastaph Orbenin CS BR
1420R	1g (solvent required)	5	..	18.14	Austrastaph Orbenin CS BR
1213W	CODEINE Linctus APF, 100ml	#1	2	3.09 3.14	Codelix PR, QE(NQ), SI DH
1214X	CODEINE PHOSPHATE Tablet 30mg	25	..	3.80	DH, FM, KL, LP, RT
1218D	CODEINE PHOSPHATE with ASPIRIN To be endorsed with the pension number.				
1218D	Tablet Soluble 8mg-300mg	100	2	3.70	Aspalgin FM
1219E	8mg-500mg	100	2	3.70	Solcode RC
1222H	CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL To be endorsed "S.P."				
1222H	Tablet 30mg-225mg-150mg	100	1	*8.02	Codiphen Forte GP Codral Forte BW
1227N	COLCHICINE Tablet 500 micrograms	100	2	3.80 3.91 3.95 4.07	Colgout DH, PR, RT PT Coluric AV BW Colcin KL LP, MR
2621Y	COLISTIN To be endorsed "S.P."				
2621Y	Injection 150mg (solvent required)	5	..	*33.56	Coly-Mycin WW
2756C	COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per ml, 10ml	#1	2	2.82	Coly-Mycin WW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1228P	COPPER SULPHATE Diagnostic Compound Tablets, 36	2	3	\$ *3.52	Clinitest	AM
1246N	CORTISONE ACETATE Tablet 5mg	50	1	3.14	Cortate	PT
1247P	25mg	30	2	4.07	Cortate	PT
1258F	CYANOCOBALAMIN To be endorsed "S.P." Injection 100 micrograms in 1ml	5	1	3.37 3.45	Panalamine Cytamen 100 LP	PT GL
1262K	1mg in 1ml	5	..	3.75 3.82	Panalamine 1000 Cytamen 1000 LP	PT GL
1255C	CYCLIZINE Tablet 50mg	50	1	2.82	Marzine	BW
1264M	CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	3.57	Navidrex	CB
1266P	CYCLOPHOSPHAMIDE To be accompanied by an authority from the Director of Health. Tablet 50mg	50	..	7.64	Endoxan-Asta	BC
1265N	Injection 100mg (solvent required)	5	..	12.07	Endoxan-Asta	BC
2381H	200mg (solvent required)	5	..	12.82	Endoxan-Asta	BC
1079T	500mg (solvent required)	2	..	*7.58	Endoxan-Asta	BC
1080W	1g (solvent required)	1	..	5.70	Endoxan-Asta	BC
2426Q	CYCLOTHIAZIDE Tablet 5mg	50	2	4.07	Doburil	BY
1267Q	CYCRIMINE HYDROCHLORIDE Tablet 1.25mg	100	2	5.89	Pagitane	LY
1268R	2.5mg	100	2	7.76	Pagitane	LY
1269T	CYPROHEPTADINE Tablet 4mg	50	2	3.00	Periactin	FR
1270W	Paediatric Syrup 1.2mg per 5ml, 100ml	≠1	4	2.51	Periactin	FR
1798P	CYPROHEPTADINE To be endorsed "S.P." Tablet 4mg	100	2	*4.74	Periactin	FR
2910E	CYTARABINE Injection set containing 100mg and 5ml solvent	10	1	*76.66	Cytosar-U	UP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	DANAZOL To be accompanied by an authority from the Director of Health.			\$	
1287R	Capsule 200mg	100	..	114.01	Danocrine WL
1272Y	DAPSONE Tablet 100mg	100	2	3.70	Avlosulfon IC
3114X	DAUNORUBICIN I.V. Infusion 20mg (base)	10	1	*276.56	Cerubidin MB
2740F	DEBRISOQUINE Tablet 10mg	100	2	6.26	Declinax RO
2741G	20mg	100	2	8.07	Declinax RO
2972K	DESIPRAMINE Tablet 25mg	50	2	4.32	Pertofran GE
2129C	DESMOPRESSIN Nasal Solution 100 micrograms per ml, 2.5ml	5	2	*99.06	Minirin PT
2508B	DEXAMETHASONE To be endorsed "S.P." Injection 120mg in 5ml	1	..	30.26	Decadron Shock Pak MK
1292B	DEXAMETHASONE Tablet 500 micrograms	30	2	3.01 3.07	Dexamethsone PT Oradexon OR KL
2507Y	4mg	30	1	7.20	Dexamethsone PT
2509C	Injection 4mg in 1ml	5	..	8.45	Decadron MK
1290X	5mg in 1ml	5	..	10.95	Oradexon OR
1291Y	8mg in 2ml	5	..	13.45	Decadron MK
1288T	Eye Drops 0.1%, 5ml	≠1	2	3.64	Maxidex AQ
2759F	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 500 micrograms-5mg- 50 micrograms per g, 5g	≠1	2	2.82	Sofradex RL
2781J	DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms (base)-5mg- 50 micrograms per ml, 8ml	≠1	2	2.95	Sofradex RL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	DEXAMPHETAMINE To be accompanied by an authority from the Director of Health.			\$		
1165H	Tablet 5mg	100	..	3.67	SI	
1295E	DEXCHLORPHENIRAMINE Tablet 2mg	50	2	2.80	Polaramine	SH
	DEXTRAN 40 See Intravenous Fluids					
	DEXTRAN 70 See Intravenous Fluids					
	DEXTROMORAMIDE To be endorsed "S.P."					
2702F	Tablet 5mg	20	..	3.74	Palfium	FA
2701E	Injection 5mg in 1ml	10	..	*8.18	Palfium	FA
1024X	Suppositories 10mg, 10	≠1	..	5.24	Palfium	FA
3040B	DEXTROSE INJECTION 50%, 10ml	5	..	4.20	BL	
	500ml and 1L Injections - See Intravenous Fluids					
3161J	DIAZEPAM Tablet 2mg	50	..	2.51 2.57	Lorinon Ducene Pro-Pam Valium	HP SU PT RO
3162K	5mg	50	..	2.82 2.89	Ducene Lorinon Pro-Pam Valium	SU HP PT RO
2559Q	Paediatric Syrup 2mg per 5ml, 100ml	≠1	..	3.07	Valium	RO
2558P	Injection 10mg in 2ml	5	..	3.61	Valium BL	RO
3068L	DIAZOXIDE Injection 300mg in 20ml	1	..	14.16	Hyperstat I.V.	SH
1303N	DICHLORPHENAMIDE Tablet 50mg	50	6	6.82	Daranide	MK
	DICYCLOMINE with DOXYLAMINE and PYRIDOXINE To be endorsed "S.P."					
2900P	Tablet 10mg-10mg-10mg	30	1	3.51	Debendox	ML
1309X	DIENOESTROL Tablet 10mg	100	2	3.82	HA	
1310Y	Cream 0.01%, 85g	≠1	1	3.14	ET	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	DIFENOXIN HYDROCHLORIDE with ATROPINE SULPHATE Tablet			\$		
2506X	500 micrograms-25 micrograms	20	..	2.77	Lyspafen	PT
2605D	DIGOXIN Tablet 62.5 micrograms	100	2	3.01	Lanoxin-PG	BW
1322N	250 micrograms	50	2	2.57	Cardiox Lanoxin RT,RY	AV BW
3164M	Oral Solution for Children 50 micrograms per ml, 100ml	≠1	2	4.89	Lanoxin	BW
1321M	Injection BP, 500 micrograms in 2ml	5	1	5.51	Lanoxin	BW
2537M	Injection for Infants 50 micrograms in 2ml	5	1	5.76	Lanoxin	BW
2937N	DIHYDROCODEINE TARTRATE Linctus 0.19%, 100ml	≠1	2	2.39	Fortuss Paracodin Rikodeine	GP KN RK
1323P	DIHYDROERGOTAMINE Injection 1mg in 1ml	5	..	4.32	Dihydergot	SZ
	DIHYDROTACHYSTEROL To be accompanied by an authority from the Director of Health.					
1483C	Capsule 125 micrograms	100	..	15.72	A.T.10	
1331C	DI-IODOHYDROXYQUINOLINE Compound Pessaries 100mg, 25	≠1	1	3.30	Floraquin	SR
1333E	DILOXANIDE FUROATE Tablet 500mg	30	..	*7.08	Furamide	BT
1334F	DIMERCAPROL Injection 5%, 2ml	12	..	19.01	B.A.L.	BT
	DIMETHICONE To be endorsed "S.P."					
2233M	Cream 10%, 50g	≠1	..	2.32	Dermabase-S	HA
2618T	10%, 75g	≠1	..	2.49	Silcon	FA
2232L	20%, 20g	≠1	..	2.25	Vasogen Silicone	SS
	Solutions - See Colostomy and Ileostomy					
2517L	DIMETHINDENE Tablet 1mg	50	2	2.80	Fenostil	ZY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	DIOCTYL SODIUM SULPHOSUCCINATE To be endorsed "S.P."			\$		
3066J	Tablet 50mg	100	2	2.89	Coloxyl 50	FM
3067K	120mg	100	2	3.39	Coloxyl 120	FM
	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL To be endorsed "S.P."					
1125F	Suppositories 100mg-10mg, 5	≠1	..	2.39	Coloxyl	FM
	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON To be endorsed "S.P."					
2710P	Tablet 50mg-50mg	100	2	3.07	Coloxyl with Danthron	FM
	DIPHEMANIL METHYLSULPHATE To be endorsed "S.P."					
1209P	Dusting Powder 2%, 50g	≠1	..	3.74	Prantal	SH
1336H	DIPHENHYDRAMINE Capsule 50mg	50	2	2.82	Benadryl	PD
2780H	Paediatric Elixir 12.5mg per 5ml, 100ml	≠1	4	2.51	Benadryl Bidramine	PD AV
	DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE					
2501P	Tablet 2.5mg-25 micrograms	20	..	2.77	Lomotil	SR
1340M	DIPHENYLPYRALINE Tablet 2.5mg	50	2	2.79 2.80	Anti-Hist Allerzine Histalert	PT RT RK
1337J	Capsule 2.5mg	50	2	2.80	Histryl-P	SK
2351R	Paediatric Syrup 2.5mg per 5ml, 100ml	≠1	4	2.51	Histalert	RK
	DIPHThERIA ANTITOXIN					
1342P	Injection 1,000 Units	2	1	*9.52	CS	
1344R	10,000 Units	2	1	*36.52	CS	
	DIPHThERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years.					
1341N	Injection 0.5ml	3	..	*5.46	CS	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.			\$	
3019X	Injection 0.5ml	3	..	*5.46	CS
1346W	DIPHTHERIA, TETANUS and PERTUSSIS VACCINE Injection 0.5ml	3	..	4.76 *5.10	PD CS
1348Y	DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years. Injection 0.5ml	2	1	*4.52	CS
3020Y	DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years. Injection 0.5ml	2	..	*4.38	CS
3140G	DIPYRIDAMOLE To be accompanied by an authority from the Director of Health. Tablet 100mg	100	..	15.39	Persantin BY
2923W	DISOPYRAMIDE To be endorsed "S.P." Capsule 100mg	100	2	14.95	Norpace Rythmodan SR RL
2924X	150mg	100	2	19.51	Norpace Rythmodan SR RL
1022T	DOXEPIN Tablet 10mg	50	2	2.82	Quitaxon RC
1023W	25mg	50	2	3.66	Quitaxon RC
1011F	Capsule 10mg	50	2	2.82	Sinequan PF
1013H	25mg	50	2	3.66	Sinequan PF
2709N	DOXYCYCLINE Tablet 100mg	7	..	4.20	Vibramycin PF
2708M	Capsule 100mg	7	..	4.20	Doxin GP
1364T	ECONAZOLE NITRATE Cream 1%, 20g	≠1	1	4.07	Ecostatín Pevaryl SQ SK
1366X	Pessaries 150mg, 3	≠1	..	4.75	Ecostatín Pevaryl SQ SK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ECOTHIOPATE IODIDE			\$		
1359M	Eye Drops 0.03%, 1.5mg and 5ml solvent	#1	6	#6.33	Phospholine Iodide	AY
2405N	0.06%, 3mg and 5ml solvent	#1	6	#6.45	Phospholine Iodide	AY
1360N	0.125%, 6.25mg and 5ml solvent	#1	6	#6.58	Phospholine Iodide	AY
1361P	0.25%, 12.5mg and 5ml solvent	#1	6	#6.70	Phospholine Iodide	AY
2992L	ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	#1	..	3.20	Repalyte	DH
	ELECTROLYTE REPLACEMENT SOLUTION See Intravenous Fluids					
1369C	EPHEDRINE HYDROCHLORIDE Tablet 15mg	100	2	2.70	DH,FM,KL	
1370D	30mg	100	2	2.82	DH,FM,KL,LP,SI	
3069M	EPICILLIN Capsule 250mg	25	..	4.31	Dexacillin	SQ
3070N	500mg	12	1	4.05	Dexacillin	SQ
3085J	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.96	Dexacillin	SQ
3086K	250mg per 5ml, 100ml	#1	..	#5.15	Dexacillin	SQ
1380P	ERGOMETRINE MALEATE Tablet 200 micrograms	25	..	3.20	Ergotrate	LY
1378M	Injection 250 micrograms in 1ml	5	..	2.95	BL	
1384W	ERGOTAMINE TARTRATE Tablet 1mg	50	2	4.20	Lingraine	WL
1385X	ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	4.89	Cafergot	SZ
1386Y	Compound Suppositories, 6	#1	2	3.95	Cafergot PB	SZ
1387B	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	4.89	Migral	BW
1388C	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	4.89	Ergodryl	PD
1400Q	ERYTHROMYCIN Tablet 125mg	25	..	3.45	EMU-V	UP
2749Q	200mg	25	..	3.80	Erythrocin	AB
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1401R	ERYTHROMYCIN - cont. Tablet 250mg	25	..	\$ 4.36	EMU-V Erythrocin Ethryn UP AB FA
1402T	Capsule 125mg	25	..	3.45	Eryc FA
1403W	250mg	25	..	4.32 4.36	E-Mycin Erostin Eryc Erythrocin Ilocap PT MF FA AB LY
2499M	Paediatric Drops 100mg per ml, 10ml	≠1	..	3.39	Ilosone LY
2425P	Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	3.69	Eromycin Erythrocin Ilosone DL AB LY
2424N	Powder for Paediatric Suspension 200mg per 5ml, 100ml	≠1	..	#4.41	EES 200 AB
2610J	Suspension 250mg per 5ml, 100ml	≠1	..	5.39	Erythrocin AB
1395K	Injection I.M. 100mg in 2ml	5	..	7.20	Erythrocin AB
1398N	Infusion I.V. 300mg	5	..	*20.31	Erythrocin AB
1397M	1g	1	..	12.20	Erythrocin Ilotycin AB LY
	ETHACRYNIC ACID To be endorsed "S.P."				
2511E	Tablet 50mg	50	2	6.20	Edecril MK
1271X	ETHANOLAMINE OLEATE Injection 5%, 2ml	5	1	6.51	Ethamolin GL
1405Y	ETHINYLOESTRADIOL Tablet 10 micrograms	100	1	2.92	Estigyn Primogyn C AH SC
1406B	20 micrograms	100	1	3.07	Estigyn Lynoral Primogyn C AH OR SC
1407C	50 micrograms	100	1	3.20	Estigyn Primogyn C AH SC
1413J	ETHOSUXIMIDE Capsule 250mg	200	1	13.07	Zarontin PD
1414K	Paediatric Syrup 250mg per 5ml, 250ml	≠1	4	4.76	Zarontin PD
1419Q	ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	4.07	Bronkephrine WL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ETHYLOESTRENOL To be accompanied by an authority from the Director of Health.			\$		
2370R	Tablet 2mg	100	1	12.14	Orabolin	OR
3166P	ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 21	2	2	*3.72	Ovulen 0.5/50	SR
3167Q	1mg-50 micrograms, 21	2	2	*3.72	Ovulen 1/50	SR
2447T	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*3.72	Ovulen 0.5/50-28	SR
3168R	Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	*3.72	Ovulen 1/50-28	SR
3169T	ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms-100 micrograms, 21	2	2	*3.72	Ovulen 0.5	SR
3170W	1mg-100 micrograms, 21	2	2	*3.72	Ovulen 1	SR
3171X	2mg-100 micrograms, 21	2	2	*3.72	Ovulen 2	SR
1313D	FENOTEROL HYDROBROMIDE Inhalation, metered aerosol spray 200 micrograms per dose (300 dose)	≠1	1	5.07	Berotec	BY
2465R	FERROUS AMINOACETOSULPHATE Paediatric Syrup 100ml	≠1	4	2.57	Plesmet	AV
2688L	FERROUS FUMARATE Tablet 150mg	100	2	2.57	Fumiron	KL
1424Y	FERROUS GLUCONATE Tablet 300mg	100	2	2.57	Fergon RY	WL
2726L	Paediatric Elixir 6%, 100ml	≠1	4	2.57	Fergon	WL
1150M	FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	2.57	Slow-Fe	CB
2689M	350mg (sustained release)	30	2	2.49 2.57	Feritard Ferro-Gradumets	PT AB
3100E	Capsule 320mg (delayed release)	30	2	2.57	Fespan	SK
3150T	FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	2.57	Feritard Folic	PT
3160H	270mg-300 micrograms (sustained release)	30	2	2.64	F.G.F.	AB
3149R	Capsule 270mg-300 micrograms (delayed release)	30	2	2.64	Fefol 2	SK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1363R	FLUCLOROLONE ACETONIDE Cream 0.025%, 15g	≠1	1	\$ 2.47	Topilar	SD
1073L	FLUCYTOSINE To be endorsed "S.P." Tablet 500mg	100	..	64.01	Ancotil	RO
1433K	FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	..	5.42	Florinef	SQ
2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	≠1	..	2.95	Locacorten Vioform	CB
2677X	FLUOCORTOLONE ESTERS Cream 0.08%, 100g	≠1	..	3.32	Topodil	SC
1305Q	0.2%, 15g	≠1	1	2.47	Ultralan-D	SC
2678Y	Ointment 0.08%, 100g	≠1	..	3.32	Topodil	SC
1306R	0.2%, 15g	≠1	1	2.47	Ultralan-D	SC
1307T	(Anhydrous) 0.2%, 15g	≠1	1	2.47	Ultralan-D Fatty	SC
1204J	FLUOROMETHOLONE Eye Drops 0.1%, 5ml	≠1	6	3.76	FML Liquifilm	AG
2521Q	FLUOROURACIL Injection 250mg per 10ml	10	..	26.51	RO	
1435M	FLUOXYMESTERONE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	1	18.29	Halotestin	UP
2659Y	FLUPHENAZINE To be endorsed "S.P." Tablet 1mg	100	1	4.66	Anatensol	SQ
2660B	2.5mg	100	1	6.26	Anatensol	SQ
2661C	5mg	100	1	7.14	Anatensol	SQ
2662D	Elixir 500 micrograms per ml, 60ml	≠1	4	3.00	Anatensol	SQ
1046C	FLUPHENAZINE DECANOATE To be endorsed "S.P." Injection 12.5mg in 0.5ml	5	..	11.26	Modecate	SQ
3098C	25mg in 1ml	5	..	20.07	Modecate	SQ
1001Q	50mg in 2ml	5	..	27.32	Modecate	SQ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	FLUPHENAZINE ENANTHATE To be endorsed "S.P."			\$		
2663E	Injection 25mg in 1ml	5	..	10.95	Anatensol Enanthate	SQ
2958Q	FOLIC ACID Tablet 500 micrograms	100	..	2.49 2.50	DH,PT Folettes KL,SI	FM
1437P	5mg	100	2	2.61 2.64	DH,PT Folasic FM,KL,LP,PR,RT,SI	AV
1436N	Injection 15mg in 1ml	10	..	*6.08	AB	
	FOSFESTROL TETRASODIUM To be endorsed "S.P."					
1353F	Tablet 120mg	100	2	24.64	Honvan	BC
1352E	Injection 250mg in 5ml	10	..	14.39	Honvan	BC
	FRAMYCETIN					
3079C	Injection 500mg (solvent required)	1	2	6.79	Soframycin	RL
1439R	Eye Ointment 0.5%, 5g	≠1	..	2.64	Soframycin	RL
1440T	Eye and Ear Drops 0.5%, 8ml	≠1	2	2.99	Soframycin	RL
	FRUSEMIDE To be endorsed "S.P."					
2415D	Tablet 500mg	50	2	19.01 35.26	Urex-Forte Lasix	FM HP
	FRUSEMIDE					
2414C	Tablet 20mg	50	2	3.20 3.45	Urex-M Lasix-M	FM HP
2412Y	40mg	50	2	3.45 3.57 3.70	Urex Uremide Frusid Lasix	FM PT RO HP
2411X	Oral Solution 10mg per ml, 30ml	≠1	2	4.64	Lasix	HP
2413B	Injection 20mg in 2ml	5	..	4.54	Lasix	HP
	FUSIDIC ACID To be accompanied by an authority from the Director of Health.					
2312Q	Tablet (Sodium Salt) 250mg (enteric coated)	36	..	45.07	Fucidin	SK
2311P	Suspension 50mg per ml, 90ml	≠1	..	20.32	Fucidin	SK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1175W	GAMMA BENZENE HEXACHLORIDE Cream 1%, 200g	≠1	2	\$ 4.51	Lorexane IC
1176X	Head Lotion 0.2%, 200ml	≠1	..	3.51	Lorexane IC
1178B	Lotion Concentrate 1%, 200ml	≠1	..	3.51	Lorexane Concentrate IC
2699C	GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection: 1 amp containing 10,000 Units Perfringens; 10,000 Units Oedematiens; 5,000 Units Septicum	2	1	*51.52	CS
1067E	GENTAMICIN SULPHATE To be accompanied by an authority from the Director of Health. Injection 10mg (base) in 1ml	5	..	10.26 10.32	Cidomycin RL Garamycin SH
1068F	40mg (base) in 1ml	5	..	14.01 17.14	Garamycin SH BL Cidomycin RL
1168L	60mg (base) in 1.5ml	5	..	17.14 21.82	Garamycin SH BL Cidomycin RL
2824P	80mg (base) in 2ml	5	..	20.26 *26.51	Garamycin SH BL Cidomycin RL
2939Q	GLIBENCLAMIDE Tablet 5mg	100	2	12.14	Daonil HP Euglucon RC
1447E	GLUCAGON HYDROCHLORIDE Injection 1 I.U. with diluent	1	1	7.06	Novo NO LY
2909D	GLUCOSE INDICATOR - BLOOD Reagent Strips 25	≠1	2	5.26	BM-Test-Glycemie BO
1448F	GLUCOSE INDICATOR - URINE Test Dispenser 4m	≠1	2	4.14	Tes-Tape LY
2352T	Reagent Strips 100	≠1	2	3.39	BM-Test Glucose BO Clinistix AM
3104J	Reagent Strips 100	≠1	2	3.49	Diastix AM
3107M	GLUCOSE and KETONE INDICATOR - URINE Reagent Strips 100	≠1	2	3.90	Keto-Diastix AM
3135B	GLYCEROL To be endorsed "S.P." Suppositories 1g, 10	≠1	1	2.82	FA
2673Q	GLYCEROL 100ml	≠1	1	2.15	DH

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1453L	GLYCEROPHOSPHATE COMPOUND Syrup APF 1964, 100ml	≠1	4	\$ 2.45 2.54 2.57	MG Glyfosolix SI PR DH
1459T	GLYCERYL TRINITRATE Tablet 600 micrograms	100	2	2.76	Anginine Stabilised BW
2594M	GLYIMIDINE Tablet 500mg	100	2	6.57	Gondafon SC
	GRISEOFULVIN To be accompanied by an authority from the Director of Health.				
1460W	Tablet 125mg	100	..	7.82	Fulcin 125 Grisovin IC GL
2983B	330mg	28	..	6.96	Griseostatin SH
2982Y	500mg	28	..	7.57	Fulcin 500 Grisovin 500 IC GL
1461X	GUANETHIDINE Tablet 10mg	100	1	4.70 5.26	Antipres M Ismelin PT CB
1462Y	25mg	100	1	8.45 9.76	Antipres Ismelin PT CB
	HALOPERIDOL To be endorsed "S.P."				
2767P	Tablet 1.5mg	100	1	5.34	Serenace SR
2770T	5mg	50	1	7.51	Serenace SR
2768Q	Injection 5mg in 1ml	10	..	9.70	Serenace SR
	HEPARIN CALCIUM				
1234Y	Injection 5,000 Units in 0.2ml	5	5	7.82	Calciparine DF
1235B	5,000 Units in 0.5ml	5	5	7.82	Caprin CS
1053K	12,500 Units in 0.5ml	2	5	7.20 *7.22	Calciparine CS DF
1054L	25,000 Units in 1ml	2	5	9.07 *9.08	Calciparine CS DF
	HEPARIN SODIUM				
1466E	Injection BP, 5,000 Units in 0.2ml	5	5	6.51 6.95	BL GL
1467F	5,000 Units in 1ml	5	5	6.51 6.95	BL,WP BT,CS,GL
1469H	20,000 Units in 20ml	12	5	42.01 *42.06	BL CS
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1468G	HEPARIN SODIUM - cont. Injection BP, 25,000 Units in 5ml	2	5	\$ *9.08	BT,CS,WP
1076P	35,000 Units in 35ml	12	5	*91.62	CS,WP
3124K	HEXAMINE HIPPURATE Tablet 1g	100	2	7.76	Hiprex RK
1617D	HEXAMINE MANDELATE Tablet 250mg	100	2	2.89	Mandelamine WW
1618E	500mg	100	2	4.14	Mandelamine Hafgrams WW
2690N	1g	100	2	6.01	Mandelamine WW
2541R	HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15ml	≠1	2	3.45	AG,AQ
2542T	5%, 15ml	≠1	2	3.82	AG,AQ
1476Q	HYALURONIDASE Injection 1,500 I.U. (solvent required)	5	1	5.44	Hyalase FC
1640H	HYDRALAZINE HYDROCHLORIDE Tablet 25mg	100	2	5.39 5.76	Hyperex 25 Apresoline PT CB
1639G	50mg	100	2	7.51 8.07	Hyperex 50 Apresoline PT CB
1481Y	HYDRARGAPHEN Pessaries 5mg, 15	≠1	1	5.39	Versotrane Triple Strength WB
1484D	HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	3.35	Dichlotride Esidrex MK CB
1485E	50mg	50	2	4.51	Dichlotride Esidrex MK CB
1486F	HYDROCHLOROTHIAZIDE with AMILORIDE Tablet 50mg-5mg	30	2	3.75	Moduretic MK
1280J	HYDROCHLOROTHIAZIDE with TRIAMTERENE Tablet 25mg-50mg	30	2	3.75	Dyazide SK
1487G	HYDROCORTISONE Eye Drops 0.5%, 2ml	≠1	2	2.64	Scheroson F Ophthalmicum SC
1488H	0.5%, 5ml	≠1	2	2.95	Hycor SI
1489J	0.5%, 10ml	≠1	2	3.20	Hycor SI
1490K	1%, 3ml	≠1	2	2.95	Hycor SI
1491L	1%, 5ml (continued)	≠1	2	2.95	Hydrosone KL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1492M	HYDROCORTISONE - cont. Eye Drops 1%, 10ml	≠1	2	\$ 3.39	Hycor Hydrosone	SI KL
1493N	2.5%, 5ml	≠1	2	3.39	Hycor	SI
1494P	2.5%, 10ml	≠1	2	3.82	Hycor	SI
1496R	Eye Ointment 0.5%, 4g	≠1	..	2.82	Cortef Cortril Hydrosone	UP PF KL
1497T	0.5%, 5g	≠1	..	3.01	Hycor	SI
2441L	1%, 5g	≠1	..	3.07	Hycor Hydrosone	SI KL
2887Y	Cream 1%, 30g	≠1	1	2.95	Adacor Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC LP	AV UP PD KL PR SI SQ
2881P	1%, 50g	≠1	1	3.51	Adacor Cortef Hydrosone Procort Sigmacort Squibb-HC LP	AV UP KL PR SI SQ
2888B	Topical Ointment 1%, 30g	≠1	1	2.95	Adacor Cortef Dermacort "O" Procort Sigmacort Squibb-HC LP	AV UP PD PR SI SQ
2882Q	1%, 50g	≠1	1	3.51	Adacor Cortef Procort Sigmacort Squibb-HC LP	AV UP PR SI SQ
2794C	HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5ml	≠1	..	2.89	Neo-Cortef	UP
2795D	Ear Ointment 1.5%-0.5%, 4g	≠1	2	2.82	Neo-Cortef	UP
1498W	HYDROCORTISONE ACETATE To be endorsed "S.P." Injection 25mg in 1ml	5	..	4.45 4.57	Hydrocortone Hysone-A	MK PT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	HYDROCORTISONE SODIUM SUCCINATE To be endorsed "S.P."			\$		
3097B	Injection set containing equivalent of 500mg hydrocortisone and solvent	1	..	12.57	Solu-Cortef	UP
1501B	HYDROCORTISONE SODIUM SUCCINATE Injection Set containing equivalent of 100mg hydrocortisone and 2ml solvent	2	..	*6.52 *6.58	Nordicort Efcortelan Solu-Cortef	NR GL UP
3096Y	Set containing equivalent of 250mg hydrocortisone and solvent	1	..	7.07	Solu-Cortef	UP
1503D	HYDROFLUMETHIAZIDE Tablet 50mg	50	2	4.86	Di-Ademil Hydrenox	SQ BT
1504E	HYDROGEN PEROXIDE SOLUTION Solution 10 vol, 100ml	≠1	..	1.99	FA	
1512N	HYDROXYCHLOROQUINE Tablet 200mg	100	..	5.95	Plaquenil	WL
3093T	HYDROXYUREA Capsule 500mg	100	..	23.76	Hydrea	SQ
3042D	HYOSCINE BUTYLBROMIDE Injection 20mg in 1ml	5	..	3.82	Buscopan	BY
2956N	HYPROMELLOSE Eye Drops 0.5%, 15ml	≠1	6	2.79 2.82	IQ Isopto Tears Lacril Methopt	AQ AG SI
3198H	IBUPROFEN Tablet 200mg	50	2	3.39 3.49	Inflam Brufen	PT BT
3190X	400mg	50	2	4.14 4.20	Inflam Brufen	PT BT
2442M	IDOXURIDINE To be endorsed "S.P." Eye Drops 0.1%, 15ml	≠1	2	4.57	Herplex Stoxil	AG SK
2569F	Eye Ointment 0.5%, 5g	≠1	..	4.57	Stoxil	SK
2567D	IDOXURIDINE Topical Ointment 0.5%, 5g	≠1	..	2.71	Stoxil	SK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2420J	IMIPRAMINE Tablet 10mg	50	2	\$ 2.59	Imiprin PT Iramil KL Prodepress NK Tofranil GE
2421K	25mg	50	2	3.32 3.35 3.41	Imiprin PT Melipramine UW(N) Iramil KL Prodepress NK Tofranil GE
2719D	Injection I.M. 25mg in 2ml	10	..	5.95	Tofranil GE
2454E	INDOMETHACIN Capsule 25mg	50	2	4.07	Indocid MK Rheumacin PT
2757D	Suppository 100mg	20	2	8.09	Indocid MK
2851C	INFLUENZA VACCINE To be endorsed "S.P." Injection (Trivalent) 1ml	1	..	4.76	CS
1141C	INSECT ALLERGEN EXTRACT - BULL ANT Injection Set - strengths A,B,C each 5ml	1	..	33.51	CS
1139Y	Set - strengths A,B,C,D each 5ml	1	..	46.26	CS
1138X	Strength C, 5ml	1	..	13.51	CS
1142D	Strength D, 5ml	1	..	14.26	CS
2884T	INSECT ALLERGEN EXTRACT - HONEY BEE Injection Set - strengths A,B,C each 5ml	1	..	33.51	CS
2883R	Set - strengths A,B,C,D each 5ml	1	..	46.26	CS
2870C	Strength C, 5ml	1	..	13.51	CS
2885W	Strength D, 5ml	2	..	*27.02	CS
3022C	INSECT ALLERGEN EXTRACT - JUMPER ANT Injection Set - strengths A,B,C each 5ml	1	..	33.51	CS
3034Q	Set - strengths A,B,C,D each 5ml	1	..	46.26	CS
3025F	Strength C, 5ml	1	..	13.51	CS
3023D	Strength D, 5ml	1	..	14.26	CS
1473M	INSECT ALLERGEN EXTRACT - MOSQUITO Injection Set - strengths A,B,C each 5ml	1	..	33.51	CS
1474N	Set - strengths A,B,C,D each 5ml	1	..	46.26	CS
1471K	Strength C, 5ml	1	..	13.51	CS
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	INSECT ALLERGEN EXTRACT - MOSQUITO - cont. Injection			\$	
1475P	Strength D, 5ml	1	..	14.26	CS
	INSECT ALLERGEN EXTRACT - PAPER WASP Injection				
2959R	Set - strengths A,B,C each 5ml	1	..	33.51	CS
2948E	Set - strengths A,B,C,D each 5ml	1	..	46.26	CS
2919P	Strength C, 5ml	1	..	13.51	CS
2960T	Strength D, 5ml	1	..	14.26	CS
	INSULIN Injection (bovine)				
1710B	100 Units per ml, 10ml	5	2	*39.01	BT,BW,CS
1530M	300 Units per ml, 5ml	10	2	*116.56	CS
	INSULIN BIPHASIC Injection (mixed porcine/bovine)				
1723Q	100 Units per ml, 10ml	5	2	*39.01	Bitard CS
	INSULIN BIPHASIC PURIFIED To be endorsed "S.P."				
	Injection (mixed porcine/bovine)				
1425B	100 Units per ml, 10ml	5	2	*45.26	Rapitard M.C. Novo NO
	INSULIN ISOPHANE (N.P.H.) Injection (bovine)				
1711C	100 Units per ml, 10ml	5	2	*39.01	Hypurin Isophane WP Isotard CS BT,BW
	Injection (porcine)				
1712D	100 Units per ml, 10ml	5	2	*39.01	Isotard PC CS
	INSULIN ISOPHANE (N.P.H.) PURIFIED To be endorsed "S.P."				
	Injection (porcine)				
1426C	100 Units per ml, 10ml	5	2	*45.26	Leo Retard PT
	INSULIN ISOPHANE (N.P.H.) PURIFIED- INSULIN NEUTRAL PURIFIED, (MIXED) To be endorsed "S.P."				
	Injection (porcine)				
1427D	100 Units (70 Units-30 Units) per ml, 10ml	5	2	*45.26	Leo Mixtard PT
	INSULIN NEUTRAL Injection (bovine)				
1713E	100 Units per ml, 10ml	5	2	*39.01	Hypurin Neutral WP
	Injection (porcine)				
1714F	100 Units per ml, 10ml	5	2	*39.01	Nuralin CS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	INSULIN NEUTRAL PURIFIED To be endorsed "S.P."			\$	
1428E	Injection (porcine) 100 Units per ml, 10ml	5	2	*45.26	Actrapid M.C. Novo NO Leo PT
1715G	INSULIN PROTAMINE ZINC Injection (bovine) 100 Units per ml, 10ml	5	2	*39.01	BT,BW,CS
1716H	INSULIN ZINC SUSPENSION (Lente) Injection (bovine) 100 Units per ml, 10ml	5	2	*39.01	BT,BW,CS
1717J	Injection (porcine) 100 Units per ml, 10ml	5	2	*39.01	Lente PC CS
	INSULIN ZINC SUSPENSION PURIFIED To be endorsed "S.P."				
1429F	Injection (porcine) 100 Units per ml, 10ml	5	2	*45.26	Monotard M.C. Novo NO
1430G	Injection (mixed porcine/bovine) 100 Units per ml, 10ml	5	2	*45.26	Lente M.C. Novo NO
	INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente) Injection (bovine) 100 Units per ml, 10ml	5	2	*39.01	BT,BW,CS
1720M	Injection (porcine) 100 Units per ml, 10ml	5	2	*39.01	Semilente PC CS
	INSULIN ZINC SUSPENSION (AMORPHOUS) PURIFIED To be endorsed "S.P."				
1431H	Injection (porcine) 100 Units per ml, 10ml	5	2	*45.26	Semilente M.C. NO Novo
1721N	INSULIN ZINC SUSPENSION (CRYSTALLINE)(Ultralente) Injection (bovine) 100 Units per ml, 10ml	5	2	*39.01	BT,BW,CS
	INSULIN ZINC SUSPENSION (CRYSTALLINE) PURIFIED To be endorsed "S.P."				
1432J	Injection (bovine) 100 Units per ml, 10ml	5	2	*45.26	Ultralente M.C. NO Novo
	INTRAVENOUS FLUIDS (500ml and 1L) See Special Section				
1298H	IRON DEXTRAN Injection 2ml	5	..	4.95	Imferon FC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2764L	IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	\$ 2.57	Ferrum H	SI
2593L	Injection 100mg (Iron) in 2ml	5	..	5.32	Ferrum H	SI
1552Q	IRON SORBITOL Injection I.M. Trivalent Iron 2ml	5	..	5.32	Jectofer	AP
1553R	ISONIAZID Tablet 50mg	200	2	3.39	FM	
1554T	100mg	100	2	3.39	FM	
1557Y	ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	3.07	Isuprel	WL
2744K	30mg (sustained release)	100	2	9.07	Saventrine	PN
1555W	Inhalation 1 in 200, 15ml	≠1	1	3.07	Isuprel	WL
1556X	Injection 1 in 5,000, 1ml	5	..	5.95	Isuprel	WL
2953K	1 in 5,000, 5ml	5	..	8.14	Isuprel	WL
	KANAMYCIN To be endorsed "S.P."					
3101F	Injection 30mg in 1ml	5	1	7.76	Kanasig	SI
1562F	250mg in 2ml	5	..	10.26	Kanasig	SI
1563G	500mg in 2ml	5	..	12.26	Kanasig Kantrex	SI BC
1564H	1g in 3ml	5	..	14.32	Kanasig Kantrex	SI BC
2988G	KAOLIN with PECTIN Mixture 5.91g-132mg per 30ml, 375ml	≠1	2	3.01	Kaopectate	UP
	LACTULOSE To be endorsed "S.P."					
3064G	Mixture 3.34g per 5ml, 500ml	≠1	4	10.26	Duphalac	ET
3143K	LEVODOPA Tablet 100mg	50	2	4.95	Larodopa	RO
3144L	250mg	100	2	8.70	Larodopa	RO
3014P	500mg	250	2	27.82	Larodopa	RO
3076X	Capsule 100mg	50	2	5.17	Syndopa	FA
3077Y	250mg	100	2	9.07	Syndopa	FA
3078B	500mg	250	2	27.82	Syndopa	FA
2225D	LEVODOPA with BENSERAZIDE Capsule 100mg-25mg	100	2	14.70	Madopar-M	RO
2226E	200mg-50mg	100	2	22.51	Madopar	RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1244L	LEVODOPA with CARBIDOPA Tablet 100mg-10mg	100	2	\$ 14.70	Sinemet M	MK
1245M	250mg-25mg	100	2	27.76	Sinemet	MK
2913H	LEVONORGESTREL Tablet 30 micrograms, 28	2	2	*3.72	Microlut 28 Microval 28	SC WY
1455N	LEVONORGESTREL with ETHINYLOESTRADIOL Tablet 125 micrograms-50 micrograms, 21	2	2	*3.72	Microgynon 50	SC
1393H	150 micrograms-30 micrograms, 21	2	2	*3.72	Microgynon 30 Nordette 21	SC WY
3186Q	250 micrograms-50 micrograms, 21	2	2	*3.72	Neogynon Nordiol 21	SC WY
1457Q	Pack containing 11 tablets 50 micro- grams-50 micrograms and 10 tablets 125 micrograms-50 micrograms	2	2	*3.72	Biphasil 21	WY
1458R	Pack containing 11 tablets 50 micrograms-50 micrograms, 10 tablets 125 micrograms- 50 micrograms and 7 inert tablets	2	2	*3.72	Biphasil 28 Sequilar ED	WY SC
1456P	Pack containing 21 tablets 125 micrograms-50 micrograms and 7 inert tablets	2	2	*3.72	Microgynon 50 ED	SC
1394J	Pack containing 21 tablets 150 micrograms-30 micrograms and 7 inert tablets	2	2	*3.72	Microgynon 30 ED Nordette 28	SC WY
3188T	Pack containing 21 tablets 250 micrograms-50 micrograms and 7 inert tablets	2	2	*3.72	Neogynon ED Nordiol 28	SC WY
2875H	LIGNOCAINE Injection 100mg in 5ml	2	..	4.01	Xylocard 100	AP
2861N	I.M. 300mg in 3ml	1	..	4.32	Xylocard 300 I.M.	AP
2876J	Infusion 500mg in 5ml	5	..	5.87	Xylocard 500	AP
3084H	LINCOMYCIN To be endorsed "S.P." Injection 300mg in 1ml	5	..	6.70	Lincocin SS Paediatric	UP
2530E	600mg in 2ml	5	..	8.07	Lincocin	UP
2318B	LIOTHYRONINE Tablet 20 micrograms	100	1	3.20	Tertroxin	GL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3059B	LITHIUM CARBONATE Tablet 250mg	100	2	\$ 3.39 3.89	Camcolit Lithicarb Manialith DH	NE PT MN
2401J	LYPRESSIN Nasal Spray 50 Units per ml, 5ml	10	2	*46.56	Vasopressin	SZ
	MAFENIDE ACETATE To be accompanied by an authority from the Director of Health.					
2940R	Cream 11.2%, 454g	#1	..	16.70	Sulfamylon	WL
2585C	MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	3.07	Maalox	BT
2160Q	Mixture 375mg per 5ml, 500ml	#1	4	3.39	Maalox	BT
1577B	MAGNESIUM SULPHATE Paste 50g	#1	1	2.51	Magnoplasm	FA
1576Y	100g	#1	1	2.91	Magnoplasm	FA
	MANNITOL See Intravenous Fluids.					
1579D	MEBHYDROLIN Tablet 50mg	50	2	2.80	Fabahistin	BN
1580E	Paediatric Suspension 50mg per 5ml, 100ml	#1	4	2.51	Fabahistin	BN
1583H	MECLOZINE Tablet 25mg	50	2	2.82	Ancolan	AH
	MEDROXYPROGESTERONE To be endorsed "S.P."					
2320D	Tablet 2.5mg	25	..	4.39	Provera	UP
2321E	10mg	100	2	26.57	Provera	UP
2725K	100mg	100	2	66.57	Provera	UP
2319C	Injection 50mg in 1ml	1	..	4.70	Depo-Provera	UP
3118D	150mg in 1ml	1	..	9.27	Depo-Provera	UP
3197G	MEDRYSONE Eye Drops 1%, 5ml	#1	6	3.76	HMS Liquifilm	AG
1823Y	MEFRUSIDE Tablet 25mg	50	2	4.14	Baycaron	BN
2547C	MELPHALAN Tablet 2mg	100	2	*45.02	Alkeran	BW
2548D	5mg	100	2	*75.02	Alkeran	BW
1598D	MERCAPTOPURINE Tablet 50mg	50	1	*35.88	Purinethol	BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	METFORMIN To be endorsed "S.P."			\$		
2430X	Tablet 500mg	100	2	9.10	Glucophage	RN
1605L	500mg (sustained release)	100	2	9.11	Diabex S.R.	DF
	METHACYCLINE					
2397E	Capsule 150mg	21	..	4.20	Randomycin	WW
2901Q	300mg	11	..	4.20	Randomycin	WW
	METHADONE To be endorsed "S.P."					
1608P	Tablet 5mg	20	..	3.36	Physeptone	BW
1609Q	10mg	20	..	3.55	Physeptone	BW
1606M	Injection 10mg in 1ml	5	..	6.36	Physeptone	BW
	METHANDIENONE To be accompanied by an authority from the Director of Health.					
1610R	Tablet 5mg	100	1	11.01	Dianabol	CB
	METHDILAZINE					
1614Y	Tablet 4mg	50	2	2.70	Dilosyn	AH
1615B	8mg	50	2	2.84	Dilosyn	AH
	METHDILAZINE To be endorsed "S.P."					
1612W	Tablet 4mg	100	2	*4.14	Dilosyn	AH
1613X	8mg	100	2	*4.42	Dilosyn	AH
	METHENOLONE ACETATE To be accompanied by an authority from the Director of Health.					
1619F	Tablet 1mg	100	1	*5.52	Primobolan	SC
1620G	5mg	100	1	*13.52	Primobolan	SC
	METHICILLIN To be endorsed "S.P."					
2323G	Injection 1g (solvent required)	5	1	16.45	Metin	CS
	METHOIN					
1621H	Tablet 100mg	200	1	7.76	Mesantoin	SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	METHOTREXATE To be accompanied by an authority from the Director of Health.			\$		
1622J	Tablet 2.5mg	100	..	17.82	LE	
2393Y	Injection 5mg (solvent required)	5	..	*20.31	LE	
2394B	50mg (solvent required)	5	..	*57.81	LE	
2398F	METHSUXIMIDE Capsule 300mg	200	1	13.07	Celontin	PD
1624L	METHYCLOTHIAZIDE Tablet 2.5mg	50	2	3.32	Enduron-M	AB
1625M	5mg	50	2	4.07	Enduron	AB
3194D	METHYLDOPA Tablet 125mg	100	2	6.07	Aldomet-M	MK
1629R	250mg	100	2	8.20	Aldomet	MK
1632X	METHYLERGOMETRINE Tablet 125 micrograms	25	1	3.70	Methergin	SZ
1633Y	METHYLPHENOBARBITONE To be endorsed "S.P." Tablet 30mg	200	1	3.51	Prominal FM	WL
1634B	60mg	200	1	3.89	Prominal FM	WL
1635C	200mg	200	1	6.76	Prominal FM	WL
1927K	METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	#1	..	3.07	Medrol	UP
1928L	METHYLPREDNISOLONE ACETATE To be endorsed "S.P." Injection 40mg in 1ml	5	..	14.07	Depo-Medrol	UP
2981X	METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1ml	5	..	*14.06	Solu-Medrol	UP
1641J	METHYL SALICYLATE Liniment APF, 100ml	#1	1	2.54 2.56 2.57	Emsalin SI,TO MG PR,QE(NQ)	DH

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	METHYLTESTOSTERONE To be endorsed "S.P."			\$		
3151W	Tablet 5mg	100	2	3.80 3.82	Testomet ET	PT
2112E	25mg	100	2	7.14 7.20	Testomet ET	PT
2113F	50mg	100	2	10.82 10.95	Testomet ET	PT
	METHYSERGIDE To be endorsed "S.P."					
2826R	Tablet 1mg	100	2	17.45	Deseril	SZ
	METOCLOPRAMIDE HYDROCHLORIDE To be accompanied by an authority from the Director of Health.					
1208N	Tablet 10mg	100	..	11.45	Metamide Primperan	PT BQ
	METOCLOPRAMIDE HYDROCHLORIDE Injection 10mg in 2ml	10	..	4.57	Maxolon Primperan	BR BQ
	METOPROLOL To be endorsed "S.P."					
1325R	Tablet 100mg	50	2	8.45	Betaloc Lopresor	AP GE
	METRONIDAZOLE Tablet 200mg	21	1	3.45 3.57	Trichozole Flagyl	PT MB
1276E	MICONAZOLE NITRATE Cream 2%, 20g	≠1	1	4.07	Daktarin	JP
1273B	Vaginal Cream 2%, 40g	≠1	..	4.70	Gyno-Daktarin 7 Monistat 7	JP ET
	MILK POWDER - COWS' MILK, PROCESSED To be endorsed "S.P."					
1283M	Lactose-Predigested Powder Infant Formula 500g	2	..	*9.02	De-Lact Infant	SJ
	To be accompanied by an authority from the Director of Health.					
1284N	Lactose-Predigested Powder 500g	2	20	*9.02	Digestelact	SJ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	MILK POWDER - SYNTHETIC To be accompanied by an authority from the Director of Health.			\$	
3092R	Low Calcium Compound Powder 397g	2	20	*20.76	Locasol MN
1637E	Low Lactose Compound Powder 397g	2	20	*22.02	Galactomin Formula 17 MN
2685H	Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g	2	20	*53.02	Galactomin Formula 19 MN
	MINERAL MIXTURE (For use with Amino Acid Formula without Phenylalanine) To be endorsed "S.P."				
1451J	Powder 250g	≠1	..	13.45	Aminogran M.M. GL
3037W	MINOCYCLINE Capsule 100mg	11	..	4.20	Minomycin LE
	MITHRAMYCIN To be endorsed "S.P."				
1924G	Injection 2.5mg (solvent required)	5	..	*89.81	Mithracin PF
	MORPHINE with TACRINE To be endorsed "S.P."				
1667R	Tablet 30mg-15mg	50	..	11.55	Mortha WH
	MORPHINE with TACRINE				
1663M	Injection 15mg-13mg in 1.5ml	5	..	3.74	Mortha WH
1664N	30mg-13mg in 1.5ml	5	..	3.80	Mortha WH
1666Q	30mg-30mg in 1.5ml	5	..	4.36	Mortha WH
	MORPHINE SULPHATE				
1644M	Injection 10mg in 1ml	5	..	3.27	AB,BL,KL,LP,SI
1645N	15mg in 1ml	5	..	3.36	AB,BL,KL,LP,SI
1647Q	30mg in 1ml	5	..	3.67	AB,BL,KL
	MORPHINE SULPHATE with ATROPINE SULPHATE				
1661K	Injection 15mg-600 micrograms in 1ml	5	..	3.49	BL
	MUSTINE				
1668T	Injection 10mg (solvent required)	1	..	5.51	BT
	NALORPHINE				
3196F	Injection 1mg in 1ml	5	..	6.64	Lethidrone BW
1669W	10mg in 1ml	5	1	9.14	Lethidrone BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	NANDROLONE DECANOATE To be accompanied by an authority from the Director of Health.			\$	
1671Y	Injection 50mg in 1ml	1	1	9.76	Deca-Durabolin OR
	NANDROLONE PHENYLPROPIONATE To be accompanied by an authority from the Director of Health.				
1672B	Injection 25mg in 1ml	3	1	9.76	Durabolin OR
1317H	NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15ml	≠1	2	2.95	Albalon Liquifilm AG
1674D	NAPROXEN Tablet 250mg	50	2	5.91	Naprosyn SD
2807R	NATAMYCIN Tablet 100mg	50	..	7.64	Pimafulcin GB
2877K	Suspension 1%, 5ml	≠1	1	3.14	Pimafulcin GB
2519N	Cream 20mg per g, 15g	≠1	1	3.20	Pimafulcin GB
2520P	Pessaries 25mg, 20	≠1	..	4.82	Pimafulcin GB
2954L	NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE Ear Ointment 1%-0.35% (base)-1%, 5g	≠1	2	2.57	Pimafulcort Otic GB
	NEOMYCIN To be endorsed "S.P."				
2325J	Tablet 500mg	25	1	9.07	Neosulf ET,KL PT
	NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base), 10ml	≠1	2	2.95	Neopt SI
2296W	NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg (3.5mg base)- 400 Units per g, 10g	≠1	..	2.89	Nemdyn HA
1675E	NEOSTIGMINE Tablet 15mg	100	2	5.14	Prostigmin RO
1676F	Injection 500 micrograms in 1ml	5	3	2.70	Prostigmin RO
1677G	2.5mg in 1ml	5	3	3.01	Prostigmin RO
1679J	Eye Drops 3%, 7.5ml	≠1	6	3.76	Prostigmin RO
1680K	NICLOSAMIDE Tablet 500mg	4	..	3.26	Yomesan BN
	NICLOSAMIDE To be endorsed "S.P."				
1681L	Tablet 500mg	16	..	*9.26	Yomesan BN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NICOTINIC ACID To be endorsed with the pension number.			\$		
1684P	Tablet 25mg	100	2	2.51	DH,KL,LP	
1685Q	50mg	100	2	2.57	DH,KL,LP,RT,SI	
1686R	100mg	100	2	2.70	DH,KL	
1687T	250mg	100	2	2.82	DH,LP	
2723H	NITRAZEPAM Tablet 5mg	25	..	2.57	Dormicum Mogadon	PT RO
	NITROFURANTOIN To be endorsed "S.P."					
1689X	Tablet 50mg	25	1	4.42	Furadantin	NW
1690Y	100mg	25	1	6.22	Furadantin	NW
1692C	Capsule 50mg	30	1	5.20	Macrochantin	NW
1693D	100mg	30	1	7.45	Macrochantin	NW
1691B	Paediatric Suspension 25mg per 5ml, 200ml	#1	..	3.86	Furadantin	NW
1695F	NORADRENALINE Injection 1 in 10,000, 2ml	5	..	5.67	Levophed	WL
1694E	Infusion 1 in 1,000, 2ml	5	..	6.57	Levophed	WL
	NORETHISTERONE To be endorsed "S.P."					
2993M	Tablet 5mg	30	5	4.32	Primolut N	SC
1967M	NORETHISTERONE Tablet 350 micrograms, 28	2	2	*3.72	Micronor Noriday	ET SD
2772X	NORETHISTERONE with ETHINYLOESTRADIOL Tablet 500 micrograms-35 micrograms, 21	2	2	*3.72	Brevinor Modicon	SD ET
2773Y	1mg-35 micrograms, 21	2	2	*3.72	Brevinor-1	SD
2774B	Pack containing 21 tablets 500 micrograms-35 micrograms and 7 inert tablets	2	2	*3.72	Brevinor Modicon	SD ET
2775C	Pack containing 21 tablets 1mg- 35 micrograms and 7 inert tablets	2	2	*3.72	Brevinor-1	SD

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3176E	NORETHISTERONE with MESTRANOL Tablet 1mg-50 micrograms, 21	2	2	\$ *3.72	Norinyl-1' Ortho-Novum 1/50	SD ET
3177F	1mg-80 micrograms, 21	2	2	*3.72	Ortho-Novum 1/80	ET
3178G	2mg-100 micrograms, 21	2	2	*3.72	Norinyl-2 Ortho-Novum 2	SD ET
3179H	Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	*3.72	Norinyl-1/28 Ortho-Novum 1/50	SD ET
	NORETHISTERONE ACETATE To be endorsed "S.P."					
1182F	Tablet 2.5mg	30	5	3.76	Primolut Nor	SC
2865T	10mg	100	2	24.07	SH420	SC
	NORETHISTERONE ACETATE with ETHINYLOESTRADIOL					
3180J	Tablet 1mg-50 micrograms, 21	2	2	*3.72	Minovlar	SC
3181K	3mg-50 micrograms, 21	2	2	*3.72	Gynovlar	SC
3182L	4mg-50 micrograms, 21	2	2	*3.72	Anovlar	SC
3183M	Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	*3.72	Minovlar ED Orlest	SC PD
3184N	Pack containing 21 tablets 2.5mg- 50 micrograms and 7 inert tablets	2	2	*3.72	Norlestrin	PD
	NORETHYNODREL with MESTRANOL					
3185P	Tablet 2.5mg-100 micrograms, 21	2	2	*3.72	Conovid-E	SR
	NORGESTREL with ETHINYLOESTRADIOL Tablet					
1442X	500 micrograms-50 micrograms, 20	2	2	*3.72	Duoluton	SC
3187R	500 micrograms-50 micrograms, 21	2	2	*3.72	Eugynon Ovral	SC WY
3189W	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*3.72	Eugynon ED Ovral 28	SC WY
	NORTRIPTYLINE					
2522R	Tablet 10mg	50	2	2.55	Allegron Nortab	DL SQ
2523T	25mg	50	2	3.35	Allegron Nortab	DL SQ
	Paediatric Elixir					
2524W	10mg per 5ml, 100ml	≠1	4	2.51	Allegron	DL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	NUTRAMIGEN To be accompanied by an authority from the Director of Health.			\$	
2564Y	Powder 500g	2	20	*15.84	Glucose Nutramigen MJ
1696G	NYSTATIN Tablet 500,000 Units	50	..	7.30	Diastatin GP Mycostatin SQ Nilstat LE
1699K	Capsule 500,000 Units	50	..	7.30	Mycostatin SQ
3033P	Mixture 100,000 Units per ml, 24ml	≠1	1	3.70	Mycostatin SQ Nilstat LE
1698J	Cream 100,000 Units per g, 15g	≠1	1	3.07	Mycostatin SQ Nilstat LE
1318J	Gel 100,000 Units per g, 15g	≠1	1	3.07	Mycostatin SQ
1179C	Ointment 100,000 Units per g, 15g	≠1	1	3.07	Mycostatin SQ Nilstat LE
1697H	Pessaries 100,000 Units, 15	≠1	1	3.30	Diastatin GP Mycostatin SQ Nilstat LE
3163L	Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	≠1	1	3.57	Mycostatin SQ
3102G	100,000 Units per 5g, 75g (15 doses)	≠1	1	3.57	Diastatin GP Nilstat LE
1061W	OESTRADIOL VALERATE Injection 10mg in 1ml	3	..	9.01	Primogyn Depot SC
1700L	OESTRONE Pessaries 1,000 Units, 12	≠1	1	4.01	Kolpon OR
1701M	10,000 Units, 12	≠1	1	5.76	Kolpon OR
2333T	ORCIPRENALINE Tablet 20mg	100	2	5.57	Alupent BY
2828W	Syrup 10mg per 5ml, 300ml	≠1	4	3.95	Alupent BY
2332R	Inhalation Solution for use in HAND NEBULISER 5%, 7.5ml	≠1	..	3.32	Alupent BY
2783L	for use in RESPIRATOR or JET NEBULISER 2%, 75ml	≠1	..	8.01	Alupent BY
2784M	Inhalation, metered aerosol spray replacement pack, 15mg per ml, 15ml (300 dose)	≠1	1	4.45	Alupent BY
2627G	ORPHENADRINE HYDROCHLORIDE To be endorsed "S.P." Tablet 50mg	100	2	4.45	Disipal RK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3132W	OXAZEPAM Tablet 15mg	50	..	\$ 2.55 2.60	Benzotran Murelax Serepax	PT AY WY
3133X	30mg	50	..	2.95	Benzotran Murelax Serepax	PT AY WY
2942W	OXPRENOLOL Tablet 20mg	100	2	5.76	Trasicor	CB
2961W	40mg	100	2	8.07	Trasicor	CB
2941T	Injection 2mg (solvent required)	5	..	5.57	Trasicor	CB
2622B	XYCODONE HYDROCHLORIDE To be endorsed "S.P." Tablet 5mg	20	..	3.74	Endone	EN
2902R	XYMETHOLONE To be accompanied by an authority from the Director of Health. Tablet 50mg	100	..	62.51	Anapolon	SD
2903T	100mg	100	..	123.45	Adroyd	PD
1724R	XYTETRACYCLINE Capsule 250mg	25	..	3.39	Bramcycline Terramycin	MF PF
1064B	Ointment 3%, 15g	≠1	..	2.80	Terramycin	PF
1727X	XYTOCIN Injection 2 Units in 2ml	5	..	3.64	Syntocinon	SZ
1729B	5 Units in 1ml	5	..	3.76	Syntocinon	SZ
1730C	10 Units in 1ml	5	..	3.89	Syntocinon	SZ
2400H	XYTOCIN with ERGOMETRINE Injection 5 Units and 500 micrograms in 1ml	5	..	4.14	Syntometrine	SZ
1735H	PANCREATIN ENZYME To be endorsed "S.P." 4 times USNF.XIII strength Tablet 325mg	500	1	29.70	Viokase	RS
1736J	Powder 250g	≠1	2	22.82	Viokase	RS
1737K	5 times USNF.XIV strength Capsule 305mg	500	1	32.76	Viokase	RS
2497K	PANCRELIPASE To be endorsed "S.P." Capsule 300mg	250	1	29.70	Cotazym	OR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1740N	PAPAVERTUM Tablet 10mg	20	..	\$ 3.67	Omnopon	RO
1739M	Injection 20mg in 1ml	5	..	3.42	Omnopon AB	RO
1741P	PAPAVERTUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1ml	5	..	3.49	Omnopon- Scopolamine	RO
1746X	PARACETAMOL Tablet 500mg	50	1	2.44 2.51	Ceetamol Bramcetamol Dymadon Langesic Panacete Panamax Paralgin Parasin Parmol PCL	PT MF BW BT PR WL FM AV KL DH
1747Y	Mixture 120mg per 5ml, 100ml	#1	4	2.51	Dymadon Panamax Parmol	BW WL KL
1754H	PARALDEHYDE Injection 5ml	5	1	4.39	BL	
1758M	PARAMETHASONE Tablet 2mg	30	2	2.82	Metilar	SD
2721F	PENICILLAMINE To be accompanied by an authority from the Director of Health. Tablet 125mg	100	..	17.51	D-Penamine Perdolat	DL KN
2838J	250mg	100	..	28.76	D-Penamine Perdolat	DL KN
2722G	Capsule 250mg	100	..	28.76	Cuprimine	MK
1762R	PENICILLINASE Injection set containing 0.8megaU and 1ml solvent	1	..	18.82	Compenase	CS
2944Y	PENTAZOCINE To be endorsed "S.P." Injection 60mg in 2ml	5	..	5.07	Fortral	WL
1821W	NOTE: Pentazocine is classed as a dangerous drug (S8) in certain States. Payment will include the appropriate fee where applicable. PENTOLINIUM TARTRATE Injection 5mg per ml, 10ml	1	1	5.89	Ansolyzen	MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PERHEXILINE MALEATE To be accompanied by an authority from the Director of Health.			\$	
1822X	Tablet 100mg	100	..	17.26	Pexid ML
	PERICYAZINE To be endorsed "S.P."				
3052P	Tablet 2.5mg	100	1	3.32	Neulactil MB
3053Q	10mg	100	1	6.20	Neulactil MB
3055T	Mixture 2.5mg per 5ml, 100ml	≠1	4	2.95	Neulactil MB
	PERITONEAL DIALYSIS SOLUTION Injection				
2410W	with 1.36% Anhydrous Dextrose, 1L	20	1	*\$1.46	Diasol AB
3192B	with 3.86% Anhydrous Dextrose, 1L	20	1	*\$1.46	Diasol AB
	PETHIDINE				
1828F	Injection BP, 50mg in 1ml	5	..	3.17	Pethoid AB,BL,LP,SI BW
1829G	100mg in 2ml	5	..	3.22	Pethoid AB,BL,KL,LP,SI BW
	PHENELZINE To be accompanied by an authority from the Director of Health. CAUTION: This drug is a monoamine oxidase inhibitor.				
2856H	Tablet 15mg	50	..	5.01	Nardil WW
	PHENETHICILLIN				
1839T	Tablet 125mg	25	1	2.82	Optipen CS Pensig SI
1840W	250mg	25	1	3.22	Optipen CS Pensig SI
1837Q	Capsule 125mg	25	1	2.82	Pensig SI
1838R	250mg	25	1	3.22	Optipen CS Pensig SI
3088M	500mg	12	1	3.16	Optipen CS Pensig SI
	Powder for Syrup				
3120F	125mg per 5ml, 100ml	≠1	1	#3.60	Optipen CS Pensig 125 SI
3121G	250mg per 5ml, 100ml	≠1	1	#4.21	Pensig 250 SI
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PHENETHICILLIN - cont. To be endorsed "S.P."			\$	
1706T	Tablet 125mg	50	5	*4.38	Optipen Pensig CS SI
1707W	250mg	50	5	*5.18	Optipen Pensig CS SI
1708X	Capsule 125mg	50	5	*4.38	Pensig SI
1709Y	250mg	50	5	*5.18	Optipen Pensig CS SI
	PHENINDIONE				
1843B	Tablet 10mg	100	2	4.70	Dindevan GL
1844C	50mg	100	2	6.20	Dindevan GL
	PHENIRAMINE				
1846E	Tablet 10mg	50	2	2.51	Fenamine-M FM
1847F	50mg	50	2	2.80	Avil Fenamine HP FM
1848G	Paediatric Syrup 15mg per 5ml, 100ml	≠1	4	2.51	Fenamine FM
	PHENOBARBITONE To be endorsed "S.P."				
1849H	Tablet 15mg	200	1	3.01	DH, FM, KL
1850J	30mg	200	1	3.07	DH, FM, KL, RT, SI
1851K	60mg	200	1	3.39	DH, FM, KL
1852L	100mg	200	1	4.01	DH, FM
	PHENOBARBITONE SODIUM				
1853M	Injection 200mg in 1ml	5	..	3.20	BL, FM
	PHENOXYBENZAMINE To be accompanied by an authority from the Director of Health.				
1862B	Capsule 10mg	100	..	6.35	Dibenyline SK
	PHENOXYMETHYLPENICILLIN				
1786B	Tablet 125mg	25	1	2.82	Abbocillin-V L.P.V. CS PVK LY P.V.O. FM
1787C	250mg	25	1	3.12	Abbocillin-VK AB Adacillin AV Bramcillin MF Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3028J	PHENOXYMETHYLPENICILLIN - cont. Tablet 500mg	12	1	\$ 2.96	Abbocillin-VK AB L.P.V. CS PVK LY P.V.O. FM
1788D	Capsule 125mg	25	1	2.82	P.V.O. FM
1789E	250mg	25	1	3.12	Abbocillin-VK AB Adacillin AV Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
2965C	500mg	12	1	2.96	Cilicaine VK SI Falcopen VK FA L.P.V. CS P.V.O. FM
2356B	Paediatric Suspension 125mg per 5ml, 100ml	≠1	1	3.01	Abbocillin-V AB Cilicaine V SI Falcopen V FA L.P.V. CS
2354X	Suspension 250mg per 5ml, 100ml	≠1	1	3.57	Abbocillin-V AB Cilicaine V SI Falcopen V FA L.P.V. Aqueous Forte CS
	PHENOXYMETHYLPENICILLIN To be endorsed "S.P."				
1702N	Tablet 125mg	50	5	*4.38	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
1703P	250mg	50	5	*4.98	Abbocillin-VK AB Adacillin AV Bramcillin MF Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
1704Q	Capsule 125mg	50	5	*4.38	P.V.O. FM
1705R	250mg	50	5	*4.98	Abbocillin-VK AB Adacillin AV Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1863C	PHENSUXIMIDE Capsule 500mg	200	1	\$ 14.20	Milontin PD
1865E	PHENYLALANINE LOW CONTENT FORMULA Powder 2.5 lb	2	2	*67.76	Lofenalac MJ
1867G	PHENYLBUTAZONE Tablet 100mg	50	2	2.80	Butacal LF Butazone PT Butoroid RT Butalgin FM Buzon KL
1868H	100mg (enteric coated)	50	2	2.82	Butazolidin GE
2435E	Capsule 100mg	50	2	2.82	Buzon KL
2754Y	Injection 600mg in 3ml	5	..	4.64	Butazolidin GE
2755B	Suppositories 250mg, 20	#1	2	6.20	Butazolidin GE
2455F	PHENYLEPHRINE Compound Ointment 60g	#1	1	3.01	Hemorex WL
1869J	Compound Suppositories, 12	#1	1	3.01	Hemorex WL
2829X	Eye Drops 0.12%, 15ml	#1	2	2.82	Isopto Frin AQ Prefrin AG
2649K	10%, 5ml	#1	..	3.57	Neo-Synephrine WL
1249R	PHENYTOIN Tablet 50mg	200	1	5.39	Dilantin Infatabs PD
2692Q	Paediatric Suspension 30mg per 5ml, 500ml	#1	3	4.76	Dilantin PD
1872M	PHENYTOIN SODIUM Tablet 100mg	200	1	4.82	FM
1873N	Capsule 30mg	200	1	5.89	Dilantin Sodium PD
1874P	100mg	200	1	6.14	Dilantin Sodium PD RY
3035R	Injection 100mg in 2ml	1	..	5.20	Dilantin Sodium PD
1871L	250mg in 5ml	1	..	6.32	Dilantin Sodium PD
2466T	PHOLCODINE Linctus 0.1%, 100ml	#1	2	2.22 2.39	Pholtrate MG Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin Red DH Sedlingtus RT Tussinol GP PR,RT,SI(V)

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1877T	PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	\$ 4.64	Talecid	SC
1878W	PTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	4.64	Phthazol	KL
1879X	PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15ml	≠1	6	4.07	IQ	
1880Y	0.5%, 15ml	≠1	6	4.45	IQ	
1881B	PHYTOMENADIONE Injection 1mg	5	..	3.57	Konakion	RO
1882C	10mg	5	..	5.32	Konakion	RO
2778F	PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15ml	≠1	6	2.95	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2595N	1%, 15ml	≠1	6	3.01	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2596P	2%, 15ml	≠1	6	3.14	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2597Q	3%, 15ml	≠1	6	3.26	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2598R	4%, 15ml	≠1	6	3.39	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2779G	6%, 15ml	≠1	6	3.89	Isopto Carpine Pilopt P.V. Carpine	AQ SI AG
2137L	PILOCARPINE HYDROCHLORIDE with ADRENALINE Eye Drops 1%-0.5%, 15ml	≠1	6	3.32	E-Carpine	AQ
2138M	2%-0.5%, 15ml	≠1	6	3.45	E-Carpine	AQ
2139N	3%-0.5%, 15ml	≠1	6	3.57	E-Carpine	AQ
2140P	4%-0.5%, 15ml	≠1	6	3.70	E-Carpine	AQ
2141Q	6%-0.5%, 15ml	≠1	6	4.20	E-Carpine	AQ
3062E	PINDOLOL Tablet 5mg	100	2	8.07	Visken	SZ
3063F	Injection 400 micrograms in 2ml	5	..	5.57	Visken	SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1899Y	PITUITARY, POSTERIOR LOBE Insufflation 30 Antidiuretic Unit Capsule	100	2	\$ 9.26	Di-Sipidin ST
3074T	PIZOTIFEN MALATE To be endorsed "S.P." Tablet 500 micrograms (base)	100	2	9.51	Sandomigran SZ
1901C	PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	*6.76	CS
2584B	POLYESTRADIOL To be endorsed "S.P." Injection set containing 40mg and 2ml solvent	1	..	7.26	Estradurin AY
1904F	POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	≠1	2	2.95	Aerosporin BW
1908K	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg (base) per ml, 15ml	≠1	..	2.95	Neotracin ET
1910M	Eye Ointment 5,000 Units-400 Units-5mg per g, 4g	≠1	..	2.70	Mycitracin Neosporin UP BW
1911N	POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg-25 micrograms per ml, 10ml	≠1	2	3.20	Neosporin BW
2790W	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)- 10mg per ml, 7ml	≠1	2	2.95	Aerocortin BW
2682E	POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	≠1	6	3.26	Liquifilm Tears AG
2373X	POTASSIUM To be accompanied by an authority from the Director of Health. Effervescent Tablet 6.5mEq K ⁺	100	..	3.45	Potavescent PT
2592K	25mEq K ⁺	30	..	3.57	K-Lyte MJ
2642C	POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	3.07	K-San Slow-K Span-K PR CB PT
3012M	Effervescent Tablet 14mEq K ⁺ and 8mEq Cl ⁻ (continued)	30	2	3.20	Chlorvescent PT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2625E	POTASSIUM CHLORIDE - cont. Elixir 1.5g per 15ml, 500ml	≠1	2	\$ 3.26	Kay Ciel	SC
1097R	Sterile Solution 0.746g in 10ml (7.46%) for preparation of injection	5	..	4.07	AB	
2975N	Sterile Solution 1g in 10ml (10%) for preparation of injection	5	..	4.07	AB	
	Injection Standard Maintenance Fluids - See Intravenous Fluids					
2336Y	PRALIDOXIME IODIDE Injection 500mg	5	..	12.82	AB	
1479W	PRAZOSIN HYDROCHLORIDE Tablet 1mg (base)	100	2	6.95	Minipress	PF
1480X	2mg (base)	100	2	9.70	Minipress	PF
1478T	5mg (base)	100	2	15.01	Minipress	PF
3152X	PREDNISOLONE Tablet 1mg	100	1	3.20	Panafcortelone	PT
1917X	5mg	30	2	2.44 2.45	Panafcortelone Adnisolone Delta-Cortef Deltasolone Precortisyl Prelone Solone PR	PT AV UP KL RL LF FM
1916W	25mg	30	1	4.31 4.32	Panafcortelone Solone	PT FM
1918Y	Eye Ointment 0.5%, 4g	≠1	..	3.07	Delta-Cortef	UP
	PREDNISOLONE ACETATE To be endorsed "S.P."					
1919B	Injection 10mg in 1ml	5	..	*8.06	Scherisolon	SC
2684G	PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	≠1	6	3.57	Sterofrin Ultracortenol	AQ ZY
	PREDNISOLONE ACETATE with PHENYLEPHRINE To be endorsed "S.P."					
3112T	Eye Drops 1%-0.12%, 10ml	≠1	2	4.70	Prednefrin Forte	AG

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	PREDNISOLONE SODIUM PHOSPHATE To be endorsed "S.P."			\$		
1920C	Retention Enema 20mg in 100ml	7	..	14.52	Predsol	GL
2554K	Suppositories equivalent to 5mg prednisolone, 10	#1	..	5.97	Predsol	GL
1922E	PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5ml	#1	6	3.64	Codelsol Predsol	MK GL
3099D	PREDNISOLONE STEAGLATE Tablet 6.65mg	30	2	2.51	Sintisone	EC
2471C	PREDNISOLONE TERTIARYBUTYLACETATE To be endorsed "S.P."					
	Injection 20mg in 1ml	5	..	7.70	Codelcortone TBA	MK
1934T	PREDNISON Tablet 1mg	100	1	3.20	Panafcort	PT
1935W	5mg	30	2	2.44	Panafcort	PT
				2.45	Adasone Decortisyl Deltasone Presone Propred Sone LP,PR	AV RL KL LF NK FM
1936X	25mg	30	1	4.31 4.32	Panafcort Sone	PT FM
1937Y	PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	4.81	IC	
1939C	PRIMIDONE Tablet 250mg	200	1	5.89	Midone Mysoline	PT IC
1940D	PROBENECID Tablet 500mg	100	2	8.20 8.22	Procid Benemid	PT FR
2653P	PROCAINAMIDE Capsule 250mg	100	2	5.82	Pronestyl	SQ
1074M	375mg	100	2	7.20	Pronestyl	SQ
1941E	Injection 100mg per ml, 10ml	2	..	*6.08	Pronestyl	SQ
1791G	PROCAINE PENICILLIN Injection, BP 600mg	5	..	5.32	Aquacillin	FA
1793J	1g	5	..	8.76	Aquacillin Cilicaine	FA SI
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1794K	PROCAINE PENICILLIN - cont. Injection BP, 1.5g	5	..	\$ 9.01	Aquacillin Cilicaine	FA SI
1796M	Crystalline Injection 900mg (solvent required)	5	..	5.32	Aquacaine G	CS
1797N	1.5g (solvent required)	5	..	6.57	Aquacaine G	CS
1802W	PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	5.95	Aquacaine G Fortified	CS
2635Q	PROCARBAZINE Capsule 50mg	100	..	17.14	Natulan	RO
2893G	PROCHLORPERAZINE Tablet 5mg	25	..	*2.13 *2.14	Anti-Naus Compazine Stemetil	PT SK MB
2369Q	Injection 12.5mg in 1ml	10	..	4.57	Compazine Stemetil	SK MB
2894H	Suppositories 5mg, 5	#1	..	2.82	Stemetil	MB
2895J	25mg, 5	#1	..	3.20	Stemetil	MB
2897L	PROCHLORPERAZINE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	..	3.36 3.39	Anti-Naus Compazine Stemetil	PT SK MB
1943G	PROCYCLIDINE Tablet 5mg	100	2	5.32	Kemadrin	BW
1947L	PROGUANIL Tablet 100mg	100	2	4.27	Paludrine	IC
1950P	PROMETHAZINE Tablet 10mg	50	2	2.57	Phenergan Prothazine	MB KL
1951Q	25mg	50	2	2.79 2.80	Meth-Zine Phenergan Prothazine	PT MB KL
1949N	Mixture 5mg per 5ml, 100ml	#1	4	2.51	Progan Prothazine	AV KL
1948M	Injection 50mg in 2ml	10	..	*3.72	BL	
3049L	PROMETHAZINE THEOCLATE Tablet 25mg	30	1	3.00	Avomine	MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PROPANTHELINE BROMIDE To be accompanied by an authority from the Director of Health.			\$	
1953T	Tablet 15mg	100	..	3.82 4.19	Pantheline Pro-Banthine PT SR
	PROPRANOLOL To be endorsed "S.P."				
2899N	Tablet 160mg	50	2	12.14	Inderal IC
	PROPRANOLOL				
2565B	Tablet 10mg	100	2	4.32 4.57	Cardinol PT Inderal IC
2566C	40mg	100	2	7.14 8.07	Cardinol PT Inderal IC
2830Y	Injection 1mg in 1ml	5	..	*3.45	Inderal IC
	PROPYLENE GLYCOL				
2703G	Spray Diluent-Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200ml	¶1	2	3.51	FA
	PROPYLTHIOURACIL				
1954W	Tablet 25mg	100	2	4.64	ET
1955X	50mg	100	2	4.82	ET
	PROTAMINE SULPHATE				
1957B	Injection 1%, 10ml	6	..	15.92	BT
	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE				
2874G	Powder, 200g sachet, 2kg	¶1	2	199.01	Albumaid XP MN
	PROTRIPTYLINE				
2747N	Tablet 5mg	50	2	3.45	Concordin MK
2748P	10mg	50	2	4.20	Concordin MK
	PYRAZINAMIDE				
2335X	Tablet 500mg	500	..	58.32	Zinamide MK
	PYRIDOSTIGMINE				
2724J	Tablet 10mg	100	2	4.76	Mestinon RO
1959D	60mg	100	2	13.95	Mestinon RO
2608G	180mg (sustained release)	100	1	19.89	Mestinon RO
1960E	Injection 1mg in 1ml	5	1	3.32	Mestinon RO
	PYRIDOXINE HYDROCHLORIDE To be endorsed "S.P."				
1965K	Tablet 25mg	100	..	3.45	Pydox DH, FM PT
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1961F	PYRIDOXINE HYDROCHLORIDE - cont. Injection 50mg in 1ml	5	1	\$ 3.45	Pyroxin BL,FM	KL
1966L	PYRIMETHAMINE Tablet 25mg	50	..	3.45	Daraprim	BW
1962G	PYRIMETHAMINE with DAPSONE To be endorsed "S.P." Tablet 12.5mg-100mg	10	..	4.07	Maloprim	BW
1958C	PYRIMETHAMINE with SULFADOXINE To be endorsed "S.P." Tablet 25mg-500mg	12	..	*8.01	Fansidar	RO
2337B	QUINETHAZONE Tablet 50mg	50	2	4.35	Aquamox	LE
2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	13.76	Kinidin	AP
1971R	QUINIDINE SULPHATE Tablet 200mg	100	2	12.95 13.07	DH,PT Cardoquin Quincardine Quinidoxin FA,KL,PR,QE(NQ), TO	AV FM BW
3080D	300mg (sustained release)	100	2	18.57	Quinidex LA	RS
1972T	QUININE BISULPHATE Tablet 300mg	50	..	7.32 7.39	DH,PT Biquin Bi-Quinate Myoquin Quinbisan BW,FA,LP,SI	AV KL FM PR
1975Y	QUININE SULPHATE Tablet 300mg	50	..	7.32 7.39	DH,PT Adaquin Quinate Quinocet Quinsan LP,QE(NQ),SI,TO	AV KL FM PR
1981G	RESERPINE Injection 1mg	5	..	3.76	Serpasil	CB
1982H	2.5mg	5	..	4.64	Serpasil	CB
1985L	RIBOFLAVINE To be endorsed with the pension number. Tablet 5mg	100	2	2.82	FM,KL	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1987N	ROLITETRACYCLINE I.V. Injection set containing 275mg and 10ml solvent	5	..	\$ *13.46	Reverin HP
1990R	I.M. Injection set containing 350mg and 2ml solvent	5	..	*13.46	Reverin HP
1991T	SACCHARIN or SACCHARIN SODIUM Tablets 30mg, 500	≠1	1	2.41 2.60	FA DH
1098T	SALBUTAMOL Tablet 4mg	100	2	5.57	Ventolin AH
1103C	Syrup 2mg per 5ml, 300ml	≠1	4	3.82	Ventolin AH
2003K	Inhalation Solution For use in RESPIRATOR 0.5%, 30ml	≠1	2	5.71	Ventolin AH
3087L	Inhalation, metered aerosol spray 100 micrograms per dose (200 dose)	≠1	2	4.32	Ventolin AH
1993X	SALICYLAMIDE Tablet 500mg	100	2	2.82	PT
1995B	SENEGA and AMMONIA Mixture APF, 200ml	≠1	4	2.44 2.45 2.51	MG Senamon SI,SL(NQVW) PR,QE(NQ),TO DH
2004L	SMALLPOX VACCINE Injection, Capillary Tube	1	..	3.76	CS
2945B	SODIUM ACID CITRATE Mixture 5.5g per 20ml, 500ml	≠1	4	3.45	Citralka PD
2009R	SODIUM AMINOSALICYLATE Tablet 500mg	500	2	11.57	Pasalba RY
2013Y	SODIUM AUROTHIOMALATE Injection 1mg	5	..	*11.29	Myocrisin MB
2015C	5mg	5	..	*13.61	Myocrisin MB
2016D	10mg	5	..	*16.32	Myocrisin MB
2017E	20mg	5	..	*22.52	Myocrisin MB
2018F	50mg	5	1	*38.80	Myocrisin MB
3015Q	SODIUM BICARBONATE Injection 8.4%, 100ml 4.2%, 500ml - See Intravenous Fluids	5	..	*13.66	AB
2023L	SODIUM CALCIUMEDETATE Tablet 500mg	100	2	6.57	Calcium Disodium Versenate RK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2024M	SODIUM CHLORIDE INJECTION 0.9%, 2ml	5	1	\$ 2.54	AB, BL, LP	
2025N	0.9%, 5ml	5	1	2.72	AB, BL, LP	
2026P	0.9%, 10ml 1L size - See Intravenous Fluids	5	1	3.04	AB, BL, KL, LP	
	SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE See Intravenous Fluids					
	SODIUM CHLORIDE COMPOUND See Intravenous Fluids					
2657W	SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	3.45	Citravescent Dex-Cit Urade Ural Sachets	PT RC WW AB
	SODIUM CROMOGLYCATE To be endorsed "S.P."					
2878L	Capsule 20mg (Oral Inhalation) To be accompanied by an authority from the Director of Health.	100	2	17.51	Intal Spincaps	FC
1121B	Capsule 10mg (Nasal Insufflation)	100	..	10.07	Rynacrom	FC
	SODIUM LACTATE See Intravenous Fluids					
	SODIUM LACTATE COMPOUND See Intravenous Fluids					
	SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE See Intravenous Fluids					
1100X	SODIUM NITROPRUSSIDE Infusion 50mg	10	..	39.01	Nipride	RO
2035D	SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	3.45	Rhumax DH	PR
2036E	500mg (enteric coated)	100	2	3.76	Rhumax	PR
2037F	600mg (enteric coated)	100	2	4.07	Ensalate Rhumax	RC PR
	SODIUM VALPROATE To be endorsed "S.P."					
1261J	Tablet 200mg	200	1	*35.96	Epilim	RC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2587E	SORBIDE NITRATE Tablet 10mg	100	2	\$ 3.01	Isordil Isotrate	AY PD
2588F	Sublingual Tablet 5mg	100	2	2.89	Isordil Sublingual Isotrate Sublingual	AY PD
	SOYA FORMULA To be accompanied by an authority from the Director of Health.					
2040J	Liquid 375ml	5	20	*6.16	ProSobee Soyalac	MJ SA
2039H	384ml	5	20	*6.16	Isomil	RD
3090P	SPECTINOMYCIN Injection 2g with 3.2ml diluent	1	..	6.82	Trobicin	UP
3091Q	4g with 6.5ml diluent	1	..	10.95	Trobicin	UP
	SPIRONOLACTONE To be accompanied by an authority from the Director of Health.					
2339D	Tablet 25mg	100	..	9.26 9.61	Spirotone Aldactone	PT SR
	STANDARD MAINTENANCE FLUID See Intravenous Fluids					
2045P	STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml	1	..	4.20	CS	
2046Q	Undiluted 5ml	1	..	4.57	CS	
2050X	STILBOESTROL Tablet 500 micrograms	100	2	2.47	DH,HA	
2051Y	1mg	100	2	2.57	DH,HA	
2052B	5mg	100	2	2.76	DH,HA	
2053C	10mg	100	2	3.26	HA	
	STREPTOKINASE Injection					
3130R	100,000 I.U. (solvent required)	2	..	*43.26	Kabikinase	FA
2906Y	250,000 I.U. (solvent required)	2	..	*71.18 *75.52	Streptase Kabikinase	HP FA
2962X	600,000 I.U. (solvent required)	5	..	*379.56	Kabikinase	FA
2907B	750,000 I.U. (solvent required)	5	..	*446.31	Streptase	HP
2054D	STREPTOMYCIN SULPHATE Injection 1g (solvent required)	5	3	5.32	GL	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2060K	SUCCINYLSULPHATHIAZOLE Tablet 500mg	100	..	\$ 4.64	PT	
	SULINDAC To be accompanied by an authority from the Director of Health.					
2047R	Tablet 100mg	50	..	5.70	Clinoril	FR
2063N	SULPHACETAMIDE SODIUM Eye Drops 10%, 15ml	≠1	2	2.95	Acetopt Bleph 10 IQ	SI AG
2513G	15%, 15ml	≠1	2	2.95	Isopto Cetamide	AQ
2064P	20%, 15ml	≠1	2	2.95	Acetopt	SI
2068W	SULPHADIAZINE Tablet 500mg	40	2	3.14	DH,PT,RY	
2069X	SULPHADIAZINE SODIUM Injection 4ml	5	..	*6.71	MB	
2074E	SULPHADIMIDINE Tablet 500mg	40	2	3.14	S-Dimidine DH,KL,RY	PT
2076G	SULPHAFURAZOLE Tablet 300mg	40	2	3.26	Gantrisin	RO
2077H	500mg	40	2	3.32 3.45	Urogan Gantrisin Sulfazole	AV RO PT
2458J	Paediatric Syrup 500mg per 5ml, 100ml	≠1	1	3.64	Gantrisin	RO
2078J	Eye Drops 4%, 10ml	≠1	2	2.95	Gantrisin	RO
2079K	Eye Ointment 4%, 5g	≠1	..	2.70	Gantrisin	RO
2082N	SULPHAMETHIZOLE Tablet 100mg	40	2	2.77	Urolucosil	WW
2083P	250mg	40	2	3.07 3.20	PT Urolucosil	WW
2084Q	500mg	40	2	4.01 4.14	PT Thiosulfil Urolucosil	AY WW
2862P	Paediatric Suspension 100mg per 5ml, 100ml	≠1	1	2.96	Urolucosil	WW
2561T	SULPHAMETHOXAZOLE Tablet 500mg	20	1	3.01	Gantanol	RO
2562W	Syrup 500mg per 5ml, 50ml	≠1	2	3.14	Gantanol	RO
2085R	SULPHAMETHOXYDIAZINE Tablet 500mg	12	..	3.07	Kirocid	SC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2088X	SULPHAMETHOXYPYRIDAZINE Tablet 500mg	12	..	\$ 3.07	Lederkyn	LE
2092D	SULPHAPYRIDINE Tablet 500mg	100	..	5.76	M&B 693	MB
2093E	SULPHASALAZINE Tablet 500mg	100	2	8.82	Salazopyrin	PS
2096H	500mg (enteric coated)	100	2	9.70	Salazopyrin-EN	PS
2094F	SULPHINPYRAZONE Tablet 100mg	100	2	9.45	Anturan	CB
2099L	SULTHIAME Tablet 50mg	200	1	6.57	Ospolot	BN
2100M	200mg	200	1	12.82	Ospolot	BN
	SURGICAL CEMENT To be endorsed "S.P."					
2238T	Skin Bond Adhesive 4fl oz	≠1	2	5.26	DY	
2473E	Solvent 200ml	≠1	..	3.82	Zoff	SN
2467W	227ml	≠1	2	4.64	Unisolve	DY
2469Y	240ml	≠1	2	3.51	Sacsol	LF
2472D	250ml	≠1	2	4.26	Sacsol Non Flammable	LF
	TACRINE					
2106W	Injection 10mg, 2ml	5	1	2.89	T.H.A.	WH
2107X	30mg, 2ml	5	1	3.55	T.H.A.	WH
	TEMAZEPAM					
2108Y	Capsule 10mg	25	..	2.64	Euhypnos Normison	SI WY
	TERBUTALINE SULPHATE					
1028D	Tablet 5mg	100	2	5.95	Bricanyl	AP
1030F	Elixir 300 micrograms per ml, 300ml	≠1	4	3.95	Bricanyl	AP
1239F	Injection 100 micrograms in 1ml	5	..	4.32	Bricanyl	AP
1034K	500 micrograms in 1ml	5	..	4.45	Bricanyl	AP
1240G	Inhalation, metered aerosol spray 250 micrograms per dose (400 dose)	≠1	1	6.32	Bricanyl	AP
	TESTOSTERONE ENANTHATE To be endorsed "S.P."					
2599T	Injection 100mg in 1ml	2	2	*8.95	Primoteston Depot	SC
2114G	250mg in 1ml	2	2	*16.88	Primoteston Depot	SC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	TESTOSTERONE ESTERS To be endorsed "S.P."			\$	
2670M	Injection 100mg	2	2	*8.52	Sustanon "100" OR
2101N	250mg	2	2	*16.88	Sustanon "250" OR
	TESTOSTERONE PROPIONATE To be endorsed "S.P."				
2115H	Injection 25mg in 1ml	10	..	*8.09	Testoviron SC
2116J	50mg in 1ml	10	..	*13.34	Testoviron SC
	TETANUS VACCINE, ADSORBED Injection 0.5ml	3	..	*4.89	CS
	TETRACOSACTRIN To be accompanied by an authority from the Director of Health.				
3083G	Injection 500 micrograms in 1ml	5	..	12.76	Synacthen Depot CB
2832C	1mg in 1ml	5	..	19.01	Synacthen Depot CB
	TETRACYCLINE Capsule 250mg	25	..	3.51	Achromycin LE Australmycin CS Hydracycline Plain FM Panmycin P UP Tetracycyn GP Tetramykoin BZ(N)
	TETRACYCLINE To be endorsed "S.P."				
2135J	Capsule 250mg	50	5	*5.76	Achromycin LE Australmycin CS Hydracycline Plain FM Panmycin P UP Tetracycyn GP Tetramykoin BZ(N)
	TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	3.51	Mysteclin SQ
2151F	Capsule 250mg-250,000 Units	25	..	3.51	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
	TETRACYCLINE with NYSTATIN To be endorsed "S.P."				
2827T	Tablet 250mg-250,000 Units	50	5	*5.76	Mysteclin SQ
2152G	Capsule 250mg-250,000 Units	50	5	*5.76	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2145X	TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	\$ 3.51	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
	TETRACYCLINE (BUFFERED) To be endorsed "S.P."				
2146Y	Capsule 250mg	50	5	*5.76	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
2611K	THEOPHYLLINE Tablet 50mg	100	2	3.07	Nuelin Paediatric RK
1143E	125mg	100	2	3.82	Nuelin RK
2615P	200mg	100	2	4.39	Nuelin RK
2612L	Capsule 200mg	100	2	4.39	Elixophyllin SC
2613M	Elixir 80mg per 15ml, 500ml	≠1	4	3.20	Elixophyllin SC
2614N	Syrup 80mg per 15ml, 500ml	≠1	4	3.20	Nuelin RK
2669L	THEOPHYLLINE with GUAIPHENESIN Capsule 150mg-90mg	100	2	4.01	Quibron MJ
2985D	Elixir 150mg-90mg per 15ml, 500ml	≠1	4	3.45	Quibron MJ
2976P	THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	≠1	4	3.32	Elixophyllin-KI SC
2947D	THIABENDAZOLE Tablet 500mg	16	..	5.09	Mintezol MK
	THIAMINE HYDROCHLORIDE To be endorsed with the pension number.				
1069G	Tablet 50mg	100	2	2.87 2.89	PT Betamin KL Invite-B AV DH,FM,PR
1070H	100mg	100	2	3.37 3.39	PT Betamin KL Invite-B AV Thiminone LF FM,LP,PR,QE(NQ),RT
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1065C	THIAMINE HYDROCHLORIDE - cont. Injection 100mg in 1ml	5	1	\$ 3.07	Betamin Forte Beta-Sol LP	KL FM
2572J	THIETHYLPERAZINE Tablet 6.5mg (base)	50	..	3.01	Torecan	SZ
2368P	Injection 6.5mg (base) in 1ml	10	..	*4.76	Torecan	SZ
2573K	Suppositories 6.5mg (base), 6	≠1	..	2.82	Torecan	SZ
1233X	THIOGUANINE Tablet 40mg	25	1	36.39	Lanvis	BW
3159G	THIOPROPAZATE To be endorsed "S.P." Tablet 5mg	100	1	6.15	Dartalan	SR
2163W	THIORIDAZINE To be endorsed "S.P." Tablet 10mg	100	1	2.89	Melleril	SZ
2359E	25mg	100	1	3.64	Melleril	SZ
2164X	50mg	100	1	5.29	Melleril	SZ
2165Y	100mg	100	1	9.00	Melleril	SZ
2402K	Oral Solution 3% (30mg per ml), 30ml	≠1	4	4.32	Melleril	SZ
2847W	Injection 25mg per ml, 2ml	10	..	5.70	Melleril	SZ
2345K	THIOTEPA Injection 15mg (solvent required)	2	1	*11.08	LE	
2858K	Eye Drops Set containing 15mg vial, 2 x 10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	≠1	5	#10.95	LE	
2174K	THYROXINE SODIUM Tablet 50 micrograms	100	2	2.51	Oroxine Thyroxinal	BW FM
2175L	100 micrograms	100	2	2.64	Oroxine Thyroxinal	BW FM
2173J	200 micrograms	100	2	2.95	Oroxine Thyroxinal	BW FM
1278G	TIMOLOL To be endorsed "S.P." Eye Drops 0.25%, 5ml	≠1	6	7.20	Timoptol	FR
1279H	0.5%, 5ml	≠1	6	8.14	Timoptol	FR
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1281K	TIMOLOL - cont. Tablet 5mg	100	2	\$ 8.07	Blocadren	FR
1465D	TINIDAZOLE Tablet 500mg	4	..	4.04	Fasigyn	PF
1355H	TOBRAMYCIN SULPHATE To be accompanied by an authority from the Director of Health. Injection 40mg	5	..	*18.01	Nebcin	LY
1356J	80mg	5	..	*27.81	Nebcin .	LY
2720E	TOLAZAMIDE Tablet 250mg	100	2	8.45	Tolinase	UP
2178P	TOLBUTAMIDE Tablet 500mg	100	2	4.24	Artosin Rastinon	RC HP
2607F	1g	100	2	6.51	Artosin Rastinon	RC HP
2444P	TRANLYCYPROMINE To be accompanied by an authority from the Director of Health. CAUTION: This drug is a monoamine oxidase inhibitor. Tablet 10mg	50	..	5.01	Parnate	SK
2990J	TRIAMCINOLONE ACETONIDE To be endorsed "S.P." Injection 10mg in 1ml	5	..	9.82	Kenacort-A10	SQ
2119M	TRIAMCINOLONE ACETONIDE Cream 0.02%, 45g	#1	..	2.81	Aristocort 0.02% Kenalone 0.02%	LE SQ
2117K	0.02%, 100g	#1	..	3.32	Aristocort 0.02% Kenalone 0.02%	LE SQ
2125W	0.05%, 15g	#1	1	2.47	Aristocort 0.05% Kenalone	LE SQ
2120N	Ointment 0.02%, 45g	#1	..	2.81	Aristocort 0.02% Kenalone 0.02%	LE SQ
2118L	0.02%, 100g	#1	..	3.32	Aristocort 0.02% Kenalone 0.02%	LE SQ
2126X	0.05%, 15g	#1	1	2.47	Aristocort 0.05% Kenalone	LE SQ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2971J	TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Drops 0.1%-0.25% (base)-0.025%- 100,000 Units per g, 7.5ml	≠1	2	2.95	Kenacomb Otic	SQ
2973L	Ear Cream 0.1%-0.25% (base)-0.025%- 500,000 Units in 5g	≠1	2	2.82	Kenacomb Otic	SQ
2974M	Ear Ointment 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	≠1	2	2.82	Kenacomb Otic	SQ
2342G	TRIAMTERENE Tablet 100mg	50	2	5.05	Dytac	SK
2185B	TRIFLUOPERAZINE To be endorsed "S.P." Tablet 1mg	100	1	4.15	Calmazine Stelazine Terfluzin	PT SK MB
2386N	2mg	100	1	5.39	Calmazine Stelazine Terfluzin	PT SK MB
2186C	5mg	100	1	5.86	Calmazine Stelazine Terfluzin	PT SK MB
2571H	Syrup 1mg per 5ml, 100ml	≠1	4	2.52	Stelazine	SK
2835F	Injection 1mg in 1ml	10	..	4.95	Stelazine	SK
2686J	TRIGLYCERIDES, MEDIUM CHAIN To be accompanied by an authority from the Director of Health. Compound Powder 450g	2	..	*14.02	Triglyde	MJ
2679B	Protein Hydrolystate Compound Powder 454g	2	..	*17.76	Pregestimil	MJ
3129Q	Oil 1L	≠1	5	14.07	MCT Oil	MJ
2187D	TRIMEPRAZINE Tablet 10mg	50	2	2.95	Vallergan	MB
2189F	TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	14.01	Arfonad	RO
2949F	TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	3.14	Bactrim Septrin Trib	RO BW PT
2951H	160mg-800mg	10	..	4.14	Bactrim DS Septrin Forte Trib DS	RO BW PT
3103H	Suspension 40mg-200mg per 5ml, 100ml	≠1	..	3.67	Bactrim Septrin Trib	RO BW PT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2970H	TRIMIPRAMINE Tablet 25mg	50	2	\$ 3.41	Surmontil	MB
	TRIOXYSALEN To be endorsed "S.P."					
1570P	Tablet 5mg	100	2	20.32	Trisoralen	PT
2191H	TRIPROLIDINE Tablet 2.5mg	50	2	2.95	Actidil	BW
2192J	Paediatric Elixir 1mg per 5ml, 100ml	≠1	4	2.51	Actidil	BW
2800J	TYPHOID VACCINE Injection 0.5ml	3	1	*5.46	CS	
2195M	TYPHUS VACCINE Injection 1ml	2	..	*27.76	CS	
1293C	UREA Cream 10%, 100g	≠1	2	5.01	Aquacare H.P. Aquadrate Calmurid Nutraplus	AG NW PS OL
	VANCOMYCIN To be endorsed "S.P."					
3131T	Injection 500mg. (solvent required)	5	..	*73.41	Vancocin	LY
2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	*18.64	Pitressin Tannate	PD
	VERAPAMIL HYDROCHLORIDE To be endorsed "S.P."					
1248Q	Tablet 40mg	100	2	7.76	Isoptin	KN
1250T	80mg	100	2	11.64	Isoptin	KN
1060T	Injection 5mg in 2ml	5	..	4.51	Isoptin	KN
	VIDARABINE To be endorsed "S.P."					
2570G	Eye Ointment 3%, 3.5g	≠1	..	9.32	Vira A	PD
2198Q	VINBLASTINE Injection 10mg (solvent required)	1	..	21.76	Velbe	LY
	VINCRISTINE Injection set containing 1mg and 10ml solvent	5	..	*92.16	Oncovin	LY
2372W	5mg and 10ml solvent	1	..	79.01	Oncovin	LY
2199R	VIPRYNIUM EMBONATE Tablet 50mg	8	1	3.15	Vanquin	PD
2200T	Suspension 10mg per ml, 25ml	≠1	1	3.17	Vanquin	PD

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	VITAMIN SUPPLEMENT To be accompanied by an authority from the Director of Health.			\$		
3156D	Tablet	100	..	4.01	Ketovite	ST
3157E	Liquid 100ml	≠1	..	2.71	Ketovite	ST
	WARFARIN					
2843P	Tablet 1mg	50	2	4.07	Coumadin Marevan	EN GL
2209G	2mg	50	2	4.26	Coumadin	EN
2210H	2.5mg	50	2	4.39	Coumadin	EN
2844Q	3mg	50	2	4.20	Marevan	GL
2211J	5mg	50	2	4.45	Coumadin Marevan	EN GL
2212K	7.5mg	50	2	5.17	Coumadin	EN
2213L	10mg	50	2	6.26	Coumadin Marevan	EN GL
	WATER FOR INJECTIONS					
2216P	Injection 2ml	5	3	2.47	AB,BL,BZ(NQTW), KL,LP,SI	
2217Q	5ml	5	3	2.60	AB,BL,BZ(NQTW), KL,LP,SI	
2218R	10ml	5	3	2.82	AB,BL,BZ(NQTW), KL,LP,SI	
	WOOL ALCOHOLS					
2219T	Ointment 100g	≠1	1	2.57	Eucerin	SN
	WOOL FAT, HYDROUS					
2221X	50g tube or jar	≠1	..	2.59	DH	
	ZINC and ADRENALINE					
2850B	Eye Drops 0.25%-0.01%, 15ml	≠1	2	2.82	B.A.Z.	KL
	ZINC with PHENYLEPHRINE					
3154B	Eye Drops 0.25%-0.12%, 15ml	≠1	2	2.82	Prefrin-Z Zincfrin	AG AQ
	ZINC SULPHATE					
2802L	Eye Drops 0.25%, APF 15ml	≠1	2	2.82	KL	

INTRAVENOUS FLUIDS FOR INJECTION

72

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2305H	DEXTRAN 40 10% with 5% anhydrous dextrose, 500ml	12	..	159.01 *159.06	Rheomacrodex PS Lomodex FC
2306J	10% with 0.9% sodium chloride, 500ml	12	..	159.01 *159.06	Rheomacrodex PS Lomodex FC
3081E	DEXTRAN 70 6% with 5% anhydrous dextrose, 500ml	12	..	102.01	Macrodex PS
3011L	6% with 0.9% sodium chloride, 500ml	12	..	102.01	Macrodex PS
2245E	DEXTROSE INJECTION 5%, 1L	5	1	*14.96	AB, TV
2247G	10%, 1L	5	1	*17.16	AB, TV
2249J	20%, 1L	2	1	*7.76	AB, TV
2251L	25%, 1L	2	1	*7.76	AB, TV
2252M	50%, 500ml	2	1	*6.58	AB
3199J	ELECTROLYTE REPLACEMENT SOLUTION 1L	2	1	*7.76	Normosol R AB Plasma-Lyte 148 TV
2589G	MANNITOL 10%, 1L	1	1	4.61	AB
2590H	20%, 500ml	1	1	4.61	AB
3029K	SODIUM BICARBONATE 4.2%, 500ml	1	1	4.20	AB
2264E	SODIUM CHLORIDE INJECTION 0.9%, 1L	5	1	*14.96	AB, TV, VF(N)
2260Y	3%, 1L	2	1	*7.76	AB, TV
2262C	5%, 1L	2	1	*7.76	TV
2266G	SODIUM CHLORIDE COMPOUND BPC 1959 1L	4	1	*14.02	AB, TV
2271M	SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE 0.9%-5%, 1L	2	1	*7.76	AB, TV
2273P	0.9%-10%, 1L	2	1	*7.76	TV
2278X	0.45%-2.5%, 500ml	5	1	*14.96	AB, TV
2279Y	0.225%-3.75%, 500ml	5	1	*14.96	AB, TV
2281C	0.18%-4%, 1L	5	1	*14.96	AB, TV
2282D	0.18%-4.3%, 1L	5	1	*15.31	AB
2284F	SODIUM LACTATE (Solution 1/6 Molar) 1L	5	1	*13.01	VF(N)

INTRAVENOUS FLUIDS FOR INJECTION

73

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2286H	SODIUM LACTATE COMPOUND 1L	5	1	*14.96	AB,TV
2288K	SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE 5½, 1L	2	1	*7.76	AB,TV
2293Q	STANDARD MAINTENANCE FLUID 500ml	6	..	*15.84	AB

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

74

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3301R	AMOXYCILLIN Capsule 250mg	20	..	4.54	Amoxil BR Moxacin CS
3302T	Powder for Syrup 125mg per 5ml, 100ml	≠1	..	#4.87	Amoxil BR Moxacin CS
3305Y	AMPHOTERICIN Tablet 100mg	50	..	7.64	Fungilin SQ
3306B	Lozenge 10mg	20	..	2.95	Fungilin SQ
3307C	Suspension 100mg per ml, 24ml	≠1	..	3.70	Fungilin SQ
3308D	Ointment 3%, 15g	≠1	..	3.20	Fungilin SQ
3311G	AMPICILLIN Injection 100mg (solvent required)	5	..	5.32	Austrapen CS
3312H	250mg (solvent required)	5	..	5.95	Austrapen CS Bristin BC Penbritin BR
3313J	500mg (solvent required)	5	..	8.11	Austrapen CS Bristin BC Penbritin BR
3314K	1g (solvent required)	5	..	13.35	Austrapen CS Bristin BC Penbritin BR
3321T	DOXYCYCLINE Tablet 100mg	7	..	4.20	Vibramycin PF
3322W	Capsule 100mg	7	..	4.20	Doxin GP
3326C	ERYTHROMYCIN Tablet 125mg	25	..	3.45	EMU-V UP
3327D	200mg	25	..	3.80	Erythrocin AB
3328E	250mg	25	..	4.36	EMU-V UP Erythrocin AB Ethryn FA
3329F	Capsule 125mg	25	..	3.45	Eryc FA
3330G	250mg	25	..	4.32 4.36	E-Mycin PT Erostin MF Eryc FA Erythrocin AB Ilocap LY
3331H	Paediatric Drops 100mg per ml, 10ml	≠1	..	3.39	Ilosone LY
3332J	Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	3.69	Eromycin DL Erythrocin AB Ilosone LY
	(continued)				

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

75

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3334L	ERYTHROMYCIN - cont. Powder for Paediatric Suspension 200mg per 5ml, 100ml	#1	..	#4.41	EES 200	AB
3333K	Suspension 250mg per 5ml, 100ml	#1	..	5.39	Erythrocin	AB
3339R	METRONIDAZOLE Tablet 200mg	21	..	3.45 3.57	Trichozole Flagyl	PT MB
3342X	NYSTATIN Tablet 500,000 Units	25	..	*5.07	Diastatin Mycostatin Nilstat	GP SQ LE
3343Y	Mixture 100,000 Units per ml, 24ml	#1	..	3.70	Mycostatin Nilstat	SQ LE
3350H	PHENETHICILLIN Tablet 125mg	25	..	2.82	Optipen Pensig	CS SI
3351J	250mg	25	..	3.22	Optipen Pensig	CS SI
3352K	Capsule 125mg	25	..	2.82	Pensig	SI
3353L	250mg	25	..	3.22	Optipen Pensig	CS SI
3354M	500mg	12	..	3.16	Optipen Pensig	CS SI
3355N	Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.60	Optipen Pensig 125	CS SI
3356P	250mg per 5ml, 100ml	#1	..	#4.21	Pensig 250	SI
3359T	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	..	2.82	Abbocillin-V L.P.V. PVK P.V.O.	AB CS LY FM
3360W	250mg	25	..	3.12	Abbocillin-VK Adacillin Bramcillin Cilicaine VK Falcopen VK L.P.V. PVK P.V.O.	AB AV MF SI FA CS LY FM
3361X	500mg	12	..	2.96	Abbocillin-VK L.P.V. PVK P.V.O.	AB CS LY FM
3362Y	Capsule 125mg	25	..	2.82	P.V.O.	FM
	(continued)					

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

76

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3363B	PHENOXYMETHYLPENICILLIN - cont. Capsule 250mg	25	..	3.12	Abbocillin-VK AB Adacillin AV Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
3364C	500mg	12	..	2.96	Cilicaine VK SI Falcopen VK FA L.P.V. CS P.V.O. FM
3365D	Paediatric Suspension 125mg per 5ml, 100ml	#1	..	3.01	Abbocillin-V AB Cilicaine V SI Falcopen V FA L.P.V. CS
3366E	Suspension 250mg per 5ml, 100ml	#1	..	3.57	Abbocillin-V AB Cilicaine V SI Falcopen V FA L.P.V. Aqueous Forte CS
3369H	PROCAINE PENICILLIN Injection BP, 600mg	5	..	5.32	Aquacillin FA
3370J	1g	5	..	8.76	Aquacillin FA Cilicaine SI
3371K	1.5g	5	..	9.01	Aquacillin FA Cilicaine SI
3372L	Crystalline Injection 900mg (solvent required)	5	..	5.32	Aquacaine G CS
3373M	1.5g (solvent required)	5	..	6.57	Aquacaine G CS
3376Q	PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	5.95	Aquacaine G Fortified CS
3379W	SULPHADIMIDINE Tablet 500mg	40	..	3.14	S-Dimidine PT DH,KL,RY
3383C	TETRACYCLINE Capsule 250mg	25	..	3.51	Achromycin LE Australmycin CS Hydracycline Plain FM Panmycin P UP Tetracyn GP Tetramykoin BZ(N)

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

77

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3386F	TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	3.51	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
3389J	TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	3.14	Bactrim RO Septrin BW Trib PT
3390K	160mg-800mg	10	..	4.14	Bactrim DS RO Septrin Forte BW Trib DS PT
3391L	Suspension 40mg-200mg per 5ml, 100ml	≠1	..	3.67	Bactrim RO Septrin BW Trib PT
	WATER FOR INJECTIONS (For use only with an injectible benefit which requires a solvent)				
3394P	Injection 2ml	5	..	2.47	AB,BL,BZ(NQTW), KL,LP,SI
3395Q	5ml	5	..	2.60	AB,BL,BZ(NQTW), KL,LP,SI

SECTION 3 - SCHEDULE OF BENEFITS

DECEMBER 1980

Preparations available for Colostomy
and Ileostomy use

Preparations available for use by Paraplegic
and Quadriplegic patients

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

2

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2224C	ACRYLIC RESIN Solution 100ml Aerosol Spray	#1	..	6.82	Liquidoplast PT
2223B	125g Aerosol Spray	#1	..	7.82	Nobecutane AH
2683F	BENZOIN Compound Tincture BPC 35%, 167ml Aerosol Spray	#1	..	4.76	LF
2503R	BUTYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Protective Dressing Aerosol 120g	#1	..	7.14	Skin-Prep DY
2504T	Solution 59ml	#1	..	5.76	Skin-Prep DY
2718C	CHARCOAL Tablet 300mg	500	1	12.76	Char-Bons QE(NQ),TO LF
2229H	CHLORAMINE Deodorant Tablet 120mg	500	..	5.01	Klortee PT
2230J	Powder 25g	#1	4	2.70	Klortee PT
3125L	DEODORANT CONCENTRATE Liquid 15ml	#1	..	3.14	Zerodor ZR
3127N	0.5 fl oz	#1	..	3.29	Banish DY
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500ml	#1	..	3.51	TAGG LF
2235P	DIMETHICONE Solution 9.84%, 200g Aerosol Spray	#1	..	5.20	Rikospray Silicone RK
2617R	10%, 180ml Aerosol Spray	#1	..	4.76	Silicon Skin Spray LF
2233M	Cream 10%, 50g				
2618T	10%, 75g				
2232L	20%, 20g				
	See Section 2				
2505W	ISOPROPYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Adhesive Protective Gel 28.35g	#1	..	4.57	Skin Gel HO
3165N	POLYISOBUTYLENE Compound Adhesive Discs, 5	#1	5	10.71	ReliaSeal BJ
3148Q	Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	11.07	Stomahesive Set BH SQ
2950G	POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121ml	#1	..	4.99	Spray-On Bande LF

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

3

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2326K	SODIUM CARBOXYMETHYLCELLULOSE with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	≠1	..	2.89	Orabase	SQ
2327L	Powder 33.3%-33.3%-33.3%, 15g	≠1	..	2.89	Orahesive	SQ
3147P	STERCULIA (Indian Tragacanth; Gum Karaya) Discs, 12	≠1	5	6.57	Coloplast BH,DY	ED
2256R	Discs, Compound, 10	≠1	5	7.82	Colly-seels	DY
2258W	Paste 127.6g	≠1	..	7.14	Karaya Paste	HO
3158F	Squares, 6	≠1	5	13.07	BH	
2238T	SURGICAL CEMENT Skin Bond Adhesive 4fl oz					
2473E	Solvent 200ml					
2467W	227ml					
2469Y	240ml					
2472D	250ml					
	See Section 2					

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
(Prescriptions must be endorsed "S.P.")

4

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500ml	#1	..	3.51	TAGG LF
1260H	BISACODYL Suppositories 10mg, 5 See Section 2				
2233M	DIMETHICONE Cream 10%, 50g				
2618T	10%, 75g				
2232L	20%, 20g See Section 2				
3066J	DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50mg				
3067K	120mg See Section 2				
1125F	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL Suppositories 100mg-10mg, 5 See Section 2				
2710P	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50mg-50mg See Section 2				
1209P	DIPHEMANIL METHYLSULPHATE Dusting Powder 2%, 50g See Section 2				
3135B	GLYCEROL Suppositories 1g, 10 See Section 2				
2238T	SURGICAL CEMENT Skin Bond Adhesive 4fl oz				
2473E	Solvent 200ml				
2467W	227ml				
2469Y	240ml				
2472D	250ml See Section 2				

SECTION 4

SCHEDULE OF BENEFITS
DRUGS AVAILABLE FOR EXTEMPORANEOUS
PREPARATIONS

DECEMBER 1980

Drug	Drug
Acetone BPC (use as additive only) ACIDS Acetic BP Acetic Dilute BP Ascorbic BP (use as ingredient of Mixtures of Ferrous Sulphate APF and PL) Benzoic BP Boric Crystal BP (use as additive only) Boric Powder BP (use as additive only) Citric Monohydrate BP Hydrochloric BP Hydrochloric Dilute BP Lactic BP Oleic BP Salicylic BP Stearic BPC Tannic BP Trichloroacetic BP Acriflavine BPC 63 Adrenaline BP ALCOHOLS 95% BP (use as additive only) 90% BP (use as additive only) Alum BP Aluminium Hydroxide Gel BP Aluminium Hydroxide Gel Dried BP Amaranth BPC 54 Aminacrine Hydrochloride BP 68 Aminophylline BP Ammoniated Mercury BP AMMONIUM Bicarbonate BPC Chloride BP Aspirin BP Atropine BPC Atropine Methonitrate BP Atropine Sulphate BP Beeswax White BP Bentonite BP, sterilised Benzocaine BP Borax BP Brilliant Green BP	Caffeine BP Caffeine Citrate BPC 59 Calamine BP CALCIUM Carbonate BP Gluconate BP Hydroxide BP Camphor BP (use as additive only) Cetomacrogol Emulsifying Wax BP Cetostearyl Alcohol BP Cetrimide BP Chalk BP Chloral Hydrate BP Chlorbutol BP Chlorhexidine Acetate BPC (use as additive only) Chlorinated Lime BPC Chlorocresol BP Chloroform BP (use as additive only) Cineole BPC (use as additive only) Clioquinol BP Cocaine BP Cocaine Hydrochloride BP Codeine Phosphate BP Collodion Flexible BP CREAMS Aqueous APF Aqueous BP Calamine Oily APF Cetomacrogol Aqueous APF Cetomacrogol Aqueous APF 74 Cetrimide BP Cetrimide Aqueous APF Cetrimide Aqueous APF 74 Oily BP Zinc BP Zinc Oily APF Creosote BPC 59 Crystal Violet BP Dextrose BP (use as additive only) Disodium Edetate BP Dithranol BP Emulsifying Wax BP

Drug	Drug
Ephedrine Hydrochloride BP (may only be prescribed in nasal drops) Ether Solvent BP (use as additive only) EXTRACTS Hyoscyamus Liquid BPC Ipecacuanha Liquid BP Liquorice Liquid BP Stramonium Liquid BP 68 Ferric Ammonium Citrate BP FERROUS Gluconate BP Sulphate BP Sulphate Dried BP GLYCERINS Borax BPC 59 Ichthammol BPC Glycerol BP GUMS Acacia BP Tragacanth BP Homatropine Hydrobromide BP Honey Purified BPC (use as additive only) Ichthammol BPC INFUSIONS Buchu Concentrated BPC 54 1 in 8 Gentian Compound Concentrated BP 1 in 10 Senega Concentrated BPC 1 in 10 Iodine BP Kaolin, Light or Kaolin, Light (Natural) BP Lactose BP Lignocaine Hydrochloride BP LINCTUSES Camphor Compound APF Codeine APF LINIMENTS Camphor BP Methyl Salicylate BP Methyl Salicylate Compound APF	LINIMENTS - cont. Soap BPC Turpentine BP Lotion Calamine BP Magenta BPC MAGNESIUM Carbonate Heavy BP Carbonate Light BP Oxide Light BP Sulphate BP (may only be prescribed for other than oral use) Trisilicate BP Menthol BP Mercuric Chloride BPC Methyl Salicylate BP MIXTURES Magnesium Hydroxide BP Senega and Ammonia APF Morphine Hydrochloride BP Morphine Sulphate BP MUCILAGES Acacia APF Tragacanth BPC OILS Anise BP Arachis BP (use as additive only) Cade BPC Castor BP (use as additive only) Citronella BPC (use as additive only) Clove BP Coconut BPC Eucalyptus BP (use as additive only) Lavender Spike BPC 68 Lemon Terpeneless BPC Linseed BP 63 (use as additive only) Maize BP (use as additive only) Olive BP (use as additive only) Peppermint BP (use as additive only) Pumilio Pine BPC Rosemary BPC

Drug	Drug
OILS - cont. Siberian Fir BPC 49 Turpentine BP (use as additive only) OINTMENTS Ammoniated Mercury BP Benzocaine and Adrenaline APF Benzoic Acid Compound APF Capsicum BPC Emulsifying BP Hamamelis BPC Iodine Non-staining APF 64 Iodine Non-staining BPC 68 Menthol Compound APF 64 Methyl Salicylate BP Paraffin White BPC Paraffin Yellow BPC Salicylic Acid APF Salicylic Acid BP Simple White BP Simple Yellow BP Sulphur BP Wool Alcohols BP Zinc BP Zinc and Castor Oil BP Oxymel BPC PAINTS Magenta APF Magenta APF 74 Paracetamol BP Paraffin Hard BP Paraffin Liquid BP (may only be prescribed for other than oral use) Paraffin Liquid Light BPC 63 Paraffin Soft White BP Paraffin Soft Yellow BP Paraldehyde BP PASTES Zinc Compound BP Zinc and Salicylic Acid BP Phenobarbitone BP Phenobarbitone Sodium BP Phenol BP (not available for ear drops) Phenol Liquefied BP (not available for ear drops) Phenylephrine Hydrochloride BP Phenylmercuric Nitrate BP Phthalylsulphathiazole BP	Physostigmine BPC Physostigmine Salicylate BP Pilocarpine Hydrochloride BP Pilocarpine Nitrate BP Podophyllum Resin BP POTASSIUM Chlorate BPC Chloride BP Citrate BP Iodide BP Permanganate BP POWDERS Hydroxybenzoate Compound APF74 Rhubarb BP Tragacanth Compound BP Procaine Hydrochloride BP Propylene Glycol BP Resorcinol BP Silver Nitrate BP Silver Protein Mild BPC 68 SOAPS Ethereal APF 55 Soft BP SODIUM Acid Phosphate BP Benzoate BP Bicarbonate BP Chloride BP Citrate BP Iodide BP Metabisulphite BP Phosphate BP Salicylate BP Thiosulphate BP (use as additive only) SOLUTIONS Adrenaline BP Aluminium Acetate BPC Amaranth APF Amaranth APF 64 Amaranth Compound APF Ammonia Dilute BPC Ammonia Strong BPC Ammonium Acetate Strong BPC Benzalkonium Chloride 50% BP Benzoic Acid APF Calcium Hydroxide BPC Chlorhexidine Gluconate BP (use as additive only)

Drug	Drug
SOLUTIONS - cont. Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Simple BPC 59 Iodine Weak BP Lead Subacetate Dilute BPC Lead Subacetate Strong BPC Morphine Hydrochloride BPC Potassium Hydroxide BP Sodium Chloride BPC SPIRITS Ammonia Aromatic BPC Anise BPC 49 Camphor BPC 59 Camphor Compound APF Chloroform BP Lemon APF Methylated Industrial BP (use as additive only) Peppermint BPC Squill Oxymer BP Starch BP Succinylsulphathiazole BP Sucrose BP Sulphacetamide Sodium BP Sulphadiazine BP Sulphur Precipitated BP Sulphur Sublimed BPC Sulphurated Potash BPC SYRUPS Aromatic APF Chloral BPC 68 Codeine Phosphate BPC Ferrous Phosphate Compound BPC 68 Ginger BPC Glycerophosphate Compound APF 64 Golden Acidified APF 55 Lemon APF Lemon Neutral APF Orange APF Orange BPC Pholcodine Citrate BPC 59 (use as additive only) Raspberry BPC Red APF Squill BPC Syrup BP Tolu BPC	Talc Purified BP, sterilised Tar BP Tar Coal BPC Tar Coal Prepared BP Tartrazine BPC 54 Theophylline BP Thymol BP Thymol Mouth Wash Compound APF TINCTURES Belladonna BP Benzoin Compound BPC Cardamom Aromatic BPC Cardamom Compound BP Catechu BPC Gelsemium BPC Ginger Strong BP Ginger Weak BP Hyoscyamus BP Ipecacuanha BP Lobelia Ethereal BPC Myrrh BPC Opium BP Opium Camphorated BP Orange BPC Quillaia BPC Rhubarb Compound BP Squill BPC Stramonium BP Titanium Dioxide BP Triethanolamine BPC WATERS Anise Concentrated BPC 1 in 40 (use as additive only) Camphor Concentrated BPC 1 in 40 Chlorbutol APF 55 Chloroform Concentrated APF 1 in 40 Cinnamon Concentrated BPC 1 in 40 (use as additive only) For Injections BP (extemporaneously prepared eye drops and eye lotions) Peppermint Concentrated BP 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP

Drug	Drug
Wool Fat Hydrous BP ZINC Oxide BP Sulphate BP	

TABLE OF CODES, MAXIMUM QUANTITIES
AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Code	Preparation	Maximum Quantity	No. of Repeats
13Q	Creams	100g	1
48M	Dusting Powders	100g	1
15T	Ear Drops	15ml	2
16W	Elixirs	100ml	4
19B	Eye Drops of Cocaine	15ml	..
20C	Eye Drops of Physostigmine	15ml	6
21D	Eye Drops of Pilocarpine	15ml	6
22E	Eye Drops, Other	15ml	2
23F	Eye Lotions	200ml	1
25H	Gargles	200ml	4
28L	Glycerins	100ml	1
29M	Inhalations	50ml	1
37Y	Inhalations, Solid	4g	1
34T	Linctuses	100ml	2
38B	Liniments	100ml	1
39C	Lotions	200ml	2
40D	Mixtures	200ml	4
41E	Mixtures for Children	100ml	4
30N	Mouth Washes	200ml	1
42F	Nasal Instillations	15ml	2
43G	Ointments and Waxes	100g	1
44H	Paints	25ml	1
45J	Pastes	100g	1
49N	Powders for Internal Use	100g	2
61F	Powders, Irrigation	100g	1
51Q	Soaps	200ml	1
52R	Solutions	200ml	2
55X	Syrups	100ml	4
56Y	Tinctures	25ml	1

SECTION 5 — PRESCRIBERS' LIST

DECEMBER 1980

PRESCRIPTION

CREAMS

(Maximum Quantity 100g and 1 Repeat)

7655X ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution	...	5	ml
Zinc Oxide	...	20	g
Wool Fat	...	25	g
Arachis Oil	...	25	ml
Purified Water, freshly boiled and cooled	...	27	ml

7322J AQUEOUS (APF, BP)

Emulsifying Ointment	...	30	g
Chlorocresol	...	100	mg
Purified Water, freshly boiled and cooled to	...	100	g

7503X BUFFERED, AQUEOUS (APF)

Sodium Phosphate	...	2.5	g
Citric Acid Monohydrate	...	500	mg
Chlorocresol	...	100	mg
Emulsifying Ointment	...	30	g
Glycerol	...	5	ml
Purified Water, freshly boiled and cooled to	...	100	g

7320G CALAMINE, AQUEOUS (APF)

Calamine	...	4	g
Zinc Oxide	...	3	g
Cetomacrogol Emulsifying Wax	...	6	g
Arachis Oil	...	30	g
Purified Water, freshly boiled and cooled to	...	100	g

7659D CALAMINE, OILY (APF)

Calamine	...	32	g
Oleic Acid	...	0.5	ml
Arachis Oil	...	21.5	ml
Wool Fat	...	17.5	g
Calcium Hydroxide Solution	...	30.5	ml

7497N CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax	...	15	g
Liquid Paraffin	...	10	g
White Soft Paraffin	...	10	g
Chlorocresol	...	100	mg
Propylene Glycol	...	5	ml
Purified Water, freshly boiled and cooled to	...	100	g

PRESCRIPTION

7661F CETRIMIDE, AQUEOUS (APF)

Cetrimide	...	500	mg
Chlorocresol	...	100	mg
Cetostearyl Alcohol	...	5	g
Liquid Paraffin	...	50	g
Purified Water, freshly boiled and cooled to	...	100	g

7490F CHLORHEXIDINE, AQUEOUS (APF)
(Chlorhexidine BP, BPC)

Chlorhexidine Gluconate Solution	...	5	ml
Cetomacrogol Emulsifying Wax	...	25	g
Liquid Paraffin	...	10	g
Purified Water, freshly boiled and cooled to	...	100	g

7318E COAL TAR and ZINC, OILY (APF)

Coal Tar, BPC	...	1	g
Castor Oil	...	1	g
Zinc Cream Oily APF	...	98	g

7499Q COLD (APF)

White Beeswax	...	17	g
Liquid Paraffin	...	45	g
Borax	...	1	g
Purified Water, freshly boiled and cooled	...	37	ml

7664J GLYCEROL, OILY (APF)

Glycerol	...	20	g
Calcium Hydroxide Solution	...	32	ml
Arachis Oil	...	22	g
Wool Fat	...	26	g

7666L ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol	...	5	g
Wool Fat	...	15	g
Zinc Cream Oily APF	...	80	g

9556Y OILY (APF)

Wool Alcohols Ointment, APF	...	50	g
Purified Water, freshly boiled and cooled	...	50	ml

7892J SALICYLIC ACID and RESORCINOL,
AQUEOUS (APF)

Salicylic Acid	...	2	g
Resorcinol	...	2	g
Aqueous Cream, APF to	...	100	g

PREScription

CREAMS — continued

7893K SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

Salicylic Acid				2	g
Precipitated Sulphur				2	g
Spike Lavender Oil				0.5	ml
Aqueous Cream, APF to				100	g

7667M ZINC, OILY (APF)

Zinc Oxide				32	g
Oleic Acid				0.5	ml
Arachis Oil				21.5	ml
Wool Fat				17.5	g
Calcium Hydroxide Solution				30.5	ml

7654W ZINC, WEAK (PL)

Zinc Oxide				5	g
Oleic Acid				0.5	ml
Arachis Oil				38.5	ml
Wool Fat				25	g
Calcium Hydroxide Solution				34.5	ml

DUSTING POWDER

(Maximum Quantity 100g and 1 Repeat)

7458M ZINC, STARCH and TALC (APF, BPC)

Zinc Oxide				25	g
Starch				25	g
Purified Talc, sterilised				50	g

EAR DROPS

(Maximum Quantity 15ml and 2 Repeats)

7642F ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution				9	ml
Purified Water, freshly boiled and cooled to				15	ml

7487C CHLORHEXIDINE (APF)

Chlorhexidine Acetate				7.5	mg
Purified Water, freshly boiled and cooled to				15	ml

7645J ICHTHAMMOL (APF)

Ichthammol				10	g
Glycerol				90	g

7316C PHENYLMERCURIC NITRATE (APF)

Phenylmercuric Nitrate				15	mg
Propylene Glycol				7.5	ml
Purified Water, freshly boiled and cooled to				15	ml

PREScription

7315B SALICYLIC ACID (APF)

Salicylic Acid				300	mg
Alcohol (90 per cent)				7.5	ml
Purified Water, freshly boiled and cooled to				15	ml

7314Y SODIUM BICARBONATE (APF, BPC)

Sodium Bicarbonate				750	mg
Glycerol				4.5	ml
Purified Water, freshly boiled and cooled to				15	ml

7313X SPIRIT (APF)

Alcohol (90 per cent)				7.5	ml
Purified Water, freshly boiled and cooled to				15	ml

INHALATIONS

(Maximum Quantity 50 ml and 1 Repeat)

7485Y BENZOIN (PL)

Benzoin Tincture, Compound BPC				50	ml
--------------------------------	------	------	------	----	----

8577K BENZOIN, COMPOUND (PL)

Menthol				1	g
Oil of Siberian Fir				2.5	ml
Benzoin Tincture, Compound BPC to				50	ml

7484X BENZOIN and MENTHOL (PL, APF)

Menthol				1	g
Benzoin Tincture, Compound BPC to				50	ml

8576J MENTHOL, COMPOUND (PL)

Menthol				1	g
Creosote				1	ml
Oil of Siberian Fir				2	ml
Alcohol (90 per cent) to				50	ml

7310R MENTHOL and EUCALYPTUS (BPC)

Menthol				1	g
Eucalyptus Oil				5	ml
Light Magnesium Carbonate				3.5	g
Purified Water to				50	ml

7309Q MENTHOL and PINE (APF)

Menthol				1	g
Pumilio Pine Oil				2.5	ml
Alcohol (90 per cent) to				50	ml

PREScription

LINCTUS

(Maximum Quantity 100 ml and 2 Repeats)

8619P SIMPLE (APF)

Citric Acid Monohydrate		125	mg
Concentrated Chloroform Water		0.15	ml
Amaranth Solution		0.1	ml
Concentrated Anise Water		0.05	ml
Syrup to		5	ml

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

7884Y CAMPHOR (APF, BP)

Camphor		20	g
Arachis Oil		80	g

7480Q METHYL SALICYLATE, COMPOUND (APF)

Menthol		4	g
Eucalyptus Oil		10	ml
Methyl Salicylate		25	ml
Arachis Oil to		100	ml

7307N SOAP (APF, BPC)

Camphor		4	g
Oleic Acid		4	g
Potassium Hydroxide Solution (5 per cent)		14	ml
Alcohol (90 per cent)		70	ml
Rosemary Oil		1.5	ml
Purified Water to		100	ml

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

7629M CALAMINE (APF, BP)

Calamine		30	g
Zinc Oxide		10	g
Bentonite, sterilised		6	g
Sodium Citrate		1	g
Liquefied Phenol		1	ml
Glycerol		10	ml
Purified Water, freshly boiled and cooled to		200	ml

7630N CALAMINE, OILY (APF, BPC)

Calamine		10	g
Wool Fat		2	g
Arachis Oil		100	ml
Oleic Acid		1	ml
Calcium Hydroxide Solution to		200	ml

PREScription

8793T RESORCINOL, COMPOUND (APF)

Resorcinol		5	g
Solvent Ether		5	ml
Castor Oil		5	ml
Spike Lavender Oil		0.2	ml
Alcohol (90 per cent) to		200	ml

7633R SULPHURATED (APF)

Zinc Sulphate		10	g
Sulphurated Potash		10	g
Acetone		10	ml
Glycerol		10	ml
Spike Lavender Oil		0.4	ml
Purified Water, freshly boiled and cooled to		200	ml

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

7901W ALUMINIUM HYDROXIDE and BELLADONNA (APF)

Belladonna Tincture		0.5	ml
Citric Acid Monohydrate		100	mg
Concentrated Chloroform Water		0.2	ml
Aluminium Hydroxide Gel to		10	ml

7905C ASPIRIN (APF)

Aspirin		500	mg
Compound Tragacanth Powder		250	mg
Orange Syrup, APF		1	ml
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

7303J CHALK and KAOLIN (APF)

Chalk		1.5	g
Light Kaolin or Light Kaolin (Natural)		2.5	g
Alum		10	mg
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

7906D CHLORAL (APF)

Chloral Hydrate		1	g
Orange Syrup, APF		1	ml
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

7908F FERROUS SULPHATE (APF)

Ferrous Sulphate		300	mg
Ascorbic Acid		10	mg
Orange Syrup, APF		0.5	ml
Concentrated Chloroform Water		0.25	ml
Purified Water to		10	ml

PRESCRIPTION

MIXTURES — *continued*

7603E GENTIAN, ACID (PL)

Concentrated Compound Gentian Infusion			1	ml
Dilute Hydrochloric Acid			0.5	ml
Concentrated Chloroform Water			0.25	ml
Purified Water to			10	ml

7604F GENTIAN, ALKALINE (APF)

Concentrated Compound Gentian Infusion			1	ml
Sodium Bicarbonate			500	mg
Concentrated Chloroform Water			0.25	ml
Purified Water to			10	ml

7492H IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture			0.25	ml
Compound Camphor Spirit			1	ml
Tolu Syrup			1	ml
Squill Oxymel			1	ml
Concentrated Chloroform Water			0.15	ml
Concentrated Anise Water			0.15	ml
Purified Water to			10	ml

7301G KAOLIN and OPIUM (APF)

Light Kaolin or Light Kaolin (Natural)			2.5	g
Alum			10	mg
Opium Tincture			0.5	ml
Concentrated Chloroform Water			0.25	ml
Purified Water to			10	ml

7909G MAGNESIUM TRISILICATE (APF)

Magnesium Trisilicate			1	g
Calcium Carbonate			500	mg
Light Magnesium Carbonate			500	mg
Concentrated Peppermint Water			0.25	ml
Concentrated Chloroform Water			0.25	ml
Purified Water to			10	ml

7910H POTASSIUM CHLORIDE (APF)

Potassium Chloride			1	g
Lemon Syrup, APF			2	ml
Concentrated Chloroform Water			0.25	ml
Purified Water to			10	ml

7911J POTASSIUM CITRATE (APF)

Potassium Citrate			2	g
Citric Acid Monohydrate			400	mg
Lemon Syrup, APF			1	ml
Concentrated Chloroform Water			0.2	ml
Purified Water to			10	ml

PRESCRIPTION

7932L POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate			1	g
Sodium Bicarbonate			750	mg
Orange Syrup, APF			1	ml
Concentrated Chloroform Water			0.2	ml
Purified Water to			10	ml

7618Y POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide			250	mg
Stramonium Tincture			0.5	ml
Lobelia Tincture, Ethereal			0.5	ml
Aromatic Ammonia Spirit			0.5	ml
Liquorice Liquid Extract			0.5	ml
Concentrated Chloroform Water			0.25	ml
Purified Water to			10	ml

7933M SODIUM CITRATE (APF)

Sodium Citrate			2	g
Citric Acid Monohydrate			400	mg
Lemon Syrup, APF			1	ml
Concentrated Chloroform Water			0.2	ml
Purified Water to			10	ml

7623F SODIUM SALICYLATE (APF)

Sodium Salicylate			1	g
Liquorice Liquid Extract			0.25	ml
Concentrated Chloroform Water			0.25	ml
Purified Water to			10	ml

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

7576R DEXTROSE and GLYCEROL (APF)

Dextrose			3	g
Glycerol to			15	ml

7574P EPHEDRINE (APF)

Ephedrine Hydrochloride			150	mg
Chlorbutol			75	mg
Sodium Chloride			75	mg
Propylene Glycol			0.75	ml
Purified Water, freshly boiled and cooled to			15	ml

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

9497W BENZOIC ACID, COMPOUND (APF, BPC)

Benzoic Acid in fine powder			6	g
Salicylic Acid in fine powder			3	g
Emulsifying Ointment			91	g

PREScription

ointments — *continued*

7918R EMULSIFYING (APF, BP)				
Emulsifying Wax			30	g
White Soft Paraffin			50	g
Liquid Paraffin			20	g
9592W RESORCINOL and SULPHUR, COM- POUND (APF)				
Resorcinol			2	g
Precipitated Sulphur			3	g
Salicylic Acid			1	g
White Simple Ointment			94	g
7926E SALICYLIC ACID (APF)				
Salicylic Acid			2	g
Wool Alcohols Ointment, APF			98	g
7927F SIMPLE (APF, BP)				
(White Simple Ointment)				
Wool Fat			5	g
Hard Paraffin			5	g
Cetostearyl Alcohol			5	g
White Soft Paraffin			85	g
7899R ZINC and CASTOR OIL (APF, BP)				
Zinc Oxide			7.5	g
Castor Oil			50	g
Cetostearyl Alcohol			2	g
White Beeswax			10	g
Arachis Oil			30.5	g
7896N ZINC OXIDE (APF)				
(Zinc BP)				
Zinc Oxide			15	g
White Simple Ointment			85	g

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

7562B ICHTHAMMOL (APF)				
Ichthammol			10	g
Glycerol			90	g
9770F MAGENTA (APF)				
Magenta			100	mg
Resorcinol			2	g
Phenol			1	g
Boric Acid			200	mg
Alcohol (90 per cent)			2.125	ml
Acetone			1	ml
Purified Water to			25	ml
7566F PODOPHYLLIN (APF)				
Podophyllum Resin			1.25	g
Benzoin Tincture, Compound to			25	ml

PREScription

7567G PODOPHYLLIN, STRONG (APF)

(Podophyllin, Compound BPC)

Podophyllum Resin			3.75	g
Benzoin Tincture, Compound to			25	ml
7568H SALICYLIC ACID (APF)				
Salicylic Acid			2.5	g
Flexible Collodion to			25	ml

PASTES

(Maximum Quantity 100 g and 1 Repeat)

7555P COAL TAR and ZINC (APF)				
Coal Tar, BPC			1	g
Castor Oil			1	g
Compound Zinc Paste			98	g
9740P DITHRANOL and ZINC (APF)				
Dithranol			100	mg
Zinc and Salicylic Acid Paste			99.9	g
9742R TITANIUM DIOXIDE (APF)				
Titanium Dioxide			20	g
Calamine			25	g
Light Kaolin or Light Kaolin				
(Natural)			10	g
Bentonite, sterilised			1	g
Chlorocresol			100	mg
Glycerol			15	g
Purified Water, freshly boiled and				
cooled to			100	g
7558T ZINC, COMPOUND (APF, BP)				
Zinc Oxide			25	g
Starch			25	g
White Soft Paraffin			50	g
7559W ZINC and SALICYLIC ACID (APF)				
Salicylic Acid			2	g
Liquid Paraffin			2	g
Compound Zinc Paste			96	g

POWDERS

(Maximum Quantity 100 g and 2 Repeats)

7477M ALUMINIUM and MAGNESIUM TRISILICATE (APF)				
Dried Aluminium Hydroxide Gel			10	g
Magnesium Trisilicate			50	g
Light Kaolin or Light Kaolin				
(Natural)			40	g
7549H MAGNESIUM and CALCIUM CARBON- ATE (APF)				
Calcium Carbonate			25	g
Heavy Magnesium Carbonate			25	g
Magnesium Trisilicate			50	g
Peppermint Oil			0.2	ml

SECTION 5 — PRESCRIBERS' LIST — CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100ml and 4 Repeats)

7782N ALUMINIUM HYDROXIDE and KAOLIN (APF)

Light Kaolin or Light Kaolin (Natural)				1	g
Sodium Citrate				5	mg
Concentrated Chloroform Water				0.1	ml
Aluminium Hydroxide Gel to				5	ml

7783P ASPIRIN (APF)

Aspirin				150	mg
Compound Tragacanth Powder				100	mg
Raspberry Syrup				1	ml
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

7784Q ATROPINE METHONITRATE (APF)

Atropine Methonitrate				0.5	mg
Lemon Syrup, APF				0.5	ml
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

7785R BELLADONNA (APF)

Belladonna Tincture				0.1	ml
Orange Syrup, APF				1	ml
Glycerol				1	ml
Benzoic Acid Solution, APF				0.1	ml
Purified Water to				5	ml

7786T CALCIUM and KAOLIN (APF)

Calcium Carbonate				500	mg
Light Kaolin or Light Kaolin (Natural)				1	g
Alum				5	mg
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

7793E CHLORAL (APF)

Chloral Hydrate				250	mg
Orange Syrup, APF				2	ml
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

PRESCRIPTION

7788X FERROUS GLUCONATE (APF)

Ferrous Gluconate				200	mg
Dextrose				500	mg
Orange Syrup, APF				1	ml
Citric Acid Monohydrate				25	mg
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

7789Y FERROUS SULPHATE (APF)

Ferrous Sulphate				100	mg
Ascorbic Acid				5	mg
Orange Syrup, APF				1	ml
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

7493J IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture				0.1	ml
Compound Camphor Spirit				0.25	ml
Squill Oxymel				1	ml
Purified Water to				5	ml

7791C POTASSIUM CITRATE (APF)

Potassium Citrate				1	g
Citric Acid Monohydrate				200	mg
Lemon Syrup, APF				1	ml
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

7586G POTASSIUM IODIDE (APF)

Potassium Iodide				100	mg
Liquorice Liquid Extract				0.25	ml
Aromatic Ammonia Spirit				0.1	ml
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

7792D SODIUM CITRATE (APF)

Sodium Citrate				1	g
Citric Acid Monohydrate				200	mg
Lemon Syrup, APF				1	ml
Concentrated Chloroform Water				0.1	ml
Purified Water to				5	ml

CHILDREN'S SECTION

SECTION 6 — CONTAINER PRICES, FEES, STANDARD PACKS AND
PRICES, FOR READY PREPARED PREPARATIONS DECEMBER 1980

CONTAINER PRICES FOR QUANTITIES OF READY PREPARED
PREPARATIONS LESS THAN MAXIMUM

Injectibles	150 ml vial, 18c
Other items	25 ml vial, 7c
(The 25ml is the most commonly used size)	

Fees —

Ready prepared professional fee \$1.26
Dangerous drug fee 60c

NOTE:— Standard packs and prices (including mark up, but without professional fee and dangerous drug fee) are for items against the price of which an asterisk (*) is shown in the Schedule.

(Apply wastage factor in calculating broken quantity prices)

2

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2811Y	Acetylcholine Chloride	1%, 2ml	1 @ 4.79	CP
3071P	Amino Acid Formula without Phenylalanine	250g	1 @ 67.63	MN
3072Q		250g	1 @ 88.88	MN
1058Q	Amylobarbitone Sodium	250mg	1 @ 1.30	LY
1059R		500mg	1 @ 1.68	LY
1980F	Antivenom - Red Back Spider	500 Units	1 @ 13.25	CS
2362H	Benzotropine	2mg	100 @ 4.31	MK
2647H	Benzylpenicillin	3g	1 @ 2.04	GL
			5 @ 10.13	CS
2648J		6g	1 @ 2.78	CS
1116R	Betamethasone	4mg in 1ml	1 @ 1.35	SH
1071J	Bethanechol	5mg in 1ml	1 @ 1.05	MK
2817G	Capreomycin	1g	1 @ 3.93	LY
2494G	Cephaloridine	500mg	1 @ 2.95	GL
2643D		1g	1 @ 5.58	GL
2964B	Cephalothin Sodium	1g	1 @ 4.11	GL,LY
1256D	Cephazolin Sodium	500mg	1 @ 3.75	LY
1257E		1g	1 @ 7.20	LY
1163F	Chlorambucil	2mg	25 @ 8.19	BW
1164G		5mg	25 @ 12.19	BW
1167K	Chloramphenicol	1g	1 @ 3.90	PD
1185J	Chloroquine	2ml	10 @ 4.06	MB
3021B	Cholera Vaccine	1ml	1 @ 1.50	CS
2967E	Cholestyramine	9g sachet (equiv. to 4g cholestyramine)	1 @ 16.00	MJ
1222H	Codeine Phosphate with Aspirin and Paracetamol	30mg-225mg-150mg	50 @ 3.38	BW,GP
2621Y	Colistin	150mg	1 @ 6.46	WW
1228P	Copper Sulphate	Tablets	1 @ 1.13	AM
1079T	Cyclophosphamide	500mg	1 @ 3.16	BC
1798P	Cyproheptadine	4mg	50 @ 1.74	FR
2910E	Cytarabine	100mg set	1 @ 7.54	UP
3114X	Daunorubicin	20mg	1 @ 27.53	MB
2129C	Desmopressin	100mcg per ml, 2.5ml	1 @ 19.56	PT
2701E	Dextromoramide	5mg in 1ml	5 @ 3.16	FA
1333E	Diloxanide Furoate	500mg	15 @ 2.91	BT
1342P	Diphtheria Antitoxin	1,000 Units	1 @ 4.13	CS
1344R		10,000 Units	1 @ 17.63	CS
1341N	Diphtheria and Tetanus Vaccine Adsorbed	0.5ml	1 @ 1.40	CS
3019X	Diphtheria and Tetanus Vaccine Adsorbed, Diluted for Adult Use	0.5ml	1 @ 1.40	CS
1346W	Diphtheria, Tetanus and Pertussis Vaccine	0.5ml	1 @ 1.28	CS
1348Y	Diphtheria Vaccine, Adsorbed	0.5ml	1 @ 1.63	CS
3020Y	Diphtheria Vaccine, Adsorbed, Diluted for Adult Use	0.5ml	1 @ 1.56	CS
1398N	Erythromycin	300mg	1 @ 3.81	AB
3166P	Ethinodiol Diacetate with Ethinylloestradiol	500mcg-50mcg	1 @ 1.23	SR
3167Q		1mg-50mcg	1 @ 1.23	SR
2447T		Tablet-Pack	1 @ 1.23	SR
3168R		Tablet-Pack	1 @ 1.23	SR

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
3169T	Ethinodiol Diacetate with	500mcg-100mcg	1 @ 1.23	SR
3170W	Mestranol	1mg-100mcg	1 @ 1.23	SR
3171X		2mg-100mcg	1 @ 1.23	SR
1436N	Folic Acid	15mg in 1ml	5 @ 2.41	AB
2699C	Gas Gangrene Antitoxin -	25,000 Units	1 @ 25.13	CS
2824P	Mixed (Polyvalent)	80mg in 2ml	1 @ 5.05	RL
	Gentamicin Sulphate			
1053K	Heparin Calcium	12,500 Units in 0.5ml	1 @ 2.98	CS
1054L		25,000 Units in 1ml	1 @ 3.91	CS
1469H	Heparin Sodium	20,000 Units in 20ml	1 @ 3.40	CS
1468G		25,000 Units in 5ml	1 @ 3.91	BT,CS,WP
1076P		35,000 Units in 35ml	1 @ 7.53	CS,WP
1501B	Hydrocortisone Sodium Succinate	100mg set	1 @ 2.63 1 @ 2.66	NR GL,UP
2885W	Insect Allergen Extract-Honey Bee	Strength D	1 @ 12.88	CS
1710B	Insulin (bovine)	100 Units per ml, 10ml	1 @ 7.55	BT,BW,CS
1530M		300 Units per ml, 5ml	1 @ 11.53	CS
1723Q	Insulin Biphasic (mixed porcine/bovine)	100 Units per ml, 10ml	1 @ 7.55	CS
1425B	Insulin Biphasic Purified (mixed porcine/bovine)	100 Units per ml, 10ml	1 @ 8.80	NO
1711C	Insulin Isophane (N.P.H.) (bovine)	100 Units per ml, 10ml	1 @ 7.55	BT,BW,CS,WP
1712D	(porcine)	100 Units per ml, 10ml	1 @ 7.55	CS
1426C	Insulin Isophane (N.P.H.) Purified (porcine)	100 Units per ml, 10ml	1 @ 8.80	PT
1427D	Insulin Isophane (N.P.H.) Purified -Insulin Neutral Purified,(Mixed) (porcine)	100 Units (70 Units-30 Units) per ml, 10ml	1 @ 8.80	PT
1713E	Insulin Neutral (bovine)	100 Units per ml, 10ml	1 @ 7.55	WP
1714F	(porcine)	100 Units per ml, 10ml	1 @ 7.55	CS
1428E	Insulin Neutral Purified (porcine)	100 Units per ml, 10ml	1 @ 8.80	NO,PT
1715G	Insulin Protamine Zinc (bovine)	100 Units per ml, 10ml	1 @ 7.55	BT,BW,CS
1716H	Insulin Zinc Suspension (bovine)	100 Units per ml, 10ml	1 @ 7.55	BT,BW,CS
1717J	(porcine)	100 Units per ml, 10ml	1 @ 7.55	CS

(Apply wastage factor in calculating broken quantity prices)

4

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1429F	Insulin Zinc Suspension Purified (porcine)	100 Units per ml, 10ml	1 @ 8.80	NO
1430G	(mixed porcine/bovine)	100 Units per ml, 10ml	1 @ 8.80	NO
1719L	Insulin Zinc Suspension (Amorphous)(bovine)	100 Units per ml, 10ml	1 @ 7.55	BT,BW,CS
1720M	(porcine)	100 Units per ml, 10ml	1 @ 7.55	CS
1431H	Insulin Zinc Suspension (Amorphous) Purified (porcine)	100 Units per ml, 10ml	1 @ 8.80	NO
1721N	Insulin Zinc Suspension (Crystalline)(bovine)	100 Units per ml, 10ml	1 @ 7.55	BT,BW,CS
1432J	Insulin Zinc Suspension (Crystalline) Purified (bovine)	100 Units per ml, 10ml	1 @ 8.80	NO
2913H	Levonorgestrel	30mcg	1 @ 1.23	SC,WY
1455N	Levonorgestrel with Ethinyloestradiol	125mcg-50mcg	1 @ 1.23	SC
1393H		150mcg-30mcg	1 @ 1.23	SC,WY
3186Q		250mcg-50mcg	1 @ 1.23	SC,WY
1457Q		Tablet-Pack	1 @ 1.23	WY
1458R		Tablet-Pack	1 @ 1.23	SC,WY
1456P		Tablet-Pack	1 @ 1.23	SC
1394J		Tablet-Pack	1 @ 1.23	SC,WY
3188T		Tablet-Pack	1 @ 1.23	SC,WY
2401J	Lypressin	50 Units per ml, 5ml	1 @ 4.53	SZ
2547C	Melphalan	2mg	25 @ 10.94	BW
2548D		5mg	25 @ 18.44	BW
1598D	Mercaptopurine	50mg	25 @ 17.31	BW
1612W	Methdilazine	4mg	50 @ 1.44	AH
1613X		8mg	50 @ 1.58	AH
1619F	Methenolone Acetate	1mg	50 @ 2.13	SC
1620G		5mg	50 @ 6.13	SC
2393Y	Methotrexate	5mg	1 @ 3.81	LE
2394B		50mg	1 @ 11.31	LE
2981X	Methylprednisolone Sodium Succinate	40mg (base) in 1ml	1 @ 2.56	UP
1283M	Milk Powder - Cows' Milk, Processed	500g	1 @ 3.88	SJ
1284N		500g	1 @ 3.88	SJ
3092R	Milk Powder - Synthetic	397g	1 @ 9.75	MN
1637E		397g	1 @ 10.38	MN
2685H		454g	1 @ 25.88	MN
1924G	Mithramycin	2.5mg	1 @ 17.71	PF
1681L	Niclosamide	500mg	4 @ 2.00	BN
1967M	Norethisterone	350mcg	1 @ 1.23	ET,SD
2772X	Norethisterone with Ethinyloestradiol	500mcg-35mcg	1 @ 1.23	ET,SD
2773Y		1mg-35mcg	1 @ 1.23	SD
2774B		Tablet-Pack	1 @ 1.23	ET,SD
2775C		Tablet-Pack	1 @ 1.23	SD
3176E	Norethisterone with Mestranol	1mg-50mcg	1 @ 1.23	ET,SD
3177F		1mg-80mcg	1 @ 1.23	ET
3178G		2mg-100mcg	1 @ 1.23	ET,SD
3179H		Tablet-Pack	1 @ 1.23	ET,SD

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
3180J	Norethisterone Acetate with Ethinyloestradiol	1mg-50mcg	1 @ 1.23	SC
3181K		3mg-50mcg	1 @ 1.23	SC
3182L		4mg-50mcg	1 @ 1.23	SC
3183M		Tablet-Pack	1 @ 1.23	PD, SC
3184N		Tablet-Pack	1 @ 1.23	PD
3185P	Norethynodrel with Mestranol	2.5mg-100mcg	1 @ 1.23	SR
1442X	Norgestrel with Ethinyloestradiol	500mcg-50mcg	1 @ 1.23	SC
3187R		500mcg-50mcg	1 @ 1.23	SC, WY
3189W		Tablet-Pack	1 @ 1.23	SC, WY
2564Y	Nutramigen	500g	1 @ 7.29	MJ
2410W	Peritoneal Dialysis Solution	1.36% Anhydrous Dextrose, 1L	1 @ 2.51	AB
3192B		3.86% Anhydrous Dextrose, 1L	1 @ 2.51	AB
1706T	Phenethicillin	125mg	25 @ 1.56	CS, SI
1707W		250mg	25 @ 1.96	CS, SI
1708X		125mg	25 @ 1.56	SI
1709Y		250mg	25 @ 1.96	CS, SI
1702N	Phenoxymethylpenicillin	125mg	25 @ 1.56	AB, CS, FM, LY
1703P		250mg	25 @ 1.86	AB, AV, CS, FA, FM, LY, MF, SI
1704Q		125mg	25 @ 1.56	FM
1705R		250mg	25 @ 1.86	AB, AV, CS, FA, FM, LY, SI
1865E	Phenylalanine Low Content Formula	2.5 lb	1 @ 33.25	MJ
1901C	Plague Vaccine	1ml	1 @ 2.75	CS
1919B	Prednisolone Acetate	10mg in 1ml	1 @ 1.36	SC
1941E	Procainamide	100mg per ml, 10ml	1 @ 2.41	SQ
2893G	Prochlorperazine	5mg	100 @ 2.10	PT
1948M	Promethazine	50mg in 2ml	100 @ 2.13	MB, SK
2830Y	Propranolol	1mg in 1ml	5 @ 1.23	BL
			10 @ 3.24	IC
1987N	Rolitettracycline	I.V. 275mg	1 @ 2.44	HP
1990R		I.M. 350mg	1 @ 2.44	HP
2013Y	Sodium Aurothiomalate	1mg	10 @ 15.88	MB
2015C		5mg	10 @ 19.63	MB
2016D		10mg	10 @ 24.00	MB
2017E		20mg	10 @ 34.00	MB
2018F		50mg	10 @ 60.25	MB
3015Q	Sodium Bicarbonate	8.4%, 100ml	1 @ 2.48	AB
1261J	Sodium Valproate	200mg	100 @ 17.35	RC
2040J	Soya Formula	375ml	1 @ 0.98	MJ, SA
2039H		384ml	1 @ 0.98	RD
3130R	Streptokinase	100,000 I.U.	1 @ 21.00	FA
2906Y		250,000 I.U.	1 @ 34.96	HP
			1 @ 37.13	FA
2962X		600,000 I.U.	1 @ 75.66	FA
2907B		750,000 I.U.	1 @ 89.01	HP
2069X	Sulphadiazine Sodium	4ml	10 @ 8.50	MB
2599T	Testosterone Enanthate	100mg in 1ml	3 @ 9.63	SC
2114G		250mg in 1ml	1 @ 7.81	SC
2670M	Testosterone Esters	100mg	1 @ 3.63	OR
2101N		250mg	1 @ 7.81	OR
2115H	Testosterone Propionate	25mg in 1ml	3 @ 1.95	SC
2116J		50mg in 1ml	3 @ 3.45	SC

(Apply wastage factor in calculating broken quantity prices)

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2127Y	Tetanus Vaccine, Adsorbed	0.5ml	1 @ 1.21	CS
2135J	Tetracycline	250mg	25 @ 2.25	BZ(N), CS, FM, GP, LE, UP
2827T	Tetracycline with Nystatin	250mg-250,000 Units	25 @ 2.25	SQ
2152G		250mg-250,000 Units	25 @ 2.25	BC, LE, SQ, UP
2146Y	Tetracycline (Buffered)	250mg	25 @ 2.25	BC, CS, FM, HP, LE, SQ, UP
2368P	Thiethylperazine	6.5mg (base) in 1ml	5 @ 1.75	SZ
2345K	Thiotepa	15mg	1 @ 4.91	LE
1355H	Tobramycin Sulphate	40mg	1 @ 3.35	LY
1356J		80mg	1 @ 5.31	LY
2686J	Triglycerides, Medium Chain	450g	1 @ 6.38	MJ
2679B		454g	1 @ 8.25	MJ
2800J	Typhoid Vaccine	0.5ml	1 @ 1.40	CS
2195M	Typhus Vaccine	1ml	1 @ 13.25	CS
3131T	Vancomycin	500mg	1 @ 14.43	LY
2197P	Vasopressin Tannate	5 Units in 1ml	5 @ 8.69	PD
2371T	Vincristine	1mg	1 @ 18.18	LY

INTRAVENOUS FLUIDS FOR INJECTION

2305H	Dextran 40	10%-5%, 500ml	1 @ 13.15	FC
2306J		10%-0.9%, 500ml	1 @ 13.15	FC
2245E	Dextrose Injection	5%, 1L	1 @ 2.74	AB, TV
2247G		10%, 1L	1 @ 3.18	AB, TV
2249J		20%, 1L	1 @ 3.25	AB, TV
2251L		25%, 1L	1 @ 3.25	AB, TV
2252M		50%, 500ml	1 @ 2.66	AB
3199J	Electrolyte Replacement Solution	1L	1 @ 3.25	AB, TV
2264E	Sodium Chloride Injection	0.9%, 1L	1 @ 2.74	AB, TV, VF(N)
2260Y		3%, 1L	1 @ 3.25	AB, TV
2262C		5%, 1L	1 @ 3.25	TV
2266G	Sodium Chloride Compound BPC 1959	1L	1 @ 3.19	AB, TV
2271M	Sodium Chloride Injection and Anhydrous Dextrose	0.9%-5%, 1L	1 @ 3.25	AB, TV
2273P		0.9%-10%, 1L	1 @ 3.25	TV
2278X		0.45%-2.5%, 500ml	1 @ 2.74	AB, TV
2279Y		0.225%-3.75%, 500ml	1 @ 2.74	AB, TV
2281C		0.18%-4%, 1L	1 @ 2.74	AB, TV
2282D		0.18%-4.3%, 1L	1 @ 2.81	AB
2284F	Sodium Lactate	1L	1 @ 2.35	VF(N)
2286H	Sodium Lactate Compound	1L	1 @ 2.74	AB, TV
2288K	Sodium Lactate Compound and Anhydrous Dextrose	5%, 1L	1 @ 3.25	AB, TV
2293Q	Standard Maintenance Fluid	500ml	1 @ 2.43	AB

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

3342X	Nystatin	500,000 Units	50 @ 6.04	GP, LE, SQ
-------	----------	---------------	-----------	------------



Pharmaceutical Benefits

DECEMBER 1980

DELETIONS RECOMMENDED BY THE PHARMACEUTICAL BENEFITS ADVISORY COMMITTEE

Items deleted from the Schedule of Benefits from 1 December 1980 on the recommendation of the Pharmaceutical Benefits Advisory Committee (PBAC) include —

Dextropropoxyphene with paracetamol tablet (*Di-Gesic, Paradex*) and capsule (*Capadex*)

The PBAC has had discussions with representatives of various medical Colleges and Societies and received advice from the Poisons Schedule (Standing) Committee of the National Health and Medical Research Council concerning the increasing incidence of misadventure and death associated with the apparent misuse of dextropropoxyphene.

The PBAC considers that in view of these disadvantages and lack of demonstrated therapeutic advantage over other analgesics, the widespread use of dextropropoxyphene in the community cannot be justified and it recommended the deletion of compound analgesic preparations containing dextropropoxyphene from the pharmaceutical benefits list.

Compound bronchodilator/barbiturate formulations

Following advice from the Thoracic Society of Australia and the Australian College of Paediatrics supporting the proposal that items containing various mixtures of aminophylline, theophylline and/or ephedrine with a barbiturate be deleted from the list of benefits, the PBAC recommended the deletion of all such preparations including *Amesec*, *Ephedrobarbital*, *Panasma*, *Tedral* and *Theosec* products.

The Committee considers that barbiturates cause respiratory depression and may therefore endanger patients suffering from respiratory diseases such as bronchitis or asthma. This recommendation is also in line with the widely held medical view that where more than one potent substance is prescribed for a patient the dose of each individual drug should be able to be titrated or adjusted independently of the patient's other medication.

Goats' Milk

While in the past goats' milk has been given to infants with cows' milk allergy, many of the proteins which may cause allergy are common to both these milks. The PBAC is of the opinion that there is no indication for the use of goats' milk which is not adequately covered by alternative foods (e.g. soya formula) and, after discussion with representatives of the Royal Australian College of General Practitioners and the Australian College of Paediatrics, has recommended the deletion of goats' milk from the list of benefits.

Full details of the above items appear under the heading ' Deletion of Full Items ' in the Summary of Changes on pages 3-4 of the Explanatory Circular in this Schedule of Benefits.



ADVERSE DRUG REACTIONS WHAT TO REPORT?

The Adverse Drug Reactions Advisory Committee encourages the reporting of all suspected adverse reactions to drugs. The reporting of seemingly insignificant or common adverse reactions may highlight a widespread prescribing problem.

The Committee particularly requests reports of:

- **ALL suspected reactions to NEW DRUGS.**
- **ALL suspected drug interactions.**
- **Reactions to other drugs which are suspected of significantly affecting the course of a patient's management, including reactions suspected of causing:**
 - * **Death**
 - * **Danger to life**
 - * **Admission to hospital**
 - * **Prolongation of hospitalization**
 - * **Absence from productive activity**
 - * **Increased investigation or treatment costs**
 - * **Birth defects.**

Reports of suspected adverse drug reactions are most easily made by using the blue pre-paid mailer card distributed with the Australian Prescriber.

Australian Drug Evaluation Committee,
P.O. Box 100,
Woden, A.C.T. 2606

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1980 edition of the Schedule of Benefits for Medical Practitioners.

The reprint of the Schedule will take effect on 1 December 1980 and all previous editions of the Schedule are cancelled.

Your attention is drawn to the following:—

From 1 November 1980 the entitlement to receive Pharmaceutical Benefits free of charge was extended to certain Social Security sickness benefit recipients and their dependants under the same conditions as applicable to the holders of Pensioner Health Benefits Cards. This new category of beneficiary will be identified by a Health Benefits Card issued by the Department of Social Security (See facsimile page 22 lemon pages). Where in Section 2 a prescription is required to be endorsed with the pension number, a 'pensioner' for this purpose shall now include the holder of a valid Health Benefits Card and his or her dependants, and the prescription should be endorsed with the Benefit Number shown on the Health Benefits Card (See lemon pages 15 (c)).

Stilboestrol Diphosphate, 100mg tablet and 250mg in 5ml injection (*Honvan*) is now listed as Fosfestrol Tetrasodium.

LATE ENTRY

Desferrioxamine Mesylate, 500mg (solvent required) injection (*Desferal*) has been deleted from the Schedule of Benefits following advice from the manufacturer that, in future, the product will only be available through hospitals in view of the highly specialised nature of usage.

SUMMARY OF CHANGES

ADDITIONS

NEW ITEMS

Section 2 — Restricted Benefits

Atenolol, 50mg tablet (*Tenormin*)

Pyrimethamine with Dapsone, 12.5mg-100mg tablet (*Maloprim*)

Sulindac, 100mg tablet (*Clinoril*)

Section 2 — Unrestricted Benefits

Difenoxin Hydrochloride with Atropine Sulphate, 500 micrograms-20 micrograms (*Lyspafen*)

Insulin Biphasic, 100 Units per ml, 10ml, injection (mixed porcine/bovine) (*Bitard*)

Temazepam, 10mg capsule (*Eubypnos*, *Normison*)

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2 — Restricted Benefits

Verapamil Hydrochloride, 80mg tablet (*Isoptin*)

Section 2 — Unrestricted Benefits

Aminophylline, 105mg per 5ml, 500ml, oral liquid (*Somophyllin*)

Betamethasone Valerate, 0.02%, 100g ointment (*Celestone-M*)

Insulin Zinc Suspension (Amorphous) (Semilente), 100 Units per ml, 10ml, injection (porcine) (*Semilente PC*)

Pilocarpine Hydrochloride with Adrenaline, 6%-0.5%, 15ml (*E-Carpine*)

Prazosin Hydrochloride, 5mg (base) tablet (*Minipress*)

Authority to Prescribe

The following items have been added to the list of items for which an authority to prescribe may be granted to provide up to six months' therapy.

Amino Acid Formula without Phenylalanine, 500g, food supplement powder (*Aminogran F.S.*)

Mineral Mixture, 250g powder (*Aminogran M.M.*)

Pancreatin Enzyme, 325mg tablet, 250g powder, and 305mg capsule

Pancrelipase, 300mg capsule

Prednisolone, 1mg, 5mg and 25mg tablets

DELETION OF FULL ITEMS

Section 2 — Restricted Benefits

Clofibrate, 500mg capsule (*Arterioflexin*, *Atromid-S*, *Liprinal*, *Lostat*)
Colestipol Hydrochloride, 5g sachets, 120 (*Colestid*)
Goats' Milk, 1lb and 500g, dehydrated powder (*Dale*); 375ml whole (sterilised)
Nalidixic Acid, 500mg tablet and 50mg per ml, 200ml, paediatric suspension (*Negram*)

Section 2 — Unrestricted Benefits

Aminophylline with Ephedrine Hydrochloride and Amylobarbitone, 130mg-25mg-25mg tablet (enteric coated) and 130mg-25mg-25mg capsule (*Amesec*)
Amylobarbitone, 15mg, 30mg, 50mg and 100mg tablets (*Amylbarb*, *Amytal*, *Neur-Amyl*, *Amal*)
Butobarbitone, 100mg tablet (*Sonabarb*)
Carbinoxamine, 4mg tablet (*Clistin*) (Item discontinued by manufacturer)
Cycloserine, 250mg capsule (*Closina*) (Item discontinued by manufacturer)
Demecarium Bromide, 0.25%, 5ml and 0.5%, 5ml eye drops (*Tosmilen*) (Item discontinued by manufacturer)
Deslanoside, 200 micrograms per ml, 2ml injection (*Cedilanid*) (Item discontinued by manufacturer)
Dextropropoxyphene Hydrochloride with Paracetamol, 32.5mg-325mg tablet (*Di-Gesic*, *Paradex*) and 32.5mg-325mg capsule (*Capadex*)
Ephedrine Hydrochloride with Phenobarbitone, 15mg-15mg tablet (*Ephedrobarbital Mitis*); 30mg-15mg tablet (*Ephedrobarbital*); 30mg-30mg tablet (*Ephedrobarbital Forte*); and 30mg-20mg per 5ml, 100ml elixir (*Ephedrobarbital*)
Gas Gangrene Antitoxin (Oedematiens) 10 000 units injection (Item discontinued by manufacturer)
Gas Gangrene Antitoxin (Perfringens) 10 000 units injection (Item discontinued by manufacturer)
Gas Gangrene Antitoxin (Septicum) 5 000 units injection (Item discontinued by manufacturer)
Lynoestrenol with Ethinyloestradiol, tablet 1mg-50mg, 22 (*Ovostat 22*); Pack containing 22 tablets 1mg-50 micrograms and 6 inert tablets (*Ovostat 28*) (Items discontinued by manufacturer)
Mecamylamine, 2.5mg and 10mg tablets (*Mevasine*)
Pentobarbitone Sodium, 30mg, 50mg, and 100mg tablets (*Penbon*, *Petab*); 100mg capsule (*Penbon*, *Pentobeta*, *Pentone*)
Plasma Substitute, 3.5%, 500ml, I.V. infusion (*Haemaccel*)

Pseudoephedrine Hydrochloride, 30mg tablet (*Sudafed-M*); 60mg tablet (*Sudafed*); and 30mg per 5ml, 100ml mixture (*Sudafed*)
 Quinalbarbitone Sodium, 100mg tablet and capsule (*Proquinal*, *Seconal Sodium*)
 Rauwolfia Alkaloids, 2mg tablet (*Rauwiloid*)
 Rauwolfia Serpentina, 50mg tablet (*Rawlina*, *Raudixin*)
 Secbutobarbitone, 15mg, 30mg, 50mg and 100mg tablets (*Butisol Sodium*)
 Theophylline with Ephedrine Hydrochloride and Phenobarbitone, 130mg-24mg-8mg tablet (*Ephedrobarbital T*, *Panasma*, *Tedral*); 180mg-48mg-25mg tablet (sustained release) (*Tedral S.A.*); and 130mg-24mg-8mg capsule (*Theosec*)

Section 4 — Drugs Available for Extemporaneous Preparations

Amylobarbitone BP
 Amylobarbitone Sodium BP
 Ephedrine BP
 EXTRACT

Nux Vomica Liquid BP
 Pentobarbitone Sodium BP
 TINCTURE

Nux Vomica BP

Section 5 — Prescribers' List

Ephedrine Elixir (APF)
 Phenobarbitone Elixir (APF)
 Aminophylline Compound Mixture (PL)
 Caffeine, Iodide and Ephedrine Mixture (PL)

Section 5 — Prescribers' List Children's Section

Potassium Iodide and Ephedrine Mixture (APF)

DELETION OF FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2 — Restricted Benefits

Codeine Phosphate with Aspirin and Paracetamol, 8mg-250mg-250mg tablet
 Insulins, purified, 40 Units per ml, 10ml, 80 Units per ml, 10ml, all forms

Section 2 — Unrestricted Benefits

Aminophylline, 125mg tablet (enteric coated) (*Androphyllin*) (Item discontinued by manufacturer)
 Amitriptyline, 10mg capsule (*Elavil*) (Item discontinued by manufacturer)
 Ampicillin, 125mg tablet (*Penbritin*) (Item discontinued by manufacturer)
 Amylobarbitone Sodium, 50mg capsule (*Amytal Sodium*, *Neur-Amyl Sodium*)

Betamethasone Valerate, 0.02%, 45g cream (*Celestone-M*) (Item discontinued by manufacturer)
 Insulins, 20 Units per ml, 10ml, 40 Units per ml, 10ml, 80 Units per ml, 10ml and 160 Units per ml, 10ml, all forms
 Nortriptyline, 10mg and 25mg capsules (*Aventyl*)
 Phytomenadione, 10mg in 1ml, colloidal solution for injection (*Aquamephyton*) (Item discontinued by manufacturer)
 Protriptyline, 5mg and 10mg capsules (*Triptil*) (Item discontinued by manufacturer)
 Reserpine, 250 micrograms tablet (*Serpasil*)
 Theophylline with Guaiphenesin, 100mg-60mg capsule (*Quibron-C*) (Item discontinued by manufacturer)

ALTERATIONS

Restrictions

Section 2

Bisacodyl, 10mg suppositories, 5 (*Durolax*)
 Chlormethiazole, 192mg capsule and 0.8%, 500ml solution for I.V. infusion (*Hemineurin*)
 Danazol, 200mg capsule (*Danocrine*)
 Dioctyl Sodium Sulphosuccinate, 50mg tablet (*Coloxyl 50*) and 120mg tablet (*Coloxyl 120*)
 Dioctyl Sodium Sulphosuccinate with Bisacodyl, 100mg-10mg suppositories, 5 (*Coloxyl*)
 Dioctyl Sodium Sulphosuccinate with Danthron, 50mg-50mg tablet (*Coloxyl with Danthron*)
 Glycerol, 1g suppositories, 10
 Mafenide Acetate, 11.2%, 454g cream (*Sulfamylon*)
 Medroxyprogesterone, 2.5mg and 10mg tablets (*Provera*) and 50mg in 1ml injection (*Depo-Provera*)
 Metoclopramide Hydrochloride, 10mg tablet (*Metamide, Primperan*)
 Norethisterone, 5mg tablet (*Primolut N*)
 Norethisterone Acetate, 2.5mg tablet (*Primolut Nor*) and 10mg tablet (*SH420*)
 Penicillamine, 125mg and 250mg tablets (*D-Penamine, Perdolat*) and 250mg capsule (*Cuprimine*)
 Phenelzine, 15mg tablet (*Nardil*) (S.P. to Authority required)
 Timolol, 0.25%, 5ml and 0.5%, 5ml eye drops (*Timoptol*) (Authority required to S.P.)
 Tranlycypromine, 10mg tablet (*Parnate*) (S.P. to Authority required)
 Verapamil Hydrochloride, 40mg tablet (*Isoptin*) (Authority required to S.P.)

Section 4 — Drugs Available for Extemporaneous Preparations

Ephedrine Hydrochloride BP (may only be prescribed in nasal drops)
 Phenobarbitone BP, Phenobarbitone Sodium BP (may only be prescribed for the treatment of epilepsy)

Maximum Quantities and Number of Repeats

Section 2

	From		To	
	Qty	Rpts	Qty	Rpts
Amphotericin, 100mg per ml, 24ml suspension (<i>Fungilin</i>)	≠ 1	NIL	≠ 1	1
Dimercaprol, 5%, 2ml injection (<i>B.A.L.</i>)	10	NIL	12	NIL
Glucagon Hydrochloride, 1 I.U. with diluent, injection (<i>Novo</i>)	1	NIL	1	1
Nystatin, 100 000 units per ml, 24ml mixture (<i>Mycostatin, Nilstat</i>)	≠ 1	NIL	≠ 1	1
Verapamil Hydrochloride, 40mg tablet (<i>Isoptin</i>)	100	NIL	100	2

Manufacturers' Codes

Section 2

	From	To
Heparin Sodium, 5 000 units in 0.2ml and 5 000 units in 1ml injection BP	AH	GL
Paracetamol, 500mg tablet (<i>Langesic</i>)	LP	BT
Phenindione, 10mg and 50mg tablets (<i>Dindevan</i>)	AH	GL
Warfarin, 1mg, 3mg, 5mg and 10mg tablet (<i>Marevan</i>)	AH	GL

Notes

Section 2

Notes have been added or amended in respect of the following items:—

Cimeridine, 200mg tablet (*Tagamet*)
 Penicillamine, 125mg and 250mg tablets (*D-Penamine, Perdolat*) and 250mg capsule (*Cuprimine*)
 Phenylbutazone, 100mg tablet (*Butacal, Butazone, Butoroid, Butalgin, Buzon*)
 100mg (enteric coated) tablet (*Butazolidin*), 100mg capsule (*Buzon*),
 600mg in 3ml injection (*Butazolidin*) and 250mg suppositories, 20
 (*Butazolidin*)
 Sodium Cromoglycate, 20mg (oral inhalation) capsule (*Intal Spincaps*)
 Timolol, 0.25%, 5ml and 0.5%, 5ml eye drops (*Timoptol*)
 Verapamil Hydrochloride, 40mg tablet (*Isoptin*)

NOT FOR SALE

All Previous Editions Cancelled



SCHEDULE OF BENEFITS
for
MEDICAL PRACTITIONERS

OPERATIVE FROM 1 DECEMBER 1980

**Commonwealth Department of Health,
CANBERRA, A.C.T.**

T. J. HUGHES, Government Printer, Tasmania

48652 B

CONTENTS

SECTION 1 — LEMON PAGES	<i>paragraph</i>	<i>Page</i>
Explanatory Notes —		
Prescribing of Benefits — Procedure by		
Doctors —		
Schedule of Benefits	1-9	4
Explanatory and Warning Statements	10-11	5
Prescriptions	12-20	5-7
Manner of Administration	21	7
Restrictions	22-23	7
Maximum Quantities and Repeats	24-32	8-10
Regulation 24	33-34	10
Patient Contribution	35-36	11
Authority to Prescribe	37-38	11
Urgent Cases	39-40	12
Emergency Drug (Doctor's Bag)		
Supplies	41-44	12-13
Enquiries	45	13
Addresses of Poisons Information Centres		14
Addresses of Commonwealth Department of Health		
Central Office and Divisional Offices		15-17
Index of Manufacturers' Codes		18-21
Facsimile of Pensioner Health Benefits Card		22
Items for which an Authority to Prescribe may be granted		
to provide up to six months' therapy		24
List of Emergency Drug (Doctor's Bag) Supplies		25-26
SECTION 2 — WHITE PAGES		
Schedule of Benefits —		
General, Pensioner and Restricted Benefits		1-112
Intravenous Fluids		113-114

SECTION 3 — WHITE PAGES	<i>Page</i>
Schedule of Benefits —	
Preparations Available for Colostomy and Ileostomy	
Use	1-3
Preparations Available for Use by Paraplegic and	
Quadriplegic Patients	4-5
SECTION 4 — GREEN PAGES	
Schedule of Benefits — Drugs Available for Extempor-	
aneous Preparations	1-6
Table of Maximum Quantities and Number of Repeats for	
Extemporaneous Preparations	7
SECTION 5 — GREEN PAGES	
Prescribers' List — Pharmaceutical Benefits Formulae	1-16
PROPRIETARY INDEX	
Part 1 — Proprietary Names Index	4-22
Part 2 — Trade Names Index	23

SECTION 1 — EXPLANATORY NOTES

PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS

1. Pharmaceutical benefits which may be prescribed by doctors are listed in this book.

2. Ready prepared items are listed in Sections 2 and 3 of the Schedule of Benefits. Restrictions apply to the prescribing of some items in Section 2 and all the items in Section 3. Further details may be found in these notes — paragraphs 22-23.

3. The Schedule of ready prepared items includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any listed brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g. 'Benzylpenicillin, Injection 300mg amp with 2ml water for injections'.

4. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes — paragraphs 24-34.

5. The drugs which may be used in extemporaneous preparations are listed in Section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this Section it is indicated against the item.

6. The following admixtures are not pharmaceutical benefits:—

(a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or

(b) the admixture of a ready prepared item and a drug or drugs listed in Section 4 of the Schedule of Benefits.

7. Formulae in common use are listed in Section 5 — Prescribers' List (Green Pages).

8. A proprietary name index of ready prepared items is included after Section 5.

9. Symbols used in the Schedule of Benefits are explained on page 1, Section 2 (White Pages).

Explanatory and Warning Statements

10. The Use of 'Note' in Section 2 (White Pages) of the Schedule is reserved for explanatory purposes in relation to the prescribing of some drugs as pharmaceutical benefits.

11. The use of 'Caution' in Section 2 (White Pages) of the Schedule is reserved for the purpose of warning of adverse reactions or precautions associated with the use of a drug. The absence of a cautionary note does not necessarily imply that significant adverse reactions may not be encountered.

Prescriptions

12. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit and must not be written for any other purpose. The prescription is valid only when it is written by a registered medical practitioner.

13. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

14. With regard to DRUGS OF ADDICTION, notification or approval of the appropriate State Health Authority or officer is required in all States for therapeutic use for a period exceeding two months (eight weeks in Victoria). Prior approval of the appropriate State Health Authority or officer is required in all States for the treatment of DRUG DEPENDENT PERSONS with ANY DRUG OF ADDICTION.

15. Medical practitioners are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The name and address of the medical practitioner must be shown and 'N.H.S.' endorsed at the top.

- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient, and where the patient —
- (i) is a pensioner who holds a Pensioner Health Benefits Card — write the pension number on the prescription. (A specimen Pensioner Health Benefits Card appears on page 21 of these notes.)
 - (ii) is a sickness benefit recipient who holds a valid Health Benefits Card — write the sickness benefit number on the prescription. (A specimen Health Benefits Card appears on page 22 of these notes.) EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the address of the pensioner or health beneficiary on the prescription form.
- (d) The pharmaceutical benefit must be identified in the prescription by such particulars as are necessary for the complete identification of that benefit.
- (e) In the case of pharmaceutical benefits which are restricted in use, the prescription must be endorsed in the doctor's own handwriting with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However, where a prescription is written for a pensioner for a drug which is restricted to pensioners it is not necessary to endorse the prescription 'Specified Purpose'.
- (f) If the benefit is a single drug, the manner of administration must be indicated.

(g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time the prescription must be endorsed in own handwriting with the words ' Regulation 24 '. Further details are available in paragraphs 32-34.

(h) Date and sign the prescription.

16. A doctor may write up to three prescriptions on a single prescription form. Each prescription must be written legibly.

17. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

18. A prescription is not a valid pharmaceutical benefit prescription if the medical practitioner —

(a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;

(b) prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted;

(c) prescribes a narcotic drug for the medical practitioner writing the prescription.

19. Where a medical practitioner writes a prescription for a pharmaceutical benefit, but does not specify a particular formula or brand for the item prescribed, the chemist, when dispensing, shall give priority to either the formula, if any, for that item which is specified in the Prescribers' List (Section 5) or to one of the ready prepared brands, if any, for that item included in Section 2 or 3.

20. To avoid confusing patients and the dispensing chemist, doctors should not write prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a restricted benefit and the patient is not suffering from one of the allowable conditions the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete N.H.S. from the top of the form.

Manner of Administration

21. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way, e.g., an ophthalmic preparation may not be prescribed for topical use.

Restrictions

22. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition and, where specified with the written authority of the Commonwealth Director of Health in the State concerned. Full particulars of these items and their restrictions are printed in red in Sections 2 and 3 (White Pages) of the Schedule. It is not necessary for the particular restriction to be identified on the prescription. Where in section 2 a benefit is restricted 'pensioners only', pensioner, for this purpose shall include:—

- (i) a pensioner who holds a valid Pensioner Health Benefits card;
- (ii) a sickness benefit recipient who holds a valid Health Benefits card.

23. Pharmaceutical benefits which are available for use for colostomy and ileostomy conditions as well as pharmaceutical benefits which are available for use by paraplegic and quadriplegic patients are listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

24. For ready prepared preparations, the allowable maximum quantity and number of repeats are shown in the second and third columns of Sections 2 and 3. For other preparations, details are set out in the Table of Maximum Quantities and Repeats (Green Pages).

25. Where the maximum quantity of an item is marked with a double dagger (‡), the maximum quantity has been determined as a single pack. In such instances, chemists are required to supply unbroken packs (see page 1, Section 2 White Pages). These items should be prescribed in the standard pack sizes.

26. For other items it is not necessary to prescribe the maximum quantity either for the original or for a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

27. If a medical practitioner requires a prescription to be repeated, he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

28. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority from the Commonwealth Director of Health (see paragraphs 30-32).

29. The normal maximum quantity and number of repeats for pharmaceutical benefit items are recommended by the Pharmaceutical Benefits Advisory Committee (PBAC). For the treatment of an acute condition the PBAC recommends a maximum quantity which will provide sufficient medication for the treatment of the condition; for the treatment of chronic conditions the PBAC recommends sufficient, at normal dosage levels, for one month's treatment and two repeats.

30. However, special provisions exist to assist chronically ill patients who require large quantities of drugs and/or continuous treatment. In most cases under these provisions a doctor may, if he considers it to be in his patient's interest, apply to the Commonwealth Director of Health in his State for authority to prescribe a quantity in excess of the listed maximum quantity and/or number of repeats.

31. Normally a quantity sufficient for approximately three months' treatment at the higher dosage levels, i.e. one month's treatment with two repeats, may be authorised by the Director. For certain items the Pharmaceutical Benefits Advisory Committee has recommended that authorities may be granted to provide for up to six months' treatment i.e. one month's treatment with five repeats. A list of these items appears on page 22. One patient contribution fee is payable for each supply of the benefit so authorised.

32. For restricted drugs, where the written authority of the Commonwealth Director of Health is required to prescribe, the provisions of paragraph 31 will apply except where otherwise indicated in the individual entry in Section 2 of the Schedule. Where the number of repeats for such a drug is not specified in Section 2, the prescriber should indicate the number of repeats required in accordance with paragraph 31.

Regulation 24

33. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and the repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that —

- (a) the maximum quantity specified for the benefit is insufficient for the medical treatment of the person for whom it is prescribed;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24' as certification that the above conditions have been satisfied.

34. Where a prescription is endorsed 'Regulation 24' the dispensing chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies, for example, if the prescription orders two repeats, three patient contributions would be charged to a patient other than an eligible pensioner in possession of a Pensioner Health Benefits Card or a sickness beneficiary in possession of a valid Health Benefits Card.

Patient Contribution

35. The dispensing chemist may in respect of each supply by him whether on a prescription or repeat authorisation, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding \$2.75 in respect of general patients. A charge is not to be made for the supply of a pharmaceutical benefit on a prescription on which the prescribing medical practitioner has written the pension number or sickness benefit number shown on a valid Health Benefits Card.

36. A prescription, other than a prescription for an eligible pensioner or a sickness beneficiary in possession of a valid Health Benefits Card, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$2.75 is not a prescription for a pharmaceutical benefit. This also applies to prescriptions endorsed 'Regulation 24' (see paragraphs 33, 34), for which the price of the total quantity of the benefit supplied is less than the authorised charge specified in paragraph 34.

Authority to Prescribe

37. Where the written authority of the Commonwealth Director of Health is required to prescribe:—

- (i) restricted drugs (paragraphs 22, 23); or
- (ii) increased maximum quantities (paragraphs 30–32); and/or
- (iii) increased number of repeats (paragraphs 30–32)

application should be made on the combined application/authority prescription form (Form PB86). The 'office copy' together with the completed original and duplicate of the authority prescription are to be forwarded to the Director. The doctor's copy should be retained.

38. The original and duplicate authority prescription, when authorised, can be returned to the doctor or sent direct to the patient. If the application can be approved after some amendment, an Authority to Prescribe (Form PB15) will be forwarded to the doctor, specifying what has been approved. A new prescription should then be written on the form PB15, the original and duplicate sent to the patient, and the triplicate (green copy) retained by the doctor.

Urgent Cases

39. In urgent cases, a chemist may supply a benefit before the prescription is surrendered to him, if the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

40. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 22). In such cases the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently submit a form PB86, obtain the written authority and forward it, within 24 hours of its receipt, to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

41. Certain pharmaceutical benefits are provided free to doctors for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

42. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the doctor personally. Each order form is valid during the month printed thereon and each doctor may obtain the benefits not more often than once per month. (Doctors approved to supply pharmaceutical benefits under section 92 of the National Health Act are to use Form PB7a which must not be presented to an approved chemist for supplies. Special instructions are issued to these doctors.)

43. The maximum quantity listed against the Emergency Drug items permitted to be obtained at the one time may be ordered provided the quantity of the item that the doctor has on hand is less than the maximum quantity.

44. A doctor may also specify on the order form any listed brand of a benefit. If this brand is not available, the doctor will be requested by the approved chemist to specify in the order another listed brand which is available, and to initial the alteration. The doctor issuing the order form must sign and date the form. A receipt for the benefits supplied on this order form must be signed by either the doctor himself or by a person authorised by him.

Enquiries

45. Any enquiries regarding the Pharmaceutical Benefits Scheme or requests for Departmental publications or stationery other than N.H.S. standard prescription pads should be made to the Commonwealth Director of Health in the capital city of your State. Orders for N.H.S. prescription pads should be forwarded to the Director-General of Health, Canberra.

ADDRESSES OF POISONS INFORMATION CENTRES

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Bridge Road,
Camperdown.

Telephone No.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
347 5522

QUEENSLAND

Brisbane Royal Children's Hospital,
Herston Road,
Herston.

Brisbane
253 8233

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
267 4999
Ext. 117 or 119

WESTERN AUSTRALIA

Princess Margaret Hospital for Children,
Thomas Street,
Subiaco.

Perth
381 0222

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
38 8485

NORTHERN TERRITORY

Casuarina Hospital,
Darwin.

Darwin
20 8385

AUSTRALIAN CAPITAL TERRITORY

Royal Canberra Hospital,
Canberra.

Canberra
43 2111

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

NOTE: All applications for authority to prescribe should be forwarded to the appropriate Divisional Office.

CENTRAL OFFICE

Director-General,
Commonwealth Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

DIVISIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000 Telephone 232 8000

Director of Health —
Dr R. R. Bull After hours: Telephone 969 8681

Assistant Director (Medical) —
Dr L. B. Lilley After hours: Telephone 929 6164

VICTORIA

Commonwealth Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000 Telephone 662 2999

Director of Health —
Dr R. C. Webb After hours: Telephone 80 5333

Assistant Director (Medical) —
Dr E. C. R. Newton After hours: Telephone 555 5815

QUEENSLAND

Commonwealth Department of Health,
Australian Government Offices,

Anzac Square,

Adelaide Street,

Brisbane, Qld 4000

Telephone 225 0122

G.P.O. Box 567, Brisbane, Qld 4001

Director of Health —

Dr Peter E. R. Ulrich

Assistant Director (Medical) —

Dr J. R. Meyers

After hours: Telephone 399 5857

SOUTH AUSTRALIA

Commonwealth Department of Health,

A.M.P. Building,

1 King William Street,

Adelaide, S.A. 5000

Telephone 216 3911

G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health —

Dr A. C. Green

Assistant Director (Medical) (Acting) —

Dr J. Y. Hancock

After hours: Telephone 272 0527

WESTERN AUSTRALIA

Commonwealth Department of Health,

Victoria Centre,

2-6 St George's Terrace,

Perth, W.A. 6000

Telephone 323 5711

G.P.O. Box M970, Perth, W.A. 6001

Director of Health —

Dr W. J. Wilmot

After hours: Telephone (096) 24 2276

Assistant Director (Medical) (Acting) —

Dr W. G. Smart

After hours: Telephone 381 7863

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000

Telephone 20 5011

G.P.O. Box 919J, Hobart, Tas. 7001

Director of Health —

Dr C. F. A. Younger

After hours: Telephone 62 2272

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794

Telephone 80 2911

P.O. Box 147, Darwin, N.T. 5794

Director of Health —

Dr F. H. Stewart

After hours: Telephone 81 2036

CAPITAL TERRITORY HEALTH COMMISSION

C.T.H.C. Building,
Corner Moore and Alinga Streets,
Canberra City, A.C.T. 2601

Telephone 45 4111

P.O. Box 825, Canberra City, A.C.T. 2601

Applications for authority to prescribe —

Dr H. S. Turner

After hours: Telephone 86 1106 or 38 2313

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd
AG	Allergan Pharmaceuticals Pty Ltd
AH	Allen and Hanburys
AM	Ames Company, Division of Miles Laboratories Australia Pty Ltd
AP	Astra Pharmaceuticals Pty Ltd
AQ	Alcon Laboratories (Australia) Pty Ltd
AV	Adam Drug Co.
AY	Ayerst Laboratories Pty Ltd
BC	Bristol Laboratories Pty Ltd
BF	Barnes-Hind Pty Limited
BH	Biopharm Pty Ltd
BJ	Barrere Surgical Co.
BL	David Bull Laboratories
BN	Bayer Pharmaceutical Company
BO	Boehringer Mannheim, Australia Pty Ltd
BQ	Berk Pharmaceuticals, Division of U.S.V. Australia Pty Ltd
BR	Beecham Research Laboratories
BT	The Boots Company (Australia) Pty Ltd
BW	Wellcome Australia Limited
BY	Boehringer Ingelheim Pty Ltd
BZ	Boucher & Muir Pty Ltd
CB	Ciba Pharmaceuticals
CP	Cooper Laboratories Pty Ltd
CS	Commonwealth Serum Laboratories
DF	Difrex (Aust.) Laboratories
DH	Drug Houses of Australia
DL	Dista Products (Australia) & Company
DY	Denyer Brothers

<i>Code</i>	<i>Manufacturer</i>
EC	Erba Carlo S.p.A., Australian Distributor, Sigma Co. Ltd
ED	Edwards Instrument Company
EN	Endo Laboratories (Australia) Pty Limited
ET	Ethnor Pty Ltd
FA	F. H. Faulding & Co. Ltd
FC	Fisons Pty Ltd
FM	Fawns and McAllan Pty Ltd
FR	Charles E. Frosst (Australia) Pty Ltd
GB	Gist-Brocades Australia Pty Ltd
GE	Geigy Pharmaceuticals
GL	Glaxo
GP	G.P. Laboratories
HA	Hamilton Laboratories Pty Ltd
HO	Hollister Incorporated, Australian Distributor, Abbott Laboratories Pty Ltd
HP	Hoechst Australia Ltd
IC	ICI Australia Operations Pty Ltd
IQ	The Ioquin Company
JP	Janssen Pharmaceutica Pty Ltd
KL	Knoll Laboratories Division of U.S.V. Australia Pty Ltd
KN	Knoll, A.G.
LE	Lederle Laboratories Division
LF	Langly Laboraatories Pty Ltd
LP	Lancet Pharmaceutical Limited
LY	Eli Lilly (Australia) and Company
MB	May & Baker Australia Pty Ltd

*Code**Manufacturer*

MF	Medex Pty Ltd
MG	J. McGloin Pty Ltd
MJ	Mead Johnson
MK	Merck, Sharp & Dohme (Aust.) Pty Ltd
ML	Wm S. Merrell Company
MN	Muir & Neil Pty Ltd
MR	Medical Research Pty Ltd
NE	Norgine Pty Ltd
NK	New York Pharmaceuticals
NO	Novo Laboratories Pty Ltd
NR	Nordia, Australian Distributor, Ascot Pharmaceuticals Pty Ltd
NS	Nicholas Pty Ltd
NW	Norwich-Eaton Pty Ltd
OL	Owen Laboratories
OR	Organon (Australia) Pty Ltd
PD	Parke, Davis and Co.
PF	Pfizer Pty Ltd
PN	Pharmax Ltd, Australian Distributor, Protea Pharmaceuticals Pty Ltd
PR	Prosana Laboratories Pty Ltd
PS	Pharmacia (South Seas) Pty Ltd
PT	Protea Pharmaceuticals Pty Ltd
QE	Queensland Ethicals
RC	Reckitts Pty Ltd
RD	Ross Laboratories
RK	Riker Laboratories Australia Pty Ltd
RL	Roussel Pharmaceuticals Pty Ltd
RN	Rona Laboratories Ltd, Australian Distributor, Riker Laboratories Australia Pty Ltd
RO	Roche Products Pty Ltd
RS	A. H. Robins Pty Ltd
RT	Rocke, Tomsitt & Co., Ltd
RY	Rotary Tableting Corp. Pty Ltd

*Code**Manufacturer*

SA	Sanitarium Health Food Co.
SC	Schering, A.G.
SD	Syntex Pharmaceuticals Ltd
SH	Schering Corporation
SI	Sigma Co. Ltd
SJ	Sharpe Laboratories Pty Ltd
SK	Smith Kline & French Laboratories (Aust.) Ltd
SL	Soul Pattinson Laboratories Pty Ltd
SN	Smith & Nephew (Aust.) Pty Ltd
SQ	E. R. Squibb & Sons Pty Ltd
SR	Searle Laboratories
SS	Salmond and Spraggon (Aust.) Pty Ltd
ST	A. E. Stansen & Co. Pty Ltd
SU	Sauter Laboratories (Aust.) Pty Ltd
SZ	Sandoz Australia Pty Ltd
TO	R. D. Toppin & Sons Pty Ltd
TV	Travenol Laboratories Pty Ltd
UP	Upjohn Pty Ltd
UW	United Works of Pharmaceutical and Dietetic Products, Australian Distributor, Boucher and Muir Pty Ltd
VF	Vifor, S.A., Australian Distributor, Boucher and Muir Pty Ltd
WB	W. B. Pharmaceuticals Ltd
WH	H. W. Woods Pty Ltd
WL	Winthrop Laboratories
WP	Weddel Pharmaceuticals
WW	Wm R. Warner
WY	Wyeth Pharmaceuticals Pty Ltd
ZR	Zero Chemicals (Aust.) Pty Ltd
ZY	Zyma Pharmaceuticals

PENSIONER HEALTH BENEFITS CARD — HEALTH BENEFITS CARD

A variety of cards is issued to pensioners and other groups in the community but only the following persons are entitled to receive pharmaceutical benefits free of charge under the Pharmaceutical Benefits Scheme:—

- (i) an eligible pensioner holding a valid Pensioner Health Benefits Card and his or her dependants or;
- (ii) a sickness benefit recipient who holds a valid Health Benefits Card and his or her dependants.

A facsimile of the Pensioner Health Benefits Card is reproduced below. This card is valid only during the year printed thereon and should be sighted by the prescriber to enable endorsement of the correct pension number on the prescription (see paragraph 15 (c)).

A pensioner Health Benefits Card similar in appearance to that produced below is issued to service pensioners by the Department of Veterans' Affairs. This card also entitles the holder and his or her dependants to receive pharmaceutical benefits free of charge.

PENSIONER HEALTH BENEFITS CARD

1981

IN THE FOLLOWING CIRCUMSTANCES, this card must be returned to the Department of Social Security:

- cancellation of pension or allowance
- death of pensioner
- permanent change of address
- marriage or re-marriage
- upon request

Specimen Signature

Pension No. No. of Children No. of Students Date of Birth of Eldest Child Date of Effect

Wife

SPECIMEN ONLY

fold

Christian or Given Names of Children

Date of Birth

Health Insurance Numbers of Children

OPTOMETRICAL CONSULTATIONS

Date

Patient

Item

Optom. Initials

Your Health Insurance Number

Your Wife or Husband's Health Insurance Number

IF THIS CARD IS LOST OR DESTROYED OR ANOTHER IS REQUIRED FOR ANY PURPOSE, THE DEPARTMENT OF SOCIAL SECURITY MUST BE NOTIFIED IMMEDIATELY.

PHB 2

FACSIMILE HEALTH BENEFITS CARD

A facsimile of the Health Benefits Card is reproduced below. This card is valid only during the period printed thereon and should be sighted by the prescriber to enable endorsement of the correct benefit number on the prescription (see paragraph 15 (c)).

SIDE 1 (PART)

Commonwealth of Australia
Department of Health

HEALTH BENEFITS CARD

THIS CARD IS ISSUED TO DEPARTMENT OF SOCIAL SECURITY SICKNESS BENEFIT RECIPIENTS WHO ARE ELIGIBLE FOR THE SAME COMMONWEALTH FRINGE BENEFITS AS PENSIONER HEALTH BENEFIT CARD HOLDERS.

BENEFICIARIES AND THEIR DEPENDANTS ARE ELIGIBLE FOR THE FOLLOWING COMMONWEALTH HEALTH BENEFITS AND SERVICES:

MEDICAL BENEFITS

Beneficiaries and dependants are eligible for medical benefit in respect of services rendered by private medical specialists and consultant medical officers. It is expected that

hospitals for accommodation or medical treatment of beneficiaries with hospital insurance

NURSING HOME BENEFIT

Beneficiaries

SIDE 2

VALID FROM

TO

NOTE: THIS CARD MAY ENTITLE THE HOLDER TO STATE AND LOCAL GOVERNMENT FRINGE BENEFITS SUCH AS TRANSPORT CONCESSIONS.

SPECIMEN ONLY

Specimen Signature.....

Benefit No. No. of Children No. of Students

fold

fold

Your Health Insurance Number

Christian or Given Names of Your Wife/Husband

Your Wife or Husband's Health Insurance Number

Christian or Given Names of Children

Date of Birth

Health Insurance Numbers of Children

IF THIS CARD IS LOST OR DESTROYED AND ANOTHER IS REQUIRED, THE DEPARTMENT OF SOCIAL SECURITY MUST BE NOTIFIED IMMEDIATELY.

**ITEMS FOR WHICH AN AUTHORITY TO PRESCRIBE MAY BE GRANTED
TO PROVIDE UP TO SIX MONTHS' THERAPY**

(i.e. one month's treatment with five repeats)

Amantadine Hydrochloride, capsule 100mg
Amino Acid Formula without Phenylalanine, powders 250g (PK AID I) and 250g (PK AID II); food supplement powder 500g
Azathioprine, tablet 50mg
Baclofen, tablets 10mg and 25mg
Calciferol, tablet 1.25mg; oral solution 15mg in 1.5ml alcoholic solution
Calcium, compound effervescent tablet equivalent to 500mg calcium; compound effervescent tablet equivalent to 1g calcium (provided that for any such authority, the maximum quantity and number of repeats shown in Section 2 is not exceeded)
Carbamazepine, tablets 100mg and 200mg
Carbimazole, tablet 5mg
Cholestyramine, powder, 9g sachet (equivalent to 4g cholestyramine), 50
Clonazepam, tablets 500 micrograms and 2mg
Cortisone Acetate, tablets 5mg and 25mg
Dexamphetamine, tablet 5mg
Dihydrochryserol, capsule 125 micrograms
Dipyridamole, tablet 100mg
Ethosuximide, capsule 250mg; paediatric syrup 250mg per 5ml, 250ml
Fludrocortisone Acetate, tablet 100 micrograms
Levodopa, tablets 100mg, 250mg and 500mg; capsules 100mg, 250mg and 500mg
Levodopa with Benserazide, capsules 100mg-25mg and 200mg-50mg
Levodopa with Carbidopa, tablets 100mg-10mg and 250mg-25mg
Lithium Carbonate, tablet 250mg
Methoin, tablet 100mg
Methsuximide, capsule 300mg
Methylphenobarbitone, tablets 30mg, 60mg and 200mg
Mineral Mixture, powder 250g
Nitrazepam, tablet 5mg (only for the treatment of myoclonic epilepsy)
Oxymetholone, tablets 50mg and 100mg
Pancreatin Enzyme, tablet 325mg; powder 250g; capsule 305mg
Pancrelipase, capsule 300mg
Penicillamine, tablets 125mg and 250mg; capsule 250mg
Phenobarbitone, tablets 15mg, 30mg, 60mg and 100mg
Phensuximide, capsule 500mg
Phenylalanine Low Content Formula, powder 2.5lb
Phenytoin, tablet 50mg; paediatric suspension 30mg per 5ml, 500ml
Phenytoin Sodium, tablet 100mg; capsules 30mg and 100mg
Prednisolone, tablets 1mg, 5mg and 25mg
Primidone, tablet 250mg
Propantheline Bromide, tablet 15mg
Propylthiouracil, tablets 25mg and 50mg
Protein Hydrolysate Formula without Phenylalanine, powder, 200g sachet, 2kg
Sodium Cromoglycate, capsule 20mg (oral inhalation)
Sulthiame, tablets 50mg and 200mg
Thiopropazate, tablet 5mg
Triglycerides, Medium Chain, compound powder 500g; protein hydrolysate compound powder 454g
Vitamin Supplement, tablet; liquid 100ml

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Adrenaline Injection BP	1mg in 1ml	Ampoule	5
Aminophylline injection I.V.	250mg in 10ml	Ampoule	5
Atropine sulphate injection	600 micrograms in 1ml	Ampoule	5
Chlorpromazine Injection BP	50mg in 2ml	Ampoule	10
Dextrose injection	50%, 10ml	Ampoule	5
Diazepam injection	10mg in 2ml	Ampoule	5
Digoxin Injection BP	500 micrograms in 2ml	Ampoule	5
Ergometrine Maleate injection	250 micrograms in 1ml	Ampoule	5
Erythromycin injection I.M.	100mg in 2ml	Ampoule	5
Frusemide injection	20mg in 2ml	Ampoule	5
Heparin Sodium Injection BP	5 000 units in 1ml	Ampoule	1
<i>or</i>			
Heparin Sodium Injection BP	25 000 units in 5ml	Ampoule	1
Hydrocortisone sodium succinate injection	Equivalent to 100mg hydrocortisone and 2ml solvent	Injection Set	2 sets
<i>or</i>			
Hydrocortisone sodium succinate injection	Equivalent to 250mg hydrocortisone and solvent	Injection Set	1 set

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Lignocaine injection or	100mg in 5ml	Ampoule	4
Lignocaine injection I.M.	300mg in 3ml	Disposable syringe pack	1
Morphine sulphate injection or	15mg in 1ml	Ampoule	5
Morphine sulphate injection	30mg in 1ml	Ampoule	5
Morphine sulphate with atropine sulphate injection	15mg-600 micro-grams in 1ml	Ampoule	5
Pethidine Injection BP	100mg in 2ml	Ampoule	5
Procaine Penicillin Injection BP	1.5g	Disposable syringe pack	10
Metoclopramide hydrochloride injection	10mg in 2ml	Ampoule	10
or			
Prochlorperazine injection	12.5mg in 1ml	Ampoule	10
or			
Thiethylperazine injection	6.5mg (base) in 1ml	Ampoule	10
Promethazine injection	50mg in 2ml	Ampoule	10
Terbutaline sulphate injection	100 micrograms in 1ml	Ampoule	5
or			
Terbutaline sulphate injection	500 micrograms in 1ml	Ampoule	5
Tetanus Vaccine Adsorbed	0.5ml	Ampoule	10

NOTE: Only those brands of benefits listed in Section 2 (white pages) may be ordered on a Doctor's Bag Order Form.

SECTION 2 - SCHEDULE OF BENEFITS

Operative from 1 December 1980

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) in front of a restriction indicates an additional or amended purpose in this issue.
- (b) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.
- (c) A gauge sign (§) against the price of an item indicates that the product is not preconstituted.
- (d) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated. N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W); Tas. - (T).

A straight line is drawn between entries for different forms and strengths of an item to clearly indicate the different restrictions which apply to these various forms and strengths.

Attention is drawn to paragraph 15(e) of the explanatory notes which provides for endorsement by the prescribing doctor of prescriptions for pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to a disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

Except where otherwise indicated, the maximum quantity and/or number of repeats in respect of an item shown in the Schedule may be varied by the Director of Health when issuing an authority prescription (Form PB86) or an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. (See paragraphs 30 and 31 of Section 1 - Explanatory Notes (Lemon pages)).

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACEPIFYLLINE Tablet 250mg	100	2	3.64	Etaphylline DF
Paediatric Syrup 125mg per 5ml, 500ml	#1	4	3.51	Etaphylline DF
Injection 500mg in 5ml	5	..	3.57	Etaphylline DF
ACETAZOLAMIDE Tablet 250mg	50	6	6.42 6.45	Glaucomide PT Diamox LE
Capsule 500mg (sustained release)	50	2	12.01	Diamox LE
Injection 500mg (solvent required)	1	..	5.95	Diamox LE
ACETOHEXAMIDE Tablet 500mg	100	2	6.65	Dimelor LY
ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2ml	2	..	10.84	Miochol CP
ACETYLCYSTEINE Bronchiectasis; Cystic fibrosis (mucoviscidosis). Solution 20%, 10ml	5	3	17.76	Mucomyst MJ
ADRENALINE Eye Drops 0.5%, 7.5ml	#1	6	4.07	Epinal AQ Eppy/N BF
0.5%, 10ml	#1	6	4.20	Epifrin AG
1%, 7.5ml	#1	6	4.39	Epinal AQ Eppy/N BF
1%, 10ml	#1	6	4.51	Epifrin AG Glaucan AQ
2%, 10ml	#1	6	7.51	Epifrin AG Glaucan AQ
Injection BP 1mg in 1ml (1 in 1,000)	5	1	2.62	AB,BL,KL,SI

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALLOPURINOL					
Tablet 100mg	100	2	6.32	Progout Zyloprim	PT BW
300mg	30	2	6.01	Progout Zyloprim	PT BW
Capsule 100mg	100	2	5.51	Capurate-100	FM
300mg	30	2	5.34	Capurate-300	FM
ALOXIPRIN					
Tablet 600mg	100	2	3.51	Palaprin Forte	NS
ALPRENOLOL					
Tablet 100mg	100	2	8.07	Aptin Betacard	AP BR
Injection 1mg per ml, 10ml	1	..	2.97	Aptin	AP
ALUMINIUM HYDROXIDE GEL					
Mixture 320mg per 5ml, 500ml	≠1	4	3.39	Alusorb Amphojel Gelox Minajel	DH WY PR MG
ALUMINIUM HYDROXIDE GEL DRIED					
Tablet 300mg	100	2	3.07	Actal Amphotabs	WL WY
ALUMINIUM HYDROXIDE GEL with KAOLIN					
Mixture 137mg-1g per 5ml, 375ml	≠1	2	3.01	Kaogel Kaomagma	FA WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE					
Tablet 300mg-90mg	100	2	3.07	Aludrox	WY
200mg-200mg	100	2	3.07	Mylanta	PD
Mixture 300mg-100mg per 5ml, 500ml	≠1	4	3.39	Aludrox	WY
Suspension					
215mg-80mg per 5ml, 500ml	≠1	4	3.39	Dijene Simeco	BT WY
200mg-200mg per 5ml, 500ml	≠1	4	3.39	Alucone Merasyne Mylanta Sodexol	DH ML PD SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALUMINIUM HYDROXIDE GEL with MAGNESIUM HYDROXIDE and OXETHAZAINE Suspension 306mg-97.5mg-10mg per 5ml, 500ml	#1	4	3.39	Mucaine	WY
ALUMINIUM HYDROXIDE GEL with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	3.07	Gastrogel	FM
Mixture 250mg-120mg-120mg per 5ml, 500ml	#1	4	3.39	Gastrogel	FM
ALUMINIUM HYDROXIDE-MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	3.07	Almacarb Dijene Simeco	AH BT WY
ALUMINIUM SODIUM SILICATE Powder 100g	#1	2	3.07	Neutralon	SC
AMANTADINE HYDROCHLORIDE Parkinson's disease which is not drug induced.					
Capsule 100mg	100	2	19.07 19.57	Antadine Symmetrel	EN GE
AMBENONIUM CHLORIDE Tablet 10mg	100	2	9.07	Mytelase	WL
AMILORIDE Tablet 5mg	50	2	3.70	Midamor	MK
AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15ml	#1	2	2.95	Aminopt	SI
AMINO ACID FORMULA without PHENYLALANINE <u>NOTE: For phenylketonuria only.</u>					
Powder 250g	2	2	136.52	PK AID I	MN
250g	2	2	179.02	PK AID II	MN
Food Supplement Powder 500g	#1	1	101.51	Aminogran F.S.	GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINOCAPROIC ACID Treatment in hospital of severe haemorrhage associated with excessive fibrinolysis.				
Oral Solution 250mg per ml, 20ml	10	..	16.57	Ekaprol DF
Injection I.V. 250mg per ml, 10ml	10	..	9.07	Ekaprol DF
AMINOPHYLLINE Tablet 100mg	100	2	2.80	Cardophyllin HA SI
Oral Liquid 105mg per 5ml, 500ml	#1	4	3.51	Somophyllin FC
Injection I.V. 250mg in 10ml	5	..	3.82	Carine KL AB,LP,SI
I.M. 500mg in 2ml	5	..	3.57	AB
Suppositories 100mg, 12	#1	1	3.14	Cardophyllin HA
175mg, 12	#1	1	3.14	Cardophyllin HA
250mg, 12	#1	1	3.14	Cardophyllin HA
400mg, 12	#1	1	3.14	Cardophyllin HA
AMITRIPTYLINE Tablet 10mg	50	2	2.50	Laroxyl RO Tryptanol MK
25mg	50	2	3.20	Laroxyl RO Saroten NS Tryptanol MK
Capsule 25mg	50	2	3.37	Elavil FR
Mixture 10mg (base) in 5ml, 100ml	#1	4	2.51	Tryptanol MK
Injection 25mg per ml, 2ml	10	..	5.95	Laroxyl RO
AMMONIUM CHLORIDE Tablet 500mg	100	3	3.70	RY
AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	..	6.20	Camoquin PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMOXYCILLIN					
Capsule 250mg	20	..	4.54	Amoxil	BR
				Moxacin	CS
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#4.87	Amoxil	BR
				Moxacin	CS
AMPHOTERICIN					
Tablet 100mg	50	..	7.64	Fungilin	SQ
Lozenge 10mg	20	..	2.95	Fungilin	SQ
Suspension 100mg per ml, 24ml	#1	1	3.70	Fungilin	SQ
Injection 50mg (solvent required)	1	..	5.26	Fungizone	SQ
Cream 3%, 15g	#1	1	3.20	Fungilin	SQ
Ointment 3%, 15g	#1	1	3.20	Fungilin	SQ
Pessaries 50mg, 15	#1	1	3.30	Fungilin	SQ
Vaginal Cream 100mg per 4g, 60g (15 doses)	#1	1	3.39	Fungilin	SQ
AMPICILLIN					
Capsule 250mg	25	..	4.17	Austrapen	CS
				Penbritin	BR
500mg	12	1	3.94	Austrapen	CS
				Penbritin	BR
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.96	Austrapen	CS
				Penbritin	BR
250mg per 5ml, 100ml	#1	..	#5.15	Austrapen	CS
				Forte	BR
				Penbritin	BR
Injection 100mg (solvent required)	5	1	5.32	Austrapen	CS
250mg (solvent required)	5	1	5.95	Austrapen	CS
				Bristin	BC
				Penbritin	BR
500mg (solvent required)	5	1	8.11	Austrapen	CS
				Bristin	BC
				Penbritin	BR
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMPICILLIN - cont. Injection 1g (solvent required)	5	1	13.35	Austrapen Bristin Penbritin	CS BC BR
AMYLOBARBITONE SODIUM Injection 250mg (solvent required)	5	..	7.76	Amytal Sodium	LY
500mg (solvent required)	5	..	9.66	Amytal Sodium	LY
ANTAZOLINE with NAPHAZOLINE Eye Drops 10ml	#1	2	2.89	Antistine- Privine	ZY
ANTIVENOM - RED BACK SPIDER Injection 500 Units	2	..	27.76	CS	
ASCORBIC ACID For pensioners.					
Tablet 50mg	100	2	2.45	Ascorb "50" DH, FM, LP	PT
ASPIRIN Tablet 300mg	100	2	2.57	FM	
650mg (enteric coated)	100	2	4.07	Ecotrin Rhusal Winsprin	SK GP WL
650mg (sustained release)	100	2	3.51	S.R.A.	BT
650mg (includes 350mg sustained release)	100	2	3.26	Bi-prin	BT
ASPIRIN (BUFFERED) Tablet 325mg	100	2	3.04	Bufferin	BC
500mg	100	2	3.51	Bufferin 500	BC
ASPIRIN (SOLUBLE) Tablet 300mg	100	2	2.64	Solprin Solusal FM	RC HA
ATENOLOL Hypertension.					
Tablet 50mg	30	2	8.14	Tenormin	IC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ATROPINE METHONITRATE				
Tablet 1mg	50	2	3.44	Eumydrin WL
Oral Solution 0.6%, 15ml	≠1	..	3.32	Eumydrin WL
ATROPINE SULPHATE				
Tablet 600 micrograms	100	2	2.87	RY
Injection 400 micrograms in 1ml	5	1	2.57	AB,BL,KL,LP
600 micrograms in 1ml	5	1	2.57	AB,BL,KL,LP
1.2mg in 1ml	5	1	2.60 2.61	AB,LP BL,KL
Eye Drops 0.5%, 15ml	≠1	2	3.01	Atropt SI
1%, 15ml	≠1	2	3.07	Atropt KL SI
Eye Ointment 1%, 4g	≠1	..	4.39	PD
AZATADINE MALEATE				
Tablet 1mg	50	2	3.07	Zadine SH
Syrup 500 micrograms per 5ml, 100ml	≠1	4	2.51	Zadine SH
AZATHIOPRINE Authority required. Anaemia, autoimmune haemolytic; Arthritis, rheumatoid with vascu- litis or visceral complications; Continuing azathiorprine therapy after discharge from a hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Nephritis; Nephrotic syndrome; Organ transplant; Pemphigus; Polyarteritis nodosa; Pyoderma gangrenosum; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 50mg	100	..	50.51	Imuran BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
BACLOFEN					
Authority required. Spasticity due to multiple sclerosis or spinal cord lesions.					
Tablet 10mg	100	..	24.51	Lioresal	CB
25mg	100	..	45.89	Lioresal	CB
BECLOMETHASONE DIPROPIONATE					
Chronic intractable asthma requiring maintenance corticosteroids.					
NOTE: Simultaneous use with 'Intal' is not recommended.					
Inhalation, metered aerosol spray, 50 micrograms per dose (200 dose)	¶1	2	8.07	Aldecin Becotide	SH AH
BELLADONNA ALKALOIDS					
Hyoscyamine Hydrobromide, Atropine Sulphate and Hyoscine Hydrobromide					
Tablet 101.1 micrograms-14.8 micrograms-10.7 micrograms	100	2	2.80	Atrobel	FM
Tablet 151.6 micrograms-22.2 micrograms-16.0 micrograms	100	2	2.89	Atrobel FORTE	FM
Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydro- bromide					
Tablet 103.7 micrograms-19.4 micrograms-6.5 micrograms	100	2	2.80	Donnatab	RS
BENDROFLUAZIDE					
Tablet 2.5mg	50	2	2.94	Aprinox-M Pluryl	BT SK
5mg	50	2	3.67	Aprinox Neo-Naclex Pluryl	BT GL SK
BENZALKONIUM CHLORIDE					
Compound Suppositories, 12	¶1	1	3.01	Paxyl	FA
Solution 10%, 125ml	¶1	..	3.14	Zephiran Con- centrated	WL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BENZATHINE PENICILLIN Injection 1.8g in 5ml	1	..	3.45	L.P.G. CS
BENZATHINE PENICILLIN COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg. Injection set containing 1 vial and 2ml water for injections	1	..	3.32	Bicillin All-Purpose WY
BENZHEXOL <u>CAUTION:</u> Long term use with major tranquillisers increases the risk of tardive dyskinesia.				
Tablet 2mg	100	2	3.70 3.76	Anti-Spas PT Artane LE
5mg	100	2	4.92 4.95	Anti-Spas PT Artane LE
BENZOCAINE with ADRENALINE Compound Ointment 50g	£1	1	3.01	Rectinol GP
Compound Suppositories, 12	£1	1	3.01	Rectinol GP
BENZTROPINE <u>CAUTION:</u> Long term use with major tranquillisers increases the risk of tardive dyskinesia.				
Tablet 2mg	30	2	3.23	Cogentin MK
Injection 2mg in 2ml	5	..	7.51	Cogentin MK
BENZYL BENZOATE Application 25% w/v, 200ml	£1	2	3.39 3.45	Benzemul MG Ascabiol MB DH
BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	4.14	CS
600mg (solvent required)	5	1	4.26 4.32	CS Crystapen GL
3g (solvent required)	10	..	21.52 21.66	CS Crystapen GL
6g (solvent required)	10	..	29.06	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETAMETHASONE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoïd; Necrobiosis lipoidica; Uveitis				
Injection 6mg in 1ml	5	..	10.01	Celestone Chronodose SH
BETAMETHASONE Tablet 500 micrograms	30	2	2.62	Celestone SH
Injection 4mg (base) in 1ml	5	..	8.01	Celestone SH
Eye Ointment 0.1%, 3g	#1	..	2.82	Celestone SH
BETAMETHASONE DIPROPIONATE Cream 0.05%, 15g	#1	1	2.47	Diprosone SH
Ointment 0.05%, 15g	#1	1	2.47	Diprosone SH
BETAMETHASONE VALERATE Cream 0.02%, 100g	#1	..	3.32	Betnovate 1/5GL Celestone-M SH
0.05%, 15g	#1	1	2.47	Betnovate 1/2GL Celestone-V Half Strength SH
Gel 0.05%, 15g	#1	1	2.47	Betnovate 1/2GL
Ointment 0.02%, 100g	#1	..	3.32	Celestone-M SH
0.05%, 15g	#1	1	2.47	Betnovate 1/2GL Celestone-V Half Strength SH
BETHANECHOL Tablet 10mg	50	1	4.16	Urecholine MK Uro-Carb HA
Injection 5mg in 1ml	2	..	3.36	Urecholine MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETHANIDINE				
Tablet 10mg	100	2	4.07	Esbatal BW
25mg	100	2	7.20	Esbatal BW
BIPERIDEN				
CAUTION: Long term use with major tranquillisers increases the risk of tardive dyskinesia.				
Tablet 2mg	100	2	6.32	Akineton KN
Injection 5mg in 1ml	5	..	3.57	Akineton KN
BISACODYL				
For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; *For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Suppositories 10mg, 5	£1	..	2.39	Durolax BY
BISMUTH SUBGALLATE				
Compound Ointment 50g	£1	1	3.01	Anusol WW
Compound Suppositories, 12	£1	1	3.01	Anusol WW
BLEOMYCIN				
Squamous cell carcinoma; Choriocarcinoma of the testis; Embryonal cell carcinoma of the testis; Lymphoma.				
CAUTION: Bleomycin can cause irreversible pulmonary fibrosis.				
Injection 15mg (solvent required)	10	..	370.26	Blenoxane BC
BROMPHENIRAMINE				
Tablet 4mg	50	2	2.80	Dimetane RS
Syrup 2mg per 5ml, 100ml	£1	4	2.51	Dimetane RS
BUFEXAMAC				
Cream 5%, 45g	£1	1	3.32	Parfenac LE
Ointment 5%, 45g	£1	1	3.32	Parfenac LE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BUSULPHAN Tablet 2mg	100	2	20.51	Myleran BW
CALCIFEROL Authority required. Hypocalcaemia; Hypoparathyroidism; Osteomalacia following gastrectomy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets.				
Tablet 1.25mg (50,000 Units)	100	..	5.32	Ostelin High Potency GL
Oral Solution 15mg (600,000 Units) in 1.5ml alcoholic solution	3	..	3.76	Sterogyl-15 RL
CALCIUM Authority required. Hypocalcaemia; Osteoporosis. <u>NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.</u>				
Compound Effervescent Tablet equivalent to 500mg calcium	100	5	8.89	Cal-tab HA Spar-Cal MJ
equivalent to 1g calcium	30	5	5.95	Sandocal 1000 SZ
CALCIUM FOLINATE Antidote to folic acid antagonists.				
Injection 3mg in 1ml	5	..	15.32	Leucovorin LE
CALCIUM GLUCONATE Injection 10%, 10ml	5	1	5.57	Calcium-Sandoz SZ
CAMPHOR COMPOUND Linctus APF, 100ml	1	2	2.51 2.54 2.56 2.64	MG Campholinct DH SI TO PR, QE(NQ)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CAPREOMYCIN Injection 1g (solvent required)	5	..	20.91	Caprocin LY
CARBACHOL Eye Drops 0.75%, 15ml	#1	6	3.39	AQ
1.5%, 15ml	#1	6	3.45	AQ
3%, 15ml	#1	6	3.57	AQ
CARBAMAZEPINE Tablet 100mg	200	1	9.64	Tegretol GE
200mg	200	1	16.82 17.57	Convuline PT Tegretol GE
CARBENICILLIN Infections where positive bacteriological evidence confirms that carbenicillin is the most appropriate therapeutic agent; Septicaemia, suspected or proven.				
Injection 1g (solvent required)	5	..	18.82	Carbapen CS Pyopen BR
5g (solvent required)	6	..	94.75	Carbapen CS Pyopen BR
CARBENOXOLONE SODIUM Gastric ulcer, proven.				
Tablet 50mg	100	..	11.89	Biogastrone SN
CARBIMAZOLE Tablet 5mg	100	2	3.64 3.76	Carbazole PT Neo-MercazoleNS
CEPHALEXIN Authority required. Infections where positive bacteriological evidence confirms that cephalixin is the most appropriate therapeutic agent.				
Capsule 250mg	25	..	11.02	Keflex LY
500mg	12	..	10.65	Keflex LY
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHALEXIN - cont.					
Granules for Syrup					
125mg per 5ml, 100ml.	#1	..	#7.27	Keflex	LY
250mg per 5ml, 100ml	#1	..	#11.34	Keflex	LY
CEPHALORIDINE					
Endophthalmitis;					
Infections where positive bacteriological evidence confirms that cephaloridine is the most appropriate therapeutic agent.					
Injection 500mg (solvent required)	5	..	16.01	Ceporan	GL
1g (solvent required)	5	..	29.16	Ceporan	GL
CEPHALOTHIN SODIUM					
Infections where positive bacteriological evidence confirms that cephalothin sodium is the most appropriate therapeutic agent.					
Injection 1g (solvent required)	5	..	21.81	Ceporacin	GL
				Keflin	LY
				Neutral	LY
2g (solvent required)	1	..	9.56	Keflin	LY
				Neutral	LY
4g (solvent required)	1	..	17.22	Keflin	LY
				Neutral	LY
CEPHAZOLIN SODIUM					
Infections where positive bacteriological evidence confirms that cephalazolin sodium is the most appropriate therapeutic agent.					
Injection 500mg (solvent required)	5	..	20.01	Kefzol	LY
1g (solvent required)	5	..	37.26	Kefzol	LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHRADINE					
Authority required.					
Infections where positive bacteriological evidence confirms that cephradine is the most appropriate therapeutic agent.					
Capsule 250mg	25	..	11.04	Eskacef Velosef	SK SQ
500mg	12	..	10.65	Eskacef Velosef	SK SQ
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#7.27	Eskacef Velosef	SK SQ
250mg per 5ml, 100ml	#1	..	#11.34	Eskacef Velosef	SK SQ
Infections where positive bacteriological evidence confirms that cephradine is the most appropriate therapeutic agent.					
Injection 250mg (solvent required)	5	..	9.82	Eskacef Velosef	SK SQ
500mg (solvent required)	5	..	16.01	Eskacef Velosef	SK SQ
1g (solvent required)	5	..	29.14	Eskacef Velosef	SK SQ
CERATONIA					
Powder 135g	#1	4	8.39	Carobel	MN
CHLORAL HYDRATE					
Capsule 500mg	50	..	3.07	Chloradorm Noctec	KL SQ
Mixture 250mg per 5ml, 500ml	#1	4	3.14	Dormel	DH
1g per 10ml, 200ml	#1	4	2.89	Chloradorm Chloralix Elix-Nocte Forte Noctec Syrup	KL RK AV SQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORAMBUCIL Authority required. Anaemia, autoimmune, haemolytic; Arthritis, rheumatoid with vascu- litis or visceral complications; Continuing chlorambucil therapy after discharge from a hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease, including leukaemia; Nephritis; Nephrotic syndrome; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 2mg	100	..	34.02	Leukeran BW
5mg	100	..	50.02	Leukeran BW
CHLORAMPHENICOL Bacterial meningitis; Rickettsioses; Intraocular infections; Typhoid; Other serious infections where positive bacteriological evidence confirms that chloramphenicol is the ONLY appropriate antibiotic. <u>CAUTION:</u> Chloramphenicol may cause aplastic anaemia.				
Capsule 250mg	16	..	3.82	ChloromycetinPD
Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	3.95	Chloromycetin Palmitate PD
Injection 1g (solvent required)	3	..	12.96	Chloromycetin Succinate PD
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORAMPHENICOL - cont. <u>CAUTION:</u> Topical chloramphenicol may cause aplastic anaemia.				
Ear Drops 10%, 5ml	≠1	2	2.95	ChloromycetinPD
10%, 6ml	≠1	2	2.95	Chlomin KL
Eye Drops 0.5%, 10ml	≠1	2	2.95	Chlomin KL ChloromycetinPD Chloroptic AG Chlorsig SI
Eye Ointment 1%, 4g	≠1	..	2.70	Chlomin KL ChloromycetinPD Chlorsig SI
CHLORAMPHENICOL with POLYMYXIN B <u>CAUTION:</u> Topical chloramphenicol may cause aplastic anaemia.				
Eye Ointment 1%-5,000 Units per g, 4g	≠1	..	2.70	Chloromycin PD
CHLORCYCLIZINE Tablet 50mg	50	2	2.86	PT
CHLORHEXIDINE Solution 5%, 200ml	≠1	1	3.70	Hibitane Concentrate IC
CHLORMETHIAZOLE Authority required. *Short-term alcohol or drug withdrawal therapy in a hospital or approved centre; Status epilepticus. <u>CAUTION:</u> The risk of drug dependence is high.				
<u>NOTE:</u> No authorities will be granted for increased maximum quantities and/or repeats of chlormethiazole capsules.				
Capsule 192mg	50	..	6.57	Hemineurin AP
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHLORMETHIAZOLE - cont. *Short-term alcohol or drug withdrawal therapy in a hospital or approved centre; Status epilepticus. CAUTION: The risk of drug dependence is high.					
Solution 0.8% for I.V. Infusion, 500ml	1	..	11.87	Hemineurin	AP
CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	4.51 4.76	Nivaquine Aralen Chlorquin	MB WL PT
Injection 40mg per ml, 2ml	5	1	3.96	Nivaquine	MB
CHLOROTHIAZIDE Tablet 500mg	50	2	3.70 3.77	Diuret Azide Chlotride Diubram Diurone	PT FM FR MF KL
CHLOROTRIANISENE Carcinoma of the prostate.					
Tablet 24mg	30	2	5.10	Tace	ML
CHLORPHENIRAMINE Tablet 4mg	50	2	2.94 2.95	Allergex Bramahist Chloramin Piriton	PT MF LF GL
Capsule 4mg	50	2	2.95	Teledrin-P	SK
Paediatric Syrup 2mg per 5ml, 100ml	41	4	2.51	Bramahist	MF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHLORPROMAZINE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 10mg	100	1	2.81 2.82	Protran Largactil	PT MB
25mg	100	1	2.94 2.95	Protran Largactil Procalm Promacid	PT MB NK KL
50mg	100	1	3.82	Largactil Promacid Protran	MB KL PT
100mg	100	1	5.70	Largactil Promacid Protran	MB KL PT
Mixture 25mg per 5ml, 100ml	≠1	4	2.70	Largactil Promacid	MB KL
Injection BP, 25mg in 1ml	10	..	4.07	Largactil	MB
50mg in 2ml	10	..	4.20	Largactil Promacid	MB KL
Suppositories 100mg, 5	≠1	1	2.95	Largactil	MB
CHLORPROPAMIDE					
Tablet 100mg	100	2	4.20	Diabinese M	PF
250mg	100	2	6.39 6.65	Promide Diabinese	PT PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHLORTETRACYCLINE					
Cream 3%, 15g	#1	..	2.80	Aureomycin	LE
Ointment 3%, 15g	#1	..	2.80	Aureomycin	LE
CHLORTHALIDONE					
Tablet 25mg	50	2	3.14 3.31	Urid Hygroton	PT GE
CHOLERA VACCINE					
Injection 1ml	2	..	4.26	CS	
CHOLESTYRAMINE					
Authority required.					
Bile salt malabsorption associated with ileal resection or proven ileal disease;					
Pruritus associated with partial biliary obstruction not responding to other therapy;					
Treatment of hypercholesterolaemia.					
NOTE: Hypercholesterolaemia means an initial serum cholesterol level in excess of 7.75mmol/L (300mg per 100ml) which fails to fall below 6.75mmol/L (260mg per 100ml) with diet or other drug therapy. (Relevant levels should be submitted with application for an authority.)					
Powder, 9g sachet (equivalent to 4g cholestyramine), 50	2	..	33.26	Questran	MJ
CHOLINE THEOPHYLLINATE					
Tablet 100mg	100	2	3.57	Choledyl	WW
200mg	100	2	3.94	Choledyl	WW
Syrup 50mg per 5ml, 500ml	#1	4	3.26	Choledyl	WW
CHOLINE THEOPHYLLINATE with GUAIPHENESIN					
Tablet 200mg-100mg	100	2	4.07	Brondecon	WW
Elixir 50mg-25mg per 5ml, 500ml	#1	4	3.39	Brondecon	WW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CIMETIDINE Authority required. Gastric ulcer, confirmed by radiology, endoscopy or surgery. <u>NOTE:</u> Applications for authority must state the date of barium meal, endoscopy or surgery (procedure must have been within three months of application). Not more than 300 tablets will be available on authority in any 12 months period. Increased maximum quantities and/or repeats for treatment of gastric ulcer will not be authorised.					
Authority required. Duodenal ulcer, confirmed by radiology, endoscopy or surgery. <u>NOTE:</u> Initial application for authority must state the date of barium meal, endoscopy or surgery (procedure must have been within three months of initial application). Not more than three authorities (each for 300 tablets) will be available in any 12 months period. Increased maximum quantities and/or repeats for treatment of duodenal ulcer will not be authorised.					
Authority required. Zollinger-Ellison syndrome, proven by investigation. Tablet 200mg	150	1	42.51	Tagamet	SK
CLEMIZOLE Tablet 20mg	50	2	2.80	Allercur	SC
Syrup, equivalent to 21mg base per 5ml, 100ml	#1	4	2.51	Allercur	SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLINDAMYCIN				
Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin.				
Capsule 75mg	25	..	4.79	Dalacin C UP
150mg	25	..	7.64	Dalacin C UP
Granules for Syrup 75mg per 5ml, 100ml	#1	..	#6.65	Dalacin C UP
CLIOQUINOL				
Cream 1%, 30g	#1	..	2.76	Vioform CB
CLONAZEPAM				
Epilepsy.				
Tablet 500 micrograms	200	1	7.20	Rivotril RO
2mg	200	1	10.95	Rivotril RO
Injection 1mg in 2ml (set containing solution 1mg in 1ml and 1ml diluent)	5	..	3.45	Rivotril RO
CLONIDINE				
Tablet 150 micrograms	100	2	8.20	Catapres BY
Injection 150 micrograms in 1ml	5	..	4.39	Catapres BY
CLOPAMIDE				
Tablet 20mg	50	2	4.20	Brinaldix SZ
CLOREXOLONE				
Tablet 10mg	50	2	3.14	Nefrolan MB
25mg	50	2	3.51	Nefrolan MB
50mg	50	2	4.07	Nefrolan MB
CLOTRIMAZOLE				
Cream 1%, 20g	#1	1	4.07	Canesten BN
Pessaries 100mg, 6	#1	..	4.75	Canesten BN
Vaginal Cream 1%, 35g	#1	..	4.70	Canesten BN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLOXACILLIN Authority required. Infections due to penicillin- resistant staphylococci; Osteomyelitis.				
Capsule 250mg	25	..	8.89	Austrastaph CS Orbenin BR
500mg	12	..	8.60	Austrastaph CS Orbenin BR
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#7.04	Austrastaph CS Orbenin BR
CLOXACILLIN Injection 250mg (solvent required)	5	..	7.51	Austrastaph CS Orbenin BR
500mg (solvent required)	5	..	11.20	Austrastaph CS Orbenin BR
1g (solvent required)	5	..	18.14	Austrastaph CS Orbenin BR
CODEINE Linctus APF, 100ml	#1	2	3.09 3.14	Codelix DH PR, QE(NQ), SI
CODEINE PHOSPHATE Tablet 30mg	25	..	3.80	DH, FM, KL, LP, RT
CODEINE PHOSPHATE with ASPIRIN and PARACETAMOL Only for malignant neoplasia.				
Tablet 30mg-225mg-150mg	100	1	8.02	Codiphen GP Forte BW Codral Forte
CODEINE PHOSPHATE with ASPIRIN For pensioners only.				
Tablet Soluble 8mg-300mg	100	2	3.70	Aspalgin FM
8mg-500mg	100	2	3.70	Solcode RC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
COLCHICINE Tablet 500 micrograms	100	2	3.80 3.91 3.95 4.07	Colgout PT DH, PR, RT Coluric AV BW Colcin KL LP, MR
COLISTIN Gram-negative infections where NO other drug is effective; Pyocyanus infection.				
Injection 150mg (solvent required)	5	..	33.56	Coly-Mycin WW
COLISTIN with NEOMYCIN <u>CAUTION:</u> Topical neomycin is associated with a significant incidence of local allergic reaction.				
Ear Drops 3mg-3.3mg per ml, 10ml	1	2	2.82	Coly-Mycin WW
COPPER SULPHATE Diagnostic Compound Tablets, 36	2	3	3.52	Clinitest AM
CORTISONE ACETATE Tablet 5mg	50	1	3.14	Cortate PT
25mg	30	2	4.07	Cortate PT
CYANOCOBALAMIN Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy treatment; subacute combined degeneration of the cord).				
Injection 100 micrograms in 1ml	5	1	3.37 3.45	Panalamine PT Cytamen 100 GL LP
1mg in 1ml	5	..	3.75 3.82	Panalamine PT 1000 Cytamen 1000 GL LP
CYCLIZINE Tablet 50mg	50	1	2.82	Marzine BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	3.57	Navidrex CB
CYCLOPHOSPHAMIDE Authority required. Anaemia, autoimmune, haemolytic; Arthritis, rheumatoid with vascu- litis or visceral complications; Continuing cyclophosphamide therapy after discharge from a hospital; Crohn's disease; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease including leukaemia; Nephritis; Nephrotic syndrome; Pemphigus; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura; Ulcerative colitis.				
Tablet 50mg	50	..	7.64	Endoxan-Asta BC
Injection 100mg (solvent required)	5	..	12.07	Endoxan-Asta BC
200mg (solvent required)	5	..	12.82	Endoxan-Asta BC
500mg (solvent required)	2	..	7.58	Endoxan-Asta BC
1g (solvent required)	1	..	5.70	Endoxan-Asta BC
CYCLOTHIAZIDE Tablet 5mg	50	2	4.07	Doburil BY
CYCRIMINE HYDROCHLORIDE <u>CAUTION: Long term use with major tranquillisers increases the risk of tardive dyskinesia.</u>				
Tablet 1.25mg	100	2	5.89	Pagitane LY
2.5mg	100	2	7.76	Pagitane LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CYPROHEPTADINE Prevention of migraine.					
Tablet 4mg	100	2	4.74	Periactin	FR
CYPROHEPTADINE Tablet 4mg	50	2	3.00	Periactin	FR
Paediatric Syrup 1.2mg per 5ml, 100ml	41	4	2.51	Periactin	FR
CYTARABINE Injection set containing 100mg and 5ml solvent	10	1	76.66	Cytosar-U	UP
DANAZOL Authority required. *Endometriosis, visually proven; Hereditary angio-oedema. NOTE: Treatment policy for endometriosis should be reviewed at the end of six (6) months.					
Capsule 200mg	100	..	114.01	Danocrine	WL
DAPSONE Tablet 100mg	100	2	3.70	Avlosulfon	IC
DAUNORUBICIN I.V. Infusion 20mg (base)	10	1	276.56	Cerubidin	MB
DEBRISOQUINE Tablet 10mg	100	2	6.26	Declinax	RO
20mg	100	2	8.07	Declinax	RO
DESFERRIOXAMINE MESYLATE Injection 500mg (solvent required)	10	..	49.64	Desferal	CB
DESIPRAMINE Tablet 25mg	50	2	4.32	Pertofran	GE
DESMOPRESSIN NOTE: For use in the treatment of cranial diabetes insipidus only.					
Nasal Solution 100 micrograms per ml, 2.5ml	5	2	99.06	Minirin	PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXAMETHASONE For use in a hospital.				
Injection 120mg in 5ml	1	..	30.26	Decadron Shock Pak MK
DEXAMETHASONE Tablet 500 micrograms	30	2	3.01 3.07	Dexamethsone PT Oradexon OR KL
4mg	30	1	7.20	Dexamethsone PT
Injection 4mg in 1ml	5	..	8.45	Decadron MK
5mg in 1ml	5	..	10.95	Oradexon OR
8mg in 2ml	5	..	13.45	Decadron MK
Eye Drops 0.1%, 5ml	#1	2	3.64	Maxidex AQ
DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN CAUTION: Topical framycetin is associated with a significant incidence of local allergic reaction.				
Ear Ointment 500 micrograms-5mg-50 micrograms per g, 5g	#1	2	2.82	Sofradex RL
DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN CAUTION: Topical framycetin is associated with a significant incidence of local allergic reaction.				
Ear Drops 500 micrograms (base)-5mg-50 micrograms per ml, 8ml	#1	2	2.95	Sofradex RL
DEXAMPHETAMINE Authority required. Hyperkinetic brain damage syndrome in children; Narcolepsy.				
Tablet 5mg	100	..	3.67	SI

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXCHLORPHENIRAMINE Tablet 2mg	50	2	2.80	Polaramine SH
DEXTRAN 40 See Intravenous Fluids.				
DEXTRAN 70 See Intravenous Fluids.				
DEXTROMORAMIDE Treatment in malignant neoplasia. CAUTION: The risk of drug dependence is high.				
Tablet 5mg	20	..	3.74	Palfium FA
Injection 5mg in 1ml	10	..	8.18	Palfium FA
Suppositories 10mg, 10	#1	..	5.24	Palfium FA
DEXTROSE INJECTION 50%; 10ml	5	..	4.20	BL
500ml and 1L Injections - See Intravenous Fluids				
DIAZEPAM Tablet 2mg	50	..	2.51 2.57	Lorinon HP Ducene SU Pro-Pam PT Valium RO
5mg	50	..	2.82 2.89	Ducene SU Lorinon HP Pro-Pam PT Valium RO
Paediatric Syrup 2mg per 5ml, 100ml	#1	..	3.07	Valium RO
Injection 10mg in 2ml	5	..	3.61	Valium RO BL
NOTE: Authorities for increased maximum quantities and/or repeats of DIAZEPAM will be granted only for the treatment of: Disabling spasticity; Malignant neoplasia (late stage).				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIAZOXIDE Injection 300mg in 20ml	1	..	14.16	Hyperstat I.V. SH
DICHLORPHENAMIDE Tablet 50mg	50	6	6.82	Daranide MK
DICYCLOMINE with DOXYLAMINE and PYRIDOXINE Vomiting in pregnancy. Tablet 10mg-10mg-10mg	30	1	3.51	Debendox ML
DIENOESTROL Tablet 10mg	100	2	3.82	HA
Cream 0.01%, 85g	#1	1	3.14	ET
DIFENOXIN HYDROCHLORIDE with ATROPINE SULPHATE Tablet 500 micrograms-25micrograms	20	..	2.77	Lyspafen PT
DIGOXIN Tablet 62.5 micrograms	100	2	3.01	Lanoxin-PG BW
250 micrograms	50	2	2.57	Cardiox Lanoxin RT,RY AV BW
Oral Solution for Children 50 micrograms per ml, 100ml	#1	2	4.89	Lanoxin BW
Injection BP 500 micrograms in 2ml	5	1	5.51	Lanoxin BW
Injection for Infants 50 micrograms in 2ml	5	1	5.76	Lanoxin BW
DIHYDROCODEINE TARTRATE Linctus 0.19%, 100ml	#1	2	2.39	Fortuss Paracodin Rikodeine GP KN RK
DIHYDROERGOTAMINE Injection 1mg in 1ml	5	..	4.32	Dihydergot SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIHYDROTACHYSTEROL Authority required. Hypoparathyroidism; Osteomalacia following gastrect- omy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets.					
Capsule 125 micrograms	100	..	15.72	A.T.10	WL
DI-iodohydroxyquinoline Compound Pessaries 100mg, 25	≠1	1	3.30	Floraquin	SR
DILOXANIDE FUROATE Tablet 500mg	30	..	7.08	Furamide	BT
DIMERCAPROL Injection 5%, 2ml	12	..	19.01	B.A.L.	BT
DIMETHICONE For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.					
Cream 10%, 50g	≠1	..	2.32	Dermabase-S	HA
10%, 75g	≠1	..	2.49	Silcon	FA
20%, 20g	≠1	..	2.25	Vasogen Silicone	SS
Solutions - See Colostomy and Ileostomy					
DIMETHINDENE Tablet 1mg	50	2	2.80	Fenostil	ZY
DIOCTYL SODIUM SULPHOSUCCINATE For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; *For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.					
Tablet 50mg	100	2	2.89	Coloxyl 50	FM
120mg	100	2	3.39	Coloxyl 120	FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; *For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.					
Suppositories 100mg-10mg, 5	#1	..	2.39	Coloxyl	FM
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; *For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.					
Tablet 50mg-50mg	100	2	3.07	Coloxyl with Danthron	FM
DIPHEMANIL METHYLSULPHATE For use by amputees; For use by paraplegic and quadriplegic patients.					
Dusting Powder 2%, 50g	#1	..	3.74	Prantal	SH
DIPHENHYDRAMINE Capsule 50mg	50	2	2.82	Benadryl	PD
Paediatric Elixir 12.5mg per 5ml, 100ml	#1	4	2.51	Benadryl Bidramine	PD AV
DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25 micrograms	20	..	2.77	Lomotil	SR
DIPHENYLPYRALINE Tablet 2.5mg	50	2	2.79 2.80	Anti-Hist Allerzine	PT RT
(continued)				Histalert	RK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPHENYLPYRALINE - cont. Capsule 2.5mg	50	2	2.80	Histryl-P SK
Paediatric Syrup 2.5mg per 5ml, 100ml	1	4	2.51	Histalert RK
DIPHThERIA ANTITOXIN Injection 1,000 Units	2	1	9.52	CS
10,000 Units	2	1	36.52	CS
DIPHThERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years.				
Injection 0.5ml	3	..	5.46	CS
DIPHThERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	3	..	5.46	CS
DIPHThERIA, TETANUS and PERTUSSIS VACCINE Injection 0.5ml	3	..	4.76 5.10	PD CS
DIPHThERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years.				
Injection 0.5ml	2	1	4.52	CS
DIPHThERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
Injection 0.5ml	2	..	4.38	CS
DIPYRIDAMOLE Authority required. Supplementing anticoagulants in:- Biopsy proven glomerulonephritis; Microangiopathic renal disease; Renal allograft; Patients with cardiac prosthesis.				
Tablet 100mg	100	..	15.39	Persantin BY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DISOPYRAMIDE					
Cardiac arrhythmias, when other anti-arrhythmic drug therapy is unsatisfactory.					
CAUTION: Serious interactions can occur with beta-blocking drugs.					
Capsule 100mg	100	2	14.95	Norpace Rythmodan	SR RL
150mg	100	2	19.51	Norpace Rythmodan	SR RL
DOXEPIN					
Tablet 10mg	50	2	2.82	Quitaxon	RC
25mg	50	2	3.66	Quitaxon	RC
Capsule 10mg	50	2	2.82	Sinequan	PF
25mg	50	2	3.66	Sinequan	PF
DOXYCYCLINE					
Tablet 100mg	7	..	4.20	Vibramycin	PF
Capsule 100mg	7	..	4.20	Doxin	GP
ECONAZOLE NITRATE					
Cream 1%, 20g	#1	1	4.07	Ecostatín Pevaryl	SQ SK
Pessaries 150mg, 3	#1	..	4.75	Ecostatín Pevaryl	SQ SK
ECOTHIOPATE IODINE					
Eye Drops					
0.03%, 1.5mg and 5ml solvent	#1	6	#6.33	Phospholine Iodide	AY
0.06%, 3mg and 5ml solvent	#1	6	#6.45	Phospholine Iodide	AY
0.125%, 6.25mg and 5ml solvent	#1	6	#6.58	Phospholine Iodide	AY
0.25%, 12.5mg and 5ml solvent	#1	6	#6.70	Phospholine Iodide	AY
ELECTROLYTE REPLACEMENT (ORAL)					
Powder for Solution, 40g sachet, 6	#1	..	3.20	Repalyte	DH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ELECTROLYTE REPLACEMENT SOLUTION See Intravenous Fluids.					
EPHEDRINE HYDROCHLORIDE Tablet 15mg	100	2	2.70	DH, FM, KL	
30mg	100	2	2.82	DH, FM, KL, LP, SI	
EPICILLIN Capsule 250mg	25	..	4.31	Dexacillin	SQ
500mg	12	1	4.05	Dexacillin	SQ
Powder for Syrup 125mg per 5ml, 100ml	#1	..	#3.96	Dexacillin	SQ
250mg per 5ml, 100ml	#1	..	#5.15	Dexacillin	SQ
ERGOMETRINE MALEATE Tablet 200 micrograms	25	..	3.20	Ergotrate	LY
Injection 250 micrograms in 1ml	5	..	2.95	BL	
ERGOTAMINE TARTRATE Tablet 1mg	50	2	4.20	Lingraine	WL
ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	4.89	Cafergot	SZ
Compound Suppositories, 6	#1	2	3.95	Cafergot PB	SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	4.89	Migral	BW
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	4.89	Ergodryl	PD
ERYTHROMYCIN Tablet 125mg	25	..	3.45	EMU-V	UP
200mg	25	..	3.80	Erythrocin	AB
250mg	25	..	4.36	EMU-V Erythrocin Ethryn	UP AB FA
Capsule 125mg (continued)	25	..	3.45	Eryc	FA

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ERYTHROMYCIN - cont.					
Capsule 250mg	25	..	4.32 4.36	E-Mycin Erostin Eryc Erythrocin Ilocap	PT MF FA AB LY
Paediatric Drops 100mg per ml, 10ml	≠1	..	3.39	Ilosone	LY
Paediatric Suspension 125mg per 5ml, 100ml	≠1	..	3.69	Eromycin Erythrocin Ilosone	DL AB LY
Powder for Paediatric Suspension 200mg per 5ml, 100ml	≠1	..	#4.41	EES 200	AB
Suspension 250mg per 5ml, 100ml	≠1	..	5.39	Erythrocin	AB
Injection I.M. 100mg in 2ml	5	..	7.20	Erythrocin	AB
Infusion I.V. 300mg	5	..	20.31	Erythrocin	AB
1g	1	..	12.20	Erythrocin Ilotycin	AB LY
ETHACRYNIC ACID					
Patients hypersensitive to other oral diuretics.					
Tablet 50mg	50	2	6.20	Edecril	MK
ETHANOLAMINE OLEATE					
Injection 5%, 2ml	5	1	6.51	Ethamolin	GL
ETHINYLOESTRADIOL					
Tablet 10 micrograms	100	1	2.92	Estigyn Primogyn C	AH SC
20 micrograms	100	1	3.07	Estigyn Lynoral Primogyn C	AH OR SC
50 micrograms	100	1	3.20	Estigyn Primogyn C	AH SC
ETHOSUXIMIDE					
Capsule 250mg	200	1	13.07	Zarontin	PD
Paediatric Syrup 250mg per 5ml, 250ml	≠1	4	4.76	Zarontin	PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETHYLNORADRENALINE Injection 2mg in 1ml	5	..	4.07	Bronkephrine WL
ETHYLOESTRENOL Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. NOTE: An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 2mg	100	1	12.14	Orabolin OR
ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 21	2	2	3.72	Ovulen 0.5/50 SR
1mg-50 micrograms, 21	2	2	3.72	Ovulen 1/50 SR
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	3.72	Ovulen 0.5/50 -28 SR
Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	3.72	Ovulen 1/50 -28 SR
ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms-100 micrograms, 21	2	2	3.72	Ovulen 0.5 SR
1mg-100 micrograms, 21	2	2	3.72	Ovulen 1 SR
2mg-100 micrograms, 21	2	2	3.72	Ovulen 2 SR
FENOTEROL HYDROBROMIDE Inhalation, metered aerosol spray, 200 micrograms per dose (300 dose)	≠1	1	5.07	Berotec BY
FERROUS AMINOACETOSULPHATE Paediatric Syrup 100ml	≠1	4	2.57	Plesmet AV
FERROUS FUMARATE Tablet 150mg	100	2	2.57	Fumiron KL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FERROUS GLUCONATE Tablet 300mg	100	2	2.57	Fergon WL RY
Paediatric Elixir 6%, 100ml	#1	4	2.57	Fergon WL
FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	2.57	Slow-Fe CB
350mg (sustained release)	30	2	2.49 2.57	Feritard PT Ferro- Gradumets AB
Capsule 320mg (delayed release)	30	2	2.57	Fespan SK
FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	2.57	Feritard Folic PT
270 mg-300 micrograms (sustained release)	30	2	2.64	F.G.F. AB
Capsule 270mg-300 micrograms (delayed release)	30	2	2.64	Fefol 2 SK
FLUCLOROLONE ACETONIDE Cream 0.025%, 15g	#1	1	2.47	Topilar SD
FLUCYTOSINE Invasive or systemic fungal infections such as candidiasis, cryptococcosis and chromoblastomycosis. NOTE: Not to be used in superficial fungal infections such as vaginal candidiasis because of the risk of inducing drug-resistant strains.				
Tablet 500mg	100	..	64.01	Ancotil RO
FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	..	5.42	Florinef SQ
FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5ml	#1	..	2.95	Locacorten Vioform CB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FLUOCORTOLONE ESTERS				
Cream 0.08%, 100g	#1	..	3.32	Topodil SC
0.2%, 15g	#1	1	2.47	Ultralan-D SC
Ointment 0.08%, 100g	#1	..	3.32	Topodil SC
0.2%, 15g	#1	1	2.47	Ultralan-D SC
Ointment (Anhydrous) 0.2%, 15g	#1	1	2.47	Ultralan-D Fatty SC
FLUOROMETHOLONE				
Eye Drops 0.1%, 5ml	#1	6	3.76	FML LiquifilmAG
FLUOROURACIL				
Injection 250mg per 10ml	10	..	26.51	RO
FLUOXYMESTERONE				
Authority required. Aplastic anaemias, proven; Carcinoma of the breast; Hypogonadism; Osteoporosis.				
NOTE: An authority for three months' treatment of osteoporosis will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 5mg	100	1	18.29	Halotestin UP
FLUPHENAZINE				
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 1mg	100	1	4.66	Anatensol SQ
2.5mg	100	1	6.26	Anatensol SQ
5mg	100	1	7.14	Anatensol SQ
Elixir 500 micrograms per ml, 60ml	#1	4	3.00	Anatensol SQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FLUPHENAZINE DECANOATE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Injection 12.5mg in 0.5ml	5	..	11.26	Modocate SQ
25mg in 1ml	5	..	20.07	Modocate SQ
50mg in 2ml	5	..	27.32	Modocate SQ
FLUPHENAZINE ENANTHATE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Injection 25mg in 1ml	5	..	10.95	Anatensol Enanthate SQ
FOLIC ACID Tablet 500 micrograms	100	..	2.49 2.50	DH,PT Folettes FM KL,SI
5mg	100	2	2.61 2.64	DH,PT Folasic AV FM,KL,LP,PR,RT, SI
Injection 15mg in 1ml	10	..	6.08	AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FOSFESTROL TETRASODIUM Carcinoma of the prostate.					
Tablet 120mg	100	2	24.64	Honvan	BC
Injection 250mg in 5ml	10	..	14.39	Honvan	BC
FRAMYCETIN Injection 500mg (solvent required)	1	2	6.79	Soframycin	RL
<u>CAUTION: Topical framycetin is associated with a significant incidence of local allergic reaction.</u>					
Eye Ointment 0.5%, 5g	#1	..	2.64	Soframycin	RL
Eye/Ear Drops 0.5%, 8ml	#1	2	2.99	Soframycin	RL
FRUSEMIDE Renal failure.					
Tablet 500mg	50	2	19.01 35.26	Urex-Forte Lasix	FM HP
FRUSEMIDE Tablet 20mg	50	2	3.20 3.45	Urex-M Lasix-M	FM HP
40mg	50	2	3.45 3.57 3.70	Urex Uremide Frusid Lasix	FM PT RO HP
Oral Solution 10mg per ml, 30ml	#1	2	4.64	Lasix	HP
Injection 20mg in 2ml	5	..	4.54	Lasix	HP
FUSIDIC ACID Authority required. For use in combination with another antibiotic in the treatment of proven serious staphylococcal infections.					
Tablet (Sodium salt) 250mg (enteric coated)	36	..	45.07	Fucidin	SK
Suspension 50mg per ml, 90ml	#1	..	20.32	Fucidin	SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GAMMA BENZENE HEXACHLORIDE					
Cream 1%, 200g	≠1	2	4.51	Lorexane	IC
Head Lotion 0.2%, 200ml	≠1	..	3.51	Lorexane	IC
Lotion Concentrate 1%, 200ml	≠1	..	3.51	Lorexane Concentrate	IC
GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT)					
Injection - 1 amp containing: 10,000 Units Perfringens; 10,000 Units Oedematiens; 5,000 Units Septicum.	2	1	51.52	CS	
GENTAMICIN SULPHATE					
Authority required. Endophthalmitis; Infections where positive bact- eriological evidence confirms that gentamicin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.					
Injection 10mg (base) in 1ml	5	..	10.26 10.32	Cidomycin Garamycin	RL SH
40mg (base) in 1ml	5	..	14.01 17.14	Garamycin BL Cidomycin	SH PL
60mg (base) in 1.5ml	5	..	17.14 21.82	Garamycin BL Cidomycin	SH RL
80mg (base) in 2ml	5	..	20.26 26.51	Garamycin BL Cidomycin	SH RL
GLIBENCLAMIDE					
Tablet 5mg	100	2	12.14	Daonil Euglucon	HP RC
GLUCAGON HYDROCHLORIDE					
Injection 1 I.U. with diluent	1	1	7.06	Novo LY	NO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GLUCOSE INDICATOR - BLOOD NOTE: This item may be reliable only when used with a reflectance meter.				
Reagent Strips 25	#1	2	5.26	BM-Test- Glycemie BO
GLUCOSE INDICATOR - URINE Test Dispenser 4m	#1	2	4.14	Tes-Tape LY
Reagent Strips 100	#1	2	3.39	BM-Test Glucose BO Clinistix AM
Reagent Strips 100	#1	2	3.49	Diastix AM
GLUCOSE and KETONE INDICATOR - URINE Reagent Strips 100	#1	2	3.90	Keto-Diastix AM
GLYCEROL For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; *For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Suppositories 1g, 10	#1	1	2.82	FA
GLYCEROL 100ml	#1	1	2.15	DH
GLYCEROPHOSPHATE COMPOUND Syrup APF 1964, 100ml	#1	4	2.45 2.54 2.57	MG Glyfosolix DH SI PR
GLYCERYL TRINITRATE Tablet 600 micrograms	100	2	2.76	Anginine Stabilised BW
GLYMIDINE Tablet 500mg	100	2	6.57	Gondafon SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GRISEOFULVIN					
Authority required.					
Use in recalcitrant tinea infections due to Microsporum, Trichophyton or Epidermophyton species proven by pathology testing or, in the case of the scalp, by pathology testing or by Wood's Light examination; Kerion.					
Tablet 125mg	100	..	7.82	Fulcin 125 Grisovin	IC GL
330mg	28	..	6.96	Griseostatin	SH
500mg	28	..	7.57	Fulcin 500 Grisovin 500	IC GL
GUANETHIDINE					
Tablet 10mg	100	1	4.70 5.26	Antipres M Ismelin	PT CB
25mg	100	1	8.45 9.76	Antipres Ismelin	PT CB
HALOPERIDOL					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1.5mg	100	1	5.34	Serenace	SR
5mg	50	1	7.51	Serenace	SR
Injection 5mg in 1ml	10	..	9.70	Serenace	SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HEPARIN CALCIUM				
Injection 5,000 Units in 0.2ml	5	5	7.82	Calciparine DF
5,000 Units in 0.5ml	5	5	7.82	Caprin CS
12,500 Units in 0.5ml	2	5	7.20 7.22	Calciparine DF CS
25,000 Units in 1ml	2	5	9.07 9.08	Calciparine DF CS
HEPARIN SODIUM				
Injection BP, 5,000 Units in 0.2ml	5	5	6.51 6.95	BL GL
5,000 Units in 1ml	5	5	6.51 6.95	BL,WP BT,CS,GL
20,000 Units in 20ml	12	5	42.01 42.06	BL CS
25,000 Units in 5ml	2	5	9.08	BT,CS,WP
35,000 Units in 35ml	12	5	91.62	CS,WP
HEXAMINE HIPPURATE				
Tablet 1g	100	2	7.76	Hiprex RK
HEXAMINE MANDELATE				
Tablet 250mg	100	2	2.89	Mandelamine WW
500mg	100	2	4.14	Mandelamine Hafgrams WW
1g	100	2	6.01	Mandelamine WW
HOMATROPINE HYDROBROMIDE				
Eye Drops 2%, 15ml	≠1	2	3.45	AG,AQ
5%, 15ml	≠1	2	3.82	AG,AQ
HYALURONIDASE				
Injection 1,500 I.U. (solvent required)	5	1	5.44	Hyalase FC
HYDRALAZINE HYDROCHLORIDE				
Tablet 25mg	100	2	5.39 5.76	Hyperex 25 PT Apresoline CB
50mg	100	2	7.51 8.07	Hyperex 50 PT Apresoline CB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDRARGAPHEN Pessaries 5mg, 15	≠1	1	5.39	Versotrane Tri- ple Strength WB
HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	3.35	Dichlotride MK Esidrex CB
50mg	50	2	4.51	Dichlotride MK Esidrex CB
HYDROCHLOROTHIAZIDE with AMILORIDE NOTE: Supplementary potassium should not be used.				
Tablet 50mg-5mg	30	2	3.75	Moduretic MK
HYDROCHLOROTHIAZIDE with TRIAMTERENE NOTE: Supplementary potassium should not be used.				
Tablet 25mg-50mg	30	2	3.75	Dyazide SK
HYDROCORTISONE Eye Drops 0.5%, 2ml	≠1	2	2.64	Scheroson F OphthalmicumSC
0.5%, 5ml	≠1	2	2.95	Hycor SI
0.5%, 10ml	≠1	2	3.20	Hycor SI
1%, 3ml	≠1	2	2.95	Hycor SI
1%, 5ml	≠1	2	2.95	Hydrosone KL
1%, 10ml	≠1	2	3.39	Hycor SI Hydrosone KL
2.5%, 5ml	≠1	2	3.39	Hycor SI
2.5%, 10ml	≠1	2	3.82	Hycor SI
Eye Ointment 0.5%, 4g	≠1	..	2.82	Cortef UP Cortril PF Hydrosone KL
0.5%, 5g	≠1	..	3.01	Hycor SI
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
HYDROCORTISONE - cont.					
Eye Ointment 1%, 5g	#1	..	3.07	Hycor	SI
				Hydrosone	KL
Cream 1%, 30g	#1	1	2.95	Adacor	AV
				Cortef	UP
				Dermacort	PD
				Hydrosone	KL
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
				LP	
Cream 1%, 50g	#1	1	3.51	Adacor	AV
				Cortef	UP
				Hydrosone	KL
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
				LP	
Topical Ointment 1%, 30g	#1	1	2.95	Adacor	AV
				Cortef	UP
				Dermacort	"O"PD
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
				LP	
1%, 50g	#1	1	3.51	Adacor	AV
				Cortef	UP
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
				LP	
HYDROCORTISONE with NEOMYCIN SULPHATE					
CAUTION: Topical neomycin is associated with a significant incidence of local allergic reaction.					
Ear Drops 1.5%-0.5%, 5ml	#1	..	2.89	Neo-Cortef	UP
Ear Ointment 1.5%-0.5%, 4g	#1	2	2.82	Neo-Cortef	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE ACETATE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid. Injection 25mg in 1ml	5	..	4.45 4.57	Hydrocortone MK Hysone-A PT
HYDROCORTISONE SODIUM SUCCINATE For use in a hospital. Injection set containing equivalent of 500mg hydrocortisone and solvent	1	..	12.57	Solu-Cortef UP
HYDROCORTISONE SODIUM SUCCINATE Injection set containing equivalent of 100mg hydrocortisone and 2ml solvent	2	..	6.52 6.58	Nordicort NR Efcortelan GL Solu-Cortef UP
containing equivalent of 250mg hydrocortisone and solvent	1	..	7.07	Solu-Cortef UP
HYDROFLUMETHIAZIDE Tablet 50mg	50	2	4.86	Di-Ademil SQ Hydrenox BT
HYDROGEN PEROXIDE SOLUTION Solution 10 vol, 100ml	#1	..	1.99	FA
HYDROXYCHLOROQUINE Tablet 200mg	100	..	5.95	Plaquenil WL
HYDROXYUREA Capsule 500mg	100	..	23.76	Hydrea SQ
HYOSCINE BUTYLBROMIDE Injection 20mg in 1ml	5	..	3.82	Buscopan BY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYPROMELLOSE				
Eye Drops 0.5%, 15ml	1	6	2.79 2.82	IQ Isopto Tears AG Lacril AG Methopt SI
IBUPROFEN				
Tablet 200mg	50	2	3.39 3.49	Inflam PT Brufen BT
400mg	50	2	4.14 4.20	Inflam PT Brufen BT
IDOXURIDINE				
Eye infections caused by herpes simplex virus or vaccinia virus.				
Eye Drops 0.1%, 15ml	1	2	4.57	Herplex AG Stoxil SK
Eye Ointment 0.5%, 5g	1	..	4.57	Stoxil SK
IDOXURIDINE				
Topical Ointment 0.5%, 5g	1	..	2.71	Stoxil SK
IMIPRAMINE				
Tablet 10mg	50	2	2.59	Imiprin PT Iramil KL Prodepress NK Trofranil GE
25mg	50	2	3.32 3.35 3.41	Imiprin PT Melipramine UW(N) Iramil KL Prodepress NK Tofranil GE
Injection I.M. 25mg in 2ml	10	..	5.95	Tofranil GE
INDOMETHACIN				
Capsule 25mg	50	2	4.07	Indocid MK Rheumacin PT
Suppository 100mg	20	2	8.09	Indocid MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INFLUENZA VACCINE Persons at special risk of adverse consequences from infections of the lower respiratory tract.				
Injection (Trivalent) 1ml	1	..	4.76	CS
INSECT ALLERGEN EXTRACT - BULL ANT Injection Sets				
strengths A,B,C each 5ml	1	..	33.51	CS
strengths A,B,C,D each 5ml	1	..	46.26	CS
Injection strength C, 5ml	1	..	13.51	CS
strength D, 5ml	1	..	14.26	CS
INSECT ALLERGEN EXTRACT - HONEY BEE Injection Sets				
strengths A,B,C each 5ml	1	..	33.51	CS
strengths A,B,C,D each 5ml	1	..	46.26	CS
Injection strength C, 5ml	1	..	13.51	CS
strength D, 5ml	2	..	27.02	CS
INSECT ALLERGEN EXTRACT - JUMPER ANT Injection Sets				
strengths A,B,C each 5ml	1	..	33.51	CS
strengths A,B,C,D each 5ml	1	..	46.26	CS
Injection strength C, 5ml	1	..	13.51	CS
strength D, 5ml	1	..	14.26	CS
INSECT ALLERGEN EXTRACT - MOSQUITO Injection Sets				
strengths A,B,C each 5ml	1	..	33.51	CS
strengths A,B,C,D each 5ml	1	..	46.26	CS
Injection strength C, 5ml	1	..	13.51	CS
strength D, 5ml	1	..	14.26	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSECT ALLERGEN EXTRACT - PAPER WASP				
Injection Sets				
strengths A,B,C each 5ml	1	..	33.51	CS
strengths A,B,C,D each 5ml	1	..	46.26	CS
Injection strength C, 5ml	1	..	13.51	CS
strength D, 5ml	1	..	14.26	CS
INSULIN				
Injection (bovine)				
100 Units per ml, 10ml	5	2	39.01	BT,BW,CS
300 Units per ml, 5ml	10	2	116.56	CS
INSULIN BIPHASIC				
Injection (mixed porcine/bovine)				
100 Units per ml, 10ml	5	2	39.01	Bitard CS
INSULIN BIPHASIC PURIFIED				
Insulin resistance, insulin allergy, disabling local reactions or atrophy; Juvenile diabetes; Patients already stabilised on this type of insulin.				
Injection (mixed porcine/bovine)				
100 Units per ml, 10ml	5	2	45.26	Rapitard M.C. Novo NO
INSULIN ISOPHANE (N.P.H.)				
Injection (bovine)				
100 Units per ml, 10ml	5	2	39.01	Hypurin Isophane WP Isotard CS BT,BW
Injection (porcine)				
100 Units per ml, 10ml	5	2	39.01	Isotard PC CS
INSULIN ISOPHANE (N.P.H.) PURIFIED				
Insulin resistance, insulin allergy, disabling local reactions or atrophy; Juvenile diabetes; Patients already stabilised on this type of insulin.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ISOPHANE (N.P.H.) PURIFIED - cont.				
Injection (porcine) 100 Units per ml, 10ml	5	2	45.26	Leo Retard PT
INSULIN ISOPHANE (N.P.H.) PURIFIED- INSULIN NEUTRAL PURIFIED, (MIXED) Insulin resistance, insulin allergy, disabling local reactions or atrophy; Juvenile diabetes; Patients already stabilised on this type of insulin.				
Injection (porcine) 100 Units (70 Units-30 Units) per ml, 10ml	5	2	45.26	Leo Mixtard PT
INSULIN NEUTRAL Injection (bovine) 100 Units per ml, 10ml	5	2	39.01	Hypurin Neutral WP
Injection (porcine) 100 Units per ml, 10ml	5	2	39.01	Nuralin CS
INSULIN NEUTRAL PURIFIED Insulin resistance, insulin allergy, disabling local reactions or atrophy; Juvenile diabetes; Patients already stabilised on this type of insulin.				
Injection (porcine) 100 Units per ml, 10ml	5	2	45.26	Actrapid M.C. Novo NO Leo PT
INSULIN PROTAMINE ZINC Injection (bovine) 100 Units per ml, 10ml	5	2	39.01	BT, BW, CS
INSULIN ZINC SUSPENSION (Lente) Injection (bovine) 100 Units per ml, 10ml	5	2	39.01	BT, BW, CS
Injection (porcine) 100 Units per ml, 10ml	5	2	39.01	Lente PC CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ZINC SUSPENSION PURIFIED Insulin resistance, insulin allergy, disabling local reactions or atrophy; Juvenile diabetes; Patients already stabilised on this type of insulin. Injection (porcine) 100 Units per ml, 10ml	5	2	45.26	Monotard M.C. Novo NO
Injection (mixed porcine/bovine) 100 Units per ml, 10ml	5	2	45.26	Lente M.C. Novo NO
INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente) Injection (bovine) 100 Units per ml, 10ml	5	2	39.01	BT, BW, CS
Injection (porcine) 100 Units per ml, 10ml	5	2	39.01	Semilente PC CS
INSULIN ZINC SUSPENSION (AMORPHOUS) PURIFIED Insulin resistance, insulin allergy, disabling local reactions or atrophy; Juvenile diabetes; Patients already stabilised on this type of insulin. Injection (porcine) 100 Units per ml, 10ml	5	2	45.26	Semilente M.C. Novo NO
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente) Injection (bovine) 100 Units per ml, 10ml	5	2	39.01	BT, BW, CS
INSULIN ZINC SUSPENSION (CRYSTALLINE) PURIFIED Insulin resistance, insulin allergy, disabling local reactions or atrophy; Juvenile diabetes; Patients already stabilised on this type of insulin. Injection (bovine) 100 Units per ml, 10ml	5	2	45.26	Ultralente M.C. Novo NO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
INTRAVENOUS FLUIDS 500ml and 1L - See Special Section					
IRON DEXTRAN Injection 2ml	5	..	4.95	Imferon	FC
IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	2.57	Ferrum H	SI
Injection 100mg (Iron) in 2ml	5	..	5.32	Ferrum H	SI
IRON SORBITOL Injection I.M. Trivalent Iron 2ml	5	..	5.32	Jectofer	AP
ISONIAZID Tablet 50mg	200	2	3.39	FM	
100mg	100	2	3.39	FM	
ISOPRENALINE HYDROCHLORIDE Tablet 10mg	100	2	3.07	Isuprel	WL
30mg (sustained release)	100	2	9.07	Saventrine	PN
Inhalation 1 in 200, 15ml	≠1	1	3.07	Isuprel	WL
Injection 1 in 5,000, 1ml	5	..	5.95	Isuprel	WL
1 in 5,000, 5ml	5	..	8.14	Isuprel	WL
KANAMYCIN Infections where positive bacteriological evidence confirms that kanamycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.					
Injection 30mg in 1ml	5	1	7.76	Kanasig	SI
250mg in 2ml	5	..	10.26	Kanasig	SI
500mg in 2ml	5	..	12.26	Kanasig Kantrex	SI BC
1g in 3ml	5	..	14.32	Kanasig Kantrex	SI BC
KAOLIN with PECTIN Mixture 5.91g-132mg per 30ml, 375ml	≠1	2	3.01	Kaopectate	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
LACTULOSE					
Hepatic coma or precoma (chronic porto-systemic encephalopathy).					
Mixture 3.34g per 5ml, 500ml	#1	4	10.26	Duphalac	ET
LEVODOPA					
Tablet 100mg	50	2	4.95	Larodopa	RO
250mg	100	2	8.70	Larodopa	RO
500mg	250	2	27.82	Larodopa	RO
Capsule 100mg	50	2	5.17	Syndopa	FA
250mg	100	2	9.07	Syndopa	FA
500mg	250	2	27.82	Syndopa	FA
LEVODOPA with BENSERAZIDE					
Capsule 100mg-25mg	100	2	14.70	Madopar-M	RO
200mg-50mg	100	2	22.51	Madopar	RO
LEVODOPA with CARBIDOPA					
Tablet 100mg-10mg	100	2	14.70	Sinemet M	MK
250mg-25mg	100	2	27.76	Sinemet	MK
LEVONORGESTREL					
Tablet 30 micrograms, 28	2	2	3.72	Microlut 28	SC
				Microval 28	WY
LEVONORGESTREL with ETHINYLOESTRADIOL					
Tablet					
125 micrograms-50 micrograms, 21	2	2	3.72	Microgynon 50SC	
150 micrograms-30 micrograms, 21	2	2	3.72	Microgynon 30SC	
				Nordette 21	WY
250 micrograms-50 micrograms, 21	2	2	3.72	Neogynon	SC
				Nordiol 21	WY
Pack containing 11 tablets 50 micrograms-50 micrograms and 10 tablets 125 micrograms- 50 micrograms	2	2	3.72	Biphasil 21	WY
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LEVONORGESTREL with ETHINYLOESTRADIOL - cont. Pack containing 11 tablets 50 micrograms-50 micrograms, 10 tablets 125 micrograms- 50 micrograms and 7 inert tablets	2	2	3.72	Biphasil 28 WY Sequilar ED SC
Pack containing 21 tablets 125 micrograms-50 micrograms and 7 inert tablets	2	2	3.72	Microgynon 50 ED SC
Pack containing 21 tablets 150 micrograms-30 micrograms and 7 inert tablets	2	2	3.72	Microgynon 30 ED SC Nordette 28 WY
Pack containing 21 tablets 250 micrograms-50 micrograms and 7 inert tablets	2	2	3.72	Neogynon ED SC Nordiol 28 WY
LIGNOCAINE Injection 100mg in 5ml	#2	..	4.01	Xylocard 100 AP
I.M. 300mg in 3ml	1	..	4.32	Xylocard 300 I.M. AP
Infusion 500mg in 5ml	5	..	5.87	Xylocard 500 AP
LINCOMYCIN Gram-negative anaerobic infections; Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin.				
Injection 300mg in 1ml	5	..	6.70	Lincocin SS Paediatric UP
600mg in 2ml	5	..	8.07	Lincocin UP
LIOOTHYRONINE Tablet 20 micrograms	100	1	3.20	Tertroxin GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
LITHIUM CARBONATE Tablet 250mg	100	2	3.39 3.89	Camcolit Lithicarb Manialith DH	NE PT MN
LYPRESSIN Nasal Spray 50 Units per ml, 5ml	10	2	46.56	Vasopressin	SZ
MAFENIDE ACETATE Authority required. Treatment, in a hospital, of burns; *Treatment, in a hospital, of epidermolysis bullosa.					
Cream 11.2%, 454g	#1	..	16.70	Sulfamylon	WL
MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	3.07	Maalox	BT
Mixture 375mg per 5ml, 500ml	#1	4	3.39	Maalox	BT
MAGNESIUM SULPHATE Paste 50g	#1	1	2.51	Magnoplasm	FA
100g	#1	1	2.91	Magnoplasm	FA
MANNITOL See Intravenous Fluids.					
MEBHYDROLIN Tablet 50mg	50	2	2.80	Fabahistin	BN
Paediatric Suspension 50mg per 5ml, 100ml	#1	4	2.51	Fabahistin	BN
MECLOZINE Tablet 25mg	50	2	2.82	Ancolan	AH
MEDROXYPROGESTERONE *Dysfunctional uterine bleeding; Precocious puberty; Turner's syndrome.					
Tablet 2.5mg	25	..	4.39	Provera	UP
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MEDROXYPROGESTERONE - cont.				
*Dysfunctional uterine bleeding; Malignant neoplasia; Precocious puberty; Turner's syndrome.				
Tablet 10mg	100	2	26.57	Provera UP
Malignant neoplasia.				
Tablet 100mg	100	2	66.57	Provera UP
Injection 50mg in 1ml	1	..	4.70	Depo-Provera UP
Malignant neoplasia; Precocious puberty.				
Injection 150mg in 1ml	1	..	9.27	Depo-Provera UP
MEDRYSONE				
Eye Drops 1%, 5ml	#1	6	3.76	HMS LiquifilmAG
MEFRUSIDE				
Tablet 25mg	50	2	4.14	Baycaron BN
MELPHALAN				
Tablet 2mg	100	2	45.02	Alkeran BW
5mg	100	2	75.02	Alkeran BW
MERCAPTOPURINE				
Tablet 50mg	50	1	35.88	Purinethol BW
METFORMIN				
Maturity onset diabetes not satisfactorily controlled by diet and other drugs, where the risk of lactic acidosis is minimised by excluding predisposing factors, especially reduced renal, hepatic or cardiovascular function.				
Tablet 500mg	100	2	9.10	Glucophage RN
500mg (sustained release)	100	2	9.11	Diabex S.R. DF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHACYCLINE Capsule 150mg	21	..	4.20	Randomycin WW
300mg	11	..	4.20	Randomycin WW
METHADONE Disabling pain associated with proven malignant neoplasia; Disabling pain associated with self-limiting disorders of short duration not responding to non-narcotic analgesics, the maximum duration of treatment being two weeks. <u>NOTE:</u> Dependence on this drug is a present social problem.				
Tablet 5mg	20	..	3.36	Physeptone BW
10mg	20	..	3.55	Physeptone BW
Injection 10mg in 1ml	5	..	6.36	Physeptone BW
<u>NOTE:</u> Authorities for increased maximum quantities and/or repeats of METHADONE will be granted only for the treatment of disabling pain associated with late-stage malignant neoplasia.				
METHANDIENONE Authority required. Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 5mg	100	1	11.01	Dianabol CB
METHDILAZINE Prevention of migraine.				
Tablet 4mg	100	2	4.14	Dilosyn AH
8mg	100	2	4.42	Dilosyn AH
<u>(continued)</u>				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHDILAZINE - cont.				
Tablet 4mg	50	2	2.70	Dilosyn AH
8mg	50	2	2.84	Dilosyn AH
METHENOLONE ACETATE				
Authority required.				
Osteoporosis;				
Patients on long-term treatment with corticosteroids.				
<u>NOTE:</u> An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 1mg	100	1	5.52	Primobolan SC
5mg	100	1	13.52	Primobolan SC
METHICILLIN				
Endophthalmitis;				
Septicaemia, staphylococcal, suspected or proven.				
Injection 1g (solvent required)	5	1	16.45	Metin CS
METHOIN				
Tablet 100mg	200	1	7.76	Mesantoin SZ
METHOTREXATE				
Authority required.				
Continuing methotrexate therapy after discharge from a hospital;				
Malignant neoplasia;				
Pemphigus;				
Severe intractable or extensive psoriasis.				
<u>CAUTION:</u> Cytotoxic effect and liver damage can be enhanced by poor renal function.				
Tablet 2.5mg	100	..	17.82	LE
Injection 5mg (solvent required)	5	..	20.31	LE
50mg (solvent required)	5	..	57.81	LE
METHSUXIMIDE				
Capsule 300mg	200	1	13.07	Celontin PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METHYLCLOTHIAZIDE					
Tablet 2.5mg	50	2	3.32	Enduron-M	AB
5mg	50	2	4.07	Enduron	AB
METHYLDOPA					
Tablet 125mg	100	2	6.07	Aldomet-M	MK
250mg	100	2	8.20	Aldomet	MK
METHYLERGOMETRINE					
Tablet 125 micrograms	25	1	3.70	Methergin	SZ
METHYLPHENOBARBITONE					
Epilepsy.					
Tablet 30mg	200	1	3.51	Prominal FM	WL
60mg	200	1	3.89	Prominal FM	WL
200mg	200	1	6.76	Prominal FM	WL
METHYLPREDNISOLONE					
Eye Ointment 0.1%, 4g	#1	..	3.07	Medrol	UP
METHYLPREDNISOLONE ACETATE					
For local intra-articular or peri-articular infiltration.					
Injection 40mg in 1ml	5	..	14.07	Depo-Medrol	UP
METHYLPREDNISOLONE SODIUM SUCCINATE					
Injection 40mg (base) in 1ml	5	..	14.06	Solu-Medrol	UP
METHYL SALICYLATE					
Liniment APF, 100ml	#1	1	2.54	Emsalin	DH
			2.56	SI,TO	
			2.57	MG	
				PR, QE(NQ)	
METHYLTESTOSTERONE					
Hypogonadism in children.					
Tablet 5mg	100	2	3.80	Testomet	PT
			3.82	ET	

(continued)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METHYLTESTOSTERONE - cont. Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).					
Tablet 25mg	100	2	7.14 7.20	Testomet ET	PT
50mg	100	2	10.82 10.95	Testomet ET	PT
METHYSERGIDE Carcinoid syndrome; Prevention of disabling migraine when other treatment has failed.					
Tablet 1mg	100	2	17.45	Deseril	SZ
METOCLOPRAMIDE HYDROCHLORIDE Authority required. Gastric retention after gastric surgery; *Malignant neoplasia (late stage).					
Tablet 10mg	100	..	11.45	Metamide Primperan	PT BQ
METOCLOPRAMIDE HYDROCHLORIDE Injection 10mg in 2ml	10	..	4.57	Maxolon Primperan	BR BQ
METOPROLOL Frequent disabling angina without evidence of cardiac failure; Hypertension.					
Tablet 100mg	50	2	8.45	Betaloc Lopresor	AP GE
METRONIDAZOLE Tablet 200mg	21	1	3.45 3.57	Trichozole Flagyl	PT MB
MICONAZOLE NITRATE Cream 2%, 20g	¶1	1	4.07	Daktarin	JP
Vaginal Cream 2%, 40g	¶1	..	4.70	Gyno- Daktarin 7 Monistat 7	JP ET

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MILK POWDER - COWS' MILK, PROCESSED Acute gastro-enteritis complicated by lactose intolerance, in infants under the age of six (6) months. Age of patient to be shown on prescription. <u>NOTE:</u> No authorities will be granted for increased maximum quantities. Authorities for an increased number of repeats will be limited to a maximum of 20 repeats. Confirmation of condition to be included in application. An acceptable confirmation of lactose intolerance for the issue of an authority for repeats is the presence of not less than 1% reducing substance in stool exudate tested with copper sulphate diagnostic compound tablet. Lactose-Predigested Powder Infant Formula 500g Authority required. Lactose intolerance. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule. Lactose-Predigested Powder 500g MILK POWDER - SYNTHETIC Authority required. Hypercalcaemia in children under the age of two (2) years; Osteopetrosis. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule. Low Calcium Compound Powder 397g	2	..	9.02	De-Lact Infant SJ
	2	20	9.02	Digestelact SJ
	2	20	20.76	Locasol MN

(continued)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MILK POWDER - SYNTHETIC - cont. Authority required. Galactosaemia; Conditions needing an extreme restriction of lactose in diet in children under the age of four (4) years. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Low Lactose Compound Powder 397g	2	20	22.02	Galactomin Formula 17 MN
Authority required. Glucose-galactose malabsorption. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g	2	20	53.02	Galactomin Formula 19 MN
MINERAL MIXTURE (For use with Amino Acid Formula without Phenylalanine) Phenylketonuria.				
Powder 250g	#1	..	13.45	Aminogran M.M. GL
MINOCYCLINE Capsule 100mg	11	..	4.20	Minomycin LE
MITHRAMYCIN For use in a hospital for - inoperable testicular neoplasm; symptomatic hypercalcaemia and hypercalcinuria associated with advanced neoplasia.				
Injection 2.5mg (solvent required)	5	..	89.81	Mithracin PF
MORPHINE with TACRINE Severe intractable pain.				
Tablet 30mg-15mg	50	..	11.55	Mortha WH
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MORPHINE with TACRINE - cont.				
Injection 15mg-13mg in 1.5ml	5	..	3.74	Mortha WH
30mg-13mg in 1.5ml	5	..	3.80	Mortha WH
30mg-30mg in 1.5ml	5	..	4.36	Mortha WH
MORPHINE SULPHATE				
Injection 10mg in 1ml	5	..	3.27	AB,BL,KL,LP,SI
15mg in 1ml	5	..	3.36	AB,BL,KL,LP,SI
30mg in 1ml	5	..	3.67	AB,BL,KL
MORPHINE SULPHATE with ATROPINE SULPHATE				
Injection 15mg-600 micrograms in 1ml	5	..	3.49	BL
MUSTINE				
Injection 10mg (solvent required)	1	..	5.51	BT
NALORPHINE				
Injection 1mg in 1ml	5	..	6.64	Lethidrone BW
10mg in 1ml	5	1	9.14	Lethidrone BW
NANDROLONE DECANOATE				
Authority required. Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids.				
NOTE: An authority for three months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 50mg in 1ml	1	1	9.76	Deca- Durabolin OR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NANDROLONE PHENYLPROPIONATE Authority required. Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for three months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 25mg in 1ml	3	1	9.76	Durabolin OR
NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15ml	#1	2	2.95	Albalon Liquifilm AG
NAPROXEN Tablet 250mg	50	2	5.91	Naprosyn SD
NATAMYCIN Tablet 100mg	50	..	7.64	Pimafulcin GB
Suspension 1%, 5ml	#1	1	3.14	Pimafulcin GB
Cream 20mg per g, 15g	#1	1	3.20	Pimafulcin GB
Pessaries 25mg, 20	#1	..	4.82	Pimafulcin GB
NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE <u>CAUTION:</u> Topical neomycin is associated with a significant incidence of local allergic reaction.				
Ear Ointment 1%-0.35% (base)-1%, 5g	#1	2	2.57	Pimafulcort Otic GB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NEOMYCIN Acute leukaemia during induction of remission with chemotherapy; Bowel sterilisation preparatory to major surgery; Encephalopathy, hepatic; Enteropathogenic E. Coli infections in infants.				
Tablet 500mg	25	1	9.07	Neosulf PT ET, KL
NEOMYCIN CAUTION: Topical neomycin is associated with a significant incidence of local allergic reaction.				
Eye Drops 0.5% (0.35% Neomycin Base), 10ml	¥1	2	2.95	Neopt SI
NEOMYCIN UNDECENOATE with BACITRACIN ZINC CAUTION: Topical neomycin is associated with a significant incidence of local allergic reaction.				
Ear Ointment 12mg (3.5mg base)- 400 Units per g, 10g	¥1	..	2.89	Nemdyn HA
NEOSTIGMINE Tablet 15mg	100	2	5.14	Prostigmin RO
Injection 500 micrograms in 1ml	5	3	2.70	Prostigmin RO
2.5mg in 1ml	5	3	3.01	Prostigmin RO
Eye Drops 3%, 7.5ml	¥1	6	3.76	Prostigmin RO
NICLOSAMIDE Hymenolepiasis nana.				
Tablet 500mg	16	..	9.26	Yomesan BN
NICLOSAMIDE Tablet 500 mg	4	..	3.26	Yomesan BN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NICOTINIC ACID					
For pensioners.					
Tablet 25mg	100	2	2.51	DH, KL, LP	
50mg	100	2	2.57	DH, KL, LP, RT, SI	
100mg	100	2	2.70	DH, KL	
250mg	100	2	2.82	DH, LP	
NITRAZEPAM					
Tablet 5mg	25	..	2.57	Dormicum Mogadon	PT RO
<u>NOTE: Authority to prescribe an increased maximum quantity and/or repeats of NITRAZEPAM should be sought for treatment of myoclonic epilepsy.</u>					
NITROFURANTOIN					
Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evidence shows the organism to be sensitive to nitrofurantoin or where the patient is sensitive to sulphonamides.					
Tablet 50mg	25	1	4.42	Furadantin	NW
100mg	25	1	6.22	Furadantin	NW
Capsule 50mg	30	1	5.20	Macrochantin	NW
100mg	30	1	7.45	Macrochantin	NW
Paediatric Suspension 25mg per 5ml, 200ml	≠1	..	3.86	Furadantin	NW
NORADRENALINE					
Injection 1 in 10,000, 2ml	5	..	5.67	Levophed	WL
Infusion 1 in 1,000, 2ml	5	..	6.57	Levophed	WL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORETHISTERONE Benign mammary dysplasia; *Dysfunctional uterine bleeding; Endometriosis; Precocious puberty; Turner's syndrome.				
Tablet 5mg	30	5	4.32	Primolut N SC
NORETHISTERONE Tablet 350 micrograms, 28	2	2	3.72	Micronor ET Noriday SD
NORETHISTERONE with ETHINYL- OESTRADIOL Tablet 500 micrograms-35 micrograms, 21	2	2	3.72	Brevinor SD Modicon ET
1mg-35 micrograms, 21	2	2	3.72	Brevinor-1 SD
Pack containing 21 tablets 500 micrograms-35 micrograms and 7 inert tablets	2	2	3.72	Brevinor SD Modicon ET
Pack containing 21 tablets 1mg-35 micrograms and 7 inert tablets	2	2	3.72	Brevinor-1 SD
NORETHISTERONE with MESTRANOL Tablet 1mg-50 micrograms, 21	2	2	3.72	Norinyl-1 SD Ortho-Novum 1/50 ET
1mg-80 micrograms, 21	2	2	3.72	Ortho-Novum 1/80 ET
2mg-100 micrograms, 21	2	2	3.72	Norinyl-2 SD Ortho-Novum 2 ET
Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	3.72	Norinyl-1/28 SD Ortho-Novum 1/50 ET

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NORETHISTERONE ACETATE *Dysfunctional uterine bleeding; Endometriosis; Precocious puberty; Turner's syndrome.					
Tablet 2.5mg	30	5	3.76	Primolut Nor	SC
*Malignant neoplasia.					
Tablet 10mg	100	2	24.07	SH420	SC
NORETHISTERONE ACETATE with ETHINYLOESTRADIOL					
Tablet 1mg-50 micrograms, 21	2	2	3.72	Minovlar	SC
3mg-50 micrograms, 21	2	2	3.72	Gynovlar	SC
4mg-50 micrograms, 21	2	2	3.72	Anovlar	SC
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	3.72	Minovlar ED Orlest	SC PD
Pack containing 21 tablets 2.5mg- 50 micrograms and 7 inert tablets	2	2	3.72	Norlestrin	PD
NORETHYNODREL with MESTRANOL					
Tablet 2.5mg-100 micrograms, 21	2	2	3.72	Conovid-E	SR
NORGESTREL with ETHINYLOESTRADIOL					
Tablet 500 micrograms-50 micrograms, 20	2	2	3.72	Duoluton	SC
500 micrograms-50 micrograms, 21	2	2	3.72	Eugynon Ovral	SC WY
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	3.72	Eugynon ED Ovral 28	SC WY
NORTRIPTYLINE					
Tablet 10mg	50	2	2.55	Allegron Nortab	DL SQ
25mg	50	2	3.35	Allegron Nortab	DL SQ
Paediatric Elixir 10mg per 5ml, 100ml	#1	4	2.51	Allegron	DL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NUTRAMIGEN Authority required. Cows' milk allergy in children under the age of two (2) years; Cystic fibrosis (mucoviscidosis); Galactosaemia; Lactose intolerance. NOTE: Milk allergy means eczema, asthma or severe gastro-intestinal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk. Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months. Age of patient to be shown on application for authority. NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Powder 500g	2	20	15.84	Glucose Nutramigen MJ
NYSTATIN Tablet 500,000 Units	50	..	7.30	Diastatin GP Mycostatin SQ Nilstat LE
Capsule 500,000 Units	50	..	7.30	Mycostatin SQ
Mixture 100,000 Units per ml, 24ml	≠1	1	3.70	Mycostatin SQ Nilstat LE
Cream 100,000 Units per g, 15g	≠1	1	3.07	Mycostatin SQ Nilstat LE
Gel 100,000 Units per g, 15g	≠1	1	3.07	Mycostatin SQ
Ointment 100,000 Units per g, 15g	≠1	1	3.07	Mycostatin SQ Nilstat LE
Pessaries 100,000 Units, 15	≠1	1	3.30	Diastatin GP Mycostatin SQ Nilstat LE
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NYSTATIN - cont. Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	#1	1	3.57	Mycostatin SQ
100,000 Units per 5g, 75g (15 doses)	#1	1	3.57	Diastatin GP Nilstat LE
OESTRADIOL VALERATE Injection 10mg in 1ml	3	..	9.01	Primogyn SC Depot
OESTRONE Pessaries 1,000 Units, 12	#1	1	4.01	Kolpon OR
10,000 Units, 12	#1	1	5.76	Kolpon OR
ORCIPRENALINE <u>NOTE:</u> Oral preparations are generally less effective and produce more side effects than the metered aerosol.				
Tablet 20mg	100	2	5.57	Alupent BY
Syrup 10mg per 5ml, 300ml	#1	4	3.95	Alupent BY
Inhalation Solution for use in HAND NEBULISER 5%, 7.5ml	#1	..	3.32	Alupent BY
Inhalation Solution for use in RESPIRATOR or JET NEBULISER 2%, 75ml	#1	..	8.01	Alupent BY
Inhalation, metered aerosol spray replacement pack, 15mg per ml, 15ml (300 dose)	#1	1	4.45	Alupent BY
ORPHENADRINE HYDROCHLORIDE Parkinsonism. <u>CAUTION:</u> Long term use with major tranquillisers increases the risk of tardive dyskinesia.				
Tablet 50mg	100	2	4.45	Disipal RK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXAZEPAM					
Tablet 15mg	50	..	2.55 2.60	Benzotran Murelax Serepax	PT AY WY
30mg	50	..	2.95	Benzotran Murelax Serepax	PT AY WY
NOTE: No authorities will be granted for increased maximum quantities and/or repeats for OXAZEPAM.					
OXPRENOLOL					
Tablet 20mg	100	2	5.76	Trasicor	CB
40mg	100	2	8.07	Trasicor	CB
Injection 2mg (solvent required)	5	..	5.57	Trasicor	CB
OXYCODONE HYDROCHLORIDE					
Treatment in malignant neoplasia. CAUTION: The risk of drug dependence is high.					
Tablet 5mg	20	..	3.74	Endone	EN
OXYMETHOLONE					
Authority required. Aplastic anaemias, proven; Myelosclerosis.					
Tablet 50mg	100	..	62.51	Anapolon	SD
100mg	100	..	123.45	Adroyd	PD
OXYTETRACYCLINE					
Capsule 250mg	25	..	3.39	Bramcycline Terramycin	MF PF
Ointment 3%, 15g	1	..	2.80	Terramycin	PF
OXYTOCIN					
Injection 2 Units in 2ml	5	..	3.64	Syntocinon	SZ
5 Units in 1ml	5	..	3.76	Syntocinon	SZ
10 Units in 1ml	5	..	3.89	Syntocinon	SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
OXYTOCIN with ERGOMETRINE Injection 5 Units and 500 micrograms in 1ml	5	..	4.14	Syntometrine SZ
PANCREATIN ENZYME Cystic fibrosis (mucoviscidosis); Following pancreatico- duodenectomy; Steatorrhoea, pancreatic.				
4 times USNF.XIII strength Tablet 325mg	500	1	29.70	Viokase RS
Powder 250g	#1	2	22.82	Viokase RS
5 times USNF.XIV strength Capsule 305mg	500	1	32.76	Viokase RS
PANCRELIPASE Cystic fibrosis (mucoviscidosis); Following pancreatico- duodenectomy; Steatorrhoea, pancreatic.				
Capsule 300mg	250	1	29.70	Cotazym OR
PAPAVERETUM Tablet 10mg	20	..	3.67	Omnopon RO
Injection 20mg in 1ml	5	..	3.42	Omnopon AB RO
PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1ml	5	..	3.49	Omnopon- Scopolamine RO
PARACETAMOL Tablet 500mg	50	1	2.44 2.51	Ceetamol PT Bramcetamol MF Dymadon BW Langesic BT Panacete PR Panamax WL Paralgin FM Parasin AV Parmol KL PCL DH
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PARACETAMOL - cont. Mixture 120mg per 5ml, 100ml	#1	4	2.51	Dymadon Panamax Parmol	BW WL KL
PARALDEHYDE Injection 5ml	5	1	4.39	BL	
PARAMETHASONE Tablet 2mg	30	2	2.82	Metilar	SD
PENICILLAMINE Authority required. Acute heavy metal intoxication; Cystinosis; Cystinuria with calculus formation; *For the continuing treatment of rheumatoid arthritis where penicillamine therapy was initiated in a hospital; Haemoglobinuria, paroxysmal cold; Wilson's disease (hepatolenticular degeneration). <u>NOTE</u> : Regular blood and urine checks are essential.					
Tablet 125mg	100	..	17.51	D-Penamine Perdolat	DL KN
250mg	100	..	28.76	D-Penamine Perdolat	DL KN
Capsule 250mg	100	..	28.76	Cuprimine	MK
PENICILLINASE Injection set containing 0.8megaU and 1ml solvent	1	..	18.82	Compenase	CS
PENTAZOCINE Disabling pain associated with proven malignant neoplasia; Disabling pain associated with self-limiting disorders of short duration not responding to non-narcotic analgesics, the maximum duration of treatment being two weeks. <u>CAUTION</u> : This drug may cause dependence.					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PENTAZOCINE - cont. Injection 60mg in 2ml	5	..	5.07	Fortral WL
NOTE: Authorities for increased maximum quantities and/or repeats of PENTAZOCINE will be granted only for the treatment of disabling pain associated with late-stage malignant neoplasia.				
PENTOLINIUM TARTRATE Injection 5mg per ml, 10ml	1	1	5.89	Ansolysen MB
PERHEXILINE MALEATE Authority required. Intractable angina not responding to other therapy.				
CAUTION: Note high incidence of severe toxicity including neurotoxicity and hepatotoxicity.				
Tablet 100mg	100	..	17.26	Pexid ML
PERICYAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 2.5mg	100	1	3.32	Neulactil MB
10mg	100	1	6.20	Neulactil MB
Mixture 2.5mg per 5ml, 100ml	4	1	2.95	Neulactil MB
PERITONEAL DIALYSIS SOLUTION Injection				
with 1.36% Anhydrous Dextrose, 1L	20	1	51.46	Diasol AB
with 3.86% Anhydrous Dextrose, 1L	20	1	51.46	Diasol AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PETHIDINE				
Injection BP, 50mg in 1ml	5	..	3.17	Pethoid BW AB, BL, LP, SI
100mg in 2ml	5	..	3.22	Pethoid BW AB, BL, KL, LP, SI
NOTE: Authorities for increased maximum quantities and/or repeats of PETHIDINE will be granted only for the treatment of late-stage malignant neoplasia.				
PHENELZINE				
Authority required.				
Depressive illness resistant to treatment with either tricyclic anti-depressants or electro-convulsive therapy;				
Phobic states.				
CAUTION: This drug is a monoamine oxidase inhibitor.				
Tablet 15mg	50	..	5.01	Nardil WW
PHENETHICILLIN				
Prophylaxis of recurrent streptococcal infections (including rheumatic fever).				
Tablet 125mg	50	5	4.38	Optipen CS Pensig SI
250mg	50	5	5.18	Optipen CS Pensig SI
Capsule 125mg	50	5	4.38	Pensig SI
250mg	50	5	5.18	Optipen CS Pensig SI
PHENETHICILLIN				
Tablet 125mg	25	1	2.82	Optipen CS Pensig SI
250mg	25	1	3.22	Optipen CS Pensig SI
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENETHICILLIN - cont. Capsule 125mg	25	1	2.82	Pensig	SI
250mg	25	1	3.22	Optipen Pensig	CS SI
500mg	12	1	3.16	Optipen Pensig	CS SI
Powder for Syrup 125mg per 5ml, 100ml	≠1	1	#3.60	Optipen Pensig 125	CS SI
250mg per 5ml, 100ml	≠1	1	#4.21	Pensig 250	SI
PHENINDIONE Tablet 10mg	100	2	4.70	Dindevan	GL
50mg	100	2	6.20	Dindevan	GL
PHENIRAMINE Tablet 10mg	50	2	2.51	Fenamine-M	FM
50mg	50	2	2.80	Avil Fenamine	HP FM
Paediatric Syrup 15mg per 5ml, 100ml	≠1	4	2.51	Fenamine	FM
PHENOBARBITONE Epilepsy.					
Tablet 15mg	200	1	3.01	DH, FM, KL	
30mg	200	1	3.07	DH, FM, KL, RT, SI	
60mg	200	1	3.39	DH, FM, KL	
100mg	200	1	4.01	DH, FM	
PHENOBARBITONE SODIUM Injection 200mg in 1ml	5	..	3.20	BL, FM	
PHENOXYBENZAMINE Authority required. Phaeochromocytoma; Neurogenic urinary retention.					
Capsule 10mg	100	..	6.35	Dibenylene	SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN Prophylaxis of recurrent strepto- coccal infections (including rheumatic fever).				
Tablet 125mg	50	5	4.38	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
250mg	50	5	4.98	Abbocillin-VK AB Adacillin AV Bramcillin MF Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
Capsule 125mg	50	5	4.38	P.V.O. FM
250mg	50	5	4.98	Abbocillin-VK AB Adacillin AV Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	2.82	Abbocillin-V AB L.P.V. CS PVK LY P.V.O. FM
250mg	25	1	3.12	Abbocillin-VK AB Adacillin AV Bramcillin MF Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont.				
Tablet 500mg	12	1	2.96	Abbocillin-VK AB L.P.V. CS PVK LY P.V.O. FM
Capsule 125mg	25	1	2.82	P.V.O. FM
250mg	25	1	3.12	Abbocillin-VK AB Adacillin AV Cilicaine-VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
500mg	12	1	2.96	Cilicaine-VK SI Falcopen VK FA L.P.V. CS P.V.O. FM
Paediatric Suspension 125mg per 5ml, 100ml	#1	1	3.01	Abbocillin-V AB Cilicaine-V SI Falcopen V FA L.P.V. CS
Suspension 250mg per 5ml, 100ml	#1	1	3.57	Abbocillin-V AB Cilicaine-V SI Falcopen V FA L.P.V. Aqueous Forte CS
PHENSUXIMIDE Capsule 500mg	200	1	14.20	Milontin PD
PHENYLALANINE LOW CONTENT FORMULA NOTE: For phenylketonuria only.				
Powder 2.51b	2	2	67.76	Lofenalac MJ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENYLBUTAZONE				
CAUTION: Phenylbutazone may cause serious blood dyscrasias.				
Tablet 100mg	50	2	2.80	Butacal LF
				Butazone PT
			2.82	Butoroid RT
				Butalgin FM
				Buzon KL
100mg (enteric coated)	50	2	2.82	Butazolidin GE
Capsule 100mg	50	2	2.82	Buzon KL
Injection 600mg in 3ml	5	..	4.64	Butazolidin GE
Suppositories 250mg, 20	≠1	2	6.20	Butazolidin GE
PHENYLEPHRINE				
Compound Ointment 60g	≠1	1	3.01	Hemorex WL
Compound Suppositories, 12	≠1	1	3.01	Hemorex WL
Eye Drops 0.12%, 15ml	≠1	2	2.82	Isopto Frin AQ
				Prefrin AG
10%, 5ml	≠1	..	3.57	Neo-Synephrine WL
PHENYTOIN				
Tablet 50mg	200	1	5.39	Dilantin PD
				Infatabs
Paediatric Suspension				
30mg per 5ml, 500ml	≠1	3	4.76	Dilantin PD
PHENYTOIN SODIUM				
Tablet 100mg	200	1	4.82	FM
Capsule 30mg	200	1	5.89	Dilantin PD
				Sodium
100mg	200	1	6.14	Dilantin PD
				Sodium
				RY
Injection 100mg in 2ml	1	..	5.20	Dilantin PD
				Sodium
250mg in 5ml	1	..	6.32	Dilantin PD
				Sodium

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHOLCODINE Linctus 0.1%, 100ml	≠1	2	2.22 2.39	Pholtrate MG Adaphol AV Duro-Tuss RK Lantuss LP Pectolin FA Pholcolin DH Pholcolin RedDH Sedlingtus RT Tussinol GP PR,RT,SI(V)
PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	4.64	Talecid SC
PTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	4.64	Phthazol KL
PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15ml	≠1	6	4.07	IQ
0.5%, 15ml	≠1	6	4.45	IQ
PHYTOMENADIONE Injection 1mg	5	..	3.57	Konakion RO
10mg	5	..	5.32	Konakion RO
PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15ml	≠1	6	2.95	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
1%, 15ml	≠1	6	3.01	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
2%, 15ml	≠1	6	3.14	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PILOCARPINE HYDROCHLORIDE - cont. Eye Drops 3%, 15ml	#1	6	3.26	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
4%, 15ml	#1	6	3.39	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
6%, 15ml	#1	6	3.89	Isopto Carpine AQ Pilopt SI P.V. Carpine AG
PILOCARPINE HYDROCHLORIDE with ADRENALINE Eye Drops 1%-0.5%, 15ml	#1	6	3.32	E-Carpine AQ
2%-0.5%, 15ml	#1	6	3.45	E-Carpine AQ
3%-0.5%, 15ml	#1	6	3.57	E-Carpine AQ
4%-0.5%, 15ml	#1	6	3.70	E-Carpine AQ
6%-0.5%, 15ml	#1	6	4.20	E-Carpine AQ
PINDOLOL Tablet 5mg	100	2	8.07	Visken SZ
Injection 400 micrograms in 2ml	5	..	5.57	Visken SZ
PITUITARY, POSTERIOR LOBE Insufflation 30 Antidiuretic Unit Capsule	100	2	9.26	Di-Sipidin ST
PIZOTIFEN MALATE Prevention of migraine. Tablet 500 micrograms (base)	100	2	9.51	Sandomigran SZ
PLAGUE VACCINE Injection 3,000 million organisms in 1ml	2	..	6.76	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POLYESTRADIOL Carcinoma of the breast; Carcinoma of the prostate. Injection set containing 40mg and 2ml solvent	1	..	7.26	Estradurin AY
POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per ml, 10ml	≠1	2	2.95	Aerosporin BW
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN CAUTION: Topical neomycin is associated with a significant incidence of local allergic reaction. Ear Drops 10,000 Units-500 Units- 3.5mg (base) per ml, 15ml	≠1	..	2.95	Neotracin ET
Eye Ointment 5,000 Units- 400 Units-5mg per g, 4g	≠1	..	2.70	Mycitracin, UP Neosporin BW
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN CAUTION: Topical neomycin is associated with a significant incidence of local allergic reaction. Eye Drops 5,000 Units-2.5mg- 25 micrograms per ml, 10ml	≠1	2	3.20	Neosporin BW
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE CAUTION: Topical neomycin is associated with a significant incidence of local allergic reaction. Ear Drops 10,000 Units-3.5mg (base)-10mg per ml, 7ml	≠1	2	2.95	Aerocortin BW
POLYVINYL ALCOHOL Eye Drops 1.4%, 15ml	≠1	6	3.26	Liquifilm Tears AG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POTASSIUM Authority required. Hyperchloraemic hypokalaemic acidosis.				
Effervescent Tablet 6.5mEq K ⁺	100	..	3.45	Potavescent PT
25mEq K ⁺	30	..	3.57	K-Lyte MJ
POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	3.07	K-San PR Slow-K CB Span-K PT
Effervescent Tablet 14mEq K ⁺ and 8mEq Cl ⁻	30	2	3.20	Chlorvescent PT
Elixir 1.5g per 15ml, 500ml	≠1	2	3.26	Kay Ciel SC
Sterile Solution 0.746g in 10ml (7.46%) for preparation of injection	5	..	4.07	AB
Sterile Solution 1g in 10ml (10%) for preparation of injection	5	..	4.07	AB
Injection Standard Maintenance Fluid - See Intravenous Fluids.				
PRALIDOXIME IODIDE Injection 500mg	5	..	12.82	AB
PRAZOSIN HYDROCHLORIDE Tablet 1mg (base)	100	2	6.95	Minipress PF
2mg (base)	100	2	9.70	Minipress PF
5mg (base)	100	2	15.01	Minipress PF
PREDNISOLONE Tablet 1mg	100	1	3.20	Panafcort- elone PT
5mg	30	2	2.44	Panafcort- elone PT
			2.45	Adnisolone AV Delta-Cortef UP Deltasolone KL Precortisyl RL Prelone LF Solone FM PR
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PREDNISOLONE - cont. Tablet 25mg	30	1	4.31 4.32	Panafcort- elone PT Solone FM
Eye Ointment 0.5%, 4g	#1	..	3.07	Delta-Cortef UP
PREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration.				
Injection 10mg in 1ml	5	..	8.06	Scherisolon SC
PREDNISOLONE ACETATE Eye Drops 0.5%, 5ml	#1	6	3.57	Sterofrin AQ Ultracorteno12Y
PREDNISOLONE ACETATE with PHENYLEPHRINE Corneal grafts; Uveitis.				
Eye Drops 1%-0.12%, 10ml	#1	2	4.70	Prednefrin - Forte AG
PREDNISOLONE SODIUM PHOSPHATE Proctitis; Ulcerative colitis.				
Retention Enema 20mg in 100ml	7	..	14.52	Predsol GL
Suppositories equivalent to 5mg prednisolone, 10	#1	..	5.97	Predsol GL
PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5ml	#1	6	3.64	Codelsol MK Predsol GL
PREDNISOLONE STEAGLATE Tablet 6.65mg	30	2	2.51	Sintisone EC
PREDNISOLONE TERTIARYBUTYLACETATE For local intra-articular or peri-articular infiltration.				
Injection 20mg in 1ml	5	..	7.70	Codelcortone TBA MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PREDNISONE				
Tablet 1mg	100	1	3.20	Panafcort PT
5mg	30	2	2.44	Panafcort DH PT
			2.45	Adasone AV
				Decortisyl RL
				Deltasone KL
				Presone LF
				Propred NK
				Sone FM
				LP,PR
25mg	30	1	4.31	Panafcort PT
			4.32	Sone FM
PRIMAQUINE				
Tablet equivalent to 7.5mg base	42	..	4.81	IC
PRIMIDONE				
Tablet 250mg	200	1	5.89	Midone PT
				Mysoline IC
PROBENECID				
Tablet 500mg	100	2	8.20	Procid PT
			8.22	Benemid FR
PROCAINAMIDE				
Capsule 250mg	100	2	5.82	Pronestyl SQ
375mg	100	2	7.20	Pronestyl SQ
Injection 100mg per ml, 10ml	2	..	6.08	Pronestyl SQ
PROCAINE PENICILLIN				
Injection BP 600mg	5	..	5.32	Aquacillin FA
1g	5	..	8.76	Aquacillin FA
				Cilicaine SI
1.5g	5	..	9.01	Aquacillin FA
				Cilicaine SI
Crystalline Injection				
900mg (solvent required)	5	..	5.32	Aquacaine G CS
1.5g (solvent required)	5	..	6.57	Aquacaine G CS
PROCAINE PENICILLIN FORTIFIED				
Injection 1.08g (solvent required)	5	..	5.95	Aquacaine G Fortified CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROCARBAZINE <u>CAUTION:</u> As well as being cytotoxic procarbazine is a monoamine oxidase inhibitor with an Antabuse-like activity.					
Capsule 50mg	100	..	17.14	Natulan	RO
PROCHLORPERAZINE Authority required. Rotational vertigo.					
Tablet 5mg	100	..	3.36 3.39	Anti-Naus Compazine Stemetil	PT SK MB
PROCHLORPERAZINE Tablet 5mg	25	..	2.13 2.14	Anti-Naus Compazine Stemetil	PT SK MB
<u>NOTE:</u> Authorities for increased maximum quantities and/or repeats of prochlorperazine tablets will be granted only for the treatment of rotational vertigo.					
Injection 12.5mg in 1ml	10	..	4.57	Compazine Stemetil	SK MB
Suppositories 5mg, 5	≠1	..	2.82	Stemetil	MB
25mg, 5	≠1	..	3.20	Stemetil	MB
PROCYCLIDINE <u>CAUTION:</u> Long term use with major tranquillisers increases the risk of tardive dyskinesia.					
Tablet 5mg	100	2	5.32	Kemadrin	BW
PROGUANIL Tablet 100mg	100	2	4.27	Paludrine	IC
PROMETHAZINE Tablet 10mg	50	2	2.57	Phenergan Prothazine	MB KL
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROMETHAZINE -cont. Tablet 25mg	50	2	2.79 2.80	Meth-Zine Phenergan Prothazine	PT MB KL
Mixture 5mg per 5ml, 100ml	#1	4	2.51	Progan Prothazine	AV KL
Injection 50mg in 2ml	10	..	3.72	BL	
PROMETHAZINE THEOCLATE Tablet 25mg	30	1	3.00	Avomine	MB
PROPANTHELINE BROMIDE Authority required. Chronic neurogenic incontinence of urine.					
Tablet 15mg	100	..	3.82 4.19	Pantheline Pro-Banthine	PT SR
PROPRANOLOL Hypertension where there is an inadequate response to not less than 160mg of propranolol daily; Frequent disabling angina without evidence of cardiac failure where there is an inadequate response to not less than 160mg of propranolol daily.					
Tablet 160mg	50	2	12.14	Inderal	IC
PROPRANOLOL Tablet 10mg	100	2	4.32 4.57	Cardinol Inderal	PT IC
40mg	100	2	7.14 8.07	Cardinol Inderal	PT IC
Injection 1mg in 1ml	5	..	3.45	Inderal	IC
PROPYLENE GLYCOL Spray Diluent Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200ml	#1	2	3.51	FA	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROPYLTHIOURACIL Tablet 25mg	100	2	4.64	ET
50mg	100	2	4.82	ET
PROTAMINE SULPHATE Injection 1%, 10ml	6	..	15.92	BT
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE <u>NOTE</u> : For phenylketonuria only.				
Powder 200g sachet, 2kg	#1	2	199.01	Albumaide XP MN
PROTRIPTYLINE Tablet 5mg	50	2	3.45	Concordin MK
10mg	50	2	4.20	Concordin MK
PYRAZINAMIDE Tablet 500mg	500	..	58.32	Zinamide MK
PYRIDOSTIGMINE Tablet 10mg	100	2	4.76	Mestinon RO
60mg	100	2	13.95	Mestinon RO
180mg (sustained release)	100	1	19.89	Mestinon RO
Injection 1mg in 1ml	5	1	3.32	Mestinon RO
PYRIDOXINE HYDROCHLORIDE Homocystinuria; Peripheral neuritis due to isoniazid therapy, prophylaxis or treatment; Primary hyperoxaluria; Pyridoxine-responsive anaemia, proven; Pyridoxine-responsive convulsions; Radiation sickness; Sideroblastic (refractory) anaemia.				
Tablet 25mg	100	..	3.45	Pydox DH, FM PT
PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1ml	5	1	3.45	Pyroxin BL, FM KL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PYRIMETHAMINE Tablet 25mg	50	..	3.45	Daraprim BW
PYRIMETHAMINE with DAPSONE Prophylaxis of chloroquine- resistant falciparum malaria only.				
Tablet 12.5mg-100mg	10	..	4.07	Maloprim BW
PYRIMETHAMINE with SULFADOXINE Prophylaxis or treatment of chloroquine-resistant falciparum malaria only.				
Tablet 25mg-500mg	12	..	8.01	Fansidar RO
QUINETHAZONE Tablet 50mg	50	2	4.35	Aquamox LE
QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	13.76	Kinidin AP
QUINIDINE SULPHATE Tablet 200mg	100	2	12.95 13.07	DH,PT Cardoquin AV Quincardine FM Quinidoxin BW FA,KL,PR, QE(NQ),TO
300mg (sustained release)	100	2	18.57	Quinidex LA RS
QUININE BISULPHATE Tablet 300mg	50	..	7.32 7.39	DH,PT Biquin AV Bi-Quinate KL Myoquin FM Quinbisan PR BW,FA,LP,SI
QUININE SULPHATE Tablet 300mg	50	..	7.32 7.39	DH,PT Adaquin AV Quinate KL Quinocetl FM Quinsan PR LP,QE(NQ),SI,TO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
RESERPINE				
Injection 1mg	5	..	3.76	Serpasil CB
2.5mg	5	..	4.64	Serpasil CB
RIBOFLAVINE				
For pensioners.				
Tablet 5mg	100	2	2.82	FM,KL
ROLITETRACYCLINE				
I.V. Injection set containing 275mg and 10ml solvent	5	..	13.46	Reverin HP
I.M. Injection set containing 350mg and 2ml solvent	5	..	13.46	Reverin HP
SACCHARIN or SACCHARIN SODIUM				
Tablets 30mg, 500	≠1	1	2.41 2.60	FA DH
SALBUTAMOL				
NOTE: Oral preparations are generally less effective and produce more side effects than the metered aerosol.				
Tablet 4mg	100	2	5.57	Ventolin AH
Syrup 2mg per 5ml, 300ml	≠1	4	3.82	Ventolin AH
Inhalation Solution				
For use in RESPIRATOR, 0.5%, 30ml	≠1	2	5.71	Ventolin AH
Inhalation, metered aerosol spray, 100 micrograms per dose (200 dose)	≠1	2	4.32	Ventolin AH
SALICYLAMIDE				
Tablet 500mg	100	2	2.82	PT
SENEGA and AMMONIA				
Mixture APF, 200ml	≠1	4	2.44 2.45 2.51	MG Senamon SI,SL(NQVW) PR,QE(NQ),TO DH
SMALLPOX VACCINE				
Injection, Capillary Tube	1	..	3.76	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SODIUM ACID CITRATE Mixture 5.5g per 20ml, 500ml	#1	4	3.45	Citralka	PD
SODIUM AMINOSALICYLATE Tablet 500mg	500	2	11.57	Pasalba	RY
SODIUM AUROTHIOMALATE Injection 1mg	5	..	11.29	Myocrisin	MB
5mg	5	..	13.61	Myocrisin	MB
10mg	5	..	16.32	Myocrisin	MB
20mg	5	..	22.52	Myocrisin	MB
50mg	5	1	38.80	Myocrisin	MB
SODIUM BICARBONATE Injection 8.4%, 100ml	5	..	13.66	AB	
4.2%, 500ml - See Intravenous Fluids					
SODIUM CALCIUMEDETATE Tablet 500mg	100	2	6.57	Calcium Disodium Versenate	RK
SODIUM CHLORIDE INJECTION 0.9%, 2ml	5	1	2.54	AB,BL,LP	
0.9%, 5ml	5	1	2.72	AB,BL,LP	
0.9%, 10ml	5	1	3.04	AB,BL,KL,LP	
1L size - See Intravenous Fluids					
SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE See Intravenous Fluids					
SODIUM CHLORIDE COMPOUND See Intravenous Fluids					
SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	3.45	Citravescent Dex-Cit Urade Ural Sachets	PT RC WW AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CROMOGLYCATE				
Prophylaxis of bronchial asthma. NOTE: Simultaneous use with 'Aldecin' or 'Becotide' is not recommended.				
Capsule 20mg (Oral Inhalation)	100	2	17.51	Intal Spincaps FC
Authority required. Allergic rhinitis not responding to other treatment.				
Capsule 10mg (Nasal Insufflation)	100	..	10.07	Rynacrom FC
SODIUM LACTATE See Intravenous Fluids				
SODIUM LACTATE COMPOUND See Intravenous Fluids				
SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE See Intravenous Fluids				
SODIUM NITROPRUSSIDE Infusion 50mg	10	..	39.01	Nipride RO
SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	3.45	Rhumax DH PR
500mg (enteric coated)	100	2	3.76	Rhumax PR
600mg (enteric coated)	100	2	4.07	Ensalate Rhumax RC PR
SODIUM VALPROATE Epilepsy. CAUTION: This drug causes testicular damage in animals. The degree of risk in man is unknown but the possibility should be balanced against the patient's handicap from epilepsy.				
Tablet 200mg	200	1	35.96	Epilim RC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SORBIDE NITRATE				
Tablet 10mg	100	2	3.01	Isordil AY Isotrate PD
Sublingual Tablet 5mg	100	2	2.89	Isordil Sub-lingual AY Isotrate Sub-lingual PD
SOYA FORMULA				
Authority required.				
Galactosaemia;				
Homocystinuria;				
Lactose intolerance;				
Cows' milk allergy in children				
under the age of two (2) years.				
<u>NOTE:</u> Milk allergy means eczema,				
asthma or severe gastro-intestinal				
upset demonstrated to be due				
to cows' milk by relief on with-				
drawal of cows' milk for one week				
and recurrence on subsequent				
feeding with cows' milk.				
Since cows' milk allergy and				
lactose intolerance are not always				
permanent, a further challenge				
with cows' milk should be made				
each three months.				
Age of patient to be shown on				
application for authority.				
<u>NOTE:</u> An authority will be limited				
to the maximum quantity and				
repeats shown in this schedule.				
Liquid 375ml	5	20	6.16	ProSobee MJ Soyalac SA
384ml	5	20	6.16	Isomil RD
SPECTINOMYCIN				
Injection 2g with 3.2ml diluent	1	..	6.82	Trobicin UP
4g with 6.5ml diluent	1	..	10.95	Trobicin UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SPIRONOLACTONE Authority required. Primary hyperaldosteronism; Secondary hyperaldosteronism.				
Tablet 25mg	100	..	9.26 9.61	Spirotone PT Aldactone SR
STANDARD MAINTENANCE FLUID See Intravenous Fluids				
STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5ml	1	..	4.20	CS
Undiluted 5ml	1	..	4.57	CS
STILBOESTROL Tablet 500 micrograms	100	2	2.47	DH, HA
1mg	100	2	2.57	DH, HA
5mg	100	2	2.76	DH, HA
10mg	100	2	3.26	HA
STREPTOKINASE Injection 100,000 I.U. (solvent required)	2	..	43.26	Kabikinase FA
250,000 I.U. (solvent required)	2	..	71.18 75.52	Streptase HP Kabikinase FA
600,000 I.U. (solvent required)	5	..	379.56	Kabikinase FA
750,000 I.U. (solvent required)	5	..	446.31	Streptase HP
STREPTOMYCIN SULPHATE Injection 1g (solvent required)	5	3	5.32	GL
SUCCINYL SULPHATHIAZOLE Tablet 500mg	100	..	4.64	PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SULINDAC Authority required. Chronic rheumatoid arthritis not responding to other non-steroidal anti-inflammatory drugs (disregarding phenylbutazone).					
Tablet 100mg	50	..	5.70	Clinoril	FR
SULPHACETAMIDE SODIUM Eye Drops 10%, 15ml	≠1	2	2.95	Acetopt Bleph 10 IQ	SI AG
15%, 15ml	≠1	2	2.95	Isopto Cetamide	AQ
20%, 15ml	≠1	2	2.95	Acetopt	SI
SULPHADIAZINE Tablet 500mg	40	2	3.14	DH,PT,RY	
SULPHADIAZINE SODIUM Injection 4ml	5	..	6.71	MB	
SULPHADIMIDINE Tablet 500mg	40	2	3.14	S-Dimidine DH,KL,RY	PT
SULPHAFURAZOLE Tablet 300mg	40	2	3.26	Gantrisin	RO
500mg	40	2	3.32 3.45	Urogan Gantrisin Sulfazole	AV RO PT
Paediatric Syrup 500mg per 5ml, 100ml	≠1	1	3.64	Gantrisin	RO
Eye Drops 4%, 10ml	≠1	2	2.95	Gantrisin	RO
Eye Ointment 4%, 5g	≠1	..	2.70	Gantrisin	RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHAMETHIZOLE				
Tablet 100mg	40	2	2.77	Urolucosil WW
250mg	40	2	3.07	PT
			3.20	Urolucosil WW
500mg	40	2	4.01	PT
			4.14	Thiosulfil AY
				Urolucosil WW
Paediatric Suspension 100mg per 5ml, 100ml	≠1	1	2.96	Urolucosil WW
SULPHAMETHOXAZOLE				
Tablet 500mg	20	1	3.01	Gantanol RO
Syrup 500mg per 5ml, 50ml	≠1	2	3.14	Gantanol RO
SULPHAMETHOXYDIAZINE				
Tablet 500mg	12	..	3.07	Kiroid SC
SULPHAMETHOXYPYRIDAZINE				
Tablet 500mg	12	..	3.07	Lederkyn LE
SULPHAPYRIDINE				
Tablet 500mg	100	..	5.76	M&B 693 MB
SULPHASALAZINE				
Tablet 500mg	100	2	8.82	Salazopyrin PS
500mg (enteric coated)	100	2	9.70	Salazopyrin- EN PS
SULPHINPYRAZONE				
Tablet 100mg	100	2	9.45	Anturan CB
SULTHIAME				
Tablet 50mg	200	1	6.57	Ospolot BN
200mg	200	1	12.82	Ospolot BN
SURGICAL CEMENT				
For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.				
Skin Bond Adhesive 4fl oz	≠1	2	5.26	DY
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SURGICAL CEMENT - cont.				
Solvent 200ml	#1	..	3.82	Zoff SN
227ml	#1	2	4.64	Unisolve DY
240ml	#1	2	3.51	Sacsol LF
250ml	#1	2	4.26	Sacsol Non Flammable LF
TACRINE				
Injection 10mg, 2ml	5	1	2.89	T.H.A. WH
30mg, 2ml	5	1	3.55	T.H.A. WH
TEMAZEPAM				
Capsule 10mg	25	..	2.64	Euhypnos SI Normison WY
TERBUTALINE SULPHATE				
NOTE: Oral preparations are generally less effective and produce more side effects than the metered aerosol.				
Tablet 5mg	100	2	5.95	Bricanyl AP
Elixir				
300 micrograms per ml, 300ml	#1	4	3.95	Bricanyl AP
Injection 100 micrograms in 1ml	5	..	4.32	Bricanyl AP
500 micrograms in 1ml	5	..	4.45	Bricanyl AP
Inhalation, metered aerosol spray, 250 micrograms per dose (400 dose)	#1	1	6.32	Bricanyl AP
TESTOSTERONE ENANTHATE				
Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 100mg in 1ml	2	2	8.95	Primoteston Depot SC
250mg in 1ml	2	2	16.88	Primoteston Depot SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TESTOSTERONE ESTERS Carcinoma of the breast; Gigantism; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Injection 100mg	2	2	8.52	Sustanon"100"OR
250mg	2	2	16.88	Sustanon"250"OR
TESTOSTERONE PROPIONATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Injection 25mg in 1ml	10	..	8.09	Testoviron SC
50mg in 1ml	10	..	13.34	Testoviron SC
TETANUS VACCINE, ADSORBED Injection 0.5ml	3	..	4.89	CS
TETRACOSACTRIN Authority required. Children who need long-term corticosteroid therapy but who are in danger of growth suppression as a result; Hypsarrhythmia; Multiple sclerosis, acute exacerbation; (An authority for up to 10 ampoules may be issued for each acute exacerbation.) Patients who are being withdrawn from long-term corticosteroid therapy; (An authority for up to 5 ampoules may be issued for this purpose.) Status asthmaticus. NOTE: Status asthmaticus means a severe paroxysm of bronchial asthma lasting more than 24 hours which has proved resistant to recognised therapy and where life is endangered. (An authority for up to 5 ampoules may be issued for this purpose.)				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACOSACTRIN - cont. Ulcerative colitis, proven, not responding to parenteral corticosteroids.				
Injection 500 micrograms in 1ml	5	..	12.76	Synacthen Depot CB
1mg in 1ml	5	..	19.01	Synacthen Depot CB
TETRACYCLINE Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	5.76	Achromycin LE Australamycin CS Hydracycline FM Plain UP Panmycin P GP Tetracycline GP Tetramykoin BZ(N)
TETRACYCLINE Capsule 250mg	25	..	3.51	Achromycin LE Australamycin CS Hydracycline FM Plain UP Panmycin P GP Tetracycline GP Tetramykoin BZ(N)
TETRACYCLINE with NYSTATIN Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Tablet 250mg-250,000 Units	50	5	5.76	Mysteclin SQ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE with NYSTATIN - cont. Capsule 250mg-250,000 Units	50	5	5.76	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	3.51	Mysteclin SQ
Capsule 250mg-250,000 Units	25	..	3.51	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
TETRACYCLINE (BUFFERED) Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	5.76	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	3.51	Achromycin V LE Australamycin V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THEOPHYLLINE Tablet 50mg	100	2	3.07	Nuelin Paediatric RK
125mg	100	2	3.82	Nuelin RK
200mg	100	2	4.39	Nuelin RK
Capsule 200mg	100	2	4.39	Elixophyllin SC
Elixir 80mg per 15ml, 500ml	≠1	4	3.20	Elixophyllin SC
Syrup 80mg per 15ml, 500ml	≠1	4	3.20	Nuelin RK
THEOPHYLLINE with GUAIPHENESIN Capsule 150-90mg	100	2	4.01	Quibron MJ
Elixir 150mg-90mg per 15ml, 500ml	≠1	4	3.45	Quibron MJ
THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15ml, 500ml	≠1	4	3.32	Elixophyllin- KI SC
THIABENDAZOLE Tablet 500mg	16	..	5.09	Mintezol MK
THIAMINE HYDROCHLORIDE For pensioners.				
Tablet 50mg	100	2	2.87 2.89	PT Betamin KL Invite-B AV DH,FM,PR
100mg	100	2	3.37 3.39	PT Betamin KL Invite-B AV Thiminone LF FM,LP,PR,QE(NQ), RT
THIAMINE HYDROCHLORIDE Injection 100mg in 1ml	5	1	3.07	Betamin ForteKL Beta-Sol FM LP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
THIETHYLPERAZINE					
Tablet 6.5mg (base)	50	..	3.01	Torecan	SZ
Injection 6.5mg (base) in 1ml	10	..	4.76	Torecan	SZ
Suppositories 6.5mg (base), 6	≠1	..	2.82	Torecan	SZ
THIOGUANINE					
Tablet 40mg	25	1	36.39	Lanvis	BW
THIOPROPAZATE					
Chorea; Drug induced dystonias.					
Tablet 5mg	100	1	6.15	Dartalan	SR
THIORIDAZINE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 10mg	100	1	2.89	Melleril	SZ
25mg	100	1	3.64	Melleril	SZ
50mg	100	1	5.29	Melleril	SZ
100mg	100	1	9.00	Melleril	SZ
Oral Solution					
3% (30mg per ml), 30ml	≠1	4	4.32	Melleril	SZ
Injection 25mg per ml, 2ml	10	..	5.70	Melleril	SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
THIOTEPA					
Injection 15mg (solvent required)	2	1	11.08	LE	
Eye Drops, set containing 15mg vial, 2 x 10ml ampoules sterile water, syringe with needle and 15ml dropper bottle	≠1	5	#1095	LE	
THYROXINE SODIUM					
Tablet 50 micrograms	100	2	2.51	Oroxine Thyroxinal	BW FM
100 micrograms	100	2	2.64	Oroxine Thyroxinal	BW FM
200 micrograms	100	2	2.95	Oroxine Thyroxinal	BW FM
TIMOLOL					
Open-angle glaucoma.					
CAUTION: Bronchospasm may be precipitated in susceptible patients.					
Eye Drops 0.25%, 5ml	≠1	6	7.20	Timoptol	FR
0.5%, 5ml	≠1	6	8.14	Timoptol	FR
TIMOLOL					
Tablet 5mg	100	2	8.07	Blocadren	FR
TINIDAZOLE					
Tablet 500mg	4	..	4.04	Fasigyn	PF
TOBRAMYCIN SULPHATE					
Authority required.					
Infections where positive bact- eriological evidence confirms that tobramycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.					
Injection 40mg	5	..	18.01	Nebcin	LY
80mg	5	..	27.81	Nebcin	LY
TOLAZAMIDE					
Tablet 250mg	100	2	8.45	Tolinase	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TOLBUTAMIDE Tablet 500mg	100	2	4.24	Artosin Rastinon	RC HP
1g	100	2	6.51	Artosin Rastinon	RC HP
TRANYLCYPROMINE Authority required. Depressive illness resistant to treatment with either tricyclic anti-depressants or electro- convulsive therapy; Phobic states. <u>CAUTION:</u> This drug is a monoamine oxidase inhibitor.					
Tablet 10mg	50	..	5.01	Parnate	SK
TRIAMCINOLONE ACETONIDE Alopecia areata; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Necrobiosis lipoidica; Psoriasis.					
Injection 10mg in 1ml	5	..	9.82	Kenacort-A10	SQ
TRIAMCINOLONE ACETONIDE Cream 0.02%, 45g	#1	..	2.81	Aristocort 0.02% Kenalone 0.02%	LE SQ
0.02%, 100g	#1	..	3.32	Aristocort 0.02% Kenalone 0.02%	LE SQ
0.05%, 15g	#1	1	2.47	Aristocort 0.05% Kenalone	LE SQ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIAMCINOLONE ACETONIDE - cont. Ointment 0.02%, 45g	#1	..	2.81	Aristocort 0.02% LE Kenalone 0.02% SQ
0.02%, 100g	#1	..	3.32	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 15g	#1	1	2.47	Aristocort 0.05% LE Kenalone SQ
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN <u>CAUTION:</u> Topical neomycin is associated with a significant incidence of local allergic reaction.				
Ear Drops 0.1%-0.25% (base)- 0.025%-100,000 Units per g, 7.5ml	#1	2	2.95	Kenacomb OticSQ
Ear Cream 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	#1	2	2.82	Kenacomb OticSQ
Ear Ointment 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	#1	2	2.82	Kenacomb OticSQ
TRIAMTERENE Tablet 100mg	50	2	5.05	Dytac SK
TRIFLUOPRAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia. (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TRIFLUOPERAZINE - cont.					
Tablet 1mg	100	1	4.15	Calmazine	PT
				Stelazine	SK
				Terfluzin	MB
2mg	100	1	5.39	Calmazine	PT
				Stelazine	SK
				Terfluzin	MB
5mg	100	1	5.86	Calmazine	PT
				Stelazine	SK
				Terfluzin	MB
Syrup 1mg per 5ml, 100ml	#1	4	2.52	Stelazine	SK
Injection 1mg in 1ml	10	..	4.95	Stelazine	SK
TRIGLYCERIDES, MEDIUM CHAIN					
Authority required.					
Patients requiring a ketogenic diet for intractable childhood epilepsy;					
Proven malabsorption.					
Compound Powder 450g	2	..	14.02	Triglyde	MJ
TRIGLYCERIDES, MEDIUM CHAIN					
Authority required.					
Abetalipoproteinaemia, acanthocytosis;					
Intestinal lymphangiectasia;					
Patients requiring a ketogenic diet for intractable childhood epilepsy;					
Severe hyperlipidaemia associated with abdominal pain and requiring a minimal fat intake;					
Steatorrhoea due to extensive small bowel resection.					
NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.					
Oil 1L	#1	5	14.07	MCT Oil	MJ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIGLYCERIDES, MEDIUM CHAIN - cont. Authority required. Cystic fibrosis; Enterokinase deficiency; Intolerance to both milk protein and soya protein.				
Protein Hydrolysate Compound Powder 454g	2	..	17.76	Pregestimil MJ
TRIMEPAZINE Tablet 10mg	50	2	2.95	Vallergan MB
TRIMETAPHAN Injection set containing 250mg and 5ml water for injections	3	..	14.01	Arfonad RO
TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	3.14	Bactrim RO Septrin BW Trib PT
160mg-800mg	10	..	4.14	Bactrim DS RO Septrin Forte BW Trib DS PT
Suspension 40mg-200mg per 5ml, 100ml	1	..	3.67	Bactrim RO Septrin BW Trib PT
TRIMIPRAMINE Tablet 25mg	50	2	3.41	Surmontil MB
TRIOXYSALEN Vitiligo.				
Tablet 5mg	100	2	20.32	Trisoralen PT
TRIPROLIDINE Tablet 2.5mg	50	2	2.95	Actidil BW
Paediatric Elixir 1mg per 5ml, 100ml	1	4	2.51	Actidil BW
TYPHOID VACCINE Injection 0.5ml	3	1	5.46	CS
TYPHUS VACCINE Injection 1ml	2	..	27.76	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
UREA Cream 10%, 100g	1	2	5.01	Aquacare H.P. AG Aquadrate NW Calmurid PS Nutraplus OL
VANCOMYCIN Endophthalmitis; For use in a hospital. Injection 500mg (solvent required)	5	..	73.41	Vancocin LY
VASOPRESSIN TANNATE Oily Injection 5 Units in 1ml	10	1	18.64	Pitressin Tannate PD
VERAPAMIL HYDROCHLORIDE *Angina; *Cardiac arrhythmias. CAUTION: The myocardial depressant effects of this drug and of beta-blocking drugs are additive.				
Tablet 40mg	100	2	7.76	Isoptin KN
80mg	100	2	11.64	Isoptin KN
Cardiac arrhythmias.				
Injection 5mg in 2ml	5	..	4.51	Isoptin KN
VIDARABINE Eye infections caused by herpes simplex virus or vaccinia virus, where idoxuridine has proved ineffective.				
Eye Ointment 3%, 3.5g	1	..	9.32	Vira A PD
VINBLASTINE Injection 10mg (solvent required)	1	..	21.76	Velbe LY
VINCISTINE Injection set containing 1mg and 10ml solvent	5	..	92.16	Oncovin LY
5mg and 10ml solvent	1	..	79.01	Oncovin LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
VIPRYNIUM EMBONATE					
Tablet 50mg	8	1	3.15	Vanquin	PD
Suspension 10mg per ml, 25ml	≠1	1	3.17	Vanquin	PD
VITAMIN SUPPLEMENT					
Authority required.					
Galactosaemia;					
Persistent monosaccharide intolerance;					
Phenylketonuria;					
Tyrosinosis, hereditary.					
Tablet	100	..	4.01	Ketovite	ST
Liquid 100ml	≠1	..	2.71	Ketovite	ST
WARFARIN					
Tablet 1mg	50	2	4.07	Coumadin Marevan	EN GL
2mg	50	2	4.26	Coumadin	EN
2.5mg	50	2	4.39	Coumadin	EN
3mg	50	2	4.20	Marevan	GL
5mg	50	2	4.45	Coumadin Marevan	EN GL
7.5mg	50	2	5.17	Coumadin	EN
10mg	50	2	6.26	Coumadin Marevan	EN GL
WATER FOR INJECTIONS					
Injection 2ml	5	3	2.47	AB,BL,BZ(NQW) KL,LP,SI	
5ml	5	3	2.60	AB,BL,BZ(NQW) KL,LP,SI	
10ml	5	3	2.82	AB,BL,BZ(NQW) KL,LP,SI	
WOOL ALCOHOLS					
Ointment 100g	≠1	1	2.57	Eucerin	SN
WOOL FAT, HYDROUS					
50g tube or jar	≠1	..	2.59	DH	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ZINC and ADRENALINE Eye Drops 0.25%-0.01%, 15ml	1	2	2.82	B.A.Z.	KL
ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15ml	1	2	2.82	Prefrin-Z Zincfrin	AG AQ
ZINC SULPHATE Eye Drops 0.25%, APF 15ml	1	2	2.82	KL	

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXTRAN 40				
10% with 5% anhydrous dextrose, 500ml	12	..	159.01 159.06	Rheomacrodex PS Lomodex FC
10% with 0.9% sodium chloride, 500ml	12	..	159.01 159.06	Rheomacrodex PS Lomodex FC
DEXTRAN 70				
6% with 5% anhydrous dextrose, 500ml	12	..	102.01	Macrodex PS
6% with 0.9% sodium chloride, 500ml	12	..	102.01	Macrodex PS
DEXTROSE INJECTION				
5%, 1L	5	1	14.96	AB,TV
10%, 1L	5	1	17.16	AB,TV
20%, 1L	2	1	7.76	AB,TV
25%, 1L	2	1	7.76	AB,TV
50%, 500ml	2	1	6.58	AB
ELECTROLYTE REPLACEMENT SOLUTION 1L	2	1	7.76	Normosol R AB Plasma - Lyte 148 TV
MANNITOL				
10%, 1L	1	1	4.61	AB
20%, 500ml	1	1	4.61	AB
SODIUM BICARBONATE				
4.2%, 500ml	1	1	4.20	AB
SODIUM CHLORIDE INJECTION				
0.9%, 1L	5	1	14.96	AB,TV,VF(N)
3%, 1L	2	1	7.76	AB,TV
5%, 1L	2	1	7.76	TV
SODIUM CHLORIDE COMPOUND BPC 1959 1L	4	1	14.02	AB,TV

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CHLORIDE INJECTION and ANHYDROUS DEXTROSE 0.9%-5%, 1L	2	1	7.76	AB,TV
0.9%-10%, 1L	2	1	7.76	TV
0.45%-2.5%, 500ml	5	1	14.96	AB,TV
0.225%-3.75%, 500ml	5	1	14.96	AB,TV
0.18%-4%, 1L	5	1	14.96	AB,TV
0.18%-4.3%, 1L	5	1	15.31	AB
SODIUM LACTATE (Solution 1/6 Molar) 1L	5	1	13.01	VF(N)
SODIUM LACTATE COMPOUND 1L	5	1	14.96	AB,TV
SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE 5%, 1L	2	1	7.76	AB,TV
STANDARD MAINTENANCE FLUID 500ml	6	..	15.84	AB

SECTION 3 - SCHEDULE OF BENEFITS

DECEMBER 1980

Preparations Available for Colostomy
and Ileostomy Use

Preparations Available for Use by Paraplegic
and Quadriplegic Patients

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions to be endorsed "S.P.")

2

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACRYLIC RESIN				
Solution 100ml Aerosol Spray	¶1	..	6.82	Liquidoplast PT
125g Aerosol Spray	¶1	..	7.82	Nobecutane AH
BENZOIN				
Compound Tincture BPC				
35%, 167ml Aerosol Spray	¶1	..	4.76	LF
BUTYL MONOESTER POLYMER with ISOPROPYL ALOCHOL				
Protective Dressing Aerosol 120g	¶1	..	7.14	Skin-Prep DY
Solution 59ml	¶1	..	5.76	Skin-Prep DY
CHARCOAL				
Tablet 300mg	500	1	12.76	Char-Bons LF QE(NQ),TO
CHLORAMINE				
Deodorant Tablet 120mg	500	..	5.01	Klortee PT
Powder 25g	¶1	4	2.70	Klortee PT
DEODORANT CONCENTRATE				
Liquid 15ml	¶1	..	3.14	Zerodor ZR
0.5fl oz	¶1	..	3.29	Banish DY
DEODORANT DETERGENT SOLUTION				
Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500ml	¶1	..	3.51	TAGG LF
DIMETHICONE				
Solution				
9.84%, 200g Aerosol Spray	¶1	..	5.20	Rikospray Silicone RK
10%, 180ml Aerosol Spray	¶1	..	4.76	Silicon Skin Spray LF
Cream 10%, 50g				
10%, 75g				
20%, 20g				
See Section 2				

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ISOPROPYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Adhesive Protective Gel 28.35g	#1	..	4.57	Skin Gel HO
POLYISOBUTYLENE Compound Adhesive Discs, 5	#1	5	10.71	ReliaSeal BJ
Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	11.07	Stomahesive Set BH SQ
POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121ml	#1	..	4.99	Spray-On Bande LF
SODIUM CARBOXYMETHYLCELLULOSE with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	#1	..	2.89	Orabase SQ
Powder 33.3%-33.3%-33.3%, 15g	#1	..	2.89	Orahesive SQ
STERCULIA (Indian Tragacanth; Gum Karaya) Discs, 12	#1	5	6.57	Coloplast BH,DY ED
Discs, Compound, 10	#1	5	7.82	Colly-seels DY
Paste 127.6g	#1	..	7.14	Karaya Paste HO
Squares, 6	#1	5	13.07	BH
SURGICAL CEMENT Skin Bond Adhesive 4fl oz				
Solvent 200ml				
227ml				
240ml				
250ml				
See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLÉGIC PATIENTS
4 (Prescriptions to be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethyl benzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500ml	#1	..	3.51	TAGG LF
BISACODYL Suppositories 10mg, 5				
See Section 2				
DIMETHICONE Cream 10%, 50g				
10%, 75g				
20%, 20g				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50mg				
120mg				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE WITH BISACODYL Suppositories 100mg-10mg, 5				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50mg-50mg				
See Section 2				
DIPHENANIL METHYLSULPHATE Dusting Powder 2%, 50g				
See Section 2				
GLYCEROL Suppositories 1g, 10				
See Section 2				

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SURGICAL CEMENT				
Skin Bond Adhesive 4fl oz				
Solvent 200ml				
227ml				
240ml				
250ml				
See Section 2				

SECTION 4

SCHEDULE OF BENEFITS
DRUGS AVAILABLE FOR EXTEMPORANEOUS
PREPARATIONS

DECEMBER 1980

Drug	Drug
Acetone BPC (use as additive only) ACIDS Acetic BP Acetic Dilute BP Ascorbic BP (use as ingredient of Mixtures of Ferrous Sulphate APF and PL) Benzoic BP Boric Crystal BP (use as additive only) Boric Powder BP (use as additive only) Citric Monohydrate BP Hydrochloric BP Hydrochloric Dilute BP Lactic BP Oleic BP Salicylic BP Stearic BPC Tannic BP Trichloroacetic BP Acriflavine BPC 63 Adrenaline BP ALCOHOLS 95% BP (use as additive only) 90% BP (use as additive only) Alum BP Aluminium Hydroxide Gel BP Aluminium Hydroxide Gel Dried BP Amaranth BPC 54 Aminacrine Hydrochloride BP 68 Aminophylline BP Ammoniated Mercury BP AMMONIUM Bicarbonate BPC Chloride BP Aspirin BP Atropine BPC Atropine Methonitrate BP Atropine Sulphate BP Beeswax White BP Bentonite BP, sterilised Benzocaine BP Borax BP Brilliant Green BP	Caffeine BP Caffeine Citrate BPC 59 Calamine BP CALCIUM Carbonate BP Gluconate BP Hydroxide BP Camphor BP (use as additive only) Cetomacrogol Emulsifying Wax BP Cetostearyl Alcohol BP Cetrimide BP Chalk BP Chloral Hydrate BP Chlorbutol BP Chlorhexidine Acetate BPC (use as additive only) Chlorinated Lime BPC Chlorocresol BP Chloroform BP (use as additive only) Cineole BPC (use as additive only) Clioquinol BP Cocaine BP Cocaine Hydrochloride BP Codeine Phosphate BP Collodion Flexible BP CREAMS Aqueous APF Aqueous BP Calamine Oily APF Cetomacrogol Aqueous APF Cetomacrogol Aqueous APF 74 Cetrimide BP Cetrimide Aqueous APF Cetrimide Aqueous APF 74 Oily BP Zinc BP Zinc Oily APF Creosote BPC 59 Crystal Violet BP Dextrose BP (use as additive only) Disodium Edetate BP Dithranol BP Emulsifying Wax BP

Drug	Drug
Ephedrine Hydrochloride BP (may only be prescribed in nasal drops)	LINIMENTS - cont. Soap BPC Turpentine BP
Ether Solvent BP (use as additive only)	Lotion Calamine BP
EXTRACTS Hyoscyamus Liquid BPC Ipecacuanha Liquid BP Liquorice Liquid BP Stramonium Liquid BP 68	Magenta BPC MAGNESIUM Carbonate Heavy BP Carbonate Light BP Oxide Light BP Sulphate BP
Ferric Ammonium Citrate BP FERROUS Gluconate BP Sulphate BP Sulphate Dried BP	(may only be prescribed for other than oral use) Trisilicate BP Menthol BP Mercuric Chloride BPC Methyl Salicylate BP
GLYCERINS Borax BPC 59 Ichthammol BPC Glycerol BP GUMS Acacia BP Tragacanth BP	MIXTURES Magnesium Hydroxide BP Senega and Ammonia APF Morphine Hydrochloride BP Morphine Sulphate BP MUCILAGES Acacia APF Tragacanth BPC
Homatropine Hydrobromide BP Honey Purified BPC (use as additive only)	OILS Anise BP Arachis BP (use as additive only)
Ichthammol BPC INFUSIONS Buchu Concentrated BPC 54 1 in 8 Gentian Compound Concentrated BP 1 in 10 Senega Concentrated BPC 1 in 10 Iodine BP	Cade BPC Castor BP (use as additive only) Citronella BPC (use as additive only) Clove BP Coconut BPC Eucalyptus BP (use as additive only) Lavender Spike BPC 68 Lemon Terpeneless BPC Linseed BP 63 (use as additive only)
Kaolin, Light or Kaolin, Light (Natural) BP	Maize BP (use as additive only)
Lactose BP Lignocaine Hydrochloride BP LINCTUSES	Olive BP (use as additive only) Peppermint BP (use as additive only)
Camphor Compound APF Codeine APF	Pumilio Pine BPC
LINIMENTS Camphor BP Methyl Salicylate BP Methyl Salicylate Compound APF	Rosemary BPC

Drug	Drug
OILS - cont.	Phenol Liquefied BP (not available for ear drops)
Siberian Fir BPC 49	Phenylephrine Hydrochloride BP
Turpentine BP	Phenylmercuric Nitrate BP
(use as additive only)	Phthalylsulphathiazole BP
OINTMENTS	Physostigmine BPC
Ammoniated Mercury BP	Physostigmine Salicylate BP
Benzocaine and Adrenaline APF	Pilocarpine Hydrochloride BP
Benzoic Acid Compound APF	Pilocarpine Nitrate BP
Capsicum BPC	Podophyllum Resin BP
Emulsifying BP	POTASSIUM
Hamamelis BPC	Chlorate BPC
Iodine Non-staining APF 64	Chloride BP
Iodine Non-staining BPC 68	Citrate BP
Menthol Compound APF 64	Iodide BP
Methyl Salicylate BP	Permanganate BP
Paraffin White BPC	POWDERS
Paraffin Yellow BPC	Hydroxybenzoate Compound APF74
Salicylic Acid APF	Rhubarb BP
Salicylic Acid BP	Tragacanth Compound BP
Simple White BP	Procaine Hydrochloride BP
Simple Yellow BP	Propylene Glycol BP
Sulphur BP	
Wool Alcohols BP	Resorcinol BP
Zinc BP	Silver Nitrate BP
Zinc and Castor Oil BP	Silver Protein Mild BPC 68
Oxymel BPC	SOAPS
PAINTS	Ethereal APF 55
Magenta APF	Soft BP
Magenta APF 74	SODIUM
Paracetamol BP	Acid Phosphate BP
Paraffin Hard BP	Benzoate BP
Paraffin Liquid BP	Bicarbonate BP
(may only be prescribed for	Chloride BP
other than oral use)	Citrate BP
Paraffin Liquid Light BPC 63	Iodide BP
Paraffin Soft White BP	Metabisulphite BP
Paraffin Soft Yellow BP	Phosphate BP
Paraldehyde BP	Salicylate BP
PASTES	Thiosulphate BP
Zinc Compound BP	(use as additive only)
Zinc and Salicylic Acid BP	SOLUTIONS
Phenobarbitone BP	Adrenaline BP
(may only be prescribed for	Aluminium Acetate BPC
the treatment of epilepsy)	Amaranth APF
Phenobarbitone Sodium BP	Amaranth APF 64
(may only be prescribed for	Amaranth Compound APF
the treatment of epilepsy)	Ammonia Dilute BPC
Phenol BP	Ammonia Strong BPC
(not available for ear drops)	Ammonium Acetate Strong BPC

Drug	Drug
SOLUTIONS - cont. Benzalkonium Chloride 50% BP Benzoic Acid APF Calcium Hydroxide BPC Chlorhexidine Gluconate BP (use as additive only) Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Simple BPC 59 Iodine Weak BP Lead Subacetate Dilute BPC Lead Subacetate Strong BPC Morphine Hydrochloride BPC Potassium Hydroxide BP Sodium Chloride BPC	SYRUPS - cont. Raspberry BPC Red APF Squill BPC Syrup BP Tolu BPC Talc Purified BP, sterilised Tar BP Tar Coal BPC Tar Coal Prepared BP Tartrazine BPC 54 Theophylline BP Thymol BP Thymol Mouth Wash Compound APF
SPIRITS Ammonia Aromatic BPC Anise BPC 49 Camphor BPC 59 Camphor Compound APF Chloroform BP Lemon APF Methylated Industrial BP (use as additive only) Peppermint BPC Squill Oxymel BPC Starch BP Succinylsulphathiazole BP Sucrose BP Sulphacetamide Sodium BP Sulphadiazine BP Sulphur Precipitated BP Sulphur Sublimed BPC Sulphurated Potash BPC	TINCTURES Belladonna BP Benzoin Compound BPC Cardamom Aromatic BPC Cardamom Compound BP Catechu BPC Gelsemium BPC Ginger Strong BP Ginger Weak BP Hyoscyamus BP Ipecacuanha BP Lobelia Ethereal BPC Myrrh BPC Opium BP Opium Camphorated BP Orange BPC Quillaia BPC Rhubarb Compound BP Squill BPC Stramonium BP Titanium Dioxide BP Triethanolamine BPC
SYRUPS Aromatic APF Chloral BPC 68 Codeine Phosphate BPC Ferrous Phosphate Compound BPC 68 Ginger BPC Glycerophosphate Compound APF 64 Golden Acidified APF 55 Lemon APF Lemon Neutral APF Orange APF Orange BPC Pholcodine Citrate BPC 59 (use as additive only)	WATERS Anise Concentrated BPC 1 in 40 (use as additive only) Camphor Concentrated BPC 1 in 40 Chlorbutol APF 55 Chloroform Concentrated APF 1 in 40 Cinnamon Concentrated BPC 1 in 40 (use as additive only)

Drug	Drug
WATERS - cont. For Injections BP (extemporaneously prepared eye drops and eye lotions) Peppermint Concentrated BP 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP ZINC Oxide BP Sulphate BP	

TABLE OF MAXIMUM QUANTITIES
AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Preparation	Maximum Quantity	No. of Repeats
Creams	100g	1
Dusting Powders	100g	1
Ear Drops	15ml	2
Elixirs	100ml	4
Eye Drops of Cocaine	15ml	..
Eye Drops of Physostigmine	15ml	6
Eye Drops of Pilocarpine	15ml	6
Eye Drops, Other	15ml	2
Eye Lotions	200ml	1
Gargles	200ml	4
Glycerins	100ml	1
Inhalations	50ml	1
Inhalations, Solid	4g	1
Linctuses	100ml	2
Liniments	100ml	1
Lotions	200ml	2
Mixtures	200ml	4
Mixtures for Children	100ml	4
Mouth Washes	200ml	1
Nasal Instillations	15ml	2
Ointments and Waxes	100g	1
Paints	25ml	1
Pastes	100g	1
Powders for Internal Use	100g	2
Powders, Irrigation	100g	1
Soaps	200ml	1
Solutions	200ml	2
Syrups	100ml	4
Tinctures	25ml	1

SECTION 5 — PRESCRIBERS' LIST

DECEMBER 1980

PRESCRIPTION

CREAMS

(Maximum Quantity 100g and 1 Repeat)

ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution						5	ml
Zinc Oxide						20	g
Wool Fat						25	g
Arachis Oil						25	ml
Purified Water, freshly boiled and cooled						27	ml

AQUEOUS (APF, BP)

Emulsifying Ointment						30	g
Chlorocresol						100	mg
Purified Water, freshly boiled and cooled to						100	g

BUFFERED, AQUEOUS (APF)

Sodium Phosphate						2.5	g
Citric Acid Monohydrate						500	mg
Chlorocresol						100	mg
Glycerol						5	ml
Emulsifying Ointment						30	g
Purified Water, freshly boiled and cooled to						100	g

CALAMINE, AQUEOUS (APF)

Calamine						4	g
Zinc Oxide						3	g
Cetomacrogol Emulsifying Wax						6	g
Arachis Oil						30	g
Purified Water, freshly boiled and cooled to						100	g

CALAMINE, OILY (APF)

Calamine						32	g
Oleic Acid						0.5	ml
Arachis Oil						21.5	ml
Wool Fat						17.5	g
Calcium Hydroxide Solution						30.5	ml

CREAMS — *continued*

CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax						15	g
Liquid Paraffin						10	g
White Soft Paraffin						10	g
Chlorocresol						100	mg
Propylene Glycol						5	ml
Purified Water, freshly boiled and cooled to						100	g

CETRIMIDE, AQUEOUS (APF)

Cetrimide						500	mg
Chlorocresol						100	mg
Cetostearyl Alcohol						5	g
Liquid Paraffin						50	g
Purified Water, freshly boiled and cooled to						100	g

CHLORHEXIDINE, AQUEOUS (APF) (Chlorhexidine BP, BPC)

Chlorhexidine Gluconate Solution						5	ml
Cetomacrogol Emulsifying Wax						25	g
Liquid Paraffin						10	g
Purified Water, freshly boiled and cooled to						100	g

COAL TAR and ZINC, OILY (APF)

Coal Tar, BPC						1	g
Castor Oil						1	g
Zinc Cream Oily, APF						98	g

COLD (APF)

White Beeswax						17	g
Liquid Paraffin						45	g
Borax						1	g
Purified Water, freshly boiled and cooled						37	ml

GLYCEROL, OILY (APF)

Glycerol						20	g
Calcium Hydroxide Solution						32	ml
Arachis Oil						22	g
Wool Fat						26	g

ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol						5	g
Wool Fat						15	g
Zinc Cream Oily, APF						80	g

PRESCRIPTION

CREAMS — *continued*

OILY (APF)

Wool Alcohols Ointment, APF						50	g
Purified Water, freshly boiled and cooled						50	ml

SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

Salicylic Acid							2	g
Resorcinol							2	g
Aqueous Cream, APF to							100	g

SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

Salicylic Acid								2	g
Precipitated Sulphur								2	g
Spike Lavender Oil								0.5	ml
Aqueous Cream, APF to								100	g

ZINC, OILY (APF)

Zinc Oxide								32	g
Oleic Acid								0.5	ml
Arachis Oil								21.5	ml
Wool Fat								17.5	g
Calcium Hydroxide Solution								30.5	ml

ZINC, WEAK (PL)

Zinc Oxide								5	g
Oleic Acid								0.5	ml
Arachis Oil								38.5	ml
Wool Fat								25	g
Calcium Hydroxide Solution								34.5	ml

DUSTING POWDER

(Maximum Quantity 100g and 1 Repeat)

ZINC, STARCH and TALC (APF, BPC)

Zinc Oxide								25	g
Starch								25	g
Purified Talc, sterilised								50	g

EAR DROPS

(Maximum Quantity 15ml and 2 Repeats)

ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution								9	ml
Purified Water, freshly boiled and cooled to								15	ml

PRESCRIPTION

EAR DROPS — *continued*

CHLORHEXIDINE (APF)

Chlorhexidine Acetate								7.5	mg
Purified Water, freshly boiled and cooled to								15	ml

ICHTHAMMOL (APF)

Ichthammol								10	g
Glycerol								90	g

PHENYLMERCURIC NITRATE (APF)

Phenylmercuric Nitrate								15	mg
Propylene Glycol								7.5	ml
Purified Water, freshly boiled and cooled to								15	ml

SALICYLIC ACID (APF)

Salicylic Acid								300	mg
Alcohol (90 per cent)								7.5	ml
Purified Water, freshly boiled and cooled to								15	ml

SODIUM BICARBONATE (APF, BPC)

Sodium Bicarbonate								750	mg
Glycerol								4.5	ml
Purified Water, freshly boiled and cooled to								15	ml

SPIRIT (APF)

Alcohol (90 per cent)								7.5	ml
Purified Water, freshly boiled and cooled to								15	ml

INHALATIONS

(Maximum Quantity 50 ml and 1 Repeat)

BENZOIN (PL)

Benzoin Tincture, Compound BPC								50	ml
--------------------------------	------	------	------	------	------	------	------	----	----

BENZOIN, COMPOUND (PL)

Menthol								1	g
Oil of Siberian Fir								2.5	ml
Benzoin Tincture, Compound BPC to								50	ml

PRESCRIPTION

INHALATIONS — *continued*

BENZOIN and MENTHOL (PL) (APF)

Menthol									1	g
Benzoin Tincture, Compound BPC to									50	ml

MENTHOL, COMPOUND (PL)

Menthol									1	g
Creosote									1	ml
Oil of Siberian Fir									2	ml
Alcohol (90 per cent) to									50	ml

MENTHOL and EUCALYPTUS (BPC)

Menthol									1	g
Eucalyptus Oil									5	ml
Light Magnesium Carbonate									3.5	g
Purified Water to									50	ml

MENTHOL and PINE (APF)

Menthol									1	g
Pumilio Pine Oil									2.5	ml
Alcohol (90 per cent) to									50	ml

LINCTUS

(Maximum Quantity 100 ml and 2 Repeats)

SIMPLE (APF)

Citric Acid Monohydrate									125	mg
Concentrated Chloroform Water									0.15	ml
Amaranth Solution									0.1	ml
Concentrated Anise Water									0.05	ml
Syrup to									5	ml

LINIMENTS

(Maximum Quantity 100 ml and 1 Repeat)

CAMPHOR (APF, BP)

Camphor									20	g
Arachis Oil									80	g

LINIMENTS — *continued*

METHYL SALICYLATE, COMPOUND (APF)

Menthol									4	g
Eucalyptus Oil									10	ml
Methyl Salicylate									25	ml
Arachis Oil to									100	ml

SOAP (APF, BPC)

Camphor									4	g
Oleic Acid									4	g
Potassium Hydroxide Solution (5 per cent)									14	ml
Alcohol (90 per cent)									70	ml
Rosemary Oil									1.5	ml
Purified Water to									100	ml

LOTIONS

(Maximum Quantity 200 ml and 2 Repeats)

CALAMINE (APF, BP)

Calamine									30	g
Zinc Oxide									10	g
Bentonite, sterilised									6	g
Sodium Citrate									1	g
Liquefied Phenol									1	ml
Glycerol									10	ml
Purified Water, freshly boiled and cooled to									200	ml

CALAMINE, OILY (APF, BPC)

Calamine									10	g
Wool Fat									2	g
Arachis Oil									100	ml
Oleic Acid									1	ml
Calcium Hydroxide Solution to									200	ml

RESORCINOL, COMPOUND (APF)

Resorcinol									5	g
Solvent Ether									5	ml
Castor Oil									5	ml
Spike Lavender Oil									0.2	ml
Alcohol (90 per cent) to									200	ml

PRESCRIPTION

LOTIONS — *continued*

SULPHURATED (APF)

Zinc Sulphate									10	g
Sulphurated Potash									10	g
Acetone									10	ml
Glycerol									10	ml
Spike Lavender Oil									0.4	ml
Purified Water, freshly boiled and cooled to									200	ml

MIXTURES

(Maximum Quantity 200 ml and 4 Repeats)

ALUMINIUM HYDROXIDE and BELLADONNA (APF)

Belladonna Tincture									0.5	ml
Citric Acid Monohydrate									100	mg
Concentrated Chloroform Water									0.2	ml
Aluminium Hydroxide Gel to									10	ml

ASPIRIN (APF)

Aspirin									500	mg
Compound Tragacanth Powder									250	mg
Orange Syrup, APF									1	ml
Concentrated Chloroform Water									0.25	ml
Purified Water to									10	ml

CHALK and KAOLIN (APF)

Chalk									1.5	g
Light Kaolin or Light Kaolin (Natural)									2.5	g
Alum									10	mg
Concentrated Chloroform Water									0.25	ml
Purified Water to									10	ml

CHLORAL (APF)

Chloral Hydrate									1	g
Orange Syrup, APF									1	ml
Concentrated Chloroform Water									0.25	ml
Purified Water to									10	ml

MIXTURES — *continued*

FERROUS SULPHATE (APF)

Ferrous Sulphate								300	mg
Ascorbic Acid								10	mg
Orange Syrup, APF								0.5	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

GENTIAN, ACID (PL)

Concentrated Compound Gentian Infusion								1	ml
Dilute Hydrochloric Acid								0.5	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

GENTIAN, ALKALINE (APF)

Concentrated Compound Gentian Infusion								1	ml
Sodium Bicarbonate								500	mg
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture								0.25	ml
Compound Camphor Spirit								1	ml
Tolu Syrup								1	ml
Squill Oxymer								1	ml
Concentrated Chloroform Water								0.15	ml
Concentrated Anise Water								0.15	ml
Purified Water to								10	ml

KAOLIN and OPIUM (APF)

Light Kaolin or Light Kaolin (Natural)								2.5	g
Alum								10	mg
Opium Tincture								0.5	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

PRESCRIPTION

MIXTURES — *continued*

MAGNESIUM TRISILICATE (APF)

Magnesium Trisilicate								1	g
Calcium Carbonate								500	mg
Light Magnesium Carbonate								500	mg
Concentrated Peppermint Water								0.25	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

POTASSIUM CHLORIDE (APF)

Potassium Chloride								1	g
Lemon Syrup, APF								2	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

POTASSIUM CITRATE (APF)

Potassium Citrate								2	g
Citric Acid Monohydrate								400	mg
Lemon Syrup, APF								1	ml
Concentrated Chloroform Water								0.2	ml
Purified Water to								10	ml

POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate								1	g
Sodium Bicarbonate								750	mg
Orange Syrup, APF								1	ml
Concentrated Chloroform Water								0.2	ml
Purified Water to								10	ml

POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide								250	mg
Stramonium Tincture								0.5	ml
Lobelia Tincture, Ethereal								0.5	ml
Aromatic Ammonia Spirit								0.5	ml
Liquorice Liquid Extract								0.5	ml
Concentrated Chloroform Water								0.25	ml
Purified Water to								10	ml

PRESCRIPTION

MIXTURES — *continued*

SODIUM CITRATE (APF)

Sodium Citrate									2	g
Citric Acid Monohydrate									400	mg
Lemon Syrup, APF									1	ml
Concentrated Chloroform Water									0.2	ml
Purified Water to									10	ml

SODIUM SALICYLATE (APF)

Sodium Salicylate									1	g
Liquorice Liquid Extract									0.25	ml
Concentrated Chloroform Water									0.25	ml
Purified Water to									10	ml

NASAL INSTILLATIONS

(Maximum Quantity 15 ml and 2 Repeats)

DEXTROSE and GLYCEROL (APF)

Dextrose									3	g
Glycerol to									15	ml

EPHEDRINE (APF)

Ephedrine Hydrochloride									150	mg
Chlorbutol									75	mg
Sodium Chloride									75	mg
Propylene Glycol									0.75	ml
Purified Water, freshly boiled and cooled to									15	ml

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

BENZOIC ACID, COMPOUND (APF, BPC)

Benzoic Acid in fine powder									6	g
Salicylic Acid in fine powder									3	g
Emulsifying Ointment									91	g

EMULSIFYING (APF, BP)

Emulsifying Wax									30	g
White Soft Paraffin									50	g
Liquid Paraffin									20	g

PRESCRIPTION

OINTMENTS — *continued*

RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol									2	g
Precipitated Sulphur									3	g
Salicylic Acid									1	g
White Simple Ointment									94	g

SALICYLIC ACID (APF)

Salicylic Acid									2	g
Wool Alcohols Ointment, APF									98	g

SIMPLE (APF, BP)

(White Simple Ointment)

Wool Fat									5	g
Hard Paraffin									5	g
Cetostearyl Alcohol									5	g
White Soft Paraffin									85	g

ZINC and CASTOR OIL (APF, BP)

Zinc Oxide									7.5	g
Castor Oil									50	g
Cetostearyl Alcohol									2	g
White Beeswax									10	g
Arachis Oil									30.5	g

ZINC OXIDE (APF)

(Zinc BP)

Zinc Oxide									15	g
White Simple Ointment									85	g

PAINTS

(Maximum Quantity 25 ml and 1 Repeat)

ICHTHAMMOL (APF)

Ichthammol									10	g
Glycerol									90	g

PAINTS — *continued*

MAGENTA (APF)

Magenta									100	mg
Resorcinol									2	g
Phenol									1	g
Boric Acid									200	mg
Alcohol (90 per cent)									2.125	ml
Acetone									1	ml
Purified Water to									25	ml

PODOPHYLLIN (APF)

Podophyllum Resin									1.25	g
Benzoin Tincture, Compound to									25	ml

PODOPHYLLIN, STRONG (APF)

(Podophyllum, Compound BPC)

Podophyllum Resin									3.75	g
Benzoin Tincture, Compound to									25	ml

SALICYLIC ACID (APF)

Salicylic Acid									2.5	g
Flexible Collodion to									25	ml

PASTES

(Maximum Quantity 100 g and 1 Repeat)

COAL TAR and ZINC (APF)

Coal Tar, BPC									1	g
Castor Oil									1	g
Compound Zinc Paste									98	g

DITHRANOL and ZINC (APF)

Dithranol									100	mg
Zinc and Salicylic Acid Paste									99.9	g

PASTES — *continued*

TITANIUM DIOXIDE (APF)

Titanium Dioxide								20	g
Calamine								25	g
Light Kaolin or Light Kaolin (Natural)								10	g
Bentonite, sterilised								1	g
Chlorocresol								100	mg
Glycerol								15	g
Purified Water, freshly boiled and cooled to								100	g

ZINC, COMPOUND (APF, BP)

Zinc Oxide								25	g
Starch								25	g
White Soft Paraffin								50	g

ZINC and SALICYLIC ACID (APF)

Salicylic Acid								2	g
Liquid Paraffin								2	g
Compound Zinc Paste								96	g

POWDERS

(Maximum Quantity 100 g and 2 Repeats)

ALUMINIUM and MAGNESIUM TRISILICATE (APF)

Dried Aluminium Hydroxide Gel								10	g
Magnesium Trisilicate								50	g
Light Kaolin or Light Kaolin (Natural)								40	g

MAGNESIUM and CALCIUM CARBONATE (APF)

Calcium Carbonate								25	g
Heavy Magnesium Carbonate								25	g
Magnesium Trisilicate								50	g
Peppermint Oil								0.2	ml

SECTION 5 — PRESCRIBERS' LIST

CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100ml and 4 Repeats)

ALUMINIUM HYDROXIDE and KAOLIN (APF)

Light Kaolin or Light Kaolin (Natural)				1	g
Sodium Citrate				5	mg
Concentrated Chloroform Water				0.1	ml
Aluminium Hydroxide Gel to				5	ml

ASPIRIN (APF)

Aspirin					150	mg
Compound Tragacanth Powder					100	mg
Raspberry Syrup					1	ml
Concentrated Chloroform Water					0.1	ml
Purified Water to					5	ml

ATROPINE METHONITRATE (APF)

Atropine Methonitrate					0.5	mg
Lemon Syrup, APF					0.5	ml
Concentrated Chloroform Water					0.1	ml
Purified Water to					5	ml

BELLADONNA (APF)

Belladonna Tincture					0.1	ml
Orange Syrup, APF					1	ml
Glycerol					1	ml
Benzoic Acid Solution, APF					0.1	ml
Purified Water to					5	ml

CALCIUM and KAOLIN (APF)

Calcium Carbonate					500	mg
Light Kaolin or Light Kaolin (Natural)					1	g
Alum					5	mg
Concentrated Chloroform Water					0.1	ml
Purified Water to					5	ml

CHILDREN'S SECTION

MIXTURES — *continued*

CHLORAL (APF)

Chloral Hydrate									250	mg
Orange Syrup, APF									2	ml
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

FERROUS GLUCONATE (APF)

Ferrous Gluconate									200	mg
Dextrose									500	mg
Orange Syrup, APF									1	ml
Citric Acid Monohydrate									25	mg
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

FERROUS SULPHATE (APF)

Ferrous Sulphate									100	mg
Ascorbic Acid									5	mg
Orange Syrup, APF									1	ml
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture									0.1	ml
Compound Camphor Spirit									0.25	ml
Squill Oxymel									1	ml
Purified Water to									5	ml

POTASSIUM CITRATE (APF)

Potassium Citrate									1	g
Citric Acid Monohydrate									200	mg
Lemon Syrup, APF									1	ml
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

CHILDREN'S SECTION

MIXTURES — *continued*

POTASSIUM IODIDE (APF)

Potassium Iodide									100	mg
Liquorice Liquid Extract									0.25	ml
Aromatic Ammonia Spirit									0.1	ml
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

SODIUM CITRATE (APF)

Sodium Citrate									1	g
Citric Acid Monohydrate									200	mg
Lemon Syrup, APF									1	ml
Concentrated Chloroform Water									0.1	ml
Purified Water to									5	ml

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and
ileostomy use

(P & Q) Preparations available for use by paraplegic
and quadriplegic patients

Proprietary Name	Manu- fac- turer	Name
Abbecillin	AB	Penicillin Products
Abbecillin-V	AB	Phenoxymethylpenicillin
Abbecillin-VK	AB	Phenoxymethylpenicillin
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actal	WL	Aluminium Hydroxide Gel Dried
Actidil	BW	Triprolidine
Actrapid M.C. Novo	NO	Insulin Neutral Purified
Adacillin	AV	Phenoxymethylpenicillin
Adacor	AV	Hydrocortisone
Adaphol	AV	Pholcodine
Adaquin	AV	Quinine Sulphate
Adasone	AV	Prednisone
Adnisolone	AV	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Akineton	KN	Biperiden
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albumaid XP	MN	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allercur	SC	Clemizole
Allergex	PT	Chlorpheniramine
Allerzine	RT	Diphenylpyraline
Almacarb	AH	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Alucone	DH	Aluminium Hydroxide Gel with Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide Gel
Aminogran F.S.	GL	Amino Acid Formula without Phenylalanine
Aminogran M.M.	GL	Mineral Mixture
Aminopt	SI	Aminacrine Hydrochloride
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide Gel
Amphotabs	WY	Aluminium Hydroxide Gel Dried
Amytal Sodium	LY	Amylobarbitone Sodium
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Anatensol Enanthate	SQ	Fluphenazine Enanthate
Ancolan	AH	Meclozine
Ancotil	RO	Flucytosine
Anginine Stabilised	BW	Glyceryl Trinitrate
Anovlar	SC	Norethisterone Acetate with Ethinyloestradiol

Proprietary Name	Manu- fac- turer	Name
Ansolysen	MB	Pentolinium Tartrate
Antadine	EN	Amantadine Hydrochloride
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine
Antipres	PT	Guanethidine
Antipres M	PT	Guanethidine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	CB	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Apresoline	CB	Hydralazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine G	CS	Procaine Penicillin
Aquacaine G Fortified	CS	Procaine Penicillin Fortified
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquadrate	NW	Urea
Aquamox	LE	Quinethazone
Aralen	WL	Chloroquine
Arfonad	RO	Trimetaphan
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Artosin	RC	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T. 10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna Alkaloids
Atrobel FORTE	FM	Belladonna Alkaloids
Atropt	SI	Atropine Sulphate
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Avil	HP	Pheniramine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
Azide	FM	Chlorothiazide
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Baycaron	BN	Mefruside
B.A.2.	KL	Zinc and Adrenaline
Becotide	AH	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate

Proprietary Name	Manu- fac- turer	Name
Benzotran	PT	Oxazepam
Berotec	BY	Fenoterol Hydrobromide
Betacard	BR	Alprenolol
Betaloc	AP	Metoprolol
Betamin	KL	Thiamine Hydrochloride
Betamin Forte	KL	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnovate 1/5	GL	Betamethasone Valerate
Betnovate 1/2	GL	Betamethasone Valerate
Biicillin All Purpose	WY	Benzathine Penicillin Compound
Bidramine	AV	Diphenhydramine
Biogastrone	SN	Carbenoxolone Sodium
Biphasil 21	WY	Levonorgestrel with Ethinyloestradiol
Biphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Bi-prin	BT	Aspirin
Biquin	AV	Quinine Bisulphate
Bi-Quinate	KL	Quinine Bisulphate
Bitard	CS	Insulin Biphasic
Blenoxane	BC	Bleomycin
Bleph 10	AG	Sulphacetamide Sodium
Blocadren	FR	Timolol
BM-Test Glucose	BO	Glucose Indicator - Urine
BM-Test-Glycémie	BO	Glucose Indicator - Blood
Bramahist	MF	Chlorpheniramine
Bramcetamol	MF	Paracetamol
Bramcillin	MF	Phenoxymethylpenicillin
Bramcycline	MF	Oxytetracycline
Brevinor	SD	Norethisterone with Ethinyloestradiol
Brevinor-1	SD	Norethisterone with Ethinyloestradiol
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Cloпамide
Bristin	BC	Ampicillin
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin 500	BC	Aspirin (Buffered)
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Butoroid	RT	Phenylbutazone
Buzon	KL	Phenylbutazone
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Cal-tab	HA	Calcium

Proprietary Name	Manu- fac- turer	Name
Camcolit	NE	Lithium Carbonate
Camoquin	PD	Amodiaquine
Campholinct	DH	Camphor Compound
Canesten	BN	Clotrimazole
Caprin	CS	Heparin Calcium
Caprocin	LY	Capreomycin
Capurate-100	FM	Allopurinol
Capurate-300	FM	Allopurinol
Carbapen	CS	Carbenicillin
Carbazole	PT	Carbimazole
Cardinol	PT	Propranolol
Cardiox	AV	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	AV	Quinidine Sulphate
Carine	KL	Aminophylline
Carobel	MN	Ceratonia
Catapres	BY	Clonidine
Ceetamol	PT	Paracetamol
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone
Chronodose		
Celestone-M	SH	Betamethasone Valerate
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporan	GL	Cephaloridine
Cerubidin	MB	Daunorubicin
Char-Bons	LF	Charcoal (C & I)
Chlomin	KL	Chloramphenicol
Chloradorm	KL	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromycetin	PD	Chloramphenicol
Succinate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlorvescent	PT	Potassium Chloride
Choledyl	WW	Choline Theophyllinate
Chlotride	FR	Chlorothiazide
Cidomycin	RL	Gentamicin Sulphate
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymethylpenicillin
Cilicaine VK	SI	Phenoxymethylpenicillin
Citralka	PD	Sodium Acid Citrate
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator - Urine
Clinitest	AM	Copper Sulphate
Clinoril	FR	Sulindac

Proprietary Name	Manu- fac- turer	Name
Codelcortone	MK	Prednisolone Tertiarybutylacetate
T.B.A.		
Codelix	DH	Codeine
Codelsol	MK	Prednisolone Sodium Phosphate
Codiphen Forte	GP	Codeine Phosphate with Aspirin and Paracetamol
Codral Forte	BW	Codeine Phosphate with Aspirin and Paracetamol
Cogentin	MK	Benztropine
Colcin	KL	Colchicine
Colgout	PT	Colchicine
Colly-seels	DY	Sterculia (C & I)
Coloplast	ED	Sterculia (C & I)
Coloxyl	FM	Diocetyl Sodium Sulphosuccinate with Bisacodyl
Coloxyl 50	FM	Diocetyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diocetyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diocetyl Sodium Sulphosuccinate with Danthron
Coluric	AV	Colchicine
Coly-Mycin	WW	Colistin
Injection		
Coly-Mycin	WW	Colistin with Neomycin
Ear Drops		
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Convuline	PT	Carbamazepine
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cortril	PF	Hydrocortisone
Cotazym	OR	Pancrelipase
Coumadin	EN	Warfarin
Crystapen	GL	Benzylpenicillin
Cuprimine	MK	Penicillamine
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar-U	UP	Cytarabine
Daktarin	JP	Miconazole Nitrate
Dalacin C	UP	Clindamycin
Danocrine	WL	Danazol
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorophenamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Debendox	ML	Dicyclomine with Doxylamine and Pyridoxine
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
Decortisyl	RL	Prednisone
De-Lact Infant	SJ	Milk Powder - Cows' Milk, Processed
Delta-Cortef	UP	Prednisolone
Deltasolone	KL	Prednisolone
Deltasone	KL	Prednisone

Proprietary Name	Manu- fac- turer	Name
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "0"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Desferal	CB	Desferrioxamine
Dexacillin	SQ	Epacillin
Dex-Cit	RC	Sodium Citro-Tartrate
Dexamethsone	PT	Dexamethasone
Diabex S.R.	DF	Metformin
Diabinese	PF	Chlorpropamide
Diabinese M	PF	Chlorpropamide
Di-Ademil	SQ	Hydroflumethiazide
Diamox	LE	Acetazolamide
Dianabol	CB	Methandienone
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator - Urine
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Digestelact	SJ	Milk Powder - Cows' Milk, Processed
Dihydergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide Gel with Magnesium Hydroxide
Dijene Suspension		
Dijene Tablet	BT	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Infatabs	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilosyn	AH	Methdilazine
Dimelor	LY	Acetohexamide
Dimetane	RS	Brompheniramine
Dindevan	GL	Phenindione
Diprosone	SH	Betamethasone Dipropionate
Disipal	RK	Orphenadrine Hydrochloride
Di-Sipidin	ST	Pituitary Posterior Lobe
Diubram	MF	Chlorothiazide
Diuret	PT	Chlorothiazide
Diurone	KL	Chlorothiazide
Doburil	BY	Cyclothiazide
Donnatab	RS	Belladonna Alkaloids
Dormel	DH	Chloral Hydrate
Dormicum	PT	Nitrazepam
Doxin	GP	Doxycycline
D-Penamamine	DL	Penicillamine
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	ET	Lactulose
Durabolin	OR	Nandrolone Phenylpropionate
Durolax	BY	Bisacodyl
Duro-Tuss	RK	Pholcodine
Dyazide	SK	Hydrochlorothiazide with Triamterene
Dymadon	BW	Paracetamol
Dytac	SK	Triamterene

Proprietary Name	Manu- fac- turer	Name
E-Carpine	AQ	Pilocarpine Hydrochloride with Adrenaline
Ecostatin	SQ	Econazole Nitrate
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
EES 200	AB	Erythromycin
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elavil	FR	Amitriptyline
Elix-Nocte Forte	AV	Chloral Hydrate
Elixophyllin	SC	Theophylline
Elixophyllin-KI	SC	Theophylline with Potassium Iodide
Emsalin	DH	Methyl Salicylate
EMU-V	UP	Erythromycin
E-Myacin	PT	Erythromycin
Endone	EN	Oxycodone Hydrochloride
Endoxan-Asta	BC	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate
Epifrin	AG	Adrenaline
Epilim	RC	Sodium Valproate
Epinal	AQ	Adrenaline
Eppy/N	BF	Adrenaline
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin
Erostin	MF	Erythromycin
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Eskacef	SK	Cephadrine
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyestradiol
Etaphylline	DF	Acepihylline
Ethamolin	GL	Ethanolamine Oleate
Ethryn	FA	Erythromycin
Eucerin	SN	Wool Alcohols
Euglucon	RC	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Euhypnos	SI	Temazepam
Eumydrin	WL	Atropine Methonitrate
Fabahistin	BN	Mebhydrolin
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Fansidar	RO	Pyrimethamine with Sulfadoxine
Fasigyn	PF	Tinidazole
Fefol 2	SK	Ferrous Sulphate Dried with Folic Acid
Fenamine	FM	Pheniramine
Fenamine-M	FM	Pheniramine
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate

Proprietary Name	Manu- fac- turer	Name
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Gradumets	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
FML Liquifilm	AG	Fluorometholone
Folasic	AV	Folic Acid
Folettes	FM	Folic Acid
Fortral	WL	Pentazocine
Fortuss	GP	Dihydrocodeine Tartrate
Frusid	RO	Fruzemide
Fucidin	SK	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fumiron	KL	Ferrous Fumarate
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	NW	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
Galactomin	MN	Milk Powder - Synthetic
Formula 17		
Galactomin	MN	Milk Powder - Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastrogel	FM	Aluminium Hydroxide Gel with Magnesium Trisilicate and Magnesium Hydroxide
Gelox	PR	Aluminium Hydroxide Gel
Glaucomide	PT	Acetazolamide
Glaucon	AQ	Adrenaline
Glucophage	RN	Metformin
Glucose	MJ	Nutramigen
Nutramigen		
Glyfosolix	DH	Glycerophosphate Compound
Gondafon	SC	Glymidine
Griseostatin	SH	Griseofulvin
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gyno-Daktarin 7	JP	Miconazole Nitrate
Gynovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histalert	RK	Diphenylpyraline

Proprietary Name	Manu- fac- turer	Name
Histryl-P	SK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	BC	Fosfestrol Tetrasodium
Hostacycline P	HP	Tetracycline (Buffered)
Hyalase	FC	Hyaluronidase
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydracycline Plain	FM	Tetracycline
Hydrea	SQ	Hydroxyurea
Hydrenox	BT	Hydroflumethiazide
Hydrocortone	MK	Hydrocortisone Acetate
Hydrosone	KL	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hyperex 25	PT	Hydralazine Hydrochloride
Hyperex 50	PT	Hydralazine Hydrochloride
Hyperstat I.V.	SH	Diazoxide
Hypurin Isophane	WP	Insulin Isophane (N.P.H.)
Hypurin Neutral	WP	Insulin Neutral
Hysone-A	PT	Hydrocortisone Acetate
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Inflam	PT	Ibuprofen
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	AV	Thiamine Hydrochloride
Iramil	KL	Imipramine
Ismelin	CB	Guanethidine
Isomil	RD	Soya Formula
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Sorbide Nitrate
Isordil Sublingual	AY	Sorbide Nitrate
Isotard	CS	Insulin Isophane (N.P.H.)
Isotard PC	CS	Insulin Isophane (N.P.H.)
Isotrate	PD	Sorbide Nitrate
Isotrate Sublingual	PD	Sorbide Nitrate
Isuprel	WL	Isoprenaline Hydrochloride
Jectofer	AP	Iron Sorbitol
Kabikinase	FA	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide Gel with Kaolin
Kaomagma	WY	Aluminium Hydroxide Gel with Kaolin
Kaopectate	UP	Kaolin with Pectin

Proprietary Name	Manu- fac- turer	Name
Karaya Paste	HO	Sterculia (C & I)
Kay Ciel	SC	Potassium Chloride
Keflex	LY	Cephalexin
Keflin Neutral	LY	Cephalothin Sodium
Kefzol	LY	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator - Urine
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Kirocid	SC	Sulphamethoxydiazine
Klortee	PT	Chloramine (C & I)
K-Lyte	MJ	Potassium
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
Lacril	AG	Hypromellose
Langesic	BT	Paracetamol
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lantuss	LP	Pholcodine
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amtriptyline
Lasix	HP	Frusemide
Lasix-M	HP	Frusemide
Lederkyn	LE	Sulphamethoxypyridazine
Lente M.C. Novo	NO	Insulin Zinc Suspension Purified
Lente PC	CS	Insulin Zinc Suspension
Leo	PT	Insulin Neutral Purified
Leo Mixtard	PT	Insulin Isophane (N.P.H.) Purified - Insulin Neutral Purified, (Mixed)
Leo Retard	PT	Insulin Isophane (N.P.H.) Purified
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Levophed	WL	Noradrenaline
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CB	Baclofen
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula

Proprietary Name	Manu- fac- turer	Name
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Lopresor	GE	Metoprolol
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane Concentrate	IC	Gamma Benzene Hexachloride
Lorinon	HP	Diazepam
L.P.G.	CS	Benzathine Penicillin
L.P.V.	CS	Phenoxymethylpenicillin
L.P.V. Aqueous Forte	CS	Phenoxymethylpenicillin
Lynoral	OR	Ethinylloestradiol
Lyspafen	PT	Difenoxin Hydrochloride with Atropine Sulphate
M & B 693	MB	Sulphapyridine
Maalox	BT	Magnesium-Aluminium Hydroxide
Macroclantin	NW	Nitrofurantoin
Macroclax	PS	Dextran 70
Madopar	RO	Levodopa with Benserazide
Madopar-M	RO	Levodopa with Benserazide
Magnoplasma	FA	Magnesium Sulphate
Maloprim	BW	Pyrimethamine with Dapsone
Mandelamine	WW	Hexamine Mandelate
Mandelamine Hafgrams	WW	Hexamine Mandelate
Manialith	MN	Lithium Carbonate
Marevan	GL	Warfarin
Marzine	BW	Cyclizine
Maxidex	AQ	Dexamethasone
Maxolon	BR	Metoclopramide Hydrochloride
MCT Oil	MJ	Triglycerides, Medium Chain
Medrol	UP	Methylprednisolone
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Merasyne	ML	Aluminium Hydroxide Gel with Magnesium Hydroxide
Mesantoin	SZ	Methoin
Mestinon	RO	Pyridostigmine
Metamide	PT	Metoclopramide Hydrochloride
Methergin	SZ	Methylethergometrine
Methopt	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metilar	SD	Paramethasone
Metin	CS	Methicillin
Microgynon 30	SC	Levonorgestrel with Ethinylloestradiol
Microgynon 30 ED	SC	Levonorgestrel with Ethinylloestradiol
Microgynon 50	SC	Levonorgestrel with Ethinylloestradiol
Microgynon 50 ED	SC	Levonorgestrel with Ethinylloestradiol
Microlut 28	SC	Levonorgestrel
Micronor	ET	Norethisterone
Microval 28	WY	Levonorgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone

Proprietary Name	Manu- fac- turer	Name
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milontin	PD	Phensuximide
Minajel	MG	Aluminium Hydroxide Gel
Minipress	PF	Prazosin Hydrochloride
Minirin	PT	Desmopressin
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyloestradiol
Mintezol	MK	Thiabendazole
Miochol	CP	Acetylcholine Chloride
Mithracin	PF	Mithramycin
Moderate	SQ	Fluphenazine Decanoate
Modicon	ET	Norethisterone with Ethinyloestradiol
Moduretic	MK	Hydrochlorothiazide with Amiloride
Mogadon	RO	Nitrazepam
Monistat 7	ET	Miconazole Nitrate
Monotard M.C. Novo	NO	Insulin Zinc Suspension Purified
Morpha	WH	Morphine with Tactine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Murelax	AY	Oxazepam
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide Gel with Magnesium Hydroxide
Myleran	BW	Busulphan
Myocrisin	MB	Sodium Aurothiomalate
Myoquin	FM	Quinine Bisulphate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mytelase	WL	Ambenonium Chloride
Naprosyn	SD	Naproxen
Nardil	WW	Phenelzine
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neogynon	SC	Levonorgestrel with Ethinyloestradiol
Neogynon ED	SC	Levonorgestrel with Ethinyloestradiol
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Eye Ointment		
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Eye Drops		
Neosulf	PT	Neomycin

Proprietary Name	Manufacturer	Name
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulactil	MB	Pericyazine
Neutralon	SC	Aluminium Sodium Silicate
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nivaquine	MB	Chloroquine
Nobecutane	AH	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nordette 21	WY	Levonorgestrel with Ethinyloestradiol
Nordette 28	WY	Levonorgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordirol 21	WY	Levonorgestrel with Ethinyloestradiol
Nordirol 28	WY	Levonorgestrel with Ethinyloestradiol
Noriday	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl 1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyloestradiol
Normison	WY	Temazepam
Normosol R	AB	Electrolyte Replacement Solution
Norpace	SR	Disopyramide
Nortab	SQ	Nortriptyline
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
Nuralin	CS	Insulin Neutral
Nutraplus	OL	Urea
Omnopon	RO	Papaveretum
Omnopon Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Optipen	CS	Phenethicillin
Orabase	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Orahesive	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orbenin	BR	Cloxacillin
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin High Potency	GL	Calciferol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovral 28	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5	SR	Ethinodiol Diacetate with Mestranol
Ovulen 1	SR	Ethinodiol Diacetate with Mestranol
Ovulen 2	SR	Ethinodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethinodiol Diacetate with Ethinyloestradiol

Proprietary Name	Manu- fac- turer	Name
Ovulen 0.5/50-28	SR	Ethynodioli Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethynodioli Diacetate with Ethinyloestradiol
Ovulen 1/50-28	SR	Ethynodioli Diacetate with Ethinyloestradiol
Pagitane	LY	Cycrimine Hydrochloride
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Panacete	PR	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panalamine	PT	Cyanocobalamin
Panalamine 1000	PT	Cyanocobalamin
Panamax	WL	Paracetamol
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Pantheline	PT	Propantheline Bromide
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	AV	Paracetamol
Parfenac	LE	Bufexamac
Parmol	KL	Paracetamol
Parnate	SK	Tranylcypromine
Pasalba	RY	Sodium Aminosalicylate
Paxyl	FA	Benzalkonium Chloride
PCL	DH	Paracetamol
Pectolin	FA	Pholcodine
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Perdolot	KN	Penicillamine
Periactin	FR	Cyproheptadine
Persantin	BY	Dipyridamole
Pertofran	GE	Desipramine
Pethoid	BW	Pethidine
Pevaryl	SK	Econazole Nitrate
Pexid	ML	Perhexiline Maleate
Phenergan	MB	Promethazine
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazole	KL	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafucin	GB	Natamycin
Pimafucort Otic	GB	Natamycin, Neomycin Sulphate and Hydro- cortisone
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	MN	Amino Acid Formula without Phenylalanine
PK AID II	MN	Amino Acid Formula without Phenylalanine
Plaquenil	WL	Hydroxychloroquine

Proprietary Name	Manufacturer	Name
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	AV	Ferrous Aminoacetosulphate
Pluryl	SK	Bendrofluazide
Polaramine	SH	Dexchlorpheniramine
Potavescent	PT	Potassium
Prantal	SH	Diphepanil Methylsulphate
Precortisyl	RL	Prednisolone
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn Depot	SC	Oestradiol Valerate
Primolut N	SC	Norethisterone
Primolut Nor	SC	Norethisterone Acetate
Primoteston Depot	SC	Testosterone Enanthate
Primperan	BQ	Metoclopramide Hydrochloride
Pro-Banthine	SR	Propantheline Bromide
Procalm	NK	Chlorpromazine
Procid	PT	Probenecid
Procort	PR	Hydrocortisone
Prodepress	NK	Imipramine
Progan	AV	Promethazine
Progout	PT	Allopurinol
Promacid	KL	Chlorpromazine
Promide	PT	Chlorpropamide
Prominal	WL	Methylphenobarbitone
Pronestyl	SQ	Procainamide
Pro-Pam	PT	Diazepam
Propred	NK	Prednisone
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prothazine	KL	Promethazine
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxin Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	KL	Pyridoxine Hydrochloride
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quinate	KL	Quinine Sulphate
Quinbisan	PR	Quinine Bisulphate
Quincardine	FM	Quinidine Sulphate
Quinidex LA	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinocetl	FM	Quinine Sulphate

Proprietary Name	Manu- fac- turer	Name
Quinsan	PR	Quinine Sulphate
Quitaxon	RC	Doxepin
Rapitard M.C. Novo	NO	Insulin Biphasic Purified
Rastinon	HP	Tolbutamide
Rectinol	GP	Benzocaine with Adrenaline
ReliaSeal	BJ	Polyisobutylene (C & I)
Repalyte	DH	Electrolyte Replacement (Oral)
Reverin	HP	Rolitettracycline
Rheomacrodex	PS	Dextran 40
Rheumacin	PT	Indomethacin
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Rikodeine	RK	Dihydrocodeine Tartrate
Rikospray Silicone	RK	Dimethicone (C & I)
Rivotril	RO	Clonazepam
Randomycin	WW	Methacycline
Rynacrom	FC	Sodium Cromoglycate
Rythmodan	RL	Disopyramide
Sacsol	LF	Surgical Cement
Sacsol Non Flammable	LF	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
Scheroson F Ophthalmicum	SC	Hydrocortisone
S-Dimidine	PT	Sulphadimidine
Sedlingtus	RT	Pholcodine
Semilente M.C. Novo	NO	Insulin Zinc Suspension (Amorphous) Purified
Semilente PC	CS	Insulin Zinc Suspension (Amorphous)
Senamon	DH	Senega and Ammonia
Septrin	BW	Trimethoprim with Sulphamethoxazole
Septrin Forte	BW	Trimethoprim with Sulphamethoxazole
Sequilar ED	SC	Levonorgestrel with Ethinyloestradiol
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
Serpasil	CB	Reserpine
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Silicon Skin Spray	LF	Dimethicone (C & I)
Simeco Suspension	WY	Aluminium Hydroxide Gel with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide-Magnesium Carbonate Co-Dried Gel
Sinemet	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintisone	EC	Prednisolone Steaglate

Proprietary Name	Manu- fac- turer	Name
Skin Gel	HO	Isopropyl Monoester Polymer with Isopropyl Alcohol (C & I)
Skin-Prep	DY	Butyl Monoester Polymer with Isopropyl Alcohol (C & I)
Slow-Fe	CB	Ferrous Sulphate Dried
Slow-K	CB	Potassium Chloride
Sodexol	SC	Aluminium Hydroxide Gel with Magnesium Hydroxide
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solone	FM	Prednisolone
Solprin	RC	Aspirin (Soluble)
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Solusal	HA	Aspirin (Soluble)
Somophyllin	FC	Aminophylline
Sone	FM	Prednisone
Soyalac	SA	Soya Formula
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spirotone	PT	Spironolactone
Spray-On Bande	LF	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
S.R.A.	BT	Aspirin
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Calciferol
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptase	HP	Streptokinase
Sulfazole	PT	Sulphafurazole
Sulfamylon	WL	Mafenide Acetate
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen Depot	CB	Tetracosactrin
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
Tace	ML	Chlorotrianisene
Tagamet	SK	Cimetidine
TAGG	LF	Deodorant Detergent Solution (C & I) (P & Q)
Talecid	SC	Phthalylsulphacetamide
Tegretol	GE	Carbamazepine
Teledrin-P	SK	Chlorpheniramine
Tenormin	IC	Atenolol
Terfluzin	MB	Trifluoperazine

Proprietary Name	Manufacturer	Name
Terramycin	PF	Oxytetracycline
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator - Urine
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetracyn	GP	Tetracycline
Tetramykoin	BZ	Tetracycline
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
T.H.A.	WH	Tacrine
Thiminone	LF	Thiamine Hydrochloride
Thiosulfil	AY	Sulphamethiazole
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium
Timoptol	FR	Timolol
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Topilar	SD	Fluoclorolone Acetonide
Topodil	SC	Fluocortolone Esters
Torecan	SZ	Thiethylperazine
Trasicor	CB	Oxprenolol
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichozole	PT	Metronidazole
Triglyde	MJ	Triglycerides, Medium Chain
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Ultracortenol	ZY	Prednisolone Acetate
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Ultralente M.C. Novo	NO	Insulin Zinc Suspension (Crystalline) Purified
Unisolve	DY	Surgical Cement
Urade	WW	Sodium Citro-Tartrate
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol
Uremide	PT	Frusemide
Urex	FM	Frusemide
Urex-Forte	FM	Frusemide
Urex-M	FM	Frusemide
Urid	PT	Chlorthalidone
Uro-Carb	HA	Bethanechol
Urogan	AV	Sulphafurazole
Urolucosil	WW	Sulphamethizole
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vanquin	PD	Viprynum Embonate
Vasogen Silicone	SS	Dimethicone
Vasopressin	SZ	Lypressin
Velbe	LY	Vinblastine

Proprietary Name	Manufacturer	Name
Velosef	SQ	Cephhradine
Ventolin	AH	Salbutamol
Versotrane Triple Strength	WB	Hydrargaphen
Vibramycin	PF	Doxycycline
Vioform	CB	Clioquinol
Viokase	RS	Pancreatin Enzyme
Vira A	PD	Vidarabine
Visken	SZ	Pindolol
Winsprin	WL	Aspirin
Xylocard 100	AP	Lignocaine
Xylocard 300 I.M.	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Yomesan	BN	Niclosamide
Zadine	SH	Azatadine Maleate
Zarontin	PD	Ethosuximide
Zephiran Concentrated	WL	Benzalkonium Chloride
Zerodor	ZR	Deodorant Concentrate (C & I)
Zinamide	MK	Pyrazinamide
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dropster	Knoll Laboratories - Eye and ear drops
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitts - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Filmtabs	Abbot A'asia - Coated tablets
Glex Flac	Vifor - Intravenous fluids
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratories - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Novo	Novo Laboratories - Preparations
Orgaject	Organon - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith Kline & French - Delayed release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Tabloid	Wellcome Australia Limited - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Aust. Pharm. Industries - Preparations
Venosol	Abbott A'asia - Intravenous fluids
Viaflex	Travenol Laboratories - Intravenous fluids
Viules	Boots - Injections
Wellcome	Wellcome Australia Limited - Preparations

