



PHARMACEUTICAL BENEFITS

DECEMBER 1982

NOT FOR SALE

PHARMACEUTICAL BENEFITS

FORWARD ADVICE

Patient Contribution Changes: 1 January 1983

Changes to the patient contribution arrangements for pharmaceutical benefits will come into effect on 1 January 1983. Early in December you will receive detailed information regarding the new arrangements and the procedures to be followed. You will also be receiving supplies of new stationery, including repeat authorisation forms and claim forms which will be required from the implementation date of 1 January 1983.

Explanatory Circular regarding the December 1982 edition of the Schedule of Pharmaceutical Benefits for Approved Chemists.

The reprint of the Schedule will take effect on 1 December 1982 and all previous editions of the Schedule are cancelled.

SUMMARY OF CHANGES

ADDITIONS

NEW ITEMS

Section 2 — Restricted Benefits

- Nifedipine, 10mg capsule (*Adalat*)
- Ticarcillin Disodium, equivalent to 3g ticarcillin, injection (*Tarcil*)
- Trimethoprim, 300mg tablet (*Triprim*)

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2 — Restricted Benefits

- Amoxycillin, 3g dispersible tablet (*Amoxil*)
- Beclomethasone Dipropionate, 100 micrograms (oral inhalation) capsule (*Becotide Rotacaps*)
- Calcium Folate, 15mg tablet (*Leucovorin*)
- Doxepin, 50mg tablet (*Sinequan*)
- Methotrexate, 5mg in 2mL injection
- Salbutamol, 200 micrograms (oral inhalation) capsule (*Ventolin Rotacaps*)
- Soya Formula, 500g powder (*Infasoy*)
- Tri-potassium Di-citrate Bismuthate Complex, 156mg (Bi) per 5mL, 500mL mixture (*Ulcaron*)

Section 2 — Unrestricted Benefits

- Hydrocortisone, 4mg and 20mg tablets (*Hysone*)
- Naproxen, 500mg suppository (*Naprosyn*)
- Nystatin, 100 000 Units lozenge (*Nilstat*)

ADDITIONAL BRANDS OF EXISTING ITEMS

Section 2 — Restricted Benefits

- Methotrexate, 50mg in 2mL injection (*LE*)

Section 2 — Unrestricted Benefits

- Methyldopa, 250mg tablet (*Methopa*)

DELETION OF FULL ITEMS

Section 2 — Unrestricted Benefits

- Clemizole, equivalent to 21mg base per 5mL, 100mL syrup (*Allercur*) (Item discontinued by manufacturer)
- Dichlorphenamide, 50mg tablet (*Daranide*) (Item discontinued by manufacturer)
- Natamycin, Neomycin Sulphate and Hydrocortisone, 1%-0.35% (base)-1%, 5g ear ointment (*Pimafucort Otic*) (Item discontinued by manufacturer)

DELETION OF FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2 — Restricted Benefits

- Phenobarbitone, 100mg tablet (Item discontinued by manufacturer)

Section 2 — Unrestricted Benefits

- Amitriptyline, 25mg capsule (*Elavil*) (Item discontinued by manufacturer)
- Dienoestrol, 10mg tablet

TRANSFERS

Unrestricted to Restricted

- Daunorubicin, 20mg (base) I.V. infusion (*Cerubidin*)
- Papaveretum, 10mg tablet (*Omnopon*)
- Procabazine, 50mg capsule (*Natulan*)

Restricted to Unrestricted

- Insulin Biphasic, 100 Units per mL, 10mL (mixed porcine/bovine) injection (*Rapitard M.C. Novo*)
- Insulin Isophane (N.P.H.), 100 Units per mL, 10mL (bovine) injection (*Isophane M.C.*); 100 Units per mL, 10mL (porcine) injection (*Insulatard Nordisk, Protaphane M.C.*)

Insulin Isophane (N.P.H.) — Insulin Neutral, (Mixed), 100 Units (70 Units-30 Units) per mL, 10mL (porcine) injection (*Mixtard Nordisk*)

Insulin Neutral, 100 Units per mL, 10mL (porcine) injection (*Actrapid M.C. Novo, Velosulin Nordisk*)

Insulin Zinc Suspension (Lente), 100 Units per mL, 10mL (porcine) injection (*Monotard M.C. Novo*); 100 Units per mL, 10mL (mixed porcine/bovine) injection (*Lente M.C. Novo*)

Insulin Zinc Suspension (Amorphous) (Semilente), 100 Units per mL, 10mL (porcine) injection (*Semilente M.C. Novo*)

Insulin Zinc Suspension (Crystalline) (Ultralente), 100 Units per mL, 10mL (bovine) injection (*Ultralente M.C. Novo*)

Please Note: Codes relating to some of the above items have changed.

Timolol, 0.25%, 5mL and 0.5%, 5mL eye drops (*Timoptol*)

ALTERATIONS

Restrictions

Section 2

Codeine Phosphate with Aspirin, 30mg-325mg tablet (*Codral Forte*) (Authority from the Director of Health now required)

Ergocalciferol, 250 micrograms tablet (*Ostelin*) and 15mg (600 000 Units) in 1.5mL alcoholic solution, oral solution (*Sterogyl-15*)

Labetalol, 100mg and 200mg tablets (*Trandate*)

Maximum Quantity

Section 2

Item	From	To
Bisacodyl , 10mg suppository, pack of 5 (<i>Durolax</i>)	‡1	2
Diocetyl Sodium Sulphosuccinate with Bisacodyl , 100mg-10mg suppository, pack of 5 (<i>Coloxyl</i>)	‡1	2
Typhoid Vaccine , 0.5mL injection	3	2
Vinblastine , 10mg injection (<i>Velbe</i>)	1	2

Number of Repeats

Section 2

Item	From	To
Busulphan , 2mg tablet (<i>Myleran</i>)	2	nil
Ergocalciferol , 250 micrograms tablet (<i>Ostelin</i>) and 15mg (600 000 Units) in 1.5mL alcoholic solution, oral solution (<i>Sterogyl-15</i>)	nil	2
Labetalol , 100mg and 200mg tablets (<i>Trandate</i>)	nil	2
Melphalan , 2mg and 5mg tablets (<i>Alkeran</i>)	2	nil
Sulphasalazine , 500mg tablet (<i>Salazopyrin</i>) and 500mg (enteric coated) tablet (<i>Salazopyrin-EN</i>)	2	5
Typhoid Vaccine , 0.5mL injection	1	nil

Proprietary Name

Section 2

Item	From	To
Glucose Indicator-Blood , 25 BM-Test-reagent strips	BM-Test-Glycemie	BM-Test-BG

Manufacturer's Code

Section 2

Item	From	To
Tri-potassium Di-citrato Bismuthate Complex , 110.9mg (Bi) per 5mL, 560mL (<i>De-Nol</i>)	GB	PD

All Previous Editions Cancelled

**SCHEDULE OF
PHARMACEUTICAL BENEFITS
for
APPROVED CHEMISTS**

OPERATIVE FROM 1 DECEMBER 1982

Commonwealth Department of Health,
CANBERRA, A.C.T.

I. C. CARTER, Acting Government Printer, Tasmania

CONTENTS

SECTION 1 — LEMON PAGES

INTRODUCTION	Paragraphs
THE SCHEDULE	1- 13
CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED	
A. PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS AND DENTISTS	
Prescriptions	15- 18
Manner of Administration	19
Restrictions	20
Maximum Quantities and Repeats	21- 25
Authority to Prescribe	26- 28
Regulation 24	29
Urgent Cases	30- 31
Emergency Drug (Doctor's Bag) Supplies	32- 33
B. SUPPLY OF BENEFITS—PROCEDURE BY APPROVED CHEMISTS	
Prescriptions	34- 43
Deferred Supply	44- 46
Repeat Authorisations	47- 53
Procedure when an Authority is presented	54- 55
Regulation 24	56
Receipts	57- 58
Emergency Drug (Doctor's Bag) Supplies	59- 61
Urgent Cases	62
C. CHARGES TO PATIENTS	
Patient contribution	63- 67
After Hours	68
Delivery	69
Responsibility	70- 71
D. MISCELLANEOUS	
Premises	72
Approved Doctor's Friendly Societies	73
Standards	74
References	75
Hours of Supply	76- 77
Proper Stocks to be Kept	78
Statement of Stocks	79
Retention of Documents	80
Suspected Forgery	81
Sale Copies	82- 83
Supplies of Stationery	84
Enquiries	85

CODING AND SUBMISSION OF PRESCRIPTIONS — PROCEDURE BY APPROVED CHEMISTS	Paragraphs
A. INTRODUCTION	86- 88
B. GENERAL	
Pensioner Benefits	89
Time for Lodgment of Claims	90
Documents to be submitted	91
Completion of Claim Form	92- 95
Prescription Identifying Number	96- 97
Pharmacy Stamp	98
Serial Numbering of Prescriptions. Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms	99
Standard Formulae List of Extemporaneous Preparations	100
Special Provisions Governing Payment for Extemporaneous Prescriptions outside the Standard Formulae List	101-107
C. PROVISION OF CODED INFORMATION BY APPROVED CHEMISTS	
Entering of Information	108
Codes for Preparations which are Pre-priced	109
Codes for Extemporaneous Preparations which are not Pre-priced	110
Coding Stamp	111-114
Coding of Ready Prepared Benefits	115
Coding of Extemporaneously Dispensed Benefits included in Standard Formulae List	116
Dropper Containers	117
Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List	118
Action to be taken when Approved Chemist elects to be paid on an Average Price Basis	119
Action to be taken when Approved Chemist elects to price non-pre-priced Extemporaneous Preparations	120
Coding of Repeat Authorisation Forms	121
Coding of Repeat Authorisation Forms used for Deferred Supply	122
Action by Approved Chemist dispensing a Repeat Authorisation	123
Coding of Emergency Drug (Doctor's Bag) Order Forms	124

Paragraphs

D. STATEMENT OF ACCOUNT	 125-132
-------------------------	--------------

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S. DISPENSING

A. READY PREPARED BENEFITS

Price where maximum quantity prescribed (R.P. items)	 133
Price where Broken Quantity Prescribed (R.P. items)	 134
Price for Unbranded Prescriptions	 135
Unbroken Packs to be Supplied	 136
Wastage Table Percentage for Ready Prepared Preparations	137-138
Prescribers' List Items	 139

B. EXTEMPORANEOUSLY PREPARED BENEFITS

Pricing Prescriptions Not Pre-priced	 140-141
Pricing of ingredients	 142
Miscellaneous Pricing Rules	 143
Pricing Prescriptions where additional ingredients have been added to a specified formula	144-148
Containers	 149-151

C. GENERAL

Pricing Principles	 152-154
Fees and Containers	 155
Pricing Dates	 156
Isolated Pharmacy Allowance	157-158

Page

Address of Commonwealth Department of Health Branch Offices	 21
Index of Manufacturers' Codes	22-25
Emergency Drug (Doctor's Bag) Supplies	 26

SECTION 2 — WHITE PAGES

SCHEDULE OF BENEFITS

General, Pensioner and Restricted Benefits	 1-72
Intravenous Infusions	 73-74
Preparations which may be prescribed by Participating Dental Practitioners for Dental Treatment Only	 75-78

SECTION 3 — WHITE PAGES

SCHEDULE OF BENEFITS

Page

Preparations available for Colostomy and Ileostomy Use	 1- 3
Preparations Available for Use by Paraplegic and Quadriplegic Patients	 4

SECTION 4 — GREEN PAGES

SCHEDULE OF BENEFITS

Drug Tariff	 2- 8
Container Prices for Extemporaneously Prepared Benefits	 9
Standard Formulae Preparations	10-17
Table of Codes, Maximum Quantities and Number of repeats for Extemporaneously Prepared Benefits	 18

SECTION 5 — GREEN PAGES

PRESCRIBERS' LIST

PHARMACEUTICAL BENEFIT FORMULAE

Creams	 1- 2
Dusting Powder	 2
Ear Drops	 2
Inhalations	 2
Linctus	 3
Liniments	 3
Lotions	 3
Mixtures	 3- 4
Nasal Instillations	 4
Ointments	 4- 5
Paints	 5
Pastes	 5
Powder	 5

CHILDREN'S SECTION

Mixtures	 6
----------	--------

SECTION 6 — BLUE PAGES

Container Prices and Fees for Ready Prepared Benefits	 1
Standard Packs and Prices (including Mark-up, but no Fees) for items against the price of which an asterisk is shown in the Schedule of Benefits	 2- 6

INTRODUCTION

These notes are designed for the use of approved chemists. They describe the procedures by doctors and dentists in prescribing benefits and the procedures by approved chemists in supplying benefits. They go on to outline the action on the part of approved chemists in coding prescriptions for processing by computer and the submission by them of claims for payment. Finally the notes explain the pricing arrangements in accordance with which approved chemists' claims are processed for payment.

THE SCHEDULE OF BENEFITS

1. Pharmaceutical benefits which may be prescribed by doctors are listed in this book. The schedule also includes a list of pharmaceutical benefits which may be prescribed by participating dental practitioners for dental treatment only. These items are listed in section 2 after the Intravenous Infusions for Injection.

2. Ready prepared items are listed in sections 2 and 3 of the Schedule and each form and strength is identified by a unique five-character code. (See also paragraph 109). Restrictions apply to the prescribing of certain items in section 2 and all of the items in section 3. Further details may be found in these notes — paragraphs 16 (d) and 20.

3. The Schedule of ready prepared items includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. Medical practitioners and participating dental practitioners have been informed that such benefits should be written as one prescription, e.g., 'Benzylpenicillin Injection, 300mg amp with 2mL water for injections'.

4. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes — paragraphs 21–29.

5. The drugs which may be used in extemporaneous preparations are listed in section 4 — Drug Tariff (Green Pages). Where a restriction applies to the use of a drug listed in this section it is indicated against the item. The following are also included in section 4:—

- (i) container prices;
- (ii) a list of Standard Formulae preparations and prices (see paragraph 100); and
- (iii) table of codes, maximum quantities and number of repeats for extemporaneously prepared benefits.

6. The following admixtures are not pharmaceutical benefits:—

- (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
- (b) the admixture of a ready prepared item and a drug or drugs listed in section 4 of the Schedule of Benefits; or
- (c) the admixture of two or more items which may be prescribed by participating dental practitioners for dental treatment only.

7. Formulae in common use are listed in section 5 — Prescribers' List (Green Pages).

8. Container prices, fees, standard packs and prices for ready prepared preparations are listed in section 6 (Blue Pages).

9. A proprietary name index of ready prepared items is published in a separate booklet.

10. Also published in the booklet is a code index of ready prepared and extemporaneously prepared pharmaceutical benefits.

11. Symbols used in the Schedule of Benefits are explained on page 1, section 2 (White Pages).

12. Price changes and other amendments are advised each month so that the information in the Schedule may be updated regularly.

13. To facilitate coding, a separate list of the more frequently used N.H.S. items and relevant codes for ready reference is provided with each reprint of the Schedule.

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

14. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

A. PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS AND DENTISTS

Prescriptions

15. A prescription ordering a pharmaceutical benefit may be written only for the medical or dental treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner or a participating dental practitioner.

16. Medical practitioners and dental practitioners are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

(a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The standard prescription forms supplied by the Department to participating dentists have a blue margin to distinguish them from the forms supplied to medical practitioners. The name and address of the medical practitioner or dental practitioner must be shown and 'N.H.S.' endorsed at the top. Each dentist is also required to endorse each prescription with the D.P. number in the appropriate space. Doctors who have obtained the approval to record prescriptions in other than their own handwriting will endorse the prescriptions 'Regulation 19 (1) (a) approval obtained'.

(b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.

(c) Set out the name and address of the patient, and where the patient—

(i) is a pensioner who holds a valid Pensioner Health Benefits Card—write the pension number on the prescription;

(ii) is a sickness benefit recipient who holds a valid Health Benefits Card—write the sickness benefit number on the prescription.

NOTE: Persons who are issued with a Health Care Card are NOT entitled to pharmaceutical benefits free of charge.

EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the address of the pensioner or sickness beneficiary on the prescription form.

(d) In the case of pharmaceutical benefits which are restricted in use, the prescription must be endorsed in the doctor's own handwriting with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.'

or 'S.P.' will be accepted. However, where a prescription is written for a pensioner for a drug which is restricted to pensioners it is not necessary to endorse the prescription 'Specified Purpose'.

(e) Where the words 'solvent required', are included after the form of a benefit, the doctor or dentist must specify the volume and number of ampoules of solvent to be supplied (see paragraph 133).

(f) The pharmaceutical benefit must be identified in the prescription by such particulars as are necessary for the complete identification of that benefit.

(g) If the benefit is a single drug, the manner of administration must be indicated.

(b) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time, the prescription must be endorsed in the doctor's own handwriting with the words 'Regulation 24'. Further details are available in paragraphs 29 and 56.

(i) Date and sign the prescription.

17. Prescriptions for pharmaceutical benefits for more than one person may not be written on the one prescription form.

18. A prescription is not a valid pharmaceutical benefit prescription if:—

(a) the medical practitioner prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;

(b) the medical practitioner prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted;

(c) the medical practitioner prescribes a narcotic drug for the medical practitioner writing the prescription;

(d) the dental practitioner prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same dental practitioner.

Manner of Administration

19. Where a particular manner of administration is indicated in the Schedule of Benefits, the item may not be supplied as a pharmaceutical benefit for administration in any other way, e.g. an ophthalmic preparation prescribed for topical use.

Restrictions

20. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition and, where specified with the written authority of the Commonwealth Director of Health in the State concerned. Particulars of these drugs and the relevant restriction endorsements which are required on prescriptions are printed in red in the Schedule. It is not necessary for the particular restriction to be identified on the prescription. Items available for use for Colostomy and Ileostomy conditions as well as items available for use by Paraplegic and Quadriplegic patients are listed in section 3 of the Schedule. Where in section 2 a prescription is required to be endorsed with a pension number, a pensioner for these purposes shall include:—

- (i) a pensioner who holds a valid Pensioner Health Benefits Card;
- (ii) a sickness benefit recipient who holds a valid Health Benefits Card.

NOTE: Persons who are issued with a Health Care Card are NOT included in the 'pensioner' category.

Maximum Quantities and Repeats

21. For ready prepared preparations, the allowable maximum quantity and number of repeats are shown in the third and fourth columns of sections 2 and 3. For other preparations, details are set out in the Table of Maximum Quantities and Repeats (Green Pages).

22. The maximum quantity of an item marked with a double dagger (‡) has been determined as a single pack. As explained on page 1, section 2 (White Pages), irrespective of the quantity prescribed, the standard pack must be supplied.

23. For other items, it is not necessary to prescribe the maximum quantity if the medical or dental practitioner considers a lesser quantity is sufficient for the patient's needs.

24. If a medical practitioner requires a prescription to be repeated he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

25. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority (see paragraphs 26, 27).

Authority to Prescribe

26. Where a person is suffering from a chronic complaint a medical practitioner may, with the written authority of the Commonwealth Director of Health, direct the supply of a quantity of a pharmaceutical benefit greater than the maximum quantity which would otherwise be allowed.

27. In circumstances where it is desirable that the patient be not obliged to re-visit his doctor in order to secure repeat supplies, the doctor may, with the written authority of the Commonwealth Director of Health, direct that the supply of a pharmaceutical benefit be repeated more times than the number of repeats specified in the Schedule.

28.—

(a) The written authority of the Director of Health to prescribe:—

- (i) restricted drugs (paragraph 20); or
- (ii) increased maximum quantities (paragraph 26); and/or
- (iii) increased number of repeats (paragraph 27),

will be forwarded to the doctor on an Authority to Prescribe (Form PB15) or to the Doctor or the patient on an Authority Prescription (Form PB86).

(b) When the authority is given on form PB15 the doctor will write the prescription in the space provided on the form for this purpose.

Regulation 24

29. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that:—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved chemist or approved medical practitioner; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Urgent Cases

30. In cases of urgency, a doctor or dentist may communicate a prescription to an approved chemist by telephone or other means. In such cases the doctor or dentist must reduce the prescription to writing and forward it within 24 hours of such communication to the approved chemist who made the supply. For further details see paragraph 62.

31. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 20). In such cases, the doctor must first obtain advice from the Director in the particular State, by telephone or other means, that the authority will be issued and notify the approved chemist accordingly when communicating the prescriptions. The doctor must subsequently obtain the written authority, write the prescription in the space provided and forward the completed form within 24 hours of its receipt to the approved chemist who supplied the benefit.

Emergency Drug (Doctor's Bag) Supplies

32. Certain pharmaceutical benefits are provided free to doctors for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

33. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the doctor personally. Doctors approved to supply pharmaceutical benefits under section 92 of the National Health Act are to use Form PB7A which must not be presented to an approved chemist for their supplies. Special instructions are issued to these doctors.

B. SUPPLY OF BENEFITS — PROCEDURE BY APPROVED CHEMISTS

Prescriptions

34. An approved chemist is authorised to supply a pharmaceutical benefit only upon the surrender of:—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) a benefit ordered on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15) which has been dated by the prescribing medical practitioner within six months before the date of its presentation; or

- (c) a repeat authorisation presented with a duplicate prescription within six months of the date of the prescription.

35. A pharmaceutical benefit may not be supplied to the same person more than once on any one day, except where a prescription is endorsed 'Regulation 24' (see paragraph 56).

36. The National Health Act requires that a prescription must be written by a registered medical practitioner or a participating dental practitioner. In the event that the chemist cannot recognise the doctor's or dentist's signature he should take all reasonable steps to satisfy himself that the prescription was written by a registered medical practitioner or a participating dental practitioner.

37. Prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion.

38. Where restrictions are removed or applied with regard to the prescribing of a benefit, valid prescriptions written before the date of effect of the restriction changes may still be dispensed as benefits.

39. Where the maximum quantity and/or number of repeats of an item are altered, the quantities and repeats which have been prescribed on valid prescriptions written before the date of effect of the alterations may be dispensed.

40. Before a benefit is supplied on presentation of a prescription the approved chemist is required to:—

- (i) mark his name and approval number on the prescription form and duplicate;
- (ii) allot a number which will identify the prescription and write that number on the form and duplicate (see also paragraph 96); and
- (iii) if more than one prescription has been written on the one form allot a separate number to each prescription.

41. Prescription forms on which are prescribed both pharmaceutical benefit items and non-pharmaceutical benefit items may be accepted. The non-benefit items will be supplied as private prescriptions and cancelled from the form.

42. A benefit shall not be supplied a number of times greater than the number specified in the prescription.

43. Where a brand of a benefit item is specified by the prescriber, the chemist is required to supply that brand. The only exceptions to this are:—

- (a) where prior to supply the prescriber has given prior approval for supply of a listed brand different from that specified in the prescription; or

(b) the approved chemist supplying the benefit can satisfy the Commonwealth Director of Health in his State that —

- (i) the chemist was unable, after a conscientious attempt, to contact the prescriber to obtain his approval to supply an alternative listed brand; and
- (ii) the supply of the benefit was required as a matter of urgency.

An appropriate certification setting out the relevant facts is to be made on such prescriptions by the chemist.

Deferred Supply

44. When a patient presents a prescription form, in duplicate, ordering more than one benefit item, and does not require the supply of one or more of the benefit items at the same time as other benefit items prescribed on the form, a separate repeat authorisation for each deferred item must be prepared in duplicate and the words 'Original Supply Deferred' must be stamped across the relevant item on the original and duplicate of the prescription form. The duplicate must be stamped in such a manner as to not render the duplicate illegible. DEFERRED ITEMS MUST NOT BE CODED ON THE ORIGINAL PRESCRIPTION FORM.

45. The repeat authorisation, Form PB13, when it is used for a deferred supply of an original prescription item, is to be prepared and issued in the same manner as is required for the normal authorisation of repeats except that:—

- (i) '0' is to be inserted in the space for 'No. of times already dispensed';
- (ii) if no repeats are ordered, '0' is to be inserted in the space for 'No. of Repeats Authorised'.

46. The supply of a benefit on a repeat authorisation form which has been prepared for deferred supply is to be regarded as the first occasion of supply. If repeats have been directed the normal procedure in regard to repeat authorisations will apply at the time of first supply. (See paragraph 122 regarding the coding of the repeat authorisation form which has been prepared for deferred supply, when the deferred supply has been made.)

Repeat Authorisations

47. Where repeats are allowable a benefit may be supplied on a repeat authorisation only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

48. Repeat prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion.

49. However, where changes to restrictions, maximum quantities and/or number of repeats occur (as for original prescriptions, paragraphs 38, 39), repeat authorisations which relate to valid prescriptions written before the date of effect of the alterations, may be dispensed as benefits.

50. When a benefit is supplied on presentation of a repeat authorisation, the approved chemist shall mark his name and approval number in the space provided on the repeat authorisation.

51. Before a benefit is supplied on presentation of a prescription which contains a direction to repeat the supply (when repeats are allowable) or on a repeat authorisation requiring further allowable repeats the approved chemist shall prepare a repeat authorisation form in duplicate, except when supply under the provisions of Regulation 24 is authorised (see paragraph 56).

The repeat authorisation form shall show:—

- (i) the category of benefit (either NHS General, NHS Pensioner or RPBS) — by placing a cross (X) in the relevant box;
- (ii) the patient's name and address;
- (iii) if the prescription or repeat authorisation is for a pensioner (see paragraph 89), the pension number appearing on the prescription;
- (iv) in the case of repeats authorised on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15), the authority number;
- (v) the transcription of the original prescription stating the item, strength, quantity and directions;
- (vi) on the first occasion of supply of the benefit, his approval number, the date of the original prescription together with the identifying number allotted by him to the prescription (see paragraph 96);
- (vii) on subsequent occasions of supply, the approval number, the date of the original prescription and the prescription identifying number as shown on the previous repeat authorisation form (see also paragraph 97);
- (viii) the number of times the benefit has been directed to be repeated and the number of times supply has been made; and
- (ix) the name and NHS approval number of the chemist issuing the repeat authorisation.

52. At the time of supply of the benefit the completed repeat authorisation together with duplicate of the prescription is to be issued to the person to whom the benefit is supplied.

53. Separate repeat authorisations are to be prepared in respect of an injectable benefit which requires a solvent, and the solvent when a solvent is prescribed. The procedure to be followed in endorsing prescriptions and repeat forms is covered in 'CODING AND SUBMISSION OF PRESCRIPTIONS—PROCEDURE BY APPROVED CHEMISTS'.

Procedure when an Authority is presented

54. When a benefit is ordered on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15) the doctor will have written the prescription on the original (white) and duplicate copies of the authority form. The approved chemist will:—

- (a) enter in the designated places on the Authority form the information listed in paragraphs 116–121 except that the quantity (Q) and the number of repeats (R) should not exceed the quantity and number of repeats authorised.
- (b) where a solvent has been prescribed for an injectable a diagonal line should be drawn through the pre-printed coding box on the Form PB86 or Form PB15 and two code stamp imprints placed on the back of the form. One coding box should be used for the injectable item and the other for the solvent.
- (c) obtain the signature of the patient or signature and address of the agent and date of supply.

55. Repeats, when ordered and allowable on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15), will be handled in the same manner as repeats for other N.H.S. prescriptions.

Regulation 24

56. Where a prescription is endorsed 'Regulation 24' (see paragraph 29), an approved chemist is authorised to supply the benefit and the repeats of that benefit at the one time. He should not complete a repeat authorisation form. An amount equivalent to one professional fee and where applicable, one dangerous drug fee is payable for the total supply. With regard to patient contribution for 'Regulation 24' supply, see paragraph 66.

Receipts

57. Upon the supply to a person of a benefit by an approved chemist, that person shall sign and date a receipt for that benefit on the prescription form or repeat authorisation, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the prescription form or repeat authorisation with his address. Not in any circumstances must a person give or an approved chemist demand a receipt until supply of the benefit has actually been made.

58. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the approved chemist must certify on the prescription or repeat authorisation, as the case may be, that he has supplied the pharmaceutical benefit, the date on which the supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 30, 31 and 62) or to a person who cannot read or write, or who is unable to write, the approved chemist should sign and date a statement on the prescription or repeat authorisation, certifying that he has supplied the benefit and indicating the circumstances of supply.

Emergency Drug (Doctor's Bag) Supplies

59. Certain pharmaceutical benefit items may be supplied to medical practitioners on receipt of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the doctor personally. These items are listed at the end of section 1 (Lemon Pages) of the Schedule. Each order form is valid during the month printed thereon and each doctor may obtain the benefits not more often than once per month. If the signature appearing on an Emergency Drug (Doctor's Bag) Order Form is that of a doctor unknown to the approved chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the doctor, and endorse these particulars on the back of the original copy of the order form.

60. The quantity of emergency drug items which may be supplied at the one time must not exceed those quantities specified in the list shown in section 1 (Lemon Pages).

61. A doctor may also specify on the order form a particular brand of a benefit. If it is not available, the doctor should be requested to specify in the order a permitted brand which is available, and to initial the alteration. On supply of the benefits ordered on the order form, a receipt for the benefits must be signed by either the doctor himself or by a person authorised by him.

Urgent Cases

62. A pharmaceutical benefit may be supplied by an approved chemist before the prescription for that benefit has been surrendered to him, where in cases of urgency, the doctor or dentist communicates the prescription to the approved chemist by telephone or other means. This provision does not apply to prescriptions for supply by approved chemists where the law of the State in which that approved chemist's premises are situated requires the prescription to be in writing. This provision also applies to drugs for which the written authority of the Commonwealth Director of Health is necessary for supply as pharmaceutical benefits.

C. CHARGES TO PATIENTS

Patient Contribution

63. An approved chemist may in respect of each supply by him whether on a prescription or repeat authorisation, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding \$3.20 in respect of general patients. A charge is not to be made for the supply of a pharmaceutical benefit on a prescription on which the prescribing medical or dental practitioner has written the pension number or a repeat authorisation on which is written the patient's pension number. Where a solvent may be prescribed as part of a benefit, only one prescribed charge may be made for each supply of the benefit.

64. The approval of a chemist is subject to the conditions that:—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than \$3.20 to general patients for each supply;
- (b) he will clearly indicate in any statement made by advertisement, notice or otherwise, that any offer to supply drugs or medicinal preparations without charge or at a reduced charge does not apply to the supply of pharmaceutical benefits;
- (c) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge that is less than \$3.20 in respect of general patients;
- (d) he will not enter into an agreement or arrangement to pay rebates or refunds of the authorised prescription charges nor will he become a party to such agreements.

65. Where a doctor has obtained an authority from the Commonwealth Director of Health to prescribe a quantity greater than the normal maximum quantity (see paragraph 26) the authorised prescribed charges should be made for each supply of the increased maximum quantity.

66. Where a doctor has endorsed a prescription 'Regulation 24' (see paragraphs 29 and 56) the approved chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of \$9.60 should be made to a general patient.

67. A prescription, other than a prescription for a pensioner, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$3.20 is not a prescription for a pharmaceutical benefit. This also applies to prescriptions endorsed 'Regulation 24' (see paragraphs 29 and 56), for which the price of the total quantity of the benefit supplied is less than the authorised charge specified in paragraph 66.

After Hours

68. A charge not exceeding \$2 may be made when an approved chemist is required to return to his approved premises in order to supply a pharmaceutical benefit or pharmaceutical benefits at a time outside normal trading hours. Only one \$2 charge may be made on the one occasion, irrespective of the number of benefits supplied. The charge is recoverable from the patient concerned and not from the Department.

Delivery

69. A charge equal to the cost of delivering may be made if supply by delivery is made at or to a place other than the approved chemist's pharmacy.

Responsibility

70. It is the patient's responsibility to meet any charge lawfully demanded and an approved chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

71. An approved chemist or a doctor is not entitled to demand or receive a payment (other than a payment from the Department) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

D. MISCELLANEOUS

Premises

72. Approval to supply pharmaceutical benefits is granted to a chemist in respect of particular premises. Benefits may be supplied from these premises only.

Approved Doctors, Friendly Societies

73. Doctors approved to dispense pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly Society Pharmacies should follow the procedures subject to additional instructions made available to them.

Standards

74. An approved chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are:—

- (a) in the case of drugs or medicinal preparations which are the subject of a monograph in the British Pharmacopoeia, the standards set out in that pharmacopoeia; and
- (b) in the case of drugs or medicinal preparations contained in editions of the British Pharmaceutical Codex or the Australian Pharmaceutical Formulary (and Handbook) or earlier editions of the British Pharmacopoeia, the standards specified in the particular edition in relation to the drug or medicinal preparation.

References

75. Monographs of the British Pharmacopoeia, the British Pharmaceutical Codex, the Australian Pharmaceutical Formulary (and Handbook) and items listed in the Prescribers' List are identified in the Schedule of Benefits and associated publications by the letters BP, BPC, APF or PL respectively. References to all editions of the BPC and to earlier editions of the BP and APF also include the year of publication.

Hours of Supply

76. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the law of the State or Territory when he presents a valid prescription and pays any charge applicable. When the prescription is marked 'urgent' and initialled by the doctor or dentist who wrote the prescription, it is obligatory for the approved chemist to make supply at his pharmacy at any hour.

77. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Proper Stocks to be Kept

78. An approved chemist shall, as far as practicable keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

79. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks of drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

80. Without affecting the requirements of the law of a State in regard to drugs of addiction or restricted drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied:—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorisations;
- (c) in the case of an approved chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Doctor's Bag Supplies.

Suspected Forgery

81. If an approved chemist is not satisfied that the signature on a prescription form is that of a medical practitioner or dental practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Emergency Drug (Doctor's Bag) order forms particular requirements are set out in paragraphs 33 and 59.

Sale Copies

82. Copies of the National Health Act and Regulations are available from the Australian Government Publishing Service in each capital city.

83. Additional copies of this publication may be purchased from the Commonwealth Department of Health in each capital city. Price and order form will be furnished upon inquiry.

Supplies of Stationery

84. Claim Forms, Repeat Authorisations, etc., are available from the Commonwealth Director of Health in each capital city.

Enquiries

85. Enquiries regarding pharmaceutical benefits may be made at the Office of the Commonwealth Director of Health in each capital city.

CODING AND SUBMISSION OF PRESCRIPTIONS PROCEDURE BY APPROVED CHEMISTS A. INTRODUCTION

86. The pricing of valid prescriptions, repeat authorisations and Doctor's Bag order forms and the calculation of the total amount payable for each claim are carried out by means of an electronic computer which operates on coded information provided by the approved chemist in respect of each pharmaceutical benefit supplied under the National Health Act.

87. The system is designed to enable approved chemists to prepare claims correctly with a minimum of work but it is, however, essential that the instructions be followed carefully and without modification. The inclusion in claims of incorrectly coded or otherwise defective prescriptions can be expected to interrupt processing and delay payments.

88. The interest and co-operation of approved chemists in ensuring that claims are always correctly prepared is invited and would substantially assist this Department to maintain a programme of prompt and satisfactory payments.

B. GENERAL

Pensioner Benefits

89. All references in these notes to 'pensioner' shall include:—

- (i) a pensioner who holds a valid Pensioner Health Benefits Card;
- (ii) a sickness benefit recipient who holds a valid Health Benefits Card.

Time for Lodgment of Claims

90. Claims for pharmaceutical benefits may be lodged at the office of the Commonwealth Department of Health in your capital city at any time during the month and should comprise approximately one month's dispensing. Claims for pharmaceutical benefits supplied more than six months prior to the date of claiming will not be accepted for computer processing, but will require manual pricing of prescriptions and preparation of tally sheets and claim forms by the chemist. Approved chemists desiring to submit such claims should contact the office of the Director of Health for instructions regarding the preparation of the claims and the necessary forms.

Documents to be submitted

91. A claim for pharmaceutical benefits consists of:—

- (i) A completed claim form PB1.
- (ii) Where applicable a completed Form PB42—Isolated Pharmacy Allowance—claim for payment (see paragraphs 157, 158).
- (iii) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to the general public. These should be together in a separate bundle from the pensioner prescriptions.
- (iv) The originals of all prescriptions, repeat authorisations, as well as special authority prescriptions for benefits supplied to pensioners. These should be together in a separate bundle from the general benefit prescriptions.

NOTE:—Generally, prescriptions in each bundle should be submitted in serial number order. The exception to this is where an approved chemist has elected to price extemporaneously prepared prescriptions (see paragraphs 101, 118). These prescription forms should be placed at the back of the relevant bundle irrespective of serial numbers and the fact that other prescriptions may appear on the same form.

- (v) The original orders for Emergency Drug (Doctor's Bag) supplies in a separate bundle.
- (vi) Repeat authorisations for an injectable item and the related solvent must bear consecutive serial numbers and must be stapled together.

Completion of Claim Form

92. Particulars of claimant's name, address of approved premises, approval number and chemist's reference month should be entered in the spaces provided on the claim form PB1. It is important that these particulars agree entirely with the latest written information held by this Department, i.e., application for approval form or later letter. In the event of discrepancies, payment will necessarily be delayed pending clarification.

93. The numbers to be entered on the claim form are the first and last serial numbers given to items on the General and Pensioner Benefits and Emergency Drug (Doctor's Bag) forms respectively (see paragraph 99). The last numbers should be the total numbers of these categories.

94. Please note that no entry of the amount of the claim is required — this will be calculated by computer after the prescriptions have been individually priced.

95. The declaration on the claim form must be signed by the approved person unless an authority for another person to do so has been sent by the approved person to the Commonwealth Director of Health in the State concerned.

Prescription Identifying Numbers

96. In addition to a serial number (see paragraph 99), each pharmaceutical benefit prescription dispensed must be given a number which identifies it specifically. Prescription book numbers are preferable but any other series which will meet the purpose may be used, provided that the chemist's approval number is not a component of such numbers. Please note that these numbers are to be entered in the Coding Stamp imprint (see paragraphs 111, 114).

97. Further, in cases where an approved chemist allots an identifying number to a repeat authorisation as distinct from the original prescription number allotted by the approved chemist issuing the repeat authorisation, he should enter this new identifying number in the appropriate coding box pre-printed on the front of the form.

Pharmacy Stamp

98. Before supply of a benefit, each prescription form, repeat authorisation form and authority to prescribe form should be endorsed with the name of the approved person and his approval number. This information may be stamped, written or typed.

Serial numbering of Prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms

99. Within each claim, prescriptions dispensed should be serially numbered commencing at:—

- (a) 1 for general prescriptions;
- (b) P1 for pensioner benefits; and
- (c) D1 for Emergency Drug (Doctor's Bag) supplies.

This serial number should also be endorsed on the corresponding document retained by the chemist for his records. Each Doctor's Bag item should be given a serial number, e.g., if there are five items on the first form in the claim the first item on the second form in the claim will be D6.

Standard Formulae List of Extemporaneous Preparations

100. Included in section 4 is a comprehensive list of pre-priced extemporaneous preparations. The list is comprised of formulae taken from formulary in

common use. This list is referred to in these notes as the Standard Formulae List. Each preparation is identified with a unique five-character code.

Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List

101. Where an approved chemist elects to price out these prescriptions formal advice is required by the Department. Once made, however, such an election cannot be varied for a period of three months and applies to all extemporaneously dispensed formulae for which there are no five-character codes in the Standard Formulae List.

102. Unless he so elects, the approved chemist will be paid at an average reimbursement rate for these prescriptions. Under this system, payment is made on the basis of an average 10g/mL rate applied to the category of preparation concerned, i.e., the price will be ascertained by multiplying the appropriate 10g/mL rate by the number of 10g/mL units supplied and adding container and professional fees. For example, an 80mL mixture would be priced at eight times the average 10mL rate for mixtures, plus container and professional fee. Notwithstanding that an approved chemist is accepting the average price for non-pre-priced prescriptions, he may price out 'exceptional' prescriptions and code for reimbursement at that price (see paragraph 107).

103. The average 10g/mL rate may vary from month to month but the rate for a particular prescription will be that applicable for the month in which it was supplied. The current month's average 10g/mL rates are printed on the last page of the Statement of Account (see paragraphs 125-132).

104. By agreement with the Pharmacy Guild of Australia the average 10g/mL rate is determined as in paragraph 105.

105. Each month the total number of 10g/mL units of each type of pre-priced extemporaneous preparation claimed for will be ascertained, together with the total values minus container and professional fees. From these figures an average 10g/mL rate will be calculated for each type of preparation. This rate will be used as the rate for calculating prices for the prescriptions supplied in the succeeding month. It should be noted that prescriptions ordering a combination of standard preparations also fall outside the scope of the Standard Formulae List and therefore are subject to this section.

106.—

- (a) Any variant to a formula included in the Standard Formulae List (addition and deletion of an ingredient or variation of dose up or down) takes the formula

dispensed outside the Standard Formulae List and it becomes subject to this section, i.e., it cannot be identified with the code of the formula which it resembles.

- (b) Where an approved chemist is accepting the average price of non-pre-priced prescriptions, and where an ingredient is added to a standard formula and the recovery price for the standard formula plus additive under the average price system is less than that for the standard formula alone, the approved chemist may code that prescription as though it were a standard formula item.

107. An exceptional prescription is a prescription for an extemporaneously prepared pharmaceutical benefit which is not included in the Standard Formulae List and for which the price of the ingredients calculated in accordance with basic pricing rules (paragraphs 140-148) is twice or more than twice the recovery price of the ingredients calculated on an average price basis (paragraph 102).

C. PROVISION OF CODED INFORMATION BY AN APPROVED CHEMIST

Entering of Information

108. The approved chemist will enter relevant information on each document he submits in support of his claim. The information to be entered will depend upon the type of document, i.e., original or repeat supply, Emergency Drug (Doctor's Bag) order form, etc., and on the category of prescription, i.e., ready prepared or extemporaneously prepared.

Codes for Preparations which are Pre-priced

109. A unique five-character code (e.g. 1001Q) is shown for:—

- (i) each form and strength of every ready prepared benefit (sections 2 and 3, Schedule of Benefits);
- (ii) each standard formula preparation listed in the Standard Formulae List.

Pharmaceutical benefit items which may be prescribed by participating dental practitioners are listed in a group at the end of Section 2 and a separate series of codes has been allocated to them. Only those pharmaceutical benefit items prescribed by dental practitioners should be coded with the appropriate codes published in this section.

Codes for Extemporaneous Preparations which are not Pre-Priced

110. Three-character codes representing each type of extemporaneous preparation, e.g., mixtures, ointments, etc., are shown in the Table of Codes,

section 4 (Green Pages) of the Schedule. These three-character codes are to be used by the approved chemist in coding those prescriptions where a doctor has either specified the individual ingredients of a preparation or ordered a combination of standard formulae or has varied in any way a preparation included in the Standard Formulae List, and the approved chemist has not elected to price out his prescriptions. Where the approved chemist has elected to price out such prescriptions then action as outlined in paragraph 118 should be taken.

Coding Stamp

111. One stamp is provided for coding both Ready Prepared Benefits and Extemporaneously Dispensed Benefits. This stamp provides spaces for coded information on original prescription forms. Where a chemist chooses to type or machine print coding information directly on to the prescription form, the use of the stamp is unnecessary provided the requirements of paragraph 113 are observed. Repeat authorisation forms, Emergency Drug (Doctor's Bag) Order forms and Authority to Prescribe forms currently on issue have printed coding spaces.

112. Stamp imprints should be placed preferably on the extreme left of the front side of the prescription form. Many doctors as well as dentists use prescription forms which provide space suitable for this purpose, but when there is insufficient area on the front of the form the stamp should be placed on the left hand side on the back. It should be noted that coding stamps must be placed either all on the front or all on the back of an individual form. In no circumstances should the stamp imprint appear on both the back and front. Chemists are asked to avoid stamping or writing over the unique identifying number pre-printed above the letters 'N.H.S.' on the N.H.S. prescription forms supplied to medical practitioners or over the 'D.P. No.' box on N.H.S. dental prescription forms supplied to dental practitioners by the Commonwealth.

113. Where the coding stamp is not used (see paragraph 111) typed or machine printed coding information must conform to the following conditions:—

- (a) The information should be typed or printed in the same area on the prescription form as that designated for the coding stamp (see paragraph 112).
- (b) The information should be provided in the same order and position as that shown in the stamp and labelled in a similar manner i.e. 'S', 'C', 'Q', 'B', 'R' and 'No'.

114. This stamp will be used for all pharmaceutical benefits —

S	
C	
Q	
B	R
No.	

Coding of Ready Prepared Benefits

115.—

'S'—Serial Number (see paragraph 99).

'C'—Is the appropriate code. All codes are shown in the Schedule of Benefits for Approved Chemists beside the benefits to which they refer. These numbers range from 1001Q to 3395Q.

'Q'—Quantity. The number of units dispensed, e.g., capsules, tablets, tins, vials, tubes, etc., is to be entered in the stamp imprint. Only the appropriate number should be shown. The type of dispensing unit should not be specified.

For regulation 24 prescriptions, the quantity actually supplied should be entered; that is the total of the original quantity plus the quantities ordered as repeats. The letter 'X' should be entered on the stamp imprint immediately after the quantity.

The dispensed quantity of PACKS NOT TO BE BROKEN should never be expressed as a volume or weight but always in those terms in which the maximum quantity is expressed in column 3 of section 2 or section 3 of the Schedule; e.g., a prescription ordering 200mL of a pack not to be broken should be coded with a quantity of '1' and not '200'.

'B'—Brand Ordered. Where a doctor or dentist orders a particular brand, either by proprietary name or brand, the code letters of the manufacturer whose brand is ordered should be entered beside the letter 'B'. Where a particular brand is not ordered THIS SPACE MUST BE LEFT BLANK.

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

'No.'—Prescription identification number (see paragraphs 96 and 97).

Coding of Extemporaneously Dispensed Benefits included in the Standard Formulae List

116.—

'S'—Serial Number (see paragraph 99).

'C'—Code obtained from the Standard Formulae List where one is shown. These codes range from 7001L to 9987P.

'Q'—Quantity. The number of millilitres or grammes should be entered.

Where the supply of a standard preparation is made under Regulation 24, the quantity actually supplied followed by the letter 'X' should be entered.

'B'—This space must be left blank when coding extemporaneously dispensed prescriptions (except for provision made in paragraph 117).

'R'—Repeats. Where repeats (up to the allowable maximum) are ordered on an original prescription, the number so ordered should be entered in this space, including those cases where supply has been made under Regulation 24.

'No.'—Prescription identification number (see paragraphs 96 and 97).

Dropper Containers

117. Dispensed prices for extemporaneously prepared eye drops, ear drops and nasal instillations include the cost of a polythene dropper container. Where a glass dropper container is specified by the prescriber or considered necessary by the approved chemist, the prescription should be endorsed accordingly and payment for same should be claimed by placing the letter 'g' in the brand space of the coding stamp.

Coding of Extemporaneously Dispensed Benefits which are not listed in the Standard Formulae List

118. In the case of a formulae for which a code is not shown claimants will receive an average 10g/mL rate for the type of preparation with provision to price exceptional prescriptions (see paragraph 107) or the claimants may elect to calculate the cost of ingredients, containers and professional fee manually (see paragraphs 101-106). These arrangements have been agreed between the Department and the Pharmacy Guild of Australia.

Action to be taken where an Approved Chemist is to be paid on an Average Price Basis

119.—

- (a) Coding of prescriptions to be reimbursed on an average price basis.
- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places on the stamp imprint.
 - (ii) Enter the three-character code for the type of preparation in the code space (see the Table of Codes, section 4 [Green Pages] for these codes).
 - (iii) Enter the number of millilitres or grammes.
 - (iv) Where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the quantity.

NOTE:—The space following the letter 'B' should be left blank (except for provision made in paragraph 117).

- (b) Coding of Exceptional Prescriptions as defined in paragraph 107:

- (i) Enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate places in the stamp imprint.
- (ii) Enter the three-character code for the type of preparation preceded by the letter 'V' (indicating that this prescription is priced) in the code space. (See the Table of Codes, section 4 [Green Pages] for these codes.)
- (iii) Enter the calculated price in the quantity space.
- (iv) Where the supply is made under the provisions of Regulation 24 the letter 'X' should be entered after the price.

NOTE:—The space following the letter 'B' should be left blank (except for provision made in paragraph 117).

Action to be taken when an Approved Chemist elects to price non-pre-priced Extemporaneous Preparations

120. When the approved chemist has advised the Department of his election to price out these prescriptions he should price all prescriptions in this category in accordance with the pricing principles set out in 'Provisions governing Payments to Approved Chemists for N.H.S. dispensing' (paragraphs 140-148) and:—

- (i) enter the serial number, number of repeats ordered (up to the allowable maximum), if any, and the prescription identifying number in the appropriate sections of the stamp imprint;
- (ii) enter only the letter 'V' in the code space. This indicates that the prescription has been priced out;
- (iii) enter the price he has calculated in the quantity space;
- (iv) where a supply is made under the provisions of Regulation 24, the letter 'X' should be entered after the price.

NOTE:—No details of type or quantity of preparation are to be shown in the code stamp.

Coding of Repeat Authorisation Forms

121. The approved chemist originating a repeat will enter on the form the information set out in paragraph 51 together with the code, quantity and where applicable the brand of the benefit ordered.

Coding of Repeat Authorisation Forms Used for Deferred Supply

122. An approved chemist who has supplied a benefit on the presentation of a repeat authorisation form which has been prepared for deferred supply should code the form in the same manner as a normal repeat authorisation except that the serial number allotted by the approved chemist in respect of a benefit supplied as a general benefit is to be preceded by the letter 'D' and the letters 'DP' in the case of a pensioner benefit.

Action by Approved Chemist Dispensing a Repeat Authorisation

123. It is the responsibility of the chemist dispensing a repeat supply to ensure the details of the coding on the repeat authorisation form are correct. It should be noted that:—

- (a) The serial number allotted by the approved chemist to the repeat supplied as a general (non-pensioner) benefit is entered in the

box at the top of the form. Serial numbers issued in respect of repeats supplied for which an Authority to Prescribe is required must be prefixed with the letter 'A' in the case of general benefits, and the letters 'AP' in the case of pensioner benefits.

- (b) The new identifying number of the Repeat Authorisation is to be entered in the space marked 'No.' in the Coding Stamp Box on the front of the form. (See paragraph 97.)
- (c) When the approved chemist issuing the authorisation has entered a code number (for the type of preparation) and quantity in the stamp and the dispensing approved chemist has elected to price such prescriptions instead of accepting the average price, the dispensing approved chemist should strike out the entries and replace them with 'V' and the claimed price or vice versa.

Coding of Emergency Drug (Doctor's Bag) Order Forms

124. For each item ordered, enter the serial number, code of the benefit, quantity supplied and the brand ordered, if any.

D. STATEMENT OF ACCOUNT

125. A Statement of Account will be forwarded in respect of each claim passed for payment. This gives, in addition to the details of payment, the price paid for each benefit or the reason for non-payment. Prescriptions are identified on the Statement of Account by the serial numbers allotted by the claimant and the item code. In the case of non-prepared extemporaneously prepared benefits the letter 'V' or the three-character code for the type of preparation replaces the item codes according to whether the prescriptions have been paid on the average price or calculated price basis. Serial numbers of Emergency Drug (Doctor's Bag) items will be prefixed by the letter 'D' and the pensioner prescriptions by the letter 'P'.

126. The reason for non-payment of any item will be indicated by a code letter. An explanation of the code employed appears on the reverse side of the Statement of Account.

127. Prescriptions and repeat authorisations which are not acceptable for payment will be returned with the Statement of Account. Other prescriptions appearing on such forms will have been paid and appropriately cancelled before being returned to the approved chemist. Where prescriptions are resubmitted they must be allotted an entirely new serial number and included as a normal part of the next claim.

128. If prescriptions from previous claims are the subject of adjustment to current claims, full details will be shown on the Statement of Account.

129. Where a correctly coded prescription has not been given a serial number by the claimant, the serial number given to the preceding prescription will be used also as a means of reference to the second prescription, i.e., the serial number will appear twice on the Statement of Account with the appropriate prices or rejection codes relating to both prescriptions.

130. Should serial numbers be duplicated they will be shown on the Statement of Account as numbered by the claimant.

131. In the case of a serial number which has not been used or the relevant document not submitted the number will be printed on the Statement of Account together with a code signifying that the document has not been received.

132. The Statement of Account will include a statement reconciling the number of prescriptions claimed for by the approved chemist with the number of prescriptions for which payment has been made.

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S. DISPENSING

A. READY PREPARED BENEFITS

Price where Maximum Quantity Prescribed (Ready Prepared Items)

133. The price payable for a benefit is the amount shown in column 5 of the Schedule against the benefit subject to the following provision:—

Injectons with required solvent—Where the words 'solvent required' are included after the form of the benefit, the price payable is the sum of the listed prices for the item and the solvent less a professional fee (i.e., only one professional fee is payable). Prescribers must indicate volume and number of ampoules of solvent to be supplied.

Price where Broken Quantity Prescribed (R.P. Items)

134.—

- (a) Packs not to be broken—Where items packed by the manufacturer under special conditions or for which the maximum quantity has been determined as a single pack are prescribed (see paragraph 136), maximum quantity should be supplied and the price payable is that for the maximum quantity.

(b) Ready Prepared Items where Standard Pack coincides with Maximum Quantity — Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows —

- (i) an amount equivalent to the professional fee and where applicable the dangerous drug fee is deducted from the price shown in column 5 of the Schedule in relation to the benefit.
- (ii) To the resultant amount is applied the appropriate wastage percentage ascertained from the Wastage Factor Table shown in paragraph 138.
- (iii) The amount ascertained under (ii) is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in column 5 of the Schedule in relation to the maximum quantity of the benefit.

(c) Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e. where an asterisk is shown against the price) — In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed in column 5 of the Schedule beside the price shown for the benefit concerned. In such cases the standard pack rate is set out in the Table shown in section 6 (Blue Pages) of the Schedule. The price payable for the quantity supplied is ascertained as follows:—

- (i) To the standard rate is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 138.
- (ii) The amount so ascertained is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity which is less than the maximum quantity of the item exceed the dispensed price for the maximum quantity of that item.

- (d) No container fee is payable where the quantity of benefit ordered and supplied is more than the quantity contained in the standard or non-standard packs.

Price for Unbranded Prescriptions

135. Where a standard pack price applies, the lowest price for the relevant State shown in column 5 of the Schedule in relation to that item is payable.

Unbroken Packs to be Supplied (‡)

136. The maximum quantity of certain forms of benefits such as eye drops and oral suspensions has been determined as a single pack corresponding to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack, the maximum quantity should be dispensed and claimed from the Department. These items are indicated by a double dagger (‡) in the Schedule.

Wastage Table Percentage for Ready Prepared Preparations

137. The wastage table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraph 134 (b) and (c) above.)

138. The appropriate wastage table percentage is ascertained as follows:—

- (a) The percentage that the quantity supplied bears to the number contained in the standard pack is determined;
- (b) Where the percentage determined in subparagraph (a) coincides with a percentage listed in Column A of the Wastage Factor Table, the percentage used is the relative figure shown in Column B;
- (c) Where the percentage determined in subparagraph (a) does not coincide with a percentage in Column A, then the nearest upward percentage in Column A applies, and the percentage used is the relative figure shown in Column B.

For example, suppose that 24 tablets are supplied and that the number in the Standard Pack is 100. Thus 24% of the number contained in the Standard Pack is supplied. As this percentage does not appear in Column A the next higher (i.e. 25%) is used. Reading down from 25% to Column B, the wastage table percentage is found to be 38%.

Wastage factor table

Column A	5	10	15	20	25	30	35	40	45	50
Column B	10	18	26	32	38	44	50	54	58	62

Column A	55	60	65	70	75	80	85	90	95	100
Column B	66	70	74	78	82	86	90	94	98	100

Prescribers' List Items

139. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescribers' List is shown in the Standard Formulae List.

B. EXTEMPORANEOUSLY PREPARED BENEFITS**Pricing Prescriptions Not Pre-Priced**

140. The following are the principles applied in determining the prices of all pre-priced extemporaneous formulae shown in the Standard Formulae List. They also apply where a chemist elects to price out extemporaneous prescriptions outside the Standard Formulae List.

141. The amount payable is ascertained as the sum of:—

- (a) the recovery price of each ingredient as shown in the Drug Tariff;
- (b) the price of the appropriate container as shown in section 4; and
- (c) a professional fee as shown in section 4.

Pricing of Ingredients

142. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows:—

- (a) determine the basic pricing unit relative to the quantity by reference to the following table:—

Quantity	Basic Pricing Unit
Up to 50mg (minimum price)	100mg price multiplied by 0.5
Over 50mg and up to and including 700mg	100mg price
Over 700mg and up to and including 1g	price as 1g
Over 1g and up to and including 7g	1g price

Quantity	Basic Pricing Unit
Over 7g and up to and including 10g	price as 10g
Over 10g and up to and including 80g	10g price
Over 80g and up to and including 90g	price as 80g
Over 90g	100g price

- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery price shown for the ingredient in the Drug Tariff —

100g price is 500g price divided by 5 or 1kg price divided by 10.

10g price is 100g price plus 12½% divided by 10.

1g price is 10g price plus 25% divided by 10.

100mg price is 1g price plus 25% divided by 10.

- (c) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b), by the fraction that the quantity bears to the basic pricing unit.

- (d) for pricing purposes the quantity is to be taken to the next 50 milligrams or 0.05 millilitres.

Miscellaneous Pricing Rules

143.—

- (a) The minimum recovery price for any ingredient is one cent.
- (b) Where a fraction of a cent occurs in a price that price is to be taken to the nearest cent, a half cent being taken up to the next cent.
- (c) The amount payable for a quantity of an ingredient or preparation shall not exceed the amount which would be payable for a greater amount of that ingredient or preparation.

Pricing Prescriptions where Additional Ingredients have been added to a Specified Formula

144. The amount payable for a prescription which comprises a vehicle which is specified under a particular name, and an additional specified ingredient or ingredients shall be calculated in accordance with paragraphs 145 to 148.

145. Where the vehicle is a single liquid ingredient and one or more solid ingredients are added, displacement of the vehicle by solids shall be disregarded and the amount payable shall be calculated in accordance with paragraph 142.

146. Where the vehicle is a single liquid ingredient and one or more liquids are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 142; and
- (b) the recovery price of the quantity of the vehicle calculated in accordance with paragraph 142.

147. Where the vehicle is compounded from two or more ingredients and one or more solid ingredients are added, displacement of the vehicle by the solid ingredients shall be disregarded and the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 142; and
- (b) the recovery price of each ingredient of the vehicle calculated in accordance with paragraph 142.

148. Where the vehicle is compounded from two or more ingredients and one or more liquid ingredients are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 142; and
- (b) the recovery price of the quantity of vehicle, this amount being the sum of the recovery prices for each ingredient of the vehicle in such quantity as calculated in accordance with paragraph 142.

Containers

149. Separate container rates are payable in each State.

150. Where a quantity is ordered in excess of the published container sizes, payment for containers will be made as if that quantity had been supplied in more than one of the published containers.

151. A double size container is allowed for bulk powders.

C. GENERAL

Pricing Principles

152. The pricing principles are identical for prescriptions written for the general public and pensioners.

153. Where a prescription for a pharmaceutical benefit, a formulation of which is available as a ready prepared pharmaceutical benefit, does not specify a brand, payment is made on the basis of the lowest priced brand of the ready prepared benefit item which is listed. This also applies if the preparation is, or the ingredients are, available for use in dispensing extemporaneously prepared benefits (i.e. listed in Section 4).

154. Where, in a prescription for a pharmaceutical benefit which is not listed as a ready prepared pharmaceutical benefit, a monograph title of a formulation is stated but no formula is specified, payment is made on the basis of the formula, if any, specified in the Prescribers' List (Section 5). Should there be no formula specified in the Prescribers' List, payment is made on the basis of the precedence of formularies accorded by State legislation.

Fees and Containers

155. The amounts payable by way of professional fee, dangerous drug fee and container charges for ready prepared preparations are set out in section 6 of the Schedule. The professional fee and container charges for extemporaneously prepared preparations are set out in section 4 of the Schedule.

Pricing Dates

156. For pricing purposes the operative dates are:—

- (a) for extemporaneously prepared benefits — the first day of January, May and September each year for benefits supplied as from the first day of the third succeeding month.
- (b) for ready prepared benefits — the first day of the month preceding the month during which the benefits are dispensed.
- (c) for containers:—
 - (i) for extemporaneously prepared benefits — the first day of April, August and December each year for benefits supplied as from the first day of the fourth succeeding month.
 - (ii) for ready prepared benefits — the first day of January each year for benefits supplied as from the first day of April in that year.

Isolated Pharmacy Allowance (IPA)

157. Approved chemists providing a pharmaceutical service in isolated areas may apply for IPA on the basis of economic need. Application forms may be obtained from the Assistant Director-General, Pharmaceutical Benefits Branch, Department of Health, P.O. Box 100, Woden, A.C.T., 2606.

158. Approved chemists eligible to receive IPA will be:—

- (i) those where the pharmacy is more than 25 kilometres from the nearest pharmacy and who are able to demonstrate the need for such allowance on the basis of economic need;
- (ii) those where the pharmacy can be demonstrated to be 'isolated' on a basis other than distance (e.g. on an island, intervening mountain range, no roads) and where economic need can be demonstrated.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH DIVISIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000
Telephone 232 8000

Director of Health—
Dr R. R. Bull
After hours: Telephone 969 8681
Assistant Director (Pharmaceutical)—
Mr R. W. Goggins
After hours: Telephone 86 4541

VICTORIA

Commonwealth Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000
Telephone 662 2999

Director of Health—
Dr R. C. Webb
After hours: Telephone 80 5333
Assistant Director (Medical)—
Dr E. C. R. Newton
After hours: Telephone 555 5815
Assistant Director (Pharmaceutical)—
Mr B. G. Foster
After hours: Telephone 221 8195

QUEENSLAND

Commonwealth Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld 4000
Telephone 225 0122

Postal Address—
G.P.O. Box 567, Brisbane, Qld 4001
Director of Health—
Dr Peter E. R. Ulrich
Assistant Director (Medical)—
Dr J. R. Meyers
After hours: Telephone 399 5857
Assistant Director (Pharmaceutical)—
Mr C. J. Massie
After hours: Telephone 30 1546

SOUTH AUSTRALIA

Commonwealth Department of Health,
A.M.P. Building,
1 King William Street,
Adelaide, S.A. 5000
Telephone 216 3911

Postal Address—
G.P.O. Box 2219, Adelaide, S.A. 5001
Director of Health—
Dr J. Y. Hancock
After hours: Telephone 272 0527
Assistant Director (Medical)—
Dr E. J. Lloyd
After hours: Telephone 296 7434
Assistant Director (Pharmaceutical)—
Mr M. G. Wallace
After hours: Telephone 339 3932

WESTERN AUSTRALIA

Commonwealth Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W.A. 6000
Telephone 323 5711

Postal Address—
G.P.O. Box M970, Perth, W.A. 6001
Director of Health—
Dr W. J. Wilmot
After hours: Telephone (096) 24 1465
Assistant Director (Medical)—
Dr L. A. Maddern
After hours: Telephone 386 4456
Assistant Director (Pharmaceutical)—
Mr J. T. McDonough
After hours: Telephone 447 5326

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000
Telephone 20 5011

Postal Address—
G.P.O. Box 919J, Hobart, Tas. 7001
Director of Health—
Dr D. J. Daly
After hours: Telephone 25 3976
Assistant Director (Pharmaceutical)—
Mr W. M. Murton
After hours: Telephone 29 6749

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794
Telephone 80 2911

Postal Address—
P.O. Box 147, Darwin, N.T. 5794
Director of Health—
Dr F. H. Stewart
After hours: Telephone 81 2036

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	BT	The Boots Company (Aust.) Pty Ltd Loyalty Road, North Rocks, N.S.W. 2151
AG	Allergan Pharmaceuticals Pty Ltd 5 George Place, Artarmon, N.S.W. 2064	BW	Wellcome Australia Ltd 53 Phillips Street, Cabarita, N.S.W. 2137
AH	Allen and Hanburys 1061 Mountain Highway, Boronia, Vic. 3155	BY	Boehringer Ingelheim Pty Ltd 50 Broughton Road, Artarmon, N.S.W. 2064
AM	Ames Company Division of Miles Laboratories Australia Pty Ltd Wellington Road, Mulgrave, Vic. 3170	BZ	Boucher and Muir Pty Ltd 118-124 Willoughby Road, Crows Nest, N.S.W. 2065
AP	Astra Pharmaceuticals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	CB	Ciba Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066
AQ	Alcon Laboratories (Australia) Pty Ltd 1a Winbourne Road, Brookvale, N.S.W. 2100	CP	Cooper Laboratories Pty Ltd 1 Dumic Place, Dee Why, N.S.W. 2099
AY	Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	CS	Commonwealth Serum Laboratories 45 Poplar Road, Parkville, Vic. 3052
BC	Bristol Laboratories Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	DF	Difrex (Aust.) Laboratories 13-19 Glebe Street, Glebe, N.S.W. 2037
BF	Barnes-Hind Pty Ltd 7 Dickson Avenue, Artarmon, N.S.W. 2064	DH	Drug Houses of Australia Pty Ltd 31 Henderson Street, Turrella, N.S.W. 2205
BH	Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	DL	Dista Products (Australia) & Company Waratah Street and Wharf Road, Ermington, N.S.W. 2115
BL	David Bull Laboratories 11-15 Lexia Place, Mulgrave, Vic. 3170	DY	Denyer Brothers 250 Pitt Street, Sydney, N.S.W. 2000
BN	Bayer Pharmaceutical Company 46-67 Wilson Street, Botany, N.S.W. 2019	EC	Erba Carlo, S.p.A., Italy Australian Distributor, Sigma Co. Ltd
BO	Boehringer Mannheim Australia Pty Ltd 6-8 Byfield Street, North Ryde, N.S.W. 2113	EN	Endo Laboratories (Australia) Pty Limited 7-9 Merriwa Street, Gordon, N.S.W. 2072
BR	Beecham Research Laboratories 6 Winterton Road, Clayton, Vic. 3168	ET	Ethnor Pty Ltd 1-5 Khartoum Road, North Ryde, N.S.W. 2113
		FA	F. H. Faulding & Co. Ltd 62 Dew Street, Thebarton, S.A. 5031

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
FC	Fisons Pty Ltd 61 Lavender Street, Milsons Point, N.S.W. 2061	LE	Lederle Laboratories Division Cyanamid Australia Pty Ltd, 88 Christie Street, St Leonards, N.S.W. 2065
FM	Fawns and McAllan Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136	LF	Langly Laboraatories Pty Ltd 64 Rose Street, Chippendale, N.S.W. 2008
FR	Charles E. Frosst (Australia) Pty Ltd 54-68 Ferndell Street, South Granville, N.S.W. 2142	LP	Lancet Pharmaceutical Ltd 21 Loyalty Road, North Rocks, N.S.W. 2151
GB	Gist-Brocades Australia Pty Ltd Suite 106, 11 Spring Street, Chatswood, N.S.W. 2067	LY	Eli Lilly (Aust.) and Company Wharf Road, West Ryde, N.S.W. 2114
GE	Geigy Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066	MB	May & Baker Australia Pty Ltd Paramount Road, Footscray West, Vic. 3012
GL	Glaxo 1061 Mountain Highway, Boronia, Vic. 3155	MF	Medex Pty Ltd 44-46 Chippen Street, Chippendale, N.S.W. 2008
GP	G.P. Laboratories Wharf Road, West Ryde, N.S.W. 2114	MG	J. McGloin Pty Ltd 20 Forrester Street, Kingsgrove, N.S.W. 2208
HA	Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A. 5000	MJ	Mead Johnson 345 Pacific Highway, Crows Nest, N.S.W. 2065
HO	Hollister Incorporated, U.S.A. Australian Distributor, Abbott Laboratories Pty Ltd	MK	Merck, Sharp and Dohme (Aust.) Pty Ltd 62-68 Ferndell Street, South Granville, N.S.W. 2142
HP	Hoechst Australia Ltd 606 St Kilda Road, Melbourne, Vic. 3000	ML	Wm S. Merrell Pty Ltd 37th Floor, Northpoint, 100 Miller Street, North Sydney, N.S.W. 2060
IC	ICI Australia Operations Pty Ltd ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	MN	Muir and Neil Pty Ltd 479 Kent Street, Sydney, N.S.W. 2000
IQ	The Ioquin Company 1a Winbourne Road, Brookvale, N.S.W. 2100	MR	Medical Research Pty Ltd 4 Byfield Street, North Ryde, N.S.W. 2113
JP	Janssen Pharmaceutica Pty Ltd 13 Rodborough Road, Frenchs Forest, N.S.W. 2086	NE	Norgine Pty Ltd Suite 36, 65 Queens Road, Melbourne, Vic. 3004
KN	Knoll, A. G., Germany Wood Street, Tempe, N.S.W. 2044	NK	New York Pharmaceuticals 326 King Georges Road, Beverly Hills, N.S.W. 2209
		NN	Nelson Laboratories (Sales) Pty Ltd 21-25 Derby Street, Silverwater, N.S.W. 2141

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
NO	Novo Laboratories Pty Ltd 43 Hunter Street, Parramatta, N.S.W. 2150	RN	Rona Laboratories Ltd, London, U.K. Australian Distributor Riker Laboratories Australia Pty Ltd
NR	Nordia, Denmark Australian Distributor, Ascot Pharmaceuticals Pty Ltd 33 Myrtle Street, North Sydney, N.S.W. 2060	RO	Roche Products Pty Ltd Inman Road, Dee Why, N.S.W. 2099
NS	Nicholas Pty Ltd 699 Warrigal Road, Chadstone, Vic 3148	RS	A. H. Robins Pty Ltd 4 Charles Street, Canterbury, N.S.W. 2193
NW	Norwich-Eaton Pty Ltd Lombard House, 781 Pacific Highway, Chatswood, N.S.W. 2067	RT	Rocke, Tomsitt and Co. Ltd 10 Griffiths Street, Richmond, Vic. 3121
OL	Owen Laboratories 1a Winbourne Road, Brookvale, N.S.W. 2100	RY	Rotary Tableting Corp. Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136
OR	Organon (Aust.) Pty Ltd 34 Hotham Parade, Artarmon, N.S.W. 2064	SC	Schering, AG., Berlin Wood Street, Tempe, N.S.W. 2044
PD	Parke, Davis Pty Ltd 32-40 Cawarra Road, Caringbah, N.S.W. 2229	SD	Syntex Pharmaceuticals Ltd Funds of Australia Building, 10th Floor, 275 Alfred Street North, North Sydney, N.S.W. 2060
PF	Pfizer Pty Ltd Wharf Road, West Ryde, N.S.W. 2114	SE	Servier Laboratories (Aust.) Pty Ltd 2-8 Lynch Street, Hawthorn, Vic. 3122
PN	Pharmax Ltd, England Australian Distributor, Protea Pharmaceuticals Pty Ltd	SH	Schering Corporation, U.S.A. 11 Gibbon Road, Baulkham Hills, N.S.W. 2153
PR	Prosana Laboratories Pty Ltd 22 Daisy Street, Revesby, N.S.W. 2212	SI	Sigma Co. Ltd P.O. Box 144, Clayton, Vic. 3168
PS	Pharmacia (South Seas) Pty Ltd Cnr Khartoum and Talavera Roads, North Ryde, N.S.W. 2113	SJ	Sharpe Laboratories Pty Ltd 24 Punch Street, Artarmon, N.S.W. 2064
PT	Protea Pharmaceuticals 13-19 Glebe Street, Glebe, N.S.W. 2037	SK	Smith Kline and French Laboratories (Aust.) Ltd Warringah Road, French's Forest, N.S.W. 2086
QE	Queensland Ethicals Enterprise Street, Salisbury, Qld 4107	SL	Soul Pattinson Laboratories Pty Ltd 20 Forrester Street, Kingsgrove, N.S.W. 2208
RC	Reckitts Pty Ltd 44 Wharf Road, West Ryde, N.S.W. 2114	SN	Smith & Nephew (Aust.) Pty Ltd Wellington Road, Clayton, Vic. 3168
RD	Ross Laboratories Captain Cook Drive, Kurnell, N.S.W. 2231	SQ	E. R. Squibb and Sons Pty Ltd Princes Highway, Noble Park, Vic. 3174
RK	Riker Laboratories Australia Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120		
RL	Roussel Pharmaceuticals Pty Ltd Gladstone Road, Castle Hill, N.S.W. 2154		

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
SR	Searle Laboratories Mainline Building, 8 West Street, North Sydney, N.S.W. 2060	VF	Vifor, S.A., Geneva, Switzerland Australian Distributor, Boucher and Muir Pty Ltd
ST	A. E. Stansen and Co. Pty Ltd 121 Ricketts Road, Notting Hill, Vic. 3168	WH	H. W. Woods Pty Ltd 10 Clifford Street, Huntingdale, Vic. 3166
SU	Sauter Laboratories (Aust.) Pty Ltd 60 Campbell Avenue, Dee Why, N.S.W. 2099	WL	Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W. 2115
SZ	Sandoz Australia Pty Ltd 54 Waterloo Road, North Ryde, N.S.W. 2113	WP	Weddel Pharmaceuticals 213-219 Miller Street, North Sydney, N.S.W. 2060
TO	R. D. Toppin & Sons Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	WW	Wm. R. Warner 32-40 Cawarra Road, Caringbah, N.S.W. 2229
TV	Travenol Laboratories Pty Ltd Oakes Road, Old Toongabbie, N.S.W. 2146	WY	Wyeth Pharmaceuticals Pty Ltd Gregory Place, Parramatta, N.S.W. 2150
UP	Upjohn Pty Ltd 55-73 Kirby Street, Rydalmere, N.S.W. 2116	ZR	Zero Chemicals (Aust.) Pty Ltd 17 Carlyle Road, East Lindfield, N.S.W. 2070
US	USV Pharmaceuticals 172-178 Princes Highway, Arncliffe, N.S.W. 2205	ZY	Zyma Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066
UW	United Works of Pharmaceutical and Dietetic Products, Hungary Australian Distributor, Boucher and Muir Pty Ltd		

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

Code	Name of Pharmaceutical Benefit	Strength and Volume	Form	Maximum Quantity
1016L	Adrenaline Injection BP	1mg in 1mL	Ampoule	5
1038P	Aminophylline injection I.V.	250mg in 10mL	Ampoule	5
1089H	Atropine sulphate injection	600 micrograms in 1mL	Ampoule	5
1195X	Chlorpromazine Injection BP	50mg in 2mL	Ampoule	10
3040B	Dextrose injection	50%, 10mL	Ampoule	5
2558P	Diazepam injection	10mg in 2mL	Ampoule	5
1321M	Digoxin Injection BP	500 micrograms in 2mL	Ampoule	5
1378M	Ergometrine Maleate injection	250 micrograms in 1mL	Ampoule	5
1395K	Erythromycin injection I.M.	100mg in 2mL	Ampoule	5
2413B	Frusemide injection	20mg in 2mL	Ampoule	5
1467F	Heparin Sodium Injection BP	5 000 units in 1mL	Ampoule	1
or	or			
1468G	Heparin Sodium Injection BP	25 000 units in 5mL	Ampoule	1
1501B	Hydrocortisone sodium succinate injection	Equivalent to 100mg hydrocortisone and 2mL solvent	Injection Set	2 sets
or	or			
3096Y	Hydrocortisone sodium succinate injection	Equivalent to 250mg hydrocortisone and solvent	Injection Set	1 set
or	or			
2509C	Dexamethasone sodium phosphate injection	Equivalent to 4mg dexamethasone phosphate in 1mL	Ampoule	5
2875H	Lignocaine injection	100mg in 5mL	Ampoule	4
or	or			
2861N	Lignocaine injection I.M.	300mg in 3mL	Disposable syringe pack	1
1645N	Morphine sulphate injection	15mg in 1mL	Ampoule	5
or	or			
1647Q	Morphine sulphate injection	30mg in 1mL	Ampoule	5
1661K	Morphine sulphate with atropine sulphate injection	15mg-600 micrograms in 1mL	Ampoule	5
1829G	Pethidine Injection BP	100mg in 2mL	Ampoule	5
1794K	Procaine Penicillin Injection BP	1.5g	Disposable syringe pack	10
1206L	Metoclopramide hydrochloride injection	10mg in 2mL	Ampoule	10
or	or			
2369Q	Prochlorperazine injection	12.5mg in 1mL	Ampoule	10
or	or			
2368P	Thiethylperazine injection	6.5mg (base) in 1mL	Ampoule	10
1948M	Promethazine injection	50mg in 2mL	Ampoule	10
1239F	Terbutaline sulphate injection	100 micrograms in 1mL	Ampoule	5
or	or			
1034K	Terbutaline sulphate injection	500 micrograms in 1mL	Ampoule	5
2127Y	Tetanus Vaccine, Adsorbed	0.5mL	Ampoule	10

NOTE: Only those brands of benefits listed in section 2 (white pages) may be ordered on a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS

SECTION 2

RESTRICTED BENEFITS

All restricted items are printed in red.

A straight line is drawn between entries for different forms and strengths of an item to clearly indicate the different restrictions which apply to these various forms and strengths.

The maximum quantity and/or number of repeats in respect of an item shown in the Schedule may be varied by the Director of Health when issuing an authority prescription (Form PB86) or an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. Payment will be made on the basis of the price shown for that item in the Schedule. (See paragraphs 26,27 and 65 of Section 1 - Explanatory Notes (lemon pages).)

SYMBOLS USED IN THE SCHEDULE

An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.

A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.

A gauge sign (§) against the price of an item indicates that the product is not preconstituted and that a special professional fee of \$2.54 is included in the dispensed price.

Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S);
W.A. - (W); Tas. - (T).

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2742H	ACEPIFYLLINE Tablet 250mg	100	2	\$ 4.51	Etaphylline	DF
2743J	Paediatric Syrup 125mg per 5mL, 500mL	≠1	4	4.37	Etaphylline	DF
2445Q	Injection 500mg in 5mL	5	..	4.43	Etaphylline	DF
1004W	ACETAZOLAMIDE Tablet 250mg	50	6	7.51	Diamox	LE
2376C	Capsule 500mg (sustained release)	50	3	13.43	Diamox	LE
1005X	Injection 500mg (solvent required)	1	..	6.97	Diamox	LE
2811Y	ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2mL	2	..	*12.19	Miochol	CP
2630K	ACETYLCYSTEINE To be endorsed "S.P." Solution 20%, 10mL	5	3	19.56	Mucomyst	MJ
2434D	ADRENALINE Eye Drops 0.5%, 7.5mL	≠1	6	4.97	Epinal Eppy/N	AQ BF
3031M	0.5%, 10mL	≠1	6	5.11	Epifrin	AG
1014J	1%, 7.5mL	≠1	6	5.31	Epinal Eppy/N	AQ BF
2955M	1%, 10mL	≠1	6	5.43	Epifrin Glaucan	AG AQ
1015K	2%, 10mL	≠1	6	8.64	Epifrin Glaucan	AG AQ
1016L	Injection BP 1mg in 1mL (1 in 1,000)	5	1	3.43	BL,SI	
2600W	ALLOPURINOL Tablet 100mg	100	5	7.37	Pro gout Zyloprim	PT BW
2604C	300mg	30	5	7.03	Pro gout Zyloprim	PT BW
2601X	Capsule 100mg	100	5	6.51	Capurate-100	FM
2603B	300mg	30	5	6.31	Capurate-300	FM
2765M	ALOXIPRIN Tablet 600mg	100	2	4.37	Palaprin Forte	NS
2991K	ALPRENOLOL Tablet 100mg	100	2	9.23	Aptin Betacard	AP BR
2905X	Injection 1mg per mL, 10mL	1	..	3.81	Aptin	AP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2153H	ALUMINIUM HYDROXIDE Mixture 320mg per 5mL, 500mL	≠1	4	\$ 4.24	Alusorb Amphojel Gelox DH WY PR
1026B	ALUMINIUM HYDROXIDE DRIED Tablet 300mg	100	2	3.91	Actal Amphotabs WL WY
2552H	ALUMINIUM HYDROXIDE with KAOLIN Mixture 137mg-1g per 5mL, 375mL	≠1	2	3.84	Kaogel Kaomagma FA WY
1029E	ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	3.91	Aludrox WY
2576N	200mg-200mg	100	2	3.91	Mylanta PD
2155K	Mixture 300mg-100mg per 5mL, 500mL	≠1	4	4.24	Aludrox WY
2156L	Suspension 215mg-80mg per 5mL, 500mL	≠1	4	4.24	Dijene Simeco BT WY
2157M	200mg-200mg per 5mL, 500mL	≠1	4	4.24	Alucone Gelusil Merasyn Mylanta Sodexol DH WW ML PD SC
2158N	ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE and OXETHAZAINE Suspension 306mg-97.5mg-10mg per 5mL, 500mL	≠1	4	4.24	Mucaine WY
1032H	ALUMINIUM HYDROXIDE with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	3.91	Gastrogel FM
2159P	Mixture 250mg-120mg-120mg per 5mL, 500mL	≠1	4	4.24	Gastrogel FM
1033J	ALUMINIUM HYDROXIDE and MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	3.91	Almacarb Dijene Simeco AH BT WY
2577P	ALUMINIUM SODIUM SILICATE Powder 100g	≠1	2	3.91	Neutralon SC
3016R	AMANTADINE HYDROCHLORIDE To be endorsed "S.P." Capsule 100mg	100	2	20.97 21.49	Antadine Symmetrel EN GE
2934K	AMBENONIUM CHLORIDE Tablet 10mg	100	2	10.31	Mytelase WL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3109P	AMILORIDE Tablet 5mg	50	2	\$ 4.57	Midamor	MK
1035L	AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15mL	≠1	2	3.78	Aminopt	SI
3071P	AMINO ACID FORMULA without PHENYLALANINE Powder 250g	2	2	*156.55	PK AID I	SJ
3072Q	250g	2	2	*191.49	PK AID II	SJ
1450H	Food Supplement Powder 500g	≠1	2	121.91	Aminogran F.S.	GL
	AMINOCAPROIC ACID To be endorsed "S.P."					
2486W	Oral Solution 250mg per mL, 20mL	10	..	18.29	Ekaprol	DF
2483Q	Injection I.V. 250mg per mL, 10mL	10	..	10.31	Ekaprol	DF
1039Q	AMINOPHYLLINE Tablet 100mg	100	2	3.61	Cardophyllin SI	HA
1040R	Oral Liquid 105mg per 5mL, 500mL	≠1	4	4.37	Somophyllin	FC
1038P	Injection I.V. 250mg in 10mL	5	..	4.71	LP,SI	
1037N	I.M. 500mg in 2mL	5	..	4.43	AB	
1152P	Suppositories 100mg, 12	≠1	1	3.97	Cardophyllin	HA
1041T	175mg, 12	≠1	1	3.97	Cardophyllin	HA
1042W	250mg, 12	≠1	1	3.97	Cardophyllin	HA
1043X	400mg, 12	≠1	1	3.97	Cardophyllin	HA
2417F	AMITRIPTYLINE Tablet 10mg	50	2	3.07 3.28	Amitrip Laroxyl Tryptanol	PT RO MK
2418G	25mg	50	2	3.71 4.03	Amitrip Laroxyl Saroten Tryptanol	PT RO NS MK
2989H	Mixture 10mg (base) in 5mL, 100mL	≠1	4	3.31	Tryptanol	MK
2672P	Injection 25mg per mL, 2mL	10	..	6.97	Laroxyl	RO
1044Y	AMMONIUM CHLORIDE Tablet 500mg	100	3	4.57	RY	
1045B	AMODIAQUINE Tablet equivalent to 150mg Amodiaquine base	100	..	7.24	Camoquin	PD

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	AMOXYCILLIN To be endorsed "S.P."			\$		
1885F	Dispersible Tablet 3g	1	..	4.23	Amoxil	BR
1884E	AMOXYCILLIN Capsule 250mg	20	..	5.46	Amoxil Moxacin	BR CS
1886G	Powder for Syrup 125mg per 5mL, 100mL	#1	1	#5.98	Amoxil Moxacin	BR CS
2930F	AMPHOTERICIN Tablet 100mg	50	..	8.77	Fungilin	SQ
2931G	Lozenge 10mg	20	1	3.78	Fungilin	SQ
2932H	Suspension 100mg per mL, 24mL	#1	1	4.57	Fungilin	SQ
1047D	Injection 50mg (solvent required)	1	..	6.23	Fungizone	SQ
2927C	Cream 3%, 15g	#1	1	4.03	Fungilin	SQ
2929E	Ointment 3%, 15g	#1	1	4.03	Fungilin	SQ
2933J	Pessaries 50mg, 15	#1	1	4.14	Fungilin	SQ
2928D	Vaginal Cream 100mg per 4g, 60g (15 doses)	#1	1	4.24	Fungilin	SQ
1048E	AMPICILLIN Capsule 250mg	25	..	4.91 5.08	Ampicyn Austrapen Penbritin	PT CS BR
2671N	500mg	12	1	4.64 4.82	Ampicyn Austrapen Penbritin	PT CS BR
3061D	Powder for Syrup 125mg per 5mL, 100mL	#1	..	#4.87 #5.01	Ampicyn Austrapen Penbritin	PT CS BR
3123J	250mg per 5mL, 100mL	#1	..	#6.07 #6.27	Ampicyn Austrapen Forte Penbritin Forte	PT CS BR
2644E	Injection 100mg (solvent required)	5	1	6.29	Austrapen	CS
2389R	250mg (solvent required)	5	1	5.98 6.97	Ampicyn Austrapen Penbritin	PT CS BR
2390T	500mg (solvent required)	5	1	7.97 9.27	Ampicyn Austrapen Penbritin	PT CS BR
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2977Q	AMPICILLIN - cont. Injection 1g (solvent required)	5	1	\$ 11.97 14.86	Ampicyn PT Austrapen CS Penbritin BR
1058Q	AMYLOBARBITONE SODIUM Injection 250mg (solvent required)	5	..	*11.28	Amytal Sodium LY
1059R	500mg (solvent required)	5	..	*12.68	Amytal Sodium LY
1075N	ANTAZOLINE with NAPHAZOLINE Eye Drops 10mL	#1	2	3.71	Antistine-Privine ZY
1980F	ANTIVENOM - RED BACK SPIDER Injection 500 Units	2	..	*30.23	CS
1078R	ASCORBIC ACID To be endorsed with the pension number. Tablet 50mg	100	2	3.23	Ascorb "50" PT DH,FM
1008C	ASPIRIN Tablet 300mg	100	2	3.38	FM
1010E	300mg (dispersible)	100	2	3.44	Solprin RC FM
1230R	650mg (enteric coated)	100	2	4.97	Ecotrin SK Rhusal GP Winsprin WL
1231T	650mg (sustained release)	100	2	4.37	S.R.A. BT
2968F	650mg (includes 350mg sustained release)	100	2	4.11	Bi-Prin BT
3110Q	ASPIRIN (BUFFERED) Tablet 325mg	100	2	3.87	Bufferin BC
1025Y	500mg	100	2	4.37	Bufferin 500 BC
1081X	ATENOLOL To be endorsed "S.P." Tablet 50mg	30	2	9.29	Tenormin IC
1084C	ATROPINE METHONITRATE Tablet 1mg	50	2	4.29	Eumydrin WL
1083B	Oral Solution 0.6%, 15mL	#1	..	4.17	Eumydrin WL
2704H	ATROPINE SULPHATE Tablet 600 micrograms	100	2	3.69	RY
1088G	Injection 400 micrograms in 1mL	5	1	3.38	BL,LP
1089H	600 micrograms in 1mL	5	1	3.38	BL,LP
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1091K	ATROPINE SULPHATE - cont. Injection 1.2mg in 1mL	5	1	\$ 3.41 3.42	LP BL
1092L	Eye Drops 0.5%, 15mL	≠1	2	3.84	Atropt SI
1093M	1%, 15mL	≠1	2	3.91	Atropt US SI
1094N	Eye Ointment 1%, 4g	≠1	..	5.31	PD
2021J	AUROTHIOGLUCOSE Injection 50mg per mL, 10mL	1	..	59.81	Gold-50 SH
1251W	AZATADINE MALEATE Tablet 1mg	50	2	3.91	Zadine SH
1252X	Syrup 500 micrograms per 5mL, 100mL	≠1	4	3.31	Zadine SH
2687K	AZATHIOPRINE To be accompanied by an authority from the Director of Health. Tablet 50mg	100	..	54.48	Imuran BW
2729P	BACLOFEN To be endorsed "S.P." Tablet 10mg	100	2	26.76	Lioresal CB
2730Q	25mg	100	2	49.54	Lioresal CB
1649T	BECLOMETHASONE DIPROPIONATE To be accompanied by an authority from the Director of Health. Capsule 100 micrograms (Oral Inhalation)	100	..	11.51	Becotide Rotacaps AH
1650W	To be endorsed "S.P." Inhalation, metered aerosol spray 50 micrograms per dose (200 dose)	≠1	2	9.23	Aldecin Becotide SH AH
2705J	BELLADONNA ALKALOIDS Hyoscyamine Hydrobromide, Atropine Sulphate and Hyoscine Hydrobromide Tablet 101.1 micrograms-14.8 micrograms-10.7 micrograms	100	2	3.61	Atrobel FM
2706K	Tablet 151.6 micrograms-22.2 micrograms-16.0 micrograms	100	2	3.71	Atrobel FORTE FM
2916L	Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydrobromide Tablet 103.7 micrograms-19.4 micrograms-6.5 micrograms	100	2	3.61	Donnatab RS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	\$ 3.51 3.76	Benzide M PT Aprinox-M BT Pluryl SK
1106F	5mg	50	2	4.37 4.54	Benzide PT Aprinox BT Neo-Naclex GL Pluryl SK
1107G	BENZALKONIUM CHLORIDE Compound Suppositories, 12	≠1	1	3.84	Paxyl FA
1108H	Solution 10%, 125mL	≠1	..	3.97	Zephiran Concentrated WL
1126G	BENZATHINE PENICILLIN Injection 1.8g in 5mL	1	..	4.31	L.P.G. CS
1767B	BENZATHINE PENICILLIN COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg. Injection set containing 1 vial and 2mL water for injections	1	..	4.17	Bicillin All-Purpose WY
1109J	BENZHEXOL Tablet 2mg	100	2	4.57 4.64	Anti-Spas PT Artane LE
1110K	5mg	100	2	5.87 5.89	Anti-Spas PT Artane LE
1111L	BENZOCAINE with ADRENALINE Compound Ointment 50g	≠1	1	3.84	Rectinol GP
1112M	Compound Suppositories, 12	≠1	1	3.84	Rectinol GP
2362H	BENZTROPINE Tablet 2mg	30	2	*3.95	Cogentin MK
3038X	Injection 2mg in 2mL	5	..	8.64	Cogentin MK
1114P	BENZYL BENZOATE Application 25% w/v, 200mL	≠1	2	4.23 4.31	Benzemul MG Ascabiol MB DH
1774J	BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	5.03	CS
1775K	600mg (solvent required)	5	1	5.17	Crystapen GL CS
2647H	3g (solvent required)	10	..	*23.55	Crystapen GL CS
2648J	6g (solvent required)	10	..	*31.63	CS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	BETAMETHASONE			\$		
1117T	Tablet 500 micrograms	30	2	3.43	Celestone	SH
1116R	Injection 4mg (base) in 1mL	5	..	9.17	Celestone	SH
2377D	Eye Ointment 0.1%, 3g	≠1	..	3.47	Celestone	SH
	BETAMETHASONE ACETATE with BETAMETHASONE SODIUM PHOSPHATE To be endorsed "S.P."					
2694T	Injection 3mg-3.9mg (equivalent to 5.7mg betamethasone) in 1mL	5	..	11.31	Celestone Chronodose	SH
	BETAMETHASONE DIPROPIONATE					
1115Q	Cream 0.05%, 15g	≠1	1	3.26	Diprosone	SH
1119X	Ointment 0.05%, 15g	≠1	1	3.26	Diprosone	SH
	BETAMETHASONE VALERATE					
2812B	Cream 0.02%, 100g	≠1	..	4.17	Betnovate 1/5 Celestone-M	GL SH
2813C	0.05%, 15g	≠1	1	3.26	Betnovate 1/2 Celestone-V Half Strength	GL SH
2814D	Gel 0.05%, 15g	≠1	1	3.26	Betnovate 1/2	GL
2820K	Ointment 0.02%, 100g	≠1	..	4.17	Celestone-M	SH
2815E	0.05%, 15g	≠1	1	3.26	Betnovate 1/2 Celestone-V Half Strength	GL SH
	BETHANECHOL					
1062X	Tablet 10mg	50	1	5.07	Urecholine Uro-Carb	MK HA
1071J	Injection 5mg in 1mL	2	..	*4.23	Urecholine	MK
	BETHANIDINE					
2416E	Tablet 10mg	100	2	4.97	Esbatal	BW
2712R	25mg	100	2	8.31	Esbatal	BW
	BIPERIDEN					
2544X	Tablet 2mg	100	2	7.37	Akineton	KN
2543W	Injection 5mg in 1mL	5	..	4.43	Akineton	KN
	BISACODYL To be endorsed "S.P."					
1260H	Suppositories 10mg, 5	2	..	*4.61	Durolax	BY
	BISMUTH SUBGALLATE					
2984C	Compound Ointment 50g	≠1	1	3.84	Anusol	WW
1122C	Compound Suppositories, 12	≠1	1	3.84	Anusol	WW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	BLEOMYCIN To be endorsed "S.P."			\$	
2315W	Injection 15mg (solvent required)	10	..	395.34	Blenoxane BC
	BROMOCRIPTINE MESYLATE To be accompanied by an authority from the Director of Health.				
1443Y	Tablet 2.5mg	60	..	31.39	Parlodel SZ
1445C	Capsule 10mg	100	..	187.24	Parlodel SZ
	BROMPHENIRAMINE				
2516K	Tablet 4mg	50	2	3.61	Dimetane RS
2602Y	Syrup 2mg per 5mL, 100mL	#1	4	3.31	Dimetane RS
	BUSULPHAN				
1128J	Tablet 2mg	100	..	22.49	Myleran BW
	CALCITRIOL To be accompanied by an authority from the Director of Health.				
2502Q	Capsule 0.25 micrograms	100	..	41.94	Rocaltrol RO
	CALCIUM To be accompanied by an authority from the Director of Health.				
2963Y	Compound Effervescent Tablet equivalent to 500mg (12.5mmol)Ca ²⁺ NOTE: Each 'Spar-Cal' tablet also contains 7mmol K ⁺	100	5	10.63	Spar-Cal MJ
3122H	Compound Effervescent Tablet equivalent to 1g (25mmol)Ca ²⁺ NOTE: Each 'Sandocal 1000' tablet also contains 18mmol Na ⁺	30	5	7.23	Sandocal 1000 SZ
	CALCIUM FOLINATE To be accompanied by an authority from the Director of Health.				
2308L	Tablet 15mg	10	..	101.73	Leucovorin LE
	To be endorsed "S.P."				
2309M	Injection 3mg in 1mL	5	..	16.96	Leucovorin LE
	CALCIUM GLUCONATE				
1146H	Injection 10%, 10mL	5	1	6.57	Calcium-Sandoz SZ
	CAMPBOR COMPOUND				
1151N	Linctus APF, 100mL	#1	2	3.31 3.33 3.37 3.44	MG Campholinct SI TO PR, QE(NQ) DH

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2534J	CARBACHOL Eye Drops 0.75%, 15mL	#1	6	\$ 4.24	AQ	
2535K	1.5%, 15mL	#1	6	4.31	AQ	
2536L	3%, 15mL	#1	6	4.43	AQ	
2422L	CARBAMAZEPINE Tablet 100mg	200	1	10.89	Tegretol	GE
2419H	200mg	200	1	18.57 19.37	Convuline Tegretol	PT GE
	CARBENICILLIN To be endorsed "S.P."					
2818H	Injection 1g (solvent required)	5	..	20.69	Carbapen Pyopen	CS BR
2819J	5g (solvent required)	6	..	101.64	Carbapen Pyopen	CS BR
	CARBENOXOLONE SODIUM To be endorsed "S.P."					
2620X	Tablet 50mg	100	..	13.31	Biogastrone	SN
1153Q	CARBIMAZOLE Tablet 5mg	100	2	4.64	Neo-Mercazole	NS
	CEPHALEXIN To be accompanied by an authority from the Director of Health.					
3058Y	Capsule 250mg	25	..	12.38	Keflex	LY
3119E	500mg	12	..	11.98	Keflex	LY
3094W	Granules for Syrup 125mg per 5mL, 100mL	#1	..	#8.54	Keflex	LY
3095X	250mg per 5mL, 100mL	#1	..	#12.87	Keflex	LY
	CEPHALORIDINE To be endorsed "S.P."					
2643D	Injection 1g (solvent required)	5	..	*31.73	Ceporan	GL
	CEPHALOTHIN SODIUM To be endorsed "S.P."					
2964B	Injection 1g (solvent required)	5	..	*23.93	Ceporacin Keflin Neutral	GL LY
1135R	2g (solvent required)	1	..	10.82	Keflin Neutral	LY
1136T	4g (solvent required)	1	..	18.99	Keflin Neutral	LY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	CEPHAZOLIN SODIUM To be endorsed "S.P."			\$		
1256D	Injection 500mg (solvent required)	5	..	*21.98	Kefzol	LY
1257E	1g (solvent required)	5	..	*40.38	Kefzol	LY
	CEPHRADINE To be accompanied by an authority from the Director of Health.					
1653B	Capsule 250mg	25	..	12.39	Eskacef Velosef	SK SQ
1654C	500mg	12	..	11.98	Eskacef Velosef	SK SQ
1655D	Powder for Syrup 125mg per 5mL, 100mL	#1	..	#8.54	Eskacef Velosef	SK SQ
1656E	250mg per 5mL, 100mL	#1	..	#12.87	Eskacef Velosef	SK SQ

	To be endorsed "S.P."					
1894Q	Injection 250mg (solvent required)	5	..	11.11	Eskacef Velosef	SK SQ
1895R	500mg (solvent required)	5	..	17.69	Eskacef Velosef	SK SQ
1896T	1g (solvent required)	5	..	31.69	Eskacef Velosef	SK SQ
	CHLORAL HYDRATE					
2935L	Capsule 500mg	50	..	3.91	Chloradorm Noctec	US SQ
2869B	Mixture 250mg per 5mL, 500mL	#1	4	3.97	Dormel	DH
2713T	1g per 10mL, 200mL	#1	4	3.71	Chloradorm Chloralix Elix-Nocte Forte Noctec Syrup	US RK NN SQ
	CHLORAMBUCIL To be accompanied by an authority from the Director of Health.					
1163F	Tablet 2mg	100	..	*36.89	Leukeran	BW
1164G	5mg	100	..	*53.93	Leukeran	BW
	CHLORAMPHENICOL To be endorsed "S.P."					
1174T	Capsule 250mg	16	..	4.71	Chloromycetin	PD
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2693R	CHLORAMPHENICOL - cont. Paediatric Suspension 125mg per 5mL, 100mL	#1	..	\$ 4.84	Chloromycetin Palmitate PD
1167K	Injection 1g (solvent required)	3	..	*14.45	Chloromycetin Succinate PD
1170N	CHLORAMPHENICOL Ear Drops 10%, 5mL	#1	2	3.78	Chloromycetin PD
1169M	10%, 6mL	#1	2	3.78	Chlomin US
2360F	Eye Drops 0.5%, 10mL	#1	2	3.78	Chlomin US Chloromycetin PD Chloroptic AG Chlorsig SI
1171P	Eye Ointment 1%, 4g	#1	..	3.51	Chlomin US Chloromycetin PD Chlorsig SI
1181E	CHLORAMPHENICOL with POLYMYXIN B Eye Drops 5mg-5,000 Units per mL, 10mL	#1	2	3.78	Chloromyxin PD
1177Y	Eye Ointment 1%-5,000 Units per g, 4g	#1	..	3.51	Chloromyxin PD
1066D	CHLORHEXIDINE Solution 5%, 200mL	#1	1	4.57	Hibitane Concentrate IC
1410F	CHLORMETHIAZOLE To be accompanied by an authority from the Director of Health. Capsule 192mg	50	..	7.64	Hemineurin AP
1409E	Solution 0.8% for I.V. Infusion, 500mL	1	..	13.29	Hemineurin AP
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	5.83 5.98	Chlorquin PT Nivaquine MB
1185J	Injection 40mg per mL, 2mL	5	1	*6.74	Nivaquine MB
1187L	CHLOROTHIAZIDE Tablet 500mg	50	2	4.57 4.66	Diuret PT Azide FM Chlotride FR Diurone US

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	CHLOROTRIANISENE To be endorsed "S.P."			\$		
1188M	Tablet 24mg	30	2	6.07	Tace	ML
1190P	CHLORPHENIRAMINE Tablet 4mg	50	2	3.76 3.78	Allergex Chloramin Piriton	PT LF GL
1193T	Capsule 4mg	50	2	3.78	Teledrin-P	SK
1196Y	CHLORPROMAZINE To be endorsed "S.P." Tablet 10mg	100	1	3.62 3.63	Protran Largactil	PT MB
1197B	25mg	100	1	3.76 3.78	Protran Largactil Promacid	PT MB US
1198C	50mg	100	1	4.71	Largactil Promacid Protran	MB US PT
1199D	100mg	100	1	6.69	Largactil Promacid Protran	MB US PT
1201F	Mixture 25mg per 5mL, 100mL	≠1	4	3.51	Largactil Promacid	MB US
1194W	Injection BP, 25mg in 1mL	10	..	4.97	Largactil	MB
1195X	50mg in 2mL	10	..	5.11	Largactil	MB
1200E	Suppositories 100mg, 5	≠1	1	3.78	Largactil	MB
1202G	CHLORPROPAMIDE Tablet 250mg	100	2	7.43 7.72	Promide Diabinese	PT PF
1072K	CHLORTETRACYCLINE Cream 3%, 15g	≠1	..	3.61	Aureomycin	LE
1055M	Ointment 3%, 15g	≠1	..	3.61	Aureomycin	LE
1585K	CHLORTHALIDONE Tablet 25mg	50	2	3.97 4.16	Urid Hygroton	PT GE
3021B	CHOLERA VACCINE Injection 1mL	2	..	*5.19	CS	
2967E	CHOLESTYRAMINE To be accompanied by an authority from the Director of Health. Powder, 9g sachet (equivalent to 4g cholestyramine), 50	2	..	*36.11	Questran	MJ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2788R	CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	\$ 4.43	Choledyl	WW
2789T	200mg	100	2	4.82	Choledyl	WW
2787Q	Syrup 50mg per 5mL, 500mL	≠1	4	4.11	Choledyl	WW
2866W	CHOLINE THEOPHYLLINATE with GUAIPHENESIN Tablet 200mg-100mg	100	2	4.97	Brondecon	WW
2867X	Elixir 50mg-25mg per 5mL, 500mL	≠1	4	4.24	Brondecon	WW
1156W	CIMETIDINE To be accompanied by an authority from the Director of Health. Tablet 200mg	150	1	45.96	Tagamet	SK
3137D	CLINDAMYCIN To be endorsed "S.P." Capsule 75mg	25	..	5.73	Dalacin C	UP
3138E	150mg	25	..	8.77	Dalacin C	UP
3139F	Granules for Syrup 75mg per 5mL, 100mL	≠1	..	#7.87	Dalacin C	UP
3030L	CLIOQUINOL Cream 1%, 30g	≠1	..	3.57	Vioform	CB
2892F	CLOFIBRATE To be accompanied by an authority from the Director of Health. Capsule 500mg	100	..	10.77 10.97	Arterioflexin Atromid-S	PT IC
1805B	CLONAZEPAM To be endorsed "S.P." Tablet 500 micrograms	200	1	8.89	Rivotril	RO
1806C	2mg	200	1	13.43	Rivotril	RO
1808E	Paediatric Drops 2.5mg in 1mL, 10mL	≠1	1	3.97	Rivotril	RO
1807D	Injection 1mg in 2mL (set containing solution 1mg in 1mL and 1mL diluent)	5	..	4.64	Rivotril	RO
3141H	CLONIDINE Tablet 150 micrograms	100	2	9.37	Catapres	BY
3142J	Injection 150 micrograms in 1mL	5	..	5.31	Catapres	BY
2399G	CLOPAMIDE Tablet 20mg	50	2	5.11	Brinaldix	SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2880N	CLOREXOLONE Tablet 10mg	50	2	\$ 3.97	Nefrolan	MB
2297X	25mg	50	2	4.37	Nefrolan	MB
1017M	CLOTRIMAZOLE Cream 1%, 20g	≠1	1	4.97	Canesten	BN
1018N	Pessaries 100mg, 6	≠1	..	5.69	Canesten	BN
1019P	Vaginal Cream 1%, 35g	≠1	..	5.64	Canesten	BN
2300C	CLOXACILLIN To be accompanied by an authority from the Director of Health. Capsule 250mg	25	..	10.09	Austrastaph Orbenin	CS BR
1120Y	500mg	12	..	9.81	Austrastaph Orbenin	CS BR
2936M	Powder for Syrup 125mg per 5mL, 100mL	≠1	..	#8.28	Austrastaph Orbenin	CS BR
2299B	CLOXACILLIN Injection 250mg (solvent required)	5	..	8.64	Austrastaph Orbenin	CS BR
2301D	500mg (solvent required)	5	..	12.57	Austrastaph Orbenin	CS BR
1420R	1g (solvent required)	5	..	19.96	Austrastaph Orbenin	CS BR
1213W	CODEINE Linctus APF, 100mL	≠1	2	3.89 3.92 3.97	MG Codelix PR, QE(NQ), SI	DH
1214X	CODEINE PHOSPHATE Tablet 30mg	25	..	5.03	Codate DH, FA, FM	US
1218D	CODEINE PHOSPHATE with ASPIRIN To be endorsed with the pension number. Tablet Soluble 8mg-300mg	100	2	4.57	Aspalgin	FM
1219E	8mg-500mg	100	2	4.57	Solcode	RC
1222H	To be accompanied by an authority from the Director of Health. Tablet 30mg-325mg	100	..	*9.19	Codral Forte	BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	CODEINE PHOSPHATE with PARACETAMOL To be endorsed with the pension number.			\$	
1223J	Tablet 8mg-500mg	50	1	3.58	Codalgin Dymadon Co. Panamax Co. FM BW WL
1227N	COLCHICINE Tablet 500 micrograms	100	2	4.68 4.79 4.84 4.97	Colgout DH, PR, RT Coluric BW Colcin MR PT NN US
1224K	COLESTIPOL HYDROCHLORIDE To be accompanied by an authority from the Director of Health. Sachets 5g, 120	≠1	..	31.22	Colestid UP
2621Y	COLISTIN To be endorsed "S.P." Injection 150mg (solvent required)	5	..	*36.43	Coly-Mycin WW
2756C	COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per mL, 10mL	≠1	2	3.63	Coly-Mycin WW
1228P	COPPER SULPHATE Diagnostic Compound Tablets, 36	2	3	*4.39	Clinitest AM
1246N	CORTISONE ACETATE Tablet 5mg	50	1	3.97	Cortate PT
1247P	25mg	30	2	4.97	Cortate PT
1258F	CYANOCOBALAMIN To be endorsed "S.P." Injection 100 micrograms in 1mL	5	1	4.31	Cytamen 100 LP GL
1262K	1mg in 1mL	5	..	4.71	Cytamen 1000 LP GL
1255C	CYCLIZINE Tablet 50mg	50	1	3.63	Marzine BW
1264M	CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	4.43	Navidrex CB
1266P	CYCLOPHOSPHAMIDE To be accompanied by an authority from the Director of Health. Tablet 50mg	50	..	9.57	Endoxan-Asta BC
1265N	Injection 100mg (solvent required)	5	..	13.49	Endoxan-Asta BC
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
2381H	CYCLOPHOSPHAMIDE - cont. Injection 200mg (solvent required)	5	..	14.29	Endoxan-Asta	BC
1079T	500mg (solvent required)	2	..	*9.59	Endoxan-Asta	BC
1080W	1g (solvent required)	1	..	6.69	Endoxan-Asta	BC
2426Q	CYCLOTHIAZIDE Tablet 5mg	50	2	4.97	Doburil	BY
1269T	CYPROHEPTADINE Tablet 4mg	50	2	3.83	Periactin	FR
1270W	Paediatric Syrup 1.2mg per 5mL, 100mL	#1	4	3.31	Periactin	FR
	CYPROHEPTADINE To be endorsed "S.P."					
1798P	Tablet 4mg	100	2	*5.93	Periactin	FR
2910E	CYTARABINE Injection set containing 100mg and 5mL solvent	10	1	*82.33	Cytosar-U	UP
	DANAZOL To be accompanied by an authority from the Director of Health.					
1287R	Capsule 200mg	100	..	122.17	Danocrine	WL
	DANTROLENE SODIUM To be accompanied by an authority from the Director of Health.					
1779P	Capsule 25mg	100	..	19.87	Dantrium	NW
1780Q	50mg	100	..	30.17	Dantrium	NW
1272Y	DAPSONE Tablet 100mg	100	2	4.57	Avlosulfon	IC
	DAUNORUBICIN To be accompanied by an authority from the Director of Health.					
3114X	I.V. Infusion 20mg (base)	10	..	*335.23	Cerubidin	MB
2740F	DEBRISOQUINE Tablet 10mg	100	2	6.48 7.31	Redu-Press M Declinax	PT RO
2741G	20mg	100	2	8.16 9.23	Redu-Press Declinax	PT RO
2972K	DESIPRAMINE Tablet 25mg	50	2	5.24	Pertofran	GE
2129C	DESMOPRESSIN Nasal Solution 100 micrograms per mL, 2.5mL	5	2	*106.28	Minirin	PT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	DEXAMETHASONE To be endorsed "S.P."			\$	
2508B	Injection 120mg in 5mL	1	..	32.88	Decadron Shock Pak MK
1292B	DEXAMETHASONE Tablet 500 micrograms	30	2	3.84 3.91	Dexamethsone PT Oradexon OR
2507Y	4mg	30	1	8.31	Dexamethsone PT
2509C	Injection 4mg in 1mL	5	..	9.63	Decadron MK
1290X	5mg in 1mL	5	..	12.29	Oradexon OR
1291Y	8mg in 2mL	5	..	14.97	Decadron MK
1288T	Eye Drops 0.1%, 5mL	≠1	2	4.51	Maxidex AQ
2759F	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 500 micrograms-5mg- 50 micrograms per g, 5g	≠1	2	3.63	Sofradex RL
2781J	DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms (base)-5mg- 50 micrograms per mL, 8mL	≠1	2	3.78	Sofradex RL
1165H	DEXAMPHETAMINE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	..	4.97	SI
1295E	DEXCHLORPHENIRAMINE Tablet 2mg	50	2	3.61	Polaramine SH
	DEXTRAN 40 See Intravenous Infusions				
	DEXTRAN 70 See Intravenous Infusions				
	DEXTROMORAMIDE To be endorsed "S.P."				
2702F	Tablet 5mg	20	..	4.97	Palfium FA
2701E	Injection 5mg in 1mL	10	..	*9.73	Palfium FA
1024X	Suppositories 10mg, 10	≠1	..	6.57	Palfium FA
3040B	DEXTROSE Injection 50%, 10mL	5	..	5.26	BL
	Injections 500mL and 1L - See Intravenous Infusions				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
3161J	DIAZEPAM Tablet 2mg	50	..	3.38	Ducene Pro-Pam Valium	SU PT RO
3162K	5mg	50	..	3.63 3.71	Ducene Pro-Pam Valium	SU PT RO
2559Q	Paediatric Syrup 2mg per 5mL, 100mL	≠1	..	3.91	Valium	RO
2558P	Injection 10mg in 2mL	5	..	4.48	Valium BL	RO
3068L	DIAZOXIDE Injection 300mg in 20mL	1	..	15.72	Hyperstat I.V.	SH
1310Y	DIENOESTROL Cream 0.01%, 85g	≠1	1	3.97	ET	
2506X	DIFENOXIN HYDROCHLORIDE with ATROPINE SULPHATE Tablet 500 micrograms-25 micrograms	20	..	3.58	Lyspafen	PT
2605D	DIGOXIN Tablet 62.5 micrograms	100	2	3.84	Lanoxin-PG	BW
1322N	250 micrograms	50	2	3.38	Cardiox Lanoxin RY	NN BW
3164M	Oral Solution for Children 50 micrograms per mL, 100mL	≠1	2	5.83	Lanoxin	BW
1321M	Injection BP, 500 micrograms in 2mL	5	1	6.51	Lanoxin	BW
2537M	Injection for Infants 50 micrograms in 2mL	5	1	6.77	Lanoxin	BW
2937N	DIHYDROCODEINE TARTRATE Linctus 0.19%, 100mL	≠1	2	3.17	Paracodin Rikodeine	KN RK
1323P	DIHYDROERGOTAMINE Injection 1mg in 1mL	5	..	5.24	Dihydergot	SZ
1483C	DIHYDROTACHYSTEROL To be accompanied by an authority from the Director of Health.	100	..	17.38	A.T.10	WL
1331C	DI-iodohydroxyquinoline Compound Pessaries 100mg, 25	≠1	1	4.14	Floraquin	SR
1333E	DILOXANIDE FUROATE Tablet 500mg	30	..	*9.99	Furamide	BT
1334F	DIMERCAPROL Injection 5%, 2mL	12	..	27.59	B.A.L.	BT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	DIMETHICONE To be endorsed "S.P."			\$		
2233M	Cream 10%, 50g	≠1	..	3.11	Dermabase-S	HA
2618T	10%, 75g	≠1	..	3.27	Silcon	FA
	Solution - See Colostomy and Ileostomy					
2517L	DIMETHINDENE Tablet 1mg	50	2	3.61	Fenostil	ZY
	DIOCTYL SODIUM SULPHOSUCCINATE To be endorsed "S.P."					
3066J	Tablet 50mg	100	2	3.71	Coloxyl 50	FM
3067K	120mg	100	2	4.24	Coloxyl 120	FM
	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL To be endorsed "S.P."					
1125F	Suppositories 100mg-10mg, 5	2	..	*4.61	Coloxyl	FM
	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON To be endorsed "S.P."					
2710P	Tablet 50mg-50mg	100	2	3.91	Coloxyl with Danthron	FM
1336H	DIPHENHYDRAMINE Capsule 50mg	50	2	3.63	Benadryl	PD
2780H	Paediatric Elixir 12.5mg per 5mL, 100mL	≠1	4	3.31	Benadryl	PD
2501P	DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25 micrograms	20	..	3.58	Lomotil	SR
1340M	DIPHENYLPYRALINE Tablet 2.5mg	50	2	3.59 3.61	Anti-Hist Histalert	PT RK
2351R	Paediatric Syrup 2.5mg per 5mL, 100mL	≠1	4	3.31	Histalert	RK
1342P	DIPHThERIA ANTITOXIN Injection 1,000 Units	2	1	*10.79	CS	
1344R	10,000 Units	2	1	*39.55	CS	
	DIPHThERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years.					
1341N	Injection 0.5mL	3	..	*6.47	CS	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.			\$	
3019X	Injection 0.5mL	3	..	*6.47	CS
1346W	DIPHTHERIA, TETANUS and PERTUSSIS VACCINE Injection 0.5mL	3	..	*6.05	CS,PD
1348Y	DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years. Injection 0.5mL	2	1	*5.45	CS
3020Y	DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years. Injection 0.5mL	2	..	*5.31	CS
1351D	DIPIVEFRIN HYDROCHLORIDE Eye Drops 0.1%, 10mL	#1	6	8.41	Propine AG
3140G	DIPYRIDAMOLE To be accompanied by an authority from the Director of Health. Tablet 100mg	100	..	17.03	Persantin BY
2923W	DISOPYRAMIDE To be endorsed "S.P." Capsule 100mg	100	2	16.56	Norpac Rythmodan SR RL
2924X	150mg	100	2	21.43	Norpac Rythmodan SR RL
1012G	DOXEPIN To be accompanied by an authority from the Director of Health. Tablet 50mg	50	..	5.03	Sinequan PF
1022T	DOXEPIN Tablet 10mg	50	2	3.63	Quitaxon RC
1023W	25mg	50	2	4.53	Quitaxon RC
1011F	Capsule 10mg	50	2	3.63	Sinequan PF
1013H	25mg	50	2	4.53	Sinequan PF

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	DOXYCYCLINE To be endorsed "S.P."			\$	
2711Q	Tablet 50mg	25	5	6.89	Vibra-Tabs PF
2709N	DOXYCYCLINE Tablet 100mg	7	..	5.11	Vibramycin PF
2708M	Capsule 100mg	7	..	4.64 5.11	Cyclidox Doxin PT GP
2900P	DOXYLAMINE with PYRIDOXINE To be endorsed "S.P."				
	Tablet 10mg-10mg	30	1	4.37	Debendox ML
1354G	DYDROGESTERONE To be accompanied by an authority from the Director of Health.				
	Tablet 5mg	100	..	20.29	Duphaston ET
1364T	ECONAZOLE NITRATE Cream 1%, 20g	#1	1	4.97	Ecostatn Pevaryl SQ SK
1366X	Pessaries 150mg, 3	#1	..	5.69	Ecostatn Pevaryl SQ SK
1359M	ECOTHIOPATE IODIDE Eye Drops 0.03%, 1.5mg and 5mL solvent	#1	6	#7.50	Phospholine Iodide AY
2405N	0.06%, 3mg and 5mL solvent	#1	6	#7.65	Phospholine Iodide AY
1360N	0.125%, 6.25mg and 5mL solvent	#1	6	#7.78	Phospholine Iodide AY
1561P	0.25%, 12.5mg and 5mL solvent	#1	6	#7.90	Phospholine Iodide AY
2992L	ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	#1	..	4.03	Repalyte DH
	ELECTROLYTE REPLACEMENT SOLUTION See Intravenous Infusions				
3069M	EPICILLIN Capsule 250mg	25	..	5.23	Dexacillin SQ
3070N	500mg	12	1	4.94	Dexacillin SQ
3085J	Powder for Syrup 125mg per 5mL, 100mL	#1	..	#5.01	Dexacillin SQ
3086K	250mg per 5mL, 100mL	#1	..	#6.27	Dexacillin SQ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ERGOALCIFIEROL To be endorsed "S.P."			\$		
2498L	Tablet 250 micrograms	100	2	6.16	Ostelin	GL
2500N	Oral Solution 15mg (600,000 Units) in 1.5mL alcoholic solution	3	2	4.64	Sterogyl-15	RL
1380P	ERGOMETRINE MALEATE Tablet 200 micrograms	25	..	4.03	Ergotrate	LY
1378M	Injection 250 micrograms in 1mL	5	..	3.78	BL	
1384W	ERGOTAMINE TARTRATE Tablet 1mg	50	2	5.11	Lingraine	WL
1385X	ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	5.83	Cafergot	SZ
1386Y	Compound Suppositories, 6	≠1	2	4.84	Cafergot PB	SZ
1387B	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	5.83	Migral	BW
1388C	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	5.83	Ergodryl	PD
1400Q	ERYTHROMYCIN Tablet 125mg	25	..	4.31	EMU-V	UP
2749Q	200mg	25	..	4.68	Erythrocin	AB
1401R	250mg	25	..	5.28	EMU-V Erythrocin Ethryn	UP AB FA
1402T	Capsule 125mg	25	..	4.31	Eryc	FA
1403W	250mg	25	..	5.24 5.28	E-Mycin Eryc Erythrocin Ilocap	PT FA AB LY
2499M	Paediatric Drops 100mg per mL, 10mL	≠1	..	4.24	Ilosone	LY
2425P	Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	4.56	Eromycin Erythrocin Ilosone	DL AB LY
2424N	Powder for Paediatric Suspension 200mg per 5mL, 100mL	≠1	..	#5.48	EES 200	AB
2610J	Suspension 250mg per 5mL, 100mL	≠1	..	6.38	Erythrocin	AB
1395K	Injection I.M. 100mg in 2mL	5	..	8.51	Erythrocin	AB
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1398N	ERYTHROMYCIN - cont. Infusion I.V. 300mg	5	..	\$ *22.38	Erythrocin	AB
1397M	lg	1	..	13.63	Erythrocin Ilotycin	AB LY
2511E	ETHACRYNIC ACID To be endorsed "S.P." Tablet 50mg	50	2	7.24	Edecril	MK
1271X	ETHANOLAMINE OLEATE Injection 5%, 2mL	5	1	7.57	Ethamolin	GL
1405Y	ETHINYLOESTRADIOL Tablet 10 micrograms	100	1	3.74	Estigyn	AH
1406B	20 micrograms	100	1	3.91	Estigyn Primogyn C	AH SC
1407C	50 micrograms	100	1	4.64	Estigyn	AH
1413J	ETHOSUXIMIDE Capsule 250mg	200	1	14.57	Zarontin	PD
1414K	Paediatric Syrup 250mg per 5mL, 250mL	#1	4	5.71	Zarontin	PD
1419Q	ETHYLNORADRENALINE Injection 2mg in 1mL	5	..	4.97	Bronkephrine	WL
2370R	ETHYLOESTRENOL To be accompanied by an authority from the Director of Health. Tablet 2mg	100	1	13.56	Orabolin	OR
3166P	ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 21	2	2	*4.59	Ovulen 0.5/50	SR
3167Q	1mg-50 micrograms, 21	2	2	*4.59	Ovulen 1/50	SR
2447T	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*4.59	Ovulen 0.5/50-28	SR
3168R	Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	*4.59	Ovulen 1/50-28	SR
3169T	ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms-100 micrograms, 21	2	2	*4.59	Ovulen 0.5	SR
3170W	1mg-100 micrograms, 21	2	2	*4.59	Ovulen 1	SR
3171X	2mg-100 micrograms, 21	2	2	*4.59	Ovulen 2	SR
1313D	FENOTEROL HYDROBROMIDE Inhalation, metered aerosol spray 200 micrograms per dose (300 dose)	#1	1	6.04	Berotec	BY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2465R	FERROUS AMINOACETOSULPHATE Paediatric Syrup 100mL	≠1	4	\$ 3.38	Plesmet	NN
1424Y	FERROUS GLUCONATE Tablet 300mg	100	2	3.38	Fergon RY	WL
2726L	Paediatric Elixir 6%, 100mL	≠1	4	3.38	Fergon	WL
1150M	FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	3.38	Slow-Fe	CB
2689M	350mg (sustained release)	30	2	3.27 3.38	Feritard Ferro-Gradumets	PT AB
3100E	Capsule 320mg (delayed release)	30	2	3.38	Fespan	SK
3150T	FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	3.38	Feritard Folic	PT
3160H	270mg-300 micrograms (sustained release)	30	2	3.44	F.G.F.	AB
3149R	Capsule 270mg-300 micrograms (delayed release)	30	2	3.44	Fefol	SK
1363R	FLUCLOROLONE ACETONIDE Cream 0.025%, 15g	≠1	1	3.26	Topilar	SD
1073L	FLUCYTOSINE To be endorsed "S.P." Tablet 500mg	100	..	68.87	Ancotil	RO
1433K	FLUDROCORTISONE ACETATE Tablet 100 micrograms	100		6.42	Florinef	SQ
2823N	FLUMETHASONE with CLIQUINOL Ear Drops 0.02%-1%, 7.5mL	≠1	..	3.78	Locacorten Vioform	CB
2677X	FLUOCORTOLONE ESTERS Cream 0.08%, 100g	≠1	..	4.17	Topodil	SC
1305Q	0.2%, 15g	≠1	1	3.26	Ultralan-D	SC
2678Y	Ointment 0.08%, 100g	≠1	..	4.17	Topodil	SC
1306R	0.2%, 15g	≠1	1	3.26	Ultralan-D	SC
1307T	Ointment (Anhydrous) 0.2%, 15g	≠1	1	3.26	Ultralan-D Fatty	SC
1204J	FLUOROMETHOLONE Eye Drops 0.1%, 5mL	≠1	6	4.64	Flucon FML Liquifilm	AQ AG
2521Q	FLUOROURACIL Injection 250mg per 10mL	10	..	28.89	RO	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	FLUOXYMESTERONE To be accompanied by an authority from the Director of Health.			\$	
1435M	Tablet 5mg	100	1	20.13	Halotestin UP
	FLUPHENAZINE To be endorsed "S.P."				
2659Y	Tablet 1mg	100	1	5.61	Anatensol SQ
2660B	2.5mg	100	1	7.31	Anatensol SQ
2661C	5mg	100	1	8.23	Anatensol SQ
2662D	Elixir 500 micrograms per mL, 60mL	#1	4	3.83	Anatensol SQ
	FLUPHENAZINE DECANOATE To be endorsed "S.P."				
1046C	Injection 12.5mg in 0.5mL	5	..	12.63	Modecate SQ
3098C	25mg in 1mL	5	..	22.03	Modecate SQ
1001Q	50mg in 2mL	5	..	29.76	Modecate SQ
	FOLIC ACID				
2958Q	Tablet 500 micrograms	100	..	3.27 3.28	DH,PT Folettes Folicid SI FM US
1437P	5mg	100	2	3.42 3.44	DH,PT Folasic Folicid FM,PR,RT,SI NN US
1436N	Injection 15mg in 1mL	10	..	*7.13	AB
	FOSFESTROL TETRASODIUM To be endorsed "S.P."				
1353F	Tablet 120mg	100	2	26.88	Honvan BC
1352E	Injection 250mg in 5mL	10	..	17.29	Honvan BC
	FRAMYCETIN				
1439R	Eye Ointment 0.5%, 5g	#1	..	3.44	Soframycin RL
1440T	Eye and Ear Drops 0.5%, 8mL	#1	2	3.82	Soframycin RL
	FRUSEMIDE To be endorsed "S.P."				
2415D	Tablet 500mg	50	2	20.89 33.56	Urex-Forte FM Lasix HP
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	FRUSEMIDE - cont.			\$		
2414C	Tablet 20mg	50	2	4.03 4.31	Urex-M Lasix-M	FM HP
2412Y	40mg	50	2	4.31 4.43 4.57	Urex Uremide Lasix	FM PT HP
2411X	Oral Solution 10mg per mL, 30mL	≠1	2	5.57	Lasix	HP
2413B	Injection 20mg in 2mL	5	..	5.46	Lasix	HP
	FUSIDIC ACID To be accompanied by an authority from the Director of Health.					
2312Q	Tablet (Sodium Salt) 250mg (enteric coated)	36	..	48.68	Fucidin	SK
2311P	Suspension 50mg per mL, 90mL	≠1	..	22.29	Fucidin	SK
1175W	GAMMA BENZENE HEXACHLORIDE Cream 1%, 200g	≠1	2	5.43	Lorexane	IC
1176X	Head Lotion 0.2%, 200mL	≠1	..	4.37	Lorexane	IC
1178B	Lotion Concentrate 1%, 200mL	≠1	..	4.37	Lorexane Concentrate	IC
2699C	GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection: 1 amp containing 10,000 Units Perfringens; 10,000 Units Oedematiens; 5,000 Units Septicum	2	1	*55.55	CS	
1067E	GENTAMICIN SULPHATE Injection 10mg (base) in 1mL	5	..	11.63	Garamycin	SH
1068F	40mg (base) in 1mL	5	..	15.06 15.57	Cidomycin Garamycin BL	RL SH
1168L	60mg (base) in 1.5mL	5	..	18.28 18.89	Cidomycin Garamycin BL	RL SH
2824P	80mg (base) in 2mL	5	..	21.52 22.22	Cidomycin Garamycin BL	RL SH
2939Q	GLIBENCLAMIDE Tablet 5mg	100	2	13.56	Daonil Euglucon	HP RC
2449X	GLICLAZIDE Tablet 80mg	100	2	13.56	Diamicron	SE
1447E	GLUCAGON HYDROCHLORIDE Injection 1 I.U. with diluent	1	1	8.16	Novo LY	NO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2909D	GLUCOSE INDICATOR - BLOOD Reagent Strips 25	≠1	2	\$ 6.23	Ames-BG BM-Test-BG	AM BO
1448F	GLUCOSE INDICATOR - URINE Test Dispenser 4m	≠1	2	5.03	Tes-Tape	LY
2352T	Reagent Strips 100	≠1	2	4.24	BM-Test Glucose Clinistix	BO AM
3104J	Reagent Strips 100	≠1	2	4.34	Diastix	AM
3107M	GLUCOSE and KETONE INDICATOR - URINE Reagent Strips 100	≠1	2	4.78	Keto-Diastix	AM
3135B	GLYCEROL To be endorsed "S.P." Suppositories 1g, 10	≠1	1	3.63	FA	
2673Q	GLYCEROL 100mL	≠1	1	3.08	DH	
1453L	GLYCEROPHOSPHATE COMPOUND Syrup APF 1964, 100mL	≠1	4	3.23 3.33 3.38	MG Glyfosolix SI PR	DH
1459T	GLYCERYL TRINITRATE Tablet 600 micrograms	100	2	3.57	Anginine Stabilised	BW
1452K	Ointment 2%, 60g	≠1	..	9.51	Nitro-Bid	PT
2594M	GLYMIDINE Tablet 500mg	100	2	7.64	Gondafon	SC
1460W	GRISEOFULVIN To be accompanied by an authority from the Director of Health. Tablet 125mg	100	..	8.97	Fulcin 125 Grisovin	IC GL
2983B	330mg	28	..	8.04	Griseostatin	SH
2982Y	500mg	28	..	8.71	Fulcin 500 Grisovin 500	IC GL
1461X	GUANETHIDINE Tablet 10mg	100	1	5.64 6.23	Antipres M Ismelin	PT CB
1462Y	25mg	100	1	9.63 11.03	Antipres Ismelin	PT CB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	HALOPERIDOL To be endorsed "S.P."			\$	
2767F	Tablet 1.5mg	100	1	5.38 6.31	Pacedol Serenace PT SR
2770T	5mg	50	1	6.36 8.64	Pacedol Serenace PT SR
2768Q	Injection 5mg in 1mL	10	..	10.97	Serenace SR
1234Y	HEPARIN CALCIUM Injection 5,000 Units in 0.2mL	5	5	8.97	Calciparine DF
1235B	5,000 Units in 0.5mL	5	5	8.83 8.97	GL Caprin CS
1053K	12,500 Units in 0.5mL	2	5	8.31 *8.33	Calciparine CS DF
1054L	25,000 Units in 1mL	2	5	10.31 *10.33	Calciparine CS DF
1466E	HEPARIN SODIUM Injection BP, 5,000 Units in 0.2mL	5	5	7.57	BL
1467F	5,000 Units in 1mL	5	5	7.57 8.03	BL,WP CS,GL
1469H	20,000 Units in 20mL	12	5	45.42 *45.53	BL CS
1468G	25,000 Units in 5mL	2	5	*10.33	CS,WP
1076P	35,000 Units in 35mL	12	5	*98.33	CS,WP
3124K	HEXAMINE HIPPURATE Tablet 1g	100	2	8.89	Hiprex RK
1617D	HEXAMINE MANDELATE Tablet 250mg	100	2	3.71	Mandelamine WW
1618E	500mg	100	2	5.03	Mandelamine Hafgrams WW
2690N	1g	100	2	7.03	Mandelamine WW
2541R	HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15mL	≠1	2	4.31	AG,AQ
2542T	5%, 15mL	≠1	2	4.71	AG,AQ
1640H	HYDRALAZINE HYDROCHLORIDE Tablet 25mg	100	2	6.38 6.77	Supres 25 Apresoline PT CB
1639G	50mg	100	2	8.64 9.23	Supres 50 Apresoline PT CB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
1484D	HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	4.19	Dichlotride Esidrex	MK CB
1485E	50mg	50	2	5.43	Dichlotride Esidrex	MK CB
1486F	HYDROCHLOROTHIAZIDE with AMILORIDE Tablet 50mg-5mg	30	2	4.62	Moduretic	MK
1280J	HYDROCHLOROTHIAZIDE with TRIAMTERENE Tablet 25mg-50mg	30	2	4.62	Dyazide	SK
1499X	HYDROCORTISONE Tablet 4mg	50	1	3.97	Hysone	PT
1500Y	20mg	30	2	4.97	Hysone	PT
1488H	Eye Drops 0.5%, 5mL	≠1	2	3.78	Hycor	SI
1489J	0.5%, 10mL	≠1	2	4.03	Hycor	SI
1490K	1%, 3mL	≠1	2	3.78	Hycor	SI
1492M	1%, 10mL	≠1	2	4.24	Hycor	SI
1493N	2.5%, 5mL	≠1	2	4.24	Hycor	SI
1494P	2.5%, 10mL	≠1	2	4.71	Hycor	SI
1496R	Eye Ointment 0.5%, 4g	≠1	..	3.63	Cortef	UP
1497T	0.5%, 5g	≠1	..	3.84	Hycor	SI
2441L	1%, 5g	≠1	..	3.91	Hycor	SI
2887Y	Cream 1%, 30g	≠1	1	3.78	Adacor Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC	NN UP PD US PR SI SQ
2881P	1%, 50g	≠1	1	4.37	Adacor Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC	NN UP PD US PR SI SQ
2888B	Topical Ointment 1%, 30g	≠1	1	3.78	Adacor Cortef Dermacort "O" Procort Sigmacort Squibb-HC	NN UP PD PR SI SQ
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2882Q	HYDROCORTISONE - cont. Topical Ointment 1%, 50g	≠1	1	\$ 4.37	Adacor Cortef Dermacort "O" Procort Sigmacort Squibb-HC NN UP PD PR SI SQ
2794C	HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5mL	≠1	..	3.71	Neo-Cortef UP
2795D	Ear Ointment 1.5%-0.5%, 4g	≠1	2	3.63	Neo-Cortef UP
1498W	HYDROCORTISONE ACETATE To be endorsed "S.P." Injection 25mg in 1mL	5	..	5.51	Hysone-A PT
3097B	HYDROCORTISONE SODIUM SUCCINATE To be endorsed "S.P." Injection set containing equivalent of 500mg hydrocortisone and solvent	1	..	14.03	Solu-Cortef UP
1501B	HYDROCORTISONE SODIUM SUCCINATE Injection Set containing equivalent of 100mg hydrocortisone and 2mL solvent	2	..	*7.59 *7.65	Nordicort Efcortelan Solu-Cortef NR GL UP
3096Y	containing equivalent of 250mg hydrocortisone and solvent	1	..	8.17	Solu-Cortef UP
1503D	HYDROFLUMETHIAZIDE Tablet 50mg	50	2	5.81	Hydrenox BT
1504E	HYDROGEN PEROXIDE SOLUTION, DILUTE (10 vol), 100mL	≠1	..	2.54	FA
1512N	HYDROXYCHLOROQUINE Tablet 200mg	100	..	9.63	Plaquenil WL
3093T	HYDROXYUREA Capsule 500mg	100	..	27.96	Hydrea SQ
3042D	HYOSCINE BUTYLBROMIDE Injection 20mg in 1mL	5	..	4.71	Buscopan BY
2956N	HYPROMELLOSE Eye Drops 0.5%, 15mL	≠1	6	3.59 3.63	IQ Isopto Tears Lacril Methopt AQ AG SI
2952J	1%, 15mL	≠1	6	3.78	Methopt Forte SI
1509K	HYPROMELLOSE with DEXTRAN Eye Drops 0.3%-0.1%, 15mL	≠1	6	4.11	Tears Naturale AQ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3198H	IBUPROFEN Tablet 200mg	50	2	\$ 4.24 4.34	Inflam Brufen	PT BT
3190X	400mg	50	2	5.03 5.11	Inflam Brufen	PT BT
2442M	IDOXURIDINE To be endorsed "S.P." Eye Drops 0.1%, 15mL	≠1	2	5.51	Herplex Stoxil	AG SK
2569F	Eye Ointment 0.5%, 5g	≠1	..	5.51	Stoxil	SK
2567D	IDOXURIDINE Topical Ointment 0.5%, 5g	≠1	..	3.52	Stoxil	SK
2420J	IMIPRAMINE Tablet 10mg	50	2	3.39	Imiprin Tofranil	PT GE
2421K	25mg	50	2	4.17 4.19 4.27	Imiprin Melipramine Tofranil	PT UW(N) GE
2719D	Injection I.M. 25mg in 2mL	10	..	6.97	Tofranil	GE
2454E	INDOMETHACIN Capsule 25mg	50	2	4.97	Indocid Rheumacin	MK PT
2757D	Suppository 100mg	20	2	9.24	Indocid	MK
2851C	INFLUENZA VACCINE To be endorsed "S.P." Injection (Trivalent) 1mL	1	..	6.36	CS	
1141C	INSECT ALLERGEN EXTRACT - BULL ANT Injection Set - strengths A,B,C each 5mL	1	..	38.62	CS	
1139Y	Set - strengths A,B,C,D each 5mL	1	..	53.28	CS	
1138X	Strength C, 5mL	1	..	15.63	CS	
1142D	Strength D, 5mL	1	..	16.49	CS	
2884T	INSECT ALLERGEN EXTRACT - HONEY BEE Injection Set - strengths A,B,C each 5mL	1	..	38.62	CS	
2883R	Set - strengths A,B,C,D each 5mL	1	..	53.28	CS	
2870C	Strength C, 5mL	1	..	15.63	CS	
2885W	Strength D, 5mL	2	..	*31.03	CS	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	INSECT ALLERGEN EXTRACT - JUMPER ANT Injection			\$	
3022C	Set - strengths A,B,C each 5mL	1	..	38.62	CS
3034Q	Set - strengths A,B,C,D each 5mL	1	..	53.28	CS
3025F	Strength C, 5mL	1	..	15.63	CS
3023D	Strength D, 5mL	1	..	16.49	CS
	INSECT ALLERGEN EXTRACT - MOSQUITO Injection				
1473M	Set - strengths A,B,C each 5mL	1	..	38.62	CS
1474N	Set - strengths A,B,C,D each 5mL	1	..	53.28	CS
1471K	Strength C, 5mL	1	..	15.63	CS
1475P	Strength D, 5mL	1	..	16.49	CS
	INSECT ALLERGEN EXTRACT - PAPER WASP Injection				
2959R	Set - strengths A,B,C each 5mL	1	..	38.62	CS
2948E	Set - strengths A,B,C,D each 5mL	1	..	53.28	CS
2919P	Strength C, 5mL	1	..	15.63	CS
2960T	Strength D, 5mL	1	..	16.49	CS
	INSULIN Injection (bovine)				
1710B	100 Units per mL, 10mL	5	2	*43.73	BW,CS
1530M	300 Units per mL, 5mL	10	2	*124.83	CS
	INSULIN BIPHASIC Injection (mixed porcine/bovine)				
1723Q	100 Units per mL, 10mL	5	2	*43.73 *48.93	Bitard CS Rapitard M.C. Novo NO
	INSULIN ISOPHANE (N.P.H.) Injection (bovine)				
1711C	100 Units per mL, 10mL	5	2	*43.73 *48.93	Hypurin Isophane WP Isotard CS BW Isophane M.C. NO
	Injection (porcine)				
1712D	100 Units per mL, 10mL	5	2	*43.73 *48.93	Isotard PC CS Insulatard Nordisk PT Protaphane M.C. NO
	INSULIN ISOPHANE (N.P.H.) - INSULIN NEUTRAL, (MIXED) Injection (porcine)				
1427D	100 Units (70 Units-30 Units) per mL, 10mL	5	2	*48.93	Mixtard Nordisk PT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
				\$	
1713E	INSULIN NEUTRAL Injection (bovine) 100 Units per mL, 10mL	5	2	*43.73	Hypurin Neutral WP
1714F	Injection (porcine) 100 Units per mL, 10mL	5	2	*43.73 *48.93	Nuralin CS Actrapid M.C. Novo NO Velosulin Nordisk PT
1715G	INSULIN PROTAMINE ZINC Injection (bovine) 100 Units per mL, 10mL	5	2	*43.73	BW,CS
1716H	INSULIN ZINC SUSPENSION (Lente) Injection (bovine) 100 Units per mL, 10mL	5	2	*43.73	BW,CS
1717J	Injection (porcine) 100 Units per mL, 10mL	5	2	*43.73 *48.93	Lente PC CS Monotard M.C. Novo NO
1430G	Injection (mixed porcine/bovine) 100 Units per mL, 10mL	5	2	*48.93	Lente M.C. Novo NO
1719L	INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente) Injection (bovine) 100 Units per mL, 10mL	5	2	*43.73	BW,CS
1720M	Injection (porcine) 100 Units per mL, 10mL	5	2	*43.73 *48.93	Semilente PC CS Semilente M.C. NO Novo
1721N	INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente) Injection (bovine) 100 Units per mL, 10mL	5	2	*43.73 *48.93	BW,CS Ultralente M.C. NO Novo
	INTRAVENOUS INFUSIONS 500mL and 1L - see separate listings immediately before 'dental' benefits at end of Section 2				
1298H	IRON DEXTRAN Injection 2mL	5	..	5.89	Imferon FC
2764L	IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	3.38	Ferrum H SI
2593L	Injection 100mg (Iron) in 2mL	5	..	6.29	Ferrum H SI
1552Q	IRON SORBITOL Injection I.M. Trivalent Iron 2mL	5	..	6.29	Jectofer AP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1553R	ISONIAZID Tablet 50mg	200	2	\$ 4.24	FM
1554T	100mg	100	2	4.24	FM
2744K	ISOPRENALINE HYDROCHLORIDE Tablet 30mg (sustained release)	100	2	10.31	Saventrine PN
1556X	Injection 1 in 5,000, 1mL	5	..	7.72	Isuprel WL
2953K	1 in 5,000, 5mL	5	..	10.41	Isuprel WL
2587E	ISOSORBIDE DINITRATE Tablet 10mg	100	2	3.84	Isordil Isotrate AY PD
2588F	Sublingual Tablet 5mg	100	2	3.71	Isordil Sublingual Isotrate AY Sublingual PD
3101F	KANAMYCIN Injection 30mg in 1mL	5	1	8.89	Kanasig SI
1562F	250mg in 2mL	5	..	12.63	Kanasig SI
1563G	500mg in 2mL	5	..	13.71	Kanasig Kantrex SI BC
1564H	1g in 3mL	5	..	15.91	Kanasig Kantrex SI BC
2988G	KAOLIN with PECTIN Mixture 5.91g-132mg per 30mL, 375mL	≠1	2	3.84	Kaopectate UP
1566K	LABETALOL To be endorsed "S.P." Tablet 100mg	100	2	11.89	Trandate AH
1567L	200mg	100	2	17.69	Trandate AH
3064G	LACTULOSE To be accompanied by an authority from the Director of Health. Mixture 3.34g per 5mL, 500mL	≠1	..	11.57	Duphalac ET
3143K	LEVODOPA Tablet 100mg	50	2	6.14	Larodopa RO
3144L	250mg	100	2	9.91	Larodopa RO
3014P	500mg	250	2	30.28	Larodopa RO
3076X	Capsule 100mg	50	2	6.14	Syndopa FA
3077Y	250mg	100	2	10.31	Syndopa FA
3078B	500mg	250	2	30.28	Syndopa FA

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2227F	LEVODOPA with BENSERAZIDE Capsule 50mg-12.5mg	100	2	\$ 11.12	Madopar Q	RO
2225D	100mg-25mg	100	2	16.66	Madopar-M	RO
2226E	200mg-50mg	100	2	25.41	Madopar	RO
1244L	LEVODOPA with CARBIDOPA Tablet 100mg-10mg	100	2	16.66	Sinemet M	MK
1245M	250mg-25mg	100	2	31.33	Sinemet	MK
2913H	LEVONORGESTREL Tablet 30 micrograms, 28	2	2	*4.59	Microlut 28 Microval 28	SC WY
1455N	LEVONORGESTREL with ETHINYLOESTRADIOL Tablet 125 micrograms-50 micrograms, 21	2	2	*4.59	Microgynon 50	SC
1393H	150 micrograms-30 micrograms, 21	2	2	*4.59	Microgynon 30 Nordette 21	SC WY
3186Q	250 micrograms-50 micrograms, 21	2	2	*4.59	Neogynon Nordiol 21	SC WY
1457Q	Pack containing 11 tablets 50 micrograms-50 micrograms and 10 tablets 125 micrograms- 50 micrograms	2	2	*4.59	Biphasil 21	WY
1458R	Pack containing 11 tablets 50 micrograms-50 micrograms, 10 tablets 125 micrograms- 50 micrograms and 7 inert tablets	2	2	*4.59	Biphasil 28 Sequilar ED	WY SC
1456P	Pack containing 21 tablets 125 micrograms-50 micrograms and 7 inert tablets	2	2	*4.59	Microgynon 50 ED	SC
1394J	Pack containing 21 tablets 150 micrograms-30 micrograms and 7 inert tablets	2	2	*4.59	Microgynon 30 ED Nordette 28	SC WY
3188T	Pack containing 21 tablets 250 micrograms-50 micrograms and 7 inert tablets	2	2	*4.59	Neogynon ED Nordiol 28	SC WY
1391F	Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms and 10 tablets 125 micrograms-30 micrograms	2	2	*4.59	Triphasil Triquilar	WY SC
(continued)						

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	LEVONORGESTREL with ETHINYLOESTRADIOL - cont.			\$		
1392G	Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms, 10 tablets 125 micrograms-30 micrograms and 7 inert tablets	2	2	*4.59	Triphasil 28 Triquilar ED	WY SC
2875H	LIGNOCAINE Injection 100mg in 5mL	≠2	..	4.91	Xylocard 100	AP
2861N	I.M. 300mg in 3mL	1	..	5.24	Xylocard 300 I.M.	AP
2876J	Infusion 500mg in 5mL	5	..	6.89	Xylocard 500	AP
	LINCOMYCIN To be endorsed "S.P."					
3084H	Injection 300mg in 1mL	5	..	7.77	Lincocin SS Paediatric	UP
2530E	600mg in 2mL	5	..	9.23	Lincocin	UP
2318B	LIOTHYRONINE Tablet 20 micrograms	100	1	4.03	Tertroxin	GL
3059B	LITHIUM CARBONATE Tablet 250mg	100	2	4.71 4.77	Lithicarb Camcolit Carbolith	PT NE DH
3060C	400mg (sustained release)	100	1	7.31	Priadel	PT
1571Q	LOPERAMIDE HYDROCHLORIDE Capsule 2mg	12	..	3.58	Imodium	JP
2401J	LYPRESSIN Nasal Spray 50 Units per mL, 5mL	10	2	*52.03	Vasopressin	SZ
	MAFENIDE ACETATE To be accompanied by an authority from the Director of Health.					
2940R	Cream 11.2%, 454g	≠1	..	21.97	Sulfamylon	WL
2585C	MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	3.91	Maalox	BT
2160Q	Mixture 375mg per 5mL, 500mL	≠1	4	4.24	Maalox	BT
1577B	MAGNESIUM SULPHATE Paste 50g	≠1	1	3.31	Magnoplasm	FA
1576Y	100g	≠1	1	3.73	Magnoplasm	FA
	MANNITOL See Intravenous Infusions					
1579D	MEBHYDROLIN Tablet 50mg (continued)	50	2	3.61	Fabahistin	BN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	MEBHYDROLIN - cont. Paediatric Suspension			\$		
1580E	50mg per 5mL, 100mL	¶1	4	3.31	Fabahistin	BN
	MECLOZINE					
1583H	Tablet 25mg	50	2	3.63	Ancolan	AH
	MEDROXYPROGESTERONE					
	To be endorsed "S.P."					
2320D	Tablet 2.5mg	25	..	5.31	Provera	UP
2321E	10mg	100	2	28.96	Provera	UP
2725K	100mg	100	2	71.61	Provera	UP
2319C	Injection 50mg in 1mL	1	..	5.64	Depo-Provera	UP
3118D	150mg in 1mL	1	..	10.51	Depo-Provera	UP
	MEDRYSONE					
3197G	Eye Drops 1%, 5mL	¶1	6	4.64	HMS Liquifilm	AG
	MEFRUSIDE					
1823Y	Tablet 25mg	50	2	5.03	Baycaron	BN
	MELPHALAN					
2547C	Tablet 2mg	100	..	*48.65	Alkeran	BW
2548D	5mg	100	..	*80.65	Alkeran	BW
	MERCAPTOPYRINE					
1598D	Tablet 50mg	50	1	*38.89	Purinethol	BW
	METFORMIN					
	To be endorsed "S.P."					
2430X	Tablet 500mg	100	2	10.33	Glucophage	RN
1605L	500mg (sustained release)	100	2	10.34	Diabex S.R.	DF
	METHACYCLINE					
2397E	Capsule 150mg	21	..	5.11	Rondomycin	WW
2901Q	300mg	11	..	5.11	Rondomycin	WW
	METHADONE					
	To be endorsed "S.P."					
1608P	Tablet 5mg	20	..	4.57	Physeptone	BW
1609Q	10mg	20	..	4.78	Physeptone	BW
1606M	Injection 10mg in 1mL	5	..	7.77	Physeptone	BW
	METHDILAZINE					
1614Y	Tablet 4mg	50	2	3.51	Dilosyn	AH
1615B	8mg	50	2	3.64	Dilosyn	AH
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	METHDILAZINE - cont. To be endorsed "S.P."			\$		
1612W	Tablet 4mg	100	2	*5.29	Dilosyn	AH
1613X	8mg	100	2	*5.55	Dilosyn	AH
	METHENOLONE ACETATE To be accompanied by an authority from the Director of Health.					
1619F	Tablet 1mg	100	1	*6.51	Primobolan	SC
1620G	5mg	100	1	*15.03	Primobolan	SC
	METHICILLIN To be endorsed "S.P."					
2323G	Injection 1g (solvent required)	5	1	18.17	Metin	CS
	METHOTREXATE To be accompanied by an authority from the Director of Health.					
1622J	Tablet 2.5mg	100	..	19.62	LE	
2393Y	Injection 5mg (solvent required)	5	..	*22.38	LE	
2396D	5mg in 2mL	5	..	*22.38	LE	
2394B	50mg (solvent required)	5	..	*62.28	LE	
2395C	50mg in 2mL	5	..	58.61 *58.63	BL LE	
2398F	METHSUXIMIDE Capsule 300mg	200	1	14.57	Celontin	PD
1624L	METHYCLOTHIAZIDE Tablet 2.5mg	50	2	4.17	Enduron-M	AB
1625M	5mg	50	2	4.42 4.97	Urimor Enduron	PT AB
3194D	METHYLDOPA Tablet 125mg	100	2	7.09	Aldomet-M	MK
1629R	250mg	100	2	9.17 9.37	Dimal Methopa Aldomet	PT US MK
	METHYLPHENOBARBITONE To be endorsed "S.P."					
1633Y	Tablet 30mg	200	1	4.37	Prominal FM	WL
1634B	60mg	200	1	4.77	Prominal FM	WL
1635C	200mg	200	1	7.83	Prominal FM	WL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1927K	METHYLPREDNISOLONE Eye Ointment 0.1%, 4g METHYLPREDNISOLONE ACETATE To be endorsed "S.P."	#1	..	\$ 3.91	Medrol	UP
1928L	Injection 40mg in 1mL	5	..	15.63	Depo-Medrol	UP
2981X	METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1mL	5	..	15.63	Solu-Medrol	UP
1641J	METHYL SALICYLATE Liniment APF, 100mL	#1	1	3.33 3.36 3.38	Emsalin SI,TO MG PR,QE(NQ)	DH
3151W	METHYLTESTOSTERONE To be endorsed "S.P." Tablet 5mg	100	2	4.68 4.71	Testomet ET	PT
2112E	25mg	100	2	8.23 8.31	Testomet ET	PT
2113F	50mg	100	2	12.17 12.29	Testomet ET	PT
2826R	METHYSERGIDE To be endorsed "S.P." Tablet 1mg	100	2	19.23	Deseril	SZ
1207M	METOCLOPRAMIDE HYDROCHLORIDE Tablet 10mg	10	..	*3.82	Maxolon Metamide Primperan	BR PT US
1206L	Injection 10mg in 2mL	10	..	5.51	Maxolon Primperan	BR US
1208N	METOCLOPRAMIDE HYDROCHLORIDE To be accompanied by an authority from the Director of Health. Tablet 10mg	100	..	12.84	Maxolon Metamide Primperan	BR PT US
1203H	METOLAZONE Tablet 2.5mg METOPROLOL To be endorsed "S.P."	50	2	4.31	Diulo	SR
1325R	Tablet 100mg	50	2	9.63	Betaloc Lopresor	AP GE

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	METRONIDAZOLE To be accompanied by an authority from the Director of Health.			\$	
1638F	Solution for intravenous infusion 500mg in 100mL (0.5%)	1	..	15.48	Flagyl BL MB
1636D	METRONIDAZOLE Tablet 200mg	21	1	4.31 4.43	Trichozole Flagyl PT MB
1682M	MEXILETINE HYDROCHLORIDE To be endorsed "S.P." Capsule 50mg	100	2	11.82	Mexitil BY
1683N	200mg	100	2	25.67	Mexitil BY
1627P	MIANSERIN HYDROCHLORIDE To be accompanied by an authority from the Director of Health. Tablet 10mg	50	..	7.77	Tolvon OR
1276E	MICONAZOLE NITRATE Cream 2%, 20g	#1	1	4.97	Daktarin JP
1277F	Pessaries 100mg, 7	#1	..	5.69	Gyno-Daktarin 7 Monistat 7 JP ET
1273B	Vaginal Cream 2%, 40g	#1	..	5.64	Gyno-Daktarin 7 Monistat 7 JP ET
1284N	MILK POWDER - LACTOSE MODIFIED To be accompanied by an authority from the Director of Health. Lactose-Predigested Powder 500g	2	20	*11.25	Digestelact SJ
1283M	MILK POWDER - LOW LACTOSE FORMULA To be endorsed "S.P." Lactose-Predigested Powder Infant Formula 500g	2	..	*11.25	De-Lact Infant SJ
3092R	MILK POWDER - SYNTHETIC To be accompanied by an authority from the Director of Health. Low Calcium Compound Powder 397g	2	20	*22.75	Locasol MN
1637E	Low Lactose Compound Powder 454g	2	20	*24.11	Galactomin Formula 17 MN
2685H	Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g	2	20	*57.13	Galactomin Formula 19 MN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	MINERAL MIXTURE (For use with Amino Acid Formula without Phenylalanine) To be endorsed "S.P."			\$	
1451J	Powder 250g	1	2	16.31	Aminogran M.M. GL
3037W	MINOCYCLINE Capsule 100mg	11	..	5.11	Minomycin LE
	MITHRAMYCIN To be endorsed "S.P."				
1924G	Injection 2.5mg (solvent required)	5	..	*96.43	Mithracin PF
	MORPHINE with TACRINE To be endorsed "S.P."				
1667R	Tablet 30mg-15mg	50	..	13.29	Mortha WH
	MORPHINE with TACRINE				
1663M	Injection 15mg-13mg in 1.5mL	5	..	4.97	Mortha WH
1664N	30mg-13mg in 1.5mL	5	..	5.03	Mortha WH
1666Q	30mg-30mg in 1.5mL	5	..	5.64	Mortha WH
	MORPHINE SULPHATE				
1644M	Injection 10mg in 1mL	5	..	4.48	BL,LP,SI
1645N	15mg in 1mL	5	..	4.57	BL,LP,SI
1647Q	30mg in 1mL	5	..	4.91	BL
	MORPHINE SULPHATE with ATROPINE SULPHATE				
1661K	Injection 15mg-600 micrograms in 1mL	5	..	4.71	BL
	MUSTINE				
1668T	Injection 10mg (solvent required)	1	..	7.64	BT
	NALORPHINE				
3196F	Injection 1mg in 1mL	5	..	7.71	Lethidrone BW
1669W	10mg in 1mL	5	1	10.37	Lethidrone BW
	NANDROLONE DECANOATE To be accompanied by an authority from the Director of Health.				
1671Y	Injection 50mg in 1mL	1	1	11.03	Deca-Durabolin OR
	NANDROLONE PHENYLPROPIONATE To be accompanied by an authority from the Director of Health.				
1672B	Injection 25mg in 1mL	3	1	11.03	Durabolin OR
1317H	NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15mL	1	2	3.78	Albalon Liquifilm AG

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NAPROXEN			\$		
1674D	Tablet 250mg	50	2	6.93	Naprosyn	SD
1662L	Suppository 500mg	20	2	9.24	Naprosyn	SD
	NATAMYCIN					
2807R	Tablet 100mg	50	..	8.77	Pimafucin	GB
2877K	Suspension 1%, 5mL	#1	1	3.97	Pimafucin	GB
2519N	Cream 20mg per g, 15g	#1	1	4.03	Pimafucin	GB
2520P	Pessaries 25mg, 20	#1	..	5.77	Pimafucin	GB
	NEOMYCIN					
	To be endorsed "S.P."					
2325J	Tablet 500mg	25	1	10.31	Neosulf ET	PT
	NEOMYCIN					
	Eye Drops					
1673C	0.5% (0.35% Neomycin Base), 10mL	#1	2	3.78	Neopt	SI
	NEOMYCIN UNDECENOATE with BACITRACIN ZINC					
2296W	Ear Ointment 12mg (3.5mg base)- 400 Units per g, 10g	#1	..	3.71	Nemdyn	HA
	NEOSTIGMINE					
1675E	Tablet 15mg	100	2	6.11	Prostigmin	RO
1676F	Injection 500 micrograms in 1mL	5	3	3.57	Prostigmin	RO
1677G	2.5mg in 1mL	5	3	3.97	Prostigmin	RO
	NICLOSAMIDE					
1680K	Tablet 500mg	4	..	4.11	Yomesan	BN
	NICLOSAMIDE					
	To be endorsed "S.P."					
1681L	Tablet 500mg	16	..	*11.25	Yomesan	BN
	NICOTINIC ACID					
	To be endorsed with the pension number.					
1684P	Tablet 25mg	100	2	3.31	Nikacid DH	US
1685Q	50mg	100	2	3.38	Nikacid DH,RT,SI	US
1686R	100mg	100	2	3.51	Nikacid DH	US
1687T	250mg	100	2	3.63	DH	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NIFEDIPINE To be accompanied by an authority from the Director of Health.			\$		
1688W	Capsule 10mg	100	..	21.11	Adalat	BN
2723H	NITRAZEPAM Tablet 5mg	25	..	3.38	Dormicum Mogadon	PT RO
	NITROFURANTOIN To be endorsed "S.P."					
1689X	Tablet 50mg	25	1	5.34	Furadantin	NW
1690Y	100mg	25	1	7.27	Furadantin	NW
1692C	Capsule 50mg	30	1	6.17	Macrochantin	NW
1693D	100mg	30	1	8.57	Macrochantin	NW
1691B	Paediatric Suspension 25mg per 5mL, 200mL	≠1	..	4.91	Furadantin	NW
	NORETHISTERONE To be endorsed "S.P."					
2993M	Tablet 5mg	30	5	5.71	Primolut N	SC
	NORETHISTERONE					
1967M	Tablet 350 micrograms, 28	2	2	*4.59	Micronor Noriday	ET SD
	NORETHISTERONE with ETHINYLOESTRADIOL					
2772X	Tablet 500 micrograms-35 micrograms, 21	2	2	*4.59	Brevinor Modicon	SD ET
2773Y	1mg-35 micrograms, 21	2	2	*4.59	Brevinor-1 Neocon	SD ET
2774B	Pack containing 21 tablets 500 micrograms-35 micrograms and 7 inert tablets	2	2	*4.59	Brevinor Modicon	SD ET
2775C	Pack containing 21 tablets 1mg- 35 micrograms and 7 inert tablets	2	2	*4.59	Brevinor-1 Neocon	SD ET
	NORETHISTERONE with MESTRANOL					
3176E	Tablet 1mg-50 micrograms, 21	2	2	*4.59	Norinyl-1 Ortho-Novum 1/50	SD ET
3177F	1mg-80 micrograms, 21	2	2	*4.59	Ortho-Novum 1/80	ET
3178G	2mg-100 micrograms, 21	2	2	*4.59	Norinyl-2 Ortho-Novum 2	SD ET
3179H	Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	*4.59	Norinyl-1/28	SD

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NORETHISTERONE ACETATE To be endorsed "S.P."			\$		
1182F	Tablet 2.5mg	30	5	5.71	Primolut Nor	SC
2865T	10mg	100	2	26.29	SH420	SC
	NORETHISTERONE ACETATE with ETHINYLOESTRADIOL					
3180J	Tablet 1mg-50 micrograms, 21	2	2	*4.59	Minovlar	SC
3181K	3mg-50 micrograms, 21	2	2	*4.59	Gynovlar	SC
3182L	4mg-50 micrograms, 21	2	2	*4.59	Anovlar	SC
3183M	Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	*4.59	Minovlar ED Orlest	SC PD
3184N	Pack containing 21 tablets 2.5mg- 50 micrograms and 7 inert tablets	2	2	*4.59	Norlestrin	PD
	NORETHYNODREL with MESTRANOL					
3185P	Tablet 2.5mg-100 micrograms, 21	2	2	*4.59	Conovid-E	SR
	NORGESTREL with ETHINYLOESTRADIOL					
1442X	Tablet 500 micrograms-50 micrograms, 20	2	2	*4.59	Duoluton	SC
3187R	500 micrograms-50 micrograms, 21	2	2	*4.59	Eugynon Ovral	SC WY
3189W	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*4.59	Eugynon ED Ovral 28	SC WY
	NORTRIPTYLINE					
2522R	Tablet 10mg	50	2	3.36	Allegron Nortab	DL SQ
2523T	25mg	50	2	4.19	Allegron Nortab	DL SQ
2524W	Paediatric Elixir 10mg per 5mL, 100mL	≠1	4	3.31	Allegron	DL
	NUTRAMIGEN To be accompanied by an authority from the Director of Health.					
2564Y	Powder 500g	2	20	*18.85	Glucose Nutramigen	MJ
	NYSTATIN					
1696G	Tablet 500,000 Units	50	..	8.41	Diastatin Mycostatin Nilstat	GP SQ LE
1699K	Capsule 500,000 Units	50	..	8.41	Mycostatin	SQ
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3032N	NYSTATIN - cont. Lozenge 100,000 Units	20	1	\$ 3.78	Nilstat	LE
3033P	Mixture 100,000 Units per mL, 24mL	≠1	1	4.57	Mycostatin Nilstat	SQ LE
1698J	Cream 100,000 Units per g, 15g	≠1	1	3.91	Mycostatin Nilstat	SQ LE
1318J	Gel 100,000 Units per g, 15g	≠1	1	3.91	Mycostatin	SQ
1179C	Ointment 100,000 Units per g, 15g	≠1	1	3.91	Mycostatin Nilstat	SQ LE
1697H	Pessaries 100,000 Units, 15	≠1	1	4.14	Diastatin Mycostatin Nilstat	GP SQ LE
1660J	100,000 Units (cream base), 15	≠1	1	4.29	Nilstat	LE
3163L	Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	≠1	1	4.43	Mycostatin	SQ
3102G	100,000 Units per 5g, 75g (15 doses)	≠1	1	4.43	Diastatin Nilstat	GP LE
1061W	OESTRADIOL VALERATE Injection 10mg in 1mL	3	..	10.24	Primogyn Depot	SC
1700L	OESTRONE Pessaries 1,000 Units, 12	≠1	1	4.91	Kolpon	OR
1701M	10,000 Units, 12	≠1	1	6.77	Kolpon	OR
2333T	ORCIPRENALINE Tablet 20mg	100	2	6.57	Alupent	BY
2828W	Syrup 10mg per 5mL, 300mL	≠1	4	4.84	Alupent	BY
2332R	Inhalation Solution for use in HAND NEBULISER 5%, 7.5mL	≠1	..	4.17	Alupent	BY
2783L	for use in RESPIRATOR or JET NEBULISER 2%, 75mL	≠1	..	9.17	Alupent	BY
2784M	Inhalation, metered aerosol spray replacement pack, 15mg per mL, 15mL (300 dose)	≠1	1	5.37	Alupent	BY
2627G	ORPHENADRINE HYDROCHLORIDE To be endorsed "S.P." Tablet 50mg	100	2	4.77 5.37	Orpadrex Disipal	PT RK
3132W	OXAZEPAM Tablet 15mg	50	..	3.36 3.41	Benzotran Murelax Serepax	PT AY WY
(continued)						

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3133X	OXAZEPAM - cont. Tablet 30mg	50	..	\$ 3.78	Benzotran Murelax Serepax	PT AY WY
2942W	OXPRENOLOL Tablet 20mg	100	2	6.09 6.77	Captol Trasicor	PT CB
2961W	40mg	100	2	8.28 9.23	Captol Trasicor	PT CB
2941T	Injection 2mg (solvent required)	5	..	6.57	Trasicor	CB
2481N	OXYCODONE To be endorsed "S.P." Suppositories 30mg, 12	¶1	..	13.79	Proladone	BT
2622B	OXYCODONE HYDROCHLORIDE To be endorsed "S.P." Tablet 5mg	20	..	4.97	Endone	EN
2902R	OXYMETHOLONE To be accompanied by an authority from the Director of Health. Tablet 50mg	100	..	67.27	Anapolon	SD
2903T	100mg	100	..	132.23	Adroyd	PD
1724R	OXYTETRACYCLINE Capsule 250mg	25	..	4.24	Terramycin	PF
1064B	Ointment 3%, 15g	¶1	..	3.61	Terramycin	PF
1727X	OXYTOCIN Injection 2 Units in 2mL	5	..	4.77	Syntocinon	SZ
1729B	5 Units in 1mL	5	..	4.91	Syntocinon	SZ
1730C	10 Units in 1mL	5	..	5.03	Syntocinon	SZ
2400H	OXYTOCIN with ERGOMETRINE Injection 5 Units and 500 micrograms in 1mL	5	..	5.31	Syntometrine	SZ
1735H	PANCREATIN ENZYME To be endorsed "S.P." 4 times USNF.XIII strength Tablet 325mg	500	1	32.29	Viokase	RS
1736J	Powder 250g	¶1	2	24.96	Viokase	RS
1737K	5 times USNF.XIV strength Capsule 305mg	500	1	35.56	Viokase	RS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PANCRELIPASE To be endorsed "S.P."			\$	
2497K	Capsule 300mg	250	1	32.29	Cotazym OR
	PAPAVERETUM To be endorsed "S.P."				
1740N	Tablet 10mg	20	..	4.97	Omnopon RO
	PAPAVERETUM Injection 20mg in 1mL	5	..	4.84	Omnopon RO
1739M	PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1mL	5	..	4.97	Omnopon- Scopolamine RO
1741P	PARACETAMOL Tablet 500mg	50	1	3.22 3.31	Ceetamol PT Bramcetamol MF Dymadon BW Langesic BT Panacete PR Panamax WL Paralgin FM Parasin NN Parmol US PCL DH
1747Y	Mixture 120mg per 5mL, 100mL	≠1	4	3.31	Dymadon BW Panamax WL Parmol US
1754H	PARALDEHYDE Injection 5mL	5	1	5.97	BL
	PENICILLAMINE To be accompanied by an authority from the Director of Health.				
2721F	Tablet 125mg	100	..	19.31	D-Penamine DL Perdolat KN
2838J	250mg	100	..	31.29	D-Penamine DL Perdolat KN
2727M	Capsule 125mg	100	..	19.31	Cuprimine MK
2722G	250mg	100	..	31.29	Cuprimine MK
1762R	PENICILLINASE Injection set containing 0.8megaU and 1mL solvent	1	..	20.69	Compenase CS
	PENTAZOCINE To be endorsed "S.P."				
2944Y	Injection 60mg in 2mL	5	..	7.04	Fortral WL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	PERHEXILINE MALEATE To be accompanied by an authority from the Director of Health.			\$		
1822X	Tablet 100mg	100	..	19.03	Pexid	ML
	PERICYAZINE To be endorsed "S.P."					
3052P	Tablet 2.5mg	100	1	4.17	Neulactil	MB
3053Q	10mg	100	1	7.24	Neulactil	MB
3055T	Mixture 2.5mg per 5mL, 100mL	≠1	4	3.78	Neulactil	MB
	PERITONEAL DIALYSIS SOLUTION Injection					
2410W	with 1.36% Anhydrous Dextrose, 1L	20	1	*55.53	Diasol	AB
3192B	with 3.86% Anhydrous Dextrose, 1L	20	1	*55.53	Diasol	AB
	PETHIDINE					
1828F	Injection BP, 50mg in 1mL	5	..	4.38	Pethoid BL,LP,SI	BW
1829G	100mg in 2mL	5	..	4.43	Pethoid BL,LP,SI	BW
	PHENELZINE To be accompanied by an authority from the Director of Health. CAUTION: This drug is a monoamine oxidase inhibitor.					
2856H	Tablet 15mg	50	..	5.98	Nardil	WW
	PHENETHICILLIN					
1839T	Tablet 125mg	25	1	3.63	Optipen Pensig	CS SI
1840W	250mg	25	1	4.06	Optipen Pensig	CS SI
1838R	Capsule 250mg	25	1	4.06	Optipen Pensig	CS SI
3088M	500mg	25	1	5.07	Optipen Pensig	CS SI
	Powder for Syrup					
3120F	125mg per 5mL, 100mL	≠1	1	#4.62	Pensig 125	SI
3121G	250mg per 5mL, 100mL	≠1	1	#5.27	Pensig 250	SI
	PHENETHICILLIN To be endorsed "S.P."					
1706T	Tablet 125mg	50	5	*5.53	Optipen Pensig	CS SI
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1707W	PHENETHICILLIN - cont. Tablet 250mg	50	5	\$ *6.39	Optipen Pensig	CS SI
1709Y	Capsule 250mg	50	5	*6.39	Optipen Pensig	CS SI
1843B	PHENINDIONE Tablet 10mg	100	2	5.64	Dindevan	GL
1844C	50mg	100	2	7.24	Dindevan	GL
1846E	PHENIRAMINE Tablet 10mg	50	2	3.31	Fenamine-M	FM
1847F	50mg	50	2	3.61	Avil Fenamine	HP FM
1848G	Paediatric Syrup 15mg per 5mL, 100mL	¥1	4	3.31	Fenamine	FM
1849H	PHENOBARBITONE To be endorsed "S.P." Tablet 15mg	200	1	3.84	Phenotone DH,FM	US
1850J	30mg	200	1	3.91	Phenotone DH,FM,SI	US
1851K	60mg	200	1	4.24	Phenotone DH,FM	US
1853M	PHENOBARBITONE SODIUM Injection 200mg in 1mL	5	..	4.29	BL,FM	
1862B	PHENOXYBENZAMINE To be accompanied by an authority from the Director of Health. Capsule 10mg	100	..	7.39	Dibenyline	SK
1786B	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	3.63	Abbocillin-V L.P.V. P.V.O.	AB CS FM
1787C	250mg	25	1	3.96	Abbocillin-VK Cilicaine VK Falcopen VK L.P.V. PVK P.V.O.	AB SI FA CS LY FM
3028J	500mg	25	1	4.91	Abbocillin-VK L.P.V. PVK P.V.O.	AB CS LY FM
1788D	Capsule 125mg	25	1	3.63	P.V.O.	FM
(continued)						

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1789E	PHENOXYMETHYLPENICILLIN - cont. Capsule 250mg	25	1	\$ 3.96	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
2965C	500mg	25	1	4.91	Cilicaine VK SI Falcopen VK FA L.P.V. CS P.V.O. FM
2356B	Paediatric Suspension 125mg per 5mL, 100mL	≠1	1	3.84	Abbocillin-V AB Cilicaine V SI Falcopen V FA L.P.V. CS
2354X	Suspension 250mg per 5mL, 100mL	≠1	1	4.43	Abbocillin-V AB Cilicaine V SI Falcopen V FA L.P.V. Aqueous Forte CS
	PHENOXYMETHYLPENICILLIN To be endorsed "S.P."				
1702N	Tablet 125mg	50	5	*5.53	Abbocillin-V AB L.P.V. CS P.V.O. FM
1703P	250mg	50	5	*6.19	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
1704Q	Capsule 125mg	50	5	*5.53	P.V.O. FM
1705R	250mg	50	5	*6.19	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
1863C	PHENSUXIMIDE Capsule 500mg	200	1	15.76	Milontin PD
1865E	PHENYLALANINE LOW CONTENT FORMULA Powder 2.5 lb	2	2	*79.11	Lofenalac MJ
1867G	PHENYLBUTAZONE Tablet 100mg	50	2	3.61 3.63	Butacal LF Butazone PT Butalgin FM
1868H	100mg (enteric coated)	50	2	3.63	Butazolidin GE
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2435E	PHENYLBUTAZONE - cont. Capsule 100mg	50	2	\$ 3.63	Buzon	US
2754Y	Injection 600mg in 3mL	5	..	5.77	Butazolidin	GE
2755B	Suppositories 250mg, 20	≠1	2	7.24	Butazolidin	GE
2455F	PHENYLEPHRINE Compound Ointment 60g	≠1	1	3.84	Hemorex	WL
1869J	Compound Suppositories, 12	≠1	1	3.84	Hemorex	WL
2829X	Eye Drops 0.12%, 15mL	≠1	2	3.63	Isopto Frin Prefrin	AQ AG
2649K	10%, 5mL	≠1	..	4.43	Neo-Synephrine	WL
1249R	PHENYTOIN Tablet 50mg	200	1	7.03	Dilantin Infatabs	PD
2692Q	Paediatric Suspension 30mg per 5mL, 500mL	≠1	3	5.71	Dilantin	PD
1872M	PHENYTOIN SODIUM Tablet 100mg	200	1	5.77	FM	
1873N	Capsule 30mg	200	1	6.91	Dilantin Sodium	PD
1874P	100mg	200	1	7.17	Dilantin Sodium	PD
3035R	Injection 100mg in 2mL	1	..	6.17	Dilantin Sodium	PD
1871L	250mg in 5mL	1	..	7.37	Dilantin Sodium	PD
2466T	PHOLCODINE Linctus 0.1%, 100mL	≠1	2	3.01 3.17	Pholtrate Actuss Adaphol Duro-Tuss Pectolin Pholcolin Pholcolin Red Sedlingtus Tussinol PR,RT	MG SI NN RK FA DH DH RT GP
1877T	PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	5.57	Talecid	SC
1878W	PTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	5.57	Phthazol	US
1879X	PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15mL	≠1	6	4.97	IQ	
1880Y	0.5%, 15mL	≠1	6	5.37	IQ	
1881B	PHYTOMENADIONE Injection 1mg	5	..	4.43	Konakion	RO
1882C	10mg	5	..	6.29	Konakion	RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2778F	PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15mL	≠1	6	\$ 3.78	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
2595N	1%, 15mL	≠1	6	3.84	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
2596P	2%, 15mL	≠1	6	3.97	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
2597Q	3%, 15mL	≠1	6	4.11	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
2598R	4%, 15mL	≠1	6	4.24	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
2779G	6%, 15mL	≠1	6	4.77	Isopto Carpine AQ Pilopt SI P.V. Carpine AG
2138M	PILOCARPINE HYDROCHLORIDE with ADRENALINE Eye Drops 2%-0.5%, 15mL	≠1	6	4.31	E-Carpine AQ
2140P	4%-0.5%, 15mL	≠1	6	4.57	E-Carpine AQ
3065H	PINDOLOL To be endorsed "S.P." Tablet 15mg	50	2	11.71	Visken SZ
3062E	PINDOLOL Tablet 5mg	100	2	9.23	Visken SZ
3063F	Injection 400 micrograms in 2mL	5	..	6.57	Visken SZ
3074T	PIZOTIFEN MALATE To be endorsed "S.P." Tablet 500 micrograms (base)	100	2	10.77	Sandomigran SZ
1901C	PLAGUE VACCINE Injection 3,000 million organisms in 1mL	2	..	*7.85	CS
1902D	PNEUMOCOCCAL VACCINE, POLYVALENT To be endorsed "S.P." Injection 0.5mL	1	..	13.43	Pneumovax CS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	POLYESTRADIOL To be endorsed "S.P."			\$		
2584B	Injection set containing 40mg and 2mL solvent	1	..	8.37	Estradurin	AY
1904F	POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per mL, 10mL	#1	2	3.78	Aerosporin	BW
1908K	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg (base) per mL, 15mL	#1	..	3.78	Neotracin	ET
1910M	Eye Ointment 5,000 Units-400 Units-5mg per g, 4g	#1	..	3.51	Mycitracin Neosporin	UP BW
1911N	POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg-25 micrograms per mL, 10mL	#1	2	4.03	Neosporin	BW
2790W	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)- 10mg per mL, 7mL	#1	2	3.78	Aerocortin	BW
2682E	POLYVINYL ALCOHOL Eye Drops 1.4%, 15mL	#1	6	4.11	Liquifilm Tears	AG
	POTASSIUM To be accompanied by an authority from the Director of Health.					
2373X	Effervescent Tablet 6.5mmol K ⁺	100	..	4.31	Potavescent	PT
2642C	POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	3.91	K-San Slow-K Span-K	PR CB PT
3012M	Effervescent Tablet 14mmol K ⁺ and 8mmol Cl ⁻	30	2	4.03	Chlorvescent	PT
2625E	Elixir 1.5g (20mmol K ⁺ and 20mmol Cl ⁻) per 15mL, 500mL	#1	2	4.24	Kay Ciel	SC
1097R	Sterile Solution 0.746g in 10mL (7.46%) for preparation of intravenous infusion	5	..	4.97	AB	
2975N	Sterile Solution 1g in 10mL (10%) for preparation of intravenous infusion	5	..	4.97	AB	
	Injection Standard Maintenance Fluids - See Intravenous Infusions					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2336Y	PRALIDOXIME IODIDE Injection 500mg	5	..	\$ 14.29	AB	
1479W	PRAZOSIN HYDROCHLORIDE Tablet 1mg (base)	100	2	8.03	Minipress	PF
1480X	2mg (base)	100	2	10.97	Minipress	PF
1478T	5mg (base)	100	2	16.63	Minipress	PF
3152X	PREDNISOLONE Tablet 1mg	100	1	4.03	Panafcortelone	PT
1917X	5mg	30	2	3.22 3.23	Panafcortelone Adnisolone Delta-Cortef Deltasolone Prelone Solone PR	PT NN UP US LF FM
1916W	25mg	30	1	5.23 5.24	Panafcortelone Solone	PT FM
1918Y	Eye Ointment 0.5%, 4g PREDNISOLONE ACETATE To be endorsed "S.P."	#1	..	3.91	Delta-Cortef	UP
1919B	Injection 10mg in 1mL	5	..	*9.23	Scherisolon	SC
2684G	PREDNISOLONE ACETATE Eye Drops 0.5%, 5mL PREDNISOLONE ACETATE with PHENYLEPHRINE To be endorsed "S.P."	#1	6	4.43	Sterofrin	AQ
3112T	Eye Drops 1%-0.12%, 10mL PREDNISOLONE SODIUM PHOSPHATE To be endorsed "S.P."	#1	2	5.64	Prednefrin Forte	AG
1920C	Retention Enema 20mg in 100mL	14	..	*30.25	Predsol	GL
2554K	Suppositories equivalent to 5mg prednisolone, 10	2	..	*12.03	Predsol	GL
1922E	PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5mL	#1	6	4.51	Predsol	GL
3099D	PREDNISOLONE STEAGLATE Tablet 6.65mg PREDNISOLONE TERTIARYBUTYLACETATE To be endorsed "S.P."	30	2	3.31	Sintisone	EC
2471C	Injection 20mg in 1mL	5	..	8.83	Codelcortone TBA	MK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	PREDNISONE			\$		
1934T	Tablet 1mg	100	1	4.03	Panafcort	PT
1935W	5mg	30	2	3.22	Panafcort	PT
				3.23	DH Adasone Deltasone Presone Propred Sone PR	NN US LF NK FM
1936X	25mg	30	1	5.23 5.24	Panafcort Sone	PT FM
1937Y	PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	5.76	IC	
1939C	PRIMIDONE Tablet 250mg	200	1	8.28	Midone Mysoline	PT IC
1940D	PROBENECID Tablet 500mg	100	2	9.37 9.39	Procid Benemid	PT FR
2653P	PROCAINAMIDE Capsule 250mg	100	2	6.84	Pronestyl	SQ
1074M	375mg	100	2	8.31	Pronestyl	SQ
1941E	Injection 100mg per mL, 10mL	2	..	*7.13	Pronestyl	SQ
1793J	PROCAINE PENICILLIN Injection BP, 1g	5	..	9.97	Aquacillin Cilicaine	FA SI
1794K	1.5g	5	..	10.24	Aquacillin Cilicaine	FA SI
1796M	Crystalline Injection 900mg (solvent required)	5	..	6.29	Aquacaine G	CS
1797N	1.5g (solvent required)	5	..	7.64	Aquacaine G	CS
1802W	PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	6.97	Aquacaine G Fortified	CS
2635Q	PROCARBAZINE To be accompanied by an authority from the Director of Health.	100	..	19.23	Natulan	RO
2893G	PROCHLORPERAZINE Tablet 5mg	25	..	*2.77	Anti-Naus Compazine Stemetil	PT SK MB
2369Q	Injection 12.5mg in 1mL	10	..	5.51	Compazine Stemetil	SK MB
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2894H	PROCHLORPERAZINE - cont. Suppositories 5mg, 5	≠1	..	\$ 3.63	Stemetil	MB
2895J	25mg, 5	≠1	..	4.03	Stemetil	MB
	PROCHLORPERAZINE To be accompanied by an authority from the Director of Health.					
2897L	Tablet 5mg	100	..	4.22 4.24	Anti-Naus Compazine Stemetil	PT SK MB
1943G	PROCYCLIDINE Tablet 5mg	100	2	6.29	Kemadrin	BW
1947L	PROGUANIL Tablet 100mg	100	2	5.18	Paludrine	IC
1950P	PROMETHAZINE Tablet 10mg	50	2	3.38	Phenergan	MB
1951Q	25mg	50	2	3.59 3.61	Meth-Zine Phenergan	PT MB
1949N	Mixture 5mg per 5mL, 100mL	≠1	4	3.31	Progan Prothazine	NN US
1948M	Injection 50mg in 2mL	10	..	*4.81	BL	
3049L	PROMETHAZINE THEOCLATE Tablet 25mg	30	1	3.83	Avomine	MB
	PROPANTHELINE BROMIDE To be accompanied by an authority from the Director of Health.					
1953T	Tablet 15mg	100	..	4.71 5.09	Pantheline Pro-Banthine	PT SR
	PROPRANOLOL To be endorsed "S.P."					
2899N	Tablet 160mg	50	2	11.31 12.63	Cardinol Inderal	PT IC
	PROPRANOLOL Tablet 10mg	100	2	5.24 5.37	Cardinol Inderal	PT IC
2566C	40mg	100	2	8.23 8.71	Cardinol Inderal	PT IC
2830Y	Injection 1mg in 1mL	5	..	*7.63	Inderal	IC
2703G	PROPYLENE GLYCOL Spray Diluent-Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200mL	≠1	2	4.37	FA	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1955X	PROPYLTHIOURACIL Tablet 50mg	100	2	\$ 6.09	ET
1957B	PROTAMINE SULPHATE Injection 1%, 10mL	6	..	18.58	BT
3056W	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Powder, 200g sachet	10	2	*284.53	Albumaid XP SJ
2747N	PROTRIPTYLINE Tablet 5mg	50	2	4.31	Concordin MK
2748P	10mg	50	2	5.11	Concordin MK
2724J	PYRIDOSTIGMINE Tablet 10mg	100	2	6.23	Mestinon RO
1959D	60mg	100	2	16.63	Mestinon RO
2608G	180mg (sustained release)	100	1	23.29	Mestinon RO
1960E	Injection 1mg in 1mL	5	1	4.17	Mestinon RO
1965K	PYRIDOXINE HYDROCHLORIDE To be endorsed "S.P." Tablet 25mg	100	..	4.31	Pydox DH,FM PT
1961F	PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1mL	5	1	4.31	Pyroxin BL,FM US
1966L	PYRIMETHAMINE Tablet 25mg	50	..	4.31	Daraprim BW
1962G	PYRIMETHAMINE with DAPSONE To be endorsed "S.P." Tablet 12.5mg-100mg	10	..	4.97	Maloprim BW
1958C	PYRIMETHAMINE with SULFADOXINE To be endorsed "S.P." Tablet 25mg-500mg	12	..	6.66	Fansidar RO
2337B	QUINETHAZONE Tablet 50mg	50	2	5.27	Aquamox LE
2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	15.29	Kinidin AP
1971R	QUINIDINE SULPHATE Tablet 200mg	100	2	14.43 14.57	DH,PT Cardoquin Quincardine Quinidis Quinidoxin FA,PR,QE(NQ),TO NN FM US BW
3080D	300mg (sustained release)	100	2	20.42	Quinidex LA RS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1972T	QUININE BISULPHATE Tablet 300mg	50	..	\$ 8.43 8.51	DH,PT Bi-quin Bi-Quinate Myoquin Quinbisan BW,FA,SI NN US FM PR
1975Y	QUININE SULPHATE Tablet 300mg	50	..	8.43 8.51	DH,PT Adaquin Quinate Quinocet Quinsan QE(NQ),SI,TO NN US FM PR
1985L	RIBOFLAVINE To be endorsed with the pension number. Tablet 5mg	100	2	3.63	Ribofin FM US
1987N	ROLITETRACYCLINE I.V. Injection set containing 275mg and 10mL solvent	5	..	*15.98	Reverin HP
1990R	I.M. Injection set containing 350mg and 2mL solvent	5	..	*15.98	Reverin HP
1991T	SACCHARIN or SACCHARIN SODIUM Tablets 30mg, 500	≠1	1	3.21 3.22	DH FA
1099W	SALBUTAMOL To be accompanied by an authority from the Director of Health. Capsule 200 micrograms (Oral Inhalation)	100	..	5.98	Ventolin Rotacaps AH
1098T	SALBUTAMOL Tablet 4mg	100	2	6.57	Ventolin AH
1103C	Syrup 2mg per 5mL, 300mL	≠1	4	4.71	Ventolin AH
2003K	Inhalation Solution For use in RESPIRATOR 0.5%, 30mL	≠1	2	6.71	Ventolin AH
3087L	Inhalation, metered aerosol spray 100 micrograms per dose (200 dose)	≠1	2	5.24	Ventolin AH
1993X	SALICYLAMIDE Tablet 500mg	100	2	3.63	PT
1995B	SENEGA and AMMONIA Mixture APF, 200mL	≠1	4	3.23 3.29 3.31	Senamon MG,SI,SL(NQVW) FA PR,QE(NQ),TO DH

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2945B	SODIUM ACID CITRATE Mixture 5.5g per 20mL, 500mL	#1	4	\$ 4.31	Citralka PD
2013Y	SODIUM AUROTHIOMALATE Injection 1mg	5	..	*12.61	Myocrisin MB
2015C	5mg	5	..	*15.09	Myocrisin MB
2016D	10mg	5	..	*17.98	Myocrisin MB
2017E	20mg	5	..	*24.59	Myocrisin MB
2018F	50mg	10	1	66.21	Myocrisin MB
3015Q	SODIUM BICARBONATE Injection 8.4%, 100mL	5	..	*15.18	AB
	4.2%, 500mL - See Intravenous Infusions				
2023L	SODIUM CALCIUMEDETATE Tablet 500mg	100	2	16.36	Calcium Disodium Versenate RK
2024M	SODIUM CHLORIDE Injection 0.9%, 2mL	5	1	3.33	BL,LP
2025N	0.9%, 5mL	5	1	3.53	BL,LP
2026P	0.9%, 10mL	5	1	3.87	BL,LP
	1L size - See Intravenous Infusions				
	SODIUM CHLORIDE and DEXTROSE See Intravenous Infusions				
	SODIUM CHLORIDE COMPOUND See Intravenous Infusions				
2657W	SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	4.31	Citravescent Dex-Cit Ural Sachets PT RC AB
	SODIUM CROMOGLYCATE To be endorsed "S.P."				
2878L	Capsule 20mg (Oral Inhalation)	100	2	17.29	Intal Spincaps FC
	To be accompanied by an authority from the Director of Health.				
1127H	Eye Drops 2%, 10mL	#1	..	7.31	Opticrom FC
1124E	Nebuliser Solution 20mg per 2mL, ampoule	48	..	19.31	Intal FC
	SODIUM LACTATE See Intravenous Infusions				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	SODIUM LACTATE COMPOUND See Intravenous Infusions			\$	
	SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE See Intravenous Infusions				
1100X	SODIUM NITROPRUSSIDE Infusion 50mg	10	..	42.22	Nipride RO
2035D	SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	4.31	Rhumax PR
2036E	500mg (enteric coated)	100	2	4.64	Rhumax PR
2037F	600mg (enteric coated)	100	2	4.97	Ensalate Rhumax RC PR
	SODIUM VALPROATE To be endorsed "S.P."				
1261J	Tablet 200mg	200	1	*38.99	Epilim RC
2291N	Syrup 200mg per 5mL, 200mL	#1	1	11.31	Epilim RC
	To be accompanied by an authority from the Director of Health.				
2290M	Tablet 500mg (enteric coated)	100	..	43.29	Epilim EC RC
	SOYA FORMULA To be accompanied by an authority from the Director of Health.				
2040J	Liquid 375mL	5	20	*7.18	ProSobee MJ
2039H	384mL	5	20	*7.18	Isomil RD
2042L	Powder 500g	#1	20	7.14	Infasoy WY
	SPECTINOMYCIN				
3090P	Injection 2g with 3.2mL diluent	1	..	7.91	Trobicin UP
3091Q	4g with 6.5mL diluent	1	..	12.29	Trobicin UP
	SPIRONOLACTONE To be accompanied by an authority from the Director of Health.				
2339D	Tablet 25mg	100	..	10.49 10.87	Spirotone Aldactone PT SR
	STANDARD MAINTENANCE FLUID See Intravenous Infusions				
2045P	STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5mL	1	..	5.11	CS
2046Q	Undiluted 5mL	1	..	5.51	CS

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	STILBOESTROL			\$	
2050X	Tablet 500 micrograms	100	2	3.26	DH,HA
2051Y	1mg	100	2	3.38	DH,HA
2052B	5mg	100	2	3.57	DH,HA
2053C	10mg	100	2	4.42	HA
	STREPTOKINASE				
	Injection				
3130R	100,000 I.U. (solvent required)	2	..	*46.75	Kabikinase FA
2906Y	250,000 I.U. (solvent required)	2	..	*76.53 *81.13	Streptase HP Kabikinase FA
2962X	600,000 I.U. (solvent required)	5	..	*405.28	Kabikinase FA
2907B	750,000 I.U. (solvent required)	5	..	*476.43	Streptase HP
	STREPTOMYCIN SULPHATE				
2054D	Injection 1g (solvent required)	5	3	6.29	GL
	SULINDAC				
	To be endorsed "S.P."				
2047R	Tablet 100mg	50	2	6.28	Clinoril FR
	SULPHACETAMIDE SODIUM				
2063N	Eye Drops 10%, 15mL	≠1	2	3.78	Acetopt SI Bleph 10 AG IQ
2513G	15%, 15mL	≠1	2	3.78	Isopto Cetamide AQ
2064P	20%, 15mL	≠1	2	3.78	Acetopt SI
	SULPHADIAZINE				
2068W	Tablet 500mg	40	2	3.97	PT,RY
	SULPHADIMIDINE				
2074E	Tablet 500mg	40	2	3.97	S-Dimidine PT RY
	SULPHAFURAZOLE				
2076G	Tablet 300mg	40	2	4.11	Gantrisin RO
2077H	500mg	40	2	4.17 4.31	Urogan NN Gantrisin RO Sulfazole PT
	Paediatric Syrup				
2458J	500mg per 5mL, 100mL	≠1	1	4.51	Gantrisin RO
2078J	Eye Drops 4%, 10mL	≠1	2	3.78	Gantrisin RO
2079K	Eye Ointment 4%, 5g	≠1	..	3.51	Gantrisin RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	SULPHAMETHIZOLE			\$	
2083P	Tablet 250mg	40	2	3.91	PT
2084Q	500mg	40	2	4.91 5.03	PT Urolucosil
2081M	1g	20	2	4.89	Urolucosil
2862P	Paediatric Suspension 100mg per 5mL, 100mL	≠1	1	3.79	Urolucosil
	SULPHAMETHOXAZOLE				
2561T	Tablet 500mg	20	1	3.97	Gantanol
2562W	Syrup 500mg per 5mL, 50mL	≠1	2	3.97	Gantanol
	SULPHAPYRIDINE				
2092D	Tablet 500mg	100	..	6.77	M&B 693
	SULPHASALAZINE				
2093E	Tablet 500mg	100	5	13.31	Salazopyrin
2096H	500mg (enteric coated)	100	5	13.31	Salazopyrin-EN
	SULPHINPYRAZONE				
2094F	Tablet 100mg	100	2	10.71	Anturan
	SULTHIAME				
2099L	Tablet 50mg	200	1	7.64	Ospolot
2100M	200mg	200	1	14.29	Ospolot
	SURGICAL CEMENT To be endorsed "S.P."				
2238T	Skin Bond Adhesive 4fl oz	≠1	2	6.48	DY
2473E	Solvent 200mL	≠1	..	4.71	Zoff
2467W	227mL	≠1	2	5.57	Unisolve
2469Y	240mL	≠1	2	4.84	Sacsol
2472D	250mL	≠1	2	5.17	Sacsol Non Flammable
	TACRINE				
2106W	Injection 10mg, 2mL	5	1	3.71	T.H.A.
2107X	30mg, 2mL	5	1	4.41	T.H.A.
	TAMOXIFEN CITRATE To be accompanied by an authority from the Director of Health.				
2109B	Tablet 10mg	30	..	21.56	Nolvadex
	TEMAZEPAM				
2108Y	Capsule 10mg	25	..	3.38	Euhypnos Normison

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1028D	TERBUTALINE SULPHATE Tablet 5mg	100	2	\$ 6.97	Bricanyl	AP
1030F	Elixir 300 micrograms per mL, 300mL	≠1	4	4.84	Bricanyl	AP
1239F	Injection 100 micrograms in 1mL	5	..	5.24	Bricanyl	AP
1034K	500 micrograms in 1mL	5	..	5.37	Bricanyl	AP
1240G	Inhalation, metered aerosol spray 250 micrograms per dose (400 dose)	≠1	1	7.37	Bricanyl	AP
1243K	Nebuliser Solution 1%, 50mL	≠1	2	9.91	Bricanyl	AP
	TESTOSTERONE ENANTHATE To be endorsed "S.P."					
2599T	Injection 100mg in 1mL	3	1	12.23	Primoteston Depot	SC
2114G	250mg in 1mL	3	1	25.96	Primoteston Depot	SC
	TESTOSTERONE ESTERS To be endorsed "S.P."					
2670M	Injection 100mg	3	1	12.81	Sustanon "100"	OR
2101N	250mg	3	1	25.47	Sustanon "250"	OR
	TESTOSTERONE PROPIONATE To be endorsed "S.P."					
2115H	Injection 25mg in 1mL	9	..	*8.18	Testoviron	SC
2116J	50mg in 1mL	9	..	*13.01	Testoviron	SC
2127Y	TETANUS VACCINE, ADSORBED Injection 0.5mL	3	..	*5.81	CS	
	TETRABENAZINE To be accompanied by an authority from the Director of Health.					
1330B	Tablet 25mg	100	..	11.97	Nitoman	RO
	TETRACOSACTRIN To be accompanied by an authority from the Director of Health.					
3083G	Injection 500 micrograms in 1mL	5	..	14.23	Synacthen Depot	CB
2832C	1mg in 1mL	5	..	20.89	Synacthen Depot	CB
2134H	TETRACYCLINE Capsule 250mg	25	..	4.37	Achromycin Australamycin Hydracycline Plain Panmycin P Tetramykoin	LE CS FM UP BZ(N)
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	TETRACYCLINE - cont. To be endorsed "S.P."			\$	
2135J	Capsule 250mg	50	5	*7.01	Achromycin LE Australamycin CS Hydracycline Plain FM Panmycin P UP Tetramykoin BZ(N)
2831B	TETRACYCLINE with NYSTATIN Tablet 250mg-250,000 Units	25	..	4.37	Mysteclin SQ
2151F	Capsule 250mg-250,000 Units	25	..	4.37	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
	TETRACYCLINE with NYSTATIN To be endorsed "S.P."				
2827T	Tablet 250mg-250,000 Units	50	5	*7.01	Mysteclin SQ
2152G	Capsule 250mg-250,000 Units	50	5	*7.01	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
2145X	TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	4.37	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
	TETRACYCLINE (BUFFERED) To be endorsed "S.P."				
2146Y	Capsule 250mg	50	5	*7.01	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
2611K	THEOPHYLLINE Tablet 50mg	100	2	3.91	Nuelin Paediatric RK
1143E	125mg	100	2	4.71	Nuelin RK
2615P	200mg	100	2	5.31	Nuelin RK
2632M	200mg (sustained release)	50	2	4.42	Theo-Dur AP
2633N	300mg (sustained release)	50	2	5.26	Theo-Dur AP
2612L	Capsule 200mg	100	2	5.31	Elixophyllin SC
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	THIORIDAZINE - cont.			\$		
2402K	Oral Solution 3% (30mg per mL), 30mL	≠1	4	5.24	Melleril	SZ
2847W	Injection 25mg per mL, 2mL	10	..	6.69	Melleril	SZ
	THIOTEPA					
2345K	Injection 15mg (solvent required)	2	1	*12.45	LE	
	Eye Drops					
2858K	Set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	≠1	5	#12.78	LE	
	THYROXINE SODIUM (BP 1980)					
2174K	Tablet 50 micrograms	100	2	3.31	Oroxine Thyroxinal	BW FM
2175L	100 micrograms	100	2	3.44	Oroxine Thyroxinal	BW FM
2173J	200 micrograms	100	2	3.78	Oroxine Thyroxinal	BW FM
	TICARCILLIN DISODIUM To be accompanied by an authority from the Director of Health.					
2176M	Injection equivalent to 3g ticarcillin (solvent required)	5	..	59.23	Tarcil	BR
	TIMOLOL					
1281K	Tablet 5mg	100	2	9.23	Blocadren	FR
1278G	Eye Drops 0.25%, 5mL	≠1	6	8.31	Timoptol	FR
1279H	0.5%, 5mL	≠1	6	9.29	Timoptol	FR
	TINIDAZOLE					
1465D	Tablet 500mg	4	..	4.93	Fasigyn	PF
	TOBRAMYCIN SULPHATE To be accompanied by an authority from the Director of Health.					
1355H	Injection 40mg	5	..	*19.78	Nebcin	LY
1356J	80mg	5	..	*30.28	Nebcin	LY
	TOLAZAMIDE					
2720E	Tablet 250mg	100	2	9.63	Tolinase	UP
	TOLBUTAMIDE					
2178P	Tablet 500mg	100	2	4.64 5.14	Diatol Artosin Rastinon	PT RC HP
2607F	1g	100	2	7.57	Artosin Rastinon	RC HP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	TRANEXAMIC ACID To be accompanied by an authority from the Director of Health.			\$	
2180R	Tablet 500mg	200	..	53.34	Cyklokapron FA
	TRANLYCYPROMINE To be accompanied by an authority from the Director of Health. <u>CAUTION:</u> This drug is a monoamine oxidase inhibitor.				
2444P	Tablet 10mg	50	..	5.98	Parnate SK
	TRIAMCINOLONE ACETONIDE To be endorsed "S.P."				
2990J	Injection 10mg in 1mL	5	..	11.11	Kenacort-A10 SQ
	TRIAMCINOLONE ACETONIDE				
2119M	Cream 0.02%, 45g	≠1	..	3.62	Kenalone 0.02% SQ
2117K	0.02%, 100g	≠1	..	4.17	Aristocort 0.02% LE Kenalone 0.02% SQ
2125W	0.05%, 15g	≠1	1	3.26	Aristocort 0.05% LE Kenalone SQ
2120N	Ointment 0.02%, 45g	≠1	..	3.62	Kenalone 0.02% SQ
2118L	0.02%, 100g	≠1	..	4.17	Aristocort 0.02% LE Kenalone 0.02% SQ
2126X	0.05%, 15g	≠1	1	3.26	Aristocort 0.05% LE Kenalone SQ
	TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN				
2971J	Ear Drops 0.1%-0.25% (base)-0.025%- 100,000 Units per g, 7.5mL	≠1	2	3.78	Kenacomb Otic SQ
2973L	Ear Cream 0.1%-0.25% (base)-0.025%- 500,000 Units in 5g	≠1	2	3.63	Kenacomb Otic SQ
2974M	Ear Ointment 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	≠1	2	3.63	Kenacomb Otic SQ
	TRIAMTERENE				
2342G	Tablet 100mg	50	2	6.02	Dytac SK
	TRIFLUOPERAZINE To be endorsed "S.P."				
2185B	Tablet 1mg	100	1	5.04	Calmazine PT Stelazine SK Terfluzin MB
2386N	2mg	100	1	6.38	Calmazine PT Stelazine SK Terfluzin MB
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2186C	TRIFLUOPERAZINE - cont. Tablet 5mg	100	1	\$ 6.88	Calmazine Stelazine	PT SK
2571H	Syrup 1mg per 5mL, 100mL	≠1	4	3.32	Stelazine	SK
2835F	Injection 1mg in 1mL	10	..	5.89	Stelazine	SK
	TRIGLYCERIDES, MEDIUM CHAIN To be accompanied by an authority from the Director of Health.					
2686J	Compound Powder 450g	2	..	*15.59	Triglyde	MJ
2679B	Protein Hydrolysate Compound Powder 454g	2	..	*19.59	Pregestimil	MJ
3129Q	Oil 1L	≠1	5	17.29	MCT Oil	MJ
2187D	TRIMEPRAZINE Tablet 10mg	50	2	3.78	Vallergan	MB
2189F	TRIMETAPHAN Injection set containing 250mg and 5mL water for injections	3	..	17.97	Arfonad	RO
	TRIMETHOPRIM To be endorsed "S.P."					
2922T	Tablet 300mg	7	..	5.03	Tripriam	BW
2949F	TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	3.97	Bactrim Septrin Trib	RO BW PT
2951H	160mg-800mg	10	..	5.03	Bactrim DS Septrin Forte Trib DS	RO BW PT
3103H	Suspension 40mg-200mg per 5mL, 100mL	≠1	..	4.54	Bactrim Septrin Trib	RO BW PT
	TRIMIPRAMINE To be accompanied by an authority from the Director of Health.					
2969G	Capsule 50mg	50	..	4.77	Surmontil	MB
2970H	TRIMIPRAMINE Tablet 25mg	50	2	4.27	Surmontil	MB
	TRIOXYSALEN To be endorsed "S.P."					
1570P	Tablet 5mg	100	2	22.29	Trisoralen	PT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	TRI-POTASSIUM DI-CITRATO BISMUTHATE COMPLEX To be accompanied by an authority from the Director of Health.			\$		
2204B	Mixture 110.9mg (Bi) per 5mL, 560mL	≠1	1	12.41	De-No1	PD
2205C	156mg (Bi) per 5mL, 500mL	≠1	1	12.41	Ulcaron	SH
2191H	TRIPROLIDINE Tablet 2.5mg	50	2	3.78	Actidil	BW
2192J	Paediatric Elixir 1mg per 5mL, 100mL	≠1	4	3.31	Actidil	BW
2800J	TYPHOID VACCINE Injection 0.5mL	2	..	*4.89	CS	
2195M	TYPHUS VACCINE Injection 1mL	2	..	*30.23	CS	
1293C	UREA Cream 10%, 100g	≠1	2	5.98	Aquacare H.P. Aquadrate Calmurid Nutraplus	AG NW PS OL
	VANCOMYCIN To be endorsed "S.P."					
3131T	Injection 500mg (solvent required)	5	..	*78.88	Vancocin	LY
2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1mL	10	1	*21.95	Pitressin Tannate	PD
	VERAPAMIL HYDROCHLORIDE To be endorsed "S.P."					
1248Q	Tablet 40mg	100	2	8.89	Cordilox Isoptin	SC KN
1250T	80mg	100	2	13.03	Cordilox Isoptin	SC KN
1060T	Injection 5mg in 2mL	5	..	5.43	Cordilox Isoptin	SC KN
	VIDARABINE To be endorsed "S.P."					
2570G	Eye Ointment 3%, 3.5g	≠1	..	10.57	Vira A	PD
2198Q	VINBLASTINE Injection 10mg (solvent required)	2	..	*45.91	Velbe	LY
	VINCRISTINE Injection set containing 1mg and 10mL solvent	5	..	*98.88	Oncovin	LY
2372W	5mg and 10mL solvent	1	..	84.86	Oncovin	LY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2199R	VIPRYNIUM EMBONATE Tablet 50mg	8	1	\$ 3.98	Vanquin	PD
2200T	Suspension 10mg per mL, 25mL	≠1	1	4.01	Vanquin	PD
	VITAMIN SUPPLEMENT To be accompanied by an authority from the Director of Health.					
3156D	Tablet	100	..	4.91	Ketovite	ST
3157E	Liquid 100mL	≠1	..	3.52	Ketovite	ST
	WARFARIN					
2843P	Tablet 1mg	50	2	4.97	Coumadin Marevan	EN GL
2209G	2mg	50	2	5.17	Coumadin	EN
2210H	2.5mg	50	2	5.31	Coumadin	EN
2844Q	3mg	50	2	5.11	Marevan	GL
2211J	5mg	50	2	5.37	Coumadin Marevan	EN GL
2212K	7.5mg	50	2	6.14	Coumadin	EN
2213L	10mg	50	2	7.31	Coumadin	EN
	WATER FOR INJECTIONS					
2216P	Injection 2mL	5	3	3.26	BL,BZ(NQTW),LP,SI	
2217Q	5mL	5	3	3.41	BL,BZ(NQTW),LP,SI	
2218R	10mL	5	3	3.63	BL,BZ(NQTW),LP,SI	
	WOOL ALCOHOLS					
2219T	Ointment 100g	≠1	1	3.38	Eucerin	SN
	WOOL FAT, HYDROUS					
2221X	50g tube or jar	≠1	..	3.48	SI	
	ZINC and ADRENALINE					
2850B	Eye Drops 0.25%-0.01%, 15mL	≠1	2	3.63	B.A.Z.	US
	ZINC with PHENYLEPHRINE					
3154B	Eye Drops 0.25%-0.12%, 15mL	≠1	2	3.63	Prefrin-Z Zincfrin	AG AQ

INTRAVENOUS INFUSIONS FOR INJECTION

73

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2305H	DEXTRAN 40 10% with 5% anhydrous dextrose, 500mL	12	..	\$ *165.29 170.14	Lomodex Rheomacrodex	FC PS
2306J	10% with 0.9% sodium chloride, 500mL	12	..	170.14	Rheomacrodex	PS
3081E	DEXTRAN 70 6% with 5% anhydrous dextrose, 500mL	12	..	109.38	Macrodex	PS
3011L	6% with 0.9% sodium chloride, 500mL	12	..	109.38	Macrodex	PS
2245E	DEXTROSE 5%, 1L	5	1	*16.63	AB,TV	
2247G	10%, 1L	5	1	*18.93	AB,TV	
2249J	20%, 1L	2	1	*8.91	AB,TV	
2251L	25%, 1L	2	1	*8.91	AB,TV	
2252M	50%, 500mL	2	1	*7.65	AB	
3199J	ELECTROLYTE REPLACEMENT SOLUTION 1L	2	1	*8.91	Normosol R Plasma-Lyte 148	AB TV
2589G	MANNITOL 10%, 1L	1	1	5.54	AB	
2590H	20%, 500mL	1	1	5.54	AB	
3029K	SODIUM BICARBONATE 4.2%, 500mL	1	1	5.11	AB	
2264E	SODIUM CHLORIDE 0.9%, 1L	5	1	*16.63	AB,TV,VF(N)	
2260Y	3%, 1L	2	1	*8.91	AB,TV	
2262C	5%, 1L	2	1	*8.91	TV	
2266G	SODIUM CHLORIDE COMPOUND BPC 1959 1L	4	1	*15.57	AB,TV	
2271M	SODIUM CHLORIDE and DEXTROSE 0.9%-5%, 1L	2	1	*8.91	AB,TV	
2273P	0.9%-10%, 1L	2	1	*8.59	TV	
2278X	0.45%-2.5%, 500mL	5	1	*16.63	AB,TV	
2279Y	0.225%-3.75%, 500mL	5	1	*16.63	AB,TV	
2281C	0.18%-4%, 1L	5	1	*16.63	AB,TV	
2282D	0.18%-4.3%, 1L	5	1	*16.98	AB	
2284F	SODIUM LACTATE (Solution 1/6 Molar) 1L	5	1	*19.48	VF	

INTRAVENOUS INFUSIONS FOR INJECTION

74

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2286H	SODIUM LACTATE COMPOUND 1L	5	1	\$ *16.63	AB,TV
2288K	SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE 5%, 1L	2	1	*8.91	AB,TV
2293Q	STANDARD MAINTENANCE FLUID 500mL	6	..	*17.57	AB

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

75

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3301R	AMOXICILLIN Capsule 250mg	20	..	\$ 5.46	Amoxil Moxacin	BR CS
3302T	Powder for Syrup 125mg per 5mL, 100mL	#1	..	#5.98	Amoxil Moxacin	BR CS
3305Y	AMPHOTERICIN Tablet 100mg	50	..	8.77	Fungilin	SQ
3306B	Lozenge 10mg	20	..	3.78	Fungilin	SQ
3307C	Suspension 100mg per mL, 24mL	#1	..	4.57	Fungilin	SQ
3308D	Ointment 3%, 15g	#1	..	4.03	Fungilin	SQ
3311G	AMPICILLIN Injection 100mg (solvent required)	5	..	6.29	Austrapen	CS
3312H	250mg (solvent required)	5	..	5.98 6.97	Ampicyn Austrapen Penbritin	PT CS BR
3313J	500mg (solvent required)	5	..	7.97 9.27	Ampicyn Austrapen Penbritin	PT CS BR
3314K	1g (solvent required)	5	..	11.97 14.86	Ampicyn Austrapen Penbritin	PT CS BR
7001L	ASPIRIN Mixture, APF - See Section 4, Standard Formulae Preparations					
7003N	Mixture for Children, APF - See Section 4, Standard Formulae Preparations					
7002M	ASPIRIN with CODEINE Aspirin Mixture, APF with Codeine Phosphate 30mg per 10mL - See Section 4, Standard Formulae Preparations					
3321T	DOXYCYCLINE Tablet 100mg	7	..	5.11	Vibramycin	PF
3322W	Capsule 100mg	7	..	4.64 5.11	Cyclidox Doxin	PT GP
3326C	ERYTHROMYCIN Tablet 125mg	25	..	4.31	EMU-V	UP
3327D	200mg	25	..	4.68	Erythrocin	AB
3328E	250mg	25	..	5.28	EMU-V Erythrocin Ethryn	UP AB FA
	(continued)					

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

76

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3329F	ERYTHROMYCIN - cont. Capsule 125mg	25	..	\$ 4.31	Eryc FA
3330G	250mg	25	..	5.24 5.28	E-Mycin PT Eryc FA Erythrocin AB Ilocap LY
3331H	Paediatric Drops 100mg per mL, 10mL	≠1	..	4.24	Ilosone LY
3332J	Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	4.56	Eromycin DL Erythrocin AB Ilosone LY
3334L	Powder for Paediatric Suspension 200mg per 5mL, 100mL	≠1	..	#5.48	EES 200 AB
3333K	Suspension 250mg per 5mL, 100mL	≠1	..	6.38	Erythrocin AB
3339R	METRONIDAZOLE Tablet 200mg	21	..	4.31 4.43	Trichozole PT Flagyl MB
3342X	NYSTATIN Tablet 500,000 Units	25	..	*5.96	Diastatin GP Mycostatin SQ Nilstat LE
3343Y	Mixture 100,000 Units per mL, 24mL	≠1	..	4.57	Mycostatin SQ Nilstat LE
3348F	PARACETAMOL Mixture 120mg per 5mL, 100mL	≠1	..	3.31	Dymadon BW Panamax WL Parmol US
3350H	PHENETHICILLIN Tablet 125mg	25	..	3.63	Optipen CS Pensig SI
3351J	250mg	25	..	4.06	Optipen CS Pensig SI
3353L	Capsule 250mg	25	..	4.06	Optipen CS Pensig SI
3354M	500mg	25	..	5.07	Optipen CS Pensig SI
3355N	Powder for Syrup 125mg per 5mL, 100mL	≠1	..	#4.62	Pensig 125 SI
3356P	250mg per 5mL, 100mL	≠1	..	#5.27	Pensig 250 SI
3359T	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	..	3.63	Abbocillin-V AB L.P.V. CS P.V.O. FM
	(continued)				

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

77

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
3360W	PHENOXYMETHYLPENICILLIN - cont. Tablet 250mg	25	..	3.96	Abbocillin-VK Cilicaine VK Falcopen VK L.P.V. PVK P.V.O.	AB SI FA CS LY FM
3361X	500mg	25	..	4.91	Abbocillin-VK L.P.V. PVK P.V.O.	AB CS LY FM
3362Y	Capsule 125mg	25	..	3.63	P.V.O.	FM
3363B	250mg	25	..	3.96	Abbocillin-VK Cilicaine VK Falcopen VK L.P.V. PVK P.V.O.	AB SI FA CS LY FM
3364C	500mg	25	..	4.91	Cilicaine VK Falcopen VK L.P.V. P.V.O.	SI FA CS FM
3365D	Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	3.84	Abbocillin-V Cilicaine V Falcopen V L.P.V.	AB SI FA CS
3366E	Suspension 250mg per 5mL, 100mL	≠1	..	4.43	Abbocillin-V Cilicaine V Falcopen V L.P.V. Aqueous Forte	AB SI FA CS
3370J	PROCAINE PENICILLIN Injection BP, 1g	5	..	9.97	Aquacillin Cilicaine	FA SI
3371K	1.5g	5	..	10.24	Aquacillin Cilicaine	FA SI
3372L	Crystalline Injection 900mg (solvent required)	5	..	6.29	Aquacaine G	CS
3373M	1.5g (solvent required)	5	..	7.64	Aquacaine G	CS
3376Q	PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	6.97	Aquacaine G Fortified	CS
3379W	SULPHADIMIDINE Tablet 500mg	40	..	3.97	S-Dimidine RY	PT

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

78

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3383C	TETRACYCLINE Capsule 250mg	25	..	\$ 4.37	Achromycin LE Australamycin CS Hydracycline Plain FM Panmycin P UP Tetramykoin BZ(N)
3386F	TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	4.37	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
3389J	TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	3.97	Bactrim RO Septrin BW Trib PT
3390K	160mg-800mg	10	..	5.03	Bactrim DS RO Septrin Forte BW Trib DS PT
3391L	Suspension 40mg-200mg per 5mL, 100mL	≠1	..	4.54	Bactrim RO Septrin BW Trib PT
	WATER FOR INJECTIONS (For use only with an injectible benefit which requires a solvent)				
3394P	Injection 2mL	5	..	3.26	BL,BZ(NQTW),LP,SI
3395Q	5mL	5	..	3.41	BL,BZ(NQTW),LP,SI

SECTION 3 - SCHEDULE OF BENEFITS

**Preparations available for Colostomy
and Ileostomy use**

**Preparations available for use by Paraplegic
and Quadriplegic patients**

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

2

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
2224C	ACRYLIC RESIN Solution 100mL Aerosol Spray	#1	..	7.91	Liquidoplast	PT
2223B	125g Aerosol Spray	#1	..	8.97	Nobecutane	AP
2683F	BENZOIN Compound Tincture 35%, 167mL Aerosol Spray	#1	..	5.71	LF	
2680C	BUTYL MONOESTER POLYMER with ETHANOL Paste 60g	#1	..	6.99	Stomahesive	SQ
2503R	BUTYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Protective Dressing Aerosol 120g	#1	..	8.67	Skin-Prep	DY
2504T	Solution 59mL	#1	..	6.99	Skin-Prep	DY
2718C	CHARCOAL, ACTIVATED Tablet 300mg	500	1	14.23	Char-Bons QE(NQ),TO	LF
2229H	CHLORAMINE Deodorant Tablet 120mg	500	..	5.98	Klortee	PT
2230J	Powder 25g	#1	4	3.51	Klortee	PT
3125L	DEODORANT CONCENTRATE Liquid 15mL	#1	..	4.11	Zerodor	ZR
3127N	0.5 fl oz	#1	..	4.13	Banish	DY
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	4.37	TAGG	LF
2617R	DIMETHICONE Solution 10%, 180mL Aerosol Spray	#1	..	5.71	Silicon Skin Spray	LF
2233M	Cream 10%, 50g					
2618T	10%, 75g					
	See Section 2					
2505W	ISOPROPYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Adhesive Protective Gel 28.35g	#1	..	5.51	Skin Gel	HO
3148Q	POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	12.43	Stomahesive Set BH	SQ
2950G	POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121mL	#1	..	5.94	Spray-On Bande	LF

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

3

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	SODIUM CARBOXYMETHYLCELLULOSE with PECTIN and GELATIN			\$	
2326K	Paste 16.7%-16.7%-16.7%, 15g	#1	..	3.71	Orabase SQ
2327L	Powder 33.3%-33.3%-33.3%, 15g	#1	..	3.71	Orahesive SQ
	STERCULIA (Indian Tragacanth; Gum Karaya)				
2258W	Paste 127.6g	#1	..	8.23	Karaya Paste HO
2259X	Powder 71g	#1	..	6.22	DY
3147P	Discs, 12	#1	5	8.28	Coloplast BH,DY ST
2256R	Discs, Compound, 10	#1	5	10.54	Colly-seels DY
3158F	Squares, 6	#1	5	20.63	BH
	SURGICAL CEMENT				
2238T	Skin Bond Adhesive 4fl oz				
2473E	Solvent 200mL				
2467W	227mL				
2469Y	240mL				
2472D	250mL				
	See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
(Prescriptions must be endorsed "S.P.")

4

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	\$ 4.37	TAGG LF
1260H	BISACODYL Suppositories 10mg, 5 See Section 2				
2233M	DIMETHICONE Cream 10%, 50g				
2618T	10%, 75g See Section 2				
3066J	DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50mg				
3067K	120mg See Section 2				
1125F	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL Suppositories 100mg-10mg, 5 See Section 2				
2710P	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50mg-50mg See Section 2				
3135B	GLYCEROL Suppositories 1g, 10 See Section 2				
2238T	SURGICAL CEMENT Skin Bond Adhesive 4fl oz				
2473E	Solvent 200mL				
2467W	227mL				
2469Y	240mL				
2472D	250mL See Section 2				

SECTION 4

SCHEDULE OF BENEFITS

DRUG TARIFF

CONTAINER PRICES FOR EXTEMPORANEOUSLY PREPARED BENEFITS

STANDARD FORMULAE PREPARATIONS

TABLE OF CODES, MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR EXTEMPORANEOUSLY PREPARED BENEFITS

DRUG TARIFF

Where liquids are purchased by weight, the recovery price includes the 'Specific Gravity Factor'.

Drugs marked (a) and (b) —

- (a) Where the quantity dispensed is greater than the quantity shown against items marked thus, the recovery price is:

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \times \text{price shown;}$$

- (b) Items marked thus are packed sterile or are unstable. The recovery price is:

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \text{ taken to next whole number} \times \text{price shown.}$$

Special Note:

Purified Water BP is the minimum requirement for water in all N.H.S. extemporaneous preparations.

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
Acetone	BP	\$ 0.02	\$ 0.12	\$ 1.05:100 mL
(use as additive only)				
ACIDS				
Acetic (6%)	BP	0.05	0.40	3.59:100 mL
Acetic (33%)	BP	0.04	0.29	2.57:100 mL
Ascorbic	BP	0.14	1.15	0.02:100 mg
(use as ingredient of Mixtures of Ferrous Sulphate APF and PL)				
Benzoic	BP	0.11	0.89	0.01:100 mg
Boric Crystal	BP	0.05	0.40	3.59:100 g
(use as additive only)				
Boric Powder	BP	0.02	0.15	1.37:100 g
(use as additive only)				
Citric Monohydrate	BP	0.06	0.44	3.92:100 g
Hydrochloric	BP	0.07	0.55	4.89:100 mL
Hydrochloric Dilute	BP	0.02	0.15	1.36:100 mL
Lactic	BP	0.13	1.05	9.30:100 mL
Oleic	BP	0.05	0.41	3.60:100 mL
Salicylic	BP	0.04	0.33	2.92:100 g
Stearic	BPC 73	0.04	0.31	2.78:100 g
Trichloroacetic	BP	0.45	3.59	
Acriflavine	BPC 63	1.23	..	0.15:100 mg
Adrenaline (b)	BP	16.44	..	
(may only be prescribed in eye drops)				
Alum	BP	0.01	0.08	0.75:100 g
Aminophylline	BP	0.23	1.84	
Ammoniated Mercury	BP 73	0.43	3.42	
Ammonium Bicarbonate	BP	0.02	0.18	1.63:100 g
Ammonium Chloride	BP	0.04	0.29	2.62:100 g
Aspirin	BP	0.03	0.27	2.44:100 g
Atropine Sulphate	BP	4.27	..	0.53:100 mg
Beeswax White	BP	0.06	0.51	4.56:100 g
Bentonite BP, sterilised		0.03	0.25	2.23:100 g
Benzocaine	BP	0.39	3.10	
Borax	BP	0.01	0.11	0.94:100 g
(use as additive only)				
Calamine	BP	0.02	0.17	1.50:100 g
CALCIUM				
Carbonate	BP	0.01	0.11	1.00:100 g
Gluconate	BP	0.06	0.44	3.87:100 g
Hydroxide	BP	0.05	0.38	3.38:100 g
Camphor	BP	0.06	0.49	4.32:100 g
(use as additive only)				
Cetomacrogol Emulsifying Wax	BP	0.08	0.61	5.40:100 g
Cetostearyl Alcohol	BP	0.07	0.53	4.67:100 g
Cetrimide	BP	0.17	1.38	
Chalk	BP	0.01	0.08	0.73:100 g
Chloral Hydrate	BP	0.04	0.28	2.52:100 g
Chlorbutol	BP	0.33	2.63	
Chlorhexidine Acetate	BP	1.38	11.07	0.17:100 mg
(use as additive only)				
Chlorinated Lime	BP	0.02	0.13	1.14:100 g
Chlorocresol	BP	0.39	3.15	0.05:100 mg
Chloroform	BP	0.02	0.18	1.61:100 mL
(use as additive only)				
Clioquinol (a)	BP	..	..	4.93:3.5 g
Cocaine Hydrochloride	BP	15.76	..	1.97:100 mg
Codeine Phosphate	BP	2.87	..	0.36:100 mg
Collodion Flexible	BP	0.05	0.39	3.51:100 mL

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
		\$	\$	\$
CREAMS				
Aqueous	APF	0.02	0.14	1.26:100 g
Aqueous	BP	0.02	0.14	1.26:100 g
Calamine Oily	APF	0.03	0.23	2.00:100 g
Cetomacrogol Aqueous	APF	0.02	0.17	1.51:100 g
Cetomacrogol Aqueous	APF 74	0.02	0.17	1.51:100 g
Cetrimide	BP	0.02	0.19	1.72:100 g
Cetrimide Aqueous	APF	0.02	0.19	1.72:100 g
Cetrimide Aqueous	APF 74	0.02	0.19	1.72:100 g
Zinc	BP	0.02	0.12	1.10:100 g
Zinc Oily	APF	0.02	0.18	1.60:100 g
Crystal Violet	BP	0.68	5.44	
Dextrose Monohydrate	BP	0.03	0.25	2.25:100 g
(use as additive only)				
Dithranol	BP	2.00	15.97	0.25:100 mg
Emulsifying Wax	BP	0.04	0.33	2.96:100 g
Ephedrine Hydrochloride	BP	0.39	3.09	0.05:100 mg
(may only be prescribed in nasal instillations)				
Ethanol (90%)	BP	0.01	0.05	0.42:100 mL
(use as additive only)				
Ethanol (96%)	BP	0.02	0.13	1.12:100 mL
(use as additive only)				
Ether Solvent	BP	0.02	0.15	1.31:100 mL
(use as additive only)				
EXTRACTS				
Hyoscyamus Liquid	BPC 73	0.15	1.22	10.82:100 mL
Ipecacuanha Liquid	BP	0.64	5.08	
Liquorice Liquid	BP	0.04	0.34	3.03:100 mL
Stramonium Liquid	BP 68	0.16	1.27	11.25:100 mL
FERROUS				
Gluconate	BP	0.24	1.90	
Sulphate	BP	0.10	0.76	6.73:100 g
Sulphate Dried	BP	0.03	0.26	2.28:100 g
GLYCERIN				
Ichthammol	BPC 73	0.06	0.48	4.25:100 mL
Glycerol	BP	0.01	0.11	0.98:100 mL
GUMS				
Acacia	BP	0.06	0.48	4.27:100 g
Tragacanth	BP	0.32	2.58	22.95:100 g
Homatropine Hydrobromide (b)	BP	..	..	3.15:250 mg
Honey Purified (by volume)	BP	0.01	0.04	0.37:100 mL
(use as additive only)				
Honey Purified (by weight)	BP	0.01	0.03	0.27:100 g
(use as additive only)				
Ichthammol	BP	0.11	0.89	7.91:100 g
INFUSIONS				
Gentian Compound Concentrated 1 in 10	BP	0.04	0.30	2.62:100 mL
Senega Concentrated 1 in 10	BP	0.07	0.52	4.60:100 mL
Iodine	BP	0.35	2.83	

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
Kaolin, Light or Kaolin, Light (Natural)	BP	\$ 0.01	\$ 0.11	\$ 0.98:100 g
Lactose	BP	0.01	0.05	0.46:100 g
Lignocaine Hydrochloride	BP	1.77	..	0.22:100 mg
LINIMENTS				
Camphor	BP 73	0.03	0.22	1.99:100 mL
Methyl Salicylate	BP	0.02	0.19	1.70:100 mL
Methyl Salicylate Compound	APF	0.04	0.28	2.49:100 mL
Soap	BPC 73	0.04	0.29	2.60:100 mL
Turpentine	BP	0.02	0.16	1.45:100 mL
LOTION				
Calamine	BP	0.01	0.08	0.70:100 mL
Magenta	BPC 73	0.76	6.11	0.10:100 mg
MAGNESIUM				
Carbonate Heavy	BP	0.02	0.17	1.52:100 g
Carbonate Light	BP	0.02	0.18	1.57:100 g
Oxide Light	BP	0.06	0.48	4.27:100 g
Sulphate	BP	0.01	0.03	0.24:100 g
(may only be prescribed for other than oral use)				
Sulphate Dried	BP	0.03	0.24	2.14:100 g
(may only be prescribed for other than oral use)				
Trisilicate	BP	0.02	0.16	1.46:100 g
Menthol	BP	0.26	2.08	
Methyl Salicylate	BP	0.03	0.20	1.79:100 mL
MIXTURE				
Magnesium Hydroxide	BP	0.01	0.08	0.73:100 mL
Morphine Hydrochloride	BP	4.54	..	0.57:100 mg
MUCILAGES				
Acacia (by weight)	APF	0.03	0.21	1.83:100 g
Tragacanth	BPC 73	0.01	0.07	0.58:100 mL
OILS				
Anise	BP	0.30	2.41	
Arachis	BP	0.01	0.09	0.78:100 mL
(use as additive only)				
Cade	BPC 73	0.23	1.85	
Castor	BP	0.02	0.12	1.05:100 mL
(use as additive only)				
Clove	BP	0.18	1.44	
Coconut	BP	0.02	0.14	1.23:100 g
Eucalyptus	BP	0.04	0.32	2.81:100 mL
(use as additive only)				
Lavender Spike	BPC 68	0.24	1.90	
Maize	BP	0.01	0.09	0.78:100 mL
(use as additive only)				
Olive	BP 73	0.01	0.10	0.92:100 mL
(use as additive only)				
Peppermint	BP	0.18	1.45	
(use as additive only)				
Pumilio Pine	BP	0.23	1.81	
Rosemary	BPC 73	0.22	1.74	
Siberian Fir	BPC 49	0.20	1.62	
Turpentine	BP	0.03	0.21	1.83:100 mL
(use as additive only)				

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
		\$	\$	\$
OINTMENTS				
Ammoniated Mercury	BP 73	0.03	0.26	2.28:100 g
Benzoic Acid Compound	APF	0.03	0.21	1.88:100 g
Emulsifying	BP	0.03	0.23	2.00:100 g
Hamamelis	BPC 73	0.06	0.46	4.08:100 g
Hydrous (white)	BP	0.02	0.19	1.68:100 g
Hydrous (yellow)	BP	0.02	0.19	1.68:100 g
Menthol Compound	APF 64	0.04	0.33	2.92:100 g
Methyl Salicylate	BP	0.04	0.30	2.65:100 g
Paraffin (white)	BP	0.04	0.28	2.45:100 g
Paraffin (yellow)	BP 68	0.04	0.34	3.06:100 g
Salicylic Acid	APF	0.04	0.31	2.78:100 g
Salicylic Acid	BP	0.04	0.32	2.80:100 g
Simple (white)	BP	0.03	0.23	2.07:100 g
Simple (yellow)	BP	0.04	0.28	2.50:100 g
Sulphur	BP	0.08	0.64	5.70:100 g
Wool Alcohols (white)	BP	0.03	0.24	2.15:100 g
Wool Alcohols (yellow)	BP	0.03	0.24	2.15:100 g
Zinc	BP	0.03	0.26	2.34:100 g
Zinc and Castor Oil	BP	0.02	0.19	1.71:100 g
Oxymel	BPC 73	0.01	0.08	0.71:100 mL
PAINTS				
Magenta	APF	0.11	0.85	7.54:100 mL
Magenta	APF 74	0.11	0.85	7.54:100 mL
Paracetamol	BP	0.15	1.20	
Paraffin Hard	BP	0.01	0.07	0.62:100 g
Paraffin Liquid (may only be prescribed for other than oral use)	BP	0.01	0.06	0.56:100 mL
Paraffin Liquid Light	BPC 63	0.01	0.08	0.72:100 mL
Paraffin Soft White	BP	0.01	0.10	0.88:100 g
Paraffin Soft Yellow	BP	0.01	0.11	0.97:100 g
PASTES				
Zinc Compound	BP	0.04	0.34	3.01:100 g
Zinc and Salicylic Acid	BP	0.04	0.30	2.66:100 g
Phenobarbitone	BP	0.24	1.94	0.03:100 mg
Phenobarbitone Sodium	BP	0.22	1.78	0.03:100 mg
Phenol (not available for ear drops)	BP	0.23	1.83	16.24:100 g
Phenol Liquefied (not available for ear drops)	BP	0.09	0.70	6.21:100 mL
Phenoxyethanol	BP	0.14	1.14	
Phenylephrine Hydrochloride	BP	2.65	..	0.33:100 mg
Phenylmercuric Nitrate	BP	6.57	..	0.82:100 mg
Phthalylsulphathiazole	BP	0.34	2.69	
Physostigmine Salicylate (b)	BP	..	..	3.65:64.8mg
Pilocarpine Hydrochloride (a)	BP	10.76	..	
Pilocarpine Nitrate	BP	10.10	..	1.26:100 mg
Podophyllum Resin	BP	0.85	6.80	
POTASSIUM				
Chlorate	BPC 73	0.05	0.37	3.30:100 g
Chloride	BP	0.04	0.30	2.67:100 g
Citrate	BP	0.02	0.16	1.45:100 g
Iodide	BP	0.10	0.80	7.10:100 g
Permanganate	BP	0.03	0.24	2.10:100 g
POWDER				
Tragacanth Compound	BP	0.07	0.54	4.81:100 g
Procaine Hydrochloride	BP	0.28	2.27	
Propylene Glycol	BP	0.06	0.46	4.07:100 mL

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
Resorcinol	BP	\$ 0.20	\$ 1.63	\$
Silver Nitrate	BP	2.28	18.23	
SOAPS				
Ethereal	APF 55	0.03	0.23	2.00:100 mL
Soft	BP	0.02	0.17	1.48:100 g
SODIUM				
Acid Phosphate	BP	0.06	0.46	4.11:100 g
Benzoate	BP	0.05	0.42	3.77:100 g
Bicarbonate	BP	0.01	0.04	0.32:100 g
Chloride	BP	0.01	0.09	0.80:100 g
Citrate	BP	0.04	0.32	2.84:100 g
Iodide	BP	0.18	1.42	
Metabisulphite	BP	0.03	0.23	2.04:100 g
Phosphate	BP	0.05	0.40	3.59:100 g
Salicylate	BP	0.04	0.29	2.58:100 g
Thiosulphate	BP	0.02	0.14	1.26:100 g
(use as additive only)				
SOLUTIONS				
Adrenaline	BP	0.03	0.24	
(may only be prescribed in eye drops)				
Aluminium Acetate	BPC 73	0.03	0.22	1.91:100 mL
Amaranth	APF	0.04	0.34	3.01:100 mL
Amaranth	APF 64	0.04	0.34	3.01:100 mL
Amaranth Compound	APF	0.06	0.46	4.08:100 mL
Ammonia Dilute	BP	0.01	0.06	0.56:100 mL
Ammonia Strong	BP	0.02	0.15	1.34:100 mL
Ammonium Acetate Strong	BP	0.04	0.29	2.54:100 mL
Benzoic Acid	BP	0.05	0.40	
Calcium Hydroxide	BP	0.01	0.02	0.14:100 mL
Chlorhexidine Gluconate	BP	0.09	0.75	6.63:100 mL
(use as additive only)				
Coal Tar	BP	0.04	0.33	2.92:100 mL
Formaldehyde	BP	0.01	0.09	0.78:100 mL
Iodine Aqueous	BP	0.07	0.54	4.77:100 mL
Iodine Simple	BPC 59	0.05	0.41	3.67:100 mL
Iodine Weak	BP	0.03	0.21	1.83:100 mL
Morphine Hydrochloride	BPC 73	0.13	1.03	9.18:100 mL
Sodium Chloride	BP	0.01	0.01	0.10:100 mL
SPIRITS				
Ammonia Aromatic	BP	0.03	0.21	1.87:100 mL
Anise	BPC 49	0.06	0.44	3.93:100 mL
Camphor	BPC 59	0.04	0.35	3.15:100 mL
Camphor Compound	APF	0.02	0.18	1.58:100 mL
Chloroform	BP	0.04	0.34	2.99:100 mL
Lemon	BP	0.06	0.44	3.87:100 mL
Methylated Industrial	BP	0.01	0.04	0.38:100 mL
(use as additive only)				
Peppermint	BP	0.05	0.37	3.33:100 mL
Squill Elixir	BP	0.03	0.24	2.12:100 mL
Squill Oxymel	BP	0.02	0.15	1.32:100 mL
Starch	BP	0.01	0.09	0.81:100 g
Sulphacetamide Sodium	BP	0.94	7.51	
Sulphur Precipitated	BP	0.01	0.10	0.86:100 g
Sulphur Sublimed	BPC 73	0.01	0.10	0.89:100 g
Sulphurated Potash	BPC 73	0.11	0.86	7.60:100 g

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
		\$	\$	\$
SYRUPS				
Aromatic	APF	0.05	0.41	3.67:100 mL
Chloral	BPC 68	0.01	0.09	0.83:100 mL
Codeine Phosphate	BPC 73	0.03	0.21	1.89:100 mL
Ferrous Phosphate Compound	BPC 68	0.02	0.17	1.47:100 mL
Golden Acidified	APF 55	0.02	0.19	1.64:100 mL
Lemon	APF	0.01	0.07	0.58:100 mL
Lemon Neutral	APF	0.01	0.05	0.47:100 mL
Orange	APF	0.02	0.18	1.57:100 mL
Orange	BP	0.02	0.18	1.57:100 mL
Pholcodine Citrate (use as additive only)	BPC 59	0.03	0.21	1.89:100 mL
Raspberry	BP	0.05	0.41	3.66:100 mL
Red	APF	0.05	0.38	3.37:100 mL
Syrup	BP	0.01	0.04	0.38:100 mL
Tolu	BP	0.02	0.17	1.49:100 mL
Talc Purified BP, sterilised		0.03	0.25	2.22:100 g
Tar Coal	BP	0.04	0.35	3.15:100 g
Tar Coal Prepared	BP 73	0.06	0.50	4.45:100 g
Theophylline	BP	0.24	1.90	
Thymol	BP	0.24	1.89	
Thymol Mouth Wash Compound	APF	0.02	0.13	1.19:100 mL
TINCTURES				
Belladonna	BP	0.03	0.25	2.20:100 mL
Benzoin Compound	BP	0.03	0.26	2.35:100 mL
Hyoscyamus	BP	0.07	0.52	4.59:100 mL
Ipecacuanha	BP	0.06	0.46	4.04:100 mL
Lobelia Ethereal	BPC 73	0.08	0.60	5.37:100 mL
Opium	BP	0.16	1.31	11.64:100 mL
Opium Camphorated	BP	0.03	0.24	2.15:100 mL
Orange	BP	0.04	0.35	3.08:100 mL
Quillaia	BP	0.06	0.44	3.95:100 mL
Squill	BP	0.05	0.36	3.24:100 mL
Stramonium	BP	0.03	0.27	2.37:100 mL
Titanium Dioxide	BP	0.07	0.57	5.02:100 g
Triethanolamine	BP	0.05	0.42	3.75:100 mL
WATERS				
Anise Concentrated 1 in 40 (use as additive only)	BP	0.05	0.37	3.32:100 mL
Camphor Concentrated 1 in 40	BP	0.04	0.34	2.99:100 mL
Chlorbutol	APF 55	0.01	0.03	0.26:100 mL
Chloroform Concentrated 1 in 40	APF	0.04	0.33	2.91:100 mL
For Injections (b) (extemporaneously prepared eye drops and eye lotions)	BP	..	..	1.86:100 mL
Peppermint Concentrated 1 in 40 (use as additive only)	BP 73	0.04	0.30	2.71:100 mL
Purified	BP	0.01	0.01	0.09:100 mL
Wool Alcohols	BP	0.15	1.21	
Wool Fat	BP	0.03	0.22	1.91:100 g
Wool Fat Hydrous	BP	0.03	0.24	2.11:100 g
ZINC				
Oxide	BP	0.02	0.12	1.08:100 g
Sulphate	BP	0.13	1.06	9.39:100 g

CONTAINER PRICES

Container Sizes	Prices					
	N.S.W.	Victoria	Queens- land	South Aust.	West Aust.	Tas- mania
Dispensing Bottles —	\$	\$	\$	\$	\$	\$
25mL	0.22	0.17	0.25	0.24	0.17	0.15
50mL	0.25	0.18	0.28	0.23	0.23	0.17
100mL	0.25	0.23	0.37	0.30	0.31	0.23
200mL	0.36	0.31	0.49	0.40	0.44	0.33
400mL/500mL	0.58	0.67	0.99	0.78	0.95	0.73
Poison Bottles —						
25mL	0.31	0.27	0.33	0.34	0.32	0.29
50mL	0.36	0.32	0.34	0.38	0.29	0.35
100mL	0.41	0.37	0.37	0.43	0.39	0.40
200mL	0.52	0.48	0.50	0.56	0.74	0.52
400mL/500mL	0.54	0.52	0.60	0.52	0.53	0.53
Screw Cap Jars —						
25g	0.17	0.21	0.27	0.25	0.29	0.20
50g	0.23	0.28	0.37	0.32	0.37	0.28
100g	0.28	0.34	0.47	0.40	0.44	0.35
200g	0.65	0.67	0.40	0.45	1.17	0.67
400g/500g	0.50	0.70	0.46	0.70	1.15	0.70
Dropper Containers —						
15mL polythene	0.21	0.20	0.41	0.19	0.19	0.27
15mL glass	0.37	0.44	0.38	0.44	1.09	0.54

Professional Fee for Extemporaneously Prepared Benefits \$2.54

STANDARD FORMULAE PREPARATIONS

The following list is provided for the purpose of facilitating coding in respect of the items shown. It is not intended to indicate in any way which particular formula an approved chemist should use in filling a prescription.

Where an approved chemist supplies a preparation that is outside this list, the appropriate three-character code as shown on page 18 (section 4) should be used, except where the chemist has elected to price such prescriptions.

It should also be noted that the use of codes that have been removed from this section will cause delays in payment of claims.

The prices shown in this section are for ingredients and professional fee only. The appropriate container price as shown on page 9 (section 4) is to be added to obtain the final recovery prices.

KEY TO REFERENCES

ACH	Adelaide Children's Hospital
APF	Australian Pharmaceutical Formulary
BP	British Pharmacopoeia
BPC	British Pharmaceutical Codex
PL	Prescribers' List
QHF	Queensland Hospital Formulary
RAHP	Royal Adelaide Hospital Pharmacopoeia — 1952
RMH	Royal Melbourne Hospital

Code	Item	Reference	Max. Qty Price \$
	CREAMS MAXIMUM QUANTITY 100g, 1 Repeat		
7655X	Aluminium Acetate Oily	PL & APF	3.74
7322J	Aqueous	PL & APF	3.80
7913L		BP	3.80
7495L	Buffered	BP	3.53
7503X	Buffered Aqueous	PL & APF	3.57
7320G	Calamine Aqueous	PL & APF	3.52
7377G		BP	3.28
7659D	Calamine Oily	PL & APF	4.54
7497N	Cetomacrogol Aqueous	PL & APF	4.05
7498P	Cetomacrogol (Formula A)	BP	3.48
7660E	Cetrimide	BP	4.26
7661F	Cetrimide Aqueous	PL & APF	4.26
7490F	Chlorhexidine 1%	BP	4.65
7490F	Chlorhexidine Aqueous	PL & APF	4.65
7500R	Clioquinol	BP	7.71
7504Y	Clioquinol Aqueous	APF	8.23
7318E	Coal Tar and Zinc Oily	PL & APF	4.17
7499Q	Cold	PL & APF	3.77
7664J	Glycerol Oily	PL & APF	3.57
7666L	Ichthammol and Zinc Oily	PL & APF	4.86
9556Y	Oily	PL & APF	3.41
7892J	Salicylic Acid and Resorcinol Aqueous	PL & APF	4.23
7501T	Salicylic Acid and Sulphur	BP	3.85
7893K	Salicylic Acid and Sulphur Aqueous	PL & APF	3.99
7897P	Zinc	BP	3.64
7376F	Zinc and Ichthammol	BP	4.48
7667M	Zinc Oily	PL & APF	4.14
7654W	Zinc Weak	PL	3.66
	DUSTING POWDERS MAXIMUM QUANTITY 100g, 1 Repeat		
7526D	Chlorbutol Compound	APF 64	6.28
7474J	Kaolin Compound	APF	4.37
7473H	Talc	APF & BP	4.63
9868J	Zinc and Salicylic Acid	BPC 68	3.66
7458M	Zinc, Starch and Talc	PL, APF & BPC 73	4.32
	EAR DROPS MAXIMUM QUANTITY 15mL, 2 Repeats		
7544C	Acetic Acid	APF	2.59
7642F	Aluminium Acetate	PL & APF	2.77
7487C	Chlorhexidine	PL & APF	2.65
7645J	Ichthammol	PL & APF	3.26
7316C	Phenylmercuric Nitrate	PL & APF	3.42
7315B	Salicylic Acid	PL & APF	2.63
7314Y	Sodium Bicarbonate	PL, APF & BP	2.61
7313X	Spirit	PL & APF	2.60
8204T		BPC 73	2.68
7545D	Sulphacetamide	APF 69	4.03
	ELIXIR MAXIMUM QUANTITY 100mL, 4 Repeats		
7948H	Phenobarbitone	APF	3.99
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	<u>EYE DROPS OF COCAINE</u> MAXIMUM QUANTITY 15mL, No Repeats		
7372B	Cocaine 2%	BPC 73	10.72
7593P	Cocaine Weak	APF	7.46
7589K	Cocaine Strong	APF	20.25
7626J	Cocaine and Adrenaline	APF	6.50
7636X	Cocaine, Adrenaline and Zinc	APF	6.51
7321H	Cocaine and Homatropine	BPC 73	16.70
7647L	Homatropine and Cocaine	APF	16.71
	<u>EYE DROPS OF PHYSOSTIGMINE</u> MAXIMUM QUANTITY 15mL, 6 Repeats		
7652R	Physostigmine	APF 74	12.13
	<u>EYE DROPS OF PILOCARPINE</u> MAXIMUM QUANTITY 15mL, 6 Repeats		
9928M	Pilocarpine Buffered 0.5%	APF 74	6.18
9898Y	1%	APF 74	6.86
9810H	2%	APF 74	8.88
7703K	4%	APF 74	12.92
	<u>EYE DROPS, OTHER</u> MAXIMUM QUANTITY 15mL, 2 Repeats		
7396G	Homatropine	APF	10.81
7367R	Sulphacetamide Weak	BPC 73	6.23
7366Q	Sulphacetamide Strong	BPC 73	9.05
7416H	Zinc Sulphate	APF	4.48
7365P		BPC 73	4.82
7417J	Zinc and Adrenaline	APF	4.54
	<u>EYE LOTIONS</u> MAXIMUM QUANTITY 200mL, 1 Repeat		
8416Y	Boric Acid	ACH	6.39
8417B	Citric Acid	APF	6.39
7363M	Sodium Bicarbonate	APF	6.30
8418C	Sodium Chloride	BP	6.28
	<u>GARGLE</u> MAXIMUM QUANTITY 200mL, 4 Repeats		
8492Y	Potassium Chlorate	RAHP	2.96
	<u>GLYCERIN</u> MAXIMUM QUANTITY 100mL, 1 Repeat		
8070R	Ichthammol	BPC 73	6.79
	<u>INHALATIONS</u> MAXIMUM QUANTITY 50mL, 1 Repeat		
7485Y	Benzoin	PL	3.84
8577K	Benzoin Compound	PL	4.54
7484X	Benzoin and Menthol	PL & APF	4.10
8579M	Menthol	APF	3.05
7310R	Menthol and Eucalyptus	PL & BP	3.12
7309Q	Menthol and Pine	PL & APF	3.62
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	INHALATION, SOLID MAXIMUM QUANTITY 4g, 1 Repeat		
8072W	Menthol Crystals	BP	3.58
	LINCTUSES MAXIMUM QUANTITY 100mL, 2 Repeats		
7440N	Codeine I.F.	ACH	4.51
7536P	Menthol	APF 64	3.57
8619P	Simple	PL & APF	3.30
8636M	Squill Opiate	BP	4.41
7361K	Squill Opiate for Children	BP	3.43
	LINIMENTS MAXIMUM QUANTITY 100mL, 1 Repeat		
7884Y	Camphor	PL, APF & BP 73	4.53
7480Q	Methyl Salicylate Compound	PL & APF	5.03
7307N	Soap	APF & BPC 73	5.14
7419L	Turpentine	BP	3.99
7818L		APF 64	4.54
8655M	White	BP	3.64
	LOTIONS MAXIMUM QUANTITY 200mL, 2 Repeats		
7709R	Aluminium Acetate Aqueous	APF	2.93
7629M	Calamine	PL, APF & BP	3.94
7630N	Calamine Oily	PL, APF & BP	3.74
7538R	Eusol	APF	2.95
7710T	Formaldehyde	APF	2.77
8793T	Resorcinol Compound	PL & APF	4.60
7711W	Resorcinol and Sulphur	APF	4.91
7706N	Salicylic Acid	BP	4.96
7712X	Salicylic Acid and Coal Tar	APF	3.92
7632Q	Sodium Thiosulphate	APF	3.28
7633R	Sulphurated	PL & APF	4.97
8825L	Zinc Sulphate	BPC 73	3.06
7708Q	Zinc Sulphide	BPC 73	4.84
	MIXTURES MAXIMUM QUANTITY 200 mL, 4 Repeats		
7359H	Ammonia and Ipecacuanha	BP	3.81
7595R	Ammonium Acetate	APF 64	5.00
7599Y	Ammonium Chloride	APF	4.32
7905C	Aspirin	PL & APF	3.88
7732Y	Calcium Carbonate Compound	APF	3.62
7303J	Chalk and Kaolin	PL & APF	3.72
7906D	Chloral	PL & APF	3.82
7357F		BP	3.40
7908F	Ferrous Sulphate	PL & APF	3.73
7603E	Gentian Acid	PL & BPC 73	3.64
7604F	Gentian Alkaline	PL, APF & BP	3.54
7605G	Hydrochloric Acid	APF 69	5.62
7492H	Ipecacuanha and Squill	PL & APF	4.23
7348R	Kaolin	BPC 68	3.90
7301G	Kaolin and Opium	PL & APF	4.78
7347Q	Lobelia and Stramonium Compound	BPC 68	4.50
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	<u>MIXTURES - cont.</u>		
7346P	Magnesium Carbonate	BPC 68	3.16
7790B	Magnesium Hydroxide	BP	4.00
7909G	Magnesium Trisilicate	PL & APF	3.72
7342K		BPC 68	3.30
7343L	Magnesium Trisilicate and Belladonna	BPC 68	3.53
7608K	Opium Camphorated	APF 64	5.00
7339G	Opium Camphorated Compound	BPC 73	3.78
7910H	Potassium Chloride	PL & APF	3.76
7911J	Potassium Citrate	PL & APF	4.08
7335C		BP	4.57
7912K	Potassium Citrate and Hyoscyamus	APF	4.79
7932L	Potassium Citrate and Sodium Bicarbonate	PL & APF	3.60
7616W	Potassium Iodide	APF	3.79
7338F	Potassium Iodide Ammoniated	BPC 73	3.94
7618Y	Potassium Iodide and Stramonium Compound	PL & APF	4.80
7933M	Sodium Citrate	PL & APF	4.72
7623F	Sodium Salicylate	PL & APF	3.69
7334B	Sodium Salicylate Strong	BPC 68	3.52
7333Y	Stramonium and Potassium Iodide	BPC 73	3.97
	<u>MIXTURES FOR CHILDREN</u>		
	<u>MAXIMUM QUANTITY 100mL, 4 Repeats</u>		
7783P	Aspirin	PL & APF	3.75
7441P	Asthma	ACH	3.91
7785R	Belladonna	PL & APF	3.34
7786T	Calcium and Kaolin	PL & APF	3.05
7793E	Chloral	PL & APF	3.60
7787W		APF 74	3.26
7436J		ACH	3.56
7420M	Cough Sedative	ACH	3.52
7434G	Expectorant	ACH	3.68
7788X	Ferrous Gluconate	PL & APF	4.32
7789Y	Ferrous Sulphate	PL & APF	3.28
7330T	Ipecacuanha	BPC 73	3.20
7493J	Ipecacuanha and Squill	PL & APF	3.13
7437K	Phenobarbitone	ACH	2.82
7430C	Phthalylsulphathiazole	APF	6.51
7791C	Potassium Citrate	PL & APF	3.40
7586G	Potassium Iodide	PL & APF	3.16
7792D	Sodium Citrate	PL & APF	3.72
	<u>MOUTH WASH</u>		
	<u>MAXIMUM QUANTITY 200mL, 1 Repeat</u>		
7457L	Thymol Compound	APF	4.92
	<u>NASAL INSTILLATIONS</u>		
	<u>MAXIMUM QUANTITY 15mL, 2 Repeats</u>		
7576R	Dextrose and Glycerol	PL & APF	2.80
7574P	Ephedrine	PL & APF	2.74
7455J	Phenylephrine	APF	2.84
7454H	Phenylephrine Strong	APF	3.17
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	OINTMENTS		
	MAXIMUM QUANTITY 100g, 1 Repeat		
9506H	Benzocaine Compound	BPC 73	8.88
9497W	Benzoic Acid Compound	PL, APF & BP	4.42
9519B	B.O.Z.	QHF	4.86
7915N	Calamine	BP	3.60
7916P	Cetomacrogol Emulsifying	BP	5.01
7917Q	Cetrimide Emulsifying	BP	5.12
7452F	Dithranol	APF	3.76
7452F	Dithranol 0.1%	BP	3.76
7451E	Dithranol 1%	BP	5.50
7451E	Dithranol Strong	APF 64	5.50
7918R	Emulsifying	PL, APF & BP	4.54
7919T	Hamamelis	BPC 73	6.62
7938T	Hydrous (white)	BP	4.22
7939W	Hydrous (yellow)	BP	4.22
9557B	Hydrous Wool Fat	BPC 73	4.29
9559D	Ichthammol	BP	4.92
7571L	Menthol Compound	APF 64	5.46
9576B	Methyl Salicylate	BP	5.19
9577C	Methyl Salicylate Compound	APF 34	4.98
7924C	Paraffin (white)	BP	4.99
7925D	Paraffin (yellow)	BP 68	5.60
9592W	Resorcinol and Sulphur Compound	PL & APF	4.96
7926E	Salicylic Acid	PL & APF	5.32
8022F		BP	5.34
7327P	Salicylic Acid and Sulphur	BPC 73	4.27
7927F	Simple (white)	PL, APF & BP	4.61
7930J	Simple (yellow)	BP	5.04
8060F	Sulphur	BP	8.24
7929H		APF 64	4.48
7450D	Wool Alcohols	APF	4.14
7936Q	Wool Alcohols (white)	BP	4.69
7937R	Wool Alcohols (yellow)	BP	4.69
7896N	Zinc	PL, APF & BP	4.88
7899R	Zinc and Castor Oil	PL, APF & BP	4.25
7573N	Zinc and Coal Tar	APF	3.83
	PAINTS		
	MAXIMUM QUANTITY 25mL, 1 Repeat		
7780L	Cetrimide and Chlorhexidine	APF	2.74
7324L	Crystal Violet	BP	2.71
7842R	Formaldehyde and Salicylic Acid	APF	2.85
7562B	Ichthammol	PL & APF	3.74
7563C	Iodine	APF 64	3.24
7564D	Iodine Compound	APF	3.07
7326N		BPC 68	3.05
9770F	Magenta	PL & APF	4.67
7325M		BPC 73	3.35
7566F	Podophyllin	PL & APF	4.25
7567G	Podophyllin Compound	BP	6.38
7567G	Podophyllin Strong	PL & APF	6.38
7568H	Salicylic Acid	PL & APF	3.62
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	<u>PASTES</u> MAXIMUM QUANTITY 100g, 1 Repeat		
7555P	Coal Tar and Zinc	PL & APF	5.55
9738M	Dithranol 0.1%	BP	5.45
9739N	Dithranol 1%	BP	7.17
9740P	Dithranol and Zinc	PL & APF	5.45
7557R	Dithranol and Zinc Strong	APF 64	7.52
7323K	Resorcinol and Sulphur	BP	5.22
9742R	Titanium Dioxide	PL & APF	4.46
9741Q	Zinc and Coal Tar	BP	3.94
7558T	Zinc Compound	PL, APF & BP	5.55
9767C	Zinc Oxide	RMH	3.99
7559W	Zinc and Salicylic Acid	PL & APF	5.53
9773J		BP	5.20
	<u>POWDERS FOR INTERNAL USE</u> MAXIMUM QUANTITY 100g, 2 Repeats		
7547F	Kaolin Compound	APF	3.76
7549H	Magnesium and Calcium Carbonate	PL & APF	4.09
9821X	Magnesium Carbonate Compound	BPC 73	3.69
9824C	Magnesium Trisilicate Compound Oral	BP	3.67
	<u>POWDER, IRRIGATION</u> MAXIMUM QUANTITY 100g, 1 Repeat		
7546E	Alkaline Nasal Douche	APF	3.34
	<u>SOAPS</u> MAXIMUM QUANTITY 200mL, 1 Repeat		
9896W	Spirit	BP	5.30
9897X	Spirit (Industrial Methylated)	BP	5.22
	<u>SOLUTIONS</u> MAXIMUM QUANTITY 200mL, 2 Repeats		
7827Y	Aluminium Acetate	APF & BPC 73	6.36
7538R	Calcium Hypochlorite	APF	2.95
7922Y	Iodine Aqueous (Lugol's)	BP	12.08
7923B	Iodine Weak	BP	6.20
7540W	Soap Alcoholic	APF	4.86
	<u>SYRUPS</u> MAXIMUM QUANTITY 100mL, 4 Repeats		
9987P	Chloral	BPC 68	3.37
7375E	Codeine	APF	4.78
7378H	Codeine Phosphate	BPC 73	4.43
	<u>TINCTURES</u> MAXIMUM QUANTITY 25mL, 1 Repeat		
8073X	Belladonna	BP	3.17
8075B	Stramonium	BP	3.22
- CONTAINER RATES TO BE ADDED -			

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

17

Code	Item	Reference	Max. Qty Price \$
	MIXTURES		
	MAXIMUM QUANTITY 200mL, No Repeats		
7001L	Aspirin	APF	3.88
7002M	Aspirin APF with Codeine Phosphate 30mg per 10mL		6.04
	MIXTURE FOR CHILDREN		
	MAXIMUM QUANTITY 100mL, No Repeats		
7003N	Aspirin	APF	3.75
- CONTAINER RATES TO BE ADDED -			

TABLE OF CODES, MAXIMUM QUANTITIES AND NUMBER OF
REPEATS FOR EXTEMPORANEOUSLY PREPARED BENEFITS

Code	Preparation	Maximum Quantity	No. of Repeats
13Q	Creams	100g	1
48M	Dusting Powders	100g	1
15T	Ear Drops	15mL	2
16W	Elixirs	100mL	4
19B	Eye Drops of Cocaine	15mL	..
20C	Eye Drops of Physostigmine	15mL	6
21D	Eye Drops of Pilocarpine	15mL	6
22E	Other Eye Drops	15mL	2
23F	Eye Lotions	200mL	1
25H	Gargles	200mL	4
28L	Glycerins	100mL	1
29M	Inhalations	50mL	1
37Y	Inhalations, Solid	4g	1
34T	Linctuses	100mL	2
38B	Liniments	100mL	1
39C	Lotions	200mL	2
40D	Mixtures	200mL	4
41E	Mixtures for Children	100mL	4
30N	Mouth Washes	200mL	1
42F	Nasal Instillations	15mL	2
43G	Ointments, Waxes	100g	1
44H	Paints	25mL	1
45J	Pastes	100g	1
49N	Powders for Internal Use	100g	2
61F	Powders, Irrigation	100g	1
51Q	Soaps	200mL	1
52R	Solutions	200mL	2
55X	Syrups	100mL	4
56Y	Tinctures	25mL	1

SECTION 5 — PRESCRIBERS' LIST

PRESCRIPTION

CREAMS

(Maximum Quantity 100g and 1 Repeat)

7655X ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution		5	mL
Zinc Oxide		20	g
Wool Fat		25	g
Arachis Oil		25	mL
Purified Water, freshly boiled and cooled		27	mL

7322J AQUEOUS (APF)

Emulsifying Ointment		30	g
Chlorocresol		100	mg
Purified Water, freshly boiled and cooled to		100	g

7503X BUFFERED, AQUEOUS (APF)

Sodium Phosphate		2.5	g
Citric Acid Monohydrate		500	mg
Chlorocresol		100	mg
Glycerol		5	mL
Emulsifying Ointment		30	g
Purified Water, freshly boiled and cooled to		100	g

7320G CALAMINE, AQUEOUS (APF)

Calamine		4	g
Zinc Oxide		3	g
Cetomacrogol Emulsifying Wax		6	g
Arachis Oil		30	g
Purified Water, freshly boiled and cooled to		100	g

7659D CALAMINE, OILY (APF)

Calamine		32	g
Oleic Acid		0.5	mL
Arachis Oil		21.5	mL
Wool Fat		17.5	g
Calcium Hydroxide Solution		30.5	mL

7497N CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax		15	g
Liquid Paraffin		10	g
White Soft Paraffin		10	g
Chlorocresol		100	mg
Propylene Glycol		5	mL
Purified Water, freshly boiled and cooled to		100	g

PRESCRIPTION

7661F CETRIMIDE, AQUEOUS (APF)

Cetrimide		500	mg
Chlorocresol		100	mg
Cetostearyl Alcohol		5	g
Liquid Paraffin		50	g
Purified Water, freshly boiled and cooled to		100	g

7490F CHLORHEXIDINE, AQUEOUS (APF)
(Chlorhexidine 1% BP)

Chlorhexidine Gluconate Solution		5	mL
Cetomacrogol Emulsifying Wax		25	g
Liquid Paraffin		10	g
Purified Water, freshly boiled and cooled to		100	g

7318E COAL TAR and ZINC, OILY (APF)

Coal Tar, BPC		1	g
Castor Oil		1	g
Zinc Cream Oily APF		98	g

7499Q COLD (APF)

White Beeswax		17	g
Liquid Paraffin		45	g
Borax		1	g
Purified Water, freshly boiled and cooled		37	mL

7664J GLYCEROL, OILY (APF)

Glycerol		20	g
Calcium Hydroxide Solution		32	mL
Arachis Oil		22	g
Wool Fat		26	g

7666L ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol		5	g
Wool Fat		15	g
Zinc Cream Oily APF		80	g

9556Y OILY (APF)

Wool Alcohols Ointment, APF		50	g
Purified Water, freshly boiled and cooled		50	mL

7892J SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

Salicylic Acid		2	g
Resorcinol		2	g
Aqueous Cream, APF to		100	g

PRESCRIPTION

CREAMS — continued**7893K SALICYLIC ACID and SULPHUR, AQUEOUS (APF)**

Salicylic Acid				2	g
Precipitated Sulphur				2	g
Spike Lavender Oil				0.5	mL
Aqueous Cream, APF to				100	g

7667M ZINC, OILY (APF)

Zinc Oxide				32	g
Oleic Acid				0.5	mL
Arachis Oil				21.5	mL
Wool Fat				17.5	g
Calcium Hydroxide Solution				30.5	mL

7654W ZINC, WEAK (PL)

Zinc Oxide				5	g
Oleic Acid				0.5	mL
Arachis Oil				38.5	mL
Wool Fat				25	g
Calcium Hydroxide Solution				34.5	mL

DUSTING POWDER

(Maximum Quantity 100g and 1 Repeat)

7458M ZINC, STARCH and TALC (APF)

Zinc Oxide				25	g
Starch				25	g
Purified Talc, sterilised				50	g

EAR DROPS

(Maximum Quantity 15mL and 2 Repeats)

7642F ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution				9	mL
Purified Water, freshly boiled and cooled to				15	mL

7487C CHLORHEXIDINE (APF)

Chlorhexidine Acetate				7.5	mg
Purified Water, freshly boiled and cooled to				15	mL

7645J ICHTHAMMOL (APF)

Ichthammol				10	g
Glycerol				90	g

7316C PHENYLMERCURIC NITRATE (APF)

Phenylmercuric Nitrate				15	mg
Propylene Glycol				7.5	mL
Purified Water, freshly boiled and cooled to				15	mL

PRESCRIPTION

7315B SALICYLIC ACID (APF)

Salicylic Acid				300	mg
Alcohol (90 per cent)				7.5	mL
Purified Water, freshly boiled and cooled to				15	mL

7314Y SODIUM BICARBONATE (APF, BP)

Sodium Bicarbonate				750	mg
Glycerol				4.5	mL
Purified Water, freshly boiled and cooled to				15	mL

7313X SPIRIT (APF)

Alcohol (90 per cent)				7.5	mL
Purified Water, freshly boiled and cooled to				15	mL

INHALATIONS

(Maximum Quantity 50 mL and 1 Repeat)

7485Y BENZOIN (PL)

Benzoïn Tincture, Compound				50	mL
----------------------------	------	------	------	----	----

8577K BENZOIN, COMPOUND (PL)

Menthol				1	g
Oil of Siberian Fir				2.5	mL
Benzoïn Tincture, Compound to				50	mL

7484X BENZOIN and MENTHOL (PL, APF)

Menthol				1	g
Benzoïn Tincture, Compound to				50	mL

7310R MENTHOL and EUCALYPTUS (BP)

Menthol				1	g
Eucalyptus Oil				5	mL
Light Magnesium Carbonate				3.5	g
Purified Water to				50	mL

7309Q MENTHOL and PINE (APF)

Menthol				1	g
Pumilio Pine Oil				2.5	mL
Alcohol (90 per cent) to				50	mL

LINCTUS

(Maximum Quantity 100 mL and 2 Repeats)

8619P SIMPLE (APF)

Citric Acid Monohydrate				125	mg
Concentrated Chloroform Water				0.15	mL
Amaranth Solution				0.1	mL
Concentrated Anise Water				0.05	mL
Syrup to				5	mL

PRESCRIPTION

LINIMENTS

(Maximum Quantity 100 mL and 1 Repeat)

7884Y CAMPHOR (APF)

Camphor					20	g
Arachis Oil					80	g

7480Q METHYL SALICYLATE, COMPOUND (APF)

Menthol					4	g
Eucalyptus Oil					10	mL
Methyl Salicylate					25	mL
Arachis Oil to					100	mL

LOTIONS

(Maximum Quantity 200 mL and 2 Repeats)

7629M CALAMINE (APF, BP)

Calamine					30	g
Zinc Oxide					10	g
Bentonite, sterilised					6	g
Sodium Citrate					1	g
Liquefied Phenol					1	mL
Glycerol					10	mL
Purified Water, freshly boiled and cooled to					200	mL

7630N CALAMINE, OILY (APF, BP)

Calamine					10	g
Wool Fat					2	g
Arachis Oil					100	mL
Oleic Acid					1	mL
Calcium Hydroxide Solution to					200	mL

8793T RESORCINOL, COMPOUND (APF)

Resorcinol					5	g
Solvent Ether					5	mL
Castor Oil					5	mL
Spike Lavender Oil					0.2	mL
Alcohol (90 per cent) to					200	mL

7633R SULPHURATED (APF)

Zinc Sulphate					10	g
Sulphurated Potash					10	g
Acetone					10	mL
Glycerol					10	mL
Spike Lavender Oil					0.4	mL
Purified Water, freshly boiled and cooled to					200	mL

PRESCRIPTION

MIXTURES

(Maximum Quantity 200 mL and 4 Repeats)

7905C ASPIRIN (APF)

Aspirin					500	mg
Compound Tragacanth Powder					250	mg
Orange Syrup, APF					1	mL
Concentrated Chloroform Water					0.25	mL
Purified Water to					10	mL

7303J CHALK and KAOLIN (APF)

Chalk					1.5	g
Light Kaolin or Light Kaolin (Natural)					2.5	g
Alum					10	mg
Concentrated Chloroform Water					0.25	mL
Purified Water to					10	mL

7906D CHLORAL (APF)

Chloral Hydrate					1	g
Orange Syrup, APF					1	mL
Concentrated Chloroform Water					0.25	mL
Purified Water to					10	mL

7908F FERROUS SULPHATE (APF)

Ferrous Sulphate					300	mg
Ascorbic Acid					10	mg
Orange Syrup, APF					0.5	mL
Concentrated Chloroform Water					0.25	mL
Purified Water to					10	mL

7603E GENTIAN, ACID (PL)

Concentrated Compound Gentian Infusion					1	mL
Dilute Hydrochloric Acid					0.5	mL
Concentrated Chloroform Water					0.25	mL
Purified Water to					10	mL

7604F GENTIAN, ALKALINE (APF, BP)

Concentrated Compound Gentian Infusion					1	mL
Sodium Bicarbonate					500	mg
Concentrated Chloroform Water					0.25	mL
Purified Water to					10	mL

7492H IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture					0.25	mL
Compound Camphor Spirit					1	mL
Tolu Syrup					1	mL
Squill Oxymel					1	mL
Concentrated Chloroform Water					0.15	mL
Concentrated Anise Water					0.15	mL
Purified Water to					10	mL

PRESCRIPTION

MIXTURES — continued**7301G KAOLIN and OPIUM (APF)**

Light Kaolin or Light Kaolin (Natural)	2.5	g
Alum	10	mg
Opium Tincture	0.5	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

7909G MAGNESIUM TRISILICATE (APF)

Magnesium Trisilicate	1	g
Calcium Carbonate	500	mg
Light Magnesium Carbonate	500	mg
Concentrated Peppermint Water	0.25	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

7910H POTASSIUM CHLORIDE (APF)

Potassium Chloride	1	g
Lemon Syrup, APF	2	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

7911J POTASSIUM CITRATE (APF)

Potassium Citrate	2	g
Citric Acid Monohydrate	400	mg
Lemon Syrup, APF	1	mL
Concentrated Chloroform Water	0.2	mL
Purified Water to	10	mL

7932L POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate	1	g
Sodium Bicarbonate	750	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water	0.2	mL
Purified Water to	10	mL

7618Y POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	250	mg
Stramonium Tincture	0.5	mL
Lobelia Tincture, Ethereal	0.5	mL
Aromatic Ammonia Spirit	0.5	mL
Liquorice Liquid Extract	0.5	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

PRESCRIPTION

7933M SODIUM CITRATE (APF)

Sodium Citrate	2	g
Citric Acid Monohydrate	400	mg
Lemon Syrup, APF	1	mL
Concentrated Chloroform Water	0.2	mL
Purified Water to	10	mL

7623F SODIUM SALICYLATE (APF)

Sodium Salicylate	1	g
Liquorice Liquid Extract	0.25	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

NASAL INSTILLATIONS

(Maximum Quantity 15 mL and 2 Repeats)

7576R DEXTROSE and GLYCEROL (APF)

Dextrose	3	g
Glycerol to	15	mL

7574P EPHEDRINE (APF)

Ephedrine Hydrochloride	150	mg
Chlorbutol	75	mg
Sodium Chloride	75	mg
Propylene Glycol	0.75	mL
Purified Water, freshly boiled and cooled to	15	mL

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

9497W BENZOIC ACID, COMPOUND (APF, BP)

Benzoic Acid in fine powder	6	g
Salicylic Acid in fine powder	3	g
Emulsifying Ointment	91	g

7918R EMULSIFYING (APF, BP)

Emulsifying Wax	30	g
White Soft Paraffin	50	g
Liquid Paraffin	20	g

9592W RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol	2	g
Precipitated Sulphur	3	g
Salicylic Acid	1	g
White Simple Ointment	94	g

7926E SALICYLIC ACID (APF)

Salicylic Acid	2	g
Wool Alcohols Ointment, APF	98	g

PRESCRIPTION

OINTMENTS — *continued*

7927F SIMPLE (APF, BP)					
(White Simple Ointment)					
Wool Fat				5	g
Hard Paraffin				5	g
Cetostearyl Alcohol				5	g
White Soft Paraffin			85		g

7899R ZINC and CASTOR OIL (APF, BP)					
Zinc Oxide				7.5	g
Castor Oil				50	g
Cetostearyl Alcohol				2	g
White Beeswax				10	g
Arachis Oil				30.5	g

7896N ZINC OXIDE (APF)					
(Zinc BP)					
Zinc Oxide				15	g
White Simple Ointment			85		g

PAINTS

(Maximum Quantity 25 mL and 1 Repeat)

7562B ICHTHAMMOL (APF)					
Ichthammol				10	g
Glycerol				90	g

9770F MAGENTA (APF)					
Magenta				100	mg
Resorcinol				2	g
Phenol				1	g
Boric Acid				200	mg
Alcohol (90 per cent)				2.125	mL
Acetone				1	mL
Purified Water to				25	mL

7566F PODOPHYLLIN (APF)					
Podophyllum Resin				1.25	g
Benzoin Tincture, Compound to			25		mL

7567G PODOPHYLLIN, STRONG (APF)					
(Podophyllum, Compound BP)					
Podophyllum Resin				3.75	g
Benzoin Tincture, Compound to			25		mL

PRESCRIPTION

7568H SALICYLIC ACID (APF)					
Salicylic Acid				2.5	g
Flexible Collodion to			25		mL

PASTES

(Maximum Quantity 100 g and 1 Repeat)

7555P COAL TAR and ZINC (APF)					
Coal Tar				1	g
Castor Oil				1	g
Compound Zinc Paste			98		g

9740P DITHRANOL and ZINC (APF)					
Dithranol				100	mg
Zinc and Salicylic Acid Paste			99.9		g

9742R TITANIUM DIOXIDE (APF)					
Titanium Dioxide				20	g
Calamine				25	g
Light Kaolin or Light Kaolin					
(Natural)				10	g
Bentonite, sterilised				1	g
Chlorocresol				100	mg
Glycerol				15	g
Purified Water, freshly boiled and cooled to				100	g

7558T ZINC, COMPOUND (APF, BP)					
Zinc Oxide				25	g
Starch				25	g
White Soft Paraffin				50	g

7559W ZINC and SALICYLIC ACID (APF)					
Salicylic Acid				2	g
Liquid Paraffin				2	g
Compound Zinc Paste				96	g

POWDER

(Maximum Quantity 100 g and 2 Repeats)

7549H MAGNESIUM and CALCIUM CARBONATE (APF)					
Calcium Carbonate				25	g
Heavy Magnesium Carbonate				25	g
Magnesium Trisilicate				50	g
Peppermint Oil				0.2	mL

SECTION 5 — PRESCRIBERS' LIST — CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100mL and 4 Repeats)

7783P ASPIRIN (APF)

Aspirin				150	mg
Compound Tragacanth Powder				100	mg
Raspberry Syrup				1	mL
Concentrated Chloroform Water				0.1	mL
Purified Water to				5	mL

7785R BELLADONNA (APF)

Belladonna Tincture				0.1	mL
Orange Syrup, APF				1	mL
Glycerol				1	mL
Benzoic Acid Solution				0.1	mL
Purified Water to				5	mL

7786T CALCIUM and KAOLIN (APF)

Calcium Carbonate				500	mg
Light Kaolin or Light Kaolin (Natural)				1	g
Alum				5	mg
Concentrated Chloroform Water				0.1	mL
Purified Water to				5	mL

7793E CHLORAL (APF)

Chloral Hydrate				250	mg
Orange Syrup, APF				2	mL
Concentrated Chloroform Water				0.1	mL
Purified Water to				5	mL

7788X FERROUS GLUCONATE (APF)

Ferrous Gluconate				200	mg
Dextrose				500	mg
Orange Syrup, APF				1	mL
Citric Acid Monohydrate				25	mg
Concentrated Chloroform Water				0.1	mL
Purified Water to				5	mL

PRESCRIPTION

7789Y FERROUS SULPHATE (APF)

Ferrous Sulphate				100	mg
Ascorbic Acid				5	mg
Orange Syrup, APF				1	mL
Concentrated Chloroform Water				0.1	mL
Purified Water to				5	mL

7493J IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture				0.1	mL
Compound Camphor Spirit				0.25	mL
Squill Oxymel				1	mL
Purified Water to				5	mL

7791C POTASSIUM CITRATE (APF)

Potassium Citrate				1	g
Citric Acid Monohydrate				200	mg
Lemon Syrup, APF				1	mL
Concentrated Chloroform Water				0.1	mL
Purified Water to				5	mL

7586G POTASSIUM IODIDE (APF)

Potassium Iodide				100	mg
Liquorice Liquid Extract				0.25	mL
Aromatic Ammonia Spirit				0.1	mL
Concentrated Chloroform Water				0.1	mL
Purified Water to				5	mL

7792D SODIUM CITRATE (APF)

Sodium Citrate				1	g
Citric Acid Monohydrate				200	mg
Lemon Syrup, APF				1	mL
Concentrated Chloroform Water				0.1	mL
Purified Water to				5	mL

CHILDREN'S SECTION

**SECTION 6 — CONTAINER PRICES, FEES, STANDARD PACKS AND
PRICES, FOR READY PREPARED PREPARATIONS**

**CONTAINER PRICES FOR QUANTITIES OF READY PREPARED
PREPARATIONS LESS THAN MAXIMUM**

Injectibles	150 mL vial, 24c
Other items	25 mL vial, 9c
(The 25mL is the most commonly used size)	

Fees —

Ready prepared professional fee \$1.73

Dangerous drug fee \$1.00

NOTE:— Standard packs and prices (including mark up, but without professional fee and dangerous drug fee) are for items against the price of which an asterisk (*) is shown in the Schedule.

(Apply wastage factor in calculating broken quantity prices)

2

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2811Y	Acetylcholine Chloride	1%, 2mL	1 @ 5.23	CP
3071P	Amino Acid Formula without Phenylalanine	250g	1 @ 77.41	SJ
3072Q		250g	1 @ 94.88	SJ
1058Q	Amylobarbitone Sodium	250mg	1 @ 1.91	LY
1059R		500mg	1 @ 2.19	LY
1980F	Antivenom - Red Back Spider	500 Units	1 @ 14.25	CS
2362H	Benztropine	2mg	100 @ 4.84	MK
2647H	Benzylpenicillin	3g	5 @ 10.91	CS, GL
2648J		6g	1 @ 2.99	CS
1071J	Bethanechol	5mg in 1mL	1 @ 1.25	MK
1260H	Bisacodyl	10mg, 5	1 @ 1.44	BY
2643D	Cephaloridine	1g	1 @ 6.00	GL
2964B	Cephalothin Sodium	1g	1 @ 4.44	GL, LY
1256D	Cephazolin Sodium	500mg	1 @ 4.05	LY
1257E		1g	1 @ 7.73	LY
1163F	Chlorambucil	2mg	25 @ 8.79	BW
1164G		5mg	25 @ 13.05	BW
1167K	Chloramphenicol	1g	1 @ 4.24	PD
1185J	Chloroquine	2mL	10 @ 7.69	MB
3021B	Cholera Vaccine	1mL	1 @ 1.73	CS
2967E	Cholestyramine	9g sachet (equiv. to 4g cholestyramine)	1 @ 17.19	MJ
1222H	Codeine Phosphate with Aspirin	30mg-325mg	50 @ 3.73	BW
2621Y	Colistin	150mg	1 @ 6.94	WW
1228P	Copper Sulphate	Tablets	1 @ 1.33	AM
1079T	Cyclophosphamide	500mg	1 @ 3.93	BC
1798P	Cyproheptadine	4mg	50 @ 2.10	FR
2910E	Cytarabine	100mg set	1 @ 8.06	UP
3114X	Daunorubicin	20mg	1 @ 33.35	MB
2129C	Desmopressin	100mcg per mL, 2.5mL	1 @ 20.91	PT
2701E	Dextromoramide	5mg in 1mL	5 @ 3.50	FA
1333E	Diloxanide Furoate	500mg	15 @ 4.13	BT
1125F	Diocetyl Sodium Sulphosuccinate with Bisacodyl	100mg-10mg, 5	1 @ 1.44	FM
1342P	Diphtheria Antitoxin	1,000 Units	1 @ 4.53	CS
1344R		10,000 Units	1 @ 18.91	CS
1341N	Diphtheria and Tetanus Vaccine Adsorbed	0.5mL	1 @ 1.58	CS
3019X	Diphtheria and Tetanus Vaccine Adsorbed, Diluted for Adult Use	0.5mL	1 @ 1.58	CS
1346W	Diphtheria, Tetanus and Pertussis Vaccine	0.5mL	1 @ 1.44	CS, PD
1348Y	Diphtheria Vaccine, Adsorbed	0.5mL	1 @ 1.86	CS
3020Y	Diphtheria Vaccine, Adsorbed, Diluted for Adult Use	0.5mL	1 @ 1.79	CS
1398N	Erythromycin	300mg	1 @ 4.13	AB
3166P	Ethinodiol Diacetate with Ethinyloestradiol	500mcg-50mcg	1 @ 1.43	SR
3167Q		1mg-50mcg	1 @ 1.43	SR
2447T		Tablet-Pack	1 @ 1.43	SR
3168R		Tablet-Pack	1 @ 1.43	SR
3169T	Ethinodiol Diacetate with Mestranol	500mcg-100mcg	1 @ 1.43	SR
3170W		1mg-100mcg	1 @ 1.43	SR
3171X		2mg-100mcg	1 @ 1.43	SR

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1436N	Folic Acid	15mg in 1mL	5 @ 2.70	AB
2699C	Gas Gangrene Antitoxin - Mixed (Polyvalent)	25,000 Units	1 @ 26.91	CS
1053K	Heparin Calcium	12,500 Units in 0.5mL	1 @ 3.30	CS
1054L		25,000 Units in 1mL	1 @ 4.30	CS
1469H	Heparin Sodium	20,000 Units in 20mL	1 @ 3.65	CS
1468G		25,000 Units in 5mL	1 @ 4.30	CS,WP
1076P		35,000 Units in 35mL	1 @ 8.05	CS,WP
1501B	Hydrocortisone Sodium Succinate	100mg set	1 @ 2.93	NR
			1 @ 2.96	GL,UP
2885W	Insect Allergen Extract-Honey Bee	Strength D	1 @ 14.65	CS
1710B	Insulin (bovine)	100 Units per mL, 10mL	1 @ 8.40	BW,CS
1530M		300 Units per mL, 5mL	1 @ 12.31	CS
1723Q	Insulin Biphasic (mixed porcine/bovine)	100 Units per mL, 10mL	1 @ 8.40	CS
			1 @ 9.44	NO
1711C	Insulin Isophane (N.P.H.) (bovine)	100 Units per mL, 10mL	1 @ 8.40	BW,CS,WP
			1 @ 9.44	NO
1712D	(porcine)	100 Units per mL, 10mL	1 @ 8.40	CS
			1 @ 9.44	NO,PT
1427D	Insulin Isophane (N.P.H.)-Insulin Neutral, (Mixed) (porcine)	100 Units (70 Units-30 Units) per mL, 10mL	1 @ 9.44	PT
1713E	Insulin Neutral (bovine)	100 Units per mL, 10mL	1 @ 8.40	WP
1714F	(porcine)	100 Units per mL, 10mL	1 @ 8.40	CS
			1 @ 9.44	NO,PT
1715G	Insulin Protamine Zinc (bovine)	100 Units per mL, 10mL	1 @ 8.40	BW,CS
1716H	Insulin Zinc Suspension (bovine)	100 Units per mL, 10mL	1 @ 8.40	BW,CS
1717J	(porcine)	100 Units per mL, 10mL	1 @ 8.40	CS
			1 @ 9.44	NO
1430G	(mixed porcine/bovine)	100 Units per mL, 10mL	1 @ 9.44	NO
	Insulin Zinc Suspension (Amorphous) (bovine)	100 Units per mL, 10mL	1 @ 8.40	BW,CS
1719L			1 @ 8.40	CS
1720M	(porcine)	100 Units per mL, 10mL	1 @ 9.44	NO

(Apply wastage factor in calculating broken quantity prices)

4

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1721N	Insulin Zinc Suspension (Crystalline) (bovine)	100 Units per mL, 10mL	1 @ 8.40 1 @ 9.44	BW,CS NO
2913H	Levonorgestrel	30mcg	1 @ 1.43	SC,WY
1455N	Levonorgestrel with Ethinyloestradiol	125mcg-50mcg	1 @ 1.43	SC
1393H		150mcg-30mcg	1 @ 1.43	SC,WY
3186Q		250mcg-50mcg	1 @ 1.43	SC,WY
1457Q		Tablet-Pack	1 @ 1.43	WY
1458R		Tablet-Pack	1 @ 1.43	SC,WY
1456P		Tablet-Pack	1 @ 1.43	SC
1394J		Tablet-Pack	1 @ 1.43	SC,WY
3188T		Tablet-Pack	1 @ 1.43	SC,WY
1391F		Tablet-Pack	1 @ 1.43	SC,WY
1392G		Tablet-Pack	1 @ 1.43	SC,WY
2401J	Lypressin	50 Units per mL, 5mL	1 @ 5.03	SZ
2547C	Melphalan	2mg	25 @ 11.73	BW
2548D		5mg	25 @ 19.73	BW
1598D	Mercaptopurine	50mg	25 @ 18.58	BW
1612W	Methdilazine	4mg	50 @ 1.78	AH
1613X		8mg	50 @ 1.91	AH
1619F	Methenolone Acetate	1mg	50 @ 2.39	SC
1620G		5mg	50 @ 6.65	SC
2393Y	Methotrexate	5mg	1 @ 4.13	LE
2396D		5mg in 2mL	1 @ 4.13	LE
2394B		50mg	1 @ 12.11	LE
2395C		50mg in 2mL	1 @ 11.38	LE
1207M	Metoclopramide Hydrochloride	10mg	100 @ 11.11	BR,PT,US
1284N	Milk Powder - Lactose Modified	500g	1 @ 4.76	SJ
1283M	Milk Powder - Low Lactose Formula	500g	1 @ 4.76	SJ
3092R	Milk Powder - Synthetic	397g	1 @ 10.51	MN
1637E		454g	1 @ 11.19	MN
2685H		454g	1 @ 27.70	MN
1924G	Mithramycin	2.5mg	1 @ 18.94	PF
1681L	Niclosamide	500mg	4 @ 2.38	BN
1967M	Norethisterone	350mcg	1 @ 1.43	ET,SD
2772X	Norethisterone with Ethinyloestradiol	500mcg-35mcg	1 @ 1.43	ET,SD
2773Y		1mg-35mcg	1 @ 1.43	ET,SD
2774B		Tablet-Pack	1 @ 1.43	ET,SD
2775C		Tablet-Pack	1 @ 1.43	ET,SD
3176E	Norethisterone with Mestranol	1mg-50mcg	1 @ 1.43	ET,SD
3177F		1mg-80mcg	1 @ 1.43	ET
3178G		2mg-100mcg	1 @ 1.43	ET,SD
3179H		Tablet-Pack	1 @ 1.43	SD
3180J	Norethisterone Acetate with Ethinyloestradiol	1mg-50mcg	1 @ 1.43	SC
3181K		3mg-50mcg	1 @ 1.43	SC
3182L		4mg-50mcg	1 @ 1.43	SC
3183M		Tablet-Pack	1 @ 1.43	PD,SC
3184N		Tablet-Pack	1 @ 1.43	PD
3185P	Norethynodrel with Mestranol	2.5mg-100mcg	1 @ 1.43	SR
1442X	Norgestrel with Ethinyloestradiol	500mcg-50mcg	1 @ 1.43	SC
3187R		500mcg-50mcg	1 @ 1.43	SC,WY
3189W		Tablet-Pack	1 @ 1.43	SC,WY
2564Y	Nutramigen	500g	1 @ 8.56	MJ

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2410W	Peritoneal Dialysis Solution	1.36% Anhydrous Dextrose, 1L	1 @ 2.69	AB
3192B		3.86% Anhydrous Dextrose, 1L	1 @ 2.69	AB
1706T	Phenethicillin	125mg	25 @ 1.90	CS,SI
1707W		250mg	25 @ 2.33	CS,SI
1709Y		250mg	25 @ 2.33	CS,SI
1702N	Phenoxymethylpenicillin	125mg	25 @ 1.90	AB,CS,FM
1703P		250mg	25 @ 2.23	AB,CS,FA,FM, LY,SI
1704Q		125mg	25 @ 1.90	FM
1705R		250mg	25 @ 2.23	AB,CS,FA,FM, LY,SI
1865E	Phenylalanine Low Content Formula	2.5 lb	1 @ 38.69	MJ
1901C	Plague Vaccine	1mL	1 @ 3.06	CS
1919B	Prednisolone Acetate	10mg in 1mL	1 @ 1.50	SC
1920C	Prednisolone Sodium Phosphate	20mg in 100mL	7 @ 14.26	GL
2554K		5mg, 10	1 @ 5.15	GL
1941E	Procainamide	100mg per mL, 10mL	1 @ 2.70	SQ
2893G	Prochlorperazine	5mg	100 @ 2.49	PT
			100 @ 2.51	MB,SK
1948M	Promethazine	50mg in 2mL	5 @ 1.54	BL
2830Y	Propranolol	1mg in 1mL	10 @ 9.13	IC
3056W	Protein Hydrolysate Formula without Phenylalanine	200g	1 @ 28.28	SJ
1987N	Rolitettracycline	I.V. 275mg	1 @ 2.85	HP
1990R		I.M. 350mg	1 @ 2.85	HP
2013Y	Sodium Aurothiomalate	1mg	10 @ 17.16	MB
2015C		5mg	10 @ 21.16	MB
2016D		10mg	10 @ 25.83	MB
2017E		20mg	10 @ 36.49	MB
3015Q	Sodium Bicarbonate	8.4%, 100mL	1 @ 2.69	AB
1261J	Sodium Valproate	200mg	100 @ 18.63	RC
2040J	Soya Formula	375mL	1 @ 1.09	MJ
2039H		384mL	1 @ 1.09	RD
3130R	Streptokinase	100,000 I.U.	1 @ 22.51	FA
2906Y		250,000 I.U.	1 @ 37.40	HP
			1 @ 39.70	FA
2962X		600,000 I.U.	1 @ 80.71	FA
2907B		750,000 I.U.	1 @ 94.94	HP
2115H	Testosterone Propionate	25mg in 1mL	3 @ 2.15	SC
2116J		50mg in 1mL	3 @ 3.76	SC
2127Y	Tetanus Vaccine, Adsorbed	0.5mL	1 @ 1.36	CS
2135J	Tetracycline	250mg	25 @ 2.64	BZ(N),CS,FM, LE,UP
2827T	Tetracycline with Nystatin	250mg-250,000 Units	25 @ 2.64	SQ
2152G		250mg-250,000 Units	25 @ 2.64	BC,LE,SQ,UP
2146Y	Tetracycline (Buffered)	250mg	25 @ 2.64	BC,CS,FM,HP, LE,SQ,UP
2368P	Thiethylperazine	6.5mg (base) in 1mL	5 @ 2.00	SZ
2345K	Thiotepa	15mg	1 @ 5.36	LE
1355H	Tobramycin Sulphate	40mg	1 @ 3.61	LY
1356J		80mg	1 @ 5.71	LY
2686J	Triglycerides, Medium Chain	450g	1 @ 6.93	MJ
2679B		454g	1 @ 8.93	MJ

(Apply wastage factor in calculating broken quantity prices)

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2800J	Typhoid Vaccine	0.5mL	1 @ 1.58	CS
2195M	Typhus Vaccine	1mL	1 @ 14.25	CS
3131T	Vancomycin	500mg	1 @ 15.43	LY
2197P	Vasopressin Tannate	5 Units in 1mL	5 @ 10.11	PD
2198Q	Vinblastine	10mg	1 @ 22.09	LY
2371T	Vincristine	1mg	1 @ 19.43	LY

INTRAVENOUS INFUSIONS FOR INJECTION

2305H	Dextran 40	10%-5%, 500mL	1 @ 13.63	FC
2245E	Dextrose	5%, 1L	1 @ 2.98	AB,TV
2247G		10%, 1L	1 @ 3.44	AB,TV
2249J		20%, 1L	1 @ 3.59	AB,TV
2251L		25%, 1L	1 @ 3.59	AB,TV
2252M		50%, 500mL	1 @ 2.96	AB
3199J	Electrolyte Replacement Solution	1L	1 @ 3.59	AB,TV
2264E	Sodium Chloride	0.9%, 1L	1 @ 2.98	AB,TV,VF(N)
2260Y		3%, 1L	1 @ 3.59	AB,TV
2262C		5%, 1L	1 @ 3.59	TV
2266G	Sodium Chloride Compound BPC 1959	1L	1 @ 3.46	AB,TV
2271M	Sodium Chloride and Dextrose	0.9%-5%, 1L	1 @ 3.59	AB,TV
2273P		0.9%-10%, 1L	1 @ 3.43	TV
2278X		0.45%-2.5%, 500mL	1 @ 2.98	AB,TV
2279Y		0.225%-3.75%, 500mL	1 @ 2.98	AB,TV
2281C		0.18%-4%, 1L	1 @ 2.98	AB,TV
2282D		0.18%-4.3%, 1L	1 @ 3.05	AB
2284F	Sodium Lactate	1L	1 @ 3.55	VF
2286H	Sodium Lactate Compound	1L	1 @ 2.98	AB,TV
2288K	Sodium Lactate Compound and Anhydrous Dextrose	5%, 1L	1 @ 3.59	AB,TV
2293Q	Standard Maintenance Fluid	500mL	1 @ 2.64	AB

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

3342X	Nystatin	500,000 Units	50 @ 6.68	GP,LE,SQ
-------	----------	---------------	-----------	----------

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF PHARMACEUTICAL BENEFITS
DECEMBER 1982 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY/FEBRUARY

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
\$							
2	2630K	ACETYLCYSTEINE Solution 20%, 10mL	5	3	22.36	Mucomyst MJ	1.1.83
59	3056W	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Powder, 200g sachet	10	2	*308.03	Albumaid XP SJ	1.1.83
60	1987N	ROLITETRACYCLINE I.V. Injection set containing 275mg and 10mL solvent	5	..	*17.03	Reverin HP	1.1.83
	1990R	I.M. Injection set containing 350mg and 2mL solvent	5	..	*17.03	Reverin HP	1.1.83
60	1991T	SACCHARIN or SACCHARIN SODIUM Tablets 30mg, 500	#1	1	3.41	FA	1.12.82
INTRAVENOUS INFUSIONS FOR INJECTION							
73	2305H	DEXTRAN 40 10% with 5% anhydrous dextrose, 500mL	12	..	173.63	Rheomacrodex PS	1.1.83
	2306J	10% with 0.9% sodium chloride, 500mL	12	..	173.63	Rheomacrodex PS	1.1.83
73	3081E	DEXTRAN 70 6% with 5% anhydrous dextrose, 500mL	12	..	111.08	Macrodex PS	1.1.83
	3011L	6% with 0.9% sodium chloride, 500mL	12	..	111.08	Macrodex PS	1.1.83

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment	Amendment Effective
4	1038P	AMINOPHYLLINE Injection I.V. 250mg in 10mL	5	..	4.71 Delete LP Add BT	1.1.83 1.1.83
6	1078R	ASCORBIC ACID Tablet 50mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83

Other Amendments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment	Amendment Effective
		ATROPINE SULPHATE Injection				
6	1089H	600 micrograms in 1mL	5	1	3.38 Delete LP Add BT	1.1.83 1.1.83
7	1091K	1.2mg in 1mL	5	1	3.41 Delete LP Add BT	1.1.83 1.1.83
		CLOTRIMAZOLE				
16	1017M	Cream 1%, 20g	≠1	1	Add 4.96 Lotremin SH	1.2.83
	1019P	Vaginal Cream 1%, 35g	≠1	..	Add 5.63 Gyne-Lotremin SH	1.2.83
		CODEINE PHOSPHATE with ASPIRIN				
16	1218D	Tablet Soluble 8mg-300mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
	1219E	8mg-500mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
		CODEINE PHOSPHATE with PARACETAMOL				
17	1223J	Tablet 8mg-500mg	50	1	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
22	3140G	DIPYRIDAMOLE Tablet 100mg	100	..	Add 15.48 Dipramol PT	1.2.83
		HEPARIN CALCIUM Injection				
30	1234Y	5,000 Units in 0.2mL	5	5	8.97 Add Caprin CS	1.12.82
		HEPARIN SODIUM Injection BP				
30	1466E	5,000 Units in 0.2mL	5	5	7.57 Add CS	1.12.82
		HYDROCHLOROTHIAZIDE with AMILORIDE				
31	1486F	Tablet 50mg-5mg	30	2	Add 4.23 Amizide PT	1.2.83
		INSULIN BIPHASIC Injection (mixed porcine/bovine)				
34	1723Q	100 Units per mL, 10mL	5	2	*43.73 Add Wellcome Biphasic BW	1.2.83
		INSULIN ISOPHANE (N.P.H.) Injection (porcine)				
34	1712D	100 Units per mL, 10mL	5	2	*43.73 Add Wellcome Isophane PC BW	1.2.83

Other Amendments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment	Amendment Effective
35	1714F	INSULIN NEUTRAL Injection (porcine) 100 Units per mL, 10mL	5	2	*43.73 Add Wellcome Neutral PC BW	1.2.83
35	1717J	INSULIN ZINC SUSPENSION (Lente) Injection (porcine) 100 Units per mL, 10mL	5	2	*43.73 Add Wellcome Lente PC BW	1.2.83
35	1720M	INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente) Injection (porcine) 100 Units per mL, 10mL	5	2	*43.73 Add Wellcome Semilente PC BW	1.2.83
43	1644M	MORPHINE SULPHATE Injection 10mg in 1mL	5	..	4.48 Delete LP Add BT	1.1.83 1.1.83
	1645N	15mg in 1mL	5	..	4.57 Delete LP Add BT	1.1.83 1.1.83
44	1684P	NICOTINIC ACID Tablet 25mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
	1685Q	50mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
	1686R	100mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
	1687T	250mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
50	1828F	PETHIDINE Injection BP 50mg in 1mL	5	..	4.38 Delete LP Add BT	1.1.83 1.1.83
	1829G	100mg in 2mL	5	..	4.43 Delete LP Add BT	1.1.83 1.1.83
60	1985L	RIBOFLAVINE Tablet 5mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amendment	Amendment Effective
61	2024M	SODIUM CHLORIDE Injection 0.9%, 2mL	5	1	3.33 Delete LP Add BT	1.1.83 1.1.83
	2025N	0.9%, 5mL	5	1	3.53 Delete LP Add BT	1.1.83 1.1.83
	2026P	0.9%, 10mL	5	1	3.87 Delete LP Add BT	1.1.83 1.1.83
67	1069G	THIAMINE HYDROCHLORIDE Tablet 50mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
	1070H	100mg	100	2	Delete - To be endorsed with the pension number. Add - To be endorsed "S.P."	1.1.83 1.1.83
72	2216P	WATER FOR INJECTIONS Injection 2mL	5	3	3.26 Delete LP Add BT	1.1.83 1.1.83
	2217Q	5mL	5	3	3.41 Delete LP Add BT	1.1.83 1.1.83
	2218R	10mL	5	3	3.63 Delete LP Add BT	1.1.83 1.1.83

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

78	3394P	WATER FOR INJECTIONS Injection 2mL	5	..	3.26 Delete LP Add BT	1.1.83 1.1.83
	3395Q	5mL	5	..	3.41 Delete LP Add BT	1.1.83 1.1.83

PRICE ADJUSTMENTS OF SECTION 3 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
2	2503R	BUTYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Protective Dressing Aerosol 120g	#1	..	9.73	Skin-Prep DY	1.1.83
	2504T	Solution 59mL	#1	..	7.86	Skin-Prep DY	1.1.83
3	2259X	STERCULIA Powder 71g	#1	..	6.61	DY	1.1.83
	2256R	Discs, Compound, 10	#1	5	10.67	Colly-seels DY	1.1.83

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name and Form	Amended Price	Price Effective
			\$	
5	3056W	Protein Hydrolysate Formula without Phenylalanine 200g	1 @ 30.63 SJ	1.1.83
5	1987N	Rolitetracycline I.V. 275mg	1 @ 3.06 HP	1.1.83
	1990R	I.M. 350mg	1 @ 3.06 HP	1.1.83

OTHER AMENDMENTS TO SECTION 6 - STANDARD PACKS AND PRICES

Page No.	Code	Name	Form/Strength	Amendment	Amendment Effective
3	1723Q	Insulin Biphasic (mixed porcine/bovine)	100 Units per mL, 10mL	1 @ 8.40 Add BW	1.2.83
3	1712D	Insulin Isophane (N.P.H.) (porcine)	100 Units per mL, 10mL	1 @ 8.40 Add BW	1.2.83
3	1714F	Insulin Neutral (porcine)	100 Units per mL, 10mL	1 @ 8.40 Add BW	1.2.83
3	1717J	Insulin Zinc Suspension (porcine)	100 Units per mL, 10mL	1 @ 8.40 Add BW	1.2.83
3	1720M	Insulin Zinc Suspension (Amorphous) (porcine)	100 Units per mL, 10mL	1 @ 8.40 Add BW	1.2.83

ADVANCE NOTICES

DELETIONS

The items listed below will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1983.

. Items being discontinued by manufacturer -

- 2933J Amphotericin, pessaries 50mg, pack of 15 (Fungilin SQ)
- 2377D Betamethasone, eye ointment 0.1%, 3g (Celestone SH)
- 2643D Cephaloridine, injection 1g (solvent required) (Ceporan GI)
- 1188M Chlorotrianisene, tablet 24mg (Tace ML)
- 1193T Chlorpheniramine, capsule 4mg (Teledrin-P SK)
- 3085J Epicillin, powder for syrup 125mg per 5mL, 100mL (Dexacillin SQ)
- 2940R Mafenide Acetate, cream 11.2%, 454g (Sulfamylon WL)
- 2471C Prednisolone Tertiarybutylacetate, injection 20mg in 1mL (Codelcortone TBA MK)
- 2273P Sodium Chloride and Dextrose, intravenous infusion for injection 0.9%-10%, 1L (TV)
- 2571H Trifluoperazine, syrup 1mg per 5mL, 100mL (Stelazine SK)

. The following will be deleted from the Schedule of Pharmaceutical Benefits on 1 April 1983 because of relatively insignificant demand for the particular strengths and availability of alternative strengths of greater usage.

- 1088G Atropine Sulphate, injection 400 micrograms in 1mL (BL, LP)
- 1894Q Cephadrine, injection 250mg (solvent required) (Eskacef SK, Velosef SQ)
- 1342P Diphtheria Antitoxin, injection 1,000 Units (CS)

Advance Notices - (cont.)

The following brands will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1983.

1197B Chlorpromazine, tablet 25mg: Promacid US
1198C 50mg: Promacid US
1199D 100mg: Promacid US
1258F Cyanocobalamin, injection 100 micrograms in 1mL: LP
1262K 1mg in 1mL: LP
1633Y Methylphenobarbitone, tablet 30mg: FM
1634B 60mg: FM
1635C 200mg: FM
2657W Sodium Citro-Tartrate, effervescent granules 100g: Dex-Cit RC
2077H Sulphafurazole, tablet 500mg: Urogan NN

AMENDMENTS OF PROPRIETARY INDEX - DECEMBER 1982 EDITION

Effective 1 February 1983

ADDITIONS

Amizide PT Hydrochlorothiazide with Amiloride
Dipramol PT Dipyridamole
Gyne-Lotremin SH Clotrimazole
Lotremin SH Clotrimazole
Wellcome Biphasic BW Insulin Biphasic
Wellcome Isophane PC BW Insulin Isophane (N.P.H.)
Wellcome Lente PC BW Insulin Zinc Suspension
Wellcome Neutral PC BW Insulin Neutral
Wellcome Semilente PC BW Insulin Zinc Suspension (Amorphous)



PROPRIETARY INDEX
and
CODE INDEX
of
Pharmaceutical
Benefits



DECEMBER 1982 EDITION

I. C. CARTER, Acting Government Printer, Tasmania

CONTENTS

	Page
Proprietary Names Index	4-22
Trade Names Index	23
Codes of Ready Prepared Items	24-38
Codes of Extemporaneously Prepared Items	39-46

PROPRIETARY INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and ileostomy use

(P & Q) Preparations available for use by paraplegic and quadriplegic patients

Proprietary Name	Manu- fac- turer	Name
Abbecillin	AB	Penicillin Products
Abbecillin-V	AB	Phenoxymethylpenicillin
Abbecillin-VK	AB	Phenoxymethylpenicillin
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actal	WL	Aluminium Hydroxide Dried
Actidil	BW	Triprolidine
Actrapid M.C. Novo	NO	Insulin Neutral
Actuss	SI	Pholcodine
Adacor	NN	Hydrocortisone
Adalat	BN	Nifedipine
Adaphol	NN	Pholcodine
Adaquin	NN	Quinine Sulphate
Adasone	NN	Prednisone
Adnisolone	NN	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Akineton	KN	Biperiden
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albumaid XP	SJ	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allergex	PT	Chlorpheniramine
Almacarb	AH	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Alucone	DH	Aluminium Hydroxide with Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide
Ames-BG	AM	Glucose Indicator-Blood
Aminogran F.S.	GL	Amino Acid Formula without Phenylalanine
Aminogran M.M.	GL	Mineral Mixture
Aminopt	SI	Aminacrine Hydrochloride
Amitrip	PT	Amitriptyline
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide
Amphotabs	WY	Aluminium Hydroxide Dried
Ampicyn	PT	Ampicillin
Amytal Sodium	LY	Amylobarbitone Sodium
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Ancolan	AH	Meclozine
Ancotil	RO	Flucytosine
Anginine Stabilised	BW	Glyceryl Trinitrate
Anovlar	SC	Norethisterone Acetate with Ethinyloestradiol

Proprietary Name	Manufacturer	Name
Antadine	EN	Amantadine Hydrochloride
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine
Antipres	PT	Guanethidine
Antipres M	PT	Guanethidine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	CB	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Apresoline	CB	Hydralazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine G	CS	Procaine Penicillin
Aquacaine G Fortified	CS	Procaine Penicillin Fortified
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquadrate	NW	Urea
Aquamox	LE	Quinethazone
Arfonad	RO	Trimetaphan
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Arterioflexin	PT	Clofibrate
Artosin	RC	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T. 10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna Alkaloids
Atrobel FORTE	FM	Belladonna Alkaloids
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin-V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Avil	HP	Pheniramine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
Azide	FM	Chlorothiazide
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Baycaron	BN	Mefruside
B.A.Z.	US	Zinc and Adrenaline
Becotide	AH	Beclomethasone Dipropionate
Becotide Rotacaps	AH	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Benzide	PT	Bendrofluazide

Proprietary Name	Manu- fac- turer	Name
Benzide M	PT	Bendrofluazide
Benzotran	PT	Oxazepam
Berotec	BY	Fenoterol Hydrobromide
Betacard	BR	Alprenolol
Betaloc	AP	Metoprolol
Betamin	US	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnovate 1/5	GL	Betamethasone Valerate
Betnovate 1/2	GL	Betamethasone Valerate
Bicillin All Purpose	WY	Benzathine Penicillin Compound
Biogastrone	SN	Carbenoxolone Sodium
Biphasil 21	WY	Levonorgestrel with Ethinyloestradiol
Biphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Bi-Prin	BT	Aspirin
Biquin	NN	Quinine Bisulphate
Bi-Quinate	US	Quinine Bisulphate
Bitard	CS	Insulin Biphasic
Blenoxane	BC	Bleomycin
Bleph 10	AG	Sulphacetamide Sodium
Blocadren	FR	Timolol
BM-Test-BG	BO	Glucose Indicator - Blood
BM-Test Glucose	BO	Glucose Indicator - Urine
Bramcetamol	MF	Paracetamol
Brevinor	SD	Norethisterone with Ethinyloestradiol
Brevinor-1	SD	Norethisterone with Ethinyloestradiol
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Cloпамide
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin 500	BC	Aspirin (Buffered)
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Buzon	US	Phenylbutazone
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Camcolit	NE	Lithium Carbonate
Camoquin	PD	Amodiaquine
Campholinct	DH	Camphor Compound
Canesten	BN	Clotrimazole
Caprin	CS	Heparin Calcium
Captol	PT	Oxprenolol
Capurate-100	FM	Allopurinol
Capurate-300	FM	Allopurinol

Proprietary Name	Manufacturer	Name
Carbapen	CS	Carbenicillin
Carbolith	DH	Lithium Carbonate
Cardinol	PT	Propranolol
Cardiox	NN	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	NN	Quinidine Sulphate
Catapres	BY	Clonidine
Ceetamol	PT	Paracetamol
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone Acetate with Betamethasone Sodium Phosphate
Chronodose		
Celestone-M	SH	Betamethasone Valerate
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporan	GL	Cephaloridine
Cerubidin	MB	Daunorubicin
Char-Bons	LF	Charcoal, Activated (C & I)
Chlomin	US	Chloramphenicol
Chloradorm	US	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromycetin	PD	Chloramphenicol
Succinate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlorvescent	PT	Potassium Chloride
Chlotride	FR	Chlorothiazide
Choledyl	WW	Choline Theophyllinate
Cidomycin	RL	Gentamicin Sulphate
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymethylpenicillin
Cilicaine VK	SI	Phenoxymethylpenicillin
Citralka	PD	Sodium Acid Citrate
Citravescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator - Urine
Clinitest	AM	Copper Sulphate
Clinoril	FR	Sulindac
Codalgin	FM	Codeine Phosphate with Paracetamol
Codate	US	Codeine Phosphate
Codelcortone	MK	Prednisolone Tertiarybutylacetate
T.B.A.		
Codelix	DH	Codeine
Codral Forte	BW	Codeine Phosphate with Aspirin
Cogentin	MK	Benztrapine
Colcin	US	Colchicine
Colestid	UP	Colestipol Hydrochloride
Colgout	PT	Colchicine
Colly-seels	DY	Sterculia (C & I)
Coloplast	ST	Sterculia (C & I)

Proprietary Name	Manufacturer	Name
Coloxyl	FM	Diethyl Sodium Sulphosuccinate with Bisacodyl
Coloxyl 50	FM	Diethyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diethyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diethyl Sodium Sulphosuccinate with Danthron
Coluric	NN	Colchicine
Coly-Mycin	WW	Colistin
Injection		
Coly-Mycin Ear Drops	WW	Colistin with Neomycin
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Convuline	PT	Carbamazepine
Cordilox	SC	Verapamil Hydrochloride
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cotazym	OR	Pancrelipase
Coumadin	EN	Warfarin
Crystapen	GL	Benzylpenicillin
Cuprimine	MK	Penicillamine
Cyclidox	PT	Doxycycline
Cyklokapron	FA	Tranexamic Acid
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar-U	UP	Cytarabine
Daktarin	JP	Miconazole Nitrate
Dalacin C	UP	Clindamycin
Danocrine	WL	Danazol
Dantrium	NW	Dantrolene Sodium
Daonil	HP	Glibenclamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Debendox	ML	Doxylamine with Pyridoxine
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
De-Lact Infant	SJ	Milk Powder - Low Lactose Formula
Delta-Cortef	UP	Prednisolone
Deltasolone	US	Prednisolone
Deltasone	US	Prednisone
De-Nol	PD	Tri-potassium Di-citrate Bismuthate Complex
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "0"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Dexacillin	SQ	Epicillin
Dex-Cit	RC	Sodium Citro-Tartrate
Dexamethsone	PT	Dexamethasone
Diabex S.R.	DF	Metformin

Proprietary Name	Manufacturer	Name
Diabinese	PF	Chlorpropamide
Diamicron	SE	Gliclazide
Diamox	LE	Acetazolamide
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator - Urine
Diatol	PT	Tolbutamide
Dibenylene	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Digestelact	SJ	Milk Powder - Lactose Modified
Dihydergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide with Magnesium Hydroxide
Suspension		
Dijene Tablet	BT	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Infatabs	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilosyn	AH	Methdilazine
Dimal	PT	Methyldopa
Dimetane	RS	Brompheniramine
Dindevan	GL	Phenindione
Diprosone	SH	Betamethasone Dipropionate
Disipal	RK	Orphenadrine Hydrochloride
Diulo	SR	Metolazone
Diuret	PT	Chlorothiazide
Diurone	US	Chlorothiazide
Doburil	BY	Cyclothiazide
Donnatab	RS	Belladonna Alkaloids
Dormel	DH	Chloral Hydrate
Dormicum	PT	Nitrazepam
Doxin	GP	Doxycycline
D-Penamine	DL	Penicillamine
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	ET	Lactulose
Duphaston	ET	Dydrogesterone
Durabolin	OR	Nandrolone Phenylpropionate
Durolax	BY	Bisacodyl
Duro-Tuss	RK	Pholcodine
Dyazide	SK	Hydrochlorothiazide with Triamterene
Dymadon	BW	Paracetamol
Dymadon Co.	BW	Codeine Phosphate with Paracetamol
Dytac	SK	Triamterene
E-Carpine	AQ	Pilocarpine Hydrochloride with Adrenaline
Ecostatin	SQ	Econazole Nitrate
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
EES 200	AB	Erythromycin
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elix-Nocte Forte	NN	Chloral Hydrate
Elixophyllin	SC	Theophylline
Elixophyllin-KI	SC	Theophylline with Potassium Iodide
Emsalin	DH	Methyl Salicylate

Proprietary Name	Manufacturer	Name
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endone	EN	Oxycodone Hydrochloride
Endoxan-Asta	BC	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate
Epifrin	AG	Adrenaline
Epilim	RC	Sodium Valproate
Epilim EC	RC	Sodium Valproate
Epinal	AQ	Adrenaline
Eppy/N	BF	Adrenaline
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Eskacef	SK	Cephadrine
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyestradiol
Etaphylline	DF	Acepifylline
Ethamolin	GL	Ethanolamine Oleate
Ethryn	FA	Erythromycin
Eucerin	SN	Wool Alcohols
Euglucon	RC	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Euhypnos	SI	Temazepam
Eumydrin	WL	Atropine Methonitrate
Fabahistin	BN	Mebhydrolin
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Fansidar	RO	Pyrimethamine with Sulfadoxine
Fasign	PF	Tinidazole
Fefol	SK	Ferrous Sulphate Dried with Folic Acid
Fenamine	FM	Pheniramine
Fenamine-M	FM	Pheniramine
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Gradumets	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Flucon	AQ	Fluorometholone
FML Liquifilm	AG	Fluorometholone
Folasic	NN	Folic Acid
Folettes	FM	Folic Acid

Proprietary Name	Manu- fac- turer	Name
Folicid	US	Folic Acid
Fortral	WL	Pentazocine
Fucidin	SK	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	NW	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
Galactomin	MN	Milk Powder - Synthetic
Formula 17		
Galactomin	MN	Milk Powder - Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastrogel	FM	Aluminium Hydroxide with Magnesium Trisilicate and Magnesium Hydroxide
Gelox	PR	Aluminium Hydroxide
Gelusil	WW	Aluminium Hydroxide with Magnesium Hydroxide
Glaucan	AQ	Adrenaline
Glucophage	RN	Metformin
Glucose	MJ	Nutramigen
Nutramigen		
Glyfosolix	DH	Glycerophosphate Compound
Gold-50	SH	Aurothioglucoase
Gondafon	SC	Glymidine
Griseostatin	SH	Griseofulvin
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gyno-Daktarin 7	JP	Miconazole Nitrate
Gynovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histalert	RK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	BC	Fosfestrol Tetrasodium
Hostacycline P	HP	Tetracycline (Buffered)
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydracycline Plain	FM	Tetracycline
Hydrea	SQ	Hydroxyurea
Hydrenox	BT	Hydroflumethiazide
Hydrosone	US	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hyperstat I.V.	SH	Diazoxide
Hypurin Isophane	WP	Insulin Isophane (N.P.H.)
Hypurin Neutral	WP	Insulin Neutral

Proprietary Name	Manufacturer	Name
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Imodium	JP	Loperamide Hydrochloride
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Infasoy	WY	Soya Formula
Inflam	PT	Ibuprofen
Insulatard Nordisk	PT	Insulin Isophane (N.P.H.)
Intal	FC	Sodium Cromoglycate
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	NN	Thiamine Hydrochloride
Ismelin	CB	Guanethidine
Isomil	RD	Soya Formula
Isophane M.C.	NO	Insulin Isophane (N.P.H.)
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Isosorbide Dinitrate
Isordil Sublingual	AY	Isosorbide Dinitrate
Isotard	CS	Insulin Isophane (N.P.H.)
Isotard PC	CS	Insulin Isophane (N.P.H.)
Isotrate	PD	Isosorbide Dinitrate
Isotrate Sublingual	PD	Isosorbide Dinitrate
Isuprel	WL	Isoprenaline Hydrochloride
Jectofer	AP	Iron Sorbitol
Kabikinase	FA	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide with Kaolin
Kaomagma	WY	Aluminium Hydroxide with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karaya Paste	HO	Sterculia (C & I)
Kay Ciel	SC	Potassium Chloride
Keflex	LY	Cephalexin
Keflin Neutral	LY	Cephalothin Sodium
Kefzol	LY	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator - Urine
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate

Proprietary Name	Manu- fac- turer	Name
Klortee	PT	Chloramine (C & I)
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
Lacril	AG	Hypromellose
Langesic	BT	Paracetamol
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amitriptyline
Lasix	HP	Fruzemide
Lasix-M	HP	Fruzemide
Lente M.C. Novo	NO	Insulin Zinc Suspension
Lente PC	CS	Insulin Zinc Suspension
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CB	Baclofen
Liquidoplast	PT	Acrylic Resin (C & I)
Liquidfilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone with Clioquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Lopresor	GE	Metoprolol
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane Concentrate	IC	Gamma Benzene Hexachloride
L.P.G.	CS	Benzathine Penicillin
L.P.V.	CS	Phenoxymethylpenicillin
L.P.V. Aqueous	CS	Phenoxymethylpenicillin
Forte		
Lyspafen	PT	Difenoxin Hydrochloride with Atropine Sulphate
M & B 693	MB	Sulphapyridine
Maalox	BT	Magnesium-Aluminium Hydroxide
Macroclantin	NW	Nitrofurantoin
Macrodex	PS	Dextran 70
Madopar	RO	Levodopa with Benserazide
Madopar-M	RO	Levodopa with Benserazide
Madopar Q	RO	Levodopa with Benserazide
Magnoplasm	FA	Magnesium Sulphate
Maloprim	BW	Pyrimethamine with Dapsone
Mandelamine	WW	Hexamine Mandelate

Proprietary Name	Manufacturer	Name
Mandelamine	WW	Hexamine Mandelate
Hafgrams		
Marevan	GL	Warfarin
Marzine	BW	Cyclizine
Maxindex	AQ	Dexamethasone
Maxolon	BR	Metoclopramide Hydrochloride
MCT Oil	MJ	Triglycerides, Medium Chain
Medrol	UP	Methylprednisolone
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Merasyin	ML	Aluminium Hydroxide with Magnesium Hydroxide
Mestinon	RO	Pyridostigmine
Metamide	PT	Metoclopramide Hydrochloride
Methopa	US	Methyldopa
Methopt	SI	Hypromellose
Methopt Forte	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metin	CS	Methicillin
Mexitil	BY	Mexiletine Hydrochloride
Microgynon 30	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 30 ED	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50 ED	SC	Levonorgestrel with Ethinyloestradiol
Microlut 28	SC	Levonorgestrel
Micronor	ET	Norethisterone
Microval 28	WY	Levonorgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milontin	PD	Phensuximide
Minipress	PF	Prazosin Hydrochloride
Minirin	PT	Desmopressin
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyloestradiol
Mintezol	MK	Thiabendazole
Miochol	CP	Acetylcholine Chloride
Mithracin	PF	Mithramycin
Mixtard Nordisk	PT	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
Modecate	SQ	Fluphenazine Decanoate
Modicon	ET	Norethisterone with Ethinyloestradiol
Moduretic	MK	Hydrochlorothiazide with Amiloride
Mogadon	RO	Nitrazepam
Monistat 7	ET	Miconazole Nitrate
Monotard M.C. Novo	NO	Insulin Zinc Suspension
Morpha	WH	Morphine with Tacrine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Murelax	AY	Oxazepam
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin

Proprietary Name	Manu- fac- turer	Name
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide with Magnesium Hydroxide
Myleran	BW	Busulphan
Myocrisin	MB	Sodium Aurothiomalate
Myoquin	FM	Quinine Bisulphate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mytelase	WL	Amibenonium Chloride
Naprosyn	SD	Naproxen
Nardil	WW	Phenelzine
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neocon	ET	Norethisterone with Ethinyloestradiol
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neogynon	SC	Levonorgestrel with Ethinyloestradiol
Neogynon ED	SC	Levonorgestrel with Ethinyloestradiol
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluzide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin Eye Ointment	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosporin Eye Drops	PT	Neomycin
Neosulf	WL	Phenylephrine
Neo-Synephrine	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neotracin	MB	Pericyazine
Neulactil	SC	Aluminium Sodium Silicate
Neutralon	US	Nicotinic Acid
Nikacid	LE	Nystatin
Nilstat	RO	Sodium Nitroprusside
Nipride	RO	Tetrabenazine
Nitoman	PT	Glyceril Trinitrate
Nitro-Bid	MB	Chloroquine
Nivaquine	AP	Acrylic Resin (C & I)
Nobecutane	SQ	Chloral Hydrate
Noctec	IC	Tamoxifen Citrate
Nolvadex	WY	Levonorgestrel with Ethinyloestradiol
Nordette 21	WY	Levonorgestrel with Ethinyloestradiol
Nordette 28	NR	Hydrocortisone Sodium Succinate
Nordicort	WY	Levonorgestrel with Ethinyloestradiol
Nordioli 21	WY	Levonorgestrel with Ethinyloestradiol
Nordioli 28	SD	Norethisterone
Noriday	SD	Norethisterone with Mestranol
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl-1/28	PD	Norethisterone Acetate with Ethinyloestradiol
Norlestrin	WY	Temazepam
Normison	AB	Electrolyte Replacement Solution
Normosol R		

Proprietary Name	Manufacturer	Name
Norpace	SR	Disopyramide
Nortab	SQ	Nortriptyline
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
Nuralin	CS	Insulin Neutral
Nutraplus	OL	Urea
Omnopon	RO	Papaveretum
Omnopon Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Opticrom	FC	Sodium Cromoglycate
Optipen	CS	Phenethicillin
Orabase	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orabolin	OR	Ethynloestrenol
Oradexon	OR	Dexamethasone
Orashevis	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orbenin	BR	Cloxacillin
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium (BP 1980)
Orpadrex	PT	Orphenadrine Hydrochloride
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin	GL	Ergocalciferol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovral 28	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5	SR	Ethynodiol Diacetate with Mestranol
Ovulen 1	SR	Ethynodiol Diacetate with Mestranol
Ovulen 2	SR	Ethynodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 0.5/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Pacedol	PT	Haloperidol
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Paracete	PR	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panamax	WL	Paracetamol
Panamax Co.	WL	Codeine Phosphate with Paracetamol
Pannmycin M	UP	Tetracycline (Buffered)
Pannmycin P	UP	Tetracycline
Pantheline	PT	Propantheline Bromide
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	NN	Paracetamol
Parlodel	SZ	Bromocriptine Mesylate
Parmol	US	Paracetamol
Parnate	SK	Tranlycypromine
Paxyl	FA	Benzalkonium Chloride

Proprietary Name	Manufacturer	Name
PCL	DH	Paracetamol
Pectolin	FA	Pholcodine
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Perdolat	KN	Penicillamine
Periactin	FR	Cyproheptadine
Persantin	BY	Dipyridamole
Pertofran	GE	Desipramine
Pethoid	BW	Pethidine
Pevaryl	SK	Econazole Nitrate
Pexid	ML	Perhexiline Maleate
Phenergan	MB	Promethazine
Phenotone	US	Phenobarbitone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	US	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafulcin	GB	Natamycin
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	SJ	Amino Acid Formula without Phenylalanine
PK AID II	SJ	Amino Acid Formula without Phenylalanine
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	NN	Ferrous Aminoacetosulphate
Pluryl	SK	Bendrofluazide
Pneumovax	CS	Pneumococcal Vaccine, Polyvalent
Polaramine	SH	Dexchlorpheniramine
Potavescent	PT	Potassium
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Priadel	PT	Lithium Carbonate
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn Depot	SC	Oestradiol Valerate
Primolut N	SC	Norethisterone
Primolut Nor	SC	Norethisterone Acetate
Primoteston Depot	SC	Testosterone Enanthate
Primperan	US	Metoclopramide Hydrochloride
Pro-Banthine	SR	Propantheline Bromide
Procid	PT	Probenecid
Procort	PR	Hydrocortisone
Progan	NN	Promethazine
Progout	PT	Allopurinol
Proladone	BT	Oxycodone

Proprietary Name	Manu- fac- turer	Name
Promacid	US	Chlorpromazine
Promide	PT	Chlorpropamide
Prominal	WL	Methylphenobarbitone
Pronestyl	SQ	Procainamide
Pro-Pam	PT	Diazepam
Propine	AG	Dipivefrin Hydrochloride
Propred	NK	Prednisone
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prothazine	US	Promethazine
Protaphane M.C.	NO	Insulin Isophane (N.P.H.)
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	US	Pyridoxine Hydrochloride
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quinate	US	Quinine Sulphate
Quinbisan	PR	Quinine Bisulphate
Quincardine	FM	Quinidine Sulphate
Quinidex LA	RS	Quinidine Sulphate
Quinidis	US	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinocetol	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate
Quitaxon	RC	Doxepin
Rapitard M.C. Novo	NO	Insulin Biphasic
Rastinon	HP	Tolbutamide
Rectinol	GP	Benzocaine with Adrenaline
Redu-Press	PT	Debrisoquine
Redu-Press M	PT	Debrisoquine
Repalyte	DH	Electrolyte Replacement (Oral)
Reverin	HP	Rolitettracycline
Rheomacrodex	PS	Dextran 40
Rheumacin	PT	Indomethacin
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Ribofin	US	Riboflavine
Rikodeine	RK	Dihydrocodeine Tartrate
Rivotril	RO	Clonazepam
Rocaltrol	RO	Calcitriol
Rondomycin	WW	Methacycline
Rythmodan	RL	Disopyramide
Sacsol	LF	Surgical Cement
Sacsol Non Flammable	LF	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine

Proprietary Name	Manu- fac- turer	Name
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
S-Dimidine	PT	Sulphadimidine
Sedlingtus	RT	Pholcodine
Semilente M.C. Novo	NO	Insulin Zinc Suspension (Amorphous)
Semilente PC	CS	Insulin Zinc Suspension (Amorphous)
Senamon	DH	Senega and Ammonia
Septin	BW	Trimethoprim with Sulphamethoxazole
Septin Forte	BW	Trimethoprim with Sulphamethoxazole
Sequilar ED	SC	Levonorgestrel with Ethinyloestradiol
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Silicon Skin Spray	LF	Dimethicone (C & I)
Simeco Suspension	WY	Aluminium Hydroxide with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Sinemet	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintisone	EC	Prednisolone Steaglate
Skin Gel	HO	Isopropyl Monoester Polymer with Isopropyl Alcohol (C & I)
Skin-Prep	DY	Butyl Monoester Polymer with Isopropyl Alcohol (C & I)
Slow-Fe	CB	Ferrous Sulphate Dried
Slow-K	CB	Potassium Chloride
Sodexol	SC	Aluminium Hydroxide with Magnesium Hydroxide
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solone	FM	Prednisolone
Solprin	RC	Aspirin
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Somophyllin	FC	Aminophylline
Sone	FM	Prednisone
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spirotone	PT	Spirolactone
Spray-On Bande	LF	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
S.R.A.	BT	Aspirin
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine

Proprietary Name	Manufacturer	Name
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Ergocaliciferol
Stomahesive	SQ	Butyl Monoester Polymer with Ethanol (C & I)
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptase	HP	Streptokinase
Sulfazole	PT	Sulphafurazole
Sulfamylon	WL	Mafenide Acetate
Supres 25	PT	Hydralazine Hydrochloride
Supres 50	PT	Hydralazine Hydrochloride
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen Depot	CB	Tetracosactrin
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
Tace	ML	Chlorotrianisene
Tagamet	SK	Cimetidine
TAGG	LF	Deodorant Detergent Solution (C & I) (P & Q)
Talecid	SC	Phthalylsulphacetamide
Tarcil	BR	Ticarcillin Disodium
Tears Naturale	AQ	Hypromellose with Dextran
Tegretol	GE	Carbamazepine
Teledrin-P	SK	Chlorpheniramine
Tenormin	IC	Atenolol
Terfluzin	MB	Trifluoperazine
Terramycin	PF	Oxytetracycline
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator - Urine
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetramykoin	BZ	Tetracycline
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
T.H.A.	WH	Tacrine
Theo-Dur	AP	Theophylline
Thiminone	LF	Thiamine Hydrochloride
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium (BP 1980)
Timoptol	FR	Timolol
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Tolvon	OR	Mianserin Hydrochloride
Topilar	SD	Fluoclorolone Acetonide
Topodil	SC	Fluocortolone Esters
Torecan	SZ	Thiethylperazine
Trandate	AH	Labetalol
Trasicor	CB	Oxprenolol
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichazole	PT	Metronidazole
Triglyde	MJ	Triglycerides, Medium Chain

Proprietary Name	Manu- fac- turer	Name
Triphasil	WY	Levonorgestrel with Ethinyloestradiol
Triphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Triprim	BW	Trimethoprim
Triquilar	SC	Levonorgestrel with Ethinyloestradiol
Triquilar ED	SC	Levonorgestrel with Ethinyloestradiol
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Ulcaron	SH	Tri-potassium Di-citrato Bismuthate Complex
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Ultralente M.C. Novo	NO	Insulin Zinc Suspension (Crystalline)
Unisolve	DY	Surgical Cement
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol
Uremide	PT	Frusemide
Urex	FM	Frusemide
Urex-Forte	FM	Frusemide
Urex-M	FM	Frusemide
Urid	PT	Chlorthalidone
Urimor	PT	Methyclothiazide
Uro-Carb	HA	Bethanechol
Urogan	NN	Sulphafurazole
Urolucosil	WW	Sulphamethizole
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vanquin	PD	Vipryinium Embonate
Vasopressin	SZ	Lypressin
Velbe	LY	Vinblastine
Velosef	SQ	Cephadrine
Velosulin Nordisk	PT	Insulin Neutral
Ventolin	AH	Salbutamol
Ventolin Rotacaps	AH	Salbutamol
Vibramycin	PF	Doxycycline
Vibra-Tabs	PF	Doxycycline
Vioform	CB	Clioquinol
Viokase	RS	Pancreatin Enzyme
Vira A	PD	Vidarabine
Visken	SZ	Pindolol
Winsprin	WL	Aspirin
Xylocard 100	AP	Lignocaine
Xylocard 300 I.M.	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Yomesan	BN	Niclosamide
Zadine	SH	Azatadine Maleate
Zarontin	PD	Ethosuximide

Proprietary Name	Manufacturer	Name
Zephiran Concentrated Zerodor Zincfrin Zoff Zyloprim	WL ZR AQ SN BW	Benzalkonium Chloride Deodorant Concentrate (C & I) Zinc Sulphate with Phenylephrine Surgical Cement Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitts - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous infusions
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratories - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Novo	Novo Laboratories - Preparations
Orgaject	Organon - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spanules	Smith, Kline & French - Delayed release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Tabloid	Wellcome Australia Limited - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Drug Houses of Australia Pty Ltd - Preparations
Venosol	Abbott A'asia - Intravenous infusions
Viaflex	Travenol Laboratories - Intravenous infusions
Viules	Boots - Injections
Wellcome	Wellcome Australia Limited - Preparations

CODE INDEX

The information contained in this section is intended to facilitate the identification of a pharmaceutical benefit item from any given five-character or three-character code.

Code	Name	Code	Name
1001Q	Fluphenazine Decanoate	1068F	Gentamicin Sulphate
1004W	Acetazolamide	1069G	Thiamine Hydrochloride
1005X	Acetazolamide	1070H	Thiamine Hydrochloride
1008C	Aspirin	1071J	Bethanechol
1010E	Aspirin	1072K	Chlortetracycline
1011F	Doxepin	1073L	Flucytosine
1012G	Doxepin	1074M	Procainamide
1013H	Doxepin	1075N	Antazoline with Naphazoline
1014J	Adrenaline	1076P	Heparin Sodium
1015K	Adrenaline	1078R	Ascorbic Acid
1016L	Adrenaline	1079T	Cyclophosphamide
1017M	Clotrimazole	1080W	Cyclophosphamide
1018N	Clotrimazole	1081X	Atenolol
1019P	Clotrimazole	1083B	Atropine Methonitrate
1022T	Doxepin	1084C	Atropine Methonitrate
1023W	Doxepin	1088G	Atropine Sulphate
1024X	Dextromoramide	1089H	Atropine Sulphate
1025Y	Aspirin (Buffered)	1091K	Atropine Sulphate
1026B	Aluminium Hydroxide Dried	1092L	Atropine Sulphate
1028D	Terbutaline Sulphate	1093M	Atropine Sulphate
1029E	Aluminium Hydroxide with Magnesium Hydroxide	1094N	Atropine Sulphate
1030F	Terbutaline Sulphate	1097R	Potassium Chloride
1032H	Aluminium Hydroxide with Magnesium Trisilicate and Magnesium Hydroxide	1098T	Salbutamol
1033J	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel	1099W	Salbutamol
1034K	Terbutaline Sulphate	1100X	Sodium Nitroprusside
1035L	Aminacrine Hydrochloride	1103C	Salbutamol
1037N	Aminophylline	1105E	Bendrofluazide
1038P	Aminophylline	1106F	Bendrofluazide
1039Q	Aminophylline	1107G	Benzalkonium Chloride
1040R	Aminophylline	1108H	Benzalkonium Chloride
1041T	Aminophylline	1109J	Benzhexol
1042W	Aminophylline	1110K	Benzhexol
1043X	Aminophylline	1111L	Benzocaine with Adrenaline
1044Y	Ammonium Chloride	1112M	Benzocaine with Adrenaline
1045B	Amodiaquine	1114P	Benzyl Benzoate
1046C	Fluphenazine Decanoate	1115Q	Betamethasone Dipropionate
1047D	Amphotericin	1116R	Betamethasone
1048E	Ampicillin	1117T	Betamethasone
1053K	Heparin Calcium	1119X	Betamethasone Dipropionate
1054L	Heparin Calcium	1120Y	Cloxacillin
1055M	Chlortetracycline	1122C	Bismuth Subgallate
1058Q	Amylobarbitone Sodium	1124E	Sodium Cromoglycate
1059R	Amylobarbitone Sodium	1125F	Diethyl Sodium Sulpho- succinate with Bisacodyl
1060T	Verapamil Hydrochloride	1126G	Benzathine Penicillin
1061W	Oestradiol Valerate	1127H	Sodium Cromoglycate
1062X	Bethanechol	1128J	Busulphan
1064B	Oxytetracycline	1135R	Cephalothin Sodium
1065C	Thiamine Hydrochloride	1136T	Cephalothin Sodium
1066D	Chlorhexidine	1138X	Insect Allergen Extract- Bull Ant
1067E	Gentamicin Sulphate	1139Y	Insect Allergen Extract- Bull Ant

Code	Name	Code	Name
1141C	Insect Allergen Extract- Bull Ant	1218D	Codeine Phosphate with Aspirin
1142D	Insect Allergen Extract- Bull Ant	1219E	Codeine Phosphate with Aspirin
1143E	Theophylline	1222H	Codeine Phosphate with Aspirin
1146H	Calcium Gluconate	1223J	Codeine Phosphate with Paracetamol
1150M	Ferrous Sulphate Dried	1224K	Colistipol Hydrochloride
1151N	Camphor Compound	1227N	Colchicine
1152P	Aminophylline	1228P	Copper Sulphate
1153Q	Carbimazole	1230R	Aspirin
1156W	Cimetidine	1231T	Aspirin
1163F	Chlorambucil	1233X	Thioguanine
1164G	Chlorambucil	1234Y	Heparin Calcium
1165H	Dexamphetamine	1235B	Heparin Calcium
1167K	Chloramphenicol	1239F	Terbutaline Sulphate
1168L	Gentamicin Sulphate	1240G	Terbutaline Sulphate
1169M	Chloramphenicol	1243K	Terbutaline Sulphate
1170N	Chloramphenicol	1244L	Levodopa with Carbidopa
1171P	Chloramphenicol	1245M	Levodopa with Carbidopa
1174T	Chloramphenicol	1246N	Cortisone Acetate
1175W	Gamma Benzene Hexachloride	1247P	Cortisone Acetate
1176X	Gamma Benzene Hexachloride	1248Q	Verapamil Hydrochloride
1177Y	Chloramphenicol with Polymyxin B	1249R	Phenytoin
1178B	Gamma Benzene Hexachloride	1250T	Verapamil Hydrochloride
1179C	Nystatin	1251W	Azatadine Maleate
1181E	Chloramphenicol with Polymyxin B	1252X	Azatadine Maleate
1182F	Norethisterone Acetate	1255C	Cyclizine
1184H	Chloroquine	1256D	Cephazolin Sodium
1185J	Chloroquine	1257E	Cephazolin Sodium
1187L	Chlorothiazide	1258F	Cyanocobalamin
1188M	Chlorotrianisene	1260H	Bisacodyl
1190P	Chlorpheniramine	1261J	Sodium Valproate
1193T	Chlorpheniramine	1262K	Cyanocobalamin
1194W	Chlorpromazine	1264M	Cyclopenthiizide
1195X	Chlorpromazine	1265N	Cyclophosphamide
1196Y	Chlorpromazine	1266P	Cyclophosphamide
1197B	Chlorpromazine	1269T	Cyproheptadine
1198C	Chlorpromazine	1270W	Cyproheptadine
1199D	Chlorpromazine	1271X	Ethanolamine Oleate
		1272Y	Dapsone
1200E	Chlorpromazine	1273B	Miconazole Nitrate
1201F	Chlorpromazine	1276E	Miconazole Nitrate
1202G	Chlorpropamide	1277F	Miconazole Nitrate
1203H	Metolazone	1278G	Timolol
1204J	Fluorometholone	1279H	Timolol
1206L	Metoclopramide Hydro- chloride	1280J	Hydrochlorothiazide with Triamterene
1207M	Metoclopramide Hydro- chloride	1281K	Timolol
1208N	Metoclopramide Hydro- chloride	1283M	Milk Powder - Low Lactose Formula
1213W	Codeine	1284N	Milk Powder - Lactose Modified
1214X	Codeine Phosphate	1287R	Danazol

Code	Name	Code	Name
1288T	Dexamethasone	1388C	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
1290X	Dexamethasone	1391F	Levonorgestrel with Ethinyloestradiol
1291Y	Dexamethasone	1392G	Levonorgestrel with Ethinyloestradiol
1292B	Dexamethasone	1393H	Levonorgestrel with Ethinyloestradiol
1293C	Urea	1394J	Levonorgestrel with Ethinyloestradiol
1295E	Dexchlorpheniramine	1395K	Erythromycin
1298H	Iron Dextran	1397M	Erythromycin
		1398N	Erythromycin
1305Q	Fluocortolone Esters	1400Q	Erythromycin
1306R	Fluocortolone Esters	1401R	Erythromycin
1307T	Fluocortolone Esters	1402T	Erythromycin
1310Y	Dienoestrol	1403W	Erythromycin
1313D	Fenoterol Hydrobromide	1405Y	Ethinyloestradiol
1317H	Naphazoline Hydrochloride	1406B	Ethinyloestradiol
1318J	Nystatin	1407C	Ethinyloestradiol
1321M	Digoxin	1409E	Chlormethiazole
1322N	Digoxin	1410F	Chlormethiazole
1323P	Dihydroergotamine	1413J	Ethosuximide
1325R	Metoprolol	1414K	Ethosuximide
1330B	Tetrabenazine	1419Q	Ethylnoradrenaline
1331C	Di-Iodoxyhydroxyquinoline	1420R	Cloxacillin
1333E	Diloxanide Furoate	1424Y	Ferrous Gluconate
1334F	Dimercaprol	1427D	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
1336H	Diphenhydramine	1430G	Insulin Zinc Suspension
1340M	Diphenylpyraline	1433K	Fludrocortisone Acetate
1341N	Diphtheria and Tetanus Vaccine, Adsorbed	1435M	Fluoxymesterone
1342P	Diphtheria Antitoxin	1436N	Folic Acid
1344R	Diphtheria Antitoxin	1437P	Folic Acid
1346W	Diphtheria, Tetanus and Pertussis Vaccine	1439R	Framycetin
1348Y	Diphtheria Vaccine, Adsorbed	1440T	Framycetin
1351D	Dipivefrin Hydrochloride	1442X	Norgestrel with Ethinyl-oestradiol
1352E	Fosfestrol Tetrasodium	1443Y	Bromocriptine Mesylate
1353F	Fosfestrol Tetrasodium	1445C	Bromocriptine Mesylate
1354G	Dydrogesterone	1447E	Glucagon Hydrochloride
1355H	Tobramycin Sulphate	1448F	Glucose Indicator-Urine
1356J	Tobramycin Sulphate	1450H	Amino Acid Formula without Phenylalanine
1359M	Ecothiopate Iodide	1451J	Mineral Mixture
1360N	Ecothiopate Iodide	1452K	Glyceryl Trinitrate
1361P	Ecothiopate Iodide	1453L	Glycerophosphate Compound
1363R	Fluclorolone Acetonide	1455N	Levonorgestrel with Ethinyloestradiol
1364T	Econazole Nitrate	1456P	Levonorgestrel with Ethinyloestradiol
1366X	Econazole Nitrate		
1378M	Ergometrine Maleate		
1380P	Ergometrine Maleate		
1384W	Ergotamine Tartrate		
1385X	Ergotamine Tartrate with Caffeine		
1386Y	Ergotamine Tartrate with Caffeine		
1387B	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride		

Code	Name	Code	Name
1457Q	Levonorgestrel with Ethinyloestradiol	1564H	Kanamycin
1458R	Levonorgestrel with Ethinyloestradiol	1566K	Labetalol
1459T	Glyceryl Trinitrate	1567L	Labetalol
1460W	Griseofulvin	1570P	Trioxysalen
1461X	Guanethidine	1571Q	Loperamide Hydrochloride
1462Y	Guanethidine	1576Y	Magnesium Sulphate
1465D	Tinidazole	1577B	Magnesium Sulphate
1466E	Heparin Sodium	1579D	Mebhydrolin
1467F	Heparin Sodium	1580E	Mebhydrolin
1468G	Heparin Sodium	1583H	Meclozine
1469H	Heparin Sodium	1585K	Chlorthalidone
1471K	Insect Allergen Extract - Mosquito	1598D	Mercaptopurine
1473M	Insect Allergen Extract - Mosquito	1605L	Metformin
1474N	Insect Allergen Extract - Mosquito	1606M	Methadone
1475P	Insect Allergen Extract - Mosquito	1608P	Methadone
1478T	Prazosin Hydrochloride	1609Q	Methadone
1479W	Prazosin Hydrochloride	1612W	Methdilazine
1480X	Prazosin Hydrochloride	1613X	Methdilazine
1483C	Dihydrotachysterol	1614Y	Methdilazine
1484D	Hydrochlorothiazide	1615B	Methdilazine
1485E	Hydrochlorothiazide	1617D	Hexamine Mandelate
1486F	Hydrochlorothiazide with Amiloride	1618E	Hexamine Mandelate
1488H	Hydrocortisone	1619F	Methenolone Acetate
1489J	Hydrocortisone	1620G	Methenolone Acetate
1490K	Hydrocortisone	1622J	Methotrexate
1492M	Hydrocortisone	1624L	Methyclothiazide
1493N	Hydrocortisone	1625M	Methyclothiazide
1494P	Hydrocortisone	1627P	Mianserin Hydrochloride
1496R	Hydrocortisone	1629R	Methylidopa
1497T	Hydrocortisone	1633Y	Methylphenobarbitone
1498W	Hydrocortisone Acetate	1634B	Methylphenobarbitone
1499X	Hydrocortisone	1635C	Methylphenobarbitone
1500Y	Hydrocortisone	1636D	Metronidazole
1501B	Hydrocortisone Sodium Succinate	1637E	Milk Powder - Synthetic
1503D	Hydroflumethiazide	1638F	Metronidazole
1504E	Hydrogen Peroxide Solution, Dilute	1639G	Hydralazine Hydrochloride
1509K	Hypromellose with Dextran	1640H	Hydralazine Hydrochloride
1512N	Hydroxychloroquine	1641J	Methyl Salicylate
1530M	Insulin	1644M	Morphine Sulphate
1552Q	Iron Sorbitol	1645N	Morphine Sulphate
1553R	Isoniazid	1647Q	Morphine Sulphate
1554T	Isoniazid	1649T	Beclomethasone Dipropionate
1556X	Isoprenaline Hydrochloride	1650W	Beclomethasone Dipropionate
1562F	Kanamycin	1653B	Cephadrine
1563G	Kanamycin	1654C	Cephadrine
		1655D	Cephadrine
		1656E	Cephadrine
		1660J	Nystatin
		1661K	Morphine Sulphate with Atropine Sulphate
		1662L	Naproxen
		1663M	Morphine with Tacrine
		1664N	Morphine with Tacrine
		1666Q	Morphine with Tacrine

Code	Name	Code	Name
1667R	Morphine with Tacrine	1729B	Oxytocin
1668T	Mustine	1730C	Oxytocin
1669W	Nalorphine	1735H	Pancreatin Enzyme
1671Y	Nandrolone Decanoate	1736J	Pancreatin Enzyme
1672B	Nandrolone Phenylpropionate	1737K	Pancreatin Enzyme
1673C	Neomycin	1739M	Papaveretum
1674D	Naproxen	1740N	Papaveretum
1675E	Neostigmine	1741P	Papaveretum with Hyoscine Hydrobromide
1676F	Neostigmine	1746X	Paracetamol
1677G	Neostigmine	1747Y	Paracetamol
1680K	Niclosamide	1754H	Paraldehyde
1681L	Niclosamide	1762R	Penicillinase
1682M	Mexiletine Hydrochloride	1767B	Benzathine Penicillin Compound
1683N	Mexiletine Hydrochloride	1774J	Benzylpenicillin
1684P	Nicotinic Acid	1775K	Benzylpenicillin
1685Q	Nicotinic Acid	1779P	Dantrolene Sodium
1686R	Nicotinic Acid	1780Q	Dantrolene Sodium
1687T	Nicotinic Acid	1786B	Phenoxymethylpenicillin
1688W	Nifedipine	1787C	Phenoxymethylpenicillin
1689X	Nitrofurantoin	1788D	Phenoxymethylpenicillin
1690Y	Nitrofurantoin	1789E	Phenoxymethylpenicillin
1691B	Nitrofurantoin	1793J	Procaine Penicillin
1692C	Nitrofurantoin	1794K	Procaine Penicillin
1693D	Nitrofurantoin	1796M	Procaine Penicillin
1696G	Nystatin	1797N	Procaine Penicillin
1697H	Nystatin	1798P	Cyproheptadine
1698J	Nystatin		
1699K	Nystatin		
1700L	Oestrone	1802W	Procaine Penicillin Fortified
1701M	Oestrone	1805B	Clonazepam
1702N	Phenoxymethylpenicillin	1806C	Clonazepam
1703P	Phenoxymethylpenicillin	1807D	Clonazepam
1704Q	Phenoxymethylpenicillin	1808E	Clonazepam
1705R	Phenoxymethylpenicillin	1822X	Perhexiline Maleate
1706T	Phenethicillin	1823Y	Mefruside
1707W	Phenethicillin	1828F	Pethidine
1709Y	Phenethicillin	1829G	Pethidine
1710B	Insulin	1838R	Phenethicillin
1711C	Insulin Isophane (N.P.H.)	1839T	Phenethicillin
1712D	Insulin Isophane (N.P.H.)	1840W	Phenethicillin
1713E	Insulin Neutral	1843B	Phenindione
1714F	Insulin Neutral	1844C	Phenindione
1715G	Insulin Protamine Zinc	1846E	Pheniramine
1716H	Insulin Zinc Suspension	1847F	Pheniramine
1717J	Insulin Zinc Suspension	1848G	Pheniramine
1719L	Insulin Zinc Suspension (Amorphous)	1849H	Phenobarbitone
1720M	Insulin Zinc Suspension (Amorphous)	1850J	Phenobarbitone
1721N	Insulin Zinc Suspension (Crystalline)	1851K	Phenobarbitone
1723Q	Insulin Biphasic	1853M	Phenobarbitone Sodium
1724R	Oxytetracycline	1862B	Phenoxybenzamine
1727X	Oxytocin	1863C	Phensuximide
		1865E	Phenylalanine Low Content Formula

Code	Name	Code	Name
1867G	Phenylbutazone	1955X	Propylthiouracil
1868H	Phenylbutazone	1957B	Protamine Sulphate
1869J	Phenylephrine	1958C	Pyrimethamine with Sulfadoxine
1871L	Phenytol Sodium	1959D	Pyridostigmine
1872M	Phenytol Sodium	1960E	Pyridostigmine
1873N	Phenytol Sodium	1961F	Pyridoxine Hydrochloride
1874P	Phenytol Sodium	1962G	Pyrimethamine with Dapsone
1877T	Phthalylsulphacetamide	1965K	Pyridoxine Hydrochloride
1878W	Phthalylsulphathiazole	1966L	Pyrimethamine
1879X	Physostigmine Salicylate	1967M	Norethisterone
1880Y	Physostigmine Salicylate	1971R	Quinidine Sulphate
1881B	Phytomenadione	1972T	Quinine Bisulphate
1882C	Phytomenadione	1975Y	Quinine Sulphate
1884E	Amoxycillin	1980F	Antivenom - Red Back Spider
1885F	Amoxycillin	1985L	Riboflavin
1886G	Amoxycillin	1987N	Rolitetraacycline
1894Q	Cephadrine	1990R	Rolitetraacycline
1895R	Cephadrine	1991T	Saccharin or Saccharin Sodium
1896T	Cephadrine	1993X	Salicylamide
1901C	Plague Vaccine	1995B	Senega and Ammonia
1902D	Pneumococcal Vaccine, Polyvalent	2003K	Salbutamol
1904F	Polymyxin B Sulphate	2013Y	Sodium Aurothiomalate
1908K	Polymyxin B Sulphate with Bacitracin and Neomycin	2015C	Sodium Aurothiomalate
1910M	Polymyxin B Sulphate with Bacitracin and Neomycin	2016D	Sodium Aurothiomalate
1911N	Polymyxin B Sulphate with Neomycin and Gramicidin	2017E	Sodium Aurothiomalate
1916W	Prednisolone	2018F	Sodium Aurothiomalate
1917X	Prednisolone	2021J	Aurothioglucoase
1918Y	Prednisolone	2023L	Sodium Calciumedetate
1919B	Prednisolone Acetate	2024M	Sodium Chloride
1920C	Prednisolone Sodium Phosphate	2025N	Sodium Chloride
1922E	Prednisolone Sodium Phosphate	2026P	Sodium Chloride
1924G	Mithramycin	2035D	Sodium Salicylate
1927K	Methylprednisolone	2036E	Sodium Salicylate
1928L	Methylprednisolone Acetate	2037F	Sodium Salicylate
1934T	Prednisone	2039H	Soya Formula
1935W	Prednisone	2040J	Soya Formula
1936X	Prednisone	2042L	Soya Formula
1937Y	Primaquine	2045P	Staphylococcus Toxoid (Formalinised)
1939C	Primidone	2046Q	Staphylococcus Toxoid (Formalinised)
1940D	Probenecid	2047R	Sulindac
1941E	Procainamide	2050X	Stilboestrol
1943G	Procyclidine	2051Y	Stilboestrol
1947L	Proguanil	2052B	Stilboestrol
1948M	Promethazine	2053C	Stilboestrol
1949N	Promethazine	2054D	Streptomycin Sulphate
1950P	Promethazine	2063N	Sulphacetamide Sodium
1951Q	Promethazine	2064P	Sulphacetamide Sodium
1953T	Propantheline Bromide	2068W	Sulphadiazine
		2074E	Sulphadimidine
		2076G	Sulphafurazole

Code	Name	Code	Name
2077H	Sulphafurazole	2160Q	Magnesium-Aluminium Hydroxide
2078J	Sulphafurazole	2163W	Thioridazine
2079K	Sulphafurazole	2164X	Thioridazine
2081M	Sulphamethizole	2165Y	Thioridazine
2083P	Sulphamethizole	2173J	Thyroxine Sodium (BP 1980)
2084Q	Sulphamethizole	2174K	Thyroxine Sodium (BP 1980)
2092D	Sulphapyridine	2175L	Thyroxine Sodium (BP 1980)
2093E	Sulphasalazine	2176M	Ticarcillin Disodium
2094F	Sulphinpyrazone	2178P	Tolbutamide
2096H	Sulphasalazine	2180R	Tranexamic Acid
2099L	Sulthiame	2185B	Trifluoperazine
2100M	Sulthiame	2186C	Trifluoperazine
2101N	Testosterone Esters	2187D	Trimeprazine
2106W	Tacrine	2189F	Trimetaphan
2107X	Tacrine	2191H	Triprolidine
2108Y	Temazepam	2192J	Triprolidine
2109B	Tamoxifen Citrate	2195M	Typhus Vaccine
2112E	Methyltestosterone	2197P	Vasopressin Tannate
2113F	Methyltestosterone	2198Q	Vinblastine
2114G	Testosterone Enanthate	2199R	Viprynum Embonate
2115H	Testosterone Propionate	2200T	Viprynum Embonate
2116J	Testosterone Propionate	2204B	Tri-potassium Di-citrate Bismuthate Complex
2117K	Triamcinolone Acetonide	2205C	Tri-potassium Di-citrate Bismuthate Complex
2118L	Triamcinolone Acetonide	2209G	Warfarin
2119M	Triamcinolone Acetonide	2210H	Warfarin
2120N	Triamcinolone Acetonide	2211J	Warfarin
2125W	Triamcinolone Acetonide	2212K	Warfarin
2126X	Triamcinolone Acetonide	2213L	Warfarin
2127Y	Tetanus Vaccine, Adsorbed	2216P	Water for Injections
2129C	Desmopressin	2217Q	Water for Injections
2134H	Tetracycline	2218R	Water for Injections
2135J	Tetracycline	2219T	Wool Alcohols
2138M	Pilocarpine Hydrochloride with Adrenaline	2221X	Wool Fat Hydrous
2140P	Pilocarpine Hydrochloride with Adrenaline	2223B	Acrylic Resin
2145X	Tetracycline (Buffered)	2224C	Acrylic Resin
2146Y	Tetracycline (Buffered)	2225D	Levodopa with Benserazide
2151F	Tetracycline with Nystatin	2226E	Levodopa with Benserazide
2152G	Tetracycline with Nystatin	2227F	Levodopa with Benserazide
2153H	Aluminium Hydroxide	2229H	Chloramine
2155K	Aluminium Hydroxide with Magnesium Hydroxide	2230J	Chloramine
2156L	Aluminium Hydroxide with Magnesium Hydroxide	2233M	Dimethicone
2157M	Aluminium Hydroxide with Magnesium Hydroxide	2238T	Surgical Cement
2158N	Aluminium Hydroxide with Magnesium Hydroxide and Oxethazaine	2245E	Dextrose
2159P	Aluminium Hydroxide with Magnesium Trisilicate and Magnesium Hydroxide	2247G	Dextrose
		2249J	Dextrose
		2251L	Dextrose
		2252M	Dextrose
		2256R	Sterculia
		2258W	Sterculia
		2259X	Sterculia
		2260Y	Sodium Chloride

Code	Name	Code	Name
2262C	Sodium Chloride	2345K	Thiotepa
2264E	Sodium Chloride	2351R	Diphenylpyraline
2266G	Sodium Chloride Compound BPC 1959	2352T	Glucose Indicator-Urine
2271M	Sodium Chloride and Dextrose	2354X	Phenoxymethylpenicillin
2273P	Sodium Chloride and Dextrose	2356B	Phenoxymethylpenicillin
2278X	Sodium Chloride and Dextrose	2359E	Thioridazine
2279Y	Sodium Chloride and Dextrose	2360F	Chloramphenicol
2281C	Sodium Chloride and Dextrose	2362H	Benzotropine
2282D	Sodium Chloride and Dextrose	2368P	Thiethylperazine
2284F	Sodium Lactate	2369Q	Prochlorperazine
2286H	Sodium Lactate Compound	2370R	Ethylloestrenol
2288K	Sodium Lactate Compound and Anhydrous Dextrose	2371T	Vincristine
2290M	Sodium Valproate	2372W	Vincristine
2291N	Sodium Valproate	2373X	Potassium
2293Q	Standard Maintenance Fluid	2376C	Acetazolamide
2296W	Neomycin Undecenoate with Bacitracin Zinc	2377D	Betamethasone
2297X	Clorexolone	2381H	Cyclophosphamide
2299B	Cloxacillin	2386N	Trifluoperazine
		2389R	Ampicillin
		2390T	Ampicillin
		2393Y	Methotrexate
		2394B	Methotrexate
		2395C	Methotrexate
		2396D	Methotrexate
		2397E	Methacycline
		2398F	Methsuximide
		2399G	Clopamide
2300C	Cloxacillin	2400H	Oxytocin with Ergometrine
2301D	Cloxacillin	2401J	Lypressin
2305H	Dextran 40	2402K	Thioridazine
2306J	Dextran 40	2405N	Ecothiopate Iodide
2308L	Calcium Folate	2410W	Peritoneal Dialysis Solution
2309M	Calcium Folate	2411X	Fruzemide
2311P	Fusidic Acid	2412Y	Fruzemide
2312Q	Fusidic Acid	2413B	Fruzemide
2315W	Bleomycin	2414C	Fruzemide
2318B	Liothyronine	2415D	Fruzemide
2319C	Medroxyprogesterone	2416E	Bethanidine
2320D	Medroxyprogesterone	2417F	Amitriptyline
2321E	Medroxyprogesterone	2418G	Amitriptyline
2323G	Methicillin	2419H	Carbamazepine
2325J	Neomycin	2420J	Imipramine
2326K	Sodium Carboxymethyl- cellulose with Pectin and Gelatin	2421K	Imipramine
2327L	Sodium Carboxymethyl- cellulose with Pectin and Gelatin	2422L	Carbamazepine
2332R	Orciprenaline	2424N	Erythromycin
2333T	Orciprenaline	2425P	Erythromycin
2336Y	Pralidoxime Iodide	2426Q	Cyclothiazide
2337B	Quinethazone	2430X	Metformin
2339D	Spiroglactone	2434D	Adrenaline
2342G	Triamterene	2435E	Phenylbutazone
		2441L	Hydrocortisone
		2442M	Idoxuridine
		2444P	Tranlycypromine

Code	Name	Code	Name
2445Q	Acepifylline	2544X	Biperiden
2447T	Ethynodiol Diacetate with Ethinyloestradiol	2547C	Melphalan
2449X	Gliclazide	2548D	Melphalan
2454E	Indomethacin	2552H	Aluminium Hydroxide with Kaolin
2455F	Phenylephrine	2554K	Prednisolone Sodium Phosphate
2458J	Sulphafurazole	2558P	Diazepam
2465R	Ferrous Aminoacetosulphate	2559Q	Diazepam
2466T	Pholcodine	2561T	Sulphamethoxazole
2467W	Surgical Cement	2562W	Sulphamethoxazole
2469Y	Surgical Cement	2564Y	Nutramigen
2471C	Prednisolone Tertiarybutyl-acetate	2565B	Propranolol
2472D	Surgical Cement	2566C	Propranolol
2473E	Surgical Cement	2567D	Idoxuridine
2481N	Oxycodone	2569F	Idoxuridine
2483Q	Aminocaproic Acid	2570G	Vidarabine
2486W	Aminocaproic Acid	2571H	Trifluoperazine
2497K	Pancrelipase	2572J	Thiethylperazine
2498L	Ergocalciferol	2573K	Thiethylperazine
2499M	Erythromycin	2576N	Aluminium Hydroxide with Magnesium Hydroxide
2500N	Ergocalciferol	2577P	Aluminium Sodium Silicate
2501P	Diphenoxylate Hydrochloride with Atropine Sulphate	2584B	Polyestradiol
2502Q	Calcitriol	2585C	Magnesium-Aluminium Hydroxide
2503R	Butyl Monoester Polymer with Isopropyl Alcohol	2587E	Isosorbide Dinitrate
2504T	Butyl Monoester Polymer with Isopropyl Alcohol	2588F	Isosorbide Dinitrate
2505W	Isopropyl Monoester Polymer with Isopropyl Alcohol	2589G	Mannitol
2506X	Difenoxin Hydrochloride with Atropine Sulphate	2590H	Mannitol
2507Y	Dexamethasone	2593L	Iron Polymaltose Complex
2508B	Dexamethasone	2594M	Glymidine
2509C	Dexamethasone	2595N	Pilocarpine Hydrochloride
2511E	Ethacrynic Acid	2596P	Pilocarpine Hydrochloride
2513G	Sulphacetamide Sodium	2597Q	Pilocarpine Hydrochloride
2516K	Brompheniramine	2598R	Pilocarpine Hydrochloride
2517L	Dimethindene	2599T	Testosterone Enanthate
2519N	Natamycin	2600W	Allopurinol
2520P	Natamycin	2601X	Allopurinol
2521Q	Fluorouracil	2602Y	Brompheniramine
2522R	Nortriptyline	2603B	Allopurinol
2523T	Nortriptyline	2604C	Allopurinol
2524W	Nortriptyline	2605D	Digoxin
2530E	Lincomycin	2607F	Tolbutamide
2534J	Carbachol	2608G	Pyridostigmine
2535K	Carbachol	2610J	Erythromycin
2536L	Carbachol	2611K	Theophylline
2537M	Digoxin	2612L	Theophylline
2541R	Homatropine Hydrobromide	2613M	Theophylline
2542T	Homatropine Hydrobromide	2614N	Theophylline
2543W	Biperiden	2615P	Theophylline
		2617R	Dimethicone
		2618T	Dimethicone
		2620X	Carbenoxolone Sodium

Code	Name	Code	Name
2621Y	Colistin	2709N	Doxycycline
2622B	Oxycodone Hydrochloride	2710P	Diocetyl Sodium Sulpho- succinate with Danthron
2623C	Quinidine Bisulphate	2711Q	Doxycycline
2625E	Potassium Chloride	2712R	Bethanidine
2627G	Orphenadrine Hydrochloride	2713T	Chloral Hydrate
2630K	Acetylcysteine	2718C	Charcoal, Activated
2632M	Theophylline	2719D	Imipramine
2633N	Theophylline	2720E	Tolazamide
2635Q	Procarbazine	2721F	Penicillamine
2642C	Potassium Chloride	2722G	Penicillamine
2643D	Cephaloridine	2723H	Nitrazepam
2644E	Ampicillin	2724J	Pyridostigmine
2647H	Benzylpenicillin	2725K	Medroxyprogesterone
2648J	Benzylpenicillin	2726L	Ferrous Gluconate
2649K	Phenylephrine	2727M	Penicillamine
2653P	Procainamide	2729P	Baclofen
2657W	Sodium Citro-Tartrate	2730Q	Baclofen
2659Y	Fluphenazine	2740F	Debrisoquine
2660B	Fluphenazine	2741G	Debrisoquine
2661C	Fluphenazine	2742H	Acepihylline
2662D	Fluphenazine	2743J	Acepihylline
2669L	Theophylline with Guaiphenesin	2744K	Isoprenaline Hydrochloride
2670M	Testosterone Esters	2747N	Protriptyline
2671N	Ampicillin	2748P	Protriptyline
2672P	Amitriptyline	2749Q	Erythromycin
2673Q	Glycerol	2754Y	Phenylbutazone
2677X	Fluocortolone Esters	2755B	Phenylbutazone
2678Y	Fluocortolone Esters	2756C	Colistin with Neomycin
2679B	Triglycerides, Medium Chain	2757D	Indomethacin
2680C	Butyl Monoester Polymer with Ethanol	2759F	Dexamethasone with Framy- cetin and Gramicidin
2682E	Polyvinyl Alcohol	2764L	Iron Polymaltose Complex
2683F	Benzoin	2765M	Aloxiprin
2684G	Prednisolone Acetate	2767P	Haloperidol
2685H	Milk Powder-Synthetic	2768Q	Haloperidol
2686J	Triglycerides, Medium Chain	2770T	Haloperidol
2687K	Azathioprine	2772X	Norethisterone with Ethinyloestradiol
2689M	Ferrous Sulphate Dried	2773Y	Norethisterone with Ethinyloestradiol
2690N	Hexamine Mandelate	2774B	Norethisterone with Ethinyloestradiol
2692Q	Phenytol	2775C	Norethisterone with Ethinyloestradiol
2693R	Chloramphenicol	2778F	Pilocarpine Hydrochloride
2694T	Betamethasone Acetate with Betamethasone Sodium Phosphate	2779G	Pilocarpine Hydrochloride
2699C	Gas Gangrene Antitoxin- Mixed (Polyvalent)	2780H	Diphenhydramine
2701E	Dextromoramide	2781J	Dexamethasone Metasulpho- benzoate with Framycetin and Gramicidin
2702F	Dextromoramide	2783L	Orciprenaline
2703G	Propylene Glycol	2784M	Orciprenaline
2704H	Atropine Sulphate	2787Q	Choline Theophyllinate
2705J	Belladonna Alkaloids	2788R	Choline Theophyllinate
2706K	Belladonna Alkaloids		
2708M	Doxycycline		

Code	Name	Code	Name
2789T	Choline Theophyllinate	2881P	Hydrocortisone
2790W	Polymyxin B Sulphate with Neomycin and Hydrocortisone	2882Q	Hydrocortisone
2794C	Hydrocortisone with Neomycin Sulphate	2883R	Insect Allergen Extract - Honey Bee
2795D	Hydrocortisone with Neomycin Sulphate	2884T	Insect Allergen Extract - Honey Bee
2800J	Typhoid Vaccine	2885W	Insect Allergen Extract - Honey Bee
2807R	Natamycin	2887Y	Hydrocortisone
2811Y	Acetylcholine Chloride	2888B	Hydrocortisone
2812B	Betamethasone Valerate	2892F	Clofibrate
2813C	Betamethasone Valerate	2893G	Prochlorperazine
2814D	Betamethasone Valerate	2894H	Prochlorperazine
2815E	Betamethasone Valerate	2895J	Prochlorperazine
2818H	Carbenicillin	2897L	Prochlorperazine
2819J	Carbenicillin	2899N	Propranolol
2820K	Betamethasone Valerate	2900P	Doxylamine with Pyridoxine
2823N	Flumethasone with Cloioquinol	2901Q	Methacycline
2824P	Gentamicin Sulphate	2902R	Oxymetholone
2826R	Methysergide	2903T	Oxymetholone
2827T	Tetracycline with Nystatin	2905X	Alprenolol
2828W	Orciprenaline	2906Y	Streptokinase
2829X	Phenylephrine	2907B	Streptokinase
2830Y	Propranolol	2909D	Glucose Indicator-Blood
2831B	Tetracycline with Nystatin	2910E	Cytarabine
2832C	Tetracosactrin	2913H	Levonorgestrel
2835F	Trifluoperazine	2916L	Belladonna Alkaloids
2838J	Penicillamine	2919P	Insect Allergen Extract - Paper Wasp
2843P	Warfarin	2922T	Trimethoprim
2844Q	Warfarin	2923W	Disopyramide
2847W	Thioridazine	2924X	Disopyramide
2850B	Zinc and Adrenaline	2927C	Amphotericin
2851C	Influenza Vaccine	2928D	Amphotericin
2856H	Phenelzine	2929E	Amphotericin
2858K	Thiotepa	2930F	Amphotericin
2861N	Lignocaine	2931G	Amphotericin
2862P	Sulphamethizole	2932H	Amphotericin
2865T	Norethisterone Acetate	2933J	Amphotericin
2866W	Choline Theophyllinate with Guaiphenesin	2934K	Amibenonium Chloride
2867X	Choline Theophyllinate with Guaiphenesin	2935L	Chloral Hydrate
2869B	Chloral Hydrate	2936M	Cloxacillin
2870C	Insect Allergen Extract - Honey Bee	2937N	Dihydrocodeine Tartrate
2875H	Lignocaine	2939Q	Glibenclamide
2876J	Lignocaine	2940R	Mafenide Acetate
2877K	Natamycin	2941T	Oxprenolol
2878L	Sodium Cromoglycate	2942W	Oxprenolol
2879M	Deodorant Detergent Solution	2944Y	Pentazocine
2880N	Clorexolone	2945B	Sodium Acid Citrate
		2947D	Thiabendazole
		2948E	Insect Allergen Extract - Paper Wasp
		2949F	Trimethoprim with Sulphamethoxazole

Code	Name	Code	Name
2950G	Polyvinylpyrrolidone and Vinyl Acetate Copolymer	3016R	Amantadine Hydrochloride
2951H	Trimethoprim with Sulphamethoxazole	3019X	Diphtheria and Tetanus Vaccine, Adsorbed
2952J	Hypromellose	3020Y	Diphtheria Vaccine, Adsorbed
2953K	Isoprenaline Hydrochloride	3021B	Cholera Vaccine
2955M	Adrenaline	3022C	Insect Allergen Extract - Jumper Ant
2956N	Hypromellose	3023D	Insect Allergen Extract - Jumper Ant
2958Q	Folic Acid	3025F	Insect Allergen Extract - Jumper Ant
2959R	Insect Allergen Extract - Paper Wasp	3028J	Phenoxymethylpenicillin
2960T	Insect Allergen Extract - Paper Wasp	3029K	Sodium Bicarbonate
2961W	Oxprenolol	3030L	Clioquinol
2962X	Streptokinase	3031M	Adrenaline
2963Y	Calcium	3032N	Nystatin
2964B	Cephalothin Sodium	3033P	Nystatin
2965C	Phenoxymethylpenicillin	3034Q	Insect Allergen Extract - Jumper Ant
2967E	Cholestyramine	3035R	Phenytoin Sodium
2968F	Aspirin	3037W	Minocycline
2969G	Trimipramine	3038X	Benzotropine
2970H	Trimipramine	3040B	Dextrose
2971J	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin	3042D	Hyoscine Butylbromide
2972K	Desipramine	3049L	Promethazine Theoclate
2973L	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin	3052P	Pericyazine
2974M	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin	3053Q	Pericyazine
2975N	Potassium Chloride	3055T	Pericyazine
2976P	Theophylline with Potassium Iodide	3056W	Protein Hydrolysate Formula without Phenylalanine
2977Q	Ampicillin	3058Y	Cephalexin
2981X	Methylprednisolone Sodium Succinate	3059B	Lithium Carbonate
2982Y	Griseofulvin	3060C	Lithium Carbonate
2983B	Griseofulvin	3061D	Ampicillin
2984C	Bismuth Subgallate	3062E	Pindolol
2985D	Theophylline with Guaiphenesin	3063F	Pindolol
2988G	Kaolin with Pectin	3064G	Lactulose
2989H	Amitriptyline	3065H	Pindolol
2990J	Triamcinolone Acetonide	3066J	Diocetyl Sodium Sulphosuccinate
2991K	Alprenolol	3067K	Diocetyl Sodium Sulphosuccinate
2992L	Electrolyte Replacement (Oral)	3068L	Diazoxide
2993M	Norethisterone	3069M	Epicillin
3011L	Dextran 70	3070N	Epicillin
3012M	Potassium Chloride	3071P	Amino Acid Formula without Phenylalanine
3014P	Levodopa	3072Q	Amino Acid Formula without Phenylalanine
3015Q	Sodium Bicarbonate	3074T	Pizotifen Malate
		3076X	Levodopa
		3077Y	Levodopa
		3078B	Levodopa
		3080D	Quinidine Sulphate

Code	Name	Code	Name
3081E	Dextran 70	3144L	Levodopa
3083G	Tetracosactrin	3147P	Sterculia
3084H	Lincomycin	3148Q	Polyisobutylene
3085J	Epicillin	3149R	Ferrous Sulphate Dried with Folic Acid
3086K	Epicillin	3150T	Ferrous Sulphate Dried with Folic Acid
3087L	Salbutamol	3151W	Methyltestosterone
3088M	Phenethicillin	3152X	Prednisolone
3090P	Spectinomycin	3154B	Zinc with Phenylephrine
3091Q	Spectinomycin	3156D	Vitamin Supplement
3092R	Milk Powder - Synthetic	3157E	Vitamin Supplement
3093T	Hydroxyurea	3158F	Sterculia
3094W	Cephalexin	3159G	Thiopropazate
3095X	Cephalexin	3160H	Ferrous Sulphate Dried with Folic Acid
3096Y	Hydrocortisone Sodium Succinate	3161J	Diazepam
3097B	Hydrocortisone Sodium Succinate	3162K	Diazepam
3098C	Fluphenazine Decanoate	3163L	Nystatin
3099D	Prednisolone Steaglate	3164M	Digoxin
3100E	Ferrous Sulphate Dried	3166P	Ethinodiol Diacetate with Ethinyloestradiol
3101F	Kanamycin	3167Q	Ethinodiol Diacetate with Ethinyloestradiol
3102G	Nystatin	3168R	Ethinodiol Diacetate with Ethinyloestradiol
3103H	Trimethoprim with Sulphamethoxazole	3169T	Ethinodiol Diacetate with Mestranol
3104J	Glucose Indicator - Urine	3170W	Ethinodiol Diacetate with Mestranol
3107M	Glucose and Ketone Indicator - Urine	3171X	Ethinodiol Diacetate with Mestranol
3109P	Amiloride	3176E	Norethisterone with Mestranol
3110Q	Aspirin (Buffered)	3177F	Norethisterone with Mestranol
3112T	Prednisolone Acetate with Phenylephrine	3178G	Norethisterone with Mestranol
3114X	Daunorubicin	3179H	Norethisterone with Mestranol
3118D	Medroxyprogesterone	3180J	Norethisterone Acetate with Ethinyloestradiol
3119E	Cephalexin	3181K	Norethisterone Acetate with Ethinyloestradiol
3120F	Phenethicillin	3182L	Norethisterone Acetate with Ethinyloestradiol
3121G	Phenethicillin	3183M	Norethisterone Acetate with Ethinyloestradiol
3122H	Calcium	3184N	Norethisterone Acetate with Ethinyloestradiol
3123J	Ampicillin	3185P	Norethynodrel with Mestranol
3124K	Hexamine Hippurate	3186Q	Levonorgestrel with Ethinyloestradiol
3125L	Deodorant Concentrate		
3127N	Deodorant Concentrate		
3129Q	Triglycerides, Medium Chain		
3130R	Streptokinase		
3131T	Vancomycin		
3132W	Oxazepam		
3133X	Oxazepam		
3135B	Glycerol		
3137D	Clindamycin		
3138E	Clindamycin		
3139F	Clindamycin		
3140G	Dipyridamole		
3141H	Clonidine		
3142J	Clonidine		
3143K	Levodopa		

Code	Name	Code	Name
3187R	Norgestrel with Ethinyl- oestradiol	3370J	Procaine Penicillin
3188T	Levonorgestrel with Ethinylloestradiol	3371K	Procaine Penicillin
3189W	Norgestrel with Ethinyl- oestradiol	3372L	Procaine Penicillin
3190X	Ibuprofen	3373M	Procaine Penicillin
3192B	Peritoneal Dialysis Solution	3376Q	Procaine Penicillin Fortified
3194D	Methyldopa	3379W	Sulphadimidine
3196F	Nalorphine	3383C	Tetracycline
3197G	Medrysone	3386F	Tetracycline (Buffered)
3198H	Ibuprofen	3389J	Trimethoprim with Sulpha- methoxazole
3199J	Electrolyte Replacement Solution	3390K	Trimethoprim with Sulpha- methoxazole
3301R	Amoxycillin	3391L	Trimethoprim with Sulpha- methoxazole
3302T	Amoxycillin	3394P	Water for Injections
3305Y	Amphotericin	3395Q	Water for Injections
3306B	Amphotericin		
3307C	Amphotericin		
3308D	Amphotericin		
3311G	Ampicillin		
3312H	Ampicillin		
3313J	Ampicillin		
3314K	Ampicillin		
3321T	Doxycycline		
3322W	Doxycycline		
3326C	Erythromycin		
3327D	Erythromycin		
3328E	Erythromycin		
3329F	Erythromycin		
3330G	Erythromycin		
3331H	Erythromycin		
3332J	Erythromycin		
3333K	Erythromycin		
3334L	Erythromycin		
3339R	Metronidazole		
3342X	Nystatin		
3343Y	Nystatin		
3348F	Paracetamol		
3350H	Phenethicillin		
3351J	Phenethicillin		
3353L	Phenethicillin		
3354M	Phenethicillin		
3355N	Phenethicillin		
3356P	Phenethicillin		
3359T	Phenoxymethylpenicillin		
3360W	Phenoxymethylpenicillin		
3361X	Phenoxymethylpenicillin		
3362Y	Phenoxymethylpenicillin		
3363B	Phenoxymethylpenicillin		
3364C	Phenoxymethylpenicillin		
3365D	Phenoxymethylpenicillin		
3366E	Phenoxymethylpenicillin		

**CODES OF EXTEMPORANEOUSLY
PREPARED ITEMS**

Code	Name
7001L	Aspirin, Mixture, APF (Dental)
7002M	Aspirin, Mixture, APF with Codeine Phosphate 30mg per 10ml (Dental)
7003N	Aspirin, Mixture for Children, APF (Dental)
7301G	Kaolin and Opium, Mixture, PL APF
7303J	Chalk and Kaolin, Mixture, PL APF
7307N	Soap, Liniment, APF BPC 73
7309Q	Menthol and Pine, Inhalation, PL APF
7310R	Menthol and Eucalyptus, Inhalation, PL BP
7313X	Spirit, Ear Drops, PL APF
7314Y	Sodium Bicarbonate, Ear Drops, PL APF BP
7315B	Salicylic Acid, Ear Drops, PL APF
7316C	Phenylmercuric Nitrate, Ear Drops, PL APF
7318E	Coal Tar and Zinc Oily, Cream, PL APF
7320G	Calamine Aqueous, Cream, PL APF
7321H	Cocaine and Homatropine, Eye Drops, BPC 73
7322J	Aqueous, Cream, PL APF BP
7323K	Resorcinol and Sulphur, Paste, BP
7324L	Crystal Violet, Paint, BP
7325M	Magenta, Paint, BPC 73
7326N	Iodine Compound, Paint, BPC 68
7327P	Salicylic Acid and Sulphur, Ointment, BPC 73
7330T	Ipecacuanha, Mixture for Children, BPC 73
7333Y	Stramonium and Potassium Iodide, Mixture, BPC 73
7334B	Sodium Salicylate Strong, Mixture, BPC 68
7335C	Potassium Citrate, Mixture, BP
7338F	Potassium Iodide Ammoniated, Mixture, BPC 73
7339G	Opium Camphorated Compound, Mixture, BPC 73
7342K	Magnesium Trisilicate, Mixture, BPC 68
7343L	Magnesium Trisilicate and Belladonna, Mixture, BPC 68
7346P	Magnesium Carbonate, Mixture, BPC 68
7347Q	Lobelia and Stramonium Compound, Mixture, BPC 68
7348R	Kaolin, Mixture, BPC 68
7357F	Chloral, Mixture, BP
7359H	Ammonia and Ipecacuanha, Mixture, BP
7361K	Squill Opiate for Children, Linctus, BP
7363M	Sodium Bicarbonate, Eye Lotion, APF
7365P	Zinc Sulphate, Eye Drops, BPC 73
7366Q	Sulphacetamide Strong, Eye Drops, BPC 73
7367R	Sulphacetamide Weak, Eye Drops, BPC 73
7372B	Cocaine 2%, Eye Drops, BPC 73

Code	Name
7375E	Codeine, Syrup, APF
7376F	Zinc and Ichthammol, Cream, BP
7377G	Calamine Aqueous, Cream, BP
7378H	Codeine Phosphate, Syrup, BPC 73
7396G	Homatropine, Eye Drops, APF
7416H	Zinc Sulphate, Eye Drops, APF
7417J	Zinc and Adrenaline, Eye Drops, APF
7419L	Turpentine, Liniment, BP
7420M	Cough Sedative, Mixture for Children, ACH
7430C	Phthalylsulphathiazole, Mixture for Children, APF
7434G	Expectorant, Mixture for Children, ACH
7436J	Chloral Hydrate, Mixture for Children, ACH
7437K	Phenobarbitone, Mixture for Children, ACH
7440N	Codeine I.F., Linctus, ACH
7441P	Asthma, Mixture for Children, ACH
7450D	Wool Alcohols, Ointment, APF
7451E	Dithranol Strong, Ointment, APF 64
7451E	Dithranol 1%, Ointment, BP
7452F	Dithranol, Ointment, APF
7452F	Dithranol 0.1%, Ointment, BP
7454H	Phenylephrine Strong, Nasal Instillation, APF
7455J	Phenylephrine, Nasal Instillation, APF
7457L	Thymol Compound, Mouth Wash, APF
7458M	Zinc, Starch and Talc, Dusting Powder, PL APF BPC 73
7473H	Talc, Dusting Powder, APF BP
7474J	Kaolin Compound, Dusting Powder, APF
7480Q	Methyl Salicylate Compound, Liniment, PL APF
7484X	Benzoin and Menthol, Inhalation, PL APF
7485Y	Benzoin, Inhalation, PL
7487C	Chlorhexidine, Ear Drops, PL APF
7490F	Chlorhexidine 1%, Cream, BP
7490F	Chlorhexidine Aqueous, Cream, PL APF
7492H	Ipecacuanha and Squill, Mixture, PL APF
7493J	Ipecacuanha and Squill, Mixture for Children, PL APF
7495L	Buffered, Cream, BP
7497N	Cetomacrogol Aqueous, Cream, PL APF
7498P	Cetomacrogol, Cream, BP (Formula A)
7499Q	Cold Cream, PL APF
7500R	Clioquinol Cream, BP

Code	Name
7501T	Salicylic Acid and Sulphur, Cream, BP
7503X	Buffered Aqueous, Cream, PL APF
7504Y	Clioquinol Aqueous, Cream, APF
7526D	Chlorbutol Compound, Dusting Powder, APF 64
7536P	Menthol, Linctus, APF 64
7538R	Calcium Hypochlorite, Solution, APF ; Eusol, Lotion, APF
7540W	Soap Alcoholic, Solution, APF
7544C	Acetic Acid, Ear Drops, APF
7545D	Sulphacetamide, Ear Drops, APF 69
7546E	Alkaline Nasal Douche, Powder - Irrigation, APF
7547F	Kaolin Compound, Powder - Internal Use, APF
7549H	Magnesium and Calcium Carbonate, Powder - Internal Use, PL APF
7555P	Coal Tar and Zinc, Paste, PL APF
7557R	Dithranol and Zinc Strong, Paste, APF 64
7558T	Zinc Compound, Paste, PL APF BP
7559W	Zinc and Salicylic Acid, Paste, PL APF
7562B	Ichthammol, Paint, PL APF
7563C	Iodine, Paint, APF 64
7564D	Iodine Compound, Paint, APF
7566F	Podophyllin, Paint, PL APF
7567G	Podophyllin Compound, Paint, BP
7567G	Podophyllin Strong, Paint, PL APF
7568H	Salicylic Acid, Paint, PL APF
7571L	Menthol Compound, Ointment, APF 64
7573N	Zinc and Coal Tar, Ointment, APF
7574P	Ephedrine, Nasal Instillation, PL APF
7576R	Dextrose and Glycerol, Nasal Instillation, PL APF
7586G	Potassium Iodide, Mixture for Children, PL APF
7589K	Cocaine Strong, Eye Drops, APF
7593P	Cocaine Weak, Eye Drops, APF
7595R	Ammonium Acetate, Mixture, APF 64
7599Y	Ammonium Chloride, Mixture, APF
7603E	Gentian Acid, Mixture, PL BPC 73
7604F	Gentian Alkaline, Mixture, PL APF BP
7605G	Hydrochloric Acid, Mixture, APF 69
7608K	Opium Camphorated, Mixture, APF 64
7616W	Potassium Iodide, Mixture, APF
7618Y	Potassium Iodide and Stramonium Compound, Mixture, PL APF
7623F	Sodium Salicylate, Mixture, PL APF
7626J	Cocaine and Adrenaline, Eye Drops, APF
7629M	Calamine, Lotion, PL APF BP

Code	Name
7630N	Calamine Oily, Lotion, PL APF BP
7632Q	Sodium Thiosulphate, Lotion, APF
7633R	Sulphurated, Lotion, PL APF
7636X	Cocaine, Adrenaline and Zinc, Eye Drops, APF
7642F	Aluminium Acetate, Ear Drops, PL APF
7645J	Ichthammol, Ear Drops, PL APF
7647L	Homatropine and Cocaine, Eye Drops, APF
7652R	Physostigmine, Eye Drops, APF 74
7654W	Zinc Weak, Cream, PL
7655X	Aluminium Acetate Oily, Cream, PL APF
7659D	Calamine Oily, Cream, PL APF
7660E	Cetrimide Cream, BP
7661F	Cetrimide Aqueous, Cream PL APF
7664J	Glycerol Oily, Cream, PL APF
7666L	Ichthammol and Zinc Oily, Cream, PL APF
7667M	Zinc Oily, Cream, PL APF
7703K	Pilocarpine Buffered 4%, Eye Drops, APF 74
7706N	Salicylic Acid, Lotion, BP
7708Q	Zinc Sulphide, Lotion, BPC 73
7709R	Aluminium Acetate Aqueous, Lotion, APF
7710T	Formaldehyde, Lotion, APF
7711W	Resorcinol and Sulphur, Lotion, APF
7712X	Salicylic Acid and Coal Tar, Lotion, APF
7732Y	Calcium Carbonate Compound, Mixture, APF
7780L	Cetrimide and Chlorhexidine, Paint, APF
7783P	Aspirin, Mixture for Children, PL APF
7785R	Belladonna, Mixture for Children, PL APF
7786T	Calcium and Kaolin, Mixture for Children, PL APF
7787W	Chloral, Mixture for Children, APF 74
7788X	Ferrous Gluconate, Mixture for Children, PL APF
7789Y	Ferrous Sulphate, Mixture for Children, PL APF
7790B	Magnesium Hydroxide, Mixture, BP
7791C	Potassium Citrate, Mixture for Children, PL APF
7792D	Sodium Citrate, Mixture for Children, PL APF
7793E	Chloral, Mixture for Children, PL APF
7818L	Turpentine, Liniment, APF 64
7827Y	Aluminium Acetate, Solution, APF BPC 73
7842R	Formaldehyde and Salicylic Acid, Paint, APF
7884Y	Camphor, Liniment, PL APF BP 73
7892J	Salicylic Acid and Resorcinol Aqueous, Cream, PL APF
7893K	Salicylic Acid and Sulphur Aqueous Cream, PL APF

Code	Name
7896N	Zinc, Ointment, PL APF BP
7897P	Zinc, Cream, BP
7899R	Zinc and Castor Oil, Ointment, PL APF BP
7905C	Aspirin, Mixture, PL APF
7906D	Chloral, Mixture, PL APF
7908F	Ferrous Sulphate, Mixture, PL APF
7909G	Magnesium Trisilicate, Mixture, PL APF
7910H	Potassium Chloride, Mixture, PL APF
7911J	Potassium Citrate, Mixture, PL APF
7912K	Potassium Citrate and Hyoscyamus, Mixture, APF
7915N	Calamine, Ointment, BP
7916P	Cetomacrogol Emulsifying, Ointment, BP
7917Q	Cetrimide Emulsifying, Ointment, BP
7918R	Emulsifying, Ointment, PL APF BP
7919T	Hamamelis, Ointment, BPC 73
7922Y	Iodine Aqueous (Lugol's), Solution, BP
7923B	Iodine Weak, Solution, BP
7924C	Paraffin, Ointment, BP (white)
7925D	Paraffin, Ointment, BP 68 (yellow)
7926E	Salicylic Acid, Ointment, PL APF
7927F	Simple, Ointment, PL APF BP (white)
7929H	Sulphur, Ointment, APF 64
7930J	Simple, Ointment, BP (yellow)
7932L	Potassium Citrate and Sodium Bicarbonate, Mixture, PL APF
7933M	Sodium Citrate, Mixture, PL APF
7936Q	Wool Alcohols, Ointment, BP (white)
7937R	Wool Alcohols, Ointment, BP (yellow)
7938T	Hydrous, Ointment, BP (white)
7939W	Hydrous, Ointment, BP (yellow)
7948H	Phenobarbitone, Elixir, APF
8022F	Salicylic Acid, Ointment, BP
8060F	Sulphur, Ointment, BP
8070R	Ichthammol, Glycerin, BPC 73
8072W	Menthol Crystals, Inhalation - Solid, BP
8073X	Belladonna, Tincture, BP
8075B	Stramonium, Tincture, BP
8204T	Spirit, Ear Drops, BPC 73
8416Y	Boric Acid, Eye Lotion, ACH
8417B	Citric Acid, Eye Lotion, APF
8418C	Sodium Chloride, Eye Lotion, BP
8492Y	Potassium Chlorate, Gargle, RAHP

Code	Name
8577K	Benzoin Compound, Inhalation, PL
8579M	Menthol, Inhalation, APF
8619P	Simple, Linctus, PL APF
8636M	Squill Opiate, Linctus, BP
8655M	White, Liniment, BP
8793T	Resorcinol Compound, Lotion, PL APF
8825L	Zinc Sulphate, Lotion, BPC 73
9497W	Benzoic Acid Compound, Ointment, PL APF BP
9506H	Benzocaine Compound, Ointment, BPC 73
9519B	B.O.Z., Ointment, QHF
9556Y	Oily, Cream, PL APF
9557B	Hydrous Wool Fat, Ointment, BPC 73
9559D	Ichthammol, Ointment, BP
9576B	Methyl Salicylate, Ointment, BP
9577C	Methyl Salicylate Compound, Ointment, APF 34
9592W	Resorcinol and Sulphur Compound, Ointment, PL APF
9738M	Dithranol 0.1%, Paste, BP
9739N	Dithranol 1%, Paste, BP
9740P	Dithranol and Zinc, Paste, PL APF
9741Q	Zinc and Coal Tar, Paste, BP
9742R	Titanium Dioxide, Paste, PL APF
9767C	Zinc Oxide, Paste, RMH
9770F	Magenta, Paint, PL APF
9773J	Zinc and Salicylic Acid, Paste, BP
9810H	Pilocarpine Buffered 2%, Eye Drops, APF 74
9821X	Magnesium Carbonate Compound, Powder-Internal Use, BPC 73
9824C	Magnesium Trisilicate Compound Oral, Powder-Internal Use, BP
9868J	Zinc and Salicylic Acid, Dusting Powder, BPC 68
9896W	Spirit, Soap, BP
9897X	Spirit, Soap, BP (Industrial Methylated)
9898Y	Pilocarpine Buffered 1%, Eye Drops, APF 74
9928M	Pilocarpine Buffered 0.5%, Eye Drops, APF 74
9987P	Chloral, Syrup, BPC 68

Code	Name
13Q	Creams
15T	Ear Drops
16W	Elixirs
19B	Eye Drops of Cocaine
20C	Eye Drops of Physostigmine
21D	Eye Drops of Pilocarpine
22E	Other Eye Drops
23F	Eye Lotions
25H	Gargles
28L	Glycerins
29M	Inhalations
30N	Mouth Washes
34T	Linctuses
37Y	Inhalations Solid
38B	Liniments
39C	Lotions
40D	Mixtures
41E	Mixtures for Children
42F	Nasal Instillations
43G	Ointments, Waxes
44H	Paints
45J	Pastes
48M	Dusting Powders
49N	Powders for Internal Use
51Q	Soaps
52R	Solutions
55X	Syrups
56Y	Tinctures
61F	Powders, Irrigation



Pharmaceutical Benefits

DECEMBER 1982 EDITION

NOT FOR SALE



**SCHEDULE OF
PHARMACEUTICAL BENEFITS
for
DENTAL PRACTITIONERS**

OPERATIVE FROM 1 DECEMBER 1982

Commonwealth Department of Health,
CANBERRA, A.C.T.

65592

I. C. CARTER, Acting Government Printer, Tasmania

CONTENTS

SECTION 1	<i>Paragraph</i>	<i>Page</i>
Explanatory Notes—		
Prescribing of Benefits—Procedure by Dentists—		
Schedule of Benefits	1-7	3
Prescriptions	8-13	3-5
Manner of Administration	14	5
Maximum Quantities and Repeats	15-19	5
Eligibility of patients to receive pharmaceutical benefits free of charge	20-21	5-6
Patient Contribution	22-23	6
Urgent Cases	24	6
Enquiries	25	6
Addresses of Commonwealth Department of Health Central Office and Divisional Offices		7-9
Index of Manufacturers' Codes		10
SECTION 2		
Schedule of Benefits		11-16
SECTION 3		
Prescribers' List		17
PROPRIETARY INDEX		
Part 1—Proprietary Names Index		19-20
Part 2—Trade Names Index		20

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DENTISTS

1. Pharmaceutical benefits which may be prescribed by participating dental practitioners are listed in this book.

References in these notes to a dentist or dental practitioner relate to 'participating dental practitioner'.

2. The Schedule of Benefits includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any listed brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g. 'Procaine Penicillin Crystalline Injection 900 mg amp with 2 mL water for injections'.

3. The Schedule also shows the maximum quantity allowable for each item.

4. Admixtures of items in this schedule may not be prescribed as pharmaceutical benefits.

5. A list of extemporaneous formulae appears in Section 3—Prescribers' List.

6. A proprietary name index of ready prepared items is included after Section 3.

7. Symbols used in the Schedule of Benefits are explained on page 1, Section 2.

Prescriptions

8. A prescription ordering a pharmaceutical benefit may be written only for the dental treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit and may not be written for any other purpose. The prescription is valid only if it is written by a participating dental practitioner.

9. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

10. Dentists are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e. ink or ball point pen in own handwriting either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The name and address of the dentist plus the D.P. number (the dental practitioner's number as notified by the Department) must be shown. 'N.H.S.' is to be endorsed at the top if a Departmental standard prescription form is not being used.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient and where the patient —
 - (i) is a pensioner who holds a Pensioner Health Benefits Card — write the pension number on the prescription;
 - (ii) is a sickness benefit recipient who holds a valid Health Benefits Card — write the sickness benefit number on the prescription.

NOTE: Persons who are issued with a Health Care Card are NOT entitled to pharmaceutical benefits free of charge.

EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the address of the pensioner or sickness beneficiary on the prescription form.

- (d) All references to 'pensioner' in this booklet should be taken as including both categories of beneficiary mentioned in (i) and (ii) above.
- (e) The pharmaceutical benefit must be identified in the prescription by such particulars as are necessary for the complete identification of that benefit.

(f) Each prescription must be written legibly.

(g) Date and sign the prescription.

11. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

12. A prescription is not a valid pharmaceutical benefit prescription if the dentist prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same dentist.

13. To avoid confusing patients and the dispensing chemist, dentists should not write prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form.

Manner of Administration

14. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way.

Maximum Quantities

15. The allowable maximum quantity is shown in the second column of Section 2. **DENTISTS MAY NOT PRESCRIBE REPEATS ON A PHARMACEUTICAL BENEFIT PRESCRIPTION.**

16. Where the maximum quantity of an item is marked with a double dagger (‡), the maximum quantity has been determined as a single pack. In such instances, chemists are required to supply unbroken packs (see page 1, Section 2). These items should be prescribed in the standard pack sizes.

17. For other items it is not necessary to prescribe the maximum quantity if the dentist considers a lesser quantity is sufficient for the patient's needs.

18. The relevant maximum quantity is not to be exceeded.

19. A pharmaceutical benefit may not be supplied to the same person more than once on any one day.

Eligibility of patients to receive pharmaceutical benefits free of charge

20. A variety of cards is issued to pensioners and other groups in the community but only the following persons are entitled to receive pharmaceutical benefits free of charge under the Pharmaceutical Benefits Scheme:—

- (i) an eligible pensioner holding a valid Pensioner Health Benefits Card and his or her dependants; or
- (ii) a sickness benefit recipient who holds a valid Health Benefits Card and his or her dependants.

21. Pension numbers as shown on Pensioner Health Benefits Cards or sickness benefit numbers as shown on Health Benefits Cards are the only numbers acceptable for prescription endorsement purposes.

NOTE: Persons who are issued with a Health Care Card are NOT entitled to pharmaceutical benefits free of charge.

Patient Contribution

22. The dispensing chemist may in respect of each supply by him charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding \$3.20 in respect of general patients. A charge is not to be made for the supply of a pharmaceutical benefit on a prescription on which the prescribing dental practitioner has written the pension number.

23. A prescription, other than a prescription for a pensioner, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$3.20 is not a prescription for a pharmaceutical benefit.

Urgent Cases

24. In urgent cases, a chemist may supply a benefit before the prescription is surrendered to him, if the dentist communicates the prescription to the chemist by telephone or other means. *In such cases the dentist must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

Enquiries

25. Any enquiries regarding the Pharmaceutical Benefits Scheme or requests for Departmental publications or stationery should be made to the Commonwealth Director of Health in the capital city of your State.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

CENTRAL OFFICE

Director-General,
Commonwealth Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

DIVISIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000 Telephone 232 8000

Director of Health—
Dr R. R. Bull After hours: Telephone 969 8681

Assistant Director (Medical)—
Dr L. B. Lilley After hours: Telephone 929 6164

VICTORIA

Commonwealth Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000 Telephone 662 2999

Director of Health—
Dr R. C. Webb After hours: Telephone 80 5333

Assistant Director (Medical)—
Dr E. C. R. Newton After hours: Telephone 555 5815

QUEENSLAND

Commonwealth Department of Health,
Australian Government Offices,
Anzac Square,

Adelaide Street,
Brisbane, Qld 4000

Telephone 225 0122

G.P.O. Box 567, Brisbane, Qld 4001

Director of Health—

Dr Peter E. R. Ulrich

Assistant Director (Medical)—

Dr J. R. Meyers

After hours: Telephone 399 5857

SOUTH AUSTRALIA

Commonwealth Department of Health,

A.M.P. Building,
1 King William Street,
Adelaide, S.A. 5000

Telephone 216 3911

G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—

Dr J. Y. Hancock

After hours: Telephone 272 0527

Assistant Director (Medical)—

Dr E. J. Lloyd

After hours: Telephone 296 7434

WESTERN AUSTRALIA

Commonwealth Department of Health,

Victoria Centre,
2-6 St George's Terrace,
Perth, W.A. 6000

Telephone 323 5711

G.P.O. Box M970, Perth, W.A. 6001

Director of Health—

Dr W. J. Wilmot

After hours: Telephone (096) 24 1465

Assistant Director (Medical)—

Dr L. A. Maddern

After hours: Telephone 386 4456

TASMANIA

Commonwealth Department of Health,

Kirksway House,

6 Kirksway Place,

Hobart, Tas. 7000

Telephone 20 5011

G.P.O. Box 919J, Hobart, Tas. 7001

Director of Health—

Dr D. J. Daly

After hours: Telephone 25 3976

NORTHERN TERRITORY

Commonwealth Department of Health,

M.L.C. Building,

Smith Street,

Darwin, N.T. 5794

Telephone 80 2911

P.O. Box 147, Darwin, N.T. 5794

Director of Health—

Dr F. H. Stewart

After hours: Telephone 81 2036

CAPITAL TERRITORY HEALTH COMMISSION

C.T.H.C. Building,

Corner Moore and Alinga Streets,

Canberra City, A.C.T. 2601

Telephone 45 4111

P.O. Box 825, Canberra City, A.C.T. 2601

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd
BC	Bristol Laboratories Pty Ltd
BL	David Bull Laboratories
BR	Beecham Research Laboratories
BW	Wellcome Australia Limited
BZ	Boucher & Muir Pty Ltd
CS	Commonwealth Serum Laboratories
DH	Drug Houses of Australia Pty Ltd
DL	Dista Products (Australia) & Company
FA	F. H. Faulding & Co. Ltd
FM	Fawns and McAllan Pty Ltd
GP	G. P. Laboratories
HP	Hoechst Australia Ltd
IC	ICI Australia Operations Pty Ltd
LE	Lederle Laboratories Division
LP	Lancet Pharmaceutical Limited
LY	Eli Lilly (Australia) and Company
MB	May & Baker Australia Pty Ltd
MF	Medex Pty Ltd
NN	Nelson Laboratories (Sales) Pty Ltd
PF	Pfizer Pty Ltd
PT	Protea Pharmaceuticals
RO	Roche Products Pty Ltd
RY	Rotary Tableting Corp. Pty Ltd
SI	Sigma Co. Ltd
SQ	E. R. Squibb & Sons Pty Ltd
UP	Upjohn Pty Ltd
US	USV Pharmaceuticals
WL	Winthrop Laboratories

SECTION 2 - SCHEDULE OF BENEFITS

SYMBOLS USED IN THE SCHEDULE

- (a) A double dagger (#) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.
 - (b) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
 - (c) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated. N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W); Tas. - (T).
-

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMOXYCILLIN					
Capsule 250mg	20	..	5.46	Amoxil Moxacin	BR CS
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#5.98	Amoxil Moxacin	BR CS
AMPHOTERICIN					
Tablet 100mg	50	..	8.77	Fungilin	SQ
Lozenge 10mg	20	..	3.78	Fungilin	SQ
Suspension 100mg per mL, 24mL	#1	..	4.57	Fungilin	SQ
Ointment 3%, 15g	#1	..	4.03	Fungilin	SQ
AMPICILLIN					
Injection 100mg (solvent required)	5	..	6.29	Austrapen	CS
250mg (solvent required)	5	..	5.98 6.97	Ampicyn Austrapen Penbritin	PT CS BR
500mg (solvent required)	5	..	7.97 9.27	Ampicyn Austrapen Penbritin	PT CS BR
1g (solvent required)	5	..	11.97 14.86	Ampicyn Austrapen Penbritin	PT CS BR
ASPIRIN					
Mixture, APF - See Section 3, Prescribers' List					
Mixture for Children, APF - See Section 3, Prescribers' List					
ASPIRIN with CODEINE					
Aspirin Mixture, APF with Codeine Phosphate 30mg per 10mL - See Section 3, Prescribers' List					
DOXYCYCLINE					
Tablet 100mg	7	..	5.11	Vibramycin	PF
Capsule 100mg	7	..	4.64 5.11	Cyclidox Doxin	PT GP

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ERYTHROMYCIN					
Tablet 125mg	25	..	4.31	EMU-V	UP
200mg	25	..	4.68	Erythrocin	AB
250mg	25	..	5.28	EMU-V	UP
				Erythrocin	AB
				Ethryn	FA
Capsule 125mg	25	..	4.31	Eryc	FA
250mg	25	..	5.24	E-Myacin	PT
			5.28	Eryc	FA
				Erythrocin	AB
				Ilocap	LY
Paediatric Drops					
100mg per mL, 10mL	≠1	..	4.24	Ilosone	LY
Paediatric Suspension					
125mg per 5mL, 100mL	≠1	..	4.56	Eromycin	DL
				Erythrocin	AB
				Ilosone	LY
Powder for Paediatric Suspension					
200mg per 5mL, 100mL	≠1	..	#5.48	EES 200	AB
Suspension 250mg per 5mL, 100mL	≠1	..	6.38	Erythrocin	AB
METRONIDAZOLE					
Tablet 200mg	21	..	4.31	Trichazole	PT
			4.43	Flagyl	MB
NYSTATIN					
Tablet 500,000 Units	25	..	5.96	Diastatin	GP
				Mycostatin	SQ
				Nilstat	LE
Mixture					
100,000 Units per mL, 24mL	≠1	..	4.57	Mycostatin	SQ
				Nilstat	LE
PARACETAMOL					
Mixture 120mg per 5mL, 100mL	≠1	..	3.31	Dymadon	BW
				Panamax	WL
				Parmol	US
PHENETHICILLIN					
Tablet 125mg	25	..	3.63	Optipen	CS
				Pensig	SI
(continued)					

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENETHICILLIN - cont.					
Tablet 250mg	25	..	4.06	Optipen Pensig	CS SI
Capsule 250mg	25	..	4.06	Optipen Pensig	CS SI
500mg	25	..	5.07	Optipen Pensig	CS SI
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#4.62	Pensig 125	SI
250mg per 5mL, 100mL	#1	..	#5.27	Pensig 250	SI
PHENOXYMETHYLPENICILLIN					
Tablet 125mg	25	..	3.63	Abbocillin-V L.P.V. P.V.O.	AB CS FM
250mg	25	..	3.96	Abbocillin-VK Cilicaine VK Falcopen VK L.P.V. PVK P.V.O.	AB SI FA CS LY FM
500mg	25	..	4.91	Abbocillin-VK L.P.V. PVK P.V.O.	AB CS LY FM
Capsule 125mg	25	..	3.63	P.V.O.	FM
250mg	25	..	3.96	Abbocillin-VK Cilicaine VK Falcopen VK L.P.V. PVK P.V.O.	AB SI FA CS LY FM
500mg	25	..	4.91	Cilicaine VK Falcopen VK L.P.V. P.V.O.	SI FA CS FM
(continued)					

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont. Paediatric Suspension 125mg per 5mL, 100mL	#1	..	3.84	Abbocillin-V AB Cilicaïne V SI Falcopen V FA L.P.V. CS
Suspension 250mg per 5mL, 100mL	#1	..	4.43	Abbocillin-V AB Cilicaïne V SI Falcopen V FA L.P.V. Aqueous Forte CS
PROCAINE PENICILLIN Injection BP, 1g	5	..	9.97	Aquacillin FA Cilicaïne SI
1.5g	5	..	10.24	Aquacillin FA Cilicaïne SI
Crystalline Injection 900mg (solvent required)	5	..	6.29	Aquacaine G CS
1.5g (solvent required)	5	..	7.64	Aquacaine G CS
PROCAINE PENICILLIN FORTIFIED Injection 1.08g (solvent required)	5	..	6.97	Aquacaine G Fortified CS
SULPHADIMIDINE Tablet 500mg	40	..	3.97	S-Dimidine PT RY
TETRACYCLINE Capsule 250mg	25	..	4.37	Achromycin LE Australmycin CS Hydracycline Plain FM Panmycin P UP Tetramykoin BZ(N)

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	4.37	Achromycin V LE Austramycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	3.97	Bactrim RO Septrin BW Trib PT
160mg-800mg	10	..	5.03	Bactrim DS RO Septrin Forte BW Trib DS PT
Suspension 40mg-200mg per 5mL, 100mL	≠1	..	4.54	Bactrim RO Septrin BW Trib PT
WATER FOR INJECTIONS (For use only with an injectible benefit which requires a solvent)				
Injection 2mL	5	..	3.26	BL,BZ(NQTW),LP, SI
5mL	5	..	3.41	BL,BZ(NQTW),LP, SI

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX



Proprietary Name	Manu- fac- turer	Name
Abbccillin-V	AB	Phenoxymethylpenicillin
Abbccillin-VK	AB	Phenoxymethylpenicillin
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Amoxil	BR	Amoxycillin
Ampicyn	PT	Ampicillin
Aquacaine G	CS	Procaine Penicillin
Aquacaine G Fortified	CS	Procaine Penicillin Fortified
Aquacillin	FA	Procaine Penicillin
Austramycin	CS	Tetracycline
Austramycin-V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymethylpenicillin
Cilicaine VK	SI	Phenoxymethylpenicillin
Cyclidox	PT	Doxycycline
Diastatin	GP	Nystatin
Doxin	GP	Doxycycline
Dymadon	BW	Paracetamol
EES 200	AB	Erythromycin
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Eromycin	DL	Erythromycin
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin
Ethryn	FA	Erythromycin
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Flagyl	MB	Metronidazole
Fungilin	SQ	Amphotericin
Hostacycline P	HP	Tetracycline (Buffered)
Hydracycline	FM	Tetracycline (Buffered)
Hydracycline Plain	FM	Tetracycline
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin
L.P.V.	CS	Phenoxymethylpenicillin
L.P.V. Aqueous Forte	CS	Phenoxymethylpenicillin
Moxacin	CS	Amoxycillin
Mycostatin	SQ	Nystatin
Nilstat	LE	Nystatin
Optipen	CS	Phenethicillin

Proprietary Name	Manu- fac- turer	Name
Panamax	WL	Paracetamol
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Parmol	US	Paracetamol
Penbritin	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
S-Dimidine	PT	Sulphadimidine
Septin	BW	Trimethoprim with Sulphamethoxazole
Septin Forte	BW	Trimethoprim with Sulphamethoxazole
Steclin-V	SQ	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetrex	BC	Tetracycline (Buffered)
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichozole	PT	Metronidazole
Vibramycin	PF	Doxycycline

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Cota-Tabs	Faulding - Coated tablets
Dulcets	Abbott A'asia - Chewable tablets
Filmtabs	Abbott A'asia - Coated tablets
Pulvules	Lilly - Capsules



Pharmaceutical Benefits

DECEMBER 1982

NOT FOR SALE

PHARMACEUTICAL BENEFITS - PATIENT CONTRIBUTION CHANGES
ADVICE TO MEDICAL PRACTITIONERS

New patient contribution arrangements for pharmaceutical benefits will be implemented on 1 January 1983.

Under the new arrangements there will be three levels of patient contribution:

- . zero patient contribution for persons holding a Pensioner Health Benefits card or a Health Benefits card and the dependants of these persons;
- . \$2 patient contribution for the holders of a Health Care card, Social Security pensioners and Veterans' Affairs service pensioners who are not entitled to their pharmaceutical benefits free of charge (who will be issued with a Pharmaceutical Benefits Concession card) and the dependants of these persons;
- . \$4 patient contribution for all other persons.

At the start of the new arrangements, there will also be changes to the procedures under which chemists are authorised to supply pharmaceutical benefits free of charge or at the \$2 concessional patient contribution.

Doctors will no longer endorse the pension number or entitlement number on prescriptions. Eligibility to receive pharmaceutical benefits free of charge or at the \$2 concessional patient contribution is to be established by the patient or the patient's agent. Eligibility will be established by the patient or his/her agent completing the declaration on the reverse side of the original of the prescription form. Some doctors have already been supplied with NHS standard prescription forms which are pre-printed with the declaration.

Prior to 1 January 1983 doctors writing NHS prescriptions for pensioners eligible for free pharmaceutical benefits are not required to include the patient's address on the NHS prescription in addition to the pension number. However, from 1 January 1983 all NHS prescriptions require the name and full details of the address of the patient to be written by the doctor, but the pension number or other entitlement number is not required on the face of the prescription.

Prescriptions for those pharmaceutical benefits which are restricted for pensioners only (which are now shown as for "persons holding a Pensioner Health Benefits card or a Health Benefits card and dependants") are to be endorsed "specified purpose" or some suitable abbreviation, for example "S.P.", from 1 January 1983. These items are -

Ascorbic Acid tablet 50mg
Codeine Phosphate with Aspirin tablet soluble
8mg-300mg and 8mg-500mg
Codeine Phosphate with Paracetamol tablet 8mg-500mg
Nicotinic Acid tablet 25mg, 50mg, 100mg and 250mg
Riboflavine tablet 5mg
Thiamine Hydrochloride tablet 50mg and 100mg

The Explanatory Notes of the Schedule of Pharmaceutical Benefits for Medical Practitioners will be revised in the 1 April 1983 issue to incorporate these changes.

ADVANCE NOTICE OF DELETION

The following will be deleted from the Schedule of Pharmaceutical Benefits on 1 April 1983 because of relatively insignificant demand for the particular strengths and availability of alternative strengths of greater usage:-

Atropine Sulphate, 400 micrograms in 1mL injection
Cephadrine, 250mg injection (Eskacef, Velosef)
Diphtheria Antitoxin, 1,000 Units injection

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1982 edition of the Schedule of Pharmaceutical Benefits for Medical Practitioners.

The reprint of the Schedule will take effect on 1 December 1982 and all previous editions of the Schedule are cancelled.

SUMMARY OF CHANGES

ADDITIONS

NEW ITEMS

Section 2 — Restricted Benefits

Nifedipine, 10mg capsule (*Adalat*)

Ticarcillin Disodium, equivalent to 3g ticarcillin, injection (*Tarcil*)

Trimethoprim, 300mg tablet (*Triprim*)

NEW FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2 — Restricted Benefits

Amoxycillin, 3g dispersible tablet (*Amoxil*)

Beclomethasone Dipropionate, 100 micrograms (oral inhalation) capsule
(*Becotide Rotacaps*)

Calcium Folate, 15mg tablet (*Leucovorin*)

Doxepin, 50mg tablet (*Sinequan*)

Methotrexate, 5mg in 2mL injection

Salbutamol, 200 micrograms (oral inhalation) capsule (*Ventolin Rotacaps*)

Soya Formula, 500g powder (*Infasoy*)

Tri-potassium Di-citrate Bismuthate Complex, 156mg (Bi) per 5mL,
500mL mixture (*Ulcaron*)

Section 2 — Unrestricted Benefits

Hydrocortisone, 4mg and 20mg tablets (*Hysone*)

Naproxen, 500mg suppository (*Naprosyn*)

Nystatin, 100 000 Units lozenge (*Nilstat*)

DELETION OF FULL ITEMS

Section 2 — Unrestricted Benefits

- Clemizole**, equivalent to 21mg base per 5mL, 100mL syrup (*Allercur*) (Item discontinued by manufacturer)
Dichlorphenamide, 50mg tablet (*Daranide*) (Item discontinued by manufacturer)
Natamycin, Neomycin Sulphate and Hydrocortisone, 1%-0.35% (base)-1%, 5g ear ointment (*Pimafucort Otic*) (Item discontinued by manufacturer)

DELETION OF FORMS AND STRENGTHS OF EXISTING ITEMS

Section 2 — Restricted Benefits

- Phenobarbitone**, 100mg tablet (Item discontinued by manufacturer)

Section 2 — Unrestricted Benefits

- Amitriptyline**, 25mg capsule (*Elavil*) (Item discontinued by manufacturer)
Dienoestrol, 10mg tablet

TRANSFERS

Unrestricted to Restricted

- Daunorubicin**, 20mg (base) I.V. infusion (*Cerubidin*)
Papaveretum, 10mg tablet (*Omnopon*)
Procarbazine, 50mg capsule (*Natulan*)

Restricted to Unrestricted

- Insulin Biphasic**, 100 Units per mL, 10mL (mixed porcine/bovine) injection (*Rapitard M.C. Novo*)
Insulin Isophane (N.P.H.), 100 Units per mL, 10mL (bovine) injection (*Isophane M.C.*); 100 Units per mL, 10mL (porcine) injection (*Insulatard Nordisk, Protaphane M.C.*)
Insulin Isophane (N.P.H.) — Insulin Neutral, (Mixed), 100 Units (70 Units-30 Units) per mL, 10mL (porcine) injection (*Mixtard Nordisk*)
Insulin Neutral, 100 Units per mL, 10mL (porcine) injection (*Actrapid M.C. Novo, Velosulin Nordisk*)
Insulin Zinc Suspension (Lente), 100 Units per mL, 10mL (porcine) injection (*Monotard M.C. Novo*); 100 Units per mL, 10mL (mixed porcine/bovine) injection (*Lente M.C. Novo*)

- Insulin Zinc Suspension (Amorphous)** (Semilente), 100 Units per mL, 10mL (porcine) injection (*Semilente M.C. Novo*)
- Insulin Zinc Suspension (Crystalline)** (Ultralente), 100 Units per mL, 10mL (bovine) injection (*Ultralente M.C. Novo*)
- Timolol**, 0.25%, 5mL and 0.5%, 5mL eye drops (*Timoptol*)

ALTERATIONS

Restrictions

Section 2

- Azathioprine**, 50mg tablet (*Imuran*)
- Bleomycin**, 15mg injection (*Blenoxane*)
- Calcitriol**, 0.25 micrograms capsule (*Rocaltrol*)
- Chlorambucil**, 2mg and 5mg tablets (*Leukeran*)
- Codeine Phosphate with Aspirin**, 30mg-325mg tablet (*Codral Forte*)
(Authority from the Director of Health now required)
- Cyclophosphamide**, 50mg tablet; 100mg, 200mg, 500mg and 1g injections (*Endoxan-Asta*)
- Ergocalciferol**, 250 micrograms tablet (*Ostelin*) and 15mg (600 000 Units) in 1.5mL alcoholic solution, oral solution (*Sterogyl-15*)
- Labetalol**, 100mg and 200mg tablets (*Trandate*)
- Medroxyprogesterone**, 10mg and 100mg tablets (*Provera*); 50mg in 1mL and 150mg in 1mL injections (*Depo-Provera*)
- Methotrexate**, 2.5mg tablet; 5mg, 50mg and 50mg in 2mL injections
- Penicillamine**, 125mg and 250mg tablets (*D-Penamamine, Perdolat*); 125mg and 250mg capsules (*Cuprimine*)

Maximum Quantity

Section 2

Item	From	To
Bisacodyl , 10mg suppository, pack of 5 (<i>Durolax</i>)	‡1	2
Diocetyl Sodium Sulphosuccinate with Bisacodyl , 100mg-10mg suppository, pack of 5 (<i>Coloxyl</i>)	‡1	2
Typhoid Vaccine , 0.5mL injection	3	2
Vinblastine , 10mg injection (<i>Velbe</i>)	1	2

Number of Repeats

Section 2

<i>Item</i>	<i>From</i>	<i>To</i>
Busulphan , 2mg tablet (<i>Myleran</i>)	2	nil
Ergocalciferol , 250 micrograms tablet (<i>Ostelin</i>) and 15mg (600 000 Units) in 1.5mL alcoholic solution, oral solution (<i>Sterogyl-15</i>)	nil	2
Labetalol , 100mg and 200mg tablets (<i>Trandate</i>)	nil	2
Melphalan , 2mg and 5mg tablets (<i>Alkeran</i>)	2	nil
Sulphasalazine , 500mg tablet (<i>Salazopyrin</i>) and 500mg (enteric coated) tablet (<i>Salazopyrin-EN</i>)	2	5
Typhoid Vaccine , 0.5mL injection	1	nil

Proprietary Name

Section 2

<i>Item</i>	<i>From</i>	<i>To</i>
Glucose Indicator-Blood , 25 reagent strips	BM-Test-Glycemie	BM-Test-BG

Manufacturer's Code

Section 2

<i>Item</i>	<i>From</i>	<i>To</i>
Tri-potassium Di-citrato Bismuthate Complex , 110.9mg (Bi) per 5mL, 560mL (<i>De-Nol</i>)	GB	PD

Notes

Section 2

A note has been added in respect of the following item:—

Papaveretum (*Omnopon*)

All Previous Editions Cancelled



SCHEDULE OF PHARMACEUTICAL BENEFITS

for

MEDICAL PRACTITIONERS

OPERATIVE FROM 1 DECEMBER 1982

**Commonwealth Department of Health,
CANBERRA, A.C.T.**

I. C. CARTER, Acting Government Printer, Tasmania

CONTENTS

SECTION 1 — LEMON PAGES	<i>Paragraph</i>	<i>Page</i>
Explanatory Notes —		
Prescribing of Benefits — Procedure by		
Doctors —		
Schedule of Benefits	1-9	4
Explanatory and Warning Statements	10-11	5
Prescriptions	12-21	5-8
Manner of Administration	22	8
Restrictions	23-24	8
Maximum Quantities and Repeats	25-33	8-10
Regulation 24	34-35	10-11
Eligibility of patients to receive pharmaceutical benefits free of charge	36-37	11
Patient Contribution	38-39	11
Authority to Prescribe	40-41	12
Urgent Cases	42-43	12
Emergency Drug (Doctor's Bag)		
Supplies	44-47	13
Enquiries	48	13
Addresses of Poisons Information Centres		14
Addresses of Commonwealth Department of Health Central Office and Divisional Offices		15-17
Index of Manufacturers' Codes		18-21
Items for which an Authority to Prescribe may be granted to provide up to six months' therapy		22-23
List of Emergency Drug (Doctor's Bag) Supplies		24-25
 SECTION 2 — WHITE PAGES		
Schedule of Benefits —		
General, Pensioner and Restricted Benefits		1-115
Intravenous Infusions		116-117

SECTION 3 — WHITE PAGES

Page

Schedule of Benefits —

Preparations Available for Colostomy and Ileostomy

Use 1-3

Preparations Available for Use by Paraplegic and

Quadriplegic Patients 4-5

SECTION 4 — GREEN PAGES

Schedule of Benefits — Drugs Available for Extemporaneous Preparations 1-6

Table of Maximum Quantities and Number of Repeats for Extemporaneous Preparations 7

SECTION 5 — GREEN PAGES

Prescribers' List — Pharmaceutical Benefits Formulae 1-16

PROPRIETARY INDEX

Part 1 — Proprietary Names Index 4-22

Part 2 — Trade Names Index 23

SECTION 1 — EXPLANATORY NOTES

PRESCRIBING OF BENEFITS — PROCEDURE BY DOCTORS

1. Pharmaceutical benefits which may be prescribed by doctors are listed in this book.

2. Ready prepared items are listed in Sections 2 and 3 of the Schedule of Benefits. Restrictions apply to the prescribing of some items in Section 2 and all the items in Section 3. Further details may be found in these notes — paragraphs 23–24.

3. The Schedule of ready prepared items includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any listed brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g. 'Benzylpenicillin, Injection 300mg amp with 2mL water for injections'.

4. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes — paragraphs 25–35.

5. The drugs which may be used in extemporaneous preparations are listed in Section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this Section it is indicated against the item.

6. The following admixtures are not pharmaceutical benefits:—

(a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or

(b) the admixture of a ready prepared item and a drug or drugs listed in Section 4 of the Schedule of Benefits.

7. Formulae in common use are listed in Section 5 — Prescribers' List (Green Pages).

8. A proprietary name index of ready prepared items is included after Section 5.

9. Symbols used in the Schedule of Benefits are explained on page 1, Section 2 (White Pages).

Explanatory and Warning Statements

10. The Use of 'Note' in Section 2 (White Pages) of the Schedule is reserved for explanatory purposes in relation to the prescribing of some drugs as pharmaceutical benefits.

11. The use of 'Caution' in Section 2 (White Pages) of the Schedule is reserved for the purpose of warning of adverse reactions or precautions associated with the use of a drug. The absence of a cautionary note does not necessarily imply that significant adverse reactions may not be encountered.

Prescriptions

12. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit and must not be written for any other purpose. The prescription is valid only when it is written by a registered medical practitioner.

13. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

14. With regard to DRUGS OF ADDICTION, notification or approval of the appropriate State Health Authority or officer is required in all States for therapeutic use for a period exceeding two months (eight weeks in Victoria). Prior approval of the appropriate State Health Authority or officer is required in all States for the treatment of DRUG DEPENDENT PERSONS with ANY DRUG OF ADDICTION.

15. Medical practitioners are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Director-General otherwise record the prescription) either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The name and address of the medical practitioner must be shown and 'N.H.S.' endorsed at the top.

- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient, and where the patient —
 - (i) is a pensioner who holds a Pensioner Health Benefits Card — write the pension number on the prescription.
 - (ii) is a sickness benefit recipient who holds a valid Health Benefits Card — write the sickness benefit number on the prescription.

NOTE: Persons who are issued with a Health Care Card are NOT entitled to pharmaceutical benefits free of charge.

EXCEPT WHERE THE PROVISIONS OF STATE LAW REGARDING NARCOTIC, SPECIFIED OR RESTRICTED DRUGS REQUIRE THE ADDRESS TO BE WRITTEN, it is not necessary to write the address of the pensioner or sickness beneficiary on the prescription form.

- (d) The pharmaceutical benefit must be identified in the prescription by such particulars as are necessary for the complete identification of that benefit.
- (e) In the case of pharmaceutical benefits which are restricted in use, the prescription must be endorsed in the doctor's own handwriting with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted. However, where a prescription is written for a pensioner for a drug which is restricted to pensioners it is not necessary to endorse the prescription 'Specified Purpose'.
- (f) If the benefit is a single drug, the manner of administration must be indicated.

- (g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time the prescription must be endorsed in own handwriting with the words 'Regulation 24'. Further details are available in paragraphs 34-35.

- (h) Date and sign the prescription.

16. A doctor may write up to three prescriptions on a single prescription form. Each prescription must be written legibly.

17. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

18. A prescription is not a valid pharmaceutical benefit prescription if the medical practitioner —

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;
- (b) prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted;
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

19. Where a medical practitioner writes a prescription for a pharmaceutical benefit, a formulation of which is available as a ready prepared pharmaceutical benefit and does not specify a brand, payment to the chemist is made on the basis of the lowest priced brand of the ready prepared benefit item which is listed. This also applies if the preparation is, or the ingredients are, available for use in dispensing extemporaneously prepared benefits (i.e. listed in Section 4).

20. Where, in a prescription for a pharmaceutical benefit which is not listed as a ready prepared pharmaceutical benefit, a medical practitioner states a monograph title of a formulation but does not specify a formulary, payment to the chemist is made on the basis of the formula, if any, specified in the Prescribers' List (Section 5). Should there be no formula specified in the Prescribers' List, payment to the chemist is made on the basis of the precedence of formularies accorded by State legislation.

21. To avoid confusing patients and the dispensing chemist, doctors should not write prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a restricted benefit and the patient is not suffering from one of the allowable conditions the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete N.H.S. from the top of the form.

Manner of Administration

22. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way, e.g., an ophthalmic preparation may not be prescribed for topical use.

Restrictions

23. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition and, where specified with the written authority of the Commonwealth Director of Health in the State concerned. Full particulars of these items and their restrictions are printed in red in Sections 2 and 3 (White Pages) of the Schedule. It is not necessary for the particular restriction to be identified on the prescription. Where in section 2 a benefit is restricted 'pensioners only', pensioner, for this purpose shall include:—

- (i) a pensioner who holds a valid Pensioner Health Benefits card;
- (ii) a sickness benefit recipient who holds a valid Health Benefits card.

NOTE: Persons who are issued with a Health Care Card are NOT included in the 'pensioner' category.

24. Pharmaceutical benefits which are available for use for colostomy and ileostomy conditions as well as pharmaceutical benefits which are available for use by paraplegic and quadriplegic patients are listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

25. For ready prepared preparations, the allowable maximum quantity and number of repeats are shown in the second and third columns of Sections 2 and 3. For other preparations, details are set out in the Table of Maximum Quantities and Repeats (Green Pages).

26. Where the maximum quantity of an item is marked with a double dagger (‡), the maximum quantity has been determined as a single pack. In such instances, chemists are required to supply unbroken packs (see page 1, Section 2 White Pages). These items should be prescribed in the standard pack sizes.

27. For other items it is not necessary to prescribe the maximum quantity either for the original or for a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

28. If a medical practitioner requires a prescription to be repeated, he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

29. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority from the Commonwealth Director of Health (see paragraphs 31-33).

30. The normal maximum quantity and number of repeats for pharmaceutical benefit items are recommended by the Pharmaceutical Benefits Advisory Committee (PBAC). For the treatment of an acute condition the PBAC recommends a maximum quantity which will provide sufficient medication for the treatment of the condition; for the treatment of chronic conditions the PBAC recommends sufficient, at normal dosage levels, for one month's treatment and two repeats.

31. However, special provisions exist to assist chronically ill patients who require large quantities of drugs and/or continuous treatment. In most cases under these provisions a doctor may, if he considers it to be in his patient's interest, apply to the Commonwealth Director of Health in his State for authority to prescribe a quantity in excess of the listed maximum quantity and/or number of repeats.

32. Normally a quantity sufficient for approximately three months' treatment at the higher dosage levels, i.e. one month's treatment with two repeats, may be authorised by the Director. For certain items the

Pharmaceutical Benefits Advisory Committee has recommended that authorities may be granted to provide for up to six months' treatment i.e. one month's treatment with five repeats. A list of these items appears on pages 24-25. One patient contribution fee is payable for each supply of the benefit so authorised.

33. For restricted drugs, where the written authority of the Commonwealth Director of Health is required to prescribe, the provisions of paragraph 32 will apply except where otherwise indicated in the individual entry in Section 2 of the Schedule. Where the number of repeats for such a drug is not specified in Section 2, the prescriber should indicate the number of repeats required in accordance with paragraph 32.

Regulation 24

34. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and the repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that —

- (a) the maximum quantity specified for the benefit is insufficient for the medical treatment of the person for whom it is prescribed;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24' as certification that the above conditions have been satisfied.

35. Where a prescription is endorsed 'Regulation 24' the dispensing chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies, for example, if the prescription orders two repeats, three patient contributions would be charged to a patient other than an eligible pensioner in possession of a Pensioner Health Benefits Card or a sickness beneficiary in possession of a valid Health Benefits Card.

Eligibility of patients to receive pharmaceutical benefits free of charge

36. A variety of cards is issued to pensioners and other groups in the community but only the following persons are entitled to receive pharmaceutical benefits free of charge under the Pharmaceutical Benefits Scheme:—

- (i) an eligible pensioner holding a valid Pensioner Health Benefits Card and his or her dependants; or
- (ii) a sickness benefit recipient who holds a valid Health Benefits Card and his or her dependants.

NOTE: Persons who are issued with a Health Care Card are NOT entitled to pharmaceutical benefits free of charge.

37. Pension numbers as shown on Pensioner Health Benefits Cards or sickness benefit numbers as shown on Health Benefits Cards are the only numbers acceptable for prescription endorsement purposes.

Patient Contribution

38. The dispensing chemist may in respect of each supply by him whether on a prescription or repeat authorisation, charge the person to whom the pharmaceutical benefit is supplied an amount not exceeding \$3.20 in respect of general patients. A charge is not to be made for the supply of a pharmaceutical benefit on a prescription on which the prescribing medical practitioner has written the pension number or sickness benefit number shown on a valid Health Benefits Card.

39. A prescription, other than a prescription for an eligible pensioner or a sickness beneficiary in possession of a valid Health Benefits Card, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$3.20 is not a prescription for a pharmaceutical benefit. This also applies to prescriptions endorsed 'Regulation 24' (see paragraphs 34, 35), for which the price of the total quantity of the benefit supplied is less than the authorised charge specified in paragraph 35.

Authority to Prescribe

40. Where the written authority of the Commonwealth Director of Health is required to prescribe:—

- (i) restricted drugs (paragraphs 23, 24); or
- (ii) increased maximum quantities (paragraphs 31–33); and/or
- (iii) increased number of repeats (paragraphs 31–33)

application should be made on the combined application/authority prescription form (Form PB86). The 'office copy' together with the completed original and duplicate of the authority prescription are to be forwarded to the Director. The doctor's copy should be retained.

41. The original and duplicate authority prescription, when authorised, can be returned to the doctor or sent direct to the patient. If the application can be approved after some amendment, an Authority to Prescribe (Form PB15) will be forwarded to the doctor, specifying what has been approved. A new prescription should then be written on the form PB15, the original and duplicate sent to the patient, and the triplicate (green copy) retained by the doctor.

Urgent Cases

42. In urgent cases, a chemist may supply a benefit before the prescription is surrendered to him, if the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

43. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 23). In such cases the doctor must first obtain advice from the Commonwealth Director of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently submit a form PB86, obtain the written authority and forward it, within 24 hours of its receipt, to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

44. Certain pharmaceutical benefits are provided free to doctors for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

45. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the doctor personally. Each order form is valid during the month printed thereon and each doctor may obtain the benefits not more often than once per month. (Doctors approved to supply pharmaceutical benefits under section 92 of the National Health Act are to use Form PB7a which must not be presented to an approved chemist for supplies. Special instructions are issued to these doctors.)

46. The maximum quantity listed against the Emergency Drug items permitted to be obtained at the one time may be ordered provided the quantity of the item that the doctor has on hand is less than the maximum quantity.

47. A doctor may also specify on the order form any listed brand of a benefit. If this brand is not available, the doctor will be requested by the approved chemist to specify in the order another listed brand which is available, and to initial the alteration. The doctor issuing the order form must sign and date the form. A receipt for the benefits supplied on this order form must be signed by either the doctor himself or by a person authorised by him.

Enquiries

48. Any enquiries regarding the Pharmaceutical Benefits Scheme or requests for Departmental publications or stationery other than N.H.S. standard prescription pads should be made to the Commonwealth Director of Health in the capital city of your State. Orders for N.H.S. prescription pads should be forwarded to the Director-General of Health, Canberra.

ADDRESSES OF POISONS INFORMATION CENTRES

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Bridge Road,
Camperdown.

Telephone No.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
347 5522

QUEENSLAND

Brisbane Royal Children's Hospital,
Herston Road,
Herston.

Brisbane
253 8233

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
267 4999
Ext. 117 or 119

WESTERN AUSTRALIA

Princess Margaret Hospital for Children,
Thomas Street,
Subiaco.

Perth
381 0222

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
38 8485

NORTHERN TERRITORY

Casuarina Hospital,
Darwin.

Darwin
20 8385

AUSTRALIAN CAPITAL TERRITORY

Royal Canberra Hospital,
Canberra.

Canberra
43 2111

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

NOTE: All applications for authority to prescribe should be forwarded to the appropriate Divisional Office.

CENTRAL OFFICE

Director-General,
Commonwealth Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

DIVISIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000

Telephone 232 8000

Director of Health —

Dr R. R. Bull

After hours: Telephone 969 8681

Assistant Director (Medical) —

Dr L. B. Lilley

After hours: Telephone 929 6164

VICTORIA

Commonwealth Department of Health,
Australian Government Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000

Telephone 662 2999

Director of Health —

Dr R. C. Webb

After hours: Telephone 80 5333

Assistant Director (Medical) —

Dr E. C. R. Newton

After hours: Telephone 555 5815

QUEENSLAND

Commonwealth Department of Health,
 Australian Government Offices,
 Anzac Square,
 Adelaide Street,
 Brisbane, Qld 4000

Telephone 225 0122

G.P.O. Box 567, Brisbane, Qld 4001

Director of Health —

Dr Peter E. R. Ulrich

Assistant Director (Medical) —

Dr J. R. Meyers

After hours: Telephone 399 5857

SOUTH AUSTRALIA

Commonwealth Department of Health,
 A.M.P. Building,
 1 King William Street,
 Adelaide, S.A. 5000

Telephone 216 3911

G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—

Dr J. Y. Hancock

After hours: Telephone 272 0527

Assistant Director (Medical)—

Dr E. J. Lloyd

After hours: Telephone 296 7434

WESTERN AUSTRALIA

Commonwealth Department of Health,
 Victoria Centre,
 2-6 St George's Terrace,
 Perth, W.A. 6000

Telephone 323 5711

G.P.O. Box M970, Perth, W.A. 6001

Director of Health —

Dr W. J. Wilmot

After hours: Telephone (096) 24 1465

Assistant Director (Medical)—

Dr L. A. Maddern

After hours: Telephone 386 4456

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000

Telephone 20 5011

G.P.O. Box 919J, Hobart, Tas. 7001

Director of Health —

Dr D. J. Daly

After hours: Telephone 25 3976

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794

Telephone 80 2911

P.O. Box 147, Darwin, N.T. 5794

Director of Health —

Dr F. H. Stewart

After hours: Telephone 81 2036

CAPITAL TERRITORY HEALTH COMMISSION

C.T.H.C. Building,
Corner Moore and Alinga Streets,
Canberra City, A.C.T. 2601

Telephone 45 4111

P.O. Box 825, Canberra City, A.C.T. 2601

Applications for authority to prescribe —

Dr B. C. Bromhead

After hours: Telephone 82 2868

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd
AG	Allergan Pharmaceuticals Pty Ltd
AH	Allen and Hanburys
AM	Ames Company, Division of Miles Laboratories Australia Pty Ltd
AP	Astra Pharmaceuticals Pty Ltd
AQ	Alcon Laboratories (Australia) Pty Ltd
AY	Ayerst Laboratories Pty Ltd
BC	Bristol Laboratories Pty Ltd
BF	Barnes-Hind Pty Limited
BH	Biopharm Pty Ltd
BL	David Bull Laboratories
BN	Bayer Pharmaceutical Company
BO	Boehringer Mannheim, Australia Pty Ltd
BR	Beecham Research Laboratories
BT	The Boots Company (Australia) Pty Ltd
BW	Wellcome Australia Limited
BY	Boehringer Ingelheim Pty Ltd
BZ	Boucher & Muir Pty Ltd
CB	Ciba Pharmaceuticals
CP	Cooper Laboratories Pty Ltd
CS	Commonwealth Serum Laboratories
DF	Difrex (Aust.) Laboratories
DH	Drug Houses of Australia Pty Ltd
DL	Dista Products (Australia) & Company
DY	Denyer Brothers
EC	Erba Carlo S.p.A., Australian Distributor, Sigma Co. Ltd

<i>Code</i>	<i>Manufacturer</i>
EN	Endo Laboratories (Australia) Pty Limited
ET	Ethnor Pty Ltd
FA	F. H. Faulding & Co. Ltd
FC	Fisons Pty Ltd
FM	Fawns and McAllan Pty Ltd
FR	Charles E. Frosst (Australia) Pty Ltd
GB	Gist-Brocades Australia Pty Ltd
GE	Geigy Pharmaceuticals
GL	Glaxo
GP	G.P. Laboratories
HA	Hamilton Laboratories Pty Ltd
HO	Hollister Incorporated, Australian Distributor, Abbott Laboratories Pty Ltd
HP	Hoechst Australia Ltd
IC	ICI Australia Operations Pty Ltd
IQ	The Ioquin Company
JP	Janssen Pharmaceutica Pty Ltd
KN	Knoll, A.G.
LE	Lederle Laboratories Division
LF	Langly Laboratories Pty Ltd
LP	Lancet Pharmaceutical Limited
LY	Eli Lilly (Australia) and Company
MB	May & Baker Australia Pty Ltd
MF	Medex Pty Ltd
MG	J. McGloin Pty Ltd

<i>Code</i>	<i>Manufacturer</i>
MJ	Mead Johnson
MK	Merck, Sharp & Dohme (Aust.) Pty Ltd
ML	Wm S. Merrell Pty Ltd
MN	Muir & Neil Pty Ltd
MR	Medical Research Pty Ltd
NE	Norgine Pty Ltd
NK	New York Pharmaceuticals
NN	Nelson Laboratories (Sales) Pty Ltd
NO	Novo Laboratories Pty Ltd
NR	Nordia, Australian Distributor, Ascot Pharmaceuticals Pty Ltd
NS	Nicholas Pty Ltd
NW	Norwich-Eaton Pty Ltd
OL	Owen Laboratories
OR	Organon (Australia) Pty Ltd
PD	Parke, Davis Pty Ltd
PF	Pfizer Pty Ltd
PN	Pharmax Ltd, Australian Distributor, Protea Pharmaceuticals Pty Ltd
PR	Prosana Laboratories Pty Ltd
PS	Pharmacia (South Seas) Pty Ltd
PT	Protea Pharmaceuticals
QE	Queensland Ethicals
RC	Reckitts Pty Ltd
RD	Ross Laboratories
RK	Riker Laboratories Australia Pty Ltd
RL	Roussel Pharmaceuticals Pty Ltd
RN	Rona Laboratories Ltd, Australian Distributor, Riker Laboratories Australia Pty Ltd
RO	Roche Products Pty Ltd
RS	A. H. Robins Pty Ltd
RT	Rocke, Tomsitt & Co., Ltd
RY	Rotary Tableting Corp. Pty Ltd

<i>Code</i>	<i>Manufacturer</i>
SC	Schering, A.G.
SD	Syntex Pharmaceuticals Ltd
SE	Servier Laboratories (Aust.) Pty Ltd
SH	Schering Corporation
SI	Sigma Co. Ltd
SJ	Sharpe Laboratories Pty Ltd
SK	Smith Kline & French Laboratories (Aust.) Ltd
SL	Soul Pattinson Laboratories Pty Ltd
SN	Smith & Nephew (Aust.) Pty Ltd
SQ	E. R. Squibb & Sons Pty Ltd
SR	Searle Laboratories
ST	A. E. Stansen & Co. Pty Ltd
SU	Sauter Laboratories (Aust.) Pty Ltd
SZ	Sandoz Australia Pty Ltd
TO	R. D. Toppin & Sons Pty Ltd
TV	Travenol Laboratories Pty Ltd
UP	Upjohn Pty Ltd
US	USV Pharmaceuticals
UW	United Works of Pharmaceutical and Dietetic Products, Australian Distributor, Boucher and Muir Pty Ltd
VF	Vifor, S.A., Australian Distributor, Boucher and Muir Pty Ltd
WH	H. W. Woods Pty Ltd
WL	Winthrop Laboratories
WP	Weddel Pharmaceuticals
WW	Wm R. Warner
WY	Wyeth Pharmaceuticals Pty Ltd
ZR	Zero Chemicals (Aust.) Pty Ltd
ZY	Zyma Pharmaceuticals

ITEMS FOR WHICH AN AUTHORITY TO PRESCRIBE MAY BE GRANTED TO PROVIDE UP TO SIX MONTHS' THERAPY

(i.e. one month's treatment with five repeats)

- Amantadine Hydrochloride, capsule 100mg
- Amino Acid Formula without Phenylalanine, powders 250g (PK AID I) and 250g (PK AID II); food supplement powder 500g
- Azathioprine, tablet 50mg
- Baclofen, tablets 10mg and 25mg
- Benztropine, tablet 2mg (only for the treatment of non-drug-induced parkinsonism)
- Calcium, compound effervescent tablet equivalent to 500mg (12.5mmol)Ca²⁺; compound effervescent tablet equivalent to 1g (25mmol)Ca²⁺ (provided that for any such authority, the maximum quantity and number of repeats shown in Section 2 is not exceeded)
- Carbamazepine, tablets 100mg and 200mg
- Carbimazole, tablet 5mg
- Cholestyramine, powder, 9g sachet (equivalent to 4g cholestyramine), 50
- Clofibrate, capsule 500mg
- Clonazepam, tablets 500 micrograms and 2mg
- Colestipol Hydrochloride, sachets 5g, 120
- Cortisone Acetate, tablets 5mg and 25mg
- Dexamethasone, tablet 500 micrograms
- Dexamphetamine, tablet 5mg
- Dihydrotachysterol, capsule 125 micrograms
- Dipyridamole, tablet 100mg
- Ergocalciferol, tablet 250 micrograms; oral solution 15mg in 1.5mL alcoholic solution
- Ethosuximide, capsule 250mg; paediatric syrup 250mg per 5mL, 250mL
- Fludrocortisone Acetate, tablet 100 micrograms
- Levodopa, tablets 100mg, 250mg and 500mg; capsules 100mg, 250mg and 500mg
- Levodopa with Benserazide, capsules 50mg-12.5mg, 100mg-25mg and 200mg-50mg
- Levodopa with Carbidopa, tablets 100mg-10mg and 250mg-25mg
- Lithium Carbonate, tablets 250mg and 400mg (sustained release)

Methsuximide, capsule 300mg
Methylphenobarbitone, tablets 30mg, 60mg and 200mg
Mineral Mixture, powder 250g
Nitrazepam, tablet 5mg (only for the treatment of myoclonic epilepsy)
Oxymetholone, tablets 50mg and 100mg
Pancreatin Enzyme, tablet 325mg; powder 250g; capsule 305mg
Pancrelipase, capsule 300mg
Penicillamine, tablets 125mg and 250mg; capsules 125mg and 250mg
Phenobarbitone, tablets 15mg, 30mg, 60mg and 100mg
Phensuximide, capsule 500mg
Phenylalanine Low Content Formula, powder 2.5lb
Phenytoin, tablet 50mg; paediatric suspension 30mg per 5mL, 500mL
Phenytoin Sodium, tablet 100mg; capsules 30mg and 100mg
Prednisolone, tablets 1mg, 5mg and 25mg
Primidone, tablet 250mg
Propantheline Bromide, tablet 15mg
Propylthiouracil, tablet 50mg
Protein Hydrolysate Formula without Phenylalanine, powder, 200g sachet
Sodium Cromoglycate, capsule 20mg (oral inhalation)
Sulthiame, tablets 50mg and 200mg
Thiopropazate, tablet 5mg
Triglycerides, Medium Chain, compound powder 450g; protein hydrolysate compound powder 454g
Vitamin Supplement, tablet; liquid 100mL

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Adrenaline Injection BP	1mg in 1mL	Ampoule	5
Aminophylline injection I.V.	250mg in 10mL	Ampoule	5
Atropine sulphate injection	600 micrograms in 1mL	Ampoule	5
Chlorpromazine Injection BP	50mg in 2mL	Ampoule	10
Dextrose injection	50%, 10mL	Ampoule	5
Diazepam injection	10mg in 2mL	Ampoule	5
Digoxin Injection BP	500 micrograms in 2mL	Ampoule	5
Ergometrine Maleate in- jection	250 micrograms in 1mL	Ampoule	5
Erythromycin injection I.M.	100mg in 2mL	Ampoule	5
Frusemide injection	20mg in 2mL	Ampoule	5
Heparin Sodium Injection BP	5 000 units in 1mL	Ampoule	1
<i>or</i>			
Heparin Sodium Injection BP	25 000 units in 5mL	Ampoule	1
Hydrocortisone sodium succi- nate injection	Equivalent to 100mg hydro- cortisone and 2mL solvent	Injection Set	2 sets
<i>or</i>			
Hydrocortisone sodium succi- nate injection	Equivalent to 250mg hydro- cortisone and solvent	Injection Set	1 set
<i>or</i>			

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Dexamethasone sodium phosphate injection	Equivalent to 4mg dexamethasone phosphate in 1mL	Ampoule	5
Lignocaine injection	100mg in 5mL	Ampoule	4
or			
Lignocaine injection I.M.	300mg in 3mL	Disposable syringe pack	1
Morphine sulphate injection	15mg in 1mL	Ampoule	5
or			
Morphine sulphate injection	30mg in 1mL	Ampoule	5
Morphine sulphate with atropine sulphate injection	15mg-600 micrograms in 1mL	Ampoule	5
Pethidine Injection BP	100mg in 2mL	Ampoule	5
Procaine Penicillin Injection BP	1.5g	Disposable syringe pack	10
Metoclopramide hydrochloride injection	10mg in 2mL	Ampoule	10
or			
Prochlorperazine injection	12.5mg in 1mL	Ampoule	10
or			
Thiethylperazine injection	6.5mg (base) in 1mL	Ampoule	10
Promethazine injection	50mg in 2mL	Ampoule	10
Terbutaline sulphate injection	100 micrograms in 1mL	Ampoule	5
or			
Terbutaline sulphate injection	500 micrograms in 1mL	Ampoule	5
Tetanus Vaccine Adsorbed	0.5mL	Ampoule	10

NOTE: Only those brands of benefits listed in Section 2 (white pages) may be ordered on a Doctor's Bag Order Form.

SECTION 2 - SCHEDULE OF BENEFITS

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) in front of a restriction indicates an additional or amended purpose in this issue.
 - (b) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.
 - (c) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
 - (d) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated. N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W); Tas. - (T).
-

A straight line is drawn between entries for different forms and strengths of an item to clearly indicate the different restrictions which apply to these various forms and strengths.

Attention is drawn to paragraph 15(e) of the explanatory notes which provides for endorsement by the prescribing doctor of prescriptions for pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. Where a prescription is written for a pensioner for a drug which, although restricted, is not restricted as to a disease for a pensioner, the pension number is sufficient identification and it is not necessary to endorse the prescription "specified purpose".

Except where otherwise indicated, the maximum quantity and/or number of repeats in respect of an item shown in the Schedule may be varied by the Director of Health when issuing an authority prescription (Form PB86) or an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. (See paragraphs 31 and 32 of Section 1 - Explanatory Notes (Lemon pages)).

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ACEPIFYLLINE Tablet 250mg	100	2	4.51	Etaphylline	DF
Paediatric Syrup 125mg per 5mL, 500mL	≠1	4	4.37	Etaphylline	DF
Injection 500mg in 5mL	5	..	4.43	Etaphylline	DF
ACETAZOLAMIDE Tablet 250mg	50	6	7.51	Diamox	LE
Capsule 500mg (sustained release)	50	3	13.43	Diamox	LE
Injection 500mg (solvent required)	1	..	6.97	Diamox	LE
ACETYLCHOLINE CHLORIDE Ophthalmic Solution 1%, 2mL	2	..	12.19	Miochol	CP
ACETYLCYSTEINE Bronchiectasis; Cystic fibrosis (mucoviscidosis). Solution 20%, 10mL	5	3	19.56	Mucomyst	MJ
ADRENALINE Eye Drops 0.5%, 7.5mL	≠1	6	4.97	Epinal Eppy/N	AQ BF
0.5%, 10mL	≠1	6	5.11	Epifrin	AG
1%, 7.5mL	≠1	6	5.31	Epinal Eppy/N	AQ BF
1%, 10mL	≠1	6	5.43	Epifrin Glaucan	AG AQ
2%, 10mL	≠1	6	8.64	Epifrin Glaucan	AG AQ
Injection BP 1mg in 1mL (1 in 1,000)	5	1	3.43	BL,SI	
ALLOPURINOL Tablet 100mg	100	5	7.37	Progout Zyloprim	PT BW
300mg	30	5	7.03	Progout Zyloprim	PT BW
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ALLOPURINOL - cont. Capsule 100mg	100	5	6.51	Capurate-100 FM
300mg	30	5	6.31	Capurate-300 FM
ALOXIPRIN Tablet 600mg	100	2	4.37	Palaprin Forte NS
ALPRENOLOL Tablet 100mg	100	2	9.23	Aptin Betacard AP BR
Injection 1mg per mL, 10mL	1	..	3.81	Aptin AP
ALUMINIUM HYDROXIDE Mixture 320mg per 5mL, 500mL	≠1	4	4.24	Alusorb Amphojel Gelox DH WY PR
ALUMINIUM HYDROXIDE DRIED Tablet 300mg	100	2	3.91	Actal Amphotabs WL WY
ALUMINIUM HYDROXIDE with KAOLIN Mixture 137mg-1g per 5mL, 375mL	≠1	2	3.84	Kaogel Kaomagma FA WY
ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE Tablet 300mg-90mg	100	2	3.91	Aludrox WY
200mg-200mg	100	2	3.91	Mylanta PD
Mixture 300mg-100mg per 5mL, 500mL	≠1	4	4.24	Aludrox WY
Suspension 215mg-80mg per 5mL, 500mL	≠1	4	4.24	Dijene Simeco BT WY
200mg-200mg per 5mL, 500mL	≠1	4	4.24	Alucone Gelusil Merasyn Mylanta Sodexol DH WW ML PD SC
ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE and OXETHAZAINE Suspension 306mg-97.5mg-10mg per 5mL, 500mL	≠1	4	4.24	Mucaine WY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALUMINIUM HYDROXIDE with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	3.91	Gastrogel	FM
Mixture 250mg-120mg-120mg per 5mL, 500mL	#1	4	4.24	Gastrogel	FM
ALUMINIUM HYDROXIDE and MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	3.91	Almacarb Dijene Simeco	AH BT WY
ALUMINIUM SODIUM SILICATE Powder 100g	#1	2	3.91	Neutralon	SC
AMANTADINE HYDROCHLORIDE Parkinson's disease which is not drug induced.					
Capsule 100mg	100	2	20.97 21.49	Antadine Symmetrel	EN GE
AMBENONIUM CHLORIDE Tablet 10mg	100	2	10.31	Mytelase	WL
AMILORIDE NOTE: Supplementary potassium may cause fatal hyperkalaemia.					
Tablet 5mg	50	2	4.57	Midamor	MK
AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15mL	#1	2	3.78	Aminopt	SI
AMINO ACID FORMULA without PHENYLALANINE NOTE: For phenylketonuria only.					
Powder 250g	2	2	156.55	PK AID I	SJ
250g	2	2	191.49	PK AID II	SJ
Food Supplement Powder 500g	#1	2	121.91	Aminogran F.S.	GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINOCAPROIC ACID				
Treatment in hospital of severe haemorrhage associated with excessive fibrinolysis.				
Oral Solution 250mg per mL, 20mL	10	..	18.29	Ekaprol DF
Injection I.V. 250mg per mL, 10mL	10	..	10.31	Ekaprol DF
AMINOPHYLLINE				
Tablet 100mg	100	2	3.61	Cardophyllin SI HA
Oral Liquid 105mg per 5mL, 500mL	≠1	4	4.37	Somophyllin FC
Injection I.V. 250mg in 10mL	5	..	4.71	LP,SI
I.M. 500mg in 2mL	5	..	4.43	AB
Suppositories 100mg, 12	≠1	1	3.97	Cardophyllin HA
175mg, 12	≠1	1	3.97	Cardophyllin HA
250mg, 12	≠1	1	3.97	Cardophyllin HA
400mg, 12	≠1	1	3.97	Cardophyllin HA
AMITRIPTYLINE				
Tablet 10mg	50	2	3.07 3.28	Amitrip PT Laroxyl RO Tryptanol MK
25mg	50	2	3.71 4.03	Amitrip PT Laroxyl RO Saroten NS Tryptanol MK
Mixture 10mg (base) in 5mL, 100mL	≠1	4	3.31	Tryptanol MK
Injection 25mg per mL, 2mL	10	..	6.97	Laroxyl RO
AMMONIUM CHLORIDE				
Tablet 500mg	100	3	4.57	RY
AMODIAQUINE				
Tablet equivalent to 150mg Amodiaquine base	100	..	7.24	Camoquin PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMOXYCILLIN					
Lower urinary tract infection.					
Dispersible Tablet 3g	1	..	4.23	Amoxil	BR
AMOXYCILLIN					
Capsule 250mg	20	..	5.46	Amoxil Moxacin	BR CS
Powder for Syrup 125mg per 5mL, 100mL	#1	1	#5.98	Amoxil Moxacin	BR CS
AMPHOTERICIN					
Tablet 100mg	50	..	8.77	Fungilin	SQ
Lozenge 10mg	20	1	3.78	Fungilin	SQ
Suspension 100mg per mL, 24mL	#1	1	4.57	Fungilin	SQ
Injection 50mg (solvent required)	1	..	6.23	Fungizone	SQ
Cream 3%, 15g	#1	1	4.03	Fungilin	SQ
Ointment 3%, 15g	#1	1	4.03	Fungilin	SQ
Pessaries 50mg, 15	#1	1	4.14	Fungilin	SQ
Vaginal Cream 100mg per 4g, 60g (15 doses)	#1	1	4.24	Fungilin	SQ
AMPICILLIN					
Capsule 250mg	25	..	4.91 5.08	Ampicyn Austrapen Penbritin	PT CS BR
500mg	12	1	4.64 4.82	Ampicyn Austrapen Penbritin	PT CS BR
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#4.87 #5.01	Ampicyn Austrapen Penbritin	PT CS BR
250mg per 5mL, 100mL	#1	..	#6.07 #6.27	Ampicyn Austrapen Forte Penbritin Forte	PT CS CS BR
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMPICILLIN - cont.				
Injection 100mg (solvent required)	5	1	6.29	Austrapen CS
250mg (solvent required)	5	1	5.98 6.97	Ampicyn PT Austrapen CS Penbritin BR
500mg (solvent required)	5	1	7.97 9.27	Ampicyn PT Austrapen CS Penbritin BR
1g (solvent required)	5	1	11.97 14.86	Ampicyn PT Austrapen CS Penbritin BR
AMYLOBARBITONE SODIUM				
Injection 250mg (solvent required)	5	..	11.28	Amytal Sodium LY
500mg (solvent required)	5	..	12.68	Amytal Sodium LY
ANTAZOLINE with NAPHAZOLINE				
Eye Drops 10mL	#1	2	3.71	Antistine- Privine ZY
ANTIVENOM - RED BACK SPIDER				
Injection 500 Units	2	..	30.23	CS
ASCORBIC ACID				
Persons holding a Pensioner Health Benefits card or a Health Benefits card and dependants.				
Tablet 50mg	100	2	3.23	Ascorb "50" DH,FM PT
ASPIRIN				
Tablet 300mg	100	2	3.38	FM
300mg (dispersible)	100	2	3.44	Solprin FM RC
650mg (enteric coated)	100	2	4.97	Ecotrin Rhusal Winsprin SK GP WL
650mg (sustained release)	100	2	4.37	S.R.A. BT
650mg (includes 350mg sustained release)	100	2	4.11	Bi-Prin BT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ASPIRIN (BUFFERED)				
Tablet 325mg	100	2	3.87	Bufferin BC
500mg	100	2	4.37	Bufferin 500 BC
ATENOLOL				
Hypertension.				
Tablet 50mg	30	2	9.29	Tenormin IC
ATROPINE METHONITRATE				
Tablet 1mg	50	2	4.29	Eumydrin WL
Oral Solution 0.6%, 15mL	≠1	..	4.17	Eumydrin WL
ATROPINE SULPHATE				
Tablet 600 micrograms	100	2	3.69	RY
Injection 400 micrograms in 1mL	5	1	3.38	BL,LP
600 micrograms in 1mL	5	1	3.38	BL,LP
1.2mg in 1mL	5	1	3.41 3.42	LP BL
Eye Drops 0.5%, 15mL	≠1	2	3.84	Atropt SI
1%, 15mL	≠1	2	3.91	Atropt US SI
Eye Ointment 1%, 4g	≠1	..	5.31	PD
AUROTHIOGLUCOSE				
Injection 50mg per mL, 10mL	1	..	59.81	Gold-50 SH
AZATADINE MALEATE				
Tablet 1mg	50	2	3.91	Zadine SH
Syrup				
500 micrograms per 5mL, 100mL	≠1	4	3.31	Zadine SH
AZATHIOPRINE				
Authority required.				
Anaemia, autoimmune haemolytic;				
Continuing azathioprine therapy				
initiated in a hospital;				
Dermatomyositis;				
Granulomatosis, Wegener's;				
Hepatitis, active, chronic;				
Lupus erythematosus, systemic;				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AZATHIOPRINE - cont. Nephrotic syndrome; Organ transplant; Polyarteritis nodosa; Pyoderma gangrenosum; Scleroderma; Thrombocytopenic purpura.				
Tablet 50mg	100	..	54.48	Imuran BW
BACLOFEN Spasticity due to multiple sclerosis or spinal cord lesions.				
Tablet 10mg	100	2	26.76	Lioresal CB
25mg	100	2	49.54	Lioresal CB
BECLOMETHASONE DIPROPIONATE <u>Authority required.</u> Chronic intractable asthma requiring maintenance corticosteroids in children under the age of eight (8) years who are unable to use a metered aerosol spray.				
Capsule 100 micrograms (Oral Inhalation)	100	..	11.51	Becotide Rotacaps AH
Chronic intractable asthma requiring maintenance corticosteroids.				
<u>NOTE:</u> No authorities will be granted for increased maximum quantities of beclomethasone metered aerosol spray.				
Inhalation, metered aerosol spray, 50 micrograms per dose (200 dose)	¶1	2	9.23	Aldecin Becotide SH AH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BELLADONNA ALKALOIDS				
Hyoscyamine Hydrobromide, Atropine Sulphate and Hyoscine Hydrobromide				
Tablet 101.1 micrograms-14.8 micrograms-10.7 micrograms	100	2	3.61	Atrobel FM
Tablet 151.6 micrograms-22.2 micrograms-16.0 micrograms	100	2	3.71	Atrobel FORTE FM
Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydro- bromide				
Tablet 103.7 micrograms-19.4 micrograms-6.5 micrograms	100	2	3.61	Donnatab RS
BENDROFLUAZIDE				
Tablet 2.5mg	50	2	3.51 3.76	Benzide M PT Aprinox-M BT Pluryl SK
5mg	50	2	4.37 4.54	Benzide PT Aprinox BT Neo-Naclex GL Pluryl SK
BENZALKONIUM CHLORIDE				
Compound Suppositories, 12	#1	1	3.84	Paxyl FA
Solution 10%, 125mL	#1	..	3.97	Zephiran Con- centrated WL
BENZATHINE PENICILLIN				
Injection 1.8g in 5mL	1	..	4.31	L.P.G. CS
BENZATHINE PENICILLIN COMPOUND				
Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg.				
Injection set containing 1 vial and 2mL water for injections	1	..	4.17	Bicillin All-Purpose WY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
BENZHEXOL					
<u>CAUTION:</u> Long term use with major tranquillisers increases the risk of tardive dyskinesia.					
Tablet 2mg	100	2	4.57 4.64	Anti-Spas Artane	PT LE
5mg	100	2	5.87 5.89	Anti-Spas Artane	PT LE
BENZOCAINE with ADRENALINE					
Compound Ointment 50g	¶1	1	3.84	Rectinol	GP
Compound Suppositories, 12	¶1	1	3.84	Rectinol	GP
BENZTROPINE					
<u>CAUTION:</u> Long term use with major tranquillisers increases the risk of tardive dyskinesia.					
<u>NOTE:</u> An authority to prescribe may be granted to provide up to six months' oral therapy for the treatment of non-drug-induced parkinsonism only.					
Tablet 2mg	30	2	3.95	Cogentin	MK
Injection 2mg in 2mL	5	..	8.64	Cogentin	MK
BENZYL BENZOATE					
Application 25% w/v, 200mL	¶1	2	4.23 4.31	Benzemul Ascabiol DH	MG MB
BENZYL PENICILLIN					
Injection 300mg (solvent required)	5	1	5.03	CS	
600mg (solvent required)	5	1	5.17	Crystapen CS	GL
3g (solvent required)	10	..	23.55	Crystapen CS	GL
6g (solvent required)	10	..	31.63	CS	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETAMETHASONE				
Tablet 500 micrograms	30	2	3.43	Celestone SH
Injection 4mg (base) in 1mL	5	..	9.17	Celestone SH
Eye Ointment 0.1%, 3g	≠1	..	3.47	Celestone SH
BETAMETHASONE ACETATE with BETAMETHASONE SODIUM PHOSPHATE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoïd; Necrobiosis lipoidica; Uveitis.				
Injection 3mg-3.9mg (equivalent to 5.7mg betamethasone) in 1mL	5	..	11.31	Celestone Chronodose SH
BETAMETHASONE DIPROPIONATE				
Cream 0.05%, 15g	≠1	1	3.26	Diprosone SH
Ointment 0.05%, 15g	≠1	1	3.26	Diprosone SH
BETAMETHASONE VALERATE				
Cream 0.02%, 100g	≠1	..	4.17	Betnovate 1/5 GL Celestone-M SH
0.05%, 15g	≠1	1	3.26	Betnovate 1/2 GL Celestone-V Half Strength SH
Gel 0.05%, 15g	≠1	1	3.26	Betnovate 1/2 GL
Ointment 0.02%, 100g	≠1	..	4.17	Celestone-M SH
0.05%, 15g	≠1	1	3.26	Betnovate 1/2 GL Celestone-V Half Strength SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETHANECHOL Tablet 10mg	50	1	5.07	Urecholine MK Uro-Carb HA
Injection 5mg in 1mL	2	..	4.23	Urecholine MK
BETHANIDINE Tablet 10mg	100	2	4.97	Esbatal BW
25mg	100	2	8.31	Esbatal BW
BIPERIDEN <u>CAUTION</u> : Long term use with major tranquillisers increases the risk of tardive dyskinesia.				
Tablet 2mg	100	2	7.37	Akineton KN
Injection 5mg in 1mL	5	..	4.43	Akineton KN
BISACODYL For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Suppositories 10mg, 5	2	..	4.61	Durolax BY
BISMUTH SUBGALLATE Compound Ointment 50g	#1	1	3.84	Anusol WW
Compound Suppositories, 12	#1	1	3.84	Anusol WW
BLEOMYCIN *Germ cell neoplasms; Lymphoma; Squamous cell carcinoma. <u>CAUTION</u> : Bleomycin can cause irreversible pulmonary fibrosis.				
Injection 15mg (solvent required)	10	..	395.34	Blenoxane BC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
BROMOCRIPTINE MESYLATE					
<u>NOTE:</u> The possibility of pituitary tumour should be kept under review, particularly in pregnancy.					
<u>Authority required.</u>					
Acromegaly, prior to surgery or radiotherapy or where surgery or radiotherapy is inappropriate; Pathological hyperprolactinaemia where appropriate surgery or radiotherapy are not indicated or have already been used with incomplete resolution.					
Tablet 2.5mg	60	..	31.39	Parlodel	SZ
<u>Authority required.</u>					
Acromegaly, prior to surgery or radiotherapy or where surgery or radiotherapy is inappropriate.					
Capsule 10mg	100	..	187.24	Parlodel	SZ
BROMPHENIRAMINE					
Tablet 4mg	50	2	3.61	Dimetane	RS
Syrup 2mg per 5mL, 100mL	#1	4	3.31	Dimetane	RS
BUSULPHAN					
Tablet 2mg	100	..	22.49	Myleran	BW
CALCITRIOL					
<u>Authority required.</u>					
*Hypocalcaemia due to renal disease;					
*Hypoparathyroidism.					
Capsule 0.25 micrograms	100	..	41.94	Rocaltrol	RO
CALCIUM					
<u>Authority required.</u>					
Hypocalcaemia;					
Osteoporosis.					
<u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CALCIUM - cont. Compound Effervescent Tablet equivalent to 500mg (12.5mmol) Ca ²⁺ <u>NOTE:</u> Each 'Spar-Cal' tablet also contains 7mmol K ⁺ .	100	5	10.63	Spar-Cal MJ
Compound Effervescent Tablet equivalent to 1g (25mmol) Ca ²⁺ <u>NOTE:</u> Each 'Sandocal 1000' tablet also contains 18mmol Na ⁺ .	30	5	7.23	Sandocal 1000 SZ
CALCIUM FOLINATE <u>Authority required.</u> Antidote to folic acid antagonists. <u>NOTE:</u> An authority will be limited to a maximum of 20 tablets; repeat supplies will not be authorised.				
Tablet 15mg	10	..	101.73	Leucovorin LE
Antidote to folic acid antagonists.				
Injection 3mg in 1mL	5	..	16.96	Leucovorin LE
CALCIUM GLUCONATE Injection 10%, 10mL	5	1	6.57	Calcium- Sandoz SZ
CAMPHOR COMPOUND Linctus APF, 100mL	#1	2	3.31 3.33 3.37 3.44	MG Campholinct DH SI TO PR, QE(NQ)
CARBACHOL Eye Drops 0.75%, 15mL	#1	6	4.24	AQ
1.5%, 15mL	#1	6	4.31	AQ
3%, 15mL	#1	6	4.43	AQ
CARBAMAZEPINE Tablet 100mg	200	1	10.89	Tegretol GE
200mg	200	1	18.57 19.37	Convuline PT Tegretol GE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CARBENICILLIN					
Infections where positive bacteriological evidence confirms that carbenicillin is the most appropriate therapeutic agent; Septicaemia, suspected or proven.					
Injection 1g (solvent required)	5	..	20.69	Carbapen Pyopen	CS BR
5g (solvent required)	6	..	101.64	Carbapen Pyopen	CS BR
CARBENOXOLONE SODIUM					
Gastric ulcer, proven.					
Tablet 50mg	100	..	13.31	Biogastrone	SN
CARBIMAZOLE					
Tablet 5mg	100	2	4.64	Neo-Mercazole	NS
CEPHALEXIN					
Authority required.					
Infections where both clinical and bacteriological evidence suggest that cephalexin is the most appropriate therapeutic agent.					
Capsule 250mg	25	..	12.38	Keflex	LY
500mg	12	..	11.98	Keflex	LY
Granules for Syrup					
125mg per 5mL, 100mL	#1	..	#8.54	Keflex	LY
250mg per 5mL, 100mL	#1	..	#12.87	Keflex	LY
CEPHALORIDINE					
Endophthalmitis;					
Infections where positive bacteriological evidence confirms that cephaloridine is the most appropriate therapeutic agent.					
Injection 1g (solvent required)	5	..	31.73	Ceporan	GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHALOTHIN SODIUM					
Infections where positive bacteriological evidence confirms that cephalothin sodium is the most appropriate therapeutic agent.					
Injection 1g (solvent required)	5	..	23.93	Ceporacin Keflin Neutral	GL LY
2g (solvent required)	1	..	10.82	Keflin Neutral	LY
4g (solvent required)	1	..	18.99	Keflin Neutral	LY
CEPHAZOLIN SODIUM					
Infections where positive bacteriological evidence confirms that cephalozin sodium is the most appropriate therapeutic agent.					
Injection 500mg (solvent required)	5	..	21.98	Kefzol	LY
1g (solvent required)	5	..	40.38	Kefzol	LY
CEPHRADINE					
<u>Authority required.</u>					
Infections where both clinical and bacteriological evidence suggest that cephradine is the most appropriate therapeutic agent.					
Capsule 250mg	25	..	12.39	Eskacef Velosef	SK SQ
500mg	12	..	11.98	Eskacef Velosef	SK SQ
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#8.54	Eskacef Velosef	SK SQ
250mg per 5mL, 100mL	#1	..	#12.87	Eskacef Velosef	SK SQ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHRADINE - cont.					
Infections where positive bacteriological evidence confirms that cephradine is the most appropriate therapeutic agent.					
Injection 250mg (solvent required)	5	..	11.11	Eskacef Velosef	SK SQ
500mg (solvent required)	5	..	17.69	Eskacef Velosef	SK SQ
1g (solvent required)	5	..	31.69	Eskacef Velosef	SK SQ
CHLORAL HYDRATE					
Capsule 500mg	50	..	3.91	Chloradorm Noctec	US SQ
Mixture 250mg per 5mL, 500mL	#1	4	3.97	Dormel	DH
1g per 10mL, 200mL	#1	4	3.71	Chloradorm Chloralix Elix-Nocte Forte Noctec Syrup	US RK NN SQ
CHLORAMBUCIL					
<u>Authority required.</u>					
Anaemia, autoimmune, haemolytic; Continuing chlorambucil therapy initiated in a hospital; Granulomatosis, Wegener's; *Leukaemia, chronic lymphatic; Lupus erythematosus, systemic; *Lymphoma; *Myeloproliferative disorders; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura.					
Tablet 2mg	100	..	36.89	Leukeran	BW
5mg	100	..	53.93	Leukeran	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORAMPHENICOL Bacterial meningitis; Rickettsioses; Intraocular infections; Typhoid; Other serious infections where positive bacteriological evidence confirms that chloramphenicol is the ONLY appropriate antibiotic. <u>CAUTION: Chloramphenicol may cause aplastic anaemia.</u>				
Capsule 250mg	16	..	4.71	Chloromycetin PD
Paediatric Suspension 125mg per 5mL, 100mL	#1	..	4.84	Chloromycetin Palmitate PD
Injection 1g (solvent required)	3	..	14.45	Chloromycetin Succinate PD
CHLORAMPHENICOL <u>CAUTION: Topical chloramphenicol may cause aplastic anaemia.</u>				
Ear Drops 10%, 5mL	#1	2	3.78	Chloromycetin PD
10%, 6mL	#1	2	3.78	Chlomin US
Eye Drops 0.5%, 10mL	#1	2	3.78	Chlomin US Chloromycetin PD Chloroptic AG Chlorsig SI
Eye Ointment 1%, 4g	#1	..	3.51	Chlomin US Chloromycetin PD Chlorsig SI
CHLORAMPHENICOL with POLYMYXIN B <u>CAUTION: Topical chloramphenicol may cause aplastic anaemia.</u>				
Eye Drops 5mg-5,000 Units per mL, 10mL	#1	2	3.78	Chloromyxin PD
Eye Ointment 1%-5,000 Units per g, 4g	#1	..	3.51	Chloromyxin PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORHEXIDINE Solution 5%, 200mL	≠1	1	4.57	Hibitane Concentrate IC
CHLORMETHIAZOLE <u>Authority required.</u> Short-term alcohol or drug withdrawal therapy in a hospital or approved centre; Status epilepticus. <u>CAUTION:</u> The risk of drug dependence is high.				
<u>NOTE:</u> No authorities will be granted for increased maximum quantities and/or repeats of chlormethiazole capsules.				
Capsule 192mg	50	..	7.64	Hemineurin AP
Short-term alcohol or drug withdrawal therapy in a hospital or approved centre; Status epilepticus. <u>CAUTION:</u> The risk of drug dependence is high.				
Solution 0.8% for I.V. Infusion, 500mL	1	..	13.29	Hemineurin AP
CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	5.83 5.98	Chlorquin PT Nivaquine MB
Injection 40mg per mL, 2mL	5	1	6.74	Nivaquine MB
CHLOROTHIAZIDE Tablet 500mg	50	2	4.57 4.66	Diuret PT Azide FM Chlotride FR Diurone US
CHLOROTRIANISENE Carcinoma of the prostate.				
Tablet 24mg	30	2	6.07	Tace ML

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHLORPHENIRAMINE					
Tablet 4mg	50	2	3.76 3.78	Allergex Chloramin Piriton	PT LF GL
Capsule 4mg	50	2	3.78	Teledrin-P	SK
CHLORPROMAZINE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 10mg	100	1	3.62 3.63	Protran Largactil	PT MB
25mg	100	1	3.76 3.78	Protran Largactil Promacid	PT MB US
50mg	100	1	4.71	Largactil Promacid Protran	MB US PT
100mg	100	1	6.69	Largactil Promacid Protran	MB US PT
Mixture 25mg per 5mL, 100mL	≠1	4	3.51	Largactil Promacid	MB US
Injection BP, 25mg in 1mL	10	..	4.97	Largactil	MB
50mg in 2mL	10	..	5.11	Largactil	MB
Suppositories 100mg, 5	≠1	1	3.78	Largactil	MB
CHLORPROPAMIDE					
Tablet 250mg	100	2	7.43 7.72	Promide Diabinese	PT PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORTETRACYCLINE				
Cream 3%, 15g	#1	..	3.61	Aureomycin LE
Ointment 3%, 15g	#1	..	3.61	Aureomycin LE
CHLORTHALIDONE				
Tablet 25mg	50	2	3.97 4.16	Urid PT Hygroton GE
CHOLERA VACCINE				
Injection 1mL	2	..	5.19	CS
CHOLESTYRAMINE				
<u>Authority required.</u>				
Bile salt malabsorption associated with ileal resection or proven ileal disease;				
Pruritus associated with partial biliary obstruction not responding to other therapy;				
Hypercholesterolaemia.				
NOTE: Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 7mmol/L following dietary therapy for three months. An authority for a second or subsequent course (up to six months) of treatment for hypercholesterolaemia will be granted only where there is a fall of at least 1mmol/L in serum cholesterol since commencement of cholestyramine therapy. A recent serum cholesterol level and the date of assessment are to be provided with each application for authority. Cholestyramine is preferred to clofibrate if fasting serum triglyceride is less than 3mmol/L.				
Powder, 9g sachet (equivalent to 4g cholestyramine), 50	2	..	36.11	Questran MJ
CHOLINE THEOPHYLLINATE				
Tablet 100mg	100	2	4.43	Choledyl WW
200mg	100	2	4.82	Choledyl WW
Syrup 50mg per 5mL, 500mL	#1	4	4.11	Choledyl WW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHOLINE THEOPHYLLINATE with GUAIPHENESIN Tablet 200mg-100mg	100	2	4.97	Brondecon WW
Elixir 50mg-25mg per 5mL, 500mL	≠1	4	4.24	Brondecon WW
CIMETIDINE <u>Authority required.</u> Gastric ulcer, confirmed by radiology, endoscopy or surgery. NOTE: Applications for authority must state the date of barium meal, endoscopy or surgery (procedure must have been within three months of application). Not more than 300 tablets will be available on authority in any twelve months period. Increased maximum quantities and/or repeats for treatment of gastric ulcer will not be authorised.				
<u>Authority required.</u> Duodenal ulcer, confirmed by radiology, endoscopy or surgery. NOTE: Initial application for authority must state the date of barium meal, endoscopy or surgery. Not more than three authorities (each for 300 tablets) will be available in any twelve months period. Increased maximum quantities and/or repeats for treatment of duodenal ulcer will not be authorised.				
<u>Authority required.</u> Zollinger-Ellison syndrome, proven by investigation. Tablet 200mg	150	1	45.96	Tagamet SK
CLINDAMYCIN Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin.				
Capsule 75mg (continued)	25	..	5.73	Dalacin C UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CLINDAMYCIN - cont. Capsule 150mg	25	..	8.77	Dalacin C	UP
Granules for Syrup 75mg per 5mL, 100mL	#1	..	#7.87	Dalacin C	UP
CLIOQUINOL Cream 1%, 30g	#1	..	3.57	Vioform	CB
CLOFIBRATE					
<u>Authority required.</u>					
<u>Hypertriglyceridaemia.</u>					
NOTE: Hypertriglyceridaemia means an initial fasting serum triglyceride level of at least 4mmol/L following dietary therapy for three months. An authority for a second or subsequent course (up to six months) of treatment for hypertriglyceridaemia will be granted only where there is a fall of at least 1mmol/L in serum triglyceride since commencement of clofibrate therapy. A recent serum triglyceride level and the date of assessment are to be provided with each application for authority.					
<u>Authority required.</u>					
<u>Hypercholesterolaemia.</u>					
NOTE: Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 7mmol/L following dietary therapy for three months. An authority for a second or subsequent course (up to six months) of treatment for hypercholesterolaemia will be granted only where there is a fall of at least 1mmol/L in serum cholesterol since commencement of clofibrate therapy. A recent serum cholesterol level and the date of assessment are to be provided with each application for authority. Clofibrate is preferred to cholestyramine and colestipol if fasting serum triglyceride is greater than 3mmol/L. (cont.)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLOFIBRATE - cont. <u>CAUTION: Use of this drug is associated with an increased incidence of cholelithiasis.</u>				
Capsule 500mg	100	..	10.77 10.97	Arterioflexin PT Atromid-S IC
CLONAZEPAM Epilepsy.				
Tablet 500 micrograms	200	1	8.89	Rivotril RO
2mg	200	1	13.43	Rivotril RO
Paediatric Drops 2.5mg in 1mL, 10mL	#1	1	3.97	Rivotril RO
Injection 1mg in 2mL (set containing solution 1mg in 1mL and 1mL diluent)	5	..	4.64	Rivotril RO
CLONIDINE Tablet 150 micrograms	100	2	9.37	Catapres BY
Injection 150 micrograms in 1mL	5	..	5.31	Catapres BY
CLOPAMIDE Tablet 20mg	50	2	5.11	Brinaldix SZ
CLOREXOLONE Tablet 10mg	50	2	3.97	Nefrolan MB
25mg	50	2	4.37	Nefrolan MB
CLOTRIMAZOLE Cream 1%, 20g	#1	1	4.97	Canesten BN
Pessaries 100mg, 6	#1	..	5.69	Canesten BN
Vaginal Cream 1%, 35g	#1	..	5.64	Canesten BN
CLOXACILLIN <u>Authority required.</u> Infections due to penicillin- resistant staphylococci; Osteomyelitis.				
Capsule 250mg	25	..	10.09	Austrastaph CS Orhenin BR
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLOXACILLIN - cont. Capsule 500mg	12	..	9.81	Austrastaph Orbenin CS BR
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#8.28	Austrastaph Orbenin CS BR
CLOXACILLIN Injection 250mg (solvent required)	5	..	8.64	Austrastaph Orbenin CS BR
500mg (solvent required)	5	..	12.57	Austrastaph Orbenin CS BR
1g (solvent required)	5	..	19.96	Austrastaph Orbenin CS BR
CODEINE Linctus APF, 100mL	#1	2	3.89 3.92 3.97	MG Codelix PR, QE(NQ), SI DH
CODEINE PHOSPHATE Tablet 30mg	25	..	5.03	Codate DH, FA, FM US
CODEINE PHOSPHATE with ASPIRIN <u>Authority required.</u> Malignant neoplasia.				
Tablet 30mg-325mg	100	..	9.19	Codral Forte BW
Persons holding a Pensioner Health Benefits card or a Health Benefits card and dependants.				
Tablet Soluble 8mg-300mg	100	2	4.57	Aspalgin FM
8mg-500mg	100	2	4.57	Solcode RC
CODEINE PHOSPHATE with PARACETAMOL Persons holding a Pensioner Health Benefits card or a Health Benefits card and dependants.				
Tablet 8mg-500mg	50	1	3.58	Codalgin Dymadon Co. Panamax Co. FM BW WL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
COLCHICINE Tablet 500 micrograms	100	2	4.68 4.79 4.84 4.97	Colgout PT DH, PR, RT Coluric NN BW Colcin US MR
COLESTIPOL HYDROCHLORIDE Authority required. Hypercholesterolaemia. NOTE: Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 7mmol/L following dietary therapy for three months. An authority for a second or subsequent course (up to six months) of treatment for hypercholesterolaemia will be granted only where there is a fall of at least 1mmol/L in serum cholesterol since commencement of colestipol therapy. A recent serum cholesterol level and the date of assessment are to be provided with each application for authority. Colestipol is preferred to clofibrate if fasting serum triglyceride is less than 3mmol/L.				
Sachets 5g, 120	#1	..	31.22	Colestid UP
COLISTIN Gram-negative infections where NO other drug is effective; Pyocyaneus infection.				
Injection 150mg (solvent required)	5	..	36.43	Coly-Mycin WW
COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per mL, 10mL	#1	2	3.63	Coly-Mycin WW
COPPER SULPHATE Diagnostic Compound Tablets, 36	2	3	4.39	Clinitest AM
CORTISONE ACETATE Tablet 5mg	50	1	3.97	Cortate PT
25mg	30	2	4.97	Cortate PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CYANOCOBALAMIN Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy treatment; subacute combined degeneration of the cord).				
Injection 100 micrograms in 1mL	5	1	4.31	Cytamen 100 GL LP
1mg in 1mL	5	..	4.71	Cytamen 1000 GL LP
CYCLIZINE Tablet 50mg	50	1	3.63	Marzine BW
CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	4.43	Navidrex CB
CYCLOPHOSPHAMIDE <u>Authority required.</u> Anaemia, autoimmune, haemolytic; Continuing cyclophosphamide therapy initiated in a hospital; Dermatomyositis; Granulomatosis, Wegener's; Hepatitis, active, chronic; Lupus erythematosus, systemic; Malignant disease including leukaemia; Nephritis; Nephrotic syndrome; Polyarteritis nodosa; Scleroderma; Thrombocytopenic purpura.				
Tablet 50mg	50	..	9.57	Endoxan-Asta BC
Injection 100mg (solvent required)	5	..	13.49	Endoxan-Asta BC
200mg (solvent required)	5	..	14.29	Endoxan-Asta BC
500mg (solvent required)	2	..	9.59	Endoxan-Asta BC
1g (solvent required)	1	..	6.69	Endoxan-Asta BC
CYCLOTHIAZIDE Tablet 5mg	50	2	4.97	Doburil BY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CYPROHEPTADINE Prevention of migraine.					
Tablet 4mg	100	2	5.93	Periactin	FR
CYPROHEPTADINE Tablet 4mg	50	2	3.83	Periactin	FR
Paediatric Syrup 1.2mg per 5mL, 100mL	41	4	3.31	Periactin	FR
CYTARABINE Injection set containing 100mg and 5mL solvent	10	1	82.33	Cytosar-U	UP
DANAZOL <u>Authority required.</u> Endometriosis, visually proven; Hereditary angio-oedema. <u>NOTE:</u> Treatment policy for endometriosis should be reviewed at the end of six months.					
.Capsule 200mg	100	..	122.17	Danocrine	WL
DANTROLENE SODIUM <u>Authority required.</u> Treatment of chronic spasticity. <u>CAUTION:</u> Dose related hepatotoxicity has been reported.					
Capsule 25mg	100	..	19.87	Dantrium	NW
50mg	100	..	30.17	Dantrium	NW
DAPSONE Tablet 100mg	100	2	4.57	Avlosulfon	IC
DAUNORUBICIN <u>Authority required.</u> *Acute leukaemia.					
I.V. Infusion 20mg (base)	10	..	335.23	Cerubidin	MB
DEBRISOQUINE Tablet 10mg	100	2	6.48 7.31	Redu-Press M Declinax	PT RO
20mg	100	2	8.16 9.23	Redu-Press Declinax	PT RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DESIPRAMINE Tablet 25mg	50	2	5.24	Pertofran GE
DESMOPRESSIN <u>NOTE:</u> For use in the treatment of cranial diabetes insipidus only.				
Nasal Solution 100 micrograms per mL, 2.5mL	5	2	106.28	Minirin PT
DEXAMETHASONE For use in a hospital.				
Injection 120mg in 5mL	1	..	32.88	Decadron Shock Pak MK
DEXAMETHASONE Tablet 500 micrograms	30	2	3.84 3.91	Dexamethsone PT Oradexon OR
4mg	30	1	8.31	Dexamethsone PT
Injection 4mg in 1mL	5	..	9.63	Decadron MK
5mg in 1mL	5	..	12.29	Oradexon OR
8mg in 2mL	5	..	14.97	Decadron MK
Eye Drops 0.1%, 5mL	≠1	2	4.51	Maxidex AQ
DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Ointment 500 micrograms-5mg- 50 micrograms per g, 5g	≠1	2	3.63	Sofradex RL
DEXAMETHASONE METASULPHOBENZOATE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms (base)- 5mg-50 micrograms per mL, 8mL	≠1	2	3.78	Sofradex RL
DEXAMPHETAMINE <u>Authority required.</u> Hyperkinetic brain damage syndrome in children; Narcolepsy.				
Tablet 5mg	100	..	4.97	SI
DEXCHLORPHENIRAMINE Tablet 2mg	50	2	3.61	Polaramine SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXTRAN 40 See Intravenous Infusions				
DEXTRAN 70 See Intravenous Infusions				
DEXTROMORAMIDE Treatment in malignant neoplasia. <u>CAUTION: The risk of drug dependence is high.</u>				
Tablet 5mg	20	..	4.97	Palfium FA
Injection 5mg in 1mL	10	..	9.73	Palfium FA
Suppositories 10mg, 10	#1	..	6.57	Palfium FA
DEXTROSE Injection 50%, 10mL	5	..	5.26	BL
Injections 500mL and 1L - See Intravenous Infusions				
DIAZEPAM Tablet 2mg	50	..	3.38	Ducene SU Pro-Pam PT Valium RO
5mg	50	..	3.63 3.71	Ducene SU Pro-Pam PT Valium RO
Paediatric Syrup 2mg per 5mL, 100mL	#1	..	3.91	Valium RO
Injection 10mg in 2mL	5	..	4.48	Valium RO BL
NOTE: Authorities for increased maximum quantities and/or repeats of DIAZEPAM will be granted only for the treatment of: Disabling spasticity; Malignant neoplasia (late stage).				
DIAZOXIDE Injection 300mg in 20mL	1	..	15.72	Hyperstat I.V. SH
DIENOESTROL Cream 0.01%, 85g	#1	1	3.97	ET

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIFENOXIN HYDROCHLORIDE with ATROPINE SULPHATE Tablet 500 micrograms-25 micrograms	20	..	3.58	Lyspafen	PT
DIGOXIN Tablet 62.5 micrograms	100	2	3.84	Lanoxin-PG	BW
250 micrograms	50	2	3.38	Cardiox Lanoxin RY	NN BW
Oral Solution for Children 50 micrograms per mL, 100mL	≠1	2	5.83	Lanoxin	BW
Injection BP 500 micrograms in 2mL	5	1	6.51	Lanoxin	BW
Injection for Infants 50 micrograms in 2mL	5	1	6.77	Lanoxin	BW
DIHYDROCODEINE TARTRATE Linctus 0.19%, 100mL	≠1	2	3.17	Paracodin Rikodeine	KN RK
DIHYDROERGOTAMINE Injection 1mg in 1mL	5	..	5.24	Dihydergot	SZ
DIHYDROTACHYSTEROL <u>Authority required.</u> Hypoparathyroidism; Osteomalacia following gastrect- omy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets.					
Capsule 125 micrograms	100	..	17.38	A.T.10	WL
DI-iodohydroxyquinoline Compound Pessaries 100mg, 25	≠1	1	4.14	Floraquin	SR
DIOXANIDE FUROATE Tablet 500mg	30	..	9.99	Furamide	BT
DIMERCAPROL Injection 5%, 2mL	12	..	27.59	B.A.L.	BT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIMETHICONE For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.				
Cream 10%, 50g	#1	..	3.11	Dermabase-S HA
10%, 75g	#1	..	3.27	Silcon FA
Solution - See Colostomy and Ileostomy				
DIMETHINDENE Tablet 1mg	50	2	3.61	Fenostil ZY
DIOCTYL SODIUM SULPHOSUCCINATE For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Tablet 50mg	100	2	3.71	Coloxyl 50 FM
120mg	100	2	4.24	Coloxyl 120 FM
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Suppositories 100mg-10mg, 5	2	..	4.61	Coloxyl FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Tablet 50mg-50mg	100	2	3.91	Coloxyl with Danthron FM
DIPHENHYDRAMINE Capsule 50mg	50	2	3.63	Benadryl PD
Paediatric Elixir 12.5mg per 5mL, 100mL	¥1	4	3.31	Benadryl PD
DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25 micrograms	20	..	3.58	Lomotil SR
DIPHENYLPYRALINE Tablet 2.5mg	50	2	3.59 3.61	Anti-Hist PT Histalert RK
Paediatric Syrup 2.5mg per 5mL, 100mL	¥1	4	3.31	Histalert RK
DIPHThERIA ANTITOXIN Injection 1,000 Units	2	1	10.79	CS
10,000 Units	2	1	39.55	CS
DIPHThERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of eight (8) years.				
Injection 0.5mL	3	..	6.47	CS
DIPHThERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of eight (8) years.				
Injection 0.5mL	3	..	6.47	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPHTHERIA, TETANUS and PERTUSSIS VACCINE Injection 0.5mL	3	..	6.05	CS,PD
DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of eight (8) years. Injection 0.5mL	2	1	5.45	CS
DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of eight (8) years. Injection 0.5mL	2	..	5.31	CS
DIPIVEFRIN HYDROCHLORIDE Eye Drops 0.1%, 10mL	≠1	6	8.41	Propine AG
DIPYRIDAMOLE <u>Authority required.</u> Biopsy proven glomerulonephritis; Mesangiocapillary renal disease; Renal allograft; Patients with cardiac valve prosthesis. Tablet 100mg	100	..	17.03	Persantin BY
DISOPYRAMIDE Cardiac arrhythmias, when other anti-arrhythmic drug therapy is unsatisfactory. <u>CAUTION:</u> Serious interactions can occur with beta-blocking drugs. Capsule 100mg	100	2	16.56	Norpace SR Rythmodan RL
150mg	100	2	21.43	Norpace SR Rythmodan RL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DOXEPIN <u>Authority required.</u> Endogenous depression where there is an inadequate response to not less than 100mg of doxepin daily.					
Tablet 50mg	50	..	5.03	Sinequan	PF
DOXEPIN Tablet 10mg	50	2	3.63	Quitaxon	RC
25mg	50	2	4.53	Quitaxon	RC
Capsule 10mg	50	2	3.63	Sinequan	PF
25mg	50	2	4.53	Sinequan	PF
DOXYCYCLINE Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.					
Tablet 50mg	25	5	6.89	Vibra-Tabs	PF
DOXYCYCLINE Tablet 100mg	7	..	5.11	Vibramycin	PF
Capsule 100mg	7	..	4.64 5.11	Cyclidox Doxin	PT GP
DOXYLAMINE with PYRIDOXINE Vomiting in pregnancy.					
Tablet 10mg-10mg	30	1	4.37	Debendox	ML
DYDROGESTERONE <u>Authority required.</u> Endometriosis, visually proven.					
Tablet 5mg	100	..	20.29	Duphaston	ET
ECONAZOLE NITRATE Cream 1%, 20g	#1	1	4.97	Ecostat Pevaryl	SQ SK
Pessaries 150mg, 3	#1	..	5.69	Ecostat Pevaryl	SQ SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ECOTHIOPATE IODIDE Eye Drops				
0.03%, 1.5mg and 5mL solvent	#1	6	#7.50	Phospholine Iodide AY
0.06%, 3mg and 5mL solvent	#1	6	#7.65	Phospholine Iodide AY
0.125%, 6.25mg and 5mL solvent	#1	6	#7.78	Phospholine Iodide AY
0.25%, 12.5mg and 5mL solvent	#1	6	#7.90	Phospholine Iodide AY
ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	#1	..	4.03	Repalyte DH
ELECTROLYTE REPLACEMENT SOLUTION See Intravenous Infusions				
EPICILLIN Capsule 250mg	25	..	5.23	Dexacillin SQ
500mg	12	1	4.94	Dexacillin SQ
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#5.01	Dexacillin SQ
250mg per 5mL, 100mL	#1	..	#6.27	Dexacillin SQ
ERGOCALCIFEROL Hypocalcaemia; Hypoparathyroidism; Osteomalacia following gastrectomy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets.				
Tablet 250 micrograms	100	2	6.16	Ostelin GL
Oral Solution 15mg (600,000 Units) in 1.5mL alcoholic solution	3	2	4.64	Sterogyl-15 RL
ERGOMETRINE MALEATE Tablet 200 micrograms	25	..	4.03	Ergotrate LY
Injection 250 micrograms in 1mL	5	..	3.78	BL
ERGOTAMINE TARTRATE Tablet 1mg	50	2	5.11	Lingraine WL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	5.83	Cafergot	SZ
Compound Suppositories, 6	≠1	2	4.84	Cafergot PB	SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	5.83	Migral	BW
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	5.83	Ergodryl	PD
ERYTHROMYCIN Tablet 125mg	25	..	4.31	EMU-V	UP
200mg	25	..	4.68	Erythrocin	AB
250mg	25	..	5.28	EMU-V Erythrocin Ethryn	UP AB FA
Capsule 125mg	25	..	4.31	Eryc	FA
250mg	25	..	5.24 5.28	E-Mycin Eryc Erythrocin Ilocap	PT FA AB LY
Paediatric Drops 100mg per mL, 10mL	≠1	..	4.24	Ilosone	LY
Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	4.56	Eromycin Erythrocin Ilosone	DL AB LY
Powder for Paediatric Suspension 200mg per 5mL, 100mL	≠1	..	#5.48	EES 200	AB
Suspension 250mg per 5mL, 100mL	≠1	..	6.38	Erythrocin	AB
Injection I.M. 100mg in 2mL	5	..	8.51	Erythrocin	AB
Infusion I.V. 300mg	5	..	22.38	Erythrocin	AB
1g	1	..	13.63	Erythrocin Ilotycin	AB LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ETHACRYNIC ACID Patients hypersensitive to other oral diuretics.					
Tablet 50mg	50	2	7.24	Edecril	MK
ETHANOLAMINE OLEATE Injection 5%, 2mL	5	1	7.57	Ethamolin	GL
ETHINYLOESTRADIOL Tablet 10 micrograms	100	1	3.74	Estigyn	AH
20 micrograms	100	1	3.91	Estigyn Primogyn C	AH SC
50 micrograms	100	1	4.64	Estigyn	AH
ETHOSUXIMIDE Capsule 250mg	200	1	14.57	Zarontin	PD
Paediatric Syrup 250mg per 5mL, 250mL	≠1	4	5.71	Zarontin	PD
ETHYLNORADRENALINE Injection 2mg in 1mL	5	..	4.97	Bronkephrine	WL
ETHYLOESTRENOL <u>Authority required.</u> Osteoporosis; Patients on long-term treatment with corticosteroids.					
NOTE: An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.					
Tablet 2mg	100	1	13.56	Orabolin	OR
ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 21	2	2	4.59	Ovulen 0.5/50	SR
1mg-50 micrograms, 21	2	2	4.59	Ovulen 1/50	SR
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets (continued)	2	2	4.59	Ovulen 0.5/50 -28	SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL - cont. Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	4.59	Ovulen 1/50 -28	SR
ETHYNODIOL DIACETATE with MESTRANOL Tablet 500 micrograms-100 micrograms, 21	2	2	4.59	Ovulen 0.5	SR
1mg-100 micrograms, 21	2	2	4.59	Ovulen 1	SR
2mg-100 micrograms, 21	2	2	4.59	Ovulen 2	SR
FENOTEROL HYDROBROMIDE Inhalation, metered aerosol spray, 200 micrograms per dose (300 dose)	¥1	1	6.04	Berotec	BY
FERROUS AMINOACETOSULPHATE Paediatric Syrup 100mL	¥1	4	3.38	Plesmet	NN
FERROUS GLUCONATE Tablet 300mg	100	2	3.38	Fergon RY	WL
Paediatric Elixir 6%, 100mL	¥1	4	3.38	Fergon	WL
FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	3.38	Slow-Fe	CB
350mg (sustained release)	30	2	3.27 3.38	Feritard Ferro- Gradumets	PT AB
Capsule 320mg (delayed release)	30	2	3.38	Fespan	SK
FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	3.38	Feritard Folic	PT
270mg-300 micrograms (sustained release)	30	2	3.44	F.G.F.	AB
Capsule 270mg-300 micrograms (delayed release)	30	2	3.44	Fefol	SK
FLUCLOROLONE ACETONIDE Cream 0.025%, 15g	¥1	1	3.26	Topilar	SD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUCYTOSINE Invasive or systemic fungal infections such as candidiasis, cryptococcosis and chromoblastomycosis.					
Tablet 500mg	100	..	68.87	Ancotil	RO
FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	..	6.42	Florinef	SQ
FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5mL	#1	..	3.78	Locacorten Vioform	CB
FLUOCORTOLONE ESTERS Cream 0.08%, 100g	#1	..	4.17	Topodil	SC
0.2%, 15g	#1	1	3.26	Ultralan-D	SC
Ointment 0.08%, 100g	#1	..	4.17	Topodil	SC
0.2%, 15g	#1	1	3.26	Ultralan-D	SC
Ointment (Anhydrous) 0.2%, 15g	#1	1	3.26	Ultralan-D Fatty	SC
FLUOROMETHOLONE Eye Drops 0.1%, 5mL	#1	6	4.64	Flucon FML Liquifilm	AQ AG
FLUOROURACIL Injection 250mg per 10mL	10	..	28.89	RO	
FLUOXYMESTERONE <u>Authority required.</u> Aplastic anaemias, proven; Carcinoma of the breast; Hypogonadism; Osteoporosis. <u>NOTE:</u> An authority for three months' treatment of osteoporosis will be limited to the maximum quantity and repeats shown in this schedule.					
Tablet 5mg	100	1	20.13	Halotestin	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUPHENAZINE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1mg	100	1	5.61	Anatensol	SQ
2.5mg	100	1	7.31	Anatensol	SQ
5mg	100	1	8.23	Anatensol	SQ
Elixir 500 micrograms per mL, 60mL	1	4	3.83	Anatensol	SQ
FLUPHENAZINE DECANOATE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Injection 12.5mg in 0.5mL	5	..	12.63	Modocate	SQ
25mg in 1mL	5	..	22.03	Modocate	SQ
50mg in 2mL	5	..	29.76	Modocate	SQ
FOLIC ACID					
Tablet 500 micrograms	100	..	3.27 3.28	DH,PT Folettes Folicid SI	FM US
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FOLIC ACID - cont. Tablet 5mg	100	2	3.42 3.44	DH,PT Folasic Folicid FM,PR,RT,SI NN US
Injection 15mg in 1mL	10	..	7.13	AB
FOSFESTROL TETRASODIUM Carcinoma of the prostate.				
Tablet 120mg	100	2	26.88	Honvan BC
Injection 250mg in 5mL	10	..	17.29	Honvan BC
FRAMYCETIN Eye Ointment 0.5%, 5g	#1	..	3.44	Soframycin RL
Eye/Ear Drops 0.5%, 8mL	#1	2	3.82	Soframycin RL
FRUSEMIDE Renal failure.				
Tablet 500mg	50	2	20.89 33.56	Urex-Forte Lasix FM HP
FRUSEMIDE Tablet 20mg	50	2	4.03 4.31	Urex-M Lasix-M FM HP
40mg	50	2	4.31 4.43 4.57	Urex Uremide Lasix FM PT HP
Oral Solution 10mg per mL, 30mL	#1	2	5.57	Lasix HP
Injection 20mg in 2mL	5	..	5.46	Lasix HP
FUSIDIC ACID <u>Authority required.</u> For use in combination with another antibiotic in the treatment of proven serious staphylococcal infections.				
Tablet (Sodium salt) 250mg (enteric coated)	36	..	48.68	Fucidin SK
Suspension 50mg per mL, 90mL	#1	..	22.29	Fucidin SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GAMMA BENZENE HEXACHLORIDE Cream 1%, 200g	#1	2	5.43	Lorexane	IC
Head Lotion 0.2%, 200mL	#1	..	4.37	Lorexane	IC
Lotion Concentrate 1%, 200mL	#1	..	4.37	Lorexane Concentrate	IC
GAS GANGRENE ANTITOXIN-MIXED (POLYVALENT) Injection - 1 amp containing: 10,000 Units Perfringens; 10,000 Units Oedematiens; 5,000 Units Septicum.	2	1	55.55	CS	
GENTAMICIN SULPHATE Injection 10mg (base) in 1mL	5	..	11.63	Garamycin	SH
40mg (base) in 1mL	5	..	15.06 15.57	Cidomycin Garamycin BL	RL SH
60mg (base) in 1.5mL	5	..	18.28 18.89	Cidomycin Garamycin BL	RL SH
80mg (base) in 2mL	5	..	21.52 22.22	Cidomycin Garamycin BL	RL SH
GLIBENCLAMIDE Tablet 5mg	100	2	13.56	Daonil Euglucon	HP RC
GLICLAZIDE Tablet 80mg	100	2	13.56	Diamicron	SE
GLUCAGON HYDROCHLORIDE Injection 1 I.U. with diluent	1	1	8.16	Novo LY	NO
GLUCOSE INDICATOR - BLOOD <u>NOTE:</u> This agent is reliable only when used with a reflectance meter.					
Reagent Strips 25	#1	2	6.23	Ames-BG BM-Test-BG	AM BO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GLUCOSE INDICATOR - URINE Test Dispenser 4m	#1	2	5.03	Tes-Tape LY
Reagent Strips 100	#1	2	4.24	BM-Test Glucose BO Clinistix AM
Reagent Strips 100	#1	2	4.34	Diastix AM
GLUCOSE and KETONE INDICATOR - URINE Reagent Strips 100	#1	2	4.78	Keto-Diastix AM
GLYCEROL For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term intensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Suppositories 1g, 10	#1	1	3.63	FA
GLYCEROL 100mL	#1	1	3.08	DH
GLYCEROPHOSPHATE COMPOUND Syrup APF 1964, 100mL	#1	4	3.23 3.33 3.38	MG Glyfosolix DH SI PR
GLYCERYL TRINITRATE Tablet 600 micrograms	100	2	3.57	Anginine Stabilised BW
Ointment 2%, 60g	#1	..	9.51	Nitro-Bid PT
GLYMIDINE Tablet 500mg	100	2	7.64	Gondafon SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GRISEOFULVIN					
<u>Authority required.</u>					
Use in recalcitrant tinea infections due to Microsporum, Trichophyton or Epidermophyton species proven by pathology testing or, in the case of the scalp, by pathology testing or by Wood's Light examination; Kerion.					
Tablet 125mg	100	..	8.97	Fulcin 125 Grisovin	IC GL
330mg	28	..	8.04	Griseostatin	SH
500mg	28	..	8.71	Fulcin 500 Grisovin 500	IC GL
GUANETHIDINE					
Tablet 10mg	100	1	5.64 6.23	Antipres M Ismelin	PT CB
25mg	100	1	9.63 11.03	Antipres Ismelin	PT CB
HALOPERIDOL					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1.5mg	100	1	5.38 6.31	Pacedol Serenace	PT SR
5mg	50	1	6.36 8.64	Pacedol Serenace	PT SR
Injection 5mg in 1mL	10	..	10.97	Serenace	SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HEPARIN CALCIUM				
Injection 5,000 Units in 0.2mL	5	5	8.97	Calciparine DF
5,000 Units in 0.5mL	5	5	8.83	GL
			8.97	Caprin CS
12,500 Units in 0.5mL	2	5	8.31	Calciparine DF
			8.33	CS
25,000 Units in 1mL	2	5	10.31	Calciparine DF
			10.33	CS
HEPARIN SODIUM				
Injection BP, 5,000 Units in 0.2mL	5	5	7.57	BL
5,000 Units in 1mL	5	5	7.57	BL,WP
			8.03	CS,GL
20,000 Units in 20mL	12	5	45.42	BL
			45.53	CS
25,000 Units in 5mL	2	5	10.33	CS,WP
35,000 Units in 35mL	12	5	98.33	CS,WP
HEXAMINE HIPPURATE				
Tablet 1g	100	2	8.89	Hiprex RK
HEXAMINE MANDELATE				
Tablet 250mg	100	2	3.71	Mandelamine WW
500mg	100	2	5.03	Mandelamine Hafgrams WW
1g	100	2	7.03	Mandelamine WW
HOMATROPINE HYDROBROMIDE				
Eye Drops 2%, 15mL	#1	2	4.31	AG,AQ
5%, 15mL	#1	2	4.71	AG,AQ
HYDRALAZINE HYDROCHLORIDE				
Tablet 25mg	100	2	6.38	Supres 25 PT
			6.77	Apresoline CB
50mg	100	2	8.64	Supres 50 PT
			9.23	Apresoline CB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCHLOROTHIAZIDE				
Tablet 25mg	50	2	4.19	Dichlotride MK Esidrex CB
50mg	50	2	5.43	Dichlotride MK Esidrex CB
HYDROCHLOROTHIAZIDE with AMILORIDE				
NOTE: Supplementary potassium may cause fatal hyperkalaemia.				
Tablet 50mg-5mg	30	2	4.62	Moduretic MK
HYDROCHLOROTHIAZIDE with TRIAMTERENE				
NOTE: Supplementary potassium may cause fatal hyperkalaemia.				
Tablet 25mg-50mg	30	2	4.62	Dyazide SK
HYDROCORTISONE				
Tablet 4mg	50	1	3.97	Hysone PT
20mg	30	2	4.97	Hysone PT
Eye Drops 0.5%, 5mL	#1	2	3.78	Hycor SI
0.5%, 10mL	#1	2	4.03	Hycor SI
1%, 3mL	#1	2	3.78	Hycor SI
1%, 10mL	#1	2	4.24	Hycor SI
2.5%, 5mL	#1	2	4.24	Hycor SI
2.5%, 10mL	#1	2	4.71	Hycor SI
Eye Ointment 0.5%, 4g	#1	..	3.63	Cortef UP
0.5%, 5g	#1	..	3.84	Hycor SI
1%, 5g	#1	..	3.91	Hycor SI
Cream 1%, 30g	#1	1	3.78	Adacor NN Cortef UP Dermacort PD Hydrosone US Procort PR Sigmacort SI Squibb-HC SQ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
HYDROCORTISONE - cont. Cream 1%, 50g	#1	1	4.37	Adacor	NN
				Cortef	UP
				Dermacort	PD
				Hydrosone	US
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
Topical Ointment 1%, 30g	#1	1	3.78	Adacor	NN
				Cortef	UP
				Dermacort "O"	PD
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
1%, 50g	#1	1	4.37	Adacor	NN
				Cortef	UP
				Dermacort "O"	PD
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SQ
HYDROCORTISONE with NEOMYCIN SULPHATE					
Ear Drops 1.5%-0.5%, 5mL	#1	..	3.71	Neo-Cortef	UP
Ear Ointment 1.5%-0.5%, 4g	#1	2	3.63	Neo-Cortef	UP
HYDROCORTISONE ACETATE					
Alopecia areata;					
For local intra-articular or					
peri-articular infiltration;					
Granulomata, dermal;					
Keloid;					
Lichen planus hypertrophic;					
Lichen simplex chronicus;					
Lupus erythematosus, chronic					
discoid.					
Injection 25mg in 1mL	5	..	5.51	Hysone-A	PT
HYDROCORTISONE SODIUM SUCCINATE					
For use in a hospital.					
Injection Set					
containing equivalent of 500mg					
hydrocortisone and solvent	1	..	14.03	Solu-Cortef	UP
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE SODIUM SUCCINATE - cont. Injection Set containing equivalent of 100mg hydrocortisone and 2mL solvent	2	..	7.59 7.65	Nordicort NR Efcortelan GL Solu-Cortef UP
containing equivalent of 250mg hydrocortisone and solvent	1	..	8.17	Solu-Cortef UP
HYDROFLUMETHIAZIDE Tablet 50mg	50	2	5.81	Hydrenox BT
HYDROGEN PEROXIDE SOLUTION, DILUTE (10 vol), 100mL	#1	..	2.54	FA
HYDROXYCHLOROQUINE Tablet 200mg	100	..	9.63	Plaquenil WL
HYDROXYUREA Capsule 500mg	100	..	27.96	Hydrea SQ
HYOSCINE BUTYLBROMIDE Injection 20mg in 1mL	5	..	4.71	Buscopan BY
HYPROMELLOSE Eye Drops 0.5%, 15mL	#1	6	3.59 3.63	IQ Isopto Tears AQ Lacril AG Methopt SI
1%, 15mL	#1	6	3.78	Methopt Forte SI
HYPROMELLOSE with DEXTRAN Eye Drops 0.3%-0.1%, 15mL	#1	6	4.11	Tears Naturale AQ
IBUPROFEN Tablet 200mg	50	2	4.24 4.34	Inflam PT Brufen BT
400mg	50	2	5.03 5.11	Inflam PT Brufen BT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
IDOXURIDINE Eye infections caused by herpes simplex virus.				
Eye Drops 0.1%, 15mL	#1	2	5.51	Herplex AG Stoxil SK
Eye Ointment 0.5%, 5g	#1	..	5.51	Stoxil SK
IDOXURIDINE Topical Ointment 0.5%, 5g	#1	..	3.52	Stoxil SK
IMIPRAMINE Tablet 10mg	50	2	3.39	Imiprin PT Tofranil GE
25mg	50	2	4.17 4.19	Imiprin PT Melipramine UW(N) GE
4.27				Tofranil GE
Injection I.M. 25mg in 2mL	10	..	6.97	Tofranil GE
INDOMETHACIN Capsule 25mg	50	2	4.97	Indocid MK Rheumacin PT
Suppository 100mg	20	2	9.24	Indocid MK
INFLUENZA VACCINE Persons at special risk of adverse consequences from infections of the lower respiratory tract.				
Injection (Trivalent) 1mL	1	..	6.36	CS
INSECT ALLERGEN EXTRACT - BULL ANT Injection Sets				
strengths A,B,C each 5mL	1	..	38.62	CS
strengths A,B,C,D each 5mL	1	..	53.28	CS
Injection strength C, 5mL	1	..	15.63	CS
strength D, 5mL	1	..	16.49	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSECT ALLERGEN EXTRACT - HONEY BEE				
Injection Sets				
strengths A,B,C each 5mL	1	..	38.62	CS
strengths A,B,C,D each 5mL	1	..	53.28	CS
Injection strength C, 5mL	1	..	15.63	CS
strength D, 5mL	2	..	31.03	CS
INSECT ALLERGEN EXTRACT - JUMPER ANT				
Injection Sets				
strengths A,B,C each 5mL	1	..	38.62	CS
strengths A,B,C,D each 5mL	1	..	53.28	CS
Injection strength C, 5mL	1	..	15.63	CS
strength D, 5mL	1	..	16.49	CS
INSECT ALLERGEN EXTRACT - MOSQUITO				
Injection Sets				
strengths A,B,C each 5mL	1	..	38.62	CS
strengths A,B,C,D each 5mL	1	..	53.28	CS
Injection strength C, 5mL	1	..	15.63	CS
strength D, 5mL	1	..	16.49	CS
INSECT ALLERGEN EXTRACT - PAPER WASP				
Injection Sets				
strengths A,B,C each 5mL	1	..	38.62	CS
strengths A,B,C,D each 5mL	1	..	53.28	CS
Injection strength C, 5mL	1	..	15.63	CS
strength D, 5mL	1	..	16.49	CS
INSULIN				
Injection (bovine)				
100 Units per mL, 10mL	5	2	43.73	BW,CS
300 Units per mL, 5mL	10	2	124.83	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN BIPHASIC Injection (mixed porcine/bovine) 100 Units per mL, 10mL	5	2	43.73 48.93	Bitard CS Rapitard M.C. NO Novo
INSULIN ISOPHANE (N.P.H.) Injection (bovine) 100 Units per mL, 10mL	5	2	43.73 48.93	Hypurin WP Isophane CS Isotard BW Isophane M.C. NO
Injection (porcine) 100 Units per mL, 10mL	5	2	43.73 48.93	Isotard PC CS Insulatard PT Nordisk Protaphane NO M.C.
INSULIN ISOPHANE (N.P.H.) -INSULIN NEUTRAL, (MIXED) Injection (porcine) 100 Units (70 Units-30 Units) per mL, 10mL	5	2	48.93	Mixtard PT Nordisk
INSULIN NEUTRAL Injection (bovine) 100 Units per mL, 10mL	5	2	43.73	Hypurin WP Neutral
Injection (porcine) 100 Units per mL, 10mL	5	2	43.73 48.93	Nuralin CS Actrapid M.C. NO Novo Velosulin PT Nordisk
INSULIN PROTAMINE ZINC Injection (bovine) 100 Units per mL, 10mL	5	2	43.73	BW,CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ZINC SUSPENSION (Lente)				
Injection (bovine) 100 Units per mL, 10mL	5	2	43.73	BW,CS
Injection (porcine) 100 Units per mL, 10mL	5	2	43.73 48.93	Lente PC CS Monotard M.C. NO Novo
Injection (mixed porcine/bovine) 100 Units per mL, 10mL	5	2	48.93	Lente M.C. NO Novo
INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente)				
Injection (bovine) 100 Units per mL, 10mL	5	2	43.73	BW,CS
Injection (porcine) 100 Units per mL, 10mL	5	2	43.73 48.93	Semilente PC CS Semilente M.C. NO Novo
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente)				
Injection (bovine) 100 Units per mL, 10mL	5	2	43.73 48.93	BW,CS Ultralente M.C. NO Novo
INTRAVENOUS INFUSIONS 500mL and 1L - see separate listings at end of Section 2				
IRON DEXTRAN Injection 2mL	5	..	5.89	Imferon FC
IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	3.38	Ferrum H SI
Injection 100mg (Iron) in 2mL	5	..	6.29	Ferrum H SI
IRON SORBITOL Injection I.M. Trivalent Iron 2mL	5	..	6.29	Jectofer AP
ISONIAZID Tablet 50mg	200	2	4.24	FM
100mg	100	2	4.24	FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ISOPRENALINE HYDROCHLORIDE					
Tablet 30mg (sustained release)	100	2	10.31	Saventrine	PN
Injection 1 in 5,000, 1mL	5	..	7.72	Isuprel	WL
1 in 5,000, 5mL	5	..	10.41	Isuprel	WL
ISOSORBIDE DINITRATE					
Tablet 10mg	100	2	3.84	Isordil	AY
				Isotrate	PD
Sublingual Tablet 5mg	100	2	3.71	Isordil	AY
				Sublingual	AY
				Isotrate	PD
				Sublingual	PD
KANAMYCIN					
Injection 30mg in 1mL	5	1	8.89	Kanasig	SI
250mg in 2mL	5	..	12.63	Kanasig	SI
500mg in 2mL	5	..	13.71	Kanasig	SI
				Kantrex	BC
1g in 3mL	5	..	15.91	Kanasig	SI
				Kantrex	BC
KAOLIN with PECTIN					
Mixture					
5.91g-132mg per 30mL, 375mL	#1	2	3.84	Kaopectate	UP
LABETALOL					
Hypertension not responding adequately to multiple antihypertensive drug therapy.					
CAUTION: This drug has variable bioavailability.					
Tablet 100mg	100	2	11.89	Trandate	AH
200mg	100	2	17.69	Trandate	AH
LACTULOSE					
Authority required.					
Hepatic coma or precoma (chronic porto-systemic encephalopathy).					
Mixture 3.34g per 5mL, 500mL	#1	..	11.57	Duphalac	ET

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
LEVODOPA					
Tablet 100mg	50	2	6.14	Larodopa	RO
250mg	100	2	9.91	Larodopa	RO
500mg	250	2	30.28	Larodopa	RO
Capsule 100mg	50	2	6.14	Syndopa	FA
250mg	100	2	10.31	Syndopa	FA
500mg	250	2	30.28	Syndopa	FA
LEVODOPA with BENSERAZIDE					
Capsule 50mg-12.5mg	100	2	11.12	Madopar Q	RO
100mg-25mg	100	2	16.66	Madopar-M	RO
200mg-50mg	100	2	25.41	Madopar	RO
LEVODOPA with CARBIDOPA					
Tablet 100mg-10mg	100	2	16.66	Sinemet M	MK
250mg-25mg	100	2	31.33	Sinemet	MK
LEVONORGESTREL					
Tablet 30 micrograms, 28	2	2	4.59	Microlut 28	SC
				Microval 28	WY
LEVONORGESTREL with ETHINYLOESTRADIOL					
Tablet					
125 micrograms-50 micrograms, 21	2	2	4.59	Microgynon 50	SC
150 micrograms-30 micrograms, 21	2	2	4.59	Microgynon 30	SC
				Nordette 21	WY
250 micrograms-50 micrograms, 21	2	2	4.59	Neogynon	SC
				Nordiol 21	WY
Pack containing 11 tablets 50 micrograms-50 micrograms and 10 tablets 125 micrograms- 50 micrograms	2	2	4.59	Biphasil 21	WY
Pack containing 11 tablets 50 micrograms-50 micrograms, 10 tablets 125 micrograms- 50 micrograms and 7 inert tablets	2	2	4.59	Biphasil 28	WY
				Sequilar ED	SC
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LEVONORGESTREL with ETHINYLOESTRADIOL - cont.				
Pack containing 21 tablets 125 micrograms-50 micrograms and 7 inert tablets	2	2	4.59	Microgynon 50 ED SC
Pack containing 21 tablets 150 micrograms-30 micrograms and 7 inert tablets	2	2	4.59	Microgynon 30 ED SC Nordette 28 WY
Pack containing 21 tablets 250 micrograms-50 micrograms and 7 inert tablets	2	2	4.59	Neogynon ED SC Nordiol 28 WY
Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms and 10 tablets 125 micrograms-30 micrograms	2	2	4.59	Triphasil WY Triquilar SC
Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms, 10 tablets 125 micrograms-30 micrograms and 7 inert tablets	2	2	4.59	Triphasil 28 WY Triquilar ED SC
LIGNOCAINE				
Injection 100mg in 5mL	≠2	..	4.91	Xylocard 100 AP
I.M. 300mg in 3mL	1	..	5.24	Xylocard 300 I.M. AP
Infusion 500mg in 5mL	5	..	6.89	Xylocard 500 AP
LINCOMYCIN				
Gram-negative anaerobic infections;				
Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin.				
Injection 300mg in 1mL (continued)	5	..	7.77	Lincocin SS Paediatric UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
LINCOMYCIN - cont. Injection 600mg in 2mL	5	..	9.23	Lincocin	UP
LIOTHYRONINE Tablet 20 micrograms	100	1	4.03	Tertroxin	GL
LITHIUM CARBONATE Tablet 250mg	100	2	4.71 4.77	Lithicarb Camcolit Carbolith	PT NE DH
400mg (sustained release)	100	1	7.31	Priadel	PT
LOPERAMIDE HYDROCHLORIDE Capsule 2mg	12	..	3.58	Imodium	JP
LYPRESSIN Nasal Spray 50 Units per mL, 5mL	10	2	52.03	Vasopressin	SZ
MAFENIDE ACETATE <u>Authority required.</u> Treatment, in a hospital, of burns; Treatment, in a hospital, of epidermolysis bullosa.					
Cream 11.2%, 454g	#1	..	21.97	Sulfamylon	WL
MAGNESIUM-ALUMINIUM HYDROXIDE Tablet 375mg	100	2	3.91	Maalox	BT
Mixture 375mg per 5mL, 500mL	#1	4	4.24	Maalox	BT
MAGNESIUM SULPHATE Paste 50g	#1	1	3.31	Magnoplasm	FA
100g	#1	1	3.73	Magnoplasm	FA
MANNITOL See Intravenous Infusions					
MEBHYDROLIN Tablet 50mg	50	2	3.61	Fabahistin	BN
Paediatric Suspension 50mg per 5mL, 100mL	#1	4	3.31	Fabahistin	BN
MECLOZINE Tablet 25mg	50	2	3.63	Ancolan	AH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MEDROXYPROGESTERONE Dysfunctional uterine bleeding; Precocious puberty; Turner's syndrome.				
Tablet 2.5mg	25	..	5.31	Provera UP
*Breast cancer; Dysfunctional uterine bleeding; *Endometrial cancer; Precocious puberty; *Renal cell cancer; Turner's syndrome.				
Tablet 10mg	100	2	28.96	Provera UP
*Breast cancer; *Endometrial cancer; *Renal cell cancer.				
Tablet 100mg	100	2	71.61	Provera UP
Injection 50mg in 1mL	1	..	5.64	Depo-Provera UP
*Breast cancer; *Endometrial cancer; Precocious puberty; *Renal cell cancer.				
Injection 150mg in 1mL	1	..	10.51	Depo-Provera UP
MEDRYSONE Eye Drops 1%, 5mL	#1	6	4.64	HMS Liquifilm AG
MEFRUSIDE Tablet 25mg	50	2	5.03	Baycaron BN
MELPHALAN Tablet 2mg	100	..	48.65	Alkeran BW
5mg	100	..	80.65	Alkeran BW
MERCAPTOPURINE Tablet 50mg	50	1	38.89	Purinethol BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METFORMIN					
Maturity onset diabetes not satisfactorily controlled by diet and other drugs, where the risk of lactic acidosis is minimised by excluding predisposing factors, especially reduced renal, hepatic or cardiovascular function.					
Tablet 500mg	100	2	10.33	Glucophage	RN
500mg (sustained release)	100	2	10.34	Diabex S.R.	DF
METHACYCLINE					
Capsule 150mg	21	..	5.11	Randomycin	WW
300mg	11	..	5.11	Randomycin	WW
METHADONE					
Disabling pain associated with proven malignant neoplasia; Disabling pain of short duration not responding to non-narcotic analgesics, the maximum duration of treatment being two weeks.					
<u>CAUTION: The risk of drug dependence is high.</u>					
Tablet 5mg	20	..	4.57	Physeptone	BW
10mg	20	..	4.78	Physeptone	BW
Injection 10mg in 1mL	5	..	7.77	Physeptone	BW
NOTE: Authorities for increased maximum quantities and/or repeats of METHADONE will be granted only for the treatment of disabling pain associated with late-stage malignant neoplasia.					
METHDILAZINE					
Prevention of migraine.					
Tablet 4mg	100	2	5.29	Dilosyn	AH
8mg	100	2	5.55	Dilosyn	AH
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHDILAZINE - cont.				
Tablet 4mg	50	2	3.51	Dilosyn AH
8mg	50	2	3.64	Dilosyn AH
METHENOLONE ACETATE				
<u>Authority required.</u>				
Osteoporosis;				
Patients on long-term treatment with corticosteroids.				
NOTE: An authority for three months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 1mg	100	1	6.51	Primobolan SC
5mg	100	1	15.03	Primobolan SC
METHICILLIN				
Endophthalmitis;				
Septicaemia, staphylococcal, suspected or proven.				
Injection 1g (solvent required)	5	1	18.17	Metin CS
METHOTREXATE				
<u>CAUTION: Cytotoxic effect and liver damage can be enhanced by poor renal function.</u>				
<u>Authority required.</u>				
*Acute leukaemia;				
*Breast cancer;				
*Chorioadenoma destruens;				
Continuing methotrexate therapy initiated in a hospital;				
*Gestational choriocarcinoma;				
*Head and neck epidermoid cell carcinoma;				
*Hydatidiform mole;				
*Lung cancer;				
*Lymphoma;				
*Osteogenic sarcoma;				
Severe intractable or extensive psoriasis.				
Tablet 2.5mg	100	..	19.62	LE
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METHOTREXATE - cont.					
Injection 5mg (solvent required)	5	..	22.38	LE	
5mg in 2mL	5	..	22.38	LE	
Authority required.					
*Head and neck epidermoid cell carcinoma;					
*Lymphoma;					
*Osteogenic sarcoma.					
Injection 50mg (solvent required)	5	..	62.28	LE	
50mg in 2mL	5	..	58.61	BL	
			58.63	LE	
METHSUXIMIDE					
Capsule 300mg	200	1	14.57	Celontin	PD
METHYCLOTHIAZIDE					
Tablet 2.5mg	50	2	4.17	Enduron-M	AB
5mg	50	2	4.42	Urimor	PT
			4.97	Enduron	AB
METHYLDOPA					
Tablet 125mg	100	2	7.09	Aldomet-M	MK
250mg	100	2	9.17	Dimal	PT
				Methopa	US
			9.37	Aldomet	MK
METHYLPHENOBARBITONE					
Epilepsy.					
Tablet 30mg	200	1	4.37	Prominal FM	WL
60mg	200	1	4.77	Prominal FM	WL
200mg	200	1	7.83	Prominal FM	WL
METHYLPREDNISOLONE					
Eye Ointment 0.1%, 4g	#1	..	3.91	Medrol	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYLPREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration.				
Injection 40mg in 1mL	5	..	15.63	Depo-Medrol UP
METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1mL	5	..	15.63	Solu-Medrol UP
METHYL SALICYLATE Liniment APF, 100mL	≠1	1	3.33 3.36 3.38	Emsalin SI,TO MG PR,QE(NQ) DH
METHYLTESTOSTERONE Hypogonadism in children.				
Tablet 5mg	100	2	4.68 4.71	Testomet ET PT
Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Tablet 25mg	100	2	8.23 8.31	Testomet ET PT
50mg	100	2	12.17 12.29	Testomet ET PT
METHYSERGIDE Carcinoid syndrome; Prevention of disabling migraine when other treatment has failed.				
Tablet 1mg	100	2	19.23	Deseril SZ
METOCLOPRAMIDE HYDROCHLORIDE <u>Authority required.</u> Gastric retention after gastric surgery; Malignant neoplasia (late stage).				
Tablet 10mg	100	..	12.84	Maxolon Metamide Primperan BR PT US
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METOCLOPRAMIDE HYDROCHLORIDE-cont. Tablet 10mg	10	..	3.82	Maxolon Metamide Primperan	BR PT US
NOTE: Authorities for increased maximum quantities and/or repeats of metoclopramide tablets will be granted only for the treatment of gastric retention after gastric surgery and malignant neoplasia (late stage).					
Injection 10mg in 2mL	10	..	5.51	Maxolon Primperan	BR US
METOLAZONE Tablet 2.5mg	50	2	4.31	Diulo	SR
METOPROLOL Frequent disabling angina without evidence of cardiac failure; Hypertension.					
Tablet 100mg	50	2	9.63	Betaloc Lopresor	AP GE
METRONIDAZOLE <u>Authority required.</u> Treatment in a hospital of acute anaerobic sepsis.					
Solution for intravenous infusion 500mg in 100mL (0.5%)	1	..	15.48	Flagyl BL	MB
METRONIDAZOLE Tablet 200mg	21	1	4.31 4.43	Trichazole Flagyl	PT MB
MEXILETINE HYDROCHLORIDE Treatment (not prophylaxis) of ventricular arrhythmias.					
Capsule 50mg	100	2	11.82	Mexitil	BY
200mg	100	2	25.67	Mexitil	BY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
MIANSERIN HYDROCHLORIDE <u>Authority required.</u> Depressive illness in persons with cardiovascular disease. <u>CAUTION:</u> Neutropenia and agranulocytosis have been reported with this drug.					
Tablet 10mg	50	..	7.77	Tolvon	OR
MICONAZOLE NITRATE Cream 2%, 20g	#1	1	4.97	Daktarin	JP
Pessaries 100mg, 7	#1	..	5.69	Gyno- Daktarin 7 Monistat 7	JP ET
Vaginal Cream 2%, 40g	#1	..	5.64	Gyno- Daktarin 7 Monistat 7	JP ET
MILK POWDER - LACTOSE MODIFIED <u>Authority required.</u> Lactose intolerance. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.					
Lactose-Predigested Powder 500g	2	20	11.25	Digestelact	SJ
MILK POWDER - LOW LACTOSE FORMULA Acute gastro-enteritis complicated by lactose intolerance, in infants under the age of six months. Age of patient to be shown on prescription. <u>NOTE:</u> No authorities will be granted for increased maximum quantities. Authorities for an increased number of repeats will be limited to a maximum of 20 repeats. Confirmation of condition to be included in application. An acceptable confirmation of lactose intolerance for the issue of an authority for repeats is the presence of not less than 1% reducing substance in stool exudate tested with copper sulphate diagnostic compound tablet. (continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MILK POWDER - LOW LACTOSE FORMULA - cont. Lactose-Predigested Powder Infant Formula 500g	2	..	11.25	De-Lact Infant SJ
MILK POWDER - SYNTHETIC <u>Authority required.</u> Hypercalcaemia in children under the age of two (2) years; Osteopetrosis. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Low Calcium Compound Powder 397g	2	20	22.75	Locasol MN
<u>Authority required.</u> Galactosaemia; Conditions needing an extreme restriction of lactose in diet in children under the age of four (4) years. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Low Lactose Compound Powder 454g	2	20	24.11	Galactomin Formula 17 MN
<u>Authority required.</u> Glucose-galactose malabsorption. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g	2	20	57.13	Galactomin Formula 19 MN
MINERAL MIXTURE (For use with Amino Acid Formula without Phenylalanine) Phenylketonuria.				
Powder 250g	#1	2	16.31	Aminogran M.M. GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MINOCYCLINE Capsule 100mg	11	..	5.11	Minomycin LE
MITHRAMYCIN For use in a hospital for - inoperable testicular neoplasm; symptomatic hypercalcaemia and hypercalcinuria associated with advanced neoplasia.				
Injection 2.5mg (solvent required)	5	..	96.43	Mithracin PF
MORPHINE with TACRINE Severe intractable pain.				
Tablet 30mg-15mg	50	..	13.29	Mortha WH
MORPHINE with TACRINE Injection 15mg-13mg in 1.5mL	5	..	4.97	Mortha WH
30mg-13mg in 1.5mL	5	..	5.03	Mortha WH
30mg-30mg in 1.5mL	5	..	5.64	Mortha WH
MORPHINE SULPHATE Injection 10mg in 1mL	5	..	4.48	BL,LP,SI
15mg in 1mL	5	..	4.57	BL,LP,SI
30mg in 1mL	5	..	4.91	BL
MORPHINE SULPHATE with ATROPINE SULPHATE Injection 15mg-600 micrograms in 1mL	5	..	4.71	BL
MUSTINE Injection 10mg (solvent required)	1	..	7.64	BT
NALORPHINE Injection 1mg in 1mL	5	..	7.71	Lethidrone BW
10mg in 1mL	5	1	10.37	Lethidrone BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NANDROLONE DECANOATE				
<u>Authority required.</u>				
Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids.				
<u>NOTE:</u> An authority for three months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 50mg in 1mL	1	1	11.03	Deca- Durabolin OR
NANDROLONE PHENYLPROPIONATE				
<u>Authority required.</u>				
Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids.				
<u>NOTE:</u> An authority for three months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 25mg in 1mL	3	1	11.03	Durabolin OR
NAPHAZOLINE HYDROCHLORIDE				
Eye Drops 0.1%, 15mL	¶1	2	3.78	Albalon Liquifilm AG
NAPROXEN				
Tablet 250mg	50	2	6.93	Naprosyn SD
Suppository 500mg	20	2	9.24	Naprosyn SD
NATAMYCIN				
Tablet 100mg	50	..	8.77	Pimafucin GB
Suspension 1%, 5mL	¶1	1	3.97	Pimafucin GB
Cream 20mg per g, 15g	¶1	1	4.03	Pimafucin GB
Pessaries 25mg, 20	¶1	..	5.77	Pimafucin GB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NEOMYCIN Acute leukaemia during induction of remission with chemotherapy; Bowel sterilisation preparatory to major surgery; Encephalopathy, hepatic.					
Tablet 500mg	25	1	10.31	Neosulf ET	PT
NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base), 10mL	1	2	3.78	Neopt	SI
NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg (3.5mg base)- 400 Units per g, 10g	1	..	3.71	Nemdyn	HA
NEOSTIGMINE Tablet 15mg	100	2	6.11	Prostigmin	RO
Injection 500 micrograms in 1mL	5	3	3.57	Prostigmin	RO
2.5mg in 1mL	5	3	3.97	Prostigmin	RO
NICLOSAMIDE Hymenolepiasis nana.					
Tablet 500mg	16	..	11.25	Yomesan	BN
NICLOSAMIDE Tablet 500mg	4	..	4.11	Yomesan	BN
NICOTINIC ACID Persons holding a Pensioner Health Benefits card or a Health Benefits card and dependants.					
Tablet 25mg	100	2	3.31	Nikacid DH	US
50mg	100	2	3.38	Nikacid DH, RT, SI	US
100mg	100	2	3.51	Nikacid DH	US
250mg	100	2	3.63	DH	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NIFEDIPINE					
<u>Authority required.</u>					
Intractable angina not responding to other therapy.					
Capsule 10mg	100	..	21.11	Adalat	BN
NITRAZEPAM					
Tablet 5mg	25	..	3.38	Dormicum Mogadon	PT RO
<u>NOTE: Authority to prescribe an increased maximum quantity and/or repeats of NITRAZEPAM should be sought for treatment of myoclonic epilepsy.</u>					
NITROFURANTOIN					
Urinary tract infections where sulphonamide treatment has proved ineffective and where positive bacteriological evidence shows the organism to be sensitive to nitrofurantoin or where the patient is sensitive to sulphonamides.					
Tablet 50mg	25	1	5.34	Furadantin	NW
100mg	25	1	7.27	Furadantin	NW
Capsule 50mg	30	1	6.17	Macrochantin	NW
100mg	30	1	8.57	Macrochantin	NW
Paediatric Suspension 25mg per 5mL, 200mL	41	..	4.91	Furadantin	NW
NORETHISTERONE					
Benign mammary dysplasia; Dysfunctional uterine bleeding; Endometriosis; Precocious puberty; Turner's syndrome.					
Tablet 5mg	30	5	5.71	Primolut N	SC
NORETHISTERONE					
Tablet 350 micrograms, 28	2	2	4.59	Micronor Noriday	ET SD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NORETHISTERONE with ETHINYL- OESTRADIOL Tablet					
500 micrograms-35 micrograms, 21	2	2	4.59	Brevinor Modicon	SD ET
1mg-35 micrograms, 21	2	2	4.59	Brevinor-1 Neocon	SD ET
Pack containing 21 tablets 500 micrograms-35 micrograms and 7 inert tablets	2	2	4.59	Brevinor Modicon	SD ET
Pack containing 21 tablets 1mg-35 micrograms and 7 inert tablets	2	2	4.59	Brevinor-1 Neocon	SD ET
NORETHISTERONE with MESTRANOL Tablet 1mg-50 micrograms, 21	2	2	4.59	Norinyl-1 Ortho-Novum 1/50	SD ET
1mg-80 micrograms, 21	2	2	4.59	Ortho-Novum 1/80	ET
2mg-100 micrograms, 21	2	2	4.59	Norinyl-2 Ortho- Novum 2	SD ET
Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	4.59	Norinyl-1/28	SD
NORETHISTERONE ACETATE Dysfunctional uterine bleeding; Endometriosis; Precocious puberty; Turner's syndrome.					
Tablet 2.5mg	30	5	5.71	Primolut Nor	SC
Malignant neoplasia.					
Tablet 10mg	100	2	26.29	SH420	SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NORETHISTERONE ACETATE with ETHINYLOESTRADIOL Tablet 1mg-50 micrograms, 21	2	2	4.59	Minovlar	SC
3mg-50 micrograms, 21	2	2	4.59	Gynovlar	SC
4mg-50 micrograms, 21	2	2	4.59	Anovlar	SC
Pack containing 21 tablets 1mg - 50 micrograms and 7 inert tablets	2	2	4.59	Minovlar ED Orlest	SC PD
Pack containing 21 tablets 2.5mg- 50 micrograms and 7 inert tablets	2	2	4.59	Norlestrin	PD
NORETHYNODREL with MESTRANOL Tablet 2.5mg-100 micrograms, 21	2	2	4.59	Conovid-E	SR
NORGESTREL with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 20	2	2	4.59	Duoluton	SC
500 micrograms-50 micrograms, 21	2	2	4.59	Eugynon Ovral	SC WY
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	4.59	Eugynon ED Ovral 28	SC WY
NORTRIPTYLINE Tablet 10mg	50	2	3.36	Allegron Nortab	DL SQ
25mg	50	2	4.19	Allegron Nortab	DL SQ
Paediatric Elixir 10mg per 5mL, 100mL	≠1	4	3.31	Allegron	DL
NUTRAMIGEN					
<u>Authority required.</u>					
Cows' milk allergy in children under the age of two (2) years; Cystic fibrosis (mucoviscidosis); Galactosaemia; Glycogen storage disease due to glucose-6-phosphatase deficiency in children under the age of two (2) years; Lactose intolerance. (cont.)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NUTRAMIGEN - cont.				
NOTE: Milk allergy means eczema, asthma or severe gastro-intestinal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk.				
Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months.				
Age of patient to be shown on application for authority.				
NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Powder 500g	2	20	18.85	Glucose Nutramigen MJ
NYSTATIN				
Tablet 500,000 Units	50	..	8.41	Diastatin GP Mycostatin SQ Nilstat LE
Capsule 500,000 Units	50	..	8.41	Mycostatin SQ
Lozenge 100,000 Units	20	1	3.78	Nilstat LE
Mixture				
100,000 Units per mL, 24mL	≠1	1	4.57	Mycostatin SQ Nilstat LE
Cream 100,000 Units per g, 15g	≠1	1	3.91	Mycostatin SQ Nilstat LE
Gel 100,000 Units per g, 15g	≠1	1	3.91	Mycostatin SQ
Ointment 100,000 Units per g, 15g	≠1	1	3.91	Mycostatin SQ Nilstat LE
Pessaries				
100,000 Units, 15	≠1	1	4.14	Diastatin GP Mycostatin SQ Nilstat LE
100,000 Units (cream base), 15	≠1	1	4.29	Nilstat LE
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NYSTATIN - cont. Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	#1	1	4.43	Mycostatin	SQ
100,000 Units per 5g, 75g (15 doses)	#1	1	4.43	Diastatin Nilstat	GP LE
OESTRADIOL VALERATE Injection 10mg in 1mL	3	..	10.24	Primogyn Depot	SC
OESTRONE Pessaries 1,000 Units, 12	#1	1	4.91	Kolpon	OR
10,000 Units, 12	#1	1	6.77	Kolpon	OR
ORCIPRENALINE NOTE: Oral preparations are generally less effective and produce more side effects than the metered aerosol.					
Tablet 20mg	100	2	6.57	Alupent	BY
Syrup 10mg per 5mL, 300mL	#1	4	4.84	Alupent	BY
Inhalation Solution for use in HAND NEBULISER 5%, 7.5mL	#1	..	4.17	Alupent	BY
Inhalation Solution for use in RESPIRATOR or JET NEBULISER 2%, 75mL	#1	..	9.17	Alupent	BY
Inhalation, metered aerosol spray replacement pack, 15mg per mL, 15mL (300 dose)	#1	1	5.37	Alupent	BY
ORPHENADRINE HYDROCHLORIDE Parkinsonism. CAUTION: Long term use with major tranquillisers increases the risk of tardive dyskinesia.					
Tablet 50mg	100	2	4.77 5.37	Orpadrex Disipal	PT RK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXAZEPAM					
Tablet 15mg	50	..	3.36	Benzotran	PT
			3.41	Murelax	AY
				Serepax	WY
30mg	50	..	3.78	Benzotran	PT
				Murelax	AY
				Serepax	WY
<u>NOTE: No authorities will be granted for increased maximum quantities and/or repeats for OXAZEPAM.</u>					
OXPRENOLOL					
Tablet 20mg	100	2	6.09	Captol	PT
			6.77	Trasicor	CB
40mg	100	2	8.28	Captol	PT
			9.23	Trasicor	CB
Injection 2mg (solvent required)	5	..	6.57	Trasicor	CB
OXYCODONE					
Treatment in malignant neoplasia.					
Suppositories 30mg, 12	#1	..	13.79	Proladone	BT
OXYCODONE HYDROCHLORIDE					
Treatment in malignant neoplasia.					
<u>CAUTION: The risk of drug dependence is high.</u>					
Tablet 5mg	20	..	4.97	Endone	EN
OXYMETHOLONE					
<u>Authority required.</u>					
Aplastic anaemias, proven; Myelosclerosis.					
Tablet 50mg	100	..	67.27	Anapolon	SD
100mg	100	..	132.23	Adroyd	PD
OXYTETRACYCLINE					
Capsule 250mg	25	..	4.24	Terramycin	PF
Ointment 3%, 15g	#1	..	3.61	Terramycin	PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXYTOCIN					
Injection 2 Units in 2mL	5	..	4.77	Syntocinon	SZ
5 Units in 1mL	5	..	4.91	Syntocinon	SZ
10 Units in 1mL	5	..	5.03	Syntocinon	SZ
OXYTOCIN with ERGOMETRINE					
Injection					
5 Units and 500 micrograms in 1mL	5	..	5.31	Syntometrine	SZ
PANCREATIN ENZYME					
Cystic fibrosis (mucoviscidosis); Following pancreatico- duodenectomy; Steatorrhoea, pancreatic.					
4 times USNF.XIII strength					
Tablet 325mg	500	1	32.29	Viokase	RS
Powder 250g	≠1	2	24.96	Viokase	RS
5 times USNF.XIV strength					
Capsule 305mg	500	1	35.56	Viokase	RS
PANCRELIPASE					
Cystic fibrosis (mucoviscidosis); Following pancreatico- duodenectomy; Steatorrhoea, pancreatic.					
Capsule 300mg	250	1	32.29	Cotazym	OR
PAPAVERTUM					
CAUTION: This drug may cause dependence.					
*Disabling pain associated with proven malignant neoplasia; *Disabling pain of short duration not responding to non-narcotic analgesics, the maximum duration of treatment being two weeks.					
Tablet 10mg	20	..	4.97	Omnopon	RO
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PAPAVERTUM - cont. CAUTION: This drug may cause dependence.				
Injection 20mg in 1mL	5	..	4.84	Omnopon RO
PAPAVERTUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1mL	5	..	4.97	Omnopon- Scopolamine RO
PARACETAMOL Tablet 500mg	50	1	3.22 3.31	Ceetamol PT Bramcetamol MF Dymadon BW Langesic BT Panacete PR Panamax WL Paralgin FM Parasin NN Parmol US PCL DH
Mixture 120mg per 5mL, 100mL	≠1	4	3.31	Dymadon BW Panamax WL Parmol US
PARALDEHYDE Injection 5mL	5	1	5.97	BL
PENICILLAMINE <u>Authority required.</u> Acute heavy metal intoxication; Cystinosis; Cystinuria with calculus formation; For the continuing treatment of rheumatoid arthritis where penicillamine therapy was initiated in a hospital; Haemoglobinuria, paroxysmal cold; *Patients with rheumatoid arthritis who are already receiving long- term (greater than 6 months) therapy with penicillamine; Wilson's disease (hepatolenticular degeneration). NOTE: Regular blood and urine checks are essential. (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PENICILLAMINE - cont. Tablet 125mg	100	..	19.31	D-Penamine Perdolat	DL KN
250mg	100	..	31.29	D-Penamine Perdolat	DL KN
Capsule 125mg	100	..	19.31	Cuprimine	MK
250mg	100	..	31.29	Cuprimine	MK
PENICILLINASE Injection set containing 0.8megaU and 1mL solvent	1	..	20.69	Compenase	CS
PENTAZOCINE Disabling pain associated with proven malignant neoplasia; Disabling pain of short duration not responding to non-narcotic analgesics, the maximum duration of treatment being two weeks. <u>CAUTION: This drug may cause dependence.</u>					
Injection 60mg in 2mL	5	..	7.04	Fortral	WL
<u>NOTE: Authorities for increased maximum quantities and/or repeats of PENTAZOCINE will be granted only for the treatment of disabling pain associated with late-stage malignant neoplasia.</u>					
PERHEXILINE MALEATE <u>Authority required.</u> Intractable angina not responding to other therapy. <u>CAUTION: Note high incidence of severe toxicity including neurotoxicity and hepatotoxicity.</u>					
Tablet 100mg	100	..	19.03	Pexid	ML

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PERICYAZINE				
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 2.5mg	100	1	4.17	Neulactil MB
10mg	100	1	7.24	Neulactil MB
Mixture 2.5mg per 5mL, 100mL	#1	4	3.78	Neulactil MB
PERITONEAL DIALYSIS SOLUTION				
Injection with 1.36% Anhydrous Dextrose, 1L	20	1	55.53	Diasol AB
with 3.86% Anhydrous Dextrose, 1L	20	1	55.53	Diasol AB
PETHIDINE				
Injection BP, 50mg in 1mL	5	..	4.38	Pethoid BW BL,LP,SI
100mg in 2mL	5	..	4.43	Pethoid BW BL,LP,SI
NOTE: Authorities for increased maximum quantities and/or repeats of PETHIDINE will be granted only for the treatment of late-stage malignant neoplasia.				
PHENELZINE				
Authority required. Depressive illness resistant to treatment with either tricyclic anti-depressants or electro- convulsive therapy; Phobic states.				
CAUTION: This drug is a monoamine oxidase inhibitor.				
Tablet 15mg	50	..	5.98	Nardil WW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENETHICILLIN					
Prophylaxis of recurrent strepto- coccal infections (including rheumatic fever).					
Tablet 125mg	50	5	5.53	Optipen Pensig	CS SI
250mg	50	5	6.39	Optipen Pensig	CS SI
Capsule 250mg	50	5	6.39	Optipen Pensig	CS SI
PHENETHICILLIN					
Tablet 125mg	25	1	3.63	Optipen Pensig	CS SI
250mg	25	1	4.06	Optipen Pensig	CS SI
Capsule 250mg	25	1	4.06	Optipen Pensig	CS SI
500mg	25	1	5.07	Optipen Pensig	CS SI
Powder for Syrup 125mg per 5mL, 100mL	#1	1	#4.62	Pensig 125	SI
250mg per 5mL, 100mL	#1	1	#5.27	Pensig 250	SI
PHENINDIONE					
Tablet 10mg	100	2	5.64	Dindevan	GL
50mg	100	2	7.24	Dindevan	GL
PHENIRAMINE					
Tablet 10mg	50	2	3.31	Fenamine-M	FM
50mg	50	2	3.61	Avil Fenamine	HP FM
Paediatric Syrup 15mg per 5mL, 100mL	#1	4	3.31	Fenamine	FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price -\$	Proprietary Name and Manufacturer
PHENOBARBITONE Epilepsy.				
Tablet 15mg	200	1	3.84	Phenotone DH, FM US
30mg	200	1	3.91	Phenotone DH, FM, SI US
60mg	200	1	4.24	Phenotone DH, FM US
PHENOBARBITONE SODIUM Injection 200mg in 1mL	5	..	4.29	BL, FM
PHENOXYBENZAMINE Authority required. Pheochromocytoma; Neurogenic urinary retention.				
Capsule 10mg	100	..	7.39	Dibenyline SK
PHENOXYMETHYLPENICILLIN Prophylaxis of recurrent strepto- coccal infections (including rheumatic fever).				
Tablet 125mg	50	5	5.53	Abbocillin-V AB L.P.V. CS P.V.O. FM
250mg	50	5	6.19	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
Capsule 125mg	50	5	5.53	P.V.O. FM
250mg	50	5	6.19	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont. Tablet 125mg	25	1	3.63	Abbocillin-V AB L.P.V. CS P.V.O. FM
250mg	25	1	3.96	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
500mg	25	1	4.91	Abbocillin-VK AB L.P.V. CS PVK LY P.V.O. FM
Capsule 125mg	25	1	3.63	P.V.O. FM
250mg	25	1	3.96	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA L.P.V. CS PVK LY P.V.O. FM
500mg	25	1	4.91	Cilicaine VK SI Falcopen VK FA L.P.V. CS P.V.O. FM
Paediatric Suspension 125mg per 5mL, 100mL	≠1	1	3.84	Abbocillin-V AB Cilicaine V SI Falcopen V FA L.P.V. CS
Suspension 250mg per 5mL, 100mL	≠1	1	4.43	Abbocillin-V AB Cilicaine V SI Falcopen V FA L.P.V. Aqueous CS Forte
PHENSUXIMIDE Capsule 500mg	200	1	15.76	Milontin PD
PHENYLALANINE LOW CONTENT FORMULA NOTE: For phenylketonuria only.				
Powder 2.5 lb	2	2	79.11	Lofenalac MJ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENYLBUTAZONE				
<u>CAUTION:</u> Phenylbutazone may cause serious blood dyscrasias.				
Tablet 100mg	50	2	3.61	Butacal LF
				Butazone PT
			3.63	Butalgin FM
100mg (enteric coated)	50	2	3.63	Butazolidin GE
Capsule 100mg	50	2	3.63	Buzon US
Injection 600mg in 3mL	5	..	5.77	Butazolidin GE
Suppositories 250mg, 20	#1	2	7.24	Butazolidin GE
PHENYLEPHRINE				
Compound Ointment 60g	#1	1	3.84	Hemorex WL
Compound Suppositories, 12	#1	1	3.84	Hemorex WL
Eye Drops 0.12%, 15mL	#1	2	3.63	Isopto Frin AQ
				Prefrin AG
10%, 5mL	#1	..	4.43	Neo-Synephrine WL
PHENYTOIN				
Tablet 50mg	200	1	7.03	Dilantin Infatabs PD
Paediatric Suspension 30mg per 5mL, 500mL	#1	3	5.71	Dilantin PD
PHENYTOIN SODIUM				
Tablet 100mg	200	1	5.77	FM
Capsule 30mg	200	1	6.91	Dilantin Sodium PD
100mg	200	1	7.17	Dilantin Sodium PD
Injection 100mg in 2mL	1	..	6.17	Dilantin Sodium PD
250mg in 5mL	1	..	7.37	Dilantin Sodium PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHOLCODINE Linctus 0.1%, 100mL	≠1	2	3.01 3.17	Pholtrate Actuss Adaphol Duro-Tuss Pectolin Pholcolin Pholcolin Red Sedlingtus Tussinol PR,RT	MG SI NN RK FA DH DH RT GP
PTHALYLSULPHACETAMIDE Tablet 500mg	100	..	5.57	Talecid	SC
PTHALYLSULPHATHIAZOLE Tablet 500mg	100	..	5.57	Phthazol	US
PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15mL	≠1	6	4.97	IQ	
0.5%, 15mL	≠1	6	5.37	IQ	
PHYTOMENADIONE Injection 1mg	5	..	4.43	Konakion	RO
10mg	5	..	6.29	Konakion	RO
PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15mL	≠1	6	3.78	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
1%, 15mL	≠1	6	3.84	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2%, 15mL	≠1	6	3.97	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG

(continued)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PILOCARPINE HYDROCHLORIDE - cont. Eye Drops 3%, 15mL	#1	6	4.11	Isopto AQ Carpine SI Pilopt AG P.V. Carpine IQ
4%, 15mL	#1	6	4.24	Isopto AQ Carpine SI Pilopt AG P.V. Carpine IQ
6%, 15mL	#1	6	4.77	Isopto AQ Carpine SI Pilopt AG P.V. Carpine AG
PILOCARPINE HYDROCHLORIDE with ADRENALINE Eye Drops 2%-0.5%, 15mL	#1	6	4.31	E-Carpine AQ
4%-0.5%, 15mL	#1	6	4.57	E-Carpine AQ
PINDOLOL Hypertension where there is an inadequate response to not less than 15mg of pindolol daily; Frequent disabling angina without evidence of cardiac failure where there is an inadequate response to not less than 15mg of pindolol daily.				
Tablet 15mg	50	2	11.71	Visken SZ
PINDOLOL Tablet 5mg	100	2	9.23	Visken SZ
Injection 400 micrograms in 2mL	5	..	6.57	Visken SZ
PIZOTIFEN MALATE Prevention of migraine.				
Tablet 500 micrograms (base)	100	2	10.77	Sandomigran SZ
PLAGUE VACCINE Injection 3,000 million organisms in 1mL	2	..	7.85	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PNEUMOCOCCAL VACCINE, POLYVALENT Splenectomised persons over two (2) years of age; Persons with Hodgkin's disease; Persons at high risk of pneumococcal infections.					
Injection 0.5mL	1	..	13.43	Pneumovax	CS
POLYESTRADIOL Carcinoma of the breast; Carcinoma of the prostate.					
Injection set containing 40mg and 2mL solvent	1	..	8.37	Estradurin	AY
POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per mL, 10mL	#1	2	3.78	Aerosporin	BW
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg (base) per mL, 15mL	#1	..	3.78	Neotracin	ET
Eye Ointment 5,000 Units- 400 Units-5mg per g, 4g	#1	..	3.51	Mycitracin Neosporin	UP BW
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg- 25 micrograms per mL, 10mL	#1	2	4.03	Neosporin	BW
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)-10mg per mL, 7mL	#1	2	3.78	Aerocortin	BW
POLYVINYL ALCOHOL Eye Drops 1.4%, 15mL	#1	6	4.11	Liquifilm Tears	AG
POTASSIUM <u>Authority required.</u> Hyperchloraemic hypokalaemic acidosis.					
Effervescent Tablet 6.5mmol K ⁺	100	..	4.31	Potavescent	PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POTASSIUM CHLORIDE				
NOTE: Concomitant amiloride or triamterene may cause fatal hyperkalaemia.				
Tablet 600mg (sustained release)	100	2	3.91	K-San PR Slow-K CB Span-K PT
Effervescent Tablet 14mmol K ⁺ and 8mmol Cl ⁻	30	2	4.03	Chlorvescent PT
Elixir 1.5g (20mmol K ⁺ and 20mmol Cl ⁻) per 15mL, 500mL	≠1	2	4.24	Kay Ciel SC
Sterile Solution 0.746g in 10mL (7.46%) for preparation of intravenous infusion	5	..	4.97	AB
Sterile Solution 1g in 10mL (10%) for preparation of intravenous infusion	5	..	4.97	AB
Injection Standard Maintenance Fluid-See Intravenous Infusions				
PRALIDOXIME IODIDE Injection 500mg	5	..	14.29	AB
PRAZOSIN HYDROCHLORIDE Tablet 1mg (base)	100	2	8.03	Minipress PF
2mg (base)	100	2	10.97	Minipress PF
5mg (base)	100	2	16.63	Minipress PF
PREDNISOLONE Tablet 1mg	100	1	4.03	Panafcort- elone PT
5mg	30	2	3.22	Panafcort- elone PT
			3.23	Adnisolone NN Delta-Cortef UP Deltasolone US Prelone LF Solone FM PR
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PREDNISOLONE - cont. Tablet 25mg	30	1	5.23	Panafcort- elone PT
			5.24	Solone FM
Eye Ointment 0.5%, 4g	#1	..	3.91	Delta-Cortef UP
PREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration.				
Injection 10mg in 1mL	5	..	9.23	Scherisolon SC
PREDNISOLONE ACETATE Eye Drops 0.5%, 5mL	#1	6	4.43	Sterofrin AQ
PREDNISOLONE ACETATE with PHENYLEPHRINE Corneal grafts; Uveitis.				
Eye Drops 1%-0.12%, 10mL	#1	2	5.64	Prednefrin Forte AG
PREDNISOLONE SODIUM PHOSPHATE Proctitis; Ulcerative colitis.				
Retention Enema 20mg in 100mL	14	..	30.25	Predsol GL
Suppositories equivalent to 5mg prednisolone, 10	2	..	12.03	Predsol GL
PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5mL	#1	6	4.51	Predsol GL
PREDNISOLONE STEAGLATE Tablet 6.65mg	30	2	3.31	Sintisone EC
PREDNISOLONE TERTIARYBUTYLACETATE For local intra-articular or peri-articular infiltration.				
Injection 20mg in 1mL	5	..	8.83	Codelcortone TBA MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PREDNISONE					
Tablet 1mg	100	1	4.03	Panafcort	PT
5mg	30	2	3.22	Panafcort	PT
			3.23	DH	
				Adasone	NN
				Deltasone	US
				Presone	LF
				Propred	NK
				Sone	FM
				PR	
25mg	30	1	5.23	Panafcort	PT
			5.24	Sone	FM
PRIMAQUINE					
Tablet equivalent to 7.5mg base	42	..	5.76	IC	
PRIMIDONE					
Tablet 250mg	200	1	8.28	Midone	PT
				Mysoline	IC
PROBENECID					
Tablet 500mg	100	2	9.37	Procid	PT
			9.39	Benemid	FR
PROCAINAMIDE					
Capsule 250mg	100	2	6.84	Pronestyl	SQ
375mg	100	2	8.31	Pronestyl	SQ
Injection 100mg per mL, 10mL	2	..	7.13	Pronestyl	SQ
PROCAINE PENICILLIN					
Injection BP, 1g	5	..	9.97	Aquacillin	FA
				Cilicaine	SI
1.5g	5	..	10.24	Aquacillin	FA
				Cilicaine	SI
Crystalline Injection					
900mg (solvent required)	5	..	6.29	Aquacaine G	CS
1.5g (solvent required)	5	..	7.64	Aquacaine G	CS
PROCAINE PENICILLIN FORTIFIED					
Injection 1.08g (solvent required)	5	..	6.97	Aquacaine G	
				Fortified	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROCARBAZINE <u>Authority required.</u> *Lymphoma; *Small cell carcinoma of the lung. <u>CAUTION:</u> As well as being cytotoxic procarbazine is a monoamine oxidase inhibitor with an Antabuse-like activity.					
Capsule 50mg	100	..	19.23	Natulan	RO
PROCHLORPERAZINE <u>Authority required.</u> Emesis associated with malignant disease; Rotational vertigo.					
Tablet 5mg	100	..	4.22 4.24	Anti-Naus Compazine Stemetil	PT SK MB
PROCHLORPERAZINE Tablet 5mg	25	..	2.77	Anti-Naus Compazine Stemetil	PT SK MB
<u>NOTE:</u> Authorities for increased maximum quantities and/or repeats of prochlorperazine tablets will be granted only for the treatment of emesis associated with malignant disease or rotational vertigo.					
Injection 12.5mg in 1mL	10	..	5.51	Compazine Stemetil	SK MB
Suppositories 5mg, 5	≠1	..	3.63	Stemetil	MB
25mg, 5	≠1	..	4.03	Stemetil	MB
PROCYCLIDINE <u>CAUTION:</u> Long term use with major tranquillisers increases the risk of tardive dyskinesia.					
Tablet 5mg	100	2	6.29	Kemadrin	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROGUANIL Tablet 100mg	100	2	5.18	Paludrine IC
PROMETHAZINE Tablet 10mg	50	2	3.38	Phenergan MB
25mg	50	2	3.59 3.61	Meth-Zine PT Phenergan MB
Mixture 5mg per 5mL, 100mL	#1	4	3.31	Progan NN Prothazine US
Injection 50mg in 2mL	10	..	4.81	BL
PROMETHAZINE THEOCLATE Tablet 25mg	30	1	3.83	Avomine MB
PROPANTHELINE BROMIDE <u>Authority required.</u> Chronic neurogenic incontinence of urine.				
Tablet 15mg	100	..	4.71 5.09	Pantheline PT Pro-Banthine SR
PROPRANOLOL Hypertension where there is an inadequate response to not less than 160mg of propranolol daily; Frequent disabling angina without evidence of cardiac failure where there is an inadequate response to not less than 160mg of propranolol daily.				
Tablet 160mg	50	2	11.31 12.63	Cardinol PT Inderal IC
PROPRANOLOL Tablet 10mg	100	2	5.24 5.37	Cardinol PT Inderal IC
40mg	100	2	8.23 8.71	Cardinol PT Inderal IC
Injection 1mg in 1mL	5	..	7.63	Inderal IC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROPYLENE GLYCOL Spray Diluent Propylene Glycol 10%, Glycerol 2% in Normal Saline, 200mL	≠1	2	4.37	FA	
PROPYLTHIOURACIL Tablet 50mg	100	2	6.09	ET	
PROTAMINE SULPHATE Injection 1%, 10mL	6	..	18.58	BT	
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE <u>NOTE:</u> For phenylketonuria only.					
Powder 200g sachet	10	2	284.53	Albumaid XP	SJ
PROTRIPTYLINE Tablet 5mg	50	2	4.31	Concordin	MK
10mg	50	2	5.11	Concordin	MK
PYRIDOSTIGMINE Tablet 10mg	100	2	6.23	Mestinon	RO
60mg	100	2	16.63	Mestinon	RO
180mg (sustained release)	100	1	23.29	Mestinon	RO
Injection 1mg in 1mL	5	1	4.17	Mestinon	RO
PYRIDOXINE HYDROCHLORIDE Homocystinuria; Peripheral neuritis due to isoniazid therapy, prophylaxis or treatment; Primary hyperoxaluria; Pyridoxine-responsive anaemia, proven; Pyridoxine-responsive convulsions; Radiation sickness; Sideroblastic (refractory) anaemia.					
Tablet 25mg	100	..	4.31	Pydox DH,FM	PT
PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1mL	5	1	4.31	Pyroxin BL,FM	US

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PYRIMETHAMINE Tablet 25mg	50	..	4.31	Daraprim BW
PYRIMETHAMINE with DAPSONE Prophylaxis of chloroquine- resistant falciparum malaria only.				
Tablet 12.5mg-100mg	10	..	4.97	Maloprim BW
PYRIMETHAMINE with SULFADOXINE Prophylaxis or treatment of chloroquine-resistant falciparum malaria only.				
Tablet 25mg-500mg	12	..	6.66	Fansidar RO
QUINETHAZONE Tablet 50mg	50	2	5.27	Aquamox LE
QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	15.29	Kinidin AP
QUINIDINE SULPHATE Tablet 200mg	100	2	14.43 14.57	DH,PT Cardoquin NN Quincardine FM Quinidis US Quinidoxin BW FA,PR,QE(NQ) TO
300mg (sustained release)	100	2	20.42	Quinidex LA RS
QUININE BISULPHATE Tablet 300mg	50	..	8.43 8.51	DH,PT Biquin NN Bi-Quinate US Myoquin FM Quinbisan PR BW,FA,SI
QUININE SULPHATE Tablet 300mg	50	..	8.43 8.51	DH,PT Adaquin NN Quinate US Quinocetl FM Quinsan PR QE(NQ),SI,TO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
RIBOFLAVINE Persons holding a Pensioner Health Benefits card or a Health Benefits card and dependants.				
Tablet 5mg	100	2	3.63	Ribofin FM US
ROLITETRACYCLINE I.V. Injection set containing 275mg and 10mL solvent	5	..	15.98	Reverin HP
I.M. Injection set containing 350mg and 2mL solvent	5	..	15.98	Reverin HP
SACCHARIN or SACCHARIN SODIUM Tablets 30mg, 500	≠1	1	3.21 3.22	DH FA
SALBUTAMOL <u>Authority required.</u> Bronchial asthma in children under the age of eight (8) years who are unable to use a metered aerosol spray.				
Capsule 200 micrograms (Oral Inhalation)	100	..	5.98	Ventolin Rotacaps AH
SALBUTAMOL <u>NOTE:</u> Oral preparations are generally less effective and produce more side effects than inhaled preparations.				
Tablet 4mg	100	2	6.57	Ventolin AH
Syrup 2mg per 5mL, 300mL	≠1	4	4.71	Ventolin AH
Inhalation Solution For use in RESPIRATOR, 0.5%, 30mL	≠1	2	6.71	Ventolin AH
Inhalation, metered aerosol spray, 100 micrograms per dose (200 dose)	≠1	2	5.24	Ventolin AH
SALICYLAMIDE Tablet 500mg	100	2	3.63	PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SENEGA and AMMONIA Mixture APF, 200mL	#1	4	3.23 3.29 3.31	Senamon DH MG,SI,SL(NQVW) FA PR,QE(NQ),TO
SODIUM ACID CITRATE Mixture 5.5g per 20mL, 500mL	#1	4	4.31	Citralka PD
SODIUM AUROTHIOMALATE Injection 1mg	5	..	12.61	Myocrisin MB
5mg	5	..	15.09	Myocrisin MB
10mg	5	..	17.98	Myocrisin MB
20mg	5	..	24.59	Myocrisin MB
50mg	10	1	66.21	Myocrisin MB
SODIUM BICARBONATE Injection 8.4%, 100mL	.5	..	15.18	AB
4.2%, 500mL - See Intravenous Infusions				
SODIUM CALCIUMEDETATE Tablet 500mg	100	2	16.36	Calcium Disodium Versenate RK
SODIUM CHLORIDE Injection 0.9%, 2mL	5	1	3.33	BL,LP
0.9%, 5mL	5	1	3.53	BL,LP
0.9%, 10mL	5	1	3.87	BL,LP
1L size-See Intravenous Infusions				
SODIUM CHLORIDE and DEXTROSE See Intravenous Infusions				
SODIUM CHLORIDE COMPOUND See Intravenous Infusions				
SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	4.31	Citravescent PT Dex-Cit RC Ural Sachets AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CROMOGLYCATe Prophylaxis of bronchial asthma.				
Capsule 20mg (Oral Inhalation)	100	2	17.29	Intal Spincaps FC
Authority required. Vernal kerato-conjunctivitis, demonstrated by eosinophils in conjunctival scrapings.				
Eye Drops 2%, 10mL	#1	..	7.31	Opticrom FC
Authority required. Use in a power-operated nebuliser for the treatment of asthma in children under the age of four (4) years.				
Nebuliser Solution 20mg per 2mL, ampoule	48	..	19.31	Intal FC
SODIUM LACTATE See Intravenous Infusions				
SODIUM LACTATE COMPOUND See Intravenous Infusions				
SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE See Intravenous Infusions				
SODIUM NITROPRUSSIDE Infusion 50mg	10	..	42.22	Nipride RO
SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	4.31	Rhumax PR
500mg (enteric coated)	100	2	4.64	Rhumax PR
600mg (enteric coated)	100	2	4.97	Ensalate RC Rhumax PR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM VALPROATE				
<u>CAUTION:</u> There are increasing reports of hepatotoxicity, often fatal, particularly in children.				
Epilepsy.				
Tablet 200mg	200	1	38.99	Epilim RC
Syrup 200mg per 5mL, 200mL	≠1	1	11.31	Epilim RC
<u>Authority required.</u>				
Epilepsy, in patients requiring more than 1g of sodium valproate daily.				
Tablet 500mg (enteric coated)	100	..	43.29	Epilim EC RC
SOYA FORMULA				
<u>Authority required.</u>				
Galactosaemia; Homocystinuria; Lactose intolerance; Cows' milk allergy in children under the age of two (2) years.				
<u>NOTE:</u> Milk allergy means eczema, asthma or severe gastro-intestinal upset demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk.				
Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months.				
Age of patient to be shown on application for authority.				
<u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Liquid 375mL	5	20	7.18	ProSobee MJ
384mL	5	20	7.18	Isomil RD
Powder 500g	≠1	20	7.14	Infasoy WY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SPECTINOMYCIN					
Injection 2g with 3.2mL diluent	1	..	7.91	Trobicin	UP
4g with 6.5mL diluent	1	..	12.29	Trobicin	UP
SPIRONOLACTONE					
Authority required.					
Primary hyperaldosteronism;					
Secondary hyperaldosteronism.					
Tablet 25mg	100	..	10.49	Spirotone	PT
			10.87	Aldactone	SR
STANDARD MAINTENANCE FLUID					
See Intravenous Infusions					
STAPHYLOCOCCUS TOXOID (FORMALINISED)					
Injection					
Diluted 1 in 10 for use in initial injection 5mL	1	..	5.11	CS	
Undiluted 5mL	1	..	5.51	CS	
STILBOESTROL					
Tablet 500 micrograms	100	2	3.26	DH,HA	
1mg	100	2	3.38	DH,HA	
5mg	100	2	3.57	DH,HA	
10mg	100	2	4.42	HA	
STREPTOKINASE					
Injection					
100,000 I.U. (solvent required)	2	..	46.75	Kabikinase	FA
250,000 I.U. (solvent required)	2	..	76.53	Streptase	HP
			81.13	Kabikinase	FA
600,000 I.U. (solvent required)	5	..	405.28	Kabikinase	FA
750,000 I.U. (solvent required)	5	..	476.43	Streptase	HP
STREPTOMYCIN SULPHATE					
Injection 1g (solvent required)	5	3	6.29	GL	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SULINDAC Chronic osteoarthritis; Chronic rheumatoid arthritis.					
Tablet 100mg	50	2	6.28	Clinoril	FR
SULPHACETAMIDE SODIUM Eye Drops 10%, 15mL	≠1	2	3.78	Acetopt Bleph 10 IQ	SI AG
15%, 15mL	≠1	2	3.78	Isopto Cetamide	AQ
20%, 15mL	≠1	2	3.78	Acetopt	SI
SULPHADIAZINE Tablet 500mg	40	2	3.97	PT,RY	
SULPHADIMIDINE Tablet 500mg	40	2	3.97	S-Dimidine RY	PT
SULPHAFURAZOLE Tablet 300mg	40	2	4.11	Gantrisin	RO
500mg	40	2	4.17 4.31	Urogan Gantrisin Sulfazole	NN RO PT
Paediatric Syrup 500mg per 5mL, 100mL	≠1	1	4.51	Gantrisin	RO
Eye Drops 4%, 10mL	≠1	2	3.78	Gantrisin	RO
Eye Ointment 4%, 5g	≠1	..	3.51	Gantrisin	RO
SULPHAMETHIZOLE Tablet 250mg	40	2	3.91	PT	
500mg	40	2	4.91 5.03	PT Urolucosil	WW
1g	20	2	4.89	Urolucosil	WW
Paediatric Suspension 100mg per 5mL, 100mL	≠1	1	3.79	Urolucosil	WW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SULPHAMETHOXAZOLE					
Tablet 500mg	20	1	3.97	Gantanol	RO
Syrup 500mg per 5mL, 50mL	≠1	2	3.97	Gantanol	RO
SULPHAPYRIDINE					
Tablet 500mg	100	..	6.77	M&B 693	MB
SULPHASALAZINE					
Tablet 500mg	100	5	13.31	Salazopyrin	PS
500mg (enteric coated)	100	5	13.31	Salazopyrin- EN	PS
SULPHINPYRAZONE					
Tablet 100mg	100	2	10.71	Anturan	CB
SULTHIAME					
Tablet 50mg	200	1	7.64	Ospolot	BN
200mg	200	1	14.29	Ospolot	BN
SURGICAL CEMENT					
For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.					
Skin Bond Adhesive 4fl oz	≠1	2	6.48	DY	
Solvent 200mL	≠1	..	4.71	Zoff	SN
227mL	≠1	2	5.57	Unisolve	DY
240mL	≠1	2	4.84	Sacsol	LF
250mL	≠1	2	5.17	Sacsol Non Flammable	LF
TACRINE					
Injection 10mg, 2mL	5	1	3.71	T.H.A.	WH
30mg, 2mL	5	1	4.41	T.H.A.	WH
TAMOXIFEN CITRATE					
Authority required. Treatment of post-menopausal metastatic breast cancer.					
Tablet 10mg	30	..	21.56	Nolvadex	IC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TEMAZEPAM Capsule 10mg	25	..	3.38	Euhypnos Normison	SI WY
TERBUTALINE SULPHATE <u>NOTE:</u> Oral preparations are generally less effective and produce more side effects than the metered aerosol.					
Tablet 5mg	100	2	6.97	Bricanyl	AP
Elixir 300 micrograms per mL, 300mL	¶1	4	4.84	Bricanyl	AP
Injection 100 micrograms in 1mL	5	..	5.24	Bricanyl	AP
500 micrograms in 1mL	5	..	5.37	Bricanyl	AP
Inhalation, metered aerosol spray, 250 micrograms per dose (400 dose)	¶1	1	7.37	Bricanyl	AP
Nebuliser Solution 1%, 50mL	¶1	2	9.91	Bricanyl	AP
TESTOSTERONE ENANTHATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).					
Injection 100mg in 1mL	3	1	12.23	Primoteston Depot	SC
250mg in 1mL	3	1	25.96	Primoteston Depot	SC
TESTOSTERONE ESTERS Carcinoma of the breast; Gigantism; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).					
Injection 100mg	3	1	12.81	Sustanon"100"	OR
250mg	3	1	25.47	Sustanon"250"	OR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TESTOSTERONE PROPIONATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 25mg in 1mL	9	..	8.18	Testoviron SC
50mg in 1mL	9	..	13.01	Testoviron SC
TETANUS VACCINE, ADSORBED Injection 0.5mL	3	..	5.81	CS
TETRABENAZINE <u>Authority required.</u> Chorea not adequately controlled by other drug therapy.				
Tablet 25mg	100	..	11.97	Nitoman RO
TETRACOSACTRIN <u>Authority required.</u> Children who need long-term corticosteroid therapy but who are in danger of growth suppression as a result; Hypsarrhythmia; Multiple sclerosis, acute exacerbation; (An authority for up to 10 ampoules may be issued for each acute exacerbation.) Patients who are being withdrawn from long-term corticosteroid therapy; (An authority for up to 5 ampoules may be issued for this purpose.) Status asthmaticus. <u>NOTE:</u> Status asthmaticus means a severe paroxysm of bronchial asthma lasting more than 24 hours which has proved resistant to recognised therapy and where life is endangered. (An authority for up to 5 ampoules may be issued for this purpose.) Ulcerative colitis, proven, not responding to parenteral corticosteroids.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACOSACTRIN - cont. Injection 500 micrograms in 1mL	5	..	14.23	Synacthen Depot CB
1mg in 1mL	5	..	20.89	Synacthen Depot CB
TETRACYCLINE Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	7.01	Achromycin LE Australamycin CS Hydracycline Plain FM Panmycin P UP Tetramykoin BZ(N)
TETRACYCLINE Capsule 250mg	25	..	4.37	Achromycin LE Australamycin CS Hydracycline Plain FM Panmycin P UP Tetramykoin BZ(N)
TETRACYCLINE with NYSTATIN Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Tablet 250mg-250,000 Units	50	5	7.01	Mysteclin SQ
Capsule 250mg-250,000 Units	50	5	7.01	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE with NYSTATIN - cont. Tablet 250mg-250,000 Units	25	..	4.37	Mysteclin SQ
Capsule 250mg-250,000 Units	25	..	4.37	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F BC
TETRACYCLINE (BUFFERED) Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	7.01	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	4.37	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Panmycin M UP Steclin-V SQ Tetrex BC
THEOPHYLLINE Tablet 50mg	100	2	3.91	Nuelin Paediatric RK
125mg	100	2	4.71	Nuelin RK
200mg	100	2	5.31	Nuelin RK
200mg (sustained release)	50	2	4.42	Theo-Dur AP
300mg (sustained release)	50	2	5.26	Theo-Dur AP
Capsule 200mg	100	2	5.31	Elixophyllin SC
Elixir 80mg per 15mL, 500mL	≠1	4	4.03	Elixophyllin SC
Syrup 80mg per 15mL, 500mL	≠1	4	4.03	Nuelin RK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
THEOPHYLLINE with GUAIPHENESIN Capsule 150mg-90mg	100	2	4.91	Quibron MJ
Elixir 150mg-90mg per 15mL, 500mL	≠1	4	4.31	Quibron MJ
THEOPHYLLINE with POTASSIUM IODIDE Oral Liquid 80mg-130mg per 15mL, 500mL	≠1	4	4.17	Elixophyllin- KI SC
THIABENDAZOLE Tablet 500mg	16	..	6.06	Mintezol MK
THIAMINE HYDROCHLORIDE Persons holding a Pensioner Health Benefits card or a Health Benefits card and dependants.				
Tablet 50mg	100	2	3.69 3.71	PT Betamin Invite-B US DH, FM, PR NN
100mg	100	2	4.23 4.24	PT Betamin US Invite-B NN Thiminone LF FM, PR, QE(NQ)
THIAMINE HYDROCHLORIDE Injection 100mg in 1mL	5	1	3.91	Beta-Sol FM
THIETHYLPERAZINE Tablet 6.5mg (base)	50	..	3.99	Torecan SZ
Injection 6.5mg (base) in 1mL	10	..	5.73	Torecan SZ
Suppositories 6.5mg (base), 6	≠1	..	3.72	Torecan SZ
THIOGUANINE Tablet 40mg	25	1	39.42	Lanvis BW
THIOPROPAZATE Chorea; Drug induced dystonias.				
Tablet 5mg	100	1	7.18	Dartalan SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
THIORIDAZINE					
Chorea;					
Hyperactive states of organic or toxic delirium;					
Malignant neoplasia (late stage);					
Radiation sickness;					
Severe conduct disorders of children;					
Major psychoses including:-					
Major organic psychoses includ- ing arteriopathic dementia;					
Manic-depressive psychosis;					
Paranoid states;					
Schizophrenia;					
Senile dementia.					
Tablet 10mg	100	1	3.71	Melleril	SZ
25mg	100	1	4.51	Melleril	SZ
50mg	100	1	6.26	Melleril	SZ
100mg	100	1	10.23	Melleril	SZ
Oral Solution					
3% (30mg per mL), 30mL	#1	4	5.24	Melleril	SZ
Injection 25mg per mL, 2mL	10	..	6.69	Melleril	SZ
THIOTEPA					
Injection 15mg (solvent required)	2	1	12.45	LE	
Eye Drops, set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	#1	5	#12.78	LE	
THYROXINE SODIUM (BP 1980)					
Tablet 50 micrograms	100	2	3.31	Oroxine Thyroxinal	BW FM
100 micrograms	100	2	3.44	Oroxine Thyroxinal	BW FM
200 micrograms	100	2	3.78	Oroxine Thyroxinal	BW FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TICARCILLIN DISODIUM <u>Authority required.</u> Infections where positive bacteriological evidence confirms that ticarcillin disodium is the most appropriate therapeutic agent; Septicaemia, suspected or proven. Injection equivalent to 3g ticarcillin (solvent required)	5	..	59.23	Tarcil	BR
TIMOLOL Tablet 5mg	100	2	9.23	Blocadren	FR
Eye Drops 0.25%, 5mL	≠1	6	8.31	Timoptol	FR
0.5%, 5mL	≠1	6	9.29	Timoptol	FR
CAUTION: Timolol eye drops may precipitate bronchospasm in susceptible patients.					
TINIDAZOLE Tablet 500mg	4	..	4.93	Fasigyn	PF
TOBRAMYCIN SULPHATE <u>Authority required.</u> Infections where positive bact- eriological evidence confirms that tobramycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven. Injection 40mg	5	..	19.78	Nebcin	LY
80mg	5	..	30.28	Nebcin	LY
TOLAZAMIDE Tablet 250mg	100	2	9.63	Tolinase	UP
TOLBUTAMIDE Tablet 500mg	100	2	4.64 5.14	Diatol Artosin Rastinon	PT RC HP
1g	100	2	7.57	Artosin Rastinon	RC HP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRANEXAMIC ACID <u>Authority required.</u> Hereditary angio-oedema. Tablet 500mg	200	..	53.34	Cyklokapron FA
TRANYLCYPROMINE <u>Authority required.</u> Depressive illness resistant to treatment with either tricyclic anti-depressants or electro- convulsive therapy; Phobic states. <u>CAUTION:</u> This drug is a monoamine oxidase inhibitor. Tablet 10mg	50	..	5.98	Parnate SK
TRIAMCINOLONE ACETONIDE Alopecia areata; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Necrobiosis lipoidica; Psoriasis. Injection 10mg in 1mL	5	..	11.11	Kenacort-A10 SQ
TRIAMCINOLONE ACETONIDE Cream 0.02%, 45g	≠1	..	3.62	Kenalone 0.02% SQ
0.02%, 100g	≠1	..	4.17	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 15g	≠1	1	3.26	Aristocort 0.05% LE Kenalone SQ
Ointment 0.02%, 45g	≠1	..	3.62	Kenalone 0.02% SQ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIAMCINOLONE ACETONIDE - cont. Ointment 0.02%, 100g	#1	..	4.17	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 15g	#1	1	3.26	Aristocort 0.05% LE Kenalone SQ
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Drops 0.1%-0.25% (base)- 0.025%-100,000 Units per g, 7.5mL	#1	2	3.78	Kenacomb Otic SQ
Ear Cream 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	#1	2	3.63	Kenacomb Otic SQ
Ear Ointment 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	#1	2	3.63	Kenacomb Otic SQ
TRIAMTERENE NOTE: Supplementary potassium may cause fatal hyperkalaemia.				
Tablet 100mg	50	2	6.02	Dytac SK
TRIFLUOPERAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive psychosis; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 1mg	100	1	5.04	Calmazine PT Stelazine SK Terfluzin MB
2mg	100	1	6.38	Calmazine PT Stelazine SK Terfluzin MB
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TRIFLUOPERAZINE - cont. Tablet 5mg	100	1	6.88	Calmazine Stelazine	PT SK
Syrup 1mg per 5mL, 100mL	≠1	4	3.32	Stelazine	SK
Injection 1mg in 1mL	10	..	5.89	Stelazine	SK
TRIGLYCERIDES, MEDIUM CHAIN <u>Authority required.</u> Patients requiring a ketogenic diet for intractable childhood epilepsy; Proven malabsorption.					
Compound Powder 450g	2	..	15.59	Triglyde	MJ
<u>Authority required.</u> Abetalipoproteinaemia, acanthocytosis; Intestinal lymphangiectasia; Patients requiring a ketogenic diet for intractable childhood epilepsy; Severe hyperlipidaemia associated with abdominal pain and requiring a minimal fat intake; Steatorrhoea due to extensive small bowel resection. NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.					
Oil 1L	≠1	5	17.29	MCT Oil	MJ
<u>Authority required.</u> Cystic fibrosis; Enterokinase deficiency; Intolerance to both milk protein and soya protein; Severe diarrhoea of greater than two weeks duration in infants under the age of four (4) months.					
Protein Hydrolysate Compound Powder 454g	2	..	19.59	Pregestimil	MJ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIMEPRAZINE Tablet 10mg	50	2	3.78	Vallergan MB
TRIMETAPHAN Injection set containing 250mg and 5mL water for injections	3	..	17.97	Arfonad RO
TRIMETHOPRIM Acute urinary tract infections. Tablet 300mg	7	..	5.03	Triprim BW
TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	3.97	Bactrim Septrin Trib RO BW PT
160mg-800mg	10	..	5.03	Bactrim DS Septrin Forte Trib DS RO BW PT
Suspension 40mg-200mg per 5mL, 100mL	≠1	..	4.54	Bactrim Septrin Trib RO BW PT
TRIMIPRAMINE <u>Authority required.</u> Endogenous depression where there is an inadequate response to not less than 100mg of trimipramine daily.				
Capsule 50mg	50	..	4.77	Surmontil MB
TRIMIPRAMINE Tablet 25mg	50	2	4.27	Surmontil MB
TRIOXYSALEN Vitiligo. Tablet 5mg	100	2	22.29	Trisoralen PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TRI-POTASSIUM DI-CITRATO BISMUTHATE COMPLEX <u>Authority required.</u> Duodenal ulcer, confirmed by radiology, endoscopy or surgery; Gastric ulcer, confirmed by radiology, endoscopy or surgery. <u>NOTE:</u> Applications for authority must state the date of barium meal, endoscopy or surgery (for gastric ulcer, procedure must have been within three months of application). Increased maximum quantities and/or repeats will not be authorised. <u>CAUTION:</u> Long term bismuth therapy is potentially toxic.					
Mixture 110.9mg (Bi) per 5mL, 560mL	≠1	1	12.41	De-No1	PD
<u>NOTE:</u> Not more than two containers each of 560mL will be available on authority in any 12 months period.					
Mixture 156mg (Bi) per 5mL, 500mL	≠1	1	12.41	Ulcaron	SH
<u>NOTE:</u> Not more than two containers each of 500mL will be available on authority in any 12 months period.					
TRIPROLIDINE Tablet 2.5mg	50	2	3.78	Actidil	BW
Paediatric Elixir 1mg per 5mL, 100mL	≠1	4	3.31	Actidil	BW
TYPHOID VACCINE Injection 0.5mL	2	..	4.89	CS	
TYPHUS VACCINE Injection 1mL	2	..	30.23	CS	
UREA Cream 10%, 100g	≠1	2	5.98	Aquacare H.P. AG Aquadrate NW Calmurid PS Nutraplus OL	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
VANCOMYCIN Endophthalmitis.					
For use in a hospital.					
Injection 500mg (solvent required)	5	..	78.88	Vancocin	LY
VASOPRESSIN TANNATE Oily Injection 5 Units in 1mL	10	1	21.95	Pitressin Tannate	PD
VERAPAMIL HYDROCHLORIDE CAUTION: The myocardial depressant effects of this drug and of beta-blocking drugs are additive.					
Angina; Cardiac arrhythmias; Hypertension.					
Tablet 40mg	100	2	8.89	Cordilox Isoptin	SC KN
80mg	100	2	13.03	Cordilox Isoptin	SC KN
Cardiac arrhythmias.					
Injection 5mg in 2mL	5	..	5.43	Cordilox Isoptin	SC KN
VIDARABINE Eye infections caused by herpes simplex virus where idoxuridine has proved ineffective.					
Eye Ointment 3%, 3.5g	1	..	10.57	Vira A	PD
VINBLASTINE Injection 10mg (solvent required)	2	..	45.91	Velbe	LY
VINCRIStINE Injection set containing 1mg and 10mL solvent	5	..	98.88	Oncovin	LY
5mg and 10mL solvent	1	..	84.86	Oncovin	LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
VIPRYNIUM EMBONATE Tablet 50mg	8	1	3.98	Vanquin PD
Suspension 10mg per mL, 25mL	≠1	1	4.01	Vanquin PD
VITAMIN SUPPLEMENT <u>Authority required.</u> Galactosaemia; Persistent monosaccharide intolerance; Phenylketonuria; Tyrosinosis, hereditary.				
Tablet	100	..	4.91	Ketovite ST
Liquid 100mL	≠1	..	3.52	Ketovite ST
WARFARIN Tablet 1mg	50	2	4.97	Coumadin EN Marevan GL
2mg	50	2	5.17	Coumadin EN
2.5mg	50	2	5.31	Coumadin EN
3mg	50	2	5.11	Marevan GL
5mg	50	2	5.37	Coumadin EN Marevan GL
7.5mg	50	2	6.14	Coumadin EN
10mg	50	2	7.31	Coumadin EN
WATER FOR INJECTIONS Injection 2mL	5	3	3.26	BL, BZ(NQW), LP, SI
5mL	5	3	3.41	BL, BZ(NQW), LP, SI
10mL	5	3	3.63	BL, BZ(NQW), LP, SI
WOOL ALCOHOLS Ointment 100g	≠1	1	3.38	Eucerin SN
WOOL FAT, HYDROUS 50g tube or jar	≠1	..	3.48	SI

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ZINC and ADRENALINE Eye Drops 0.25%-0.01%, 15mL	#1	2	3.63	B.A.Z. US
ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15mL	#1	2	3.63	Prefrin-Z AG Zincfrin AQ

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXTRAN 40				
10% with 5% anhydrous dextrose, 500mL	12	..	165.29 170.14	Lomodex FC Rheomacrodex PS
10% with 0.9% sodium chloride, 500mL	12	..	170.14	Rheomacrodex PS
DEXTRAN 70				
6% with 5% anhydrous dextrose, 500mL	12	..	109.38	Macrodex PS
6% with 0.9% sodium chloride, 500mL	12	..	109.38	Macrodex PS
DEXTROSE				
5%, 1L	5	1	16.63	AB, TV
10%, 1L	5	1	18.93	AB, TV
20%, 1L	2	1	8.91	AB, TV
25%, 1L	2	1	8.91	AB, TV
50%, 500mL	2	1	7.65	AB
ELECTROLYTE REPLACEMENT SOLUTION				
1L	2	1	8.91	Normosol R AB Plasma - Lyte 148 TV
MANNITOL				
10%, 1L	1	1	5.54	AB
20%, 500mL	1	1	5.54	AB
SODIUM BICARBONATE				
4.2%, 500mL	1	1	5.11	AB
SODIUM CHLORIDE				
0.9%, 1L	5	1	16.63	AB, TV, VF(N)
3%, 1L	2	1	8.91	AB, TV
5%, 1L	2	1	8.91	TV
SODIUM CHLORIDE COMPOUND BPC 1959				
1L	4	1	15.57	AB, TV

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CHLORIDE and DEXTROSE 0.9%-5%, 1L	2	1	8.91	AB,TV
0.9%-10%, 1L	2	1	8.59	TV
0.45%-2.5%, 500mL	5	1	16.63	AB,TV
0.225%-3.75%, 500mL	5	1	16.63	AB,TV
0.18%-4%, 1L	5	1	16.63	AB,TV
0.18%-4.3%, 1L	5	1	16.98	AB
SODIUM LACTATE (Solution 1/6 Molar) 1L	5	1	19.48	VF
SODIUM LACTATE COMPOUND 1L	5	1	16.63	AB,TV
SODIUM LACTATE COMPOUND and ANHYDROUS DEXTROSE 5%, 1L	2	1	8.91	AB,TV
STANDARD MAINTENANCE FLUID 500mL	6	..	17.57	AB

SECTION 3 - SCHEDULE OF BENEFITS

Preparations Available for Colostomy
and Ileostomy Use

Preparations Available for Use by Paraplegic
and Quadriplegic Patients

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions to be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACRYLIC RESIN				
Solution 100mL Aerosol Spray	#1	..	7.91	Liquidoplast PT
125g Aerosol Spray	#1	..	8.97	Nobecutane AP
BENZOIN				
Compound Tincture				
35%, 167mL Aerosol Spray	#1	..	5.71	LF
BUTYL MONOESTER POLYMER with ETHANOL				
Paste 60g	#1	..	6.99	Stomahesive SQ
BUTYL MONOESTER POLYMER with ISOPROPYL ALCOHOL				
Protective Dressing Aerosol 120g	#1	..	8.67	Skin-Prep DY
Solution 59mL	#1	..	6.99	Skin-Prep DY
CHARCOAL, ACTIVATED				
Tablet 300mg	500	1	14.23	Char-Bons QE(NQ),TO LF
CHLORAMINE				
Deodorant Tablet 120mg	500	..	5.98	Klortee PT
Powder 25g	#1	4	3.51	Klortee PT
DEODORANT CONCENTRATE				
Liquid 15mL	#1	..	4.11	Zerodor ZR
0.5fl oz	#1	..	4.13	Banish DY
DEODORANT DETERGENT SOLUTION				
Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	4.37	TAGG LF
DIMETHICONE				
Solution 10%, 180mL Aerosol Spray	#1	..	5.71	Silicon Skin Spray LF
Cream 10%, 50g				
10%, 75g				
See Section 2				

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ISOPROPYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Adhesive Protective Gel 28.35g	#1	..	5.51	Skin Gel	HO
POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	12.43	Stomahesive Set BH	SQ
POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121mL	#1	..	5.94	Spray-On Bande	LF
SODIUM CARBOXYMETHYLCELLULOSE with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	#1	..	3.71	Orabase	SQ
Powder 33.3%-33.3%-33.3%, 15g	#1	..	3.71	Orahesive	SQ
STERCULIA (Indian Tragacanth; Gum Karaya) Paste 127.6g	#1	..	8.23	Karaya Paste	HO
Powder 71g	#1	..	6.22	DY	
Discs, 12	#1	5	8.28	Coloplast BH,DY	ST
Discs, Compound, 10	#1	5	10.54	Colly-seels	DY
Squares, 6	#1	5	20.63	BH	
SURGICAL CEMENT Skin Bond Adhesive 4fl oz					
Solvent 200mL					
227mL					
240mL					
250mL					
See Section 2					

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
4 (Prescriptions to be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	4.37	TAGG LF
BISACODYL Suppositories 10mg, 5				
See Section 2				
DIMETHICONE Cream 10%, 50g				
10%, 75g				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50mg				
120mg				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE WITH BISACODYL Suppositories 100mg-10mg, 5				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50mg-50mg				
See Section 2				
GLYCEROL Suppositories 1g, 10				
See Section 2				

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SURGICAL CEMENT Skin Bond Adhesive 4fl oz Solvent 200mL 227mL 240mL 250mL See Section 2				

SECTION 4

SCHEDULE OF BENEFITS DRUGS AVAILABLE FOR EXTEMPORANEOUS PREPARATIONS

Drug	Drug
Acetone BP (use as additive only) ACIDS Acetic (6%) BP Acetic (33%) BP Ascorbic BP (use as ingredient of Mixtures of Ferrous Sulphate APF and PL) Benzoic BP Boric Crystal BP (use as additive only) Boric Powder BP (use as additive only) Citric Monohydrate BP Hydrochloric BP Hydrochloric Dilute BP Lactic BP Oleic BP Salicylic BP Stearic BPC 73 Trichloroacetic BP Acriflavine BPC 63 Adrenaline BP (may only be prescribed in eye drops) Alum BP Aminophylline BP Ammoniated Mercury BP 73 AMMONIUM Bicarbonate BP Chloride BP Aspirin BP Atropine Sulphate BP Beeswax White BP Bentonite BP, sterilised Benzocaine BP Borax BP (use as additive only) Calamine BP CALCIUM Carbonate BP Gluconate BP Hydroxide BP Camphor BP (use as additive only) Cetomacrogol Emulsifying Wax BP Cetostearyl Alcohol BP Cetrimide BP	Chalk BP Chloral Hydrate BP Chlorbutol BP Chlorhexidine Acetate BP (use as additive only) Chlorinated Lime BP Chlorocresol BP Chloroform BP (use as additive only) Clioquinol BP Cocaine Hydrochloride BP Codeine Phosphate BP Collodion Flexible BP CREAMS Aqueous APF Aqueous BP Calamine Oily APF Cetomacrogol Aqueous APF Cetomacrogol Aqueous APF 74 Cetrimide BP Cetrimide Aqueous APF Cetrimide Aqueous APF 74 Zinc BP Zinc Oily APF Crystal Violet BP Dextrose Monohydrate BP (use as additive only) Dithranol BP Emulsifying Wax BP Ephedrine Hydrochloride BP (may only be prescribed in nasal instillations) Ethanol (90%) BP (use as additive only) Ethanol (96%) BP (use as additive only) Ether Solvent BP (use as additive only) EXTRACTS Hyoscyamus Liquid BPC 73 Ipecacuanha Liquid BP Liquorice Liquid BP Stramonium Liquid BP 68 FERROUS Gluconate BP Sulphate BP Sulphate Dried BP

Drug	Drug
GLYCERIN Ichthammol BPC 73 Glycerol BP GUMS Acacia BP Tragacanth BP Homatropine Hydrobromide BP Honey Purified BP (use as additive only) Ichthammol BP INFUSIONS Gentian Compound Concentrated BP 1 in 10 Senega Concentrated BP 1 in 10 Iodine BP Kaolin, Light or Kaolin, Light (Natural) BP Lactose BP Lignocaine Hydrochloride BP LINIMENTS Camphor BP 73 Methyl Salicylate BP Methyl Salicylate Compound APF Soap BPC 73 Turpentine BP LOTION Calamine BP Magenta BPC 73 MAGNESIUM Carbonate Heavy BP Carbonate Light BP Oxide Light BP Sulphate BP (may only be prescribed for other than oral use) Sulphate Dried BP (may only be prescribed for other than oral use) Trisilicate BP Menthol BP Methyl Salicylate BP MIXTURE Magnesium Hydroxide BP Morphine Hydrochloride BP	MUCILAGES Acacia APF Tragacanth BPC 73 OILS Anise BP Arachis BP (use as additive only) Cade BPC 73 Castor BP (use as additive only) Clove BP Coconut BP Eucalyptus BP (use as additive only) Lavender Spike BPC 68 Maize BP (use as additive only) Olive BP 73 (use as additive only) Peppermint BP (use as additive only) Pumilio Pine BP Rosemary BPC 73 Siberian Fir BPC 49 Turpentine BP (use as additive only) OINTMENTS Ammoniated Mercury BP 73 Benzoic Acid Compound APF Emulsifying BP Hamamelis BPC 73 Hydrous BP (white) Hydrous BP (yellow) Menthol Compound APF 64 Methyl Salicylate BP Paraffin BP (white) Paraffin BP 68 (yellow) Salicylic Acid APF Salicylic Acid BP Simple BP (white) Simple BP (yellow) Sulphur BP Wool Alcohols BP (white) Wool Alcohols BP (yellow) Zinc BP Zinc and Castor Oil BP Oxymer BPC 73

Drug	Drug
PAINTS Magenta APF Magenta APF 74 Paracetamol BP Paraffin Hard BP Paraffin Liquid BP (may only be prescribed for other than oral use) Paraffin Liquid Light BPC 63 Paraffin Soft White BP Paraffin Soft Yellow BP PASTES Zinc Compound BP Zinc and Salicylic Acid BP Phenobarbitone BP (may only be prescribed for the treatment of epilepsy) Phenobarbitone Sodium BP (may only be prescribed for the treatment of epilepsy) Phenol BP (not available for ear drops) Phenol Liquefied BP (not available for ear drops) Phenoxyethanol BP Phenylephrine Hydrochloride BP Phenylmercuric Nitrate BP Phthalylsulphathiazole BP Physostigmine Salicylate BP Pilocarpine Hydrochloride BP Pilocarpine Nitrate BP Podophyllum Resin BP POTASSIUM Chlorate BPC 73 Chloride BP Citrate BP Iodide BP Permanganate BP POWDER Tragacanth Compound BP Procaine Hydrochloride BP Propylene Glycol BP Resorcinol BP Silver Nitrate BP SOAPS Ethereal APF 55 Soft BP	SODIUM Acid Phosphate BP Benzoate BP Bicarbonate BP Chloride BP Citrate BP Iodide BP Metabisulphite BP Phosphate BP Salicylate BP Thiosulphate BP (use as additive only) SOLUTIONS Adrenaline BP (may only be prescribed in eye drops) Aluminium Acetate BPC 73 Amaranth APF Amaranth APF 64 Amaranth Compound APF Ammonia Dilute BP Ammonia Strong BP Ammonium Acetate Strong BP Benzoic Acid BP Calcium Hydroxide BP Chlorhexidine Gluconate BP (use as additive only) Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Simple BPC 59 Iodine Weak BP Morphine Hydrochloride BPC 73 Sodium Chloride BP SPIRITS Ammonia Aromatic BP Anise BPC 49 Camphor BPC 59 Camphor Compound APF Chloroform BP Lemon BP Methylated Industrial BP (use as additive only) Peppermint BP Squill Elixir BP Squill Oxymel BP Starch BP Sulphacetamide Sodium BP Sulphur Precipitated BP Sulphur Sublimed BPC 73 Sulphurated Potash BPC 73

Drug	Drug
SYRUPS Aromatic APF Chloral BPC 68 Codeine Phosphate BPC 73 Ferrous Phosphate Compound BPC 68 Golden Acidified APF 55 Lemon APF Lemon Neutral APF Orange APF Orange BP Pholcodine Citrate BPC 59 (use as additive only) Raspberry BP Red APF Syrup BP Tolu BP Talc Purified BP, sterilised Tar Coal BP Tar Coal Prepared BP 73 Theophylline BP Thymol BP Thymol Mouth Wash Compound APF TINCTURES Belladonna BP Benzoin Compound BP Hyoscyamus BP Ipecacuanha BP Lobelia Ethereal BPC 73 Opium BP Opium Camphorated BP Orange BP Quillaia BP Squill BP Stramonium BP Titanium Dioxide BP Triethanolamine BP WATERS Anise Concentrated BP 1 in 40 (use as additive only) Camphor Concentrated BP 1 in 40 Chlorbutol APF 55 Chloroform Concentrated APF 1 in 40 For Injections BP (extemporaneously prepared eye drops and eye lotions)	WATERS - cont. Peppermint Concentrated BP 73 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP ZINC Oxide BP Sulphate BP

TABLE OF MAXIMUM QUANTITIES
AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Preparation	Maximum Quantity	No. of Repeats
Creams	100g	1
Dusting Powders	100g	1
Ear Drops	15mL	2
Elixirs	100mL	4
Eye Drops of Cocaine	15mL	..
Eye Drops of Physostigmine	15mL	6
Eye Drops of Pilocarpine	15mL	6
Eye Drops, Other	15mL	2
Eye Lotions	200mL	1
Gargles	200mL	4
Glycerins	100mL	1
Inhalations	50mL	1
Inhalations, Solid	4g	1
Linctuses	100mL	2
Liniments	100mL	1
Lotions	200mL	2
Mixtures	200mL	4
Mixtures for Children	100mL	4
Mouth Washes	200mL	1
Nasal Instillations	15mL	2
Ointments and Waxes	100g	1
Paints	25mL	1
Pastes	100g	1
Powders for Internal Use	100g	2
Powders, Irrigation	100g	1
Soaps	200mL	1
Solutions	200mL	2
Syrups	100mL	4
Tinctures	25mL	1

SECTION 5 — PRESCRIBERS' LIST

PREScription

CREAMS

(Maximum Quantity 100g and 1 Repeat)

ALUMINIUM ACETATE, OILY (APF)

[illegible]

AQUEOUS (APF)

[illegible]

BUFFERED, AQUEOUS (APF)

Sodium Phosphate									2.5	g
Citric Acid Monohydrate									500	mg
Chlorocresol									100	mg
Glycerol									5	mL
Emulsifying Ointment									30	g
Purified Water, freshly boiled and cooled to									100	g

CALAMINE, AQUEOUS (APF)

[illegible]

CALAMINE, OILY (APF)

[illegible]

CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax						15	g
Liquid Paraffin						10	g
White Soft Paraffin						10	g
Chlorocresol						100	mg
Propylene Glycol						5	mL
Purified Water, freshly boiled and cooled to						100	g

CETRIMIDE, AQUEOUS (APF)

Cetrimide		500	mg
Chlorocresol		100	mg
Cetostearyl Alcohol		5	g
Liquid Paraffin		50	g
Purified Water, freshly boiled and cooled to		100	g

CHLORHEXIDINE, AQUEOUS (APF) (Chlorhexidine 1% BP)

Chlorhexidine Gluconate Solution					5	mL
Cetomacrogol Emulsifying Wax					25	g
Liquid Paraffin					10	g
Purified Water, freshly boiled and cooled to					100	g

COAL TAR and ZINC, OILY (APF)

[illegible]

COLD (APF)

[illegible]

GLYCEROL, OILY (APF)

[illegible]

ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol		5	g
Wool Fat		15	g
Zinc Cream Oily, APF		80	g

PREScription

CREAMS — *continued*

OILY (APF)

Wool Alcohols Ointment, APF						50	g
Purified Water, freshly boiled and cooled						50	mL

SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

[illegible]

SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

[illegible]

ZINC, OILY (APF)

[illegible]

ZINC, WEAK (PL)

[illegible]

DUSTING POWDER

(Maximum Quantity 100g and 1 Repeat)

ZINC, STARCH and TALC (APF)

[illegible]

EAR DROPS

(Maximum Quantity 15mL and 2 Repeats)

ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution						9	mL
Purified Water, freshly boiled and cooled to						15	mL

CHLORHEXIDINE (APF)

Chlorhexidine Acetate						7.5	mg
Purified Water, freshly boiled and cooled to						15	mL

ICHTHAMMOL (APF)

[illegible]

PHENYLMERCURIC NITRATE (APF)

[illegible]

SALICYLIC ACID (APF)

[illegible]

SODIUM BICARBONATE (APF, BP)

Sodium Bicarbonate						750	mg
Glycerol						4.5	mL
Purified Water, freshly boiled and cooled to						15	mL

SPIRIT (APF)

Alcohol (90 per cent)						7.5	mL
Purified Water, freshly boiled and cooled to						15	mL

INHALATIONS

(Maximum Quantity 50 mL and 1 Repeat)

BENZOIN (PL)

Benzoin Tincture, Compound						50	mL
----------------------------	------	------	------	------	------	----	----

BENZOIN, COMPOUND (PL)

[illegible]

 PRESCRIPTION

MIXTURES — *continued*
GENTIAN, ALKALINE (APF, BP)

Concentrated Compound Gentian Infusion				1	mL
Sodium Bicarbonate				500	mg
Concentrated Chloroform Water				0.25	mL
Purified Water to				10	mL

IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture				0.25	mL
Compound Camphor Spirit				1	mL
Tolu Syrup				1	mL
Squill Oxymel				1	mL
Concentrated Chloroform Water				0.15	mL
Concentrated Anise Water				0.15	mL
Purified Water to				10	mL

KAOLIN and OPIUM (APF)

Light Kaolin or Light Kaolin (Natural)				2.5	g
Alum				10	mg
Opium Tincture				0.5	mL
Concentrated Chloroform Water				0.25	mL
Purified Water to				10	mL

MAGNESIUM TRISILICATE (APF)

Magnesium Trisilicate				1	g
Calcium Carbonate				500	mg
Light Magnesium Carbonate				500	mg
Concentrated Peppermint Water				0.25	mL
Concentrated Chloroform Water				0.25	mL
Purified Water to				10	mL

POTASSIUM CHLORIDE (APF)

Potassium Chloride				1	g
Lemon Syrup, APF				2	mL
Concentrated Chloroform Water				0.25	mL
Purified Water to				10	mL

PREScription

MIXTURES — continued

POTASSIUM CITRATE (APF)

[illegible]

POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

[illegible]

POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)

Synonym: Lobelia and Stramonium Mixture

[illegible]

SODIUM CITRATE (APF)

[illegible]

SODIUM SALICYLATE (APF)

[illegible]

PREScription

NASAL INSTILLATIONS

(Maximum Quantity 15 mL and 2 Repeats)

DEXTROSE and GLYCEROL (APF)

[illegible]

EPHEDRINE (APF)

[illegible]

OINTMENTS

(Maximum Quantity 100 g and 1 Repeat)

BENZOIC ACID, COMPOUND (APF, BP)

Benzoic Acid in fine powder						6	g
Salicylic Acid in fine powder						3	g
Emulsifying Ointment						91	g

EMULSIFYING (APF, BP)

[illegible]

RESORCINOL and SULPHUR, COMPOUND (APF)

[illegible]

SALICYLIC ACID (APF)

[illegible]

PREScription

OINTMENTS — *continued*

SIMPLE (APF, BP)

(White Simple Ointment)

[illegible]

ZINC and CASTOR OIL (APF, BP)

[illegible]

ZINC OXIDE (APF)

(Zinc BP)

[illegible]

PAINTS

(Maximum Quantity 25 mL and 1 Repeat)

ICHTHAMMOL (APF)

[illegible]

MAGENTA (APF)

[illegible]

[illegible]

SECTION 5 — PRESCRIBERS' LIST CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100mL and 4 Repeats)

ASPIRIN (APF)

Aspirin									150	mg
Compound Tragacanth Powder									100	mg
Raspberry Syrup									1	mL
Concentrated Chloroform Water									0.1	mL
Purified Water to									5	mL

BELLADONNA (APF)

Belladonna Tincture									0.1	mL
Orange Syrup, APF									1	mL
Glycerol									1	mL
Benzoic Acid Solution									0.1	mL
Purified Water to									5	mL

CALCIUM and KAOLIN (APF)

Calcium Carbonate									500	mg
Light Kaolin or Light Kaolin (Natural)									1	g
Alum									5	mg
Concentrated Chloroform Water									0.1	mL
Purified Water to									5	mL

CHLORAL (APF)

Chloral Hydrate									250	mg
Orange Syrup, APF									2	mL
Concentrated Chloroform Water									0.1	mL
Purified Water to									5	mL

CHILDREN'S SECTION

 PRESCRIPTION

 MIXTURES — *continued*

FERROUS GLUCONATE (APF)

Ferrous Gluconate									200	mg
Dextrose									500	mg
Orange Syrup, APF									1	mL
Citric Acid Monohydrate									25	mg
Concentrated Chloroform	Water								0.1	mL
Purified Water to									5	mL

FERROUS SULPHATE (APF)

Ferrous Sulphate									100	mg
Ascorbic Acid									5	mg
Orange Syrup, APF									1	mL
Concentrated Chloroform	Water								0.1	mL
Purified Water to									5	mL

IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture									0.1	mL
Compound Camphor Spirit									0.25	mL
Squill Oxymel									1	mL
Purified Water to									5	mL

POTASSIUM CITRATE (APF)

Potassium Citrate									1	g
Citric Acid Monohydrate									200	mg
Lemon Syrup, APF									1	mL
Concentrated Chloroform	Water								0.1	mL
Purified Water to									5	mL

POTASSIUM IODIDE (APF)

Potassium Iodide									100	mg
Liquorice Liquid Extract									0.25	mL
Aromatic Ammonia Spirit									0.1	mL
Concentrated Chloroform	Water								0.1	mL
Purified Water to									5	mL

CHILDREN'S SECTION

 PRESCRIPTION

 MIXTURES — *continued*

SODIUM CITRATE (APF)

Sodium Citrate									1	g
Citric Acid Monohydrate									200	mg
Lemon Syrup, APF									1	mL
Concentrated Chloroform Water									0.1	mL
Purified Water to									5	mL

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and ileostomy use

(P & Q) Preparations available for use by paraplegic and quadriplegic patients

Proprietary Name	Manufacturer	Name
Abbecillin	AB	Penicillin Products
Abbecillin-V	AB	Phenoxymethylpenicillin
Abbecillin-VK	AB	Phenoxymethylpenicillin
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actal	WL	Aluminium Hydroxide Dried
Actidil	BW	Triprolidine
Actrapid M.C. Novo	NO	Insulin Neutral
Actuss	SI	Pholcodine
Adacor	NN	Hydrocortisone
Adalat	BN	Nifedipine
Adaphol	NN	Pholcodine
Adaquin	NN	Quinine Sulphate
Adasone	NN	Prednisone
Adnisolone	NN	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Akineton	KN	Biperiden
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albumaid XP	SJ	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allergex	PT	Chlorpheniramine
Almacarb	AH	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Alucone	DH	Aluminium Hydroxide with Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide with Magnesium Hydroxide
Alupent	BY	Orciprenaline
Alusorb	DH	Aluminium Hydroxide
Ames-BG	AM	Glucose Indicator-Blood
Aminogran F.S.	GL	Amino Acid Formula without Phenylalanine
Aminogran M.M.	GL	Mineral Mixture
Aminopt	SI	Aminacrine Hydrochloride
Amitrip	PT	Amitriptyline
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide
Amphotabs	WY	Aluminium Hydroxide Dried
Ampicyn	PT	Ampicillin
Amytal Sodium	LY	Amylobarbitone Sodium
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Ancolan	AH	Meclozine
Ancotil	RO	Flucytosine
Anginine Stabilised	BW	Glycerol Trinitrate
Anovlar	SC	Norethisterone Acetate with Ethinyloestradiol

Proprietary Name	Manufacturer	Name
Antadine	EN	Amantadine Hydrochloride
Anti-Hist	PT	Diphenylpyraline
Anti-Naus	PT	Prochlorperazine
Antipres	PT	Guanethidine
Antipres M	PT	Guanethidine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	CB	Sulphinpyrazone
Anusol	WW	Bismuth Subgallate
Apresoline	CB	Hydralazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacaine G	CS	Procaine Penicillin
Aquacaine G Fortified	CS	Procaine Penicillin Fortified
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquadrate	NW	Urea
Aquamox	LE	Quinethazone
Arfonad	RO	Trimetaphan
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Arterioflexin	PT	Clofibrate
Artosin	RC	Tolbutamide
Ascabiol	MB	Benzyl Benzoate
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T. 10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna Alkaloids
Atrobel FORTE	FM	Belladonna Alkaloids
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Aureomycin	LE	Chlortetracycline
Austramycin	CS	Tetracycline
Austramycin-V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Avil	HP	Pheniramine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
Azide	FM	Chlorothiazide
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Baycaron	BN	Mefruside
B.A.Z.	US	Zinc and Adrenaline
Becotide	AH	Beclomethasone Dipropionate
Becotide Rotacaps	AH	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Benzide	PT	Bendrofluazide

Proprietary Name	Manu- fac- turer	Name
Benzide M	PT	Bendrofluazide
Benzotran	PT	Oxazepam
Berotec	BY	Fenoterol Hydrobromide
Betacard	BR	Alprenolol
Betaloc	AP	Metoprolol
Betamin	US	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnovate 1/5	GL	Betamethasone Valerate
Betnovate 1/2	GL	Betamethasone Valerate
Bicillin All Purpose	WY	Benzathine Penicillin Compound
Biogastrone	SN	Carbenoxolone Sodium
Biphasil 21	WY	Levonorgestrel with Ethinyloestradiol
Biphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Bi-Prin	BT	Aspirin
Biquin	NN	Quinine Bisulphate
Bi-Quinate	US	Quinine Bisulphate
Bitard	CS	Insulin Biphasic
Blenoxane	BC	Bleomycin
Bleph 10	AG	Sulphacetamide Sodium
Blocadren	FR	Timolol
BM-Test-BG	BO	Glucose Indicator - Blood
BM-Test Glucose	BO	Glucose Indicator - Urine
Bramcetamol	MF	Paracetamol
Brevinor	SD	Norethisterone with Ethinyloestradiol
Brevinor-1	SD	Norethisterone with Ethinyloestradiol
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Clopamide
Brondecon	WW	Choline Theophyllinate with Guaiphenesin
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	BC	Aspirin (Buffered)
Bufferin 500	BC	Aspirin (Buffered)
Buscopan	BY	Hyoscine Butylbromide
Butacal	LF	Phenylbutazone
Butalgin	FM	Phenylbutazone
Butazolidin	GE	Phenylbutazone
Butazone	PT	Phenylbutazone
Buzon	US	Phenylbutazone
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine
Calciparine	DF	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Camcolit	NE	Lithium Carbonate
Camoquin	PD	Amodiaquine
Campholinct	DH	Camphor Compound
Canesten	BN	Clotrimazole
Caprin	CS	Heparin Calcium
Captol	PT	Oxprenolol
Capurate-100	FM	Allopurinol
Capurate-300	FM	Allopurinol

Proprietary Name	Manu- fac- turer	Name
Carbapen	CS	Carbenicillin
Carbolith	DH	Lithium Carbonate
Cardinol	PT	Propranolol
Cardiox	NN	Digoxin
Cardophyllin	HA	Aminophylline
Cardoquin	NN	Quinidine Sulphate
Catapres	BY	Clonidine
Ceetamol	PT	Paracetamol
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone Acetate with
Chronodose		Betamethasone Sodium Phosphate
Celestone-M	SH	Betamethasone Valerate
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporan	GL	Cephaloridine
Cerubidin	MB	Daunorubicin
Char-Bons	LF	Charcoal, Activated (C & I)
Chlomin	US	Chloramphenicol
Chloradorm	US	Chloral Hydrate
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromycetin	PD	Chloramphenicol
Succinate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlorvescent	PT	Potassium Chloride
Chlotride	FR	Chlorothiazide
Choledyl	WW	Choline Theophyllinate
Cidomycin	RL	Gentamicin Sulphate
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymethylpenicillin
Cilicaine VK	SI	Phenoxymethylpenicillin
Citralka	PD	Sodium Acid Citrate
Citrarescent	PT	Sodium Citro-Tartrate
Clinistix	AM	Glucose Indicator - Urine
Clinitest	AM	Copper Sulphate
Clinoril	FR	Sulindac
Codalgin	FM	Codeine Phosphate with Paracetamol
Codate	US	Codeine Phosphate
Codecortone	MK	Prednisolone Tertiarybutylacetate
T.B.A.		
Codelix	DH	Codeine
Codral Forte	BW	Codeine Phosphate with Aspirin
Cogentin	MK	Benztropine
Colcin	US	Colchicine
Colestid	UP	Colestipol Hydrochloride
Colgout	PT	Colchicine
Colly-seels	DY	Sterculia (C & I)
Coloplast	ST	Sterculia (C & I)

Proprietary Name	Manu- fac- turer	Name
Coloxyl	FM	Diocetyl Sodium Sulphosuccinate with Bisacodyl
Coloxyl 50	FM	Diocetyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diocetyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diocetyl Sodium Sulphosuccinate with Danthron
Coluric	NN	Colchicine
Coly-Mycin	WW	Colistin
Injection		
Coly-Mycin	WW	Colistin with Neomycin
Ear Drops		
Compazine	SK	Prochlorperazine
Compenase	CS	Penicillinase
Comycin	UP	Tetracycline with Nystatin
Concordin	MK	Protriptyline
Conovid-E	SR	Norethynodrel with Mestranol
Convuline	PT	Carbamazepine
Cordilox	SC	Verapamil Hydrochloride
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cotazym	OR	Pancrelipase
Coumadin	EN	Warfarin
Crystapen	GL	Benzylpenicillin
Cuprimine	MK	Penicillamine
Cyclidox	PT	Doxycycline
Cyklokapron	FA	Tranexamic Acid
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar-U	UP	Cytarabine
Daktarin	JP	Miconazole Nitrate
Dalacin C	UP	Clindamycin
Danocrine	WL	Danazol
Dantrium	NW	Dantrolene Sodium
Daonil	HP	Glibenclamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Debendox	ML	Doxylamine with Pyridoxine
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
De-Lact Infant	SJ	Milk Powder - Low Lactose Formula
Delta-Cortef	UP	Prednisolone
Deltasolone	US	Prednisolone
Deltasone	US	Prednisone
De-Nol	PD	Tri-potassium Di-citrate Bismuthate Complex
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "0"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Dexacillin	SQ	Epicillin
Dex-Cit	RC	Sodium Citro-Tartrate
Dexamethsone	PT	Dexamethasone
Diabex S.R.	DF	Metformin

Proprietary Name	Manufacturer	Name
Diabinese	PF	Chlorpropamide
Diamicron	SE	Gliclazide
Diamox	LE	Acetazolamide
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator - Urine
Diatol	PT	Tolbutamide
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Digestelact	SJ	Milk Powder - Lactose Modified
Dihydroergot	SZ	Dihydroergotamine
Dijene	BT	Aluminium Hydroxide with Magnesium Hydroxide
Dijene Suspension		
Dijene Tablet	BT	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Dilantin	PD	Phenytoin
Dilantin Infatabs	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilosyn	AH	Methdilazine
Dimal	PT	Methyldopa
Dimetane	RS	Brompheniramine
Dindevan	GL	Phenindione
Diprosone	SH	Betamethasone Dipropionate
Disipal	RK	Orphenadrine Hydrochloride
Diulo	SR	Metolazone
Diuret	PT	Chlorothiazide
Diurone	US	Chlorothiazide
Doburil	BY	Cyclothiazide
Donnatub	RS	Belladonna Alkaloids
Dormel	DH	Chloral Hydrate
Dormicum	PT	Nitrazepam
Doxin	GP	Doxycycline
D-Penamine	DL	Penicillamine
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	ET	Lactulose
Duphaston	ET	Dydrogesterone
Durabolin	OR	Nandrolone Phenylpropionate
Durolax	BY	Bisacodyl
Duro-Tuss	RK	Pholcodine
Dyazide	SK	Hydrochlorothiazide with Triamterene
Dymadon	BW	Paracetamol
Dymadon Co.	BW	Codeine Phosphate with Paracetamol
Dytac	SK	Triamterene
E-Carpine	AQ	Pilocarpine Hydrochloride with Adrenaline
Ecostatin	SQ	Econazole Nitrate
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
EES 200	AB	Erythromycin
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elix-Nocte Forte	NN	Chloral Hydrate
Elixophyllin	SC	Theophylline
Elixophyllin-KI	SC	Theophylline with Potassium Iodide
Emsalin	DH	Methyl Salicylate

Proprietary Name	Manu- fac- turer	Name
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin
Endone	EN	Oxycodone Hydrochloride
Endoxan-Asta	BC	Cyclophosphamide
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate
Epifrin	AG	Adrenaline
Epilim	RC	Sodium Valproate
Epilim EC	RC	Sodium Valproate
Epinal	AQ	Adrenaline
Eppy/N	BF	Adrenaline
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin
Esbatal	BW	Bethanidine
Esidrex	CB	Hydrochlorothiazide
Eskacef	SK	Cephadrine
Estigyn	AH	Ethinylloestradiol
Estradurin	AY	Polyestradiol
Etaphylline	DF	Acepifylline
Ethamolin	GL	Ethanolamine Oleate
Ethryn	FA	Erythromycin
Eucerin	SN	Wool Alcohols
Euglucon	RC	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Euhypnos	SI	Temazepam
Eumydrin	WL	Atropine Methonitrate
Fabahistin	BN	Mebhydrolin
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Fansidar	RO	Pyrimethamine with Sulfadoxine
Fasigyn	PF	Tinidazole
Fefol	SK	Ferrous Sulphate Dried with Folic Acid
Fenamine	FM	Pheniramine
Fenamine-M	FM	Pheniramine
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Gradumets	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Floraquin	SR	Di-iodohydroxyquinoline
Florinef	SQ	Fludrocortisone Acetate
Flucon	AQ	Fluorometholone
FML Liquifilm	AG	Fluorometholone
Folasic	NN	Folic Acid
Folettes	FM	Folic Acid

Proprietary Name	Manu- fac- turer	Name
Folicid	US	Folic Acid
Fortral	WL	Pentazocine
Fucidin	SK	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	NW	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
Galactomin	MN	Milk Powder - Synthetic
Formula 17		
Galactomin	MN	Milk Powder - Synthetic
Formula 19		
Gantanol	RO	Sulphamethoxazole
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastrogel	FM	Aluminium Hydroxide with Magnesium Trisilicate and Magnesium Hydroxide
Gelox	PR	Aluminium Hydroxide
Gelusil	WW	Aluminium Hydroxide with Magnesium Hydroxide
Glaucon	AQ	Adrenaline
Glucophage	RN	Metformin
Glucose	MJ	Nutramigen
Nutramigen		
Glyfosolix	DH	Glycerophosphate Compound
Gold-50	SH	Aurothioglucoase
Gondafon	SC	Glymidine
Griseostatin	SH	Griseofulvin
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gyno-Daktarin 7	JP	Miconazole Nitrate
Gynovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histalert	RK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Honvan	BC	Fosfestrol Tetrasodium
Hostacycline P	HP	Tetracycline (Buffered)
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydracycline Plain	FM	Tetracycline
Hydrea	SQ	Hydroxyurea
Hydrenox	BT	Hydroflumethiazide
Hydrosone	US	Hydrocortisone
Hygroton	GE	Chlorthalidone
Hyperstat I.V.	SH	Diazoxide
Hypurin Isophane	WP	Insulin Isophane (N.P.H.)
Hypurin Neutral	WP	Insulin Neutral

Proprietary Name	Manu- fac- turer	Name
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin
Ilotycin	LY	Erythromycin
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Imodium	JP	Loperamide Hydrochloride
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Infasoy	WY	Soya Formula
Inflam	PT	Ibuprofen
Insulatard Nordisk	PT	Insulin Isophane (N.P.H.)
Intal	FC	Sodium Cromoglycate
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	NN	Thiamine Hydrochloride
Ismelin	CB	Guanethidine
Isomil	RD	Soya Formula
Isophane M.C.	NO	Insulin Isophane (N.P.H.)
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Cetamide	AQ	Sulphacetamide Sodium
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Isosorbide Dinitrate
Isordil Sublingual	AY	Isosorbide Dinitrate
Isotard	CS	Insulin Isophane (N.P.H.)
Isotard PC	CS	Insulin Isophane (N.P.H.)
Isotrate	PD	Isosorbide Dinitrate
Isotrate Sublingual	PD	Isosorbide Dinitrate
Isuprel	WL	Isoprenaline Hydrochloride
Jectofer	AP	Iron Sorbitol
Kabikinase	FA	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide with Kaolin
Kaomagma	WY	Aluminium Hydroxide with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karaya Paste	HO	Sterculia (C & I)
Kay Ciel	SC	Potassium Chloride
Keflex	LY	Cephalexin
Keflin Neutral	LY	Cephalothin Sodium
Kefzol	LY	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone '0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator - Urine
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate

Proprietary Name	Manufacturer	Name
Klortee	PT	Chloramine (C & I)
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
Lacril	AG	Hypromellose
Langesic	BT	Paracetamol
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amitriptyline
Lasix	HP	Frusemide
Lasix-M	HP	Frusemide
Lente M.C. Novo	NO	Insulin Zinc Suspension
Lente PC	CS	Insulin Zinc Suspension
Lethidrone	BW	Nalorphine
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CB	Baclofen
Liquidoplast	PT	Acrylic Resin (C & I)
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CB	Flumethasone with Clloquinol
Vioform		
Locasol	MN	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Lopresor	GE	Metoprolol
Lorexane	IC	Gamma Benzene Hexachloride
Lorexane Concentrate	IC	Gamma Benzene Hexachloride
L.P.G.	CS	Benzathine Penicillin
L.P.V.	CS	Phenoxyethylpenicillin
L.P.V. Aqueous	CS	Phenoxyethylpenicillin
Forte		
Lyspafen	PT	Difenoxin Hydrochloride with Atropine Sulphate
M & B 693	MB	Sulphapyridine
Maalox	BT	Magnesium-Aluminium Hydroxide
Macroclantin	NW	Nitrofurantoin
Macrodex	PS	Dextran 70
Madopar	RO	Levodopa with Benserazide
Madopar-M	RO	Levodopa with Benserazide
Madopar Q	RO	Levodopa with Benserazide
Magnoplasm	FA	Magnesium Sulphate
Maloprim	BW	Pyrimethamine with Dapsone
Mandelamine	WW	Hexamine Mandelate

Proprietary Name	Manu- fac- turer	Name
Mandelamine	WW	Hexamine Mandelate
Hafgrams		
Marevan	GL	Warfarin
Marzine	BW	Cyclizine
Maxidex	AQ	Dexamethasone
Maxolon	BR	Metoclopramide Hydrochloride
MCT Oil	MJ	Triglycerides, Medium Chain
Medrol	UP	Methylprednisolone
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Merasyne	ML	Aluminium Hydroxide with Magnesium Hydroxide
Mestinon	RO	Pyridostigmine
Metamide	PT	Metoclopramide Hydrochloride
Methopa	US	Methyldopa
Methopt	SI	Hypromellose
Methopt Forte	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metin	CS	Methicillin
Mexitil	BY	Mexiletine Hydrochloride
Microgynon 30	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 30 ED	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50 ED	SC	Levonorgestrel with Ethinyloestradiol
Microlut 28	SC	Levonorgestrel
Micronor	ET	Norethisterone
Microval 28	WY	Levonorgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milontin	PD	Phensuximide
Minipress	PF	Prazosin Hydrochloride
Minirin	PT	Desmopressin
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyloestradiol
Mintezol	MK	Thiabendazole
Miochol	CP	Acetylcholine Chloride
Mithracin	PF	Mithramycin
Mixtard Nordisk	PT	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
Modecate	SQ	Fluphenazine Decanoate
Modicon	ET	Norethisterone with Ethinyloestradiol
Moduretic	MK	Hydrochlorothiazide with Amiloride
Mogadon	RO	Nitrazepam
Monistat 7	ET	Miconazole Nitrate
Monotard M.C. Novo	NO	Insulin Zinc Suspension
Mortha	WH	Morphine with Tacrine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide with Magnesium Hydroxide and Oxethazaine
Mucomyst	MJ	Acetylcysteine
Murelax	AY	Oxazepam
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin

Proprietary Name	Manufacturer	Name
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide with Magnesium Hydroxide
Myleran	BW	Busulphan
Myocrisin	MB	Sodium Aurothiomalate
Myoquin	FM	Quinine Bisulphate
Mysoline	IC	Primidone
Mysteclin	SQ	Tetracycline with Nystatin
Mysteclin-V	SQ	Tetracycline with Nystatin
Mytelase	WL	Ambenonium Chloride
Naprosyn	SD	Naproxen
Nardil	WW	Phenelzine
Natulan	RO	Procarbazine
Navidrex	CB	Cyclopenthiiazide
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neocon	ET	Norethisterone with Ethinyloestradiol
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neogynon	SC	Levonorgestrel with Ethinyloestradiol
Neogynon ED	SC	Levonorgestrel with Ethinyloestradiol
Neo-Mercazole	NS	Carbimazole
Neo-Naclex	GL	Bendrofluazide
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Eye Ointment		
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Eye Drops		
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulactil	MB	Pericyazine
Neutralon	SC	Aluminium Sodium Silicate
Nikacid	US	Nicotinic Acid
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nitoman	RO	Tetrabenazine
Nitro-Bid	PT	Glyceryl Trinitrate
Nivaquine	MB	Chloroquine
Nobecutane	AP	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nolvadex	IC	Tamoxifen Citrate
Nordette 21	WY	Levonorgestrel with Ethinyloestradiol
Nordette 28	WY	Levonorgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordioli 21	WY	Levonorgestrel with Ethinyloestradiol
Nordioli 28	WY	Levonorgestrel with Ethinyloestradiol
Noriday	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-2	SD	Norethisterone with Mestranol
Norinyl-1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyloestradiol
Normison	WY	Temazepam
Normosol R	AB	Electrolyte Replacement Solution

Proprietary Name	Manufacturer	Name
Norpace	SR	Disopyramide
Nortab	SQ	Nortriptyline
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
Nuralin	CS	Insulin Neutral
Nutraplus	OL	Urea
Omnopon	RO	Papaveretum
Omnopon	RO	Papaveretum with Hyoscine Hydrobromide
Scopolamine		
Oncovin	LY	Vincristine
Opticrom	FC	Sodium Cromoglycate
Optipen	CS	Phenethicillin
Orabase	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orabolin	OR	Ethyloestrenol
Oradexon	OR	Dexamethasone
Orahesive	SQ	Sodium Carboxymethylcellulose with Pectin and Gelatin (C & I)
Orbenin	BR	Cloxacillin
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium (BP 1980)
Orpadrex	PT	Orphenadrine Hydrochloride
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ortho-Novum 1/80	ET	Norethisterone with Mestranol
Ortho-Novum 2	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin	GL	Ergocalciferol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovral 28	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5	SR	Ethinodiol Diacetate with Mestranol
Ovulen 1	SR	Ethinodiol Diacetate with Mestranol
Ovulen 2	SR	Ethinodiol Diacetate with Mestranol
Ovulen 0.5/50	SR	Ethinodiol Diacetate with Ethinyloestradiol
Ovulen 0.5/50-28	SR	Ethinodiol Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethinodiol Diacetate with Ethinyloestradiol
Ovulen 1/50-28	SR	Ethinodiol Diacetate with Ethinyloestradiol
Pacedol	PT	Haloperidol
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Panacete	PR	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panamax	WL	Paracetamol
Panamax Co.	WL	Codeine Phosphate with Paracetamol
Panmycin M	UP	Tetracycline (Buffered)
Panmycin P	UP	Tetracycline
Pantheline	PT	Propantheline Bromide
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	NN	Paracetamol
Parlodel	SZ	Bromocriptine Mesylate
Parmol	US	Paracetamol
Parnate	SK	Tranylcypromine
Paxyl	FA	Benzalkonium Chloride

Proprietary Name	Manu- fac- turer	Name
PCL	DH	Paracetamol
Pectolin	FA	Pholcodine
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Perdolat	KN	Penicillamine
Periactin	FR	Cyproheptadine
Persantin	BY	Dipyridamole
Pertofran	GE	Desipramine
Pethoid	BW	Pethidine
Pevaryl	SK	Econazole Nitrate
Pexid	ML	Perhexiline Maleate
Phenergan	MB	Promethazine
Phenotone	US	Phenobarbitone
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Phospholine Iodide	AY	Ecothiopate Iodide
Phthazol	US	Phthalylsulphathiazole
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafulcin	GB	Natamycin
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	SJ	Amino Acid Formula without Phenylalanine
PK AID II	SJ	Amino Acid Formula without Phenylalanine
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	NN	Ferrous Aminoacetosulphate
Pluryl	SK	Bendrofluazide
Pneumovax	CS	Pneumococcal Vaccine, Polyvalent
Polaramine	SH	Dexchlorpheniramine
Potavescent	PT	Potassium
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Prelone	LF	Prednisolone
Presone	LF	Prednisone
Priadel	PT	Lithium Carbonate
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn Depot	SC	Oestradiol Valerate
Primolut N	SC	Norethisterone
Primolut Nor	SC	Norethisterone Acetate
Primoteston Depot	SC	Testosterone Enanthate
Primperan	US	Metoclopramide Hydrochloride
Pro-Banthine	SR	Propantheline Bromide
Procid	PT	Probenecid
Procort	PR	Hydrocortisone
Progan	NN	Promethazine
Progout	PT	Allopurinol
Proladone	BT	Oxycodone

Proprietary Name	Manu- fac- turer	Name
Promacid	US	Chlorpromazine
Promide	PT	Chlorpropamide
Prominal	WL	Methylphenobarbitone
Pronestyl	SQ	Procainamide
Pro-Pam	PT	Diazepam
Propine	AG	Dipivefrin Hydrochloride
Propred	NK	Prednisone
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Prothazine	US	Promethazine
Protaphane M.C.	NO	Insulin Isophane (N.P.H.)
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Pyopen	BR	Carbenicillin
Pyroxin	US	Pyridoxine Hydrochloride
Questran	MJ	Cholestyramine
Quibron	MJ	Theophylline with Guaiphenesin
Quinate	US	Quinine Sulphate
Quinbisan	PR	Quinine Bisulphate
Quincardine	FM	Quinidine Sulphate
Quinidex LA	RS	Quinidine Sulphate
Quinidis	US	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinoctal	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate
Quitaxon	RC	Doxepin
Rapitard M.C. Novo	NO	Insulin Biphasic
Rastinon	HP	Tolbutamide
Rectinol	GP	Benzocaine with Adrenaline
Redu-Press	PT	Debrisoquine
Redu-Press M	PT	Debrisoquine
Repalyte	DH	Electrolyte Replacement (Oral)
Reverin	HP	Rolitettracycline
Rheomacrodex	PS	Dextran 40
Rheumacin	PT	Indomethacin
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Ribofin	US	Riboflavine
Rikodeine	RK	Dihydrocodeine Tartrate
Rivotril	RO	Clonazepam
Rocaltrol	RO	Calcitriol
Randomycin	WW	Methacycline
Rythmodan	RL	Disopyramide
Sacsol	LF	Surgical Cement
Sacsol Non Flammable	LF	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine

Proprietary Name	Manu- fac- turer	Name
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolone	SC	Prednisolone Acetate
S-Dimidine	PT	Sulphadimidine
Sedlingtus	RT	Pholcodine
Semilente M.C. Novo	NO	Insulin Zinc Suspension (Amorphous)
Semilente PC	CS	Insulin Zinc Suspension (Amorphous)
Senamon	DH	Senega and Ammonia
Septin	BW	Trimethoprim with Sulphamethoxazole
Septin Forte	BW	Trimethoprim with Sulphamethoxazole
Sequilar ED	SC	Levonorgestrel with Ethinylloestradiol
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Silicon Skin Spray	LF	Dimethicone (C & I)
Simeco Suspension	WY	Aluminium Hydroxide with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Sinemet	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintison	EC	Prednisolone Steaglate
Skin Gel	HO	Isopropyl Monoester Polymer with Isopropyl Alcohol (C & I)
Skin-Prep	DY	Butyl Monoester Polymer with Isopropyl Alcohol (C & I)
Slow-Fe	CB	Ferrous Sulphate Dried
Slow-K	CB	Potassium Chloride
Sodexol	SC	Aluminium Hydroxide with Magnesium Hydroxide
Sofradex Drops	RL	Dexamethasone Metasulphobenzoate with Framycetin and Gramicidin
Sofradex Ointment	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solone	FM	Prednisolone
Solprin	RC	Aspirin
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Somophyllin	FC	Aminophylline
Sone	FM	Prednisone
Span-K	PT	Potassium Chloride
Spar-Cal	MJ	Calcium
Spirotone	PT	Spironolactone
Spray-On Bande	LF	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
S.R.A.	BT	Aspirin
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine

Proprietary Name	Manu- fac- turer	Name
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Ergocalciferol
Stomahesive	SQ	Butyl Monoester Polymer with Ethanol (C & I)
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptase	HP	Streptokinase
Sulfazole	PT	Sulphafurazole
Sulfamylon	WL	Mafenide Acetate
Supres 25	PT	Hydralazine Hydrochloride
Supres 50	PT	Hydralazine Hydrochloride
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	GE	Amantadine Hydrochloride
Synacthen Depot	CB	Tetracosactrin
Syndopa	FA	Levodopa
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
Tace	ML	Chlorotrianisene
Tagamet	SK	Cimetidine
TAGG	LF	Deodorant Detergent Solution (C & I) (P & Q)
Talecid	SC	Phthalylsulphacetamide
Tarcil	BR	Ticarcillin Disodium
Tears Naturale	AQ	Hypromellose with Dextran
Tegretol	GE	Carbamazepine
Teledrin-P	SK	Chlorpheniramine
Tenormin	IC	Atenolol
Terfluzin	MB	Trifluoperazine
Terramycin	PF	Oxytetracycline
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator - Urine
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetramykoin	BZ	Tetracycline
Tetrex	BC	Tetracycline (Buffered)
Tetrex-F	BC	Tetracycline with Nystatin
T.H.A.	WH	Tacrine
Theo-Dur	AP	Theophylline
Thiminone	LF	Thiamine Hydrochloride
Thiotepa	LE	Thiotepa
Thyroxinal	FM	Thyroxine Sodium (BP 1980)
Timoptol	FR	Timolol
Tofranil	GE	Imipramine
Tolinase	UP	Tolazamide
Tolvon	OR	Mianserin Hydrochloride
Topilar	SD	Fluoclorolone Acetonide
Topodil	SC	Fluocortolone Esters
Torecan	SZ	Thiethylperazine
Trandate	AH	Labetalol
Trasicor	CB	Oxprenolol
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichozole	PT	Metronidazole
Triglyde	MJ	Triglycerides, Medium Chain

Proprietary Name	Manufacturer	Name
Triphasil	WY	Levonorgestrel with Ethinyloestradiol
Triphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Triprim	BW	Trimethoprim
Triquilar	SC	Levonorgestrel with Ethinyloestradiol
Triquilar ED	SC	Levonorgestrel with Ethinyloestradiol
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Ulcaron	SH	Tri-potassium Di-citrato Bismuthate Complex
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Ultralente M.C. Novo	NO	Insulin Zinc Suspension (Crystalline)
Unisolve	DY	Surgical Cement
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol
Uremide	PT	Frusemide
Urex	FM	Frusemide
Urex-Forte	FM	Frusemide
Urex-M	FM	Frusemide
Urid	PT	Chlorthalidone
Urimor	PT	Methyclothiazide
Uro-Carb	HA	Bethanechol
Urogan	NN	Sulphafurazole
Urolucosil	WW	Sulphamethizole
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vanquin	PD	Viprynum Embonate
Vasopressin	SZ	Lypressin
Velbe	LY	Vinblastine
Velosef	SQ	Cephadrine
Velosulin Nordisk	PT	Insulin Neutral
Ventolin	AH	Salbutamol
Ventolin Rotacaps	AH	Salbutamol
Vibramycin	PF	Doxycycline
Vibra-Tabs	PF	Doxycycline
Vioform	CB	Clioquinol
Viokase	RS	Pancreatin Enzyme
Vira A	PD	Vidarabine
Visken	SZ	Pindolol
Winsprin	WL	Aspirin
Xylocard 100	AP	Lignocaine
Xylocard 300 I.M.	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Yomesan	BN	Niclosamide
Zadine	SH	Azatadine Maleate
Zarontin	PD	Ethosuximide

Proprietary Name	Manu- fac- turer	Name
Zephiran Concentrated Zerodor Zincfrin Zoff Zyloprim	WL ZR AQ SN BW	Benzalkonium Chloride Deodorant Concentrate (C & I) Zinc Sulphate with Phenylephrine Surgical Cement Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Abboject	Abbott A'asia - Injections
Chewies	Dista - Chewable tablets
Cota-Tabs	Faulding - Coated tablets
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Emplets	Parke, Davis - Tablet preparations
Ensa	Reckitts - Tablet preparations
Enseals	Lilly - Enteric coated tablets
Filmtabs	Abbott A'asia - Coated tablets
Flex Flac	Vifor - Intravenous infusions
Gradumets	Abbott A'asia - Sustained release tablets
Hamiltabs	Hamilton Laboratories - Tablet preparations
Hermette	Bull Laboratories - Injections
Hyperduric	Glaxo - Injections
Isoject	Pfizer Pty Ltd - Injections
Isopto	Alcon Laboratories - Eye drops
Kapseals	Parke, Davis - Capsules
Linguets	Ciba Pharmaceuticals - Sublingual tablets
Novo	Novo Laboratories - Preparations
Orgaject	Organon - Injections
Pedipac	Lilly - Sachets
Prestab	Ethnor - Tablet preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith, Kline & French - Delayed release capsules
Sterivial	Parke, Davis - Injections
Sterop	Ethnor - Eye drops
Sustets	Lederle - Sustained release capsules
Tabloid	Wellcome Australia Limited - Tablet preparations
Tastitabs	Pfizer Pty Ltd - Chewable tablets
Tri-Test	Drug Houses of Australia Pty Ltd - Preparations
Venosol	Abbott A'asia - Intravenous infusions
Viaflex	Travenol Laboratories - Intravenous infusions
Viules	Boots - Injections
Wellcome	Wellcome Australia Limited - Preparations