



PHARMACEUTICAL BENEFITS

DECEMBER 1985

NOT FOR SALE

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1985 edition of the Schedule of Pharmaceutical Benefits for Approved Chemists.

The reprint of the Schedule will take effect on 1 December 1985 and all previous editions of the Schedule are cancelled.

Your attention is drawn to the following:—

Any pharmaceutical benefit item which has a Commonwealth dispensed price of \$5 or less is deemed not to be a pharmaceutical benefit when prescribed for the general public. Prescriptions for these items should not be included in your claim for reimbursement for benefits supplied.

SUMMARY OF CHANGES

ADDITIONS

Section 1

Emergency Drug (Doctor's Bag) Supplies

Diphtheria and Tetanus vaccine, adsorbed, diluted for adult use, 0.5mL ampoule (available as an alternative to Tetanus vaccine adsorbed, 0.5mL ampoule)

Section 2

New Items

Benzathine Penicillin, 1.8g in 4mL disposable syringe injection (*Bicillin L-A*)

Cyclophosphamide, 50mg tablet (*Cycloblastin*)

Sodium Acid Phosphate, 500 mg elemental phosphorus, 469mg (20.4mmol) sodium, 123mg (3.1mmol) potassium, compound effervescent tablet (*Phosphate Sandoz*)

New Forms and Strengths of Existing Items

Amitriptyline, 50mg tablet (*Endep 50*)

Calcium, 600mg (as carbonate) tablet (*Caltrate*)

Doxepin, 50mg tablet (*Deptran 50*)

Medroxyprogesterone, 500mg in 2.5 mL injection (*Farlutal*)

Pethidine, 50mg tablet

New Brands of Existing Items

Amitriptyline, 10mg tablet (*Endep 10*) and 25mg tablet (*Endep 25*)

Cephalexin, 250mg and 500mg capsules (*Ceporex*); 125mg per 5mL, 100mL granules for syrup (*Ceporex*)

Doxepin, 10mg capsule (*Deptran 10*) and 25mg capsule (*Deptran 25*)

Differential Maximum Quantity Listing

	Maximum Quantity	Number of Repeats
Rifampicin , 150mg capsule (<i>Rimycin 150</i>) and 300mg capsule (<i>Rimycin 300</i>)	10	..

DELETIONS

Section 1

Emergency Drug (Doctor's Bag) Supplies

Morphine Sulphate with Atropine Sulphate injection, 15mg-600 micrograms in 1mL ampoule (Item discontinued by manufacturer)

Section 2

Items

Glymidine, 500mg tablet (*Gondafon*) (Item discontinued by manufacturer)

Morphine Sulphate with Atropine Sulphate, 15mg-600 micrograms in 1mL injection (Item discontinued by manufacturer)

Potassium, 6.5mmol K⁺ effervescent tablet (*Potavescent*)

Protriptyline, 5mg and 10mg tablets (*Concordin*) (Items discontinued by manufacturer)

Forms and Strengths of Existing Items

Aminocaproic Acid, 250mg per mL, 20mL oral solution (*Ekaprol*) (Item discontinued by manufacturer)

Cephalexin, 250mg per 5mL, 100mL granules for syrup (*Keflex*)

Dextromoramide, 5mg in 1mL injection (*Palfium*) (Item discontinued by manufacturer)

Insulin Zinc Suspension, 100 Units per mL, 10mL injection (mixed porcine/bovine) (*Lente M.C. Novo*) (Item discontinued following the establishment of the CSL-Novo joint venture)

Norethisterone Acetate, 2.5mg tablet (*Primolut Nor*) (Item discontinued by manufacturer)

Phenethicillin, 125mg tablet (*Pensig*) (Item discontinued by manufacturer)

Phenytoin Sodium, 100mg tablet (Item discontinued by manufacturer)

Tri-potassium Di-citrato Bismuthate Complex, 156mg (Bi) per 5mL, 500 mL mixture (*Ulcaron*) (Item discontinued by manufacturer)

Preparations which may be Prescribed by Participating Dental Practitioners for Dental Treatment Only

Phenethicillin, 125mg tablet (*Pensig*) (Item discontinued by manufacturer)

ALTERATIONS

Section 2

To be Unrestricted

Azathioprine, 50mg tablet (*Imuran*, *Thioprine*)

Cephalexin, 250mg and 500mg capsules (*Keflex*); 125mg per 5mL, 100mL granules for syrup (*Keflex*)

Chlorambucil, 2mg and 5mg tablets (*Leukeran*)

Methotrexate, 2.5mg tablet; 5mg (solvent required), 5mg in 2mL, 50mg (solvent required) and 50mg in 2mL injections

Nitrofurantoin, 50mg and 100mg tablets (*Furadantin*); 50mg and 100mg capsules (*Macrochantin*); 25mg per 5mL, 200 mL paediatric suspension (*Furadantin*);
Procarbazine, 50mg capsule (*Natulan*)
Trimipramine, 50mg capsule (*Surmontil*)

Restriction Changes

From 'Authority Required' to 'S.P.'

Calcium, compound effervescent tablet equivalent to 1g (25mmol) Ca²⁺ (*Sandocal 1000*)
Calcium Folate, 15mg tablet (*Leucovorin*)
Captopril, 25mg and 50mg tablets (*Capoten*)
Cloxacillin, 250mg and 500mg capsules (*Austrastaph*, *Orbenin*); 125mg per 5mL, 100mL powder for syrup (*Austrastaph*, *Orbenin*)
Dantrolene Sodium, 25mg and 50mg capsules (*Dantrium*)
Demeclocycline Hydrochloride, 150mg capsule (*Ledermycin*)
Flucloxacillin, 250mg and 500mg capsules (*Flophen*, *Floxapen*); 125mg per 5mL, 100mL powder for syrup (*Flophen*, *Floxapen*)
Fusidic Acid, 250mg (enteric coated) tablet (Sodium salt) and 50mg per mL, 90mL suspension (*Fucidin*)
Metronidazole, 500mg in 100mL (0.5%) solution for intravenous infusion (*Flagyl*, *BL*)
Nalidixic Acid, 500mg tablet and 50mg per mL, 200mL oral suspension (*Negram*)
Penicillamine, 125mg and 250mg tablets (*D-Penamine*, *Perdolat*)
Phenelzine, 15mg tablet (*Nardil*)
Propantheline Bromide, 15mg tablet (*Pantheline*)
Tetrabenazine, 25mg tablet (*Nitoman*)
Tobramycin Sulphate, 40mg and 80mg injections (*Nebcin*)
Tranexamic Acid, 500mg tablet (*Cyklokapron*)
Tranlycypromine, 10mg tablet (*Parnate*)

Maximum Quantity

Section 1

Emergency Drug (Doctor's Bag) Supplies

Heparin Sodium Injection BP, 5,000 units in 1mL ampoule 1 5

Section 2

Cephalexin, 250mg capsule (*Keflex*); 500mg capsule (*Keflex*) 25 20
Ergometrine Maleate, 200 micrograms tablet (*Ergotrate*) 12 10
Metoprolol, 100mg tablet (*Betaloc*, *Lopresor*) 25 24
Nutramigen, powder (*Glucose Nutramigen*) (Pack size change) 30 60
Prednisolone, 5mg tablet (*Adnisolone*, *Delta-Cortef*, *Deltasolone*, *Panafcortelone*, *Solone*, *PR*) 2 ≠1
Prednisone, 5mg tablet (*Adasone*, *Deltasone*, *Panafcort*, *Sone*, *DH*, *PR*) 2 4
Sodium Valproate, 200mg per 5mL, 200mL syrup (*Epilim*) 30 60
 ≠1 2

Number of Repeats

From To

Azathioprine, 50mg tablet (*Imuran*, *Thioprine*) .. 2
Betamethasone, 500 micrograms tablet (*Celestone*) 2 4
Calcium, compound effervescent tablet equivalent to 1g (25mmol) Ca²⁺ (*Sandocal 1000*) 5 2
Captopril, 25mg and 50mg tablets (*Capoten*) .. 5
Carbimazole, 5mg tablet (*Neo-Mercazole*) 2 4
Cephalexin, 125mg per 5mL, 100mL granules for syrup (*Keflin*) .. 1
Chlorambucil, 2mg and 5mg tablets (*Leukeran*) .. 2
Dantrolene Sodium, 25mg and 50mg capsules (*Dantrium*) .. 2
Demeclocycline Hydrochloride, 150mg capsule (*Ledermycin*) .. 3
Dexamethasone, 500 micrograms tablet (*Dexamethsone*, *Oradexon*); 4mg tablet (*Dexamethsone*) 2 4
Ergocalciferol, 250 micrograms tablet (*Ostelin*) 1 4
Ethylloestrenol, 2mg tablet (*Orabolin*) 2 3
Fluoxymesterone, 5mg tablet (*Halotestin*) 1 3
Methenolone Acetate, 5mg tablet (*Primobolan*) 1 3
Methotrexate, 2.5mg tablet .. 2
Nalidixic Acid, 500mg tablet and 50mg per mL, 200mL oral suspension (*Negram*) .. 2
Nifedipine, 10mg capsule (*Adalat*) 2 4
Pancreatin Enzyme, 4 times USNF.XIII strength 325 mg tablet (*Viokase*) and 250g powder (*Viokase*); 5 times USNF.XIV strength 305mg capsule (*Viokase*) 1 4
Pancrelipase, 234mg capsule (*Pancrease*) and 300mg capsule (*Cotazym*) 1 4
Penicillamine, 125mg and 250mg tablets (*D-Penamine*, *Perdolat*) .. 1
Phenelzine, 15mg tablet (*Nardil*) .. 2
Phenobarbitone, 30mg tablet 2 4
Prednisolone, 1mg tablet (*Panafcortelone*); 5mg tablet (*Adnisolone*, *Delta-Cortef*, *Deltasolone*, *Panafcortelone*, *Solone*, *PR*) and 25mg tablet (*Panafcortelone*, *Solone*) 2 4
Prednisone, 1mg tablet (*Panafcort*); 5mg tablet (*Adasone*, *Deltasone*, *Panafcort*, *Sone*, *DH*, *PR*) and 25mg tablet (*Panafcort*, *Sone*) 1 4
Procarbazine, 50mg capsule (*Natulan*) .. 2
Propantheline Bromide, 15mg tablet (*Pantheline*) .. 5
Propylthiouracil, 50mg tablet 2 4

Sulthiame , 50mg and 200mg tablets (<i>Ospolot</i>)	1	2
Tetrabenazine , 25mg tablet (<i>Nitoman</i>)	..	2
Tranexamic Acid , 500mg tablet (<i>Cyklokapron</i>)	..	2
Tranlycypromine , 10mg tablet (<i>Parnate</i>)	..	2
Trimipramine , 50mg capsule (<i>Surmontil</i>)	..	1

Pack Size

	From	To
Nutramigen , powder (<i>Glucose</i> <i>Nutramigen</i>)	500g	1kg

Item Name

Section 2

From	To
Insect Allergen Extract— Wasp Venom Protein , Injection Set contain- ing 550 micrograms	Insect Allergen Extract— Paper Wasp Venom

Manufacturers' Codes

	From	To
Milk Powder—Synthetic , 397g low cal- cium compound powder (<i>Locasol</i>); 454g low lactose compound powder (<i>Galactomin Formula 17</i>); 454g fruc- tose formula, reduced fat, low lactose compound powder (<i>Galactomin For- mula 19</i>)	<i>MN</i>	<i>KY</i>
Prednisolone Stearoylglycolate , 6.65mg tablet (<i>Sintisone</i>)	<i>EC</i>	<i>FE</i>
Triglycerides, Medium Chain , 1L Oil (<i>Cow and Gate MCT Oil</i>)	<i>MN</i>	<i>KY</i>

All Previous Editions Cancelled



SCHEDULE OF

PHARMACEUTICAL BENEFITS

for

APPROVED CHEMISTS

OPERATIVE FROM 1 DECEMBER 1985

Commonwealth Department of Health,
CANBERRA, A.C.T.

A. B. CAUDELL, Government Printer, Tasmania

CONTENTS

SECTION 1—LEMON PAGES

INTRODUCTION Paragraphs

THE SCHEDULE..... 1- 12

CONDITIONS UNDER WHICH BENEFITS
MAY BE PRESCRIBED AND DISPENSEDA. PRESCRIBING OF BENEFITS—
PROCEDURE BY MEDICAL
PRACTITIONERS AND PAR-
TICIPATING DENTAL
PRACTITIONERS

Prescriptions.....	14- 17
Manner of Administration.....	18
Restrictions.....	19
Maximum Quantities and Repeats .	20- 26
Authority to Prescribe.....	27
Regulation 24.....	28
Emergency Drug (Doctor's Bag)	
Supplies.....	29- 30
Urgent Cases.....	31- 32

B. SUPPLY OF BENEFITS—
PROCEDURE BY APPROVED
CHEMISTS

Prescriptions.....	33- 40
Suspected Forgery.....	41
Procedure before Supply of Benefit	42
Regulation 24.....	43
Deferred Supply.....	44
Repeat Authorisations.....	45- 48
Preparation of Repeat Authorisation Form—Repeat Supply.....	49- 50
Repeat Authorisations for Injectibles and Solvents.....	51
Repeat Authorisations for Deferred Supply.....	52- 53
Issue of Repeat Authorisations....	54
Receipts.....	55- 56
Emergency Drug (Doctor's Bag)	
Supplies.....	57- 59
Urgent Cases.....	60
Prescription Identifying Numbers..	61- 62

C. CHARGES TO PATIENTS

Patient Contribution and Special Pa- tient Contribution.....	63- 67
Establishment by Eligible Pensioners and Concessional Beneficiaries of Entitlements to Pharmaceutical Benefit Concessions.....	68- 71
After Hours.....	72
Delivery.....	73
Responsibility.....	74- 75
Approval Conditions.....	76

PREPARATION AND SUBMISSION OF
CLAIMS FOR REIMBURSEMENT—
PROCEDURE BY APPROVED CHEMISTS Paragraphs

A. INTRODUCTION..... 77- 79

B. PROVISION OF INFORMATION BY
APPROVED CHEMISTS

Entering of Information.....	80
Prescription Identification Stamp..	81- 83
Information to be Entered in Prescription Identification Stamp	84
Serial Numbering of Prescriptions, Repeat Authorisations, and Emer- gency Drug (Doctor's Bag) Order Forms.....	85- 87
Serial Numbering of an Injectable Item Ordered with a Solvent....	88
Serial Numbering of Repeat Authorisations for Authority Prescriptions.....	89
Serial Numbering of Repeat Authorisations for Deferred Supply	90
Dropper Containers.....	91
Extemporaneously Prepared Benefits which are not listed in the Standard Formulae List.....	92
Action to be taken when an Approved Chemist is to be paid on an Avera- ge Price Basis.....	93
Action to be taken when an Approved Chemist elects to price non-pre- pared Extemporaneous Prepara- tions.....	94
Items Not Included in either the N.H.S. or Repatriation Schedule of Pharmaceutical Benefits.....	95
Action by an Approved Chemist Dis- pensing a Repeat Authorisation .	96

C. SUBMISSION OF CLAIMS

Documents to be Submitted.....	97- 98
Completion of Claim Form.....	99-103
Time for Lodgement of Claims ...	104

D. STATEMENT OF ACCOUNT..... 105-110

Paragraphs

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S. DISPENSING

A. READY PREPARED BENEFITS

Price where Maximum Quantity Prescribed (R.P. items)	111-112
Price where Broken Quantity Prescribed (R.P. items)	113
Price for Unbranded Prescriptions ..	114
Unbroken Packs to be Supplied ...	115
Wastage Table Percentage for Ready Prepared Preparations	116-117

B. EXTEMPORANEOUSLY PREPARED BENEFITS

Prescribers' List Items	118
Pricing Prescriptions Not Pre-priced ..	119-120
Pricing of Ingredients	121
Miscellaneous Pricing Rules	122
Pricing Prescriptions where Additional Ingredients have been added to a Specified Formula	123-127
Containers	128-130
Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List	131-137

C. GENERAL

Pricing Principles	138-140
Fees and Containers	141
Pricing Dates	142

MISCELLANEOUS

Premises	143
Hours of Supply	144-145
Approved Medical Practitioners, Friendly Societies	146
Isolated Pharmacy Allowance	147-148
Standards	149
References	150
Proper Stocks to be kept	151
Statement of Stocks	152
Retention of Documents	153
Sale Copies	154
Supplies of Stationery	155
Enquiries	156

EXAMPLES OF INFORMATION ENTERED IN THE PRESCRIPTION IDENTIFICATION STAMP

Addresses of Commonwealth Department of Health Regional Offices ..	23
Index of Manufacturers' Codes ...	24-27
Emergency Drug (Doctor's Bag) Supplies	28

Page

SECTION 2—WHITE PAGES

SCHEDULE OF BENEFITS

General, Pensioner and Restricted Benefits	1-68
Intravenous Infusions	69-70
Preparations which may be prescribed by Participating Dental Practitioners for Dental Treatment Only ..	71-74

SECTION 3—WHITE PAGES

SCHEDULE OF BENEFITS

Preparations available for Colostomy and Ileostomy Use	2- 3
Preparations Available for Use by Paraplegic and Quadriplegic Patients	4

SECTION 4—GREEN PAGES

SCHEDULE OF BENEFITS

Drug Tariff	2- 7
Container Prices for Extemporaneously Prepared Benefits	8
Standard Formulae Preparations ..	9-14
Table of Codes, Maximum Quantities and Number of Repeats for Extemporaneously Prepared Benefits ..	15

SECTION 5—GREEN PAGES

PRESCRIBERS' LIST

PHARMACEUTICAL BENEFIT

FORMULAE

Creams	1- 2
Dusting Powder	2
Ear Drops	2
Inhalations	2
Linctus	3
Liniments	3
Lotions	3
Mixtures	3- 4
Nasal Instillations	4
Ointments	4- 5
Paints	5
Pastes	5

CHILDREN'S SECTION

Mixtures	6
----------------	---

SECTION 6—BLUE PAGES

Container Prices and Fees for Ready Prepared Benefits	1
Standard Packs and Prices (including Mark-up, but no Fees) for items against the price of which an asterisk is shown in the Schedule of Benefits	2- 6

PROPRIETARY INDEX

Part 1—Proprietary Names Index	2-20
Part 2—Trade Names Index	21

INTRODUCTION

These notes are designed for use by approved chemists. They describe the procedures by medical practitioners and participating dental practitioners in prescribing benefits and the procedures by approved chemists in supplying benefits. They go on to outline the action on the part of approved chemists in preparing prescriptions for processing by computer and the submission by them of claims for payment. Finally the notes explain the pricing arrangements in accordance with which approved chemists' claims are processed for payment.

THE SCHEDULE OF PHARMACEUTICAL BENEFITS

1. Pharmaceutical benefits which may be prescribed by medical practitioners are listed in the book 'Schedule of Pharmaceutical Benefits for Approved Chemists'. The Schedule also includes a list of pharmaceutical benefits which may be prescribed by participating dental practitioners for dental treatment only. These items are listed in section 2 (White Pages) after the Intravenous Infusions for Injection.

2. Ready prepared items are listed in sections 2 and 3 (White Pages) of the Schedule. Restrictions apply to the prescribing of certain items in section 2 and all of the items in section 3. All restricted items are printed in red. Further details may be found in these notes—paragraphs 16 (f) and 19.

3. The Schedule of ready prepared items includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any determined brand of solvent may be ordered with the item. Medical practitioners and participating dental practitioners have been informed that such benefits should be written as one prescription, e.g., 'Ampicillin, Injection 1g with 2mL water for injections'.

4. The maximum quantity and maximum number of repeats allowable for each item are also shown in sections 2 and 3 (White Pages) of the Schedule. Further details may be found in these notes—paragraphs 20-26.

5. The drugs which may be used in extemporaneous preparations are listed in section 4—Drug Tariff (Green Pages). Where a restriction applies to the use of a drug listed in this section it is indicated against the item. The following are also included in section 4:—

- (a) container prices;
- (b) a list of Standard Formulae preparations and prices. The list is comprised of formulae taken from formularies in common use and is referred to in this book as the Standard Formulae List; and
- (c) table of maximum quantities and number of repeats for extemporaneously prepared benefits.

6. Formulae in common use are listed in section 5—Prescribers' List (Green Pages).

7. Container prices, fees, standard packs and prices for ready prepared preparations are listed in section 6 (Blue Pages).

8. A proprietary name index of ready prepared items is published after section 6 (Blue Pages).

9. Symbols used in the Schedule of Benefits are explained on page 1, section 2 (White Pages).

10. Price changes and other amendments are advised each month so that the information in the Schedule may be updated regularly.

11. The following admixtures are not pharmaceutical benefits:—

- (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
- (b) the admixture of a ready prepared item and a drug or drugs listed in section 4 (Green Pages) of the Schedule of Benefits; or
- (c) the admixture of two or more items which may be prescribed by participating dental practitioners for dental treatment only.

Definitions

12. All references in this book to 'concessional beneficiaries' shall include:—

- (a) persons who are issued with a valid Health Care Card and their dependants; or
- (b) persons who are issued with a valid Pharmaceutical Benefits Concession Card and their dependants; and

all references to 'pensioners' shall include:—

- (a) persons who are issued with a valid Pensioner Health Benefits Card and their dependants; or
- (b) persons who are issued with a valid Health Benefits Card and their dependants.

CONDITIONS UNDER WHICH BENEFITS MAY BE PRESCRIBED AND DISPENSED

13. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

A. PRESCRIBING OF BENEFITS— PROCEDURE BY MEDICAL PRACTITIONERS AND PARTICIPATING DENTAL PRACTITIONERS

Prescriptions

14. A prescription ordering a pharmaceutical benefit may be written only for the medical or dental treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit. A prescription must not be written for any other purpose and is valid only when it is written by a registered medical practitioner or a participating dental practitioner.

15. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

16. Medical practitioners and participating dental practitioners are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Secretary otherwise record the prescription) either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The standard prescription forms supplied by the Department to participating dental practitioners have a blue margin to distinguish them from the forms supplied to medical practitioners. The name and address of the medical practitioner or participating dental practitioner must be shown and 'N.H.S.' endorsed at the top. Each participating dental practitioner is also required to endorse each prescription with the participating dental practitioner (D.P.) number in the appropriate space. Medical practitioners who have obtained approval to record prescriptions in other than their own handwriting will endorse the prescriptions 'Regulation 19 (1) (a) approval obtained'.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.

- (c) Set out the name and full address of the patient.
- (d) The pharmaceutical benefit must be identified in the prescription by such particulars, including the name, form, strength and quantity, as are necessary for the complete identification of that benefit.
- (e) If the benefit is a single drug, the manner of administration must be indicated.
- (f) In the case of restricted pharmaceutical benefits they may only be prescribed by medical practitioners subject to any restrictions specified in the Schedule. The prescription requirements for these benefits are indicated under the item in the Schedule. Further details may be found in these notes—paragraph 19.
- (g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time, the prescription must be endorsed in the medical practitioner's own handwriting with the words 'Regulation 24'. Further details are available in paragraphs 28 and 43.
- (h) Where the words 'solvent required' are included after the form of a benefit, the medical practitioner or participating dental practitioner must specify the volume and number of ampoules of solvent to be supplied.
- (i) Date and sign the prescription.

17. A prescription is not a valid pharmaceutical benefit prescription if:—

- (a) the medical practitioner prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;
- (b) the medical practitioner prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be made on more than one occasion. If no repeats of either item are ordered, the prescription may be accepted;
- (c) the medical practitioner prescribes a narcotic drug for the medical practitioner writing the prescription; or
- (d) the participating dental practitioner prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same participating dental practitioner.

Manner of Administration

18. Where a particular manner of administration is indicated in the Schedule of Benefits, the item may not be supplied as a pharmaceutical benefit for administration in any other way, e.g. an ophthalmic preparation prescribed for topical use.

Restrictions

19.—

- (a) Where a benefit is restricted to the treatment of a specified disease, condition or class of person, the medical practitioner is required to indicate that the benefit has been prescribed in accordance with the applicable restrictions by writing the words 'specified purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted.
- (b) Where a prescription is written for an item available for use by colostomy and ileostomy patients or for an item available for use by paraplegic and quadriplegic patients, it is necessary that the prescription be endorsed 'specified purpose' by the medical practitioner.
- (c) Where a benefit is subject to a restriction that the written authority of the Director of Health is required, the medical practitioner should seek approval from the Director of Health, Commonwealth Department of Health in the State concerned before prescribing the item as a benefit.

Maximum Quantities and Repeats

20. For ready prepared preparations, the allowable maximum quantity and number of repeats are shown in sections 2 and 3 (White Pages). For extemporaneously prepared preparations, details are set out in the Table of Maximum Quantities and Repeats, section 4 (Green Pages).

21. The maximum quantity of an item marked with a double dagger (‡) has been determined as a single pack. As explained on page 1, section 2 (White Pages), the standard pack must be supplied irrespective of the quantity prescribed.

22. For other items, it is not necessary to prescribe the maximum quantity if the medical practitioner or participating dental practitioner considers a lesser quantity is sufficient for the patient's needs. Medical practitioners or participating dental practitioners are required to specify the actual quantity of the benefit required.

23. If a medical practitioner requires a prescription to be repeated he must specify the actual number of repeats required. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

24. Some prescriptions for pharmaceutical benefits do not completely identify the pharmaceutical benefit, in that they do not clearly state the quantity and/or the number of repeats. For example, some medical or dental practitioners write 'Max. Qty', 'M.Q.' or 'M.R.' instead of the actual number of tablets, capsules, etc., or the number of repeats required. The abbreviations 'Max. Qty', 'M.Q.' or 'M.R.' are not acceptable unless suitably endorsed by the pharmacist in his own handwriting that the prescriber has been contacted and the quantity and/or repeats clarified.

25. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority.

26. Special provisions exist to assist chronically ill persons who require larger quantities of drugs and/or continuous treatment. In most cases under these provisions a medical practitioner may, if he considers it to be in his patient's interest, apply to the Director of Health, Commonwealth Department of Health in his State for authority to prescribe a quantity and/or number of repeats in excess of the listed maximum quantity and/or maximum number of repeats.

Authority to Prescribe

27. Pharmaceutical benefits should not be supplied on presentation of an authority prescription which has not been approved by the Director of Health in the particular State, except in urgent cases, and then, only when the authority of the Director of Health is first obtained by telephone or other means.

(a) The written authority of the Director of Health to prescribe:—

- (i) restricted drugs (paragraph 19); or
- (ii) increased maximum quantities (paragraph 26); and/or
- (iii) increased number of repeats (paragraph 28),

will be forwarded to the medical practitioner on an Authority to Prescribe (Form PB15) or to the medical practitioner or the patient on an Authority Prescription (Form PB86).

(b) When the authority is given on the Authority to Prescribe (Form PB15) the medical practitioner will write the prescription in the space provided on the form for this purpose.

Regulation 24

28. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a medical practitioner may direct that the original supply and repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that:—

- (a) the maximum quantity specified for the benefit prescribed is insufficient for the medical treatment of the person for whom the prescription is written;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved chemist or approved medical practitioner; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24', as certification that the above conditions have been satisfied.

Emergency Drug (Doctor's Bag) Supplies

29. Certain pharmaceutical benefits are provided free to medical practitioners for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies. The items available as Emergency Drug (Doctor's Bag) Supplies are listed at the end of section 1 (Lemon Pages) of the Schedule.

30. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the medical practitioner personally. Medical practitioners approved to supply pharmaceutical benefits under section 92 of the National Health Act are to use Form PB7A which must not be presented to an approved chemist for their supplies. Special instructions are issued to approved medical practitioners.

Urgent Cases

31. In cases of urgency, a medical practitioner or participating dental practitioner may communicate a prescription to an approved chemist by telephone or other means. In such cases the medical practitioner or participating dental practitioner must reduce the prescription to writing and forward it within 24 hours of such communication to the approved chemist who made the supply. For further details see paragraph 60.

32. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit. In such cases, the medical practitioner must first obtain advice from the Director of Health in the particular State, by telephone or other means, that the authority will be issued and notify the approved chemist accordingly when communicating the prescription. The medical practitioner must subsequently obtain the written authority and forward the completed form within 24 hours of its receipt to the approved chemist who supplied the benefit.

B. SUPPLY OF BENEFITS—PROCEDURE BY APPROVED CHEMISTS

Prescriptions

33. An approved chemist is authorised to supply a pharmaceutical benefit only upon the surrender of:—

- (a) a valid prescription, dated within six months before the date of its presentation; or
- (b) an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15) which has been dated by the prescribing medical practitioner within six months before the date of its presentation; or
- (c) a repeat authorisation presented with a duplicate prescription within six months of the date of the prescription.

34. A pharmaceutical benefit may not be supplied to the same person more than once on any one day, except where a prescription is endorsed 'Regulation 24' (see paragraph 43).

35. Prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion (see also paragraph 46).

36. Where restrictions are removed or applied with regard to the prescribing of a benefit, valid prescriptions written before the date of effect of the restriction changes may still be dispensed as benefits.

37. Where the maximum quantity and/or number of repeats of an item are altered, the quantities and repeats which have been prescribed on valid prescriptions written before the date of effect of the alterations may be dispensed.

38. Prescription forms on which are prescribed both pharmaceutical benefit items and non-pharmaceutical benefit items may be accepted. The non-benefit items will be supplied as private prescriptions, cancelled from the form and must not be serially numbered.

39. A benefit shall not be supplied a number of times greater than the number specified in the prescription.

40. Where a brand of a benefit item is specified by the prescriber, the approved chemist is required to supply that brand. The only exceptions to this are:—

- (a) where prior to supply the prescriber has given approval for supply of a listed brand different from that specified in the prescription; or

(b) where the prescribed brand is unavailable, the approved chemist supplying the benefit can satisfy the Director of Health, Commonwealth Department of Health in his State that—

(i) the approved chemist was unable, after a conscientious attempt, to contact the prescriber to obtain his approval to supply an alternative listed brand; and

(ii) the supply of the benefit was required as a matter of urgency.

An appropriate certification setting out the relevant facts is to be made on such prescriptions by the approved chemist.

Suspected Forgery

41. The National Health Act requires that a prescription must be written by a registered medical practitioner or a participating dental practitioner. In the event that the approved chemist cannot recognise the medical practitioner's or participating dental practitioner's signature he should take all reasonable steps to satisfy himself that the prescription was written by a registered medical practitioner or a participating dental practitioner. If an approved chemist is not satisfied that the signature on a prescription form is that of a medical practitioner or participating dental practitioner, or suspects that the prescription has been forged or fraudulently obtained, he is entitled, before supplying the benefit, to obtain a statement from the person obtaining the benefit. However, in the case of Emergency Drug (Doctor's Bag) Order Forms particular requirements are set out in paragraph 57.

Procedure before Supply of Benefit

42. Before a benefit is supplied on presentation of a prescription the approved chemist is required to:—

(a) endorse the prescription form and duplicate with the approved chemist's name and approval number;

(b) allot a prescription identifying number (see paragraphs 61, 62) which will identify the prescription item and mark that number on the form and duplicate; and

(c) if more than one item has been written on the one form allot a separate prescription identifying number to each prescription item.

Regulation 24

43. Where a prescription is endorsed 'Regulation 24' (see paragraph 28), an approved chemist is authorised to supply the benefit and the repeats of that benefit at the one time. He should not complete a Repeat Authorisation Form. An amount equivalent to one professional fee and where applicable, one dangerous drug fee is payable for the total supply. With regard to patient contribution for 'Regulation 24' supply, see paragraph 66.

Deferred Supply

44. When a patient presents a prescription form, in duplicate, ordering more than one benefit item, and does not require the supply of one or more of the benefit items at the same time as other benefit items prescribed on the form, a separate repeat authorisation (see paragraph 52) for each deferred item must be prepared in duplicate and the words 'Original Supply Deferred' must be stamped across the relevant item on the original and duplicate of the prescription form and the repeat authorisation. The duplicate must be stamped in such a manner as to not render the duplicate illegible. DEFERRED ITEMS MUST NOT BE CLAIMED ON THE ORIGINAL PRESCRIPTION FORM.

Repeat Authorisations

45. Where repeats are allowable a benefit may be supplied on a repeat authorisation only when it is presented with a duplicate prescription to which it is duly related and it is indicated that the pharmaceutical benefit to be supplied has not already been supplied the number of times directed in the prescription.

46. Repeat authorisations which relate to prescriptions for items deleted from the Schedule of Benefits may not be dispensed as benefits as from the date of effect of deletion.

47. However, where changes to restrictions, maximum quantities and/or number of repeats occur (as for original prescriptions, paragraphs 36, 37), repeat authorisations which relate to valid prescriptions written before the date of effect of the alterations, may be dispensed as benefits.

48. Before a benefit is supplied on presentation of a repeat authorisation, the approved chemist shall mark his name and approval number in the space provided on the repeat authorisation.

Preparation of Repeat Authorisation Form—Repeat Supply

49. Before a benefit is supplied on presentation of a valid prescription, Authority Prescription (Form PB86) or Authority to Prescribe (Form PB15) which contains a direction to repeat the supply (when repeats are allowable) or on a repeat authorisation requiring further allowable repeats the approved chemist shall prepare a Repeat Authorisation Form (Form PB13 or PB 13A) in duplicate, except when supply under the provisions of Regulation 24 is authorised.

50. The Repeat Authorisation Form shall show:—

- (a) the category of benefit (either NHS General, NHS Concessional, NHS Pensioner or RPBS)—by placing a cross (x) in the relevant box;
- (b) the patient's name and full address;
- (c) if the prescription is for a pensioner or concessional beneficiary, the entitlement number appearing on the prescription, or, in the case of a previous repeat authorisation, the entitlement number appearing on the front of the Repeat Authorisation Form;
- (d) in the case of repeats authorised on an Authority Prescription (Form PB86) or an Authority to Prescribe (Form PB15), the authority number;
- (e) the transcription of the original prescription stating the item, form, strength, quantity and directions;
- (f) on the first occasion of supply of the benefit, his approval number, the date of the original prescription together with the prescription identifying number allotted by him to the prescription (see paragraph 61);
- (g) on subsequent occasions of supply, the approval number, the date of the original prescription and the prescription identifying number as shown on the previous Repeat Authorisation Form;
- (h) the number of times the benefit has been directed to be repeated and the number of times supply has been made; and
- (i) the name and approval number of the approved chemist issuing the repeat authorisation.

Repeat Authorisations for Injectibles and Solvents

51. Only one repeat authorisation is to be prepared in respect of an injectible benefit which requires a solvent, and the solvent ordered. Details of both the

injectible and the solvent should appear in the space provided for the 'Original Prescription Transcription'.

Repeat Authorisations for Deferred Supply

52. The Repeat Authorisation Form when it is used for a deferred supply of an original prescription item, is to be prepared and issued in the same manner as is required for the normal authorisation of repeats except that:—

- (a) '0' is to be inserted in the space for 'No. of times already dispensed';
- (b) if no repeats are ordered, '0' is to be inserted in the space for 'No. of Repeats Authorised';
- (c) where a Repeat Authorisation Form authorises the first supply of deferred original supply prescription items, the words 'Original Supply Deferred' should be stamped horizontally across the form just below the space provided for the 'Original Prescription Transcription' in such a manner that will not render illegible any of the other information entered on the form.

53. The supply of a benefit on a Repeat Authorisation Form which has been prepared for deferred supply is to be regarded as the first occasion of supply. If repeats have been directed the normal procedure in regard to repeat authorisations will apply at the time of first supply.

Issue of Repeat Authorisations

54. At the time of supply of the benefit the completed repeat authorisation for any further allowable repeat(s) or deferred supply together with the duplicate of the prescription is to be issued to the person to whom the benefit is supplied.

Receipts

55. Upon the supply to a person of a benefit by an approved chemist, that person shall sign and date a receipt for that benefit on the prescription form or repeat authorisation, as the case may be. If the person taking delivery of the benefit is not the person for whose treatment the prescription was written, he shall in addition endorse the prescription form or repeat authorisation with his address. Not in any circumstances must a person give or an approved chemist demand a receipt until supply of the benefit has actually been made.

56. Where a benefit is supplied through the post, by rail, or other means of transport, and it is impracticable to obtain a receipt, the approved chemist must certify on the prescription or repeat authorisation, as the case may be, that the benefit has been supplied, the date on which the supply was made and particulars of the means of supply. Where a benefit is supplied prior to the presentation of a prescription (urgent cases see paragraphs 31, 32 and 60) or to a person who cannot read or write, or who is unable to write, the approved chemist should sign and date a statement on the prescription or repeat authorisation, certifying that the benefit has been supplied and indicating the reason why a receipt was not obtained.

Emergency Drug (Doctor's Bag) Supplies

57. Certain pharmaceutical benefit items may be supplied to medical practitioners on receipt of an Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the medical practitioner personally. These items are listed at the end of section 1 (Lemon Pages) of the Schedule. Each order form is valid during the month printed thereon and each medical practitioner may obtain the benefits not more often than once per month. If the signature appearing on an Emergency Drug (Doctor's Bag) Order Form is that of a medical practitioner unknown to the approved chemist the latter is required to obtain, from the person presenting the order, particulars of the full name and address and medical registration number of the medical practitioner, and endorse these particulars on the back of the original copy of the order form.

58. The quantity of emergency drug items which may be supplied at the one time must not exceed those quantities specified in the list shown in section 1 (Lemon Pages).

59. A medical practitioner may also specify on the order form a particular brand of a benefit. If it is not available, the medical practitioner should be requested to specify in the order a permitted brand which is available, and to initial the alteration. On supply of the benefits ordered on the order form, a receipt for the benefits must be signed by either the medical practitioner himself or by a person authorised by him.

Urgent Cases

60. A pharmaceutical benefit may be supplied by an approved chemist before the prescription for that benefit has been surrendered to him, where in cases of urgency, the medical practitioner or participating dental practitioner communicates the prescription to the approved chemist by telephone or other means. This provision does not apply to prescriptions for supply by approved chemists where the law of the State in which that approved chemist's premises are

situated requires the prescription to be in writing. This provision also applies to drugs for which the written authority of the Director of Health, Commonwealth Department of Health is necessary for supply as pharmaceutical benefits. In such cases the medical practitioner must first obtain advice from the Director of Health in the particular State, by telephone or other means, that the authority will be issued.

Prescription Identifying Numbers

61. In addition to a serial number (see paragraph 86), each pharmaceutical benefit prescription dispensed must be given an identifying number which identifies it specifically. Any recognised series which will meet the purpose may be used, provided that the chemist's approval number is not a component of such numbers.

62. Further, in cases where an approved chemist allots a prescription identifying number to a repeat authorisation different from the original prescription number allotted by the approved chemist issuing the repeat authorisation, he should enter this new identifying number in the appropriate space.

C. CHARGES TO PATIENTS

Patient Contribution and Special Patient Contribution

63. An approved chemist is required for each supply by him whether on a prescription or repeat authorisation, to charge the person to whom the pharmaceutical benefit is supplied an amount of \$5 for general patients or an amount of \$2 for patients with a concessional entitlement. A charge is not to be made for patients who are pensioners. Where a solvent is prescribed as part of a benefit, only one prescribed charge is to be made for each supply of the benefit.

64. Where a medical practitioner has obtained an authority from the Director of Health, Commonwealth Department of Health to prescribe a quantity greater than the normal maximum quantity the authorised prescribed charge should be made for each supply of the increased maximum quantity.

65. A special patient contribution will be determined for certain drugs in regard to which there exists a price disagreement with the manufacturer. The special patient contribution will thus be an additional charge over and above the relevant patient contribution set out in paragraph 63. All patients, including concessional beneficiaries and eligible pensioners, will be required to pay this special patient contribution for these special pharmaceutical benefits.

66. Where a medical practitioner has endorsed a prescription 'Regulation 24' (see paragraphs 28 and 43) the approved chemist should make the relevant prescribed charge (including a special patient contribution if applicable) for the original and the same charge for each repeat that would normally be needed to make up the total supplies. For example, if the prescription ordered two repeats, a charge of \$15 should be made to a general patient, or \$6 to a patient with a concessional entitlement, and where the special patient contribution applies, the multiple of the special patient contribution equal to the total number of supplies is also to be charged.

67. A prescription, other than a prescription for a pensioner, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$5 for general patients, or \$2 for patients with a concessional entitlement, is not a prescription for a pharmaceutical benefit. This also applies to prescriptions endorsed 'Regulation 24', for which the price of the total quantity of the benefit supplied is equal to or less than the authorised charge specified in paragraph 66.

Establishment by Eligible Pensioners and Concessional Beneficiaries of Entitlements to Pharmaceutical Benefit Concessions

68. Any person may enter the relevant information to establish the patient as an eligible pensioner or concessional beneficiary in the spaces provided on prescription forms (front or back) supplied by the Department.

69. The person entering the entitlement information shall complete all the relevant details applicable to the patient's entitlement on the prescription. The information to be provided in the appropriate spaces are:—

- (a) the entitlement number appearing on the card, i.e., a ten-character alpha-numeric number (the entitlement number does not identify the type of card or the entitlement category); and
- (b) a cross (x) in the appropriate box indicating the type of entitlement card held by the patient. The type of card denotes the entitlement of the patient to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.

Where a patient or agent is required to sign and date a receipt for the supply of a benefit on an original prescription form (see paragraphs 55-56), that person also accepts responsibility for the validity of the entitlement information shown on the prescription.

Where the approved chemist supplies a pharmaceutical benefit before the prescription is reduced to writing, he is authorised to obtain the patient's entitlement information so that this information can be entered on the prescription, if the prescription, when received from the medical practitioner, does not include the relevant information.

70. Where prescriptions are written on forms which do not provide space (front or back) for the entry of entitlement information, the dispensing approved chemist, on request, shall place the declaration stamp imprint on the back of the original prescription form to enable the patient's entitlement information to be provided. In these cases a signature and date is not required on the declaration format.

71. In those cases where the patient becomes a pensioner or concessional beneficiary after the original prescription has been supplied and wishes to establish entitlement for subsequent repeat or deferred supplies, the approved chemist shall place the declaration stamp imprint on the back of the Repeat Authorisation Form to enable the relevant information to be provided.

After Hours

72. A charge not exceeding \$2 may be made when an approved chemist is required to return to his approved premises in order to supply a pharmaceutical benefit or pharmaceutical benefits at a time outside normal trading hours. Only one \$2 charge may be made on the one occasion, irrespective of the number of benefits supplied. The charge is recoverable from the patient concerned and not from the Department.

Delivery

73. A charge equal to the cost of delivering the pharmaceutical benefit may be made if supply is made at or to a place other than the approved chemist's pharmacy.

Responsibility

74. It is the patient's responsibility to meet any charge lawfully demanded and an approved chemist may refuse to supply a pharmaceutical benefit if payment of a charge is not made.

75. An approved chemist or a medical practitioner is not entitled to demand or receive a payment (other than a payment from the Department) or other valuable consideration in respect of the supply of a pharmaceutical benefit except as set out herein.

Approval Conditions

76. The approval of an approved chemist is subject to the condition that:—

- (a) he will not, by advertisement, notice or otherwise, state or indicate that he is willing to supply all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge of less than the appropriate patient contribution(s) for each supply;
- (b) he will clearly indicate in any statement made by advertisement, notice or otherwise, that any offer to supply drugs or medicinal preparations without charge or at a reduced charge does not apply to the supply of pharmaceutical benefits;
- (c) he will not follow a practice of supplying all or any pharmaceutical benefits to all or any persons (except pensioners) without charge or for a charge that is less than the appropriate patient contribution(s); and
- (d) he will not enter into any agreement or arrangement to pay rebates or refunds of the authorised prescription charges nor will he become a party to such agreements.

PREPARATION AND SUBMISSION OF CLAIMS FOR REIMBURSEMENT— PROCEDURE BY APPROVED CHEMISTS

A. INTRODUCTION

77. The pricing of valid prescriptions, Repeat Authorisations and Emergency Drug (Doctor's Bag) Order Forms and the calculation of the total amount payable for each claim are carried out by means of a computer which operates on information provided in respect of each pharmaceutical benefit supplied under the National Health Act.

78. The payment system is designed to enable approved chemists to prepare claims correctly with a minimum of work but it is, however, essential that the instructions be followed carefully and without modification. The inclusion in claims of incorrectly prepared or otherwise defective prescriptions can be expected to interrupt processing and delay payments.

79. The interest and co-operation of approved chemists in ensuring that claims are always correctly prepared is invited and would substantially assist this Department to maintain a programme of prompt and satisfactory payments.

B. PROVISION OF INFORMATION BY AN APPROVED CHEMIST

Entering of Information

80. The approved chemist will enter relevant information on each document he submits in support of his claim. The information to be entered will depend upon the type of document, i.e., original or repeat supply, Emergency Drug (Doctor's Bag) Order Form, etc.

Prescription Identification Stamp

81. A stamp in the following format may be used to facilitate the presentation of pharmaceutical benefit prescriptions for payment:—

S
A
No.

The stamp may be used for identifying all pharmaceutical benefit prescriptions and provides spaces for information required on original prescription forms. Stamp imprints must be placed on the extreme left of the front side of the prescription form, opposite each prescription item being claimed. Care must be taken not to obliterate any of the prescription details written by the prescriber. Many medical practitioners as well as participating dental practitioners use prescription forms which provide space suitable for this purpose. Repeat Authorisation Forms (Forms PB13 and PB13A), Emergency Drug (Doctor's Bag) Order Forms (Form PB7), Authority Prescription Forms (Form PB86) and Authority to Prescribe Forms (Form PB15) currently on issue have printed spaces designed for the information required.

82. Where the prescription identification stamp is not used, the required information must be inserted in the same area on the prescription form as that designated for the stamp and in the same order as that shown in the stamp.

83. Approved chemists are asked to avoid stamping or writing over the prescriber number pre-printed above the letters 'N.H.S.' on the N.H.S. prescription forms supplied to medical practitioners or over the 'D.P. No.' box on N.H.S. dental prescription forms supplied to participating dental practitioners by the Department.

Information to be Entered in Prescription Identification Stamp

84. The spaces in the stamp imprint are to be used for the following information:—

'S'—Serial Number (see paragraphs 85-90).

- 'A'— (a) To indicate the price claimed for pricing elect prescriptions (see paragraph 94), exceptional priced prescriptions (see paragraph 93) and Repatriation non-scheduled prescriptions (see paragraph 95).
- (b) To confirm the prescription is endorsed 'Regulation 24' (see paragraph 28).
- (c) To claim for a glass dropper bottle where applicable (see paragraph 91).
- (d) To make any clarification concerning the prescription which the approved chemist considers will assist the Department in the payment of the prescription.

'No.'—The prescription identifying number.

Serial Numbering of Prescriptions, Repeat Authorisations, Authority Forms and Emergency Drug (Doctor's Bag) Order Forms

85. Prescriptions, Repeat Authorisation Forms, Authority Prescription Forms and Emergency Drug (Doctor's Bag) Order Forms submitted in each claim must bear consecutive serial numbers commencing at:—

- (a) 1 for Emergency Drug (Doctor's Bag) supplies;
- (b) 1 for general benefits;
- (c) C1 for concessional benefits;
- (d) P1 for pensioner benefits; and
- (e) R1 for repatriation benefits.

Each serial number allotted should also be endorsed on the corresponding document retained by the approved chemist for record purposes. Each Emergency Drug (Doctor's Bag) item should be given a serial number, e.g., if there are five items on the first form in the claim the first item on the second form in the claim will bear the serial number 6.

86. Each serial number allotted by an approved chemist to a prescription item or allowable repeat supplied as a pharmaceutical benefit should be entered in the prescription identification stamp imprint on the original prescription form or in the printed space on the Repeat Authorisation Form or the Authority Prescription Form.

87. Serial numbers allotted in respect of prescription items or allowable repeats supplied as concessional benefits must be prefixed with the letter 'C', in respect of pensioner benefits with the letter 'P' and in respect of repatriation benefits with the letter 'R'.

Serial Numbering of an Injectable Item Ordered with a Solvent

88. Where the words '(solvent required)' are included after the form of a benefit and the prescriber has directed in the prescription that both the injectible and the solvent are to be supplied, only one serial number is to be allocated and should be placed on the left hand side of the prescription form opposite the injectible item.

Serial Numbering of Repeat Authorisations for Authority Prescriptions

89. Where a repeat authorisation is dispensed in respect of a benefit for which an authority form is required, the serial number allotted must be prefixed with the letter 'A' in the case of a general benefit, the letters 'AC' in the case of a concessional benefit, the letters 'AP' in the case of a pensioner benefit, or the letters 'AR' in the case of a repatriation benefit.

Serial Numbering of Repeat Authorisations for Deferred Supply

90. Where a benefit is supplied on a repeat authorisation which has been prepared for deferred supply, the serial number allotted must be prefixed with the letter 'D' in the case of a general benefit, the letters 'DC' in the case of a concessional benefit, the letters 'DP' in the case of a pensioner benefit, or the letters 'DR' in the case of a repatriation benefit.

Dropper Containers

91. Dispensed prices for extemporaneously prepared eye drops, ear drops and nasal instillations include the price of a polythene dropper container. Where a glass dropper container is specified by the prescriber or considered necessary by the approved chemist, payment for same should be claimed by writing the words 'glass bottle' in box 'A' of the stamp imprint.

Extemporaneously Prepared Benefits which are not Listed in the Standard Formulae List

92. In the case of a formula which is not listed in the Standard Formulae List, claimants will receive an average 10g/mL rate for the type of preparation with provision to price exceptional prescriptions (see paragraph 137) or the claimants may elect to calculate the cost of ingredients, containers and professional fee manually (see paragraphs 131-136). These arrangements have been agreed between the Department and the Pharmacy Guild of Australia.

Action to be taken when an Approved Chemist is to be paid on an Average Price Basis

93.—

- (a) Where a prescription is to be reimbursed on an average price basis, the prescription identification stamp should be completed as outlined in paragraph 84.
- (b) Where a prescription is to be claimed as an exceptional prescription, as defined in paragraph 137, the approved chemist should detail the formula supplied on the prescription form or Repeat Authorisation Form, price the prescription in accordance with the pricing principles set out in paragraphs 119-130 and enter the calculated price in box 'A' of the stamp imprint or the appropriate space on Repeat Authorisation Forms.

Action to be taken when an Approved Chemist elects to price Non-pre-priced Extemporaneous Preparations

94. When the approved chemist has advised the Department of his election to price out non-pre-priced extemporaneous preparations, he should price each

prescription in this category in accordance with the pricing principles set out in paragraphs 119-130 and enter the calculated price in box 'A' of the stamp imprint or the appropriate space on repeat authorisation forms.

Items Not Included in either the N.H.S. or Repatriation Schedule of Pharmaceutical Benefits

95. Where a prescription for a Repatriation beneficiary is for an item which is not included in either the N.H.S. or the Repatriation Schedule of Pharmaceutical Benefits, the price claimed should be entered in box 'A' of the stamp imprint. Full details concerning the pricing of such items and their availability under the Repatriation Pharmaceutical Benefits Scheme are set out in the booklet 'Notes for Pharmacists' issued by the Department of Veterans' Affairs.

Action by Approved Chemist Dispensing a Repeat Authorisation

96. It is the responsibility of the approved chemist dispensing a repeat supply to ensure that all details required on the Repeat Authorisation Form have been completed and are correct. It should be noted that:—

- (a) The serial number allotted by the approved chemist to the repeat authorisation is to be entered in the space at the top of the form.
- (b) The new prescription identifying number of the repeat authorisation is to be entered in the space marked 'Prescription No.' on the front of the form.

C. SUBMISSION OF CLAIMS

Documents to be Submitted

97. A claim for pharmaceutical benefits consists of:—

- (a) The original and duplicate of a completed Claim for Payment Form (Form PB1).
- (b) A completed Isolated Pharmacy Allowance—Claim for Payment Form (Form PB42) where applicable (see paragraphs 147-148).

- (c) The original orders for Emergency Drug (Doctor's Bag) supplies in a separate bundle submitted in serial number order.
- (d) Three separate bundles, each consisting of the originals of all prescriptions, repeat authorisations and authority prescription forms for benefits supplied to the general public, concessional beneficiaries and pensioners. Each bundle is to be submitted in serial number order.
- (e) A separate bundle, consisting of the originals of all prescriptions, repeat authorisations and prior approval forms for benefits supplied to repatriation beneficiaries and submitted in serial number order.

Prescriptions submitted for payment which are apparently in a wrong bundle will be returned to the approved chemist for any necessary clarification and if appropriate, resubmission in the correct bundle of the next claim.

98. Prescriptions in each bundle should be submitted in serial number order, with the first serial number at the top of the bundle.

Completion of Claim Form

99. Particulars of claimant's name, address of approved premises, approval number and reference should be entered in the spaces provided on the Claim for Payment Form (Form PB1). It is important that these particulars agree entirely with the latest written information held by this Department, i.e., Application for Approval as a Pharmaceutical Chemist Form or later letter. In the event of discrepancies, payment will necessarily be delayed pending clarification.

100. The claimant's reference should indicate the number of claims submitted by the approved chemist thus far in the particular calendar year, e.g., the sixth claim submitted by an approved chemist in 1986 should bear a claimant's reference of 8606.

101. The numbers of prescriptions to be entered on the Claim for Payment Form are the first and last serial numbers given to items in the Emergency Drug (Doctor's Bag), General, Concessional, Pensioner and Repatriation bundles respectively (see paragraph 85). The last numbers should be the total numbers of these categories.

102. Please note that no entry of the amount of the claim is required—this will be calculated by computer after the prescriptions have been individually priced.

103. The declaration on the Claim for Payment Form must be signed by the approved chemist unless an authority for another chemist to do so has been sent by the approved chemist to the Director of Health, Commonwealth Department of Health in the State concerned.

Time for Lodgement of Claims

104. Claims for pharmaceutical benefits may be lodged at the office of the Commonwealth Department of Health in the relevant capital city at any time during the month. Claims for pharmaceutical benefits supplied more than eighteen months prior to the date of claiming will not be accepted for computer processing, but will require manual pricing of prescriptions and preparation of tally sheets and claim forms by the approved chemist. Approved chemists desiring to submit such claims should contact the Pharmaceutical Branch in the relevant Regional Office for instructions regarding the preparation of the claims and the necessary forms.

D. STATEMENT OF ACCOUNT

105. A Statement of Account will be forwarded in respect of each claim passed for payment. This gives, in addition to the details of payment, the number of prescriptions paid and the total amount paid in respect of each brand of each pharmaceutical benefit item supplied in that claim.

106. The reason for non-payment of any item will be indicated by a code number. An explanation of the code number(s) employed appears in the Statement of Account.

107. Prescriptions and repeat authorisations which are not acceptable for payment, with the exception of those for which the dispensed price is equal to or less than the applicable patient contribution, will be returned with the Statement of Account. Other prescriptions appearing on such forms will have been paid and appropriately cancelled before being returned to the approved chemist. Where prescriptions are resubmitted they must be allotted an entirely new serial number and included as a normal part of the next claim.

108. If prescriptions from previous claims are the subject of adjustment to current claims, details will be shown on the Statement of Account.

109. The Statement of Account will include a statement reconciling the number of prescriptions claimed for by the approved chemist with the number of prescriptions for which payment has been made.

110. A fully itemised Statement of Account in respect of a claim can be obtained on application to the Regional Office of the Department in the State concerned.

PROVISIONS GOVERNING PAYMENTS TO APPROVED CHEMISTS FOR N.H.S. DISPENSING

A. READY PREPARED BENEFITS

Price where Maximum Quantity Prescribed (Ready Prepared Items)

111. The price payable for a benefit is the amount shown in the Schedule against the benefit.

112. Injectibles with required solvent—Where the words '(solvent required)' are included after the form of the benefit, and the prescriber has directed in the prescription that both the injectible and the solvent are to be supplied, the price payable is ascertained as follows:—

- (a) Where the standard pack of the injectible coincides with that of the solvent—by adding the listed prices for the injectible and the solvent less a professional fee (i.e., only one professional fee is payable); or
- (b) Where the standard pack of the injectible does not coincide with that of the solvent:—
 - (i) an amount equivalent to the professional fee is deducted from the price shown in the Schedule in relation to the solvent;
 - (ii) to the resultant amount is applied the appropriate wastage percentage ascertained from the Wastage

Factor Table shown in paragraph 117, to determine the price for that quantity of the solvent which coincides with the standard pack of the injectible;

- (iii) the amount ascertained under (ii) is added to the price shown in the Schedule where the maximum quantity of the injectible coincides with its standard pack; or to the standard pack rate for the injectible shown in section 6 (Blue Pages) of the Schedule where the maximum quantity of the injectible does not coincide with its standard pack.

Price where Broken Quantity Prescribed (Ready Prepared Items)

113.—

- (a) Packs not to be broken—Where items packed by the manufacturer under special conditions or for which the maximum quantity has been determined as a single pack are prescribed (see paragraph 115), the maximum quantity should be supplied and the price payable is that for the maximum quantity.
- (b) Ready Prepared Items where Standard Pack coincides with Maximum Quantity—Where the standard pack coincides with the maximum quantity, the price payable for a broken quantity is ascertained as follows:—
 - (i) an amount equivalent to the professional fee and where applicable the dangerous drug fee is deducted from the price shown in the Schedule in relation to the benefit;
 - (ii) To the resultant amount is applied the appropriate wastage percentage ascertained from the Wastage Factor Table shown in paragraph 117;
 - (iii) The amount ascertained under (ii) is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity exceed the dispensed price shown in the Schedule in relation to the maximum quantity of the benefit.

(c) Ready Prepared Items where Standard Pack does not coincide with Maximum Quantity (i.e. where an asterisk is shown against the price)—In cases where the standard pack does not coincide with the maximum quantity an asterisk has been placed beside the price shown for the benefit concerned. In such cases the standard pack rate is set out in section 6 (Blue Pages) of the Schedule. The price payable for the quantity supplied is ascertained as follows:—

- (i) To the standard pack rate is applied the appropriate wastage table percentage ascertained from the Wastage Factor Table shown in paragraph 117.
- (ii) The amount so ascertained is added to an amount equivalent to the professional fee, the dangerous drug fee, where applicable, and the appropriate container fee.

In no case shall the price payable for a broken quantity which is less than the maximum quantity of the item exceed the dispensed price for the maximum quantity of that item.

(d) No container fee is payable where the quantity of benefit ordered and supplied is more than the quantity contained in the standard or non-standard packs.

Price for Unbranded Prescriptions

114. For unbranded prescriptions the price shown in the Schedule for the lowest priced brand in the relevant state in relation to that item is payable.

Unbroken Packs to be Supplied (‡)

115. The maximum quantity of certain forms of benefits such as eye drops and oral suspensions has been determined as a single pack corresponding to the manufacturer's pack. Where a prescription calls for a quantity less than the manufacturer's pack, the maximum quantity should be dispensed and claimed from the Department. These items are indicated by a double dagger (‡) in the Schedule.

Wastage Table Percentage for Ready Prepared Preparations

116. The Wastage Factor Table shown below is used in ascertaining the price payable for quantities dispensed from the Standard Pack. (Refer paragraph 113 (b) and (c) above.)

117. The appropriate wastage table percentage is ascertained as follows:—

- (a) The percentage that the quantity supplied bears to the number contained in the standard pack is determined; and
- (b) Where the percentage determined in subparagraph (a) coincides with a percentage listed in Column A of the Wastage Factor Table, the percentage used is the relative figure shown in Column B; or
- (c) Where the percentage determined in subparagraph (a) does not coincide with a percentage in Column A, then the nearest upward percentage in Column A applies, and the percentage used is the relative figure shown in Column B.

For example, suppose that 24 tablets are supplied and that the number in the standard pack is 100. Thus 24% of the number contained in the standard pack is supplied. As this percentage does not appear in Column A the next higher (i.e. 25%) is used. Reading down from 25% to Column B, the wastage table percentage is found to be 38%.

Wastage Factor Table

Column A	5	10	15	20	25	30	35	40	45	50
Column B	10	18	26	32	38	44	50	54	58	62
Column A	55	60	65	70	75	80	85	90	95	100
Column B	66	70	74	78	82	86	90	94	98	100

B. EXTEMPORANEOUSLY PREPARED BENEFITS

Prescribers' List Items

118. The price payable for the supply of the maximum quantity of extemporaneous preparations included in the Prescribers' List is shown in the Standard Formulae List.

Pricing Prescriptions Not Pre-Priced

119. The following are the principles applied in determining the prices of all pre-priced extemporaneous formulae shown in the Standard Formulae List, section 4 (Green Pages). They also apply where an approved chemist elects to price out extemporaneous prescriptions outside the Standard Formulae List.

120. The amount payable is ascertained as the sum of:—

- (a) the recovery price of each ingredient as shown in the Drug Tariff;
- (b) the price of the appropriate container as shown in the price section; and
- (c) a professional fee as shown in the price section.

Pricing of Ingredients

121. Where the quantity is not specified in the Drug Tariff, the recovery price may be ascertained as follows:—

- (a) determine the basic pricing unit relative to the quantity by reference to the following table:—

<i>Quantity</i>	<i>Basic Pricing Unit</i>
Up to 50mg (minimum price)	100mg price multiplied by 0.5
Over 50mg and up to and including 700mg	100mg price
Over 700mg and up to and including 1g	price as 1g
Over 1g and up to and including 7g	1g price
Over 7g and up to and including 10g	price as 10g
Over 10g and up to and including 80g	10g price
Over 80g and up to and including 90g	price as 80g
Over 90g	100g price

- (b) ascertain the recovery price of the basic pricing unit by the application of the following quantity divisors to the recovery price shown for the ingredient in the Drug Tariff—

100g price is 500g price divided by 5 or
1kg price divided by 10.

10g price is 100g price plus 12.5%
divided by 10.

1g price is 10g price plus 25% divided
by 10.

100mg price is 1g price plus 25% divided
by 10.

- (c) ascertain the recovery price by multiplying the price of the basic pricing unit, as ascertained in (b), by the fraction that the quantity bears to the basic pricing unit.

- (d) for pricing purposes the quantity is to be taken to the next upward 50 milligrams or 0.05 millilitres.

Miscellaneous Pricing Rules

122.—

- (a) The minimum recovery price for any ingredient is one cent.
- (b) Where a fraction of a cent occurs in a price that price is to be taken to the nearest cent, a half cent being taken up to the next cent.
- (c) The amount payable for a quantity of an ingredient or preparation shall not exceed the amount which would be payable for a greater amount of that ingredient or preparation.

Pricing Prescriptions where Additional Ingredients have been added to a Specified Formula

123. The amount payable for a prescription which comprises a vehicle which is specified under a particular name, and an additional specified ingredient or ingredients shall be calculated in accordance with paragraphs 124-127.

124. Where the vehicle is a single liquid ingredient and one or more solid ingredients are added, displacement of the vehicle by solids shall be disregarded and the amount payable shall be calculated in accordance with paragraph 121.

125. Where the vehicle is a single liquid ingredient and one or more liquids are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 121; and
- (b) the recovery price of the quantity of the vehicle calculated in accordance with paragraph 121.

126. Where the vehicle is compounded from two or more ingredients and one or more solid ingredients are added, displacement of the vehicle by the solid ingredients shall be disregarded and the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 121; and
- (b) the recovery price of each ingredient of the vehicle calculated in accordance with paragraph 121.

127. Where the vehicle is compounded from two or more ingredients and one or more liquid ingredients are added, the amount payable for the ingredients shall be the sum of:—

- (a) the recovery price of the added ingredients, calculated in accordance with paragraph 121; and
- (b) the recovery price of the quantity of the vehicle, this amount being the sum of the recovery prices for each ingredient of the vehicle in such quantity as calculated in accordance with paragraph 121.

Containers

128. Separate container rates are payable in each State.

129. Where a quantity is ordered in excess of the published container sizes, payment for containers will be made as if that quantity had been supplied in more than one of the published containers.

130. A double size container is allowed for bulk powders.

Special Provisions Governing Payment for Extemporaneous Prescriptions Outside the Standard Formulae List

131. Where an approved chemist elects to price out these prescriptions written advice is required by the Department. Once made, however, such an election cannot be varied for a period of three months and applies to all extemporaneously dispensed formulae not listed in the Standard Formulae List. An election under this paragraph applies to both NHS and RPBS prescriptions.

132. Unless he so elects, the approved chemist will be paid at an average reimbursement rate for these prescriptions. Under this system, payment is made on the basis of an average 10g/mL rate applied to the category of preparation concerned, i.e., the price will be ascertained by multiplying the appropriate 10g/mL rate by the number of 10g/mL units supplied and adding container and professional fees. For example, an 80mL mixture would be priced at eight times the average 10mL rate for mixtures, plus container and professional fee. Notwithstanding that an approved

chemist is accepting the average price for non-pre-priced prescriptions, he may price out 'exceptional' prescriptions and claim for reimbursement at that price (see paragraph 137).

133. The average 10g/mL rate may vary from month to month but the rate for a particular prescription will be that applicable for the month in which it was supplied. The current month's average 10g/mL rates are printed on the last page of the Statement of Account (see paragraphs 105-109).

134. By agreement with the Pharmacy Guild of Australia the average 10g/mL rate is determined as in paragraph 135.

135. Each month the total number of 10g/mL units of each type of pre-priced extemporaneous preparation claimed for will be ascertained, together with the total values minus container and professional fees. From these figures an average 10g/mL rate will be calculated for each type of preparation. This rate will be used as the rate for calculating prices for the prescriptions supplied in the succeeding month. It should be noted that prescriptions ordering a combination of standard preparations also fall outside the scope of the Standard Formulae List and therefore are subject to this section.

136.—

- (a) Any variant to a formula included in the Standard Formulae List (addition or deletion of an ingredient or variation of dose up or down) takes the formula dispensed outside the Standard Formulae List.
- (b) Where an approved chemist is accepting the average price for non-pre-priced prescriptions, and where an ingredient is added to a standard formula and the recovery price for the standard formula plus additive under the average price system is less than that for the standard formula alone, the approved chemist may indicate that the prescription is to be priced as though it were the basic standard formula item.

137. An exceptional prescription is a prescription for an extemporaneously prepared pharmaceutical benefit which is not included in the Standard Formulae List and for which the price of the ingredients calculated in accordance with the basic pricing rules is twice or more than twice the recovery price of the ingredients calculated on an average price basis.

C. GENERAL

Pricing Principles

138. The pricing principles are identical for prescriptions written for the general public, concessional beneficiaries and pensioners.

139. Where a prescription for a pharmaceutical benefit, a formulation of which is available as a ready prepared pharmaceutical benefit, does not specify a brand, payment is made on the basis of the lowest priced brand of the ready prepared benefit item which is listed. This also applies if the preparation is, or the ingredients are, available for use in dispensing extemporaneously prepared benefits (i.e. listed in section 4 (Green Pages)).

140. Where, in a prescription for a pharmaceutical benefit which is not listed as a ready prepared pharmaceutical benefit, a monograph title of a formulation is stated but no formulary is specified, payment is made on the basis of the formula, if any, specified in the Prescribers' List section 5 (Green Pages). Should there be no formula specified in the Prescribers' List, payment is made on the basis of the precedence of formularies accorded by State legislation.

Fees and Containers

141. The amounts payable by way of professional fee, dangerous drug fee and container charges for ready prepared preparations are set out in section 6 (Blue Pages) of the Schedule. The professional fee and container charges for extemporaneously prepared preparations are set out in section 4 (Green Pages) of the Schedule.

Pricing Dates

142. For pricing purposes the operative dates are:—

- (a) for extemporaneously prepared benefits—the first day of January, May and September each year for benefits supplied as from the first day of the third succeeding month.
- (b) for ready prepared benefits—the first day of the month preceding the month during which the benefits are supplied.
- (c) for containers:—
 - (i) for extemporaneously prepared benefits—the first day of April, August and December each year for benefits supplied as from the first day of the fourth succeeding month.
 - (ii) for ready prepared benefits—the first day of January each year for benefits supplied as from the first day of April in that year.

MISCELLANEOUS

Premises

143. Approval to supply pharmaceutical benefits is granted to an approved chemist in respect of particular premises. Benefits may be supplied from those premises only.

Hours of Supply

144. A person is entitled to be supplied with pharmaceutical benefits during normal trading hours established by or under the State or Territory when he presents a valid prescription and pays any charge applicable. When the prescription is marked 'urgent' and initialled by the medical practitioner or participating dental practitioner who wrote the prescription, it is obligatory for the approved chemist to make supply at his pharmacy at any hour.

145. An approved chemist shall, at all times, keep prominently displayed, at each of the premises in respect of which he is approved, a notice setting out his normal trading hours for the supply of pharmaceutical benefits.

Approved Medical Practitioners, Friendly Societies

146. Medical Practitioners approved to supply pharmaceutical benefits should follow the procedures explained in these Notes unless otherwise indicated. Friendly Society Pharmacies should follow the procedures subject to additional instructions made available to them.

Isolated Pharmacy Allowance (IPA)

147. Approved chemists providing a pharmaceutical service in isolated areas may apply for IPA on the basis of economic need. Application forms may be obtained from the Pharmaceutical Operations Branch, Commonwealth Department of Health, P.O. Box 100, Woden, A.C.T., 2606.

148. Approved chemists eligible to receive IPA will be:—

- (a) those where the pharmacy is more than 25 kilometres from the nearest pharmacy and who are able to demonstrate the need for such allowance on the basis of economic need;
- (b) those where the pharmacy can be demonstrated to be 'isolated' on a basis other than distance (e.g. on an island, intervening mountain range, no roads) and where economic need can be demonstrated.

Standards

149. An approved chemist should not supply as a pharmaceutical benefit a substance that does not conform to the standards of composition or purity prescribed, or that has as an ingredient a substance that does not conform to those standards. The standards which are applicable to pharmaceutical benefits are:—

- (a) in the case of drugs or medicinal preparations which are the subject of a monograph in the British Pharmacopoeia, the standards set out in that pharmacopoeia; and
- (b) in the case of drugs or medicinal preparations contained in editions of the British Pharmaceutical Codex or the Australian Pharmaceutical Formulary (and Handbook) or earlier editions of the British Pharmacopoeia, the standards specified in the particular edition in relation to the drug or medicinal preparation.

References

150. Monographs of the British Pharmacopoeia, the British Pharmaceutical Codex, the Australian Pharmaceutical Formulary (and Handbook) and items listed in the Prescribers' List are identified in the Schedule of Benefits and associated publications by the letters BP, BPC, APF and PL respectively. References to all editions of the BPC and to earlier editions of the BP and APF also include the year of publication.

Proper Stocks to be Kept

151. An approved chemist shall, as far as practicable, keep in stock an adequate supply of all drugs and medicinal preparations that he may reasonably be expected to be called upon to supply as pharmaceutical benefits, or as ingredients of pharmaceutical benefits.

Statement of Stocks

152. An approved chemist may be required to furnish, within a specified time and in accordance with a form supplied to him, a signed statement setting out particulars of stocks and drugs or medicinal preparations that are in his possession or under his control immediately before the date on which the statement is signed. This refers only to drugs and medicinal preparations that are pharmaceutical benefits or are capable of being used as ingredients in pharmaceutical benefits.

Retention of Documents

153. Without affecting the requirements of the law of a State in regard to drugs of addiction or restricted drugs, every approved chemist is required to retain in his possession for not less than one year from the date on which the pharmaceutical benefits were supplied:—

- (a) the duplicates of prescriptions which do not bear repeat instructions;
- (b) the duplicates of repeat authorisations;
- (c) in the case of an approved chemist making supply on the last occasion of supply, the duplicates of prescriptions that bear instructions to repeat; and
- (d) the duplicates of order forms presented in connection with Emergency Drug (Doctor's Bag) supplies.

Sale Copies

154. Copies of the National Health Act and the National Health (Pharmaceutical Benefits) Regulations are available from the Australian Government Publishing Service in each capital city.

Supplies of Stationery

155. Claim for Payment Forms, Repeat Authorisation Forms, etc., are available from the Pharmaceutical Branch in the relevant Regional Office.

Enquiries

156. Enquiries regarding pharmaceutical benefits may be made to the Pharmaceutical Branch in the relevant Regional Office.

EXAMPLES OF INFORMATION TO BE ENTERED IN THE PRESCRIPTION IDENTIFICATION STAMP

157. In all the below examples the box 'A', which is for additional information or clarification, can be used when it is considered that this additional information is required to accurately identify the item. In the majority of cases this clarification should not be required.

A. READY PREPARED ITEMS

Example 1: Item with prescribed quantity of 50 tablets or capsules with 2 repeats.

S	53
A	
No.	12345678

- Example 2: Item with prescribed quantity of 50 tablets or capsules with 2 repeats dispensed under Regulation 24, pensioner benefit.

S	P54
A	Reg 24
No.	12345679

- Example 3: Item prescribed under Regulation 24 where the quantity prescribed for the original differs from the quantity for any of the repeats e.g. Quantity of 50 for the original and 100 for each of 2 repeats, concessional benefit.

S	C55
A	250 Reg 24
No.	12345680

- Example 4: Item ordered as a synonym where it is considered that the synonym would not be readily known.

S	56
A	Common name of item
No.	12345681

- Example 5: Injectable item prescribed with required solvent e.g.:—
Ampicillin injection 250 mg
mitte: 5 ampoules

Water for Injection 2 mL
mitte: 5 ampoules

S	57
A	
No.	12345682

Note: the injection and its solvent are to be claimed as one item.

B. EXTEMPORANEOUSLY PREPARED ITEMS

- Example 6: Item prescribed as a standard formula.

S	58
A	
No.	12345683

- Example 7: Non standard formula item where the cost of the ingredients is greater

than twice the price paid for ingredients in the average price item i.e., exceptionally priced extemporaneous items. This item supplied under Regulation 24 provisions.

S	59
A	\$20.49 Reg 24
No.	12345684

- Example 8: Item prescribed as an extemporaneous prescription outside the Standard Formulae List, for pharmacists who have not elected to price extemporaneous prescriptions outside the Standard Formulae List.

S	60
A	
No.	12345685

- Example 9: Item prescribed as an extemporaneous prescription outside the Standard Formulae List, for pharmacists who have elected to price extemporaneous prescriptions outside the Standard Formulae List.

S	61
A	\$8.36
No.	12345686

- Example 10: Item prescribed as extemporaneously prepared eye drops, ear drops or nasal instillations where a glass bottle is dispensed.

S	62
A	Glass bottle
No.	12345687

C. REPATRIATION SCHEDULE ITEM

- Example 11: Item prescribed from the Repatriation Schedule of Pharmaceutical Benefits.

S	R2
A	
No.	12345689

The clarification box 'A' may need to be used for identifying bandages because of the variety of names under which they may be prescribed. The clarification which would be of most benefit is the name of the item as published in the Repatriation Schedule of Pharmaceutical Benefits.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH REGIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000
Telephone 239 3000

Director of Health—
Mr J. B. Jamieson
After hours: Telephone 357 2377

Assistant Director (Medical)—
Dr L. B. Lilley
After hours: Telephone 929 6164

Assistant Director (Pharmaceutical)—
Mr W. A. Williams
After hours: Telephone 74 1294

VICTORIA

Commonwealth Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000
Telephone 662 2999

Postal Address—
G.P.O. Box 1547P, Melbourne, Vic. 3001

Director of Health—
Mr A. E. Shields
Assistant Director (Medical)—
Dr A. I. Mead
After hours: Telephone 347 0103

Assistant Director (Pharmaceutical)—
Mr B. G. Foster
After hours: Telephone 221 8195

QUEENSLAND

Commonwealth Department of Health,
Australian Government Offices,
Anzac Square,
Adelaide Street,
Brisbane, Qld 4000
Telephone 225 0122

Postal Address—
G.P.O. Box 567, Brisbane, Qld 4001

Director of Health—
Dr Peter E. R. Ulrich
Assistant Director (Medical)—
Dr D. Wilkinson
After hours: Telephone 870 9114

Assistant Director (Pharmaceutical)—
Mr A. A. Green
After hours: Telephone 263 2257

SOUTH AUSTRALIA

Commonwealth Department of Health,
I.M.F.C. House,
33-39 King William Street,
Adelaide, S.A. 5000
Telephone 216 3911

Postal Address—
G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—
Dr J. Y. Hancock
After hours: Telephone 272 0527

Assistant Director (Pharmaceutical)—
Mr M. G. Wallace
After hours: Telephone 339 3932

WESTERN AUSTRALIA

Commonwealth Department of Health,
Victoria Centre,
2-6 St George's Terrace,
Perth, W.A. 6000
Telephone 323 5711

Postal Address—
G.P.O. Box M970, Perth, W.A. 6001

Director of Health—
Dr D. J. Daly
After hours: Telephone 447 6659

Assistant Director (Medical) (Acting)—
Dr P. J. Carrivick
After hours: Telephone 271 0012

Assistant Director (Pharmaceutical)—
Mr M. P. Humbert
After hours: Telephone 330 1575

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000
Telephone 20 5011

Postal Address—
G.P.O. Box 919J, Hobart, Tas. 7001

Director of Health—
Dr C. W. Phillips
After hours: Telephone 25 1536

Assistant Director (Pharmaceutical)—
Mr W. M. Murton
After hours: Telephone 29 6749

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794
Telephone 80 2911

Postal Address—
P.O. Box 147, Darwin, N.T. 5794

Director of Health—
Dr F. H. Stewart
After hours: Telephone 81 2036

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd Captain Cook Drive, Kurnell, N.S.W. 2231	BT	The Boots Company (Australia) Pty Ltd Loyalty Road, North Rocks, N.S.W. 2151
AF	Alphapharm Pty Ltd 72-76 Parramatta Road, Camperdown, N.S.W. 2050	BW	Wellcome Australia Limited 53 Phillips Street, Cabarita, N.S.W. 2137
AG	Allergan Pharmaceuticals Pty Ltd 5 George Place, Artarmon, N.S.W. 2064	BY	Boehringer Ingelheim Pty Ltd 50 Broughton Road, Artarmon, N.S.W. 2064
AM	Ames Company, Division of Miles Laboratories Australia Pty Ltd Wellington Road, Mulgrave, Vic. 3170	BZ	Boucher & Muir Pty Ltd 118-124 Willoughby Road, Crows Nest, N.S.W. 2065
AP	Astra Pharmaceuticals Pty Ltd 10-14 Khartoum Road, North Ryde, N.S.W. 2113	CG	Ciba-Geigy Australia Limited 140 Bungaree Road, Pendle Hill, N.S.W. 2145
AQ	Alcon Laboratories (Australia) Pty Ltd 9 Winbourne Road, Brookvale, N.S.W. 2100	CN	CSL-Novo Pty Limited 3rd Floor, 43 Hunter Street, Parramatta, N.S.W. 2150
AY	Ayerst Laboratories Pty Ltd Gregory Place, Parramatta, N.S.W. 2150	CS	Commonwealth Serum Laboratories 45 Poplar Road, Parkville, Vic. 3052
BC	Bristol Laboratories Pty Ltd 345 Pacific Highway, Crows Nest, N.S.W. 2065	DF	Difrex (Aust.) Laboratories 6 Chilvers Road, Thornleigh, N.S.W. 2120
BF	Barnes-Hind Pty Limited 7 Dickson Avenue, Artarmon, N.S.W. 2064	DH	Drug Houses of Australia Pty Ltd 31 Henderson Street, Turrella, N.S.W. 2205
BH	Biopharm Pty Ltd 109 Willis Street, Hampton, Vic. 3188	DL	Dista Products (Australia) & Company Waratah Street and Wharf Road, Ermington, N.S.W. 2115
BL	David Bull Laboratories 11-15 Lexia Place, Mulgrave, Vic. 3170	DT	Du Pont Pharmaceuticals Northside Gardens, 168 Walker Street, North Sydney, N.S.W. 2060
BM	Bermudapharm 6th Floor, 80 Alfred Street, Milsions Point, N.S.W. 2061	DY	Denyer Brothers 250 Pitt Street, Sydney, N.S.W. 2000
BN	Bayer Pharmaceutical Company 46-67 Wilson Street, Botany, N.S.W. 2019	EG	Eagle Laboratories Pty Ltd 142 Willoughby Road, Crows Nest, N.S.W. 2065
BO	Boehringer Mannheim Australia Pty Ltd 6-8 Byfield Street, North Ryde, N.S.W. 2113	ET	Ethnor Pty Ltd Cilag Pharmaceutical Division 154 Pacific Highway, St Leonards, N.S.W. 2065
BR	Beecham Research Laboratories 6 Winterton Road, Clayton, Vic. 3168	FA	F. H. Faulding & Co. Ltd 62 Dew Street, Thebarton, S.A. 5031

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
FC	Fisons Pty Ltd 6 Chilvers Road, Thornleigh, N.S.W. 2120	KY	Key Pharmaceuticals Pty Ltd 21 Leeds Street, Rhodes, N.S.W. 2138
FE	Farmitalia Carlo Erba Australian Distributor, Sigma Co. Ltd	LA	L.A. Chemicals Pty Ltd 16 Manchester Street, Mile End, S.A. 5031
FL	Florafaun Pty Ltd Suite 11, 16 Dellamarta Road, Wangara, W.A. 6065	LE	Lederle Laboratories Division Cyanamid Australia Pty Ltd 5 Gibbon Road, Baulkham Hills, N.S.W. 2153
FM	Fawns and McAllan Pty Ltd 432 Mt Dandenong Road, Croydon, Vic. 3136	LF	Langly Laboraatories Pty Ltd 64 Rose Street, Chippendale, N.S.W. 2008
FR	Charles E. Frosst (Australia) Pty Ltd 54-68 Ferndell Street, South Granville, N.S.W. 2142	LY	Eli Lilly (Aust.) and Company Wharf Road, West Ryde, N.S.W. 2114
GB	Gist-Brocades nv, The Netherlands, Australian Distributor, Astra Pharmaceuticals Pty Ltd	MB	May & Baker Australia Pty Ltd Paramount Road, Footscray West, Vic. 3012
GL	Glaxo 1061 Mountain Highway, Boronia, Vic. 3155	MG	J. McGloin Pty Ltd 20 Forrester Street, Kingsgrove, N.S.W. 2208
GP	G.P. Laboratories Wharf Road, West Ryde, N.S.W. 2114	MJ	Mead Johnson 345 Pacific Highway, Crows Nest, N.S.W. 2065
HA	Hamilton Laboratories Pty Ltd 217 Flinders Street, Adelaide, S.A. 5000	MK	Merck, Sharp & Dohme (Australia) Pty Ltd 54-68 Ferndell Street, South Granville, N.S.W. 2142
HO	Hollister Incorporated, U.S.A. Australian Distributor, Abbott Laboratories Pty Ltd	ML	Merrell Dow Pharmaceuticals (Australia) Pty Ltd 37th Floor, Northpoint, 100 Miller Street, North Sydney, N.S.W. 2060
HP	Hoechst Australia Ltd 606 St Kilda Road, Melbourne, Vic. 3000	NE	Norgine Pty Ltd Suite 5, 532 Hampton Street, Hampton, Vic. 3188
IC	ICI Australia Operations Pty Ltd ICI House, 1 Nicholson Street, Melbourne, Vic. 3000	NN	Nelson Laboratories (Sales) Pty Ltd 21-25 Derby Street, Silverwater, N.S.W. 2141
IQ	The Ioquin Company 9 Winbourne Road, Brookvale, N.S.W. 2100	NR	Nordia, Denmark Australian Distributor, Ascot Pharmaceuticals Pty Ltd, 33 Myrtle Street, North Sydney, N.S.W. 2060
JP	Janssen Pharmaceutica Pty Ltd 13 Rodborough Road, Frenchs Forest, N.S.W. 2086		
KN	Knoll, A. G., Germany Wood Street, Tempe, N.S.W. 2044		

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
NS	Nicholas Kiwi (Pacific) Pty Ltd 699 Warrigal Road, Chadstone, Vic. 3148	RN	Rona Laboratories Ltd, London, U.K. Australian Distributor, Riker Laboratories Australia Pty Ltd
NT	Nestlé Australia Ltd 60 Bathurst Street, Sydney, N.S.W. 2000	RO	Roche Products Pty Ltd Inman Road, Dee Why, N.S.W. 2099
NW	Norwich-Eaton Pty Ltd Lombard House, 781 Pacific Highway, Chatswood, N.S.W. 2067	RS	A. H. Robins Pty Limited 102 Bonds Road, Punchbowl, N.S.W. 2196
OL	Owen Laboratories 9 Winbourne Road, Brookvale, N.S.W. 2100	RT	Rocke, Tompsitt & Co., Ltd 10 Griffiths Street, Richmond, Vic. 3121
OR	Organon (Australia) Pty Ltd 31-33 Sirius Road, Lane Cove, N.S.W. 2066	SC	Schering, A.G., Berlin Wood Street, Tempe, N.S.W. 2044
PD	Parke, Davis Pty Ltd 32 Cawarra Road, Caringbah, N.S.W. 2229	SD	Syntex Pharmaceuticals Ltd Funds of Australia Building, 10th Floor, 275 Alfred Street North, North Sydney, N.S.W. 2060
PF	Pfizer Pty Ltd Wharf Road, West Ryde, N.S.W. 2114	SE	Servier Laboratories (Aust.) Pty Ltd 2-8 Lynch Street, Hawthorn, Vic. 3122
PN	Pharmax Ltd, England Australian Distributor, Protea Pharmaceuticals	SH	Schering Corporation, U.S.A. 11 Gibbon Road, Baulkham Hills, N.S.W. 2153
PR	Prosana Laboratories Pty Ltd 22 Daisy Street, Revesby, N.S.W. 2212	SI	Sigma Co. Ltd P.O. Box 144, Clayton, Vic. 3168
PS	Pharmacia (Australia) Pty Ltd 4 Byfield Street, North Ryde, N.S.W. 2113	SJ	Sharpe Laboratories Pty Ltd 24 Punch Street, Artarmon, N.S.W. 2064
PT	Protea Pharmaceuticals 6 Chilvers Road, Thornleigh, N.S.W. 2120	SK	Smith Kline & French Laboratories (Aust.) Ltd Warringah Road, Frenchs Forest, N.S.W. 2086
QE	Queensland Ethicals Enterprise Street, Salisbury, Qld 4107	SL	Soul Pattinson Laboratories Pty Ltd 20 Forrester Street, Kingsgrove, N.S.W. 2208
RC	Reckitts Pty Ltd 44 Wharf Road, West Ryde, N.S.W. 2114	SN	Smith & Nephew (Aust.) Pty Ltd Wellington Road, Clayton, Vic. 3168
RD	Ross Laboratories Captain Cook Drive, Kurnell, N.S.W. 2231	SQ	E. R. Squibb & Sons Pty Ltd Princes Highway, Noble Park, Vic. 3174
RK	Riker Laboratories Australia Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120		
RL	Roussel Pharmaceuticals Pty Ltd Gladstone Road, Castle Hill, N.S.W. 2154		

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
SR	Searle Laboratories 20 Clarke Street, Crows Nest, N.S.W. 2065	VF	Vifor, S.A., Geneva, Switzerland Australian Distributor, Boucher & Muir Pty Ltd
ST	A. E. Stansen & Co. Pty Ltd 121 Ricketts Road, Notting Hill, Vic. 3168	WH	H. W. Woods Pty Ltd 10 Clifford Street, Huntingdale, Vic. 3166
SU	Sauter Laboratories (Aust.) Pty Ltd 60 Campbell Avenue, Dee Why, N.S.W. 2099	WL	Winthrop Laboratories 75-89 Atkins Road, Ermington, N.S.W. 2115
SV	Stafford-Miller Limited 5-9 Enterprise Avenue, Padstow, N.S.W. 2211	WP	Weddel Pharmaceuticals 6 Chilvers Road, Thornleigh, N.S.W. 2120
SZ	Sandoz Australia Pty Ltd 54 Waterloo Road, North Ryde, N.S.W. 2113	WR	A. A. Wright Pty Ltd 84 The Esplanade, Frenchs Forest, N.S.W. 2086
TO	R. D. Toppin & Sons Pty Ltd 9-15 Chilvers Road, Thornleigh, N.S.W. 2120	WW	Wm R. Warner 32 Cawarra Road, Caringbah, N.S.W. 2229
TV	Travenol Laboratories Pty Ltd Oakes Road, Old Toongabbie, N.S.W. 2146	WY	Wyeth Pharmaceuticals Pty Ltd Gregory Place, Parramatta, N.S.W. 2150
UP	Upjohn Pty Ltd 55-73 Kirby Street, Rydalmere, N.S.W. 2116	ZR	Zero Chemicals (Aust.) Pty Ltd 17 Carlyle Road, East Lindfield, N.S.W. 2070
US	USV Pharmaceuticals 172-178 Princes Highway, Arncliffe, N.S.W. 2205	ZY	Zyma Pharmaceuticals 14 Orion Road, Lane Cove, N.S.W. 2066
UW	United Works of Pharmaceutical and Dietetic Products, Hungary Australian Distributor, Boucher & Muir Pty Ltd		

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Code</i>	<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
1016L	Adrenaline Injection BP	1mg in 1mL	Ampoule	5
1038P	Aminophylline injection I.V.	250mg in 10mL	Ampoule	5
1089H	Atropine sulphate injection.....	600 micrograms in 1mL	Ampoule	5
1195X	Chlorpromazine Injection BP.....	50mg in 2mL	Ampoule	10
2558P	Diazepam injection.....	10mg in 2mL	Ampoule	5
1321M	Digoxin Injection BP.....	500 micrograms in 2 mL	Ampoule	5
1378M	Ergometrine maleate injection	250 micrograms in 1mL	Ampoule	5
1395K	Erythromycin ethylsuccinate injection	100mg (base) in 2mL	Ampoule	5
2413B	Fruzemide injection	20mg in 2mL	Ampoule	5
3040B	Glucose injection	50%, 10mL	Ampoule	5
1467F	Heparin Sodium Injection BP	5 000 units in 1mL	Ampoule	5
<i>or</i>	<i>or</i>			
1468G	Heparin Sodium Injection BP	25 000 units in 5mL	Ampoule	1
1501B	Hydrocortisone sodium succinate injection .	Equivalent to 100mg hydro-cortisone and 2mL solvent	Injection Set	2 sets
<i>or</i>	<i>or</i>			
3096Y	Hydrocortisone sodium succinate injection .	Equivalent to 250mg hydro-cortisone and solvent	Injection Set	1 set
<i>or</i>	<i>or</i>			
2509C	Dexamethasone sodium phosphate injection	Equivalent to 4mg dexamethasone phosphate in 1mL	Ampoule	5
2875H	Lignocaine injection.....	100mg in 5mL	Ampoule	4
<i>or</i>	<i>or</i>			
2861N	Lignocaine injection I.M.	300mg in 3mL	Disposable syringe pack	1
1645N	Morphine sulphate injection	15mg in 1mL	Ampoule	5
<i>or</i>	<i>or</i>			
1647Q	Morphine sulphate injection	30mg in 1mL	Ampoule	5
1829G	Pethidine Injection BP	100mg in 2mL	Ampoule	5
1794K	Procaine Penicillin Injection BP	1.5g	Disposable syringe pack	10
1206L	Metoclopramide hydrochloride injection ...	10mg in 2mL	Ampoule	10
<i>or</i>	<i>or</i>			
2369Q	Prochlorperazine injection	12.5mg in 1mL	Ampoule	10
<i>or</i>	<i>or</i>			
2368P	Thiethylperazine injection.....	6.5mg (base) in 1mL	Ampoule	10
1948M	Promethazine injection	50mg in 2mL	Ampoule	10
1239F	Terbutaline sulphate injection	100 micrograms in 1mL	Ampoule	5
<i>or</i>	<i>or</i>			
1034K	Terbutaline sulphate injection	500 micrograms in 1mL	Ampoule	5
2127Y	Tetanus vaccine, adsorbed	0.5mL	Ampoule	10
<i>or</i>	<i>or</i>			
3019X	Diphtheria and Tetanus vaccine, adsorbed diluted for adult use.....	0.5mL	Ampoule	10
1060T	Verapamil Hydrochloride Injection BP	5mg in 2mL	Ampoule	5

NOTE: Only those brands of benefits listed in section 2 (white pages) may be ordered on a Doctor's Bag Order Form.

SCHEDULE OF BENEFITS

SECTION 2

RESTRICTED BENEFITS

All restricted items are printed in red.

A straight line is drawn between entries for different forms and strengths of an item to indicate clearly the different restrictions which apply to these various forms and strengths.

The maximum quantity and/or number of repeats in respect of an item shown in the Schedule may be varied by the Director of Health when issuing an authority prescription (Form PB86) or an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. Payment will be made on the basis of the price shown for that item in the Schedule. (See paragraphs 26 and 64 of Section 1 - Explanatory Notes (Lemon Pages).)

SYMBOLS USED IN THE SCHEDULE

An asterisk (*) against the price of a benefit indicates that the manufacturer's pack does not coincide with the maximum quantity.

A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.

A gauge sign (#) against the price of an item indicates that the product is not preconstituted and that a special professional fee of \$3.33 is included in the dispensed price.

Where a STATE is indicated after a manufacturer's code, that brand may be available only in the State indicated.
N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S);
W.A. - (W); Tas. - (T).

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
1004W	ACETAZOLAMIDE Tablet 250mg	50	6	8.33	Diamox	LE
2376C	Capsule 500mg (sustained release)	50	3	14.83	Diamox	LE
1005X	Injection 500mg (solvent required)	1	..	8.81	Diamox	LE
	ACETYLCYSTEINE To be endorsed "S.P."					
2630K	Solution 20%, 10mL	5	3	28.03	Mucomyst	AP
	ACYCLOVIR To be endorsed "S.P."					
1002R	Eye Ointment 3%, 4.5g	≠1	..	14.80	Zovirax	BW
	ADRENALINE Injection BP					
1016L	1mg in 1mL (1 in 1,000)	5	1	4.49	BL,SI	
2434D	Eye Drops 0.5%, 7.5mL	≠1	6	5.71	Eppy/N	BF
3031M	0.5%, 10mL	≠1	6	5.86	Epifrin	AG
1014J	1%, 7.5mL	≠1	6	6.06	Eppy/N	BF
2955M	1%, 10mL	≠1	6	6.55	Epifrin Glaucion	AG AQ
1015K	2%, 10mL	≠1	6	9.49	Epifrin Glaucion	AG AQ
	ALLOPURINOL Tablet 100mg					
2600W		100	5	6.13 7.30 7.36	Alloremed 100 Alinol Progout Zyloprim	DH US PT BW
2604C	300mg	30	5	6.03 7.09 7.15	Alloremed 300 Alinol Progout Zyloprim	DH US PT BW
2601X	Capsule 100mg	100	5	7.30	Capurate-100	FM
2603B	300mg	30	5	7.09	Capurate-300	FM
	ALOXIPRIN Tablet 600mg					
2765M		100	2	5.30	Palaprin Forte	NS
	ALPRENOLOL Tablet 100mg					
2991K		100	2	10.09	Aptin Betacard	AP BR
	ALUMINIUM HYDROXIDE Mixture 320mg per 5mL, 500mL					
2153H		≠1	4	4.98	Alusorb Amphojel Gelox	DH WY PR

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1026B	ALUMINIUM HYDROXIDE DRIED Tablet 300mg	100	2	\$ 4.98	Actal Amphotabs	WL WY
2552H	ALUMINIUM HYDROXIDE with KAOLIN Mixture 137mg-1g per 5mL, 375mL	≠1	2	4.93	Kaogel Kaomagma	FA WY
2576N	ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE Tablet 200mg-200mg	100	2	4.98	Mylanta	PD
2155K	Mixture 300mg-100mg per 5mL, 500mL	≠1	4	4.98	Aludrox	WY
2156L	Suspension 215mg-80mg per 5mL, 500mL	≠1	4	4.98	Simeco	WY
2157M	200mg-200mg per 5mL, 500mL	≠1	4	4.98	Alucone Gelusil Mylanta Sodexol	DH WW PD SC
2158N	ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE and OXETHAZAINE Suspension 306mg-97.5mg-10mg per 5mL, 500mL	≠1	4	4.98	Mucaine	WY
1032H	ALUMINIUM HYDROXIDE with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	4.98	Gastrogel	FM
2159P	Mixture 250mg-120mg-120mg per 5mL, 500mL	≠1	4	4.98	Gastrogel	FM
1033J	ALUMINIUM HYDROXIDE and MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	4.98	Almacarb Simeco	GL WY
2577P	ALUMINIUM SODIUM SILICATE Powder 100g	≠1	2	4.98	Neutralon	SC
3016R	AMANTADINE HYDROCHLORIDE To be endorsed "S.P."	100	5	22.11 22.19	Antadine Symmetrel	DT CG
2934K	AMBENONIUM CHLORIDE Tablet 10mg	100	2	11.19	Mytelase	WL
3109P	AMILORIDE Tablet 5mg	50	2	5.61	Midamor	MK
1035L	AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15mL	≠1	2	4.55	Aminopt	SI
3073R	AMINO ACID FORMULA with VITAMINS and MINERALS without PHENYLALANINE To be endorsed "S.P."	5	5	158.55	Maxamaid XP	SJ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	AMINO ACID FORMULA without PHENYLALANINE To be endorsed "S.P."			\$		
3071P	Powder 250g	2	5	*161.10	PK AID I	SJ
3072Q	250g	2	5	*196.90	PK AID II	SJ
1450H	Food Supplement Powder 500g	≠1	5	136.05	Aminogran F.S.	GL
2483Q	AMINOCAPROIC ACID Injection I.V. 250mg per mL, 10mL	10	..	11.19	Ekaprol	DF
	AMINOGLUTETHIMIDE To be accompanied by an authority from the Director of Health.					
1036M	Tablet 250mg	100	..	76.05	Cytadren	CG
1039Q	AMINOPHYLLINE Tablet 100mg	100	2	4.33	Cardophyllin	HA
1040R	Oral Liquid 105mg per 5mL, 500mL	≠1	4	5.43	Somophyllin	FC
1038P	Injection I.V. 250mg in 10mL	5	..	5.45	BT,SI	
1037N	I.M. 500mg in 2mL	5	..	5.16	AB	
	AMIODARONE HYDROCHLORIDE To be accompanied by an authority from the Director of Health.					
2343H	Tablet 200mg	30	..	31.88	Cordarone X 200	RC
2417F	AMITRIPTYLINE Tablet 10mg	50	2	3.68 3.86 3.92	Endep 10 Amitrip Laroxyl Tryptanol	AF PT RO MK
2418G	25mg	50	2	4.68 4.99 5.05	Endep 25 Amitrip Laroxyl Saroten Tryptanol	AF PT RO NS MK
2429W	50mg	50	1	5.68	Endep 50	AF
1044Y	AMMONIUM CHLORIDE Tablet 500mg	100	3	6.05	FM	
	AMOXYCILLIN To be endorsed "S.P."					
1885F	Dispersible Tablet 3g	1	..	5.43	Amoxil Moxacin	BR CS
1883D	AMOXYCILLIN Tablet 250mg	20	..	6.21	Amoxil Moxacin	BR CS
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1884E	AMOXICILLIN - cont. Capsule 250mg	20	..	\$ 6.21	Amoxil BR Cilamox SI Moxacin CS
1886G	Powder for Syrup 125mg per 5mL, 100mL	#1	1	#7.01	Amoxil BR Cilamox SI Moxacin CS
2930F	AMPHOTERICIN Tablet 100mg	50	..	10.43	Fungilin SQ
2931G	Lozenge 10mg	20	1	4.50	Fungilin SQ
2932H	Suspension 100mg per mL, 24mL	#1	1	5.31	Fungilin SQ
1047D	Injection 50mg (solvent required)	1	..	7.01	Fungizone SQ
2927C	Cream 3%, 15g	#1	1	4.76	Fungilin SQ
2929E	Ointment 3%, 15g	#1	1	4.76	Fungilin SQ
1048E	AMPICILLIN Capsule 250mg	25	..	6.03 6.05	Ampicyn PT Austrapen CS Penbritin BR
2671N	500mg	12	1	5.78 5.80	Ampicyn PT Austrapen CS Penbritin BR
3061D	Powder for Syrup 125mg per 5mL, 100mL	#1	..	#6.57 #6.60	Ampicyn PT Austrapen CS Penbritin BR
3123J	250mg per 5mL, 100mL	#1	..	#7.45 #7.47	Ampicyn PT Austrapen Forte CS Penbritin Forte BR
2389R	Injection 250mg (solvent required)	5	1	6.76	Ampicyn PT Austrapen CS Penbritin BR
2390T	500mg (solvent required)	5	1	8.79	Ampicyn PT Austrapen CS Penbritin BR
2977Q	1g (solvent required)	5	1	12.89	Ampicyn PT Austrapen CS Penbritin BR
1059R	AMYLOBARBITONE SODIUM To be endorsed "S.P." Injection 500mg (solvent required)	2	..	*8.56	Amytal Sodium LY
1075N	ANTAZOLINE with NAPHAZOLINE Eye Drops 0.5% (sulphate)-0.025% (nitrate), 10mL	#1	2	4.43	Antistine-Privine ZY
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1077Q	ANTAZOLINE with NAPHAZOLINE - cont. Eye Drops 0.5% (phosphate)-0.05% (hydrochloride), 15mL	#1	2	\$ 4.55	Albalon-A	AG
1980F	ANTIVENOM - RED BACK SPIDER Injection 500 Units	2	..	*116.86	CS	
1078R	ASCORBIC ACID Tablet 50mg	100	2	3.94	Ascorb "50" DH,FM	PT
1008C	ASPIRIN Tablet 300mg	100	2	4.09	SI	
1010E	300mg (dispersible)	100	2	4.15	Solprin FM	RC
3110Q	325mg (buffered)	100	2	4.59	Bufferin	AP
1230R	650mg (enteric coated)	100	2	5.86	Ecotrin Rhusal	SK GP
1231T	650mg (sustained release)	100	2	5.30	S.R.A.	BT
2968F	650mg (includes 350mg sustained release)	100	2	5.05	Bi-Prin	BT
1081X	ATENOLOL Tablet 50mg	30	2	10.11	Tenormin	IC
1084C	ATROPINE METHONITRATE Tablet 1mg	50	2	6.13	Eumydrin	WL
1083B	Oral Solution 0.6%, 15mL	#1	..	5.39	Eumydrin	WL
2704H	ATROPINE SULPHATE Tablet 600 micrograms	100	2	4.74	FM	
1089H	Injection 600 micrograms in 1mL	5	1	4.09	BL,BT	
1091K	1.2mg in 1mL	5	1	4.11 4.13	BT BL	
1092L	Eye Drops 0.5%, 15mL	#1	2	4.74	Atropt	SI
1093M	1%, 15mL	#1	2	4.74	Atropt	SI
1094N	Eye Ointment 1%, 4g	#1	..	6.06	PD	
2021J	AUROTHIOGLUCOSE Injection 50mg per mL, 10mL	1	..	68.10	Gold-50	SH
1251W	AZATADINE MALEATE Tablet 1mg	50	2	4.63	Zadine	SH
1252X	Syrup 500 micrograms per 5mL, 100mL	#1	4	4.01	Zadine	SH
2687K	AZATHIOPRINE Tablet 50mg	100	2	57.30 70.03	Thioprine Imuran	AF BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2729P	BACLOFEN Tablet 10mg	100	5	\$ 28.05	Lioresal	CG
2730Q	25mg	100	5	51.41	Lioresal	CG
1102B	BASSORIN with FRANGULA BARK To be endorsed "S.P." Granules 47.3%-8.3%, 250g	≠1	2	7.05	Granocol	SC
1649T	BECLOMETHASONE DIPROPIONATE To be endorsed "S.P." Capsule 100 micrograms (Oral Inhalation)	100	5	13.69	Becotide Rotacaps	GL
1650W	Inhalation, metered aerosol spray, 50 micrograms per dose (200 dose)	≠1	2	10.09	Aldecin Becotide	SH GL
2705J	BELLADONNA ALKALOIDS Hyoscyamine Hydrobromide, Atropine Sulphate and Hyoscine Hydrobromide Tablet 101.1 micrograms-14.8 micrograms-10.7 micrograms	100	2	4.33	Atrobel	FM
2706K	Tablet 151.6 micrograms-22.2 micrograms-16.0 micrograms Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydrobromide	100	2	4.43	Atrobel FORTE	FM
2916L	Tablet 103.7 micrograms-19.4 micrograms-6.5 micrograms	100	2	4.33	Donnatab	RS
1105E	BENDROFLUAZIDE Tablet 2.5mg	50	2	4.23 4.29	Benzide M Aprinox-M	PT BT
1106F	5mg	50	2	5.10 5.16	Benzide Aprinox	PT BT
1108H	BENZALKONIUM CHLORIDE Solution 10%, 125mL	≠1	..	4.69	Zephiran Concentrated	WL
1766Y	BENZATHINE PENICILLIN Injection 1.8g in 4mL, disposable syringe	1	..	14.80	Bicillin L-A	WY
1767B	BENZATHINE PENICILLIN COMPOUND Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg. Injection set containing 1 vial and 2mL water for injections	1	..	6.05	Bicillin All-Purpose	WY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
1109J	BENZHEXOL Tablet 2mg	100	2	5.31 5.39	Anti-Spas Artane	PT LE
1110K	5mg	100	2	6.64 6.66	Anti-Spas Artane	PT LE
1111L	BENZOCAINE with ADRENALINE Compound Ointment 50g	≠1	1	4.74	Rectinol	GP
1112M	Compound Suppositories, 12	≠1	1	4.74	Rectinol	GP
2362H	BENZTROPINE Tablet 2mg	30	2	*4.65	Cogentin	MK
3038X	Injection 2mg in 2mL	5	..	9.49	Cogentin	MK
1114P	BENZYL BENZOATE Application 25% w/v, 200mL	≠1	2	4.96 5.04	Benzemul Ascabiol	MG MB
1774J	BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	6.05	CS	
1775K	600mg (solvent required)	5	1	6.24	Crystapen CS	GL
2647H	3g (solvent required)	10	..	*26.68	Crystapen CS	GL
2648J	6g (solvent required)	10	..	*39.80	CS	
1117T	BETAMETHASONE Tablet 500 micrograms	30	4	4.14	Celestone	SH
2694T	BETAMETHASONE ACETATE with BETAMETHASONE SODIUM PHOSPHATE To be endorsed "S.P."					
	Injection 3mg-3.9mg (equivalent to 5.7mg betamethasone) in 1mL	5	..	15.18	Celestone Chronodose	SH
1115Q	BETAMETHASONE DIPROPIONATE Cream 0.05%, 15g	≠1	1	3.96	Diprosone	SH
1119X	Ointment 0.05%, 15g	≠1	1	3.96	Diprosone	SH
2812B	BETAMETHASONE VALERATE Cream 0.02%, 100g	≠1	..	4.90	Betnovate 1/5 Celestone-M	GL SH
2813C	0.05%, 15g	≠1	1	3.96	Betnovate 1/2 Celestone-V Half Strength	GL SH
2814D	Gel 0.05%, 15g	≠1	1	3.96	Betnovate 1/2	GL
2820K	Ointment 0.02%, 100g	≠1	..	4.90	Celestone-M	SH
2815E	0.05%, 15g	≠1	1	3.96	Betnovate 1/2 Celestone-V Half Strength	GL SH

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1062X	BETHANECHOL Tablet 10mg	100	2	\$ 9.35 *9.36	Uro-Carb Urecholine	HA MK
1071J	Injection 5mg in 1mL	2	..	*7.30	Urecholine	MK
2544X	BIPERIDEN Tablet 2mg	100	2	8.18	Akineton	KN
2543W	Injection 5mg in 1mL	5	..	6.18	Akineton	KN
	BISACODYL To be endorsed "S.P."					
1259G	Tablet 5mg	100	2	5.11	Bisalax	PT
1260H	Suppositories 10mg, 10	≠1	..	5.11	Durolax	BY
	Enemas - See Paraplegic and Quadriplegic					
	BROMOCRIPTINE MESYLATE To be accompanied by an authority from the Director of Health.					
1443Y	Tablet 2.5mg	60	..	31.28	Parlodel	SZ
1445C	Capsule 10mg	100	..	183.04	Parlodel	SZ
	BROMPHENIRAMINE					
2516K	Tablet 4mg	50	2	4.33	Dimetane	RS
2602Y	Syrup 2mg per 5mL, 100mL	≠1	4	4.01	Dimetane	RS
	BUMETANIDE					
1130L	Tablet 1mg	50	2	5.43	Burinex	AP
	BUSULPHAN					
1128J	Tablet 2mg	100	..	24.70	Myleran	BW
	CALCITRIOL To be accompanied by an authority from the Director of Health.					
2502Q	Capsule 0.25 micrograms	100	..	43.61	Rocaltrol	RO
	CALCIUM To be endorsed "S.P."					
3117C	Tablet 600mg (as carbonate)	60	2	7.24	Caltrate	LE
3122H	Compound Effervescent Tablet equivalent to 1g (25mmol)Ca ²⁺ NOTE: Each 'Sandocal 1000' tablet also contains 18mmol Na ⁺	30	2	8.60	Sandocal 1000	SZ
	CALCIUM FOLINATE To be endorsed "S.P."					
2308L	Tablet 15mg	10	..	109.80	Leucovorin	LE
2309M	Injection 3mg in 1mL	5	..	16.36	BL	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1146H	CALCIUM GLUCONATE Injection 10%, 10mL	5	1	\$ 8.43	Calcium-Sandoz SZ
1151N	CAMPHOR COMPOUND Linctus 0.06% camphor, 100mL	≠1	2	4.01 4.04 4.08 4.15	MG Campholinct SI NN,TO PR,QE(NQ) DH
1148K	CAPTOPRIL To be endorsed "S.P." Tablet 25mg	90	5	42.30	Capoten SQ
1149L	50mg	90	5	71.05	Capoten SQ
2534J	CARBACHOL Eye Drops 0.75%, 15mL	≠1	6	4.98	AQ
2535K	1.5%, 15mL	≠1	6	5.04	AQ
2536L	3%, 15mL	≠1	6	5.36	AQ
2422L	CARBAMAZEPINE Tablet 100mg	200	2	12.93	Tegretol CG
2419H	200mg	200	2	20.43 22.30	Convuline Teril Tegretol PT AF CG
2818H	CARBENICILLIN To be endorsed "S.P." Injection 1g (solvent required)	5	..	21.84	Carbapen CS
2819J	5g (solvent required)	6	..	104.81	Carbapen CS
1153Q	CARBIMAZOLE Tablet 5mg	100	4	5.39	Neo-Mercazole NS
1057P	CARINDACILLIN To be accompanied by an authority from the Director of Health. Tablet (equivalent to 382mg carbenicillin)	40	..	33.24	Geopen Oral PF
1085D	CEFOTAXIME To be endorsed "S.P." Injection 1g (solvent required)	5	..	*67.95	Claforan RL
1086E	2g (solvent required)	5	..	*127.30	Claforan RL
3058Y	CEPHALEXIN Capsule 250mg	20	..	6.21	Ceporex Keflex GL LY
3119E	500mg	10	..	6.21	Ceporex Keflex GL LY
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3094W	CEPHALEXIN - cont. Granules for Syrup 125mg per 5mL, 100mL	≠1	1	\$ #8.18	Ceporex Keflex GL LY
2964B	CEPHALOTHIN SODIUM To be endorsed "S.P." Injection 1g (solvent required)	5	..	*25.20	Ceporacin Keflin Neutral GL LY
1135R	2g (solvent required)	1	..	11.71	Keflin Neutral LY
1136T	4g (solvent required)	1	..	20.10	Keflin Neutral LY
1256D	CEPHAZOLIN SODIUM To be endorsed "S.P." Injection 500mg (solvent required)	5	..	*23.20	Kefzol LY
1257E	1g (solvent required)	5	..	*42.00	Kefzol LY
2935L	CHLORAL HYDRATE Capsule 500mg	50	..	4.63	Noctec SQ
2869B	Mixture 250mg per 5mL, 500mL	≠1	4	4.69	Dormel DH
2713T	1g per 10mL, 200mL	≠1	4	4.43	Chloralix Elix-Nocte Forte Noctec Syrup RK NN SQ
1163F	CHLORAMBUCIL Tablet 2mg	100	2	*49.54	Leukeran BW
1164G	5mg	100	2	*59.82	Leukeran BW
1174T	CHLORAMPHENICOL To be endorsed "S.P." Capsule 250mg	16	..	5.45	Chloromycetin PD
2693R	Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	5.59	Chloromycetin Palmitate PD
1167K	Injection 1g (solvent required)	3	..	*17.03	Chloromycetin Succinate PD
1172Q	CHLORAMPHENICOL Ear Drops (aqueous) 0.5%, 5mL	≠1	2	4.55	Chloromycetin PD
2360F	Eye Drops 0.5%, 10mL	≠1	2	4.55	Chlomin Chloromycetin Chloroptic Chlorsig US PD AG SI
1171P	Eye Ointment 1%, 4g	≠1	..	4.23	Chlomin Chloromycetin Chlorsig US PD SI

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	CHLORAMPHENICOL with POLYMYXIN B			\$		
1181E	Eye Drops 5mg-5,000 Units per mL, 10mL	≠1	2	4.55	Chloromyxin	PD
1177Y	Eye Ointment 1%-5,000 Units per g, 4g	≠1	..	4.23	Chloromyxin	PD
1066D	CHLORHEXIDINE Solution 5%, 200mL	≠1	1	5.31	Hibitane Concentrate	IC
1410F	CHLORMETHIAZOLE To be accompanied by an authority from the Director of Health. Capsule 192mg	50	..	9.18	Hemineurin	AP
1409E	Solution 0.8% for I.V. Infusion, 500mL	1	..	16.05	Hemineurin	AP
1184H	CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	6.60 6.66	Chlorquin Nivaquine	PT MB
1185J	Injection 40mg per mL, 5mL	5	1	*8.35	Nivaquine	MB
1187L	CHLOROTHIAZIDE Tablet 500mg	50	2	5.66 5.73	Diuret Azide Chlotride Diurone	PT FM FR US
1190P	CHLORPHENIRAMINE Tablet 4mg	50	2	4.48 4.50	Allergex Chloramin Piriton	PT LF GL
1196Y	CHLORPROMAZINE To be endorsed "S.P." Tablet 10mg	100	1	4.41 4.43	Protran Largactil	PT MB
1197B	25mg	100	1	5.68 5.80	Protran Largactil	PT MB
1198C	50mg	100	1	7.43 7.55	Protran Largactil	PT MB
1199D	100mg	100	1	12.18 12.30	Protran Largactil	PT MB
1201F	Mixture 25mg per 5mL, 100mL	≠1	4	4.23	Largactil Promacid	MB US
1194W	Injection BP, 25mg in 1mL	10	..	5.71	Largactil	MB
1195X	50mg in 2mL	10	..	6.18	Largactil	MB
1200E	Suppositories 100mg, 5	≠1	1	4.80	Largactil	MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1202G	CHLORPROPAMIDE Tablet 250mg	100	2	\$ 8.24 8.55	Promide Diabinese	PT PF
1072K	CHLORTETRACYCLINE Cream 3%, 15g	#1	..	4.33	Aureomycin	LE
1055M	Ointment 3%, 15g	#1	..	4.33	Aureomycin	LE
1585K	CHLORTHALIDONE Tablet 25mg	50	2	5.35 5.38	Urid Hygroton	PT CG
3021B	CHOLERA VACCINE Injection 1mL	2	..	*6.06	CS	
2967E	CHOLESTYRAMINE To be accompanied by an authority from the Director of Health.	2	..	*45.98	Questran	AP
2788R	CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	5.30	Choledyl	WW
2789T	200mg	100	2	5.93	Brondecon-PD Choledyl	PD WW
2786P	Elixir 50mg per 5mL, 500mL	#1	4	4.84	Brondecon Elixir-PD	PD
2787Q	Syrup 50mg per 5mL, 500mL	#1	4	4.84	Choledyl	WW
1157X	CIMETIDINE To be accompanied by an authority from the Director of Health.	120	..	43.55	Duractin Tagamet	CS SK
1158Y	400mg	60	..	43.55	Duractin Tagamet	CS SK
3137D	CLINDAMYCIN To be endorsed "S.P."	25	..	7.55	Dalacin C	UP
3138E	Capsule 75mg	25	..	11.36	Dalacin C	UP
3139F	150mg	#1	..	#10.22	Dalacin C	UP
3030L	Granules for Syrup 75mg per 5mL, 100mL	#1	..	4.29	Vioform	CG
2892F	CLIOQUINOL Cream 1%, 30g	100	..	11.66 11.73	Arterioflexin Atromid-S	PT IC
	CLOFIBRATE To be accompanied by an authority from the Director of Health.					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	CLONAZEPAM			\$		
1805B	Tablet 500 micrograms	200	2	9.74	Rivotril	RO
1806C	2mg	200	2	14.39	Rivotril	RO
1808E	Paediatric Drops 2.5mg in 1mL, 10mL	≠1	1	4.69	Rivotril	RO
1807D	Injection 1mg in 2mL (set containing solution 1mg in 1mL and 1mL diluent)	5	..	5.60	Rivotril	RO
	CLONIDINE					
3145M	Tablet 100 micrograms	100	2	8.55	Catapres 100	BY
3141H	150 micrograms	100	2	10.23	Catapres	BY
3142J	Injection 150 micrograms in 1mL	5	..	6.06	Catapres	BY
	CLOPAMIDE					
2399G	Tablet 20mg	50	2	5.86	Brinaldix	SZ
	CLOREXOLONE					
2880N	Tablet 10mg	50	2	4.69	Nefrolan	MB
2297X	25mg	50	2	5.10	Nefrolan	MB
	CLOTRIMAZOLE					
1017M	Cream 1%, 20g	≠1	1	5.70 5.71	Lotremin Canesten	SH BN
1027C	Lotion 1%, 20mL	≠1	1	5.71	Canesten	BN
1018N	Pessaries 100mg, 6	≠1	..	6.44 6.46	Gyne-Lotremin Canesten	SH BN
1020Q	Pessary 500mg	1	..	6.46	Canesten 1	BN
1019P	Vaginal Cream 1%, 35g	≠1	..	6.40 6.41	Gyne-Lotremin Canesten	SH BN
1006Y	2%, 20g	≠1	..	6.41	Canesten 3	BN
	CLOXACILLIN					
	To be endorsed "S.P."					
2300C	Capsule 250mg	25	..	10.98	Austrastaph Orbenin	CS BR
1120Y	500mg	12	..	10.68	Austrastaph Orbenin	CS BR
2936M	Powder for Syrup 125mg per 5mL, 100mL	≠1	..	#9.36	Austrastaph Orbenin	CS BR
	CLOXACILLIN					
2299B	Injection 250mg (solvent required)	5	..	9.49	Austrastaph Orbenin	CS BR
2301D	500mg (solvent required)	5	..	13.51	Austrastaph Orbenin	CS BR
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1420R	CLOXACILLIN - cont. Injection 1g (solvent required)	5	..	\$ 21.08	Austrastaph Orbenin	CS BR
1214X	CODEINE PHOSPHATE Tablet 30mg	25	..	6.11	Codate DH,FA,FM	US
1213W	Linctus 0.5%, 100mL	≠1	2	4.61 4.64 4.68 4.69	MG Codelix Codlin Actacode PR,QE(NQ)	DH NN SI
	CODEINE PHOSPHATE with ASPIRIN To be accompanied by an authority from the Director of Health.					
1222H	Tablet 30mg-325mg	100	..	*13.06	Codral Forte	BW
1218D	CODEINE PHOSPHATE with ASPIRIN Tablet Soluble 8mg-300mg	50	2	4.23	Aspalgin	FM
1219E	8mg-500mg	50	2	4.23	Solcode	RC
1223J	CODEINE PHOSPHATE with PARACETAMOL Tablet 8mg-500mg	50	1	4.30	Codalgin Dymadon Co. Panamax Co.	FM BW WL
1227N	COLCHICINE Tablet 500 micrograms	100	2	5.43 5.49	Colgout DH,PR,RT Coluric	PT NN
	COLESTIPOL HYDROCHLORIDE To be accompanied by an authority from the Director of Health.					
1224K	Sachets 5g, 120	≠1	..	49.80	Colestid	UP
2621Y	COLISTIN Injection 150mg (solvent required)	5	..	*84.80	Coly-Mycin	WW
2756C	COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per mL, 10mL	≠1	2	4.68	Coly-Mycin	WW
1228P	COPPER SULPHATE Diagnostic Compound Tablets, 36	2	3	*6.76	Clinitest	AM
1246N	CORTISONE ACETATE Tablet 5mg	50	4	4.69	Cortate	PT
1247P	25mg	60	4	8.80	Cortate	PT
	CYANOCOBALAMIN To be endorsed "S.P."					
1258F	Injection 100 micrograms in 1mL	5	1	5.43	Cytamen 100	GL
1262K	1mg in 1mL	5	..	5.80	Cytamen 1000	GL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1264M	CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	\$ 5.89	Navidrex	CG
1266P	CYCLOPHOSPHAMIDE To be accompanied by an authority from the Director of Health. Tablet 50mg	50	..	12.71	Cycloblastin	FE
1269T	CYPROHEPTADINE Tablet 4mg	50	2	4.55	Periactin	FR
1798P	CYPROHEPTADINE To be endorsed "S.P." Tablet 4mg	100	2	*6.80	Periactin	FR
2910E	CYTARABINE Injection set containing 100mg and 5mL solvent	10	1	*85.10	Cytosar-U	UP
1287R	DANAZOL To be accompanied by an authority from the Director of Health. Capsule 200mg	100	..	125.85	Danocrine	WL
1779P	DANTROLENE SODIUM To be endorsed "S.P." Capsule 25mg	100	2	20.99	Dantrium	NW
1780Q	50mg	100	2	31.55	Dantrium	NW
1272Y	DAPSONE Tablet 100mg	100	2	7.05	Avlosulfon	IC
2740F	DEBRISOQUINE Tablet 10mg	100	2	7.28 7.34	Redu-Press M Declinax	PT RO
2741G	20mg	100	2	8.99 9.05	Redu-Press Declinax	PT RO
2854F	DEMECLOCYCLINE HYDROCHLORIDE To be endorsed "S.P." Capsule 150mg	100	3	22.30	Ledermycin	LE
2972K	DESIPRAMINE Tablet 25mg	50	2	6.00	Pertofran	CG
2129C	DESMOPRESSIN Nasal Solution 100 micrograms per mL, 2.5mL	5	2	*124.20	Minirin	PT
2508B	DEXAMETHASONE To be endorsed "S.P." Injection 120mg in 5mL	1	..	34.33	Decadron Shock Pak MK	
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1292B	DEXAMETHASONE - cont. Tablet 500 micrograms	30	4	\$ 4.56 4.63	Dexamethsone PT Oradexon OR
2507Y	4mg	30	4	9.14	Dexamethsone PT
2509C	Injection 4mg in 1mL	5	..	12.93	Decadron MK
1290X	5mg in 1mL	5	..	13.23	Oradexon OR
1291Y	8mg in 2mL	5	..	17.05	Decadron MK
1288T	Eye Drops 0.1%, 5mL	≠1	2	5.25	Maxidex AQ
2781J	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms-5mg- 50 micrograms per mL, 8mL	≠1	2	4.61	Sofradex RL
2759F	Ear Ointment 500 micrograms-5mg- 50 micrograms per g, 5g	≠1	2	4.35	Sofradex RL
	DEXAMPHEATAMINE To be accompanied by an authority from the Director of Health.				
1165H	Tablet 5mg	100	..	7.09	SI
1295E	DEXCHLORPHENIRAMINE Tablet 2mg	50	2	4.33	Polaramine SH
	DEXTRAN 40 See Intravenous Infusions				
	DEXTRAN 70 See Intravenous Infusions				
	DEXTROMORAMIDE To be endorsed "S.P."				
2702F	Tablet 5mg	20	..	6.04	Palfium FA
1024X	Suppositories 10mg, 10	≠1	..	13.65	Palfium FA
3161J	DIAZEPAM Tablet 2mg	50	..	3.86 4.09	Antenex 2 AF Ducene SU Pro-Pam PT Valium RO
3162K	5mg	50	..	4.05 4.35 4.43	Antenex 5 AF Ducene SU Pro-Pam PT Valium RO
2559Q	Paediatric Syrup 2mg per 5mL, 100mL	≠1	..	4.63	Valium RO
2558P	Injection 10mg in 2mL	5	..	5.23	Valium BL RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3068L	DIAZOXIDE Injection 300mg in 20mL	1	..	\$ 16.59 16.74	BL Hyperstat I.V.	SH
1303N	DICHLORPHENAMIDE Tablet 50mg	50	6	10.09	Daranide	MK
1300K	DICLOFENAC SODIUM Tablet 50mg (enteric coated)	50	2	8.64	Voltaren 50	CG
1310Y	DIENOESTROL Cream 0.01%, 85g	#1	1	4.69	ET	
2506X	DIFENOXIN HYDROCHLORIDE with ATROPINE SULPHATE Tablet 500 micrograms-25 micrograms	20	..	4.30	Lyspafen	PT
1319K	DIFLUNISAL Tablet 250mg	50	2	8.64	Dolobid	MK
2605D	DIGOXIN Tablet 62.5 micrograms	100	2	4.56	Lanoxin-PG	BW
1322N	250 micrograms	50	2	4.09	Lanoxin	BW
3164M	Oral Solution for Children 50 micrograms per mL, 100mL	#1	2	8.30	Lanoxin	BW
1321M	Injection BP, 500 micrograms in 2mL	5	1	9.19	Lanoxin	BW
2937N	DIHYDROCODEINE TARTRATE Linctus 0.19%, 100mL	#1	2	3.88	Paracodin Rikodeine	KN RK
1323P	DIHYDROERGOTAMINE Injection 1mg in 1mL	5	..	6.00	Dihydergot	SZ
1483C	DIHYDROTACHYSTEROL To be accompanied by an authority from the Director of Health. Capsule 125 micrograms	100	..	22.65	A.T.10	WL
1333E	DILOXANIDE FUROATE Tablet 500mg	30	..	*10.86	Furamide	BT
1334F	DIMERCAPROL Injection 5%, 2mL	12	..	28.91	B.A.L.	BT
2253M	DIMETHICONE To be endorsed "S.P." Cream 10%, 50g	#1	..	3.81	Dermabase-S	HA
2618T	10%, 75g Solution - See Colostomy and Ileostomy	#1	..	4.15	Silcon	FA
2517L	DIMETHINDENE Tablet 1mg	50	2	4.33	Fenostil	ZY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL To be endorsed "S.P."			\$	
1125F	Suppositories 100mg-10mg, 5	2	..	*5.36	Coloxyl FM
1336H	DIPHENHYDRAMINE Capsule 50mg	50	2	4.35	Benadryl PD
2780H	Paediatric Elixir 12.5mg per 5mL, 100mL	≠1	4	4.01	Benadryl PD
2501P	DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25 micrograms	20	..	4.30	Lomotil SR
1340M	DIPHENYLPYRALINE Tablet 2.5mg	50	2	4.33	Histalert RK
2351R	Paediatric Syrup 2.5mg per 5mL, 100mL	≠1	4	4.01	Histalert RK
1344R	DIPHTHERIA ANTITOXIN Injection 10,000 Units	2	1	*57.30	CS
	DIPHTHERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years.				
1341N	Injection 0.5mL	3	..	*7.73	CS
	DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
3019X	Injection 0.5mL	3	..	*7.73	CS
1346W	DIPHTHERIA, TETANUS and PERTUSSIS VACCINE, ADSORBED Injection 0.5mL	3	..	*7.58	CS,PD
	DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years.				
1348Y	Injection 0.5mL	2	1	*6.56	CS
	DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years.				
3020Y	Injection 0.5mL	2	..	*6.42	CS
1351D	DIPIVEFRINE HYDROCHLORIDE Eye Drops 0.1%, 10mL	≠1	6	9.55	Propine AG

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	DIPYRIDAMOLE To be accompanied by an authority from the Director of Health.			\$	
3140G	Tablet 100mg	100	..	16.50 16.56	Dipramol Persantin 100 PT BY
2923W	DISOPYRAMIDE Capsule 100mg	100	2	17.60	Norpace Rythmodan SR RL
2924X	150mg	100	2	22.59	Norpace Rythmodan SR RL
1357K	DOTHIEPIN HYDROCHLORIDE Capsule 25mg	50	2	5.28	Prothiaden BT
1022T	DOXEPIIN Tablet 10mg	50	2	4.35	Quitaxon RC
1023W	25mg	50	2	5.28	Quitaxon RC
1012G	50mg	50	1	5.93	Deptran 50 AF
1011F	Capsule 10mg	50	2	4.24 4.35	Deptran 10 AF Sinequan PF
1013H	25mg	50	2	5.11 5.28	Deptran 25 AF Sinequan PF
	DOXYCYCLINE To be endorsed "S.P."				
2711Q	Tablet 50mg	25	5	6.80 7.69	Doxylin 50 AF Vibra-Tabs PF
2707L	Capsule 50mg	25	5	7.69	Doryx FA
2709N	DOXYCYCLINE Tablet 100mg	7	..	4.93 5.45	Doxylin 100 AF Vibramycin PF
2708M	Capsule 100mg	7	..	5.39 5.45	Cyclidox PT Doryx FA Doxin GP
	DYDROGESTERONE To be accompanied by an authority from the Director of Health.				
1350C	Tablet 10mg	50	..	21.43	Duphaston ET
1364T	ECONAZOLE NITRATE Cream 1%, 20g	#1	1	5.71	Ecostatin SQ Peveryl SK
1365W	Lotion 1%, 20mL	#1	1	5.71	Ecostatin SQ Peveryl SK
1366X	Pessaries 150mg, 3 (continued)	#1	..	6.46	Ecostatin SQ Peveryl SK

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1367Y	ECONAZOLE NITRATE - cont. Vaginal Cream 1.5%, 35g	#1	..	\$ 6.41	Ecostatin	SO
1359M	ECOTHIOPATE IODIDE Eye Drops 0.03%, 1.5mg and 5mL solvent	#1	6	#9.33	Phospholine Iodide	AY
2405N	0.06%, 3mg and 5mL solvent	#1	6	#9.33	Phospholine Iodide	AY
1360N	0.125%, 6.25mg and 5mL solvent	#1	6	#9.33	Phospholine Iodide	AY
1361P	0.25%, 12.5mg and 5mL solvent	#1	6	#10.08	Phospholine Iodide	AY
2992L	ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	#1	..	5.89	Repalyte	DH
	ELECTROLYTE REPLACEMENT SOLUTION See Intravenous Infusions					
3069M	EPICILLIN Capsule 250mg	25	..	6.05	Dexacillin	SO
3070N	500mg	12	1	5.80	Dexacillin	SQ
3086K	Powder for Syrup 250mg per 5mL, 100mL	#1	..	#7.47	Dexacillin	SO
	ERGOCALCIFEROL To be endorsed "S.P."					
2498L	Tablet 250 micrograms	100	3	7.20	Ostelin	GL
2500N	Oral Solution 15mg (600,000 Units) in 1.5mL alcoholic solution	3	2	5.39	Sterogyl-15	RL
1380P	ERGOMETRINE MALEATE Tablet 200 micrograms	24	..	4.76	Ergotrate	LY
1378M	Injection 250 micrograms in 1mL	5	..	4.74	BL	
1384W	ERGOTAMINE TARTRATE Tablet 1mg	50	2	5.86	Lingraine	WL
1385X	ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	6.60	Cafergot	SZ
1387B	ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	6.60	Migral	BW
1386Y	ERGOTAMINE TARTRATE with CAFFEINE, ITOBARBITONE and BELLADONNA ALKALOIDS Suppositories 2mg-100mg-100mg-250 micrograms, 6	#1	2	5.59	Cafergot PB	SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE			\$		
1388C	Capsule 1mg-100mg-25mg	50	2	6.60	Ergodryl	PD
1399P	ERYTHROMYCIN Tablet 250mg	25	..	6.21	EMU-V	UP
1402T	Capsule 125mg	25	..	5.18	Eryc	FA
1404X	250mg	25	..	6.21	Eryc Ilocap	FA LY
2499M	ERYTHROMYCIN ESTOLATE Paediatric Drops 100mg (base) per mL, 10mL	≠1	..	4.98	Ilosone	LY
2423M	Paediatric Suspension 125mg (base) per 5mL, 100mL	≠1	..	5.30	Eromycin Ilosone	DL LY
2749Q	ERYTHROMYCIN ETHYLSUCCINATE Tablet 200mg (base)	25	..	5.43	EES Dulcet	AB
2424N	Granules for Paediatric Suspension 200mg (base) per 5mL, 100mL	≠1	..	#7.16	EES 200	AB
1395K	Injection I.M. 100mg (base) in 2mL	5	..	9.35	Erythrocin	AB
1396L	ERYTHROMYCIN GLUCEPTATE Infusion I.V. 1g (base)	1	..	14.60	Ilotycin	LY
1398N	ERYTHROMYCIN LACTOBIONATE Infusion I.V. 300mg (base)	5	..	*23.55	Erythrocin	AB
1397M	1g (base)	1	..	14.60	Erythrocin	AB
1401R	ERYTHROMYCIN STEARATE Tablet 250mg (base)	25	..	6.21	Erythrocin	AB
1403W	Capsule 250mg (base)	25	..	6.16 6.21	E-Mycin Erythrocin	PT AB
2425P	Paediatric Suspension 125mg (base) per 5mL, 100mL	≠1	..	5.30	Erythrocin	AB
2610J	Suspension 250mg (base) per 5mL, 100mL	≠1	..	7.16	Erythrocin	AB
2511E	ETHACRYNIC ACID To be endorsed "S.P."					
	Tablet 50mg	50	2	8.05	Edecril	MK
1271X	ETHANOLAMINE OLEATE Injection 5%, 2mL	5	1	9.18	Ethamolin	GL
1405Y	ETHINYLOESTRADIOL Tablet 10 micrograms	100	1	4.46	Estigyn	GL
1406B	20 micrograms	100	1	4.63	Estigyn Primogyn C	GL SC
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1407C	ETHINYLOESTRADIOL - cont. Tablet 50 micrograms	100	1	\$ 5.39	Estigyn	GL
1413J	ETHOSUXIMIDE Capsule 250mg	200	2	17.78	Zarontin	PD
1414K	Paediatric Syrup 250mg per 5mL, 250mL	≠1	4	9.33	Zarontin	PD
1419Q	ETHYLNORADRENALINE Injection 2mg in 1mL	5	..	5.71	Bronkephrine	WL
2370R	ETHYLOESTRENOL To be accompanied by an authority from the Director of Health. Tablet 2mg	100	3	14.53	Orabolin	OR
3166P	ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 21	2	2	*5.68	Ovulen 0.5/50	SR
3167Q	1mg-50 micrograms, 21	2	2	*5.68	Ovulen 1/50	SR
2447T	Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	*5.68	Ovulen 0.5/50-28	SR
3168R	Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	*5.68	Ovulen 1/50-28	SR
1421T	ETRETINATE To be accompanied by an authority from the Director of Health. Capsule 10mg	100	..	83.24	Tigason	RO
1422W	25mg	100	..	189.86	Tigason	RO
1314E	FENOTEROL HYDROBROMIDE Tablet 2.5mg	100	2	7.76	Berotec	BY
1315F	Elixir 2.5mg per 5mL, 300mL	≠1	4	5.54	Berotec	BY
1312C	Inhalation Solution for use in RESPIRATOR or NEBULISER 0.1%, 20mL	≠1	2	6.68	Berotec	BY
1313D	Inhalation, metered aerosol spray, 200 micrograms per dose (300 dose)	≠1	5	6.83	Berotec	BY
2465R	FERROUS AMINOACETOSULPHATE Paediatric Syrup 100mL	≠1	4	4.24	Plesmet	NN
1424Y	FERROUS GLUCONATE Tablet 300mg	100	2	4.24	Fergon	WL
2726L	Paediatric Elixir 6%, 100mL	≠1	4	4.24	Fergon	WL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1150M	FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	\$ 4.24	Slow-Fe	CG
2689M	350mg (sustained release)	30	2	4.23 4.24	Feritard Ferro-Gradumets	PT AB
3100E	Capsule 320mg (delayed release)	30	2	4.24	Fespan	SK
3150T	FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	4.23	Feritard Folic	PT
3160H	270mg-300 micrograms (sustained release)	30	2	4.30	F.G.F.	AB
3149R	Capsule 270mg-300 micrograms (delayed release)	30	2	4.30	Fefol	SK
1363R	FLUCLOROLONE ACETONIDE Cream 0.025%, 15g	#1	1	3.96	Topilar	SD
1526H	FLUCLOXACILLIN To be endorsed "S.P." Capsule 250mg	25	..	10.98	Flopen Floxapen	CS BR
1527J	500mg	12	..	10.68	Flopen Floxapen	CS BR
1528K	Powder for Syrup 125mg per 5mL, 100mL	#1	..	#9.36	Flopen Floxapen	CS BR
1523E	FLUCLOXACILLIN Injection 250mg (solvent required)	5	..	9.49	Flopen Floxapen	CS BR
1524F	500mg (solvent required)	5	..	13.51	Flopen Floxapen	CS BR
1525G	1g (solvent required)	5	..	21.08	Flopen Floxapen	CS BR
1073L	FLUCYTOSINE To be endorsed "S.P." Tablet 500mg	100	..	74.18	Ancotil	RO
1433K	FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	3	7.20	Florinef	SQ
2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5mL	#1	..	4.61	Locacorten Vioform	CG

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2677X	FLUOCORTOLONE ESTERS Cream 0.08%, 100g	¶1	..	\$ 4.90	Topodil	SC
1305Q	0.2%, 15g	¶1	1	3.96	Ultralan-D	SC
1306R	Ointment 0.2%, 15g	¶1	1	3.96	Ultralan-D	SC
1307T	Ointment (Anhydrous) 0.2%, 15g	¶1	1	3.96	Ultralan-D Fatty	SC
1204J	FLUOROMETHOLONE Eye Drops 0.1%, 5mL	¶1	6	5.39	Flucon FML Liquifilm	AQ AG
2521Q	FLUOROURACIL Injection 250mg per 10mL	10	..	28.03 28.09	BL RO	
1435M	FLUOXYMESTERONE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	3	21.26	Halotestin	UP
2659Y	FLUPHENAZINE To be endorsed "S.P." Tablet 1mg	100	1	6.38	Anatensol	SQ
2660B	2.5mg	100	1	8.11	Anatensol	SQ
2661C	5mg	100	1	10.03	Anatensol	SQ
2662D	Elixir 500 micrograms per mL, 60mL	¶1	4	4.55	Anatensol	SQ
1046C	FLUPHENAZINE DECANOATE To be endorsed "S.P." Injection 12.5mg in 0.5mL	5	..	16.53	Modecate	SQ
3098C	25mg in 1mL	5	..	26.05	Modecate	SQ
1001Q	50mg in 2mL	5	..	39.45	Modecate	SQ
2958Q	FOLIC ACID Tablet 500 micrograms	100	..	3.98 3.99	DH,PT Folicid SI	US
1437P	5mg	100	2	4.13 4.15	DH,PT Folasic Folicid FM,PR,RT,SI	NN US
1436N	Injection 15mg in 1mL	10	..	*7.92	AB	
1353F	FOSFESTROL SODIUM To be endorsed "S.P." Tablet 120mg	100	2	28.18	Honvan	BC
1352E	Injection 250mg in 5mL	10	..	18.35	Honvan	BC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1439R	FRAMYCETIN Eye Ointment 0.5%, 5g	#1	..	\$ 4.15	Soframycin	RL
1440T	Eye and Ear Drops 0.5%, 8mL	#1	2	4.55	Soframycin	RL
2415D	FRUSEMIDE To be endorsed "S.P." Tablet 500mg	50	2	22.04 22.10	Urex-Forte Lasix	FM HP
2414C	FRUSEMIDE Tablet 20mg	50	2	5.11	Lasix-M Urex-M	HP FM
2412Y	40mg	50	2	5.04 5.35 5.43	Virifenemide Uremide Lasix Urex	WR PT HP FM
2411X	Oral Solution 10mg per mL, 30mL	#1	2	8.55	Lasix	HP
2413B	Injection 20mg in 2mL	5	..	5.61 6.21	AF Lasix	HP
2312Q	FUSIDIC ACID To be endorsed "S.P." Tablet (Sodium salt) 250mg (enteric coated)	36	..	50.53	Fucidin	SK
2311P	Suspension 50mg per mL, 90mL	#1	..	26.74	Fucidin	SK
2699C	GAS GANGRENE ANTITOXIN - MIXED (POLYVALENT) Injection: 1 amp containing 10,000 Units Perfringens; 10,000 Units Novyi; 5,000 Units Septicum	2	1	*92.30	CS	
1067E	GENTAMICIN SULPHATE Injection 10mg (base) in 1mL	5	..	12.55	Garamycin	SH
1068F	40mg (base) in 1mL	5	..	16.13	Garamycin BL	SH
1168L	60mg (base) in 1.5mL	5	..	19.43	Garamycin BL	SH
2824P	80mg (base) in 2mL	5	..	8.55 22.75	Cidomycin Garamycin BL	RL SH
2939Q	GLIBENCLAMIDE Tablet 5mg	100	2	14.53	Daonil Euglucon	HP RC
2449X	GLICLAZIDE Tablet 80mg	100	2	14.53	Diamicron	SE
1447E	GLUCAGON HYDROCHLORIDE Injection 1 I.U. with diluent	1	1	10.16	CN,LY	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3040B	GLUCOSE Injection 50%, 10mL Injections 500mL and 1L See Intravenous Infusions	5	..	\$ 6.01	BL
2909D	GLUCOSE INDICATOR - BLOOD Reagent Strips 25	≠1	5	9.00	Ames-BG AM
2912G	Reagent Strips 25	≠1	5	9.00	BM-Test-BG BO
2908C	Reagent Strips 25	≠1	5	10.43 11.20	Visidex II AM BM-Test-Glycemie BO 20-800
1448F	GLUCOSE INDICATOR - URINE Test Dispenser 4m	≠1	2	5.79	Tes-Tape LY
2352T	Reagent Strips 100	≠1	2	5.43	Clinistix AM
3104J	Reagent Strips 100	≠1	2	5.96	Diastix AM
3107M	GLUCOSE and KETONE INDICATOR - URINE Reagent Strips 100	≠1	2	7.19	Keto-Diastix AM
2673Q	GLYCEROL 100mL	≠1	1	4.16	DH
1453L	GLYCEROPHOSPHATE COMPOUND Syrup 1.5% Sodium Glycerophosphate, 100mL	≠1	4	3.94 4.04 4.09	MG Glyfosolix DH SI PR
1459T	GLYCERYL TRINITRATE Tablets 600 micrograms, 100	≠1	2	4.29	Anginine Stabilised BW
1452K	Ointment 2%, 60g	≠1	2	11.05	Nitro-Bid PT
1513P	Transdermal Disc releasing approximately 5mg per 24 hours	30	2	21.05	Nitradisc SR
1515R	Transdermal Pad releasing approximately 5mg per 24 hours	30	2	21.05	Transiderm-Nitro 25 CG
1460W	GRISEOFULVIN To be endorsed "S.P." Tablet 125mg	100	2	9.81	Fulcin 125 IC Grisovin GL
2983B	330mg	28	2	7.61 8.88	Grisfulvin 330 PT Griseostatin SH
2982Y	500mg	28	2	9.55	Fulcin 500 IC Grisovin 500 GL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
1461X	GUANETHIDINE Tablet 10mg	100	1	6.41 6.48	Antipres M Ismelin	PT CG
1462Y	25mg	100	1	10.50 10.56	Antipres Ismelin	PT CG
	HALOPERIDOL To be endorsed "S.P."					
2767P	Tablet 1.5mg	100	1	6.14 6.20	Pacedol Serenace	PT SR
2770T	5mg	50	1	7.14 7.20	Pacedol Serenace	PT SR
2768Q	Injection 5mg in 1mL	10	..	11.86	Serenace	SR
	HEPARIN CALCIUM					
1234Y	Injection 5,000 Units in 0.2mL	5	5	9.81	Calcihep Calciparine Caprin	WP RC CS
1235B	5,000 Units in 0.5mL	5	5	9.81	Caprin	CS
1053K	12,500 Units in 0.5mL	2	5	9.14 *9.18	Calciparine CS	RC
1054L	25,000 Units in 1mL	2	5	11.19 *11.22	Calciparine CS	RC
	HEPARIN SODIUM					
1466E	Injection BP, 5,000 Units in 0.2mL	5	5	8.39	BL,CS,WP	
1467F	5,000 Units in 1mL	5	5	8.39 8.45	BL,WP CS	
1469H	20,000 Units in 20mL	12	5	47.18	BL	
1468G	25,000 Units in 5mL	2	5	*11.22	CS,WP	
1076P	35,000 Units in 35mL	12	5	*101.42	CS,WP	
	HEXAMINE HIPPURATE					
3124K	Tablet 1g	100	2	10.09	Hiprex	RK
	HEXAMINE MANDELATE					
1617D	Tablet 250mg	100	2	4.80	Mandelamine	WW
1618E	500mg	100	2	7.24	Mandelamine Hafgrams	WW
2690N	1g	100	2	10.09	Mandelamine	WW
	HOMATROPINE HYDROBROMIDE					
2541R	Eye Drops 2%, 15mL	≠1	2	5.30	AG,AQ	
2542T	5%, 15mL	≠1	2	6.18	AG,AQ	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1640H	HYDRALAZINE HYDROCHLORIDE Tablet 25mg	100	2	\$ 6.11 7.23	Alphapress 25 Supres 25 Apresoline AF PT CG
1639G	50mg	100	2	7.79 9.55	Alphapress 50 Supres 50 Apresoline AF PT CG
1484D	HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	4.93	Dichlotride Esidrex MK CG
1485E	50mg	50	2	6.19	Dichlotride Esidrex MK CG
1486F	HYDROCHLOROTHIAZIDE with AMILORIDE Tablet 50mg-5mg	30	2	4.96 5.03	Amizide Moduretic PT MK
1280J	HYDROCHLOROTHIAZIDE with TRIAMTERENE Tablet 25mg-50mg	30	2	5.36	Dyazide SK
1499X	HYDROCORTISONE Tablet 4mg	50	4	4.69	Hysone PT
1500Y	20mg	60	4	8.80	Hysone PT
1488H	Eye Drops 0.5%, 5mL	≠1	2	4.50	Hycor SI
1489J	0.5%, 10mL	≠1	2	4.76	Hycor SI
1490K	1%, 3mL	≠1	2	4.50	Hycor SI
1492M	1%, 10mL	≠1	2	4.98	Hycor SI
1493N	2.5%, 5mL	≠1	2	4.98	Hycor SI
1494P	2.5%, 10mL	≠1	2	5.68	Hycor SI
1496R	Eye Ointment 0.5%, 4g	≠1	..	4.63	Cortef UP
1497T	0.5%, 5g	≠1	..	4.63	Hycor SI
2441L	1%, 5g	≠1	..	4.63	Hycor SI
2887Y	Cream 1%, 30g	≠1	1	4.50	Adacor Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC NN UP PD US PR SI SQ
2881P	1%, 50g	≠1	1	5.10	Adacor Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC NN UP PD US PR SI SQ
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2888B	HYDROCORTISONE - cont. Topical Ointment 1%, 30g	#1	1	\$ 4.50	Adacor Cortef Dermacort "O" Procort Sigmacort Squibb-HC NN UP PD PR SI SQ
2882Q	1%, 50g	#1	1	5.10	Adacor Cortef Dermacort "O" Procort Sigmacort Squibb-HC NN UP PD PR SI SQ
2794C	HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5mL	#1	..	4.55	Neo-Cortef UP
2795D	Ear Ointment 1.5%-0.5%, 4g	#1	2	4.35	Neo-Cortef UP
1498W	HYDROCORTISONE ACETATE To be endorsed "S.P." Injection 25mg in 1mL	5	..	6.28	Hysone-A PT
1502C	Rectal Foam 10%, Aerosol 25g	2	1	*34.70	Colifoam SV
3097B	HYDROCORTISONE SODIUM SUCCINATE To be endorsed "S.P." Injection set containing equivalent of 500mg hydrocortisone and solvent	1	..	15.01	Solu-Cortef UP
1501B	HYDROCORTISONE SODIUM SUCCINATE Injection Set containing equivalent of 100mg hydrocortisone and 2mL solvent	2	..	*8.40 *8.48	Nordicort Ef cortelan Solu-Cortef NR GL UP
3096Y	containing equivalent of 250mg hydrocortisone and solvent	1	..	9.00	Solu-Cortef UP
1504E	HYDROGEN PEROXIDE SOLUTION, DILUTE (10 vol), 100mL	#1	..	3.40	FA
1512N	HYDROXYCHLOROQUINE Tablet 200mg	100	..	12.65	Plaquenil WL
3093T	HYDROXYUREA Capsule 500mg	100	..	49.75	Hydrea SQ
3042D	HYOSCINE BUTYLBROMIDE Injection 20mg in 1mL	5	..	5.45	Buscopan BY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2956N	HYPROMELLOSE Eye Drops 0.5%, 15mL	#1	6	\$ 4.55	Isopto Tears Lacril Methopt	AQ AG SI
2952J	1%, 15mL	#1	6	4.55	Methopt Forte	SI
1509K	HYPROMELLOSE with DEXTRAN Eye Drops 0.3%-0.1%, 15mL	#1	6	4.84	Tears Naturale	AQ
3198H	IBUPROFEN Tablet 200mg	50	2	4.98 5.08	Inflam Brufen	PT BT
3190X	400mg	50	2	5.79 5.86	Inflam Brufen	PT BT
2442M	IDOXURIDINE Eye Drops 0.1%, 15mL	#1	2	6.61	Herplex Stoxil	AG SK
2569F	Eye Ointment 0.5%, 5g	#1	..	7.10	Stoxil	SK
2567D	Topical Ointment 0.5%, 5g	#1	..	4.24	Stoxil	SK
2420J	IMIPRAMINE Tablet 10mg	50	2	4.10	Imiprin Tofranil	PT CG
2421K	25mg	50	2	4.99 5.05	Imiprin Melipramine Tofranil	PT UW(N) CG
2719D	Injection I.M. 25mg in 2mL	10	..	9.14	Tofranil	CG
2454E	INDOMETHACIN Capsule 25mg	50	2	5.80 5.86	Arthrexin Rheumacin Indocid	AF PT MK
2757D	Suppository 100mg	20	2	10.10	Indocid	MK
2852D	INFLUENZA VACCINE To be endorsed "S.P." Injection (Trivalent) 0.5mL	1	..	7.30	Fluvax Vaxigrip	CS MB
1141C	INSECT ALLERGEN EXTRACT - BULL ANT Injection Set - strengths A,B,C each 5mL	1	..	67.30	CS	
1139Y	Set - strengths A,B,C,D each 5mL	1	..	102.30	CS	
1138X	Strength C, 5mL	1	..	24.80	CS	
1142D	Strength D, 5mL	1	..	37.30	CS	
2886X	INSECT ALLERGEN EXTRACT - HONEY BEE VENOM Injection Set containing 550 micrograms	1	..	81.05	Albay Bee Venom	BN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	INSECT ALLERGEN EXTRACT - JUMPER ANT Injection			\$	
3022C	Set - strengths A,B,C each 5mL	1	..	67.30	CS
3034Q	Set - strengths A,B,C,D each 5mL	1	..	102.30	CS
3025F	Strength C, 5mL	1	..	24.80	CS
3023D	Strength D, 5mL	1	..	37.30	CS
	INSECT ALLERGEN EXTRACT - MOSQUITO Injection				
1473M	Set - strengths A,B,C each 5mL	1	..	67.30	CS
1474N	Set - strengths A,B,C,D each 5mL	1	..	102.30	CS
1471K	Strength C, 5mL	1	..	24.80	CS
1475P	Strength D, 5mL	1	..	37.30	CS
	INSECT ALLERGEN EXTRACT - PAPER WASP VENOM Injection				
2918N	Set containing 550 micrograms	1	..	98.55	Albay Wasp Venom BN
	INSULIN Injection (bovine)				
1710B	100 Units per mL, 10mL	5	2	*53.85	Insulin 2 CN
1530M	300 Units per mL, 5mL	10	2	*128.70	CN
	INSULIN BIPHASIC Injection (mixed porcine/bovine)				
1723Q	100 Units per mL, 10mL	5	2	*57.00	Rapitard MC CN
	INSULIN ISOPHANE (N.P.H.) Injection (bovine)				
1711C	100 Units per mL, 10mL	5	2	*53.85	Hypurin Isophane WP Isotard MC CN
	Injection (porcine)				
1712D	100 Units per mL, 10mL	5	2	*57.00	Insulatard Nordisk BW Protaphane MC CN
	INSULIN ISOPHANE (N.P.H.) - INSULIN NEUTRAL, (MIXED) Injection (porcine)				
1427D	100 Units (70 Units-30 Units) per mL, 10mL	5	2	*57.00	Mixtard Nordisk BW
	INSULIN NEUTRAL Injection (bovine)				
1713E	100 Units per mL, 10mL	5	2	*53.85	Hypurin Neutral WP
	Injection (porcine)				
1714F	100 Units per mL, 10mL	5	2	*57.00	Actrapid MC CN Velosulin Nordisk BW
	INSULIN PROTAMINE ZINC Injection (bovine)				
1715G	100 Units per mL, 10mL	5	2	*53.85	Protamine Zinc CN Insulin MC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	INSULIN ZINC SUSPENSION (Lente)			\$	
1716H	Injection (bovine) 100 Units per mL, 10mL	5	2	*53.85	Lente MC CN
1717J	Injection (porcine) 100 Units per mL, 10mL	5	2	*57.00	Monotard MC CN
	INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente)				
1719L	Injection (bovine) 100 Units per mL, 10mL	5	2	*53.85	Semilente MC Beef CN Wellcome Semilente BW
1720M	Injection (porcine) 100 Units per mL, 10mL	5	2	*57.00	Semilente MC CN
	INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente)				
1721N	Injection (bovine) 100 Units per mL, 10mL	5	2	*53.85	Ultralente MC CN
	INTRAVENOUS INFUSIONS 500mL and 1L - see separate listings immediately before 'dental' benefits at end of Section 2				
1540C	IPRATROPIUM BROMIDE Inhalation, metered aerosol spray, 20 micrograms per dose (200 dose)	≠1	5	8.19	Atrovent BY
1541D	Nebuliser Solution 0.025%, 20mL	≠1	2	6.43	Atrovent BY
1298H	IRON DEXTRAN Injection 2mL	5	..	7.08	Imferon FC
2764L	IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	4.24	Ferrum H SI
2593L	Injection 100mg (Iron) in 2mL	5	..	7.08	Ferrum H SI
1552Q	IRON SORBITOL Injection I.M. Trivalent Iron 2mL	5	..	7.08	Jectofer AP
1550N	ISOCONAZOLE NITRATE Cream 1%, 20g	≠1	1	5.71	Travogen SC
1549M	Lotion 1%, 20mL	≠1	1	5.71	Travogen SC
1551P	Pessaries 300mg, 2	≠1	..	6.46	Gyno-Travogen SC
1553R	ISONIAZID Tablet 50mg	200	2	5.11	FM
1554T	100mg	100	2	5.11	FM
2744K	ISOPRENALINE HYDROCHLORIDE Tablet 30mg (sustained release)	100	2	11.19	Saventrine PN

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2587E	ISOSORBIDE DINITRATE Tablet 10mg	100	2	\$ 4.56	Isordil Isotrate	AY PD
2588F	Sublingual Tablet 5mg	100	2	4.43	Isordil Sublingual Isotrate Sublingual	AY PD
3101F	KANAMYCIN Injection 30mg in 1mL	5	1	9.74	Kanasig	SI
1562F	250mg in 2mL	5	..	13.58	Kanasig	SI
1563G	500mg in 2mL	5	..	14.68	Kanasig Kantrex	SI BC
1564H	1g in 3mL	5	..	16.93	Kanasig Kantrex	SI BC
2988G	KAOLIN with PECTIN Mixture 5.91g-132mg per 30mL, 375mL	#1	2	4.93	Kaopectate	UP
1566K	LABETALOL Tablet 100mg	100	2	11.05 12.99	Presolol 100 Trandate	AF GL
1567L	200mg	100	2	16.99 19.25	Presolol 200 Trandate	AF GL
3064G	LACTULOSE To be accompanied by an authority from the Director of Health. Mixture 3.34g per 5mL, 500mL	#1	..	12.49	Duphalac	ET
3143K	LEVODOPA Tablet 100mg	50	5	7.24	Larodopa	RO
3144L	250mg	100	5	13.98	Larodopa	RO
3014P	500mg	250	5	52.30	Larodopa	RO
2228G	LEVODOPA with BENSERAZIDE Tablet 200mg-50mg	100	5	32.74	Madopar	RO
2227F	Capsule 50mg-12.5mg	100	5	13.30	Madopar Q	RO
2225D	100mg-25mg	100	5	21.55	Madopar-M	RO
2226E	200mg-50mg	100	5	32.74	Madopar	RO
1244L	LEVODOPA with CARBIDOPA Tablet 100mg-10mg	100	5	17.70	Sinemet M	MK
1242J	100mg-25mg	100	5	30.00	Sinemet 100/25	MK
1245M	250mg-25mg	100	5	32.74	Sinemet	MK
2913H	LEVONORGESTREL Tablet 30 micrograms, 28	2	2	*5.68	Microlut 28 Microval 28	SC WY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	LEVONORGESTREL with ETHINYLOESTRADIOL Tablet			\$		
1455N	125 micrograms-50 micrograms, 21	2	2	*5.68	Microgynon 50	SC
1393H	150 micrograms-30 micrograms, 21	2	2	*5.68	Microgynon 30 Nordette 21	SC WY
3186Q	250 micrograms-50 micrograms, 21	2	2	*5.68	Neogynon Nordiol 21	SC WY
1456P	Pack containing 21 tablets 125 micrograms-50 micrograms and 7 inert tablets	2	2	*5.68	Microgynon 50 ED	SC
1394J	Pack containing 21 tablets 150 micrograms-30 micrograms and 7 inert tablets	2	2	*5.68	Microgynon 30 ED Nordette 28	SC WY
3188T	Pack containing 21 tablets 250 micrograms-50 micrograms and 7 inert tablets	2	2	*5.68	Neogynon ED Nordiol 28	SC WY
1457Q	Pack containing 11 tablets 50 micrograms-50 micrograms and 10 tablets 125 micrograms- 50 micrograms	2	2	*5.68	Biphasil 21	WY
1458R	Pack containing 11 tablets 50 micrograms-50 micrograms, 10 tablets 125 micrograms- 50 micrograms and 7 inert tablets	2	2	*5.68	Biphasil 28 Sequilar ED	WY SC
1391F	Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms and 10 tablets 125 micrograms-30 micrograms	2	2	*5.68	Triphasil Triquilar	WY SC
1392G	Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms, 10 tablets 125 micrograms-30 micrograms and 7 inert tablets	2	2	*5.68	Triphasil 28 Triquilar ED	WY SC
2875H	LIGNOCAINE Injection 100mg in 5mL	≠2	..	5.65	Xylocard 100	AP
2861N	I.M. 300mg in 3mL	1	..	6.00	Xylocard 300 I.M.	AP
2876J	Infusion 500mg in 5mL	5	..	7.69	Xylocard 500	AP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	LINCOMYCIN To be endorsed "S.P."			\$		
3084H	Injection 300mg in 1mL	5	..	11.68	Lincocin SS Paediatric	UP
2530E	600mg in 2mL	5	..	13.55	Lincocin	UP
1175W	LINDANE Cream 1%, 200g	#1	2	6.19	Lorexane	IC
1176X	Head Lotion 0.2%, 200mL	#1	..	5.10	Lorexane	IC
1178B	Lotion Concentrate 1%, 200mL	#1	..	6.19	Lorexane Concentrate	IC
2318B	LIOTHYRONINE Tablet 20 micrograms	100	1	5.15	Tertroxin	GL
3059B	LITHIUM CARBONATE Tablet 250mg	100	2	5.45 5.51	Lithicarb Camcolit Carbolith	PT NE DH
3060C	400mg (sustained release)	100	1	8.11	Priadel	PT
1571Q	LOPERAMIDE HYDROCHLORIDE Capsule 2mg	12	..	4.30	Imodium	JP
2401J	LYPRESSIN Nasal Spray 50 Units per mL, 5mL	10	2	*66.80	Vasopressin	SZ
1577B	MAGNESIUM SULPHATE Paste 50g	#1	1	4.01	Magnoplasm	FA
1576Y	100g	#1	1	4.45	Magnoplasm	FA
1578C	MALDISON Lotion 0.5%, 100mL	#1	..	4.64	Cleensheen	FL
	MANNITOL See Intravenous Infusions					
1583H	MECLOZINE Tablet 25mg	50	2	4.35	Ancolan	GL
	MEDROXYPROGESTERONE To be endorsed "S.P."					
2320D	Tablet 2.5mg	25	..	6.06	Provera	UP
2321E	10mg	100	2	30.30	Provera	UP
2725K	100mg	100	2	89.80	Provera	UP
2319C	Injection 50mg in 1mL	1	..	6.41	Depo-Provera	UP
3118D	150mg in 1mL	1	..	11.40	Depo-Provera	UP
2322F	500mg in 2.5mL	1	..	31.58	Farlutal	FE

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3197G	MEDRYSONE Eye Drops 1%, 5mL	#1	6	\$ 5.39	HMS Liquifilm	AG
1823Y	MEFRUSIDE Tablet 25mg	50	2	5.79	Baycaron	BN
2547C	MELPHALAN Tablet 2mg	100	..	*56.22	Alkeran	BW
2548D	5mg	100	..	*94.66	Alkeran	BW
1598D	MERCAPTOPURINE Tablet 50mg	50	1	*43.40	Purinethol	BW
2430X	METFORMIN Tablet 500mg	100	2	10.30 11.21 11.23	Diaformin Glucophage Diabex	AF RN DF
2397E	METHACYCLINE Capsule 150mg	21	..	5.86	Rondomycin	WW
2901Q	300mg	11	..	5.86	Rondomycin	WW
	METHADONE To be endorsed "S.P."					
1608P	Tablet 5mg	20	..	6.78	Physeptone	BW
1609Q	10mg	20	..	7.21	Physeptone	BW
1606M	Injection 10mg in 1mL	5	..	10.16	Physeptone	BW
1614Y	METHDILAZINE Tablet 4mg	50	2	4.23	Dilosyn	GL
1615B	8mg	50	2	4.36	Dilosyn	GL
	METHDILAZINE To be endorsed "S.P."					
1612W	Tablet 4mg	100	2	*6.16	Dilosyn	GL
1613X	8mg	100	2	*6.42	Dilosyn	GL
	METHENOLONE ACETATE To be accompanied by an authority from the Director of Health.					
1620G	Tablet 5mg	100	3	*20.30	Primobolan	SC
1622J	METHOTREXATE Tablet 2.5mg	100	2	20.74	LE	
2393Y	Injection 5mg (solvent required)	5	..	*23.55	LE	
2396D	5mg in 2mL	5	..	*47.00	LE	
2394B	50mg (solvent required)	5	..	*64.50	LE	
2395C	50mg in 2mL	5	..	60.70 *60.75	BL LE	

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2398F	METHSUXIMIDE Capsule 300mg	200	2	\$ 48.45	Celontin	PD
1624L	METHYLCLOTHIAZIDE Tablet 2.5mg	50	2	4.90	Enduron-M	AB
1625M	5mg	50	2	5.15 5.23	Urimor Enduron	PT AB
3194D	METHYLDOPA Tablet 125mg	100	2	7.90	Aldomet-M	MK
1629R	250mg	100	2	10.86 10.93 10.99	Methopa Dimal Aldomet	US PT MK
	METHYLPHENOBARBITONE To be endorsed "S.P."					
1633Y	Tablet 30mg	200	2	5.10	Prominal	WL
1634B	60mg	200	2	5.74	Prominal	WL
1635C	200mg	200	2	11.55	Prominal	WL
1927K	METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	≠1	..	4.63	Medrol	UP
	METHYLPREDNISOLONE ACETATE To be endorsed "S.P."					
1928L	Injection 40mg in 1mL	5	..	16.65	Depo-Medrol	UP
2981X	METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1mL	5	..	18.05	Solu-Medrol	UP
1641J	METHYL SALICYLATE Liniment APF, 100mL	≠1	1	4.04 4.06 4.09	Emsalin SI, TO MG NN, PR, QE(NQ)	DH
	METHYLTESTOSTERONE To be endorsed "S.P."					
3151W	Tablet 5mg	100	2	5.43	Testomet	PT
2112E	25mg	100	2	9.06 9.14	Testomet ET	PT
2113F	50mg	100	2	13.10	Testomet	PT
2826R	METHYSERGIDE Tablet 1mg	100	2	20.34	Deseril	SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1207M	METOCLOPRAMIDE HYDROCHLORIDE Tablet 10mg	25	..	\$ 5.11 5.23 5.24	Pramin Primperan Metamide Maxolon	AF US PT BR
1205K	Syrup 5mg per 5mL, 100mL	#1	..	4.64	Maxolon Primperan	BR US
1206L	Injection 10mg in 2mL	10	..	6.28	Maxolon Primperan	BR US
1203H	METOLAZONE Tablet 2.5mg	50	2	5.04	Diulo	SR
1324Q	METOPROLOL Tablet 50mg	100	2	10.50	Betaloc Lopresor	AP CG
1325R	100mg	60	2	12.75 *12.76	Lopresor Betaloc	CG AP
1638F	METRONIDAZOLE To be endorsed "S.P." Solution for intravenous infusion 500mg in 100mL (0.5%)	1	..	16.50	Flagyl BL	MB
1636D	METRONIDAZOLE Tablet 200mg	21	1	5.40 5.43	Trichozole Flagyl Metrozine	PT MB SR
1642K	Suppositories 500mg, 10	#1	..	8.81	Flagyl Trichozole	MB PT
1643L	1g, 10	#1	..	10.73	Flagyl	MB
1630T	METRONIDAZOLE BENZOATE Suspension 6.4% (equivalent to 200mg metronidazole in 5mL), 100mL	#1	..	8.99	Flagyl S	MB
1682M	MEXILETINE HYDROCHLORIDE Capsule 50mg	100	2	12.74	Mexitil	BY
1683N	200mg	100	2	26.94	Mexitil	BY
1694E	Injection 250mg in 10mL	5	..	15.99	Mexitil	BY
1627P	MIANSERIN HYDROCHLORIDE To be accompanied by an authority from the Director of Health. Tablet 10mg	50	..	8.59	Tolvon	OR
1274C	MICONAZOLE Oral Gel 2%, 20g	#1	1	5.71	Daktarin	JP
1286Q	Tincture 2%, 20mL	#1	1	5.71	Daktarin	JP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
1276E	MICONAZOLE NITRATE Cream 2%, 20g	#1	1	\$ 5.71	Daktarin Monistat Derm	JP ET
1282L	Lotion 2%, 20g	#1	1	5.71	Daktarin	JP
1277F	Pessaries 100mg, 7	#1	..	6.46	Gyno-Daktarin 7 Monistat 7	JP ET
1273B	Vaginal Cream 2%, 40g	#1	..	6.41	Gyno-Daktarin 7 Monistat 7	JP ET
1284N	MILK POWDER - LACTOSE MODIFIED To be accompanied by an authority from the Director of Health. Lactose-Predigested Powder 500g	2	20	*13.90	Digestelact	SJ
1283M	MILK POWDER - LOW LACTOSE FORMULA To be endorsed "S.P." Lactose-Predigested Powder Infant Formula 500g	2	..	*13.90	De-Lact Infant	SJ
3092R	MILK POWDER - SYNTHETIC To be accompanied by an authority from the Director of Health. Low Calcium Compound Powder 397g	2	20	*23.96	Locasol	KY
1637E	Low Lactose Compound Powder 454g	2	20	*25.32	Galactomin Formula 17	KY
2685H	Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g	2	20	*59.18	Galactomin Formula 19	KY
1451J	MINERAL MIXTURE (For use with Amino Acid Formula without Phenylalanine) To be endorsed "S.P." Powder 250g	#1	5	22.29	Aminogran M.M.	GL
3037W	MINOCYCLINE Capsule 100mg	11	..	5.86	Minomycin	LE
2313R	MINOXIDIL To be accompanied by an authority from the Director of Health. Tablet 10mg	100	..	38.28	Loniten	UP
2314T	25mg	100	..	83.13	Loniten	UP
1924G	MITHRAMYCIN To be endorsed "S.P." Injection 2.5mg (solvent required)	5	..	*111.70	Mithracin	PF

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	MORPHINE with TACRINE To be endorsed "S.P."			\$	
1667R	Tablet 30mg-15mg	50	..	14.58	Mortha WH
1644M	MORPHINE SULPHATE Injection 10mg in 1mL	5	..	6.03	BL,BT,SI
1645N	15mg in 1mL	5	..	6.15	BL,BT,SI
1647Q	30mg in 1mL	5	..	6.53	BL
1668T	MUSTINE Injection 10mg (solvent required)	1	..	8.46	BT
	NALIDIXIC ACID To be endorsed "S.P."				
2451B	Tablet 500mg	56	2	13.01	Negram WL
2645F	Oral Suspension 50mg per mL, 200mL	≠1	2	9.55	Negram WL
1670X	NALOXONE HYDROCHLORIDE Injection 40 micrograms in 2mL	5	..	32.30	Narcan Neonatal DT
	NANDROLONE DECANOATE To be accompanied by an authority from the Director of Health.				
1671Y	Injection 50mg in 1mL	1	3	14.80	Deca-Durabolin OR
	NANDROLONE PHENYLPROPIONATE To be accompanied by an authority from the Director of Health.				
1672B	Injection 25mg in 1mL	3	3	14.80	Durabolin OR
1317H	NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15mL	≠1	2	4.55	Albalon Liquifilm AG
1674D	NAPROXEN Tablet 250mg	50	2	7.43 7.73	Naxen AF Naprosyn SD
1662L	Suppository 500mg	20	2	10.10	Naprosyn SD
2807R	NATAMYCIN Tablet 100mg	50	..	10.43	Pimafucin GB
2877K	Suspension 1%, 5mL	≠1	1	4.69	Pimafucin GB
2519N	Cream 20mg per g, 15g	≠1	1	4.76	Pimafucin GB
2520P	Pessaries 25mg, 20	≠1	..	6.54	Pimafucin GB
	NEOMYCIN To be endorsed "S.P."				
2325J	Tablet 500mg	25	1	11.19	Neosulf ET PT
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NEOMYCIN - cont. Eye Drops			\$		
1673C	0.5% (0.35% Neomycin Base), 10mL	#1	2	4.50	Neopt	SI
	NEOMYCIN UNDECENOATE with BACITRACIN ZINC					
2296W	Ear Ointment 12mg (3.5mg base)- 400 Units per g, 10g	#1	..	4.43	Nemdyn	HA
	NEOSTIGMINE					
1675E	Tablet 15mg	100	2	6.89	Prostigmin	RO
1676F	Injection 500 micrograms in 1mL	5	3	4.51	Prostigmin	RO
1677G	2.5mg in 1mL	5	3	4.96	Prostigmin	RO
	NICLOSAMIDE					
1680K	Tablet 500mg	4	..	4.84	Yomesan	BN
	NICLOSAMIDE To be endorsed "S.P."					
1681L	Tablet 500mg	16	..	*12.46	Yomesan	BN
	NICOTINIC ACID					
1684P	Tablet 25mg	100	2	4.01	Nikacid DH	US
1685Q	50mg	100	2	4.09	Nikacid DH,RT,SI	US
1686R	100mg	100	2	4.23	Nikacid DH	US
1687T	250mg	100	2	5.30	DH	
	NIFEDIPINE To be endorsed "S.P."					
1688W	Capsule 10mg	100	4	21.05	Adalat	BN
	NITRAZEPAM					
2723H	Tablet 5mg	25	..	3.66	Alodorm	AF
				4.09	Nitepam	US
					Dormicum	PT
					Mogadon	RO
	NITROFURANTOIN					
1689X	Tablet 50mg	25	1	6.10	Furadantin	NW
1690Y	100mg	25	1	8.08	Furadantin	NW
1692C	Capsule 50mg	30	1	6.95	Macrochantin	NW
1693D	100mg	30	1	9.41	Macrochantin	NW
	Paediatric Suspension					
1691B	25mg per 5mL, 200mL	#1	..	8.55	Furadantin	NW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	NORETHISTERONE To be endorsed "S.P."			\$		
2993M	Tablet 5mg	30	5	7.80	Primolut N	SC
1967M	NORETHISTERONE Tablet 350 micrograms, 28	2	2	*5.68	Micronor Noriday	ET SD
2772X	NORETHISTERONE with ETHINYLOESTRADIOL Tablet 500 micrograms-35 micrograms, 21	2	2	*5.68	Brevinor Modicon	SD ET
2773Y	lmg-35 micrograms, 21	2	2	*5.68	Brevinor-1	SD
2774B	Pack containing 21 tablets 500 micrograms-35 micrograms and 7 inert tablets	2	2	*5.68	Brevinor Modicon	SD ET
2775C	Pack containing 21 tablets lmg- 35 micrograms and 7 inert tablets	2	2	*5.68	Brevinor-1	SD
2776D	Pack containing 12 tablets 500 micrograms-35 micrograms, 9 tablets lmg-35 micrograms and 7 inert tablets	2	2	*5.68	Synphasic	SD
3176E	NORETHISTERONE with MESTRANOL Tablet lmg-50 micrograms, 21	2	2	*5.68	Norinyl-1 Ortho-Novum 1/50	SD ET
3179H	Pack containing 21 tablets lmg- 50 micrograms and 7 inert tablets	2	2	*5.68	Norinyl-1/28	SD
	NORETHISTERONE ACETATE To be endorsed "S.P."					
2865T	Tablet 10mg	100	2	37.30	SH420	SC
3180J	NORETHISTERONE ACETATE with ETHINYLOESTRADIOL Tablet lmg-50 micrograms, 21	2	2	*5.68	Minovlar	SC
3183M	Pack containing 21 tablets lmg- 50 micrograms and 7 inert tablets	2	2	*5.68	Minovlar ED Orlest	SC PD
3184N	Pack containing 21 tablets 2.5mg- 50 micrograms and 7 inert tablets	2	2	*5.68	Norlestrin	PD
1442X	NORGESTREL with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 20	2	2	*5.68	Duoluton	SC
3187R	500 micrograms-50 micrograms, 21	2	2	*5.68	Eugynon Ovral	SC WY
3189W	Pack containing 21 tablets 500 micrograms-50 micrograms, and 7 inert tablets	2	2	*5.68	Eugynon ED	SC

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
2522R	NORTRIPTYLINE Tablet 10mg	50	2	\$ 4.06	Allegron Nortab	DL SQ
2523T	25mg	50	2	5.05	Allegron Nortab	DL SQ
2524W	Paediatric Elixir 10mg per 5mL, 100mL	≠1	4	4.18	Allegron	DL
2564Y	NUTRAMIGEN To be accompanied by an authority from the Director of Health. Powder 1kg	≠1	20	*28.83	Glucose Nutramigen MJ	
1696G	NYSTATIN Tablet 500,000 Units	50	..	10.05	Diastatin Mycostatin Nilstat	GP SQ LE
1699K	Capsule 500,000 Units	50	..	10.05	Mycostatin	SQ
3032N	Lozenge 100,000 Units	20	1	4.50	Nilstat	LE
3033P	Mixture 100,000 Units per mL, 24mL	≠1	1	5.31	Mycostatin Nilstat	SQ LE
1698J	Cream 100,000 Units per g, 15g	≠1	1	4.63	Mycostatin Nilstat	SQ LE
1318J	Gel 100,000 Units per g, 15g	≠1	1	4.63	Mycostatin	SQ
1179C	Ointment 100,000 Units per g, 15g	≠1	1	4.63	Mycostatin Nilstat	SQ LE
1697H	Pessaries 100,000 Units, 15	≠1	1	4.88	Diastatin Mycostatin Nilstat	GP SQ LE
1660J	Cream Pessaries 100,000 Units, 15	≠1	1	5.03	Nilstat	LE
3163L	Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	≠1	1	5.16	Mycostatin	SQ
3102G	100,000 Units per 5g, 75g (15 doses)	≠1	1	5.16	Nilstat	LE
1061W	OESTRADIOL VALERATE Injection 10mg in 1mL	3	..	11.13	Primogyn Depot	SC
1700L	OESTRONE Pessaries 1,000 Units, 12	≠1	1	5.65	Kolpon	OR
1701M	10,000 Units, 12	≠1	1	7.56	Kolpon	OR
1725T	ORNIDAZOLE Tablet. 500mg	3	..	5.68	Tiberal	RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	ORPHENADRINE HYDROCHLORIDE To be endorsed "S.P."			\$	
2627G	Tablet 50mg	100	2	6.05	Disipal Orpadrex RK PT
3132W	OXAZEPAM Tablet 15mg	50	..	3.80 4.06 4.11	Alepam 15 Benzotran Murelax Serepax AF PT AY WY
3133X	30mg	50	..	4.18 4.50	Alepam 30 Benzotran Murelax Serepax AF PT AY WY
2942W	OPRENOLOL Tablet 20mg	100	2	6.88 6.94	Captol Trasicor PT CG
2961W	40mg	100	2	9.11 9.18	Captol Trasicor PT CG
2941T	Injection 2mg (solvent required)	5	..	7.36	Trasicor CG
	OXYCODONE To be endorsed "S.P."				
2481N	Suppositories 30mg, 12	#1	..	15.09	Proladone BT
	OXYCODONE HYDROCHLORIDE To be endorsed "S.P."				
2622B	Tablet 5mg	20	..	6.04	Endone DT
	OXYMETHOLONE To be accompanied by an authority from the Director of Health.				
2902R	Tablet 50mg	100	..	79.68	Anapolon SD
2903T	100mg	100	..	136.16	Adroyd PD
1724R	OXYTETRACYCLINE Capsule 250mg	25	..	5.10	Terramycin PF
1064B	Ointment 3%, 15g	#1	..	4.33	Terramycin PF
1727X	OXYTOCIN Injection 2 Units in 2mL	5	..	5.51	Syntocinon SZ
1729B	5 Units in 1mL	5	..	5.65	Syntocinon SZ
1730C	10 Units in 1mL	5	..	5.79	Syntocinon SZ
2400H	OXYTOCIN with ERGOMETRINE Injection 5 Units and 500 micrograms in 1mL	5	..	6.06	Syntometrine SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PANCREATIN ENZYME To be endorsed "S.P."			\$	
1735H	4 times USNF.XIII strength Tablet 325mg	500	4	33.73	Viokase RS
1736J	Powder 250g	#1	4	33.38	Viokase RS
1737K	5 times USNF.XIV strength Capsule 305mg	500	4	39.80	Viokase RS
	PANCRELIPASE To be endorsed "S.P."				
2496J	Capsule 234mg	250	4	55.16	Pancrease ET
2497K	300mg	250	4	33.73	Cotazym OR
	PAPAVERETUM To be endorsed "S.P."				
1740N	Tablet 10mg	20	..	6.04	Omnopon RO
1739M	PAPAVERETUM Injection 20mg in 1mL	5	..	5.91	Omnopon RO
1741P	PAPAVERETUM with HYOSCINE HYDROBROMIDE Injection 20mg-430 micrograms in 1mL	5	..	6.04	Omnopon- Scopolamine RO
1746X	PARACETAMOL Tablet 500mg	50	1	3.93 4.01	Ceetamol PT Dymadon BW Panacete PR Panamax WL Paralgin FM Parasin NN Parmol US PCL DH
1747Y	Mixture 120mg per 5mL, 100mL	#1	4	4.01	Dymadon BW Panamax WL Parmol US
	PENICILLAMINE To be endorsed "S.P."				
2721F	Tablet 125mg	100	1	22.23	D-Penamine DL Perdolat KN
2838J	250mg	100	1	35.74	D-Penamine DL Perdolat KN
	PERHEXILINE MALEATE To be accompanied by an authority from the Director of Health.				
1822X	Tablet 100mg	100	..	20.14	Pexid ML

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	PERICYAZINE To be endorsed "S.P."			\$		
3052P	Tablet 2.5mg	100	1	4.90	Neulactil	MB
3053Q	10mg	100	1	8.05	Neulactil	MB
3055T	Mixture 2.5mg per 5mL, 100mL	≠1	4	4.80	Neulactil	MB
	PERITONEAL DIALYSIS SOLUTION					
2410W	Injection with 1.36% Anhydrous Glucose, 1L	20	1	*57.30	Diasol	AB
3192B	with 3.86% Anhydrous Glucose, 1L	20	1	*57.30	Diasol	AB
	PETHIDINE To be accompanied by an authority from the Director of Health.					
1827E	Tablet 50mg	20	..	5.80	SI	
	PETHIDINE					
1828F	Injection BP, 50mg in 1mL	5	..	5.44 5.96	Pethoid BL,BT,SI	BW
1829G	100mg in 2mL	5	..	6.03	BL,BT,SI	
	PHENELZINE To be endorsed "S.P." CAUTION: This drug is a monoamine oxidase inhibitor.					
2856H	Tablet 15mg	50	2	6.76	Nardil	WW
	PHENETHICILLIN					
1840W	Tablet 250mg	25	1	5.05	Pensig	SI
1838R	Capsule 250mg	25	1	5.05	Optipen Pensig	CS SI
3088M	500mg	25	1	6.18	Optipen Pensig	CS SI
	Powder for Syrup					
3120F	125mg per 5mL, 100mL	≠1	1	#5.61	Pensig 125	SI
3121G	250mg per 5mL, 100mL	≠1	1	#6.47	Pensig 250	SI
	PHENETHICILLIN To be endorsed "S.P."					
1707W	Tablet 250mg	50	5	*7.80	Pensig	SI
1709Y	Capsule 250mg	50	5	*7.80	Optipen Pensig	CS SI
	PHENINDIONE					
1843B	Tablet 10mg	100	2	6.41	Dindevan	GL
1844C	50mg	100	2	8.05	Dindevan	GL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
1846E	PHENIRAMINE Tablet 10mg	50	2	4.01	Fenamine-M	FM
1847F	50mg	50	2	4.33	Avil Fenamine	HP FM
1848G	Paediatric Syrup 15mg per 5mL, 100mL	≠1	4	4.01	Fenamine	FM
	PHENOBARBITONE To be endorsed "S.P."					
1850J	Tablet 30mg	200	4	4.63	DH,FM,SI	
	PHENOBARBITONE SODIUM To be endorsed "S.P."					
1853M	Injection 200mg in 1mL	5	..	5.03	BL,FM	
	PHENOXYBENZAMINE To be accompanied by an authority from the Director of Health.					
1862B	Capsule 10mg	100	..	11.55	Dibenyline	SK
	PHENOXYMETHYLPENICILLIN					
1786B	Tablet 125mg	25	1	4.35	Abbocillin-V LPV	AB CS
1787C	250mg	25	1	4.68	Abbocillin-VK Cilicaine VK LPV PVK P.V.O.	AB SI CS LY FM
3028J	500mg	25	1	5.65	Abbocillin-VK LPV PVK P.V.O.	AB CS LY FM
1789E	Capsule 250mg	25	1	4.68	Abbocillin-VK Cilicaine VK Falcopen VK LPV PVK P.V.O.	AB SI FA CS LY FM
2965C	500mg	25	1	5.65	Cilicaine VK Falcopen VK LPV P.V.O.	SI FA CS FM
2356B	Paediatric Suspension 125mg per 5mL, 100mL	≠1	1	4.56	Abbocillin-V Cilicaine V Falcopen V LPV 125	AB SI FA CS
2354X	Suspension 250mg per 5mL, 100mL	≠1	1	5.43	Abbocillin-V Cilicaine V Falcopen V LPV 250	AB SI FA CS
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	PHENOXYMETHYLPENICILLIN - cont. To be endorsed "S.P."			\$		
1702N	Tablet 125mg	50	5	*6.40	Abbocillin-V LPV	AB CS
1703P	250mg	50	5	*7.06	Abbocillin-VK Cilicaine VK LPV PVK P.V.O.	AB SI CS LY FM
1705R	Capsule 250mg	50	5	*7.06	Abbocillin-VK Cilicaine VK Falcopen VK LPV PVK P.V.O.	AB SI FA CS LY FM
1863C	PHENSUXIMIDE Capsule 500mg	200	2	49.01	Milontin	PD
	PHENYLALANINE LOW CONTENT FORMULA To be endorsed "S.P."					
1865E	Powder 2.5 lb	2	5	*114.80	Lofenalac	MJ
2455F	PHENYLEPHRINE Compound Ointment 60g	#1	1	4.74	Hemorex	WL
1869J	Compound Suppositories, 12	#1	1	4.74	Hemorex	WL
2829X	Eye Drops 0.12%, 15mL	#1	2	4.55	Isopto Frin Prefrin	AQ AG
2649K	10%, 5mL	#1	..	5.85	Neo-Synephrine	WL
1249R	PHENYTOIN Tablet 50mg	200	2	8.55	Dilantin Infatabs	PD
2692Q	Paediatric Suspension 30mg per 5mL, 500mL	#1	3	6.74	Dilantin	PD
1873N	PHENYTOIN SODIUM Capsule 30mg	200	2	8.50	Dilantin Sodium	PD
1874P	100mg	200	2	8.59	Dilantin Sodium	PD
3035R	Injection 100mg in 2mL	1	..	6.95	Dilantin Sodium	PD
1871L	250mg in 5mL	1	..	8.18	Dilantin Sodium	PD
2466T	PHOLCODINE Linctus 0.1%, 100mL	#1	2	3.88	Actuss Adaphol Duro-Tuss Pectolin Pholcolin Pholcolin Red Pholtrate Sedlingtus Tussinol PR,RT	SI NN RK FA DH DH MG RT GP

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
1879X	PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15mL	≠1	6	6.61	IQ	
1880Y	0.5%, 15mL	≠1	6	7.55	IQ	
1881B	PHYTOMENADIONE Injection 1mg	5	..	5.16	Konakion	RO
1882C	10mg	5	..	7.08	Konakion	RO
	PILOCARPINE To be accompanied by an authority from the Director of Health.					
2777E	Eye Disc 5mg (releasing 20 micrograms per hour)	8	..	36.05	Ocusert Pilo 20	PT
2782K	Eye Disc 11mg (releasing 40 micrograms per hour)	8	..	36.05	Ocusert Pilo 40	PT
2778F	PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15mL	≠1	6	4.64	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2595N	1%, 15mL	≠1	6	4.71	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2596P	2%, 15mL	≠1	6	5.30	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2597Q	3%, 15mL	≠1	6	6.18	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2598R	4%, 15mL	≠1	6	6.61	Isopto Carpine Pilopt P.V. Carpine IQ	AQ SI AG
2779G	6%, 15mL	≠1	6	7.55	Isopto Carpine Pilopt P.V. Carpine	AQ SI AG
3062E	PINDOLOL Tablet 5mg	100	2	9.18 10.09	Barbloc 5 Visken	AF SZ
3065H	15mg	50	2	11.61 13.24	Barbloc 15 Visken	AF SZ
3063F	Injection 400 micrograms in 2mL	5	..	7.36	Visken	SZ
3074T	PIZOTIFEN MALATE Tablet 500 micrograms (base)	100	2	11.66	Sandomigran	SZ

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PLAGUE VACCINE Injection 1,500 million organisms in 0.5mL	2	..	\$ *11.06	CS
1901C	PNEUMOCOCCAL VACCINE, POLYVALENT To be endorsed "S.P."				
1902D	Injection 0.5mL	1	..	14.39	Moniarix SK
	POLYESTRADIOL To be endorsed "S.P."				
2584B	Injection set containing 40mg and 2mL solvent	1	..	9.20	Estradurin AY
	POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per mL, 10mL	≠1	2	4.68	Aerosporin BW
1904F	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg (base) per mL, 15mL	≠1	..	4.80	Neotracin ET
1908K	Eye Ointment 5,000 Units-400 Units-5mg per g, 4g	≠1	..	4.23	Mycitracin Neosporin UP BW
1910M	POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg-25 micrograms per mL, 10mL	≠1	2	4.76	Neosporin BW
1911N	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)- 10mg per mL, 7mL	≠1	2	4.61	Aerocortin BW
2790W	POLYVINYL ALCOHOL Eye Drops 1.4%, 15mL	≠1	6	4.84	Liquifilm Tears AG
2682E	3%, 15mL	≠1	6	5.01	Liquifilm Forte AG
2681D	POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	4.80	K-San Slow-K PR Span-K CG PT
2642C	Effervescent Tablet 14mmol K ⁺ and 8mmol Cl ⁻	30	2	4.93	Chlorvescent PT
3012M	Elixir 1.5g (20mmol K ⁺ and 20mmol Cl ⁻) per 15mL, 500mL	≠1	2	4.98	Kay Ciel SC
2625E	Injection Standard Maintenance Fluids - See Intravenous Infusions				
2336Y	PRALIDOXIME IODIDE Injection 500mg	5	..	15.28	AB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
1479W	PRAZOSIN HYDROCHLORIDE Tablet 1mg (base)	100	2	9.35	Minipress	PF
1480X	2mg (base)	100	2	12.35	Minipress	PF
1478T	5mg (base)	100	2	18.15	Minipress	PF
3152X	PREDNISOLONE Tablet 1mg	100	4	4.76	Panafcortelone	PT
1917X	5mg	60	4	5.05	Adnisolone Delta-Cortef Deltasolone Panafcortelone Solone PR	NN UP US PT FM
1916W	25mg	30	4	5.99 6.00	Panafcortelone Solone	PT FM
1918Y	Eye Ointment 0.5%, 4g	≠1	..	4.63	Delta-Cortef	UP
	PREDNISOLONE ACETATE To be endorsed "S.P."					
1919B	Injection 10mg in 1mL	5	..	*12.60	Scherisolon	SC
2684G	PREDNISOLONE ACETATE Eye Drops 0.5%, 5mL	≠1	6	5.16	Sterofrin	AO
	PREDNISOLONE ACETATE with PHENYLEPHRINE To be endorsed "S.P."					
3112T	Eye Drops 1%-0.12%, 10mL	≠1	2	7.30	Prednefrin Forte	AG
	PREDNISOLONE SODIUM PHOSPHATE To be endorsed "S.P."					
1920C	Retention Enema 20mg in 100mL	28	1	*67.10	Predsol	GL
2554K	Suppositories equivalent to 5mg prednisolone, 10	3	1	*18.23	Predsol	GL
1922E	PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5mL	≠1	6	5.25	Predsol	GL
3099D	PREDNISOLONE STEAROYLGLYCOLATE Tablet 6.65mg	30	2	4.01	Sintisone	FE
1934T	PREDNISON Tablet 1mg	100	4	4.76	Panafcort	PT
1935W	5mg	60	4	5.05	Adasone Deltasone Panafcort Sone DH, PR	NN US PT FM
1936X	25mg	30	4	5.99 6.00	Panafcort Sone	PT FM

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1937Y	PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	\$ 7.30	IC
1939C	PRIMIDONE Tablet 250mg	200	2	9.11	Midone PT Mysoline IC
1940D	PROBENECID Tablet 500mg	100	2	10.23 10.25	Procid PT Benemid FR
2653P	PROCAINAMIDE Capsule 250mg	100	2	7.64	Pronestyl SQ
1074M	375mg	100	2	9.14	Pronestyl SQ
1941E	Injection 100mg per mL, 10mL	2	..	*7.92	Pronestyl SQ
1793J	PROCAINE PENICILLIN Injection BP, 1g	5	..	13.75	Aquacillin FA Cilicaine SI
1794K	1.5g	5	..	13.88	Aquacillin FA Cilicaine SI
2635Q	PROCARBAZINE Capsule 50mg	100	2	20.34	Natulan RO
2893G	PROCHLORPERAZINE Tablet 5mg	25	..	*3.58 *3.61	Anti-Naus PT Compazine SK Stemetil MB
2369Q	Injection 12.5mg in 1mL	10	..	6.28	Compazine SK Stemetil MB
2894H	Suppositories 5mg, 5	#1	..	4.68	Stemetil MB
2895J	25mg, 5	#1	..	5.11	Stemetil MB
2897L	PROCHLORPERAZINE To be accompanied by an authority from the Director of Health. Tablet 5mg	100	..	5.36 5.43	Anti-Naus PT Compazine SK Stemetil MB
1943G	PROCYCLIDINE Tablet 5mg	100	2	7.08	Kemadrin BW
1947L	PROGUANIL Tablet 100mg	100	2	6.55	Paludrine IC
1950P	PROMETHAZINE Tablet 10mg	50	2	4.09	Phenergan MB
1951Q	25mg	50	2	4.31 4.33	Meth-Zine PT Phenergan MB
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
				\$	
1949N	PROMETHAZINE - cont. Mixture 5mg per 5mL, 100mL	≠1	4	4.01	Progan Prothazine NN US
1948M	Injection 50mg in 2mL	10	..	*5.56	BL
3049L	PROMETHAZINE THEOCLATE Tablet 25mg	30	1	4.55	Avomine MB
	PROPANTHELINE BROMIDE To be endorsed "S.P."				
1953T	Tablet 15mg	100	5	5.45	Pantheline PT
2565B	PROPRANOLOL Tablet 10mg	100	2	5.60	Cardinol PT Deralin 10 AF 5.66 Angilol BM 6.06 Prolol US Inderal IC
2566C	40mg	100	2	7.53	Cardinol PT Deralin 40 AF 7.59 Angilol BM 9.13 Prolol US Inderal IC
2899N	160mg	50	2	9.45	Cardinol PT Deralin 160 AF 9.51 Prolol US 12.28 Inderal IC
2830Y	Injection 1mg in 1mL	5	..	*8.47	Inderal IC
1955X	PROPYLTHIOURACIL Tablet 50mg	100	4	7.93	ET
1957B	PROTAMINE SULPHATE Injection 1%, 10mL	6	..	19.68	BT
	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE To be endorsed "S.P."				
3056W	Powder, 200g sachet	10	5	*372.30	Albumaid XP SJ
3047J	PYRANTEL EMBONATE Tablet 125mg (base)	6	..	4.30	Anthel 125 AF
3048K	250mg (base)	6	..	6.05	Anthel 250 AF
2724J	PYRIDOSTIGMINE Tablet 10mg	100	2	7.43	Mestinon RO
1959D	60mg	100	2	17.68	Mestinon RO
2608G	180mg (sustained release)	100	1	39.80	Mestinon RO
1960E	Injection 1mg in 1mL	5	1	5.15	Mestinon RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	PYRIDOXINE HYDROCHLORIDE To be endorsed "S.P."			\$	
1965K	Tablet 25mg	100	..	5.04	Pydox DH,FM PT
1961F	PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1mL	5	1	5.04	BL,FM
1966L	PYRIMETHAMINE Tablet 25mg	50	..	5.86	Daraprim BW
1962G	PYRIMETHAMINE with DAPSONE Tablet 12.5mg-100mg	10	..	5.71	Maloprim BW
1958C	PYRIMETHAMINE with SULFADOXINE Tablet 25mg-500mg	12	..	7.45	Fansidar RO
2337B	QUINETHAZONE Tablet 50mg	50	2	6.19	Aquamox LE
2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	16.30	Kinidin AP
1971R	QUINIDINE SULPHATE Tablet 200mg	100	2	15.41 15.56	DH,PT Cardoquin Quinidis Quinidoxin PR,QE(NQ),TO NN US BW
3080D	300mg (sustained release)	100	2	21.55	Quinidex LA RS
1972T	QUININE BISULPHATE Tablet 300mg	50	..	9.26 9.35	Bi-Chinine Quinbisul SoulBiQuin PT DH AF SL Biquin NN Bi-Quinate US Myoquin FM Quinbisan PR SI
1975Y	QUININE SULPHATE Tablet 300mg	50	..	9.26 9.35	Chinine Quinsul SoulQuin PT DH AF SL Adaquin NN Quinate US Quinocetal FM Quinsan PR SI,TO
1978D	RANITIDINE HYDROCHLORIDE To be accompanied by an authority from the Director of Health. Tablet 150mg (base)	60	..	43.55	Zantac GL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1985L	RIBOFLAVINE Tablet 5mg	100	2	\$ 4.35	FM
1981G	RIFAMPICIN To be endorsed "S.P." Capsule 150mg	10	..	7.30	Rimycin 150 AF
1984K	300mg	10	..	11.05	Rimycin 300 AF
	To be accompanied by an authority from the Director of Health.				
1982H	Capsule 150mg	100	..	39.80	Rimycin 150 AF
1983J	300mg	100	..	77.30	Rimycin 300 AF
1987N	ROLITETRACYCLINE I.V. Injection set containing 275mg and 10mL solvent	5	..	*26.55	Reverin HP
1990R	I.M. Injection set containing 350mg and 2mL solvent	5	..	*26.55	Reverin HP
1098T	SALBUTAMOL Tablet 4mg	100	2	7.76	Respolin Ventolin RK GL
1103C	Syrup 2mg per 5mL, 300mL	≠1	4	5.53	Respolin Ventolin RK GL
1099W	Capsule 200 micrograms (Oral Inhalation)	100	5	8.74	Ventolin Rotacaps GL
2003K	Inhalation Solution For use in RESPIRATOR 0.5%, 30mL	≠1	2	7.50	Respolin Ventolin RK GL
3087L	Inhalation, metered aerosol spray, 100 micrograms per dose (200 dose)	≠1	5	6.00	Respolin Ventolin RK GL
1993X	SALICYLAMIDE Tablet 500mg	100	2	5.05	PT
1995B	SENEGA and AMMONIA Mixture APF, 200mL	≠1	4	3.94 4.01	Senamon MG,RT,SI,SL(NQVW) PR,QE(NQ),TO DH
1998E	SILVER SULPHADIAZINE with CHLORHEXIDINE GLUCONATE To be accompanied by an authority from the Director of Health. Cream 1%-0.2%, 500g	≠1	..	24.10	Silvazine SN
2945B	SODIUM ACID CITRATE Mixture 5.5g per 20mL, 500mL	≠1	4	5.04	Citralka PD

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	SODIUM ACID PHOSPHATE To be accompanied by an authority from the Director of Health.			\$	
2946C	Compound Effervescent Tablet containing elemental phosphorus 500mg, sodium 469mg (20.4mmol), potassium 123mg (3.1mmol)	100	..	22.30	Phosphate Sandoz SZ
2013Y	SODIUM AUROTHIOMALATE Injection 1mg	5	..	*13.58	Myocrisin MB
2015C	5mg	5	..	*16.12	Myocrisin MB
2016D	10mg	5	..	*19.09	Myocrisin MB
2017E	20mg	10	1	39.80	Myocrisin MB
2018F	50mg	10	1	68.49	Myocrisin MB
3015Q	SODIUM BICARBONATE Injection 8.4%, 100mL 4.2%, 500mL - See Intravenous Infusions	5	..	*16.20	AB
2023L	SODIUM CALCIUMEDETATE Tablet 500mg	100	2	17.39	Calcium Disodium Versenate RK
2024M	SODIUM CHLORIDE Injection 0.9%, 2mL	5	1	4.04	BL,BT
2025N	0.9%, 5mL	5	1	4.25	BL,BT
2026P	0.9%, 10mL 1L size - See Intravenous Infusions	5	1	4.59	BL,BT
	SODIUM CHLORIDE and GLUCOSE See Intravenous Infusions				
	SODIUM CHLORIDE COMPOUND See Intravenous Infusions				
2657W	SODIUM CITRO-TARTRATE Effervescent Granules 100g	≠1	4	5.04	Citravescent Sachets PT Ural Sachets AB
2878L	SODIUM CROMOGLYCATATE Capsule 20mg (Oral Inhalation)	100	5	19.39	Intal Spincaps FC
2872E	Inhalation, metered aerosol spray, 1mg per dose (200 dose)	≠1	2	16.68	Intal FC
	SODIUM CROMOGLYCATATE To be endorsed "S.P."				
1124E	Nebuliser Solution 20mg per 2mL, ampoule	120	2	*46.06	Intal FC
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	SODIUM CROMOGLYCAT - cont. To be accompanied by an authority from the Director of Health.			\$	
1127H	Eye Drops 2%, 10mL	≠1	..	8.51	Opticrom FC
	SODIUM LACTATE See Intravenous Infusions				
	SODIUM LACTATE COMPOUND See Intravenous Infusions				
	SODIUM LACTATE COMPOUND and ANHYDROUS GLUCOSE See Intravenous Infusions				
1100X	SODIUM NITROPRUSSIDE Infusion 50mg	10	..	47.25	Nipride RO
2035D	SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	5.18	Rhumax PR
2036E	500mg (enteric coated)	100	2	5.55	Rhumax PR
2037F	600mg (enteric coated)	100	2	5.86	Ensalate RC Rhumax PR
1261J	SODIUM VALPROATE Tablet 200mg	200	2	*40.58	Epilim RC
2289L	200mg (enteric coated)	200	2	*40.58	Epilim EC RC
2290M	500mg (enteric coated)	100	2	42.13	Epilim EC RC
2291N	Syrup 200mg per 5mL, 200mL	2	2	*22.12	Epilim RC
	SOYA FORMULA To be accompanied by an authority from the Director of Health.				
2040J	Liquid 375mL	5	20	*8.05	ProSobee MJ
2039H	384mL	5	20	*8.05	Isomil RD
2042L	Powder 500g	≠1	20	8.01	Infasoy WY
3090P	SPECTINOMYCIN Injection 2g with 3.2mL diluent	1	..	10.11	Trobicin UP
3091Q	4g with 6.5mL diluent	1	..	13.23	Trobicin UP
	SPIRONOLACTONE To be accompanied by an authority from the Director of Health.				
2339D	Tablet 25mg	100	..	11.39 11.45	Spirotone PT Aldactone SR
	STANDARD MAINTENANCE FLUID See Intravenous Infusions				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2045P	STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5mL	1	..	\$ 9.43	CS
2046Q	Undiluted 5mL	1	..	10.30	CS
2050X	STILBOESTROL Tablet 500 micrograms	100	2	3.96	HA
2051Y	1mg	100	2	4.09	HA
2052B	5mg	100	2	4.29	HA
2053C	10mg	100	2	5.30	HA
3130R	STREPTOKINASE Injection 100,000 I.U. (solvent required)	2	..	*48.56	Kabikinase PS
2906Y	250,000 I.U. (solvent required)	2	..	*79.08 *83.78	Streptase HP Kabikinase PS
2962X	600,000 I.U. (solvent required)	5	..	*416.05	Kabikinase PS
2907B	750,000 I.U. (solvent required)	5	..	*489.00	Streptase HP
2054D	STREPTOMYCIN SULPHATE Injection 1g (solvent required)	5	3	7.08	GL
2055E	SUCRALFATE To be accompanied by an authority from the Director of Health. Tablet 1g	120	1	29.31	Ulsanic DT
2047R	SULINDAC To be endorsed "S.P." Tablet 100mg	50	2	7.78	Clinoril FR
2063N	SULPHACETAMIDE SODIUM Eye Drops 10%, 15mL	≠1	2	4.55	Acetopt SI Bleph 10 AG
2064P	20%, 15mL	≠1	2	4.55	Acetopt SI
2074E	SULPHADIMIDINE Tablet 500mg	40	2	4.69	S-Dimidine PT
2077H	SULPHAFURAZOLE Tablet 500mg	40	2	5.04	Gantrisin RO Sulfazole PT
2078J	Eye Drops 4%, 10mL	≠1	2	4.55	Gantrisin RO
2079K	Eye Ointment 4%, 5g	≠1	..	4.23	Gantrisin RO

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2083P	SULPHAMETHIZOLE Tablet 250mg	40	2	\$ 4.63	PT
2084Q	500mg	40	2	5.65 5.79	PT Urolucosil WW
2081M	1g	20	2	5.64	Urolucosil WW
2862P	Paediatric Suspension 100mg per 5mL, 100mL	≠1	1	5.29	Urolucosil WW
2092D	SULPHAPYRIDINE Tablet 500mg	100	..	9.30	M&B 693 MB
2093E	SULPHASALAZINE To be endorsed "S.P." Tablet 500mg	200	5	25.11 *29.00	Ulcol Salazopyrin AF PS
2096H	500mg (enteric coated)	200	5	*29.00	Salazopyrin-EN PS
2094F	SULPHINPYRAZONE To be accompanied by an authority from the Director of Health. Tablet 100mg	100	..	12.61	Anturan CG
2099L	SULTHIAME Tablet 50mg	200	2	9.33	Ospolot BN
2100M	200mg	200	2	18.93	Ospolot BN
2238T	SURGICAL CEMENT To be endorsed "S.P." Skin Bond Adhesive 4fl oz	≠1	2	7.75	DY
2473E	Solvent 200mL	≠1	..	5.45	Zoff SN
2467W	227mL	≠1	2	6.34	Unisolve DY
2469Y	240mL	≠1	2	5.93	Sacsol EG
2472D	250mL	≠1	2	6.25	Sacsol Non Flammable EG
2109B	TAMOXIFEN CITRATE To be accompanied by an authority from the Director of Health. Tablet 10mg (base)	30	..	25.80	Nolvadex IC
2110C	20mg (base)	30	..	42.30	Nolvadex-D IC
2108Y	TEMAZEPAM Capsule 10mg	25	..	4.09	Euhypnos Normison SI WY

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	TERBUTALINE SULPHATE			\$		
1028D	Tablet 5mg	100	2	7.76	Bricanyl	AP
1030F	Elixir 300 micrograms per mL, 300mL	#1	4	5.59	Bricanyl	AP
1239F	Injection 100 micrograms in 1mL	5	..	6.00	Bricanyl	AP
1034K	500 micrograms in 1mL	5	..	6.13	Bricanyl	AP
1240G	Inhalation, metered aerosol spray, 250 micrograms per dose (400 dose)	#1	5	8.18	Bricanyl	AP
1243K	Nebuliser Solution 1%, 50mL	#1	2	10.78	Bricanyl	AP
	TESTOSTERONE ENANTHATE To be endorsed "S.P."					
2599T	Injection 100mg in 1mL	3	1	13.16	Primoteston Depot	SC
2114G	250mg in 1mL	3	1	27.23	Primoteston Depot	SC
	TESTOSTERONE ESTERS To be endorsed "S.P."					
2670M	Injection 100mg	3	1	13.75	Sustanon "100"	OR
2101N	250mg	3	1	26.73	Sustanon "250"	OR
	TESTOSTERONE PROPIONATE To be endorsed "S.P."					
2115H	Injection 25mg in 1mL	9	..	*9.02	Testoviron	SC
2116J	50mg in 1mL	9	..	*14.00	Testoviron	SC
	TETANUS VACCINE, ADSORBED					
2127Y	Injection 0.5mL	3	..	*7.19	CS	
	TETRABENAZINE To be endorsed "S.P."					
1330B	Tablet 25mg	100	2	14.18	Nitoman	RO
	TETRACOSACTRIN To be accompanied by an authority from the Director of Health.					
3083G	Injection 500 micrograms in 1mL	5	..	*18.50	Synacthen Depot	CG
2832C	1mg in 1mL	5	..	*27.00	Synacthen Depot	CG
	TETRACYCLINE					
2134H	Capsule 250mg	25	..	5.10	Achromycin Panmycin P Tetramykoin	LE UP BZ(N)
	TETRACYCLINE To be endorsed "S.P."					
2135J	Capsule 250mg	50	5	*7.90	Achromycin Panmycin P Tetramykoin	LE UP BZ(N)

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2151F	TETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	\$ 5.10	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F AP
2152G	TETRACYCLINE with NYSTATIN To be endorsed "S.P." Capsule 250mg-250,000 Units	50	5	*7.90	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F AP
2145X	TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	5.10	Achromycin V LE Australmycin-V CS Hostacycline P HP Hydracycline FM Steclin-V SQ Tetrex AP
2146Y	TETRACYCLINE (BUFFERED) To be endorsed "S.P." Capsule 250mg	50	5	*7.90	Achromycin V LE Australmycin-V CS Hostacycline P HP Hydracycline FM Steclin-V SQ Tetrex AP
2611K	THEOPHYLLINE Tablet 50mg	100	2	4.63	Nuelin Paediatric RK
1143E	125mg	100	2	5.45	Nuelin RK
2615P	200mg	100	2	6.06	Nuelin RK
2632M	200mg (sustained release)	50	2	5.15	Theo-Dur AP
2634P	250mg (sustained release)	50	2	5.60	Nuelin-S.R. 250 RK
2633N	300mg (sustained release)	50	2	6.01	Theo-Dur AP
2612L	Capsule 200mg	100	2	6.06	Elixophyllin SC
2613M	Elixir 80mg per 15mL, 500mL	≠1	4	4.76	Elixophyllin SC
2614N	Syrup 80mg per 15mL, 500mL	≠1	4	4.76	Nuelin RK
2947D	THIABENDAZOLE Tablet 500mg	16	..	7.15	Mintezol MK
1069G	THIAMINE HYDROCHLORIDE Tablet 50mg	100	2	4.41 4.43	PT Betamin US Betatabs-50 FM Invite-B NN DH, PR
	(continued)				

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1070H	THIAMINE HYDROCHLORIDE - cont. Tablet 100mg	100	2	\$ 4.96 4.98	PT Betamin Betatabs-100 Invite-B Thiminone PR, QE(NQ) US FM NN LF
1065C	Injection 100mg in 1mL	5	1	4.84	Beta-Sol FM
2572J	THIETHYLPERAZINE Tablet 6.5mg (base)	50	..	4.73	Torecan SZ
2368P	Injection 6.5mg (base) in 1mL	10	..	*8.10	Torecan SZ
2573K	Suppositories 6.5mg (base), 6	≠1	..	4.99	Torecan SZ
1233X	THIOGUANINE Tablet 40mg	25	1	61.50	Lanvis BW
3159G	THIOPROPAZATE To be endorsed "S.P." Tablet 5mg	100	1	7.99	Dartalan SR
2163W	THIORIDAZINE To be endorsed "S.P." Tablet 10mg	100	1	4.30 4.43	Aldazine 10 Melleril AF SZ
2359E	25mg	100	1	5.43 5.80	Aldazine 25 Melleril AF SZ
2164X	50mg	100	1	7.05 7.55	Aldazine 50 Melleril AF SZ
2165Y	100mg	100	1	11.30 12.30	Aldazine 100 Melleril AF SZ
2402K	Oral Solution 3% (30mg per mL), 30mL	≠1	4	6.00	Melleril SZ
2847W	Injection 25mg per mL, 2mL	10	..	7.49	Melleril SZ
2345K	THIOTEPA Injection 15mg (solvent required)	2	1	*22.80	LE
2858K	Eye Drops Set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	≠1	5	#20.64	LE
2174K	THYROXINE SODIUM (BP 1980) Tablet 50 micrograms	100	2	4.01	Oroxine BW
2175L	100 micrograms	100	2	4.15	Oroxine BW
2173J	200 micrograms	100	2	4.50	Oroxine BW

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	TICARCILLIN To be accompanied by an authority from the Director of Health.			\$		
2176M	Injection 3g (solvent required)	5	..	61.31 61.34	Ticillin Tarcil	CS BR
1281K	TIMOLOL Tablet 5mg	100	2	10.09	Blocadren	FR
1278G	Eye Drops 0.25%, 5mL	#1	6	9.30	Timoptol	FR
1279H	0.5%, 5mL	#1	6	10.15	Timoptol	FR
1465D	TINIDAZOLE Tablet 500mg	4	..	5.68	Fasigyn	PF
	TOBRAMYCIN SULPHATE To be endorsed "S.P."					
1355H	Injection 40mg	5	..	*20.95	Nebcin	LY
1356J	80mg	5	..	*31.70	Nebcin	LY
	TOCAINIDE HYDROCHLORIDE To be endorsed "S.P."					
2181T	Tablet 400mg	100	2	24.80	Tonocard	AP
2181W	600mg	60	2	24.18	Tonocard	AP
2720E	TOLAZAMIDE Tablet 250mg	100	2	10.50	Tolinase	UP
2178P	TOLBUTAMIDE Tablet 500mg	100	2	5.86	Diatol Rastinon	PT HP
2607F	1g	100	2	9.80	Rastinon	HP
	TRANEXAMIC ACID To be endorsed "S.P."					
2180R	Tablet 500mg	100	2	48.05	Cyklokapron	PS
	TRANLYCYPROMINE To be endorsed "S.P." CAUTION: This drug is a monoamine oxidase inhibitor.					
2444P	Tablet 10mg	50	2	6.76	Parnate	SK
	TRIAMCINOLONE ACETONIDE To be endorsed "S.P."					
2990J	Injection 10mg in 1mL	5	..	16.69	Kenacort-A10	SQ
	(continued)					

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	TRIAMCINOLONE ACETONIDE - cont.			\$		
2119M	Cream 0.02%, 45g	≠1	..	4.34	Kenalone 0.02%	SQ
2117K	0.02%, 100g	≠1	..	4.90	Aristocort 0.02% Kenalone 0.02%	LE SQ
2125W	0.05%, 15g	≠1	1	3.96	Aristocort 0.05% Kenalone	LE SQ
2120N	Ointment 0.02%, 45g	≠1	..	4.34	Kenalone 0.02%	SQ
2118L	0.02%, 100g	≠1	..	4.90	Aristocort 0.02% Kenalone 0.02%	LE SQ
2126X	0.05%, 15g	≠1	1	3.96	Aristocort 0.05% Kenalone	LE SQ
	TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN					
2971J	Ear Drops 0.1%-0.25% (base)-0.025%- 100,000 Units per g, 7.5mL	≠1	2	4.61	Kenacomb Otic	SQ
2973L	Ear Cream 0.1%-0.25% (base)-0.025%- 500,000 Units in 5g	≠1	2	4.35	Kenacomb Otic	SQ
2974M	Ear Ointment 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	≠1	2	4.35	Kenacomb Otic	SQ
	TRIAMTERENE					
2342G	Tablet 100mg	50	2	6.80	Dytac	SK
	TRIFLUOPERAZINE					
	To be endorsed "S.P."					
2185B	Tablet 1mg	100	1	5.80	Calmazine Stelazine	PT SK
2386N	2mg	100	1	7.16	Calmazine Stelazine	PT SK
2186C	5mg	100	1	7.68	Calmazine Stelazine	PT SK
2835F	Injection 1mg in 1mL	10	..	6.66	Stelazine	SK
	TRIGLYCERIDES, MEDIUM CHAIN					
	To be accompanied by an authority from the Director of Health.					
2686J	Compound Powder 450g	2	20	*27.92	Portagen	MJ
2676W	Lactalbumin Demineralised Powder 400g	2	20	*30.86	Alfare	NT
2679B	Protein Hydrolysate Compound Powder 454g	2	20	*30.86	Pregestimil	MJ
3129Q	Oil 1L	≠1	5	27.30	Cow & Gate MCT Oil	KY
	TRIMEPRAZINE					
2187D	Tablet 10mg	50	2	4.50	Vallergan	MB

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2189F	TRIMETAPHAN Injection set containing 250mg and 5mL water for injections	3	..	\$ 19.04	Arfonad RO
2922T	TRIMETHOPRIM To be endorsed "S.P." Tablet 300mg	7	..	5.26 5.79	Alprim AF Methoprim PT Triprim BW
2949F	TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	4.69	Bactrim RO Resprim AF Septrin BW Trib PT
2951H	160mg-800mg	10	..	5.79	Bactrim DS RO Resprim Forte AF Septrin Forte BW Trib DS PT
3103H	Suspension 40mg-200mg per 5mL, 100mL	≠1	1	5.29	Bactrim RO Septrin BW Trib PT
2970H	TRIMIPRAMINE Tablet 25mg	50	2	5.05	Surmontil MB
2969G	Capsule 50mg	50	1	5.68	Surmontil MB
1570P	TRIOXYSALEN To be endorsed "S.P." Tablet 5mg	100	2	23.48	Trisoralen PT
2203Y	TRIPLE ANTIGEN See Diphtheria, Tetanus and Pertussis Vaccine, Adsorbed TRI-POTASSIUM DI-CITRATO BISMUTHATE COMPLEX To be accompanied by an authority from the Director of Health. Tablet 107.7mg (Bi)	112	1	20.69	De-Nol PD
2191H	TRIPROLIDINE Tablet 2.5mg	50	2	4.50	Actidil BW
2800J	TYPHOID VACCINE Injection 0.5mL	2	..	*5.62	CS
2195M	TYPHUS VACCINE Injection 1mL	2	..	*50.42	CS
1293C	UREA Cream 10%, 100g	≠1	2	6.76	Aquacare H.P. AG Aquadrade NW Calmurid PS Nutraplus OL

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	VANCOMYCIN To be endorsed "S.P."			\$		
3131T	Injection 500mg (solvent required)	5	..	*81.50	Vancocin	LY
2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1mL	10	1	*49.80	Pitressin Tannate	PD
1248Q	VERAPAMIL HYDROCHLORIDE Tablet 40mg	100	2	8.55 9.00 9.74	Anpec 40 Verpamil Cordilox Isoptin	AF PT SC KN
1250T	80mg	100	2	12.30 12.98 13.99	Anpec 80 Verpamil Cordilox Isoptin	AF PT SC KN
1060T	Injection 5mg in 2mL	5	..	6.19	Cordilox Isoptin	SC KN
	VIDARABINE To be endorsed "S.P."					
2570G	Eye Ointment 3%, 3.5g	#1	..	11.46	Vira A	PD
2198Q	VINBLASTINE Injection 10mg (solvent required)	2	..	*47.68	Velbe	LY
	VINCRIStINE Injection set containing 1mg and 10mL solvent	5	..	*101.05 *102.00	BL Oncovin	LY
2371T						
2372W	5mg and 10mL solvent	1	..	85.93	BL	
	VITAMIN SUPPLEMENT To be accompanied by an authority from the Director of Health.					
3156D	Tablet	100	..	13.80	Ketovite	ST
3157E	Liquid 100mL	#1	..	7.20	Ketovite	ST
	WARFARIN					
2843P	Tablet 1mg	50	2	5.71	Coumadin Marevan	DT GL
2209G	2mg	50	2	5.93	Coumadin	DT
2210H	2.5mg	50	2	6.06	Coumadin	DT
2844Q	3mg	50	2	5.86	Marevan	GL
2211J	5mg	50	2	6.13	Coumadin Marevan	DT GL
2212K	7.5mg	50	2	6.93	Coumadin	DT
2213L	10mg	50	2	8.11	Coumadin	DT

Code	Name, Manner of Administration Restriction and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
	WATER FOR INJECTIONS			\$	
2216P	Injection 2mL	5	3	3.96	BL,BT,BZ,SI
2217Q	5mL	5	3	4.11	BL,BT,BZ,SI
2218R	10mL	5	3	4.35	BL,BT,BZ,SI
2219T	WOOL ALCOHOLS Ointment 100g	#1	1	4.09	Eucerin SN
2221X	WOOL FAT, HYDROUS 50g tube or jar	#1	..	4.23	SI
3154B	ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15mL	#1	2	4.55	Prefrin-Z Zincfrin AG AQ
2984C	ZINC OXIDE Compound Ointment 50g	#1	1	4.74	Anusol WW
1122C	Compound Suppositories, 12	#1	1	4.74	Anusol WW

INTRAVENTOUS INFUSIONS FOR INJECTION

69

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	DEXTRAN 40			\$		
2305H	10% with 5% anhydrous glucose, 500mL	12	..	*170.06	Lomodex	FC
2304G	10% with 5% glucose, 500mL	12	..	178.60	Rheomacrodex	PS
2306J	10% with 0.9% sodium chloride, 500mL	12	..	178.60	Rheomacrodex	PS
	DEXTRAN 70					
3081E	6% with 5% glucose, 500mL	12	..	123.55	Macrodex	PS
3011L	6% with 0.9% sodium chloride, 500mL	12	..	123.55	Macrodex	PS
	ELECTROLYTE REPLACEMENT SOLUTION					
3199J	1L	2	1	*9.76	Normosol R Plasma-Lyte 148	AB TV
	GLUCOSE					
2245E	5%, 1L	5	1	*17.70	AB, TV	
2247G	10%, 1L	5	1	*20.05	AB, TV	
2249J	20%, 1L	2	1	*9.76	AB, TV	
2251L	25%, 1L	2	1	*9.76	AB, TV	
2252M	50%, 500mL	2	1	*8.48	AB	
	MANNITOL					
2589G	10%, 1L	1	1	6.31	AB	
2590H	20%, 500mL	1	1	6.31	AB	
	SODIUM BICARBONATE					
3029K	4.2%, 500mL	1	1	5.86	AB	
	SODIUM CHLORIDE					
2264E	0.9%, 1L	5	1	*17.70	AB, TV, VF(N)	
2260Y	3%, 1L	2	1	*9.76	AB, TV	
2262C	5%, 1L	2	1	*9.76	TV	
	SODIUM CHLORIDE COMPOUND BPC 1959					
2266G	1L	4	1	*16.62	AB, TV	
	SODIUM CHLORIDE and GLUCOSE					
2271M	0.9%-5%, 1L	2	1	*9.76	AB, TV	
2278X	0.45%-2.5%, 500mL	5	1	*17.70	AB, TV	
2279Y	0.225%-3.75%, 500mL	5	1	*17.70	AB, TV	
2281C	0.18%-4%, 1L	5	1	*17.70	AB, TV	
2282D	0.18%-4.3%, 1L	5	1	*18.05	AB	
	SODIUM LACTATE (Solution 1/6 Molar)					
2284F	1L	5	1	*20.60	VF	
	SODIUM LACTATE COMPOUND					
2286H	1L	5	1	*17.70	AB, TV	

INTRAVENOUS INFUSIONS FOR INJECTION

70

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2288K	SODIUM LACTATE COMPOUND and ANHYDROUS GLUCOSE 5%, 1L	2	1	\$ *9.76	AB, TV
2293Q	STANDARD MAINTENANCE FLUID 500mL	6	..	*18.56	AB

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

71

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
				\$		
3303W	AMOXYCILLIN Tablet 250mg	20	..	6.21	Amoxil Moxacin	BR CS
3301R	Capsule 250mg	20	..	6.21	Amoxil Cilamox Moxacin	BR SI CS
3302T	Powder for Syrup 125mg per 5mL, 100mL	≠1	..	#7.01	Amoxil Cilamox Moxacin	BR SI CS
3305Y	AMPHOTERICIN Tablet 100mg	50	..	10.43	Fungilin	SO
3306B	Lozenge 10mg	20	..	4.50	Fungilin	SQ
3307C	Suspension 100mg per mL, 24mL	≠1	..	5.31	Fungilin	SO
3308D	Ointment 3%, 15g	≠1	..	4.76	Fungilin	SQ
3312H	AMPICILLIN Injection 250mg (solvent required)	5	..	6.76	Ampicyn Austrapen Penbritin	PT CS BR
3313J	500mg (solvent required)	5	..	8.79	Ampicyn Austrapen Penbritin	PT CS BR
3314K	1g (solvent required)	5	..	12.89	Ampicyn Austrapen Penbritin	PT CS BR
7001L	ASPIRIN Mixture, APF - See Section 4, Standard Formulae Preparations					
7003N	Mixture for Children, APF - See Section 4, Standard Formulae Preparations					
7002M	ASPIRIN with CODEINE Aspirin Mixture, APF with Codeine Phosphate 30mg per 10mL - See Section 4, Standard Formulae Preparations					
3321T	DOXYCYCLINE Tablet 100mg	7	..	4.93 5.45	Doxylin 100 Vibramycin	AF PF
3322W	Capsule 100mg	7	..	5.39 5.45	Cyclidox Doryx Doxin	PT FA GP
3324Y	ERYTHROMYCIN Tablet 250mg	25	..	6.21	EMU-V	UP
3329F	Capsule 125mg	25	..	5.18	Eryc	FA
3325B	250mg	25	..	6.21	Eryc Ilocap	FA LY

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

72

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
	ERYTHROMYCIN ESTOLATE			\$		
3331H	Paediatric Drops 100mg (base) per mL, 10mL	≠1	..	4.98	Ilosone	LY
3335M	Paediatric Suspension 125mg (base) per 5mL, 100mL	≠1	..	5.30	Eromycin Ilosone	DL LY
3327D	ERYTHROMYCIN ETHYLSUCCINATE Tablet 200mg (base)	25	..	5.43	EES Dulcet	AB
3334L	Granules for Paediatric Suspension 200mg (base) per 5mL, 100mL	≠1	..	#7.16	EES 200	AB
3328E	ERYTHROMYCIN STEARATE Tablet 250mg (base)	25	..	6.21	Erythrocin	AB
3330G	Capsule 250mg (base)	25	..	6.16 6.21	E-Mycin Erythrocin	PT AB
3332J	Paediatric Suspension 125mg (base) per 5mL, 100mL	≠1	..	5.30	Erythrocin	AB
3333K	Suspension 250mg (base) per 5mL, 100mL	≠1	..	7.16	Erythrocin	AB
3339R	METRONIDAZOLE Tablet 200mg	21	..	5.40 5.43	Trichozole Flagyl Metrozine	PT MB SR
3342X	NYSTATIN Tablet 500,000 Units	25	..	*7.23	Diastatin Mycostatin Nilstat	GP SQ LE
3343Y	Mixture 100,000 Units per mL, 24mL	≠1	..	5.31	Mycostatin Nilstat	SQ LE
3348F	PARACETAMOL Mixture 120mg per 5mL, 100mL	≠1	..	4.01	Dymadon Panamax Parmol	BW WL US
3351J	PHENETHICILLIN Tablet 250mg	25	..	5.05	Pensig	SI
3353L	Capsule 250mg	25	..	5.05	Optipen Pensig	CS SI
3354M	500mg	25	..	6.18	Optipen Pensig	CS SI
3355N	Powder for Syrup 125mg per 5mL, 100mL	≠1	..	#5.61	Pensig 125	SI
3356P	250mg per 5mL, 100mL	≠1	..	#6.47	Pensig 250	SI

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

73

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3359T	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	..	\$ 4.35	Abbocillin-V LPV	AB CS
3360W	250mg	25	..	4.68	Abbocillin-VK Cilicaine VK LPV PVK P.V.O.	AB SI CS LY FM
3361X	500mg	25	..	5.65	Abbocillin-VK LPV PVK P.V.O.	AB CS LY FM
3363B	Capsule 250mg	25	..	4.68	Abbocillin-VK Cilicaine VK Falcopen VK LPV PVK P.V.O.	AB SI FA CS LY FM
3364C	500mg	25	..	5.65	Cilicaine VK Falcopen VK LPV P.V.O.	SI FA CS FM
3365D	Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	4.56	Abbocillin-V Cilicaine V Falcopen V LPV 125	AB SI FA CS
3366E	Suspension 250mg per 5mL, 100mL	≠1	..	5.43	Abbocillin-V Cilicaine V Falcopen V LPV 250	AB SI FA CS
3370J	PROCAINE PENICILLIN Injection BP, 1g	5	..	13.75	Aquacillin Cilicaine	FA SI
3371K	1.5g	5	..	13.88	Aquacillin Cilicaine	FA SI
3379W	SULPHADIMIDINE Tablet 500mg	40	..	4.69	S-Dimidine	PT
3383C	TETRACYCLINE Capsule 250mg	25	..	5.10	Achromycin Panmycin P Tetramykoin	LE UP BZ(N)
3386F	TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	5.10	Achromycin V Australmycin-V Hostacycline P Hydracycline Steclin-V Tetrex	LE CS HP FM SQ AP

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

74

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
3389J	TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	\$ 4.69	Bactrim RO Resprim AF Septrin BW Trib PT
3390K	160mg-800mg	10	..	5.79	Bactrim DS RO Resprim Forte AF Septrin Forte BW Trib DS PT
3391L	Suspension 40mg-200mg per 5mL, 100mL	≠1	..	5.29	Bactrim RO Septrin BW Trib PT
	WATER FOR INJECTIONS (For use only with an injectible benefit which requires a solvent)				
3394P	Injection 2mL	5	..	3.96	BL,BT,BZ,SI
3395Q	5mL	5	..	4.11	BL,BT,BZ,SI

SECTION 3 - SCHEDULE OF BENEFITS

Preparations available for Colostomy
and Ileostomy use

Preparations available for use by Paraplegic
and Quadriplegic Patients

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

2

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
2223B	ACRYLIC RESIN Solution 125g Aerosol Spray	#1	..	\$ 9.81	Nobecutane AP
2683F	BENZOIN Compound Tincture 35%, 167mL Aerosol Spray	#1	..	6.48	EG
2680C	BUTYL MONOESTER POLYMER with ETHANOL Paste 60g	#1	..	9.18	Stomahesive SQ
2503R	BUTYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Protective Dressing Aerosol 120g	#1	..	11.43	Skin-Prep DY
2504T	Solution 59mL	#1	..	9.30	Skin-Prep DY
2510D	Wipes, 50	#1	..	12.93	Skin-Prep DY
2326K	CARMELLOSE SODIUM with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	#1	..	4.90	Orabase SQ
2327L	Powder 33.3%-33.3%-33.3%, 15g	#1	..	4.78	Orabesive SQ
2718C	CHARCOAL, ACTIVATED Tablet 300mg	500	1	15.21	Char-Bons QE(NQ),TO LF
2229H	CHLORAMINE Deodorant Tablet 120mg	500	..	6.76	Klortee PT
2230J	Powder 25g	#1	4	4.23	Klortee PT
3125L	DEODORANT CONCENTRATE Liquid 15mL	#1	..	4.85 4.86	Zerodor ZR Banish DY Odortrol LA
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	5.93	TAGG EG
2617R	DIMETHICONE Solution 10%, 180mL Aerosol Spray	#1	..	6.48	Silicon Skin Spray EG
2233M	Cream 10%, 50g				
2618T	10%, 75g See Section 2				
2505W	ISOPROPYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Adhesive Protective Gel 28.35g	#1	..	6.28	Skin Gel HO

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions must be endorsed "S.P.")

3

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer	
3146N	POLYISOBUTYLENE Compound Adhesive Wafers, 5	#1	5	\$ 12.20	Hollihesive Skin Barrier	HO
3148Q	Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	14.36	Stomahesive Set BH	SQ
2950G	POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121mL	#1	..	6.71	Spray-On Bande	EG
2258W	STERCULIA (Indian Tragacanth; Gum Karaya) Paste 127.6g	#1	..	9.06	Karaya Paste	HO
2259X	Powder 71g	#1	..	8.11	DY	
3147P	Discs, 12	#1	5	9.11	Coloplast BH,DY	ST
2256R	Discs, Compound, 10	#1	5	11.56	Colly-seels	DY
3158F	Squares, 6	#1	5	21.78	BH	
2238T	SURGICAL CEMENT Skin Bond Adhesive 4fl oz					
2473E	Solvent 200mL					
2467W	227mL					
2469Y	240mL					
2472D	250mL					
	See Section 2					

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
(Prescriptions must be endorsed "S.P.")

4

Code	Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty	Proprietary Name and Manufacturer
1102B	BASSORIN with FRANGULA BARK Granules 47.3%-8.3%, 250g See Section 2			\$	
1263L	BISACODYL Enema 10mg in 5mL, 25	≠1	2	18.55	Bisalax PT
1267Q	Enema (aqueous base) 10mg in 5mL, 25	≠1	2	18.55	Durolax Micro-Enema BY
1259G	Tablet 5mg				
1260H	Suppositories 10mg, 10 See Section 2				
2879M	DEODORANT DETERGENT SOLUTION Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	≠1	..	5.93	TAGG EG
2233M	DIMETHICONE Cream 10%, 50g				
2618T	10%, 75g See Section 2				
1125F	DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL Suppositories 100mg-10mg, 5 See Section 2				
2238T	SURGICAL CEMENT Skin Bond Adhesive 4fl oz				
2473E	Solvent 200mL				
2467W	227mL				
2469Y	240mL				
2472D	250mL See Section 2				

SECTION 4

SCHEDULE OF BENEFITS

DRUG TARIFF

**CONTAINER PRICES FOR EXTEMPORANEOUSLY PREPARED
BENEFITS**

STANDARD FORMULAE PREPARATIONS

**TABLE OF CODES, MAXIMUM QUANTITIES AND NUMBER OF
REPEATS FOR EXTEMPORANEOUSLY PREPARED BENEFITS**

DRUG TARIFF

Where liquids are purchased by weight, the recovery price includes the 'Specific Gravity Factor'.

Drugs marked (a) and (b)—

- (a) Where the quantity dispensed is greater than the quantity shown against items marked thus, the recovery price is:

$$\frac{\text{Quantity dispensed}}{\text{Quantity listed}} \times \text{price shown;}$$

- (b) Items marked thus are packed sterile or are unstable. The recovery price is:

$$\left\{ \frac{\text{Quantity dispensed}}{\text{Quantity listed}} \right\} \begin{array}{l} \text{taken to next} \\ \text{whole number} \end{array} \times \text{price shown.}$$

Special Note:

Purified Water BP is the minimum requirement for water in all N.H.S. extemporaneous preparations.

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
Acetone (use as additive only)	BP	\$ 0.02	\$ 0.17	\$ 1.49:100 mL
ACIDS				
Acetic (6%)	BP	0.06	0.49	4.38:100 mL
Acetic (33%)	BP	0.05	0.43	3.83:100 mL
Ascorbic (use as ingredient of Mixtures of Ferrous Sulphate APF and PL)	BP	0.24	1.91	0.03:100 mg
Benzoic	BP	0.13	1.02	0.02:100 mg
Boric Crystal (use as additive only)	BP	0.06	0.51	4.56:100 g
Boric Powder (use as additive only)	BP	0.03	0.20	1.82:100 g
Citric Monohydrate	BP	0.08	0.60	5.37:100 g
Hydrochloric	BP	0.05	0.36	3.16:100 mL
Hydrochloric Dilute	BP	0.03	0.25	2.20:100 mL
Lactic	BP	0.14	1.11	
Oleic	BP	0.08	0.61	5.38:100 mL
Salicylic	BP	0.06	0.49	4.37:100 g
Trichloroacetic	BP	0.84	6.74	
Acriflavine	BPC 63	1.49	..	0.19:100 mg
Adrenaline (b) (may only be prescribed in eye drops)	BP	19.03	..	
Alum	BP	0.02	0.12	1.06:100 g
Aminophylline	BP	0.32	2.57	
Ammoniated Mercury	BP 73	0.90	7.18	
Aspirin	BP	0.04	0.33	2.94:100 g
Atropine Sulphate	BP	3.21	..	0.40:100 mg
Beeswax White	BP	0.08	0.67	5.99:100 g
Bentonite BP, sterilised		0.05	0.42	3.72:100 g
Benzocaine	BP	0.48	3.80	
Borax (use as additive only)	BP	0.02	0.14	1.28:100 g
Calamine	BP	0.04	0.29	2.57:100 g
Calcium Hydroxide	BP	0.06	0.45	3.98:100 g
Cetomacrogol Emulsifying Wax	BP	0.14	1.12	9.96:100 g
Cetostearyl Alcohol	BP	0.09	0.73	6.51:100 g
Cetrimide	BP	0.31	2.44	21.65:100 g
Chlorbutol	BP	0.41	3.29	
Chlorhexidine Acetate (use as additive only)	BP	1.69	13.51	0.21:100 mg
Chlorinated Lime	BP	0.03	0.21	1.90:100 g
Chlorocresol	BP	0.67	5.38	0.08:100 mg
Chloroform (use as additive only)	BP	0.03	0.23	2.03:100 mL
Clioquinol (a)	BP	..	..	6.06:3.5 g
Cocaine Hydrochloride	BP	22.70	..	2.84:100 mg
Codeine Phosphate	BP	3.03	..	0.38:100 mg
Collodion Flexible	BP	0.07	0.52	4.66:100 mL
CREAMS				
Aqueous	APF	0.03	0.22	1.92:100 g
Aqueous	BP	0.03	0.22	1.92:100 g
Calamine Oily	APF	0.06	0.44	3.94:100 g
Cetomacrogol Aqueous	APF	0.02	0.17	1.50:100 g
Cetomacrogol Aqueous	APF 74	0.02	0.17	1.50:100 g
Cetrimide	BP	0.03	0.23	2.00:100 g
Cetrimide Aqueous	APF	0.03	0.23	2.00:100 g
Cetrimide Aqueous	APF 74	0.03	0.23	2.00:100 g
Zinc	BP	0.03	0.21	1.83:100 g
Zinc Oily	APF	0.04	0.29	2.58:100 g

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
Crystal Violet	BP	\$ 1.48	\$ 11.83	\$
Dithranol	BP	3.98	31.86	0.50:100 mg
Emulsifying Wax	BP	0.10	0.78	6.95:100 g
Ephedrine Hydrochloride (may only be prescribed in nasal instillations)	BP	0.50	3.97	0.06:100 mg
Ethanol (90%) (use as additive only)	BP	0.01	0.05	0.44:100 mL
Ethanol (96%) (use as additive only)	BP	0.02	0.18	1.64:100 mL
Ether Solvent (use as additive only)	BP	0.03	0.21	1.87:100 mL
EXTRACTS				
Hyoscyamus Liquid	BPC 73	0.22	1.77	15.73:100 mL
Liquorice Liquid	BP	0.06	0.44	3.90:100 mL
Ferrous Sulphate	BP	0.08	0.66	5.91:100 g
Ferrous Sulphate Dried	BP	0.07	0.56	5.02:100 g
Glucose (use as additive only)	BP	0.04	0.30	2.71:100 g
GLYCERIN				
Ichthammol	BPC 73	0.12	0.94	8.37:100 mL
Glycerol	BP	0.02	0.16	1.45:100 mL
GUMS				
Acacia	BP	0.07	0.56	5.02:100 g
Tragacanth	BP	0.46	3.69	32.83:100 g
Homatropine Hydrobromide (b)	BP	..	..	3.15:250 mg
Ichthammol	BP	0.22	1.76	15.68:100 g
INFUSION				
Gentian Compound Concentrated 1 in 10	BP	0.08	0.66	5.85:100 mL
Iodine	BP	0.64	5.14	
Kaolin, Light or Kaolin, Light (Natural)	BP	0.02	0.15	1.31:100 g
Lactose	BP	0.01	0.08	0.71:100 g
Lignocaine Hydrochloride	BP	1.69	..	0.21:100 mg
LINIMENTS				
Methyl Salicylate	BP	0.03	0.21	1.85:100 mL
Methyl Salicylate Compound	APF	0.05	0.38	3.39:100 mL
Turpentine	BP	0.03	0.26	2.32:100 mL
LOTION				
Calamine	BP	0.01	0.11	0.97:100 mL
Magenta	BPC 73	1.12	8.97	0.14:100 mg
MAGNESIUM				
Carbonate Light	BP	0.03	0.22	1.98:100 g
Sulphate (may only be prescribed for other than oral use)	BP	0.01	0.04	0.34:100 g
Sulphate Dried (may only be prescribed for other than oral use)	BP	0.05	0.38	3.39:100 g
Trisilicate	BP	0.03	0.27	2.40:100 g
Menthol	BP	0.30	2.37	
Methyl Salicylate	BP	0.03	0.26	2.31:100 mL
Morphine Hydrochloride	BP	6.71	..	0.84:100 mg

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
		\$	\$	\$
MUCILAGES				
Acacia (by weight)	APF	0.03	0.24	2.15:100 g
Tragacanth	APF	0.01	0.09	0.79:100 mL
Tragacanth	BPC 73	0.01	0.09	0.78:100 mL
OILS				
Arachis (use as additive only)	BP	0.02	0.13	1.19:100 mL
Cade	BPC 73	0.47	3.78	
Castor (use as additive only)	BP	0.02	0.15	1.34:100 mL
Coconut	BP	0.03	0.23	2.02:100 g
Eucalyptus (use as additive only)	BP	0.05	0.36	3.19:100 mL
Lavender Spike	BPC 68	0.25	2.03	
Maize (use as additive only)	BP	0.01	0.08	0.75:100 mL
Olive (use as additive only)	BP 73	0.02	0.15	1.35:100 mL
Peppermint (use as additive only)	BP	0.27	2.17	
Pumilio Pine	BP	0.31	2.47	
Siberian Fir	BPC 49	0.29	2.35	
Turpentine (use as additive only)	BP	0.04	0.34	3.03:100 mL
OINTMENTS				
Ammoniated Mercury	BP 73	0.04	0.34	3.04:100 g
Benzoic Acid Compound	APF	0.04	0.29	2.59:100 g
Emulsifying	BP	0.03	0.27	2.37:100 g
Hydrous (white)	BP	0.04	0.34	3.04:100 g
Hydrous (yellow)	BP	0.04	0.34	3.04:100 g
Methyl Salicylate	BP	0.06	0.47	4.19:100 g
Methyl Salicylate Compound	APF 34	0.05	0.42	3.70:100 g
Paraffin (white)	BP	0.05	0.43	3.83:100 g
Paraffin (yellow)	BP 68	0.05	0.43	3.83:100 g
Salicylic Acid	APF	0.03	0.21	1.83:100 g
Salicylic Acid	BP	0.06	0.44	3.87:100 g
Simple (white)	BP	0.03	0.27	2.38:100 g
Simple (yellow)	BP	0.03	0.27	2.38:100 g
Sulphur	BP	0.07	0.52	4.59:100 g
Wool Alcohols (white)	BP	0.03	0.26	2.33:100 g
Wool Alcohols (yellow)	BP	0.03	0.26	2.33:100 g
Zinc	BP	0.04	0.30	2.67:100 g
Zinc and Castor Oil	BP	0.03	0.24	2.14:100 g
PAINT				
Magenta	APF	0.12	0.96	8.49:100 mL
Paraffin Hard	BP	0.01	0.10	0.93:100 g
Paraffin Liquid (may only be prescribed for other than oral use)	BP	0.01	0.10	0.87:100 mL
Paraffin Liquid Light	BPC 63	0.02	0.14	1.22:100 mL
Paraffin Soft White	BP	0.02	0.17	1.48:100 g
Paraffin Soft Yellow	BP	0.02	0.19	1.68:100 g
PASTES				
Zinc Compound	BP	0.04	0.32	2.88:100 g
Zinc and Salicylic Acid	BP	0.05	0.39	3.43:100 g
Phenobarbitone	BP	0.31	2.51	0.04:100 mg
Phenobarbitone Sodium	BP	0.50	4.03	0.06:100 mg
Phenol (not available for ear drops)	BP	0.32	2.56	22.75:100 g

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
Phenol Liquefied (not available for ear drops)	BP	\$ 0.12	\$ 0.95	8.47:100 mL
Phenoxyethanol	BP	0.19	1.52	
Pilocarpine Hydrochloride (a)	BP	14.34	..	
Pilocarpine Nitrate	BP	12.62	..	1.58:100 mg
Podophyllum Resin	BP	1.15	9.18	
POTASSIUM				
Citrate	BP	0.03	0.27	2.38:100 g
Iodide	BP	0.14	1.08	9.61:100 g
Permanganate	BP	0.06	0.50	4.45:100 g
POWDER				
Tragacanth Compound	BP	0.15	1.20	10.65:100 g
Propylene Glycol	BP	0.08	0.63	5.62:100 mL
Resorcinol	BP	0.44	3.50	
Silver Nitrate	BP	4.66	37.29	
SOAPS				
Ethereal	APF 55	0.04	0.32	2.86:100 mL
Soft	BP	0.03	0.20	1.76:100 g
SODIUM				
Acid Phosphate	BP	0.13	1.07	9.52:100 g
Bicarbonate	BP	0.01	0.07	0.58:100 g
Chloride	BP	0.02	0.15	1.33:100 g
Citrate	BP	0.04	0.32	2.83:100 g
Phosphate	BP	0.08	0.61	5.38:100 g
Thiosulphate (use as additive only)	BP	0.04	0.28	2.52:100 g
SOLUTIONS				
Aluminium Acetate	BPC 73	0.03	0.27	2.36:100 mL
Benzoic Acid	BP	0.07	0.54	
Calcium Hydroxide	BP	0.01	0.02	0.20:100 mL
Chlorhexidine Gluconate (use as additive only)	BP	0.11	0.85	7.57:100 mL
Coal Tar	BP	0.05	0.39	3.50:100 mL
Formaldehyde	BP	0.02	0.12	1.08:100 mL
Iodine Aqueous	BP	0.10	0.78	6.96:100 mL
Iodine Weak	BP	0.05	0.37	3.25:100 mL
Morphine Hydrochloride	BPC 73	0.19	1.51	13.46:100 mL
Sodium Chloride	BP	0.01	0.02	0.16:100 mL
SPIRITS				
Ammonia Aromatic	BP	0.05	0.37	3.32:100 mL
Camphor Compound	APF	0.05	0.42	3.72:100 mL
Chloroform	BP	0.05	0.42	3.72:100 mL
Lemon	BP	0.10	0.76	6.71:100 mL
Methylated Industrial (use as additive only)	BP	0.01	0.07	0.59:100 mL
Squill Elixir	BP	0.03	0.24	2.12:100 mL
Squill Oxymel	BP	0.03	0.21	1.86:100 mL
Starch	BP	0.02	0.17	1.48:100 g
Sulphur Precipitated	BP	0.02	0.19	1.70:100 g
Sulphurated Potash	BPC 73	0.16	1.27	11.32:100 g
SYRUPS				
Lemon	APF	0.01	0.10	0.85:100 mL
Orange	APF	0.03	0.27	2.40:100 mL
Orange	BP	0.03	0.27	2.40:100 mL
Pholcodine Citrate (use as additive only)	BPC 59	0.04	0.34	3.06:100 mL
Raspberry	BP	0.05	0.37	3.33:100 mL
Red	APF	0.04	0.33	2.95:100 mL
Syrup	BP	0.01	0.07	0.62:100 mL
Tolu	BP	0.04	0.28	2.52:100 mL

Drug	Standard	Recovery Price		
		1g/mL	10g/mL	Special
Talc Purified BP, sterilised		\$ 0.05	\$ 0.41	\$ 3.63:100 g
Tar Coal	BP	0.07	0.55	4.90:100 g
Tar Coal Prepared	BP 73	0.12	0.94	8.37:100 g
Theophylline	BP	0.39	3.13	
Thymol	BP	0.35	2.77	
Thymol Mouth Wash Compound	APF	0.03	0.21	1.82:100 mL
TINCTURES				
Belladonna	BP	0.06	0.46	4.06:100 mL
Benzoin Compound	BP	0.05	0.36	3.22:100 mL
Ipecacuanha	BP	0.09	0.69	6.10:100 mL
Lobelia Ethereal	BPC 73	0.13	1.01	8.99:100 mL
Opium	BP	0.25	2.01	17.87:100 mL
Orange	BP	0.05	0.37	3.32:100 mL
Stramonium	BP	0.06	0.51	4.56:100 mL
Titanium Dioxide	BP	0.11	0.86	7.61:100 g
Triethanolamine	BP	0.09	0.73	6.45:100 mL
WATERS				
Anise Concentrated 1 in 40 (use as additive only)	BP	0.07	0.54	4.83:100 mL
Chlorbutol	APF 55	0.01	0.04	0.35:100 mL
Chloroform Concentrated 1 in 40	APF	0.03	0.23	2.05:100 mL
For Injections (b) (extemporaneously prepared eye drops and eye lotions)	BP	..	..	2.66:100 mL
Peppermint Concentrated 1 in 40 (use as additive only)	APF	0.07	0.53	4.69:100 mL
Purified	BP	0.01	0.02	0.14:100 mL
Wool Alcohols	BP	0.15	1.22	
Wool Fat	BP	0.04	0.29	2.53:100 g
Wool Fat Hydrous	BP	0.04	0.32	2.84:100 g
ZINC				
Oxide	BP	0.03	0.23	2.03:100 g
Sulphate	BP	0.19	1.50	13.34:100 g

CONTAINER PRICES

Container Sizes	Prices					
	N.S.W.	Victoria	Queensland	South Aust.	West Aust.	Tasmania
Dispensing Bottles—	\$	\$	\$	\$	\$	\$
25mL.....	0.26	0.24	0.29	0.33	0.35	0.25
50mL.....	0.28	0.29	0.32	0.41	0.34	0.28
100mL.....	0.34	0.30	0.45	0.51	0.53	0.32
200mL.....	0.46	0.50	0.64	0.64	0.65	0.45
400mL/500mL	0.79	0.88	1.57	1.17	1.11	0.93
Poison Bottles—						
25mL.....	0.35	0.36	0.38	0.46	0.46	0.39
50mL.....	0.35	0.40	0.38	0.48	0.51	0.43
100mL.....	0.38	0.45	0.42	0.54	0.57	0.49
200mL.....	0.48	0.61	0.64	0.76	0.64	0.65
400mL/500mL	0.68	0.69	0.72	0.82	1.04	0.75
Screw Cap Jars—						
25g.....	0.35	0.36	0.48	0.38	0.37	0.25
50g.....	0.47	0.41	0.59	0.48	0.33	0.36
100g.....	0.42	0.48	0.58	0.59	0.59	0.44
200g.....	0.49	0.56	0.87	0.87	1.55	0.87
400g/500g	0.57	1.06	1.06	1.06	1.55	1.06
Dropper Containers—						
15mL polythene.....	0.35	0.25	0.41	0.29	0.26	0.27
15mL glass	0.46	0.42	0.62	0.58	0.54	0.60

Professional Fee for Extemporaneously Prepared Benefits \$3.33

STANDARD FORMULAE PREPARATIONS

The following list is not intended to indicate in any way which particular formula an approved chemist should use in filling a prescription.

The prices shown in this section are for ingredients and professional fee only. The appropriate container price as shown on page 8 (section 4) is to be added to obtain the final recovery prices.

KEY TO REFERENCES

ACH	Adelaide Children's Hospital
APF	Australian Pharmaceutical Formulary
BP	British Pharmacopoeia
BPC	British Pharmaceutical Codex
PL	Prescribers' List
QHF	Queensland Hospital Formulary
RMH	Royal Melbourne Hospital

Code	Item	Reference	Max. Qty Price \$
	<u>CREAMS</u> MAXIMUM QUANTITY 100g, 1 Repeat		
7655X	Aluminium Acetate Oily	PL & APF	5.05
7913L	Aqueous	PL, APF & BP	5.25
7495L	Buffered	BP	4.60
7503X	Buffered Aqueous	PL & APF	4.69
7377G	Calamine Aqueous	PL, APF & BP	4.72
7659D	Calamine Oily	PL & APF	7.27
7497N	Cetomacrogol Aqueous	PL & APF	4.83
7498P	Cetomacrogol (Formula A)	BP	5.00
7660E	Cetrimide	BP	5.33
7661F	Cetrimide Aqueous	PL & APF	5.33
7490F	Chlorhexidine 1%	BP	6.91
7490F	Chlorhexidine Aqueous	PL & APF	6.91
7500R	Clioquinol	BP	10.18
7504Y	Clioquinol Aqueous	APF	9.98
7318E	Coal Tar and Zinc Oily	PL & APF	5.95
7499Q	Cold	PL & APF	5.07
7664J	Glycerol Oily	PL & APF	4.71
7666L	Ichthammol and Zinc Oily	PL & APF	7.19
9555X	Oily	PL & APF	4.74
7892J	Salicylic Acid and Resorcinol Aqueous	PL & APF	6.17
7501T	Salicylic Acid and Sulphur	BP	5.33
7501T	Salicylic Acid and Sulphur Aqueous	PL & APF	5.33
7897P	Zinc	BP	5.16
7376F	Zinc and Ichthammol	BP	6.67
7667M	Zinc Oily	PL & APF	5.91
7654W	Zinc Weak	PL	4.83
	<u>DUSTING POWDERS</u> MAXIMUM QUANTITY 100g, 1 Repeat		
7474J	Kaolin Compound	APF	6.34
7473H	Talc	APF & BP	6.78
9868J	Zinc and Salicylic Acid	BPC 68	5.37
7458M	Zinc, Starch and Talc	PL, APF & BPC 73	6.39
	<u>EAR DROPS</u> MAXIMUM QUANTITY 15mL, 2 Repeats		
7544C	Acetic Acid	APF	3.41
7642F	Aluminium Acetate	PL & APF	3.62
7487C	Chlorhexidine	PL & APF	3.47
7645J	Ichthammol	PL & APF	4.74
7315B	Salicylic Acid	PL & APF	3.43
7314Y	Sodium Bicarbonate	PL, APF & BP	3.45
7313X	Spirit	PL & APF	3.40
8204T		BPC 73	3.53
	<u>ELIXIR</u> MAXIMUM QUANTITY 100mL, 4 Repeats		
7949J	Rubrum	APF	6.28
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	<u>EYE DROPS OF COCAINE</u> MAXIMUM QUANTITY 15mL, No Repeats		
7589K	Cocaine Strong	APF	28.80
7321H	Cocaine and Homatropine	BPC 73	20.92
7647L	Homatropine and Cocaine	APF	20.93
	<u>EYE DROPS OF PILOCARPINE</u> MAXIMUM QUANTITY 15mL, 6 Repeats		
8263X	Pilocarpine	APF 55	8.43
	<u>EYE DROPS, OTHER</u> MAXIMUM QUANTITY 15mL, 2 Repeats		
7396G	Homatropine	APF	12.42
7416H	Zinc Sulphate	APF	6.10
	<u>EYE LOTIONS</u> MAXIMUM QUANTITY 200mL, 1 Repeat		
8416Y	Boric Acid	ACH	8.85
7363M	Sodium Bicarbonate	APF	8.72
8418C	Sodium Chloride	BP	8.69
	<u>GARGLE</u> MAXIMUM QUANTITY 200mL, 4 Repeats		
7453G	Thymol Compound	APF	6.97
	<u>GLYCERIN</u> MAXIMUM QUANTITY 100mL, 1 Repeat		
8070R	Ichthammol	BPC 73	11.70
	<u>INHALATIONS</u> MAXIMUM QUANTITY 50mL, 1 Repeat		
7485Y	Benzoin	PL	5.13
8577K	Benzoin Compound	PL	6.07
7484X	Benzoin and Menthol	PL & APF	5.43
8579M	Menthol	APF	3.88
7310R	Menthol and Eucalyptus	PL & BP	4.08
7309Q	Menthol and Pine	PL & APF	4.65
	<u>INHALATION, SOLID</u> MAXIMUM QUANTITY 4g, 1 Repeat		
8072W	Menthol Crystals	BP	4.53
	<u>LINCTUS</u> MAXIMUM QUANTITY 100mL, 2 Repeats		
7536P	Menthol	APF 64	4.79
	<u>LINIMENTS</u> MAXIMUM QUANTITY 100mL, 1 Repeat		
7480Q	Methyl Salicylate Compound	PL & APF	6.72
7419L	Turpentine	BP	5.65
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	<u>LOTIONS</u> MAXIMUM QUANTITY 200mL, 2 Repeats		
7709R	Aluminium Acetate Aqueous	APF	3.87
7629M	Calamine	PL, APF & BP	5.27
7630N	Calamine Oily	PL, APF & BP	5.17
7710T	Formaldehyde	APF	3.72
8793T	Resorcinol Compound	PL & APF	6.68
7706N	Salicylic Acid	APF & BP	6.86
7712X	Salicylic Acid and Coal Tar	APF	4.89
7632Q	Sodium Thiosulphate	APF	4.73
7633R	Sulphurated	PL & APF	6.80
	<u>MIXTURES</u> MAXIMUM QUANTITY 200 mL, 4 Repeats		
7905C	Aspirin	PL & APF	5.35
7908F	Ferrous Sulphate	PL & APF	4.55
7604F	Gentian Alkaline	PL, APF & BP	5.12
7605G	Hydrochloric Acid	APF 69	8.21
7492H	Ipecacuanha and Squill	PL & APF	6.08
7348R	Kaolin	BPC 68	5.23
7301G	Kaolin and Opium	PL & APF	6.52
7347Q	Lobelia and Stramonium Compound	BPC 68	6.41
7346P	Magnesium Carbonate	BPC 68	4.19
7342K	Magnesium Trisilicate	BPC 68	4.51
7343L	Magnesium Trisilicate and Belladonna	BPC 68	4.94
7911J	Potassium Citrate	PL & APF	5.58
7932L	Potassium Citrate and Sodium Bicarbonate	PL & APF	4.89
7618Y	Potassium Iodide and Stramonium Compound	PL & APF	6.73
7933M	Sodium Citrate	PL & APF	5.78
7333Y	Stramonium and Potassium Iodide	BPC 73	5.56
	<u>MIXTURES FOR CHILDREN</u> MAXIMUM QUANTITY 100mL, 4 Repeats		
7783P	Aspirin	PL & APF	4.69
7441P	Asthma	ACH	5.20
7785R	Belladonna	PL & APF	4.56
7789Y	Ferrous Sulphate	PL & APF	4.26
7330T	Ipecacuanha	BPC 73	4.31
7493J	Ipecacuanha and Squill	PL & APF	4.32
7437K	Phenobarbitone	ACH	3.73
7791C	Potassium Citrate	PL & APF	4.59
7586G	Potassium Iodide	PL & APF	4.20
7792D	Sodium Citrate	PL & APF	4.69
	<u>MOUTH WASH</u> MAXIMUM QUANTITY 200mL, 1 Repeat		
7457L	Thymol Compound	APF	6.97
	<u>NASAL INSTILLATIONS</u> MAXIMUM QUANTITY 15mL, 2 Repeats		
7574P	Ephedrine	PL & APF	3.59
7576R	Glucose and Glycerol	PL & APF	3.69
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	OINTMENTS		
	MAXIMUM QUANTITY 100g, 1 Repeat		
9497W	Benzoic Acid Compound	PL, APF & BP	5.92
9519B	B.O.Z.	QHF	6.37
7915N	Calamine	BP	5.13
7916P	Cetomacrogol Emulsifying	BP	7.77
7917Q	Cetrimide Emulsifying	BP	7.31
7452F	Dithranol	APF	5.51
7452F	Dithranol 0.1%	BP	5.51
7451E	Dithranol 1%	BP	8.97
7451E	Dithranol Strong	APF 64	8.97
7918R	Emulsifying	PL, APF & BP	5.70
7938T	Hydrous (white)	BP	6.37
7939W	Hydrous (yellow)	BP	6.37
9557B	Hydrous Wool Fat	BPC 73	5.88
9559D	Ichthammol	BP	7.26
9576B	Methyl Salicylate	BP	7.52
9577C	Methyl Salicylate Compound	APF 34	7.03
7924C	Paraffin (white)	BP	7.16
7925D	Paraffin (yellow)	BP 68	7.16
9592W	Resorcinol and Sulphur Compound	PL & APF	6.57
7926E	Salicylic Acid	PL & APF	5.16
8022F		BP	7.20
7327P	Salicylic Acid and Sulphur	BPC 73	6.43
7927F	Simple (white)	PL, APF & BP	5.71
7930J	Simple (yellow)	BP	5.71
8060F	Sulphur	BP	7.92
7450D	Wool Alcohols	APF	5.37
7936Q	Wool Alcohols (white)	BP	5.66
7937R	Wool Alcohols (yellow)	BP	5.66
7896N	Zinc	PL, APF & BP	6.00
7899R	Zinc and Castor Oil	PL, APF & BP	5.47
7573N	Zinc and Coal Tar	APF	5.57
	PAINTS		
	MAXIMUM QUANTITY 25mL, 1 Repeat		
7780L	Cetrimide and Chlorhexidine	APF	3.57
7324L	Crystal Violet	BP	3.67
7842R	Formaldehyde and Salicylic Acid	APF	3.76
7562B	Ichthammol	PL & APF	5.68
7563C	Iodine	APF 64	4.44
7326N	Iodine Compound	BPC 68	4.16
7569J	Lactic and Salicylic Acid	APF	5.37
9770F	Magenta	PL & APF	5.73
7325M		BPC 73	4.77
7566F	Podophyllin	PL	5.67
7567G	Podophyllin Compound	PL, APF & BP	8.54
7568H	Salicylic Acid	PL & APF	4.78
	PASTES		
	MAXIMUM QUANTITY 100g, 1 Repeat		
7555P	Coal Tar and Zinc	PL & APF	6.24
9738M	Dithranol 0.1%	BP	7.26
9739N	Dithranol 1%	BP	10.71
9740P	Dithranol	PL & APF	7.26
7557R	Dithranol and Zinc Strong	APF 64	10.16
7323K	Resorcinol and Sulphur	BP	7.90
- CONTAINER RATES TO BE ADDED -			

Code	Item	Reference	Max. Qty Price \$
	<u>PASTES - cont.</u>		
9742R	Titanium Dioxide	PL & APF	6.31
9741Q	Zinc and Coal Tar	BP	5.94
7558T	Zinc Compound	PL, APF & BP	6.21
9767C	Zinc Oxide	RMH	5.66
7559W	Zinc and Salicylic Acid	PL & APF	6.23
9773J		BP	6.76
	<u>POWDER FOR INTERNAL USE</u>		
	<u>MAXIMUM QUANTITY 100g, 2 Repeats</u>		
9825D	Magnesium Trisilicate	BP	5.73
	<u>POWDER, IRRIGATION</u>		
	<u>MAXIMUM QUANTITY 100g, 1 Repeat</u>		
7546E	Alkaline Nasal Douche	APF	4.53
	<u>SOAPS</u>		
	<u>MAXIMUM QUANTITY 200mL, 1 Repeat</u>		
9896W	Spirit	BP	6.50
9897X	Spirit (Industrial Methylated)	BP	6.80
	<u>SOLUTIONS</u>		
	<u>MAXIMUM QUANTITY 200mL, 2 Repeats</u>		
7539T	Calcium Hypochlorite (Eusol)	APF	3.75
7922Y	Iodine Aqueous (Lugol's)	BP	17.25
7923B	Iodine Weak	BP	9.83
7540W	Soap Alcoholic	APF	5.97
	<u>SYRUP</u>		
	<u>MAXIMUM QUANTITY 100mL, 4 Repeats</u>		
7375E	Codeine	APF	5.90
	<u>TINCTURES</u>		
	<u>MAXIMUM QUANTITY 25mL, 1 Repeat</u>		
8073X	Belladonna	BP	4.48
8075B	Stramonium	BP	4.61
	<u>PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY</u>		
	<u>MIXTURES</u>		
	<u>MAXIMUM QUANTITY 200mL, No Repeats</u>		
7001L	Aspirin	APF	5.35
7002M	Aspirin APF with Codeine Phosphate 30mg per 10mL		7.63
	<u>MIXTURE FOR CHILDREN</u>		
	<u>MAXIMUM QUANTITY 100mL, No Repeats</u>		
7003N	Aspirin	APF	4.69
	- CONTAINER RATES TO BE ADDED -		

TABLE OF CODES, MAXIMUM QUANTITIES AND NUMBER OF REPEATS FOR EXTEMPORANEOUSLY PREPARED BENEFITS

Code	Preparation	Maximum Quantity	No. of Repeats
13Q	Creams	100g	1
48M	Dusting Powders	100g	1
15T	Ear Drops	15mL	2
16W	Elixirs	100mL	4
19B	Eye Drops of Cocaine	15mL	..
21D	Eye Drops of Pilocarpine	15mL	6
22E	Other Eye Drops	15mL	2
23F	Eye Lotions	200mL	1
25H	Gargles	200mL	4
28L	Glycerins	100mL	1
29M	Inhalations	50mL	1
37Y	Inhalations, Solid	4g	1
34T	Linctuses	100mL	2
38B	Liniments	100mL	1
39C	Lotions	200mL	2
40D	Mixtures	200mL	4
41E	Mixtures for Children	100mL	4
30N	Mouth Washes	200mL	1
42F	Nasal Instillations	15mL	2
43G	Ointments, Waxes	100g	1
44H	Paints	25mL	1
63H	Pastes of Cocaine	25g	..
45J	Other Pastes	100g	1
49N	Powders for Internal Use	100g	2
61F	Powders, Irrigation	100g	1
51Q	Soaps	200mL	1
52R	Solutions	200mL	2
55X	Syrups	100mL	4
56Y	Tinctures	25mL	1

SECTION 5—PRESCRIBERS' LIST

PRESCRIPTION

CREAMS

(Maximum Quantity 100g and 1 Repeat)

7655X ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution .	5	mL
Zinc Oxide	20	g
Wool Fat	25	g
Arachis Oil	25	mL
Purified Water, freshly boiled and cooled	27	mL

7913L AQUEOUS (APF, BP)

Emulsifying Ointment	30	g
Phenoxyethanol	1	g
Purified Water, freshly boiled and cooled to	100	g

7503X BUFFERED, AQUEOUS (APF)

Sodium Phosphate	2.5	g
Citric Acid Monohydrate	500	mg
Chlorocresol	100	mg
Glycerol	5	mL
Emulsifying Ointment	30	g
Purified Water, freshly boiled and cooled to	100	g

7377G CALAMINE, AQUEOUS (APF, BP)

Calamine	4	g
Zinc Oxide	3	g
Emulsifying Wax	6	g
Arachis Oil	30	g
Purified Water, freshly boiled and cooled to	100	g

7659D CALAMINE, OILY (APF)

Calamine	32	g
Oleic Acid	0.5	mL
Arachis Oil	21.5	mL
Wool Fat	17.5	g
Calcium Hydroxide Solution .	30.5	mL

7497N CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax	15	g
Liquid Paraffin	10	g
White Soft Paraffin	10	g
Chlorocresol	100	mg
Propylene Glycol	5	mL
Purified Water, freshly boiled and cooled to	100	g

PRESCRIPTION

7661F CETRIMIDE, AQUEOUS (APF)

Cetrimide	500	mg
Chlorocresol	100	mg
Cetostearyl Alcohol	5	g
Liquid Paraffin	50	g
Purified Water, freshly boiled and cooled to	100	g

7490F CHLORHEXIDINE, AQUEOUS (APF) (Chlorhexidine 1% BP)

Chlorhexidine Gluconate Solution	5	mL
Cetomacrogol Emulsifying Wax	25	g
Liquid Paraffin	10	g
Purified Water, freshly boiled and cooled to	100	g

7318E COAL TAR and ZINC, OILY (APF)

Coal Tar	1	g
Castor Oil	1	g
Zinc Cream Oily, APF	98	g

7499Q COLD (APF)

White Beeswax	17	g
Liquid Paraffin	45	g
Borax	1	g
Purified Water, freshly boiled and cooled	37	mL

7664J GLYCEROL, OILY (APF)

Glycerol	20	g
Calcium Hydroxide Solution .	32	mL
Arachis Oil	22	g
Wool Fat	26	g

7666L ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol	5	g
Wool Fat	15	g
Zinc Cream Oily, APF	80	g

9555X OILY (APF)

Wool Alcohols Ointment, APF	50	g
Phenoxyethanol	1	g
Dried Magnesium Sulphate ...	500	mg
Purified Water, freshly boiled and cooled to	100	g

7892J SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

Salicylic Acid	2	g
Resorcinol	2	g
Aqueous Cream, APF to	100	g

PRESCRIPTION

CREAMS—continued

7501T SALICYLIC ACID and SULPHUR, AQUEOUS (APF)			
(Salicylic Acid and Sulphur BP)			
Salicylic Acid	2	g	
Precipitated Sulphur	2	g	
Aqueous Cream, to	100	g	
7667M ZINC, OILY (APF)			
Zinc Oxide	32	g	
Oleic Acid	0.5	mL	
Arachis Oil	21.5	mL	
Wool Fat	17.5	g	
Calcium Hydroxide Solution .	30.5	mL	
7654W ZINC, WEAK (PL)			
Zinc Oxide	5	g	
Oleic Acid	0.5	mL	
Arachis Oil	38.5	mL	
Wool Fat	25	g	
Calcium Hydroxide Solution .	34.5	mL	

DUSTING POWDER

(Maximum Quantity 100g and 1 Repeat)

7458M ZINC, STARCH and TALC (APF)			
Zinc Oxide	25	g	
Starch	25	g	
Purified Talc, sterilised	50	g	

EAR DROPS

(Maximum Quantity 15mL and 2 Repeats)

7642F ALUMINIUM ACETATE (APF)			
Aluminium Acetate Solution .	9	mL	
Purified Water, freshly boiled and cooled to	15	mL	
7487C CHLORHEXIDINE (APF)			
Chlorhexidine Acetate	7.5	mg	
Purified Water, freshly boiled and cooled to	15	mL	
7645J ICHTHAMMOL (APF)			
Ichthammol	10	g	
Glycerol	90	g	
7315B SALICYLIC ACID (APF)			
Salicylic Acid	300	mg	
Ethanol (90 per cent)	7.5	mL	
Purified Water, freshly boiled and cooled to	15	mL	

PRESCRIPTION

7314Y SODIUM BICARBONATE (APF, BP)

Sodium Bicarbonate	750	mg
Glycerol	4.5	mL
Purified Water, freshly boiled and cooled to	15	mL

7313X SPIRIT (APF)

Ethanol (90 per cent)	7.5	mL
Purified Water, freshly boiled and cooled to	15	mL

INHALATIONS

(Maximum Quantity 50mL and 1 Repeat)

7485Y BENZOIN (PL)

Benzoin Tincture, Compound	50	mL
----------------------------	----	----

8577K BENZOIN, COMPOUND (PL)

Menthol	1	g
Oil of Siberian Fir	2.5	mL
Benzoin Tincture, Compound to	50	mL

7484X BENZOIN and MENTHOL (APF)

Menthol	1	g
Benzoin Tincture, Compound to	50	mL

7310R MENTHOL and EUCALYPTUS (BP)

Menthol	1	g
Eucalyptus Oil	5	mL
Light Magnesium Carbonate .	3.5	g
Purified Water to	50	mL

7309Q MENTHOL and PINE (APF)

Menthol	1	g
Pumilio Pine Oil	2.5	mL
Ethanol (90 per cent) to	50	mL

LINIMENT

(Maximum Quantity 100mL and 1 Repeat)

7480Q METHYL SALICYLATE, COMPOUND (APF)

Menthol	4	g
Eucalyptus Oil	10	mL
Methyl Salicylate	25	mL
Arachis Oil to	100	mL

PRESCRIPTION

LOTIONS

(Maximum Quantity 200mL and 2 Repeats)

7629M CALAMINE (APF, BP)

Calamine	30	g
Zinc Oxide	10	g
Bentonite, sterilised	6	g
Sodium Citrate	1	g
Liquefied Phenol.....	1	mL
Glycerol	10	mL
Purified Water, freshly boiled and cooled to	200	mL

7630N CALAMINE, OILY (APF, BP)

Calamine	10	g
Wool Fat	2	g
Arachis Oil	100	mL
Oleic Acid	1	mL
Calcium Hydroxide Solution to	200	mL

8793T RESORCINOL, COMPOUND (APF)

Resorcinol	5	g
Solvent Ether	5	mL
Castor Oil	5	mL
Spike Lavender Oil.....	0.2	mL
Ethanol (90 per cent) to	200	mL

7633R SULPHURATED (APF)

Zinc Sulphate	10	g
Sulphurated Potash	10	g
Acetone.....	10	mL
Glycerol	10	mL
Spike Lavender Oil.....	0.4	mL
Purified Water, freshly boiled and cooled to	200	mL

MIXTURES

(Maximum Quantity 200mL and 4 Repeats)

7905C ASPIRIN (APF)

Aspirin	500	mg
Compound Tragacanth Powder	250	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

7908F FERROUS SULPHATE (APF)

Ferrous Sulphate	300	mg
Ascorbic Acid	10	mg
Orange Syrup, APF	0.5	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

PRESCRIPTION

7604F GENTIAN, ALKALINE (APF, BP)

Concentrated Compound Gentian Infusion	1	mL
Sodium Bicarbonate	500	mg
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

7492H IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture.....	0.25	mL
Compound Camphor Spirit ..	1	mL
Tolu Syrup	1	mL
Squill Oxymel	1	mL
Concentrated Chloroform Water	0.15	mL
Concentrated Anise Water ...	0.15	mL
Purified Water to	10	mL

7301G KAOLIN and OPIUM (APF)

Light Kaolin or Light Kaolin (Natural)	2.5	g
Alum	10	mg
Opium Tincture	0.5	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

7911J POTASSIUM CITRATE (APF)

Potassium Citrate	2	g
Citric Acid Monohydrate	400	mg
Lemon Syrup, APF	1	mL
Concentrated Chloroform Water	0.2	mL
Purified Water to	10	mL

7932L POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate	1	g
Sodium Bicarbonate	750	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water	0.2	mL
Purified Water to	10	mL

7618Y POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)
Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	250	mg
Stramonium Tincture	0.5	mL
Lobelia Tincture, Ethereal ...	0.5	mL
Aromatic Ammonia Spirit....	0.5	mL
Liquorice Liquid Extract.....	0.5	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

PRESCRIPTION

MIXTURES—*continued*

7933M SODIUM CITRATE (APF)

Sodium Citrate	2	g
Citric Acid Monohydrate	400	mg
Lemon Syrup, APF	1	mL
Concentrated Chloroform		
Water	0.2	mL
Purified Water to	10	mL

NASAL INSTILLATIONS

(Maximum Quantity 15mL and 2 Repeats)

7574P EPHEDRINE (APF)

Ephedrine Hydrochloride	150	mg
Chlorbutol	75	mg
Sodium Chloride	75	mg
Propylene Glycol	0.75	mL
Purified Water, freshly boiled and cooled to	15	mL

7576R GLUCOSE and GLYCEROL (APF)

Glucose	3	g
Glycerol to	15	mL

OINTMENTS

(Maximum Quantity 100g and 1 Repeat)

9497W BENZOIC ACID, COMPOUND
(APF, BP)

Benzoic Acid, in fine powder .	6	g
Salicylic Acid, in fine powder	3	g
Emulsifying Ointment	91	g

7918R EMULSIFYING (APF, BP)

Emulsifying Wax	30	g
White Soft Paraffin	50	g
Liquid Paraffin	20	g

9592W RESORCINOL and SULPHUR,
COMPOUND (APF)

Resorcinol	2	g
Precipitated Sulphur	3	g
Salicylic Acid	1	g
White Simple Ointment	94	g

7926E SALICYLIC ACID (APF)

Salicylic Acid	2	g
Wool Alcohols Ointment, APF	98	g

7927F SIMPLE (APF, BP)

(White Simple Ointment)

Wool Fat	5	g
Hard Paraffin	5	g
Cetostearyl Alcohol	5	g
White Soft Paraffin	85	g

PRESCRIPTION

7899R ZINC and CASTOR OIL (APF, BP)

Zinc Oxide	7.5	g
Castor Oil	50	g
Cetostearyl Alcohol	2	g
White Beeswax	10	g
Arachis Oil	30.5	g

7896N ZINC OXIDE (APF)

(Zinc BP)

Zinc Oxide	15	g
White Simple Ointment	85	g

PAINTS

(Maximum Quantity 25mL and 1 Repeat)

7562B ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

9770F MAGENTA (APF)

Magenta	100	mg
Resorcinol	2	g
Phenol	1	g
Boric Acid	200	mg
Ethanol (90 per cent)	2.125	mL
Acetone	1	mL
Purified Water to	25	mL

7566F PODOPHYLLIN (PL)

Podophyllum Resin	1.25	g
Benzoin Tincture, Compound to	25	mL

7567G PODOPHYLLIN, COMPOUND
(APF, BP)

Podophyllum Resin	3.75	g
Benzoin Tincture, Compound to	25	mL

7568H SALICYLIC ACID (APF)

Salicylic Acid	2.5	g
Flexible Collodion to	25	mL

PASTES

(Maximum Quantity 100g and 1 Repeat)

7555P COAL TAR and ZINC (APF)

Coal Tar	1	g
Castor Oil	1	g
Compound Zinc Paste	98	g

 PRESCRIPTION

PASTES—*continued*

9740P DITHRANOL (APF)

Dithranol	100	mg
Zinc and Salicylic Acid Paste ..	99.9	g

9742R TITANIUM DIOXIDE (APF)

Titanium Dioxide	20	g
Calamine	25	g
Light Kaolin or Light Kaolin (Natural)	10	g
Bentonite, sterilised	1	g
Chlorocresol	100	mg
Glycerol	15	g
Purified Water, freshly boiled and cooled to	100	g

 PRESCRIPTION

7558T ZINC, COMPOUND (APF, BP)

Zinc Oxide	25	g
Starch	25	g
White Soft Paraffin	50	g

7559W ZINC and SALICYLIC ACID (APF)

Salicylic Acid	2	g
Liquid Paraffin	2	g
Compound Zinc Paste	96	g

SECTION 5—PRESCRIBERS' LIST—CHILDREN'S SECTION

PRESCRIPTION			
MIXTURES			
(Maximum Quantity 100mL and 4 Repeats)			
7783P ASPIRIN (APF)			
Aspirin	150	mg	
Compound Tragacanth			
Powder	100	mg	
Raspberry Syrup	1	mL	
Concentrated Chloroform			
Water	0.1	mL	
Purified Water to	5	mL	
7785R BELLADONNA (APF)			
Belladonna Tincture	0.1	mL	
Orange Syrup, APF	1	mL	
Glycerol	1	mL	
Benzoic Acid Solution	0.1	mL	
Purified Water to	5	mL	
7789Y FERROUS SULPHATE (APF)			
Ferrous Sulphate	100	mg	
Ascorbic Acid	5	mg	
Orange Syrup, APF	1	mL	
Concentrated Chloroform			
Water	0.1	mL	
Purified Water to	5	mL	

PRESCRIPTION			
7493J IPECACUANHA and SQUILL (APF)			
Ipecacuanha Tincture	0.1	mL	
Compound Camphor Spirit ..	0.25	mL	
Squill Oxytel	1	mL	
Purified Water to	5	mL	
7791C POTASSIUM CITRATE (APF)			
Potassium Citrate	1	g	
Citric Acid Monohydrate	200	mg	
Lemon Syrup, APF	1	mL	
Concentrated Chloroform			
Water	0.1	mL	
Purified Water to	5	mL	
7586G POTASSIUM IODIDE (APF)			
Potassium Iodide	100	mg	
Liquorice Liquid Extract	0.25	mL	
Aromatic Ammonia Spirit....	0.1	mL	
Concentrated Chloroform			
Water	0.1	mL	
Purified Water to	5	mL	
7792D SODIUM CITRATE (APF)			
Sodium Citrate	1	g	
Citric Acid Monohydrate	200	mg	
Lemon Syrup, APF	1	mL	
Concentrated Chloroform			
Water	0.1	mL	
Purified Water to	5	mL	

CHILDREN'S SECTION

SECTION 6—CONTAINER PRICES, FEES, STANDARD PACKS AND PRICES, FOR READY PREPARED PREPARATIONS

CONTAINER PRICES FOR QUANTITIES OF READY PREPARED PREPARATIONS LESS THAN MAXIMUM

Injectibles	150mL vial, 31c
Other items	25mL vial, 12c
(The 25mL is the most commonly used size)	

Fees—

Ready prepared professional fee \$2.30

Dangerous drug fee \$1.35

NOTE:—Standard packs and prices (including mark up, but without professional fee and dangerous drug fee) are for items against the price of which an asterisk (*) is shown in the Schedule.

(Apply wastage factor in calculating broken quantity prices)

2

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
3073R	Amino Acid Formula with Vitamins and Minerals without Phenylalanine	200g	1 @ 31.25	SJ
3071P	Amino Acid Formula without Phenylalanine	250g	1 @ 79.40	SJ
3072Q		250g	1 @ 97.30	SJ
1059R	Amylobarbitone Sodium	500mg	1 @ 3.13	LY
1980F	Antivenom - Red Back Spider	500 Units	1 @ 57.28	CS
2362H	Benztropine	2mg	100 @ 5.06	MK
2647H	Benzylpenicillin	3g	5 @ 12.19	CS, GL
2648J		6g	1 @ 3.75	CS
1062X	Bethanechol	10mg	50 @ 3.53	MK
1071J		5mg in 1mL	1 @ 2.50	MK
1085D	Cefotaxime	1g	1 @ 13.13	RL
1086E		2g	1 @ 25.00	RL
2964B	Cephalothin Sodium	1g	1 @ 4.58	GL, LY
1256D	Cephazolin Sodium	500mg	1 @ 4.18	LY
1257E		1g	1 @ 7.94	LY
1163F	Chlorambucil	2mg	25 @ 11.81	BW
1164G		5mg	25 @ 14.38	BW
1167K	Chloramphenicol	1g	1 @ 4.91	PD
1185J	Chloroquine	5mL	10 @ 9.25	MB
3021B	Cholera Vaccine	1mL	1 @ 1.88	CS
2967E	Cholestyramine	9g sachet (equiv. to 4g cholestyramine)	1 @ 21.84	AP
1222H	Codeine Phosphate with Aspirin	30mg-325mg	50 @ 5.38	BW
2621Y	Colistin	150mg	1 @ 16.50	WW
1228P	Copper Sulphate	Tablets	1 @ 2.23	AM
1798P	Cyproheptadine	4mg	50 @ 2.25	FR
2910E	Cytarabine	100mg set	1 @ 8.28	UP
2129C	Desmopressin	100mcg per mL, 2.5mL	1 @ 24.38	PT
1333E	Diloxanide Furoate	500mg	15 @ 4.28	BT
1125F	Diocetyl Sodium Sulphosuccinate with Bisacodyl	100mg-10mg, 5	1 @ 1.53	FM
1344R	Diphtheria Antitoxin	10,000 Units	1 @ 27.50	CS
1341N	Diphtheria and Tetanus Vaccine Adsorbed	0.5mL	1 @ 1.81	CS
3019X	Diphtheria and Tetanus Vaccine Adsorbed, Diluted for Adult Use	0.5mL	1 @ 1.81	CS
1346W	Diphtheria, Tetanus and Pertussis Vaccine, Adsorbed	0.5mL	1 @ 1.76	CS, PD
1348Y	Diphtheria Vaccine, Adsorbed	0.5mL	1 @ 2.13	CS
3020Y	Diphtheria Vaccine, Adsorbed, Diluted for Adult Use	0.5mL	1 @ 2.06	CS
1398N	Erythromycin Lactobionate	300mg	1 @ 4.25	AB
3166P	Ethinodiol Diacetate with Ethinylloestradiol	500mcg-50mcg	1 @ 1.69	SR
3167Q		1mg-50mcg	1 @ 1.69	SR
2447T		Tablet-Pack	1 @ 1.69	SR
3168R		Tablet-Pack	1 @ 1.69	SR
1436N	Folic Acid	15mg in 1mL	5 @ 2.81	AB
2699C	Gas Gangrene Antitoxin - Mixed (Polyvalent)	25,000 Units	1 @ 45.00	CS

(Apply wastage factor in calculating broken quantity prices)

3

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1053K	Heparin Calcium	12,500 Units in 0.5mL	1 @ 3.44	CS
1054L		25,000 Units in 1mL	1 @ 4.46	CS
1468G	Heparin Sodium	25,000 Units in 5mL	1 @ 4.46	CS,WP
1076P		35,000 Units in 35mL	1 @ 8.26	CS,WP
1502C	Hydrocortisone Acetate	25g	1 @ 16.20	SV
1501B	Hydrocortisone Sodium Succinate	100mg set	1 @ 3.05	NR
			1 @ 3.09	GL,UP
1710B	Insulin (bovine)	100 Units per mL, 10mL	1 @ 10.31	CN
1530M		300 Units per mL, 5mL	1 @ 12.64	CN
1723Q	Insulin Biphasic (mixed porcine/bovine)	100 Units per mL, 10mL	1 @ 10.94	CN
1711C	Insulin Isophane (N.P.H.) (bovine)	100 Units per mL, 10mL	1 @ 10.31	CN,WP
1712D	(porcine)	100 Units per mL, 10mL	1 @ 10.94	BW,CN
1427D	Insulin Isophane (N.P.H.)-Insulin Neutral, (Mixed) (porcine)	100 Units (70 Units-30 Units) per mL, 10mL	1 @ 10.94	BW
1713E	Insulin Neutral (bovine)	100 Units per mL, 10mL	1 @ 10.31	WP
1714F	(porcine)	100 Units per mL, 10mL	1 @ 10.94	BW,CN
1715G	Insulin Protamine Zinc (bovine)	100 Units per mL, 10mL	1 @ 10.31	CN
1716H	Insulin Zinc Suspension (bovine)	100 Units per mL, 10mL	1 @ 10.31	CN
1717J	(porcine)	100 Units per mL, 10mL	1 @ 10.94	CN
1719L	Insulin Zinc Suspension (Amorphous) (bovine)	100 Units per mL, 10mL	1 @ 10.31	BW,CN
1720M	Insulin Zinc Suspension (Amorphous) (porcine)	100 Units per mL, 10mL	1 @ 10.94	CN
1721N	Insulin Zinc Suspension (Crystalline) (bovine)	100 Units per mL, 10mL	1 @ 10.31	CN
2913H	Levonorgestrel	30mcg	1 @ 1.69	SC,WY
1455N	Levonorgestrel with Ethinylloestradiol	125mcg-50mcg	1 @ 1.69	SC
1393H		150mcg-30mcg	1 @ 1.69	SC,WY
3186Q		250mcg-50mcg	1 @ 1.69	SC,WY
1456P		Tablet-Pack	1 @ 1.69	SC
1394J		Tablet-Pack	1 @ 1.69	SC,WY
3188T		Tablet-Pack	1 @ 1.69	SC,WY
1457Q		Tablet-Pack	1 @ 1.69	WY
1458R		Tablet-Pack	1 @ 1.69	SC,WY
1391F		Tablet-Pack	1 @ 1.69	SC,WY
1392G		Tablet-pack	1 @ 1.69	SC,WY

(Apply wastage factor in calculating broken quantity prices)

4

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
2401J	Lypressin	50 Units per mL, 5mL	1 @ 6.45	SZ
2547C	Melphalan	2mg	25 @ 13.48	BW
2548D		5mg	25 @ 23.09	BW
1598D	Mercaptopurine	50mg	25 @ 20.55	BW
1612W	Methdilazine	4mg	50 @ 1.93	GL
1613X		8mg	50 @ 2.06	GL
1620G	Methenolone Acetate	5mg	50 @ 9.00	SC
2393Y	Methotrexate	5mg	1 @ 4.25	LE
2396D		5mg in 2mL	1 @ 8.94	LE
2394B		50mg	1 @ 12.44	LE
2395C		50mg in 2mL	1 @ 11.69	LE
1325R	Metoprolol	100mg	30 @ 5.23	AP
1284N	Milk Powder - Lactose Modified	500g	1 @ 5.80	SJ
1283M	Milk Powder - Low Lactose Formula	500g	1 @ 5.80	SJ
3092R	Milk Powder - Synthetic	397g	1 @ 10.83	KY
1637E		454g	1 @ 11.51	KY
2685H		454g	1 @ 28.44	KY
1924G	Mithramycin	2.5mg	1 @ 21.88	PF
1681L	Niclosamide	500mg	4 @ 2.54	BN
1967M	Norethisterone	350mcg	1 @ 1.69	ET,SD
2772X	Norethisterone with Ethinylloestradiol	500mcg-35mcg	1 @ 1.69	ET,SD
2773Y		1mg-35mcg	1 @ 1.69	SD
2774B		Tablet-Pack	1 @ 1.69	ET,SD
2775C		Tablet-Pack	1 @ 1.69	SD
2776D		Tablet-Pack	1 @ 1.69	SD
3176E	Norethisterone with Mestranol	1mg-50mcg	1 @ 1.69	ET,SD
3179H		Tablet-Pack	1 @ 1.69	SD
3180J	Norethisterone Acetate with Ethinylloestradiol	1mg-50mcg	1 @ 1.69	SC
3183M		Tablet-Pack	1 @ 1.69	PD,SC
3184N		Tablet-Pack	1 @ 1.69	PD
1442X	Norgestrel with Ethinylloestradiol	500mcg-50mcg	1 @ 1.69	SC
3187R		500mcg-50mcg	1 @ 1.69	SC,WY
3189W		Tablet-Pack	1 @ 1.69	SC
2410W	Peritoneal Dialysis Solution	1.36% Anhydrous Glucose, 1L	1 @ 2.75	AB
3192B		3.86% Anhydrous Glucose, 1L	1 @ 2.75	AB
1707W	Phenethicillin	250mg	25 @ 2.75	SI
1709Y		250mg	25 @ 2.75	CS,SI
1702N	Phenoxymethylpenicillin	125mg	25 @ 2.05	AB,CS
1703P		250mg	25 @ 2.38	AB,CS,FM, LY,SI
1705R		250mg	25 @ 2.38	AB,CS,FA,FM, LY,SI
1865E	Phenylalanine Low Content Formula	2.5 lb	1 @ 56.25	MJ
1901C	Plague Vaccine	0.5mL	1 @ 4.38	CS
1919B	Prednisolone Acetate	10mg in 1mL	1 @ 2.06	SC
1920C	Prednisolone Sodium Phosphate	20mg in 100mL	7 @ 16.20	GL
2554K		5mg, 10	1 @ 5.31	GL
1941E	Procainamide	100mg per mL, 10mL	1 @ 2.81	SO
2893G	Prochlorperazine	5mg	100 @ 3.06	PT
1948M	Promethazine	50mg in 2mL	100 @ 3.13	MB,SK
2830Y	Propranolol	1mg in 1mL	5 @ 1.63	BL
3056W	Protein Hydrolysate Formula without Phenylalanine	200g	10 @ 9.45	IC
			1 @ 37.00	SJ

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
1987N	Rolitetracycline	I.V. 275mg	1 @ 4.85	HP
1990R		I.M. 350mg	1 @ 4.85	HP
2013Y	Sodium Aurothiomalate	1mg	10 @ 17.69	MB
2015C		5mg	10 @ 21.79	MB
2016D	Sodium Bicarbonate	10mg	10 @ 26.58	MB
3015Q		8.4%, 100mL	1 @ 2.78	AB
1124E		20mg per 2mL	60 @ 21.88	FC
1261J		200mg	100 @ 19.14	RC
2289L		200mg (e.c.)	100 @ 19.14	RC
2291N	Soya Formula	200mg per 5mL, 200mL	1 @ 9.91	RC
2040J		375mL	1 @ 1.15	MJ
2039H		384mL	1 @ 1.15	RD
3130R		100,000 I.U.	1 @ 23.13	PS
2906Y	Streptokinase	250,000 I.U.	1 @ 38.39	HP
2962X		600,000 I.U.	1 @ 40.74	PS
2907B		750,000 I.U.	1 @ 82.75	PS
2093E		500mg	1 @ 97.34	HP
2096H	Sulphasalazine	500mg	100 @ 13.35	PS
		500mg (e.c.)	100 @ 13.35	PS
2115H	Testosterone Propionate	25mg in 1mL	3 @ 2.24	SC
2116J		50mg in 1mL	3 @ 3.90	SC
2127Y	Tetanus Vaccine, Adsorbed	0.5mL	1 @ 1.63	CS
3083G		500mcg in 1mL	1 @ 3.24	CG
2832C	Tetracosactrin	1mg in 1mL	1 @ 4.94	CG
2135J		250mg	25 @ 2.80	BZ(N), LE, UP
2152G	Tetracycline with Nystatin	250mg-250,000 Units	25 @ 2.80	AP, LE, SQ, UP
2146Y		250mg	25 @ 2.80	AP, CS, FM, HP, LE, SQ
2368P	Thiethylperazine	6.5mg (base) in 1mL	5 @ 2.90	SZ
2345K		15mg	1 @ 10.25	LE
1355H	Tobramycin Sulphate	40mg	1 @ 3.73	LY
1356J		80mg	1 @ 5.88	LY
2676W	Triglycerides, Medium Chain	400g	1 @ 14.28	NT
2686J		450g	1 @ 12.81	MJ
2679B		454g	1 @ 14.28	MJ
2800J		0.5mL	1 @ 1.66	CS
2195M	Typhoid Vaccine	1mL	1 @ 24.06	CS
3131T	Vancomycin	500mg	1 @ 15.84	LY
2197P	Vasopressin Tannate	5 Units in 1mL	5 @ 23.75	PD
2198Q	Vinblastine	10mg	1 @ 22.69	LY
2371T	Vincristine	1mg	1 @ 19.75	BL
			1 @ 19.94	LY

(Apply wastage factor in calculating broken quantity prices)

6

Code	Approved Name	Form/Strength	Pack and Price \$	Manufacturer
INTRAVENOUS INFUSIONS FOR INJECTION				
2305H	Dextran 40	10%-5%, 500mL	1 @ 13.98	FC
3199J	Electrolyte Replacement Solution	1L	1 @ 3.73	AB,TV
2245E	Glucose	5%, 1L	1 @ 3.08	AB,TV
2247G		10%, 1L	1 @ 3.55	AB,TV
2249J		20%, 1L	1 @ 3.73	AB,TV
2251L		25%, 1L	1 @ 3.73	AB,TV
2252M		50%, 500mL	1 @ 3.09	AB
2264E	Sodium Chloride	0.9%, 1L	1 @ 3.08	AB,TV,VF(N)
2260Y		3%, 1L	1 @ 3.73	AB,TV
2262C		5%, 1L	1 @ 3.73	TV
2266G	Sodium Chloride Compound BPC 1959	1L	1 @ 3.58	AB,TV
2271M	Sodium Chloride and Glucose	0.9%-5%, 1L	1 @ 3.73	AB,TV
2278X		0.45%-2.5%, 500mL	1 @ 3.08	AB,TV
2279Y		0.225%-3.75%, 500mL	1 @ 3.08	AB,TV
2281C		0.18%-4%, 1L	1 @ 3.08	AB,TV
2282D		0.18%-4.3%, 1L	1 @ 3.15	AB
2284F	Sodium Lactate	1L	1 @ 3.66	VF
2286H	Sodium Lactate Compound	1L	1 @ 3.08	AB,TV
2288K	Sodium Lactate Compound and Anhydrous Glucose	5%, 1L	1 @ 3.73	AB,TV
2293Q	Standard Maintenance Fluid	500mL	1 @ 2.71	AB
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY				
3342X	Nystatin	500,000 Units	50 @ 7.75	GP,LE,SQ

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and
ileostomy use

(P & Q) Preparations available for use by
paraplegic and quadriplegic patients

Proprietary Name	Manu- fac- turer	Name
Abbecillin	AB	Penicillin Products
Abbecillin-V	AB	Phenoxymethylpenicillin
Abbecillin-VK	AB	Phenoxymethylpenicillin
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actacode	SI	Codeine Phosphate
Actal	WL	Aluminium Hydroxide Dried
Actidil	BW	Triprolidine
Actrapid MC	CN	Insulin Neutral
Actuss	SI	Pholcodine
Adacor	NN	Hydrocortisone
Adalat	BN	Nifedipine
Adaphol	NN	Pholcodine
Adaquin	NN	Quinine Sulphate
Adasone	NN	Prednisone
Adnisolone	NN	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Akineton	KN	Biperiden
Albalon-A	AG	Antazoline with Naphazoline
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albay Bee Venom	BN	Insect Allergen Extract - Honey Bee Venom
Albay Wasp Venom	BN	Insect Allergen Extract - Paper Wasp Venom
Albumaid XP	SJ	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spironolactone
Aldazine 10	AF	Thioridazine
Aldazine 25	AF	Thioridazine
Aldazine 50	AF	Thioridazine
Aldazine 100	AF	Thioridazine
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alepam 15	AF	Oxazepam
Alepam 30	AF	Oxazepam
Alfare	NT	Triglycerides, Medium Chain
Alinol	US	Allopurinol
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allergex	PT	Chlorpheniramine
Alloremed 100	DH	Allopurinol
Alloremed 300	DH	Allopurinol
Almacarb	GL	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Alodorm	AF	Nitrazepam
Alphapress 25	AF	Hydralazine Hydrochloride
Alphapress 50	AF	Hydralazine Hydrochloride
Alprim	AF	Trimethoprim
Alucone	DH	Aluminium Hydroxide with Magnesium Hydroxide

Proprietary Name	Manu- fac- turer	Name
Aludrox	WY	Aluminium Hydroxide with Magnesium Hydroxide
Alusorb	DH	Aluminium Hydroxide
Ames-BG	AM	Glucose Indicator - Blood
Aminogran F.S.	GL	Amino Acid Formula without Phenylalanine
Aminogran M.M.	GL	Mineral Mixture
Aminopt	SI	Aminacrine Hydrochloride
Amitrip	PT	Amitriptyline
Amizide	PT	Hydrochlorothiazide with Amiloride
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide
Amphotabs	WY	Aluminium Hydroxide Dried
Ampicyn	PT	Ampicillin
Amytal Sodium	LY	Amylobarbitone Sodium
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Ancolan	GL	Meclozine
Ancotil	RO	Flucytosine
Angilol	BM	Propranolol
Anginine Stabilised	BW	Glyceryl Trinitrate
Anpec 40	AF	Verapamil Hydrochloride
Anpec 80	AF	Verapamil Hydrochloride
Antadine	DT	Amantadine Hydrochloride
Antenex 2	AF	Diazepam
Antenex 5	AF	Diazepam
Anthel 125	AF	Pyrantel Embonate
Anthel 250	AF	Pyrantel Embonate
Anti-Naus	PT	Prochlorperazine
Antipres	PT	Guanethidine
Antipres M	PT	Guanethidine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	CG	Sulphinpyrazone
Anusol	WW	Zinc Oxide
Apresoline	CG	Hydralazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquadrate	NW	Urea
Aquamox	LE	Quinethazone
Arfonad	RO	Trimetaphan
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Arterioflexin	PT	Clofibrate
Arthrexin	AF	Indomethacin
Ascabiol	MB	Benzyl Benzoate
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T.10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna Alkaloids
Atrobel FORTE	FM	Belladonna Alkaloids
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate

Proprietary Name	Manufacturer	Name
Atrovent	BY	Ipratropium Bromide
Aureomycin	LE	Chlortetracycline
Austramycin-V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Avil	HP	Pheniramine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
Azide	FM	Chlorothiazide
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Barbloc 5	AF	Pindolol
Barbloc 15	AF	Pindolol
Baycaron	BN	Mefruside
Becotide	GL	Beclomethasone Dipropionate
Becotide Rotacaps	GL	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Benzide	PT	Bendrofluazide
Benzide M	PT	Bendrofluazide
Benzotran	PT	Oxazepam
Berotec	BY	Fenoterol Hydrobromide
Betacard	BR	Alprenolol
Betaloc	AP	Metoprolol
Betamin	US	Thiamine Hydrochloride
Betatabs-50	FM	Thiamine Hydrochloride
Betatabs-100	FM	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnovate 1/5	GL	Betamethasone Valerate
Betnovate 1/2	GL	Betamethasone Valerate
Bi-Chinine	DH	Quinine Bisulphate
Bicillin All Purpose	WY	Benzathine Penicillin Compound
Bicillin L-A	WY	Benzathine Penicillin
Biphasil 21	WY	Levonorgestrel with Ethinyloestradiol
Biphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Bi-Prin	BT	Aspirin
Biquin	NN	Quinine Bisulphate
Bi-Quinate	US	Quinine Bisulphate
Bisalax	PT	Bisacodyl
Bleph 10	AG	Sulphacetamide Sodium
Blocadren	FR	Timolol
BM-Test-BG	BO	Glucose Indicator - Blood
BM-Test-Glycemie 20-800	BO	Glucose Indicator - Blood
Brevinor	SD	Norethisterone with Ethinyloestradiol
Brevinor-1	SD	Norethisterone with Ethinyloestradiol
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Clopamide
Brondecon-PD	PD	Choline Theophyllinate
Brondecon Elixir-PD	PD	Choline Theophyllinate

Proprietary Name	Manu- fac- turer	Name
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	AP	Aspirin
Burinex	AP	Bumetanide
Buscopan	BY	Hyoscine Butylbromide
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine, Itobarbitone and Belladonna Alkaloids
Calcihep	WP	Heparin Calcium
Calciiparine	RC	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Caltrate	LE	Calcium
Camcolit	NE	Lithium Carbonate
Campholinct	DH	Camphor Compound
Canesten	BN	Clotrimazole
Canesten 1	BN	Clotrimazole
Canesten 3	BN	Clotrimazole
Capoten	SQ	Captopril
Caprin	CS	Heparin Calcium
Captol	PT	Oxprenolol
Capurate-100	FM	Allopurinol
Capurate-300	FM	Allopurinol
Carbapen	CS	Carbenicillin
Carbolith	DH	Lithium Carbonate
Cardinol	PT	Propranolol
Cardophyllin	HA	Aminophylline
Cardoquin	NN	Quinidine Sulphate
Catapres	BY	Clonidine
Catapres 100	BY	Clonidine
Ceetamol	PT	Paracetamol
Celestone	SH	Betamethasone
Celestone	SH	Betamethasone Acetate with Betamethasone Sodium Phosphate
Chronodose		
Celestone-M	SH	Betamethasone Valerate
Celestone-V	SH	Betamethasone Valerate
Half Strength		
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporex	GL	Cephalexin
Char-Bons	LF	Charcoal, Activated (C & I)
Chinine	DH	Quinine Sulphate
Chlomin	US	Chloramphenicol
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloromycetin	PD	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Palmitate		
Chloromycetin	PD	Chloramphenicol
Succinate		
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol

Proprietary Name	Manu- fac- turer	Name
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlorvescent	PT	Potassium Chloride
Chlotride	FR	Chlorothiazide
Choledyl	WW	Choline Theophyllinate
Cidomycin	RL	Gentamicin Sulphate
Cilamox	SI	Amoxycillin
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymethylpenicillin
Cilicaine VK	SI	Phenoxymethylpenicillin
Citralka	PD	Sodium Acid Citrate
Citravescent Sachets	PT	Sodium Citro-Tartrate
Claforan	RL	Cefotaxime
Cleensheen	FL	Maldison
Clinistix	AM	Glucose Indicator - Urine
Clinitest	AM	Copper Sulphate
Clinoril	FR	Sulindac
Codalgin	FM	Codeine Phosphate with Paracetamol
Codate	US	Codeine Phosphate
Codelix	DH	Codeine Phosphate
Codlin	NN	Codeine Phosphate
Codral Forte	BW	Codeine Phosphate with Aspirin
Cogentin	MK	Benztropine
Colestid	UP	Colestipol Hydrochloride
Colgout	PT	Colchicine
Colifoam	SV	Hydrocortisone Acetate
Colly-seels	DY	Sterculia (C & I)
Coloplast	ST	Sterculia (C & I)
Coloxyl	FM	Diocetyl Sodium Sulphosuccinate with Bisacodyl
Coluric	NN	Colchicine
Coly-Mycin	WW	Colistin with Neomycin
Ear Drops		
Coly-Mycin Injection	WW	Colistin
Compazine	SK	Prochlorperazine
Comycin	UP	Tetracycline with Nystatin
Convuline	PT	Carbamazepine
Cordarone X 200	RC	Amiodarone Hydrochloride
Cordilox	SC	Verapamil Hydrochloride
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cotazym	OR	Pancrelipase
Coumadin	DT	Warfarin
Cow & Gate MCT Oil	KY	Triglycerides, Medium Chain
Crystapen	GL	Benzylpenicillin
Cyclidox	PT	Doxycycline
Cyklokapron	PS	Tranexamic Acid
Cytadren	CG	Aminogluthethimide
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar-U	UP	Cytarabine

Proprietary Name	Manufacturer	Name
Daktarin	JP	Miconazole
Daktarin	JP	Miconazole Nitrate
Dalacin C	UP	Clindamycin
Danocrine	WL	Danazol
Dantrium	NW	Dantrolene Sodium
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
De-Lact Infant	SJ	Milk Powder - Low Lactose Formula
Delta-Cortef	UP	Prednisolone
Deltasolone	US	Prednisolone
Deltasone	US	Prednisone
De-Nol	PD	Tri-potassium Di-citrato Bismuthate Complex
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Deptran 10	AF	Doxepin
Deptran 25	AF	Doxepin
Deptran 50	AF	Doxepin
Deralin 10	AF	Propranolol
Deralin 40	AF	Propranolol
Deralin 160	AF	Propranolol
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "O"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Dexacillin	SQ	Epicillin
Dexamethsone	PT	Dexamethasone
Diabex	DF	Metformin
Diabinese	PF	Chlorpropamide
Diaformin	AF	Metformin
Diamicron	SE	Gliclazide
Diamox	LE	Acetazolamide
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator - Urine
Diatol	PT	Tolbutamide
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Digestelact	SJ	Milk Powder - Lactose Modified
Dihydergot	SZ	Dihydroergotamine
Dilantin	PD	Phenytoin
Dilantin Infatabs	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilosyn	GL	Methdilazine
Dimal	PT	Methyldopa
Dimetane	RS	Brompheniramine
Dindevan	GL	Phenindione
Dipramol	PT	Dipyridamole
Diprosone	SH	Betamethasone Dipropionate
Disipal	RK	Orphenadrine Hydrochloride
Diulo	SR	Metolazone

Proprietary Name	Manu- fac- turer	Name
Diuret	PT	Chlorothiazide
Diurone	US	Chlorothiazide
Dolobid	MK	Diffunisal
Donnatab	RS	Belladonna Alkaloids
Dormel	DH	Chloral Hydrate
Dormicum	PT	Nitrazepam
Doryx	FA	Doxycycline
Doxin	GP	Doxycycline
Doxylin 50	AF	Doxycycline
Doxylin 100	AF	Doxycycline
D-Penamine	DL	Penicillamine
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	ET	Lactulose
Duphaston	ET	Dydrogesterone
Durabolin	OR	Nandrolone Phenylpropionate
Duractin	CS	Cimetidine
Durolax	BY	Bisacodyl
Durolax Micro-Enema	BY	Bisacodyl (P & Q)
Duro-Tuss	RK	Pholcodine
Dyazide	SK	Hydrochlorothiazide with Triamterene
Dymadon	BW	Paracetamol
Dymadon Co.	BW	Codeine Phosphate with Paracetamol
Dytac	SK	Triamterene
Ecostatin	SQ	Econazole Nitrate
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
EES 200	AB	Erythromycin Ethylsuccinate
EES Dulcet	AB	Erythromycin Ethylsuccinate
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elix-Nocte Forte	NN	Chloral Hydrate
Elixophyllin	SC	Theophylline
Emsalin	DH	Methyl Salicylate
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin Stearate
Endep 10	AF	Amitriptyline
Endep 25	AF	Amitriptyline
Endep 50	AF	Amitriptyline
Endone	DT	Oxycodone Hydrochloride
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate
Epifrin	AG	Adrenaline
Epilim	RC	Sodium Valproate
Epilim EC	RC	Sodium Valproate
Eppy/N	BF	Adrenaline
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin Estolate
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin Ethylsuccinate
Erythrocin	AB	Erythromycin Lactobionate
Erythrocin	AB	Erythromycin Stearate

Proprietary Name	Manufacturer	Name
Esidrex	CG	Hydrochlorothiazide
Estigyn	GL	Ethinylloestradiol
Estradurin	AY	Polyestradiol
Ethamolin	GL	Ethanolamine Oleate
Eucerin	SN	Wool Alcohols
Euglucon	RC	Glibenclamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Euhypnos	SI	Temazepam
Eumydrin	WL	Atropine Methonitrate
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Fansidar	RO	Pyrimethamine with Sulfadoxine
Farlutal	FE	Medroxyprogesterone
Fasigyn	PF	Tinidazole
Fefol	SK	Ferrous Sulphate Dried with Folic Acid
Fenamine	FM	Pheniramine
Fenamine-M	FM	Pheniramine
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Gradumets	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Flagyl S	MB	Metronidazole Benzoate
Flophen	CS	Flucloxacillin
Florinef	SQ	Fludrocortisone Acetate
Floxapen	BR	Flucloxacillin
Flucon	AQ	Fluorometholone
Fluvax	CS	Influenza Vaccine
PML Liquifilm	AG	Fluorometholone
Folasic	NN	Folic Acid
Folicid	US	Folic Acid
Fucidin	SK	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	NW	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
Galactomin Formula 17	KY	Milk Powder - Synthetic
Galactomin Formula 19	KY	Milk Powder - Synthetic
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastrogel	FM	Aluminium Hydroxide with Magnesium Trisilicate and Magnesium Hydroxide
Gelox	PR	Aluminium Hydroxide
Gelusil	WW	Aluminium Hydroxide with Magnesium Hydroxide
Geopen Oral	PF	Carindacillin

Proprietary Name	Manu- fac- turer	Name
Glaucon	AQ	Adrenaline
Glucophage	RN	Metformin
Glucose Nutramigen	MJ	Nutramigen
Glyfosolix	DH	Glycerophosphate Compound
Gold-50	SH	Aurothioglucose
Granocol	SC	Bassorin with Frangula Bark
Griseostatin	SH	Griseofulvin
Grisfulvin 330	PT	Griseofulvin
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gyhe-Lotremin	SH	Clotrimazole
Gyno-Daktarin 7	JP	Miconazole Nitrate
Gyno-Travogen	SC	Isoconazole Nitrate
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histalert	RK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Hollihesive Skin Barrier	HO	Polyisobutylene (C & I)
Honvan	BC	Fosfestrol Sodium
Hostacycline P	HP	Tetracycline (Buffered)
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydrea	SO	Hydroxyurea
Hydrosone	US	Hydrocortisone
Hygroton	CG	Chlorthalidone
Hyperstat I.V.	SH	Diazoxide
Hypurin Isophane	WP	Insulin Isophane (N.P.H.)
Hypurin Neutral	WP	Insulin Neutral
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin Estolate
Ilotycin	LY	Erythromycin Gluceptate
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Imodium	JP	Loperamide Hydrochloride
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Infasoy	WY	Soya Formula
Inflam	PT	Ibuprofen
Insulatard Nordisk	BW	Insulin Isophane (N.P.H.)
Insulin 2	CN	Insulin
Intal	FC	Sodium Cromoglycate
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	NN	Thiamine Hydrochloride
Ismelin	CG	Guanethidine
Isomil	RD	Soya Formula

Proprietary Name	Manu- fac- turer	Name
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Isosorbide Dinitrate
Isordil Sublingual	AY	Isosorbide Dinitrate
Isotard MC	CN	Insulin Isophane (N.P.H.)
Isotrate	PD	Isosorbide Dinitrate
Isotrate Sublingual	PD	Isosorbide Dinitrate
Jectofer	AP	Iron Sorbitol
Kabikinase	PS	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide with Kaolin
Kaomagma	WY	Aluminium Hydroxide with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karaya Paste	HO	Sterculia (C & I)
Kay Ciel	SC	Potassium Chloride
Keflex	LY	Cephalexin
Keflin Neutral	LY	Cephalothin Sodium
Kefzol	LY	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator - Urine
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Klortee	PT	Chloramine (C & I)
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
Lacril	AG	Hypromellose
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amitriptyline
Lasix	HP	Furosemide
Lasix-M	HP	Furosemide
Ledermycin	LE	Demeclocycline Hydrochloride
Lente MC	CN	Insulin Zinc Suspension
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CG	Baclofen

Proprietary Name	Manu- fac- turer	Name
Liquifilm Forte	AG	Polyvinyl Alcohol
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CG	Flumethasone with Clioquinol
Vioform		
Locasol	KY	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Loniten	UP	Minoxidil
Lopresor	CG	Metoprolol
Lorexane	IC	Lindane
Lorexane Concentrate	IC	Lindane
Lotremin	SH	Clotrimazole
LPV	CS	Phenoxymethylpenicillin
LPV 125	CS	Phenoxymethylpenicillin
LPV 250	CS	Phenoxymethylpenicillin
Lyspafen	PT	Difenoxin Hydrochloride with Atropine Sulphate
M & B 693	MB	Sulphapyridine
Macrochantin	NW	Nitrofurantoin
Macrodex	PS	Dextran 70
Madopar	RO	Levodopa with Benserazide
Madopar-M	RO	Levodopa with Benserazide
Madopar Q	RO	Levodopa with Benserazide
Magnoplasim	FA	Magnesium Sulphate
Maloprim	BW	Pyrimethamine with Dapsone
Mandelamine	WW	Hexamine Mandelate
Mandelamine Hafgrams	WW	Hexamine Mandelate
Marevan	GL	Warfarin
Maxamaid XP	SJ	Amino Acid Formula with Vitamins and Minerals without Phenylalanine
Maxidex	AQ	Dexamethasone
Maxolon	BR	Metoclopramide Hydrochloride
Medrol	UP	Methylprednisolone
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Mestinon	RO	Pyridostigmine
Metamide	PT	Metoclopramide Hydrochloride
Methopa	US	Methyldopa
Methoprim	PT	Trimethoprim
Methopt	SI	Hypromellose
Methopt Forte	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metrozine	SR	Metronidazole
Mexitil	BY	Mexiletine Hydrochloride
Microgynon 30	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 30 ED	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50 ED	SC	Levonorgestrel with Ethinyloestradiol
Microlut 28	SC	Levonorgestrel
Micronor	ET	Norethisterone

Proprietary Name	Manu- fac- turer	Name
Microval 28	WY	Levonorgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milontin	PD	Phensuximide
Minipress	PF	Prazosin Hydrochloride
Minirin	PT	Desmopressin
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyloestradiol
Mintezol	MK	Thiabendazole
Mithracin	PF	Mithramycin
Mixtard Nordisk	BW	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
Modecate	SQ	Fluphenazine Decanoate
Modicon	ET	Norethisterone with Ethinyloestradiol
Moduretic	MK	Hydrochlorothiazide with Amiloride
Mogadon	RO	Nitrazepam
Moniarix	SK	Pneumococcal Vaccine, Polyvalent
Monistat 7	ET	Miconazole Nitrate
Monistat Derm	ET	Miconazole Nitrate
Monotard MC	CN	Insulin Zinc Suspension
Mortha	WH	Morphine with Tacrine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide with Magnesium Hydroxide and Oxethazaine
Mucomyst	AP	Acetylcysteine
Murelax	AY	Oxazepam
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide with Magnesium Hydroxide
Myleran	BW	Busulphan
Myocrisin	MB	Sodium Aurothiomalate
Myoquin	FM	Quinine Bisulphate
Mysoline	IC	Primidone
Mysteclin-V	SQ	Tetracycline with Nystatin
Mytelase	WL	Ambenonium Chloride
Naprosyn	SD	Naproxen
Narcan Neonatal	DT	Naloxone Hydrochloride
Nardil	WW	Phenelzine
Natulan	RO	Procarbazine
Navidrex	CG	Cyclopenthiiazide
Naxen	AF	Naproxen
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neogynon	SC	Levonorgestrel with Ethinyloestradiol
Neogynon ED	SC	Levonorgestrel with Ethinyloestradiol
Neo-Mercazole	NS	Carbimazole
Neopt	SI	Neomycin

Proprietary Name	Manu- fac- turer	Name
Neosporin Eye Ointment	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin Eye Drops	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulactil	MB	Pericyazine
Neutralon	SC	Aluminium Sodium Silicate
Nikacid	US	Nicotinic Acid
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nitepam	US	Nitrazepam
Nitoman	RO	Tetrabenazine
Nitradisc	SR	Glyceryl Trinitrate
Nitro-Bid	PT	Glyceryl Trinitrate
Nivaquine	MB	Chloroquine
Nobecutane	AP	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nolvadex	IC	Tamoxifen Citrate
Nolvadex-D	IC	Tamoxifen Citrate
Nordette 21	WY	Levonorgestrel with Ethinyloestradiol
Nordette 28	WY	Levonorgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordiol 21	WY	Levonorgestrel with Ethinyloestradiol
Nordiol 28	WY	Levonorgestrel with Ethinyloestradiol
Noriday	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyloestradiol
Normison	WY	Temazepam
Normosol R	AB	Electrolyte Replacement Solution
Norpace	SR	Disopyramide
Nortab	SQ	Nortriptyline
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
Nuelin-S.R. 250	RK	Theophylline
Nutraplus	OL	Urea
Ocusert Pilo 20	PT	Pilocarpine
Ocusert Pilo 40	PT	Pilocarpine
Odortrol	LA	Deodorant Concentrate (C & I)
Omnopon	RO	Papaveretum
Omnopon Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Opticrom	FC	Sodium Cromoglycate
Optipen	CS	Phenethicillin
Orabase	SQ	Carmellose Sodium with Pectin and Gelatin (C & I)
Orabolin	OR	Ethylloestrenol
Oradexon	OR	Dexamethasone
Orasheive	SQ	Carmellose Sodium with Pectin and Gelatin (C & I)
Orbenin	BR	Cloxacillin
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium (BP 1980)

Proprietary Name	Manu- fac- turer	Name
Orpadrex	PT	Orphenadrine Hydrochloride
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin	GL	Ergocalciferol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 0.5/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Pacedol	PT	Haloperidol
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Panacete	PR	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panamax	WL	Paracetamol
Panamax Co.	WL	Codeine Phosphate with Paracetamol
Pancrease	ET	Pancrelipase
Panmycin P	UP	Tetracycline
Pantheline	PT	Propantheline Bromide
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	NN	Paracetamol
Parlodel	SZ	Bromocriptine Mesylate
Parmol	US	Paracetamol
Parnate	SK	Tranlycypromine
PCL	DH	Paracetamol
Pectolin	FA	Pholcodine
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Perdolat	KN	Penicillamine
Periactin	FR	Cyproheptadine
Persantin 100	BY	Dipyridamole
Pertofran	CG	Desipramine
Pethoid	BW	Pethidine
Pevaryl	SK	Econazole Nitrate
Pexid	ML	Perhexiline Maleate
Phenergan	MB	Promethazine
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Phosphate Sandoz	SZ	Sodium Acid Phosphate
Phospholine Iodide	AY	Ecothiopate Iodide
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafulcin	GB	Natamycin
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	SJ	Amino Acid Formula without Phenylalanine
PK AID II	SJ	Amino Acid Formula without Phenylalanine
Plaquenil	WL	Hydroxychloroquine

Proprietary Name	Manu- fac- turer	Name
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	NN	Ferrous Aminoacetosulphate
Polaramine	SH	Dexchlorpheniramine
Portagen	MJ	Triglycerides, Medium Chain
Pramin	AF	Metoclopramide Hydrochloride
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Presolol 100	AF	Labetalol
Presolol 200	AF	Labetalol
Priadel	PT	Lithium Carbonate
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn Depot	SC	Oestradiol Valerate
Primolut N	SC	Norethisterone
Primoteston Depot	SC	Testosterone Enanthate
Primperan	US	Metoclopramide Hydrochloride
Procid	PT	Probenecid
Procor	PR	Hydrocortisone
Progan	NN	Promethazine
Progout	PT	Allopurinol
Proladone	BT	Oxycodone
Prolol	US	Propranolol
Promacid	US	Chlorpromazine
Promide	PT	Chlorpropamide
Prominal	WL	Methylphenobarbitone
Pronestyl	SO	Procainamide
Pro-Pam	PT	Diazepam
Propine	AG	Dipivefrine Hydrochloride
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Protamine Zinc	CN	Insulin Protamine Zinc
Insulin MC		
Protaphane MC	CN	Insulin Isophane (N.P.H.)
Prothazine	US	Promethazine
Prothiaden	BT	Dothiepin Hydrochloride
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Questran	AP	Cholestyramine
Quinate	US	Quinine Sulphate
Quinbisan	PR	Quinine Bisulphate
Quinbisul	AF	Quinine Bisulphate
Quinidex LA	RS	Quinidine Sulphate
Quinidis	US	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinocet	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate

Proprietary Name	Manu- fac- turer	Name
Quinsul	AF	Quinine Sulphate
Quitaxon	RC	Doxepin
Rapitard MC	CN	Insulin Biphasic
Rastinon	HP	Tolbutamide
Rectinol	GP	Benzocaine with Adrenaline
Redu-Press	PT	Debrisoquine
Redu-Press M	PT	Debrisoquine
Repalyte	DH	Electrolyte Replacement (Oral)
Respolin	RK	Salbutamol
Resprim	AF	Trimethoprim with Sulphamethoxazole
Resprim Forte	AF	Trimethoprim with Sulphamethoxazole
Reverin	HP	Rolitetracycline
Rheomacrodex	PS	Dextran 40
Rheumacin	PT	Indomethacin
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Rikodeine	RK	Dihydrocodeine Tartrate
Rimycin 150	AF	Rifampicin
Rimycin 300	AF	Rifampicin
Rivotril	RO	Clonazepam
Rocaltrol	RO	Calcitriol
Rondomycin	WW	Methacycline
Rythmodan	RL	Disopyramide
Sacsol	EG	Surgical Cement
Sacsol Non Flammable	EG	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
S-Dimidine	PT	Sulphadimidine
Sedlingtus	RT	Pholcodine
Semilente MC	CN	Insulin Zinc Suspension (Amorphous)
Semilente MC Beef	CN	Insulin Zinc Suspension (Amorphous)
Senamon	DH	Senega and Ammonia
Septrin	BW	Trimethoprim with Sulphamethoxazole
Septrin Forte	BW	Trimethoprim with Sulphamethoxazole
Sequilar ED	SC	Levonorgestrel with Ethinyloestradiol
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Silicon Skin Spray	EG	Dimethicone (C & I)
Silvazine	SN	Silver Sulphadiazine with Chlorhexidine Gluconate
Simeco Suspension	WY	Aluminium Hydroxide with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel

Proprietary Name	Manu- fac- turer	Name
Sinemet	MK	Levodopa with Carbidopa
Sinemet 100/25	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintisone	FE	Prednisolone Stearoylglycolate
Skin Gel	HO	Isopropyl Monoester Polymer with Isopropyl Alcohol (C & I)
Skin-Prep	DY	Butyl Monoester Polymer with Isopropyl Alcohol (C & I)
Slow-Fe	CG	Ferrous Sulphate Dried
Slow-K	CG	Potassium Chloride
Sodexol	SC	Aluminium Hydroxide with Magnesium Hydroxide
Sofradex	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solone	FM	Prednisolone
Solprin	RC	Aspirin
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Somophyllin	FC	Aminophylline
Sone	FM	Prednisone
SoulBiQuin	SL	Quinine Bisulphate
SoulQuin	SL	Quinine Sulphate
Span-K	PT	Potassium Chloride
Spirotone	PT	Spironolactone
Spray-On Bande	EG	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
S.R.A.	BT	Aspirin
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Ergocalciferol
Stomahesive	SO	Butyl Monoester Polymer with Ethanol (C & I)
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptase	HP	Streptokinase
Sulfazole	PT	Sulphafurazole
Supres 25	PT	Hydralazine Hydrochloride
Supres 50	PT	Hydralazine Hydrochloride
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	CG	Amantadine Hydrochloride
Synacthen Depot	CG	Tetracosactrin
Synphasic	SD	Norethisterone with Ethinyloestradiol
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine

Proprietary Name	Manu- fac- turer	Name
Tagamet	SK	Cimetidine
TAGG	EG	Deodorant Detergent Solution (C & I) (P & Q)
Tarcil	BR	Ticarcillin
Tears Naturale	AQ	Hypromellose with Dextran
Tegretol	CG	Carbamazepine
Tenormin	IC	Atenolol
Teril	AF	Carbamazepine
Terramycin	PF	Oxytetracycline
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator - Urine
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetramykoin	BZ	Tetracycline
Tetrex	AP	Tetracycline (Buffered)
Tetrex-F	AP	Tetracycline with Nystatin
Theo-Dur	AP	Theophylline
Thiminone	LF	Thiamine Hydrochloride
Thioprine	AF	Azathioprine
Thiotepa	LE	Thiotepa
Tiberal	RO	Ornidazole
Ticillin	CS	Ticarcillin
Tigason	RO	Etretinate
Timoptol	FR	Timolol
Tofranil	CG	Imipramine
Tolinase	UP	Tolazamide
Tolvon	OR	Mianserin Hydrochloride
Tonocard	AP	Tocainide Hydrochloride
Topilar	SD	Fluoclorolone Acetonide
Topodil	SC	Fluocortolone Esters
Torecan	SZ	Thiethylperazine
Trandate	GL	Labetalol
Transiderm-Nitro 25	CG	Glyceryl Trinitrate
Trasicor	CG	Oxprenolol
Travogen	SC	Isoconazole Nitrate
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichozole	PT	Metronidazole
Triphasil	WY	Levonorgestrel with Ethinyloestradiol
Triphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Triprim	BW	Trimethoprim
Triquilar	SC	Levonorgestrel with Ethinyloestradiol
Triquilar ED	SC	Levonorgestrel with Ethinyloestradiol
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Ulcol	AF	Sulphasalazine
Ulsanic	DT	Sucralfate
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Ultralente MC	CN	Insulin Zinc Suspension (Crystalline)
Unisolve	DY	Surgical Cement
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol

Proprietary Name	Manu- fac- turer	Name
Uremide	PT	Frusemide
Urex	FM	Frusemide
Urex-Forte	FM	Frusemide
Urex-M	FM	Frusemide
Urid	PT	Chlorthalidone
Urimor	PT	Methyclothiazide
Uro-Carb	HA	Bethanechol
Urolucosil	WW	Sulphamethizole
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vasopressin	SZ	Lypressin
Vaxigrip	MB	Influenza Vaccine
Velbe	LY	Vinblastine
Velosulin Nordisk	BW	Insulin Neutral
Ventolin	GL	Salbutamol
Ventolin Rotacaps	GL	Salbutamol
Verpamil	PT	Verapamil Hydrochloride
Vibramycin	PF	Doxycycline
Vibra-Tabs	PF	Doxycycline
Vioform	CG	Clioquinol
Viokase	RS	Pancreatin Enzyme
Vira A	PD	Vidarabine
Virifenemide	WR	Frusemide
Visidex II	AM	Glucose Indicator - Blood
Visken	SZ	Pindolol
Voltaren 50	CG	Diclofenac Sodium
Wellcome Semilente	BW	Insulin Zinc Suspension (Amorphous)
Xylocard 100	AP	Lignocaine
Xylocard 300 I.M.	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Yomesan	BN	Niclosamide
Zadine	SH	Azatadine Maleate
Zantac	GL	Ranitidine Hydrochloride
Zarontin	PD	Ethosuximide
Zephiran Concentrated	WL	Benzalkonium Chloride
Zerodor	ZR	Deodorant Concentrate (C & I)
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement
Zovirax	BW	Acyclovir
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Albay	Bayer Pharmaceutical Company - Allergen extracts
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Ensa	Reckitts - Tablet preparations
Filmtabs	Abbott A'asia - Coated tablets
Gradumets	Abbott A'asia - Sustained release tablets
Isopto	Alcon Laboratories - Eye drops
Novo	Novo Laboratories - Preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tomsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith, Kline & French - Delayed release capsules
Sustets	Lederle - Sustained release capsules
Tabloid	Wellcome Australia Limited - Tablet preparations
Tri-Test	Drug Houses of Australia Pty Ltd - Preparations
Venosol	Abbott A'asia - Intravenous infusions
Viaflex	Travenol Laboratories - Intravenous infusions
Wellcome	Wellcome Australia Limited - Preparations

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF PHARMACEUTICAL BENEFITS

AUGUST 1985 EDITION FOR APPROVED CHEMISTS

AUGUST/SEPTEMBER/OCTOBER/NOVEMBER

PROFESSIONAL FEES

The professional fees for the supply of ready prepared and extemporaneously prepared pharmaceutical benefits have been increased as from 1 July 1985.

The new professional fees are:-

Ready prepared benefits - \$2.30
Extemporaneously prepared benefits - \$3.33

Prices in the August 1985 edition of the Schedule of Pharmaceutical Benefits as well as the cumulative amendments relevant to this issue include the fees of \$2.13 for ready prepared benefits and \$3.09 for extemporaneously prepared benefits.

The new fees will be incorporated in prices in all publications effective 1 December 1985.

NEW ITEMS - SECTION 2

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Prop. Name and Mfr	Addition Effective
21	1357K	DOTHIEPIN HYDROCHLORIDE Capsule 25mg	50	2	5.11	Prothiaden BT	1.8.85
28	1513P	GLYCERYL TRINITRATE Transdermal Disc releasing approximately 5mg per 24 hours	30	2	20.88	Nitradisc SR	1.10.85
	1515R	Transdermal Pad releasing approximately 5mg per 24 hours	30	2	20.88	Transiderm-Nitro 25 CG	1.10.85

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
3	2955M	ADRENALINE Eye Drops 1%, 10mL	1	6	6.38	Epifrin AG Glaucon AQ	1.11.85 1.11.85
	1016L	Injection BP 1mg in 1mL (1 in 1,000)	5	1	4.32	BL,SI	1.10.85
3	2765M	ALOXIPRIN Tablet 600mg	100	2	5.13	Palaprin Forte NS	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
		ALUMINIUM HYDROXIDE DRIED					
4	1026B	Tablet 300mg	100	2	4.81	Actal WL Amphotabs WY	1.10.85 1.10.85
		ALUMINIUM HYDROXIDE with KAOLIN					
4	2552H	Mixture 137mg-1g per 5mL, 375mL	#1	2	4.76	Kaogel FA Kaomagma WY	1.10.85 1.10.85
		ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE					
4	2576N	Tablet 200mg-200mg	100	2	4.81	Mylanta PD	1.10.85
		ALUMINIUM HYDROXIDE with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE					
4	1032H	Tablet 250mg-120mg- 120mg	100	2	4.81	Gastrogel FM	1.10.85
		ALUMINIUM HYDROXIDE and MAGNESIUM CARBONATE CO-DRIED GEL					
4	1033J	Tablet 375mg	100	2	4.81	Almacarb GL Simeco WY	1.10.85 1.10.85
		ALUMINIUM SODIUM SILICATE					
4	2577P	Powder 100g	#1	2	4.81	Neutralon SC	1.10.85
		AMILORIDE					
4	3109P	Tablet 5mg	50	2	5.44	Midamor MK	1.10.85
		AMINACRINE HYDROCHLORIDE					
4	1035L	Eye Drops 3mg in 15mL	#1	2	4.38	Aminopt SI	1.11.85
		AMINO ACID FORMULA with VITAMINS and MINERALS without PHENYLALANINE					
4	3073R	Powder 200g	5	5	*158.38	Maxamaid XP SJ	1.8.85
		AMINO ACID FORMULA without PHENYLALANINE					
5	1450H	Food Supplement Powder 500g	#1	5	135.88	Aminogran F.S. GL	1.8.85
		AMINOGLUTETHIMIDE					
5	1036M	Tablet 250mg	100	..	75.88	Cytadren CG	1.11.85
		AMINOPHYLLINE					
5	1040R	Oral Liquid 105mg per 5mL, 500mL	#1	4	5.26	Somophyllin FC	1.10.85
		AMITRIPTYLINE					
5	2417F	Tablet 10mg	50	2	3.69 3.75	Amitrip PT Laroxyl RO Tryptanol MK	1.8.85 1.8.85 1.8.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
5	2418G	AMITRIPTYLINE Tablet 25mg	50	2	4.82 4.88	Amitrip PT Laroxyl RO Saroten NS Tryptanol MK	1.8.85 1.8.85 1.8.85 1.8.85
5	1044Y	AMMONIUM CHLORIDE Tablet 500mg	100	3	5.88	FM	1.10.85
5	1885F	AMOXICILLIN Dispersible Tablet 3g	1	..	5.26	Amoxil BR Moxacin CS	1.8.85 1.8.85
6	2930F	AMPHOTERICIN Tablet 100mg	50	..	10.26	Fungilin SO	1.10.85
6	1048E	AMPICILLIN Capsule 250mg	25	..	5.86 5.88	Ampicyn PT Austrapen CS Penbritin BR	1.8.85 1.8.85 1.8.85
	2671N	500mg	12	1	5.61 5.63	Ampicyn PT Austrapen CS Penbritin BR	1.8.85 1.8.85 1.8.85
	3061D	Powder for Syrup 125mg per 5mL, 100mL	#1	..	#6.33 #6.36	Ampicyn PT Austrapen CS Penbritin BR	1.8.85 1.8.85 1.8.85
	3123J	250mg per 5mL, 100mL	#1	..	#7.21 #7.23	Ampicyn PT Austrapen Forte CS Penbritin Forte BR	1.8.85 1.8.85 1.8.85 1.8.85
	2389R	Injection 250mg (solvent required)	5	1	6.59	Austrapen CS	1.10.85
	2390T	Injection 500mg (solvent required)	5	1	8.62	Austrapen CS	1.10.85
	2977Q	Injection 1g (solvent required)	5	1	12.72	Austrapen CS	1.10.85
6	1059R	AMYLOBARBITONE SODIUM Injection 500mg (solvent required)	2	..	*8.39	Amytal Sodium LY	1.10.85
7	1230R	ASPIRIN Tablet 650mg (enteric coated)	100	2	5.69	Ecotrin SK Rhusal GP	1.10.85 1.10.85
	1231T	Tablet 650mg (sustained release)	100	2	5.13	S.R.A. BT	1.10.85
	2968F	Tablet 650mg (includes 350mg sustained release)100		2	4.88	Ri-Prin BT	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
7	2704H	ATROPINE SULPHATE Tablet 600 micrograms	100	2	4.57	FM	1.11.85
	1092L	Eye Drops 0.5%, 15mL	≠1	2	4.57	Atropt SI	1.11.85
	1093M	1%, 15mL	≠1	2	4.57	Atropt SI	1.11.85
7	2021J	AUROTHIOGLUCOSE Injection 50mg per mL, 10mL	1	..	67.93	Gold-50 SH	1.8.85
7	2687K	AZATHIOPRINE Tablet 50mg	100	..	57.13 69.86	Thioprine AF Imuran BW	1.11.85 1.11.85
8	1102B	BASSORIN with FRANGULA BARK Granules 47.3%-8.3%, 250g	≠1	2	6.88	Granocol SC	1.11.85
8	1649T	BECLOMETHASONE DIPROPIONATE Capsule 100 micrograms (Oral Inhalation)	100	5	13.52	Becotide Rotacaps GL	1.10.85
9	1111L	BENZOCAINE with ADRENALINE Compound Ointment 50g	≠1	1	4.57	Rectinol GP	1.11.85
	1112M	Compound Suppositories, 12	≠1	1	4.57	Rectinol GP	1.11.85
9	1774J	BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	5.88	CS	1.8.85
	1775K	Injection 600mg (solvent required)	5	1	6.07	Crystapen GL CS	1.8.85 1.8.85
	2647H	Injection 3g (solvent required)	10	..	*26.51	Crystapen GL CS	1.8.85 1.8.85
	2648J	Injection 6g (solvent required)	10	..	*39.63	CS	1.8.85
9	2694T	BETAMETHASONE ACETATE with BETAMETHASONE SODIUM PHOSPHATE Injection 3mg-3.9mg (equivalent to 5.7mg betamethasone) in 1mL	5	..	15.01	Celestone Chronodose SH	1.10.85
9	1071J	BETHANECHOL Injection 5mg in 1mL	2	..	*7.13	Urecholine MK	1.10.85
10	2543W	BIPERIDEN Injection 5mg in 1mL	5	..	6.01	Akineton KN	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
10	1259G	BISACODYL Tablet 5mg	100	2	4.94	Bisalax PT	1.11.85
10	1130L	BUMETANIDE Tablet 1mg	50	2	5.26	Burinex AP	1.10.85
10	2308L	CALCIUM FOLINATE Tablet 15mg	10	..	109.63	Leucovorin LE	1.10.85
10	1146H	CALCIUM GLUCONATE Injection 10%, 10mL	5	1	8.26	Calcium- Sandoz SZ	1.11.85
11	1148K	CAPTOPRIL Tablet 25mg	90	..	42.13	Capoten SQ	1.10.85
	1149L	50mg	90	..	70.88	Capoten SQ	1.10.85
11	2536L	CARBACHOL Eye Drops 3%, 15mL	≠1	6	5.19	AQ	1.11.85
11	2422L	CARBAMAZEPINE Tablet 100mg	200	2	12.76	Tegretol CG	1.8.85
	2419H	200mg	200	2	20.26	Convuline PT	1.8.85
					22.13	Teril AF	1.8.85
						Tegretol CG	1.8.85
11	1057P	CARINDACILLIN Tablet (equivalent to 382mg carbenicillin)	40	..	33.07	Geopen Oral PF	1.8.85
12	1172Q	CHLORAMPHENICOL Ear Drops (aqueous) 0.5%, 5mL	≠1	2	4.38	Chloromycetin PD	1.10.85
	2360F	Eye Drops 0.5%, 10mL	≠1	2	4.38	Chlomin US	1.11.85
						Chloromycetin PD	1.11.85
						Chloroptic AG	1.11.85
						Chlorsig SI	1.11.85
13	1181E	CHLORAMPHENICOL with POLYMYXIN B Eye Drops 5mg-5,000 Units per mL, 10mL	≠1	2	4.38	Chloromycin PD	1.11.85
13	1410F	CHLORMETHIAZOLE Capsule 192mg	50	..	9.01	Hemineurin AP	1.10.85
	1409E	Solution 0.8% for I.V. Infusion, 500mL	1	..	15.88	Hemineurin AP	1.10.85
13	1185J	CHLOROQUINE Injection 40mg per mL, 5mL	5	1	*8.18	Nivaquine MB	1.11.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
13	1187L	CHLOROTHIAZIDE Tablet 500mg	50	2	5.49 5.56	Diuret PT Azide FM Chlotride FR Diurone US	1.10.85 1.10.85 1.10.85 1.10.85
13	1196Y	CHLORPROMAZINE Tablet 10mg	100	1	4.24 4.26	Protran PT Largactil MB	1.10.85 1.10.85
	1197B	25mg	100	1	5.51 5.63	Protran PT Largactil MB	1.10.85 1.10.85
	1198C	50mg	100	1	7.26 7.38	Protran PT Largactil MB	1.10.85 1.10.85
	1199D	100mg	100	1	12.01 12.13	Protran PT Largactil MB	1.10.85 1.10.85
	1195X	Injection BP, 50mg in 2mL	10	..	6.01	Largactil MB	1.10.85
	1200E	Suppositories 100mg, 5	≠1	1	4.63	Largactil MB	1.10.85
14	1202G	CHLORPROPAMIDE Tablet 250mg	100	2	8.38	Diabinese PF	1.11.85
14	1585K	CHLORTHALIDONE Tablet 25mg	50	2	5.18 5.21	Urid PT Hygroton CG	1.10.85 1.10.85
14	3021B	CHOLERA VACCINE Injection 1mL	2	..	*5.89	CS	1.11.85
14	2788R	CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	5.13	Choledyl WW	1.10.85
	2789T	200mg	100	2	5.76	Brondecon-PD PD Choledyl WW	1.10.85 1.10.85
14	1157X	CIMETIDINE Tablet 200mg	120	..	43.38	Duractin CS Tagamet SK	1.10.85 1.10.85
	1158Y	400mg	60	..	43.38	Duractin CS Tagamet SK	1.10.85 1.10.85
14	3137D	CLINDAMYCIN Capsule 75mg	25	..	7.38	Dalacin C UP	1.8.85
	3138E	150mg	25	..	11.19	Dalacin C UP	1.8.85
	3139F	Granules for Syrup 75mg per 5mL, 100mL	≠1	..	#9.98	Dalacin C UP	1.8.85
16	1222H	CODEINE PHOSPHATE with ASPIRIN Tablet 30mg-325mg	100	..	*12.89	Codral Forte BW	1.10.85
16	1224K	COLESTIPOL HYDROCHLORIDE Sachets 5g, 120	≠1	..	49.63	Colestid UP	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
16	2621Y	COLISTIN Injection 150mg (solvent required)	5	..	*84.63	Coly-Mycin WW	1.8.85
16	2756C	COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per mL, 10mL	≠1	2	4.51	Coly-Mycin WW	1.10.85
16	1258F	CYANOCOBALAMIN Injection 100 micrograms in 1mL	5	1	5.26	Cytamen 100 GL	1.10.85
	1262K	Injection 1mg in 1mL	5	..	5.63	Cytamen 1000 GL	1.10.85
17	1264M	CYCLOPENTHIAZIDE Tablet 500 micrograms	50	2	5.72	Navidrex CG	1.10.85
17	1272Y	DAPSONE Tablet 100mg	100	2	6.88	Avlosulfon IC	1.11.85
17	2854F	DEMECLOCYCLINE HYDROCHLORIDE Capsule 150mg	100	..	22.13	Ledermycin LE	1.8.85
18	2509C	DEXAMETHASONE Injection 4mg in 1mL	5	..	12.76	Decadron MK	1.10.85
	1291Y	8mg in 2mL	5	..	16.88	Decadron MK	1.10.85
18	2781J	DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms- 5mg-50 micrograms per mL, 8mL	≠1	2	4.44	Sofradex RL	1.10.85
18	1165H	DEXAMPHETAMINE Tablet 5mg	100	..	6.92	SI	1.10.85
19	1300K	DICLOFENAC SODIUM Tablet 50mg (enteric coated)	50	2	8.47	Voltaren 50 CG	1.8.85
19	1319K	DIFLUNISAL Tablet 250mg	50	2	8.47	Dolobid MK	1.8.85
20	1344R	DIPHThERIA ANTITOXIN Injection 10,000 Units	2	1	*\$7.13	CS	1.11.85
20	1341N	DIPHThERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of 8 years. Injection 0.5mL	3	..	*7.56	CS	1.11.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
20	3019X	DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years. Injection 0.5mL	3	..	*7.56	CS	1.11.85
20	1348Y	DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of 8 years. Injection 0.5mL	2	1	*6.39	CS	1.11.85
20	3020Y	DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of 8 years. Injection 0.5mL	2	..	*6.25	CS	1.11.85
20	1351D	DIPIVEFRINE HYDROCHLORIDE Eye Drops 0.1%, 10mL	≠1	6	9.38	Propine AG	1.11.85
22	1359M	ECOTHIOPATE IODIDE Eye Drops 0.03%, 1.5mg and 5mL solvent	≠1	6	#9.09	Phospholine Iodide AY	1.11.85
	2405N	0.06%, 3mg and 5mL solvent	≠1	6	#9.09	Phospholine Iodide AY	1.11.85
	1360N	0.125%, 6.25mg and 5mL solvent	≠1	6	#9.09	Phospholine Iodide AY	1.11.85
	1361P	0.25%, 12.5mg and 5mL solvent	≠1	6	#9.84	Phospholine Iodide AY	1.11.85
22	2992L	ELECTROLYTE REPLACEMENT (ORAL) Powder for Solution, 40g sachet, 6	≠1	..	5.72	Repalyte DH	1.11.85
22	3069M	EPICILLIN Capsule 250mg	25	..	5.88	Dexacillin SO	1.8.85
	3070N	500mg	12	1	5.63	Dexacillin SQ	1.8.85
	3086K	Powder for Syrup 250mg per 5mL, 100mL	≠1	..	#7.23	Dexacillin SO	1.8.85
22	1378M	ERGOMETRINE MALEATE Injection 250 micrograms in 1mL	5	..	4.57	BL	1.11.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
23	1399P	ERYTHROMYCIN Tablet 250mg	25	..	6.04	EMU-V UP	1.8.85
	1402T	Capsule 125mg	25	..	5.01	Eryc FA	1.8.85
	1404X	250mg	25	..	6.04	Eryc FA Ilocap LY	1.8.85 1.8.85
23	1401R	ERYTHROMYCIN STEARATE Tablet 250mg (base)	25	..	6.04	Erythrocin AB	1.8.85
	1403W	Capsule 250mg (base)	25	..	5.99 6.04	E-Mycin PT Erythrocin AB	1.8.85 1.8.85
23	1271X	ETHANOLAMINE OLEATE Injection 5%, 2mL	5	1	9.01	Ethamolin GL	1.10.85
24	3166P	ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet 500 micrograms- 50 micrograms, 21	2	2	*5.51	Ovulen 0.5/50 SR	1.8.85
	3167Q	Tablet 1mg-50 micrograms, 21	2	2	*5.51	Ovulen 1/50 SR	1.8.85
	2447T	Pack containing 21 tablets 500 micrograms- 50 micrograms and 7 inert tablets	2	2	*5.51	Ovulen 0.5/50-28 SR	1.8.85
	3168R	Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	*5.51	Ovulen 1/50-28 SR	1.8.85
24	1314E	FENOTEROL HYDROBROMIDE Tablet 2.5mg	100	2	7.59	Berotec BY	1.10.85
	1312C	Inhalation Solution for use in RESPIRATOR or NEBULISER 0.1%, 20mL	#1	2	6.51	Berotec BY	1.10.85
24	2465R	FERROUS AMINOACETOSULPHATE Paediatric Syrup 100mL	#1	4	4.07	Plesmet NN	1.10.85
24	1424Y	FERROUS GLUCONATE Tablet 300mg	100	2	4.07	Fergon WL	1.10.85
	2726L	Paediatric Elixir 6%, 100mL	#1	4	4.07	Fergon WL	1.10.85
24	1150M	FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	4.07	Slow-Fe CG	1.10.85
	2689M	Tablet 350mg (sustained release)	30	2	4.06 4.07	Feritard PT Ferro-Gradumets AB	1.10.85 1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
24	3100E	FERROUS SULPHATE DRIED Capsule 320mg (delayed release)	30	2	4.07	Fespan SK	1.10.85
25	3150T	FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	4.06	Feritard Folic PT	1.10.85
	3160H	Tablet 270mg-300 micrograms (sustained release)	30	2	4.13	F.G.F. AB	1.10.85
	3149R	Capsule 270mg-300 micrograms (delayed release)	30	2	4.13	Fefol SK	1.10.85
25	1073L	FLUCYTOSINE Tablet 500mg	100	..	74.01	Ancotil RO	1.10.85
25	2823N	FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5mL	≠1	..	4.44	Locacorten Vioform CG	1.10.85
26	2661C	FLUPHENAZINE Tablet 5mg	100	1	9.86	Anatensol SO	1.10.85
26	1046C	FLUPHENAZINE DECANOATE Injection 12.5mg in 0.5mL	5	..	16.36	Modecate SO	1.10.85
	3098C	25mg in 1mL	5	..	25.88	Modecate SQ	1.10.85
	1001Q	50mg in 2mL	5	..	39.28	Modecate SQ	1.10.85
26	1440T	FRAMYCETIN Eye and Ear Drops 0.5%, 8mL	≠1	2	4.38	Soframycin RL	1.11.85
27	2414C	FRUSEMIDE Tablet 20mg	50	2	4.94	Lasix-M HP Urex-M FM	1.10.85 1.10.85
	2412Y	40mg	50	2	5.18 5.26	Uremide PT Lasix HP Urex FM	1.10.85 1.10.85 1.10.85
	2411X	Oral Solution 10mg per mL, 30mL	≠1	2	8.38	Lasix HP	1.10.85
27	2311P	FUSIDIC ACID Suspension 50mg per mL, 90mL	≠1	..	26.57	Fucidin SK	1.8.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
27	2699C	GAS GANGRENE ANTITOXIN - MIXED (POLYVALENT) Injection: 1 amp containing 10,000 Units Perfringens; 10,000 Units Novyi; 5,000 Units Septicum	2	1	*92.13	CS	1.11.85
27	1447E	GLUCAGON HYDROCHLORIDE Injection 1 I.U. with diluent	1	1	9.99	CN,LY	1.10.85
28	1452K	GLYCERYL TRINITRATE Ointment 2%, 60g	1	2	10.88	Nitro-Bid PT	1.10.85
29	1617D	HEXAMINE MANDELATE Tablet 250mg	100	2	4.63	Mandelamine WW	1.10.85
	1618E	500mg	100	2	7.07	Mandelamine Hafgrams WW	1.10.85
	2690N	1g	100	2	9.92	Mandelamine WW	1.10.85
29	2541R	HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15mL	≠1	2	5.13	AG, AQ	1.11.85
	2542T	5%, 15mL	≠1	2	6.01	AG, AQ	1.11.85
30	1494P	HYDROCORTISONE Eye Drops 2.5%, 10mL	≠1	2	5.51	Hycor SI	1.11.85
	1496R	Eye Ointment 0.5%, 4g	≠1	..	4.46	Cortef UP	1.10.85
	1497T	0.5%, 5g	≠1	..	4.46	Hycor SI	1.10.85
31	2794C	HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5mL	≠1	..	4.38	Neo-Cortef UP	1.10.85
31	3093T	HYDROXYUREA Capsule 500mg	100	..	49.58	Hydrea SO	1.11.85
31	2956N	HYPROMELLOSE Eye Drops 0.5%, 15mL	≠1	6	4.38	Isopto Tears AQ Lacril AG Methopt SI	1.11.85 1.11.85 1.11.85
	2952J	1%, 15mL	≠1	6	4.38	Methopt Forte SI	1.11.85
32	2442M	IDOXURIDINE Eye Drops 0.1%, 15mL	≠1	2	6.44	Herplex AG Stoxil SK	1.11.85 1.11.85
	2569F	Eye Ointment 0.5%, 5g	≠1	..	6.93	Stoxil SK	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
32	2421K	IMIPRAMINE Tablet 25mg	50	2	4.82 4.88	Imiprin PT Melipramine UW(N) Tofranil CG	1.8.85 1.8.85 1.8.85
	2719D	Injection I.M. 25mg in 2mL	10	..	8.97	Tofranil CG	1.8.85
32	1141C	INSECT ALLERGEN EXTRACT - BULL ANT Injection Set - strengths A,B,C each 5mL	1	..	67.13	CS	1.11.85
	1139Y	Set - strengths A,B,C,D each 5mL	1	..	102.13	CS	1.11.85
	1138X	Strength C, 5mL	1	..	24.63	CS	1.11.85
	1142D	Strength D, 5mL	1	..	37.13	CS	1.11.85
32	2886X	INSECT ALLERGEN EXTRACT - HONEY BEE VENOM Injection Set containing 550 micrograms	1	..	80.88	Albay Bee Venom BN	1.11.85
32	3022C	INSECT ALLERGEN EXTRACT - JUMPER ANT Injection Set - strengths A,B,C each 5mL	1	..	67.13	CS	1.11.85
	3034Q	Set - strengths A,B,C,D each 5mL	1	..	102.13	CS	1.11.85
	3025F	Strength C, 5mL	1	..	24.63	CS	1.11.85
	3023D	Strength D, 5mL	1	..	37.13	CS	1.11.85
33	1473M	INSECT ALLERGEN EXTRACT - MOSQUITO Injection Set - strengths A,B,C each 5mL	1	..	67.13	CS	1.11.85
	1474N	Set - strengths A,B,C,D each 5mL	1	..	102.13	CS	1.11.85
	1471K	Strength C, 5mL	1	..	24.63	CS	1.11.85
	1475P	Strength D, 5mL	1	..	37.13	CS	1.11.85
33	2918N	INSECT ALLERGEN EXTRACT - WASP VENOM PROTEIN Injection Set containing 550 micrograms	1	..	98.38	Albay Wasp Venom BN	1.11.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
33	1710B	INSULIN Injection (bovine) 100 Units per mL, 10mL	5	2	*53.68	Insulin-2 CN	1.11.85
33	1723Q	INSULIN BIPHASIC Injection (mixed porcine/bovine) 100 Units per mL, 10mL	5	2	*56.83	Rapitard MC CN	1.11.85
33	1711C	INSULIN ISOPHANE (N.P.H.) Injection (bovine) 100 Units per mL, 10mL	5	2	*53.68	Hypurin Isophane WP Isotard MC CN	1.11.85 1.11.85
	1712D	Injection (porcine) 100 Units per mL, 10mL	5	2	*56.83	Insulatard Nordisk BW Protaphane MC CN	1.11.85 1.11.85
33	1427D	INSULIN ISOPHANE (N.P.H.) - INSULIN NEUTRAL, (MIXED) Injection (porcine) 100 Units (70 Units-30 Units) per mL, 10mL	5	2	*56.83	Mixtard Nordisk BW	1.11.85
33	1713E	INSULIN NEUTRAL Injection (bovine) 100 Units per mL, 10mL	5	2	*53.68	Hypurin Neutral WP	1.11.85
	1714F	Injection (porcine) 100 Units per mL, 10mL	5	2	*56.83	Actrapid MC CN Velosulin Nordisk BW	1.11.85 1.11.85
33	1715G	INSULIN PROTAMINE ZINC Injection (bovine) 100 Units per mL, 10mL	5	2	*53.68	Protamine Zinc Insulin MC CN	1.11.85
34	1716H	INSULIN ZINC SUSPENSION (Lente) Injection (bovine) 100 Units per mL, 10mL	5	2	*53.68	Lente MC CN	1.11.85
	1717J	Injection (porcine) 100 Units per mL, 10mL	5	2	*56.83	Monotard MC CN	1.11.85
34	1719L	INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente) Injection (bovine) 100 Units per mL, 10mL	5	2	*53.68	Semilente MC Beef CN Wellcome Semilente BW	1.11.85 1.11.85
	1720M	Injection (porcine) 100 Units per mL, 10mL	5	2	*56.83	Semilente MC CN	1.11.85

Price Adjustments of Section 2 - White Pages (Cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
		INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente) Injection (bovine)					
34	1721N	100 Units per mL, 10mL	5	2	*53.68	Ultralente MC CN	1.11.85
		IPRATROPIUM BROMIDE Inhalation, metered aerosol spray, 20 micrograms per dose (200 dose)	≠1	5	8.02	Atrovent BY	1.10.85
34	1298H	IRON DEXTRAN Injection 2mL	5	..	6.91	Imferon FC	1.10.85
34	2764L	IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	4.07	Ferrum H SI	1.10.85
35	1553R	ISONIAZID Tablet 50mg	200	2	4.94	FM	1.11.85
	1554T	100mg	100	2	4.94	FM	1.11.85
35	2988G	KAOLIN with PECTIN Mixture 5.91g-132mg per 30mL, 375mL	≠1	2	4.76	Kaopectate UP	1.10.85
35	1566K	LABETALOL Tablet 100mg	100	2	12.82	Trandate GL	1.10.85
	1567L	200mg	100	2	19.08	Trandate GL	1.10.85
35	3014P	LEVODOPA Tablet 500mg	250	5	52.13	Larodopa RO	1.10.85
35	2227F	LEVODOPA with BENSERAZIDE Capsule 50mg-12.5mg	100	5	13.13	Madopar Q RO	1.10.85
36	2913H	LEVONORGESTREL Tablet 30 micrograms, 28	2	2	*5.51	Microlut 28 SC Microval 28 WY	1.8.85 1.8.85
36	1455N	LEVONORGESTREL with ETHINYLOESTRADIOL Tablet 125 micrograms- 50 micrograms, 21	2	2	*5.51	Microgynon 50 SC	1.8.85
	1393H	Tablet 150 micrograms- 30 micrograms, 21	2	2	*5.51	Microgynon 30 SC Nordette 21 WY	1.8.85 1.8.85
	3186Q	Tablet 250 micrograms- 50 micrograms, 21	2	2	*5.51	Neogynon SC Nordiol 21 WY	1.8.85 1.8.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
36	1456P	LEVONORGESTREL with ETHINYLOESTRADIOL Pack containing 21 tablets 125 micrograms- 50 micrograms and 7 inert tablets	2	2	*5.51	Microgynon 50 ED SC	1.8.85
	1394J	Pack containing 21 tablets 150 micrograms- 30 micrograms and 7 inert tablets	2	2	*5.51	Microgynon 30 ED SC Nordette 28 WY	1.8.85 1.8.85
	3188T	Pack containing 21 tablets 250 micrograms- 50 micrograms and 7 inert tablets	2	2	*5.51	Neogynon ED SC Nordiol 28 WY	1.8.85 1.8.85
	1457Q	Pack containing 11 tablets 50 micrograms- 50 micrograms and 10 tablets 125 micrograms- 50 micrograms	2	2	*5.51	Biphasil 21 WY	1.8.85
	1458R	Pack containing 11 tablets 50 micrograms- 50 micrograms, 10 tablets 125 micrograms- 50 micrograms and 7 inert tablets	2	2	*5.51	Biphasil 28 WY Sequilar ED SC	1.8.85 1.8.85
	1391F	Pack containing 6 tablets 50 micrograms- 30 micrograms, 5 tablets 75 micrograms- 40 micrograms and 10 tablets 125 micrograms- 30 micrograms	2	2	*5.51	Triphasil WY Triquilar SC	1.8.85 1.8.85
	1392G	Pack containing 6 tablets 50 micrograms- 30 micrograms, 5 tablets 75 micrograms- 40 micrograms, 10 tablets 125 micrograms- 30 micrograms and 7 inert tablets	2	2	*5.51	Triphasil 28 WY Triquilar ED SC	1.8.85 1.8.85
37	3084H	LINCOMYCIN Injection 300mg in 1mL	5	..	11.51	Lincocin SS Paediatric UP	1.8.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
37	2530E	LINCOMYCIN Injection 600mg in 2mL	5	..	13.38	Lincocin UP	1.8.85
37	1178B	LINDANE Lotion Concentrate 1%, 200mL	≠1	..	6.02	Lorexane Concentrate IC	1.11.85
37	2401J	LYPRESSIN Nasal Spray 50 Units per mL, 5mL	10	2	*66.63	Vasopressin SZ	1.11.85
37	2725K	MEDROXYPROGESTERONE Tablet 100mg	100	2	89.63	Provera UP	1.11.85
38	1620G	METHENOLONE ACETATE Tablet 5mg	100	1	*20.13	Primobolan SC	1.10.85
39	2396D	METHOTREXATE Injection 5mg in 2mL	5	..	*46.83	LE	1.11.85
39	2398F	METHSUXIMIDE Capsule 300mg	200	2	48.28	Celontin PD	1.8.85
39	1629R	METHYLDOPA Tablet 250mg	100	2	10.69 10.76 10.82	Methopa US Dimal PT Aldomet MK	1.10.85 1.10.85 1.10.85
39	1635C	METHYLPHENOBARBITONE Tablet 200mg	200	2	11.38	Prominal WL	1.8.85
39	2981X	METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1mL	5	..	17.88	Solu-Medrol UP	1.10.85
40	1636D	METRONIDAZOLE Tablet 200mg	21	1	5.23 5.26	Trichozole PT Flagyl MB Metrozine SR	1.10.85 1.10.85 1.10.85
40	1630T	METRONIDAZOLE BENZOATE Suspension 6.4% (equivalent to 200mg metronidazole in 5mL), 100mL	≠1	..	8.82	Flagyl S MB	1.10.85
41	1451J	MINERAL MIXTURE Powder 250g	≠1	5	22.12	Aminogran M.M. GL	1.8.85
42	1924G	MITHRAMYCIN Injection 2.5mg (solvent required)	5	..	*111.53	Mithracin PF	1.11.85
42	1644M	MORPHINE SULPHATE Injection 10mg in 1mL	5	..	5.86	BL,BT,SI	1.10.85
	1645N	15mg in 1mL	5	..	5.98	BL,BT,SI	1.10.85
	1647Q	30mg in 1mL	5	..	6.36	BL	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
42	2645F	NALIDIXIC ACID Oral Suspension 50mg per mL, 200mL	¶1	..	9.38	Negram WL	1.10.85
42	1670X	NALOXONE HYDROCHLORIDE Injection 40 micrograms in 2mL	5	..	32.13	Narcan Neonatal DT	1.10.85
42	1671Y	NANDROLONE DECANOATE Injection 50mg in 1mL	1	3	14.63	Deca-Durabolin OR	1.10.85
42	1672B	NANDROLONE PHENYLPROPIONATE Injection 25mg in 1mL	3	3	14.63	Durabolin OR	1.10.85
42	1317H	NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15mL	¶1	2	4.38	Albalon Liquifilm AG	1.11.85
43	2807R	NATAMYCIN Tablet 100mg	50	..	10.26	Pimafucin GB	1.10.85
43	1687T	NICOTINIC ACID Tablet 250mg	100	2	5.13	DH	1.10.85
44	2993M	NORETHISTERONE Tablet 5mg	30	5	7.63	Primolut N SC	1.11.85
	1967M	Tablet 350 micrograms, 28	2	2	*5.51	Micronor ET Noriday SD	1.8.85 1.8.85
44	2772X	NORETHISTERONE with ETHINYLOESTRADIOL Tablet 500 micrograms- 35 micrograms, 21	2	2	*5.51	Brevinor SD Modicon ET	1.8.85 1.8.85
	2773Y	Tablet 1mg-35 micrograms, 21	2	2	*5.51	Brevinor-1 SD	1.8.85
	2774B	Pack containing 21 tablets 500 micrograms- 35 micrograms and 7 inert tablets	2	2	*5.51	Brevinor SD Modicon ET	1.8.85 1.8.85
	2775C	Pack containing 21 tablets 1mg-35 micrograms and 7 inert tablets	2	2	*5.51	Brevinor-1 SD	1.8.85
	2776D	Pack containing 12 tablets 500 micrograms- 35 micrograms, 9 tablets 1mg-35 micrograms and 7 inert tablets	2	2	*5.51	Synphasic SD	1.8.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
44	3176E	NORETHISTERONE with MESTRANOL Tablet 1mg-50 micrograms, 21	2	2	*5.51	Norinyl-1 SD Ortho-Novum 1/50 ET	1.8.85 1.8.85
	3179H	Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	*5.51	Norinyl-1/28 SD	1.8.85
44	2865T	NORETHISTERONE ACETATE Tablet 10mg	100	2	37.13	SH420 SC	1.11.85
45	3180J	NORETHISTERONE ACETATE with ETHINYLOESTRADIOL Tablet 1mg-50 micrograms, 21	2	2	*5.51	Minovlar SC	1.8.85
	3183M	Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	*5.51	Minovlar ED SC Orlest PD	1.8.85 1.8.85
	3184N	Pack containing 21 tablets 2.5mg-50 micrograms and 7 inert tablets	2	2	*5.51	Norlestrin PD	1.8.85
45	1442X	NORGESTREL with ETHINYLOESTRADIOL Tablet 500 micrograms- 50 micrograms, 20	2	2	*5.51	Duoluton SC	1.8.85
	3187R	Tablet 500 micrograms- 50 micrograms, 21	2	2	*5.51	Eugynon SC Ovral WY	1.8.85 1.8.85
	3189W	Pack containing 21 tablets 500 micrograms- 50 micrograms and 7 inert tablets	2	2	*5.51	Eugynon ED SC	1.8.85
45	2523T	NORTRIPTYLINE Tablet 25mg	50	2	4.88	Allegron DL Nortab SQ	1.8.85 1.8.85
	2524W	Paediatric Elixir 10mg per 5mL, 100mL	≠1	4	4.01	Allegron DL	1.8.85
45	1696G	NYSTATIN Tablet 500,000 Units	50	..	9.88	Diastatin GP Mycostatin SQ Nilstat LE	1.10.85 1.10.85 1.10.85
	1699K	Capsule 500,000 Units	50	..	9.88	Mycostatin SQ	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
46	2627G	ORPHENADRINE HYDROCHLORIDE Tablet 50mg	100	2	5.88	Disipal RK Orpadrex PT	1.10.85 1.10.85
46	2902R	OXYMETHOLONE Tablet 50mg	100	..	79.51	Anapolon SD	1.10.85
47	1724R	OXYTETRACYCLINE Capsule 250mg	25	..	4.93	Terramycin PF	1.8.85
47	1736J	PANCREATIN ENZYME 4 times USNF.XIII strength Powder 250g	1	2	33.21	Viokase RS	1.11.85
	1737K	5 times USNF.XIV strength Capsule 305mg	500	1	39.63	Viokase RS	1.11.85
48	2721F	PENICILLAMINE Tablet 125mg	100	..	22.06	D-Penamine DL Perdolat KN	1.10.85 1.10.85
	2838J	250mg	100	..	35.57	D-Penamine DL Perdolat KN	1.10.85 1.10.85
48	3055T	PERICYAZINE Mixture 2.5mg per 5mL, 100mL	1	4	4.63	Neulactil MB	1.10.85
48	1828F	PETHIDINE Injection BP, 50mg in 1mL	5	..	5.79	BL,BT,SI	1.10.85
	1829G	Injection BP, 100mg in 2mL	5	..	5.86	BL,BT,SI	1.10.85
48	1840W	PHENETHICILLIN Tablet 250mg	25	1	4.88	Optipen CS Pensig SI	1.8.85 1.8.85
	1838R	Capsule 250mg	25	1	4.88	Optipen CS Pensig SI	1.8.85 1.8.85
	3088M	500mg	25	1	6.01	Optipen CS Pensig SI	1.8.85 1.8.85
	3121G	Powder for Syrup 250mg per 5mL, 100mL	1	1	6.23	Pensig 250 SI	1.8.85
49	1707W	Tablet 250mg	50	5	*7.63	Optipen CS Pensig SI	1.8.85 1.8.85
	1709Y	Capsule 250mg	50	5	*7.63	Optipen CS Pensig SI	1.8.85 1.8.85
49	1862B	PHENOXYBENZAMINE Capsule 10mg	100	..	11.38	Dibenyline SK	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
50	2354X	PHENOXYMETHYLPENICILLIN Suspension 250mg per 5mL, 100mL	#1	1	5.26	Abbocillin-V AB	1.8.85
						Cilicaine V SI	1.8.85
						Falcopen V FA	1.8.85
						LPV 250 CS	1.8.85
50	1863C	PHENSUXIMIDE Capsule 500mg	200	2	48.84	Milontin PD	1.8.85
50	1865E	PHENYLALANINE LOW CONTENT FORMULA Powder 2.51b	2	5	*114.63	Lofenalac MJ	1.10.85
50	2455F	PHENYLEPHRINE Compound Ointment 60g	#1	1	4.57	Hemorex WL	1.11.85
	1869J	Compound Suppositories, 12	#1	1	4.57	Hemorex WL	1.11.85
	2829X	Eye Drops 0.12%, 15mL	#1	2	4.38	Isopto Frin AQ Prefrin AG	1.11.85 1.11.85
	2649K	10%, 5mL	#1	..	5.68	Neo-Synephrine WL	1.11.85
50	1249R	PHENYTOIN Tablet 50mg	200	2	8.38	Dilantin Infatabs PD	1.10.85
	2692Q	Paediatric Suspension 30mg per 5mL, 500mL	#1	3	6.57	Dilantin PD	1.10.85
51	1873N	PHENYTOIN SODIUM Capsule 30mg	200	2	8.33	Dilantin Sodium PD	1.10.85
	1874P	100mg	200	2	8.42	Dilantin Sodium PD	1.10.85
51	1879X	PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15mL	#1	6	6.44	IQ	1.11.85
	1880Y	0.5%, 15mL	#1	6	7.38	IQ	1.11.85
51	2777E	PILOCARPINE Eye Disc 5mg (releasing 20 micrograms per hour)	8	..	35.88	Ocusert Pilo 20 PT	1.11.85
	2782K	Eye Disc 11mg (releasing 40 micrograms per hour)	8	..	35.88	Ocusert Pilo 40 PT	1.11.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
51	2596P	PILOCARPINE HYDROCHLORIDE Eye Drops 2%, 15mL	≠1	6	5.13	Isopto Carpine AQ	1.11.85
						Pilopt SI	1.11.85
						P.V. Carpine AG	1.11.85
						IQ	1.11.85
	2597Q	3%, 15mL	≠1	,6	6.01	Isopto Carpine AQ	1.11.85
						Pilopt SI	1.11.85
						P.V. Carpine AG	1.11.85
						IQ	1.11.85
52	2598R	4%, 15mL	≠1	6	6.44	Isopto Carpine AQ	1.11.85
						Pilopt SI	1.11.85
						P.V. Carpine AG	1.11.85
						IQ	1.11.85
	2779G	6%, 15mL	≠1	6	7.38	Isopto Carpine AQ	1.11.85
						Pilopt SI	1.11.85
						P.V. Carpine AG	1.11.85
52	3065H	PINDOLOL Tablet 15mg	50	2	11.44 13.07	Barbloc 15 AF Visken SZ	1.10.85 1.10.85
52	1901C	PLAGUE VACCINE Injection 1,500 million organisms in 0.5mL	2	..	*10.89	CS	1.11.85
52	1904F	POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per mL, 10mL	≠1	2	4.51	Aerosporin BW	1.10.85
52	1908K	POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units- 500 Units-3.5mg (base) per mL, 15mL	≠1	..	4.63	Neotracin ET	1.10.85
52	2790W	POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units- 3.5mg (base)-10mg per mL, 7mL	≠1	2	4.44	Aerocortin BW	1.10.85
53	2642C	POTASSIUM CHLORIDE Tablet 600mg (sustained release)	100	2	4.63	K-San PR Slow-K CG Span-K PT	1.11.85 1.11.85 1.11.85
	3012M	Effervescent Tablet 14mmol K ⁺ and 8mmol Cl ⁻	30	2	4.76	Chlorvescent PT	1.11.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
53	1479W	PRAZOSIN HYDROCHLORIDE Tablet 1mg (base)	100	2	9.18	Minipress PF	1.10.85
	1480X	2mg (base)	100	2	12.18	Minipress PF	1.10.85
	1478T	5mg (base)	100	2	17.98	Minipress PF	1.10.85
53	1919B	PREDNISOLONE ACETATE Injection 10mg in 1mL	5	..	*12.43	Scherisolon SC	1.10.85
53	3112T	PREDNISOLONE ACETATE with PHENYLEPHRINE Eye Drops 1%-0.12%, 10mL	≠1	2	7.13	Prednefrin Forte AG	1.11.85
54	1920C	PREDNISOLONE SODIUM PHOSPHATE Retention Enema 20mg in 100mL	28	1	*66.93	Predsol GL	1.11.85
54	1937Y	PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	7.13	IC	1.11.85
55	2893G	PROCHLORPERAZINE Tablet 5mg	25	..	*3.41 *3.44	Anti-Naus PT Compazine SK Stemetil MB	1.10.85 1.10.85 1.10.85
	2894H	Suppositories 5mg, 5	≠1	..	4.51	Stemetil MB	1.10.85
	2895J	25mg, 5	≠1	..	4.94	Stemetil MB	1.10.85
	2897L	Tablet 5mg	100	..	5.19 5.26	Anti-Naus PT Compazine SK Stemetil MB	1.10.85 1.10.85 1.10.85
55	1947L	PROGUANIL Tablet 100mg	100	2	6.38	Paludrine IC	1.11.85
56	1955X	PROPYLTHIOURACIL Tablet 50mg	100	2	7.76	ET	1.11.85
56	3056W	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Powder, 200g sachet	10	5	*372.13	Albumaid XP SJ	1.8.85
56	2724J	PYRIDOSTIGMINE Tablet 10mg	100	2	7.26	Mestinon RO	1.10.85
	2608G	180mg (sustained release)	100	1	39.63	Mestinon RO	1.10.85
56	2337B	QUINETHAZONE Tablet 50mg	50	2	6.02	Aquamox LE	1.10.85
57	1978D	RANITIDINE HYDROCHLORIDE Tablet 150mg (base)	60	..	43.38	Zantac GL	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
57	1987N	ROLITETRACYCLINE I.V. Injection set containing 275mg and 10mL solvent	5	..	*26.38	Reverin HP	1.8.85
	1990R	I.M. Injection set containing 350mg and 2mL solvent	5	..	*26.38	Reverin HP	1.8.85
58	1099W	SALBUTAMOL Capsule 200 micrograms (Oral Inhalation)	100	5	8.57	Ventolin Rotacaps GL	1.10.85
58	1993X	SALICYLAMIDE Tablet 500mg	100	2	4.88	PT	1.10.85
59	2878L	SODIUM CROMOGLYCAT Capsule 20mg (Oral Inhalation)	100	5	19.22	Intal Spincaps FC	1.10.85
59	1127H	Eye Drops 2%, 10mL	≠1	..	8.34	Opticrom FC	1.11.85
59	2035D	SODIUM SALICYLATE Tablet 300mg (enteric coated)	100	2	5.01	Rhumax PR	1.10.85
	2036E	Tablet 500mg (enteric coated)	100	2	5.38	Rhumax PR	1.10.85
	2037F	Tablet 600mg (enteric coated)	100	2	5.69	Ensalate RC Rhumax PR	1.10.85 1.10.85
60	2040J	SOYA FORMULA Liquid 375mL	5	20	*7.88	ProSobee MJ	1.8.85
	2039H	384mL	5	20	*7.88	Isomil RD	1.8.85
	2042L	Powder 500g	≠1	20	7.84	Infasoy WY	1.8.85
60	3090P	SPECTINOMYCIN Injection 2g with 3.2mL diluent	1	..	9.94	Trobicin UP	1.8.85
60	2045P	STAPHYLOCOCCUS TOXOID (FORMALINISED) Injection Diluted 1 in 10 for use in initial injection 5mL	1	..	9.26	CS	1.11.85
	2046Q	Undiluted 5mL	1	..	10.13	CS	1.11.85
60	2053C	STILBOESTROL Tablet 10mg	100	2	5.13	HA	1.11.85
60	2047R	SULINDAC Tablet 100mg	50	2	7.61	Clinoril FR	1.8.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
61	2063N	SULPHACETAMIDE SODIUM Eye Drops 10%, 15mL	≠1	2	4.38	Acetopt SI Belph 10 AG	1.11.85 1.11.85
	2064P	20%, 15mL	≠1	2	4.38	Acetopt SI	1.11.85
61	2078J	SULPHAFURAZOLE Eye Drops 4%, 10mL	≠1	2	4.38	Gantrisin RO	1.11.85
61	2092D	SULPHAPYRIDINE Tablet 500mg	100	..	9.13	MGB 693 MB	1.8.85
61	2093E	SULPHASALAZINE Tablet 500mg	200	5	*28.83	Salazopyrin PS	1.10.85
	2096H	500mg (enteric coated)	200	5	*28.83	Salazopyrin-EN PS	1.10.85
61	2094F	SULPHINPYRAZONE Tablet 100mg	100	..	12.44	Anturan CG	1.8.85
61	2099L	SULTHIAME Tablet 50mg	200	1	9.16	Ospolot BN	1.8.85
	2100M	200mg	200	1	18.76	Ospolot BN	1.8.85
62	2109B	TAMOXIFEN CITRATE Tablet 10mg (base)	30	..	25.63	Nolvadex IC	1.11.85
	2110C	20mg (base)	30	..	42.13	Nolvadex-D IC	1.11.85
62	2127Y	TETANUS VACCINE, ADSORBED Injection 0.5mL	3	..	*7.02	CS	1.11.85
62	1330B	TETRABENAZINE Tablet 25mg	100	..	14.01	Nitoman RO	1.10.85
62	3083G	TETRACOSACTRIN Injection 500 micrograms in 1mL	5	..	18.31	Synacthen Depot CG	1.10.85
	2832C	Injection 1mg in 1mL	5	..	*26.83	Synacthen Depot CG	1.10.85
64	2947D	THIABENDAZOLE Tablet 500mg	16	..	6.98	Mintezol MK	1.11.85
64	2368P	THIETHYLPERAZINE Injection 6.5mg (base) in 1mL	10	..	*7.93	Torecan SZ	1.10.85
	2573K	Suppositories 6.5mg (base), 6	≠1	..	4.82	Torecan SZ	1.10.85
64	1233X	THIOGUANINE Tablet 40mg	25	1	61.33	Lanvis BW	1.11.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
64	2359E	THIORIDAZINE Tablet 25mg	100	1	5.63	Melleril SZ	1.10.85
	2164X	50mg	100	1	7.38	Melleril SZ	1.10.85
	2165Y	100mg	100	1	12.13	Melleril SZ	1.10.85
64	2345K	THIOTEPA Injection 15mg (solvent required)	2	1	*22.63	LE	1.11.85
	2858K	Eye Drops Set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	#1	5	#20.40	LE	1.11.85
65	1278G	TIMOLOL Eye Drops 0.25%, 5mL	#1	6	9.13	Timoptol FR	1.11.85
65	2178P	TOLBUTAMIDE Tablet 500mg	100	2	5.69	Diatol PT Rastinon HP	1.11.85 1.11.85
	2607F	1g	100	2	9.63	Rastinon HP	1.11.85
65	2180R	TRANEXAMIC ACID Tablet 500mg	100	..	47.88	Cyklokapron PS	1.10.85
66	2990J	TRIAMCINOLONE ACETONIDE Injection 10mg in 1mL	5	..	16.52	Kenacort-A10 SQ	1.10.85
66	2971J	TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Drops 0.1%-0.25% (base)-0.025%-100,000 Units per g, 7.5mL	#1	2	4.44	Kenacomb Otic SQ	1.10.85
67	2970H	TRIMIPRAMINE Tablet 25mg	50	2	4.88	Surmontil MB	1.8.85
67	2203Y	TRI-POTASSIUM DI-CITRATO BISMUTHATE COMPLEX Tablet 107.7mg (Bi)	112	1	20.52	De-No1 PD	1.10.85
68	2195M	TYPHUS VACCINE Injection 1mL	2	..	*50.25	CS	1.11.85
68	2197P	VASOPRESSIN TANNATE Oily Injection 5 Units in 1mL	10	1	*49.63	Pitressin Tannate PD	1.11.85
68	3156D	VITAMIN SUPPLEMENT Tablet	100	..	13.63	Ketovite ST	1.10.85
	3157E	Liquid 100mL	#1	..	7.03	Ketovite ST	1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
69	3154B	ZINC with PHENYLEPHRINE Eye Drops 0.25%-0.12%, 15mL	#1	2	4.38	Prefrin-Z AG Zincfrin AQ	1.11.85 1.11.85
69	2984C	ZINC OXIDE Compound Ointment 50g	#1	1	4.57	Anusol WW	1.11.85
	1122C	Compound Suppositories, 12	#1	1	4.57	Anusol WW	1.11.85
INTRAVENOUS INFUSIONS FOR INJECTION							
70	3081E	DEXTRAN 70 6% with 5% glucose, 500mL	12	..	123.38	Macrodex PS	1.11.85
	3011L	6% with 0.9% sodium chloride, 500mL	12	..	123.38	Macrodex PS	1.11.85
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY							
72	3305Y	AMPHOTERICIN Tablet 100mg	50	..	10.26	Fungilin SQ	1.10.85
72	3312H	AMPICILLIN Injection 250mg (solvent required)	5	..	6.59	Austrapen CS	1.10.85
	3313J	Injection 500mg (solvent required)	5	..	8.62	Austrapen CS	1.10.85
	3314K	Injection 1g (solvent required)	5	..	12.72	Austrapen CS	1.10.85
72	3324Y	ERYTHROMYCIN Tablet 250mg	25	..	6.04	EMU-V UP	1.8.85
	3329F	Capsule 125mg	25	..	5.01	Eryc FA	1.8.85
	3325B	250mg	25	..	6.04	Eryc FA Ilocap LY	1.8.85 1.8.85
73	3328E	ERYTHROMYCIN STEARATE Tablet 250mg (base)	25	..	6.04	Erythrocin AB	1.8.85
	3330G	Capsule 250mg (base)	25	..	5.99 6.04	E-Mycin PT Erythrocin AB	1.8.85 1.8.85
73	3339R	METRONIDAZOLE Tablet 200mg	21	..	5.23 5.26	Trichozole PT Flagyl MB Metrozine SR	1.10.85 1.10.85 1.10.85
73	3342X	NYSTATIN Tablet 500,000 Units	25	..	*7.06	Diastatin GP Mycostatin SQ Nilstat LE	1.10.85 1.10.85 1.10.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
73	3351J	PHENETHICILLIN Tablet 250mg	25	..	4.88	Optipen CS Pensig SI	1.8.85 1.8.85
	3353L	Capsule 250mg	25	..	4.88	Optipen CS Pensig SI	1.8.85 1.8.85
	3354M	500mg	25	..	6.01	Optipen CS Pensig SI	1.8.85 1.8.85
	3356P	Powder for Syrup 250mg per 5mL, 100mL	≠1	..	#6.23	Pensig 250 SI	1.8.85
74	3366E	PHENOXYMETHYLPENICILLIN Suspension 250mg per 5mL, 100mL	≠1	..	5.26	Abbocillin-V AB Cilicaine V SI Falcopen V FA LPV 250 CS	1.8.85 1.8.85 1.8.85 1.8.85

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
35	1566K	LABETALOL Tablet 100mg	100	2	Add 10.88 Presolol 100 AF	1.11.85
	1567L	200mg	100	2	Add 16.82 Presolol 200 AF	1.11.85
38	2430X	METFORMIN Tablet 500mg	100	2	10.13 Delete Dimin 500 AF Add Diaformin AF	1.8.85 1.8.85
43	1674D	NAPROXEN Tablet 250mg	50	2	Add 7.26 Naxen AF	1.11.85
61	2093E	SULPHASALAZINE Tablet 500mg	200	5	Add 24.94 Ulcol AF	1.10.85
64	2163W	THIORIDAZINE Tablet 10mg	100	1	Add 4.13 Aldazine 10 AF	1.10.85
	2359E	25mg	100	1	Add 5.26 Aldazine 25 AF	1.10.85
	2164X	50mg	100	1	Add 6.88 Aldazine 50 AF	1.10.85
	2165Y	100mg	100	1	Add 11.13 Aldazine 100 AF	1.10.85
68	1248Q	VERAPAMIL HYDROCHLORIDE Tablet 40mg	100	2	Add 8.38 Anpec 40 AF	1.10.85
	1250T	80mg	100	2	Add 12.13 Anpec 80 AF	1.10.85

PRICE ADJUSTMENTS OF SECTION 3 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE							
3	3148Q	POLYISOBUTYLENE Compound Adhesive Wafers with Adhesive Discs, 5	≠1	5	14.19	BH	1.9.85

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Amended Price</u> \$	<u>Price Effective</u>
2	3073R	Amino Acid Formula with Vitamins and Minerals without Phenylalanine 200g	1 @ 31.25 SJ	1.8.85
2	1059R	Amylobarbitone Sodium 500mg	1 @ 3.13 LY	1.10.85
2	2647H	Benzylpenicillin 3g	5 @ 12.19 CS, GL	1.8.85
	2648J	6g	1 @ 3.75 CS	1.8.85
2	1071J	Bethanechol 5mg in 1mL	1 @ 2.50 MK	1.10.85
2	1185J	Chloroquine 5mL	10 @ 9.25 MB	1.11.85
2	3021B	Cholera Vaccine 1mL	1 @ 1.88 CS	1.11.85
2	1222H	Codeine Phosphate with Aspirin 30mg-325mg	50 @ 5.38 BW	1.10.85
2	2621Y	Colistin 150mg	1 @ 16.50 WW	1.8.85
2	1344R	Diphtheria Antitoxin 10,000 Units	1 @ 27.50 CS	1.11.85
2	1341N	Diphtheria and Tetanus Vaccine, Adsorbed 0.5mL	1 @ 1.81 CS	1.11.85
2	3019X	Diphtheria and Tetanus Vaccine, Adsorbed, Diluted for Adult Use 0.5mL	1 @ 1.81 CS	1.11.85
2	1348Y	Diphtheria Vaccine, Adsorbed 0.5mL	1 @ 2.13 CS	1.11.85
2	3020Y	Diphtheria Vaccine, Adsorbed, Diluted for Adult Use 0.5mL	1 @ 2.06 CS	1.11.85
2	3166P	Ethinodiol Diacetate with Ethinylloestradiol 500mcg-50mcg	1 @ 1.69 SR	1.8.85
	3167Q	1mg-50mcg	1 @ 1.69 SR	1.8.85
	2447T	Tablet-Pack	1 @ 1.69 SR	1.8.85
	3168R	Tablet-Pack	1 @ 1.69 SR	1.8.85

Price Adjustments of Section 6 - Standard Packs and Prices (cont.)

Page No.	Code	Name and Form	Amended Price \$	Effective
2	2699C	Gas Gangrene Antitoxin - Mixed (Polyvalent) 25,000 Units	1 @ 45.00 CS	1.11.85
3	1710B	Insulin (bovine) 100 Units per mL, 10mL	1 @ 10.31 CN	1.11.85
3	1723Q	Insulin Biphasic (mixed porcine/bovine) 100 Units per mL, 10mL	1 @ 10.94 CN	1.11.85
3	1711C	Insulin Isophane (N.P.H.) (bovine) 100 Units per mL, 10mL	1 @ 10.31 CN, WP	1.11.85
	1712D	(porcine) 100 Units per mL, 10mL	1 @ 10.94 BW, CN	1.11.85
3	1427D	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)(porcine) 100 Units (70 Units-30 Units) per mL, 10mL	1 @ 10.94 BW	1.11.85
3	1713E	Insulin Neutral (bovine) 100 Units per mL, 10mL	1 @ 10.31 WP	1.11.85
	1714F	(porcine) 100 Units per mL, 10mL	1 @ 10.94 BW, CN	1.11.85
3	1715G	Insulin Protamine Zinc (bovine) 100 Units per mL, 10mL	1 @ 10.31 CN	1.11.85
3	1716H	Insulin Zinc Suspension (bovine) 100 Units per mL, 10mL	1 @ 10.31 CN	1.11.85
	1717J	(porcine) 100 Units per mL, 10mL	1 @ 10.94 CN	1.11.85
3	1719L	Insulin Zinc Suspension (Amorphous) (bovine) 100 Units per mL, 10mL	1 @ 10.31 BW, CN	1.11.85
	1720M	(porcine) 100 Units per mL, 10mL	1 @ 10.94 CN	1.11.85
3	1721N	Insulin Zinc Suspension (Crystalline)(bovine) 100 Units per mL, 10mL	1 @ 10.31 CN	1.11.85
3	2913H	Levonorgestrel 30mcg	1 @ 1.69 SC,WY	1.8.85
3	1455N	Levonorgestrel with Ethinylloestradiol 125mcg-50mcg	1 @ 1.69 SC	1.8.85
	1393H	150mcg-30mcg	1 @ 1.69 SC,WY	1.8.85
	3186Q	250mcg-50mcg	1 @ 1.69 SC,WY	1.8.85
	1457Q	Tablet-Pack	1 @ 1.69 WY	1.8.85
	1458R	Tablet-Pack	1 @ 1.69 SC,WY	1.8.85
	1456P	Tablet-Pack	1 @ 1.69 SC	1.8.85
	1394J	Tablet-Pack	1 @ 1.69 SC,WY	1.8.85

Price Adjustments of Section 6 - Standard Packs and Prices (cont.)

<u>Page</u> <u>No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Amended Price</u> \$	<u>Effective</u>
4	3188T	Levonorgestrel with Ethinyloestradiol Tablet-Pack	1 @ 1.69 SC,WY	1.8.85
	1391F	Tablet-Pack	1 @ 1.69 SC,WY	1.8.85
	1392G	Tablet-Pack	1 @ 1.69 SC,WY	1.8.85
4	2401J	Lypressin 50 Units per mL, 5ml	1 @ 6.45 SZ	1.11.85
4	1620G	Methenolone Acetate 5mg	50 @ 9.00 SC	1.10.85
4	2396D	Methotrexate 5mg in 2mL	1 @ 8.94 LE	1.11.85
4	1924G	Mithramycin 2.5mg	1 @ 21.88 PF	1.11.85
4	1967M	Norethisterone 350mcg	1 @ 1.69 ET,SD	1.8.85
4	2772X	Norethisterone with Ethinyloestradiol 500mcg-35mcg	1 @ 1.69 ET,SD	1.8.85
	2773Y	1mg-35mcg	1 @ 1.69 SD	1.8.85
	2774B	Tablet-Pack	1 @ 1.69 ET,SD	1.8.85
	2775C	Tablet-Pack	1 @ 1.69 SD	1.8.85
	2776D	Tablet-Pack	1 @ 1.69 SD	1.8.85
4	3176E	Norethisterone with Mestranol 1mg-50mcg	1 @ 1.69 ET,SD	1.8.85
	3179H	Tablet-Pack	1 @ 1.69 SD	1.8.85
4	3180J	Norethisterone Acetate with Ethinyloestradiol 1mg-50mcg	1 @ 1.69 SC	1.8.85
	3183M	Tablet-Pack	1 @ 1.69 PD,SC	1.8.85
	3184N	Tablet-Pack	1 @ 1.69 PD	1.8.85
4	1442X	Norgestrel with Ethinyloestradiol 500mcg-50mcg	1 @ 1.69 SC	1.8.85
	3187R	500mcg-50mcg	1 @ 1.69 SC,WY	1.8.85
	3189W	Tablet-Pack	1 @ 1.69 SC	1.8.85
4	1707W	Phenethicillin 250mg	25 @ 2.75 CS,SI	1.8.85
	1709Y	250mg	25 @ 2.75 CS,SI	1.8.85
4	1865E	Phenylalanine Low Content Formula 2.51b	1 @ 56.25 MJ	1.10.85
4	1901C	Plague Vaccine 0.5mL	1 @ 4.38 CS	1.11.85
4	1919B	Prednisolone Acetate 10mg in 1mL	1 @ 2.06 SC	1.10.85
4	1920C	Prednisolone Sodium Phosphate 20mg in 100mL	7 @ 16.20 GL	1.11.85

Price Adjustments of Section 6 - Standard Packs and Prices (cont.)

Page No.	Code	Name and Form	Amended Price	Effective
			\$	
5	2893G	Prochlorperazine 5mg	100 @ 3.06 PT	1.10.85
			100 @ 3.13 MB,SK	1.10.85
5	3056W	Protein Hydrolysate Formula without Phenylalanine 200g	1 @ 37.00 SJ	1.8.85
5	1987N	Rolitetracycline I.V. 275mg	1 @ 4.85 HP	1.8.85
	1990R	I.M. 350mg	1 @ 4.85 HP	1.8.85
5	2040J	Soya Formula 375mL	1 @ 1.15 MJ	1.8.85
	2039H	384mL	1 @ 1.15 RD	1.8.85
5	2093E	Sulphasalazine 500mg	100 @ 13.35 PS	1.10.85
	2096H	500mg (e.c.)	100 @ 13.35 PS	1.10.85
5	2127Y	Tetanus Vaccine, Adsorbed 0.5mL	1 @ 1.63 CS	1.11.85
5	2832C	Tetracosactrin 1mg in 1mL	1 @ 4.94 CS	1.10.85
5	2368P	Thiethylperazine 6.5mg (base) in 1mL	5 @ 2.90 SZ	1.10.85
5	2345K	Thiotepa 15mg	1 @ 10.25 LE	1.11.85
5	2195M	Typhus Vaccine 1mL	1 @ 24.06 CS	1.11.85
5	2197P	Vasopressin Tannate 5 Units in 1mL	5 @ 23.75 PD	1.11.85
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY				
6	3342X	Nystatin 500,000 Units	50 @ 7.75 GP,LE,SQ	1.10.85

ADVANCE NOTICES

DELETIONS - ITEMS

The items listed below will be deleted from the Schedule of Pharmaceutical Benefits as from 1 December 1985.

Items being discontinued by the manufacturer -

Section 2 - Prescribing by medical practitioners

2486W	Aminocaproic Acid, oral solution 250mg per mL, 20mL (Ekaprol)
2701E	Dextromoramide, injection 5mg in 1mL (Palfium)
2594M	Glymidine, tablet 500mg (Gondafon)
1430G	Insulin Zinc Suspension (Lente), injection (mixed porcine/bovine) 100 Units per mL, 10mL (Lente M.C. Novo) (Item discontinued following the establishment of the CSL-Novo joint venture.)
1661K	Morphine Sulphate with Atropine Sulphate, injection 15mg-600 micrograms in 1mL (BL)
1182F	Norethisterone Acetate, tablet 2.5mg (Primolut Nor)

Advance Notices - Deletion of Items (cont.)

1839T Phenethicillin, tablet 125mg (Pensig)
 1706T tablet 125mg (Pensig)
 1872M Phenytoin Sodium, tablet 100mg (FM)
 2747N Protriptyline, tablet 5mg (Concordin)
 2748P tablet 10mg (Concordin)
 2205C Tri-potassium Di-citrato Bismuthate Complex, mixture 156mg (Bi) per 5mL,
 500mL (Ulcaron)

Section 2 - Prescribing by participating dental practitioners

3350H Phenethicillin, tablet 125mg (Pensig)

Items recommended for deletion by the Pharmaceutical Benefits Advisory Committee -

Section 2 - Prescribing by medical practitioners

3095X Cephalexin, granules for syrup 250mg per 5mL, 100mL (Keflex)
 2373X Potassium, effervescent tablet 6.5 mmol K⁺ (Potavescent)

DELETIONS - BRANDS

The following brands will be deleted from the Schedule of Pharmaceutical Benefits as from 1 December 1985.

Section 2 - Prescribing by medical practitioners

1710B Insulin, injection (bovine) 100 Units per mL, 10mL (Wellcome Insulin)
 1723Q Insulin Biphasic, injection (mixed porcine/bovine) 100 Units per mL,
 10mL (Bitard-2, Rapitard M.C. Novo)
 1711C Insulin Isophane (N.P.H.), injection (bovine) 100 Units per mL, 10mL
 (Isophane M.C., Isotard-2, Wellcome Isophane)
 1712D Insulin Isophane (N.P.H.), injection (porcine) 100 Units per mL, 10mL
 (Isotard-2 PC, Protaphane M.C.)
 1714F Insulin Neutral, injection (porcine) 100 Units per mL, 10mL
 (Actrapid M.C. Novo, Nuralin-2)
 1715G Insulin Protamine Zinc, injection (bovine) 100 Units per mL, 10mL (BW,CS)
 1716H Insulin Zinc Suspension (Lente), injection (bovine) 100 Units per mL,
 10mL (Lente-2, Wellcome Lente)
 1717J Insulin Zinc Suspension (Lente), injection (porcine) 100 Units per mL,
 10mL (Lente-2 PC, Monotard M.C. Novo)
 1719L Insulin Zinc Suspension (Amorphous) (Semilente), injection (bovine) 100
 Units per mL, 10mL (Semilente-2)
 1720M Insulin Zinc Suspension (Amorphous) (Semilente), injection (porcine) 100
 Units per mL, 10mL (Semilente-2 PC, Semilente M.C. Novo)
 1721N Insulin Zinc Suspension (Crystalline) (Ultralente), injection (bovine)
 100 Units per mL, 10mL (Ultralente-2, Ultralente M.C. Novo, Wellcome
 Ultralente)
 1840W Phenethicillin, tablet 250mg (Optipen)
 1707W tablet 250mg (Optipen)
 2052B Stilboestrol, tablet 5mg (DH)
 2174K Thyroxine Sodium (BP 1980), tablet 50 micrograms (Thyroxinal)
 2175L tablet 100 micrograms (Thyroxinal)
 2173J tablet 200 micrograms (Thyroxinal)
 2372W Vincristine, injection set containing 5mg and 10mL solvent (Oncovin)

Section 2 - Prescribing by participating dental practitioners

3351J Phenethicillin, tablet 250mg (Optipen)

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF PHARMACEUTICAL BENEFITS

DECEMBER 1985 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY/FEBRUARY/MARCH

PROFESSIONAL FEES

The professional fees for the supply of ready prepared and extemporaneously prepared pharmaceutical benefits have been increased as from 1 January 1986.

The new professional fees are:-

Ready prepared benefits - \$2.35

Extemporaneously prepared benefits - \$3.40

Prices in the December 1985 edition of the Schedule of Pharmaceutical Benefits as well as the cumulative amendments relevant to this issue include the fees of \$2.30 for ready prepared benefits and \$3.33 for extemporaneously prepared benefits.

The new fees will be incorporated in prices in all publications effective 1 April 1986.

NEW ITEMS - SECTION 2

<u>Page</u> <u>No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max.</u> <u>Qty</u>	<u>No.of</u> <u>Rpts</u>	<u>Dispensed</u> <u>Price for</u> <u>Max. Qty</u> \$	<u>Prop. Name</u> <u>and Mfr</u>	<u>Addition</u> <u>Effective</u>
		CYCLOPHOSPHAMIDE To be accompanied by an authority from the Director of Health.					
16	1265N	Injection 100mg (solvent required)	6	..	21.41	Cycloblastin FE	1.3.86
	2381H	200mg (solvent required)	6	..	22.69	Cycloblastin FE	1.3.86
	1079T	500mg (solvent required)	2	..	*12.76	Cycloblastin FE	1.3.86
	1080W	1g (solvent required)	1	..	11.41	Cycloblastin FE	1.3.86
		CYTARABINE					
16	2925Y	Injection 40mg in 2mL	10	1	*41.68	Alexan BT	1.2.86
	2926B	100mg in 5mL	10	1	85.05	Alexan BT	1.2.86
	2911F	500mg in 25mL	2	1	*79.80	Alexan BT	1.2.86
		MICONAZOLE NITRATE					
40	1275D	Pessaries 200mg, 3	≠1	..	6.46	Monistat 3 ET	1.12.85

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
2	1005X	ACETAZOLAMIDE Injection 500mg (solvent required)	1	..	9.80	Diamox LE	1.12.85
3	3073R	AMINO ACID FORMULA with VITAMINS and MINERALS without PHENYLALANINE Powder 200g	5	5	*202.30	Maxamaid XP SJ	1.2.86
4	3071P	AMINO ACID FORMULA without PHENYLALANINE Powder 250g	2	5	*192.30	PK AID I SJ	1.2.86
5	1047D	AMPHOTERICIN Injection 50mg (solvent required)	1	..	16.78	Fungizone SQ	1.2.86
8	3038X	BENZTROPINE Injection 2mg in 2mL	5	..	10.05	Cogentin MK	1.12.85
8	2812B	BETAMETHASONE VALERATE Cream 0.02%, 100g	≠1	..	5.01	Betnovate 1/5 GL	1.12.85
	2820K	Ointment 0.02%, 100g	≠1	..	5.01	Celestone-M SH	1.12.85
9	1260H	BISACODYL Suppositories 10mg, 10	≠1	..	5.80	Durolax BY	1.12.85
10	1146H	CALCIUM GLUCONATE Injection 10%, 10mL	5	1	9.24	Calcium-Sandoz SZ	1.12.85
12	1066D	CHLORHEXIDINE Solution 5%, 200mL	≠1	1	5.66	Hibitane Concentrate IC	1.12.85
13	2967E	CHOLESTYRAMINE Powder, 9g sachet (equivalent to 4g cholestyramine), 50	2	..	*49.80	Questran AP	1.1.86
14	1806C	CLONAZEPAM Tablet 2mg	200	2	15.18	Rivotril RO	1.12.85
14	3145M	CLONIDINE Tablet 100 micrograms	100	2	9.18 9.80	Catapres 100 BY Catapres 100 BY	1.12.85 1.2.86
	3141H	150 micrograms	100	2	11.43 12.30	Catapres BY Catapres BY	1.12.85 1.2.86
	3142J	Injection 150 micrograms in 1mL	5	..	6.80	Catapres BY	1.2.86

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
15	1224K	COLESTIPOL HYDROCHLORIDE Sachets 5g, 120	#1	..	57.30	Colestid UP	1.2.86
15	1228P	COPPER SULPHATE Diagnostic Compound Tablets, 36	2	3	*7.06	Clinitest AM	1.2.86
16	2854F	DEMECLOCYCLINE HYDROCHLORIDE Capsule 150mg	100	3	22.75	Ledermycin LE	1.12.85
19	1125F	DIOCTYL SODIUM SULPHO- SUCCINATE with BISACODYL Suppositories 100mg-10mg, 5	2	..	*5.80	Coloxyl FM	1.12.85
19	1346W	DIPHTHERIA, TETANUS and PERTUSSIS VACCINE, ADSORBED Injection 0.5mL	3	..	*8.30	CS,PD	1.2.86
20	2709N	DOXYCYCLINE Tablet 100mg	7	..	5.01	Doxylin 100 AF	1.1.86
23	1414K	ETHOSUXIMIDE Paediatric Syrup 250mg per 5mL, 250mL	#1	4	9.80	Zarontin PD	1.12.85
23	1315F	FENOTEROL HYDROBROMIDE Elixir 2.5mg per 5mL, 300mL	#1	4	5.59	Berotec BY	1.12.85
24	1073L	FLUCYTOSINE Tablet 500mg	100	..	83.55	Ancotil RO	1.12.85
25	2677X	FLUOCORTOLONE ESTERS Cream 0.08%, 100g	#1	..	5.01	Topodil SC	1.12.85
26	2311P	FUSIDIC ACID Suspension 50mg per mL, 90mL	#1	..	28.36	Fucidin SK	1.2.86
27	3040B	GLUCOSE Injection 50%, 10mL	5	..	7.30	BL	1.2.86
27	2908C	GLUCOSE INDICATOR - BLOOD Reagent Strips 25	#1	5	11.20	Visidex II AM	1.1.86
27	2352T	GLUCOSE INDICATOR - URINE Reagent Strips 100	#1	2	6.05	Clinistix AM	1.2.86
	3104J	Reagent Strips 100	#1	2	6.30	Diastix AM	1.2.86
27	3107M	GLUCOSE and KETONE INDICATOR - URINE Reagent Strips 100	#1	2	7.30	Keto-Diastix AM	1.2.86

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
30	3042D	HYOSCINE BUTYLBROMIDE Injection 20mg in 1mL	5	..	6.39 7.48	Buscopan BY Buscopan BY	1.12.85 1.2.86
31	3190X	IBUPROFEN Tablet 400mg	50	2	6.38 6.43	Inflam PT Brufen BT	1.2.86 1.2.86
31	2442M	IDOXURIDINE Eye Drops 0.1%, 15mL	#1	2	6.85	Herplex AG Stoxil SK	1.2.86 1.2.86
31	2852D	INFLUENZA VACCINE Injection (Trivalent) 0.5mL	1	..	8.80	Fluvax CS Vaxigrip MB (see Other Amendments p8.)	1.3.86 1.3.86
33	1540C	IPRATROPIUM BROMIDE Inhalation, metered aerosol spray, 20 micrograms per dose (200 dose)	#1	5	9.18 10.18	Atrovent BY Atrovent BY	1.12.85 1.2.86
	1541D	Nebuliser Solution 0.025%, 20mL	#1	2	7.05	Atrovent BY	1.2.86
34	2587E	ISOSORBIDE DINITRATE Tablet 10mg	100	2	4.70	Isordil AY Isotrate PD	1.2.86 1.2.86
	2588F	Sublingual Tablet 5mg	100	2	4.50	Isordil Sublingual AY Isotrate Sublingual PD	1.2.86 1.2.86
36	2322F	MEDROXYPROGESTERONE Injection 500mg in 2.5mL	1	..	32.26	Farlutal FE	1.2.86
38	1633Y	METHYLPHENOBARBITONE Tablet 30mg	200	2	5.50	Prominal WL	1.12.85
	1634B	60mg	200	2	6.08	Prominal WL	1.12.85
38	2826R	METHYSERGIDE Tablet 1mg	100	2	21.99	Deseril SZ	1.12.85
39	1324Q	METOPROLOL Tablet 50mg	100	2	11.30	Betaloc AP Lopresor CG	1.12.85 1.12.85
40	2313R	MINOXIDIL Tablet 10mg	100	..	44.80	Loniten UP	1.2.86
	2314T	25mg	100	..	99.80	Loniten UP	1.2.86

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price	Prop. Name and Mfr	Price Effective
					\$		
44	1697H	NYSTATIN Pessaries 100,000 Units, 15	#1	1	5.03	Diastatin GP Mycostatin SQ Nilstat LE	1.12.85 1.12.85 1.12.85
48	1862B	PHENOXYBENZAMINE Capsule 10mg	100	..	15.43	Dibenyline SK	1.2.86
48	1786B	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	4.80	Abbecillin-V AB LPV CS	1.12.85 1.12.85
	1787C	250mg	25	1	5.05	Abbecillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	1789E	Capsule 250mg	25	1	5.05	Abbecillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	2356B	Paediatric Suspension 125mg per 5mL, 100mL	#1	1	4.80	Abbecillin-V AB Cilicaine V SI Falcopen V FA LPV 125 CS	1.12.85 1.12.85 1.12.85 1.12.85
49	1702N	Tablet 125mg	50	5	*7.30	Abbecillin-V AB LPV CS	1.12.85 1.12.85
	1703P	250mg	50	5	*7.80	Abbecillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	1705R	Capsule 250mg	50	5	*7.80	Abbecillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
50	3065H	PINDOLOL Tablet 15mg	50	2	13.86	Visken SZ	1.12.85
53	1939C	PRIMIDONE Tablet 250mg	200	2	9.91	Mysoline IC	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
53	1793J	PROCAINE PENICILLIN Injection BP, 1g	5	..	17.93	Cilicaine SI	1.2.86
	1794K	1.5g	5	..	18.55	Cilicaine SI	1.2.86
54	1948M	PROMETHAZINE Injection 50mg in 2mL	10	..	*6.06	BL	1.2.86
54	2830Y	PROPRANOLOL Injection 1mg in 1mL	5	..	*9.16	Inderal IC	1.12.85
54	3056W	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Powder, 200g sachet	10	5	*502.30	Albumaid XP SJ	1.2.86
55	2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	17.55	Kinidin AP	1.12.85
61	1330B	TETRABENAZINE Tablet 25mg	100	2	15.11	Nitoman RO	1.12.85
63	2345K	THIOTEPA Injection 15mg (solvent required)	2	1	*24.30	LE	1.12.85
	2858K	Eye Drops Set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	#1	5	#21.89	LE	1.12.85
64	2178P	TOLBUTAMIDE Tablet 500mg	100	2	6.14 6.19	Diatol PT Rastinon HP	1.2.86 1.2.86
	2607F	1g	100	2	10.68	Rastinon HP	1.2.86
65	2117K	TRIAMCINOLONE ACETONIDE Cream 0.02%, 100g	#1	..	5.01	Aristocort 0.02% LE Kenalone 0.02% SQ	1.12.85 1.12.85
	2118L	Ointment 0.02%, 100g	#1	..	5.01	Aristocort 0.02% LE Kenalone 0.02% SQ	1.12.85 1.12.85
67	3131T	VANCOMYCIN Injection 500mg (solvent required)	5	..	*143.25	Vancocin LY	1.12.85
INTRAVENOUS INFUSIONS FOR INJECTION							
69	2589G	MANNITOL 10%, IL	1	1	6.80	AB	1.12.85
	2590H	20%, 500mL	1	1	6.80	AB	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page</u> <u>No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max.</u> <u>Qty</u>	<u>No. of</u> <u>Rpts</u>	<u>Amended</u> <u>Price</u> \$	<u>Prop. Name</u> <u>and Mfr</u>	<u>Price</u> <u>Effective</u>
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY							
71	3321T	DOXYCYCLINE Tablet 100mg	7	..	5.01	Doxylin 100 AF	1.1.86
73	3359T	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	..	4.80	Abbocillin-V AB LPV CS	1.12.85 1.12.85
	3360W	250mg	25	..	5.05	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	3363B	Capsule 250mg	25	..	5.05	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	3365D	Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	4.80	Abbocillin-V AB Cilicaine V SI Falcopen V FA LPV 125 CS	1.12.85 1.12.85 1.12.85 1.12.85
73	3370J	PROCAINE PENICILLIN Injection BP, 1g	5	..	17.93	Cilicaine SI	1.2.86
	3371K	1.5g	5	..	18.55	Cilicaine SI	1.2.86

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

<u>Page</u> <u>No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max.</u> <u>Qty</u>	<u>No. of</u> <u>Rpts</u>	<u>Amendment</u>	<u>Amendment</u> <u>Effective</u>
3	3109P	AMILORIDE Tablet 5mg	50	2	Add 4.93 Kaluril AF	1.12.85
14	2300C	CLOXACILLIN Capsule 250mg	25	..	Add 10.11 Alclox 250 AF	1.3.86
	1120Y	500mg	12	..	Add 9.80 Alclox 500 AF	1.3.86
24	1526H	FLUCLOXACILLIN Capsule 250mg	25	..	Add 10.11 Staphylex 250 AF	1.12.85
	1527J	500mg	12	..	Add 9.80 Staphylex 500 AF	1.12.85

Other Amendments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
		HEPARIN CALCIUM Injection				
28	1234Y	5,000 Units in 0.2mL	5	5	9.81 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
	1053K	12,500 Units in 0.5mL	2	5	9.14 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
	1054L	25,000 Units in 1mL	2	5	11.19 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
		HYDROCHLOROTHIAZIDE with AMILORIDE				
29	1486F	Tablet 50mg-5mg	30	2	Add 4.80 Lorizide 50/5 AF	1.12.85
		INFLUENZA VACCINE Injection (Trivalent)				
31	2852D	0.5mL	1	..	8.80 Fluvax CS Vaxigrip MB	
		As from 1 March 1986 influenza vaccine available as a pharmaceutical benefit is the formulation determined for the 1986 season (containing A/Chile/1/83, A/Victoria/3/85 and B/Victoria/3/85 like strains).				1.3.86
		METHYLDOPA				
38	1629R	Tablet 250mg	100	2	Add 9.80 Hydopa AF	1.12.85
		OXPRENOLOL				
45	2942W	Tablet 20mg	100	2	Add 6.68 Corbeton 20 AF	1.3.86
	2961W	40mg	100	2	Add 8.86 Corbeton 40 AF	1.3.86
		SENEGA and AMMONIA				
56	1995B	Mixture APF, 200mL	#1	4	Delete Mixture APF, 200mL Add Mixture, 200mL	1.12.85 1.12.85
		THIAMINE HYDROCHLORIDE				
63	1070H	Tablet 100mg	100	2	4.98 Delete Thiminone LF Add Thiminone EG	1.2.86 1.2.86
		TRIMETHOPRIM with SULPHAMETHOXAZOLE				
66	3103H	Suspension 40mg-200mg per 5mL, 100mL	#1	1	5.29 Add Resprim AF	1.1.86
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY						
		TRIMETHOPRIM with SULPHAMETHOXAZOLE				
74	3391L	Suspension 40mg-200mg per 5mL, 100mL	#1	..	5.29 Add Resprim AF	1.1.86

AMENDMENT OF SECTION 3 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE						
2	2718C	CHARCOAL, ACTIVATED Tablet 300mg	500	1	15.21 Delete Char-Bons LF Add Char-Bons EG	1.2.86 1.2.86

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Amended Price</u> \$	<u>Price Effective</u>
2	3073R	Amino Acid Formula with Vitamins and Minerals without Phenylalanine 200g	1 @ 40.00 SJ	1.2.86
2	3071P	Amino Acid Formula without Phenylalanine 250g	1 @ 95.00 SJ	1.2.86
2	2967E	Cholestyramine 9g sachet (equiv. to 4g cholestyramine)	1 @ 23.75 AP	1.1.86
2	1228P	Copper Sulphate Tablets	1 @ 2.38 AM	1.2.86
2	1079T	Cyclophosphamide 500mg	1 @ 5.23 FE	1.3.86
2	2925Y	Cytarabine 40mg in 2mL	5 @ 19.69 BT	1.2.86
	2911F	500mg in 25mL	1 @ 38.75 BT	1.2.86
2	1346W	Diphtheria, Tetanus and Pertussis Vaccine, Adsorbed 0.5mL	1 @ 2.00 CS,PD	1.2.86
2	1125F	Diocetyl Sodium Sulphosuccinate with Bisacodyl 100mg-10mg, 5	1 @ 1.75 FM	1.12.85
4	1702N	Phenoxyethylpenicillin 125mg	25 @ 2.50 AB,CS	1.12.85
	1703P	250mg	25 @ 2.75 AB,CS,FM,LY,SI	1.12.85
	1705R	250mg	25 @ 2.75 AB,CS,FA,FM,LY,SI	1.12.85
4	1948M	Promethazine 50mg in 2mL	5 @ 1.88 BL	1.2.86
4	2830Y	Propranolol 1mg in 1mL	10 @ 10.56 IC	1.12.85
4	3056W	Protein Hydrolysate Formula without Phenylalanine 200g	1 @ 50.00 SJ	1.2.86
5	2345K	Thiotepa 15mg	1 @ 11.00 LE	1.12.85
5	3131T	Vancomycin 500mg	1 @ 28.19 LY	1.12.85

ADVANCE NOTICES

DELETIONS - ITEMS

The items listed below will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Items being discontinued by the manufacturer -

Section 2 - Prescribing by medical practitioners

2517L Dimethindene, tablet 1mg (Fenostil)
 1488H Hydrocortisone, eye drops 0.5%, 5mL (Hycor)
 1490K eye drops 1%, 3mL (Hycor)
 3189W Norgestrel with Ethinyloestradiol, pack containing 21 tablets
 500 micrograms-50 micrograms and 7 inert tablets (Eugynon ED)
 1879X Physostigmine Salicylate, eye drops 0.25%, 15mL (IQ)
 1880Y 0.5%, 15mL (IQ)
 2599T Testosterone Enanthate, injection 100mg in 1mL (Primoteston Depot)

Section 2 - Intravenous Infusions for Injection

2305H Dextran 40, 10% with 5% anhydrous glucose, 500mL (Lomodex)

Section 3 - Preparations Available for Colostomy and Ileostomy Use

2230J Chloramine, powder 25g (Klortee)

Items recommended for deletion by the Pharmaceutical Benefits Advisory Committee -

Section 2 - Prescribing by medical practitioners

2181T Tocainide Hydrochloride, tablet 400mg (Tonocard)
 2182W tablet 600mg (Tonocard)
 (Unacceptable haematological toxicity)

DELETIONS - BRANDS

The following brands will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Section 2 - Prescribing by medical practitioners

1190P Chlorpheniramine, tablet 4mg (Chloramin)
 2936M Cloxacillin, powder for syrup 125mg per 5mL, 100mL (Orbenin)
 2423M Erythromycin Estolate, paediatric suspension, 125mg (base) per 5mL, 100mL
 (Eromycin)
 2521Q Fluorouracil, injection 250mg per 10mL (BL)
 1234Y Heparin Calcium, injection 5,000 Units in 0.2mL (Calciparine)
 1501B Hydrocortisone Sodium Succinate, injection set containing equivalent of
 100mg hydrocortisone and 2mL solvent (Efcortelan)
 3187R Norgestrel with Ethinyloestradiol, tablet 500 micrograms-50 micrograms,
 21 (Eugynon)
 1828F Pethidine, injection BP, 50mg in 1mL (Pethoid)
 1838R Phenethicillin, capsule 250mg (Optipen)
 3088M capsule 500mg (Optipen)
 1709Y capsule 250mg (Optipen)
 1853M Phenobarbitone Sodium, injection 200mg in 1mL (BL)

Advance Notices - Deletion of Brands (cont.)

1786B Phenoxymethylpenicillin, tablet 125mg (LPV)
 1789E capsule 250mg (Falcopen VK)
 2965C capsule 500mg (Falcopen VK)
 2356B paediatric suspension 125mg per 5mL, 100mL
 (Falcopen V)
 2354X suspension 250mg per 5mL, 100mL (Falcopen V)
 1702N tablet 125mg (LPV)
 1705R capsule 250mg (Falcopen VK)
 1793J Procaine Penicillin, injection BP 1g (Aquacillin)
 1794K injection BP 1.5g (Aquacillin)
 1961F Pyridoxine Hydrochloride, injection 50mg in 1mL (BL)

Section 2 - Prescribing by participating dental practitioners

3335M Erythromycin Estolate, paediatric suspension, 125mg (base) per 5mL, 100mL
 (Eromycin)
 3353L Phenethicillin, capsule 250mg (Optipen)
 3354M capsule 500mg (Optipen)
 3359T Phenoxymethylpenicillin, tablet 125mg (LPV)
 3363B capsule 250mg (Falcopen VK)
 3364C capsule 500mg (Falcopen VK)
 3365D paediatric suspension, 125mg per 5mL, 100mL
 (Falcopen V)
 3366E suspension 250mg per 5mL, 100mL (Falcopen V)
 3370J Procaine Penicillin, injection BP 1g (Aquacillin)
 3371K injection BP 1.5g (Aquacillin)

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF PHARMACEUTICAL BENEFITS

DECEMBER 1985 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY

PROFESSIONAL FEES

The professional fees for the supply of ready prepared and extemporaneously prepared pharmaceutical benefits have been increased as from 1 January 1986.

The new professional fees are:-

Ready prepared benefits - \$2.35

Extemporaneously prepared benefits - \$3.40

Prices in the December 1985 edition of the Schedule of Pharmaceutical Benefits as well as the cumulative amendments relevant to this issue include the fees of \$2.30 for ready prepared benefits and \$3.33 for extemporaneously prepared benefits.

The new fees will be incorporated in prices in all publications effective 1 April 1986.

NEW ITEM - SECTION 2

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Dispensed Price for Max. Qty</u> \$	<u>Prop. Name and Mfr</u>	<u>Addition Effective</u>
40	1275D	MICONAZOLE NITRATE Pessaries 200mg, 3	≠1	..	6.46	Monistat 3 ET	1.12.85

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
2	1005X	ACETAZOLAMIDE Injection 500mg (solvent required)	1	..	9.80	Diamox LE	1.12.85
8	3038X	BENZTROPINE Injection 2mg in 2mL	5	..	10.05	Cogentin MK	1.12.85
8	2812B	BETAMETHASONE VALERATE Cream 0.02%, 100g	≠1	..	5.01	Betnovate 1/5 GL	1.12.85
	2820K	Ointment 0.02%, 100g	≠1	..	5.01	Celestone-M SH	1.12.85
9	1260H	BISACODYL Suppositories 10mg, 10	≠1	..	5.80	Durolax BY	1.12.85
10	1146H	CALCIUM GLUCONATE Injection 10%, 10mL	5	1	9.24	Calcium-Sandoz SZ	1.12.85
12	1066D	CHLORHEXIDINE Solution 5%, 200mL	≠1	1	5.66	Hibitane Concentrate IC	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
13	2967E	CHOLESTYRAMINE Powder, 9g sachet (equivalent to 4g cholestyramine), 50	2	..	*49.80	Questran AP	1.1.86
14	1806C	CLONAZEPAM Tablet 2mg	200	2	15.18	Rivotril RO	1.12.85
14	3145M	CLONIDINE Tablet 100 micrograms	100	2	9.18	Catapres 100 BY	1.12.85
	3141H	150 micrograms	100	2	11.43	Catapres BY	1.12.85
16	2854F	DEMECLOCYCLINE HYDROCHLORIDE Capsule 150mg	100	3	22.75	Ledermycin LE	1.12.85
19	1125F	DIOCTYL SODIUM SULPHO- SUCCINATE with BISACODYL Suppositories 100mg- 10mg, 5	2	..	*5.80	Coloxyl FM	1.12.85
20	2709N	DOXYCYCLINE Tablet 100mg	7	..	5.01	Doxylin 100 AF	1.1.86
23	1414K	ETHOSUXIMIDE Paediatric Syrup 250mg per 5mL, 250mL	≠1	4	9.80	Zarontin PD	1.12.85
23	1315F	FENOTEROL HYDROBROMIDE Elixir 2.5mg per 5mL, 300mL	≠1	4	5.59	Berotec BY	1.12.85
24	1073L	FLUCYTOSINE Tablet 500mg	100	..	83.55	Ancotil RO	1.12.85
25	2677X	FLUCORTOLONE ESTERS Cream 0.08%, 100g	≠1	..	5.01	Topodil SC	1.12.85
27	2908C	GLUCOSE INDICATOR - BLOOD Reagent Strips 25	≠1	5	11.20	Visidex II AM	1.1.86
30	3042D	HYOSCINE BUTYLBROMIDE Injection 20mg in 1mL	5	..	6.39	Buscopan BY	1.12.85
33	1540C	IPRATROPIUM BROMIDE Inhalation, metered aerosol spray, 20 micrograms per dose (200 dose)	≠1	5	9.18	Atrovent BY	1.12.85
38	1633Y	METHYLPHENOBARBITONE Tablet 30mg	200	2	5.50	Prominal WL	1.12.85
	1634B	60mg	200	2	6.08	Prominal WL	1.12.85
38	2826R	METHYSERGIDE Tablet 1mg	100	2	21.99	Deseril SZ	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
39	1324Q	METOPROLOL Tablet 50mg	100	2	11.30	Betaloc AP Lopresor CG	1.12.85 1.12.85
44	1697H	NYSTATIN Pessaries 100,000 Units, 15	#1	1	5.03	Diastatin GP Mycostatin SQ Nilstat LE	1.12.85 1.12.85 1.12.85
48	1786B	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	4.80	Abbocillin-V AB LPV CS	1.12.85 1.12.85
	1787C	250mg	25	1	5.05	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	1789E	Capsule 250mg	25	1	5.05	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	2356B	Paediatric Suspension 125mg per 5mL, 100mL	#1	1	4.80	Abbocillin-V AB Cilicaine V SI Falcopen V FA LPV 125 CS	1.12.85 1.12.85 1.12.85 1.12.85
49	1702N	Tablet 125mg	50	5	*7.30	Abbocillin-V AB LPV CS	1.12.85 1.12.85
	1703P	250mg	50	5	*7.80	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	1705R	Capsule 250mg	50	5	*7.80	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
50	3065H	PINDOLOL Tablet 15mg	50	2	13.86	Visken SZ	1.12.85
53	1939C	PRIMIDONE Tablet 250mg	200	2	9.91	Mysoline IC	1.12.85
54	2830Y	PROPRANOLOL Injection 1mg in 1mL	5	..	*9.16	Inderal IC	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
55	2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	17.55	Kinidin AP	1.12.85
61	1330B	TETRABENAZINE Tablet 25mg	100	2	15.11	Nitoman RO	1.12.85
63	2345K	THIOTEPA Injection 15mg (solvent required)	2	1	*24.30	LE	1.12.85
	2858K	Eye Drops Set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	#1	5	#21.89	LE	1.12.85
65	2117K	TRIAMCINOLONE ACETONIDE Cream 0.02%, 100g	#1	..	5.01	Aristocort 0.02% LE	1.12.85
						Kenalone 0.02% SQ	1.12.85
	2118L	Ointment 0.02%, 100g	#1	..	5.01	Aristocort 0.02% LE	1.12.85
						Kenalone 0.02% SQ	1.12.85
67	3131T	VANCOMYCIN Injection 500mg (solvent required)	5	..	*143.25	Vancocin LY	1.12.85
INTRAVENOUS INFUSIONS FOR INJECTION							
69	2589G	MANNITOL 10%, IL	1	1	6.80	AB	1.12.85
	2590H	20%, 500mL	1	1	6.80	AB	1.12.85
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY							
71	3321T	DOXYCYCLINE Tablet 100mg	7	..	5.01	Doxylin 100 AF	1.1.86
73	3359T	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	..	4.80	Abbecillin-V AB	1.12.85
						LPV CS	1.12.85
	3360W	250mg	25	..	5.05	Abbecillin-VK	1.12.85
						AB	1.12.85
						Cilicaine VK SI	1.12.85
						LPV CS	1.12.85
						PVK LY	1.12.85
						P.V.O. FM	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
73	3363B	PHENOXYMETHYLPENICILLIN Capsule 250mg	25	..	5.05	Abbecillin-VK AB	1.12.85
						Cilicaine VK SI	1.12.85
						Falcopen VK FA	1.12.85
						LPV CS	1.12.85
						PVK LY	1.12.85
						P.V.O. FM	1.12.85
	3365D	Paediatric Suspension 125mg per 5mL, 100mL	¶1	..	4.80	Abbecillin-V AB	1.12.85
						Cilicaine V SI	1.12.85
						Falcopen V FA	1.12.85
						LPV 125 CS	1.12.85

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
3	3109P	AMILORIDE Tablet 5mg	50	2	Add 4.93 Kaluril AF	1.12.85
24	1526H	FLUCLOXACILLIN Capsule 250mg	25	..	Add 10.11 Staphylex 250 AF	1.12.85
	1527J	500mg	12	..	Add 9.80 Staphylex 500 AF	1.12.85
28	1234Y	HEPARIN CALCIUM Injection 5,000 Units in 0.2mL	5	5	9.81 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
	1053K	12,500 Units in 0.5mL	2	5	9.14 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
	1054L	25,000 Units in 1mL	2	5	11.19 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
29	1486F	HYDROCHLOROTHIAZIDE with AMILORIDE Tablet 50mg-5mg	30	2	Add 4.80 Lorizide 50/5 AF	1.12.85
38	1629R	METHYLDOPA Tablet 250mg	100	2	Add 9.80 Hydopa AF	1.12.85
56	1995B	SENEGA and AMMONIA Mixture APF, 200mL	¶1	4	Delete Mixture APF, 200mL Add Mixture, 200mL	1.12.85 1.12.85
66	3103H	TRIMETHOPRIM with SULPHAMETHOXAZOLE Suspension 40mg-200mg per 5mL, 100mL	¶1	1	5.29 add Resprim AF	1.1.86

Other Amendments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY						
74	3391L	TRIMETHOPRIM with SULPHAMETHOXAZOLE Suspension 40mg-200mg per 5mL, 100mL	#1	..	5.29 add Resprim AF	1.1.86

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Amended Price</u>	<u>Price Effective</u>
			\$	
2	2967E	Cholestyramine 9g sachet (equiv. to 4g cholestyramine)	1 @ 23.75 AP	1.1.86
2	1125F	Diocetyl Sodium Sulphosuccinate with Bisacodyl 100mg-10mg, 5	1 @ 1.75 FM	1.12.85
4	1702N	Phenoxymethylpenicillin 125mg	25 @ 2.50 AB,CS	1.12.85
	1703P	250mg	25 @ 2.75 AB,CS,FM,LY,SI	1.12.85
	1705R	250mg	25 @ 2.75 AB,CS,FA,FM,LY,SI	1.12.85
4	2830Y	Propranolol 1mg in 1mL	10 @ 10.56 IC	1.12.85
5	2345K	Thiotepa 15mg	1 @ 11.00 LE	1.12.85
5	3131T	Vancomycin 500mg	1 @ 28.19 LY	1.12.85

ADVANCE NOTICES

DELETIONS - ITEMS

The items listed below will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Items being discontinued by the manufacturer -

Section 2 - Prescribing by medical practitioners

2517L Dimethindene, tablet 1mg (Fenostil)
 1488H Hydrocortisone, eye drops 0.5%, 5mL (Hycor)
 1490K eye drops 1%, 3mL (Hycor)
 3092R Milk Powder - Synthetic, low calcium compound powder 397g (Locasol)
 3189W Norgestrel with Ethinyloestradiol, pack containing 21 tablets
 500 micrograms-50 micrograms and 7 inert tablets (Eugynon ED)
 1879X Physostigmine Salicylate, eye drops 0.25%, 15mL (IQ)
 1880Y 0.5%, 15mL (IQ)
 2599T Testosterone Enanthate, injection 100mg in 1mL (Primoteston Depot)

Advance Notices - Deletion of Items (cont.)

Section 2 - Intravenous Infusions for Injection

2305H Dextran 40, 10% with 5% anhydrous glucose, 500mL (Lomodex)

Section 3 - Preparations Available for Colostomy and Ileostomy Use

2230J Chloramine, powder 25g (Klortee)

Items recommended for deletion by the Pharmaceutical Benefits Advisory Committee -

Section 2 - Prescribing by medical practitioners

2181T Tocainide Hydrochloride, tablet 400mg (Tonocard)

2182W tablet 600mg (Tonocard)

(Unacceptable haematological toxicity)

DELETIONS - BRANDS

The following brands will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Section 2 - Prescribing by medical practitioners

2936M Cloxacillin, powder for syrup 125mg per 5mL, 100mL (Orbenin)
 2521Q Fluorouracil, injection 250mg per 10mL (BL)
 1234Y Heparin Calcium, injection 5,000 Units in 0.2mL (Calciparine)
 1501B Hydrocortisone Sodium Succinate, injection set containing equivalent of
 100mg hydrocortisone and 2mL solvent (Efcortelan)
 3187R Norgestrel with Ethinyloestradiol, tablet 500 micrograms-50 micrograms,
 21 (Eugynon)
 1828F Pethidine, injection BP, 50mg in 1mL (Pethoid)
 1853M Phenobarbitone Sodium, injection 200mg in 1mL (BL)
 1786B Phenoxymethylpenicillin, tablet 125mg (LPV)
 1789E capsule 250mg (Falcopen VK)
 2965C capsule 500mg (Falcopen VK)
 2356B paediatric suspension 125mg per 5mL, 100mL
 (Falcopen V)
 2354X suspension 250mg per 5mL, 100mL (Falcopen V)
 1702N tablet 125mg (LPV)
 1705R capsule 250mg (Falcopen VK)
 1961F Pyridoxine Hydrochloride, injection 50mg in 1mL (BL)

Section 2 - Prescribing by participating dental practitioners

3359T Phenoxymethylpenicillin, tablet 125mg (LPV)
 3363B capsule 250mg (Falcopen VK)
 3364C capsule 500mg (Falcopen VK)
 3365D paediatric suspension, 125mg per 5mL, 100mL
 (Falcopen V)
 3366E suspension 250mg per 5mL, 100mL (Falcopen V)

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF PHARMACEUTICAL BENEFITS

DECEMBER 1985 EDITION FOR APPROVED CHEMISTS

DECEMBER/JANUARY/FEBRUARY

PROFESSIONAL FEES

The professional fees for the supply of ready prepared and extemporaneously prepared pharmaceutical benefits have been increased as from 1 January 1986.

The new professional fees are:-

Ready prepared benefits - \$2.35

Extemporaneously prepared benefits - \$3.40

Prices in the December 1985 edition of the Schedule of Pharmaceutical Benefits as well as the cumulative amendments relevant to this issue include the fees of \$2.30 for ready prepared benefits and \$3.33 for extemporaneously prepared benefits.

The new fees will be incorporated in prices in all publications effective 1 April 1986.

NEW ITEMS - SECTION 2

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Dispensed Price for Max. Qty</u> \$	<u>Prop. Name and Mfr</u>	<u>Addition Effective</u>
16	2925Y	CYTARABINE Injection 40mg in 2mL	10	1	*41.68	Alexan BT	1.2.86
	2926B	100mg in 5mL	10	1	85.05	Alexan BT	1.2.86
	2911F	500mg in 25mL	2	1	*79.80	Alexan BT	1.2.86
40	1275D	MICONAZOLE NITRATE Pessaries 200mg, 3	#1	..	6.46	Monistat 3 ET	1.12.85

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
2	1005X	ACETAZOLAMIDE Injection 500mg (solvent required)	1	..	9.80	Diamox LE	1.12.85
3	3073R	AMINO ACID FORMULA with VITAMINS and MINERALS without PHENYLALANINE Powder 200g	5	5	*202.30	Maxamaid XP SJ	1.2.86
4	3071P	AMINO ACID FORMULA without PHENYLALANINE Powder 250g	2	5	*192.30	PK AID I SJ	1.2.86

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
5	1047D	AMPHOTERICIN Injection 50mg (solvent required)	1	..	16.78	Fungizone SQ	1.2.86
8	3038X	BENZTROPINE Injection 2mg in 2mL	5	..	10.05	Cogentin MK	1.12.85
8	2812B	BETAMETHASONE VALERATE Cream 0.02%, 100g	#1	..	5.01	Betnovate 1/5 GL	1.12.85
						Celestone-M SH	1.12.85
	2820K	Ointment 0.02%, 100g	#1	..	5.01	Celestone-M SH	1.12.85
9	1260H	BISACODYL Suppositories 10mg, 10	#1	..	5.80	Durolax BY	1.12.85
10	1146H	CALCIUM GLUCONATE Injection 10%, 10mL	5	1	9.24	Calcium-Sandoz SZ	1.12.85
12	1066D	CHLORHEXIDINE Solution 5%, 200mL	#1	1	5.66	Hibitane Concentrate IC	1.12.85
13	2967E	CHOLESTYRAMINE Powder, 9g sachet (equivalent to 4g cholestyramine), 50	2	..	*49.80	Questran AP	1.1.86
14	1806C	CLONAZEPAM Tablet 2mg	200	2	15.18	Rivotril RO	1.12.85
14	3145M	CLONIDINE Tablet 100 micrograms	100	2	9.18 9.80	Catapres 100 BY	1.12.85
						Catapres 100 BY	1.2.86
	3141H	150 micrograms	100	2	11.43 12.30	Catapres BY	1.12.85
						Catapres BY	1.2.86
	3142J	Injection 150 micrograms in 1mL	5	..	6.80	Catapres BY	1.2.86
15	1224K	COLESTIPOL HYDROCHLORIDE Sachets 5g, 120	#1	..	57.30	Colestid UP	1.2.86
15	1228P	COPPER SULPHATE Diagnostic Compound Tablets, 36	2	3	*7.06	Clinitest AM	1.2.86
16	2854F	DEMECLOCYCLINE HYDROCHLORIDE Capsule 150mg	100	3	22.75	Ledermycin LE	1.12.85
19	1125F	DIOCTYL SODIUM SULPHO- SUCCINATE with BISACODYL Suppositories 100mg-10mg, 5	2	..	*5.80	Coloxyl FM	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
		DIPHtheria, TETANUS and PERTUSSIS VACCINE, ADSORBED					
19	1346W	Injection 0.5mL	3	..	*8.30	CS,PD	1.2.86
		DOXYCYCLINE					
20	2709N	Tablet 100mg	7	..	5.01	Doxylin 100 AF	1.1.86
		ETHOSUXIMIDE					
23	1414K	Paediatric Syrup 250mg per 5mL, 250mL	≠1	4	9.80	Zarontin PD	1.12.85
		FENOTEROL HYDROBROMIDE					
23	1315F	Elixir 2.5mg per 5mL, 300mL	≠1	4	5.59	Berotec BY	1.12.85
		FLUCYTOSINE					
24	1073L	Tablet 500mg	100	..	83.55	Ancotil RO	1.12.85
		FLUCORTOLONE ESTERS					
25	2677X	Cream 0.08%, 100g	≠1	..	5.01	Topodil SC	1.12.85
		FUSIDIC ACID					
26	2311P	Suspension 50mg per mL, 90mL	≠1	..	28.36	Fucidin SK	1.2.86
		GLUCOSE					
27	3040B	Injection 50%, 10mL	5	..	7.30	BL	1.2.86
		GLUCOSE INDICATOR - BLOOD					
27	2908C	Reagent Strips 25	≠1	5	11.20	Visidex II AM	1.1.86
		GLUCOSE INDICATOR - URINE					
27	2352T	Reagent Strips 100	≠1	2	6.05	Clinistix AM	1.2.86
	3104J	Reagent Strips 100	≠1	2	6.30	Diastix AM	1.2.86
		GLUCOSE and KETONE INDICATOR - URINE					
27	3107M	Reagent Strips 100	≠1	2	7.30	Keto-Diastix AM	1.2.86
		HYOSCINE BUTYLBROMIDE					
30	3042D	Injection 20mg in 1mL	5	..	6.39 7.48	Buscopan BY Buscopan BY	1.12.85 1.2.86
		IBUPROFEN					
31	3190X	Tablet 400mg	50	2	6.38 6.43	Inflam PT Brufen BT	1.2.86 1.2.86
		IDOXURIDINE					
31	2442M	Eye Drops 0.1%, 15mL	≠1	2	6.85	Herplex AG Stoxil SK	1.2.86 1.2.86

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
33	1540C	IPRATROPIUM BROMIDE Inhalation, metered aerosol spray, 20 micrograms per dose (200 dose)	≠1	5	9.18 10.18	Atrovent BY Atrovent BY	1.12.85 1.2.86
	1541D	Nebuliser Solution 0.025%, 20mL	≠1	2	7.05	Atrovent BY	1.2.86
34	2587E	ISOSORBIDE DINITRATE Tablet 10mg	100	2	4.70	Isordil AY Isotrate PD	1.2.86 1.2.86
	2588F	Sublingual Tablet 5mg	100	2	4.50	Isordil Sublingual AY Isotrate Sublingual PD	1.2.86 1.2.86
36	2322F	MEDROXYPROGESTERONE Injection 500mg in 2.5mL	1	..	32.26	Farlutal FE	1.2.86
38	1633Y	METHYLPHENOBARBITONE Tablet 30mg	200	2	5.50	Prominal WL	1.12.85
	1634B	60mg	200	2	6.08	Prominal WL	1.12.85
38	2826R	METHYSERGIDE Tablet 1mg	100	2	21.99	Deseril SZ	1.12.85
39	1324Q	METOPROLOL Tablet 50mg	100	2	11.30	Betaloc AP Lopresor CG	1.12.85 1.12.85
40	2313R	MINOXIDIL Tablet 10mg	100	..	44.80	Loniten UP	1.2.86
	2314T	25mg	100	..	99.80	Loniten UP	1.2.86
44	1697H	NYSTATIN Pessaries 100,000 Units, 15	≠1	1	5.03	Diastatin GP Mycostatin SQ Nilstat LE	1.12.85 1.12.85 1.12.85
48	1862B	PHENOXYBENZAMINE Capsule 10mg	100	..	15.43	Dibenylene SK	1.2.86
48	1786B	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	4.80	Abbecillin-V AB LPV CS	1.12.85 1.12.85
	1787C	250mg	25	1	5.05	Abbecillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
48	1789E	PHENOXYMETHYLPENICILLIN Capsule 250mg	25	1	5.05	Abbecillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	2356B	Paediatric Suspension 125mg per 5mL, 100mL	41	1	4.80	Abbecillin-V AB Cilicaine V SI Falcopen V FA LPV 125 CS	1.12.85 1.12.85 1.12.85 1.12.85
49	1702N	Tablet 125mg	50	5	*7.30	Abbecillin-V AB LPV CS	1.12.85 1.12.85
	1703P	250mg	50	5	*7.80	Abbecillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	1705R	Capsule 250mg	50	5	*7.80	Abbecillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
50	3065H	PINDOLOL Tablet 15mg	50	2	13.86	Visken SZ	1.12.85
53	1939C	PRIMIDONE Tablet 250mg	200	2	9.91	Mysoline IC	1.12.85
53	1793J	PROCAINE PENICILLIN Injection BP, 1g	5	..	17.93	Cilicaine SI	1.2.86
	1794K	1.5g	5	..	18.55	Cilicaine SI	1.2.86
54	1948M	PROMETHAZINE Injection 50mg in 2mL	10	..	*6.06	BL	1.2.86
54	2830Y	PROPRANOLOL Injection 1mg in 1mL	5	..	*9.16	Inderal IC	1.12.85
54	3056W	PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Powder, 200g sachet	10	5	*502.30	Albumaid XP SJ	1.2.86
55	2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	17.55	Kinidin AP	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
61	1330B	TETRABENAZINE Tablet 25mg	100	2	15.11	Nitoman RO	1.12.85
63	2345K	THIOTEPA Injection 15mg (solvent required)	2	1	*24.30	LE	1.12.85
	2858K	Eye Drops Set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	#1	5	#21.89	LE	1.12.85
64	2178P	TOLBUTAMIDE Tablet 500mg	100	2	6.14 6.19	Diatol PT Rastinon HP	1.2.86 1.2.86
	2607F	lg	100	2	10.68	Rastinon HP	1.2.86
65	2117K	TRIAMCINOLONE ACETONIDE Cream 0.02%, 100g	#1	..	5.01	Aristocort 0.02% LE Kenalone 0.02% SQ	1.12.85 1.12.85
	2118L	Ointment 0.02%, 100g	#1	..	5.01	Aristocort 0.02% LE Kenalone 0.02% SQ	1.12.85 1.12.85
67	3131T	VANCOMYCIN Injection 500mg (solvent required)	5	..	*143.25	Vancocin LY	1.12.85
INTRAVENOUS INFUSIONS FOR INJECTION							
69	2589G	MANNITOL 10%, 1L	1	1	6.80	AB	1.12.85
	2590H	20%, 500mL	1	1	6.80	AB	1.12.85
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY							
71	3321T	DOXYCYCLINE Tablet 100mg	7	..	5.01	Doxylin 100 AF	1.1.86
73	3359T	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	..	4.80	Abbecillin-V AB LPV CS	1.12.85 1.12.85
	3360W	250mg	25	..	5.05	Abbecillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
73	3363B	PHENOXYMETHYLPENICILLIN Capsule 250mg	25	..	5.05	Abbocillin-VK AB	1.12.85
						Cilicaine VK SI	1.12.85
						Falcopen VK FA	1.12.85
						LPV CS	1.12.85
						PVK LY	1.12.85
						P.V.O. FM	1.12.85
	3365D	Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	4.80	Abbocillin-V AB	1.12.85
						Cilicaine V SI	1.12.85
						Falcopen V FA	1.12.85
						LPV 125 CS	1.12.85
73	3370J	PROCAINE PENICILLIN Injection BP, 1g	5	..	17.93	Cilicaine SI	1.2.86
	3371K	1.5g	5	..	18.55	Cilicaine SI	1.2.86

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
3	3109P	AMILORIDE Tablet 5mg	50	2	Add 4.93 Kaluril AF	1.12.85
24	1526H	FLUCLOXACILLIN Capsule 250mg	25	..	Add 10.11 Staphylex 250 AF	1.12.85
	1527J	500mg	12	..	Add 9.80 Staphylex 500 AF	1.12.85
28	1234Y	HEPARIN CALCIUM Injection 5,000 Units in 0.2mL	5	5	9.81 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
	1053K	12,500 Units in 0.5mL	2	5	9.14 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
	1054L	25,000 Units in 1mL	2	5	11.19 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
29	1486F	HYDROCHLOROTHIAZIDE with AMILORIDE Tablet 50mg-5mg	30	2	Add 4.80 Lorizide 50/5 AF	1.12.85
38	1629R	METHYLDOPA Tablet 250mg	100	2	Add 9.80 Hydopa AF	1.12.85
56	1995B	SENEGA and AMMONIA Mixture APF, 200mL	≠1	4	Delete Mixture APF, 200mL Add Mixture, 200mL	1.12.85 1.12.85
63	1070H	THIAMINE HYDROCHLORIDE Tablet 100mg	100	2	4.98 Delete Thiminone LF Add Thiminone EG	1.2.86 1.2.86

Other Amendments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
66	3103H	TRIMETHOPRIM with SULPHAMETHOXAZOLE Suspension 40mg-200mg per 5mL, 100mL	#1	1	5.29 add Resprim AF	1.1.86

PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS
FOR DENTAL TREATMENT ONLY

74	3391L	TRIMETHOPRIM with SULPHAMETHOXAZOLE Suspension 40mg-200mg per 5mL, 100mL	#1	..	5.29 add Resprim AF	1.1.86
----	-------	--	----	----	---------------------	--------

AMENDMENT OF SECTION 3 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE						
2	2718C	CHARCOAL, ACTIVATED Tablet 300mg	500	1	15.21 Delete Char-Bons LF Add Char-Bons EG	1.2.86 1.2.86

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Amended Price</u>	<u>Price Effective</u>
			\$	
2	3073R	Amino Acid Formula with Vitamins and Minerals without Phenylalanine 200g	1 @ 40.00 SJ	1.2.86
2	3071P	Amino Acid Formula without Phenylalanine 250g	1 @ 95.00 SJ	1.2.86
2	2967E	Cholestyramine 9g sachet (equiv. to 4g cholestyramine)	1 @ 23.75 AP	1.1.86
2	1228P	Copper Sulphate Tablets	1 @ 2.38 AM	1.2.86
2	2925Y	Cytarabine 40mg in 2mL	5 @ 19.69 BT	1.2.86
	2911F	500mg in 25mL	1 @ 38.75 BT	1.2.86
2	1346W	Diphtheria, Tetanus and Pertussis Vaccine, Adsorbed 0.5mL	1 @ 2.00 CS,PD	1.2.86
2	1125F	Diocetyl Sodium Sulphosuccinate with Bisacodyl 100mg-10mg, 5	1 @ 1.75 FM	1.12.85

Price Adjustments of Section 6 - Standard Packs and Prices (cont.)

Page No.	Code	Name and Form	Amended Price	Price Effective
			\$	
4	1702N	Phenoxymethylpenicillin 125mg	25 @ 2.50 AB,CS	1.12.85
	1703P	250mg	25 @ 2.75 AB,CS,FM,LY,SI	1.12.85
	1705R	250mg	25 @ 2.75 AB,CS,FA,FM,LY,SI	1.12.85
4	1948M	Promethazine 50mg in 2mL	5 @ 1.88 BL	1.2.86
4	2830Y	Propranolol 1mg in 1mL	10 @ 10.56 IC	1.12.85
4	3056W	Protein Hydrolysate Formula without Phenylalanine 200g	1 @ 50.00 SJ	1.2.86
5	2345K	Thiotepa 15mg	1 @ 11.00 LE	1.12.85
5	3131T	Vancomycin 500mg	1 @ 28.19 LY	1.12.85

ADVANCE NOTICES

DELETIONS - ITEMS

The items listed below will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Items being discontinued by the manufacturer -

Section 2 - Prescribing by medical practitioners

2517L Dimethindene, tablet 1mg (Fenostil)
 1488H Hydrocortisone, eye drops 0.5%, 5mL (Hycor)
 1490K eye drops 1%, 3mL (Hycor)
 3189W Norgestrel with Ethinyloestradiol, pack containing 21 tablets
 500 micrograms-50 micrograms and 7 inert tablets (Eugynon ED)
 1879X Physostigmine Salicylate, eye drops 0.25%, 15mL (IQ)
 1880Y 0.5%, 15mL (IQ)
 2599T Testosterone Enanthate, injection 100mg in 1mL (Primoteston Depot)

Section 2 - Intravenous Infusions for Injection

2305H Dextran 40, 10% with 5% anhydrous glucose, 500mL (Lomodex)

Section 3 - Preparations Available for Colostomy and Ileostomy Use

2230J Chloramine, powder 25g (Klortee)

Items recommended for deletion by the Pharmaceutical Benefits Advisory Committee -

Section 2 - Prescribing by medical practitioners

2181T Tocainide Hydrochloride, tablet 400mg (Tonocard)
 2182W tablet 600mg (Tonocard)
 (Unacceptable haematological toxicity)

DELETIONS - BRANDS

The following brands will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Section 2 - Prescribing by medical practitioners

1190P	Chlorpheniramine, tablet 4mg (Chloramin)
2936M	Cloxacillin, powder for syrup 125mg per 5mL, 100mL (Orbenin)
2423M	Erythromycin Estolate, paediatric suspension, 125mg (base) per 5mL, 100mL (Eromycin)
2521Q	Fluorouracil, injection 250mg per 10mL (BL)
1234Y	Heparin Calcium, injection 5,000 Units in 0.2mL (Calciparine)
1501B	Hydrocortisone Sodium Succinate, injection set containing equivalent of 100mg hydrocortisone and 2mL solvent (Efcortelan)
3187R	Norgestrel with Ethinyloestradiol, tablet 500 micrograms-50 micrograms, 21 (Eugynon)
1828F	Pethidine, injection BP, 50mg in 1mL (Pethoid)
1838R	Phenethicillin, capsule 250mg (Optipen)
3088M	capsule 500mg (Optipen)
1709Y	capsule 250mg (Optipen)
1853M	Phenobarbitone Sodium, injection 200mg in 1mL (BL)
1786B	Phenoxymethylpenicillin, tablet 125mg (LPV)
1789E	capsule 250mg (Falcopen VK)
2965C	capsule 500mg (Falcopen VK)
2356B	paediatric suspension 125mg per 5mL, 100mL (Falcopen V)
2354X	suspension 250mg per 5mL, 100mL (Falcopen V)
1702N	tablet 125mg (LPV)
1705R	capsule 250mg (Falcopen VK)
1793J	Procaine Penicillin, injection BP 1g (Aquacillin)
1794K	injection BP 1.5g (Aquacillin)
1961F	Pyridoxine Hydrochloride, injection 50mg in 1mL (BL)

Section 2 - Prescribing by participating dental practitioners

3335M	Erythromycin Estolate, paediatric suspension, 125mg (base) per 5mL, 100mL (Eromycin)
3353L	Phenethicillin, capsule 250mg (Optipen)
3354M	capsule 500mg (Optipen)
3359T	Phenoxymethylpenicillin, tablet 125mg (LPV)
3363B	capsule 250mg (Falcopen VK)
3364C	capsule 500mg (Falcopen VK)
3365D	paediatric suspension, 125mg per 5mL, 100mL (Falcopen V)
3366E	suspension 250mg per 5mL, 100mL (Falcopen V)
3370J	Procaine Penicillin, injection BP 1g (Aquacillin)
3371K	injection BP 1.5g (Aquacillin)

CUMULATIVE AMENDMENTS OF THE SCHEDULE OF PHARMACEUTICAL BENEFITS

DECEMBER 1985 EDITION FOR APPROVED CHEMISTS

DECEMBER

NEW ITEM - SECTION 2

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Dispensed Price for Max. Qty \$	Prop. Name and Mfr	Addition Effective
40	1275D	MICONAZOLE NITRATE Pessaries 200mg, 3	#1	..	6.46	Monistat 3 ET	1.12.85

PRICE ADJUSTMENTS OF SECTION 2 - WHITE PAGES

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
2	1005X	ACETAZOLAMIDE Injection 500mg (solvent required)	1	..	9.80	Diamox LE	1.12.85
8	3038X	BENZTROPINE Injection 2mg in 2mL	5	..	10.05	Cogentin MK	1.12.85
8	2812B	BETAMETHASONE VALERATE Cream 0.02%, 100g	#1	..	5.01	Betnovate 1/5 GL	1.12.85
						Celestone-M SH	1.12.85
	2820K	Ointment 0.02%, 100g	#1	..	5.01	Celestone-M SH	1.12.85
9	1260H	BISACODYL Suppositories 10mg, 10	#1	..	5.80	Durolax BY	1.12.85
10	1146H	CALCIUM GLUCONATE Injection 10%, 10mL	5	1	9.24	Calcium-Sandoz SZ	1.12.85
12	1066D	CHLORHEXIDINE Solution 5%, 200mL	#1	1	5.66	Hibitane Concentrate IC	1.12.85
14	1806C	CLONAZEPAM Tablet 2mg	200	2	15.18	Rivotril RO	1.12.85
14	3145M	CLONIDINE Tablet 100 micrograms	100	2	9.18	Catapres 100 BY	1.12.85
	3141H	150 micrograms	100	2	11.43	Catapres BY	1.12.85
16	2854F	DEMECLOCYCLINE HYDROCHLORIDE Capsule 150mg	100	3	22.75	Ledermycin LE	1.12.85
19	1125F	DIOCTYL SODIUM SULPHO- SUCCINATE with BISACODYL Suppositories 100mg- 10mg, 5	2	..	*5.80	Coloxyl FM	1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

Page No.	Code	Name and Form	Max. Qty	No. of Rpts	Amended Price \$	Prop. Name and Mfr	Price Effective
23	1414K	ETHOSUXIMIDE Paediatric Syrup 250mg per 5mL, 250mL	≠1	4	9.80	Zarontin PD	1.12.85
23	1315F	FENOTEROL HYDROBROMIDE Elixir 2.5mg per 5mL, 300mL	≠1	4	5.59	Berotec BY	1.12.85
24	1073L	FLUCYTOSINE Tablet 500mg	100	..	83.55	Ancotil RO	1.12.85
25	2677X	FLUOCORTOLONE ESTERS Cream 0.08%, 100g	≠1	..	5.01	Topodil SC	1.12.85
30	3042D	HYOSCINE BUTYLBROMIDE Injection 20mg in 1mL	5	..	6.39	Buscopan BY	1.12.85
33	1540C	IPRATROPIUM BROMIDE Inhalation, metered aerosol spray, 20 micrograms per dose (200 dose)	≠1	5	9.18	Atrovent BY	1.12.85
38	1633Y	METHYLPHENOBARBITONE Tablet 30mg	200	2	5.50	Prominal WL	1.12.85
	1634B	60mg	200	2	6.08	Prominal WL	1.12.85
38	2826R	METHYSERGIDE Tablet 1mg	100	2	21.99	Deseril SZ	1.12.85
39	1324Q	METOPROLOL Tablet 50mg	100	2	11.30	Betaloc AP Lopresor CG	1.12.85 1.12.85
44	1697H	NYSTATIN Pessaries 100,000 Units, 15	≠1	1	5.03	Diastatin GP Mycostatin SQ Nilstat LE	1.12.85 1.12.85 1.12.85
48	1786B	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	4.80	Abbecillin-V AB LPV CS	1.12.85 1.12.85
	1787C	250mg	25	1	5.05	Abbecillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	1789E	Capsule 250mg	25	1	5.05	Abbecillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
48	2356B	PHENOXYMETHYLPENICILLIN Paediatric Suspension 125mg per 5mL, 100mL	#1	1	4.80	Abbocillin-V AB Cilicaine V SI Falcopen V FA LPV 125 CS	1.12.85 1.12.85 1.12.85 1.12.85
49	1702N	Tablet 125mg	50	5	*7.30	Abbocillin-V AB LPV CS	1.12.85 1.12.85
	1703P	250mg	50	5	*7.80	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	1705R	Capsule 250mg	50	5	*7.80	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
50	3065H	PINDOLOL Tablet 15mg	50	2	13.86	Visken SZ	1.12.85
53	1939C	PRIMIDONE Tablet 250mg	200	2	9.91	Mysoline IC	1.12.85
54	2830Y	PROPRANOLOL Injection 1mg in 1mL	5	..	*9.16	Inderal IC	1.12.85
55	2623C	QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	17.55	Kinidin AP	1.12.85
61	1330B	TETRABENAZINE Tablet 25mg	100	2	15.11	Nitoman RO	1.12.85
63	2345K	THIOTEPA Injection 15mg (solvent required)	2	1	*24.30	LE	1.12.85
	2858K	Eye Drops Set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	#1	5	#21.89	LE	1.12.85
65	2117K	TRIAMCINOLONE ACETONIDE Cream 0.02%, 100g	#1	..	5.01	Aristocort 0.02% LE Kenalone 0.02% SQ	1.12.85 1.12.85

Price Adjustments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amended Price</u> \$	<u>Prop. Name and Mfr</u>	<u>Price Effective</u>
65	2118L	TRIAMCINOLONE ACETONIDE Ointment 0.02%, 100g	≠1	..	5.01	Aristocort 0.02% LE Kenalone 0.02% SQ	1.12.85 1.12.85
67	3131T	VANCOMYCIN Injection 500mg (solvent required)	5	..	*143.25	Vancocin LY	1.12.85
INTRAVENOUS INFUSIONS FOR INJECTION							
69	2589G	MANNITOL 10%, IL	1	1	6.80	AB	1.12.85
	2590H	20%, 500mL	1	1	6.80	AB	1.12.85
PREPARATIONS WHICH MAY BE PRESCRIBED BY PARTICIPATING DENTAL PRACTITIONERS FOR DENTAL TREATMENT ONLY							
73	3359T	PHENOXYMETHYLPENICILLIN Tablet 125mg	25	..	4.80	Abbocillin-V AB LPV CS	1.12.85 1.12.85
	3360W	250mg	25	..	5.05	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	3363B	Capsule 250mg	25	..	5.05	Abbocillin-VK AB Cilicaine VK SI Falcopen VK FA LPV CS PVK LY P.V.O. FM	1.12.85 1.12.85 1.12.85 1.12.85 1.12.85 1.12.85
	3365D	Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	4.80	Abbocillin-V AB Cilicaine V SI Falcopen V FA LPV 125 CS	1.12.85 1.12.85 1.12.85 1.12.85

OTHER AMENDMENTS OF SECTION 2 - WHITE PAGES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
3	3109P	AMILORIDE Tablet 5mg	50	2	Add 4.93 Kaluril AF	1.12.85
24	1526H	FLUCLOXACILLIN Capsule 250mg	25	..	Add 10.11 Staphylex 250 AF	1.12.85
	1527J	500mg	12	..	Add 9.80 Staphylex 500 AF	1.12.85

Other Amendments of Section 2 - White Pages (cont.)

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Max. Qty</u>	<u>No. of Rpts</u>	<u>Amendment</u>	<u>Amendment Effective</u>
28	1234Y	HEPARIN CALCIUM Injection 5,000 Units in 0.2mL	5	5	9.81 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
	1053K	Injection 12,500 Units in 0.5mL	2	5	9.14 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
	1054L	Injection 25,000 Units in 1mL	2	5	11.19 Delete Calciparine RC Add Calciparine BL	1.12.85 1.12.85
		HYDROCHLOROTHIAZIDE with AMILORIDE				
29	1486F	Tablet 50mg-5mg	30	2	Add 4.80 Lorizide 50/5 AF	1.12.85
		METHYLDOPA				
38	1629R	Tablet 250mg	100	2	Add 9.80 Hydopa AF	1.12.85
		SENEGA and AMMONIA				
56	1995B	Mixture APF, 200mL	≠1	4	Delete Mixture APF, 200mL Add Mixture, 200mL	1.12.85 1.12.85

PRICE ADJUSTMENTS OF SECTION 6 - STANDARD PACKS AND PRICES

<u>Page No.</u>	<u>Code</u>	<u>Name and Form</u>	<u>Amended Price</u>	<u>Price Effective</u>
			\$	
2	1125F	Dioctyl Sodium Sulphosuccinate with Bisacodyl 100mg-10mg, 5	1 @ 1.75 FM	1.12.85
4	1702N	Phenoxymethylpenicillin 125mg	25 @ 2.50 AB,CS	1.12.85
	1703P	250mg	25 @ 2.75 AB,CS,FM,LY,SI	1.12.85
	1705R	250mg	25 @ 2.75 AB,CS,FA,FM,LY,SI	1.12.85
4	2830Y	Propranolol 1mg in 1mL	10 @ 10.56 IC	1.12.85
5	2345K	Thiotepa 15mg	1 @ 11.00 LE	1.12.85
5	3131T	Vancomycin 500mg	1 @ 28.19 LY	1.12.85

ADVANCE NOTICES

DELETIONS - ITEMS

The items listed below will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Items being discontinued by the manufacturer -

Section 2 - Prescribing by medical practitioners

- 2517L Dimethindene, tablet 1mg (Fenostil)
- 1488H Hydrocortisone, eye drops 0.5%, 5mL (Hycor)
- 1490K eye drops 1%, 3mL (Hycor)
- 3189W Norgestrel with Ethinyloestradiol, pack containing 21 tablets
500 micrograms-50 micrograms and 7 inert tablets (Eugynon ED)

Section 2 - Intravenous Infusions for Injection

- 2305H Dextran 40, 10% with 5% anhydrous glucose, 500mL (Lomodex)

Section 3 - Preparations Available for Colostomy and Ileostomy Use

- 2230J Chloramine, powder 25g (Klortee)

Items recommended for deletion by the Pharmaceutical Benefits Advisory Committee -

Section 2 - Prescribing by medical practitioners

- 2181T Tocainide Hydrochloride, tablet 400mg (Tonocard)
- 2182W tablet 600mg (Tonocard)
- (Unacceptable haematological toxicity)

DELETIONS - BRANDS


The following brands will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Section 2 - Prescribing by medical practitioners

- 2521Q Fluorouracil, injection 250mg per 10mL (BL)
- 1234Y Heparin Calcium, injection 5,000 Units in 0.2mL (Calciparine)
- 3187R Norgestrel with Ethinyloestradiol, tablet 500 micrograms-50 micrograms,
21 (Eugynon)
- 1828F Pethidine, injection BP, 50mg in 1mL (Pethoid)
- 1853M Phenobarbitone Sodium, injection 200mg in 1mL (BL)
- 1786B Phenoxymethylpenicillin, tablet 125mg (LPV)
- 1789E capsule 250mg (Falcopen VK)
- 2965C capsule 500mg (Falcopen VK)
- 2356B paediatric suspension 125mg per 5mL, 100mL
(Falcopen V)
- 2354X suspension 250mg per 5mL, 100mL (Falcopen V)
- 1702N tablet 125mg (LPV)
- 1705R capsule 250mg (Falcopen VK)
- 1961F Pyridoxine Hydrochloride, injection 50mg in 1mL (BL)

Section 2 - Prescribing by participating dental practitioners

- 3359T Phenoxymethylpenicillin, tablet 125mg (LPV)
- 3363B capsule 250mg (Falcopen VK)
- 3364C capsule 500mg (Falcopen VK)
- 3365D paediatric suspension, 125mg per 5mL, 100mL
(Falcopen V)
- 3366E suspension 250mg per 5mL, 100mL (Falcopen V)





Pharmaceutical Benefits

DECEMBER 1985 EDITION

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1985 edition of the Schedule of Pharmaceutical Benefits for Participating Dental Practitioners.

The reprint of the Schedule will take effect on 1 December 1985 and all previous editions of the Schedule are cancelled.

Deletion of Form and Strength of Existing Item

Phenethicillin, 125mg tablet (*Pensig*) (Item discontinued by manufacturer).

NOT FOR SALE



**SCHEDULE OF
PHARMACEUTICAL BENEFITS**

for

DENTAL PRACTITIONERS

OPERATIVE FROM 1 DECEMBER 1985

Commonwealth Department of Health,
CANBERRA, A.C.T.

A. B. CAUDELL, Government Printer, Tasmania

CONTENTS

SECTION 1	<i>Paragraph</i>	<i>Page</i>
Explanatory Notes—		
Prescribing of Benefits—Procedure by Dentists—		
Schedule of Benefits	1-7	3
Prescriptions	8-13	3-4
Manner of Administration	14	4
Maximum Quantities	15-20	5
Patient Contribution.....	21-22	5
Eligibility of patients to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.....	23	5-6
Establishment of patient's entitlement to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.....	24-26	6-7
Urgent Cases.....	27	7
Enquiries	28	7
Addresses of Commonwealth Department of Health Central Office and Regional Offices		8-10
Index of Manufacturers' Codes		11
 SECTION 2		
Schedule of Benefits.....		13-18
 SECTION 3		
Prescribers' List.....		19
 PROPRIETARY INDEX		
Part 1—Proprietary Names Index		20-22
Part 2—Trade Names Index		22

SECTION 1—EXPLANATORY NOTES

PREScribing OF BENEFITS—PROCEDURE BY DENTISTS

1. Pharmaceutical benefits which may be prescribed by participating dental practitioners are listed in this book.

References in these notes to a dentist or dental practitioner relate to 'participating dental practitioner'.

2. The Schedule of Benefits includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any listed brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g. 'Ampicillin, Injection 1g with 2mL water for injections'.

3. The Schedule also shows the maximum quantity allowable for each item.

4. A list of extemporaneous formulae appears in Section 3—Prescribers' List.

5. A proprietary name index of ready prepared items is included after Section 3.

6. Symbols used in the Schedule of Benefits are explained on page 1, Section 2.

7. Admixtures of items in this schedule may not be prescribed as pharmaceutical benefits.

Prescriptions

8. A prescription ordering a pharmaceutical benefit may be written only for the dental treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit and may not be written for any other purpose. The prescription is valid only if it is written by a participating dental practitioner.

9. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

10. Dentists are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The name and address of the dentist plus the D.P. number (the dental practitioner's number as notified by the Department) must be shown. 'N.H.S.' is to be endorsed at the top if a Departmental standard prescription form is not being used.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient. Dentists are reminded that full details of the patient's address are required on each prescription.
- (d) The pharmaceutical benefit must be identified in the prescription by such particulars, including the name, form, strength and quantity, as are necessary for the complete identification of that benefit.
- (e) Each prescription must be written legibly.
- (f) Date and sign the prescription.

11. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

12. A prescription is not a valid pharmaceutical benefit prescription if the dentist prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same dentist.

13. To avoid confusing patients and the dispensing chemist, dentists should not write prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form.

Manner of Administration

14. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way.

Maximum Quantities

15. For ready prepared preparations, the allowable maximum quantity is shown in the second column of Section 2. For extemporaneously prepared preparations, the maximum quantity is shown in Section 3—Prescribers' List. **DENTISTS MAY NOT PRESCRIBE REPEATS ON A PHARMACEUTICAL BENEFIT PRESCRIPTION.**

16. Some prescriptions for pharmaceutical benefits do not completely identify the pharmaceutical benefit, in that the quantity is not clearly stated. For example, 'Max. Qty' is used instead of the actual number (of tablets, capsules, etc.). Dentists are required to completely identify the quantity being prescribed in each case.

17. Where the maximum quantity of an item is marked with a double dagger (‡), the maximum quantity has been determined as a single pack. In such instances, chemists are required to supply unbroken packs (see page 1, Section 2). These items should be prescribed in the standard pack sizes.

18. For other items it is not necessary to prescribe the maximum quantity if the dentist considers a lesser quantity is sufficient for the patient's needs.

19. The relevant maximum quantity is not to be exceeded.

20. A pharmaceutical benefit may not be supplied to the same person more than once on any one day.

Patient Contribution

21. The dispensing chemist may in respect of each supply by him charge the person to whom the pharmaceutical benefit is supplied an amount of \$5 in respect of general patients or an amount of \$2 in respect of patients with a concessional entitlement. A charge is not to be made in respect of patients who are eligible pensioners.

22. A prescription, other than a prescription for a pensioner, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$5 in respect of general patients, or \$2 in respect of patients with a concessional entitlement, is not a prescription for a pharmaceutical benefit.

Eligibility of patients to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate

23. Under the Pharmaceutical Benefits Scheme, persons holding a valid Pensioner Health Benefits Card or a valid Health Benefits Card and their dependants are entitled to receive pharmaceutical benefits free of charge. Persons holding a valid Health Care Card or a valid Pharmaceutical Benefits Concession Card and their dependants are entitled to receive pharmaceutical benefits at the concessional patient contribution rate.

Establishment of patient's entitlement to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate

24. Any person (including a dentist) may enter the relevant information to establish the patient's entitlement to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate, where space has been provided on prescription forms (front or back) supplied by the Department for the provision of entitlement information.

25. The person entering the entitlement information must complete all the relevant details applicable to the patient's entitlement on the prescription. The information to be provided in the appropriate space is:—

- (i) the entitlement number appearing on the card, i.e., a ten-character alpha-numeric number (the entitlement number does not identify the type of card or the entitlement category);
- (ii) a cross (×) in the appropriate box indicating the type of entitlement card held by the patient. The type of card denotes the entitlement of the patient to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.

Where a patient or agent is required to sign and date a receipt for the supply of a benefit on an original prescription form, the patient or agent also accepts responsibility for the validity of the entitlement information shown on the prescription.

26. Where prescriptions are written on forms which do not provide space (front or back) for the entry of entitlement information, the dentist should not enter the patient's entitlement information on the prescription form. In these instances the dispensing chemist, on request, shall place the declaration stamp imprint on the back of the original prescription form to enable the patient's entitlement information (see paragraph 25) to be provided.

Urgent Cases

27. In urgent cases, a chemist may supply a benefit before the prescription is surrendered to him, if the dentist communicates the prescription to the chemist by telephone or other means. *In such cases the dentist must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

Enquiries

28. Any enquiries regarding the Pharmaceutical Benefits Scheme or requests for Departmental publications or stationery should be made to the Director of Health, Commonwealth Department of Health in the capital city of your State.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

CENTRAL OFFICE

The Secretary,
Commonwealth Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

REGIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health, Commonwealth Government Centre, Chifley Square, Corner Phillip and Hunter Streets, Sydney, N.S.W. 2000		Telephone 239 3000
Director of Health— Mr J. B. Jamieson		After hours: Telephone 357 2377
Assistant Director (Medical)— Dr L. B. Lilley		After hours: Telephone 929 6164

VICTORIA

Commonwealth Department of Health, Commonwealth Centre, Corner Spring and Latrobe Streets, Melbourne, Vic. 3000		Telephone 662 2999
G.P.O. Box 1547P, Melbourne, Vic. 3001		
Director of Health— Mr A. E. Shields		
Assistant Director (Medical)— Dr A. I. Mead		After hours: Telephone 347 0103

QUEENSLAND

Commonwealth Department of Health,
 Australian Government Offices,
 Anzac Square,
 Adelaide Street,
 Brisbane, Qld 4000

Telephone 225 0122

G.P.O. Box 567, Brisbane, Qld 4001

Director of Health—

Dr Peter E. R. Ulrich

Assistant Director (Medical)—

Dr D. Wilkinson

After hours: Telephone 870 9114

SOUTH AUSTRALIA

Commonwealth Department of Health,
 I.M.F.C. House,
 33-39 King William Street,
 Adelaide, S.A. 5000

Telephone 216 3911

G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—

Dr J. Y. Hancock

After hours: Telephone 272 0527

WESTERN AUSTRALIA

Commonwealth Department of Health,
 Victoria Centre,
 2-6 St George's Terrace,
 Perth, W.A. 6000

Telephone 323 5711

G.P.O. Box M970, Perth, W.A. 6001

Director of Health—

Dr D. J. Daly

After hours: Telephone 447 6659

Assistant Director (Medical) (Acting)—

Dr P. J. Carrivick

After hours: Telephone 271 0012

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000

Telephone 20 5011

G.P.O. Box 919J, Hobart, Tas. 7001

Director of Health—

Dr C. W. Phillips

After hours: Telephone 25 1536

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794

Telephone 80 2911

P.O. Box 147, Darwin, N.T. 5794

Director of Health—

Dr F. H. Stewart

After hours: Telephone 81 2036

AUSTRALIAN CAPITAL TERRITORY

C.T.H.C. Building,
Corner Moore and Alinga Streets,
Canberra City, A.C.T. 2601

Telephone 45 4111

G.P.O. Box 825, Canberra City, A.C.T. 2601

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd
BC	Bristol Laboratories Pty Ltd
BL	David Bull Laboratories
BR	Beecham Research Laboratories
BW	Wellcome Australia Limited
BZ	Boucher & Muir Pty Ltd
CS	Commonwealth Serum Laboratories
DH	Drug Houses of Australia Pty Ltd
DL	Dista Products (Australia) & Company
FA	F. H. Faulding & Co. Ltd
FM	Fawns and McAllan Pty Ltd
GP	G.P. Laboratories
HP	Hoechst Australia Ltd
IC	ICI Australia Operations Pty Ltd
LE	Lederle Laboratories Division
LY	Eli Lilly (Australia) and Company
MB	May & Baker Australia Pty Ltd
NN	Nelson Laboratories (Sales) Pty Ltd
PF	Pfizer Pty Ltd
PT	Protea Pharmaceuticals
RO	Roche Products Pty Ltd
SI	Sigma Co. Ltd
SQ	E. R. Squibb & Sons Pty Ltd
UP	Upjohn Pty Ltd
US	USV Pharmaceuticals
WL	Winthrop Laboratories

SECTION 2 - SCHEDULE OF BENEFITS

SYMBOLS USED IN THE SCHEDULE

- (a) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.
 - (b) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
 - (c) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated. N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W); Tas. - (T).
-

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMOXYCILLIN					
Tablet 250mg	20	..	6.21	Amoxil Moxacin	BR CS
Capsule 250mg	20	..	6.21	Amoxil Cilamox Moxacin	BR SI CS
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#7.01	Amoxil Cilamox Moxacin	BR SI CS
AMPHOTERICIN					
Tablet 100mg	50	..	10.43	Fungilin	SO
Lozenge 10mg	20	..	4.50	Fungilin	SQ
Suspension 100mg per mL, 24mL	#1	..	5.31	Fungilin	SO
Ointment 3%, 15g	#1	..	4.76	Fungilin	SQ
AMPICILLIN					
Injection 250mg (solvent required)	5	..	6.76	Ampicyn Austrapen Penbritin	PT CS BR
500mg (solvent required)	5	..	8.79	Ampicyn Austrapen Penbritin	PT CS BR
1g (solvent required)	5	..	12.89	Ampicyn Austrapen Penbritin	PT CS BR
ASPIRIN*					
Mixture, *APF - See Section 3, Prescribers' List					
Mixture for Children, APF - See Section 3, Prescribers' List					
ASPIRIN with CODEINE					
Aspirin Mixture, APF with Codeine Phosphate 30mg per 10mL - See Section 3, Prescribers' List					

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DOXYCYCLINE					
Tablet 100mg	7	..	4.93	Doxylin 100	AF
			5.45	Vibramycin	PF
Capsule 100mg	7	..	5.39	Cyclidox	PT
			5.45	Doryx	FA
				Doxin	GP
ERYTHROMYCIN					
Tablet 250mg	25	..	6.21	EMU-V	UP
Capsule 125mg	25	..	5.18	Eryc	FA
250mg	25	..	6.21	Eryc	FA
				Ilocap	LY
ERYTHROMYCIN ESTOLATE					
Paediatric Drops					
100mg (base) per mL, 10mL	≠1	..	4.98	Ilosone	LY
Paediatric Suspension					
125mg (base) per 5mL, 100mL	≠1	..	5.30	Eromycin	DL
				Ilosone	LY
ERYTHROMYCIN ETHYLSUCCINATE					
Tablet 200mg (base)	25	..	5.43	EES Dulcet	AB
Granules for Paediatric Suspension					
200mg (base) per 5mL, 100mL	≠1	..	#7.16	EES 200	AB
ERYTHROMYCIN STEARATE					
Tablet 250mg (base)	25	..	6.21	Erythrocin	AB
Capsule 250mg (base)	25	..	6.16	E-Mycin	PT
			6.21	Erythrocin	AB
Paediatric Suspension					
125mg (base) per 5mL, 100mL	≠1	..	5.30	Erythrocin	AB
Suspension					
250mg (base) per 5mL, 100mL	≠1	..	7.16	Erythrocin	AB
METRONIDAZOLE					
Tablet 200mg	21	..	5.40	Trichazole	PT
			5.43	Flagyl	MB
				Metrozine	SR

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NYSTATIN					
Tablet 500,000 Units	25	..	7.23	Diastatin	GP
				Mycostatin	SQ
				Nilstat	LE
Mixture					
100,000 Units per mL, 24mL	#1	..	5.31	Mycostatin	SQ
				Nilstat	LE
PARACETAMOL					
Mixture 120mg per 5mL, 100mL	#1	..	4.01	Dymadon	BW
				Panamax	WL
				Parmol	US
PHENETHICILLIN					
Tablet 250mg	25	..	5.05	Pensig	SI
Capsule 250mg	25	..	5.05	Optipen	CS
				Pensig	SI
500mg	25	..	6.18	Optipen	CS
				Pensig	SI
Powder for Syrup					
125mg per 5mL, 100mL	#1	..	#5.61	Pensig 125	SI
250mg per 5mL, 100mL	#1	..	#6.47	Pensig 250	SI
PHENOXYMETHYLPENICILLIN					
Tablet 125mg	25	..	4.35	Abbocillin-V	AB
				LPV	CS
250mg	25	..	4.68	Abbocillin-VK	AB
				Cilicaine VK	SI
				LPV	CS
				PVK	LY
				P.V.O.	FM
500mg	25	..	5.65	Abbocillin-VK	AB
				LPV	CS
				PVK	LY
				P.V.O.	FM
Capsule 250mg	25	..	4.68	Abbocillin-VK	AB
				Cilicaine VK	SI
				Falcopen VK	FA
				LPV	CS
				PVK	LY
				P.V.O.	FM
(continued)					

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont.				
Capsule 500mg	25	..	5.65	Cilicaine VK SI Falcopen VK FA LPV CS P.V.O. FM
Paediatric Suspension 125mg per 5mL, 100mL	≠1	..	4.56	Abbocillin-V AB Cilicaine V SI Falcopen V FA LPV 125 CS
Suspension 250mg per 5mL, 100mL	≠1	..	5.43	Abbocillin-V AB Cilicaine V SI Falcopen V FA LPV 250 CS
PROCAINE PENICILLIN Injection BP, 1g	5	..	13.75	Aquacillin FA Cilicaine SI
1.5g	5	..	13.88	Aquacillin FA Cilicaine SI
SULPHADIMIDINE Tablet 500mg	40	..	4.69	S-Dimidine PT
TETRACYCLINE Capsule 250mg	25	..	5.10	Achromycin LE Panmycin P UP Tetramykoin BZ(N)
TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	5.10	Achromycin V LE Australmycin-V CS Hostacycline HP P HP Hydracycline FM Steclin-V SQ Tetrex AP

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	4.69	Bactrim RO Resprim AF Septrin BW Trib PT
160mg-800mg	10	..	5.79	Bactrim DS RO Resprim ForteAF Septrin ForteBW Trib DS PT
Suspension 40mg-200mg per 5mL, 100mL	≠1	..	5.29	Bactrim RO Septrin BW Trib PT
WATER FOR INJECTIONS (For use only with an injectible benefit which requires a solvent)				
Injection 2mL	5	..	3.96	BL,BT,BZ,SI
5mL	5	..	4.11	BL,BT,BZ,SI

SECTION 3—PRESCRIBERS' LIST

PRESCRIPTION

MIXTURES

(Maximum Quantity 200mL, No Repeats)

ASPIRIN (APF)

Aspirin.....	500	mg
Compound Tragacanth Powder.....	250	mg
Orange Syrup, APF.....	1	mL
Concentrated Chloroform Water.....	0.25	mL
Purified Water to.....	10	mL

ASPIRIN with CODEINE

Codeine Phosphate.....	30	mg
Aspirin Mixture, APF to	10	mL

MIXTURE FOR CHILDREN

(Maximum Quantity 100mL, No Repeats)

ASPIRIN (APF)

Aspirin.....	150	mg
Compound Tragacanth Powder.....	100	mg
Raspberry Syrup	1	mg
Concentrated Chloroform Water.....	0.1	mL
Purified Water to.....	5	mL

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX



Proprietary Name	Manu- fac- turer	Name
Abbocillin-V	AB	Phenoxymethylpenicillin
Abbocillin-VK	AB	Phenoxymethylpenicillin
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Amoxil	BR	Amoxycillin
Ampicyn	PT	Ampicillin
Aquacillin	FA	Procaine Penicillin
Austramycin-V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
Cilamox	SI	Amoxycillin
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymethylpenicillin
Cilicaine VK	SI	Phenoxymethylpenicillin
Cyclidox	PT	Doxycycline
Diastatin	GP	Nystatin
Doryx	FA	Doxycycline
Doxin	GP	Doxycycline
Doxylin 100	AF	Doxycycline
Dymadon	BW	Paracetamol
EES 200	AB	Erythromycin Ethylsuccinate
EES Dulcet	AB	Erythromycin Ethylsuccinate
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin Stearate
Eromycin	DL	Erythromycin Estolate
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin Stearate
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Flagyl	MB	Metronidazole
Fungilin	SQ	Amphotericin
Hostacycline P	HP	Tetracycline (Buffered)
Hydracycline	FM	Tetracycline (Buffered)
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin Estolate
LPV	CS	Phenoxymethylpenicillin
LPV 125	CS	Phenoxymethylpenicillin
LPV 250	CS	Phenoxymethylpenicillin
Metrozine	SR	Metronidazole
Moxacin	CS	Amoxycillin
Mycostatin	SQ	Nystatin
Nilstat	LE	Nystatin
Optipen	CS	Phenethicillin

Proprietary Name	Manu- fac- turer	Name
Panamax	WL	Paracetamol
Panmycin P	UP	Tetracycline
Parmol	US	Paracetamol
Penbritin	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Resprim	AF	Trimethoprim with Sulphamethoxazole
Resprim Forte	AF	Trimethoprim with Sulphamethoxazole
S-Dimidine	PT	Sulphadimidine
Septtrin	BW	Trimethoprim with Sulphamethoxazole
Septtrin Forte	BW	Trimethoprim with Sulphamethoxazole
Steclin-V	SQ	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetrex	AP	Tetracycline (Buffered)
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichozole	PT	Metronidazole
Vibramycin	PF	Doxycycline

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Dulcets	Abbott A'asia - Chewable tablets
Filmtabs	Abbott A'asia - Coated tablets
Pulvules	Lilly - Capsules



Pharmaceutical Benefits

DECEMBER 1985

NOT FOR SALE

LATE AMENDMENT

NEW ITEM

Section 2

The following item will be available as a pharmaceutical benefit as from 1 December 1985:-

Name, Restriction Manner of Administration and Form	No. Max. of Price Qty Rpts \$	Proprietary Name and Manufacturer
--	-------------------------------------	---

CYCLOPHOSPHAMIDE

Authority required.

Anaemia, autoimmune, haemolytic;

Arthritis, rheumatoid with

vasculitis or visceral

complications;

Continuing cyclophosphamide

therapy initiated in a

hospital;

Dermatomyositis;

Granulomatosis, Wegener's;

Hepatitis, active, chronic;

Lupus erythematosus, systemic;

Malignant disease including

leukaemia;

Nephritis;

Nephrotic syndrome;

Polyarteritis nodosa;

Scleroderma;

Thrombocytopenic purpura.

WARNING: Regular monitoring of

blood counts is mandatory in the

use of this drug.

Tablet 50mg

50 .. 12.71 Cycloblastin FE

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the December 1985 edition of the Schedule of Pharmaceutical Benefits for Medical Practitioners.

The reprint of the Schedule will take effect on 1 December 1985 and all previous editions of the Schedule are cancelled.

Your attention is drawn to the following:—

The general benefit patient contribution is now \$5. Accordingly items with a Commonwealth dispensed price of \$5 or less are not pharmaceutical benefits when prescribed for persons other than pensioners and concessional beneficiaries.

Unless otherwise indicated in Section 2 of this Schedule, authorities to prescribe pharmaceutical benefits may now be granted to supply up to six months' therapy (normally one month's supply plus five repeats). Accordingly this Schedule no longer contains a list of items for which an authority to prescribe may be granted to provide up to six months' therapy.

SUMMARY OF CHANGES

ADDITIONS

Section 1

Emergency Drug (Doctor's Bag) Supplies

Diphtheria and Tetanus vaccine, adsorbed, diluted for adult use, 0.5mL ampoule (available as an alternative to Tetanus vaccine adsorbed, 0.5mL ampoule)

Section 2

New Items

Benzathine Penicillin, 1.8g in 4mL disposable syringe injection (*Bicillin L-A*)
Sodium Acid Phosphate, 500 mg elemental phosphorus, 469mg (20.4mmol) sodium, 123mg (3.1mmol) potassium, compound effervescent tablet (*Phosphate Sandoz*)

New Forms and Strengths of Existing Items

Amitriptyline, 50mg tablet (*Endep 50*)
Calcium, 600mg (as carbonate) tablet (*Caltrate*)
Doxepin, 50mg tablet (*Deptran 50*)
Medroxyprogesterone, 500mg in 2.5 mL injection (*Farlutal*)
Pethidine, 50mg tablet

Differential Maximum Quantity Listing

	<i>Maximum Quantity</i>	<i>Number of Repeats</i>
Rifampicin, 150mg capsule (<i>Rimycin 150</i>) and 300mg capsule (<i>Rimycin 300</i>)	10	..

DELETIONS

Section 1

Emergency Drug (Doctor's Bag) Supplies

Morphine Sulphate with Atropine Sulphate injection, 15mg-600 micrograms in 1mL ampoule (Item discontinued by manufacturer)

Section 2

Items

Glymidine, 500mg tablet (*Gondafon*) (Item discontinued by manufacturer)

Morphine Sulphate with Atropine Sulphate, 15mg-600 micrograms in 1mL injection (Item discontinued by manufacturer)

Potassium, 6.5mmol K⁺ effervescent tablet (*Potavescent*)

Protriptyline, 5mg and 10mg tablets (*Concordin*) (Items discontinued by manufacturer)

Forms and Strengths of Existing Items

Aminocaproic Acid, 250mg per mL, 20mL oral solution (*Ekaprol*) (Item discontinued by manufacturer)

Cephalexin, 250mg per 5mL, 100mL granules for syrup (*Keflex*)

Dextromoramide, 5mg in 1mL injection (*Palfium*) (Item discontinued by manufacturer)

Insulin Zinc Suspension, 100 Units per mL, 10mL injection (mixed porcine/bovine) (*Lente M.C. Novo*) (Item discontinued following the establishment of the CSL-Novo joint venture)

Norethisterone Acetate, 2.5mg tablet (*Primolut Nor*) (Item discontinued by manufacturer)

Phenethicillin, 125mg tablet (*Pensig*) (Item discontinued by manufacturer)

Phenytoin Sodium, 100mg tablet (Item discontinued by manufacturer)

Tri-potassium Di-citrate Bismuthate Complex, 156mg (Bi) per 5mL, 500 mL mixture (*Ulcaron*) (Item discontinued by manufacturer)

ALTERATIONS

Section 2

To be Unrestricted

Azathioprine, 50mg tablet (*Imuran*, *Thioprine*)

Cephalexin, 250mg and 500mg capsules (*Keflex*); 125mg per 5mL, 100mL granules for syrup (*Keflex*)

Chlorambucil, 2mg and 5mg tablets (*Leukeran*)

Methotrexate, 2.5mg tablet; 5mg (solvent required), 5mg in 2mL, 50mg (solvent required) and 50mg in 2mL injections

Nitrofurantoin, 50mg and 100mg tablets (*Furadantin*); 50mg and 100mg capsules (*Macrodantin*); 25mg per 5mL, 200 mL paediatric suspension (*Furadantin*)

Procarbazine, 50mg capsule (*Natulan*)
Trimipramine, 50mg capsule (*Surmontil*)

Restriction Changes

Captopril, 25mg and 50mg tablets (*Capoten*)
Etretinate, 10mg and 25mg capsules (*Tigason*)
Metronidazole, 500mg in 100mL (0.5%) solution for intravenous infusion (*Flagyl, BL*)
Triglycerides, Medium Chain, 400g lactalbumin demineralised powder (*Alfaré*)
Vitamin Supplement, tablet and 100mL liquid (*Ketovite*)

From 'Authority Required' to 'S.P.'

Calcium, compound effervescent tablet equivalent to 1g (25mmol) Ca^{2+} (*Sandocal 1000*)
Calcium Folate, 15mg tablet (*Leucovorin*)
Captopril, 25mg and 50mg tablets (*Capoten*)
Cloxacillin, 250mg and 500mg capsules (*Austrastaph, Orbenin*); 125mg per 5mL, 100mL powder for syrup (*Austrastaph, Orbenin*)
Dantrolene Sodium, 25mg and 50mg capsules (*Dantrium*)
Demeclocycline Hydrochloride, 150mg capsule (*Ledermycin*)
Flucloxacillin, 250mg and 500mg capsules (*Flophen, Floxapen*); 125mg per 5mL, 100mL powder for syrup (*Flophen, Floxapen*)
Fusidic Acid, 250mg (enteric coated) tablet (Sodium salt) and 50mg per mL, 90mL suspension (*Fucidin*)
Metronidazole, 500mg in 100mL (0.5%) solution for intravenous infusion (*Flagyl, BL*)
Nalidixic Acid, 500mg tablet and 50mg per mL, 200mL oral suspension (*Negram*)
Penicillamine, 125mg and 250mg tablets (*D-Penamine, Perdolat*)
Phenelzine, 15mg tablet (*Nardil*)
Propantheline Bromide, 15mg tablet (*Pantheline*)
Tetrabenazine, 25mg tablet (*Nitoman*)
Tobramycin Sulphate, 40mg and 80mg injections (*Nebcin*)
Tranexamic Acid, 500mg tablet (*Cyklokapron*)
Tranylcypromine, 10mg tablet (*Parnate*)

Maximum Quantity

From To

Section 1

Emergency Drug (Doctor's Bag) Supplies

Heparin Sodium Injection BP , 5,000 units in 1mL ampoule	1	5
---	---	---

Section 2

	From	To
Cephalexin , 250mg capsule (<i>Keflex</i>);	25	20
500mg capsule (<i>Keflex</i>)	12	10
Ergometrine Maleate , 200 micrograms tablet (<i>Ergotrate</i>)	25	24
Metoprolol , 100mg tablet (<i>Betaloc</i> , <i>Lopresor</i>)	30	60
Nutramigen , powder (<i>Glucose Nutramigen</i>) (Pack size change)	2	≠1
Prednisolone , 5mg tablet (<i>Adnisolone</i> , <i>Delta-Cortef</i> , <i>Deltasolone</i> , <i>Panafcortelone</i> , <i>Solone</i> , <i>PR</i>)	30	60
Prednisone , 5mg tablet (<i>Adasone</i> , <i>Deltasone</i> , <i>Panafcort</i> , <i>Sone</i> , <i>DH</i> , <i>PR</i>)	30	60
Sodium Valproate , 200mg per 5mL, 200mL syrup (<i>Epilim</i>)	≠1	2

Number of Repeats

	From	To
Azathioprine , 50mg tablet (<i>Imuran</i> , <i>Thioprine</i>)	..	2
Betamethasone , 500 micrograms tablet (<i>Celestone</i>)	2	4
Calcium , compound effervescent tablet equivalent to 1g (25mmol) Ca ²⁺ (<i>Sandocal 1000</i>)	5	2
Captopril , 25mg and 50mg tablets (<i>Capoten</i>)	..	5
Carbimazole , 5mg tablet (<i>Neo-Mercazole</i>)	2	4
Cephalexin , 125mg per 5mL, 100mL granules for syrup (<i>Keflin</i>)	..	1
Chlorambucil , 2mg and 5mg tablets (<i>Leukeran</i>)	..	2
Cimetidine , 200mg and 400mg tablets (<i>Duractin</i> , <i>Tagamet</i>) (for certain indications only)	2	5
Dantrolene Sodium , 25mg and 50mg capsules (<i>Dantrium</i>)	..	2
Demeclocycline Hydrochloride , 150mg capsule (<i>Ledermycin</i>)	..	3
Dexamethasone , 500 micrograms tablet (<i>Dexamethsone</i> , <i>Oradexon</i>);	2	4
4mg tablet (<i>Dexamethsone</i>)	1	4
Ergocalciferol , 250 micrograms tablet (<i>Ostelin</i>)	2	3
Ethylloestrenol , 2mg tablet (<i>Orabolin</i>)	1	3
Fluoxymesterone , 5mg tablet (<i>Halotestin</i>)	1	3
Methenolone Acetate , 5mg tablet (<i>Primobolan</i>)	1	3
Methotrexate , 2.5mg tablet	..	2
Nalidixic Acid , 500mg tablet and 50mg per mL, 200mL oral suspension (<i>Negram</i>)	..	2
Nifedipine , 10mg capsule (<i>Adalat</i>)	2	4
Pancreatin Enzyme , 4 times USNF.XIII strength 325 mg tablet (<i>Viokase</i>) and	1	4
250g powder (<i>Viokase</i>);	2	4
5 times USNF.XIV strength 305mg capsule (<i>Viokase</i>)	1	4

Pancrelipase , 234mg capsule (<i>Pancrease</i>) and 300mg capsule (<i>Cotazym</i>)	1	4
Penicillamine , 125mg and 250mg tablets (<i>D-Penaminate</i> , <i>Perdolat</i>)	..	1
Phenelzine , 15mg tablet (<i>Nardil</i>)	..	2
Phenobarbitone , 30mg tablet	2	4
Prednisolone , 1mg tablet (<i>Panafcortelone</i>); 5mg tablet (<i>Adnisolone</i> , <i>Delta-Cortef</i> , <i>Deltasolone</i> , <i>Panafcortelone</i> , <i>Solone</i> , <i>PR</i>) and 25mg tablet (<i>Panafcortelone</i> , <i>Solone</i>)	1	4
Prednisone , 1mg tablet (<i>Panafcort</i>); 5mg tablet (<i>Adasone</i> , <i>Deltasone</i> , <i>Panafcort</i> , <i>Sone</i> , <i>DH</i> , <i>PR</i>) and 25mg tablet (<i>Panafcort</i> , <i>Sone</i>)	1	4
Procarbazine , 50mg capsule (<i>Natulan</i>)	..	2
Propantheline Bromide , 15mg tablet (<i>Pantheline</i>)	..	5
Propylthiouracil , 50mg tablet	2	4
Ranitidine Hydrochloride , 150mg (base) tablet (<i>Zantac</i>) (for certain indications only)	2	5
Sulthiame , 50mg and 200mg tablets (<i>Ospolot</i>)	1	2
Tetrabenazine , 25mg tablet (<i>Nitoman</i>)	..	2
Tranexamic Acid , 500mg tablet (<i>Cyklokapron</i>)	..	2
Tranlycypromine , 10mg tablet (<i>Parnate</i>)	..	2
Trimipramine , 50mg capsule (<i>Surmontil</i>)	..	1

Pack Size

Nutramigen , powder (<i>Glucose Nutramigen</i>)	From 500g	To 1kg
--	-----------	--------

Item Name

Section 2

From	To
Insect Allergen Extract— Wasp Venom Protein, Injection Set containing 550 micrograms	Insect Allergen Extract— Paper Wasp Venom

Manufacturers' Codes

Milk Powder—Synthetic , 397g low calcium compound powder (<i>Locasol</i>); 454g low lactose compound powder (<i>Galactomin Formula 17</i>); 454g fructose formula, reduced fat, low lactose compound powder (<i>Galactomin Formula 19</i>)	From MN	To KY
Prednisolone Stearoylglycolate , 6.65mg tablet (<i>Sintisone</i>)	EC	FE
Triglycerides, Medium Chain , 1L Oil (<i>Cow and Gate MCT Oil</i>)	MN	KY

NOTES

Notes have been added, deleted or altered in respect of the following items:—

Aminogluthethimide (*Cytadren*)
Amiodarone Hydrochloride (*Cordarone X 200*)
Bromocriptine Mesylate (*Parlodel*)
Calcitriol (*Rocaltrol*)
Calcium (*Sandocal 1000*)
Calcium Folate (*Leucovorin*)
Carbimazole (*Neo-Mercazole*)
Cholestyramine (*Questran*)
Clofibrate (*Arterioflexin, Atromid-S*)
Colestipol Hydrochloride (*Colestid*)
Danazol (*Danocrine*)
Dexamphetamine
Dihydrotachysterol (*A.T.10*)
Dipyridamole (*Dipramol, Persantin 100*)
Dydrogesterone (*Duphaston*)
Ethyloestrenol (*Orabolin*)
Etretinate (*Tigason*)
Fluoxymesterone (*Halotestin*)
Insect Allergen Extract—Paper Wasp Venon (*Albay Wasp Venom*)
Lactulose (*Duphalac*)
Methenolone Acetate (*Primobolan*)
Mianserin Hydrochloride (*Tolvon*)
Minoxidil (*Loniten*)
Nitrofurantoin (*Furadantin, Macrochantin*)
Oxymetholone (*Anapolon, Adroyd*)
Pancreatin Enzyme (*Viokase*)
Pancrelipase (*Pancrease, Cotazym*)
Perhexiline Maleate (*Pexid*)
Phenobarbitone
Phenoxybenzamine (*Dibenyline*)
Pilocarpine (*Ocusert Pilo 20, Ocusert Pilo 40*)
Potassium Chloride (*Chlorvescent, Kay Ciel, K-San, Slow-K, Span-K*)
Prochlorperazine (*Anti-Naus, Compazine, Stemetil*)
Propantheline Bromide (*Pantheline*)
Propylthiouracil
Spirolactone (*Aldactone, Spirotone*)
Sulphinpyrazone (*Anturan*)
Sulthiame (*Ospolot*)
Tamoxifen Citrate (*Nolvadex, Nolvadex-D*)
Tetracosactrin (*Synacthen Depot*)
Vitamin Supplement (*Ketovite*)

ADVANCE NOTICES

DELETIONS

The items listed below will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Items being discontinued by the manufacturer:—

Hydrocortisone, 0.5%, 5mL and 1%, 3mL eye drops (*Hycor*)
Norgestrel with Ethinyloestradiol, pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets (*Eugynon ED*)

The following item, on the recommendation of the Pharmaceutical Benefits Advisory Committee, will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1986.

Tocainide Hydrochloride, 400mg and 600mg tablets (*Tonocard*) (Unacceptable haematological toxicity)

All Previous Editions Cancelled



**SCHEDULE OF
PHARMACEUTICAL BENEFITS**

for

MEDICAL PRACTITIONERS

OPERATIVE FROM 1 DECEMBER 1985

Commonwealth Department of Health,
CANBERRA, A.C.T.

A. B. CAUDELL, Government Printer, Tasmania

CONTENTS

SECTION 1—LEMON PAGES

Explanatory Notes—

Prescribing of Benefits—Procedure by Doctors—

	<i>Paragraph</i>	<i>Page</i>
Schedule of Benefits	1-9	4
Explanatory and Warning Statements.	10-11	5
Prescriptions	12-21	5-7
Manner of Administration	22	7
Restrictions	23-24	8
Maximum Quantities and Repeats	25-34	8-9
Regulation 24	35-36	9-10
Patient Contribution and Special Patient Contribution	37-39	10-11
Establishment by Eligible Pensioners and Concessional Beneficiaries of Entitlements to Pharmaceutical Benefit Concessions	40-43	11-12
Authority to Prescribe	44-45	12
Urgent Cases	46-47	13
Emergency Drug (Doctor's Bag) Supplies	48-51	13-14
Enquiries	52	14

Addresses of Poisons Information Centres 15

Addresses of Commonwealth Department of Health Central
Office and Regional Offices 16-18

Index of Manufacturers' Codes 19-22

List of Emergency Drug (Doctor's Bag) Supplies 23-25

SECTION 2—WHITE PAGES

Page

Schedule of Benefits—

General, Pensioner and Restricted Benefits	1-114
Intravenous Infusions.....	115-116

SECTION 3—WHITE PAGES

Schedule of Benefits—

Preparations Available for Colostomy and Ileostomy Use	2-3
Preparations Available for Use by Paraplegic and Quadriplegic Patients.....	4

SECTION 4—GREEN PAGES

Schedule of Benefits—Drugs Available for Extemporaneous

Preparations	1-4
--------------------	-----

Table of Maximum Quantities and Number of Repeats for Extemporaneous Preparations.....	5
---	---

SECTION 5—GREEN PAGES

Prescribers' List—Pharmaceutical Benefits Formulae	1-13
--	------

PROPRIETARY INDEX

Part 1—Proprietary Names Index	2-20
Part 2—Trade Names Index	21

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. Pharmaceutical benefits which may be prescribed by doctors are listed in this book.

2. Ready prepared items are listed in Sections 2 and 3 of the Schedule of Benefits. Restrictions apply to the prescribing of some items in Section 2 and all the items in Section 3. Further details may be found in these notes—paragraphs 23-24.

3. The Schedule of ready prepared items includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any listed brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g. 'Ampicillin, Injection 1g with 2mL water for injections'.

4. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes—paragraphs 25-36.

5. The drugs which may be used in extemporaneous preparations are listed in Section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this Section it is indicated against the item.

6. Formulae in common use are listed in Section 5—Prescribers' List (Green Pages).

7. A proprietary name index of ready prepared items is included after Section 5.

8. Symbols used in the Schedule of Benefits are explained on page 1, Section 2 (White Pages).

9. The following admixtures are not pharmaceutical benefits:—

- (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
- (b) the admixture of a ready prepared item and a drug or drugs listed in Section 4 of the Schedule of Benefits.

Explanatory and Warning Statements

10. The Use of 'Note' in Section 2 (White Pages) of the Schedule is reserved for explanatory purposes in relation to the prescribing of some drugs as pharmaceutical benefits.

11. The use of 'Caution' in Section 2 (White Pages) of the Schedule is reserved for the purpose of warning of adverse reactions or precautions associated with the use of a drug. The absence of a cautionary note does not necessarily imply that significant adverse reactions may not be encountered.

Prescriptions

12. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit and must not be written for any other purpose. The prescription is valid only when it is written by a registered medical practitioner.

13. CARE MUST BE TAKEN TO COMPLY WITH THE PROVISIONS OF STATE LAW, PARTICULARLY IN REGARD TO THE PRESCRIBING OF DRUGS LISTED AS NARCOTIC, SPECIFIED OR RESTRICTED UNDER STATE LEGISLATION.

14. With regard to DRUGS OF ADDICTION, notification or approval of the appropriate State Health Authority or officer is required in all States for therapeutic use for a period exceeding two months (four weeks in Victoria, 30 days in Western Australia). Prior approval of the appropriate State Health Authority or officer is required in all States for the treatment of DRUG DEPENDENT PERSONS with ANY DRUG OF ADDICTION.

15. Medical practitioners are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Secretary otherwise record the prescription) either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The name and address of the medical practitioner must be shown and 'N.H.S.' endorsed at the top.

- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient. Doctors are reminded that full details of the patient's address are required on each N.H.S. prescription.
- (d) The pharmaceutical benefit must be identified in the prescription by such particulars, including the name, form, strength and quantity, as are necessary for the complete identification of that benefit.
- (e) In the case of pharmaceutical benefits which are restricted in use, the prescription must be endorsed in the doctor's own handwriting with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted.
- (f) If the benefit is a single drug, the manner of administration must be indicated.
- (g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time the prescription must be endorsed in own handwriting with the words 'Regulation 24'. Further details are available in paragraphs 35-36.
- (h) Date and sign the prescription.

16. A doctor may write up to three prescriptions on a single prescription form. Each prescription must be written legibly.

17. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

18. A prescription is not a valid pharmaceutical benefit prescription if the medical practitioner—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;

- (b) prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted; or
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

19. Where a medical practitioner writes a prescription for a pharmaceutical benefit, a formulation of which is available as a ready prepared pharmaceutical benefit and does not specify a brand, payment to the chemist is made on the basis of the lowest priced brand of the ready prepared benefit item which is listed. This also applies if the preparation is, or the ingredients are, available for use in dispensing extemporaneously prepared benefits (i.e. listed in Section 4).

20. Where, in a prescription for a pharmaceutical benefit which is not listed as a ready prepared pharmaceutical benefit, a medical practitioner states a monograph title of a formulation but does not specify a formulary, payment to the chemist is made on the basis of the formula, if any, specified in the Prescribers' List (Section 5). Should there be no formula specified in the Prescribers' List, payment to the chemist is made on the basis of the precedence of formularies accorded by State legislation.

21. To avoid confusing patients and the dispensing chemist, doctors should not write prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a restricted benefit and the patient is not suffering from one of the allowable conditions the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete N.H.S. from the top of the form.

Manner of Administration

22. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way, e.g., an ophthalmic preparation may not be prescribed for topical use.

Restrictions

23. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition and, where specified with the written authority of the Director of Health, Commonwealth Department of Health in the State concerned. Full particulars of these items and their restrictions are printed in red in Sections 2 and 3 (White Pages) of the Schedule. It is not necessary for the particular restriction to be identified on the prescription.

24. Pharmaceutical benefits which are available for use for colostomy and ileostomy conditions as well as pharmaceutical benefits which are available for use by paraplegic and quadriplegic patients are listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

25. For ready prepared preparations, the allowable maximum quantity and number of repeats are shown in the second and third columns of Sections 2 and 3. For extemporaneously prepared preparations, details are set out in the Table of Maximum Quantities and Repeats (Green Pages).

26. Some prescriptions for pharmaceutical benefits do not completely identify the pharmaceutical benefit, in that they do not clearly state the quantity and/or the number of repeats. For example, some medical practitioners write 'Max. Qty' or 'M.Q.' instead of the actual number (of tablets, capsules, etc.); or write 'M.R.' or the like instead of stating the number of repeats required. Medical practitioners are required to completely identify the quantity being prescribed and the number of repeats by specifying the actual number in each case.

27. Where the maximum quantity of an item is marked with a double dagger (‡), the maximum quantity has been determined as a single pack. In such instances, chemists are required to supply unbroken packs (see page 1, Section 2 White Pages). These items should be prescribed in the standard pack sizes.

28. For other items it is not necessary to prescribe the maximum quantity either for the original or for a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

29. If a medical practitioner requires a prescription to be repeated, he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

30. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority from the Director of Health, Commonwealth Department of Health (see paragraphs 32-34).

31. The normal maximum quantity and number of repeats for pharmaceutical benefit items are recommended by the Pharmaceutical Benefits Advisory Committee (PBAC). For the treatment of an acute condition the PBAC recommends a maximum quantity which will provide sufficient medication for the treatment of the condition. For the treatment of chronic conditions the PBAC recommends sufficient, at normal dosage levels, for one month's treatment and two repeats. However, the PBAC has, for some items, recommended quantities and/or repeats to enable up to six months' treatment to be available.

32. Special provisions also exist to assist chronically ill patients who require large quantities of drugs and/or continuous treatment. In most cases under these provisions a doctor may, if he considers it to be in his patient's interest, apply to the Director of Health, Commonwealth Department of Health in his State for authority to prescribe a quantity in excess of the listed maximum quantity and/or number of repeats.

33. Under these provisions (except where otherwise stated in Section 2) a quantity sufficient for approximately six months' treatment at the higher dosage levels, i.e. approximately one month's treatment and up to five repeats, may be authorised.

34. For drugs which require the written authority of the Director of Health, the provisions of paragraphs 31-33 in general apply. For items where a plus sign (+) appears in the number of repeats column, a quantity, (being a multiple of the stated maximum quantity) to provide for approximately one month's treatment at the prescribed dosage level, plus sufficient repeats for up to six months' treatment may be authorised.

Regulation 24

35. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and the repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit is insufficient for the medical treatment of the person for whom it is prescribed;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24' as certification that the above conditions have been satisfied.

36. Where a prescription is endorsed 'Regulation 24' the dispensing chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies, for example, if the prescription orders two repeats, three patient contributions, plus three special patient contributions if applicable, would be charged to a patient other than a person issued with a valid Pensioner Health Benefits Card or a valid Health Benefits Card (see paragraph 40).

Patient Contribution and Special Patient Contribution

37. The dispensing chemist may in respect of each supply by him whether on a prescription or repeat authorisation, charge the person to whom the pharmaceutical benefit is supplied an amount of \$5 in respect of general patients or an amount of \$2 in respect of patients with a concessional entitlement, and in addition a special patient contribution if applicable is payable (see paragraph 38). A charge is not to be made in respect of patients who are eligible pensioners, unless a special patient contribution is applicable (see paragraph 38).

38. A special patient contribution will be determined for certain drugs in regard to which there exists a price disagreement with the manufacturer. The special patient contribution will thus be an additional charge over and above the relevant patient contribution set out in paragraph 37. All patients, including concessional beneficiaries and eligible pensioners, will be required to pay this special patient contribution for these special pharmaceutical benefits.

39. A prescription, other than a prescription for an eligible pensioner, written for a benefit for which the dispensed price at the date of supply is equal to or less than \$5 in respect of general patients, or \$2 in respect of patients with a concessional entitlement, is not a prescription for a pharmaceutical benefit. This also applies to prescriptions endorsed 'Regulation 24' (see paragraphs 35-36), for which the price of the total quantity of the benefit supplied is equal to or less than the authorised charge specified in paragraph 36.

Establishment by Eligible Pensioners and Concessional Beneficiaries of Entitlements to Pharmaceutical Benefit Concessions

40. Under the Pharmaceutical Benefits Scheme, persons holding a valid Pensioner Health Benefits Card or a valid Health Benefits Card and their dependants are entitled to receive pharmaceutical benefits free of charge, for other than items for which a special patient contribution is payable. Persons holding a valid Health Care Card or a valid Pharmaceutical Benefits Concession Card and their dependants are entitled to receive pharmaceutical benefits at the concessional patient contribution rate, plus the special patient contribution if applicable.

41. Any person (including a doctor) may enter the relevant information to establish the patient as an eligible pensioner or concessional beneficiary in the spaces provided on prescription forms (front or back) supplied by the Department.

42. The person entering the entitlement information must complete all the relevant details applicable to the patient's entitlement on the prescription. The information to be provided in the appropriate space is:—

- (a) the entitlement number appearing on the card, i.e., a ten-character alpha-numeric number (the entitlement number does not identify the type of card or the entitlement category);
- (b) a cross (×) in the appropriate box indicating the type of entitlement card held by the patient. The type of card denotes the entitlement of the patient to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.

Where a patient or agent is required to sign and date a receipt for the supply of a benefit on an original prescription form, the patient or agent also accepts responsibility for the validity of the entitlement information shown on the prescription.

43. Where prescriptions are written on forms which do not provide space (front or back) for the entry of entitlement information, the doctor should not enter the patient's entitlement information on the prescription form. In these instances the dispensing chemist, on request, shall place the declaration stamp imprint on the back of the original prescription form to enable the patient entitlement information (see paragraph 42) to be entered.

Authority to Prescribe

44. Where the written authority of the Director of Health, Commonwealth Department of Health is required to prescribe:—

- (a) restricted drugs (paragraphs 23, 24); or
- (b) increased maximum quantities (paragraphs 32-34); and/or
- (c) increased number of repeats (paragraphs 32-34)

application should be made on the combined application/authority prescription form (Form PB86). The 'Health Department copy' together with the completed original and duplicate of the authority prescription are to be forwarded to the Director of Health. The doctor's copy should be retained.

45. The original and duplicate authority prescription, when authorised, can be returned to the doctor or sent direct to the patient. If the application can be approved after some amendment, an Authority to Prescribe (Form PB15) will be forwarded to the doctor, specifying what has been approved. A new prescription should then be written on the form PB15, the original and duplicate sent to the patient, and the triplicate (green copy) retained by the doctor.

Urgent Cases

46. In urgent cases, a chemist may supply a benefit before the prescription is surrendered to him, if the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

47. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 23). In such cases the doctor must first obtain advice from the Director of Health, Commonwealth Department of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently submit a form PB86, obtain the written authority and forward it, within 24 hours of its receipt, to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

48. Certain pharmaceutical benefits are provided free to doctors for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

49. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the doctor personally. Each order form is valid during the month printed thereon and each doctor may obtain the benefits not more often than once per month. (Doctors approved to supply pharmaceutical benefits under section 92 of the National Health Act are to use Form PB7A which must not be presented to an approved chemist for supplies. Special instructions are issued to these doctors.)

50. The maximum quantity listed against the Emergency Drug items permitted to be obtained at the one time may be ordered provided the quantity of the item that the doctor has on hand is less than the maximum quantity.

51. A doctor may also specify on the order form any listed brand of a benefit. If this brand is not available, the doctor will be requested by the approved chemist to specify in the order another listed brand which is available, and to initial the alteration. The doctor issuing the order form must sign and date the form. A receipt for the benefits supplied on this order form must be signed by either the doctor himself or by a person authorised by him.

Enquiries

52. Any enquiries regarding the Pharmaceutical Benefits Scheme or requests for Departmental publications or stationery other than N.H.S. standard prescription pads should be made to the Director of Health, Commonwealth Department of Health in the capital city of your State. Orders for N.H.S. prescription pads should be forwarded to the Secretary to the Department of Health, Canberra.

ADDRESSES OF POISONS INFORMATION CENTRES

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Pymont Bridge Road,
Camperdown.

Telephone No.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
345 5678

QUEENSLAND

Brisbane Royal Children's Hospital,
Herston Road,
Herston.

Brisbane
253 8233

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
267 4999
Ext. 6117

WESTERN AUSTRALIA

Princess Margaret Hospital for Children,
Thomas Street,
Subiaco.

Perth
381 1177
008-11 9244
(Country
Areas)

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
38 8485

NORTHERN TERRITORY

Royal Darwin Hospital,
Darwin.

Darwin
27 4777

AUSTRALIAN CAPITAL TERRITORY

Royal Canberra Hospital,
Canberra.

Canberra
43 2154

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

NOTE: All applications for authority to prescribe should be forwarded
to the appropriate Regional Office.

CENTRAL OFFICE

The Secretary,
Commonwealth Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

REGIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000

Telephone 239 3000

Director of Health—

Mr J. B. Jamieson

After hours: Telephone 357 2377

VICTORIA

Commonwealth Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000

Telephone 662 2999

G.P.O. Box 1547P, Melbourne, Vic. 3001

Director of Health—

Mr A. E. Shields

Assistant Director (Medical)—

Dr A. I. Mead

After hours: Telephone 347 0103

QUEENSLAND

Commonwealth Department of Health,
 Australian Government Offices,
 Anzac Square,
 Adelaide Street,
 Brisbane, Qld 4000

Telephone 225 0122

G.P.O. Box 567, Brisbane, Qld 4001

Director of Health—

Dr Peter E. R. Ulrich

Assistant Director (Medical)—

Dr D. Wilkinson

After hours: Telephone 870 9114

SOUTH AUSTRALIA

Commonwealth Department of Health,
 I.M.F.C. House,
 33-39 King William Street,
 Adelaide, S.A. 5000

Telephone 216 3911

G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—

Dr J. Y. Hancock

After hours: Telephone 272 0527

WESTERN AUSTRALIA

Commonwealth Department of Health,
 Victoria Centre,
 2-6 St George's Terrace,
 Perth, W.A. 6000

Telephone 323 5711

G.P.O. Box M970, Perth, W.A. 6001

Director of Health—

Dr D. J. Daly

After hours: Telephone 447 6659

Assistant Director (Medical) (Acting)—

Dr P. J. Carrivick

After hours: Telephone 271 0012

TASMANIA

Commonwealth Department of Health,
 Kirksway House,
 6 Kirksway Place,
 Hobart, Tas. 7000
 G.P.O. Box 919J, Hobart, Tas. 7001
 Director of Health—
 Dr C. W. Phillips

Telephone 20 5011

After hours: Telephone 25 1536

NORTHERN TERRITORY

Commonwealth Department of Health,
 M.L.C. Building,
 Smith Street,
 Darwin, N.T. 5794
 P.O. Box 147, Darwin, N.T. 5794
 Director of Health—
 Dr F. H. Stewart

Telephone 80 2911

After hours: Telephone 81 2036

AUSTRALIAN CAPITAL TERRITORY

C.T.H.C. Building,
 Corner Moore and Alinga Streets,
 Canberra City, A.C.T. 2601
 G.P.O. Box 825, Canberra City, A.C.T. 2601
 Applications for authority to prescribe—
 Dr B. C. Bromhead

Telephone 45 4111

After hours: Telephone 82 2868
 Alternative: (048) 47 5017

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd
AF	Alphapharm Pty Ltd
AG	Allergan Pharmaceuticals Pty Ltd
AM	Ames Company, Division of Miles Laboratories Australia Pty Ltd
AP	Astra Pharmaceuticals Pty Ltd
AQ	Alcon Laboratories (Australia) Pty Ltd
AY	Ayerst Laboratories Pty Ltd
BC	Bristol Laboratories Pty Ltd
BF	Barnes-Hind Pty Limited
BH	Biopharm Pty Ltd
BL	David Bull Laboratories
BM	Bermudapharm
BN	Bayer Pharmaceutical Company
BO	Boehringer Mannheim, Australia Pty Ltd
BR	Beecham Research Laboratories
BT	The Boots Company (Australia) Pty Ltd
BW	Wellcome Australia Limited
BY	Boehringer Ingelheim Pty Ltd
BZ	Boucher & Muir Pty Ltd
CG	Ciba-Geigy Australia Limited
CN	CSL-Novo Pty Limited
CS	Commonwealth Serum Laboratories
DF	Difrex (Aust.) Laboratories
DH	Drug Houses of Australia Pty Ltd
DL	Dista Products (Australia) & Company
DT	Du Pont Pharmaceuticals
DY	Denyer Brothers
EG	Eagle Laboratories Pty Ltd

<i>Code</i>	<i>Manufacturer</i>
ET	Ethnor Pty Ltd, Cilag Pharmaceutical Division
FA	F. H. Faulding & Co. Ltd
FC	Fisons Pty Ltd
FE	Farmitalia Carlo Erba, Australian Distributor, Sigma Co. Ltd
FL	Florafaun Pty Ltd
FM	Fawns and McAllan Pty Ltd
FR	Charles E. Frosst (Australia) Pty Ltd
GB	Gist-Brocades nv, The Netherlands, Australian Distributor, Astra Pharmaceuticals Pty Ltd
GL	Glaxo
GP	G.P. Laboratories
HA	Hamilton Laboratories Pty Ltd
HO	Hollister Incorporated, Australian Distributor, Abbott Laboratories Pty Ltd
HP	Hoechst Australia Ltd
IC	ICI Australia Operations Pty Ltd
IQ	The Ioquin Company
JP	Janssen Pharmaceutica Pty Ltd
KN	Knoll, A. G.
KY	Key Pharmaceuticals Pty Ltd
LA	L.A. Chemicals Pty Ltd
LE	Lederle Laboratories Division, Cyanamid Australia Pty Ltd
LF	Langly Laboraatories Pty Ltd
LY	Eli Lilly (Australia) and Company
MB	May & Baker Australia Pty Ltd
MG	J. McGloin Pty Ltd
MJ	Mead Johnson

<i>Code</i>	<i>Manufacturer</i>
MK	Merck, Sharp & Dohme (Australia) Pty Ltd
ML	Merrell Dow Pharmaceuticals Australia Pty Ltd
NE	Norgine Pty Ltd
NN	Nelson Laboratories (Sales) Pty Ltd
NR	Nordia, Australian Distributor, Ascot Pharmaceuticals Pty Ltd
NS	Nicholas Kiwi (Pacific) Pty Ltd
NT	Nestlé Australia Ltd
NW	Norwich-Eaton Pty Ltd
OL	Owen Laboratories
OR	Organon (Australia) Pty Ltd
PD	Parke, Davis Pty Ltd
PF	Pfizer Pty Ltd
PN	Pharmax Ltd, Australian Distributor, Protea Pharmaceuticals
PR	Prosana Laboratories Pty Ltd
PS	Pharmacia (Australia) Pty Ltd
PT	Protea Pharmaceuticals
QE	Queensland Ethicals
RC	Reckitts Pty Ltd
RD	Ross Laboratories
RK	Riker Laboratories Australia Pty Ltd
RL	Roussel Pharmaceuticals Pty Ltd
RN	Rona Laboratories Ltd, Australian Distributor, Riker Laboratories Australia Pty Ltd
RO	Roche Products Pty Ltd
RS	A. H. Robins Pty Limited
RT	Rocke, Tomsitt & Co., Ltd

<i>Code</i>	<i>Manufacturer</i>
SC	Schering, A.G.
SD	Syntex Pharmaceuticals Ltd
SE	Servier Laboratories (Aust.) Pty Ltd
SH	Schering Corporation
SI	Sigma Co. Ltd
SJ	Sharpe Laboratories Pty Ltd
SK	Smith Kline & French Laboratories (Aust.) Ltd
SL	Soul Pattinson Laboratories Pty Ltd
SN	Smith & Nephew (Aust.) Pty Ltd
SQ	E. R. Squibb & Sons Pty Ltd
SR	Searle Laboratories
ST	A. E. Stansen & Co. Pty Ltd
SU	Sauter Laboratories (Aust.) Pty Ltd
SV	Stafford-Miller Limited
SZ	Sandoz Australia Pty Ltd
TO	R. D. Toppin & Sons Pty Ltd
TV	Travenol Laboratories Pty Ltd
UP	Upjohn Pty Ltd
US	USV Pharmaceuticals
UW	United Works of Pharmaceutical and Dietetic Products, Australian Distributor, Boucher and Muir Pty Ltd
VF	Vifor, S.A., Australian Distributor, Boucher and Muir Pty Ltd
WH	H. W. Woods Pty Ltd
WL	Winthrop Laboratories
WP	Weddel Pharmaceuticals
WR	A. A. Wright Pty Ltd
WW	Wm R. Warner
WY	Wyeth Pharmaceuticals Pty Ltd
ZR	Zero Chemicals (Aust.) Pty Ltd
ZY	Zyma Pharmaceuticals

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Adrenaline Injection BP	1mg in 1mL	Ampoule	5
Aminophylline injection I.V.	250mg in 10mL	Ampoule	5
Atropine sulphate injection	600 micrograms in 1mL	Ampoule	5
Chlorpromazine Injection BP	50mg in 2mL	Ampoule	10
Diazepam injection	10mg in 2mL	Ampoule	5
Digoxin Injection BP	500 micrograms in 2mL	Ampoule	5
Ergometrine maleate injection	250 micrograms in 1mL	Ampoule	5
Erythromycin ethylsuccinate injection I.M.	100mg (base) in 2mL	Ampoule	5
Frusemide injection	20mg in 2mL	Ampoule	5
Glucose injection	50%, 10mL	Ampoule	5
Heparin Sodium Injection BP	5 000 units in 1mL	Ampoule	5
<i>or</i>			
Heparin Sodium Injection BP	25 000 units in 5mL	Ampoule	1
Hydrocortisone sodium succinate injection	Equivalent to 100mg hydrocortisone and 2mL solvent	Injection Set	2 sets
<i>or</i>			

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Hydrocortisone sodium succinate injection	Equivalent to 250mg hydrocortisone and solvent	Injection Set	1 set
<i>or</i>			
Dexamethasone sodium phosphate injection	Equivalent to 4mg dexamethasone phosphate in 1mL	Ampoule	5
Lignocaine injection	100mg in 5mL	Ampoule	4
<i>or</i>			
Lignocaine injection I.M.....	300mg in 3mL	Disposable syringe pack	1
Morphine sulphate injection	15mg in 1mL	Ampoule	5
<i>or</i>			
Morphine sulphate injection	30mg in 1mL	Ampoule	5
Pethidine Injection BP	100mg in 2mL	Ampoule	5
Procaine Penicillin Injection BP	1.5g	Disposable syringe pack	10
Metoclopramide hydrochloride injection	10mg in 2mL	Ampoule	10
<i>or</i>			
Prochlorperazine injection	12.5mg in 1mL	Ampoule	10
<i>or</i>			
Thiethylperazine injection	6.5mg (base) in 1mL	Ampoule	10

<i>Name of Pharmaceutical Benefit</i>	<i>Strength and Volume</i>	<i>Form</i>	<i>Maximum Quantity</i>
Promethazine injection	50mg in 2mL	Ampoule	10
Terbutaline sulphate injection	100 micrograms in 1mL	Ampoule	5
<i>or</i>			
Terbutaline sulphate injection	500 micrograms in 1mL	Ampoule	5
Tetanus vaccine adsorbed	0.5mL	Ampoule	10
<i>or</i>			
Diphtheria and Tetanus vaccine, adsorbed, diluted for adult use	0.5mL	Ampoule	10
Verapamil Hydrochloride Injection BP	5mg in 2mL	Ampoule	5

NOTE: Only those brands of benefits listed in Section 2 (White Pages) may be ordered on a Doctor's Bag Order Form.

SECTION 2 - SCHEDULE OF BENEFITS

SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) in front of a restriction indicates an additional or amended purpose in this issue.
- (b) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.
- (c) A plus sign (+) in the number of repeats column for "Authority Required" items indicates that a quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment, at the prescribed dosage level, plus sufficient repeats to provide for a total of six months' treatment may be authorised, unless specifically stated otherwise.
- (d) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
- (e) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated. N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W); Tas. - (T).

RESTRICTED BENEFITS

All restricted items are printed in red.

Attention is drawn to paragraph 15(e) of the explanatory notes which provides for endorsement by the prescribing doctor of prescriptions for pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted.

A straight line is drawn between entries for different forms and strengths of an item to indicate clearly the different restrictions which apply to these various forms and strengths.

Except where otherwise indicated, the maximum quantity and/or number of repeats in respect of an item shown in the Schedule may be varied by the Director of Health when issuing an authority prescription (Form PB86) or an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. (See paragraphs 32 and 33 of Section 1 - Explanatory Notes (Lemon Pages)).

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ACETAZOLAMIDE					
Tablet 250mg	50	6	8.33	Diamox	LE
Capsule 500mg (sustained release)	50	3	14.83	Diamox	LE
Injection 500mg (solvent required)	1	..	8.81	Diamox	LE
ACETYLCYSTEINE					
Bronchiectasis; Cystic fibrosis (mucoviscidosis).					
Solution 20%, 10mL	5	3	28.03	Mucomyst	AP
ACYCLOVIR					
Eye infections caused by herpes simplex virus where idoxuridine has proved ineffective.					
Eye Ointment 3%, 4.5g	≠1	..	14.80	Zovirax	BW
ADRENALINE					
Injection BP 1mg in 1mL (1 in 1,000)	5	1	4.49	BL,SI	
Eye Drops 0.5%, 7.5mL	≠1	6	5.71	Eppy/N	BF
0.5%, 10mL	≠1	6	5.86	Epifrin	AG
1%, 7.5mL	≠1	6	6.06	Eppy/N	BF
1%, 10mL	≠1	6	6.55	Epifrin Glaucan	AG AQ
2%, 10mL	≠1	6	9.49	Epifrin Glaucan	AG AQ
ALLOPURINOL					
Tablet 100mg	100	5	6.13 7.30 7.36	Alloremed 100 Alinol Progout Zyloprim	DH US PT BW
300mg	30	5	6.03 7.09 7.15	Alloremed 300 Alinol Progout Zyloprim	DH US PT BW
Capsule 100mg	100	5	7.30	Capurate-100	FM
300mg	30	5	7.09	Capurate-300	FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ALOXIPRIN Tablet 600mg	100	2	5.30	Palaprin Forte NS
ALPRENOLOL Tablet 100mg	100	2	10.09	Aptin Betacard AP BR
ALUMINIUM HYDROXIDE Mixture 320mg per 5mL, 500mL	≠1	4	4.98	Alusorb Amphojel DH Gelos WY PR
ALUMINIUM HYDROXIDE DRIED Tablet 300mg	100	2	4.98	Actal Amphotabs WL WY
ALUMINIUM HYDROXIDE with KAOLIN Mixture 137mg-1g per 5mL, 375mL	≠1	2	4.93	Kaogel Kaomagma FA WY
ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE Tablet 200mg-200mg	100	2	4.98	Mylanta PD
Mixture 300mg-100mg per 5mL, 500mL	≠1	4	4.98	Aludrox WY
Suspension 215mg-80mg per 5mL, 500mL	≠1	4	4.98	Simeco WY
200mg-200mg per 5mL, 500mL	≠1	4	4.98	Alucone Gelusil DH Mylanta WW Sodexol PD SC
ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE and OXETHAZAYNE Suspension 306mg-97.5mg-10mg per 5mL, 500mL	≠1	4	4.98	Mucaine WY
ALUMINIUM HYDROXIDE with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE Tablet 250mg-120mg-120mg	100	2	4.98	Gastrogel FM
Mixture 250mg-120mg-120mg per 5mL, 500mL	≠1	4	4.98	Gastrogel FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALUMINIUM HYDROXIDE and MAGNESIUM CARBONATE CO-DRIED GEL Tablet 375mg	100	2	4.98	Almacarb Simeco	GL WY
ALUMINIUM SODIUM SILICATE Powder 100g	≠1	2	4.98	Neutralon	SC
AMANTADINE HYDROCHLORIDE Parkinson's disease which is not drug induced. Capsule 100mg	100	5	22.11 22.19	Antadine Symmetrel	DT CG
AMBENONIUM CHLORIDE Tablet 10mg	100	2	11.19	Mytelase	WL
AMILORIDE NOTE: Supplementary potassium may cause fatal hyperkalaemia. Tablet 5mg	50	2	5.61	Midamor	MK
AMINACRINE HYDROCHLORIDE Eye Drops 3mg in 15mL	≠1	2	4.55	Aminopt	SI
AMINO ACID FORMULA with VITAMINS and MINERALS without PHENYLALANINE Phenylketonuria. Powder 200g	5	5	158.55	Maxamaid XP	SJ
AMINO ACID FORMULA without PHENYLALANINE Phenylketonuria. Powder 250g	2	5	161.10	PK AID I	SJ
250g	2	5	196.90	PK AID II	SJ
Food Supplement Powder 500g	≠1	5	136.05	Aminogran F.S.	GL
AMINOCAPROIC ACID Injection I.V. 250mg per mL, 10mL	10	..	11.19	Ekaprol	DF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINOGLUTETHIMIDE				
<u>Authority required.</u>				
Adrenal suppression in post-menopausal metastatic breast cancer in patients who have failed to respond adequately to primary endocrine manipulation;				
Cushing's syndrome.				
NOTE: Replacement therapy with a corticosteroid is essential.				
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Tablet 250mg	100	+	76.05	Cytadren CG
AMINOPHYLLINE				
Tablet 100mg	100	2	4.33	Cardophyllin HA
Oral Liquid 105mg per 5mL, 500mL	1	4	5.43	Somophyllin FC
Injection I.V. 250mg in 10mL	5	..	5.45	BT,SI
I.M. 500mg in 2mL	5	..	5.16	AB
AMIODARONE HYDROCHLORIDE				
<u>Authority required.</u>				
For the continuing treatment of severe refractory cardiac arrhythmias where treatment with amiodarone hydrochloride was initiated in a hospital;				
For the continuing treatment of a patient who has already received long-term (greater than six months) therapy with amiodarone hydrochloride for severe refractory cardiac arrhythmias.				
CAUTION: Amiodarone hydrochloride has been reported to cause frequent and potentially serious toxicity.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMIODARONE HYDROCHLORIDE - cont. NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Tablet 200mg	30	+	31.88	Cordarone X 200 RC
AMITRIPTYLINE				
Tablet 10mg	50	2	3.68 3.86 3.92	Endep 10 AF Amitrip PT Laroxyl RO Tryptanol MK
25mg	50	2	4.68 4.99 5.05	Endep 25 AF Amitrip PT Laroxyl RO Saroten NS Tryptanol MK
50mg	50	1	5.68	Endep 50 AF
AMMONIUM CHLORIDE				
Tablet 500mg	100	3	6.05	FM
AMOXYCILLIN				
Lower urinary tract infection.				
Dispersible Tablet 3g	1	..	5.43	Amoxil BR Moxacin CS
AMOXYCILLIN				
Tablet 250mg	20	..	6.21	Amoxil BR Moxacin CS
Capsule 250mg	20	..	6.21	Amoxil BR Cilamox SI Moxacin CS
Powder for Syrup 125mg per 5mL, 100mL	#1	1	#7.01	Amoxil BR Cilamox SI Moxacin CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMPHOTERICIN					
Tablet 100mg	50	..	10.43	Fungilin	SQ
Lozenge 10mg	20	1	4.50	Fungilin	SQ
Suspension 100mg per mL, 24mL	#1	1	5.31	Fungilin	SQ
Injection 50mg (solvent required)	1	..	7.01	Fungizone	SQ
Cream 3%, 15g	#1	1	4.76	Fungilin	SQ
Ointment 3%, 15g	#1	1	4.76	Fungilin	SQ
AMPICILLIN					
Capsule 250mg	25	..	6.03	Ampicyn	PT
			6.05	Austrapen	CS
				Penbritin	BR
500mg	12	1	5.78	Ampicyn	PT
			5.80	Austrapen	CS
				Penbritin	BR
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#6.57	Ampicyn	PT
			#6.60	Austrapen	CS
				Penbritin	BR
250mg per 5mL, 100mL	#1	..	#7.45	Ampicyn	PT
			#7.47	Austrapen Forte	CS
				Penbritin Forte	BR
Injection 250mg (solvent required)	5	1	6.76	Ampicyn Austrapen Penbritin	PT CS BR
500mg (solvent required)	5	1	8.79	Ampicyn Austrapen Penbritin	PT CS BR
1g (solvent required)	5	1	12.89	Ampicyn Austrapen Penbritin	PT CS BR
AMYLOBARBITONE SODIUM					
Epilepsy.					
Injection 500mg (solvent required)	2	..	8.56	Amytal Sodium	LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ANTAZOLINE with NAPHAZOLINE Eye Drops 0.5% (sulphate)- 0.025% (nitrate), 10mL	≠1	2	4.43	Antistine- Privine ZY
Eye Drops 0.5% (phosphate)- 0.05% (hydrochloride), 15mL	≠1	2	4.55	Albalon-A AG
ANTIVENOM - RED BACK SPIDER Injection 500 Units	2	..	116.86	CS
ASCORBIC ACID Tablet 50mg	100	2	3.94	Ascorb "50" DH,FM PT
ASPIRIN Tablet 300mg	100	2	4.09	SI
300mg (dispersible)	100	2	4.15	Solprin FM RC
325mg (buffered)	100	2	4.59	Bufferin AP
650mg (enteric coated)	100	2	5.86	Ecotrin Rhusal SK GP
650mg (sustained release)	100	2	5.30	S.R.A. BT
650mg (includes 350mg sustained release)	100	2	5.05	Bi-Prin BT
ATENOLOL Tablet 50mg	30	2	10.11	Tenormin IC
ATROPINE METHONITRATE Tablet 1mg	50	2	6.13	Eumydrin WL
Oral Solution 0.6%, 15mL	≠1	..	5.39	Eumydrin WL
ATROPINE SULPHATE Tablet 600 micrograms	100	2	4.74	FM
Injection 600 micrograms in 1mL	5	1	4.09	BL,BT
1.2mg in 1mL	5	1	4.11 4.13	BT BL
Eye Drops 0.5%, 15mL	≠1	2	4.74	Atropt SI
1%, 15mL	≠1	2	4.74	Atropt SI
Eye Ointment 1%, 4g	≠1	..	6.06	PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AUROTHIOGLUCOSE Injection 50mg per mL, 10mL	1	..	68.10	Gold-50 SH
AZATADINE MALEATE Tablet 1mg	50	2	4.63	Zadine SH
Syrup 500 micrograms per 5mL, 100mL	≠1	4	4.01	Zadine SH
AZATHIOPRINE NOTE: An authority to prescribe six months' treatment (i.e. one month's treatment with five repeats) may be requested for this item.				
Tablet 50mg	100	2	57.30 70.03	Thioprine AF Imuran BW
BACLOFEN Tablet 10mg	100	5	28.05	Lioresal CG
25mg	100	5	51.41	Lioresal CG
BASSORIN with FRANGULA BARK For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term extensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Granules 47.3%-8.3%, 250g	≠1	2	7.05	Granocol SC
BECLOMETHASONE DIPROPIONATE Chronic intractable asthma.				
Capsule 100 micrograms (Oral Inhalation)	100	5	13.69	Becotide Rotacaps GL
Inhalation, metered aerosol spray, 50 micrograms per dose (200 dose)	≠1	2	10.09	Aldecin SH Becotide GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BELLADONNA ALKALOIDS				
Hyoscyamine Hydrobromide, Atropine Sulphate and Hyoscine Hydrobromide				
Tablet 101.1 micrograms-14.8 micrograms-10.7 micrograms	100	2	4.33	Atrobel FM
Tablet 151.6 micrograms-22.2 micrograms-16.0 micrograms	100	2	4.43	Atrobel FORTE FM
Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydro- bromide				
Tablet 103.7 micrograms-19.4 micrograms-6.5 micrograms	100	2	4.33	Donnatab RS
BENDROFLUAZIDE				
Tablet 2.5mg	50	2	4.23 4.29	Benzide M PT Aprinox-M BT
5mg	50	2	5.10 5.16	Benzide PT Aprinox BT
BENZALKONIUM CHLORIDE				
Solution 10%, 125mL	#1	..	4.69	Zephiran Con- centrated WL
BENZATHINE PENICILLIN				
Injection 1.8g in 4mL, disposable syringe	1	..	14.80	Bicillin L-A WY
BENZATHINE PENICILLIN COMPOUND				
Benzathine Penicillin 450mg; Procaine Penicillin 300mg; Benzylpenicillin Potassium 187mg.				
Injection set containing 1 vial and 2mL water for injections	1	..	6.05	Bicillin All-Purpose WY
BENZHEXOL				
CAUTION: Long term use with major tranquillisers increases the risk of tardive dyskinesia.				
Tablet 2mg	100	2	5.31 5.39	Anti-Spas PT Artane LE
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BENZHEXOL - cont. Tablet 5mg	100	2	6.64 6.66	Anti-Spas PT Artane LE
BENZOCAINE with ADRENALINE Compound Ointment 50g	≠1	1	4.74	Rectinol GP
Compound Suppositories, 12	≠1	1	4.74	Rectinol GP
BENZTROPINE CAUTION: Long term use with major tranquillisers increases the risk of tardive dyskinesia. NOTE: Authorities for increased maximum quantities and/or repeats for this item will be granted only for the oral treatment of non-drug-induced parkinsonism. Up to six months' treatment (i.e. one month's treatment with five repeats) may be requested.				
Tablet 2mg	30	2	4.65	Cogentin MK
Injection 2mg in 2mL	5	..	9.49	Cogentin MK
BENZYL BENZOATE Application 25% w/v, 200mL	≠1	2	4.96 5.04	Benzemul MG Ascabiol MB
BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	6.05	CS
600mg (solvent required)	5	1	6.24	Crystapen GL CS
3g (solvent required)	10	..	26.68	Crystapen GL CS
6g (solvent required)	10	..	39.80	CS
BETAMETHASONE Tablet 500 micrograms	30	4	4.14	Celestone SH
BETAMETHASONE ACETATE with BETAMETHASONE SODIUM PHOSPHATE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata dermal; (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETAMETHASONE ACETATE with BETAMETHASONE SODIUM PHOSPHATE - cont. Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Necrobiosis lipoidica; Uveitis. Injection 3mg-3.9mg (equivalent to 5.7mg betamethasone) in 1mL	5	..	15.18	Celestone Chronodose SH
BETAMETHASONE DIPROPIONATE Cream 0.05%, 15g	#1	1	3.96	Diprosone SH
Ointment 0.05%, 15g	#1	1	3.96	Diprosone SH
BETAMETHASONE VALERATE Cream 0.02%, 100g	#1	..	4.90	Betnovate 1/5 GL Celestone-M SH
0.05%, 15g	#1	1	3.96	Betnovate 1/2 GL Celestone-V Half Strength SH
Gel 0.05%, 15g	#1	1	3.96	Betnovate 1/2 GL
Ointment 0.02%, 100g	#1	..	4.90	Celestone-M SH
0.05%, 15g	#1	1	3.96	Betnovate 1/2 GL Celestone-V Half Strength SH
BETHANECHOL Tablet 10mg	100	2	9.35 9.36	Uro-Carb HA Urecholine MK
Injection 5mg in 1mL	2	..	7.30	Urecholine MK
BIPERIDEN CAUTION: Long term use with major tranquillisers increases the risk of tardive dyskinesia. Tablet 2mg	100	2	8.18	Akineton KN
Injection 5mg in 1mL	5	..	6.18	Akineton KN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
BISACODYL					
For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term extensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.					
Tablet 5mg	100	2	5.11	Bisalax	PT
Suppositories 10mg, 10	¶1	..	5.11	Durolax	BY
Enemas - See Paraplegic and Quadriplegic					
BROMOCRIPTINE MESYLATE					
<u>Authority required.</u>					
Acromegaly, prior to surgery or radiotherapy or where surgery or radiotherapy is inappropriate; Parkinson's disease where treatment with levodopa is unsatisfactory; Pathological hyperprolactinaemia where appropriate surgery or radiotherapy is not indicated or has already been used with incomplete resolution.					
<u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Tablet 2.5mg	60	+	31.28	Parlodel	SZ
Capsule 10mg	100	+	183.04	Parlodel	SZ
BROMPHENIRAMINE					
Tablet 4mg	50	2	4.33	Dimetane	RS
Syrup 2mg per 5mL, 100mL	¶1	4	4.01	Dimetane	RS
BUMETANIDE					
Tablet 1mg	50	2	5.43	Burinex	AP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BUSULPHAN Tablet 2mg	100	..	24.70	Myleran BW
CALCITRIOL <u>Authority required.</u> Hypocalcaemia due to renal disease; Hypoparathyroidism; Vitamin D-resistant rickets. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Capsule 0.25 micrograms	100	+	43.61	Rocaltrol RO
CALCIUM Hypocalcaemia; Osteoporosis; Proven malabsorption. <u>NOTE:</u> Increased repeats may be authorised up to a maximum of five. Increased quantities will not be authorised.				
Tablet 600mg (as carbonate)	60	2	7.24	Caltrate LE
Compound Effervescent Tablet equivalent to 1g (25mmol) Ca ²⁺ <u>NOTE:</u> Each 'Sandocal 1000' tablet also contains 18mmol Na ⁺ .	30	2	8.60	Sandocal 1000 SZ
CALCIUM FOLINATE Antidote to folic acid antagonists.				
Tablet 15mg	10	..	109.80	Leucovorin LE
<u>NOTE:</u> Increased quantities may be authorised up to a maximum of 20 tablets. Repeats will not be authorised.				
Injection 3mg in 1mL	5	..	16.36	BL
CALCIUM GLUCONATE Injection 10%, 10mL	5	1	8.43	Calcium- Sandoz SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CAMPHOR COMPOUND Linctus 0.06% camphor, 100mL	≠1	2	4.01 4.04 4.08 4.15	MG Campholinct DH SI NN,TO PR,QE(NQ)
CAPTOPRIL *Moderate or severe hypertension; For the continuing treatment of severe refractory cardiac failure where treatment with captopril was initiated in a hospital. <u>CAUTION:</u> Neutropenia and proteinuria have been reported. Regular white cell and urine checks are advisable.				
Tablet 25mg	90	5	42.30	Capoten SQ
50mg	90	5	71.05	Capoten SQ
CARBACHOL Eye Drops 0.75%, 15mL	≠1	6	4.98	AQ
1.5%, 15mL	≠1	6	5.04	AQ
3%, 15mL	≠1	6	5.36	AQ
CARBAMAZEPINE Tablet 100mg	200	2	12.93	Tegretol CG
200mg	200	2	20.43 22.30	Convuline PT Teril AF Tegretol CG
CARBENICILLIN Infections where positive bact- eriological evidence confirms that carbenicillin is the most appropriate therapeutic agent; Septicaemia, suspected or proven.				
Injection 1g (solvent required)	5	..	21.84	Carbapen CS
5g (solvent required)	6	..	104.81	Carbapen CS
CARBIMAZOLE Tablet 5mg	100	4	5.39	Neo-Mercazole NS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CARINDACILLIN <u>Authority required.</u> Urinary tract infections where positive bacteriological evidence confirms that carindacillin or carbenicillin is the most appropriate therapeutic agent.					
Tablet (equivalent to 382mg carbenicillin)	40	..	33.24	Geopen Oral	PF
CEFOTAXIME Infections where positive bacteriological evidence confirms that cefotaxime is the most appropriate therapeutic agent; Septicaemia, suspected or proven.					
Injection 1g (solvent required)	5	..	67.95	Claforan	RL
2g (solvent required)	5	..	127.30	Claforan	RL
CEPHALEXIN					
Capsule 250mg	20	..	6.21	Ceporex Keflex	GL LY
500mg	10	..	6.21	Ceporex Keflex	GL LY
Granules for Syrup 125mg per 5mL, 100mL	#1	1	#8.18	Ceporex Keflex	GL LY
CEPHALOTHIN SODIUM Infections where positive bacteriological evidence confirms that cephalothin sodium is the most appropriate therapeutic agent; Septicaemia, suspected or proven.					
Injection 1g (solvent required)	5	..	25.20	Ceporacin Keflin Neutral	GL LY
2g (solvent required)	1	..	11.71	Keflin Neutral	LY
4g (solvent required)	1	..	20.10	Keflin Neutral	LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEPHAZOLIN SODIUM					
Infections where positive bacteriological evidence confirms that cephalosin sodium is the most appropriate therapeutic agent; Septicaemia, suspected or proven.					
Injection 500mg (solvent required)	5	..	23.20	Kefzol	LY
1g (solvent required)	5	..	42.00	Kefzol	LY
CHLORAL HYDRATE					
Capsule 500mg	50	..	4.63	Noctec	SQ
Mixture 250mg per 5mL, 500mL	#1	4	4.69	Dormel	DH
1g per 10mL, 200mL	#1	4	4.43	Chloralix Elix-Nocte Forte Noctec Syrup	RK NN SQ
CHLORAMBUCIL					
Tablet 2mg	100	2	49.54	Leukeran	BW
5mg	100	2	59.82	Leukeran	BW
CHLORAMPHENICOL					
Bacterial meningitis; Rickettsioses; Intraocular infections; Typhoid; Other serious infections where positive bacteriological evidence confirms that chloramphenicol is the ONLY appropriate antibiotic. <u>CAUTION: Chloramphenicol may cause aplastic anaemia.</u>					
Capsule 250mg	16	..	5.45	Chloromycetin	PD
Paediatric Suspension 125mg per 5mL, 100mL	#1	..	5.59	Chloromycetin Palmitate	PD
Injection 1g (solvent required)	3	..	17.03	Chloromycetin Succinate	PD
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORAMPHENICOL - cont. <u>CAUTION: Topical chloramphenicol may cause aplastic anaemia.</u>				
Ear Drops (aqueous) 0.5%, 5mL	#1	2	4.55	Chloromycetin PD
Eye Drops 0.5%, 10mL	#1	2	4.55	Chlomin US Chloromycetin PD Chloroptic AG Chlorsig SI
Eye Ointment 1%, 4g	#1	..	4.23	Chlomin US Chloromycetin PD Chlorsig SI
CHLORAMPHENICOL with POLYMYXIN B <u>CAUTION: Topical chloramphenicol may cause aplastic anaemia.</u>				
Eye Drops 5mg-5,000 Units per mL, 10mL	#1	2	4.55	Chloromyxin PD
Eye Ointment 1%-5,000 Units per g, 4g	#1	..	4.23	Chloromyxin PD
CHLORHEXIDINE Solution 5%, 200mL	#1	1	5.31	Hibitane Concentrate IC
CHLORMETHIAZOLE <u>Authority required.</u> Short-term alcohol or drug withdrawal therapy in a hospital or approved centre; Status epilepticus. <u>NOTE: No authorities will be granted for increased maximum quantities and/or repeats of chlormethiazole capsules.</u>				
Capsule 192mg	50	..	9.18	Hemineurin AP
Short-term alcohol or drug withdrawal therapy in a hospital or approved centre; Status epilepticus.				
Solution 0.8% for I.V. Infusion, 500mL	1	..	16.05	Hemineurin AP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLOROQUINE Tablet equivalent to 150mg (approx.) Chloroquine base	100	..	6.60 6.66	Chlorquin PT Nivaquine MB
Injection 40mg per mL, 5mL	5	1	8.35	Nivaquine MB
CHLOROTHIAZIDE Tablet 500mg	50	2	5.66 5.73	Diuret PT Azide FM Chlotride FR Diurone US
CHLORPHENIRAMINE Tablet 4mg	50	2	4.48 4.50	Allergex PT Chloramin LF Piriton GL
CHLORPROMAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 10mg	100	1	4.41 4.43	Protran PT Largactil MB
25mg	100	1	5.68 5.80	Protran PT Largactil MB
50mg	100	1	7.43 7.55	Protran PT Largactil MB
100mg	100	1	12.18 12.30	Protran PT Largactil MB
Mixture 25mg per 5mL, 100mL	#1	4	4.23	Largactil MB Promacid US
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHLORPROMAZINE - cont.					
Injection BP, 25mg in 1mL	10	..	5.71	Largactil	MB
50mg in 2mL	10	..	6.18	Largactil	MB
Suppositories 100mg, 5	#1	1	4.80	Largactil	MB
CHLORPROPAMIDE					
Tablet 250mg	100	2	8.24	Promide	PT
			8.55	Diabinese	PF
CHLORTETRACYCLINE					
Cream 3%, 15g	#1	..	4.33	Aureomycin	LE
Ointment 3%, 15g	#1	..	4.33	Aureomycin	LE
CHLORTHALIDONE					
Tablet 25mg	50	2	5.35	Urid	PT
			5.38	Hygroton	CG
CHOLERA VACCINE					
Injection 1mL	2	..	6.06	CS	
CHOLESTYRAMINE					
<u>Authority required.</u>					
Bile salt malabsorption associated with ileal resection or proven ileal disease;					
Pruritus associated with partial biliary obstruction not responding to other therapy;					
Hypercholesterolaemia.					
NOTE: Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 6.5mmol/L following dietary therapy for three months. An authority for a second or subsequent course (up to six months) of treatment for hypercholesterolaemia will be granted only where there is a fall in serum cholesterol since commencement of cholestyramine therapy.					
Not all patients will benefit from cholestyramine. A significant fall in serum cholesterol indicates a positive response.					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHOLESTYRAMINE - cont. Attention to compliance is essential. Serum cholesterol levels are an aid to monitoring compliance. Cholestyramine may affect the absorption of other medication. Cholestyramine is preferred to clofibrate if fasting serum triglyceride is less than 3mmol/L. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised. Powder, 9g sachet (equivalent to 4g cholestyramine), 50	2	+	45.98	Questran AP
CHOLINE THEOPHYLLINATE Tablet 100mg	100	2	5.30	Choledyl WW
200mg	100	2	5.93	Brondecon-PD Choledyl WW
Elixir 50mg per 5mL, 500mL	#1	4	4.84	Brondecon Elixir-PD PD
Syrup 50mg per 5mL, 500mL	#1	4	4.84	Choledyl WW
CIMETIDINE <u>Authority required.</u> Gastric ulcer, confirmed by radiology, endoscopy or surgery; Severe ulcerating oesophagitis, confirmed by endoscopy. <u>NOTE:</u> Applications for authority must state the date of barium meal, endoscopy or surgery (procedure must have been within three months of application). Not more than 240 (200mg) or 120 (400mg) tablets will be available on authority for each proven episode of benign gastric ulceration or severe ulcerating oesophagitis. Increased maximum quantities and/or repeats will not be authorised. (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CIMETIDINE - cont. Tablet 200mg	120	1	43.55	Duractin Tagamet	CS SK
400mg	60	1	43.55	Duractin Tagamet	CS SK
Authority required. Duodenal ulcer (including pyloric ulcer), confirmed by radiology, endoscopy or surgery.					
NOTE: Initial application for authority must state the date of barium meal, endoscopy or surgery. Increased maximum quantities and/or repeats will not be authorised.					
Tablet 200mg	120	2	43.55	Duractin Tagamet	CS SK
400mg	60	2	43.55	Duractin Tagamet	CS SK
Authority Required. Ulcerating oesophagitis in scleroderma; Zollinger-Ellison syndrome, proven by investigation.					
Tablet 200mg	120	5	43.55	Duractin Tagamet	CS SK
400mg	60	5	43.55	Duractin Tagamet	CS SK
CLINDAMYCIN Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin.					
Capsule 75mg	25	..	7.55	Dalacin C	UP
150mg	25	..	11.36	Dalacin C	UP
Granules for Syrup 75mg per 5mL, 100mL	#1	..	#10.22	Dalacin C	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLIOQUINOL Cream 1%, 30g	#1	..	4.29	Vioform CG
CLOFIBRATE <u>Authority required.</u> Hypertriglyceridaemia. NOTE: Hypertriglyceridaemia means an initial fasting serum triglyceride level of at least 4mmol/L following dietary therapy for three months. An authority for a second or subsequent course (up to six months) of treatment for hypertriglyceridaemia will be granted only where there is a fall of at least 1mmol/L in serum triglyceride since commencement of clofibrate therapy. _____ <u>Authority Required.</u> Hypercholesterolaemia. NOTE: Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 6.5mmol/L following dietary therapy for three months. An authority for a second or subsequent course (up to six months) of treatment for hypercholesterolaemia will be granted only where there is a fall in serum cholesterol since commencement of clofibrate therapy. Not all patients will benefit from colestipol. A significant fall in serum cholesterol indicates a positive response. Attention to compliance is essential. Serum cholesterol levels are an aid to monitoring compliance. Clofibrate is preferred initiall to cholestyramine and colestipol if fasting serum triglyceride is greater than 3mmol/L.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLOFIBRATE - cont. NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Capsule 500mg	100	+	11.66 11.73	ArterioFlexin PT Atromid-S IC
CLONAZEPAM Tablet 500 micrograms	200	2	9.74	Rivotril RO
2mg	200	2	14.39	Rivotril RO
Paediatric Drops 2.5mg in 1mL, 10mL	¥1	1	4.69	Rivotril RO
Injection 1mg in 2mL (set containing solution 1mg in 1mL and 1mL diluent)	5	..	5.60	Rivotril RO
CLONIDINE Tablet 100 micrograms	100	2	8.55	Catapres 100 BY
150 micrograms	100	2	10.23	Catapres BY
Injection 150 micrograms in 1mL	5	..	6.06	Catapres BY
CLOPAMIDE Tablet 20mg	50	2	5.86	Brinaldix SZ
CLOREXOLONE Tablet 10mg	50	2	4.69	Nefrolan MB
25mg	50	2	5.10	Nefrolan MB
CLOTRIMAZOLE Cream 1%, 20g	¥1	1	5.70 5.71	Lotremin SH Canesten BN
Lotion 1%, 20mL	¥1	1	5.71	Canesten BN
Pessaries 100mg, 6	¥1	..	6.44 6.46	Gyne-Lotremin SH Canesten BN
Pessary 500mg	1	..	6.46	Canesten 1 BN
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLOTRIMAZOLE - cont. Vaginal Cream 1%, 35g	#1	..	6.40 6.41	Gyne-Lotremin SH Canesten BN
2%, 20g	#1	..	6.41	Canesten 3 BN
CLOXACILLIN Infections due to penicillin- resistant staphylococci; Osteomyelitis.				
Capsule 250mg	25	..	10.98	Austrastaph CS Orbenin BR
500mg	12	..	10.68	Austrastaph CS Orbenin BR
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#9.36	Austrastaph CS Orbenin BR
Injection 250mg (solvent required)	5	..	9.49	Austrastaph CS Orbenin BR
500mg (solvent required)	5	..	13.51	Austrastaph CS Orbenin BR
1g (solvent required)	5	..	21.08	Austrastaph CS Orbenin BR
CODEINE PHOSPHATE Tablet 30mg	25	..	6.11	Codate US DH,FA,FM
Linctus 0.5%, 100mL	#1	2	4.61 4.64 4.68 4.69	MG Codelix DH Codlin NN Actacode SI PR,QE(NQ)
CODEINE PHOSPHATE with ASPIRIN <u>Authority required.</u> Disabling pain associated with proven malignant neoplasia.				
Tablet 30mg-325mg	100	..	13.06	Codral Forte BW
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CODEINE PHOSPHATE with ASPIRIN - cont. Tablet Soluble 8mg-300mg	50	2	4.23	Aspalgin FM
8mg-500mg	50	2	4.23	Solcode RC
CODEINE PHOSPHATE with PARACETAMOL Tablet 8mg-500mg	50	1	4.30	Codalgin FM Dymadon Co. BW Panamax Co. WL
COLCHICINE Tablet 500 micrograms	100	2	5.43	Colgout PT DH, PR, RT
			5.49	Coluric NN
COLESTIPOL HYDROCHLORIDE <u>Authority Required.</u> Hypercholesterolaemia. <u>NOTE:</u> Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 6.5mmol/L following dietary therapy for three months. An authority for a second or subsequent course (up to six months) of treatment for hypercholesterolaemia will be granted only where there is a fall in serum cholesterol since commencement of colestipol therapy. Not all patients will benefit from colestipol. A significant fall in serum cholesterol indicates a positive response. Attention to compliance is essential. Serum cholesterol levels are an aid to monitoring compliance. Colestipol may affect the absorption of other medication. Colestipol is preferred to clofibrate if fasting serum triglyceride is less than 3mmol/L. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised. (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
COLESTIPOL HYDROCHLORIDE - cont. Sachets 5g, 120	≠1	+	49.80	Colestid	UP
COLISTIN Injection 150mg (solvent required)	5	..	84.80	Coly-Mycin	WW
COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per mL, 10mL	≠1	2	4.68	Coly-Mycin	WW
COPPER SULPHATE Diagnostic Compound Tablets, 36	2	3	6.76	Clinitest	AM
CORTISONE ACETATE Tablet 5mg	50	4	4.69	Cortate	PT
25mg	60	4	8.80	Cortate	PT
CYANOCOBALAMIN Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy treatment; subacute combined degeneration of the cord).					
Injection 100 micrograms in 1mL	5	1	5.43	Cytamen 100	GL
1mg in 1mL	5	..	5.80	Cytamen 1000	GL
CYCLOPENTHAZIDE Tablet 500 micrograms	50	2	5.89	Navidrex	CG
CYPROHEPTADINE Prevention of migraine. Tablet 4mg	100	2	6.80	Periactin	FR
CYPROHEPTADINE Tablet 4mg	50	2	4.55	Periactin	FR
CYTARABINE Injection set containing 100mg and 5mL solvent	10	1	85.10	Cytosar-U	UP
DANAZOL <u>Authority required.</u> Endometriosis, visually proven; Hereditary angio-oedema. <u>CAUTION:</u> Pregnancy must be excluded prior to administration of this drug. (continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DANAZOL - cont. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Capsule 200mg	100	+	125.85	Danocrine	WL
DANTROLENE SODIUM Treatment of chronic spasticity. <u>CAUTION:</u> Dose related hepatotoxicity has been reported.					
Capsule 25mg	100	2	20.99	Dantrium	NW
50mg	100	2	31.55	Dantrium	NW
DAPSONE Tablet 100mg	100	2	7.05	Avlosulfon	IC
DEBRISOQUINE Tablet 10mg	100	2	7.28 7.34	Redu-Press M Declinax	PT RO
20mg	100	2	8.99 9.05	Redu-Press Declinax	PT RO
DEMECLOCYCLINE HYDROCHLORIDE Syndrome of inappropriate antidiuretic hormone secretion, which is not drug induced.					
Capsule 150mg	100	3	22.30	Ledermycin	LE
DESIPRAMINE Tablet 25mg	50	2	6.00	Pertofran	CG
DESMOPRESSIN <u>NOTE:</u> Not effective in the treatment of nephrogenic diabetes insipidus.					
Nasal Solution 100 micrograms per mL, 2.5mL	5	2	124.20	Minirin	PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXAMETHASONE For use in a hospital.				
Injection 120mg in 5mL	1	..	34.33	Decadron Shock Pak MK
DEXAMETHASONE Tablet 500 micrograms	30	4	4.56 4.63	Dexamethsone PT Oradexon OR
NOTE: An authority to prescribe six months' treatment (i.e. one month's treatment with five repeats) may be requested for dexamethasone tablet 500 micrograms.				
Tablet 4mg	30	4	9.14	Dexamethsone PT
Injection 4mg in 1mL	5	..	12.93	Decadron MK
5mg in 1mL	5	..	13.23	Oradexon OR
8mg in 2mL	5	..	17.05	Decadron MK
Eye Drops 0.1%, 5mL	≠1	2	5.25	Maxidex AQ
DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN Ear Drops 500 micrograms-5mg-50 micrograms per mL, 8mL	≠1	2	4.61	Sofradex RL
Ear Ointment 500 micrograms-5mg-50 micrograms per g, 5g	≠1	2	4.35	Sofradex RL
DEXAMPHETAMINE Authority required. Hyperkinetic brain damage syndrome in children; Narcolepsy.				
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Tablet 5mg	100	+	7.09	SI
DEXCHLORPHENIRAMINE Tablet 2mg	50	2	4.33	Polaramine SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DEXTRAN 40 See Intravenous Infusions					
DEXTRAN 70 See Intravenous Infusions					
DEXTROMORAMIDE Disabling pain associated with proven malignant neoplasia. <u>CAUTION:</u> The risk of drug dependence is high.					
Tablet 5mg	20	..	6.04	Palfium	FA
Suppositories 10mg, 10	≠1	..	13.65	Palfium	FA
DIAZEPAM <u>NOTE:</u> Authorities for increased maximum quantities and/or repeats for this item will be granted only for the treatment of disabling spasticity or malignant neoplasia (late stage). Up to six months' treatment (i.e. one month's treatment with five repeats) may be requested.					
Tablet 2mg	50	..	3.86	Antenex 2	AF
			4.09	Ducene	SU
				Pro-Pam	PT
				Valium	RO
5mg	50	..	4.05	Antenex 5	AF
			4.35	Ducene	SU
				Pro-Pam	PT
			4.43	Valium	RO
Paediatric Syrup 2mg per 5mL, 100mL	≠1	..	4.63	Valium	RO
Injection 10mg in 2mL	5	..	5.23	Valium BL	RO
DIAZOXIDE Injection 300mg in 20mL	1	..	16.59	BL	
			16.74	Hyperstat I.V.	SH
DICHLORPHENAMIDE Tablet 50mg	50	6	10.09	Daranide	MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DICLOFENAC SODIUM Tablet 50mg (enteric coated)	50	2	8.64	Voltaren 50 CG
DIENOESTROL Cream 0.01%, 85g	≠1	1	4.69	ET
DIFENOXIN HYDROCHLORIDE with ATROPINE SULPHATE Tablet 500 micrograms-25 micrograms	20	..	4.30	Lyspafen PT
DIFLUNISAL Tablet 250mg	50	2	8.64	Dolobid MK
DIGOXIN Tablet 62.5 micrograms	100	2	4.56	Lanoxin-PG BW
250 micrograms	50	2	4.09	Lanoxin BW
Oral Solution for Children 50 micrograms per mL, 100mL	≠1	2	8.30	Lanoxin BW
Injection BP 500 micrograms in 2mL	5	1	9.19	Lanoxin BW
DIHYDROCODEINE TARTRATE Linctus 0.19%, 100mL	≠1	2	3.88	Paracodin KN Rikodeine RK
DIHYDROERGOTAMINE Injection 1mg in 1mL	5	..	6.00	Dihydergot SZ
DIHYDROTACHYSTEROL <u>Authority required.</u> Hypoparathyroidism; Osteomalacia following gastrect- omy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Capsule 125 micrograms	100	+	22.65	A.T.10 WL
DILOXANIDE FUROATE Tablet 500mg	30	..	10.86	Furamide BT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIMERCAPROL Injection 5%, 2mL	12	..	28.91	B.A.L.	BT
DIMETHICONE For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.					
Cream 10%, 50g	¶1	..	3.81	Dermabase-S	HA
10%, 75g	¶1	..	4.15	Silcon	FA
Solution - See Colostomy and Ileostomy					
DIMETHINDENE Tablet 1mg	50	2	4.33	Fenostil	ZY
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term extensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.					
Suppositories 100mg-10mg, 5	2	..	5.36	Coloxyl	FM
DIPHENHYDRAMINE Capsule 50mg	50	2	4.35	Benadryl	PD
Paediatric Elixir 12.5mg per 5mL, 100mL	¶1	4	4.01	Benadryl	PD
DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25 micrograms	20	..	4.30	Lomotil	SR
DIPHENYLPYRALINE Tablet 2.5mg	50	2	4.33	Histalert	RK
Paediatric Syrup 2.5mg per 5mL, 100mL	¶1	4	4.01	Histalert	RK
DIPHThERIA ANTITOXIN Injection 10,000 Units	2	1	57.30	CS	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPHTHERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of eight (8) years. Injection 0.5mL	3	..	7.73	CS
DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of eight (8) years. Injection 0.5mL	3	..	7.73	CS
DIPHTHERIA, TETANUS and PERTUSSIS VACCINE, ADSORBED Injection 0.5mL	3	..	7.58	CS, PD
DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of eight (8) years. Injection 0.5mL	2	1	6.56	CS
DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of eight (8) years. Injection 0.5mL	2	..	6.42	CS
DIPIVEFRINE HYDROCHLORIDE Eye Drops 0.1%, 10mL	#1	6	9.55	Propine AG
DIPYRIDAMOLE <u>Authority required.</u> Biopsy proven glomerulonephritis; Mesangiocapillary renal disease; Renal allograft; Patients with cardiac valve prosthesis. NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised. (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPYRIDAMOLE - cont. Tablet 100mg	100	+	16.50 16.56	Dipramol PT Persantin 100 BY
DISOPYRAMIDE Capsule 100mg	100	2	17.60	Norpace SR Rythmodan RL
150mg	100	2	22.59	Norpace SR Rythmodan RL
DOTHIEPIN HYDROCHLORIDE Capsule 25mg	50	2	5.28	Prothiaden BT
DOXEPIN Tablet 10mg	50	2	4.35	Quitaxon RC
25mg	50	2	5.28	Quitaxon RC
50mg	50	1	5.93	Deptran 50 AF
Capsule 10mg	50	2	4.24 4.35	Deptran 10 AF Sinequan PF
25mg	50	2	5.11 5.28	Deptran 25 AF Sinequan PF
DOXYCYCLINE Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Tablet 50mg	25	5	6.80 7.69	Doxylin 50 AF Vibra-Tabs PF
Capsule 50mg	25	5	7.69	Doryx FA
DOXYCYCLINE Tablet 100mg	7	..	4.93 5.45	Doxylin 100 AF Vibramycin PF
Capsule 100mg	7	..	5.39 5.45	Cyclidox PT Doryx FA Doxin GP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DYDROGESTERONE					
Authority required.					
Endometriosis, visually proven.					
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Tablet 10mg	50	+	21.43	Duphaston	ET
ECONAZOLE NITRATE					
Cream 1%, 20g	#1	1	5.71	Ecostatín Pevaryl	SQ SK
Lotion 1%, 20mL	#1	1	5.71	Ecostatín Pevaryl	SQ SK
Pessaries 150mg, 3	#1	..	6.46	Ecostatín Pevaryl	SQ SK
Vaginal Cream 1.5%, 35g	#1	..	6.41	Ecostatín	SQ
ECOTHIOPATE IODIDE					
Eye Drops					
0.03%, 1.5mg and 5mL solvent	#1	6	#9.33	Phospholine Iodide	AY
0.06%, 3mg and 5mL solvent	#1	6	#9.33	Phospholine Iodide	AY
0.125%, 6.25mg and 5mL solvent	#1	6	#9.33	Phospholine Iodide	AY
0.25%, 12.5mg and 5mL solvent	#1	6	#10.08	Phospholine Iodide	AY
ELECTROLYTE REPLACEMENT (ORAL)					
Powder for Solution, 40g sachet, 6	#1	..	5.89	Repalyte	DH
ELECTROLYTE REPLACEMENT SOLUTION					
See Intravenous Infusions					
EPICILLIN					
Capsule 250mg	25	..	6.05	Dexacillin	SQ
500mg	12	1	5.80	Dexacillin	SQ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
EPICILLIN - cont. Powder for Syrup 250mg per 5mL, 100mL	#1	..	#7.47	Dexacillin SQ
ERGOCALCIFEROL Hypocalcaemia; Hypoparathyroidism; Osteomalacia following gastrectomy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets. <u>NOTE:</u> An authority to prescribe six months' treatment (i.e. one month's treatment with five repeats) may be requested for this item.				
Tablet 250 micrograms	100	3	7.20	Ostelin GL
Oral Solution 15mg (600,000 Units) in 1.5mL alcoholic solution	3	2	5.39	Sterogyl-15 RL
ERGOMETRINE MALEATE Tablet 200 micrograms	24	..	4.76	Ergotrate LY
Injection 250 micrograms in 1mL	5	..	4.74	BL
ERGOTAMINE TARTRATE Tablet 1mg	50	2	5.86	Lingraine WL
ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	6.60	Cafergot SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	6.60	Migral BW
ERGOTAMINE TARTRATE with CAFFEINE, ITOBARBITONE and BELLADONNA ALKALOIDS Suppositories 2mg-100mg-100mg-250 micrograms, 6	#1	2	5.59	Cafergot PB SZ
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	6.60	Ergodryl PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ERYTHROMYCIN				
Tablet 250mg	25	..	6.21	EMU-V UP
Capsule 125mg	25	..	5.18	Eryc FA
250mg	25	..	6.21	Eryc FA Ilocap LY
ERYTHROMYCIN ESTOLATE				
Paediatric Drops				
100mg (base) per mL, 10mL	#1	..	4.98	Ilosone LY
Paediatric Suspension				
125mg (base) per 5mL, 100mL	#1	..	5.30	Eromycin DL Ilosone LY
ERYTHROMYCIN ETHYLSUCCINATE				
Tablet 200mg (base)	25	..	5.43	EES Dulcet AB
Granules for Paediatric Suspension				
200mg (base) per 5mL, 100mL	#1	..	#7.16	EES 200 AB
Injection I.M. 100mg (base) in 2mL	5	..	9.35	Erythrocin AB
ERYTHROMYCIN GLUCEPTATE				
Infusion I.V. 1g (base)	1	..	14.60	Ilotycin LY
ERYTHROMYCIN LACTOBIONATE				
Infusion I.V. 300mg (base)	5	..	23.55	Erythrocin AB
1g (base)	1	..	14.60	Erythrocin AB
ERYTHROMYCIN STEARATE				
Tablet 250mg (base)	25	..	6.21	Erythrocin AB
Capsule 250mg (base)	25	..	6.16 6.21	E-Mycin PT Erythrocin AB
Paediatric Suspension				
125mg (base) per 5mL, 100mL	#1	..	5.30	Erythrocin AB
Suspension				
250mg (base) per 5mL, 100mL	#1	..	7.16	Erythrocin AB
ETHACRYNIC ACID				
Patients hypersensitive to other oral diuretics.				
Tablet 50mg	50	2	8.05	Edecril MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETHANOLAMINE OLEATE Injection 5%, 2mL	5	1	9.18	Ethamolin GL
ETHINYLOESTRADIOL Tablet 10 micrograms	100	1	4.46	Estigyn GL
20 micrograms	100	1	4.63	Estigyn GL Primogyn C SC
50 micrograms	100	1	5.39	Estigyn GL
ETHOSUXIMIDE Capsule 250mg	200	2	17.78	Zarontin PD
Paediatric Syrup 250mg per 5mL, 250mL	≠1	4	9.33	Zarontin PD
ETHYLNORADRENALINE Injection 2mg in 1mL	5	..	5.71	Bronkephrine WL
ETHYLOESTRENOL <u>Authority required.</u> Osteoporosis; Patients on long-term treatment with corticosteroids. NOTE: An authority for six months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 2mg	100	3	14.53	Orabolin OR
ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet				
500 micrograms-50 micrograms, 21	2	2	5.68	Ovulen 0.5/50 SR
1mg-50 micrograms, 21	2	2	5.68	Ovulen 1/50 SR
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	5.68	Ovulen 0.5/50 -28 SR
Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	5.68	Ovulen 1/50 -28 SR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETRETINATE <u>Authority required.</u> Treatment initiated in a hospital of:- *Chronic disfiguring discoid lupus erythematosus; Darier's disease; Erythrokeratoderma; Pityriasis rubra pilaris; Severe congenital ichthyosis (lamellar, bullous and sex linked); Severe intractable psoriasis; Severe palmo-plantar keratoderma; For the continuing treatment of a patient who has already received long-term (greater than six months) therapy with etretinate for a condition listed above (condition to be specified). <u>CAUTION:</u> This drug is a potent teratogen - pregnancy should be avoided for at least one year after cessation of therapy. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Capsule 10mg	100	+	83.24	Tigason RO
25mg	100	+	189.86	Tigason RO
FENOTEROL HYDROBROMIDE <u>NOTE:</u> Oral preparations are generally less effective and produce more side effects than inhaled preparations.				
Tablet 2.5mg	100	2	7.76	Berotec BY
Elixir 2.5mg per 5mL, 300mL	≠1	4	5.54	Berotec BY
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FENOTEROL HYDROBROMIDE - cont. Inhalation Solution for use in RESPIRATOR or NEBULISER 0.1%, 20mL	≠1	2	6.68	Berotec	BY
Inhalation, metered aerosol spray, 200 micrograms per dose (300 dose)	≠1	5	6.83	Berotec	BY
FERROUS AMINOACETOSULPHATE Paediatric Syrup 100mL	≠1	4	4.24	Plesmet	NN
FERROUS GLUCONATE Tablet 300mg	100	2	4.24	Fergon	WL
Paediatric Elixir 6%, 100mL	≠1	4	4.24	Fergon	WL
FERROUS SULPHATE DRIED Tablet 320mg (delayed release)	30	2	4.24	Slow-Fe	CG
350mg (sustained release)	30	2	4.23 4.24	Feritard Ferro- Gradumets	PT AB
Capsule 320mg (delayed release)	30	2	4.24	Fespan	SK
FERROUS SULPHATE DRIED with FOLIC ACID Tablet 270mg-300 micrograms (delayed release)	30	2	4.23	Feritard Folic	PT
270mg-300 micrograms (sustained release)	30	2	4.30	F.G.F.	AB
Capsule 270mg-300 micrograms (delayed release)	30	2	4.30	Fefol	SK
FLUCLOROLONE ACETONIDE Cream 0.025%, 15g	≠1	1	3.96	Topilar	SD
FLUCLOXACILLIN Infections due to penicillin- resistant staphylococci; Osteomyelitis.					
Capsule 250mg	25	..	10.98	Flopen Floxapen	CS BR
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUCLOXACILLIN - cont. Capsule 500mg	12	..	10.68	Flopen Floxacpen	CS BR
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#9.36	Flopen Floxacpen	CS BR
FLUCLOXACILLIN Injection 250mg (solvent required)	5	..	9.49	Flopen Floxacpen	CS BR
500mg (solvent required)	5	..	13.51	Flopen Floxacpen	CS BR
1g (solvent required)	5	..	21.08	Flopen Floxacpen	CS BR
FLUCYTOSINE Invasive or systemic fungal infections such as candidiasis, cryptococcosis and chromoblastomycosis.					
Tablet 500mg	100	..	74.18	Ancotil	RO
FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	3	7.20	Florinef	SQ
FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5mL	#1	..	4.61	Locacorten Vioform	CG
FLUOCORTOLONE ESTERS Cream 0.08%, 100g	#1	..	4.90	Topodil	SC
0.2%, 15g	#1	1	3.96	Ultralan-D	SC
Ointment 0.2%, 15g	#1	1	3.96	Ultralan-D	SC
Ointment (Anhydrous) 0.2%, 15g	#1	1	3.96	Ultralan-D Fatty	SC
FLUOROMETHOLONE Eye Drops 0.1%, 5mL	#1	6	5.39	Flucon FML Liquifilm	AQ AG
FLUOROURACIL Injection 250mg per 10mL	10	..	28.03 28.09	BL RO	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUOXYMESTERONE <u>Authority required.</u> Aplastic anaemias, proven; Carcinoma of the breast; Hypogonadism; Osteoporosis. NOTE: An authority for six months' treatment of osteoporosis will be limited to the maximum quantity and repeats shown in this schedule.					
Tablet 5mg	100	3	21.26	Halotestin	UP
FLUPHENAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1mg	100	1	6.38	Anatensol	SQ
2.5mg	100	1	8.11	Anatensol	SQ
5mg	100	1	10.03	Anatensol	SQ
Elixir 500 micrograms per mL, 60mL	≠1	4	4.55	Anatensol	SQ
FLUPHENAZINE DECANOATE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness;					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUPHENAZINE DECANOATE - cont. Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Injection 12.5mg in 0.5mL	5	..	16.53	Modecate	SQ
25mg in 1mL	5	..	26.05	Modecate	SQ
50mg in 2mL	5	..	39.45	Modecate	SQ
FOLIC ACID Tablet 500 micrograms	100	..	3.98 3.99	DH,PT Folicid SI	US
5mg	100	2	4.13 4.15	DH,PT Folasic Folicid FM,PR,RT,SI	NN US
Injection 15mg in 1mL	10	..	7.92	AB	
FOSFESTROL SODIUM Carcinoma of the prostate.					
Tablet 120mg	100	2	28.18	Honvan	BC
Injection 250mg in 5mL	10	..	18.35	Honvan	BC
FRAMYCETIN Eye Ointment 0.5%, 5g	¶1	..	4.15	Soframycin	RL
Eye/Ear Drops 0.5%, 8mL	¶1	2	4.55	Soframycin	RL
FRUSEMIDE Renal failure.					
Tablet 500mg	50	2	22.04 22.10	Urex-Forte Lasix	FM HP
FRUSEMIDE Tablet 20mg	50	2	5.11	Lasix-M Urex-M	HP FM
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FRUSEMIDE - cont. Tablet 40mg	50	2	5.04 5.35 5.43	Virifenemide WR Uremide PT Lasix HP Urex FM
Oral Solution 10mg per mL, 30mL	≠1	2	8.55	Lasix HP
Injection 20mg in 2mL	5	..	5.61 6.21	AF Lasix HP
FUSIDIC ACID For use in combination with another antibiotic in the treatment of proven serious staphylococcal infections.				
Tablet (Sodium salt) 250mg (enteric coated)	36	..	50.53	Fucidin SK
Suspension 50mg per mL, 90mL	≠1	..	26.74	Fucidin SK
GAS GANGRENE ANTITOXIN - MIXED (POLYVALENT) Injection - 1 amp containing: 10,000 Units Perfringens; 10,000 Units Novyi; 5,000 Units Septicum.	2	1	92.30	CS
GENTAMICIN SULPHATE Injection 10mg (base) in 1mL	5	..	12.55	Garamycin SH
40mg (base) in 1mL	5	..	16.13	Garamycin BL SH
60mg (base) in 1.5mL	5	..	19.43	Garamycin BL SH
80mg (base) in 2mL	5	..	8.55 22.75	Cidomycin RL Garamycin SH BL
GLIBENCLAMIDE Tablet 5mg	100	2	14.53	Daonil HP Euglucon RC
GLICLAZIDE Tablet 80mg	100	2	14.53	Diamicron SE
GLUCAGON HYDROCHLORIDE Injection 1 I.U. with diluent	1	1	10.16	CN,LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
GLUCOSE Injection 50%, 10mL	5	..	6.01	BL
Injections 500mL and 1L - See Intravenous Infusions				
GLUCOSE INDICATOR - BLOOD Reagent Strips 25	#1	5	9.00	Ames-BG AM
Reagent Strips 25	#1	5	9.00	BM-Test-BG BO
Reagent Strips 25	#1	5	10.43 11.20	Visidex II AM BM-Test-Glycemie 20-800 BO
GLUCOSE INDICATOR - URINE Test Dispenser 4m	#1	2	5.79	Tes-Tape LY
Reagent Strips 100	#1	2	5.43	Clinistix AM
Reagent Strips 100	#1	2	5.96	Diastix AM
GLUCOSE and KETONE INDICATOR - URINE Reagent Strips 100	#1	2	7.19	Keto-Diastix AM
GLYCEROL 100mL	#1	1	4.16	DH
GLYCEROPHOSPHATE COMPOUND Syrup 1.5% Sodium Glycerophosphate 100mL	#1	4	3.94 4.04 4.09	MG Glyfosolix DH SI PR
GLYCERYL TRINITRATE Tablets 600 micrograms, 100	#1	2	4.29	Anginine Stabilised BW
Ointment 2%, 60g	#1	2	11.05	Nitro-Bid PT
Transdermal Disc releasing approximately 5mg per 24 hours	30	2	21.05	Nitradisc SR
Transdermal Pad releasing approximately 5mg per 24 hours	30	2	21.05	Transiderm- Nitro 25 CG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GRISEOFULVIN					
Use in recalcitrant tinea infections; Kerion.					
Tablet 125mg	100	2	9.81	Fulcin 125 Grisovin	IC GL
330mg	28	2	7.61	Grisfulvin 330	PT
			8.88	Griseostatin	SH
500mg	28	2	9.55	Fulcin 500 Grisovin 500	IC GL
GUANETHIDINE					
Tablet 10mg	100	1	6.41 6.48	Antipres M Ismelin	PT CG
25mg	100	1	10.50 10.56	Antipres Ismelin	PT CG
HALOPERIDOL					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1.5mg	100	1	6.14 6.20	Pacedol Serenace	PT SR
5mg	50	1	7.14 7.20	Pacedol Serenace	PT SR
Injection 5mg in 1mL	10	..	11.86	Serenace	SR
HEPARIN CALCIUM					
Injection 5,000 Units in 0.2mL	5	5	9.81	Calcihep Calciparine Caprin	WP RC CS
5,000 Units in 0.5mL	5	5	9.81	Caprin	CS
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HEPARIN CALCIUM - cont. Injection 12,500 Units in 0.5mL	2	5	9.14 9.18	Calciparine RC CS
25,000 Units in 1mL	2	5	11.19 11.22	Calciparine RC CS
HEPARIN SODIUM Injection BP, 5,000 Units in 0.2mL	5	5	8.39	BL,CS,WP
5,000 Units in 1mL	5	5	8.39 8.45	BL,WP CS
20,000 Units in 20mL	12	5	47.18	BL
25,000 Units in 5mL	2	5	11.22	CS,WP
35,000 Units in 35mL	12	5	101.42	CS,WP
HEXAMINE HIPPURATE Tablet 1g	100	2	10.09	Hiprex RK
HEXAMINE MANDELATE Tablet 250mg	100	2	4.80	Mandelamine WW
500mg	100	2	7.24	Mandelamine Hafgrams WW
1g	100	2	10.09	Mandelamine WW
HOMATROPINE HYDROBROMIDE Eye Drops 2%, 15mL	≠1	2	5.30	AG,AQ
5%, 15mL	≠1	2	6.18	AG,AQ
HYDRALAZINE HYDROCHLORIDE Tablet 25mg	100	2	6.11 7.23	Alphapress 25 AF Supres 25 PT Apresoline CG
50mg	100	2	7.79 9.55	Alphapress 50 AF Supres 50 PT Apresoline CG
HYDROCHLOROTHIAZIDE Tablet 25mg	50	2	4.93	Dichlotride MK Esidrex CG
50mg	50	2	6.19	Dichlotride MK Esidrex CG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
HYDROCHLOROTHIAZIDE with AMILORIDE					
NOTE: Supplementary potassium may cause fatal hyperkalaemia.					
Tablet 50mg-5mg	30	2	4.96 5.03	Amizide Moduretic	PT MK
HYDROCHLOROTHIAZIDE with TRIAMTERENE					
NOTE: Supplementary potassium may cause fatal hyperkalaemia.					
Tablet 25mg-50mg	30	2	5.36	Dyazide	SK
HYDROCORTISONE					
Tablet 4mg	50	4	4.69	Hysone	PT
20mg	60	4	8.80	Hysone	PT
Eye Drops 0.5%, 5mL	≠1	2	4.50	Hycor	SI
0.5%, 10mL	≠1	2	4.76	Hycor	SI
1%, 3mL	≠1	2	4.50	Hycor	SI
1%, 10mL	≠1	2	4.98	Hycor	SI
2.5%, 5mL	≠1	2	4.98	Hycor	SI
2.5%, 10mL	≠1	2	5.68	Hycor	SI
Eye Ointment 0.5%, 4g	≠1	..	4.63	Cortef	UP
0.5%, 5g	≠1	..	4.63	Hycor	SI
1%, 5g	≠1	..	4.63	Hycor	SI
Cream 1%, 30g	≠1	1	4.50	Adacor Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC	NN UP PD US PR SI SQ
1%, 50g	≠1	1	5.10	Adacor Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC	NN UP PD US PR SI SQ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
HYDROCORTISONE - cont. Topical Ointment 1%, 30g	#1	1	4.50	Adacor	NN
				Cortef	UP
				Dermacort "O"	PD
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SO
1%, 50g	#1	1	5.10	Adacor	NN
				Cortef	UP
				Dermacort "O"	PD
				Procort	PR
				Sigmacort	SI
				Squibb-HC	SO
HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5mL	#1	..	4.55	Neo-Cortef	UP
Ear Ointment 1.5%-0.5%, 4g	#1	2	4.35	Neo-Cortef	UP
HYDROCORTISONE ACETATE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid.					
Injection 25mg in 1mL	5	..	6.28	Hysone-A	PT
Proctitis; Ulcerative colitis.					
Rectal Foam 10%, Aerosol 25g	2	1	34.70	Colifoam	SV
HYDROCORTISONE SODIUM SUCCINATE For use in a hospital.					
Injection Set containing equivalent of 500mg hydrocortisone and solvent	1	..	15.01	Solu-Cortef	UP
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE SODIUM SUCCINATE - cont. Injection Set containing equivalent of 100mg hydrocortisone and 2mL solvent	2	..	8.40 8.48	Nordicort NR Efcortelan GL Solu-Cortef UP
containing equivalent of 250mg hydrocortisone and solvent	1	..	9.00	Solu-Cortef UP
HYDROGEN PEROXIDE SOLUTION, DILUTE (10 vol), 100mL	#1	..	3.40	FA
HYDROXYCHLOROQUINE Tablet 200mg	100	..	12.65	Plaquenil WL
HYDROXYUREA Capsule 500mg	100	..	49.75	Hydrea SQ
HYOSCINE BUTYLBROMIDE Injection 20mg in 1mL	5	..	5.45	Buscopan BY
HYPROMELLOSE Eye Drops 0.5%, 15mL	#1	6	4.55	Isopto Tears AQ Lacril AG Methopt SI
1%, 15mL	#1	6	4.55	Methopt Forte SI
HYPROMELLOSE with DEXTRAN Eye Drops 0.3%-0.1%, 15mL	#1	6	4.84	Tears Naturale AQ
IBUPROFEN Tablet 200mg	50	2	4.98 5.08	Inflam PT Brufen BT
400mg	50	2	5.79 5.86	Inflam PT Brufen BT
IDOXURIDINE Eye Drops 0.1%, 15mL	#1	2	6.61	Herplex AG Stoxil SK
Eye Ointment 0.5%, 5g	#1	..	7.10	Stoxil SK
Topical Ointment 0.5%, 5g	#1	..	4.24	Stoxil SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
IMIPRAMINE					
Tablet 10mg	50	2	4.10	Imiprin	PT
				Tofranil	CG
25mg	50	2	4.99	Imiprin	PT
			5.05	Melipramine	UW(N)
				Tofranil	CG
Injection I.M. 25mg in 2mL	10	..	9.14	Tofranil	CG
INDOMETHACIN					
Capsule 25mg	50	2	5.80	Arthrexin	AF
				Rheumacin	PT
			5.86	Indocid	MK
Suppository 100mg	20	2	10.10	Indocid	MK
INFLUENZA VACCINE					
Persons at special risk of adverse consequences from infections of the lower respiratory tract.					
Injection (Trivalent) 0.5mL	1	..	7.30	Fluvax	CS
				Vaxigrip	MB
INSECT ALLERGEN EXTRACT - BULL ANT					
Injection Sets					
strengths A,B,C each 5mL	1	..	67.30	CS	
strengths A,B,C,D each 5mL	1	..	102.30	CS	
Injection strength C, 5mL	1	..	24.80	CS	
strength D, 5mL	1	..	37.30	CS	
INSECT ALLERGEN EXTRACT - HONEY BEE VENOM					
Injection Set					
containing 550 micrograms	1	..	81.05	Albay Bee Venom	BN
INSECT ALLERGEN EXTRACT - JUMPER ANT					
Injection Sets					
strengths A,B,C each 5mL	1	..	67.30	CS	
strengths A,B,C,D each 5mL	1	..	102.30	CS	
Injection strength C, 5mL	1	..	24.80	CS	
strength D, 5mL	1	..	37.30	CS	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSECT ALLERGEN EXTRACT - MOSQUITO Injection Sets strengths A,B,C each 5mL	1	..	67.30	CS
strengths A,B,C,D each 5mL	1	..	102.30	CS
Injection strength C, 5mL	1	..	24.80	CS
strength D, 5mL	1	..	37.30	CS
INSECT ALLERGEN EXTRACT - PAPER WASP VENOM NOTE: Paper wasp venom is not European wasp venom.				
Injection Set containing 550 micrograms	1	..	98.55	Albay Wasp Venom BN
INSULIN Injection (bovine) 100 Units per mL, 10mL	5	2	53.85	Insulin 2 CN
300 Units per mL, 5mL	10	2	128.70	CN
INSULIN BIPHASIC Injection (mixed porcine/bovine) 100 Units per mL, 10mL	5	2	57.00	Rapitard MC CN
INSULIN ISOPHANE (N.P.H.) Injection (bovine) 100 Units per mL, 10mL	5	2	53.85	Hypurin Isophane Isotard MC WP CN
Injection (porcine) 100 Units per mL, 10mL	5	2	57.00	Insulatard Nordisk Protaphane MC BW CN
INSULIN ISOPHANE (N.P.H.) - INSULIN NEUTRAL, (MIXED) Injection (porcine) 100 Units (70 Units-30 Units) per mL, 10mL	5	2	57.00	Mixtard Nordisk BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN NEUTRAL				
Injection (bovine) 100 Units per mL, 10mL	5	2	53.85	Hypurin Neutral WP
Injection (porcine) 100 Units per mL, 10mL	5	2	57.00	Actrapid MC CN Velosulin BW Nordisk
INSULIN PROTAMINE ZINC				
Injection (bovine) 100 Units per mL, 10mL	5	2	53.85	Protamine Zinc Insulin MC CN
INSULIN ZINC SUSPENSION (Lente)				
Injection (bovine) 100 Units per mL, 10mL	5	2	53.85	Lente MC CN
Injection (porcine) 100 Units per mL, 10mL	5	2	57.00	Monotard MC CN
INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente)				
Injection (bovine) 100 Units per mL, 10mL	5	2	53.85	Semilente MC CN Beef Wellcome Semilente BW
Injection (porcine) 100 Units per mL, 10mL	5	2	57.00	Semilente MC CN
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente)				
Injection (bovine) 100 Units per mL, 10mL	5	2	53.85	Ultralente MC CN
INTRAVENOUS INFUSIONS 500mL and 1L - see separate listings at end of Section 2				
IPRATROPIUM BROMIDE				
Inhalation, metered aerosol spray, 20 micrograms per dose (200 dose)	#1	5	8.19	Atrovent BY
Nebuliser Solution 0.025%, 20mL	#1	2	6.43	Atrovent BY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
IRON DEXTRAN Injection 2mL	5	..	7.08	Imferon	FC
IRON POLYMALTOSE COMPLEX Tablet 40mg (Iron)	100	2	4.24	Ferrum H	SI
Injection 100mg (Iron) in 2mL	5	..	7.08	Ferrum H	SI
IRON SORBITOL Injection I.M. Trivalent Iron 2mL	5	..	7.08	Jectofer	AP
ISOCONAZOLE NITRATE Cream 1%, 20g	#1	1	5.71	Travogen	SC
Lotion 1%, 20mL	#1	1	5.71	Travogen	SC
Pessaries 300mg, 2	#1	..	6.46	Gyno-Travogen	SC
ISONIAZID Tablet 50mg	200	2	5.11	FM	
100mg	100	2	5.11	FM	
ISOPRENALINE HYDROCHLORIDE Tablet 30mg (sustained release)	100	2	11.19	Saventrine	PN
ISOSORBIDE DINITRATE Tablet 10mg	100	2	4.56	Isordil Isotrate	AY PD
Sublingual Tablet 5mg	100	2	4.43	Isordil Sublingual Isotrate Sublingual	AY PD
KANAMYCIN Injection 30mg in 1mL	5	1	9.74	Kanasig	SI
250mg in 2mL	5	..	13.58	Kanasig	SI
500mg in 2mL	5	..	14.68	Kanasig Kantrex	SI BC
1g in 3mL	5	..	16.93	Kanasig Kantrex	SI BC
KAOLIN with PECTIN Mixture 5.91g-132mg per 30mL, 375mL	#1	2	4.93	Kaopectate	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LABETALOL				
Tablet 100mg	100	2	11.05 12.99	Presolol 100 AF Trandate GL
200mg	100	2	16.99 19.25	Presolol 200 AF Trandate GL
LACTULOSE				
Authority required. Hepatic coma or precoma (chronic porto-systemic encephalopathy); Terminal malignant neoplasia.				
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Mixture 3.34g per 5mL, 500mL	¶1	+	12.49	Duphalac ET
LEVODOPA				
Tablet 100mg	50	5	7.24	Larodopa RO
250mg	100	5	13.98	Larodopa RO
500mg	250	5	52.30	Larodopa RO
LEVODOPA with BENSERAZIDE				
Tablet 200mg-50mg	100	5	32.74	Madopar RO
Capsule 50mg-12.5mg	100	5	13.30	Madopar Q RO
100mg-25mg	100	5	21.55	Madopar-M RO
200mg-50mg	100	5	32.74	Madopar RO
LEVODOPA with CARBIDOPA				
Tablet 100mg-10mg	100	5	17.70	Sinemet M MK
100mg-25mg	100	5	30.00	Sinemet 100/25 MK
250mg-25mg	100	5	32.74	Sinemet MK
LEVONORGESTREL				
Tablet 30 micrograms, 28	2	2	5.68	Microlut 28 SC Microval 28 WY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LEVONORGESTREL with ETHINYLOESTRADIOL Tablet				
125 micrograms-50 micrograms, 21	2	2	5.68	Microgynon 50 SC
150 micrograms-30 micrograms, 21	2	2	5.68	Microgynon 30 SC Nordette 21 WY
250 micrograms-50 micrograms, 21	2	2	5.68	Neogynon SC Nordiol 21 WY
Pack containing 21 tablets 125 micrograms-50 micrograms and 7 inert tablets	2	2	5.68	Microgynon 50 ED SC
Pack containing 21 tablets 150 micrograms-30 micrograms and 7 inert tablets	2	2	5.68	Microgynon 30 ED SC Nordette 28 WY
Pack containing 21 tablets 250 micrograms-50 micrograms and 7 inert tablets	2	2	5.68	Neogynon ED SC Nordiol 28 WY
Pack containing 11 tablets 50 micrograms-50 micrograms and 10 tablets 125 micrograms- 50 micrograms	2	2	5.68	Biphasil 21 WY
Pack containing 11 tablets 50 micrograms-50 micrograms, 10 tablets 125 micrograms- 50 micrograms and 7 inert tablets	2	2	5.68	Biphasil 28 WY Sequilar ED SC
Pack containing 6 tablets 50 micrograms-30 micrograms; 5 tablets 75 micrograms- 40 micrograms and 10 tablets 125 micrograms-30 micrograms	2	2	5.68	Triphasil WY Triquilar SC
Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms, 10 tablets 125 micrograms-30 micrograms and 7 inert tablets	2	2	5.68	Triphasil 28 WY Triquilar ED SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LIGNOCAINE				
Injection 100mg in 5mL	≠2	..	5.65	Xylocard 100 AP
I.M. 300mg in 3mL	1	..	6.00	Xylocard 300 I.M. AP
Infusion 500mg in 5mL	5	..	7.69	Xylocard 500 AP
LINCOMYCIN				
Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin.				
Injection 300mg in 1mL	5	..	11.68	Lincocin SS Paediatric UP
600mg in 2mL	5	..	13.55	Lincocin UP
LINDANE				
Cream 1%, 200g	≠1	2	6.19	Lorexane IC
Head Lotion 0.2%, 200mL	≠1	..	5.10	Lorexane IC
Lotion Concentrate 1%, 200mL	≠1	..	6.19	Lorexane Concentrate IC
LIOTHYRONINE				
Tablet 20 micrograms	100	1	5.15	Tertroxin GL
LITHIUM CARBONATE				
<u>NOTE:</u> An authority to prescribe six months' treatment (i.e. one month's treatment with five repeats) may be requested for this item.				
Tablet 250mg	100	2	5.45 5.51	Lithicarb PT Camcolit NE Carbolith DH
400mg (sustained release)	100	1	8.11	Priadel PT
LOPERAMIDE HYDROCHLORIDE				
Capsule 2mg	12	..	4.30	Imodium JP
LYPRESSIN				
Nasal Spray 50 Units per mL, 5mL	10	2	66.80	Vasopressin SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
MAGNESIUM SULPHATE					
Paste 50g	≠1	1	4.01	Magnoplasm	FA
100g	≠1	1	4.45	Magnoplasm	FA
MALDISON					
Lotion 0.5%, 100mL	≠1	..	4.64	Cleansheen	FL
MANNITOL					
See Intravenous Infusions					
MECLOZINE					
Tablet 25mg	50	2	4.35	Ancolan	GL
MEDROXYPROGESTERONE					
Dysfunctional uterine bleeding; Precocious puberty; Turner's syndrome.					
Tablet 2.5mg	25	..	6.06	Provera	UP

Breast cancer; Dysfunctional uterine bleeding; Endometrial cancer; Endometriosis; Precocious puberty; Renal cell cancer; Turner's syndrome.					
Tablet 10mg	100	2	30.30	Provera	UP

Breast cancer; Endometrial cancer; Renal cell cancer.					
Tablet 100mg	100	2	89.80	Provera	UP
Injection 50mg in 1mL	1	..	6.41	Depo-Provera	UP
500mg in 2.5mL	1	..	31.58	Farlutal	FE

Breast cancer; Endometrial cancer; Precocious puberty; Renal cell cancer.					
Injection 150mg in 1mL	1	..	11.40	Depo-Provera	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MEDRYSONE Eye Drops 1%, 5mL	1	6	5.39	HMS Liquifilm AG
MEFRUSIDE Tablet 25mg	50	2	5.79	Baycaron BN
MELPHALAN Tablet 2mg	100	..	56.22	Alkeran BW
5mg	100	..	94.66	Alkeran BW
MERCAPTOPURINE Tablet 50mg	50	1	43.40	Purinethol BW
METFORMIN CAUTION: Lactic acidosis may occur with this drug.				
Tablet 500mg	100	2	10.30 11.21 11.23	Diaformin AF Glucophage RN Diabex DF
METHACYCLINE Capsule 150mg	21	..	5.86	Randomycin WW
300mg	11	..	5.86	Randomycin WW
METHADONE Disabling pain associated with proven malignant neoplasia; Disabling pain of short duration not responding to non-narcotic analgesics, the maximum duration of treatment being two weeks. CAUTION: The risk of drug dependence is high. NOTE: Authorities for increased maximum quantities and/or repeats for this item will be granted only for the treatment of disabling pain associated with late-stage malignant neoplasia.				
Tablet 5mg	20	..	6.78	Physeptone BW
10mg	20	..	7.21	Physeptone BW
Injection 10mg in 1mL	5	..	10.16	Physeptone BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<u>METHDILAZINE</u> Prevention of migraine.				
Tablet 4mg	100	2	6.16	Dilosyn GL
8mg	100	2	6.42	Dilosyn GL
<u>METHDILAZINE</u> Tablet 4mg	50	2	4.23	Dilosyn GL
8mg	50	2	4.36	Dilosyn GL
<u>METHENOLONE ACETATE</u> <u>Authority required.</u> Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE: An authority for six</u> <u>months' treatment will be limited</u> <u>to the maximum quantity and</u> <u>repeats shown in this schedule.</u>				
Tablet 5mg	100	3	20.30	Primobolan SC
<u>METHOTREXATE</u> Tablet 2.5mg	100	2	20.74	LE
Injection 5mg (solvent required)	5	..	23.55	LE
5mg in 2mL	5	..	47.00	LE
50mg (solvent required)	5	..	64.50	LE
50mg in 2mL	5	..	60.70 60.75	BL LE
<u>METHSUXIMIDE</u> Capsule 300mg	200	2	48.45	Celontin PD
<u>METHYCLOTHIAZIDE</u> Tablet 2.5mg	50	2	4.90	Enduron-M AB
5mg	50	2	5.15 5.23	Urimor PT Enduron AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYLDOPA				
Tablet 125mg	100	2	7.90	Aldomet-M MK
250mg	100	2	10.86	Methopa US
			10.93	Dimal PT
			10.99	Aldomet MK
METHYLPHENOBARBITONE				
Epilepsy.				
Tablet 30mg	200	2	5.10	Prominal WL
60mg	200	2	5.74	Prominal WL
200mg	200	2	11.55	Prominal WL
METHYLPREDNISOLONE				
Eye Ointment 0.1%, 4g	#1	..	4.63	Medrol UP
METHYLPREDNISOLONE ACETATE				
For local intra-articular or peri-articular infiltration.				
Injection 40mg in 1mL	5	..	16.65	Depo-Medrol UP
METHYLPREDNISOLONE SODIUM SUCCINATE				
Injection 40mg (base) in 1mL	5	..	18.05	Solu-Medrol UP
METHYL SALICYLATE				
Liniment APF, 100mL	#1	1	4.04	Emsalin DH
			4.06	SI,TO MG
			4.09	NN,PR,QE(NQ)
METHYLTESTOSTERONE				
Hypogonadism in children.				
Tablet 5mg	100	2	5.43	Testomet PT
Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).				
Tablet 25mg	100	2	9.06	Testomet PT
			9.14	ET
50mg	100	2	13.10	Testomet PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYSERGIDE Tablet 1mg	100	2	20.34	Deseril SZ
METOCLOPRAMIDE HYDROCHLORIDE Tablet 10mg	25	..	5.11 5.23 5.24	Pramin AF Primperan US Metamide PT Maxolon BR
Syrup 5mg per 5mL, 100mL	≠1	..	4.64	Maxolon BR Primperan US
Injection 10mg in 2mL	10	..	6.28	Maxolon BR Primperan US
METOLAZONE Tablet 2.5mg	50	2	5.04	Diulo SR
METOPROLOL <u>NOTE</u> : Increased maximum quantities may be obtained on authority.				
Tablet 50mg	100	2	10.50	Betaloc AP Lopresor CG
100mg	60	2	12.75 12.76	Lopresor CG Betaloc AP
METRONIDAZOLE *Prophylaxis in large bowel surgery; Treatment in a hospital of acute anaerobic sepsis. Solution for intravenous infusion 500mg in 100mL (0.5%)	1	..	16.50	Flagyl MB BL
METRONIDAZOLE Tablet 200mg	21	1	5.40 5.43	Trichozole PT Flagyl MB Metrozine SR
Suppositories 500mg, 10	≠1	..	8.81	Flagyl MB Trichozole PT
1g, 10	≠1	..	10.73	Flagyl MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METRONIDAZOLE BENZOATE Suspension 6.4% (equivalent to 200mg metronidazole in 5mL), 100mL	#1	..	8.99	Flagyl S	MB
MEXILETINE HYDROCHLORIDE Capsule 50mg	100	2	12.74	Mexitil	BY
200mg	100	2	26.94	Mexitil	BY
Injection 250mg in 10mL	5	..	15.99	Mexitil	BY
MIANSERIN HYDROCHLORIDE Authority required. Depressive illness in persons with cardiovascular disease. CAUTION: Neutropenia and agranulocytosis have been reported with this drug. NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Tablet 10mg	50	+	8.59	Tolvon	OR
MICONAZOLE Oral Gel 2%, 20g	#1	1	5.71	Daktarin	JP
Tincture 2%, 20mL	#1	1	5.71	Daktarin	JP
MICONAZOLE NITRATE Cream 2%, 20g	#1	1	5.71	Daktarin Monistat Derm	JP ET
Lotion 2%, 20g	#1	1	5.71	Daktarin	JP
Pessaries 100mg, 7	#1	..	6.46	Gyno- Daktarin 7 Monistat 7	JP ET
Vaginal Cream 2%, 40g	#1	..	6.41	Gyno- Daktarin 7 Monistat 7	JP ET

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MILK POWDER - LACTOSE MODIFIED <u>Authority required.</u> Lactose intolerance. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Lactose-Predigested Powder 500g	2	20	13.90	Digestelact SJ
MILK POWDER - LOW LACTOSE FORMULA Acute gastro-enteritis complicated by lactose intolerance in infants up to the age of twelve months. Age of patient to be shown on the prescription; Proven lactose intolerance in infants up to the age of twelve months. Age of patient to be shown on the prescription. <u>NOTE:</u> No authorities will be granted for increased maximum quantities. Authorities for an increased number of repeats will be limited to a maximum of 20 repeats. Confirmation of lactose intolerance to be included in application. An acceptable confirmation of lactose intolerance for the issue of an authority for repeats is the presence of not less than 1% reducing substance in stool exudate tested with copper sulphate diagnostic compound tablet.				
Lactose-Predigested Powder Infant Formula 500g	2	..	13.90	De-Lact Infant SJ
MILK POWDER - SYNTHETIC <u>Authority required.</u> Hypercalcaemia in children under the age of two (2) years; Osteopetrosis. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Low Calcium Compound Powder 397g (continued)	2	20	23.96	Locasol KY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MILK POWDER-SYNTHETIC - cont. <u>Authority required.</u> Galactosaemia; Conditions needing an extreme restriction of lactose in diet in children under the age of four (4) years. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Low Lactose Compound Powder 454g	2	20	25.32	Galactomin Formula 17 KY
<u>Authority required.</u> Glucose-galactose malabsorption. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Fructose Formula, Reduced Fat, Low Lactose Compound Powder 454g	2	20	59.18	Galactomin Formula 19 KY
MINERAL MIXTURE (For use with Amino Acid Formula without Phenylalanine) Phenylketonuria.				
Powder 250g	1	5	22.29	Aminogran M.M. GL
MINOCYCLINE Capsule 100mg	11	..	5.86	Minomycin LE
MINOXIDIL <u>Authority required.</u> For the continuing treatment of severe refractory hypertensive disease where treatment with minoxidil was initiated in a hospital; For the continuing treatment of a patient who has already received long-term (greater than six months) therapy with minoxidil for severe refractory hypertension. (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MINOXIDIL - cont.				
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Tablet 10mg	100	+	38.28	Loniten UP
25mg	100	+	83.13	Loniten UP
MITHRAMYCIN				
For use in a hospital for - inoperable testicular neoplasm; symptomatic hypercalcaemia and hypercalcinuria associated with advanced neoplasia.				
Injection 2.5mg (solvent required)	5	..	111.70	Mithracin PF
MORPHINE with TACRINE				
Severe intractable pain.				
CAUTION: The risk of drug dependence is high.				
Tablet 30mg-15mg	50	..	14.58	Mortha WH
MORPHINE SULPHATE				
CAUTION: The risk of drug dependence is high.				
Injection 10mg in 1mL	5	..	6.03	BL,BT,SI
15mg in 1mL	5	..	6.15	BL,BT,SI
30mg in 1mL	5	..	6.53	BL
MUSTINE				
Injection 10mg (solvent required)	1	..	8.46	BT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NALIDIXIC ACID For use as a urinary antiseptic in patients with neurogenic bladder; Urinary tract infections where current clinical and bacterio- logical evidence confirms that nalidixic acid is the most appropriate therapeutic agent.					
Tablet 500mg	56	2	13.01	Negram	WL
Oral Suspension 50mg per mL, 200mL	#1	2	9.55	Negram	WL
NALOXONE HYDROCHLORIDE Injection 40 micrograms in 2mL	5	..	32.30	Narcan Neonatal	DT
NANDROLONE DECANOATE <u>Authority required.</u> Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids.					
<u>NOTE:</u> An authority for six months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.					
Injection 50mg in 1mL	1	3	14.80	Deca- Durabolin	OR
NANDROLONE PHENYLPROPIONATE <u>Authority required.</u> Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids.					
<u>NOTE:</u> An authority for six months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.					
Injection 25mg in 1mL	3	3	14.80	Durabolin	OR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NAPHAZOLINE HYDROCHLORIDE Eye Drops 0.1%, 15mL	#1	2	4.55	Albalon Liquifilm AG
NAPROXEN Tablet 250mg	50	2	7.43 7.73	Naxen AF Naprosyn SD
Suppository 500mg	20	2	10.10	Naprosyn SD
NATAMYCIN Tablet 100mg	50	..	10.43	Pimafucin GB
Suspension 1%, 5mL	#1	1	4.69	Pimafucin GB
Cream 20mg per g, 15g	#1	1	4.76	Pimafucin GB
Pessaries 25mg, 20	#1	..	6.54	Pimafucin GB
NEOMYCIN Acute leukaemia during induction of remission with chemotherapy; Bowel sterilisation preparatory to major surgery; Encephalopathy, hepatic.				
Tablet 500mg	25	1	11.19	Neosulf ET PT
NEOMYCIN Eye Drops 0.5% (0.35% Neomycin Base), 10mL	#1	2	4.50	Neopt SI
NEOMYCIN UNDECENOATE with BACITRACIN ZINC Ear Ointment 12mg (3.5mg base) - 400 Units per g, 10g	#1	..	4.43	Nemdyn HA
NEOSTIGMINE Tablet 15mg	100	2	6.89	Prostigmin RO
Injection 500 micrograms in 1mL	5	3	4.51	Prostigmin RO
2.5mg in 1mL	5	3	4.96	Prostigmin RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NICLOSAMIDE Hymenolepiasis nana. Tablet 500mg	16	..	12.46	Yomesan BN
NICLOSAMIDE Tablet 500mg	4	..	4.84	Yomesan BN
NICOTINIC ACID Tablet 25mg	100	2	4.01	Nikacid DH US
50mg	100	2	4.09	Nikacid DH,RT,SI US
100mg	100	2	4.23	Nikacid DH US
250mg	100	2	5.30	DH
NIFEDIPINE Angina. <u>NOTE:</u> An authority to prescribe six months' treatment (i.e. one month's treatment with five repeats) may be requested for this item.	100	4	21.05	Adalat BN
NITRAZEPAM <u>NOTE:</u> Authorities for increased maximum quantities and/or repeats for this item may be sought for the treatment of myoclonic epilepsy. Up to six months' treatment (i.e. one month's treatment with five repeats) may be requested.	25	..	3.66	Alodorm AF
Tablet 5mg			4.09	Nitepan US
				Dormicum PT
				Mogadon RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NITROFURANTOIN					
<u>CAUTION:</u> Nitrofurantoin may cause peripheral neuritis and severe pulmonary reactions.					
Tablet 50mg	25	1	6.10	Furadantin	NW
100mg	25	1	8.08	Furadantin	NW
Capsule 50mg	30	1	6.95	Macrochantin	NW
100mg	30	1	9.41	Macrochantin	NW
Paediatric Suspension 25mg per 5mL, 200mL	41	..	8.55	Furadantin	NW
NORETHISTERONE					
Benign mammary dysplasia; Dysfunctional uterine bleeding; Endometriosis; Precocious puberty; Turner's syndrome.					
Tablet 5mg	30	5	7.80	Primolut N	SC
NORETHISTERONE					
Tablet 350 micrograms, 28	2	2	5.68	Micronor Noriday	ET SD
NORETHISTERONE WITH ETHINYL- OESTRADIOL					
Tablet 500 micrograms-35 micrograms, 21	2	2	5.68	Brevinor Modicon	SD ET
1mg-35 micrograms, 21	2	2	5.68	Brevinor-1	SD
Pack containing 21 tablets 500 micrograms-35 micrograms and 7 inert tablets	2	2	5.68	Brevinor Modicon	SD ET
Pack containing 21 tablets 1mg-35 micrograms and 7 inert tablets	2	2	5.68	Brevinor-1	SD
Pack containing 12 tablets 500 micrograms-35 micrograms, 9 tablets 1mg-35 micrograms and 7 inert tablets	2	2	5.68	Synphasic	SD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORETHISTERONE with MESTRANOL Tablet 1mg-50 micrograms, 21	2	2	5.68	Norinyl-1 Ortho-Novum 1/50 SD ET
Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	2	2	5.68	Norinyl-1/28 SD
NORETHISTERONE ACETATE Malignant neoplasia.				
Tablet 10mg	100	2	37.30	SH420 SC
NORETHISTERONE ACETATE with ETHINYLOESTRADIOL Tablet 1mg-50 micrograms, 21	2	2	5.68	Minovlar SC
Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	2	2	5.68	Minovlar ED SC Orlest PD
Pack containing 21 tablets 2.5mg- 50 micrograms and 7 inert tablets	2	2	5.68	Norlestrin PD
NORGESTREL with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 20	2	2	5.68	Duoluton SC
500 micrograms-50 micrograms, 21	2	2	5.68	Eugynon SC Ovral WY
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	2	2	5.68	Eugynon ED SC
NORTRIPTYLINE Tablet 10mg	50	2	4.06	Allegron DL Nortab SQ
25mg	50	2	5.05	Allegron DL Nortab SQ
Paediatric Elixir 10mg per 5mL, 100mL	≠1	4	4.18	Allegron DL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NUTRAMIGEN					
<u>Authority required.</u>					
Cows' milk allergy in children under the age of two (2) years; Cystic fibrosis (mucoviscidosis); Galactosaemia; Glycogen storage disease due to glucose-6-phosphatase deficiency in children under the age of two (2) years; Lactose intolerance.					
<u>NOTE:</u> Milk allergy means eczema, asthma or severe gastro-intestinal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk.					
Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months.					
Age of patient to be shown on application for authority.					
<u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.					
Powder 1kg	#1	20	28.83	Glucose Nutramigen	MJ
NYSTATIN					
Tablet 500,000 Units	50	..	10.05	Diastatin Mycostatin Nilstat	GP SQ LE
Capsule 500,000 Units	50	..	10.05	Mycostatin	SQ
Lozenge 100,000 Units	20	1	4.50	Nilstat	LE
Mixture 100,000 Units per mL, 24mL	#1	1	5.31	Mycostatin Nilstat	SQ LE
Cream 100,000 Units per g, 15g	#1	1	4.63	Mycostatin Nilstat	SQ LE
Gel 100,000 Units per g, 15g	#1	1	4.63	Mycostatin	SQ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NYSTATIN - cont.				
Ointment 100,000 Units per g, 15g	#1	1	4.63	Mycostatin SQ Nilstat LE
Pessaries 100,000 Units, 15	#1	1	4.88	Diastatin GP Mycostatin SQ Nilstat LE
Cream Pessaries 100,000 Units, 15	#1	1	5.03	Nilstat LE
Vaginal Cream 100,000 Units per 4g, 60g (15 doses)	#1	1	5.16	Mycostatin SQ
100,000 Units per 5g, 75g (15 doses)	#1	1	5.16	Nilstat LE
OESTRADIOL VALERATE Injection 10mg in 1mL	3	..	11.13	Primogyn SC Depot
OESTRONE Pessaries 1,000 Units, 12	#1	1	5.65	Kolpon OR
10,000 Units, 12	#1	1	7.56	Kolpon OR
ORNIDAZOLE Tablet 500mg	3	..	5.68	Tiberal RO
ORPHENADRINE HYDROCHLORIDE Parkinsonism. CAUTION: Long term use with major tranquillisers increases the risk of tardive dyskinesia.				
Tablet 50mg	100	2	6.05	Disipal RK Orpadrex PT
OXAZEPAM Tablet 15mg	50	..	3.80 4.06 4.11	Alepam 15 AF Benzotran PT Murelax AY Serepax WY
30mg	50	..	4.18 4.50	Alepam 30 AF Benzotran PT Murelax AY Serepax WY
NOTE: No authorities will be granted for increased maximum quantities and/or repeats of OXAZEPAM.				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXPRENOLOL					
Tablet 20mg	100	2	6.88	Captol	PT
			6.94	Trasicor	CG
40mg	100	2	9.11	Captol	PT
			9.18	Trasicor	CG
Injection 2mg (solvent required)	5	..	7.36	Trasicor	CG
OXYCODONE					
Disabling pain associated with proven malignant neoplasia.					
<u>CAUTION:</u> The risk of drug dependence is high.					
Suppositories 30mg, 12	#1	..	15.09	Proladone	BT
OXYCODONE HYDROCHLORIDE					
Disabling pain associated with proven malignant neoplasia.					
<u>CAUTION:</u> The risk of drug dependence is high.					
Tablet 5mg	20	..	6.04	Endone	DT
OXYMETHOLONE					
<u>Authority required.</u>					
Aplastic anaemias, proven; Myelosclerosis.					
<u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Tablet 50mg	100	+	79.68	Anapolon	SD
100mg	100	+	136.16	Adroyd	PD
OXYTETRACYCLINE					
Capsule 250mg	25	..	5.10	Terramycin	PF
Ointment 3%, 15g	#1	..	4.33	Terramycin	PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXYTOCIN					
Injection 2 Units in 2mL	5	..	5.51	Syntocinon	SZ
5 Units in 1mL	5	..	5.65	Syntocinon	SZ
10 Units in 1mL	5	..	5.79	Syntocinon	SZ
OXYTOCIN with ERGOMETRINE					
Injection					
5 Units and 500 micrograms in 1mL	5	..	6.06	Syntometrine	SZ
PANCREATIN ENZYME					
Cystic fibrosis (mucoviscidosis);					
Following pancreatico-					
duodenectomy;					
Steatorrhoea, pancreatic.					
4 times USNF.XIII strength					
Tablet 325mg	500	4	33.73	Viokase	RS
Powder 250g	41	4	33.38	Viokase	RS
5 times USNF.XIV strength					
Capsule 305mg	500	4	39.80	Viokase	RS
PANCRELIPASE					
Cystic fibrosis (mucoviscidosis);					
Following pancreatico-					
duodenectomy;					
Steatorrhoea, pancreatic.					
Capsule 234mg	250	4	55.16	Pancrease	ET
300mg	250	4	33.73	Cotazym	OR
PAPAVERETUM					
Disabling pain associated with					
proven malignant neoplasia;					
Disabling pain of short duration					
not responding to non-narcotic					
analgesics, the maximum duration					
of treatment being two weeks.					
CAUTION: The risk of drug					
dependence is high.					
Tablet 10mg	20	..	6.04	Omnopon	RO
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PAPAVERTUM - cont. <u>CAUTION: The risk of drug dependence is high.</u>				
Injection 20mg in 1mL	5	..	5.91	Omnopon RO
PAPAVERTUM with HYOSCINE HYDROBROMIDE <u>CAUTION: The risk of drug dependence is high.</u>				
Injection 20mg-430 micrograms in 1mL	5	..	6.04	Omnopon- Scopolamine RO
PARACETAMOL Tablet 500mg	50	1	3.93 4.01	Ceetamol PT Dymadon BW Panacete PR Panamax WL Paralgin FM Parasin NN Parmol US PCL DH
Mixture 120mg per 5mL, 100mL	≠1	4	4.01	Dymadon BW Panamax WL Parmol US
PENICILLAMINE Acute heavy metal intoxication; Cystinosis; Cystinuria with calculus form- ation; Haemoglobinuria, paroxysmal cold; Severe rheumatoid arthritis; Wilson's disease (hepatolenticular degeneration). <u>NOTE: Regular blood and urine checks are essential.</u> <u>NOTE: An authority to prescribe six months' treatment (i.e. one month's treatment with five repeats) may be requested for this item.</u>				
Tablet 125mg	100	1	22.23	D-Penamine DL Perdolat KN
250mg	100	1	35.74	D-Penamine DL Perdolat KN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PERHEXILINE MALEATE <u>Authority required.</u> Angina not responding to other therapy. <u>CAUTION:</u> Note high incidence of severe toxicity including neurotoxicity and hepatotoxicity. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.				
Tablet 100mg	100	+	20.14	Pexid ML
PERICYAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 2.5mg	100	1	4.90	Neulactil MB
10mg	100	1	8.05	Neulactil MB
Mixture 2.5mg per 5mL, 100mL	≠1	4	4.80	Neulactil MB
PERITONEAL DIALYSIS SOLUTION Injection with 1.36% Anhydrous Glucose, 1L with 3.86% Anhydrous Glucose, 1L				
with 1.36% Anhydrous Glucose, 1L	20	1	57.30	Diasol AB
with 3.86% Anhydrous Glucose, 1L	20	1	57.30	Diasol AB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PETHIDINE <u>Authority required.</u> Disabling pain associated with proven malignant neoplasia. <u>CAUTION:</u> The risk of drug dependence is high.				
Tablet 50mg	20	..	5.80	SI
PETHIDINE <u>CAUTION:</u> The risk of drug dependence is high.				
Injection BP, 50mg in 1mL	5	..	5.44 5.96	Pethoid BL,BT,SI
100mg in 2mL	5	..	6.03	BL,BT,SI
<u>NOTE:</u> Authorities for increased maximum quantities and/or repeats for this item will be granted only for the treatment of late-stage malignant neoplasia.				
PHENELZINE Depressive illness resistant to treatment with either tricyclic anti-depressants or electro- convulsive therapy; Phobic states. <u>CAUTION:</u> This drug is a monoamine oxidase inhibitor.				
Tablet 15mg	50	2	6.76	Nardil WW
PHENETHICILLIN Prophylaxis of recurrent strepto- cocal infections (including rheumatic fever).				
Tablet 250mg	50	5	7.80	Pensig SI
Capsule 250mg	50	5	7.80	Optipen Pensig CS SI
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENETHICILLIN - cont.					
Tablet 250mg	25	1	5.05	Pensig	SI
Capsule 250mg	25	1	5.05	Optipen Pensig	CS SI
500mg	25	1	6.18	Optipen Pensig	CS SI
Powder for Syrup					
125mg per 5mL, 100mL	#1	1	#5.61	Pensig 125	SI
250mg per 5mL, 100mL	#1	1	#6.47	Pensig 250	SI
PHENINDIONE					
Tablet 10mg	100	2	6.41	Dindevan	GL
50mg	100	2	8.05	Dindevan	GL
PHENIRAMINE					
Tablet 10mg	50	2	4.01	Fenamine-M	FM
50mg	50	2	4.33	Avil Fenamine	HP FM
Paediatric Syrup					
15mg per 5mL, 100mL	#1	4	4.01	Fenamine	FM
PHENOBARBITONE					
Epilepsy.					
Tablet 30mg	200	4	4.63	DH, FM, SI	
PHENOBARBITONE SODIUM					
Epilepsy.					
Injection 200mg in 1mL	5	..	5.03	BL, FM	
PHENOXYBENZAMINE					
<u>Authority required.</u>					
Phaeochromocytoma;					
Neurogenic urinary retention.					
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Capsule 10mg	100	+	11.55	Dibenyline	SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENOXYMETHYLPENICILLIN					
Prophylaxis of recurrent strepto- coccal infections (including rheumatic fever).					
Tablet 125mg	50	5	6.40	Abbocillin-V LPV	AB CS
250mg	50	5	7.06	Abbocillin-VK Cilicaine VK LPV PVK P.V.O.	AB SI CS LY FM
Capsule 250mg	50	5	7.06	Abbocillin-VK Cilicaine VK Falcopen VK LPV PVK P.V.O.	AB SI FA CS LY FM
PHENOXYMETHYLPENICILLIN					
Tablet 125mg	25	1	4.35	Abbocillin-V LPV	AB CS
250mg	25	1	4.68	Abbocillin-VK Cilicaine VK LPV PVK P.V.O.	AB SI CS LY FM
500mg	25	1	5.65	Abbocillin-VK LPV PVK P.V.O.	AB CS LY FM
Capsule 250mg	25	1	4.68	Abbocillin-VK Cilicaine VK Falcopen VK LPV PVK P.V.O.	AB SI FA CS LY FM
500mg	25	1	5.65	Cilicaine VK Falcopen VK LPV P.V.O.	SI FA CS FM
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHENOXYMETHYLPENICILLIN - cont. Paediatric Suspension 125mg per 5mL, 100mL	#1	1	4.56	Abbocillin-V Cilicaine V Falcopen V LPV 125	AB SI FA CS
Suspension 250mg per 5mL, 100mL	#1	1	5.43	Abbocillin-V Cilicaine V Falcopen V LPV 250	AB SI FA CS
PHENSUXIMIDE Capsule 500mg	200	2	49.01	Milontin	PD
PHENYLALANINE LOW CONTENT FORMULA Phenylketonuria.					
Powder 2.5 lb	2	5	114.80	Lofenalac	MJ
PHENYLEPHRINE Compound Ointment 60g	#1	1	4.74	Hemorex	WL
Compound Suppositories, 12	#1	1	4.74	Hemorex	WL
Eye Drops 0.12%, 15mL	#1	2	4.55	Isopto Frin Prefrin	AQ AG
10%, 5mL	#1	..	5.85	Neo- Synephrine	WL
PHENYTOIN Tablet 50mg	200	2	8.55	Dilantin Infatabs	PD
Paediatric Suspension 30mg per 5mL, 500mL	#1	3	6.74	Dilantin	PD
PHENYTOIN SODIUM Capsule 30mg	200	2	8.50	Dilantin Sodium	PD
100mg	200	2	8.59	Dilantin Sodium	PD
Injection 100mg in 2mL	1	..	6.95	Dilantin Sodium	PD
250mg in 5mL	1	..	8.18	Dilantin Sodium	PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PHOLCODINE Linctus 0.1%, 100mL	≠1	2	3.88	Actuss	SI
				Adaphol	NN
				Duro-Tuss	RK
				Pectolin	FA
				Pholcolin	DH
				Pholcolin Red	DH
				Pholtrate	MG
				Sedlingtus	RT
				Tussinol	GP
				PR,RT	
PHYSOSTIGMINE SALICYLATE Eye Drops 0.25%, 15mL	≠1	6	6.61	IQ	
0.5%, 15mL	≠1	6	7.55	IQ	
PHYTOMENADIONE Injection 1mg	5	..	5.16	Konakion	RO
10mg	5	..	7.08	Konakion	RO
PILOCARPINE <u>Authority required.</u> Chronic glaucoma when other miotics are not tolerated. NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Eye Disc 5mg (releasing 20 micrograms per hour)	8	+	36.05	Ocusert Pilo 20	PT
Eye Disc 11mg (releasing 40 micrograms per hour)	8	+	36.05	Ocusert Pilo 40	PT
PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15mL	≠1	6	4.64	Isopto Carpine	AQ
				Pilopt	SI
				P.V. Carpine	AG
				IQ	
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PILOCARPINE HYDROCHLORIDE - cont. Eye Drops 1%, 15mL	#1	6	4.71	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
2%, 15mL	#1	6	5.30	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
3%, 15mL	#1	6	6.18	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
4%, 15mL	#1	6	6.61	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
6%, 15mL	#1	6	7.55	Isopto Carpine AQ Pilopt SI P.V. Carpine AG
PINDOLOL Tablet 5mg	100	2	9.18 10.09	Barbloc 5 AF Visken SZ
15mg	50	2	11.61 13.24	Barbloc 15 AF Visken SZ
Injection 400 micrograms in 2mL	5	..	7.36	Visken SZ
PIZOTIFEN MALATE Tablet 500 micrograms (base)	100	2	11.66	Sandomigran SZ
PLAGUE VACCINE Injection 1,500 million organisms in 0.5mL	2	..	11.06	CS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PNEUMOCOCCAL VACCINE, POLYVALENT Splenectomised persons over two (2) years of age; Persons with Hodgkin's disease; Persons at high risk of pneumococcal infections.					
Injection 0.5mL	1	..	14.39	Moniarix	SK
POLYESTRADIOL Carcinoma of the breast; Carcinoma of the prostate.					
Injection set containing 40mg and 2mL solvent	1	..	9.20	Estradurin	AY
POLYMYXIN B SULPHATE Ear Drops (Propylene Glycol Base) 10,000 Units per mL, 10mL	#1	2	4.68	Aerosporin	BW
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN Ear Drops 10,000 Units-500 Units- 3.5mg (base) per mL, 15mL	#1	..	4.80	Neotracin	ET
Eye Ointment 5,000 Units- 400 Units-5mg per g, 4g	#1	..	4.23	Mycitracin Neosporin	UP BW
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN Eye Drops 5,000 Units-2.5mg- 25 micrograms per mL, 10mL	#1	2	4.76	Neosporin	BW
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 Units-3.5mg (base)-10mg per mL, 7mL	#1	2	4.61	Aerocortin	BW
POLYVINYL ALCOHOL Eye Drops 1.4%, 15mL	#1	6	4.84	Liquifilm Tears	AG
3%, 15mL	#1	6	5.01	Liquifilm Forte	AG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POTASSIUM CHLORIDE				
NOTE: Concomitant amiloride, triamterene or spironolactone may cause fatal hyperkalaemia.				
Tablet 600mg (sustained release)	100	2	4.80	K-San PR Slow-K CG Span-K PT
Effervescent Tablet 14mmol K ⁺ and 8mmol Cl ⁻	30	2	4.93	Chlorvescent PT
Elixir 1.5g (20mmol K ⁺ and 20mmol Cl ⁻) per 15mL, 500mL	≠1	2	4.98	Kay Ciel SC
Injection Standard Maintenance Fluid-See Intravenous Infusions				
PRALIDOXIME IODIDE				
Injection 500mg	5	..	15.28	AB
PRAZOSIN HYDROCHLORIDE				
Tablet 1mg (base)	100	2	9.35	Minipress PF
2mg (base)	100	2	12.35	Minipress PF
5mg (base)	100	2	18.15	Minipress PF
PREDNISOLONE				
NOTE: An authority to prescribe six months' oral treatment (i.e. one month's treatment with five repeats) may be requested for this item.				
Tablet 1mg	100	4	4.76	Panafcort- PT elone
5mg	60	4	5.05	Adnisolone NN Delta-Cortef UP Deltasolone US Panafcort- PT elone FM Solone PR
25mg	30	4	5.99	Panafcort- PT elone 6.00 Solone FM
Eye Ointment 0.5%, 4g	≠1	..	4.63	Delta-Cortef UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration. Injection 10mg in 1mL	5	..	12.60	Scherisolon	SC
PREDNISOLONE ACETATE Eye Drops 0.5%, 5mL	#1	6	5.16	Sterofrin	AQ
PREDNISOLONE ACETATE with PHENYLEPHRINE Corneal grafts; Uveitis. Eye Drops 1%-0.12%, 10mL	#1	2	7.30	Prednefrin Forte	AG
PREDNISOLONE SODIUM PHOSPHATE Proctitis; Ulcerative colitis. Retention Enema 20mg in 100mL	28	1	67.10	Predsol	GL
Suppositories equivalent to 5mg prednisolone, 10	3	1	18.23	Predsol	GL
PREDNISOLONE SODIUM PHOSPHATE Eye/Ear Drops 0.5%, 5mL	#1	6	5.25	Predsol	GL
PREDNISOLONE STEAROYLGLYCOLATE Tablet 6.65mg	30	2	4.01	Sintisone	FE
PREDNISON Tablet 1mg	100	4	4.76	Panafcort	PT
5mg	60	4	5.05	Adasone Deltasone Panafcort Sone DH, PR	NN US PT FM
25mg	30	4	5.99 6.00	Panafcort Sone	PT FM
PRIMAQUINE Tablet equivalent to 7.5mg base	42	..	7.30	IC	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PRIMIDONE Tablet 250mg	200	2	9.11	Midone Mysoline	PT IC
PROBENECID Tablet 500mg	100	2	10.23 10.25	Procid Benemid	PT FR
PROCAINAMIDE Capsule 250mg	100	2	7.64	Pronestyl	SQ
375mg	100	2	9.14	Pronestyl	SQ
Injection 100mg per mL, 10mL	2	..	7.92	Pronestyl	SQ
PROCAINE PENICILLIN Injection BP, 1g	5	..	13.75	Aquacillin Cilicaine	FA SI
1.5g	5	..	13.88	Aquacillin Cilicaine	FA SI
PROCARBAZINE Capsule 50mg	100	2	20.34	Natulan	RO
PROCHLORPERAZINE <u>Authority required.</u> Emesis associated with malignant disease; Rotational vertigo. <u>CAUTION:</u> Prochlorperazine may be associated with parkinsonism and tardive dyskinesia. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Tablet 5mg	100	+	5.36 5.43	Anti-Naus Compazine Stemetil	PT SK MB

(continued)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROCHLORPERAZINE - cont. CAUTION: Prochlorperazine may be associated with parkinsonism and tardive dyskinesia.				
Tablet 5mg	25	..	3.58 3.61	Anti-Naus Compazine Stemetil PT SK MB
NOTE: Authorities for increased maximum quantities and/or repeats of prochlorperazine tablets will be granted only for the treatment of emesis associated with malignant disease or rotational vertigo.				
Injection 12.5mg in 1mL	10	..	6.28	Compazine Stemetil SK MB
Suppositories 5mg, 5	≠1	..	4.68	Stemetil MB
25mg, 5	≠1	..	5.11	Stemetil MB
PROCYCLIDINE CAUTION: Long term use with major tranquillisers increases the risk of tardive dyskinesia.				
Tablet 5mg	100	2	7.08	Kemadrin BW
PROGUANIL Tablet 100mg				
	100	2	6.55	Paludrine IC
PROMETHAZINE Tablet 10mg				
	50	2	4.09	Phenergan MB
25mg	50	2	4.31 4.33	Meth-Zine Phenergan PT MB
Mixture 5mg per 5mL, 100mL	≠1	4	4.01	Progan Prothazine NN US
Injection 50mg in 2mL	10	..	5.56	BL
PROMETHAZINE THEOCLATE Tablet 25mg				
	30	1	4.55	Avomine MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROPANTHELINE BROMIDE Chronic neurogenic incontinence of urine.					
Tablet 15mg	100	5	5.45	Pantheline	PT
PROPRANOLOL Tablet 10mg	100	2	5.60	Cardinol	PT
			5.66	Deralin 10	AF
				Angilol	BM
				Prolol	US
			6.06	Inderal	IC
40mg	100	2	7.53	Cardinol	PT
				Deralin 40	AF
			7.59	Angilol	BM
				Prolol	US
			9.13	Inderal	IC
160mg	50	2	9.45	Cardinol	PT
				Deralin 160	AF
			9.51	Prolol	US
			12.28	Inderal	IC
Injection 1mg in 1mL	5	..	8.47	Inderal	IC
PROPYLTHIOURACIL Tablet 50mg	100	4	7.93	ET	
PROTAMINE SULPHATE Injection 1%, 10mL	6	..	19.68	BT	
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE Phenylketonuria.					
Powder 200g sachet	10	5	372.30	Albumaid XP	SJ
PYRANTEL EMBONATE Tablet 125mg (base)	6	..	4.30	Anthel 125	AF
250mg (base)	6	..	6.05	Anthel 250	AF
PYRIDOSTIGMINE Tablet 10mg	100	2	7.43	Mestinon	RO
60mg	100	2	17.68	Mestinon	RO
180mg (sustained release)	100	1	39.80	Mestinon	RO
Injection 1mg in 1mL	5	1	5.15	Mestinon	RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PYRIDOXINE HYDROCHLORIDE Homocystinuria; Peripheral neuritis due to isoniazid therapy, prophylaxis or treatment; Primary hyperoxaluria; Pyridoxine-responsive anaemia, proven; Pyridoxine-responsive convulsions; Radiation sickness; Sideroblastic (refractory) anaemia.					
Tablet 25mg	100	..	5.04	Pydox DH, FM	PT
PYRIDOXINE HYDROCHLORIDE Injection 50mg in 1mL	5	1	5.04	BL, FM	
PYRIMETHAMINE Tablet 25mg	50	..	5.86	Daraprim	BW
PYRIMETHAMINE with DAPSONE Tablet 12.5mg-100mg	10	..	5.71	Maloprim	BW
PYRIMETHAMINE with SULFADOXINE Tablet 25mg-500mg	12	..	7.45	Fansidar	RO
QUINETHAZONE Tablet 50mg	50	2	6.19	Aquamox	LE
QUINIDINE BISULPHATE Tablet 250mg (sustained release)	100	2	16.30	Kinidin	AP
QUINIDINE SULPHATE Tablet 200mg	100	2	15.41 15.56	DH, PT Cardoquin Quinidis Quinidoxin PR, QE(NQ), TO	NN US BW
300mg (sustained release)	100	2	21.55	Quinidex LA	RS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
QUININE BISULPHATE Tablet 300mg	50	..	9.26	Bi-Chinine DH Quinbisul AF SoulBiQuin SL PT
			9.35	Biquin NN Bi-Quinate US Myoquin FM Quinbisan PR SI
QUININE SULPHATE Tablet 300mg	50	..	9.26	Chinine DH Quinsul AF SoulQuin SL PT
			9.35	Adaquin NN Quinate US Quinoctal FM Quinsan PR SI,TO
RANITIDINE HYDROCHLORIDE <u>Authority required.</u> Gastric ulcer, confirmed by radiology, endoscopy or surgery; Severe ulcerating oesophagitis, confirmed by endoscopy. <u>NOTE:</u> Applications for authority must state the date of barium meal, endoscopy or surgery (procedure must have been within three months of application). Not more than 120 tablets will be available on authority for each proven episode of benign gastric ulceration or severe ulcerating oesophagitis. Increased maximum quantities and/or repeats will not be authorised.				
Tablet 150mg (base)	60	1	43.55	Zantac GL
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
RANITIDINE HYDROCHLORIDE - cont. <u>Authority required.</u> Duodenal ulcer (including pyloric ulcer), confirmed by radiology, endoscopy or surgery. <u>NOTE:</u> Initial application for authority must state the date of barium meal, endoscopy or surgery. Increased maximum quantities and/or repeats will not be authorised.					
Tablet 150mg (base)	60	2	43.55	Zantac	GL
<u>Authority required.</u> Ulcerating oesophagitis in scleroderma; Zollinger-Ellison syndrome, proven by investigation.					
Tablet 150mg (base)	60	5	43.55	Zantac	GL
RIBOFLAVINE Tablet 5mg	100	2	4.35	FM	
RIFAMPICIN Prophylaxis of meningococcal disease in close contacts and carriers.					
Capsule 150mg	10	..	7.30	Rimycin 150	AF
300mg	10	..	11.05	Rimycin 300	AF
<u>Authority required.</u> Leprosy in adults.					
Capsule 150mg	100	..	39.80	Rimycin 150	AF
300mg	100	..	77.30	Rimycin 300	AF
ROLITETRACYCLINE I.V. Injection set containing 275mg and 10mL solvent	5	..	26.55	Reverin	HP
I.M. Injection set containing 350mg and 2mL solvent	5	..	26.55	Reverin	HP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SALBUTAMOL <u>NOTE: Oral preparations are generally less effective and produce more side effects than inhaled preparations.</u>				
Tablet 4mg	100	2	7.76	Respolin RK Ventolin GL
Syrup 2mg per 5mL, 300mL	#1	4	5.53	Respolin RK Ventolin GL
Capsule 200 micrograms (Oral Inhalation)	100	5	8.74	Ventolin Rotacaps GL
Inhalation Solution For use in RESPIRATOR, 0.5%, 30mL	#1	2	7.50	Respolin RK Ventolin GL
Inhalation, metered aerosol spray, 100 micrograms per dose (200 dose)	#1	5	6.00	Respolin RK Ventolin GL
SALICYLAMIDE Tablet 500mg	100	2	5.05	PT
SENEGA and AMMONIA Mixture APF, 200mL	#1	4	3.94	Senamon DH MG,RT,SI, SL(NQVW) 4.01 PR,QE(NQ),TO
SILVER SULPHADIAZINE with CHLORHEXIDINE GLUCONATE <u>Authority required.</u> Treatment, in a hospital, of burns.				
Cream 1%-0.2%, 500g	#1	..	24.10	Silvazine SN
SODIUM ACID CITRATE Mixture 5.5g per 20mL, 500mL	#1	4	5.04	Citralka PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM ACID PHOSPHATE Authority required. Familial hypophosphataemia; Hypercalcaemia; Vitamin D-resistant rickets. NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised. Compound Effervescent Tablet containing elemental phosphorus 500mg, sodium 469mg (20.4mmol), potassium 123mg (3.1mmol)	100	+	22.30	Phosphate Sandoz SZ
SODIUM AUROTHIOMALATE Injection 1mg	5	..	13.58	Myocrisin MB
5mg	5	..	16.12	Myocrisin MB
10mg	5	..	19.09	Myocrisin MB
20mg	10	1	39.80	Myocrisin MB
50mg	10	1	68.49	Myocrisin MB
SODIUM BICARBONATE Injection 8.4%, 100mL	5	..	16.20	AB
4.2%, 500mL - See Intravenous Infusions				
SODIUM CALCIUMEDETATE Tablet 500mg	100	2	17.39	Calcium Disodium Versenate RK
SODIUM CHLORIDE Injection 0.9%, 2mL	5	1	4.04	BL,BT
0.9%, 5mL	5	1	4.25	BL,BT
0.9%, 10mL	5	1	4.59	BL,BT
1L size-See Intravenous Infusions				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CHLORIDE and GLUCOSE See Intravenous Infusions				
SODIUM CHLORIDE COMPOUND See Intravenous Infusions				
SODIUM CITRO-TARTRATE Effervescent Granules 100g	#1	4	5.04	Citravescent Sachets PT Ural Sachets AB
SODIUM CROMOGLYCATe Capsule 20mg (Oral Inhalation)	100	5	19.39	Intal Spincaps FC
Inhalation, metered aerosol spray, 1mg per dose (200 dose)	#1	2	16.68	Intal FC
SODIUM CROMOGLYCATe Use in a power-operated nebuliser for prophylaxis of asthma in persons who are unable to use the capsule or metered aerosol spray for oral inhalation.				
Nebuliser Solution 20mg per 2mL, ampoule	120	2	46.06	Intal FC
<u>Authority required.</u> Vernal kerato-conjunctivitis.				
Eye Drops 2%, 10mL	#1	..	8.51	Opticrom FC
SODIUM LACTATE See Intravenous Infusions				
SODIUM LACTATE COMPOUND See Intravenous Infusions				
SODIUM LACTATE COMPOUND and ANHYDROUS GLUCOSE See Intravenous Infusions				
SODIUM NITROPRUSSIDE Infusion 50mg	10	..	47.25	Nipride RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM SALICYLATE				
Tablet 300mg (enteric coated)	100	2	5.18	Rhumax PR
500mg (enteric coated)	100	2	5.55	Rhumax PR
600mg (enteric coated)	100	2	5.86	Ensalate RC Rhumax PR
SODIUM VALPROATE				
CAUTION: There are reports of				
(i) fatal hepatotoxicity, particularly in children;				
(ii) teratogenesis (spina bifida in humans).				
Tablet 200mg	200	2	40.58	Epilim RC
200mg (enteric coated)	200	2	40.58	Epilim EC RC
500mg (enteric coated)	100	2	42.13	Epilim EC RC
Syrup 200mg per 5mL, 200mL	2	2	22.12	Epilim RC
SOYA FORMULA				
<u>Authority required.</u>				
Galactosaemia;				
Homocystinuria;				
Lactose intolerance;				
Cows' milk allergy in children under the age of two (2) years.				
NOTE: Milk allergy means eczema, asthma or severe gastro-intestinal upset demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk.				
Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months.				
Age of patient to be shown on application for authority.				
NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SOYA FORMULA - cont.					
Liquid 375mL	5	20	8.05	ProSobee	MJ
384mL	5	20	8.05	Isomil	RD
Powder 500g	#1	20	8.01	Infasoy	WY
SPECTINOMYCIN					
Injection 2g with 3.2mL diluent	1	..	10.11	Trobicin	UP
4g with 6.5mL diluent	1	..	13.23	Trobicin	UP
SPIRONOLACTONE					
<u>Authority required.</u>					
Primary hyperaldosteronism;					
Secondary hyperaldosteronism.					
<u>NOTE: Concomitant amiloride,</u>					
triamterene or supplementary					
potassium may cause fatal					
hyperkalaemia.					
<u>NOTE: A quantity, being a multiple</u>					
of the stated maximum quantity,					
to provide for approximately one					
month's treatment plus sufficient					
repeats to provide for a total of					
six months' therapy may be					
authorised.					
Tablet 25mg	100	+	11.39 11.45	Spirotone Aldactone	PT SR
STANDARD MAINTENANCE FLUID					
See Intravenous Infusions					
STAPHYLOCOCCUS TOXOID					
(FORMALINISED)					
Injection					
Diluted 1 in 10 for use in					
initial injection 5mL	1	..	9.43	CS	
Undiluted 5mL	1	..	10.30	CS	
STILBOESTROL					
Tablet 500 micrograms	100	2	3.96	HA	
1mg	100	2	4.09	HA	
5mg	100	2	4.29	HA	
10mg	100	2	5.30	HA	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
STREPTOKINASE				
Injection				
100,000 I.U. (solvent required)	2	..	48.56	Kabikinase PS
250,000 I.U. (solvent required)	2	..	79.08 83.78	Streptase HP Kabikinase PS
600,000 I.U. (solvent required)	5	..	416.05	Kabikinase PS
750,000 I.U. (solvent required)	5	..	489.00	Streptase HP
STREPTOMYCIN SULPHATE				
Injection 1g (solvent required)	5	3	7.08	GL
SUCRALFATE				
Authority required. Duodenal ulcer (including pyloric ulcer), confirmed by radiology, endoscopy or surgery. NOTE: Initial application for authority must state the date of barium meal, endoscopy or surgery. Increased maximum quantities and/or repeats will not be authorised. Not more than two authorities will be granted in any 12 months' period for duodenal ulcer.				
Authority required. Gastric ulcer, confirmed by radiology, endoscopy or surgery. NOTE: Applications for authority must state the date of barium meal, endoscopy or surgery (procedure must have been within three months of application). Increased maximum quantities and/or repeats will not be authorised. Not more than 240 tablets will be available on authority for each proven episode of benign gastric ulceration.				
Tablet 1g	120	1	29.31	Ulsanic DT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULINDAC Osteoarthritis; Rheumatoid arthritis. CAUTION: There are increasing reports of hepatotoxicity with sulindac.				
Tablet 100mg	50	2	7.78	Clinoril FR
SULPHACETAMIDE SODIUM Eye Drops 10%, 15mL	≠1	2	4.55	Acetopt SI Bleph 10 AG
20%, 15mL	≠1	2	4.55	Acetopt SI
SULPHADIMIDINE Tablet 500mg	40	2	4.69	S-Dimidine PT
SULPHAFURAZOLE Tablet 500mg	40	2	5.04	Gantrisin RO Sulfazole PT
Eye Drops 4%, 10mL	≠1	2	4.55	Gantrisin RO
Eye Ointment 4%, 5g	≠1	..	4.23	Gantrisin RO
SULPHAMETHIZOLE Tablet 250mg	40	2	4.63	PT
500mg	40	2	5.65 5.79	PT Urolucosil WW
1g	20	2	5.64	Urolucosil WW
Paediatric Suspension 100mg per 5mL, 100mL	≠1	1	5.29	Urolucosil WW
SULPHAPYRIDINE Tablet 500mg	100	..	9.30	M & B 693 MB
SULPHASALAZINE Crohn's disease; Ulcerative colitis.				
Tablet 500mg	200	5	25.11 29.00	Ulcol AF Salazopyrin PS
500mg (enteric coated)	200	5	29.00	Salazopyrin- EN PS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SULPHINPYRAZONE					
<u>Authority required.</u>					
Glomerulonephritis; Gout; Renal transplantation.					
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Tablet 100mg	100	+	12.61	Anturan	CG
SULTHIAME					
Tablet 50mg	200	2	9.33	Ospolot	BN
200mg	200	2	18.93	Ospolot	BN
SURGICAL CEMENT					
For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.					
Skin Bond Adhesive 4fl oz	#1	2	7.75	DY	
Solvent 200mL	#1	..	5.45	Zoff	SN
227mL	#1	2	6.34	Unisolve	DY
240mL	#1	2	5.93	Sacsol	EG
250mL	#1	2	6.25	Sacsol Non Flammable	EG
TAMOXIFEN CITRATE					
<u>Authority required.</u>					
Treatment of post-menopausal recurrent or metastatic breast cancer.					
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TAMOXIFEN CITRATE - cont. Tablet 10mg (base)	30	+	25.80	Nolvadex	IC
20mg (base)	30	+	42.30	Nolvadex-D	IC
TEMAZEPAM Capsule 10mg	25	..	4.09	Euhypnos Normison	SI WY
TERBUTALINE SULPHATE <u>NOTE: Oral preparations are generally less effective and produce more side effects than inhaled preparations.</u>					
Tablet 5mg	100	2	7.76	Bricanyl	AP
Elixir 300 micrograms per mL, 300mL	#1	4	5.59	Bricanyl	AP
Injection 100 micrograms in 1mL	5	..	6.00	Bricanyl	AP
500 micrograms in 1mL	5	..	6.13	Bricanyl	AP
Inhalation, metered aerosol spray, 250 micrograms per dose (400 dose)	#1	5	8.18	Bricanyl	AP
Nebuliser Solution 1%, 50mL	#1	2	10.78	Bricanyl	AP
TESTOSTERONE ENANTHATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).					
Injection 100mg in 1mL	3	1	13.16	Primoteston Depot	SC
250mg in 1mL	3	1	27.23	Primoteston Depot	SC
TESTOSTERONE ESTERS Carcinoma of the breast; Gigantism; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).					
Injection 100mg	3	1	13.75	Sustanon"100"	OR
250mg	3	1	26.73	Sustanon"250"	OR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TESTOSTERONE PROPIONATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 25mg in 1mL	9	..	9.02	Testoviron SC
50mg in 1mL	9	..	14.00	Testoviron SC
TETANUS VACCINE, ADSORBED Injection 0.5mL	3	..	7.19	CS
TETRABENAZINE Chorea not adequately controlled by other drug therapy.				
Tablet 25mg	100	2	14.18	Nitoman RO
TETRACOSACTRIN <u>Authority required.</u> Children who need long-term corticosteroid therapy but who are in danger of growth suppression as a result; Hypsarrhythmia; Multiple sclerosis, acute exacerbation; (An authority for up to 10 ampoules may be issued for each acute exacerbation.) Patients who are being withdrawn from long-term corticosteroid therapy; (An authority for up to 5 ampoules may be issued for this purpose.) Ulcerative colitis, proven, not responding to parenteral corticosteroids. <u>NOTE:</u> A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised except as limited above. Injection 500 micrograms in 1mL	5	+	18.50	Synacthen Depot CG
1mg in 1mL	5	+	27.00	Synacthen Depot CG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	7.90	Achromycin LE Panmycin P UP Tetramykoin BZ(N)
TETRACYCLINE Capsule 250mg	25	..	5.10	Achromycin LE Panmycin P UP Tetramykoin BZ(N)
TETRACYCLINE with NYSTATIN Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg-250,000 Units	50	5	7.90	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F AP
TETRACYCLINE with NYSTATIN Capsule 250mg-250,000 Units	25	..	5.10	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F AP
TETRACYCLINE (BUFFERED) Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	7.90	Achromycin V LE Australmycin-V CS Hostacycline P HP Hydracycline FM Steclicin-V SQ Tetrex AP
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE (BUFFERED) - cont. Capsule 250mg	25	..	5.10	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Steclin-V SQ Tetrex AP
THEOPHYLLINE Tablet 50mg	100	2	4.63	Nuelin Paediatric RK
125mg	100	2	5.45	Nuelin RK
200mg	100	2	6.06	Nuelin RK
200mg (sustained release)	50	2	5.15	Theo-Dur AP
250mg (sustained release)	50	2	5.60	Nuelin-S.R. 250 RK
300mg (sustained release)	50	2	6.01	Theo-Dur AP
Capsule 200mg	100	2	6.06	Elixophyllin SC
Elixir 80mg per 15mL, 500mL	≠1	4	4.76	Elixophyllin SC
Syrup 80mg per 15mL, 500mL	≠1	4	4.76	Nuelin RK
THIABENDAZOLE Tablet 500mg	16	..	7.15	Mintezol MK
THIAMINE HYDROCHLORIDE Tablet 50mg	100	2	4.41 4.43	PT Betamin US Betatabs-50 FM Invite-B NN DH, PR
100mg	100	2	4.96 4.98	PT Betamin US Betatabs-100 FM Invite-B NN Thiminone LF PR, QE (NQ)
Injection 100mg in 1mL	5	1	4.84	Beta-Sol FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
THIETHYLPERAZINE					
Tablet 6.5mg (base)	50	..	4.73	Torecan	SZ
Injection 6.5mg (base) in 1mL	10	..	8.10	Torecan	SZ
Suppositories 6.5mg (base), 6	#1	..	4.99	Torecan	SZ
THIOGUANINE					
Tablet 40mg	25	1	61.50	Lanvis	BW
THIOPROPAZATE					
Chorea.					
Tablet 5mg	100	1	7.99	Dartalan	SR
THIORIDAZINE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 10mg	100	1	4.30 4.43	Aldazine 10 Melleril	AF SZ
25mg	100	1	5.43 5.80	Aldazine 25 Melleril	AF SZ
50mg	100	1	7.05 7.55	Aldazine 50 Melleril	AF SZ
100mg	100	1	11.30 12.30	Aldazine 100 Melleril	AF SZ
Oral Solution 3% (30mg per mL), 30mL	#1	4	6.00	Melleril	SZ
Injection 25mg per mL, 2mL	10	..	7.49	Melleril	SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
THIOTEPA Injection 15mg (solvent required)	2	1	22.80	LE	
Eye Drops set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	#1	5	#20.64	LE	
THYROXINE SODIUM (BP 1980) Tablet 50 micrograms	100	2	4.01	Oroxine	BW
100 micrograms	100	2	4.15	Oroxine	BW
200 micrograms	100	2	4.50	Oroxine	BW
TICARCILLIN <u>Authority required.</u> Infections where positive bacteriological evidence confirms that ticarcillin is the most appropriate therapeutic agent; Septicaemia, suspected or proven.					
Injection 3g (solvent required)	5	..	61.31 61.34	Ticillin Tarcil	CS BR
TIMOLOL Tablet 5mg	100	2	10.09	Blocadren	FR
Eye Drops 0.25%, 5mL	#1	6	9.30	Timoptol	FR
0.5%, 5mL	#1	6	10.15	Timoptol	FR
<u>CAUTION:</u> Timolol eye drops may precipitate bronchospasm in susceptible patients.					
TINIDAZOLE Tablet 500mg	4	..	5.68	Fasigyn	PF
TOBRAMYCIN SULPHATE Infections where positive bact- eriological evidence confirms that tobramycin is the MOST appropriate antibiotic; Septicaemia, suspected or proven.					
Injection 40mg	5	..	20.95	Nebcin	LY
80mg	5	..	31.70	Nebcin	LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TOCAINIDE HYDROCHLORIDE Ventricular arrhythmias.				
Tablet 400mg	100	2	24.80	Tonocard AP
600mg	60	2	24.18	Tonocard AP
TOLAZAMIDE Tablet 250mg	100	2	10.50	Tolinase UP
TOLBUTAMIDE Tablet 500mg	100	2	5.86	Diatol Rastinon PT HP
1g	100	2	9.80	Rastinon HP
TRANEXAMIC ACID Hereditary angio-oedema.				
Tablet 500mg	100	2	48.05	Cyklokapron PS
TRANLYCYPROMINE Depressive illness resistant to treatment with either tricyclic anti-depressants or electro- convulsive therapy; Phobic states. <u>CAUTION:</u> This drug is a monoamine oxidase inhibitor.				
Tablet 10mg	50	2	6.76	Parnate SK
TRIAMCINOLONE ACETONIDE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Necrobiosis lipoidica; Psoriasis.				
Injection 10mg in 1mL	5	..	16.69	Kenacort-A10 SQ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIAMICOLONE ACETONIDE - cont.				
Cream 0.02%, 45g	#1	..	4.34	Kenalone 0.02% SQ
0.02%, 100g	#1	..	4.90	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 15g	#1	1	3.96	Aristocort 0.05% LE Kenalone SQ
Ointment 0.02%, 45g	#1	..	4.34	Kenalone 0.02% SQ
0.02%, 100g	#1	..	4.90	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 15g	#1	1	3.96	Aristocort 0.05% LE Kenalone SQ
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN				
Ear Drops 0.1%-0.25% (base)- 0.025%-100,000 Units per g, 7.5mL	#1	2	4.61	Kenacomb Otic SQ
Ear Cream 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	#1	2	4.35	Kenacomb Otic SQ
Ear Ointment 0.1%-0.25% (base)- 0.025%-500,000 Units in 5g	#1	2	4.35	Kenacomb Otic SQ
TRIAMTERENE				
NOTE: Supplementary potassium may cause fatal hyperkalaemia.				
Tablet 100mg	50	2	6.80	Dytac SK
TRIFLUOPERAZINE				
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TRIFLUOPERAZINE - cont. Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1mg	100	1	5.80	Calmazine Stelazine	PT SK
2mg	100	1	7.16	Calmazine Stelazine	PT SK
5mg	100	1	7.68	Calmazine Stelazine	PT SK
Injection 1mg in 1mL	10	..	6.66	Stelazine	SK
TRIGLYCERIDES, MEDIUM CHAIN <u>Authority required.</u> Patients requiring a ketogenic diet for intractable childhood epilepsy; Proven malabsorption. <u>NOTE: Authorities will be limited to the maximum quantity (2 packs) and repeats (20) shown in this schedule.</u>					
Compound Powder 450g	2	20	27.92	Portagen	MJ
<u>Authority required.</u> *Biliary atresia; Cystic fibrosis; Enterokinase deficiency; Intolerance to both milk protein and soya protein; Severe diarrhoea of greater than two weeks duration in infants under the age of four (4) months. <u>NOTE: Authorities will be limited to the maximum quantity (2 packs) and repeats (20) shown in this schedule.</u>					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIGLYCERIDES, MEDIUM CHAIN - cont. Lactalbumin Demineralised Powder 400g	2	20	30.86	Alfare NT
<u>Authority required.</u> Biliary atresia; Cystic fibrosis; Enterokinase deficiency; Intolerance to both milk protein and soya protein; Severe diarrhoea of greater than two weeks duration in infants under the age of four (4) months. <u>NOTE:</u> Authorities will be limited to the maximum quantity (2 packs) and repeats (20) shown in this schedule.				
Protein Hydrolysate Compound Powder 454g	2	20	30.86	Pregestimil MJ
<u>Authority required.</u> Abetalipoproteinaemia; Intestinal lymphangiectasia; Intractable childhood epilepsy requiring a ketogenic diet; Short-term nutritional support in severe steatorrhoea; Steatorrhoea due to distal small bowel resection. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule. <u>NOTE:</u> Not more than one authority may be granted for short-term nutritional support in severe steatorrhoea.				
Oil 1L	≠1	5	27.30	Cow & Gate MCT Oil KY
TRIMEPRAZINE Tablet 10mg	50	2	4.50	Vallergan MB
TRIMETAPHAN Injection set containing 250mg and 5mL water for injections	3	..	19.04	Arfonad RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIMETHOPRIM Acute urinary tract infections.				
Tablet 300mg	7	..	5.26 5.79	Alprim AF Methoprim PT Triprim BW
TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	4.69	Bactrim RO Resprim AF Septrin BW Trib PT
160mg-800mg	10	..	5.79	Bactrim DS RO Resprim Forte AF Septrin Forte BW Trib DS PT
Suspension 40mg-200mg per 5mL, 100mL	1	1	5.29	Bactrim RO Septrin BW Trib PT
TRIMIPRAMINE Tablet 25mg	50	2	5.05	Surmontil MB
Capsule 50mg	50	1	5.68	Surmontil MB
TRIOXYSALEN Vitiligo.				
Tablet 5mg	100	2	23.48	Trisoralen PT
TRIPLE ANTIGEN See Diphtheria, Tetanus and Pertussis Vaccine, Adsorbed.				
TRI-POTASSIUM DI-CITRATO BISMUTHATE COMPLEX Authority required. Duodenal ulcer (including pyloric ulcer), confirmed by radiology, endoscopy or surgery. Gastric ulcer, confirmed by radiology, endoscopy or surgery.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRI-POTASSIUM DI-CITRATO BISMUTHATE COMPLEX - cont. <u>NOTE:</u> Applications for authority must state the date of barium meal, endoscopy or surgery (procedure must have been within three months of application). Increased maximum quantities and/or repeats will not be authorised. <u>CAUTION:</u> Long term bismuth therapy is potentially toxic.				
Tablet 107.7mg (Bi)	112	1	20.69	De-Nol PD
<u>NOTE:</u> Not more than 224 tablets will be available on authority for each proven episode of benign gastric or duodenal ulceration.				
TRIPROLIDINE Tablet 2.5mg	50	2	4.50	Actidil BW
TYPHOID VACCINE Injection 0.5mL	2	..	5.62	CS
TYPHUS VACCINE Injection 1mL	2	..	50.42	CS
UREA Cream 10%, 100g	≠1	2	6.76	Aquacare H.P. AG Aquadrate NW Calmurid PS Nutraplus OL
VANCOMYCIN Endophthalmitis.				
For use in a hospital.				
Injection 500mg (solvent required)	5	..	81.50	Vancocin LY
VASOPRESSIN TANNATE Oily Injection 5 Units in 1mL	10	1	49.80	Pitressin Tannate PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
VERAPAMIL HYDROCHLORIDE <u>CAUTION:</u> The myocardial depressant effects of this drug and of beta-blocking drugs are additive.				
Tablet 40mg	100	2	8.55 9.00 9.74	Anpec 40 AF Verpamil PT Cordilox SC Isoptin KN
80mg	100	2	12.30 12.98 13.99	Anpec 80 AF Verpamil PT Cordilox SC Isoptin KN
Injection 5mg in 2mL	5	..	6.19	Cordilox SC Isoptin KN
VIDARABINE Eye infections caused by herpes simplex virus where idoxuridine has proved ineffective.				
Eye Ointment 3%, 3.5g	#1	..	11.46	Vira A PD
VINBLASTINE Injection 10mg (solvent required)	2	..	47.68	Velbe LY
VINCRIStINE Injection set containing 1mg and 10mL solvent	5	..	101.05 102.00	BL Oncovin LY
5mg and 10mL solvent	1	..	85.93	BL
VITAMIN SUPPLEMENT <u>Authority required.</u> *Chronic cholestasis; Galactosaemia; Persistent monosaccharide intoler- ance; Phenylketonuria; Tyrosinosis, hereditary; *Use in association with a ketogenic diet.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
VITAMIN SUPPLEMENT - cont.					
NOTE: A quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment plus sufficient repeats to provide for a total of six months' therapy may be authorised.					
Tablet	100	+	13.80	Ketovite	ST
Liquid 100mL	#1	+	7.20	Ketovite	ST
WARFARIN					
Tablet 1mg	50	2	5.71	Coumadin Marevan	DT GL
2mg	50	2	5.93	Coumadin	DT
2.5mg	50	2	6.06	Coumadin	DT
3mg	50	2	5.86	Marevan	GL
5mg	50	2	6.13	Coumadin Marevan	DT GL
7.5mg	50	2	6.93	Coumadin	DT
10mg	50	2	8.11	Coumadin	DT
WATER FOR INJECTIONS					
Injection 2mL	5	3	3.96	BL,BT,BZ,SI	
5mL	5	3	4.11	BL,BT,BZ,SI	
10mL	5	3	4.35	BL,BT,BZ,SI	
WOOL ALCOHOLS					
Ointment 100g	#1	1	4.09	Eucerin	SN
WOOL FAT, HYDROUS					
50g tube or jar	#1	..	4.23	SI	
ZINC with PHENYLEPHRINE					
Eye Drops 0.25%-0.12%, 15mL	#1	2	4.55	Prefrin-Z Zincfrin	AG AQ
ZINC OXIDE					
Compound Ointment 50g	#1	1	4.74	Anusol	WW
Compound Suppositories, 12	#1	1	4.74	Anusol	WW

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DEXTRAN 40					
10% with 5% anhydrous glucose, 500mL	12	..	170.06	Lomodex	FC
10% with 5% glucose, 500mL	12	..	178.60	Rheomacrodex	PS
10% with 0.9% sodium chloride, 500mL	12	..	178.60	Rheomacrodex	PS
DEXTRAN 70					
6% with 5% glucose, 500mL	12	..	123.55	Macrodex	PS
6% with 0.9% sodium chloride, 500mL	12	..	123.55	Macrodex	PS
ELECTROLYTE REPLACEMENT SOLUTION					
1L	2	1	9.76	Normosol R Plasma - Lyte 148	AB TV
GLUCOSE					
5%, 1L	5	1	17.70	AB,TV	
10%, 1L	5	1	20.05	AB,TV	
20%, 1L	2	1	9.76	AB,TV	
25%, 1L	2	1	9.76	AB,TV	
50%, 500mL	2	1	8.48	AB	
MANNITOL					
10%, 1L	1	1	6.31	AB	
20%, 500mL	1	1	6.31	AB	
SODIUM BICARBONATE					
4.2%, 500mL	1	1	5.86	AB	
SODIUM CHLORIDE					
0.9%, 1L	5	1	17.70	AB,TV,VF(N)	
3%, 1L	2	1	9.76	AB,TV	
5%, 1L	2	1	9.76	TV	
SODIUM CHLORIDE COMPOUND BPC 1959					
1L	4	1	16.62	AB,TV	

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CHLORIDE and GLUCOSE 0.9%-5%, 1L	2	1	9.76	AB,TV
0.45%-2.5%, 500mL	5	1	17.70	AB,TV
0.225%-3.75%, 500mL	5	1	17.70	AB,TV
0.18%-4%, 1L	5	1	17.70	AB,TV
0.18%-4.3%, 1L	5	1	18.05	AB
SODIUM LACTATE (Solution 1/6 Molar) 1L	5	1	20.60	VF
SODIUM LACTATE COMPOUND 1L	5	1	17.70	AB,TV
SODIUM LACTATE COMPOUND and ANHYDROUS GLUCOSE 5%, 1L	2	1	9.76	AB,TV
STANDARD MAINTENANCE FLUID 500mL	6	..	18.56	AB

SECTION 3 - SCHEDULE OF BENEFITS

Preparations Available for Colostomy
and Ileostomy Use

Preparations Available for Use by Paraplegic
and Quadriplegic Patients

2 PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions to be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACRYLIC RESIN Solution 125g Aerosol Spray	#1	..	9.81	Nobecutane AP
BENZOIN Compound Tincture 35%, 167mL Aerosol Spray	#1	..	6.48	EG
BUTYL MONOESTER POLYMER with ETHANOL Paste 60g	#1	..	9.18	Stomahesive SQ
BUTYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Protective Dressing Aerosol 120g	#1	..	11.43	Skin-Prep DY
Solution 59mL	#1	..	9.30	Skin-Prep DY
Wipes, 50	#1	..	12.93	Skin-Prep DY
CARMELLOSE SODIUM with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	#1	..	4.90	Orabase SQ
Powder 33.3%-33.3%-33.3%, 15g	#1	..	4.78	Orahesive SQ
CHARCOAL, ACTIVATED Tablet 300mg	500	1	15.21	Char-Bons QE(NQ),TO LF
CHLORAMINE Deodorant Tablet 120mg	500	..	6.76	Klortee PT
Powder 25g	#1	4	4.23	Klortee PT
DEODORANT CONCENTRATE Liquid 15mL	#1	..	4.85 4.86	Zerodor ZR Banish DY Odortrol LA
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	5.93	TAGG EG
DIMETHICONE Solution 10%, 180mL Aerosol Spray	#1	..	6.48	Silicon Skin Spray EG
(continued)				

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIMETHICONE - cont. Cream 10%, 50g 10%, 75g See Section 2				
ISOPROPYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Adhesive Protective Gel 28.35g	#1	..	6.28	Skin Gel HO
POLYISOBUTYLENE Compound Adhesive Wafers, 5	#1	5	12.20	Hollihesive Skin Barrier HO
Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	14.36	Stomahesive Set BH SQ
POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121mL	#1	..	6.71	Spray-On Bande EG
STERCULIA (Indian Tragacanth; Gum Karaya) Paste 127.6g	#1	..	9.06	Karaya Paste HO
Powder 71g	#1	..	8.11	DY
Discs, 12	#1	5	9.11	Coloplast BH, DY ST
Discs, Compound, 10	#1	5	11.56	Colly-seels DY
Squares, 6	#1	5	21.78	BH
SURGICAL CEMENT Skin Bond Adhesive 4fl oz Solvent 200mL 227mL 240mL 250mL See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
4 (Prescriptions to be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BASSORIN with FRANGULA BARK Granules 47.3%-8.3%, 250g				
See Section 2				
BISACODYL Enema 10mg in 5mL, 25	#1	2	18.55	Bisalax PT
(aqueous base) 10mg in 5mL, 25	#1	2	18.55	Durolax Micro-Enema BY
Tablet 5mg				
Suppositories 10mg, 10				
See Section 2				
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	5.93	TAGG EG
DIMETHICONE Cream 10%, 50g				
10%, 75g				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL Suppositories 100mg-10mg, 5				
See Section 2				
SURGICAL CEMENT Skin Bond Adhesive 4fl oz				
Solvent 200mL				
227mL				
240mL				
250mL				
See Section 2				

SECTION 4

SCHEDULE OF BENEFITS DRUGS AVAILABLE FOR EXTEMPORANEOUS PREPARATIONS

Drug	Drug
Acetone BP (use as additive only) ACIDS Acetic (6%) BP Acetic (33%) BP Ascorbic BP (use as ingredient of Mixtures of Ferrous Sulphate APF and PL) Benzoic BP Boric Crystal BP (use as additive only) Boric Powder BP (use as additive only) Citric Monohydrate BP Hydrochloric BP Hydrochloric Dilute BP Lactic BP Oleic BP Salicylic BP Trichloroacetic BP Acriflavine BPC 63 Adrenaline BP (may only be prescribed in eye drops) Alum BP Aminophylline BP Ammoniated Mercury BP 73 Aspirin BP Atropine Sulphate BP Beeswax White BP Bentonite BP, sterilised Benzocaine BP Borax BP (use as additive only) Calamine BP Calcium Hydroxide BP Cetomacrogol Emulsifying Wax BP Cetostearyl Alcohol BP Cetrimide BP Chlorbutol BP Chlorhexidine Acetate BP (use as additive only) Chlorinated Lime BP Chlorocresol BP Chloroform BP (use as additive only) Clioquinol BP Cocaine Hydrochloride BP	Codeine Phosphate BP Collodion Flexible BP CREAMS Aqueous APF Aqueous BP Calamine Oily APF Cetomacrogol Aqueous APF Cetomacrogol Aqueous APF 74 Cetrimide BP Cetrimide Aqueous APF Cetrimide Aqueous APF 74 Zinc BP Zinc Oily APF Crystal Violet BP Dithranol BP Emulsifying Wax BP Ephedrine Hydrochloride BP (may only be prescribed in nasal instillations) Ethanol (90%) BP (use as additive only) Ethanol (96%) BP (use as additive only) Ether Solvent BP (use as additive only) EXTRACTS Hyoscyamus Liquid BPC 73 Liquorice Liquid BP Ferrous Sulphate BP Ferrous Sulphate Dried BP Glucose BP (use as additive only) GLYCERIN Ichthammol BPC 73 Glycerol BP GUMS Acacia BP Tragacanth BP Homatropine Hydrobromide BP Ichthammol BP INFUSION Gentian Compound Concentrated BP 1 in 10 Iodine BP

Drug	Drug
Kaolin, Light or Kaolin, Light (Natural) BP Lactose BP Lignocaine Hydrochloride BP LINIMENTS Methyl Salicylate BP Methyl Salicylate Compound APF Turpentine BP LOTION Calamine BP Magenta BPC 73 MAGNESIUM Carbonate Light BP Sulphate BP (may only be prescribed for other than oral use) Sulphate Dried BP (may only be prescribed for other than oral use) Trisilicate BP Menthol BP Methyl Salicylate BP Morphine Hydrochloride BP MUCILAGES Acacia APF Tragacanth APF Tragacanth BPC 73 OILS Arachis BP (use as additive only) Cade BPC 73 Castor BP (use as additive only) Coconut BP Eucalyptus BP (use as additive only) Lavender Spike BPC 68 Maize BP (use as additive only) Olive BP 73 (use as additive only) Peppermint BP (use as additive only) Pumilio Pine BP Siberian Fir BPC 49 Turpentine BP (use as additive only)	OINTMENTS Ammoniated Mercury BP 73 Benzoic Acid Compound APF Emulsifying BP Hydrous BP (white) Hydrous BP (yellow) Methyl Salicylate BP Methyl Salicylate Compound APF 34 Paraffin BP (white) Paraffin BP 68 (yellow) Salicylic Acid APF Salicylic Acid BP Simple BP (white) Simple BP (yellow) Sulphur BP Wool Alcohols BP (white) Wool Alcohols BP (yellow) Zinc BP Zinc and Castor Oil BP Paint Magenta APF Paraffin Hard BP Paraffin Liquid BP (may only be prescribed for other than oral use) Paraffin Liquid Light BPC 63 Paraffin Soft White BP Paraffin Soft Yellow BP PASTES Zinc Compound BP Zinc and Salicylic Acid BP Phenobarbitone BP (may only be prescribed for the treatment of epilepsy) Phenobarbitone Sodium BP (may only be prescribed for the treatment of epilepsy) Phenol BP (not available for ear drops) Phenol Liquefied BP (not available for ear drops) Phenoxyethanol BP Pilocarpine Hydrochloride BP Pilocarpine Nitrate BP Podophyllum Resin BP POTASSIUM Citrate BP Iodide BP Permanganate BP

Drug	Drug
POWDER Tragacanth Compound BP Propylene Glycol BP Resorcinol BP Silver Nitrate BP SOAPS Ethereal APF 55 Soft BP SODIUM Acid Phosphate BP Bicarbonate BP Chloride BP Citrate BP Phosphate BP Thiosulphate BP (use as additive only) SOLUTIONS Aluminium Acetate BPC 73 Benzoic Acid BP Calcium Hydroxide BP Chlorhexidine Gluconate BP (use as additive only) Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Weak BP Morphine Hydrochloride BPC 73 Sodium Chloride BP SPIRITS Ammonia Aromatic BP Camphor Compound APF Chloroform BP Lemon BP Methylated Industrial BP (use as additive only) Squill Elixir BP Squill Oxymel BP Starch BP Sulphur Precipitated BP Sulphurated Potash BPC 73 SYRUPS Lemon APF Orange APF Orange BP Pholcodine Citrate BPC 59 (use as additive only) Raspberry BP Red APF Syrup BP Tolu BP	Talc Purified BP, sterilised Tar Coal BP Tar Coal Prepared BP 73 Theophylline BP Thymol BP Thymol Mouth Wash Compound APF TINCTURES Belladonna BP Benzoin Compound BP Ipecacuanha BP Lobelia Ethereal BPC 73 Opium BP Orange BP Stramonium BP Titanium Dioxide BP Triethanolamine BP WATERS Anise Concentrated BP 1 in 40 (use as additive only) Chlorbutol APF 55 Chloroform Concentrated APF 1 in 40 For Injections BP (extemporaneously prepared eye drops and eye lotions) Peppermint Concentrated APF 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP ZINC Oxide BP Sulphate BP

TABLE OF MAXIMUM QUANTITIES
AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Preparation	Maximum Quantity	No. of Repeats
Creams	100g	1
Dusting Powders	100g	1
Ear Drops	15mL	2
Elixirs	100mL	4
Eye Drops of Cocaine	15mL	..
Eye Drops of Pilocarpine	15mL	6
Eye Drops, Other	15mL	2
Eye Lotions	200mL	1
Gargles	200mL	4
Glycerins	100mL	1
Inhalations	50mL	1
Inhalations, Solid	4g	1
Linctuses	100mL	2
Liniments	100mL	1
Lotions	200mL	2
Mixtures	200mL	4
Mixtures for Children	100mL	4
Mouth Washes	200mL	1
Nasal Instillations	15mL	2
Ointments and Waxes	100g	1
Paints	25mL	1
Pastes of Cocaine	25g	..
Pastes, Other	100g	1
Powders for Internal Use	100g	2
Powders, Irrigation	100g	1
Soaps	200mL	1
Solutions	200mL	2
Syrups	100mL	4
Tinctures	25mL	1

SECTION 5—PRESCRIBERS' LIST

PRESCRIPTION

CREAMS

(Maximum Quantity 100g and 1 Repeat)

ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution	5	mL
Zinc Oxide	20	g
Wool Fat	25	g
Arachis Oil	25	mL
Purified Water, freshly boiled and cooled.....	27	mL

AQUEOUS (APF, BP)

Emulsifying Ointment	30	g
Phenoxyethanol	1	g
Purified Water, freshly boiled and cooled to	100	g

BUFFERED, AQUEOUS (APF)

Sodium Phosphate	2.5	g
Citric Acid Monohydrate.....	500	mg
Chlorocresol	100	mg
Glycerol	5	mL
Emulsifying Ointment	30	g
Purified Water, freshly boiled and cooled to	100	g

CALAMINE, AQUEOUS (APF, BP)

Calamine.....	4	g
Zinc Oxide	3	g
Emulsifying Wax	6	g
Arachis Oil	30	g
Purified Water, freshly boiled and cooled to	100	g

CALAMINE, OILY (APF)

Calamine.....	32	g
Oleic Acid	0.5	mL
Arachis Oil	21.5	mL
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	mL

 PRESCRIPTION

 CREAMS—*continued*

CETOMACROGOL, AQUEOUS (APF)

Cetomacrogol Emulsifying Wax	15	g
Liquid Paraffin	10	g
White Soft Paraffin	10	g
Chlorocresol	100	mg
Propylene Glycol	5	mL
Purified Water, freshly boiled and cooled to	100	g

CETRIMIDE, AQUEOUS (APF)

Cetrimide	500	mg
Chlorocresol	100	mg
Cetostearyl Alcohol	5	g
Liquid Paraffin	50	g
Purified Water, freshly boiled and cooled to	100	g

CHLORHEXIDINE, AQUEOUS (APF) (Chlorhexidine 1% BP)

Chlorhexidine Gluconate Solution	5	mL
Cetomacrogol Emulsifying Wax	25	g
Liquid Paraffin	10	g
Purified Water, freshly boiled and cooled to	100	g

COAL TAR and ZINC, OILY (APF)

Coal Tar, BP	1	g
Castor Oil	1	g
Zinc Cream Oily, APF	98	g

COLD (APF)

White Beeswax	17	g
Liquid Paraffin	45	g
Borax	1	g
Purified Water, freshly boiled and cooled	37	mL

GLYCEROL, OILY (APF)

Glycerol	20	g
Calcium Hydroxide Solution	32	mL
Arachis Oil	22	g
Wool Fat	26	g

ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol	5	g
Wool Fat	15	g
Zinc Cream Oily, APF	80	g

 PRESCRIPTION

CREAMS—continued
OILY (APF)

Wool Alcohols Ointment, APF.....	50	g
Phenoxyethanol	1	g
Dried Magnesium Sulphate	500	mg
Purified Water, freshly boiled and cooled to.....	100	g

SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

Salicylic Acid	2	g
Resorcinol	2	g
Aqueous Cream, APF to.....	100	g

SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

(Salicylic Acid and Sulphur BP)

Salicylic Acid	2	g
Precipitated Sulphur	2	g
Aqueous Cream, APF to.....	100	g

ZINC, OILY (APF)

Zinc Oxide	32	g
Oleic Acid	0.5	mL
Arachis Oil	21.5	mL
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	mL

ZINC, WEAK (PL)

Zinc Oxide	5	g
Oleic Acid	0.5	mL
Arachis Oil	38.5	mL
Wool Fat	25	g
Calcium Hydroxide Solution	34.5	mL

DUSTING POWDER

(Maximum Quantity 100g and 1 Repeat)

ZINC, STARCH and TALC (APF)

Zinc Oxide	25	g
Starch.....	25	g
Purified Talc, sterilised	50	g

 PRESCRIPTION

EAR DROPS

(Maximum Quantity 15mL and 2 Repeats)

ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution	9	mL
Purified Water, freshly boiled and cooled to	15	mL

CHLORHEXIDINE (APF)

Chlorhexidine Acetate.....	7.5	mg
Purified Water, freshly boiled and cooled to	15	ml

ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

SALICYLIC ACID (APF)

Salicylic Acid	300	mg
Ethanol (90 per cent).....	7.5	mL
Purified Water, freshly boiled and cooled to	15	mL

SODIUM BICARBONATE (APF, BP)

Sodium Bicarbonate	750	mg
Glycerol	4.5	mL
Purified Water, freshly boiled and cooled to	15	mL

SPIRIT (APF)

Ethanol (90 per cent).....	7.5	mL
Purified Water, freshly boiled and cooled to	15	mL

INHALATIONS

(Maximum Quantity 50mL and 1 Repeat)

BENZOIN (PL)

Benzoin Tincture, Compound.....	50	mL
---------------------------------	----	----

BENZOIN, COMPOUND (PL)

Menthol	1	g
Oil of Siberian Fir	2.5	mL
Benzoin Tincture, Compound to	50	mL

 PRESCRIPTION

INHALATIONS—continued
BENZOIN and MENTHOL (PL, APF)

Menthol	1	g
Benzoin Tincture, Compound to	50	mL

MENTHOL and EUCALYPTUS (BP)

Menthol	1	g
Eucalyptus Oil	5	mL
Light Magnesium Carbonate	3.5	g
Purified Water to	50	mL

MENTHOL and PINE (APF)

Menthol	1	g
Pumilio Pine Oil	2.5	mL
Ethanol (90 per cent) to	50	mL

LINIMENT

(Maximum Quantity 100mL and 1 Repeat)

METHYL SALICYLATE, COMPOUND (APF)

Menthol	4	g
Eucalyptus Oil	10	mL
Methyl Salicylate	25	mL
Arachis Oil to	100	mL

LOTIONS

(Maximum Quantity 200mL and 2 Repeats)

CALAMINE (APF, BP)

Calamine	30	g
Zinc Oxide	10	g
Bentonite, sterilised	6	g
Sodium Citrate	1	g
Liquefied Phenol	1	mL
Glycerol	10	mL
Purified Water, freshly boiled and cooled to	200	mL

 PRESCRIPTION

LOTIONS—continued
CALAMINE, OILY (APF, BP)

Calamine.....	10	g
Wool Fat	2	g
Arachis Oil.....	100	mL
Oleic Acid	1	mL
Calcium Hydroxide Solution to	200	mL

RESORCINOL, COMPOUND (APF)

Resorcinol	5	g
Solvent Ether	5	mL
Castor Oil	5	mL
Spike Lavender Oil	0.2	mL
Ethanol (90 per cent) to	200	mL

SULPHURATED (APF)

Zinc Sulphate.....	10	g
Sulphurated Potash	10	g
Acetone	10	mL
Glycerol	10	mL
Spike Lavender Oil	0.4	mL
Purified Water, freshly boiled and cooled to	200	mL

MIXTURES

(Maximum Quantity 200mL and 4 Repeats)

ASPIRIN (APF)

Aspirin	500	mg
Compound Tragacanth Powder	250	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water.....	0.25	mL
Purified Water to	10	mL

FERROUS SULPHATE (APF)

Ferrous Sulphate.....	300	mg
Ascorbic Acid	10	mg
Orange Syrup, APF	0.5	mL
Concentrated Chloroform Water.....	0.25	mL
Purified Water to	10	mL

 PRESCRIPTION

MIXTURES—*continued***GENTIAN, ALKALINE (APF, BP)**

Concentrated Compound Gentian Infusion	1	mL
Sodium Bicarbonate	500	mg
Concentrated Chloroform Water.....	0.25	mL
Purified Water to	10	mL

IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture.....	0.25	mL
Compound Camphor Spirit.....	1	mL
Tolu Syrup	1	mL
Squill Oxymel	1	mL
Concentrated Chloroform Water.....	0.15	mL
Concentrated Anise Water	0.15	mL
Purified Water to	10	mL

KAOLIN and OPIUM (APF)

Light Kaolin or Light Kaolin (Natural)	2.5	g
Alum.....	10	mg
Opium Tincture.....	0.5	mL
Concentrated Chloroform Water.....	0.25	mL
Purified Water to	10	mL

POTASSIUM CITRATE (APF)

Potassium Citrate	2	g
Citric Acid Monohydrate.....	400	mg
Lemon Syrup, APF.....	1	mL
Concentrated Chloroform Water.....	0.2	mL
Purified Water to	10	mL

POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate	1	g
Sodium Bicarbonate	750	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water.....	0.2	mL
Purified Water to	10	mL

 PRESCRIPTION

MIXTURES—*continued***POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)**

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	250	mg
Stramonium Tincture.....	0.5	mL
Lobelia Tincture, Ethereal	0.5	mL
Aromatic Ammonia Spirit	0.5	mL
Liquorice Liquid Extract	0.5	mL
Concentrated Chloroform Water.....	0.25	mL
Purified Water to	10	mL

SODIUM CITRATE (APF)

Sodium Citrate	2	g
Citric Acid Monohydrate.....	400	mg
Lemon Syrup, APF.....	1	mL
Concentrated Chloroform Water.....	0.2	mL
Purified Water to	10	mL

NASAL INSTILLATIONS

(Maximum Quantity 15mL and 2 Repeats)

EPHEDRINE (APF)

Ephedrine Hydrochloride.....	150	mg
Chlorbutol.....	75	mg
Sodium Chloride.....	75	mg
Propylene Glycol	0.75	mL
Purified Water, freshly boiled and cooled to	15	mL

GLUCOSE and GLYCEROL (APF)

Glucose.....	3	g
Glycerol to	15	mL

OINTMENTS

(Maximum Quantity 100g and 1 Repeat)

BENZOIC ACID, COMPOUND (APF, BP)

Benzoic Acid in fine powder	6	g
Salicylic Acid in fine powder.....	3	g
Emulsifying Ointment	91	g

 PRESCRIPTION

OINTMENTS—continued
EMULSIFYING (APF, BP)

Emulsifying Wax	30	g
White Soft Paraffin	50	g
Liquid Paraffin	20	g

RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol	2	g
Precipitated Sulphur	3	g
Salicylic Acid	1	g
White Simple Ointment	94	g

SALICYLIC ACID (APF)

Salicylic Acid	2	g
Wool Alcohols Ointment, APF.....	98	g

SIMPLE (APF, BP)
(White Simple Ointment)

Wool Fat	5	g
Hard Paraffin	5	g
Cetostearyl Alcohol	5	g
White Soft Paraffin	85	g

ZINC and CASTOR OIL (APF, BP)

Zinc Oxide	7.5	g
Castor Oil	50	g
Cetostearyl Alcohol	2	g
White Beeswax	10	g
Arachis Oil	30.5	g

ZINC OXIDE (APF)
(Zinc BP)

Zinc Oxide	15	g
White Simple Ointment	85	g

 PRESCRIPTION

PAINTS

(Maximum Quantity 25mL and 1 Repeat)

ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

MAGENTA (APF)

Magenta	100	mg
Resorcinol	2	g
Phenol	1	g
Boric Acid	200	mg
Ethanol (90 per cent)	2.125	mL
Acetone	1	mL
Purified Water to	25	mL

PODOPHYLLIN (PL)

Podophyllum Resin	1.25	g
Benzoin Tincture, Compound to	25	mL

PODOPHYLLIN, COMPOUND (APF, BP)

Podophyllum Resin	3.75	g
Benzoin Tincture, Compound to	25	mL

SALICYLIC ACID (APF)

Salicylic Acid	2.5	g
Flexible Collodion to	25	mL

PASTES

(Maximum Quantity 100g and 1 Repeat)

COAL TAR and ZINC (APF)

Coal Tar	1	g
Castor Oil	1	g
Compound Zinc Paste	98	g

DITHRANOL (APF)

Dithranol	100	mg
Zinc and Salicylic Acid Paste	99.9	g

 PRESCRIPTION

PASTES — *continued*
TITANIUM DIOXIDE (APF)

Titanium Dioxide.....	20	g
Calamine.....	25	g
Light Kaolin or Light Kaolin (Natural)	10	g
Bentonite, sterilised	1	g
Chlorocresol	100	mg
Glycerol	15	g
Purified Water, freshly boiled and cooled to	100	g

ZINC, COMPOUND (APF, BP)

Zinc Oxide	25	g
Starch.....	25	g
White Soft Paraffin	50	g

ZINC and SALICYLIC ACID (APF)

Salicylic Acid	2	g
Liquid Paraffin	2	g
Compound Zinc Paste	96	g

SECTION 5—PRESCRIBERS' LIST

CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100ml and 4 Repeats)

ASPIRIN (APF)

Aspirin	150	mg
Compound Tragacanth Powder	100	mg
Raspberry Syrup	1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

BELLADONNA (APF)

Belladonna Tincture	0.1	mL
Orange Syrup, APF	1	mL
Glycerol	1	mL
Benzoic Acid Solution	0.1	mL
Purified Water to	5	mL

FERROUS SULPHATE (APF)

Ferrous Sulphate.....	100	mg
Ascorbic Acid	5	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture.....	0.1	mL
Compound Camphor Spirit.....	0.25	mL
Squill Oxymel	1	mL
Purified Water to	5	mL

POTASSIUM CITRATE (APF)

Potassium Citrate	1	g
Citric Acid Monohydrate.....	200	mg
Lemon Syrup, APF	1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

CHILDREN'S SECTION

 PRESCRIPTION

MIXTURES — *continued*
POTASSIUM IODIDE (APF)

Potassium Iodide	100	mg
Liquorice Liquid Extract	0.25	mL
Aromatic Ammonia Spirit	0.1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

SODIUM CITRATE (APF)

Sodium Citrate	1	g
Citric Acid Monohydrate.....	200	mg
Lemon Syrup, APF.....	1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

(C & I) Preparations available for colostomy and
ileostomy use

(P & Q) Preparations available for use by paraplegic
and quadriplegic patients

Proprietary Name	Manufacturer	Name
Abbecillin	AB	Penicillin Products
Abbecillin-V	AB	Phenoxymethylpenicillin
Abbecillin-VK	AB	Phenoxymethylpenicillin
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actacode	SI	Codeine Phosphate
Actal	WL	Aluminium Hydroxide Dried
Actidil	BW	Triprolidine
Actrapid MC	CN	Insulin Neutral
Actuss	SI	Pholcodine
Adacor	NN	Hydrocortisone
Adalat	BN	Nifedipine
Adaphol	NN	Pholcodine
Adaquin	NN	Quinine Sulphate
Adasone	NN	Prednisone
Adnisolone	NN	Prednisolone
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Aerosporin	BW	Polymyxin B Sulphate
Akineton	KN	Biperiden
Albalon-A	AG	Antazoline with Naphazoline
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albay Bee Venom	BN	Insect Allergen Extract - Honey Bee Venom
Albay Wasp Venom	BN	Insect Allergen Extract - Paper Wasp Venom
Albumaid XP	SJ	Protein Hydrolysate Formula without Phenylalanine
Aldactone	SR	Spiroinolactone
Aldazine 10	AF	Thioridazine
Aldazine 25	AF	Thioridazine
Aldazine 50	AF	Thioridazine
Aldazine 100	AF	Thioridazine
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alepam 15	AF	Oxazepam
Alepam 30	AF	Oxazepam
Alfaré	NT	Triglycerides, Medium Chain
Alinol	US	Allopurinol
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Allergex	PT	Chlorpheniramine
Alloremed 100	DH	Allopurinol
Alloremed 300	DH	Allopurinol
Almacarb	GL	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Alodorm	AF	Nitrazepam
Alphapress 25	AF	Hydralazine Hydrochloride
Alphapress 50	AF	Hydralazine Hydrochloride
Alprim	AF	Trimethoprim
Alucone	DH	Aluminium Hydroxide with Magnesium Hydroxide

Proprietary Name	Manufacturer	Name
Aludrox	WY	Aluminium Hydroxide with Magnesium Hydroxide
Alusorb	DH	Aluminium Hydroxide
Ames-BG	AM	Glucose Indicator - Blood
Aminogran F.S.	GL	Amino Acid Formula without Phenylalanine
Aminogran M.M.	GL	Mineral Mixture
Aminopt	SI	Aminacrine Hydrochloride
Amitrip	PT	Amitriptyline
Amizide	PT	Hydrochlorothiazide with Amiloride
Amoxil	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide
Amphotabs	WY	Aluminium Hydroxide Dried
Ampicyn	PT	Ampicillin
Amytal Sodium	LY	Amylobarbitone Sodium
Anapolon	SD	Oxymetholone
Anatenso1	SQ	Fluphenazine
Ancolan	GL	Meclozine
Ancotil	RO	Flucytosine
Angilol	BM	Propranolol
Anginine Stabilised	BW	Glyceryl Trinitrate
Anpec 40	AF	Verapamil Hydrochloride
Anpec 80	AF	Verapamil Hydrochloride
Antadine	DT	Amantadine Hydrochloride
Antenex 2	AF	Diazepam
Antenex 5	AF	Diazepam
Anthel 125	AF	Pyrantel Embonate
Anthel 250	AF	Pyrantel Embonate
Anti-Naus	PT	Prochlorperazine
Antipres	PT	Guanethidine
Antipres M	PT	Guanethidine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	CG	Sulphinpyrazone
Anusol	WW	Zinc Oxide
Apresoline	CG	Hydralazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacare H.P.	AG	Urea
Aquacillin	FA	Procaine Penicillin
Aquadrate	NW	Urea
Aquamox	LE	Quinethazone
Arfonad	RO	Trimetaphan
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Arterioflexin	PT	Clofibrate
Arthrexin	AF	Indomethacin
Ascabiol	MB	Benzyl Benzoate
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
A.T.10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna Alkaloids
Atrobel FORTE	FM	Belladonna Alkaloids
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate

Proprietary Name	Manufacturer	Name
Atrovent	BY	Ipratropium Bromide
Aureomycin	LE	Chlortetracycline
Austramycin-V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Avil	HP	Pheniramine
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
Azide	FM	Chlorothiazide
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Barbloc 5	AF	Pindolol
Barbloc 15	AF	Pindolol
Baycaron	BN	Mefruside
Becotide	GL	Beclomethasone Dipropionate
Becotide Rotacaps	GL	Beclomethasone Dipropionate
Benadryl	PD	Diphenhydramine
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Benzide	PT	Bendrofluazide
Benzide M	PT	Bendrofluazide
Benzotran	PT	Oxazepam
Berotec	BY	Fenoterol Hydrobromide
Betacard	BR	Alprenolol
Betaloc	AP	Metoprolol
Betamin	US	Thiamine Hydrochloride
Betatabs-50	FM	Thiamine Hydrochloride
Betatabs-100	FM	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnovate 1/5	GL	Betamethasone Valerate
Betnovate 1/2	GL	Betamethasone Valerate
Bi-Chinine	DH	Quinine Bisulphate
Bicillin All Purpose	WY	Benzathine Penicillin Compound
Bicillin L-A	WY	Benzathine Penicillin
Biphasil 21	WY	Levonorgestrel with Ethinyloestradiol
Biphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Bi-Prin	BT	Aspirin
Biquin	NN	Quinine Bisulphate
Bi-Quinate	US	Quinine Bisulphate
Bisalax	PT	Bisacodyl
Bleph 10	AG	Sulphacetamide Sodium
Blocadren	FR	Timolol
BM-Test-BG	BO	Glucose Indicator - Blood
BM-Test-Glycemie 20-800	BO	Glucose Indicator - Blood
Brevinor	SD	Norethisterone with Ethinyloestradiol
Brevinor-1	SD	Norethisterone with Ethinyloestradiol
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Clopamide
Brondecon-PD	PD	Choline Theophyllinate
Brondecon Elixir-PD	PD	Choline Theophyllinate

Proprietary Name	Manufacturer	Name
Bronkephrine	WL	Ethylnoradrenaline
Brufen	BT	Ibuprofen
Bufferin	AP	Aspirin
Burinex	AP	Bumetanide
Buscopan	BY	Hyoscine Butylbromide
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine, Ito-barbitone and Belladonna Alkaloids
Calcihep	WP	Heparin Calcium
Calciparine	RC	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Caltrate	LE	Calcium
Camcolit	NE	Lithium Carbonate
Campholinct	DH	Camphor Compound
Canesten	BN	Clotrimazole
Canesten 1	BN	Clotrimazole
Canesten 3	BN	Clotrimazole
Capoten	SQ	Captopril
Caprin	CS	Heparin Calcium
Captol	PT	Oxprenolol
Capurate-100	FM	Allopurinol
Capurate-300	FM	Allopurinol
Carbapen	CS	Carbenicillin
Carbolith	DH	Lithium Carbonate
Cardinol	PT	Propranolol
Cardophyllin	HA	Aminophylline
Cardoquin	NN	Quinidine Sulphate
Catapres	BY	Clonidine
Catapres 100	BY	Clonidine
Ceetamol	PT	Paracetamol
Celestone	SH	Betamethasone
Celestone Chronodose	SH	Betamethasone Acetate with Betamethasone Sodium Phosphate
Celestone-M	SH	Betamethasone Valerate
Celestone-V Half Strength	SH	Betamethasone Valerate
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalothin Sodium
Ceporex	GL	Cephalexin
Char-Bons	LF	Charcoal, Activated (C & I)
Chinine	DH	Quinine Sulphate
Chlomin	US	Chloramphenicol
Chloralix	RK	Chloral Hydrate
Chloramin	LF	Chlorpheniramine
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromycetin Succinate	PD	Chloramphenicol
Chloromyxin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol

Proprietary Name	Manu- fac- turer	Name
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol
Chlorvescent	PT	Potassium Chloride
Chlotride	FR	Chlorothiazide
Choledyl	WW	Choline Theophyllinate
Cidomycin	RL	Gentamicin Sulphate
Cilamox	SI	Amoxycillin
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymethylpenicillin
Cilicaine VK	SI	Phenoxymethylpenicillin
Citraalka	PD	Sodium Acid Citrate
Citravescent Sachets	PT	Sodium Citro-Tartrate
Claforan	RL	Cefotaxime
Cleensheen	FL	Maldison
Clinistix	AM	Glucose Indicator - Urine
Clinitest	AM	Copper Sulphate
Clinoril	FR	Sulindac
Codalgin	FM	Codeine Phosphate with Paracetamol
Codate	US	Codeine Phosphate
Codelix	DH	Codeine Phosphate
Codlin	NN	Codeine Phosphate
Codral Forte	BW	Codeine Phosphate with Aspirin
Cogentin	MK	Benztropine
Colestid	UP	Colestipol Hydrochloride
Colgout	PT	Colchicine
Colifoam	SV	Hydrocortisone Acetate
Colly-seels	DY	Sterculia (C & I)
Coloplast	ST	Sterculia (C & I)
Coloxyl	FM	Diocetyl Sodium Sulphosuccinate with Bisacodyl
Coluric	NN	Colchicine
Coly-Mycin	WW	Colistin with Neomycin
Ear Drops		
Coly-Mycin Injection	WW	Colistin
Compazine	SK	Prochlorperazine
Comycin	UP	Tetracycline with Nystatin
Convuline	PT	Carbamazepine
Cordarone X 200	RC	Amiodarone Hydrochloride
Cordilox	SC	Verapamil Hydrochloride
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cotazym	OR	Pancrelipase
Coumadin	DT	Warfarin
Cow & Gate MCT Oil	KY	Triglycerides, Medium Chain
Crystapen	GL	Benzylpenicillin
Cyclidox	PT	Doxycycline
Cyklokapron	PS	Tranexamic Acid
Cytadren	CG	Aminoglutethimide
Cytamen 100	GL	Cyanocobalamin
Cytamen 1000	GL	Cyanocobalamin
Cytosar-U	UP	Cytarabine

Proprietary Name	Manufacturer	Name
Daktarin	JP	Miconazole
Daktarin	JP	Miconazole Nitrate
Dalacin C	UP	Clindamycin
Danocrine	WL	Danazol
Dantrium	NW	Dantrolene Sodium
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
De-Lact Infant	SJ	Milk Powder - Low Lactose Formula
Delta-Cortef	UP	Prednisolone
Deltasolone	US	Prednisolone
Deltasone	US	Prednisone
De-Nol	PD	Tri-potassium Di-citrate Bismuthate Complex
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Deptran 10	AF	Doxepin
Deptran 25	AF	Doxepin
Deptran 50	AF	Doxepin
Deralin 10	AF	Propranolol
Deralin 40	AF	Propranolol
Deralin 160	AF	Propranolol
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "O"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Dexacillin	SQ	Epacillin
Dexamethasone	PT	Dexamethasone
Diabex	DF	Metformin
Diabinese	PF	Chlorpropamide
Diaformin	AF	Metformin
Diamicron	SE	Gliclazide
Diamox	LE	Acetazolamide
Diasol	AB	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator - Urine
Diatol	PT	Tolbutamide
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Digestelact	SJ	Milk Powder - Lactose Modified
Dihydroergot	SZ	Dihydroergotamine
Dilantin	PD	Phenytoin
Dilantin Infatabs	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilosyn	GL	Methdilazine
Dimal	PT	Methyldopa
Dimetane	RS	Brompheniramine
Dindevan	GL	Phenindione
Dipramol	PT	Dipyridamole
Diprosone	SH	Betamethasone Dipropionate
Disipal	RK	Orphenadrine Hydrochloride
Diulo	SR	Metolazone

Proprietary Name	Manufacturer	Name
Diuret	PT	Chlorothiazide
Diurone	US	Chlorothiazide
Dolobid	MK	Diflunisal
Donnatab	RS	Belladonna Alkaloids
Dormel	DH	Chloral Hydrate
Dormicum	PT	Nitrazepam
Doryx	FA	Doxycycline
Doxin	GP	Doxycycline
Doxylin 50	AF	Doxycycline
Doxylin 100	AF	Doxycycline
D-Penamine	DL	Penicillamine
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	ET	Lactulose
Duphaston	ET	Dydrogesterone
Durabolin	OR	Nandrolone Phenylpropionate
Duractin	CS	Cimetidine
Durolax	BY	Bisacodyl
Durolax Micro-Enema	BY	Bisacodyl (P & Q)
Duro-Tuss	RK	Pholcodine
Dyazide	SK	Hydrochlorothiazide with Triamterene
Dymadon	BW	Paracetamol
Dymadon Co.	BW	Codeine Phosphate with Paracetamol
Dytac	SK	Triamterene
Ecostatin	SQ	Econazole Nitrate
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
EES 200	AB	Erythromycin Ethylsuccinate
EES Dulcet	AB	Erythromycin Ethylsuccinate
Efcortelan	GL	Hydrocortisone Sodium Succinate
Ekaprol	DF	Aminocaproic Acid
Elix-Nocte Forte	NN	Chloral Hydrate
Elixophyllin	SC	Theophylline
Emsalin	DH	Methyl Salicylate
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin Stearate
Endep 10	AF	Amitriptyline
Endep 25	AF	Amitriptyline
Endep 50	AF	Amitriptyline
Endone	DT	Oxycodone Hydrochloride
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate
Epifrin	AG	Adrenaline
Epilim	RC	Sodium Valproate
Epilim EC	RC	Sodium Valproate
Eppy/N	BF	Adrenaline
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergotrate	LY	Ergometrine Maleate
Eromycin	DL	Erythromycin Estolate
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin Ethylsuccinate
Erythrocin	AB	Erythromycin Lactobionate
Erythrocin	AB	Erythromycin Stearate

Proprietary Name	Manu- fac- turer	Name
Esidrex	CG	Hydrochlorothiazide
Estigyn	GL	Ethinylloestradiol
Estradurin	AY	Polyestradiol
Ethamolin	GL	Ethanolamine Oleate
Eucerin	SN	Wool Alcohols
Euglucon	RC	Glubenzamide
Eugynon	SC	Norgestrel with Ethinylloestradiol
Eugynon-ED	SC	Norgestrel with Ethinylloestradiol
Euhypnos	SI	Temazepam
Eumydrin	WL	Atropine Methonitrate
Falcopen V	FA	Phenoxymethylpenicillin
Falcopen VK	FA	Phenoxymethylpenicillin
Fansidar	RO	Pyrimethamine with Sulfadoxine
Farlutal	FE	Medroxyprogesterone
Fasigyn	PF	Tinidazole
Fefol	SK	Ferrous Sulphate Dried with Folic Acid
Fenamine	FM	Pheniramine
Fenamine-M	FM	Pheniramine
Fenostil	ZY	Dimethindene
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Gradumets	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Flagyl S	MB	Metronidazole Benzoate
Flopen	CS	Flucloxacillin
Florinef	SQ	Fludrocortisone Acetate
Floxapen	BR	Flucloxacillin
Flucon	AQ	Fluorometholone
Fluvax	CS	Influenza Vaccine
FML Liquifilm	AG	Fluorometholone
Folasic	NN	Folic Acid
Folicid	US	Folic Acid
Fucidin	SK	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fungilin	SO	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	NW	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
Galactomin	KY	Milk Powder - Synthetic
Formula 17		
Galactomin	KY	Milk Powder - Synthetic
Formula 19		
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastrogel	FM	Aluminium Hydroxide with Magnesium Trisilicate and Magnesium Hydroxide
Gelox	PR	Aluminium Hydroxide
Gelusil	WW	Aluminium Hydroxide with Magnesium Hydroxide
Geopen Oral	PF	Carindacillin

Proprietary Name	Manufacturer	Name
Glaucan	AQ	Adrenaline
Glucophage	RN	Metformin
Glucose Nutramigen	MJ	Nutramigen
Glyfosolix	DH	Glycerophosphate Compound
Gold-50	SH	Aurothioglucose
Granocol	SC	Bassorin with Frangula Bark
Griseostatin	SH	Griseofulvin
Grisfulvin 330	PT	Griseofulvin
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin
Gyne-Iotremin	SH	Clotrimazole
Gyno-Daktarin 7	JP	Miconazole Nitrate
Gyno-Travogen	SC	Isoconazole Nitrate
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormethiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
Histalert	RK	Diphenylpyraline
HMS Liquifilm	AG	Medrysone
Hollihesive Skin Barrier	HO	Polyisobutylene (C & I)
Honvan	BC	Fosfestrol Sodium
Hostacycline P	HP	Tetracycline (Buffered)
Hycor	SI	Hydrocortisone
Hydracycline	FM	Tetracycline (Buffered)
Hydrea	SO	Hydroxyurea
Hydrosone	US	Hydrocortisone
Hygroton	CG	Chlorthalidone
Hyperstat I.V.	SH	Diazoxide
Hypurin Isophane	WP	Insulin Isophane (N.P.H.)
Hypurin Neutral	WP	Insulin Neutral
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin Estolate
Ilotycin	LY	Erythromycin Gluceptate
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Imodium	JP	Loperamide Hydrochloride
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Infasoy	WY	Soya Formula
Inflam	PT	Ibuprofen
Insulatard Nordisk	BW	Insulin Isophane (N.P.H.)
Insulin 2	CN	Insulin
Intal	FC	Sodium Cromoglycate
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	NN	Thiamine Hydrochloride
Ismelin	CG	Guanethidine
Isomil	RD	Soya Formula

Proprietary Name	Manufacturer	Name
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Isosorbide Dinitrate
Isordil Sublingual	AY	Isosorbide Dinitrate
Isotard MC	CN	Insulin Isophane (N.P.H.)
Isotrate	PD	Isosorbide Dinitrate
Isotrate Sublingual	PD	Isosorbide Dinitrate
Jectofer	AP	Iron Sorbitol
Kabikinase	PS	Streptokinase
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaogel	FA	Aluminium Hydroxide with Kaolin
Kaomagma	WY	Aluminium Hydroxide with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karaya Paste	HO	Sterculia (C & I)
Kay Ciel	SC	Potassium Chloride
Keflex	LY	Cephalexin
Keflin Neutral	LY	Cephalothin Sodium
Kefzol	LY	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator - Urine
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Klortee	PT	Chloramine (C & I)
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
Lacril	AG	Hypromellose
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amitriptyline
Lasix	HP	Furosemide
Lasix-M	HP	Furosemide
Ledermycin	LE	Demeclocycline Hydrochloride
Lente MC	CN	Insulin Zinc Suspension
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Lioresal	CG	Baclofen

Proprietary Name	Manufacturer	Name
Liquifilm Forte	AG	Polyvinyl Alcohol
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
Locacorten	CG	Flumethasone with Clioquinol
Vioform		
Locasol	KY	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomodex	FC	Dextran 40
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Loniten	UP	Minoxidil
Lopresor	CG	Metoprolol
Loxexane	IC	Lindane
Loxexane Concentrate	IC	Lindane
Lotremin	SH	Clotrimazole
LPV	CS	Phenoxymethylpenicillin
LPV 125	CS	Phenoxymethylpenicillin
LPV 250	CS	Phenoxymethylpenicillin
Lyspafen	PT	Difenoxin Hydrochloride with Atropine Sulphate
M & B 693	MB	Sulphapyridine
Macrochantin	NW	Nitrofurantoin
Macrodex	PS	Dextran 70
Madopar	RO	Levodopa with Benserazide
Madopar-M	RO	Levodopa with Benserazide
Madopar Q	RO	Levodopa with Benserazide
Magnoplasm	FA	Magnesium Sulphate
Maloprim	BW	Pyrimethamine with Dapsone
Mandelamine	WW	Hexamine Mandelate
Mandelamine Hafgrams	WW	Hexamine Mandelate
Marevan	GL	Warfarin
Maxamaid XP	SJ	Amino Acid Formula with Vitamins and Minerals without Phenylalanine
Maxidex	AQ	Dexamethasone
Maxolon	BR	Metoclopramide Hydrochloride
Medrol	UP	Methylprednisolone
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Mestinson	RO	Pyridostigmine
Metamide	PT	Metoclopramide Hydrochloride
Methopa	US	Methyldopa
Methoprim	PT	Trimethoprim
Methopt	SI	Hypromellose
Methopt Forte	SI	Hypromellose
Meth-Zine	PT	Promethazine
Metrozine	SR	Metronidazole
Mexitil	BY	Mexiletine Hydrochloride
Microgynon 30	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 30 ED	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50 ED	SC	Levonorgestrel with Ethinyloestradiol
Microlut 28	SC	Levonorgestrel
Micronor	ET	Norethisterone

Proprietary Name	Manufacturer	Name
Microval 28	WY	Levonorgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milontin	PD	Phensuximide
Minipress	PF	Prazosin Hydrochloride
Minirin	PT	Desmopressin
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyloestradiol
Mintezol	MK	Thiabendazole
Mithracin	PF	Mithramycin
Mixtard Nordisk	BW	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
Modecate	SQ	Fluphenazine Decanoate
Modicon	ET	Norethisterone with Ethinyloestradiol
Moduretic	MK	Hydrochlorothiazide with Amiloride
Mogadon	RO	Nitrazepam
Moniarix	SK	Pneumococcal Vaccine, Polyvalent
Monistat 7	ET	Miconazole Nitrate
Monistat Derm	ET	Miconazole Nitrate
Monotard MC	CN	Insulin Zinc Suspension
Mortha	WH	Morphine with Tacrine
Moxacin	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide with Magnesium Hydroxide and Oxethazaine
Mucomyst	AP	Acetylcysteine
Murelax	AY	Oxazepam
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide with Magnesium Hydroxide
Myleran	BW	Busulphan
Myocrisin	MB	Sodium Aurothiomalate
Myoquin	FM	Quinine Bisulphate
Mysoline	IC	Primidone
Mysteclin-V	SQ	Tetracycline with Nystatin
Mytelase	WL	Ambenonium Chloride
Naprosyn	SD	Naproxen
Narcan Neonatal	DT	Naloxone Hydrochloride
Nardil	WW	Phenelzine
Natulan	RO	Procarbazine
Navidrex	CG	Cyclopenthiiazide
Naxen	AF	Naproxen
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Cortef	UP	Hydrocortisone with Neomycin Sulphate
Neogynon	SC	Levonorgestrel with Ethinyloestradiol
Neogynon ED	SC	Levonorgestrel with Ethinyloestradiol
Neo-Mercazole	NS	Carbimazole
Neopt	SI	Neomycin

Proprietary Name	Manu- fac- turer	Name
Neosporin Eye Ointment	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Neosporin Eye Drops	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulactil	MB	Pericyazine
Neutralon	SC	Aluminium Sodium Silicate
Nikacid	US	Nicotinic Acid
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nitepam	US	Nitrazepam
Nitoman	RO	Tetrabenazine
Nitradisc	SR	Glyceryl Trinitrate
Nitro-Bid	PT	Glyceryl Trinitrate
Nivaquine	MB	Chloroquine
Nobecutane	AP	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nolvadex	IC	Tamoxifen Citrate
Nolvadex-D	IC	Tamoxifen Citrate
Nordette 21	WY	Levonorgestrel with Ethinyloestradiol
Nordette 28	WY	Levonorgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordirol 21	WY	Levonorgestrel with Ethinyloestradiol
Nordirol 28	WY	Levonorgestrel with Ethinyloestradiol
Noriday	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-1/28	SD	Norethisterone with Mestranol
Norlestrin	PD	Norethisterone Acetate with Ethinyloestradiol
Normison	WY	Temazepam
Normosol R	AB	Electrolyte Replacement Solution
Norpace	SR	Disopyramide
Nortab	SQ	Nortriptyline
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
Nuelin-S.R. 250	RK	Theophylline
Nutraplus	OL	Urea
Ocusert Pilo 20	PT	Pilocarpine
Ocusert Pilo 40	PT	Pilocarpine
Odortrol	LA	Deodorant Concentrate (C & I)
Omnopon	RO	Papaveretum
Omnopon Scopolamine	RO	Papaveretum with Hyoscine Hydrobromide
Oncovin	LY	Vincristine
Opticrom	FC	Sodium Cromoglycate
Optipen	CS	Phenethicillin
Orabase	SQ	Carmellose Sodium with Pectin and Gelatin (C & I)
Orabolin	OR	Ethinyloestrenol
Oradexon	OR	Dexamethasone
Orahesive	SQ	Carmellose Sodium with Pectin and Gelatin (C & I)
Orbenin	BR	Cloxacillin
Orlest	PD	Norethisterone Acetate with Ethinyloestradiol
Oroxine	BW	Thyroxine Sodium (BP 1980)

Proprietary Name	Manu- fac- turer	Name
Orpadrex	PT	Orphenadrine Hydrochloride
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ospolot	BN	Sulthiame
Ostelin	GL	Ergocalciferol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 0.5/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Pacedol	PT	Haloperidol
Palaprin Forte	NS	Aloxiaprin
Palfium	FA	Dextromoramide
Paludrine	IC	Proguanil
Panacete	PR	Paracetamol
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panamax	WL	Paracetamol
Panamax Co.	WL	Codeine Phosphate with Paracetamol
Pancrease	ET	Pancrelipase
Panmycin P	UP	Tetracycline
Pantheline	PT	Propantheline Bromide
Paracodin	KN	Dihydrocodeine Tartrate
Paralgin	FM	Paracetamol
Parasin	NN	Paracetamol
Parlodel	SZ	Bromocriptine Mesylate
Parmol	US	Paracetamol
Parnate	SK	Tranlycypromine
PCL	DH	Paracetamol
Pectolin	FA	Pholcodine
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Perdolat	KN	Penicillamine
Periactin	FR	Cyproheptadine
Persantin 100	BY	Dipyridamole
Pertofran	CG	Desipramine
Pethoid	BW	Pethidine
Pevaryl	SK	Econazole Nitrate
Pexid	ML	Perhexiline Maleate
Phenergan	MB	Promethazine
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Phosphate Sandoz	SZ	Sodium Acid Phosphate
Phospholine Iodide	AY	Ecothiopate Iodide
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafucin	GB	Natamycin
Piriton	GL	Chlorpheniramine
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	SJ	Amino Acid Formula without Phenylalanine
PK AID II	SJ	Amino Acid Formula without Phenylalanine
Plaquenil	WL	Hydroxychloroquine

Proprietary Name	Manu- fac- turer	Name
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	NN	Ferrous Aminoacetosulphate
Polaramine	SH	Dexchlorpheniramine
Portagen	MJ	Triglycerides, Medium Chain
Pramin	AF	Metoclopramide Hydrochloride
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Presolol 100	AF	Labetalol
Presolol 200	AF	Labetalol
Priadel	PT	Lithium Carbonate
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn Depot	SC	Oestradiol Valerate
Primolut N	SC	Norethisterone
Primoteston Depot	SC	Testosterone Enanthate
Primperan	US	Metoclopramide Hydrochloride
Procid	PT	Probenecid
Procort	PR	Hydrocortisone
Progan	NN	Promethazine
Progot	PT	Allopurinol
Proladone	BT	Oxycodone
Prolol	US	Propranolol
Promacid	US	Chlorpromazine
Promide	PT	Chlorpropamide
Prominal	WL	Methylphenobarbitone
Pronestyl	SO	Procainamide
Pro-Pam	PT	Diazepam
Propine	AG	Dipivefrine Hydrochloride
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Protamine Zinc	CN	Insulin Protamine Zinc
Insulin MC		
Protaphane MC	CN	Insulin Isophane (N.P.H.)
Prothazine	US	Promethazine
Prothiaden	BT	Dothiepin Hydrochloride
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Questran	AP	Cholestyramine
Quinate	US	Quinine Sulphate
Quinbisan	PR	Quinine Bisulphate
Quinbisul	AF	Quinine Bisulphate
Quinidex LA	RS	Quinidine Sulphate
Quinidis	US	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinocetl	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate

Proprietary Name	Manufacturer	Name
Quinsul	AF	Quinine Sulphate
Quitaxon	RC	Doxepin
Rapitard MC	CN	Insulin Biphasic
Rastinon	HP	Tolbutamide
Rectinol	GP	Benzocaine with Adrenaline
Redu-Press	PT	Debrisoquine
Redu-Press M	PT	Debrisoquine
Repalyte	DH	Electrolyte Replacement (Oral)
Respolin	RK	Salbutamol
Resprim	AF	Trimethoprim with Sulphamethoxazole
Resprim Forte	AF	Trimethoprim with Sulphamethoxazole
Reverin	HP	Rolitetracycline
Rheomacrodex	PS	Dextran 40
Rheumacin	PT	Indomethacin
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Rikodeine	RK	Dihydrocodeine Tartrate
Rimycin 150	AF	Rifampicin
Rimycin 300	AF	Rifampicin
Rivotril	RO	Clonazepam
Rocaltrol	RO	Calcitriol
Rondomycin	WW	Methacycline
Rythmodan	RL	Disopyramide
Sacsol	EG	Surgical Cement
Sacsol Non Flammable	EG	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Saventrine	PN	Isoprenaline Hydrochloride
Scherisolon	SC	Prednisolone Acetate
S-Dimidine	PT	Sulphadimidine
Sedlingtus	RT	Pholcodine
Semilente MC	CN	Insulin Zinc Suspension (Amorphous)
Semilente MC Beef	CN	Insulin Zinc Suspension (Amorphous)
Senamon	DH	Senega and Ammonia
Septrin	BW	Trimethoprim with Sulphamethoxazole
Septrin Forte	BW	Trimethoprim with Sulphamethoxazole
Sequilar ED	SC	Levonorgestrel with Ethinyloestradiol
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Silicon Skin Spray	EG	Dimethicone (C & I)
Silvazine	SN	Silver Sulphadiazine with Chlorhexidine Gluconate
Simeco Suspension	WY	Aluminium Hydroxide with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel

Proprietary Name	Manufacturer	Name
Sinemet	MK	Levodopa with Carbidopa
Sinemet 100/25	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa
Sinequan	PF	Doxepin
Sintisone	FE	Prednisolone Stearoylglycolate
Skin Gel	HO	Isopropyl Monoester Polymer with Isopropyl Alcohol (C & I)
Skin-Prep	DY	Butyl Monoester Polymer with Isopropyl Alcohol (C & I)
Slow-Fe	CG	Ferrous Sulphate Dried
Slow-K	CG	Potassium Chloride
Sodexol	SC	Aluminium Hydroxide with Magnesium Hydroxide
Sofradex	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solcode	RC	Codeine Phosphate with Aspirin
Solone	FM	Prednisolone
Solprin	UP	Aspirin
Solu-Cortef	RC	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Somophyllin	FC	Aminophylline
Sone	FM	Prednisone
SoulBiQuin	SL	Quinine Bisulphate
SoulQuin	SL	Quinine Sulphate
Span-K	PT	Potassium Chloride
Spirotone	PT	Spiroinolactone
Spray-On Bande	EG	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
S.R.A.	BT	Aspirin
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Ergocaliciferol
Stomahesive	SO	Butyl Monoester Polymer with Ethanol (C & I)
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptase	HP	Streptokinase
Sulfazole	PT	Sulphafurazole
Supres 25	PT	Hydralazine Hydrochloride
Supres 50	PT	Hydralazine Hydrochloride
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	CG	Amantadine Hydrochloride
Synacthen Depot	CG	Tetracosactrin
Synphasic	SD	Norethisterone with Ethinyloestradiol
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine


Proprietary Name	Manu- fac- turer	Name
Tagamet	SK	Cimetidine
TAGG	EG	Deodorant Detergent Solution (C & I) (P & Q)
Tarcil	BR	Ticarcillin
Tears Naturale	AQ	Hypromellose with Dextran
Tegretol	CG	Carbamazepine
Tenormin	IC	Atenolol
Teril	AF	Carbamazepine
Terramycin	PF	Oxytetracycline
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator - Urine
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetramykoin	BZ	Tetracycline
Tetrex	AP	Tetracycline (Buffered)
Tetrex-F	AP	Tetracycline with Nystatin
Theo-Dur	AP	Theophylline
Thiminone	LF	Thiamine Hydrochloride
Thioprine	AF	Azathioprine
Thiotepa	LE	Thiotepa
Tiberal	RO	Ornidazole
Ticillin	CS	Ticarcillin
Tigason	RO	Etretinate
Timoptol	FR	Timolol
Tofranil	CG	Imipramine
Tolinase	UP	Tolazamide
Tolvon	OR	Mianserin Hydrochloride
Tonocard	AP	Tocainide Hydrochloride
Topilar	SD	Fluoclorolone Acetoneide
Topodil	SC	Fluocortolone Esters
Torecan	SZ	Thiethylperazine
Trandate	GL	Labetalol
Transiderm-Nitro 25	CG	Glyceryl Trinitrate
Trasicor	CG	Oxprenolol
Travogen	SC	Isoconazole Nitrate
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichozole	PT	Metronidazole
Triphasil	WY	Levonorgestrel with Ethinyloestradiol
Triphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Triprim	BW	Trimethoprim
Triquilar	SC	Levonorgestrel with Ethinyloestradiol
Triquilar ED	SC	Levonorgestrel with Ethinyloestradiol
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Tussinol	GP	Pholcodine
Uicol	AF	Sulphasalazine
Ulsanic	DT	Sucralfate
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Ultralente MC	CN	Insulin Zinc Suspension (Crystalline)
Unisolve	DY	Surgical Cement
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol

Proprietary Name	Manu- fac- turer	Name
Uremide	PT	Frusemide
Urex	FM	Frusemide
Urex-Forte	FM	Frusemide
Urex-M	FM	Frusemide
Urid	PT	Chlorthalidone
Urimor	PT	Methyclothiazide
Uro-Carb	HA	Bethanechol
Urolucosil	WW	Sulphamethizole
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Vancocin	LY	Vancomycin
Vasopressin	SZ	Lypressin
Vaxigrip	MB	Influenza Vaccine
Velbe	LY	Vinblastine
Velosulin Nordisk	BW	Insulin Neutral
Ventolin	GL	Salbutamol
Ventolin Rotacaps	GL	Salbutamol
Verpamil	PT	Verapamil Hydrochloride
Vibramycin	PF	Doxycycline
Vibra-Tabs	PF	Doxycycline
Vioform	CG	Clioquinol
Viokase	RS	Pancreatin Enzyme
Vira A	PD	Vidarabine
Virifenemide	WR	Frusemide
Visidex II	AM	Glucose Indicator - Blood
Visken	SZ	Pindolol
Voltaren 50	CG	Diclofenac Sodium
Wellcome Semilente	BW	Insulin Zinc Suspension (Amorphous)
Xylocard 100	AP	Lignocaine
Xylocard 300 I.M.	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Yomesan	BN	Niclosamide
Zadine	SH	Azatadine Maleate
Zantac	GL	Ranitidine Hydrochloride
Zarontin	PD	Ethosuximide
Zephiran Concentrated	WL	Benzalkonium Chloride
Zerodor	ZR	Deodorant Concentrate (C & I)
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement
Zovirax	BW	Acyclovir
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Albay	Bayer Pharmaceutical Company - Allergen extracts
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Ensa	Reckitts - Tablet preparations
Filmtabs	Abbott A'asia - Coated tablets
Gradumets	Abbott A'asia - Sustained release tablets
Isopto	Alcon Laboratories - Eye drops
Novo	Novo Laboratories - Preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith, Kline & French - Delayed release capsules
Sustets	Lederle - Sustained release capsules
Tabloid	Wellcome Australia Limited - Tablet preparations
Tri-Test	Drug Houses of Australia Pty Ltd - Preparations
Venosol	Abbott A'asia - Intravenous infusions
Viaflex	Travenol Laboratories - Intravenous infusions
Wellcome	Wellcome Australia Limited - Preparations



Repatriation Schedule of Pharmaceutical Benefits

December 1985



Veterans' Affairs



Commonwealth Department of
Veterans' Affairs

Repatriation Schedule of Pharmaceutical Benefits

December 1985

This schedule should be read in conjunction with the current SCHEDULE OF PHARMACEUTICAL BENEFITS issued under the National Health Act.

Australian Government Publishing Service
Canberra 1985

© Commonwealth of Australia 1985
ISSN 0811-7705

Typeset and Printed by CPP Pty Ltd T/as Canberra Publishing and Printing Co.,
Fyshwick, A.C.T.

**Explanatory Circular regarding the December 1985
edition of the Repatriation Schedule of Pharmaceutical
Benefits.**

This reprint of the Schedule will take effect on 1 December
1985 and all previous editions of the Schedule
are cancelled.

SUMMARY OF CHANGES ADDITIONS

Addition of New Items

Section 1

Ethylhexylparamethoxycinnamate, Cream 8%, 75 g (Le Tan Le Face
Protection Creme S. P. F. 15 + Broad Spectrum)

Octyl Dimethyl p-Aminobenzoate and Oxybenzone, Lotion 7%-3%, 125 mL
(Pabafilm 15)

New Forms, Strengths or Pack Sizes of Existing Items

Section 1

**Ethylhexylparamethoxycinnamate and Tertiarybutylmethoxydibenzoyl-
methane**, Lotion 7%-2%, 125 mL (Le Tan Sunscreen Lotion S.P.F. 15 +
Broad Spectrum)

DELETIONS

Deletion of Items

Section 1

Mexenone, Cream 4%, 50 g (Uvistat)

Mexenone, Solid Stick 4%, 5 g (Uvistat-L)

Octyl Dimethyl PABA, Cream 4.5%, 100 mL (U.V. Sunfilter Cream (Deep Moisture))

Octyl Dimethyl PABA, Cream (water resistant) 5.5%, 100 mL (U.V. Sunblock Cream (WR))

Octyl Dimethyl PABA, Solid stick 6%, 30 g (U.V. Sunblock Stick)

Pethidine Hydrochloride, Tablet; 50 mg (SI) — This item has been added to the N.H.S. Schedule as from 1 December 1985.

Tertiarybutylmethoxydibenzoyl Methane and Amerscreen P, Lotion 1.5%-5%, 100 mL (Hamilton Sunscreen Broad Spectrum Clear Lotion)

Deletion of Forms, Strengths or Pack Sizes of Existing Items

Section 1

Aluminium Hydroxide with Magnesium Hydroxide and Simethicone,
Suspension 400 mg-400 mg-30 mg per 5 mL, 500 mL (Sodexol DS)

**Betamethasone Valerate and Gentamicin Sulphate, Ointment 0.05%-0.1%,
15 g (Celestone-VG½)**

ALTERATIONS

Alteration to Existing Items Description

Section 1

From

CHLORHEXIDINE GLUCONATE

4160Y Mouth Wash 0.2%, 200 mL ±1 — Plaqacide OB

To

CHLORHEXIDINE GLUCONATE

4161B Mouth Wash 0.2% 250 mL ±1 — Plaqacide OB

Alteration to Number of Repeats

Section 1

	From	To
Cimetidine , Tablet 200 mg (Duractin, Tagamet)	2	5
Cimetidine , Tablet 400 mg (Duractin, Tagamet)	2	5
Ranitidine Hydrochloride , Tablet 150 mg (Zantac)	2	5
Doxepin , Tablet 50 mg (Sinequan)	2	1

Alteration to Manufacturers' Code

Section 1

	From	To
Salicylic Acid and Podophyllin Resin , Ointment 25%-20%, 15 g (Salicylin-P)	MN	KY

ADVANCE NOTICES

DELETIONS

The item listed below will be deleted from the Repatriation Schedule of Pharmaceutical Benefits as from 1 March 1986.

Section 1

4096N Cyclophosphamide, Tablet 50 mg (Endoxan-Asta)

4541B Doxepin, Tablet 50 mg (Sinequan)

Section 1

REPATRIATION SCHEDULE OF BENEFITS

Drugs, Medicines and Diagnostic
Reagents

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
ALGINIC ACID COMPOUND					
4108F	Granules 4 g Sachets (pack of 24)	5	2	Gavigrans	RC
ALLANTOIN and COAL TAR EXTRACT					
4111J	Lotion 2%-5%, 250 mL	‡1	2	Alphosyl	SV
4112K	Cream 2%-5%, 55 g	‡1	2	Alphosyl	SV
4113L	Shampoo 0.2%-5%, 55 g	‡1	2	Alphosyl	SV
ALLANTOIN, SULPHUR, PHENOL, COAL TAR SOLUTION and MENTHOL					
4506E	Gel 2.5%-0.5%-0.5%- 5%-0.75%, 75 g	‡1	2	Egopsoryl-TA	EO
ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE and SIMETHICONE					
4116P	Tablet 230 mg-230 mg-12 mg	100	2	Duoquel	BW
4117Q	400 mg-400 mg-30 mg	100	2	Mylanta II	PD
Suspension					
4118R	400 mg-400 mg-30 mg per 5 mL, 375 mL	‡1	4	Mylanta II	PD
AMOXYCILLIN					
4503B	Capsule 500 mg	30	—	Amoxil Moxacin	BR CS
4504C	Powder for Syrup 250mg per 5mL, 100 mL	‡1	1	Amoxil Moxacin	BR CS
ASPIRIN (BUFFERED)					
4501X	Tablet 500 mg	100	2	Bufferin Extra Strength (ESB)	AP

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>
4122Y	BATH EMOLLIENT Bath Oil, 500 mL	±1	2	Hamilton Bath Oil HA QV Bath Oil EO Rikoderm RK
4126E	BECLOMETHASONE DIPROPIONATE Inhalation, metered aerosol nasal spray, 50 micrograms per dose (200 dose)	±1	2	Aldecin SH Beconase GL
4128G	BENZALKONIUM CHLORIDE, CETRIMIDE and LANOLIN Cream 0.01%-0.18%-1.8%, 50g	±1	2	Drapolex BW
4129H	BENZTROPINE Tablet 0.5 mg	100	2	Cogentin MK

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
BETAMETHASONE DIPROPIONATE					
4507F	Cream 0.05%, 50 g	‡1	2	Diprosone	SH
4508G	Ointment 0.05%, 50 g	‡1	2	Diprosone	SH
4509H	Scalp Lotion 0.05%, 30 mL	‡1	2	Diprosone	SH
BETAMETHASONE VALERATE					
4511K	Cream 0.05%, 30 g	‡1	2	Betnovate ½ Celestone V Half Strength	GL SH
4515P	0.1%, 15 g	‡1	2	Betnovate Celestone V	GL SH
4131K	0.1%, 30 g	‡1	2	Betnovate Celestone V	GL SH
4517R	Gel 0.05%, 30 g	‡1	2	Betnovate ½	GL
4513M	Ointment 0.05%, 30 g	‡1	2	Betnovate ½ Celestone V Half Strength	GL SH
4516Q	0.1%, 15 g	‡1	2	Celestone V	SH
4132L	0.1%, 30 g	‡1	2	Betnovate Celestone V	GL SH
4133M	Scalp Application 0.1%, 30 g	‡1	2	Betnovate	GL
BETAMETHASONE VALERATE and GENTAMICIN SULPHATE					
4137R	Cream 0.1%-0.1%, 30 g	‡1	2	Celestone-VG	SH
4138T	Ointment 0.1%-0.1%, 30 g	‡1	2	Celestone-VG	SH
BISMUTH FORMIC IODIDE					
4143C	Powder 10 g	‡1	—	B.F.I.	MK

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
BOVINE PLASMA DERIVATIVE					
4146F	Dry Powder-vial 5000 N.I.H. thrombin units with 5 mL vial of diluent	‡1	—	Thrombostat	PD
4147G	Dry Powder-vial 10 000 N.I.H. thrombin units with 10 mL vial of diluent	‡1	—	Thrombostat	PD
BROMAZEPAM					
4150K	Tablet 3 mg	50	—	Lexotan	RO
4151L	6 mg	50	—	Lexotan	RO
4152M	12 mg	50	—	Lexotan	RO
BROMAZEPAM					
CAUTION: Where continuing long term therapy is deemed necessary by the prescriber					
4101W	Tablet 3 mg	100	2	Lexotan	RO
4102X	6 mg	100	2	Lexotan	RO
4103Y	12 mg	100	2	Lexotan	RO
BROMHEXINE HYDROCHLORIDE					
NOTE: For use of patients established on this therapy prior to 1 March 1983					
4148H	Tablet 8 mg	100	2	Bisolvon	BY
CALCIUM GLUCONATE					
4154P	Tablet 600 mg	100	2	SI	

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	CAMPBOR, MENTHOL, EUCALYPTUS OIL, ISOBORNYL ACETATE and METHYL SALICYLATE				
4155Q	Cream 1%-1%-0.5%-0.5%-12%, 100 g	‡1	1	Dencorub	CW
	CARBENOXOLONE SODIUM				
4156R	Gel 2%, 5 g	‡1	1	Bioral	SN
	CARMELLOSE SODIUM with PECTIN and GELATIN Paste				
4518T	16.7%-16.7%-16.7%, 5 g	‡1	—	Orabase	SQ
4520X	16.7%-16.7%-16.7%, 80 g	‡1	2	Orabase	SQ
	CETYLALCOHOL, BIRCH TAR, SULPHUR and SALICYLIC ACID				
4539X	Cream 6%-9%-10%-2%, 25 g	‡1	2	Egosulphyl	EO
	CHLORDIAZEPOXIDE				
4157T	Tablet 5 mg	100	2	Librium	RO
4158W	Capsule 10 mg	100	2	Librium	RO
	CHLORHEXIDINE GLUCONATE				
4160Y	Mouth Wash 0.2%, 200 mL	‡1	—	Chlorohex	OM
4161B	250 mL	‡1	—	Plaqacide Savacol Gargle & Rinse	OB IC

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	CHOLINE SALICYLATE, CETALKONIUM CHLORIDE, MENTHOL, GLYCEROL and ETHANOL				
4163D	Jelly 8.7%-0.01%-0.057%- 4.6%-38.6%, 10 g	#1	—	Bonjela	RC
4162C	8.7%-0.01%-0.057%- 4.6%-38.6%, 15 g	#1	—	Seda-Gel	NN
	CIMETIDINE				
4165F	Tablet 200 mg	120	5	Duractin Tagamet	CS SK
4164E	400 mg	60	5	Duractin Tagamet	CS SK
	CLORAZEPATE DIPOTASSIUM				
4166G	Capsule 5 mg	50	—	Tranxene	GL
4167H	15 mg	30	—	Tranxene	GL
	CLORAZEPATE DIPOTASSIUM CAUTION: Where continuing long term therapy is deemed necessary by the prescriber				
4104B	Capsule 5 mg	100	2	Tranxene	GL
4105C	15 mg	60	2	Tranxene	GL
	CODEINE PHOSPHATE with PARACETAMOL				
4172N	Tablet 30 mg-500 mg	50	1	Panadeine Forte	WL
	CODEINE PHOSPHATE, PARACETAMOL and DOXYLAMINE SUCCINATE				
4174Q	Tablet 9.75 mg-450 mg-5 mg	20	—	Mersyndol	ML
	CROTAMITON				
4177W	Cream 10%, 20 g	#1	1	Eurax	CG
4178X	Lotion 10%, 50 mL	#1	1	Eurax	CG

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
CYCLOPHOSPHAMIDE					
4096N	Tablet 50 mg	50	—	Endoxan-Asta	BC
4097P	Injection 100 mg				
	(solvent required)	5	—	Endoxan-Asta	BC
4098Q	200 mg				
	(solvent required)	5	—	Endoxan-Asta	BC
4099R	500 mg				
	(solvent required)	2	—	Endoxan-Asta	BC
4100T	1 g				
	(solvent required)	1	—	Endoxan-Asta	BC
DEXTROPROPOXYPHENE HYDROCHLORIDE with PARACETAMOL					
CAUTION: Chronic use of this preparation is likely to cause drug dependence. Efficacy of this preparation may be no greater than paracetamol.					
4181C	Tablet 32.5 mg-325 mg	25	—	Paradex	PT
DIAZEPAM					
CAUTION: Where continuing long term therapy is deemed necessary by the prescriber					
4183E	Tablet 2 mg	100	2	Antenex 2 Ducene Pro-Pam Valium	AF SU PT RO
4184F	5 mg	100	2	Antenex 5 Ducene Pro-Pam Valium	AF SU PT RO

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
4180B	DICHLOROBENZENE, CHLORBUTOL and TURPENTINE OIL Ear drops 2%-5%-10%, 11 mL	‡1	—	Cerumol	AC
4186H	DICLOFENAC SODIUM Tablet 25 mg	50	2	Voltaren	CG
4185G	DICYCLOMINE HYDROCHLORIDE Tablet 10 mg	100	—	Merbentyl	ML
4188K	DIMETHISOQUIN HYDROCHLORIDE Ointment 0.5%, 25 g	‡1	1	Quotane	SK
4200C	DIOCTYL SODIUM SULPHOSUCCINATE Tablet 50 mg	100	2	Coloxyl 50	FM
4201D	120 mg	100	2	Coloxyl 120	FM
4199B	Ear Drops 5%, 16 mL	‡1	—	Waxsol	NE
4202E	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50 mg-50 mg	100	2	Coloxyl with Danthron	FM
4191N	DIPHEMANIL METHYLSULPHATE Dusting Powder 2%, 50 g	‡1	1	Prantal	SH

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	DIPHENHYDRAMINE HYDROCHLORIDE CAUTION: Use of this preparation in the presence of asthma or chronic obstructive airways disease is not recommended.				
4194R	Expectorant 12.5 mg per 5 mL, 200 mL	±1	1	Benadryl Expectorant	PD
	DISULFIRAM CAUTION: Only for use in the treatment of chronic alcoholism. Associated ingestion of alcohol may be life-threatening.				
4197X	Tablet 250 mg	30	1	Antabuse	ET
	DOXEPIN				
4541E	Tablet 50 mg	50	1	Sinequan	PF
	ETHAMBUTOL HYDROCHLORIDE				
4205H	Tablet 100 mg	100	2	Myambutol	LE
4206J	400 mg	100	2	Myambutol	LE
	ETHYLHEXYLPARAMETHOXYCINNAMATE				
4545F	Cream 8%, 75 g	±1	—	Le Tan Le Face Protection Creme S.P.F. 15+ Broad Spectrum	PG

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
ETHYLHEXYLPARAMETHOXYCINNAMATE and TERTIARYBUTYLMETHOXYDIBENZOYL- METHANE					
4208L	Cream 7.5%-1%, 50 g	#1	—	Hamilton Sunscreen Broad Spectrum Cream	HA
4546G	Lotion 7%-2%, 125 mL	#1	—	Le Tan Sunscreen Lotion S.P.F. 15+ Broad Spectrum	PG
4209M	Solid Stick 4%-2%, 5 g	#1	—	Hamilton Broad Spectrum Solastick	HA
FIBROUS EXTRACTS of GRAIN and CITRUS					
4210N	Tablet 375 mg-94 mg	100	2	Fibyrax	RL
FLUCLOROLONE ACETONIDE					
4523C	Cream 0.025%, 30 g	#1	2	Topilar	SD
FLUNISOLIDE					
4212Q	Nasal Spray 0.025%, 20 mL	#1	2	Rhinalar Nasal Mist	SD
FLUNITRAZEPAM					
4213R	Tablet 2 mg	25	—	Rohypnol	RO
FLUNITRAZEPAM CAUTION: Where continuing long term therapy is deemed necessary by the prescriber					
4214T	Tablet 2 mg	50	1	Rohypnol	RO
FLUOCINOLONE ACETONIDE					
4291W	Cream 0.01%, 30 g	#1	2	Synalar 01	IC
4292X	0.025%, 30 g	#1	2	Synalar	IC
4295C	Ointment 0.01%, 30 g	#1	2	Synalar 01	IC
4296D	0.025%, 30 g	#1	2	Synalar	IC

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	FLUOCORTOLONE PIVALATE and FLUOCORTOLONE HEXANOATE				
4215W	Cream 0.25%-0.25%, 30 g	#1	2	Ultralan	SC
	FLUOCORTOLONE PIVALATE, FLUOCORTOLONE HEXANOATE, CLEMIZOLE UNDECYLENATE, HEXACHLOROPHANE and CINCHOCAINE HYDROCHLORIDE				
	Ointment				
4217Y	0.092%-0.095%-1%-0.5%- 0.5%, 10 g	#1	2	Ultraproct	SC
4218B	0.092%-0.095%-1%-0.5%- 0.5%, 30 g	#1	2	Ultraproct	SC
4219C	Suppositories — each contains 0.61 mg-0.63 mg-5 mg- 2.5 mg-1 mg, 12	#1	2	Ultraproct	SC
	FLUOROURACIL				
4222F	Cream 5%, 20 g	#1	—	Efudix	RO
4223G	Solution 1%, 30 mL	#1	—	Fluoroplex	AG
	FLURAZEPAM DIHYDROCHLORIDE				
4226K	Capsule 15 mg	25	—	Dalmane	RO
4227L	30 mg	25	—	Dalmane	RO
	FLURAZEPAM DIHYDROCHLORIDE				
	CAUTION: Where continuing long term therapy is deemed necessary by the prescriber				
4228M	Capsule 15 mg	50	1	Dalmane	RO
4229N	30 mg	50	1	Dalmane	RO

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	GLUCOSE INDICATOR — BLOOD				
4247M	Reagent Strips 25	‡1	2	Dextrostix	AM
	GLYCEROL				
4249P	Suppositories adult size 2.7 g, 12	‡1	1	PD	
	GLYCERYL TRINITRATE				
4250Q	Ointment 3%, capsule packed	50	2	Nitrolate	RO
	HALOPERIDOL				
4251R	Tablet 500 micrograms	100	1	Serenace	SR
	HEPARINOID				
	CAUTION: Patch test for local tolerance before applying to chronic open lesions				
4253W	Ointment 0.3%, 14 g	‡1	—	Hirudoid	LW
4254X	0.3%, 40 g	‡1	—	Hirudoid	LW
	HEPARINOID and HYALURONIDASE				
	CAUTION: Patch test for local tolerance before applying to chronic open lesions				
	Ointment				
4256B	5,000 H.D.B.U-15,000 units per 100 g, 14 g	‡1	—	Lasonil	BN
4257C	5,000 H.D.B.U-15,000 units per 100 g, 40 g	‡1	—	Lasonil	BN

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
HYDROCORTISONE, CINCHOCAINE HYDROCHLORIDE, FRAMYCETIN SULPHATE and AESCULIN Ointment					
4260F	0.5%-0.5%-1%-1%, 15g	‡1	2	Proctosedyl	RL
4261G	0.5%-0.5%-1%-1%, 30g	‡1	2	Proctosedyl	RL
4262H	Suppositories — each contains 5 mg-5 mg-10 mg-10 mg, 12	‡1	2	Proctosedyl	RL
HYDROCORTISONE and CLIOQUINOL					
4264K	Cream 1%-1%, 30 g	‡1	2	Hydroform	DM
4265L	1%-1%, 100 g	‡1	—	Hydroform	DM
HYDROCORTISONE, LIGNOCAINE HYDROCHLORIDE, ALUMINIUM SUBACETATE and ZINC OXIDE Ointment					
4267N	0.25%-5%-3.5%-18%, 15 g	‡1	2	Xyloproct	AP
4268P	0.25%-5%-3.5%-18%, 35 g	‡1	2	Xyloproct	AP
4269Q	Suppositories — each contains 5 mg-50 mg-50 mg-400 mg, 10	‡1	2	Xyloproct	AP
HYDROLYZED COLLAGEN PROTEINS					
4271T	Hair Conditioner 250 mL	‡1	2	Ionil Rinse	AQ
HYDROXYETHYL RUTOSIDES					
4272W	Capsule 250 mg	50	—	Paroven	ZY
HYDROXYZINE PAMOATE					
4273X	Capsule 25 mg	50	2	Atarax	PF
4274Y	50 mg	50	2	Atarax	PF
HYOSCINE METHOBROMIDE					
4276C	Tablet 2.5 mg	100	—	Pamine	UP

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
4278E	HYOSCINE-N-BUTYLBROMIDE Tablet 10 mg	100	—	Buscopan	BY
4285M	ISPAGHULA HUSK Sachets 3.5 g, 30	‡1	1	Fybogel	RC
4288Q	KETOPROFEN Capsule 50 mg	50	2	Orudis	MB
4289R	100 mg	50	2	Orudis	MB
4301J	LIGNOCAINE, BENZALKONIUM CHLORIDE, VITAMIN A and ALLANTOIN Cream 35 g	‡1	1	Paxyl	FA
4304M	LIGNOCAINE HYDROCHLORIDE, CALAMINE and CAMPHOR Cream 1.75%-8.1%-0.1%, 50 g	‡1	1	Caladryl	PD
4305N	Lotion 1.75%-8.1%-0.1%, 100 mL	‡1	1	Caladryl	PD
4308R	LIGNOCAINE HYDROCHLORIDE and CARBOXYMETHYLCELLULOSE Mucilage 2%-2.5%, 200 mL	‡1	—	Xylocaine Viscous	AP
4314C	LORAZEPAM Tablet 1 mg	50	—	Ativan	WY
4315D	2.5 mg	50	—	Ativan	WY
4316E	LORAZEPAM CAUTION: Where continuing long term therapy is deemed necessary by the prescriber Tablet 1 mg	100	2	Ativan	WY
4317F	2.5 mg	100	2	Ativan	WY
4318G	LUBRICATING AGENT Jelly 50 g	‡1	—	Lubafax	BW
4321K	MAGNESIUM ASPARTATE Tablet 500 mg	50	—	Magmin	VS

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
4325P	MEBENDAZOLE Tablet 100 mg	6	—	Vermox	JP
4328T	MEBEVERINE HYDROCHLORIDE Tablet 100 mg	100	—	Colofac	ET
4331Y	MEFENAMIC ACID Capsule 250 mg	20	1	Ponstan	PD
4335E	MENTHOL, EUCALYPTUS OIL and METHYL SALICYLATE Cream 4%-10%-25%, 50 g	±1	1	Metsal	RK
4344P	MULTIVITAMIN Tablet	100	2	Vitaminorum	SI
4345Q	MULTIVITAMIN with MINERALS Capsule	100	—	Pluravit Myadec	NY PD
4348W	Capsule	100	—	Accomin	LE
4346R	Capsule	100	—	SI	
4347T	Tablet	30	2	Unicap-T	UP
4353D	NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE Ointment 1%-0.5%-1%, 15 g	±1	2	Pimafucort	GB
4356G	NITRAZEPAM CAUTION: Where continuing long term therapy is deemed necessary by the prescriber Tablet 5 mg	50	1	Alodorm Dormicum Mogadon Nitepam	AF PT RO US

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	NORMETHADONE HYDROCHLORIDE and HYDROXYEPHEDRINE				
4362N	Tablet 7.5 mg-10 mg	20	—	Ticarda	HP
4363P	Drops 10 mg-20 mg per mL, 10 mL	‡1	—	Ticarda	HP
	OCTYL DIMETHYL p-AMINOBENZOATE and OXYBENZONE				
4547H	Lotion 7%-3%, 125 mL	‡1	—	Pabafilm 15	AQ
	OXAZEPAM				
	CAUTION: Where continuing long term therapy is deemed necessary by the prescriber				
4372D	Tablet 15 mg	100	2	Alepam 15	AF
				Benzotran	PT
				Murelax	AY
				Serepax	WY
4373E	30 mg	100	2	Alepam 30	AF
				Benzotran	PT
				Murelax	AY
				Serepax	WY
	OXYCODONE PECTINATE				
4374F	Injection 10 mg in 1 mL	6	—	Proladone	BT
	OXYMETAZOLINE HYDROCHLORIDE				
4377J	Nasal Drops 0.05%, 15 mL	‡1	—	Drixine	SH
4378K	Nasal Spray 0.05%, 15 mL	‡1	—	Drixine	SH

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
PANCREATIN ENZYME					
4381N	Powder — Pancreatin BP (not less than 1400 BP units free Protease, 25 000 BP units Lipase and 30 000 BP units Amylase per g) 250 g	±1	2	Pancrex V	PA
4382P	Tablet — Pancreatin BP (not less than 110 BP units free Protease, 1900 BP units Lipase and 1700 BP units Amylase per tablet)	500	1	Pancrex V	PA
4383Q	Tablet — Pancreatin BP (not less than 330 BP units free Protease, 5600 BP units Lipase and 5000 BP units Amylase per tablet)	500	1	Pancrex V Forte	PA
4384R	Granules 500 g	±1	1	Pancrex	PA
PANCRELIPASE, CELLULASE and OX BILE EXTRACT					
4385T	Tablet 170 mg-10 mg-65 mg	120	2	Cotazym-B	OR
PENTAERYTHRITOL TETRANITRATE					
4387X	Tablet 20 mg	100	2	Peritrate	WW
4388Y	Tablet 80 mg (sustained release)	100	2	Peritrate-S.A.	WW
PENTAZOCINE HYDROCHLORIDE					
CAUTION: Chronic use of this preparation is likely to cause drug dependence.					
4391D	Tablet 25 mg	25	—	Fortral	WL
4392E	50 mg	25	—	Fortral	WL

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>
4401P	PHENAZOPYRIDINE HYDROCHLORIDE Tablet 100 mg	50	1	Pyridium WW
4404T	PHENYLEPHRINE HYDROCHLORIDE Nasal Drops 0.25%, 25 mL	‡1	—	Neo-Synephrine WL
4407Y	PINE TAR and TRIETHANOLAMINE LAURYL SULPHATE Solution 2.1%-5.6%, 100 mL	‡1	2	Pinetarsol EO
4408B	2.1%-5.6%, 500 mL	‡1	2	Pinetarsol EO
4410D	POLYMYXIN B SULPHATE ZINC BACITRACIN and NEOMYCIN SULPHATE NOTE: For use with indwelling catheters Irrigant consisting of a dry powder vial containing 75 000 units-1000 units-20 000 units and one 10 mL ampoule of normal saline	5	—	Polybactrin Soluble G.U. BW
4411E	POVIDONE-IODINE Solution antiseptic 10%, 100 mL	‡1	—	Betadine FA

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	PREDNISOLONE HEXANOATE, CINCHOCAINE HYDROCHLORIDE, HEXACHLOROPHANE and CLEMIZOLE UNDECYLENATE Ointment				
4412F	0.19%-0.5%-0.5%-1%, 10 g	‡1	2	Scheriproct	SC
4413G	0.19%-0.5%-0.5%-1%, 30g	‡1	2	Scheriproct	SC
4414H	Suppositories — each contains 1.3 mg-1 mg-2.5 mg-5 mg, 12	‡1	2	Scheriproct	SC
	PROCAINAMIDE HYDROCHLORIDE				
4417L	Tablet 500 mg (controlled release)	100	2	Procainamide Durules	AP
	PSEUDOEPHEDRINE HYDROCHLORIDE				
4420P	Tablet 60 mg	24	2	Sudafed	BW
	PSEUDOEPHEDRINE SULPHATE				
4418M	Tablet 60 mg	30	2	Drixora	SH
	PSYLLIUM HYDROPHILIC MUCILLOID				
4422R	Powder 375 g	‡1	1	Metamucil	SR
	RANITIDINE HYDROCHLORIDE				
4423T	Tablet 150 mg	60	5	Zantac	GL
	RAUWOLFIA SERPENTINA CAUTION: Should not be prescribed for patients not already established on therapy				
4427B	Tablet 50 mg	100	2	Raudixin	SQ

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	RESERPINE CAUTION: Should not be prescribed for patients not already established on therapy				
4430E	Tablet 250 micrograms	100	2	Serpasil	CG
	RESORCINOL and SULPHUR				
4432G	Ointment 2%-8%, 25 g	‡1	2	Eskamel	SK
	RICINOLEIC ACID, BORIC ACID, ACETIC ACID, and OXYQUINOLINE SULPHATE				
4434J	Vaginal Jelly 0.75%-3%- 0.92%-0.025%, 95 g	‡1	—	Aci-Jel	ET
	SALICYLIC ACID, BENZALKONIUM CHLORIDE, ALCOHOL and POLYOXYETHYLENE ETHERS				
4445Y	Scalp Cleanser 250 mL	‡1	2	Ionil	AQ
	SALICYLIC ACID, BENZALKONIUM CHLORIDE, ALCOHOL, COAL TAR and POLYOXYETHYLENE ETHERS				
4446B	Scalp Cleanser 125 mL	‡1	2	Ionil-T	AQ
	SALICYLIC ACID and PODOPHYLLIN RESIN				
4449E	Ointment 25%-20%, 15 g	‡1	—	Salicylin-P	KY
4450F	Paint 10%-20%, 6 mL	‡1	1	Posalfilin	NE
	SELENIUM SULPHIDE				
4452H	Shampoo 2.5%, 125 mL	‡1	1	Selsun	AB
	SENNA STANDARDISED				
4455L	Tablet 7.5 mg	96	1	Senokot	RC

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	SILVER SULPHADIAZINE with CHLORHEXIDINE GLUCONATE				
4456M	Cream 1%-0.2%, 50 g	‡1	1	Silvazine	SN
4457N	1%-0.2%, 100 g	‡1	1	Silvazine	SN
	SODIUM APOLATE and BENZYL NICOTINATE				
	CAUTION: Patch test for local tolerance before applying to chronic open lesions				
4527G	Ointment 1%-0.125%, 20 g	‡1	—	Pergalen	HP
4459Q	1%-0.125%, 50 g	‡1	—	Pergalen	HP
	SODIUM BICARBONATE				
	CAUTION: For use in the treatment of renal disease				
4458P	Capsule 840 mg	100	2	Sodibic	PT
	SODIUM CHLORIDE				
	Irrigation Solution 0.9%,				
4460R	500 mL	‡1	2	TV	
4461T	1 L	‡1	2	TV	
	SODIUM CITRATE and SODIUM LAURYL SULPHOACETATE				
4462W	Enema 90 mg-9 mg in 1 mL, 5 mL, 4	‡1	1	Microlox	PS
	SODIUM CROMOGLYCATE				
4465B	Capsule 10 mg (nasal insufflation)	100	2	Rynacrom	FC
4467D	Nasal Spray 2%, 17.5 mL	‡1	2	Rynacrom	FC
	SODIUM FLUORIDE				
4469F	Tablet 20 mg	100	1	Hifluor	PT

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	SODIUM POLYSTYRENE SULPHONATE CAUTION: For use in the treatment of renal disease				
4470G	Powder 454g	‡1	2	Resonium-A	WL
4471H	SPIRONOLACTONE Tablet 100 mg	100	—	Aldactone	SR
	STERCULIA with FRANGULA BARK				
4472J	Granules 62%-8%, 200 g	‡1	1	Normacol	NE
	SULPHATHIAZOLE, SULPHACETAMIDE, SULPHABENZAMIDE and UREA				
4475M	Vaginal Cream 3.42%-2.86%-3.7%-0.64%, 85 g	‡1	—	Sultrin	ET
	TEMAZEPAM CAUTION: Where continuing long term therapy is deemed necessary by the prescriber				
4474L	Capsule 10 mg	50	1	Euhypnos Normison	SI WY
	TETRA-BROMO-ORTHOCRESOL, UNDECENOIC ACID, ZINC UNDECENOATE and ZINC OXIDE				
4477P	Powder 1%-1%-5%-5%, 50 g	‡1	—	Pedoz	HA

Code	Name, manner of administration and form	Max. qty	No. of rpts	Proprietary name and manufacturer	
TOLNAFTATE					
4478Q	Cream 1%, 20 g	‡1	—	Tinacidin	SH
				Tinaderm	SO
4537T	1%, 30 g	‡1	—	Pedi-Derm	NN
4479R	Powder 1%, 20 g	‡1	—	Pedi-Derm	NN
				Tinaderm	SO
4480T	Solution 1%, 10 mL	‡1	—	Tinacidin	SH
				Tinaderm	SO
4538W	1%, 15 mL	‡1	—	Pedi-Derm	NN
4481W	Spray Aerosol 1%, 150 g	‡1	—	Tinaderm	SO
TRIAMCINOLONE ACETONIDE					
4532M	Cream 0.05%, 30 g	‡1	2	Aristocort 0.05%	LE
				Kenalone	SQ
4533N	Ointment 0.05%, 30 g	‡1	2	Aristocort 0.05%	LE
				Kenalone	SQ
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN					
Cream					
4483Y	0.1%-0.25% (base)-0.025%-100,000 units in 1 g, 15 g	‡1	2	Kenacomb	SQ
4484B	0.1%-0.25% (base)-0.025%-100,000 units in 1 g, 30 g	‡1	2	Kenacomb	SQ
Ointment					
4482X	0.1%-0.25% (base)-0.025%-100,000 units in 1 g, 15 g	‡1	2	Kenacomb	SQ
4485C	0.1%-0.25% (base)-0.025%-100,000 units in 1 g, 30 g	‡1	2	Kenacomb	SQ
VITAMIN A					
4488F	Ointment 1,800 units per g, 50 g	‡1	1	Ungvita	NS

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	VITAMIN A, CALAMINE and SILICONE OIL				
4490H	Cream 500 units per g, 10%-1%, 50 g	‡1	1	Ungvita Cream	NS
	VITAMIN B GROUP COMPLEX				
4492K	Tablet	100	2	Multi-B	GP
4493L	Liquid 200 mL	‡1	2	Accomin	LE
	VITAMIN B GROUP COMPLEX with ASCORBIC ACID				
4494M	Injection 2 mL	10	1	Intravite B Group	NS
	VITAMIN B GROUP COMPLEX STRONG with ASCORBIC ACID				
4495N	Tablet	90	2	Multi-B Forte	GP
4491J	Tablet with				
	Calcium Pantothenate	100	2	FM	
4496P	Injection I.M. — pair of 5 mL and 2 mL ampoules, 3	‡1	1	Parentrovite	BR
	VITAMIN E				
	NOTE: For use of patients established on this therapy prior to 1 March 1983				
4521Y	Capsule 250 mg	100	2	Vita-Valu	VV
	WHITE SOFT PARAFFIN with LIQUID PARAFFIN				
4536R	Eye Ointment, 3.5 g	‡1	2	Lacri-Lube S.O.P.	AG
	ZINC OXIDE, STARCH and CHLORPHENESIN				
4497Q	Dusting Powder, 100 g	‡1	1	Z.S.C.	SI
	ZINC PYRITHIONE				
4498R	Shampoo 2%, 200 mL	‡1	1	Dan Gard	HP
4499T	Cream 0.5%, 75 g	‡1	1	Dan Gard Hold & Care	HP

Section 2

REPATRIATION SCHEDULE
OF BENEFITS
Aids to Treatment

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
4602F	ABSORBENT NAPKINS PANTS pack of 2	3	—	Softze Dri Shield Disposable	BS
	INJECTION SITE PREPARATION SWAB				
4616Y	Isopropyl Alcohol 70%, pack of 100	‡1	1	Medi Swab 5186 Curity 2323	SN KE
4631R	MOUTH PIECE FOR METERED AEROSOLS	‡1	—	Mouthpiece	BY
4635Y	NASAL INSUFFLATOR	‡1	—	Rynacrom	FC
	ROTAHALERS				
4637C	Rotahaler	‡1	—	Ventolin	GL
4638D	Rotahaler	‡1	—	Becotide	GL
4636B	SPINHALER	‡1	—	Intal	FC

NOTE: A number following the proprietary name denotes manufacturer's product code

Section 3

REPATRIATION SCHEDULE
OF BENEFITS
Dressings

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
ABSORBENT COTTON GAUZE					
4704N	90 cm × 1 m, pack	‡1	—	Handy 4021	BE
4705P	11 cm × 373 cm, roll	‡1	—	Kerlix 6715	KE
ABSORBENT COTTON WOOL					
4701K	100 g roll	‡1	2	JJ 02013	JJ
4702L	375 g roll	‡1	2	JJ 02011	JJ
ABSORBENT GAUZE PAD					
4707R	5 cm × 5 cm, 100	‡1	—	Handy 5672	BE
4807B	5 cm × 5 cm, sterile single pack, 100	‡1	—	Curity 3381	KE
4710X	7.5 cm × 7.5 cm, 100	‡1	—	Handy 5673	BE
4709W	7.5 cm × 7.5 cm, sterile single pack, 100	‡1	—	Curity 6132	KE
4708T	10 cm × 10 cm, 100	‡1	—	Handy 5674	BE
4808C	10 cm × 10 cm, sterile single pack, 100	‡1	—	Curity 6309	KE
ABSORBENT LINT					
4711Y	50 g, pack	‡1	—	Handy 4032	BE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	ABSORBENT NAPKINS				
4714D	Pack of 20 (medium size)	\$1	10	Softeze Dri-Shield Comfort Pad Medium	BS
4715E	Pack of 20 (regular size)	\$1	10	Softeze Dri-Shield Comfort Pad Regular	BS
	BANDAGE CALICO TRIANGULAR				
4717G	large size	\$1	—	Handy 5605	BE
	BANDAGE COTTON CONFORMING				
4720K	2.5 cm × 1.5 m	5	—	Handy-Band 9483	BE
4721L	5 cm × 1.5 m	5	—	Handy-Band 9485	BE
4722M	7.5 cm × 1.5 m	5	—	Handy-Band 9488	BE
4723N	10 cm × 1.5 m	5	—	Handy-Band 9490	BE
4724P	15 cm × 1.5 m	5	—	Handy-Band 9495	BE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max.</i> <i>qty</i>	<i>No.</i> <i>of</i> <i>rpts</i>	<i>Proprietary</i> <i>name and</i> <i>manufacturer</i>	
BANDAGE COTTON CREPE HEAVY					
4727T	5 cm × 2.3 m	2	—	Curaband 8252	KE
				Elastocrepe 3005	SN
4728W	7.5 cm × 2.3 m	2	—	Curaband 8253	KE
				Elastocrepe 3075	SN
4729X	10 cm × 2.3 m	2	—	Curaband 8254	KE
				Elastocrepe 3010	SN
4730Y	15 cm × 2.3 m	2	—	Curaband 8256	KE
				Elastocrepe 3015	SN
BANDAGE ELASTIC ADHESIVE					
4733D	5 cm × 2.5 m	1	—	Elastoplast 1002	SN
4734E	7.5 cm × 2.5 m	1	—	Elastoplast 1003	SN
4735F	10 cm × 2.5 m	1	—	Elastoplast 1004	SN

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
BANDAGE ELASTIC CONFORMING					
4801Q	2.5 cm × 1.8 m	5	—	Curaband 8181	KE
4802R	5 cm × 1.8 m	5	—	Curaband 8182	KE
4803T	7.5 cm × 1.8 m	5	—	Curaband 8183	KE
4804W	10 cm × 1.8 m	5	—	Curaband 8184	KE
4805X	15 cm × 1.8 m	5	—	Curaband 8186	KE
BANDAGE HEAVY ELASTIC SUPPORT					
4737H	7.5 cm × 2.75 m	2	—	Curaband 8123	KE
BANDAGE OPEN-WOVE					
4738J	2.5 cm	5	—	Handy 5551	BE
4739K	5 cm	5	—	Handy 5552	BE
4740L	7.5 cm	5	—	Handy 5553	BE
4741M	10 cm	5	—	Handy 5554	BE
BANDAGE PLASTER OF PARIS					
4744Q	5 cm × 2.75 m	5	—	Gypsona S5002	SN
4745R	7.5 cm × 2.75 m	5	—	Gypsona S5003	SN
4746T	10 cm × 2.75 m	5	—	Gypsona S5004	SN
4747W	15 cm × 2.75 m	5	—	Gypsona S5006	SN

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max.</i>	<i>No. of</i>	<i>Proprietary</i>	
		<i>qty</i>	<i>rpts</i>	<i>name and</i>	<i>manufacturer</i>
BANDAGE SELF ADHESIVE ELASTIC					
4811F	5 cm × 1.3 m	2	—	Peg	BK
4812G	7.5 cm × 1.3 m	2	—	Peg	BK
4813H	10 cm × 1.3 m	2	—	Peg	BK
4814J	15 cm × 1.3 m	2	—	Peg	BK
BANDAGE STRETCH					
4820Q	2.5 cm	5	—	Conform 2230	KE
4821R	5 cm	5	—	Conform 2231	KE
4822T	7.5 cm	5	—	Conform 2232	KE
4823W	10 cm	5	—	Conform 2236	KE
4824X	15 cm	5	—	Conform 2238	KE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	BANDAGE WRINKLED COTTON CREPE				
4833J	5 cm × 1.5 m (hospital quality)	2	—	Curaband 8232 Handy 8235	KE BE
4834K	7.5 cm × 1.5 m (hospital quality)	2	—	Curaband 8233 Handy 8238	KE BE
4835L	10 cm × 1.5 m (hospital quality)	2	—	Curaband 8234 Handy 8240	KE BE
4836M	15 cm × 1.5 m (hospital quality)	2	—	Curaband 8236 Handy 8245	KE BE
	BANDAGE ZINC PASTE				
4750B	7.5 cm × 6 m	2	—	Viscopaste 4948	SN
	BANDAGE ZINC PASTE and ICHTHAMMOL				
4752D	7.5 cm × 6 m	2	—	Ichthopaste 4959	SN
	DRESSING ADHESIVE MEMBRANE				
4839Q	14 cm × 10 cm, sterile single sachet	±10	2	Op-Site 4963	SN
4840R	28 cm × 15 cm, sterile single sachet	±10	2	Op-Site 4986	SN

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
4754F	DRESSING ELASTIC ADHESIVE 6 cm × 1 m, pack	1	—	Elastoplast 4025	SN
4756H	DRESSING NON ADHERENT DRY ABSORBENT 5 cm × 5 cm, sterile single pack	10	—	Melolin 4940	SN
4755G	5 cm × 7.5 cm, sterile single pack	10	—	Telfa 1961	KE
4758K	7.5 cm × 10 cm, sterile single pack	10	—	Telfa 2132	KE
4757J	10 cm × 10 cm, sterile single pack	10	—	Melolin 4941	SN
4759L	DRESSING PARAFFIN GAUZE 10 cm × 10 cm, sterile foil, pack of 10	‡1	—	Unitulle Jelonet J7 7404	RL SN
4845B	DRESSING PARAFFIN GAUZE with CHLORHEXIDINE ACETATE 10 cm × 10 cm, sterile foil, pack of 10	‡1	2	Bactigras 7457	SN
4846C	10 cm × 40 cm, sterile foil, pack of 10	‡1	2	Bactigras 00616	SN
4847D	15 cm × 20 cm, sterile foil, pack of 10	‡1	2	Bactigras 7461	SN

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max.</i>	<i>No.</i> <i>of</i>	<i>Proprietary</i> <i>name and</i> <i>manufacturer</i>	
		<i>qty</i>	<i>rpts</i>		
	DRESSING SELF ADHESIVE NON ADHERENT DRY ABSORBENT				
4843X	5 cm × 7.5 cm, sterile sachets, pack of 10	±1	2	Curity-Telfa 6020	KE
4844Y	7.5 cm × 10 cm, sterile sachets, pack of 6	±1	2	Curity-Telfa 7650	KE
4762P	FELT PAD BUNION pack of 5	±1	—	Scholl	SO
4763Q	FELT PAD CALLOUS pack of 5	±1	—	Scholl	SO
4764R	FELT PAD CORN pack of 9	±1	—	Scholl	SO
4767X	GAUZE AND COTTON TISSUE (COMBINE ROLL) 9 cm × 10 m wrapped pack	±1	—	SN 121054A JJ 12031	SN JJ
4768Y	GAUZE EYE PADS Pack of 12	±1	—	Curity 4112	KE
4850G	GAUZE STERILE STRIP 1.25 cm × 1 m	±1	2	Nufold 10330	JJ
4851H	2.5 cm × 1 m	±1	2	Nufold 10331	JJ
4852J	2.5 cm × 2.5 m	±1	2	Nufold 10332	JJ

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	GLOVES PLASTIC (DISPOSABLE) NOTE: For occlusive dressing use only				
4772E	Small, pack of 100	‡1	—	Handy 4177	BE
4773F	Medium, pack of 100	‡1	—	Handy 4178	BE
4774G	Large, pack of 100	‡1	—	Handy 4179	BE
	LAMBS WOOL				
4777K	original pack	‡1	—	Scholl	SO
	POVIDONE-IODINE GAUZE PAD				
4779M	22.5 cm × 7.5 cm, sterile foil, pack of 12	‡1	2	Betadine	FA
	SELF ADHESIVE PLASTER ELASTIC				
4780N	2.5 cm × 2.5 m roll	1	—	Leukoplast 1071	BE
4781P	5 cm × 2.5 m roll	1	—	Leukoplast 1072	BE
4782Q	7.5 cm × 2.5 m roll	1	—	Leukoplast 1073	BE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
SELF ADHESIVE PLASTER HYPOALLERGENIC					
4784T	1.25 cm × 5 m roll	1	—	Leukoflex 1121	BE
4783R	1.25 cm × 5 m roll	1	—	Leukopor 2471	BE
4785W	1.25 cm × 5 m roll	1	—	Leukosilk 1021	BE
4786X	2.5 cm × 5 m roll	1	—	Leukoflex 1122	BE
4794H	2.5 cm × 5 m roll	1	—	Leukopor 2472	BE
4787Y	2.5 cm × 5 m roll	1	—	Leukosilk 1022	BE
4788B	5 cm × 5 m roll	1	—	Leukoflex 1124	BE
4790D	5 cm × 5 m roll	1	—	Leukopor 2474	BE
4789C	5 cm × 5 m roll	1	—	Leukosilk 1024	BE
SELF ADHESIVE PLASTER WATERPROOF					
4791E	2.5 cm × 5 m roll	1	—	Leukoplast 2322	BE
4792F	5 cm × 5 m roll	1	—	Leukoplast 2324	BE
4793G	7.5 cm × 5 m roll	1	—	Leukoplast 2325	BE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>No. Max. of qty rpts</i>	<i>Proprietary name and manufacturer</i>	
TUBULAR DRESSING				
4855M	6.25 cm × 1 m	1 —	Tubigrip B	BT
4856N	6.75 cm × 1 m	1 —	Tubigrip C	BT
4857P	7.5 cm × 1 m	1 —	Tubigrip D	BT
4858Q	8.75 cm × 1 m	1 —	Tubigrip E	BT
4859R	10 cm × 1 m	1 —	Tubigrip F	BT
TUBULAR FINGER DRESSING				
4798M	Complete pack, including applicator	#1 —	Scholl Tubegauz	SO

NOTE: A number following the proprietary name denotes manufacturer's product code

Section 4

REPATRIATION SCHEDULE
OF BENEFITS
Proprietary Name Index

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Accomin	LE	Multivitamin with Minerals
Accomin	LE	Vitamin B Group Complex
Aci-Jel	ET	Ricinoleic Acid, Boric Acid, Acetic Acid, and Oxyquinoline Sulphate
Aldactone	SR	Spironolactone
Aldecin	SH	Beclomethasone Dipropionate
Alepam 15	AF	Oxazepam
Alepam 30	AF	Oxazepam
Alodorm	AF	Nitrazepam
Alphosyl	SV	Allantoin and Coal Tar Extract
Amoxil	BR	Amoxycillin
Antabuse	ET	Disulfiram
Antenex 2	AF	Diazepam
Antenex 5	AF	Diazepam
Aristocort 0.05%	LE	Triamcinolone Acetonide
Atarax	PF	Hydroxyzine Pamoate
Ativan	WY	Lorazepam
Bactigras 7457/00616/7461	SN	Dressing Paraffin Gauze with Chlorhexidine Acetate (Section 3)
Beconase	GL	Beclomethasone Dipropionate
Becotide	GL	Rotahalers (Section 2)
Benadryl Expectorant	PD	Diphenhydramine Hydrochloride
Benzotran	PT	Oxazepam
Betadine	FA	Povidone-Iodine
Betadine	FA	Povidone-Iodine Gauze Pad (Section 3)
Betnovate 1/2	GL	Betamethasone Valerate
Betnovate	GL	Betamethasone Valerate
B.F.I.	MK	Bismuth Formic Iodide
Bioral	SN	Carbenoxolone Sodium
Bisolvon	BY	Bromhexine Hydrochloride
Bonjela	RC	Choline Salicylate, Cetalkonium Chloride, Menthol, Glycerol and Ethanol
Bufferin Extra Strength (ESB)	AP	Aspirin (Buffered)

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Buscopan	BY	Hyoscine-N-Butylbromide
Caladryl	PD	Lignocaine Hydrochloride, Calamine and Camphor
Celestone V Half Strength	SH	Betamethasone Valerate
Celestone V	SH	Betamethasone Valerate
Celestone-VG	SH	Betamethasone Valerate and Gentamicin Sulphate
Cerumol	AC	Dichlorobenzene, Chlorbutol and Turpentine Oil
Chlorohex	OM	Chlorhexidine Gluconate
Cogentin	MK	Benztropine
Colofac	ET	Mebeverine Hydrochloride
Coloxyl 50	FM	Dioctyl Sodium Sulphosuccinate
Coloxyl 120	FM	Dioctyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Dioctyl Sodium Sulphosuccinate with Danthron
Conform 2230/2231/2232/2236/2238	KE	Bandage Stretch (Section 3)
Cotazym-B	OR	Pancrelipase, Cellulase and Ox Bile Extract
Curaband 8252/8253/8254/8256	KE	Bandage Cotton Crepe Heavy (Section 3)
Curaband 8181/8182/8183/8184/8186	KE	Bandage Elastic Conforming (Section 3)
Curaband 8123	KE	Bandage Heavy Elastic Support (Section 3)
Curaband 8232/8233/8234/8236	KE	Bandage Wrinkled Cotton Crepe (Section 3)
Curity 3381/6132/6309	KE	Absorbent Gauze Pad (Section 3)
Curity 4112	KE	Gauze Eye Pads (Section 3)
Curity 2323	KE	Injection Site Preparation Swab (Section 2)

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Curity-Telfa 6020/ 7650	KE	Dressing Self Adhesive Non Adherent Dry Absorbent (Section 3)
Dalmane	RO	Flurazepam Dihydrochloride
Dan Gard	HP	Zinc Pyrithione
Dan Gard Hold & Care	HP	Zinc Pyrithione
Dencorub	CW	Camphor, Menthol, Eucalyptus Oil, Isobornyl Acetate and Methyl Salicylate
Dextrostix	AM	Glucose Indicator — Blood
Diprosone	SH	Betamethasone Dipropionate
Dormicum	PT	Nitrazepam
Drapolex	BW	Benzalkonium Chloride, Cetrimide and Lanolin
Drixine	SH	Oxymetazoline Hydrochloride
Drixora	SH	Pseudoephedrine Sulphate
Ducene	SU	Diazepam
Duoquel	BW	Aluminium Hydroxide with Magnesium Hydroxide and Simethicone
Duractin	CS	Cimetidine
Efudix	RO	Fluorouracil
Egopsoryl-TA	EO	Allantoin, Sulphur, Phenol, Coal Tar Solution and Menthol
Egosulphyl	EO	Cetylalcohol, Birch Tar, Sulphur and Salicylic Acid
Elastocrepe 3005/ 3075/3010/3015	SN	Bandage Cotton Crepe Heavy (Section 3)
Elastoplast 1002/ 1003/1004	SN	Bandage Elastic Adhesive (Section 3)
Elastoplast 4025	SN	Dressing Elastic Adhesive (Section 3)
Endoxan-Asta	BC	Cyclophosphamide
Eskamel	SK	Resorcinol and Sulphur
Euhypnos	SI	Temazepam

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Eurax	CG	Crotamiton
Fibyrax	RL	Fibrous Extracts of Grain and Citrus
Fluoroplex	AG	Fluorouracil
Fortral	WL	Pentazocine Hydrochloride
Fybogel	RC	Ispaghula Husk
Gavigrans	RC	Alginate Acid Compound
Gypsona S5002/ S5003/S5004/S5006	SN	Bandage Plaster of Paris (Section 3)
Hamilton Bath Oil	HA	Bath Emollient
Hamilton Sunscreen Broad Spectrum Cream	HA	Ethylhexylparamethoxycinnamate and Tertiarybutylmethoxydibenzoyl- methane
Hamilton Broad Spectrum Solastick	HA	Ethylhexylparamethoxycinnamate and Tertiarybutylmethoxydibenzoyl- methane
Handy 4021	BE	Absorbent Cotton Wool Gauze (Section 3)
Handy 5672/5673/ 5674	BE	Absorbent Gauze Pad (Section 3)
Handy 4032	BE	Absorbent Lint (Section 3)
Handy 5605	BE	Bandage Calico Triangular (Section 3)
Handy 5551/5552/ 5553/5554	BE	Bandage Open-Wove (Section 3)
Handy 8235/8238/ 8240/8245	BE	Bandage Wrinkled Cotton Crepe (Section 3)
Handy 4177/4178/ 4179	BE	Gloves Plastic (Disposable) (Section 3)
Handy-Band 9483/ 9485/9488/9490/ 9495	BE	Bandage Cotton Conforming (Section 3)
Hifluor	PT	Sodium Fluoride
Hirudoid	LW	Heparinoid
Hydroform	DM	Hydrocortisone and Clioquinol

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Ichthopaste 4959	SN	Bandage Zinc Paste and Ichthammol (Section 3)
Intal	FC	Spinhaler (Section 2)
Intravite B Group	NS	Vitamin B Group Complex with Ascorbic Acid
Ionil	AQ	Salicylic Acid, Benzalkonium Chloride, Alcohol and Polyoxyethylene Ethers
Ionil Rinse	AQ	Hydrolyzed Collagen Proteins
Ionil-T	AQ	Salicylic Acid, Benzalkonium Chloride, Alcohol, Coal Tar and Polyoxyethylene Ethers
JJ 02011/02013	JJ	Absorbent Cotton Wool (Section 3)
JJ 12031	JJ	Gauze and Cotton Tissue (Combine Roll) (Section 3)
Jelonet J7 7404	SN	Dressing Paraffin Gauze (Section 3)
Kenacomb	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenalone	SQ	Triamcinolone Acetonide
Kerlix 6715	KE	Absorbent Cotton Gauze (Section 3)
Lacri-Lube S.O.P.	AG	White Soft Paraffin with Liquid Paraffin
Lasonil	BN	Heparinoid and Hyaluronidase
Le Tan Le Face Protection Creme S.P.F. 15+ Broad Spectrum	PG	Ethylhexylparamethoxycinnamate
Le Tan Sunscreen Lotion S.P.F. 15+ Broad Spectrum	PG	Ethylhexylparamethoxycinnamate and Tertiarybutylmethoxydibenzoyl-methane
Leukoflex 1121/1122/ 1124	BE	Self Adhesive Plaster Hypoallergenic (Section 3)
Leukoplast 1071/ 1072/1073	BE	Self Adhesive Plaster Elastic (Section 3)

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Leukoplast 2322/ 2324/2325	BE	Self Adhesive Plaster Waterproof (Section 3)
Leukopor 2471/2472/ 2474	BE	Self Adhesive Plaster Hypoallergenic (Section 3)
Leukosilk 1021/1022/ 1024	BE	Self Adhesive Plaster Hypoallergenic (Section 3)
Lexotan	RO	Bromazepam
Librium	RO	Chlordiazepoxide
Lubafax	BW	Lubricating Agent
Magmin	VS	Magnesium Aspartate
Medi Swab 5186	SN	Injection Site Preparation Swab (Section 2)
Melolin 4940/4941	SN	Dressing Non Adherent Dry Absorbent (Section 3)
Merbentyl	ML	Dicyclomine Hydrochloride
Mersyndol	ML	Codeine Phosphate, Paracetamol and Doxylamine Succinate
Metamucil	SR	Psyllium Hydrophilic Mucilloid
Metsal	RK	Menthol, Eucalyptus Oil and Methyl Salicylate
Micro lax	PS	Sodium Citrate and Sodium Lauryl Sulphoacetate
Mogadon	RO	Nitrazepam
Mouthpiece	BY	Mouth Piece for Metered Aerosols (Section 2)
Moxacin	CS	Amoxycillin
Multi-B	GP	Vitamin B Group Complex
Multi-B Forte	GP	Vitamin B Group Complex Strong with Ascorbic Acid
Murelax	AY	Oxazepam
Myadec	PD	Multi Vitamins with Minerals
Myambutol	LE	Ethambutol Hydrochloride
Mylanta II	PD	Aluminium Hydroxide with Magnesium Hydroxide and Simethicone
Neo-Synephrine	WL	Phenylephrine Hydrochloride
Nitepam	US	Nitrazepam

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Nitrolate	RO	Glyceryl Trinitrate
Normacol	NE	Sterculia with Frangula Bark
Normison	WY	Temazepam
Nufold 10330/10331/ 10332	JJ	Gauze Sterile Strip (Section 3)
Op-Site 4963/4986	SN	Dressing Adhesive Membrane (Section 3)
Orabase	SQ	Carmellose Sodium with Pectin and Gelatin Nonylphenoxypolyethoxyethanol
Orudis	MB	Ketoprofen
Pabafilm 15	AQ	Octyl Dimethyl p-Aminobenzoate and Oxybenzone
Pamine	UP	Hyoscine Methobromide
Panadeine Forte	WL	Codeine Phosphate with Paracetamol
Pancrex	PA	Pancreatin Enzyme
Pancrex V	PA	Pancreatin Enzyme
Pancrex V Forte	PA	Pancreatin Enzyme
Paradex	PT	Dextropropoxyphene Hydrochloride with Paracetamol
Parentrovite	BR	Vitamin B Group Complex Strong with Ascorbic Acid
Paroven	ZY	Hydroxyethylrutosides
Paxyl	FA	Lignocaine, Benzalkonium Chloride, Vitamin A and Allantoin
Pedi-Derm	NN	Tolnaftate
Pedoz	HA	Tetra-bromo-orthocresol, Undecenoic Acid, Zinc Undecenoate and Zinc Oxide
Peg	BK	Bandage Self Adhesive Elastic (Section 3)
Pergalen	HP	Sodium Apolate and Benzyl Nicotinate
Peritrate	WW	Pentaerythritol Tetranitrate
Peritrate-S.A.	WW	Pentaerythritol Tetranitrate

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Pimafucort	GB	Natamycin, Neomycin Sulphate and Hydrocortisone
Pinetarsol	EO	Pine Tar and Triethanolamine Lauryl Sulphate
Plaqacide	OB	Chlorhexidine Gluconate
Pluravit	NY	Multivitamin with Minerals
Polybactrin Soluble G.U.	BW	Polymyxin B Sulphate, Zinc Bacitracin and Neomycin Sulphate
Ponstan	PD	Mefenamic Acid
Posalfin	NE	Salicylic Acid and Podophyllin Resin
Prantal	SH	Diphenamyl Methylsulphate
Procainamide Durules	AP	Procainamide Hydrochloride
Proctosedyl	RL	Hydrocortisone, Cinchocaine Hydrochloride, Framycetin Sulphate and Aesculin
Proladone	BT	Oxycodone Pectinate
Pro-Pam	PT	Diazepam
Pyridium	WW	Phenazopyridine Hydrochloride
Quotane	SK	Dimethisoquin Hydrochloride
Q V Bath Oil	EO	Bath Emollient
Raudixin	SQ	Rauwolfia Serpentina
Resonium-A	WL	Sodium Polystyrene Sulphonate
Rhinalar Nasal Mist	SD	Flunisolide
Rikoderm	RK	Bath Emollient
Rohypnol	RO	Flunitrazepam
Rynacrom	FC	Sodium Cromoglycate
Rynacrom	FC	Nasal Insufflator (Section 2)
SN 121054A	SN	Gauze and Cotton Tissue (Combine Roll) (Section 3)
Salicylin-P	KY	Salicylic Acid and Podophyllin Resin
Savacol Gargle & Rinse	IC	Chlorhexidine Gluconate
Scheriproct	SC	Prednisolone Hexanoate, Cinchocaine Hydrochloride, Hexachlorophane and Clemizole Undecylate

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Scholl	SO	Felt Pad Bunion (Section 3)
Scholl	SO	Felt Pad Callous (Section 3)
Scholl	SO	Felt Pad Corn (Section 3)
Scholl	SO	Lambs Wool (Section 3)
Scholl Tubegauz	SO	Tubular Finger Dressing with Applicator (Section 3)
Seda-Gel	NN	Choline Salicylate, Cetalkonium Chloride, Menthol, Glycerol and Ethanol
Selsun	AB	Selenium Sulphide
Senokot	RC	Senna Standardised
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
Serpasil	CG	Reserpine
Silvazine	SN	Silver Sulphadiazine with Chlorhexidine Gluconate
Sinequan	PF	Doxepin
Sodibic	PT	Sodium Bicarbonate
Softeze	BS	Absorbent Napkins (Section 3)
Dri-Shield		
Comfort Pad		
Medium		
Softeze	BS	Absorbent Napkins (Section 3)
Dri-Shield		
Comfort Pad		
Regular		
Softeze Dri-Shield	BS	Absorbent Napkins Pants (Section 2)
Disposable		
Sudafed	BW	Pseudoephedrine Hydrochloride
Sultrin	ET	Sulphathiazole, Sulphacetamide, NI- Benzoylsulphanilamide and Urea
Synalar	IC	Fluocinolone Acetonide
Synalar 01	IC	Fluocinolone Acetonide
Tagamet	SK	Cimetidine
Telfa 1961/2132	KE	Dressing Non Adherent Dry Absorbent (Section 3)

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Thrombostat	PD	Bovine Plasma Derivative
Ticarda	HP	Normethadone Hydrochloride and Hydroxyephedrine
Tinacidin	SH	Tolnaftate
Tinaderm	SO	Tolnaftate
Topilar	SD	Fluclorolone Acetonide
Tranxene	GL	Clorazepate Dipotassium
Tubigrip B	BT	Tubular Dressing (Section 3)
Tubigrip C	BT	Tubular Dressing (Section 3)
Tubigrip D	BT	Tubular Dressing (Section 3)
Tubigrip E	BT	Tubular Dressing (Section 3)
Tubigrip F	BT	Tubular Dressing (Section 3)
Ultralan	SC	Fluocortolone Pivalate and Fluocortolone Hexanoate
Ultraproct	SC	Fluocortolone Pivalate, Fluocortolone Hexanoate, Clemizole Undecylenate, Hexachlorophane and Cinchocaine Hydrochloride
Ungvita	NS	Vitamin A
Ungvita Cream	NS	Vitamin A, Calamine and Silicone Oil
Unicap-T	UP	Multivitamin with Minerals
Unitulle	RL	Dressing Paraffin Gauze (Section 3)
Valium	RO	Diazepam
Ventolin	GL	Rotahalers (Section 2)
Vermox	JP	Mebendazole
Viscopaste 4948	SN	Bandage Zinc Paste (Section 3)
Vitaminorum	SI	Multivitamin
Vita-Valu	VV	Vitamin E
Voltaren	CG	Diclofenac Sodium
Waxsol	NE	Diethyl Sodium Sulphosuccinate
Xylocaine Viscous	AP	Lignocaine Hydrochloride and Carboxymethylcellulose
Xyloproct	AP	Hydrocortisone, Lignocaine Hydrochloride, Aluminium Subacetate and Zinc Oxide

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Zantac Z.S.C.	GL SI	Ranitidine Hydrochloride Zinc Oxide, Starch and Chlorphenesin

NOTE: A number following the proprietary name denotes manufacturer's code

Section 5

REPATRIATION SCHEDULE
OF BENEFITS
Manufacturers' Codes

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd	DM	Dermacare Pty Ltd
AC	Alberto Culver Company	DT	Du Pont Pharmaceuticals
AF	Alphapharm Pty Ltd	EO	Ego Pharmaceuticals Pty Ltd
AG	Allergan Pharmaceuticals Pty Ltd	ET	Ethnor Pty Ltd
AM	Ames Company, Division of Miles Laboratories Australia Pty Ltd	FA	F.H. Faulding & Co Ltd
AP	Astra Pharmaceuticals Pty Ltd	FC	Fisons Pty Ltd
AQ	Alcon Laboratories (Australia) Pty Ltd	FM	Fawns and McAllan Pty Ltd
AY	Ayerst Laboratories Pty Ltd	GB	Gist-Brocades Australia Pty Ltd
		GL	Glaxo
		GP	G.P. Laboratories
BC	Bristol Laboratories Pty Ltd	HA	Hamilton Laboratories Pty Ltd
BE	BDF Australia Ltd	HP	Hoechst Australia Ltd
BK	Becton Dickinson (USA)		
BN	Bayer Pharmaceutical Company	IC	ICI Australia Operations Pty Ltd
BR	Beecham Research Laboratories	JJ	Johnson & Johnson Pty Ltd
BS	Bowater-Scott Ltd	JP	Janssen Pharmaceutical Pty Ltd
BT	The Boots Company (Australia) Pty Ltd		
BW	Wellcome Australia Limited	KE	Kendall (Australia)
BY	Boehringer Ingelheim Pty Ltd	KY	Key Pharmaceuticals Pty Ltd
CG	Ciba-Geigy Australia Ltd	LE	Lederle Laboratories Division
CS	Commonwealth Serum Laboratories	LW	Luitpold-Werk, Munich
CW	Carter-Wallace (Aust) Pty Ltd	MB	May & Baker Australia Pty Ltd

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
MK	Merck, Sharp & Dohme (Aust) Pty Ltd	SI	Sigma Co. Ltd
ML	Wm S. Merrell Pty Ltd	SK	Smith Kline & French Laboratories (Aust) Ltd
NE	Norgine Pty Ltd	SN	Smith & Nephew (Aust) Pty Ltd
NN	Nelson Laboratories (Sales) Pty Ltd	SO	Scholl-Plough (Australia) Ltd
NS	Nicholas Pty Ltd	SQ	E.R. Squibb & Sons Pty Ltd
NW	Norwich-Eaton Pty Ltd	SR	Searle Laboratories
NY	Nyal Company	SU	Sauter Laboratories (Aust) Pty Ltd
OB	Oral B Laboratories Pty Ltd	SV	Stafford-Miller Ltd
OM	Orapharm Products	TV	Travenol Laboratories Pty Ltd
OR	Organon (Australia) Pty Ltd	UP	Upjohn Pty Ltd
PA	Paines and Byrne Ltd	US	USV Pharmaceuticals
PD	Parke Davis Pty Ltd	VS	Vitamin Supplies Pty Ltd
PF	Pfizer Pty Ltd	VV	Vita-Valu Laboratories
PG	Prestige Sunglasses Pty Ltd	WL	Winthrop Laboratories
PS	Pharmacia (South Seas) Pty Ltd	WW	Wm R. Warner
PT	Protea Pharmaceuticals	WY	Wyeth Pharmaceuticals Pty Ltd
RC	Reckitt and Colman Pharmaceutical Division	ZY	Zyma Pharmaceuticals
RK	Riker Laboratories Australia Pty Ltd		
RL	Roussel Pharmaceuticals Pty Ltd		
RO	Roche Products Pty Ltd		
SC	Schering, A.G.		
SD	Syntex Pharmaceuticals Ltd		
SH	Schering Corporation		

Repatriation Schedule of Pharmaceutical Benefits Dec 1985