



Pharmaceutical Benefits

NOVEMBER 1986 EDITION

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the November 1986 edition of the Schedule of Pharmaceutical Benefits for Participating Dental Practitioners.

The reprint of the Schedule will take effect on 1 November 1986 and all previous editions of the Schedule are cancelled.

Addition of Form and Strength of Item

Amoxycillin, dispersible tablet 3g (*Amoxil, Moxacin*)

NOT FOR SALE



**SCHEDULE OF
PHARMACEUTICAL BENEFITS**

for

DENTAL PRACTITIONERS

OPERATIVE FROM 1 NOVEMBER 1986

Commonwealth Department of Health,
CANBERRA, A.C.T.

A. B. CAUDELL, Government Printer, Tasmania

CONTENTS

SECTION 1	<i>Paragraph</i>	<i>Page</i>
Explanatory Notes—		
Prescribing of Benefits—Procedure by Dentists—		
Schedule of Benefits	1-7	3
Prescriptions	8-13	3-4
Manner of Administration	14	4
Maximum Quantities	15-20	5
Eligibility of patients to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.....	21	5
Establishment of patient's entitlement to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.....	22-24	6
Urgent Cases	25	7
Enquiries	26	7
Addresses of Commonwealth Department of Health Central Office and Regional Offices		8-10
Index of Manufacturers' Codes		11
SECTION 2		
Schedule of Benefits.....		13-18
SECTION 3		
Prescribers' List.....		19
PROPRIETARY INDEX		
Part 1—Proprietary Names Index		20-22
Part 2—Trade Names Index		22

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DENTISTS

1. Pharmaceutical benefits which may be prescribed by participating dental practitioners are listed in this book.

References in these notes to a dentist or dental practitioner relate to 'participating dental practitioner'.

2. The Schedule of Benefits includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any listed brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g. 'Ampicillin, Injection 1g with 2mL water for injections'.

3. The Schedule also shows the maximum quantity allowable for each item.

4. A list of extemporaneous formulae appears in Section 3—Prescribers' List.

5. A proprietary name index of ready prepared items is included after Section 3.

6. Symbols used in the Schedule of Benefits are explained on page 1, Section 2.

7. Admixtures of items in this schedule may not be prescribed as pharmaceutical benefits.

Prescriptions

8. A prescription ordering a pharmaceutical benefit may be written only for the dental treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit and may not be written for any other purpose. The prescription is valid only if it is written by a participating dental practitioner.

9. Care must be taken to comply with the provisions of State law, particularly in regard to the prescribing of drugs listed as specified or restricted under State legislation.

10. Dentists are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The name and address of the dentist plus the D.P. number (the dental practitioner's number as notified by the Department) must be shown. 'N.H.S.' is to be endorsed at the top if a Departmental standard prescription form is not being used.
- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient. Dentists are reminded that full details of the patient's address are required on each prescription.
- (d) The pharmaceutical benefit must be identified in the prescription by such particulars, including the name, form, strength and quantity, as are necessary for the complete identification of that benefit.
- (e) Each prescription must be written legibly.
- (f) Date and sign the prescription.

11. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

12. A prescription is not a valid pharmaceutical benefit prescription if the dentist prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same dentist.

13. To avoid confusing patients and the dispensing chemist, dentists should not write prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form.

Manner of Administration

14. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way.

Maximum Quantities

15. For ready prepared preparations, the allowable maximum quantity is shown in the second column of Section 2. For extemporaneously prepared preparations, the maximum quantity is shown in Section 3—Prescribers' List. **DENTISTS MAY NOT PRESCRIBE REPEATS ON A PHARMACEUTICAL BENEFIT PRESCRIPTION.**

16. Some prescriptions for pharmaceutical benefits do not completely identify the pharmaceutical benefit, in that the quantity is not clearly stated. For example, 'Max. Qty' is used instead of the actual number (of tablets, capsules, etc.). Dentists are required to completely identify the quantity being prescribed in each case.

17. Where the maximum quantity of an item is marked with a double dagger (‡), the maximum quantity has been determined as a single pack. In such instances, chemists are required to supply unbroken packs (see page 1, Section 2). These items should be prescribed in the standard pack sizes.

18. For other items it is not necessary to prescribe the maximum quantity if the dentist considers a lesser quantity is sufficient for the patient's needs.

19. The relevant maximum quantity is not to be exceeded.

20. A pharmaceutical benefit may not be supplied to the same person more than once on any one day.

Eligibility of patients to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate

21. Under the Pharmaceutical Benefits Scheme, persons holding a valid Pensioner Health Benefits Card or a valid Health Benefits Card and their dependants are entitled to receive pharmaceutical benefits free of charge. Persons holding a valid Health Care Card or a valid Pharmaceutical Benefits Concession Card and their dependants are entitled to receive pharmaceutical benefits at the concessional patient contribution rate.

Establishment of patient's entitlement to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate

22. Any person (including a dentist) may enter the relevant information to establish the patient's entitlement to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate, where space has been provided on prescription forms (front or back) supplied by the Department for the provision of entitlement information.

23. The person entering the entitlement information must complete all the relevant details applicable to the patient's entitlement on the prescription. The information to be provided in the appropriate space is:—

- (i) the entitlement number appearing on the card, i.e., a ten-character alpha-numeric number (the entitlement number does not identify the type of card or the entitlement category);
- (ii) a cross (×) in the appropriate box indicating the type of entitlement card held by the patient. The type of card denotes the entitlement of the patient to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.

Where a patient or agent is required to sign and date a receipt for the supply of a benefit on an original prescription form, the patient or agent also accepts responsibility for the validity of the entitlement information shown on the prescription.

24. Where prescriptions are written on forms which do not provide space (front or back) for the entry of entitlement information, the dentist should not enter the patient's entitlement information on the prescription form. In these instances the dispensing chemist, on request, shall place the declaration stamp imprint on the back of the original prescription form to enable the patient's entitlement information (see paragraph 23) to be provided.

Urgent Cases

25. In urgent cases, a chemist may supply a benefit before the prescription is surrendered to him, if the dentist communicates the prescription to the chemist by telephone or other means. *In such cases the dentist must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

Enquiries

26. Any enquiries regarding the Pharmaceutical Benefits Scheme or requests for Departmental publications or stationery should be made to the Director of Health, Commonwealth Department of Health in the capital city of your State.

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

CENTRAL OFFICE

The Secretary,
Commonwealth Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

REGIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000

Telephone 239 3000

Director of Health—

Mr J. B. Jamieson

Deputy Director (Medical)

Dr T. G. Quinn

After hours: Telephone 969 6367

Assistant Director (Medical)—

Dr L. B. Lilley

After hours: Telephone 929 6164

VICTORIA

Commonwealth Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000

Telephone 662 2999

G.P.O. Box 1547P, Melbourne, Vic. 3001

Director of Health—

Mr A. E. Shields

Assistant Director (Medical)—

Dr A. I. Mead

After hours: Telephone 347 0103

QUEENSLAND

Commonwealth Department of Health,
 Australian Government Offices,
 Anzac Square,
 Adelaide Street,
 Brisbane, Qld 4000

Telephone 225 0122

G.P.O. Box 567, Brisbane, Qld 4001

Director of Health—

Dr Peter E. R. Ulrich

Assistant Director (Medical)—

Dr J. A. Williamson

After hours: Telephone 378 8508

SOUTH AUSTRALIA

Commonwealth Department of Health,
 I.M.F.C. House,
 33-39 King William Street,
 Adelaide, S.A. 5000

Telephone 216 3911

G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—

Dr J. Y. Hancock

After hours: Telephone 272 0527

WESTERN AUSTRALIA

Commonwealth Department of Health,
 Victoria Centre,
 2-6 St George's Terrace,
 Perth, W.A. 6000

Telephone 323 5711

G.P.O. Box M970, Perth, W.A. 6001

Director of Health—

Mr B. Kelly

Assistant Director (Medical) (Acting)—

Dr P. J. Carrivick

TASMANIA

Commonwealth Department of Health,
Kirksway House,
6 Kirksway Place,
Hobart, Tas. 7000
G.P.O. Box 919J, Hobart, Tas. 7001
Director of Health—
Dr C. W. Phillips

Telephone 20 5011

After hours: Telephone 25 1536

NORTHERN TERRITORY

Commonwealth Department of Health,
M.L.C. Building,
Smith Street,
Darwin, N.T. 5794
P.O. Box 147, Darwin, N.T. 5794
Director of Health—
Dr F. H. Stewart

Telephone 82 4735

After hours: Telephone 81 2036

AUSTRALIAN CAPITAL TERRITORY

C.T.H.C. Building,
Corner Moore and Alinga Streets,
Canberra City, A.C.T. 2601
G.P.O. Box 825, Canberra City, A.C.T. 2601

Telephone 45 4111

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd
BC	Bristol Laboratories Pty Ltd
BL	David Bull Laboratories
BR	Beecham Research Laboratories
BW	Wellcome Australia Limited
BZ	Boucher & Muir Pty Ltd
CS	Commonwealth Serum Laboratories
DH	Drug Houses of Australia Pty Ltd
DL	Dista Products (Australia) & Company
FA	F. H. Faulding & Co. Ltd
FM	Fawns and McAllan Pty Ltd
GP	G.P. Laboratories
HP	Hoechst Australia Ltd
IC	ICI Australia Operations Pty Ltd
LE	Lederle Laboratories Division
LY	Eli Lilly (Australia) and Company
MB	May & Baker Australia Pty Ltd
NN	Nelson Laboratories (Sales) Pty Ltd
PF	Pfizer Pty Ltd
PT	Protea Pharmaceuticals
RO	Roche Products Pty Ltd
SI	Sigma Co. Ltd
SQ	E. R. Squibb & Sons Pty Ltd
UP	Upjohn Pty Ltd
US	USV Pharmaceuticals
WL	Winthrop Laboratories

SECTION 2 - SCHEDULE OF BENEFITS

SYMBOLS USED IN THE SCHEDULE

- (a) A double dagger (‡) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.
 - (b) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
 - (c) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated. N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W); Tas. - (T).
-

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMOXYCILLIN					
Tablet 250mg	20	..	6.37	Amoxil	BR
				Moxacin	CS
Dispersible Tablet 3g	1	..	6.34	Amoxil	BR
				Moxacin	CS
Capsule 250mg	20	..	5.90	Alphamox 250	AF
				Ibiamox	PT
			6.37	Amoxil	BR
				Cilamox	SI
				Moxacin	CS
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#6.96	Ibiamox	PT
			#7.25	Amoxil	BR
				Cilamox	SI
				Moxacin	CS
AMPHOTERICIN					
Tablet 100mg	50	..	10.59	Fungilin	SQ
Lozenge 10mg	20	..	4.66	Fungilin	SQ
Suspension 100mg per mL, 24mL	#1	..	5.47	Fungilin	SQ
Ointment 3%, 15g	#1	..	4.92	Fungilin	SQ
AMPICILLIN					
Injection 250mg (solvent required)	5	..	6.92	Ampicyn	PT
				Austrapen	CS
				Penbritin	BR
500mg (solvent required)	5	..	8.95	Ampicyn	PT
				Austrapen	CS
				Penbritin	BR
1g (solvent required)	5	..	13.05	Ampicyn	PT
				Austrapen	CS
				Penbritin	BR
ASPIRIN					
Mixture, APF - See Section 3, Prescribers' List					
ASPIRIN with CODEINE					
Aspirin Mixture, APF with Codeine Phosphate 30mg per 10mL - See Section 3, Prescribers' List					

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DOXYCYCLINE				
Tablet 100mg	7	..	5.17 5.61	Doxylin 100 AF Vibramycin PF
Capsule 100mg	7	..	5.55 5.61	Cyclidox PT Doryx FA
ERYTHROMYCIN				
Tablet 250mg	25	..	6.37	EMU-V UP
Capsule 125mg	25	..	5.71	Eryc FA
250mg	25	..	6.37	Eryc FA Ilocap LY
ERYTHROMYCIN ESTOLATE				
Paediatric Drops 100mg (base) per mL, 10mL	#1	..	5.46	Ilosone LY
Paediatric Suspension 125mg (base) per 5mL, 100mL	#1	..	5.46	Ilosone LY
ERYTHROMYCIN ETHYLSUCCINATE				
Tablet 200mg (base)	25	..	5.59	EES Dulcet AB
Granules for Paediatric Suspension 200mg (base) per 5mL, 100mL	#1	..	#7.40	EES 200 AB
ERYTHROMYCIN STEARATE				
Tablet 250mg (base)	25	..	6.37	Erythrocin AB
Capsule 250mg (base)	25	..	6.32 6.37	E-Mycin PT Erythrocin AB
Paediatric Suspension 125mg (base) per 5mL, 100mL	#1	..	5.46	Erythrocin AB
Suspension 250mg (base) per 5mL, 100mL	#1	..	7.32	Erythrocin AB
METRONIDAZOLE				
Tablet 200mg	21	..	5.56 5.59	Trichazole PT Flagyl MB Metrozine SR
NYSTATIN				
Tablet 500,000 units	25	..	7.39	Diastatin GP Mycostatin SQ Nilstar LE
(continued)				

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NYSTATIN - cont. Mixture 100,000 units per mL, 24mL	#1	..	5.47	Mycostatin Nilstar	SQ LE
PARACETAMOL Mixture 120mg per 5mL, 100mL	#1	..	4.17	Dymadon Panamax Parmol	BW WL US
PHENETHICILLIN Tablet 250mg	25	..	5.64	Pensig	SI
Capsule 250mg	25	..	5.64	Pensig	SI
500mg	25	..	6.34	Pensig	SI
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#6.21	Pensig 125	SI
250mg per 5mL, 100mL	#1	..	#6.84	Pensig 250	SI
PHENOXYMETHYLPENICILLIN Tablet 125mg	25	..	4.96	Abbocillin-V	AB
250mg	25	..	5.21	Abbocillin-VK	AB
				Cilicaine VK	SI
				LPV	CS
				PVK	LY
				P.V.O.	FM
500mg	25	..	5.81	Abbocillin-VK	AB
				LPV	CS
				PVK	LY
				P.V.O.	FM
Capsule 250mg	25	..	5.21	Abbocillin-VK	AB
				Cilicaine VK	SI
				LPV	CS
				PVK	LY
				P.V.O.	FM
500mg	25	..	5.81	Cilicaine VK	SI
				LPV	CS
				P.V.O.	FM
(continued)					

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont. Paediatric Suspension 125mg per 5mL, 100mL	#1	..	4.96	Abbocillin-V AB Cilicaine V SI LPV 125 CS
Suspension 250mg per 5mL, 100mL	#1	..	5.59	Abbocillin-V AB Cilicaine V SI LPV 250 CS
PROCAINE PENICILLIN Injection 1g	5	..	18.09	Cilicaine SI
1.5g	5	..	18.71	Cilicaine SI
SULPHADIMIDINE Tablet 500mg	40	..	4.85	S-Dimidine PT
TETRACYCLINE Capsule 250mg	25	..	5.26	Achromycin LE Panmycin P UP Tetramykoin BZ(N)
TETRACYCLINE (BUFFERED) Capsule 250mg	25	..	5.26	Achromycin V LE Australmycin-V CS Hostacycline P HP Hydracycline FM Stecilin-V SQ Tetrex AP
TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	4.96	Bactrim RO Resprim AF Septrin BW Trib PT
160mg-800mg	10	..	6.11	Bactrim DS RO Resprim ForteAF Septrin ForteBW Trib DS PT
Suspension 40mg-200mg per 5mL, 100mL	#1	..	5.59	Bactrim RO Resprim AF Septrin BW Trib PT

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
WATER FOR INJECTIONS (For use only with an injectible benefit which requires a solvent)				
Injection 2mL	5	..	4.12	BL,BT,BZ,SI
5mL	5	..	4.27	BL,BT,BZ,SI

SECTION 3—PRESCRIBERS' LIST

PRESCRIPTION

MIXTURES

(Maximum Quantity 200mL, No Repeats)

ASPIRIN (APF)

Aspirin	500	mg
Compound Tragacanth Powder	250	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

ASPIRIN with CODEINE

Codeine Phosphate	30	mg
Aspirin Mixture, APF to	10	mL

MIXTURE FOR CHILDREN

(Maximum Quantity 100mL, No Repeats)

ASPIRIN (APF)

Aspirin	150	mg
Compound Tragacanth Powder	100	mg
Raspberry Syrup	1	mg
Concentrated Chloroform Water	0.1	mL
Purified Water to	5	mL

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX



Proprietary Name	Manu- fac- turer	Name
Abbocillin-V	AB	Phenoxymethylpenicillin
Abbocillin-VK	AB	Phenoxymethylpenicillin
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Alphamox 250	AP	Amoxycillin
Amoxil	BR	Amoxycillin
Ampicyn	PT	Ampicillin
Austramycin-V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
Cilamox	SI	Amoxycillin
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymethylpenicillin
Cilicaine VK	SI	Phenoxymethylpenicillin
Cyclidox	PT	Doxycycline
Diastatin	GP	Nystatin
Doryx	FA	Doxycycline
Doxylin 100	AF	Doxycycline
Dymadon	BW	Paracetamol
EES 200	AB	Erythromycin Ethylsuccinate
EES Dulcet	AB	Erythromycin Ethylsuccinate
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin Stearate
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin Stearate
Flagyl	MB	Metronidazole
Fungilin	SQ	Amphotericin
Hostacycline P	HP	Tetracycline (Buffered)
Hydracycline	FM	Tetracycline (Buffered)
Ibiamox	PT	Amoxycillin
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin Estolate
LPV	CS	Phenoxymethylpenicillin
LPV 125	CS	Phenoxymethylpenicillin
LPV 250	CS	Phenoxymethylpenicillin
Metrozine	SR	Metronidazole
Moxacin	CS	Amoxycillin
Mycostatin	SQ	Nystatin
Nilstat	LE	Nystatin
Panamax	WL	Paracetamol
Panmycin P	UP	Tetracycline
Parmol	US	Paracetamol

Proprietary Name	Manufacturer	Name
Penbritin	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
PVK	LY	Phenoxymethylpenicillin
P.V.O.	FM	Phenoxymethylpenicillin
Resprim	AF	Trimethoprim with Sulphamethoxazole
Resprim Forte	AF	Trimethoprim with Sulphamethoxazole
S-Dimidine	PT	Sulphadimidine
Septrin	BW	Trimethoprim with Sulphamethoxazole
Septrin Forte	BW	Trimethoprim with Sulphamethoxazole
Steclin-V	SQ	Tetracycline (Buffered)
Tetramykoin	BZ	Tetracycline
Tetrex	AP	Tetracycline (Buffered)
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichozole	PT	Metronidazole
Vibramycin	PF	Doxycycline

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Dulcets	Abbott A'asia - Chewable tablets
Filmtabs	Abbott A'asia - Coated tablets
Pulvules	Lilly - Capsules



Pharmaceutical Benefits

NOVEMBER 1986

PHARMACEUTICAL

PHARMACEUTICAL BENEFITS

Explanatory Circular regarding the November 1986 edition of the Schedule of Pharmaceutical Benefits for Medical Practitioners.

The reprint of the Schedule will take effect on 1 November 1986 and all previous editions of the Schedule are cancelled.

SUMMARY OF CHANGES

ADDITIONS

Section 1

Emergency Drug (Doctor's Bag) Supplies

Diphtheria and Tetanus Vaccine, Adsorbed, injection 0.5mL

NOTE: Please delete the word 'or' which incorrectly appears between the items Diphtheria and Tetanus Vaccine, Adsorbed and Diphtheria and Tetanus Vaccine, Adsorbed, Diluted for Adult Use. These are separate items, not alternatives.

New Items

Section 2

General Benefits

Indapamide, tablet 2.5mg (*Natrilix*)

Oestrogens—Conjugated, tablets 300 micrograms and 625 micrograms (*Premarin*)

Piroxicam, capsule 10mg (*Feldene*)

Polyvinyl Alcohol with Povidone, eye drops 1.4%-0.6%, 15mL (*Tears Plus*)

New Forms and Strengths of Items

General Benefits

Captopril, tablet 12.5mg (*Capoten*)

Cephalexin, granules for syrup 250mg per 5mL, 100mL (*Keflex*)

Cloпамide, tablet 5mg (*Brinaldix*)

Enalapril Maleate, tablet 5mg (*Renitec M*)

Insulin Isophane (N.P.H.)—Insulin Neutral, (Mixed), injection (biosynthetic human) 100 units (70 units-30 units) per mL, 10mL (*Actraphane HM*)

Insulin Zinc Suspension (Lente), injection (biosynthetic human) 100 units per mL, 10mL (*Monotard HM*)

Insulin Zinc Suspension (Crystalline) (Ultralente), injection (biosynthetic human) 100 units per mL, 10mL (*Ultratard HM*)

Silver Sulphadiazine with Chlorhexidine Gluconate, cream 1%-0.2%, 100g (*Silvazine*)

Sodium Valproate, crushable tablet 100mg (*Epilim*) and oral liquid 200mg per 5mL, 200mL (*Epilim Liquid*)

Ticarcillin, injection 1g (solvent required) (*Tarcil, Ticillin*)

DELETIONS

Items

Section 2

Aloxiprin, tablet 600mg (*Palaprin Forte*)

Ascorbic Acid, tablet 50mg (*Ascorb '50', DH, FM*)

Azatadine Maleate, tablet 1mg and syrup 500 micrograms per 5mL, 100mL (*Zadine*)

Brompheniramine, tablet 4mg and syrup 2mg per 5mL, 100mL (*Dimetane*)

Camphor Compound, linctus 0.06% camphor, 100mL (*MG, Campholinct, SI, NN, TO, PR, QE(NQ)*)

Carbenicillin, injections 1g (solvent required) and 5g (solvent required) (*Carbapen*)

Chlorpheniramine, tablet 4mg (*Allergex, Piriton*)

— **Codeine Phosphate with Paracetamol**, tablet 8mg-500mg (*Codalgin, Dymadon Co., Panamax Co.*)

Dexchlorpheniramine, tablet 2mg (*Polaramine*)

Dextromoramide, tablet 5mg and suppositories 10mg, 10 (*Palfium*)

Dihydrocodeine Tartrate, linctus 19mg per 10mL, 100mL (*Paracodin, Rikodeine*)

Diphenhydramine, capsule 50mg and paediatric elixir 12.5mg per 5mL, 100mL (*Benadryl*)

Diphenylpyraline, tablet 2.5mg and paediatric syrup 2.5mg per 5mL, 100mL (*Histalert*)

Ethylnoradrenaline, injection 2mg in 1mL (*Bronkephrine*) (Item discontinued by manufacturer)

Glycerol, 100mL (*DH*)

Glycerophosphate Compound, syrup 1.5% sodium glycerophosphate, 100mL (*MG, Glyfosolix, SI, PR*)

Guanethidine, tablet 10mg (*Antipres M, Ismelin*) and tablet 25mg (*Antipres, Ismelin*)

Hydrogen Peroxide Solution, Dilute (10 vol), 100mL (*FA*)

Isoprenaline Hydrochloride, tablet 30mg (sustained release) (*Saventrine*)

Magnesium Sulphate, paste 50g and 100g (*Magnoplasm*)

Meclozine, tablet 25mg (*Ancolan*)

Pheniramine, tablet 10mg (*Fenamine-M*), tablet 50mg (*Avil, Fenamine*) and paediatric syrup 15mg per 5mL, 100mL (*Fenamine*)

Pholcodine, linctus 0.1%, 100mL (*Actuss, Adaphol, Duro-Tuss, Pectolin, Pholcolin, Pholcolin Red, Pholtrate, Sedlingtus, Tussinol, PR, RT*)

Riboflavine, tablet 5mg (*FM*)

Salicylamide, tablet 500mg (*PT*)

Senega and Ammonia, mixture 200mL (*Senamon, MG, RT, SI, SL(NQVW), PR, QE(NQ), TO*)

Trimeprazine, tablet 10mg (*Vallergan*)

Section 4

Drugs Available for Extemporaneous Preparations

Cream Cetomacrogol Aqueous APF 74

Cream Cetrimide Aqueous APF 74

Homatropine Hydrobromide BP

Magnesium Sulphate Dried BP

Oil Maize BP

Squill Elixir BP

Water Chlorbutol APF 55

Forms and Strengths of Items

Section 2

Aspirin, tablet 300mg (*SI*), tablet 300mg (dispersible) (*Solprin, FM*), tablet 325mg (buffered) (*Bufferin*) and tablet 650mg (includes 350mg sustained release) (*Bi-Prin*)

Chloral Hydrate, mixture 1g per 10mL, 200mL (*Chloralix, Elix-Nocte Forte, Noctec Syrup*)

Clorexolone, tablet 10mg (*Nefrolan*)

Codeine Phosphate, linctus 0.5%, 100mL (*MG, Codelix, Codlin, Actacode, PR, QE(NQ)*)

Codeine Phosphate with Aspirin, tablet soluble 8mg-300mg (*Aspalgin*) and tablet soluble 8mg-500mg (*Solcode*)

Cyproheptadine, tablet 4mg (*Periactin*)

(The differential maximum quantity listing remains)

Glucose Indicator—Blood, reagent strips 50 (*Visidex II*) (*Visidex II* is being replaced by *Glucostix*)

Glyceryl Trinitrate, transdermal disc releasing approximately 5mg per 24 hours (*Nitradisc*) and transdermal pad releasing approximately 5mg per 24 hours (*Transiderm-Nitro 25*)

Insulin Zinc Suspension (Amorphous) (Semilente), injection (bovine) 100 units per mL, 10mL (*Semilente MC Beef*) (Item discontinued by manufacturer)

Methdilazine, tablets 4mg and 8mg (*Dilosyn*)

(The differential maximum quantity listing remains)

Milk Powder—Synthetic, fructose formula, reduced fat, low lactose compound powder 454g (*Galactomin Formula 19*) (Item discontinued by manufacturer)

Norethisterone Acetate with Ethinyloestradiol, pack containing 21 tablets 2.5mg-50 micrograms and 7 inert tablets (*Norlestrin*) (Item discontinued by manufacturer)

Oxytetracycline, capsule 250mg (*Terramycin*) (Item discontinued by manufacturer)

Pancreatin Enzyme, powder providing not less than 20,000 B.P. units of lipase activity per g, 250g (*Viokase*)

Papaveretum, tablet 10mg (*Omnopon*)

Paracetamol, tablet 500mg (*Ceetamol, Dymadon, Panacete, Panamax, Paralgin, Parasin, Parmol, PCL*)
Peritoneal Dialysis Solution, injection with 1.36% anhydrous glucose, 1L and injection with 3.86% anhydrous glucose, 1L (*Diasol*)
Promethazine, tablet 10mg (*Phenergan*), tablet 25mg (*Meth-Zine, Phenergan*) and mixture 5mg per 5mL, 100mL (*Progan, Prothazine*)
Sodium Aurothiomalate, injections 1mg and 5mg (*Myocrisin*)
Sodium Salicylate, tablets 300mg (enteric coated) and 500mg (enteric coated) (*Rhumax*)
Sodium Valproate, tablet 200mg (*Epilim*) (Item discontinued by manufacturer. A 100mg strength crushable tablet is now listed as a benefit)
Thiamine Hydrochloride, tablet 50mg (*PT, Betamin, Betatabs-50, Invite-B, DH, PR*)

ALTERATIONS

Section 2

To be unrestricted

Amoxycillin, dispersible tablet 3g (*Amoxil, Moxacin*)
Cloxacillin, capsule 250mg (*Alclox 250, Austrastaph, Orbenin*), capsule 500mg (*Alclox 500, Austrastaph, Orbenin*) and powder for syrup 125mg per 5mL, 100mL (*Austrastaph*)
Doxorubicin Hydrochloride, powders for I.V. injection 10mg and 50mg (*Adriamycin*)
Flucloxacillin, capsule 250mg (*Staphylex 250, Flopen, Floxapen*), capsule 500mg (*Staphylex 500, Flopen, Floxapen*) and powder for syrup 125mg per 5mL, 100mL (*Flophen, Floxapen*)
Sucralfate, tablet 1g (*Ulsanic*)
Sulindac, tablet 100mg (*Clinoril*)
Tri-potassium Di-citrate Bismuthate Complex, tablet 107.7mg (Bi) (*De-Nol*)

Restriction Changes

Special Pharmaceutical Benefits

Clomiphene Citrate, tablets 50mg, 5 (*Clomid*)

General Benefits

Cholestyramine, sachets 9g (equivalent to 4g cholestyramine), 50 (*Questran*)
Cimetidine, tablets 200mg and 400mg (*Duractin, Tagamet*)
Etretnate, capsules 10mg and 25mg (*Tigason*)
Ranitidine Hydrochloride, tablet 150mg (base) (*Zantac*)
Ticarcillin, injection 3g (solvent required) (*Tarcil, Ticillin*)

Maximum Quantity

	From	To
<i>General Benefits</i>		
Chloral Hydrate , capsule 500mg (<i>Noctec</i>)	50	25
Codeine Phosphate , tablet 30mg (<i>Codate, DH, FA, FM</i>)	25	20
Ethinodiol Diacetate with Ethinyloestradiol , all forms and strengths	2	4
Levonorgestrel , tablet 30 micrograms, 28 (<i>Microlut 28, Microval 28</i>)	2	4
Levonorgestrel with Ethinyloestradiol , all forms and strengths	2	4
Norethisterone , tablet 350 micrograms, 28 (<i>Micronor, Noriday 28 Day</i>)	2	4
Norethisterone with Ethinyloestradiol , all forms and strengths	2	4
Norethisterone with Mestranol , all forms and strengths	2	4
Norethisterone Acetate with Ethinyloestradiol , all forms and strengths	2	4
Norgestrel with Ethinyloestradiol , all forms and strengths	2	4
Oxazepam , tablet 15mg (<i>Alepam 15, Benzotran, Murelax, Serepax</i>) and tablet 30mg (<i>Alepam 30, Benzotran, Murelax, Serepax</i>)	50	25
Ticarcillin , injection 3g (solvent required) (<i>Ticillin, Tarcil</i>)	5	10

Intravenous Infusions

Dextran 40 , 10% with 5% glucose, 500mL and 10% with 0.9% sodium chloride, 500mL (<i>Rheomacrodex</i>)	12	3
Dextran 70 , 6% with 5% glucose, 500mL and 6% with 0.9% sodium chloride, 500mL (<i>Macrodex</i>)	12	3

Number of Repeats

	From	To
<i>Special Pharmaceutical Benefits</i>		
Clomiphene Citrate , tablets 50mg, 5 (<i>Clomid</i>)	..	5

General Benefits

Chloral Hydrate , mixture 250mg per 5mL, 200mL (<i>Dormel</i>)	4	..
Diclofenac Sodium , tablet 50mg (enteric coated) (<i>Voltaren 50</i>)	2	3
Diflunisal , tablet 250mg (<i>Dolobid</i>)	2	3
Hexamine Hippurate , tablet 1g (<i>Hiprex</i>)	2	5
Hexamine Mandelate , tablet 250mg (<i>Mandelamine</i>), tablet 500mg (<i>Mandelamine Hafgrams</i>) and tablet 1g (<i>Mandelamine</i>)	2	5
Ibuprofen , tablets 200mg and 400mg (<i>Inflam, Brufen</i>)	2	3
Indomethacin , capsule 25mg (<i>Arthrexin, Rheumacin, Indocid</i>) and suppository 100mg (<i>Indocid</i>)	2	3

	<i>From</i>	<i>To</i>
Methacycline , capsules 150mg and 300mg (<i>Randomycin</i>)	..	1
Naproxen , tablet 250mg (<i>Naxen, Naprosyn</i>) and suppository 500mg (<i>Naprosyn</i>)	2	3
Paracetamol , mixture 120mg per 5mL, 100mL (<i>Dymadon, Panamax, Parmol</i>)	4	2
Phenoxymethylpenicillin , suspension 250mg per 5mL, 100mL (<i>Abbecillin-V, Cilicaine V, LPV 250</i>)	..	1
Sucralfate , tablet 1g (<i>Ulsanic</i>)	1	2
Sulindac , tablet 100mg (<i>Clinoril</i>)	2	3
Tri-potassium Di-citrato Bismuthate Complex , tablet 107.7mg (Bi) (<i>De-Nol</i>)	1	2

Pack Size

	<i>From</i>	<i>To</i>
Aluminium Hydroxide with Kaolin , mixture 137mg-1g per 5mL (<i>Kaomagma</i>)	375mL	500mL
Chloral Hydrate , mixture 250mg per 5mL (<i>Dormel</i>)	500mL	200mL

Name

<i>From</i>	<i>To</i>
Bassorin with Frangula Bark , granules 47.3%-8.3%, 250g (<i>Granocol</i>)	Sterculia with Frangula Bark , granules 47.3%-8.3% 250g (<i>Granocol</i>)
Insulin , injection (biosynthetic human) 100 units per mL, 10mL (<i>Humulin R</i>)	Insulin Neutral , injection (biosynthetic human) 100 units per mL, 10mL (<i>Humulin R</i>)

Expression of Strength

<i>From</i>	<i>To</i>
Oestrone , pessaries 1 000 units, 12 (<i>Kolpon</i>)	Oestrone , pessaries 0.1mg, 12 (<i>Kolpon</i>)
Oestrone , pessaries 10 000 units, 12 (<i>Kolpon</i>)	Oestrone , pessaries 1mg, 12 (<i>Kolpon</i>)

Proprietary Name

	<i>From</i>	<i>To</i>
Enalapril Maleate , tablet 20mg	<i>Renitec</i>	<i>Renitec 20</i>
Sodium Valproate , syrup 200mg per 5mL, 200mL	<i>Epilim</i>	<i>Epilim Syrup</i>

Manufacturer

	<i>From</i>	<i>To</i>
Sucralfate , tablet 1g (<i>Ulsanic</i>)	<i>DT</i>	<i>BT</i>

NOTES

Notes have been added, deleted or altered in respect of the following items:—

Cimetidine (*Duractin, Tagamet*)

Ranitidine Hydrochloride (*Zantac*)

Sucralfate (*Ulsanic*)

Sulindac (*Clinoril*)

Temazepam (*Euhypnos, Normison, Temazin 10*)

Tri-potassium Di-citrato Bismuthate Complex (*De-Nol*)

ADVANCE NOTICE

DELETION

Section 2

The item listed below will be deleted from the Schedule of Pharmaceutical Benefits as from 1 April 1987.

Clopamide, tablet 20mg (*Brinaldix*)

(The 20mg strength tablet is being replaced with a 5mg strength tablet)

All Previous Editions Cancelled



**SCHEDULE OF
PHARMACEUTICAL BENEFITS**

for

MEDICAL PRACTITIONERS

OPERATIVE FROM 1 NOVEMBER 1986

Commonwealth Department of Health,
CANBERRA, A.C.T.

A. B. CAUDELL, Government Printer, Tasmania

CONTENTS

SECTION 1—LEMON PAGES

Explanatory Notes—

Prescribing of Benefits—Procedure by Doctors—

	<i>Paragraph</i>	<i>Page</i>
Schedule of Benefits.....	1-9	4
Explanatory and Warning Statements.	10-11	5
Prescriptions	12-21	5-7
Manner of Administration	22	7
Restrictions	23-24	8
Maximum Quantities and Repeats	25-34	8-9
Regulation 24	35-36	10
Establishment by Eligible Pensioners and Concessional Beneficiaries of Entitlements to Pharmaceutical Be- nefit Concessions	37-40	10-11
Authority to Prescribe.....	41-42	11-12
Urgent Cases.....	43-44	12
Emergency Drug (Doctor's Bag) Supplies	45-48	12-13
Enquiries	49	13
 Addresses of Poisons Information Centres		14
 Addresses of Drug Information Centres.....		15
 Addresses of Commonwealth Department of Health Central Office and Regional Offices.....		16-18
 Index of Manufacturers' Codes		19-22
 List of Emergency Drug (Doctor's Bag) Supplies		23-24

	3
SECTION 2—WHITE PAGES	<i>Page</i>
Schedule of Benefits—	
Special Pharmaceutical Benefits.....	3
General, Pensioner and Restricted Benefits.....	4-114
Intravenous Infusions.....	115-116
SECTION 3—WHITE PAGES	
Schedule of Benefits—	
Preparations Available for Colostomy and Ileostomy Use	2-3
Preparations Available for Use by Paraplegic and Quadriplegic Patients.....	4
SECTION 4—GREEN PAGES	
Schedule of Benefits—Drugs Available for Extemporaneous Preparations.....	1-4
Table of Maximum Quantities and Number of Repeats for Extemporaneous Preparations.....	5
SECTION 5—GREEN PAGES	
Prescribers' List—Pharmaceutical Benefits Formulae	1-13
PROPRIETARY INDEX	
Part 1—Proprietary Names Index	2-20
Part 2—Trade Names Index	21

SECTION 1—EXPLANATORY NOTES

PRESCRIBING OF BENEFITS—PROCEDURE BY DOCTORS

1. Pharmaceutical benefits which may be prescribed by doctors are listed in this book.

2. Ready prepared items are listed in Sections 2 and 3 of the Schedule of Benefits. Restrictions apply to the prescribing of some items in Section 2 and all the items in Section 3. Further details may be found in these notes—paragraphs 23-24.

3. The Schedule of ready prepared items includes the form, manner of administration and brand of these items which may be prescribed. Where the words 'solvent required' are included after the form, the item and a solvent may be prescribed as one benefit. In such cases, any listed brand of solvent may be ordered with the item. For clarity, such benefits should be written as one prescription, e.g. 'Ampicillin, Injection 1g with 2mL water for injections'.

4. The Schedule also shows the maximum quantity and the number of repeats allowable for each item. Further details may be found in these notes—paragraphs 25-36.

5. The drugs which may be used in extemporaneous preparations are listed in Section 4 (Green Pages). Where a restriction applies to the use of a drug listed in this Section it is indicated against the item.

6. Formulae in common use are listed in Section 5—Prescribers' List (Green Pages).

7. A proprietary name index of ready prepared items is included after Section 5.

8. Symbols used in the Schedule of Benefits are explained on page 1, Section 2 (White Pages).

9. The following admixtures are not pharmaceutical benefits:—

- (a) the admixture of two or more ready prepared items listed in the Schedule of Benefits; or
- (b) the admixture of a ready prepared item and a drug or drugs listed in Section 4 of the Schedule of Benefits.

Explanatory and Warning Statements

10. The Use of 'Note' in Section 2 (White Pages) of the Schedule is reserved for explanatory purposes in relation to the prescribing of some drugs as pharmaceutical benefits.

11. The use of 'Caution' in Section 2 (White Pages) of the Schedule is reserved for the purpose of warning of adverse reactions or precautions associated with the use of a drug. The absence of a cautionary note does not necessarily imply that significant adverse reactions may not be encountered.

Prescriptions

12. A prescription ordering a pharmaceutical benefit may be written only for the medical treatment of the person named on the prescription and requiring treatment with that pharmaceutical benefit and must not be written for any other purpose. The prescription is valid only when it is written by a registered medical practitioner.

13. Care should be taken to comply with the provisions of State law in regard to the prescribing of drugs listed as narcotic, specified or restricted under State legislation.

14. With regard to DRUGS OF ADDICTION, notification or approval of the appropriate State Health Authority or officer is required in all States for therapeutic use for a period exceeding two months (four weeks in Victoria, 30 days in Western Australia). Prior approval of the appropriate State Health Authority or officer is required in all States for the treatment of DRUG DEPENDENT PERSONS with ANY DRUG OF ADDICTION.

15. Medical practitioners are required by legislation under the National Health Act to observe the following rules when writing prescriptions for pharmaceutical benefits:—

- (a) Write the prescription in indelible form, i.e., ink or ball point pen in own handwriting (or with the approval of the Secretary otherwise record the prescription) either on the standard prescription form supplied by the Department or on paper as near as convenient to 18 cm × 12 cm. The name and address of the medical practitioner must be shown and 'N.H.S.' endorsed at the top.

- (b) Write the prescription in duplicate marking the duplicate copy with the word 'Duplicate'. This is pre-printed on the standard prescription forms.
- (c) Set out the name and address of the patient. Doctors are reminded that full details of the patient's address are required on each N.H.S. prescription.
- (d) The pharmaceutical benefit must be identified in the prescription by such particulars, including the name, form, strength and quantity, as are necessary for the complete identification of that benefit.
- (e) In the case of pharmaceutical benefits which are restricted in use, the prescription must be endorsed in the doctor's own handwriting with the words 'Specified Purpose'. Abbreviations such as 'Spec. Purp.' or 'S.P.' will be accepted.
- (f) If the benefit is a single drug, the manner of administration must be indicated.
- (g) When directing that the maximum quantity and repeats of a pharmaceutical benefit be supplied at the one time the prescription must be endorsed in own handwriting with the words 'Regulation 24'. Further details are available in paragraphs 35-36.
- (h) Date and sign the prescription.

16. A doctor may write up to three prescriptions on a single prescription form. Each prescription must be written legibly.

17. Prescriptions for pharmaceutical benefits for more than one person must not be written on the one prescription form.

18. A prescription is not a valid pharmaceutical benefit prescription if the medical practitioner—

- (a) prescribes a pharmaceutical benefit for a person in respect of whom another prescription for the same benefit has been written on the same day by the same medical practitioner;

- (b) prescribes on the one form a benefit that is a drug of addiction and another benefit and directs that the supply of either benefit is to be repeated. If no repeats of either item are ordered, the prescription may be accepted; or
- (c) prescribes a narcotic drug for the medical practitioner writing the prescription.

19. Where a medical practitioner writes a prescription for a pharmaceutical benefit, a formulation of which is available as a ready prepared pharmaceutical benefit and does not specify a brand, payment to the chemist is made on the basis of the lowest priced brand of the ready prepared benefit item which is listed. This also applies if the preparation is, or the ingredients are, available for use in dispensing extemporaneously prepared benefits (i.e. listed in Section 4).

20. Where, in a prescription for a pharmaceutical benefit which is not listed as a ready prepared pharmaceutical benefit, a medical practitioner states a monograph title of a formulation but does not specify a formulary, payment to the chemist is made on the basis of the formula, if any, specified in the Prescribers' List (Section 5). Should there be no formula specified in the Prescribers' List, payment to the chemist is made on the basis of the precedence of formularies accorded by State legislation.

21. To avoid confusing patients and the dispensing chemist, doctors should not write prescriptions for pharmaceutical benefits and non-pharmaceutical benefits on the one form. Where the prescription is for a restricted benefit and the patient is not suffering from one of the allowable conditions the doctor should write the prescription on a private prescription form, or if he does use an N.H.S. standard prescription form, delete N.H.S. from the top of the form.

Manner of Administration

22. Where a particular manner of administration is indicated in the Schedule, the item may not be prescribed as a pharmaceutical benefit for administration in any other way, e.g., an ophthalmic preparation may not be prescribed for topical use.

Restrictions

23. Certain pharmaceutical benefits may only be prescribed for a particular class of person, for a specified purpose, disease or condition and, where specified with the written authority of the Director of Health, Commonwealth Department of Health in the State concerned. Full particulars of these items and their restrictions are printed in red in Sections 2 and 3 (White Pages) of the Schedule. It is not necessary for the particular restriction to be identified on the prescription.

24. Pharmaceutical benefits which are available for use for colostomy and ileostomy conditions as well as pharmaceutical benefits which are available for use by paraplegic and quadriplegic patients are listed in Section 3 of the Schedule.

Maximum Quantities and Repeats

25. For ready prepared preparations, the allowable maximum quantity and number of repeats are shown in the second and third columns of Sections 2 and 3. For extemporaneously prepared preparations, details are set out in the Table of Maximum Quantities and Repeats (Green Pages).

26. Some prescriptions for pharmaceutical benefits do not completely identify the pharmaceutical benefit, in that they do not clearly state the quantity and/or the number of repeats. For example, some medical practitioners write 'Max. Qty' or 'M.Q.' instead of the actual number (of tablets, capsules, etc.); or write 'M.R.' or the like instead of stating the number of repeats required. Medical practitioners are required to completely identify the quantity being prescribed and the number of repeats by specifying the actual number in each case.

27. Where the maximum quantity of an item is marked with a double dagger (‡), the maximum quantity has been determined as a single pack. In such instances, chemists are required to supply unbroken packs (see page 1, Section 2 White Pages). These items should be prescribed in the standard pack sizes.

28. For other items it is not necessary to prescribe the maximum quantity either for the original or for a repeat supply, if the medical practitioner considers a lesser quantity is sufficient for the patient's needs.

29. If a medical practitioner requires a prescription to be repeated, he must show the quantity to be supplied and the number of repeats. It is not necessary for the maximum quantity to be ordered before the supply can be repeated. Repeats may be for any quantity up to the maximum, irrespective of whether the original supply is for an equal, greater or lesser quantity.

30. The relevant maximum quantity and number of repeats are not to be exceeded, unless the prescription is accompanied by a written authority from the Director of Health, Commonwealth Department of Health (see paragraphs 32-34).

31. The normal maximum quantity and number of repeats for pharmaceutical benefit items are recommended by the Pharmaceutical Benefits Advisory Committee (PBAC). For the treatment of an acute condition the PBAC recommends a maximum quantity which will provide sufficient medication for the treatment of the condition. For the treatment of chronic conditions the PBAC recommends sufficient, at normal dosage levels, for one month's treatment and two repeats. However, the PBAC has, for some items, recommended quantities and/or repeats to enable up to six months' treatment to be available.

32. Special provisions also exist to assist chronically ill patients who require large quantities of drugs and/or continuous treatment. In most cases under these provisions a doctor may, if he considers it to be in his patient's interest, apply to the Director of Health, Commonwealth Department of Health in his State for authority to prescribe a quantity in excess of the listed maximum quantity and/or number of repeats.

33. Under these provisions (except where otherwise stated in Section 2) a quantity sufficient for approximately six months' treatment at the higher dosage levels, i.e. approximately one month's treatment and up to five repeats, may be authorised.

34. For drugs which require the written authority of the Director of Health, the provisions of paragraphs 31-33 in general apply. For items where a plus sign (+) appears in the number of repeats column, a quantity, (being a multiple of the stated maximum quantity) to provide for approximately one month's treatment at the prescribed dosage level, plus sufficient repeats for up to six months' treatment may be authorised.

Regulation 24

35. Generally, a pharmaceutical benefit may not be supplied to the same person more than once on any one day. However, a doctor may direct that the original supply and the repeat supplies of a benefit ordered in a prescription be supplied at the one time, provided he is satisfied that—

- (a) the maximum quantity specified for the benefit is insufficient for the medical treatment of the person for whom it is prescribed;
- (b) that person is suffering from a chronic illness or is resident in a place remote from the nearest approved pharmaceutical chemist; and
- (c) that person, without great hardship, could not obtain the pharmaceutical benefit on separate occasions.

The doctor must endorse the prescription 'Regulation 24' as certification that the above conditions have been satisfied.

36. Where a prescription is endorsed 'Regulation 24' the dispensing chemist should make the relevant prescribed charge for the original and the same charge for each repeat that would normally be needed to make up the total supplies, for example, if the prescription orders two repeats, three patient contributions, plus three special patient contributions if applicable, would be charged to a patient other than a person issued with a valid Pensioner Health Benefits Card or a valid Health Benefits Card (see paragraph 37).

Establishment by Eligible Pensioners and Concessional Beneficiaries of Entitlements to Pharmaceutical Benefit Concessions

37. Under the Pharmaceutical Benefits Scheme, persons holding a valid Pensioner Health Benefits Card or a valid Health Benefits Card and their dependants are entitled to receive pharmaceutical benefits free of charge, for other than items for which a special patient contribution is payable. Persons holding a valid Health Care Card or a valid Pharmaceutical Benefits Concession Card and their dependants are entitled to receive pharmaceutical benefits at the concessional patient contribution rate, plus the special patient contribution if applicable.

38. Any person (including a doctor) may enter the relevant information to establish the patient as an eligible pensioner or concessional beneficiary in the spaces provided on prescription forms (front or back) supplied by the Department.

39. The person entering the entitlement information must complete all the relevant details applicable to the patient's entitlement on the prescription. The information to be provided in the appropriate space is:—

- (a) the entitlement number appearing on the card, i.e., a ten-character alpha-numeric number (the entitlement number does not identify the type of card or the entitlement category);
- (b) a cross (×) in the appropriate box indicating the type of entitlement card held by the patient. The type of card denotes the entitlement of the patient to receive pharmaceutical benefits free of charge or at the concessional patient contribution rate.

Where a patient or agent is required to sign and date a receipt for the supply of a benefit on an original prescription form, the patient or agent also accepts responsibility for the validity of the entitlement information shown on the prescription.

40. Where prescriptions are written on forms which do not provide space (front or back) for the entry of entitlement information, the doctor should not enter the patient's entitlement information on the prescription form. In these instances the dispensing chemist, on request, shall place the declaration stamp imprint on the back of the original prescription form to enable the patient entitlement information (see paragraph 39) to be entered.

Authority to Prescribe

41. Where the written authority of the Director of Health, Commonwealth Department of Health is required to prescribe:—

- (a) restricted drugs (paragraphs 23, 24); or
- (b) increased maximum quantities (paragraphs 32-34); and/or
- (c) increased number of repeats (paragraphs 32-34)

application should be made on the combined application/authority prescription form (Form PB86). The 'Health Department copy' together with the completed original and duplicate of the authority prescription are to be forwarded to the Director of Health. The doctor's copy should be retained.

42. The original and duplicate authority prescription, when authorised, can be returned to the doctor or sent direct to the patient. If the application can be approved after some amendment, an Authority to Prescribe (Form PB15) will be forwarded to the doctor, specifying what has been approved. A new prescription should then be written on the form PB15, the original and duplicate sent to the patient, and the triplicate (green copy) retained by the doctor.

Urgent Cases

43. In urgent cases, a chemist may supply a benefit before the prescription is surrendered to him, if the doctor communicates the prescription to the chemist by telephone or other means. *In such cases the doctor must write out the prescription and forward it to the approved chemist who made the supply within 24 hours of such communication.* This provision does not apply to prescriptions for supply by chemists where the law of the State in which the chemist's premises are situated requires the prescription to be in writing.

44. The provision for communication of prescriptions in urgent cases applies also to those drugs for which the written authority of the Director of Health is necessary for supply as a pharmaceutical benefit (see paragraph 23). In such cases the doctor must first obtain advice from the Director of Health, Commonwealth Department of Health in the particular State, by telephone or other means, that the authority will be issued, and notify the chemist accordingly when communicating the prescription. *The doctor must subsequently submit a form PB86, obtain the written authority and forward it, within 24 hours of its receipt, to the approved chemist who supplied the benefit.*

Emergency Drug (Doctor's Bag) Supplies

45. Certain pharmaceutical benefits are provided free to doctors for emergency use. These emergency supplies are not available to ships' doctors. The patient is not required to make any payment when benefits are made available to him from these supplies.

46. Supplies of these drugs may be obtained from an approved chemist upon the production of an official Emergency Drug (Doctor's Bag) Order Form (Form PB7) in duplicate, signed by the doctor personally. Each order form is valid during the month printed thereon and each doctor may obtain the benefits not more often than once per month. (Doctors approved to supply pharmaceutical benefits under section 92 of the National Health Act are to use Form PB7A which must not be presented to an approved chemist for supplies. Special instructions are issued to these doctors.)

47. The maximum quantity listed against the Emergency Drug items permitted to be obtained at the one time may be ordered provided the quantity of the item that the doctor has on hand is less than the maximum quantity.

48. A doctor may also specify on the order form any listed brand of a benefit. If this brand is not available, the doctor will be requested by the approved chemist to specify in the order another listed brand which is available, and to initial the alteration. The doctor issuing the order form must sign and date the form. A receipt for the benefits supplied on this order form must be signed by either the doctor himself or by a person authorised by him.

Enquiries

49. Any enquiries regarding the Pharmaceutical Benefits Scheme or requests for Departmental publications or stationery other than N.H.S. standard prescription pads should be made to the Director of Health, Commonwealth Department of Health in the capital city of your State. Orders for N.H.S. prescription pads should be forwarded to the Secretary to the Department of Health, Canberra.

ADDRESSES OF POISONS INFORMATION CENTRES

NEW SOUTH WALES

Royal Alexandra Hospital for Children,
Pyrmont Bridge Road,
Camperdown.

Telephone No.

Sydney
51 0466

VICTORIA

Royal Children's Hospital,
Flemington Road,
Parkville.

Melbourne
345 5678

QUEENSLAND

Brisbane Royal Children's Hospital,
Herston Road,
Herston.

Brisbane
253 8233

SOUTH AUSTRALIA

Adelaide Children's Hospital (Incorporated),
King William Road,
North Adelaide.

Adelaide
267 4999
Ext. 6117

WESTERN AUSTRALIA

Princess Margaret Hospital for Children,
Thomas Street,
Subiaco.

Perth
381 1177
008-11 9244
(Country
Areas)

TASMANIA

Royal Hobart Hospital,
Liverpool Street,
Hobart.

Hobart
38 8485

NORTHERN TERRITORY

Royal Darwin Hospital,
Darwin.

Darwin
27 4777

AUSTRALIAN CAPITAL TERRITORY

Royal Canberra Hospital,
Canberra.

Canberra
43 2154

ADDRESSES OF DRUG INFORMATION CENTRES

AUSTRALIAN CAPITAL TERRITORY

Drug Information Pharmacist,
Royal Canberra Hospital,
ACTON, A.C.T. 2601
Telephone (062) 43 2113

NEW SOUTH WALES

Pharmacist,
New South Wales Drug Information
Centre,
P.O.Box 244,
KOGARAH, N.S.W. 2217
Telephone (02) 588 3222

NORTHERN TERRITORY

Chief Pharmacist,
Darwin Hospitals Group,
P.O. Box 41326,
DARWIN, N.T. 5792
Telephone (089) 20 7211

QUEENSLAND

Drug Information Pharmacist,
Queensland Drug Information Centre,
Royal Brisbane Hospital,
Herston Road,
BRISBANE, QLD 4006
Telephone (07) 253 7098

SOUTH AUSTRALIA CENTRAL SECTOR

Drug Information Pharmacist,
Royal Adelaide Hospital,
ADELAIDE, S.A. 5000
Telephone (08) 224 5546

SOUTH AUSTRALIA SOUTHERN SECTOR

Drug Information Pharmacist,
South Australian Drug Information
Centre,
Flinders Medical Centre,
BEDFORD PARK, S.A. 5042
Telephone (08) 275 9301

SOUTH AUSTRALIA

WESTERN SECTOR

Drug Information Pharmacist,
Queen Elizabeth Hospital,
Woodville Road,
WOODVILLE, S.A. 5011
Telephone (08) 243 6777

TASMANIA

Staff Pharmacist,
Royal Hobart Hospital,
G.P.O. Box 1061L,
HOBART, TAS. 7001
Telephone (002) 38 8737

VICTORIA

Pharmacist-in-Charge,
Victorian Drug Information Centre,
C/- Post Office,
Royal Melbourne Hospital,
VICTORIA 3050
Telephone (03) 342 7777

WESTERN AUSTRALIA

Drug Information Pharmacist,
Sir Charles Gairdner Hospital,
Verdun Street,
NEDLANDS, W.A. 6009
Telephone (09) 389 3333 ext. 2923

NATIONAL CENTRE

Senior Drug Information Officer,
Department of Health,
P.O. Box 100,
WODEN, A.C.T. 2606
Telephone (062) 89 8656

ADDRESSES OF COMMONWEALTH DEPARTMENT OF HEALTH OFFICES

NOTE: All applications for authority to prescribe should be forwarded
to the appropriate Regional Office.

CENTRAL OFFICE

The Secretary,
Commonwealth Department of Health,
P.O. Box 100,
Woden, A.C.T. 2606

REGIONAL OFFICES

NEW SOUTH WALES

Commonwealth Department of Health,
Commonwealth Government Centre,
Chifley Square,
Corner Phillip and Hunter Streets,
Sydney, N.S.W. 2000

Telephone 239 3000

Director of Health—

Mr J. B. Jamieson

Deputy Director (Medical)—

Dr T. G. Quinn

After hours: Telephone 969 6367

VICTORIA

Commonwealth Department of Health,
Commonwealth Centre,
Corner Spring and Latrobe Streets,
Melbourne, Vic. 3000

Telephone 662 2999

G.P.O. Box 1547P, Melbourne, Vic. 3001

Applications for authority to prescribe—

G.P.O. Box 1543P, Melbourne, Vic. 3001

Director of Health—

Mr A. E. Shields

Assistant Director (Medical)—

Dr A. I. Mead

After hours: Telephone 347 0103

QUEENSLAND

Commonwealth Department of Health,
 Australian Government Offices,
 Anzac Square,
 Adelaide Street,
 Brisbane, Qld 4000

Telephone 225 0122

G.P.O. Box 567, Brisbane, Qld 4001

Director of Health—

Dr Peter E. R. Ulrich

Assistant Director (Medical)—

Dr J. A. Williamson

After hours: Telephone 378 8508

SOUTH AUSTRALIA

Commonwealth Department of Health,
 I.M.F.C. House,
 33-39 King William Street,
 Adelaide, S.A. 5000

Telephone 216 3911

G.P.O. Box 2219, Adelaide, S.A. 5001

Director of Health—

Dr J. Y. Hancock

After hours: Telephone 272 0527

WESTERN AUSTRALIA

Commonwealth Department of Health,
 Victoria Centre,
 2-6 St George's Terrace,
 Perth, W.A. 6000

Telephone 323 5711

G.P.O. Box M970, Perth, W.A. 6001

Director of Health—

Mr B. Kelly

Assistant Director (Medical) (Acting)—

Dr P. J. Carrivick

TASMANIA

Commonwealth Department of Health,
 Kirksway House,
 6 Kirksway Place,
 Hobart, Tas. 7000
 G.P.O. Box 919J, Hobart, Tas. 7001
 Director of Health—
 Dr C. W. Phillips

Telephone 20 5011

After hours: Telephone 25 1536

NORTHERN TERRITORY

Commonwealth Department of Health,
 M.L.C. Building,
 Smith Street,
 Darwin, N.T. 5794
 P.O. Box 147, Darwin, N.T. 5794
 Director of Health—
 Dr F. H. Stewart

Telephone 82 4735

After hours: Telephone 81 2036

AUSTRALIAN CAPITAL TERRITORY

C.T.H.C. Building,
 Corner Moore and Alinga Streets,
 Canberra City, A.C.T. 2601
 G.P.O. Box 825, Canberra City, A.C.T. 2601
 Applications for authority to prescribe—
 Dr B. C. Bromhead

Telephone 45 4111

After hours: Telephone 82 2868
 Alternative: (048) 47 5017

INDEX OF MANUFACTURERS' CODES

<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd
AF	Alphapharm Pty Ltd
AG	Allergan Pharmaceuticals Pty Ltd
AM	Ames Company, Division of Miles Laboratories Australia Pty Ltd
AP	Astra Pharmaceuticals Pty Ltd
AQ	Alcon Laboratories (Australia) Pty Ltd
AY	Ayerst Laboratories Pty Ltd
BC	Bristol Laboratories Pty Ltd
BF	Barnes-Hind Pty Limited
BH	Biopharm Pty Ltd
BL	David Bull Laboratories
BM	Bermudapharm
BN	Bayer Pharmaceutical Company
BO	Boehringer Mannheim, Australia Pty Ltd
BR	Beecham Research Laboratories
BT	The Boots Company (Australia) Pty Ltd
BW	Wellcome Australia Limited
BY	Boehringer Ingelheim Pty Ltd
BZ	Boucher & Muir Pty Ltd
CG	Ciba-Geigy Australia Limited
CN	CSL-Novo Pty Limited
CS	Commonwealth Serum Laboratories
DF	Difrex (Aust.) Laboratories
DH	Drug Houses of Australia Pty Ltd
DL	Dista Products (Australia) & Company
DT	Du Pont Pharmaceuticals
DY	Denyer Brothers
EG	Eagle Laboratory Pty Ltd

<i>Code</i>	<i>Manufacturer</i>
ET	Ethnor Pty Ltd, Cilag Pharmaceutical Division
FA	F. H. Faulding & Co. Ltd
FC	Fisons Pty Ltd
FE	Farmitalia Carlo Erba, Australian Distributor, Sigma Co. Ltd
FL	Florafaun Pty Ltd
FM	Fawns and McAllan Pty Ltd
FR	Charles E. Frosst (Australia) Pty Ltd
GB	Gist-Brocades nv, The Netherlands, Australian Distributor, Astra Pharmaceuticals Pty Ltd
GL	Glaxo
GP	G.P. Laboratories
HA	Hamilton Laboratories Pty Ltd
HO	Hollister Incorporated, Australian Distributor, Abbott Laboratories Pty Ltd
HP	Hoechst Australia Ltd
IC	ICI Australia Operations Pty Ltd
IQ	The Ioquin Company
JP	Janssen Pharmaceutica Pty Ltd
KN	Knoll, A. G.
KY	Key Pharmaceuticals Pty Ltd
LA	L.A. Chemicals Pty Ltd
LE	Lederle Laboratories Division, Cyanamid Australia Pty Ltd
LY	Eli Lilly (Australia) and Company
MB	May & Baker Australia Pty Ltd
MG	J. McGloin Pty Ltd
MJ	Mead Johnson

<i>Code</i>	<i>Manufacturer</i>
MK	Merck, Sharp & Dohme (Australia) Pty Ltd
ML	Merrell Dow Pharmaceuticals Australia Pty Ltd
NE	Norgine Pty Ltd
NN	Nelson Laboratories (Sales) Pty Ltd
NR	Nordia, Australian Distributor, Ascot Pharmaceuticals Pty Ltd
NS	Nicholas Kiwi (Pacific) Pty Ltd
NT	Nestle Australia Ltd
NW	Norwich Eaton Pharmaceuticals Pty Limited
OL	Owen Laboratories
OR	Organon (Australia) Pty Ltd
PD	Parke, Davis Pty Ltd
PF	Pfizer Pty Ltd
PR	Prosana Laboratories Pty Ltd
PS	Pharmacia (Australia) Pty Ltd
PT	Protea Pharmaceuticals
QE	Queensland Ethicals
RC	Reckitts Pty Ltd
RD	Ross Laboratories
RK	Riker Laboratories Australia Pty Ltd
RL	Roussel Pharmaceuticals Pty Ltd
RN	Rona Laboratories Ltd, Australian Distributor, Riker Laboratories Australia Pty Ltd
RO	Roche Products Pty Ltd
RS	A. H. Robins Pty Limited
RT	Rocke, Tomsitt & Co., Ltd

<i>Code</i>	<i>Manufacturer</i>
SC	Schering, A.G.
SD	Syntex Pharmaceuticals Ltd
SE	Servier Laboratories (Aust.) Pty Ltd
SH	Essex Laboratories Pty Ltd Australian subsidiary of Schering Corporation
SI	Sigma Co. Ltd
SJ	Sharpe Laboratories Pty Ltd
SK	Smith Kline & French Laboratories (Aust.) Ltd
SL	Soul Pattinson Laboratories Pty Ltd
SN	Smith & Nephew (Aust.) Pty Ltd
SQ	E. R. Squibb & Sons Pty Ltd
SR	Searle Laboratories
ST	A. E. Stansen & Co. Pty Ltd
SU	Sauter Laboratories (Aust.) Pty Ltd
SV	Stafford-Miller Limited
SZ	Sandoz Australia Pty Ltd
TO	R. D. Toppin & Sons Pty Ltd
TV	Travenol Laboratories Pty Ltd
UP	Upjohn Pty Ltd
US	USV Pharmaceuticals
UW	United Works of Pharmaceutical and Dietetic Products, Australian Distributor, Boucher and Muir Pty Ltd
VF	Vifor, S.A., Australian Distributor, Boucher and Muir Pty Ltd
WH	H. W. Woods Pty Ltd
WL	Winthrop Laboratories
WP	Weddel Pharmaceuticals
WR	A. A. Wright Pty Ltd
WW	Wm R. Warner
WY	Wyeth Pharmaceuticals Pty Ltd
ZR	Zero Chemicals (Aust.) Pty Ltd
ZY	Zyma Pharmaceuticals

EMERGENCY DRUG (DOCTOR'S BAG) SUPPLIES

<i>Name of Pharmaceutical Benefit</i>	<i>Form, Strength and Volume</i>	<i>Maximum Quantity</i>
Adrenaline	Injection 1mg in 1mL (1 in 1 000)	5
Aminophylline	Injection I.V. 250mg in 10mL	5
Atropine Sulphate	Injection 600 micrograms in 1mL	5
Chlorpromazine	Injection 50mg in 2mL	10
<i>or</i>		
Haloperidol	Injection 5mg in 1mL	10
Diazepam	Injection 10mg in 2mL	5
Digoxin	Injection 500 micrograms in 2mL	5
Diphtheria and Tetanus Vaccine, Adsorbed	Injection 0.5mL	10
<i>or</i>		
Diphtheria and Tetanus Vaccine, Adsorbed, Diluted for Adult Use ..	Injection 0.5mL	10
<i>or</i>		
Tetanus Vaccine, Adsorbed	Injection 0.5mL	10
Ergometrine Maleate	Injection 250 micrograms in 1mL	5
Erythromycin Ethylsuccinate	Injection I.M. 100mg (base) in 2mL	5
Frusemide	Injection 20mg in 2mL	5
Glucose	Injection 50%, 10mL	5
Heparin Sodium	Injection 5 000 units in 1mL	5
<i>or</i>		
Heparin Sodium	Injection 25 000 units in 5 mL	1
Hydrocortisone Sodium Succinate	Injection set containing equivalent of 100mg hydrocortisone and 2mL solvent	2 sets
<i>or</i>		

<i>Name of Pharmaceutical Benefit</i>	<i>Form, Strength and Volume</i>	<i>Maximum Quantity</i>
Hydrocortisone Sodium Succinate	Injection set containing equivalent of 250mg hydrocortisone and 2mL solvent	1 set
<i>or</i>		
Dexamethasone	Injection 4mg in 1mL	5
Lignocaine	Injection 100mg in 5mL	4
<i>or</i>		
Lignocaine	Injection I.M. 300mg in 3mL	1
Morphine Sulphate	Injection 15mg in 1mL	5
<i>or</i>		
Morphine Sulphate	Injection 30mg in 1mL	5
Naloxone Hydrochloride..	Injection 400 micrograms per mL, 10mL	1
<i>or</i>		
Pethidine	Injection 100mg in 2mL	5
Procaine Penicillin.....	Injection 1.5g	10
Metoclopramide Hydrochloride.....	Injection 10mg in 2mL	10
<i>or</i>		
Prochlorperazine	Injection 12.5mg in 1mL	10
<i>or</i>		
Thiethylperazine.....	Injection 6.5mg (base) in 1mL	10
Promethazine	Injection 50mg in 2mL	10
Terbutaline Sulphate	Injection 100 micrograms in 1mL	5
<i>or</i>		
Terbutaline Sulphate.....	Injection 500 micrograms in 1mL	5
Verapamil Hydrochloride.	Injection 5mg in 2mL	5

NOTE: Only those brands of benefits listed in Section 2 (White Pages) may be ordered on a Doctor's Bag Order Form.

SECTION 2 - SCHEDULE OF BENEFITS
SYMBOLS USED IN THE SCHEDULE

- (a) An asterisk (*) in front of a restriction indicates an additional or amended purpose in this issue.
 - (b) A double dagger (#) in the maximum quantity column indicates an item for which the maximum quantity has been specially determined to correspond to the manufacturer's pack and the manufacturer's standard pack should be supplied.
 - (c) A plus sign (+) in the number of repeats column for "Authority Required" items indicates that a quantity, being a multiple of the stated maximum quantity, to provide for approximately one month's treatment, at the prescribed dosage level, plus sufficient repeats to provide for a total of six months' treatment may be authorised, unless specifically stated otherwise.
 - (d) A gauge sign (#) against the price of an item indicates that the product is not preconstituted.
 - (e) Where a STATE is indicated after the manufacturer's code, that brand may be available only in the State indicated. N.S.W. - (N); Vic. - (V); Qld. - (Q); S.A. - (S); W.A. - (W); Tas. - (T).
-

RESTRICTED BENEFITS

All restricted items are printed in red.

Attention is drawn to paragraph 15(e) of the explanatory notes which provides for endorsement by the prescribing doctor of prescriptions for pharmaceutical benefits with the words "specified purpose". Abbreviations such as "Spec. Purp." or "S.P." will be accepted. O

A straight line is drawn between entries for different forms and strengths of an item to indicate clearly the different restrictions which apply to these various forms and strengths. o

Except where otherwise indicated, the maximum quantity and/or number of repeats in respect of an item shown in the Schedule may be varied by the Director of Health when issuing an authority prescription (Form PB86) or an authority to prescribe (Form PB15). The quantity and number of repeats shown on the authority shall be supplied. (See paragraphs 32 and 33 of Section 4 - Explanatory Notes (Lemon Pages)).

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS

This edition of the Schedule includes details of drug scheduling in accordance with the Standard for Uniform Scheduling of Drugs and Poisons of the National Health and Medical Research Council.

Where a drug or preparation is not included in Schedule 4 (prescription only) the appropriate schedule is included beside the drug or item. Until the Uniform Standard is adopted universally, scheduling may differ from State to State.

Classification:

- (Ex) Exempt from scheduling
- (S1) Schedule 1 - Poisons of such danger to life as to warrant their being available only from medical practitioners, dentists, veterinary surgeons, pharmacists or persons licensed to sell Schedule 1 poisons.
- (S2) Schedule 2 - Poisons for therapeutic use that should be available to the public only from pharmacies; or where there is no pharmacy service available, from persons licensed to sell Schedule 2 poisons.
- (S3) Schedule 3 - Poisons for therapeutic use that are dangerous or are so liable to abuse as to warrant their availability to the public being restricted to supply by pharmacists or medical, dental or veterinary practitioners.
- (S4) Schedule 4 - Poisons that should, in the public interest, be restricted to medical, dental or veterinary prescription or supply, together with substances or preparations intended for therapeutic use, the safety or efficacy of which requires further evaluation.
- (S5) Schedule 5 - Poisons of a hazardous nature that must be readily available to the public but require caution in handling, storage and use.
- (S8) Schedule 8 - Poisons to which the restrictions recommended for drugs of dependence by the 1980 Australian Royal Commission of Inquiry into Drugs should apply.

SPECIAL PHARMACEUTICAL BENEFITS

The special patient contribution shown below is payable by all patients (including pensioners) in addition to the relevant patient contribution for concessional and general patients.

3

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Special Patient Contribution	Commonwealth Dispensed Price for Max. Qty	Total Dispensed Price for Max. Qty
			\$	\$	\$
BLEOMYCIN (Blenoxane BC) Germ cell neoplasms; Lymphoma; Squamous cell carcinoma. <u>CAUTION: Bleomycin can cause irreversible pulmonary fibrosis.</u>					
Injections 15mg (solvent required), 10	#1	..	455.06	467.46	922.52
CLOMIPHENE CITRATE (Clomid ML) Anovulatory infertility; Patients undergoing in-vitro fertilisation. <u>NOTE: Care must be taken to comply with the provisions of State law when prescribing clomiphene citrate.</u>					
Tablets 50mg, 5	#1	5	14.63	11.02	25.65
PHENYTOIN (Dilantin Infatabs PD, Dilantin PD) Tablets 50mg, 200	#1	2	1.56	8.71	10.27
Paediatric Suspension 30mg per 5mL, 500mL	#1	3	1.11	6.90	8.01
PHENYTOIN SODIUM (Dilantin Sodium PD) Capsules 30mg, 200	#1	2	1.55	8.66	10.21
100mg, 200	#1	2	1.57	8.75	10.32
Injection 100mg in 2mL	1	..	1.16	7.11	8.27
250mg in 5mL	1	..	1.47	8.34	9.81

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ACETAZOLAMIDE Tablet 250mg	50	6	8.49	Diamox	LE
Capsule 500mg (sustained release)	50	3	14.99	Diamox	LE
Injection 500mg (solvent required)	1	..	9.96	Diamox	LE
ACETYLCYSTEINE Bronchiectasis; Cystic fibrosis (mucoviscidosis).					
Solution 20%, 10mL	5	3	28.19	Mucomyst	AP
ACYCLOVIR Eye infections caused by herpes simplex virus where idoxuridine has proved ineffective.					
Eye Ointment 3%, 4.5g	#1	..	14.96	Zovirax	BW
<u>Authority required.</u> Suppression of genital herpes infection in severely immunocompromised patients.					
Tablet 200mg	25	+	52.46	Zovirax	BW
ADRENALINE Injection 1mg in 1mL (1 in 1,000) (S3)	5	1	4.65	BL,SI	
Eye Drops 0.5%, 7.5mL (S3)	#1	6	5.87	Eppy/N	BF
0.5%, 10mL (S3)	#1	6	6.02	Epifrin	AG
1%, 7.5mL (S3)	#1	6	6.22	Eppy/N	BF
1%, 10mL (S3)	#1	6	6.71	Epifrin Glaucan	AG AQ
2%, 10mL	#1	6	9.65	Epifrin Glaucan	AG AQ
ALLOPURINOL Tablet 100mg	100	5	6.29 7.46 7.52	Alloremed 100 Alinol Progout Zyloprim	DH US PT BW
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ALLOPURINOL - cont. Tablet 300mg	30	5	6.19 7.25 7.31	Alloremed 300 DH Alinol US Progout PT Zyloprim BW
Capsule 100mg	100	5	7.52	Capurate-100 FM
300mg	30	5	7.31	Capurate-300 FM
ALPRENOLOL Tablet 100mg	100	5	10.25	Aptin AP Betacard BR
ALUMINIUM HYDROXIDE (Ex) Mixture 320mg per 5mL, 500mL	#1	5	5.14	Alusorb DH Amphojel WY Gelox PR
ALUMINIUM HYDROXIDE DRIED (Ex) Tablet 300mg	100	5	5.14	Actal WL Amphotabs WY
ALUMINIUM HYDROXIDE with KAOLIN (Ex) Mixture 137mg-1g per 5mL, 500mL	#1	2	5.40	Kaomagma WY
ALUMINIUM HYDROXIDE and MAGNESIUM CARBONATE CO-DRIED GEL (Ex) Tablet 375mg	100	5	5.14	Almacarb GL Simeco WY
ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE (Ex) Tablet 200mg-200mg	100	5	5.14	Mylanta PD
Dispersible Tablet 230mg-230mg	100	5	5.14	LoAsid BW
Mixture 300mg-100mg per 5mL, 500mL	#1	5	5.14	Aludrox WY
Suspension 215mg-80mg per 5mL, 500mL	#1	5	5.14	Simeco WY
200mg-200mg per 5mL, 500mL	#1	5	5.14	Alucone DH Gelusil WW Mylanta PD Sodexol SC
ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE and OXETHAZAINE (S2) Suspension 306mg-97.5mg-10mg per 5mL, 500mL	#1	5	5.46	Mucaine WY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ALUMINIUM HYDROXIDE with MAGNESIUM TRISILICATE and MAGNESIUM HYDROXIDE (Ex) Tablet 250mg-120mg-120mg	100	5	5.14	Gastrogel	FM
Mixture 250mg-120mg-120mg per 5mL, 500mL	#1	5	5.14	Gastrogel	FM
ALUMINIUM SODIUM SILICATE (Ex) Powder 100g	#1	5	5.14	Neutralon	SC
AMANTADINE HYDROCHLORIDE Parkinson's disease which is not drug induced.					
Capsule 100mg	100	5	22.27 22.35	Antadine Symmetrel	BT CG
AM BENONIUM CHLORIDE Tablet 10mg	100	2	47.57	Mytelase	WL
AMILORIDE CAUTION: Serum electrolytes should be checked regularly. Supplemen- tary potassium may cause life- threatening hyperkalaemia.					
Tablet 5mg	50	3	5.09 5.77	Kaluril Midamor	AF MK
AMINACRINE HYDROCHLORIDE (Ex) Eye Drops 3mg in 15mL	#1	2	4.71	Aminopt	SI
AMINO ACID FORMULA with VITAMINS and MINERALS without PHENYLALANINE (Ex) Phenylketonuria.					
Powder 200g	5	5	236.21	Maxamaid XP	SJ
AMINO ACID FORMULA without PHENYLALANINE (Ex) Phenylketonuria.					
Powder 250g	2	5	192.46	PK AID I	SJ
250g	2	5	222.46	PK AID II	SJ
Food Supplement Powder 500g	#1	5	160.40	Aminogran F.S.	GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMINOCAPROIC ACID Injection I.V. 250mg per mL, 10mL	10	..	11.35	Ekaprol DF
AMINOGLUTETHIMIDE <u>Authority required.</u> Adrenal suppression in post-menopausal metastatic breast cancer in patients who have failed to respond adequately to primary endocrine manipulation; Cushing's syndrome. <u>NOTE:</u> Replacement therapy with a corticosteroid is essential.				
Tablet 250mg	100	+	108.71	Cytadren CG
AMINOPHYLLINE Tablet 100mg	100	5	4.49	Cardophyllin HA
Oral Liquid 105mg per 5mL, 500mL (S3)	#1	5	5.59	Somophyllin FC
Injection I.V. 250mg in 10mL	5	..	5.61	BT,SI
AMIODARONE HYDROCHLORIDE <u>Authority required.</u> For the continuing treatment of severe refractory cardiac arrhythmias where treatment with amiodarone hydrochloride was initiated in a hospital (in-patient or out-patient); For the continuing treatment of a patient who has already received long-term (greater than six months) therapy with amiodarone hydrochloride for severe refractory cardiac arrhythmias. <u>CAUTION:</u> Amiodarone hydrochloride has been reported to cause frequent and potentially serious toxicity.				
Tablet 200mg	30	+	32.04	Cordarone X 200 RC
AMITRIPTYLINE Tablet 10mg	50	2	3.84	Amitrip PT
			4.09	Endep 10 AF
				Laroxyl RO
(continued)				Tryptanol MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
AMITRIPTYLINE - cont.				
Tablet 25mg	50	2	4.84	Amitrip PT
				Endep 25 AF
			5.21	Laroxyl RO
				Saroten NS
				Tryptanol MK
50mg	50	2	5.84	Endep 50 AF
AMMONIUM CHLORIDE (Ex)				
Tablet 500mg	100	3	6.21	FM
AMOXYCILLIN				
Tablet 250mg	20	1	6.37	Amoxil BR
				Moxacin CS
Dispersible Tablet 3g	1	..	6.34	Amoxil BR
				Moxacin CS
Capsule 250mg	20	1	5.90	Alphamox 250 AF
				Ibiamox PT
			6.37	Amoxil BR
				Cilamox SI
				Moxacin CS
Powder for Syrup				
125mg per 5mL, 100mL	#1	1	#6.96	Ibiamox PT
			#7.25	Amoxil BR
				Cilamox SI
				Moxacin CS
250mg per 5mL, 100mL	#1	..	#8.40	Ibiamox PT
			#8.46	Amoxil Forte BR
				Cilamox SI
				Moxacin 250 CS
AMOXYCILLIN with CLAVULANIC ACID				
NOTE: This combination should not be used in preference to amoxycillin unless resistance to amoxycillin is suspected or proven.				
Tablet 250mg-125mg	15	1	11.01	Augmentin BR
500mg-125mg	15	1	14.37	Augmentin BR
				Forte
Powder for Syrup				
125mg-31.25mg per 5mL, 75mL	#1	1	#8.96	Augmentin BR
250mg-62.5mg per 5mL, 75mL	#1	..	#11.21	Augmentin BR
				Forte

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AMPHOTERICIN					
Tablet 100mg	50	..	10.59	Fungilin	SQ
Lozenge 10mg	20	1	4.66	Fungilin	SQ
Suspension 100mg per mL, 24mL	≠1	1	5.47	Fungilin	SQ
Injection 50mg (solvent required)	1	..	16.94	Fungizone	SQ
Cream 3%, 15g	≠1	1	4.92	Fungilin	SQ
Ointment 3%, 15g	≠1	1	4.92	Fungilin	SQ
AMPICILLIN					
Capsule 250mg	25	1	6.19 6.21	Ampicyn Austrapen Penbritin	PT CS BR
500mg	12	1	5.94 5.96	Ampicyn Austrapen Penbritin	PT CS BR
Powder for Syrup 125mg per 5mL, 100mL	≠1	1	#6.81 #6.84	Ampicyn Austrapen Penbritin	PT CS BR
250mg per 5mL, 100mL	≠1	..	#7.69 #7.71	Ampicyn Austrapen Forte Penbritin Forte	PT CS BR
Injection 250mg (solvent required)	5	1	6.92	Ampicyn Austrapen Penbritin	PT CS BR
500mg (solvent required)	5	1	8.95	Ampicyn Austrapen Penbritin	PT CS BR
1g (solvent required)	5	1	13.05	Ampicyn Austrapen Penbritin	PT CS BR
AMYLOBARBITONE SODIUM Epilepsy.					
Injection 500mg (solvent required)	2	..	8.72	Amytal Sodium	LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ANTAZOLINE with NAPHAZOLINE (S2) Eye Drops 0.5% (sulphate)- 0.025% (nitrate), 10mL	#1	2	4.59	Antistine- Privine ZY
Eye Drops 0.5% (phosphate)- 0.05% (hydrochloride), 15mL	#1	2	4.71	Albalon-A AG
ANTIVENOM - RED BACK SPIDER Injection 500 units	2	..	121.22	CS
ASPIRIN (S2) Tablet 650mg (enteric coated)	100	2	6.19	Ecotrin SK Rhusal GP
650mg (sustained release)	100	2	5.46	S.R.A. BT
ATENOLOL Tablet 50mg	30	5	10.52	Tenormin IC
ATROPINE METHONITRATE Tablet 1mg	50	2	6.29	Eumydrin WL
Oral Solution 0.6%, 15mL	#1	..	5.55	Eumydrin WL
ATROPINE SULPHATE Tablet 600 micrograms (S1)	100	2	5.31	FM
Injection 600 micrograms in 1mL (S2)	5	1	4.25	BL,BT
1.2mg in 1mL (S2)	5	1	4.27 4.29	BT BL
Eye Drops 0.5%, 15mL (S1)	#1	2	4.90	Atropt SI
1%, 15mL (S1)	#1	2	4.90	Atropt SI
Eye Ointment 1%, 4g (S1)	#1	..	6.22	PD
AURANOFIN CAUTION: Regular blood and urine checks are essential.				
Tablet 3mg	60	5	53.71	Ridaura SK
AUROTHIOGLUCOSE Injection 50mg per mL, 10mL	1	..	68.26	Gold-50 SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
AZATHIOPRINE Tablet 50mg	100	2	57.46 70.19	Thioprine Imuran	AF BW
BACLOFEN Tablet 10mg	100	5	31.21	Lioresal	CG
25mg	100	5	57.46	Lioresal	CG
BASSORIN with FRANGULA BARK - see STERCULIA with FRANGULA BARK					
BECLOMETHASONE DIPROPIONATE Chronic intractable asthma.					
Capsule 100 micrograms (oral inhalation)	100	5	16.21	Becotide Rotacaps	GL
Inhalation, metered aerosol spray, 50 micrograms per dose (200 dose)	41	5	10.25	Aldecin Becotide	SH GL
BELLADONNA ALKALOIDS (S2) Hyoscyamine Hydrobromide, Atropine Sulphate and Hyoscine Hydrobromide.					
Tablet 101.1 micrograms-14.8 micrograms-10.7 micrograms	100	2	4.49	Atrobel	FM
Tablet 151.6 micrograms-22.2 micrograms-16.0 micrograms	100	2	4.59	Atrobel FORTE	FM
Hyoscyamine Sulphate, Atropine Sulphate and Hyoscine Hydro- bromide.					
Tablet 103.7 micrograms-19.4 micrograms-6.5 micrograms	100	2	4.49	Donnatab	RS
BENDROFLUAZIDE Tablet 2.5mg	50	3	4.39 4.45	Benzide M Aprinox-M	PT BT
5mg	50	3	5.26 5.32	Benzide Aprinox	PT BT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BENZALKONIUM CHLORIDE (Ex) Solution 10%, 125mL	#1	..	4.85	Zephiran Con- centrated WL
BENZATHINE PENICILLIN Injection 1.8g in 4mL, disposable syringe	1	..	14.96	Bicillin L-A WY
BENZATHINE PENICILLIN with PROCAINE PENICILLIN and BENZYL PENICILLIN POTASSIUM Injection set 450mg-300mg-187mg, containing 1 vial and 2mL water for injections	1	..	6.21	Bicillin All-Purpose WY
BENZHEXOL Tablet 2mg	100	5	5.47 5.55	Anti-Spas PT Artane LE
5mg	100	2	6.80 6.82	Anti-Spas PT Artane LE
BENZOCAINE with ADRENALINE (S2) Compound Ointment 50g	#1	1	4.90	Rectinol GP
Compound Suppositories, 12	#1	1	4.90	Rectinol GP
BENZTROPINE Tablet 2mg	30	5	4.81	Cogentin MK
Injection 2mg in 2mL	5	..	10.21	Cogentin MK
BENZYL BENZOATE (Ex) Application 25% w/v, 200mL	#1	2	5.12 5.20	Benzemul MG Ascabiol MB
BENZYL PENICILLIN Injection 300mg (solvent required)	5	1	6.21	CS
600mg (solvent required)	5	1	6.40	Crystapen GL CS
3g (solvent required)	10	..	27.46	Crystapen GL CS
6g (solvent required)	10	..	52.46	CS
BETAMETHASONE Tablet 500 micrograms	30	4	4.30	Celestone SH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BETAMETHASONE ACETATE with BETAMETHASONE SODIUM PHOSPHATE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Necrobiosis lipoidica; Uveitis.				
Injection 3mg-3.9mg (equivalent to 5.7mg betamethasone) in 1mL	5	..	15.34	Celestone Chronodose SH
BETAMETHASONE DIPROPIONATE Cream 0.05%, 15g	#1	1	4.12	Diprosone SH
Ointment 0.05%, 15g	#1	1	4.12	Diprosone SH
BETAMETHASONE VALERATE Cream 0.02%, 100g	#1	..	5.17	Betnovate 1/5 GL Celestone-M SH
0.05%, 15g	#1	1	4.12	Betnovate 1/2 GL Celestone-V Half Strength SH
Gel 0.05%, 15g	#1	1	4.12	Betnovate 1/2 GL
Ointment 0.02%, 100g	#1	..	5.17	Celestone-M SH
0.05%, 15g	#1	1	4.12	Betnovate 1/2 GL Celestone-V Half Strength SH
BETHANECHOL Tablet 10mg	100	2	9.51 9.52	Uro-Carb HA Urecholine MK
Injection 5mg in 1mL	2	..	7.46	Urecholine MK
BIPERIDEN Tablet 2mg	100	5	8.34	Akineton KN
Injection 5mg in 1mL	5	..	7.71	Akineton KN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
BISACODYL (Ex) For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term extensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.					
Tablet 5mg	100	2	5.54	Bisalax	PT
Suppositories 10mg, 10	1	..	5.96	Durolax	BY
Enemas - See Paraplegic and Quadriplegic					
BLEOMYCIN See Special Pharmaceutical Benefits					
BROMOCRIPTINE MESYLATE Urgent suppression of physiological lactation.					
Tablet 2.5mg	30	..	18.71	Parlodel	SZ
<u>Authority required.</u> Acromegaly, prior to surgery or radiotherapy or where surgery or radiotherapy is inappropriate; Parkinson's disease where treatment with levodopa is unsatisfactory; Pathological hyperprolactinaemia where appropriate surgery or radiotherapy is not indicated or has already been used with incomplete resolution.					
Tablet 2.5mg	60	+	31.44	Parlodel	SZ
Capsule 5mg	60	+	58.71	Parlodel	SZ
10mg	100	+	183.20	Parlodel	SZ
BUMETANIDE Tablet 1mg	50	3	5.59	Burinex	AP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BUSULPHAN Tablet 2mg	100	..	24.86	Myleran BW
CALCITRIOL <u>Authority required.</u> Hypocalcaemia due to renal disease; Hypoparathyroidism; Hypophosphataemic rickets; Vitamin D-resistant rickets.				
Capsule 0.25 micrograms	100	+	43.77	Rocaltrol RO
CALCIUM (Ex) Hypocalcaemia; Osteoporosis; Proven malabsorption. <u>NOTE:</u> Increased repeats may be authorised up to a maximum of five. Increased quantities will not be authorised.				
Tablet 600mg (as carbonate)	60	2	7.40	Caltrate LE
Compound Effervescent Tablet equivalent to 1g (25mmol) Ca ²⁺ <u>NOTE:</u> Each 'Sandocal 1000' tablet also contains 18mmol Na ⁺ .	30	2	8.76	Sandocal 1000 SZ
CALCIUM FOLINATE Antidote to folic acid antagonists.				
Tablet 15mg <u>NOTE:</u> Increased quantities may be authorised up to a maximum of 20 tablets. Repeats will not be authorised.	10	..	109.96	Leucovorin LE
Injection 3mg in 1mL	5	..	16.52	BL
CALCIUM GLUCONATE (Ex) Injection 10%, 10mL	5	1	9.40	Calcium- Sandoz SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CAPTOPRIL Moderate or severe hypertension; For the continuing treatment of severe refractory cardiac failure where treatment with captopril was initiated in a hospital (in-patient or out-patient). <u>CAUTION: Neutropenia and proteinuria have been reported.</u>					
Tablet 12.5mg	90	5	29.86	Capoten	SQ
25mg	90	5	42.46	Capoten	SQ
50mg	90	5	71.21	Capoten	SQ
CARBACHOL Eye Drops 0.75%, 15mL	≠1	6	5.14	AQ	
1.5%, 15mL	≠1	6	5.20	AQ	
3%, 15mL	≠1	6	5.52	AO	
CARBAMAZEPINE Tablet 100mg	200	2	13.46	Tegretol	CG
200mg	200	2	21.34	Convuline	PT
			23.21	Teril	AF
				Tegretol	CG
Syrup 100mg per 5mL, 300mL	≠1	5	17.69	Tegretol	CG
CARBIMAZOLE Tablet 5mg	100	4	5.55	Neo-Mercazole	NS
CARINDACILLIN <u>Authority required.</u> Urinary tract infections where positive bacteriological evidence confirms that carindacillin or carbenicillin is an appropriate therapeutic agent.					
Tablet (equivalent to 382mg carbenicillin)	40	..	33.40	Geopen Oral	PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CEFOTAXIME					
Infections where positive bacteriological evidence confirms that cefotaxime is an appropriate therapeutic agent; Septicaemia, suspected or proven.					
Injection 1g (solvent required)	5	..	68.11	Claforan	RL
2g (solvent required)	5	..	127.46	Claforan	RL
CEPHALEXIN					
Capsule 250mg	20	1	6.37	Ceporex Keflex	GL LY
500mg	10	1	6.37	Ceporex Keflex	GL LY
Granules for Syrup 125mg per 5mL, 100mL	#1	1	#8.42	Ceporex Keflex	GL LY
250mg per 5mL, 100mL	#1	..	#10.59	Keflex	LY
CEPHALOTHIN SODIUM					
Injection 1g (solvent required)	5	..	23.26	Ceporacin Keflin Neutral	GL LY
2g (solvent required)	1	..	10.59	Keflin Neutral	LY
4g (solvent required)	1	..	18.09	Keflin Neutral	LY
CEPHAZOLIN SODIUM					
Infections where positive bacteriological evidence confirms that cephalozin sodium is an appropriate therapeutic agent; Septicaemia, suspected or proven.					
Injection 500mg (solvent required)	5	..	23.36	Kefzol	LY
1g (solvent required)	5	..	42.16	Kefzol	LY
CHLORAL HYDRATE					
Capsule 500mg	25	..	4.02	Noctec	SQ
Mixture 250mg per 5mL, 200mL	#1	..	4.34	Dormel	DH

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORAMBUCIL Tablet 2mg	100	2	49.70	Leukeran BW
5mg	100	2	59.98	Leukeran BW
CHLORAMPHENICOL Bacterial meningitis; Intracranial bacterial infections; Intraocular infections; Rickettsioses; Typhoid; Other serious infections where positive bacteriological evidence confirms that chloramphenicol is the ONLY appropriate antibiotic. <u>CAUTION: Chloramphenicol may cause aplastic anaemia.</u>				
Capsule 250mg	16	..	5.61	Chloromycetin PD
Paediatric Suspension 125mg per 5mL, 100mL	#1	..	5.75	Chloromycetin Palmitate PD
Injection 1g (solvent required)	3	..	20.88	Chloromycetin Succinate PD
CHLORAMPHENICOL <u>CAUTION: Topical chloramphenicol may cause aplastic anaemia.</u>				
Ear Drops (aqueous) 0.5%, 5mL	#1	2	4.71	Chloromycetin PD
Eye Drops 0.5%, 10mL	#1	2	4.71	Chlomin US Chloromycetin PD Chloroptic AG Chlorsig SI
Eye Ointment 1%, 4g	#1	..	4.39	Chlomin US Chloromycetin PD Chlorsig SI
CHLORAMPHENICOL with POLYMYXIN B <u>CAUTION: Topical chloramphenicol may cause aplastic anaemia.</u>				
Eye Drops 5mg-5,000 units per mL, 10mL	#1	2	4.71	Chloromycin PD
Eye Ointment 1%-5,000 units per g, 4g	#1	..	4.39	Chloromycin PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHLORHEXIDINE (Ex) Solution 5%, 200mL	1	1	5.82	Hibitane Concentrate IC
CHLORMETHIAZOLE Short-term alcohol or drug withdrawal therapy in a hospital or approved centre; Status epilepticus. I.V. Infusion 0.8%, 500mL	1	..	16.21	Hemineurin AP
<u>Authority required.</u> Short-term alcohol or drug withdrawal therapy in a hospital or approved centre; Status epilepticus. <u>NOTE:</u> No authorities will be granted for increased maximum quantities and/or repeats of chlormethiazole capsules.				
Capsule 192mg	50	..	9.34	Hemineurin AP
CHLOROQUINE Tablet equivalent to 150mg (approx.) chloroquine base	100	..	7.24 7.30	Chlorquin PT Nivaquine MB
Injection 40mg per mL, 5mL	5	1	9.77	Nivaquine MB
CHLOROTHIAZIDE Tablet 500mg	50	3	5.82 5.89	Diuret PT Azide FM Chlotride FR
CHLORPROMAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children;				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CHLORPROMAZINE - cont. Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 10mg	100	1	4.57 4.59	Protran Largactil	PT MB
25mg	100	1	5.84 6.27	Protran Largactil	PT MB
50mg	100	1	7.59 8.85	Protran Largactil	PT MB
100mg	100	1	12.34 12.96	Protran Largactil	PT MB
Mixture 25mg per 5mL, 100mL	≠1	4	4.39	Largactil Promacid	MB US
Injection 25mg in 1mL	10	..	6.59	Largactil	MB
50mg in 2mL	10	..	6.71	Largactil	MB
Suppositories 100mg, 5	≠1	1	5.21	Largactil	MB
CHLORPROPAMIDE Tablet 250mg	100	5	8.56 8.71	Promide Diabinese	PT PF
CHLORTETRACYCLINE Cream 3%, 15g	≠1	..	4.49	Aureomycin	LE
Ointment 3%, 15g	≠1	..	4.49	Aureomycin	LE
CHLORTHALIDONE Tablet 25mg	50	3	5.51 5.54	Urid Hygroton	PT CG
CHOLERA VACCINE Injection 1mL	2	..	6.66	CS	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CHOLESTYRAMINE				
*Bile salt malabsorption; Pruritus associated with partial biliary obstruction not respond- ing to other therapy; Severe diarrhoea associated with pelvic irradiation; Hypercholesterolaemia.				
<u>NOTE:</u> Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 6.5mmol/L following dietary therapy for three months. A second or subsequent course of treatment for hypercholesterolaemia should be considered only where there is a fall in serum cholesterol since commencement of cholestyramine therapy. Cholestyramine is preferred to clofibrate if fasting serum tri- glyceride is less than 3mmol/L.				
Sachets 9g (equivalent to 4g cholestyramine), 50	2	5	49.96	Questran AP
CHOLINE THEOPHYLLINATE				
Tablet 100mg	100	5	5.46	Choledyl WW
200mg	100	5	6.09	Brondecon-PD PD Choledyl WW
Elixir 50mg per 5mL, 500mL (S3)	#1	5	5.00	Brondecon PD Elixir-PD PD
Syrup 50mg per 5mL, 500mL (S3)	#1	5	5.00	Choledyl WW
CIMETIDINE				
<u>Authority required.</u>				
*Gastric ulcer, INITIAL, confirmed by x-ray, endoscopy or surgery; Severe ulcerating (erosive) oesophagitis, confirmed by endoscopy.				
<u>NOTE:</u> Applications for authority must be made within 3 months of the test which confirmed the diagnosis (date to be provided). Increased maximum quantities and/or repeats will not be authorised. (continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CIMETIDINE - cont.					
Tablet 200mg	120	1	43.71	Duractin Tagamet	CS SK
400mg	60	1	43.71	Duractin Tagamet	CS SK
<u>Authority required.</u> *Gastric ulcer, RECURRENT (benign gastric ulcer recurring within 12 months of commencing initial therapy), confirmed by x-ray, endoscopy or surgery. NOTE: Applications for authority must state the date of the tests confirming the initial and the recurrent ulcer. Authorities will not provide therapy beyond 12 months and no more than 3 authorities will be issued in any 12 months' period.					
<u>Authority required.</u> *Oesophageal stricture, RECURRENT, due to proven chronic ulcer occurring within gastric epithelium where dilatation has been required.					
<u>Authority required.</u> Duodenal ulcer (including pyloric ulcer), confirmed by x-ray, endoscopy or surgery. NOTE: Initial application for authority must state date of barium meal, endoscopy or surgery which confirmed the diagnosis. Increased maximum quantities and/or repeats will not be authorised.					
Tablet 200mg	120	2	43.71	Duractin Tagamet	CS SK
400mg	60	2	43.71	Duractin Tagamet	CS SK
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
CIMETIDINE - cont.					
<u>Authority required.</u>					
Ulcerating (erosive) oesophagitis in scleroderma; Zollinger-Ellison syndrome, proven by investigation.					
Tablet 200mg	120	5	43.71	Duractin Tagamet	CS SK
400mg	60	5	43.71	Duractin Tagamet	CS SK
CLINDAMYCIN					
Gram-positive coccal infections where these cannot be safely and effectively treated with a penicillin.					
Capsule 75mg	25	..	7.71	Dalacin C	UP
150mg	25	..	11.52	Dalacin C	UP
Granules for Syrup 75mg per 5mL, 100mL	#1	..	#10.46	Dalacin C	UP
CLIOQUINOL (S2)					
Cream 1%, 30g	#1	..	4.45	Vioform	CG
CLOFIBRATE					
<u>Authority required.</u>					
Hypertriglyceridaemia.					
<u>NOTE:</u> Hypertriglyceridaemia means an initial fasting serum triglyceride level of at least 4mmol/L following dietary therapy for three months. An authority for a second or subsequent course of treatment for hypertri- glyceridaemia will be granted only where there is a fall of at least 1mmol/L in serum tri- glyceride since commencement of clofibrate therapy.					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
<u>CLOFIBRATE - cont.</u> <u>Authority required.</u> Hypercholesterolaemia. NOTE: Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 6.5mmol/L following dietary therapy for three months. An authority for a second course of treatment for hypercholesterolaemia may be granted where there is a fall in serum cholesterol since commencement of clofibrate therapy. An authority for a second course of clofibrate may be granted also where there is an inadequate response to clofibrate and the prescriber wishes to institute combined therapy. Subsequent courses of clofibrate alone or in combination will only be granted provided there is a fall in serum cholesterol since commencement of therapy. Clofibrate is preferred initially to cholestyramine and colestipol if fasting serum triglyceride is greater than 3mmol/L.				
Capsule 500mg	100	+	11.82 11.89	Arterioflexin PT Atromid-S IC
CLOMIPHENE CITRATE See Special Pharmaceutical Benefits				
CLOMIPRAMINE HYDROCHLORIDE Cataplexy associated with narcolepsy; Obsessive compulsive disorders.				
Tablet 25mg	50	1	11.52	Anafranil CG
CLONAZEPAM Tablet 500 micrograms	200	2	9.90	Rivotril RO
2mg	200	2	15.34	Rivotril RO
Paediatric Drops 2.5mg in 1mL, 10mL (continued)	1	1	4.85	Rivotril RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLONAZEPAM - cont. Injection 1mg in 2mL (set containing solution 1mg in 1mL and 1mL diluent)	5	..	5.76	Rivotril RO
CLONIDINE Tablet 100 micrograms	100	5	10.59	Catapres 100 BY
150 micrograms	100	5	13.34	Catapres BY
Injection 150 micrograms in 1mL	5	..	6.96	Catapres BY
CLOPAMIDE Tablet 5mg	50	3	5.46	Brinaldix SZ
20mg	50	3	6.02	Brinaldix SZ
CLOREXOLONE Tablet 25mg	50	3	5.26	Nefrolan MB
CLOTRIMAZOLE Cream 1%, 20g (S3)	#1	1	5.86 5.87	Lotremin SH Canesten BN
Lotion 1%, 20mL (S3)	#1	1	5.87	Canesten BN
Pessaries 100mg, 6	#1	..	6.60 6.62	Gyne-Lotremin SH Canesten BN
Pessary 500mg	1	..	6.62	Canesten 1 BN
Vaginal Cream 1%, 35g	#1	..	6.56 6.57	Gyne-Lotremin SH Canesten BN
2%, 20g	#1	..	6.57	Canesten 3 BN
CLOXACILLIN Capsule 250mg	25	..	10.27 11.14	Alclox 250 AF Austrastaph CS Orbenin BR
500mg	12	..	9.96 10.84	Alclox 500 AF Austrastaph CS Orbenin BR
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#9.60	Austrastaph CS
Injection 250mg (solvent required)	5	..	9.65	Austrastaph CS Orbenin BR
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
CLOXACILLIN - cont. Injection 500mg (solvent required)	5	..	13.67	Austrastaph CS Orbenin BR
1g (solvent required)	5	..	21.24	Austrastaph CS Orbenin BR
CODEINE PHOSPHATE (S8) Tablet 30mg	20	..	6.27	Codate US DH, FA, FM
CODEINE PHOSPHATE with ASPIRIN <u>NOTE:</u> Authorities for increased maximum quantities and/or repeats for this item will be granted only for severe disabling pain not responding to non-narcotic analgesics.				
Tablet 30mg-325mg	20	..	4.94	Codral Forte BW
COLCHICINE Tablet 500 micrograms	100	2	5.59 5.65	Colgout PT DH, PR, RT Coluric NN
COLESTIPOL HYDROCHLORIDE Hypercholesterolaemia. <u>NOTE:</u> Hypercholesterolaemia means an initial fasting serum cholesterol level of at least 6.5mmol/L following dietary therapy for three months. A second or subsequent course of treatment for hypercholesterol- aemia should be considered only where there is a fall in serum cholesterol since commencement of colestipol therapy. Colestipol is preferred to clofibrate if fasting serum triglyceride is less than 3mmol/L.				
Sachets 5g, 120	#1	5	57.46	Colestid UP
COLISTIN Injection 150mg (solvent required)	5	..	105.61	Coly-Mycin WW
COLISTIN with NEOMYCIN Ear Drops 3mg-3.3mg per mL, 10mL	#1	2	4.96	Coly-Mycin WW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
COPPER SULPHATE (S5) Diagnostic Compound Tablets, 36	2	3	7.22	Clinitest	AM
CORTISONE ACETATE Tablet 5mg	50	4	4.85	Cortate	PT
25mg	60	4	8.96	Cortate	PT
CYANOCOBALAMIN (Ex) Pernicious anaemia and other proven vitamin B12 deficiencies (post-gastrectomy treatment; subacute combined degeneration of the cord).					
Injection 100 micrograms in 1mL	5	1	5.59	Cytamen 100	GL
1mg in 1mL	5	..	5.96	Cytamen 1000	GL
CYCLOPENTHIAZIDE Tablet 500 micrograms	50	3	6.05	Navidrex	CG
CYCLOPHOSPHAMIDE WARNING: Regular monitoring of blood counts is mandatory in the use of this drug.					
Tablet 50mg	50	2	12.87	Cycloblastin	FE
Injection 100mg (solvent required)	6	..	21.57	Cycloblastin	FE
200mg (solvent required)	6	..	22.85	Cycloblastin	FE
500mg (solvent required)	2	..	12.92	Cycloblastin	FE
1g (solvent required)	1	..	11.57	Cycloblastin	FE
CYPROHEPTADINE (S3) Prevention of migraine.					
Tablet 4mg	100	2	6.96	Periactin	FR
CYTARABINE Injection 40mg in 2mL	10	1	41.84	Alexan	BT
100mg in 5mL	10	1	85.21	Alexan	BT
Injection set containing 100mg and 5mL solvent	10	1	85.26	Cytosar-U	UP
Injection 500mg in 25mL	2	1	79.96	Alexan	BT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DANAZOL <u>Authority required.</u> Endometriosis, visually proven; Hereditary angio-oedema. <u>CAUTION:</u> Pregnancy must be excluded prior to administration of this drug.					
Capsule 200mg	100	+	126.01	Danocrine	WL
DANTROLENE SODIUM Treatment of chronic spasticity.					
Capsule 25mg	100	2	21.15	Dantrium	NW
50mg	100	2	31.71	Dantrium	NW
DAPSONE Tablet 100mg	100	2	7.21	Avlosulfon	IC
DEBRISOQUINE Tablet 10mg	100	5	7.44 7.50	Redu-Press M Declinax	PT RO
20mg	100	5	9.15 9.21	Redu-Press Declinax	PT RO
DEMECLOCYCLINE HYDROCHLORIDE Syndrome of inappropriate antidiuretic hormone secretion, which is not drug induced.					
Capsule 150mg	100	3	27.46	Ledermycin	LE
DESIPRAMINE Tablet 25mg	50	2	6.16	Pertofran	CG
DESMOPRESSIN Nasal Solution 100 micrograms per mL, 2.5mL	5	2	124.36	Minirin	PT
DEXAMETHASONE For use in a hospital.					
Injection 120mg in 5mL	1	..	34.49	Decadron Shock Pak	MK
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXAMETHASONE - cont. Tablet 500 micrograms	30	4	4.72 4.79	Dexamethsone PT Oradexon OR
4mg	30	4	9.30	Dexamethsone PT
Injection 4mg in 1mL	5	..	13.09	Decadron MK
5mg in 1mL	5	..	13.39	Oradexon OR
8mg in 2mL	5	..	17.21	Decadron MK
Eye Drops 0.1%, 5mL	#1	2	5.41	Maxidex AQ
DEXAMETHASONE with FRAMYCETIN and GRAMICIDIN				
Ear Drops 500 micrograms-5mg- 50 micrograms per mL, 8mL	#1	2	4.77	Sofradex RL
Ear Ointment 500 micrograms-5mg- 50 micrograms per g, 5g	#1	2	4.51	Sofradex RL
DEXAMPHETAMINE (S8) <u>Authority required.</u> Hyperkinetic brain damage syndrome in children; Narcolepsy. <u>NOTE:</u> Care must be taken to comply with the provisions of State law when prescribing dexamphetamine.				
Tablet 5mg	100	+	7.25	SI
DEXTRAN 40 See Intravenous Infusions				
DEXTRAN 70 See Intravenous Infusions				
DIAZEPAM <u>NOTE:</u> Authorities for increased maximum quantities and/or repeats for this item will be granted only for the treatment of disabling spasticity or malignant neoplasia (late stage). Up to six months' treatment (i.e. one month's treatment with five repeats) may be requested.				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DIAZEPAM - cont. Tablet 2mg	50	..	4.02	Antenex 2	AF
			4.25	Pro-Pam	PT
				Ducene	SU
				Valium	RO
5mg	50	..	4.21	Antenex 5	AF
			4.51	Pro-Pam	PT
			4.59	Ducene	SU
				Valium	RO
Paediatric Syrup 2mg per 5mL, 100mL	#1	..	4.79	Valium	RO
Injection 10mg in 2mL	5	..	5.39	Valium BL	RO
DIAZOXIDE Injection 300mg in 20mL	1	..	16.75	BL	
			16.90	Hyperstat I.V.	SH
DICHLORPHENAMIDE Tablet 50mg	50	6	10.25	Daranide	MK
DICLOFENAC SODIUM Tablet 50mg (enteric coated)	50	3	8.95	Voltaren 50	CG
DIENOESTROL Cream 0.01%, 85g	#1	1	4.85	ET	
DIFENOXIN HYDROCHLORIDE with ATROPINE SULPHATE Tablet 500 micrograms-25 micrograms	20	..	4.46	Lyspafen	PT
DIFLUNISAL Tablet 250mg	50	3	8.80	Dolobid	MK
DIGOXIN Tablet 62.5 micrograms	100	3	4.72	Lanoxin-PG	BW
250 micrograms	50	3	4.25	Lanoxin	BW
Oral Solution for children 50 micrograms per mL, 100mL	#1	3	8.46	Lanoxin	BW
Injection 500 micrograms in 2mL	5	1	9.35	Lanoxin	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIHYDROERGOTAMINE Injection 1mg in 1mL	5	..	6.16	Dihydergot SZ
DIHYDROTACHYSTEROL <u>Authority required.</u> Hypoparathyroidism; Osteomalacia following gastrect- omy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets.				
Capsule 125 micrograms	100	+	27.21	A.T.10 WL
DILOXANIDE FUROATE Tablet 500mg	30	..	11.02	Furamide BT
DILTIAZEM HYDROCHLORIDE Angina, where treatment with verapamil hydrochloride or nifedipine has failed. Tablet 60mg	100	5	39.52	Cardizem IC
DIMERCAPROL (Ex) Injection 100mg in 2mL	12	..	29.07	B.A.L. BT
DIMETHICONE (Ex) For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.				
Cream 10%, 50g	#1	..	3.97	Dermabase-S HA
10%, 75g	#1	..	4.31	Silcon FA
Solution - See Colostomy and Ileostomy				
DIOCTYL SODIUM SULPHOSUCCINATE with BISACODYL (Ex) For use by paraplegic and quadriplegic patients; For use by patients who are receiving long-term extensive nursing care in hospitals and nursing homes; For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Suppositories 100mg-10mg, 5	2	.	5.96	Coloxyl FM

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPHENOXYLATE HYDROCHLORIDE with ATROPINE SULPHATE Tablet 2.5mg-25 micrograms	20	..	4.46	Lomotil SR
DIPHTHERIA ANTITOXIN Injection 10,000 units	2	1	57.46	CS
DIPHTHERIA and TETANUS VACCINE, ADSORBED For immunisation of children up to the age of eight (8) years. Injection 0.5mL	3	..	8.46	CS
DIPHTHERIA and TETANUS VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of eight (8) years. Injection 0.5mL	3	..	8.46	CS
DIPHTHERIA, TETANUS and PERTUSSIS VACCINE, ADSORBED Injection 0.5mL	3	..	8.46	CS,PD
DIPHTHERIA VACCINE, ADSORBED For immunisation of children up to the age of eight (8) years. Injection 0.5mL	2	1	7.16	CS
DIPHTHERIA VACCINE, ADSORBED, DILUTED FOR ADULT USE For immunisation of adults and children over the age of eight (8) years. Injection 0.5mL	2	..	6.86	CS
DIPIVEFRINE HYDROCHLORIDE Eye Drops 0.1%, 10mL	#1	6	9.71	Propine AG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIPYRIDAMOLE				
Authority required.				
Biopsy proven glomerulonephritis; Mesangiocapillary renal disease; Renal allograft; Patients with cardiac valve prosthesis.				
Tablet 100mg	100	+	16.66 16.72	Dipramol PT Persantin 100 BY
DISOPYRAMIDE				
Capsule 100mg	100	5	17.75	Norpace SR Rythmodan RL
150mg	100	5	22.75	Norpace SR Rythmodan RL
DOMPERIDONE				
Tablet 10mg	25	..	5.40	Motilium JP
DOTHIEPIN HYDROCHLORIDE				
Capsule 25mg	50	2	5.44	Prothiaden BT
DOXEPIN				
Tablet 10mg	50	2	4.51	Quitaxon RC
25mg	50	2	5.44	Quitaxon RC
50mg	50	2	6.09	Deptran 50 AF
Capsule 10mg	50	2	4.40 4.51	Deptran 10 AF Sinequan PF
25mg	50	2	5.27 5.44	Deptran 25 AF Sinequan PF
DOXORUBICIN HYDROCHLORIDE				
Powder for I.V. Injection 10mg	4	..	146.50	Adriamycin FE
50mg	3	..	518.10	Adriamycin FE

4

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
DOXYCYCLINE					
Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.					
Tablet 50mg	25	5	6.96 7.85	Doxylin 50 Vibra-Tabs	AF PF
Capsule 50mg	25	5	7.85	Doryx	FA
Urethritis.					
Tablet 100mg	21	..	10.59 11.91	Doxylin 100 Vibramycin	AF PF
Capsule 100mg	21	..	11.73 11.91	Cyclidox Doryx	PT FA
DOXYCYCLINE					
Tablet 100mg	7	1	5.17 5.61	Doxylin 100 Vibramycin	AF PF
Capsule 100mg	7	1	5.55 5.61	Cyclidox Doryx	PT FA
DYDROGESTERONE					
<u>Authority required.</u>					
Endometriosis, visually proven.					
Tablet 10mg	50	+	21.59	Duphaston	ET
ECONAZOLE NITRATE					
Cream 1%, 20g (S3)	#1	1	5.87	Ecostatin Pevaryl	SQ SK
Lotion 1%, 20mL (S3)	#1	1	5.87	Ecostatin Pevaryl	SQ SK
Pessaries 150mg, 3	#1	..	6.62	Ecostatin Pevaryl	SQ SK
Vaginal Cream 1.5%, 35g	#1	..	6.57	Ecostatin	SQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ECOTHIOPATE IODIDE Eye Drops					
0.03%, 1.5mg and 5mL solvent	#1	6	#10.16	Phospholine Iodide	AY
0.06%, 3mg and 5mL solvent	#1	6	#10.16	Phospholine Iodide	AY
0.125%, 6.25mg and 5mL solvent	#1	6	#10.16	Phospholine Iodide	AY
0.25%, 12.5mg and 5mL solvent	#1	6	#10.99	Phospholine Iodide	AY
ELECTROLYTE REPLACEMENT (ORAL) (Ex) Powder for Solution, 40g sachet, 6	#1	..	6.05	Repalyte	DH
ELECTROLYTE REPLACEMENT SOLUTION See Intravenous Infusions					
ENALAPRIL MALEATE Moderate or severe hypertension; For the continuing treatment of severe refractory cardiac failure where treatment with enalapril maleate was initiated in a hospital (in- patient or out-patient).					
Tablet 5mg	30	5	29.86	Renitec M	MK
10mg	30	5	42.46	Renitec	MK
20mg	30	5	71.21	Renitec 20	MK
EPICILLIN Capsule 250mg	25	1	6.21	Dexacillin	SQ
500mg	12	1	5.96	Dexacillin	SQ
Powder for Syrup 250mg per 5mL, 100mL	#1	..	#7.71	Dexacillin	SQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ERGOALCIFEROL Hypocalcaemia; Hypoparathyroidism; Osteomalacia following gastrectomy, severe steatorrhoea or renal failure; Vitamin D-resistant rickets.					
Tablet 250 micrograms	100	5	7.36	Ostelin	GL
Oral Solution 15mg (600,000 units) in 1.5mL alcoholic solution	3	5	5.55	Sterogyl-15	RL
ERGOMETRINE MALEATE Tablet 200 micrograms	24	..	5.29	Ergotrate	LY
Injection 250 micrograms in 1mL	5	..	4.90	BL	
ERGOTAMINE TARTRATE Tablet 1mg	50	2	6.02	Lingraine	WL
ERGOTAMINE TARTRATE with CAFFEINE Tablet 1mg-100mg	50	2	6.76	Cafergot	SZ
ERGOTAMINE TARTRATE with CAFFEINE and CYCLIZINE HYDROCHLORIDE Tablet 2mg-100mg-50mg	50	2	6.76	Migral	BW
ERGOTAMINE TARTRATE with CAFFEINE, ITOBARBITONE and BELLADONNA ALKALOIDS Suppositories 2mg-100mg-100mg-250 micrograms, 6	41	2	5.75	Cafergot PB	SZ
ERGOTAMINE TARTRATE with CAFFEINE CITRATE and DIPHENHYDRAMINE HYDROCHLORIDE Capsule 1mg-100mg-25mg	50	2	6.76	Ergodryl	PD
ERYTHROMYCIN Tablet 250mg	25	1	6.37	EMU-V	UP
Capsule 125mg	25	1	5.71	Eryc	FA
250mg	25	1	6.37	Eryc Ilocap	FA LY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ERYTHROMYCIN ESTOLATE					
Paediatric Drops 100mg (base) per mL, 10mL	#1	1	5.46	Ilosone	LY
Paediatric Suspension 125mg (base) per 5mL, 100mL	#1	1	5.46	Ilosone	LY
ERYTHROMYCIN ETHYLSUCCINATE					
Tablet 200mg (base)	25	1	5.59	EES Dulcet	AB
Granules for Paediatric Suspension 200mg (base) per 5mL, 100mL	#1	1	#7.40	EES 200	AB
Injection I.M. 100mg (base) in 2mL	5	..	9.51	Erythrocin	AB
ERYTHROMYCIN GLUCEPTATE					
Infusion I.V. 1g (base)	1	..	14.76	Ilotycin	LY
ERYTHROMYCIN LACTOBIONATE					
Infusion I.V. 300mg (base)	5	..	23.71	Erythrocin	AB
1g (base)	1	..	14.76	Erythrocin	AB
ERYTHROMYCIN STEARATE					
Tablet 250mg (base)	25	1	6.37	Erythrocin	AB
Capsule 250mg (base)	25	1	6.32	E-Mycin	PT
Paediatric Suspension 125mg (base) per 5mL, 100mL	#1	1	6.37 5.46	Erythrocin	AB
Suspension 250mg (base) per 5mL, 100mL	#1	..	7.32	Erythrocin	AB
ETHACRYNIC ACID					
Patients hypersensitive to other oral diuretics.					
Tablet 50mg	50	3	8.21	Edecril	MK
ETHANOLAMINE OLEATE (Ex)					
Injection 5%, 2mL	5	1	9.34	Ethamolin	GL
ETHINYLOESTRADIOL					
Tablet 10 micrograms	100	2	4.62	Estigyn	GL
20 micrograms	100	2	4.79	Estigyn Primogyn C	GL SC
50 micrograms	100	2	5.55	Estigyn	GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETHOSUXIMIDE Capsule 250mg	200	2	20.09	Zarontin PD
Paediatric Syrup 250mg per 5mL, 250mL	≠1	4	10.26	Zarontin PD
ETHYLOESTRENOL <u>Authority required.</u> Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for six months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 2mg	100	3	14.69	Orabolin OR
ETHYNODIOL DIACETATE with ETHINYLOESTRADIOL Tablet 500 micrograms-50 micrograms, 21	4	2	9.98	Ovulen 0.5/50 SR
1mg-50 micrograms, 21	4	2	9.98	Ovulen 1/50 SR
Pack containing 21 tablets 500 micrograms-50 micrograms and 7 inert tablets	4	2	9.98	Ovulen 0.5/50 -28 SR
Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	4	2	9.98	Ovulen 1/50 -28 SR
ETRETINATE <u>Authority required.</u> Treatment initiated in a hospital (in-patient or out-patient) of:- Darier's disease; Erythrokeratoderma; Pityriasis rubra pilaris; Severe congenital ichthyosis (lamellar, bullous and sex linked); Severe intractable psoriasis; Severe palmo-plantar keratoderma;				

(continued)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ETRETINATE - cont. For the continuing treatment of a patient who has already received long-term (greater than six months) therapy with etretinate for a condition listed above (condition to be specified). <u>CAUTION:</u> This drug is a potent teratogen - pregnancy should be avoided for at least one year after cessation of therapy. <u>NOTE:</u> Care must be taken to comply with the provisions of State law when prescribing etretinate.				
Capsule 10mg	100	+	93.09	Tigason RO
25mg	100	+	212.46	Tigason RO
FENOTEROL HYDROBROMIDE				
Tablet 2.5mg	100	5	7.92	Berotec BY
Elixir 2.5mg per 5mL, 300mL	¶1	5	5.75	Berotec BY
Inhalation Solution for use in RESPIRATOR or NEBULISER 0.1%, 20mL	¶1	5	6.84	Berotec BY
Inhalation, metered aerosol spray, 200 micrograms per dose (300 dose) (S3)	¶1	5	6.99	Berotec BY
FERROUS AMINOACETOSULPHATE (S2)				
Paediatric Syrup 100mL	¶1	4	4.40	Plesmet NN
FERROUS GLUCONATE (S2)				
Tablet 300mg	100	2	4.40	Fergon WL
Paediatric Elixir 6%, 100mL	¶1	4	4.40	Fergon WL
FERROUS SULPHATE DRIED (S2)				
Tablet 320mg (delayed release)	30	2	4.40	Slow-Fe CG
350mg (sustained release)	30	2	4.39	Feritard PT
			4.40	Ferro-Gradumets AB
Capsule 320mg (delayed release)	30	2	4.40	Fespan SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FERROUS SULPHATE DRIED with FOLIC ACID (S2) Tablet 270mg-300 micrograms (delayed release)	30	2	4.39	Feritard Folic PT
270mg-300 micrograms (sustained release)	30	2	4.46	F.G.F. AB
Capsule 270mg-300 micrograms (delayed release)	30	2	4.46	Fefol SK
FLECAINIDE ACETATE For the continuing treatment of cardiac arrhythmias where treatment with flecainide acetate was initiated in a hospital (in-patient or out-patient).				
Tablet 100mg	60	5	42.81	Tambocor RK
FLUCLOROLONE ACETONIDE Cream 0.025%, 15g	#1	1	4.12	Topilar SD
FLUCLOXACILLIN Capsule 250mg	25	..	10.27 11.14	Staphylex 250 AF Flophen CS Floxacpen BR
500mg	12	..	9.96 10.84	Staphylex 500 AF Flophen CS Floxacpen BR
Powder for Syrup 125mg per 5mL, 100mL	#1	..	#9.60	Flophen CS Floxacpen BR
Injection 250mg (solvent required)	5	..	9.65	Flophen CS Floxacpen BR
500mg (solvent required)	5	..	13.67	Flophen CS Floxacpen BR
1g (solvent required)	5	..	21.24	Flophen CS Floxacpen BR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FLUCYTOSINE Invasive or systemic fungal infections such as candidiasis, cryptococcosis and chromoblastomycosis.				
Tablet 500mg	100	..	83.71	Ancotil RO
FLUDROCORTISONE ACETATE Tablet 100 micrograms	100	3	7.36	Florinef SQ
FLUMETHASONE with CLIOQUINOL Ear Drops 0.02%-1%, 7.5mL	≠1	..	4.77	Locacorten Vioform CG
FLUOCORTOLONE ESTERS Cream 0.08%, 100g	≠1	..	5.17	Topodil SC
0.2%, 15g	≠1	1	4.12	Ultralan-D SC
Ointment 0.2%, 15g	≠1	1	4.12	Ultralan-D SC
Ointment (anhydrous) 0.2%, 15g	≠1	1	4.12	Ultralan-D Fatty SC
FLUOROMETHOLONE Eye Drops 0.1%, 5mL	≠1	6	5.55	Flucon AQ FML Liquifilm AG
FLUOROURACIL Injection 250mg in 10mL	10	..	28.25	RO
500mg in 10mL	5	1	28.25	Fluroblastin FE
FLUOXYMESTERONE <u>Authority required.</u> Aplastic anaemias, proven; Carcinoma of the breast; Hypogonadism; Osteoporosis. <u>NOTE:</u> An authority for six months' treatment of osteoporosis will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 5mg	100	3	21.42	Halotestin UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
FLUPHENAZINE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 1mg	100	1	6.54	Anatensol	SQ
2.5mg	100	1	8.27	Anatensol	SQ
5mg	100	1	10.71	Anatensol	SQ
Elixir 500 micrograms per mL, 60mL	#1	4	4.95	Anatensol	SQ
FLUPHENAZINE DECANOATE					
Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Injection 12.5mg in 0.5mL	5	..	16.69	Modecate	SQ
25mg in 1mL	5	..	26.21	Modecate	SQ
50mg in 2mL	5	..	39.61	Modecate	SQ
FOLIC ACID					
Tablet 500 micrograms (Ex)	100	..	4.14 4.15	DH,PT Folicid SI	US
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
FOLIC ACID - cont. Tablet 5mg (S3)	100	2	4.29 4.31	DH,PT Folasic Folicid FM,PR,RT,SI NN US
Injection 15mg in 1mL (S3)	10	..	8.08	AB
FOSFESTROL SODIUM Carcinoma of the prostate.				
Tablet 120mg	100	2	28.34	Honvan BC
Injection 250mg in 5mL	10	..	18.51	Honvan BC
FRAMYCETIN Eye Ointment 0.5%, 5g	#1	..	4.31	Soframycin RL
Eye and Ear Drops 0.5%, 8mL	#1	2	4.71	Soframycin RL
FRUSEMIDE Renal failure.				
Tablet 500mg	50	3	22.20 22.26	Urex-Forte Lasix FM HP
FRUSEMIDE Tablet 20mg	50	3	5.27	Lasix-M Urex-M HP FM
40mg	50	3	5.20 5.51 5.59	Virifenemide Uremide Lasix Urex WR PT HP FM
Oral Solution 10mg per mL, 30mL	#1	3	8.71	Lasix HP
Injection 20mg in 2mL	5	..	5.77 6.37	AF Lasix HP
FUSIDIC ACID For use in combination with another antibiotic in the treatment of proven serious staphylococcal infections.				
Tablet (sodium salt) 250mg (enteric coated)	36	..	50.69	Fucidin SK
Suspension 50mg per mL, 90mL	#1	..	29.45	Fucidin SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GAS GANGRENE ANTITOXIN - MIXED (POLYVALENT) Injection - 1 amp containing: 10,000 units Perfringens; 10,000 units Novyi; 5,000 units Septicum.	2	1	92.46	CS	
GENTAMICIN SULPHATE Injection 10mg (base) in 1mL	5	..	12.71	Garamycin	SH
40mg (base) in 1mL	5	..	16.29	Garamycin BL	SH
60mg (base) in 1.5mL	5	..	19.59	Garamycin BL	SH
80mg (base) in 2mL	5	..	8.71 22.91	Cidomycin Garamycin BL	RL SH
GLIBENCLAMIDE Tablet 5mg	100	5	13.71 14.69	Glime1 Daonil Euglucon	AF HP RC
GLICLAZIDE Tablet 80mg	100	5	14.69	Diamicron	SE
GLUCAGON HYDROCHLORIDE Injection 1 i.u. with diluent	1	1	11.12	CN,LY	
GLUCOSE (Ex) Injection 50%, 10mL	5	..	7.46	BL	
Injections 500mL and 1L - See Intravenous Infusions					
GLUCOSE INDICATOR - BLOOD (Ex) Reagent Strips 50	#1	5	15.86	Ames-BG	AM
Reagent Strips 50	#1	5	15.86	BM-Test-BG	BO
Reagent Strips 50	#1	5	19.96	Glucostix	AM
Reagent Strips 50	#1	5	20.27	BM-Test-Glycemie 20-800	BO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
GLUCOSE INDICATOR - URINE (Ex) Test Dispenser 4m	#1	2	6.46	Tes-Tape	LY
Reagent Strips 100	#1	2	6.21	Clinistix	AM
Reagent Strips 100	#1	2	6.46	Diastix	AM
GLUCOSE and KETONE INDICATOR - URINE (Ex) Reagent Strips 100	#1	2	7.46	Keto-Diastix	AM
GLYCERYL TRINITRATE (S2) Tablets 600 micrograms, 100	#1	5	4.45	Anginine Stabilised	BW
Ointment 2%, 60g	#1	5	11.21	Nitro-Bid	PT
Transdermal Disc releasing approximately 10mg per 24 hours	30	2	27.46	Nitradisc	SR
Transdermal Pad releasing approximately 10mg per 24 hours	30	2	27.46	Transiderm- Nitro 50	CG
GRISEOFULVIN Use in recalcitrant tinea infections; Kerion.					
Tablet 125mg	100	2	9.97	Fulcin 125 Grisovin	IC GL
330mg	28	2	7.77	Grisfulvin 330	PT
			9.04	Griseostatin	SH
500mg	28	2	9.71	Fulcin 500 Grisovin 500	IC GL
HALOPERIDOL Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness;					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HALOPERIDOL - cont.				
Major psychoses including:-				
Major organic psychoses				
including arteriopathic				
dementia;				
Manic-depressive disorder -				
manic phase;				
Paranoid states;				
Schizophrenia;				
Senile dementia.				
Tablet 1.5mg	100	1	6.30 6.36	Pacedol PT Serenace SR
5mg	50	1	7.30 7.36	Pacedol PT Serenace SR
Injection 5mg in 1mL	10	..	12.02	Serenace SR
HEPARIN CALCIUM				
Injection 5,000 units in 0.2mL	5	5	9.97	Calcihep WP Calciparine BL Caprin CS
5,000 units in 0.5mL	5	5	9.97	Caprin CS
12,500 units in 0.5mL	2	5	9.30 9.34	Calciparine BL CS
25,000 units in 1mL	2	5	11.35 11.38	Calciparine BL CS
HEPARIN SODIUM				
Injection 5,000 units in 0.2mL	5	5	8.55	BL,CS,WP
5,000 units in 1mL	5	5	8.55 8.61	BL,WP CS
20,000 units in 20mL	12	5	47.34	BL
25,000 units in 5mL	2	5	11.38	CS,WP
35,000 units in 35mL	12	5	101.58	CS,WP
HEXAMINE HIPPURATE (Ex)				
Tablet 1g	100	5	15.34	Hiprex RK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HEXAMINE MANDELATE (Ex) Tablet 250mg	100	5	6.84	Mandelamine WW
500mg	100	5	8.97	Mandelamine Hafgrams WW
1g	100	5	15.34	Mandelamine WW
HOMATROPINE HYDROBROMIDE (S1) Eye Drops 2%, 15mL	≠1	2	5.46	AG,AQ
5%, 15mL	≠1	2	6.34	AG,AQ
HUMAN CHORIONIC GONADOTROPHIN For use with bromocriptine in infertility associated with hyperprolactinaemia. Injection 5,000 units (set containing one ampoule powder for injection and one ampoule solvent 1mL)	2	..	31.86	Profasi 5000 CS
HYDRALAZINE HYDROCHLORIDE Tablet 25mg	100	5	6.27	Alphapress 25 AF
			7.39	Supres 25 PT
				Apresoline CG
50mg	100	5	7.95	Alphapress 50 AF
			9.71	Supres 50 PT
				Apresoline CG
HYDROCHLOROTHIAZIDE Tablet 25mg	50	3	5.09	Dichlotride MK
				Esidrex CG
50mg	50	3	6.35	Dichlotride MK
				Esidrex CG
HYDROCHLOROTHIAZIDE with AMILORIDE CAUTION: Serum electrolytes should be checked regularly. Supplementary potassium may cause life-threatening hyperkalaemia. Tablet 50mg-5mg	30	3	4.96	Amizide PT
			5.19	Lorizide 50/5 AF
				Moduretic MK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
HYDROCHLOROTHIAZIDE with TRIAMTERENE					
CAUTION: Serum electrolytes should be checked regularly. Supplementary potassium may cause life- threatening hyperkalaemia.					
Tablet 25mg-50mg	30	3	5.52	Dyazide	SK
HYDROCORTISONE					
Tablet 4mg	50	4	4.85	Hysone	PT
20mg	60	4	8.96	Hysone	PT
Eye Drops 0.5%, 10mL	#1	2	4.92	Hycor	SI
1%, 10mL	#1	2	5.14	Hycor	SI
2.5%, 5mL	#1	2	5.14	Hycor	SI
2.5%, 10mL	#1	2	5.84	Hycor	SI
Eye Ointment 0.5%, 4g	#1	..	4.79	Cortef	UP
0.5%, 5g	#1	..	4.79	Hycor	SI
1%, 5g	#1	..	4.79	Hycor	SI
Cream 1%, 30g	#1	1	4.66	Adacort Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC	NN UP PD US PR SI SQ
1%, 50g	#1	1	5.26	Adacort Cortef Dermacort Hydrosone Procort Sigmacort Squibb-HC	NN UP PD US PR SI SQ
Topical Ointment 1%, 30g	#1	1	4.66	Adacort Cortef Dermacort "O" Procort Sigmacort Squibb-HC	NN UP PD PR SI SQ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE - cont. Topical Ointment 1%, 50g	#1	1	5.26	Adacor NN Cortef UP Dermacort "O" PD Procort PR Sigmacort SI Squibb-HC SQ
HYDROCORTISONE with NEOMYCIN SULPHATE Ear Drops 1.5%-0.5%, 5mL	#1	..	4.71	Neo-Cortef UP
Ear Ointment 1.5%-0.5%, 4g	#1	2	4.51	Neo-Cortef UP
HYDROCORTISONE ACETATE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid.				
Injection 25mg in 1mL	5	..	6.44	Hysone-A PT
<u>Proctitis; Ulcerative colitis.</u>				
Rectal Foam 10%, Aerosol 25g	2	1	34.86	Colifoam SV
HYDROCORTISONE SODIUM SUCCINATE For use in a hospital.				
Injection Set containing equivalent of 100mg hydrocortisone and 2mL solvent	6	..	20.76 21.00	Nordicort NR Solu-Cortef UP
containing equivalent of 250mg hydrocortisone and 2mL solvent	6	..	42.66	Solu-Cortef UP
containing equivalent of 500mg hydrocortisone and 4mL solvent	2	..	27.88	Solu-Cortef UP
(Continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
HYDROCORTISONE SODIUM SUCCINATE - cont. Injection Set containing equivalent of 100mg hydrocortisone and 2mL solvent	2	..	8.56 8.64	Nordicort NR Solu-Cortef UP
containing equivalent of 250mg hydrocortisone and 2mL solvent	1	..	9.16	Solu-Cortef UP
HYDROXYCHLOROQUINE Tablet 200mg	100	1	12.81	Plaquenil WL
HYDROXYUREA Capsule 500mg	100	..	49.91	Hidrea SQ
HYOSCINE BUTYLBROMIDE Injection 20mg in 1mL	5	..	7.64	Buscopan BY
HYPROMELLOSE (Ex) Eye Drops 0.5%, 15mL	#1	6	4.71	Isopto Tears AQ Lacril AG Methopt SI
1%, 15mL	#1	6	4.71	Methopt Forte SI
HYPROMELLOSE with DEXTRAN (Ex) Eye Drops 0.3%-0.1%, 15mL	#1	6	5.00	Tears AQ Naturale
IBUPROFEN Tablet 200mg	50	3	5.14 5.24	Inflam PT Rafen 200 AF Brufen BT
400mg	50	3	6.54 6.59	Inflam PT Brufen BT
IDOXURIDINE Eye Drops 0.1%, 15mL	#1	2	7.01	Herplex AG Stoxil SK
Eye Ointment 0.5%, 5g	#1	..	7.26	Stoxil SK
Topical Ointment 0.5%, 5g (S3)	#1	..	4.40	Stoxil SK

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
IMIPRAMINE Tablet 10mg	50	2	4.26	Imiprin PT Tofranil CG
25mg	50	2	5.15 5.21	Imiprin PT Melipramine UW(N) Tofranil CG
Injection I.M. 25mg in 2mL	10	..	11.84	Tofranil CG
INDAPAMIDE Tablet 2.5mg	30	3	8.71	Natrilix SE
INDOMETHACIN Capsule 25mg	50	3	5.96 6.02	Arthrexin AF Rheumacin PT Indocid MK
Suppository 100mg	20	3	10.26	Indocid MK
INFLUENZA VACCINE Persons at special risk of adverse consequences from infections of the lower respiratory tract.				
Injection (trivalent) 0.5mL	1	..	8.96	Fluvax CS Vaxigrip MB
INSECT ALLERGEN EXTRACT - BULL ANT Injection Set - strengths A,B,C each 5mL	1	..	67.46	CS
strengths A,B,C,D each 5mL	1	..	102.46	CS
Injection - strength C, 5mL	1	..	24.96	CS
strength D, 5mL	1	..	37.46	CS
INSECT ALLERGEN EXTRACT - HONEY BEE VENOM Injection Set containing 550 micrograms	1	..	81.21	Albay Bee BN Venom

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ISOPHANE (N.P.H.) (S3) Newly diagnosed insulin dependent diabetics; Diabetics exhibiting lipoatrophy, lipohypertrophy, local allergy or immunologic resistance.				
Injection (biosynthetic human) 100 units per mL, 10mL	5	2	89.96	Humulin N LY Protaphane HM CN
INSULIN ISOPHANE (N.P.H.) (S3) Injection (bovine) 100 units per mL, 10mL	5	2	64.96	Hypurin Isophane WP Isotard MC CN
Injection (porcine) 100 units per mL, 10mL	5	2	68.11	Insulatard Nordisk BW Protaphane CN MC
INSULIN ISOPHANE (N.P.H.) - INSULIN NEUTRAL, (MIXED) (S3) Newly diagnosed insulin dependent diabetics; Diabetics exhibiting lipoatrophy, lipohypertrophy, local allergy or immunologic resistance.				
Injection (biosynthetic human) 100 units (70 units-30 units) per mL, 10mL	5	2	89.96	Actraphane HM CN
INSULIN ISOPHANE (N.P.H.) - INSULIN NEUTRAL, (MIXED) (S3) Injection (porcine) 100 units (50 units-50 units) per mL, 10mL	5	2	68.11	Initard Nordisk BW
100 units (70 units-30 units) per mL, 10mL	5	2	68.11	Actraphane MC CN Mixtard Nordisk BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
INSULIN NEUTRAL (S3) Newly diagnosed insulin dependent diabetics; Diabetics exhibiting lipoatrophy, lipohypertrophy, local allergy or immunologic resistance.					
Injection (biosynthetic human) 100 units per mL, 10mL	5	2	89.96	Actrapid HM Humulin R	CN LY
INSULIN NEUTRAL (S3) Injection (bovine) 100 units per mL, 10mL	5	2	64.96	Hypurin Neutral	WP
Injection (porcine) 100 units per mL, 10mL	5	2	68.11	Actrapid MC Velosulin Nordisk	CN BW
INSULIN PROTAMINE ZINC (S3) Injection (bovine) 100 units per mL, 10mL	5	2	64.96	Protamine Zinc Insulin MC	CN
INSULIN ZINC SUSPENSION (Lente) (S3) Newly diagnosed insulin dependent diabetics; Diabetics exhibiting lipoatrophy, lipohypertrophy, local allergy or immunologic resistance.					
Injection (biosynthetic human) 100 units per mL, 10mL	5	2	89.96	Monotard HM	CN
INSULIN ZINC SUSPENSION (Lente) (S3) Injection (bovine) 100 units per mL, 10mL	5	2	64.96	Lente MC	CN
Injection (porcine) 100 units per mL, 10mL	5	2	68.11	Monotard MC	CN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
INSULIN ZINC SUSPENSION (AMORPHOUS) (Semilente) (S3) Injection (porcine) 100 units per mL, 10mL	5	2	68.11	Semilente MC CN
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente) (S3) Newly diagnosed insulin dependent diabetics; Diabetics exhibiting lipoatrophy, lipohypertrophy, local allergy or immunologic resistance. Injection (biosynthetic human) 100 units per mL, 10mL	5	2	89.96	Ultratard HM CN
INSULIN ZINC SUSPENSION (CRYSTALLINE) (Ultralente) (S3) Injection (bovine) 100 units per mL, 10mL	5	2	64.96	Ultralente MC CN
INTRAVENOUS INFUSIONS 500mL and 1L - see separate listings at end of Section 2				
IPRATROPIUM BROMIDE Inhalation, metered aerosol spray 20 micrograms per dose (200 dose)	#1	5	10.84	Atrovent BY
Nebuliser Solution 0.025%, 20mL	#1	5	7.46	Atrovent BY
IRON DEXTRAN Injection 2mL	5	..	7.24	Imferon FC
IRON POLYMALTOSE COMPLEX Tablet 40mg (iron) (S2)	100	2	4.40	Ferrum H SI
Injection 100mg (iron) in 2mL	5	..	7.24	Ferrum H SI
IRON SORBITOL Injection I.M. trivalent iron 2mL	5	..	7.24	Jectofer AP
ISOCONAZOLE NITRATE Cream 1%, 20g (S3)	#1	1	5.87	Travogen SC
Lotion 1%, 20mL (S3)	#1	1	5.87	Travogen SC
Pessaries 300mg, 2	#1	..	6.62	Gyno-Travogen SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ISONIAZID					
Tablet 50mg	200	2	5.27	FM	
100mg	100	2	5.27	FM	
ISOSORBIDE DINITRATE (S2)					
Tablet 10mg	100	5	4.86	Isordil Isotrate	AY PD
Sublingual Tablet 5mg	100	5	4.86	Isordil Sublingual Isotrate Sublingual	AY PD
ISOTRETINOIN					
<u>Authority required.</u>					
Severe cystic acne not responsive to other therapy.					
CAUTION: This drug causes birth defects. Isotretinoin has been reported to cause other frequent and potentially serious toxicity.					
NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.					
NOTE: Care must be taken to comply with the provisions of State law when prescribing isotretinoin.					
Capsule 10mg	30	3	42.96	Roaccutane	RO
20mg	30	3	71.34	Roaccutane	RO
KANAMYCIN					
Injection 30mg in 1mL	5	1	9.90	Kanasig	SI
250mg in 2mL	5	..	13.74	Kanasig	SI
500mg in 2mL	5	..	14.84	Kanasig Kantrex	SI BC
1g in 3mL	5	..	17.09	Kanasig Kantrex	SI BC
KAOLIN with PECTIN (Ex)					
Mixture					
5.91g-132mg per 30mL, 375mL	41	2	5.09	Kaopectate	UP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LABETALOL Tablet 100mg	100	5	11.21 13.15	Presolol 100 AF Trandate GL
200mg	100	5	17.15 20.84	Presolol 200 AF Trandate GL
LACTULOSE (Ex) <u>Authority required.</u> Hepatic coma or precoma (chronic porto-systemic encephalopathy); Terminal malignant neoplasia.				
Mixture 3.34g per 5mL, 500mL	#1	+	12.65	Duphalac ET
LEUPRORELIN ACETATE <u>Authority required.</u> Advanced cancer of the prostate.				
Injection 5mg per mL, 2.8mL	2	2	389.96	Lucrin AB
LEVODOPA Tablet 100mg	50	5	7.40	Larodopa RO
250mg	100	5	14.14	Larodopa RO
500mg	250	5	52.46	Larodopa RO
LEVODOPA with BENSERAZIDE Tablet 200mg-50mg	100	5	32.90	Madopar RO
Capsule 50mg-12.5mg	100	5	13.46	Madopar Q RO
100mg-25mg	100	5	21.71	Madopar-M RO
200mg-50mg	100	5	32.90	Madopar RO
LEVODOPA with CARBIDOPA Tablet 100mg-10mg	100	5	17.86	Sinemet M MK
100mg-25mg	100	5	30.16	Sinemet 100/25 MK
250mg-25mg	100	5	32.90	Sinemet MK
LEVONORGESTREL Tablet 30 micrograms, 28	4	2	9.98	Microlut 28 SC Microval 28 WY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
LEVONORGESTREL with ETHINYLOESTRADIOL Tablet				
125 micrograms-50 micrograms, 21	4	2	9.98	Microgynon 50 SC
150 micrograms-30 micrograms, 21	4	2	9.98	Microgynon 30 SC Nordette 21 WY
250 micrograms-50 micrograms, 21	4	2	9.98	Neogynon SC Nordiol 21 WY
Pack containing 21 tablets 125 micrograms-50 micrograms and 7 inert tablets	4	2	9.98	Microgynon 50 ED SC Nordette 50 WY
Pack containing 21 tablets 150 micrograms-30 micrograms and 7 inert tablets	4	2	9.98	Microgynon 30 ED SC Nordette 28 WY
Pack containing 21 tablets 250 micrograms-50 micrograms and 7 inert tablets	4	2	9.98	Neogynon ED SC Nordiol 28 WY
Pack containing 11 tablets 50 micrograms-50 micrograms and 10 tablets 125 micrograms- 50 micrograms	4	2	9.98	Biphasil 21 WY
Pack containing 11 tablets 50 micrograms-50 micrograms 10 tablets 125 micrograms- 50 micrograms and 7 inert tablets	4	2	9.98	Biphasil 28 WY Sequilar ED SC
Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms and 10 tablets 125 micrograms-30 micrograms	4	2	9.98	Triphasil WY Triquilar SC
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
LEVONORGESTREL with ETHINYLOESTRADIOL - cont. Pack containing 6 tablets 50 micrograms-30 micrograms, 5 tablets 75 micrograms- 40 micrograms, 10 tablets 125 micrograms-30 micrograms and 7 inert tablets	4	2	9.98	Triphasil 28 Triquilar ED	WY SC
LIGNOCAINE Injection 100mg in 5mL	#2	..	5.81	Xylocard 100	AP
I.M. 300mg in 3mL	1	..	6.16	Xylocard 300 I.M.	AP
Infusion 500mg in 5mL	5	..	7.85	Xylocard 500	AP
LINCOMYCIN Injection 300mg in 1mL	5	..	11.84	Lincocin SS Paediatric	UP
600mg in 2mL	5	..	13.71	Lincocin	UP
LINDANE (S2) Cream 1%, 200g	#1	2	6.35	Lorexane	IC
Head Lotion 0.2%, 200mL	#1	..	5.26	Lorexane	IC
Lotion Concentrate 1%, 200mL	#1	..	6.35	Lorexane Concentrate	IC
LIOTHYRONINE Tablet 20 micrograms	100	1	5.31	Tertroxin	GL
LITHIUM CARBONATE Tablet 250mg	100	5	5.61 5.67	Lithicarb Camcolit Carbolith	PT NE DH
400mg (sustained release)	100	3	8.27	Priadel	PT
LOPERAMIDE HYDROCHLORIDE Capsule 2mg	12	..	4.46	Imodium	JP
LYPRESSIN Nasal Spray 50 units per mL, 5mL	10	2	66.96	Vasopressin	SZ
MALDISON (S2) Lotion 0.5%, 100mL	#1	..	4.80	Cleensheen	FL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MEDROXYPROGESTERONE Breast cancer; Dysfunctional uterine bleeding; Endometrial cancer; Endometriosis; Precocious puberty; Renal cell cancer; Turner's syndrome.				
Tablet 10mg	100	2	30.46	Provera UP
Advanced breast cancer.				
Tablet 500mg	30	2	127.46	Farlutal FE
Breast cancer; Endometrial cancer; Renal cell cancer.				
Tablet 100mg	100	2	89.96	Farlutal FE Provera UP
Injection 50mg in 1mL	1	..	6.57	Depo-Provera UP
500mg in 2.5mL	1	..	32.42	Farlutal FE
Breast cancer; Endometrial cancer; Precocious puberty; Renal cell cancer.				
Injection 150mg in 1mL	1	..	11.56	Depo-Provera UP
MEDROXYPROGESTERONE Tablet 2.5mg	25	3	6.22	Provera UP
MEDRYSONE Eye Drops 1%, 5mL	#1	6	5.55	HMS Liquifilm AG
MEFENAMIC ACID Dysmenorrhoea; Menorrhagia.				
Capsule 250mg	50	2	7.46	Mefic AF Ponstan PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MEFRUSIDE Tablet 25mg	50	3	5.95	Baycaron BN
MELPHALAN Tablet 2mg	100	..	56.38	Alkeran BW
5mg	100	..	94.82	Alkeran BW
MERCAPTOPURINE Tablet 50mg	100	2	84.66	Purinethol BW
METFORMIN Tablet 500mg	100	5	10.46 11.37 11.39	Diaformin AF Glucophage RN Diabex DF
METHACYCLINE Capsule 150mg	21	1	6.21	Rondomycin WW
300mg	11	1	6.21	Rondomycin WW
METHADONE (S8) Severe disabling pain not responding to non-narcotic analgesics. <u>CAUTION:</u> The risk of drug dependence is high. <u>NOTE:</u> Authorities for increased maximum quantities and/or repeats for this item will be granted only for severe disabling pain associated with proven malignant neoplasia or severe disabling pain where treatment is initiated in a hospital (in-patient or out-patient).				
Tablet 5mg	20	..	6.94	Physeptone BW
10mg	20	..	7.37	Physeptone BW
Injection 10mg in 1mL	5	..	10.32	Physeptone BW
METHDILAZINE (S3) Prevention of migraine.				
Tablet 4mg	100	2	6.32	Dilosyn GL
8mg	100	2	6.58	Dilosyn GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHENOLONE ACETATE <u>Authority required.</u> Osteoporosis; Patients on long-term treatment with corticosteroids. NOTE: An authority for six months' treatment will be limited to the maximum quantity and repeats shown in this schedule.				
Tablet 5mg	100	3	20.46	Primobolan SC
METHOTREXATE				
Tablet 2.5mg	100	2	20.90	LE
Injection 5mg (solvent required)	5	..	23.71	LE
5mg in 2mL	5	..	47.16	LE
50mg (solvent required)	5	..	64.66	LE
50mg in 2mL	5	..	60.86 60.91	BL LE
METHSUXIMIDE				
Capsule 300mg	200	2	48.61	Celontin PD
METHYCLOTHIAZIDE				
Tablet 2.5mg	50	3	5.06	Enduron-M AB
5mg	50	3	5.31 5.39	Urimor PT Enduron AB
METHYLDOPA				
Tablet 125mg	100	5	8.06	Aldomet-M MK
250mg	100	5	10.96 11.02 11.15	Dimal PT Hydopa AF Methopa US Aldomet MK
METHYLPHENOBARBITONE				
Epilepsy.				
Tablet 30mg	200	2	5.66	Prominal WL
60mg	200	2	6.24	Prominal WL
200mg	200	2	13.61	Prominal WL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
METHYLPREDNISOLONE Eye Ointment 0.1%, 4g	#1	..	4.79	Medrol UP
METHYLPREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration.				
Injection 40mg in 1mL	5	..	16.81	Depo-Medrol UP
METHYLPREDNISOLONE SODIUM SUCCINATE Injection 40mg (base) in 1mL	5	..	18.21	Solu-Medrol UP
METHYL SALICYLATE (S5) Liniment APF, 100mL	#1	1	4.20	Emsalin DH Linsal SI
			4.22	MG
			4.25	NN, PR, QE(NQ)
METHYLTESTOSTERONE Hypogonadism in children.				
Tablet 5mg	100	2	5.59	Testomet PT
<u>Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminif- erous tubule dysgenesis).</u>				
Tablet 25mg	100	2	9.22 9.30	Testomet PT ET
50mg	100	2	13.26	Testomet PT
METHYSERGIDE Tablet 1mg	100	2	23.71	Deseril SZ
METOCLOPRAMIDE HYDROCHLORIDE Tablet 10mg	25	..	5.27	Metamide PT Pramin AF Primperan US
			5.40	Maxolon BR
Syrup 5mg per 5mL, 100mL	#1	..	4.80	Maxolon BR Primperan US
Injection 10mg in 2mL	10	..	6.44	Maxolon BR Primperan US

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
METOLAZONE Tablet 2.5mg	50	3	5.20	Diulo	SR
METOPROLOL Tablet 50mg	100	5	11.46	Betaloc Lopresor	AP CG
100mg	60	5	13.26	Betaloc Lopresor	AP CG
METRONIDAZOLE Prophylaxis in large bowel surgery; Treatment in a hospital of acute anaerobic sepsis. Intravenous infusion 500mg in 100mL (0.5%)	1	..	16.66	Flagyl BL	MB
METRONIDAZOLE Tablet 200mg	21	1	5.56 5.59	Trichozole Flagyl Metrozine	PT MB SR
Suppositories 500mg, 10	#1	..	8.97	Flagyl Trichozole	MB PT
1g, 10	#1	..	10.89	Flagyl	MB
METRONIDAZOLE BENZOATE Suspension 6.4% (equivalent to 200mg metronidazole in 5mL), 100mL	#1	..	9.15	Flagyl S	MB
MEXILETINE HYDROCHLORIDE Capsule 50mg	100	5	13.71	Mexitil	BY
200mg	100	5	28.71	Mexitil	BY
Injection 250mg in 10mL	5	..	20.71	Mexitil	BY
MIANSERIN HYDROCHLORIDE <u>Authority required.</u> Depressive illness in persons with cardiovascular disease or bladder neck obstruction. <u>CAUTION:</u> Neutropenia and agranulocytosis have been reported with this drug.	50	+	10.27	Tolvon	OR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
MICONAZOLE					
Oral Gel 2%, 20g	#1	1	5.87	Daktarin	JP
Tincture 2%, 20mL (S3)	#1	1	5.87	Daktarin	JP
MICONAZOLE NITRATE					
Cream 2%, 20g (S3)	#1	1	5.87	Daktarin	JP
				Monistat Derm	ET
Lotion 2%, 20g (S3)	#1	1	5.87	Daktarin	JP
Pessaries 100mg, 7	#1	..	6.62	Gyno- Daktarin 7	JP
				Monistat 7	ET
200mg, 3	#1	..	6.62	Monistat 3	ET
Vaginal Cream 2%, 40g	#1	..	6.57	Gyno- Daktarin 7	JP
				Monistat 7	ET
MILK POWDER - LACTOSE MODIFIED (Ex)					
Authority required.					
Lactose intolerance.					
NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.					
Lactose-Predigested Powder 500g	2	20	14.06	Digestelact	SJ
MILK POWDER - LOW LACTOSE FORMULA (Ex)					
Acute gastro-enteritis complicated by lactose intolerance in infants up to the age of twelve months. Age of patient to be shown on the prescription;					
Proven lactose intolerance in infants up to the age of twelve months. Age of patient to be shown on the prescription.					
NOTE: No authorities will be granted for increased maximum quantities. Authorities for an increased number of repeats will be limited to a maximum of 20 repeats. Confirmation of lactose intolerance to be included in application. An acceptable					
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MILK POWDER - LOW LACTOSE FORMULA (Ex) - cont. confirmation of lactose intolerance for the issue of an authority for repeats is the presence of not less than 1% reducing substance in stool exudate tested with copper sulphate diagnostic compound tablet.				
Lactose-Predigested Powder Infant Formula 500g	2	..	14.06	De-Lact Infant SJ
MILK POWDER - SYNTHETIC (Ex) <u>Authority required.</u> Hypercalcaemia in children under the age of two (2) years; Osteopetrosis. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Low Calcium Compound Powder 397g	2	20	24.12	Locasol KY
<u>Authority required.</u> Galactosaemia; Conditions needing an extreme restriction of lactose in diet in children under the age of four (4) years. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule.				
Low Lactose Compound Powder 454g	2	20	25.48	Galactomin Formula 17 KY
MINERAL MIXTURE (Ex) (For use with Amino Acid Formula without Phenylalanine) Phenylketonuria.				
Powder 250g	#1	5	25.15	Aminogran M.M. GL
MINOCYCLINE Capsule 100mg	11	..	6.21	Minomycin LE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
MISOPROSTOL - cont. <u>CAUTION:</u> Misoprostol is a prostaglandin analogue. It should not be used in pregnant women.				
Tablet 200 micrograms	120	..	43.71	Cytotec SR
MITHRAMYCIN For use in a hospital for - inoperable testicular neoplasm; symptomatic hypercalcaemia and hypercalcinuria associated with advanced neoplasia.				
Injection 2.5mg (solvent required)	5	..	111.86	Mithracin PF
MORPHINE with TACRINE (S8) Severe intractable pain. <u>CAUTION:</u> The risk of drug dependence is high.				
Tablet 30mg-15mg	20	..	9.83	Mortha WH
MORPHINE SULPHATE (S8) <u>CAUTION:</u> The risk of drug dependence is high.				
Injection 10mg in 1mL	5	..	6.19	BL,BT,SI
15mg in 1mL	5	..	6.31	BL,BT,SI
30mg in 1mL	5	..	6.69	BL
MUSTINE Injection 10mg (solvent required)	1	..	8.62	BT
NALIDIXIC ACID For use as a urinary antiseptic in patients with neurogenic bladder; Urinary tract infections where current clinical and bacterio- logical evidence confirms that nalidixic acid is an appropriate therapeutic agent.				
Tablet 500mg	56	2	14.34	Negram WL
Oral Suspension 50mg per mL, 200mL	≠1	2	14.34	Negram WL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NALOXONE HYDROCHLORIDE Injection 40 micrograms in 2mL	5	..	32.46	Narcan Neonatal BT
400 micrograms per mL, 10mL	1	..	77.46	Narcan BT
NANDROLONE DECANOATE <u>Authority required.</u> Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for six months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 50mg in 1mL	1	3	14.96	Deca- Durabolin OR
NANDROLONE PHENYLPROPIONATE <u>Authority required.</u> Carcinoma of the breast; Osteoporosis; Patients on long-term treatment with corticosteroids. <u>NOTE:</u> An authority for six months' treatment of osteoporosis and of patients on long-term treatment with corticosteroids will be limited to the maximum quantity and repeats shown in this schedule.				
Injection 25mg in 1mL	3	3	14.96	Durabolin OR
NAPHAZOLINE HYDROCHLORIDE (S2) Eye Drops 0.1%, 15mL	#1	2	4.71	Albalon Liquifilm AG
NAPROXEN Tablet 250mg	50	3	8.09 8.71	Naxen AF Naprosyn SD
Suppository 500mg	20	3	11.41	Naprosyn SD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NATAMYCIN				
Tablet 100mg	50	..	10.59	Pimafucin GB
Suspension 1%, 5mL	≠1	1	4.85	Pimafucin GB
Cream 20mg per g, 15g	≠1	1	4.92	Pimafucin GB
Pessaries 25mg, 20	≠1	..	6.70	Pimafucin GB
NEOMYCIN				
Acute leukaemia during induction of remission with chemotherapy; Bowel sterilisation preparatory to major surgery; Encephalopathy, hepatic.				
Tablet 500mg	25	1	11.35	Neosulf ET PT
NEOMYCIN				
Eye Drops 0.5% (0.35% neomycin base), 10mL	≠1	2	4.66	Neopr SI
NEOMYCIN UNDECENOATE with BACITRACIN ZINC				
Ear Ointment 12mg (3.5mg base) - 400 units per g, 10g	≠1	..	4.59	Nemdyn HA
NEOSTIGMINE				
Tablet 15mg	100	2	7.77	Prostigmin RO
Injection 500 micrograms in 1mL	5	3	5.09	Prostigmin RO
2.5mg in 1mL	5	3	5.34	Prostigmin RO
NICLOSAMIDE (S2)				
Hymenolepiasis nana.				
Tablet 500mg	16	..	12.62	Yomesan BN
NICLOSAMIDE (S2)				
Tablet 500mg	4	..	5.00	Yomesan BN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NICOTINIC ACID (Ex)				
Tablet 25mg	100	2	4.17	Nikacid DH US
50mg	100	2	4.25	Nikacid DH,RT,SI US
100mg	100	2	4.39	Nikacid DH US
250mg	100	2	5.46	DH
NIFEDIPINE				
Tablet 20mg	60	5	24.96	Adalat 20 BN
Capsule 10mg	100	5	18.71 21.21	Anpine AF Adalat BN
NITRAZEPAM				
NOTE: Authorities for increased maximum quantities and/or repeats for this item may be sought for the treatment of myoclonic epilepsy. Up to six months' treatment (i.e. one month's treatment with five repeats) may be requested.				
Tablet 5mg	25	..	3.82 4.25	Alodorm AF Nitepam US Dormicum PT Mogadon RO
NITROFURANTOIN				
CAUTION: Nitrofurantoin may cause peripheral neuritis and severe pulmonary reactions.				
Tablet 50mg	25	1	6.26	Furadantin NW
100mg	25	1	8.24	Furadantin NW
Capsule 50mg	30	1	7.11	Macrochantin NW
100mg	30	1	9.57	Macrochantin NW
Paediatric Suspension 25mg per 5mL, 200mL	#1	..	8.71	Furadantin NW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
NORETHISTERONE				
Tablet 350 micrograms, 28	4	2	9.98	Micronor ET Noriday 28 SD Day
5mg	30	5	8.71	Primolut N SC
NORETHISTERONE WITH ETHINYL- OESTRADIOL				
Tablet				
500 micrograms-35 micrograms, 21	4	2	9.98	Brevinor SD Modicon ET
1mg-35 micrograms, 21	4	2	9.98	Brevinor-1 SD
Pack containing 21 tablets 500 micrograms-35 micrograms and 7 inert tablets	4	2	9.98	Brevinor SD Modicon ET
Pack containing 21 tablets 1mg-35 micrograms and 7 inert tablets	4	2	9.98	Brevinor-1 SD
Pack containing 12 tablets 500 micrograms-35 micrograms, 9 tablets 1mg-35 micrograms and 7 inert tablets	4	2	9.98	Synphasic SD
NORETHISTERONE with MESTRANOL				
Tablet 1mg-50 micrograms, 21	4	2	9.98	Norinyl-1 SD Ortho-Novum ET 1/50
Pack containing 21 tablets 1mg-50 micrograms and 7 inert tablets	4	2	9.98	Norinyl-1/28 SD
NORETHISTERONE ACETATE				
Malignant neoplasia.				
Tablet 10mg	100	2	45.59	SH420 SC
NORETHISTERONE ACETATE with ETHINYL OESTRADIOL				
Tablet 1mg-50 micrograms, 21	4	2	9.98	Minovlar SC
Pack containing 21 tablets 1mg- 50 micrograms and 7 inert tablets	4	2	9.98	Minovlar ED SC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NORGESTREL with ETHINYLOESTRADIOL Tablet					
500 micrograms-50 micrograms, 20	4	2	9.98	Duoluton	SC
500 micrograms-50 micrograms, 21	4	2	9.98	Ovral	WY
NORTRIPTYLINE Tablet 10mg	50	2	4.22	Allegron Nortab	DL SQ
25mg	50	2	5.21	Allegron Nortab	DL SQ
Paediatric Elixir 10mg per 5mL, 100mL	#1	4	5.14	Allegron	DL
NUTRAMIGEN (Ex) <u>Authority required.</u> Cows' milk allergy in children under the age of two (2) years; Cystic fibrosis (mucoviscidosis); Galactosaemia; Glycogen storage disease due to glucose-6-phosphatase deficiency in children under the age of two (2) years; Lactose intolerance. NOTE: Milk allergy means eczema, asthma or severe gastro-intestinal upset, demonstrated to be due to cows' milk by relief on withdrawal of cows' milk for one week and recurrence on subsequent feeding with cows' milk. Since cows' milk allergy and lactose intolerance are not always permanent, a further challenge with cows' milk should be made each three months. Age of patient to be shown on application for authority. NOTE: An authority will be limited to the maximum quantity and repeats shown in this schedule.					
Powder 1kg	#1	20	28.99	Glucose Nutramigen	MJ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
NYSTATIN					
Tablet 500,000 units	50	..	10.21	Diastatin Mycostatin Nilstat	GP SQ LE
Capsule 500,000 units	50	..	10.21	Mycostatin	SQ
Lozenge 100,000 units	20	1	4.66	Nilstat	LE
Mixture					
100,000 units per mL, 24mL	#1	1	5.47	Mycostatin Nilstat	SQ LE
Cream 100,000 units per g, 15g	#1	1	4.79	Mycostatin Nilstat	SQ LE
Gel 100,000 units per g, 15g	#1	1	4.79	Mycostatin	SQ
Ointment 100,000 units per g, 15g	#1	1	4.79	Mycostatin Nilstat	SQ LE
Pessaries 100,000 units, 15	#1	1	5.19	Mycostatin Nilstat	SQ LE
Cream Pessaries 100,000 units, 15	#1	1	5.19	Nilstat	LE
Vaginal Cream					
100,000 units per 4g, 60g (15 doses)	#1	1	5.32	Mycostatin	SQ
100,000 units per 5g, 75g (15 doses)	#1	1	5.32	Nilstat	LE
OESTRADIOL VALERATE					
Tablet 2mg	21	5	5.27	Progynova	SC
Injection 10mg in 1mL	3	..	12.21	Primogyn Depot	SC
OESTROGENS - CONJUGATED					
Tablet 300 micrograms	21	5	4.59	Premarin	AY
625 micrograms	21	5	5.27	Premarin	AY
OESTRONE					
Pessaries 0.1mg, 12	#1	1	5.81	Kolpon	OR
1mg, 12	#1	1	7.72	Kolpon	OR
ORNIDAZOLE					
Tablet 500mg	3	..	5.84	Tiberal	RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
ORPHENADRINE HYDROCHLORIDE					
Parkinsonism.					
Tablet 50mg	100	5	7.65 7.71	Orpadrex Disipal	PT RK
OXAZEPAM					
Tablet 15mg	25	..	3.84 3.91	Alepam 15 Benzotran Murelax Serepax	AF PT AY WY
30mg	25	..	4.15 4.16	Alepam 30 Benzotran Murelax Serepax	AF PT AY WY
<u>NOTE: No authorities will be granted for increased maximum quantities and/or repeats of oxazepam.</u>					
OPXPENOLOL					
Tablet 20mg	100	5	6.84 7.10	Captol Corbeton 20 Trasicor	PT AF CG
40mg	100	5	9.02 9.34	Captol Corbeton 40 Trasicor	PT AF CG
Injection 2mg (solvent required)	5	..	7.52	Trasicor	CG
OXYCODONE (S8)					
Severe disabling pain not responding to non-narcotic analgesics.					
<u>CAUTION: The risk of drug dependence is high.</u>					
<u>NOTE: Authorities for increased maximum quantities and/or repeats will be granted only for severe disabling pain associated with proven malignant neoplasia or severe disabling pain where treatment is initiated in a hospital (in-patient or out-patient).</u>					
Suppositories 30mg, 12	#1	..	15.25	Proladone	BT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
OXYCODONE HYDROCHLORIDE (S8) Severe disabling pain not responding to non-narcotic analgesics. <u>CAUTION:</u> The risk of drug dependence is high. <u>NOTE:</u> Authorities for increased maximum quantities and/or repeats will be granted only for severe disabling pain associated with proven malignant neoplasia or severe disabling pain where treat- ment is initiated in a hospital (in-patient or out-patient).					
Tablet 5mg	20	..	6.20	Endone	BT
OXYMETHOLONE <u>Authority required.</u> Aplastic anaemias, proven; Myelosclerosis.					
Tablet 50mg	100	+	79.84	Anapolon	SD
100mg	100	+	152.46	Adroyd	PD
OXYTETRACYCLINE Ointment 3%, 15g	#1	..	4.49	Terramycin	PF
OXYTOCIN Injection 2 units in 2mL	5	..	5.67	Syntocinon	SZ
5 units in 1mL	5	..	5.81	Syntocinon	SZ
10 units in 1mL	5	..	5.95	Syntocinon	SZ
OXYTOCIN with ERGOMETRINE Injection 5 units and 500 micrograms in 1mL	5	..	6.22	Syntometrine	SZ
PANCREATIN ENZYME (Ex) Cystic fibrosis (mucoviscidosis); Following pancreatico- duodenectomy; Steatorrhoea, pancreatic.					
Tablet providing not less than 6,500 BP units of lipase activity	500	4	33.89	Viokase	RS
Capsule providing not less than 6,500 BP units of lipase activity	500	4	39.96	Viokase	RS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PANCRELIPASE (Ex) Cystic fibrosis (mucoviscidosis); Following pancreatico- duodenectomy; Steatorrhoea, pancreatic.				
Capsule providing not less than 5,000 BP units of lipase activity	250	10	55.32	Pancrease ET
Capsule providing not less than 10,000 BP units of lipase activity	250	10	72.84	Cotazym S Forte OR
PAPAVERETUM (S8) CAUTION: The risk of drug dependence is high.				
Injection 20mg in 1mL	5	..	6.07	Omnopon RO
PAPAVERETUM with HYOSCINE HYDROBROMIDE (S8) CAUTION: The risk of drug dependence is high.				
Injection 20mg-430 micrograms in 1mL	5	..	6.20	Omnopon- Scopolamine RO
PARACETAMOL (S2) Mixture 120mg per 5mL, 100mL	#1	2	4.17	Dymadon Panamax Parmol BW WL US
PARAFFIN (Ex) Compound Eye Ointment 7g	#1	6	5.59	Lacri-Lube S.O.P. AG
PENICILLAMINE Acute heavy metal intoxication; Cystinosis; Cystinuria with calculus form- ation; Haemoglobinuria, paroxysmal cold; Severe rheumatoid arthritis; Wilson's disease (hepatolenticular degeneration).				
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PENICILLAMINE - cont. Tablet 125mg	100	1	22.39	D-Penamine Perdolat	DL KN
250mg	100	1	35.90	D-Penamine Perdolat	DL KN
PERHEXILINE MALEATE <u>Authority required.</u> Angina not responding to other therapy.					
Tablet 100mg	100	+	20.30	Pexid	ML
PERICYAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses including arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 2.5mg	100	1	5.06	Neulactil	MB
10mg	100	1	8.21	Neulactil	MB
Mixture 2.5mg per 5mL, 100mL	≠1	4	4.96	Neulactil	MB
PERITONEAL DIALYSIS SOLUTION (Ex) Injection					
with 1.5% glucose, 1L, 12	2	1	104.46	Dianeal	TV
with 4.25% glucose, 1L, 10	2	1	87.46	Dianeal	TV
PETHIDINE (S8) <u>Authority required.</u> Disabling pain associated with proven malignant neoplasia. <u>CAUTION:</u> The risk of drug dependence is high.					
Tablet 50mg	20	..	5.96	SI	
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PETHIDINE (S8) - cont. CAUTION: The risk of drug dependence is high.				
Injection 50mg in 1mL	5	..	6.12	BL,BT,SI
100mg in 2mL	5	..	6.19	BL,BT,SI
NOTE: Authorities for increased maximum quantities and/or repeats for this item will be granted only for the treatment of late-stage malignant neoplasia.				
PHENELZINE Depressive illness resistant to treatment with either tricyclic anti-depressants or electro-convulsive therapy; Phobic states. CAUTION: This drug is a monoamine oxidase inhibitor.				
Tablet 15mg	50	2	6.92	Nardil WW
PHENETHICILLIN Prophylaxis of recurrent streptococcal infections (including rheumatic fever).				
Tablet 250mg	50	5	8.82	Pensig SI
Capsule 250mg	50	5	8.82	Pensig SI
PHENETHICILLIN Tablet 250mg				
	25	1	5.64	Pensig SI
Capsule 250mg	25	1	5.64	Pensig SI
500mg	25	1	6.34	Pensig SI
Powder for Syrup				
125mg per 5mL, 100mL	#1	1	#6.21	Pensig 125 SI
250mg per 5mL, 100mL	#1	..	#6.84	Pensig 250 SI
PHENINDIONE Tablet 10mg				
	100	2	6.57	Dindevan GL
50mg	100	2	8.21	Dindevan GL

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOBARBITONE Epilepsy.				
Tablet 30mg	200	4	4.79	DH, FM, SI
PHENOBARBITONE SODIUM Epilepsy.				
Injection 200mg in 1mL	5	..	5.71	FM
PHENOXYBENZAMINE <u>Authority required.</u> Phaeochromocytoma; Neurogenic urinary retention.				
Capsule 10mg	100	+	15.59	Dibenyline SK
PHENOXYMETHYLPENICILLIN Prophylaxis of recurrent strepto- coccal infections (including rheumatic fever).				
Tablet 125mg	50	5	7.46	Abbocillin-V AB
250mg	50	5	7.96	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM
Capsule 250mg	50	5	7.96	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM
PHENOXYMETHYLPENICILLIN Tablet 125mg	25	1	4.96	Abbocillin-V AB
250mg	25	1	5.21	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM
500mg	25	1	5.81	Abbocillin-VK AB LPV CS PVK LY P.V.O. FM
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PHENOXYMETHYLPENICILLIN - cont. Capsule 250mg	25	1	5.21	Abbocillin-VK AB Cilicaine VK SI LPV CS PVK LY P.V.O. FM
500mg	25	1	5.81	Cilicaine VK SI LPV CS P.V.O. FM
Paediatric Suspension 125mg per 5mL, 100mL	≠1	1	4.96	Abbocillin-V AB Cilicaine V SI LPV 125 CS
Suspension 250mg per 5mL, 100mL	≠1	1	5.59	Abbocillin-V AB Cilicaine V SI LPV 250 CS
PHENSUXIMIDE Capsule 500mg	200	2	49.17	Milontin PD
PHENYLALANINE LOW CONTENT FORMULA (Ex) Phenylketonuria.				
Powder 2.5 lb	2	5	114.96	Lofenalac MJ
PHENYLEPHRINE Compound Ointment 60g (S2)	≠1	1	4.90	Hemorex WL
Compound Suppositories, 12 (S2)	≠1	1	4.90	Hemorex WL
Eye Drops 0.12%, 15mL (Ex)	≠1	2	4.71	Isopto Frin AQ Prefrin AG
10%, 5mL (S2)	≠1	..	6.01	Neo-Synephrine WL
PHENYTOIN See Special Pharmaceutical Benefits				
PHENYTOIN SODIUM See Special Pharmaceutical Benefits				
PHYTOMENADIONE (Ex) Injection 1mg	5	..	5.59	Konaktion RO
10mg	5	..	8.15	Konaktion RO

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PILOCARPINE <u>Authority required.</u> Chronic glaucoma when other miotics are not tolerated.				
Eye Disc 5mg (releasing 20 micrograms per hour)	8	+	36.21	Ocusert Pilo 20 PT
Eye Disc 11mg (releasing 40 micrograms per hour)	8	+	36.21	Ocusert Pilo 40 PT
PILOCARPINE HYDROCHLORIDE Eye Drops 0.5%, 15mL	#1	6	4.80	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
1%, 15mL	#1	6	4.87	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
2%, 15mL	#1	6	5.46	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
3%, 15mL	#1	6	6.34	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
4%, 15mL	#1	6	6.77	Isopto Carpine AQ Pilopt SI P.V. Carpine AG IQ
6%, 15mL	#1	6	7.71	Isopto Carpine AQ Pilopt SI P.V. Carpine AG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PINDOLOL					
Tablet 5mg	100	5	9.34 10.25	Barbloc 5 Visken	AF SZ
15mg	50	5	11.77 14.02	Barbloc 15 Visken	AF SZ
Injection 400 micrograms in 2mL	5	..	7.52	Visken	SZ
PIROXICAM					
Capsule 10mg	50	3	12.71	Feldene	PF
PIZOTIFEN MALATE					
Tablet 500 micrograms (base)	100	2	12.46	Sandomigran	SZ
PLAGUE VACCINE					
Injection 1,500 million organisms in 0.5mL	2	..	12.08	CS	
PNEUMOCOCCAL VACCINE, POLYVALENT Splenectomised persons over two (2) years of age; Persons with Hodgkin's disease; Persons at high risk of pneumococcal infections.					
Injection 0.5mL	1	..	14.55	Moniarix	SK
POLYESTRADIOL					
Carcinoma of the breast; Carcinoma of the prostate.					
Injection set containing 40mg and 2mL solvent	1	..	9.36	Estradurin	AY
POLYMYXIN B SULPHATE with BACITRACIN and NEOMYCIN					
Ear Drops 10,000 units-500 units- 3.5mg (base) per mL, 15mL	≠1	..	4.96	Neotracin	ET
Eye Ointment 5,000 units- 400 units-5mg per g, 4g	≠1	..	4.39	Mycitracin Neosporin	UP BW
POLYMYXIN B SULPHATE with NEOMYCIN and GRAMICIDIN					
Eye Drops 5,000 units-2.5mg- 25 micrograms per mL, 10mL	≠1	2	4.92	Neosporin	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
POLYMYXIN B SULPHATE with NEOMYCIN and HYDROCORTISONE Ear Drops 10,000 units-3.5mg (base)-10mg per mL, 7mL	≠1	2	4.77	Aerocortin BW
POLYVINYL ALCOHOL (Ex) Eye Drops 1.4%, 15mL	≠1	6	5.00	Liquifilm Tears AG
3%, 15mL	≠1	6	5.17	Liquifilm Forte AG
POLYVINYL ALCOHOL with POVIDONE (Ex) Eye Drops 1.4%-0.6%, 15mL	≠1	6	5.15	Tears Plus AG
POTASSIUM CHLORIDE (Ex) NOTE: Concomitant amiloride, triamterene or spironolactone may cause life-threatening hyperkalaemia.				
Tablet 600mg (sustained release)	100	2	5.11	K-San PR KSR AF Slow-K CG Span-K PT
Effervescent Tablet 14mmol K ⁺ and 8mmol Cl ⁻	30	2	5.09	Chlorvescent PT
Elixir 1.5g (20mmol K ⁺ and 20mmol Cl ⁻) per 15mL, 500mL	≠1	2	5.14	Kay Ciel SC
PRALIDOXIME IODIDE Injection 500mg	5	..	15.44	AB
PRazosin HYDROCHLORIDE Tablet 1mg (base)	100	5	10.00	Minipress PF
2mg (base)	100	5	13.42	Minipress PF
5mg (base)	100	5	20.69	Minipress PF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PREDNISOLONE Tablet 1mg	100	4	4.92	Panafcort- elone PT
5mg	60	4	5.21	Adnisolone NN Delta-Cortef UP Deltasolone US Panafcort- elone PT Solone FM PR
25mg	30	4	6.15	Panafcort- elone PT
			6.16	Solone FM
Eye Ointment 0.5%, 4g	#1	..	4.79	Delta-Cortef UP
PREDNISOLONE ACETATE For local intra-articular or peri-articular infiltration.				
Injection 10mg in 1mL	5	..	12.76	Scherisolon SC
PREDNISOLONE ACETATE Eye Drops 0.5%, 5mL	#1	6	5.32	Sterofrin AQ
PREDNISOLONE ACETATE with PHENYLEPHRINE Corneal grafts; Uveitis.				
Eye Drops 1%-0.12%, 10mL	#1	2	7.46	Prednefrin Forte AG
PREDNISOLONE SODIUM PHOSPHATE Proctitis; Ulcerative colitis.				
Retention Enema 20mg in 100mL	28	1	67.26	Predsol GL
Suppositories equivalent to 5mg prednisolone, 10	3	1	18.39	Predsol GL
PREDNISOLONE SODIUM PHOSPHATE Eye and Ear Drops 0.5%, 5mL	#1	6	5.41	Predsol GL
PREDNISOLONE STEAROYLGLYCOLATE Tablet 6.65mg	30	2	4.17	Sintisone FE

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PREDNISONE					
Tablet 1mg	100	4	4.92	Panafcort	PT
5mg	60	4	5.21	Adasone	NN
				Deltrasone	US
				Panafcort	PT
				Sone	FM
				DH, PR	
25mg	30	4	6.15	Panafcort	PT
			6.16	Sone	FM
PRIMAQUINE					
Tablet 7.5mg (base)	42	..	7.46	IC	
PRIMIDONE					
Tablet 250mg	200	2	10.07	Midone	PT
				Mysoline	IC
PROBENECID					
Tablet 500mg	100	5	10.39	Procid	PT
			10.41	Benemid	FR
PROBUCOL					
<u>Authority required.</u>					
Familial hypercholesterolaemia inadequately responsive to diet and a course of cholesterol lowering resin.					
<u>NOTE:</u> An authority will be granted only if the initial fasting serum cholesterol level is at least 8mmol/L following dietary therapy and a course of a cholesterol lowering resin.					
An authority for a second course of treatment with probucol may be granted where there is a fall in serum cholesterol since commencement of probucol therapy.					
Tablet 250mg	112	5	35.59	Lurselle	ML
PROCAINAMIDE					
Capsule 250mg	100	2	7.80	Pronestyl	SQ
375mg	100	2	9.30	Pronestyl	SQ
Injection 100mg per mL, 10mL	2	..	8.08	Pronestyl	SQ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PROCAINE PENICILLIN Injection 1g	5	..	18.09	Cilicaine	SI
1.5g	5	..	18.71	Cilicaine	SI
PROCARBAZINE Capsule 50mg	100	2	24.34	Natulan	RO
PROCHLORPERAZINE <u>Authority required.</u> Emesis associated with malignant disease; Rotational vertigo. <u>CAUTION: Prochlorperazine may be</u> <u>associated with parkinsonism</u> <u>and tardive dyskinesia.</u>					
Tablet 5mg	100	+	5.52 5.59	Anti-Naus Compazine Stemetil	PT SK MB
PROCHLORPERAZINE <u>CAUTION: Prochlorperazine may be</u> <u>associated with parkinsonism</u> <u>and tardive dyskinesia.</u>					
Tablet 5mg	25	..	3.74 3.77	Anti-Naus Compazine Stemetil	PT SK MB
<u>NOTE: Authorities for increased</u> <u>maximum quantities and/or repeats</u> <u>of prochlorperazine tablets will</u> <u>be granted only for the treatment</u> <u>of emesis associated with</u> <u>malignant disease or rotational</u> <u>vertigo.</u>					
Injection 12.5mg in 1mL	10	..	6.44	Compazine Stemetil	SK MB
Suppositories 5mg, 5	#1	..	4.84	Stemetil	MB
25mg, 5	#1	..	5.27	Stemetil	MB
PROCYCLIDINE Tablet 5mg	100	5	7.24	Kemadrin	BW

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
PROGUANIL Tablet 100mg	100	2	6.71	Paludrine IC
PROMETHAZINE (S4) Injection 50mg in 2mL	10	..	6.22	BL
PROMETHAZINE THEOCLATE (S3) Tablet 25mg	30	1	5.40	Avomine MB
PROPANTHELINE BROMIDE Chronic neurogenic incontinence of urine. Tablet 15mg	100	5	5.61	Pantheline PT
PROPRANOLOL Tablet 10mg	100	5	5.76	Cardinol PT
				Deralin 10 AF
			5.82	Angilol BM
				Prolol US
			6.22	Inderal IC
40mg	100	5	7.69	Cardinol PT
				Deralin 40 AF
			7.75	Angilol BM
				Prolol US
			9.29	Inderal IC
160mg	50	5	9.61	Cardinol PT
				Deralin 160 AF
			9.67	Prolol US
			12.44	Inderal IC
Injection 1mg in 1mL	5	..	9.34	Inderal IC
PROPYLTHIOURACIL Tablet 50mg	100	4	8.09	ET
PROTAMINE SULPHATE (Ex) Injection 1%, 10mL	6	..	19.84	BT
PROTEIN HYDROLYSATE FORMULA without PHENYLALANINE (Ex) Phenylketonuria. Sachet 200g	10	5	579.36	Albumaid XP SJ
PYRANTEL EMBONATE (S2) Tablet 125mg (base)	6	..	4.46	Anthel 125 AF
250mg (base)	6	..	6.21	Anthel 250 AF

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
PYRIDOSTIGMINE					
Tablet 10mg	100	2	7.59	Mestinon	RO
60mg	100	2	17.84	Mestinon	RO
180mg (sustained release)	100	1	39.96	Mestinon	RO
Injection 1mg in 1mL	5	1	5.31	Mestinon	RO
PYRIDOXINE HYDROCHLORIDE					
Homocystinuria; Peripheral neuritis due to isoniazid therapy, prophylaxis or treatment; Primary hyperoxaluria; Pyridoxine-responsive anaemia, proven; Pyridoxine-responsive convulsions; Radiation sickness; Sideroblastic (refractory) anaemia.					
Tablet 25mg	100	..	5.20	Pydox DH, FM	PT
PYRIDOXINE HYDROCHLORIDE (Ex)					
Injection 50mg in 1mL	5	1	5.40	FM	
PRIMETHAMINE					
Tablet 25mg	50	..	6.02	Daraprim	BW
PRIMETHAMINE with DAPSONE					
Tablet 12.5mg-100mg	10	..	6.21	Maloprim	BW
PRIMETHAMINE with SULFADOXINE					
Tablet 25mg-500mg	12	..	7.61	Fansidar	RO
QUINETHAZONE					
Tablet 50mg	50	3	6.35	Aquamox	LE
QUINIDINE BISULPHATE					
Tablet 250mg (sustained release)	100	5	17.71	Kinidin	AP
QUINIDINE SULPHATE					
Tablet 200mg	100	5	15.57 15.72	DH, PT Cardoquin Quinidoxin PR, QE(NQ)	NN BW
300mg (sustained release)	100	5	21.71	Quinidex LA	RS

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
QUININE BISULPHATE (S3) Tablet 300mg	50	..	9.42	Bi-Chinine DH Quinbisul AF SoulBiQuin SL PT
			9.51	BiQuin NN Bi-Quinate US Myoquin FM Quinbisan PR SI
QUININE SULPHATE (S3) Tablet 300mg	50	..	9.42	Chinine DH Quinsul AF SoulQuin SL PT
			9.51	Adaquin NN Quinate US Quinoctal FM Quinsan PR SI,TO
RANITIDINE HYDROCHLORIDE Authority required. *Gastric ulcer, INITIAL, confirmed by x-ray, endoscopy or surgery; Severe ulcerating (erosive) oesophagitis, confirmed by endoscopy. NOTE: Applications for authority must be made within 3 months of the test which confirmed the diagnosis (date to be provided). Increased maximum quantities and/or repeats will not be authorised. Tablet 150mg (base)	60	1	43.71	Zantac GL
Authority required. *Gastric ulcer, RECURRENT (benign gastric ulcer recurring within 12 months of commencing initial therapy), confirmed by x-ray, endoscopy or surgery.				

(continued)

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
RANITIDINE HYDROCHLORIDE - cont.					
<u>NOTE:</u> Applications for authority must state the date of the tests confirming the initial and the recurrent ulcer. Authorities will not provide therapy beyond 12 months and no more than 3 authorities will be issued in any 12 months' period.					
<u>Authority required.</u>					
*Oesophageal stricture, RECURRENT, due to proven chronic ulcer occurring within gastric epithelium where dilatation has been required.					
<u>Authority required.</u>					
Duodenal ulcer (including pyloric ulcer), confirmed by x-ray, endoscopy or surgery.					
<u>NOTE:</u> Initial application for authority must state date of barium meal, endoscopy or surgery which confirmed the diagnosis. Increased maximum quantities and/or repeats will not be authorised.					
Tablet 150mg (base)	60	2	43.71	Zantac	GL
<u>Authority required.</u>					
Ulcerating (erosive) oesophagitis in scleroderma; Zollinger-Ellison syndrome, proven by investigation.					
Tablet 150mg (base)	60	5	43.71	Zantac	GL
RIFAMPICIN					
Prophylaxis of meningococcal disease in close contacts and carriers.					
Capsule 150mg	10	..	7.46	Rimycin 150	AF
300mg	10	..	11.21	Rimycin 300	AF
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
<u>RIFAMPICIN - cont.</u>					
<u>Authority required.</u>					
<u>Leprosy in adults.</u>					
Capsule 150mg	100	..	39.96	Rimycin 150	AF
300mg	100	..	77.46	Rimycin 300	AF
<u>ROLITETRACYCLINE</u>					
I.V. Injection set containing 275mg and 10mL solvent	5	..	26.71	Reverin	HP
I.M. Injection set containing 350mg and 2mL solvent	5	..	26.71	Reverin	HP
<u>SALBUTAMOL</u>					
Tablet 4mg	100	5	7.92	Respolin Ventolin	RK GL
Syrup 2mg per 5mL, 300mL	#1	5	5.69	Respolin Ventolin	RK GL
Capsule 200 micrograms (oral inhalation) (S3)	100	5	10.34	Ventolin Rotacaps	GL
Inhalation Solution For use in RESPIRATOR, 0.5%, 30mL	#1	5	7.66	Respolin Ventolin	RK GL
Inhalation, metered aerosol spray, 100 micrograms per dose (200 dose) (S3)	#1	5	6.16	Respolin Ventolin	RK GL
<u>SILVER SULPHADIAZINE with CHLORHEXIDENE GLUCONATE</u>					
For prevention and treatment of infection in partial or full skin thickness loss due to burns; Stasis ulcers.					
Cream 1%-0.2%, 100g	#1	..	8.96	Silvazine	SN
<u>Authority required.</u>					
<u>Treatment, in a hospital, of burns.</u>					
Cream 1%-0.2%, 500g	#1	..	24.26	Silvazine	SN

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
SODIUM ACID CITRATE (Ex) Mixture 5.5g per 20mL, 500mL	#1	4	5.20	Citralka	PD
SODIUM ACID PHOSPHATE (Ex) Authority required. Familial hypophosphataemia; Hypercalcaemia; Hypophosphataemic rickets; Vitamin D-resistant rickets.					
Compound Effervescent Tablet containing elemental phosphorus 500mg, sodium 469mg (20.4mmol), potassium 123mg (3.1mmol)	100	+	22.46	Phosphate Sandoz	SZ
SODIUM AUROTHIOMALATE (Ex) Injection 10mg	5	..	19.27	Myocrisin	MB
20mg	10	1	39.96	Myocrisin	MB
50mg	10	1	74.96	Myocrisin	MB
SODIUM BICARBONATE (Ex) Injection 8.4%, 100mL	5	..	16.36	AB	
4.2%, 500mL - See Intravenous Infusions					
SODIUM CALCIUMEDETATE (Ex) Tablet 500mg	100	2	20.27	Calcium Disodium Versenate	RK
SODIUM CHLORIDE (Ex) Injection 0.9%, 2mL	5	1	4.20	BL,BT	
0.9%, 5mL	5	1	4.41	BL,BT	
0.9%, 10mL	5	1	4.75	BL,BT	
1L size-See Intravenous Infusions					
SODIUM CHLORIDE and GLUCOSE See Intravenous Infusions					
SODIUM CHLORIDE COMPOUND See Intravenous Infusions					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM CITRO-TARTRATE (Ex) Effervescent Granules 100g	#1	4	5.20	Citravescent Sachets PT Ural Sachets AB
SODIUM CROMOGLYCATE Capsule 20mg (oral inhalation)	100	5	21.34	Intal Spincaps FC
Inhalation, metered aerosol spray, 1mg per dose (200 dose)	#1	5	18.34	Intal FC
SODIUM CROMOGLYCATE Use in a power-operated nebuliser for prophylaxis of asthma in persons who are unable to use the capsule or metered aerosol spray for oral inhalation.				
Nebuliser Solution 20mg per 2mL, ampoule	120	3	46.22	Intal FC
<u>Authority required.</u> Vernal kerato-conjunctivitis.				
Eye Drops 2%, 10mL	#1	..	9.66	Opticrom FC
SODIUM LACTATE See Intravenous Infusions				
SODIUM LACTATE COMPOUND See Intravenous Infusions				
SODIUM LACTATE COMPOUND and ANHYDROUS GLUCOSE See Intravenous Infusions				
SODIUM NITROPRUSSIDE I.V. Infusion 50mg	10	..	47.41	Nipride RO
SODIUM SALICYLATE (Ex) Tablet 600mg (enteric coated)	100	2	6.02	Ensalate RC Rhumax PR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM VALPROATE				
<u>CAUTION:</u> There are reports of				
(i) fatal hepatotoxicity,				
particularly in children;				
(ii) teratogenesis (spina bifida				
in humans).				
Crushable Tablet 100mg	200	2	32.46	Epilim RC
Tablet 200mg (enteric coated)	200	2	47.22	Epilim EC RC
500mg (enteric coated)	100	2	44.96	Epilim EC RC
Oral Liquid 200mg per 5mL, 200mL	2	2	22.28	Epilim Liquid RC
Syrup 200mg per 5mL, 200mL	2	2	22.28	Epilim Syrup RC
SOYA FORMULA (Ex)				
<u>Authority required.</u>				
Galactosaemia;				
Homocystinuria;				
Lactose intolerance;				
Cows' milk allergy in children				
under the age of two (2) years.				
<u>NOTE:</u> Milk allergy means eczema,				
asthma or severe gastro-intestinal				
upset demonstrated to be due				
to cows' milk by relief on with-				
drawal of cows' milk for one week				
and recurrence on subsequent				
feeding with cows' milk.				
Since cows' milk allergy and				
lactose intolerance are not always				
permanent, a further challenge				
with cows' milk should be made				
each three months.				
Age of patient to be shown on				
application for authority.				
<u>NOTE:</u> An authority will be limited				
to the maximum quantity and				
repeats shown in this schedule.				
Liquid 375mL	5	20	8.21	ProSobee MJ
384mL	5	20	8.21	Isomil RD
Powder 500g	≠1	20	8.17	Infasoy WY

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SPECTINOMYCIN				
Injection 2g with 3.2mL diluent	1	..	10.27	Trobicin UP
4g with 6.5mL diluent	1	..	13.39	Trobicin UP
SPIRONOLACTONE				
Hyperaldosteronism.				
CAUTION: Serum electrolytes should be checked regularly.				
Concomitant amiloride, triamterene or supplementary potassium may cause life- threatening hyperkalaemia.				
Tablet 25mg	100	5	11.12 11.19	Spirotone PT Aldactone SR
STAPHYLOCOCCUS TOXOID (FORMALINISED)				
Injection				
Diluted 1 in 10 for use in initial injection 5mL	1	..	9.59	CS
Undiluted 5mL	1	..	10.46	CS
STERCULIA with FRANGULA BARK (Ex)				
For use by paraplegic and quadriplegic patients;				
For use by patients who are receiving long-term extensive nursing care in hospitals and nursing homes;				
For use by patients for whose care a Commonwealth Domiciliary Nursing Care Benefit is approved.				
Granules .47.3%-8.3%, 250g	1	2	8.46	Granocol SC
STILBOESTROL				
Tablet 500 micrograms	100	2	4.12	HA
1mg	100	2	4.25	HA
5mg	100	2	4.45	HA
10mg	100	2	5.46	HA

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
STREPTOKINASE (Ex)					
Injection					
100,000 i.u. (solvent required)	2	..	48.72	Kabikinase	PS
250,000 i.u. (solvent required)	2	..	79.24	Streptase	HP
			83.94	Kabikinase	PS
600,000 i.u. (solvent required)	5	..	416.21	Kabikinase	PS
750,000 i.u. (solvent required)	5	..	489.16	Streptase	HP
STREPTOMYCIN SULPHATE					
Injection 1g (solvent required)	5	3	7.24	GL	
SUCRALFATE (Ex)					
Tablet 1g	120	2	29.47	Ulsanic	BT
SULINDAC					
Tablet 100mg	50	3	7.94	Clinoril	FR
SULPHACETAMIDE SODIUM					
Eye Drops 10%, 15mL	#1	2	4.71	Acetopt	SI
				Bleph 10	AG
20%, 15mL	#1	2	4.71	Acetopt	SI
SULPHADIMIDINE					
Tablet 500mg	40	2	4.85	S-Dimidine	PT
SULPHAFURAZOLE					
Tablet 500mg	40	2	5.20	Gantrisin	RO
				Sulfazole	PT
Eye Drops 4%, 10mL	#1	2	4.71	Gantrisin	RO
Eye Ointment 4%, 5g	#1	..	4.39	Gantrisin	RO
SULPHAMETHIZOLE					
Tablet 250mg	40	2	4.79	PT	
500mg	40	2	5.81	PT	
			5.95	Urolucosil	WW
1g	20	2	5.80	Urolucosil	WW
Paediatric Suspension					
100mg per 5mL, 100mL	#1	1	5.45	Urolucosil	WW
SULPHAPYRIDINE					
Tablet 500mg	100	..	11.46	M & B 693	MB

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SULPHASALAZINE Crohn's disease; Ulcerative colitis.				
Tablet 500mg	200	5	28.71	Sulazine PT
				Ulcol AF
			34.72	Salazopyrin PS
500mg (enteric coated)	200	5	34.72	Salazopyrin-EN PS
SULPHINPYRAZONE <u>Authority required.</u> Glomerulonephritis; Gout; Renal transplantation.				
Tablet 100mg	100	+	18.09	Anturan CG
SULTHIAME				
Tablet 50mg	200	2	9.49	Ospolot BN
200mg	200	2	19.09	Ospolot BN
SURGICAL CEMENT (Ex) For colostomy and ileostomy use; For use by paraplegic and quadriplegic patients; For use with surgical appliances.				
Skin Bond Adhesive 118mL	#1	2	9.42	DY
Solvent 200mL	#1	.	5.61	Zoff SN
227mL	#1	2	6.50	Unisolve DY
240mL	#1	2	6.21	Sacsol EG
250mL	#1	2	6.41	Sacsol Non Flammable EG
TAMOXIFEN CITRATE Recurrent or metastatic breast cancer.				
Tablet 10mg (base)	30	5	25.96	Nolvadex IC
20mg (base)	30	5	42.46	Nolvadex-D IC

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TEMAZEPAM NOTE: No authorities will be granted for increased maximum quantities and/or repeats of temazepam.				
Capsule 10mg	25	..	4.11 4.25	Temazin 10 AF Euhypnos SI Normison WY
TERBUTALINE SULPHATE Tablet 5mg				
Elixir	100	5	7.92	Bricanyl AP
300 micrograms per mL, 300mL	#1	5	5.75	Bricanyl AP
Injection 100 micrograms in 1mL	5	..	6.16	Bricanyl AP
500 micrograms in 1mL	5	..	6.29	Bricanyl AP
Inhalation, metered aerosol spray, 250 micrograms per dose (400 dose) (S3)	#1	5	8.34	Bricanyl AP
Nebuliser Solution 1%, 50mL	#1	5	10.94	Bricanyl AP
TESTOSTERONE ENANTHATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 250mg in 1mL	3	1	27.39	Primoteston Depot SC
TESTOSTERONE ESTERS Carcinoma of the breast; Gigantism; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 100mg	3	1	13.91	Sustanon"100" OR
250mg	3	1	26.89	Sustanon"250" OR

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TESTOSTERONE PROPIONATE Carcinoma of the breast; Hypogonadism; Klinefelter's syndrome (seminiferous tubule dysgenesis).				
Injection 50mg in 1mL	9	..	18.21	Testoviron SC
TETANUS VACCINE, ADSORBED Injection 0.5mL	3	..	7.86	CS
TETRABENAZINE Chorea not adequately controlled by other drug therapy.				
Tablet 25mg	100	2	17.96	Nitoman RO
TETRACOSACTRIN <u>Authority required.</u> Children who need long-term corticosteroid therapy but who are in danger of growth suppression as a result; Hypsarrhythmia; Multiple sclerosis, acute exacerbation; (An authority for up to 10 ampoules may be issued for each acute exacerbation.) Patients who are being withdrawn from long-term corticosteroid therapy; (An authority for up to 5 ampoules may be issued for this purpose.) Ulcerative colitis, proven, not responding to parenteral corticosteroids.				
Injection 500 micrograms in 1mL	5	+	18.66	Synacthen Depot CG
1mg in 1mL	5	+	27.16	Synacthen Depot CG

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	8.06	Achromycin LE Panmycin P UP Tetramykoin BZ(N)
TETRACYCLINE Capsule 250mg	25	1	5.26	Achromycin LE Panmycin P UP Tetramykoin BZ(N)
TETRACYCLINE with NYSTATIN Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg-250,000 units	50	5	8.06	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F AP
TETRACYCLINE with NYSTATIN Capsule 250mg-250,000 units	25	1	5.26	Achrostatin LE Comycin UP Mysteclin-V SQ Tetrex-F AP
TETRACYCLINE (BUFFERED) Bronchiectasis in patients over the age of eight (8) years; Chronic bronchitis in patients over the age of eight (8) years; Severe acne.				
Capsule 250mg	50	5	8.06	Achromycin V LE Australmycin-V CS Hostacycline P HP Hydracycline FM Steclin-V SQ Tetrex AP
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TETRACYCLINE (BUFFERED) - cont. Capsule 250mg	25	1	5.26	Achromycin V LE Australamycin-V CS Hostacycline P HP Hydracycline FM Streclin-V SQ Tetrex AP
THEOPHYLLINE Tablet 50mg	100	5	4.79	Nuelin Paediatric RK
125mg	100	5	5.61	Nuelin RK
200mg	100	5	6.22	Nuelin RK
200mg (sustained release)	100	5	8.71	Theo-Dur AP
250mg (sustained release)	100	5	9.35	Nuelin-S.R. 250 RK
300mg (sustained release)	100	5	10.59	Theo-Dur AP
Capsule 200mg	100	5	6.22	Elixophyllin SC
Elixir 80mg per 15mL, 500mL (S3)	≠1	5	4.92	Elixophyllin SC
Syrup 80mg per 15mL, 500mL (S3)	≠1	5	4.92	Nuelin RK
THIABENDAZOLE (Ex) Tablet 500mg	16	..	7.31	Mintezol MK
THIAMINE HYDROCHLORIDE (Ex) Tablet 100mg	100	2	5.12 5.14	PT Betamin US Betatabs-100 FM Invite-B NN Thiminone EG PR, QE(NQ)
Injection 100mg in 1mL	5	1	5.00	Beta-Sol FM
THIETHYLPERAZINE Tablet 6.5mg (base)	50	..	4.89	Torecan SZ
Injection 6.5mg (base) in 1mL	10	..	8.26	Torecan SZ
Suppositories 6.5mg (base), 6	≠1	..	5.15	Torecan SZ

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
THIOGUANINE Tablet 40mg	25	1	61.66	Lanvis	BW
THIOPROPAZATE Chorea.					
Tablet 5mg	100	1	8.15	Dartalan	SR
THIORIDAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.					
Tablet 10mg	100	1	4.46 4.59	Aldazine 10 Melleril	AF SZ
25mg	100	1	6.02 6.27	Aldazine 25 Melleril	AF SZ
50mg	100	1	8.34 8.85	Aldazine 50 Melleril	AF SZ
100mg	100	1	12.46 12.96	Aldazine 100 Melleril	AF SZ
Oral Solution 30mg per mL, 30mL	#1	4	6.16	Melleril	SZ
Injection 25mg per mL, 2mL	10	..	7.65	Melleril	SZ
THIOTEPA Injection 15mg (solvent required)	2	1	24.46	LE	
Eye Drops set containing 15mg vial, 2 x 10mL ampoules sterile water, syringe with needle and 15mL dropper bottle	#1	5	#22.12	LE	

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
THYROXINE SODIUM (BP 1980)					
Tablet 50 micrograms	100	2	4.17	Oroxine	BW
100 micrograms	100	2	4.31	Oroxine	BW
200 micrograms	100	2	4.66	Oroxine	BW
TICARCILLIN					
Infections where positive bacteriological evidence confirms that ticarcillin is an appropriate therapeutic agent; Septicaemia, suspected or proven.					
Injection 1g (solvent required)	10	..	55.62	Tarcil Ticillin	BR CS
3g (solvent required)	10	..	120.48 120.54	Ticillin Tarcil	CS BR
TIMOLOL					
Tablet 5mg	100	5	10.25	Blocadren	FR
Eye Drops 0.25%, 5mL	≠1	6	9.46	Timoptol	FR
0.5%, 5mL	≠1	6	10.31	Timoptol	FR
TINIDAZOLE					
Tablet 500mg	4	..	5.84	Fasigyn	PF
TOBRAMYCIN SULPHATE					
Infections where positive bact- eriological evidence confirms that tobramycin is an appropriate antibiotic; Septicaemia, suspected or proven.					
Injection 40mg	5	..	22.91	Nebcin	LY
80mg	5	..	34.61	Nebcin	LY
TOLAZAMIDE					
Tablet 250mg	100	5	10.66	Tolinase	UP
TOLBUTAMIDE					
Tablet 500mg	100	5	6.30 6.35	Diatol Rastinon	PT HP
1g	100	5	10.84	Rastinon	HP

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRANEXAMIC ACID Hereditary angio-oedema.				
Tablet 500mg	100	2	48.21	Cyklokapron PS
TRANLYCYPROMINE Depressive illness resistant to treatment with either tricyclic anti-depressants or electro- convulsive therapy; Phobic states. <u>CAUTION:</u> This drug is a monoamine oxidase inhibitor.				
Tablet 10mg	50	2	6.92	Parnate SK
TRIAMCINOLONE ACETONIDE Alopecia areata; For local intra-articular or peri-articular infiltration; Granulomata, dermal; Keloid; Lichen planus hypertrophic; Lichen simplex chronicus; Lupus erythematosus, chronic discoid; Necrobiosis lipoidica; Psoriasis.				
Injection 10mg in mL	5	..	16.85	Kenacort-A10 SQ
TRIAMCINOLONE ACETONIDE Cream 0.02%, 45g	#1	..	4.50	Kenalone 0.02% SQ
0.02%, 100g	#1	..	5.17	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 15g	#1	1	4.12	Aristocort 0.05% LE Kenalone SQ
Ointment 0.02%, 45g	#1	..	4.50	Kenalone 0.02% SQ
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIAMCINOLONE ACETONIDE - cont. Ointment 0.02%, 100g	#1	..	5.17	Aristocort 0.02% LE Kenalone 0.02% SQ
0.05%, 15g	#1	1	4.12	Aristocort 0.05% LE Kenalone SQ
TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN Ear Drops 0.1%-0.25% (base)- 0.025%-100,000 units per g, 7.5mL	#1	2	4.77	Kenacomb Otic SQ
Ear Cream 0.1%-0.25% (base)- 0.025%-500,000 units in 5g	#1	2	4.51	Kenacomb Otic SQ
Ear Ointment 0.1%-0.25% (base)- 0.025%-500,000 units in 5g	#1	2	4.51	Kenacomb Otic SQ
TRIAMTERENE CAUTION: Serum electrolytes should be checked regularly. Supplemen- tary potassium may cause life- threatening hyperkalaemia.				
Tablet 100mg	50	3	6.96	Dytac SK
TRIFLUOPERAZINE Chorea; Hyperactive states of organic or toxic delirium; Malignant neoplasia (late stage); Radiation sickness; Severe conduct disorders of children; Major psychoses including:- Major organic psychoses includ- ing arteriopathic dementia; Manic-depressive disorder - manic phase; Paranoid states; Schizophrenia; Senile dementia.				
Tablet 1mg	100	1	5.96	Calmazine PT Stelazine SK
(continued)				

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
TRIFLUOPERAZINE - cont.					
Tablet 2mg	100	1	7.32	Calmazine Stelazine	PT SK
5mg	100	1	7.84	Calmazine Stelazine	PT SK
Injection 1mg in 1mL	10	..	6.82	Stelazine	SK
TRIGLYCERIDES, MEDIUM CHAIN (Ex)					
<u>Authority required.</u>					
Patients requiring a ketogenic diet for intractable childhood epilepsy;					
Proven malabsorption.					
<u>NOTE:</u> Authorities will be limited to the maximum quantity (2 packs) and repeats (20) shown in this schedule.					
Compound Powder 450g	2	20	28.08	Portagen	MJ
<u>Authority required.</u>					
Biliary atresia;					
Cystic fibrosis;					
Enterokinase deficiency;					
Intolerance to both milk protein and soya protein;					
Severe diarrhoea of greater than two weeks duration in infants under the age of four (4) months.					
<u>NOTE:</u> Authorities will be limited to the maximum quantity (2 packs) and repeats (20) shown in this schedule.					
Lactalbumin Demineralised Powder 400g	2	20	31.02	Alfare'	NT
Protein Hydrolysate Compound Powder 454g	2	20	31.02	Pregestimil	MJ
(continued)					

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIGLYCERIDES, MEDIUM CHAIN - cont. <u>Authority required.</u> Abetalipoproteinaemia; Intestinal lymphangiectasia; Intractable childhood epilepsy requiring a ketogenic diet; Short-term nutritional support in severe steatorrhoea; Steatorrhoea due to distal small bowel resection. <u>NOTE:</u> An authority will be limited to the maximum quantity and repeats shown in this schedule. <u>NOTE:</u> Not more than one authority may be granted for short-term nutritional support in severe steatorrhoea.				
Oil 1L	#1	5	27.46	Cow & Gate MCT Oil KY
TRIMETAPHAN Injection set containing 250mg and 5mL water for injections	3	..	19.20	Arfonad RO
TRIMETHOPRIM Acute urinary tract infections.				
Tablet 300mg	7	..	5.42 5.95	Alprim AF Methoprim PT Triprim BW
TRIMETHOPRIM with SULPHAMETHOXAZOLE Tablet 80mg-400mg	10	..	4.96	Bactrim RO Resprim AF Septrin BW Trib PT
160mg-800mg	10	..	6.11	Bactrim DS RO Resprim Forte AF Septrin Forte BW Trib DS PT
Suspension 40mg-200mg per 5mL, 100mL	#1	1	5.59	Bactrim RO Resprim AF Septrin BW Trib PT

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
TRIMIPRAMINE Tablet 25mg	50	2	5.21	Surmontil MB
Capsule 50mg	50	2	5.84	Surmontil MB
TRIOXYSALEN Vitiligo.				
Tablet 5mg	100	2	23.64	Trisoralen PT
TRIPLE ANTIGEN See Diphtheria, Tetanus and Pertussis Vaccine, Adsorbed.				
TRI-POTASSIUM DI-CITRATO BISMUTHATE COMPLEX				
Tablet 107.7mg (Bi)	112	2	19.92	De-Nol PD
TYPHOID VACCINE Injection 0.5mL	2	..	6.06	CS
TYPHUS VACCINE Injection 1mL	2	..	54.96	CS
UREA (Ex) Cream 10%, 100g	#1	2	6.92	Aquacare H.P. AG Aquadrate NW Calmurid PS Nutraplus OL
VANCOMYCIN Endophthalmitis.				
For use in a hospital.				
Injection 500mg (solvent required)	5	..	143.41	Vancocin LY
VASOPRESSIN TANNATE Oily Injection 5 units in 1mL	10	1	49.96	Pitressin Tannate PD

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
VERAPAMIL HYDROCHLORIDE					
CAUTION: The myocardial depressant effects of this drug and of beta-blocking drugs are additive.					
Tablet 40mg	100	5	8.71	Anpec 40	AF
				Verpamil	PT
			9.90	Cordilox	SC
				Isoptin	KN
80mg	100	5	12.46	Anpec 80	AF
				Verpamil	PT
			14.15	Cordilox	SC
				Isoptin	KN
160mg	60	5	16.21	Cordilox	SC
				Isoptin	KN
Injection 5mg in 2mL	5	..	6.35	Cordilox	SC
				Isoptin	KN
VIDARABINE					
Eye infections caused by herpes simplex virus where idoxuridine has proved ineffective.					
Eye Ointment 3%, 3.5g	#1	..	11.96	Vira A	PD
VINBLASTINE					
Injection 10mg (solvent required)	2	..	47.84	Velbe	LY
VINCRIStINE					
Injection set containing 1mg and 10mL solvent	5	..	101.21	BL	
			102.16	Oncovin	LY
5mg and 10mL solvent	1	..	86.09	BL	
VITAMIN SUPPLEMENT (Ex)					
Authority required.					
Chronic cholestasis;					
Galactosaemia;					
Persistent monosaccharide intolerance;					
Phenylketonuria;					
Tyrosinosis, hereditary;					
Use in association with a ketogenic diet.					
Tablet	100	+	13.96	Ketovite	ST
Liquid 100mL	#1	+	7.36	Ketovite	ST

Name, Restriction Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer	
WARFARIN					
Tablet 1mg	50	2	5.87	Coumadin Marevan	BT GL
2mg	50	2	6.09	Coumadin	BT
2.5mg	50	2	6.22	Coumadin	BT
3mg	50	2	6.02	Marevan	GL
5mg	50	2	6.29	Coumadin Marevan	BT GL
7.5mg	50	2	7.09	Coumadin	BT
10mg	50	2	8.27	Coumadin	BT
WATER FOR INJECTIONS (Ex)					
Injection 2mL	5	3	4.12	BL,BT,BZ,SI	
5mL	5	3	4.27	BL,BT,BZ,SI	
10mL	5	3	4.51	BL,BT,BZ,SI	
WOOL ALCOHOLS (Ex)					
Ointment 100g	#1	1	4.25	Eucerin	SN
WOOL FAT, HYDROUS (Ex)					
50g tube or jar	#1	..	4.39	SI	
ZINC with PHENYLEPHRINE (Ex)					
Eye Drops 0.25%-0.12%, 15mL	#1	2	4.71	Prefrin-Z Zincfrin	AG AQ
ZINC OXIDE (Ex)					
Compound Ointment 50g	#1	1	4.90	Anusol	WW
Compound Suppositories, 12	#1	1	4.90	Anusol	WW

INTRAVENOUS INFUSIONS

112

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DEXTRAN 40				
10% with 5% glucose, 500mL	3	..	46.54	Rheomacrodex PS
10% with 0.9% sodium chloride, 500mL	3	..	46.54	Rheomacrodex PS
DEXTRAN 70				
6% with 5% glucose, 500mL	3	..	32.77	Macrodex PS
6% with 0.9% sodium chloride, 500mL	3	..	32.77	Macrodex PS
ELECTROLYTE REPLACEMENT SOLUTION 1L	2	1	9.92	Normosol R AB Plasma-Lyte 148 TV
GLUCOSE				
5%, 1L	5	1	17.86	AB,TV
10%, 1L	5	1	20.21	AB,TV
20%, 1L	2	1	9.92	AB,TV
25%, 1L	2	1	9.92	AB,TV
50%, 500mL	2	1	8.64	AB
SODIUM BICARBONATE 4.2%, 500mL	1	1	6.02	AB
SODIUM CHLORIDE				
0.9%, 1L	5	1	17.86	AB,TV,VF(N)
3%, 1L	2	1	9.92	AB,TV
5%, 1L	2	1	9.92	TV
SODIUM CHLORIDE COMPOUND BPC 1959 1L	4	1	16.78	AB,TV
SODIUM CHLORIDE and GLUCOSE				
0.9%-5%, 1L	2	1	9.92	AB,TV
0.45%-2.5%, 500mL	5	1	17.86	AB,TV
0.225%-3.75%, 500mL	5	1	17.86	AB,TV
0.18%-4%, 1L	5	1	17.86	AB,TV
0.18%-4.3%, 1L	5	1	18.21	AB

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
SODIUM LACTATE (Solution 1/6 Molar) 1L	5	1	20.76	VF
SODIUM LACTATE COMPOUND 1L	5	1	17.86	AB,TV
SODIUM LACTATE COMPOUND and ANHYDROUS GLUCOSE 5%, 1L	2	1	9.92	AB,TV

SECTION 3 - SCHEDULE OF BENEFITS

Preparations Available for Colostomy
and Ileostomy Use

Preparations Available for Use by Paraplegic
and Quadriplegic Patients

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions to be endorsed "S.P.")

2

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
ACRYLIC RESIN Solution 125g Aerosol Spray	#1	..	12.21	Nobecutane AP
BENZOIN Compound Tincture 35%, 167mL Aerosol Spray	#1	..	6.64	EG
BUTYL MONOESTER POLYMER with ETHANOL Paste 60g	#1	..	11.12	Stomahesive SQ
BUTYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Protective Dressing Aerosol 120g	#1	..	16.27	Skin-Prep DY
Solution 59mL	#1	..	12.76	Skin-Prep DY
Wipes, 50	#1	..	15.96	Skin-Prep DY
CARMELLOSE SODIUM Compound Adhesive Wafers, 5	#1	5	12.36	Comfeel Protective Sheets ST
CARMELLOSE SODIUM with PECTIN and GELATIN Paste 16.7%-16.7%-16.7%, 15g	#1	..	5.21	Orabase SQ
Powder 33.3%-33.3%-33.3%, 15g	#1	..	5.00	Orabase SQ
CHARCOAL, ACTIVATED Tablet 300mg	500	1	25.96	Karbons QE(NQ),TO EG
CHLORAMINE Deodorant Tablet 120mg	500	..	6.92	Klortee PT
DEODORANT CONCENTRATE Liquid 15mL	#1	..	5.01 5.02	Zerodor ZR Banish DY Odortrol LA
DEODORANT DETERGENT SOLUTION Solution, Lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	6.09	TAGG EG
DIMETHICONE Solution 10%, 180mL Aerosol Spray	#1	..	6.90	Silicon Skin Spray EG
(continued)				

PREPARATIONS AVAILABLE FOR COLOSTOMY AND ILEOSTOMY USE
(Prescriptions to be endorsed "S.P.")

3

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
DIMETHICONE - cont. Cream 10%, 50g 10%, 75g See Section 2				
ISOPROPYL MONOESTER POLYMER with ISOPROPYL ALCOHOL Adhesive Protective Gel 28.35g	#1	..	6.71	Skin Gel HO
POLYISOBUTYLENE Compound Adhesive Wafers, 5	#1	5	15.56	Hollihesive Skin Barrier HO
Compound Adhesive Wafers with Adhesive Discs, 5	#1	5	17.49	Stomahesive Set BH SQ
POLYVINYLPIRROLIDONE and VINYL ACETATE COPOLYMER Aerosol Spray 6%, 121mL	#1	..	7.16	Spray-On Bande EG
STERCULIA (Indian Tragacanth; Gum Karaya) Paste 127.6g	#1	..	10.29	Karaya Paste HO
Powder 71g	#1	..	9.46	DY
Discs, 12	#1	5	11.81	BH, DY
Discs, Compound, 10	#1	5	14.71	Colly-seels DY
Squares, 6	#1	5	28.21	BH
SURGICAL CEMENT Skin Bond Adhesive 118mL Solvent 200mL 227mL 240mL 250mL See Section 2				

PREPARATIONS AVAILABLE FOR USE BY PARAPLEGIC AND QUADRIPLEGIC PATIENTS
4 (Prescriptions to be endorsed "S.P.")

Name, Manner of Administration and Form	Max. Qty	No. of Rpts	Price \$	Proprietary Name and Manufacturer
BISACODYL				
Enema				
10mg in 5mL, 25	#1	2	18.71	Bisalax PT
(aqueous base) 10mg in 5mL, 25	#1	2	18.71	Durolax Micro-Enema BY
Tablet 5mg				
Suppositories 10mg, 10				
See Section 2				
DEODORANT DETERGENT SOLUTION				
Solution, lauryldimethylbenzyl ammonium chloride 12.5g, "TERIC" N8, 125g in 500mL	#1	..	6.09	TAGG EG
DIMETHICONE				
Cream 10%, 50g				
10%, 75g				
See Section 2				
DIOCTYL SODIUM SULPHOSUCCINATE				
with BISACODYL				
Suppositories 100mg-10mg, 5				
See Section 2				
STERCULIA with FRANGULA BARK				
Granules 47.3%-8.3%, 250g				
See Section 2				
SURGICAL CEMENT				
Skin Bond Adhesive 118mL				
Solvent 200mL				
227mL				
240mL				
250mL				
See Section 2				

SECTION 4

SCHEDULE OF BENEFITS
DRUGS AVAILABLE FOR EXTEMPORANEOUS
PREPARATIONS

Drug	Drug
Acetone BP (use as additive only) ACIDS Acetic (6%) BP Acetic (33%) BP Ascorbic BP (use as ingredient of Mixtures of Ferrous Sulphate APF and PL) Benzoic BP Boric BP (use as additive only) Citric Monohydrate BP Hydrochloric BP Hydrochloric Dilute BP Lactic BP Oleic BP Salicylic BP Trichloroacetic BP Acriflavine BPC 63 Adrenaline BP (may only be prescribed in eye drops) Alum BP Aminophylline BP Ammoniated Mercury BP 73 Aspirin BP Atropine Sulphate BP Beeswax White BP Bentonite BP Benzocaine BP Borax BP (use as additive only) Calamine BP Calcium Hydroxide BP Cetomacrogol Emulsifying Wax BP Cetostearyl Alcohol BP Cetrimide BP Chlorbutol BP Chlorhexidine Acetate BP (use as additive only) Chlorinated Lime BP Chlorocresol BP Chloroform BP (use as additive only) Clioquinol BP Cocaine Hydrochloride BP Codeine Phosphate BP Collodion Flexible BP	CREAMS Aqueous APF Aqueous BP Calamine Oily APF Cetomacrogol Aqueous APF Cetrimide BP Cetrimide Aqueous APF Zinc BP Zinc Oily APF Crystal Violet BP Dithranol BP Emulsifying Wax BP Ephedrine Hydrochloride BP (may only be prescribed in nasal instillations) Ethanol (90%) BP (use as additive only) Ethanol (96%) BP (use as additive only) Ether Solvent BP (use as additive only) EXTRACTS Hyoscymus Liquid BPC 73 Liquorice Liquid BP Ferrous Sulphate BP Ferrous Sulphate Dried BP Glucose BP (use as additive only) GLYCERIN Ichthammol BPC 73 Glycerol BP GUMS Acacia BP Tragacanth BP Ichthammol BP INFUSION Gentian Compound Concentrated BP 1 in 10 Iodine BP Kaolin, Light or Kaolin, Light (Natural) BP Lactose BP Lignocaine Hydrochloride BP

Drug	Drug
LINIMENTS	ointments - cont.
Methyl Salicylate BP	Salicylic Acid APF
Methyl Salicylate Compound APF	Salicylic Acid BP
Turpentine BP	Simple BP (white)
LOTION	Simple BP (yellow)
Calamine BP	Sulphur BP
Magenta BPC 73	Wool Alcohols BP (white)
MAGNESIUM	Wool Alcohols BP (yellow)
Carbonate Light BP	Zinc BP
Sulphate BP	Zinc and Castor Oil BP
(may only be prescribed for other than oral use)	
Trisilicate BP	PAINT
Menthol BP	Magenta APF
Methyl Salicylate BP	Paraffin Hard BP
Morphine Hydrochloride BP	Paraffin Liquid BP
MUCILAGES	(may only be prescribed for other than oral use)
Acacia APF	Paraffin Liquid Light BPC 63
Tragacanth APF	Paraffin Soft White BP
Tragacanth BPC 73	Paraffin Soft Yellow BP
OILS	PASTES
Arachis BP	Zinc Compound BP
(use as additive only)	Zinc and Salicylic Acid BP
Cade BPC 73	Phenobarbitone BP
Castor BP	(may only be prescribed for the treatment of epilepsy)
(use as additive only)	Phenobarbitone Sodium BP
Coconut BP	(may only be prescribed for the treatment of epilepsy)
Eucalyptus BP	Phenol BP
(use as additive only)	(not available for ear drops)
Lavender Spike BPC 68	Phenol Liquefied BP
Olive BP 73	(not available for ear drops)
(use as additive only)	Phenoxyethanol BP
Peppermint BP	Pilocarpine Hydrochloride BP
(use as additive only)	Pilocarpine Nitrate BP
Pumilio Pine BP	Podophyllum Resin BP
Siberian Fir BPC 49	POTASSIUM
Turpentine BP	Citrate BP
(use as additive only)	Iodide BP
ointments	Permanganate BP
Ammoniated Mercury BP 73	POWDER
Benzoic Acid Compound APF	Tragacanth Compound BP
Emulsifying BP	Propylene Glycol BP
Hydrous BP (white)	
Hydrous BP (yellow)	Resorcinol BP
Methyl Salicylate BP	
Methyl Salicylate Compound	Silver Nitrate BP
APF 34	SOAPS
Paraffin BP (white)	Ethereal APF 55
Paraffin BP 68 (yellow)	Soft BP

Drug	Drug
SODIUM Acid Phosphate BP Bicarbonate BP Chloride BP Citrate BP Phosphate BP Thiosulphate BP (use as additive only) SOLUTIONS Aluminium Acetate BPC 73 Benzoic Acid BP Calcium Hydroxide BP Chlorhexidine Gluconate BP (use as additive only) Coal Tar BP Formaldehyde BP Iodine Aqueous BP Iodine Weak BP Morphine Hydrochloride BPC 73 Sodium Chloride BP SPIRITS Ammonia Aromatic BP Camphor Compound APF Chloroform BP Lemon BP Methylated Industrial BP (use as additive only) Squill Oxymer BP Starch BP Sulphur Precipitated BP Sulphurated Potash BPC 73 SYRUPS Lemon APF Orange APF Orange BP Pholcodine Citrate BPC 59 (use as additive only) Raspberry BP Red APF Syrup BP Tolu BP Talc Purified BP, sterilised Tar Coal BP Tar Coal Prepared BP 73 Testosterone BP (may only be prescribed as an ingredient of creams) Theophylline BP Thymol BP Thymol Mouth Wash Compound APF	TINCTURES Belladonna BP Benzoic Compound BP Ipecacuanha BP Lobelia Etheral BPC 73 Opium BP Orange BP Stramonium BP Titanium Dioxide BP Triethanolamine BP WATERS Anise Concentrated BP 1 in 40 (use as additive only) Chloroform Concentrated APF 1 in 40 For Injections BP (extemporaneously prepared eye drops and eye lotions) Peppermint Concentrated APF 1 in 40 (use as additive only) Purified BP Wool Alcohols BP Wool Fat BP Wool Fat Hydrous BP ZINC Oxide BP Sulphate BP

TABLE OF MAXIMUM QUANTITIES
AND NUMBER OF REPEATS FOR
EXTEMPORANEOUS PREPARATIONS

Preparation	Maximum Quantity	No. of Repeats
Creams	100g	1
Dusting Powders	100g	1
Ear Drops	15mL	2
Elixirs	100mL	4
Eye Drops of Cocaine	15mL	..
Eye Drops of Pilocarpine	15mL	6
Eye Drops, Other	15mL	2
Eye Lotions	200mL	1
Gargles	200mL	4
Glycerins	100mL	1
Inhalations	50mL	1
Inhalations, Solid	4g	1
Linctuses	100mL	2
Liniments	100mL	1
Lotions	200mL	2
Mixtures	200mL	4
Mixtures For Children	100mL	4
Mouth Washes	200mL	1
Nasal Instillations	15mL	2
Ointments and Waxes	100g	1
Paints	25mL	1
Pastes of Cocaine	25g	..
Pastes, Other	100g	1
Powders for Internal Use	100g	2
Powders, Irrigation	100g	1
Soaps	200mL	1
Solutions	200mL	2
Syrups	100mL	4
Tinctures	25mL	1

SECTION 5—PRESCRIBERS' LIST

PRESCRIPTION

CREAMS

(Maximum Quantity 100g and 1 Repeat)

ALUMINIUM ACETATE, OILY (APF)

Aluminium Acetate Solution	5	mL
Zinc Oxide	20	g
Wool Fat	25	g
Arachis Oil	25	mL
Purified Water, freshly boiled and cooled.....	27	mL

AQUEOUS (APF, BP)

Emulsifying Ointment	30	g
Phenoxyethanol	1	g
Purified Water, freshly boiled and cooled to	100	g

BUFFERED, AQUEOUS (APF)

Sodium Phosphate	2.5	g
Citric Acid Monohydrate.....	500	mg
Chlorocresol	100	mg
Glycerol	5	mL
Emulsifying Ointment	30	g
Purified Water, freshly boiled and cooled to	100	g

CALAMINE, AQUEOUS (APF, BP)

Calamine.....	4	g
Zinc Oxide	3	g
Emulsifying Wax	6	g
Arachis Oil	30	g
Purified Water, freshly boiled and cooled to	100	g

CALAMINE, OILY (APF)

Calamine.....	32	g
Oleic Acid	0.5	mL
Arachis Oil	21.5	mL
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	mL

 PRESCRIPTION

CREAMS — continued**CETOMACROGOL, AQUEOUS (APF)**

Cetomacrogol Emulsifying Wax	15	g
Liquid Paraffin	10	g
White Soft Paraffin	10	g
Chlorocresol	100	mg
Propylene Glycol	5	mL
Purified Water, freshly boiled and cooled to	100	g

CETRIMIDE, AQUEOUS (APF)

Cetrimide	500	mg
Chlorocresol	100	mg
Cetostearyl Alcohol	5	g
Liquid Paraffin	50	g
Purified Water, freshly boiled and cooled to	100	g

CHLORHEXIDINE, AQUEOUS (APF) (Chlorhexidine 1% BP)

Chlorhexidine Gluconate Solution	5	mL
Cetomacrogol Emulsifying Wax	25	g
Liquid Paraffin	10	g
Purified Water, freshly boiled and cooled to	100	g

COAL TAR and ZINC, OILY (APF)

Coal Tar, BP	1	g
Castor Oil	1	g
Zinc Cream Oily, APF	98	g

COLD (APF)

White Beeswax	17	g
Liquid Paraffin	45	g
Borax	1	g
Purified Water, freshly boiled and cooled	37	mL

GLYCEROL, OILY (APF)

Glycerol	20	g
Calcium Hydroxide Solution	32	mL
Arachis Oil	22	g
Wool Fat	26	g

ICHTHAMMOL and ZINC, OILY (APF)

Ichthammol	5	g
Wool Fat	15	g
Zinc Cream Oily, APF	80	g

 PRESCRIPTION

CREAMS—continued**OILY (APF)**

Wool Alcohols Ointment, APF.....	50	g
Phenoxyethanol	1	g
Dried Magnesium Sulphate	500	mg
Purified Water, freshly boiled and cooled to.....	100	g

SALICYLIC ACID and RESORCINOL, AQUEOUS (APF)

Salicylic Acid	2	g
Resorcinol	2	g
Aqueous Cream, APF to.....	100	g

SALICYLIC ACID and SULPHUR, AQUEOUS (APF)

(Salicylic Acid and Sulphur BP)

Salicylic Acid	2	g
Precipitated Sulphur	2	g
Aqueous Cream, APF to.....	100	g

ZINC, OILY (APF)

Zinc Oxide	32	g
Oleic Acid	0.5	mL
Arachis Oil	21.5	mL
Wool Fat	17.5	g
Calcium Hydroxide Solution	30.5	mL

ZINC, WEAK (PL)

Zinc Oxide	5	g
Oleic Acid	0.5	mL
Arachis Oil	38.5	mL
Wool Fat	25	g
Calcium Hydroxide Solution	34.5	mL

DUSTING POWDER

(Maximum Quantity 100g and 1 Repeat)

ZINC, STARCH and TALC (APF)

Zinc Oxide	25	g
Starch.....	25	g
Purified Talc, sterilised	50	g

 PRESCRIPTION

EAR DROPS

(Maximum Quantity 15mL and 2 Repeats)

ALUMINIUM ACETATE (APF)

Aluminium Acetate Solution	9	mL
Purified Water, freshly boiled and cooled to	15	mL

CHLORHEXIDINE (APF)

Chlorhexidine Acetate	7.5	mg
Purified Water, freshly boiled and cooled to	15	ml

ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

SALICYLIC ACID (APF)

Salicylic Acid	300	mg
Ethanol (90 per cent)	7.5	mL
Purified Water, freshly boiled and cooled to	15	mL

SODIUM BICARBONATE (APF, BP)

Sodium Bicarbonate	750	mg
Glycerol	4.5	mL
Purified Water, freshly boiled and cooled to	15	mL

SPIRIT (APF)

Ethanol (90 per cent)	7.5	mL
Purified Water, freshly boiled and cooled to	15	mL

INHALATIONS

(Maximum Quantity 50mL and 1 Repeat)

BENZOIN (PL)

Benzoin Tincture, Compound	50	mL
----------------------------------	----	----

BENZOIN, COMPOUND (PL)

Menthol	1	g
Oil of Siberian Fir	2.5	mL
Benzoin Tincture, Compound to	50	mL

 PRESCRIPTION

INHALATIONS—continued
BENZOIN and MENTHOL (PL, APF)

Menthol	1	g
Benzoin Tincture, Compound to	50	mL

MENTHOL and EUCALYPTUS (BP)

Menthol	1	g
Eucalyptus Oil	5	mL
Light Magnesium Carbonate	3.5	g
Purified Water to	50	mL

MENTHOL and PINE (APF)

Menthol	1	g
Pumilio Pine Oil	2.5	mL
Ethanol (90 per cent) to	50	mL

LINIMENT

(Maximum Quantity 100mL and 1 Repeat)

METHYL SALICYLATE, COMPOUND (APF)

Menthol	4	g
Eucalyptus Oil	10	mL
Methyl Salicylate	25	mL
Arachis Oil to	100	mL

LOTIONS

(Maximum Quantity 200mL and 2 Repeats)

CALAMINE (APF, BP)

Calamine	30	g
Zinc Oxide	10	g
Bentonite, sterilised	6	g
Sodium Citrate	1	g
Liquefied Phenol	1	mL
Glycerol	10	mL
Purified Water, freshly boiled and cooled to	200	mL

 PRESCRIPTION

LOTIONS—continued

CALAMINE, OILY (APF, BP)

Calamine.....	10	g
Wool Fat	2	g
Arachis Oil	100	mL
Oleic Acid	1	mL
Calcium Hydroxide Solution to	200	mL

RESORCINOL, COMPOUND (APF)

Resorcinol	5	g
Solvent Ether	5	mL
Castor Oil	5	mL
Spike Lavender Oil	0.2	mL
Ethanol (90 per cent) to	200	mL

SULPHURATED (APF)

Zinc Sulphate.....	10	g
Sulphurated Potash	10	g
Acetone	10	mL
Glycerol	10	mL
Spike Lavender Oil	0.4	mL
Purified Water, freshly boiled and cooled to.....	200	mL

MIXTURES

(Maximum Quantity 200mL and 4 Repeats)

ASPIRIN (APF)

Aspirin	500	mg
Compound Tragacanth Powder.....	250	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water.....	0.25	mL
Purified Water to	10	mL

FERROUS SULPHATE (APF)

Ferrous Sulphate.....	300	mg
Ascorbic Acid	10	mg
Orange Syrup, APF	0.5	mL
Concentrated Chloroform Water.....	0.25	mL
Purified Water to	10	mL

 PRESCRIPTION

MIXTURES—continued**GENTIAN, ALKALINE (APF, BP)**

Concentrated Compound Gentian Infusion	1	mL
Sodium Bicarbonate	500	mg
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

IPECACUANHA and SQUILL (APF)

Synonym: Cough Mixture

Ipecacuanha Tincture	0.25	mL
Compound Camphor Spirit	1	mL
Tolu Syrup	1	mL
Squill Oxymel	1	mL
Concentrated Chloroform Water	0.15	mL
Concentrated Anise Water	0.15	mL
Purified Water to	10	mL

KAOLIN and OPIUM (APF)

Light Kaolin or Light Kaolin (Natural)	2.5	g
Alum	10	mg
Opium Tincture	0.5	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

POTASSIUM CITRATE (APF)

Potassium Citrate	2	g
Citric Acid Monohydrate	400	mg
Lemon Syrup, APF	1	mL
Concentrated Chloroform Water	0.2	mL
Purified Water to	10	mL

POTASSIUM CITRATE and SODIUM BICARBONATE (APF)

Potassium Citrate	1	g
Sodium Bicarbonate	750	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water	0.2	mL
Purified Water to	10	mL

 PRESCRIPTION

MIXTURES — *continued***POTASSIUM IODIDE and STRAMONIUM, COMPOUND (APF)**

Synonym: Lobelia and Stramonium Mixture

Potassium Iodide	250	mg
Stramonium Tincture	0.5	mL
Lobelia Tincture, Ethereal	0.5	mL
Aromatic Ammonia Spirit	0.5	mL
Liquorice Liquid Extract	0.5	mL
Concentrated Chloroform Water	0.25	mL
Purified Water to	10	mL

SODIUM CITRATE (APF)

Sodium Citrate	2	g
Citric Acid Monohydrate	400	mg
Lemon Syrup, APF	1	mL
Concentrated Chloroform Water	0.2	mL
Purified Water to	10	mL

NASAL INSTILLATIONS

(Maximum Quantity 15mL and 2 Repeats)

EPHEDRINE (APF)

Ephedrine Hydrochloride	150	mg
Chlorbutol	75	mg
Sodium Chloride	75	mg
Propylene Glycol	0.75	mL
Purified Water, freshly boiled and cooled to	15	mL

GLUCOSE and GLYCEROL (APF)

Glucose	3	g
Glycerol to	15	mL

OINTMENTS

(Maximum Quantity 100g and 1 Repeat)

BENZOIC ACID, COMPOUND (APF, BP)

Benzoic Acid in fine powder	6	g
Salicylic Acid in fine powder	3	g
Emulsifying Ointment	91	g

 PRESCRIPTION

OINTMENTS — *continued*
EMULSIFYING (APF, BP)

Emulsifying Wax	30	g
White Soft Paraffin	50	g
Liquid Paraffin	20	g

RESORCINOL and SULPHUR, COMPOUND (APF)

Resorcinol	2	g
Precipitated Sulphur	3	g
Salicylic Acid	1	g
White Simple Ointment	94	g

SALICYLIC ACID (APF)

Salicylic Acid	2	g
Wool Alcohols Ointment, APF.....	98	g

SIMPLE (APF, BP)

(White Simple Ointment)

Wool Fat	5	g
Hard Paraffin	5	g
Cetostearyl Alcohol.....	5	g
White Soft Paraffin	85	g

ZINC and CASTOR OIL (APF, BP)

Zinc Oxide	7.5	g
Castor Oil	50	g
Cetostearyl Alcohol.....	2	g
White Beeswax	10	g
Arachis Oil.....	30.5	g

ZINC OXIDE (APF)

(Zinc BP)

Zinc Oxide	15	g
White Simple Ointment	85	g

 PRESCRIPTION

PAINTS

(Maximum Quantity 25mL and 1 Repeat)

ICHTHAMMOL (APF)

Ichthammol	10	g
Glycerol	90	g

MAGENTA (APF)

Magenta	100	mg
Resorcinol	2	g
Phenol	1	g
Boric Acid	200	mg
Ethanol (90 per cent)	2.125	mL
Acetone	1	mL
Purified Water to	25	mL

PODOPHYLLIN (PL)

Podophyllum Resin	1.25	g
Benzoin Tincture, Compound to	25	mL

PODOPHYLLIN, COMPOUND (APF, BP)

Podophyllum Resin	3.75	g
Benzoin Tincture, Compound to	25	mL

SALICYLIC ACID (APF)

Salicylic Acid	2.5	g
Flexible Collodion to	25	mL

PASTES

(Maximum Quantity 100g and 1 Repeat)

COAL TAR and ZINC (APF)

Coal Tar	1	g
Castor Oil	1	g
Compound Zinc Paste	98	g

DITHRANOL (APF)

Dithranol	100	mg
Zinc and Salicylic Acid Paste	99.9	g

 PRESCRIPTION

PASTES—continued**TITANIUM DIOXIDE (APF)**

Titanium Dioxide.....	20	g
Calamine.....	25	g
Light Kaolin or Light Kaolin (Natural)	10	g
Bentonite, sterilised	1	g
Chlorocresol	100	mg
Glycerol	15	g
Purified Water, freshly boiled and cooled to	100	g

ZINC, COMPOUND (APF, BP)

Zinc Oxide	25	g
Starch.....	25	g
White Soft Paraffin	50	g

ZINC and SALICYLIC ACID (APF)

Salicylic Acid	2	g
Liquid Paraffin	2	g
Compound Zinc Paste	96	g

SECTION 5—PRESCRIBERS' LIST

CHILDREN'S SECTION

PRESCRIPTION

MIXTURES

(Maximum Quantity 100ml and 4 Repeats)

ASPIRIN (APF)

Aspirin	150	mg
Compound Tragacanth Powder.....	100	mg
Raspberry Syrup	1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

BELLADONNA (APF)

Belladonna Tincture	0.1	mL
Orange Syrup, APF	1	mL
Glycerol	1	mL
Benzoic Acid Solution	0.1	mL
Purified Water to	5	mL

FERROUS SULPHATE (APF)

Ferrous Sulphate.....	100	mg
Ascorbic Acid	5	mg
Orange Syrup, APF	1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

IPECACUANHA and SQUILL (APF)

Ipecacuanha Tincture.....	0.1	mL
Compound Camphor Spirit.....	0.25	mL
Squill Oxymel	1	mL
Purified Water to	5	mL

POTASSIUM CITRATE (APF)

Potassium Citrate	1	g
Citric Acid Monohydrate.....	200	mg
Lemon Syrup, APF.....	1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

CHILDREN'S SECTION

 PRESCRIPTION

MIXTURES — *continued*
POTASSIUM IODIDE (APF)

Potassium Iodide	100	mg
Liquorice Liquid Extract	0.25	mL
Aromatic Ammonia Spirit	0.1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

SODIUM CITRATE (APF)

Sodium Citrate	1	g
Citric Acid Monohydrate.....	200	mg
Lemon Syrup, APF.....	1	mL
Concentrated Chloroform Water.....	0.1	mL
Purified Water to	5	mL

PROPRIETARY INDEX

PART 1 PROPRIETARY NAMES INDEX

PART 2 TRADE NAMES INDEX

ABBREVIATIONS

- (C & I) Preparations available for colostomy and
ileostomy use
- (P & Q) Preparations available for use by
paraplegic and quadriplegic patients

Proprietary Name	Manufacturer	Name
Abhocillin-V	AB	Phenoxymethylpenicillin
Abhocillin-VK	AB	Phenoxymethylpenicillin
Acetopt	SI	Sulphacetamide Sodium
Achromycin	LE	Tetracycline
Achromycin V	LE	Tetracycline (Buffered)
Achrostatin	LE	Tetracycline with Nystatin
Actal	WL	Aluminium Hydroxide Dried
Actraphane HM	CN	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
Actraphane MC	CN	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
Actrapid HM	CN	Insulin Neutral
Actrapid MC	CN	Insulin Neutral
Adacor	NN	Hydrocortisone
Adalat	BN	Nifedipine
Adalat 20	BN	Nifedipine
Adaquin	NN	Quinine Sulphate
Adasone	NN	Prednisone
Adnisolone	NN	Prednisolone
Adriamycin	FE	Doxorubicin Hydrochloride
Adroyd	PD	Oxymetholone
Aerocortin	BW	Polymyxin B Sulphate with Neomycin and Hydrocortisone
Akineton	KN	Biperiden
Albalon-A	AG	Antazoline with Naphazoline
Albalon Liquifilm	AG	Naphazoline Hydrochloride
Albay Bee Venom	BN	Insect Allergen Extract - Honey Bee Venom
Albay Wasp Venom	BN	Insect Allergen Extract - Paper Wasp Venom
Albumaid XP	SJ	Protein Hydrolysate Formula without Phenylalanine
Alclox 250	AF	Cloxacillin
Alclox 500	AF	Cloxacillin
Aldactone	SR	Spironolactone
Aldazine 10	AF	Thioridazine
Aldazine 25	AF	Thioridazine
Aldazine 50	AF	Thioridazine
Aldazine 100	AF	Thioridazine
Aldecin	SH	Beclomethasone Dipropionate
Aldomet	MK	Methyldopa
Aldomet-M	MK	Methyldopa
Alepam 15	AF	Oxazepam
Alepam 30	AF	Oxazepam
Alexan	BT	Cytarabine
Alfaré	NT	Triglycerides, Medium Chain
Alinol	US	Allopurinol
Alkeran	BW	Melphalan
Allegron	DL	Nortriptyline
Alloremed 100	DH	Allopurinol
Alloremed 300	DH	Allopurinol
Almacarb	GL	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Alodorm	AF	Nitrazepam
Alphamox 250	AF	Amoxycillin
Alphapress 25	AF	Hydralazine Hydrochloride

Proprietary Name	Manufacturer	Name
Alphapress 50	AF	Hydralazine Hydrochloride
Alprim	AF	Trimethoprim
Alucone	DH	Aluminium Hydroxide with Magnesium Hydroxide
Aludrox	WY	Aluminium Hydroxide with Magnesium Hydroxide
Alusorb	DH	Aluminium Hydroxide
Ames-BG	AM	Glucose Indicator - Blood
Aminogran F.S.	GL	Amino Acid Formula without Phenylalanine
Aminogran M.M.	GL	Mineral Mixture
Aminopt	SI	Aminacrine Hydrochloride
Amitrip	PT	Amitriptyline
Amizide	PT	Hydrochlorothiazide with Amiloride
Amoxil	BR	Amoxycillin
Amoxil Forte	BR	Amoxycillin
Amphojel	WY	Aluminium Hydroxide
Amphotabs	WY	Aluminium Hydroxide Dried
Ampicyn	PT	Ampicillin
Amytal Sodium	LY	Amylobarbitone Sodium
Anafranil	CG	Clomipramine Hydrochloride
Anapolon	SD	Oxymetholone
Anatensol	SQ	Fluphenazine
Ancotil	RO	Flucytosine
Angilol	BM	Propranolol
Anginine Stabilised	BW	Glyceryl Trinitrate
Anpec 40	AF	Verapamil Hydrochloride
Anpec 80	AF	Verapamil Hydrochloride
Anpine	AF	Nifedipine
Antadine	BT	Amantadine Hydrochloride
Antenex 2	AF	Diazepam
Antenex 5	AF	Diazepam
Anthel 125	AF	Pyrantel Embonate
Anthel 250	AF	Pyrantel Embonate
Anti-Naus	PT	Prochlorperazine
Anti-Spas	PT	Benzhexol
Antistine Privine	ZY	Antazoline with Naphazoline
Anturan	CG	Sulphinpyrazone
Anusol	WW	Zinc Oxide
Apresoline	CG	Hydralazine Hydrochloride
Aprinox	BT	Bendrofluazide
Aprinox-M	BT	Bendrofluazide
Aptin	AP	Alprenolol
Aquacare H.P.	AG	Urea
Aquadrate	NW	Urea
Aquamox	LE	Quinethazone
Arfonad	RO	Trimetaphan
Aristocort 0.02%	LE	Triamcinolone Acetonide
Aristocort 0.05%	LE	Triamcinolone Acetonide
Artane	LE	Benzhexol
Arterioflexin	PT	Clofibrate
Arthrexin	AF	Indomethacin
Ascabiol	MB	Benzyl Benzoate
A.T.10	WL	Dihydrotachysterol
Atrobel	FM	Belladonna Alkaloids
Atrobel FORTE	FM	Belladonna Alkaloids

Proprietary Name	Manufacturer	Name
Atromid-S	IC	Clofibrate
Atropt	SI	Atropine Sulphate
Atrovent	BY	Ipratropium Bromide
Augmentin	BR	Amoxycillin with Clavulanic Acid
Augmentin Forte	BR	Amoxycillin with Clavulanic Acid
Aureomycin	LE	Chlortetracycline
Austramycin-V	CS	Tetracycline (Buffered)
Austrapen	CS	Ampicillin
Austrapen Forte	CS	Ampicillin
Austrastaph	CS	Cloxacillin
Avlosulfon	IC	Dapsone
Avomine	MB	Promethazine Theoclate
Azide	FM	Chlorothiazide
Bactrim	RO	Trimethoprim with Sulphamethoxazole
Bactrim DS	RO	Trimethoprim with Sulphamethoxazole
B.A.L.	BT	Dimercaprol
Banish	DY	Deodorant Concentrate (C & I)
Barbloc 5	AF	Pindolol
Barbloc 15	AF	Pindolol
Baycaron	BN	Mefruside
Becotide	GL	Beclomethasone Dipropionate
Becotide Rotacaps	GL	Beclomethasone Dipropionate
Benemid	FR	Probenecid
Benzemul	MG	Benzyl Benzoate
Benzide	PT	Bendrofluazide
Benzide M	PT	Bendrofluazide
Benzotran	PT	Oxazepam
Berotec	BY	Fenoterol Hydrobromide
Betacard	BR	Alprenolol
Betaloc	AP	Metoprolol
Betamin	US	Thiamine Hydrochloride
Betatabs-100	FM	Thiamine Hydrochloride
Beta Sol	FM	Thiamine Hydrochloride
Betnovate 1/5	GL	Betamethasone Valerate
Betnovate 1/2	GL	Betamethasone Valerate
Bi-Chinine	DH	Quinine Bisulphate
Bicillin All Purpose	WY	Benzathine Penicillin with Procaine Penicillin and Benzylpenicillin Potassium
Bicillin L-A	WY	Benzathine Penicillin
Biphasil 21	WY	Levonorgestrel with Ethinyloestradiol
Biphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Biquin	NN	Quinine Bisulphate
Bi-Quinate	US	Quinine Bisulphate
Bisalax	PT	Bisacodyl
Blenoxane	BC	Bleomycin
Bleph 10	AG	Sulphacetamide Sodium
Blocadren	FR	Timolol
BM-Test-BG	BO	Glucose Indicator - Blood
BM-Test-Glycemie 20-800	BO	Glucose Indicator - Blood
Brevinor	SD	Norethisterone with Ethinyloestradiol
Brevinor-1	SD	Norethisterone with Ethinyloestradiol
Bricanyl	AP	Terbutaline Sulphate
Brinaldix	SZ	Clopamide

Proprietary Name	Manufacturer	Name
Brondecon-PD	PD	Choline Theophyllinate
Brondecon Elixir-PD	PD	Choline Theophyllinate
Brufen	BT	Ibuprofen
Burinex	AP	Bumetanide
Buscopan	BY	Hyoscine Butylbromide
Cafergot	SZ	Ergotamine Tartrate with Caffeine
Cafergot PB	SZ	Ergotamine Tartrate with Caffeine, Itoharbitone and Belladonna Alkaloids
Calcihep	WP	Heparin Calcium
Calciparine	BL	Heparin Calcium
Calcium Disodium Versenate	RK	Sodium Calciumedetate
Calcium Sandoz	SZ	Calcium Gluconate
Calmazine	PT	Trifluoperazine
Calmurid	PS	Urea
Caltrate	LE	Calcium
Cancolit	NE	Lithium Carbonate
Canesten	BN	Clotrimazole
Canesten 1	BN	Clotrimazole
Canesten 3	BN	Clotrimazole
Caporen	SQ	Captopril
Caprin	CS	Heparin Calcium
Captol	PT	Oxprenolol
Capurate-100	FM	Allopurinol
Capurate-300	FM	Allopurinol
Carbolith	DH	Lithium Carbonate
Cardinol	PT	Propranolol
Cardizem	IC	Diltiazem Hydrochloride
Cardophyllin	HA	Aminophylline
Cardoquin	NN	Quinidine Sulphate
Catapres	BY	Clonidine
Catapres 100	BY	Clonidine
Celestone	SH	Betamethasone
Celestone Chronodose	SH	Betamethasone Acetate with Betamethasone Sodium Phosphate
Celestone-M	SH	Betamethasone Valerate
Celestone-V Half Strength	SH	Betamethasone Valerate
Celontin	PD	Methsuximide
Ceporacin	GL	Cephalorhin Sodium
Ceporex	GL	Cephalexin
Chinine	DH	Quinine Sulphate
Chlomin	US	Chloramphenicol
Chloromycetin	PD	Chloramphenicol
Chloromycetin Palmitate	PD	Chloramphenicol
Chloromycetin Succinate	PD	Chloramphenicol
Chloromycin	PD	Chloramphenicol with Polymyxin B
Chloroptic	AG	Chloramphenicol
Chlorquin	PT	Chloroquine
Chlorsig	SI	Chloramphenicol

Proprietary Name	Manufacturer	Name
Chlorvescent	PT	Potassium Chloride
Chlorride	FR	Chlorothiazide
Choledyl	WW	Choline Theophyllinate
Cidomycin	RL	Gentamicin Sulphate
Cilamox	SI	Amoxycillin
Cilicaine	SI	Procaine Penicillin
Cilicaine V	SI	Phenoxymerhyllpenicillin
Cilicaine VK	SI	Phenoxymerhyllpenicillin
Citralka	PD	Sodium Acid Citrate
Citravescent	PT	Sodium Citro-Tartrate
Sachets		
Claforan	RL	Cefotaxime
Cleensheen	FL	Maldison
Clinistix	AM	Glucose Indicator - Urine
Clinitest	AM	Copper Sulphate
Clinoril	FR	Sulindac
Clomid	ML	Clomiphene Citrate
Codate	US	Codeine Phosphate
Codral Forte	BW	Codeine Phosphate with Aspirin
Cogentin	MK	Benztropine
Colestid	UP	Colestipol Hydrochloride
Colgour	PT	Colchicine
Colifoam	SV	Hydrocortisone Acetate
Colly-seels	DY	Sterculia (C & I)
Coloxyl	FM	Diocetyl Sodium Sulphosuccinate with Bisacodyl
Coluric	NN	Colchicine
Coly-Mycin	WW	Colistin with Neomycin
Ear Drops		
Coly-Mycin	WW	Colistin
Injection		
Comfeel Protective	ST	Carmellose Sodium (C & I)
Sheers		
Compazine	SK	Prochlorperazine
Comycin	UP	Tetracycline with Nystatin
Convuline	PT	Carbamazepine
Corbeton 20	AF	Oxprenolol
Corbeton 40	AF	Oxprenolol
Cordarone X 200	RC	Amiodarone Hydrochloride
Cordilox	SC	Verapamil Hydrochloride
Cortate	PT	Cortisone Acetate
Cortef	UP	Hydrocortisone
Cotazym S Forte	OR	Pancrelipase
Coumadin	BT	Warfarin
Cow & Gate MCT Oil	KY	Triglycerides, Medium Chain
Crystapen	GL	Benzylpenicillin
Cyclidox	PT	Doxycycline
Cycloblastin	FE	Cyclophosphamide
Cyklokapron	PS	Tranexamic Acid
Cytadren	CG	Aminogluthethimide
Cyramen 100	GL	Cyanocobalamin
Cyramen 1000	GL	Cyanocobalamin
Cytosar-U	UP	Cytarabine
Cytotec	SR	Misoprostol

Proprietary Name	Manu- fac- turer	Name
Daktarin	JP	Miconazole
Daktarin	JP	Miconazole Nitrate
Dalacin C	UP	Clindamycin
Danocrine	WL	Danazol
Dantrium	NW	Dantrolene Sodium
Daonil	HP	Glibenclamide
Daranide	MK	Dichlorphenamide
Daraprim	BW	Pyrimethamine
Dartalan	SR	Thiopropazate
Decadron	MK	Dexamethasone
Decadron Shock Pak	MK	Dexamethasone
Deca-Durabolin	OR	Nandrolone Decanoate
Declinax	RO	Debrisoquine
De-Lact Infant	SJ	Milk Powder - Low Lactose Formula
Delta-Cortef	UP	Prednisolone
Deltasolone	US	Prednisolone
Deltasone	US	Prednisone
De-Nol	PD	Tri-potassium Di-citrate Bismuthate Complex
Depo-Medrol	UP	Methylprednisolone Acetate
Depo-Provera	UP	Medroxyprogesterone
Deptran 10	AF	Doxepin
Deptran 25	AF	Doxepin
Deptran 50	AF	Doxepin
Deralin 10	AF	Propranolol
Deralin 40	AF	Propranolol
Deralin 160	AF	Propranolol
Dermabase S	HA	Dimethicone
Dermacort	PD	Hydrocortisone
Dermacort "0"	PD	Hydrocortisone
Deseril	SZ	Methysergide
Dexacillin	SQ	Epicillin
Dexamethsone	PT	Dexamethasone
Diabex	DF	Metformin
Diabinese	PF	Chlorpropamide
Diaformin	AF	Metformin
Diamicron	SE	Gliclazide
Diamox	LE	Acetazolamide
Dianeal	TV	Peritoneal Dialysis Solution
Diastatin	GP	Nystatin
Diastix	AM	Glucose Indicator - Urine
Diatol	PT	Tolbutamide
Dibenyline	SK	Phenoxybenzamine
Dichlotride	MK	Hydrochlorothiazide
Digestelact	SJ	Milk Powder - Lactose Modified
Dihydergot	SZ	Dihydroergotamine
Dilantin	PD	Phenytoin
Dilantin Infatabs	PD	Phenytoin
Dilantin Sodium	PD	Phenytoin Sodium
Dilosyn	GL	Methdilazine
Dimal	PT	Methyldopa
Dindevan	GL	Phenindione
Dipramol	PT	Dipyridamole
Diprosone	SH	Betamethasone Dipropionate
Disipal	RK	Orphenadrine Hydrochloride
Diulo	SR	Metolazone

Proprietary Name	Manu- fac- turer	Name
Diuret	PT	Chlorothiazide
Dolobid	MK	Diffunisal
Donnatab	RS	Belladonna Alkaloids
Dormel	DH	Chloral Hydrate
Dormicum	PT	Nitrazepam
Doryx	FA	Doxycycline
Doxylin 50	AF	Doxycycline
Doxylin 100	AF	Doxycycline
D-Penamine	DL	Penicillamine
Ducene	SU	Diazepam
Duoluton	SC	Norgestrel with Ethinyloestradiol
Duphalac	ET	Lactulose
Duphaston	ET	Dydrogesterone
Durabolin	OR	Nandrolone Phenylpropionate
Duractin	CS	Cimetidine
Durolax	BY	Bisacodyl
Durolax Micro-Enema	BY	Bisacodyl (P & Q)
Dyazide	SK	Hydrochlorothiazide with Triamterene
Dymadon	BW	Paracetamol
Dytac	SK	Triamterene
Ecostatin	SQ	Econazole Nitrate
Ecotrin	SK	Aspirin
Edecril	MK	Ethacrynic Acid
EES 200	AB	Erythromycin Ethylsuccinate
EES Dulcet	AB	Erythromycin Ethylsuccinate
Ekaprol	DF	Aminocaproic Acid
Elixophyllin	SC	Theophylline
Emsalin	DH	Methyl Salicylate
EMU-V	UP	Erythromycin
E-Mycin	PT	Erythromycin Stearate
Endep 10	AF	Amitriptyline
Endep 25	AF	Amitriptyline
Endep 50	AF	Amitriptyline
Endone	BT	Oxycodone Hydrochloride
Enduron	AB	Methyclothiazide
Enduron M	AB	Methyclothiazide
Ensalate	RC	Sodium Salicylate
Epifrin	AG	Adrenaline
Epilim	RC	Sodium Valproate
Epilim EC	RC	Sodium Valproate
Epilim Liquid	RC	Sodium Valproate
Epilim Syrup	RC	Sodium Valproate
Eppy/N	BF	Adrenaline
Ergodryl	PD	Ergotamine Tartrate with Caffeine Citrate and Diphenhydramine Hydrochloride
Ergotrate	LY	Ergometrine Maleate
Eryc	FA	Erythromycin
Erythrocin	AB	Erythromycin Ethylsuccinate
Erythrocin	AB	Erythromycin Lactobionate
Erythrocin	AB	Erythromycin Stearate
Esidrex	CG	Hydrochlorothiazide
Estigyn	GL	Ethinyloestradiol
Estradurin	AY	Polyestradiol
Ethamolin	GL	Ethanolamine Oleate

Proprietary Name	Manu- fac- turer	Name
Eucerin	SN	Wool Alcohols
Euglucon	RC	Glibenclamide
Euhypnos	SI	Temazepam
Eumydrin	WL	Atropine Methonitrate
Fansidar	RO	Pyrimethamine with Sulfadoxine
Farlutal	FE	Medroxyprogesterone
Fasigyn	PF	Tinidazole
Fefol	SK	Ferrous Sulphate Dried with Folic Acid
Feldene	PF	Piroxicam
Fergon	WL	Ferrous Gluconate
Feritard	PT	Ferrous Sulphate Dried
Feritard Folic	PT	Ferrous Sulphate Dried with Folic Acid
Ferro-Gradumets	AB	Ferrous Sulphate Dried
Ferrum H	SI	Iron Polymaltose Complex
Fespan	SK	Ferrous Sulphate Dried
F.G.F.	AB	Ferrous Sulphate Dried with Folic Acid
Flagyl	MB	Metronidazole
Flagyl S	MB	Metronidazole Benzoate
Flophen	CS	Flucloxacillin
Florinef	SQ	Fludrocortisone Acetate
Floxapen	BR	Flucloxacillin
Flucon	AQ	Fluorometholone
Fluoroblastin	FE	Fluorouracil
Fluvax	CS	Influenza Vaccine
FML Liquifilm	AG	Fluorometholone
Folasic	NN	Folic Acid
Folicid	US	Folic Acid
Fucidin	SK	Fusidic Acid
Fulcin 125	IC	Griseofulvin
Fulcin 500	IC	Griseofulvin
Fungilin	SQ	Amphotericin
Fungizone	SQ	Amphotericin
Furadantin	NW	Nitrofurantoin
Furamide	BT	Diloxanide Furoate
Galactomin Formula 17	KY	Milk Powder - Synthetic
Gantrisin	RO	Sulphafurazole
Garamycin	SH	Gentamicin Sulphate
Gastrogel	FM	Aluminium Hydroxide with Magnesium Trisilicate and Magnesium Hydroxide
Gelox	PR	Aluminium Hydroxide
Gelusil	WW	Aluminium Hydroxide with Magnesium Hydroxide
Geopen Oral	PF	Carindacillin
Glaucan	AQ	Adrenaline
Glimel	AF	Glibenclamide
Glucophage	RN	Metformin
Glucose Nutramigen	MJ	Nutramigen
Glucostix	AM	Glucose Indicator - Blood
Gold-50	SH	Aurothioglucose
Granocol	SC	Sterculia with Frangula Bark
Griseostatin	SH	Griseofulvin
Grisfulvin 330	PT	Griseofulvin
Grisovin	GL	Griseofulvin
Grisovin 500	GL	Griseofulvin

Proprietary Name	Manu- fac- turer	Name
Gyne-Lotremin	SH	Clotrimazole
Gyno-Daktarin 7	JP	Miconazole Nitrate
Gyno-Travogen	SC	Isoconazole Nitrate
Halotestin	UP	Fluoxymesterone
Hemineurin	AP	Chlormerthiazole
Hemorex	WL	Phenylephrine
Herplex	AG	Idoxuridine
Hibitane	IC	Chlorhexidine
Concentrate		
Hiprex	RK	Hexamine Hippurate
HMS Liquifilm	AG	Medrysone
Hollihesive Skin Barrier	HO	Polyisobutylene (C & I)
Honvan	BC	Fosfestrol Sodium
Hostacycline P	HP	Tetracycline (Buffered)
Humulin N	LY	Insulin Isophane (N.P.H.)
Humulin R	LY	Insulin Neutral
Hycor	SI	Hydrocortisone
Hydopa	AF	Methyldopa
Hydracycline	FM	Tetracycline (Buffered)
Hydrea	SQ	Hydroxyurea
Hydrosone	US	Hydrocortisone
Hygroton	CG	Chlorthalidone
Hyperstat I.V.	SH	Diazoxide
Hypurin Isophane	WP	Insulin Isophane (N.P.H.)
Hypurin Neutral	WP	Insulin Neutral
Hysone	PT	Hydrocortisone
Hysone-A	PT	Hydrocortisone Acetate
Ibiamox	PT	Amoxycillin
Ilocap	LY	Erythromycin
Ilosone	LY	Erythromycin Estolate
Ilotycin	LY	Erythromycin Gluceptate
Imferon	FC	Iron Dextran
Imiprin	PT	Imipramine
Imodium	JP	Loperamide Hydrochloride
Imuran	BW	Azathioprine
Inderal	IC	Propranolol
Indocid	MK	Indomethacin
Infasoy	WY	Soya Formula
Inflam	PT	Ibuprofen
Initard Nordisk	BW	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
Insulatard Nordisk	BW	Insulin Isophane (N.P.H.)
Insulin 2	CN	Insulin
Intal	FC	Sodium Cromoglycate
Intal Spincaps	FC	Sodium Cromoglycate
Invite-B	NN	Thiamine Hydrochloride
Isomil	RD	Soya Formula
Isoptin	KN	Verapamil Hydrochloride
Isopto Carpine	AQ	Pilocarpine Hydrochloride
Isopto Frin	AQ	Phenylephrine
Isopto Tears	AQ	Hypromellose
Isordil	AY	Isosorbide Dinitrate

Proprietary Name	Manu- fac- turer	Name
Isordil Sublingual	AY	Isosorbide Dinitrate
Isotard MC	CN	Insulin Isophane (N.P.H.)
Isotrate	PD	Isosorbide Dinitrate
Isotrate Sublingual	PD	Isosorbide Dinitrate
Jectofer	AP	Iron Sorbitol
Kabikinase	PS	Streptokinase
Kaluril	AF	Amiloride
Kanasig	SI	Kanamycin
Kantrex	BC	Kanamycin
Kaomagma	WY	Aluminium Hydroxide with Kaolin
Kaopectate	UP	Kaolin with Pectin
Karaya Paste	HO	Sterculia (C & I)
Karbons	EG	Charcoal, Activated (C & I)
Kay Ciel	SC	Potassium Chloride
Keflex	LY	Cephalexin
Keflin Neutral	LY	Cephalothin Sodium
Kefzol	LY	Cephazolin Sodium
Kemadrin	BW	Procyclidine
Kenacomb Otic	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenacort-A10	SQ	Triamcinolone Acetonide
Kenalone	SQ	Triamcinolone Acetonide
Kenalone 0.02%	SQ	Triamcinolone Acetonide
Keto-Diastix	AM	Glucose and Ketone Indicator - Urine
Ketovite	ST	Vitamin Supplement
Kinidin	AP	Quinidine Bisulphate
Klorree	PT	Chloramine (C & I)
Kolpon	OR	Oestrone
Konakion	RO	Phytomenadione
K-San	PR	Potassium Chloride
KSR	AF	Potassium Chloride
Lacril	AG	Hypromellose
Lacri-Lube S.O.P.	AG	Paraffin
Lanoxin	BW	Digoxin
Lanoxin-PG	BW	Digoxin
Lanvis	BW	Thioguanine
Largactil	MB	Chlorpromazine
Larodopa	RO	Levodopa
Laroxyl	RO	Amitriptyline
Lasix	HP	Fruzemide
Lasix-M	HP	Fruzemide
Ledermycin	LE	Demeclocycline Hydrochloride
Lente MC	CN	Insulin Zinc Suspension
Leucovorin	LE	Calcium Folate
Leukeran	BW	Chlorambucil
Lincocin	UP	Lincomycin
Lincocin SS	UP	Lincomycin
Paediatric		
Lingraine	WL	Ergotamine Tartrate
Linsal	SI	Methyl Salicylate
Lioresal	CG	Baclofen
Liquifilm Forte	AG	Polyvinyl Alcohol

Proprietary Name	Manufacturer	Name
Liquifilm Tears	AG	Polyvinyl Alcohol
Lithicarb	PT	Lithium Carbonate
LoAsid	BW	Aluminium Hydroxide with Magnesium Hydroxide
Locacorten	CG	Flumethasone with Clioquinol
Vioform		
Locasol	KY	Milk Powder - Synthetic
Lofenalac	MJ	Phenylalanine Low Content Formula
Lomotil	SR	Diphenoxylate Hydrochloride with Atropine Sulphate
Loniten	UP	Minoxidil
Lopresor	CG	Metoprolol
Lorexane	IC	Lindane
Lorexane Concentrate	IC	Lindane
Lorizide 50/5	AF	Hydrochlorothiazide with Amiloride
Lotremim	SH	Clotrimazole
LPV	CS	Phenoxymethylpenicillin
LPV 125	CS	Phenoxymethylpenicillin
LPV 250	CS	Phenoxymethylpenicillin
Lucrin	AB	Leuporelin Acetate
Lurselle	ML	Probuco
Lyspafen	PT	Difenoxin Hydrochloride with Atropine Sulphate
M & B 693	MB	Sulphapyridine
Macrochantin	NW	Nitrofurantoin
Macrodex	PS	Dextran 70
Madopar	RO	Levodopa with Benserazide
Madopar-M	RO	Levodopa with Benserazide
Madopar Q	RO	Levodopa with Benserazide
Maloprim	BW	Pyrimethamine with Dapsone
Mandelamine	WW	Hexamine Mandelate
Mandelamine Hafgrams	WW	Hexamine Mandelate
Marevan	GL	Warfarin
Maxamaid XP	SJ	Amino Acid Formula with Vitamins and Minerals without Phenylalanine
Maxidex	AQ	Dexamethasone
Maxolon	BR	Metoclopramide Hydrochloride
Medrol	UP	Methylprednisolone
Mefic	AF	Mefenamic Acid
Melipramine	UW	Imipramine
Melleril	SZ	Thioridazine
Mestinon	RO	Pyridostigmine
Metamide	PT	Metoclopramide Hydrochloride
Methopa	US	Methyldopa
Methoprim	PT	Trimethoprim
Methopt	SI	Hypromellose
Methopt Forte	SI	Hypromellose
Metrozine	SR	Metronidazole
Mexitil	BY	Mexiletine Hydrochloride
Microgynon 30	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 30 ED	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50	SC	Levonorgestrel with Ethinyloestradiol
Microgynon 50 ED	SC	Levonorgestrel with Ethinyloestradiol

Proprietary Name	Manu- fac- turer	Name
Microlut 28	SC	Levonorgestrel
Micronor	ET	Norethisterone
Microval 28	WY	Levonorgestrel
Midamor	MK	Amiloride
Midone	PT	Primidone
Migral	BW	Ergotamine Tartrate with Caffeine and Cyclizine Hydrochloride
Milontin	PD	Phensuximide
Minipress	PF	Prazosin Hydrochloride
Minirin	PT	Desmopressin
Minomycin	LE	Minocycline
Minovlar	SC	Norethisterone Acetate with Ethinyloestradiol
Minovlar ED	SC	Norethisterone Acetate with Ethinyloestradiol
Mintezol	MK	Thiabendazole
Mithracin	PF	Mithramycin
Mixrard Nordisk	BW	Insulin Isophane (N.P.H.) - Insulin Neutral, (Mixed)
Modecate	SQ	Fluphenazine Decanoate
Modicon	ET	Norethisterone with Ethinyloestradiol
Moduretic	MK	Hydrochlorothiazide with Amiloride
Mogadon	RO	Nitrazepam
Moniarix	SK	Pneumococcal Vaccine, Polyvalent
Monistat 3	ET	Miconazole Nitrate
Monistat 7	ET	Miconazole Nitrate
Monistat Derm	ET	Miconazole Nitrate
Monotard HM	CN	Insulin Zinc Suspension
Monotard MC	CN	Insulin Zinc Suspension
Mortha	WH	Morphine with Tacrine
Motilium	JP	Domperidone
Moxacin	CS	Amoxycillin
Moxacin 250	CS	Amoxycillin
Mucaine	WY	Aluminium Hydroxide with Magnesium Hydroxide and Oxethazaine
Mucomyst	AP	Acetylcysteine
Murelax	AY	Oxazepam
Mycitracin	UP	Polymyxin B Sulphate with Bacitracin and Neomycin
Mycostatin	SQ	Nystatin
Mylanta	PD	Aluminium Hydroxide with Magnesium Hydroxide
Myleran	BW	Busulphan
Myocrisin	MB	Sodium Aurothiomalate
Myoquin	FM	Quinine Bisulphate
Mysoline	IC	Primidone
Mysteclin-V	SQ	Tetracycline with Nystatin
Mytelase	WL	Ambenonium Chloride
Naprosyn	SD	Naproxen
Narcan	BT	Naloxone Hydrochloride
Narcan Neonatal	BT	Naloxone Hydrochloride
Nardil	WW	Phenelzine
Natrilix	SE	Indapamide
Natulan	RO	Procarbazine
Navidrex	CG	Cyclopenthiazide
Naxen	AF	Naproxen

Proprietary Name	Manu- fac- turer	Name
Nebcin	LY	Tobramycin Sulphate
Nefrolan	MB	Clorexolone
Negram	WL	Nalidixic Acid
Nemdyn	HA	Neomycin Undecenoate with Bacitracin Zinc
Neo-Corref	UP	Hydrocortisone with Neomycin Sulphate
Neogynon	SC	Levonorgestrel with Ethinyloestradiol
Neogynon ED	SC	Levonorgestrel with Ethinyloestradiol
Neo-Mercazole	NS	Carbimazole
Neopt	SI	Neomycin
Neosporin	BW	Polymyxin B Sulphate with Bacitracin and Neomycin
Eye Ointment		
Neosporin	BW	Polymyxin B Sulphate with Neomycin and Gramicidin
Eye Drops		
Neosulf	PT	Neomycin
Neo-Synephrine	WL	Phenylephrine
Neotracin	ET	Polymyxin B Sulphate with Bacitracin and Neomycin
Neulacril	MB	Pericyazine
Neutrolon	SC	Aluminium Sodium Silicate
Nikacid	US	Nicotinic Acid
Nilstat	LE	Nystatin
Nipride	RO	Sodium Nitroprusside
Nitepam	US	Nitrazepam
Nitoman	RO	Tetrabenazine
Nitradisc	SR	Glyceril Trinitrate
Nitro-Bid	PT	Glyceril Trinitrate
Nivaquine	MB	Chloroquine
Nobecutane	AP	Acrylic Resin (C & I)
Noctec	SQ	Chloral Hydrate
Nolvadex	IC	Tamoxifen Citrate
Nolvadex-D	IC	Tamoxifen Citrate
Nordette 21	WY	Levonorgestrel with Ethinyloestradiol
Nordette 28	WY	Levonorgestrel with Ethinyloestradiol
Nordette 50	WY	Levonorgestrel with Ethinyloestradiol
Nordicort	NR	Hydrocortisone Sodium Succinate
Nordirol 21	WY	Levonorgestrel with Ethinyloestradiol
Nordirol 28	WY	Levonorgestrel with Ethinyloestradiol
Noriday 28 Day	SD	Norethisterone
Norinyl-1	SD	Norethisterone with Mestranol
Norinyl-1/28	SD	Norethisterone with Mestranol
Normison	WY	Temazepam
Normosol R	AB	Electrolyte Replacement Solution
Norpace	SR	Disopyramide
Nortab	SQ	Nortriptyline
Nuelin	RK	Theophylline
Nuelin Paediatric	RK	Theophylline
Nuelin-S.R. 250	RK	Theophylline
Nutraplus	OL	Urea
Ocusert Pilo 20	PT	Pilocarpine
Ocusert Pilo 40	PT	Pilocarpine
Odortrol	LA	Deodorant Concentrate (C & I)
Omnopon	RO	Papaveretum
Omnopon	RO	Papaveretum with Hyoscine Hydrobromide
Scopolamine		

Proprietary Name	Manufacturer	Name
Oncovin	LY	Vincristine
Opticrom	FC	Sodium Cromoglycate
Orabase	SQ	Carmellose Sodium with Pectin and Gelatin (C & I)
Orabolin	OR	Ethynloestrenol
Oradexon	OR	Dexamethasone
Orahesive	SQ	Carmellose Sodium with Pectin and Gelatin (C & I)
Orbenin	BR	Cloxacillin
Oroxine	BW	Thyroxine Sodium (BP 1980)
Orpadrex	PT	Orphenadrine Hydrochloride
Ortho-Novum 1/50	ET	Norethisterone with Mestranol
Ospolor	BN	Sulthiame
Ostelin	GL	Ergocalciferol
Ovral	WY	Norgestrel with Ethinyloestradiol
Ovulen 0.5/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 0.5/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50	SR	Ethynodiol Diacetate with Ethinyloestradiol
Ovulen 1/50-28	SR	Ethynodiol Diacetate with Ethinyloestradiol
Pacedol	PT	Haloperidol
Paludrine	IC	Proguanil
Panafcort	PT	Prednisone
Panafcortelone	PT	Prednisolone
Panamax	WL	Paracetamol
Pancrease	ET	Pancrelipase
Panmycin P	UP	Tetracycline
Pantheline	PT	Propantheline Bromide
Parlodol	SZ	Bromocriptine Mesylate
Parmol	US	Paracetamol
Parnate	SK	Tranlycypromine
Penbritin	BR	Ampicillin
Penbritin Forte	BR	Ampicillin
Pensig	SI	Phenethicillin
Pensig 125	SI	Phenethicillin
Pensig 250	SI	Phenethicillin
Perdolat	KN	Penicillamine
Periactin	FR	Cyproheptadine
Persantin 100	BY	Dipyridamole
Pertofran	CG	Desipramine
Pevaryl	SK	Econazole Nitrate
Pexid	ML	Perhexiline Maleate
Phosphate Sandoz	SZ	Sodium Acid Phosphate
Phospholine Iodide	AY	Ecothiopate Iodide
Physeptone	BW	Methadone
Pilopt	SI	Pilocarpine Hydrochloride
Pimafucin	GB	Natamycin
Pitressin Tannate	PD	Vasopressin Tannate
PK AID I	SJ	Amino Acid Formula without Phenylalanine
PK AID II	SJ	Amino Acid Formula without Phenylalanine
Plaquenil	WL	Hydroxychloroquine
Plasma-Lyte 148	TV	Electrolyte Replacement Solution
Plesmet	NN	Ferrous Aminoacetosulphate
Ponstan	PD	Mefenamic Acid
Portagen	MJ	Triglycerides, Medium Chain
Pramin	AF	Metoclopramide Hydrochloride

Proprietary Name	Manu- fac- turer	Name
Prednefrin Forte	AG	Prednisolone Acetate with Phenylephrine
Predsol	GL	Prednisolone Sodium Phosphate
Prefrin	AG	Phenylephrine
Prefrin-Z	AG	Zinc with Phenylephrine
Pregestimil	MJ	Triglycerides, Medium Chain
Premarin	AY	Oestrogens - Conjugated
Presolol 100	AF	Labetalol
Presolol 200	AF	Labetalol
Priadel	PT	Lithium Carbonate
Primobolan	SC	Methenolone Acetate
Primogyn C	SC	Ethinylloestradiol
Primogyn Depot	SC	Oestradiol Valerate
Primolut N	SC	Norethisterone
Primoteston Depot	SC	Testosterone Enanthate
Primperan	US	Metoclopramide Hydrochloride
Procid	PT	Probenecid
Procort	PR	Hydrocortisone
Profasi 5000	CS	Human Chorionic Gonadotrophin
Progut	PT	Allopurinol
Progynova	SC	Oestradiol Valerate
Proladone	BT	Oxycodone
Prolol	US	Propranolol
Promacid	US	Chlorpromazine
Promide	PT	Chlorpropamide
Prominal	WL	Methylphenobarbitone
Pronestyl	SQ	Procainamide
Pro-Pam	PT	Diazepam
Propine	AG	Dipivefrine Hydrochloride
ProSobee	MJ	Soya Formula
Prostigmin	RO	Neostigmine
Protamine Zinc Insulin MC	CN	Insulin Protamine Zinc
Protaphane HM	CN	Insulin Isophane (N.P.H.)
Protaphane MC	CN	Insulin Isophane (N.P.H.)
Prothiaden	BT	Dothiepin Hydrochloride
Protran	PT	Chlorpromazine
Provera	UP	Medroxyprogesterone
Purinethol	BW	Mercaptopurine
P.V. Carpine	AG	Pilocarpine Hydrochloride
PVK	LY	Phenoxyethylpenicillin
P.V.O.	FM	Phenoxyethylpenicillin
Pydox	PT	Pyridoxine Hydrochloride
Questran	AP	Cholestyramine
Quinate	US	Quinine Sulphate
Quinbisan	PR	Quinine Bisulphate
Quinbisul	AF	Quinine Bisulphate
Quinidex LA	RS	Quinidine Sulphate
Quinidoxin	BW	Quinidine Sulphate
Quinocral	FM	Quinine Sulphate
Quinsan	PR	Quinine Sulphate
Quinsul	AF	Quinine Sulphate
Quitaxon	RC	Doxepin

Proprietary Name	Manu- fac- turer	Name
Rafen 200	AF	Ibuprofen
Rapitard MC	CN	Insulin Biphasic
Rastinon	HP	Tolbutamide
Rectinol	GP	Benzocaine with Adrenaline
Redu-Press	PT	Debrisoquine
Redu-Press M	PT	Debrisoquine
Renitec	MK	Enalapril Maleate
Renitec 20	MK	Enalapril Maleate
Renitec M	MK	Enalapril Maleate
Repalyte	DH	Electrolyte Replacement (Oral)
Respolin	RK	Salbutamol
Resprim	AF	Trimethoprim with Sulphamethoxazole
Resprim Forte	AF	Trimethoprim with Sulphamethoxazole
Reverin	HP	Rolitettracycline
Rheomacrodex	PS	Dextran 40
Rheumacin	PT	Indomethacin
Rhumax	PR	Sodium Salicylate
Rhusal	GP	Aspirin
Ridaura	SK	Auranofin
Rimycin 150	AF	Rifampicin
Rimycin 300	AF	Rifampicin
Rivotril	RO	Clonazepam
Roaccutane	RO	Isotretinoin
Rocaltrol	RO	Calcitriol
Rondomycin	WW	Merthacycline
Rythmodan	RL	Disopyramide
Sacsol	EG	Surgical Cement
Sacsol Non Flammable	EG	Surgical Cement
Salazopyrin	PS	Sulphasalazine
Salazopyrin-EN	PS	Sulphasalazine
Sandocal 1000	SZ	Calcium
Sandomigran	SZ	Pizotifen Malate
Saroten	NS	Amitriptyline
Scherisolon	SC	Prednisolone Acetate
S-Dimidine	PT	Sulphadimidine
Semilente MC	CN	Insulin Zinc Suspension (Amorphous)
Septrin	BW	Trimethoprim with Sulphamethoxazole
Septrin Forte	BW	Trimethoprim with Sulphamethoxazole
Sequilar ED	SC	Levonorgestrel with Ethinyloestradiol
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam
SH420	SC	Norethisterone Acetate
Sigmacort	SI	Hydrocortisone
Silcon	FA	Dimethicone
Silicon Skin Spray	EG	Dimethicone (C & I)
Silvazine	SN	Silver Sulphadiazine with Chlorhexidine Gluconate
Simeco Suspension	WY	Aluminium Hydroxide with Magnesium Hydroxide
Simeco Tablet	WY	Aluminium Hydroxide and Magnesium Carbonate Co-Dried Gel
Sinemet	MK	Levodopa with Carbidopa
Sinemet 100/25	MK	Levodopa with Carbidopa
Sinemet M	MK	Levodopa with Carbidopa

Proprietary Name	Manu- fac- turer	Name
Sinequan	PF	Doxepin
Sintiron	FE	Prednisolone Stearoylglycolate
Skin Gel	HO	Isopropyl Monoester Polymer with Isopropyl Alcohol (C & I)
Skin-Prep	DY	Butyl Monoester Polymer with Isopropyl Alcohol (C & I)
Slow-Fe	CG	Ferrous Sulphate Dried
Slow-K	CG	Potassium Chloride
Sodexol	SC	Aluminium Hydroxide with Magnesium Hydroxide
Sofradex	RL	Dexamethasone with Framycetin and Gramicidin
Soframycin	RL	Framycetin
Solone	FM	Prednisolone
Solu-Cortef	UP	Hydrocortisone Sodium Succinate
Solu-Medrol	UP	Methylprednisolone Sodium Succinate
Somophyllin	FC	Aminophylline
Sone	FM	Prednisone
SoulBiQuin	SL	Quinine Bisulphate
SoulQuin	SL	Quinine Sulphate
Span-K	PT	Potassium Chloride
Spirotone	PT	Spironolactone
Spray-On Bande	EG	Polyvinylpyrrolidone and Vinyl Acetate Copolymer (C & I)
Squibb-HC	SQ	Hydrocortisone
S.R.A.	BT	Aspirin
Staphylex 250	AF	Flucloxacillin
Staphylex 500	AF	Flucloxacillin
Steclin-V	SQ	Tetracycline (Buffered)
Stelazine	SK	Trifluoperazine
Stemetil	MB	Prochlorperazine
Sterofrin	AQ	Prednisolone Acetate
Sterogyl-15	RL	Ergocaliciferol
Stomahesive	SQ	Butyl Monoester Polymer with Ethanol (C & I)
Stomahesive Set	SQ	Polyisobutylene (C & I)
Stoxil	SK	Idoxuridine
Streptase	HP	Streptokinase
Sulazine	PT	Sulphasalazine
Sulfazole	PT	Sulphafurazole
Supres 25	PT	Hydralazine Hydrochloride
Supres 50	PT	Hydralazine Hydrochloride
Surmontil	MB	Trimipramine
Sustanon '100'	OR	Testosterone Esters
Sustanon '250'	OR	Testosterone Esters
Symmetrel	CG	Amantadine Hydrochloride
Synacthen Depot	CG	Tetracosactrin
Synphasic	SD	Norethisterone with Ethinyloestradiol
Syntocinon	SZ	Oxytocin
Syntometrine	SZ	Oxytocin with Ergometrine
Tagamet	SK	Cimetidine
TAGG	EG	Deodorant Detergent Solution (C & I) (P & Q)
Tambocor	RK	Flecainide Acetate
Tarcil	BR	Ticarcillin
Tears Naturale	AQ	Hypromellose with Dextran


Proprietary Name	Manu- fac- turer	Name
Tears Plus	AG	Polyvinyl Alcohol with Povidone
Tegretol	CG	Carbamazepine
Temazin 10	AF	Temazepam
Tenormin	IC	Atenolol
Teril	AF	Carbamazepine
Terramycin	PF	Oxytetracycline
Tertroxin	GL	Liothyronine
Tes-Tape	LY	Glucose Indicator - Urine
Testomet	PT	Methyltestosterone
Testoviron	SC	Testosterone Propionate
Tetramykoïn	BZ	Tetracycline
Tetrex	AP	Tetracycline (Buffered)
Tetrex-F	AP	Tetracycline with Nystatin
Theo-Dur	AP	Theophylline
Thiminone	EG	Thiamine Hydrochloride
Thioprine	AF	Azathioprine
Thiotepa	LE	Thiotepa
Tiberal	RO	Ornidazole
Ticillin	CS	Ticarcillin
Tigason	RO	Etretinate
Timoptol	FR	Timolol
Tofranil	CG	Imipramine
Tolinase	UP	Tolazamide
Tolvon	OR	Mianserin Hydrochloride
Topilar	SD	Fluoclorolone Acetonide
Topodil	SC	Fluocortolone Esters
Torecan	SZ	Thiethylperazine
Trandate	GL	Labetalol
Transiderm Nitro 50	CG	Glyceryl Trinitrate
Trasicor	CG	Oxprenolol
Travogen	SC	Isoconazole Nitrate
Trib	PT	Trimethoprim with Sulphamethoxazole
Trib DS	PT	Trimethoprim with Sulphamethoxazole
Trichozole	PT	Metronidazole
Triphasil	WY	Levonorgestrel with Ethinyloestradiol
Triphasil 28	WY	Levonorgestrel with Ethinyloestradiol
Triprim	BW	Trimethoprim
Triquilar	SC	Levonorgestrel with Ethinyloestradiol
Triquilar ED	SC	Levonorgestrel with Ethinyloestradiol
Trisoralen	PT	Trioxysalen
Trobicin	UP	Spectinomycin
Tryptanol	MK	Amitriptyline
Ulcol	AF	Sulphasalazine
Ulsanic	BT	Sucralfate
Ultralan-D	SC	Fluocortolone Esters
Ultralan-D Fatty	SC	Fluocortolone Esters
Ultralente MC	CN	Insulin Zinc Suspension (Crystalline)
Ultratard HM	CN	Insulin Zinc Suspension (Crystalline)
Unisolve	DY	Surgical Cement
Ural Sachets	AB	Sodium Citro-Tartrate
Urecholine	MK	Bethanechol
Uremide	PT	Fruzemide
Urex	FM	Fruzemide
Urex-Forte	FM	Fruzemide
Urex-M	FM	Fruzemide

Proprietary Name	Manu- fac- turer	Name
Urid	PT	Chlorthalidone
Urimor	PT	Methyclothiazide
Uro-Carb	HA	Bethanechol
Urolucosil	WW	Sulphamethizole
Valium	RO	Diazepam
Vancocin	LY	Vancomycin
Vasopressin	SZ	Lypressin
Vaxigrip	MB	Influenza Vaccine
Velbe	LY	Vinblastine
Velosulin Nordisk	BW	Insulin Neutral
Ventolin	GL	Salbutamol
Ventolin Rotacaps	GL	Salbutamol
Verpamil	PT	Verapamil Hydrochloride
Vibramycin	PF	Doxycycline
Vibra-Tabs	PF	Doxycycline
Vioform	CG	Clioquinol
Viokase	RS	Pancreatin Enzyme
Vira A	PD	Vidarabine
Virifenemide	WR	Frusemide
Visken	SZ	Pindolol
Voltaren 50	CG	Diclofenac Sodium
Xylocard 100	AP	Lignocaine
Xylocard 300 I.M.	AP	Lignocaine
Xylocard 500	AP	Lignocaine
Yomesan	BN	Niclosamide
Zantac	GL	Ranitidine Hydrochloride
Zarontin	PD	Ethosuximide
Zephiran Concentrated	WL	Benzalkonium Chloride
Zerodor	ZR	Deodorant Concentrate (C & I)
Zincfrin	AQ	Zinc Sulphate with Phenylephrine
Zoff	SN	Surgical Cement
Zovirax	BW	Acyclovir
Zyloprim	BW	Allopurinol

PART 2 - TRADE NAMES INDEX

The following words, in association with a chemical name or generic name or approved name indicate the product of the manufacturer shown.

Albay	Bayer Pharmaceutical Company - Allergen extracts
Dulcets	Abbott A'asia - Chewable tablets
Durules	Astra Chemicals - Sustained release tablets
Ensa	Reckitts - Tablet preparations
Film-tabs	Abbott A'asia - Coated tablets
Gradumets	Abbott A'asia - Sustained release tablets
Isopro	Alcon Laboratories - Eye drops
Novo	Novo Laboratories - Preparations
Pulvules	Lilly - Capsules
Rox	Rocke Tompsitt - Preparations
Siguent	Sigma - Ointment preparations
Spansules	Smith, Kline & French - Delayed release capsules
Susters	Lederle - Sustained release capsules
Tabloid	Wellcome Australia Limited - Tablet preparations
Tri-Test	Drug Houses of Australia Pty Ltd - Preparations
Venosol	Abbott A'asia - Intravenous infusions
Viaflex	Travenol Laboratories - Intravenous infusions
Wellcome	Wellcome Australia Limited - Preparations



Repatriation Schedule of Pharmaceutical Benefits

November 1986



Veterans' Affairs



Commonwealth Department of

Veterans' Affairs

Repatriation Schedule of Pharmaceutical Benefits

November 1986

**This schedule should be read in
conjunction with the current SCHEDULE OF
PHARMACEUTICAL BENEFITS issued
under the National Health Act.**

**Australian Government Publishing Service
Canberra 1986**

© Commonwealth of Australia 1986
ISSN 0811-7705

Typeset and Printed in Australia by Canberra Publishing and
Printing Co., Fyshwick, A.C.T.

BENEFICIARIES ENTITLEMENT CARDS AND ELIGIBILITY

The diagram below outlines beneficiaries drug

REPATRIATION PHARMACEUTICAL BENEFITS



Personal Treatment
Entitlement Card

X 123456 1

John X. SMITH

(Repatriation Pharmaceuticals)

Patients issued with
YELLOW cards
may receive
Pharmaceutical
Treatment at the
expense of the
Department of
Veterans' Affairs.

WITH



Specific Treatment
Entitlement Card

X 123456 1

John X. SMITH

(Repatriation Pharmaceuticals)

Patients issued with
WHITE cards
may receive
Pharmaceutical
Treatment at the
expense of the
Department of
Veterans' Affairs

WITH

PMS/NHS PHARMACEUTICAL BENEFITS

(Patients ineligible to receive Repatriation Pharmaceuticals)



Dependant Treatment
Entitlement Card

X 123456 1

Valda J. BREWER

(NHS/PMS Pharmaceuticals)

×

OR



Service Pensioner
Benefits Card

X 123456 1

John X. SMITH

(NHS/PMS Pharmaceuticals)

FOR REPATRIATION PHARMACEUTICAL BENEFITS

eligibility in accordance with their entitlement.

NHS Schedule listings (Restrictions do not apply)	+	Repatriation Schedule Listings	+	Items for which prior approval has been authorised on D1190 prescription forms for: (i) greater quantities/repeats of drugs listed in NHS and Repatriation Schedules; or (ii) items not listed in NHS or Repatriation Schedules.
---	---	--------------------------------------	---	---

**Only for disabilities that have been accepted for treatment by
the Department of Veterans' Affairs.**

NHS Schedule listings (Restrictions do not apply)	+	Repatriation Schedule Listings	+	Items for which prior approval has been authorised on D1190 prescription forms for (i) greater quantities/repeats of drugs listed in NHS and Repatriation Schedules; or (ii) items not listed in NHS or Repatriation Schedules.
---	---	--------------------------------------	---	--

NOTE:

LILAC DTEC card holders and RED SPBC holders are **not** eligible to receive Pharmaceutical Benefits under the RPBS.

Both groups of card holders should be prescribed **medicines on NHS stationery** in accordance with the provisions covering community pensioners.

**Explanatory Circular regarding the November 1986 edition
of the Repatriation Schedule of Pharmaceutical Benefits.**

This reprint of the Schedule will take effect on
1 November 1986 and all previous editions of the
Schedule are cancelled.

SUMMARY OF CHANGES

ADDITIONS

Addition of New Items

Section 1

Aloxiprin, Tablet 600 mg (Palaprin Forte)
Ascorbic Acid, Tablet 50 mg (Ascorb "50", DH, FM)
Aspirin, Tablet 300 mg (SI)
Aspirin, Tablet 300 mg (dispersible) (Solprin, FM)
Aspirin, Tablet 325 mg (buffered) (Bufferin)
Azetadine Maleate, Tablet 1 mg (Zadine)
Brompheniramine, Tablet 4 mg (Dimetane)
Calcium Carbonate with Glycine, Tablet 420 mg-180 mg (Titalac)
Calcium Carbonate with Glycine, Tablet 1250 mg-536 mg (Cal-Sup)
Calcium Carbonate with Glycine, Suspension 840 mg-360 mg per 5 mL,
200 mL (Titalac)
Chlorpheniramine, Tablet 4 mg (Allergex, Piriton)
Codeine Phosphate, Linctus 0.5%, 100 mL (Codelix, Codlin, Actacode, MG,
PR, QE (NQ))
Codeine Phosphate with Aspirin, Tablet Soluble 8 mg-300 mg (Aspalgin)
Codeine Phosphate with Aspirin, Tablet Soluble 8 mg-500 mg (Solcode)
Dexchlorpheniramine, Tablet 2 mg (Polaramine)
Dihydrocodeine Tartrate, Linctus 19 mg per 10 mL, 100 mL (Paracodin,
Rikodeine)
Diphenylpyraline, Tablet 2.5 mg (Histalert)
Meclozine, Tablet 25 mg (Ancolan)
Paracetamol, Tablet 500 mg (Ceetamol, Dymadon, Panacete, Panamax,
Paralgin, Parasin, Parmol, PCL)
Pheniramine, Tablet 10 mg (Fenamine-M)

Pheniramine, Tablet 50 mg (Avil, Fenamine)
Pholcodine, Linctus 0.1%, 100 mL (Actuss, Adaphol, Duro-Tuss, Pectolin, Pholcolin, Pholcolin Red, Pholtrate, Sedlingtus, Tussinol, PR, RT)
Promethazine, Tablet 10 mg (Phenergan)
Promethazine, Tablet 25 mg (Meth-Zine, Phenergan)
Salicylic Acid, Coal Tar Solution, Pine Tar and Undecylenamide, Scalp Cleanser, 2%-1%-1%-1%, 250 mL (Sebitar)
Senega and Ammonia, Mixture 200 mL (Senamon, MG, RT, SI, SL(NQVW), PR, QE(NQ), TO)
Trimeprazine, Tablet 10 mg (Vallergan)

New Forms, Brands, Strengths or Pack Sizes of Existing Items

Section 1

Codeine Phosphate with Paracetamol, Tablet 8 mg-500 mg (Codalgin, Dymadon Co., Panamax Co.)
Codeine Phosphate, Paracetamol and Doxylamine Succinate, Capsule 8 mg-500 mg-5 mg (Panalgesic)
Diphenhydramine Hydrochloride, Capsule 50 mg (Benadryl)
Sunscreens, Cream 100 mL (UV Ultrablock Broad Spectrum Water Resistant 15+ Cream)

Section 3

Absorbent Gauze Pad, 5 cm x 5 cm, 100 (Curity 1613)
Absorbent Gauze Pad, 7.5 cm x 7.5 cm, 100 (Curity 1648)
Absorbent Gauze Pad, 10 cm x 10 cm, 100 (Curity 1825)
Dressing Non Adherent Dry Absorbent, 5 cm x 5 cm, sterile single sachet, pack of 5 (Melolin 1200M)
Dressing Non Adherent Dry Absorbent, 10 cm x 10 cm, sterile single sachet, pack of 10 (Melolin 4933)
Self Adhesive Plaster Hypoallergenic, 1.25 cm x 9.1 m roll (Tenderskin 1596.1)
Self Adhesive Plaster Hypoallergenic, 2.5 cm x 9.1 m roll (Tenderskin 1914)
Self Adhesive Plaster Hypoallergenic, 5 cm x 9.1 m roll (Tenderskin 2419)
Self Adhesive Plaster Hypoallergenic, 7.5 cm x 9.1 m roll (Tenderskin 3394)

DELETIONS

Deletion of Items

Section 1

Silver Sulphadiazine with Chlorhexidine Gluconate, Cream 1%-0.2%, 100 g (Silvazine) — Item listed on the NHS Schedule as from 1 November 1986

White Soft Paraffin with Liquid Paraffin, Eye Ointment 3.5 g (Duratears, Lacri-Lube S.O.P.)

Section 3

Dressing Non Adherent Dry Absorbent, 5 cm x 5 cm, sterile single pack (Melolin 4940)

Dressing Non Adherent Dry Absorbent, 10 cm x 10 cm, sterile single pack (Melolin 4941)

ALTERATIONS

Maximum Quantity

Section 1

	From	To
Naproxen , Tablet 500 mg (Naprosyn)	50	60
Oxazepam , Tablet 15 mg (Alepan 15, Benzotran, Murelax, Serepax)	100	50
Oxazepam , Tablet 30 mg (Alepan 30, Benzotran, Murelax, Serepax)	100	50
Senna Standardised , Tablet 7.5 mg (Senokot)	96	100

Number of Repeats

Section 1

	From	To
Oxazepam , Tablet 15 mg (Alepan 15, Benzotran, Murelax, Serepax)	2	1
Oxazepam , Tablet 30 mg (Alepan 30, Benzotran, Murelax, Serepax)	2	1

Item Description

Section 1

From
Aspirin (Buffered)
Tablet 500 mg

To
Aspirin, Tablet 500 mg
(buffered)

Section 2

Absorbent Napkins Pants
pack of 2

Absorbent Napkins Pants
pack of 2, small size
Absorbent Napkins Pants
pack of 2, medium size
Absorbent Napkins Pants
pack of 2, large size

ADVANCE NOTICES

Deletions — Items

The items listed below will be deleted from the Repatriation Schedule of Pharmaceutical Benefits as from 1 February 1987.

- 4116P **Aluminium Hydroxide with Magnesium Hydroxide and Simethicone, Tablet 230 mg-230 mg-12 mg (Duoquel)**
4174Q **Codeine Phosphate, Paracetamol and Doxylamine Succinate, Tablet 9.75 mg-450 mg-5 mg (Mersyndol)**
4456M **Silver Sulphadiazine with Chlorhexidine Gluconate, Cream 1%-0.2%, 50 g (Silvazine)**

Deletions — Pack Sizes

The pack sizes listed below will be deleted from the Repatriation Schedule of Pharmaceutical Benefits as from 1 February 1987.

- 4407Y **Pine Tar and Triethanolamine Lauryl Sulphate, Solution 2.1%-5.6%, 100 mL (Pinetarsol).**

Section 1

REPATRIATION SCHEDULE OF BENEFITS

Drugs, Medicines and Diagnostic
Reagents

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
ALGINIC ACID COMPOUND					
4108F	Granules 4 g Sachets (pack of 24)	5	5	Gavigrans	RC
ALLANTOIN and COAL TAR EXTRACT					
4111J	Lotion 2%-5%, 250 mL	±1	2	Alphosyl	SV
4112K	Cream 2%-5%, 55 g	±1	2	Alphosyl	SV
4113L	Shampoo 0.2%-5%, 55 g	±1	2	Alphosyl	SV
ALLANTOIN, SULPHUR, PHENOL, COAL TAR SOLUTION and MENTHOL					
4506E	Gel 2.5%-0.5%-0.5%- 5%-0.75%, 75 g	±1	2	Egopsoryl-TA	EO
ALOXIPRIN					
4114M	Tablet 600 mg	100	2	Palaprin Forte	NS
ALUMINIUM HYDROXIDE with MAGNESIUM HYDROXIDE and SIMETHICONE					
4116P	Tablet 230 mg-230 mg-12 mg	100	5	Duoquel	BW
4117Q	400 mg-400 mg-30 mg	100	5	Mylanta II	PD
Suspension					
4118R	400 mg-400 mg-30 mg per 5 mL, 375 mL	±1	5	Mylanta II	PD
AMOXYCILLIN					
4503B	Capsule 500 mg	30	—	Amoxil Moxacin	BR CS
ASCORBIC ACID					
4120W	Tablet 50 mg	100	2	Ascorb "50" DH, FM	PT

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>
ASPIRIN				
4051F	Tablet 300 mg	100	2	SI
4052G	300 mg (dispersible)	100	2	Solprin FM RC
4500W	325 mg (buffered)	100	2	Bufferin AP
4501X	500 mg (buffered)	100	2	Bufferin Extra Strength (ESB) AP
AZATADINE MALEATE				
4053H	Tablet 1 mg	50	2	Zadine SH
BATH EMOLLIENT				
4122Y	Bath Oil, 500 mL	±1	2	Hamilton Bath Oil QV Bath Oil Rikoderm HA EO RK
BECLOMETHASONE DIPROPIONATE				
4126E	Inhalation, metered aerosol nasal spray, 50 micrograms per dose (200 dose)	±1	2	Aldecin Beconase SH GL
BENZALKONIUM CHLORIDE, CETRIMIDE and LANOLIN				
4128G	Cream 0.01%-0.18%-1.8%, 50g	±1	2	Drapolex BW
BENZTROPINE				
4129H	Tablet 0.5 mg	100	2	Cogentin MK

Code	Name, manner of administration and form	No. Max. of qty rpts		Proprietary name and manufacturer	
BETAMETHASONE DIPROPIONATE					
4507F	Cream 0.05%, 50 g	±1	2	Diprosone	SH
4508G	Ointment 0.05%, 50 g	±1	2	Diprosone	SH
4509H	Scalp Lotion 0.05%, 30 mL	±1	2	Diprosone	SH
BETAMETHASONE VALERATE					
4511K	Cream 0.05%, 30 g	±1	2	Betnovate ½ Celestone V Half Strength	GL SH
4515P	0.1%, 15 g	±1	2	Betnovate Celestone V	GL SH
4131K	0.1%, 30 g	±1	2	Betnovate Celestone V	GL SH
4517R	Gel 0.05%, 30 g	±1	2	Betnovate ½	GL
4513M	Ointment 0.05%, 30 g	±1	2	Betnovate ½ Celestone V Half Strength	GL SH
4516Q	0.1%, 15 g	±1	2	Celestone V	SH
4132L	0.1%, 30 g	±1	2	Betnovate Celestone V	GL SH
4133M	Scalp Application 0.1%, 30 g	±1	2	Betnovate	GL
BETAMETHASONE VALERATE and GENTAMICIN SULPHATE CAUTION: For the short term treatment of localised infective eczema only					
4139W	Cream 0.1%-0.1%, 15 g	±1	—	Celestone-VG	SH
4140X	Ointment 0.1%-0.1%, 15 g	±1	—	Celestone-VG	SH
BISMUTH FORMIC IODIDE					
4143C	Powder 10 g	±1	—	B.F.I.	MK

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
BOVINE PLASMA DERIVATIVE					
4146F	Dry Powder-vial 5000 N.I.H. thrombin units with 5 mL vial of diluent	±1	—	Thrombostat	PD
4147G	Dry Powder-vial 10 000 N.I.H. thrombin units with 10 mL vial of diluent	±1	—	Thrombostat	PD
BROMAZEPAM					
4150K	Tablet 3 mg	50	—	Lexotan	RO
4151L	6 mg	50	—	Lexotan	RO
4152M	12 mg	50	—	Lexotan	RO
BROMAZEPAM					
CAUTION: Continuous long term use may lead to dependency					
4101W	Tablet 3 mg	100	2	Lexotan	RO
4102X	6 mg	100	2	Lexotan	RO
4103Y	12 mg	100	2	Lexotan	RO
BROMHEXINE HYDROCHLORIDE					
NOTE: For use of patients established on this therapy prior to 1 March 1983					
4148H	Tablet 8 mg	100	2	Bisolvon	BY
BROMPHENIRAMINE					
4054J	Tablet 4 mg	50	2	Dimetane	RS
CALCIUM CARBONATE with GLYCINE					
4055K	Tablet 420 mg-180 mg	100	5	Titralac	RK
4056L	1250 mg-536 mg	60	5	Cal-Sup	RK
4057M	Suspension 840 mg-360 mg per 5 mL	±1	5	Titralac	RK
CALCIUM GLUCONATE					
4154P	Tablet 600 mg	100	2	SI	

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	CAMPHOR, MENTHOL, EUCALYPTUS OIL, ISOBORNYL ACETATE and METHYL SALICYLATE				
4155Q	Cream 1%-1%-0.5%-0.5%-12%, 100 g	±1	1	Dencorub	CW
	CARBENOXOLONE SODIUM				
4156R	Gel 2%, 5 g	±1	1	Bioral	SN
	CARMELLOSE SODIUM with PECTIN and GELATIN Paste				
4518T	16.7%-16.7%-16.7%, 5 g	±1	—	Orabase	SQ
4520X	16.7%-16.7%-16.7%, 80 g	±1	2	Orabase	SQ
	CETYLALCOHOL, BIRCH TAR, SULPHUR and SALICYLIC ACID				
4539X	Cream 6%-9%-10%-2%, 25 g	±1	2	Egosulphyl	EO
	CHLORDIAZEPOXIDE				
4157T	Tablet 5 mg	100	2	Librium	RO
4158W	Capsule 10 mg	100	2	Librium	RO
	CHLORHEXIDINE GLUCONATE				
4160Y	Mouth Wash 0.2%, 200 mL	±1	—	Chlorohex	OM
4161B	250 mL	±1	—	Plaqacide Savacol Gargle & Rinse	OB IC
	CHLORPHENIRAMINE				
4058N	Tablet 4 mg	50	2	Allergex Piriton	PT GL

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	CHOLINE SALICYLATE, CETALKONIUM CHLORIDE, MENTHOL, GLYCEROL and ETHANOL				
4163D	Jelly 8.7%-0.01%-0.057%- 4.6%-38.6%, 10 g	‡1	—	Bonjela	RC
4162C	8.7%-0.01%-0.057%- 4.6%-38.6%, 15 g	‡1	—	Seda-Gel	NN
	CIMETIDINE				
4165F	Tablet 200 mg	120	5	Duractin	CS
				Tagamet	SK
4164E	400 mg	60	5	Duractin	CS
				Tagamet	SK
4168J	800 mg	30	5	Duractin	CS
				Tagamet	SK
	CLORAZEPATE DIPOTASSIUM				
4166G	Capsule 5 mg	50	—	Tranxene	GL
4167H	15 mg	30	—	Tranxene	GL
	CLORAZEPATE DIPOTASSIUM				
	CAUTION: Continuous long term use may lead to dependency				
4104B	Capsule 5 mg	100	2	Tranxene	GL
4105C	15 mg	60	2	Tranxene	GL
	CODEINE PHOSPHATE				
4060Q	Linctus 0.5%, 100 mL	‡1	2	Actacode	SI
				Codelix	DH
				Codlin	NN
				MG, PR, QE(NQ)	
	CODEINE PHOSPHATE with ASPIRIN				
4061R	Tablet Soluble 8 mg-300 mg	50	2	Aspalgin	FM
4062T	8 mg-500 mg	50	2	Solcode	RC

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
CODEINE PHOSPHATE with PARACETAMOL					
4171M	Tablet 8 mg-500 mg	50	1	Codalgin Dymadon Co. Panamax Co.	FM BW WL
4172N	30 mg-500 mg	50	1	Panadeine Forte	WL
CODEINE PHOSPHATE, PARACETAMOL and DOXYLAMINE SUCCINATE					
4173P	Capsule 8 mg-500mg-5 mg	24	—	Panalgesic	WL
4174Q	Tablet 9.75 mg-450 mg-5 mg	20	—	Mersyndol	ML
CROTAMITON					
4177W	Cream 10%, 20 g	‡1	1	Eurax	CG
4178X	Lotion 10%, 50 mL	‡1	1	Eurax	CG
DEXCHLORPHENIRAMINE					
4063W	Tablet 2 mg	50	2	Polaramine	SH
DEXTROPROPOXYPHENE HYDROCHLORIDE with PARACETAMOL					
CAUTION: Chronic use of this preparation is likely to cause drug dependence. Efficacy of this preparation may be no greater than paracetamol.					
4181C	Tablet 32.5 mg-325 mg	25	—	Paradex	PT

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	DIAZEPAM CAUTION: Continuous long term use may lead to dependency				
4183E	Tablet 2 mg	100	2	Antenex 2 Ducene Pro-Pam Valium	AF SU PT RO
4184F	5 mg	100	2	Antenex 5 Ducene Pro-Pam Valium	AF SU PT RO
	DICHLOROBENZENE, CHLOROBUTOL and TURPENTINE OIL				
4180B	Ear drops 2%-5%-10%, 11 mL	‡1	—	Cerumol	AC
	DICLOFENAC SODIUM				
4186H	Tablet 25 mg	50	2	Voltaren	CG
	DICYCLOMINE HYDROCHLORIDE				
4185G	Tablet 10 mg	100	—	Merbentyl	ML
	DIETHYLAMINE SALICYLATE, MENTHOL and CAMPHOR				
4189L	Cream 10%-0.75%-0.5%, 50 g	‡1	1	Rubesal	HA
	DIHYDROCODEINE TARTRATE				
4064X	Linctus 19 mg per 10 mL, 100 mL	‡1	2	Paracodin Rikodeine	KN RK
	DIMETHISOQUIN HYDROCHLORIDE				
4188K	Ointment 0.5%, 25 g	‡1	1	Quotane	SK
	DIOCTYL SODIUM SULPHOSUCCINATE				
4200C	Tablet 50 mg	100	2	Coloxyl 50	FM
4201D	120 mg	100	2	Coloxyl 120	FM
4199B	Ear Drops 5%, 16 mL	‡1	—	Waxsol	NE

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>No. Max. of qty</i>	<i>of rpts</i>	<i>Proprietary name and manufacturer</i>	
4202E	DIOCTYL SODIUM SULPHOSUCCINATE with DANTHRON Tablet 50 mg-50 mg	100	2	Coloxyl with Danthron	FM
4191N	DIPHEMANIL METHYLSULPHATE Dusting Powder 2%, 50 g	‡1	1	Prantal	SH
4195T	DIPHENHYDRAMINE HYDROCHLORIDE Capsule 50 mg	50	2	Benadryl	PD
4194R	Expectorant 12.5 mg per 5 mL, 200 mL	‡1	1	Benadryl Expectorant	PD
CAUTION: Use of diphenhydramine hydrochloride preparations in the presence of asthma or chronic obstructive airways disease is not recommended.					
4065Y	DIPHENYLPYRALINE Tablet 2.5 mg	50	2	Histalert	RK
DISULFIRAM CAUTION: Only for use in the treatment of chronic alcoholism. Associated ingestion of alcohol may be life-threatening.					
4197X	Tablet 250 mg	30	1	Antabuse	ET
4205H	ETHAMBUTOL HYDROCHLORIDE Tablet 100 mg	100	2	Myambutol	LE
4206J	400 mg	100	2	Myambutol	LE

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	FIBROUS EXTRACTS of GRAIN and CITRUS				
4210N	Tablet 375 mg-94 mg	100	2	Fibyrax	RL
	FLUCLOROLONE ACETONIDE				
4523C	Cream 0.025%, 30 g	‡1	2	Topilar	SD
	FLUNISOLIDE				
4212Q	Nasal Spray 0.025%, 20 mL	‡1	2	Rhinalar Nasal Mist	SD
	FLUNITRAZEPAM				
4213R	Tablet 2 mg	25	—	Hypnodorm	AF
	FLUNITRAZEPAM				
	CAUTION: Continuous long term use may lead to dependency				
4214T	Tablet 2 mg	50	1	Hypnodorm	AF
	FLUOCINOLONE ACETONIDE				
4291W	Cream 0.01%, 30 g	‡1	2	Synalar 01	IC
4292X	0.025%, 30 g	‡1	2	Synalar	IC
4295C	Ointment 0.01%, 30 g	‡1	2	Synalar 01	IC
4296D	0.025%, 30 g	‡1	2	Synalar	IC

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	FLUOCORTOLONE PIVALATE and FLUOCORTOLONE HEXANOATE				
4215W	Cream 0.25%-0.25%, 30 g	±1	2	Ultralan	SC
	FLUOCORTOLONE PIVALATE, FLUOCORTOLONE HEXANOATE, CLEMIZOLE UNDECYLENATE, HEXACHLOROPHANE and CINCHOCAINE HYDROCHLORIDE				
	Ointment				
4217Y	0.092%-0.095%-1%-0.5%- 0.5%, 10 g	±1	2	Ultraproct	SC
4218B	0.092%-0.095%-1%-0.5%- 0.5%, 30 g	±1	2	Ultraproct	SC
4219C	Suppositories — each contains 0.61 mg-0.63 mg-5 mg- 2.5 mg-1 mg, 12	±1	2	Ultraproct	SC
	FLUOROURACIL				
4222F	Cream 5%, 20 g	±1	—	Efudix	RO
4223G	Solution 1%, 30 mL	±1	—	Fluoroplex	AG
	FLURAZEPAM DIHYDROCHLORIDE				
4226K	Capsule 15 mg	25	—	Dalmane	RO
4227L	30 mg	25	—	Dalmane	RO
	FLURAZEPAM DIHYDROCHLORIDE				
	CAUTION: Continuous long term use may lead to dependency				
4228M	Capsule 15 mg	50	1	Dalmane	RO
4229N	30 mg	50	1	Dalmane	RO

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	GLUCOSE INDICATOR — BLOOD				
4247M	Reagent Strips 25	‡1	2	Dextrostix	AM
	GLYCEROL				
4249P	Suppositories adult size 2.7 g, 12	‡1	1	PD	
	GLYCERYL TRINITRATE				
4250Q	Ointment 3%, capsule packed	50	5	Nitrolate	RO
	HALOPERIDOL				
4251R	Tablet 500 micrograms	100	1	Serenace	SR
	HEPARINOID				
	CAUTION: Patch test for local tolerance before applying to chronic open lesions				
4253W	Ointment 0.3%, 14 g	‡1	—	Hirudoid	LW
4254X	0.3%, 40 g	‡1	—	Hirudoid	LW
	HEPARINOID and HYALURONIDASE				
	CAUTION: Patch test for local tolerance before applying to chronic open lesions				
	Ointment				
4256B	5,000 H.D.B.U-15 000 units per 100 g, 14 g	‡1	—	Lasonil	BN
4257C	5,000 H.D.B.U-15 000 units per 100 g, 40 g	‡1	—	Lasonil	BN

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	HYDROCORTISONE, CINCHOCAINE HYDROCHLORIDE and AESCULIN Ointment				
4260F	0.5%-0.5%-1%, 15 g	‡1	2	Proctosedyl	RL
4261G	0.5%-0.5%-1%, 30 g	‡1	2	Proctosedyl	RL
4262H	Suppositories—each contains 5 mg-5 mg-10 mg, 12	‡1	2	Proctosedyl	RL
	HYDROCORTISONE and CLIOQUINOL CAUTION: For the short term treatment of localised infective eczema only				
4264K	Cream 1%-1%, 30 g	‡1	—	Hydroform	DM
	HYDROCORTISONE, LIGNOCAINE HYDROCHLORIDE, ALUMINIUM SUBACETATE and ZINC OXIDE Ointment				
4267N	0.25%-5%-3.5%-18%, 15 g	‡1	2	Xyloproct	AP
4268P	0.25%-5%-3.5%-18%, 35 g	‡1	2	Xyloproct	AP
4269Q	Suppositories — each contains 5 mg-50 mg-50 mg-400 mg, 10	‡1	2	Xyloproct	AP
	HYDROLYZED COLLAGEN PROTEINS				
4271T	Hair Conditioner 250 mL	‡1	2	Ionil Rinse	AQ
	HYDROXYETHYL RUTOSIDES				
4272W	Capsule 250 mg	50	—	Paroven	ZY
	HYDROXYZINE PAMOATE				
4273X	Capsule 25 mg	50	2	Atarax	PF
4274Y	50 mg	50	2	Atarax	PF
	HYOSCINE METHOBROMIDE				
4276C	Tablet 2.5 mg	100	—	Pamine	UP

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>No. Max. of qty rpts</i>	<i>Proprietary name and manufacturer</i>
4278E	HYOSCINE-N-BUTYLBROMIDE Tablet 10 mg	100 —	Buscopan BY
4285M	ISPAGHULA HUSK Sachets 3.5 g, 30	‡1 1	Fybogel RC
4288Q	KETOPROFEN Capsule 50 mg	50 2	Orudis MB
4289R	100 mg	50 2	Orudis MB
4301J	LIGNOCAINE, BENZALKONIUM CHLORIDE, VITAMIN A and ALLANTOIN Cream 35 g	‡1 1	Paxyl FA
4304M	LIGNOCAINE HYDROCHLORIDE, CALAMINE and CAMPHOR Cream 1.75%-8.1%-0.1%, 50 g	‡1 1	Caladryl PD
4305N	Lotion 1.75%-8.1%-0.1%, 100 mL	‡1 1	Caladryl PD
4308R	LIGNOCAINE HYDROCHLORIDE and CARBOXYMETHYLCELLULOSE Mucilage 2%-2.5%, 200 mL	‡1 —	Xylocaine Viscous AP
4314C	LORAZEPAM Tablet 1 mg	50 —	Ativan WY
4315D	2.5 mg	50 —	Ativan WY
4316E	LORAZEPAM Tablet 1 mg	100 2	Ativan WY
4317F	2.5 mg	100 2	Ativan WY
4318G	LUBRICATING AGENT Jelly 50 g	‡1 —	Lubafax BW
4321K	MAGNESIUM ASPARTATE Tablet 500 mg	50 —	Magmin VS

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
4325P	MEBENDAZOLE Tablet 100 mg	6	—	Vermox	JP
4328T	MEBEVERINE HYDROCHLORIDE Tablet 100 mg	100	—	Colofac	ET
4066B	MECLOZINE Tablet 25 mg	50	2	Ancolan	GL
4335E	MENTHOL, EUCALYPTUS OIL and METHYL SALICYLATE Cream 4%-10%-25%, 50 g	‡1	1	Metsal	RK
4344P	MULTIVITAMIN Tablet	100	2	Vitaminorum	SI
4346R	MULTIVITAMIN with MINERALS Capsule	100	—	Accomin Myadec Pluravit SI	LE PD NY
4347T	Tablet	30	2	Unicap-T	UP
4352C	NAPROXEN Tablet 500 mg	60	2	Naprosyn	SD
4353D	NATAMYCIN, NEOMYCIN SULPHATE and HYDROCORTISONE CAUTION: For the short term treatment of localised infective eczema only Ointment 1%-0.5%-1%, 15 g	‡1	—	Pimafucort	GB
4356G	NITRAZEPAM CAUTION: Continuous long term use may lead to dependency Tablet 5 mg	50	1	Alodorm Dormicum Mogadon Nitepam	AF PT RO US

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>
	NORMETHADONE HYDROCHLORIDE and HYDROXYEPHEDRINE			
4362N	Tablet 7.5 mg-10 mg	20	—	Ticarda HP
4363P	Drops 10 mg-20 mg per mL, 10 mL	‡1	—	Ticarda HP
	OXAZEPAM			
	CAUTION: Continuous long term use may lead to dependency			
4372D	Tablet 15 mg	50	1	Alepam 15 AF Benzotran PT Murelax AY Serepax WY
4373E	30 mg	50	1	Alepam 30 AF Benzotran PT Murelax AY Serepax WY
	OXYMETAZOLINE HYDROCHLORIDE			
4377J	Nasal Drops 0.05%, 15 mL	‡1	—	Drixine SH
4378K	Nasal Spray 0.05%, 15 mL	‡1	—	Drixine SH

Code	Name, manner of administration and form	Max. qty	No. of rpts	Proprietary name and manufacturer	
PANCREATIN ENZYME					
4381N	Powder — Pancreatin BP (not less than 1400 BP units free Protease, 25 000 BP units Lipase and 30 000 BP units Amylase per g) 250 g	‡1	2	Pancrex V	PA
4382P	Tablet — Pancreatin BP (not less than 110 BP units free Protease, 1900 BP units Lipase and 1700 BP units Amylase per tablet)	500	1	Pancrex V	PA
4383Q	Tablet — Pancreatin BP (not less than 330 BP units free Protease, 5600 BP units Lipase and 5000 BP units Amylase per tablet)	500	1	Pancrex V Forte	PA
4384R	Granules 500 g	‡1	1	Pancrex	PA
PANCRELIPASE, CELLULASE and OX BILE EXTRACT					
4385T	Tablet 170 mg-10 mg-65 mg	120	2	Cotazym-B	OR
PARACETAMOL					
4067C	Tablet 500 mg	50	1	Ceetamol Dymadon Panacete Panamax Paralgin Parasin Parmol PCL	PT BW PR WL FM NN US DH
PENTAERYTHRITOL TETRANITRATE					
4387X	Tablet 20 mg	100	2	Peritrate	WW
4388Y	Tablet 80 mg (sustained release)	100	2	Peritrate-S.A.	WW

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	PENTAZOCINE HYDROCHLORIDE				
	CAUTION: Chronic use of this preparation is likely to cause drug dependence.				
4391D	Tablet 25 mg	25	—	Fortral	WL
4392E	50 mg	25	—	Fortral	WL
	PHENAZOPYRIDINE HYDROCHLORIDE				
4401P	Tablet 100 mg	50	1	Pyridium	WW
	PHENIRAMINE				
4068D	Tablet 10 mg	50	2	Fenamine-M	FM
4069E	50 mg	50	2	Avil	HP
				Fenamine	FM
	PHENYLEPHRINE HYDROCHLORIDE				
4404T	Nasal Drops 0.25%, 25 mL	‡1	—	Neo-Synephrine	WL
	PHOLCODINE				
4071G	Linctus 0.1%, 100 mL	‡1	2	Actuss	SI
				Adaphol	NN
				Duro-Tuss	RK
				Pectolin	FA
				Pholcolin	DH
				Pholcolin Red	DH
				Pholtrate	MG
				Sedlingtus	RT
				Tussinol	GP
				PR, RT	
	PINE TAR and TRIETHANOLAMINE LAURYL SULPHATE				
4407Y	Solution 2.1%-5.6%, 100 mL	‡1	2	Pinetarsol	EO
4408B	2.1%-5.6%, 500 mL	‡1	2	Pinetarsol	EO

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>No. Max. of qty</i>	<i>of rpts</i>	<i>Proprietary name and manufacturer</i>	
	POLYMYXIN B SULPHATE ZINC BACITRACIN and NEOMYCIN SULPHATE NOTE: For use with indwelling catheters				
4410D	Irrigant consisting of a dry powder vial containing 75 000 units-1000 units-20 000 units and one 10 mL ampoule of normal saline	5	—	Polybactrin Soluble G.U.	BW
	POVIDONE-IODINE				
4411E	Solution antiseptic 10%, 100 mL	‡1	—	Betadine	FA
	PREDNISOLONE HEXANOATE, CINCHOCAINE HYDROCHLORIDE, HEXACHLOROPHANE and CLEMIZOLE UNDECYLENATE Ointment				
4412F	0.19%-0.5%-0.5%-1%, 10 g	‡1	2	Scheriproct	SC
4413G	0.19%-0.5%-0.5%-1%, 30g	‡1	2	Scheriproct	SC
4414H	Suppositories — each contains 1.3 mg-1 mg-2.5 mg-5 mg, 12	‡1	2	Scheriproct	SC
	PROCAINAMIDE HYDROCHLORIDE				
4417L	Tablet 500 mg (controlled release)	100	2	Procainamide Durules	AP
	PROMETHAZINE				
4072H	Tablet 10 mg	50	2	Phenergan	MB
4073J	25 mg	50	2	Meth-Zine Phenergan	PT MB

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	PSEUDOEPHEDRINE HYDROCHLORIDE				
4420P	Tablet 60 mg	24	2	Sudafed	BW
	PSEUDOEPHEDRINE SULPHATE				
4418M	Tablet 60 mg	30	2	Drixora	SH
	PSYLLIUM HYDROPHILIC MUCILLOID				
4422R	Powder 375 g	‡1	1	Metamucil	SR
	RANITIDINE HYDROCHLORIDE				
4423T	Tablet 150 mg	60	5	Zantac	GL
	RAUWOLFIA SERPENTINA CAUTION: Should not be prescribed for patients not already established on therapy				
4427B	Tablet 50 mg	100	2	Raudixin	SQ
	RESERPINE CAUTION: Should not be prescribed for patients not already established on therapy				
4430E	Tablet 250 micrograms	100	2	Serpasil	CG
	RESORCINOL and SULPHUR				
4432G	Ointment 2%-8%, 25 g	‡1	2	Eskamel	SK
	RICINOLEIC ACID, BORIC ACID, ACETIC ACID, and OXYQUINOLINE SULPHATE				
4434J	Vaginal Jelly 0.75%-3%- 0.92%-0.025%, 95 g	‡1	—	Aci-Jel	ET
	SALICYLIC ACID, BENZALKONIUM CHLORIDE, ALCOHOL and POLYOXYETHYLENE ETHERS				
4445Y	Scalp Cleanser 250 mL	‡1	2	Ionil	AQ

Code	Name, manner of administration and form	No. Max. of qty rpts	Proprietary name and manufacturer	
	SALICYLIC ACID, BENZALKONIUM CHLORIDE, ALCOHOL, COAL TAR and POLYOXYETHYLENE ETHERS			
4446B	Scalp Cleanser 125 mL	#1 2	Ionil-T	AQ
	SALICYLIC ACID, COAL TAR SOLUTION, PINE TAR and UNDECYLENAMIDE			
4447C	Scalp Cleanser 2%-1%-1%- 1%, 250 mL	#1 2	Sebitar	EO
	SALICYLIC ACID and PODOPHYLLIN RESIN			
4449E	Ointment 25%-20%, 15 g	#1 —	Salicylin-P	KY
4450F	Paint 10%-20%, 6 mL	#1 1	Posalfilin	NE
	SELENIUM SULPHIDE			
4452H	Shampoo 2.5%, 125 mL	#1 1	Selsun	AB
	SENEGA and AMMONIA			
4074K	Mixture 200 mL	#1 4	Senamon MG, PR, QE(NQ), RT, SI, SL(NQVW), TO	DH
	SENNA STANDARDISED			
4455L	Tablet 7.5 mg	100 1	Senokot	RC
	SILVER SULPHADIAZINE with CHLORHEXIDINE GLUCONATE NOTE: In Western Australia use is restricted to treatment in hospitals only			
4456M	Cream 1%-0.2%, 50 g	#1 1	Silvazine	SN
	SKIN CLEANSER			
4549K	Lotion 500 mL	#1 2	Bodywash Cetaphil	HA AQ

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	SODIUM APOLATE and BENZYL NICOTINATE CAUTION: Patch test for local tolerance before applying to chronic open lesions				
4527G	Ointment 1%-0.125%, 20 g	‡1	—	Pergalen	HP
4459Q	1%-0.125%, 50 g	‡1	—	Pergalen	HP
	SODIUM BICARBONATE CAUTION: For use in the treatment of renal disease				
4458P	Capsule 840 mg	100	2	Sodibic	PT
	SODIUM CHLORIDE Irrigation Solution 0.9%,				
4460R	500 mL	‡1	2	TV	
4461T	1 L	‡1	2	TV	
	SODIUM CITRATE and SODIUM LAURYL SULPHOACETATE				
4462W	Enema 90 mg-9 mg in 1 mL, 5 mL, 4	‡1	1	Microlax	PS
	SODIUM CROMOGLYCATE				
4465B	Capsule 10 mg (nasal insufflation)	100	5	Rynacrom	FC
4467D	Nasal Spray 2%, 17.5 mL	‡1	5	Rynacrom	FC
	SODIUM FLUORIDE				
4469F	Tablet 20 mg	100	1	Hifluor	PT
	SODIUM POLYSTYRENE SULPHONATE CAUTION: For use in the treatment of renal disease				
4470G	Powder 454g	‡1	2	Resonium-A	WL
	SPIRONOLACTONE				
4471H	Tablet 100 mg	100	—	Aldactone	SR

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>No. Max. of qty</i>	<i>rpts</i>	<i>Proprietary name and manufacturer</i>	
	STERCULIA with FRANGULA BARK				
4472J	Granules 62%-8%, 200 g	#1	1	Normacol	NE
	SULPHATHIAZOLE, SULPHACETAMIDE, SULPHABENZAMIDE and UREA				
4475M	Vaginal Cream 3.42%-2.86%-3.7%-0.64%, 85 g	#1	—	Sultrin	ET
	SUNSCREENS				
4208L	Cream 50 g	#1	—	Hamilton Sunscreen Broad Spectrum Cream	HA
4367W	100 mL	#1	—	UV Ultrablock Broad Spectrum Water Resistant 15+ Cream	IC
4546G	Lotion 125 mL	#1	—	Hamilton Broad Spectrum Milky Lotion	HA
4548J	250 mL	#1	—	Pabafilm 15	AQ
4209M	Solid Stick 5 g	#1	—	Hamilton Broad Spectrum Solastick	HA
	TEMAZEPAM				
	CAUTION: Continuous long term use may lead to dependency				
4474L	Capsule 10 mg	50	1	Euhypnos Normison	SI WY

<i>Code</i>	<i>Name, manner of administration and form</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	TETRA-BROMO-ORTHOCHRESOL, UNDECENOIC ACID, ZINC UNDECENOATE and ZINC OXIDE				
4477P	Powder 1%-1%-5%-5%, 50 g	±1	—	Pedoz	HA
	THYMOL IODIDE, BISMUTH SUBIODIDE AND CHLORBUTOL				
4530K	Powder 1.15%-4.15%-5.25%, 10 g	±1	—	E.D.P.	GL
	TOLNAFTATE				
4478Q	Cream 1%, 20 g	±1	—	Tinacidin	SH
				Tinaderm	SO
4537T	1%, 30 g	±1	—	Pedi-Derm	NN
4479R	Powder 1%, 20 g	±1	—	Pedi-Derm	NN
				Tinaderm	SO
4480T	Solution 1%, 10 mL	±1	—	Tinacidin	SH
				Tinaderm	SO
4538W	1%, 15 mL	±1	—	Pedi-Derm	NN
4481W	Spray Aerosol 1%, 150 g	±1	—	Tinaderm	SO
	TRIAMCINOLONE ACETONIDE				
4532M	Cream 0.05%, 30 g	±1	2	Aristocort 0.05%	LE
				Kenalone	SQ
4533N	Ointment 0.05%, 30 g	±1	2	Aristocort 0.05%	LE
				Kenalone	SQ
	TRIAMCINOLONE ACETONIDE with NEOMYCIN SULPHATE, GRAMICIDIN and NYSTATIN				
	CAUTION: For the short term treatment of localised infective eczema only				
	Cream				
4483Y	0.1%-0.25% (base)-0.025%-100 000 units in 1 g, 15 g	±1	—	Kenacomb	SQ
	Ointment				
4482X	0.1%-0.25% (base)-0.025%-100 000 units in 1 g, 15 g	±1	—	Kenacomb	SQ

<i>Code</i>	<i>Item</i>	<i>Max.</i>	<i>No. of qty rpts</i>	<i>Proprietary name and manufacturer</i>	
	TRIMEPRAZINE				
4075L	Tablet 10 mg	50	2	Vallergan	MB
	VITAMIN A				
4488F	Ointment 1 800 units per g, 50 g	‡1	1	Ungvita	NS
	VITAMIN A, CALAMINE and SILICONE OIL				
4490H	Cream 500 units per g, 10%-1%, 50 g	‡1	1	Ungvita Cream	NS
	VITAMIN B GROUP COMPLEX				
4493L	Liquid 200 mL	‡1	2	Accomin	LE
	VITAMIN B GROUP COMPLEX with ASCORBIC ACID				
4494M	Injection 2 mL	10	1	Intravite B Group	NS
	VITAMIN B GROUP COMPLEX STRONG with ASCORBIC ACID				
4495N	Tablet	90	2	Multi-B Forte	GP
4491J	Tablet with				
	Calcium Pantothenate	100	2	FM	
4496P	Injection I.M. — pair of 5 mL and 2 mL ampoules, 3	‡1	1	Parentrovite	BR
	VITAMIN E				
	NOTE: For use of patients established on this therapy prior to 1 March 1983				
4521Y	Capsule 250 mg	100	2	Vita-Valu	VV
	ZINC OXIDE, STARCH and CHLORPHENESIN				
4497Q	Dusting Powder, 100 g	‡1	1	Z.S.C.	SI
	ZINC PYRITHIONE				
4498R	Shampoo 1%, 200 mL	‡1	1	Dan Gard	HP
4499T	Cream 0.5%, 75 g	‡1	1	Dan Gard Hold & Care	HP

Section 2

REPATRIATION SCHEDULE
OF BENEFITS
Aids to Treatment

<i>Code</i>	<i>Item</i>	<i>Max.</i>	<i>No. of</i>	<i>Proprietary</i>	
		<i>qty</i>	<i>rpts</i>	<i>name and</i>	<i>manufacturer</i>
ABSORBENT NAPKINS PANTS					
4603G	pack of 2, small size	3	—	Softze Dri Shield Disposable	BS
4604H	pack of 2, medium size	3	—	Softze Dri Shield Disposable	BS
4602F	pack of 2, large size	3	—	Softze Dri Shield Disposable	BS
INJECTION SITE PREPARATION SWAB					
4616Y	Isopropyl Alcohol 70%, pack of 100	‡1	1	Medi Swab 5186 Curity 2323	SN KE
4631R	MOUTH PIECE FOR METERED AEROSOLS	‡1	—	Mouthpiece	BY
4635Y	NASAL INSUFFLATOR	‡1	—	Rynacrom	FC
ROTAHALERS					
4637C	Rotahaler	‡1	—	Ventolin	GL
4638D	Rotahaler	‡1	—	Becotide	GL
4636B	SPINHALER	‡1	—	Intal	FC

NOTE: A number following the proprietary name denotes manufacturer's product code

Section 3

REPATRIATION SCHEDULE
OF BENEFITS
Dressings

<i>Code</i>	<i>Item</i>	<i>Max.</i>	<i>No. of</i>	<i>Proprietary</i>	
		<i>qty</i>	<i>rpts</i>	<i>name and</i>	<i>manufacturer</i>
ABSORBENT COTTON GAUZE					
4704N	90 cm × 1 m, pack	‡1	—	Handy 4021	BE
4705P	11 cm × 373 cm, roll	‡1	—	Kerlix 6715	KE
ABSORBENT COTTON WOOL					
4701K	100 g roll	‡1	2	JJ 02013	JJ
4702L	375 g roll	‡1	2	JJ 02011	JJ
ABSORBENT GAUZE PAD					
4707R	5 cm × 5 cm, 100	‡1	—	Curity 1613 Handy 5672	KE BE
4807B	5 cm × 5 cm, sterile single pack, 100	‡1	—	Curity 3381	KE
4710X	7.5 cm × 7.5 cm, 100	‡1	—	Curity 1648 Handy 5673	KE BE
4709W	7.5 cm × 7.5 cm, sterile single pack, 100	‡1	—	Curity 6132	KE
4708T	10 cm × 10 cm, 100	‡1	—	Curity 1825 Handy 5674	KE BE
4808C	10 cm × 10 cm, sterile single pack, 100	‡1	—	Curity 6309	KE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	ABSORBENT LINT				
4711Y	50 g, pack	±1	—	Handy 4032	BE
	ABSORBENT NAPKINS				
4714D	Pack of 20 (medium size)	±1	10	Softze Dri-Shield Comfort Pad Medium	BS
4715E	Pack of 20 (regular size)	±1	10	Softze Dri-Shield Comfort Pad Regular	BS
	BANDAGE CALICO TRIANGULAR				
4717G	large size	±1	—	Handy 5605	BE
	BANDAGE COTTON CONFORMING				
4720K	2.5 cm × 1.5 m	5	—	Handy-Band 9483	BE
4721L	5 cm × 1.5 m	5	—	Handy-Band 9485	BE
4722M	7.5 cm × 1.5 m	5	—	Handy-Band 9488	BE
4723N	10 cm × 1.5 m	5	—	Handy-Band 9490	BE
4724P	15 cm × 1.5 m	5	—	Handy-Band 9495	BE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>No. Max. of qty rpts</i>	<i>Proprietary name and manufacturer</i>	
BANDAGE COTTON CREPE HEAVY				
4727T	5 cm × 2.3 m	2 —	Curaband 8252F	KE
			Elastocrepe 3005	SN
4728W	7.5 cm × 2.3 m	2 —	Curaband 8253F	KE
			Elastocrepe 3075	SN
4729X	10 cm × 2.3 m	2 —	Curaband 8254F	KE
			Elastocrepe 3010	SN
4730Y	15 cm × 2.3 m	2 —	Curaband 8256F	KE
			Elastocrepe 3015	SN
BANDAGE ELASTIC ADHESIVE				
4733D	5 cm × 2.5 m	1 —	Elastoplast 1002	SN
4734E	7.5 cm × 2.5 m	1 —	Elastoplast 1003	SN
4735F	10 cm × 2.5 m	1 —	Elastoplast 1004	SN

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max.</i>	<i>No.</i> <i>of</i>	<i>Proprietary</i> <i>name and</i> <i>manufacturer</i>	
<i>qty</i>	<i>rpts</i>				
BANDAGE ELASTIC CONFORMING					
4801Q	2.5 cm × 1.8 m	5	—	Curaband 8181	KE
4802R	5 cm × 1.8 m	5	—	Curaband 8182	KE
4803T	7.5 cm × 1.8 m	5	—	Curaband 8183	KE
4804W	10 cm × 1.8 m	5	—	Curaband 8184	KE
4805X	15 cm × 1.8 m	5	—	Curaband 8186	KE
BANDAGE HEAVY ELASTIC SUPPORT					
4737H	7.5 cm × 2.75 m	2	—	Curaband 8123	KE
BANDAGE OPEN-WOVE					
4738J	2.5 cm	5	—	Handy 5551	BE
4739K	5 cm	5	—	Handy 5552	BE
4740L	7.5 cm	5	—	Handy 5553	BE
4741M	10 cm	5	—	Handy 5554	BE
BANDAGE PLASTER OF PARIS					
4744Q	5 cm × 2.75 m	5	—	Gypsona S5002	SN
4745R	7.5 cm × 2.75 m	5	—	Gypsona S5003	SN
4746T	10 cm × 2.75 m	5	—	Gypsona S5004	SN
4747W	15 cm × 2.75 m	5	—	Gypsona S5006	SN

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max.</i>	<i>No. of</i>	<i>Proprietary</i>	
		<i>qty</i>	<i>rpts</i>	<i>name and</i>	
				<i>manufacturer</i>	
BANDAGE SELF ADHESIVE					
ELASTIC					
4811F	5 cm × 1.3 m	2	—	Peg 7420	BK
4812G	7.5 cm × 1.3 m	2	—	Peg 7422	BK
4813H	10 cm × 1.3 m	2	—	Peg 7423	BK
4814J	15 cm × 1.3 m	2	—	Peg 7425	BK
BANDAGE STRETCH					
4820Q	2.5 cm	5	—	Conform 2230	KE
4821R	5 cm	5	—	Conform 2231	KE
4822T	7.5 cm	5	—	Conform 2232	KE
4823W	10 cm	5	—	Conform 2236	KE
4824X	15 cm	5	—	Conform 2238	KE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	BANDAGE WRINKLED COTTON CREPE				
4833J	5 cm × 1.5 m (hospital quality)	2	—	Curaband 8232 Handy	KE BE
4834K	7.5 cm × 1.5 m (hospital quality)	2	—	Curaband 8233 Handy	KE BE
4835L	10 cm × 1.5 m (hospital quality)	2	—	Curaband 8234 Handy	KE BE
4836M	15 cm × 1.5 m (hospital quality)	2	—	Curaband 8236 Handy	KE BE
	BANDAGE ZINC PASTE				
4750B	7.5 cm × 6 m	2	—	Viscopaste 4949	SN
	BANDAGE ZINC PASTE and ICHTHAMMOL				
4752D	7.5 cm × 6 m	2	—	Ichthopaste 4959	SN
	DRESSING ADHESIVE MEMBRANE				
4839Q	14 cm × 10 cm, sterile single sachet	±10	2	Op-Site 4963	SN
4840R	28 cm × 15 cm, sterile single sachet	±10	2	Op-Site 4986	SN

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	DRESSING ELASTIC ADHESIVE				
4754F	6 cm × 1 m, pack	1	—	Elastoplast 4025	SN
	DRESSING NON ADHERENT DRY ABSORBENT				
4860T	5 cm x 5 cm, sterile single sachet, pack of 5	‡1	—	Melolin 1200M	SN
4755G	5 cm × 7.5 cm, sterile single pack	10	—	Telfa 1961C	KE
4758K	7.5 cm × 10 cm, sterile single pack	10	—	Telfa 2132C	KE
4861W	10 cm x 10 cm, sterile single sachet, pack of 10	‡1	—	Melolin 4933	SN
	DRESSING PARAFFIN GAUZE				
4759L	10 cm × 10 cm, sterile foil, pack of 10	‡1	—	Unitulle Jelonet 7404	RL SN
	DRESSING PARAFFIN GAUZE with CHLORHEXIDINE ACETATE				
4845B	10 cm × 10 cm, sterile foil, pack of 10	‡1	2	Bactigras 7457	SN
4846C	10 cm × 40 cm, sterile foil, pack of 10	‡1	2	Bactigras 00616	SN
4847D	15 cm × 20 cm, sterile foil, pack of 10	‡1	2	Bactigras 7461	SN

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	DRESSING SELF ADHESIVE NON ADHERENT DRY ABSORBENT				
4843X	5 cm × 7.5 cm, sterile sachets, pack of 10	‡1	2	Curity-Telfa 6020C	KE
4844Y	7.5 cm × 10 cm, sterile sachets, pack of 6	‡1	2	Curity-Telfa 7650C	KE
4762P	FELT PAD BUNION pack of 5	‡1	—	Scholl	SO
4763Q	FELT PAD CALLOUS pack of 5	‡1	—	Scholl	SO
4764R	FELT PAD CORN pack of 9	‡1	—	Scholl	SO
4767X	GAUZE AND COTTON TISSUE (COMBINE ROLL) 9 cm × 10 m wrapped pack	‡1	—	SN 121054A JJ 12031	SN JJ
4768Y	GAUZE EYE PADS Pack of 12	‡1	—	Curity 4112	KE
4850G	GAUZE STERILE STRIP 1.25 cm × 1 m	‡1	2	Nufold 10330	JJ
4851H	2.5 cm × 1 m	‡1	2	Nufold 10331	JJ
4852J	2.5 cm × 2.5 m	‡1	2	Nufold 10332	JJ

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
	GLOVES PLASTIC (DISPOSABLE) NOTE: For occlusive dressing use only *				
4772E	Small, pack of 100	‡1	—	Handy 4177	BE
4773F	Medium, pack of 100	‡1	—	Handy 4178	BE
4774G	Large, pack of 100	‡1	—	Handy 4179	BE
	LAMBS WOOL				
4777K	original pack	‡1	—	Scholl	SO
	POVIDONE-IODINE GAUZE PAD				
4779M	22.5 cm × 7.5 cm, sterile foil, pack of 12	‡1	2	Betadine	FA
	SELF ADHESIVE PLASTER ELASTIC				
4780N	2.5 cm × 2.5 m roll	1	—	Leukoplast 1071	BE
4781P	5 cm × 2.5 m roll	1	—	Leukoplast 1072	BE
4782Q	7.5 cm × 2.5 m roll	1	—	Leukoplast 1073	BE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max. qty</i>	<i>No. of rpts</i>	<i>Proprietary name and manufacturer</i>	
SELF ADHESIVE PLASTER					
HYPOALLERGENIC					
4784T	1.25 cm × 5 m roll	1	—	Leukoflex 1121	BE
4783R	1.25 cm × 5 m roll	1	—	Leukopor 2471	BE
4785W	1.25 cm × 5 m roll	1	—	Leukosilk 1021	BE
4864B	1.25 cm x 9.1 m roll	1	—	Tenderskin 1596.1	KE
4786X	2.5 cm × 5 m roll	1	—	Leukoflex 1122	BE
4794H	2.5 cm × 5 m roll	1	—	Leukopor 2472	BE
4787Y	2.5 cm × 5 m roll	1	—	Leukosilk 1022	BE
4865C	2.5 cm x 9.1 m roll	1	—	Tenderskin 1914	KE
4788B	5 cm × 5 m roll	1	—	Leukoflex 1124	BE
4790D	5 cm × 5 m roll	1	—	Leukopor 2474	BE
4789C	5 cm × 5 m roll	1	—	Leukosilk 1024	BE
4866D	5 cm x 9.1 m roll	1	—	Tenderskin 2419	KE
4867E	7.5 cm x 9.1 m roll	1	—	Tenderskin 3394	KE
SELF ADHESIVE PLASTER					
WATERPROOF					
4791E	2.5 cm × 5 m roll	1	—	Leukoplast 2322	BE
4792F	5 cm × 5 m roll	1	—	Leukoplast 2324	BE
4793G	7.5 cm × 5 m roll	1	—	Leukoplast 2325	BE

NOTE: A number following the proprietary name denotes manufacturer's product code

<i>Code</i>	<i>Item</i>	<i>Max.</i>	<i>No. of</i>	<i>Proprietary</i>	
		<i>qty</i>	<i>rpts</i>	<i>name and</i>	<i>manufacturer</i>
TUBULAR DRESSING					
4855M	6.25 cm × 1 m	1	—	Tubigrip B	BT
4856N	6.75 cm × 1 m	1	—	Tubigrip C	BT
4857P	7.5 cm × 1 m	1	—	Tubigrip D	BT
4858Q	8.75 cm × 1 m	1	—	Tubigrip E	BT
4859R	10 cm × 1 m	1	—	Tubigrip F	BT
TUBULAR FINGER DRESSING					
4798M	Complete pack, including applicator	‡1	—	Scholl Tubegauz	SO

NOTE: A number following the proprietary name denotes manufacturer's product code

Section 4

REPATRIATION SCHEDULE
OF BENEFITS
Proprietary Name Index

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Accomin	LE	Multivitamin with Minerals
Accomin	LE	Vitamin B Group Complex
Aci-Jel	ET	Ricinoleic Acid, Boric Acid, Acetic Acid, and Oxyquinoline Sulphate
Actacode	SI	Codeine Phosphate
Actuss	SI	Pholcodine
Adaphol	NN	Pholcodine
Aldactone	SR	Spironolactone
Aldecin	SH	Beclomethasone Dipropionate
Alepam 15	AF	Oxazepam
Alepam 30	AF	Oxazepam
Allergex	PT	Chlorpheniramine
Alodorm	AF	Nitrazepam
Alphosyl	SV	Allantoin and Coal Tar Extract
Amoxil	BR	Amoxycillin
Ancolan	GL	Meclozine
Antabuse	ET	Disulfiram
Antenex 2	AF	Diazepam
Antenex 5	AF	Diazepam
Aristocort 0.05%	LE	Triamcinolone Acetonide
Ascorb "50"	PT	Ascorbic Acid
Aspalgin	FM	Codeine Phosphate with Aspirin
Atarax	PF	Hydroxyzine Pamoate
Ativan	WY	Lorazepam
Bactigras 7457/00616/ 7461	SN	Dressing Paraffin Gauze with Chlorhexidine Acetate (Section 3)
Beconase	GL	Beclomethasone Dipropionate
Becotide	GL	Rotahalers (Section 2)
Benadryl	PD	Diphenhydramine Hydrochloride
Benadryl Expectorant	PD	Diphenhydramine Hydrochloride
Benzotran	PT	Oxazepam
Betadine	FA	Povidone-Iodine
Betadine	FA	Povidone-Iodine Gauze Pad (Section 3)
Betnovate ½	GL	Betamethasone Valerate
Betnovate	GL	Betamethasone Valerate
B.F.I.	MK	Bismuth Formic Iodide

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Bioral	SN	Carbenoxolone Sodium
Bisolvon	BY	Bromhexine Hydrochloride
Bodywash	HA	Skin Cleanser
Bonjela	RC	Choline Salicylate, Cetalkonium Chloride, Menthol, Glycerol and Ethanol
Bufferin	AP	Aspirin
Bufferin Extra Strength (ESB)	AP	Aspirin
Buscopan	BY	Hyoscine-N-Butylbromide
Caladryl	PD	Lignocaine Hydrochloride, Calamine and Camphor
Cal-Sup	RK	Calcium Carbonate with Glycine
Ceetamol	PT	Paracetamol
Celestone V Half Strength	SH	Betamethasone Valerate
Celestone V	SH	Betamethasone Valerate
Celestone-VG	SH	Betamethasone Valerate and Gentamicin Sulphate
Cerumol	AC	Dichlorobenzene, Chlorbutol and Turpentine Oil
Cetaphil	AQ	Skin Cleanser
Chlorohex	OM	Chlorhexidine Gluconate
Codalgin	FM	Codeine Phosphate with Paracetamol
Codelix	DH	Codeine Phosphate
Codlin	NN	Codeine Phosphate
Cogentin	MK	Benztropine
Colofac	ET	Mebeverine Hydrochloride
Coloxyl 50	FM	Diocetyl Sodium Sulphosuccinate
Coloxyl 120	FM	Diocetyl Sodium Sulphosuccinate
Coloxyl with Danthron	FM	Diocetyl Sodium Sulphosuccinate with Danthron
Conform 2230/2231/2232/2236/2238	KE	Bandage Stretch (Section 3)
Cotazym-B	OR	Pancrelipase, Cellulase and Ox Bile Extract

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Curaband 8252F/8253F/ 8254F/8256F	KE	Bandage Cotton Crepe Heavy (Section 3)
Curaband 8181/8182/ 8183/8184/8186	KE	Bandage Elastic Conforming (Section 3)
Curaband 8123	KE	Bandage Heavy Elastic Support (Section 3)
Curaband 8232/8233/ 8234/8236	KE	Bandage Wrinkled Cotton Crepe (Section 3)
Curity 3381/6132/ 6309	KE	Absorbent Gauze Pad (Section 3)
Curity 4112	KE	Gauze Eye Pads (Section 3)
Curity 2323	KE	Injection Site Preparation Swab (Section 2)
Curity 1613/1648/1825	KE	Absorbent Gauze Pad (Section 3)
Curity-Telfa 6020C/ 7650C	KE	Dressing Self Adhesive Non Adherent Dry Absorbent (Section 3)
Dalmane	RO	Flurazepam Dihydrochloride
Dan Gard	HP	Zinc Pyrithione
Dan Gard Hold & Care	HP	Zinc Pyrithione
Dencorub	CW	Camphor, Menthol, Eucalyptus Oil, Isobornyl Acetate and Methyl Salicylate
Dextrostix	AM	Glucose Indicator — Blood
Dimetane	RS	Brompheniramine
Diprosone	SH	Betamethasone Dipropionate
Dormicum	PT	Nitrazepam
Drapolex	BW	Benzalkonium Chloride, Cetrimide and Lanolin
Drixine	SH	Oxymetazoline Hydrochloride
Drixora	SH	Pseudoephedrine Sulphate
Ducene	SU	Diazepam
Duoquel	BW	Aluminium Hydroxide with Magnesium Hydroxide and Simethicone
Duractin	CS	Cimetidine

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Duro-Tuss	RK	Pholcodine
Dymadon	BW	Paracetamol
Dymadon Co.	BW	Codeine Phosphate with Paracetamol
E.D.P.	GL	Thymol Iodide, Bismuth Subiodide and Chlorbutol
Efudix	RO	Fluorouracil
Egopsoryl-TA	EO	Allantoin, Sulphur, Phenol, Coal Tar Solution and Menthol
Egosulphyl	EO	Cetylalcohol, Birch Tar, Sulphur and Salicylic Acid
Elastocrepe 3005/ 3075/3010/3015	SN	Bandage Cotton Crepe Heavy (Section 3)
Elastoplast 1002/ 1003.1004	SN	Bandage Elastic Adhesive (Section 3)
Elastoplast 4025	SN	Dressing Elastic Adhesive (Section 3)
Eskamel	SK	Resorcinol and Sulphur
Euhypnos	SI	Temazepam
Eurax	CG	Crotamiton
Fenammine	FM	Pheniramine
Fenammine-M	FM	Pheniramine
Fibyrax	RL	Fibrous Extracts of Grain and Citrus
Fluoroplex	AG	Fluorouracil
Fortral	WL	Pentazocine Hydrochloride
Fybogel	RC	Ispaghula Husk
Gavigrans	RC	Alginate Acid Compound
Gypsona S5002/ S5003/S5004/S5006	SN	Bandage Plaster of Paris (Section 3)
Hamilton Bath Oil	HA	Bath Emollient
Hamilton Broad Spectrum Milky Lotion	HA	Sunscreens
Hamilton Broad Spectrum Solastick	HA	Sunscreens
Hamilton Sunscreen Broad Spectrum Cream	HA	Sunscreens

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Handy 4021	BE	Absorbent Cotton Wool Gauze (Section 3)
Handy 5672/5673/ 5674	BE	Absorbent Gauze Pad (Section 3)
Handy 4032	BE	Absorbent Lint (Section 3)
Handy 5605	BE	Bandage Calico Triangular (Section 3)
Handy 5551/5552/ 5553/5554	BE	Bandage Open-Wove (Section 3)
Handy 8235/8238/ 8240/8245	BE	Bandage Wrinkled Cotton Crepe (Section 3)
Handy 4177/4178/ 4179	BE	Gloves Plastic (Disposable) (Section 3)
Handy-Band 9483/ 9485/9488/9490/ 9495	BE	Bandage Cotton Conforming (Section 3)
Hifluor	PT	Sodium Fluoride
Hirudoid	LW	Heparinoid
Histalert	RK	Diphenylpyraline
Hydroform	DM	Hydrocortisone and Clioquinol
Hypnodorm	AF	Flunitrazepam
Ichthopaste 4959	SN	Bandage Zinc Paste and Ichthammol (Section 3)
Intal	FC	Spinhaler (Section 2)
Intravite B Group	NS	Vitamin B Group Complex with Ascorbic Acid
Ionil	AQ	Salicylic Acid, Benzalkonium Chloride, Alcohol and Polyoxyethylene Ethers
Ionil Rinse	AQ	Hydrolyzed Collagen Proteins
Ionil-T	AQ	Salicylic Acid, Benzalkonium Chloride, Alcohol, Coal Tar and Polyoxyethylene Ethers
JJ 02011 02013	JJ	Absorbent Cotton Wool (Section 3)
JJ 12031	JJ	Gauze and Cotton Tissue (Combine Roll) (Section 3)
Jelonet 7404	SN	Dressing Paraffin Gauze (Section 3)

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Kenacomb	SQ	Triamcinolone Acetonide with Neomycin Sulphate, Gramicidin and Nystatin
Kenalone	SQ	Triamcinolone Acetonide
Kerlix 6715	KE	Absorbent Cotton Gauze (Section 3)
Lasonil	BN	Heparinoid and Hyaluronidase
Leukoflex 1121/1122/1124	BE	Self Adhesive Plaster Hypoallergenic (Section 3)
Leukoplast 1071/1072/1073	BE	Self Adhesive Plaster Elastic (Section 3)
Leukoplast 2322/2324/2325	BE	Self Adhesive Plaster Waterproof (Section 3)
Leukopor 2471/2472/2474	BE	Self Adhesive Plaster Hypoallergenic (Section 3)
Leukosilk 1021/1022/1024	BE	Self Adhesive Plaster Hypoallergenic (Section 3)
Lexotan	RO	Bromazepam
Librium	RO	Chlordiazepoxide
Lubafax	BW	Lubricating Agent
Magmin	VS	Magnesium Aspartate
Medi Swab 5186	SN	Injection Site Preparation Swab (Section 2)
Melolin 1200M/4933	SN	Dressing Non Adherent Dry Absorbent (Section 3)
Merbentyl	ML	Dicyclomine Hydrochloride
Mersyndol	ML	Codeine Phosphate, Paracetamol and Doxylamine Succinate
Metamucil	SR	Psyllium Hydrophilic Mucilloid
Meth-Zine	PT	Promethazine
Metsal	RK	Menthol, Eucalyptus Oil and Methyl Salicylate
MicroLax	PS	Sodium Citrate and Sodium Lauryl Sulphoacetate
Mogadon	RO	Nitrazepam
Mouthpiece	BY	Mouth Piece for Metered Aerosols (Section 2)
Moxacin	CS	Amoxycillin
Multi-B Forte	GP	Vitamin B Group Complex Strong with Ascorbic Acid

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Murelax	AY	Oxazepam
Myadec	PD	Multi Vitamins with Minerals
Myambutol	LE	Ethambutol Hydrochloride
Mylanta II	PD	Aluminium Hydroxide with Magnesium Hydroxide and Simethicone
Naprosyn	SD	Naproxen
Neo-Synephrine	WL	Phenylephrine Hydrochloride
Nitepam	US	Nitrazepam
Nitrolate	RO	Glyceryl Trinitrate
Normacol	NE	Sterculia with Frangula Bark
Normison	WY	Temazepam
Nufold 10330/10331/ 10332	JJ	Gauze Sterile Strip (Section 3)
Op-Site 4963/4986	SN	Dressing Adhesive Membrane (Section 3)
Orabase	SQ	Carmellose Sodium with Pectin and Gelatin Nonylphenoxyethoxyethanol
Orudis	MB	Ketoprofen
Pabafilm 15	AQ	Sunscreens
Palaprin Forte	NS	Aloxiaprin
Pamine	UP	Hyoscine Methobromide
Panacete	PR	Paracetamol
Panadeine Forte	WL	Codeine Phosphate with Paracetamol
Panalgesic	WL	Codeine Phosphate, Paracetamol and Doxylamine Succinate
Panamax	WL	Paracetamol
Panamax Co.	WL	Codeine Phosphate with Paracetamol
Pancrex	PA	Pancreatin Enzyme
Pancrex V	PA	Pancreatin Enzyme
Pancrex V Forte	PA	Pancreatin Enzyme
Paracodin	KN	Dihydrocodeine Tartrate
Paradex	PT	Dextropropoxyphene Hydrochloride with Paracetamol
Paralgin	FM	Paracetamol

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Parasin	NN	Paracetamol
Parmol	US	Paracetamol
Parentrovite	BR	Vitamin B Group Complex Strong with Ascorbic Acid
Paroven	ZY	Hydroxyethylrutosides
Paxyl	FA	Lignocaine, Benzalkonium Chloride, Vitamin A and Allantoin
PCL	DH	Paracetamol
Pectolin	FA	Pholcodine
Pedi-Derm	NN	Tolnaftate
Pedoz	HA	Tetra-bromo-orthocresol, Undecenoic Acid, Zinc Undecenoate and Zinc Oxide
Peg 7420/7422/7423/ 7425	BK	Bandage Self Adhesive Elastic (Section 3)
Pergalen	HP	Sodium Apolate and Benzyl Nicotinate
Peritrate	WW	Pentaerythritol Tetranitrate
Peritrate-S.A.	WW	Pentaerythritol Tetranitrate
Phenergan	MB	Promethazine
Pholcolin	DH	Pholcodine
Pholcolin Red	DH	Pholcodine
Pholtrate	MG	Pholcodine
Pimafucort	GB	Natamycin, Neomycin Sulphate and Hydrocortisone
Pinetarsol	EO	Pine Tar and Triethanolamine Lauryl Sulphate
Piriton	GL	Chlorpheniramine
Plaqacide	OB	Chlorhexidine Gluconate
Pluravit	NY	Multivitamin with Minerals
Polaramine	SH	Dexchlorpheniramine
Polybactrin Soluble G.U.	BW	Polymyxin B Sulphate, Zinc Bacitracin and Neomycin Sulphate
Posalfilin	NE	Salicylic Acid and Podophyllin Resin
Prantal	SH	Diphenamyl Methylsulphate
Procainamide Durules	AP	Procainamide Hydrochloride
Proctosedyl	RL	Hydrocortisone, Cinchocaine Hydrochloride and Aesculin

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Pro-Pam	PT	Diazepam
Pyridium	WW	Phenazopyridine Hydrochloride
Quotane	SK	Dimethisoquin Hydrochloride
Q V Bath Oil	EO	Bath Emollient
Raudixin	SQ	Rauwolfia Serpentina
Resonium-A	WL	Sodium Polystyrene Sulphonate
Rhinalar Nasal Mist	SD	Flunisolide
Rikodeine	RK	Dihydrocodeine Tartrate
Rikoderm	RK	Bath Emollient
Rubasal	HA	Diethylamine Salicylate, Menthol and Camphor
Rynacrom	FC	Sodium Cromoglycate
Rynacrom	FC	Nasal Insufflator (Section 2)
SN 121054A	SN	Gauze and Cotton Tissue (Combine Roll) (Section 3)
Salicylin-P	KY	Salicylic Acid and Podophyllin Resin
Savacol Gargle & Rinse	IC	Chlorhexidine Gluconate
Scheriproct	SC	Prednisolone Hexanoate, Cinchocaine Hydrochloride, Hexachlorophane and Clemizole Undecylenate
Scholl	SO	Felt Pad Bunion (Section 3)
Scholl	SO	Felt Pad Callous (Section 3)
Scholl	SO	Felt Pad Corn (Section 3)
Scholl	SO	Lambs Wool (Section 3)
Scholl Tubegauz	SO	Tubular Finger Dressing with Applicator (Section 3)
Sebitar	EO	Salicylic Acid, Coal Tar Solution, Pine Tar and Undecylenamide
Seda-Gel	NN	Choline Salicylate, Cetalkonium Chloride, Menthol, Glycerol and Ethanol
Sedlingtus	RT	Pholcodine
Selsun	AB	Selenium Sulphide
Senamon	DH	Senega and Ammonia
Senokot	RC	Senna Standardised
Serenace	SR	Haloperidol
Serepax	WY	Oxazepam

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Serpasil	CG	Reserpine
Silvazine	SN	Silver Sulphadiazine with Chlorhexidine Gluconate
Sodibic	PT	Sodium Bicarbonate
Softze	BS	Absorbent Napkins (Section 3)
Dri-Shield		
Comfort Pad		
Medium		
Softze	BS	Absorbent Napkins (Section 3)
Dri-Shield		
Comfort Pad		
Regular		
Softze Dri-Shield	BS	Absorbent Napkins Pants (Section 2)
Disposable		
Solcode	RC	Codeine Phosphate with Aspirin
Solprin	RC	Aspirin
Sudafed	BW	Pseudoephedrine Hydrochloride
Sultrin	ET	Sulphathiazole, Sulphacetamide, NI-Benzoylsulphanilamide and Urea
Synalar	IC	Fluocinolone Acetonide
Synalar 01	IC	Fluocinolone Acetonide
Tagamet	SK	Cimetidine
Telfa 1961C/2132C	KE	Dressing Non Adherent Dry Absorbent (Section 3)
Tenderskin	KE	Self Adhesive Plaster Hypoallergenic (Section 3)
1596.1/1914/		
2419/3394		
Thrombostat	PD	Bovine Plasma Derivative
Ticarda	HP	Normethadone Hydrochloride and Hydroxyephedrine
Tinacidin	SH	Tolnaftate
Tinaderm	SO	Tolnaftate
Titralac	RK	Calcium Carbonate with Glycine
Topilar	SD	Fluclorolone Acetonide
Tranxene	GL	Clorazepate Dipotassium
Tubigrip B	BT	Tubular Dressing (Section 3)
Tubigrip C	BT	Tubular Dressing (Section 3)
Tubigrip D	BT	Tubular Dressing (Section 3)

NOTE: A number following the proprietary name denotes manufacturer's code

<i>Proprietary name</i>	<i>Manufacturer</i>	<i>Approved name</i>
Tubigrip E	BT	Tubular Dressing (Section 3)
Tubigrip F	BT	Tubular Dressing (Section 3)
Tussinol	GP	Pholcodine
Ultralan	SC	Fluocortolone Pivalate and Fluocortolone Hexanoate
Ultraproct	SC	Fluocortolone Pivalate, Fluocortolone Hexanoate, Clemizole Undecylenate, Hexachlorophane and Cinchocaine Hydrochloride
Ungvita	NS	Vitamin A
Ungvita Cream	NS	Vitamin A, Calamine and Silicone Oil
Unicap-T	UP	Multivitamin with Minerals
Unitulle	RL	Dressing Paraffin Gauze (Section 3)
UV Ultrablock Broad Spectrum Water Resistant 15+ Cream	IC	Sunscreens
Valium	RO	Diazepam
Vallergan	MB	Trimeprazine
Ventolin	GL	Rotahalers (Section 2)
Vermox	JP	Mebendazole
Viscopaste 4949	SN	Bandage Zinc Paste (Section 3)
Vitaminorum	SI	Multivitamin
Vita-Valu	VV	Vitamin E
Voltaren	CG	Diclofenac Sodium
Waxsol	NE	Diethyl Sodium Sulphosuccinate
Xylocaine Viscous	AP	Lignocaine Hydrochloride and Carboxymethylcellulose
Xyloproct	AP	Hydrocortisone, Lignocaine Hydrochloride, Aluminium Subacetate and Zinc Oxide
Zadine	SH	Azatadine Maleate
Zantac	GL	Ranitidine Hydrochloride
Z.S.C.	SI	Zinc Oxide, Starch and Chlorphenesin

NOTE: A number following the proprietary name denotes manufacturer's code

Section 5

REPATRIATION SCHEDULE
OF BENEFITS
Manufacturers' Codes

<i>Code</i>	<i>Manufacturer</i>
AB	Abbott Laboratories Pty Ltd
AC	Alberto Culver Company
AF	Alphapharm Pty Ltd
AG	Allergan Pharmaceuticals Pty Ltd
AM	Ames Company, Division of Miles Laboratories Australia Pty Ltd
AP	Astra Pharmaceuticals Pty Ltd
AQ	Alcon Laboratories (Australia) Pty Ltd
AY	Ayerst Laboratories Pty Ltd
BE	BDF Australia Ltd
BK	Becton Dickinson (USA)
BN	Bayer Pharmaceutical Company
BR	Beecham Research Laboratories
BS	Bowater-Scott Ltd
BT	The Boots Company (Australia) Pty Ltd
BW	Wellcome Australia Limited
BY	Boehringer Ingelheim Pty Ltd
CG	Ciba-Geigy Australia Ltd
CS	Commonwealth Serum Laboratories
CW	Carter-Wallace (Aust) Pty Ltd

<i>Code</i>	<i>Manufacturer</i>
DH	Drug Houses of Australia Pty Ltd
DM	Dermacare Pty Ltd
DT	Du Pont Pharmaceuticals
EO	Ego Pharmaceuticals Pty Ltd
ET	Ethnor Pty Ltd
FA	F.H. Faulding & Co Ltd
FC	Fisons Pty Ltd
FM	Fawns and McAllan Pty Ltd
GB	Gist-Brocades Australia Pty Ltd
GL	Glaxo
GP	G.P. Laboratories
HA	Hamilton Laboratories Pty Ltd
HP	Hoechst Australia Ltd
IC	ICI Australia Operations Pty Ltd
JJ	Johnson & Johnson (Australia) Pty Ltd
JP	Janssen Pharmaceutica Pty Ltd
KE	Kendall (Australia)
KN	Knoll, A.G., Germany
KY	Key Pharmaceuticals Pty Ltd
LE	Lederle Laboratories Division
LW	Luitpold-Werk, Munich
MB	May & Baker Australia Pty Ltd
MG	J. McGloin Pty Ltd

<i>Code</i>	<i>Manufacturer</i>	<i>Code</i>	<i>Manufacturer</i>
MK	Merck, Sharp & Dohme (Aust) Pty Ltd	RS	A.H. Robins Pty Limited
ML	Merrell Dow Pharmaceuticals (Australia) Pty Ltd	RT	Rocke, Tomsitt & Co. Ltd
NE	Norgine Pty Ltd	SC	Schering, A.G.
NN	Nelson Laboratories (Sales) Pty Ltd	SD	Syntex Pharmaceuticals Ltd
NS	Nicholas Kiwi (Pacific)	SH	Essex Laboratories Pty Ltd — Australian subsidiary of Schering Corporation U.S.A.
NW	Norwich-Eaton Pharmaceuticals Pty Ltd	SI	Sigma Co. Ltd
NY	Nyal Company	SK	Smith Kline & French Laboratories (Aust) Ltd
OB	Oral B Laboratories Pty Ltd	SL	Soul Pattinson Laboratories Pty Ltd
OM	Orapharm Products	SN	Smith & Nephew (Aust) Pty Ltd
OR	Organon (Australia) Pty Ltd	SO	Scholl-Plough (Australia) Ltd
PA	Paines and Byrne Ltd	SQ	E.R. Squibb & Sons Pty Ltd
PD	Parke Davis Pty Ltd	SR	Searle Laboratories
PF	Pfizer Pty Ltd	SU	Sauter Laboratories (Aust) Pty Ltd
PR	Prosana Laboratories Pty Ltd	SV	Stafford-Miller Ltd
PS	Pharmacia (Australia) Pty Ltd	TO	R.D. Toppin & Sons Pty Ltd
PT	Protea Pharmaceuticals	TV	Travenol Laboratories Pty Ltd
QE	Queensland Ethicals	UP	Upjohn Pty Ltd
RC	Reckitt and Colman Pharmaceutical Division	US	USV Pharmaceuticals
RK	Riker Laboratories Australia Pty Ltd	VS	Vitaplex Pty Ltd
RL	Roussel Pharmaceuticals Pty Ltd	VV	Vita-Valu Laboratories
RO	Roche Products Pty Ltd	WL	Winthrop Laboratories
		WW	Wm R. Warner
		WY	Wyeth Pharmaceuticals Pty Ltd
68		ZY	Zyma Pharmaceuticals

